


IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Contents

Introduction 1
1. Scope 1
1.1 Abstract 1
1.2 Objective 1
1.3 Application 1
1.4 Effective Date 1
2. Document Administration 1
2.1 Originating Area and Responsibility 1
2.2 Authorization 1
2.3 Compliance 1
2.4 Property Statement 1
3. Related Documents 1
3.1 Superseded Documents 1
3.2 Referenced External Documents 2
3.3 Referenced IBM Documents 2
3.4 Copyright Permission 2
Requirements 2
4. External Standards 2
4.1 The Korean Industrial Standard 2
4.2 Relation of IBM and KSC 5601 Character Set 2
4.2.1 Character Coverage 2
4.2.2 Code Scheme 2
4.2.3 User Definable Character (UDC) Area 2
5. Specification of Character Repertoire 2
5.1 Identification of Graphic Characters 2
5.2 Algorithm of GCGID 2
6. Character Sets and Code Pages 3
6.1 Registration of GCSGID and CPGID 3
6.2 Structure of Korean DBCS-Host 5
6.3 Structure of Korean DBCS-PC 6
7. Code Translation Correspondences, Host-PC 7
7.1 Code Correspondence of Non-Hangeul/Hanja, Hangeul and Hanja Sets 7
7.2 Code Correspondence of UDC 7
8. DBCS-Host Specification 7
8.1 Format of DBCS-Host Specification Tables 7
8.2 Non-Hangeul/Hanja Set 8
8.3 Hanja Set(1/3) 26
8.4 Hanja Set(2/3) 59
8.5 Hanja Set(3/3) 96
8.6 Hangeul Set(1/2) 128
8.7 Hangeul Set(2/2) 157
9. DBCS-PC Specification 181
9.1 Format of DBCS-PC Specification Tables 181
9.2 Non-Hangeul/Hanja Set 181
9.3 Hangeul Set(1/2) 200
9.4 Hangeul Set(2/2) 229
9.5 Hanja Set(1/3) 246
9.6 Hanja Set(2/3) 277
9.7 Hanja Set(3/3) 308
Supplementary Information 341
10. Definition of Terms 341
10.1 Product 341
10.2 Graphic Character 341
10.3 User Definable Character 341
10.4 Graphic Character Global Identifier (GCGID) 341
10.5 Graphic Character Set 341
10.6 Byte 341
10.7 Unrestricted Graphic Character Set 341
10.8 Restricted Graphic Character Set 341
10.9 Graphic Character Set Global Identifier (GCSGID) 341
10.10 Code 341
10.11 Code Point 341
10.12 Code Page 341
10.13 Registered Code Page 341
10.14 Unrestricted Code Page 341
10.15 Restricted Code Page 341
10.16 Code Page Global Identifier (CPGID) 341
10.17 Coded Graphic Character 341
10.18 Coded Graphic Character Set 341
10.19 Registered Coded Graphic Character Set 341
10.20 Registered Code Page Translation Correspondences 341
10.21 Coded Graphic Character Set Global Identifier (CGCSGID) 342
10.21.1 EBCDIC 342
10.21.2 PC Code 342
10.21.3 SBCS 342
10.22 DBCS 342
10.23 DBCS-Host 342
10.24 DBCS-PC 342
10.24.1 Ward 342
11. History of KSC 5601 342
12. Difference from the Former Specification (dated 1989-10) 342
12.1 Abstract 342
12.2 Character Coverage 342
12.3 Changes of Graphic Images 342
13. Graphic Character Representation 342




IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Tables

1. Registration of GCSGID and CPGID for the IBM Korean Graphic Character Set	3	9. Hanja Set(3/3), DBCS - Host	96
2. Structure of DBCS-Host	5	10. Hangeul Set(1/2), DBCS - Host	128
3. Structure of DBCS-PC	6	11. Hangeul Set(2/2), DBCS - Host	157
4. UDC Correspondence	7	12. Non-Hangeul/Hanja Set, DBCS - PC	181
5. Format of DBCS-Host Specification Tables	7	13. Hangeul Set(1/2), DBCS - PC	200
6. Non-Hangeul/Hanja Set, DBCS - Host	8	14. Hangeul Set(2/2), DBCS - PC	229
7. Hanja Set(1/3), DBCS - Host	26	15. Hanja Set(1/3), DBCS - PC	246
8. Hanja Set(2/3), DBCS - Host	59	16. Hanja Set(2/3), DBCS - PC	277
		17. Hanja Set(3/3), DBCS - PC	308



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Introduction

1. Scope

1.1 Abstract

This document is a registry of the IBM Korean *Graphic Character Set*, in which the following items are set forth:

- the repertoire of the IBM Korean *Graphic Character Sets* is specified.
- each *graphic character* of the repertoire is identified by a *Graphic Character Global Identifier* (GCGID).
- *graphic character sets*, which are the subsets of the repertoire are specified and identified by *Graphic Character Set Global IDs* (GCSGID).
- two *code pages*, *DBCS-Host* and *DBCS-PC* for the *graphic character sets* are specified and identified by *Code Page Global IDs* (CPGID).
- code translation correspondences between *DBCS-Host* and *DBCS-PC* are specified.

1.2 Objective

The objectives of this document are:

- 1) to make available to all developers supporting Korean the specification of the Korean *graphic character sets* and *code pages*.
- 2) to ensure consistent implementation of the Korean *DBCS Graphic Character Sets* and *code pages* and the code correspondence between *DBCS-Host* and *DBCS-PC*.

Note: This document is one of a set of documents defined in C-S 3-3220-019, *Coded Character Sets Implementation*. The reader should be familiar with the requirements specified in C-S 3-3220-019 which describe the relationship of the documents. Note also that the requirements for compliance with this specification is described in C-S 3-3220-019.

Terms in italics (except in headings) are defined in the Supplementary Information section.

X'nn' or X'nnnn' represents a hexadecimal notation.

1.3 Application

This specification is applicable to all IBM products which implement the IBM Korean *Graphic Character Set* specified in this specification and which are announced or released to production (whichever occurs first) after date of publication.

1.4 Effective Date

This document takes effect with its publication.

2. Document Administration

2.1 Originating Area and Responsibility

This document is maintained by the Standards Project Authority (SPA) for SIRS 029, (Double-Byte Character Set (DBCS)), location code 93K, Yamato.

2.2 Authorization

Publication of this document was approved by the Standards Authorities of the affected operating units.

2.3 Compliance

Compliance with the requirements of this document is recommended unless it is called out as a requirement in a standard or equivalent document. It then assumes the same compliance requirements as that document.

2.4 Property Statement

This document is the property of IBM. Its use outside IBM is authorized only for responding to a request for quotation or for the performance of work for IBM. All supplier/vendor questions must be referred to the IBM purchasing department.

3. Related Documents

3.1 Superseded Documents

C-H 3-3220-125 dated 1989-10.

IBM Korean Graphic Character Set

Note: Changes in this edition are indicated by the character "|" (vertical bar) in the revision column.

**IBM Korean Graphic Character Set**

DBCS - Host and DBCS - PC

3.2 Referenced External Documents**ISO 646**

ISO Standard for 7-Bit Coded Character Set for Information Interchange

KSC 5601

Korean Industrial Standard Code for Information Interchange

3.3 Referenced IBM Documents**C-S 3-3220-002**

Extended BCD Interchange Code (EBCDIC)

C-S 3-3220-019

Coded Character Sets, Implementation

C-H 3-3220-050

REGISTRY, Graphic Character Sets and Code Pages

C-H 3-3220-055

Graphic Character Identification System

C-S 3-3220-102

Double-Byte Character Set (DBCS)

3.4 Copyright Permission

Not applicable.

Requirements**4. External Standards****4.1 The Korean Industrial Standard**

KSC 5601-1989, *Korean Industrial Standard Code for Information Interchange* defines total 8,224 characters, 986 Special characters, 2,350 Hangeul characters and 4,888 Hanja characters based on ISO 2022 extension method.

4.2 Relation of IBM and KSC 5601 Character Set

4.2.1 Character Coverage. The IBM Korean *Graphic Character Set* now defines total 8,224 coded *graphic characters*, which is exactly same as KSC 5601.

4.2.2 Code Scheme. The code schemes for the IBM Korean *Graphic Character Set* are *DBCS-Host* and *DBCS-PC*, which are defined C-S 3-3220-102 and independent of the code scheme of KSC 5601.

4.2.3 User Definable Character (UDC) Area. This standard has 1,880 DBCS-PC UDCs, which is the same number as the previous DBCS-PC UDCs, by providing additional 1,692 UDCs compared with 188 UDCs of KSC 5601.

5. Specification of Character Repertoire**5.1 Identification of Graphic Characters**

This document specifies the repertoire of the Korean *graphic character sets*. Each *graphic character* of the repertoire is identified by a unique *Graphic Character Global ID (GCGID)*.

In Korean *graphic character sets*, GCGIDs for Hangeul and Hanja take the form 'Fzzz0080', and those for *user definable characters* take the form 'Xzzz0080', following the specification of C-H 3-3220-055.

5.2 Algorithm of GCGID

zzz value for 'Fzzz0080' and 'Xzzz0080' is calculated by the following algorithm:

- 1) Assign virtual *codes* starting with the first *code point* of *EBCDIC* code range sequentially to the *graphic character set* of the proper collating.
- 2) Convert both *bytes* of the *code* from hexadecimal to decimal.
- 3) Subtract 64 from both numbers.
- 4) Multiply the high-order number by 192 and add the low-order number to the result.
- 5) Convert the resulting number to a base 36 number, where the values from 0 through 35 are 0 through 9, followed by A through Z. (The conversion algorithm is essentially the same as would be

**IBM Korean Graphic Character Set**

DBCS - Host and DBCS - PC

used to convert from decimal to hexadecimal.) The resulting value will be a three digit value. For Korean, it must be between 2DD (for code point X'5041') and NEL (for code point X'DDFD').

6. Character Sets and Code Pages**6.1 Registration of GCSGID and CPGID**

This specification registers subsets of the IBM Korean *Graphic Character Set* and identifies them by *Graphic Character Set Global Identifier (GCSGID)*.

It also specifies relevant *code pages* for those *registered graphic character set; DBCS-Host* and *DBCS-PC*, and identifies them by *Code Page Global Identifier (CPGID)*.

Table 1 specifies the *GCSGIDs* and *CPGIDs* of the *registered coded graphic character sets* of Korean.


The registration category "U" means "Unrestricted", which implies that *graphic character sets* and *code pages* in this category have potential broad implementation in information processing *products*.

The registration category "R" means "Restricted", which implies that *graphic character sets* and *code pages* in this category are limited to the particular environment for which they are registered.

Note: See C-H 3-3220-050 for the detail of registration categories of *graphic character sets* and *code pages*.

Table 1 (Page 1 of 2). Registration of GCSGID and CPGID for the IBM Korean Graphic Character Set

CGCSGID GCSGID CPGID	Name	Set Size	Reference in Table 2 on page 5 and Table 3 on page 6	Category of Regis- tration
00934 00834	DBCS-Host including 1,880 UDCs Wards 40 to DD	10,757	area 1, 2, 4, 6, 7 of Table 2	U
01010 00834	DBCS-Host excluding UDCs Wards 40 to D3	8,877	area 1, 2, 4, 6 of Table 2	U
01011 00834	DBCS-Host, Hangeul and Specials Set Wards 40 to 4B and 84 to D3	3,612	area 1, 2, 6 of Table 2	U
01012 00834	DBCS-Host, Specials and Jamo Set Wards 40 to 4B and 84 to D3	992	area 1, 2, 6 of Table 2	U
01013 00834	DBCS-Host, Hangeul and Jamo Set Wards 84 to D3	2,620	area 6 of Table 2	U
01014 00834	DBCS-Host, Hanja Set Wards 50 to 6C	5,265	area 4 of Table 2	U
01015 00834	DBCS-Host, 1,880 UDCs Wards D4 to DD	1,880	area 7 of Table 2	U
01050 00834	DBCS-Host including 1,880 UDCs (Common Set with DBCS-PC) Wards 40 to DD	10,104	area 1, 2, 4, 6, 7 of Table 2	U
01056 00834	DBCS-Host including 188 UDCs Wards 40 to D4	8,412	area 1, 2, 4, 6, 7 of Table 2	U
01057 00834	DBCS-Host, 188 UDCs Ward D4	188	area 7 of Table 2	U
01050 00951	DBCS-PC including 1,880 UDCs Wards 8F to FE	10,104	area 1, 2, 4, 5, 6, 7 of Table 3	U

**IBM Korean Graphic Character Set**

DBCS - Host and DBCS - PC

Table 1 (Page 2 of 2). Registration of GCSGID and CPGID for the IBM Korean Graphic Character Set

CGCSGID GCSGID CPGID	Name	Set Size	Reference in Table 2 on page 5 and Table 3 on page 6	Category of Regis- tration
01051 00951	DBCS-PC excluding 1,880 UDCs Wards A1 to C8 and CA to FD	8,224	area 2, 4, 6 of Table 3	U
01052 00951	DBCS-PC, Hangeul and Specials Set Wards A1 to AC and B0 to C8	3,336	area 2, 4 of Table 3	U
01053 00951	DBCS-PC, Specials Set Wards A1 to AC	986	area 2 of Table 3	U
01054 00951	DBCS-PC, Hangeul Set Wards FA to FC	2,350	area 4 of Table 3	U
01055 00951	DBCS-PC, Hanja Set Wards CA to FD	4,888	area 6 of Table 3	U
01056 00951	DBCS-PC including 188 UDCs Wards A1 to FE	8,412	area 2, 4, 5, 6, 7 of Table 3	U
01057 00951	DBCS-PC, 188 UDCs Wards C9 and FE	188	area 5, 7 of Table 3	U
01015 00951	DBCS-PC, 1,880 UDCs Wards 8F to A0, C9 and FE	1,880	area 1, 5, 7 of Table 3	U
00934 00926	DBCS-PC including 1,880 UDCs Wards 81 to BE	10,757		R
01010 00926	DBCS-PC excluding UDCs Wards 81 to AF and BA to BE	8,877		R
01011 00926	DBCS-PC, Hangeul and Specials Set Wards 81 to 94 and AF	3,612		R
01012 00926	DBCS-PC, Specials and Jamo Set Wards 81 to 85 and AF	992		R
01013 00926	DBCS-PC, Hangeul and Jamo Set Wards 86 to 94	2,620		R
01014 00926	DBCS-PC, Hanja Set Wards 95 to AC and BA to BE	5,265		R
01015 00926	DBCS-PC, 1,880 UDCs Wards B0 to B9	1,880		R

Note: The information on CPGID 00834 and 00951 and the associated GCSGIDs is described in C-H 3-3220-125, 1992-09. The information on CPGID 00926 and the associated GCSGIDs is described in C-H 3-3220-125, 1989-10. A request can be directed to SPA for SIRS 029, MBCS at YMTVM2 in order to obtain the documents.



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC


6.2 Structure of Korean DBCS-Host

The *coded graphic character set* of the Korean DBCS-Host is structured as shown in Table 2.

The specification of the *coded graphic character set* is shown in Table 6 on page 8 to Table 11 on page 157.

Area	Wards in Hex	Content	Number of Characters
1	40	Unassignable (except for SPACE in 4040) (See Table 6 on page 8)	1
2	41 to 4B	Non-Hangeul/Hanja Set (See Table 6 on page 8) <ul style="list-style-type: none"> • Special Symbol (Ward 41) • Alphanumeric (Ward 42) • Old Jamo (Ward 43) • Hiragana (Ward 44) • Katakana (Ward 45) • Greek, Roman Digits (Ward 46) • Grid Lines (Ward 47) • Units (Ward 48) • Special Symbols (Ward 49) • Russian (Ward 4A) • Latin (Ward 4B) 	939
3	4C to 4F	Reserved for Future IBM Assignments	
4	50 to 6C	Hanja Set (See Table 7 on page 26 and Table 8 on page 59 and Table 9 on page 96)	5,265
5	6D to 83	Reserved for Future IBM Assignments	
6	84 to D3	Hangeul and Jamo Character Set (See Table 10 on page 128 and Table 11 on page 157)	2,672
7	D4 to DD	User-Definable Characters Area	1,880*
8	DE to FE	Reserved for Future IBM Assignments	

Note: * The maximum number of user-definable characters.



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

6.3 Structure of Korean DBCS-PC

The *coded graphic character set* of the Korean DBCS-PC is structured as shown in Table 3.

The specification of the *coded graphic character set* is shown in Table 12 on page 181 to Table 17 on page 308.

Table 3. Structure of DBCS-PC			
Area	Wards in Hex	Content	Number of Characters
1	8F to A0	User-Definable Characters Area	1,692*
2	A1 to AC	Non-Hangeul/Hanja Set (See Table 12 on page 181) <ul style="list-style-type: none"> • Space (Ward A1) • Special Symbols (Ward A1,A2) • Alphanumeric (Ward A3) • Jamo, Old Jamo (Ward A4) • Greek, Roman Digits (Ward A5) • Grid Lines (Ward A6) • Units (Ward A7) • Latin (Ward A8) • Special Symbols (Ward A9) • Hiragana (Ward AA) • Katakana (Ward AB) • Russian (Ward AC) 	986
3	AD to AF	Reserved Area	
4	B0 to C8	Hangeul Set (See Table 13 on page 200 and Table 14 on page 229)	2,350
5	C9	User-Definable Characters Area	94*
6	CA to FD	Hanja Set (See Table 15 on page 246 and Table 16 on page 277 and Table 17 on page 308)	4,888
7	FE	User-Definable Characters Area	94*
Note: * The maximum number of user-definable characters.			



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

7. Code Translation Correspondences, Host-PC

Code translation correspondences of *DBCS-Host* and *DBCS-PC* are defined in this specification.

7.1 Code Correspondence of Non-Hangeul/Hanja, Hangeul and Hanja Sets

In the code correspondence of Non-Hangeul/Hanja, Hangeul and Hanja Sets between Korean *DBCS-Host* and *DBCS-PC*, logical conversion is not applicable. All code translation correspondences are therefore shown in the specification tables in the section 8 and section 9 on page 181. 653 *DBCS-Host* unique code points are left open in the specification tables since no *DBCS-PC* code points correspond to them.

In the section 8, the corresponding *DBCS-PC code points* for translation from *DBCS-Host code points* are defined.

In the section 9 on page 181, the corresponding *DBCS-Host code points* for translation from *DBCS-PC code points* are defined.

7.2 Code Correspondence of UDC

For *User Definable Characters*, the default code correspondence between *DBCS-Host* and *DBCS-PC* is logically given from the *code point* of the source in both translation of *DBCS-Host* to *DBCS-PC* and *DBCS-PC* to *DBCS-Host*.

The default code correspondence between *DBCS-Host* and *DBCS-PC* is sequentially given after mapping the first *code point* of the *DBCS-Host* User Definable Character (X'D441') and the first *code point* of the

DBCS-PC User Definable Character (X'C9A1') as shown in the UDC correspondence table below. The *DBCS-Host* UDC code points whose second byte is X'80' or X'FE' in each ward are just the open code points.

Table 4. UDC Correspondence

DBCS-PC Code Points (Hex)	DBCS-HOST Code Points (Hex)
C9A1 to C9FE	D441 to D49F
FEA1 to FEFE	D4A0 to D4FD
8FA1 to A0FE	D541 to DDFD

8. DBCS-Host Specification

8.1 Format of DBCS-Host Specification Tables

The tables which specify the Korean *DBCS-Host coded graphic character sets* are formatted as illustrated in Table 5.

Table 5. Format of DBCS-Host Specification Tables

Column				
1	2	3	4	5
Line No. (Decimal)	Graphic	Host Code (Hex)	PC Code (Hex)	GCGID
XXXX	X	XXXX	XXXX	XXXXXXXX

Note: Line numbers in column 1 are the serial numbers of the listed *graphic characters* in the area for the better legibility.




IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

8.2 Non-Hangeul/Hanja Set

Line Number	Graphic	Host Code	PC Code	GCGID
1		4040	A1A1	SP010080
2	,	4141	A1A2	JQ730080
3	o	4142	A1A3	JQ700080
4	.	4143	A1A4	SD630080
5	..	4144	A1A5	SV430080
6	...	4145	A1A6	SV440080
7	..	4146	A1A7	SD170080
8	//	4147	A1A8	SV090081
9	-	4148	A1A9	SP320080
10	—	4149	A1AA	SM120080
11		414A	A1AB	SA340080
12	\	414B	A1AC	SM070080
13	—	414C	A3FE	SM150080
14	‘	414D	A1AE	SP190080
15	’	414E	A1AF	SP200080
16	“	414F	A1B0	SP210080
17	”	4150	A1B1	SP220080
18	[4151	A1B2	SP060081
19]	4152	A1B3	SP070081
20	<	4153	A1B4	SP060082
21	>	4154	A1B5	SP070082
22	◀	4155	A1B6	SP060083
23	▶	4156	A1B7	SP070083
24	┌	4157	A1B8	JQ710080
25	└	4158	A1B9	JQ720080
26	┐	4159	A1BA	JQ710081

Line Number	Graphic	Host Code	PC Code	GCGID
27	↓	415A	A1BB	JQ720081
28	【	415B	A1BC	SP060084
29	】	415C	A1BD	SP070084
30	±	415D	A1BE	SA020080
31	×	415E	A1BF	SA070080
32	÷	415F	A1C0	SA060080
33	≠	4160		SA540080
34	≦	4161		SA520082
35	≧	4162		SA530082
36	∞	4163	A1C4	SA450080
37	∴	4164	A1C5	SA370080
38	°	4165	A1C6	SM190080
39	’	4166	A1C7	SM500080
40	”	4167	A1C8	SM510080
41	°C	4168	A1C9	SM440080
42	K	4169		F06H0080
43	^	416A	A3DE	SD150080
44	£	416B	A1CC	SC020080
45	¥	416C	A1CD	SC050080
46	ml	416D	A7A2	F06L0080
47	dQ	416E	A7A3	F06M0080
48	Q	416F	A7A4	SM160080
49	cc	4170	A7A6	SS870080
50	mm	4171	A7AE	SS810080
51	cm	4172	A7AF	SS820080
52	km	4173	A7B0	SS830080
53	mg	4174	A7B7	SS850080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Table 6 (Page 2 of 18). Non-Hangeul/Hanja Set, DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
54	kg	4175	A7B8	SS860080
55	§	4176	A1D7	SM240080
56	※	4177	A1D8	SM040088
57	☆	4178	A1D9	SS570080
58	★	4179	A1DA	SS580080
59	○	417A	A1DB	SM750080
60	●	417B	A1DC	SM580080
61	◎	417C	A1DD	SM810080
62	◇	417D	A1DE	SA660080
63	◆	417E	A1DF	SM610080
64	□	417F	A1E0	SM450080
65	■	4180	A1E1	SM470080
66	△	4181	A1E2	SM730080
67	▲	4182	A1E3	SM600080
68	▽	4183	A1E4	SM740080
69	▼	4184	A1E5	SV040080
70	→	4185	A1E6	SM310080
71	←	4186	A1E7	SM300080
72	↑	4187	A1E8	SM320080
73	↓	4188	A1E9	SM330080
74	↔	4189	A1EA	SM780080
75	≡	418A	A1EB	SS750080
76	[418B	A3DB	SM060080
77]	418C	A3DD	SM080080
78	≠	418D	A1C1	F07H0080
79	≦	418E	A1C2	SA520080
80	≧	418F	A1C3	SA530080

Table 6 (Page 2 of 18). Non-Hangeul/Hanja Set, DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
81	À	4190	A1CA	SM220080
82	♂	4191	A1CE	SM280080
83	♀	4192	A1CF	SM290080
84	∠	4193	A1D0	SA350088
85	⊥	4194	A1D1	SA780080
86	∩	4195	A1D2	SV420080
87	∅	4196	A1D3	SA490080
88	▽	4197	A1D4	SL030080
89	≡	4198	A1D5	SA480080
90	≡	4199	A1D6	SA700081
91	⏪	419A	A1EC	SA730080
92	⏩	419B	A1ED	SA740080
93	√	419C	A1EE	SA800080
94	↻	419D	A1EF	SA830080
95	¢	424A	A1CB	SC040080
96	.	424B	A3AE	SP110080
97	<	424C	A3BC	SA030080
98	(424D	A3A8	SP060080
99	+	424E	A3AB	SA010080
100		424F	A3FC	SM130080
101	&	4250	A3A6	SM030080
102	!	425A	A3A1	SP020080
103	\$	425B	A3A4	SC030080
104	※	425C	A3AA	SM040080
105)	425D	A3A9	SP070080
106	;	425E	A3BB	SP140080
107	∟	425F	A1FE	SM660080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
108	—	4260	A3AD	SP100080
109	/	4261	A3AF	SP120080
110	!	426A		SM650080
111	,	426B	A3AC	SP080080
112	%	426C	A3A5	SM020080
113	—	426D	A3DF	SP090080
114	>	426E	A3BE	SA050080
115	?	426F	A3BF	SP150080
116	`	4279	A3E0	SD130080
117	:	427A	A3BA	SP130080
118	#	427B	A3A3	SM010080
119	@	427C	A3C0	SM050080
120	'	427D	A3A7	SP050080
121	=	427E	A3BD	SA040080
122	"	427F	A3A2	SP040080
123	a	4281	A3E1	LA010080
124	b	4282	A3E2	LB010080
125	c	4283	A3E3	LC010080
126	d	4284	A3E4	LD010080
127	e	4285	A3E5	LE010080
128	f	4286	A3E6	LF010080
129	g	4287	A3E7	LG010080
130	h	4288	A3E8	LH010080
131	i	4289	A3E9	LI010080
132	j	4291	A3EA	LJ010080
133	k	4292	A3EB	LK010080
134	l	4293	A3EC	LL010080

Line Number	Graphic	Host Code	PC Code	GCGID
135	m	4294	A3ED	LM010080
136	n	4295	A3EE	LN010080
137	o	4296	A3EF	LO010080
138	p	4297	A3F0	LP010080
139	q	4298	A3F1	LQ010080
140	r	4299	A3F2	LR010080
141	~	42A1	A1AD	SA160080
142	s	42A2	A3F3	LS010080
143	t	42A3	A3F4	LT010080
144	u	42A4	A3F5	LU010080
145	v	42A5	A3F6	LV010080
146	w	42A6	A3F7	LW010080
147	x	42A7	A3F8	LX010080
148	y	42A8	A3F9	LY010080
149	z	42A9	A3FA	LZ010080
150	{	42C0	A3FB	SM110080
151	A	42C1	A3C1	LA020080
152	B	42C2	A3C2	LB020080
153	C	42C3	A3C3	LC020080
154	D	42C4	A3C4	LD020080
155	E	42C5	A3C5	LE020080
156	F	42C6	A3C6	LF020080
157	G	42C7	A3C7	LG020080
158	H	42C8	A3C8	LH020080
159	I	42C9	A3C9	LI020080
160	}	42D0	A3FD	SM140080
161	J	42D1	A3CA	LJ020080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Table 6 (Page 4 of 18). Non-Hangeul/Hanja Set, DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
162	K	42D2	A3CB	LK020080
163	L	42D3	A3CC	LL020080
164	M	42D4	A3CD	LM020080
165	N	42D5	A3CE	LN020080
166	O	42D6	A3CF	LO020080
167	P	42D7	A3D0	LP020080
168	Q	42D8	A3D1	LQ020080
169	R	42D9	A3D2	LR020080
170	W	42E0	A3DC	SC140080
171	S	42E2	A3D3	LS020080
172	T	42E3	A3D4	LT020080
173	U	42E4	A3D5	LU020080
174	V	42E5	A3D6	LV020080
175	W	42E6	A3D7	LW020080
176	X	42E7	A3D8	LX020080
177	Y	42E8	A3D9	LY020080
178	Z	42E9	A3DA	LZ020080
179	0	42F0	A3B0	ND100080
180	1	42F1	A3B1	ND010080
181	2	42F2	A3B2	ND020080
182	3	42F3	A3B3	ND030080
183	4	42F4	A3B4	ND040080
184	5	42F5	A3B5	ND050080
185	6	42F6	A3B6	ND060080
186	7	42F7	A3B7	ND070080
187	8	42F8	A3B8	ND080080
188	9	42F9	A3B9	ND090080

Table 6 (Page 4 of 18). Non-Hangeul/Hanja Set, DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
189	ㄴ	4341	A4D5	FOG10080
190	ㄷ	4342	A4D6	FOG20080
191	ㄹ	4343	A4D7	FOG30080
192	ㄺ	4344	A4D8	FOG40080
193	ㄻ	4345	A4D9	FOG50080
194	ㄼ	4346	A4DA	FOG60080
195	ㄽ	4347	A4DB	FOG70080
196	ㄾ	4348	A4DC	FOG80080
197	ㄿ	4349	A4DD	FOG90080
198	ㅀ	434A	A4DE	FOGA0080
199	ㅁ	434B	A4DF	FOGB0080
200	ㅂ	434C	A4E0	FOGC0080
201	ㅃ	434D	A4E1	FOGD0080
202	ㅄ	434E	A4E2	FOGE0080
203	ㅅ	434F	A4E3	FOGF0080
204	ㅆ	4350	A4E4	FOGG0080
205	ㅈ	4351	A4E5	FOGH0080
206	ㅊ	4352	A4E6	FOGI0080
207	ㅋ	4353	A4E7	FOGJ0080
208	ㅋ	4354	A4E8	FOGK0080
209	ㆁ	4355	A4E9	FOGL0080
210	ㅌ	4356	A4EA	FOGM0080
211	ㅍ	4357	A4EB	FOGN0080
212	ㅑ	4358	A4EC	FOGO0080
213	ㅓ	4359	A4ED	FOGP0080
214	ㅕ	435A	A4EE	FOGQ0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
215	△	435B	A4EF	F0GR0080
216	○○	435C	A4F0	F0GS0080
217	○	435D	A4F1	F0GT0080
218	○△	435E	A4F2	F0GU0080
219	△	435F	A4F3	F0GV0080
220	ㅁ	4360	A4F4	F0GW0080
221	ㅂ	4361	A4F5	F0GX0080
222	ㅅ	4362	A4F6	F0GY0080
223	ㅈ	4363	A4F7	F0GZ0080
224	ㅊ	4364	A4F8	F0H00080
225	ㅋ	4365	A4F9	F0H10080
226	ㆁ	4366	A4FA	F0H20080
227	ㆂ	4367	A4FB	F0H30080
228	ㆃ	4368	A4FC	F0H40080
229	·	4369	A4FD	F0H50080
230	·	436A	A4FE	F0H60080
231	ㅏ	4441	AAA1	RA010080
232	ㅑ	4442	AAA2	RA000080
233	ㅓ	4443	AAA3	RI010080
234	ㅕ	4444	AAA4	RI000080
235	ㅗ	4445	AAA5	RU010080
236	ㅛ	4446	AAA6	RU000080
237	ㅝ	4447	AAA7	RE010080
238	ㅟ	4448	AAA8	RE000080
239	ㅛ	4449	AAA9	RO010080
240	ㅜ	444A	AAAA	RO000080
241	ㅝ	444B	AAAB	RK100080

Line Number	Graphic	Host Code	PC Code	GCGID
242	가	444C	AAAC	RG100080
243	기	444D	AAAD	RK200080
244	گی	444E	AAAE	RG200080
245	구	444F	AAAF	RK300080
246	ぐ	4450	AAB0	RG300080
247	계	4451	AAB1	RK400080
248	げ	4452	AAB2	RG400080
249	고	4453	AAB3	RK500080
250	ご	4454	AAB4	RG500080
251	사	4455	AAB5	RS100080
252	ざ	4456	AAB6	RZ100080
253	시	4457	AAB7	RS200080
254	じ	4458	AAB8	RZ200080
255	수	4459	AAB9	RS300080
256	ず	445A	AABA	RZ300080
257	세	445B	AABB	RS400080
258	ぜ	445C	AABC	RZ400080
259	소	445D	AABD	RS500080
260	ぞ	445E	AABE	RZ500080
261	타	445F	AABF	RT100080
262	다	4460	AAC0	RD100080
263	차	4461	AAC1	RT200080
264	ぢ	4462	AAC2	RD200080
265	っ	4463	AAC3	RT310080
266	つ	4464	AAC4	RT300080
267	づ	4465	AAC5	RD300080
268	테	4466	AAC6	RT400080
269	데	4467	AAC7	RD400080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
270	と	4468	AAC8	RT500080
271	ど	4469	AAC9	RD500080
272	な	446A	AACA	RN100080
273	に	446B	AACB	RN200080
274	ぬ	446C	AACC	RN300080
275	ね	446D	AACD	RN400080
276	の	446E	AACE	RN500080
277	は	446F	AACF	RH100080
278	ば	4470	AAD0	RB100080
279	ぱ	4471	AAD1	RP100080
280	ひ	4472	AAD2	RH200080
281	び	4473	AAD3	RB200080
282	ぴ	4474	AAD4	RP200080
283	ふ	4475	AAD5	RH300080
284	ぶ	4476	AAD6	RB300080
285	ぷ	4477	AAD7	RP300080
286	へ	4478	AAD8	RH400080
287	べ	4479	AAD9	RB400080
288	ぺ	447A	AADA	RP400080
289	ほ	447B	AADB	RH500080
290	ぼ	447C	AADC	RB500080
291	ぽ	447D	AADD	RP500080
292	ま	447E	AADE	RM100080
293	み	447F	AADF	RM200080
294	む	4480	AAE0	RM300080
295	め	4481	AAE1	RM400080
296	も	4482	AAE2	RM500080
297	や	4483	AAE3	RY110080

Line Number	Graphic	Host Code	PC Code	GCGID
298	や	4484	AAE4	RY100080
299	ゆ	4485	AAE5	RY310080
300	ゆ	4486	AAE6	RY300080
301	よ	4487	AAE7	RY510080
302	よ	4488	AAE8	RY500080
303	ら	4489	AAE9	RR100080
304	り	448A	AAEA	RR200080
305	る	448B	AAEB	RR300080
306	れ	448C	AAEC	RR400080
307	ろ	448D	AAED	RR500080
308	わ	448E	AAEE	RW110080
309	わ	448F	AAEF	RW100080
310	ゐ	4490	AAF0	RW200080
311	ゑ	4491	AAF1	RW400080
312	を	4492	AAF2	RW500080
313	ん	4493	AAF3	RN000080
314	ァ	4541	ABA1	JA010080
315	ア	4542	ABA2	JA000080
316	ィ	4543	ABA3	Ji010080
317	イ	4544	ABA4	Ji000080
318	ゥ	4545	ABA5	JU010080
319	ウ	4546	ABA6	JU000080
320	ェ	4547	ABA7	JE010080
321	エ	4548	ABA8	JE000080
322	ォ	4549	ABA9	JO010080
323	オ	454A	ABAA	JO000080
324	カ	454B	ABAB	JK100080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
325	ガ	454C	ABAC	JG100080
326	キ	454D	ABAD	JK200080
327	ギ	454E	ABAE	JG200080
328	ク	454F	ABAF	JK300080
329	グ	4550	ABB0	JG300080
330	ケ	4551	ABB1	JK400080
331	ゲ	4552	ABB2	JG400080
332	コ	4553	ABB3	JK500080
333	ゴ	4554	ABB4	JG500080
334	サ	4555	ABB5	JS100080
335	ザ	4556	ABB6	JZ100080
336	シ	4557	ABB7	JS200080
337	ジ	4558	ABB8	JZ200080
338	ス	4559	ABB9	JS300080
339	ズ	455A	ABBA	JZ300080
340	セ	455B	ABBB	JS400080
341	ゼ	455C	ABBC	JZ400080
342	ソ	455D	ABBD	JS500080
343	ゾ	455E	ABBE	JZ500080
344	タ	455F	ABBF	JT100080
345	ダ	4560	ABC0	JD100080
346	チ	4561	ABC1	JT200080
347	ヂ	4562	ABC2	JD200080
348	ッ	4563	ABC3	JT310080
349	ツ	4564	ABC4	JT300080
350	ヅ	4565	ABC5	JD300080

Line Number	Graphic	Host Code	PC Code	GCGID
351	テ	4566	ABC6	JT400080
352	デ	4567	ABC7	JD400080
353	ト	4568	ABC8	JT500080
354	ド	4569	ABC9	JD500080
355	ナ	456A	ABCA	JN100080
356	ニ	456B	ABCB	JN200080
357	ヌ	456C	ABCC	JN300080
358	ネ	456D	ABCD	JN400080
359	ノ	456E	ABCE	JN500080
360	ハ	456F	ABCF	JH100080
361	バ	4570	ABD0	JB100080
362	パ	4571	ABD1	JP100080
363	ヒ	4572	ABD2	JH200080
364	ピ	4573	ABD3	JB200080
365	ピ	4574	ABD4	JP200080
366	フ	4575	ABD5	JH300080
367	ブ	4576	ABD6	JB300080
368	ブ	4577	ABD7	JP300080
369	ヘ	4578	ABD8	JH400080
370	ベ	4579	ABD9	JB400080
371	ペ	457A	ABDA	JP400080
372	ホ	457B	ABDB	JH500080
373	ボ	457C	ABDC	JB500080
374	ボ	457D	ABDD	JP500080
375	マ	457E	ABDE	JM100080
376	ミ	457F	ABDF	JM200080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
377	ム	4580	ABE0	JM300080
378	メ	4581	ABE1	JM400080
379	モ	4582	ABE2	JM500080
380	ヤ	4583	ABE3	JY110080
381	ヤ	4584	ABE4	JY100080
382	ユ	4585	ABE5	JY310080
383	ユ	4586	ABE6	JY300080
384	ヨ	4587	ABE7	JY510080
385	ヨ	4588	ABE8	JY500080
386	ラ	4589	ABE9	JR100080
387	リ	458A	ABEA	JR200080
388	ル	458B	ABEB	JR300080
389	レ	458C	ABEC	JR400080
390	ロ	458D	ABED	JR500080
391	ワ	458E	ABEE	JW110080
392	ワ	458F	ABEF	JW100080
393	キ	4590	ABF0	JW200080
394	エ	4591	ABF1	JW400080
395	フ	4592	ABF2	JW500080
396	ン	4593	ABF3	JN000080
397	ヴ	4594	ABF4	JV000080
398	カ	4595	ABF5	JK110080
399	ケ	4596	ABF6	JK410080
400	i	4641	A5A1	NR010080
401	ii	4642	A5A2	NR020080
402	iii	4643	A5A3	NR030080

Line Number	Graphic	Host Code	PC Code	GCGID
403	iv	4644	A5A4	NR040080
404	v	4645	A5A5	NR050080
405	vi	4646	A5A6	NR060080
406	vii	4647	A5A7	NR070080
407	viii	4648	A5A8	NR080080
408	ix	4649	A5A9	NR090080
409	x	464A	A5AA	NR100080
410	I	4650	A5B0	NR110080
411	II	4651	A5B1	NR120080
412	III	4652	A5B2	NR130080
413	IV	4653	A5B3	NR140080
414	V	4654	A5B4	NR150080
415	VI	4655	A5B5	NR160080
416	VII	4656	A5B6	NR170080
417	VIII	4657	A5B7	NR180080
418	IX	4658	A5B8	NR190080
419	X	4659	A5B9	NR200080
420	A	4661	A5C1	GA020080
421	B	4662	A5C2	GB020080
422	Γ	4663	A5C3	GG020080
423	Δ	4664	A5C4	GD020080
424	E	4665	A5C5	GE020080
425	Z	4666	A5C6	GZ020080
426	H	4667	A5C7	GE320080
427	Θ	4668	A5C8	GT620080
428	I	4669	A5C9	GI020080




IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
429	Κ	466A	A5CA	GK020080
430	Λ	466B	A5CB	GL020080
431	Μ	466C	A5CC	GM020080
432	Ν	466D	A5CD	GN020080
433	Ξ	466E	A5CE	GX020080
434	Ο	466F	A5CF	GO020080
435	Π	4670	A5D0	GP020080
436	Ρ	4671	A5D1	GR020080
437	Σ	4672	A5D2	GS020080
438	Τ	4673	A5D3	GT020080
439	Υ	4674	A5D4	GU020080
440	Φ	4675	A5D5	GF020080
441	Χ	4676	A5D6	GH020080
442	Ψ	4677	A5D7	GP620080
443	Ω	4678	A5D8	GO320080
444	α	4681	A5E1	GA010080
445	β	4682	A5E2	GB010080
446	γ	4683	A5E3	GG010080
447	δ	4684	A5E4	GD010080
448	ε	4685	A5E5	GE010080
449	ξ	4686	A5E6	GZ010080
450	η	4687	A5E7	GE310080
451	θ	4688	A5E8	GT610082
452	ι	4689	A5E9	GI010080
453	κ	468A	A5EA	GK010080
454	λ	468B	A5EB	GL010080

Line Number	Graphic	Host Code	PC Code	GCGID
455	μ	468C	A5EC	GM010080
456	ν	468D	A5ED	GN010080
457	ξ	468E	A5EE	GX010080
458	ο	468F	A5EF	GO010080
459	π	4690	A5F0	GP010080
460	ρ	4691	A5F1	GR010080
461	σ	4692	A5F2	GS010080
462	τ	4693	A5F3	GT010080
463	υ	4694	A5F4	GU010080
464	φ	4695	A5F5	GF010080
465	χ	4696	A5F6	GH010080
466	ψ	4697	A5F7	GP610080
467	ω	4698	A5F8	GO310080
468	—	4741	A6A1	SF100080
469		4742	A6A2	SF110080
470	┌	4743	A6A3	SF010080
471	└	4744	A6A4	SF030080
472	┐	4745	A6A5	SF040080
473	└	4746	A6A6	SF020080
474	┌	4747	A6A7	SF080080
475	└	4748	A6A8	SF060080
476	┌	4749	A6A9	SF090080
477	└	474A	A6AA	SF070080
478	┌	474B	A6AB	SF050080
479	—	474C	A6AC	SF100082
480		474D	A6AD	SF110082



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
481	ㄱ	474E	A6AE	SF010082
482	ㄴ	474F	A6AF	SF030082
483	ㄷ	4750	A6B0	SF040082
484	ㄹ	4751	A6B1	SF020082
485	ㅁ	4752	A6B2	SF080082
486	ㅂ	4753	A6B3	SF060082
487	ㅅ	4754	A6B4	SF090082
488	ㅇ	4755	A6B5	SF070082
489	ㅈ	4756	A6B6	SF050082
490	ㅊ	4757	A6B7	SF080083
491	ㅋ	4758	A6B8	SF060083
492	ㆁ	4759	A6B9	SF090083
493	ㆂ	475A	A6BA	SF070083
494	ㆃ	475B	A6BB	SF050083
495	ㆄ	475C	A6BC	SF080084
496	ㆅ	475D	A6BD	SF060084
497	ㆆ	475E	A6BE	SF090084
498	ㆇ	475F	A6BF	SF070084
499	ㆈ	4760	A6C0	SF050084
500	ㆉ	4761	A6C1	F1290080
501	ㆊ	4762	A6C2	F12A0080
502	ㆋ	4763	A6C3	F12B0080
503	ㆌ	4764	A6C4	F12C0080
504	ㆍ	4765	A6C5	F12D0080
505	ㆎ	4766	A6C6	F12E0080
506	㆏	4767	A6C7	F12F0080

Line Number	Graphic	Host Code	PC Code	GCGID
507	ㅍ	4768	A6C8	F12G0080
508	ㅑ	4769	A6C9	F12H0080
509	ㅒ	476A	A6CA	F12I0080
510	ㅓ	476B	A6CB	F12J0080
511	ㅕ	476C	A6CC	F12K0080
512	ㅖ	476D	A6CD	F12L0080
513	ㅗ	476E	A6CE	F12M0080
514	ㅛ	476F	A6CF	F12N0080
515	ㅜ	4770	A6D0	F12O0080
516	ㅠ	4771	A6D1	F12P0080
517	ㅡ	4772	A6D2	F12Q0080
518	ㅝ	4773	A6D3	F12R0080
519	ㅞ	4774	A6D4	F12S0080
520	ㅟ	4775	A6D5	F12T0080
521	ㅠ	4776	A6D6	F12U0080
522	ㅡ	4777	A6D7	F12V0080
523	ㅢ	4778	A6D8	F12W0080
524	ㅣ	4779	A6D9	F12X0080
525	ㅤ	477A	A6DA	F12Y0080
526	ㅥ	477B	A6DB	F12Z0080
527	ㅦ	477C	A6DC	F1300080
528	ㅧ	477D	A6DD	F1310080
529	ㅨ	477E	A6DE	F1320080
530	ㅩ	477F	A6DF	F1330080
531	ㅪ	4780	A6E0	F1340080
532	ㅫ	4781	A6E1	F1350080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
533	+	4782	A6E2	F1360080
534	+	4783	A6E3	F1370080
535	+	4784	A6E4	F1380080
536	μQ	4841	A7A1	F16P0080
537	kQ	4842	A7A5	F16Q0080
538	mfi	4843	A7A7	F16R0080
539	cnfi	4844	A7A8	F16S0080
540	m ³	4845	A7A9	F16T0080
541	kfi	4846	A7AA	F16U0080
542	fm	4847	A7AB	F16V0080
543	nm	4848	A7AC	F16W0080
544	μm	4849	A7AD	F16X0080
545	mfi	484A	A7B1	F16Y0080
546	cnfi	484B	A7B2	F16Z0080
547	m ²	484C	A7B3	SS840080
548	kfi	484D	A7B4	F1710080
549	ha	484E	A7B5	F1720080
550	μ8	484F	A7B6	F1730080
551	kt	4850	A7B9	F1740080
552	cal	4851	A7BA	F1750080
553	kcal	4852	A7BB	F1760080
554	dB	4853	A7BC	F1770080
555	ㄱ	4854	A7BD	F1780080
556	ㄴ	4855	A7BE	F1790080
557	ps	4856	A7BF	F17A0080
558	ns	4857	A7C0	F17B0080

Line Number	Graphic	Host Code	PC Code	GCGID
559	μS	4858	A7C1	F17C0080
560	ms	4859	A7C2	F17D0080
561	pV	485A	A7C3	F17E0080
562	nV	485B	A7C4	F17F0080
563	μV	485C	A7C5	F17G0080
564	mV	485D	A7C6	F17H0080
565	kV	485E	A7C7	F17I0080
566	MV	485F	A7C8	F17J0080
567	PA	4860	A7C9	F17K0080
568	nA	4861	A7CA	F17L0080
569	μA	4862	A7CB	F17M0080
570	mA	4863	A7CC	F17N0080
571	KA	4864	A7CD	F17O0080
572	PW	4865	A7CE	F17P0080
573	nW	4866	A7CF	F17Q0080
574	μW	4867	A7D0	F17R0080
575	mW	4868	A7D1	F17S0080
576	kW	4869	A7D2	F17T0080
577	MW	486A	A7D3	F17U0080
578	Hz	486B	A7D4	F17V0080
579	KHz	486C	A7D5	F17W0080
580	MHz	486D	A7D6	F17X0080
581	GHz	486E	A7D7	F17Y0080
582	THz	486F	A7D8	F17Z0080
583	Ω	4870	A7D9	SM180080
584	kQ	4871	A7DA	F1810080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
585	MQ	4872	A7DB	F1820080
586	PF	4873	A7DC	F1830080
587	nF	4874	A7DD	F1840080
588	MF	4875	A7DE	F1850080
589	mol	4876	A7DF	F1860080
590	od	4877	A7E0	F1870080
591	rad	4878	A7E1	F1880080
592	rad	4879	A7E2	F1890080
593	rad	487A	A7E3	F18A0080
594	sr	487B	A7E4	F18B0080
595	Pa	487C	A7E5	F18C0080
596	kPa	487D	A7E6	F18D0080
597	MPa	487E	A7E7	F18E0080
598	QPa	487F	A7E8	F18F0080
599	Wb	4880	A7E9	F18G0080
600	Im	4881	A7EA	F18H0080
601	Ix	4882	A7EB	F18I0080
602	Bq	4883	A7EC	F18J0080
603	Gy	4884	A7ED	F18K0080
604	Sv	4885	A7EE	F18L0080
605	rad	4886	A7EF	F18M0080
606	cc	4941	A1F0	SA470080
607	∴	4942	A1F1	SS540080
608	∫	4943	A1F2	SA510080
609	∞	4944	A1F3	SA840080
610	€	4945	A1F4	SA670080

Line Number	Graphic	Host Code	PC Code	GCGID
611	⊃	4946	A1F5	SA310080
612	⊆	4947	A1F6	SA240080
613	⊇	4948	A1F7	SA270080
614	⊂	4949	A1F8	SA400080
615	⊃	494A	A1F9	SA410080
616	∪	494B	A1FA	SA390080
617	∩	494C	A1FB	SA380080
618	∧	494D	A1FC	SA330080
619	∨	494E	A1FD	SA320080
620	⇒	494F	A2A1	SM420080
621	⇔	4950	A2A2	SM410080
622	∇	4951	A2A3	SA210080
623	∃	4952	A2A4	SA230080
624	'	4953	A2A5	SD110080
625	~	4954	A2A6	SD190080
626	∨	4955	A2A7	SD210080
627	∪	4956	A2A8	SD230080
628	"	4957	A2A9	SD250080
629	°	4958	A2AA	SD270080
630	•	4959	A2AB	SD290080
631	∫	495A	A2AC	SD410080
632	∫	495B	A2AD	SD430080
633	∫	495C	A2AE	SP030080
634	∫	495D	A2AF	SP160080
635	∫	495E	A2B0	F1CU0080
636	∫	495F	A2B1	SA720080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
637	∑	4960	A2B2	SS400080
638	∏	4961	A2B3	SA810080
639	∕	4962	A2B4	SC010080
640	ƒ	4963	A2B5	SM850080
641	‰	4964	A2B6	SM560080
642	△	4965	A2B7	F1D10080
643	◀	4966	A2B8	F1D20080
644	▷	4967	A2B9	F1D30080
645	▶	4968	A2BA	SM600081
646	♠	4969	A2BB	F1D50080
647	♣	496A	A2BC	SS050080
648	♥	496B	A2BD	F1D70080
649	♦	496C	A2BE	SS020080
650	♣	496D	A2BF	F1D90080
651	♣	496E	A2C0	SS040080
652	⊙	496F	A2C1	F1DB0080
653	◇	4970	A2C2	F1DC0080
654	▣	4971	A2C3	F1DD0080
655	◐	4972	A2C4	F1DE0080
656	◑	4973	A2C5	F1DF0080
657	▤	4974	A2C6	F1DG0080
658	▥	4975	A2C7	F1DH0080
659	▧	4976	A2C8	F1DI0080
660	▨	4977	A2C9	F1DJ0080
661	▩	4978	A2CA	F1DK0080
662	▪	4979	A2CB	F1DL0080

Line Number	Graphic	Host Code	PC Code	GCGID
663	⊠	497A	A2CC	F1DM0080
664	☪	497B	A2CD	F1DN0080
665	☎	497C	A2CE	F1DO0080
666	☒	497D	A2CF	F1DP0080
667	☑	497E	A2D0	F1DQ0080
668	☒	497F	A2D1	F1DR0080
669	ㄱ	4980	A2D2	SM250080
670	+	4981	A2D3	F1DT0080
671	≠	4982	A2D4	F1DU0080
672	↕	4983	A2D5	SM760080
673	↗	4984	A2D6	SM950080
674	↘	4985	A2D7	F1DX0080
675	↖	4986	A2D8	F1DY0080
676	↙	4987	A2D9	SM990080
677	b	4988	A2DA	SM890080
678	♪	4989	A2DB	F1E10080
679	♫	498A	A2DC	SM930080
680	♬	498B	A2DD	SM910080
681	⊗	498C	A2DE	F1E40080
682	⊘	498D	A2DF	F1E50080
683	No.	498E	A2E0	F1E60080
684	Co.	498F	A2E1	F1E70080
685	TM	4990	A2E2	SM540080
686	am.	4991	A2E3	F1E90080
687	pm.	4992	A2E4	F1EA0080
688	TEL	4993	A2E5	SS710080




IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
689	"	4994		F1EC0080
690	А	4A41	ACA1	KA020080
691	Б	4A42	ACA2	KB020080
692	В	4A43	ACA3	KV020080
693	Г	4A44	ACA4	KG020080
694	Д	4A45	ACA5	KD020080
695	Е	4A46	ACA6	KE020080
696	Ё	4A47	ACA7	KE180080
697	Ж	4A48	ACA8	KZ220080
698	З	4A49	ACA9	KZ020080
699	И	4A4A	ACAA	KI020080
700	Й	4A4B	ACAB	KJ120080
701	К	4A4C	ACAC	KK020080
702	Л	4A4D	ACAD	KL020080
703	М	4A4E	ACAE	KM020080
704	Н	4A4F	ACAF	KN020080
705	О	4A50	ACB0	KO020080
706	П	4A51	ACB1	KP020080
707	Р	4A52	ACB2	KR020080
708	С	4A53	ACB3	KS020080
709	Т	4A54	ACB4	KT020080
710	У	4A55	ACB5	KU020080
711	Ф	4A56	ACB6	KF020080
712	Х	4A57	ACB7	KH020080
713	Ц	4A58	ACB8	KC020080
714	Ч	4A59	ACB9	KC220080

Line Number	Graphic	Host Code	PC Code	GCGID
715	Ш	4A5A	ACBA	KS220080
716	Щ	4A5B	ACBB	KS160080
717	Ъ	4A5C	ACBC	KU220080
718	Ы	4A5D	ACBD	KY020080
719	Ь	4A5E	ACBE	KX120080
720	Э	4A5F	ACBF	KE140080
721	Ю	4A60	ACC0	KU160080
722	Я	4A61	ACC1	KA160080
723	а	4A62	ACD1	KA010080
724	б	4A63	ACD2	KB010080
725	в	4A64	ACD3	KV010080
726	г	4A65	ACD4	KG010080
727	д	4A66	ACD5	KD010080
728	е	4A67	ACD6	KE010080
729	ё	4A68	ACD7	KE170080
730	ж	4A69	ACD8	KZ210080
731	з	4A6A	ACD9	KZ010080
732	и	4A6B	ACDA	KI010080
733	й	4A6C	ACDB	KJ110080
734	к	4A6D	ACDC	KK010080
735	л	4A6E	ACDD	KL010080
736	м	4A6F	ACDE	KM010080
737	н	4A70	ACDF	KN010080
738	о	4A71	ACE0	KO010080
739	п	4A72	ACE1	KP010080
740	р	4A73	ACE2	KR010080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
741	С	4A74	ACE3	KS010080
742	Т	4A75	ACE4	KT010080
743	У	4A76	ACE5	KU010080
744	Ф	4A77	ACE6	KF010080
745	Х	4A78	ACE7	KH010080
746	Ц	4A79	ACE8	KC010080
747	Ч	4A7A	ACE9	KC210080
748	Ш	4A7B	ACEA	KS210080
749	Щ	4A7C	ACEB	KS150080
750	Ъ	4A7D	ACEC	KU210080
751	Ы	4A7E	ACED	KY010080
752	Ь	4A7F	ACEE	KX110080
753	Э	4A80	ACEF	KE130080
754	Ю	4A81	ACF0	KU150080
755	Я	4A82	ACF1	KA150080
756	Æ	4B41	A8A1	LA520080
757	Ð	4B42	A8A2	LD620080
758	à	4B43	A8A3	SM210080
759	Ĥ	4B44	A8A4	LH620080
760	IJ	4B46	A8A6	LI520080
761	Ḷ	4B48	A8A8	LL640080
762	Ł	4B49	A8A9	LL620080
763	∅	4B4A	A8AA	LO620080
764	Œ	4B4B	A8AB	LO520080
765	Œ	4B4C	A8AC	SM200080
766	Đ	4B4D	A8AD	LT640080

Line Number	Graphic	Host Code	PC Code	GCGID
767	ƒ	4B4E	A8AE	LT620080
768	Đ	4B4F	A8AF	LN620080
769	⊖	4B51	A8B1	F1N50080
770	⊗	4B52	A8B2	F1N60080
771	⊘	4B53	A8B3	F1N70080
772	⊙	4B54	A8B4	F1N80080
773	⊚	4B55	A8B5	F1N90080
774	⊛	4B56	A8B6	F1NA0080
775	⊜	4B57	A8B7	F1NB0080
776	⊝	4B58	A8B8	F1NC0080
777	⊞	4B59	A8B9	F1ND0080
778	⊟	4B5A	A8BA	F1NE0080
779	⊠	4B5B	A8BB	F1NF0080
780	⊡	4B5C	A8BC	F1NG0080
781	⊢	4B5D	A8BD	F1NH0080
782	⊣	4B5E	A8BE	F1NI0080
783	⊤	4B5F	A8BF	F1NJ0080
784	⊥	4B60	A8C0	F1NK0080
785	⊦	4B61	A8C1	F1NL0080
786	⊧	4B62	A8C2	F1NM0080
787	⊨	4B63	A8C3	F1NN0080
788	⊩	4B64	A8C4	F1NO0080
789	⊪	4B65	A8C5	F1NP0080
790	⊫	4B66	A8C6	F1NQ0080
791	⊬	4B67	A8C7	F1NR0080
792	⊭	4B68	A8C8	F1NS0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
793	㉞	4B69	A8C9	F1NT0080
794	㉟	4B6A	A8CA	F1NU0080
795	㊱	4B6B	A8CB	F1NV0080
796	㊲	4B6C	A8CC	F1NW0080
797	㊳	4B6D	A8CD	F1NX0080
798	㊴	4B6E	A8CE	F1NY0080
799	㊵	4B6F	A8CF	F1NZ0080
800	㊶	4B70	A8D0	F1O00080
801	㊷	4B71	A8D1	F1O10080
802	㊸	4B72	A8D2	F1O20080
803	㊹	4B73	A8D3	F1O30080
804	㊺	4B74	A8D4	F1O40080
805	㊻	4B75	A8D5	F1O50080
806	㊼	4B76	A8D6	F1O60080
807	㊽	4B77	A8D7	F1O70080
808	㊾	4B78	A8D8	F1O80080
809	㊿	4B79	A8D9	F1O90080
810	㉀	4B7A	A8DA	F1OA0080
811	㉁	4B7B	A8DB	F1OB0080
812	㉂	4B7C	A8DC	F1OC0080
813	㉃	4B7D	A8DD	F1OD0080
814	㉄	4B7E	A8DE	F1OE0080
815	㉅	4B7F	A8DF	F1OF0080
816	㉆	4B80	A8E0	F1OG0080
817	㉇	4B81	A8E1	F1OH0080
818	㉈	4B82	A8E2	F1OI0080

Line Number	Graphic	Host Code	PC Code	GCGID
819	㉉	4B83	A8E3	F1OJ0080
820	㊰	4B84	A8E4	F1OK0080
821	㊱	4B85	A8E5	F1OL0080
822	㊲	4B86	A8E6	F1OM0080
823	㊳	4B87	A8E7	NO010080
824	㊴	4B88	A8E8	NO020080
825	㊵	4B89	A8E9	NO030080
826	㊶	4B8A	A8EA	NO040080
827	㊷	4B8B	A8EB	NO050080
828	㊸	4B8C	A8EC	NO060080
829	㊹	4B8D	A8ED	NO070080
830	㊺	4B8E	A8EE	NO080080
831	㊻	4B8F	A8EF	NO090080
832	㊼	4B90	A8F0	NO100080
833	㊽	4B91	A8F1	F1OX0080
834	㊾	4B92	A8F2	F1OY0080
835	㊿	4B93	A8F3	F1OZ0080
836	㉀	4B94	A8F4	F1P00080
837	㉁	4B95	A8F5	F1P10080
838	1/2	4B96	A8F6	NF010080
839	1/3	4B97	A8F7	F1P30080
840	2/3	4B98	A8F8	F1P40080
841	1/4	4B99	A8F9	NF040080
842	3/4	4B9A	A8FA	NF050080
843	1/8	4B9B	A8FB	NF180080
844	3/8	4B9C	A8FC	NF190080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Table 6 (Page 17 of 18). Non-Hangeul/Hanja Set, DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
845	5j8	4B9D	A8FD	NF200080
846	7j8	4B9E	A8FE	NF210080
847	œ	4BA0	A9A1	LA510080
848	đ	4BA1	A9A2	LD610080
849	ø	4BA2	A9A3	LD630080
850	ħ	4BA3	A9A4	LH610080
851	ı	4BA4	A9A5	LI610080
852	ij	4BA5	A9A6	LI510080
853	κ	4BA6	A9A7	F1PI0080
854	ı·	4BA7	A9A8	LL630080
855	ı̇	4BA8	A9A9	LL610080
856	ø	4BA9	A9AA	LO610080
857	œ	4BAA	A9AB	LO510080
858	β	4BAB	A9AC	LS610080
859	Đ	4BAC	A9AD	LT630080
860	ĉ	4BAD	A9AE	LT610080
861	ı̇	4BAE	A9AF	LN610080
862	ı	4BAF	A9B0	F1PR0080
863	(7)	4BB0	A9B1	F1PS0080
864	(L)	4BB1	A9B2	F1PT0080
865	(E)	4BB2	A9B3	F1PU0080
866	(E)	4BB3	A9B4	F1PV0080
867	(P)	4BB4	A9B5	F1PW0080
868	(H)	4BB5	A9B6	F1PX0080
869	(S)	4BB6	A9B7	F1PY0080
870	(O)	4BB7	A9B8	F1PZ0080

Table 6 (Page 17 of 18). Non-Hangeul/Hanja Set, DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
871	(x)	4BB8	A9B9	F1Q00080
872	(x)	4BB9	A9BA	F1Q10080
873	(7)	4BBA	A9BB	F1Q20080
874	(E)	4BBB	A9BC	F1Q30080
875	(E)	4BBC	A9BD	F1Q40080
876	(S)	4BBD	A9BE	F1Q50080
877	(H)	4BBE	A9BF	F1Q60080
878	(L)	4BBF	A9C0	F1Q70080
879	(E)	4BC0	A9C1	F1Q80080
880	(E)	4BC1	A9C2	F1Q90080
881	(H)	4BC2	A9C3	F1QA0080
882	(H)	4BC3	A9C4	F1QB0080
883	(S)	4BC4	A9C5	F1QC0080
884	(E)	4BC5	A9C6	F1QD0080
885	(x)	4BC6	A9C7	F1QE0080
886	(x)	4BC7	A9C8	F1QF0080
887	(H)	4BC8	A9C9	F1QG0080
888	(E)	4BC9	A9CA	F1QH0080
889	(H)	4BCA	A9CB	F1QI0080
890	(H)	4BCB	A9CC	F1QJ0080
891	(E)	4BCC	A9CD	F1QK0080
892	(b)	4BCD	A9CE	F1QL0080
893	(C)	4BCE	A9CF	F1QM0080
894	(d)	4BCF	A9D0	F1QN0080
895	(E)	4BD0	A9D1	F1QO0080
896	(f)	4BD1	A9D2	F1QP0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Table 6 (Page 18 of 18). Non-Hangeul/Hanja Set, DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
897	(g)	4BD2	A9D3	F1QQ0080
898	(h)	4BD3	A9D4	F1QR0080
899	(i)	4BD4	A9D5	F1QS0080
900	(j)	4BD5	A9D6	F1QT0080
901	(k)	4BD6	A9D7	F1QU0080
902	(l)	4BD7	A9D8	F1QV0080
903	(m)	4BD8	A9D9	F1QW0080
904	(n)	4BD9	A9DA	F1QX0080
905	(o)	4BDA	A9DB	F1QY0080
906	(p)	4BDB	A9DC	F1QZ0080
907	(q)	4BDC	A9DD	F1R00080
908	(r)	4BDD	A9DE	F1R10080
909	(s)	4BDE	A9DF	F1R20080
910	(t)	4BDF	A9E0	F1R30080
911	(u)	4BE0	A9E1	F1R40080
912	(v)	4BE1	A9E2	F1R50080
913	(w)	4BE2	A9E3	F1R60080
914	(x)	4BE3	A9E4	F1R70080
915	(y)	4BE4	A9E5	F1R80080
916	(z)	4BE5	A9E6	F1R90080
917	(1)	4BE6	A9E7	NO010081
918	(2)	4BE7	A9E8	NO020081
919	(3)	4BE8	A9E9	NO030081
920	(4)	4BE9	A9EA	NO040081
921	(5)	4BEA	A9EB	NO050081
922	(6)	4BEB	A9EC	NO060081

Table 6 (Page 18 of 18). Non-Hangeul/Hanja Set, DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
923	(7)	4BEC	A9ED	NO070081
924	(8)	4BED	A9EE	NO080081
925	(9)	4BEE	A9EF	NO090081
926	(10)	4BEF	A9F0	NO100081
927	(11)	4BF0	A9F1	F1RK0080
928	(12)	4BF1	A9F2	F1RL0080
929	(13)	4BF2	A9F3	F1RM0080
930	(14)	4BF3	A9F4	F1RN0080
931	(15)	4BF4	A9F5	F1RO0080
932	1	4BF5	A9F6	ND011080
933	2	4BF6	A9F7	ND021080
934	3	4BF7	A9F8	ND031080
935	4	4BF8	A9F9	ND041080
936	n	4BF9	A9FA	LN011080
937	1	4BFA	A9FB	ND012080
938	2	4BFB	A9FC	ND022080
939	3	4BFC	A9FD	ND032080
940	4	4BFD	A9FE	ND042080




IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

8.3 Hanja Set(1/3)

Table 7 (Page 1 of 33). Hanja Set(1/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1	伽	5041	CAA1	F2DD0080
2	佳	5042	CAA2	F2DE0080
3	假	5043	CAA3	F2DF0080
4	價	5044	CAA4	F2DG0080
5	加	5045	CAA5	F2DH0080
6	可	5046	CAA6	F2DI0080
7	呵	5047	CAA7	F2DJ0080
8	哥	5048	CAA8	F2DK0080
9	嘉	5049	CAA9	F2DL0080
10	嫁	504A	CAAA	F2DM0080
11	家	504B	CAAB	F2DN0080
12	暇	504C	CAAC	F2DO0080
13	柯	504D	CAAF	F2DP0080
14	架	504E	CAAD	F2DQ0080
15	歌	504F	CAB0	F2DR0080
16	稼	5050	CAB3	F2DS0080
17	苛	5051	CAB4	F2DT0080
18	茄	5052	CAB5	F2DU0080
19	街	5053	CAB6	F2DV0080
20	袈	5054	CAB7	F2DW0080
21	詞	5055	CAB8	F2DX0080
22	賈	5056	CAB9	F2DY0080
23	跏	5057	CABA	F2DZ0080
24	軻	5058	CABB	F2E00080
25	迦	5059	CABC	F2E10080

Table 7 (Page 1 of 33). Hanja Set(1/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
26	駕	505A	CABD	F2E20080
27	刻	505B	CABE	F2E30080
28	却	505C	CABF	F2E40080
29	各	505D	CAC0	F2E50080
30	喀	505E		F2E60080
31	恪	505F	CAC1	F2E70080
32	攔	5060		F2E80080
33	殼	5061	CAC3	F2E90080
34	珏	5062	CAC4	F2EA0080
35	脚	5063	CAC5	F2EB0080
36	覺	5064	CAC6	F2EC0080
37	角	5065	CAC7	F2ED0080
38	閣	5066	CAC8	F2EE0080
39	刊	5067	CACA	F2EF0080
40	壘	5068	CACB	F2EG0080
41	奸	5069	CACC	F2EH0080
42	姦	506A	CACD	F2EI0080
43	干	506B	CACE	F2EJ0080
44	幹	506C	CACF	F2EK0080
45	懇	506D	CAD0	F2EL0080
46	揀	506E	CAD1	F2EM0080
47	杆	506F	CAD2	F2EN0080
48	澗	5070	CAD5	F2EO0080
49	癩	5071	CAD6	F2EP0080
50	看	5072	CAD7	F2EQ0080
51	稈	5073	CAD9	F2ER0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
52	竿	5074	CADA	F2ES0080
53	簡	5075	CADB	F2ET0080
54	良	5076	CADD	F2EU0080
55	艱	5077	CADE	F2EV0080
56	肝	5078	CADC	F2EW0080
57	諫	5079	CADF	F2EX0080
58	間	507A	CAE0	F2EY0080
59	芑	507B	CAE1	F2EZ0080
60	喝	507C	CAE2	F2F00080
61	曷	507D	CAE3	F2F10080
62	渴	507E	CAE4	F2F20080
63	碣	507F	CAE5	F2F30080
64	竭	5080	CAE6	F2F40080
65	褐	5081	CAE8	F2F50080
66	羯	5082		F2F60080
67	葛	5083	CAE7	F2F70080
68	鞞	5084	CAEA	F2F80080
69	勘	5085	CAEB	F2F90080
70	坎	5086	CAEC	F2FA0080
71	堪	5087	CAED	F2FB0080
72	嵌	5088	CAEE	F2FC0080
73	感	5089	CAEF	F2FD0080
74	憾	508A	CAF0	F2FE0080
75	敢	508B	CAF2	F2FF0080
76	柑	508C	CAF3	F2FG0080
77	橄	508D	CAF4	F2FH0080

Line Number	Graphic	Host Code	PC Code	GCGID
78	減	508E	CAF5	F2FI0080
79	甘	508F	CAF6	F2FJ0080
80	疖	5090	CAF7	F2FK0080
81	監	5091	CAF8	F2FL0080
82	紺	5092	CAFA	F2FM0080
83	酣	5093		F2FN0080
84	鑑	5094	CAFC	F2FO0080
85	龕	5095	CAFE	F2FP0080
86	匣	5096	CBA1	F2FQ0080
87	岬	5097	CBA2	F2FR0080
88	甲	5098	CBA3	F2FS0080
89	胛	5099	CBA4	F2FT0080
90	鉀	509A	CBA5	F2FU0080
91	閘	509B	CBA6	F2FV0080
92	岡	509C	CBAA	F2FW0080
93	剛	509D	CBA7	F2FX0080
94	姜	509E	CBA9	F2FY0080
95	崗	509F	CBAB	F2FZ0080
96	康	50A0	CBAC	F2G00080
97	強	50A1	CBAD	F2G10080
98	疆	50A2	CBAE	F2G20080
99	慷	50A3	CBAF	F2G30080
100	江	50A4	CBB0	F2G40080
101	疆	50A5	CBB2	F2G50080
102	綱	50A6	CBB5	F2G60080
103	襴	50A7	CBBA	F2G70080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Table 7 (Page 3 of 33). Hanja Set(1/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
104	糠	50A8	CBB3	F2G80080
105	腔	50A9	CBB7	F2G90080
106	薑	50AA	CBB9	F2GA0080
107	講	50AB	CBBB	F2GB0080
108	鋼	50AC	CBBC	F2GC0080
109	降	50AD	CBBD	F2GD0080
110	介	50AE	CBBF	F2GE0080
111	价	50AF	CBC0	F2GF0080
112	個	50B0	CBC1	F2GG0080
113	凱	50B1	CBC2	F2GH0080
114	愷	50B2	CBC4	F2GI0080
115	愷	50B3	CBC5	F2GJ0080
116	慨	50B4	CBC6	F2GK0080
117	改	50B5	CBC7	F2GL0080
118	概	50B6	CBC8	F2GM0080
119	漑	50B7	CBC9	F2GN0080
120	疥	50B8	CBCA	F2GO0080
121	皆	50B9	CBCB	F2GP0080
122	盖	50BA	CBCC	F2GQ0080
123	箇	50BB	CBCD	F2GR0080
124	芥	50BC	CBCE	F2GS0080
125	蓋	50BD	CBCF	F2GT0080
126	開	50BE	CBD2	F2GU0080
127	客	50BF	CBD4	F2GV0080
128	坑	50C0	CBD5	F2GW0080
129	更	50C1	CBD6	F2GX0080

Table 7 (Page 3 of 33). Hanja Set(1/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
130	粳	50C2	CBD7	F2GY0080
131	羹	50C3	CBD8	F2GZ0080
132	醴	50C4	CBD9	F2H00080
133	去	50C5	CBDB	F2H10080
134	居	50C6	CBDC	F2H20080
135	巨	50C7	CBDD	F2H30080
136	拒	50C8	CBDE	F2H40080
137	据	50C9	CBDF	F2H50080
138	據	50CA	CBE0	F2H60080
139	渠	50CB	CBE2	F2H70080
140	炬	50CC	CBE3	F2H80080
141	舉	50CD	CBE1	F2H90080
142	距	50CE	CBE5	F2HA0080
143	遽	50CF	CBE8	F2HB0080
144	車	50D0	CBE7	F2HC0080
145	醴	50D1		F2HD0080
146	鋸	50D2	CBEA	F2HE0080
147	乾	50D3	CBEB	F2HF0080
148	件	50D4	CBEC	F2HG0080
149	健	50D5	CBED	F2HH0080
150	巾	50D6	CBEE	F2HI0080
151	建	50D7	CBEF	F2HJ0080
152	愆	50D8	CBF0	F2HK0080
153	虔	50D9	CBF3	F2HL0080
154	蹇	50DA	CBF4	F2HM0080
155	鍵	50DB	CBF5	F2HN0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
156	騫	50DC	CBF6	F2HO0080
157	乞	50DD	CBF7	F2HP0080
158	傑	50DE	CBF8	F2HQ0080
159	杰	50DF	CBF9	F2HR0080
160	儉	50E0	CBFB	F2HS0080
161	劍	50E1	CBFC	F2HT0080
162	檢	50E2	CBFE	F2HU0080
163	臉	50E3	CCA1	F2HV0080
164	黔	50E4	CCA3	F2HW0080
165	劫	50E5	CCA4	F2HX0080
166	怯	50E6	CCA5	F2HY0080
167	偈	50E7	CCA7	F2HZ0080
168	憩	50E8	CCA8	F2I00080
169	揭	50E9	CCA9	F2I10080
170	擊	50EA	CCAA	F2I20080
171	格	50EB	CCAB	F2I30080
172	檄	50EC	CCAC	F2I40080
173	激	50ED	CCAD	F2I50080
174	覲	50EE	CCAF	F2I60080
175	隔	50EF	CCB0	F2I70080
176	骼	50F0		F2I80080
177	堅	50F1	CCB1	F2I90080
178	肩	50F2	CCB7	F2IA0080
179	牽	50F3	CCB2	F2IB0080
180	犬	50F4	CCB3	F2IC0080
181	甄	50F5	CCB4	F2ID0080

Line Number	Graphic	Host Code	PC Code	GCGID
182	絹	50F6	CCB5	F2IE0080
183	繭	50F7	CCB6	F2IF0080
184	見	50F8	CCB8	F2IG0080
185	謹	50F9	CCB9	F2IH0080
186	遣	50FA	CCBA	F2II0080
187	鶻	50FB	CCBB	F2IJ0080
188	潔	50FC	CCBE	F2IK0080
189	決	50FD	CCBD	F2IL0080
190	結	50FE	CCBF	F2IM0080
191	缺	5141	CCC0	F2IP0080
192	訣	5142	CCC1	F2IQ0080
193	兼	5143	CCC2	F2IR0080
194	慊	5144	CCC3	F2IS0080
195	箝	5145	CCC4	F2IT0080
196	兼	5146		F2IU0080
197	謙	5147	CCC5	F2IV0080
198	鎌	5148	CCC7	F2IW0080
199	京	5149	CCC8	F2IX0080
200	傾	514A	CCCB	F2IY0080
201	勁	514B	CCCD	F2IZ0080
202	勅	514C	CCCE	F2J00080
203	卿	514D	CCCF	F2J10080
204	哽	514E		F2J20080
205	境	514F	CCD1	F2J30080
206	庚	5150	CCD2	F2J40080
207	徑	5151	CCD3	F2J50080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Table 7 (Page 5 of 33). Hanja Set(1/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
208	慶	5152	CCD4	F2J60080
209	暎	5153	CCD9	F2J70080
210	肩	5154		F2J80080
211	擎	5155	CCD6	F2J90080
212	敬	5156	CCD7	F2JA0080
213	景	5157	CCD8	F2JB0080
214	更	5158	CCDA	F2JC0080
215	梗	5159	CCDB	F2JD0080
216	檠	515A		F2JE0080
217	涇	515B	CCDC	F2JF0080
218	炅	515C	CCDD	F2JG0080
219	頰	515D		F2JH0080
220	璟	515E	CCDF	F2JI0080
221	瓊	515F	CCE1	F2JJ0080
222	畊	5160		F2JK0080
223	瘳	5161	CCE2	F2JL0080
224	硬	5162	CCE3	F2JM0080
225	磬	5163	CCE4	F2JN0080
226	竟	5164	CCE5	F2JO0080
227	競	5165	CCE6	F2JP0080
228	綱	5166	CCE7	F2JQ0080
229	經	5167	CCE8	F2JR0080
230	耕	5168	CCE9	F2JS0080
231	耿	5169	CCEA	F2JT0080
232	脛	516A	CCEB	F2JU0080
233	莖	516B	CCEC	F2JV0080

Table 7 (Page 5 of 33). Hanja Set(1/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
234	警	516C	CCED	F2JW0080
235	輕	516D	CCEE	F2JX0080
236	逕	516E	CCEF	F2JY0080
237	鏡	516F	CCF0	F2JZ0080
238	頃	5170	CCF1	F2K00080
239	頸	5171	CCF2	F2K10080
240	驚	5172	CCF3	F2K20080
241	鯨	5173	CCF4	F2K30080
242	係	5174	CCF5	F2K40080
243	啓	5175	CCF6	F2K50080
244	契	5176	CCF8	F2K60080
245	季	5177	CCF9	F2K70080
246	屆	5178	CCFA	F2K80080
247	悻	5179	CCFB	F2K90080
248	戒	517A	CCFC	F2KA0080
249	桂	517B	CCFD	F2KB0080
250	械	517C	CCFE	F2KC0080
251	溪	517D	CDA2	F2KD0080
252	界	517E	CDA3	F2KE0080
253	癸	517F	CDA4	F2KF0080
254	磧	5180	CDA5	F2KG0080
255	稷	5181		F2KH0080
256	稽	5182	CDA6	F2KI0080
257	系	5183	CDA7	F2KJ0080
258	繫	5184	CDA8	F2KK0080
259	繼	5185	CDA9	F2KL0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
260	計	5186	CDA A	F2KM0080
261	誠	5187	CDAB	F2KN0080
262	階	5188	CDAD	F2KO0080
263	谿	5189	CDAC	F2KP0080
264	雞	518A		F2KQ0080
265	鷄	518B	CDAE	F2KR0080
266	叩	518C	CDB0	F2KS0080
267	古	518D	CDAF	F2KT0080
268	告	518E	CDB1	F2KU0080
269	呱	518F	CDB2	F2KV0080
270	固	5190	CDB3	F2KW0080
271	姑	5191	CDB4	F2KX0080
272	孤	5192	CDB5	F2KY0080
273	庫	5193	CDB7	F2KZ0080
274	拷	5194	CDB8	F2L00080
275	攷	5195	CDB9	F2L10080
276	故	5196	CDBA	F2L20080
277	敲	5197	CDBB	F2L30080
278	枯	5198	CDBD	F2L40080
279	杲	5199		F2L50080
280	沽	519A	CDBF	F2L60080
281	痼	519B	CDC0	F2L70080
282	皐	519C	CDC1	F2L80080
283	蠱	519D	CDCC	F2L90080
284	替	519E		F2LA0080
285	稿	519F	CDC3	F2LB0080

Line Number	Graphic	Host Code	PC Code	GCGID
286	辜	51A0	CDC2	F2LC0080
287	考	51A1	CDC5	F2LD0080
288	股	51A2	CDC6	F2LE0080
289	膏	51A3	CDC7	F2LF0080
290	苦	51A4	CDC8	F2LG0080
291	藁	51A5	CDCB	F2LH0080
292	袴	51A6	CDCD	F2LI0080
293	詁	51A7		F2LJ0080
294	誥	51A8	CDCE	F2LK0080
295	賈	51A9	CDCF	F2LL0080
296	辜	51AA	CDD0	F2LM0080
297	錮	51AB	CDD1	F2LN0080
298	雇	51AC	CDD2	F2LO0080
299	顧	51AD	CDD3	F2LP0080
300	高	51AE	CDD4	F2LQ0080
301	鼓	51AF	CDD5	F2LR0080
302	哭	51B0	CDD6	F2LS0080
303	斛	51B1	CDD7	F2LT0080
304	曲	51B2	CDD8	F2LU0080
305	楛	51B3	CDD9	F2LV0080
306	穀	51B4	CDDA	F2LW0080
307	谷	51B5	CDDB	F2LX0080
308	鵠	51B6	CDDC	F2LY0080
309	困	51B7	CDDD	F2LZ0080
310	坤	51B8	CDDE	F2M00080
311	崑	51B9	CDDF	F2M10080




IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
312	昆	51BA	CDE0	F2M20080
313	梱	51BB	CDE1	F2M30080
314	棍	51BC	CDE2	F2M40080
315	滾	51BD	CDE3	F2M50080
316	袞	51BE	CDE5	F2M60080
317	汨	51BF	CDE7	F2M70080
318	滑	51C0	CDE8	F2M80080
319	骨	51C1	CDE9	F2M90080
320	供	51C2	CDEA	F2MA0080
321	公	51C3	CDEB	F2MB0080
322	共	51C4	CDEC	F2MC0080
323	功	51C5	CDED	F2MD0080
324	孔	51C6	CDEE	F2ME0080
325	工	51C7	CDEF	F2MF0080
326	貢	51C8	CDF8	F2MG0080
327	恭	51C9	CDF1	F2MH0080
328	恐	51CA	CDF0	F2MI0080
329	拱	51CB	CDF2	F2MJ0080
330	控	51CC	CDF3	F2MK0080
331	攻	51CD	CDF4	F2ML0080
332	拱	51CE		F2MM0080
333	槓	51CF		F2MN0080
334	空	51D0	CDF6	F2MO0080
335	筮	51D1		F2MP0080
336	寡	51D2	CDFB	F2MQ0080
337	戈	51D3	CDFC	F2MR0080

Line Number	Graphic	Host Code	PC Code	GCGID
338	果	51D4	CDFD	F2MS0080
339	瓜	51D5	CDFE	F2MT0080
340	科	51D6	CEA1	F2MU0080
341	菓	51D7	CEA2	F2MV0080
342	蝌	51D8		F2MW0080
343	誇	51D9	CEA3	F2MX0080
344	課	51DA	CEA4	F2MY0080
345	過	51DB	CEA6	F2MZ0080
346	顆	51DC	CEA8	F2N00080
347	廓	51DD	CEA9	F2N10080
348	槲	51DE	CEAA	F2N20080
349	藿	51DF	CEAB	F2N30080
350	郭	51E0	CEAC	F2N40080
351	霍	51E1		F2N50080
352	串	51E2	CEAD	F2N60080
353	冠	51E3	CEAE	F2N70080
354	官	51E4	CEAF	F2N80080
355	寬	51E5	CEB0	F2N90080
356	慣	51E6	CEB1	F2NA0080
357	棺	51E7	CEB2	F2NB0080
358	瓘	51E8	CEB6	F2NC0080
359	款	51E9	CEB3	F2ND0080
360	灌	51EA	CEB4	F2NE0080
361	盥	51EB		F2NF0080
362	管	51EC	CEB7	F2NG0080
363	罐	51ED	CEB8	F2NH0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
364	菅	51EE	CEB9	F2NI0080
365	觀	51EF	CEBA	F2NJ0080
366	貫	51F0	CEBB	F2NK0080
367	關	51F1	CEBC	F2NL0080
368	館	51F2	CEBD	F2NM0080
369	鶴	51F3		F2NN0080
370	刮	51F4	CEBE	F2NO0080
371	忽	51F5	CEBF	F2NP0080
372	括	51F6	CEC0	F2NQ0080
373	适	51F7	CEC1	F2NR0080
374	光	51F8	CEC3	F2NS0080
375	匡	51F9	CEC4	F2NT0080
376	壙	51FA	CEC5	F2NU0080
377	廣	51FB	CEC6	F2NV0080
378	曠	51FC	CEC7	F2NW0080
379	洸	51FD	CEC8	F2NX0080
380	狂	51FE	CECA	F2NY0080
381	琮	5241	CECB	F2O10080
382	筐	5242	CECC	F2O20080
383	胱	5243	CECD	F2O30080
384	鑛	5244	CECE	F2O40080
385	卦	5245	CECF	F2O50080
386	掛	5246	CED0	F2O60080
387	罍	5247	CED1	F2O70080
388	乖	5248	CED2	F2O80080
389	愧	5249	CED3	F2O90080

Line Number	Graphic	Host Code	PC Code	GCGID
390	塊	524A	CED4	F2OA0080
391	壞	524B	CED5	F2OB0080
392	怪	524C	CED6	F2OC0080
393	愧	524D	CED7	F2OD0080
394	拐	524E	CED8	F2OE0080
395	槐	524F	CED9	F2OF0080
396	魁	5250	CEDA	F2OG0080
397	宏	5251	CEDB	F2OH0080
398	紘	5252	CEDC	F2OI0080
399	肱	5253	CEDD	F2OJ0080
400	轟	5254	CEDE	F2OK0080
401	交	5255	CEDF	F2OL0080
402	僑	5256	CEE0	F2OM0080
403	咬	5257	CEE1	F2ON0080
404	喬	5258	CEE2	F2OO0080
405	嬌	5259	CEE3	F2OP0080
406	嶠	525A	CEE4	F2OQ0080
407	巧	525B	CEE5	F2OR0080
408	教	525C	CEE7	F2OS0080
409	攪	525D	CEE6	F2OT0080
410	校	525E	CEE8	F2OU0080
411	橋	525F	CEE9	F2OV0080
412	狡	5260	CEEA	F2OW0080
413	皎	5261	CEEB	F2OX0080
414	矯	5262	CEEC	F2OY0080
415	絞	5263	CEED	F2OZ0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
416	翹	5264	CEEE	F2P00080
417	膠	5265	CEEF	F2P10080
418	蕎	5266	CEF0	F2P20080
419	蛟	5267	CEF1	F2P30080
420	較	5268	CEF2	F2P40080
421	輻	5269	CEF3	F2P50080
422	郊	526A	CEF4	F2P60080
423	餃	526B		F2P70080
424	餃	526C	CEF5	F2P80080
425	驕	526D	CEF6	F2P90080
426	鮫	526E	CEF7	F2PA0080
427	丘	526F	CEF8	F2PB0080
428	久	5270	CEF9	F2PC0080
429	九	5271	CEFA	F2PD0080
430	仇	5272	CEFB	F2PE0080
431	佝	5273		F2PF0080
432	俱	5274	CEFC	F2PG0080
433	樞	5275		F2PH0080
434	具	5276	CEFD	F2PI0080
435	勾	5277	CEFE	F2PJ0080
436	區	5278	CFA1	F2PK0080
437	口	5279	CFA2	F2PL0080
438	句	527A	CFA3	F2PM0080
439	咎	527B	CFA4	F2PN0080
440	嘔	527C	CFA5	F2PO0080
441	垢	527D	CFA7	F2PP0080

Line Number	Graphic	Host Code	PC Code	GCGID
442	媯	527E		F2PQ0080
443	嫗	527F		F2PR0080
444	寇	5280	CFA8	F2PS0080
445	嶇	5281	CFA9	F2PT0080
446	廐	5282	CFAA	F2PU0080
447	懼	5283	CFAB	F2PV0080
448	拘	5284	CFAC	F2PW0080
449	救	5285	CFAD	F2PX0080
450	晷	5286		F2PY0080
451	枸	5287	CFAE	F2PZ0080
452	樞	5288	CFAF	F2Q00080
453	構	5289	CFB0	F2Q10080
454	歐	528A	CFB1	F2Q20080
455	毆	528B	CFB2	F2Q30080
456	毬	528C	CFB3	F2Q40080
457	求	528D	CFB4	F2Q50080
458	溝	528E	CFB5	F2Q60080
459	灸	528F	CFB6	F2Q70080
460	狗	5290	CFB7	F2Q80080
461	玖	5291	CFB8	F2Q90080
462	球	5292	CFB9	F2QA0080
463	甌	5293		F2QB0080
464	瞿	5294	CFBA	F2QC0080
465	矩	5295	CFBB	F2QD0080
466	究	5296	CFBC	F2QE0080
467	絀	5297	CFBD	F2QF0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
468	購	5298	CFC5	F2QG0080
469	白	5299	CFBF	F2QH0080
470	舅	529A	CFC0	F2QI0080
471	舊	529B	CFC1	F2QJ0080
472	苟	529C	CFC2	F2QK0080
473	衢	529D	CFC3	F2QL0080
474	覲	529E		F2QM0080
475	謳	529F	CFC4	F2QN0080
476	軀	52A0	CFC6	F2QO0080
477	逯	52A1	CFC7	F2QP0080
478	邱	52A2	CFC8	F2QQ0080
479	鉤	52A3	CFC9	F2QR0080
480	颶	52A4		F2QS0080
481	駒	52A5	CFCB	F2QT0080
482	驅	52A6	CFCC	F2QU0080
483	鳩	52A7	CFCD	F2QV0080
484	鷗	52A8	CFCE	F2QW0080
485	龜	52A9	CFCF	F2QX0080
486	國	52AA	CFD0	F2QY0080
487	局	52AB	CFD1	F2QZ0080
488	掬	52AC		F2R00080
489	菊	52AD	CFD2	F2R10080
490	鞠	52AE	CFD3	F2R20080
491	麴	52AF	CFD5	F2R30080
492	窘	52B0	CFD7	F2R40080
493	群	52B1	CFD8	F2R50080

Line Number	Graphic	Host Code	PC Code	GCGID
494	軍	52B2	CFDA	F2R60080
495	君	52B3	CFD6	F2R70080
496	郡	52B4	CFDB	F2R80080
497	堀	52B5	CFDC	F2R90080
498	屈	52B6	CFDD	F2RA0080
499	掘	52B7	CFDE	F2RB0080
500	窟	52B8	CFDF	F2RC0080
501	宮	52B9	CFE0	F2RD0080
502	弓	52BA	CFE1	F2RE0080
503	穹	52BB	CFE2	F2RF0080
504	窮	52BC	CFE3	F2RG0080
505	躬	52BD	CFE5	F2RH0080
506	倦	52BE	CFE6	F2RI0080
507	券	52BF	CFE7	F2RJ0080
508	勸	52C0	CFE8	F2RK0080
509	卷	52C1	CFE9	F2RL0080
510	圈	52C2	CFEA	F2RM0080
511	拳	52C3	CFEB	F2RN0080
512	權	52C4	CFED	F2RO0080
513	眷	52C5	CFEF	F2RP0080
514	厥	52C6	CFF0	F2RQ0080
515	蹶	52C7	CFF3	F2RR0080
516	闕	52C8	CFF4	F2RS0080
517	机	52C9	CFF5	F2RT0080
518	櫃	52CA	CFF6	F2RU0080
519	漬	52CB	CFF7	F2RV0080




IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
520	詭	52CC	CFF8	F2RW0080
521	跪	52CD		F2RX0080
522	軌	52CE	CFF9	F2RY0080
523	饋	52CF	CFFA	F2RZ0080
524	歸	52D0	CFFD	F2S00080
525	貴	52D1	CFFE	F2S10080
526	鬼	52D2	D0A1	F2S20080
527	龜	52D3	D0A2	F2S30080
528	叫	52D4	D0A3	F2S40080
529	圭	52D5	D0A4	F2S50080
530	奎	52D6	D0A5	F2S60080
531	揆	52D7	D0A6	F2S70080
532	珪	52D8	D0A8	F2S80080
533	珪	52D9	D0A9	F2S90080
534	窺	52DA	D0AA	F2SA0080
535	葵	52DB	D0AD	F2SB0080
536	糾	52DC	D0AC	F2SC0080
537	規	52DD	D0AE	F2SD0080
538	赳	52DE	D0AF	F2SE0080
539	逵	52DF	D0B0	F2SF0080
540	閏	52E0	D0B1	F2SG0080
541	均	52E1	D0B3	F2SH0080
542	筠	52E2	D0B5	F2SI0080
543	菌	52E3	D0B6	F2SJ0080
544	鈞	52E4	D0B7	F2SK0080
545	龜	52E5	D0B8	F2SL0080

Line Number	Graphic	Host Code	PC Code	GCGID
546	橘	52E6	D0B9	F2SM0080
547	克	52E7	D0BA	F2SN0080
548	剋	52E8	D0BB	F2SO0080
549	劇	52E9	D0BC	F2SP0080
550	戟	52EA	D0BD	F2SQ0080
551	極	52EB	D0BF	F2SR0080
552	棘	52EC	D0BE	F2SS0080
553	隙	52ED	D0C0	F2ST0080
554	僅	52EE	D0C1	F2SU0080
555	勤	52EF	D0C3	F2SV0080
556	喬	52F0		F2SW0080
557	懃	52F1	D0C4	F2SX0080
558	斤	52F2	D0C5	F2SY0080
559	根	52F3	D0C6	F2SZ0080
560	槿	52F4	D0C7	F2T00080
561	滢	52F5		F2T10080
562	瑾	52F6	D0C8	F2T20080
563	筋	52F7	D0C9	F2T30080
564	芹	52F8	D0CA	F2T40080
565	董	52F9	D0CB	F2T50080
566	覲	52FA	D0CC	F2T60080
567	謹	52FB	D0CD	F2T70080
568	近	52FC	D0CE	F2T80080
569	謹	52FD	D0CF	F2T90080
570	契	52FE	D0D0	F2TA0080
571	今	5341	D0D1	F2TD0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
572	擒	5342	D0D3	F2TE0080
573	擒	5343	D0D5	F2TF0080
574	琴	5344	D0D6	F2TG0080
575	禁	5345	D0D7	F2TH0080
576	禽	5346	D0D8	F2TI0080
577	衿	5347	D0DB	F2TJ0080
578	衾	5348	D0DA	F2TK0080
579	襟	5349	D0DC	F2TL0080
580	金	534A	D0DD	F2TM0080
581	錦	534B	D0DE	F2TN0080
582	及	534C	D0E0	F2TO0080
583	岌	534D		F2TP0080
584	急	534E	D0E1	F2TQ0080
585	扱	534F	D0E2	F2TR0080
586	汲	5350	D0E3	F2TS0080
587	笈	5351		F2TT0080
588	級	5352	D0E4	F2TU0080
589	給	5353	D0E5	F2TV0080
590	亘	5354	D0E6	F2TW0080
591	競	5355	D0E7	F2TX0080
592	矜	5356	D0E8	F2TY0080
593	肯	5357	D0E9	F2TZ0080
594	企	5358	D0EA	F2U00080
595	伎	5359	D0EB	F2U10080
596	其	535A	D0EC	F2U20080
597	冀	535B	D0ED	F2U30080

Line Number	Graphic	Host Code	PC Code	GCGID
598	嗜	535C	D0EE	F2U40080
599	器	535D	D0EF	F2U50080
600	圻	535E	D0F0	F2U60080
601	基	535F	D0F1	F2U70080
602	夔	5360	D0F3	F2U80080
603	奇	5361	D0F4	F2U90080
604	妓	5362	D0F5	F2UA0080
605	寄	5363	D0F6	F2UB0080
606	岐	5364	D0F7	F2UC0080
607	豈	5365	D1C2	F2UD0080
608	崎	5366	D0F8	F2UE0080
609	幾	5367	D0FA	F2UF0080
610	己	5368	D0F9	F2UG0080
611	忌	5369	D0FB	F2UH0080
612	技	536A	D0FC	F2UI0080
613	旗	536B	D0FD	F2UJ0080
614	既	536C	D0FE	F2UK0080
615	期	536D	D1A2	F2UL0080
616	杞	536E	D1A3	F2UM0080
617	棋	536F	D1A4	F2UN0080
618	棄	5370	D1A5	F2UO0080
619	機	5371	D1A6	F2UP0080
620	欺	5372	D1A7	F2UQ0080
621	氣	5373	D1A8	F2UR0080
622	汽	5374	D1A9	F2US0080
623	沂	5375	D1AA	F2UT0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
624	淇	5376	D1AB	F2UU0080
625	琦	5377	D1AD	F2UV0080
626	琪	5378	D1AE	F2UW0080
627	璣	5379	D1B0	F2UX0080
628	畸	537A	D1B1	F2UY0080
629	畿	537B	D1B2	F2UZ0080
630	碁	537C	D1B3	F2V00080
631	磯	537D	D1B4	F2V10080
632	祇	537E	D1B6	F2V20080
633	祈	537F	D1B7	F2V30080
634	祺	5380	D1B8	F2V40080
635	箕	5381	D1B9	F2V50080
636	紀	5382	D1BA	F2V60080
637	綺	5383	D1BB	F2V70080
638	霸	5384		F2V80080
639	耆	5385	D1BD	F2V90080
640	機	5386	D1BE	F2VA0080
641	肌	5387	D1BF	F2VB0080
642	菴	5388	D1A1	F2VC0080
643	記	5389	D1C0	F2VD0080
644	譏	538A	D1C1	F2VE0080
645	起	538B	D1C3	F2VF0080
646	錡	538C	D1C4	F2VG0080
647	飢	538D	D1C6	F2VH0080
648	饑	538E	D1C7	F2VI0080
649	騎	538F	D1C8	F2VJ0080

Line Number	Graphic	Host Code	PC Code	GCGID
650	騏	5390	D1C9	F2VK0080
651	驥	5391	D1CA	F2VL0080
652	鱒	5392		F2VM0080
653	麒	5393	D1CB	F2VN0080
654	緊	5394	D1CC	F2VO0080
655	佶	5395	D1CD	F2VP0080
656	吉	5396	D1CE	F2VQ0080
657	拮	5397	D1CF	F2VR0080
658	桔	5398	D1D0	F2VS0080
659	金	5399	D1D1	F2VT0080
660	忝	539A		F2VU0080
661	喫	539B	D1D2	F2VV0080
662	儼	539C	D1D3	F2VW0080
663	懦	539D	D1D7	F2VX0080
664	拏	539E	D1D9	F2VY0080
665	拿	539F	D1DA	F2VZ0080
666	糯	53A0		F2W00080
667	那	53A1	D1E1	F2W10080
668	諾	53A2	D1E7	F2W20080
669	暖	53A3	D1EC	F2W30080
670	煖	53A4	D1EE	F2W40080
671	難	53A5	D1F1	F2W50080
672	捺	53A6	D1F4	F2W60080
673	捏	53A7	D1F3	F2W70080
674	南	53A8	D1F5	F2W80080
675	喃	53A9		F2W90080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
676	男	53AA	D1FB	F2WA0080
677	納	53AB	D2A1	F2WB0080
678	囊	53AC	D2A5	F2WC0080
679	娘	53AD	D2A6	F2WD0080
680	囊	53AE		F2WE0080
681	乃	53AF	D2AC	F2WF0080
682	內	53B0	D2AE	F2WG0080
683	奈	53B1	D2AF	F2WH0080
684	柰	53B2	D2B0	F2WI0080
685	耐	53B3	D2B1	F2WJ0080
686	迺	53B4		F2WK0080
687	女	53B5	D2B3	F2WL0080
688	年	53B6	D2B4	F2WM0080
689	季	53B7	D2B6	F2WN0080
690	念	53B8	D2B7	F2WO0080
691	恬	53B9	D2B8	F2WP0080
692	拈	53BA	D2B9	F2WQ0080
693	捻	53BB	D2BA	F2WR0080
694	佞	53BC		F2WS0080
695	寧	53BD	D2BB	F2WT0080
696	孳	53BE		F2WU0080
697	努	53BF	D2BD	F2WV0080
698	奴	53C0	D2BF	F2WW0080
699	孥	53C1		F2WX0080
700	弩	53C2	D2C0	F2WY0080
701	怒	53C3	D2C1	F2WZ0080

Line Number	Graphic	Host Code	PC Code	GCGID
702	璫	53C4	D2C5	F2X00080
703	濃	53C5	D2D8	F2X10080
704	膿	53C6	D2DB	F2X20080
705	農	53C7	D2DC	F2X30080
706	惱	53C8	D2DD	F2X40080
707	腦	53C9	D2E0	F2X50080
708	尿	53CA	D2E3	F2X60080
709	鬧	53CB		F2X70080
710	嫩	53CC	D2EC	F2X80080
711	訥	53CD	D2ED	F2X90080
712	紐	53CE	D2EF	F2XA0080
713	能	53CF	D2F6	F2XB0080
714	尼	53D0	D2F9	F2XC0080
715	泥	53D1	D2FA	F2XD0080
716	匿	53D2	D2FB	F2XE0080
717	溺	53D3	D2FC	F2XF0080
718	多	53D4	D2FD	F2XG0080
719	茶	53D5	D2FE	F2XH0080
720	丹	53D6	D3A1	F2XI0080
721	但	53D7	D3A3	F2XJ0080
722	單	53D8	D3A4	F2XK0080
723	團	53D9	D3A5	F2XL0080
724	壇	53DA	D3A6	F2XM0080
725	斷	53DB	D3A8	F2XN0080
726	旦	53DC	D3A9	F2XO0080
727	檀	53DD	D3AA	F2XP0080




IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Table 7 (Page 15 of 33). Hanja Set(1/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
728	段	53DE	D3AB	F2XQ0080
729	湍	53DF	D3AC	F2XR0080
730	短	53E0	D3AD	F2XS0080
731	端	53E1	D3AE	F2XT0080
732	簞	53E2	D3AF	F2XU0080
733	緞	53E3	D3B0	F2XV0080
734	蛋	53E4	D3B1	F2XW0080
735	袒	53E5	D3B2	F2XX0080
736	鄆	53E6	D3B3	F2XY0080
737	鍛	53E7	D3B4	F2XZ0080
738	韃	53E8		F2Y00080
739	怛	53E9		F2Y10080
740	撻	53EA	D3B5	F2Y20080
741	獺	53EB	D3B7	F2Y30080
742	疸	53EC	D3B8	F2Y40080
743	達	53ED	D3B9	F2Y50080
744	闡	53EE		F2Y60080
745	韃	53EF		F2Y70080
746	啖	53F0	D3BA	F2Y80080
747	擔	53F1	D3BD	F2Y90080
748	曇	53F2	D3BE	F2YA0080
749	淡	53F3	D3BF	F2YB0080
750	潭	53F4	D3C1	F2YC0080
751	澹	53F5	D3C2	F2YD0080
752	痰	53F6	D3C3	F2YE0080
753	聃	53F7	D3C4	F2YF0080

Table 7 (Page 15 of 33). Hanja Set(1/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
754	膽	53F8	D3C5	F2YG0080
755	覃	53F9	D3C7	F2YH0080
756	談	53FA	D3C8	F2YI0080
757	譚	53FB	D3C9	F2YJ0080
758	沓	53FC	D3CB	F2YK0080
759	答	53FD	D3CD	F2YL0080
760	踏	53FE	D3CE	F2YM0080
761	逕	5441	D3CF	F2YP0080
762	党	5442		F2YQ0080
763	堂	5443	D3D1	F2YR0080
764	塘	5444	D3D2	F2YS0080
765	幢	5445	D3D3	F2YT0080
766	唐	5446	D3D0	F2YU0080
767	撞	5447	D3D5	F2YV0080
768	棠	5448	D3D6	F2YW0080
769	當	5449	D3D7	F2YX0080
770	糖	544A	D3D8	F2YY0080
771	蠶	544B		F2YZ0080
772	黨	544C	D3DA	F2Z00080
773	代	544D	D3DB	F2Z10080
774	岱	544E	D3DC	F2Z20080
775	大	544F	D3DE	F2Z30080
776	對	5450	D3DF	F2Z40080
777	岱	5451	D3E0	F2Z50080
778	帶	5452	D3E1	F2Z60080
779	待	5453	D3E2	F2Z70080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
780	戴	5454	D3E3	F2Z80080
781	擡	5455	D3E4	F2Z90080
782	玳	5456	D3E5	F2ZA0080
783	碓	5457		F2ZB0080
784	臺	5458	D3E6	F2ZC0080
785	袋	5459	D3E7	F2ZD0080
786	貸	545A	D3E8	F2ZE0080
787	隊	545B	D3E9	F2ZF0080
788	黛	545C	D3EA	F2ZG0080
789	宅	545D	D3EB	F2ZH0080
790	德	545E	D3EC	F2ZI0080
791	惠	545F	D3ED	F2ZJ0080
792	倒	5460	D3EE	F2ZK0080
793	刀	5461	D3EF	F2ZL0080
794	到	5462	D3F0	F2ZM0080
795	圖	5463	D3F1	F2ZN0080
796	堵	5464	D3F2	F2ZO0080
797	塗	5465	D3F3	F2ZP0080
798	導	5466	D3F4	F2ZQ0080
799	屠	5467	D3F5	F2ZR0080
800	島	5468	D3F6	F2ZS0080
801	度	5469	D3F8	F2ZT0080
802	徒	546A	D3F9	F2ZU0080
803	悼	546B	D3FA	F2ZV0080
804	挑	546C	D3FB	F2ZW0080
805	搗	546D	D3FD	F2ZX0080

Line Number	Graphic	Host Code	PC Code	GCGID
806	桃	546E	D3FE	F2ZY0080
807	棹	546F	D4A1	F2ZZ0080
808	淘	5470	D4A3	F3000080
809	渡	5471	D4A4	F3010080
810	滔	5472	D4A5	F3020080
811	濤	5473	D4A6	F3030080
812	燾	5474	D4A7	F3040080
813	盜	5475	D4A8	F3050080
814	賭	5476	D4A9	F3060080
815	禱	5477	D4AA	F3070080
816	稻	5478	D4AB	F3080080
817	萄	5479	D4AC	F3090080
818	菟	547A		F30A0080
819	賭	547B	D4AE	F30B0080
820	跳	547C	D4AF	F30C0080
821	蹈	547D	D4B0	F30D0080
822	逃	547E	D4B1	F30E0080
823	途	547F	D4B2	F30F0080
824	道	5480	D4B3	F30G0080
825	都	5481	D4B4	F30H0080
826	鍍	5482	D4B5	F30I0080
827	陶	5483	D4B6	F30J0080
828	韜	5484	D4B7	F30K0080
829	毒	5485	D4B8	F30L0080
830	瀆	5486	D4B9	F30M0080
831	牘	5487	D4BA	F30N0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
832	犢	5488	D4BB	F30O0080
833	獨	5489	D4BC	F30P0080
834	督	548A	D4BD	F30Q0080
835	禿	548B	D4BE	F30R0080
836	篤	548C	D4BF	F30S0080
837	燾	548D	D4C0	F30T0080
838	讀	548E	D4C1	F30U0080
839	墩	548F	D4C2	F30V0080
840	惇	5490	D4C3	F30W0080
841	敦	5491	D4C4	F30X0080
842	墩	5492	D4C6	F30Y0080
843	沌	5493	D4C7	F30Z0080
844	燉	5494	D4C9	F3100080
845	豚	5495	D4CA	F3110080
846	頓	5496	D4CB	F3120080
847	咄	5497		F3130080
848	芑	5498	D4CC	F3140080
849	突	5499	D4CD	F3150080
850	仝	549A	D4CE	F3160080
851	冬	549B	D4CF	F3170080
852	凍	549C	D4D0	F3180080
853	動	549D	D4D1	F3190080
854	同	549E	D4D2	F31A0080
855	垌	549F		F31B0080
856	懂	54A0	D4D3	F31C0080
857	東	54A1	D4D4	F31D0080

Line Number	Graphic	Host Code	PC Code	GCGID
858	桐	54A2	D4D5	F31E0080
859	棟	54A3	D4D6	F31F0080
860	洞	54A4	D4D7	F31G0080
861	潼	54A5	D4D8	F31H0080
862	童	54A6	D4DB	F31I0080
863	疼	54A7	D4D9	F31J0080
864	瞳	54A8	D4DA	F31K0080
865	董	54A9	D4DD	F31L0080
866	胴	54AA	D4DC	F31M0080
867	銅	54AB	D4DE	F31N0080
868	兜	54AC	D4DF	F31O0080
869	斗	54AD	D4E0	F31P0080
870	杜	54AE	D4E1	F31Q0080
871	料	54AF	D4E2	F31R0080
872	痘	54B0	D4E3	F31S0080
873	竇	54B1	D4E4	F31T0080
874	荳	54B2	D4E5	F31U0080
875	肚	54B3		F31V0080
876	蚪	54B4		F31W0080
877	讀	54B5	D4E6	F31X0080
878	豆	54B6	D4E7	F31Y0080
879	頭	54B7	D4E9	F31Z0080
880	屯	54B8	D4EA	F3200080
881	臀	54B9	D4EB	F3210080
882	遁	54BA	D4ED	F3220080
883	遯	54BB	D4EE	F3230080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
884	鈍	54BC	D4EF	F3240080
885	得	54BD	D4F0	F3250080
886	橙	54BE	D4F2	F3260080
887	滕	54BF		F3270080
888	灯	54C0		F3280080
889	燈	54C1	D4F3	F3290080
890	登	54C2	D4F4	F32A0080
891	等	54C3	D4F5	F32B0080
892	藤	54C4	D4F6	F32C0080
893	騰	54C5	D4F7	F32D0080
894	鄧	54C6	D4F8	F32E0080
895	鐙	54C7		F32F0080
896	騰	54C8	D4F9	F32G0080
897	喇	54C9	D4FA	F32H0080
898	懶	54CA	D4FB	F32I0080
899	癩	54CB	D4FD	F32J0080
900	羅	54CC	D4FE	F32K0080
901	蘿	54CD	D5A1	F32L0080
902	螺	54CE	D5A2	F32M0080
903	裸	54CF	D5A3	F32N0080
904	邏	54D0	D5A4	F32O0080
905	樂	54D1	D5A5	F32P0080
906	洛	54D2	D5A6	F32Q0080
907	烙	54D3	D5A7	F32R0080
908	犖	54D4		F32S0080
909	珞	54D5	D5A8	F32T0080

Line Number	Graphic	Host Code	PC Code	GCGID
910	絡	54D6	D5A9	F32U0080
911	落	54D7	D5AA	F32V0080
912	酪	54D8	D5AC	F32W0080
913	駱	54D9	D5AD	F32X0080
914	亂	54DA	D5AF	F32Y0080
915	卵	54DB	D5B0	F32Z0080
916	欄	54DC		F3300080
917	欄	54DD	D5B1	F3310080
918	欒	54DE	D5B2	F3320080
919	瀾	54DF	D5B3	F3330080
920	爛	54E0	D5B4	F3340080
921	蘭	54E1	D5B5	F3350080
922	鸞	54E2	D5B6	F3360080
923	刺	54E3	D5B7	F3370080
924	埭	54E4		F3380080
925	辣	54E5	D5B8	F3390080
926	嵐	54E6	D5B9	F33A0080
927	擘	54E7	D5BA	F33B0080
928	攬	54E8	D5BB	F33C0080
929	欖	54E9	D5BC	F33D0080
930	濫	54EA	D5BD	F33E0080
931	籃	54EB	D5BE	F33F0080
932	纜	54EC	D5BF	F33G0080
933	藍	54ED	D5C0	F33H0080
934	檻	54EE	D5C1	F33I0080
935	覽	54EF	D5C2	F33J0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
936	拉	54F0	D5C3	F33K0080
937	臘	54F1	D5C4	F33L0080
938	蠟	54F2	D5C5	F33M0080
939	廊	54F3	D5C6	F33N0080
940	朗	54F4	D5C7	F33O0080
941	榔	54F5		F33P0080
942	浪	54F6	D5C8	F33Q0080
943	狼	54F7	D5C9	F33R0080
944	琅	54F8	D5CA	F33S0080
945	瑯	54F9	D5CB	F33T0080
946	螂	54FA	D5CC	F33U0080
947	郎	54FB	D5CD	F33V0080
948	來	54FC	D5CE	F33W0080
949	萊	54FD	D5D1	F33X0080
950	冷	54FE	D5D2	F33Y0080
951	掠	5541	D5D3	F3410080
952	略	5542	D5D4	F3420080
953	亮	5543	D5D5	F3430080
954	兩	5544	D5D7	F3440080
955	倆	5545	D5D6	F3450080
956	涼	5546	D5D8	F3460080
957	梁	5547	D5D9	F3470080
958	涼	5548		F3480080
959	樑	5549	D5DA	F3490080
960	糧	554A	D5DB	F34A0080
961	梁	554B	D5DC	F34B0080

Line Number	Graphic	Host Code	PC Code	GCGID
962	糧	554C	D5DD	F34C0080
963	良	554D	D5DE	F34D0080
964	諒	554E	D5DF	F34E0080
965	輛	554F	D5E0	F34F0080
966	量	5550	D5E1	F34G0080
967	魴	5551		F34H0080
968	侶	5552	D5E2	F34I0080
969	勵	5553	D5E4	F34J0080
970	呂	5554	D5E5	F34K0080
971	廬	5555	D5E6	F34L0080
972	戾	5556	D5E8	F34M0080
973	旅	5557	D5E9	F34N0080
974	櫚	5558	D5EA	F34O0080
975	濾	5559	D5EB	F34P0080
976	癘	555A		F34Q0080
977	礪	555B	D5EC	F34R0080
978	簪	555C		F34S0080
979	藜	555D	D5ED	F34T0080
980	慮	555E	D5E7	F34U0080
981	蠣	555F	D5EE	F34V0080
982	蠡	5560		F34W0080
983	鑪	5561		F34X0080
984	閭	5562	D5EF	F34Y0080
985	驢	5563	D5F0	F34Z0080
986	驥	5564	D5F1	F3500080
987	麗	5565	D5F2	F3510080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
988	黎	5566	D5F3	F3520080
989	力	5567	D5F4	F3530080
990	歷	5568	D5F6	F3540080
991	曆	5569	D5F5	F3550080
992	櫟	556A		F3560080
993	瀝	556B	D5F7	F3570080
994	礫	556C	D5F8	F3580080
995	櫟	556D	D5F9	F3590080
996	麗	556E	D5FA	F35A0080
997	憐	556F	D5FB	F35B0080
998	戀	5570	D5FC	F35C0080
999	攀	5571	D5FD	F35D0080
1000	漣	5572	D5FE	F35E0080
1001	煉	5573	D6A1	F35F0080
1002	練	5574	D6A3	F35G0080
1003	聯	5575	D6A4	F35H0080
1004	蓮	5576	D6A5	F35I0080
1005	輦	5577	D6A6	F35J0080
1006	連	5578	D6A7	F35K0080
1007	鍊	5579	D6A8	F35L0080
1008	冽	557A	D6A9	F35M0080
1009	劣	557B	D6AB	F35N0080
1010	列	557C	D6AA	F35O0080
1011	洌	557D	D6AC	F35P0080
1012	烈	557E	D6AD	F35Q0080
1013	裂	557F	D6AE	F35R0080

Line Number	Graphic	Host Code	PC Code	GCGID
1014	廉	5580	D6AF	F35S0080
1015	斂	5581	D6B0	F35T0080
1016	殮	5582	D6B1	F35U0080
1017	濂	5583	D6B2	F35V0080
1018	簾	5584	D6B3	F35W0080
1019	獵	5585	D6B4	F35X0080
1020	蠶	5586		F35Y0080
1021	令	5587	D6B5	F35Z0080
1022	伶	5588	D6B6	F3600080
1023	囹	5589	D6B7	F3610080
1024	嶺	558A	D6BA	F3620080
1025	伶	558B	D6BB	F3630080
1026	聆	558C		F3640080
1027	冷	558D		F3650080
1028	玲	558E	D6BC	F3660080
1029	羚	558F	D6BE	F3670080
1030	翎	5590	D6BF	F3680080
1031	苓	5591		F3690080
1032	蛉	5592		F36A0080
1033	逞	5593	D6C1	F36B0080
1034	零	5594	D6C3	F36C0080
1035	靈	5595	D6C4	F36D0080
1036	鈴	5596	D6C2	F36E0080
1037	領	5597	D6C5	F36F0080
1038	齡	5598	D6C6	F36G0080
1039	例	5599	D6C7	F36H0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
1040	禮	559A	D6C9	F36I0080
1041	醴	559B	D6CA	F36J0080
1042	隸	559C	D6CB	F36K0080
1043	勞	559D	D6CC	F36L0080
1044	撈	559E	D6CE	F36M0080
1045	槽	559F	D6D0	F36N0080
1046	潦	55A0		F36O0080
1047	爐	55A1	D6D3	F36P0080
1048	瀘	55A2	D6D2	F36Q0080
1049	盧	55A3	D6D4	F36R0080
1050	老	55A4	D6D5	F36S0080
1051	臚	55A5		F36T0080
1052	蘆	55A6	D6D6	F36U0080
1053	虜	55A7	D6D7	F36V0080
1054	路	55A8	D6D8	F36W0080
1055	輅	55A9	D6D9	F36X0080
1056	轆	55AA		F36Y0080
1057	露	55AB	D6DA	F36Z0080
1058	魯	55AC	D6DB	F3700080
1059	鷺	55AD	D6DC	F3710080
1060	鹵	55AE	D6DD	F3720080
1061	漉	55AF		F3730080
1062	碌	55B0	D6DE	F3740080
1063	祿	55B1		F3750080
1064	綠	55B2	D6E0	F3760080
1065	轆	55B3		F3770080

Line Number	Graphic	Host Code	PC Code	GCGID
1066	錄	55B4	D6E2	F3780080
1067	麓	55B5	D6E4	F3790080
1068	鹿	55B6	D6E3	F37A0080
1069	論	55B7	D6E5	F37B0080
1070	壘	55B8	D6E6	F37C0080
1071	弄	55B9	D6E7	F37D0080
1072	隴	55BA	D6E8	F37E0080
1073	灑	55BB	D6E9	F37F0080
1074	瓏	55BC	D6EA	F37G0080
1075	籠	55BD	D6EB	F37H0080
1076	聾	55BE	D6EC	F37I0080
1077	儻	55BF	D6ED	F37J0080
1078	牢	55C0	D6EF	F37K0080
1079	磊	55C1	D6F0	F37L0080
1080	籟	55C2		F37M0080
1081	蓄	55C3		F37N0080
1082	誅	55C4		F37O0080
1083	賴	55C5	D6F3	F37P0080
1084	賂	55C6	D6F1	F37Q0080
1085	雷	55C7	D6F4	F37R0080
1086	了	55C8	D6F5	F37S0080
1087	僚	55C9	D6F6	F37T0080
1088	寥	55CA		F37U0080
1089	寮	55CB	D6F7	F37V0080
1090	廖	55CC	D6F8	F37W0080
1091	燎	55CD	D6FA	F37X0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
1092	療	55CE	D6FB	F37Y0080
1093	瞭	55CF	D6FC	F37Z0080
1094	料	55D0	D6F9	F3800080
1095	聊	55D1	D6FD	F3810080
1096	蓼	55D2	D6FE	F3820080
1097	遼	55D3	D7A1	F3830080
1098	龍	55D4	D7A3	F3840080
1099	儂	55D5		F3850080
1100	壘	55D6	D7A4	F3860080
1101	屢	55D7	D7A6	F3870080
1102	樓	55D8	D7A7	F3880080
1103	淚	55D9	D7A8	F3890080
1104	漏	55DA	D7A9	F38A0080
1105	累	55DB	D7AB	F38B0080
1106	縷	55DC	D7AC	F38C0080
1107	樓	55DD	D7AE	F38D0080
1108	陋	55DE	D7B0	F38E0080
1109	饋	55DF		F38F0080
1110	劉	55E0	D7B1	F38G0080
1111	柳	55E1	D7B3	F38H0080
1112	榴	55E2	D7B4	F38I0080
1113	流	55E3	D7B5	F38J0080
1114	溜	55E4	D7B6	F38K0080
1115	琉	55E5	D7B8	F38L0080
1116	溜	55E6	D7B9	F38M0080
1117	留	55E7	D7BA	F38N0080

Line Number	Graphic	Host Code	PC Code	GCGID
1118	瘤	55E8	D7BB	F38O0080
1119	硫	55E9	D7BC	F38P0080
1120	謬	55EA	D7BD	F38Q0080
1121	類	55EB	D7BE	F38R0080
1122	六	55EC	D7BF	F38S0080
1123	戮	55ED	D7C0	F38T0080
1124	陸	55EE	D7C1	F38U0080
1125	倫	55EF	D7C3	F38V0080
1126	崙	55F0	D7C4	F38W0080
1127	淪	55F1	D7C5	F38X0080
1128	綸	55F2	D7C6	F38Y0080
1129	輪	55F3	D7C7	F38Z0080
1130	律	55F4	D7C8	F3900080
1131	慄	55F5	D7C9	F3910080
1132	栗	55F6	D7CA	F3920080
1133	率	55F7	D7CB	F3930080
1134	窿	55F8		F3940080
1135	隆	55F9	D7CC	F3950080
1136	肋	55FA	D7CE	F3960080
1137	勒	55FB	D7CD	F3970080
1138	凜	55FC		F3980080
1139	廩	55FD		F3990080
1140	凌	55FE	D7D0	F39A0080
1141	楞	5641	D7D1	F39D0080
1142	稜	5642	D7D2	F39E0080
1143	綾	5643	D7D3	F39F0080




IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
1144	菱	5644	D7D4	F39G0080
1145	陵	5645	D7D5	F39H0080
1146	俚	5646	D7D6	F39I0080
1147	利	5647	D7D7	F39J0080
1148	厘	5648	D7D8	F39K0080
1149	吏	5649	D7D9	F39L0080
1150	履	564A	D7DB	F39M0080
1151	俐	564B	D7DC	F39N0080
1152	提	564C		F39O0080
1153	李	564D	D7DD	F39P0080
1154	梨	564E	D7DE	F39Q0080
1155	漓	564F		F39R0080
1156	犁	5650	D7E0	F39S0080
1157	狸	5651	D7E1	F39T0080
1158	理	5652	D7E2	F39U0080
1159	璃	5653	D7E3	F39V0080
1160	痢	5654	D7E5	F39W0080
1161	离	5655		F39X0080
1162	罹	5656	D7E7	F39Y0080
1163	籬	5657	D7E6	F39Z0080
1164	螭	5658		F3A00080
1165	裏	5659	D7EA	F3A10080
1166	里	565A	D7EC	F3A20080
1167	釐	565B	D7ED	F3A30080
1168	離	565C	D7EE	F3A40080
1169	鱸	565D		F3A50080

Line Number	Graphic	Host Code	PC Code	GCGID
1170	鯉	565E	D7EF	F3A60080
1171	吝	565F	D7F0	F3A70080
1172	麟	5660	D7F2	F3A80080
1173	璘	5661	D7F3	F3A90080
1174	藺	5662	D7F4	F3AA0080
1175	躡	5663	D7F5	F3AB0080
1176	隣	5664	D7F6	F3AC0080
1177	鱗	5665	D7F7	F3AD0080
1178	麟	5666	D7F8	F3AE0080
1179	林	5667	D7F9	F3AF0080
1180	淋	5668	D7FA	F3AG0080
1181	琳	5669	D7FB	F3AH0080
1182	痲	566A		F3AI0080
1183	臨	566B	D7FC	F3AJ0080
1184	霖	566C	D7FD	F3AK0080
1185	豈	566D		F3AL0080
1186	礪	566E	D7FE	F3AM0080
1187	立	566F	D8A1	F3AN0080
1188	笠	5670	D8A2	F3AO0080
1189	粒	5671	D8A3	F3AP0080
1190	媽	5672		F3AQ0080
1191	摩	5673	D8A4	F3AR0080
1192	瑪	5674	D8A5	F3AS0080
1193	痲	5675	D8A6	F3AT0080
1194	磨	5676	D8A8	F3AU0080
1195	藁	5677		F3AV0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
1196	馬	5678	D8A9	F3AW0080
1197	魔	5679	D8AA	F3AX0080
1198	麻	567A	D8AB	F3AY0080
1199	寞	567B	D8AC	F3AZ0080
1200	幕	567C	D8AD	F3B00080
1201	漠	567D	D8AE	F3B10080
1202	膜	567E	D8AF	F3B20080
1203	莫	567F	D8B0	F3B30080
1204	媿	5680	D8B4	F3B40080
1205	巒	5681	D8B5	F3B50080
1206	彎	5682	D8B6	F3B60080
1207	慢	5683	D8B7	F3B70080
1208	挽	5684	D8B8	F3B80080
1209	晚	5685	D8B9	F3B90080
1210	曼	5686	D8BA	F3BA0080
1211	滿	5687	D8BB	F3BB0080
1212	漫	5688	D8BC	F3BC0080
1213	灣	5689	D8BD	F3BD0080
1214	瞞	568A	D8BE	F3BE0080
1215	萬	568B	D8BF	F3BF0080
1216	蔓	568C	D8C0	F3BG0080
1217	蠻	568D	D8C1	F3BH0080
1218	謾	568E		F3BI0080
1219	輓	568F	D8C2	F3BJ0080
1220	鏝	5690		F3BK0080
1221	饅	5691	D8C3	F3BL0080

Line Number	Graphic	Host Code	PC Code	GCGID
1222	鬘	5692		F3BM0080
1223	鰻	5693	D8C4	F3BN0080
1224	抹	5694	D8C6	F3BO0080
1225	末	5695	D8C7	F3BP0080
1226	沫	5696	D8C8	F3BQ0080
1227	襪	5697	D8CA	F3BR0080
1228	鞅	5698	D8CB	F3BS0080
1229	亡	5699	D8CC	F3BT0080
1230	妄	569A	D8CD	F3BU0080
1231	忘	569B	D8CE	F3BV0080
1232	忙	569C	D8CF	F3BW0080
1233	望	569D	D8D0	F3BX0080
1234	網	569E	D8D1	F3BY0080
1235	罔	569F	D8D2	F3BZ0080
1236	芒	56A0	D8D3	F3C00080
1237	茫	56A1	D8D4	F3C10080
1238	莽	56A2	D8D5	F3C20080
1239	邛	56A3	D8D7	F3C30080
1240	魍	56A4		F3C40080
1241	埋	56A5	D8D8	F3C50080
1242	妹	56A6	D8D9	F3C60080
1243	媒	56A7	D8DA	F3C70080
1244	寐	56A8	D8DB	F3C80080
1245	昧	56A9	D8DC	F3C90080
1246	枚	56AA	D8DD	F3CA0080
1247	梅	56AB	D8DE	F3CB0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
1248	每	56AC	D8DF	F3CC0080
1249	煤	56AD	D8E0	F3CD0080
1250	昧	56AE		F3CE0080
1251	罵	56AF	D8E1	F3CF0080
1252	莓	56B0		F3CG0080
1253	買	56B1	D8E2	F3CH0080
1254	賣	56B2	D8E3	F3CI0080
1255	邁	56B3	D8E4	F3CJ0080
1256	魅	56B4	D8E5	F3CK0080
1257	脈	56B5	D8E6	F3CL0080
1258	脉	56B6		F3CM0080
1259	貊	56B7	D8E7	F3CN0080
1260	陌	56B8	D8E8	F3CO0080
1261	驀	56B9	D8E9	F3CP0080
1262	麥	56BA	D8EA	F3CQ0080
1263	孟	56BB	D8EB	F3CR0080
1264	氓	56BC	D8EC	F3CS0080
1265	猛	56BD	D8ED	F3CT0080
1266	盟	56BE	D8EF	F3CU0080
1267	盲	56BF	D8EE	F3CV0080
1268	萌	56C0	D8F0	F3CW0080
1269	冪	56C1	D8F1	F3CX0080
1270	覓	56C2	D8F2	F3CY0080
1271	俛	56C3		F3CZ0080
1272	免	56C4	D8F3	F3D00080
1273	勉	56C5	D8F5	F3D10080

Line Number	Graphic	Host Code	PC Code	GCGID
1274	冕	56C6	D8F4	F3D20080
1275	棉	56C7	D8F6	F3D30080
1276	眇	56C8	D8F8	F3D40080
1277	眠	56C9	D8F9	F3D50080
1278	綿	56CA	D8FA	F3D60080
1279	緬	56CB	D8FB	F3D70080
1280	面	56CC	D8FC	F3D80080
1281	麵	56CD	D8FD	F3D90080
1282	滅	56CE	D8FE	F3DA0080
1283	蔑	56CF	D9A1	F3DB0080
1284	命	56D0	D9A4	F3DC0080
1285	冥	56D1	D9A2	F3DD0080
1286	名	56D2	D9A3	F3DE0080
1287	鳴	56D3	D9B0	F3DF0080
1288	明	56D4	D9A5	F3DG0080
1289	暝	56D5	D9A6	F3DH0080
1290	溟	56D6	D9A8	F3DI0080
1291	皿	56D7	D9A9	F3DJ0080
1292	茗	56D8	D9AB	F3DK0080
1293	螟	56D9	D9AD	F3DL0080
1294	酪	56DA	D9AE	F3DM0080
1295	銘	56DB	D9AF	F3DN0080
1296	袂	56DC	D9B1	F3DO0080
1297	侮	56DD	D9B2	F3DP0080
1298	募	56DE	D9B4	F3DQ0080
1299	帽	56DF	D9B6	F3DR0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
1300	姆	56E0	D9B5	F3DS0080
1301	慕	56E1	D9B7	F3DT0080
1302	摸	56E2	D9B8	F3DU0080
1303	暮	56E3	D9BA	F3DV0080
1304	冒	56E4	D9B3	F3DW0080
1305	某	56E5	D9BB	F3DX0080
1306	模	56E6	D9BC	F3DY0080
1307	母	56E7	D9BD	F3DZ0080
1308	毛	56E8	D9BE	F3E00080
1309	牟	56E9	D9BF	F3E10080
1310	牡	56EA	D9C0	F3E20080
1311	眸	56EB	D9C2	F3E30080
1312	矛	56EC	D9C3	F3E40080
1313	耄	56ED		F3E50080
1314	耗	56EE	D9C4	F3E60080
1315	茅	56EF	D9C6	F3E70080
1316	謀	56F0	D9C7	F3E80080
1317	謨	56F1	D9C8	F3E90080
1318	貌	56F2	D9C9	F3EA0080
1319	銖	56F3		F3EB0080
1320	木	56F4	D9CA	F3EC0080
1321	沐	56F5	D9CB	F3ED0080
1322	牧	56F6	D9CC	F3EE0080
1323	目	56F7	D9CD	F3EF0080
1324	睦	56F8	D9CE	F3EG0080
1325	穆	56F9	D9CF	F3EH0080

Line Number	Graphic	Host Code	PC Code	GCGID
1326	歿	56FA	D9D1	F3EI0080
1327	沒	56FB	D9D2	F3EJ0080
1328	夢	56FC	D9D3	F3EK0080
1329	朦	56FD	D9D4	F3EL0080
1330	濛	56FE		F3EM0080
1331	矇	5741		F3EP0080
1332	蒙	5742	D9D5	F3EQ0080
1333	卯	5743	D9D6	F3ER0080
1334	墓	5744	D9D7	F3ES0080
1335	妙	5745	D9D8	F3ET0080
1336	廟	5746	D9D9	F3EU0080
1337	描	5747	D9DA	F3EV0080
1338	昴	5748	D9DB	F3EW0080
1339	杳	5749	D9DC	F3EX0080
1340	渺	574A	D9DD	F3EY0080
1341	猫	574B	D9DE	F3EZ0080
1342	苗	574C	D9E0	F3F00080
1343	錨	574D	D9E1	F3F10080
1344	務	574E	D9E2	F3F20080
1345	巫	574F	D9E3	F3F30080
1346	懋	5750	D9E5	F3F40080
1347	戊	5751	D9E6	F3F50080
1348	拇	5752	D9E7	F3F60080
1349	撫	5753	D9E8	F3F70080
1350	无	5754	D9E9	F3F80080
1351	武	5755	D9EB	F3F90080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Table 7 (Page 27 of 33). Hanja Set(1/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1352	母	5756	D9EC	F3FA0080
1353	無	5757	D9ED	F3FB0080
1354	畝	5758	D9EF	F3FC0080
1355	繆	5759	D9F0	F3FD0080
1356	舞	575A	D9F1	F3FE0080
1357	茂	575B	D9F2	F3FF0080
1358	蕪	575C	D9F3	F3FG0080
1359	誣	575D	D9F4	F3FH0080
1360	賈	575E	D9F5	F3FI0080
1361	霧	575F	D9F6	F3FJ0080
1362	鷓	5760	D9F7	F3FK0080
1363	墨	5761	D9F8	F3FL0080
1364	默	5762	D9F9	F3FM0080
1365	刎	5763	D9FB	F3FN0080
1366	吻	5764	D9FC	F3FO0080
1367	文	5765	D9FE	F3FP0080
1368	汶	5766	DAA1	F3FQ0080
1369	紋	5767	DAA3	F3FR0080
1370	紊	5768	DAA2	F3FS0080
1371	蚊	5769	DAA5	F3FT0080
1372	門	576A	DAA6	F3FU0080
1373	問	576B	D9FD	F3FV0080
1374	聞	576C	DAA4	F3FW0080
1375	勿	576D	DAA8	F3FX0080
1376	物	576E	DAAA	F3FY0080
1377	味	576F	DAAB	F3FZ0080

Table 7 (Page 27 of 33). Hanja Set(1/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1378	媚	5770	DAAC	F3G00080
1379	尾	5771	DAAD	F3G10080
1380	媚	5772	DAAE	F3G20080
1381	靡	5773	DABC	F3G30080
1382	彌	5774	DAAF	F3G40080
1383	微	5775	DAB0	F3G50080
1384	未	5776	DAB1	F3G60080
1385	漾	5777	DAB4	F3G70080
1386	灑	5778		F3G80080
1387	眉	5779	DAB6	F3G90080
1388	米	577A	DAB7	F3GA0080
1389	糜	577B		F3GB0080
1390	美	577C	DAB8	F3GC0080
1391	薇	577D	DAB9	F3GD0080
1392	謎	577E	DABA	F3GE0080
1393	迷	577F	DABB	F3GF0080
1394	悶	5780	DABF	F3GG0080
1395	愍	5781	DAC0	F3GH0080
1396	憫	5782	DAC1	F3GI0080
1397	敏	5783	DAC2	F3GJ0080
1398	旻	5784	DAC4	F3GK0080
1399	旻	5785	DAC3	F3GL0080
1400	民	5786	DAC5	F3GM0080
1401	泯	5787	DAC6	F3GN0080
1402	玟	5788	DAC7	F3GO0080
1403	珉	5789	DAC8	F3GP0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
1404	閔	578A	DACA	F3GQ0080
1405	閔	578B		F3GR0080
1406	密	578C	DACB	F3GS0080
1407	蜜	578D	DACC	F3GT0080
1408	謚	578E	DACD	F3GU0080
1409	婆	578F		F3GV0080
1410	剝	5790	DACE	F3GW0080
1411	博	5791	DACF	F3GX0080
1412	拍	5792	DAD0	F3GY0080
1413	搏	5793	DAD1	F3GZ0080
1414	撲	5794	DAD2	F3H00080
1415	朴	5795	DAD3	F3H10080
1416	樸	5796	DAD4	F3H20080
1417	樸	5797		F3H30080
1418	泊	5798	DAD5	F3H40080
1419	搏	5799		F3H50080
1420	珀	579A	DAD6	F3H60080
1421	璞	579B	DAD7	F3H70080
1422	箔	579C	DAD8	F3H80080
1423	縛	579D	DADA	F3H90080
1424	粕	579E	DAD9	F3HA0080
1425	膊	579F	DADB	F3HB0080
1426	舶	57A0	DADC	F3HC0080
1427	薄	57A1	DADD	F3HD0080
1428	迫	57A2	DADE	F3HE0080
1429	電	57A3	DADF	F3HF0080

Line Number	Graphic	Host Code	PC Code	GCGID
1430	駁	57A4	DAE0	F3HG0080
1431	伴	57A5	DAE1	F3HH0080
1432	半	57A6	DAE2	F3HI0080
1433	反	57A7	DAE3	F3HJ0080
1434	叛	57A8	DAE4	F3HK0080
1435	拌	57A9	DAE5	F3HL0080
1436	搬	57AA	DAE6	F3HM0080
1437	攀	57AB	DAE7	F3HN0080
1438	斑	57AC	DAE8	F3HO0080
1439	槃	57AD	DAE9	F3HP0080
1440	潘	57AE	DAEB	F3HQ0080
1441	泮	57AF	DAEA	F3HR0080
1442	班	57B0	DAEC	F3HS0080
1443	畔	57B1	DAED	F3HT0080
1444	盤	57B2	DAEF	F3HU0080
1445	磻	57B3	DAF2	F3HV0080
1446	磬	57B4	DAF3	F3HW0080
1447	絆	57B5	DAF4	F3HX0080
1448	胖	57B6		F3HY0080
1449	蟠	57B7	DAF6	F3HZ0080
1450	般	57B8	DAF5	F3I00080
1451	返	57B9	DAF7	F3I10080
1452	頒	57BA	DAF8	F3I20080
1453	飯	57BB	DAF9	F3I30080
1454	勃	57BC	DAFA	F3I40080
1455	拔	57BD	DAFB	F3I50080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
1456	潑	57BE	DAFE	F3I60080
1457	撥	57BF	DAFC	F3I70080
1458	發	57C0	DBA1	F3I80080
1459	跋	57C1	DBA2	F3I90080
1460	釅	57C2	DBA3	F3IA0080
1461	鉢	57C3	DBA4	F3IB0080
1462	髮	57C4	DBA5	F3IC0080
1463	魃	57C5	DBA6	F3ID0080
1464	倣	57C6	DBA7	F3IE0080
1465	傍	57C7	DBA8	F3IF0080
1466	坊	57C8	DBA9	F3IG0080
1467	妨	57C9	DBAA	F3IH0080
1468	尪	57CA	DBAB	F3II0080
1469	幫	57CB	DBAC	F3IJ0080
1470	彷彿	57CC	DBAD	F3IK0080
1471	房	57CD	DBAE	F3IL0080
1472	放	57CE	DBAF	F3IM0080
1473	方	57CF	DBB0	F3IN0080
1474	旁	57D0	DBB1	F3IO0080
1475	昉	57D1	DBB2	F3IP0080
1476	榜	57D2	DBB4	F3IQ0080
1477	紡	57D3	DBB7	F3IR0080
1478	肪	57D4	DBB8	F3IS0080
1479	膀	57D5	DBB9	F3IT0080
1480	舫	57D6	DBBA	F3IU0080
1481	芳	57D7	DBBB	F3IV0080

Line Number	Graphic	Host Code	PC Code	GCGID
1482	莠	57D8	DBBC	F3IW0080
1483	蚌	57D9	DBBD	F3IX0080
1484	訪	57DA	DBBE	F3IY0080
1485	謗	57DB	DBBF	F3IZ0080
1486	邦	57DC	DBC0	F3J00080
1487	防	57DD	DBC1	F3J10080
1488	髣	57DE		F3J20080
1489	魴	57DF		F3J30080
1490	龐	57E0	DBC2	F3J40080
1491	俳	57E1	DBC4	F3J50080
1492	倍	57E2	DBC3	F3J60080
1493	北	57E3	DBC5	F3J70080
1494	培	57E4	DBC6	F3J80080
1495	徘	57E5	DBC7	F3J90080
1496	拜	57E6	DBC8	F3JA0080
1497	排	57E7	DBC9	F3JB0080
1498	杯	57E8	DBCA	F3JC0080
1499	湃	57E9	DBCB	F3JD0080
1500	盃	57EA	DBCD	F3JE0080
1501	胚	57EB	DBCF	F3JF0080
1502	背	57EC	DBCE	F3JG0080
1503	裴	57ED	DBD1	F3JH0080
1504	裴	57EE	DBD0	F3JI0080
1505	褸	57EF	DBD2	F3JJ0080
1506	賠	57F0	DBD3	F3JK0080
1507	輩	57F1	DBD4	F3JL0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
1508	配	57F2	DBD5	F3JM0080
1509	陪	57F3	DBD6	F3JN0080
1510	伯	57F4	DBD7	F3JO0080
1511	佰	57F5	DBD8	F3JP0080
1512	帛	57F6	DBD9	F3JQ0080
1513	柏	57F7	DBDA	F3JR0080
1514	栢	57F8	DBDB	F3JS0080
1515	白	57F9	DBDC	F3JT0080
1516	百	57FA	DBDD	F3JU0080
1517	魄	57FB	DBDE	F3JV0080
1518	樊	57FC	DBE0	F3JW0080
1519	潘	57FD		F3JX0080
1520	煩	57FE	DBE1	F3JY0080
1521	番	5841	DBE3	F3K10080
1522	磻	5842	DBE4	F3K20080
1523	繁	5843	DBE5	F3K30080
1524	翻	5844		F3K40080
1525	蕃	5845	DBE6	F3K50080
1526	藩	5846	DBE7	F3K60080
1527	翻	5847	DBE8	F3K70080
1528	伐	5848	DBE9	F3K80080
1529	筏	5849	DBEA	F3K90080
1530	罰	584A	DBEB	F3KA0080
1531	閥	584B	DBEC	F3KB0080
1532	凡	584C	DBED	F3KC0080
1533	帆	584D	DBEE	F3KD0080

Line Number	Graphic	Host Code	PC Code	GCGID
1534	梵	584E	DBEF	F3KE0080
1535	汎	584F	DBF0	F3KF0080
1536	汎	5850	DBF1	F3KG0080
1537	泛	5851	DBF2	F3KH0080
1538	犯	5852	DBF3	F3KI0080
1539	範	5853	DBF4	F3KJ0080
1540	范	5854	DBF5	F3KK0080
1541	法	5855	DBF6	F3KL0080
1542	珐	5856	DBF7	F3KM0080
1543	僻	5857	DBF8	F3KN0080
1544	劈	5858	DBF9	F3KO0080
1545	壁	5859	DBFA	F3KP0080
1546	擘	585A	DBFB	F3KQ0080
1547	璧	585B	DBFD	F3KR0080
1548	癖	585C	DBFE	F3KS0080
1549	碧	585D	DCA1	F3KT0080
1550	辟	585E		F3KU0080
1551	關	585F	DCA3	F3KV0080
1552	霹	5860	DCA4	F3KW0080
1553	便	5861	DCA5	F3KX0080
1554	卞	5862	DCA6	F3KY0080
1555	弁	5863	DCA7	F3KZ0080
1556	汴	5864		F3L00080
1557	辦	5865		F3L10080
1558	變	5866	DCA8	F3L20080
1559	辨	5867	DCA9	F3L30080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Table 7 (Page 31 of 33). Hanja Set(1/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1560	辯	5868	DCAA	F3L40080
1561	遍	5869		F3L50080
1562	邊	586A	DCAB	F3L60080
1563	駢	586B		F3L70080
1564	別	586C	DCAC	F3L80080
1565	譬	586D		F3L90080
1566	譬	586E	DCAD	F3LA0080
1567	鰲	586F	DCAE	F3LB0080
1568	鼈	5870	DCAF	F3LC0080
1569	丙	5871	DCB0	F3LD0080
1570	併	5872	DCB1	F3LE0080
1571	兵	5873	DCB2	F3LF0080
1572	屏	5874	DCB3	F3LG0080
1573	并	5875	DCB4	F3LH0080
1574	晒	5876	DCB5	F3LI0080
1575	昷	5877	DCB6	F3LJ0080
1576	柄	5878	DCB7	F3LK0080
1577	炳	5879	DCB9	F3LL0080
1578	瓶	587A	DCBA	F3LM0080
1579	病	587B	DCBB	F3LN0080
1580	並	587C	DCBD	F3LO0080
1581	秉	587D	DCBC	F3LP0080
1582	駢	587E	DCBE	F3LQ0080
1583	迸	587F		F3LR0080
1584	餅	5880	DCBF	F3LS0080
1585	保	5881	DCC1	F3LT0080

Table 7 (Page 31 of 33). Hanja Set(1/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1586	堡	5882	DCC2	F3LU0080
1587	報	5883	DCC3	F3LV0080
1588	寶	5884	DCC4	F3LW0080
1589	普	5885	DCC5	F3LX0080
1590	步	5886	DCC6	F3LY0080
1591	淥	5887	DCC8	F3LZ0080
1592	洑	5888	DCC7	F3M00080
1593	潛	5889	DCC9	F3M10080
1594	甫	588A	DCCB	F3M20080
1595	補	588B	DCCD	F3M30080
1596	褌	588C	DCCE	F3M40080
1597	譜	588D	DCCF	F3M50080
1598	輔	588E	DCD0	F3M60080
1599	鵠	588F		F3M70080
1600	黼	5890		F3M80080
1601	伏	5891	DCD1	F3M90080
1602	僕	5892	DCD2	F3MA0080
1603	匐	5893	DCD3	F3MB0080
1604	卜	5894	DCD4	F3MC0080
1605	宓	5895	DCD5	F3MD0080
1606	復	5896	DCD6	F3ME0080
1607	福	5897	DCD8	F3MF0080
1608	服	5898	DCD7	F3MG0080
1609	腹	5899	DCD9	F3MH0080
1610	茯	589A	DCDA	F3MI0080
1611	蔔	589B	DCDB	F3MJ0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
1612	覆	589C	DCDD	F3MK0080
1613	蝠	589D		F3ML0080
1614	複	589E	DCDC	F3MM0080
1615	輻	589F	DCDF	F3MN0080
1616	馥	58A0	DCE0	F3MO0080
1617	馥	58A1	DCE1	F3MP0080
1618	本	58A2	DCE2	F3MQ0080
1619	芑	58A3	DCE3	F3MR0080
1620	丰	58A4		F3MS0080
1621	俸	58A5	DCE4	F3MT0080
1622	奉	58A6	DCE5	F3MU0080
1623	封	58A7	DCE6	F3MV0080
1624	峰	58A8	DCE8	F3MW0080
1625	峯	58A9	DCE7	F3MX0080
1626	捧	58AA	DCE9	F3MY0080
1627	琫	58AB	DCED	F3MZ0080
1628	棒	58AC	DCEA	F3N00080
1629	烽	58AD	DCEB	F3N10080
1630	縫	58AE	DCEE	F3N20080
1631	葑	58AF		F3N30080
1632	蓬	58B0	DCEF	F3N40080
1633	蜂	58B1	DCF0	F3N50080
1634	逢	58B2	DCF1	F3N60080
1635	鋒	58B3	DCF2	F3N70080
1636	鳳	58B4	DCF3	F3N80080
1637	仆	58B5		F3N90080

Line Number	Graphic	Host Code	PC Code	GCGID
1638	付	58B6	DCF5	F3NA0080
1639	傅	58B7	DCF7	F3NB0080
1640	剖	58B8	DCF8	F3NC0080
1641	副	58B9	DCF9	F3ND0080
1642	否	58BA	DCFA	F3NE0080
1643	埠	58BB	DCFC	F3NF0080
1644	夫	58BC	DCFD	F3NG0080
1645	婦	58BD	DCFE	F3NH0080
1646	孵	58BE	DDA2	F3NI0080
1647	富	58BF	DDA3	F3NJ0080
1648	府	58C0	DDA4	F3NK0080
1649	復	58C1	DDA5	F3NL0080
1650	扶	58C2	DDA6	F3NM0080
1651	敷	58C3	DDA7	F3NN0080
1652	斧	58C4	DDA8	F3NO0080
1653	浮	58C5	DDA9	F3NP0080
1654	溥	58C6	DDAA	F3NQ0080
1655	父	58C7	DDAB	F3NR0080
1656	簿	58C8	DDAD	F3NS0080
1657	缶	58C9	DDAE	F3NT0080
1658	符	58CA	DDAC	F3NU0080
1659	罟	58CB		F3NV0080
1660	腑	58CC	DDB0	F3NW0080
1661	腐	58CD	DDAF	F3NX0080
1662	膚	58CE	DDB1	F3NY0080
1663	芙	58CF	DDB3	F3NZ0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
1664	苻	58D0		F3O00080
1665	蜚	58D1		F3O10080
1666	訃	58D2	DDB5	F3O20080
1667	負	58D3	DDB6	F3O30080
1668	賦	58D4	DDB7	F3O40080
1669	賻	58D5	DDB8	F3O50080
1670	赴	58D6	DDB9	F3O60080
1671	趺	58D7	DDBA	F3O70080
1672	部	58D8	DDBB	F3O80080
1673	釜	58D9	DDBC	F3O90080
1674	阜	58DA	DDBD	F3OA0080
1675	附	58DB	DDBE	F3OB0080
1676	頰	58DC		F3OC0080
1677	駙	58DD	DDBF	F3OD0080
1678	鮒	58DE		F3OE0080
1679	鳧	58DF	DDC0	F3OF0080
1680	北	58E0	DDC1	F3OG0080
1681	分	58E1	DDC2	F3OH0080
1682	噴	58E2	DDC4	F3OI0080
1683	吟	58E3		F3OJ0080
1684	墳	58E4	DDC5	F3OK0080
1685	奔	58E5	DDC6	F3OL0080
1686	奮	58E6	DDC7	F3OM0080
1687	忿	58E7	DDC8	F3ON0080
1688	憤	58E8	DDC9	F3OO0080
1689	扮	58E9	DDCA	F3OP0080

Line Number	Graphic	Host Code	PC Code	GCGID
1690	汾	58EA	DDCC	F3OQ0080
1691	焚	58EB	DDCD	F3OR0080
1692	盆	58EC	DDCE	F3OS0080
1693	粉	58ED	DDCF	F3OT0080
1694	糞	58EE	DDD0	F3OU0080
1695	紛	58EF	DDD1	F3OV0080
1696	芬	58F0	DDD2	F3OW0080
1697	蕘	58F1		F3OX0080
1698	雰	58F2	DDD4	F3OY0080
1699	不	58F3	DDD5	F3OZ0080
1700	佛	58F4	DDD6	F3P00080
1701	市	58F5		F3P10080
1702	弗	58F6	DDD7	F3P20080
1703	拂	58F7	DDD9	F3P30080
1704	髴	58F8		F3P40080
1705	黻	58F9		F3P50080
1706	崩	58FA	DDDA	F3P60080
1707	朋	58FB	DDDB	F3P70080
1708	棚	58FC	DDDC	F3P80080
1709	礪	58FD	DDDD	F3P90080
1710	繡	58FE	DDDE	F3PA0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

8.4 Hanja Set(2/3)

Line Number	Graphic	Host Code	PC Code	GCGID
1711	鵬	5941	DDDF	F3PD0080
1712	丕	5942	DDE0	F3PE0080
1713	備	5943	DDE1	F3PF0080
1714	匕	5944	DDE2	F3PG0080
1715	匪	5945	DDE3	F3PH0080
1716	卑	5946	DDE4	F3PI0080
1717	妃	5947	DDE5	F3PJ0080
1718	妣	5948		F3PK0080
1719	婢	5949	DDE6	F3PL0080
1720	庇	594A	DDE7	F3PM0080
1721	悲	594B	DDE8	F3PN0080
1722	憊	594C	DDE9	F3PO0080
1723	扉	594D	DDEA	F3PP0080
1724	批	594E	DDEB	F3PQ0080
1725	斐	594F	DDEC	F3PR0080
1726	沙	5950		F3PS0080
1727	榧	5951	DDEE	F3PT0080
1728	泚	5952		F3PU0080
1729	泌	5953	DDF4	F3PV0080
1730	沸	5954	DDF3	F3PW0080
1731	比	5955	DDEF	F3PX0080
1732	毘	5956	DDF2	F3PY0080
1733	毘	5957	DDF5	F3PZ0080
1734	痺	5958	DDF6	F3Q00080
1735	脾	5959		F3Q10080

Line Number	Graphic	Host Code	PC Code	GCGID
1736	砒	595A	DDF7	F3Q20080
1737	碑	595B	DDF8	F3Q30080
1738	秘	595C	DDFA	F3Q40080
1739	篋	595D		F3Q50080
1740	緋	595E	DDFC	F3Q60080
1741	翡	595F	DDFD	F3Q70080
1742	肥	5960	DDFE	F3Q80080
1743	腓	5961		F3Q90080
1744	脾	5962	DEA1	F3QA0080
1745	臂	5963	DEA2	F3QB0080
1746	菲	5964	DEA3	F3QC0080
1747	蜚	5965	DEA4	F3QD0080
1748	裨	5966	DEA5	F3QE0080
1749	誹	5967	DEA6	F3QF0080
1750	譬	5968	DEA7	F3QG0080
1751	費	5969	DEA8	F3QH0080
1752	轡	596A		F3QI0080
1753	鄙	596B	DEA9	F3QJ0080
1754	非	596C	DEAA	F3QK0080
1755	飛	596D	DEAB	F3QL0080
1756	髀	596E		F3QM0080
1757	鼻	596F	DEAC	F3QN0080
1758	嬪	5970	DEAE	F3QO0080
1759	賓	5971	DEB9	F3QP0080
1760	彬	5972	DEAF	F3QQ0080
1761	攢	5973		F3QR0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
1762	斌	5974	DEB0	F3QS0080
1763	檣	5975	DEB1	F3QT0080
1764	殯	5976	DEB2	F3QU0080
1765	濱	5977	DEB4	F3QV0080
1766	瀕	5978	DEB5	F3QW0080
1767	牝	5979	DEB6	F3QX0080
1768	蘋	597A		F3QY0080
1769	貧	597B	DEB8	F3QZ0080
1770	贛	597C		F3R00080
1771	頻	597D	DEBA	F3R10080
1772	颯	597E		F3R20080
1773	鬢	597F		F3R30080
1774	憑	5980	DEBB	F3R40080
1775	氷	5981	DEBC	F3R50080
1776	聘	5982	DEBD	F3R60080
1777	聘	5983	DEBE	F3R70080
1778	乍	5984	DEBF	F3R80080
1779	事	5985	DEC0	F3R90080
1780	些	5986	DEC1	F3RA0080
1781	仕	5987	DEC2	F3RB0080
1782	似	5988	DEC4	F3RC0080
1783	伺	5989	DEC3	F3RD0080
1784	舍	598A	DEEC	F3RE0080
1785	使	598B	DEC5	F3RF0080
1786	僂	598C	DEC7	F3RG0080
1787	史	598D	DEC8	F3RH0080

Line Number	Graphic	Host Code	PC Code	GCGID
1788	司	598E	DEC9	F3RI0080
1789	四	598F	DECC	F3RJ0080
1790	唆	5990	DECA	F3RK0080
1791	嗣	5991	DECB	F3RL0080
1792	士	5992	DECD	F3RM0080
1793	奢	5993	DECE	F3RN0080
1794	姒	5994		F3RO0080
1795	娑	5995	DECF	F3RP0080
1796	寫	5996	DED0	F3RQ0080
1797	寺	5997	DED1	F3RR0080
1798	巳	5998	DED3	F3RS0080
1799	師	5999	DED4	F3RT0080
1800	麤	599A		F3RU0080
1801	徙	599B	DED5	F3RV0080
1802	思	599C	DED6	F3RW0080
1803	捨	599D	DED7	F3RX0080
1804	赦	599E	DEF5	F3RY0080
1805	斯	599F	DED9	F3RZ0080
1806	斜	59A0	DED8	F3S00080
1807	查	59A1	DEDB	F3S10080
1808	梭	59A2	DEDC	F3S20080
1809	楂	59A3		F3S30080
1810	槎	59A4		F3S40080
1811	沙	59A5	DEDE	F3S50080
1812	泗	59A6	DEDF	F3S60080
1813	渣	59A7	DEE0	F3S70080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
1814	瀉	59A8	DEE1	F3S80080
1815	邪	59A9	DEF7	F3S90080
1816	獅	59AA	DEE2	F3SA0080
1817	祀	59AB	DEE5	F3SB0080
1818	社	59AC	DEE4	F3SC0080
1819	祠	59AD	DEE6	F3SD0080
1820	死	59AE	DEDD	F3SE0080
1821	砂	59AF	DEE3	F3SF0080
1822	私	59B0	DEE7	F3SG0080
1823	筍	59B1		F3SH0080
1824	篩	59B2	DEE8	F3SI0080
1825	蓑	59B3	DEEE	F3SJ0080
1826	紗	59B4	DEE9	F3SK0080
1827	絲	59B5	DEEA	F3SL0080
1828	莎	59B6	DEED	F3SM0080
1829	蛇	59B7	DEEF	F3SN0080
1830	婁	59B8	DEF0	F3SO0080
1831	詐	59B9	DEF1	F3SP0080
1832	詞	59BA	DEF2	F3SQ0080
1833	謝	59BB	DEF3	F3SR0080
1834	賜	59BC	DEF4	F3SS0080
1835	射	59BD	DED2	F3ST0080
1836	辭	59BE	DEF6	F3SU0080
1837	肆	59BF	DEEB	F3SV0080
1838	飼	59C0	DEF8	F3SW0080
1839	駟	59C1	DEF9	F3SX0080

Line Number	Graphic	Host Code	PC Code	GCGID
1840	削	59C2	DEFB	F3SY0080
1841	數	59C3	DEFC	F3SZ0080
1842	槩	59C4		F3T00080
1843	朔	59C5	DEFD	F3T10080
1844	索	59C6	DEFE	F3T20080
1845	鑠	59C7		F3T30080
1846	傘	59C8	DFA1	F3T40080
1847	刪	59C9	DFA2	F3T50080
1848	山	59CA	DFA3	F3T60080
1849	散	59CB	DFA4	F3T70080
1850	汕	59CC	DFA5	F3T80080
1851	珊	59CD	DFA6	F3T90080
1852	產	59CE	DFA7	F3TA0080
1853	疝	59CF	DFA8	F3TB0080
1854	算	59D0	DFA9	F3TC0080
1855	蒜	59D1	DFAA	F3TD0080
1856	酸	59D2	DFAB	F3TE0080
1857	撒	59D3	DFAE	F3TF0080
1858	殺	59D4	DFAF	F3TG0080
1859	望	59D5	DFAD	F3TH0080
1860	薩	59D6	DFB1	F3TI0080
1861	三	59D7	DFB2	F3TJ0080
1862	參	59D8	DFB3	F3TK0080
1863	杉	59D9	DFB4	F3TL0080
1864	森	59DA	DFB5	F3TM0080
1865	滲	59DB	DFB6	F3TN0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
1866	衫	59DC	DFB9	F3TO0080
1867	芟	59DD	DFB7	F3TP0080
1868	蓼	59DE	DFB8	F3TQ0080
1869	畝	59DF		F3TR0080
1870	插	59E0	DFBA	F3TS0080
1871	澁	59E1	DFBB	F3TT0080
1872	颯	59E2	DFBD	F3TU0080
1873	鍤	59E3		F3TV0080
1874	霎	59E4		F3TW0080
1875	上	59E5	DFBE	F3TX0080
1876	傷	59E6	DFBF	F3TY0080
1877	像	59E7	DFC0	F3TZ0080
1878	償	59E8	DFC1	F3U00080
1879	商	59E9	DFC2	F3U10080
1880	喪	59EA	DFC3	F3U20080
1881	嘗	59EB	DFC4	F3U30080
1882	爽	59EC	DFD0	F3U40080
1883	孀	59ED	DFC5	F3U50080
1884	尙	59EE	DFC6	F3U60080
1885	床	59EF	DFC9	F3U70080
1886	庠	59F0	DFCA	F3U80080
1887	廂	59F1	DFCB	F3U90080
1888	常	59F2	DFC8	F3UA0080
1889	想	59F3	DFCC	F3UB0080
1890	相	59F4	DFD3	F3UC0080
1891	桑	59F5	DFCD	F3UD0080

Line Number	Graphic	Host Code	PC Code	GCGID
1892	橡	59F6	DFCE	F3UE0080
1893	殤	59F7		F3UF0080
1894	湘	59F8	DFCF	F3UG0080
1895	狀	59F9	DFD2	F3UH0080
1896	牀	59FA	DFD1	F3UI0080
1897	祥	59FB	DFD4	F3UJ0080
1898	箱	59FC	DFD5	F3UK0080
1899	翔	59FD	DFD6	F3UL0080
1900	裳	59FE	DFD7	F3UM0080
1901	觴	5A41	DFD8	F3UP0080
1902	象	5A42	DFDA	F3UQ0080
1903	賞	5A43	DFDB	F3UR0080
1904	詳	5A44	DFD9	F3US0080
1905	霜	5A45	DFDC	F3UT0080
1906	塞	5A46	DFDD	F3UU0080
1907	壘	5A47	DFDE	F3UV0080
1908	賽	5A48	DFDF	F3UW0080
1909	鯢	5A49		F3UX0080
1910	塞	5A4A	DFE1	F3UY0080
1911	穡	5A4B	DFE2	F3UZ0080
1912	索	5A4C	DFE3	F3V00080
1913	色	5A4D	DFE4	F3V10080
1914	牲	5A4E	DFE5	F3V20080
1915	生	5A4F	DFE6	F3V30080
1916	甥	5A50	DFE7	F3V40080
1917	省	5A51	DFE8	F3V50080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
1918	笙	5A52	DFE9	F3V60080
1919	噬	5A53		F3V70080
1920	壻	5A54	DFEB	F3V80080
1921	墅	5A55	DFEA	F3V90080
1922	婿	5A56		F3VA0080
1923	犀	5A57	DFF9	F3VB0080
1924	嶼	5A58	DFEC	F3VC0080
1925	序	5A59	DFED	F3VD0080
1926	庶	5A5A	DFEE	F3VE0080
1927	徐	5A5B	DFEF	F3VF0080
1928	恕	5A5C	DFF0	F3VG0080
1929	抒	5A5D	DFF1	F3VH0080
1930	敍	5A5E	DFF3	F3VI0080
1931	暑	5A5F	DFF4	F3VJ0080
1932	曙	5A60	DFF5	F3VK0080
1933	書	5A61	DFF6	F3VL0080
1934	栖	5A62	DFF7	F3VM0080
1935	棲	5A63	DFF8	F3VN0080
1936	瑞	5A64	DFFA	F3VO0080
1937	絮	5A65	DFFC	F3VP0080
1938	緒	5A66	DFFD	F3VQ0080
1939	署	5A67	DFFE	F3VR0080
1940	胥	5A68	E0A1	F3VS0080
1941	舒	5A69	E0A2	F3VT0080
1942	薯	5A6A	E0A3	F3VU0080
1943	西	5A6B	E0A4	F3VV0080

Line Number	Graphic	Host Code	PC Code	GCGID
1944	誓	5A6C	E0A5	F3VW0080
1945	鋤	5A6D	E0A7	F3VX0080
1946	逝	5A6E	E0A6	F3VY0080
1947	黍	5A6F	E0A8	F3VZ0080
1948	齟	5A70		F3W00080
1949	鼠	5A71	E0A9	F3W10080
1950	夕	5A72	E0AA	F3W20080
1951	爽	5A73	E0AB	F3W30080
1952	射	5A74		F3W40080
1953	席	5A75	E0AC	F3W50080
1954	惜	5A76	E0AD	F3W60080
1955	昔	5A77	E0AE	F3W70080
1956	皙	5A78	E0AF	F3W80080
1957	析	5A79	E0B0	F3W90080
1958	汐	5A7A	E0B1	F3WA0080
1959	浙	5A7B	E0B2	F3WB0080
1960	瀉	5A7C	E0B3	F3WC0080
1961	石	5A7D	E0B4	F3WD0080
1962	碩	5A7E	E0B5	F3WE0080
1963	蓆	5A7F	E0B6	F3WF0080
1964	釋	5A80	E0B7	F3WG0080
1965	錫	5A81	E0B8	F3WH0080
1966	先	5A82	E0BB	F3WI0080
1967	仙	5A83	E0B9	F3WJ0080
1968	僊	5A84	E0BA	F3WK0080
1969	單	5A85		F3WL0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
1970	善	5A86	E0BC	F3WM0080
1971	宣	5A87	E0BE	F3WN0080
1972	尠	5A88		F3WO0080
1973	愼	5A89		F3WP0080
1974	扇	5A8A	E0BF	F3WQ0080
1975	旋	5A8B	E0C1	F3WR0080
1976	洗	5A8C		F3WS0080
1977	煽	5A8D	E0C3	F3WT0080
1978	燹	5A8E		F3WU0080
1979	禪	5A8F	E0C9	F3WV0080
1980	瑄	5A90	E0C5	F3WW0080
1981	璇	5A91	E0C6	F3WX0080
1982	璿	5A92	E0C7	F3WY0080
1983	癬	5A93	E0C8	F3WZ0080
1984	線	5A94	E0CA	F3X00080
1985	繕	5A95	E0CB	F3X10080
1986	羨	5A96	E0CC	F3X20080
1987	腺	5A97	E0CD	F3X30080
1988	膳	5A98	E0CE	F3X40080
1989	船	5A99	E0CF	F3X50080
1990	藓	5A9A	E0D0	F3X60080
1991	蟬	5A9B	E0D1	F3X70080
1992	詵	5A9C	E0D2	F3X80080
1993	跣	5A9D	E0D3	F3X90080
1994	選	5A9E	E0D4	F3XA0080
1995	銑	5A9F	E0D5	F3XB0080

Line Number	Graphic	Host Code	PC Code	GCGID
1996	霰	5AA0		F3XC0080
1997	鮮	5AA1	E0D8	F3XD0080
1998	楔	5AA2		F3XE0080
1999	尙	5AA3	E0D9	F3XF0080
2000	舌	5AA4	E0DF	F3XG0080
2001	契	5AA5		F3XH0080
2002	屑	5AA6	E0DA	F3XI0080
2003	挈	5AA7		F3XJ0080
2004	楔	5AA8	E0DB	F3XK0080
2005	洩	5AA9	E0DD	F3XL0080
2006	漑	5AAA	E0DE	F3XM0080
2007	薛	5AAB	E0E0	F3XN0080
2008	設	5AAC	E0E2	F3XO0080
2009	說	5AAD	E0E3	F3XP0080
2010	雪	5AAE	E0E4	F3XQ0080
2011	穢	5AAF	E0E8	F3XR0080
2012	織	5AB0	E0E9	F3XS0080
2013	蟾	5AB1	E0EA	F3XT0080
2014	瞻	5AB2	E0EB	F3XU0080
2015	暹	5AB3	E0E7	F3XV0080
2016	閃	5AB4	E0EC	F3XW0080
2017	變	5AB5	E0F0	F3XX0080
2018	攝	5AB6	E0EE	F3XY0080
2019	涉	5AB7	E0EF	F3XZ0080
2020	葉	5AB8	E0F1	F3Y00080
2021	城	5AB9	E0F2	F3Y10080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
2022	姓	5ABA	E0F3	F3Y20080
2023	性	5ABB	E0F5	F3Y30080
2024	惺	5ABC	E0F6	F3Y40080
2025	成	5ABD	E0F7	F3Y50080
2026	星	5ABE	E0F8	F3Y60080
2027	晟	5ABF	E0F9	F3Y70080
2028	猩	5AC0	E0FA	F3Y80080
2029	盛	5AC1	E0FC	F3Y90080
2030	省	5AC2	E0FD	F3YA0080
2031	箴	5AC3	E0FE	F3YB0080
2032	聖	5AC4	E1A1	F3YC0080
2033	聲	5AC5	E1A2	F3YD0080
2034	腥	5AC6	E1A3	F3YE0080
2035	誠	5AC7	E1A4	F3YF0080
2036	醒	5AC8	E1A5	F3YG0080
2037	世	5AC9	E1A6	F3YH0080
2038	勢	5ACA	E1A7	F3YI0080
2039	歲	5ACB	E1A8	F3YJ0080
2040	洗	5ACC	E1A9	F3YK0080
2041	稅	5ACD	E1AA	F3YL0080
2042	箠	5ACE	E1AB	F3YM0080
2043	細	5ACF	E1AC	F3YN0080
2044	說	5AD0	E1AD	F3YO0080
2045	賞	5AD1	E1AE	F3YP0080
2046	召	5AD2	E1AF	F3YQ0080
2047	嘯	5AD3	E1B0	F3YR0080

Line Number	Graphic	Host Code	PC Code	GCGID
2048	塑	5AD4	E1B1	F3YS0080
2049	小	5AD5	E1B3	F3YT0080
2050	少	5AD6	E1B4	F3YU0080
2051	宵	5AD7	E1B2	F3YV0080
2052	巢	5AD8	E1B5	F3YW0080
2053	掃	5AD9	E1B7	F3YX0080
2054	搔	5ADA	E1B8	F3YY0080
2055	所	5ADB	E1B6	F3YZ0080
2056	昭	5ADC	E1B9	F3Z00080
2057	梳	5ADD	E1BA	F3Z10080
2058	沼	5ADE	E1BB	F3Z20080
2059	消	5ADF	E1BC	F3Z30080
2060	溯	5AE0	E1BD	F3Z40080
2061	瀟	5AE1	E1BE	F3Z50080
2062	炤	5AE2	E1BF	F3Z60080
2063	燒	5AE3	E1C0	F3Z70080
2064	甦	5AE4	E1C1	F3Z80080
2065	疎	5AE5	E1C3	F3Z90080
2066	疏	5AE6	E1C2	F3ZA0080
2067	笑	5AE7	E1C5	F3ZB0080
2068	簫	5AE8	E1C7	F3ZC0080
2069	素	5AE9	E1C8	F3ZD0080
2070	紹	5AEA	E1C9	F3ZE0080
2071	艘	5AEB		F3ZF0080
2072	蔬	5AEC	E1CA	F3ZG0080
2073	蕭	5AED	E1CB	F3ZH0080




IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Table 8 (Page 8 of 37). Hanja Set(2/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
2074	蘇	5AEE	E1CC	F3ZI0080
2075	訴	5AEF	E1CD	F3ZJ0080
2076	逍	5AF0	E1CE	F3ZK0080
2077	邈	5AF1	E1CF	F3ZL0080
2078	邵	5AF2	E1D0	F3ZM0080
2079	銷	5AF3	E1D1	F3ZN0080
2080	霄	5AF4		F3ZO0080
2081	韶	5AF5	E1D2	F3ZP0080
2082	騷	5AF6	E1D3	F3ZQ0080
2083	俗	5AF7	E1D4	F3ZR0080
2084	屬	5AF8	E1D5	F3ZS0080
2085	束	5AF9	E1D6	F3ZT0080
2086	粟	5AFA	E1D8	F3ZU0080
2087	續	5AFB	E1D9	F3ZV0080
2088	速	5AFC	E1DC	F3ZW0080
2089	孫	5AFD	E1DD	F3ZX0080
2090	損	5AFE	E1DF	F3ZY0080
2091	遜	5B41	E1E1	F40I0080
2092	率	5B42	E1E3	F40J0080
2093	蟀	5B43		F40K0080
2094	宋	5B44	E1E4	F40L0080
2095	松	5B45	E1E6	F40M0080
2096	訟	5B46	E1E8	F40N0080
2097	誦	5B47	E1E9	F40O0080
2098	送	5B48	E1EA	F40P0080
2099	頌	5B49	E1EB	F40Q0080

Table 8 (Page 8 of 37). Hanja Set(2/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
2100	刷	5B4A	E1EC	F40A0080
2101	殺	5B4B	E1ED	F40B0080
2102	灑	5B4C	E1EE	F40C0080
2103	瑣	5B4D		F40D0080
2104	碎	5B4E	E1EF	F40E0080
2105	鎖	5B4F	E1F0	F40F0080
2106	衰	5B50	E1F1	F40G0080
2107	釧	5B51	E1F2	F40H0080
2108	修	5B52	E1F3	F40I0080
2109	受	5B53	E1F4	F40J0080
2110	叟	5B54		F40K0080
2111	囚	5B55	E1F6	F40L0080
2112	嗽	5B56	E1F5	F40M0080
2113	垂	5B57	E1F7	F40N0080
2114	壽	5B58	E1F8	F40O0080
2115	嫂	5B59	E1F9	F40P0080
2116	守	5B5A	E1FA	F40Q0080
2117	宿	5B5B		F40R0080
2118	岫	5B5C	E1FB	F40S0080
2119	帥	5B5D	E1FD	F40T0080
2120	戍	5B5E	E2A1	F40U0080
2121	愁	5B5F	E1FE	F40V0080
2122	手	5B60	E2A2	F40W0080
2123	授	5B61	E2A3	F40X0080
2124	搜	5B62	E2A4	F40Y0080
2125	收	5B63	E2A5	F40Z0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
2126	數	5B64	E2A6	F4100080
2127	晬	5B65		F4110080
2128	樹	5B66	E2A7	F4120080
2129	殊	5B67	E2A8	F4130080
2130	燧	5B68	E2AC	F4140080
2131	水	5B69	E2A9	F4150080
2132	洙	5B6A	E2AA	F4160080
2133	洙	5B6B		F4170080
2134	漱	5B6C	E2AB	F4180080
2135	狩	5B6D	E2AD	F4190080
2136	獸	5B6E	E2AE	F41A0080
2137	崇	5B6F		F41B0080
2138	瘦	5B70	E2B1	F41C0080
2139	睡	5B71	E2B2	F41D0080
2140	睢	5B72		F41E0080
2141	秀	5B73	E2B3	F41F0080
2142	穗	5B74	E2B4	F41G0080
2143	豎	5B75	E2B5	F41H0080
2144	粹	5B76	E2B6	F41I0080
2145	綬	5B77	E2B7	F41J0080
2146	綬	5B78	E2B8	F41K0080
2147	繡	5B79	E2B9	F41L0080
2148	羞	5B7A	E2BA	F41M0080
2149	脩	5B7B	E2BB	F41N0080
2150	茱	5B7C	E2BC	F41O0080
2151	菟	5B7D	E2BD	F41P0080

Line Number	Graphic	Host Code	PC Code	GCGID
2152	蓆	5B7E	E2BE	F41Q0080
2153	藪	5B7F	E2BF	F41R0080
2154	袖	5B80	E2C0	F41S0080
2155	誰	5B81	E2C1	F41T0080
2156	輸	5B82	E2C3	F41U0080
2157	遂	5B83	E2C4	F41V0080
2158	遂	5B84	E2C5	F41W0080
2159	酬	5B85	E2C6	F41X0080
2160	銖	5B86	E2C7	F41Y0080
2161	銹	5B87	E2C8	F41Z0080
2162	隋	5B88	E2C9	F4200080
2163	隨	5B89	E2CB	F4210080
2164	雖	5B8A	E2CC	F4220080
2165	需	5B8B	E2CD	F4230080
2166	須	5B8C	E2CE	F4240080
2167	首	5B8D	E2CF	F4250080
2168	髓	5B8E	E2D0	F4260080
2169	鬚	5B8F	E2D1	F4270080
2170	叔	5B90	E2D2	F4280080
2171	塾	5B91	E2D3	F4290080
2172	夙	5B92	E2D4	F42A0080
2173	孰	5B93	E2D5	F42B0080
2174	宿	5B94	E2D6	F42C0080
2175	淑	5B95	E2D7	F42D0080
2176	熟	5B96	E2D9	F42E0080
2177	肅	5B97	E2DC	F42F0080




IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Table 8 (Page 10 of 37). Hanja Set(2/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
2178	菽	5B98	E2DD	F42G0080
2179	循	5B99	E2E0	F42H0080
2180	恂	5B9A	E2E1	F42I0080
2181	旬	5B9B	E2E2	F42J0080
2182	楯	5B9C	E2E4	F42K0080
2183	殉	5B9D	E2E6	F42L0080
2184	洵	5B9E	E2E7	F42M0080
2185	淳	5B9F	E2E8	F42N0080
2186	珣	5BA0	E2E9	F42O0080
2187	盾	5BA1	E2EA	F42P0080
2188	瞬	5BA2	E2EB	F42Q0080
2189	筍	5BA3	E2EC	F42R0080
2190	純	5BA4	E2ED	F42S0080
2191	脣	5BA5	E2EE	F42T0080
2192	舜	5BA6	E2EF	F42U0080
2193	荀	5BA7	E2F0	F42V0080
2194	詢	5BA8	E2F3	F42W0080
2195	巡	5BA9	E2DE	F42X0080
2196	醇	5BAA	E2F5	F42Y0080
2197	鎔	5BAB	E2F6	F42Z0080
2198	順	5BAC	E2F7	F4300080
2199	馴	5BAD	E2F8	F4310080
2200	鶉	5BAE		F4320080
2201	戍	5BAF	E2F9	F4330080
2202	術	5BB0	E2FA	F4340080
2203	述	5BB1	E2FB	F4350080

Table 8 (Page 10 of 37). Hanja Set(2/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
2204	崇	5BB2	E2FD	F4360080
2205	崧	5BB3	E2FE	F4370080
2206	嵩	5BB4	E3A1	F4380080
2207	瑟	5BB5	E3A2	F4390080
2208	膝	5BB6	E3A3	F43A0080
2209	虱	5BB7		F43B0080
2210	蝨	5BB8	E3A4	F43C0080
2211	拾	5BB9	E3A6	F43D0080
2212	濕	5BBA	E3A5	F43E0080
2213	習	5BBB	E3A7	F43F0080
2214	褶	5BBC	E3A8	F43G0080
2215	襲	5BBD	E3A9	F43H0080
2216	丞	5BBE	E3AA	F43I0080
2217	乘	5BBF	E3AB	F43J0080
2218	僧	5BC0	E3AC	F43K0080
2219	升	5BC1	E3AE	F43L0080
2220	承	5BC2	E3AF	F43M0080
2221	昇	5BC3	E3B0	F43N0080
2222	勝	5BC4	E3AD	F43O0080
2223	繩	5BC5	E3B1	F43P0080
2224	蠅	5BC6	E3B2	F43Q0080
2225	陞	5BC7	E3B3	F43R0080
2226	侍	5BC8	E3B4	F43S0080
2227	匙	5BC9	E3B5	F43T0080
2228	雷	5BCA		F43U0080
2229	嘶	5BCB	E3B6	F43V0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
2230	始	5BCC	E3B7	F43W0080
2231	媿	5BCD	E3B8	F43X0080
2232	寺	5BCE		F43Y0080
2233	尸	5BCF	E3B9	F43Z0080
2234	屍	5BD0	E3BB	F4400080
2235	市	5BD1	E3BC	F4410080
2236	紕	5BD2	E3BD	F4420080
2237	侍	5BD3	E3BE	F4430080
2238	施	5BD4	E3BF	F4440080
2239	是	5BD5	E3C0	F4450080
2240	時	5BD6	E3C1	F4460080
2241	柿	5BD7	E3C2	F4470080
2242	柴	5BD8	E3C3	F4480080
2243	猜	5BD9	E3C4	F4490080
2244	矢	5BDA	E3C5	F44A0080
2245	示	5BDB	E3C6	F44B0080
2246	視	5BDC	E3CA	F44C0080
2247	總	5BDD		F44D0080
2248	翅	5BDE	E3C7	F44E0080
2249	蒔	5BDF	E3C8	F44F0080
2250	著	5BE0	E3C9	F44G0080
2251	詩	5BE1	E3CC	F44H0080
2252	試	5BE2	E3CB	F44I0080
2253	諡	5BE3	E3CD	F44J0080
2254	豺	5BE4	E3CF	F44K0080
2255	埴	5BE5	E3D0	F44L0080

Line Number	Graphic	Host Code	PC Code	GCGID
2256	寔	5BE6	E3D1	F44M0080
2257	式	5BE7	E3D2	F44N0080
2258	息	5BE8	E3D3	F44O0080
2259	拭	5BE9	E3D4	F44P0080
2260	植	5BEA	E3D5	F44Q0080
2261	殖	5BEB	E3D6	F44R0080
2262	湜	5BEC	E3D7	F44S0080
2263	熄	5BED	E3D8	F44T0080
2264	識	5BEE	E3DB	F44U0080
2265	軾	5BEF	E3DC	F44V0080
2266	食	5BF0	E3DD	F44W0080
2267	飾	5BF1	E3DE	F44X0080
2268	伸	5BF2	E3DF	F44Y0080
2269	信	5BF3	E3E1	F44Z0080
2270	呻	5BF4	E3E2	F4500080
2271	娠	5BF5	E3E3	F4510080
2272	宸	5BF6	E3E4	F4520080
2273	慎	5BF7	E3E5	F4530080
2274	新	5BF8	E3E6	F4540080
2275	晨	5BF9	E3E7	F4550080
2276	燼	5BFA	E3E8	F4560080
2277	申	5BFB	E3E9	F4570080
2278	矧	5BFC		F4580080
2279	神	5BFD	E3EA	F4590080
2280	紳	5BFE	E3EB	F45A0080
2281	腎	5C41	E3EC	F45D0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
2282	臣	5C42	E3ED	F45E0080
2283	莘	5C43	E3EE	F45F0080
2284	薪	5C44	E3EF	F45G0080
2285	蜃	5C45	E3F1	F45H0080
2286	訊	5C46	E3F2	F45I0080
2287	身	5C47	E3F3	F45J0080
2288	辛	5C48	E3F4	F45K0080
2289	辰	5C49	E3F5	F45L0080
2290	迅	5C4A	E3F6	F45M0080
2291	失	5C4B	E3F7	F45N0080
2292	室	5C4C	E3F8	F45O0080
2293	實	5C4D	E3F9	F45P0080
2294	悉	5C4E	E3FA	F45Q0080
2295	瑟	5C4F		F45R0080
2296	審	5C50	E3FB	F45S0080
2297	尋	5C51	E3FC	F45T0080
2298	心	5C52	E3FD	F45U0080
2299	沈	5C53	E4A1	F45V0080
2300	沁	5C54	E3FE	F45W0080
2301	深	5C55	E4A2	F45X0080
2302	瀋	5C56	E4A3	F45Y0080
2303	甚	5C57	E4A4	F45Z0080
2304	芯	5C58	E4A5	F4600080
2305	什	5C59	E4A7	F4610080
2306	十	5C5A	E4A8	F4620080
2307	拾	5C5B	E4A9	F4630080

Line Number	Graphic	Host Code	PC Code	GCGID
2308	雙	5C5C	E4AA	F4640080
2309	氏	5C5D	E4AB	F4650080
2310	亞	5C5E	E4AC	F4660080
2311	俄	5C5F	E4AD	F4670080
2312	兒	5C60	E4AE	F4680080
2313	娥	5C61	E4B0	F4690080
2314	峨	5C62	E4B1	F46A0080
2315	我	5C63	E4B2	F46B0080
2316	牙	5C64	E4B3	F46C0080
2317	芽	5C65	E4B4	F46D0080
2318	蛾	5C66	E4B6	F46E0080
2319	衙	5C67	E4B7	F46F0080
2320	訝	5C68	E4B8	F46G0080
2321	阿	5C69	E4B9	F46H0080
2322	雅	5C6A	E4BA	F46I0080
2323	餓	5C6B	E4BB	F46J0080
2324	鴉	5C6C	E4BC	F46K0080
2325	鵝	5C6D	E4BD	F46L0080
2326	聖	5C6E	E4BE	F46M0080
2327	岳	5C6F	E4BF	F46N0080
2328	嶽	5C70	E4C0	F46O0080
2329	愕	5C71	E4C3	F46P0080
2330	惡	5C72	E4C2	F46Q0080
2331	握	5C73	E4C4	F46R0080
2332	樂	5C74	E4C5	F46S0080
2333	渥	5C75	E4C6	F46T0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
2334	萼	5C76		F46U0080
2335	顎	5C77	E4C9	F46V0080
2336	齷	5C78	E4CB	F46W0080
2337	安	5C79	E4CC	F46X0080
2338	岸	5C7A	E4CD	F46Y0080
2339	按	5C7B	E4CE	F46Z0080
2340	晏	5C7C	E4CF	F4700080
2341	案	5C7D	E4D0	F4710080
2342	眼	5C7E	E4D1	F4720080
2343	雁	5C7F	E4D2	F4730080
2344	贗	5C80		F4740080
2345	鞍	5C81	E4D3	F4750080
2346	顏	5C82	E4D4	F4760080
2347	鴈	5C83		F4770080
2348	憂	5C84		F4780080
2349	幹	5C85	E4D6	F4790080
2350	謁	5C86	E4D7	F47A0080
2351	軋	5C87	E4D8	F47B0080
2352	遏	5C88		F47C0080
2353	闕	5C89	E4D9	F47D0080
2354	岳	5C8A		F47E0080
2355	巖	5C8B	E4DC	F47F0080
2356	庵	5C8C	E4DD	F47G0080
2357	暗	5C8D	E4DE	F47H0080
2358	癌	5C8E	E4DF	F47I0080
2359	菴	5C8F	E4E0	F47J0080

Line Number	Graphic	Host Code	PC Code	GCGID
2360	諳	5C90		F47K0080
2361	閻	5C91	E4E1	F47L0080
2362	黯	5C92		F47M0080
2363	壓	5C93	E4E2	F47N0080
2364	押	5C94	E4E3	F47O0080
2365	狎	5C95	E4E4	F47P0080
2366	鴨	5C96	E4E5	F47Q0080
2367	仰	5C97	E4E6	F47R0080
2368	央	5C98	E4E7	F47S0080
2369	快	5C99	E4E8	F47T0080
2370	昂	5C9A	E4E9	F47U0080
2371	殃	5C9B	E4EA	F47V0080
2372	秧	5C9C	E4EB	F47W0080
2373	鞅	5C9D		F47X0080
2374	鴛	5C9E	E4EC	F47Y0080
2375	厓	5C9F	E4ED	F47Z0080
2376	埃	5CA0	E4EF	F4800080
2377	崖	5CA1	E4F0	F4810080
2378	愛	5CA2	E4F1	F4820080
2379	欸	5CA3		F4830080
2380	涯	5CA4	E4F3	F4840080
2381	皚	5CA5		F4850080
2382	曖	5CA6	E4F2	F4860080
2383	碍	5CA7	E4F4	F4870080
2384	礙	5CA8		F4880080
2385	艾	5CA9	E4F5	F4890080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Table 8 (Page 14 of 37). Hanja Set(2/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
2386	哀	5CAA	E4EE	F48A0080
2387	隘	5CAB	E4F6	F48B0080
2388	靄	5CAC	E4F7	F48C0080
2389	靄	5CAD		F48D0080
2390	厄	5CAE	E4F8	F48E0080
2391	掖	5CAF	E4FA	F48F0080
2392	液	5CB0	E4FB	F48G0080
2393	腋	5CB1	E4FD	F48H0080
2394	阨	5CB2		F48I0080
2395	額	5CB3	E4FE	F48J0080
2396	櫻	5CB4	E5A1	F48K0080
2397	罌	5CB5	E5A2	F48L0080
2398	鶯	5CB6	E5A3	F48M0080
2399	鸚	5CB7	E5A4	F48N0080
2400	也	5CB8	E5A5	F48O0080
2401	椰	5CB9	E5A6	F48P0080
2402	冶	5CBA	E5A7	F48Q0080
2403	夜	5CBB	E5A8	F48R0080
2404	射	5CBC		F48S0080
2405	擲	5CBD	E5AA	F48T0080
2406	椰	5CBE	E5AB	F48U0080
2407	爺	5CBF	E5AC	F48V0080
2408	耶	5CC0	E5AD	F48W0080
2409	若	5CC1	E5AE	F48X0080
2410	惹	5CC2	E5A9	F48Y0080
2411	野	5CC3	E5AF	F48Z0080

Table 8 (Page 14 of 37). Hanja Set(2/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
2412	弱	5CC4	E5B0	F4900080
2413	籟	5CC5		F4910080
2414	籟	5CC6		F4920080
2415	約	5CC7	E5B3	F4930080
2416	若	5CC8	E5B4	F4940080
2417	葯	5CC9	E5B5	F4950080
2418	藥	5CCA	E5B7	F4960080
2419	躍	5CCB	E5B8	F4970080
2420	佯	5CCC	E5BA	F4980080
2421	壤	5CCD	E5BD	F4990080
2422	孃	5CCE	E5BE	F49A0080
2423	恙	5CCF	E5BF	F49B0080
2424	揚	5CD0	E5C0	F49C0080
2425	攘	5CD1	E5C1	F49D0080
2426	敷	5CD2	E5C2	F49E0080
2427	暘	5CD3	E5C3	F49F0080
2428	楊	5CD4	E5C5	F49G0080
2429	樣	5CD5	E5C6	F49H0080
2430	洋	5CD6	E5C7	F49I0080
2431	漾	5CD7	E5C8	F49J0080
2432	煬	5CD8	E5C9	F49K0080
2433	穰	5CD9	E5CD	F49L0080
2434	痒	5CDA	E5CA	F49M0080
2435	瘍	5CDB	E5CB	F49N0080
2436	羊	5CDC	E5CF	F49O0080
2437	胖	5CDD		F49P0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
2438	襄	5CDE	E5D1	F49Q0080
2439	讓	5CDF	E5D3	F49R0080
2440	釀	5CE0	E5D4	F49S0080
2441	陽	5CE1	E5D5	F49T0080
2442	養	5CE2	E5D7	F49U0080
2443	囿	5CE3	E5D8	F49V0080
2444	御	5CE4	E5D9	F49W0080
2445	敵	5CE5		F49X0080
2446	於	5CE6	E5DA	F49Y0080
2447	漁	5CE7	E5DB	F49Z0080
2448	禦	5CE8	E5DD	F4A00080
2449	語	5CE9	E5DE	F4A10080
2450	馭	5CEA	E5DF	F4A20080
2451	魚	5CEB	E5E0	F4A30080
2452	齧	5CEC	E5E1	F4A40080
2453	億	5CED	E5E2	F4A50080
2454	憶	5CEE	E5E3	F4A60080
2455	抑	5CEF	E5E4	F4A70080
2456	櫛	5CF0	E5E5	F4A80080
2457	臆	5CF1	E5E6	F4A90080
2458	偃	5CF2	E5E7	F4AA0080
2459	堰	5CF3	E5E8	F4AB0080
2460	彥	5CF4	E5E9	F4AC0080
2461	焉	5CF5	E5EA	F4AD0080
2462	言	5CF6	E5EB	F4AE0080
2463	諺	5CF7	E5EC	F4AF0080

Line Number	Graphic	Host Code	PC Code	GCGID
2464	擘	5CF8	E5ED	F4AG0080
2465	儼	5CF9	E5F0	F4AH0080
2466	巖	5CFA	E5F1	F4AI0080
2467	奄	5CFB	E5F2	F4AJ0080
2468	掩	5CFC	E5F3	F4AK0080
2469	淹	5CFD	E5F4	F4AL0080
2470	嶮	5CFE	E5F5	F4AM0080
2471	業	5D41	E5F6	F4AP0080
2472	恚	5D42		F4AQ0080
2473	予	5D43	E5F8	F4AR0080
2474	余	5D44	E5F9	F4AS0080
2475	如	5D45	E5FD	F4AT0080
2476	歟	5D46	E6A2	F4AU0080
2477	汝	5D47	E6A3	F4AV0080
2478	與	5D48	E6A8	F4AW0080
2479	餘	5D49	E6AE	F4AX0080
2480	亦	5D4A	E6B2	F4AY0080
2481	域	5D4B	E6B4	F4AZ0080
2482	射	5D4C		F4B00080
2483	役	5D4D	E6B5	F4B10080
2484	易	5D4E	E6B6	F4B20080
2485	疫	5D4F	E6B9	F4B30080
2486	繹	5D50	E6BA	F4B40080
2487	譯	5D51	E6BB	F4B50080
2488	逆	5D52	E6BD	F4B60080
2489	驛	5D53	E6BE	F4B70080




IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
2490	嚙	5D54	E6BF	F4B80080
2491	堧	5D55	E6C0	F4B90080
2492	妍	5D56	E6C1	F4BA0080
2493	娟	5D57	E6C2	F4BB0080
2494	宴	5D58	E6C3	F4BC0080
2495	延	5D59	E6C5	F4BD0080
2496	捐	5D5A	E6C8	F4BE0080
2497	撚	5D5B	E6CA	F4BF0080
2498	椽	5D5C	E6CB	F4BG0080
2499	沿	5D5D	E6CD	F4BH0080
2500	涓	5D5E	E6CF	F4BI0080
2501	涎	5D5F	E6CE	F4BJ0080
2502	淵	5D60	E6D0	F4BK0080
2503	演	5D61	E6D1	F4BL0080
2504	烟	5D62	E6D3	F4BM0080
2505	然	5D63	E6D4	F4BN0080
2506	煙	5D64	E6D5	F4BO0080
2507	燃	5D65	E6D7	F4BP0080
2508	燕	5D66	E6D8	F4BQ0080
2509	研	5D67	E6DA	F4BR0080
2510	硯	5D68	E6DB	F4BS0080
2511	筵	5D69	E6DD	F4BT0080
2512	緣	5D6A	E6DE	F4BU0080
2513	羨	5D6B		F4BV0080
2514	膳	5D6C		F4BW0080
2515	蠕	5D6D		F4BX0080

Line Number	Graphic	Host Code	PC Code	GCGID
2516	衍	5D6E	E6E2	F4BY0080
2517	讌	5D6F		F4BZ0080
2518	軟	5D70	E6E3	F4C00080
2519	鉛	5D71	E6E7	F4C10080
2520	鳶	5D72	E6E9	F4C20080
2521	咽	5D73	E6EC	F4C30080
2522	悅	5D74	E6ED	F4C40080
2523	涅	5D75	E6EE	F4C50080
2524	熱	5D76	E6F0	F4C60080
2525	說	5D77	E6F2	F4C70080
2526	閱	5D78	E6F3	F4C80080
2527	厭	5D79	E6F4	F4C90080
2528	塩	5D7A		F4CA0080
2529	染	5D7B	E6F8	F4CB0080
2530	炎	5D7C	E6FA	F4CC0080
2531	焰	5D7D	E6FB	F4CD0080
2532	鹽	5D7E	E7A4	F4CE0080
2533	苒	5D7F	E6FE	F4CF0080
2534	艷	5D80	E6FD	F4CG0080
2535	閨	5D81	E7A2	F4CH0080
2536	鑿	5D82		F4CI0080
2537	髻	5D83	E7A3	F4CJ0080
2538	曄	5D84	E7A5	F4CK0080
2539	燁	5D85	E7A7	F4CL0080
2540	葉	5D86	E7A8	F4CM0080
2541	莖	5D87	E7AB	F4CN0080




IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
2542	嬰	5D88		F4CO0080
2543	影	5D89	E7AF	F4CP0080
2544	映	5D8A	E7B1	F4CQ0080
2545	暎	5D8B	E7B2	F4CR0080
2546	楹	5D8C	E7B3	F4CS0080
2547	榮	5D8D	E7B4	F4CT0080
2548	永	5D8E	E7B5	F4CU0080
2549	泳	5D8F	E7B6	F4CV0080
2550	穎	5D90	E7B8	F4CW0080
2551	瀛	5D91	E7BA	F4CX0080
2552	營	5D92	E7BD	F4CY0080
2553	瑛	5D93	E7C0	F4CZ0080
2554	瑩	5D94	E7C1	F4D00080
2555	瓔	5D95	E7C2	F4D10080
2556	盈	5D96	E7C3	F4D20080
2557	纓	5D97	E7C5	F4D30080
2558	英	5D98	E7C8	F4D40080
2559	詠	5D99	E7C9	F4D50080
2560	迎	5D9A	E7CA	F4D60080
2561	倪	5D9B	E7D2	F4D70080
2562	刈	5D9C	E7D4	F4D80080
2563	叡	5D9D	E7D5	F4D90080
2564	曳	5D9E	E7D6	F4DA0080
2565	滅	5D9F	E7D8	F4DB0080
2566	猊	5DA0	E7D9	F4DC0080
2567	睨	5DA1		F4DD0080

Line Number	Graphic	Host Code	PC Code	GCGID
2568	睿	5DA2	E7DA	F4DE0080
2569	騷	5DA3		F4DF0080
2570	芮	5DA4	E7DC	F4DG0080
2571	葦	5DA5		F4DH0080
2572	藝	5DA6	E7DD	F4DI0080
2573	藁	5DA7	E7DE	F4DJ0080
2574	裔	5DA8	E7E0	F4DK0080
2575	詣	5DA9	E7E1	F4DL0080
2576	譽	5DAA	E7E2	F4DM0080
2577	豫	5DAB	E7E3	F4DN0080
2578	銳	5DAC	E7E5	F4DO0080
2579	霓	5DAD	E7E7	F4DP0080
2580	預	5DAE	E7E8	F4DQ0080
2581	五	5DAF	E7E9	F4DR0080
2582	伍	5DB0	E7EA	F4DS0080
2583	傲	5DB1	E7EC	F4DT0080
2584	午	5DB2	E7ED	F4DU0080
2585	吳	5DB3	E7EF	F4DV0080
2586	鳴	5DB4	E7F0	F4DW0080
2587	塿	5DB5	E7F2	F4DX0080
2588	奧	5DB6	E7F3	F4DY0080
2589	娛	5DB7	E7F4	F4DZ0080
2590	寤	5DB8	E7F5	F4E00080
2591	悟	5DB9	E7F6	F4E10080
2592	惡	5DBA	E7F7	F4E20080
2593	阡	5DBB	E7FA	F4E30080




IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
2594	晤	5DBC	E7FB	F4E40080
2595	梧	5DBD	E7FC	F4E50080
2596	汚	5DBE	E7FD	F4E60080
2597	烏	5DBF	E8A1	F4E70080
2598	癸	5DC0	E8A3	F4E80080
2599	蜈	5DC1	E8A5	F4E90080
2600	誤	5DC2	E8A6	F4EA0080
2601	遨	5DC3		F4EB0080
2602	吾	5DC4	E7EE	F4EC0080
2603	屋	5DC5	E8A9	F4ED0080
2604	沃	5DC6	E8AA	F4EE0080
2605	獄	5DC7	E8AB	F4EF0080
2606	玉	5DC8	E8AC	F4EG0080
2607	鈺	5DC9	E8AD	F4EH0080
2608	媪	5DCA		F4EI0080
2609	溫	5DCB	E8AE	F4EJ0080
2610	璫	5DCC	E8AF	F4EK0080
2611	瘟	5DCD	E8B0	F4EL0080
2612	穩	5DCE	E8B1	F4EM0080
2613	蘊	5DCF		F4EN0080
2614	蘊	5DD0	E8B3	F4EO0080
2615	鱸	5DD1		F4EP0080
2616	兀	5DD2	E8B4	F4EQ0080
2617	壅	5DD3	E8B5	F4ER0080
2618	瓮	5DD4	E8B7	F4ES0080
2619	癰	5DD5	E8B9	F4ET0080

Line Number	Graphic	Host Code	PC Code	GCGID
2620	擁	5DD6	E8B6	F4EU0080
2621	壘	5DD7	E8B8	F4EV0080
2622	翁	5DD8	E8BA	F4EW0080
2623	邕	5DD9	E8BB	F4EX0080
2624	雍	5DDA	E8BC	F4EY0080
2625	渦	5ddb	E8BE	F4EZ0080
2626	瓦	5DDC	E8BF	F4F00080
2627	窩	5DDD	E8C0	F4F10080
2628	蛙	5DDE	E8C3	F4F20080
2629	蝸	5DDF	E8C4	F4F30080
2630	訛	5DE0	E8C5	F4F40080
2631	臥	5DE1	E8C2	F4F50080
2632	婉	5DE2	E8C6	F4F60080
2633	完	5DE3	E8C7	F4F70080
2634	宛	5DE4	E8C8	F4F80080
2635	浣	5DE5	E8CB	F4F90080
2636	玩	5DE6	E8CC	F4FA0080
2637	琬	5DE7	E8CE	F4FB0080
2638	碗	5DE8	E8CF	F4FC0080
2639	緩	5DE9	E8D0	F4FD0080
2640	翫	5DEA	E8D1	F4FE0080
2641	腕	5DEB	E8D3	F4FF0080
2642	莞	5DEC	E8D4	F4FG0080
2643	腕	5DED	E8D5	F4FH0080
2644	阮	5DEE	E8D6	F4FI0080
2645	頑	5DEF	E8D7	F4FJ0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
2646	日	5DF0	E8D8	F4FK0080
2647	往	5DF1	E8D9	F4FL0080
2648	旺	5DF2	E8DA	F4FM0080
2649	枉	5DF3	E8DB	F4FN0080
2650	汪	5DF4	E8DC	F4FO0080
2651	王	5DF5	E8DD	F4FP0080
2652	倭	5DF6	E8DE	F4FQ0080
2653	歪	5DF7	E8E0	F4FR0080
2654	矮	5DF8	E8E1	F4FS0080
2655	外	5DF9	E8E2	F4FT0080
2656	巍	5DFA	E8E4	F4FU0080
2657	猥	5DFB	E8E5	F4FV0080
2658	畏	5DFC	E8E6	F4FW0080
2659	僥	5DFD	E8E9	F4FX0080
2660	凹	5DFE	E8EA	F4FY0080
2661	堯	5E41	E8EB	F4G10080
2662	夭	5E42	E8EC	F4G20080
2663	妖	5E43	E8ED	F4G30080
2664	姚	5E44	E8EE	F4G40080
2665	嶢	5E45	E8F2	F4G50080
2666	拗	5E46	E8F3	F4G60080
2667	搖	5E47	E8F4	F4G70080
2668	擾	5E48	E8F6	F4G80080
2669	曜	5E49	E8F8	F4G90080
2670	腰	5E4A	E9A6	F4GA0080
2671	樂	5E4B	E8F9	F4GB0080

Line Number	Graphic	Host Code	PC Code	GCGID
2672	橈	5E4C	E8FA	F4GC0080
2673	瑤	5E4D	E8FD	F4GD0080
2674	竊	5E4E	E9A1	F4GE0080
2675	窯	5E4F	E9A2	F4GF0080
2676	繇	5E50	E9A3	F4GG0080
2677	繞	5E51	E9A4	F4GH0080
2678	耀	5E52	E9A5	F4GI0080
2679	堯	5E53		F4GJ0080
2680	蟯	5E54	E9A8	F4GK0080
2681	要	5E55	E9A9	F4GL0080
2682	謠	5E56	E9AA	F4GM0080
2683	遙	5E57	E9AB	F4GN0080
2684	邀	5E58	E9AD	F4GO0080
2685	饒	5E59	E9AE	F4GP0080
2686	辱	5E5A	E9B4	F4GQ0080
2687	慾	5E5B	E9AF	F4GR0080
2688	欲	5E5C	E9B0	F4GS0080
2689	浴	5E5D	E9B1	F4GT0080
2690	褥	5E5E	E9B3	F4GU0080
2691	傭	5E5F	E9B6	F4GV0080
2692	勇	5E60	E9B8	F4GW0080
2693	容	5E61	E9BB	F4GX0080
2694	庸	5E62	E9BC	F4GY0080
2695	冗	5E63	E9B7	F4GZ0080
2696	榕	5E64	E9BE	F4H00080
2697	湧	5E65	E9C0	F4H10080




IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Table 8 (Page 20 of 37). Hanja Set(2/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
2698	溶	5E66	E9C1	F4H20080
2699	熔	5E67	E9C2	F4H30080
2700	瑤	5E68	E9C3	F4H40080
2701	用	5E69	E9C4	F4H50080
2702	聿	5E6A	E9C6	F4H60080
2703	春	5E6B		F4H70080
2704	苻	5E6C	E9C7	F4H80080
2705	蓉	5E6D	E9C8	F4H90080
2706	蛹	5E6E		F4HA0080
2707	踊	5E6F	E9C9	F4HB0080
2708	鎔	5E70	E9CA	F4HC0080
2709	鏞	5E71	E9CB	F4HD0080
2710	佑	5E72	E9CE	F4HE0080
2711	偶	5E73	E9CF	F4HF0080
2712	優	5E74	E9D0	F4HG0080
2713	又	5E75	E9D1	F4HH0080
2714	友	5E76	E9D2	F4HI0080
2715	右	5E77	E9D3	F4HJ0080
2716	吁	5E78		F4HK0080
2717	宇	5E79	E9D4	F4HL0080
2718	寓	5E7A	E9D5	F4HM0080
2719	尢	5E7B	E9D6	F4HN0080
2720	于	5E7C	E9CD	F4HO0080
2721	愚	5E7D	E9D7	F4HP0080
2722	憂	5E7E	E9D8	F4HQ0080
2723	牛	5E7F	E9DA	F4HR0080

Table 8 (Page 20 of 37). Hanja Set(2/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
2724	孟	5E80	E9DD	F4HS0080
2725	祐	5E81	E9DE	F4HT0080
2726	禍	5E82	E9DF	F4HU0080
2727	禹	5E83	E9E0	F4HV0080
2728	羽	5E84	E9E2	F4HW0080
2729	芋	5E85	E9E3	F4HX0080
2730	虞	5E86	E9E5	F4HY0080
2731	迂	5E87	E9E6	F4HZ0080
2732	遇	5E88	E9E7	F4I00080
2733	郵	5E89	E9E8	F4I10080
2734	隅	5E8A	E9EA	F4I20080
2735	雨	5E8B	E9EB	F4I30080
2736	雩	5E8C	E9EC	F4I40080
2737	旭	5E8D	E9EF	F4I50080
2738	昱	5E8E	E9F0	F4I60080
2739	煜	5E8F	E9F2	F4I70080
2740	穢	5E90	E9F3	F4I80080
2741	郁	5E91	E9F4	F4I90080
2742	頊	5E92	E9F5	F4IA0080
2743	云	5E93	E9F6	F4IB0080
2744	暈	5E94	E9F7	F4IC0080
2745	殞	5E95	E9F9	F4ID0080
2746	耘	5E96	E9FC	F4IE0080
2747	芸	5E97	E9FD	F4IF0080
2748	運	5E98	EAA1	F4IG0080
2749	隕	5E99	EAA2	F4IH0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
2750	雲	5E9A	EAA3	F4II0080
2751	韻	5E9B	EAA4	F4IJ0080
2752	熨	5E9C		F4IK0080
2753	蔚	5E9D	EAA5	F4IL0080
2754	鬱	5E9E	EAA6	F4IM0080
2755	熊	5E9F	EAA8	F4IN0080
2756	雄	5EA0	EAA9	F4IO0080
2757	元	5EA1	EAAA	F4IP0080
2758	原	5EA2	EAAB	F4IQ0080
2759	員	5EA3	EAAC	F4IR0080
2760	園	5EA4	EAAE	F4IS0080
2761	圓	5EA5	EAAD	F4IT0080
2762	爰	5EA6	EABA	F4IU0080
2763	垣	5EA7	EAAF	F4IV0080
2764	媛	5EA8	EAB0	F4IW0080
2765	冤	5EA9	EAB2	F4IX0080
2766	怨	5EAA	EAB3	F4IY0080
2767	愿	5EAB	EAB4	F4IZ0080
2768	援	5EAC	EAB5	F4J00080
2769	源	5EAD	EAB9	F4J10080
2770	猿	5EAE	EABB	F4J20080
2771	瑗	5EAF	EABC	F4J30080
2772	苑	5EB0	EABD	F4J40080
2773	蜿	5EB1		F4J50080
2774	袁	5EB2	EABE	F4J60080
2775	轅	5EB3	EABF	F4J70080

Line Number	Graphic	Host Code	PC Code	GCGID
2776	遠	5EB4	EAC0	F4J80080
2777	院	5EB5	EAC2	F4J90080
2778	願	5EB6	EAC3	F4JA0080
2779	鴛	5EB7	EAC4	F4JB0080
2780	月	5EB8	EAC5	F4JC0080
2781	越	5EB9	EAC6	F4JD0080
2782	鉞	5EBA	EAC7	F4JE0080
2783	位	5EBB	EAC8	F4JF0080
2784	偉	5EBC	EAC9	F4JG0080
2785	僞	5EBD	EACA	F4JH0080
2786	危	5EBE	EACB	F4JI0080
2787	圍	5EBF	EACC	F4JJ0080
2788	委	5EC0	EACD	F4JK0080
2789	尉	5EC1	EACF	F4JL0080
2790	幃	5EC2		F4JM0080
2791	慰	5EC3	EAD0	F4JN0080
2792	威	5EC4	EACE	F4JO0080
2793	渭	5EC5	EAD2	F4JP0080
2794	爲	5EC6	EAD3	F4JQ0080
2795	瑋	5EC7	EAD4	F4JR0080
2796	緯	5EC8	EAD5	F4JS0080
2797	胃	5EC9	EAD6	F4JT0080
2798	菱	5ECA	EAD7	F4JU0080
2799	葦	5ECB	EAD8	F4JV0080
2800	蝟	5ECC	EADA	F4JW0080
2801	衛	5ECD	EADB	F4JX0080




IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Table 8 (Page 22 of 37). Hanja Set(2/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
2802	衛	5ECE		F4JY0080
2803	謂	5ECF	EADD	F4JZ0080
2804	違	5ED0	EADE	F4K00080
2805	韋	5ED1	EADF	F4K10080
2806	魏	5ED2	EAE0	F4K20080
2807	乳	5ED3	EAE1	F4K30080
2808	攸	5ED4	EAF2	F4K40080
2809	侑	5ED5	EAE2	F4K50080
2810	儒	5ED6	EAE3	F4K60080
2811	兪	5ED7	EAE4	F4K70080
2812	幼	5ED8	EAEA	F4K80080
2813	唯	5ED9	EAE6	F4K90080
2814	喻	5EDA	EAE7	F4KA0080
2815	囿	5EDB		F4KB0080
2816	孺	5EDC	EAE8	F4KC0080
2817	宥	5EDD	EAE9	F4KD0080
2818	帷	5EDE		F4KE0080
2819	幽	5EDF	EAEB	F4KF0080
2820	庾	5EE0	Eaec	F4KG0080
2821	悠	5EE1	EAED	F4KH0080
2822	惟	5EE2	EAEe	F4KI0080
2823	愉	5EE3	EAF0	F4KJ0080
2824	愈	5EE4	EAEF	F4KK0080
2825	揄	5EE5	EAF1	F4KL0080
2826	有	5EE6	EAF3	F4KM0080
2827	柔	5EE7	EAF5	F4KN0080

Table 8 (Page 22 of 37). Hanja Set(2/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
2828	柚	5EE8	EAF6	F4KO0080
2829	榆	5EE9	EAF8	F4KP0080
2830	油	5EEA	EAFa	F4KQ0080
2831	游	5EEB	EAFD	F4KR0080
2832	濡	5EEC	EBA1	F4KS0080
2833	猶	5EED	EBA2	F4KT0080
2834	瑜	5EEE	EBA5	F4KU0080
2835	由	5EEF	EBA6	F4KV0080
2836	癒	5EF0	EBA8	F4KW0080
2837	維	5EF1	EBAB	F4KX0080
2838	臾	5EF2	EBAC	F4KY0080
2839	莧	5EF3	EBAD	F4KZ0080
2840	蕤	5EF4		F4L00080
2841	裕	5EF5	EBAE	F4L10080
2842	誘	5EF6	EBAF	F4L20080
2843	諛	5EF7	EBB0	F4L30080
2844	諭	5EF8	EBB1	F4L40080
2845	蹂	5EF9	EBB3	F4L50080
2846	踰	5EFA	EBB2	F4L60080
2847	遊	5EFB	EBB4	F4L70080
2848	逾	5EFC	EBB5	F4L80080
2849	遺	5EFD	EBB6	F4L90080
2850	酉	5EFE	EBB7	F4LA0080
2851	釉	5F41	EBB8	F4LD0080
2852	鋤	5F42	EBB9	F4LE0080
2853	黝	5F43		F4LF0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
2854	毓	5F44	EBBE	F4LG0080
2855	肉	5F45	EBBF	F4LH0080
2856	育	5F46	EBC0	F4LI0080
2857	翳	5F47		F4LJ0080
2858	允	5F48	EBC3	F4LK0080
2859	齏	5F49	EBC4	F4LL0080
2860	尹	5F4A	EBC5	F4LM0080
2861	潤	5F4B	EBC8	F4LN0080
2862	玠	5F4C	EBC9	F4LO0080
2863	胤	5F4D	EBCA	F4LP0080
2864	閏	5F4E	EBCE	F4LQ0080
2865	聿	5F4F	EBD3	F4LR0080
2866	戎	5F50	EBD4	F4LS0080
2867	絨	5F51	EBD6	F4LT0080
2868	融	5F52	EBD7	F4LU0080
2869	垠	5F53	EBD9	F4LV0080
2870	恩	5F54	EBDA	F4LW0080
2871	慇	5F55	EBDB	F4LX0080
2872	檣	5F56		F4LY0080
2873	殷	5F57	EBDC	F4LZ0080
2874	琅	5F58		F4M00080
2875	銀	5F59	EBDE	F4M10080
2876	閭	5F5A	EBDD	F4M20080
2877	隱	5F5B	EBDF	F4M30080
2878	齷	5F5C		F4M40080
2879	乙	5F5D	EBE0	F4M50080

Line Number	Graphic	Host Code	PC Code	GCGID
2880	吟	5F5E	EBE1	F4M60080
2881	淫	5F5F	EBE2	F4M70080
2882	蔭	5F60	EBE3	F4M80080
2883	陰	5F61	EBE4	F4M90080
2884	飲	5F62	EBE6	F4MA0080
2885	音	5F63	EBE5	F4MB0080
2886	挹	5F64		F4MC0080
2887	捐	5F65	EBE7	F4MD0080
2888	泣	5F66	EBE8	F4ME0080
2889	邑	5F67	EBE9	F4MF0080
2890	凝	5F68	EBEA	F4MG0080
2891	應	5F69	EBEB	F4MH0080
2892	膺	5F6A	EBEC	F4MI0080
2893	鷹	5F6B	EBED	F4MJ0080
2894	依	5F6C	EBEE	F4MK0080
2895	倚	5F6D	EBEF	F4ML0080
2896	儀	5F6E	EBF0	F4MM0080
2897	疑	5F6F	EBF7	F4MN0080
2898	矣	5F70	EBF8	F4MO0080
2899	宜	5F71	EBF1	F4MP0080
2900	意	5F72	EBF2	F4MQ0080
2901	懿	5F73	EBF3	F4MR0080
2902	擬	5F74	EBF4	F4MS0080
2903	毅	5F75	EBF6	F4MT0080
2904	義	5F76	EBF9	F4MU0080
2905	臙	5F77	EBFA	F4MV0080




IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
2906	蟻	5F78	EBFC	F4MW0080
2907	衣	5F79	EBFD	F4MX0080
2908	誼	5F7A	EBFE	F4MY0080
2909	議	5F7B	ECA1	F4MZ0080
2910	醫	5F7C	ECA2	F4N00080
2911	二	5F7D	ECA3	F4N10080
2912	以	5F7E	ECA4	F4N20080
2913	伊	5F7F	ECA5	F4N30080
2914	夷	5F80	ECA8	F4N40080
2915	姨	5F81	ECA9	F4N50080
2916	已	5F82	ECAB	F4N60080
2917	貳	5F83	ECC3	F4N70080
2918	弛	5F84	ECAC	F4N80080
2919	彝	5F85	ECAD	F4N90080
2920	怡	5F86	ECAE	F4NA0080
2921	易	5F87	ECAF	F4NB0080
2922	珥	5F88		F4NC0080
2923	爾	5F89	ECB3	F4ND0080
2924	珥	5F8A	ECB4	F4NE0080
2925	異	5F8B	ECB6	F4NF0080
2926	瘕	5F8C	ECB7	F4NG0080
2927	移	5F8D	ECB9	F4NH0080
2928	而	5F8E	ECBB	F4NI0080
2929	耳	5F8F	ECBC	F4NJ0080
2930	萸	5F90	ECBF	F4NK0080
2931	飴	5F91	ECC7	F4NL0080

Line Number	Graphic	Host Code	PC Code	GCGID
2932	餌	5F92	ECC8	F4NM0080
2933	頤	5F93		F4NN0080
2934	澳	5F94	ECCB	F4NO0080
2935	翼	5F95	ECCF	F4NP0080
2936	益	5F96	ECCC	F4NQ0080
2937	翊	5F97	ECCD	F4NR0080
2938	翌	5F98	ECCE	F4NS0080
2939	人	5F99	ECD1	F4NT0080
2940	仁	5F9A	ECD2	F4NU0080
2941	仞	5F9B		F4NV0080
2942	刃	5F9C	ECD3	F4NW0080
2943	印	5F9D	ECD4	F4NX0080
2944	咽	5F9E	ECD6	F4NY0080
2945	因	5F9F	ECD7	F4NZ0080
2946	姻	5FA0	ECD8	F4O00080
2947	寅	5FA1	ECD9	F4O10080
2948	引	5FA2	ECDA	F4O20080
2949	忍	5FA3	ECDB	F4O30080
2950	湮	5FA4	ECDC	F4O40080
2951	認	5FA5	ECE3	F4O50080
2952	靱	5FA6	ECE5	F4O60080
2953	靱	5FA7	ECE6	F4O70080
2954	一	5FA8	ECE9	F4O80080
2955	侷	5FA9	ECEB	F4O90080
2956	壹	5FAA	ECEC	F4OA0080
2957	日	5FAB	ECED	F4OB0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
2958	溢	5FAC	ECEE	F4OC0080
2959	逸	5FAD	ECEF	F4OD0080
2960	鎰	5FAE	ECF0	F4OE0080
2961	駟	5FAF	ECF1	F4OF0080
2962	任	5FB0	ECF2	F4OG0080
2963	壬	5FB1	ECF3	F4OH0080
2964	妊	5FB2	ECF4	F4OI0080
2965	姪	5FB3	ECF5	F4OJ0080
2966	稔	5FB4	ECF9	F4OK0080
2967	荏	5FB5	ECFB	F4OL0080
2968	賃	5FB6	ECFC	F4OM0080
2969	人	5FB7	ECFD	F4ON0080
2970	仍	5FB8	EDA4	F4OO0080
2971	孕	5FB9	EDA6	F4OP0080
2972	剩	5FBA	EDA5	F4OQ0080
2973	仔	5FBB	EDA8	F4OR0080
2974	刺	5FBC	EDA9	F4OS0080
2975	咨	5FBD	EDAA	F4OT0080
2976	姊	5FBE	EDAB	F4OU0080
2977	姿	5FBF	EDAC	F4OV0080
2978	子	5FC0	EDAD	F4OW0080
2979	孜	5FC1	EDAF	F4OX0080
2980	字	5FC2	EDAE	F4OY0080
2981	恣	5FC3	EDB0	F4OZ0080
2982	慈	5FC4	EDB1	F4P00080
2983	滋	5FC5	EDB2	F4P10080

Line Number	Graphic	Host Code	PC Code	GCGID
2984	炙	5FC6	EDB3	F4P20080
2985	煮	5FC7	EDB4	F4P30080
2986	姝	5FC8	EDB5	F4P40080
2987	瓷	5FC9	EDB6	F4P50080
2988	疵	5FCA	EDB7	F4P60080
2989	皆	5FCB		F4P70080
2990	磁	5FCC	EDB8	F4P80080
2991	粢	5FCD		F4P90080
2992	紫	5FCE	EDB9	F4PA0080
2993	者	5FCF	EDBA	F4PB0080
2994	耔	5FD0		F4PC0080
2995	自	5FD1	EDBB	F4PD0080
2996	蔗	5FD2	EDBD	F4PE0080
2997	藉	5FD3	EDBE	F4PF0080
2998	觜	5FD4		F4PG0080
2999	諮	5FD5	EDBF	F4PH0080
3000	資	5FD6	EDC0	F4PI0080
3001	赭	5FD7		F4PJ0080
3002	雌	5FD8	EDC1	F4PK0080
3003	作	5FD9	EDC2	F4PL0080
3004	勺	5FDA	EDC3	F4PM0080
3005	嚼	5FDB	EDC4	F4PN0080
3006	斫	5FDC	EDC5	F4PO0080
3007	昨	5FDD	EDC6	F4PP0080
3008	柞	5FDE		F4PQ0080
3009	灼	5FDF	EDC7	F4PR0080




IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
3010	炸	5FE0	EDC8	F4PS0080
3011	爵	5FE1	EDC9	F4PT0080
3012	綽	5FE2	EDCA	F4PU0080
3013	芍	5FE3	EDCB	F4PV0080
3014	酌	5FE4	EDCC	F4PW0080
3015	雀	5FE5	EDCD	F4PX0080
3016	鵲	5FE6	EDCE	F4PY0080
3017	棧	5FE7	EDD0	F4PZ0080
3018	殘	5FE8	EDD1	F4Q00080
3019	潺	5FE9	EDD2	F4Q10080
3020	盞	5FEA	EDD3	F4Q20080
3021	岑	5FEB	EDD4	F4Q30080
3022	暫	5FEC	EDD5	F4Q40080
3023	潛	5FED	EDD6	F4Q50080
3024	潛	5FEE		F4Q60080
3025	箴	5FEF	EDD7	F4Q70080
3026	簪	5FF0	EDD8	F4Q80080
3027	蚕	5FF1		F4Q90080
3028	蠶	5FF2	EDD9	F4QA0080
3029	雜	5FF3	EDDA	F4QB0080
3030	丈	5FF4	EDDB	F4QC0080
3031	仗	5FF5	EDDC	F4QD0080
3032	匠	5FF6	EDDD	F4QE0080
3033	場	5FF7	EDDE	F4QF0080
3034	墻	5FF8	EDDF	F4QG0080
3035	獎	5FF9	EDE1	F4QH0080

Line Number	Graphic	Host Code	PC Code	GCGID
3036	嶂	5FFA		F4QI0080
3037	帳	5FFB	EDE3	F4QJ0080
3038	庄	5FFC	EDE4	F4QK0080
3039	張	5FFD	EDE5	F4QL0080
3040	掌	5FFE	EDE6	F4QM0080
3041	障	6041	EDE7	F4QP0080
3042	杖	6042	EDE8	F4QQ0080
3043	樟	6043	EDE9	F4QR0080
3044	檣	6044	EDEA	F4QS0080
3045	穢	6045	EDEB	F4QT0080
3046	漿	6046	EDEC	F4QU0080
3047	壯	6047	EDE0	F4QV0080
3048	將	6048	EDE2	F4QW0080
3049	牆	6049	EDED	F4QX0080
3050	狀	604A	EDEE	F4QY0080
3051	獐	604B	EDEF	F4QZ0080
3052	璋	604C	EDF0	F4R00080
3053	瘴	604D		F4R10080
3054	章	604E	EDF1	F4R20080
3055	粧	604F	EDF2	F4R30080
3056	腸	6050	EDF3	F4R40080
3057	臟	6051	EDF4	F4R50080
3058	莊	6052	EDF6	F4R60080
3059	葬	6053	EDF7	F4R70080
3060	蔣	6054	EDF8	F4R80080
3061	蓄	6055	EDF9	F4R90080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
3062	藏	6056	EDFA	F4RA0080
3063	装	6057		F4RB0080
3064	裝	6058	EDFB	F4RC0080
3065	贓	6059	EDFC	F4RD0080
3066	醬	605A	EDFD	F4RE0080
3067	長	605B	EDFE	F4RF0080
3068	障	605C	EEA1	F4RG0080
3069	再	605D	EEA2	F4RH0080
3070	哉	605E	EEA3	F4RI0080
3071	在	605F	EEA4	F4RJ0080
3072	宰	6060	EEA5	F4RK0080
3073	才	6061	EEA6	F4RL0080
3074	材	6062	EEA7	F4RM0080
3075	裁	6063	EEA8	F4RN0080
3076	梓	6064	EEA9	F4RO0080
3077	滓	6065	EEAB	F4RP0080
3078	災	6066	EEAC	F4RQ0080
3079	纒	6067		F4RR0080
3080	裁	6068	EEAE	F4RS0080
3081	財	6069	EEAF	F4RT0080
3082	載	606A	EEB0	F4RU0080
3083	齋	606B	EEB1	F4RV0080
3084	齎	606C	EEB2	F4RW0080
3085	爭	606D	EEB3	F4RX0080
3086	箏	606E	EEB4	F4RY0080
3087	諍	606F	EEB5	F4RZ0080

Line Number	Graphic	Host Code	PC Code	GCGID
3088	錚	6070	EEB6	F4S00080
3089	低	6071	EEB8	F4S10080
3090	佇	6072	EEB7	F4S20080
3091	儲	6073	EEB9	F4S30080
3092	咀	6074	EEBA	F4S40080
3093	姐	6075	EEBB	F4S50080
3094	底	6076	EEBC	F4S60080
3095	抵	6077	EEBD	F4S70080
3096	杵	6078	EEBE	F4S80080
3097	柢	6079		F4S90080
3098	楮	607A	EEBF	F4SA0080
3099	樗	607B	EEC0	F4SB0080
3100	沮	607C	EEC1	F4SC0080
3101	渚	607D	EEC2	F4SD0080
3102	狙	607E	EEC3	F4SE0080
3103	猪	607F	EEC4	F4SF0080
3104	疽	6080	EEC5	F4SG0080
3105	箬	6081	EEC6	F4SH0080
3106	苧	6082	EEC8	F4SI0080
3107	著	6083	EECA	F4SJ0080
3108	藟	6084	EECB	F4SK0080
3109	蛆	6085		F4SL0080
3110	詛	6086	EECC	F4SM0080
3111	豬	6087		F4SN0080
3112	貯	6088	EECD	F4SO0080
3113	躐	6089	EECE	F4SP0080




IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Table 8 (Page 28 of 37). Hanja Set(2/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
3114	這	608A	EECF	F4SQ0080
3115	邸	608B	EED0	F4SR0080
3116	勳	608C	EED3	F4SS0080
3117	嫡	608D	EED5	F4ST0080
3118	寂	608E	EED6	F4SU0080
3119	摘	608F	EED7	F4SV0080
3120	敵	6090	EED8	F4SW0080
3121	滴	6091	EED9	F4SX0080
3122	狄	6092	EEDA	F4SY0080
3123	的	6093	EEDC	F4SZ0080
3124	積	6094	EEDD	F4T00080
3125	笛	6095	EEDE	F4T10080
3126	籍	6096	EEDF	F4T20080
3127	糴	6097		F4T30080
3128	績	6098	EEE0	F4T40080
3129	荻	6099	EEE2	F4T50080
3130	譎	609A	EEE3	F4T60080
3131	賊	609B	EEE4	F4T70080
3132	赤	609C	EEE5	F4T80080
3133	跡	609D	EEE6	F4T90080
3134	蹟	609E	EEE7	F4TA0080
3135	迪	609F	EEE8	F4TB0080
3136	迹	60A0	EEE9	F4TC0080
3137	適	60A1	EEEE	F4TD0080
3138	傳	60A2	EEEE	F4TE0080
3139	全	60A3	EEEF	F4TF0080

Table 8 (Page 28 of 37). Hanja Set(2/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
3140	典	60A4	EEF0	F4TG0080
3141	前	60A5	EEF1	F4TH0080
3142	剪	60A6	EEF2	F4TI0080
3143	疇	60A7		F4TJ0080
3144	填	60A8	EEF3	F4TK0080
3145	奠	60A9	EEF5	F4TL0080
3146	專	60AA	EEF6	F4TM0080
3147	展	60AB	EEF7	F4TN0080
3148	巔	60AC		F4TO0080
3149	廛	60AD	EEF8	F4TP0080
3150	悛	60AE	EEF9	F4TQ0080
3151	戰	60AF	EEFA	F4TR0080
3152	栓	60B0	EEFB	F4TS0080
3153	殿	60B1	EEFC	F4TT0080
3154	氈	60B2	EEFD	F4TU0080
3155	澱	60B3	EEFE	F4TV0080
3156	煎	60B4	EFA1	F4TW0080
3157	田	60B5	EFA3	F4TX0080
3158	甸	60B6	EFA4	F4TY0080
3159	癩	60B7	EFA6	F4TZ0080
3160	磚	60B8		F4U00080
3161	箋	60B9	EFA8	F4U10080
3162	箭	60BA	EFA9	F4U20080
3163	篆	60BB	EFAA	F4U30080
3164	纏	60BC	EFAB	F4U40080
3165	翦	60BD		F4U50080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
3166	詮	60BE	EFAC	F4U60080
3167	輓	60BF	EFAD	F4U70080
3168	轉	60C0	EFAE	F4U80080
3169	鈿	60C1	EFAF	F4U90080
3170	銓	60C2	EFB0	F4UA0080
3171	錢	60C3	EFB1	F4UB0080
3172	電	60C4	EFB3	F4UC0080
3173	顛	60C5	EFB4	F4UD0080
3174	顛	60C6	EFB5	F4UE0080
3175	餞	60C7	EFB6	F4UF0080
3176	切	60C8	EFB7	F4UG0080
3177	截	60C9	EFB8	F4UH0080
3178	折	60CA	EFB9	F4UI0080
3179	浙	60CB	EFBA	F4UJ0080
3180	窃	60CC		F4UK0080
3181	竊	60CD	EFBC	F4UL0080
3182	節	60CE	EFBD	F4UM0080
3183	絕	60CF	EFBE	F4UN0080
3184	占	60D0	EFBF	F4UO0080
3185	帖	60D1	EFC0	F4UP0080
3186	店	60D2	EFC1	F4UQ0080
3187	漸	60D3	EFC2	F4UR0080
3188	点	60D4	EFC3	F4US0080
3189	點	60D5	EFC7	F4UT0080
3190	粘	60D6	EFC4	F4UU0080
3191	霑	60D7	EFC5	F4UV0080

Line Number	Graphic	Host Code	PC Code	GCGID
3192	接	60D8	EFC8	F4UW0080
3193	摺	60D9	EFC9	F4UX0080
3194	接	60DA		F4UY0080
3195	蝶	60DB	EFCA	F4UZ0080
3196	丁	60DC	EFCB	F4V00080
3197	井	60DD	EFCC	F4V10080
3198	亭	60DE	EFCD	F4V20080
3199	停	60DF	EFCE	F4V30080
3200	偵	60E0	EFCF	F4V40080
3201	呈	60E1	EFD0	F4V50080
3202	妊	60E2	EFD1	F4V60080
3203	幘	60E3	EFD3	F4V70080
3204	廷	60E4	EFD5	F4V80080
3205	征	60E5	EFD6	F4V90080
3206	定	60E6	EFD2	F4VA0080
3207	庭	60E7	EFD4	F4VB0080
3208	情	60E8	EFD7	F4VC0080
3209	挺	60E9	EFD8	F4VD0080
3210	政	60EA	EFD9	F4VE0080
3211	整	60EB	EFDA	F4VF0080
3212	旌	60EC	EFDB	F4VG0080
3213	晶	60ED	EFDC	F4VH0080
3214	畚	60EE	EFDD	F4VI0080
3215	挺	60EF		F4VJ0080
3216	楨	60F0	EFDF	F4VK0080
3217	正	60F1	EFE1	F4VL0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Table 8 (Page 30 of 37). Hanja Set(2/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
3218	汀	60F2	EFE2	F4VM0080
3219	淨	60F3	EFE4	F4VN0080
3220	淳	60F4	EFE5	F4VO0080
3221	町	60F5	EFEB	F4VP0080
3222	睛	60F6	EFEC	F4VQ0080
3223	碇	60F7	EFED	F4VR0080
3224	禎	60F8	EFEE	F4VS0080
3225	程	60F9	EFEF	F4VT0080
3226	弈	60FA	EFF0	F4VU0080
3227	靖	60FB	EFFE	F4VV0080
3228	精	60FC	EFF1	F4VW0080
3229	艇	60FD	EFF3	F4VX0080
3230	訂	60FE	EFF4	F4VY0080
3231	諄	6141	EFF5	F4W10080
3232	貞	6142	EFF6	F4W20080
3233	鄭	6143	EFF7	F4W30080
3234	酌	6144	EFF8	F4W40080
3235	釘	6145	EFF9	F4W50080
3236	鉦	6146	EFFA	F4W60080
3237	錠	6147	EFFC	F4W70080
3238	霆	6148	EFFD	F4W80080
3239	靜	6149	F0A1	F4W90080
3240	頂	614A	F0A2	F4WA0080
3241	鼎	614B	F0A3	F4WB0080
3242	制	614C	F0A4	F4WC0080
3243	劑	614D	F0A5	F4WD0080

Table 8 (Page 30 of 37). Hanja Set(2/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
3244	啼	614E	F0A6	F4WE0080
3245	堤	614F	F0A7	F4WF0080
3246	帝	6150	F0A8	F4WG0080
3247	弟	6151	F0A9	F4WH0080
3248	悌	6152	F0AA	F4WI0080
3249	提	6153	F0AB	F4WJ0080
3250	哲	6154		F4WK0080
3251	梯	6155	F0AC	F4WL0080
3252	濟	6156	F0AD	F4WM0080
3253	堤	6157		F4WN0080
3254	臍	6158	F0B0	F4WO0080
3255	祭	6159	F0AE	F4WP0080
3256	第	615A	F0AF	F4WQ0080
3257	齊	615B	F0B1	F4WR0080
3258	製	615C	F0B2	F4WS0080
3259	諸	615D	F0B3	F4WT0080
3260	踀	615E		F4WU0080
3261	蹄	615F	F0B4	F4WV0080
3262	醜	6160	F0B5	F4WW0080
3263	除	6161	F0B6	F4WX0080
3264	際	6162	F0B7	F4WY0080
3265	霽	6163	F0B8	F4WZ0080
3266	題	6164	F0B9	F4X00080
3267	齊	6165	F0BA	F4X10080
3268	俎	6166	F0BB	F4X20080
3269	潤	6167	F0BD	F4X30080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
3270	兆	6168	F0BC	F4X40080
3271	助	6169	F0BE	F4X50080
3272	吊	616A		F4X60080
3273	嘲	616B	F0BF	F4X70080
3274	噪	616C		F4X80080
3275	弔	616D	F0C0	F4X90080
3276	彫	616E	F0C1	F4XA0080
3277	措	616F	F0C2	F4XB0080
3278	操	6170	F0C3	F4XC0080
3279	早	6171	F0C4	F4XD0080
3280	晁	6172	F0C5	F4XE0080
3281	曹	6173	F0C6	F4XF0080
3282	曹	6174	F0C7	F4XG0080
3283	朝	6175	F0C8	F4XH0080
3284	條	6176	F0C9	F4XI0080
3285	棗	6177	F0CA	F4XJ0080
3286	槽	6178	F0CB	F4XK0080
3287	漕	6179	F0CC	F4XL0080
3288	潮	617A	F0CD	F4XM0080
3289	照	617B	F0CE	F4XN0080
3290	燥	617C	F0CF	F4XO0080
3291	爪	617D	F0D0	F4XP0080
3292	阜	617E		F4XQ0080
3293	眺	617F	F0D2	F4XR0080
3294	祖	6180	F0D3	F4XS0080
3295	祚	6181	F0D4	F4XT0080

Line Number	Graphic	Host Code	PC Code	GCGID
3296	租	6182	F0D5	F4XU0080
3297	稠	6183	F0D6	F4XV0080
3298	窀	6184	F0D7	F4XW0080
3299	竈	6185		F4XX0080
3300	箮	6186		F4XY0080
3301	粗	6187	F0D8	F4XZ0080
3302	糟	6188	F0D9	F4Y00080
3303	糴	6189		F4Y10080
3304	組	618A	F0DA	F4Y20080
3305	條	618B		F4Y30080
3306	繰	618C	F0DB	F4Y40080
3307	肇	618D	F0DC	F4Y50080
3308	藻	618E	F0DD	F4Y60080
3309	蚤	618F	F0DE	F4Y70080
3310	詔	6190	F0DF	F4Y80080
3311	調	6191	F0E0	F4Y90080
3312	趙	6192	F0E1	F4YA0080
3313	躁	6193	F0E2	F4YB0080
3314	造	6194	F0E3	F4YC0080
3315	遭	6195	F0E4	F4YD0080
3316	釣	6196	F0E5	F4YE0080
3317	阻	6197	F0E6	F4YF0080
3318	鯛	6198		F4YG0080
3319	烏	6199	F0E8	F4YH0080
3320	族	619A	F0E9	F4YI0080
3321	簇	619B	F0EA	F4YJ0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
3322	足	619C	F0EB	F4YK0080
3323	蹠	619D	F0EC	F4YL0080
3324	存	619E	F0ED	F4YM0080
3325	尊	619F	F0EE	F4YN0080
3326	卒	61A0	F0EF	F4YO0080
3327	拙	61A1	F0F0	F4YP0080
3328	猝	61A2	F0F1	F4YQ0080
3329	倥	61A3	F0F2	F4YR0080
3330	宗	61A4	F0F3	F4YS0080
3331	從	61A5	F0F4	F4YT0080
3332	慫	61A6	F0F6	F4YU0080
3333	棕	61A7	F0F7	F4YV0080
3334	樅	61A8		F4YW0080
3335	淙	61A9	F0F8	F4YX0080
3336	琮	61AA	F0F9	F4YY0080
3337	種	61AB	F0FA	F4YZ0080
3338	終	61AC	F0FB	F4Z00080
3339	綜	61AD	F0FC	F4Z10080
3340	縱	61AE	F0FD	F4Z20080
3341	腫	61AF	F0FE	F4Z30080
3342	踵	61B0	F1A2	F4Z40080
3343	蹤	61B1		F4Z50080
3344	鍾	61B2	F1A3	F4Z60080
3345	鐘	61B3	F1A4	F4Z70080
3346	佐	61B4	F1A5	F4Z80080
3347	坐	61B5	F1A6	F4Z90080

Line Number	Graphic	Host Code	PC Code	GCGID
3348	左	61B6	F1A7	F4ZA0080
3349	座	61B7	F1A8	F4ZB0080
3350	挫	61B8	F1A9	F4ZC0080
3351	罪	61B9	F1AA	F4ZD0080
3352	主	61BA	F1AB	F4ZE0080
3353	住	61BB	F1AC	F4ZF0080
3354	侏	61BC	F1AD	F4ZG0080
3355	做	61BD	F1AE	F4ZH0080
3356	廚	61BE	F1B7	F4ZI0080
3357	呪	61BF	F1B1	F4ZJ0080
3358	周	61C0	F1B2	F4ZK0080
3359	嗾	61C1	F1B3	F4ZL0080
3360	奏	61C2	F1B4	F4ZM0080
3361	宙	61C3	F1B5	F4ZN0080
3362	州	61C4	F1B6	F4ZO0080
3363	晝	61C5	F1B8	F4ZP0080
3364	朱	61C6	F1B9	F4ZQ0080
3365	柱	61C7	F1BA	F4ZR0080
3366	株	61C8	F1BB	F4ZS0080
3367	炷	61C9	F1C0	F4ZT0080
3368	注	61CA	F1BC	F4ZU0080
3369	洲	61CB	F1BD	F4ZV0080
3370	酒	61CC	F1D0	F4ZW0080
3371	珠	61CD	F1C1	F4ZX0080
3372	疇	61CE	F1C2	F4ZY0080
3373	簇	61CF		F4ZZ0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
3374	籌	61D0	F1C3	F5000080
3375	紂	61D1	F1C4	F5010080
3376	紬	61D2	F1C5	F5020080
3377	網	61D3	F1C6	F5030080
3378	肘	61D4		F5040080
3379	冑	61D5	F1B0	F5050080
3380	舟	61D6	F1C7	F5060080
3381	蛛	61D7	F1C8	F5070080
3382	註	61D8	F1C9	F5080080
3383	誅	61D9	F1CA	F5090080
3384	走	61DA	F1CB	F50A0080
3385	躊	61DB	F1CC	F50B0080
3386	輳	61DC	F1CD	F50C0080
3387	耐	61DD	F1CF	F50D0080
3388	週	61DE	F1CE	F50E0080
3389	鑄	61DF	F1D1	F50F0080
3390	駐	61E0	F1D2	F50G0080
3391	竹	61E1	F1D3	F50H0080
3392	粥	61E2	F1D4	F50I0080
3393	俊	61E3	F1D5	F50J0080
3394	僞	61E4	F1D6	F50K0080
3395	准	61E5	F1D7	F50L0080
3396	竣	61E6	F1D8	F50M0080
3397	峻	61E7	F1DA	F50N0080
3398	竣	61E8	F1DB	F50O0080
3399	樽	61E9	F1DC	F50P0080

Line Number	Graphic	Host Code	PC Code	GCGID
3400	浚	61EA	F1DD	F50Q0080
3401	準	61EB	F1DE	F50R0080
3402	濬	61EC	F1DF	F50S0080
3403	峻	61ED	F1E1	F50T0080
3404	竣	61EE	F1E2	F50U0080
3405	蠢	61EF	F1E3	F50V0080
3406	逡	61F0	F1E4	F50W0080
3407	遵	61F1	F1E5	F50X0080
3408	隼	61F2		F50Y0080
3409	駿	61F3	F1E7	F50Z0080
3410	茁	61F4	F1E8	F5100080
3411	中	61F5	F1E9	F5110080
3412	仲	61F6	F1EA	F5120080
3413	衆	61F7	F1EB	F5130080
3414	重	61F8	F1EC	F5140080
3415	則	61F9		F5150080
3416	卽	61FA	F1ED	F5160080
3417	櫛	61FB	F1EE	F5170080
3418	楫	61FC	F1EF	F5180080
3419	汁	61FD	F1F0	F5190080
3420	萑	61FE	F1F1	F51A0080
3421	增	6241	F1F2	F51D0080
3422	憎	6242	F1F3	F51E0080
3423	拯	6243	F1F5	F51F0080
3424	烝	6244	F1F6	F51G0080
3425	曾	6245	F1F4	F51H0080




IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
3426	飭	6246	F1F7	F51I0080
3427	症	6247	F1F8	F51J0080
3428	蒸	6248	F1FA	F51K0080
3429	証	6249		F51L0080
3430	證	624A	F1FB	F51M0080
3431	贈	624B	F1FC	F51N0080
3432	之	624C	F1FD	F51O0080
3433	只	624D	F1FE	F51P0080
3434	咫	624E	F2A1	F51Q0080
3435	地	624F	F2A2	F51R0080
3436	址	6250	F2A3	F51S0080
3437	志	6251	F2A4	F51T0080
3438	持	6252	F2A5	F51U0080
3439	指	6253	F2A6	F51V0080
3440	摯	6254	F2A7	F51W0080
3441	支	6255	F2A8	F51X0080
3442	旨	6256	F2A9	F51Y0080
3443	智	6257	F2AA	F51Z0080
3444	枝	6258	F2AB	F5200080
3445	枳	6259	F2AC	F5210080
3446	止	625A	F2AD	F5220080
3447	池	625B	F2AE	F5230080
3448	漬	625C	F2B0	F5240080
3449	痣	625D		F5250080
3450	知	625E	F2B1	F5260080
3451	砥	625F	F2B2	F5270080

Line Number	Graphic	Host Code	PC Code	GCGID
3452	祗	6260	F2B4	F5280080
3453	祉	6261	F2B3	F5290080
3454	紙	6262	F2B5	F52A0080
3455	肢	6263	F2B6	F52B0080
3456	脂	6264	F2B7	F52C0080
3457	至	6265	F2B8	F52D0080
3458	芝	6266	F2B9	F52E0080
3459	蚰	6267	F2BB	F52F0080
3460	誌	6268	F2BC	F52G0080
3461	識	6269	F2BD	F52H0080
3462	贄	626A	F2BE	F52I0080
3463	趾	626B	F2BF	F52J0080
3464	遲	626C	F2C0	F52K0080
3465	直	626D	F2C1	F52L0080
3466	稭	626E	F2C2	F52M0080
3467	稷	626F	F2C3	F52N0080
3468	織	6270	F2C4	F52O0080
3469	職	6271	F2C5	F52P0080
3470	辰	6272	F2E3	F52Q0080
3471	嗔	6273	F2C7	F52R0080
3472	塵	6274	F2C8	F52S0080
3473	振	6275	F2C9	F52T0080
3474	晉	6276	F2CB	F52U0080
3475	榛	6277	F2CE	F52V0080
3476	津	6278	F2D0	F52W0080
3477	溱	6279	F2D1	F52X0080




IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
3478	珍	627A	F2D2	F52Y0080
3479	璿	627B	F2D3	F52Z0080
3480	璉	627C	F2D4	F5300080
3481	疹	627D	F2D6	F5310080
3482	盡	627E	F2D7	F5320080
3483	眞	627F	F2D8	F5330080
3484	瞋	6280	F2D9	F5340080
3485	秦	6281	F2DA	F5350080
3486	縉	6282	F2DB	F5360080
3487	診	6283	F2E0	F5370080
3488	賑	6284	F2E1	F5380080
3489	軫	6285	F2E2	F5390080
3490	進	6286	F2E4	F53A0080
3491	鎮	6287	F2E5	F53B0080
3492	陣	6288	F2E6	F53C0080
3493	陳	6289	F2E7	F53D0080
3494	震	628A	F2E8	F53E0080
3495	叱	628B	F2EA	F53F0080
3496	窒	628C	F2F2	F53G0080
3497	姪	628D	F2EB	F53H0080
3498	嫉	628E	F2EC	F53I0080
3499	帙	628F	F2ED	F53J0080
3500	桎	6290	F2EE	F53K0080
3501	疾	6291	F2F0	F53L0080
3502	秩	6292	F2F1	F53M0080
3503	臙	6293	F2F3	F53N0080

Line Number	Graphic	Host Code	PC Code	GCGID
3504	蛭	6294	F2F4	F53O0080
3505	質	6295	F2F5	F53P0080
3506	跌	6296	F2F6	F53Q0080
3507	迭	6297	F2F7	F53R0080
3508	斟	6298	F2F8	F53S0080
3509	朕	6299	F2F9	F53T0080
3510	執	629A	F2FB	F53U0080
3511	集	629B	F3A2	F53V0080
3512	緝	629C	F2FD	F53W0080
3513	輯	629D	F2FE	F53X0080
3514	徵	629E	F3A3	F53Y0080
3515	懲	629F	F3A4	F53Z0080
3516	澄	62A0	F3A5	F5400080
3517	且	62A1	F3A6	F5410080
3518	借	62A2	F3A8	F5420080
3519	筭	62A3	F3B0	F5430080
3520	又	62A4	F3A9	F5440080
3521	嗟	62A5	F3AA	F5450080
3522	差	62A6	F3AC	F5460080
3523	嗟	62A7	F3AB	F5470080
3524	次	62A8	F3AD	F5480080
3525	此	62A9	F3AE	F5490080
3526	磋	62AA	F3AF	F54A0080
3527	茶	62AB	F3B1	F54B0080
3528	蹉	62AC	F3B2	F54C0080
3529	遮	62AD	F3B4	F54D0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
3530	車	62AE	F3B3	F54E0080
3531	捉	62AF	F3B5	F54F0080
3532	搾	62B0	F3B6	F54G0080
3533	着	62B1	F3B7	F54H0080
3534	窄	62B2	F3B8	F54I0080
3535	錯	62B3	F3B9	F54J0080
3536	鑿	62B4	F3BA	F54K0080
3537	齷	62B5	F3BB	F54L0080
3538	撰	62B6	F3BC	F54M0080
3539	濼	62B7	F3BD	F54N0080
3540	燦	62B8	F3BE	F54O0080
3541	璨	62B9	F3BF	F54P0080
3542	瓚	62BA	F3C0	F54Q0080
3543	竄	62BB	F3C1	F54R0080
3544	纂	62BC	F3C3	F54S0080
3545	粲	62BD	F3C4	F54T0080
3546	纘	62BE	F3C5	F54U0080
3547	讚	62BF	F3C6	F54V0080
3548	贊	62C0	F3C7	F54W0080
3549	鑽	62C1	F3C8	F54X0080
3550	滄	62C2		F54Y0080
3551	餐	62C3	F3C9	F54Z0080
3552	饌	62C4	F3CA	F5500080
3553	刹	62C5	F3CB	F5510080
3554	察	62C6	F3CC	F5520080
3555	擦	62C7	F3CD	F5530080

Line Number	Graphic	Host Code	PC Code	GCGID
3556	札	62C8	F3CE	F5540080
3557	僭	62C9	F3D0	F5550080
3558	參	62CA	F3D1	F5560080
3559	塹	62CB	F3D2	F5570080
3560	慘	62CC	F3D3	F5580080
3561	慙	62CD	F3D4	F5590080
3562	慚	62CE		F55A0080
3563	饑	62CF	F3D5	F55B0080
3564	斬	62D0	F3D6	F55C0080
3565	站	62D1	F3D7	F55D0080
3566	讒	62D2	F3D8	F55E0080
3567	倡	62D3	F3DB	F55F0080
3568	倉	62D4	F3DA	F55G0080
3569	剏	62D5		F55H0080
3570	創	62D6	F3DC	F55I0080
3571	唱	62D7	F3DD	F55J0080
3572	娼	62D8	F3DE	F55K0080
3573	廠	62D9	F3DF	F55L0080
3574	彰	62DA	F3E0	F55M0080
3575	悵	62DB		F55N0080
3576	敞	62DC	F3E2	F55O0080
3577	昌	62DD	F3E3	F55P0080
3578	昶	62DE	F3E4	F55Q0080
3579	暢	62DF	F3E5	F55R0080
3580	槍	62E0	F3E6	F55S0080
3581	鑿	62E1		F55T0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Table 8 (Page 37 of 37). Hanja Set(2/3), DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
3582	滄	62E2	F3E7	F55U0080
3583	漲	62E3	F3E8	F55V0080
3584	瘡	62E4	F3EA	F55W0080
3585	窓	62E5	F3EB	F55X0080
3586	脹	62E6	F3EC	F55Y0080
3587	艙	62E7	F3ED	F55Z0080
3588	菖	62E8	F3EE	F5600080
3589	蒼	62E9	F3EF	F5610080
3590	債	62EA	F3F0	F5620080
3591	塚	62EB	F3F1	F5630080
3592	彩	62EC	F3F4	F5640080
3593	採	62ED	F3F5	F5650080
3594	砦	62EE	F3F6	F5660080
3595	綵	62EF	F3F7	F5670080
3596	菜	62F0	F3F8	F5680080
3597	蔡	62F1	F3F9	F5690080
3598	采	62F2	F3FA	F56A0080
3599	釵	62F3	F3FB	F56B0080
3600	册	62F4	F3FC	F56C0080
3601	柵	62F5	F3FD	F56D0080
3602	策	62F6	F3FE	F56E0080
3603	簣	62F7		F56F0080
3604	責	62F8	F4A1	F56G0080
3605	淒	62F9	F4A2	F56H0080
3606	妻	62FA	F4A3	F56I0080
3607	悽	62FB	F4A4	F56J0080

Table 8 (Page 37 of 37). Hanja Set(2/3), DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
3608	處	62FC	F4A5	F56K0080
3609	刺	62FD	F4A7	F56L0080
3610	剔	62FE	F4A8	F56M0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

8.5 Hanja Set(3/3)

Table 9 (Page 1 of 32). Hanja Set(3/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
3611	尺	6341	F4A9	F56P0080
3612	憾	6342	F4AA	F56Q0080
3613	戚	6343	F4AB	F56R0080
3614	拓	6344	F4AC	F56S0080
3615	擲	6345	F4AD	F56T0080
3616	斥	6346	F4AE	F56U0080
3617	滌	6347	F4AF	F56V0080
3618	瘠	6348	F4B0	F56W0080
3619	脊	6349	F4B1	F56X0080
3620	蜴	634A		F56Y0080
3621	躑	634B		F56Z0080
3622	陟	634C	F4B3	F5700080
3623	隻	634D	F4B4	F5710080
3624	仟	634E	F4B5	F5720080
3625	千	634F	F4B6	F5730080
3626	喘	6350	F4B7	F5740080
3627	天	6351	F4B8	F5750080
3628	川	6352	F4B9	F5760080
3629	擅	6353	F4BA	F5770080
3630	泉	6354	F4BB	F5780080
3631	淺	6355	F4BC	F5790080
3632	濺	6356		F57A0080
3633	穿	6357	F4BE	F57B0080
3634	舛	6358	F4BF	F57C0080
3635	薦	6359	F4C0	F57D0080

Table 9 (Page 1 of 32). Hanja Set(3/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
3636	賤	635A	F4C1	F57E0080
3637	踐	635B	F4C2	F57F0080
3638	遷	635C	F4C3	F57G0080
3639	釧	635D	F4C4	F57H0080
3640	闡	635E	F4C5	F57I0080
3641	阡	635F	F4C6	F57J0080
3642	韃	6360	F4C7	F57K0080
3643	凸	6361	F4C8	F57L0080
3644	徹	6362	F4CB	F57M0080
3645	哲	6363	F4C9	F57N0080
3646	喆	6364	F4CA	F57O0080
3647	撤	6365	F4CC	F57P0080
3648	澈	6366	F4CD	F57Q0080
3649	綴	6367	F4CE	F57R0080
3650	轍	6368	F4D0	F57S0080
3651	鐵	6369	F4D1	F57T0080
3652	僉	636A	F4D2	F57U0080
3653	尖	636B	F4D3	F57V0080
3654	沾	636C	F4D4	F57W0080
3655	添	636D	F4D5	F57X0080
3656	甜	636E	F4D6	F57Y0080
3657	瞻	636F	F4D7	F57Z0080
3658	簷	6370		F5800080
3659	籤	6371	F4D9	F5810080
3660	諂	6372	F4DB	F5820080
3661	妾	6373	F4DD	F5830080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
3662	帖	6374	F4DE	F5840080
3663	捷	6375	F4DF	F5850080
3664	牒	6376	F4E0	F5860080
3665	疊	6377	F4E1	F5870080
3666	睫	6378	F4E2	F5880080
3667	諜	6379	F4E3	F5890080
3668	貼	637A	F4E4	F58A0080
3669	輒	637B	F4E5	F58B0080
3670	廳	637C	F4E6	F58C0080
3671	晴	637D	F4E7	F58D0080
3672	清	637E	F4E8	F58E0080
3673	聽	637F	F4E9	F58F0080
3674	菁	6380	F4EA	F58G0080
3675	蜻	6381		F58H0080
3676	請	6382	F4EB	F58I0080
3677	青	6383	F4EC	F58J0080
3678	鯖	6384	F4ED	F58K0080
3679	切	6385	F4EE	F58L0080
3680	荆	6386	F4EF	F58M0080
3681	替	6387	F4F0	F58N0080
3682	涕	6388	F4F1	F58O0080
3683	滯	6389	F4F2	F58P0080
3684	砌	638A		F58Q0080
3685	締	638B	F4F3	F58R0080
3686	諦	638C	F4F4	F58S0080
3687	逮	638D	F4F5	F58T0080

Line Number	Graphic	Host Code	PC Code	GCGID
3688	遞	638E	F4F6	F58U0080
3689	遞	638F		F58V0080
3690	體	6390	F4F7	F58W0080
3691	初	6391	F4F8	F58X0080
3692	哨	6392	F4FA	F58Y0080
3693	峭	6393		F58Z0080
3694	樵	6394	F4FB	F5900080
3695	抄	6395	F4FC	F5910080
3696	招	6396	F4FD	F5920080
3697	梢	6397	F4FE	F5930080
3698	椒	6398	F5A1	F5940080
3699	楚	6399	F5A2	F5950080
3700	樵	639A	F5A3	F5960080
3701	炒	639B	F5A4	F5970080
3702	焦	639C	F5A5	F5980080
3703	硝	639D	F5A6	F5990080
3704	礁	639E	F5A7	F59A0080
3705	礎	639F	F5A8	F59B0080
3706	秒	63A0	F5A9	F59C0080
3707	稍	63A1	F5AA	F59D0080
3708	綃	63A2		F59E0080
3709	肖	63A3	F5AB	F59F0080
3710	草	63A4	F5AE	F59G0080
3711	蕉	63A5	F5AF	F59H0080
3712	貂	63A6	F5B0	F59I0080
3713	超	63A7	F5B1	F59J0080




IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Table 9 (Page 3 of 32). Hanja Set(3/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
3714	酢	63A8	F5B2	F59K0080
3715	醋	63A9	F5B3	F59L0080
3716	醮	63AA	F5B4	F59M0080
3717	鈔	63AB		F59N0080
3718	鞞	63AC		F59O0080
3719	促	63AD	F5B5	F59P0080
3720	囑	63AE	F5B6	F59Q0080
3721	數	63AF		F59R0080
3722	燭	63B0	F5B7	F59S0080
3723	轟	63B1	F5B8	F59T0080
3724	蜀	63B2	F5B9	F59U0080
3725	觸	63B3	F5BA	F59V0080
3726	躅	63B4		F59W0080
3727	鬮	63B5		F59X0080
3728	寸	63B6	F5BB	F59Y0080
3729	付	63B7	F5BC	F59Z0080
3730	村	63B8	F5BD	F5A00080
3731	叢	63B9	F5BF	F5A10080
3732	塚	63BA	F5C0	F5A20080
3733	寵	63BB	F5C1	F5A30080
3734	忽	63BC		F5A40080
3735	摠	63BD	F5C4	F5A50080
3736	總	63BE	F5C5	F5A60080
3737	聰	63BF	F5C6	F5A70080
3738	葱	63C0		F5A80080
3739	銃	63C1	F5C8	F5A90080

Table 9 (Page 3 of 32). Hanja Set(3/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
3740	撮	63C2	F5C9	F5AA0080
3741	催	63C3	F5CA	F5AB0080
3742	崔	63C4	F5CB	F5AC0080
3743	摧	63C5		F5AD0080
3744	最	63C6	F5CC	F5AE0080
3745	墜	63C7	F5CD	F5AF0080
3746	抽	63C8	F5CE	F5AG0080
3747	推	63C9	F5CF	F5AH0080
3748	椎	63CA	F5D0	F5AI0080
3749	楸	63CB	F5D1	F5AJ0080
3750	槌	63CC		F5AK0080
3751	樞	63CD	F5D2	F5AL0080
3752	湫	63CE	F5D3	F5AM0080
3753	瓮	63CF		F5AN0080
3754	皺	63D0	F5D4	F5AO0080
3755	秋	63D1	F5D5	F5AP0080
3756	箒	63D2		F5AQ0080
3757	芻	63D3	F5D6	F5AR0080
3758	萩	63D4	F5D7	F5AS0080
3759	趨	63D5	F5D9	F5AT0080
3760	追	63D6	F5DA	F5AU0080
3761	鄒	63D7	F5DB	F5AV0080
3762	曾	63D8	F5DC	F5AW0080
3763	醜	63D9	F5DD	F5AX0080
3764	錘	63DA	F5DF	F5AY0080
3765	錐	63DB	F5DE	F5AZ0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
3766	雛	63DC	F5E1	F5B00080
3767	鞦	63DD		F5B10080
3768	鯪	63DE	F5E3	F5B20080
3769	麤	63DF		F5B30080
3770	麤	63E0		F5B40080
3771	丑	63E1	F5E4	F5B50080
3772	杻	63E2		F5B60080
3773	祝	63E3	F5E6	F5B70080
3774	畜	63E4	F5E5	F5B80080
3775	竺	63E5	F5E7	F5B90080
3776	筑	63E6	F5E8	F5BA0080
3777	築	63E7	F5E9	F5BB0080
3778	縮	63E8	F5EA	F5BC0080
3779	舳	63E9		F5BD0080
3780	蓄	63EA	F5EB	F5BE0080
3781	蹴	63EB	F5ED	F5BF0080
3782	軸	63EC	F5EE	F5BG0080
3783	逐	63ED	F5EF	F5BH0080
3784	春	63EE	F5F0	F5BI0080
3785	椿	63EF	F5F1	F5BJ0080
3786	出	63F0	F5F3	F5BK0080
3787	黜	63F1	F5F5	F5BL0080
3788	充	63F2	F5F6	F5BM0080
3789	冲	63F3		F5BN0080
3790	忠	63F4	F5F7	F5BO0080
3791	沖	63F5	F5F8	F5BP0080

Line Number	Graphic	Host Code	PC Code	GCGID
3792	蟲	63F6	F5F9	F5BQ0080
3793	衝	63F7	F5FA	F5BR0080
3794	衷	63F8	F5FB	F5BS0080
3795	悴	63F9	F5FC	F5BT0080
3796	臍	63FA	F5FD	F5BU0080
3797	萃	63FB	F5FE	F5BV0080
3798	取	63FC	F6A2	F5BW0080
3799	吹	63FD	F6A3	F5BX0080
3800	嘴	63FE	F6A4	F5BY0080
3801	娶	6441	F6A5	F5C10080
3802	就	6442	F6A6	F5C20080
3803	橈	6443		F5C30080
3804	炊	6444	F6A7	F5C40080
3805	翠	6445	F6A8	F5C50080
3806	聚	6446	F6A9	F5C60080
3807	脆	6447	F6AA	F5C70080
3808	臭	6448	F6AB	F5C80080
3809	贅	6449		F5C90080
3810	趣	644A	F6AC	F5CA0080
3811	醉	644B	F6AD	F5CB0080
3812	驟	644C	F6AE	F5CC0080
3813	驚	644D	F6AF	F5CD0080
3814	仄	644E	F6B1	F5CE0080
3815	側	644F	F6B0	F5CF0080
3816	惻	6450	F6B3	F5CG0080
3817	測	6451	F6B4	F5CH0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Table 9 (Page 5 of 32). Hanja Set(3/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
3818	層	6452	F6B5	F5CI0080
3819	侈	6453	F6B6	F5CJ0080
3820	值	6454	F6B7	F5CK0080
3821	嗤	6455	F6B8	F5CL0080
3822	峙	6456	F6B9	F5CM0080
3823	卮	6457		F5CN0080
3824	幟	6458	F6BA	F5CO0080
3825	徵	6459		F5CP0080
3826	梔	645A	F6BC	F5CQ0080
3827	治	645B	F6BD	F5CR0080
3828	淄	645C	F6BE	F5CS0080
3829	熾	645D	F6BF	F5CT0080
3830	痔	645E	F6C0	F5CU0080
3831	痴	645F	F6C1	F5CV0080
3832	癡	6460	F6C2	F5CW0080
3833	雉	6461	F6CB	F5CX0080
3834	稚	6462	F6C3	F5CY0080
3835	緇	6463	F6C5	F5CZ0080
3836	緻	6464	F6C6	F5D00080
3837	置	6465	F6C7	F5D10080
3838	恥	6466	F6BB	F5D20080
3839	致	6467	F6C8	F5D30080
3840	輜	6468	F6CA	F5D40080
3841	馳	6469	F6CC	F5D50080
3842	鷄	646A		F5D60080
3843	齒	646B	F6CD	F5D70080

Table 9 (Page 5 of 32). Hanja Set(3/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
3844	則	646C	F6CE	F5D80080
3845	勅	646D	F6CF	F5D90080
3846	飭	646E	F6D0	F5DA0080
3847	親	646F	F6D1	F5DB0080
3848	七	6470	F6D2	F5DC0080
3849	柒	6471	F6D3	F5DD0080
3850	漆	6472	F6D4	F5DE0080
3851	侵	6473	F6D5	F5DF0080
3852	寢	6474	F6D6	F5DG0080
3853	忱	6475		F5DH0080
3854	枕	6476	F6D7	F5DI0080
3855	沈	6477	F6D8	F5DJ0080
3856	浸	6478	F6D9	F5DK0080
3857	砧	6479	F6DB	F5DL0080
3858	針	647A	F6DC	F5DM0080
3859	鍼	647B	F6DD	F5DN0080
3860	蟄	647C	F6DE	F5DO0080
3861	秤	647D	F6DF	F5DP0080
3862	稱	647E	F6E0	F5DQ0080
3863	快	647F	F6E1	F5DR0080
3864	他	6480	F6E2	F5DS0080
3865	唾	6481	F6E4	F5DT0080
3866	墮	6482	F6E5	F5DU0080
3867	妥	6483	F6E6	F5DV0080
3868	惰	6484	F6E7	F5DW0080
3869	打	6485	F6E8	F5DX0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
3870	朶	6486	F6EA	F5DY0080
3871	檣	6487	F6EB	F5DZ0080
3872	舵	6488	F6EC	F5E00080
3873	陀	6489	F6ED	F5E10080
3874	駝	648A	F6EF	F5E20080
3875	倬	648B	F6F0	F5E30080
3876	卓	648C	F6F1	F5E40080
3877	啄	648D	F6F2	F5E50080
3878	度	648E	F6F4	F5E60080
3879	托	648F	F6F5	F5E70080
3880	拆	6490		F5E80080
3881	拓	6491	F6F6	F5E90080
3882	擢	6492	F6F7	F5EA0080
3883	柝	6493	F6F9	F5EB0080
3884	橐	6494		F5EC0080
3885	濁	6495	F6FA	F5ED0080
3886	濯	6496	F6FB	F5EE0080
3887	琢	6497	F6FC	F5EF0080
3888	託	6498	F6FE	F5EG0080
3889	鐸	6499	F7A1	F5EH0080
3890	呑	649A	F7A2	F5EI0080
3891	嘆	649B	F7A3	F5EJ0080
3892	坦	649C	F7A4	F5EK0080
3893	彈	649D	F7A5	F5EL0080
3894	憚	649E	F7A6	F5EM0080
3895	歎	649F	F7A7	F5EN0080

Line Number	Graphic	Host Code	PC Code	GCGID
3896	灘	64A0	F7A8	F5EO0080
3897	炭	64A1	F7A9	F5EP0080
3898	綻	64A2	F7AA	F5EQ0080
3899	誕	64A3	F7AB	F5ER0080
3900	奪	64A4	F7AC	F5ES0080
3901	脫	64A5	F7AD	F5ET0080
3902	探	64A6	F7AE	F5EU0080
3903	耽	64A7	F7B0	F5EV0080
3904	貪	64A8	F7B1	F5EW0080
3905	塔	64A9	F7B2	F5EX0080
3906	搭	64AA	F7B3	F5EY0080
3907	榻	64AB	F7B4	F5EZ0080
3908	宕	64AC	F7B5	F5F00080
3909	帑	64AD	F7B6	F5F10080
3910	湯	64AE	F7B7	F5F20080
3911	蕩	64AF	F7B9	F5F30080
3912	兌	64B0	F7BA	F5F40080
3913	台	64B1	F7BB	F5F50080
3914	太	64B2	F7BC	F5F60080
3915	怠	64B3	F7BD	F5F70080
3916	態	64B4	F7BE	F5F80080
3917	殆	64B5	F7BF	F5F90080
3918	汰	64B6	F7C0	F5FA0080
3919	泰	64B7	F7C1	F5FB0080
3920	咎	64B8	F7C2	F5FC0080
3921	胎	64B9	F7C3	F5FD0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Table 9 (Page 7 of 32). Hanja Set(3/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
3922	苔	64BA	F7C4	F5FE0080
3923	跽	64BB	F7C5	F5FF0080
3924	邨	64BC	F7C6	F5FG0080
3925	颯	64BD	F7C7	F5FH0080
3926	馱	64BE		F5FI0080
3927	宅	64BF	F7C8	F5FJ0080
3928	擇	64C0	F7C9	F5FK0080
3929	澤	64C1	F7CA	F5FL0080
3930	幘	64C2		F5FM0080
3931	撐	64C3	F7CB	F5FN0080
3932	據	64C4	F7CC	F5FO0080
3933	兔	64C5	F7CD	F5FP0080
3934	吐	64C6	F7CE	F5FQ0080
3935	土	64C7	F7CF	F5FR0080
3936	討	64C8	F7D0	F5FS0080
3937	慟	64C9	F7D1	F5FT0080
3938	桶	64CA	F7D2	F5FU0080
3939	洞	64CB	F7D3	F5FV0080
3940	痛	64CC	F7D4	F5FW0080
3941	筒	64CD	F7D5	F5FX0080
3942	統	64CE	F7D6	F5FY0080
3943	通	64CF	F7D7	F5FZ0080
3944	堆	64D0	F7D8	F5G00080
3945	腿	64D1	F7DA	F5G10080
3946	褪	64D2	F7DB	F5G20080
3947	退	64D3	F7DC	F5G30080

Table 9 (Page 7 of 32). Hanja Set(3/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
3948	頰	64D4	F7DD	F5G40080
3949	儉	64D5	F7DE	F5G50080
3950	套	64D6	F7DF	F5G60080
3951	妬	64D7	F7E0	F5G70080
3952	投	64D8	F7E1	F5G80080
3953	透	64D9	F7E2	F5G90080
3954	鬪	64DA	F7E3	F5GA0080
3955	慝	64DB	F7E4	F5GB0080
3956	特	64DC	F7E5	F5GC0080
3957	婆	64DD	F7E8	F5GD0080
3958	坡	64DE	F7E7	F5GE0080
3959	巴	64DF	F7E9	F5GF0080
3960	把	64E0	F7EA	F5GG0080
3961	播	64E1	F7EB	F5GH0080
3962	杷	64E2	F7ED	F5GI0080
3963	波	64E3	F7EE	F5GJ0080
3964	派	64E4	F7EF	F5GK0080
3965	爬	64E5	F7F0	F5GL0080
3966	琶	64E6	F7F1	F5GM0080
3967	破	64E7	F7F2	F5GN0080
3968	罷	64E8	F7F3	F5GO0080
3969	芭	64E9	F7F4	F5GP0080
3970	跛	64EA	F7F5	F5GQ0080
3971	頗	64EB	F7F6	F5GR0080
3972	坂	64EC	F7F8	F5GS0080
3973	判	64ED	F7F7	F5GT0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
3974	板	64EE	F7F9	F5GU0080
3975	版	64EF	F7FA	F5GV0080
3976	販	64F0	F7FC	F5GW0080
3977	辦	64F1	F7FD	F5GX0080
3978	瓣	64F2	F7FB	F5GY0080
3979	阪	64F3	F8A1	F5GZ0080
3980	八	64F4	F8A2	F5H00080
3981	叭	64F5	F8A3	F5H10080
3982	捌	64F6	F8A4	F5H20080
3983	佩	64F7	F8A5	F5H30080
3984	唄	64F8	F8A6	F5H40080
3985	悖	64F9	F8A7	F5H50080
3986	沛	64FA	F8A9	F5H60080
3987	涖	64FB	F8AA	F5H70080
3988	牌	64FC	F8AB	F5H80080
3989	狽	64FD	F8AC	F5H90080
3990	稗	64FE	F8AD	F5HA0080
3991	貝	6541	F8AF	F5HD0080
3992	敗	6542	F8A8	F5HE0080
3993	霸	6543	F8AE	F5HF0080
3994	彭	6544	F8B0	F5HG0080
3995	澎	6545	F8B1	F5HH0080
3996	烹	6546	F8B2	F5HI0080
3997	膨	6547	F8B3	F5HJ0080
3998	復	6548	F8B4	F5HK0080
3999	便	6549	F8B5	F5HL0080

Line Number	Graphic	Host Code	PC Code	GCGID
4000	偏	654A	F8B6	F5HM0080
4001	扁	654B	F8B7	F5HN0080
4002	片	654C	F8B8	F5HO0080
4003	篇	654D	F8B9	F5HP0080
4004	編	654E	F8BA	F5HQ0080
4005	翩	654F	F8BB	F5HR0080
4006	蝙	6550		F5HS0080
4007	遍	6551	F8BC	F5HT0080
4008	鞭	6552	F8BD	F5HU0080
4009	眨	6553	F8BF	F5HV0080
4010	坪	6554	F8C0	F5HW0080
4011	平	6555	F8C1	F5HX0080
4012	萍	6556	F8C3	F5HY0080
4013	評	6557	F8C4	F5HZ0080
4014	吠	6558	F8C5	F5I00080
4015	嬖	6559	F8C6	F5I10080
4016	幣	655A	F8C7	F5I20080
4017	廢	655B	F8C8	F5I30080
4018	弊	655C	F8C9	F5I40080
4019	斃	655D	F8CA	F5I50080
4020	肺	655E	F8CB	F5I60080
4021	蔽	655F	F8CC	F5I70080
4022	閉	6560	F8CD	F5I80080
4023	陞	6561	F8CE	F5I90080
4024	佈	6562	F8CF	F5IA0080
4025	包	6563	F8D0	F5IB0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Table 9 (Page 9 of 32). Hanja Set(3/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
4026	匍	6564	F8D1	F5IC0080
4027	匏	6565	F8D2	F5ID0080
4028	咆	6566	F8D3	F5IE0080
4029	哺	6567	F8D4	F5IF0080
4030	圃	6568	F8D5	F5IG0080
4031	庖	6569		F5IH0080
4032	布	656A	F8D6	F5II0080
4033	怖	656B	F8D7	F5IJ0080
4034	抱	656C	F8D9	F5IK0080
4035	抛	656D	F8D8	F5IL0080
4036	捕	656E	F8DA	F5IM0080
4037	泡	656F	F8DC	F5IN0080
4038	浦	6570	F8DD	F5IO0080
4039	炮	6571		F5IP0080
4040	庖	6572	F8DE	F5IQ0080
4041	砲	6573	F8DF	F5IR0080
4042	胞	6574	F8E0	F5IS0080
4043	脯	6575	F8E1	F5IT0080
4044	舖	6576		F5IU0080
4045	葡	6577	F8E3	F5IV0080
4046	蒲	6578	F8E4	F5IW0080
4047	袍	6579	F8E5	F5IX0080
4048	褒	657A	F8E6	F5IY0080
4049	匏	657B		F5IZ0080
4050	鋪	657C	F8E8	F5J00080
4051	鞫	657D		F5J10080

Table 9 (Page 9 of 32). Hanja Set(3/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
4052	飽	657E	F8E9	F5J20080
4053	鮑	657F	F8EA	F5J30080
4054	幅	6580	F8EB	F5J40080
4055	暴	6581	F8EC	F5J50080
4056	瀑	6582	F8EE	F5J60080
4057	爆	6583	F8EF	F5J70080
4058	倭	6584	F8F1	F5J80080
4059	剽	6585	F8F2	F5J90080
4060	彪	6586	F8F3	F5JA0080
4061	慄	6587	F8F4	F5JB0080
4062	杓	6588	F8F5	F5JC0080
4063	標	6589	F8F6	F5JD0080
4064	漂	658A	F8F7	F5JE0080
4065	瓢	658B	F8F8	F5JF0080
4066	票	658C	F8F9	F5JG0080
4067	表	658D	F8FA	F5JH0080
4068	豹	658E	F8FB	F5JI0080
4069	飄	658F	F8FD	F5JJ0080
4070	分	6590		F5JK0080
4071	品	6591	F9A1	F5JL0080
4072	稟	6592	F9A2	F5JM0080
4073	馮	6593	F9A7	F5JN0080
4074	楓	6594	F9A3	F5JO0080
4075	諷	6595	F9A4	F5JP0080
4076	豐	6596	F9A5	F5JQ0080
4077	風	6597	F9A6	F5JR0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
4078	彼	6598	F9A8	F5JS0080
4079	披	6599	F9A9	F5JT0080
4080	疲	659A	F9AA	F5JU0080
4081	皮	659B	F9AB	F5JV0080
4082	萑	659C		F5JW0080
4083	被	659D	F9AC	F5JX0080
4084	避	659E	F9AD	F5JY0080
4085	匹	659F	F9AF	F5JZ0080
4086	弼	65A0	F9B0	F5K00080
4087	必	65A1	F9B1	F5K10080
4088	泌	65A2	F9B2	F5K20080
4089	畢	65A3	F9B4	F5K30080
4090	疋	65A4	F9B5	F5K40080
4091	筆	65A5	F9B6	F5K50080
4092	躡	65A6		F5K60080
4093	乏	65A7	F9B9	F5K70080
4094	逼	65A8	F9BA	F5K80080
4095	下	65A9	F9BB	F5K90080
4096	何	65AA	F9BC	F5KA0080
4097	夏	65AB	F9BE	F5KB0080
4098	廈	65AC	F9BF	F5KC0080
4099	昷	65AD	F9C0	F5KD0080
4100	河	65AE	F9C1	F5KE0080
4101	瑕	65AF	F9C2	F5KF0080
4102	蝦	65B0	F9C4	F5KG0080
4103	荷	65B1	F9C3	F5KH0080

Line Number	Graphic	Host Code	PC Code	GCGID
4104	賀	65B2	F9C5	F5KI0080
4105	遐	65B3	F9C6	F5KJ0080
4106	霞	65B4	F9C7	F5KK0080
4107	鰕	65B5	F9C8	F5KL0080
4108	壑	65B6	F9C9	F5KM0080
4109	學	65B7	F9CA	F5KN0080
4110	瘡	65B8		F5KO0080
4111	虐	65B9	F9CB	F5KP0080
4112	謔	65BA	F9CC	F5KQ0080
4113	鶴	65BB	F9CD	F5KR0080
4114	寒	65BC	F9CE	F5KS0080
4115	恨	65BD	F9CF	F5KT0080
4116	悍	65BE	F9D0	F5KU0080
4117	旱	65BF	F9D1	F5KV0080
4118	汗	65C0	F9D2	F5KW0080
4119	漢	65C1	F9D3	F5KX0080
4120	澣	65C2	F9D4	F5KY0080
4121	罕	65C3	F9D6	F5KZ0080
4122	翰	65C4	F9D7	F5L00080
4123	邯	65C5		F5L10080
4124	閒	65C6	F9D9	F5L20080
4125	閑	65C7	F9D8	F5L30080
4126	限	65C8	F9DA	F5L40080
4127	韓	65C9	F9DB	F5L50080
4128	鷗	65CA		F5L60080
4129	割	65CB	F9DC	F5L70080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Table 9 (Page 11 of 32). Hanja Set(3/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
4130	轄	65CC	F9DD	F5L80080
4131	函	65CD	F9DE	F5L90080
4132	含	65CE	F9DF	F5LA0080
4133	咸	65CF	F9E0	F5LB0080
4134	啣	65D0	F9E1	F5LC0080
4135	喊	65D1	F9E2	F5LD0080
4136	檻	65D2	F9E3	F5LE0080
4137	涵	65D3	F9E4	F5LF0080
4138	緘	65D4	F9E5	F5LG0080
4139	艦	65D5	F9E6	F5LH0080
4140	陷	65D6	F9E8	F5LI0080
4141	合	65D7	F9EA	F5LJ0080
4142	哈	65D8	F9EB	F5LK0080
4143	盒	65D9	F9EC	F5LL0080
4144	蛤	65DA	F9ED	F5LM0080
4145	閣	65DB	F9EE	F5LN0080
4146	陝	65DC	F9F0	F5LO0080
4147	亢	65DD	F9F1	F5LP0080
4148	仇	65DE	F9F2	F5LQ0080
4149	姁	65DF	F9F3	F5LR0080
4150	巷	65E0	F9F5	F5LS0080
4151	恒	65E1	F9F6	F5LT0080
4152	抗	65E2	F9F7	F5LU0080
4153	杭	65E3	F9F8	F5LV0080
4154	桁	65E4	F9F9	F5LW0080
4155	沆	65E5	F9FA	F5LX0080

Table 9 (Page 11 of 32). Hanja Set(3/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
4156	港	65E6	F9FB	F5LY0080
4157	炕	65E7		F5LZ0080
4158	缸	65E8	F9FC	F5M00080
4159	肛	65E9	F9FD	F5M10080
4160	航	65EA	F9FE	F5M20080
4161	降	65EB	FAA2	F5M30080
4162	項	65EC	FAA3	F5M40080
4163	亥	65ED	FAA4	F5M50080
4164	偌	65EE	FAA5	F5M60080
4165	咳	65EF	FAA6	F5M70080
4166	奚	65F0	FAA8	F5M80080
4167	垓	65F1	FAA7	F5M90080
4168	孩	65F2	FAA9	F5MA0080
4169	害	65F3	FAAA	F5MB0080
4170	靡	65F4		F5MC0080
4171	懈	65F5	FAAB	F5MD0080
4172	楷	65F6	FAAC	F5ME0080
4173	海	65F7	FAAD	F5MF0080
4174	蟹	65F8	FAAF	F5MG0080
4175	解	65F9	FAB0	F5MH0080
4176	該	65FA	FAB1	F5MI0080
4177	諧	65FB	FAB2	F5MJ0080
4178	邂	65FC	FAB3	F5MK0080
4179	駭	65FD	FAB4	F5ML0080
4180	骸	65FE	FAB5	F5MM0080
4181	劾	6641	FAB6	F5MP0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
4182	核	6642	FAB7	F5MQ0080
4183	倖	6643	FAB8	F5MR0080
4184	幸	6644	FAB9	F5MS0080
4185	杏	6645	FABA	F5MT0080
4186	行	6646	FABC	F5MU0080
4187	享	6647	FABD	F5MV0080
4188	向	6648	FABE	F5MW0080
4189	嚮	6649	FABF	F5MX0080
4190	鄉	664A	FAC1	F5MY0080
4191	珣	664B	FAC0	F5MZ0080
4192	響	664C	FAC2	F5N00080
4193	餉	664D	FAC3	F5N10080
4194	饗	664E	FAC4	F5N20080
4195	香	664F	FAC5	F5N30080
4196	噓	6650	FAC6	F5N40080
4197	墟	6651	FAC7	F5N50080
4198	虛	6652	FAC8	F5N60080
4199	許	6653	FAC9	F5N70080
4200	憲	6654	FACA	F5N80080
4201	軒	6655	FACD	F5N90080
4202	獻	6656	FACC	F5NA0080
4203	歇	6657	FACE	F5NB0080
4204	險	6658	FACF	F5NC0080
4205	驗	6659	FAD0	F5ND0080
4206	奕	665A	FAD1	F5NE0080
4207	懾	665B	FAD2	F5NF0080

Line Number	Graphic	Host Code	PC Code	GCGID
4208	赫	665C	FAD3	F5NG0080
4209	革	665D	FAD4	F5NH0080
4210	峴	665E	FAD6	F5NI0080
4211	弦	665F	FAD7	F5NJ0080
4212	懸	6660	FAD8	F5NK0080
4213	炫	6661	FADB	F5NL0080
4214	現	6662	FADE	F5NM0080
4215	玄	6663	FADC	F5NN0080
4216	眩	6664	FADF	F5NO0080
4217	絃	6665	FAE1	F5NP0080
4218	絢	6666	FAE2	F5NQ0080
4219	縣	6667	FAE3	F5NR0080
4220	舷	6668	FAE4	F5NS0080
4221	銜	6669	FAE5	F5NT0080
4222	見	666A	FAE6	F5NU0080
4223	賢	666B	FAE7	F5NV0080
4224	鉉	666C	FAE8	F5NW0080
4225	顯	666D	FAE9	F5NX0080
4226	子	666E	FAEA	F5NY0080
4227	穴	666F	FAEB	F5NZ0080
4228	血	6670	FAEC	F5O00080
4229	頁	6671	FAED	F5O10080
4230	嫌	6672	FAEE	F5O20080
4231	慊	6673		F5O30080
4232	俠	6674	FAEF	F5O40080
4233	協	6675	FAF0	F5O50080




IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
4234	夾	6676	FAF1	F5O60080
4235	峽	6677	FAF2	F5O70080
4236	挾	6678	FAF3	F5O80080
4237	浹	6679	FAF4	F5O90080
4238	狹	667A	FAF5	F5OA0080
4239	篋	667B		F5OB0080
4240	脇	667C	FAF7	F5OC0080
4241	脅	667D	FAF6	F5OD0080
4242	莢	667E	FAF8	F5OE0080
4243	陝	667F		F5OF0080
4244	鋏	6680	FAF9	F5OG0080
4245	頰	6681	FAFA	F5OH0080
4246	亨	6682	FAFB	F5OI0080
4247	刑	6683	FAFD	F5OJ0080
4248	型	6684	FAFE	F5OK0080
4249	形	6685	FBA1	F5OL0080
4250	兄	6686	FAFC	F5OM0080
4251	澄	6687	FBA4	F5ON0080
4252	炯	6688	FBA6	F5OO0080
4253	珩	6689	FBA8	F5OP0080
4254	荊	668A	FBA A	F5OQ0080
4255	螢	668B	FBAB	F5OR0080
4256	衡	668C	FBAC	F5OS0080
4257	邢	668D	FBAE	F5OT0080
4258	鎗	668E	FBAF	F5OU0080
4259	馨	668F	FBB0	F5OV0080

Line Number	Graphic	Host Code	PC Code	GCGID
4260	兮	6690	FBB1	F5OW0080
4261	彗	6691	FBB2	F5OX0080
4262	惠	6692	FBB3	F5OY0080
4263	慧	6693	FBB4	F5OZ0080
4264	蕙	6694	FBB6	F5P00080
4265	醴	6695	FBB8	F5P10080
4266	鞋	6696	FBB9	F5P20080
4267	乎	6697	FBBA	F5P30080
4268	互	6698	FBBB	F5P40080
4269	豪	6699	FBDF	F5P50080
4270	呼	669A	FBBC	F5P60080
4271	壺	669B	FBBE	F5P70080
4272	壕	669C	FBBD	F5P80080
4273	好	669D	FBBF	F5P90080
4274	弧	669E	FBC1	F5PA0080
4275	昊	669F	FBC4	F5PB0080
4276	戶	66A0	FBC2	F5PC0080
4277	毫	66A1	FBC6	F5PD0080
4278	浩	66A2	FBC7	F5PE0080
4279	溟	66A3	FBC8	F5PF0080
4280	湖	66A4	FBC9	F5PG0080
4281	滄	66A5	FBCA	F5PH0080
4282	澹	66A6	FBCB	F5PI0080
4283	濩	66A7	FBCD	F5PJ0080
4284	濠	66A8	FBCC	F5PK0080
4285	灑	66A9	FBCE	F5PL0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
4286	狐	66AA	FBCF	F5PM0080
4287	瑚	66AB	FBD1	F5PN0080
4288	瓠	66AC	FBD2	F5PO0080
4289	皓	66AD	FBD3	F5PP0080
4290	皦	66AE		F5PQ0080
4291	枯	66AF	FBD4	F5PR0080
4292	糊	66B0	FBD5	F5PS0080
4293	縞	66B1	FBD6	F5PT0080
4294	胡	66B2	FBD7	F5PU0080
4295	葫	66B3	FBD9	F5PV0080
4296	虎	66B4	FBDB	F5PW0080
4297	號	66B5	FBDC	F5PX0080
4298	蝴	66B6	FBDD	F5PY0080
4299	護	66B7	FBDE	F5PZ0080
4300	扈	66B8	FBC3	F5Q00080
4301	醐	66B9		F5Q10080
4302	鎬	66BA	FBE0	F5Q20080
4303	護	66BB	FBE1	F5Q30080
4304	顥	66BC	FBE2	F5Q40080
4305	惑	66BD	FBE3	F5Q50080
4306	或	66BE	FBE4	F5Q60080
4307	酷	66BF	FBE5	F5Q70080
4308	婚	66C0	FBE6	F5Q80080
4309	昏	66C1	FBE7	F5Q90080
4310	混	66C2	FBE8	F5QA0080
4311	渾	66C3	FBE9	F5QB0080

Line Number	Graphic	Host Code	PC Code	GCGID
4312	璿	66C4	FBEA	F5QC0080
4313	魂	66C5	FBEB	F5QD0080
4314	忽	66C6	FBEC	F5QE0080
4315	惚	66C7	FBED	F5QF0080
4316	笏	66C8	FBEE	F5QG0080
4317	鶻	66C9		F5QH0080
4318	弘	66CA	FBF0	F5QI0080
4319	哄	66CB	FBEF	F5QJ0080
4320	汞	66CC	FBF1	F5QK0080
4321	泓	66CD	FBF2	F5QL0080
4322	洪	66CE	FBF3	F5QM0080
4323	鴻	66CF	FBF8	F5QN0080
4324	紅	66D0	FBF5	F5QO0080
4325	虹	66D1	FBF6	F5QP0080
4326	訶	66D2	FBF7	F5QQ0080
4327	化	66D3	FBF9	F5QR0080
4328	嬋	66D4	FBFB	F5QS0080
4329	樺	66D5	FBFC	F5QT0080
4330	火	66D6	FBFD	F5QU0080
4331	禍	66D7	FCA1	F5QV0080
4332	畫	66D8	FBFE	F5QW0080
4333	禾	66D9	FCA2	F5QX0080
4334	和	66DA	FBFA	F5QY0080
4335	花	66DB	FCA3	F5QZ0080
4336	華	66DC	FCA4	F5R00080
4337	話	66DD	FCA5	F5R10080




IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
4338	靴	66DE	FCA8	F5R20080
4339	貨	66DF	FCA7	F5R30080
4340	廓	66E0	FCA9	F5R40080
4341	擴	66E1	FCAA	F5R50080
4342	攪	66E2	FCAB	F5R60080
4343	確	66E3	FCAC	F5R70080
4344	碯	66E4	FCAD	F5R80080
4345	穫	66E5	FCAE	F5R90080
4346	鑊	66E6		F5RA0080
4347	丸	66E7	FCAF	F5RB0080
4348	喚	66E8	FCB0	F5RC0080
4349	圜	66E9		F5RD0080
4350	宦	66EA	FCB2	F5RE0080
4351	幻	66EB	FCB3	F5RF0080
4352	患	66EC	FCB4	F5RG0080
4353	懽	66ED		F5RH0080
4354	換	66EE	FCB5	F5RI0080
4355	桓	66EF	FCB8	F5RJ0080
4356	歡	66F0	FCB6	F5RK0080
4357	渙	66F1	FCB9	F5RL0080
4358	煥	66F2	FCBA	F5RM0080
4359	環	66F3	FCBB	F5RN0080
4360	紈	66F4	FCBC	F5RO0080
4361	還	66F5	FCBD	F5RP0080
4362	驩	66F6	FCBE	F5RQ0080
4363	鰓	66F7	FCBF	F5RR0080

Line Number	Graphic	Host Code	PC Code	GCGID
4364	鬢	66F8		F5RS0080
4365	活	66F9	FCC0	F5RT0080
4366	滑	66FA	FCC1	F5RU0080
4367	猾	66FB	FCC2	F5RV0080
4368	豁	66FC	FCC3	F5RW0080
4369	闊	66FD	FCC4	F5RX0080
4370	鳳	66FE	FCC5	F5RY0080
4371	惶	6741		F5S10080
4372	徨	6742	FCC7	F5S20080
4373	恍	6743		F5S30080
4374	恍	6744	FCC8	F5S40080
4375	慌	6745	FCCB	F5S50080
4376	惶	6746	FCC9	F5S60080
4377	晃	6747	FCCC	F5S70080
4378	況	6748	FCCF	F5S80080
4379	滉	6749	FCD1	F5S90080
4380	煌	674A	FCD3	F5SA0080
4381	皇	674B	FCD5	F5SB0080
4382	篁	674C	FCD6	F5SC0080
4383	荒	674D	FCD8	F5SD0080
4384	蝗	674E	FCD9	F5SE0080
4385	遑	674F	FCDA	F5SF0080
4386	隍	6750	FCDB	F5SG0080
4387	黃	6751	FCDC	F5SH0080
4388	回	6752	FCDE	F5SI0080
4389	廻	6753	FCDF	F5SJ0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
4390	徊	6754	FCE0	F5SK0080
4391	恢	6755	FCE1	F5SL0080
4392	悔	6756	FCE2	F5SM0080
4393	懷	6757	FCE3	F5SN0080
4394	晦	6758	FCE4	F5SO0080
4395	會	6759	FCE5	F5SP0080
4396	檜	675A	FCE6	F5SQ0080
4397	淮	675B	FCE7	F5SR0080
4398	滄	675C	FCE8	F5SS0080
4399	灰	675D	FCE9	F5ST0080
4400	獮	675E	FCEA	F5SU0080
4401	繪	675F	FCEB	F5SV0080
4402	膾	6760	FCEC	F5SW0080
4403	蛔	6761	FCEE	F5SX0080
4404	誨	6762	FCEF	F5SY0080
4405	賄	6763	FCF0	F5SZ0080
4406	劃	6764	FCF1	F5T00080
4407	獲	6765	FCF2	F5T10080
4408	橫	6766	FCF4	F5T20080
4409	哮	6767	FCF6	F5T30080
4410	噉	6768	FCF7	F5T40080
4411	囂	6769		F5T50080
4412	孝	676A	FCF8	F5T60080
4413	效	676B	FCF9	F5T70080
4414	曉	676C	FCFB	F5T80080
4415	梟	676D	FCFC	F5T90080

Line Number	Graphic	Host Code	PC Code	GCGID
4416	爻	676E	FDA1	F5TA0080
4417	肴	676F	FDA2	F5TB0080
4418	醇	6770	FDA3	F5TC0080
4419	侯	6771	FDA5	F5TD0080
4420	候	6772	FDA6	F5TE0080
4421	厚	6773	FDA7	F5TF0080
4422	后	6774	FDA8	F5TG0080
4423	吼	6775	FDA9	F5TH0080
4424	喉	6776	FDAA	F5TI0080
4425	嗅	6777	FDAB	F5TJ0080
4426	後	6778	FDAD	F5TK0080
4427	朽	6779	FDAE	F5TL0080
4428	猴	677A		F5TM0080
4429	逅	677B	FDB1	F5TN0080
4430	篋	677C		F5TO0080
4431	勳	677D	FDB3	F5TP0080
4432	墳	677E	FDB4	F5TQ0080
4433	燻	677F	FDB5	F5TR0080
4434	暈	6780	FDBB	F5TS0080
4435	焄	6781	FDB6	F5TT0080
4436	熏	6782	FDB7	F5TU0080
4437	燻	6783	FDB8	F5TV0080
4438	薰	6784	FDB9	F5TW0080
4439	訓	6785	FDBA	F5TX0080
4440	薨	6786	FDBC	F5TY0080
4441	喧	6787	FDBD	F5TZ0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
4442	萱	6788	FDC0	F5U00080
4443	卉	6789	FDC1	F5U10080
4444	喙	678A	FDC2	F5U20080
4445	毀	678B	FDC3	F5U30080
4446	彙	678C	FDC4	F5U40080
4447	徽	678D	FDC5	F5U50080
4448	揮	678E	FDC6	F5U60080
4449	暉	678F	FDC7	F5U70080
4450	輝	6790	FDC8	F5U80080
4451	諱	6791	FDC9	F5U90080
4452	輝	6792	FDCA	F5UA0080
4453	麾	6793	FDCB	F5UB0080
4454	休	6794	FDCC	F5UC0080
4455	携	6795	FDCD	F5UD0080
4456	然	6796	FDCE	F5UE0080
4457	畦	6797	FDCF	F5UF0080
4458	虧	6798	FDD0	F5UG0080
4459	恤	6799	FDD1	F5UH0080
4460	譎	679A	FDD2	F5UI0080
4461	鷓	679B	FDD3	F5UJ0080
4462	凶	679C	FDD5	F5UK0080
4463	匈	679D	FDD6	F5UL0080
4464	兇	679E	FDD4	F5UM0080
4465	洵	679F	FDD7	F5UN0080
4466	胸	67A0	FDD8	F5UO0080
4467	黑	67A1	FDD9	F5UP0080

Line Number	Graphic	Host Code	PC Code	GCGID
4468	忻	67A2		F5UQ0080
4469	昕	67A3	FDDA	F5UR0080
4470	欣	67A4	FDDB	F5US0080
4471	痕	67A5	FDDD	F5UT0080
4472	吃	67A6	FDDE	F5UU0080
4473	屹	67A7	FDDF	F5UV0080
4474	紘	67A8	FDE0	F5UW0080
4475	迄	67A9		F5UX0080
4476	欠	67AA	FDE2	F5UY0080
4477	歆	67AB	FDE4	F5UZ0080
4478	欽	67AC	FDE3	F5V00080
4479	吸	67AD	FDE5	F5V10080
4480	恰	67AE	FDE6	F5V20080
4481	洽	67AF	FDE7	F5V30080
4482	興	67B0	FDE9	F5V40080
4483	僖	67B1	FDEA	F5V50080
4484	喜	67B2	FDEC	F5V60080
4485	噫	67B3	FDED	F5V70080
4486	姬	67B4	FDEF	F5V80080
4487	嬉	67B5	FDF0	F5V90080
4488	希	67B6	FDF1	F5VA0080
4489	曦	67B7	FDF6	F5VB0080
4490	憲	67B8	FDF2	F5VC0080
4491	戲	67B9	FDF4	F5VD0080
4492	犧	67BA	FDFA	F5VE0080
4493	熙	67BB	FDF7	F5VF0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
4494	漚	67BC	FDEB	F5VG0080
4495	熹	67BD	FDF8	F5VH0080
4496	禧	67BE	FDFB	F5VI0080
4497	稀	67BF	FDFC	F5VJ0080
4498	羲	67C0	FDFD	F5VK0080
4499	詰	67C1	FDFE	F5VL0080
4500	頡	67C2		F5VM0080
4501	枷	6841	CAAE	F5XD0080
4502	珂	6842	CAB1	F5XE0080
4503	痂	6843	CAB2	F5XF0080
4504	愨	6844	CAC2	F5XG0080
4505	侃	6845	CAC9	F5XH0080
4506	束	6846	CAD3	F5XI0080
4507	椁	6847	CAD4	F5XJ0080
4508	澗	6848	CAD8	F5XK0080
4509	蝎	6849	CAE9	F5XL0080
4510	戡	684A	CAF1	F5XM0080
4511	瞰	684B	CAF9	F5XN0080
4512	邯	684C	CAFB	F5XO0080
4513	鑿	684D	CAFD	F5XP0080
4514	坳	684E	CBA8	F5XQ0080
4515	晁	684F	CBB1	F5XR0080
4516	絳	6850	CBB4	F5XS0080
4517	羌	6851	CBB6	F5XT0080
4518	缸	6852	CBB8	F5XU0080
4519	鱻	6853	CBBE	F5XV0080

Line Number	Graphic	Host Code	PC Code	GCGID
4520	塏	6854	CBC3	F5XW0080
4521	豈	6855	CBD0	F5XX0080
4522	鎧	6856	CBD1	F5XY0080
4523	喀	6857	CBD3	F5XZ0080
4524	倨	6858	CBDA	F5Y00080
4525	祛	6859	CBE4	F5Y10080
4526	踞	685A	CBE6	F5Y20080
4527	鉅	685B	CBE9	F5Y30080
4528	捷	685C	CBF1	F5Y40080
4529	捷	685D	CBF2	F5Y50080
4530	桀	685E	CBFA	F5Y60080
4531	劒	685F	CBFD	F5Y70080
4532	鈐	6860	CCA2	F5Y80080
4533	迭	6861	CCA6	F5Y90080
4534	膈	6862	CCAE	F5YA0080
4535	抉	6863	CCBC	F5YB0080
4536	鉗	6864	CCC6	F5YC0080
4537	徑	6865	CCC9	F5YD0080
4538	倥	6866	CCCA	F5YE0080
4539	倣	6867	CCCC	F5YF0080
4540	坳	6868	CCD0	F5YG0080
4541	憬	6869	CCD5	F5YH0080
4542	罔	686A	CCDE	F5YI0080
4543	礲	686B	CCE0	F5YJ0080
4544	堺	686C	CCF7	F5YK0080
4545	燻	686D	CDA1	F5YL0080




IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
4546	尻	686E	CDB6	F5YM0080
4547	鬻	686F	CDBC	F5YN0080
4548	槁	6870	CDBE	F5YO0080
4549	羔	6871	CDC4	F5YP0080
4550	苾	6872	CDC9	F5YQ0080
4551	菰	6873	CDCA	F5YR0080
4552	琨	6874	CDE4	F5YS0080
4553	鯤	6875	CDE6	F5YT0080
4554	珙	6876	CDF5	F5YU0080
4555	蚣	6877	CDF7	F5YV0080
4556	鞏	6878	CDF9	F5YW0080
4557	串	6879	CDFA	F5YX0080
4558	跨	687A	CEA5	F5YY0080
4559	鍋	687B	CEA7	F5YZ0080
4560	瑄	687C	CEB5	F5Z00080
4561	佻	687D	CEC2	F5Z10080
4562	眈	687E	CEC9	F5Z20080
4563	坵	687F	CFA6	F5Z30080
4564	考	6880	CFBE	F5Z40080
4565	錄	6881	CFCA	F5Z50080
4566	鞫	6882	CFD4	F5Z60080
4567	裙	6883	CFD9	F5Z70080
4568	芎	6884	CFE4	F5Z80080
4569	捲	6885	CFEC	F5Z90080
4570	滯	6886	CFEE	F5ZA0080
4571	獺	6887	CFF1	F5ZB0080

Line Number	Graphic	Host Code	PC Code	GCGID
4572	蕨	6888	CFF2	F5ZC0080
4573	旬	6889	CFFB	F5ZD0080
4574	晷	688A	CFFC	F5ZE0080
4575	榧	688B	D0A7	F5ZF0080
4576	竅	688C	D0AB	F5ZG0080
4577	勻	688D	D0B2	F5ZH0080
4578	昀	688E	D0B4	F5ZI0080
4579	勗	688F	D0C2	F5ZJ0080
4580	姘	6890	D0D2	F5ZK0080
4581	吟	6891	D0D4	F5ZL0080
4582	芩	6892	D0D9	F5ZM0080
4583	倂	6893	D0DF	F5ZN0080
4584	埼	6894	D0F2	F5ZO0080
4585	玘	6895	D1AC	F5ZP0080
4586	璦	6896	D1AF	F5ZQ0080
4587	邴	6897	D1B5	F5ZR0080
4588	羈	6898	D1BC	F5ZS0080
4589	鎰	6899	D1C5	F5ZT0080
4590	喇	689A	D1D4	F5ZU0080
4591	奈	689B	D1D5	F5ZV0080
4592	娜	689C	D1D6	F5ZW0080
4593	懶	689D	D1D8	F5ZX0080
4594	癩	689E	D1DB	F5ZY0080
4595	羅	689F	D1DC	F5ZZ0080
4596	蘿	68A0	D1DD	F6000080
4597	螺	68A1	D1DE	F6010080




IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
4598	裸	68A2	D1DF	F6020080
4599	邏	68A3	D1E0	F6030080
4600	樂	68A4	D1E2	F6040080
4601	洛	68A5	D1E3	F6050080
4602	烙	68A6	D1E4	F6060080
4603	珞	68A7	D1E5	F6070080
4604	落	68A8	D1E6	F6080080
4605	酪	68A9	D1E8	F6090080
4606	駱	68AA	D1E9	F60A0080
4607	亂	68AB	D1EA	F60B0080
4608	卵	68AC	D1EB	F60C0080
4609	欄	68AD	D1ED	F60D0080
4610	爛	68AE	D1EF	F60E0080
4611	蘭	68AF	D1F0	F60F0080
4612	鸞	68B0	D1F2	F60G0080
4613	嵐	68B1	D1F6	F60H0080
4614	枅	68B2	D1F7	F60I0080
4615	楠	68B3	D1F8	F60J0080
4616	滙	68B4	D1F9	F60K0080
4617	濫	68B5	D1FA	F60L0080
4618	藍	68B6	D1FC	F60M0080
4619	檻	68B7	D1FD	F60N0080
4620	拉	68B8	D1FE	F60O0080
4621	臘	68B9	D2A2	F60P0080
4622	蠟	68BA	D2A3	F60Q0080
4623	衲	68BB	D2A4	F60R0080

Line Number	Graphic	Host Code	PC Code	GCGID
4624	廊	68BC	D2A7	F60S0080
4625	朗	68BD	D2A8	F60T0080
4626	浪	68BE	D2A9	F60U0080
4627	狼	68BF	D2AA	F60V0080
4628	郎	68C0	D2AB	F60W0080
4629	來	68C1	D2AD	F60X0080
4630	冷	68C2	D2B2	F60Y0080
4631	撚	68C3	D2B5	F60Z0080
4632	寧	68C4	D2BC	F6100080
4633	勞	68C5	D2BE	F6110080
4634	擯	68C6	D2C2	F6120080
4635	櫓	68C7	D2C3	F6130080
4636	爐	68C8	D2C4	F6140080
4637	盧	68C9	D2C6	F6150080
4638	老	68CA	D2C7	F6160080
4639	蘆	68CB	D2C8	F6170080
4640	虜	68CC	D2C9	F6180080
4641	路	68CD	D2CA	F6190080
4642	露	68CE	D2CB	F61A0080
4643	鴛	68CF	D2CC	F61B0080
4644	魯	68D0	D2CD	F61C0080
4645	鷺	68D1	D2CE	F61D0080
4646	碌	68D2	D2CF	F61E0080
4647	祿	68D3	D2D0	F61F0080
4648	綠	68D4	D2D1	F61G0080
4649	菘	68D5	D2D2	F61H0080




IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
4650	錄	68D6	D2D3	F61I0080
4651	鹿	68D7	D2D4	F61J0080
4652	論	68D8	D2D5	F61K0080
4653	壘	68D9	D2D6	F61L0080
4654	弄	68DA	D2D7	F61M0080
4655	籠	68DB	D2D9	F61N0080
4656	聾	68DC	D2DA	F61O0080
4657	牢	68DD	D2DE	F61P0080
4658	磊	68DE	D2DF	F61Q0080
4659	賂	68DF	D2E1	F61R0080
4660	雷	68E0	D2E2	F61S0080
4661	壘	68E1	D2E4	F61T0080
4662	屢	68E2	D2E5	F61U0080
4663	樓	68E3	D2E6	F61V0080
4664	淚	68E4	D2E7	F61W0080
4665	漏	68E5	D2E8	F61X0080
4666	累	68E6	D2E9	F61Y0080
4667	縷	68E7	D2EA	F61Z0080
4668	陋	68E8	D2EB	F6200080
4669	杻	68E9	D2EE	F6210080
4670	勒	68EA	D2F0	F6220080
4671	肋	68EB	D2F1	F6230080
4672	凜	68EC	D2F2	F6240080
4673	凌	68ED	D2F3	F6250080
4674	稜	68EE	D2F4	F6260080
4675	綾	68EF	D2F5	F6270080

Line Number	Graphic	Host Code	PC Code	GCGID
4676	菱	68F0	D2F7	F6280080
4677	陵	68F1	D2F8	F6290080
4678	亶	68F2	D3A2	F62A0080
4679	豕	68F3	D3A7	F62B0080
4680	澆	68F4	D3B6	F62C0080
4681	冊	68F5	D3BB	F62D0080
4682	儼	68F6	D3BC	F62E0080
4683	湛	68F7	D3C0	F62F0080
4684	蕁	68F8	D3C6	F62G0080
4685	鎔	68F9	D3CA	F62H0080
4686	奮	68FA	D3CC	F62I0080
4687	鯁	68FB	D3D4	F62J0080
4688	螳	68FC	D3D9	F62K0080
4689	坩	68FD	D3DD	F62L0080
4690	嶋	68FE	D3F7	F62M0080
4691	掉	6941	D3FC	F62P0080
4692	擢	6942	D4A2	F62Q0080
4693	覩	6943	D4AD	F62R0080
4694	眈	6944	D4C5	F62S0080
4695	焯	6945	D4C8	F62T0080
4696	逗	6946	D4E8	F62U0080
4697	茈	6947	D4EC	F62V0080
4698	嶝	6948	D4F1	F62W0080
4699	拏	6949	D4FC	F62X0080
4700	諾	694A	D5AB	F62Y0080
4701	丹	694B	D5AE	F62Z0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
4702	峽	694C	D5CF	F6300080
4703	徠	694D	D5D0	F6310080
4704	儷	694E	D5E3	F6320080
4705	璉	694F	D6A2	F6330080
4706	寧	6950	D6B8	F6340080
4707	岑	6951	D6B9	F6350080
4708	笈	6952	D6BD	F6360080
4709	聆	6953	D6C0	F6370080
4710	禮	6954	D6C8	F6380080
4711	怒	6955	D6CD	F6390080
4712	擄	6956	D6CF	F63A0080
4713	潞	6957	D6D1	F63B0080
4714	祿	6958	D6DF	F63C0080
4715	菴	6959	D6E1	F63D0080
4716	瀨	695A	D6EE	F63E0080
4717	賚	695B	D6F2	F63F0080
4718	鬧	695C	D7A2	F63G0080
4719	婁	695D	D7A5	F63H0080
4720	癩	695E	D7AA	F63I0080
4721	蕞	695F	D7AD	F63J0080
4722	鏤	6960	D7AF	F63K0080
4723	旒	6961	D7B2	F63L0080
4724	瀏	6962	D7B7	F63M0080
4725	命	6963	D7C2	F63N0080
4726	凜	6964	D7CF	F63O0080
4727	唰	6965	D7DA	F63P0080

Line Number	Graphic	Host Code	PC Code	GCGID
4728	湮	6966	D7DF	F63Q0080
4729	異	6967	D7E4	F63R0080
4730	羸	6968	D7E8	F63S0080
4731	莉	6969	D7E9	F63T0080
4732	裡	696A	D7EB	F63U0080
4733	潏	696B	D7F1	F63V0080
4734	碼	696C	D8A7	F63W0080
4735	邈	696D	D8B1	F63X0080
4736	万	696E	D8B2	F63Y0080
4737	卍	696F	D8B3	F63Z0080
4738	忝	6970	D8C5	F6400080
4739	茱	6971	D8C9	F6410080
4740	輜	6972	D8D6	F6420080
4741	沔	6973	D8F7	F6430080
4742	桢	6974	D9A7	F6440080
4743	瞑	6975	D9AA	F6450080
4744	莫	6976	D9AC	F6460080
4745	摹	6977	D9B9	F6470080
4746	瑁	6978	D9C1	F6480080
4747	茺	6979	D9C5	F6490080
4748	鶩	697A	D9D0	F64A0080
4749	妙	697B	D9DF	F64B0080
4750	憮	697C	D9E4	F64C0080
4751	楸	697D	D9EA	F64D0080
4752	珣	697E	D9EE	F64E0080
4753	們	697F	D9FA	F64F0080




IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
4754	雯	6980	DAA7	F64G0080
4755	沕	6981	DAA9	F64H0080
4756	梶	6982	DAB2	F64I0080
4757	楣	6983	DAB3	F64J0080
4758	湄	6984	DAB5	F64K0080
4759	徽	6985	DABD	F64L0080
4760	岷	6986	DABE	F64M0080
4761	緡	6987	DAC9	F64N0080
4762	癩	6988	DAEE	F64O0080
4763	盼	6989	DAF0	F64P0080
4764	磐	698A	DAF1	F64Q0080
4765	渤	698B	DAFD	F64R0080
4766	枋	698C	DBB3	F64S0080
4767	滂	698D	DBB5	F64T0080
4768	磅	698E	DBB6	F64U0080
4769	焙	698F	DBCC	F64V0080
4770	幡	6990	DBDF	F64W0080
4771	燔	6991	DBE2	F64X0080
4772	槩	6992	DBFC	F64Y0080
4773	藁	6993	DCA2	F64Z0080
4774	棟	6994	DCB8	F6500080
4775	駢	6995	DCC0	F6510080
4776	瑤	6996	DCCA	F6520080
4777	菩	6997	DCCC	F6530080
4778	輶	6998	DCDE	F6540080
4779	燧	6999	DCEC	F6550080

Line Number	Graphic	Host Code	PC Code	GCGID
4780	不	699A	DCF4	F6560080
4781	俯	699B	DCF6	F6570080
4782	咐	699C	DCFB	F6580080
4783	孚	699D	DDA1	F6590080
4784	棼	699E	DDB2	F65A0080
4785	苧	699F	DDB4	F65B0080
4786	吩	69A0	DDC3	F65C0080
4787	吩	69A1	DDCB	F65D0080
4788	賁	69A2	DDD3	F65E0080
4789	拂	69A3	DDD8	F65F0080
4790	枇	69A4	DDED	F65G0080
4791	埜	69A5	DDF0	F65H0080
4792	毗	69A6	DDF1	F65I0080
4793	枇	69A7	DDF9	F65J0080
4794	糝	69A8	DDFB	F65K0080
4795	噸	69A9	DEAD	F65L0080
4796	浜	69AA	DEB3	F65M0080
4797	玼	69AB	DEB7	F65N0080
4798	俟	69AC	DEC6	F65O0080
4799	栖	69AD	DEDA	F65P0080
4800	麇	69AE	DEFA	F65Q0080
4801	霰	69AF	DFAC	F65R0080
4802	熬	69B0	DFB0	F65S0080
4803	鋈	69B1	DFBC	F65T0080
4804	峠	69B2	DFC7	F65U0080
4805	嗇	69B3	DFE0	F65V0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
4806	棲	69B4	DFF2	F65W0080
4807	筮	69B5	DFFB	F65X0080
4808	嬋	69B6	E0BD	F65Y0080
4809	敵	69B7	E0C0	F65Z0080
4810	渲	69B8	E0C2	F6600080
4811	璇	69B9	E0C4	F6610080
4812	鑄	69BA	E0D6	F6620080
4813	饜	69BB	E0D7	F6630080
4814	泄	69BC	E0DC	F6640080
4815	褻	69BD	E0E1	F6650080
4816	齧	69BE	E0E5	F6660080
4817	剡	69BF	E0E6	F6670080
4818	陝	69C0	E0ED	F6680080
4819	宍	69C1	E0F4	F6690080
4820	城	69C2	E0FB	F66A0080
4821	瘞	69C3	E1C4	F66B0080
4822	篠	69C4	E1C6	F66C0080
4823	涑	69C5	E1D7	F66D0080
4824	謾	69C6	E1DA	F66E0080
4825	贖	69C7	E1DB	F66F0080
4826	巽	69C8	E1DE	F66G0080
4827	蓀	69C9	E1E0	F66H0080
4828	飡	69CA	E1E2	F66I0080
4829	悚	69CB	E1E5	F66J0080
4830	淞	69CC	E1E7	F66K0080
4831	崑	69CD	E1FC	F66L0080

Line Number	Graphic	Host Code	PC Code	GCGID
4832	琇	69CE	E2AF	F66M0080
4833	璩	69CF	E2B0	F66N0080
4834	讐	69D0	E2C2	F66O0080
4835	隄	69D1	E2CA	F66P0080
4836	瀟	69D2	E2D8	F66Q0080
4837	珣	69D3	E2DA	F66R0080
4838	璫	69D4	E2DB	F66S0080
4839	徇	69D5	E2DF	F66T0080
4840	枸	69D6	E2E3	F66U0080
4841	櫛	69D7	E2E5	F66V0080
4842	蓐	69D8	E2F1	F66W0080
4843	薜	69D9	E2F2	F66X0080
4844	諄	69DA	E2F4	F66Y0080
4845	銖	69DB	E2FC	F66Z0080
4846	屎	69DC	E3BA	F6700080
4847	豕	69DD	E3CE	F6710080
4848	簣	69DE	E3D9	F6720080
4849	蝕	69DF	E3DA	F6730080
4850	侏	69E0	E3E0	F6740080
4851	蓋	69E1	E3F0	F6750080
4852	諶	69E2	E4A6	F6760080
4853	啞	69E3	E4AF	F6770080
4854	莪	69E4	E4B5	F6780080
4855	幄	69E5	E4C1	F6790080
4856	鄂	69E6	E4C7	F67A0080
4857	鐳	69E7	E4C8	F67B0080




IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Table 9 (Page 25 of 32). Hanja Set(3/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
4858	罇	69E8	E4CA	F67C0080
4859	鮫	69E9	E4D5	F67D0080
4860	唵	69EA	E4DA	F67E0080
4861	岩	69EB	E4DB	F67F0080
4862	扼	69EC	E4F9	F67G0080
4863	縊	69ED	E4FC	F67H0080
4864	掠	69EE	E5B1	F67I0080
4865	略	69EF	E5B2	F67J0080
4866	蕪	69F0	E5B6	F67K0080
4867	亮	69F1	E5B9	F67L0080
4868	兩	69F2	E5BB	F67M0080
4869	涼	69F3	E5BC	F67N0080
4870	梁	69F4	E5C4	F67O0080
4871	襪	69F5	E5CC	F67P0080
4872	糧	69F6	E5CE	F67Q0080
4873	良	69F7	E5D0	F67R0080
4874	諒	69F8	E5D2	F67S0080
4875	量	69F9	E5D6	F67T0080
4876	瘵	69FA	E5DC	F67U0080
4877	藥	69FB	E5EE	F67V0080
4878	俺	69FC	E5EF	F67W0080
4879	卮	69FD	E5F7	F67X0080
4880	勵	69FE	E5FA	F67Y0080
4881	呂	6A41	E5FB	F6810080
4882	女	6A42	E5FC	F6820080
4883	廬	6A43	E5FE	F6830080

Table 9 (Page 25 of 32). Hanja Set(3/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
4884	旅	6A44	E6A1	F6840080
4885	濾	6A45	E6A4	F6850080
4886	璵	6A46	E6A5	F6860080
4887	礪	6A47	E6A6	F6870080
4888	礪	6A48	E6A7	F6880080
4889	鯨	6A49	E6A9	F6890080
4890	茹	6A4A	E6AA	F68A0080
4891	輿	6A4B	E6AB	F68B0080
4892	舉	6A4C	E6AC	F68C0080
4893	閭	6A4D	E6AD	F68D0080
4894	驪	6A4E	E6AF	F68E0080
4895	麗	6A4F	E6B0	F68F0080
4896	黎	6A50	E6B1	F68G0080
4897	力	6A51	E6B3	F68H0080
4898	曆	6A52	E6B7	F68I0080
4899	歷	6A53	E6B8	F68J0080
4900	轢	6A54	E6BC	F68K0080
4901	年	6A55	E6C4	F68L0080
4902	憐	6A56	E6C6	F68M0080
4903	戀	6A57	E6C7	F68N0080
4904	挺	6A58	E6C9	F68O0080
4905	沈	6A59	E6CC	F68P0080
4906	漣	6A5A	E6D2	F68Q0080
4907	煉	6A5B	E6D6	F68R0080
4908	璉	6A5C	E6D9	F68S0080
4909	季	6A5D	E6DC	F68T0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
4910	練	6A5E	E6DF	F68U0080
4911	續	6A5F	E6E0	F68V0080
4912	聯	6A60	E6E1	F68W0080
4913	輦	6A61	E6E4	F68X0080
4914	蓮	6A62	E6E5	F68Y0080
4915	連	6A63	E6E6	F68Z0080
4916	鍊	6A64	E6E8	F6900080
4917	列	6A65	E6EA	F6910080
4918	劣	6A66	E6EB	F6920080
4919	烈	6A67	E6EF	F6930080
4920	裂	6A68	E6F1	F6940080
4921	廉	6A69	E6F5	F6950080
4922	念	6A6A	E6F6	F6960080
4923	捻	6A6B	E6F7	F6970080
4924	殮	6A6C	E6F9	F6980080
4925	琰	6A6D	E6FC	F6990080
4926	簾	6A6E	E7A1	F69A0080
4927	獵	6A6F	E7A6	F69B0080
4928	令	6A70	E7A9	F69C0080
4929	囹	6A71	E7AA	F69D0080
4930	寧	6A72	E7AC	F69E0080
4931	嶺	6A73	E7AD	F69F0080
4932	嶸	6A74	E7AE	F69G0080
4933	伶	6A75	E7B0	F69H0080
4934	漠	6A76	E7B7	F69I0080
4935	溱	6A77	E7B9	F69J0080

Line Number	Graphic	Host Code	PC Code	GCGID
4936	灣	6A78	E7BB	F69K0080
4937	煨	6A79	E7BC	F69L0080
4938	獐	6A7A	E7BE	F69M0080
4939	玲	6A7B	E7BF	F69N0080
4940	穎	6A7C	E7C4	F69O0080
4941	羚	6A7D	E7C6	F69P0080
4942	聆	6A7E	E7C7	F69Q0080
4943	鈴	6A7F	E7CB	F69R0080
4944	鎡	6A80	E7CC	F69S0080
4945	零	6A81	E7CD	F69T0080
4946	霽	6A82	E7CE	F69U0080
4947	靈	6A83	E7CF	F69V0080
4948	領	6A84	E7D0	F69W0080
4949	乂	6A85	E7D1	F69X0080
4950	例	6A86	E7D3	F69Y0080
4951	汨	6A87	E7D7	F69Z0080
4952	穢	6A88	E7DB	F6A00080
4953	禮	6A89	E7DF	F6A10080
4954	醴	6A8A	E7E4	F6A20080
4955	隸	6A8B	E7E6	F6A30080
4956	悟	6A8C	E7EB	F6A40080
4957	塢	6A8D	E7F1	F6A50080
4958	懊	6A8E	E7F8	F6A60080
4959	敖	6A8F	E7F9	F6A70080
4960	澳	6A90	E7FE	F6A80080
4961	熬	6A91	E8A2	F6A90080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Table 9 (Page 27 of 32). Hanja Set(3/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
4962	奠	6A92	E8A4	F6AA0080
4963	熬	6A93	E8A7	F6AB0080
4964	鼈	6A94	E8A8	F6AC0080
4965	縑	6A95	E8B2	F6AD0080
4966	夔	6A96	E8BD	F6AE0080
4967	窪	6A97	E8C1	F6AF0080
4968	椀	6A98	E8C9	F6AG0080
4969	椀	6A99	E8CA	F6AH0080
4970	琬	6A9A	E8CD	F6AI0080
4971	腕	6A9B	E8D2	F6AJ0080
4972	娃	6A9C	E8DF	F6AK0080
4973	嵬	6A9D	E8E3	F6AL0080
4974	了	6A9E	E8E7	F6AM0080
4975	僚	6A9F	E8E8	F6AN0080
4976	寥	6AA0	E8EF	F6AO0080
4977	寮	6AA1	E8F0	F6AP0080
4978	尿	6AA2	E8F1	F6AQ0080
4979	撓	6AA3	E8F5	F6AR0080
4980	料	6AA4	E8F7	F6AS0080
4981	燎	6AA5	E8FB	F6AT0080
4982	耀	6AA6	E8FC	F6AU0080
4983	療	6AA7	E8FE	F6AV0080
4984	蓼	6AA8	E9A7	F6AW0080
4985	遼	6AA9	E9AC	F6AX0080
4986	縲	6AAA	E9B2	F6AY0080
4987	俑	6AAB	E9B5	F6AZ0080

Table 9 (Page 27 of 32). Hanja Set(3/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
4988	埶	6AAC	E9B9	F6B00080
4989	壙	6AAD	E9BA	F6B10080
4990	滸	6AAE	E9BD	F6B20080
4991	涌	6AAF	E9BF	F6B30080
4992	甬	6AB0	E9C5	F6B40080
4993	龍	6AB1	E9CC	F6B50080
4994	吁	6AB2	E9D9	F6B60080
4995	玊	6AB3	E9DB	F6B70080
4996	瑀	6AB4	E9DC	F6B80080
4997	紆	6AB5	E9E1	F6B90080
4998	藕	6AB6	E9E4	F6BA0080
4999	釭	6AB7	E9E9	F6BB0080
5000	勛	6AB8	E9ED	F6BC0080
5001	彘	6AB9	E9EE	F6BD0080
5002	梢	6ABA	E9F1	F6BE0080
5003	標	6ABB	E9F8	F6BF0080
5004	滢	6ABC	E9FA	F6BG0080
5005	熗	6ABD	E9FB	F6BH0080
5006	蕓	6ABE	E9FE	F6BI0080
5007	亏	6ABF	EAA7	F6BJ0080
5008	嫫	6AC0	EAB1	F6BK0080
5009	沅	6AC1	EAB6	F6BL0080
5010	洹	6AC2	EAB7	F6BM0080
5011	浚	6AC3	EAB8	F6BN0080
5012	阮	6AC4	EAC1	F6BO0080
5013	曄	6AC5	EAD1	F6BP0080




IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
5014	薦	6AC6	EAD9	F6BQ0080
5015	樟	6AC7	EADC	F6BR0080
5016	劉	6AC8	EAE5	F6BS0080
5017	柎	6AC9	EAF4	F6BT0080
5018	柳	6ACA	EAF7	F6BU0080
5019	檣	6ACB	EAF9	F6BV0080
5020	洧	6ACC	EAFB	F6BW0080
5021	流	6ACD	E AFC	F6BX0080
5022	溜	6ACE	EAFE	F6BY0080
5023	猷	6ACF	EBA3	F6BZ0080
5024	琉	6AD0	EBA4	F6C00080
5025	留	6AD1	EBA7	F6C10080
5026	硫	6AD2	EBA9	F6C20080
5027	紐	6AD3	EBAA	F6C30080
5028	類	6AD4	EBBA	F6C40080
5029	六	6AD5	EBBB	F6C50080
5030	埇	6AD6	EBBC	F6C60080
5031	戮	6AD7	EBBD	F6C70080
5032	陸	6AD8	EBC1	F6C80080
5033	倫	6AD9	EBC2	F6C90080
5034	崙	6ADA	EBC6	F6CA0080
5035	淪	6ADB	EBC7	F6CB0080
5036	贛	6ADC	EBCB	F6CC0080
5037	輪	6ADD	EBCC	F6CD0080
5038	銳	6ADE	EBCD	F6CE0080
5039	律	6ADF	EBCF	F6CF0080

Line Number	Graphic	Host Code	PC Code	GCGID
5040	慄	6AE0	EBD0	F6CG0080
5041	栗	6AE1	EBD1	F6CH0080
5042	率	6AE2	EBD2	F6CI0080
5043	灑	6AE3	EBD5	F6CJ0080
5044	隆	6AE4	EBD8	F6CK0080
5045	椅	6AE5	EBF5	F6CL0080
5046	薏	6AE6	EBFB	F6CM0080
5047	利	6AE7	ECA6	F6CN0080
5048	吏	6AE8	ECA7	F6CO0080
5049	履	6AE9	ECAA	F6CP0080
5050	李	6AEA	ECB0	F6CQ0080
5051	梨	6AEB	ECB1	F6CR0080
5052	泥	6AEC	ECB2	F6CS0080
5053	理	6AED	ECB5	F6CT0080
5054	痢	6AEE	ECB8	F6CU0080
5055	罹	6AEF	ECBA	F6CV0080
5056	肄	6AF0	ECBD	F6CW0080
5057	苙	6AF1	ECBE	F6CX0080
5058	裏	6AF2	ECC0	F6CY0080
5059	裡	6AF3	ECC1	F6CZ0080
5060	貽	6AF4	ECC2	F6D00080
5061	邇	6AF5	ECC4	F6D10080
5062	里	6AF6	ECC5	F6D20080
5063	離	6AF7	ECC6	F6D30080
5064	匿	6AF8	ECC9	F6D40080
5065	溺	6AF9	ECCA	F6D50080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
5066	諡	6AFA	ECD0	F6D60080
5067	吝	6AFB	ECD5	F6D70080
5068	燐	6AFC	ECDD	F6D80080
5069	璘	6AFD	ECDE	F6D90080
5070	網	6AFE	ECDF	F6DA0080
5071	茵	6B41	ECE0	F6DD0080
5072	蔞	6B42	ECE1	F6DE0080
5073	蚓	6B43	ECE2	F6DF0080
5074	隣	6B44	ECE4	F6DG0080
5075	鱗	6B45	ECE7	F6DH0080
5076	麟	6B46	ECE8	F6DI0080
5077	佚	6B47	ECEA	F6DJ0080
5078	恁	6B48	ECF6	F6DK0080
5079	林	6B49	ECF7	F6DL0080
5080	淋	6B4A	ECF8	F6DM0080
5081	臨	6B4B	ECFA	F6DN0080
5082	廿	6B4C	ECFE	F6DO0080
5083	立	6B4D	EDA1	F6DP0080
5084	笠	6B4E	EDA2	F6DQ0080
5085	粒	6B4F	EDA3	F6DR0080
5086	苧	6B50	EDA7	F6DS0080
5087	茨	6B51	EDBC	F6DT0080
5088	孱	6B52	EDCF	F6DU0080
5089	臧	6B53	EDF5	F6DV0080
5090	澌	6B54	EEAA	F6DW0080
5091	緯	6B55	EEAD	F6DX0080

Line Number	Graphic	Host Code	PC Code	GCGID
5092	紵	6B56	EEC7	F6DY0080
5093	涓	6B57	EEC9	F6DZ0080
5094	睢	6B58	EED1	F6E00080
5095	齟	6B59	EED2	F6E10080
5096	吊	6B5A	EED4	F6E20080
5097	炙	6B5B	EEDB	F6E30080
5098	翟	6B5C	EEE1	F6E40080
5099	鐫	6B5D	EEEB	F6E50080
5100	佃	6B5E	EEEC	F6E60080
5101	佺	6B5F	EEED	F6E70080
5102	搏	6B60	EEF4	F6E80080
5103	碘	6B61	EFA2	F6E90080
5104	畑	6B62	EFA5	F6EA0080
5105	釜	6B63	EFA7	F6EB0080
5106	鐫	6B64	EFB2	F6EC0080
5107	癩	6B65	EFBB	F6ED0080
5108	鮎	6B66	EFC6	F6EE0080
5109	枉	6B67	EFDE	F6EF0080
5110	櫟	6B68	EFE0	F6EG0080
5111	淀	6B69	EFE3	F6EH0080
5112	澨	6B6A	EFE6	F6EI0080
5113	澨	6B6B	EFE7	F6EJ0080
5114	炆	6B6C	EFE8	F6EK0080
5115	玎	6B6D	EFE9	F6EL0080
5116	珽	6B6E	EFEA	F6EM0080
5117	緹	6B6F	EFF2	F6EN0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
5118	鋌	6B70	EFFB	F6EO0080
5119	璪	6B71	F0D1	F6EP0080
5120	雕	6B72	F0E7	F6EQ0080
5121	惊	6B73	F0F5	F6ER0080
5122	踪	6B74	F1A1	F6ES0080
5123	姝	6B75	F1AF	F6ET0080
5124	湊	6B76	F1BE	F6EU0080
5125	澍	6B77	F1BF	F6EV0080
5126	窩	6B78	F1D9	F6EW0080
5127	煖	6B79	F1E0	F6EX0080
5128	雋	6B7A	F1E6	F6EY0080
5129	繪	6B7B	F1F9	F6EZ0080
5130	泚	6B7C	F2AF	F6F00080
5131	芷	6B7D	F2BA	F6F10080
5132	唇	6B7E	F2C6	F6F20080
5133	摺	6B7F	F2CA	F6F30080
5134	晋	6B80	F2CC	F6F40080
5135	振	6B81	F2CD	F6F50080
5136	殄	6B82	F2CF	F6F60080
5137	眈	6B83	F2D5	F6F70080
5138	纘	6B84	F2DC	F6F80080
5139	臻	6B85	F2DD	F6F90080
5140	陳	6B86	F2DE	F6FA0080
5141	袵	6B87	F2DF	F6FB0080
5142	侄	6B88	F2E9	F6FC0080
5143	瓊	6B89	F2EF	F6FD0080

Line Number	Graphic	Host Code	PC Code	GCGID
5144	什	6B8A	F2FA	F6FE0080
5145	灤	6B8B	F2FC	F6FF0080
5146	鑠	6B8C	F3A1	F6FG0080
5147	侘	6B8D	F3A7	F6FH0080
5148	篡	6B8E	F3C2	F6FI0080
5149	紮	6B8F	F3CF	F6FJ0080
5150	讖	6B90	F3D9	F6FK0080
5151	愴	6B91	F3E1	F6FL0080
5152	狷	6B92	F3E9	F6FM0080
5153	案	6B93	F3F2	F6FN0080
5154	寨	6B94	F3F3	F6FO0080
5155	個	6B95	F4A6	F6FP0080
5156	蹠	6B96	F4B2	F6FQ0080
5157	玕	6B97	F4BD	F6FR0080
5158	輟	6B98	F4CF	F6FS0080
5159	簽	6B99	F4D8	F6FT0080
5160	詹	6B9A	F4DA	F6FU0080
5161	堞	6B9B	F4DC	F6FV0080
5162	剽	6B9C	F4F9	F6FW0080
5163	艸	6B9D	F5AC	F6FX0080
5164	莒	6B9E	F5AD	F6FY0080
5165	邨	6B9F	F5BE	F6FZ0080
5166	愬	6BA0	F5C2	F6G00080
5167	愬	6BA1	F5C3	F6G10080
5168	蔥	6BA2	F5C7	F6G20080
5169	諷	6BA3	F5D8	F6G30080




IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Table 9 (Page 31 of 32). Hanja Set(3/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
5170	鎚	6BA4	F5E0	F6G40080
5171	驕	6BA5	F5E2	F6G50080
5172	愛	6BA6	F5EC	F6G60080
5173	琿	6BA7	F5F2	F6G70080
5174	朮	6BA8	F5F4	F6G80080
5175	贅	6BA9	F6A1	F6G90080
5176	厠	6BAA	F6B2	F6GA0080
5177	穉	6BAB	F6C4	F6GB0080
5178	蚩	6BAC	F6C9	F6GC0080
5179	琛	6BAD	F6DA	F6GD0080
5180	咤	6BAE	F6E3	F6GE0080
5181	掩	6BAF	F6E9	F6GF0080
5182	馱	6BB0	F6EE	F6GG0080
5183	坼	6BB1	F6F3	F6GH0080
5184	暄	6BB2	F6F8	F6GI0080
5185	瑄	6BB3	F6FD	F6GJ0080
5186	眈	6BB4	F7AF	F6GK0080
5187	糖	6BB5	F7B8	F6GL0080
5188	槌	6BB6	F7D9	F6GM0080
5189	闖	6BB7	F7E6	F6GN0080
5190	擺	6BB8	F7EC	F6GO0080
5191	鈹	6BB9	F7FE	F6GP0080
5192	騙	6BBA	F8BE	F6GQ0080
5193	枰	6BBB	F8C2	F6GR0080
5194	暴	6BBC	F8DB	F6GS0080
5195	苞	6BBD	F8E2	F6GT0080

Table 9 (Page 31 of 32). Hanja Set(3/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
5196	逋	6BBE	F8E7	F6GU0080
5197	曝	6BBF	F8ED	F6GV0080
5198	輻	6BC0	F8F0	F6GW0080
5199	鱸	6BC1	F8FC	F6GX0080
5200	驃	6BC2	F8FE	F6GY0080
5201	陂	6BC3	F9AE	F6GZ0080
5202	泌	6BC4	F9B3	F6H00080
5203	苾	6BC5	F9B7	F6H10080
5204	秘	6BC6	F9B8	F6H20080
5205	厦	6BC7	F9BD	F6H30080
5206	瀚	6BC8	F9D5	F6H40080
5207	銜	6BC9	F9E7	F6H50080
5208	鹹	6BCA	F9E9	F6H60080
5209	闔	6BCB	F9EF	F6H70080
5210	嫦	6BCC	F9F4	F6H80080
5211	行	6BCD	FAA1	F6H90080
5212	漉	6BCE	FAAE	F6HA0080
5213	苻	6BCF	FABB	F6HB0080
5214	憶	6BD0	FACB	F6HC0080
5215	倪	6BD1	FAD5	F6HD0080
5216	覲	6BD2	FAE0	F6HE0080
5217	泫	6BD3	FADA	F6HF0080
5218	玆	6BD4	FADD	F6HG0080
5219	覲	6BD5	FAD9	F6HH0080
5220	洞	6BD6	FBA2	F6HI0080
5221	榮	6BD7	FBA3	F6HJ0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
5222	澄	6BD8	FBA5	F6HK0080
5223	熒	6BD9	FBA7	F6HL0080
5224	瑩	6BDA	FBA9	F6HM0080
5225	迥	6BDB	FBAD	F6HN0080
5226	瞢	6BDC	FBB5	F6HO0080
5227	蹊	6BDD	FBB7	F6HP0080
5228	岫	6BDE	FBC0	F6HQ0080
5229	皓	6BDF	FBC5	F6HR0080
5230	琥	6BE0	FBD0	F6HS0080
5231	芦	6BE1	FBD8	F6HT0080
5232	蒿	6BE2	FBDA	F6HU0080
5233	烘	6BE3	FBF4	F6HV0080
5234	譚	6BE4	FCA6	F6HW0080
5235	奂	6BE5	FCB1	F6HX0080
5236	皖	6BE6	FCB7	F6HY0080
5237	幌	6BE7	FCC6	F6HZ0080
5238	愧	6BE8	FCCA	F6I00080
5239	眈	6BE9	FCCD	F6I10080
5240	梶	6BEA	FCCE	F6I20080
5241	惶	6BEB	FCD0	F6I30080
5242	潢	6BEC	FCD2	F6I40080
5243	璜	6BED	FCD4	F6I50080
5244	簧	6BEE	FCD7	F6I60080
5245	匯	6BEF	FCDD	F6I70080
5246	茴	6BF0	FCED	F6I80080
5247	弘	6BF1	FCF3	F6I90080

Line Number	Graphic	Host Code	PC Code	GCGID
5248	鑛	6BF2	FCF5	F6IA0080
5249	黻	6BF3	FCFA	F6IB0080
5250	濚	6BF4	FCFD	F6IC0080
5251	渚	6BF5	FCFE	F6ID0080
5252	驍	6BF6	FDA4	F6IE0080
5253	幬	6BF7	FDAC	F6IF0080
5254	煦	6BF8	FDAF	F6IG0080
5255	翊	6BF9	FDB0	F6IH0080
5256	勛	6BFA	FDB2	F6II0080
5257	暄	6BFB	FDBE	F6IJ0080
5258	煊	6BFC	FDBF	F6IK0080
5259	炘	6BFD	FDDC	F6IL0080
5260	訖	6BFE	FDE1	F6IM0080
5261	翕	6C41	FDE8	F6IP0080
5262	囍	6C42	FDEE	F6IQ0080
5263	愔	6C43	FDF3	F6IR0080
5264	晞	6C44	FDF5	F6IS0080
5265	熿	6C45	FDF9	F6IT0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

8.6 Hangeul Set(1/2)

Table 10 (Page 1 of 29). Hangeul Set(1/2), DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
1		8441	A4D4	SP490080
2	ㄱ	8444	A4A3	OG200080
3	ㄴ	8446	A4A5	ON150080
4	ㄷ	8447	A4A6	ON100080
5	ㄹ	844A	A4AA	OL200080
6	ㅁ	844B	A4AB	OL400080
7	ㅂ	844C	A4AC	OL100080
8	ㅅ	844D	A4AD	OL600080
9	ㅇ	844E	A4AE	OL700080
10	ㅈ	844F	A4AF	OL500080
11	ㅊ	8450	A4B0	OL300080
12	ㅋ	8454	A4B4	OB200080
13	ㆁ	8461	A4BF	OA000080
14	ㆂ	8481	A4C0	OA200080
15	ㆃ	84A1	A4C1	OY200080
16	ㆄ	84C1	A4C2	OY250080
17	ㆅ	84E1	A4C3	OE200080
18	ㆆ	8541	A4C4	OE000080
19	ㆇ	8561	A4C5	OY400080
20	ㆈ	8581	A4C6	OY300080
21	ㆉ	85A1	A4C7	OO000080
22	ㆊ	85C1	A4C8	OO100080
23	ㆋ	85E1	A4C9	OO200080
24	ㆌ	8641	A4CA	OO300080

Table 10 (Page 1 of 29). Hangeul Set(1/2), DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
25	ㆍ	8661	A4CB	OY500080
26	ㆎ	8681	A4CC	OU000080
27	㆏	86A1	A4CD	OU300080
28	㆐	86C1	A4CE	OU200080
29	㆑	86E1	A4CF	OU400080
30	㆒	8741	A4D0	OY600080
31	㆓	8761	A4D1	OE300080
32	㆔	8781	A4D2	OE400080
33	㆕	87A1	A4D3	OI000080
34	㆖	8841	A4A1	OG000080
35	가	8861	B0A1	FAOX0080
36	각	8862	B0A2	FAOY0080
37	갸	8863		FAOZ0080
38	간	8865	B0A3	FAP10080
39	값	8868	B0A4	FAP40080
40	갈	8869	B0A5	FAP50080
41	갸	886A	B0A6	FAP60080
42	값	886B	B0A7	FAP70080
43	갸	886C		FAP80080
44	감	8871	B0A8	FAPD0080
45	갸	8873	B0A9	FAPF0080
46	갸	8874	B0AA	FAPG0080
47	갸	8875	B0AB	FAPH0080
48	갸	8876	B0AC	FAPI0080
49	강	8877	B0AD	FAPJ0080
50	갸	8878	B0AE	FAPK0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Table 10 (Page 2 of 29). Hangeul Set(1/2), DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
51	꺇	8879	B0AF	FAPL0080
52	꺈	887B	B0B0	FAPN0080
53	꺉	887C	B0B1	FAPO0080
54	꺊	887D	B0B2	FAPP0080
55	꺋	8881	B0B3	FAPT0080
56	꺌	8882	B0B4	FAPU0080
57	꺍	8885	B0B5	FAPX0080
58	꺎	8889	B0B6	FAQ10080
59	꺏	8891	B0B7	FAQ90080
60	꺑	8893	B0B8	FAQB0080
61	꺒	8895	B0B9	FAQD0080
62	꺓	8896	B0BA	FAQE0080
63	꺔	8897	B0BB	FAQF0080
64	꺕	88A1	B0BC	FAQP0080
65	꺖	88A2	B0BD	FAQQ0080
66	꺗	88A5	B0BE	FAQT0080
67	꺘	88A9	B0BF	FAQX0080
68	꺙	88B5	B0C0	FAR90080
69	꺚	88B7	B0C1	FARB0080
70	꺛	88C1	B0C2	FARL0080
71	꺜	88C5	B0C3	FARP0080
72	꺝	88C9	B0C4	FART0080
73	꺞	88E1	B0C5	FASH0080
74	꺟	88E2	B0C6	FASI0080
75	꺠	88E5	B0C7	FASL0080
76	꺡	88E8	B0C8	FASO0080

Table 10 (Page 2 of 29). Hangeul Set(1/2), DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
77	꺢	88E9	B0C9	FASP0080
78	꺣	88EA		FASQ0080
79	꺤	88EB	B0CA	FASR0080
80	꺥	88F1	B0CB	FASX0080
81	꺦	88F3	B0CC	FASZ0080
82	꺧	88F5	B0CD	FAT10080
83	꺨	88F6	B0CE	FAT20080
84	꺩	88F7	B0CF	FAT30080
85	꺪	88F8	B0D0	FAT40080
86	꺫	88F9		FAT50080
87	꺬	88FB	B0D1	FAT70080
88	꺭	88FC	B0D2	FAT80080
89	꺮	88FD	B0D3	FAT90080
90	꺯	8941	B0D4	FATD0080
91	꺰	8945	B0D5	FATH0080
92	꺱	8948		FATK0080
93	꺲	8949	B0D6	FATL0080
94	꺳	8951	B0D7	FATT0080
95	꺴	8953	B0D8	FATV0080
96	꺵	8955	B0D9	FATX0080
97	꺶	8956	B0DA	FATY0080
98	꺷	8957	B0DB	FATZ0080
99	꺸	8961	B0DC	FAU90080
100	꺹	8962	B0DD	FAUA0080
101	꺺	8963	B0DE	FAUB0080
102	꺻	8965	B0DF	FAUD0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Table 10 (Page 3 of 29). Hangeul Set(1/2), DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
103	결	8968	B0E0	FAUG0080
104	결	8969	B0E1	FAUH0080
105	겸	8971	B0E2	FAUP0080
106	접	8973	B0E3	FAUR0080
107	겻	8975	B0E4	FAUT0080
108	젼	8976	B0E5	FAUU0080
109	경	8977	B0E6	FAUV0080
110	결	897B	B0E7	FAUZ0080
111	계	8981	B0E8	FAV50080
112	견	8985	B0E9	FAV90080
113	겘	8989	B0EA	FAVD0080
114	겘	8993	B0EB	FAVN0080
115	겻	8995	B0EC	FAVP0080
116	고	89A1	B0ED	FAW10080
117	곡	89A2	B0EE	FAW20080
118	곤	89A5	B0EF	FAW50080
119	곧	89A8	B0F0	FAW80080
120	골	89A9	B0F1	FAW90080
121	곡	89AA		FAWA0080
122	곡	89AB	B0F2	FAWB0080
123	곡	89AD	B0F3	FAWD0080
124	곡	89B0	B0F4	FAWG0080
125	곰	89B1	B0F5	FAWH0080
126	굽	89B3	B0F6	FAWJ0080
127	곶	89B5	B0F7	FAWL0080
128	공	89B7	B0F8	FAWN0080

Table 10 (Page 3 of 29). Hangeul Set(1/2), DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
129	곶	89B8	B0F9	FAWO0080
130	굴	89BC		FAWS0080
131	과	89C1	B0FA	FAWX0080
132	곽	89C2	B0FB	FAWY0080
133	관	89C5	B0FC	FAX10080
134	괄	89C9	B0FD	FAX50080
135	괄	89CB	B0FE	FAX70080
136	괘	89D1	B1A1	FAXD0080
137	괘	89D3	B1A2	FAXF0080
138	괘	89D5	B1A3	FAXH0080
139	괘	89D7	B1A4	FAXJ0080
140	괘	89E1	B1A5	FAXT0080
141	괘	89E2		FAXU0080
142	괘	89E5	B1A6	FAXX0080
143	괘	89E9	B1A7	FAY10080
144	괘	89F1		FAY90080
145	괘	89F3	B1A8	FAYB0080
146	괘	89F5		FAYD0080
147	괘	89F6	B1A9	FAYE0080
148	괘	89F7	B1AA	FAYF0080
149	괴	8A41	B1AB	FAYP0080
150	괴	8A42	B1AC	FAYQ0080
151	괘	8A45	B1AD	FAYT0080
152	괘	8A49	B1AE	FAYX0080
153	괘	8A51	B1AF	FAZ50080
154	괘	8A53	B1B0	FAZ70080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
155	핏	8A55	B1B1	FAZ90080
156	핑	8A57	B1B2	FAZB0080
157	교	8A61	B1B3	FAZL0080
158	곤	8A65	B1B4	FAZP0080
159	골	8A69	B1B5	FAZT0080
160	굽	8A73	B1B6	FB030080
161	곶	8A75	B1B7	FB050080
162	구	8A81	B1B8	FB0H0080
163	국	8A82	B1B9	FB0I0080
164	군	8A85	B1BA	FB0L0080
165	균	8A88	B1BB	FB0O0080
166	굴	8A89	B1BC	FB0P0080
167	굽	8A8A	B1BD	FB0Q0080
168	굶	8A8B	B1BE	FB0R0080
169	굼	8A90	B1BF	FB0W0080
170	굶	8A91	B1C0	FB0X0080
171	굽	8A93	B1C1	FB0Z0080
172	곶	8A95	B1C2	FB110080
173	궁	8A97	B1C3	FB130080
174	곶	8A98	B1C4	FB140080
175	귀	8AA1	B1C5	FB1D0080
176	격	8AA2	B1C6	FB1E0080
177	권	8AA5	B1C7	FB1H0080
178	퀵	8AA9	B1C8	FB1L0080
179	켓	8AB5		FB1X0080
180	켰	8AB6	B1C9	FB1Y0080

Line Number	Graphic	Host Code	PC Code	GCGID
181	퀵	8AB7	B1CA	FB1Z0080
182	쾌	8AC1	B1CB	FB290080
183	켓	8AD5	B1CC	FB2T0080
184	귀	8AE1	B1CD	FB350080
185	릭	8AE2	B1CE	FB360080
186	퀸	8AE5	B1CF	FB390080
187	퀵	8AE9	B1D0	FB3D0080
188	컵	8AF1	B1D1	FB3L0080
189	컵	8AF3	B1D2	FB3N0080
190	켓	8AF5	B1D3	FB3P0080
191	퀵	8AF7		FB3R0080
192	규	8B41	B1D4	FB410080
193	균	8B45	B1D5	FB450080
194	굴	8B49	B1D6	FB490080
195	굽	8B51		FB4H0080
196	그	8B61	B1D7	FB4X0080
197	극	8B62	B1D8	FB4Y0080
198	근	8B65	B1D9	FB510080
199	근	8B68	B1DA	FB540080
200	글	8B69	B1DB	FB550080
201	굽	8B6A	B1DC	FB560080
202	굶	8B6B		FB570080
203	금	8B71	B1DD	FB5D0080
204	금	8B73	B1DE	FB5F0080
205	곶	8B75	B1DF	FB5H0080
206	궁	8B77	B1E0	FB5J0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Table 10 (Page 5 of 29). Hangeul Set(1/2), DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
207	꺄	8B79		FB5L0080
208	꺅	8B7B		FB5N0080
209	꺆	8B81	B1E1	FB5T0080
210	꺇	8B95		FB6D0080
211	꺈	8BA1	B1E2	FB6P0080
212	꺉	8BA2	B1E3	FB6Q0080
213	꺊	8BA5	B1E4	FB6T0080
214	꺋	8BA8	B1E5	FB6W0080
215	꺌	8BA9	B1E6	FB6X0080
216	꺍	8BAB	B1E7	FB6Z0080
217	꺎	8BAD		FB710080
218	꺏	8BB1	B1E8	FB750080
219	꺐	8BB3	B1E9	FB770080
220	꺑	8BB5	B1EA	FB790080
221	꺒	8BB6		FB7A0080
222	꺓	8BB7	B1EB	FB7B0080
223	꺔	8BB8	B1EC	FB7C0080
224	꺕	8BBB		FB7F0080
225	꺖	8BBC	B1ED	FB7G0080
226	꺗	8C41	A4A2	OG100080
227	꺘	8C61	B1EE	FBA90080
228	꺙	8C62	B1EF	FBAA0080
229	꺚	8C63	B1F0	FBAB0080
230	꺛	8C65	B1F1	FBAD0080
231	꺜	8C69	B1F2	FBAH0080
232	꺝	8C6B	B1F3	FBAJ0080

Table 10 (Page 5 of 29). Hangeul Set(1/2), DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
233	꺞	8C71	B1F4	FBAP0080
234	꺟	8C73	B1F5	FBAR0080
235	꺠	8C75	B1F6	FBAT0080
236	꺡	8C76	B1F7	FBAU0080
237	꺢	8C77	B1F8	FBAV0080
238	꺣	8C78		FBAW0080
239	꺤	8C7B	B1F9	FBAZ0080
240	꺥	8C81	B1FA	FBB50080
241	꺦	8C82	B1FB	FBB60080
242	꺧	8C85	B1FC	FBB90080
243	꺨	8C89	B1FD	FBBD0080
244	꺩	8C91	B1FE	FBBL0080
245	꺪	8C93	B2A1	FBBN0080
246	꺫	8C95	B2A2	FBBP0080
247	꺬	8C96	B2A3	FBBQ0080
248	꺭	8C97	B2A4	FBBR0080
249	꺮	8CA1	B2A5	FBC10080
250	꺯	8CA2	B2A6	FBC20080
251	꺰	8CA9	B2A7	FBC90080
252	꺱	8CC1		FBCX0080
253	꺲	8CE1	B2A8	FBDT0080
254	꺳	8CE2	B2A9	FBDU0080
255	꺴	8CE3	B2AA	FBDV0080
256	꺵	8CE5	B2AB	FBDX0080
257	꺶	8CE9	B2AC	FBE10080
258	꺷	8CF1	B2AD	FBE90080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Table 10 (Page 6 of 29). Hangeul Set(1/2), DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
259	쩍	8CF3	B2AE	FBEB0080
260	꺃	8CF5	B2AF	FBED0080
261	꺄	8CF6	B2B0	FBEE0080
262	꺅	8CF7	B2B1	FBEF0080
263	꺆	8D41	B2B2	FBEP0080
264	꺇	8D42	B2B3	FBEQ0080
265	꺈	8D45	B2B4	FBET0080
266	꺉	8D51	B2B5	FBF50080
267	꺊	8D55	B2B6	FBF90080
268	꺋	8D57	B2B7	FBFB0080
269	꺌	8D61	B2B8	FBFL0080
270	꺍	8D65	B2B9	FBFP0080
271	꺎	8D69	B2BA	FBFT0080
272	꺏	8D71		FBG10080
273	꺑	8D75	B2BB	FBG50080
274	꺒	8D76	B2BC	FBG60080
275	꺓	8D7B	B2BD	FBGB0080
276	꺔	8D81	B2BE	FBGH0080
277	꺕	8DA1	B2BF	FBHD0080
278	꺖	8DA2	B2C0	FBHE0080
279	꺗	8DA5	B2C1	FBHH0080
280	꺘	8DA7	B2C2	FBHJ0080
281	꺙	8DA8		FBHK0080
282	꺚	8DA9	B2C3	FBHL0080
283	꺛	8DB1	B2C4	FBHT0080
284	꺜	8DB3	B2C5	FBHV0080

Table 10 (Page 6 of 29). Hangeul Set(1/2), DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
285	꺞	8DB5	B2C6	FBHX0080
286	꺟	8DB7	B2C7	FBHZ0080
287	꺠	8DB8	B2C8	FBI00080
288	꺡	8DB9	B2C9	FBI10080
289	꺢	8DC1	B2CA	FBI90080
290	꺣	8DC2	B2CB	FBIA0080
291	꺤	8DC5		FBID0080
292	꺥	8DC9	B2CC	FBIH0080
293	꺦	8DD1		FBIP0080
294	꺧	8DD5		FBIT0080
295	꺨	8DD6	B2CD	FBIU0080
296	꺩	8DD7	B2CE	FBIV0080
297	꺪	8DE1	B2CF	FBJ50080
298	꺫	8DE2	B2D0	FBJ60080
299	꺬	8DE5		FBJ90080
300	꺭	8DF7	B2D1	FBJR0080
301	꺮	8E41	B2D2	FBK10080
302	꺯	8E45	B2D3	FBK50080
303	꺰	8E49	B2D4	FBK90080
304	꺱	8E51	B2D5	FBKH0080
305	꺲	8E53	B2D6	FBKJ0080
306	꺳	8E55		FBKL0080
307	꺴	8E57	B2D7	FBKN0080
308	꺵	8E61	B2D8	FBKX0080
309	꺶	8E78		FBLK0080
310	꺷	8E81	B2D9	FBLT0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Table 10 (Page 7 of 29). Hangeul Set(1/2), DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
311	꺅	8E82	B2DA	FBLU0080
312	꺆	8E85	B2DB	FBLX0080
313	꺇	8E88		FBM00080
314	꺈	8E89	B2DC	FBM10080
315	꺉	8E90	B2DD	FBM80080
316	꺊	8E91	B2DE	FBM90080
317	꺋	8E93	B2DF	FBMB0080
318	꺌	8E95	B2E0	FBMD0080
319	꺍	8E97	B2E1	FBMF0080
320	꺎	8E98	B2E2	FBMG0080
321	꺏	8EA1	B2E3	FBMP0080
322	꺐	8EA5		FBMT0080
323	꺑	8EA9	B2E4	FBMX0080
324	꺒	8EB5		FBN90080
325	꺓	8EB6	B2E5	FBNA0080
326	꺔	8EB7	B2E6	FBNB0080
327	꺕	8EC1	B2E7	FBNL0080
328	꺖	8EC2	B2E8	FBNM0080
329	꺗	8EC5	B2E9	FBNP0080
330	꺘	8EC9	B2EA	FBNT0080
331	꺙	8ED1	B2EB	FBO10080
332	꺚	8ED3	B2EC	FBO30080
333	꺛	8ED6	B2ED	FBO60080
334	꺜	8EE1	B2EE	FBOH0080
335	꺝	8EE2		FBOI0080
336	꺞	8EE5	B2EF	FBOL0080

Table 10 (Page 7 of 29). Hangeul Set(1/2), DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
337	꺟	8EE9	B2F0	FBOP0080
338	꺠	8EF1	B2F1	FBOX0080
339	꺡	8EF3	B2F2	FBOZ0080
340	꺢	8EF7		FBP30080
341	꺣	8F41	B2F3	FBPD0080
342	꺤	8F61	B2F4	FBQ90080
343	꺥	8F62	B2F5	FBQA0080
344	꺦	8F65	B2F6	FBQD0080
345	꺧	8F67	B2F7	FBQF0080
346	꺨	8F69	B2F8	FBQH0080
347	꺩	8F6B	B2F9	FBQJ0080
348	꺪	8F70	B2FA	FBQO0080
349	꺫	8F71	B2FB	FBQP0080
350	꺬	8F73	B2FC	FBQR0080
351	꺭	8F75	B2FD	FBQT0080
352	꺮	8F77	B2FE	FBQV0080
353	꺯	8F7B	B3A1	FBQZ0080
354	꺰	8F81		FBR50080
355	꺱	8FA1	B3A2	FBS10080
356	꺲	8FA2	B3A3	FBS20080
357	꺳	8FA5	B3A4	FBS50080
358	꺴	8FA9	B3A5	FBS90080
359	꺵	8FB1	B3A6	FBSH0080
360	꺶	8FB3	B3A7	FBSJ0080
361	꺷	8FB5	B3A8	FBSL0080
362	꺸	8FB6		FBSM0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
363	깁	8FB7	B3A9	FBSN0080
364	ㄴ	9041	A4A4	ON000080
365	나	9061	B3AA	FBVL0080
366	낙	9062	B3AB	FBVM0080
367	낙	9063	B3AC	FBVN0080
368	난	9065	B3AD	FBVP0080
369	날	9068	B3AE	FBVS0080
370	날	9069	B3AF	FBVT0080
371	낙	906A	B3B0	FBVU0080
372	날	906B	B3B1	FBVV0080
373	남	9071	B3B2	FBW10080
374	남	9073	B3B3	FBW30080
375	낫	9075	B3B4	FBW50080
376	낫	9076	B3B5	FBW60080
377	낭	9077	B3B6	FBW70080
378	낫	9078	B3B7	FBW80080
379	낫	9079	B3B8	FBW90080
380	날	907B	B3B9	FBWB0080
381	낭	907D	B3BA	FBWD0080
382	내	9081	B3BB	FBWH0080
383	넉	9082	B3BC	FBWI0080
384	넌	9085	B3BD	FBWL0080
385	넌	9088		FBWO0080
386	넌	9089	B3BE	FBWP0080
387	넎	9091	B3BF	FBWX0080
388	넎	9093	B3C0	FBWZ0080

Line Number	Graphic	Host Code	PC Code	GCGID
389	넷	9095	B3C1	FBX10080
390	넛	9096	B3C2	FBX20080
391	넙	9097	B3C3	FBX30080
392	냐	90A1	B3C4	FBXD0080
393	낙	90A2	B3C5	FBXE0080
394	난	90A5	B3C6	FBXH0080
395	날	90A9	B3C7	FBXL0080
396	남	90B1	B3C8	FBXT0080
397	냥	90B7	B3C9	FBXZ0080
398	내	90C1		FBY90080
399	너	90E1	B3CA	FBZ50080
400	넉	90E2	B3CB	FBZ60080
401	넛	90E4	B3CC	FBZ80080
402	넌	90E5	B3CD	FBZ90080
403	넌	90E8		FBZC0080
404	넌	90E9	B3CE	FBZD0080
405	넎	90EB	B3CF	FBZF0080
406	넎	90EC	B3D0	FBZG0080
407	넎	90F1	B3D1	FBZL0080
408	넎	90F3	B3D2	FBZN0080
409	넛	90F5	B3D3	FBZP0080
410	넛	90F6	B3D4	FBZQ0080
411	넙	90F7	B3D5	FBZR0080
412	넛	90F8		FBZS0080
413	넙	90FD	B3D6	FBZX0080
414	네	9141	B3D7	FC010080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Table 10 (Page 9 of 29). Hangeul Set(1/2), DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
415	넥	9142	B3D8	FC020080
416	넌	9145	B3D9	FC050080
417	넨	9149	B3DA	FC090080
418	넴	9151	B3DB	FC0H0080
419	넵	9153	B3DC	FC0J0080
420	넛	9155	B3DD	FC0L0080
421	넣	9156	B3DE	FC0M0080
422	넥	9157	B3DF	FC0N0080
423	너	9161	B3E0	FC0X0080
424	녁	9162	B3E1	FC0Y0080
425	넨	9165	B3E2	FC110080
426	넴	9168		FC140080
427	넨	9169	B3E3	FC150080
428	넴	9171	B3E4	FC1D0080
429	넵	9173	B3E5	FC1F0080
430	넣	9175		FC1H0080
431	넣	9176	B3E6	FC1I0080
432	넥	9177	B3E7	FC1J0080
433	넣	917A	B3E8	FC1M0080
434	넨	917B		FC1N0080
435	네	9181	B3E9	FC1T0080
436	넴	9185	B3EA	FC1X0080
437	넣	9195		FC2D0080
438	노	91A1	B3EB	FC2P0080
439	눅	91A2	B3EC	FC2Q0080
440	눅	91A3		FC2R0080

Table 10 (Page 9 of 29). Hangeul Set(1/2), DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
441	논	91A5	B3ED	FC2T0080
442	날	91A9	B3EE	FC2X0080
443	넙	91AB	B3EF	FC2Z0080
444	눔	91B1	B3F0	FC350080
445	눅	91B3	B3F1	FC370080
446	눣	91B5	B3F2	FC390080
447	눔	91B7	B3F3	FC3B0080
448	눇	91BC	B3F4	FC3G0080
449	눔	91BD	B3F5	FC3H0080
450	나	91C1	B3F6	FC3L0080
451	난	91C5	B3F7	FC3P0080
452	날	91C9	B3F8	FC3T0080
453	낫	91D5		FC450080
454	낫	91D6	B3F9	FC460080
455	내	91E1		FC4H0080
456	뇌	9241	B3FA	FC5D0080
457	넌	9245	B3FB	FC5H0080
458	넨	9249	B3FC	FC5L0080
459	넴	9251	B3FD	FC5T0080
460	넙	9253	B3FE	FC5V0080
461	넣	9255	B4A1	FC5X0080
462	뇨	9261	B4A2	FC690080
463	눅	9262	B4A3	FC6A0080
464	논	9265	B4A4	FC6D0080
465	놀	9269	B4A5	FC6H0080
466	눅	9273	B4A6	FC6R0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Table 10 (Page 10 of 29). Hangeul Set(1/2), DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
467	낫	9275	B4A7	FC6T0080
468	농	9277	B4A8	FC6V0080
469	누	9281	B4A9	FC750080
470	눅	9282	B4AA	FC760080
471	눈	9285	B4AB	FC790080
472	늘	9288	B4AC	FC7C0080
473	눌	9289	B4AD	FC7D0080
474	눔	9291	B4AE	FC7L0080
475	눉	9293	B4AF	FC7N0080
476	낫	9295	B4B0	FC7P0080
477	농	9297	B4B1	FC7R0080
478	눉	92A1	B4B2	FC810080
479	넛	92B5		FC8L0080
480	넛	92B6	B4B3	FC8M0080
481	넛	92C1	B4B4	FC8X0080
482	넛	92E1	B4B5	FC9T0080
483	넛	92E5	B4B6	FC9X0080
484	넛	92E9	B4B7	FCA10080
485	넛	92F1	B4B8	FCA90080
486	넛	92F3	B4B9	FCAB0080
487	뉴	9341	B4BA	FCAP0080
488	눅	9342	B4BB	FCAQ0080
489	늘	9349	B4BC	FCAX0080
490	눔	9351	B4BD	FCB50080
491	눉	9353	B4BE	FCB70080
492	농	9357	B4BF	FCBB0080

Table 10 (Page 10 of 29). Hangeul Set(1/2), DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
493	느	9361	B4C0	FCBL0080
494	누	9362	B4C1	FCBM0080
495	눈	9365	B4C2	FCBP0080
496	늘	9369	B4C3	FCBT0080
497	눉	936A	B4C4	FCBU0080
498	넛	936B	B4C5	FCBV0080
499	눔	9371	B4C6	FCC10080
500	눉	9373	B4C7	FCC30080
501	낫	9375	B4C8	FCC50080
502	농	9377	B4C9	FCC70080
503	넛	9378	B4CA	FCC80080
504	넛	9379		FCC90080
505	넛	937C	B4CB	FCCC0080
506	느	9381	B4CC	FCCH0080
507	넛	9385	B4CD	FCCL0080
508	넛	9389	B4CE	FCCP0080
509	넛	9397		FCD30080
510	니	93A1	B4CF	FCDD0080
511	닉	93A2	B4D0	FCDE0080
512	넛	93A5	B4D1	FCDH0080
513	넛	93A9	B4D2	FCDL0080
514	넛	93AA		FCDM0080
515	넛	93AB	B4D3	FCDN0080
516	넛	93B1	B4D4	FCDT0080
517	넛	93B3	B4D5	FCDV0080
518	넛	93B5	B4D6	FCDX0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Table 10 (Page 11 of 29). Hangeul Set(1/2), DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
519	닝	93B7	B4D7	FCDZ0080
520	낀	93BA		FCE20080
521	빤	93BC	B4D8	FCE40080
522	ㄸ	9441	A4A7	OD000080
523	다	9461	B4D9	FCGX0080
524	닥	9462	B4DA	FCGY0080
525	닥	9463	B4DB	FCGZ0080
526	단	9465	B4DC	FCH10080
527	달	9468	B4DD	FCH40080
528	달	9469	B4DE	FCH50080
529	닭	946A	B4DF	FCH60080
530	닭	946B	B4E0	FCH70080
531	닭	946C	B4E1	FCH80080
532	닭	9470	B4E2	FCHC0080
533	담	9471	B4E3	FCHD0080
534	답	9473	B4E4	FCHF0080
535	닷	9475	B4E5	FCHH0080
536	닷	9476	B4E6	FCHI0080
537	당	9477	B4E7	FCHJ0080
538	닷	9478	B4E8	FCHK0080
539	닷	9479	B4E9	FCHL0080
540	당	947D	B4EA	FCHP0080
541	대	9481	B4EB	FCHT0080
542	덱	9482	B4EC	FCHU0080
543	댄	9485	B4ED	FCHX0080
544	델	9489	B4EE	FCI10080

Table 10 (Page 11 of 29). Hangeul Set(1/2), DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
545	댐	9491	B4EF	FCI90080
546	뎌	9493	B4F0	FCIB0080
547	뎡	9495	B4F1	FCID0080
548	뎡	9496	B4F2	FCIE0080
549	댕	9497	B4F3	FCIF0080
550	다	94A1	B4F4	FCIP0080
551	당	94B7		FCJB0080
552	대	94C1		FCJL0080
553	더	94E1	B4F5	FCKH0080
554	덕	94E2	B4F6	FCKI0080
555	뒤	94E3	B4F7	FCKJ0080
556	던	94E5	B4F8	FCKL0080
557	덜	94E8	B4F9	FCKO0080
558	덜	94E9	B4FA	FCKP0080
559	덥	94EB	B4FB	FCKR0080
560	덥	94EC	B4FC	FCKS0080
561	덤	94F1	B4FD	FCKX0080
562	덤	94F3	B4FE	FCKZ0080
563	뎡	94F5	B5A1	FCL10080
564	뎡	94F6		FCL20080
565	뎡	94F7	B5A2	FCL30080
566	뎡	94F8		FCL40080
567	뎡	94F9	B5A3	FCL50080
568	뎡	94FC	B5A4	FCL80080
569	데	9541	B5A5	FCLD0080
570	덱	9542	B5A6	FCLE0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Table 10 (Page 12 of 29). Hangeul Set(1/2), DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
571	덴	9545	B5A7	FCLH0080
572	델	9549	B5A8	FCLL0080
573	데미	9551	B5A9	FCLT0080
574	델	9553	B5AA	FCLV0080
575	데트	9555	B5AB	FCLX0080
576	데트	9556	B5AC	FCLY0080
577	데팅	9557	B5AD	FCLZ0080
578	더	9561	B5AE	FCM90080
579	던	9565	B5AF	FCMD0080
580	덜	9569	B5B0	FCMH0080
581	데미	9571		FCMP0080
582	덜	9576	B5B1	FCMU0080
583	데팅	9577	B5B2	FCMV0080
584	데	9581	B5B3	FCN50080
585	덴	9585	B5B4	FCN90080
586	도	95A1	B5B5	FCO10080
587	독	95A2	B5B6	FCO20080
588	돈	95A5	B5B7	FCO50080
589	돌	95A8	B5B8	FCO80080
590	돌	95A9	B5B9	FCO90080
591	돌	95AB	B5BA	FCOB0080
592	돌	95AD	B5BB	FCOD0080
593	돌	95B0		FCOG0080
594	돌	95B1	B5BC	FCOH0080
595	돌	95B3	B5BD	FCOJ0080
596	돌	95B5	B5BE	FCOL0080

Table 10 (Page 12 of 29). Hangeul Set(1/2), DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
597	동	95B7	B5BF	FCON0080
598	돌	95B9	B5C0	FCOP0080
599	돌	95BB	B5C1	FCOR0080
600	돌	95C1	B5C2	FCOX0080
601	돌	95C5	B5C3	FCP10080
602	돌	95C9	B5C4	FCP50080
603	돌	95E1	B5C5	FCPT0080
604	돌	95E5		FCPX0080
605	돌	95F5		FCQD0080
606	돌	95F6	B5C6	FCQE0080
607	돌	9641	B5C7	FCQP0080
608	돌	9645	B5C8	FCQT0080
609	돌	9649	B5C9	FCQX0080
610	돌	9651	B5CA	FCR50080
611	돌	9653	B5CB	FCR70080
612	돌	9655	B5CC	FCR90080
613	돌	9656		FCRA0080
614	돌	9661	B5CD	FCRL0080
615	돌	9681	B5CE	FCSH0080
616	돌	9682	B5CF	FCSI0080
617	돌	9685	B5D0	FCSL0080
618	돌	9688		FCSO0080
619	돌	9689	B5D1	FCSP0080
620	돌	9691	B5D2	FCSX0080
621	돌	9693	B5D3	FCSZ0080
622	돌	9695	B5D4	FCT10080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Table 10 (Page 13 of 29). Hangeul Set(1/2), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
623	등	9697	B5D5	FCT30080
624	뒤	96A1	B5D6	FCTD0080
625	뒷	96B5		FCTX0080
626	뒷	96B6	B5D7	FCTY0080
627	웨	96C1	B5D8	FCU90080
628	웁	96D7	B5D9	FCUV0080
629	뒤	96E1	B5DA	FCV50080
630	된	96E5	B5DB	FCV90080
631	될	96E9	B5DC	FCVD0080
632	뒸	96F1		FCVL0080
633	뒸	96F3	B5DD	FCVN0080
634	뒷	96F5	B5DE	FCVP0080
635	뒸	96F7	B5DF	FCVR0080
636	듀	9741	B5E0	FCW10080
637	득	9742		FCW20080
638	둔	9745	B5E1	FCW50080
639	둘	9749	B5E2	FCW90080
640	듬	9751	B5E3	FCWH0080
641	둥	9757	B5E4	FCWN0080
642	드	9761	B5E5	FCWX0080
643	득	9762	B5E6	FCWY0080
644	든	9765	B5E7	FCX10080
645	듬	9768	B5E8	FCX40080
646	들	9769	B5E9	FCX50080
647	듬	976B	B5EA	FCX70080
648	듬	976C		FCX80080

Table 10 (Page 13 of 29). Hangeul Set(1/2), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
649	듬	9771	B5EB	FCXD0080
650	듬	9773	B5EC	FCXF0080
651	뒸	9775	B5ED	FCXH0080
652	등	9777	B5EE	FCXJ0080
653	되	9781	B5EF	FCXT0080
654	디	97A1	B5F0	FCYP0080
655	덕	97A2	B5F1	FCYQ0080
656	딘	97A5	B5F2	FCYT0080
657	덜	97A8	B5F3	FCYW0080
658	덜	97A9	B5F4	FCYX0080
659	덤	97B1	B5F5	FCZ50080
660	덥	97B3	B5F6	FCZ70080
661	덧	97B5	B5F7	FCZ90080
662	뒷	97B6	B5F8	FCZA0080
663	덩	97B7	B5F9	FCZB0080
664	덧	97B8	B5FA	FCZC0080
665	덜	97BC		FCZG0080
666	ㄷ	9841	A4A8	OD100080
667	따	9861	B5FB	FD290080
668	딱	9862	B5FC	FD2A0080
669	딱	9863		FD2B0080
670	만	9865	B5FD	FD2D0080
671	말	9868		FD2G0080
672	말	9869	B5FE	FD2H0080
673	말	9870		FD2O0080
674	땀	9871	B6A1	FD2P0080



IBM Korean Graphic Character Set


DBCS - Host and DBCS - PC

Table 10 (Page 14 of 29). Hangeul Set(1/2), DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
675	ㅍ	9873	B6A2	FD2R0080
676	ㅑ	9875	B6A3	FD2T0080
677	ㅓ	9876	B6A4	FD2U0080
678	ㅕ	9877	B6A5	FD2V0080
679	ㅗ	987D	B6A6	FD310080
680	ㅛ	9881	B6A7	FD350080
681	ㅝ	9882	B6A8	FD360080
682	ㅟ	9885	B6A9	FD390080
683	ㅛ	9889	B6AA	FD3D0080
684	ㅜ	9891	B6AB	FD3L0080
685	ㅠ	9893	B6AC	FD3N0080
686	ㅑ	9895	B6AD	FD3P0080
687	ㅓ	9896	B6AE	FD3Q0080
688	ㅕ	9897	B6AF	FD3R0080
689	ㅗ	98A1		FD410080
690	ㅛ	98C1		FD4X0080
691	ㅝ	98E1	B6B0	FD5T0080
692	ㅟ	98E2	B6B1	FD5U0080
693	ㅛ	98E5	B6B2	FD5X0080
694	ㅜ	98E9	B6B3	FD610080
695	ㅠ	98EB	B6B4	FD630080
696	ㅑ	98EC	B6B5	FD640080
697	ㅓ	98F1	B6B6	FD690080
698	ㅕ	98F3	B6B7	FD6B0080
699	ㅗ	98F5	B6B8	FD6D0080
700	ㅛ	98F6	B6B9	FD6E0080

Table 10 (Page 14 of 29). Hangeul Set(1/2), DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
701	ㅑ	98F7	B6BA	FD6F0080
702	ㅓ	98FD	B6BB	FD6L0080
703	ㅕ	9941	B6BC	FD6P0080
704	ㅗ	9942	B6BD	FD6Q0080
705	ㅛ	9945	B6BE	FD6T0080
706	ㅝ	9949	B6BF	FD6X0080
707	ㅟ	9951	B6C0	FD750080
708	ㅛ	9953	B6C1	FD770080
709	ㅜ	9955	B6C2	FD790080
710	ㅠ	9956	B6C3	FD7A0080
711	ㅑ	9957	B6C4	FD7B0080
712	ㅓ	9961	B6C5	FD7L0080
713	ㅕ	9976	B6C6	FD860080
714	ㅗ	9981		FD8H0080
715	ㅛ	99A1	B6C7	FD9D0080
716	ㅝ	99A2	B6C8	FD9E0080
717	ㅟ	99A5	B6C9	FD9H0080
718	ㅛ	99A9	B6CA	FD9L0080
719	ㅜ	99B7	B6CB	FD9Z0080
720	ㅠ	99C1	B6CC	FDA90080
721	ㅑ	99C9	B6CD	FDAH0080
722	ㅓ	99E1	B6CE	FDB50080
723	ㅕ	9A41	B6CF	FDC10080
724	ㅗ	9A45	B6D0	FDC50080
725	ㅛ	9A61		FDCX0080
726	ㅜ	9A81	B6D1	FDDT0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Table 10 (Page 15 of 29). Hangeul Set(1/2), DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
727	뜩	9A82	B6D2	FDDU0080
728	뚸	9A85	B6D3	FDDX0080
729	뜰	9A89	B6D4	FDE10080
730	뚰	9A90	B6D5	FDE80080
731	뚱	9A91	B6D6	FDE90080
732	뚲	9A97	B6D7	FDEF0080
733	뚳	9AA1		FDEP0080
734	뚴	9AC1	B6D8	FDFL0080
735	뚵	9AE1	B6D9	FDGH0080
736	뚶	9AE5	B6DA	FDGL0080
737	뚷	9AE9	B6DB	FDGP0080
738	뚸	9AF1	B6DC	FDGX0080
739	뚹	9AF3	B6DD	FDGZ0080
740	뚺	9AF7	B6DE	FDH30080
741	뚻	9B41		FDHD0080
742	뚼	9B61	B6DF	FDI90080
743	뚽	9B62	B6E0	FDIA0080
744	뚾	9B65	B6E1	FDID0080
745	뚿	9B68	B6E2	FDIG0080
746	뛀	9B69	B6E3	FDIH0080
747	뛁	9B71	B6E4	FDIP0080
748	뛂	9B73	B6E5	FDIR0080
749	뛃	9B75	B6E6	FDIT0080
750	뛄	9B81	B6E7	FDJ50080
751	뛅	9B85	B6E8	FDJ90080
752	뛆	9B89	B6E9	FDJD0080

Table 10 (Page 15 of 29). Hangeul Set(1/2), DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
753	뛇	9B91	B6EA	FDJL0080
754	뛈	9B93	B6EB	FDJN0080
755	뛉	9BA1	B6EC	FDK10080
756	뛊	9BA5	B6ED	FDK50080
757	뛋	9BA9	B6EE	FDK90080
758	뛌	9BB1	B6EF	FDKH0080
759	뛍	9BB3	B6F0	FDKJ0080
760	뛎	9BB5	B6F1	FDKL0080
761	뛏	9BB7	B6F2	FDKN0080
762	뛐	9C41	A4A9	OL000080
763	란	9C61	B6F3	FDNL0080
764	랁	9C62	B6F4	FDNM0080
765	랂	9C65	B6F5	FDNP0080
766	랃	9C69	B6F6	FDNT0080
767	랄	9C71	B6F7	FDO10080
768	랅	9C73	B6F8	FDO30080
769	랆	9C75	B6F9	FDO50080
770	랇	9C76	B6FA	FDO60080
771	랈	9C77	B6FB	FDO70080
772	랉	9C78	B6FC	FDO80080
773	랊	9C7C	B6FD	FDOC0080
774	랋	9C7D	B6FE	FDOD0080
775	람	9C81	B7A1	FDOH0080
776	랍	9C82	B7A2	FDOI0080
777	랎	9C85	B7A3	FDOL0080
778	랏	9C89	B7A4	FDOP0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
779	램	9C91	B7A5	FDOX0080
780	랩	9C93	B7A6	FDOZ0080
781	랫	9C95	B7A7	FDP10080
782	랬	9C96	B7A8	FDP20080
783	랭	9C97	B7A9	FDP30080
784	랴	9CA1	B7AA	FDPD0080
785	략	9CA2	B7AB	FDPE0080
786	란	9CA5	B7AC	FDPH0080
787	랏	9CB5	B7AD	FDPX0080
788	량	9CB7	B7AE	FDPZ0080
789	래	9CC1		FDQ90080
790	러	9CE1	B7AF	FDR50080
791	럭	9CE2	B7B0	FDR60080
792	런	9CE5	B7B1	FDR90080
793	릴	9CE9	B7B2	FDRD0080
794	림	9CF1	B7B3	FDRL0080
795	립	9CF3	B7B4	FDRN0080
796	럿	9CF5	B7B5	FDRP0080
797	ړ	9CF6	B7B6	FDRQ0080
798	링	9CF7	B7B7	FDRR0080
799	령	9CFD	B7B8	FDRX0080
800	레	9D41	B7B9	FDS10080
801	렉	9D42	B7BA	FDS20080
802	렌	9D45	B7BB	FDS50080
803	렘	9D48		FDS80080
804	렐	9D49	B7BC	FDS90080

Line Number	Graphic	Host Code	PC Code	GCGID
805	렘	9D51	B7BD	FDSH0080
806	렙	9D53	B7BE	FDSJ0080
807	렛	9D55	B7BF	FDSL0080
808	렜	9D57	B7C0	FDSN0080
809	려	9D61	B7C1	FDSX0080
810	력	9D62	B7C2	FDSY0080
811	런	9D65	B7C3	FDT10080
812	렐	9D69	B7C4	FDT50080
813	렘	9D71	B7C5	FDTD0080
814	렙	9D73	B7C6	FDTF0080
815	렛	9D75	B7C7	FDTH0080
816	ړ	9D76	B7C8	FDTI0080
817	령	9D77	B7C9	FDTJ0080
818	레	9D81	B7CA	FDTT0080
819	렘	9D85	B7CB	FDTX0080
820	렙	9D93	B7CC	FDUB0080
821	렛	9D95	B7CD	FDUD0080
822	로	9DA1	B7CE	FDUP0080
823	룩	9DA2	B7CF	FDUQ0080
824	룬	9DA5	B7D0	FDUT0080
825	룰	9DA9	B7D1	FDUX0080
826	름	9DB1	B7D2	FDV50080
827	ړ	9DB3	B7D3	FDV70080
828	룻	9DB5	B7D4	FDV90080
829	룽	9DB7	B7D5	FDVB0080
830	ړ	9DC1	B7D6	FDVL0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Table 10 (Page 17 of 29). Hangeul Set(1/2), DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
831	환	9DC5	B7D7	FDVP0080
832	황	9DD7	B7D8	FDW70080
833	쾌	9DE1		FDWH0080
834	뤼	9DF6	B7D9	FDX20080
835	뢰	9E41	B7DA	FDXD0080
836	ړ	9E45	B7DB	FDXH0080
837	ړ	9E49	B7DC	FDXL0080
838	ړ	9E51	B7DD	FDXT0080
839	ړ	9E53	B7DE	FDXV0080
840	ړ	9E55	B7DF	FDXX0080
841	ړ	9E57	B7E0	FDXZ0080
842	료	9E61	B7E1	FDY90080
843	룬	9E65	B7E2	FDYD0080
844	를	9E69	B7E3	FDYH0080
845	름	9E71		FDYP0080
846	ړ	9E73	B7E4	FDYR0080
847	ړ	9E75	B7E5	FDYT0080
848	ړ	9E77	B7E6	FDYV0080
849	루	9E81	B7E7	FDZ50080
850	륙	9E82	B7E8	FDZ60080
851	룬	9E85	B7E9	FDZ90080
852	를	9E89	B7EA	FDZD0080
853	름	9E91	B7EB	FDZL0080
854	ړ	9E93	B7EC	FDZN0080
855	ړ	9E95	B7ED	FDZP0080
856	ړ	9E97	B7EE	FDZR0080

Table 10 (Page 17 of 29). Hangeul Set(1/2), DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
857	ړ	9EA1	B7EF	FE010080
858	ړ	9EB5		FE0L0080
859	ړ	9EB6	B7F0	FE0M0080
860	ړ	9EC1	B7F1	FE0X0080
861	ړ	9EE1	B7F2	FE1T0080
862	ړ	9EE2	B7F3	FE1U0080
863	ړ	9EE5	B7F4	FE1X0080
864	ړ	9EE9	B7F5	FE210080
865	ړ	9EF1	B7F6	FE290080
866	ړ	9EF5	B7F7	FE2D0080
867	ړ	9EF7	B7F8	FE2F0080
868	류	9F41	B7F9	FE2P0080
869	륙	9F42	B7FA	FE2Q0080
870	룬	9F45	B7FB	FE2T0080
871	를	9F49	B7FC	FE2X0080
872	름	9F51	B7FD	FE350080
873	ړ	9F53	B7FE	FE370080
874	ړ	9F55	B8A1	FE390080
875	ړ	9F57	B8A2	FE3B0080
876	르	9F61	B8A3	FE3L0080
877	륙	9F62	B8A4	FE3M0080
878	룬	9F65	B8A5	FE3P0080
879	를	9F69	B8A6	FE3T0080
880	름	9F71	B8A7	FE410080
881	ړ	9F73	B8A8	FE430080
882	ړ	9F75	B8A9	FE450080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Table 10 (Page 18 of 29). Hangeul Set(1/2), DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
883	릉	9F77	B8AA	FE470080
884	룻	9F78	B8AB	FE480080
885	를	9F7B	B8AC	FE4B0080
886	륜	9F7C	B8AD	FE4C0080
887	리	9F81		FE4H0080
888	리	9FA1	B8AE	FE5D0080
889	릭	9FA2	B8AF	FE5E0080
890	린	9FA5	B8B0	FE5H0080
891	릴	9FA9	B8B1	FE5L0080
892	림	9FB1	B8B2	FE5T0080
893	립	9FB3	B8B3	FE5V0080
894	릿	9FB5	B8B4	FE5X0080
895	링	9FB7	B8B5	FE5Z0080
896	ㄹ	A041	A4B1	OM000080
897	마	A061	B8B6	FE8X0080
898	막	A062	B8B7	FE8Y0080
899	만	A065	B8B8	FE910080
900	많	A067	B8B9	FE930080
901	만	A068	B8BA	FE940080
902	말	A069	B8BB	FE950080
903	맑	A06A	B8BC	FE960080
904	맑	A06B	B8BD	FE970080
905	맘	A071	B8BE	FE9D0080
906	맵	A073	B8BF	FE9F0080
907	맛	A075	B8C0	FE9H0080
908	망	A077	B8C1	FE9J0080

Table 10 (Page 18 of 29). Hangeul Set(1/2), DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
909	맞	A078	B8C2	FE9K0080
910	맞	A079		FE9L0080
911	말	A07B	B8C3	FE9N0080
912	망	A07D	B8C4	FE9P0080
913	매	A081	B8C5	FE9T0080
914	맥	A082	B8C6	FE9U0080
915	맨	A085	B8C7	FE9X0080
916	멜	A089	B8C8	FEA10080
917	멤	A091	B8C9	FEA90080
918	맵	A093	B8CA	FEAB0080
919	맷	A095	B8CB	FEAD0080
920	맷	A096	B8CC	FEAE0080
921	맹	A097	B8CD	FEAF0080
922	맷	A098	B8CE	FEAG0080
923	맷	A099		FEAH0080
924	먀	A0A1	B8CF	FEAP0080
925	막	A0A2	B8D0	FEAQ0080
926	말	A0A9	B8D1	FEAX0080
927	망	A0B7	B8D2	FEBB0080
928	매	A0C1		FEBL0080
929	머	A0E1	B8D3	FECH0080
930	먹	A0E2	B8D4	FECI0080
931	먼	A0E5	B8D5	FECL0080
932	멜	A0E9	B8D6	FECP0080
933	몹	A0EB	B8D7	FECR0080
934	몹	A0F1	B8D8	FECX0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Table 10 (Page 19 of 29). Hangeul Set(1/2), DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
935	법	A0F3	B8D9	FECZ0080
936	멋	A0F5	B8DA	FED10080
937	평	A0F7	B8DB	FED30080
938	멋	A0F8	B8DC	FED40080
939	평	A0FD	B8DD	FED90080
940	페	A141	B8DE	FEDD0080
941	팩	A142	B8DF	FEDE0080
942	펜	A145	B8E0	FEDH0080
943	펠	A149	B8E1	FEDL0080
944	렘	A151	B8E2	FEDT0080
945	렘	A153	B8E3	FEDV0080
946	멋	A155	B8E4	FEDX0080
947	멋	A156	B8E5	FEDY0080
948	평	A157	B8E6	FEDZ0080
949	멋	A159		FEE10080
950	펠	A15B		FEE30080
951	피	A161	B8E7	FEE90080
952	팩	A162	B8E8	FEEA0080
953	펜	A165	B8E9	FEED0080
954	렘	A169	B8EA	FEEH0080
955	렘	A171		FEEP0080
956	멋	A175	B8EB	FEET0080
957	멋	A176	B8EC	FEEU0080
958	평	A177	B8ED	FEEV0080
959	멋	A179	B8EE	FEEY0080
960	페	A181	B8EF	FEF50080

Table 10 (Page 19 of 29). Hangeul Set(1/2), DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
961	모	A1A1	B8F0	FEG10080
962	목	A1A2	B8F1	FEG20080
963	몫	A1A4	B8F2	FEG40080
964	몬	A1A5	B8F3	FEG50080
965	몬	A1A8		FEG80080
966	몰	A1A9	B8F4	FEG90080
967	몸	A1AB	B8F5	FEGB0080
968	몸	A1B1	B8F6	FEGH0080
969	몸	A1B3	B8F7	FEGJ0080
970	못	A1B5	B8F8	FEGM0080
971	몽	A1B7	B8F9	FEGN0080
972	몽	A1BD		FEGT0080
973	파	A1C1	B8FA	FEGX0080
974	판	A1C5	B8FB	FEH10080
975	팠	A1D6	B8FC	FEH20080
976	왕	A1D7	B8FD	FEH30080
977	꽤	A1E1		FEHT0080
978	피	A241	B8FE	FEIP0080
979	핀	A245	B9A1	FEIT0080
980	필	A249	B9A2	FEIX0080
981	ړ	A253	B9A3	FEJ70080
982	ړ	A255	B9A4	FEJ90080
983	ړ	A257	B9A5	FEJB0080
984	표	A261	B9A6	FEJL0080
985	몬	A265	B9A7	FEJP0080
986	몰	A269	B9A8	FEJT0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
987	몹	A273	B9A9	FEK30080
988	몯	A275	B9AA	FEK50080
989	무	A281	B9AB	FEKH0080
990	목	A282	B9AC	FEKI0080
991	뮤	A283	B9AD	FEKJ0080
992	문	A285	B9AE	FEKL0080
993	믄	A288	B9AF	FEKO0080
994	믈	A289	B9B0	FEKP0080
995	믑	A28A	B9B1	FEKQ0080
996	믒	A28B	B9B2	FEKR0080
997	믓	A291	B9B3	FEKX0080
998	믔	A293	B9B4	FEKZ0080
999	믕	A295	B9B5	FEL10080
1000	믖	A297	B9B6	FEL30080
1001	믗	A29B	B9B7	FEL70080
1002	믘	A29D	B9B8	FEL90080
1003	뮀	A2A1	B9B9	FELD0080
1004	뮁	A2A5	B9BA	FELH0080
1005	뮂	A2A9	B9BB	FELL0080
1006	뮃	A2B3	B9BC	FELV0080
1007	뮄	A2B5	B9BD	FELX0080
1008	뮅	A2C1	B9BE	FEM90080
1009	뮆	A2E1	B9BF	FEN50080
1010	뮇	A2E5	B9C0	FEN90080
1011	뮈	A2E9	B9C1	FEND0080
1012	뮉	A341	B9C2	FEO10080

Line Number	Graphic	Host Code	PC Code	GCGID
1013	믙	A345	B9C3	FEO50080
1014	믚	A349	B9C4	FEO90080
1015	믛	A351	B9C5	FEOH0080
1016	믜	A355	B9C6	FEOL0080
1017	믝	A361	B9C7	FEOX0080
1018	믞	A362		FEOY0080
1019	믟	A365	B9C8	FEP10080
1020	믠	A369	B9C9	FEP50080
1021	믡	A371	B9CA	FEPD0080
1022	믢	A375	B9CB	FEPH0080
1023	믣	A377		FEPJ0080
1024	믤	A381		FEPT0080
1025	믥	A385		FEPX0080
1026	믦	A3A1	B9CC	FEQP0080
1027	믧	A3A2	B9CD	FEQQ0080
1028	믨	A3A5	B9CE	FEQT0080
1029	믩	A3A8	B9CF	FEQW0080
1030	믪	A3A9	B9D0	FEQX0080
1031	믫	A3AB	B9D1	FEQZ0080
1032	믬	A3B1	B9D2	FER50080
1033	믭	A3B3	B9D3	FER70080
1034	믮	A3B5	B9D4	FER90080
1035	믯	A3B6	B9D5	FERA0080
1036	믰	A3B7	B9D6	FERB0080
1037	믱	A3B8		FERC0080
1038	믲	A3B9	B9D7	FERD0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Table 10 (Page 21 of 29). Hangeul Set(1/2), DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
1039	밀	A3BB	B9D8	FERF0080
1040	ㅁ	A441	A4B2	OB000080
1041	바	A461	B9D9	FEU90080
1042	박	A462	B9DA	FEUA0080
1043	밖	A463	B9DB	FEUB0080
1044	밖	A464	B9DC	FEUC0080
1045	반	A465	B9DD	FEUD0080
1046	반	A468	B9DE	FEUG0080
1047	발	A469	B9DF	FEUH0080
1048	밖	A46A	B9E0	FEUI0080
1049	밖	A46B	B9E1	FEUJ0080
1050	밖	A46C	B9E2	FEUK0080
1051	밤	A471	B9E3	FEUP0080
1052	밥	A473	B9E4	FEUR0080
1053	밧	A475	B9E5	FEUT0080
1054	밧	A476		FEUU0080
1055	방	A477	B9E6	FEUV0080
1056	발	A47B	B9E7	FEUZ0080
1057	배	A481	B9E8	FEV50080
1058	백	A482	B9E9	FEV60080
1059	벤	A485	B9EA	FEV90080
1060	벤	A488		FEVC0080
1061	벨	A489	B9EB	FEVD0080
1062	빔	A491	B9EC	FEVL0080
1063	빔	A493	B9ED	FEVN0080
1064	벳	A495	B9EE	FEVP0080

Table 10 (Page 21 of 29). Hangeul Set(1/2), DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
1065	뵈	A496	B9EF	FEVQ0080
1066	뵉	A497	B9F0	FEVR0080
1067	뵊	A49B	B9F1	FEVV0080
1068	뵋	A4A1	B9F2	FEW10080
1069	뵌	A4A2	B9F3	FEW20080
1070	뵍	A4A5	B9F4	FEW50080
1071	뵑	A4B1		FEWH0080
1072	뵒	A4B3	B9F5	FEWJ0080
1073	뵓	A4C1		FEWX0080
1074	버	A4E1	B9F6	FEXT0080
1075	벽	A4E2	B9F7	FEXU0080
1076	번	A4E5	B9F8	FEXX0080
1077	벌	A4E8	B9F9	FEY00080
1078	벌	A4E9	B9FA	FEY10080
1079	벌	A4EB	B9FB	FEY30080
1080	범	A4F1	B9FC	FEY90080
1081	법	A4F3	B9FD	FEYB0080
1082	벗	A4F5	B9FE	FEYD0080
1083	벗	A4F6		FEYE0080
1084	빙	A4F7	BAA1	FEYF0080
1085	벗	A4F8	BAA2	FEYG0080
1086	벌	A4FA		FEYI0080
1087	베	A541	BAA3	FEYP0080
1088	백	A542	BAA4	FEYQ0080
1089	벤	A545	BAA5	FEYT0080
1090	벤	A548	BAA6	FEYW0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
1091	벨	A549	BAA7	FEYX0080
1092	뱀	A551	BAA8	FEZ50080
1093	뱍	A553	BAA9	FEZ70080
1094	벋	A555	BAAA	FEZ90080
1095	봇	A556	BAAB	FEZA0080
1096	빙	A557	BAAC	FEZB0080
1097	벨	A55B		FEZF0080
1098	벼	A561	BAAD	FEZL0080
1099	벽	A562	BAAE	FEZM0080
1100	번	A565	BAAF	FEZP0080
1101	벌	A569	BAB0	FEZT0080
1102	범	A571		FF010080
1103	범	A573	BAB1	FF030080
1104	벋	A575	BAB2	FF050080
1105	봇	A576	BAB3	FF060080
1106	병	A577	BAB4	FF070080
1107	벋	A578		FF080080
1108	벋	A579		FF090080
1109	벌	A57A		FF0A0080
1110	벌	A57B	BAB5	FF0B0080
1111	베	A581	BAB6	FF0H0080
1112	벤	A585	BAB7	FF0L0080
1113	보	A5A1	BAB8	FF1D0080
1114	부	A5A2	BAB9	FF1E0080
1115	부	A5A3	BABA	FF1F0080
1116	본	A5A5	BABB	FF1H0080

Line Number	Graphic	Host Code	PC Code	GCGID
1117	불	A5A9	BABC	FF1L0080
1118	븀	A5B1	BABD	FF1T0080
1119	븁	A5B3	BABE	FF1V0080
1120	붓	A5B5	BABF	FF1X0080
1121	붕	A5B7	BAC0	FF1Z0080
1122	봐	A5C1	BAC1	FF290080
1123	뵠	A5C5	BAC2	FF2D0080
1124	봇	A5D5		FF2T0080
1125	봇	A5D6	BAC3	FF2U0080
1126	배	A5E1	BAC4	FF350080
1127	봇	A5F6	BAC5	FF3Q0080
1128	뵠	A641	BAC6	FF410080
1129	뵡	A642	BAC7	FF420080
1130	뵢	A645	BAC8	FF450080
1131	뵣	A649	BAC9	FF490080
1132	뵤	A651	BACA	FF4H0080
1133	뵥	A653	BACB	FF4J0080
1134	보	A661	BACC	FF4X0080
1135	본	A665	BACD	FF510080
1136	부	A681	BACE	FF5T0080
1137	부	A682	BACF	FF5U0080
1138	분	A685	BAD0	FF5X0080
1139	분	A688	BAD1	FF600080
1140	불	A689	BAD2	FF610080
1141	부	A68A	BAD3	FF620080
1142	부	A68B	BAD4	FF630080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Table 10 (Page 23 of 29). Hangeul Set(1/2), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1143	븨	A691	BAD5	FF690080
1144	븨	A693	BAD6	FF6B0080
1145	븨	A695	BAD7	FF6D0080
1146	븨	A697	BAD8	FF6F0080
1147	븨	A699		FF6H0080
1148	븨	A69B	BAD9	FF6J0080
1149	븨	A69C	BADA	FF6K0080
1150	븨	A6A1	BADB	FF6P0080
1151	븨	A6A9	BADC	FF6X0080
1152	븨	A6B6	BADD	FF7A0080
1153	븨	A6BA		FF7E0080
1154	븨	A6C1	BADE	FF7L0080
1155	븨	A6E1	BADF	FF8H0080
1156	븨	A6E2	BAE0	FF8I0080
1157	븨	A6E5	BAE1	FF8L0080
1158	븨	A6E9	BAE2	FF8P0080
1159	븨	A6F7	BAE3	FF930080
1160	븨	A741	BAE4	FF9D0080
1161	븨	A745	BAE5	FF9H0080
1162	븨	A749	BAE6	FF9L0080
1163	븨	A751	BAE7	FF9T0080
1164	븨	A755	BAE8	FF9X0080
1165	븨	A757	BAE9	FF9Z0080
1166	븨	A761	BAEA	FFA90080
1167	븨	A762	BAEB	FFAA0080
1168	븨	A765	BAEC	FFAD0080

Table 10 (Page 23 of 29). Hangeul Set(1/2), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1169	븨	A769	BAED	FFAH0080
1170	븨	A76D		FFAL0080
1171	븨	A771	BAEE	FFAP0080
1172	븨	A773	BAEF	FFAR0080
1173	븨	A775	BAF0	FFAT0080
1174	븨	A777		FFAV0080
1175	븨	A781		FFB50080
1176	븨	A7A1	BAF1	FFC10080
1177	븨	A7A2	BAF2	FFC20080
1178	븨	A7A5	BAF3	FFC50080
1179	븨	A7A8		FFC80080
1180	븨	A7A9	BAF4	FFC90080
1181	븨	A7AB	BAF5	FFCB0080
1182	븨	A7B1	BAF6	FFCH0080
1183	븨	A7B3	BAF7	FFCJ0080
1184	븨	A7B5	BAF8	FFCL0080
1185	븨	A7B7	BAF9	FFCN0080
1186	븨	A7B8	BAFA	FFCO0080
1187	븨	A7B9	BAFB	FFCP0080
1188	븨	A841	A4B3	OB100080
1189	븨	A861	BAFC	FFFL0080
1190	븨	A862	BAFD	FFFM0080
1191	븨	A865	BAFE	FFFP0080
1192	븨	A869	BBA1	FFFT0080
1193	븨	A86B	BBA2	FFFV0080
1194	븨	A871	BBA3	FFG10080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
1195	뺨	A873	BBA4	FFG30080
1196	뺨	A875	BBA5	FFG50080
1197	뺨	A876	BBA6	FFG60080
1198	뺨	A877	BBA7	FFG70080
1199	뺨	A87D	BBA8	FFGD0080
1200	뺨	A881	BBA9	FFGH0080
1201	뺨	A882	BBAA	FFGI0080
1202	뺨	A885	BBAB	FFGL0080
1203	뺨	A889	BBAC	FFGP0080
1204	뺨	A891	BBAD	FFGX0080
1205	뺨	A893	BBAE	FFGZ0080
1206	뺨	A895	BBAF	FFH10080
1207	뺨	A896	BBB0	FFH20080
1208	뺨	A897	BBB1	FFH30080
1209	뺨	A8A1	BBB2	FFHD0080
1210	뺨	A8A2	BBB3	FFHE0080
1211	뺨	A8A5		FFHH0080
1212	뺨	A8B1	BBB4	FFHT0080
1213	뺨	A8C1		FFI90080
1214	뺨	A8E1	BBB5	FFJ50080
1215	뺨	A8E2	BBB6	FFJ60080
1216	뺨	A8E5	BBB7	FFJ90080
1217	뺨	A8E8	BBB8	FFJC0080
1218	뺨	A8E9	BBB9	FFJD0080
1219	뺨	A8F1	BBBA	FFJL0080
1220	뺨	A8F5	BBBB	FFJP0080

Line Number	Graphic	Host Code	PC Code	GCGID
1221	뺨	A8F6	BBBC	FFJQ0080
1222	뺨	A8F7	BBBD	FFJR0080
1223	뺨	A941	BBBE	FFK10080
1224	뺨	A942		FFK20080
1225	뺨	A945		FFK50080
1226	뺨	A949		FFK90080
1227	뺨	A955		FFKL0080
1228	뺨	A957	BBBF	FFKN0080
1229	뺨	A961	BBC0	FFKX0080
1230	뺨	A962	BBC1	FFKY0080
1231	뺨	A971	BBC2	FFLD0080
1232	뺨	A973	BBC3	FFLF0080
1233	뺨	A975	BBC4	FFLH0080
1234	뺨	A976	BBC5	FFLI0080
1235	뺨	A977	BBC6	FFLJ0080
1236	뺨	A981		FFLT0080
1237	뺨	A9A1	BBC7	FFMP0080
1238	뺨	A9A2	BBC8	FFMQ0080
1239	뺨	A9A5	BBC9	FFMT0080
1240	뺨	A9A9	BBCA	FFMX0080
1241	뺨	A9B1	BBCB	FFN50080
1242	뺨	A9B3	BBCC	FFN70080
1243	뺨	A9B7	BBCD	FFNB0080
1244	뺨	A9C1		FFNL0080
1245	뺨	A9E1		FFOH0080
1246	뺨	AA41	BBCE	FFPD0080




IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
1247	뵠	AA61	BBCF	FFQ90080
1248	뵡	AA71		FFQP0080
1249	뵢	AA77	BBD0	FFQV0080
1250	뵣	AA81	BBD1	FFR50080
1251	뵤	AA82	BBD2	FFR60080
1252	뵦	AA85	BBD3	FFR90080
1253	뵧	AA89	BBD4	FFRD0080
1254	뵨	AA8A		FFRE0080
1255	뵩	AA91	BBD5	FFRL0080
1256	뵪	AA93		FFRN0080
1257	뵫	AA95	BBD6	FFRP0080
1258	뵬	AA97	BBD7	FFRR0080
1259	뵭	AAA1		FFS10080
1260	뵮	AAC1		FFSX0080
1261	뵯	AAE1		FFTT0080
1262	뵰	AB41	BBD8	FFUP0080
1263	뵱	AB57	BBD9	FFVB0080
1264	뵲	AB61	BBDA	FFVL0080
1265	뵳	AB62		FFVM0080
1266	뵴	AB65	BBDB	FFVP0080
1267	뵵	AB69	BBDC	FFVT0080
1268	뵶	AB71	BBDD	FFW10080
1269	뵷	AB73	BBDE	FFW30080
1270	뵸	AB81		FFWH0080
1271	뵹	ABA1	BBDF	FFXD0080
1272	뵺	ABA2	BBE0	FFXE0080

Line Number	Graphic	Host Code	PC Code	GCGID
1273	뵻	ABA5	BBE1	FFXH0080
1274	뵼	ABA9	BBE2	FFXL0080
1275	뵽	ABB1	BBE3	FFXT0080
1276	뵾	ABB3	BBE4	FFXV0080
1277	뵿	ABB5	BBE5	FFXX0080
1278	뿀	ABB7	BBE6	FFXZ0080
1279	ㅅ	AC41	A4B5	OS000080
1280	ㅆ	AC61	BBE7	FG0X0080
1281	ㅈ	AC62	BBE8	FG0Y0080
1282	ㅊ	AC63		FG0Z0080
1283	ㅋ	AC64	BBE9	FG100080
1284	ㅌ	AC65	BBEA	FG110080
1285	ㅍ	AC68	BBEB	FG140080
1286	ㅑ	AC69	BBEC	FG150080
1287	ㅒ	AC6A	BBED	FG160080
1288	ㅓ	AC6B	BBEE	FG170080
1289	ㅔ	AC6C		FG180080
1290	ㅕ	AC70		FG1C0080
1291	ㅖ	AC71	BBEF	FG1D0080
1292	ㅗ	AC73	BBF0	FG1F0080
1293	ㅘ	AC75	BBF1	FG1H0080
1294	ㅙ	AC76	BBF2	FG1I0080
1295	ㅚ	AC77	BBF3	FG1J0080
1296	ㅛ	AC79		FG1L0080
1297	ㅜ	AC7B	BBF4	FG1N0080
1298	ㅠ	AC7D		FG1P0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Table 10 (Page 26 of 29). Hangeul Set(1/2), DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
1299	새	AC81	BBF5	FG1T0080
1300	색	AC82	BBF6	FG1U0080
1301	샌	AC85	BBF7	FG1X0080
1302	셀	AC88		FG200080
1303	셀	AC89	BBF8	FG210080
1304	샘	AC91	BBF9	FG290080
1305	셉	AC93	BBFA	FG2B0080
1306	셋	AC95	BBFB	FG2D0080
1307	셋	AC96	BBFC	FG2E0080
1308	생	AC97	BBFD	FG2F0080
1309	샤	ACA1	BBFE	FG2P0080
1310	삭	ACA2	BCA1	FG2Q0080
1311	산	ACA5	BCA2	FG2T0080
1312	살	ACA9	BCA3	FG2X0080
1313	삼	ACB1	BCA4	FG350080
1314	샵	ACB3	BCA5	FG370080
1315	샷	ACB5	BCA6	FG390080
1316	상	ACB7	BCA7	FG3B0080
1317	새	ACC1	BCA8	FG3L0080
1318	샌	ACC5	BCA9	FG3P0080
1319	셀	ACC9	BCAA	FG3T0080
1320	샘	ACD1	BCAB	FG410080
1321	생	ACD7	BCAC	FG470080
1322	서	ACE1	BCAD	FG4H0080
1323	석	ACE2	BCAE	FG4I0080
1324	쉬	ACE3	BCAF	FG4J0080

Table 10 (Page 26 of 29). Hangeul Set(1/2), DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
1325	섯	ACE4	BCB0	FG4K0080
1326	선	ACE5	BCB1	FG4L0080
1327	셀	ACE8	BCB2	FG4O0080
1328	설	ACE9	BCB3	FG4P0080
1329	섭	ACEA		FG4Q0080
1330	섭	ACEB	BCB4	FG4R0080
1331	섭	ACEC	BCB5	FG4S0080
1332	섬	ACF1	BCB6	FG4X0080
1333	섭	ACF3	BCB7	FG4Z0080
1334	섯	ACF5	BCB8	FG510080
1335	섯	ACF6	BCB9	FG520080
1336	성	ACF7	BCBA	FG530080
1337	쇼	ACFC	BCBB	FG580080
1338	세	AD41	BCBC	FG5D0080
1339	색	AD42	BCBD	FG5E0080
1340	센	AD45	BCBE	FG5H0080
1341	셀	AD48		FG5K0080
1342	셀	AD49	BCBF	FG5L0080
1343	셈	AD51	BCC0	FG5T0080
1344	셉	AD53	BCC1	FG5V0080
1345	셋	AD55	BCC2	FG5X0080
1346	셋	AD56	BCC3	FG5Y0080
1347	생	AD57	BCC4	FG5Z0080
1348	셀	AD5B		FG630080
1349	서	AD61	BCC5	FG690080
1350	석	AD62	BCC6	FG6A0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Table 10 (Page 27 of 29). Hangeul Set(1/2), DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
1351	섯	AD64		FG6C0080
1352	션	AD65	BCC7	FG6D0080
1353	설	AD69	BCC8	FG6H0080
1354	섬	AD71	BCC9	FG6P0080
1355	섭	AD73	BCCA	FG6R0080
1356	섯	AD75	BCCB	FG6T0080
1357	섯	AD76	BCCC	FG6U0080
1358	성	AD77	BCCD	FG6V0080
1359	세	AD81	BCCE	FG750080
1360	센	AD85	BCCF	FG790080
1361	셀	AD89	BCD0	FG7D0080
1362	생	AD97	BCD1	FG7R0080
1363	소	ADA1	BCD2	FG810080
1364	속	ADA2	BCD3	FG820080
1365	숙	ADA3	BCD4	FG830080
1366	손	ADA5	BCD5	FG850080
1367	솔	ADA8		FG880080
1368	솔	ADA9	BCD6	FG890080
1369	숯	ADAB	BCD7	FG8B0080
1370	숨	ADB1	BCD8	FG8H0080
1371	습	ADB3	BCD9	FG8J0080
1372	숫	ADB5	BCDA	FG8L0080
1373	송	ADB7	BCDB	FG8N0080
1374	솔	ADBB	BCDC	FG8R0080
1375	쇄	ADC1	BCDD	FG8X0080
1376	삭	ADC2	BCDE	FG8Y0080

Table 10 (Page 27 of 29). Hangeul Set(1/2), DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
1377	찬	ADC5	BCDF	FG910080
1378	살	ADC9	BCE0	FG950080
1379	삿	ADD5		FG9H0080
1380	쌍	ADD7	BCE1	FG9J0080
1381	쇄	ADE1	BCE2	FG9T0080
1382	센	ADE5	BCE3	FG9X0080
1383	셀	ADE9	BCE4	FGA10080
1384	셈	ADF1	BCE5	FGA90080
1385	셋	ADF5	BCE6	FGAD0080
1386	셋	ADF6	BCE7	FGAE0080
1387	쇠	AE41	BCE8	FGAP0080
1388	센	AE45	BCE9	FGAT0080
1389	실	AE49	BCEA	FGAX0080
1390	섬	AE51	BCEB	FGB50080
1391	쉽	AE53	BCEC	FGB70080
1392	셋	AE55	BCED	FGB90080
1393	소	AE61	BCEE	FGBL0080
1394	속	AE62	BCEF	FGBM0080
1395	손	AE65	BCF0	FGBP0080
1396	솔	AE69	BCF1	FGBT0080
1397	습	AE71	BCF2	FGC10080
1398	습	AE73	BCF3	FGC30080
1399	숫	AE75	BCF4	FGC50080
1400	송	AE77	BCF5	FGC70080
1401	수	AE81	BCF6	FGCH0080
1402	숙	AE82	BCF7	FGCI0080




IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
1403	순	AE85	BCF8	FGCL0080
1404	숀	AE88	BCF9	FGCO0080
1405	술	AE89	BCFA	FGCP0080
1406	슴	AE91	BCFB	FGCX0080
1407	습	AE93	BCFC	FGCZ0080
1408	삿	AE95	BCFD	FGD10080
1409	승	AE97	BCFE	FGD30080
1410	삿	AE99	BDA1	FGD50080
1411	솔	AE9B	BDA2	FGD70080
1412	숲	AE9C	BDA3	FGD80080
1413	쉬	AEA1	BDA4	FGDD0080
1414	숯	AEB6	BDA5	FGDY0080
1415	쉐	AEC1	BDA6	FGE90080
1416	섹	AEC2	BDA7	FGEA0080
1417	헨	AEC5	BDA8	FGED0080
1418	셀	AEC9	BDA9	FGEH0080
1419	웁	AED1	BDAA	FGEP0080
1420	헝	AED7	BDAB	FGEV0080
1421	쉬	AEE1	BDAC	FGF50080
1422	씩	AEE2	BDAD	FGF60080
1423	현	AEE5	BDAE	FGF90080
1424	실	AEE9	BDAF	FGFD0080
1425	침	AEF1	BDB0	FGFL0080
1426	쉽	AEF3	BDB1	FGFN0080
1427	씻	AEF5	BDB2	FGFP0080
1428	형	AEF7	BDB3	FGFR0080

Line Number	Graphic	Host Code	PC Code	GCGID
1429	슈	AF41	BDB4	FGG10080
1430	숙	AF42	BDB5	FGG20080
1431	순	AF45		FGG50080
1432	솔	AF49	BDB6	FGG90080
1433	습	AF51	BDB7	FGGH0080
1434	삿	AF55	BDB8	FGGL0080
1435	승	AF57	BDB9	FGGN0080
1436	스	AF61	BDBA	FGGX0080
1437	숙	AF62	BDBB	FGGY0080
1438	슨	AF65	BDBC	FGH10080
1439	슬	AF69	BDBD	FGH50080
1440	슌	AF6A	BDBE	FGH60080
1441	슘	AF70		FGHC0080
1442	슴	AF71	BDBF	FGHD0080
1443	습	AF73	BDC0	FGHF0080
1444	삿	AF75	BDC1	FGHH0080
1445	승	AF77	BDC2	FGHJ0080
1446	식	AF81		FGHT0080
1447	시	AFA1	BDC3	FGIP0080
1448	식	AFA2	BDC4	FGIQ0080
1449	신	AFA5	BDC5	FGIT0080
1450	신	AFA8	BDC6	FGIW0080
1451	실	AFA9	BDC7	FGIX0080
1452	슌	AFAB		FGIZ0080
1453	슘	AFB0	BDC8	FGJ40080
1454	심	AFB1	BDC9	FGJ50080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Table 10 (Page 29 of 29). Hangeul Set(1/2), DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
1455	십	AFB3	BDCA	FGJ70080
1456	싯	AFB5	BDCB	FGJ90080
1457	싱	AFB7	BDCC	FGJB0080
1458	싯	AFBC	BDCD	FGJG0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

8.7 Hangeul Set(2/2)

Table 11 (Page 1 of 24). Hangeul Set(2/2), DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
1459	ㄴ	B041	A4B6	OS100080
1460	짜	B061	BDCE	FGM90080
1461	쌉	B062	BDCF	FGMA0080
1462	쌘	B064	BDD0	FGMC0080
1463	싼	B065	BDD1	FGMD0080
1464	쌀	B069	BDD2	FGMH0080
1465	쌌	B06B		FGMJ0080
1466	쌘	B071	BDD3	FGMP0080
1467	쌘	B073	BDD4	FGMR0080
1468	쌘	B075		FGMT0080
1469	쌘	B076	BDD5	FGMU0080
1470	쌘	B077	BDD6	FGMV0080
1471	쌘	B07D	BDD7	FGN10080
1472	쌘	B081	BDD8	FGN50080
1473	쌘	B082	BDD9	FGN60080
1474	쌘	B085	BDDA	FGN90080
1475	쌘	B089	BDDB	FGND0080
1476	쌘	B091	BDDC	FGNL0080
1477	쌘	B093	BDDD	FGNN0080
1478	쌘	B095		FGNP0080
1479	쌘	B096	BDDE	FGNQ0080
1480	쌘	B097	BDDF	FGNR0080
1481	쌘	B0A1		FGO10080
1482	쌘	B0B5		FGOL0080

Table 11 (Page 1 of 24). Hangeul Set(2/2), DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
1483	쌘	B0B7	BDE0	FGON0080
1484	쌘	B0C1		FGOX0080
1485	쌘	B0E1	BDE1	FGPT0080
1486	쌘	B0E2	BDE2	FGPU0080
1487	쌘	B0E5	BDE3	FGPX0080
1488	쌘	B0E9	BDE4	FGQ10080
1489	쌘	B0EB	BDE5	FGQ30080
1490	쌘	B0F1	BDE6	FGQ90080
1491	쌘	B0F3	BDE7	FGQB0080
1492	쌘	B0F5		FGQD0080
1493	쌘	B0F6	BDE8	FGQE0080
1494	쌘	B0F7	BDE9	FGQF0080
1495	쌘	B141	BDEA	FGQP0080
1496	쌘	B142		FGQQ0080
1497	쌘	B145	BDEB	FGQT0080
1498	쌘	B149	BDEC	FGQX0080
1499	쌘	B157		FGRB0080
1500	쌘	B161		FGRL0080
1501	쌘	B181		FGSH0080
1502	쌘	B185	BDED	FGSL0080
1503	쌘	B1A1	BDEE	FGTD0080
1504	쌘	B1A2	BDEF	FGTE0080
1505	쌘	B1A5	BDF0	FGTH0080
1506	쌘	B1A8	BDF1	FGTK0080
1507	쌘	B1A9	BDF2	FGTL0080
1508	쌘	B1AB	BDF3	FGTN0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Table 11 (Page 2 of 24). Hangeul Set(2/2), DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
1509	쑤	B1B1	BDF4	FGTT0080
1510	쑥	B1B3	BDF5	FGTV0080
1511	쑦	B1B7	BDF6	FGTZ0080
1512	쑧	B1C1	BDF7	FGU90080
1513	쑨	B1C2	BDF8	FGUA0080
1514	쑩	B1C5	BDF9	FGUD0080
1515	쑪	B1C9		FGUH0080
1516	쑫	B1D6	BDF A	FGUU0080
1517	쑬	B1E1	BDFB	FGV50080
1518	쑭	B1F6	BDFC	FGVQ0080
1519	쑮	B241	BDFD	FGW10080
1520	쑯	B245	BDFE	FGW50080
1521	쑰	B249	BEA1	FGW90080
1522	쑱	B251	BEA2	FGWH0080
1523	쑲	B253	BEA3	FGWJ0080
1524	쑳	B255		FGWL0080
1525	쑴	B261	BEA4	FGWX0080
1526	쑵	B281	BEA5	FGXT0080
1527	쑶	B282	BEA6	FGXU0080
1528	쑷	B285	BEA7	FGXX0080
1529	쑸	B289	BEA8	FGY10080
1530	쑹	B291	BEA9	FGY90080
1531	쑺	B293	BEAA	FGYB0080
1532	쑻	B295		FGYD0080
1533	쑼	B297	BEAB	FGYF0080
1534	쑽	B2A1	BEAC	FGYP0080

Table 11 (Page 2 of 24). Hangeul Set(2/2), DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
1535	쑾	B2B5		FGZ90080
1536	쑿	B2B6	BEAD	FGZA0080
1537	쐀	B2C1	BEAE	FGZL0080
1538	쐁	B2E1	BEAF	FH0H0080
1539	쐂	B2E5	BEB0	FH0L0080
1540	쐃	B2FD		FH190080
1541	쐄	B341		FH1D0080
1542	쐅	B357	BEB1	FH1Z0080
1543	쐆	B361	BEB2	FH290080
1544	쐇	B362	BEB3	FH2A0080
1545	쐈	B365	BEB4	FH2D0080
1546	쐉	B369	BEB5	FH2H0080
1547	쐊	B36B	BEB6	FH2J0080
1548	쐋	B370	BEB7	FH2O0080
1549	쐌	B371	BEB8	FH2P0080
1550	쐍	B373	BEB9	FH2R0080
1551	쐎	B381	BEBA	FH350080
1552	쐏	B385	BEBB	FH390080
1553	쐐	B389	BEBC	FH3D0080
1554	쐑	B391	BEBD	FH3L0080
1555	쐒	B3A1	BEBE	FH410080
1556	쐓	B3A2	BEBF	FH420080
1557	쐔	B3A5	BEC0	FH450080
1558	쐕	B3A9	BEC1	FH490080
1559	쐖	B3B1	BEC2	FH4H0080
1560	쐗	B3B3	BEC3	FH4J0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
1561	씻	B3B5	BEC4	FH4L0080
1562	씻	B3B6		FH4M0080
1563	씽	B3B7	BEC5	FH4N0080
1564	씻	B3B9		FH4P0080
1565	○	B441	A4B7	ON200080
1566	아	B461	BEC6	FH7L0080
1567	악	B462	BEC7	FH7M0080
1568	안	B465	BEC8	FH7P0080
1569	앗	B466	BEC9	FH7Q0080
1570	않	B467	BECA	FH7R0080
1571	알	B469	BECB	FH7T0080
1572	왁	B46A	BECC	FH7U0080
1573	왁	B46B	BECD	FH7V0080
1574	왁	B46C		FH7W0080
1575	왁	B470	BECE	FH800080
1576	암	B471	BECF	FH810080
1577	압	B473	BED0	FH830080
1578	앗	B475	BED1	FH850080
1579	앗	B476	BED2	FH860080
1580	앙	B477	BED3	FH870080
1581	알	B47B	BED4	FH8B0080
1582	앞	B47C	BED5	FH8C0080
1583	앙	B47D		FH8D0080
1584	애	B481	BED6	FH8H0080
1585	액	B482	BED7	FH8I0080
1586	엔	B485	BED8	FH8L0080

Line Number	Graphic	Host Code	PC Code	GCGID
1587	엘	B489	BED9	FH8P0080
1588	엠	B491	BEDA	FH8X0080
1589	업	B493	BEDB	FH8Z0080
1590	엇	B495	BEDC	FH910080
1591	엇	B496	BEDD	FH920080
1592	앵	B497	BEDE	FH930080
1593	야	B4A1	BEDF	FH9D0080
1594	약	B4A2	BEE0	FH9E0080
1595	얀	B4A5	BEE1	FH9H0080
1596	얏	B4A9	BEE2	FH9L0080
1597	얏	B4AC	BEE3	FH9O0080
1598	얏	B4B1	BEE4	FH9T0080
1599	얏	B4B3	BEE5	FH9V0080
1600	얏	B4B5	BEE6	FH9X0080
1601	얏	B4B6		FH9Y0080
1602	양	B4B7	BEE7	FH9Z0080
1603	얏	B4BB	BEE8	FHA30080
1604	양	B4BD	BEE9	FHA50080
1605	애	B4C1	BEEA	FHA90080
1606	앤	B4C5	BEEB	FHAD0080
1607	엘	B4C9	BEEC	FHAH0080
1608	엘	B4D3	BEED	FHAR0080
1609	엇	B4D5		FHAT0080
1610	어	B4E1	BEEE	FHB50080
1611	억	B4E2	BEEF	FHB60080
1612	워	B4E3		FHB70080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Table 11 (Page 4 of 24). Hangeul Set(2/2), DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
1613	언	B4E5	BEF0	FHB90080
1614	윗	B4E6	BEF1	FHBA0080
1615	언	B4E8	BEF2	FHBC0080
1616	연	B4E9	BEF3	FHBD0080
1617	웁	B4EA	BEF4	FHBE0080
1618	웁	B4EB	BEF5	FHBF0080
1619	업	B4F1	BEF6	FHBL0080
1620	업	B4F3	BEF7	FHBN0080
1621	윗	B4F4	BEF8	FHBO0080
1622	엇	B4F5	BEF9	FHBP0080
1623	윗	B4F6	BEFA	FHBQ0080
1624	영	B4F7	BEFB	FHBR0080
1625	엇	B4F8	BEFC	FHBS0080
1626	웁	B4FA	BEFD	FHBU0080
1627	웁	B4FC	BEFE	FHBW0080
1628	예	B541	BFA1	FHC10080
1629	웁	B542	BFA2	FHC20080
1630	언	B545	BFA3	FHC50080
1631	웁	B549	BFA4	FHC90080
1632	웁	B551	BFA5	FHCH0080
1633	웁	B553	BFA6	FHCJ0080
1634	엇	B555	BFA7	FHCL0080
1635	영	B557	BFA8	FHCN0080
1636	오	B561	BFA9	FHCX0080
1637	웁	B562	BFAA	FHCY0080
1638	웁	B563	BFAB	FHCZ0080

Table 11 (Page 4 of 24). Hangeul Set(2/2), DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
1639	연	B565	BFAC	FHD10080
1640	윗	B566		FHD20080
1641	연	B568		FHD40080
1642	연	B569	BFAD	FHD50080
1643	웁	B56B	BFAE	FHD70080
1644	웁	B56C	BFAF	FHD80080
1645	연	B571	BFB0	FHDD0080
1646	연	B573	BFB1	FHDF0080
1647	웁	B574	BFB2	FHDG0080
1648	엇	B575	BFB3	FHDH0080
1649	윗	B576	BFB4	FHDI0080
1650	영	B577	BFB5	FHDJ0080
1651	연	B57B	BFB6	FHDN0080
1652	연	B57C	BFB7	FHDO0080
1653	웁	B57D	BFB8	FHDP0080
1654	예	B581	BFB9	FHDT0080
1655	연	B585	BFBA	FHDX0080
1656	엘	B589	BFBB	FHE10080
1657	웁	B591	BFBC	FHE90080
1658	웁	B593	BFBD	FHEB0080
1659	엇	B595	BFBE	FHED0080
1660	윗	B596	BFBF	FHEE0080
1661	영	B597		FHEF0080
1662	오	B5A1	BFC0	FHEP0080
1663	우	B5A2	BFC1	FHEQ0080
1664	우	B5A5	BFC2	FHET0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
1665	은	B5A8		FHEW0080
1666	을	B5A9	BFC3	FHEX0080
1667	으	B5AA	BFC4	FHEY0080
1668	읍	B5AB	BFC5	FHEZ0080
1669	웃	B5AD	BFC6	FHF10080
1670	움	B5B0	BFC7	FHF40080
1671	음	B5B1	BFC8	FHF50080
1672	읍	B5B3	BFC9	FHF70080
1673	웃	B5B5	BFCA	FHF90080
1674	응	B5B7	BFCB	FHFB0080
1675	웁	B5B8		FHFC0080
1676	웁	B5B9	BFCC	FHFD0080
1677	와	B5C1	BFCD	FHFL0080
1678	웁	B5C2	BFCE	FHFM0080
1679	완	B5C5	BFCF	FHFP0080
1680	왈	B5C9	BFD0	FHFT0080
1681	왓	B5D1	BFD1	FHG10080
1682	왓	B5D3	BFD2	FHG30080
1683	왓	B5D5	BFD3	FHG50080
1684	왓	B5D6	BFD4	FHG60080
1685	왕	B5D7	BFD5	FHG70080
1686	왜	B5E1	BFD6	FHGH0080
1687	웁	B5E2	BFD7	FHGI0080
1688	웁	B5E5	BFD8	FHGL0080
1689	웁	B5F1	BFD9	FHGX0080
1690	웁	B5F5	BFDA	FHH10080

Line Number	Graphic	Host Code	PC Code	GCGID
1691	웁	B5F7	BFDB	FHH30080
1692	외	B641	BFDC	FHHD0080
1693	웁	B642	BFDD	FHHE0080
1694	웁	B645	BFDE	FHHH0080
1695	웁	B649	BFDF	FHHL0080
1696	웁	B651	BFE0	FHHT0080
1697	웁	B653	BFE1	FHHV0080
1698	웁	B655	BFE2	FHHX0080
1699	웁	B657	BFE3	FHHZ0080
1700	요	B661	BFE4	FHI90080
1701	육	B662	BFE5	FHIA0080
1702	은	B665	BFE6	FHID0080
1703	을	B669	BFE7	FHIH0080
1704	음	B671	BFE8	FHIP0080
1705	읍	B673	BFE9	FHIR0080
1706	웃	B675	BFEA	FHIT0080
1707	응	B677	BFEB	FHIV0080
1708	우	B681	BFEC	FHJ50080
1709	육	B682	BFED	FHJ60080
1710	은	B685	BFEE	FHJ90080
1711	은	B688		FHJC0080
1712	을	B689	BFEF	FHJD0080
1713	읍	B68A	BFF0	FHJE0080
1714	음	B68B	BFF1	FHJF0080
1715	음	B691	BFF2	FHJL0080
1716	음	B693	BFF3	FHJN0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Table 11 (Page 6 of 24). Hangeul Set(2/2), DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
1717	웃	B695	BFF4	FHJP0080
1718	웅	B697	BFF5	FHJR0080
1719	위	B6A1	BFF6	FHK10080
1720	익	B6A2	BFF7	FHK20080
1721	윈	B6A5	BFF8	FHK50080
1722	월	B6A9	BFF9	FHK90080
1723	웜	B6B1	BFFA	FHKH0080
1724	웍	B6B3	BFFB	FHKJ0080
1725	윗	B6B5		FHKL0080
1726	윘	B6B6	BFFC	FHKM0080
1727	윙	B6B7	BFFD	FHKN0080
1728	위	B6C1	BFFE	FHKX0080
1729	웁	B6C2	C0A1	FHKY0080
1730	웂	B6C5	C0A2	FHL10080
1731	웃	B6C9	C0A3	FHL50080
1732	웄	B6D1	C0A4	FHLD0080
1733	웅	B6D3	C0A5	FHLF0080
1734	웆	B6D7	C0A6	FHLJ0080
1735	위	B6E1	C0A7	FHLT0080
1736	익	B6E2	C0A8	FHLU0080
1737	윈	B6E5	C0A9	FHLX0080
1738	윈	B6E8		FHM00080
1739	월	B6E9	C0AA	FHM10080
1740	웜	B6F1	C0AB	FHM90080
1741	웍	B6F3	C0AC	FHMB0080
1742	윗	B6F5	C0AD	FHMD0080

Table 11 (Page 6 of 24). Hangeul Set(2/2), DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
1743	윙	B6F7	C0AE	FHMF0080
1744	유	B741	C0AF	FHMP0080
1745	육	B742	C0B0	FHMQ0080
1746	운	B745	C0B1	FHMT0080
1747	을	B749	C0B2	FHMX0080
1748	읍	B751	C0B3	FHN50080
1749	음	B753	C0B4	FHN70080
1750	웃	B755	C0B5	FHN90080
1751	웅	B757	C0B6	FHNB0080
1752	웃	B758		FHNC0080
1753	웃	B759	C0B7	FHND0080
1754	으	B761	C0B8	FHNL0080
1755	우	B762	C0B9	FHNM0080
1756	은	B765	C0BA	FHNP0080
1757	을	B769	C0BB	FHNT0080
1758	읍	B76F	C0BC	FHNZ0080
1759	음	B771	C0BD	FHO10080
1760	읍	B773	C0BE	FHO30080
1761	웃	B775	C0BF	FHO50080
1762	응	B777	C0C0	FHO70080
1763	웃	B778	C0C1	FHO80080
1764	웃	B779	C0C2	FHO90080
1765	읍	B77A	C0C3	FHOA0080
1766	을	B77B	C0C4	FHOB0080
1767	을	B77C	C0C5	FHOC0080
1768	응	B77D	C0C6	FHOD0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
1769	의	B781	C0C7	FHOH0080
1770	원	B785	C0C8	FHOL0080
1771	일	B789	C0C9	FHOP0080
1772	임	B791	C0CA	FHOX0080
1773	잇	B795	C0CB	FHP10080
1774	이	B7A1	C0CC	FHPD0080
1775	익	B7A2	C0CD	FHPE0080
1776	인	B7A5	C0CE	FHPH0080
1777	일	B7A8		FHPK0080
1778	일	B7A9	C0CF	FHPL0080
1779	웁	B7AA	C0D0	FHPM0080
1780	웁	B7AB	C0D1	FHPN0080
1781	웁	B7B0	C0D2	FHPS0080
1782	임	B7B1	C0D3	FHPT0080
1783	입	B7B3	C0D4	FHPV0080
1784	잇	B7B5	C0D5	FHPX0080
1785	있	B7B6	C0D6	FHPY0080
1786	잉	B7B7	C0D7	FHPZ0080
1787	잇	B7B8	C0D8	FHQ00080
1788	앞	B7BC	C0D9	FHQ40080
1789	즈	B841	A4B8	OJ000080
1790	자	B861	C0DA	FHSX0080
1791	작	B862	C0DB	FHSY0080
1792	잔	B865	C0DC	FHT10080
1793	짚	B867	C0DD	FHT30080
1794	잔	B868	C0DE	FHT40080

Line Number	Graphic	Host Code	PC Code	GCGID
1795	잘	B869	C0DF	FHT50080
1796	짚	B86B	C0E0	FHT70080
1797	잡	B871	C0E1	FHTD0080
1798	잡	B873	C0E2	FHTF0080
1799	жат	B875	C0E3	FHTH0080
1800	жат	B876	C0E4	FHTI0080
1801	장	B877	C0E5	FHTJ0080
1802	жат	B878	C0E6	FHTK0080
1803	жат	B879		FHTL0080
1804	잘	B87C		FHTO0080
1805	재	B881	C0E7	FHTT0080
1806	작	B882	C0E8	FHTU0080
1807	젠	B885	C0E9	FHTX0080
1808	젤	B889	C0EA	FHU10080
1809	젼	B891	C0EB	FHU90080
1810	젼	B893	C0EC	FHUB0080
1811	젼	B895	C0ED	FHUD0080
1812	젼	B896	C0EE	FHUE0080
1813	쟁	B897	C0EF	FHUF0080
1814	자	B8A1	C0F0	FHUP0080
1815	작	B8A2	C0F1	FHUQ0080
1816	잔	B8A5	C0F2	FHUT0080
1817	잘	B8A7	C0F3	FHUV0080
1818	잘	B8A9	C0F4	FHUX0080
1819	잡	B8B1	C0F5	FHV50080
1820	장	B8B7	C0F6	FHVB0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Table 11 (Page 8 of 24). Hangeul Set(2/2), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1821	재	B8C1	C0F7	FHVL0080
1822	쟁	B8C5	C0F8	FHVP0080
1823	젤	B8C9	C0F9	FHVT0080
1824	저	B8E1	C0FA	FHWH0080
1825	적	B8E2	C0FB	FHWI0080
1826	전	B8E5	C0FC	FHWL0080
1827	전	B8E8		FHWO0080
1828	절	B8E9	C0FD	FHWP0080
1829	젊	B8EB	C0FE	FHWR0080
1830	점	B8F1	C1A1	FHWX0080
1831	접	B8F3	C1A2	FHWZ0080
1832	젓	B8F5	C1A3	FHX10080
1833	젖	B8F6		FHX20080
1834	정	B8F7	C1A4	FHX30080
1835	젓	B8F8	C1A5	FHX40080
1836	정	B8FD		FHX90080
1837	제	B941	C1A6	FHXD0080
1838	젝	B942	C1A7	FHXE0080
1839	젠	B945	C1A8	FHXH0080
1840	젤	B949	C1A9	FHXL0080
1841	점	B951	C1AA	FHXT0080
1842	접	B953	C1AB	FHXV0080
1843	젓	B955	C1AC	FHXX0080
1844	정	B957	C1AD	FHXZ0080
1845	저	B961	C1AE	FHY90080
1846	적	B962		FHYA0080

Table 11 (Page 8 of 24). Hangeul Set(2/2), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1847	전	B965	C1AF	FHYD0080
1848	절	B969	C1B0	FHYH0080
1849	점	B971	C1B1	FHYP0080
1850	접	B973	C1B2	FHYR0080
1851	젓	B975		FHYT0080
1852	젖	B976	C1B3	FHYU0080
1853	정	B977	C1B4	FHYV0080
1854	제	B981	C1B5	FHZ50080
1855	조	B9A1	C1B6	FI010080
1856	죽	B9A2	C1B7	FI020080
1857	존	B9A5	C1B8	FI050080
1858	줄	B9A9	C1B9	FI090080
1859	쭈	B9AB	C1BA	FI0B0080
1860	춤	B9B1	C1BB	FI0H0080
1861	좁	B9B3	C1BC	FI0J0080
1862	죏	B9B5	C1BD	FI0L0080
1863	중	B9B7	C1BE	FI0N0080
1864	죏	B9B8	C1BF	FI0O0080
1865	죏	B9B9	C1C0	FI0P0080
1866	중	B9BD	C1C1	FI0T0080
1867	좌	B9C1	C1C2	FI0X0080
1868	좌	B9C2	C1C3	FI0Y0080
1869	좌	B9C5		FI110080
1870	좌	B9C9	C1C4	FI150080
1871	좌	B9D1		FI1D0080
1872	좌	B9D3	C1C5	FI1F0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Table 11 (Page 9 of 24). Hangeul Set(2/2), DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
1873	쫘	B9D5	C1C6	FI1H0080
1874	쫙	B9D6		FI1I0080
1875	쫚	B9D7	C1C7	FI1J0080
1876	쫛	B9E1	C1C8	FI1T0080
1877	쫜	B9E5		FI1X0080
1878	쫝	B9E9		FI2I0080
1879	쫞	B9F1		FI290080
1880	쫟	B9F6	C1C9	FI2E0080
1881	쫠	B9F7	C1CA	FI2F0080
1882	쫡	BA41	C1CB	FI2P0080
1883	쫢	BA45	C1CC	FI2T0080
1884	쫣	BA49	C1CD	FI2X0080
1885	쫤	BA51	C1CE	FI350080
1886	쫥	BA53	C1CF	FI370080
1887	쫦	BA55	C1D0	FI390080
1888	쫧	BA57	C1D1	FI3B0080
1889	쫨	BA61	C1D2	FI3L0080
1890	쫩	BA62	C1D3	FI3M0080
1891	쫪	BA65	C1D4	FI3P0080
1892	쫫	BA69		FI3T0080
1893	쫬	BA71		FI4I0080
1894	쫭	BA73		FI430080
1895	쫮	BA77	C1D5	FI470080
1896	쫯	BA81	C1D6	FI4H0080
1897	쫰	BA82	C1D7	FI4I0080
1898	쫱	BA85	C1D8	FI4L0080

Table 11 (Page 9 of 24). Hangeul Set(2/2), DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
1899	쫲	BA89	C1D9	FI4P0080
1900	쫳	BA8A	C1DA	FI4Q0080
1901	쫵	BA8B	C1DB	FI4R0080
1902	쫶	BA91	C1DC	FI4X0080
1903	쫷	BA93	C1DD	FI4Z0080
1904	쫸	BA95	C1DE	FI5I0080
1905	쫹	BA97	C1DF	FI530080
1906	쫺	BAA1	C1E0	FI5D0080
1907	쫻	BAB5		FI5X0080
1908	쫼	BAB6	C1E1	FI5Y0080
1909	쫽	BAC1	C1E2	FI690080
1910	쫾	BAE1	C1E3	FI750080
1911	쫿	BAE2	C1E4	FI760080
1912	쫿	BAE5	C1E5	FI790080
1913	쫼	BAE9	C1E6	FI7D0080
1914	쫾	BAF1	C1E7	FI7L0080
1915	쫿	BAF3	C1E8	FI7N0080
1916	쫼	BAF5	C1E9	FI7P0080
1917	쫿	BB41	C1EA	FI8I0080
1918	쫿	BB42		FI820080
1919	쫿	BB45	C1EB	FI850080
1920	쫿	BB49	C1EC	FI890080
1921	쫿	BB51	C1ED	FI8H0080
1922	쫿	BB61	C1EE	FI8X0080
1923	쫿	BB62	C1EF	FI8Y0080
1924	쫿	BB65	C1F0	FI9I0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Table 11 (Page 10 of 24). Hangeul Set(2/2), DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
1925	즐	BB69	C1F1	FI950080
1926	즘	BB71	C1F2	FI9D0080
1927	즙	BB73	C1F3	FI9F0080
1928	줏	BB75	C1F4	FI9H0080
1929	증	BB77	C1F5	FI9J0080
1930	죄	BB81		FI9T0080
1931	지	BBA1	C1F6	FIAP0080
1932	직	BBA2	C1F7	FIAQ0080
1933	진	BBA5	C1F8	FIAT0080
1934	질	BBA8	C1F9	FIAW0080
1935	질	BBA9	C1FA	FIAX0080
1936	짚	BBAB	C1FB	FIAZ0080
1937	짐	BBB1	C1FC	FIB50080
1938	집	BBB3	C1FD	FIB70080
1939	짓	BBB5	C1FE	FIB90080
1940	짚	BBB6		FIBA0080
1941	징	BBB7	C2A1	FIBB0080
1942	짚	BBB8	C2A2	FIBC0080
1943	질	BBBB	C2A3	FIBF0080
1944	짚	BBBC	C2A4	FIBG0080
1945	즈	BC41	A4B9	OJ100080
1946	짜	BC61	C2A5	FIE90080
1947	짹	BC62	C2A6	FIEA0080
1948	짠	BC65	C2A7	FIED0080
1949	짹	BC67	C2A8	FIEF0080
1950	짹	BC69	C2A9	FIEH0080

Table 11 (Page 10 of 24). Hangeul Set(2/2), DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
1951	짹	BC6C	C2AA	FIEK0080
1952	짹	BC71	C2AB	FIEP0080
1953	짹	BC73	C2AC	FIER0080
1954	짹	BC75	C2AD	FIET0080
1955	짹	BC76	C2AE	FIEU0080
1956	짹	BC77	C2AF	FIEV0080
1957	짜	BC81	C2B0	FIF50080
1958	짹	BC82	C2B1	FIF60080
1959	짹	BC85	C2B2	FIF90080
1960	짹	BC89	C2B3	FIFD0080
1961	짹	BC91	C2B4	FIFL0080
1962	짹	BC93	C2B5	FIFN0080
1963	짹	BC95	C2B6	FIFP0080
1964	짹	BC96	C2B7	FIFQ0080
1965	짹	BC97	C2B8	FIFR0080
1966	짜	BCA1	C2B9	FIG10080
1967	짹	BCA5	C2BA	FIG50080
1968	짹	BCB7	C2BB	FIGN0080
1969	짜	BCC1		FIGX0080
1970	짜	BCE1	C2BC	FIHT0080
1971	짹	BCE2	C2BD	FIHU0080
1972	짹	BCE5	C2BE	FIHX0080
1973	짹	BCE9	C2BF	FII10080
1974	짹	BCEC		FII40080
1975	짹	BCF1	C2C0	FII90080
1976	짹	BCF3	C2C1	FIIB0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
1977	꺾	BCF5	C2C2	FIID0080
1978	꺾	BCF6	C2C3	FIIE0080
1979	꺾	BCF7	C2C4	FIIF0080
1980	꺾	BD41	C2C5	FIIP0080
1981	꺾	BD49		FIIX0080
1982	꺾	BD57	C2C6	FIJB0080
1983	꺾	BD61	C2C7	FIJL0080
1984	꺾	BD75		FIK50080
1985	꺾	BD76	C2C8	FIK60080
1986	꺾	BD81		FIKH0080
1987	꺾	BDA1	C2C9	FILD0080
1988	꺾	BDA2	C2CA	FILE0080
1989	꺾	BDA5	C2CB	FILH0080
1990	꺾	BDA9	C2CC	FILL0080
1991	꺾	BDB1	C2CD	FILT0080
1992	꺾	BDB3	C2CE	FILV0080
1993	꺾	BDB5	C2CF	FILX0080
1994	꺾	BDB7	C2D0	FILZ0080
1995	꺾	BDB8		FIM00080
1996	꺾	BDB9	C2D1	FIM10080
1997	꺾	BDC1	C2D2	FIM90080
1998	꺾	BDC2	C2D3	FIMA0080
1999	꺾	BDC9	C2D4	FIMH0080
2000	꺾	BDD6	C2D5	FIMU0080
2001	꺾	BDE1	C2D6	FIN50080
2002	꺾	BDF6	C2D7	FINQ0080

Line Number	Graphic	Host Code	PC Code	GCGID
2003	꺾	BE41	C2D8	FIO10080
2004	꺾	BE45	C2D9	FIO50080
2005	꺾	BE49	C2DA	FIO90080
2006	꺾	BE51	C2DB	FIOH0080
2007	꺾	BE53	C2DC	FIOJ0080
2008	꺾	BE61		FIOX0080
2009	꺾	BE77	C2DD	FIPJ0080
2010	꺾	BE81	C2DE	FIPT0080
2011	꺾	BE82	C2DF	FIPU0080
2012	꺾	BE85	C2E0	FIPX0080
2013	꺾	BE89	C2E1	FIQ10080
2014	꺾	BE91	C2E2	FIQ90080
2015	꺾	BE93	C2E3	FIQB0080
2016	꺾	BE97	C2E4	FIQF0080
2017	꺾	BEA1	C2E5	FIQP0080
2018	꺾	BEB6	C2E6	FIRA0080
2019	꺾	BEB7	C2E7	FIRB0080
2020	꺾	BEC1		FIRL0080
2021	꺾	BEE1	C2E8	FISH0080
2022	꺾	BF41	C2E9	FITD0080
2023	꺾	BF61	C2EA	FIU90080
2024	꺾	BF71	C2EB	FIUP0080
2025	꺾	BF73		FIUR0080
2026	꺾	BF75	C2EC	FIUT0080
2027	꺾	BF77	C2ED	FIUV0080
2028	꺾	BF81		FIV50080



IBM Korean Graphic Character Set


DBCS - Host and DBCS - PC

Table 11 (Page 12 of 24). Hangeul Set(2/2), DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
2029	찌	BFA1	C2EE	FIW10080
2030	찍	BFA2	C2EF	FIW20080
2031	찐	BFA5	C2F0	FIW50080
2032	찢	BFA9	C2F1	FIW90080
2033	찝	BFB1	C2F2	FIWH0080
2034	찞	BFB3	C2F3	FIWJ0080
2035	찟	BFB5		FIWL0080
2036	찡	BFB7	C2F4	FIWN0080
2037	찢	BFB8	C2F5	FIWO0080
2038	찣	BFBC		FIWS0080
2039	찤	BFBD	C2F6	FIWT0080
2040	츠	C041	A4BA	OC200080
2041	차	C061	C2F7	FIZL0080
2042	착	C062	C2F8	FIZM0080
2043	찬	C065	C2F9	FIZP0080
2044	창	C067	C2FA	FIZR0080
2045	찬	C068		FIZS0080
2046	찰	C069	C2FB	FIZT0080
2047	참	C071	C2FC	FJ010080
2048	참	C073	C2FD	FJ030080
2049	차	C075	C2FE	FJ050080
2050	차	C076	C3A1	FJ060080
2051	창	C077	C3A2	FJ070080
2052	차	C078	C3A3	FJ080080
2053	차	C079		FJ090080
2054	차	C07C		FJ0C0080

Table 11 (Page 12 of 24). Hangeul Set(2/2), DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
2055	채	C081	C3A4	FJ0H0080
2056	채	C082	C3A5	FJ0I0080
2057	채	C085	C3A6	FJ0L0080
2058	채	C089	C3A7	FJ0P0080
2059	채	C091	C3A8	FJ0X0080
2060	채	C093	C3A9	FJ0Z0080
2061	채	C095	C3AA	FJ110080
2062	채	C096	C3AB	FJ120080
2063	채	C097	C3AC	FJ130080
2064	차	C0A1	C3AD	FJ1D0080
2065	찬	C0A5	C3AE	FJ1H0080
2066	차	C0A7	C3AF	FJ1J0080
2067	차	C0A9	C3B0	FJ1L0080
2068	차	C0B1	C3B1	FJ1T0080
2069	차	C0B3		FJ1V0080
2070	창	C0B7	C3B2	FJ1Z0080
2071	채	C0C1		FJ290080
2072	처	C0E1	C3B3	FJ350080
2073	척	C0E2	C3B4	FJ360080
2074	천	C0E5	C3B5	FJ390080
2075	철	C0E9	C3B6	FJ3D0080
2076	첩	C0F1	C3B7	FJ3L0080
2077	첩	C0F3	C3B8	FJ3N0080
2078	첻	C0F5	C3B9	FJ3P0080
2079	첻	C0F6	C3BA	FJ3Q0080
2080	청	C0F7	C3BB	FJ3R0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Table 11 (Page 13 of 24). Hangeul Set(2/2), DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
2081	체	C141	C3BC	FJ410080
2082	척	C142	C3BD	FJ420080
2083	첸	C145	C3BE	FJ450080
2084	첼	C149	C3BF	FJ490080
2085	첼	C151	C3C0	FJ4H0080
2086	첵	C153	C3C1	FJ4J0080
2087	첶	C155	C3C2	FJ4L0080
2088	첷	C157	C3C3	FJ4N0080
2089	쳐	C161	C3C4	FJ4X0080
2090	천	C165	C3C5	FJ510080
2091	첻	C175		FJ5H0080
2092	첼	C176	C3C6	FJ5I0080
2093	청	C177		FJ5J0080
2094	체	C181	C3C7	FJ5T0080
2095	첸	C185	C3C8	FJ5X0080
2096	청	C197	C3C9	FJ6F0080
2097	초	C1A1	C3CA	FJ6P0080
2098	추	C1A2	C3CB	FJ6Q0080
2099	춘	C1A5	C3CC	FJ6T0080
2100	출	C1A9	C3CD	FJ6X0080
2101	춤	C1B1	C3CE	FJ750080
2102	춤	C1B3	C3CF	FJ770080
2103	춧	C1B5	C3D0	FJ790080
2104	총	C1B7	C3D1	FJ7B0080
2105	화	C1C1	C3D2	FJ7L0080
2106	환	C1C5	C3D3	FJ7P0080

Table 11 (Page 13 of 24). Hangeul Set(2/2), DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
2107	촬	C1C9	C3D4	FJ7T0080
2108	촬	C1D7	C3D5	FJ870080
2109	쇄	C1E1		FJ8H0080
2110	최	C241	C3D6	FJ9D0080
2111	첸	C245	C3D7	FJ9H0080
2112	첼	C249	C3D8	FJ9L0080
2113	첼	C251	C3D9	FJ9T0080
2114	첼	C253	C3DA	FJ9V0080
2115	첼	C255	C3DB	FJ9X0080
2116	칭	C257	C3DC	FJ9Z0080
2117	초	C261	C3DD	FJA90080
2118	춤	C271	C3DE	FJAP0080
2119	추	C281	C3DF	FJB50080
2120	추	C282	C3E0	FJB60080
2121	춘	C285	C3E1	FJB90080
2122	출	C289	C3E2	FJBD0080
2123	춤	C291	C3E3	FJBL0080
2124	춤	C293	C3E4	FJBN0080
2125	춧	C295	C3E5	FJBP0080
2126	총	C297	C3E6	FJBR0080
2127	취	C2A1	C3E7	FJC10080
2128	취	C2B5		FJCL0080
2129	첼	C2B6	C3E8	FJCM0080
2130	취	C2C1	C3E9	FJCX0080
2131	첸	C2C5	C3EA	FJD10080
2132	취	C2E1	C3EB	FJDT0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Table 11 (Page 14 of 24). Hangeul Set(2/2), DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
2133	첸	C2E5	C3EC	FJDX0080
2134	첼	C2E9	C3ED	FJE10080
2135	첸	C2F1	C3EE	FJE90080
2136	첸	C2F3	C3EF	FJEB0080
2137	첸	C2F5	C3F0	FJED0080
2138	첸	C2F7	C3F1	FJEF0080
2139	츄	C341	C3F2	FJEP0080
2140	츄	C345	C3F3	FJET0080
2141	츄	C349	C3F4	FJEX0080
2142	츄	C351	C3F5	FJF50080
2143	츄	C357	C3F6	FJFB0080
2144	츄	C361	C3F7	FJFL0080
2145	츄	C362	C3F8	FJFM0080
2146	츄	C365	C3F9	FJFP0080
2147	츄	C369	C3FA	FJFT0080
2148	츄	C371	C3FB	FJG10080
2149	츄	C373	C3FC	FJG30080
2150	츄	C375	C3FD	FJG50080
2151	츄	C377	C3FE	FJG70080
2152	츄	C381		FJGH0080
2153	치	C3A1	C4A1	FJHD0080
2154	치	C3A2	C4A2	FJHE0080
2155	치	C3A5	C4A3	FJHH0080
2156	치	C3A8	C4A4	FJHK0080
2157	칠	C3A9	C4A5	FJHL0080
2158	치	C3AA	C4A6	FJHM0080

Table 11 (Page 14 of 24). Hangeul Set(2/2), DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
2159	침	C3B1	C4A7	FJHT0080
2160	침	C3B3	C4A8	FJHV0080
2161	침	C3B5	C4A9	FJHX0080
2162	침	C3B7	C4AA	FJHZ0080
2163	ㅋ	C441	A4BB	OK000080
2164	카	C461	C4AB	FJKX0080
2165	카	C462	C4AC	FJKY0080
2166	칸	C465	C4AD	FJL10080
2167	칸	C468		FJL40080
2168	칼	C469	C4AE	FJL50080
2169	캠	C471	C4AF	FJLD0080
2170	캡	C473	C4B0	FJLF0080
2171	캣	C475	C4B1	FJLH0080
2172	캣	C477	C4B2	FJLJ0080
2173	캐	C481	C4B3	FJLT0080
2174	캐	C482	C4B4	FJLU0080
2175	캔	C485	C4B5	FJLX0080
2176	캔	C488		FJM00080
2177	캘	C489	C4B6	FJM10080
2178	캠	C491	C4B7	FJM90080
2179	캡	C493	C4B8	FJMB0080
2180	캣	C495	C4B9	FJMD0080
2181	캣	C496	C4BA	FJME0080
2182	캠	C497	C4BB	FJMF0080
2183	캘	C49B		FJMJ0080
2184	카	C4A1	C4BC	FJMP0080




IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
2185	착	C4A2	C4BD	FJMQ0080
2186	창	C4B7	C4BE	FJNB0080
2187	캐	C4C1		FJNL0080
2188	커	C4E1	C4BF	FJOH0080
2189	킅	C4E2	C4C0	FJOI0080
2190	컨	C4E5	C4C1	FJOL0080
2191	켄	C4E8	C4C2	FJOO0080
2192	켈	C4E9	C4C3	FJOP0080
2193	کم	C4F1	C4C4	FJOX0080
2194	킅	C4F3	C4C5	FJOZ0080
2195	컷	C4F5	C4C6	FJP10080
2196	켰	C4F6	C4C7	FJP20080
2197	컹	C4F7	C4C8	FJP30080
2198	켈	C4FB		FJP70080
2199	케	C541	C4C9	FJPD0080
2200	킅	C542	C4CA	FJPE0080
2201	켄	C545	C4CB	FJPH0080
2202	켈	C549	C4CC	FJPL0080
2203	کم	C551	C4CD	FJPT0080
2204	킅	C553	C4CE	FJPV0080
2205	컷	C555	C4CF	FJPX0080
2206	컹	C557	C4D0	FJPZ0080
2207	켈	C55B		FJQ30080
2208	켜	C561	C4D1	FJQ90080
2209	컨	C565	C4D2	FJQD0080
2210	켈	C569	C4D3	FJQH0080

Line Number	Graphic	Host Code	PC Code	GCGID
2211	컴	C571	C4D4	FJQP0080
2212	컵	C573	C4D5	FJQR0080
2213	컷	C575	C4D6	FJQT0080
2214	켰	C576	C4D7	FJQU0080
2215	컹	C577	C4D8	FJQV0080
2216	케	C581	C4D9	FJR50080
2217	코	C5A1	C4DA	FJS10080
2218	콧	C5A2	C4DB	FJS20080
2219	콘	C5A5	C4DC	FJS50080
2220	콜	C5A9	C4DD	FJS90080
2221	콧	C5B1	C4DE	FJSH0080
2222	콧	C5B3	C4DF	FJSJ0080
2223	콧	C5B5	C4E0	FJSL0080
2224	콩	C5B7	C4E1	FJSN0080
2225	과	C5C1	C4E2	FJSX0080
2226	콧	C5C2	C4E3	FJSY0080
2227	관	C5C5	C4E4	FJT10080
2228	콧	C5C9	C4E5	FJT50080
2229	콧	C5D1	C4E6	FJTD0080
2230	랑	C5D7	C4E7	FJTJ0080
2231	쾌	C5E1	C4E8	FJTT0080
2232	콧	C5E2		FJTU0080
2233	관	C5E5		FJTX0080
2234	콧	C5F5		FJUD0080
2235	광	C5F7	C4E9	FJUF0080
2236	콧	C641	C4EA	FJUP0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Table 11 (Page 16 of 24). Hangeul Set(2/2), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
2237	퀸	C645		FJUT0080
2238	퀸	C649	C4EB	FJUX0080
2239	퀸	C657		FJVB0080
2240	쿄	C661	C4EC	FJVL0080
2241	쿠	C681	C4ED	FJWH0080
2242	쿠	C682	C4EE	FJWI0080
2243	쿤	C685	C4EF	FJWL0080
2244	쿨	C689	C4F0	FJWP0080
2245	쿤	C691	C4F1	FJWX0080
2246	쿤	C693	C4F2	FJWZ0080
2247	쿠	C695	C4F3	FJX10080
2248	쿤	C697	C4F4	FJX30080
2249	퀴	C6A1	C4F5	FJXD0080
2250	퀸	C6A5	C4F6	FJXH0080
2251	퀸	C6A9	C4F7	FJXL0080
2252	퀸	C6B7	C4F8	FJXZ0080
2253	퀘	C6C1	C4F9	FJY90080
2254	퀸	C6D7	C4FA	FJYV0080
2255	퀴	C6E1	C4FB	FJZ50080
2256	퀸	C6E2	C4FC	FJZ60080
2257	퀸	C6E5	C4FD	FJZ90080
2258	퀸	C6E9	C4FE	FJZD0080
2259	킴	C6F1	C5A1	FJZL0080
2260	킴	C6F3	C5A2	FJZN0080
2261	킴	C6F5	C5A3	FJZP0080
2262	퀸	C6F7	C5A4	FJZR0080

Table 11 (Page 16 of 24). Hangeul Set(2/2), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
2263	큐	C741	C5A5	FK010080
2264	큐	C745	C5A6	FK050080
2265	큐	C749	C5A7	FK090080
2266	큐	C751	C5A8	FK0H0080
2267	크	C761	C5A9	FK0X0080
2268	쿠	C762	C5AA	FK0Y0080
2269	쿤	C765	C5AB	FK110080
2270	쿨	C769	C5AC	FK150080
2271	쿤	C771	C5AD	FK1D0080
2272	쿤	C773	C5AE	FK1F0080
2273	쿤	C777	C5AF	FK1J0080
2274	키	C781		FK1T0080
2275	키	C7A1	C5B0	FK2P0080
2276	키	C7A2	C5B1	FK2Q0080
2277	킨	C7A5	C5B2	FK2T0080
2278	퀸	C7A9	C5B3	FK2X0080
2279	킴	C7B1	C5B4	FK350080
2280	킴	C7B3	C5B5	FK370080
2281	킴	C7B5	C5B6	FK390080
2282	킹	C7B7	C5B7	FK3B0080
2283	ㅌ	C841	A4BC	OT000080
2284	타	C861	C5B8	FK690080
2285	탁	C862	C5B9	FK6A0080
2286	탄	C865	C5BA	FK6D0080
2287	탈	C869	C5BB	FK6H0080
2288	탁	C86A	C5BC	FK6I0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Table 11 (Page 17 of 24). Hangeul Set(2/2), DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
2289	탐	C871	C5BD	FK6P0080
2290	탐	C873	C5BE	FK6R0080
2291	탓	C875	C5BF	FK6T0080
2292	탓	C876	C5C0	FK6U0080
2293	탕	C877	C5C1	FK6V0080
2294	태	C881	C5C2	FK750080
2295	택	C882	C5C3	FK760080
2296	텐	C885	C5C4	FK790080
2297	텔	C889	C5C5	FK7D0080
2298	탐	C891	C5C6	FK7L0080
2299	탐	C893	C5C7	FK7N0080
2300	탓	C895	C5C8	FK7P0080
2301	탓	C896	C5C9	FK7Q0080
2302	탱	C897	C5CA	FK7R0080
2303	타	C8A1	C5CB	FK810080
2304	탕	C8B7	C5CC	FK8N0080
2305	태	C8C1		FK8X0080
2306	터	C8E1	C5CD	FK9T0080
2307	턱	C8E2	C5CE	FK9U0080
2308	틴	C8E5	C5CF	FK9X0080
2309	털	C8E9	C5D0	FKA10080
2310	털	C8EB	C5D1	FKA30080
2311	탐	C8F1	C5D2	FKA90080
2312	탐	C8F3	C5D3	FKAB0080
2313	탓	C8F5	C5D4	FKAD0080
2314	탓	C8F6	C5D5	FKAE0080

Table 11 (Page 17 of 24). Hangeul Set(2/2), DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
2315	팅	C8F7	C5D6	FKAF0080
2316	테	C941	C5D7	FKAP0080
2317	텍	C942	C5D8	FKAQ0080
2318	텐	C945	C5D9	FKAT0080
2319	텔	C949	C5DA	FKAX0080
2320	탐	C951	C5DB	FKB50080
2321	탐	C953	C5DC	FKB70080
2322	탓	C955	C5DD	FKB90080
2323	탓	C956		FKBA0080
2324	탱	C957	C5DE	FKBB0080
2325	터	C961	C5DF	FKBL0080
2326	턱	C962		FKBM0080
2327	틴	C965	C5E0	FKBP0080
2328	털	C976	C5E1	FKC60080
2329	테	C981	C5E2	FKCH0080
2330	텐	C985	C5E3	FKCL0080
2331	토	C9A1	C5E4	FKDD0080
2332	톡	C9A2	C5E5	FKDE0080
2333	톤	C9A5	C5E6	FKDH0080
2334	톨	C9A9	C5E7	FKDL0080
2335	툼	C9B1	C5E8	FKDT0080
2336	툼	C9B3	C5E9	FKDV0080
2337	툷	C9B5	C5EA	FKDX0080
2338	툸	C9B7	C5EB	FKDZ0080
2339	툹	C9BC	C5EC	FKE40080
2340	툺	C9C1	C5ED	FKE90080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Table 11 (Page 18 of 24). Hangeul Set(2/2), DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
2341	환	C9C5	C5EE	FKED0080
2342	꽤	C9E1	C5EF	FKF50080
2343	퇴	CA41	C5F0	FKG10080
2344	툐	CA45	C5F1	FKG50080
2345	뢧	CA55	C5F2	FKGL0080
2346	뵁	CA57	C5F3	FKGN0080
2347	뵆	CA61	C5F4	FKGX0080
2348	투	CA81	C5F5	FKHT0080
2349	투	CA82	C5F6	FKHU0080
2350	툐	CA85	C5F7	FKHX0080
2351	툐	CA89	C5F8	FKI10080
2352	툐	CA91	C5F9	FKI90080
2353	툐	CA93	C5FA	FKIB0080
2354	툐	CA95	C5FB	FKID0080
2355	툐	CA97	C5FC	FKIF0080
2356	튀	CAA1	C5FD	FKIP0080
2357	툐	CAB6	C5FE	FKJA0080
2358	튀	CAC1	C6A1	FKJL0080
2359	툐	CAD5		FKK50080
2360	튀	CAE1	C6A2	FKKH0080
2361	툐	CAE2	C6A3	FKKI0080
2362	툐	CAE5	C6A4	FKKL0080
2363	툐	CAE9	C6A5	FKKP0080
2364	툐	CAF1	C6A6	FKKX0080
2365	툐	CAF3	C6A7	FKKZ0080
2366	툐	CAF5		FKL10080

Table 11 (Page 18 of 24). Hangeul Set(2/2), DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
2367	뵁	CAF7	C6A8	FKL30080
2368	툐	CB41	C6A9	FKLD0080
2369	툐	CB45	C6AA	FKLH0080
2370	툐	CB49	C6AB	FKLL0080
2371	툐	CB51	C6AC	FKLT0080
2372	툐	CB57	C6AD	FKLZ0080
2373	트	CB61	C6AE	FKM90080
2374	툐	CB62	C6AF	FKMA0080
2375	툐	CB65	C6B0	FKMD0080
2376	툐	CB68	C6B1	FKMG0080
2377	툐	CB69	C6B2	FKMH0080
2378	툐	CB6B	C6B3	FKMJ0080
2379	툐	CB71	C6B4	FKMP0080
2380	툐	CB73	C6B5	FKMR0080
2381	툐	CB75	C6B6	FKMT0080
2382	툐	CB77		FKMV0080
2383	티	CB81	C6B7	FKN50080
2384	툐	CB85	C6B8	FKN90080
2385	툐	CB89	C6B9	FKND0080
2386	툐	CB91	C6BA	FKNL0080
2387	툐	CB93	C6BB	FKNN0080
2388	툐	CB95		FKNP0080
2389	티	CBA1	C6BC	FKO10080
2390	티	CBA2	C6BD	FKO20080
2391	티	CBA5	C6BE	FKO50080
2392	티	CBA9	C6BF	FKO90080




IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
2393	팀	CBB1	C6C0	FKOH0080
2394	팁	CBB3	C6C1	FKOJ0080
2395	틋	CBB5	C6C2	FKOL0080
2396	팅	CBB7	C6C3	FKON0080
2397	틸	CBBC		FKOS0080
2398	표	CC41	A4BD	OP000080
2399	파	CC61	C6C4	FKRL0080
2400	팍	CC62	C6C5	FKRM0080
2401	팍	CC63	C6C6	FKRN0080
2402	관	CC65	C6C7	FKRP0080
2403	팔	CC69	C6C8	FKRT0080
2404	팜	CC6B	C6C9	FKRV0080
2405	팜	CC71	C6CA	FKS10080
2406	팜	CC73	C6CB	FKS30080
2407	팜	CC75	C6CC	FKS50080
2408	팜	CC76	C6CD	FKS60080
2409	팜	CC77	C6CE	FKS70080
2410	팔	CC7B	C6CF	FKSB0080
2411	팜	CC7C		FKSC0080
2412	패	CC81	C6D0	FKSH0080
2413	팍	CC82	C6D1	FKSI0080
2414	팬	CC85	C6D2	FKSL0080
2415	펠	CC89	C6D3	FKSP0080
2416	팜	CC91	C6D4	FKSX0080
2417	팜	CC93	C6D5	FKSZ0080
2418	팜	CC95	C6D6	FKT10080

Line Number	Graphic	Host Code	PC Code	GCGID
2419	팜	CC96	C6D7	FKT20080
2420	팜	CC97	C6D8	FKT30080
2421	파	CCA1	C6D9	FKTD0080
2422	팍	CCA2	C6DA	FKTE0080
2423	팜	CCB7		FKTZ0080
2424	패	CCC1		FKU90080
2425	퍼	CCE1	C6DB	FKV50080
2426	팍	CCE2	C6DC	FKV60080
2427	편	CCE5	C6DD	FKV90080
2428	펠	CCE9	C6DE	FKVD0080
2429	팜	CCF1	C6DF	FKVL0080
2430	팜	CCF3	C6E0	FKVN0080
2431	팜	CCF5	C6E1	FKVP0080
2432	팜	CCF6	C6E2	FKVQ0080
2433	평	CCF7	C6E3	FKVR0080
2434	페	CD41	C6E4	FKW10080
2435	팍	CD42	C6E5	FKW20080
2436	편	CD45	C6E6	FKW50080
2437	펠	CD49	C6E7	FKW90080
2438	팜	CD51	C6E8	FKWH0080
2439	팜	CD53	C6E9	FKWJ0080
2440	팜	CD55	C6EA	FKWL0080
2441	평	CD57	C6EB	FKWN0080
2442	팜	CD5C		FKWS0080
2443	퍼	CD61	C6EC	FKWX0080
2444	팍	CD62		FKWY0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Table 11 (Page 20 of 24). Hangeul Set(2/2), DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
2445	편	CD65	C6ED	FKX10080
2446	펼	CD69	C6EE	FKX50080
2447	펼	CD71	C6EF	FKXD0080
2448	펼	CD73	C6F0	FKXF0080
2449	펼	CD75		FKXH0080
2450	펼	CD76	C6F1	FKXI0080
2451	평	CD77	C6F2	FKXJ0080
2452	폐	CD81	C6F3	FKXT0080
2453	펼	CD89	C6F4	FKY10080
2454	펼	CD93	C6F5	FKYB0080
2455	펼	CD95	C6F6	FKYD0080
2456	포	CDA1	C6F7	FKYP0080
2457	푼	CDA2	C6F8	FKYQ0080
2458	푼	CDA5	C6F9	FKYT0080
2459	풀	CDA9	C6FA	FKYX0080
2460	푼	CDB1	C6FB	FKZ50080
2461	푼	CDB3	C6FC	FKZ70080
2462	푼	CDB5	C6FD	FKZ90080
2463	푼	CDB7	C6FE	FKZB0080
2464	괘	CDC1	C7A1	FKZL0080
2465	황	CDD7	C7A2	FL070080
2466	괘	CDE1		FL0H0080
2467	괘	CE41	C7A3	FL1D0080
2468	원	CE45	C7A4	FL1H0080
2469	표	CE61	C7A5	FL290080
2470	푼	CE65	C7A6	FL2D0080

Table 11 (Page 20 of 24). Hangeul Set(2/2), DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
2471	푼	CE69	C7A7	FL2H0080
2472	푼	CE73	C7A8	FL2R0080
2473	푼	CE75	C7A9	FL2T0080
2474	푼	CE81	C7AA	FL350080
2475	푼	CE82	C7AB	FL360080
2476	푼	CE85	C7AC	FL390080
2477	푼	CE88	C7AD	FL3C0080
2478	푼	CE89	C7AE	FL3D0080
2479	푼	CE8B	C7AF	FL3F0080
2480	푼	CE91	C7B0	FL3L0080
2481	푼	CE93	C7B1	FL3N0080
2482	푼	CE95	C7B2	FL3P0080
2483	푼	CE97	C7B3	FL3R0080
2484	궤	CEA1	C7B4	FL410080
2485	궤	CEB7	C7B5	FL4N0080
2486	궤	CEC1		FL4X0080
2487	궤	CEE1	C7B6	FL5T0080
2488	원	CEE5	C7B7	FL5X0080
2489	궤	CEE9	C7B8	FL610080
2490	궤	CEF1	C7B9	FL690080
2491	궤	CEF5	C7BA	FL6D0080
2492	궤	CF41	C7BB	FL6P0080
2493	푼	CF42		FL6Q0080
2494	푼	CF45	C7BC	FL6T0080
2495	푼	CF49	C7BD	FL6X0080
2496	푼	CF51	C7BE	FL750080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
2497	푹	CF55	C7BF	FL790080
2498	푷	CF57	C7C0	FL7B0080
2499	프	CF61	C7C1	FL7L0080
2500	푹	CF62		FL7M0080
2501	픈	CF65	C7C2	FL7P0080
2502	플	CF69	C7C3	FL7T0080
2503	푹	CF6D		FL7X0080
2504	푷	CF71	C7C4	FL810080
2505	푷	CF73	C7C5	FL830080
2506	푹	CF75	C7C6	FL850080
2507	푷	CF77		FL870080
2508	푹	CF81		FL8H0080
2509	핀	CF85		FL8L0080
2510	푹	CFA1	C7C7	FL9D0080
2511	푹	CFA2	C7C8	FL9E0080
2512	핀	CFA5	C7C9	FL9H0080
2513	퀵	CFA9	C7CA	FL9L0080
2514	퀵	CFB1	C7CB	FL9T0080
2515	퀵	CFB3	C7CC	FL9V0080
2516	퀵	CFB5	C7CD	FL9X0080
2517	퀵	CFB7	C7CE	FL9Z0080
2518	ㅎ	D041	A4BE	OH000080
2519	하	D061	C7CF	FLCX0080
2520	학	D062	C7D0	FLCY0080
2521	한	D065	C7D1	FLD10080
2522	한	D068		FLD40080

Line Number	Graphic	Host Code	PC Code	GCGID
2523	할	D069	C7D2	FLD50080
2524	학	D06A		FLD60080
2525	할	D06E	C7D3	FLDA0080
2526	함	D071	C7D4	FLDD0080
2527	합	D073	C7D5	FLDF0080
2528	햇	D075	C7D6	FLDH0080
2529	햇	D076		FLDI0080
2530	항	D077	C7D7	FLDJ0080
2531	할	D07B		FLDN0080
2532	해	D081	C7D8	FLDT0080
2533	핵	D082	C7D9	FLDU0080
2534	헨	D085	C7DA	FLDX0080
2535	헬	D089	C7DB	FLE10080
2536	햄	D091	C7DC	FLE90080
2537	헵	D093	C7DD	FLEB0080
2538	햇	D095	C7DE	FLED0080
2539	햇	D096	C7DF	FLEE0080
2540	행	D097	C7E0	FLEF0080
2541	하	D0A1	C7E1	FLEP0080
2542	향	D0B7	C7E2	FLFB0080
2543	해	D0C1		FLFL0080
2544	허	D0E1	C7E3	FLGH0080
2545	혁	D0E2	C7E4	FLGI0080
2546	헌	D0E5	C7E5	FLGL0080
2547	헌	D0E8		FLGO0080
2548	혈	D0E9	C7E6	FLGP0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
2549	협	D0EB	C7E7	FLGR0080
2550	협	D0F1	C7E8	FLGX0080
2551	협	D0F3	C7E9	FLGZ0080
2552	협	D0F5	C7EA	FLH10080
2553	협	D0F7	C7EB	FLH30080
2554	협	D141	C7EC	FLHD0080
2555	협	D142	C7ED	FLHE0080
2556	협	D145	C7EE	FLHH0080
2557	협	D149	C7EF	FLHL0080
2558	협	D151	C7F0	FLHT0080
2559	협	D153	C7F1	FLHV0080
2560	협	D155	C7F2	FLHX0080
2561	협	D157	C7F3	FLHZ0080
2562	협	D161	C7F4	FLI90080
2563	협	D162	C7F5	FLIA0080
2564	협	D165	C7F6	FLID0080
2565	협	D169	C7F7	FLIH0080
2566	협	D171	C7F8	FLIP0080
2567	협	D173	C7F9	FLIR0080
2568	협	D175	C7FA	FLIT0080
2569	협	D176	C7FB	FLIU0080
2570	협	D177	C7FC	FLIV0080
2571	협	D181	C7FD	FLJ50080
2572	협	D185	C7FE	FLJ90080
2573	협	D189	C8A1	FLJD0080
2574	협	D191		FLJL0080

Line Number	Graphic	Host Code	PC Code	GCGID
2575	협	D193	C8A2	FLJN0080
2576	협	D1A1	C8A3	FLK10080
2577	협	D1A2	C8A4	FLK20080
2578	협	D1A5	C8A5	FLK50080
2579	협	D1A9	C8A6	FLK90080
2580	협	D1AE	C8A7	FLKE0080
2581	협	D1B1	C8A8	FLKH0080
2582	협	D1B3	C8A9	FLKJ0080
2583	협	D1B5	C8AA	FLKL0080
2584	협	D1B7	C8AB	FLKN0080
2585	협	D1BB	C8AC	FLKR0080
2586	협	D1C1	C8AD	FLKX0080
2587	협	D1C2	C8AE	FLKY0080
2588	협	D1C5	C8AF	FLL10080
2589	협	D1C9	C8B0	FLL50080
2590	협	D1D5	C8B1	FLLH0080
2591	협	D1D7	C8B2	FLLJ0080
2592	협	D1E1	C8B3	FLLT0080
2593	협	D1E2	C8B4	FLLU0080
2594	협	D1E5	C8B5	FLLX0080
2595	협	D1F5	C8B6	FLMD0080
2596	협	D1F7	C8B7	FLMF0080
2597	협	D241	C8B8	FLMP0080
2598	협	D242	C8B9	FLMQ0080
2599	협	D245	C8BA	FLMT0080
2600	협	D249	C8BB	FLMX0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Table 11 (Page 23 of 24). Hangeul Set(2/2), DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
2601	웁	D253	C8BC	FLN70080
2602	웑	D255	C8BD	FLN90080
2603	웒	D257	C8BE	FLNB0080
2604	효	D261	C8BF	FLNL0080
2605	후	D262		FLNM0080
2606	훈	D265	C8C0	FLNP0080
2607	홀	D269	C8C1	FLNT0080
2608	흙	D271		FLO10080
2609	흞	D273	C8C2	FLO30080
2610	흟	D275	C8C3	FLO50080
2611	후	D281	C8C4	FLOH0080
2612	흞	D282	C8C5	FLOI0080
2613	훈	D285	C8C6	FLOL0080
2614	홀	D289	C8C7	FLOP0080
2615	흞	D28E	C8C8	FLOU0080
2616	흙	D291	C8C9	FLOX0080
2617	흞	D293		FLOZ0080
2618	후	D295	C8CA	FLP10080
2619	훈	D297	C8CB	FLP30080
2620	휘	D2A1	C8CC	FLPD0080
2621	훤	D2A5	C8CD	FLPH0080
2622	훗	D2A9	C8CE	FLPL0080
2623	웁	D2B1	C8CF	FLPT0080
2624	웑	D2B7	C8D0	FLPZ0080
2625	웒	D2C1	C8D1	FLQ90080
2626	웓	D2C2	C8D2	FLQA0080

Table 11 (Page 23 of 24). Hangeul Set(2/2), DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
2627	훤	D2C5	C8D3	FLQD0080
2628	훗	D2C9	C8D4	FLQH0080
2629	웁	D2D1		FLQP0080
2630	웑	D2D7	C8D5	FLQV0080
2631	훗	D2E1	C8D6	FLR50080
2632	훘	D2E2	C8D7	FLR60080
2633	훤	D2E5	C8D8	FLR90080
2634	훗	D2E9	C8D9	FLRD0080
2635	웁	D2F1	C8DA	FLRL0080
2636	웑	D2F3	C8DB	FLRN0080
2637	훗	D2F5	C8DC	FLRP0080
2638	웒	D2F7	C8DD	FLRR0080
2639	후	D341	C8DE	FLS10080
2640	후	D342	C8DF	FLS20080
2641	훈	D345	C8E0	FLS50080
2642	홀	D349	C8E1	FLS90080
2643	흙	D351	C8E2	FLSH0080
2644	후	D355	C8E3	FLSL0080
2645	훈	D357	C8E4	FLSN0080
2646	후	D361	C8E5	FLSX0080
2647	후	D362	C8E6	FLSY0080
2648	훈	D365	C8E7	FLT10080
2649	후	D367	C8E8	FLT30080
2650	훈	D368	C8E9	FLT40080
2651	후	D369	C8EA	FLT50080
2652	후	D36A	C8EB	FLT60080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Table 11 (Page 24 of 24). Hangeul Set(2/2), DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
2653	흞	D371	C8EC	FLTD0080
2654	흙	D373	C8ED	FLTF0080
2655	흙	D375	C8EE	FLTH0080
2656	흙	D377	C8EF	FLTJ0080
2657	흙	D37B	C8F0	FLTN0080
2658	희	D381	C8F1	FLTT0080
2659	획	D382		FLTU0080
2660	흰	D385	C8F2	FLTX0080
2661	힐	D389	C8F3	FLU10080
2662	힘	D391	C8F4	FLU90080
2663	힉	D393	C8F5	FLUB0080
2664	힉	D397	C8F6	FLUF0080
2665	히	D3A1	C8F7	FLUP0080
2666	힉	D3A2	C8F8	FLUQ0080
2667	힌	D3A5	C8F9	FLUT0080
2668	힐	D3A9	C8FA	FLUX0080
2669	힘	D3B1	C8FB	FLV50080
2670	힉	D3B3	C8FC	FLV70080
2671	힉	D3B5	C8FD	FLV90080
2672	힉	D3B7	C8FE	FLVB0080

IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

9. DBCS-PC Specification


9.1 Format of DBCS-PC Specification Tables

In this section, the specification of the Korean DBCS-PC coded graphic character sets is provided by tables. The tables are formatted almost the same as those of DBCS-Host shown in Table 5 on page 7 except that the column 3 'Host code' and column 4 'PC code' are reversed. Then Table 12 to Table 17 on page 308 have PC code points in column 3 and Host code points in column 4.

9.2 Non-Hangeul/Hanja Set

Line Number	Graphic	PC Code	Host Code	GCGID
1		A1A1	4040	SP010080
2	,	A1A2	4141	JQ730080
3	o	A1A3	4142	JQ700080
4	•	A1A4	4143	SD630080
5	••	A1A5	4144	SV430080
6	•••	A1A6	4145	SV440080
7	••••	A1A7	4146	SD170080
8	//	A1A8	4147	SV090081
9	-	A1A9	4148	SP320080
10	—	A1AA	4149	SM120080
11		A1AB	414A	SA340080
12	\	A1AC	414B	SM070080
13	~	A1AD	42A1	SA160080
14	'	A1AE	414D	SP190080
15	,	A1AF	414E	SP200080
16	“	A1B0	414F	SP210080
17	”	A1B1	4150	SP220080
18	[A1B2	4151	SP060081

Line Number	Graphic	PC Code	Host Code	GCGID
19]	A1B3	4152	SP070081
20	<	A1B4	4153	SP060082
21	>	A1B5	4154	SP070082
22	◀	A1B6	4155	SP060083
23	▶	A1B7	4156	SP070083
24	┌	A1B8	4157	JQ710080
25	└	A1B9	4158	JQ720080
26	┐	A1BA	4159	JQ710081
27	┑	A1BB	415A	JQ720081
28	【	A1BC	415B	SP060084
29	】	A1BD	415C	SP070084
30	±	A1BE	415D	SA020080
31	×	A1BF	415E	SA070080
32	÷	A1C0	415F	SA060080
33	≠	A1C1	418D	F07H0080
34	≦	A1C2	418E	SA520080
35	≧	A1C3	418F	SA530080
36	∞	A1C4	4163	SA450080
37	∴	A1C5	4164	SA370080
38	°	A1C6	4165	SM190080
39	'	A1C7	4166	SM500080
40	”	A1C8	4167	SM510080
41	℃	A1C9	4168	SM440080
42	Å	A1CA	4190	SM220080
43	¢	A1CB	424A	SC040080
44	£	A1CC	416B	SC020080
45	¥	A1CD	416C	SC050080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
46	↕	A1CE	4191	SM280080
47	♀	A1CF	4192	SM290080
48	∠	A1D0	4193	SA350088
49	⊥	A1D1	4194	SA780080
50	⌒	A1D2	4195	SV420080
51	∂	A1D3	4196	SA490080
52	∇	A1D4	4197	SL030080
53	≡	A1D5	4198	SA480080
54	≡̇	A1D6	4199	SA700081
55	§	A1D7	4176	SM240080
56	※	A1D8	4177	SM040088
57	☆	A1D9	4178	SS570080
58	★	A1DA	4179	SS580080
59	○	A1DB	417A	SM750080
60	●	A1DC	417B	SM580080
61	◎	A1DD	417C	SM810080
62	◇	A1DE	417D	SA660080
63	◆	A1DF	417E	SM610080
64	□	A1E0	417F	SM450080
65	■	A1E1	4180	SM470080
66	△	A1E2	4181	SM730080
67	▲	A1E3	4182	SM600080
68	▽	A1E4	4183	SM740080
69	▼	A1E5	4184	SV040080
70	→	A1E6	4185	SM310080
71	←	A1E7	4186	SM300080
72	↑	A1E8	4187	SM320080

Line Number	Graphic	PC Code	Host Code	GCGID
73	↓	A1E9	4188	SM330080
74	↔	A1EA	4189	SM780080
75	≡	A1EB	418A	SS750080
76	⋈	A1EC	419A	SA730080
77	⋉	A1ED	419B	SA740080
78	√	A1EE	419C	SA800080
79	∞	A1EF	419D	SA830080
80	∞	A1F0	4941	SA470080
81	∴	A1F1	4942	SS540080
82	∫	A1F2	4943	SA510080
83	∫	A1F3	4944	SA840080
84	∈	A1F4	4945	SA670080
85	∋	A1F5	4946	SA310080
86	⊆	A1F6	4947	SA240080
87	⊇	A1F7	4948	SA270080
88	⊂	A1F8	4949	SA400080
89	⊃	A1F9	494A	SA410080
90	∪	A1FA	494B	SA390080
91	∩	A1FB	494C	SA380080
92	∧	A1FC	494D	SA330080
93	∨	A1FD	494E	SA320080
94	¬	A1FE	425F	SM660080
95	⇒	A2A1	494F	SM420080
96	⇔	A2A2	4950	SM410080
97	∇	A2A3	4951	SA210080
98	∃	A2A4	4952	SA230080

IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Table 12 (Page 3 of 19). Non-Hangeul/Hanja Set, DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
99	'	A2A5	4953	SD110080
100	~	A2A6	4954	SD190080
101	∨	A2A7	4955	SD210080
102	∪	A2A8	4956	SD230080
103	"	A2A9	4957	SD250080
104	°	A2AA	4958	SD270080
105	•	A2AB	4959	SD290080
106	∫	A2AC	495A	SD410080
107	℄	A2AD	495B	SD430080
108	¡	A2AE	495C	SP030080
109	¿	A2AF	495D	SP160080
110	∕	A2B0	495E	F1CU0080
111	ℳ	A2B1	495F	SA720080
112	∑	A2B2	4960	SS400080
113	∏	A2B3	4961	SA810080
114	ℳ	A2B4	4962	SC010080
115	ℳ	A2B5	4963	SM850080
116	‰	A2B6	4964	SM560080
117	△	A2B7	4965	F1D10080
118	▲	A2B8	4966	F1D20080
119	▽	A2B9	4967	F1D30080
120	▶	A2BA	4968	SM600081
121	♠	A2BB	4969	F1D50080
122	♠	A2BC	496A	SS050080
123	♥	A2BD	496B	F1D70080
124	♥	A2BE	496C	SS020080

Table 12 (Page 3 of 19). Non-Hangeul/Hanja Set, DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
125	♣	A2BF	496D	F1D90080
126	♣	A2C0	496E	SS040080
127	⊙	A2C1	496F	F1DB0080
128	◇	A2C2	4970	F1DC0080
129	▣	A2C3	4971	F1DD0080
130	◐	A2C4	4972	F1DE0080
131	◑	A2C5	4973	F1DF0080
132	▤	A2C6	4974	F1DG0080
133	▥	A2C7	4975	F1DH0080
134	▧	A2C8	4976	F1DI0080
135	▨	A2C9	4977	F1DJ0080
136	▩	A2CA	4978	F1DK0080
137	▪	A2CB	4979	F1DL0080
138	▫	A2CC	497A	F1DM0080
139	♠	A2CD	497B	F1DN0080
140	♠	A2CE	497C	F1DO0080
141	♠	A2CF	497D	F1DP0080
142	♠	A2D0	497E	F1DQ0080
143	♠	A2D1	497F	F1DR0080
144	¶	A2D2	4980	SM250080
145	+	A2D3	4981	F1DT0080
146	≠	A2D4	4982	F1DU0080
147	↕	A2D5	4983	SM760080
148	↗	A2D6	4984	SM950080
149	↘	A2D7	4985	F1DX0080
150	↖	A2D8	4986	F1DY0080




IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
151	↘	A2D9	4987	SM990080
152	b	A2DA	4988	SM890080
153	♪	A2DB	4989	F1E10080
154	♪	A2DC	498A	SM930080
155	♪	A2DD	498B	SM910080
156	⊗	A2DE	498C	F1E40080
157	⊗	A2DF	498D	F1E50080
158	No.	A2E0	498E	F1E60080
159	Co.	A2E1	498F	F1E70080
160	TM	A2E2	4990	SM540080
161	am	A2E3	4991	F1E90080
162	pm	A2E4	4992	F1EA0080
163	TEL	A2E5	4993	SS710080
164	!	A3A1	425A	SP020080
165	"	A3A2	427F	SP040080
166	#	A3A3	427B	SM010080
167	\$	A3A4	425B	SC030080
168	%	A3A5	426C	SM020080
169	&	A3A6	4250	SM030080
170	'	A3A7	427D	SP050080
171	(A3A8	424D	SP060080
172)	A3A9	425D	SP070080
173	*	A3AA	425C	SM040080
174	+	A3AB	424E	SA010080
175	,	A3AC	426B	SP080080
176	-	A3AD	4260	SP100080

Line Number	Graphic	PC Code	Host Code	GCGID
177	.	A3AE	424B	SP110080
178	/	A3AF	4261	SP120080
179	0	A3B0	42F0	ND100080
180	1	A3B1	42F1	ND010080
181	2	A3B2	42F2	ND020080
182	3	A3B3	42F3	ND030080
183	4	A3B4	42F4	ND040080
184	5	A3B5	42F5	ND050080
185	6	A3B6	42F6	ND060080
186	7	A3B7	42F7	ND070080
187	8	A3B8	42F8	ND080080
188	9	A3B9	42F9	ND090080
189	:	A3BA	427A	SP130080
190	;	A3BB	425E	SP140080
191	<	A3BC	424C	SA030080
192	=	A3BD	427E	SA040080
193	>	A3BE	426E	SA050080
194	?	A3BF	426F	SP150080
195	@	A3C0	427C	SM050080
196	A	A3C1	42C1	LA020080
197	B	A3C2	42C2	LB020080
198	C	A3C3	42C3	LC020080
199	D	A3C4	42C4	LD020080
200	E	A3C5	42C5	LE020080
201	F	A3C6	42C6	LF020080
202	G	A3C7	42C7	LG020080
203	H	A3C8	42C8	LH020080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
204	I	A3C9	42C9	LI020080
205	J	A3CA	42D1	LJ020080
206	K	A3CB	42D2	LK020080
207	L	A3CC	42D3	LL020080
208	M	A3CD	42D4	LM020080
209	N	A3CE	42D5	LN020080
210	O	A3CF	42D6	LO020080
211	P	A3D0	42D7	LP020080
212	Q	A3D1	42D8	LQ020080
213	R	A3D2	42D9	LR020080
214	S	A3D3	42E2	LS020080
215	T	A3D4	42E3	LT020080
216	U	A3D5	42E4	LU020080
217	V	A3D6	42E5	LV020080
218	W	A3D7	42E6	LW020080
219	X	A3D8	42E7	LX020080
220	Y	A3D9	42E8	LY020080
221	Z	A3DA	42E9	LZ020080
222	[A3DB	418B	SM060080
223	₩	A3DC	42E0	SC140080
224]	A3DD	418C	SM080080
225	^	A3DE	416A	SD150080
226	—	A3DF	426D	SP090080
227	`	A3E0	4279	SD130080
228	a	A3E1	4281	LA010080
229	b	A3E2	4282	LB010080
230	c	A3E3	4283	LC010080

Line Number	Graphic	PC Code	Host Code	GCGID
231	d	A3E4	4284	LD010080
232	e	A3E5	4285	LE010080
233	f	A3E6	4286	LF010080
234	g	A3E7	4287	LG010080
235	h	A3E8	4288	LH010080
236	i	A3E9	4289	LI010080
237	j	A3EA	4291	LJ010080
238	k	A3EB	4292	LK010080
239	l	A3EC	4293	LL010080
240	m	A3ED	4294	LM010080
241	n	A3EE	4295	LN010080
242	o	A3EF	4296	LO010080
243	p	A3F0	4297	LP010080
244	q	A3F1	4298	LQ010080
245	r	A3F2	4299	LR010080
246	s	A3F3	42A2	LS010080
247	t	A3F4	42A3	LT010080
248	u	A3F5	42A4	LU010080
249	v	A3F6	42A5	LV010080
250	w	A3F7	42A6	LW010080
251	x	A3F8	42A7	LX010080
252	y	A3F9	42A8	LY010080
253	z	A3FA	42A9	LZ010080
254	{	A3FB	42C0	SM110080
255		A3FC	424F	SM130080
256	}	A3FD	42D0	SM140080
257	—	A3FE	414C	SM150080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Table 12 (Page 6 of 19). Non-Hangeul/Hanja Set, DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
258	ㄱ	A4A1	8841	OG000080
259	ㄲ	A4A2	8C41	OG100080
260	ㄳ	A4A3	8444	OG200080
261	ㄴ	A4A4	9041	ON000080
262	ㄴ스	A4A5	8446	ON150080
263	ㄴㅎ	A4A6	8447	ON100080
264	ㄷ	A4A7	9441	OD000080
265	ㄷㄷ	A4A8	9841	OD100080
266	ㄷ	A4A9	9C41	OL000080
267	ㄷㄱ	A4AA	844A	OL200080
268	ㄷㅁ	A4AB	844B	OL400080
269	ㄷㅂ	A4AC	844C	OL100080
270	ㄷㅅ	A4AD	844D	OL600080
271	ㄷㅆ	A4AE	844E	OL700080
272	ㄷㅇ	A4AF	844F	OL500080
273	ㄷㅎ	A4B0	8450	OL300080
274	ㄹ	A4B1	A041	OM000080
275	ㄹ	A4B2	A441	OB000080
276	ㄹㅁ	A4B3	A841	OB100080
277	ㄹㅂ	A4B4	8454	OB200080
278	ㄹㅅ	A4B5	AC41	OS000080
279	ㄹㅇ	A4B6	B041	OS100080
280	ㄹㅎ	A4B7	B441	ON200080
281	ㅅ	A4B8	B841	OJ000080
282	ㅅ스	A4B9	BC41	OJ100080
283	ㅅ	A4BA	C041	OC200080

Table 12 (Page 6 of 19). Non-Hangeul/Hanja Set, DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
284	ㅆ	A4BB	C441	OK000080
285	ㅆ	A4BC	C841	OT000080
286	ㅆ	A4BD	CC41	OP000080
287	ㅎ	A4BE	D041	OH000080
288	ㅏ	A4BF	8461	OA000080
289	ㅑ	A4C0	8481	OA200080
290	ㅓ	A4C1	84A1	OY200080
291	ㅕ	A4C2	84C1	OY250080
292	ㅗ	A4C3	84E1	OE200080
293	ㅛ	A4C4	8541	OE000080
294	ㅜ	A4C5	8561	OY400080
295	ㅠ	A4C6	8581	OY300080
296	ㅡ	A4C7	85A1	OO000080
297	ㅟ	A4C8	85C1	OO100080
298	ㅠ	A4C9	85E1	OO200080
299	ㅢ	A4CA	8641	OO300080
300	ㅣ	A4CB	8661	OY500080
301	ㅤ	A4CC	8681	OU000080
302	ㅥ	A4CD	86A1	OU300080
303	ㅦ	A4CE	86C1	OU200080
304	ㅧ	A4CF	86E1	OU400080
305	ㅨ	A4D0	8741	OY600080
306	ㅩ	A4D1	8761	OE300080
307	ㅪ	A4D2	8781	OE400080
308	ㅫ	A4D3	87A1	OI000080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Table 12 (Page 7 of 19). Non-Hangeul/Hanja Set, DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
309		A4D4	8441	SP490080
310	ㄴ	A4D5	4341	F0G10080
311	ㄴ	A4D6	4342	F0G20080
312	ㄴ	A4D7	4343	F0G30080
313	ㄴ	A4D8	4344	F0G40080
314	ㄴ	A4D9	4345	F0G50080
315	ㄴ	A4DA	4346	F0G60080
316	ㄴ	A4DB	4347	F0G70080
317	ㄴ	A4DC	4348	F0G80080
318	ㄴ	A4DD	4349	F0G90080
319	ㄴ	A4DE	434A	F0GA0080
320	ㄴ	A4DF	434B	F0GB0080
321	ㄴ	A4E0	434C	F0GC0080
322	ㄴ	A4E1	434D	F0GD0080
323	ㄴ	A4E2	434E	F0GE0080
324	ㄴ	A4E3	434F	F0GF0080
325	ㄴ	A4E4	4350	F0GG0080
326	ㄴ	A4E5	4351	F0GH0080
327	ㄴ	A4E6	4352	F0GI0080
328	ㄴ	A4E7	4353	F0GJ0080
329	ㄴ	A4E8	4354	F0GK0080
330	ㄴ	A4E9	4355	F0GL0080
331	ㄴ	A4EA	4356	F0GM0080
332	ㄴ	A4EB	4357	F0GN0080
333	ㄴ	A4EC	4358	F0GO0080

Table 12 (Page 7 of 19). Non-Hangeul/Hanja Set, DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
334	ㅅ	A4ED	4359	F0GP0080
335	ㅅ	A4EE	435A	F0GQ0080
336	ㅅ	A4EF	435B	F0GR0080
337	ㅅ	A4F0	435C	F0GS0080
338	ㅅ	A4F1	435D	F0GT0080
339	ㅅ	A4F2	435E	F0GU0080
340	ㅅ	A4F3	435F	F0GV0080
341	ㅅ	A4F4	4360	F0GW0080
342	ㅅ	A4F5	4361	F0GX0080
343	ㅅ	A4F6	4362	F0GY0080
344	ㅅ	A4F7	4363	F0GZ0080
345	ㅅ	A4F8	4364	F0H00080
346	ㅅ	A4F9	4365	F0H10080
347	ㅅ	A4FA	4366	F0H20080
348	ㅅ	A4FB	4367	F0H30080
349	ㅅ	A4FC	4368	F0H40080
350	ㅅ	A4FD	4369	F0H50080
351	ㅅ	A4FE	436A	F0H60080
352	i	A5A1	4641	NR010080
353	ii	A5A2	4642	NR020080
354	iii	A5A3	4643	NR030080
355	iv	A5A4	4644	NR040080
356	v	A5A5	4645	NR050080
357	vi	A5A6	4646	NR060080
358	vii	A5A7	4647	NR070080
359	viii	A5A8	4648	NR080080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
360	ix	A5A9	4649	NR090080
361	x	A5AA	464A	NR100080
362	I	A5B0	4650	NR110080
363	II	A5B1	4651	NR120080
364	III	A5B2	4652	NR130080
365	IV	A5B3	4653	NR140080
366	V	A5B4	4654	NR150080
367	VI	A5B5	4655	NR160080
368	VII	A5B6	4656	NR170080
369	VIII	A5B7	4657	NR180080
370	IX	A5B8	4658	NR190080
371	X	A5B9	4659	NR200080
372	A	A5C1	4661	GA020080
373	B	A5C2	4662	GB020080
374	Γ	A5C3	4663	GG020080
375	Δ	A5C4	4664	GD020080
376	E	A5C5	4665	GE020080
377	Z	A5C6	4666	GZ020080
378	H	A5C7	4667	GE320080
379	Θ	A5C8	4668	GT620080
380	I	A5C9	4669	GI020080
381	K	A5CA	466A	GK020080
382	Λ	A5CB	466B	GL020080
383	M	A5CC	466C	GM020080
384	N	A5CD	466D	GN020080
385	Ξ	A5CE	466E	GX020080

Line Number	Graphic	PC Code	Host Code	GCGID
386	Ο	A5CF	466F	GO020080
387	Π	A5D0	4670	GP020080
388	P	A5D1	4671	GR020080
389	Σ	A5D2	4672	GS020080
390	T	A5D3	4673	GT020080
391	Τ	A5D4	4674	GU020080
392	Φ	A5D5	4675	GF020080
393	X	A5D6	4676	GH020080
394	Ψ	A5D7	4677	GP620080
395	Ω	A5D8	4678	GO320080
396	α	A5E1	4681	GA010080
397	β	A5E2	4682	GB010080
398	γ	A5E3	4683	GG010080
399	δ	A5E4	4684	GD010080
400	ε	A5E5	4685	GE010080
401	ζ	A5E6	4686	GZ010080
402	η	A5E7	4687	GE310080
403	θ	A5E8	4688	GT610082
404	ι	A5E9	4689	GI010080
405	κ	A5EA	468A	GK010080
406	λ	A5EB	468B	GL010080
407	μ	A5EC	468C	GM010080
408	ν	A5ED	468D	GN010080
409	ξ	A5EE	468E	GX010080
410	ο	A5EF	468F	GO010080
411	π	A5F0	4690	GP010080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
412	ρ	A5F1	4691	GR010080
413	σ	A5F2	4692	GS010080
414	τ	A5F3	4693	GT010080
415	υ	A5F4	4694	GU010080
416	φ	A5F5	4695	GF010080
417	χ	A5F6	4696	GH010080
418	ψ	A5F7	4697	GP610080
419	ω	A5F8	4698	GO310080
420	—	A6A1	4741	SF100080
421		A6A2	4742	SF110080
422	┌	A6A3	4743	SF010080
423	┐	A6A4	4744	SF030080
424	└	A6A5	4745	SF040080
425	┘	A6A6	4746	SF020080
426	┌	A6A7	4747	SF080080
427	┐	A6A8	4748	SF060080
428	└	A6A9	4749	SF090080
429	┘	A6AA	474A	SF070080
430	+	A6AB	474B	SF050080
431	—	A6AC	474C	SF100082
432		A6AD	474D	SF110082
433	┌	A6AE	474E	SF010082
434	┐	A6AF	474F	SF030082
435	└	A6B0	4750	SF040082
436	┘	A6B1	4751	SF020082
437	┌	A6B2	4752	SF080082

Line Number	Graphic	PC Code	Host Code	GCGID
438	┐	A6B3	4753	SF060082
439	└	A6B4	4754	SF090082
440	┘	A6B5	4755	SF070082
441	+	A6B6	4756	SF050082
442	┌	A6B7	4757	SF080083
443	┐	A6B8	4758	SF060083
444	└	A6B9	4759	SF090083
445	┘	A6BA	475A	SF070083
446	+	A6BB	475B	SF050083
447	┌	A6BC	475C	SF080084
448	┐	A6BD	475D	SF060084
449	└	A6BE	475E	SF090084
450	┘	A6BF	475F	SF070084
451	+	A6C0	4760	SF050084
452	┐	A6C1	4761	F1290080
453	└	A6C2	4762	F12A0080
454	┘	A6C3	4763	F12B0080
455	┐	A6C4	4764	F12C0080
456	┌	A6C5	4765	F12D0080
457	└	A6C6	4766	F12E0080
458	┐	A6C7	4767	F12F0080
459	┌	A6C8	4768	F12G0080
460	┐	A6C9	4769	F12H0080
461	┌	A6CA	476A	F12I0080
462	┐	A6CB	476B	F12J0080
463	┐	A6CC	476C	F12K0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
464	ㅏ	A6CD	476D	F12L0080
465	ㅑ	A6CE	476E	F12M0080
466	ㅓ	A6CF	476F	F12N0080
467	ㅕ	A6D0	4770	F12O0080
468	ㅗ	A6D1	4771	F12P0080
469	ㅛ	A6D2	4772	F12Q0080
470	ㅜ	A6D3	4773	F12R0080
471	ㅠ	A6D4	4774	F12S0080
472	ㅡ	A6D5	4775	F12T0080
473	ㅚ	A6D6	4776	F12U0080
474	ㅜ	A6D7	4777	F12V0080
475	ㅝ	A6D8	4778	F12W0080
476	ㅟ	A6D9	4779	F12X0080
477	ㅡ	A6DA	477A	F12Y0080
478	ㅣ	A6DB	477B	F12Z0080
479	ㅥ	A6DC	477C	F1300080
480	ㅧ	A6DD	477D	F1310080
481	ㅩ	A6DE	477E	F1320080
482	ㅫ	A6DF	477F	F1330080
483	ㅭ	A6E0	4780	F1340080
484	ㅯ	A6E1	4781	F1350080
485	ㅱ	A6E2	4782	F1360080
486	ㅳ	A6E3	4783	F1370080
487	ㅵ	A6E4	4784	F1380080
488	ㅸ	A7A1	4841	F16P0080
489	ㅺ	A7A2	416D	F06L0080

Line Number	Graphic	PC Code	Host Code	GCGID
490	ㄹ	A7A3	416E	F06M0080
491	ㄺ	A7A4	416F	SM160080
492	ㅋ	A7A5	4842	F16Q0080
493	ㄸ	A7A6	4170	SS870080
494	ㅃ	A7A7	4843	F16R0080
495	ㅅ	A7A8	4844	F16S0080
496	ㅆ	A7A9	4845	F16T0080
497	ㅈ	A7AA	4846	F16U0080
498	ㅊ	A7AB	4847	F16V0080
499	ㅌ	A7AC	4848	F16W0080
500	ㅍ	A7AD	4849	F16X0080
501	ㅍ	A7AE	4171	SS810080
502	ㅍ	A7AF	4172	SS820080
503	ㅋ	A7B0	4173	SS830080
504	ㅃ	A7B1	484A	F16Y0080
505	ㅅ	A7B2	484B	F16Z0080
506	ㅆ	A7B3	484C	SS840080
507	ㅈ	A7B4	484D	F1710080
508	ㅊ	A7B5	484E	F1720080
509	ㅌ	A7B6	484F	F1730080
510	ㅍ	A7B7	4174	SS850080
511	ㅋ	A7B8	4175	SS860080
512	ㅋ	A7B9	4850	F1740080
513	ㄸ	A7BA	4851	F1750080
514	ㅋ	A7BB	4852	F1760080
515	ㄹ	A7BC	4853	F1770080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
516	Ⓜ	A7BD	4854	F1780080
517	Ⓝ	A7BE	4855	F1790080
518	Ⓟ	A7BF	4856	F17A0080
519	Ⓠ	A7C0	4857	F17B0080
520	Ⓡ	A7C1	4858	F17C0080
521	Ⓢ	A7C2	4859	F17D0080
522	Ⓣ	A7C3	485A	F17E0080
523	Ⓤ	A7C4	485B	F17F0080
524	Ⓥ	A7C5	485C	F17G0080
525	Ⓦ	A7C6	485D	F17H0080
526	Ⓧ	A7C7	485E	F17I0080
527	Ⓨ	A7C8	485F	F17J0080
528	Ⓩ	A7C9	4860	F17K0080
529	ⓐ	A7CA	4861	F17L0080
530	ⓑ	A7CB	4862	F17M0080
531	ⓒ	A7CC	4863	F17N0080
532	ⓓ	A7CD	4864	F17O0080
533	ⓔ	A7CE	4865	F17P0080
534	ⓕ	A7CF	4866	F17Q0080
535	ⓖ	A7D0	4867	F17R0080
536	ⓗ	A7D1	4868	F17S0080
537	ⓘ	A7D2	4869	F17T0080
538	ⓙ	A7D3	486A	F17U0080
539	ⓚ	A7D4	486B	F17V0080
540	ⓛ	A7D5	486C	F17W0080
541	ⓜ	A7D6	486D	F17X0080

Line Number	Graphic	PC Code	Host Code	GCGID
542	ⓞ	A7D7	486E	F17Y0080
543	ⓟ	A7D8	486F	F17Z0080
544	ⓠ	A7D9	4870	SM180080
545	ⓡ	A7DA	4871	F1810080
546	ⓢ	A7DB	4872	F1820080
547	ⓣ	A7DC	4873	F1830080
548	ⓤ	A7DD	4874	F1840080
549	ⓥ	A7DE	4875	F1850080
550	ⓦ	A7DF	4876	F1860080
551	ⓧ	A7E0	4877	F1870080
552	ⓨ	A7E1	4878	F1880080
553	ⓩ	A7E2	4879	F1890080
554	⓪	A7E3	487A	F18A0080
555	⓫	A7E4	487B	F18B0080
556	⓬	A7E5	487C	F18C0080
557	⓭	A7E6	487D	F18D0080
558	⓮	A7E7	487E	F18E0080
559	⓯	A7E8	487F	F18F0080
560	⓰	A7E9	4880	F18G0080
561	⓱	A7EA	4881	F18H0080
562	⓲	A7EB	4882	F18I0080
563	⓳	A7EC	4883	F18J0080
564	⓴	A7ED	4884	F18K0080
565	⓵	A7EE	4885	F18L0080
566	⓶	A7EF	4886	F18M0080
567	⓷	A8A1	4B41	LA520080



IBM Korean Graphic Character Set


DBCS - Host and DBCS - PC

Table 12 (Page 12 of 19). Non-Hangeul/Hanja Set, DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
568	ㄷ	A8A2	4B42	LD620080
569	ㅏ	A8A3	4B43	SM210080
570	ㅑ	A8A4	4B44	LH620080
571	ㅓ	A8A6	4B46	LI520080
572	ㅕ	A8A8	4B48	LL640080
573	ㅗ	A8A9	4B49	LL620080
574	ㅛ	A8AA	4B4A	LO620080
575	ㅜ	A8AB	4B4B	LO520080
576	ㅠ	A8AC	4B4C	SM200080
577	ㅡ	A8AD	4B4D	LT640080
578	ㅝ	A8AE	4B4E	LT620080
579	ㅞ	A8AF	4B4F	LN620080
580	ㅟ	A8B1	4B51	F1N50080
581	ㅠ	A8B2	4B52	F1N60080
582	ㅡ	A8B3	4B53	F1N70080
583	ㅢ	A8B4	4B54	F1N80080
584	ㅣ	A8B5	4B55	F1N90080
585	ㅤ	A8B6	4B56	F1NA0080
586	ㅥ	A8B7	4B57	F1NB0080
587	ㅦ	A8B8	4B58	F1NC0080
588	ㅧ	A8B9	4B59	F1ND0080
589	ㅨ	A8BA	4B5A	F1NE0080
590	ㅩ	A8BB	4B5B	F1NF0080
591	ㅪ	A8BC	4B5C	F1NG0080
592	ㅫ	A8BD	4B5D	F1NH0080
593	ㅬ	A8BE	4B5E	F1NI0080

Table 12 (Page 12 of 19). Non-Hangeul/Hanja Set, DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
594	ㅭ	A8BF	4B5F	F1NJ0080
595	ㅮ	A8C0	4B60	F1NK0080
596	ㅯ	A8C1	4B61	F1NL0080
597	ㅰ	A8C2	4B62	F1NM0080
598	ㅱ	A8C3	4B63	F1NN0080
599	ㅲ	A8C4	4B64	F1NO0080
600	ㅳ	A8C5	4B65	F1NP0080
601	ㅴ	A8C6	4B66	F1NQ0080
602	ㅵ	A8C7	4B67	F1NR0080
603	ㅶ	A8C8	4B68	F1NS0080
604	ㅷ	A8C9	4B69	F1NT0080
605	ㅸ	A8CA	4B6A	F1NU0080
606	ㅹ	A8CB	4B6B	F1NV0080
607	ㅺ	A8CC	4B6C	F1NW0080
608	ㅻ	A8CD	4B6D	F1NX0080
609	ㅼ	A8CE	4B6E	F1NY0080
610	ㅽ	A8CF	4B6F	F1NZ0080
611	ㅾ	A8D0	4B70	F1O00080
612	ㅿ	A8D1	4B71	F1O10080
613	ㅿ	A8D2	4B72	F1O20080
614	ㅿ	A8D3	4B73	F1O30080
615	ㅿ	A8D4	4B74	F1O40080
616	ㅿ	A8D5	4B75	F1O50080
617	ㅿ	A8D6	4B76	F1O60080
618	ㅿ	A8D7	4B77	F1O70080
619	ㅿ	A8D8	4B78	F1O80080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Table 12 (Page 13 of 19). Non-Hangeul/Hanja Set,
DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
620	Ⓜ	A8D9	4B79	F1O90080
621	Ⓝ	A8DA	4B7A	F1OA0080
622	Ⓞ	A8DB	4B7B	F1OB0080
623	Ⓟ	A8DC	4B7C	F1OC0080
624	Ⓠ	A8DD	4B7D	F1OD0080
625	Ⓡ	A8DE	4B7E	F1OE0080
626	Ⓢ	A8DF	4B7F	F1OF0080
627	Ⓣ	A8E0	4B80	F1OG0080
628	Ⓤ	A8E1	4B81	F1OH0080
629	Ⓥ	A8E2	4B82	F1OI0080
630	Ⓦ	A8E3	4B83	F1OJ0080
631	Ⓧ	A8E4	4B84	F1OK0080
632	Ⓨ	A8E5	4B85	F1OL0080
633	Ⓩ	A8E6	4B86	F1OM0080
634	①	A8E7	4B87	NO010080
635	②	A8E8	4B88	NO020080
636	③	A8E9	4B89	NO030080
637	④	A8EA	4B8A	NO040080
638	⑤	A8EB	4B8B	NO050080
639	⑥	A8EC	4B8C	NO060080
640	⑦	A8ED	4B8D	NO070080
641	⑧	A8EE	4B8E	NO080080
642	⑨	A8EF	4B8F	NO090080
643	⑩	A8F0	4B90	NO100080
644	⑪	A8F1	4B91	F1OX0080
645	⑫	A8F2	4B92	F1OY0080

Table 12 (Page 13 of 19). Non-Hangeul/Hanja Set,
DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
646	ⓑ	A8F3	4B93	F1OZ0080
647	④	A8F4	4B94	F1P00080
648	⑤	A8F5	4B95	F1P10080
649	1/2	A8F6	4B96	NF010080
650	1/3	A8F7	4B97	F1P30080
651	2/3	A8F8	4B98	F1P40080
652	1/4	A8F9	4B99	NF040080
653	3/4	A8FA	4B9A	NF050080
654	1/8	A8FB	4B9B	NF180080
655	3/8	A8FC	4B9C	NF190080
656	5/8	A8FD	4B9D	NF200080
657	7/8	A8FE	4B9E	NF210080
658	œ	A9A1	4BA0	LA510080
659	đ	A9A2	4BA1	LD610080
660	ø	A9A3	4BA2	LD630080
661	ħ	A9A4	4BA3	LH610080
662	ı	A9A5	4BA4	LI610080
663	ij	A9A6	4BA5	LI510080
664	κ	A9A7	4BA6	F1PI0080
665	ı·	A9A8	4BA7	LL630080
666	ı̇	A9A9	4BA8	LL610080
667	ø	A9AA	4BA9	LO610080
668	œ	A9AB	4BAA	LO510080
669	ß	A9AC	4BAB	LS610080
670	Đ	A9AD	4BAC	LT630080
671	₺	A9AE	4BAD	LT610080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
672	ㄱ	A9AF	4BAE	LN610080
673	ㄴ	A9B0	4BAF	F1PR0080
674	ㄷ	A9B1	4BB0	F1PS0080
675	ㄹ	A9B2	4BB1	F1PT0080
676	ㅁ	A9B3	4BB2	F1PU0080
677	ㅂ	A9B4	4BB3	F1PV0080
678	ㅅ	A9B5	4BB4	F1PW0080
679	ㅈ	A9B6	4BB5	F1PX0080
680	ㅊ	A9B7	4BB6	F1PY0080
681	ㅋ	A9B8	4BB7	F1PZ0080
682	ㆁ	A9B9	4BB8	F1Q00080
683	ㆂ	A9BA	4BB9	F1Q10080
684	ㆃ	A9BB	4BBA	F1Q20080
685	ㆄ	A9BC	4BBB	F1Q30080
686	ㆅ	A9BD	4BBC	F1Q40080
687	ㆆ	A9BE	4BBD	F1Q50080
688	ㆇ	A9BF	4BBE	F1Q60080
689	ㆈ	A9C0	4BBF	F1Q70080
690	ㆉ	A9C1	4BC0	F1Q80080
691	ㆊ	A9C2	4BC1	F1Q90080
692	ㆋ	A9C3	4BC2	F1QA0080
693	ㆌ	A9C4	4BC3	F1QB0080
694	ㆍ	A9C5	4BC4	F1QC0080
695	ㆎ	A9C6	4BC5	F1QD0080
696	㆏	A9C7	4BC6	F1QE0080
697	㆐	A9C8	4BC7	F1QF0080

Line Number	Graphic	PC Code	Host Code	GCGID
698	ㅅ	A9C9	4BC8	F1QG0080
699	ㅆ	A9CA	4BC9	F1QH0080
700	ㅈ	A9CB	4BCA	F1QI0080
701	ㅊ	A9CC	4BCB	F1QJ0080
702	ㅋ	A9CD	4BCC	F1QK0080
703	ㆁ	A9CE	4BCD	F1QL0080
704	ㆂ	A9CF	4BCE	F1QM0080
705	ㆃ	A9D0	4BCF	F1QN0080
706	ㆄ	A9D1	4BD0	F1QO0080
707	ㆅ	A9D2	4BD1	F1QP0080
708	ㆆ	A9D3	4BD2	F1QQ0080
709	ㆇ	A9D4	4BD3	F1QR0080
710	ㆈ	A9D5	4BD4	F1QS0080
711	ㆉ	A9D6	4BD5	F1QT0080
712	ㆊ	A9D7	4BD6	F1QU0080
713	ㆋ	A9D8	4BD7	F1QV0080
714	ㆌ	A9D9	4BD8	F1QW0080
715	ㆍ	A9DA	4BD9	F1QX0080
716	ㆎ	A9DB	4BDA	F1QY0080
717	㆏	A9DC	4BDB	F1QZ0080
718	㆐	A9DD	4BDC	F1R00080
719	㆑	A9DE	4BDD	F1R10080
720	㆒	A9DF	4BDE	F1R20080
721	㆓	A9E0	4BDF	F1R30080
722	㆔	A9E1	4BE0	F1R40080
723	㆕	A9E2	4BE1	F1R50080




IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
724	(w)	A9E3	4BE2	F1R60080
725	(x)	A9E4	4BE3	F1R70080
726	(y)	A9E5	4BE4	F1R80080
727	(z)	A9E6	4BE5	F1R90080
728	(1)	A9E7	4BE6	NO010081
729	(2)	A9E8	4BE7	NO020081
730	(3)	A9E9	4BE8	NO030081
731	(4)	A9EA	4BE9	NO040081
732	(5)	A9EB	4BEA	NO050081
733	(6)	A9EC	4BEB	NO060081
734	(7)	A9ED	4BEC	NO070081
735	(8)	A9EE	4BED	NO080081
736	(9)	A9EF	4BEE	NO090081
737	(10)	A9F0	4BEF	NO100081
738	(11)	A9F1	4BF0	F1RK0080
739	(12)	A9F2	4BF1	F1RL0080
740	(13)	A9F3	4BF2	F1RM0080
741	(14)	A9F4	4BF3	F1RN0080
742	(15)	A9F5	4BF4	F1RO0080
743	¹	A9F6	4BF5	ND011080
744	²	A9F7	4BF6	ND021080
745	³	A9F8	4BF7	ND031080
746	⁴	A9F9	4BF8	ND041080
747	ⁿ	A9FA	4BF9	LN011080
748	₁	A9FB	4BFA	ND012080
749	₂	A9FC	4BFB	ND022080

Line Number	Graphic	PC Code	Host Code	GCGID
750	ㅅ	A9FD	4BFC	ND032080
751	ㅆ	A9FE	4BFD	ND042080
752	ㅈ	AAA1	4441	RA010080
753	ㅊ	AAA2	4442	RA000080
754	ㅋ	AAA3	4443	RI010080
755	ㆁ	AAA4	4444	RI000080
756	ㆁ	AAA5	4445	RU010080
757	ㆁ	AAA6	4446	RU000080
758	ㆁ	AAA7	4447	RE010080
759	ㆁ	AAA8	4448	RE000080
760	ㆁ	AAA9	4449	RO010080
761	ㆁ	AAAA	444A	RO000080
762	가	AAAB	444B	RK100080
763	ㄱ	AAAC	444C	RG100080
764	키	AAAD	444D	RK200080
765	긔	AAAE	444E	RG200080
766	꺀	AAAF	444F	RK300080
767	꺁	AAB0	4450	RG300080
768	꺀	AAB1	4451	RK400080
769	꺁	AAB2	4452	RG400080
770	꺀	AAB3	4453	RK500080
771	꺁	AAB4	4454	RG500080
772	꺀	AAB5	4455	RS100080
773	꺁	AAB6	4456	RZ100080
774	꺀	AAB7	4457	RS200080
775	꺁	AAB8	4458	RZ200080
776	꺀	AAB9	4459	RS300080
777	꺁	AABA	445A	RZ300080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
778	せ	AABB	445B	RS400080
779	ぜ	AABC	445C	RZ400080
780	そ	AABD	445D	RS500080
781	ぞ	AABE	445E	RZ500080
782	た	AABF	445F	RT100080
783	だ	AAC0	4460	RD100080
784	ち	AAC1	4461	RT200080
785	ぢ	AAC2	4462	RD200080
786	っ	AAC3	4463	RT310080
787	つ	AAC4	4464	RT300080
788	づ	AAC5	4465	RD300080
789	て	AAC6	4466	RT400080
790	で	AAC7	4467	RD400080
791	と	AAC8	4468	RT500080
792	ど	AAC9	4469	RD500080
793	な	AACA	446A	RN100080
794	に	AACB	446B	RN200080
795	ぬ	AACC	446C	RN300080
796	ね	AACD	446D	RN400080
797	の	AACE	446E	RN500080
798	は	AACF	446F	RH100080
799	ば	AAD0	4470	RB100080
800	ぼ	AAD1	4471	RP100080
801	ひ	AAD2	4472	RH200080
802	び	AAD3	4473	RB200080
803	び	AAD4	4474	RP200080
804	ふ	AAD5	4475	RH300080
805	ぶ	AAD6	4476	RB300080

Line Number	Graphic	PC Code	Host Code	GCGID
806	ぶ	AAD7	4477	RP300080
807	へ	AAD8	4478	RH400080
808	べ	AAD9	4479	RB400080
809	ぺ	AADA	447A	RP400080
810	ほ	AADB	447B	RH500080
811	ぼ	AADC	447C	RB500080
812	ぼ	AADD	447D	RP500080
813	ま	AADE	447E	RM100080
814	み	AADF	447F	RM200080
815	む	AAE0	4480	RM300080
816	め	AAE1	4481	RM400080
817	も	AAE2	4482	RM500080
818	や	AAE3	4483	RY110080
819	や	AAE4	4484	RY100080
820	ゆ	AAE5	4485	RY310080
821	ゆ	AAE6	4486	RY300080
822	よ	AAE7	4487	RY510080
823	よ	AAE8	4488	RY500080
824	ら	AAE9	4489	RR100080
825	り	AAEA	448A	RR200080
826	る	AAEB	448B	RR300080
827	れ	AAEC	448C	RR400080
828	ろ	AAED	448D	RR500080
829	わ	AAEE	448E	RW110080
830	わ	AAEF	448F	RW100080
831	ゐ	AAF0	4490	RW200080
832	ゑ	AAF1	4491	RW400080
833	を	AAF2	4492	RW500080




IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
834	ん	AAF3	4493	RN000080
835	ア	ABA1	4541	JA010080
836	ア	ABA2	4542	JA000080
837	イ	ABA3	4543	Jl010080
838	イ	ABA4	4544	Jl000080
839	ウ	ABA5	4545	JU010080
840	ウ	ABA6	4546	JU000080
841	エ	ABA7	4547	JE010080
842	エ	ABA8	4548	JE000080
843	オ	ABA9	4549	JO010080
844	オ	ABAA	454A	JO000080
845	カ	ABAB	454B	JK100080
846	ガ	ABAC	454C	JG100080
847	キ	ABAD	454D	JK200080
848	ギ	ABAE	454E	JG200080
849	ク	ABAF	454F	JK300080
850	グ	ABB0	4550	JG300080
851	ケ	ABB1	4551	JK400080
852	ゲ	ABB2	4552	JG400080
853	コ	ABB3	4553	JK500080
854	ゴ	ABB4	4554	JG500080
855	サ	ABB5	4555	JS100080
856	ザ	ABB6	4556	JZ100080
857	シ	ABB7	4557	JS200080
858	ジ	ABB8	4558	JZ200080
859	ス	ABB9	4559	JS300080

Line Number	Graphic	PC Code	Host Code	GCGID
860	ズ	ABBA	455A	JZ300080
861	セ	ABBB	455B	JS400080
862	ゼ	ABBC	455C	JZ400080
863	ソ	ABBD	455D	JS500080
864	ゾ	ABBE	455E	JZ500080
865	タ	ABBF	455F	JT100080
866	ダ	ABC0	4560	JD100080
867	チ	ABC1	4561	JT200080
868	ヂ	ABC2	4562	JD200080
869	ッ	ABC3	4563	JT310080
870	ツ	ABC4	4564	JT300080
871	ヅ	ABC5	4565	JD300080
872	テ	ABC6	4566	JT400080
873	デ	ABC7	4567	JD400080
874	ト	ABC8	4568	JT500080
875	ド	ABC9	4569	JD500080
876	ナ	ABCA	456A	JN100080
877	ニ	ABCB	456B	JN200080
878	ヌ	ABCC	456C	JN300080
879	ネ	ABCD	456D	JN400080
880	ノ	ABCE	456E	JN500080
881	ハ	ABCF	456F	JH100080
882	バ	ABD0	4570	JB100080
883	パ	ABD1	4571	JP100080
884	ヒ	ABD2	4572	JH200080
885	ピ	ABD3	4573	JB200080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
886	ㅃ	ABD4	4574	JP200080
887	ㅄ	ABD5	4575	JH300080
888	ㅅ	ABD6	4576	JB300080
889	ㅆ	ABD7	4577	JP300080
890	ㅈ	ABD8	4578	JH400080
891	ㅊ	ABD9	4579	JB400080
892	ㅌ	ABDA	457A	JP400080
893	ㅎ	ABDB	457B	JH500080
894	ㅏ	ABDC	457C	JB500080
895	ㅑ	ABDD	457D	JP500080
896	ㅓ	ABDE	457E	JM100080
897	ㅕ	ABDF	457F	JM200080
898	ㅗ	ABE0	4580	JM300080
899	ㅛ	ABE1	4581	JM400080
900	ㅜ	ABE2	4582	JM500080
901	ㅠ	ABE3	4583	JY110080
902	ㅡ	ABE4	4584	JY100080
903	ㅟ	ABE5	4585	JY310080
904	ㅠ	ABE6	4586	JY300080
905	ㅢ	ABE7	4587	JY510080
906	ㅣ	ABE8	4588	JY500080
907	ㅤ	ABE9	4589	JR100080
908	ㅥ	ABEA	458A	JR200080
909	ㅦ	ABEB	458B	JR300080
910	ㅧ	ABEC	458C	JR400080
911	ㅨ	ABED	458D	JR500080

Line Number	Graphic	PC Code	Host Code	GCGID
912	ㅩ	ABEE	458E	JW110080
913	ㅪ	ABEF	458F	JW100080
914	ㅫ	ABF0	4590	JW200080
915	ㅬ	ABF1	4591	JW400080
916	ㅭ	ABF2	4592	JW500080
917	ㅮ	ABF3	4593	JN000080
918	ㅯ	ABF4	4594	JV000080
919	ㅰ	ABF5	4595	JK110080
920	ㅱ	ABF6	4596	JK410080
921	А	ACA1	4A41	KA020080
922	Б	ACA2	4A42	KB020080
923	В	ACA3	4A43	KV020080
924	Г	ACA4	4A44	KG020080
925	Д	ACA5	4A45	KD020080
926	Е	ACA6	4A46	KE020080
927	Ё	ACA7	4A47	KE180080
928	Ж	ACA8	4A48	KZ220080
929	З	ACA9	4A49	KZ020080
930	И	ACAA	4A4A	KI020080
931	Й	ACAB	4A4B	KJ120080
932	К	ACAC	4A4C	KK020080
933	Л	ACAD	4A4D	KL020080
934	М	ACAE	4A4E	KM020080
935	Н	ACAF	4A4F	KN020080
936	О	ACB0	4A50	KO020080
937	П	ACB1	4A51	KP020080

**IBM Korean Graphic Character Set**

DBCS - Host and DBCS - PC

Table 12 (Page 19 of 19). Non-Hangeul/Hanja Set, DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
938	Р	ACB2	4A52	KR020080
939	С	ACB3	4A53	KS020080
940	Т	ACB4	4A54	KT020080
941	У	ACB5	4A55	KU020080
942	Ф	ACB6	4A56	KF020080
943	Х	ACB7	4A57	KH020080
944	Ц	ACB8	4A58	KC020080
945	Ч	ACB9	4A59	KC220080
946	Ш	ACBA	4A5A	KS220080
947	Щ	ACBB	4A5B	KS160080
948	Ъ	ACBC	4A5C	KU220080
949	Ы	ACBD	4A5D	KY020080
950	Ь	ACBE	4A5E	KX120080
951	Э	ACBF	4A5F	KE140080
952	Ю	ACC0	4A60	KU160080
953	Я	ACC1	4A61	KA160080
954	а	ACD1	4A62	KA010080
955	б	ACD2	4A63	KB010080
956	в	ACD3	4A64	KV010080
957	г	ACD4	4A65	KG010080
958	д	ACD5	4A66	KD010080
959	е	ACD6	4A67	KE010080
960	ё	ACD7	4A68	KE170080
961	ж	ACD8	4A69	KZ210080
962	з	ACD9	4A6A	KZ010080
963	и	ACDA	4A6B	KI010080

Table 12 (Page 19 of 19). Non-Hangeul/Hanja Set, DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
964	й	ACDB	4A6C	KJ110080
965	к	ACDC	4A6D	KK010080
966	л	ACDD	4A6E	KL010080
967	м	ACDE	4A6F	KM010080
968	н	ACDF	4A70	KN010080
969	о	ACE0	4A71	KO010080
970	п	ACE1	4A72	KP010080
971	р	ACE2	4A73	KR010080
972	с	ACE3	4A74	KS010080
973	т	ACE4	4A75	KT010080
974	у	ACE5	4A76	KU010080
975	ф	ACE6	4A77	KF010080
976	х	ACE7	4A78	KH010080
977	ц	ACE8	4A79	KC010080
978	ч	ACE9	4A7A	KC210080
979	ш	ACEA	4A7B	KS210080
980	щ	ACEB	4A7C	KS150080
981	ъ	ACEC	4A7D	KU210080
982	ы	ACED	4A7E	KY010080
983	ь	ACEE	4A7F	KX110080
984	э	ACEF	4A80	KE130080
985	ю	ACF0	4A81	KU150080
986	я	ACF1	4A82	KA150080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

9.3 Hangeul Set(1/2)

Table 13 (Page 1 of 29). Hangeul Set(1/2), DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
1	가	B0A1	8861	FAOX0080
2	각	B0A2	8862	FAOY0080
3	간	B0A3	8865	FAP10080
4	간	B0A4	8868	FAP40080
5	갈	B0A5	8869	FAP50080
6	갈	B0A6	886A	FAP60080
7	갈	B0A7	886B	FAP70080
8	감	B0A8	8871	FAPD0080
9	갑	B0A9	8873	FAPF0080
10	값	B0AA	8874	FAPG0080
11	갓	B0AB	8875	FAPH0080
12	갓	B0AC	8876	FAPI0080
13	강	B0AD	8877	FAPJ0080
14	갯	B0AE	8878	FAPK0080
15	갯	B0AF	8879	FAPL0080
16	갈	B0B0	887B	FAPN0080
17	갈	B0B1	887C	FAPO0080
18	장	B0B2	887D	FAPP0080
19	개	B0B3	8881	FAPT0080
20	객	B0B4	8882	FAPU0080
21	겐	B0B5	8885	FAPX0080
22	겔	B0B6	8889	FAQ10080
23	겜	B0B7	8891	FAQ90080
24	겝	B0B8	8893	FAQB0080

Table 13 (Page 1 of 29). Hangeul Set(1/2), DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
25	갸	B0B9	8895	FAQD0080
26	갸	B0BA	8896	FAQE0080
27	갱	B0BB	8897	FAQF0080
28	가	B0BC	88A1	FAQP0080
29	각	B0BD	88A2	FAQQ0080
30	간	B0BE	88A5	FAQT0080
31	갈	B0BF	88A9	FAQX0080
32	갓	B0C0	88B5	FAR90080
33	강	B0C1	88B7	FARB0080
34	개	B0C2	88C1	FARL0080
35	겐	B0C3	88C5	FARP0080
36	겔	B0C4	88C9	FART0080
37	거	B0C5	88E1	FASH0080
38	격	B0C6	88E2	FASI0080
39	건	B0C7	88E5	FASL0080
40	겔	B0C8	88E8	FASO0080
41	겔	B0C9	88E9	FASP0080
42	겝	B0CA	88EB	FASR0080
43	검	B0CB	88F1	FASX0080
44	겝	B0CC	88F3	FASZ0080
45	것	B0CD	88F5	FAT10080
46	갸	B0CE	88F6	FAT20080
47	경	B0CF	88F7	FAT30080
48	겟	B0D0	88F8	FAT40080
49	겔	B0D1	88FB	FAT70080
50	겔	B0D2	88FC	FAT80080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Table 13 (Page 2 of 29). Hangeul Set(1/2), DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
51	정	B0D3	88FD	FAT90080
52	계	B0D4	8941	FATD0080
53	겐	B0D5	8945	FATH0080
54	겔	B0D6	8949	FATL0080
55	겜	B0D7	8951	FATT0080
56	겍	B0D8	8953	FATV0080
57	겏	B0D9	8955	FATX0080
58	겘	B0DA	8956	FATY0080
59	겙	B0DB	8957	FATZ0080
60	겨	B0DC	8961	FAU90080
61	격	B0DD	8962	FAUA0080
62	겪	B0DE	8963	FAUB0080
63	견	B0DF	8965	FAUD0080
64	결	B0E0	8968	FAUG0080
65	결	B0E1	8969	FAUH0080
66	겜	B0E2	8971	FAUP0080
67	겍	B0E3	8973	FAUR0080
68	겏	B0E4	8975	FAUT0080
69	겘	B0E5	8976	FAUU0080
70	경	B0E6	8977	FAUV0080
71	결	B0E7	897B	FAUZ0080
72	계	B0E8	8981	FAV50080
73	겐	B0E9	8985	FAV90080
74	겔	B0EA	8989	FAVD0080
75	겜	B0EB	8993	FAVN0080
76	겏	B0EC	8995	FAVP0080

Table 13 (Page 2 of 29). Hangeul Set(1/2), DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
77	고	B0ED	89A1	FAW10080
78	곡	B0EE	89A2	FAW20080
79	곤	B0EF	89A5	FAW50080
80	곤	B0F0	89A8	FAW80080
81	골	B0F1	89A9	FAW90080
82	굶	B0F2	89AB	FAWB0080
83	굶	B0F3	89AD	FAWD0080
84	굶	B0F4	89B0	FAWG0080
85	곰	B0F5	89B1	FAWH0080
86	곰	B0F6	89B3	FAWJ0080
87	곶	B0F7	89B5	FAWL0080
88	공	B0F8	89B7	FAWN0080
89	곶	B0F9	89B8	FAWO0080
90	과	B0FA	89C1	FAWX0080
91	곽	B0FB	89C2	FAWY0080
92	관	B0FC	89C5	FAX10080
93	괄	B0FD	89C9	FAX50080
94	괄	B0FE	89CB	FAX70080
95	괘	B1A1	89D1	FAXD0080
96	괘	B1A2	89D3	FAXF0080
97	괘	B1A3	89D5	FAXH0080
98	괘	B1A4	89D7	FAXJ0080
99	괘	B1A5	89E1	FAXT0080
100	괘	B1A6	89E5	FAXX0080
101	괘	B1A7	89E9	FAY10080
102	괘	B1A8	89F3	FAYB0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Table 13 (Page 3 of 29). Hangeul Set(1/2), DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
103	꺾	B1A9	89F6	FAYE0080
104	꺾	B1AA	89F7	FAYF0080
105	꺾	B1AB	8A41	FAYP0080
106	꺾	B1AC	8A42	FAYQ0080
107	꺾	B1AD	8A45	FAYT0080
108	꺾	B1AE	8A49	FAYX0080
109	꺾	B1AF	8A51	FAZ50080
110	꺾	B1B0	8A53	FAZ70080
111	꺾	B1B1	8A55	FAZ90080
112	꺾	B1B2	8A57	FAZB0080
113	꺾	B1B3	8A61	FAZL0080
114	꺾	B1B4	8A65	FAZP0080
115	꺾	B1B5	8A69	FAZT0080
116	꺾	B1B6	8A73	FB030080
117	꺾	B1B7	8A75	FB050080
118	꺾	B1B8	8A81	FB0H0080
119	꺾	B1B9	8A82	FB0I0080
120	꺾	B1BA	8A85	FB0L0080
121	꺾	B1BB	8A88	FB0O0080
122	꺾	B1BC	8A89	FB0P0080
123	꺾	B1BD	8A8A	FB0Q0080
124	꺾	B1BE	8A8B	FB0R0080
125	꺾	B1BF	8A90	FB0W0080
126	꺾	B1C0	8A91	FB0X0080
127	꺾	B1C1	8A93	FB0Z0080
128	꺾	B1C2	8A95	FB110080

Table 13 (Page 3 of 29). Hangeul Set(1/2), DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
129	꺾	B1C3	8A97	FB130080
130	꺾	B1C4	8A98	FB140080
131	꺾	B1C5	8AA1	FB1D0080
132	꺾	B1C6	8AA2	FB1E0080
133	꺾	B1C7	8AA5	FB1H0080
134	꺾	B1C8	8AA9	FB1L0080
135	꺾	B1C9	8AB6	FB1Y0080
136	꺾	B1CA	8AB7	FB1Z0080
137	꺾	B1CB	8AC1	FB290080
138	꺾	B1CC	8AD5	FB2T0080
139	꺾	B1CD	8AE1	FB350080
140	꺾	B1CE	8AE2	FB360080
141	꺾	B1CF	8AE5	FB390080
142	꺾	B1D0	8AE9	FB3D0080
143	꺾	B1D1	8AF1	FB3L0080
144	꺾	B1D2	8AF3	FB3N0080
145	꺾	B1D3	8AF5	FB3P0080
146	꺾	B1D4	8B41	FB410080
147	꺾	B1D5	8B45	FB450080
148	꺾	B1D6	8B49	FB490080
149	꺾	B1D7	8B61	FB4X0080
150	꺾	B1D8	8B62	FB4Y0080
151	꺾	B1D9	8B65	FB510080
152	꺾	B1DA	8B68	FB540080
153	꺾	B1DB	8B69	FB550080
154	꺾	B1DC	8B6A	FB560080



IBM Korean Graphic Character Set


DBCS - Host and DBCS - PC

Table 13 (Page 4 of 29). Hangeul Set(1/2), DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
155	금	B1DD	8B71	FB5D0080
156	굽	B1DE	8B73	FB5F0080
157	긋	B1DF	8B75	FB5H0080
158	궁	B1E0	8B77	FB5J0080
159	긔	B1E1	8B81	FB5T0080
160	기	B1E2	8BA1	FB6P0080
161	긋	B1E3	8BA2	FB6Q0080
162	긴	B1E4	8BA5	FB6T0080
163	길	B1E5	8BA8	FB6W0080
164	길	B1E6	8BA9	FB6X0080
165	깊	B1E7	8BAB	FB6Z0080
166	김	B1E8	8BB1	FB750080
167	깁	B1E9	8BB3	FB770080
168	깃	B1EA	8BB5	FB790080
169	깁	B1EB	8BB7	FB7B0080
170	깃	B1EC	8BB8	FB7C0080
171	깊	B1ED	8BBC	FB7G0080
172	까	B1EE	8C61	FBA90080
173	각	B1EF	8C62	FBAA0080
174	깁	B1F0	8C63	FBAB0080
175	깐	B1F1	8C65	FBAD0080
176	갈	B1F2	8C69	FBAH0080
177	깁	B1F3	8C6B	FBAJ0080
178	감	B1F4	8C71	FBAP0080
179	깁	B1F5	8C73	FBAR0080
180	갓	B1F6	8C75	FBAT0080

Table 13 (Page 4 of 29). Hangeul Set(1/2), DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
181	갓	B1F7	8C76	FBAU0080
182	강	B1F8	8C77	FBAV0080
183	갈	B1F9	8C7B	FBAZ0080
184	개	B1FA	8C81	FBB50080
185	깁	B1FB	8C82	FBB60080
186	깁	B1FC	8C85	FBB90080
187	깁	B1FD	8C89	FBBD0080
188	깁	B1FE	8C91	FBBL0080
189	깁	B2A1	8C93	FBBN0080
190	갓	B2A2	8C95	FBBP0080
191	갓	B2A3	8C96	FBBQ0080
192	깁	B2A4	8C97	FBBR0080
193	까	B2A5	8CA1	FBC10080
194	각	B2A6	8CA2	FBC20080
195	갈	B2A7	8CA9	FBC90080
196	꺼	B2A8	8CE1	FBDT0080
197	격	B2A9	8CE2	FBDU0080
198	꿔	B2AA	8CE3	FBDV0080
199	컨	B2AB	8CE5	FBDX0080
200	겉	B2AC	8CE9	FBE10080
201	깁	B2AD	8CF1	FBE90080
202	깁	B2AE	8CF3	FBEB0080
203	갓	B2AF	8CF5	FBED0080
204	갓	B2B0	8CF6	FBEE0080
205	깁	B2B1	8CF7	FBEF0080
206	계	B2B2	8D41	FBEP0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Table 13 (Page 5 of 29). Hangeul Set(1/2), DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
207	꺾	B2B3	8D42	FBEQ0080
208	꺾	B2B4	8D45	FBET0080
209	꺾	B2B5	8D51	FBF50080
210	꺾	B2B6	8D55	FBF90080
211	꺾	B2B7	8D57	FBFB0080
212	꺾	B2B8	8D61	FBFL0080
213	꺾	B2B9	8D65	FBFP0080
214	꺾	B2BA	8D69	FBFT0080
215	꺾	B2BB	8D75	FBG50080
216	꺾	B2BC	8D76	FBG60080
217	꺾	B2BD	8D7B	FBGB0080
218	꺾	B2BE	8D81	FBGH0080
219	꺾	B2BF	8DA1	FBHD0080
220	꺾	B2C0	8DA2	FBHE0080
221	꺾	B2C1	8DA5	FBHH0080
222	꺾	B2C2	8DA7	FBHJ0080
223	꺾	B2C3	8DA9	FBHL0080
224	꺾	B2C4	8DB1	FBHT0080
225	꺾	B2C5	8DB3	FBHV0080
226	꺾	B2C6	8DB5	FBHX0080
227	꺾	B2C7	8DB7	FBHZ0080
228	꺾	B2C8	8DB8	FBI00080
229	꺾	B2C9	8DB9	FBI10080
230	꺾	B2CA	8DC1	FBI90080
231	꺾	B2CB	8DC2	FBIA0080
232	꺾	B2CC	8DC9	FBIH0080

Table 13 (Page 5 of 29). Hangeul Set(1/2), DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
233	꺾	B2CD	8DD6	FBIU0080
234	꺾	B2CE	8DD7	FBIV0080
235	꺾	B2CF	8DE1	FBJ50080
236	꺾	B2D0	8DE2	FBJ60080
237	꺾	B2D1	8DF7	FBJR0080
238	꺾	B2D2	8E41	FBK10080
239	꺾	B2D3	8E45	FBK50080
240	꺾	B2D4	8E49	FBK90080
241	꺾	B2D5	8E51	FBKH0080
242	꺾	B2D6	8E53	FBKJ0080
243	꺾	B2D7	8E57	FBKN0080
244	꺾	B2D8	8E61	FBKX0080
245	꺾	B2D9	8E81	FBLT0080
246	꺾	B2DA	8E82	FBLU0080
247	꺾	B2DB	8E85	FBLX0080
248	꺾	B2DC	8E89	FBM10080
249	꺾	B2DD	8E90	FBM80080
250	꺾	B2DE	8E91	FBM90080
251	꺾	B2DF	8E93	FBMB0080
252	꺾	B2E0	8E95	FBMD0080
253	꺾	B2E1	8E97	FBMF0080
254	꺾	B2E2	8E98	FBMG0080
255	꺾	B2E3	8EA1	FBMP0080
256	꺾	B2E4	8EA9	FBMX0080
257	꺾	B2E5	8EB6	FBNA0080
258	꺾	B2E6	8EB7	FBNB0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Table 13 (Page 6 of 29). Hangeul Set(1/2), DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
259	꺀	B2E7	8EC1	FBNL0080
260	꺁	B2E8	8EC2	FBNM0080
261	꺂	B2E9	8EC5	FBNP0080
262	꺃	B2EA	8EC9	FBNT0080
263	꺄	B2EB	8ED1	FBO10080
264	꺅	B2EC	8ED3	FBO30080
265	꺆	B2ED	8ED6	FBO60080
266	꺇	B2EE	8EE1	FBOH0080
267	꺈	B2EF	8EE5	FBOL0080
268	꺉	B2F0	8EE9	FBOP0080
269	꺊	B2F1	8EF1	FBOX0080
270	꺋	B2F2	8EF3	FBOZ0080
271	꺌	B2F3	8F41	FBPD0080
272	꺍	B2F4	8F61	FBQ90080
273	꺎	B2F5	8F62	FBQA0080
274	꺏	B2F6	8F65	FBQD0080
275	꺐	B2F7	8F67	FBQF0080
276	꺑	B2F8	8F69	FBQH0080
277	꺒	B2F9	8F6B	FBQJ0080
278	꺓	B2FA	8F70	FBQO0080
279	꺔	B2FB	8F71	FBQP0080
280	꺕	B2FC	8F73	FBQR0080
281	꺖	B2FD	8F75	FBQT0080
282	꺗	B2FE	8F77	FBQV0080
283	꺘	B3A1	8F7B	FBQZ0080
284	꺙	B3A2	8FA1	FBS10080

Table 13 (Page 6 of 29). Hangeul Set(1/2), DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
285	꺚	B3A3	8FA2	FBS20080
286	꺛	B3A4	8FA5	FBS50080
287	꺜	B3A5	8FA9	FBS90080
288	꺝	B3A6	8FB1	FBSH0080
289	꺞	B3A7	8FB3	FBSJ0080
290	꺟	B3A8	8FB5	FBSL0080
291	꺠	B3A9	8FB7	FBSN0080
292	꺡	B3AA	9061	FBVL0080
293	꺢	B3AB	9062	FBVM0080
294	꺣	B3AC	9063	FBVN0080
295	꺤	B3AD	9065	FBVP0080
296	꺥	B3AE	9068	FBVS0080
297	꺦	B3AF	9069	FBVT0080
298	꺧	B3B0	906A	FBVU0080
299	꺨	B3B1	906B	FBVV0080
300	꺩	B3B2	9071	FBW10080
301	꺪	B3B3	9073	FBW30080
302	꺫	B3B4	9075	FBW50080
303	꺬	B3B5	9076	FBW60080
304	꺭	B3B6	9077	FBW70080
305	꺮	B3B7	9078	FBW80080
306	꺯	B3B8	9079	FBW90080
307	꺰	B3B9	907B	FBWB0080
308	꺱	B3BA	907D	FBWD0080
309	꺲	B3BB	9081	FBWH0080
310	꺳	B3BC	9082	FBWI0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Table 13 (Page 7 of 29). Hangeul Set(1/2), DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
311	낸	B3BD	9085	FBWL0080
312	넨	B3BE	9089	FBWP0080
313	넴	B3BF	9091	FBWX0080
314	넵	B3C0	9093	FBWZ0080
315	넷	B3C1	9095	FBX10080
316	넸	B3C2	9096	FBX20080
317	넹	B3C3	9097	FBX30080
318	냐	B3C4	90A1	FBXD0080
319	낙	B3C5	90A2	FBXE0080
320	난	B3C6	90A5	FBXH0080
321	날	B3C7	90A9	FBXL0080
322	남	B3C8	90B1	FBXT0080
323	냥	B3C9	90B7	FBXZ0080
324	너	B3CA	90E1	FBZ50080
325	넉	B3CB	90E2	FBZ60080
326	넺	B3CC	90E4	FBZ80080
327	넻	B3CD	90E5	FBZ90080
328	넼	B3CE	90E9	FBZD0080
329	넽	B3CF	90EB	FBZF0080
330	넾	B3D0	90EC	FBZG0080
331	넿	B3D1	90F1	FBZL0080
332	넺	B3D2	90F3	FBZN0080
333	넻	B3D3	90F5	FBZP0080
334	넼	B3D4	90F6	FBZQ0080
335	넽	B3D5	90F7	FBZR0080
336	넾	B3D6	90FD	FBZX0080

Table 13 (Page 7 of 29). Hangeul Set(1/2), DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
337	네	B3D7	9141	FC010080
338	넉	B3D8	9142	FC020080
339	넺	B3D9	9145	FC050080
340	넼	B3DA	9149	FC090080
341	넽	B3DB	9151	FC0H0080
342	넺	B3DC	9153	FC0J0080
343	넻	B3DD	9155	FC0L0080
344	넼	B3DE	9156	FC0M0080
345	넽	B3DF	9157	FC0N0080
346	너	B3E0	9161	FC0X0080
347	넉	B3E1	9162	FC0Y0080
348	넺	B3E2	9165	FC110080
349	넼	B3E3	9169	FC150080
350	넽	B3E4	9171	FC1D0080
351	넺	B3E5	9173	FC1F0080
352	넻	B3E6	9176	FC1I0080
353	넼	B3E7	9177	FC1J0080
354	넽	B3E8	917A	FC1M0080
355	네	B3E9	9181	FC1T0080
356	넺	B3EA	9185	FC1X0080
357	노	B3EB	91A1	FC2P0080
358	누	B3EC	91A2	FC2Q0080
359	논	B3ED	91A5	FC2T0080
360	늘	B3EE	91A9	FC2X0080
361	넺	B3EF	91AB	FC2Z0080
362	남	B3F0	91B1	FC350080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Table 13 (Page 8 of 29). Hangeul Set(1/2), DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
363	눉	B3F1	91B3	FC370080
364	눉	B3F2	91B5	FC390080
365	눉	B3F3	91B7	FC3B0080
366	눉	B3F4	91BC	FC3G0080
367	눉	B3F5	91BD	FC3H0080
368	놉	B3F6	91C1	FC3L0080
369	놉	B3F7	91C5	FC3P0080
370	놉	B3F8	91C9	FC3T0080
371	놉	B3F9	91D6	FC460080
372	놉	B3FA	9241	FC5D0080
373	놉	B3FB	9245	FC5H0080
374	놉	B3FC	9249	FC5L0080
375	놉	B3FD	9251	FC5T0080
376	놉	B3FE	9253	FC5V0080
377	놉	B4A1	9255	FC5X0080
378	놉	B4A2	9261	FC690080
379	놉	B4A3	9262	FC6A0080
380	놉	B4A4	9265	FC6D0080
381	놉	B4A5	9269	FC6H0080
382	놉	B4A6	9273	FC6R0080
383	놉	B4A7	9275	FC6T0080
384	놉	B4A8	9277	FC6V0080
385	놉	B4A9	9281	FC750080
386	놉	B4AA	9282	FC760080
387	놉	B4AB	9285	FC790080
388	놉	B4AC	9288	FC7C0080

Table 13 (Page 8 of 29). Hangeul Set(1/2), DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
389	놉	B4AD	9289	FC7D0080
390	놉	B4AE	9291	FC7L0080
391	놉	B4AF	9293	FC7N0080
392	놉	B4B0	9295	FC7P0080
393	놉	B4B1	9297	FC7R0080
394	놉	B4B2	92A1	FC810080
395	놉	B4B3	92B6	FC8M0080
396	놉	B4B4	92C1	FC8X0080
397	놉	B4B5	92E1	FC9T0080
398	놉	B4B6	92E5	FC9X0080
399	놉	B4B7	92E9	FCA10080
400	놉	B4B8	92F1	FCA90080
401	놉	B4B9	92F3	FCAB0080
402	놉	B4BA	9341	FCAP0080
403	놉	B4BB	9342	FCAQ0080
404	놉	B4BC	9349	FCAX0080
405	놉	B4BD	9351	FCB50080
406	놉	B4BE	9353	FCB70080
407	놉	B4BF	9357	FCBB0080
408	놉	B4C0	9361	FCBL0080
409	놉	B4C1	9362	FCBM0080
410	놉	B4C2	9365	FCBP0080
411	놉	B4C3	9369	FCBT0080
412	놉	B4C4	936A	FCBU0080
413	놉	B4C5	936B	FCBV0080
414	놉	B4C6	9371	FCC10080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Table 13 (Page 9 of 29). Hangeul Set(1/2), DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
415	남	B4C7	9373	FCC30080
416	낫	B4C8	9375	FCC50080
417	낭	B4C9	9377	FCC70080
418	낫	B4CA	9378	FCC80080
419	남	B4CB	937C	FCCC0080
420	니	B4CC	9381	FCCH0080
421	닌	B4CD	9385	FCCL0080
422	닐	B4CE	9389	FCCP0080
423	니	B4CF	93A1	FCDD0080
424	닉	B4D0	93A2	FCDE0080
425	닌	B4D1	93A5	FCDH0080
426	닐	B4D2	93A9	FCDL0080
427	넙	B4D3	93AB	FCDN0080
428	넙	B4D4	93B1	FCDT0080
429	넙	B4D5	93B3	FCDV0080
430	넛	B4D6	93B5	FCDX0080
431	닝	B4D7	93B7	FCDZ0080
432	뇨	B4D8	93BC	FCE40080
433	다	B4D9	9461	FCGX0080
434	닥	B4DA	9462	FCGY0080
435	닥	B4DB	9463	FCGZ0080
436	단	B4DC	9465	FCH10080
437	달	B4DD	9468	FCH40080
438	달	B4DE	9469	FCH50080
439	닭	B4DF	946A	FCH60080
440	닭	B4E0	946B	FCH70080

Table 13 (Page 9 of 29). Hangeul Set(1/2), DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
441	닭	B4E1	946C	FCH80080
442	닭	B4E2	9470	FCHC0080
443	담	B4E3	9471	FCHD0080
444	답	B4E4	9473	FCHF0080
445	닷	B4E5	9475	FCHH0080
446	닷	B4E6	9476	FCHI0080
447	당	B4E7	9477	FCHJ0080
448	닷	B4E8	9478	FCHK0080
449	닷	B4E9	9479	FCHL0080
450	당	B4EA	947D	FCHP0080
451	대	B4EB	9481	FCHT0080
452	दै	B4EC	9482	FCHU0080
453	댄	B4ED	9485	FCHX0080
454	दै	B4EE	9489	FCI10080
455	दै	B4EF	9491	FCI90080
456	दै	B4F0	9493	FCIB0080
457	दै	B4F1	9495	FCID0080
458	दै	B4F2	9496	FCIE0080
459	दै	B4F3	9497	FCIF0080
460	다	B4F4	94A1	FCIP0080
461	더	B4F5	94E1	FCKH0080
462	दै	B4F6	94E2	FCKI0080
463	दै	B4F7	94E3	FCKJ0080
464	던	B4F8	94E5	FCKL0080
465	덜	B4F9	94E8	FCKO0080
466	덜	B4FA	94E9	FCKP0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
467	덥	B4FB	94EB	FCKR0080
468	덧	B4FC	94EC	FCKS0080
469	덤	B4FD	94F1	FCKX0080
470	덨	B4FE	94F3	FCKZ0080
471	덧	B5A1	94F5	FCL10080
472	덩	B5A2	94F7	FCL30080
473	덧	B5A3	94F9	FCL50080
474	뎡	B5A4	94FC	FCL80080
475	데	B5A5	9541	FCLD0080
476	덤	B5A6	9542	FCLE0080
477	덴	B5A7	9545	FCLH0080
478	델	B5A8	9549	FCLL0080
479	멤	B5A9	9551	FCLT0080
480	덤	B5AA	9553	FCLV0080
481	뎡	B5AB	9555	FCLX0080
482	뎡	B5AC	9556	FCLY0080
483	덩	B5AD	9557	FCLZ0080
484	더	B5AE	9561	FCM90080
485	던	B5AF	9565	FCMD0080
486	덜	B5B0	9569	FCMH0080
487	뎡	B5B1	9576	FCMU0080
488	덩	B5B2	9577	FCMV0080
489	데	B5B3	9581	FCN50080
490	덴	B5B4	9585	FCN90080
491	도	B5B5	95A1	FCO10080
492	독	B5B6	95A2	FCO20080

Line Number	Graphic	PC Code	Host Code	GCGID
493	돈	B5B7	95A5	FCO50080
494	돋	B5B8	95A8	FCO80080
495	돌	B5B9	95A9	FCO90080
496	뎡	B5BA	95AB	FCOB0080
497	돋	B5BB	95AD	FCOD0080
498	돔	B5BC	95B1	FCOH0080
499	뎡	B5BD	95B3	FCOJ0080
500	돏	B5BE	95B5	FCOL0080
501	동	B5BF	95B7	FCON0080
502	돏	B5C0	95B9	FCOP0080
503	돌	B5C1	95BB	FCOR0080
504	되	B5C2	95C1	FCOX0080
505	뎡	B5C3	95C5	FCP10080
506	뎡	B5C4	95C9	FCP50080
507	뎡	B5C5	95E1	FCPT0080
508	뎡	B5C6	95F6	FCQE0080
509	되	B5C7	9641	FCQP0080
510	뎡	B5C8	9645	FCQT0080
511	뎡	B5C9	9649	FCQX0080
512	뎡	B5CA	9651	FCR50080
513	뎡	B5CB	9653	FCR70080
514	뎡	B5CC	9655	FCR90080
515	도	B5CD	9661	FCRL0080
516	두	B5CE	9681	FCSH0080
517	독	B5CF	9682	FCSI0080
518	돈	B5D0	9685	FCSL0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
519	들	B5D1	9689	FCSP0080
520	듬	B5D2	9691	FCSX0080
521	듭	B5D3	9693	FCSZ0080
522	دت	B5D4	9695	FCT10080
523	등	B5D5	9697	FCT30080
524	뒤	B5D6	96A1	FCTD0080
525	뵈	B5D7	96B6	FCTY0080
526	웨	B5D8	96C1	FCU90080
527	웁	B5D9	96D7	FCUV0080
528	뒤	B5DA	96E1	FCV50080
529	뵈	B5DB	96E5	FCV90080
530	뵈	B5DC	96E9	FCVD0080
531	뵈	B5DD	96F3	FCVN0080
532	뵈	B5DE	96F5	FCVP0080
533	뵈	B5DF	96F7	FCVR0080
534	듀	B5E0	9741	FCW10080
535	둔	B5E1	9745	FCW50080
536	들	B5E2	9749	FCW90080
537	듬	B5E3	9751	FCWH0080
538	둥	B5E4	9757	FCWN0080
539	드	B5E5	9761	FCWX0080
540	득	B5E6	9762	FCWY0080
541	든	B5E7	9765	FCX10080
542	든	B5E8	9768	FCX40080
543	들	B5E9	9769	FCX50080
544	듬	B5EA	976B	FCX70080

Line Number	Graphic	PC Code	Host Code	GCGID
545	듬	B5EB	9771	FCXD0080
546	듬	B5EC	9773	FCXF0080
547	دت	B5ED	9775	FCXH0080
548	등	B5EE	9777	FCXJ0080
549	되	B5EF	9781	FCXT0080
550	디	B5F0	97A1	FCYP0080
551	덕	B5F1	97A2	FCYQ0080
552	딘	B5F2	97A5	FCYT0080
553	딘	B5F3	97A8	FCYW0080
554	딘	B5F4	97A9	FCYX0080
555	딤	B5F5	97B1	FCZ50080
556	딤	B5F6	97B3	FCZ70080
557	딤	B5F7	97B5	FCZ90080
558	딤	B5F8	97B6	FCZA0080
559	딩	B5F9	97B7	FCZB0080
560	딤	B5FA	97B8	FCZC0080
561	따	B5FB	9861	FD290080
562	딱	B5FC	9862	FD2A0080
563	만	B5FD	9865	FD2D0080
564	달	B5FE	9869	FD2H0080
565	맘	B6A1	9871	FD2P0080
566	맘	B6A2	9873	FD2R0080
567	맛	B6A3	9875	FD2T0080
568	맛	B6A4	9876	FD2U0080
569	땅	B6A5	9877	FD2V0080
570	땅	B6A6	987D	FD310080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Table 13 (Page 12 of 29). Hangeul Set(1/2), DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
571	때	B6A7	9881	FD350080
572	떡	B6A8	9882	FD360080
573	면	B6A9	9885	FD390080
574	떨	B6AA	9889	FD3D0080
575	멤	B6AB	9891	FD3L0080
576	뻬	B6AC	9893	FD3N0080
577	뻬	B6AD	9895	FD3P0080
578	뻬	B6AE	9896	FD3Q0080
579	뻬	B6AF	9897	FD3R0080
580	떠	B6B0	98E1	FD5T0080
581	떡	B6B1	98E2	FD5U0080
582	면	B6B2	98E5	FD5X0080
583	떨	B6B3	98E9	FD610080
584	뻬	B6B4	98EB	FD630080
585	뻬	B6B5	98EC	FD640080
586	멤	B6B6	98F1	FD690080
587	뻬	B6B7	98F3	FD6B0080
588	뻬	B6B8	98F5	FD6D0080
589	뻬	B6B9	98F6	FD6E0080
590	뻬	B6BA	98F7	FD6F0080
591	뻬	B6BB	98FD	FD6L0080
592	떼	B6BC	9941	FD6P0080
593	떡	B6BD	9942	FD6Q0080
594	면	B6BE	9945	FD6T0080
595	떨	B6BF	9949	FD6X0080
596	멤	B6C0	9951	FD750080

Table 13 (Page 12 of 29). Hangeul Set(1/2), DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
597	뻬	B6C1	9953	FD770080
598	뻬	B6C2	9955	FD790080
599	뻬	B6C3	9956	FD7A0080
600	뻬	B6C4	9957	FD7B0080
601	떠	B6C5	9961	FD7L0080
602	뻬	B6C6	9976	FD860080
603	또	B6C7	99A1	FD9D0080
604	뚝	B6C8	99A2	FD9E0080
605	뚝	B6C9	99A5	FD9H0080
606	뚝	B6CA	99A9	FD9L0080
607	뚝	B6CB	99B7	FD9Z0080
608	뚝	B6CC	99C1	FDA90080
609	뚝	B6CD	99C9	FDAH0080
610	뚝	B6CE	99E1	FDB50080
611	뚝	B6CF	9A41	FDC10080
612	뚝	B6D0	9A45	FDC50080
613	두	B6D1	9A81	FDDT0080
614	뚝	B6D2	9A82	FDDU0080
615	뚝	B6D3	9A85	FDDX0080
616	뚝	B6D4	9A89	FDE10080
617	뚝	B6D5	9A90	FDE80080
618	뚝	B6D6	9A91	FDE90080
619	뚝	B6D7	9A97	FDEF0080
620	뚝	B6D8	9AC1	FDFL0080
621	뚝	B6D9	9AE1	FDGH0080
622	뻬	B6DA	9AE5	FDGL0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Table 13 (Page 13 of 29). Hangeul Set(1/2), DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
623	펼	B6DB	9AE9	FDGP0080
624	펼	B6DC	9AF1	FDGX0080
625	펼	B6DD	9AF3	FDGZ0080
626	평	B6DE	9AF7	FDH30080
627	쁘	B6DF	9B61	FDI90080
628	뿌	B6E0	9B62	FDIA0080
629	뿌	B6E1	9B65	FDID0080
630	뿌	B6E2	9B68	FDIG0080
631	뿌	B6E3	9B69	FDIH0080
632	뿌	B6E4	9B71	FDIP0080
633	뿌	B6E5	9B73	FDIR0080
634	뿌	B6E6	9B75	FDIT0080
635	피	B6E7	9B81	FDJ50080
636	핀	B6E8	9B85	FDJ90080
637	필	B6E9	9B89	FDJD0080
638	필	B6EA	9B91	FDJL0080
639	필	B6EB	9B93	FDJN0080
640	피	B6EC	9BA1	FDK10080
641	핀	B6ED	9BA5	FDK50080
642	필	B6EE	9BA9	FDK90080
643	핍	B6EF	9BB1	FDKH0080
644	핍	B6F0	9BB3	FDKJ0080
645	핏	B6F1	9BB5	FDKL0080
646	평	B6F2	9BB7	FDKN0080
647	라	B6F3	9C61	FDNL0080
648	락	B6F4	9C62	FDNM0080

Table 13 (Page 13 of 29). Hangeul Set(1/2), DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
649	란	B6F5	9C65	FDNP0080
650	랄	B6F6	9C69	FDNT0080
651	람	B6F7	9C71	FDO10080
652	랍	B6F8	9C73	FDO30080
653	랏	B6F9	9C75	FDO50080
654	랏	B6FA	9C76	FDO60080
655	랑	B6FB	9C77	FDO70080
656	랏	B6FC	9C78	FDO80080
657	랏	B6FD	9C7C	FDOC0080
658	랑	B6FE	9C7D	FDOD0080
659	래	B7A1	9C81	FDOH0080
660	랙	B7A2	9C82	FDOI0080
661	랜	B7A3	9C85	FDOL0080
662	렐	B7A4	9C89	FDOP0080
663	램	B7A5	9C91	FDOX0080
664	랩	B7A6	9C93	FDOZ0080
665	랏	B7A7	9C95	FDP10080
666	랏	B7A8	9C96	FDP20080
667	랭	B7A9	9C97	FDP30080
668	랴	B7AA	9CA1	FDPD0080
669	략	B7AB	9CA2	FDPE0080
670	란	B7AC	9CA5	FDPH0080
671	랏	B7AD	9CB5	FDPX0080
672	랑	B7AE	9CB7	FDPZ0080
673	러	B7AF	9CE1	FDR50080
674	력	B7B0	9CE2	FDR60080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
675	런	B7B1	9CE5	FDR90080
676	릴	B7B2	9CE9	FDRD0080
677	림	B7B3	9CF1	FDRL0080
678	럽	B7B4	9CF3	FDRN0080
679	릿	B7B5	9CF5	FDRP0080
680	렸	B7B6	9CF6	FDRQ0080
681	링	B7B7	9CF7	FDRR0080
682	렁	B7B8	9CFD	FDRX0080
683	레	B7B9	9D41	FDS10080
684	렉	B7BA	9D42	FDS20080
685	렌	B7BB	9D45	FDS50080
686	렐	B7BC	9D49	FDS90080
687	렘	B7BD	9D51	FDSH0080
688	렘	B7BE	9D53	FDSJ0080
689	렛	B7BF	9D55	FDSL0080
690	렙	B7C0	9D57	FDSN0080
691	려	B7C1	9D61	FDSX0080
692	력	B7C2	9D62	FDSY0080
693	런	B7C3	9D65	FDT10080
694	렐	B7C4	9D69	FDT50080
695	림	B7C5	9D71	FDTD0080
696	럽	B7C6	9D73	FDTF0080
697	릿	B7C7	9D75	FDTH0080
698	렸	B7C8	9D76	FDTI0080
699	링	B7C9	9D77	FDTJ0080
700	레	B7CA	9D81	FDTT0080

Line Number	Graphic	PC Code	Host Code	GCGID
701	렌	B7CB	9D85	FDTX0080
702	렘	B7CC	9D93	FDUB0080
703	렛	B7CD	9D95	FDUD0080
704	로	B7CE	9DA1	FDUP0080
705	록	B7CF	9DA2	FDUQ0080
706	론	B7D0	9DA5	FDUT0080
707	롤	B7D1	9DA9	FDUX0080
708	롬	B7D2	9DB1	FDV50080
709	롭	B7D3	9DB3	FDV70080
710	룻	B7D4	9DB5	FDV90080
711	룽	B7D5	9DB7	FDVB0080
712	라	B7D6	9DC1	FDVL0080
713	란	B7D7	9DC5	FDVP0080
714	랑	B7D8	9DD7	FDW70080
715	랏	B7D9	9DF6	FDX20080
716	러	B7DA	9E41	FDXD0080
717	렐	B7DB	9E45	FDXH0080
718	렘	B7DC	9E49	FDXL0080
719	림	B7DD	9E51	FDXT0080
720	럽	B7DE	9E53	FDXV0080
721	릿	B7DF	9E55	FDXX0080
722	렁	B7E0	9E57	FDXZ0080
723	료	B7E1	9E61	FDY90080
724	론	B7E2	9E65	FDYD0080
725	롤	B7E3	9E69	FDYH0080
726	롬	B7E4	9E73	FDYR0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Table 13 (Page 15 of 29). Hangeul Set(1/2), DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
727	룣	B7E5	9E75	FDYT0080
728	룕	B7E6	9E77	FDYV0080
729	루	B7E7	9E81	FDZ50080
730	룩	B7E8	9E82	FDZ60080
731	룬	B7E9	9E85	FDZ90080
732	를	B7EA	9E89	FDZD0080
733	룸	B7EB	9E91	FDZL0080
734	릅	B7EC	9E93	FDZN0080
735	룣	B7ED	9E95	FDZP0080
736	룕	B7EE	9E97	FDZR0080
737	뤼	B7EF	9EA1	FE010080
738	뤽	B7F0	9EB6	FE0M0080
739	뤼	B7F1	9EC1	FE0X0080
740	뤽	B7F2	9EE1	FE1T0080
741	뤼	B7F3	9EE2	FE1U0080
742	뤼	B7F4	9EE5	FE1X0080
743	뤼	B7F5	9EE9	FE210080
744	뤼	B7F6	9EF1	FE290080
745	뤼	B7F7	9EF5	FE2D0080
746	뤼	B7F8	9EF7	FE2F0080
747	뤼	B7F9	9F41	FE2P0080
748	뤼	B7FA	9F42	FE2Q0080
749	뤼	B7FB	9F45	FE2T0080
750	뤼	B7FC	9F49	FE2X0080
751	뤼	B7FD	9F51	FE350080
752	뤼	B7FE	9F53	FE370080

Table 13 (Page 15 of 29). Hangeul Set(1/2), DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
753	룣	B8A1	9F55	FE390080
754	룕	B8A2	9F57	FE3B0080
755	르	B8A3	9F61	FE3L0080
756	룩	B8A4	9F62	FE3M0080
757	룬	B8A5	9F65	FE3P0080
758	를	B8A6	9F69	FE3T0080
759	룸	B8A7	9F71	FE410080
760	릅	B8A8	9F73	FE430080
761	룣	B8A9	9F75	FE450080
762	룕	B8AA	9F77	FE470080
763	뤼	B8AB	9F78	FE480080
764	를	B8AC	9F7B	FE4B0080
765	룬	B8AD	9F7C	FE4C0080
766	리	B8AE	9FA1	FE5D0080
767	릭	B8AF	9FA2	FE5E0080
768	린	B8B0	9FA5	FE5H0080
769	릴	B8B1	9FA9	FE5L0080
770	림	B8B2	9FB1	FE5T0080
771	립	B8B3	9FB3	FE5V0080
772	릿	B8B4	9FB5	FE5X0080
773	링	B8B5	9FB7	FE5Z0080
774	마	B8B6	A061	FE8X0080
775	막	B8B7	A062	FE8Y0080
776	만	B8B8	A065	FE910080
777	많	B8B9	A067	FE930080
778	만	B8BA	A068	FE940080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
779	말	B8BB	A069	FE950080
780	맑	B8BC	A06A	FE960080
781	맑	B8BD	A06B	FE970080
782	맘	B8BE	A071	FE9D0080
783	맵	B8BF	A073	FE9F0080
784	맛	B8C0	A075	FE9H0080
785	망	B8C1	A077	FE9J0080
786	맞	B8C2	A078	FE9K0080
787	말	B8C3	A07B	FE9N0080
788	망	B8C4	A07D	FE9P0080
789	매	B8C5	A081	FE9T0080
790	맥	B8C6	A082	FE9U0080
791	맨	B8C7	A085	FE9X0080
792	멜	B8C8	A089	FEA10080
793	멤	B8C9	A091	FEA90080
794	맵	B8CA	A093	FEAB0080
795	맷	B8CB	A095	FEAD0080
796	맸	B8CC	A096	FEAE0080
797	맹	B8CD	A097	FEAF0080
798	맷	B8CE	A098	FEAG0080
799	먀	B8CF	A0A1	FEAP0080
800	략	B8D0	A0A2	FEAQ0080
801	말	B8D1	A0A9	FEAX0080
802	망	B8D2	A0B7	FEBB0080
803	머	B8D3	A0E1	FECH0080
804	먹	B8D4	A0E2	FECI0080

Line Number	Graphic	PC Code	Host Code	GCGID
805	면	B8D5	A0E5	FECL0080
806	멸	B8D6	A0E9	FECP0080
807	몹	B8D7	A0EB	FECR0080
808	멤	B8D8	A0F1	FECX0080
809	몹	B8D9	A0F3	FECZ0080
810	멧	B8DA	A0F5	FED10080
811	멍	B8DB	A0F7	FED30080
812	멧	B8DC	A0F8	FED40080
813	멩	B8DD	A0FD	FED90080
814	메	B8DE	A141	FEDD0080
815	멕	B8DF	A142	FEDE0080
816	멘	B8E0	A145	FEDH0080
817	멜	B8E1	A149	FEDL0080
818	멤	B8E2	A151	FEDT0080
819	몹	B8E3	A153	FEDV0080
820	멧	B8E4	A155	FEDX0080
821	몹	B8E5	A156	FEDY0080
822	멩	B8E6	A157	FEDZ0080
823	며	B8E7	A161	FEE90080
824	먹	B8E8	A162	FEEA0080
825	면	B8E9	A165	FEED0080
826	멸	B8EA	A169	FEEH0080
827	멧	B8EB	A175	FEET0080
828	몹	B8EC	A176	FEEU0080
829	멍	B8ED	A177	FEEV0080
830	멧	B8EE	A179	FEEX0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Table 13 (Page 17 of 29). Hangeul Set(1/2), DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
831	며	B8EF	A181	FEF50080
832	모	B8F0	A1A1	FEG10080
833	목	B8F1	A1A2	FEG20080
834	몫	B8F2	A1A4	FEG40080
835	몬	B8F3	A1A5	FEG50080
836	몰	B8F4	A1A9	FEG90080
837	뭍	B8F5	A1AB	FEGB0080
838	몴	B8F6	A1B1	FEGH0080
839	몵	B8F7	A1B3	FEGJ0080
840	몶	B8F8	A1B5	FEGM0080
841	몷	B8F9	A1B7	FEGN0080
842	꽂	B8FA	A1C1	FEGX0080
843	꽃	B8FB	A1C5	FEH10080
844	꽄	B8FC	A1D6	FEHI0080
845	꽅	B8FD	A1D7	FEHJ0080
846	꽆	B8FE	A241	FEIP0080
847	꽇	B9A1	A245	FEIT0080
848	꽈	B9A2	A249	FEIX0080
849	꽉	B9A3	A253	FEJ70080
850	꽊	B9A4	A255	FEJ90080
851	꽋	B9A5	A257	FEJB0080
852	랴	B9A6	A261	FEJL0080
853	략	B9A7	A265	FEJP0080
854	랶	B9A8	A269	FEJT0080
855	랷	B9A9	A273	FEK30080
856	랸	B9AA	A275	FEK50080

Table 13 (Page 17 of 29). Hangeul Set(1/2), DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
857	무	B9AB	A281	FEKH0080
858	무	B9AC	A282	FEKI0080
859	무	B9AD	A283	FEKJ0080
860	문	B9AE	A285	FEKL0080
861	문	B9AF	A288	FEKO0080
862	물	B9B0	A289	FEKP0080
863	물	B9B1	A28A	FEKQ0080
864	물	B9B2	A28B	FEKR0080
865	물	B9B3	A291	FEKX0080
866	물	B9B4	A293	FEKZ0080
867	뭇	B9B5	A295	FEL10080
868	뭉	B9B6	A297	FEL30080
869	물	B9B7	A29B	FEL70080
870	뭉	B9B8	A29D	FEL90080
871	뮌	B9B9	A2A1	FELD0080
872	뮎	B9BA	A2A5	FELH0080
873	뮐	B9BB	A2A9	FELL0080
874	뮑	B9BC	A2B3	FELV0080
875	뮒	B9BD	A2B5	FELX0080
876	뮓	B9BE	A2C1	FEM90080
877	뮔	B9BF	A2E1	FEN50080
878	뮕	B9C0	A2E5	FEN90080
879	뮖	B9C1	A2E9	FEND0080
880	뮤	B9C2	A341	FEO10080
881	문	B9C3	A345	FEO50080
882	물	B9C4	A349	FEO90080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
883	몹	B9C5	A351	FEOH0080
884	몯	B9C6	A355	FEOL0080
885	므	B9C7	A361	FEOX0080
886	믄	B9C8	A365	FEP10080
887	믈	B9C9	A369	FEP50080
888	믜	B9CA	A371	FEPD0080
889	몯	B9CB	A375	FEPH0080
890	미	B9CC	A3A1	FEQP0080
891	믹	B9CD	A3A2	FEQQ0080
892	민	B9CE	A3A5	FEQT0080
893	민	B9CF	A3A8	FEQW0080
894	밀	B9D0	A3A9	FEQX0080
895	뫼	B9D1	A3AB	FEQZ0080
896	뫼	B9D2	A3B1	FER50080
897	뫼	B9D3	A3B3	FER70080
898	뫼	B9D4	A3B5	FER90080
899	뫼	B9D5	A3B6	FERA0080
900	밍	B9D6	A3B7	FERB0080
901	뫼	B9D7	A3B9	FERD0080
902	밀	B9D8	A3BB	FERF0080
903	바	B9D9	A461	FEU90080
904	박	B9DA	A462	FEUA0080
905	밖	B9DB	A463	FEUB0080
906	밖	B9DC	A464	FEUC0080
907	반	B9DD	A465	FEUD0080
908	반	B9DE	A468	FEUG0080

Line Number	Graphic	PC Code	Host Code	GCGID
909	발	B9DF	A469	FEUH0080
910	밖	B9E0	A46A	FEUI0080
911	밖	B9E1	A46B	FEUJ0080
912	밖	B9E2	A46C	FEUK0080
913	밖	B9E3	A471	FEUP0080
914	밖	B9E4	A473	FEUR0080
915	밖	B9E5	A475	FEUT0080
916	방	B9E6	A477	FEUV0080
917	발	B9E7	A47B	FEUZ0080
918	배	B9E8	A481	FEV50080
919	백	B9E9	A482	FEV60080
920	밴	B9EA	A485	FEV90080
921	벨	B9EB	A489	FEVD0080
922	뱀	B9EC	A491	FEVL0080
923	뱀	B9ED	A493	FEVN0080
924	뱀	B9EE	A495	FEVP0080
925	뱀	B9EF	A496	FEVQ0080
926	뱅	B9F0	A497	FEVR0080
927	벨	B9F1	A49B	FEVV0080
928	바	B9F2	A4A1	FEW10080
929	박	B9F3	A4A2	FEW20080
930	반	B9F4	A4A5	FEW50080
931	밖	B9F5	A4B3	FEWJ0080
932	버	B9F6	A4E1	FEXT0080
933	벽	B9F7	A4E2	FEXU0080
934	번	B9F8	A4E5	FEXX0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Table 13 (Page 19 of 29). Hangeul Set(1/2), DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
935	벌	B9F9	A4E8	FEY00080
936	벌	B9FA	A4E9	FEY10080
937	벌	B9FB	A4EB	FEY30080
938	범	B9FC	A4F1	FEY90080
939	범	B9FD	A4F3	FEYB0080
940	벗	B9FE	A4F5	FEYD0080
941	병	BAA1	A4F7	FEYF0080
942	벗	BAA2	A4F8	FEYG0080
943	베	BAA3	A541	FEYP0080
944	백	BAA4	A542	FEYQ0080
945	벤	BAA5	A545	FEYT0080
946	벤	BAA6	A548	FEYW0080
947	벨	BAA7	A549	FEYX0080
948	범	BAA8	A551	FEZ50080
949	범	BAA9	A553	FEZ70080
950	벋	BAAA	A555	FEZ90080
951	벋	BAAB	A556	FEZA0080
952	병	BAAC	A557	FEZB0080
953	벼	BAAD	A561	FEZL0080
954	벽	BAAE	A562	FEZM0080
955	변	BAAF	A565	FEZP0080
956	벌	BAB0	A569	FEZT0080
957	범	BAB1	A573	FF030080
958	벗	BAB2	A575	FF050080
959	벋	BAB3	A576	FF060080
960	병	BAB4	A577	FF070080

Table 13 (Page 19 of 29). Hangeul Set(1/2), DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
961	별	BAB5	A57B	FF0B0080
962	베	BAB6	A581	FF0H0080
963	벤	BAB7	A585	FF0L0080
964	보	BAB8	A5A1	FF1D0080
965	복	BAB9	A5A2	FF1E0080
966	복	BABA	A5A3	FF1F0080
967	본	BABB	A5A5	FF1H0080
968	볼	BABC	A5A9	FF1L0080
969	봄	BABD	A5B1	FF1T0080
970	봄	BABE	A5B3	FF1V0080
971	붓	BABF	A5B5	FF1X0080
972	봉	BAC0	A5B7	FF1Z0080
973	봐	BAC1	A5C1	FF290080
974	반	BAC2	A5C5	FF2D0080
975	봤	BAC3	A5D6	FF2U0080
976	배	BAC4	A5E1	FF350080
977	뵈	BAC5	A5F6	FF3Q0080
978	비	BAC6	A641	FF410080
979	빅	BAC7	A642	FF420080
980	빈	BAC8	A645	FF450080
981	빌	BAC9	A649	FF490080
982	빔	BACA	A651	FF4H0080
983	빔	BACB	A653	FF4J0080
984	보	BACC	A661	FF4X0080
985	본	BACD	A665	FF510080
986	부	BACE	A681	FF5T0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
987	북	BACF	A682	FF5U0080
988	분	BAD0	A685	FF5X0080
989	븐	BAD1	A688	FF600080
990	불	BAD2	A689	FF610080
991	북	BAD3	A68A	FF620080
992	붉	BAD4	A68B	FF630080
993	븀	BAD5	A691	FF690080
994	븆	BAD6	A693	FF6B0080
995	붓	BAD7	A695	FF6D0080
996	붕	BAD8	A697	FF6F0080
997	불	BAD9	A69B	FF6J0080
998	붉	BADA	A69C	FF6K0080
999	뷔	BADB	A6A1	FF6P0080
1000	벌	BADC	A6A9	FF6X0080
1001	봣	BADD	A6B6	FF7A0080
1002	웨	BADE	A6C1	FF7L0080
1003	뷔	BADF	A6E1	FF8H0080
1004	뵁	BAE0	A6E2	FF8I0080
1005	빈	BAE1	A6E5	FF8L0080
1006	빌	BAE2	A6E9	FF8P0080
1007	빙	BAE3	A6F7	FF930080
1008	뷰	BAE4	A741	FF9D0080
1009	븐	BAE5	A745	FF9H0080
1010	불	BAE6	A749	FF9L0080
1011	븀	BAE7	A751	FF9T0080
1012	붓	BAE8	A755	FF9X0080

Line Number	Graphic	PC Code	Host Code	GCGID
1013	붕	BAE9	A757	FF9Z0080
1014	브	BAEA	A761	FFA90080
1015	북	BAEB	A762	FFAA0080
1016	븐	BAEC	A765	FFAD0080
1017	불	BAED	A769	FFAH0080
1018	븀	BAEE	A771	FFAP0080
1019	븆	BAEF	A773	FFAR0080
1020	붓	BAF0	A775	FFAT0080
1021	비	BAF1	A7A1	FFC10080
1022	빅	BAF2	A7A2	FFC20080
1023	빈	BAF3	A7A5	FFC50080
1024	빌	BAF4	A7A9	FFC90080
1025	빔	BAF5	A7AB	FFCB0080
1026	빔	BAF6	A7B1	FFCH0080
1027	빔	BAF7	A7B3	FFCJ0080
1028	빋	BAF8	A7B5	FFCL0080
1029	빙	BAF9	A7B7	FFCN0080
1030	빋	BAFA	A7B8	FFCO0080
1031	빋	BAFB	A7B9	FFCP0080
1032	빠	BAFC	A861	FFFL0080
1033	빱	BAFD	A862	FFFM0080
1034	빠	BAFE	A865	FFFP0080
1035	빨	BBA1	A869	FFFT0080
1036	빨	BBA2	A86B	FFFV0080
1037	빹	BBA3	A871	FFG10080
1038	빹	BBA4	A873	FFG30080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Table 13 (Page 21 of 29). Hangeul Set(1/2), DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
1039	뵁	BBA5	A875	FFG50080
1040	뵁	BBA6	A876	FFG60080
1041	뵁	BBA7	A877	FFG70080
1042	뵁	BBA8	A87D	FFGD0080
1043	뵁	BBA9	A881	FFGH0080
1044	뵁	BBAA	A882	FFGI0080
1045	뵁	BBAB	A885	FFGL0080
1046	뵁	BBAC	A889	FFGP0080
1047	뵁	BBAD	A891	FFGX0080
1048	뵁	BBAE	A893	FFGZ0080
1049	뵁	BBAF	A895	FFH10080
1050	뵁	BBB0	A896	FFH20080
1051	뵁	BBB1	A897	FFH30080
1052	뵁	BBB2	A8A1	FFHD0080
1053	뵁	BBB3	A8A2	FFHE0080
1054	뵁	BBB4	A8B1	FFHT0080
1055	뵁	BBB5	A8E1	FFJ50080
1056	뵁	BBB6	A8E2	FFJ60080
1057	뵁	BBB7	A8E5	FFJ90080
1058	뵁	BBB8	A8E8	FFJC0080
1059	뵁	BBB9	A8E9	FFJD0080
1060	뵁	BBBA	A8F1	FFJL0080
1061	뵁	BBBB	A8F5	FFJP0080
1062	뵁	BBBC	A8F6	FFJQ0080
1063	뵁	BBBD	A8F7	FFJR0080
1064	뵁	BBBE	A941	FFK10080

Table 13 (Page 21 of 29). Hangeul Set(1/2), DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
1065	뵁	BBBF	A957	FFKN0080
1066	뵁	BBC0	A961	FFKX0080
1067	뵁	BBC1	A962	FFKY0080
1068	뵁	BBC2	A971	FFLD0080
1069	뵁	BBC3	A973	FFLF0080
1070	뵁	BBC4	A975	FFLH0080
1071	뵁	BBC5	A976	FFLI0080
1072	뵁	BBC6	A977	FFLJ0080
1073	뵁	BBC7	A9A1	FFMP0080
1074	뵁	BBC8	A9A2	FFMQ0080
1075	뵁	BBC9	A9A5	FFMT0080
1076	뵁	BBCA	A9A9	FFMX0080
1077	뵁	BBCB	A9B1	FFN50080
1078	뵁	BBCB	A9B3	FFN70080
1079	뵁	BBCD	A9B7	FFNB0080
1080	뵁	BBCE	AA41	FFPD0080
1081	뵁	BBCF	AA61	FFQ90080
1082	뵁	BBD0	AA77	FFQV0080
1083	뵁	BBD1	AA81	FFR50080
1084	뵁	BBD2	AA82	FFR60080
1085	뵁	BBD3	AA85	FFR90080
1086	뵁	BBD4	AA89	FFRD0080
1087	뵁	BBD5	AA91	FFRL0080
1088	뵁	BBD6	AA95	FFRP0080
1089	뵁	BBD7	AA97	FFRR0080
1090	뵁	BBD8	AB41	FFUP0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Table 13 (Page 22 of 29). Hangeul Set(1/2), DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
1091	뽕	BBD9	AB57	FFVB0080
1092	쁘	BBDA	AB61	FFVL0080
1093	쁜	BBDB	AB65	FFVP0080
1094	쁠	BBDC	AB69	FFVT0080
1095	뽈	BBDD	AB71	FFW10080
1096	뽈	BBDE	AB73	FFW30080
1097	뽈	BBDF	ABA1	FFXD0080
1098	뽈	BBE0	ABA2	FFXE0080
1099	뽈	BBE1	ABA5	FFXH0080
1100	뽈	BBE2	ABA9	FFXL0080
1101	뽈	BBE3	ABB1	FFXT0080
1102	뽈	BBE4	ABB3	FFXV0080
1103	뽈	BBE5	ABB5	FFXX0080
1104	뽈	BBE6	ABB7	FFXZ0080
1105	사	BBE7	AC61	FG0X0080
1106	삭	BBE8	AC62	FG0Y0080
1107	삿	BBE9	AC64	FG100080
1108	산	BBEA	AC65	FG110080
1109	살	BBEB	AC68	FG140080
1110	살	BBEC	AC69	FG150080
1111	살	BBED	AC6A	FG160080
1112	살	BBEE	AC6B	FG170080
1113	삼	BBEF	AC71	FG1D0080
1114	삽	BBF0	AC73	FG1F0080
1115	삿	BBF1	AC75	FG1H0080
1116	삿	BBF2	AC76	FG1I0080

Table 13 (Page 22 of 29). Hangeul Set(1/2), DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
1117	상	BBF3	AC77	FG1J0080
1118	살	BBF4	AC7B	FG1N0080
1119	새	BBF5	AC81	FG1T0080
1120	색	BBF6	AC82	FG1U0080
1121	샌	BBF7	AC85	FG1X0080
1122	셀	BBF8	AC89	FG210080
1123	샘	BBF9	AC91	FG290080
1124	삽	BBFA	AC93	FG2B0080
1125	셋	BBFB	AC95	FG2D0080
1126	셋	BBFC	AC96	FG2E0080
1127	생	BBFD	AC97	FG2F0080
1128	샤	BBFE	ACA1	FG2P0080
1129	삭	BCA1	ACA2	FG2Q0080
1130	산	BCA2	ACA5	FG2T0080
1131	살	BCA3	ACA9	FG2X0080
1132	삼	BCA4	ACB1	FG350080
1133	삽	BCA5	ACB3	FG370080
1134	삿	BCA6	ACB5	FG390080
1135	상	BCA7	ACB7	FG3B0080
1136	새	BCA8	ACC1	FG3L0080
1137	샌	BCA9	ACC5	FG3P0080
1138	셀	BCAA	ACC9	FG3T0080
1139	샘	BCAB	ACD1	FG410080
1140	생	BCAC	ACD7	FG470080
1141	서	BCAD	ACE1	FG4H0080
1142	석	BCAE	ACE2	FG4I0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Table 13 (Page 23 of 29). Hangeul Set(1/2), DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
1143	쥬	BCAF	ACE3	FG4J0080
1144	쥬	BCB0	ACE4	FG4K0080
1145	선	BCB1	ACE5	FG4L0080
1146	선	BCB2	ACE8	FG4O0080
1147	설	BCB3	ACE9	FG4P0080
1148	설	BCB4	ACEB	FG4R0080
1149	설	BCB5	ACEC	FG4S0080
1150	섬	BCB6	ACF1	FG4X0080
1151	섭	BCB7	ACF3	FG4Z0080
1152	섯	BCB8	ACF5	FG510080
1153	섯	BCB9	ACF6	FG520080
1154	성	BCBA	ACF7	FG530080
1155	설	BCBB	ACFC	FG580080
1156	세	BCBC	AD41	FG5D0080
1157	색	BCBD	AD42	FG5E0080
1158	센	BCBE	AD45	FG5H0080
1159	셀	BCBF	AD49	FG5L0080
1160	섬	BCC0	AD51	FG5T0080
1161	섭	BCC1	AD53	FG5V0080
1162	섯	BCC2	AD55	FG5X0080
1163	섯	BCC3	AD56	FG5Y0080
1164	생	BCC4	AD57	FG5Z0080
1165	셔	BCC5	AD61	FG690080
1166	석	BCC6	AD62	FG6A0080
1167	선	BCC7	AD65	FG6D0080
1168	설	BCC8	AD69	FG6H0080

Table 13 (Page 23 of 29). Hangeul Set(1/2), DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
1169	섬	BCC9	AD71	FG6P0080
1170	섭	BCCA	AD73	FG6R0080
1171	섯	BCCB	AD75	FG6T0080
1172	섯	BCCC	AD76	FG6U0080
1173	성	BCCD	AD77	FG6V0080
1174	세	BCCE	AD81	FG750080
1175	센	BCCF	AD85	FG790080
1176	셀	BCD0	AD89	FG7D0080
1177	생	BCD1	AD97	FG7R0080
1178	소	BCD2	ADA1	FG810080
1179	속	BCD3	ADA2	FG820080
1180	슈	BCD4	ADA3	FG830080
1181	손	BCD5	ADA5	FG850080
1182	솔	BCD6	ADA9	FG890080
1183	숭	BCD7	ADAB	FG8B0080
1184	숨	BCD8	ADB1	FG8H0080
1185	습	BCD9	ADB3	FG8J0080
1186	숫	BCDA	ADB5	FG8L0080
1187	송	BCDB	ADB7	FG8N0080
1188	솔	BCDC	ADBB	FG8R0080
1189	쇄	BCDD	ADC1	FG8X0080
1190	삭	BCDE	ADC2	FG8Y0080
1191	환	BCDF	ADC5	FG910080
1192	살	BCE0	ADC9	FG950080
1193	왕	BCE1	ADD7	FG9J0080
1194	쇄	BCE2	ADE1	FG9T0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Table 13 (Page 24 of 29). Hangeul Set(1/2), DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
1195	쐐	BCE3	ADE5	FG9X0080
1196	쐑	BCE4	ADE9	FGA10080
1197	쐒	BCE5	ADF1	FGA90080
1198	쐓	BCE6	ADF5	FGAD0080
1199	쐔	BCE7	ADF6	FGAE0080
1200	쐕	BCE8	AE41	FGAP0080
1201	쐖	BCE9	AE45	FGAT0080
1202	쐗	BCEA	AE49	FGAX0080
1203	쐘	BCEB	AE51	FGB50080
1204	쐙	BCEC	AE53	FGB70080
1205	쐚	BCED	AE55	FGB90080
1206	쇼	BCEE	AE61	FGBL0080
1207	속	BCEF	AE62	FGBM0080
1208	손	BCF0	AE65	FGBP0080
1209	솔	BCF1	AE69	FGBT0080
1210	숨	BCF2	AE71	FGC10080
1211	습	BCF3	AE73	FGC30080
1212	숫	BCF4	AE75	FGC50080
1213	송	BCF5	AE77	FGC70080
1214	수	BCF6	AE81	FGCH0080
1215	숙	BCF7	AE82	FGCI0080
1216	순	BCF8	AE85	FGCL0080
1217	숀	BCF9	AE88	FGCO0080
1218	술	BCFA	AE89	FGCP0080
1219	숨	BCFB	AE91	FGCX0080
1220	습	BCFC	AE93	FGCZ0080

Table 13 (Page 24 of 29). Hangeul Set(1/2), DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
1221	숫	BCFD	AE95	FGD10080
1222	송	BCFE	AE97	FGD30080
1223	숫	BDA1	AE99	FGD50080
1224	솔	BDA2	AE9B	FGD70080
1225	숀	BDA3	AE9C	FGD80080
1226	쉬	BDA4	AEA1	FGDD0080
1227	숏	BDA5	AEB6	FGDY0080
1228	쇄	BDA6	AEC1	FGE90080
1229	쇄	BDA7	AEC2	FGEA0080
1230	쐐	BDA8	AEC5	FGED0080
1231	쐑	BDA9	AEC9	FGEH0080
1232	쐒	BDAA	AED1	FGEP0080
1233	쐓	BDAB	AED7	FGEV0080
1234	쉬	BDAC	AEE1	FGF50080
1235	쇄	BDAD	AEE2	FGF60080
1236	쐕	BDAE	AEE5	FGF90080
1237	쐗	BDAF	AEE9	FGFD0080
1238	쐘	BDB0	AEF1	FGFL0080
1239	쐙	BDB1	AEF3	FGFN0080
1240	쐚	BDB2	AEF5	FGFP0080
1241	쐛	BDB3	AEF7	FGFR0080
1242	슈	BDB4	AF41	FGG10080
1243	숙	BDB5	AF42	FGG20080
1244	술	BDB6	AF49	FGG90080
1245	습	BDB7	AF51	FGGH0080
1246	숫	BDB8	AF55	FGGL0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Table 13 (Page 25 of 29). Hangeul Set(1/2), DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
1247	송	BDB9	AF57	FGGN0080
1248	스	BDBA	AF61	FGGX0080
1249	숙	BDBB	AF62	FGGY0080
1250	순	BDBC	AF65	FGH10080
1251	슬	BDBD	AF69	FGH50080
1252	슌	BDBE	AF6A	FGH60080
1253	슴	BDBF	AF71	FGHD0080
1254	습	BDC0	AF73	FGHF0080
1255	숫	BDC1	AF75	FGHH0080
1256	승	BDC2	AF77	FGHJ0080
1257	시	BDC3	AFA1	FGIP0080
1258	식	BDC4	AFA2	FGIQ0080
1259	신	BDC5	AFA5	FGIT0080
1260	실	BDC6	AFA8	FGIW0080
1261	실	BDC7	AFA9	FGIX0080
1262	싫	BDC8	AFB0	FGJ40080
1263	심	BDC9	AFB1	FGJ50080
1264	십	BDCA	AFB3	FGJ70080
1265	깃	BDCB	AFB5	FGJ90080
1266	싱	BDCC	AFB7	FGJB0080
1267	싫	BDCD	AFBC	FGJG0080
1268	짜	BDCE	B061	FGM90080
1269	씩	BDCF	B062	FGMA0080
1270	짖	BDD0	B064	FGMC0080
1271	싼	BDD1	B065	FGMD0080
1272	쌀	BDD2	B069	FGMH0080

Table 13 (Page 25 of 29). Hangeul Set(1/2), DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
1273	쌈	BDD3	B071	FGMP0080
1274	쌈	BDD4	B073	FGMR0080
1275	쌌	BDD5	B076	FGMU0080
1276	쌍	BDD6	B077	FGMV0080
1277	쌍	BDD7	B07D	FGN10080
1278	쌌	BDD8	B081	FGN50080
1279	씩	BDD9	B082	FGN60080
1280	썌	BDDA	B085	FGN90080
1281	썌	Bddb	B089	FGND0080
1282	쌌	BDDC	B091	FGNL0080
1283	쌌	BDDD	B093	FGNN0080
1284	썌	BDDE	B096	FGNQ0080
1285	쌌	BDDF	B097	FGNR0080
1286	쌍	BDE0	B0B7	FGON0080
1287	써	BDE1	B0E1	FGPT0080
1288	씩	BDE2	B0E2	FGPU0080
1289	썌	BDE3	B0E5	FGPX0080
1290	썌	BDE4	B0E9	FGQ10080
1291	썌	BDE5	B0EB	FGQ30080
1292	쌌	BDE6	B0F1	FGQ90080
1293	쌌	BDE7	B0F3	FGQB0080
1294	썌	BDE8	B0F6	FGQE0080
1295	쌌	BDE9	B0F7	FGQF0080
1296	쌌	BDEA	B141	FGQP0080
1297	썌	BDEB	B145	FGQT0080
1298	썌	BDEC	B149	FGQX0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Table 13 (Page 26 of 29). Hangeul Set(1/2), DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
1299	써	BDED	B185	FGSL0080
1300	쏘	BDEE	B1A1	FGTD0080
1301	쏅	BDEF	B1A2	FGTE0080
1302	쏏	BDF0	B1A5	FGTH0080
1303	쏑	BDF1	B1A8	FGTK0080
1304	쏒	BDF2	B1A9	FGTL0080
1305	쏓	BDF3	B1AB	FGTN0080
1306	쏔	BDF4	B1B1	FGTT0080
1307	쏕	BDF5	B1B3	FGTV0080
1308	쏖	BDF6	B1B7	FGTZ0080
1309	쐇	BDF7	B1C1	FGU90080
1310	쐈	BDF8	B1C2	FGUA0080
1311	쐉	BDF9	B1C5	FGUD0080
1312	쐊	BDF A	B1D6	FGUU0080
1313	쐋	BDFB	B1E1	FGV50080
1314	쐌	BDFC	B1F6	FGVQ0080
1315	쐍	BDFD	B241	FGW10080
1316	쐎	BDFE	B245	FGW50080
1317	쐏	BEA1	B249	FGW90080
1318	쐑	BEA2	B251	FGWH0080
1319	쐒	BEA3	B253	FGWJ0080
1320	쏘	BEA4	B261	FGWX0080
1321	쐕	BEA5	B281	FGXT0080
1322	쐖	BEA6	B282	FGXU0080
1323	쐗	BEA7	B285	FGXX0080
1324	쐘	BEA8	B289	FGY10080

Table 13 (Page 26 of 29). Hangeul Set(1/2), DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
1325	쐙	BEA9	B291	FGY90080
1326	쐚	BEAA	B293	FGYB0080
1327	쐛	BEAB	B297	FGYF0080
1328	쐜	BEAC	B2A1	FGYP0080
1329	쐝	BEAD	B2B6	FGZA0080
1330	쐞	BEAE	B2C1	FGZL0080
1331	쐟	BEAF	B2E1	FH0H0080
1332	쐠	BEB0	B2E5	FH0L0080
1333	쐡	BEB1	B357	FH1Z0080
1334	쐢	BEB2	B361	FH290080
1335	쐣	BEB3	B362	FH2A0080
1336	쐤	BEB4	B365	FH2D0080
1337	쐥	BEB5	B369	FH2H0080
1338	쐦	BEB6	B36B	FH2J0080
1339	쐧	BEB7	B370	FH2O0080
1340	쐨	BEB8	B371	FH2P0080
1341	쐩	BEB9	B373	FH2R0080
1342	쐪	BEBA	B381	FH350080
1343	쐫	BEBB	B385	FH390080
1344	쐬	BEBC	B389	FH3D0080
1345	쐭	BEBD	B391	FH3L0080
1346	쐮	BEBE	B3A1	FH410080
1347	쐯	BEBF	B3A2	FH420080
1348	쐰	BEC0	B3A5	FH450080
1349	쐱	BEC1	B3A9	FH490080
1350	쐲	BEC2	B3B1	FH4H0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Table 13 (Page 27 of 29). Hangeul Set(1/2), DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
1351	썩	BEC3	B3B3	FH4J0080
1352	썩	BEC4	B3B5	FH4L0080
1353	썩	BEC5	B3B7	FH4N0080
1354	아	BEC6	B461	FH7L0080
1355	악	BEC7	B462	FH7M0080
1356	안	BEC8	B465	FH7P0080
1357	앞	BEC9	B466	FH7Q0080
1358	얇	BECA	B467	FH7R0080
1359	알	BECB	B469	FH7T0080
1360	압	BECC	B46A	FH7U0080
1361	얇	BECD	B46B	FH7V0080
1362	얇	BECE	B470	FH800080
1363	암	BECF	B471	FH810080
1364	압	BED0	B473	FH830080
1365	앗	BED1	B475	FH850080
1366	앗	BED2	B476	FH860080
1367	양	BED3	B477	FH870080
1368	알	BED4	B47B	FH8B0080
1369	앞	BED5	B47C	FH8C0080
1370	애	BED6	B481	FH8H0080
1371	액	BED7	B482	FH8I0080
1372	앤	BED8	B485	FH8L0080
1373	엘	BED9	B489	FH8P0080
1374	엠	BEDA	B491	FH8X0080
1375	엡	BEDB	B493	FH8Z0080
1376	엣	BEDC	B495	FH910080

Table 13 (Page 27 of 29). Hangeul Set(1/2), DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
1377	엣	BEDD	B496	FH920080
1378	앵	BEDE	B497	FH930080
1379	야	BEDF	B4A1	FH9D0080
1380	약	BEE0	B4A2	FH9E0080
1381	얀	BEE1	B4A5	FH9H0080
1382	얇	BEE2	B4A9	FH9L0080
1383	얇	BEE3	B4AC	FH9O0080
1384	얇	BEE4	B4B1	FH9T0080
1385	얇	BEE5	B4B3	FH9V0080
1386	얇	BEE6	B4B5	FH9X0080
1387	양	BEE7	B4B7	FH9Z0080
1388	얇	BEE8	B4BB	FHA30080
1389	양	BEE9	B4BD	FHA50080
1390	애	BEEA	B4C1	FHA90080
1391	앤	BEEB	B4C5	FHAD0080
1392	엘	BEEC	B4C9	FHAH0080
1393	엡	BEED	B4D3	FHAR0080
1394	어	BEEE	B4E1	FHB50080
1395	억	BEEF	B4E2	FHB60080
1396	언	BEF0	B4E5	FHB90080
1397	엣	BEF1	B4E6	FHBA0080
1398	언	BEF2	B4E8	FHBC0080
1399	엡	BEF3	B4E9	FHBD0080
1400	엡	BEF4	B4EA	FHBE0080
1401	엡	BEF5	B4EB	FHBF0080
1402	엡	BEF6	B4F1	FHBL0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Table 13 (Page 28 of 29). Hangeul Set(1/2), DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
1403	업	BEF7	B4F3	FHBN0080
1404	없	BEF8	B4F4	FHBO0080
1405	엇	BEF9	B4F5	FHBP0080
1406	엇	BEFA	B4F6	FHBQ0080
1407	엇	BEFB	B4F7	FHBR0080
1408	엇	BEFC	B4F8	FHBS0080
1409	엇	BEFD	B4FA	FHBU0080
1410	엇	BEFE	B4FC	FHBW0080
1411	예	BFA1	B541	FHC10080
1412	억	BFA2	B542	FHC20080
1413	엔	BFA3	B545	FHC50080
1414	엘	BFA4	B549	FHC90080
1415	엄	BFA5	B551	FHCH0080
1416	엇	BFA6	B553	FHCJ0080
1417	엇	BFA7	B555	FHCL0080
1418	엇	BFA8	B557	FHCN0080
1419	외	BFA9	B561	FHCX0080
1420	역	BFAA	B562	FHCY0080
1421	윅	BFAB	B563	FHCZ0080
1422	연	BFAC	B565	FHD10080
1423	엇	BFAD	B569	FHD50080
1424	엇	BFAE	B56B	FHD70080
1425	엇	BFAF	B56C	FHD80080
1426	엇	BFB0	B571	FHDD0080
1427	엇	BFB1	B573	FHDF0080
1428	엇	BFB2	B574	FHDG0080

Table 13 (Page 28 of 29). Hangeul Set(1/2), DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
1429	엇	BFB3	B575	FHDH0080
1430	엇	BFB4	B576	FHDI0080
1431	엇	BFB5	B577	FHDJ0080
1432	엇	BFB6	B57B	FHDN0080
1433	엇	BFB7	B57C	FHDO0080
1434	엇	BFB8	B57D	FHDP0080
1435	예	BFB9	B581	FHDT0080
1436	엔	BFBA	B585	FHDX0080
1437	엘	BFBB	B589	FHE10080
1438	엄	BFBC	B591	FHE90080
1439	엇	BFBD	B593	FHEB0080
1440	엇	BFBE	B595	FHED0080
1441	엇	BFBF	B596	FHEE0080
1442	오	BFC0	B5A1	FHEP0080
1443	우	BFC1	B5A2	FHEQ0080
1444	은	BFC2	B5A5	FHET0080
1445	을	BFC3	B5A9	FHEX0080
1446	웁	BFC4	B5AA	FHEY0080
1447	웁	BFC5	B5AB	FHEZ0080
1448	웁	BFC6	B5AD	FHF10080
1449	웁	BFC7	B5B0	FHF40080
1450	음	BFC8	B5B1	FHF50080
1451	웁	BFC9	B5B3	FHF70080
1452	웁	BFCA	B5B5	FHF90080
1453	응	BFCB	B5B7	FHFB0080
1454	웁	BFCC	B5B9	FHFD0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Table 13 (Page 29 of 29). Hangeul Set(1/2), DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
1455	와	BFGD	B5C1	FHFL0080
1456	왁	BFCE	B5C2	FHFM0080
1457	완	BFCF	B5C5	FHFP0080
1458	왈	BFD0	B5C9	FHFT0080
1459	왓	BFD1	B5D1	FHGH0080
1460	왓	BFD2	B5D3	FHG30080
1461	왓	BFD3	B5D5	FHG50080
1462	왓	BFD4	B5D6	FHG60080
1463	왕	BFD5	B5D7	FHG70080
1464	왜	BFD6	B5E1	FHGH0080
1465	왓	BFD7	B5E2	FHGI0080
1466	왓	BFD8	B5E5	FHGL0080
1467	왓	BFD9	B5F1	FHGX0080
1468	왓	BFDA	B5F5	FHH10080
1469	왓	BFDB	B5F7	FHH30080
1470	외	BFDC	B641	FHHD0080
1471	외	BFDD	B642	FHHE0080
1472	원	BFDE	B645	FHHH0080
1473	원	BDFD	B649	FHHL0080
1474	원	BFE0	B651	FHHT0080
1475	원	BFE1	B653	FHHV0080
1476	원	BFE2	B655	FHHX0080
1477	원	BFE3	B657	FHHZ0080
1478	요	BFE4	B661	FHI90080
1479	육	BFE5	B662	FHIA0080
1480	은	BFE6	B665	FHID0080

Table 13 (Page 29 of 29). Hangeul Set(1/2), DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
1481	을	BFE7	B669	FHIH0080
1482	음	BFE8	B671	FHIP0080
1483	음	BFE9	B673	FHIR0080
1484	을	BFEA	B675	FHIT0080
1485	을	BFEB	B677	FHIV0080
1486	우	BFEC	B681	FHJ50080
1487	을	BFED	B682	FHJ60080
1488	은	BFEE	B685	FHJ90080
1489	을	BFEF	B689	FHJD0080
1490	을	BFF0	B68A	FHJE0080
1491	을	BFF1	B68B	FHJF0080
1492	음	BFF2	B691	FHJL0080
1493	음	BFF3	B693	FHJN0080
1494	을	BFF4	B695	FHJP0080
1495	을	BFF5	B697	FHJR0080
1496	위	BFF6	B6A1	FHK10080
1497	위	BFF7	B6A2	FHK20080
1498	원	BFF8	B6A5	FHK50080
1499	원	BFF9	B6A9	FHK90080
1500	원	BFFA	B6B1	FHKH0080
1501	원	BFFB	B6B3	FHKJ0080
1502	원	BFFC	B6B6	FHKM0080
1503	원	BFFD	B6B7	FHKN0080
1504	위	BFFE	B6C1	FHKX0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC


9.4 Hangeul Set(2/2)

Table 14 (Page 1 of 17). Hangeul Set(2/2), DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
1505	웁	C0A1	B6C2	FHKY0080
1506	웑	C0A2	B6C5	FHL10080
1507	웒	C0A3	B6C9	FHL50080
1508	웓	C0A4	B6D1	FHLD0080
1509	월	C0A5	B6D3	FHLF0080
1510	웕	C0A6	B6D7	FHLJ0080
1511	웖	C0A7	B6E1	FHLT0080
1512	웗	C0A8	B6E2	FHLU0080
1513	웘	C0A9	B6E5	FHLX0080
1514	웙	C0AA	B6E9	FHM10080
1515	웚	C0AB	B6F1	FHM90080
1516	웛	C0AC	B6F3	FHMB0080
1517	웜	C0AD	B6F5	FHMD0080
1518	웝	C0AE	B6F7	FHMF0080
1519	유	C0AF	B741	FHMP0080
1520	욱	C0B0	B742	FHMQ0080
1521	운	C0B1	B745	FHMT0080
1522	을	C0B2	B749	FHMX0080
1523	음	C0B3	B751	FHN50080
1524	읍	C0B4	B753	FHN70080
1525	웃	C0B5	B755	FHN90080
1526	응	C0B6	B757	FHNB0080
1527	으	C0B7	B759	FHND0080
1528	으	C0B8	B761	FHNL0080

Table 14 (Page 1 of 17). Hangeul Set(2/2), DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
1529	우	C0B9	B762	FHNM0080
1530	은	C0BA	B765	FHNP0080
1531	을	C0BB	B769	FHNT0080
1532	음	C0BC	B76F	FHNZ0080
1533	음	C0BD	B771	FHO10080
1534	읍	C0BE	B773	FHO30080
1535	웃	C0BF	B775	FHO50080
1536	응	C0C0	B777	FHO70080
1537	웃	C0C1	B778	FHO80080
1538	웃	C0C2	B779	FHO90080
1539	우	C0C3	B77A	FHOA0080
1540	을	C0C4	B77B	FHOB0080
1541	음	C0C5	B77C	FHOC0080
1542	응	C0C6	B77D	FHOD0080
1543	의	C0C7	B781	FHOH0080
1544	원	C0C8	B785	FHOL0080
1545	월	C0C9	B789	FHOP0080
1546	웁	C0CA	B791	FHOX0080
1547	웑	C0CB	B795	FHP10080
1548	이	C0CC	B7A1	FHPD0080
1549	익	C0CD	B7A2	FHPE0080
1550	인	C0CE	B7A5	FHPH0080
1551	일	C0CF	B7A9	FHPL0080
1552	위	C0D0	B7AA	FHPM0080
1553	읍	C0D1	B7AB	FHPN0080
1554	읍	C0D2	B7B0	FHPS0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
1555	임	C0D3	B7B1	FHPT0080
1556	입	C0D4	B7B3	FHPV0080
1557	잇	C0D5	B7B5	FHPX0080
1558	있	C0D6	B7B6	FHPY0080
1559	잉	C0D7	B7B7	FHPZ0080
1560	잊	C0D8	B7B8	FHQ00080
1561	잎	C0D9	B7BC	FHQ40080
1562	자	C0DA	B861	FHSX0080
1563	작	C0DB	B862	FHSY0080
1564	잔	C0DC	B865	FHT10080
1565	잖	C0DD	B867	FHT30080
1566	잔	C0DE	B868	FHT40080
1567	잘	C0DF	B869	FHT50080
1568	잖	C0E0	B86B	FHT70080
1569	잡	C0E1	B871	FHTD0080
1570	잡	C0E2	B873	FHTF0080
1571	жат	C0E3	B875	FHTH0080
1572	жат	C0E4	B876	FHTI0080
1573	장	C0E5	B877	FHTJ0080
1574	жат	C0E6	B878	FHTK0080
1575	재	C0E7	B881	FHTT0080
1576	작	C0E8	B882	FHTU0080
1577	젠	C0E9	B885	FHTX0080
1578	젤	C0EA	B889	FHU10080
1579	젼	C0EB	B891	FHU90080
1580	젼	C0EC	B893	FHUB0080

Line Number	Graphic	PC Code	Host Code	GCGID
1581	젯	C0ED	B895	FHUD0080
1582	젯	C0EE	B896	FHUE0080
1583	쟁	C0EF	B897	FHUF0080
1584	자	C0F0	B8A1	FHUP0080
1585	작	C0F1	B8A2	FHUQ0080
1586	잔	C0F2	B8A5	FHUT0080
1587	잖	C0F3	B8A7	FHUV0080
1588	잘	C0F4	B8A9	FHUX0080
1589	잠	C0F5	B8B1	FHV50080
1590	장	C0F6	B8B7	FHVB0080
1591	재	C0F7	B8C1	FHVL0080
1592	젠	C0F8	B8C5	FHVP0080
1593	젤	C0F9	B8C9	FHVT0080
1594	저	C0FA	B8E1	FHWH0080
1595	적	C0FB	B8E2	FHWI0080
1596	전	C0FC	B8E5	FHWL0080
1597	절	C0FD	B8E9	FHWP0080
1598	젼	C0FE	B8EB	FHWR0080
1599	젼	C1A1	B8F1	FHWX0080
1600	젼	C1A2	B8F3	FHWZ0080
1601	젼	C1A3	B8F5	FHX10080
1602	젼	C1A4	B8F7	FHX30080
1603	젼	C1A5	B8F8	FHX40080
1604	제	C1A6	B941	FHXD0080
1605	젠	C1A7	B942	FHXE0080
1606	젠	C1A8	B945	FHXH0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
1607	젤	C1A9	B949	FHXL0080
1608	젼	C1AA	B951	FHXT0080
1609	젽	C1AB	B953	FHXV0080
1610	젿	C1AC	B955	FHXX0080
1611	쟁	C1AD	B957	FHXZ0080
1612	저	C1AE	B961	FHY90080
1613	전	C1AF	B965	FHYD0080
1614	절	C1B0	B969	FHYH0080
1615	점	C1B1	B971	FHYP0080
1616	접	C1B2	B973	FHYR0080
1617	젼	C1B3	B976	FHYU0080
1618	정	C1B4	B977	FHYV0080
1619	계	C1B5	B981	FHZ50080
1620	조	C1B6	B9A1	FI010080
1621	족	C1B7	B9A2	FI020080
1622	존	C1B8	B9A5	FI050080
1623	줄	C1B9	B9A9	FI090080
1624	쭈	C1BA	B9AB	FI0B0080
1625	쭈	C1BB	B9B1	FI0H0080
1626	쭈	C1BC	B9B3	FI0J0080
1627	쭈	C1BD	B9B5	FI0L0080
1628	쭈	C1BE	B9B7	FI0N0080
1629	쭈	C1BF	B9B8	FI0O0080
1630	쭈	C1C0	B9B9	FI0P0080
1631	쭈	C1C1	B9BD	FI0T0080
1632	쭈	C1C2	B9C1	FI0X0080

Line Number	Graphic	PC Code	Host Code	GCGID
1633	쭈	C1C3	B9C2	FI0Y0080
1634	쭈	C1C4	B9C9	FI150080
1635	쭈	C1C5	B9D3	FI1F0080
1636	쭈	C1C6	B9D5	FI1H0080
1637	쭈	C1C7	B9D7	FI1J0080
1638	쭈	C1C8	B9E1	FI1T0080
1639	쭈	C1C9	B9F6	FI2E0080
1640	쭈	C1CA	B9F7	FI2F0080
1641	쭈	C1CB	BA41	FI2P0080
1642	쭈	C1CC	BA45	FI2T0080
1643	쭈	C1CD	BA49	FI2X0080
1644	쭈	C1CE	BA51	FI350080
1645	쭈	C1CF	BA53	FI370080
1646	쭈	C1D0	BA55	FI390080
1647	쭈	C1D1	BA57	FI3B0080
1648	쭈	C1D2	BA61	FI3L0080
1649	쭈	C1D3	BA62	FI3M0080
1650	쭈	C1D4	BA65	FI3P0080
1651	쭈	C1D5	BA77	FI470080
1652	쭈	C1D6	BA81	FI4H0080
1653	쭈	C1D7	BA82	FI4I0080
1654	쭈	C1D8	BA85	FI4L0080
1655	쭈	C1D9	BA89	FI4P0080
1656	쭈	C1DA	BA8A	FI4Q0080
1657	쭈	C1DB	BA8B	FI4R0080
1658	쭈	C1DC	BA91	FI4X0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Table 14 (Page 4 of 17). Hangeul Set(2/2), DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
1659	줍	C1DD	BA93	FI4Z0080
1660	줏	C1DE	BA95	FI510080
1661	중	C1DF	BA97	FI530080
1662	쥐	C1E0	BAA1	FI5D0080
1663	줏	C1E1	BAB6	FI5Y0080
1664	줌	C1E2	BAC1	FI690080
1665	쥐	C1E3	BAE1	FI750080
1666	쥐	C1E4	BAE2	FI760080
1667	천	C1E5	BAE5	FI790080
1668	질	C1E6	BAE9	FI7D0080
1669	림	C1E7	BAF1	FI7L0080
1670	집	C1E8	BAF3	FI7N0080
1671	젯	C1E9	BAF5	FI7P0080
1672	쥬	C1EA	BB41	FI810080
1673	준	C1EB	BB45	FI850080
1674	줄	C1EC	BB49	FI890080
1675	즙	C1ED	BB51	FI8H0080
1676	즈	C1EE	BB61	FI8X0080
1677	죽	C1EF	BB62	FI8Y0080
1678	즌	C1F0	BB65	FI910080
1679	즐	C1F1	BB69	FI950080
1680	즙	C1F2	BB71	FI9D0080
1681	즙	C1F3	BB73	FI9F0080
1682	줏	C1F4	BB75	FI9H0080
1683	증	C1F5	BB77	FI9J0080
1684	지	C1F6	BBA1	FIAP0080

Table 14 (Page 4 of 17). Hangeul Set(2/2), DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
1685	직	C1F7	BBA2	FIAQ0080
1686	진	C1F8	BBA5	FIAT0080
1687	질	C1F9	BBA8	FIAW0080
1688	질	C1FA	BBA9	FIAX0080
1689	짐	C1FB	BBAB	FIAZ0080
1690	집	C1FC	BBB1	FIB50080
1691	집	C1FD	BBB3	FIB70080
1692	젯	C1FE	BBB5	FIB90080
1693	징	C2A1	BBB7	FIBB0080
1694	젯	C2A2	BBB8	FIBC0080
1695	질	C2A3	BBBB	FIBF0080
1696	질	C2A4	BBBC	FIBG0080
1697	짜	C2A5	BC61	FIE90080
1698	짜	C2A6	BC62	FIEA0080
1699	잔	C2A7	BC65	FIED0080
1700	짙	C2A8	BC67	FIEF0080
1701	짙	C2A9	BC69	FIEH0080
1702	짙	C2AA	BC6C	FIEK0080
1703	짙	C2AB	BC71	FIEP0080
1704	잡	C2AC	BC73	FIER0080
1705	짙	C2AD	BC75	FIET0080
1706	짙	C2AE	BC76	FIEU0080
1707	짙	C2AF	BC77	FIEV0080
1708	째	C2B0	BC81	FIF50080
1709	째	C2B1	BC82	FIF60080
1710	쟁	C2B2	BC85	FIF90080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Table 14 (Page 5 of 17). Hangeul Set(2/2), DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
1711	꺄	C2B3	BC89	FIFD0080
1712	꺅	C2B4	BC91	FIFL0080
1713	꺆	C2B5	BC93	FIFN0080
1714	꺇	C2B6	BC95	FIFP0080
1715	꺈	C2B7	BC96	FIFQ0080
1716	꺉	C2B8	BC97	FIFR0080
1717	꺊	C2B9	BCA1	FIG10080
1718	꺋	C2BA	BCA5	FIG50080
1719	꺌	C2BB	BCB7	FIGN0080
1720	꺍	C2BC	BCE1	FIHT0080
1721	꺎	C2BD	BCE2	FIHU0080
1722	꺏	C2BE	BCE5	FIHX0080
1723	꺑	C2BF	BCE9	FII10080
1724	꺒	C2C0	BCF1	FII90080
1725	꺓	C2C1	BCF3	FIIB0080
1726	꺔	C2C2	BCF5	FIID0080
1727	꺕	C2C3	BCF6	FIIE0080
1728	꺖	C2C4	BCF7	FIIF0080
1729	꺗	C2C5	BD41	FIIP0080
1730	꺘	C2C6	BD57	FIJB0080
1731	꺙	C2C7	BD61	FIJL0080
1732	꺚	C2C8	BD76	FIK60080
1733	꺛	C2C9	BDA1	FILD0080
1734	꺜	C2CA	BDA2	FILE0080
1735	꺝	C2CB	BDA5	FILH0080
1736	꺞	C2CC	BDA9	FILL0080

Table 14 (Page 5 of 17). Hangeul Set(2/2), DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
1737	꺟	C2CD	BDB1	FILT0080
1738	꺠	C2CE	BDB3	FILV0080
1739	꺡	C2CF	BDB5	FILX0080
1740	꺢	C2D0	BDB7	FILZ0080
1741	꺣	C2D1	BDB9	FIM10080
1742	꺤	C2D2	BDC1	FIM90080
1743	꺥	C2D3	BDC2	FIMA0080
1744	꺦	C2D4	BDC9	FIMH0080
1745	꺧	C2D5	BDD6	FIMU0080
1746	꺨	C2D6	BDE1	FIN50080
1747	꺩	C2D7	BDF6	FINQ0080
1748	꺪	C2D8	BE41	FIO10080
1749	꺫	C2D9	BE45	FIO50080
1750	꺬	C2DA	BE49	FIO90080
1751	꺭	C2DB	BE51	FIOH0080
1752	꺮	C2DC	BE53	FIOJ0080
1753	꺯	C2DD	BE77	FIPJ0080
1754	꺰	C2DE	BE81	FIPT0080
1755	꺱	C2DF	BE82	FIPU0080
1756	꺲	C2E0	BE85	FIPX0080
1757	꺳	C2E1	BE89	FIQ10080
1758	꺴	C2E2	BE91	FIQ90080
1759	꺵	C2E3	BE93	FIQB0080
1760	꺶	C2E4	BE97	FIQF0080
1761	꺷	C2E5	BEA1	FIQP0080
1762	꺸	C2E6	BEB6	FIRA0080



IBM Korean Graphic Character Set


DBCS - Host and DBCS - PC

Table 14 (Page 6 of 17). Hangeul Set(2/2), DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
1763	쨍	C2E7	BEB7	FIRB0080
1764	쨎	C2E8	BEE1	FISH0080
1765	쨏	C2E9	BF41	FITD0080
1766	쨐	C2EA	BF61	FIU90080
1767	쨑	C2EB	BF71	FIUP0080
1768	쨒	C2EC	BF75	FIUT0080
1769	쨓	C2ED	BF77	FIUV0080
1770	쨔	C2EE	BFA1	FIW10080
1771	쨕	C2EF	BFA2	FIW20080
1772	쨖	C2F0	BFA5	FIW50080
1773	쨗	C2F1	BFA9	FIW90080
1774	쨘	C2F2	BFB1	FIWH0080
1775	쨙	C2F3	BFB3	FIWJ0080
1776	쨚	C2F4	BFB7	FIWN0080
1777	쨛	C2F5	BFB8	FIWO0080
1778	쨜	C2F6	BFBD	FIWT0080
1779	차	C2F7	C061	FIZL0080
1780	착	C2F8	C062	FIZM0080
1781	찬	C2F9	C065	FIZP0080
1782	창	C2FA	C067	FIZR0080
1783	찰	C2FB	C069	FIZT0080
1784	참	C2FC	C071	FJ010080
1785	참	C2FD	C073	FJ030080
1786	차	C2FE	C075	FJ050080
1787	차	C3A1	C076	FJ060080
1788	창	C3A2	C077	FJ070080

Table 14 (Page 6 of 17). Hangeul Set(2/2), DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
1789	차	C3A3	C078	FJ080080
1790	채	C3A4	C081	FJ0H0080
1791	채	C3A5	C082	FJ0I0080
1792	채	C3A6	C085	FJ0L0080
1793	채	C3A7	C089	FJ0P0080
1794	채	C3A8	C091	FJ0X0080
1795	채	C3A9	C093	FJ0Z0080
1796	차	C3AA	C095	FJ110080
1797	차	C3AB	C096	FJ120080
1798	창	C3AC	C097	FJ130080
1799	차	C3AD	C0A1	FJ1D0080
1800	찬	C3AE	C0A5	FJ1H0080
1801	창	C3AF	C0A7	FJ1J0080
1802	찰	C3B0	C0A9	FJ1L0080
1803	참	C3B1	C0B1	FJ1T0080
1804	창	C3B2	C0B7	FJ1Z0080
1805	차	C3B3	C0E1	FJ350080
1806	차	C3B4	C0E2	FJ360080
1807	천	C3B5	C0E5	FJ390080
1808	찰	C3B6	C0E9	FJ3D0080
1809	참	C3B7	C0F1	FJ3L0080
1810	참	C3B8	C0F3	FJ3N0080
1811	차	C3B9	C0F5	FJ3P0080
1812	차	C3BA	C0F6	FJ3Q0080
1813	창	C3BB	C0F7	FJ3R0080
1814	체	C3BC	C141	FJ410080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Table 14 (Page 7 of 17). Hangeul Set(2/2), DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
1815	체	C3BD	C142	FJ420080
1816	첸	C3BE	C145	FJ450080
1817	첼	C3BF	C149	FJ490080
1818	첼	C3C0	C151	FJ4H0080
1819	첼	C3C1	C153	FJ4J0080
1820	첼	C3C2	C155	FJ4L0080
1821	첼	C3C3	C157	FJ4N0080
1822	처	C3C4	C161	FJ4X0080
1823	천	C3C5	C165	FJ5I0080
1824	첸	C3C6	C176	FJ5I0080
1825	체	C3C7	C181	FJ5T0080
1826	첸	C3C8	C185	FJ5X0080
1827	첼	C3C9	C197	FJ6F0080
1828	초	C3CA	C1A1	FJ6P0080
1829	축	C3CB	C1A2	FJ6Q0080
1830	춘	C3CC	C1A5	FJ6T0080
1831	출	C3CD	C1A9	FJ6X0080
1832	츄	C3CE	C1B1	FJ750080
1833	츄	C3CF	C1B3	FJ770080
1834	춧	C3D0	C1B5	FJ790080
1835	츄	C3D1	C1B7	FJ7B0080
1836	촛	C3D2	C1C1	FJ7L0080
1837	환	C3D3	C1C5	FJ7P0080
1838	환	C3D4	C1C9	FJ7T0080
1839	황	C3D5	C1D7	FJ870080
1840	최	C3D6	C241	FJ9D0080

Table 14 (Page 7 of 17). Hangeul Set(2/2), DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
1841	첸	C3D7	C245	FJ9H0080
1842	첼	C3D8	C249	FJ9L0080
1843	츄	C3D9	C251	FJ9T0080
1844	츄	C3DA	C253	FJ9V0080
1845	춧	C3DB	C255	FJ9X0080
1846	황	C3DC	C257	FJ9Z0080
1847	초	C3DD	C261	FJA90080
1848	츄	C3DE	C271	FJAP0080
1849	추	C3DF	C281	FJB50080
1850	축	C3E0	C282	FJB60080
1851	춘	C3E1	C285	FJB90080
1852	출	C3E2	C289	FJBD0080
1853	츄	C3E3	C291	FJBL0080
1854	츄	C3E4	C293	FJBN0080
1855	춧	C3E5	C295	FJBP0080
1856	츄	C3E6	C297	FJBR0080
1857	취	C3E7	C2A1	FJC10080
1858	첸	C3E8	C2B6	FJCM0080
1859	취	C3E9	C2C1	FJCX0080
1860	첸	C3EA	C2C5	FJD10080
1861	취	C3EB	C2E1	FJDT0080
1862	첸	C3EC	C2E5	FJDX0080
1863	첼	C3ED	C2E9	FJE10080
1864	츄	C3EE	C2F1	FJE90080
1865	츄	C3EF	C2F3	FJEB0080
1866	춧	C3F0	C2F5	FJED0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Table 14 (Page 8 of 17). Hangeul Set(2/2), DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
1867	형	C3F1	C2F7	FJEF0080
1868	쥬	C3F2	C341	FJEP0080
1869	춘	C3F3	C345	FJET0080
1870	출	C3F4	C349	FJEX0080
1871	츄	C3F5	C351	FJF50080
1872	충	C3F6	C357	FJFB0080
1873	츠	C3F7	C361	FJFL0080
1874	츄	C3F8	C362	FJFM0080
1875	츄	C3F9	C365	FJFP0080
1876	츄	C3FA	C369	FJFT0080
1877	츄	C3FB	C371	FJG10080
1878	츄	C3FC	C373	FJG30080
1879	츄	C3FD	C375	FJG50080
1880	츄	C3FE	C377	FJG70080
1881	치	C4A1	C3A1	FJHD0080
1882	칙	C4A2	C3A2	FJHE0080
1883	친	C4A3	C3A5	FJHH0080
1884	칠	C4A4	C3A8	FJHK0080
1885	칠	C4A5	C3A9	FJHL0080
1886	츄	C4A6	C3AA	FJHM0080
1887	침	C4A7	C3B1	FJHT0080
1888	칩	C4A8	C3B3	FJHV0080
1889	চিত	C4A9	C3B5	FJHX0080
1890	칭	C4AA	C3B7	FJHZ0080
1891	카	C4AB	C461	FJKX0080
1892	각	C4AC	C462	FJKY0080

Table 14 (Page 8 of 17). Hangeul Set(2/2), DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
1893	칸	C4AD	C465	FJL10080
1894	칼	C4AE	C469	FJL50080
1895	캠	C4AF	C471	FJLD0080
1896	캡	C4B0	C473	FJLF0080
1897	캣	C4B1	C475	FJLH0080
1898	캥	C4B2	C477	FJLJ0080
1899	캐	C4B3	C481	FJLT0080
1900	책	C4B4	C482	FJLU0080
1901	켄	C4B5	C485	FJLX0080
1902	켄	C4B6	C489	FJM10080
1903	캠	C4B7	C491	FJM90080
1904	캡	C4B8	C493	FJMB0080
1905	캣	C4B9	C495	FJMD0080
1906	캣	C4BA	C496	FJME0080
1907	캥	C4BB	C497	FJMF0080
1908	카	C4BC	C4A1	FJMP0080
1909	각	C4BD	C4A2	FJMQ0080
1910	캥	C4BE	C4B7	FJNB0080
1911	커	C4BF	C4E1	FJOH0080
1912	컻	C4C0	C4E2	FJOI0080
1913	컨	C4C1	C4E5	FJOL0080
1914	컨	C4C2	C4E8	FJOO0080
1915	켄	C4C3	C4E9	FJOP0080
1916	컴	C4C4	C4F1	FJOX0080
1917	컵	C4C5	C4F3	FJOZ0080
1918	컷	C4C6	C4F5	FJP10080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
1919	켰	C4C7	C4F6	FJP20080
1920	킹	C4C8	C4F7	FJP30080
1921	케	C4C9	C541	FJPD0080
1922	켈	C4CA	C542	FJPE0080
1923	켄	C4CB	C545	FJPH0080
1924	켈	C4CC	C549	FJPL0080
1925	켄	C4CD	C551	FJPT0080
1926	켄	C4CE	C553	FJPV0080
1927	켓	C4CF	C555	FJPX0080
1928	켄	C4D0	C557	FJPZ0080
1929	켜	C4D1	C561	FJQ90080
1930	켄	C4D2	C565	FJQD0080
1931	켄	C4D3	C569	FJQH0080
1932	켄	C4D4	C571	FJQP0080
1933	켄	C4D5	C573	FJQR0080
1934	켓	C4D6	C575	FJQT0080
1935	켰	C4D7	C576	FJQU0080
1936	킹	C4D8	C577	FJQV0080
1937	케	C4D9	C581	FJR50080
1938	코	C4DA	C5A1	FJS10080
1939	쿠	C4DB	C5A2	FJS20080
1940	콘	C4DC	C5A5	FJS50080
1941	콜	C4DD	C5A9	FJS90080
1942	콌	C4DE	C5B1	FJSH0080
1943	콌	C4DF	C5B3	FJSJ0080
1944	콌	C4E0	C5B5	FJSL0080

Line Number	Graphic	PC Code	Host Code	GCGID
1945	콩	C4E1	C5B7	FJSN0080
1946	콌	C4E2	C5C1	FJSX0080
1947	콌	C4E3	C5C2	FJSY0080
1948	콌	C4E4	C5C5	FJT10080
1949	콌	C4E5	C5C9	FJT50080
1950	콌	C4E6	C5D1	FJTD0080
1951	콌	C4E7	C5D7	FJTJ0080
1952	콌	C4E8	C5E1	FJTT0080
1953	콌	C4E9	C5F7	FJUF0080
1954	콌	C4EA	C641	FJUP0080
1955	콌	C4EB	C649	FJUX0080
1956	쿄	C4EC	C661	FJVL0080
1957	쿠	C4ED	C681	FJWH0080
1958	쿠	C4EE	C682	FJWI0080
1959	콘	C4EF	C685	FJWL0080
1960	콜	C4F0	C689	FJWP0080
1961	콌	C4F1	C691	FJWX0080
1962	콌	C4F2	C693	FJWZ0080
1963	콌	C4F3	C695	FJX10080
1964	콩	C4F4	C697	FJX30080
1965	콌	C4F5	C6A1	FJXD0080
1966	콌	C4F6	C6A5	FJXH0080
1967	콌	C4F7	C6A9	FJXL0080
1968	콌	C4F8	C6B7	FJXZ0080
1969	콌	C4F9	C6C1	FJY90080
1970	콌	C4FA	C6D7	FJYV0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Table 14 (Page 10 of 17). Hangeul Set(2/2), DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
1971	퀴	C4FB	C6E1	FJZ50080
1972	퀵	C4FC	C6E2	FJZ60080
1973	퀸	C4FD	C6E5	FJZ90080
1974	퀸	C4FE	C6E9	FJZD0080
1975	퀸	C5A1	C6F1	FJZL0080
1976	퀸	C5A2	C6F3	FJZN0080
1977	퀸	C5A3	C6F5	FJZP0080
1978	퀸	C5A4	C6F7	FJZR0080
1979	큐	C5A5	C741	FK010080
1980	큐	C5A6	C745	FK050080
1981	큐	C5A7	C749	FK090080
1982	큐	C5A8	C751	FK0H0080
1983	크	C5A9	C761	FK0X0080
1984	크	C5AA	C762	FK0Y0080
1985	큰	C5AB	C765	FK110080
1986	클	C5AC	C769	FK150080
1987	금	C5AD	C771	FK1D0080
1988	금	C5AE	C773	FK1F0080
1989	금	C5AF	C777	FK1J0080
1990	키	C5B0	C7A1	FK2P0080
1991	킵	C5B1	C7A2	FK2Q0080
1992	킨	C5B2	C7A5	FK2T0080
1993	킬	C5B3	C7A9	FK2X0080
1994	킴	C5B4	C7B1	FK350080
1995	킵	C5B5	C7B3	FK370080
1996	킷	C5B6	C7B5	FK390080

Table 14 (Page 10 of 17). Hangeul Set(2/2), DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
1997	킹	C5B7	C7B7	FK3B0080
1998	타	C5B8	C861	FK690080
1999	탁	C5B9	C862	FK6A0080
2000	탄	C5BA	C865	FK6D0080
2001	탈	C5BB	C869	FK6H0080
2002	탁	C5BC	C86A	FK6I0080
2003	탐	C5BD	C871	FK6P0080
2004	탑	C5BE	C873	FK6R0080
2005	탓	C5BF	C875	FK6T0080
2006	탓	C5C0	C876	FK6U0080
2007	탕	C5C1	C877	FK6V0080
2008	태	C5C2	C881	FK750080
2009	택	C5C3	C882	FK760080
2010	텐	C5C4	C885	FK790080
2011	텔	C5C5	C889	FK7D0080
2012	템	C5C6	C891	FK7L0080
2013	텨	C5C7	C893	FK7N0080
2014	텨	C5C8	C895	FK7P0080
2015	텨	C5C9	C896	FK7Q0080
2016	탱	C5CA	C897	FK7R0080
2017	타	C5CB	C8A1	FK810080
2018	탕	C5CC	C8B7	FK8N0080
2019	터	C5CD	C8E1	FK9T0080
2020	턱	C5CE	C8E2	FK9U0080
2021	턴	C5CF	C8E5	FK9X0080
2022	털	C5D0	C8E9	FKA10080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
2023	툼	C5D1	C8EB	FKA30080
2024	툼	C5D2	C8F1	FKA90080
2025	툼	C5D3	C8F3	FKAB0080
2026	툼	C5D4	C8F5	FKAD0080
2027	툼	C5D5	C8F6	FKAE0080
2028	툼	C5D6	C8F7	FKAF0080
2029	툼	C5D7	C941	FKAP0080
2030	툼	C5D8	C942	FKAQ0080
2031	툼	C5D9	C945	FKAT0080
2032	툼	C5DA	C949	FKAX0080
2033	툼	C5DB	C951	FKB50080
2034	툼	C5DC	C953	FKB70080
2035	툼	C5DD	C955	FKB90080
2036	툼	C5DE	C957	FKBB0080
2037	툼	C5DF	C961	FKBL0080
2038	툼	C5E0	C965	FKBP0080
2039	툼	C5E1	C976	FKC60080
2040	툼	C5E2	C981	FKCH0080
2041	툼	C5E3	C985	FKCL0080
2042	툼	C5E4	C9A1	FKDD0080
2043	툼	C5E5	C9A2	FKDE0080
2044	툼	C5E6	C9A5	FKDH0080
2045	툼	C5E7	C9A9	FKDL0080
2046	툼	C5E8	C9B1	FKDT0080
2047	툼	C5E9	C9B3	FKDV0080
2048	툼	C5EA	C9B5	FKDX0080

Line Number	Graphic	PC Code	Host Code	GCGID
2049	툼	C5EB	C9B7	FKDZ0080
2050	툼	C5EC	C9BC	FKE40080
2051	툼	C5ED	C9C1	FKE90080
2052	툼	C5EE	C9C5	FKED0080
2053	툼	C5EF	C9E1	FKF50080
2054	툼	C5F0	CA41	FKG10080
2055	툼	C5F1	CA45	FKG50080
2056	툼	C5F2	CA55	FKGL0080
2057	툼	C5F3	CA57	FKGN0080
2058	툼	C5F4	CA61	FKGX0080
2059	툼	C5F5	CA81	FKHT0080
2060	툼	C5F6	CA82	FKHU0080
2061	툼	C5F7	CA85	FKHX0080
2062	툼	C5F8	CA89	FKI10080
2063	툼	C5F9	CA91	FKI90080
2064	툼	C5FA	CA93	FKIB0080
2065	툼	C5FB	CA95	FKID0080
2066	툼	C5FC	CA97	FKIF0080
2067	툼	C5FD	CAA1	FKIP0080
2068	툼	C5FE	CAB6	FKJA0080
2069	툼	C6A1	CAC1	FKJL0080
2070	툼	C6A2	CAE1	FKKH0080
2071	툼	C6A3	CAE2	FKKI0080
2072	툼	C6A4	CAE5	FKKL0080
2073	툼	C6A5	CAE9	FKKP0080
2074	툼	C6A6	CAF1	FKKX0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Table 14 (Page 12 of 17). Hangeul Set(2/2), DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
2075	뵐	C6A7	CAF3	FKKZ0080
2076	뵎	C6A8	CAF7	FKL30080
2077	뵏	C6A9	CB41	FKLD0080
2078	뵑	C6AA	CB45	FKLH0080
2079	뵒	C6AB	CB49	FKLL0080
2080	뵓	C6AC	CB51	FKLT0080
2081	뵔	C6AD	CB57	FKLZ0080
2082	뵕	C6AE	CB61	FKM90080
2083	뵖	C6AF	CB62	FKMA0080
2084	뵗	C6B0	CB65	FKMD0080
2085	뵘	C6B1	CB68	FKMG0080
2086	뵙	C6B2	CB69	FKMH0080
2087	뵚	C6B3	CB6B	FKMJ0080
2088	뵛	C6B4	CB71	FKMP0080
2089	뵜	C6B5	CB73	FKMR0080
2090	뵝	C6B6	CB75	FKMT0080
2091	뵞	C6B7	CB81	FKN50080
2092	뵟	C6B8	CB85	FKN90080
2093	뵠	C6B9	CB89	FKND0080
2094	뵡	C6BA	CB91	FKNL0080
2095	뵢	C6BB	CB93	FKNN0080
2096	뵣	C6BC	CBA1	FKO10080
2097	뵤	C6BD	CBA2	FKO20080
2098	뵥	C6BE	CBA5	FKO50080
2099	뵦	C6BF	CBA9	FKO90080
2100	뵧	C6C0	CBB1	FKOH0080

Table 14 (Page 12 of 17). Hangeul Set(2/2), DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
2101	뵨	C6C1	CBB3	FKOJ0080
2102	뵩	C6C2	CBB5	FKOL0080
2103	뵪	C6C3	CBB7	FKON0080
2104	뵫	C6C4	CC61	FKRL0080
2105	뵬	C6C5	CC62	FKRM0080
2106	뵭	C6C6	CC63	FKRN0080
2107	뵮	C6C7	CC65	FKRP0080
2108	뵯	C6C8	CC69	FKRT0080
2109	뵰	C6C9	CC6B	FKRV0080
2110	뵱	C6CA	CC71	FKS10080
2111	뵲	C6CB	CC73	FKS30080
2112	뵳	C6CC	CC75	FKS50080
2113	뵴	C6CD	CC76	FKS60080
2114	뵵	C6CE	CC77	FKS70080
2115	뵶	C6CF	CC7B	FKSB0080
2116	뵷	C6D0	CC81	FKSH0080
2117	뵸	C6D1	CC82	FKSI0080
2118	뵹	C6D2	CC85	FKSL0080
2119	뵺	C6D3	CC89	FKSP0080
2120	뵻	C6D4	CC91	FKSX0080
2121	뵼	C6D5	CC93	FKSZ0080
2122	뵽	C6D6	CC95	FKT10080
2123	뵾	C6D7	CC96	FKT20080
2124	뵿	C6D8	CC97	FKT30080
2125	푈	C6D9	CCA1	FKTD0080
2126	푉	C6DA	CCA2	FKTE0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Table 14 (Page 13 of 17). Hangeul Set(2/2), DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
2127	퍼	C6DB	CCE1	FKV50080
2128	픽	C6DC	CCE2	FKV60080
2129	편	C6DD	CCE5	FKV90080
2130	필	C6DE	CCE9	FKVD0080
2131	핍	C6DF	CCF1	FKVL0080
2132	핑	C6E0	CCF3	FKVN0080
2133	멧	C6E1	CCF5	FKVP0080
2134	곶	C6E2	CCF6	FKVQ0080
2135	평	C6E3	CCF7	FKVR0080
2136	페	C6E4	CD41	FKW10080
2137	펙	C6E5	CD42	FKW20080
2138	펜	C6E6	CD45	FKW50080
2139	펠	C6E7	CD49	FKW90080
2140	웁	C6E8	CD51	FKWH0080
2141	웁	C6E9	CD53	FKWJ0080
2142	멧	C6EA	CD55	FKWL0080
2143	멩	C6EB	CD57	FKWN0080
2144	퍼	C6EC	CD61	FKWX0080
2145	편	C6ED	CD65	FKX10080
2146	필	C6EE	CD69	FKX50080
2147	핍	C6EF	CD71	FKXD0080
2148	핑	C6F0	CD73	FKXF0080
2149	곶	C6F1	CD76	FKXI0080
2150	평	C6F2	CD77	FKXJ0080
2151	페	C6F3	CD81	FKXT0080
2152	펠	C6F4	CD89	FKY10080

Table 14 (Page 13 of 17). Hangeul Set(2/2), DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
2153	웁	C6F5	CD93	FKYB0080
2154	멧	C6F6	CD95	FKYD0080
2155	포	C6F7	CDA1	FKYP0080
2156	푼	C6F8	CDA2	FKYQ0080
2157	푼	C6F9	CDA5	FKYT0080
2158	폴	C6FA	CDA9	FKYX0080
2159	품	C6FB	CDB1	FKZ50080
2160	푼	C6FC	CDB3	FKZ70080
2161	푼	C6FD	CDB5	FKZ90080
2162	푼	C6FE	CDB7	FKZB0080
2163	푼	C7A1	CDC1	FKZL0080
2164	왕	C7A2	CDD7	FL070080
2165	푼	C7A3	CE41	FL1D0080
2166	퀸	C7A4	CE45	FL1H0080
2167	표	C7A5	CE61	FL290080
2168	푼	C7A6	CE65	FL2D0080
2169	폴	C7A7	CE69	FL2H0080
2170	푼	C7A8	CE73	FL2R0080
2171	푼	C7A9	CE75	FL2T0080
2172	푸	C7AA	CE81	FL350080
2173	푼	C7AB	CE82	FL360080
2174	푼	C7AC	CE85	FL390080
2175	푼	C7AD	CE88	FL3C0080
2176	폴	C7AE	CE89	FL3D0080
2177	푼	C7AF	CE8B	FL3F0080
2178	품	C7B0	CE91	FL3L0080



IBM Korean Graphic Character Set


DBCS - Host and DBCS - PC

Table 14 (Page 14 of 17). Hangeul Set(2/2), DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
2179	품	C7B1	CE93	FL3N0080
2180	풋	C7B2	CE95	FL3P0080
2181	퐁	C7B3	CE97	FL3R0080
2182	퓌	C7B4	CEA1	FL410080
2183	퐁	C7B5	CEB7	FL4N0080
2184	퓌	C7B6	CEE1	FL5T0080
2185	퓌	C7B7	CEE5	FL5X0080
2186	퓌	C7B8	CEE9	FL610080
2187	퓌	C7B9	CEF1	FL690080
2188	퓌	C7BA	CEF5	FL6D0080
2189	퓌	C7BB	CF41	FL6P0080
2190	퓌	C7BC	CF45	FL6T0080
2191	퓌	C7BD	CF49	FL6X0080
2192	퓌	C7BE	CF51	FL750080
2193	퓌	C7BF	CF55	FL790080
2194	퓌	C7C0	CF57	FL7B0080
2195	프	C7C1	CF61	FL7L0080
2196	퓌	C7C2	CF65	FL7P0080
2197	퓌	C7C3	CF69	FL7T0080
2198	퓌	C7C4	CF71	FL810080
2199	퓌	C7C5	CF73	FL830080
2200	퓌	C7C6	CF75	FL850080
2201	피	C7C7	CFA1	FL9D0080
2202	픽	C7C8	CFA2	FL9E0080
2203	핀	C7C9	CFA5	FL9H0080
2204	필	C7CA	CFA9	FL9L0080

Table 14 (Page 14 of 17). Hangeul Set(2/2), DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
2205	퓌	C7CB	CFB1	FL9T0080
2206	퓌	C7CC	CFB3	FL9V0080
2207	퓌	C7CD	CFB5	FL9X0080
2208	퓌	C7CE	CFB7	FL9Z0080
2209	하	C7CF	D061	FLCX0080
2210	학	C7D0	D062	FLCY0080
2211	한	C7D1	D065	FLD10080
2212	할	C7D2	D069	FLD50080
2213	할	C7D3	D06E	FLDA0080
2214	함	C7D4	D071	FLDD0080
2215	합	C7D5	D073	FLDF0080
2216	햇	C7D6	D075	FLDH0080
2217	항	C7D7	D077	FLDJ0080
2218	해	C7D8	D081	FLDT0080
2219	핵	C7D9	D082	FLDU0080
2220	헨	C7DA	D085	FLDX0080
2221	헬	C7DB	D089	FLE10080
2222	햄	C7DC	D091	FLE90080
2223	햅	C7DD	D093	FLEB0080
2224	햇	C7DE	D095	FLED0080
2225	했	C7DF	D096	FLEE0080
2226	행	C7E0	D097	FLEF0080
2227	햐	C7E1	D0A1	FLEP0080
2228	향	C7E2	D0B7	FLFB0080
2229	허	C7E3	D0E1	FLGH0080
2230	혁	C7E4	D0E2	FLGI0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Table 14 (Page 15 of 17). Hangeul Set(2/2), DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
2231	현	C7E5	D0E5	FLGL0080
2232	혈	C7E6	D0E9	FLGP0080
2233	협	C7E7	D0EB	FLGR0080
2234	협	C7E8	D0F1	FLGX0080
2235	협	C7E9	D0F3	FLGZ0080
2236	헛	C7EA	D0F5	FLH10080
2237	형	C7EB	D0F7	FLH30080
2238	혜	C7EC	D141	FLHD0080
2239	혁	C7ED	D142	FLHE0080
2240	현	C7EE	D145	FLHH0080
2241	혈	C7EF	D149	FLHL0080
2242	협	C7F0	D151	FLHT0080
2243	협	C7F1	D153	FLHV0080
2244	헛	C7F2	D155	FLHX0080
2245	형	C7F3	D157	FLHZ0080
2246	허	C7F4	D161	FLI90080
2247	혁	C7F5	D162	FLIA0080
2248	현	C7F6	D165	FLID0080
2249	혈	C7F7	D169	FLIH0080
2250	협	C7F8	D171	FLIP0080
2251	협	C7F9	D173	FLIR0080
2252	헛	C7FA	D175	FLIT0080
2253	헛	C7FB	D176	FLIU0080
2254	형	C7FC	D177	FLIV0080
2255	혜	C7FD	D181	FLJ50080
2256	헨	C7FE	D185	FLJ90080

Table 14 (Page 15 of 17). Hangeul Set(2/2), DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
2257	혈	C8A1	D189	FLJD0080
2258	협	C8A2	D193	FLJN0080
2259	호	C8A3	D1A1	FLK10080
2260	후	C8A4	D1A2	FLK20080
2261	후	C8A5	D1A5	FLK50080
2262	후	C8A6	D1A9	FLK90080
2263	후	C8A7	D1AE	FLKE0080
2264	후	C8A8	D1B1	FLKH0080
2265	후	C8A9	D1B3	FLKJ0080
2266	후	C8AA	D1B5	FLKL0080
2267	후	C8AB	D1B7	FLKN0080
2268	후	C8AC	D1BB	FLKR0080
2269	화	C8AD	D1C1	FLKX0080
2270	확	C8AE	D1C2	FLKY0080
2271	환	C8AF	D1C5	FLL10080
2272	활	C8B0	D1C9	FLL50080
2273	왓	C8B1	D1D5	FLLH0080
2274	황	C8B2	D1D7	FLLJ0080
2275	회	C8B3	D1E1	FLLT0080
2276	획	C8B4	D1E2	FLLU0080
2277	환	C8B5	D1E5	FLLX0080
2278	왓	C8B6	D1F5	FLMD0080
2279	행	C8B7	D1F7	FLMF0080
2280	회	C8B8	D241	FLMP0080
2281	획	C8B9	D242	FLMQ0080
2282	윈	C8BA	D245	FLMT0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Table 14 (Page 16 of 17). Hangeul Set(2/2), DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
2283	휠	C8BB	D249	FLMX0080
2284	휩	C8BC	D253	FLN70080
2285	휨	C8BD	D255	FLN90080
2286	휯	C8BE	D257	FLNB0080
2287	효	C8BF	D261	FLNL0080
2288	훈	C8C0	D265	FLNP0080
2289	홀	C8C1	D269	FLNT0080
2290	흙	C8C2	D273	FLO30080
2291	흣	C8C3	D275	FLO50080
2292	후	C8C4	D281	FLOH0080
2293	흫	C8C5	D282	FLOI0080
2294	훈	C8C6	D285	FLOL0080
2295	홀	C8C7	D289	FLOP0080
2296	흙	C8C8	D28E	FLOU0080
2297	흙	C8C9	D291	FLOX0080
2298	흣	C8CA	D295	FLP10080
2299	흙	C8CB	D297	FLP30080
2300	휘	C8CC	D2A1	FLPD0080
2301	휨	C8CD	D2A5	FLPH0080
2302	휨	C8CE	D2A9	FLPL0080
2303	휩	C8CF	D2B1	FLPT0080
2304	휯	C8D0	D2B7	FLPZ0080
2305	휨	C8D1	D2C1	FLQ90080
2306	휩	C8D2	D2C2	FLQA0080
2307	휨	C8D3	D2C5	FLQD0080
2308	휨	C8D4	D2C9	FLQH0080

Table 14 (Page 16 of 17). Hangeul Set(2/2), DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
2309	휯	C8D5	D2D7	FLQV0080
2310	휨	C8D6	D2E1	FLR50080
2311	휨	C8D7	D2E2	FLR60080
2312	휨	C8D8	D2E5	FLR90080
2313	휨	C8D9	D2E9	FLRD0080
2314	휩	C8DA	D2F1	FLRL0080
2315	휩	C8DB	D2F3	FLRN0080
2316	휨	C8DC	D2F5	FLRP0080
2317	휯	C8DD	D2F7	FLRR0080
2318	흣	C8DE	D341	FLS10080
2319	흣	C8DF	D342	FLS20080
2320	흣	C8E0	D345	FLS50080
2321	흣	C8E1	D349	FLS90080
2322	흣	C8E2	D351	FLSH0080
2323	흣	C8E3	D355	FLSL0080
2324	흣	C8E4	D357	FLSN0080
2325	흐	C8E5	D361	FLSX0080
2326	후	C8E6	D362	FLSY0080
2327	훈	C8E7	D365	FLT10080
2328	흣	C8E8	D367	FLT30080
2329	훈	C8E9	D368	FLT40080
2330	홀	C8EA	D369	FLT50080
2331	흣	C8EB	D36A	FLT60080
2332	흣	C8EC	D371	FLTD0080
2333	흣	C8ED	D373	FLTF0080
2334	흣	C8EE	D375	FLTH0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Table 14 (Page 17 of 17). Hangeul Set(2/2), DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
2335	흥	C8EF	D377	FLTJ0080
2336	흠	C8F0	D37B	FLTN0080
2337	희	C8F1	D381	FLTT0080
2338	흰	C8F2	D385	FLTX0080
2339	휼	C8F3	D389	FLU10080
2340	힘	C8F4	D391	FLU90080
2341	힝	C8F5	D393	FLUB0080
2342	힙	C8F6	D397	FLUF0080
2343	히	C8F7	D3A1	FLUP0080
2344	힉	C8F8	D3A2	FLUQ0080
2345	힌	C8F9	D3A5	FLUT0080
2346	힐	C8FA	D3A9	FLUX0080
2347	힘	C8FB	D3B1	FLV50080
2348	힉	C8FC	D3B3	FLV70080
2349	힉	C8FD	D3B5	FLV90080
2350	힉	C8FE	D3B7	FLVB0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

9.5 Hanja Set(1/3)

Table 15 (Page 1 of 31). Hanja Set(1/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
1	伽	CAA1	5041	F2DD0080
2	佳	CAA2	5042	F2DE0080
3	假	CAA3	5043	F2DF0080
4	價	CAA4	5044	F2DG0080
5	加	CAA5	5045	F2DH0080
6	可	CAA6	5046	F2DI0080
7	呵	CAA7	5047	F2DJ0080
8	哥	CAA8	5048	F2DK0080
9	嘉	CAA9	5049	F2DL0080
10	嫁	CAAA	504A	F2DM0080
11	家	CAAB	504B	F2DN0080
12	暇	CAAC	504C	F2DO0080
13	架	CAAD	504E	F2DQ0080
14	枷	CAAE	6841	F5XD0080
15	柯	CAAF	504D	F2DP0080
16	歌	CAB0	504F	F2DR0080
17	珂	CAB1	6842	F5XE0080
18	痂	CAB2	6843	F5XF0080
19	稼	CAB3	5050	F2DS0080
20	苛	CAB4	5051	F2DT0080
21	茄	CAB5	5052	F2DU0080
22	街	CAB6	5053	F2DV0080
23	袈	CAB7	5054	F2DW0080
24	訶	CAB8	5055	F2DX0080
25	賈	CAB9	5056	F2DY0080

Table 15 (Page 1 of 31). Hanja Set(1/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
26	跏	CABA	5057	F2DZ0080
27	軻	CABB	5058	F2E00080
28	迦	CABC	5059	F2E10080
29	駕	CABD	505A	F2E20080
30	刻	CABE	505B	F2E30080
31	却	CABF	505C	F2E40080
32	各	CAC0	505D	F2E50080
33	恪	CAC1	505F	F2E70080
34	慤	CAC2	6844	F5XG0080
35	殼	CAC3	5061	F2E90080
36	珏	CAC4	5062	F2EA0080
37	脚	CAC5	5063	F2EB0080
38	覺	CAC6	5064	F2EC0080
39	角	CAC7	5065	F2ED0080
40	閣	CAC8	5066	F2EE0080
41	侃	CAC9	6845	F5XH0080
42	刊	CACA	5067	F2EF0080
43	壘	CACB	5068	F2EG0080
44	奸	CACC	5069	F2EH0080
45	姦	CACD	506A	F2EI0080
46	干	CACE	506B	F2EJ0080
47	幹	CACF	506C	F2EK0080
48	懇	CAD0	506D	F2EL0080
49	揀	CAD1	506E	F2EM0080
50	杆	CAD2	506F	F2EN0080
51	柬	CAD3	6846	F5XI0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
52	桿	CAD4	6847	F5XJ0080
53	澗	CAD5	5070	F2EO0080
54	癩	CAD6	5071	F2EP0080
55	看	CAD7	5072	F2EQ0080
56	礪	CAD8	6848	F5XK0080
57	稈	CAD9	5073	F2ER0080
58	竿	CADA	5074	F2ES0080
59	簡	CADB	5075	F2ET0080
60	肝	CADC	5078	F2EW0080
61	艮	CADD	5076	F2EU0080
62	艱	CADE	5077	F2EV0080
63	諫	CADF	5079	F2EX0080
64	間	CAE0	507A	F2EY0080
65	芑	CAE1	507B	F2EZ0080
66	喝	CAE2	507C	F2F00080
67	曷	CAE3	507D	F2F10080
68	渴	CAE4	507E	F2F20080
69	碣	CAE5	507F	F2F30080
70	竭	CAE6	5080	F2F40080
71	葛	CAE7	5083	F2F70080
72	褐	CAE8	5081	F2F50080
73	蝎	CAE9	6849	F5XL0080
74	鞞	CAEA	5084	F2F80080
75	勘	CAEB	5085	F2F90080
76	坎	CAEC	5086	F2FA0080
77	堪	CAED	5087	F2FB0080

Line Number	Graphic	PC Code	Host Code	GCGID
78	嵌	CAEE	5088	F2FC0080
79	感	CAEF	5089	F2FD0080
80	憾	CAF0	508A	F2FE0080
81	戡	CAF1	684A	F5XM0080
82	敢	CAF2	508B	F2FF0080
83	柑	CAF3	508C	F2FG0080
84	橄	CAF4	508D	F2FH0080
85	減	CAF5	508E	F2FI0080
86	甘	CAF6	508F	F2FJ0080
87	疖	CAF7	5090	F2FK0080
88	監	CAF8	5091	F2FL0080
89	瞰	CAF9	684B	F5XN0080
90	紺	CAFA	5092	F2FM0080
91	邯	CAFB	684C	F5XO0080
92	鑑	CAFC	5094	F2FO0080
93	鑿	CAFD	684D	F5XP0080
94	龕	CAFE	5095	F2FP0080
95	匣	CBA1	5096	F2FQ0080
96	岬	CBA2	5097	F2FR0080
97	甲	CBA3	5098	F2FS0080
98	胛	CBA4	5099	F2FT0080
99	鉀	CBA5	509A	F2FU0080
100	闍	CBA6	509B	F2FV0080
101	剛	CBA7	509D	F2FX0080
102	塙	CBA8	684E	F5XQ0080
103	姜	CBA9	509E	F2FY0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Table 15 (Page 3 of 31). Hanja Set(1/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
104	岡	CBAA	509C	F2FW0080
105	崗	CBAB	509F	F2FZ0080
106	康	CBAC	50A0	F2G00080
107	強	CBAD	50A1	F2G10080
108	彊	CBAE	50A2	F2G20080
109	慷	CBAF	50A3	F2G30080
110	江	CBB0	50A4	F2G40080
111	薑	CBB1	684F	F5XR0080
112	疆	CBB2	50A5	F2G50080
113	糠	CBB3	50A8	F2G80080
114	絳	CBB4	6850	F5XS0080
115	綱	CBB5	50A6	F2G60080
116	羌	CBB6	6851	F5XT0080
117	腔	CBB7	50A9	F2G90080
118	缸	CBB8	6852	F5XU0080
119	薑	CBB9	50AA	F2GA0080
120	襪	CBBA	50A7	F2G70080
121	講	CBBB	50AB	F2GB0080
122	鋼	CBBC	50AC	F2GC0080
123	降	CBBD	50AD	F2GD0080
124	鑿	CBBE	6853	F5XV0080
125	介	CBBF	50AE	F2GE0080
126	价	CBC0	50AF	F2GF0080
127	個	CBC1	50B0	F2GG0080
128	凱	CBC2	50B1	F2GH0080
129	塏	CBC3	6854	F5XW0080

Table 15 (Page 3 of 31). Hanja Set(1/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
130	愷	CBC4	50B2	F2GI0080
131	愷	CBC5	50B3	F2GJ0080
132	慨	CBC6	50B4	F2GK0080
133	改	CBC7	50B5	F2GL0080
134	概	CBC8	50B6	F2GM0080
135	漑	CBC9	50B7	F2GN0080
136	疥	CBCA	50B8	F2GO0080
137	皆	CBCB	50B9	F2GP0080
138	盖	CBCC	50BA	F2GQ0080
139	箇	CBCD	50BB	F2GR0080
140	芥	CBCE	50BC	F2GS0080
141	蓋	CBCF	50BD	F2GT0080
142	豈	CBD0	6855	F5XX0080
143	鎧	CBD1	6856	F5XY0080
144	開	CBD2	50BE	F2GU0080
145	喀	CBD3	6857	F5XZ0080
146	客	CBD4	50BF	F2GV0080
147	坑	CBD5	50C0	F2GW0080
148	更	CBD6	50C1	F2GX0080
149	粳	CBD7	50C2	F2GY0080
150	羹	CBD8	50C3	F2GZ0080
151	醴	CBD9	50C4	F2H00080
152	倨	CBDA	6858	F5Y00080
153	去	CBDB	50C5	F2H10080
154	居	CBDC	50C6	F2H20080
155	巨	CBDD	50C7	F2H30080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
156	拒	CBDE	50C8	F2H40080
157	据	CBDF	50C9	F2H50080
158	據	CBE0	50CA	F2H60080
159	舉	CBE1	50CD	F2H90080
160	渠	CBE2	50CB	F2H70080
161	炬	CBE3	50CC	F2H80080
162	祛	CBE4	6859	F5Y10080
163	距	CBE5	50CE	F2HA0080
164	踞	CBE6	685A	F5Y20080
165	車	CBE7	50D0	F2HC0080
166	遽	CBE8	50CF	F2HB0080
167	鉅	CBE9	685B	F5Y30080
168	鋸	CBEA	50D2	F2HE0080
169	乾	CBEB	50D3	F2HF0080
170	件	CBEC	50D4	F2HG0080
171	健	CBED	50D5	F2HH0080
172	巾	CBEE	50D6	F2HI0080
173	建	CBEF	50D7	F2HJ0080
174	愆	CBF0	50D8	F2HK0080
175	楨	CBF1	685C	F5Y40080
176	臄	CBF2	685D	F5Y50080
177	虔	CBF3	50D9	F2HL0080
178	蹇	CBF4	50DA	F2HM0080
179	鍵	CBF5	50DB	F2HN0080
180	騫	CBF6	50DC	F2HO0080
181	乞	CBF7	50DD	F2HP0080

Line Number	Graphic	PC Code	Host Code	GCGID
182	傑	CBF8	50DE	F2HQ0080
183	杰	CBF9	50DF	F2HR0080
184	桀	CBFA	685E	F5Y60080
185	儉	CBFB	50E0	F2HS0080
186	劍	CBFC	50E1	F2HT0080
187	劒	CBFD	685F	F5Y70080
188	檢	CBFE	50E2	F2HU0080
189	臉	CCA1	50E3	F2HV0080
190	鈐	CCA2	6860	F5Y80080
191	黔	CCA3	50E4	F2HW0080
192	劫	CCA4	50E5	F2HX0080
193	怯	CCA5	50E6	F2HY0080
194	迭	CCA6	6861	F5Y90080
195	偈	CCA7	50E7	F2HZ0080
196	憇	CCA8	50E8	F2I00080
197	揭	CCA9	50E9	F2I10080
198	擊	CCAA	50EA	F2I20080
199	格	CCAB	50EB	F2I30080
200	檄	CCAC	50EC	F2I40080
201	激	CCAD	50ED	F2I50080
202	膈	CCAE	6862	F5YA0080
203	覘	CCAF	50EE	F2I60080
204	隔	CCB0	50EF	F2I70080
205	堅	CCB1	50F1	F2I90080
206	牽	CCB2	50F3	F2IB0080
207	犬	CCB3	50F4	F2IC0080




IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Table 15 (Page 5 of 31). Hanja Set(1/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
208	甄	CCB4	50F5	F2ID0080
209	絹	CCB5	50F6	F2IE0080
210	繭	CCB6	50F7	F2IF0080
211	肩	CCB7	50F2	F2IA0080
212	見	CCB8	50F8	F2IG0080
213	譴	CCB9	50F9	F2IH0080
214	遣	CCBA	50FA	F2II0080
215	鵠	CCBB	50FB	F2IJ0080
216	抉	CCBC	6863	F5YB0080
217	決	CCBD	50FD	F2IL0080
218	潔	CCBE	50FC	F2IK0080
219	結	CCBF	50FE	F2IM0080
220	缺	CCC0	5141	F2IP0080
221	訣	CCC1	5142	F2IQ0080
222	兼	CCC2	5143	F2IR0080
223	慊	CCC3	5144	F2IS0080
224	箝	CCC4	5145	F2IT0080
225	謙	CCC5	5147	F2IV0080
226	鉗	CCC6	6864	F5YC0080
227	鎌	CCC7	5148	F2IW0080
228	京	CCC8	5149	F2IX0080
229	徑	CCC9	6865	F5YD0080
230	惊	CCCA	6866	F5YE0080
231	傾	CCCB	514A	F2IY0080
232	徹	CCCC	6867	F5YF0080
233	勁	CCCD	514B	F2IZ0080

Table 15 (Page 5 of 31). Hanja Set(1/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
234	勅	CCCE	514C	F2J00080
235	卿	CCCF	514D	F2J10080
236	垆	CCD0	6868	F5YG0080
237	境	CCD1	514F	F2J30080
238	庚	CCD2	5150	F2J40080
239	徑	CCD3	5151	F2J50080
240	慶	CCD4	5152	F2J60080
241	憬	CCD5	6869	F5YH0080
242	擎	CCD6	5155	F2J90080
243	敬	CCD7	5156	F2JA0080
244	景	CCD8	5157	F2JB0080
245	曠	CCD9	5153	F2J70080
246	更	CCDA	5158	F2JC0080
247	梗	CCDB	5159	F2JD0080
248	涇	CCDC	515B	F2JF0080
249	炅	CCDD	515C	F2JG0080
250	罔	CCDE	686A	F5YI0080
251	璟	CCDF	515E	F2JI0080
252	礲	CCE0	686B	F5YJ0080
253	瓊	CCE1	515F	F2JJ0080
254	瘞	CCE2	5161	F2JL0080
255	硬	CCE3	5162	F2JM0080
256	磬	CCE4	5163	F2JN0080
257	竟	CCE5	5164	F2JO0080
258	競	CCE6	5165	F2JP0080
259	綱	CCE7	5166	F2JQ0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
260	經	CCE8	5167	F2JR0080
261	耕	CCE9	5168	F2JS0080
262	耿	CCEA	5169	F2JT0080
263	脛	CCEB	516A	F2JU0080
264	莖	CCEC	516B	F2JV0080
265	警	CCED	516C	F2JW0080
266	輕	CCEE	516D	F2JX0080
267	逕	CCEF	516E	F2JY0080
268	鏡	CCF0	516F	F2JZ0080
269	頃	CCF1	5170	F2K00080
270	頸	CCF2	5171	F2K10080
271	驚	CCF3	5172	F2K20080
272	鯨	CCF4	5173	F2K30080
273	係	CCF5	5174	F2K40080
274	啓	CCF6	5175	F2K50080
275	界	CCF7	686C	F5YK0080
276	契	CCF8	5176	F2K60080
277	季	CCF9	5177	F2K70080
278	屆	CCFA	5178	F2K80080
279	悻	CCFB	5179	F2K90080
280	戒	CCFC	517A	F2KA0080
281	桂	CCFD	517B	F2KB0080
282	械	CCFE	517C	F2KC0080
283	槩	CDA1	686D	F5YL0080
284	溪	CDA2	517D	F2KD0080
285	界	CDA3	517E	F2KE0080

Line Number	Graphic	PC Code	Host Code	GCGID
286	癸	CDA4	517F	F2KF0080
287	磳	CDA5	5180	F2KG0080
288	稽	CDA6	5182	F2KI0080
289	系	CDA7	5183	F2KJ0080
290	繫	CDA8	5184	F2KK0080
291	繼	CDA9	5185	F2KL0080
292	計	CDA0	5186	F2KM0080
293	誠	CDAB	5187	F2KN0080
294	谿	CDAC	5189	F2KP0080
295	階	CDAD	5188	F2KO0080
296	鷄	CDAE	518B	F2KR0080
297	古	CDAF	518D	F2KT0080
298	叩	CDB0	518C	F2KS0080
299	告	CDB1	518E	F2KU0080
300	呱	CDB2	518F	F2KV0080
301	固	CDB3	5190	F2KW0080
302	姑	CDB4	5191	F2KX0080
303	孤	CDB5	5192	F2KY0080
304	尻	CDB6	686E	F5YM0080
305	庫	CDB7	5193	F2KZ0080
306	拷	CDB8	5194	F2L00080
307	攷	CDB9	5195	F2L10080
308	故	CDBA	5196	F2L20080
309	敲	CDBB	5197	F2L30080
310	鬻	CDBC	686F	F5YN0080
311	枯	CDBD	5198	F2L40080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Table 15 (Page 7 of 31). Hanja Set(1/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
312	稿	CDBE	6870	F5YO0080
313	沽	CDBF	519A	F2L60080
314	痼	CDC0	519B	F2L70080
315	皐	CDC1	519C	F2L80080
316	辜	CDC2	51A0	F2LC0080
317	稿	CDC3	519F	F2LB0080
318	羔	CDC4	6871	F5YP0080
319	考	CDC5	51A1	F2LD0080
320	股	CDC6	51A2	F2LE0080
321	膏	CDC7	51A3	F2LF0080
322	苦	CDC8	51A4	F2LG0080
323	苾	CDC9	6872	F5YQ0080
324	菰	CDCA	6873	F5YR0080
325	藁	CDCB	51A5	F2LH0080
326	蠱	CDCC	519D	F2L90080
327	袴	CDCD	51A6	F2LI0080
328	誥	CDCE	51A8	F2LK0080
329	賈	CDCF	51A9	F2LL0080
330	辜	CDD0	51AA	F2LM0080
331	錮	CDD1	51AB	F2LN0080
332	雇	CDD2	51AC	F2LO0080
333	顧	CDD3	51AD	F2LP0080
334	高	CDD4	51AE	F2LQ0080
335	鼓	CDD5	51AF	F2LR0080
336	哭	CDD6	51B0	F2LS0080
337	斛	CDD7	51B1	F2LT0080

Table 15 (Page 7 of 31). Hanja Set(1/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
338	曲	CDD8	51B2	F2LU0080
339	楛	CDD9	51B3	F2LV0080
340	穀	CDDA	51B4	F2LW0080
341	谷	CDDB	51B5	F2LX0080
342	鵠	CDDC	51B6	F2LY0080
343	困	CDDD	51B7	F2LZ0080
344	坤	CDDE	51B8	F2M00080
345	崑	CDDF	51B9	F2M10080
346	昆	CDE0	51BA	F2M20080
347	梱	CDE1	51BB	F2M30080
348	棍	CDE2	51BC	F2M40080
349	滾	CDE3	51BD	F2M50080
350	琨	CDE4	6874	F5YS0080
351	袞	CDE5	51BE	F2M60080
352	鯤	CDE6	6875	F5YT0080
353	汨	CDE7	51BF	F2M70080
354	滑	CDE8	51C0	F2M80080
355	骨	CDE9	51C1	F2M90080
356	供	CDEA	51C2	F2MA0080
357	公	CDEB	51C3	F2MB0080
358	共	CDEC	51C4	F2MC0080
359	功	CDED	51C5	F2MD0080
360	孔	CDEE	51C6	F2ME0080
361	工	CDEF	51C7	F2MF0080
362	恐	CDF0	51CA	F2MI0080
363	恭	CDF1	51C9	F2MH0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
364	拱	CDF2	51CB	F2MJ0080
365	控	CDF3	51CC	F2MK0080
366	攻	CDF4	51CD	F2ML0080
367	珙	CDF5	6876	F5YU0080
368	空	CDF6	51D0	F2MO0080
369	蚣	CDF7	6877	F5YV0080
370	貢	CDF8	51C8	F2MG0080
371	鞏	CDF9	6878	F5YW0080
372	串	CDFA	6879	F5YX0080
373	寡	CDFB	51D2	F2MQ0080
374	戈	CDFC	51D3	F2MR0080
375	果	CDFD	51D4	F2MS0080
376	瓜	CDFE	51D5	F2MT0080
377	科	CEA1	51D6	F2MU0080
378	菓	CEA2	51D7	F2MV0080
379	誇	CEA3	51D9	F2MX0080
380	課	CEA4	51DA	F2MY0080
381	跨	CEA5	687A	F5YY0080
382	過	CEA6	51DB	F2MZ0080
383	鍋	CEA7	687B	F5YZ0080
384	顛	CEA8	51DC	F2N00080
385	廓	CEA9	51DD	F2N10080
386	榔	CEAA	51DE	F2N20080
387	藿	CEAB	51DF	F2N30080
388	郭	CEAC	51E0	F2N40080
389	串	CEAD	51E2	F2N60080

Line Number	Graphic	PC Code	Host Code	GCGID
390	冠	CEAE	51E3	F2N70080
391	官	CEAF	51E4	F2N80080
392	寬	CEB0	51E5	F2N90080
393	慣	CEB1	51E6	F2NA0080
394	棺	CEB2	51E7	F2NB0080
395	款	CEB3	51E9	F2ND0080
396	灌	CEB4	51EA	F2NE0080
397	琯	CEB5	687C	F5Z00080
398	瓘	CEB6	51E8	F2NC0080
399	管	CEB7	51EC	F2NG0080
400	罐	CEB8	51ED	F2NH0080
401	菅	CEB9	51EE	F2NI0080
402	觀	CEBA	51EF	F2NJ0080
403	貫	CEBB	51F0	F2NK0080
404	關	CEBC	51F1	F2NL0080
405	館	CEBD	51F2	F2NM0080
406	刮	CEBE	51F4	F2NO0080
407	忽	CEBF	51F5	F2NP0080
408	括	CEC0	51F6	F2NQ0080
409	适	CEC1	51F7	F2NR0080
410	侷	CEC2	687D	F5Z10080
411	光	CEC3	51F8	F2NS0080
412	匡	CEC4	51F9	F2NT0080
413	壙	CEC5	51FA	F2NU0080
414	廣	CEC6	51FB	F2NV0080
415	曠	CEC7	51FC	F2NW0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Table 15 (Page 9 of 31). Hanja Set(1/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
416	洗	CEC8	51FD	F2NX0080
417	眈	CEC9	687E	F5Z20080
418	狂	CECA	51FE	F2NY0080
419	琫	CECB	5241	F2O10080
420	筐	CECC	5242	F2O20080
421	胱	CECD	5243	F2O30080
422	鑛	CECE	5244	F2O40080
423	卦	CECF	5245	F2O50080
424	掛	CED0	5246	F2O60080
425	罫	CED1	5247	F2O70080
426	乖	CED2	5248	F2O80080
427	傀	CED3	5249	F2O90080
428	塊	CED4	524A	F2OA0080
429	壞	CED5	524B	F2OB0080
430	怪	CED6	524C	F2OC0080
431	愧	CED7	524D	F2OD0080
432	拐	CED8	524E	F2OE0080
433	槐	CED9	524F	F2OF0080
434	魁	CEDA	5250	F2OG0080
435	宏	CEDB	5251	F2OH0080
436	紘	CEDC	5252	F2OI0080
437	肱	CEDD	5253	F2OJ0080
438	轟	CEDE	5254	F2OK0080
439	交	CEDF	5255	F2OL0080
440	僑	CEE0	5256	F2OM0080
441	咬	CEE1	5257	F2ON0080

Table 15 (Page 9 of 31). Hanja Set(1/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
442	喬	CEE2	5258	F2OO0080
443	嬌	CEE3	5259	F2OP0080
444	嶠	CEE4	525A	F2OQ0080
445	巧	CEE5	525B	F2OR0080
446	攪	CEE6	525D	F2OT0080
447	教	CEE7	525C	F2OS0080
448	校	CEE8	525E	F2OU0080
449	橋	CEE9	525F	F2OV0080
450	狡	CEEA	5260	F2OW0080
451	皎	CEEB	5261	F2OX0080
452	矯	CEEC	5262	F2OY0080
453	絞	CEED	5263	F2OZ0080
454	翹	CEEE	5264	F2P00080
455	膠	CEEF	5265	F2P10080
456	蕎	CEF0	5266	F2P20080
457	蛟	CEF1	5267	F2P30080
458	較	CEF2	5268	F2P40080
459	轎	CEF3	5269	F2P50080
460	郊	CEF4	526A	F2P60080
461	餃	CEF5	526C	F2P80080
462	驕	CEF6	526D	F2P90080
463	鮫	CEF7	526E	F2PA0080
464	丘	CEF8	526F	F2PB0080
465	久	CEF9	5270	F2PC0080
466	九	CEFA	5271	F2PD0080
467	仇	CEFB	5272	F2PE0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
468	俱	CEFC	5274	F2PG0080
469	具	CEFD	5276	F2PI0080
470	勾	CEFE	5277	F2PJ0080
471	區	CFA1	5278	F2PK0080
472	口	CFA2	5279	F2PL0080
473	句	CFA3	527A	F2PM0080
474	咎	CFA4	527B	F2PN0080
475	嘔	CFA5	527C	F2PO0080
476	坵	CFA6	687F	F5Z30080
477	垢	CFA7	527D	F2PP0080
478	寇	CFA8	5280	F2PS0080
479	嶇	CFA9	5281	F2PT0080
480	廐	CFAA	5282	F2PU0080
481	懼	CFAB	5283	F2PV0080
482	拘	CFAC	5284	F2PW0080
483	救	CFAD	5285	F2PX0080
484	枸	CFAE	5287	F2PZ0080
485	樞	CFAF	5288	F2Q00080
486	構	CFB0	5289	F2Q10080
487	歐	CFB1	528A	F2Q20080
488	毆	CFB2	528B	F2Q30080
489	毬	CFB3	528C	F2Q40080
490	求	CFB4	528D	F2Q50080
491	溝	CFB5	528E	F2Q60080
492	灸	CFB6	528F	F2Q70080
493	狗	CFB7	5290	F2Q80080

Line Number	Graphic	PC Code	Host Code	GCGID
494	玖	CFB8	5291	F2Q90080
495	球	CFB9	5292	F2QA0080
496	瞿	CFBA	5294	F2QC0080
497	矩	CFBB	5295	F2QD0080
498	究	CFBC	5296	F2QE0080
499	絀	CFBD	5297	F2QF0080
500	考	CFBE	6880	F5Z40080
501	臼	CFBF	5299	F2QH0080
502	舅	CFC0	529A	F2QI0080
503	舊	CFC1	529B	F2QJ0080
504	苟	CFC2	529C	F2QK0080
505	衢	CFC3	529D	F2QL0080
506	謳	CFC4	529F	F2QN0080
507	購	CFC5	5298	F2QG0080
508	軀	CFC6	52A0	F2QO0080
509	逯	CFC7	52A1	F2QP0080
510	邱	CFC8	52A2	F2QQ0080
511	鉤	CFC9	52A3	F2QR0080
512	錄	CFCA	6881	F5Z50080
513	駒	CFCB	52A5	F2QT0080
514	驅	CFCC	52A6	F2QU0080
515	鳩	CFCD	52A7	F2QV0080
516	鷗	CFCE	52A8	F2QW0080
517	龜	CFCF	52A9	F2QX0080
518	國	CFD0	52AA	F2QY0080
519	局	CFD1	52AB	F2QZ0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
520	菊	CFD2	52AD	F2R10080
521	鞠	CFD3	52AE	F2R20080
522	鞫	CFD4	6882	F5Z60080
523	麴	CFD5	52AF	F2R30080
524	君	CFD6	52B3	F2R70080
525	睿	CFD7	52B0	F2R40080
526	群	CFD8	52B1	F2R50080
527	裙	CFD9	6883	F5Z70080
528	軍	CFDA	52B2	F2R60080
529	郡	CFDB	52B4	F2R80080
530	堀	CFDC	52B5	F2R90080
531	屈	CFDD	52B6	F2RA0080
532	掘	CFDE	52B7	F2RB0080
533	窟	CFDF	52B8	F2RC0080
534	宮	CFE0	52B9	F2RD0080
535	弓	CFE1	52BA	F2RE0080
536	穹	CFE2	52BB	F2RF0080
537	窮	CFE3	52BC	F2RG0080
538	芎	CFE4	6884	F5Z80080
539	躬	CFE5	52BD	F2RH0080
540	倦	CFE6	52BE	F2RI0080
541	券	CFE7	52BF	F2RJ0080
542	勸	CFE8	52C0	F2RK0080
543	卷	CFE9	52C1	F2RL0080
544	圈	CFEA	52C2	F2RM0080
545	拳	CFEB	52C3	F2RN0080

Line Number	Graphic	PC Code	Host Code	GCGID
546	捲	CFEC	6885	F5Z90080
547	權	CFED	52C4	F2RO0080
548	滸	CFEE	6886	F5ZA0080
549	眷	CFEF	52C5	F2RP0080
550	厥	CFF0	52C6	F2RQ0080
551	獮	CFF1	6887	F5ZB0080
552	厥	CFF2	6888	F5ZC0080
553	蹶	CFF3	52C7	F2RR0080
554	闕	CFF4	52C8	F2RS0080
555	机	CFF5	52C9	F2RT0080
556	櫃	CFF6	52CA	F2RU0080
557	潰	CFF7	52CB	F2RV0080
558	詭	CFF8	52CC	F2RW0080
559	軌	CFF9	52CE	F2RY0080
560	饋	CFFA	52CF	F2RZ0080
561	旬	CFFB	6889	F5ZD0080
562	晷	CFFC	688A	F5ZE0080
563	歸	CFFD	52D0	F2S00080
564	貴	CFFE	52D1	F2S10080
565	鬼	D0A1	52D2	F2S20080
566	龜	D0A2	52D3	F2S30080
567	叫	D0A3	52D4	F2S40080
568	圭	D0A4	52D5	F2S50080
569	奎	D0A5	52D6	F2S60080
570	揆	D0A6	52D7	F2S70080
571	槻	D0A7	688B	F5ZF0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
572	珪	D0A8	52D8	F2S80080
573	珪	D0A9	52D9	F2S90080
574	窺	D0AA	52DA	F2SA0080
575	竅	D0AB	688C	F5ZG0080
576	糾	D0AC	52DC	F2SC0080
577	葵	D0AD	52DB	F2SB0080
578	規	D0AE	52DD	F2SD0080
579	赳	D0AF	52DE	F2SE0080
580	逵	D0B0	52DF	F2SF0080
581	閨	D0B1	52E0	F2SG0080
582	勻	D0B2	688D	F5ZH0080
583	均	D0B3	52E1	F2SH0080
584	昀	D0B4	688E	F5ZI0080
585	筠	D0B5	52E2	F2SI0080
586	菌	D0B6	52E3	F2SJ0080
587	鈞	D0B7	52E4	F2SK0080
588	龜	D0B8	52E5	F2SL0080
589	橘	D0B9	52E6	F2SM0080
590	克	D0BA	52E7	F2SN0080
591	剋	D0BB	52E8	F2SO0080
592	劇	D0BC	52E9	F2SP0080
593	戟	D0BD	52EA	F2SQ0080
594	棘	D0BE	52EC	F2SS0080
595	極	D0BF	52EB	F2SR0080
596	隙	D0C0	52ED	F2ST0080
597	僅	D0C1	52EE	F2SU0080

Line Number	Graphic	PC Code	Host Code	GCGID
598	勗	D0C2	688F	F5ZJ0080
599	勤	D0C3	52EF	F2SV0080
600	勸	D0C4	52F1	F2SX0080
601	斤	D0C5	52F2	F2SY0080
602	根	D0C6	52F3	F2SZ0080
603	槿	D0C7	52F4	F2T00080
604	瑾	D0C8	52F6	F2T20080
605	筋	D0C9	52F7	F2T30080
606	芹	D0CA	52F8	F2T40080
607	董	D0CB	52F9	F2T50080
608	覲	D0CC	52FA	F2T60080
609	謹	D0CD	52FB	F2T70080
610	近	D0CE	52FC	F2T80080
611	饑	D0CF	52FD	F2T90080
612	契	D0D0	52FE	F2TA0080
613	今	D0D1	5341	F2TD0080
614	姘	D0D2	6890	F5ZK0080
615	擒	D0D3	5342	F2TE0080
616	吟	D0D4	6891	F5ZL0080
617	檣	D0D5	5343	F2TF0080
618	琴	D0D6	5344	F2TG0080
619	禁	D0D7	5345	F2TH0080
620	禽	D0D8	5346	F2TI0080
621	芩	D0D9	6892	F5ZM0080
622	衾	D0DA	5348	F2TK0080
623	衿	D0DB	5347	F2TJ0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
624	襟	D0DC	5349	F2TL0080
625	金	D0DD	534A	F2TM0080
626	錦	D0DE	534B	F2TN0080
627	佞	D0DF	6893	F5ZN0080
628	及	D0E0	534C	F2TO0080
629	急	D0E1	534E	F2TQ0080
630	扱	D0E2	534F	F2TR0080
631	汲	D0E3	5350	F2TS0080
632	緞	D0E4	5352	F2TU0080
633	給	D0E5	5353	F2TV0080
634	亘	D0E6	5354	F2TW0080
635	兢	D0E7	5355	F2TX0080
636	矜	D0E8	5356	F2TY0080
637	肯	D0E9	5357	F2TZ0080
638	企	D0EA	5358	F2U00080
639	伎	D0EB	5359	F2U10080
640	其	D0EC	535A	F2U20080
641	冀	D0ED	535B	F2U30080
642	嗜	D0EE	535C	F2U40080
643	器	D0EF	535D	F2U50080
644	圻	D0F0	535E	F2U60080
645	基	D0F1	535F	F2U70080
646	埼	D0F2	6894	F5ZO0080
647	夔	D0F3	5360	F2U80080
648	奇	D0F4	5361	F2U90080
649	妓	D0F5	5362	F2UA0080

Line Number	Graphic	PC Code	Host Code	GCGID
650	寄	D0F6	5363	F2UB0080
651	岐	D0F7	5364	F2UC0080
652	崎	D0F8	5366	F2UE0080
653	己	D0F9	5368	F2UG0080
654	幾	D0FA	5367	F2UF0080
655	忌	D0FB	5369	F2UH0080
656	技	D0FC	536A	F2UI0080
657	旗	D0FD	536B	F2UJ0080
658	既	D0FE	536C	F2UK0080
659	朞	D1A1	5388	F2VC0080
660	期	D1A2	536D	F2UL0080
661	杞	D1A3	536E	F2UM0080
662	棋	D1A4	536F	F2UN0080
663	棄	D1A5	5370	F2UO0080
664	機	D1A6	5371	F2UP0080
665	欺	D1A7	5372	F2UQ0080
666	氣	D1A8	5373	F2UR0080
667	汽	D1A9	5374	F2US0080
668	沂	D1AA	5375	F2UT0080
669	淇	D1AB	5376	F2UU0080
670	玘	D1AC	6895	F5ZP0080
671	琦	D1AD	5377	F2UV0080
672	琪	D1AE	5378	F2UW0080
673	璣	D1AF	6896	F5ZQ0080
674	璣	D1B0	5379	F2UX0080
675	畸	D1B1	537A	F2UY0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
676	畿	D1B2	537B	F2UZ0080
677	碁	D1B3	537C	F2V00080
678	磯	D1B4	537D	F2V10080
679	祁	D1B5	6897	F5ZR0080
680	祇	D1B6	537E	F2V20080
681	祈	D1B7	537F	F2V30080
682	祺	D1B8	5380	F2V40080
683	箕	D1B9	5381	F2V50080
684	紀	D1BA	5382	F2V60080
685	綺	D1BB	5383	F2V70080
686	羈	D1BC	6898	F5ZS0080
687	耆	D1BD	5385	F2V90080
688	機	D1BE	5386	F2VA0080
689	肌	D1BF	5387	F2VB0080
690	記	D1C0	5389	F2VD0080
691	譏	D1C1	538A	F2VE0080
692	豈	D1C2	5365	F2UD0080
693	起	D1C3	538B	F2VF0080
694	錡	D1C4	538C	F2VG0080
695	鎰	D1C5	6899	F5ZT0080
696	飢	D1C6	538D	F2VH0080
697	饑	D1C7	538E	F2VI0080
698	騎	D1C8	538F	F2VJ0080
699	騏	D1C9	5390	F2VK0080
700	驥	D1CA	5391	F2VL0080
701	麒	D1CB	5393	F2VN0080

Line Number	Graphic	PC Code	Host Code	GCGID
702	緊	D1CC	5394	F2VO0080
703	佶	D1CD	5395	F2VP0080
704	吉	D1CE	5396	F2VQ0080
705	拮	D1CF	5397	F2VR0080
706	桔	D1D0	5398	F2VS0080
707	金	D1D1	5399	F2VT0080
708	喫	D1D2	539B	F2VV0080
709	讎	D1D3	539C	F2VW0080
710	喇	D1D4	689A	F5ZU0080
711	奈	D1D5	689B	F5ZV0080
712	娜	D1D6	689C	F5ZW0080
713	懦	D1D7	539D	F2VX0080
714	懶	D1D8	689D	F5ZX0080
715	拏	D1D9	539E	F2VY0080
716	拿	D1DA	539F	F2VZ0080
717	癩	D1DB	689E	F5ZY0080
718	羅	D1DC	689F	F5ZZ0080
719	蘿	D1DD	68A0	F6000080
720	螺	D1DE	68A1	F6010080
721	裸	D1DF	68A2	F6020080
722	邏	D1E0	68A3	F6030080
723	那	D1E1	53A1	F2W10080
724	樂	D1E2	68A4	F6040080
725	洛	D1E3	68A5	F6050080
726	烙	D1E4	68A6	F6060080
727	珞	D1E5	68A7	F6070080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Table 15 (Page 15 of 31). Hanja Set(1/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
728	落	D1E6	68A8	F6080080
729	諾	D1E7	53A2	F2W20080
730	酪	D1E8	68A9	F6090080
731	駱	D1E9	68AA	F60A0080
732	亂	D1EA	68AB	F60B0080
733	卵	D1EB	68AC	F60C0080
734	暖	D1EC	53A3	F2W30080
735	欄	D1ED	68AD	F60D0080
736	煖	D1EE	53A4	F2W40080
737	爛	D1EF	68AE	F60E0080
738	蘭	D1F0	68AF	F60F0080
739	難	D1F1	53A5	F2W50080
740	鸞	D1F2	68B0	F60G0080
741	捏	D1F3	53A7	F2W70080
742	捺	D1F4	53A6	F2W60080
743	南	D1F5	53A8	F2W80080
744	嵐	D1F6	68B1	F60H0080
745	柈	D1F7	68B2	F60I0080
746	楠	D1F8	68B3	F60J0080
747	滷	D1F9	68B4	F60K0080
748	濫	D1FA	68B5	F60L0080
749	男	D1FB	53AA	F2WA0080
750	藍	D1FC	68B6	F60M0080
751	襪	D1FD	68B7	F60N0080
752	拉	D1FE	68B8	F60O0080
753	納	D2A1	53AB	F2WB0080

Table 15 (Page 15 of 31). Hanja Set(1/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
754	臘	D2A2	68B9	F60P0080
755	蠟	D2A3	68BA	F60Q0080
756	衲	D2A4	68BB	F60R0080
757	囊	D2A5	53AC	F2WC0080
758	娘	D2A6	53AD	F2WD0080
759	廊	D2A7	68BC	F60S0080
760	朗	D2A8	68BD	F60T0080
761	浪	D2A9	68BE	F60U0080
762	狼	D2AA	68BF	F60V0080
763	郎	D2AB	68C0	F60W0080
764	乃	D2AC	53AF	F2WF0080
765	來	D2AD	68C1	F60X0080
766	內	D2AE	53B0	F2WG0080
767	奈	D2AF	53B1	F2WH0080
768	柰	D2B0	53B2	F2WI0080
769	耐	D2B1	53B3	F2WJ0080
770	冷	D2B2	68C2	F60Y0080
771	女	D2B3	53B5	F2WL0080
772	年	D2B4	53B6	F2WM0080
773	撚	D2B5	68C3	F60Z0080
774	季	D2B6	53B7	F2WN0080
775	念	D2B7	53B8	F2WO0080
776	恬	D2B8	53B9	F2WP0080
777	拈	D2B9	53BA	F2WQ0080
778	捻	D2BA	53BB	F2WR0080
779	寧	D2BB	53BD	F2WT0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
780	寧	D2BC	68C4	F6100080
781	努	D2BD	53BF	F2WV0080
782	勞	D2BE	68C5	F6110080
783	奴	D2BF	53C0	F2WW0080
784	弩	D2C0	53C2	F2WY0080
785	怒	D2C1	53C3	F2WZ0080
786	擄	D2C2	68C6	F6120080
787	櫓	D2C3	68C7	F6130080
788	爐	D2C4	68C8	F6140080
789	璫	D2C5	53C4	F2X00080
790	盧	D2C6	68C9	F6150080
791	老	D2C7	68CA	F6160080
792	蘆	D2C8	68CB	F6170080
793	虜	D2C9	68CC	F6180080
794	路	D2CA	68CD	F6190080
795	露	D2CB	68CE	F61A0080
796	駑	D2CC	68CF	F61B0080
797	魯	D2CD	68D0	F61C0080
798	鷺	D2CE	68D1	F61D0080
799	碌	D2CF	68D2	F61E0080
800	祿	D2D0	68D3	F61F0080
801	綠	D2D1	68D4	F61G0080
802	菘	D2D2	68D5	F61H0080
803	錄	D2D3	68D6	F61I0080
804	鹿	D2D4	68D7	F61J0080
805	論	D2D5	68D8	F61K0080

Line Number	Graphic	PC Code	Host Code	GCGID
806	壘	D2D6	68D9	F61L0080
807	弄	D2D7	68DA	F61M0080
808	濃	D2D8	53C5	F2X10080
809	籠	D2D9	68DB	F61N0080
810	聾	D2DA	68DC	F61O0080
811	膿	D2DB	53C6	F2X20080
812	農	D2DC	53C7	F2X30080
813	惱	D2DD	53C8	F2X40080
814	牢	D2DE	68DD	F61P0080
815	磊	D2DF	68DE	F61Q0080
816	腦	D2E0	53C9	F2X50080
817	賂	D2E1	68DF	F61R0080
818	雷	D2E2	68E0	F61S0080
819	尿	D2E3	53CA	F2X60080
820	壘	D2E4	68E1	F61T0080
821	屢	D2E5	68E2	F61U0080
822	樓	D2E6	68E3	F61V0080
823	淚	D2E7	68E4	F61W0080
824	漏	D2E8	68E5	F61X0080
825	累	D2E9	68E6	F61Y0080
826	縷	D2EA	68E7	F61Z0080
827	陋	D2EB	68E8	F6200080
828	嫩	D2EC	53CC	F2X80080
829	訥	D2ED	53CD	F2X90080
830	杻	D2EE	68E9	F6210080
831	紐	D2EF	53CE	F2XA0080




IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Table 15 (Page 17 of 31). Hanja Set(1/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
832	勒	D2F0	68EA	F6220080
833	肋	D2F1	68EB	F6230080
834	凜	D2F2	68EC	F6240080
835	凌	D2F3	68ED	F6250080
836	稜	D2F4	68EE	F6260080
837	綾	D2F5	68EF	F6270080
838	能	D2F6	53CF	F2XB0080
839	菱	D2F7	68F0	F6280080
840	陵	D2F8	68F1	F6290080
841	尼	D2F9	53D0	F2XC0080
842	泥	D2FA	53D1	F2XD0080
843	匿	D2FB	53D2	F2XE0080
844	溺	D2FC	53D3	F2XF0080
845	多	D2FD	53D4	F2XG0080
846	茶	D2FE	53D5	F2XH0080
847	丹	D3A1	53D6	F2XI0080
848	亶	D3A2	68F2	F62A0080
849	但	D3A3	53D7	F2XJ0080
850	單	D3A4	53D8	F2XK0080
851	團	D3A5	53D9	F2XL0080
852	壇	D3A6	53DA	F2XM0080
853	豕	D3A7	68F3	F62B0080
854	斷	D3A8	53DB	F2XN0080
855	旦	D3A9	53DC	F2XO0080
856	檀	D3AA	53DD	F2XP0080
857	段	D3AB	53DE	F2XQ0080

Table 15 (Page 17 of 31). Hanja Set(1/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
858	湍	D3AC	53DF	F2XR0080
859	短	D3AD	53E0	F2XS0080
860	端	D3AE	53E1	F2XT0080
861	簞	D3AF	53E2	F2XU0080
862	緞	D3B0	53E3	F2XV0080
863	蛋	D3B1	53E4	F2XW0080
864	袒	D3B2	53E5	F2XX0080
865	鄂	D3B3	53E6	F2XY0080
866	鍛	D3B4	53E7	F2XZ0080
867	撻	D3B5	53EA	F2Y20080
868	澆	D3B6	68F4	F62C0080
869	獺	D3B7	53EB	F2Y30080
870	疸	D3B8	53EC	F2Y40080
871	達	D3B9	53ED	F2Y50080
872	啖	D3BA	53F0	F2Y80080
873	丹	D3BB	68F5	F62D0080
874	擔	D3BC	68F6	F62E0080
875	擔	D3BD	53F1	F2Y90080
876	曇	D3BE	53F2	F2YA0080
877	淡	D3BF	53F3	F2YB0080
878	湛	D3C0	68F7	F62F0080
879	潭	D3C1	53F4	F2YC0080
880	澹	D3C2	53F5	F2YD0080
881	痰	D3C3	53F6	F2YE0080
882	聃	D3C4	53F7	F2YF0080
883	膽	D3C5	53F8	F2YG0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
884	尋	D3C6	68F8	F62G0080
885	覃	D3C7	53F9	F2YH0080
886	談	D3C8	53FA	F2YI0080
887	譚	D3C9	53FB	F2YJ0080
888	鎔	D3CA	68F9	F62H0080
889	沓	D3CB	53FC	F2YK0080
890	沓	D3CC	68FA	F62I0080
891	答	D3CD	53FD	F2YL0080
892	踏	D3CE	53FE	F2YM0080
893	逕	D3CF	5441	F2YP0080
894	唐	D3D0	5446	F2YU0080
895	堂	D3D1	5443	F2YR0080
896	塘	D3D2	5444	F2YS0080
897	幢	D3D3	5445	F2YT0080
898	躑	D3D4	68FB	F62J0080
899	撞	D3D5	5447	F2YV0080
900	棠	D3D6	5448	F2YW0080
901	當	D3D7	5449	F2YX0080
902	糖	D3D8	544A	F2YY0080
903	螳	D3D9	68FC	F62K0080
904	黨	D3DA	544C	F2Z00080
905	代	D3DB	544D	F2Z10080
906	岱	D3DC	544E	F2Z20080
907	迨	D3DD	68FD	F62L0080
908	大	D3DE	544F	F2Z30080
909	對	D3DF	5450	F2Z40080

Line Number	Graphic	PC Code	Host Code	GCGID
910	岱	D3E0	5451	F2Z50080
911	帶	D3E1	5452	F2Z60080
912	待	D3E2	5453	F2Z70080
913	戴	D3E3	5454	F2Z80080
914	擡	D3E4	5455	F2Z90080
915	玳	D3E5	5456	F2ZA0080
916	臺	D3E6	5458	F2ZC0080
917	袋	D3E7	5459	F2ZD0080
918	貸	D3E8	545A	F2ZE0080
919	隊	D3E9	545B	F2ZF0080
920	黛	D3EA	545C	F2ZG0080
921	宅	D3EB	545D	F2ZH0080
922	德	D3EC	545E	F2ZI0080
923	息	D3ED	545F	F2ZJ0080
924	倒	D3EE	5460	F2ZK0080
925	刀	D3EF	5461	F2ZL0080
926	到	D3F0	5462	F2ZM0080
927	圖	D3F1	5463	F2ZN0080
928	堵	D3F2	5464	F2ZO0080
929	塗	D3F3	5465	F2ZP0080
930	導	D3F4	5466	F2ZQ0080
931	屠	D3F5	5467	F2ZR0080
932	島	D3F6	5468	F2ZS0080
933	嶋	D3F7	68FE	F62M0080
934	度	D3F8	5469	F2ZT0080
935	徒	D3F9	546A	F2ZU0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
936	悼	D3FA	546B	F2ZV0080
937	挑	D3FB	546C	F2ZW0080
938	掉	D3FC	6941	F62P0080
939	搗	D3FD	546D	F2ZX0080
940	桃	D3FE	546E	F2ZY0080
941	棹	D4A1	546F	F2ZZ0080
942	權	D4A2	6942	F62Q0080
943	淘	D4A3	5470	F3000080
944	渡	D4A4	5471	F3010080
945	滔	D4A5	5472	F3020080
946	濤	D4A6	5473	F3030080
947	燾	D4A7	5474	F3040080
948	盜	D4A8	5475	F3050080
949	睹	D4A9	5476	F3060080
950	禱	D4AA	5477	F3070080
951	稻	D4AB	5478	F3080080
952	荀	D4AC	5479	F3090080
953	覩	D4AD	6943	F62R0080
954	賭	D4AE	547B	F30B0080
955	跳	D4AF	547C	F30C0080
956	蹈	D4B0	547D	F30D0080
957	逃	D4B1	547E	F30E0080
958	途	D4B2	547F	F30F0080
959	道	D4B3	5480	F30G0080
960	都	D4B4	5481	F30H0080
961	鍍	D4B5	5482	F30I0080

Line Number	Graphic	PC Code	Host Code	GCGID
962	陶	D4B6	5483	F30J0080
963	韜	D4B7	5484	F30K0080
964	毒	D4B8	5485	F30L0080
965	瀆	D4B9	5486	F30M0080
966	牖	D4BA	5487	F30N0080
967	犢	D4BB	5488	F30O0080
968	獨	D4BC	5489	F30P0080
969	督	D4BD	548A	F30Q0080
970	禿	D4BE	548B	F30R0080
971	篤	D4BF	548C	F30S0080
972	燾	D4C0	548D	F30T0080
973	讀	D4C1	548E	F30U0080
974	墩	D4C2	548F	F30V0080
975	惇	D4C3	5490	F30W0080
976	敦	D4C4	5491	F30X0080
977	吨	D4C5	6944	F62S0080
978	噉	D4C6	5492	F30Y0080
979	沌	D4C7	5493	F30Z0080
980	焯	D4C8	6945	F62T0080
981	燉	D4C9	5494	F3100080
982	豚	D4CA	5495	F3110080
983	頓	D4CB	5496	F3120080
984	彳	D4CC	5498	F3140080
985	突	D4CD	5499	F3150080
986	仝	D4CE	549A	F3160080
987	冬	D4CF	549B	F3170080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
988	凍	D4D0	549C	F3180080
989	動	D4D1	549D	F3190080
990	同	D4D2	549E	F31A0080
991	懂	D4D3	54A0	F31C0080
992	東	D4D4	54A1	F31D0080
993	桐	D4D5	54A2	F31E0080
994	棟	D4D6	54A3	F31F0080
995	洞	D4D7	54A4	F31G0080
996	潼	D4D8	54A5	F31H0080
997	疼	D4D9	54A7	F31J0080
998	瞳	D4DA	54A8	F31K0080
999	童	D4DB	54A6	F31I0080
1000	胴	D4DC	54AA	F31M0080
1001	董	D4DD	54A9	F31L0080
1002	銅	D4DE	54AB	F31N0080
1003	兜	D4DF	54AC	F31O0080
1004	斗	D4E0	54AD	F31P0080
1005	杜	D4E1	54AE	F31Q0080
1006	料	D4E2	54AF	F31R0080
1007	痘	D4E3	54B0	F31S0080
1008	竇	D4E4	54B1	F31T0080
1009	荳	D4E5	54B2	F31U0080
1010	讀	D4E6	54B5	F31X0080
1011	豆	D4E7	54B6	F31Y0080
1012	逗	D4E8	6946	F62U0080
1013	頭	D4E9	54B7	F31Z0080

Line Number	Graphic	PC Code	Host Code	GCGID
1014	屯	D4EA	54B8	F3200080
1015	臀	D4EB	54B9	F3210080
1016	萑	D4EC	6947	F62V0080
1017	遁	D4ED	54BA	F3220080
1018	遯	D4EE	54BB	F3230080
1019	鈍	D4EF	54BC	F3240080
1020	得	D4F0	54BD	F3250080
1021	嶝	D4F1	6948	F62W0080
1022	橙	D4F2	54BE	F3260080
1023	燈	D4F3	54C1	F3290080
1024	登	D4F4	54C2	F32A0080
1025	等	D4F5	54C3	F32B0080
1026	藤	D4F6	54C4	F32C0080
1027	膽	D4F7	54C5	F32D0080
1028	鄧	D4F8	54C6	F32E0080
1029	騰	D4F9	54C8	F32G0080
1030	喇	D4FA	54C9	F32H0080
1031	懶	D4FB	54CA	F32I0080
1032	拏	D4FC	6949	F62X0080
1033	癩	D4FD	54CB	F32J0080
1034	羅	D4FE	54CC	F32K0080
1035	蘿	D5A1	54CD	F32L0080
1036	螺	D5A2	54CE	F32M0080
1037	裸	D5A3	54CF	F32N0080
1038	邏	D5A4	54D0	F32O0080
1039	樂	D5A5	54D1	F32P0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
1040	洛	D5A6	54D2	F32Q0080
1041	烙	D5A7	54D3	F32R0080
1042	珞	D5A8	54D5	F32T0080
1043	絡	D5A9	54D6	F32U0080
1044	落	D5AA	54D7	F32V0080
1045	諾	D5AB	694A	F62Y0080
1046	酪	D5AC	54D8	F32W0080
1047	駱	D5AD	54D9	F32X0080
1048	丹	D5AE	694B	F62Z0080
1049	亂	D5AF	54DA	F32Y0080
1050	卵	D5B0	54DB	F32Z0080
1051	欄	D5B1	54DD	F33I0080
1052	欒	D5B2	54DE	F3320080
1053	瀾	D5B3	54DF	F3330080
1054	爛	D5B4	54E0	F3340080
1055	蘭	D5B5	54E1	F3350080
1056	鸞	D5B6	54E2	F3360080
1057	刺	D5B7	54E3	F3370080
1058	辣	D5B8	54E5	F3390080
1059	嵐	D5B9	54E6	F33A0080
1060	擘	D5BA	54E7	F33B0080
1061	攪	D5BB	54E8	F33C0080
1062	攪	D5BC	54E9	F33D0080
1063	濫	D5BD	54EA	F33E0080
1064	籃	D5BE	54EB	F33F0080
1065	纜	D5BF	54EC	F33G0080

Line Number	Graphic	PC Code	Host Code	GCGID
1066	藍	D5C0	54ED	F33H0080
1067	檻	D5C1	54EE	F33I0080
1068	覽	D5C2	54EF	F33J0080
1069	拉	D5C3	54F0	F33K0080
1070	臘	D5C4	54F1	F33L0080
1071	蠟	D5C5	54F2	F33M0080
1072	廊	D5C6	54F3	F33N0080
1073	朗	D5C7	54F4	F33O0080
1074	浪	D5C8	54F6	F33Q0080
1075	狼	D5C9	54F7	F33R0080
1076	琅	D5CA	54F8	F33S0080
1077	瑯	D5CB	54F9	F33T0080
1078	螂	D5CC	54FA	F33U0080
1079	郎	D5CD	54FB	F33V0080
1080	來	D5CE	54FC	F33W0080
1081	嶮	D5CF	694C	F6300080
1082	徠	D5D0	694D	F6310080
1083	萊	D5D1	54FD	F33X0080
1084	冷	D5D2	54FE	F33Y0080
1085	掠	D5D3	5541	F34I0080
1086	略	D5D4	5542	F3420080
1087	亮	D5D5	5543	F3430080
1088	倆	D5D6	5545	F3450080
1089	兩	D5D7	5544	F3440080
1090	涼	D5D8	5546	F3460080
1091	梁	D5D9	5547	F3470080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
1092	樑	D5DA	5549	F3490080
1093	糧	D5DB	554A	F34A0080
1094	梁	D5DC	554B	F34B0080
1095	糧	D5DD	554C	F34C0080
1096	良	D5DE	554D	F34D0080
1097	諒	D5DF	554E	F34E0080
1098	輛	D5E0	554F	F34F0080
1099	量	D5E1	5550	F34G0080
1100	侶	D5E2	5552	F34I0080
1101	儷	D5E3	694E	F6320080
1102	勵	D5E4	5553	F34J0080
1103	呂	D5E5	5554	F34K0080
1104	廬	D5E6	5555	F34L0080
1105	慮	D5E7	555E	F34U0080
1106	戾	D5E8	5556	F34M0080
1107	旅	D5E9	5557	F34N0080
1108	櫛	D5EA	5558	F34O0080
1109	濾	D5EB	5559	F34P0080
1110	礪	D5EC	555B	F34R0080
1111	藜	D5ED	555D	F34T0080
1112	蠣	D5EE	555F	F34V0080
1113	閭	D5EF	5562	F34Y0080
1114	驢	D5F0	5563	F34Z0080
1115	驪	D5F1	5564	F3500080
1116	麗	D5F2	5565	F3510080
1117	黎	D5F3	5566	F3520080

Line Number	Graphic	PC Code	Host Code	GCGID
1118	力	D5F4	5567	F3530080
1119	曆	D5F5	5569	F3550080
1120	歷	D5F6	5568	F3540080
1121	瀝	D5F7	556B	F3570080
1122	礫	D5F8	556C	F3580080
1123	轢	D5F9	556D	F3590080
1124	霹	D5FA	556E	F35A0080
1125	憐	D5FB	556F	F35B0080
1126	戀	D5FC	5570	F35C0080
1127	攀	D5FD	5571	F35D0080
1128	漣	D5FE	5572	F35E0080
1129	煉	D6A1	5573	F35F0080
1130	璉	D6A2	694F	F6330080
1131	練	D6A3	5574	F35G0080
1132	聯	D6A4	5575	F35H0080
1133	蓮	D6A5	5576	F35I0080
1134	輦	D6A6	5577	F35J0080
1135	連	D6A7	5578	F35K0080
1136	鍊	D6A8	5579	F35L0080
1137	冽	D6A9	557A	F35M0080
1138	列	D6AA	557C	F35O0080
1139	劣	D6AB	557B	F35N0080
1140	洌	D6AC	557D	F35P0080
1141	烈	D6AD	557E	F35Q0080
1142	裂	D6AE	557F	F35R0080
1143	廉	D6AF	5580	F35S0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
1144	斂	D6B0	5581	F35T0080
1145	殮	D6B1	5582	F35U0080
1146	濂	D6B2	5583	F35V0080
1147	簾	D6B3	5584	F35W0080
1148	獵	D6B4	5585	F35X0080
1149	令	D6B5	5587	F35Z0080
1150	伶	D6B6	5588	F3600080
1151	囿	D6B7	5589	F3610080
1152	寧	D6B8	6950	F6340080
1153	岑	D6B9	6951	F6350080
1154	嶺	D6BA	558A	F3620080
1155	伶	D6BB	558B	F3630080
1156	玲	D6BC	558E	F3660080
1157	苓	D6BD	6952	F6360080
1158	鈴	D6BE	558F	F3670080
1159	翎	D6BF	5590	F3680080
1160	聆	D6C0	6953	F6370080
1161	逞	D6C1	5593	F36B0080
1162	鈴	D6C2	5596	F36E0080
1163	零	D6C3	5594	F36C0080
1164	靈	D6C4	5595	F36D0080
1165	領	D6C5	5597	F36F0080
1166	齡	D6C6	5598	F36G0080
1167	例	D6C7	5599	F36H0080
1168	禮	D6C8	6954	F6380080
1169	禮	D6C9	559A	F36I0080

Line Number	Graphic	PC Code	Host Code	GCGID
1170	醴	D6CA	559B	F36J0080
1171	隸	D6CB	559C	F36K0080
1172	勞	D6CC	559D	F36L0080
1173	怒	D6CD	6955	F6390080
1174	撈	D6CE	559E	F36M0080
1175	擄	D6CF	6956	F63A0080
1176	槽	D6D0	559F	F36N0080
1177	踳	D6D1	6957	F63B0080
1178	瀘	D6D2	55A2	F36Q0080
1179	爐	D6D3	55A1	F36P0080
1180	盧	D6D4	55A3	F36R0080
1181	老	D6D5	55A4	F36S0080
1182	蘆	D6D6	55A6	F36U0080
1183	虜	D6D7	55A7	F36V0080
1184	路	D6D8	55A8	F36W0080
1185	輅	D6D9	55A9	F36X0080
1186	露	D6DA	55AB	F36Z0080
1187	魯	D6DB	55AC	F3700080
1188	鷺	D6DC	55AD	F3710080
1189	鹵	D6DD	55AE	F3720080
1190	碌	D6DE	55B0	F3740080
1191	祿	D6DF	6958	F63C0080
1192	綠	D6E0	55B2	F3760080
1193	棗	D6E1	6959	F63D0080
1194	錄	D6E2	55B4	F3780080
1195	鹿	D6E3	55B6	F37A0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
1196	麓	D6E4	55B5	F3790080
1197	論	D6E5	55B7	F37B0080
1198	壘	D6E6	55B8	F37C0080
1199	弄	D6E7	55B9	F37D0080
1200	臚	D6E8	55BA	F37E0080
1201	瀧	D6E9	55BB	F37F0080
1202	瓏	D6EA	55BC	F37G0080
1203	籠	D6EB	55BD	F37H0080
1204	聳	D6EC	55BE	F37I0080
1205	儻	D6ED	55BF	F37J0080
1206	瀨	D6EE	695A	F63E0080
1207	牢	D6EF	55C0	F37K0080
1208	磊	D6F0	55C1	F37L0080
1209	賂	D6F1	55C6	F37Q0080
1210	賚	D6F2	695B	F63F0080
1211	賴	D6F3	55C5	F37P0080
1212	雷	D6F4	55C7	F37R0080
1213	了	D6F5	55C8	F37S0080
1214	僚	D6F6	55C9	F37T0080
1215	寮	D6F7	55CB	F37V0080
1216	廖	D6F8	55CC	F37W0080
1217	料	D6F9	55D0	F3800080
1218	療	D6FA	55CD	F37X0080
1219	療	D6FB	55CE	F37Y0080
1220	瞭	D6FC	55CF	F37Z0080
1221	聊	D6FD	55D1	F3810080

Line Number	Graphic	PC Code	Host Code	GCGID
1222	蓼	D6FE	55D2	F3820080
1223	遼	D7A1	55D3	F3830080
1224	鬧	D7A2	695C	F63G0080
1225	龍	D7A3	55D4	F3840080
1226	壘	D7A4	55D6	F3860080
1227	婁	D7A5	695D	F63H0080
1228	屢	D7A6	55D7	F3870080
1229	樓	D7A7	55D8	F3880080
1230	淚	D7A8	55D9	F3890080
1231	漏	D7A9	55DA	F38A0080
1232	癩	D7AA	695E	F63I0080
1233	累	D7AB	55DB	F38B0080
1234	縷	D7AC	55DC	F38C0080
1235	藁	D7AD	695F	F63J0080
1236	樓	D7AE	55DD	F38D0080
1237	鏤	D7AF	6960	F63K0080
1238	陋	D7B0	55DE	F38E0080
1239	劉	D7B1	55E0	F38G0080
1240	旒	D7B2	6961	F63L0080
1241	柳	D7B3	55E1	F38H0080
1242	榴	D7B4	55E2	F38I0080
1243	流	D7B5	55E3	F38J0080
1244	溜	D7B6	55E4	F38K0080
1245	瀏	D7B7	6962	F63M0080
1246	琉	D7B8	55E5	F38L0080
1247	瑠	D7B9	55E6	F38M0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
1248	留	D7BA	55E7	F38N0080
1249	瘤	D7BB	55E8	F38O0080
1250	硫	D7BC	55E9	F38P0080
1251	謬	D7BD	55EA	F38Q0080
1252	類	D7BE	55EB	F38R0080
1253	六	D7BF	55EC	F38S0080
1254	戮	D7C0	55ED	F38T0080
1255	陸	D7C1	55EE	F38U0080
1256	侖	D7C2	6963	F63N0080
1257	倫	D7C3	55EF	F38V0080
1258	崙	D7C4	55F0	F38W0080
1259	淪	D7C5	55F1	F38X0080
1260	綸	D7C6	55F2	F38Y0080
1261	輪	D7C7	55F3	F38Z0080
1262	律	D7C8	55F4	F3900080
1263	慄	D7C9	55F5	F3910080
1264	栗	D7CA	55F6	F3920080
1265	率	D7CB	55F7	F3930080
1266	隆	D7CC	55F9	F3950080
1267	勒	D7CD	55FB	F3970080
1268	肋	D7CE	55FA	F3960080
1269	凜	D7CF	6964	F63O0080
1270	凌	D7D0	55FE	F39A0080
1271	楞	D7D1	5641	F39D0080
1272	稜	D7D2	5642	F39E0080
1273	綾	D7D3	5643	F39F0080

Line Number	Graphic	PC Code	Host Code	GCGID
1274	菱	D7D4	5644	F39G0080
1275	陵	D7D5	5645	F39H0080
1276	俚	D7D6	5646	F39I0080
1277	利	D7D7	5647	F39J0080
1278	厘	D7D8	5648	F39K0080
1279	吏	D7D9	5649	F39L0080
1280	喇	D7DA	6965	F63P0080
1281	履	D7DB	564A	F39M0080
1282	惻	D7DC	564B	F39N0080
1283	李	D7DD	564D	F39P0080
1284	梨	D7DE	564E	F39Q0080
1285	湮	D7DF	6966	F63Q0080
1286	犁	D7E0	5650	F39S0080
1287	狸	D7E1	5651	F39T0080
1288	理	D7E2	5652	F39U0080
1289	璃	D7E3	5653	F39V0080
1290	異	D7E4	6967	F63R0080
1291	痢	D7E5	5654	F39W0080
1292	籬	D7E6	5657	F39Z0080
1293	罹	D7E7	5656	F39Y0080
1294	羸	D7E8	6968	F63S0080
1295	莉	D7E9	6969	F63T0080
1296	裏	D7EA	5659	F3A10080
1297	裡	D7EB	696A	F63U0080
1298	里	D7EC	565A	F3A20080
1299	釐	D7ED	565B	F3A30080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
1300	離	D7EE	565C	F3A40080
1301	鯉	D7EF	565E	F3A60080
1302	吝	D7F0	565F	F3A70080
1303	潑	D7F1	696B	F63V0080
1304	燐	D7F2	5660	F3A80080
1305	璘	D7F3	5661	F3A90080
1306	蔞	D7F4	5662	F3AA0080
1307	躡	D7F5	5663	F3AB0080
1308	隣	D7F6	5664	F3AC0080
1309	鱗	D7F7	5665	F3AD0080
1310	麟	D7F8	5666	F3AE0080
1311	林	D7F9	5667	F3AF0080
1312	淋	D7FA	5668	F3AG0080
1313	琳	D7FB	5669	F3AH0080
1314	臨	D7FC	566B	F3AJ0080
1315	霖	D7FD	566C	F3AK0080
1316	砵	D7FE	566E	F3AM0080
1317	立	D8A1	566F	F3AN0080
1318	笠	D8A2	5670	F3AO0080
1319	粒	D8A3	5671	F3AP0080
1320	摩	D8A4	5673	F3AR0080
1321	瑪	D8A5	5674	F3AS0080
1322	痲	D8A6	5675	F3AT0080
1323	碼	D8A7	696C	F63W0080
1324	磨	D8A8	5676	F3AU0080
1325	馬	D8A9	5678	F3AW0080

Line Number	Graphic	PC Code	Host Code	GCGID
1326	魔	D8AA	5679	F3AX0080
1327	麻	D8AB	567A	F3AY0080
1328	寞	D8AC	567B	F3AZ0080
1329	幕	D8AD	567C	F3B00080
1330	漠	D8AE	567D	F3B10080
1331	膜	D8AF	567E	F3B20080
1332	莫	D8B0	567F	F3B30080
1333	邈	D8B1	696D	F63X0080
1334	万	D8B2	696E	F63Y0080
1335	卍	D8B3	696F	F63Z0080
1336	媿	D8B4	5680	F3B40080
1337	巒	D8B5	5681	F3B50080
1338	彎	D8B6	5682	F3B60080
1339	慢	D8B7	5683	F3B70080
1340	挽	D8B8	5684	F3B80080
1341	晚	D8B9	5685	F3B90080
1342	曼	D8BA	5686	F3BA0080
1343	滿	D8BB	5687	F3BB0080
1344	漫	D8BC	5688	F3BC0080
1345	灣	D8BD	5689	F3BD0080
1346	瞞	D8BE	568A	F3BE0080
1347	萬	D8BF	568B	F3BF0080
1348	蔓	D8C0	568C	F3BG0080
1349	蠻	D8C1	568D	F3BH0080
1350	輓	D8C2	568F	F3BJ0080
1351	饅	D8C3	5691	F3BL0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
1352	鰻	D8C4	5693	F3BN0080
1353	禿	D8C5	6970	F6400080
1354	抹	D8C6	5694	F3BO0080
1355	末	D8C7	5695	F3BP0080
1356	沫	D8C8	5696	F3BQ0080
1357	茱	D8C9	6971	F6410080
1358	襪	D8CA	5697	F3BR0080
1359	鞅	D8CB	5698	F3BS0080
1360	亡	D8CC	5699	F3BT0080
1361	妄	D8CD	569A	F3BU0080
1362	忘	D8CE	569B	F3BV0080
1363	忙	D8CF	569C	F3BW0080
1364	望	D8D0	569D	F3BX0080
1365	網	D8D1	569E	F3BY0080
1366	罔	D8D2	569F	F3BZ0080
1367	芒	D8D3	56A0	F3C00080
1368	茫	D8D4	56A1	F3C10080
1369	莽	D8D5	56A2	F3C20080
1370	輜	D8D6	6972	F6420080
1371	邛	D8D7	56A3	F3C30080
1372	埋	D8D8	56A5	F3C50080
1373	妹	D8D9	56A6	F3C60080
1374	媒	D8DA	56A7	F3C70080
1375	寐	D8DB	56A8	F3C80080
1376	昧	D8DC	56A9	F3C90080
1377	枚	D8DD	56AA	F3CA0080

Line Number	Graphic	PC Code	Host Code	GCGID
1378	梅	D8DE	56AB	F3CB0080
1379	每	D8DF	56AC	F3CC0080
1380	煤	D8E0	56AD	F3CD0080
1381	罵	D8E1	56AF	F3CF0080
1382	買	D8E2	56B1	F3CH0080
1383	賣	D8E3	56B2	F3CI0080
1384	邁	D8E4	56B3	F3CJ0080
1385	魅	D8E5	56B4	F3CK0080
1386	脈	D8E6	56B5	F3CL0080
1387	豹	D8E7	56B7	F3CN0080
1388	陌	D8E8	56B8	F3CO0080
1389	蕎	D8E9	56B9	F3CP0080
1390	麥	D8EA	56BA	F3CQ0080
1391	孟	D8EB	56BB	F3CR0080
1392	氓	D8EC	56BC	F3CS0080
1393	猛	D8ED	56BD	F3CT0080
1394	盲	D8EE	56BF	F3CV0080
1395	盟	D8EF	56BE	F3CU0080
1396	萌	D8F0	56C0	F3CW0080
1397	冪	D8F1	56C1	F3CX0080
1398	覓	D8F2	56C2	F3CY0080
1399	免	D8F3	56C4	F3D00080
1400	冕	D8F4	56C6	F3D20080
1401	勉	D8F5	56C5	F3D10080
1402	棉	D8F6	56C7	F3D30080
1403	沔	D8F7	6973	F6430080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
1404	眇	D8F8	56C8	F3D40080
1405	眠	D8F9	56C9	F3D50080
1406	綿	D8FA	56CA	F3D60080
1407	緬	D8FB	56CB	F3D70080
1408	面	D8FC	56CC	F3D80080
1409	麵	D8FD	56CD	F3D90080
1410	滅	D8FE	56CE	F3DA0080
1411	蔑	D9A1	56CF	F3DB0080
1412	冥	D9A2	56D1	F3DD0080
1413	名	D9A3	56D2	F3DE0080
1414	命	D9A4	56D0	F3DC0080
1415	明	D9A5	56D4	F3DG0080
1416	暝	D9A6	56D5	F3DH0080
1417	桷	D9A7	6974	F6440080
1418	溟	D9A8	56D6	F3DI0080
1419	皿	D9A9	56D7	F3DJ0080
1420	暝	D9AA	6975	F6450080
1421	茗	D9AB	56D8	F3DK0080
1422	莫	D9AC	6976	F6460080
1423	螟	D9AD	56D9	F3DL0080
1424	酩	D9AE	56DA	F3DM0080
1425	銘	D9AF	56DB	F3DN0080
1426	鳴	D9B0	56D3	F3DF0080
1427	袂	D9B1	56DC	F3DO0080
1428	侮	D9B2	56DD	F3DP0080
1429	冒	D9B3	56E4	F3DW0080

Line Number	Graphic	PC Code	Host Code	GCGID
1430	募	D9B4	56DE	F3DQ0080
1431	姆	D9B5	56E0	F3DS0080
1432	帽	D9B6	56DF	F3DR0080
1433	慕	D9B7	56E1	F3DT0080
1434	摸	D9B8	56E2	F3DU0080
1435	摹	D9B9	6977	F6470080
1436	暮	D9BA	56E3	F3DV0080
1437	某	D9BB	56E5	F3DX0080
1438	模	D9BC	56E6	F3DY0080
1439	母	D9BD	56E7	F3DZ0080
1440	毛	D9BE	56E8	F3E00080
1441	牟	D9BF	56E9	F3E10080
1442	牡	D9C0	56EA	F3E20080
1443	瑁	D9C1	6978	F6480080
1444	眸	D9C2	56EB	F3E30080
1445	矛	D9C3	56EC	F3E40080
1446	耗	D9C4	56EE	F3E60080
1447	毫	D9C5	6979	F6490080
1448	茅	D9C6	56EF	F3E70080
1449	謀	D9C7	56F0	F3E80080
1450	謨	D9C8	56F1	F3E90080
1451	貌	D9C9	56F2	F3EA0080
1452	木	D9CA	56F4	F3EC0080
1453	沐	D9CB	56F5	F3ED0080
1454	牧	D9CC	56F6	F3EE0080
1455	目	D9CD	56F7	F3EF0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
1456	睦	D9CE	56F8	F3EG0080
1457	穆	D9CF	56F9	F3EH0080
1458	鶩	D9D0	697A	F64A0080
1459	歿	D9D1	56FA	F3EI0080
1460	沒	D9D2	56FB	F3EJ0080
1461	夢	D9D3	56FC	F3EK0080
1462	朦	D9D4	56FD	F3EL0080
1463	蒙	D9D5	5742	F3EQ0080
1464	卯	D9D6	5743	F3ER0080
1465	墓	D9D7	5744	F3ES0080
1466	妙	D9D8	5745	F3ET0080
1467	廟	D9D9	5746	F3EU0080
1468	描	D9DA	5747	F3EV0080
1469	昴	D9DB	5748	F3EW0080
1470	杳	D9DC	5749	F3EX0080
1471	渺	D9DD	574A	F3EY0080
1472	猫	D9DE	574B	F3EZ0080
1473	妙	D9DF	697B	F64B0080
1474	苗	D9E0	574C	F3F00080
1475	錨	D9E1	574D	F3F10080
1476	務	D9E2	574E	F3F20080
1477	瓜	D9E3	574F	F3F30080
1478	憮	D9E4	697C	F64C0080
1479	懋	D9E5	5750	F3F40080
1480	戊	D9E6	5751	F3F50080
1481	拇	D9E7	5752	F3F60080

Line Number	Graphic	PC Code	Host Code	GCGID
1482	撫	D9E8	5753	F3F70080
1483	无	D9E9	5754	F3F80080
1484	楸	D9EA	697D	F64D0080
1485	武	D9EB	5755	F3F90080
1486	母	D9EC	5756	F3FA0080
1487	無	D9ED	5757	F3FB0080
1488	珣	D9EE	697E	F64E0080
1489	畝	D9EF	5758	F3FC0080
1490	繆	D9F0	5759	F3FD0080
1491	舞	D9F1	575A	F3FE0080
1492	茂	D9F2	575B	F3FF0080
1493	蕪	D9F3	575C	F3FG0080
1494	誣	D9F4	575D	F3FH0080
1495	貿	D9F5	575E	F3FI0080
1496	霧	D9F6	575F	F3FJ0080
1497	鷓	D9F7	5760	F3FK0080
1498	墨	D9F8	5761	F3FL0080
1499	默	D9F9	5762	F3FM0080
1500	們	D9FA	697F	F64F0080
1501	芻	D9FB	5763	F3FN0080
1502	吻	D9FC	5764	F3FO0080
1503	問	D9FD	576B	F3FV0080
1504	文	D9FE	5765	F3FP0080
1505	汶	DAA1	5766	F3FQ0080
1506	紊	DAA2	5768	F3FS0080
1507	紋	DAA3	5767	F3FR0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
1508	聞	DAA4	576C	F3FW0080
1509	蚊	DAA5	5769	F3FT0080
1510	門	DAA6	576A	F3FU0080
1511	雯	DAA7	6980	F64G0080
1512	勿	DAA8	576D	F3FX0080
1513	沕	DAA9	6981	F64H0080
1514	物	DAAA	576E	F3FY0080
1515	味	DAAB	576F	F3FZ0080
1516	媚	DAAC	5770	F3G00080
1517	尾	DAAD	5771	F3G10080
1518	媚	DAAE	5772	F3G20080
1519	彌	DAAF	5774	F3G40080
1520	微	DAB0	5775	F3G50080
1521	未	DAB1	5776	F3G60080
1522	梶	DAB2	6982	F64I0080
1523	楣	DAB3	6983	F64J0080
1524	羨	DAB4	5777	F3G70080
1525	湄	DAB5	6984	F64K0080
1526	眉	DAB6	5779	F3G90080
1527	米	DAB7	577A	F3GA0080
1528	美	DAB8	577C	F3GC0080
1529	薇	DAB9	577D	F3GD0080
1530	謎	DABA	577E	F3GE0080
1531	迷	DABB	577F	F3GF0080
1532	靡	DABC	5773	F3G30080
1533	微	DABD	6985	F64L0080

Line Number	Graphic	PC Code	Host Code	GCGID
1534	岷	DABE	6986	F64M0080
1535	悶	DABF	5780	F3GG0080
1536	慙	DAC0	5781	F3GH0080
1537	憫	DAC1	5782	F3GI0080
1538	敏	DAC2	5783	F3GJ0080
1539	旻	DAC3	5785	F3GL0080
1540	旻	DAC4	5784	F3GK0080
1541	民	DAC5	5786	F3GM0080
1542	泯	DAC6	5787	F3GN0080
1543	玟	DAC7	5788	F3GO0080
1544	珉	DAC8	5789	F3GP0080
1545	緡	DAC9	6987	F64N0080
1546	閔	DACA	578A	F3GQ0080
1547	密	DACB	578C	F3GS0080
1548	蜜	DACC	578D	F3GT0080
1549	謚	DACD	578E	F3GU0080
1550	剝	DACE	5790	F3GW0080
1551	博	DACF	5791	F3GX0080
1552	拍	DAD0	5792	F3GY0080
1553	搏	DAD1	5793	F3GZ0080
1554	撲	DAD2	5794	F3H00080
1555	朴	DAD3	5795	F3H10080
1556	樸	DAD4	5796	F3H20080
1557	泊	DAD5	5798	F3H40080
1558	珀	DAD6	579A	F3H60080
1559	璞	DAD7	579B	F3H70080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Table 15 (Page 31 of 31). Hanja Set(1/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
1560	箔	DAD8	579C	F3H80080
1561	粕	DAD9	579E	F3HA0080
1562	縛	DADA	579D	F3H90080
1563	膊	DADB	579F	F3HB0080
1564	舶	DADC	57A0	F3HC0080
1565	薄	DADD	57A1	F3HD0080
1566	迫	DADE	57A2	F3HE0080
1567	雹	DADF	57A3	F3HF0080
1568	駁	DAE0	57A4	F3HG0080
1569	伴	DAE1	57A5	F3HH0080
1570	半	DAE2	57A6	F3HI0080
1571	反	DAE3	57A7	F3HJ0080
1572	叛	DAE4	57A8	F3HK0080
1573	拌	DAE5	57A9	F3HL0080
1574	搬	DAE6	57AA	F3HM0080
1575	攀	DAE7	57AB	F3HN0080
1576	斑	DAE8	57AC	F3HO0080
1577	槃	DAE9	57AD	F3HP0080
1578	泮	DAEA	57AF	F3HR0080
1579	潘	DAEB	57AE	F3HQ0080
1580	班	DAEC	57B0	F3HS0080
1581	畔	DAED	57B1	F3HT0080
1582	癩	DAEE	6988	F64O0080
1583	盤	DAEF	57B2	F3HU0080
1584	盼	DAF0	6989	F64P0080
1585	磐	DAF1	698A	F64Q0080

Table 15 (Page 31 of 31). Hanja Set(1/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
1586	磻	DAF2	57B3	F3HV0080
1587	攀	DAF3	57B4	F3HW0080
1588	絆	DAF4	57B5	F3HX0080
1589	般	DAF5	57B8	F3I00080
1590	蟠	DAF6	57B7	F3HZ0080
1591	返	DAF7	57B9	F3I10080
1592	頒	DAF8	57BA	F3I20080
1593	飯	DAF9	57BB	F3I30080
1594	勃	DAFA	57BC	F3I40080
1595	拔	DAFB	57BD	F3I50080
1596	撥	DAFC	57BF	F3I70080
1597	渤	DAFD	698B	F64R0080
1598	潑	DAFE	57BE	F3I60080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

9.6 Hanja Set(2/3)

Line Number	Graphic	PC Code	Host Code	GCGID
1599	發	DBA1	57C0	F3I80080
1600	跋	DBA2	57C1	F3I90080
1601	醜	DBA3	57C2	F3IA0080
1602	鉢	DBA4	57C3	F3IB0080
1603	髮	DBA5	57C4	F3IC0080
1604	魘	DBA6	57C5	F3ID0080
1605	倣	DBA7	57C6	F3IE0080
1606	傍	DBA8	57C7	F3IF0080
1607	坊	DBA9	57C8	F3IG0080
1608	妨	DBAA	57C9	F3IH0080
1609	尪	DBAB	57CA	F3II0080
1610	幫	DBAC	57CB	F3IJ0080
1611	彷彿	DBAD	57CC	F3IK0080
1612	房	DBAE	57CD	F3IL0080
1613	放	DBAF	57CE	F3IM0080
1614	方	DBB0	57CF	F3IN0080
1615	旁	DBB1	57D0	F3IO0080
1616	昉	DBB2	57D1	F3IP0080
1617	枋	DBB3	698C	F64S0080
1618	榜	DBB4	57D2	F3IQ0080
1619	滂	DBB5	698D	F64T0080
1620	磅	DBB6	698E	F64U0080
1621	紡	DBB7	57D3	F3IR0080
1622	肪	DBB8	57D4	F3IS0080
1623	膀	DBB9	57D5	F3IT0080

Line Number	Graphic	PC Code	Host Code	GCGID
1624	舫	DBBA	57D6	F3IU0080
1625	芳	DBBB	57D7	F3IV0080
1626	勞	DBBC	57D8	F3IW0080
1627	蚌	DBBD	57D9	F3IX0080
1628	訪	DBBE	57DA	F3IY0080
1629	誘	DBBF	57DB	F3IZ0080
1630	邦	DBC0	57DC	F3J00080
1631	防	DBC1	57DD	F3J10080
1632	龐	DBC2	57E0	F3J40080
1633	倍	DBC3	57E2	F3J60080
1634	俳	DBC4	57E1	F3J50080
1635	北	DBC5	57E3	F3J70080
1636	培	DBC6	57E4	F3J80080
1637	徘	DBC7	57E5	F3J90080
1638	拜	DBC8	57E6	F3JA0080
1639	排	DBC9	57E7	F3JB0080
1640	杯	DBCA	57E8	F3JC0080
1641	湃	DBCB	57E9	F3JD0080
1642	焙	DBCC	698F	F64V0080
1643	盃	DBCD	57EA	F3JE0080
1644	背	DBCE	57EC	F3JG0080
1645	胚	DBCF	57EB	F3JF0080
1646	裴	DBD0	57EE	F3JI0080
1647	裴	DBD1	57ED	F3JH0080
1648	褸	DBD2	57EF	F3JJ0080
1649	賠	DBD3	57F0	F3JK0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Table 16 (Page 2 of 31). Hanja Set(2/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
1650	輩	DBD4	57F1	F3JL0080
1651	配	DBD5	57F2	F3JM0080
1652	陪	DBD6	57F3	F3JN0080
1653	伯	DBD7	57F4	F3JO0080
1654	佰	DBD8	57F5	F3JP0080
1655	帛	DBD9	57F6	F3JQ0080
1656	柏	DBDA	57F7	F3JR0080
1657	栢	DBDB	57F8	F3JS0080
1658	白	DBDC	57F9	F3JT0080
1659	百	DBDD	57FA	F3JU0080
1660	魄	DBDE	57FB	F3JV0080
1661	幡	DBDF	6990	F64W0080
1662	樊	DBE0	57FC	F3JW0080
1663	煩	DBE1	57FE	F3JY0080
1664	幡	DBE2	6991	F64X0080
1665	番	DBE3	5841	F3K10080
1666	磻	DBE4	5842	F3K20080
1667	繁	DBE5	5843	F3K30080
1668	蕃	DBE6	5845	F3K50080
1669	藩	DBE7	5846	F3K60080
1670	飜	DBE8	5847	F3K70080
1671	伐	DBE9	5848	F3K80080
1672	筏	DBEA	5849	F3K90080
1673	罰	DBEB	584A	F3KA0080
1674	閥	DBEC	584B	F3KB0080
1675	凡	DBED	584C	F3KC0080

Table 16 (Page 2 of 31). Hanja Set(2/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
1676	帆	DBEE	584D	F3KD0080
1677	梵	DBEF	584E	F3KE0080
1678	汎	DBF0	584F	F3KF0080
1679	汎	DBF1	5850	F3KG0080
1680	泛	DBF2	5851	F3KH0080
1681	犯	DBF3	5852	F3KI0080
1682	範	DBF4	5853	F3KJ0080
1683	范	DBF5	5854	F3KK0080
1684	法	DBF6	5855	F3KL0080
1685	珞	DBF7	5856	F3KM0080
1686	僻	DBF8	5857	F3KN0080
1687	劈	DBF9	5858	F3KO0080
1688	壁	DBFA	5859	F3KP0080
1689	擘	DBFB	585A	F3KQ0080
1690	檠	DBFC	6992	F64Y0080
1691	璧	DBFD	585B	F3KR0080
1692	癖	DBFE	585C	F3KS0080
1693	碧	DCA1	585D	F3KT0080
1694	藥	DCA2	6993	F64Z0080
1695	闢	DCA3	585F	F3KV0080
1696	霹	DCA4	5860	F3KW0080
1697	便	DCA5	5861	F3KX0080
1698	卞	DCA6	5862	F3KY0080
1699	弁	DCA7	5863	F3KZ0080
1700	變	DCA8	5866	F3L20080
1701	辨	DCA9	5867	F3L30080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
1702	辯	DCAA	5868	F3L40080
1703	邊	DCAB	586A	F3L60080
1704	別	DCAC	586C	F3L80080
1705	譬	DCAD	586E	F3LA0080
1706	繁	DCAE	586F	F3LB0080
1707	鼈	DCAF	5870	F3LC0080
1708	丙	DCB0	5871	F3LD0080
1709	併	DCB1	5872	F3LE0080
1710	兵	DCB2	5873	F3LF0080
1711	屏	DCB3	5874	F3LG0080
1712	并	DCB4	5875	F3LH0080
1713	晒	DCB5	5876	F3LI0080
1714	昷	DCB6	5877	F3LJ0080
1715	柄	DCB7	5878	F3LK0080
1716	棟	DCB8	6994	F6500080
1717	炳	DCB9	5879	F3LL0080
1718	瓶	DCBA	587A	F3LM0080
1719	病	DCBB	587B	F3LN0080
1720	秉	DCBC	587D	F3LP0080
1721	並	DCBD	587C	F3LO0080
1722	駢	DCBE	587E	F3LQ0080
1723	餅	DCBF	5880	F3LS0080
1724	駢	DCC0	6995	F6510080
1725	保	DCC1	5881	F3LT0080
1726	堡	DCC2	5882	F3LU0080
1727	報	DCC3	5883	F3LV0080

Line Number	Graphic	PC Code	Host Code	GCGID
1728	寶	DCC4	5884	F3LW0080
1729	普	DCC5	5885	F3LX0080
1730	步	DCC6	5886	F3LY0080
1731	洑	DCC7	5888	F3M00080
1732	滌	DCC8	5887	F3LZ0080
1733	潛	DCC9	5889	F3M10080
1734	瑤	DCCA	6996	F6520080
1735	甫	DCCB	588A	F3M20080
1736	菩	DCCC	6997	F6530080
1737	補	DCCD	588B	F3M30080
1738	裸	DCCE	588C	F3M40080
1739	譜	DCCF	588D	F3M50080
1740	輔	DCD0	588E	F3M60080
1741	伏	DCD1	5891	F3M90080
1742	僕	DCD2	5892	F3MA0080
1743	匐	DCD3	5893	F3MB0080
1744	卜	DCD4	5894	F3MC0080
1745	宀	DCD5	5895	F3MD0080
1746	復	DCD6	5896	F3ME0080
1747	服	DCD7	5898	F3MG0080
1748	福	DCD8	5897	F3MF0080
1749	腹	DCD9	5899	F3MH0080
1750	茯	DCDA	589A	F3MI0080
1751	蔔	DCDB	589B	F3MJ0080
1752	複	DCDC	589E	F3MM0080
1753	覆	DCDD	589C	F3MK0080




IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Table 16 (Page 4 of 31). Hanja Set(2/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
1754	輓	DCDE	6998	F6540080
1755	輻	DCDF	589F	F3MN0080
1756	馥	DCE0	58A0	F3MO0080
1757	馥	DCE1	58A1	F3MP0080
1758	本	DCE2	58A2	F3MQ0080
1759	芟	DCE3	58A3	F3MR0080
1760	棒	DCE4	58A5	F3MT0080
1761	奉	DCE5	58A6	F3MU0080
1762	封	DCE6	58A7	F3MV0080
1763	峯	DCE7	58A9	F3MX0080
1764	峰	DCE8	58A8	F3MW0080
1765	捧	DCE9	58AA	F3MY0080
1766	棒	DCEA	58AC	F3N00080
1767	烽	DCEB	58AD	F3N10080
1768	燧	DCEC	6999	F6550080
1769	琫	DCED	58AB	F3MZ0080
1770	縫	DCEE	58AE	F3N20080
1771	蓬	DCEF	58B0	F3N40080
1772	蜂	DCF0	58B1	F3N50080
1773	逢	DCF1	58B2	F3N60080
1774	鋒	DCF2	58B3	F3N70080
1775	鳳	DCF3	58B4	F3N80080
1776	不	DCF4	699A	F6560080
1777	付	DCF5	58B6	F3NA0080
1778	俯	DCF6	699B	F6570080
1779	傅	DCF7	58B7	F3NB0080

Table 16 (Page 4 of 31). Hanja Set(2/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
1780	剖	DCF8	58B8	F3NC0080
1781	副	DCF9	58B9	F3ND0080
1782	否	DCFA	58BA	F3NE0080
1783	咐	DCFB	699C	F6580080
1784	埠	DCFC	58BB	F3NF0080
1785	夫	DCFD	58BC	F3NG0080
1786	婦	DCFE	58BD	F3NH0080
1787	孚	DDA1	699D	F6590080
1788	孵	DDA2	58BE	F3NI0080
1789	富	DDA3	58BF	F3NJ0080
1790	府	DDA4	58C0	F3NK0080
1791	復	DDA5	58C1	F3NL0080
1792	扶	DDA6	58C2	F3NM0080
1793	敷	DDA7	58C3	F3NN0080
1794	斧	DDA8	58C4	F3NO0080
1795	浮	DDA9	58C5	F3NP0080
1796	溥	DDAA	58C6	F3NQ0080
1797	父	DDAB	58C7	F3NR0080
1798	符	DDAC	58CA	F3NU0080
1799	簿	DDAD	58C8	F3NS0080
1800	缶	DDAE	58C9	F3NT0080
1801	腐	DDAF	58CD	F3NX0080
1802	腑	DDB0	58CC	F3NW0080
1803	膚	DDB1	58CE	F3NY0080
1804	孵	DDB2	699E	F65A0080
1805	芙	DDB3	58CF	F3NZ0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
1806	葶	DDB4	699F	F65B0080
1807	訃	DDB5	58D2	F3O20080
1808	負	DDB6	58D3	F3O30080
1809	賦	DDB7	58D4	F3O40080
1810	賻	DDB8	58D5	F3O50080
1811	赴	DDB9	58D6	F3O60080
1812	跌	DDBA	58D7	F3O70080
1813	部	DDBB	58D8	F3O80080
1814	釜	DDBC	58D9	F3O90080
1815	阜	DDBD	58DA	F3OA0080
1816	附	DDBE	58DB	F3OB0080
1817	駙	DDBF	58DD	F3OD0080
1818	鳧	DDC0	58DF	F3OF0080
1819	北	DDC1	58E0	F3OG0080
1820	分	DDC2	58E1	F3OH0080
1821	吩	DDC3	69A0	F65C0080
1822	噴	DDC4	58E2	F3OI0080
1823	墳	DDC5	58E4	F3OK0080
1824	奔	DDC6	58E5	F3OL0080
1825	奮	DDC7	58E6	F3OM0080
1826	忿	DDC8	58E7	F3ON0080
1827	憤	DDC9	58E8	F3OO0080
1828	扮	DDCA	58E9	F3OP0080
1829	盼	DDCB	69A1	F65D0080
1830	汾	DDCC	58EA	F3OQ0080
1831	焚	DDCD	58EB	F3OR0080

Line Number	Graphic	PC Code	Host Code	GCGID
1832	盆	DDCE	58EC	F3OS0080
1833	粉	DDCF	58ED	F3OT0080
1834	糞	DDD0	58EE	F3OU0080
1835	紛	DDD1	58EF	F3OV0080
1836	芬	DDD2	58F0	F3OW0080
1837	賁	DDD3	69A2	F65E0080
1838	雰	DDD4	58F2	F3OY0080
1839	不	DDD5	58F3	F3OZ0080
1840	佛	DDD6	58F4	F3P00080
1841	弗	DDD7	58F6	F3P20080
1842	拂	DDD8	69A3	F65F0080
1843	拂	DDD9	58F7	F3P30080
1844	崩	DDDA	58FA	F3P60080
1845	朋	DDDB	58FB	F3P70080
1846	棚	DDDC	58FC	F3P80080
1847	棚	DDDD	58FD	F3P90080
1848	繡	DDDE	58FE	F3PA0080
1849	鵬	DDDF	5941	F3PD0080
1850	丕	DDE0	5942	F3PE0080
1851	備	DDE1	5943	F3PF0080
1852	匕	DDE2	5944	F3PG0080
1853	匪	DDE3	5945	F3PH0080
1854	卑	DDE4	5946	F3PI0080
1855	妃	DDE5	5947	F3PJ0080
1856	婢	DDE6	5949	F3PL0080
1857	庇	DDE7	594A	F3PM0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Table 16 (Page 6 of 31). Hanja Set(2/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
1858	悲	DDE8	594B	F3PN0080
1859	億	DDE9	594C	F3PO0080
1860	扉	DDEA	594D	F3PP0080
1861	批	DDEB	594E	F3PQ0080
1862	斐	DDEC	594F	F3PR0080
1863	枇	DDED	69A4	F65G0080
1864	榧	DDEE	5951	F3PT0080
1865	比	DDEF	5955	F3PX0080
1866	毳	DDF0	69A5	F65H0080
1867	毗	DDF1	69A6	F65I0080
1868	毘	DDF2	5956	F3PY0080
1869	沸	DDF3	5954	F3PW0080
1870	泌	DDF4	5953	F3PV0080
1871	毳	DDF5	5957	F3PZ0080
1872	痺	DDF6	5958	F3Q00080
1873	砒	DDF7	595A	F3Q20080
1874	碑	DDF8	595B	F3Q30080
1875	枇	DDF9	69A7	F65J0080
1876	秘	DDFA	595C	F3Q40080
1877	粃	DDFB	69A8	F65K0080
1878	緋	DDFC	595E	F3Q60080
1879	翡	DDFD	595F	F3Q70080
1880	肥	DDFE	5960	F3Q80080
1881	脾	DEA1	5962	F3QA0080
1882	臂	DEA2	5963	F3QB0080
1883	菲	DEA3	5964	F3QC0080

Table 16 (Page 6 of 31). Hanja Set(2/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
1884	蜚	DEA4	5965	F3QD0080
1885	裨	DEA5	5966	F3QE0080
1886	誹	DEA6	5967	F3QF0080
1887	譬	DEA7	5968	F3QG0080
1888	費	DEA8	5969	F3QH0080
1889	鄙	DEA9	596B	F3QJ0080
1890	非	DEAA	596C	F3QK0080
1891	飛	DEAB	596D	F3QL0080
1892	鼻	DEAC	596F	F3QN0080
1893	噸	DEAD	69A9	F65L0080
1894	嬪	DEAE	5970	F3QO0080
1895	彬	DEAF	5972	F3QQ0080
1896	斌	DEB0	5974	F3QS0080
1897	檳	DEB1	5975	F3QT0080
1898	殯	DEB2	5976	F3QU0080
1899	浜	DEB3	69AA	F65M0080
1900	濱	DEB4	5977	F3QV0080
1901	瀕	DEB5	5978	F3QW0080
1902	牝	DEB6	5979	F3QX0080
1903	玼	DEB7	69AB	F65N0080
1904	貧	DEB8	597B	F3QZ0080
1905	賓	DEB9	5971	F3QP0080
1906	頻	DEBA	597D	F3R10080
1907	憑	DEBB	5980	F3R40080
1908	水	DEBC	5981	F3R50080
1909	聘	DEBD	5982	F3R60080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
1910	聘	DEBE	5983	F3R70080
1911	乍	DEBF	5984	F3R80080
1912	事	DEC0	5985	F3R90080
1913	些	DEC1	5986	F3RA0080
1914	仕	DEC2	5987	F3RB0080
1915	伺	DEC3	5989	F3RD0080
1916	似	DEC4	5988	F3RC0080
1917	使	DEC5	598B	F3RF0080
1918	俟	DEC6	69AC	F65O0080
1919	僊	DEC7	598C	F3RG0080
1920	史	DEC8	598D	F3RH0080
1921	司	DEC9	598E	F3RI0080
1922	峻	DECA	5990	F3RK0080
1923	嗣	DECB	5991	F3RL0080
1924	四	DECC	598F	F3RJ0080
1925	士	DECD	5992	F3RM0080
1926	奢	DECE	5993	F3RN0080
1927	娑	DECF	5995	F3RP0080
1928	寫	DED0	5996	F3RQ0080
1929	寺	DED1	5997	F3RR0080
1930	射	DED2	59BD	F3ST0080
1931	巳	DED3	5998	F3RS0080
1932	師	DED4	5999	F3RT0080
1933	徙	DED5	599B	F3RV0080
1934	思	DED6	599C	F3RW0080
1935	捨	DED7	599D	F3RX0080

Line Number	Graphic	PC Code	Host Code	GCGID
1936	斜	DED8	59A0	F3S00080
1937	斯	DED9	599F	F3RZ0080
1938	栖	DEDA	69AD	F65P0080
1939	查	DEDB	59A1	F3S10080
1940	梭	DEDC	59A2	F3S20080
1941	死	DEDD	59AE	F3SE0080
1942	沙	DEDE	59A5	F3S50080
1943	泗	DEDF	59A6	F3S60080
1944	渣	DEE0	59A7	F3S70080
1945	瀉	DEE1	59A8	F3S80080
1946	獅	DEE2	59AA	F3SA0080
1947	砂	DEE3	59AF	F3SF0080
1948	社	DEE4	59AC	F3SC0080
1949	祀	DEE5	59AB	F3SB0080
1950	祠	DEE6	59AD	F3SD0080
1951	私	DEE7	59B0	F3SG0080
1952	篩	DEE8	59B2	F3SI0080
1953	紗	DEE9	59B4	F3SK0080
1954	絲	DEEA	59B5	F3SL0080
1955	肆	DEEB	59BF	F3SV0080
1956	舍	DEEC	598A	F3RE0080
1957	莎	DEED	59B6	F3SM0080
1958	蓑	DEEE	59B3	F3SJ0080
1959	蛇	DEEF	59B7	F3SN0080
1960	裘	DEF0	59B8	F3SO0080
1961	詐	DEF1	59B9	F3SP0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
1962	詞	DEF2	59BA	F3SQ0080
1963	謝	DEF3	59BB	F3SR0080
1964	賜	DEF4	59BC	F3SS0080
1965	赦	DEF5	599E	F3RY0080
1966	辭	DEF6	59BE	F3SU0080
1967	邪	DEF7	59A9	F3S90080
1968	飼	DEF8	59C0	F3SW0080
1969	駟	DEF9	59C1	F3SX0080
1970	麪	DEFA	69AE	F65Q0080
1971	削	DEFB	59C2	F3SY0080
1972	數	DEFC	59C3	F3SZ0080
1973	朔	DEFD	59C5	F3T10080
1974	索	DEFE	59C6	F3T20080
1975	傘	DFA1	59C8	F3T40080
1976	刪	DFA2	59C9	F3T50080
1977	山	DFA3	59CA	F3T60080
1978	散	DFA4	59CB	F3T70080
1979	汕	DFA5	59CC	F3T80080
1980	珊	DFA6	59CD	F3T90080
1981	產	DFA7	59CE	F3TA0080
1982	疝	DFA8	59CF	F3TB0080
1983	算	DFA9	59D0	F3TC0080
1984	蒜	DFAA	59D1	F3TD0080
1985	酸	DFAB	59D2	F3TE0080
1986	霰	DFAC	69AF	F65R0080
1987	豔	DFAD	59D5	F3TH0080

Line Number	Graphic	PC Code	Host Code	GCGID
1988	撒	DFAE	59D3	F3TF0080
1989	殺	DFAF	59D4	F3TG0080
1990	煞	DFB0	69B0	F65S0080
1991	薩	DFB1	59D6	F3TI0080
1992	三	DFB2	59D7	F3TJ0080
1993	參	DFB3	59D8	F3TK0080
1994	杉	DFB4	59D9	F3TL0080
1995	森	DFB5	59DA	F3TM0080
1996	滲	DFB6	59DB	F3TN0080
1997	芟	DFB7	59DD	F3TP0080
1998	蓼	DFB8	59DE	F3TQ0080
1999	衫	DFB9	59DC	F3TO0080
2000	插	DFBA	59E0	F3TS0080
2001	澁	DFBB	59E1	F3TT0080
2002	鋏	DFBC	69B1	F65T0080
2003	颯	DFBD	59E2	F3TU0080
2004	上	DFBE	59E5	F3TX0080
2005	傷	DFBF	59E6	F3TY0080
2006	像	DFC0	59E7	F3TZ0080
2007	償	DFC1	59E8	F3U00080
2008	商	DFC2	59E9	F3U10080
2009	喪	DFC3	59EA	F3U20080
2010	嘗	DFC4	59EB	F3U30080
2011	孀	DFC5	59ED	F3U50080
2012	尙	DFC6	59EE	F3U60080
2013	峙	DFC7	69B2	F65U0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
2014	常	DFC8	59F2	F3UA0080
2015	床	DFC9	59EF	F3U70080
2016	庠	DFCA	59F0	F3U80080
2017	廂	DFCB	59F1	F3U90080
2018	想	DFCC	59F3	F3UB0080
2019	桑	DFCD	59F5	F3UD0080
2020	橡	DFCE	59F6	F3UE0080
2021	湘	DFCF	59F8	F3UG0080
2022	爽	DFD0	59EC	F3U40080
2023	牀	DFD1	59FA	F3UI0080
2024	狀	DFD2	59F9	F3UH0080
2025	相	DFD3	59F4	F3UC0080
2026	祥	DFD4	59FB	F3UJ0080
2027	箱	DFD5	59FC	F3UK0080
2028	翔	DFD6	59FD	F3UL0080
2029	裳	DFD7	59FE	F3UM0080
2030	鶻	DFD8	5A41	F3UP0080
2031	詳	DFD9	5A44	F3US0080
2032	象	DFDA	5A42	F3UQ0080
2033	賞	DFDB	5A43	F3UR0080
2034	霜	DFDC	5A45	F3UT0080
2035	塞	DFDD	5A46	F3UU0080
2036	璽	DFDE	5A47	F3UV0080
2037	賽	DFDF	5A48	F3UW0080
2038	嗇	DFE0	69B3	F65V0080
2039	塞	DFE1	5A4A	F3UY0080

Line Number	Graphic	PC Code	Host Code	GCGID
2040	穉	DFE2	5A4B	F3UZ0080
2041	索	DFE3	5A4C	F3V00080
2042	色	DFE4	5A4D	F3V10080
2043	牲	DFE5	5A4E	F3V20080
2044	生	DFE6	5A4F	F3V30080
2045	甥	DFE7	5A50	F3V40080
2046	省	DFE8	5A51	F3V50080
2047	笙	DFE9	5A52	F3V60080
2048	墅	DFEA	5A55	F3V90080
2049	壻	DFEB	5A54	F3V80080
2050	嶼	DFEC	5A58	F3VC0080
2051	序	DFED	5A59	F3VD0080
2052	庶	DFEE	5A5A	F3VE0080
2053	徐	DFEF	5A5B	F3VF0080
2054	恕	DFF0	5A5C	F3VG0080
2055	抒	DFF1	5A5D	F3VH0080
2056	棲	DFF2	69B4	F65W0080
2057	斂	DFF3	5A5E	F3VI0080
2058	暑	DFF4	5A5F	F3VJ0080
2059	曙	DFF5	5A60	F3VK0080
2060	書	DFF6	5A61	F3VL0080
2061	栖	DFF7	5A62	F3VM0080
2062	棲	DFF8	5A63	F3VN0080
2063	犀	DFF9	5A57	F3VB0080
2064	瑞	DFFA	5A64	F3VO0080
2065	筮	DFFB	69B5	F65X0080




IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
2066	絮	DFFC	5A65	F3VP0080
2067	緒	DFFD	5A66	F3VQ0080
2068	署	DFFE	5A67	F3VR0080
2069	胥	E0A1	5A68	F3VS0080
2070	舒	E0A2	5A69	F3VT0080
2071	薯	E0A3	5A6A	F3VU0080
2072	西	E0A4	5A6B	F3VV0080
2073	誓	E0A5	5A6C	F3VW0080
2074	逝	E0A6	5A6E	F3VY0080
2075	鋤	E0A7	5A6D	F3VX0080
2076	黍	E0A8	5A6F	F3VZ0080
2077	鼠	E0A9	5A71	F3W10080
2078	夕	E0AA	5A72	F3W20080
2079	爽	E0AB	5A73	F3W30080
2080	席	E0AC	5A75	F3W50080
2081	惜	E0AD	5A76	F3W60080
2082	昔	E0AE	5A77	F3W70080
2083	皙	E0AF	5A78	F3W80080
2084	析	E0B0	5A79	F3W90080
2085	汐	E0B1	5A7A	F3WA0080
2086	浙	E0B2	5A7B	F3WB0080
2087	瀉	E0B3	5A7C	F3WC0080
2088	石	E0B4	5A7D	F3WD0080
2089	碩	E0B5	5A7E	F3WE0080
2090	蓆	E0B6	5A7F	F3WF0080
2091	釋	E0B7	5A80	F3WG0080

Line Number	Graphic	PC Code	Host Code	GCGID
2092	錫	E0B8	5A81	F3WH0080
2093	仙	E0B9	5A83	F3WJ0080
2094	僊	E0BA	5A84	F3WK0080
2095	先	E0BB	5A82	F3WI0080
2096	善	E0BC	5A86	F3WM0080
2097	嬋	E0BD	69B6	F65Y0080
2098	宣	E0BE	5A87	F3WN0080
2099	扇	E0BF	5A8A	F3WQ0080
2100	斂	E0C0	69B7	F65Z0080
2101	旋	E0C1	5A8B	F3WR0080
2102	渲	E0C2	69B8	F6600080
2103	煽	E0C3	5A8D	F3WT0080
2104	璇	E0C4	69B9	F6610080
2105	瑄	E0C5	5A90	F3WW0080
2106	璇	E0C6	5A91	F3WX0080
2107	璿	E0C7	5A92	F3WY0080
2108	癩	E0C8	5A93	F3WZ0080
2109	禪	E0C9	5A8F	F3WV0080
2110	線	E0CA	5A94	F3X00080
2111	繕	E0CB	5A95	F3X10080
2112	羨	E0CC	5A96	F3X20080
2113	腺	E0CD	5A97	F3X30080
2114	膳	E0CE	5A98	F3X40080
2115	船	E0CF	5A99	F3X50080
2116	藓	E0D0	5A9A	F3X60080
2117	蟬	E0D1	5A9B	F3X70080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
2118	誂	E0D2	5A9C	F3X80080
2119	跣	E0D3	5A9D	F3X90080
2120	選	E0D4	5A9E	F3XA0080
2121	銑	E0D5	5A9F	F3XB0080
2122	錯	E0D6	69BA	F6620080
2123	饜	E0D7	69BB	F6630080
2124	鮮	E0D8	5AA1	F3XD0080
2125	高	E0D9	5AA3	F3XF0080
2126	屑	E0DA	5AA6	F3XI0080
2127	楔	E0DB	5AA8	F3XK0080
2128	泄	E0DC	69BC	F6640080
2129	洩	E0DD	5AA9	F3XL0080
2130	灑	E0DE	5AAA	F3XM0080
2131	舌	E0DF	5AA4	F3XG0080
2132	薛	E0E0	5AAB	F3XN0080
2133	褻	E0E1	69BD	F6650080
2134	設	E0E2	5AAC	F3XO0080
2135	說	E0E3	5AAD	F3XP0080
2136	雪	E0E4	5AAE	F3XQ0080
2137	齧	E0E5	69BE	F6660080
2138	剡	E0E6	69BF	F6670080
2139	暹	E0E7	5AB3	F3XV0080
2140	殲	E0E8	5AAF	F3XR0080
2141	織	E0E9	5AB0	F3XS0080
2142	蟾	E0EA	5AB1	F3XT0080
2143	瞻	E0EB	5AB2	F3XU0080

Line Number	Graphic	PC Code	Host Code	GCGID
2144	閃	E0EC	5AB4	F3XW0080
2145	陝	E0ED	69C0	F6680080
2146	攝	E0EE	5AB6	F3XY0080
2147	涉	E0EF	5AB7	F3XZ0080
2148	變	E0F0	5AB5	F3XX0080
2149	葉	E0F1	5AB8	F3Y00080
2150	城	E0F2	5AB9	F3Y10080
2151	姓	E0F3	5ABA	F3Y20080
2152	宍	E0F4	69C1	F6690080
2153	性	E0F5	5ABB	F3Y30080
2154	惺	E0F6	5ABC	F3Y40080
2155	成	E0F7	5ABD	F3Y50080
2156	星	E0F8	5ABE	F3Y60080
2157	晟	E0F9	5ABF	F3Y70080
2158	猩	E0FA	5AC0	F3Y80080
2159	城	E0FB	69C2	F66A0080
2160	盛	E0FC	5AC1	F3Y90080
2161	省	E0FD	5AC2	F3YA0080
2162	箴	E0FE	5AC3	F3YB0080
2163	聖	E1A1	5AC4	F3YC0080
2164	聲	E1A2	5AC5	F3YD0080
2165	腥	E1A3	5AC6	F3YE0080
2166	誠	E1A4	5AC7	F3YF0080
2167	醒	E1A5	5AC8	F3YG0080
2168	世	E1A6	5AC9	F3YH0080
2169	勢	E1A7	5ACA	F3YI0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
2170	歲	E1A8	5ACB	F3YJ0080
2171	洗	E1A9	5ACC	F3YK0080
2172	稅	E1AA	5ACD	F3YL0080
2173	筐	E1AB	5ACE	F3YM0080
2174	細	E1AC	5ACF	F3YN0080
2175	說	E1AD	5AD0	F3YO0080
2176	貰	E1AE	5AD1	F3YP0080
2177	召	E1AF	5AD2	F3YQ0080
2178	嘯	E1B0	5AD3	F3YR0080
2179	塑	E1B1	5AD4	F3YS0080
2180	宵	E1B2	5AD7	F3YV0080
2181	小	E1B3	5AD5	F3YT0080
2182	少	E1B4	5AD6	F3YU0080
2183	巢	E1B5	5AD8	F3YW0080
2184	所	E1B6	5ADB	F3YZ0080
2185	掃	E1B7	5AD9	F3YX0080
2186	搔	E1B8	5ADA	F3YY0080
2187	昭	E1B9	5ADC	F3Z00080
2188	梳	E1BA	5ADD	F3Z10080
2189	沼	E1BB	5ADE	F3Z20080
2190	消	E1BC	5ADF	F3Z30080
2191	溯	E1BD	5AE0	F3Z40080
2192	瀟	E1BE	5AE1	F3Z50080
2193	炤	E1BF	5AE2	F3Z60080
2194	燒	E1C0	5AE3	F3Z70080
2195	甦	E1C1	5AE4	F3Z80080

Line Number	Graphic	PC Code	Host Code	GCGID
2196	疏	E1C2	5AE6	F3ZA0080
2197	疎	E1C3	5AE5	F3Z90080
2198	瘙	E1C4	69C3	F66B0080
2199	笑	E1C5	5AE7	F3ZB0080
2200	篠	E1C6	69C4	F66C0080
2201	簫	E1C7	5AE8	F3ZC0080
2202	素	E1C8	5AE9	F3ZD0080
2203	紹	E1C9	5AEA	F3ZE0080
2204	蔬	E1CA	5AEC	F3ZG0080
2205	蕭	E1CB	5AED	F3ZH0080
2206	蘇	E1CC	5AEE	F3ZI0080
2207	訴	E1CD	5AEF	F3ZJ0080
2208	迨	E1CE	5AF0	F3ZK0080
2209	遡	E1CF	5AF1	F3ZL0080
2210	邵	E1D0	5AF2	F3ZM0080
2211	銷	E1D1	5AF3	F3ZN0080
2212	韶	E1D2	5AF5	F3ZP0080
2213	騷	E1D3	5AF6	F3ZQ0080
2214	俗	E1D4	5AF7	F3ZR0080
2215	屬	E1D5	5AF8	F3ZS0080
2216	束	E1D6	5AF9	F3ZT0080
2217	涑	E1D7	69C5	F66D0080
2218	粟	E1D8	5AFA	F3ZU0080
2219	續	E1D9	5AFB	F3ZV0080
2220	謾	E1DA	69C6	F66E0080
2221	贖	E1DB	69C7	F66F0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
2222	速	E1DC	5AFC	F3ZW0080
2223	孫	E1DD	5AFD	F3ZX0080
2224	巽	E1DE	69C8	F66G0080
2225	損	E1DF	5AFE	F3ZY0080
2226	蓀	E1E0	69C9	F66H0080
2227	遜	E1E1	5B41	F40I0080
2228	飡	E1E2	69CA	F66I0080
2229	率	E1E3	5B42	F40J0080
2230	宋	E1E4	5B44	F40K0080
2231	悚	E1E5	69CB	F66J0080
2232	松	E1E6	5B45	F40L0080
2233	淞	E1E7	69CC	F66K0080
2234	訟	E1E8	5B46	F40M0080
2235	誦	E1E9	5B47	F40N0080
2236	送	E1EA	5B48	F40O0080
2237	頌	E1EB	5B49	F40P0080
2238	刷	E1EC	5B4A	F40Q0080
2239	殺	E1ED	5B4B	F40R0080
2240	灑	E1EE	5B4C	F40S0080
2241	碎	E1EF	5B4E	F40T0080
2242	鎖	E1F0	5B4F	F40U0080
2243	衰	E1F1	5B50	F40V0080
2244	釗	E1F2	5B51	F40W0080
2245	修	E1F3	5B52	F40X0080
2246	受	E1F4	5B53	F40Y0080
2247	嗽	E1F5	5B56	F40Z0080

Line Number	Graphic	PC Code	Host Code	GCGID
2248	囚	E1F6	5B55	F40L0080
2249	垂	E1F7	5B57	F40N0080
2250	壽	E1F8	5B58	F40O0080
2251	嫂	E1F9	5B59	F40P0080
2252	守	E1FA	5B5A	F40Q0080
2253	岫	E1FB	5B5C	F40S0080
2254	岯	E1FC	69CD	F66L0080
2255	帥	E1FD	5B5D	F40T0080
2256	愁	E1FE	5B5F	F40V0080
2257	戍	E2A1	5B5E	F40U0080
2258	手	E2A2	5B60	F40W0080
2259	授	E2A3	5B61	F40X0080
2260	搜	E2A4	5B62	F40Y0080
2261	收	E2A5	5B63	F40Z0080
2262	數	E2A6	5B64	F4100080
2263	樹	E2A7	5B66	F4120080
2264	殊	E2A8	5B67	F4130080
2265	水	E2A9	5B69	F4150080
2266	洙	E2AA	5B6A	F4160080
2267	漱	E2AB	5B6C	F4180080
2268	燧	E2AC	5B68	F4140080
2269	狩	E2AD	5B6D	F4190080
2270	獸	E2AE	5B6E	F41A0080
2271	琇	E2AF	69CE	F66M0080
2272	璵	E2B0	69CF	F66N0080
2273	瘦	E2B1	5B70	F41C0080




IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
2274	睡	E2B2	5B71	F41D0080
2275	秀	E2B3	5B73	F41F0080
2276	穗	E2B4	5B74	F41G0080
2277	豎	E2B5	5B75	F41H0080
2278	粹	E2B6	5B76	F41I0080
2279	綏	E2B7	5B77	F41J0080
2280	綬	E2B8	5B78	F41K0080
2281	繡	E2B9	5B79	F41L0080
2282	羞	E2BA	5B7A	F41M0080
2283	脩	E2BB	5B7B	F41N0080
2284	茱	E2BC	5B7C	F41O0080
2285	菟	E2BD	5B7D	F41P0080
2286	蔘	E2BE	5B7E	F41Q0080
2287	藪	E2BF	5B7F	F41R0080
2288	袖	E2C0	5B80	F41S0080
2289	誰	E2C1	5B81	F41T0080
2290	讐	E2C2	69D0	F66O0080
2291	輸	E2C3	5B82	F41U0080
2292	遂	E2C4	5B83	F41V0080
2293	邃	E2C5	5B84	F41W0080
2294	酬	E2C6	5B85	F41X0080
2295	銖	E2C7	5B86	F41Y0080
2296	銹	E2C8	5B87	F41Z0080
2297	隋	E2C9	5B88	F4200080
2298	隕	E2CA	69D1	F66P0080
2299	隨	E2CB	5B89	F4210080

Line Number	Graphic	PC Code	Host Code	GCGID
2300	雖	E2CC	5B8A	F4220080
2301	需	E2CD	5B8B	F4230080
2302	須	E2CE	5B8C	F4240080
2303	首	E2CF	5B8D	F4250080
2304	髓	E2D0	5B8E	F4260080
2305	鬚	E2D1	5B8F	F4270080
2306	叔	E2D2	5B90	F4280080
2307	塾	E2D3	5B91	F4290080
2308	夙	E2D4	5B92	F42A0080
2309	孰	E2D5	5B93	F42B0080
2310	宿	E2D6	5B94	F42C0080
2311	淑	E2D7	5B95	F42D0080
2312	瀟	E2D8	69D2	F66Q0080
2313	熟	E2D9	5B96	F42E0080
2314	琚	E2DA	69D3	F66R0080
2315	璫	E2DB	69D4	F66S0080
2316	肅	E2DC	5B97	F42F0080
2317	菽	E2DD	5B98	F42G0080
2318	巡	E2DE	5BA9	F42X0080
2319	徇	E2DF	69D5	F66T0080
2320	循	E2E0	5B99	F42H0080
2321	恂	E2E1	5B9A	F42I0080
2322	旬	E2E2	5B9B	F42J0080
2323	枸	E2E3	69D6	F66U0080
2324	楯	E2E4	5B9C	F42K0080
2325	櫛	E2E5	69D7	F66V0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
2326	殉	E2E6	5B9D	F42L0080
2327	洵	E2E7	5B9E	F42M0080
2328	淳	E2E8	5B9F	F42N0080
2329	珣	E2E9	5BA0	F42O0080
2330	盾	E2EA	5BA1	F42P0080
2331	瞬	E2EB	5BA2	F42Q0080
2332	筍	E2EC	5BA3	F42R0080
2333	純	E2ED	5BA4	F42S0080
2334	脣	E2EE	5BA5	F42T0080
2335	舜	E2EF	5BA6	F42U0080
2336	荀	E2F0	5BA7	F42V0080
2337	蕁	E2F1	69D8	F66W0080
2338	蕁	E2F2	69D9	F66X0080
2339	詢	E2F3	5BA8	F42W0080
2340	諄	E2F4	69DA	F66Y0080
2341	醇	E2F5	5BAA	F42Y0080
2342	醇	E2F6	5BAB	F42Z0080
2343	順	E2F7	5BAC	F4300080
2344	馴	E2F8	5BAD	F4310080
2345	戍	E2F9	5BAF	F4330080
2346	術	E2FA	5BB0	F4340080
2347	述	E2FB	5BB1	F4350080
2348	鉦	E2FC	69DB	F66Z0080
2349	崇	E2FD	5BB2	F4360080
2350	崧	E2FE	5BB3	F4370080
2351	嵩	E3A1	5BB4	F4380080

Line Number	Graphic	PC Code	Host Code	GCGID
2352	瑟	E3A2	5BB5	F4390080
2353	膝	E3A3	5BB6	F43A0080
2354	蝨	E3A4	5BB8	F43C0080
2355	濕	E3A5	5BBA	F43E0080
2356	拾	E3A6	5BB9	F43D0080
2357	習	E3A7	5BBB	F43F0080
2358	褶	E3A8	5BBC	F43G0080
2359	襲	E3A9	5BBD	F43H0080
2360	丞	E3AA	5BBE	F43I0080
2361	乘	E3AB	5BBF	F43J0080
2362	僧	E3AC	5BC0	F43K0080
2363	勝	E3AD	5BC4	F43O0080
2364	升	E3AE	5BC1	F43L0080
2365	承	E3AF	5BC2	F43M0080
2366	昇	E3B0	5BC3	F43N0080
2367	繩	E3B1	5BC5	F43P0080
2368	蠅	E3B2	5BC6	F43Q0080
2369	陞	E3B3	5BC7	F43R0080
2370	侍	E3B4	5BC8	F43S0080
2371	匙	E3B5	5BC9	F43T0080
2372	嘶	E3B6	5BCB	F43V0080
2373	始	E3B7	5BCC	F43W0080
2374	媿	E3B8	5BCD	F43X0080
2375	尸	E3B9	5BCF	F43Z0080
2376	屎	E3BA	69DC	F6700080
2377	屍	E3BB	5BD0	F4400080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
2378	市	E3BC	5BD1	F4410080
2379	弒	E3BD	5BD2	F4420080
2380	恃	E3BE	5BD3	F4430080
2381	施	E3BF	5BD4	F4440080
2382	是	E3C0	5BD5	F4450080
2383	時	E3C1	5BD6	F4460080
2384	柿	E3C2	5BD7	F4470080
2385	柴	E3C3	5BD8	F4480080
2386	猜	E3C4	5BD9	F4490080
2387	矢	E3C5	5BDA	F44A0080
2388	示	E3C6	5BDB	F44B0080
2389	翅	E3C7	5BDE	F44E0080
2390	蒔	E3C8	5BDF	F44F0080
2391	蒼	E3C9	5BE0	F44G0080
2392	視	E3CA	5BDC	F44C0080
2393	試	E3CB	5BE2	F44I0080
2394	詩	E3CC	5BE1	F44H0080
2395	諡	E3CD	5BE3	F44J0080
2396	豕	E3CE	69DD	F6710080
2397	豸	E3CF	5BE4	F44K0080
2398	埴	E3D0	5BE5	F44L0080
2399	寔	E3D1	5BE6	F44M0080
2400	式	E3D2	5BE7	F44N0080
2401	息	E3D3	5BE8	F44O0080
2402	拭	E3D4	5BE9	F44P0080
2403	植	E3D5	5BEA	F44Q0080

Line Number	Graphic	PC Code	Host Code	GCGID
2404	殖	E3D6	5BEB	F44R0080
2405	湜	E3D7	5BEC	F44S0080
2406	熄	E3D8	5BED	F44T0080
2407	簣	E3D9	69DE	F6720080
2408	蝕	E3DA	69DF	F6730080
2409	識	E3DB	5BEE	F44U0080
2410	軾	E3DC	5BEF	F44V0080
2411	食	E3DD	5BF0	F44W0080
2412	飾	E3DE	5BF1	F44X0080
2413	伸	E3DF	5BF2	F44Y0080
2414	侏	E3E0	69E0	F6740080
2415	信	E3E1	5BF3	F44Z0080
2416	呻	E3E2	5BF4	F4500080
2417	娠	E3E3	5BF5	F4510080
2418	宸	E3E4	5BF6	F4520080
2419	慎	E3E5	5BF7	F4530080
2420	新	E3E6	5BF8	F4540080
2421	晨	E3E7	5BF9	F4550080
2422	燼	E3E8	5BFA	F4560080
2423	申	E3E9	5BFB	F4570080
2424	神	E3EA	5BFD	F4590080
2425	紳	E3EB	5BFE	F45A0080
2426	腎	E3EC	5C41	F45D0080
2427	臣	E3ED	5C42	F45E0080
2428	莘	E3EE	5C43	F45F0080
2429	薪	E3EF	5C44	F45G0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
2430	蓋	E3F0	69E1	F6750080
2431	蜃	E3F1	5C45	F45H0080
2432	訊	E3F2	5C46	F45I0080
2433	身	E3F3	5C47	F45J0080
2434	辛	E3F4	5C48	F45K0080
2435	辰	E3F5	5C49	F45L0080
2436	迅	E3F6	5C4A	F45M0080
2437	失	E3F7	5C4B	F45N0080
2438	室	E3F8	5C4C	F45O0080
2439	實	E3F9	5C4D	F45P0080
2440	悉	E3FA	5C4E	F45Q0080
2441	審	E3FB	5C50	F45S0080
2442	尋	E3FC	5C51	F45T0080
2443	心	E3FD	5C52	F45U0080
2444	沁	E3FE	5C54	F45W0080
2445	沈	E4A1	5C53	F45V0080
2446	深	E4A2	5C55	F45X0080
2447	瀋	E4A3	5C56	F45Y0080
2448	甚	E4A4	5C57	F45Z0080
2449	芯	E4A5	5C58	F4600080
2450	諶	E4A6	69E2	F6760080
2451	什	E4A7	5C59	F4610080
2452	十	E4A8	5C5A	F4620080
2453	拾	E4A9	5C5B	F4630080
2454	雙	E4AA	5C5C	F4640080
2455	氏	E4AB	5C5D	F4650080

Line Number	Graphic	PC Code	Host Code	GCGID
2456	亞	E4AC	5C5E	F4660080
2457	俄	E4AD	5C5F	F4670080
2458	兒	E4AE	5C60	F4680080
2459	啞	E4AF	69E3	F6770080
2460	娥	E4B0	5C61	F4690080
2461	峨	E4B1	5C62	F46A0080
2462	我	E4B2	5C63	F46B0080
2463	牙	E4B3	5C64	F46C0080
2464	芽	E4B4	5C65	F46D0080
2465	莪	E4B5	69E4	F6780080
2466	蛾	E4B6	5C66	F46E0080
2467	衙	E4B7	5C67	F46F0080
2468	訝	E4B8	5C68	F46G0080
2469	阿	E4B9	5C69	F46H0080
2470	雅	E4BA	5C6A	F46I0080
2471	餓	E4BB	5C6B	F46J0080
2472	鴉	E4BC	5C6C	F46K0080
2473	鵝	E4BD	5C6D	F46L0080
2474	堊	E4BE	5C6E	F46M0080
2475	岳	E4BF	5C6F	F46N0080
2476	嶽	E4C0	5C70	F46O0080
2477	幄	E4C1	69E5	F6790080
2478	惡	E4C2	5C72	F46Q0080
2479	愕	E4C3	5C71	F46P0080
2480	握	E4C4	5C73	F46R0080
2481	樂	E4C5	5C74	F46S0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
2482	渥	E4C6	5C75	F46T0080
2483	鄂	E4C7	69E6	F67A0080
2484	鏢	E4C8	69E7	F67B0080
2485	顎	E4C9	5C77	F46V0080
2486	鱒	E4CA	69E8	F67C0080
2487	齷	E4CB	5C78	F46W0080
2488	安	E4CC	5C79	F46X0080
2489	岸	E4CD	5C7A	F46Y0080
2490	按	E4CE	5C7B	F46Z0080
2491	晏	E4CF	5C7C	F4700080
2492	案	E4D0	5C7D	F4710080
2493	眼	E4D1	5C7E	F4720080
2494	雁	E4D2	5C7F	F4730080
2495	鞍	E4D3	5C81	F4750080
2496	顏	E4D4	5C82	F4760080
2497	鮫	E4D5	69E9	F67D0080
2498	鞞	E4D6	5C85	F4790080
2499	謁	E4D7	5C86	F47A0080
2500	軋	E4D8	5C87	F47B0080
2501	闕	E4D9	5C89	F47D0080
2502	唵	E4DA	69EA	F67E0080
2503	岩	E4DB	69EB	F67F0080
2504	巖	E4DC	5C8B	F47F0080
2505	庵	E4DD	5C8C	F47G0080
2506	暗	E4DE	5C8D	F47H0080
2507	癌	E4DF	5C8E	F47I0080

Line Number	Graphic	PC Code	Host Code	GCGID
2508	菴	E4E0	5C8F	F47J0080
2509	閻	E4E1	5C91	F47L0080
2510	壓	E4E2	5C93	F47N0080
2511	押	E4E3	5C94	F47O0080
2512	狎	E4E4	5C95	F47P0080
2513	鴨	E4E5	5C96	F47Q0080
2514	仰	E4E6	5C97	F47R0080
2515	央	E4E7	5C98	F47S0080
2516	快	E4E8	5C99	F47T0080
2517	昂	E4E9	5C9A	F47U0080
2518	殃	E4EA	5C9B	F47V0080
2519	秧	E4EB	5C9C	F47W0080
2520	鴛	E4EC	5C9E	F47Y0080
2521	厓	E4ED	5C9F	F47Z0080
2522	哀	E4EE	5CAA	F48A0080
2523	埃	E4EF	5CA0	F4800080
2524	崖	E4F0	5CA1	F4810080
2525	愛	E4F1	5CA2	F4820080
2526	曖	E4F2	5CA6	F4860080
2527	涯	E4F3	5CA4	F4840080
2528	碍	E4F4	5CA7	F4870080
2529	艾	E4F5	5CA9	F4890080
2530	隘	E4F6	5CAB	F48B0080
2531	霽	E4F7	5CAC	F48C0080
2532	厄	E4F8	5CAE	F48E0080
2533	扼	E4F9	69EC	F67G0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
2534	掖	E4FA	5CAF	F48F0080
2535	液	E4FB	5CB0	F48G0080
2536	縊	E4FC	69ED	F67H0080
2537	腋	E4FD	5CB1	F48H0080
2538	額	E4FE	5CB3	F48J0080
2539	櫻	E5A1	5CB4	F48K0080
2540	罌	E5A2	5CB5	F48L0080
2541	鶯	E5A3	5CB6	F48M0080
2542	鸚	E5A4	5CB7	F48N0080
2543	也	E5A5	5CB8	F48O0080
2544	椰	E5A6	5CB9	F48P0080
2545	冶	E5A7	5CBA	F48Q0080
2546	夜	E5A8	5CBB	F48R0080
2547	惹	E5A9	5CC2	F48Y0080
2548	挪	E5AA	5CBD	F48T0080
2549	椰	E5AB	5CBE	F48U0080
2550	爺	E5AC	5CBF	F48V0080
2551	耶	E5AD	5CC0	F48W0080
2552	若	E5AE	5CC1	F48X0080
2553	野	E5AF	5CC3	F48Z0080
2554	弱	E5B0	5CC4	F4900080
2555	掠	E5B1	69EE	F67I0080
2556	略	E5B2	69EF	F67J0080
2557	約	E5B3	5CC7	F4930080
2558	若	E5B4	5CC8	F4940080
2559	葯	E5B5	5CC9	F4950080

Line Number	Graphic	PC Code	Host Code	GCGID
2560	蕪	E5B6	69F0	F67K0080
2561	藥	E5B7	5CCA	F4960080
2562	躍	E5B8	5CCB	F4970080
2563	亮	E5B9	69F1	F67L0080
2564	佯	E5BA	5CCC	F4980080
2565	兩	E5BB	69F2	F67M0080
2566	涼	E5BC	69F3	F67N0080
2567	壤	E5BD	5CCD	F4990080
2568	孃	E5BE	5CCE	F49A0080
2569	恙	E5BF	5CCF	F49B0080
2570	揚	E5C0	5CD0	F49C0080
2571	攘	E5C1	5CD1	F49D0080
2572	馭	E5C2	5CD2	F49E0080
2573	暘	E5C3	5CD3	F49F0080
2574	梁	E5C4	69F4	F67O0080
2575	楊	E5C5	5CD4	F49G0080
2576	樣	E5C6	5CD5	F49H0080
2577	洋	E5C7	5CD6	F49I0080
2578	漾	E5C8	5CD7	F49J0080
2579	煬	E5C9	5CD8	F49K0080
2580	痒	E5CA	5CDA	F49M0080
2581	瘍	E5CB	5CDB	F49N0080
2582	禳	E5CC	69F5	F67P0080
2583	穰	E5CD	5CD9	F49L0080
2584	糧	E5CE	69F6	F67Q0080
2585	羊	E5CF	5CDC	F49O0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
2586	良	E5D0	69F7	F67R0080
2587	襄	E5D1	5CDE	F49Q0080
2588	諒	E5D2	69F8	F67S0080
2589	讓	E5D3	5CDF	F49R0080
2590	釀	E5D4	5CE0	F49S0080
2591	陽	E5D5	5CE1	F49T0080
2592	量	E5D6	69F9	F67T0080
2593	養	E5D7	5CE2	F49U0080
2594	囿	E5D8	5CE3	F49V0080
2595	御	E5D9	5CE4	F49W0080
2596	於	E5DA	5CE6	F49Y0080
2597	漁	E5DB	5CE7	F49Z0080
2598	瘵	E5DC	69FA	F67U0080
2599	禦	E5DD	5CE8	F4A00080
2600	語	E5DE	5CE9	F4A10080
2601	馭	E5DF	5CEA	F4A20080
2602	魚	E5E0	5CEB	F4A30080
2603	齧	E5E1	5CEC	F4A40080
2604	億	E5E2	5CED	F4A50080
2605	憶	E5E3	5CEE	F4A60080
2606	抑	E5E4	5CEF	F4A70080
2607	憶	E5E5	5CF0	F4A80080
2608	臆	E5E6	5CF1	F4A90080
2609	偃	E5E7	5CF2	F4AA0080
2610	堰	E5E8	5CF3	F4AB0080
2611	彥	E5E9	5CF4	F4AC0080

Line Number	Graphic	PC Code	Host Code	GCGID
2612	焉	E5EA	5CF5	F4AD0080
2613	言	E5EB	5CF6	F4AE0080
2614	諺	E5EC	5CF7	F4AF0080
2615	孽	E5ED	5CF8	F4AG0080
2616	藥	E5EE	69FB	F67V0080
2617	俺	E5EF	69FC	F67W0080
2618	儼	E5F0	5CF9	F4AH0080
2619	嚴	E5F1	5CFA	F4AI0080
2620	奄	E5F2	5CFB	F4AJ0080
2621	掩	E5F3	5CFC	F4AK0080
2622	淹	E5F4	5CFD	F4AL0080
2623	嶺	E5F5	5CFE	F4AM0080
2624	業	E5F6	5D41	F4AP0080
2625	円	E5F7	69FD	F67X0080
2626	予	E5F8	5D43	F4AR0080
2627	余	E5F9	5D44	F4AS0080
2628	勵	E5FA	69FE	F67Y0080
2629	呂	E5FB	6A41	F6810080
2630	女	E5FC	6A42	F6820080
2631	如	E5FD	5D45	F4AT0080
2632	廬	E5FE	6A43	F6830080
2633	旅	E6A1	6A44	F6840080
2634	歟	E6A2	5D46	F4AU0080
2635	汝	E6A3	5D47	F4AV0080
2636	濾	E6A4	6A45	F6850080
2637	璵	E6A5	6A46	F6860080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
2638	礪	E6A6	6A47	F6870080
2639	礪	E6A7	6A48	F6880080
2640	與	E6A8	5D48	F4AW0080
2641	餘	E6A9	6A49	F6890080
2642	茹	E6AA	6A4A	F68A0080
2643	輿	E6AB	6A4B	F68B0080
2644	舉	E6AC	6A4C	F68C0080
2645	閭	E6AD	6A4D	F68D0080
2646	餘	E6AE	5D49	F4AX0080
2647	驪	E6AF	6A4E	F68E0080
2648	麗	E6B0	6A4F	F68F0080
2649	黎	E6B1	6A50	F68G0080
2650	亦	E6B2	5D4A	F4AY0080
2651	力	E6B3	6A51	F68H0080
2652	域	E6B4	5D4B	F4AZ0080
2653	役	E6B5	5D4D	F4B10080
2654	易	E6B6	5D4E	F4B20080
2655	曆	E6B7	6A52	F68I0080
2656	歷	E6B8	6A53	F68J0080
2657	疫	E6B9	5D4F	F4B30080
2658	繹	E6BA	5D50	F4B40080
2659	譯	E6BB	5D51	F4B50080
2660	轍	E6BC	6A54	F68K0080
2661	逆	E6BD	5D52	F4B60080
2662	驛	E6BE	5D53	F4B70080
2663	噉	E6BF	5D54	F4B80080

Line Number	Graphic	PC Code	Host Code	GCGID
2664	堧	E6C0	5D55	F4B90080
2665	妍	E6C1	5D56	F4BA0080
2666	娟	E6C2	5D57	F4BB0080
2667	宴	E6C3	5D58	F4BC0080
2668	年	E6C4	6A55	F68L0080
2669	延	E6C5	5D59	F4BD0080
2670	憐	E6C6	6A56	F68M0080
2671	戀	E6C7	6A57	F68N0080
2672	捐	E6C8	5D5A	F4BE0080
2673	挺	E6C9	6A58	F68O0080
2674	撚	E6CA	5D5B	F4BF0080
2675	椽	E6CB	5D5C	F4BG0080
2676	沈	E6CC	6A59	F68P0080
2677	沿	E6CD	5D5D	F4BH0080
2678	涎	E6CE	5D5F	F4BJ0080
2679	涓	E6CF	5D5E	F4BI0080
2680	淵	E6D0	5D60	F4BK0080
2681	演	E6D1	5D61	F4BL0080
2682	漣	E6D2	6A5A	F68Q0080
2683	烟	E6D3	5D62	F4BM0080
2684	然	E6D4	5D63	F4BN0080
2685	煙	E6D5	5D64	F4BO0080
2686	煉	E6D6	6A5B	F68R0080
2687	燃	E6D7	5D65	F4BP0080
2688	燕	E6D8	5D66	F4BQ0080
2689	璉	E6D9	6A5C	F68S0080




IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
2690	研	E6DA	5D67	F4BR0080
2691	硯	E6DB	5D68	F4BS0080
2692	季	E6DC	6A5D	F68T0080
2693	筵	E6DD	5D69	F4BT0080
2694	緣	E6DE	5D6A	F4BU0080
2695	練	E6DF	6A5E	F68U0080
2696	續	E6E0	6A5F	F68V0080
2697	聯	E6E1	6A60	F68W0080
2698	衍	E6E2	5D6E	F4BY0080
2699	軟	E6E3	5D70	F4C00080
2700	輦	E6E4	6A61	F68X0080
2701	蓮	E6E5	6A62	F68Y0080
2702	連	E6E6	6A63	F68Z0080
2703	鉛	E6E7	5D71	F4C10080
2704	鍊	E6E8	6A64	F6900080
2705	鳶	E6E9	5D72	F4C20080
2706	列	E6EA	6A65	F6910080
2707	劣	E6EB	6A66	F6920080
2708	咽	E6EC	5D73	F4C30080
2709	悅	E6ED	5D74	F4C40080
2710	涅	E6EE	5D75	F4C50080
2711	烈	E6EF	6A67	F6930080
2712	熱	E6F0	5D76	F4C60080
2713	裂	E6F1	6A68	F6940080
2714	說	E6F2	5D77	F4C70080
2715	閱	E6F3	5D78	F4C80080

Line Number	Graphic	PC Code	Host Code	GCGID
2716	厭	E6F4	5D79	F4C90080
2717	廉	E6F5	6A69	F6950080
2718	念	E6F6	6A6A	F6960080
2719	捻	E6F7	6A6B	F6970080
2720	染	E6F8	5D7B	F4CB0080
2721	殮	E6F9	6A6C	F6980080
2722	炎	E6FA	5D7C	F4CC0080
2723	焰	E6FB	5D7D	F4CD0080
2724	琰	E6FC	6A6D	F6990080
2725	艷	E6FD	5D80	F4CG0080
2726	蔣	E6FE	5D7F	F4CF0080
2727	簾	E7A1	6A6E	F69A0080
2728	閭	E7A2	5D81	F4CH0080
2729	髻	E7A3	5D83	F4CJ0080
2730	鹽	E7A4	5D7E	F4CE0080
2731	曄	E7A5	5D84	F4CK0080
2732	獵	E7A6	6A6F	F69B0080
2733	燁	E7A7	5D85	F4CL0080
2734	葉	E7A8	5D86	F4CM0080
2735	令	E7A9	6A70	F69C0080
2736	囿	E7AA	6A71	F69D0080
2737	瑩	E7AB	5D87	F4CN0080
2738	寧	E7AC	6A72	F69E0080
2739	嶺	E7AD	6A73	F69F0080
2740	嶸	E7AE	6A74	F69G0080
2741	影	E7AF	5D89	F4CP0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
2742	怜	E7B0	6A75	F69H0080
2743	映	E7B1	5D8A	F4CQ0080
2744	暎	E7B2	5D8B	F4CR0080
2745	楹	E7B3	5D8C	F4CS0080
2746	榮	E7B4	5D8D	F4CT0080
2747	永	E7B5	5D8E	F4CU0080
2748	泳	E7B6	5D8F	F4CV0080
2749	漢	E7B7	6A76	F69I0080
2750	穎	E7B8	5D90	F4CW0080
2751	滌	E7B9	6A77	F69J0080
2752	瀛	E7BA	5D91	F4CX0080
2753	潛	E7BB	6A78	F69K0080
2754	煥	E7BC	6A79	F69L0080
2755	營	E7BD	5D92	F4CY0080
2756	獍	E7BE	6A7A	F69M0080
2757	玲	E7BF	6A7B	F69N0080
2758	瑛	E7C0	5D93	F4CZ0080
2759	瑩	E7C1	5D94	F4D00080
2760	瓔	E7C2	5D95	F4D10080
2761	盈	E7C3	5D96	F4D20080
2762	穎	E7C4	6A7C	F69O0080
2763	纓	E7C5	5D97	F4D30080
2764	矜	E7C6	6A7D	F69P0080
2765	聆	E7C7	6A7E	F69Q0080
2766	英	E7C8	5D98	F4D40080
2767	詠	E7C9	5D99	F4D50080

Line Number	Graphic	PC Code	Host Code	GCGID
2768	迎	E7CA	5D9A	F4D60080
2769	鈴	E7CB	6A7F	F69R0080
2770	鎡	E7CC	6A80	F69S0080
2771	零	E7CD	6A81	F69T0080
2772	霽	E7CE	6A82	F69U0080
2773	靈	E7CF	6A83	F69V0080
2774	領	E7D0	6A84	F69W0080
2775	乂	E7D1	6A85	F69X0080
2776	倪	E7D2	5D9B	F4D70080
2777	例	E7D3	6A86	F69Y0080
2778	刈	E7D4	5D9C	F4D80080
2779	叡	E7D5	5D9D	F4D90080
2780	曳	E7D6	5D9E	F4DA0080
2781	汨	E7D7	6A87	F69Z0080
2782	濺	E7D8	5D9F	F4DB0080
2783	猊	E7D9	5DA0	F4DC0080
2784	睿	E7DA	5DA2	F4DE0080
2785	穢	E7DB	6A88	F6A00080
2786	芮	E7DC	5DA4	F4DG0080
2787	藝	E7DD	5DA6	F4DI0080
2788	藁	E7DE	5DA7	F4DJ0080
2789	禮	E7DF	6A89	F6A10080
2790	裔	E7E0	5DA8	F4DK0080
2791	詣	E7E1	5DA9	F4DL0080
2792	譽	E7E2	5DAA	F4DM0080
2793	豫	E7E3	5DAB	F4DN0080




IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
2794	體	E7E4	6A8A	F6A20080
2795	銳	E7E5	5DAC	F4DO0080
2796	隸	E7E6	6A8B	F6A30080
2797	霓	E7E7	5DAD	F4DP0080
2798	預	E7E8	5DAE	F4DQ0080
2799	五	E7E9	5DAF	F4DR0080
2800	伍	E7EA	5DB0	F4DS0080
2801	悟	E7EB	6A8C	F6A40080
2802	傲	E7EC	5DB1	F4DT0080
2803	午	E7ED	5DB2	F4DU0080
2804	吾	E7EE	5DC4	F4EC0080
2805	吳	E7EF	5DB3	F4DV0080
2806	鳴	E7F0	5DB4	F4DW0080
2807	塢	E7F1	6A8D	F6A50080
2808	塢	E7F2	5DB5	F4DX0080
2809	奧	E7F3	5DB6	F4DY0080
2810	娛	E7F4	5DB7	F4DZ0080
2811	寤	E7F5	5DB8	F4E00080
2812	悟	E7F6	5DB9	F4E10080
2813	惡	E7F7	5DBA	F4E20080
2814	懊	E7F8	6A8E	F6A60080
2815	敖	E7F9	6A8F	F6A70080
2816	昨	E7FA	5DBB	F4E30080
2817	晤	E7FB	5DBC	F4E40080
2818	梧	E7FC	5DBD	F4E50080
2819	汚	E7FD	5DBE	F4E60080

Line Number	Graphic	PC Code	Host Code	GCGID
2820	澳	E7FE	6A90	F6A80080
2821	烏	E8A1	5DBF	F4E70080
2822	熬	E8A2	6A91	F6A90080
2823	葵	E8A3	5DC0	F4E80080
2824	奠	E8A4	6A92	F6AA0080
2825	蜈	E8A5	5DC1	F4E90080
2826	誤	E8A6	5DC2	F4EA0080
2827	鰲	E8A7	6A93	F6AB0080
2828	黿	E8A8	6A94	F6AC0080
2829	屋	E8A9	5DC5	F4ED0080
2830	沃	E8AA	5DC6	F4EE0080
2831	獄	E8AB	5DC7	F4EF0080
2832	玉	E8AC	5DC8	F4EG0080
2833	鈺	E8AD	5DC9	F4EH0080
2834	溫	E8AE	5DCB	F4EJ0080
2835	璫	E8AF	5DCC	F4EK0080
2836	瘟	E8B0	5DCD	F4EL0080
2837	穩	E8B1	5DCE	F4EM0080
2838	緼	E8B2	6A95	F6AD0080
2839	蘊	E8B3	5DD0	F4EO0080
2840	兀	E8B4	5DD2	F4EQ0080
2841	壅	E8B5	5DD3	F4ER0080
2842	擁	E8B6	5DD6	F4EU0080
2843	瓮	E8B7	5DD4	F4ES0080
2844	甕	E8B8	5DD7	F4EV0080
2845	癰	E8B9	5DD5	F4ET0080




IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
2846	翁	E8BA	5DD8	F4EW0080
2847	邕	E8BB	5DD9	F4EX0080
2848	雍	E8BC	5DDA	F4EY0080
2849	夔	E8BD	6A96	F6AE0080
2850	渦	E8BE	5DDB	F4EZ0080
2851	瓦	E8BF	5DDC	F4F00080
2852	窩	E8C0	5DDD	F4F10080
2853	窪	E8C1	6A97	F6AF0080
2854	臥	E8C2	5DE1	F4F50080
2855	蛙	E8C3	5DDE	F4F20080
2856	蝸	E8C4	5DDF	F4F30080
2857	訛	E8C5	5DE0	F4F40080
2858	婉	E8C6	5DE2	F4F60080
2859	完	E8C7	5DE3	F4F70080
2860	宛	E8C8	5DE4	F4F80080
2861	椀	E8C9	6A98	F6AG0080
2862	椀	E8CA	6A99	F6AH0080
2863	浣	E8CB	5DE5	F4F90080
2864	玩	E8CC	5DE6	F4FA0080
2865	琬	E8CD	6A9A	F6AI0080
2866	琬	E8CE	5DE7	F4FB0080
2867	碗	E8CF	5DE8	F4FC0080
2868	緩	E8D0	5DE9	F4FD0080
2869	翫	E8D1	5DEA	F4FE0080
2870	腕	E8D2	6A9B	F6AJ0080
2871	腕	E8D3	5DEB	F4FF0080

Line Number	Graphic	PC Code	Host Code	GCGID
2872	堯	E8D4	5DEC	F4FG0080
2873	颯	E8D5	5DED	F4FH0080
2874	阮	E8D6	5DEE	F4FI0080
2875	頑	E8D7	5DEF	F4FJ0080
2876	臼	E8D8	5DF0	F4FK0080
2877	往	E8D9	5DF1	F4FL0080
2878	旺	E8DA	5DF2	F4FM0080
2879	枉	E8DB	5DF3	F4FN0080
2880	汪	E8DC	5DF4	F4FO0080
2881	王	E8DD	5DF5	F4FP0080
2882	倭	E8DE	5DF6	F4FQ0080
2883	娃	E8DF	6A9C	F6AK0080
2884	歪	E8E0	5DF7	F4FR0080
2885	矮	E8E1	5DF8	F4FS0080
2886	外	E8E2	5DF9	F4FT0080
2887	嵬	E8E3	6A9D	F6AL0080
2888	巍	E8E4	5DFA	F4FU0080
2889	猥	E8E5	5DFB	F4FV0080
2890	畏	E8E6	5DFC	F4FW0080
2891	了	E8E7	6A9E	F6AM0080
2892	僚	E8E8	6A9F	F6AN0080
2893	僥	E8E9	5DFD	F4FX0080
2894	凹	E8EA	5DFE	F4FY0080
2895	堯	E8EB	5E41	F4G10080
2896	夭	E8EC	5E42	F4G20080
2897	妖	E8ED	5E43	F4G30080




IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
2898	姚	E8EE	5E44	F4G40080
2899	寥	E8EF	6AA0	F6AO0080
2900	寮	E8F0	6AA1	F6AP0080
2901	尿	E8F1	6AA2	F6AQ0080
2902	嶢	E8F2	5E45	F4G50080
2903	拗	E8F3	5E46	F4G60080
2904	搖	E8F4	5E47	F4G70080
2905	撓	E8F5	6AA3	F6AR0080
2906	擾	E8F6	5E48	F4G80080
2907	料	E8F7	6AA4	F6AS0080
2908	曜	E8F8	5E49	F4G90080
2909	樂	E8F9	5E4B	F4GB0080
2910	橈	E8FA	5E4C	F4GC0080
2911	燎	E8FB	6AA5	F6AT0080
2912	耀	E8FC	6AA6	F6AU0080
2913	瑤	E8FD	5E4D	F4GD0080
2914	療	E8FE	6AA7	F6AV0080
2915	窈	E9A1	5E4E	F4GE0080
2916	窯	E9A2	5E4F	F4GF0080
2917	繇	E9A3	5E50	F4GG0080
2918	繞	E9A4	5E51	F4GH0080
2919	耀	E9A5	5E52	F4GI0080
2920	腰	E9A6	5E4A	F4GA0080
2921	蓼	E9A7	6AA8	F6AW0080
2922	嶢	E9A8	5E54	F4GK0080
2923	要	E9A9	5E55	F4GL0080

Line Number	Graphic	PC Code	Host Code	GCGID
2924	謠	E9AA	5E56	F4GM0080
2925	遙	E9AB	5E57	F4GN0080
2926	遼	E9AC	6AA9	F6AX0080
2927	邀	E9AD	5E58	F4GO0080
2928	饒	E9AE	5E59	F4GP0080
2929	慾	E9AF	5E5B	F4GR0080
2930	欲	E9B0	5E5C	F4GS0080
2931	浴	E9B1	5E5D	F4GT0080
2932	縟	E9B2	6AAA	F6AY0080
2933	褥	E9B3	5E5E	F4GU0080
2934	辱	E9B4	5E5A	F4GQ0080
2935	俑	E9B5	6AAB	F6AZ0080
2936	傭	E9B6	5E5F	F4GV0080
2937	冗	E9B7	5E63	F4GZ0080
2938	勇	E9B8	5E60	F4GW0080
2939	埶	E9B9	6AAC	F6B00080
2940	壙	E9BA	6AAD	F6B10080
2941	容	E9BB	5E61	F4GX0080
2942	庸	E9BC	5E62	F4GY0080
2943	滙	E9BD	6AAE	F6B20080
2944	榕	E9BE	5E64	F4H00080
2945	涌	E9BF	6AAF	F6B30080
2946	湧	E9C0	5E65	F4H10080
2947	溶	E9C1	5E66	F4H20080
2948	熔	E9C2	5E67	F4H30080
2949	瑤	E9C3	5E68	F4H40080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
2950	用	E9C4	5E69	F4H50080
2951	甬	E9C5	6AB0	F6B40080
2952	聿	E9C6	5E6A	F4H60080
2953	茸	E9C7	5E6C	F4H80080
2954	蓉	E9C8	5E6D	F4H90080
2955	踊	E9C9	5E6F	F4HB0080
2956	鎔	E9CA	5E70	F4HC0080
2957	鏞	E9CB	5E71	F4HD0080
2958	龍	E9CC	6AB1	F6B50080
2959	于	E9CD	5E7C	F4HO0080
2960	佑	E9CE	5E72	F4HE0080
2961	偶	E9CF	5E73	F4HF0080
2962	優	E9D0	5E74	F4HG0080
2963	又	E9D1	5E75	F4HH0080
2964	友	E9D2	5E76	F4HI0080
2965	右	E9D3	5E77	F4HJ0080
2966	宇	E9D4	5E79	F4HL0080
2967	寓	E9D5	5E7A	F4HM0080
2968	尤	E9D6	5E7B	F4HN0080
2969	愚	E9D7	5E7D	F4HP0080
2970	憂	E9D8	5E7E	F4HQ0080
2971	吁	E9D9	6AB2	F6B60080
2972	牛	E9DA	5E7F	F4HR0080
2973	玆	E9DB	6AB3	F6B70080
2974	瑀	E9DC	6AB4	F6B80080
2975	盂	E9DD	5E80	F4HS0080

Line Number	Graphic	PC Code	Host Code	GCGID
2976	祐	E9DE	5E81	F4HT0080
2977	禡	E9DF	5E82	F4HU0080
2978	禹	E9E0	5E83	F4HV0080
2979	紆	E9E1	6AB5	F6B90080
2980	羽	E9E2	5E84	F4HW0080
2981	芋	E9E3	5E85	F4HX0080
2982	藕	E9E4	6AB6	F6BA0080
2983	虞	E9E5	5E86	F4HY0080
2984	迂	E9E6	5E87	F4HZ0080
2985	遇	E9E7	5E88	F4I00080
2986	郵	E9E8	5E89	F4I10080
2987	鈺	E9E9	6AB7	F6BB0080
2988	隅	E9EA	5E8A	F4I20080
2989	雨	E9EB	5E8B	F4I30080
2990	雩	E9EC	5E8C	F4I40080
2991	勛	E9ED	6AB8	F6BC0080
2992	噉	E9EE	6AB9	F6BD0080
2993	旭	E9EF	5E8D	F4I50080
2994	昱	E9F0	5E8E	F4I60080
2995	栳	E9F1	6ABA	F6BE0080
2996	煜	E9F2	5E8F	F4I70080
2997	穢	E9F3	5E90	F4I80080
2998	郁	E9F4	5E91	F4I90080
2999	頊	E9F5	5E92	F4IA0080
3000	云	E9F6	5E93	F4IB0080
3001	暈	E9F7	5E94	F4IC0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Table 16 (Page 28 of 31). Hanja Set(2/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
3002	櫻	E9F8	6ABB	F6BF0080
3003	殞	E9F9	5E95	F4ID0080
3004	滢	E9FA	6ABC	F6BG0080
3005	煩	E9FB	6ABD	F6BH0080
3006	耘	E9FC	5E96	F4IE0080
3007	芸	E9FD	5E97	F4IF0080
3008	雲	E9FE	6ABE	F6BI0080
3009	運	EAA1	5E98	F4IG0080
3010	隕	EAA2	5E99	F4IH0080
3011	雲	EAA3	5E9A	F4II0080
3012	韻	EAA4	5E9B	F4IJ0080
3013	蔚	EAA5	5E9D	F4IL0080
3014	鬱	EAA6	5E9E	F4IM0080
3015	亏	EAA7	6ABF	F6BJ0080
3016	熊	EAA8	5E9F	F4IN0080
3017	雄	EAA9	5EA0	F4IO0080
3018	元	EAAA	5EA1	F4IP0080
3019	原	EAAB	5EA2	F4IQ0080
3020	員	EAAC	5EA3	F4IR0080
3021	圓	EAAD	5EA5	F4IT0080
3022	園	EAAE	5EA4	F4IS0080
3023	垣	EAAF	5EA7	F4IV0080
3024	媛	EAB0	5EA8	F4IW0080
3025	嫵	EAB1	6AC0	F6BK0080
3026	冤	EAB2	5EA9	F4IX0080
3027	怨	EAB3	5EAA	F4IY0080

Table 16 (Page 28 of 31). Hanja Set(2/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
3028	愿	EAB4	5EAB	F4IZ0080
3029	援	EAB5	5EAC	F4J00080
3030	沅	EAB6	6AC1	F6BL0080
3031	洹	EAB7	6AC2	F6BM0080
3032	浚	EAB8	6AC3	F6BN0080
3033	源	EAB9	5EAD	F4J10080
3034	爰	EABA	5EA6	F4IU0080
3035	猿	EABB	5EAE	F4J20080
3036	璦	EABC	5EAF	F4J30080
3037	苑	EABD	5EB0	F4J40080
3038	袁	EABE	5EB2	F4J60080
3039	轅	EABF	5EB3	F4J70080
3040	遠	EAC0	5EB4	F4J80080
3041	阮	EAC1	6AC4	F6BO0080
3042	院	EAC2	5EB5	F4J90080
3043	願	EAC3	5EB6	F4JA0080
3044	鴛	EAC4	5EB7	F4JB0080
3045	月	EAC5	5EB8	F4JC0080
3046	越	EAC6	5EB9	F4JD0080
3047	鉞	EAC7	5EBA	F4JE0080
3048	位	EAC8	5EBB	F4JF0080
3049	偉	EAC9	5EBC	F4JG0080
3050	僞	EACA	5EBD	F4JH0080
3051	危	EACB	5EBE	F4JI0080
3052	圍	EACC	5EBF	F4JJ0080
3053	委	EACD	5EC0	F4JK0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
3054	威	EACE	5EC4	F4JO0080
3055	尉	EACF	5EC1	F4JL0080
3056	慰	EAD0	5EC3	F4JN0080
3057	曄	EAD1	6AC5	F6BP0080
3058	涓	EAD2	5EC5	F4JP0080
3059	爲	EAD3	5EC6	F4JQ0080
3060	璋	EAD4	5EC7	F4JR0080
3061	緯	EAD5	5EC8	F4JS0080
3062	胃	EAD6	5EC9	F4JT0080
3063	萎	EAD7	5ECA	F4JU0080
3064	葦	EAD8	5ECB	F4JV0080
3065	蔦	EAD9	6AC6	F6BQ0080
3066	蝟	EADA	5ECC	F4JW0080
3067	衛	EADB	5ECD	F4JX0080
3068	樟	EADC	6AC7	F6BR0080
3069	謂	EADD	5ECF	F4JZ0080
3070	違	EADE	5ED0	F4K00080
3071	韋	EADF	5ED1	F4K10080
3072	魏	EAE0	5ED2	F4K20080
3073	乳	EAE1	5ED3	F4K30080
3074	侑	EAE2	5ED5	F4K50080
3075	儒	EAE3	5ED6	F4K60080
3076	兪	EAE4	5ED7	F4K70080
3077	劉	EAE5	6AC8	F6BS0080
3078	唯	EAE6	5ED9	F4K90080
3079	喻	EAE7	5EDA	F4KA0080

Line Number	Graphic	PC Code	Host Code	GCGID
3080	孺	EAE8	5EDC	F4KC0080
3081	宥	EAE9	5EDD	F4KD0080
3082	幼	EAEA	5ED8	F4K80080
3083	幽	EAEB	5EDF	F4KF0080
3084	庾	EAEC	5EE0	F4KG0080
3085	悠	EAED	5EE1	F4KH0080
3086	惟	EAEF	5EE2	F4KI0080
3087	愈	EAEF	5EE4	F4KK0080
3088	愉	EAF0	5EE3	F4KJ0080
3089	揄	EAF1	5EE5	F4KL0080
3090	攸	EAF2	5ED4	F4K40080
3091	有	EAF3	5EE6	F4KM0080
3092	杻	EAF4	6AC9	F6BT0080
3093	柔	EAF5	5EE7	F4KN0080
3094	柚	EAF6	5EE8	F4KO0080
3095	柳	EAF7	6ACA	F6BU0080
3096	榆	EAF8	5EE9	F4KP0080
3097	檣	EAF9	6ACB	F6BV0080
3098	油	EAF9	5EEA	F4KQ0080
3099	洧	EAFB	6ACC	F6BW0080
3100	流	E AFC	6ACD	F6BX0080
3101	游	EAFD	5EEB	F4KR0080
3102	溜	EAFE	6ACE	F6BY0080
3103	濡	EBA1	5EEC	F4KS0080
3104	猶	EBA2	5EED	F4KT0080
3105	猷	EBA3	6ACF	F6BZ0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
3106	琉	EBA4	6AD0	F6C00080
3107	瑜	EBA5	5EEE	F4KU0080
3108	由	EBA6	5EEF	F4KV0080
3109	留	EBA7	6AD1	F6C10080
3110	癩	EBA8	5EF0	F4KW0080
3111	硫	EBA9	6AD2	F6C20080
3112	紐	EBAA	6AD3	F6C30080
3113	維	EBAB	5EF1	F4KX0080
3114	叟	EBAC	5EF2	F4KY0080
3115	莫	EBAD	5EF3	F4KZ0080
3116	裕	EBAE	5EF5	F4L10080
3117	誘	EBAF	5EF6	F4L20080
3118	諛	EBB0	5EF7	F4L30080
3119	諭	EBB1	5EF8	F4L40080
3120	躪	EBB2	5EFA	F4L60080
3121	蹂	EBB3	5EF9	F4L50080
3122	遊	EBB4	5EFB	F4L70080
3123	逾	EBB5	5EFC	F4L80080
3124	遺	EBB6	5EFD	F4L90080
3125	酉	EBB7	5EFE	F4LA0080
3126	釉	EBB8	5F41	F4LD0080
3127	鎗	EBB9	5F42	F4LE0080
3128	類	EBBA	6AD4	F6C40080
3129	六	EBBB	6AD5	F6C50080
3130	堉	EBBC	6AD6	F6C60080
3131	戮	EBBD	6AD7	F6C70080

Line Number	Graphic	PC Code	Host Code	GCGID
3132	毓	EBBE	5F44	F4LG0080
3133	肉	EBBF	5F45	F4LH0080
3134	育	EBC0	5F46	F4LI0080
3135	陸	EBC1	6AD8	F6C80080
3136	倫	EBC2	6AD9	F6C90080
3137	允	EBC3	5F48	F4LK0080
3138	奩	EBC4	5F49	F4LL0080
3139	尹	EBC5	5F4A	F4LM0080
3140	崙	EBC6	6ADA	F6CA0080
3141	淪	EBC7	6ADB	F6CB0080
3142	潤	EBC8	5F4B	F4LN0080
3143	玠	EBC9	5F4C	F4LO0080
3144	胤	EBCA	5F4D	F4LP0080
3145	贛	EBCB	6ADC	F6CC0080
3146	輪	EBCC	6ADD	F6CD0080
3147	鈞	EBCD	6ADE	F6CE0080
3148	閏	EBCE	5F4E	F4LQ0080
3149	律	EBCF	6ADF	F6CF0080
3150	慄	EBD0	6AE0	F6CG0080
3151	栗	EBD1	6AE1	F6CH0080
3152	率	EBD2	6AE2	F6CI0080
3153	聿	EBD3	5F4F	F4LR0080
3154	戎	EBD4	5F50	F4LS0080
3155	灑	EBD5	6AE3	F6CJ0080
3156	絨	EBD6	5F51	F4LT0080
3157	融	EBD7	5F52	F4LU0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
3158	隆	EBD8	6AE4	F6CK0080
3159	垠	EBD9	5F53	F4LV0080
3160	恩	EBDA	5F54	F4LW0080
3161	慇	EBDB	5F55	F4LX0080
3162	殷	EBDC	5F57	F4LZ0080
3163	閻	EBDD	5F5A	F4M20080
3164	銀	EBDE	5F59	F4M10080
3165	隱	EBDF	5F5B	F4M30080
3166	乙	EBE0	5F5D	F4M50080
3167	吟	EBE1	5F5E	F4M60080
3168	淫	EBE2	5F5F	F4M70080
3169	蔭	EBE3	5F60	F4M80080
3170	陰	EBE4	5F61	F4M90080
3171	音	EBE5	5F63	F4MB0080
3172	飲	EBE6	5F62	F4MA0080
3173	捐	EBE7	5F65	F4MD0080
3174	泣	EBE8	5F66	F4ME0080
3175	邑	EBE9	5F67	F4MF0080
3176	凝	EBEA	5F68	F4MG0080
3177	應	EBEB	5F69	F4MH0080
3178	膺	EBEC	5F6A	F4MI0080
3179	鷹	EBED	5F6B	F4MJ0080
3180	依	EBEE	5F6C	F4MK0080
3181	倚	EBEF	5F6D	F4ML0080
3182	儀	EBF0	5F6E	F4MM0080
3183	宜	EBF1	5F71	F4MP0080

Line Number	Graphic	PC Code	Host Code	GCGID
3184	意	EBF2	5F72	F4MQ0080
3185	懿	EBF3	5F73	F4MR0080
3186	擬	EBF4	5F74	F4MS0080
3187	椅	EBF5	6AE5	F6CL0080
3188	毅	EBF6	5F75	F4MT0080
3189	疑	EBF7	5F6F	F4MN0080
3190	矣	EBF8	5F70	F4MO0080
3191	義	EBF9	5F76	F4MU0080
3192	艤	EBFA	5F77	F4MV0080
3193	薏	EBFB	6AE6	F6CM0080
3194	蟻	EBFC	5F78	F4MW0080
3195	衣	EBFD	5F79	F4MX0080
3196	誼	EBFE	5F7A	F4MY0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

9.7 Hanja Set(3/3)

Table 17 (Page 1 of 33). Hanja Set(3/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
3197	議	ECA1	5F7B	F4MZ0080
3198	醫	ECA2	5F7C	F4N00080
3199	二	ECA3	5F7D	F4N10080
3200	以	ECA4	5F7E	F4N20080
3201	伊	ECA5	5F7F	F4N30080
3202	利	ECA6	6AE7	F6CN0080
3203	吏	ECA7	6AE8	F6CO0080
3204	夷	ECA8	5F80	F4N40080
3205	姨	ECA9	5F81	F4N50080
3206	履	ECAA	6AE9	F6CP0080
3207	已	ECAB	5F82	F4N60080
3208	弛	ECAC	5F84	F4N80080
3209	彝	ECAD	5F85	F4N90080
3210	怡	ECAE	5F86	F4NA0080
3211	易	ECAF	5F87	F4NB0080
3212	李	ECB0	6AEA	F6CQ0080
3213	梨	ECB1	6AEB	F6CR0080
3214	泥	ECB2	6AEC	F6CS0080
3215	爾	ECB3	5F89	F4ND0080
3216	珥	ECB4	5F8A	F4NE0080
3217	理	ECB5	6AED	F6CT0080
3218	異	ECB6	5F8B	F4NF0080
3219	瘕	ECB7	5F8C	F4NG0080
3220	痢	ECB8	6AEE	F6CU0080
3221	移	ECB9	5F8D	F4NH0080

Table 17 (Page 1 of 33). Hanja Set(3/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
3222	穰	ECBA	6AEF	F6CV0080
3223	而	ECBB	5F8E	F4NI0080
3224	耳	ECBC	5F8F	F4NJ0080
3225	肆	ECBD	6AF0	F6CW0080
3226	苡	ECBE	6AF1	F6CX0080
3227	蕘	ECBF	5F90	F4NK0080
3228	裏	ECC0	6AF2	F6CY0080
3229	裡	ECC1	6AF3	F6CZ0080
3230	貽	ECC2	6AF4	F6D00080
3231	貳	ECC3	5F83	F4N70080
3232	邇	ECC4	6AF5	F6D10080
3233	里	ECC5	6AF6	F6D20080
3234	離	ECC6	6AF7	F6D30080
3235	飴	ECC7	5F91	F4NL0080
3236	餌	ECC8	5F92	F4NM0080
3237	匿	ECC9	6AF8	F6D40080
3238	溺	ECCA	6AF9	F6D50080
3239	澳	ECCB	5F94	F4NO0080
3240	益	ECCC	5F96	F4NQ0080
3241	翊	ECCD	5F97	F4NR0080
3242	翌	ECCE	5F98	F4NS0080
3243	翼	ECCF	5F95	F4NP0080
3244	諡	ECD0	6AFA	F6D60080
3245	人	ECD1	5F99	F4NT0080
3246	仁	ECD2	5F9A	F4NU0080
3247	刃	ECD3	5F9C	F4NW0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
3248	印	ECD4	5F9D	F4NX0080
3249	吝	ECD5	6AFB	F6D70080
3250	咽	ECD6	5F9E	F4NY0080
3251	因	ECD7	5F9F	F4NZ0080
3252	姻	ECD8	5FA0	F4O00080
3253	寅	ECD9	5FA1	F4O10080
3254	引	ECDA	5FA2	F4O20080
3255	忍	ECDB	5FA3	F4O30080
3256	湮	ECDC	5FA4	F4O40080
3257	燐	ECDD	6AFC	F6D80080
3258	磷	ECDE	6AFD	F6D90080
3259	網	ECDF	6AFE	F6DA0080
3260	茵	ECE0	6B41	F6DD0080
3261	蘭	ECE1	6B42	F6DE0080
3262	蚓	ECE2	6B43	F6DF0080
3263	認	ECE3	5FA5	F4O50080
3264	隣	ECE4	6B44	F6DG0080
3265	鞞	ECE5	5FA6	F4O60080
3266	鞞	ECE6	5FA7	F4O70080
3267	鱗	ECE7	6B45	F6DH0080
3268	麟	ECE8	6B46	F6DI0080
3269	一	ECE9	5FA8	F4O80080
3270	佚	ECEA	6B47	F6DJ0080
3271	侷	ECEB	5FA9	F4O90080
3272	壹	ECEC	5FAA	F4OA0080
3273	日	ECED	5FAB	F4OB0080

Line Number	Graphic	PC Code	Host Code	GCGID
3274	溢	ECEE	5FAC	F4OC0080
3275	逸	ECEF	5FAD	F4OD0080
3276	鎰	ECF0	5FAE	F4OE0080
3277	駟	ECF1	5FAF	F4OF0080
3278	任	ECF2	5FB0	F4OG0080
3279	壬	ECF3	5FB1	F4OH0080
3280	妊	ECF4	5FB2	F4OI0080
3281	姪	ECF5	5FB3	F4OJ0080
3282	恁	ECF6	6B48	F6DK0080
3283	林	ECF7	6B49	F6DL0080
3284	淋	ECF8	6B4A	F6DM0080
3285	稔	ECF9	5FB4	F4OK0080
3286	臨	ECFA	6B4B	F6DN0080
3287	莅	ECFB	5FB5	F4OL0080
3288	賃	ECFC	5FB6	F4OM0080
3289	入	ECFD	5FB7	F4ON0080
3290	廿	ECFE	6B4C	F6DO0080
3291	立	EDA1	6B4D	F6DP0080
3292	笠	EDA2	6B4E	F6DQ0080
3293	粒	EDA3	6B4F	F6DR0080
3294	仍	EDA4	5FB8	F4OO0080
3295	剩	EDA5	5FBA	F4OQ0080
3296	孕	EDA6	5FB9	F4OP0080
3297	苐	EDA7	6B50	F6DS0080
3298	仔	EDA8	5FBB	F4OR0080
3299	刺	EDA9	5FBC	F4OS0080




IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Table 17 (Page 3 of 33). Hanja Set(3/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
3300	咨	EDAA	5FBD	F4OT0080
3301	姊	EDAB	5FBE	F4OU0080
3302	姿	EDAC	5FBF	F4OV0080
3303	子	EDAD	5FC0	F4OW0080
3304	字	EDAE	5FC2	F4OY0080
3305	孜	EDAF	5FC1	F4OX0080
3306	恣	EDB0	5FC3	F4OZ0080
3307	慈	EDB1	5FC4	F4P00080
3308	滋	EDB2	5FC5	F4P10080
3309	炙	EDB3	5FC6	F4P20080
3310	煮	EDB4	5FC7	F4P30080
3311	玆	EDB5	5FC8	F4P40080
3312	瓷	EDB6	5FC9	F4P50080
3313	疵	EDB7	5FCA	F4P60080
3314	磁	EDB8	5FCC	F4P80080
3315	紫	EDB9	5FCE	F4PA0080
3316	者	EDBA	5FCF	F4PB0080
3317	自	EDBB	5FD1	F4PD0080
3318	茨	EDBC	6B51	F6DT0080
3319	蔗	EDBD	5FD2	F4PE0080
3320	藉	EDBE	5FD3	F4PF0080
3321	諮	EDBF	5FD5	F4PH0080
3322	資	EDC0	5FD6	F4PI0080
3323	雌	EDC1	5FD8	F4PK0080
3324	作	EDC2	5FD9	F4PL0080
3325	勺	EDC3	5FDA	F4PM0080

Table 17 (Page 3 of 33). Hanja Set(3/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
3326	嚼	EDC4	5FDB	F4PN0080
3327	斫	EDC5	5FDC	F4PO0080
3328	昨	EDC6	5FDD	F4PP0080
3329	灼	EDC7	5FDF	F4PR0080
3330	炸	EDC8	5FE0	F4PS0080
3331	爵	EDC9	5FE1	F4PT0080
3332	綽	EDCA	5FE2	F4PU0080
3333	芍	EDCB	5FE3	F4PV0080
3334	酌	EDCC	5FE4	F4PW0080
3335	雀	EDCD	5FE5	F4PX0080
3336	鵲	EDCE	5FE6	F4PY0080
3337	孱	EDCF	6B52	F6DU0080
3338	棧	EDD0	5FE7	F4PZ0080
3339	殘	EDD1	5FE8	F4Q00080
3340	潺	EDD2	5FE9	F4Q10080
3341	盞	EDD3	5FEA	F4Q20080
3342	岑	EDD4	5FEB	F4Q30080
3343	暫	EDD5	5FEC	F4Q40080
3344	潛	EDD6	5FED	F4Q50080
3345	箴	EDD7	5FEF	F4Q70080
3346	簪	EDD8	5FF0	F4Q80080
3347	蠶	EDD9	5FF2	F4QA0080
3348	雜	EDDA	5FF3	F4QB0080
3349	丈	EDDB	5FF4	F4QC0080
3350	仗	EDDC	5FF5	F4QD0080
3351	匠	EDDD	5FF6	F4QE0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
3352	場	EDDE	5FF7	F4QF0080
3353	墻	EDDF	5FF8	F4QG0080
3354	壯	EDE0	6047	F4QV0080
3355	獎	EDE1	5FF9	F4QH0080
3356	將	EDE2	6048	F4QW0080
3357	帳	EDE3	5FFB	F4QJ0080
3358	庄	EDE4	5FFC	F4QK0080
3359	張	EDE5	5FFD	F4QL0080
3360	掌	EDE6	5FFE	F4QM0080
3361	曄	EDE7	6041	F4QP0080
3362	杖	EDE8	6042	F4QQ0080
3363	樟	EDE9	6043	F4QR0080
3364	檣	EDEA	6044	F4QS0080
3365	櫛	EDEB	6045	F4QT0080
3366	漿	EDEC	6046	F4QU0080
3367	牆	EDED	6049	F4QX0080
3368	狀	EDEE	604A	F4QY0080
3369	獐	EDEF	604B	F4QZ0080
3370	璋	EDF0	604C	F4R00080
3371	章	EDF1	604E	F4R20080
3372	粧	EDF2	604F	F4R30080
3373	腸	EDF3	6050	F4R40080
3374	臟	EDF4	6051	F4R50080
3375	臧	EDF5	6B53	F6DV0080
3376	莊	EDF6	6052	F4R60080
3377	葬	EDF7	6053	F4R70080

Line Number	Graphic	PC Code	Host Code	GCGID
3378	蔣	EDF8	6054	F4R80080
3379	蓄	EDF9	6055	F4R90080
3380	藏	EDFA	6056	F4RA0080
3381	裝	EDFB	6058	F4RC0080
3382	贓	EDFC	6059	F4RD0080
3383	醬	EDFD	605A	F4RE0080
3384	長	EDFE	605B	F4RF0080
3385	障	EEA1	605C	F4RG0080
3386	再	EEA2	605D	F4RH0080
3387	哉	EEA3	605E	F4RI0080
3388	在	EEA4	605F	F4RJ0080
3389	宰	EEA5	6060	F4RK0080
3390	才	EEA6	6061	F4RL0080
3391	材	EEA7	6062	F4RM0080
3392	裁	EEA8	6063	F4RN0080
3393	梓	EEA9	6064	F4RO0080
3394	澁	EEAA	6B54	F6DW0080
3395	滓	EEAB	6065	F4RP0080
3396	災	EEAC	6066	F4RQ0080
3397	緯	EEAD	6B55	F6DX0080
3398	裁	EEAE	6068	F4RS0080
3399	財	EEAF	6069	F4RT0080
3400	載	EEB0	606A	F4RU0080
3401	齋	EEB1	606B	F4RV0080
3402	齋	EEB2	606C	F4RW0080
3403	爭	EEB3	606D	F4RX0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Table 17 (Page 5 of 33). Hanja Set(3/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
3404	箏	EEB4	606E	F4RY0080
3405	諍	EEB5	606F	F4RZ0080
3406	錚	EEB6	6070	F4S00080
3407	佇	EEB7	6072	F4S20080
3408	低	EEB8	6071	F4S10080
3409	儲	EEB9	6073	F4S30080
3410	咀	EEBA	6074	F4S40080
3411	姐	EEBB	6075	F4S50080
3412	底	EEBC	6076	F4S60080
3413	抵	EEBD	6077	F4S70080
3414	杵	EEBE	6078	F4S80080
3415	楮	EEBF	607A	F4SA0080
3416	樗	EEC0	607B	F4SB0080
3417	沮	EEC1	607C	F4SC0080
3418	渚	EEC2	607D	F4SD0080
3419	狙	EEC3	607E	F4SE0080
3420	猪	EEC4	607F	F4SF0080
3421	疽	EEC5	6080	F4SG0080
3422	箸	EEC6	6081	F4SH0080
3423	紵	EEC7	6B56	F6DY0080
3424	苧	EEC8	6082	F4SI0080
3425	苴	EEC9	6B57	F6DZ0080
3426	著	EECA	6083	F4SJ0080
3427	譖	EECB	6084	F4SK0080
3428	詛	EECC	6086	F4SM0080
3429	貯	EECD	6088	F4SO0080

Table 17 (Page 5 of 33). Hanja Set(3/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
3430	躑	EECE	6089	F4SP0080
3431	這	EECF	608A	F4SQ0080
3432	邸	EED0	608B	F4SR0080
3433	睢	EED1	6B58	F6E00080
3434	齟	EED2	6B59	F6E10080
3435	勣	EED3	608C	F4SS0080
3436	吊	EED4	6B5A	F6E20080
3437	嫡	EED5	608D	F4ST0080
3438	寂	EED6	608E	F4SU0080
3439	摘	EED7	608F	F4SV0080
3440	敵	EED8	6090	F4SW0080
3441	滴	EED9	6091	F4SX0080
3442	狄	EEDA	6092	F4SY0080
3443	炙	EEDB	6B5B	F6E30080
3444	的	EEDC	6093	F4SZ0080
3445	積	EEDD	6094	F4T00080
3446	笛	EEDE	6095	F4T10080
3447	籍	EEDF	6096	F4T20080
3448	績	EEE0	6098	F4T40080
3449	翟	EEE1	6B5C	F6E40080
3450	荻	EEE2	6099	F4T50080
3451	譎	EEE3	609A	F4T60080
3452	賊	EEE4	609B	F4T70080
3453	赤	EEE5	609C	F4T80080
3454	跡	EEE6	609D	F4T90080
3455	蹟	EEE7	609E	F4TA0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
3456	迪	EEE8	609F	F4TB0080
3457	迹	EEE9	60A0	F4TC0080
3458	適	EEEE	60A1	F4TD0080
3459	鎬	EEEB	6B5D	F6E50080
3460	佃	EEEC	6B5E	F6E60080
3461	佺	EEED	6B5F	F6E70080
3462	傳	EEEE	60A2	F4TE0080
3463	全	EEEF	60A3	F4TF0080
3464	典	EEF0	60A4	F4TG0080
3465	前	EEF1	60A5	F4TH0080
3466	剪	EEF2	60A6	F4TI0080
3467	墳	EEF3	60A8	F4TK0080
3468	塙	EEF4	6B60	F6E80080
3469	奠	EEF5	60A9	F4TL0080
3470	專	EEF6	60AA	F4TM0080
3471	展	EEF7	60AB	F4TN0080
3472	廛	EEF8	60AD	F4TP0080
3473	悛	EEF9	60AE	F4TQ0080
3474	戰	EEFA	60AF	F4TR0080
3475	栓	EEFB	60B0	F4TS0080
3476	殿	EEFC	60B1	F4TT0080
3477	氈	EEFD	60B2	F4TU0080
3478	澱	EEFE	60B3	F4TV0080
3479	煎	EFA1	60B4	F4TW0080
3480	璵	EFA2	6B61	F6E90080
3481	田	EFA3	60B5	F4TX0080

Line Number	Graphic	PC Code	Host Code	GCGID
3482	甸	EFA4	60B6	F4TY0080
3483	畑	EFA5	6B62	F6EA0080
3484	癩	EFA6	60B7	F4TZ0080
3485	筌	EFA7	6B63	F6EB0080
3486	箋	EFA8	60B9	F4U10080
3487	箭	EFA9	60BA	F4U20080
3488	篆	EFAA	60BB	F4U30080
3489	纏	EFAB	60BC	F4U40080
3490	詮	EFAC	60BE	F4U60080
3491	輶	EFAD	60BF	F4U70080
3492	轉	EFAE	60C0	F4U80080
3493	鈿	EFAF	60C1	F4U90080
3494	銓	EFB0	60C2	F4UA0080
3495	錢	EFB1	60C3	F4UB0080
3496	鐫	EFB2	6B64	F6EC0080
3497	電	EFB3	60C4	F4UC0080
3498	顛	EFB4	60C5	F4UD0080
3499	顛	EFB5	60C6	F4UE0080
3500	餞	EFB6	60C7	F4UF0080
3501	切	EFB7	60C8	F4UG0080
3502	截	EFB8	60C9	F4UH0080
3503	折	EFB9	60CA	F4UI0080
3504	浙	EFBA	60CB	F4UJ0080
3505	癩	EFBB	6B65	F6ED0080
3506	竊	EFBC	60CD	F4UL0080
3507	節	EFBD	60CE	F4UM0080




IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Table 17 (Page 7 of 33). Hanja Set(3/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
3508	絶	EFBE	60CF	F4UN0080
3509	占	EFBF	60D0	F4UO0080
3510	帖	EFC0	60D1	F4UP0080
3511	店	EFC1	60D2	F4UQ0080
3512	渐	EFC2	60D3	F4UR0080
3513	点	EFC3	60D4	F4US0080
3514	粘	EFC4	60D6	F4UU0080
3515	霏	EFC5	60D7	F4UV0080
3516	鮎	EFC6	6B66	F6EE0080
3517	點	EFC7	60D5	F4UT0080
3518	接	EFC8	60D8	F4UW0080
3519	摺	EFC9	60D9	F4UX0080
3520	蝶	EFCA	60DB	F4UZ0080
3521	丁	EFCB	60DC	F4V00080
3522	井	EFCC	60DD	F4V10080
3523	亭	EFCD	60DE	F4V20080
3524	停	EFCE	60DF	F4V30080
3525	偵	EFCF	60E0	F4V40080
3526	呈	EFD0	60E1	F4V50080
3527	妊	EFD1	60E2	F4V60080
3528	定	EFD2	60E6	F4VA0080
3529	幀	EFD3	60E3	F4V70080
3530	庭	EFD4	60E7	F4VB0080
3531	廷	EFD5	60E4	F4V80080
3532	征	EFD6	60E5	F4V90080
3533	情	EFD7	60E8	F4VC0080

Table 17 (Page 7 of 33). Hanja Set(3/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
3534	挺	EFD8	60E9	F4VD0080
3535	政	EFD9	60EA	F4VE0080
3536	整	EFDA	60EB	F4VF0080
3537	旌	EFD8	60EC	F4VG0080
3538	晶	EFDC	60ED	F4VH0080
3539	戛	EFDD	60EE	F4VI0080
3540	枉	EFDE	6B67	F6EF0080
3541	楨	EFDF	60F0	F4VK0080
3542	檉	EFE0	6B68	F6EG0080
3543	正	EFE1	60F1	F4VL0080
3544	汀	EFE2	60F2	F4VM0080
3545	淀	EFE3	6B69	F6EH0080
3546	淨	EFE4	60F3	F4VN0080
3547	渟	EFE5	60F4	F4VO0080
3548	瀆	EFE6	6B6A	F6EI0080
3549	澗	EFE7	6B6B	F6EJ0080
3550	炆	EFE8	6B6C	F6EK0080
3551	玎	EFE9	6B6D	F6EL0080
3552	珽	EFEA	6B6E	F6EM0080
3553	町	EFEB	60F5	F4VP0080
3554	睛	EFEC	60F6	F4VQ0080
3555	碇	EFED	60F7	F4VR0080
3556	禎	EFEE	60F8	F4VS0080
3557	程	EFEF	60F9	F4VT0080
3558	弈	EFF0	60FA	F4VU0080
3559	精	EFF1	60FC	F4VW0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
3560	艇	EFF2	6B6F	F6EN0080
3561	艇	EFF3	60FD	F4VX0080
3562	訂	EFF4	60FE	F4VY0080
3563	諄	EFF5	6141	F4W10080
3564	貞	EFF6	6142	F4W20080
3565	鄭	EFF7	6143	F4W30080
3566	酊	EFF8	6144	F4W40080
3567	釘	EFF9	6145	F4W50080
3568	鉦	EFFA	6146	F4W60080
3569	鋌	EFFB	6B70	F6EO0080
3570	錠	EFFC	6147	F4W70080
3571	霆	EFFD	6148	F4W80080
3572	靖	EFFE	60FB	F4VV0080
3573	靜	F0A1	6149	F4W90080
3574	頂	F0A2	614A	F4WA0080
3575	鼎	F0A3	614B	F4WB0080
3576	制	F0A4	614C	F4WC0080
3577	劑	F0A5	614D	F4WD0080
3578	啼	F0A6	614E	F4WE0080
3579	堤	F0A7	614F	F4WF0080
3580	帝	F0A8	6150	F4WG0080
3581	弟	F0A9	6151	F4WH0080
3582	悌	F0AA	6152	F4WI0080
3583	提	F0AB	6153	F4WJ0080
3584	梯	F0AC	6155	F4WL0080
3585	濟	F0AD	6156	F4WM0080

Line Number	Graphic	PC Code	Host Code	GCGID
3586	祭	F0AE	6159	F4WP0080
3587	第	F0AF	615A	F4WQ0080
3588	臍	F0B0	6158	F4WO0080
3589	薺	F0B1	615B	F4WR0080
3590	製	F0B2	615C	F4WS0080
3591	諸	F0B3	615D	F4WT0080
3592	蹄	F0B4	615F	F4WV0080
3593	醜	F0B5	6160	F4WW0080
3594	除	F0B6	6161	F4WX0080
3595	際	F0B7	6162	F4WY0080
3596	霽	F0B8	6163	F4WZ0080
3597	題	F0B9	6164	F4X00080
3598	齊	F0BA	6165	F4X10080
3599	俎	F0BB	6166	F4X20080
3600	兆	F0BC	6168	F4X40080
3601	凋	F0BD	6167	F4X30080
3602	助	F0BE	6169	F4X50080
3603	嘲	F0BF	616B	F4X70080
3604	弔	F0C0	616D	F4X90080
3605	彫	F0C1	616E	F4XA0080
3606	措	F0C2	616F	F4XB0080
3607	操	F0C3	6170	F4XC0080
3608	早	F0C4	6171	F4XD0080
3609	晁	F0C5	6172	F4XE0080
3610	曹	F0C6	6173	F4XF0080
3611	曹	F0C7	6174	F4XG0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Table 17 (Page 9 of 33). Hanja Set(3/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
3612	朝	F0C8	6175	F4XH0080
3613	條	F0C9	6176	F4XI0080
3614	棗	F0CA	6177	F4XJ0080
3615	槽	F0CB	6178	F4XK0080
3616	漕	F0CC	6179	F4XL0080
3617	潮	F0CD	617A	F4XM0080
3618	照	F0CE	617B	F4XN0080
3619	燥	F0CF	617C	F4XO0080
3620	爪	F0D0	617D	F4XP0080
3621	璪	F0D1	6B71	F6EP0080
3622	眺	F0D2	617F	F4XR0080
3623	祖	F0D3	6180	F4XS0080
3624	祚	F0D4	6181	F4XT0080
3625	租	F0D5	6182	F4XU0080
3626	稠	F0D6	6183	F4XV0080
3627	窳	F0D7	6184	F4XW0080
3628	粗	F0D8	6187	F4XZ0080
3629	糟	F0D9	6188	F4Y00080
3630	組	F0DA	618A	F4Y20080
3631	繰	F0DB	618C	F4Y40080
3632	肇	F0DC	618D	F4Y50080
3633	藻	F0DD	618E	F4Y60080
3634	蚤	F0DE	618F	F4Y70080
3635	詔	F0DF	6190	F4Y80080
3636	調	F0E0	6191	F4Y90080
3637	趙	F0E1	6192	F4YA0080

Table 17 (Page 9 of 33). Hanja Set(3/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
3638	躁	F0E2	6193	F4YB0080
3639	造	F0E3	6194	F4YC0080
3640	遭	F0E4	6195	F4YD0080
3641	鈞	F0E5	6196	F4YE0080
3642	阻	F0E6	6197	F4YF0080
3643	雕	F0E7	6B72	F6EQ0080
3644	鳥	F0E8	6199	F4YH0080
3645	族	F0E9	619A	F4YI0080
3646	簇	F0EA	619B	F4YJ0080
3647	足	F0EB	619C	F4YK0080
3648	鏃	F0EC	619D	F4YL0080
3649	存	F0ED	619E	F4YM0080
3650	尊	F0EE	619F	F4YN0080
3651	卒	F0EF	61A0	F4YO0080
3652	拙	F0F0	61A1	F4YP0080
3653	猝	F0F1	61A2	F4YQ0080
3654	倥	F0F2	61A3	F4YR0080
3655	宗	F0F3	61A4	F4YS0080
3656	從	F0F4	61A5	F4YT0080
3657	悞	F0F5	6B73	F6ER0080
3658	慫	F0F6	61A6	F4YU0080
3659	棕	F0F7	61A7	F4YV0080
3660	淙	F0F8	61A9	F4YX0080
3661	琮	F0F9	61AA	F4YY0080
3662	種	F0FA	61AB	F4YZ0080
3663	終	F0FB	61AC	F4Z00080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
3664	綜	F0FC	61AD	F4Z10080
3665	縱	F0FD	61AE	F4Z20080
3666	腫	F0FE	61AF	F4Z30080
3667	踪	F1A1	6B74	F6ES0080
3668	踵	F1A2	61B0	F4Z40080
3669	鍾	F1A3	61B2	F4Z60080
3670	鐘	F1A4	61B3	F4Z70080
3671	佐	F1A5	61B4	F4Z80080
3672	坐	F1A6	61B5	F4Z90080
3673	左	F1A7	61B6	F4ZA0080
3674	座	F1A8	61B7	F4ZB0080
3675	挫	F1A9	61B8	F4ZC0080
3676	罪	F1AA	61B9	F4ZD0080
3677	主	F1AB	61BA	F4ZE0080
3678	住	F1AC	61BB	F4ZF0080
3679	侏	F1AD	61BC	F4ZG0080
3680	做	F1AE	61BD	F4ZH0080
3681	姝	F1AF	6B75	F6ET0080
3682	胄	F1B0	61D5	F5050080
3683	呪	F1B1	61BF	F4ZJ0080
3684	周	F1B2	61C0	F4ZK0080
3685	嗾	F1B3	61C1	F4ZL0080
3686	奏	F1B4	61C2	F4ZM0080
3687	宙	F1B5	61C3	F4ZN0080
3688	州	F1B6	61C4	F4ZO0080
3689	廚	F1B7	61BE	F4ZI0080

Line Number	Graphic	PC Code	Host Code	GCGID
3690	晝	F1B8	61C5	F4ZP0080
3691	朱	F1B9	61C6	F4ZQ0080
3692	柱	F1BA	61C7	F4ZR0080
3693	株	F1BB	61C8	F4ZS0080
3694	注	F1BC	61CA	F4ZU0080
3695	洲	F1BD	61CB	F4ZV0080
3696	湊	F1BE	6B76	F6EU0080
3697	澍	F1BF	6B77	F6EV0080
3698	炷	F1C0	61C9	F4ZT0080
3699	珠	F1C1	61CD	F4ZX0080
3700	疇	F1C2	61CE	F4ZY0080
3701	籌	F1C3	61D0	F5000080
3702	紂	F1C4	61D1	F5010080
3703	紬	F1C5	61D2	F5020080
3704	綢	F1C6	61D3	F5030080
3705	舟	F1C7	61D6	F5060080
3706	蛛	F1C8	61D7	F5070080
3707	註	F1C9	61D8	F5080080
3708	誅	F1CA	61D9	F5090080
3709	走	F1CB	61DA	F50A0080
3710	躡	F1CC	61DB	F50B0080
3711	輾	F1CD	61DC	F50C0080
3712	週	F1CE	61DE	F50E0080
3713	耐	F1CF	61DD	F50D0080
3714	酒	F1D0	61CC	F4ZW0080
3715	鑄	F1D1	61DF	F50F0080




IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
3716	駐	F1D2	61E0	F50G0080
3717	竹	F1D3	61E1	F50H0080
3718	粥	F1D4	61E2	F50I0080
3719	俊	F1D5	61E3	F50J0080
3720	僞	F1D6	61E4	F50K0080
3721	准	F1D7	61E5	F50L0080
3722	竣	F1D8	61E6	F50M0080
3723	窩	F1D9	6B78	F6EW0080
3724	峻	F1DA	61E7	F50N0080
3725	峻	F1DB	61E8	F50O0080
3726	樽	F1DC	61E9	F50P0080
3727	浚	F1DD	61EA	F50Q0080
3728	準	F1DE	61EB	F50R0080
3729	溶	F1DF	61EC	F50S0080
3730	竣	F1E0	6B79	F6EX0080
3731	峻	F1E1	61ED	F50T0080
3732	竣	F1E2	61EE	F50U0080
3733	蠢	F1E3	61EF	F50V0080
3734	逡	F1E4	61F0	F50W0080
3735	遵	F1E5	61F1	F50X0080
3736	雋	F1E6	6B7A	F6EY0080
3737	駿	F1E7	61F3	F50Z0080
3738	茁	F1E8	61F4	F5100080
3739	中	F1E9	61F5	F5110080
3740	仲	F1EA	61F6	F5120080
3741	衆	F1EB	61F7	F5130080

Line Number	Graphic	PC Code	Host Code	GCGID
3742	重	F1EC	61F8	F5140080
3743	卽	F1ED	61FA	F5160080
3744	櫛	F1EE	61FB	F5170080
3745	楫	F1EF	61FC	F5180080
3746	汁	F1F0	61FD	F5190080
3747	葺	F1F1	61FE	F51A0080
3748	增	F1F2	6241	F51D0080
3749	憎	F1F3	6242	F51E0080
3750	曾	F1F4	6245	F51H0080
3751	拯	F1F5	6243	F51F0080
3752	烝	F1F6	6244	F51G0080
3753	甌	F1F7	6246	F51I0080
3754	症	F1F8	6247	F51J0080
3755	繪	F1F9	6B7B	F6EZ0080
3756	蒸	F1FA	6248	F51K0080
3757	證	F1FB	624A	F51M0080
3758	贈	F1FC	624B	F51N0080
3759	之	F1FD	624C	F51O0080
3760	只	F1FE	624D	F51P0080
3761	咫	F2A1	624E	F51Q0080
3762	地	F2A2	624F	F51R0080
3763	址	F2A3	6250	F51S0080
3764	志	F2A4	6251	F51T0080
3765	持	F2A5	6252	F51U0080
3766	指	F2A6	6253	F51V0080
3767	摯	F2A7	6254	F51W0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
3768	支	F2A8	6255	F51X0080
3769	旨	F2A9	6256	F51Y0080
3770	智	F2AA	6257	F51Z0080
3771	枝	F2AB	6258	F5200080
3772	枳	F2AC	6259	F5210080
3773	止	F2AD	625A	F5220080
3774	池	F2AE	625B	F5230080
3775	沚	F2AF	6B7C	F6F00080
3776	漬	F2B0	625C	F5240080
3777	知	F2B1	625E	F5260080
3778	砥	F2B2	625F	F5270080
3779	祉	F2B3	6261	F5290080
3780	祗	F2B4	6260	F5280080
3781	紙	F2B5	6262	F52A0080
3782	肢	F2B6	6263	F52B0080
3783	脂	F2B7	6264	F52C0080
3784	至	F2B8	6265	F52D0080
3785	芝	F2B9	6266	F52E0080
3786	芷	F2BA	6B7D	F6F10080
3787	蚰	F2BB	6267	F52F0080
3788	誌	F2BC	6268	F52G0080
3789	識	F2BD	6269	F52H0080
3790	贄	F2BE	626A	F52I0080
3791	趾	F2BF	626B	F52J0080
3792	遲	F2C0	626C	F52K0080
3793	直	F2C1	626D	F52L0080

Line Number	Graphic	PC Code	Host Code	GCGID
3794	稗	F2C2	626E	F52M0080
3795	稷	F2C3	626F	F52N0080
3796	織	F2C4	6270	F52O0080
3797	職	F2C5	6271	F52P0080
3798	昏	F2C6	6B7E	F6F20080
3799	嗔	F2C7	6273	F52R0080
3800	塵	F2C8	6274	F52S0080
3801	振	F2C9	6275	F52T0080
3802	摺	F2CA	6B7F	F6F30080
3803	晉	F2CB	6276	F52U0080
3804	晋	F2CC	6B80	F6F40080
3805	振	F2CD	6B81	F6F50080
3806	榛	F2CE	6277	F52V0080
3807	殄	F2CF	6B82	F6F60080
3808	津	F2D0	6278	F52W0080
3809	溱	F2D1	6279	F52X0080
3810	珍	F2D2	627A	F52Y0080
3811	璿	F2D3	627B	F52Z0080
3812	璉	F2D4	627C	F5300080
3813	畛	F2D5	6B83	F6F70080
3814	疹	F2D6	627D	F5310080
3815	盡	F2D7	627E	F5320080
3816	眞	F2D8	627F	F5330080
3817	瞋	F2D9	6280	F5340080
3818	秦	F2DA	6281	F5350080
3819	縉	F2DB	6282	F5360080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
3820	續	F2DC	6B84	F6F80080
3821	臻	F2DD	6B85	F6F90080
3822	陳	F2DE	6B86	F6FA0080
3823	疹	F2DF	6B87	F6FB0080
3824	診	F2E0	6283	F5370080
3825	賑	F2E1	6284	F5380080
3826	軫	F2E2	6285	F5390080
3827	辰	F2E3	6272	F52Q0080
3828	進	F2E4	6286	F53A0080
3829	鎮	F2E5	6287	F53B0080
3830	陣	F2E6	6288	F53C0080
3831	陳	F2E7	6289	F53D0080
3832	震	F2E8	628A	F53E0080
3833	侄	F2E9	6B88	F6FC0080
3834	叱	F2EA	628B	F53F0080
3835	姪	F2EB	628D	F53H0080
3836	嫉	F2EC	628E	F53I0080
3837	帙	F2ED	628F	F53J0080
3838	桎	F2EE	6290	F53K0080
3839	瓊	F2EF	6B89	F6FD0080
3840	疾	F2F0	6291	F53L0080
3841	秩	F2F1	6292	F53M0080
3842	窒	F2F2	628C	F53G0080
3843	臙	F2F3	6293	F53N0080
3844	蛭	F2F4	6294	F53O0080
3845	質	F2F5	6295	F53P0080

Line Number	Graphic	PC Code	Host Code	GCGID
3846	跌	F2F6	6296	F53Q0080
3847	迭	F2F7	6297	F53R0080
3848	斟	F2F8	6298	F53S0080
3849	朕	F2F9	6299	F53T0080
3850	什	F2FA	6B8A	F6FE0080
3851	執	F2FB	629A	F53U0080
3852	灑	F2FC	6B8B	F6FF0080
3853	絹	F2FD	629C	F53W0080
3854	輯	F2FE	629D	F53X0080
3855	鑠	F3A1	6B8C	F6FG0080
3856	集	F3A2	629B	F53V0080
3857	徵	F3A3	629E	F53Y0080
3858	懲	F3A4	629F	F53Z0080
3859	澄	F3A5	62A0	F5400080
3860	且	F3A6	62A1	F5410080
3861	侘	F3A7	6B8D	F6FH0080
3862	借	F3A8	62A2	F5420080
3863	叉	F3A9	62A4	F5440080
3864	嗟	F3AA	62A5	F5450080
3865	嗟	F3AB	62A7	F5470080
3866	差	F3AC	62A6	F5460080
3867	次	F3AD	62A8	F5480080
3868	此	F3AE	62A9	F5490080
3869	磋	F3AF	62AA	F54A0080
3870	筓	F3B0	62A3	F5430080
3871	茶	F3B1	62AB	F54B0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
3872	蹉	F3B2	62AC	F54C0080
3873	車	F3B3	62AE	F54E0080
3874	遮	F3B4	62AD	F54D0080
3875	捉	F3B5	62AF	F54F0080
3876	搾	F3B6	62B0	F54G0080
3877	着	F3B7	62B1	F54H0080
3878	窄	F3B8	62B2	F54I0080
3879	錯	F3B9	62B3	F54J0080
3880	鑿	F3BA	62B4	F54K0080
3881	齷	F3BB	62B5	F54L0080
3882	撰	F3BC	62B6	F54M0080
3883	灤	F3BD	62B7	F54N0080
3884	燦	F3BE	62B8	F54O0080
3885	璨	F3BF	62B9	F54P0080
3886	瓚	F3C0	62BA	F54Q0080
3887	竄	F3C1	62BB	F54R0080
3888	篡	F3C2	6B8E	F6FI0080
3889	纂	F3C3	62BC	F54S0080
3890	粲	F3C4	62BD	F54T0080
3891	纘	F3C5	62BE	F54U0080
3892	讚	F3C6	62BF	F54V0080
3893	贊	F3C7	62C0	F54W0080
3894	鑽	F3C8	62C1	F54X0080
3895	餐	F3C9	62C3	F54Z0080
3896	饌	F3CA	62C4	F5500080
3897	刹	F3CB	62C5	F5510080

Line Number	Graphic	PC Code	Host Code	GCGID
3898	察	F3CC	62C6	F5520080
3899	擦	F3CD	62C7	F5530080
3900	札	F3CE	62C8	F5540080
3901	紮	F3CF	6B8F	F6FJ0080
3902	僭	F3D0	62C9	F5550080
3903	參	F3D1	62CA	F5560080
3904	塹	F3D2	62CB	F5570080
3905	慘	F3D3	62CC	F5580080
3906	慙	F3D4	62CD	F5590080
3907	懺	F3D5	62CF	F55B0080
3908	斬	F3D6	62D0	F55C0080
3909	站	F3D7	62D1	F55D0080
3910	讒	F3D8	62D2	F55E0080
3911	讖	F3D9	6B90	F6FK0080
3912	倉	F3DA	62D4	F55G0080
3913	倡	F3DB	62D3	F55F0080
3914	創	F3DC	62D6	F55I0080
3915	唱	F3DD	62D7	F55J0080
3916	娼	F3DE	62D8	F55K0080
3917	廠	F3DF	62D9	F55L0080
3918	彰	F3E0	62DA	F55M0080
3919	愴	F3E1	6B91	F6FL0080
3920	敞	F3E2	62DC	F55O0080
3921	昌	F3E3	62DD	F55P0080
3922	昶	F3E4	62DE	F55Q0080
3923	暢	F3E5	62DF	F55R0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
3924	檜	F3E6	62E0	F55S0080
3925	滄	F3E7	62E2	F55U0080
3926	漲	F3E8	62E3	F55V0080
3927	狷	F3E9	6B92	F6FM0080
3928	瘡	F3EA	62E4	F55W0080
3929	窓	F3EB	62E5	F55X0080
3930	脹	F3EC	62E6	F55Y0080
3931	艙	F3ED	62E7	F55Z0080
3932	菖	F3EE	62E8	F5600080
3933	蒼	F3EF	62E9	F5610080
3934	債	F3F0	62EA	F5620080
3935	塚	F3F1	62EB	F5630080
3936	寨	F3F2	6B93	F6FN0080
3937	寨	F3F3	6B94	F6FO0080
3938	彩	F3F4	62EC	F5640080
3939	採	F3F5	62ED	F5650080
3940	砦	F3F6	62EE	F5660080
3941	綵	F3F7	62EF	F5670080
3942	菜	F3F8	62F0	F5680080
3943	蔡	F3F9	62F1	F5690080
3944	采	F3FA	62F2	F56A0080
3945	釵	F3FB	62F3	F56B0080
3946	册	F3FC	62F4	F56C0080
3947	柵	F3FD	62F5	F56D0080
3948	策	F3FE	62F6	F56E0080
3949	責	F4A1	62F8	F56G0080

Line Number	Graphic	PC Code	Host Code	GCGID
3950	淒	F4A2	62F9	F56H0080
3951	妻	F4A3	62FA	F56I0080
3952	悽	F4A4	62FB	F56J0080
3953	處	F4A5	62FC	F56K0080
3954	個	F4A6	6B95	F6FP0080
3955	刺	F4A7	62FD	F56L0080
3956	剔	F4A8	62FE	F56M0080
3957	尺	F4A9	6341	F56P0080
3958	憾	F4AA	6342	F56Q0080
3959	戚	F4AB	6343	F56R0080
3960	拓	F4AC	6344	F56S0080
3961	擲	F4AD	6345	F56T0080
3962	斥	F4AE	6346	F56U0080
3963	滌	F4AF	6347	F56V0080
3964	瘡	F4B0	6348	F56W0080
3965	脊	F4B1	6349	F56X0080
3966	蹠	F4B2	6B96	F6FQ0080
3967	陟	F4B3	634C	F5700080
3968	隻	F4B4	634D	F5710080
3969	仟	F4B5	634E	F5720080
3970	千	F4B6	634F	F5730080
3971	喘	F4B7	6350	F5740080
3972	天	F4B8	6351	F5750080
3973	川	F4B9	6352	F5760080
3974	擅	F4BA	6353	F5770080
3975	泉	F4BB	6354	F5780080




IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
3976	淺	F4BC	6355	F5790080
3977	玊	F4BD	6B97	F6FR0080
3978	穿	F4BE	6357	F57B0080
3979	舛	F4BF	6358	F57C0080
3980	薦	F4C0	6359	F57D0080
3981	賤	F4C1	635A	F57E0080
3982	踐	F4C2	635B	F57F0080
3983	遷	F4C3	635C	F57G0080
3984	釧	F4C4	635D	F57H0080
3985	闡	F4C5	635E	F57I0080
3986	阡	F4C6	635F	F57J0080
3987	輓	F4C7	6360	F57K0080
3988	凸	F4C8	6361	F57L0080
3989	哲	F4C9	6363	F57N0080
3990	喆	F4CA	6364	F57O0080
3991	徹	F4CB	6362	F57M0080
3992	撤	F4CC	6365	F57P0080
3993	澈	F4CD	6366	F57Q0080
3994	綴	F4CE	6367	F57R0080
3995	輟	F4CF	6B98	F6FS0080
3996	轍	F4D0	6368	F57S0080
3997	鐵	F4D1	6369	F57T0080
3998	兪	F4D2	636A	F57U0080
3999	尖	F4D3	636B	F57V0080
4000	沾	F4D4	636C	F57W0080
4001	添	F4D5	636D	F57X0080

Line Number	Graphic	PC Code	Host Code	GCGID
4002	甜	F4D6	636E	F57Y0080
4003	瞻	F4D7	636F	F57Z0080
4004	簽	F4D8	6B99	F6FT0080
4005	籤	F4D9	6371	F5810080
4006	詹	F4DA	6B9A	F6FU0080
4007	諂	F4DB	6372	F5820080
4008	堞	F4DC	6B9B	F6FV0080
4009	妾	F4DD	6373	F5830080
4010	帖	F4DE	6374	F5840080
4011	捷	F4DF	6375	F5850080
4012	牒	F4E0	6376	F5860080
4013	疊	F4E1	6377	F5870080
4014	睫	F4E2	6378	F5880080
4015	諜	F4E3	6379	F5890080
4016	貼	F4E4	637A	F58A0080
4017	輒	F4E5	637B	F58B0080
4018	廳	F4E6	637C	F58C0080
4019	晴	F4E7	637D	F58D0080
4020	清	F4E8	637E	F58E0080
4021	聽	F4E9	637F	F58F0080
4022	菁	F4EA	6380	F58G0080
4023	請	F4EB	6382	F58I0080
4024	青	F4EC	6383	F58J0080
4025	鯖	F4ED	6384	F58K0080
4026	切	F4EE	6385	F58L0080
4027	荊	F4EF	6386	F58M0080




IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
4028	替	F4F0	6387	F58N0080
4029	涕	F4F1	6388	F58O0080
4030	滯	F4F2	6389	F58P0080
4031	締	F4F3	638B	F58R0080
4032	諦	F4F4	638C	F58S0080
4033	逮	F4F5	638D	F58T0080
4034	遞	F4F6	638E	F58U0080
4035	體	F4F7	6390	F58W0080
4036	初	F4F8	6391	F58X0080
4037	剿	F4F9	6B9C	F6FW0080
4038	哨	F4FA	6392	F58Y0080
4039	樵	F4FB	6394	F5900080
4040	抄	F4FC	6395	F5910080
4041	招	F4FD	6396	F5920080
4042	梢	F4FE	6397	F5930080
4043	椒	F5A1	6398	F5940080
4044	楚	F5A2	6399	F5950080
4045	樵	F5A3	639A	F5960080
4046	炒	F5A4	639B	F5970080
4047	焦	F5A5	639C	F5980080
4048	硝	F5A6	639D	F5990080
4049	礁	F5A7	639E	F59A0080
4050	礎	F5A8	639F	F59B0080
4051	秒	F5A9	63A0	F59C0080
4052	稍	F5AA	63A1	F59D0080
4053	肖	F5AB	63A3	F59F0080

Line Number	Graphic	PC Code	Host Code	GCGID
4054	艸	F5AC	6B9D	F6FX0080
4055	莒	F5AD	6B9E	F6FY0080
4056	草	F5AE	63A4	F59G0080
4057	蕉	F5AF	63A5	F59H0080
4058	貂	F5B0	63A6	F59I0080
4059	超	F5B1	63A7	F59J0080
4060	酢	F5B2	63A8	F59K0080
4061	醋	F5B3	63A9	F59L0080
4062	醮	F5B4	63AA	F59M0080
4063	促	F5B5	63AD	F59P0080
4064	囑	F5B6	63AE	F59Q0080
4065	燭	F5B7	63B0	F59S0080
4066	矗	F5B8	63B1	F59T0080
4067	蜀	F5B9	63B2	F59U0080
4068	觸	F5BA	63B3	F59V0080
4069	寸	F5BB	63B6	F59Y0080
4070	忖	F5BC	63B7	F59Z0080
4071	村	F5BD	63B8	F5A00080
4072	邨	F5BE	6B9F	F6FZ0080
4073	叢	F5BF	63B9	F5A10080
4074	塚	F5C0	63BA	F5A20080
4075	寵	F5C1	63BB	F5A30080
4076	恧	F5C2	6BA0	F6G00080
4077	恧	F5C3	6BA1	F6G10080
4078	摠	F5C4	63BD	F5A50080
4079	總	F5C5	63BE	F5A60080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
4080	聰	F5C6	63BF	F5A70080
4081	蔥	F5C7	6BA2	F6G20080
4082	銃	F5C8	63C1	F5A90080
4083	撮	F5C9	63C2	F5AA0080
4084	催	F5CA	63C3	F5AB0080
4085	崔	F5CB	63C4	F5AC0080
4086	最	F5CC	63C6	F5AE0080
4087	墜	F5CD	63C7	F5AF0080
4088	抽	F5CE	63C8	F5AG0080
4089	推	F5CF	63C9	F5AH0080
4090	椎	F5D0	63CA	F5AI0080
4091	楸	F5D1	63CB	F5AJ0080
4092	樞	F5D2	63CD	F5AL0080
4093	湫	F5D3	63CE	F5AM0080
4094	皺	F5D4	63D0	F5AO0080
4095	秋	F5D5	63D1	F5AP0080
4096	芻	F5D6	63D3	F5AR0080
4097	菽	F5D7	63D4	F5AS0080
4098	諏	F5D8	6BA3	F6G30080
4099	趨	F5D9	63D5	F5AT0080
4100	追	F5DA	63D6	F5AU0080
4101	鄒	F5DB	63D7	F5AV0080
4102	酋	F5DC	63D8	F5AW0080
4103	醜	F5DD	63D9	F5AX0080
4104	錐	F5DE	63DB	F5AZ0080
4105	錘	F5DF	63DA	F5AY0080

Line Number	Graphic	PC Code	Host Code	GCGID
4106	鎚	F5E0	6BA4	F6G40080
4107	雛	F5E1	63DC	F5B00080
4108	驕	F5E2	6BA5	F6G50080
4109	鰵	F5E3	63DE	F5B20080
4110	丑	F5E4	63E1	F5B50080
4111	畜	F5E5	63E4	F5B80080
4112	祝	F5E6	63E3	F5B70080
4113	竺	F5E7	63E5	F5B90080
4114	筑	F5E8	63E6	F5BA0080
4115	築	F5E9	63E7	F5BB0080
4116	縮	F5EA	63E8	F5BC0080
4117	蓄	F5EB	63EA	F5BE0080
4118	蹙	F5EC	6BA6	F6G60080
4119	蹴	F5ED	63EB	F5BF0080
4120	軸	F5EE	63EC	F5BG0080
4121	逐	F5EF	63ED	F5BH0080
4122	春	F5F0	63EE	F5BI0080
4123	椿	F5F1	63EF	F5BJ0080
4124	椿	F5F2	6BA7	F6G70080
4125	出	F5F3	63F0	F5BK0080
4126	朮	F5F4	6BA8	F6G80080
4127	黜	F5F5	63F1	F5BL0080
4128	充	F5F6	63F2	F5BM0080
4129	忠	F5F7	63F4	F5BO0080
4130	冲	F5F8	63F5	F5BP0080
4131	蟲	F5F9	63F6	F5BQ0080




IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
4132	衝	F5FA	63F7	F5BR0080
4133	衷	F5FB	63F8	F5BS0080
4134	悴	F5FC	63F9	F5BT0080
4135	臍	F5FD	63FA	F5BU0080
4136	萃	F5FE	63FB	F5BV0080
4137	贅	F6A1	6BA9	F6G90080
4138	取	F6A2	63FC	F5BW0080
4139	吹	F6A3	63FD	F5BX0080
4140	嘴	F6A4	63FE	F5BY0080
4141	娶	F6A5	6441	F5C10080
4142	就	F6A6	6442	F5C20080
4143	炊	F6A7	6444	F5C40080
4144	翠	F6A8	6445	F5C50080
4145	聚	F6A9	6446	F5C60080
4146	脆	F6AA	6447	F5C70080
4147	臭	F6AB	6448	F5C80080
4148	趣	F6AC	644A	F5CA0080
4149	醉	F6AD	644B	F5CB0080
4150	驟	F6AE	644C	F5CC0080
4151	鶯	F6AF	644D	F5CD0080
4152	側	F6B0	644F	F5CF0080
4153	仄	F6B1	644E	F5CE0080
4154	厠	F6B2	6BAA	F6GA0080
4155	惻	F6B3	6450	F5CG0080
4156	測	F6B4	6451	F5CH0080
4157	層	F6B5	6452	F5CI0080

Line Number	Graphic	PC Code	Host Code	GCGID
4158	侈	F6B6	6453	F5CJ0080
4159	值	F6B7	6454	F5CK0080
4160	嗤	F6B8	6455	F5CL0080
4161	峙	F6B9	6456	F5CM0080
4162	幟	F6BA	6458	F5CO0080
4163	恥	F6BB	6466	F5D20080
4164	樞	F6BC	645A	F5CQ0080
4165	治	F6BD	645B	F5CR0080
4166	淄	F6BE	645C	F5CS0080
4167	熾	F6BF	645D	F5CT0080
4168	痔	F6C0	645E	F5CU0080
4169	痴	F6C1	645F	F5CV0080
4170	癡	F6C2	6460	F5CW0080
4171	稚	F6C3	6462	F5CY0080
4172	穉	F6C4	6BAB	F6GB0080
4173	緇	F6C5	6463	F5CZ0080
4174	緇	F6C6	6464	F5D00080
4175	置	F6C7	6465	F5D10080
4176	致	F6C8	6467	F5D30080
4177	蚩	F6C9	6BAC	F6GC0080
4178	輜	F6CA	6468	F5D40080
4179	雉	F6CB	6461	F5CX0080
4180	馳	F6CC	6469	F5D50080
4181	齒	F6CD	646B	F5D70080
4182	則	F6CE	646C	F5D80080
4183	勅	F6CF	646D	F5D90080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
4184	飭	F6D0	646E	F5DA0080
4185	親	F6D1	646F	F5DB0080
4186	七	F6D2	6470	F5DC0080
4187	柒	F6D3	6471	F5DD0080
4188	漆	F6D4	6472	F5DE0080
4189	侵	F6D5	6473	F5DF0080
4190	寢	F6D6	6474	F5DG0080
4191	枕	F6D7	6476	F5DI0080
4192	沈	F6D8	6477	F5DJ0080
4193	浸	F6D9	6478	F5DK0080
4194	琛	F6DA	6BAD	F6GD0080
4195	砧	F6DB	6479	F5DL0080
4196	針	F6DC	647A	F5DM0080
4197	鍼	F6DD	647B	F5DN0080
4198	蟄	F6DE	647C	F5DO0080
4199	秤	F6DF	647D	F5DP0080
4200	稱	F6E0	647E	F5DQ0080
4201	快	F6E1	647F	F5DR0080
4202	他	F6E2	6480	F5DS0080
4203	咤	F6E3	6BAE	F6GE0080
4204	唾	F6E4	6481	F5DT0080
4205	墮	F6E5	6482	F5DU0080
4206	妥	F6E6	6483	F5DV0080
4207	惰	F6E7	6484	F5DW0080
4208	打	F6E8	6485	F5DX0080
4209	掩	F6E9	6BAF	F6GF0080

Line Number	Graphic	PC Code	Host Code	GCGID
4210	朶	F6EA	6486	F5DY0080
4211	橈	F6EB	6487	F5DZ0080
4212	舵	F6EC	6488	F5E00080
4213	陀	F6ED	6489	F5E10080
4214	馱	F6EE	6BB0	F6GG0080
4215	駝	F6EF	648A	F5E20080
4216	倬	F6F0	648B	F5E30080
4217	卓	F6F1	648C	F5E40080
4218	啄	F6F2	648D	F5E50080
4219	坼	F6F3	6BB1	F6GH0080
4220	度	F6F4	648E	F5E60080
4221	托	F6F5	648F	F5E70080
4222	拓	F6F6	6491	F5E90080
4223	擢	F6F7	6492	F5EA0080
4224	暄	F6F8	6BB2	F6GI0080
4225	柝	F6F9	6493	F5EB0080
4226	濁	F6FA	6495	F5ED0080
4227	濯	F6FB	6496	F5EE0080
4228	琢	F6FC	6497	F5EF0080
4229	瑋	F6FD	6BB3	F6GJ0080
4230	託	F6FE	6498	F5EG0080
4231	鐸	F7A1	6499	F5EH0080
4232	吞	F7A2	649A	F5EI0080
4233	嘆	F7A3	649B	F5EJ0080
4234	坦	F7A4	649C	F5EK0080
4235	彈	F7A5	649D	F5EL0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
4236	憚	F7A6	649E	F5EM0080
4237	歎	F7A7	649F	F5EN0080
4238	灘	F7A8	64A0	F5EO0080
4239	炭	F7A9	64A1	F5EP0080
4240	綻	F7AA	64A2	F5EQ0080
4241	誕	F7AB	64A3	F5ER0080
4242	奪	F7AC	64A4	F5ES0080
4243	脫	F7AD	64A5	F5ET0080
4244	探	F7AE	64A6	F5EU0080
4245	眈	F7AF	6BB4	F6GK0080
4246	耽	F7B0	64A7	F5EV0080
4247	貪	F7B1	64A8	F5EW0080
4248	塔	F7B2	64A9	F5EX0080
4249	搭	F7B3	64AA	F5EY0080
4250	榻	F7B4	64AB	F5EZ0080
4251	宕	F7B5	64AC	F5F00080
4252	帑	F7B6	64AD	F5F10080
4253	湯	F7B7	64AE	F5F20080
4254	糖	F7B8	6BB5	F6GL0080
4255	蕩	F7B9	64AF	F5F30080
4256	兌	F7BA	64B0	F5F40080
4257	台	F7BB	64B1	F5F50080
4258	太	F7BC	64B2	F5F60080
4259	怠	F7BD	64B3	F5F70080
4260	態	F7BE	64B4	F5F80080
4261	殆	F7BF	64B5	F5F90080

Line Number	Graphic	PC Code	Host Code	GCGID
4262	汰	F7C0	64B6	F5FA0080
4263	泰	F7C1	64B7	F5FB0080
4264	答	F7C2	64B8	F5FC0080
4265	胎	F7C3	64B9	F5FD0080
4266	苔	F7C4	64BA	F5FE0080
4267	跽	F7C5	64BB	F5FF0080
4268	郤	F7C6	64BC	F5FG0080
4269	颯	F7C7	64BD	F5FH0080
4270	宅	F7C8	64BF	F5FJ0080
4271	擇	F7C9	64C0	F5FK0080
4272	澤	F7CA	64C1	F5FL0080
4273	撐	F7CB	64C3	F5FN0080
4274	攄	F7CC	64C4	F5FO0080
4275	兔	F7CD	64C5	F5FP0080
4276	吐	F7CE	64C6	F5FQ0080
4277	土	F7CF	64C7	F5FR0080
4278	討	F7D0	64C8	F5FS0080
4279	慟	F7D1	64C9	F5FT0080
4280	桶	F7D2	64CA	F5FU0080
4281	洞	F7D3	64CB	F5FV0080
4282	痛	F7D4	64CC	F5FW0080
4283	筒	F7D5	64CD	F5FX0080
4284	統	F7D6	64CE	F5FY0080
4285	通	F7D7	64CF	F5FZ0080
4286	堆	F7D8	64D0	F5G00080
4287	槌	F7D9	6BB6	F6GM0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
4288	腿	F7DA	64D1	F5G10080
4289	褪	F7DB	64D2	F5G20080
4290	退	F7DC	64D3	F5G30080
4291	頹	F7DD	64D4	F5G40080
4292	偷	F7DE	64D5	F5G50080
4293	套	F7DF	64D6	F5G60080
4294	妬	F7E0	64D7	F5G70080
4295	投	F7E1	64D8	F5G80080
4296	透	F7E2	64D9	F5G90080
4297	鬪	F7E3	64DA	F5GA0080
4298	慝	F7E4	64DB	F5GB0080
4299	特	F7E5	64DC	F5GC0080
4300	闖	F7E6	6BB7	F6GN0080
4301	坡	F7E7	64DE	F5GE0080
4302	婆	F7E8	64DD	F5GD0080
4303	巴	F7E9	64DF	F5GF0080
4304	把	F7EA	64E0	F5GG0080
4305	播	F7EB	64E1	F5GH0080
4306	擺	F7EC	6BB8	F6GO0080
4307	杷	F7ED	64E2	F5GI0080
4308	波	F7EE	64E3	F5GJ0080
4309	派	F7EF	64E4	F5GK0080
4310	爬	F7F0	64E5	F5GL0080
4311	琶	F7F1	64E6	F5GM0080
4312	破	F7F2	64E7	F5GN0080
4313	罷	F7F3	64E8	F5GO0080

Line Number	Graphic	PC Code	Host Code	GCGID
4314	芭	F7F4	64E9	F5GP0080
4315	跋	F7F5	64EA	F5GQ0080
4316	頗	F7F6	64EB	F5GR0080
4317	判	F7F7	64ED	F5GT0080
4318	坂	F7F8	64EC	F5GS0080
4319	板	F7F9	64EE	F5GU0080
4320	版	F7FA	64EF	F5GV0080
4321	瓣	F7FB	64F2	F5GY0080
4322	販	F7FC	64F0	F5GW0080
4323	辦	F7FD	64F1	F5GX0080
4324	鋌	F7FE	6BB9	F6GP0080
4325	阪	F8A1	64F3	F5GZ0080
4326	八	F8A2	64F4	F5H00080
4327	叭	F8A3	64F5	F5H10080
4328	捌	F8A4	64F6	F5H20080
4329	佩	F8A5	64F7	F5H30080
4330	唄	F8A6	64F8	F5H40080
4331	悖	F8A7	64F9	F5H50080
4332	敗	F8A8	6542	F5HE0080
4333	沛	F8A9	64FA	F5H60080
4334	湏	F8AA	64FB	F5H70080
4335	牌	F8AB	64FC	F5H80080
4336	狽	F8AC	64FD	F5H90080
4337	稗	F8AD	64FE	F5HA0080
4338	霸	F8AE	6543	F5HF0080
4339	貝	F8AF	6541	F5HD0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Table 17 (Page 23 of 33). Hanja Set(3/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
4340	彭	F8B0	6544	F5HG0080
4341	澎	F8B1	6545	F5HH0080
4342	烹	F8B2	6546	F5HI0080
4343	膨	F8B3	6547	F5HJ0080
4344	悞	F8B4	6548	F5HK0080
4345	便	F8B5	6549	F5HL0080
4346	偏	F8B6	654A	F5HM0080
4347	扁	F8B7	654B	F5HN0080
4348	片	F8B8	654C	F5HO0080
4349	篇	F8B9	654D	F5HP0080
4350	編	F8BA	654E	F5HQ0080
4351	翩	F8BB	654F	F5HR0080
4352	遍	F8BC	6551	F5HT0080
4353	鞭	F8BD	6552	F5HU0080
4354	騙	F8BE	6BBA	F6GQ0080
4355	貶	F8BF	6553	F5HV0080
4356	坪	F8C0	6554	F5HW0080
4357	平	F8C1	6555	F5HX0080
4358	枰	F8C2	6BBB	F6GR0080
4359	萍	F8C3	6556	F5HY0080
4360	評	F8C4	6557	F5HZ0080
4361	吠	F8C5	6558	F5I00080
4362	嬖	F8C6	6559	F5I10080
4363	幣	F8C7	655A	F5I20080
4364	廢	F8C8	655B	F5I30080
4365	弊	F8C9	655C	F5I40080

Table 17 (Page 23 of 33). Hanja Set(3/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
4366	斃	F8CA	655D	F5I50080
4367	肺	F8CB	655E	F5I60080
4368	蔽	F8CC	655F	F5I70080
4369	閉	F8CD	6560	F5I80080
4370	陞	F8CE	6561	F5I90080
4371	佈	F8CF	6562	F5IA0080
4372	包	F8D0	6563	F5IB0080
4373	匍	F8D1	6564	F5IC0080
4374	匏	F8D2	6565	F5ID0080
4375	咆	F8D3	6566	F5IE0080
4376	哺	F8D4	6567	F5IF0080
4377	圃	F8D5	6568	F5IG0080
4378	布	F8D6	656A	F5II0080
4379	怖	F8D7	656B	F5IJ0080
4380	拋	F8D8	656D	F5IL0080
4381	抱	F8D9	656C	F5IK0080
4382	捕	F8DA	656E	F5IM0080
4383	暴	F8DB	6BBC	F6GS0080
4384	泡	F8DC	656F	F5IN0080
4385	浦	F8DD	6570	F5IO0080
4386	疱	F8DE	6572	F5IQ0080
4387	砲	F8DF	6573	F5IR0080
4388	胞	F8E0	6574	F5IS0080
4389	脯	F8E1	6575	F5IT0080
4390	苞	F8E2	6BBD	F6GT0080
4391	葡	F8E3	6577	F5IV0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
4392	蒲	F8E4	6578	F5IW0080
4393	袍	F8E5	6579	F5IX0080
4394	褒	F8E6	657A	F5IY0080
4395	逋	F8E7	6BBE	F6GU0080
4396	鋪	F8E8	657C	F5J00080
4397	飽	F8E9	657E	F5J20080
4398	鮑	F8EA	657F	F5J30080
4399	幅	F8EB	6580	F5J40080
4400	暴	F8EC	6581	F5J50080
4401	曝	F8ED	6BBF	F6GV0080
4402	瀑	F8EE	6582	F5J60080
4403	爆	F8EF	6583	F5J70080
4404	輻	F8F0	6BC0	F6GW0080
4405	倭	F8F1	6584	F5J80080
4406	剽	F8F2	6585	F5J90080
4407	彪	F8F3	6586	F5JA0080
4408	慄	F8F4	6587	F5JB0080
4409	杓	F8F5	6588	F5JC0080
4410	標	F8F6	6589	F5JD0080
4411	漂	F8F7	658A	F5JE0080
4412	瓢	F8F8	658B	F5JF0080
4413	票	F8F9	658C	F5JG0080
4414	表	F8FA	658D	F5JH0080
4415	豹	F8FB	658E	F5JI0080
4416	飈	F8FC	6BC1	F6GX0080
4417	飄	F8FD	658F	F5JJ0080

Line Number	Graphic	PC Code	Host Code	GCGID
4418	驃	F8FE	6BC2	F6GY0080
4419	品	F9A1	6591	F5JL0080
4420	稟	F9A2	6592	F5JM0080
4421	楓	F9A3	6594	F5JO0080
4422	諷	F9A4	6595	F5JP0080
4423	豐	F9A5	6596	F5JQ0080
4424	風	F9A6	6597	F5JR0080
4425	馮	F9A7	6593	F5JN0080
4426	彼	F9A8	6598	F5JS0080
4427	披	F9A9	6599	F5JT0080
4428	疲	F9AA	659A	F5JU0080
4429	皮	F9AB	659B	F5JV0080
4430	被	F9AC	659D	F5JX0080
4431	避	F9AD	659E	F5JY0080
4432	陂	F9AE	6BC3	F6GZ0080
4433	匹	F9AF	659F	F5JZ0080
4434	弼	F9B0	65A0	F5K00080
4435	必	F9B1	65A1	F5K10080
4436	泌	F9B2	65A2	F5K20080
4437	泌	F9B3	6BC4	F6H00080
4438	畢	F9B4	65A3	F5K30080
4439	疋	F9B5	65A4	F5K40080
4440	筆	F9B6	65A5	F5K50080
4441	苾	F9B7	6BC5	F6H10080
4442	秘	F9B8	6BC6	F6H20080
4443	乏	F9B9	65A7	F5K70080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
4444	逼	F9BA	65A8	F5K80080
4445	下	F9BB	65A9	F5K90080
4446	何	F9BC	65AA	F5KA0080
4447	厦	F9BD	6BC7	F6H30080
4448	夏	F9BE	65AB	F5KB0080
4449	廈	F9BF	65AC	F5KC0080
4450	昷	F9C0	65AD	F5KD0080
4451	河	F9C1	65AE	F5KE0080
4452	瑕	F9C2	65AF	F5KF0080
4453	荷	F9C3	65B1	F5KH0080
4454	蝦	F9C4	65B0	F5KG0080
4455	賀	F9C5	65B2	F5KI0080
4456	遐	F9C6	65B3	F5KJ0080
4457	霞	F9C7	65B4	F5KK0080
4458	蝦	F9C8	65B5	F5KL0080
4459	壑	F9C9	65B6	F5KM0080
4460	學	F9CA	65B7	F5KN0080
4461	虐	F9CB	65B9	F5KP0080
4462	諺	F9CC	65BA	F5KQ0080
4463	鶴	F9CD	65BB	F5KR0080
4464	寒	F9CE	65BC	F5KS0080
4465	恨	F9CF	65BD	F5KT0080
4466	悍	F9D0	65BE	F5KU0080
4467	旱	F9D1	65BF	F5KV0080
4468	汗	F9D2	65C0	F5KW0080
4469	漢	F9D3	65C1	F5KX0080

Line Number	Graphic	PC Code	Host Code	GCGID
4470	澣	F9D4	65C2	F5KY0080
4471	瀚	F9D5	6BC8	F6H40080
4472	罕	F9D6	65C3	F5KZ0080
4473	翰	F9D7	65C4	F5L00080
4474	閑	F9D8	65C7	F5L30080
4475	閒	F9D9	65C6	F5L20080
4476	限	F9DA	65C8	F5L40080
4477	韓	F9DB	65C9	F5L50080
4478	割	F9DC	65CB	F5L70080
4479	轄	F9DD	65CC	F5L80080
4480	函	F9DE	65CD	F5L90080
4481	含	F9DF	65CE	F5LA0080
4482	咸	F9E0	65CF	F5LB0080
4483	啣	F9E1	65D0	F5LC0080
4484	喊	F9E2	65D1	F5LD0080
4485	檻	F9E3	65D2	F5LE0080
4486	涵	F9E4	65D3	F5LF0080
4487	緘	F9E5	65D4	F5LG0080
4488	艦	F9E6	65D5	F5LH0080
4489	銜	F9E7	6BC9	F6H50080
4490	陷	F9E8	65D6	F5LI0080
4491	鹹	F9E9	6BCA	F6H60080
4492	合	F9EA	65D7	F5LJ0080
4493	哈	F9EB	65D8	F5LK0080
4494	盒	F9EC	65D9	F5LL0080
4495	蛤	F9ED	65DA	F5LM0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
4496	閣	F9EE	65DB	F5LN0080
4497	闔	F9EF	6BCB	F6H70080
4498	陝	F9F0	65DC	F5LO0080
4499	亢	F9F1	65DD	F5LP0080
4500	仇	F9F2	65DE	F5LQ0080
4501	姮	F9F3	65DF	F5LR0080
4502	嫦	F9F4	6BCC	F6H80080
4503	巷	F9F5	65E0	F5LS0080
4504	恒	F9F6	65E1	F5LT0080
4505	抗	F9F7	65E2	F5LU0080
4506	杭	F9F8	65E3	F5LV0080
4507	桁	F9F9	65E4	F5LW0080
4508	沆	F9FA	65E5	F5LX0080
4509	港	F9FB	65E6	F5LY0080
4510	缸	F9FC	65E8	F5M00080
4511	肛	F9FD	65E9	F5M10080
4512	航	F9FE	65EA	F5M20080
4513	行	FAA1	6BCD	F6H90080
4514	降	FAA2	65EB	F5M30080
4515	項	FAA3	65EC	F5M40080
4516	亥	FAA4	65ED	F5M50080
4517	偕	FAA5	65EE	F5M60080
4518	咳	FAA6	65EF	F5M70080
4519	垓	FAA7	65F1	F5M90080
4520	奚	FAA8	65F0	F5M80080
4521	孩	FAA9	65F2	F5MA0080

Line Number	Graphic	PC Code	Host Code	GCGID
4522	害	FAAA	65F3	F5MB0080
4523	懈	FAAB	65F5	F5MD0080
4524	楷	FAAC	65F6	F5ME0080
4525	海	FAAD	65F7	F5MF0080
4526	漉	FAAE	6BCE	F6HA0080
4527	蟹	FAAF	65F8	F5MG0080
4528	解	FAB0	65F9	F5MH0080
4529	該	FAB1	65FA	F5MI0080
4530	諧	FAB2	65FB	F5MJ0080
4531	邂	FAB3	65FC	F5MK0080
4532	駭	FAB4	65FD	F5ML0080
4533	骸	FAB5	65FE	F5MM0080
4534	効	FAB6	6641	F5MP0080
4535	核	FAB7	6642	F5MQ0080
4536	倖	FAB8	6643	F5MR0080
4537	幸	FAB9	6644	F5MS0080
4538	杏	FABA	6645	F5MT0080
4539	荇	FABB	6BCF	F6HB0080
4540	行	FABC	6646	F5MU0080
4541	享	FABD	6647	F5MV0080
4542	向	FABE	6648	F5MW0080
4543	嚮	FABF	6649	F5MX0080
4544	珣	FAC0	664B	F5MZ0080
4545	鄉	FAC1	664A	F5MY0080
4546	響	FAC2	664C	F5N00080
4547	餉	FAC3	664D	F5N10080




IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Table 17 (Page 27 of 33). Hanja Set(3/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
4548	饗	FAC4	664E	F5N20080
4549	香	FAC5	664F	F5N30080
4550	噓	FAC6	6650	F5N40080
4551	墟	FAC7	6651	F5N50080
4552	虛	FAC8	6652	F5N60080
4553	許	FAC9	6653	F5N70080
4554	憲	FACA	6654	F5N80080
4555	憶	FACB	6BD0	F6HC0080
4556	獻	FACC	6656	F5NA0080
4557	軒	FACD	6655	F5N90080
4558	歇	FACE	6657	F5NB0080
4559	險	FACF	6658	F5NC0080
4560	驗	FAD0	6659	F5ND0080
4561	奕	FAD1	665A	F5NE0080
4562	懾	FAD2	665B	F5NF0080
4563	赫	FAD3	665C	F5NG0080
4564	革	FAD4	665D	F5NH0080
4565	覘	FAD5	6BD1	F6HD0080
4566	峴	FAD6	665E	F5NI0080
4567	弦	FAD7	665F	F5NJ0080
4568	懸	FAD8	6660	F5NK0080
4569	峴	FAD9	6BD5	F6HH0080
4570	泫	FADA	6BD3	F6HF0080
4571	炫	FADB	6661	F5NL0080
4572	玄	FADC	6663	F5NN0080
4573	玆	FADD	6BD4	F6HG0080

Table 17 (Page 27 of 33). Hanja Set(3/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
4574	現	FADE	6662	F5NM0080
4575	眩	FADF	6664	F5NO0080
4576	睨	FAE0	6BD2	F6HE0080
4577	絃	FAE1	6665	F5NP0080
4578	絢	FAE2	6666	F5NQ0080
4579	縣	FAE3	6667	F5NR0080
4580	舷	FAE4	6668	F5NS0080
4581	銜	FAE5	6669	F5NT0080
4582	見	FAE6	666A	F5NU0080
4583	賢	FAE7	666B	F5NV0080
4584	鉉	FAE8	666C	F5NW0080
4585	顯	FAE9	666D	F5NX0080
4586	子	FAEA	666E	F5NY0080
4587	穴	FAEB	666F	F5NZ0080
4588	血	FAEC	6670	F5O00080
4589	頁	FAED	6671	F5O10080
4590	嫌	FAEE	6672	F5O20080
4591	俠	FAEF	6674	F5O40080
4592	協	FAF0	6675	F5O50080
4593	夾	FAF1	6676	F5O60080
4594	峽	FAF2	6677	F5O70080
4595	挾	FAF3	6678	F5O80080
4596	澁	FAF4	6679	F5O90080
4597	狹	FAF5	667A	F5OA0080
4598	脅	FAF6	667D	F5OD0080
4599	脇	FAF7	667C	F5OC0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
4600	莢	FAF8	667E	F5OE0080
4601	鋏	FAF9	6680	F5OG0080
4602	頰	FAFA	6681	F5OH0080
4603	亨	FAFB	6682	F5OI0080
4604	兄	FAFC	6686	F5OM0080
4605	刑	FAFD	6683	F5OJ0080
4606	型	FAFE	6684	F5OK0080
4607	形	FBA1	6685	F5OL0080
4608	洞	FBA2	6BD6	F6HI0080
4609	滎	FBA3	6BD7	F6HJ0080
4610	澄	FBA4	6687	F5ON0080
4611	澄	FBA5	6BD8	F6HK0080
4612	炯	FBA6	6688	F5OO0080
4613	熒	FBA7	6BD9	F6HL0080
4614	珩	FBA8	6689	F5OP0080
4615	瑩	FBA9	6BDA	F6HM0080
4616	荊	FBAA	668A	F5OQ0080
4617	螢	FBAB	668B	F5OR0080
4618	衡	FBAC	668C	F5OS0080
4619	迥	FBAD	6BDB	F6HN0080
4620	邢	FBAE	668D	F5OT0080
4621	鎿	FBAF	668E	F5OU0080
4622	馨	FBB0	668F	F5OV0080
4623	兮	FBB1	6690	F5OW0080
4624	彗	FBB2	6691	F5OX0080
4625	惠	FBB3	6692	F5OY0080

Line Number	Graphic	PC Code	Host Code	GCGID
4626	慧	FBB4	6693	F5OZ0080
4627	擘	FBB5	6BDC	F6HO0080
4628	蕙	FBB6	6694	F5P00080
4629	蹊	FBB7	6BDD	F6HP0080
4630	醯	FBB8	6695	F5P10080
4631	鞋	FBB9	6696	F5P20080
4632	乎	FBBA	6697	F5P30080
4633	互	FBBB	6698	F5P40080
4634	呼	FBBC	669A	F5P60080
4635	壕	FBBD	669C	F5P80080
4636	壺	FBBE	669B	F5P70080
4637	好	FBBF	669D	F5P90080
4638	岵	FBC0	6BDE	F6HQ0080
4639	弧	FBC1	669E	F5PA0080
4640	戶	FBC2	66A0	F5PC0080
4641	扈	FBC3	66B8	F5Q00080
4642	昊	FBC4	669F	F5PB0080
4643	皓	FBC5	6BDF	F6HR0080
4644	毫	FBC6	66A1	F5PD0080
4645	浩	FBC7	66A2	F5PE0080
4646	溟	FBC8	66A3	F5PF0080
4647	湖	FBC9	66A4	F5PG0080
4648	潯	FBCA	66A5	F5PH0080
4649	澹	FBCB	66A6	F5PI0080
4650	濠	FBCD	66A8	F5PK0080
4651	濩	FBCD	66A7	F5PJ0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Table 17 (Page 29 of 33). Hanja Set(3/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
4652	灑	FBCE	66A9	F5PL0080
4653	狐	FBCF	66AA	F5PM0080
4654	琥	FBD0	6BE0	F6HS0080
4655	瑚	FBD1	66AB	F5PN0080
4656	瓠	FBD2	66AC	F5PO0080
4657	皓	FBD3	66AD	F5PP0080
4658	拈	FBD4	66AF	F5PR0080
4659	糊	FBD5	66B0	F5PS0080
4660	縞	FBD6	66B1	F5PT0080
4661	胡	FBD7	66B2	F5PU0080
4662	芦	FBD8	6BE1	F6HT0080
4663	葫	FBD9	66B3	F5PV0080
4664	蒿	FBDA	6BE2	F6HU0080
4665	虎	FBDB	66B4	F5PW0080
4666	號	FBDC	66B5	F5PX0080
4667	蝴	FBDD	66B6	F5PY0080
4668	護	FBDE	66B7	F5PZ0080
4669	豪	FBD F	6699	F5P50080
4670	鎬	FBE0	66BA	F5Q20080
4671	護	FBE1	66BB	F5Q30080
4672	顛	FBE2	66BC	F5Q40080
4673	惑	FBE3	66BD	F5Q50080
4674	或	FBE4	66BE	F5Q60080
4675	酷	FBE5	66BF	F5Q70080
4676	婚	FBE6	66C0	F5Q80080
4677	昏	FBE7	66C1	F5Q90080

Table 17 (Page 29 of 33). Hanja Set(3/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
4678	混	FBE8	66C2	F5QA0080
4679	渾	FBE9	66C3	F5QB0080
4680	琿	FBEA	66C4	F5QC0080
4681	魂	FBEB	66C5	F5QD0080
4682	忽	FBEC	66C6	F5QE0080
4683	惚	FBED	66C7	F5QF0080
4684	笏	FBEE	66C8	F5QG0080
4685	哄	FBEF	66CB	F5QJ0080
4686	弘	FBF0	66CA	F5QI0080
4687	汞	FBF1	66CC	F5QK0080
4688	泓	FBF2	66CD	F5QL0080
4689	洪	FBF3	66CE	F5QM0080
4690	烘	FBF4	6BE3	F6HV0080
4691	紅	FBF5	66D0	F5QO0080
4692	虹	FBF6	66D1	F5QP0080
4693	訶	FBF7	66D2	F5QQ0080
4694	鴻	FBF8	66CF	F5QN0080
4695	化	FBF9	66D3	F5QR0080
4696	和	FBFA	66DA	F5QY0080
4697	嬖	FBFB	66D4	F5QS0080
4698	樺	FBFC	66D5	F5QT0080
4699	火	FBFD	66D6	F5QU0080
4700	晝	FBFE	66D8	F5QW0080
4701	禍	FCA1	66D7	F5QV0080
4702	禾	FCA2	66D9	F5QX0080
4703	花	FCA3	66DB	F5QZ0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
4704	華	FCA4	66DC	F5R00080
4705	話	FCA5	66DD	F5R10080
4706	譁	FCA6	6BE4	F6HW0080
4707	貨	FCA7	66DF	F5R30080
4708	靴	FCA8	66DE	F5R20080
4709	廓	FCA9	66E0	F5R40080
4710	擴	FCAA	66E1	F5R50080
4711	攬	FCAB	66E2	F5R60080
4712	確	FCAC	66E3	F5R70080
4713	碯	FCAD	66E4	F5R80080
4714	穫	FCAE	66E5	F5R90080
4715	丸	FCAF	66E7	F5RB0080
4716	喚	FCB0	66E8	F5RC0080
4717	奩	FCB1	6BE5	F6HX0080
4718	宦	FCB2	66EA	F5RE0080
4719	幻	FCB3	66EB	F5RF0080
4720	患	FCB4	66EC	F5RG0080
4721	換	FCB5	66EE	F5RI0080
4722	歡	FCB6	66F0	F5RK0080
4723	皖	FCB7	6BE6	F6HY0080
4724	桓	FCB8	66EF	F5RJ0080
4725	渙	FCB9	66F1	F5RL0080
4726	煥	FCBA	66F2	F5RM0080
4727	環	FCBB	66F3	F5RN0080
4728	紉	FCBC	66F4	F5RO0080
4729	還	FCBD	66F5	F5RP0080

Line Number	Graphic	PC Code	Host Code	GCGID
4730	驩	FCBE	66F6	F5RQ0080
4731	鰓	FCBF	66F7	F5RR0080
4732	活	FCC0	66F9	F5RT0080
4733	滑	FCC1	66FA	F5RU0080
4734	猾	FCC2	66FB	F5RV0080
4735	豁	FCC3	66FC	F5RW0080
4736	闊	FCC4	66FD	F5RX0080
4737	鳳	FCC5	66FE	F5RY0080
4738	幌	FCC6	6BE7	F6HZ0080
4739	徨	FCC7	6742	F5S20080
4740	恍	FCC8	6744	F5S40080
4741	惶	FCC9	6746	F5S60080
4742	愧	FCCA	6BE8	F6I00080
4743	慌	FCCB	6745	F5S50080
4744	晃	FCCC	6747	F5S70080
4745	眈	FCCD	6BE9	F6I10080
4746	槐	FCCE	6BEA	F6I20080
4747	況	FCCF	6748	F5S80080
4748	惶	FCD0	6BEB	F6I30080
4749	滉	FCD1	6749	F5S90080
4750	潢	FCD2	6BEC	F6I40080
4751	煌	FCD3	674A	F5SA0080
4752	璜	FCD4	6BED	F6I50080
4753	皇	FCD5	674B	F5SB0080
4754	篁	FCD6	674C	F5SC0080
4755	簧	FCD7	6BEE	F6I60080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Table 17 (Page 31 of 33). Hanja Set(3/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
4756	荒	FCD8	674D	F5SD0080
4757	蝗	FCD9	674E	F5SE0080
4758	遑	FCDA	674F	F5SF0080
4759	隍	FCDB	6750	F5SG0080
4760	黃	FCDC	6751	F5SH0080
4761	匯	FCDD	6BEF	F6I70080
4762	回	FCDE	6752	F5SI0080
4763	廻	FCDF	6753	F5SJ0080
4764	徊	FCE0	6754	F5SK0080
4765	恢	FCE1	6755	F5SL0080
4766	悔	FCE2	6756	F5SM0080
4767	懷	FCE3	6757	F5SN0080
4768	晦	FCE4	6758	F5SO0080
4769	會	FCE5	6759	F5SP0080
4770	檜	FCE6	675A	F5SQ0080
4771	淮	FCE7	675B	F5SR0080
4772	滄	FCE8	675C	F5SS0080
4773	灰	FCE9	675D	F5ST0080
4774	獯	FCEA	675E	F5SU0080
4775	繪	FCEB	675F	F5SV0080
4776	膾	FCEC	6760	F5SW0080
4777	茴	FCED	6BF0	F6I80080
4778	蛔	FCEE	6761	F5SX0080
4779	誨	FCEF	6762	F5SY0080
4780	賄	FCF0	6763	F5SZ0080
4781	劃	FCF1	6764	F5T00080

Table 17 (Page 31 of 33). Hanja Set(3/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
4782	獲	FCF2	6765	F5T10080
4783	弘	FCF3	6BF1	F6I90080
4784	橫	FCF4	6766	F5T20080
4785	鑛	FCF5	6BF2	F6IA0080
4786	哮	FCF6	6767	F5T30080
4787	嚆	FCF7	6768	F5T40080
4788	孝	FCF8	676A	F5T60080
4789	效	FCF9	676B	F5T70080
4790	馟	FCFA	6BF3	F6IB0080
4791	曉	FCFB	676C	F5T80080
4792	梟	FCFC	676D	F5T90080
4793	淳	FCFD	6BF4	F6IC0080
4794	淆	FCFE	6BF5	F6ID0080
4795	爻	FDA1	676E	F5TA0080
4796	肴	FDA2	676F	F5TB0080
4797	醇	FDA3	6770	F5TC0080
4798	驍	FDA4	6BF6	F6IE0080
4799	侯	FDA5	6771	F5TD0080
4800	候	FDA6	6772	F5TE0080
4801	厚	FDA7	6773	F5TF0080
4802	后	FDA8	6774	F5TG0080
4803	吼	FDA9	6775	F5TH0080
4804	喉	FDAA	6776	F5TI0080
4805	嗅	FDAB	6777	F5TJ0080
4806	喉	FDAC	6BF7	F6IF0080
4807	後	FDAD	6778	F5TK0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
4808	朽	FDAE	6779	F5TL0080
4809	煦	FDAF	6BF8	F6IG0080
4810	翊	FDB0	6BF9	F6IH0080
4811	逅	FDB1	677B	F5TN0080
4812	勛	FDB2	6BFA	F6II0080
4813	勳	FDB3	677D	F5TP0080
4814	墳	FDB4	677E	F5TQ0080
4815	堃	FDB5	677F	F5TR0080
4816	焄	FDB6	6781	F5TT0080
4817	熏	FDB7	6782	F5TU0080
4818	燻	FDB8	6783	F5TV0080
4819	薰	FDB9	6784	F5TW0080
4820	訓	FDBA	6785	F5TX0080
4821	暈	FDBB	6780	F5TS0080
4822	薨	FDBC	6786	F5TY0080
4823	暄	FDBD	6787	F5TZ0080
4824	暄	FDBE	6BFB	F6IJ0080
4825	煊	FDBF	6BFC	F6IK0080
4826	萱	FDC0	6788	F5U00080
4827	卉	FDC1	6789	F5U10080
4828	喙	FDC2	678A	F5U20080
4829	毀	FDC3	678B	F5U30080
4830	彙	FDC4	678C	F5U40080
4831	徽	FDC5	678D	F5U50080
4832	揮	FDC6	678E	F5U60080
4833	暉	FDC7	678F	F5U70080

Line Number	Graphic	PC Code	Host Code	GCGID
4834	輝	FDC8	6790	F5U80080
4835	諱	FDC9	6791	F5U90080
4836	輝	FDCA	6792	F5UA0080
4837	麾	FDCB	6793	F5UB0080
4838	休	FDCC	6794	F5UC0080
4839	携	FDCD	6795	F5UD0080
4840	恹	FDCE	6796	F5UE0080
4841	畦	FDCF	6797	F5UF0080
4842	虧	FDD0	6798	F5UG0080
4843	恤	FDD1	6799	F5UH0080
4844	譎	FDD2	679A	F5UI0080
4845	鷓	FDD3	679B	F5UJ0080
4846	兇	FDD4	679E	F5UM0080
4847	凶	FDD5	679C	F5UK0080
4848	匈	FDD6	679D	F5UL0080
4849	洵	FDD7	679F	F5UN0080
4850	胸	FDD8	67A0	F5UO0080
4851	黑	FDD9	67A1	F5UP0080
4852	昕	FDDA	67A3	F5UR0080
4853	欣	Fddb	67A4	F5US0080
4854	炘	FDDC	6BFD	F6IL0080
4855	痕	FDDD	67A5	F5UT0080
4856	吃	FDDE	67A6	F5UU0080
4857	屹	FDDF	67A7	F5UV0080
4858	紇	FDE0	67A8	F5UW0080
4859	訖	FDE1	6BFE	F6IM0080



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Table 17 (Page 33 of 33). Hanja Set(3/3), DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
4860	欠	FDE2	67AA	F5UY0080
4861	欽	FDE3	67AC	F5V00080
4862	歆	FDE4	67AB	F5UZ0080
4863	吸	FDE5	67AD	F5V10080
4864	恰	FDE6	67AE	F5V20080
4865	洽	FDE7	67AF	F5V30080
4866	翕	FDE8	6C41	F6IP0080
4867	興	FDE9	67B0	F5V40080
4868	僖	FDEA	67B1	F5V50080
4869	漑	FDEB	67BC	F5VG0080
4870	喜	FDEC	67B2	F5V60080
4871	噫	FDED	67B3	F5V70080
4872	囍	FDEE	6C42	F6IQ0080
4873	姬	FDEF	67B4	F5V80080
4874	嬉	FDF0	67B5	F5V90080
4875	希	FDF1	67B6	F5VA0080
4876	熹	FDF2	67B8	F5VC0080
4877	嬉	FDF3	6C43	F6IR0080
4878	戲	FDF4	67B9	F5VD0080
4879	晞	FDF5	6C44	F6IS0080
4880	曦	FDF6	67B7	F5VB0080
4881	熙	FDF7	67BB	F5VF0080
4882	熹	FDF8	67BD	F5VH0080
4883	熠	FDF9	6C45	F6IT0080
4884	犧	FDF A	67BA	F5VE0080
4885	禧	FDFB	67BE	F5VI0080

Table 17 (Page 33 of 33). Hanja Set(3/3), DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
4886	稀	FDFC	67BF	F5VJ0080
4887	羲	FDFD	67C0	F5VK0080
4888	詰	FDFE	67C1	F5VL0080

IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

Supplementary Information

10. Definition of Terms

The following terms are defined for the purposes of this document.

10.1 Product

A hardware or software unit that is individually packaged, that is marketable, and to which a type number/program number or equivalence has been assigned.

10.2 Graphic Character

A graphic symbol, such as a numeric, alphabetic, special, Hangeul or Hanja character

10.3 User Definable Character

A *graphic character* whose graphic shape is definable by users.

10.4 Graphic Character Global Identifier (GCGID)

An up to eight-character identifier assigned to each *graphic character*. See C-H 3-3220-055.

10.5 Graphic Character Set

A set of *graphic characters*, treated as an entity.

10.6 Byte

A unit of string consisting of 8 bits.

10.7 Unrestricted Graphic Character Set

A registered *graphic character set* that has been approved by all operating units, and has been placed in the category of “*unrestricted*”.

10.8 Restricted Graphic Character Set

A registered *graphic character set* that has not been approved by all operating units, or that is obsolete, and has been placed in the category of “*restricted*”.

10.9 Graphic Character Set Global Identifier (GCSGID)

A 5-digit decimal identifier assigned to a *graphic character set*. See C-H 3-3220-050.

10.10 Code

A system of bit-patterns to which specific graphic or control meanings have been assigned.

10.11 Code Point

One of the bit-patterns specified by a *code*.

10.12 Code Page

A specification of *code points* for each *graphic character* in a set, or in a collection of *graphic character sets*. Within a given *code page*, a *code point* can have only one specific meaning.

10.13 Registered Code Page

A *code page* that has been registered and assigned a *CPGID*.

10.14 Unrestricted Code Page

A *registered code page* that has been approved by all affected operating units, and has been placed in the category of “*unrestricted*”.

10.15 Restricted Code Page

A *registered code page* that has not been approved by all operating units, or that is obsolete, and that has been placed in the category of “*restricted*”.

10.16 Code Page Global Identifier (CPGID)

A 5-digit decimal identifier assigned to a *code page*. See C-H 3-3220-050.

10.17 Coded Graphic Character

A *graphic character* with its assigned *code point*.

10.18 Coded Graphic Character Set

A set of *graphic characters* with their assigned *code points*.

10.19 Registered Coded Graphic Character Set

A *coded graphic character set*, whose *graphic character set* and *code page* have both been registered.

10.20 Registered Code Page Translation Correspondences

The bit-patterns used to translate *code points* on one *code page* to another *code page*.

IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

10.21 Coded Graphic Character Set Global Identifier (CGCSGID)

A 10-digit decimal identifier consisting of the concatenation of a *graphic character set global identifier (GCSGID)* and a *code page global identifier (CPGID)*. The *CGCSGID* is also represented as the concatenation of the hexadecimal representations of the *GCSGID* and *CPGID*. See C-H 3-3220-050.

10.21.1 EBCDIC. Abbreviation of Extended BCD Interchange Code which is defined in C-S 3-3220-002, *EBCDIC*.

10.21.2 PC Code. A *single-byte code page* which is primarily used in the personal computer environment. *PC Code* are usually based on ISO 646.

10.21.3 SBCS. Abbreviation of *Single-Byte Character Set*. *Single-Byte Character Set* is a *graphic character set* in which each character is represented by one *byte*.

10.22 DBCS

Abbreviation of a *Double-Byte Character Set*. It is a *graphic character set* in which each character is represented by two *bytes*. See C-S 3-3220-102 for detailed explanation.

10.23 DBCS-Host

A *DBCS code page* which is mainly used in conjunction with *EBCDIC*.

10.24 DBCS-PC

A *DBCS code page* which is mainly used in conjunction with *PC code*.

10.24.1 Ward. A section of a *Double-Byte Character Set* where the first *bytes* of all of the *code points* belonging to it are the same. A *ward* has a unique numerical value which represents the first *byte* of the *code point* belonging to that *ward*.

11. History of KSC 5601

KSC 5601, Code for Information Interchange, was originally defined in 1974. In its first revision in 1982, a total of 3,455 characters were defined, but this standard was not accepted by computer industry because the number of characters was not enough to cover information processing by computers. Thus the second revision was necessary in 1987, with a total of 8,224

characters. In 1987, KSC 5601 was amended by addition of 4,769 characters with no consideration of downward compatibility in terms of code points defined in 1982 when KSC 5601 was first revised. In 1989, Korean government announced KSC 5842 which specified KSC 5601 as PC internal code and mandated it as the basic procurement condition for the government related information systems.

	1982	Added	1987
Special	447	539	986
Hangeul	1,316	1,034	2,350
Hanja	1,692	3,198	4,888
Total	3,455	4,769	8,224

12. Difference from the Former Specification (dated 1989-10)

12.1 Abstract

This specification defines DBCS-PC code to be the same as KSC 5601, Korean industrial standard, in terms of the graphic character set and code points. DBCS-Host code is the same as the previous specification. The following summarizes the changes to the previous specification:

12.2 Character Coverage

This specification defines a total of 8,224 DBCS-PC characters, which is the same as KSC 5601. Previous specification contained 8,877 DBCS-PC characters which included all characters of KSC 5601 and 653 additional characters.


12.3 Changes of Graphic Images

The graphic images of 535 DBCS characters were modified without changing their GCGIDs in order to be consistent with those of KSC-5601 publication.

13. Graphic Character Representation

Although character graphics are inserted as sample graphics of the *coded graphic characters* in the specification tables, Table 6 to Table 17, a *graphic character* is independent of actual size or shape in which it may appear.


This specification does not restrict the style of font design. However, it is recommended that the font



IBM Korean Graphic Character Set

DBCS - Host and DBCS - PC

| design of *graphic characters* for *products* follow the | *characters*. On questions about the font design to be
| graphic representation in this document as close as | implemented, the Standards Project Authority for
| possible to avoid confusion in identification of *graphic* | DBCS (SIRS 029) may be consulted.



© Copyright IBM Corp. 1992, 2001

International Business Machines Corporation
IBM Standards Program
Old Orchard Road
Armonk, New York 10504, USA

HNJHO1	33220125 SCRIPT	26	7	5
HNJHO2	33220125 SCRIPT	59	8	5
HNJHO3	33220125 SCRIPT	96	9	5
HNGLHO1	33220125 SCRIPT	128	10	5
HNGLHO2	33220125 SCRIPT	157	11	5, 5
NONHPC	33220125 SCRIPT	181	12	6, 6, 181
HNGLPC1	33220125 SCRIPT	200	13	6
HNGLPC2	33220125 SCRIPT	229	14	6
HNJPC1	33220125 SCRIPT	246	15	6
HNJPC2	33220125 SCRIPT	277	16	6
HNJPC3	33220125 SCRIPT	308	17	6, 6, 181, 342

Processing Options

Runtime values:

```

Document fileid ..... 33220125 SCRIPT
Document type ..... STDDOC
Document style ..... IBMS1PL
Profile ..... EDFPRF40
Service Level ..... 0031
SCRIPT/VS Release ..... 4.0.0
Date ..... 01.08.07
Time ..... 11:29:35
Device ..... 3820A
Number of Passes ..... 3
Index ..... YES
SYSVAR A ..... NO
SYSVAR D ..... YES
SYSVAR S ..... 2
SYSVAR X ..... YES
    
```

Formatting values used:

```

Annotation ..... NO
Cross reference listing ..... YES
Cross reference head prefix only ..... YES
Dialog ..... LABEL
Duplex ..... YES
DVCF conditions file ..... (none)
DVCF value 1 ..... (none)
DVCF value 2 ..... (none)
DVCF value 3 ..... (none)
DVCF value 4 ..... (none)
DVCF value 5 ..... (none)
DVCF value 6 ..... (none)
DVCF value 7 ..... (none)
DVCF value 8 ..... (none)
DVCF value 9 ..... (none)
Explode ..... NO
Figure list on new page ..... NO
Figure/table number separation ..... YES
Folio-by-chapter ..... NO
Head 0 body text ..... (none)
Head 1 body text ..... (none)
Head 1 appendix text ..... Appendix
Hyphenation ..... YES
Justification ..... YES
Language ..... ENGL
Keyboard ..... 395
Layout ..... 2
Leader dots ..... YES
    
```

Master index (none)
 Partial TOC (maximum level) 4
 Partial TOC (new page after) INLINE
 Print example id's NO
 Print cross reference page numbers YES
 Process value (none)
 Punctuation move characters ,
 Read cross-reference file (none)
 Running heading/footering rule NONE
 Show index entries NO
 Table of Contents (maximum level) 5
 Table list on new page NO
 Title page (draft) alignment RIGHT
 Write cross-reference file (none)

Imbed Trace

Page 3	CUSCFD01
Page 5	CUSCFD02
Page 6	CUSCFD03
Page 8	CUSCFD11
Page 26	CUSCFD12
Page 59	CUSCFD13
Page 96	CUSCFD14
Page 128	CUSCFD15
Page 157	CUSCFD16
Page 181	CUSCFD21
Page 200	CUSCFD22
Page 229	CUSCFD23
Page 246	CUSCFD24
Page 277	CUSCFD25
Page 308	CUSCFD26