

User Guide

PAML:

Phylogenetic Analysis

by Maximum Likelihood

Version 4.9c (September 2016)

Ziheng Yang

© Copyright 1993-2016 by Ziheng Yang

The software package is provided "as is" without warranty of any kind. In no event shall the author or his employer be held responsible for any damage resulting from the use of this software, including but not limited to the frustration that you may experience in using the package. The program package, including source codes, example data sets, executables, and this documentation, is maintained by Ziheng Yang and distributed under the GNU GPL v3.

Suggested citations:

Yang, Z. 1997. PAML: a program package for phylogenetic analysis by maximum likelihood
Computer Applications in BioSciences **13**:555-556.

Yang, Z. 2007. PAML 4: a program package for phylogenetic analysis by maximum likelihood.
Molecular Biology and Evolution **24**: 1586-1591

(<http://abacus.gene.ucl.ac.uk/software/paml.html>).

Recent changes and bug fixes are documented in the file doc/pamlHistory.txt.

The author can be reached at the following address. However, emails are not welcome: please post your questions and comments at the PAML discussion site: <http://gsf.gc.ucdavis.edu/>.

Ziheng Yang

Department of Biology
University College London
Gower Street
London WC1E 6BT
England

Fax: +44 (20) 7679 7096

Table of Contents

1 Overview	4
<i>PAML documentation</i>	4
<i>What PAML programs can do</i>	4
<i>What PAML programs cannot do</i>	5
2 Compiling and punning PAML programs	7
<i>Windows</i>	7
<i>UNIX</i>	7
<i>Mac OS X</i>	8
<i>Running a program</i>	8
<i>Example data sets</i>	9
3 Data file formats	11
<i>Sequence data file format</i>	11
Sequential and interleaved formats.....	11
Site pattern counts.....	13
<i>Tree file format and representations of tree topology</i>	15
4 baseml	18
<i>Nucleotide substitution models</i>	18
<i>The control file</i>	19
5 basemlg	28
6 codeml (codonml and aaml)	29
<i>Codon substitution models</i>	29
<i>Amino acid substitution models</i>	33
<i>The control file</i>	33
<i>Codon sequences (seqtype = 1)</i>	34
<i>Amino acid sequences (seqtype = 2)</i>	37
7 evolver	39
8 yn00	42
9 memctree	43
<i>Overview</i>	43
<i>The control file</i>	44
<i>Fossil calibration</i>	49
<i>Dating viral divergences</i>	54
<i>Approximate likelihood calculation</i>	54
<i>Infinitesites program</i>	56
10 Miscellaneous notes	57
<i>Analysing large data sets and iteration algorithms</i>	57
<i>Tree search algorithms</i>	57
<i>Generating bootstrap data sets</i>	58
<i>The rub file recording the progress of iteration</i>	58
<i>Specifying initial values</i>	58
<i>Fine-tuning the iteration algorithm</i>	59
<i>Adjustable variables in the source codes</i>	59
<i>Windows notes</i>	60
<i>UNIX/Linux/Mac OSX notes</i>	61
11 References	62
Index	66

1 Overview

PAML (for Phylogenetic Analysis by Maximum Likelihood) is a package of programs for phylogenetic analyses of DNA and protein sequences using maximum likelihood.

PAML documentation

Besides this manual, please note the following resources:

- PAML web site: <http://abacus.gene.ucl.ac.uk/software/PAML.html> has information about downloading and compiling the programs.
- PAML FAQ page: <http://abacus.gene.ucl.ac.uk/software/pamlFAQs.pdf>
- PAML discussion group at <http://www.rannala.org/phpBB2/>, where you can post bug reports and questions.

What PAML programs can do

The PAML package currently includes the following programs: `baseml`, `basemlg`, `codeml`, `evolver`, `pamp`, `yn00`, `mcmctree`, and `chi2`. A brief overview of the most commonly used models and methods implemented in PAML is provided by Yang (2007). The book (Yang 2006) describes the statistical and computational details. Examples of analyses that can be performed using the package include

- Comparison and tests of phylogenetic trees (`baseml` and `codeml`);
- Estimation of parameters in sophisticated substitution models, including models of variable rates among sites and models for combined analysis of multiple genes or site partitions (`baseml` and `codeml`);
- Likelihood ratio tests of hypotheses through comparison of implemented models (`baseml`, `codeml`, `chi2`);
- Estimation of divergence times under global and local clock models (`baseml` and `codeml`);
- Likelihood (Empirical Bayes) reconstruction of ancestral sequences using nucleotide, amino acid and codon models (`baseml` and `codeml`);
- Generation of datasets of nucleotide, codon, and amino acid sequence by Monte Carlo simulation (`evolver`);
- Estimation of synonymous and nonsynonymous substitution rates and detection of positive selection in protein-coding DNA sequences (`yn00` and `codeml`).
- Bayesian estimation of species divergence times incorporating uncertainties in fossil calibrations (`mcmctree`).

The strength of PAML is its collection of sophisticated substitution models. Tree search algorithms implemented in `baseml` and `codeml` are rather primitive, so except for very small data sets with say, <10 species, you are better off to use another package, such as `phylip`, `paup`, or `mrBayes`, to infer the tree topology. You can get a collection of trees from other programs and evaluate them using `baseml` or `codeml` as user trees.

baseml and codeml. The program `baseml` is for maximum likelihood analysis of nucleotide sequences. The program `codeml` is formed by merging two old programs: `codonml`, which implements the codon substitution model of Goldman and Yang (1994) for protein-coding DNA sequences, and `aaml`, which implements models for amino acid sequences. These two are now distinguished by the variable `seqtype` in the control file `codeml.ctl`, with 1 for codon

sequences and 2 for amino acid sequences. In this document I use `codonml` and `aaml` to mean `codeml` with `seqtype = 1` and `2`, respectively. The programs `baseml`, `codonml`, and `aaml` use similar algorithms to fit models by maximum likelihood, the main difference being that the unit of evolution in the Markov model, referred to as a "site" in the sequence, is a nucleotide, a codon, or an amino acid for the three programs, respectively. Markov process models are used to describe substitutions between nucleotides, codons or amino acids, with substitution rates assumed to be either constant or variable among sites.

- evolver.** This program can be used to simulate sequences under nucleotide, codon and amino acid substitution models. It also has some other options such as generating random trees, and calculating the partition distances (Robinson and Foulds 1981) between trees.
- basemlg.** This program implements the (continuous) gamma model of Yang (1993). It is very slow and unfeasible for data of more than 6 or 7 species. Instead the discrete-gamma model in `baseml` should be used.
- mcmctree.** This implements the Bayesian MCMC algorithm of Yang and Rannala (2006) and Rannala and Yang (2007) for estimating species divergence times.
- pamp.** This implements the parsimony-based analysis of Yang and Kumar (1996).
- yn00.** This implements the method of Yang and Nielsen (2000) for estimating synonymous and nonsynonymous substitution rates (d_S and d_N) in pairwise comparisons of protein-coding DNA sequences.
- chi2.** This calculates the χ^2 critical value and p value for conducting the likelihood ratio test. Run the program by typing the program name "chi2": it will print out the critical values for different df (for example the 5% critical value with d.f. = 1 is 3.84). If you run the program with one command-line argument, the program enters a loop to ask you to input the d.f. and the test statistic and then calculates the p value. A third way of running the program is to include the d.f. and test statistic both as command-line argument.

```
chi2
chi2 p
chi2 1 3.84
```

What PAML programs cannot do

There are many things that you might well expect a phylogenetics package should do but PAML cannot. Here is a partial list, provided in the hope that it might help you avoid wasting time.

- Sequence alignment. You should use some other programs such as Clustal or TreeAlign to align the sequences automatically or do a manual alignment, perhaps with assistance from programs such as BioEdit and GeneDoc. Manual adjustment does not seem to have reached the mature stage to be entirely trustable so you should always do manual adjustment if you can. If you are constructing thousands of alignments in genome-wide analysis, you should implement some quality control, and, say, calculate some measure of sequence divergence as an indication of the unreliability of the alignment. For coding sequences, you might align the protein sequences and construct the DNA alignment based on the protein alignment. Note that alignment gaps are treated as missing data in `baseml` and `codeml` (if `cleandata = 1`). If `cleandata = 1`, all sites with ambiguity characters and alignment gaps are removed.
- Gene prediction. The codon-based analysis implemented in `codonml` (`codeml` for codons with `seqtype = 1`) assumes that the sequences are pre-aligned exons, the sequence length is an exact multiple of 3, and the first nucleotide in the sequence is codon position 1. Introns, spacers and other noncoding regions must be removed and the coding sequences must be

aligned before running the program. The program cannot process sequences downloaded directly from GenBank, even though the CDS information is there. It cannot predict coding regions either.

- Tree search in large data sets. As mentioned earlier, you should use another program to get a tree or some candidate trees and use them as user trees to fit models that might not be available in other packages.

2 Compiling and punning PAML programs

PAML programs use the old simple command-line interface. You download the archive from the PAML web site, typically named PAML*.*.tar.gz, and unpack the files onto your hard disk. This is one file for all platforms. Executables for windows are included, while for UNIX or MAC OS X, you need compile the programs before running them.

Windows

The executables for Windows are included in the package.

1. Go to the PAML web site <http://abacus.gene.ucl.ac.uk/software/paml.html> and download the latest archive and save it on your hard disk. Unpack, say, using WinZip, the archive into a folder, say D:\software\paml\. Remember the name of the folder.
2. Start a "Command Prompt". Go to "Start – Programs – Accessories". Alternatively, choose "Start – Run" and type the command **cmd** and hit OK. You can right click on the title bar to change the font, colour, size etc. of the window.
3. Change directory to the paml folder. For example you type one of the following.

```
d:  
cd \software\paml  
dir
```

4. Note that Windows commands and file names are case-insensitive. The folder src\ contains the source files. The examples\ contains various example files, and bin\ contains Windows executables. You can use Windows Explorer to look at the files. To run the program baseml using the default control file baseml.ctl in the current folder, you can a command somewhat like the following.

```
bin\baseml  
D:\software\paml4\bin\baseml
```

This causes baseml to read the default control file baseml.ctl in the current folder and do the analysis according to its specifications. Now you can print out a copy of baseml.ctl, and open a text editor to view the relevant sequence and tree files.

Similarly you can run codeml and look at the control file codeml.ctl.

Next you can prepare your own sequence data files and tree files. Control files and other input files are all plain text files. A common problem occurs due to differences in the way UNIX and Windows deal with carriage return or line breaks. If you use MS Word to prepare the input files, you should save them as "Text with line breaks" or "Text without line breaks". Sometimes only one of those two works. Do not save the file as a Word document. I have collected some notes in the section "Overcoming Windows Annoyances" in Appendix B.

If you insist on double-clicking, you can start Widows Explorer, and copy the executables to the folder that contains the control file, and then double-click on the executables.

UNIX

UNIX executables are not provided in the package, so you will have to compile them using the source files included in the package, in the src/ folder. Note that UNIX commands and file or folder names are case-sensitive. The following assumes that you are at the UNIX prompt.

1. Go to the PAML web site <http://abacus.gene.ucl.ac.uk/software/paml.html> and download the lat

2. est archive and save on your hard disk. Unpack it using gzip, with a command like the following (replace the version numbers and use the correct name for the archive file)


```
gzip -d paml4.tar.gz
tar xf paml4.tar
```
3. You can use ls to look at the files in the folder. Delete the Windows executables (.exe files) in the bin folder. Then cd to the src/ folder to compile using make.

```
ls -lF bin
rm -r bin/*.exe (this removes the .exe files in the bin folder)
cd src
make
ls -lF
rm *.o
mv baseml basemlg codeml pamp evolver yn00 chi2 ../bin
cd ..
bin/codeml
```

4. Those commands compile the programs and generate executables called baseml, basemlg, codeml, pamp, evolver, yn00, and chi2, which you can see with the ls command. Then remove (rm) the intermediate object files *.o, and move (mv) the compiled executables into bin/ folder in the PAML main folder (that is, ../bin from paml/src/). Then cd to the PAML main folder and run codeml, using the default control file codeml.ctl. You can then print out a copy of codeml.ctl and look at it (and the main result file mlc).

If the compilation (the make command) is unsuccessful, you might have to open and edit the file Makefile before issuing the make command. For example, you can change cc to gcc and -fast to -O3 or -O4. If that none of these works, look at the file readme.txt in the src/ folder for compiling instructions. You can copy the compiling commands onto the command line. For example

```
cc -o baseml baseml.c tools.c -lm
cc -o codeml codeml.c tools.c -lm
```

would compile baseml and codeml using the C compiler cc. However, in this case code optimization is not turned on. You should use compiler switches to optimize the code, say,

```
cc -o codeml -O3 codeml.c tools.c -lm
```

Finally, if your current folder is not on your search path, you will have to add ./ in front of the executable file name even if the executable is in your current working folder; that is, use ./codeml instead of codeml to run codeml.

Mac OS X

Since Mac OSX is UNIX, you should follow the instructions for UNIX above. Open a command terminal (Applications-Utilities-Terminal) and then compile and run the programs from the terminal. You cd to the paml/src/ folder and look at the readme.txt or Makefile files. See above. If you type commands gcc or make and get a "Command not found" error, you will have to download the Apple Developer's Toolkit at the Apple web site <http://developer.apple.com/tools/>. There are some notes about running programs on MAC OS X or UNIX at the FAQ page.

I have stopped distributing executables for old MACs running OS 9 or earlier.

Running a program

As indicated above, you run a program by typing its name from the command line. You should know which folder your sequence file, tree file, and control file are, relative to your working folder. If inexperienced, you may copy the executables to the folder containing your data files. Depending on the model used, codeml may need a data file such as grantham.dat, dayhoff.dat, jones.dat, wag.dat, mtREV24.dat, or mtmam.dat, so you should copy these files as well.

The programs produce result files, with names such as `rub`, `lnf`, `rst`, or `rates`. You should not use these names for your own files as otherwise they will be overwritten.

Example data sets

The `examples/` folder contains many example data sets. They were used in the original papers to test the new methods, and I included them so that you could duplicate our results in the papers. Sequence alignments, control files, and detailed readme files are included. They are intended to help you get familiar with the input data formats and with interpretation of the results, and also to help you discover bugs in the program. If you are interested in a particular analysis, get a copy of the paper that described the method and analyze the example dataset to duplicate the published results. This is particularly important because the manual, as it is written, describes the meanings of the control variables used by the programs but does not clearly explain how to set up the control file to conduct a particular analysis.

examples/HIVNSsites/: This folder contains example data files for the HIV-1 env V3 region analyzed in Yang *et al.* (2000b). The data set is for demonstrating the NSsites models described in that paper, that is, models of variable ω ratios among amino acid sites. Those models are called the “random-sites” models by Yang & Swanson (2002) since *a priori* we do not know which sites might be highly conserved and which under positive selection. They are also known as “fishing-expedition” models. The included data set is the 10th data set analyzed by Yang *et al.* (2000b) and the results are in table 12 of that paper. Look at the readme file in that folder.

examples/lysin/: This folder contains the sperm lysin genes from 25 abalone species analyzed by Yang, Swanson & Vacquier (2000a) and Yang and Swanson (2002). The data set is for demonstrating both the “random-sites” models (as in Yang, Swanson & Vacquier (2000a)) and the “fixed-sites” models (as in (Yang and Swanson 2002)). In the latter paper, we used structural information to partition amino acid sites in the lysin into the “buried” and “exposed” classes and assigned and estimated different ω ratios for the two partitions. The hypothesis is that the sites exposed on the surface are likely to be under positive selection. Look at the readme file in that folder.

examples/lysozyme/: This folder contains the primate lysozyme *c* genes of Messier and Stewart (1997), re-analyzed by Yang (1998). This is for demonstrating codon models that assign different ω ratios for different branches in the tree, useful for testing positive selection along lineages. Those models are sometimes called branch models or branch-specific models. Both the “large” and the “small” data sets in Yang (1998) are included. Those models require the user to label branches in the tree, and the readme file and included tree file explain the format in great detail. See also the section “Tree file and representations of tree topology” later about specifying branch/node labels.

The lysozyme data set was also used by Yang and Nielsen (2002) to implement the so-called “branch-site” models, which allow the ω ratio to vary both among lineages and among sites. Look at the readme file to learn how to run those models.

examples/MouseLemurs/: This folder includes the mtDNA alignment that Yang and Yoder (2003) analyzed to estimate divergence dates in mouse lemurs. The data set is for demonstrating maximum likelihood estimation of divergence dates under models of global and local clocks. The most sophisticated model described in that paper uses multiple calibration nodes simultaneously, analyzes multiple genes (or site partitions) while accounting for their differences, and also account for variable rates among branch groups. The readme file explains the input data format as well as model specification in detail. The readme2 file explains the ad hoc rate smoothing procedure of Yang (2004).

examples/mtCDNA/: This folder includes the alignment of 12 protein-coding genes on the same strand of the mitochondrial genome from seven ape species analyzed by Yang, Nielsen, & Hasegawa (1998) under a number of codon and amino acid substitution models. The data set is the “small” data set referred to in that paper, and was used to fit both the “mechanistic” and empirical models of amino acid substitution as well as the “mechanistic” models of codon substitution. The model can be used, for example, to test whether the rates of conserved and radical amino acid substitutions are equal. See the readme file for details.

examples/TipDate/: This folder includes the alignment of 33 SIV/HIV-2 sequences, compiled and analyzed by Lemey et al. (2003) and re-analyzed by Stadler and Yang (2012). The readme file explains how to duplicate the ML and Bayesian results published in that paper. Note that the sample date is the last field in the sequence name.

Some other data files are included in the package as well. The details follow.

brown.nuc and **brown.trees**: the 895-bp mtDNA data of Brown *et al.* (1982), used in Yang *et al.* (1994) and Yang (1994b) to test models of variable rates among sites.

mtprim9.nuc and **9s.trees**: mitochondrial segment consisting of 888 aligned sites from 9 primate species (Hayasaka et al. 1988), used by Yang (1994a) to test the discrete-gamma model and Yang (1995) to test the auto-discrete-gamma models.

abglobin.nuc and **abglobin.trees**: the concatenated α - and β -globin genes, used by Goldman and Yang (1994) in their description of the codon model. **abglobin.aa** is the alignment of the translated amino acid sequences.

stewart.aa and **stewart.trees**: lysozyme protein sequences of six mammals (Stewart et al. 1987), used by Yang *et al.* (1995a) to test methods for reconstructing ancestral amino acid sequences.

3 Data file formats

Sequence data file format

Have a look at some of the example data files in the package (.nuc, .aa, and .nex). As long as you get your data file into one of the formats, PAML programs should be able to read it. The “native” format is the PHYLIP format used in Joe Felsenstein’s PHYLIP package (Felsenstein 2005) (but see below). PAML has limited support for the NEXUS file format used by PAUP and MacClade. Only the sequence data or trees are read, and command blocks are ignored. PAML does not deal with comment blocks in the sequence data block, so please avoid them.

Sequential and interleaved formats

Below is an example of the PHYLIP format (Felsenstein 2005). The first line contains the number of species and the sequence length (possibly followed by option characters). *For codon sequences (codeml with seqtype = 1), the sequence length in the sequence file refers to the number of nucleotides rather than the number of codons.* The only options allowed in the sequence file are I, S, P, C, and G. The sequences may be in either *interleaved* format (option I, example data file abglobin.nuc), or *sequential* format (option S, example data file brown.nuc). The default option is S, so you don’t have to specify it. Option G is used for combined analysis of multiple gene data and is explained below. The following is an example data set in the sequential format. It has 4 sequences each of 60 nucleotides (or 20 codons).

```

4 60
sequence 1
AAGCTTCACCGGCGCAGTCATTCTCATAAT
CGCCCACGGACTTACATCCTCATTACTATT
sequence 2
AAGCTTCACCGGCGCAATTATCCTCATAAT
CGCCCACGGACTTACATCCTCATTATTATT
sequence 3
AAGCTTCACCGGCGCAGTTGTTCTTATAAT
TGCCCACGGACTTACATCATCATTATTATT
sequence 4
AAGCTTCACCGGCGCAACCACCTCATGAT
TGCCCATGGACTCACATCCTCCCTACTGTT

```

Species/sequence names. Do not use the following special symbols in a species/sequence name: “, : # () \$ =” in a species name as they are used for special purposes and may confuse the programs. The symbol @ can be used as part and end of the sequence name to specify the date of determination of that sequence, for example, virus1@1984. The @ symbol is considered part of the name and the sequence was determined in 1984. The maximum number of characters in a species name (LSPNAME) is specified at the beginning of the main programs baseml.c and codeml.c. In PHYLIP, exactly 10 characters are used for a species name, which I often found to be too restrictive. So I use a default value of 30. To make this discrepancy less a problem, PAML considers two consecutive spaces as the end of a species name, so that the species name does not have to have exactly 30 (or 10) characters. To make this rule work, you should not have two consecutive spaces *within* a species name. For example the above data set can have the following format too.

```

4 60
sequence 1 AAGCTTCACCGGCGCAGTCATTCTCATAAT
CGCCCACGGACTTACATCCTCATTACTATT
sequence 2 AAGCTTCACCGGCGCAATTATCCTCATAAT
CGCCCACGGACTTACATCCTCATTATTATT
sequence 3 AAGCTTCACC GGCGAGTTG TTCTTATAAT
TGCCCACGGACTTACATCATCATTATTATT
sequence 4 AAGCTTCACCGGCGCAACCACCTCATGAT
TGCCCATGGACTCACATCCTCCCTACTGTT

```



```

G 2   4 6

human  GTTA CATGTC
rabbit GTCA CATATT
rat    GTTA CAAGTC

100 200 40 50 120 61 12 13 54 12

```

Here there are 10 site patterns and 2 genes (site partitions). The first 4 patterns are for the first gene while the next 6 patterns are for the second gene, with a total of 10 site patterns. In partition 1 there are 40 sites having the data AAA (nucleotide A in all three species), and while in partition 2 there are 61 such sites.

The same format applies to protein sequences (codeml with seqtype = 2), with amino acids replacing nucleotides in the examples above.

For codon sequences (codeml with seqtype = 1), the format is as follows. There are 3 species, and 9 site patterns, with 6 sites having the first site pattern (which has the codon GTG in all three species). Note that $27 = 9 \times 3$. The program requires that you use 3 times the number of codon site patterns here. This is strange but consistent with the sequential or interleaved sequence format, where the sequence length is specified in the number of nucleotides rather than number of codons. (Initially I did this so that the same file can be read by both baseml for nucleotide based analysis and codonml for codon based analysis.)

```

3 27 P G

human  GTG CTG TCT CCT GCC GAC AAG ACC
rabbit ... .. G.C ... .. T..
rat    ... .. ..C ..T ... ..

6 1 1 1 1 4 3 1 1

```

To specify multiple genes for codon site patterns, see the following example.

```

3 27 P G
G 2  4 5

human  GTG CTG TCT CCT GCC GAC AAG ACC
rabbit ... .. G.C ... .. T..
rat    ... .. ..C ..T ... ..

6 1 1 1 1 4 3 1 1

```

Here there are again 9 codon site patterns in total, with the first 4 patterns for gene 1 and the next 5 patterns for gene 2.

Furthermore, option variable P can be used together with option variable I or S. PI means that the site patterns are listed using the interleaved format while PS means that the site patterns are listed using the sequential format. P without I or S uses the default sequential format. Having the whole sequence of all site patterns on one line conforms with both the I and S formats, so there is no need to specify I or S.

If you run baseml and codeml to read the sequential or interleaved formats of sequences, the output will include a print-out in this partitioned format. Look for the line “Printing out site pattern counts”. You can move this block into a new file and later on read that file instead, if it takes a long time to pack sites into patterns. Note the restrictions with the P format below.

Here are some restrictions to this option. Some outputs are disabled for this option, including ancestral sequence reconstruction and posterior estimates of rates for sites (or site patterns), that you can get for sequences by using RateAncestor = 1. Second, some of the calculations require the sequence length, which I set to the sum of the site pattern frequencies. If the site pattern frequencies are not counts of sites but are instead site pattern probabilities, calculations involving sequence

length will not be correct. Such calculations include the SEs for MLEs, the numbers of sites S and N in codonml, for example.

Possible uses of this option. Sometimes I use *evolver* to simulate very long sequences (with $>1M$ sites) and it can take minutes or hours to collapse sites into patterns, which is irritating when the maximum likelihood iteration takes a few seconds and I want to use the same data to run multiple models. A similar case is analysis of large genomic data of long sequences with $>100Mb$ sites. In this case you can run *baseml* or *codeml* once, and then copy the pattern counts from the output file into a data file. Next time, you run the program you can read the new file. This way the program skips the step of counting site patterns. Note that the pattern counts do not have to be integers. You can calculate the site pattern probabilities under a model and then read the probabilities for analysis using a different model to see whether the correct tree is still recovered. The site pattern probabilities under the model amount to a dataset of infinite size (infinitely many sites). This way, you can check whether the tree reconstruction method is still consistent. See DeBry (1992) and Yang (1994c) for such analysis. (I need to enable *baseml* and *codeml* for printing site pattern probabilities.)

Tree file format and representations of tree topology

A *tree structure file* is used when `runmode = 0` or `1`. The file name is specified in the appropriate control file. The tree topology is typically specified using the parenthesis notation, although it is possible to use a branch representation, as described below.

Parenthesis notation: The first is the familiar parenthesis representation, used in most phylogenetic software. The species can be represented using either their names or their indexes corresponding to the order of their occurrences in the sequence data file. If species names are used, they have to match exactly those in the sequence data file (including spaces or strange characters). Branch lengths are allowed. The following is a possible tree structure file for a data set of four species (human, chimpanzee, gorilla, and orangutan, occurring in this order in the data file). The first tree is a star tree, while the next four trees are the same.

```
4 5 // 4 species, 5 trees
(1,2,3,4); // the star tree
((1,2),3,4); // species 1 and 2 are clustered together
((1,2),3,4); // Commas are needed with more than 9 species
((human,chimpanzee),gorilla,orangutan);
((human:.1,chimpanzee:.2):.05,gorilla:.3,orangutan:.5);
```

If the tree has branch lengths, *baseml* and *codeml* allow you to use the branch lengths in the tree as starting values for maximum likelihood iteration.

Whether you should use rooted or unrooted trees depends on the model, for example, on whether a molecular clock is assumed. Without the clock (`clock = 0`), unrooted trees should be used, such as `((1,2),3,4)` or `(1,2,(3,4))`. With the clock or local-clock models, the trees should be rooted and these two trees are different and both are different from `((((1,2),3),4))`. In PAML, a rooted tree has a bifurcation at the root, while an unrooted tree has a trifurcation or multifurcation at the root.

Tree files produced by PAUP and MacClade. PAML programs have only limited compatibility with the tree file generated by PAUP or MacClade. First the “[&U]” notation for specifying an unrooted tree is ignored. For the tree to be accepted as an unrooted tree by PAML, you have to manually modify the tree file so that there is a trifurcation at the root, for example, by changing `(((1,2),3),4)` into `((1,2),3,4)`. Second, the “Translate” keyword is ignored by PAML as well, and it is assumed that the ordering of the sequences in the tree file is exactly the same as the ordering of the sequences in the sequence data file.

Branch or node labels. Some models implemented in *baseml* and *codeml* allow several groups of branches on the tree, which are assigned different parameters of interest. For example, in the

local clock models (`clock = 2` or `3`) in `baseml` or `codeml`, you can have, say, 3 branch rate groups, with low, medium, and high rates respectively. Also the branch-specific codon models (`model = 2` or `3` for `codonml`) allow different branch groups to have different ω s, leading to so called “two-ratios” and “three-ratios” models. All those models require branches or nodes in the tree to be labeled. Branch *labels* are specified in the same way as branch *lengths* except that the symbol “#” is used rather than “:”. The branch labels are consecutive integers starting from 0, which is the default and does not have to be specified. For example, the following tree

```
((Hsa_Human, Hla_gibbon) #1, ((Cgu/Can_colobus, Pne_langur), Mmu_rhesus), (Ssc_squirrelM, Cja_marmoset));
```

is from the tree file `examples/lysozyme/lysozyme.trees`, with a branch label for fitting models of different ω ratios for branches. The internal branch ancestral to human and gibbon has the ratio ω_1 , while all other branches (with the default label #0) have the background ratio ω_0 . This fits the model in table 1C for the small data set of lysozyme genes in Yang (1998). See the `readme` file in the `examples/lysozyme/` folder.

On a big tree, you might want to label all branches within a clade. For this purpose, you can use the clade label `$`. `$` is for Δ , which looks like a good clade symbol but is missing on most keyboards. So (clade) `$2` is equivalent to labeling all nodes/branches within the clade with `#2`. The following two trees are thus equivalent.

```
((rabbit, rat) $1, human), goat_cow, marsupial);
((rabbit #1, rat #1) #1, human), goat_cow, marsupial);
```

Here are the rules concerning nested clade labels. The symbol `#` takes precedence over the symbol `$`, and clade labels close to the tips take precedence over clade labels for ancestral nodes close to the root. So the following two trees are equivalent. In the first tree below, `$1` is first applied to the whole clade of placental mammals (except for the human lineage), and then `$2` is applied to the rabbit-rat clade.

```
((((rabbit, rat) $2, human #3), goat_cow) $1, marsupial);
(((rabbit #2, rat #2) #2, human #3) #1, goat_cow #1) #1, marsupial);
```

Note that with this rule, it may make a difference whether or not you include a label `$0`. For example

```
((a, b) $0, (c, d)) $1;
```

labels the three branches on the left side (to `a`, to `b`, and to both `a` and `b`) as `#0`, while the other branches are `#1`. However the following would label all branches in the tree as `#1`.

```
((a, b), (c, d)) $1;
```

I have found it convenient to create the tree file with labels and read the tree using Rod page’s (1996) `TreeView` to check that the tree and labels are right. The example trees above should be readable by `TreeView`. For `TreeView X`, however, you may have to put the labels inside single quotation marks, like the following.

```
((((rabbit '#2', rat '#2') '#2', human '#3') '#1', goat_cow '#1') '#1', marsupial);
```

This way, the tree is readable by both `TreeView` and `TreeView X` (and by `baseml/codeml` as well). Note that `TreeView` and `TreeView X` do not accept labels for tips or tip branches, and may interpret the labels as part of the sequence name. Another program that you can use to create and/or view branch or node labels is Andrew Rambaut’s `FigTree`, available for the MAC. I have no experiencing of using it.

Divergence date symbol @. Fossil calibration information is specified using the symbol `@`. This is used for the clock and local clock models in `baseml` and `codeml`. See the `readme` file in the

examples/MouseLemurs/ folder. So in the following example, the human-chimpanzee divergence is fixed at 5MY.

```
((gorilla, (human, chimpanzee) '@0.05'), orangutan);
```

This kind of calibration information (point calibration) is not used by the Bayesian dating program `mcmctree`. See descriptions later.

Branch representation of tree topology: A second way of representing the tree topology used in PAML is by enumerating its branches, each of which is represented by its starting and ending nodes. This representation is also used in the result files for outputting the estimated branch lengths, but you can also use it in the tree file. For example, the tree $((1,2),3,4)$ can be specified by enumerating its 5 branches:

```
      5
     5 6   6 1   6 2   5 3   5 4
```

The nodes in the tree are indexed by consecutive natural numbers, with $1, 2, \dots, s$ representing the s known sequences in the data, in the same order as in the data. A number larger than s labels an internal node, at which the sequence is unknown. So in the above tree, node 5 is ancestral to nodes 6, 3, and 4, while node 6 is ancestral to nodes 1 and 2.

This notation is convenient to specify a tree in which some sequences in the data are direct ancestors to some others. For example, the following tree for 5 sequences has 4 branches, with sequence 5 to be the common ancestor of sequences 1, 2, 3, and 4:

```
      4
     5 1   5 2   5 3   5 4
```

Warning. I did not try to make this tree representation work with all models implemented in `baseml` and `codeml`. If you use this representation, you should test the program carefully. If it does not work, you can let me know so that I will try to fix it.

4 baseml

Nucleotide substitution models

For detailed descriptions of Markov models of nucleotide substitution, see Whelan *et al.* (2001), Felsenstein (2004) or Yang (2006: Chapter 1).

Models used in PAML include JC69 (Jukes and Cantor 1969), K80 (Kimura 1980), F81 (Felsenstein 1981), F84 (Felsenstein, DNAML program since 1984, PHYLIP Version 2.6), HKY85 (Hasegawa *et al.* 1984; Hasegawa *et al.* 1985), Tamura (1992), Tamura and Nei (1993), and REV, also known as GTR for general-time-reversible (Yang 1994b; Zharkikh 1994). The rate matrices are parametrized as follows.

$$\text{JC69 : } Q = \begin{pmatrix} . & 1 & 1 & 1 \\ 1 & . & 1 & 1 \\ 1 & 1 & . & 1 \\ 1 & 1 & 1 & . \end{pmatrix}$$

$$\text{K80 : } Q = \begin{pmatrix} . & \kappa & 1 & 1 \\ \kappa & . & 1 & 1 \\ 1 & 1 & . & \kappa \\ 1 & 1 & \kappa & . \end{pmatrix}$$

$$\text{F81 : } Q = \begin{pmatrix} . & \pi_C & \pi_A & \pi_G \\ \pi_T & . & \pi_A & \pi_G \\ \pi_T & \pi_C & . & \pi_G \\ \pi_T & \pi_C & \pi_A & . \end{pmatrix}$$

$$\text{F84: } Q = \begin{pmatrix} . & (1 + \kappa/\pi_Y)\pi_C & \pi_A & \pi_G \\ (1 + \kappa/\pi_Y)\pi_T & . & \pi_A & \pi_G \\ \pi_T & \pi_C & . & (1 + \kappa/\pi_R)\pi_G \\ \pi_T & \pi_C & (1 + \kappa/\pi_R)\pi_A & . \end{pmatrix}$$

with $\pi_Y = \pi_T + \pi_C$ and $\pi_R = \pi_A + \pi_G$.

$$\text{HKY85: } Q = \begin{pmatrix} . & \kappa\pi_C & \pi_A & \pi_G \\ \kappa\pi_T & . & \pi_A & \pi_G \\ \pi_T & \pi_C & . & \kappa\pi_G \\ \pi_T & \pi_C & \kappa\pi_A & . \end{pmatrix}$$

$$\text{T92: } Q = \begin{pmatrix} . & \kappa(1-\pi_{GC})/2 & \pi_{GC}/2 & \pi_{GC}/2 \\ \kappa(1-\pi_{GC})/2 & . & \pi_{GC}/2 & \pi_{GC}/2 \\ (1-\pi_{GC})/2 & (1-\pi_{GC})/2 & . & \kappa\pi_{GC}/2 \\ (1-\pi_{GC})/2 & (1-\pi_{GC})/2 & \kappa\pi_{GC}/2 & . \end{pmatrix}$$

$$\text{TN93: } Q = \begin{pmatrix} . & \kappa_1\pi_C & \pi_A & \pi_G \\ \kappa_1\pi_T & . & \pi_A & \pi_G \\ \pi_T & \pi_C & . & \kappa_2\pi_G \\ \pi_T & \pi_C & \kappa_2\pi_A & . \end{pmatrix}$$

$$\text{REV (GTR): } Q = \begin{pmatrix} . & a\pi_C & b\pi_A & c\pi_G \\ a\pi_T & . & d\pi_A & e\pi_G \\ b\pi_T & d\pi_C & . & \pi_G \\ c\pi_T & e\pi_C & \pi_A & . \end{pmatrix}$$

$$\text{UNREST } Q = \begin{pmatrix} . & q_{TC} & q_{TA} & q_{TG} \\ q_{CT} & . & q_{CA} & q_{CG} \\ q_{AT} & q_{AC} & . & q_{AG} \\ q_{GT} & q_{GC} & q_{GA} & . \end{pmatrix} = \begin{pmatrix} . & a & b & c \\ d & . & e & f \\ g & h & . & i \\ j & k & l & . \end{pmatrix}.$$

The control file

The default control file for baseml is baseml.ct1, and an example is shown below. Note that spaces are required on both sides of the equal sign, and blank lines or lines beginning with "*" are treated as comments. Options not used can be deleted from the control file. The order of the variables is unimportant.

```
seqfile = brown.nuc * sequence data file name
outfile = mlb * main result file
treefile = brown.trees * tree structure file name

noisy = 3 * 0,1,2,3: how much rubbish on the screen
verbose = 0 * 1: detailed output, 0: concise output
runmode = 0 * 0: user tree; 1: semi-automatic; 2: automatic
* 3: StepwiseAddition; (4,5):PerturbationNNI

model = 5 * 0:JC69, 1:K80, 2:F81, 3:F84, 4:HKY85
* 5:T92, 6:TN93, 7:REV, 8:UNREST, 9:REVu; 10:UNRESTu
Mgene = 0 * 0:rates, 1:separate; 2:diff pi, 3:diff kapa, 4:all diff

*
ndata = 1 * number of data sets
clock = 0 * 0:no clock, 1:clock; 2:local clock; 3:CombinedAnalysis
TipDate = 0 100 * TipDate (1) & time unit
fix_kappa = 0 * 0: estimate kappa; 1: fix kappa at value below
kappa = 2.5 * initial or fixed kappa

fix_alpha = 1 * 0: estimate alpha; 1: fix alpha at value below
alpha = 0. * initial or fixed alpha, 0:infinity (constant rate)
Malpha = 0 * 1: different alpha's for genes, 0: one alpha
ncatG = 5 * # of categories in the dG, AdG, or nparK models of rates

fix_rho = 1 * 0: estimate rho; 1: fix rho at value below
rho = 0. * initial or fixed rho, 0:no correlation
nparK = 0 * rate-class models. 1:rK, 2:rK&fK, 3:rK&MK(1/K), 4:rK&MK

nhomo = 0 * 0 & 1: homogeneous, 2: kappa for branches, 3: N1, 4: N2, 5: user
getSE = 0 * 0: don't want them, 1: want S.E.s of estimates
RateAncestor = 0 * (0,1,2): rates (alpha>0) or ancestral states
```

```

Small_Diff = 1e-6
* cleandata = 1 * remove sites with ambiguity data (1:yes, 0:no)?
* icode = 0 * (RateAncestor=1 for coding genes, "GC" in data)
* fix_blength = 0 * 0: ignore, -1: random, 1: initial, 2: fixed
  method = 0 * 0: simultaneous; 1: one branch at a time

```

The control variables are described below.

seqfile, **outfile**, and **treefile** specifies the names of the sequence data file, main result file, and the tree structure file, respectively. You should not have spaces inside a file name. In general try to avoid special characters in a file name as they might have special meanings under the OS.

noisy controls how much output you want on the screen. If the model being fitted involves much computation, you can choose a large number for **noisy** to avoid loneliness. **verbose** controls how much output in the result file.

runmode = 0 means evaluation of the tree topologies specified in the tree structure file, and **runmode** = 1 or 2 means heuristic tree search by the star-decomposition algorithm. With **runmode** = 2, the algorithm starts from the star tree, while if **runmode** = 1, the program will read a multifurcating tree from the tree structure file and try to estimate the best bifurcating tree compatible with it. **runmode** = 3 means stepwise addition. **runmode** = 4 means NNI perturbation with the starting tree obtained by a parsimony algorithm, while **runmode** = 5 means NNI perturbation with the starting tree read from the tree structure file. The tree search options do not work well, and so use **runmode** = 0 as much as you can. For relatively small data set, the stepwise addition algorithm seems usable.

model specifies the model of nucleotide substitution. Models 0, 1, ..., 8 represent models JC69, K80, F81, F84, HKY85, T92, TN93, REV (also known as GTR), and UNREST, respectively. Check Yang (1994b) or Yang (2006: table 1.1) for notation. Two more user-specified models are implemented as special cases of the REV/GTR model (**model** = 9) or of the UNREST model (**model** = 10). These models are called REV_u and UNREST_u. The format is illustrated in the following examples. The number in the brackets [] is the number of free rate parameters; this is then followed by nucleotide pairs which should have the same rates, grouped in the same pair of parentheses. For example, the line for SYM specifies an UNREST_u model with 5 rates, with one rate for A→C and C→A changes, one rate for A→G and G→A changes, and so on. The model has a symmetrical rate matrix *Q*, so that the equilibrium frequencies are 1/4 for each nucleotide. Note that under UNREST and UNREST_u, the equilibrium nucleotide frequencies are not parameters but are given by the rate parameters: see equation 1.56 in Yang (2006). Similarly **model** = 9 specifies special cases of the REV/GTR model, or REV_u models. In one specifies TC or CT, but not both of them, since those are assumed to have the same rate (exchangeability) parameters.

```

model = 10 [0] /* JC69 */
model = 10 [1 (TC CT AG GA)] /* K80 */
model = 10 [11 (TA) (TG) (CT) (CA) (CG) (AT) (AC) (AG) (GT) (GC) (GA) ] /* UNREST */
model = 10 [5 (AC CA) (AG GA) (AT TA) (CG GC) (CT TC)] /* SYM */
model = 9 [2 (TA TG CA CG) (AG)] /* TN93 */

```

Mgene is used in combination with option G in the sequence data file, for combined analysis of data from multiple genes or multiple site partitions (such as the three codon positions) (Yang 1996a; pages 116-8 in Yang 2006). Such models are also called partition models. Choose 0 if option G is not used in the data file.

The description here refers to multiple genes, but apply to any strategy of partitioning sites, such as by codon position. Similar partition models are implemented in *codeml* for analyzing codon or amino acid sequences.

The models are summarized in table 1. The simplest model which assumes complete homogeneity among genes can be fitted by concatenating different genes into one sequence without using the option G (and by specifying $M_{\text{gene}} = 0$ in the control file). The most general model is equivalent to a separate analysis, and can be done by fitting the same model to each data set (each gene), but can also be done by specifying $M_{\text{gene}} = 1$ with the option G in the combined data file. The sum of the log-likelihood values over different genes is then the log likelihood of the most general model considered here. Models accounting for some aspects of the heterogeneity of multiple genes are fitted by specifying M_{gene} in combination with the option G in the sequence data file. $M_{\text{gene}} = 0$ means a model that assumes different substitution rates but the same pattern of nucleotide substitution for different genes. $M_{\text{gene}} = 2$ means different frequency parameters for different genes but the same rate ratio parameters (κ in the K80, F84, HKY85 models or the rate parameters in the TN93 and REV models). $M_{\text{gene}} = 3$ means different rate ratio parameters and the same frequency parameters. $M_{\text{gene}} = 4$ means both different rate ratio parameters and different frequency parameters for different genes. Parameters and assumptions made in these models are summarized in the following table, with the HKY85 model used as an example. When substitution rates are assumed to vary from site to site, the control variable M_{alpha} specifies whether one gamma distribution will be applied across all sites ($M_{\text{alpha}} = 0$) or a different gamma distribution is used for each gene (or codon position).

Table 1. Setups of partition models of nucleotide substitution

Sequence file	Control file	Parameters across genes
No G	$M_{\text{gene}} = 0$	everything equal
Option G	$M_{\text{gene}} = 0$	the same κ and π , but different cs (proportional branch lengths)
Option G	$M_{\text{gene}} = 2$	the same κ , but different π s and cs
Option G	$M_{\text{gene}} = 3$	the same π , but different κ s and cs
Option G	$M_{\text{gene}} = 4$	different κ , π s, and cs
Option G	$M_{\text{gene}} = 1$	different κ , π s, and different (unproportional) branch lengths

The different cs for different genes mean that branch lengths estimated for different genes are proportional. Parameters π represent the equilibrium nucleotide frequencies, which are estimated using the observed frequencies ($n_{\text{homo}} = 0$). The transition/transversion rate ratio κ in HKY85 can be replaced by the two or five rate ratio parameters under the TN93 or REV models, respectively. The likelihood ratio test can be used to compare these models, using an approach called the analysis of deviance (McCullagh and Nelder 1989), which is very similar to the more familiar analysis of variance.

ndata: specifies the number of separate data sets in the file. This variable is useful for simulation. You can use `evolver` to generate 200 replicate data sets, and then set `ndata = 200` to use `baseml` to analyze them.

clock specifies models concerning rate constancy or variation among lineages. `clock = 0` means no clock and rates are entirely free to vary from branch to branch. An unrooted tree should be used under this model. For a binary tree with n species (sequences), this model has $(2n - 3)$ parameters (branch lengths). `clock = 1` means the global clock, and all branches have the same rate. This model has $(n - 1)$ parameters corresponding to the $(n - 1)$ internal nodes in the binary tree. So a test of the molecular clock assumption, which compares those two models, should have d.f. = $n - 2$.

`clock = 2` specifies the local clock models (Yoder and Yang 2000; Yang and Yoder 2003). Most branches in the phylogeny conform with the clock assumption and has the default rate

($r_0 = 1$), but some pre-defined branches may have different rates. Rates for branches are specified using branch labels (# and \$) in the tree file. For example, the tree (((1,2) #1, 3), 4) specifies rate r_1 for the branch ancestral to species 1 and 2 while all other branches have the default rate r_0 , which does not have to be specified. The user need to specify which branch has which rate, and the program estimates the unknown rates (such as r_1 in the above example; $r_0 = 1$ is the default rate). You need to be careful when specifying rates for branches to make sure that all rates can be estimated by the model; if you specify too many rate parameters, especially for branches around the root, it may not be possible to estimate all of them and you will have a problem with identifiability. The number of parameters for a binary tree in the local clock model is $(n - 1)$ plus the number of extra rate parameters for branches. In the above tree of 4 species, you have only one extra rate parameter r_1 , and so the local clock model has $(n - 1) + 1 = n = 4$ parameters. The no-clock model has 5 parameters while the global clock has 3 parameters for that tree.

The option `clock = 3` is for combined analysis of multiple-gene or multiple-partition data, allowing the branch rates to vary in different ways among the data partitions (Yang and Yoder 2003). To account for differences in the evolutionary process among data partitions, you have to use the option `G` in the sequence file as well as the control variable `Mgene` in the control file (`baseml.ctl` or `codeml.ctl`). Read Yang and Yoder (2003) and the `readme` file in the `examples/MouseLemurs/` folder to duplicate the analysis of that paper. Also the variable (`= 5` or `6`) is used to implement the ad hoc rate smoothing procedure of Yang (2004). See the file `readme2.txt` for instructions and the paper for details of the model.

For `clock = 1` or `2`, a rooted tree should be used. If fossil calibration information is specified in the tree file using the symbol `@` or `=`, the absolute rate will be calculated. Multiple calibration points can be specified this way, but only point calibrations (where a node age is assumed to be known without error) are accepted and bounds are not accepted. See instructions about the `mcmctree` program, which accepts bounds or other distributions as calibrations.

TipDate is used to estimate ages of node ages on the rooted tree when the sequences at the tips having sampling dates, as in the case of sequentially sampled viral sequences. The sample dates are the last field in the sequence name. The time unit is specified by the user on this line. Look at `README.txt` in `examples/TipDate/`.

fix_kappa specifies whether κ in K80, F84, or HKY85 is given at a fixed value or is to be estimated by iteration from the data. If `fix_kappa = 1`, the value of another variable, `kappa`, is the given value, and otherwise the value of `kappa` is used as the initial estimate for iteration. The variables `fix_kappa` and `kappa` have no effect with JC69 or F81 which does not involve such a parameter, or with TN93 and REV which have two and five rate parameters respectively, when all of them are estimated from the data.

fix_alpha and **alpha** work in a similar way, where `alpha` refers to the shape parameter α of the gamma distribution for variable substitution rates across sites (Yang 1994a). The model of a single rate for all sites is specified as `fix_alpha = 1` and `alpha = 0` (0 means infinity), while the (discrete-) gamma model is specified by a positive value for `alpha`, and `ncatG` is then the number of categories for the discrete-gamma model (`baseml`). Values such as 5, 4, 8, or 10 are reasonable. Note that the discrete gamma model has one parameter (α), like the continuous gamma model, and the number of categories is not a parameter.

The model of invariable sites is not implemented in PAML programs. I don't like the model as it generates a strong correlation between the proportion of invariable sites and the gamma shape parameter. It is implemented in PAUP and MrBayes, for example.

To infer rates at individual sites, use `RateAncestor = 1`. See below. Using a large number of categories (say, `ncatG = 40`) may be helpful if you are interested in calculating such rates.

For detailed descriptions of those models, see Yang (1996b), Chapter 1 of Yang (2006) and chapters 13 and 16 of Felsenstein (2004).

fix_rho and `rho` work in a similar way and concern independence or correlation of rates at adjacent sites, where ρ (rho) is the correlation parameter of the auto-discrete-gamma model (Yang 1995). The model of independent rates for sites is specified as `fix_rho = 1` and `rho = 0`; choosing `alpha = 0` further means a constant rate for all sites. The auto-discrete-gamma model is specified by positive values for both `alpha` and `rho`. The model of a constant rate for sites is a special case of the (discrete) gamma model with $\alpha = \infty$ (`alpha = 0`), and the model of independent rates for sites is a special case of the auto-discrete-gamma model with $\rho = 0$ (`rho = 0`).

npark specifies nonparametric models for variable and Markov-dependent rates across sites: `npark = 1` or `2` means several (`ncatG`) categories of independent rates for sites, while `npark = 3` or `4` means the rates are Markov-dependent at adjacent sites; `npark = 1` and `3` have the restriction that each rate category has equal probability while `npark = 2` and `4` do not have this restriction (Yang 1995). The variable `npark` takes precedence over `alpha` or `rho`.

nhomo is for `baseml` only, and concerns the frequency parameters in some of the substitution models. The option `nhomo = 1` fits a homogeneous model, but estimates the frequency parameters (π_T , π_C and π_A ; π_G is not a free parameter as the frequencies sum to 1) by maximum likelihood iteration. This applies to F81, F84, HKY85, T92 (in which case only π_{GC} is a parameter), TN93, or REV models. With `nhomo = 0`, these are estimated by the averages of the observed frequencies. For both `nhomo = 0` and `1`, you should count 3 (or 1 for T92) free parameters for the base frequencies.

Options `nhomo = 3`, `4`, and `5` work with F84, HKY85, or T92 (see note below about GTR). They fit the nonhomogeneous models of Yang and Roberts (1995) and Galtier and Gouy (1998). The nucleotide substitution is specified by the variable `model` and is one of F84, HKY85 or T92, but with different frequency parameters used in the rate matrix for different branches in the tree, to allow for unequal base frequencies in different sequences. The position of the root then makes a difference to the likelihood, and rooted trees are used. Because of the parameter richness, the model may only be used with small trees except that you have extremely long sequences. Yang and Roberts (1995) used the HKY85 or F84 models, and so three independent frequency parameters are used to describe the substitution pattern, while Galtier and Gouy (1998) used the T92 substitution model and uses the GC content π_{GC} only, with the base frequencies give as $\pi_T = \pi_A = (1 - \pi_{GC})/2$ and $\pi_C = \pi_G = \pi_{GC}/2$. The option `nhomo = 4` assigns one set of frequency parameters for the root, which are the initial base frequencies at the root, and one set for each branch in the tree. This is model N2 in Yang and Roberts (1995) if the substitution model is F84 or HKY85 or the model of Galtier and Gouy (1998) if the substitution model is T92. Option `nhomo = 3` uses one set of base frequencies for each tip branch, one set for all internal branches in the tree, and one set for the root. This specifies model N1 in Yang and Roberts (1995).

The option `nhomo = 5` lets the user specify how many sets of frequency parameters should be used and which node (branch) should use which set. The set for the root specifies the initial base frequencies at the root while the set for any other node is for parameters in the substitution matrix along the branch leading to the node. You use `branch` (node) labels in the tree file (see the subsection “Tree file and representations of tree topology” above) to tell the program which set each branch should use. There is no need to specify the default set

(0). So for example `nhomo = 5` and the following tree in the tree file species sets 1, 2, 3, 4, and 5 for the tip branches, set 6 for the root, while all the internal branches (nodes) will have the default set 0. This is equivalent to `nhomo = 3`.

```
((((1 #1, 2: #2), 3 #3), 4 #4), 5 #5) #6;
```

The output for `nhomo = 3, 4, 5` is under the heading “base frequency parameters (4 sets) for branches, and frequencies at nodes”. Two sets of frequencies are listed for each node. The first set are the parameters (used in the substitution rate matrix for the branch leading to the node), and the second set are the expected base frequencies at the node, calculated from the model ((Yang and Roberts 1995); page 456 column top). If the node is the root, the same set of frequencies are printed twice.

Note that the use of the variable `fix_kappa` here with `nhomo = 3, 4 or 5` is unusual.

`fix_kappa = 1` means one common κ is assumed and estimated for all branches, while

`fix_kappa = 0` means one κ is estimated for each branch.

`nhomo = 2` uses one transition/transversion rate ratio (κ) for each branch in the tree for the K80, F84, and HKY85 models (Yang 1994b; Yang and Yoder 1999).

Note about GTR+`nhomo`. The GTR model is implemented for `nhomo=4` as well. I think one set of rate parameters `a, b, c, d, e` are estimated whether `fix_kappa = 0 or 1`.

`getSE = 0, 1, or 2` tells whether we want estimates of the standard errors of estimated parameters.

These are crude estimates, calculated by the curvature method, *i.e.*, by inverting the matrix of second derivatives of the log-likelihood with respect to parameters. The second derivatives are calculated by the difference method, and are not always reliable. Even if this approximation is reliable, tests relying on the SE's should be taken with caution, as such tests rely on the normal approximation to the maximum likelihood estimates. The likelihood ratio test should always be preferred. The option is not available and choose `getSE = 0` when tree-search is performed.

`RateAncestor = 0 or 1`. Usually use 0. The value 1 forces the program to do two additional analyses, which you can ignore if you don't need the results. First under a model of variable rates across sites such as the gamma, `RateAncestor = 1` forces the program to calculate rates for individual sites along the sequence (output in the file `rates`), using the empirical Bayes procedure (Yang and Wang 1995).

Second `RateAncestor = 1` forces the program to perform the empirical Bayesian reconstruction of ancestral sequences (Yang et al. 1995a; Koshi and Goldstein 1996; Yang 2006 pages 119-124). Ancestral state reconstruction by parsimony (Fitch 1971; Hartigan 1973) is well known (implemented in the program `pamp` in PAML). It can also be achieved using the likelihood/empirical Bayes approach. Often the two approaches produce similar results, but the likelihood-based reconstruction has two advantages over parsimony: it uses information from the branch lengths and the relative substitution rates between characters (nucleotides), and it provides a measure of uncertainties in the form of posterior probabilities for reconstructed ancestral states.

The outputs are listed, by site, in the file `rst`. You can also use the variable `verbose` to control the amount of output. If `verbose = 0`, only the best nucleotide (the one with the highest posterior probability) at each node at each site is listed, while with `verbose = 1` (try 2 if 1 does not work), the full posterior probability distribution from the marginal reconstruction is listed. If the model is homogenous (`nhomo = 0, 1`) and assumes one rate for all sites, both the joint and marginal ancestral reconstructions will be calculated. If the

model assumes variable rates among sites like the gamma model, only the marginal reconstructions are calculated.

Marginal and joint reconstructions. Marginal reconstruction considers character assignments to one single interior node and the character with the highest posterior probability is the best reconstruction (eq. 4 in Yang et al. 1995a; or Eq. 4.15 in Yang 2006). The algorithm for marginal reconstruction implemented in PAML works under both the model of a constant rate for all sites and the gamma model of rates at sites. Joint reconstruction considers all ancestral nodes at the same time and the reconstruction (the set of characters at a site assigned to all interior nodes) with the highest posterior probability is the best reconstruction (eq. 2 in Yang et al. 1995a; or Eq. 4.16 in Yang 2006). The algorithm for joint reconstruction implemented in PAML is based on that of Pupko *et al.* (2000), which gives the best reconstruction at each site and its posterior probability. This works under the model of one rate for all sites only. (It works under the partition models.) The marginal and joint approaches use slightly different criteria, and expected to produce consistent results; that is, the most probable joint reconstruction for a site should almost always consist of characters that are also the best in the marginal reconstruction. Conflicts may arise in borderline cases where two or more reconstructions have similar posterior probabilities.

A good use of ancestral sequence reconstruction is to synthesize the inferred ancestral proteins and measure their biochemical properties in the lab (Pauling and Zuckerkandl 1963; Chang and Donoghue 2000; Thornton 2004). It is also very popular to use reconstructed ancestral sequences as if they were real observed data to perform further analysis. You should resist this irresistible temptation and use full likelihood methods if they are available (e.g., Yang 2002). See section 4.4.4 in Yang (2006) for a discussion of systematic biases in ancestral reconstruction.

For nucleotide based (`baseml`) analysis of protein coding DNA sequences (option `GC` in the sequence data file), the program also calculates the posterior probabilities of ancestral amino acids. In this analysis, branch lengths and other parameters are estimated under a nucleotide substitution model, but the reconstructed nucleotide triplets are treated as a codon to infer the most likely amino acid encoded. Posterior probabilities for stop codons are small and reset to zero to scale the posterior probabilities for amino acids. To use this option, you should add the control variable `icode` in the control file `baseml.ctl`. This is not listed in the above. The variable `icode` can take a value out of 0, 1, ..., 11, corresponding to the 12 genetic codes included in PAML (See the control file `codeml.ctl` for the definition of different genetic codes). A nucleotide substitution model that is very close to a codon-substitution model can be specified as follows. You add the option characters `GC` at the end of the first line in the data file and choose `model = 4` (HKY85) and `Mgene = 4`. The model then assumes different substitution rates, different base frequencies, and different transition/transversion rate ratio (κ) for the three codon positions. Ancestral reconstruction from such a nucleotide substitution should be very similar to codon-based reconstruction.

Ancestral reconstruction under nonhomogeneous models. I have added the option of joint ancestral reconstruction under the nonhomogeneous models. The option variables are `nhomo = 3` (N1 in YR1995), `4` (N2 in YR1995), and `5` (user-specified branch types) and `model = 3, 4, 5, 6, 7` (3:F84, 4:HKY85, 5:T92, 6:TN93, 7:REV). This works only for the model of one rate for all sites, and does not work for the model of gamma rates for sites or the partition models (option `G`). Only joint reconstruction is available as the algorithm I used for marginal reconstruction does not work for nonhomogeneous models.

Small_Diff is a small value used in the difference approximation of derivatives. Use a value between $1e-8$ and $1e-5$ and check that the results are not sensitive to the value used.

cleandata = 1 means sites involving ambiguity characters (undetermined nucleotides such as N, ?, W, R, Y, etc. anything other than the four nucleotides) or alignment gaps are removed from all sequences. This leads to faster calculation. `cleandata = 0` (default) uses those sites.

method: This variable controls the iteration algorithm for estimating branch lengths under a model of no clock. `method = 0` implements the old algorithm in PAML, which updates all parameters including branch lengths simultaneously. `method = 1` specifies an algorithm newly implemented in PAML, which updates branch lengths one by one. `method = 1` does not work under the clock models (`clock = 1, 2, 3`).

icode: This specifies the genetic code to be used for ancestral reconstruction of protein-coding DNA sequences. This is implemented to compare results of ancestral reconstruction with codon-based analysis. For example the F3×4 codon model of Goldman and Yang (1994) is very similar to the nucleotide model HKY85 with different substitution rates and base frequencies for the three codon positions. The latter is implemented by using use options GC in the sequence data file and `model = 4` and `Mgene = 4`. To use the option `icode`, you have to choose `RateAncestor = 1`.

fix_branch: This tells the program what to do if the tree has branch lengths. Use 0 if you want to ignore the branch lengths. Use -1 if you want the program to start from random starting points. This might be useful if there are multiple local optima. Use 1 if you want to use the branch lengths as initial values for the ML iteration. Try to avoid using the “branch lengths” from a parsimony analysis from PAUP, as those are numbers of changes for the entire sequence (rather than per site) and are very poor initial values. Use 2 if you want the branch lengths to be fixed at those given in the tree file (rather than estimating them by ML). In this case, you should make sure that the branch lengths are sensible; for example, if two sequences in the data file are different, but the branch lengths connecting the two sequences in the tree are all zero, the data and tree will be in conflict and the program will crash.

Output: The output should be self-explanatory. Descriptive statistics are always listed. The observed site patterns and their frequencies are listed, together with the proportions of constant patterns. Nucleotide frequencies for each species (and for each gene in case of multiple gene data) are counted and listed. $\ln(L_{max})$ is the upper limit of the log likelihood and may be compared with the likelihood for the best (or true) tree under the substitution model to test the model's goodness of fit to data (Goldman 1993; Yang et al. 1995b). You can ignore it if you don't know what it means. The pairwise sequence distances are included in the output as well, and also in a separate file called `2base.t`. This is a lower-diagonal distance matrix, readable by the NEIGHBOR program in Felsenstein's PHYLIP package (Felsenstein 2005). For models JC69, K80, F81, F84, the appropriate distance formulas are used, while for more complex models, the TN93 formula is used. `baseml` is mainly a maximum likelihood program, and the distance matrix is printed out for convenience and really has nothing to do with the later likelihood calculation.

With `getSE = 1`, the S.E.s are calculated as the square roots of the large sample variances and listed exactly below the parameter estimates. Zeros on this line mean errors, either caused by divergence of the algorithm or zero branch lengths. The S.E.s of the common parameters measure the reliability of the estimates. For example, $(\kappa - 1)/SE(\kappa)$, when κ is estimated under K80, can be compared with a normal distribution to see whether there is real difference between K80 and JC69. The test can be more reliably performed by comparing the log-likelihood values under the two models, using the likelihood ratio test. It has to be stressed that the S.E.'s of the estimated branch lengths should not be misinterpreted as an evaluation of the reliability of the estimated tree topology (Yang 1994c).

If the tree file has more than one tree, the programs `baseml` and `codeml` will calculate the bootstrap proportions using the RELL method (Kishino and Hasegawa 1989), as well as the method of Shimodaira and Hasegawa (1999) with a correction for multiple comparison. The bootstrap resampling accounts for possible data partitions (option G in the sequence data file).

5 basemlg

`basemlg` uses the same control file `baseml.ctl`, as `baseml`. Tree-search or the assumption of a molecular clock are not allowed and so choose `runmode = 0` and `clock = 0`. Substitution models available for `basemlg` are JC69, F81, K80, F84 and HKY85, and a continuous gamma is always assumed for rates at sites. The variables `ncatG`, `given_rho`, `rho`, `nhomo` have no effect. The S.E.'s of parameter estimates are always printed out because they are calculated during the iteration, and so `getSE` has no effect.

Because of the intensive computation required by `basemlg`, the discrete-gamma model implemented in `baseml` is recommended for data analysis. If you choose to use `basemlg`, you should run `baseml` first, and then run `basemlg`. This allows `baseml` to collect initial values into a file named `in.basemlg`, for use by `basemlg`. Note that `basemlg` implements only a subset of models in `baseml`.

6 codeml (codonml and aaml)

Codon substitution models

There is now a large collection of codon substitution models. See Yang and Bielawski (2000), Yang (2002) and Yang (2006: Chapter 8) for detailed discussions.

The **basic model** is a simplified version of the model of Goldman and Yang (1994) and specifies the substitution rate from codon i to codon j as

$$q_{ij} = \begin{cases} 0, & \text{if the two codons differ at more than one position,} \\ \pi_j, & \text{for synonymous transversion,} \\ \kappa\pi_j, & \text{for synonymous transition,} \\ \omega\pi_j, & \text{for nonsynonymous transversion,} \\ \omega\kappa\pi_j, & \text{for nonsynonymous transition,} \end{cases}$$

(Yang et al. 1998). The equilibrium frequency of codon j (π_j) can be considered a free parameter, but can also be calculated from the nucleotide frequencies at the three codon positions (control variable `CodonFreq`). Under this model, the relationship holds that $\omega = d_N/d_S$, the ratio of nonsynonymous/synonymous substitution rates. This basic model is fitted by specifying `model = 0` `NSsites = 0`, in the control file `codeml.ctl`.

The ω ratio is a measure of natural selection acting on the protein. Simplistically, values of $\omega < 1$, $= 1$, and > 1 means negative purifying selection, neutral evolution, and positive selection. However, the ratio averaged over all sites and all lineages is almost never > 1 , since positive selection is unlikely to affect all sites over prolonged time. Thus interest has been focused on detecting positive selection that affects only some lineages or some sites.

The **branch models** allow the ω ratio to vary among branches in the phylogeny and are useful for detecting positive selection acting on particular lineages (Yang 1998; Yang and Nielsen 1998). They are specified using the variable `model`. `model = 1` fits the so-called *free-ratios* model, which assumes an independent ω ratio for each branch. This model is very parameter-rich and its use is discouraged. `model = 2` allows you to have several ω ratios. You have to specify how many ratios and which branches should have which rates in the tree file by using branch labels. See “Branch or node labels” in the section “Tree file format” in Chapter 4. The lysozyme example data files are included in the `examples/lysozyme/` folder; check the `readme` file.

The **site models** allow the ω ratio to vary among sites (among codons or amino acids in the protein) (Nielsen and Yang 1998; Yang et al. 2000b). A number of such models are implemented in `codeml` using the variable `NSsites` (and `model = 0`). You can run several `NSsites` models in one go, by specifying several values for `NSsites`. For example, `NSsites = 0 1 2 7 8` will fit 5 models to the same data in one go. The site models have been used in real data analyses and evaluated in computer simulation studies (Anisimova et al. 2001; Anisimova et al. 2002; Anisimova et al. 2003; Wong et al. 2004). Two pairs of models appear to be particularly useful, forming two likelihood ratio tests of positive selection. The first compares M1a (NearlyNeutral) and M2a (PositiveSelection), while the second compares M7 (beta) and M8 (beta& ω). M1a (NearlyNeutral) and M2a (PositiveSelection) are slight modifications of models M1 (neutral) and M2 (selection) in (Nielsen and Yang 1998). The old models M1 and M2 fix $\omega_0 = 1$ and $\omega_1 = 1$, and are unrealistic as they do not account for sites with $0 < \omega < 1$. In the new models M1a and M2a, described in Wong et al. (2004) and Yang et al. (2005) and implemented since version 3.14 (2004), $0 < \omega_0 < 1$ is

estimated from the data while $\omega_1 = 1$ is fixed. Also since version 3.14, the BEB procedure for identifying positively selected sites is included besides the NEB procedure {Yang, 2005 #2403}. In both tests comparing M2a against M1a or M8 against M7, $df = 2$ may be used. The M1a-M2a comparison appears to be more stringent than the M7-M8 comparison. See the table below.

Table 2. Parameters in the site models

Model	NSsites	#p	Parameters	Note
M0 (one ratio)	0	1	ω	(Goldman and Yang 1994; Yang and Nielsen 1998)
M1a (neutral)	1	2	p_0 ($p_1 = 1 - p_0$), $\omega_0 < 1, \omega_1 = 1$	(Nielsen and Yang 1998; Yang et al. 2005)
M2a (selection)	2	4	p_0, p_1 ($p_2 = 1 - p_0 - p_1$), $\omega_0 < 1, \omega_1 = 1, \omega_2 > 1$	(Nielsen and Yang 1998; Yang et al. 2005)
M2a_ref	22	4	p_0, p_1 ($p_2 = 1 - p_0 - p_1$), $\omega_0 < 1, \omega_1 = 1, \omega_2 > 0$	$\omega_2 > 0$, for use as null for testing the clade model (Weadick and Chang 2012)
M3 (discrete)	3	5	p_0, p_1 ($p_2 = 1 - p_0 - p_1$) $\omega_0, \omega_1, \omega_2$	(Yang et al. 2000b)
M7 (beta)	7	2	p, q	(Yang et al. 2000b)
M8 (beta& ω)	8	4	p_0 ($p_1 = 1 - p_0$), $p, q, \omega_s > 1$	(Yang et al. 2000b)

NOTE.— #p is the number of free parameters in the ω distribution. Parameters in parentheses are not free and should not be counted: for example, in M1a, p_1 is not a free parameter as $p_1 = 1 - p_0$. In both likelihood ratio tests comparing M1a against M2a and M7 against M8, $df = 2$. The site models are specified using NSsites.

A third test compares the null hypothesis M8a (beta& $\omega_s=1$) and M8 (Swanson et al. 2003; Wong et al. 2004). M8a is specified using NSsites=8, fix_omega=1, omega=1. The null distribution is the 50:50 mixture of point mass 0 and χ_1^2 (Self and Liang 1987). The critical values are 2.71 at 5% and 5.41 at 1% (as opposed to 3.84 for 5% and 6.63 for 1% for χ_1^2). Note that the p value for a 50:50 mixture of χ_j^2 and χ_k^2 is just the average of the two p values from the two distributions, in the case of M8a-M8 comparison, you get the p value from χ_1^2 and then half it to get the p value for the mixture distribution. You can also use χ_1^2 (Wong et al. 2004).

We suggest that The M0-M3 comparison should be used as a test of variable ω among sites rather than a test of positive selection. However, the model of a single ω for all sites is probably wrong in every functional protein, so there is little point of testing.

The naïve empirical Bayes (NEB) (Nielsen and Yang 1998; Yang et al. 2000b) and the Bayes empirical Bayes (BEB) (Yang et al. 2005) are available for calculating the posterior probabilities for site classes, and can be used to identify sites under positive selection if the likelihood ratio test is significant. NEB uses the MLEs of parameters (such as the proportions and ω ratios) but do not account for their sampling errors, while BEB deals with the sampling errors by applying a Bayesian prior. BEB is implemented under models M2a and M8 only. We suggest that you ignore the NEB output and use the BEB results only.

The BEB output has the following format:

Prob(w>1) mean w

135 K 0.983* 4.615 +- 1.329

Interpretation: 4.615 is the approximate mean of the posterior distribution for w , and 1.329 is the square root of the variance in the posterior distribution for w . The program prints out an * if the posterior probability is >95%, and ** if the probability is > 99%.

Suzuki and Gojobori's (1999) method for detecting sites under positive selection. In the terminology used here, The SG99 method tests whether the ω ratio for each site is >1 or <1. It uses parsimony to reconstruct ancestral sequences, and then for each site, counts the numbers of synonymous and nonsynonymous differences and the numbers of synonymous and nonsynonymous sites. It then tests whether the ω ratio at the site is significantly different from 1. Errors in the ancestral sequence reconstruction are ignored. Suzuki has a program called AdaptSite that implements the test. This is an intuitive test, and is known to lack power.

In codeml, a test of this kind is implemented as a by-product of ancestral sequence reconstruction in codeml and baseml, which use ML to reconstruct ancestral sequences. Use RateAncestor = 1. The choice of baseml versus codeml and also the choice of substitution model for each program affects ancestral sequence reconstruction only. The later steps are the same, and follow Suzuki & Gojobori (1999). For codeml, you can use M0 (NSSites = 0 and model = 0). If you want, you can try some other models, such as NSSites = 2 or 8. The models for ancestral reconstruction typically make little difference. For baseml, you should have "GC" on the first line of the sequence data file to indicate that the sequences are protein coding. Use icode (= 0 for the universal code and 1 for vertebrate mitochondrial code) in the control file to specify the genetic code, as in codeml. The following "multiple-gene" model is close to M0: model = 4 Mgene = 4 (see (Yang 1996a) and the section titled "Models for combined analysis of partitioned data").

NSSites = 22 now specifies the site model M2a_rel of Weadick & Chang (2012). This is the same as M2a except that $\omega_2 > 0$, while model M2a (NSSites = 2) has $\omega_2 > 1$. M2a_rel is the null model for the likelihood ratio test based on clade model C (Weadick and Chang 2012).

The *branch-site models* allow ω to vary both among sites in the protein and across branches on the tree and aim to detect positive selection affecting a few sites along particular lineages (called foreground branches). Initially Yang and Nielsen (2002) implemented model A (model = 2 NSSites = 2) and model B (model = 2 NSSites = 3). The tests did not work well in simulations (Zhang 2004), so a change was introduced to model A (table 3) (Yang et al. 2005; Zhang et al. 2005), with two tests constructed. Test 2, also known as the branch-site test of positive selection, is the recommended test. This compares the modified model A with the corresponding null model with $\omega_2 = 1$ fixed (fix_omega = 1 and omega = 1). The null distribution is the 50:50 mixture of point mass 0 and χ_1^2 , with critical values 2.71 at 5% and 5.41 at 1%. To calculate the p value based on this mixture distribution, you calculate the p value using χ_1^2 , and then divide it by 2. Suppose your $2\Delta\ell = 2.71$, you will get 0.10 from χ_1^2 , the p value for the mixture is $0.10/2 = 5\%$. We recommend that you use χ_1^2 (with critical values 3.84 and 5.99) instead of the mixture to guard against violations of model assumptions.

Similarly both the NEB and BEB methods for calculating posterior probabilities for site classes are implemented for the modified branch-site model A (not for model B). You should use model A in combination with the BEB procedure and ignore the NEB output.

Table 3. Parameters in branch-site model A (np = 4)

Site class	Proportion	Background	Foreground
0	p_0	$0 < \omega_0 < 1$	$0 < \omega_0 < 1$
1	p_1	$\omega_1 = 1$	$\omega_1 = 1$
2a	$(1 - p_0 - p_1) p_0 / (p_0 + p_1)$	$0 < \omega_0 < 1$	$\omega_2 \geq 1$
2b	$(1 - p_0 - p_1) p_1 / (p_0 + p_1)$	$\omega_1 = 1$	$\omega_2 \geq 1$

NOTE.— Branch-site model A is specified using model = 2 Nssites = 2. This is the alternative model in the branch-site test of positive selection. The null model fixes $\omega_2 = 1$. The likelihood ratio test has df = 1 (see text).

Clade model C is specified by model = 3 Nssites = 2 while *clade model D* is specified by model = 3 Nssites = 3 (Bielawski and Yang 2004; see also Forsberg and Christiansen 2003). In both models, the number of site classes (ncatG) is fixed at 3. Clade model C went through a modification, in a similar way to branch-site model A. The new model C replaces $\omega_0 = 0$ by $0 < \omega_0 < 1$ and has 5 parameters in the ω distribution (if there are two clades or branch types): $p_0, p_1, \omega_0, \omega_2$, and ω_3 . The new model C can be compared with the new M1a (NearlyNeutral), which has 2 parameters, with d.f. ≈ 3 . A more powerful test is to use the site model M2a_rel of Weadick & Chang (2012) as the null model, with df = 1.

Table 4. Parameters in clade models C or D, with more than two clades (branch types)

Site class	Proportion	Clade 1	Clade 2	Clade 3	Clade 4
0	p_0	ω_0	ω_0	ω_0	ω_0
1	p_1	ω_1	ω_1	ω_1	ω_1
2	$p_2 = 1 - p_0 - p_1$	ω_2	ω_3	ω_4	ω_5

In clade model C, $\omega_1 = 1$ is fixed, while in clade model D, ω_1 ($0 < \omega_1 < \infty$) is estimated as a free parameter. In both models, ω_0 is estimated under the constraint $0 < \omega_0 < 1$.

The BEB procedure is implemented for clade models C and D. Note that BEB is preferred over NEB.

An extension has been made to clade models C and D to allow for more than two clades or branch types. The branch types are specified using labels in the tree file. If you have four branch types (labelled using #0, #1, #2, #3), the clade model will look like the following. Here $\omega_2, \omega_3, \omega_4, \omega_5$ are independent parameters, optimized in the range $(0, \infty)$. The BEB calculation under clade model C is very expensive (with each additional branch type increasing the computation by 10 folds), so that the model should be used with just a few branch types. The maximum number of clades is set by the variable NBTYPe near the beginning of the source file codeml.c. I think this is right now set to 10. However, the BEB calculation may be too expensive if you have more than 5 or 5 clades.

The mutation-selection models of Yang and Nielsen (2008) are implemented using the control variables

```
CodonFreq = 7 * 0:1/61 each, 1:F1X4, 2:F3X4, 3:codon table
              * 4:F1x4MG, 5:F3x4MG, 6:FMutSel0, 7:FMutSel
estFreq = 0 * 0: use observed freqs; 1: estimate freqs by ML
```

where CodonFreq = 6 specifies FMutSel0 and 7 specifies FmutSel. If estFreq = 1, the frequency/fitness parameters are estimated by ML from the data, while if estFreq = 0, they are calculated using the observed frequencies in the data. See Yang and Nielsen (2008) for details of the model. Look at the README file in the examples/mtCDNAape/ folder, to see how to duplicate results of table 1 in that paper.

Amino acid substitution models

I made a distinction between empirical and mechanistic models of amino acid substitution (Yang et al. 1998; 2006: Chapter 2). Empirical models implemented in `codeml` include Dayhoff (Dayhoff et al. 1978), JTT (Jones et al. 1992), WAG (Whelan and Goldman 2001), mtMam (Yang et al. 1998), mtREV (Adachi and Hasegawa 1996a), etc. These are estimates of substitution rate parameters under the general time reversible model from real datasets.

Mechanistic models are formulated by considering the mutational distance between the amino acids as determined by the locations of their encoding codons in the genetic code, and the filtering of mutations by natural selection operating on the protein level (Yang et al. 1998). The program `aaml` implements a few such models, specified by the variable `aaDist`.

The control file

Since the codon based analysis and the amino acid based analysis use different models, and some of the control variables have different meanings, it may be a good idea to use different control files for codon and amino acid sequences. The default control file for `codeml` is `codeml.ctl`, as shown below.

```

seqfile = stewart.aa * sequence data file name
outfile = mlc * main result file name
treefile = stewart.trees * tree structure file name

noisy = 9 * 0,1,2,3,9: how much rubbish on the screen
verbose = 0 * 1: detailed output, 0: concise output
runmode = 0 * 0: user tree; 1: semi-automatic; 2: automatic
          * 3: StepwiseAddition; (4,5):PerturbationNNI; -2: pairwise

seqtype = 2 * 1:codons; 2:AAs; 3:codons-->AAs
CodonFreq = 2 * 0:1/61 each, 1:F1X4, 2:F3X4, 3:codon table
*
ndata = 10
clock = 0 * 0:no clock, 1:clock; 2:local clock

aaDist = 0 * 0:equal, +:geometric; -:linear, 1-6:G1974,Miyata,c,p,v,a
          * 7:AAClasses
aaRatefile = wag.dat * only used for aa seqs with model=empirical(_F)
            * dayhoff.dat, jones.dat, wag.dat, mtmam.dat, or your own

model = 2
          * models for codons:
            * 0:one, 1:b, 2:2 or more dN/dS ratios for branches
          * models for AAs or codon-translated AAs:
            * 0:poisson, 1:proportional,2:Empirical,3:Empirical+F
            * 6:FromCodon, 8:REVaa_0, 9:REVaa(nr=189)

NSsites = 0 * 0:one w;1:neutral;2:selection; 3:discrete;4:freqs;
            * 5:gamma;6:2gamma;7:beta;8:beta&w;9:beta&gamma;
            * 10:beta&gamma+1; 11:beta&normal>1; 12:0&2normal>1;
            * 13:3normal>0

icode = 0 * 0:universal code; 1:mammalian mt; 2-11:see below
Mgene = 0 * 0:rates, 1:separate;

fix_kappa = 0 * 1: kappa fixed, 0: kappa to be estimated
kappa = 2 * initial or fixed kappa
fix_omega = 0 * 1: omega or omega_1 fixed, 0: estimate
omega = .4 * initial or fixed omega, for codons or codon-based AAs

fix_alpha = 1 * 0: estimate gamma shape parameter; 1: fix it at alpha
alpha = 0. * initial or fixed alpha, 0:infinity (constant rate)
Malpha = 0 * different alphas for genes
ncatG = 3 * # of categories in dG of NSsites models

fix_rho = 1 * 0: estimate rho; 1: fix it at rho
rho = 0. * initial or fixed rho, 0:no correlation

getSE = 0 * 0: don't want them, 1: want S.E.s of estimates
RateAncestor = 0 * (0,1,2): rates (alpha>0) or ancestral states (1 or 2)

Small_Diff = .5e-6
* cleandata = 0 * remove sites with ambiguity data (1:yes, 0:no)?
* fix_blength = 0 * 0: ignore, -1: random, 1: initial, 2: fixed
method = 0 * 0: simultaneous; 1: one branch at a time

```

The variables `seqfile`, `outfile`, `treefile`, `noisy`, `Mgene`, `fix_alpha`, `alpha`, `Malpha`, `fix_rho`, `rho`, `clock`, `getSE`, `RateAncestor`, `Small_Diff`, `cleandata`, `ndata`, `fix_blength`, and `method` are used in the same way as in `baseml.ctl` and are described in the previous section. The variable `seqtype` specifies the type of sequences in the data; `seqtype = 1` means codon sequences (the program is then `codonml`); `2` means amino acid sequences (the program is then `aaml`); and `3` means codon sequences which are to be translated into proteins for analysis.

Codon sequences (`seqtype = 1`)

CodonFreq specifies the equilibrium codon frequencies in codon substitution model. These frequencies can be assumed to be equal (1/61 each for the standard genetic code, `CodonFreq = 0`), calculated from the average nucleotide frequencies (`CodonFreq = 1`), from the average nucleotide frequencies at the three codon positions (`CodonFreq = 2`), or used as free parameters (`CodonFreq = 3`). The number of parameters involved in those models of codon frequencies is 0, 3, 9, and 60 (for the universal code), for `CodonFreq = 0, 1, 2, and 3` respectively.

clock See the notes for the `baseml` control file.

aaDist specifies whether equal amino acid distances are assumed (`= 0`) or Grantham's matrix is used (`= 1`) (Yang et al. 1998). The example mitochondrial data set analyzed in that paper is included in the `example/mtdna` folder in the package. `aaDist = 7` (AAClasses), which is implemented for both codon and amino acid sequences, allow you to have several types of amino acid substitutions and let the program estimate their different rates. The model was implemented in Yang *et al.* (1998). The number of substitution types and which pair of amino acid changes belong which type is specified in a file called `OmegaAA.dat`. You can use the model to fit different ω ratios for “conserved” and “charged” amino acid substitutions. The folder `examples/mtCDNA` contain example files for this model; check the `readme` file in that folder.

runmode = -2 performs ML estimation of d_S and d_N in pairwise comparisons of protein-coding sequences (`seqtype = 1`). The program will collect estimates of d_S and d_N into the files `2ML.dS` and `2ML.dN`. Since many users seem interested in looking at d_N/d_S ratios among lineages, examination of the tree shapes indicated by branch lengths calculated from the two rates may be interesting although the analysis is *ad hoc*. If your species names have no more than 10 characters, you can use the output distance matrices as input to Phylip programs such as `neighbor` without any change. Otherwise you need to edit the files to cut the names short. For amino acid sequences (`seqtype = 2`), option `runmode = -2` lets the program calculate ML distances under the substitution model by numerical iteration, either under the model of one rate for all sites (`alpha = 0`) or under the gamma model of rates for sites (`alpha ≠ 0`). In the latter case, the continuous gamma is used and the variable `ncatG` is ignored. (With `runmode = 0`, the discrete gamma is used.)

`runmode = -3` implements a Bayesian method for estimating distance t and dN/dS ratio ω in pairwise comparisons (Angelis et al. 2014). The default gamma priors are $t \sim G(1.1, 1.1)$ and $\omega \sim G(1.1, 2.2)$. To change the gamma parameters use

```
runmode = -3 1.1 1.1 1.1 2.2 * -3: pairwise Bayesian
```

The four numbers are $\alpha_t, \beta_t, \alpha_\omega, \beta_\omega$

model specifies the *branch* models (Yang 1998; Yang and Nielsen 1998). `model = 0` means one ω ratio for all branches; `1` means one ratio for each branch (the free-ratio model); and `2` means an arbitrary number of ratios (such as the 2-ratios or 3-ratios models). When `model = 2`,

you have to group branches on the tree into branch groups using the symbols # or \$ in the tree. See the section above about specifying branch/node labels.

With `model = 2`, the variable `fix_omega` fixes the last ω ratio (ω_{k-1} if you have k ratios in total) at the value of `omega` specified in the file. This option is used to test whether the ratio for the foreground branch is significantly greater than one. See the `examples/lysozyme/` folder to duplicate the results of Yang (1998).

NSsites specifies the site models, with `NSsites = m` corresponds to model M_m in Yang *et al.* (2000b). The variable `ncatG` is used to specify the number of categories in the ω distribution under some models. In Yang *et al.* (2000b), this is 3 for M3 (discrete), 5 for M4 (freq), 10 for the continuous distributions (M5: gamma, M6: 2gamma, M7: beta, M8:beta&w, M9:beta&gamma, M10: beta&gamma+1, M11:beta&normal>1, and M12:0&2normal>1, M13:3normal>0). For example, M8 has 11 site classes (10 from the beta distribution plus 1 additional class for positive selection with $\omega \geq 1$). See the section Codon substitution models above about the changes to M1 and M2 introduced in PAML version 3.14.

You can run several `NSsites` models in one batch, as follows, in which case the default values of `ncatG`, as in Yang *et al.* (2000b), are used.

```
NSsites = 0 1 2 3 7 8
```

The posterior probabilities for site classes as well as the expected ω values for sites are listed in the file `rst`, which may be useful to identify sites under positive selection.

Look at the `examples/hivNSsites/` and `examples/lysine/` folders for example of analysis under the site models.

The *branch-site* model A (see the section Codon substitution models above) is specified by using both variables `model` and `NSsites`.

```
Model A: model = 2, NSsites = 2, fix_omega = 0
```

This is the alternative model for the branch-site test of positive selection. The null model is also the branch-site model A but with $\omega_2 = 1$ fixed, specified by

```
Model A1: model = 2, NSsites = 2, fix_omega = 1, omega = 1
```

Here are some notes about two old tests that we do not recommend. The old branch-site model B (Yang and Nielsen 2002) is specified by

```
Model B: model = 2, NSsites = 3
```

The null model for the old test B is the `NSsites` model 3 (discrete) with 2 site classes:

```
Site model 3: model = 0, NSsites = 3, ncatG = 2
```

Use `d.f. = 2`. The large lysozyme data set analyzed by Yang and Nieleasn (2002) is in the `examples/lysozyme` folder.

Also branch-site test 1 described by Yang *et al.* (2005) and Zhang *et al.* (2005) uses the modified branch-site model A as the alternative hypothesis, while the null hypothesis is the new site model M1a (NearlyNeutral), with `d.f. = 2`. This test can be significant when the foreground branches are either under relaxed selective constraint or under positive selection.

The advice is that you use test 2 instead, which is also known as the branch-site test of positive selection.

The *clade* models C and D of Bielawski and Yang (2004) are specified by

```
Model C: model = 3, NSSites = 2
Model D: model = 3, NSSites = 3 ncatG = 2
```

See that paper for details. Similarly model C is modified and the BEB procedure is implemented for model C only; see above.

icode specifies the genetic code. Eleven genetic code tables are implemented using `icode = 0` to 10 corresponding to `transl_table 1` to 11 in GenBank. These are 0 for the universal code; 1 for the mammalian mitochondrial code; 3 for mold mt., 4 for invertebrate mt.; 5 for ciliate nuclear code; 6 for echinoderm mt.; 7 for euplotid mt.; 8 for alternative yeast nuclear; 9 for ascidian mt.; and 10 for blepharisma nuclear. There is also an additional code, called Yang's *regularized code*, specified by `icode = 11`. In this code, there are 16 amino acids, all differences at the first and second codon positions are nonsynonymous and all differences at the third codon positions are synonymous; that is, all codons are 4-fold degenerate. There is yet no report of any organisms using this code.

Mgene, in combination with option G in the sequence data file, specifies partition models (Yang and Swanson 2002), as summarized in table 6. The lysin data set used in that paper is included in the examples/ folder of the package. The analysis separates the buried and exposed amino acids in the lysin into two partitions ("genes"), and heterogeneity between the partitions are accounted for in the analysis. You can read the readme file and try to duplicate the results in table 6 of Yang & Swanson (2002).

Table 5. Setups of partition models of codon substitution

Sequence file	Control file	Parameters across genes
No G	Mgene = 0	everything equal
Option G	Mgene = 0	the same (κ , ω) and π , but different <i>cs</i> (proportional branch lengths)
Option G	Mgene = 2	the same (κ , ω), but different π s and <i>cs</i>
Option G	Mgene = 3	the same π , but different (κ , ω) and <i>cs</i>
Option G	Mgene = 4	different (κ , ω), π s, and <i>cs</i>
Option G	Mgene = 1	separate analysis

fix_alpha, alpha: For codon models, the pair `fix_alpha` and `alpha` specify the model of gamma rates for sites, in which the relative rate for a site varies among codons according to the gamma distribution, but the ω ratio stays the same over all sites. This is a lazy extension of the gamma model of rates for nucleotides and amino acids. I don't like this model and suggest that you use the NSSites models instead (which is specified using the NSSites variable, with `fix_alpha = 1`, `alpha = 0`). The program should abort if you specify both NSSites and alpha.

RateAncestor: See descriptions for the baseml control file.

Output for codon sequences (`seqtype = 1`): The codon frequencies in each sequence are counted and listed in a genetic code table, together with their sums across species. Each table contains six or fewer species. For data of multiple genes (option G in the sequence file), codon frequencies in each gene (summed over species) are also listed. The nucleotide distributions at the three codon positions are also listed. The method of Nei and Gojobori (1986) is used to calculate the number of synonymous substitutions per synonymous site (d_S) and the number of nonsynonymous substitutions per nonsynonymous site (d_N) and their ratio (d_N/d_S). These are used to construct initial estimates of branch lengths for the likelihood analysis but are not MLEs themselves.

Results of ancestral reconstructions (`RateAncestor = 1`) are collected in the file `rst`. Under models of variable d_N/d_S ratios among sites (`NSsites` models), the posterior probabilities for site classes as well as positively selected sites are listed in `rst`.

Amino acid sequences (`seqtype = 2`)

model specifies the model of amino acid substitution: 0 for the Poisson model assuming equal rates for any amino acid substitutions (Bishop and Friday 1987); 1 for the proportional model in which the rate of change to an amino acid is proportional to the frequency of that amino acid. Model = 2 specifies a class of empirical models, and the empirical amino acid substitution rate matrix is given in the file specified by `aaRatefile`. Files included in the package are for the empirical models of Dayhoff (`dayhoff.dat`), JTT, WAG (`wag.dat`), mtMAM (`mtmam.dat`), mtREV24 (`mtREV24.dat`), etc.

If you want to specify your own substitution rate matrix, have a look at one of those files, which has notes about the file structure. Other options for amino acid substitution models should be ignored. To summarize, the variables `model`, `aaDist`, `CodonFreq`, `NSsites`, and `icode` are used for codon sequences (`seqtype = 1`), while `model`, `alpha`, and `aaRatefile` are used for amino acid sequences.

Mgene, in combination with option G in the sequence data file, specifies partition models (Yang and Swanson 2002), as summarized in table 6. The lysin data set used in that paper is included in the `examples/` folder of the package. The analysis separates the buried and exposed amino acids in the lysin into two partitions (“genes”), and heterogeneity between the partitions are accounted for in the analysis. You can read the `readme` file and try to duplicate the results in table 6 of Yang & Swanson (2002).

Table 6. Setups of partition models of amino acid substitution

Sequence file	Control file	Parameters across genes
No G	<code>Mgene = 0</code>	everything equal
Option G	<code>Mgene = 0</code>	the same π , but different cs (proportional branch lengths)
Option G	<code>Mgene = 2</code>	different π s and cs
Option G	<code>Mgene = 1</code>	separate analysis

runmode also works in the same way as in `baseml.ctl`. Specifying `runmode = -2` will force the program to calculate the ML distances in pairwise comparisons. You can change the following variables in the control file `codeml.ctl`: `aaRatefile`, `model`, and `alpha`.

If you do pairwise ML comparison (`runmode = -2`) and the data contain ambiguity characters or alignment gaps, the program will remove all sites which have such characters from all sequences before the pairwise comparison if `cleandata = 1`. This is known as “complete deletion”. It will remove alignment gaps and ambiguity characters in each pairwise comparison (“pairwise” deletion) if `cleandata = 0`. [[This does not seem to be true. The program currently removes all sites with any ambiguities if `runmode = -2`. Need checking. Note by Ziheng 31/08/04.]] Note that in a likelihood analysis of multiple sequences on a phylogeny, alignment gaps are treated as ambiguity characters if `cleandata = 0`, and both alignment gaps and ambiguity characters are deleted if `cleandata = 1`. Note that removing alignment gaps and treating them as ambiguity characters both underestimate sequence divergences. Ambiguity characters in the data (`cleandata = 0`) make the likelihood calculation slower.

Output for amino acid sequences (`seqtype = 2`): The output file is self-explanatory and very similar to the result files for the nucleotide- and codon-based analyses. The empirical models of amino acid substitution (specified by `dayhoff.dat`, `jones.dat`, `wag.dat`, `mtmam.dat`, or `mtREV24.dat`) do not involve any parameters in the substitution rate matrix. When `RateAncestor = 1`, results for ancestral reconstruction are in the file `rst`. Calculated substitution rates for sites under models of variable rates for sites are in `rates`.

7 evolver

This program generates a naïve menu, like the following.

- (1) Get random UNROOTED trees?
- (2) Get random ROOTED trees?
- (3) List all UNROOTED trees into file trees?
- (4) List all ROOTED trees into file trees?
- (5) Simulate nucleotide data sets (use MCbase.dat)?
- (6) Simulate codon data sets (use MCcodon.dat)?
- (7) Simulate amino acid data sets (use MCaa.dat)?
- (8) Calculate identical bi-partitions between trees?
- (9) Calculate clade support values (read 2 treefiles)?
- (0) Quit?

Options 1, 2, 3, 4. The program can be used to generate a random tree, either unrooted or rooted, either with or without branch lengths. It can also list all the trees for a fixed number of species. Of course, you should do this for a small number of species only as otherwise your hard drive will be filled by useless trees. Option 8 is for reading many trees from a tree file and then calculating bi-partition distances either between the first and all the remaining trees or between every pair.

Option 9 (Clade support values) can be used to summarize bootstrap or Bayesian analyses. This reads two tree files. The first file should include one tree, say, the maximum likelihood tree. You should have the number of species and the number of tree (should be 1) at the beginning of this file. The second tree file should include a collection of trees, such as 1000 maximum likelihood trees estimated from 1000 bootstrap pseudo-samples. This option will then calculate the bootstrap support value for each clade on the ML tree in the first tree file, that is, the proportion of trees in the second file that contain the node or clade in the tree in the first file. The second tree file does not have to have the numbers of species and trees on the first line. If you run MrBayes, you can move the maximum likelihood tree or maximum *a posteriori* tree into the first file, and the second tree file can be the .t file generated by MrBayes, with no change necessary. Right now species are represented by numbers only in the tree files, I think. You can choose this option by running evolver, then option 9. The program will then ask you to input two file names. An alternative way, which bypasses the naïve menu, is to put the option and two file names at the command line:

```
evolver 9 <MasterTreeFile> <TreesFile>
```

Options 5, 6, 7 (Simulations). The program `evolver` simulates nucleotide, codon, and amino acid sequences with user-specified tree topology and branch lengths. The user specifies the substitution model and parameters in a control file; see below. The program generates multiple data sets in one file in either PAML (output `mc.paml`) or PAUP* (output `mc.paup`) format. If you choose the PAUP* format, the program will look for files with the following names: `paupstart` (which the program copies to the start of the data file), `paupblock` (which the program copies to the end of each simulated data set), and `paupend` (which the program incorporates at the end of the file). This makes it possible to use PAUP* to analyze all data sets in one run. Parameters for simulation are specified in three files: `MCbase.dat`, `MCcodon.dat`, and `MCaa.dat` for simulating nucleotide, codon, and amino acid sequences, respectively. Run the default options while watching out for screen output. Then have a look at the appropriate .dat files. As an example, the `MCbase.dat` file is reproduced below. Note that the first block of the file has the inputs for evolver, while the rest are notes. The tree length is the expected number of substitutions per site along all branches in the phylogeny, calculated as the sum of the branch lengths. This variable was introduced when I was doing simulations to evaluate the effect of sequence divergence while keeping the shape of the tree fixed. evolver will scale the tree so that the branch lengths sum up to the specified tree length. If you use `-1` for the tree length, the program will use the branch lengths given in the tree without the re-scaling. Also note that the base frequencies have to be in a fixed order; this is the same for the amino acid and codon frequencies in `MCaa.dat` and `MCcodon.dat`.

```

0      * 0: paml format (mc.paml); 1:paup format (mc.nex)
367891 * random number seed (odd number)
5 1000000 1 * <# seqs> <# nucleotide sites> <# replicates>
-1      * <tree length, use -1 if tree has absolute branch lengths>
((A :0.1, B :0.2) :0.12, C :0.3) :0.123, D :0.4, E :0.5) ;

3      * model: 0:JC69, 1:K80, 2:F81, 3:F84, 4:HKY85, 5:T92, 6:TN93, 7:REV
5      * kappa or rate parameters in model
0 0    * <alpha> <#categories for discrete gamma>

0.1 0.2 0.3 0.4 * base frequencies
  T  C  A  G

```

The simulation options (5, 6, 7) of *evolver* can be run using a command line format, bypassing the naïve menu. So here are all the possible ways of running *evolver*:

```

evolver
evolver 5 MyMCbaseFile
evolver 6 MyMCcodonFile
evolver 7 MyMCaaFile

```

Simulation under codon models (option 6). You specify the frequencies for all 64 codons. Unlike *codeml*, there is no variable for genetic code here: you simply specify 0 for the stop codons. Also unlike *codeml*, there is no *CodonFreq* variable. You can specify the same frequency for all (sense) codons to specify the *Fequal* model. For models such as *F1x4* and *F3x4*, you can calculate the resulting frequencies for the sense codons and specify them in *MCcodon.dat*. If you choose *verbose* = 1 when you run *codeml* under *F1x4* or *F3x4* models, the program will print out the codon frequencies expected under those models, calculated using the observed nucleotide frequencies in the dataset. Look in the result file for “Codon frequencies under model, for use in *evolver*”.

Also the model of codon substitution used here assumes the same ω ratio for all branches in the phylogeny and for all sites in the gene. This is known as model *M0* (one-ratio). To simulate under the site models with variable ω 's among sites, or the branch models with different ω s among branches, or the branch-site models with ω varying both among sites and among branches, please read the file *CodonSimulation.txt* in the *paml/Technical/Simulation/Codon/* folder.

The first variable controls the sequence data format to be used: with 0 meaning the *paml/phylip* format, 1 site pattern counts and 2 the *nexus* format. The site pattern counts may be read by *baseml* or *codeml* later, and is useful if you have large data sets with many ($>10^6$) sites. (See the section on sequence data file format above.)

evolver also can simulate data using a random tree with random branch lengths for each simulated data set. You will have to change the source code and recompile. Open *evolver.c* and find *fixtree=1* in the routine *Simulate()* and change the value 1 into 0. Then recompile and name the program as *evolverRandomTree*, say.

```

cc -o evolverRandomTree -O2 evolver.c tools.c -lm
evolver 5 MCbaseRandomTree.dat

```

The control data file such as *MCbase.dat* has to be changed as well. An example file named *MCbaseRandomTree.dat* is included in the package. This has the lines for “tree length” and tree topology replaced by a line for the birth rate λ , death rate μ , sampling fraction ρ , and the tree height (the expected number of substitutions per site from the root to the tips). The trees are generated using the birth-death process with species sampling (Yang and Rannala 1997). The clock is assumed. You will have to change the source code to relax the clock. If you choose 0 (*paml*) for the file format, the random trees are printed out in the file *ancestral.txt* (?); this you can read from within Rod Page’s *TreeView*. If you choose 2 (*nexus*) for file format, the program prints out the tree in a tree block in the sequence data file.

The *evolver* program also has a few options for listing all trees for a specified small number of species, and for generating random trees from a model of cladogenesis, the birth-death process with

species sampling (Yang and Rannala 1997). It also has an option for calculating the partition distance between tree topologies.

Monte Carlo simulation algorithm used in *evolver*. You can read about more details in the section “Models and Analyses”. See also Chapter 9 in Yang (2006). Here are some brief notes. *Evolver* simulates data sets by “evolving” sequences along the tree. First, a sequence is generated for the root using the equilibrium nucleotide, amino acid, or codon frequencies specified by the model and/or the data file (`Mbase.dat`, `Mccodon.dat`, and `Mcaa.dat`, respectively). Then each site evolves along the branches of the tree according to the branch lengths, parameters in the substitution model etc. When the sites in the sequence evolve according to the same process, the transition probability matrix is calculated only once for all sites for each branch. For so called site-class models (such as the gamma, and the NSsites codon models), different sites might have different transition probability matrices. Given the character at the start of the branch, the character at the end of the branch is sampled from a multinomial distribution specified by the transition probabilities from the source character. Sequences at the ancestral nodes are generated during the simulation and printed out in the file `ancestral.txt`.

Some people wanted to specify the sequence at the root rather than letting the program generate a random sequence. This can be achieved by putting a sequence in the file `RootSeq.txt`. The sequence cannot have ambiguities or gaps or stop codons. In almost all simulations, it is simply wrong to fix the root sequence, so you should resist the temptation of making the mistake. If you want the simulation to reflect your particular gene, you may estimate parameters under a model from that gene and then simulate data sets using the parameter estimates.

8 yn00

The program `yn00` implements the method of Yang and Nielsen (2000) for estimating synonymous and nonsynonymous substitution rates between two sequences (d_S and d_N). The method of Nei and Gojobori (1986) is also included. The ad hoc method implemented in the program accounts for the transition/transversion rate bias and codon usage bias, and is an approximation to the ML method accounting for the transition/transversion rate ratio and assuming the F3x4 codon frequency model. We recommend that you use the ML method (`runmode=-2`, `CodonFreq=2` in `codeml.ctl`) as much as possible even for pairwise sequence comparison.

```

seqfile = abglobin.nuc * sequence data file name
outfile = yn          * main result file
verbose = 0          * 1: detailed output (list sequences), 0: concise output

icode = 0 * 0:universal code; 1:mammalian mt; 2-10:see below
weighting = 0 * weighting pathways between codons (0/1)?
commonf3x4 = 0 * use one set of codon freqs for all pairs (0/1)?

```

The control file `yn00.ctl`, an example of which is shown above, specifies the sequence data file name (`seqfile`), output file name (`outfile`), and the genetic code (`icode`). Sites (codons) involving alignment gaps or ambiguity nucleotides in any sequence are removed from all sequences. The variable `weighting` decides whether equal weighting or unequal weighting will be used when counting differences between codons. The two approaches will be different for divergent sequences, and unequal weighting is much slower computationally. The transition/transversion rate ratio κ is estimated for all sequences in the data file and used in subsequent pairwise comparisons. `commonf3x4` specifies whether codon frequencies (based on the F3x4 model of `codonml`) should be estimated for each pair or for all sequences in the data. Besides the main result file, the program also generates three distance matrices: `2YN.dS` for synonymous rates, `2YN.dN` for nonsynonymous rates, `2YN.t` for the combined codon rate (t is measured as the number of nucleotide substitutions per codon). Those are lower-diagonal distance matrices and are directly readable by some distance programs such as NEIGHBOR in Felesenstein's PHYLIP package.

9 mcmctree

Overview

The program `mcmctree` may be the first Bayesian phylogenetic program (Yang and Rannala 1997; Rannala and Yang 1996), but was very slow and decommissioned since the release of MrBayes (Huelsenbeck and Ronquist 2001).

Since PAML version 3.15 (2005), `mcmctree` implements the MCMC algorithms of Yang and Rannala (2006) and then of Rannala and Yang (2007) for estimating species divergence times on a given rooted tree using multiple fossil calibrations. This is similar to the `multidivtime` program of Jeff Thorne and Hiro Kishino. The differences between the two programs are discussed by Yang and Rannala (2006) and Yang (2006, Section 7.4); see also below.

Please refer to any book on Bayesian computation, for example, Chapter 5 in Yang (2006) for the basics of MCMC algorithms.

Here are some notes about the program.

- Before starting the program, resize the window to have 100 columns instead of 80. (On Windows XP/Vista, right-click the command prompt window title bar and change Properties - Layout - Window Size - Width.)
- The tree, supplied in the tree file, must be a rooted binary tree: every internal node should have exactly two daughter nodes. You should not use a consensus tree with polytomies for divergence time estimation using MCMCTREE. Instead you should use a bifurcating ML tree or NJ tree or traditional morphology tree. Note that a binary tree has a chance of being correct, while a polytomy tree has none.
- The tree must not have branch lengths. For example, `((a:0.1, b:0.2):0.12, c:0.3) >0.8<1.0'`; does not work, while `((a, b), c) >0.8<1.0'`; is fine.
- Under the relaxed-clock models (`clock = 2` or `3`) and if there is no calibration on the root, a loose upper bound (maximal age constraint) must be specified in the control file (`RootAge`). (There should be no need to use `RootAge` if `clock = 1`, but the program insists that you have it. I will try to fix this.)
- *Choice of time unit.* The time unit should be chosen such that the node ages are roughly in the range 0.01-10. If the divergence times are around 100-1000MY, then 100MY may be one time unit. The priors on times and on rates and the fossil calibrations should all be specified based on your choice of the time scale. For example, if one time unit is 100MY, the following

```
rgene_gamma = 100 1000 2 0 * conditional iid prior for locus rates
sigma2_gamma = 10 100 2 * conditional iid prior for sigma^2 (for clock=2 or 3)
```

means an overall average rate of $100/1000 = 0.1$ substitutions per site per 100MY or 10^{-9} substitutions per site per year. If you change the time unit, you should keep the shape parameter fixed and change the scale parameter β_{μ} to have the correct mean. In other words, to use one time unit to represent 10MY, the prior should become

```
rgene_gamma = 100 100 2 0 * conditional iid prior for locus rates
sigma2_gamma = 10 100 2 * conditional iid prior for sigma^2 (for clock=2 or 3)
```

Note that under the independent-rates model (`clock=2`), the change of the time unit should not lead to a change to the prior for σ^2 , because σ^2 is the variance of the log rate: the variance of the

logarithm of the rate does not change when you rescale the rate by a constant. However, for the correlated-rates model (clock=3), the change of the time unit should also lead to a change to σ^2 : under that model, the variance of the log-normal distribution is $t\sigma^2$, where t is the time gap separating the midpoints of the branches.

When you change the time unit, the fossil calibrations in the tree file should be changed accordingly. While ideally one would want the biological results to be unchanged when one changes the time unit, we know that two components of the model are not invariant to the time scale: the log normal distribution for rates and the birth-death model for times. Nevertheless, Groussin et al. {, 2011 #3839} suggested that the choice of time scale had minimal effects on the posterior time and rate estimates.

- *Specifying the prior on rates.* Choose α_μ for `rgene_gamma` (μ) based on how confident you are about the overall rate. For example, $\alpha_\mu = 1, 1.5,$ or 2 mean quite diffuse (uninformative) priors. Then adjust β_μ so that the mean α_μ/β_μ is reasonable. To get a rough mean for the overall rate, you can use a few point calibrations to run the ML program `baseml` or `codeml` under a strict clock (clock = 1). For example, if a node has the calibration B(0.06, 0.08), you can fix the node age at 0.07 when you run `baseml/codeml`. If you are analyzing multiple loci/partitions, which have quite different rates, you can use an intermediate value, or the mean or median among the locus rates. The program uses the same prior for μ for all loci.
- It is important that you run the same analysis at least twice to confirm that the different runs produced very similar (although not identical) results. It is critical that you ensure that the acceptance proportions are neither too high nor too low. See below about the variable `finetune`.
- It is important that you run the program without sequence data (`usedata = 0`) first to examine the means and CIs of divergence times specified in the prior. In theory, the joint prior distribution of all times should be specified by the user. Nevertheless it is nearly impossible to specify such a complex high-dimensional distribution. Instead the program generates the joint prior by using the calibration distributions and the constant on the root as well as the birth-death process model to generate the joint prior. This the prior used by the program in the dating analysis. You have to examine it to make sure it is sensible, judged by your knowledge of the species and the relevant fossil record. If necessary, you may have to change the fossil calibrations so that the prior look reasonable.
- The program right now does a simple summary of the MCMC samples, calculating the mean, median and the 95% CIs for the parameters. If you want more sophisticated summaries such as 1-D and 2-D density estimates, you can run a small program `ds` at the end of the `mcmctree` run, by typing `ds mcmc.out`.
- To use hard bounds, you can specify the tail probabilities as 10^{-300} instead of the default 0.025. See table 8 below.

The control file

You can use the files in the folder `examples/SoftBound/` to duplicate the results of Yang and Rannala (2006: table 3) and Rannala and Yang (2007: table 2). Below is a copy of the control file `mcmctree.ctl`.

```
seed = -1234567
seqfile = mtCDNApri123.txt
treefile = mtCDNApri.trees
mcmcfile = mcmc.txt
```

```

outfile = out

ndata = 3
usedata = 1 * 0: no data; 1:seq like; 2:use in.BV; 3: out.BV
clock = 1 * 1: global clock; 2: independent rates; 3: correlated rates
* TipDate = 1 100 * TipDate (1) & time unit

RootAge = '>0.8<1.2'

model = 0 * 0:JC69, 1:K80, 2:F81, 3:F84, 4:HKY85
alpha = 0 * alpha for gamma rates at sites
ncatG = 5 * No. categories in discrete gamma

cleandata = 0 * remove sites with ambiguity data (1:yes, 0:no)?
BlengthMethod = 0 * 0: arithmetic; 1: geometric; 2: Brownian

BDparas = 1 1 0 * birth, death, sampling
kappa_gamma = 6 2 * gamma prior for kappa
alpha_gamma = 1 1 * gamma prior for alpha

rgene_gamma = 2 2 1 0 * prior for locus rates (rates for genes)
sigma2_gamma = 1 1 1 * prior for sigma^2 (for clock=2 or 3)

finetune = 1: .01 .2 .1 .1 .2 .1 * auto (0 or 1): times, musigma2, rates, mixing, paras, FossilErr

print = 1 (print = 2 to print rates for branches with clock=2 or 3)
burnin = 4000
sampfreq = 2
nsample = 10000

```

seed should be assigned a negative or positive integer. A negative integer (such as -1) means that the random number seed is determined from the current clock time. Different runs will start from different places and generate different results due to the stochastic nature of the MCMC algorithm. You should use this option and run the program at least twice, to confirm that the results are very similar between runs (identical to 1MY or 0.1MY, depending on the desired precision). If you obtain intolerably different results from different runs, you obviously won't have any confidence in the results. This lack of consistency between runs can be due to many reasons: including slow convergence, poor mixing, insufficient samples taken, or errors in the program. Thus you can check to make sure (i) that the chain is at reasonably good place when it reached 0% (the end of burn-in), indicating that the chain may have converged; (ii) that the acceptance proportion of all proposals used by the algorithm are neither too high nor too low (see below about **finetune**) indicating that the chain is mixing well; (iii) that you have taken enough samples (see **nsample** and **burnin** below). If you give **seed** a positive number, that number will be used as the real seed. Then running the program multiple times will produce exactly the same results. This is useful for debugging the program and should not be the default option for real data analysis.

ndata is the number of loci (or site partitions) in a combined analysis. The program allows some species to be missing at some loci. The mt primate data included protein-coding genes, and the three codon positions are treated as three different partitions. In the combined analysis of multiple gene loci, the same substitution model is used, but different parameters are assigned and estimated for each partition.

usedata = 0

usedata = 1

usedata = 2 inBVfilename

usedata. 0 means that the sequence data will not be used in the MCMC, with the likelihood set to 1, so that the MCMC approximates the prior distribution. This option is useful for testing and debugging the program, and is also useful for generating the prior distribution of the divergence times. The fossil calibrations and the constraints on the root you specify are not the real prior that is implemented in the program; for example, they may not even satisfy the requirement that ancestors should be older than descendents. The prior that is used by the program can be generated by running the chain without data. **usedata = 1** means that the sequence data will be used in the MCMC, with the likelihood calculated using the pruning algorithm of Felsenstein (1981), which is exact but very slow except for very small species trees. This option is available for nucleotide

sequences only, and the most complex model available is HKY85+ Γ . `usedata = 2` and `3` implement a method of approximate likelihood calculation (dos Reis and Yang 2011). They can be used to analyze nucleotide, amino acid, and codon sequences, using nucleotide, amino acid, and codon substitution models, respectively. `approx` specifies the approximate likelihood calculation, with the input (gradient & Hessian matrix etc.) in the file.

clock. The clock variable is used to implement three models concerning the molecular clock: `1` means global molecular clock, so that the rate is constant across all lineages on the tree (even though the rate may vary among multiple genes); `2` means the independent-rates model, and `3` the auto-correlated rates model. See Rannala and Yang (2007) and Section §7.4 in Yang (2006) for details.

TipDate. This option is used to estimate ages of internal nodes on the given rooted tree when the sequences at the tips having sampling dates, as in the case of sequentially sampled viral sequences. The sample dates are the last field in the sequence name. The time unit is specified by the user on this line. Look at the section Dating viral divergences and README.txt in examples/TipDate/.

RootAge. The RootAge variable is used to specify a loose constraint on the age of the root, to constrain the root age from above. It is used if no such constraint is available through a fossil calibration on the root. Note that fossil calibrations are specified in the tree file. Two formats are accepted, specifying either a maximum bound (e.g., `RootAge = '<1.2'`) or a pair of minimum and maximum bounds (e.g., `RootAge = '>0.8<1.2'`). The RootAge variable is ignored if a fossil calibration on the root is specified in the tree file in the form of a maximum bound, a pair of minimum and maximum bounds, or a gamma distribution. If the fossil calibration in the tree file is a minimum bound on the root (e.g. `>0.9'`), and you specify `RootAge = '<1.2'`, then the program implements the pair of bounds, equivalent to specifying the calibration `>0.9<1.2'` on the root.

model, alpha, ncatG are used to specify the nucleotide substitution model. These are the same variables as used in `baseml.ctl`. If $\alpha \neq 0$, the program will assume a gamma-rates model, while $\alpha = 0$ means that the model of one rate for all sites will be used. Those variables have no effect when `usedata = 2`.

cleandata = `0` means that alignment gaps and ambiguity characters will be treated as missing data in the likelihood calculation (see pages 107-108 in Yang 2006). = `1` means that any sites at which at least one sequence has an alignment gap or ambiguity character will be deleted before analysis. This variable is used for `usedata = 1` and `3` and has no effect if `usedata = 2`.

BDparas = 2 2 .1 specifies the three parameters (birth rate λ , death rate μ and sampling fraction ρ) in the birth-death process with species sampling (Yang and Rannala 1997), which is used to specify the prior of divergence times (Yang and Rannala 2006). The node times are order statistics from a kernel density, which is specified by those parameters. A few kernel densities are shown in figure 2 of Yang and Rannala (1997) or figure 7.12 in Yang (2006). The Mathematica code for plotting the density for given parameters λ , μ and ρ is posted at the web site

<http://abacus.gene.ucl.ac.uk/ziheng/data.html>. By adjusting parameters λ , μ and ρ to generate different tree shapes, one can assess the impact of the prior on posterior divergence time estimation. Intuitively, the node ages and thus the shape of the tree are determined by the parameters as follows. There are $s - 1$ internal nodes and thus $s - 1$ node ages in the rooted tree of s species. The age of the root is fixed, so the $s - 2$ node ages are relative to the root age (they are all between 0 and 1). We draw $s - 2$ independent random variables from the kernel density and order them. Those ordered variables will then be the node ages. Thus if the kernel density has the L shape, all internal nodes tend to be young (relative to the root), and the tree will have long internal branches and short tip branches. In contrast, if the kernel density has the reverse L shape, the node ages are large and the nodes close to the root, then the tree will be bush-like. See pages 250-251 in Yang (2006). (Strictly speaking the above description is accurate if fossil calibration is available for the root only but not for any other nodes. Otherwise the kernel density specifies the distribution of the ages of non-

calibration nodes only, and the impact of the kernel on the joint distribution of all node ages may be complex, depending on the locations of the calibration nodes.)

kappa_gamma = 6 2 specifies the shape and scale parameters (α and β) in the gamma prior for parameter κ (the transition/transversion rate ratio) in models such as K80 and HKY85. This has no effect in models such as JC69, which does not have the parameter. Note that the gamma distribution with parameters α and β has the mean α/β and variance α/β^2 . Those variables are used only when `usedata = 1` and have no effect when `usedata = 2` or `3`.

alpha_gamma = 1 1 specifies the shape and scale parameters (α and β) in the gamma prior for the shape parameter for gamma rates among sites in models such as JC69+ Γ , K80+ Γ etc. The gamma model of rate variation is assumed only if the variable **alpha** is assigned a positive value. This prior is used only when `usedata = 1` and has no effect when `usedata = 2` or `3`.

rgene_gamma = 100 1000 1 0 specifies the parameters in the prior for the locus rates. Two priors are implemented for locus rates (μ_i), as summarized in Zhu et al. (2015 Sys Biol), specified in the form

```
rgene_gamma = au bu a prior
```

where `au` is α_{μ} , `bu` is β_{μ} , `a` is α , and `prior = 0` (default) is the conditional i.i.d. prior while `prior = 1` is the gamma-dirichlet prior. Thus the following specifies the conditional i.i.d. prior with $\alpha_{\mu} = 100$, $\beta_{\mu} = 1000$, $\alpha = 0.5$ for locus rates μ_i .

The σ_i^2 prior has parameters `au`, `bu`, `a`, specified in the same way. The same form of prior (conditional iid or gamma-dirichlet) is used for both μ_i and σ_i^2 .

```
rgene_gamma = 100 1000 1.0 0 * conditional iid prior for locus rates
sigma2_gamma = 4 100 1.0      * conditional iid for sigma^2 (for clock=2 or 3)
```

The default value of α is 1 and the default prior is 0 (conditional iid), so that the above is equivalent to the following.

```
rgene_gamma = 100 1000 * gamma-dirichlet prior for locus rates
sigma2_gamma = 4 100   * conditional iid for sigma^2 (for clock=2 or 3)
```

The gamma-dirichlet prior, described in dos Reis et al. (2014), is specified as follows.

```
rgene_gamma = 100 1000 1 1 * gamma-dirichlet prior for locus rates
sigma2_gamma = 4 100 1     * gamma-dirichlet for sigma^2 (for clock=2 or 3)
```

Here are some notes about the prior models. See dos Reis et al. {, 2014 #4475} and Zhu et al. {, 2015 #4566} for details. Under the global-clock model (`clock=1`), the independent-rates model (`clock = 2`), and the correlated-rates model (`clock = 3`), μ_i is the overall rate for locus i . In the example, μ_i has the prior mean $100/1000 = 0.1$, that is, one change per site per time unit. If one time unit is 100MY, this means an overall average rate of 10^{-9} substitutions per site per year. The variance ($100/1000^2 = 0.01$ in the example) of this gamma prior specifies how confident you are about the overall rate. Parameter α ($= 1$ in the example) specifies how variable the overall rates are among loci. This has more or less the same interpretation as the shape parameter α for the gamma model of variable rates among sites {Yang, 1993 #293}, with a large α (100, say) meaning nearly identical rates among loci and small values (such as 1 or 0.5) highly variable rates among loci.

You need to adjust this prior to suit your data and the chosen time scale. Don't use the default. If you do not have information about the overall rate, one way of deriving a rough rate estimate (for use as the prior mean) may be to run `mcmctree` with the `clock (clock = 1)`.

sigma2_gamma = 4 100 specifies the shape and scale parameters (α and β) in the conditional i.i.d. or gamma-Dirichlet prior for parameter σ_i^2 . See notes above about **rgene_gamma**. Note that σ_i^2 specifies how variable the rates are across branches or how seriously the clock is violated at the locus. This prior is used for the two variable-rates models (clock = 2 or 3), with a larger σ^2 indicating more variable rates (Rannala and Yang 2007). If clock = 1, this prior has no effect.

In the independent-rates model (clock = 2), rates for branches are independent variables from a log-normal distribution (Rannala and Yang 2007: equation 9).

$$f(r | \mu, \sigma^2) = \frac{1}{r\sqrt{2\pi\sigma^2}} \exp\left\{-\frac{1}{2\sigma^2} \left[\log(r/\mu) + \frac{1}{2}\sigma^2\right]^2\right\}, \quad 0 < r < \infty. \quad (1)$$

Here σ^2 is the variance in the logarithm of the rates. The rate r has mean μ and variance $(e^{\sigma^2} - 1)\mu^2$.

The correlated-rates model (clock = 3) specifies the density of the current rate r , given that the ancestral rate time t ago is r_A , as

$$f(r | r_A, t\sigma^2) = \frac{1}{r\sqrt{2\pi t\sigma^2}} \exp\left\{-\frac{1}{2t\sigma^2} (\log(r/r_A) + \frac{1}{2}t\sigma^2)^2\right\}, \quad 0 < r < \infty \quad (2)$$

(Rannala and Yang 2007: equation 2). Parameter σ^2 here is equivalent to ν in Kishino *et al.* (2001). Thus r has mean r_A and variance $(e^{t\sigma^2} - 1)r_A^2$.

Note that σ^2 (clock = 2) or $t\sigma^2$ (clock = 3) is not the variance of the rate; it is the variance of the logarithm of the rate.

finetune. The following line in the control file

```
finetune = 0: 0.04 0.2 0.3 0.1 0.3      * auto (0 or 1) : times, musigma2, rates, mixing, paras,
finetune = 1: .05 .05 .05 .05 .05 .05 * auto (0 or 1) : times, musigma2, rates, mixing, paras,
```

is about the step lengths used in the proposals in the MCMC algorithm. The first value, before the colon, is a switch, with 0 meaning no automatic adjustments by the program and 1 meaning automatic adjustments by the program. Following the colon are the step lengths for the proposals used in the program. The proposals are as follows: (a) to change the divergence times, (b) to change μ (and σ^2 in the relaxed rates models), (c) to change the rate for loci for the relaxed clock models, (d) to perform the mixing step (page 225 in Yang and Rannala 2006), and (e) to change parameters in the substitution model (such as κ and α in HKY+ Γ). If you choose to let the program adjust the step lengths, **burnin** has to be >200, and then the step lengths specified here will be the initial step lengths, and the program will try to adjust them using the information collected during the burnin step. It does this twice, once at half of the burnin and another time at the end of the burnin. The option of automatic adjustment is not well tested.

The following notes are for manually adjusting the step lengths. You can use them to generate good initial step lengths as well for the option of automatic step length adjustment.

```
-20% 0.33 0.01 0.25 0.00 0.00 1.022 0.752 0.252 0.458 0.133 0.843 - 0.074 0.787 -95294.7
-15% 0.33 0.01 0.25 0.00 0.00 1.021 0.751 0.253 0.457 0.130 0.841 - 0.067 0.783 -95295.4
-10% 0.33 0.00 0.26 0.00 0.00 1.022 0.752 0.254 0.458 0.129 0.842 - 0.065 0.781 -95294.6
-5% 0.33 0.00 0.25 0.00 0.00 1.022 0.751 0.254 0.457 0.128 0.841 - 0.063 0.780 -95292.4
0% 0.32 0.00 0.25 0.00 0.00 1.022 0.751 0.254 0.457 0.128 0.841 - 0.063 0.780 -95290.2
2% 0.32 0.00 0.27 0.00 0.00 1.014 0.746 0.253 0.453 0.126 0.833 - 0.059 0.784 -95290.4
```

A few seconds or minutes (hopefully not hours) after you start the program, the screen output will look like the above. The output here is generated from a run under the JC model and global clock

(clock = 1). The percentage % indicates the progress of the run, with negative values for the burn-in. Then the five proportions (e.g., 0.33 0.01 0.25 0.00 0.00 on the first line) are the acceptance proportions (P_{jump}) for the corresponding proposals. The optimal acceptance proportions are around 0.3, and you should try to make them fall in the interval (0.2, 0.4) or at least (0.15, 0.7). If the acceptance proportion is too small (say, <0.10), you decrease the corresponding finetune parameter. If the acceptance proportion is too large (say, >0.80), you increase the corresponding finetune parameter. In the example here, the second acceptance proportion, at 0.01 or 0.00, is too small, so you should stop the program (Ctrl-C) and modify the control file to decrease the corresponding finetune parameter (change 0.2 into 0.02, for example). Then run the program again (use the up ↓ and down ↑ arrow keys to retrieve past commands), observe it for a few seconds or minutes and then kill it again if the proportions are still not good. Repeat this process a few times until every acceptance proportion is reasonable. This is not quite so tedious as it may sound.

The finetune parameters in the control file are in a fixed order and always read by the program even if the concerned proposal is not used (in which case the corresponding finetune parameter has no effect). In the above example, JC does not involve any substitution parameters, so that the 4th finetune parameter has no effect, and the corresponding acceptance proportion is always 0. This proportion is always 0 also when the approximate likelihood calculation is used (usedata = 2) because in that case the likelihood is calculated by fitting the branch lengths to a normal density, ignoring all substitution parameters like κ , α etc. If clock = 1, there are no parameters in the rate-drift model, so that the 5th acceptance proportion is always 0.

Note that the impact of the finetune parameters is on the efficiency of the algorithm, or on how precise the results are when the chain is run for a fixed length. Even if the acceptance proportions are too high or too low, reliable results will be obtained in theory if the chain is run sufficiently long. This effect is different from the effect of the prior, which affects the posterior estimates.

print = 1 means that samples will be taken in the MCMC and written to disk and the posterior results will be summarized. 0 means that the posterior means will be printed on the monitor but nothing else: this is mainly useful for testing the program. The relaxed-clock models (clock=2 or 3) generates a lot of output with rates for branches for each locus (partition), so those rates are printed out only if you choose print = 2.

burnin = 2000, **sampfreq** = 5, **nsample** = 10000. In the example here, the program will discard the first 2000 iterations as burn-in, and then run the MCMC for 5×10000 iterations, sampling (writing to disk) every 5 iterations. The 10000 samples will then be read in and summarized. I think you should take at least 2000 samples.

Fossil calibration

Fossil calibration information, in the form of statistical distributions of divergence times (or ages of nodes in the species tree), is specified in the tree file. See table 8 for a summary. Here “fossil” means any kind of external calibration data, including geological events. For a sensible analysis, one should have at least one lower bound and at least one upper bound on the tree, even though they may not be on the same node. The gamma, skew normal, and skew t distributions can act as both bounds, so one such calibration is enough to anchor the tree to enable a sensible analysis.

Table 7. Calibration distributions

Calibration	# <i>p</i>	Specification	Density
L (lower or minimum bound)	4	'>0.06' or 'L(0.06)' or 'L(0.06, 0.2)' or 'L(0.06, 0.1, 0.5)' or 'L(0.06, 0.1, 0.5, 0.025)'	$L(t_L, p, c, p_L)$ specifies the minimum-age bound t_L , with offset p , and scale parameter c , and left tail probability p_L . The default values are $p = 0.1$, $c = 1$, and $p_L = 0.025$, so >0.06 or L(0.06) means L(0.06, 0.1, 1, 0.025), and L(0.06, 0.2) means L(0.06, 0.2, 1, 0.025). If you would like the minimum bound to be hard, use $p_L = 1e-300$, but do not use $p_L = 0$. In other words, use L(0.06, 0.2, 1, 1e-300), not L(0.06, 0.2, 1, 0). Eq. 16 & fig. 2b in YR06.
U (upper or maximum bound)	2	'<0.08' or 'U(0.08)' or 'U(0.08, 0.025)'	$U(t_U, p_R)$ specifies the maximum-age bound t_U , with right tail probability p_R . The default value is $p_U = 0.025$, so <0.08 or U(0.08) means U(0.08, 0.025). For example U(0.08, 0.1) means that there is 10% probability that the maximum bound 8MY is violated (i.e., the true age is older than 8MY). Eq. 17 & fig. 2c in YR06
B (lower & upper bounds or minimum & maximum bounds)	4	'>0.06<0.08' or 'B(0.06, 0.08)' or 'B(0.06, 0.08, 0.025, 0.025)'	$B(t_L, t_U, p_L, p_U)$ specifies a pair bound, so that the true age is between t_L and t_U , with the left and right tail probabilities to be p_L and p_U , respectively. The default values are $p_L = p_U = 0.025$. Eq. 18 & fig. 2d in YR06
G (Gamma)	2	'G(alpha, beta)'	Eq. 2 & plots below
SN (skew normal)	3	'SN(location, scale, shape)'	Eq. 4 & plots below
ST (skew t)	4	'ST(location, scale, shape, df)'	
S2N (skew 2 normals)	7	'SN2(p_1 , loc1, scale1, shape1, loc2, scale2, shape2)'	p_1 : $1 - p_1$ mixture of two skew normals.

Note .— #*p* is the number of parameters in the distribution, to be supplied by the user. Figure 2 in YR06 (Yang and Rannala 2006) is figure 7.11 in Yang (2006).


(1) Lower bound (minimal age) is specified as '>0.06' or 'L(0.06)', meaning that the node age is at least 6MY. Here we assume that one time unit is 100 million years. In PAML version 4.2, the implementation of the minimum bound has changed. Instead of the improper soft flat density of Figure 2a in Yang and Rannala (2006) or figure 7.11a in Yang (2006), a heavy-tailed density based on a truncated Cauchy distribution is now used (Inoue et al. 2010). The Cauchy distribution with location parameter $t_L(1 + p)$ and scale parameter ct_L is truncated at t_L , and then made soft by adding $\alpha_L = 2.5\%$ of density mass left of t_L . The resulting distribution has mode at $t_L(1 + p)$. The $\alpha_L = 2.5\%$ limit is of course at t_L and the 97.5% limit is at

$$t_{97.5\%} = t_L \left[1 + p + c \cot\left(\frac{\pi A \alpha_R}{1 - \alpha_L}\right) \right],$$

where $\alpha_R = 1 - 0.975$ and $A = \frac{1}{2} + \frac{1}{\pi} \tan^{-1}\left(\frac{p}{c}\right)$. This is slightly more general than the formula in the paragraph below equation (26) in (Inoue et al. 2010), in that α_L and α_R are arbitrary: to get the 99%

limit when t_L is a hard minimum bound, use $\alpha_L = 0$ and $\alpha_R = 0.01$ so that $t_{99\%} = t_L[1 + p + c \cot(0.01\pi A)]$.

If the minimum bound t_L is based on good fossil data, the true time of divergence may be close to the minimum bound, so that a small p and small c should be used. It is noted that c has a greater impact than p on posterior time estimation. The program uses the default values $p = 0.1$ and $c = 1$. However, you are advised to use different values of p and c for each minimum bound, based on a careful assessment of the fossil data on which the bound is based. Below are a few plots of this density. The minimum bound is fixed at $t_L = 1$, but one time unit can mean anything like 100Myr or 1000Myr. For each value of p (0.1 and 0.5), the four curves correspond to $c = 0.2, 0.5, 1, 2$ (from top to bottom near the peak). The 2.5% limit is at 1, while the 97.5% limits for those values of c are 4.93, 12.12, 24.43, 49.20, respectively, when $p = 0.1$, and are 4.32, 9.77, 20.65, 44.43 when $p = 0.5$. (Note that those values were incorrectly calculated in Inoue et al. 2010)



(2) Upper bound (maximal age) is specified as '<0.08' or 'U(0.08)', meaning that the node age is at most 8MY.

(3) Both lower and upper bounds on the same node are specified as '>0.06<0.08' or 'B(0.06, 0.08)', meaning that the node age is between 6MY and 8MY.

Note that in all the above three calibrations (L, U, B), the bounds are soft, in that there is a 2.5% probability that the age is beyond the bound (see figure 2 in Yang and Rannala 2006; or figure 7.11 in Yang 2006).

(4) The gamma distribution. 'G(188, 2690)' specifies the gamma distribution with shape parameter $\alpha = 188$ and rate parameter $\beta = 2690$. This has the mean $\alpha/\beta = 0.07$ and the 2.5 and 97.5 percentiles at ### and ###. In earlier versions (3.15, 4a & 4b), the gamma was specified as '>.06=0.0693<.08', but this format is not used anymore.

```
((((human, (chimpanzee, bonobo)) 'G(188, 2690)', gorilla), (orangutan, sumatran))
'>.12<.16', gibbon);
```

In the tree above, the human-chimp divergence time has a gamma distribution G(188, 2690), while the orang-utan divergence time has soft bounds between 12MY and 16MY.

The above tree can be read in TreeView, with the calibration information in quotation marks treated as node labels.

You can use the MS Excel function GAMMADIST(X, alpha, beta, 0) to calculate and plot the density function (pdf) of the gamma distribution, and the function GAMMAINV(0.025, alpha, beta) to calculate the 2.5% percentile. However, note that beta in Excel is $1/\beta$ in MCMCTREE (and other PAML programs). In other words, the mean is α/β in MCMCTREE and $\alpha\beta$ in Excel.

(5) Skew normal distribution SN(location, scale, shape) or SN(ξ, ω, α) (Azzalini and Genton 2008). The basic form of the skew normal distribution has density

$$f(z; \alpha) = 2\phi(z)\Phi(\alpha z), \quad (1)$$

where $\phi()$ and $\Phi()$ are the PDF and CDF of the standard normal distribution respectively. Then $x = \xi + \omega z$, has the skew normal distribution $\text{SN}(\xi, \omega, \alpha)$ with location parameter ξ , scale parameter ω and shape parameter α . The density is

$$f_{\text{SN}}(x; \xi, \omega, \alpha) = \frac{2}{\omega} \times \frac{1}{\sqrt{2\pi}} e^{-\frac{(x-\xi)^2}{2\omega^2}} \int_{-\infty}^{\alpha\left(\frac{x-\xi}{\omega}\right)} \frac{1}{\sqrt{2\pi}} e^{-\frac{u^2}{2}} du. \quad (2)$$

for $-\infty < \xi < \infty, 0 < \omega < \infty, -\infty < \alpha < \infty$. Let $\delta = \alpha / \sqrt{1 + \alpha^2}$. The mean and variance are

$$\begin{aligned} E(x) &= \xi + \omega\delta\sqrt{2/\pi}, \\ \text{Var}(x) &= \omega^2 \left(1 - \frac{2\delta^2}{\pi}\right). \end{aligned} \quad (3)$$

(6) **Skew t distribution, ST(location, scale, shape, df) or ST(ξ, ω, α, ν)** (Azzalini and Genton 2008), with location parameter ξ , scale parameter ω , shape parameter α , and degree of freedom ν , has density

$$f_{\text{ST}}(x; \xi, \omega, \alpha, \nu) = \frac{2}{\omega} t(z; \nu) T\left(\alpha z \sqrt{(\nu+1)/(\nu+z^2)}; \nu+1\right), \quad (4)$$

where $z = (x - \xi)/\omega$, t and T are the PDF and CDF of the standard t distribution, respectively. These are defined as follows.

$$\begin{aligned} t(z; \nu) &= \frac{\Gamma(\frac{1}{2}(\nu+1))}{\sqrt{\pi\nu} \Gamma(\frac{1}{2}\nu)} \left[1 + \frac{z^2}{\nu}\right]^{-(\nu+1)/2}, \\ T(z; \nu) &= \begin{cases} \frac{1}{2} I_{\nu/(\nu+z^2)}\left(\frac{1}{2}\nu, \frac{1}{2}\right), & \text{if } z < 0, \\ 1 - T(-z; \nu), & \text{if } z \geq 0. \end{cases} \end{aligned} \quad (5)$$

where $\Gamma()$ is the gamma function, and

$$I_p(a, b) = \frac{1}{B(a, b)} \int_0^p u^{a-1} (1-u)^{b-1} du \quad (6)$$

is the incomplete beta function ratio, or the CDF of the beta(a, b) distribution, while

$$B(a, b) = \int_0^1 u^{a-1} (1-u)^{b-1} du = \frac{\Gamma(a)\Gamma(b)}{\Gamma(a+b)} \quad (7)$$

is the beta function.




Figure 1. Density functions for skew normal (blue) and skew t (red) distributions. Skew t has heavier tails than skew normal.

Here are a few notes about the skew normal and skew t distributions.

- When the shape parameter $\alpha = 0$, the distributions become the standard (symmetrical) normal and t distributions.
- Changing α to $-\alpha$ flips the density at $x = \xi$ (the location parameter). Fossil calibrations should have long right tails, which means $\alpha > 0$.
- A larger $|\alpha|$ means more skewed distributions. When $|\alpha| = \infty$, the distribution is called folded normal or folded t distribution, that is, the normal or t distribution truncated at ξ from the left ($\alpha = \infty$) or from the right ($\alpha = -\infty$).
- When the degree of freedom $\nu = \infty$, the t or skew t distribution becomes the normal or skew normal distribution. The smaller ν is, the heavier the tails are. A small ν (1-4, say) with a large shape parameter α in the skew t distribution represents virtually hard minimal bound and very uncertain maximal bound. When $\nu = 1$, the t distribution is known as Cauchy distribution, which does not have mean or variance.
- Both skew normal and skew t distributions go from $-\infty$ to ∞ . In MCMCTREE, negative values are automatically truncated, so only the positive part is used. If feasible, try to

construct the distribution so that the probability for negative values is small (<0.1%, say).

- Please visit the web site <http://azzalini.stat.unipd.it/SN/> to plot skew normal and skew t distributions. R routines are also available for such plots. The equations above are for my testing and debugging. I think I should remove them later on.

Dating viral divergences

This option is specified by the following line in the control file:

```
TipDate = 1 100 * TipDate (1) & time unit
```

The example data file is in the examples/TipDate/. When you run the default analysis, you will see the following printout on the monitor.

```
TipDate model
Date range: (1994.00, 1956.00) => (0, 0.38). TimeUnit = 100.00.
```

The end of each sequence name has the sampling year, which goes from 1994 to 1956. The program then sets the most recent sequence date (1994) to time 0, and then the oldest sequence has age 0.38, as 1956 is 38 years earlier than 1994 and one time unit is specified to be 100 years.

Other control variables work in the same way as in the case of dating species divergence using fossil calibrations. The prior on the age of the root is believed to be important. Please use the sample dates and time unit to specify the bounds on the rate age. For the example dataset mentioned above, the following specifies a soft uniform for the root age in the interval (1914, 1874), with tail probability 10^{-10} on both the left and right tails. This uniform prior is soft but quite sharp.

```
RootAge = B(0.8, 1.2, 1e-10, 1e-10) * root age constraints, used if no fossil for root
```

Ideally you should use whatever biological information available to specify the prior. Also you should change this prior to assess its impact on the posterior time estimates.

Similarly, the prior on mutation rate (rgene_gamma) may be important as well. The relaxed clock models are species using clock = 2 or 3, while clock = 1 is the strict clock.

The newly implemented prior of times is based on Tanja Stadler's birth-death-sampling model. You should use $\rho = 0$, and $\psi > 0$, for dating viral divergences. You can change the parameters lambda, mu, and psi to assess the impact of the prior.

```
BDparas = 2 1 0 0.8 * lambda, mu, rho, psi for birth-death-sampling model
```

Approximate likelihood calculation

Thorne *et al.* (1998) suggested the use of the multivariate normal distribution of MLEs of branch lengths to approximate the likelihood function. To implement this approximation, one has to obtain the MLEs of the branch lengths and calculate their variance-covariance matrix or equivalently the matrix of second derivatives of the log likelihood with respect to the branch lengths (this matrix is also called the Hessian matrix). In Thorne's multivtime package, this is achieved using the program estbranches.

I have implemented this approximation using the option usedata = 3. With this option, mcmctree will prepare three temporary files for each locus and then invoke baseml or codeml to calculate the MLEs of branch lengths and the Hessian matrix. These results are generated in the file rst1 and copied into the file out.BV by mcmctree. The three temporary files for each locus are the control

file `tmp#.ctl`, the sequence alignment `tmp#.txt`, and the tree file `tmp#.trees`, where # means the index for the locus. The tree for the locus is generated by `mcmctree` by pruning the master tree of all species so that only those species present at the locus remain, and by de-rooting the resulting tree. You should not edit this tree file. You can edit the control file `tmp#.ctl` to use another model implemented in `baseml` or `codeml`, and this option should allow you to use amino acid or codon substitution models. The calculation of the Hessian matrix may be sensitive to the step length used in the difference approximation, and it is advisable that you change the variable `Small_Diff` in the control file `tmp#.ctl` to see whether the results are stable.

The output file `out.BV` from `usedata = 3` should then be renamed `in.BV`. This file has one block of results for each locus. If you manually edit the control file `tmp#.ctl` and then invoke `baseml` or `codeml` from the command line (for example, by typing `codeml tmp2.ctl`), you will have to manually copy the content of `rst1` into `in.BV`.

With `usedata = 2`, `mcmctree` will read the MLEs and Hessian matrix from `in.BV` and apply the approximate method for calculating the likelihood in the MCMC.

In effect, `mcmctree/usedata = 3` performs the function of `estbranches` and you can manually perform this step by running `baseml` or `codeml` externally after the tree file `tmp#.ctl` is generated. Similarly `mcmctree/usedata = 2` performs the function of `mlutidivtime`.

Models of amino acid or codon substitution are not implemented in the `mcmctree` program for the exact likelihood calculation. The only way to use those models is through the approximate method (`usedata = 3` and `2`). It is advisable that you edit the intermediate control file `tmp#.ctl` to choose the appropriate model of amino acid or codon substitution in the `codeml` analysis, and then copy the results into the `in.BV` file. Also have a look at the estimated branch lengths in the tree. If many of them are near 0, you should be concerned as perhaps you have too little data or the tree is wrong for the locus. Finally run `mcmctree/usedata = 2`.

In the description here, a gene or locus means a site partition. For example, since the three codon positions typically have very different rates, different base compositions, etc., you may treat them as separate partitions.

The theory is described in detail in dos Reis and Yang (2011). The default transformation used in the program is the JC transformation.

Infinitesites program

You can compile infinitesites as follows.

```
cc -o infinitesites -DINFINITESITES -O3 mcmctree.c tools.c -lm
```

This generates the limiting posterior distribution when the number of sites in the sequence alignment approaches infinity {Yang, 2006 #2730; Rannala, 2007 #2957}. Instead of reading and analyzing sequence alignments, the program use the estimated branch lengths as the data, considering them to be without errors. For the clock model (clock = 1), the input file is called FixedDsClock1.txt, while for clock = 2 or 3, the file is called FixedDsClock23.txt. There is an example in the examples/DatingSoftBound/ folder, and the mcmctree tutorial explains how to run this program.

With clock=1, the file FixedDsClock1.txt should have the following format.

```
9
1.0 0.7 0.2 0.4 0.1 0.8 0.3 0.5
1.5
0.8
1.8
```

The first number is the number of species, $s = 9$ in the example. The next line has $s - 1$ node ages (the distances from the $s - 1$ internal nodes in the tree to the present time). Here the implied tree topology must be the same as that in the tree file referred to in the control file mcmctree.ctl, so that the node numbers stay the same. If you used baseml or codeml (with clock=1) to estimate the branch lengths under the clock using the same rooted tree, the output should be in the correct order.

If there are more than one locus, the next lines will have the ages of the root for those loci, again measured by distance. The example above shows 4 loci. The distance from the root to the tips are 1, 1.5, 0.8 and 1.8 at the four loci respectively. Note that if the clock holds, the node ages should be proportional between loci, so that additional loci provide no extra information about the relative node ages.

With clock=2 or 3, the input file FixedDsClock23.txt should have the branch lengths for the unrooted trees at the multiple loci. The following example is for 3 loci, and there are 7 species in the tree.

```
7
(((human: 0.029043, (chimpanzee: 0.014557, bonobo: 0.010908): 0.016729):
0.015344, gorilla: 0.033888): 0.033816, (orangutan: 0.026872, sumatran: 0.022437):
0.069648): 0.073309, gibbon: 0.024637);

(((human: 0.012463, (chimpanzee: 0.002782, bonobo: 0.003835): 0.003331):
0.004490, gorilla: 0.014278): 0.006308, (orangutan: 0.010818, sumatran: 0.008845):
0.030551): 0.004363, gibbon: 0.029246);

(((human: 0.270862, (chimpanzee: 0.066698, bonobo: 0.056883): 0.124104):
0.139082, gorilla: 0.310797): 0.391342, (orangutan: 0.152555, sumatran: 0.114176):
0.696518): 0.017607, gibbon: 1.394718);
```

The tree topology is rooted, with a bifurcation at the root. The program then collapses the two branches around the root into one branch before doing any analysis. I think the rooted tree should be the same tree as in the tree file referred to by mcmctree.ctl. Every species has to be present at every locus.

10 Miscellaneous notes

Also see the FAQ page, but please note that document is not up to date.

Analysing large data sets and iteration algorithms

The maximum likelihood method estimates parameters by maximizing the likelihood function. This is multi-dimensional optimisation problem that has to be solved numerically (see Yang 2000a for an exception). PAML implements two iteration algorithms. The first one (`method = 0`) is a general-purpose minimization algorithm that deals with upper and lower bounds for parameters but not general equality or inequality constraints. The algorithm requires first derivatives, which are calculated using the difference approximation, and accumulates information about the curvature (second derivatives) during the iteration using the BFGS updating scheme. At each iteration step, it calculates a search direction, and does a one-dimensional search along that direction to determine how far to go. At the new point, the process is repeated, until there is no improvement in the log-likelihood value, and changes to the parameters are very small. The algorithm updates all parameters including branch lengths simultaneously.

Another algorithm (`method = 1`) works if an independent rate is assumed for each branch (`clock = 0`) (Yang 2000b). This algorithm cycles through two phases. Phase I estimates branch lengths with substitution parameters (such as the transition/transversion rate ratio κ and the gamma shape parameter α) fixed. Phase II estimates substitution parameters using the BFGS algorithm, mentioned above, with branch lengths fixed. The procedure is repeated until the algorithm converges. In phase I of the algorithm, branch lengths are optimized one at a time. The advantage of the algorithm is that when the likelihood is calculated for different values of one single branch length, as is required when that branch length only is optimised, much of likelihood calculations on the phylogeny is the same and can be avoided by storing intermediate results in the computer memory. A cycle is completed after all branch lengths are optimized. As estimates of branch lengths are correlated, several cycles are needed to achieve convergence of all branch lengths in the tree, that is, to complete phase I of the algorithm.

If branch lengths are the only parameters to be estimated, that is, if substitution parameters are fixed, the second algorithm (`method = 1`) is much more efficient. Thus to perform heuristic tree search using stepwise addition, for example, you are advised to fix substitution parameters (such as κ and α). The second algorithm is also more efficient if the data contain many sequences so that the tree has many branch lengths.

Tip: To get good initial values for large data sets of protein coding DNA sequences, you can use `baseml`. Add the options characters “GC” at the end of the first line in the sequence data file. Then run the data with `baseml`. In the result file generated by `baseml` (say `mlb`), look for “branch lengths for codon models” and copy the tree with branch lengths into the tree file. Then run `codeml` and choose “1: initial values” when asked about what to do with the branch lengths in the tree.

Tree search algorithms

One heuristic tree search algorithm implemented in `baseml`, `codonml` and `aaml` is a divisive algorithm, called "star-decomposition" by Adachi and Hasegawa (1996b). The algorithm starts from either the star tree (`runmode = 2`) or a multifurcating tree read from the tree structure file (`runmode = 1`). The algorithm joins two taxa to achieve the greatest increase in log-likelihood over the star-like tree. This will reduce the number of OTUs by one. The process is repeated to reduce the number of OTUs by one at each stage, until no multifurcation exists in the tree. This algorithm works either with or without the clock assumption. The stepwise addition algorithm is implemented with the option `runmode = 3`. Options `runmode = 4` or `5` are used for nearest neighbor

interchanges, with the initial tree determined with stepwise addition under the parsimony criterion (`runmode = 4`) or read from the tree structure file (`runmode = 5`). The results are self-explanatory.

Besides the fact that ML calculations are slow, my implementations of these algorithms are crude. If the data set is small (say, with <20 or 30 species), the stepwise addition algorithm (`runmode = 3`) appears usable. Choose `clock = 0`, and `method = 1` to use the algorithm that updates one branch at a time, and fix substitution parameters in the model (such as κ and α) so that only branch lengths are optimized. Parameters κ and α can be fixed in the tree search using `fix_kappa` and `fix_alpha` in the control files. Other parameters (such as substitution rates for genes or codon positions or site partitions) cannot be fixed this way; they can instead be specified in the file of initial values (`in.baseml` or `in.codeml`). Suppose you use a candidate tree to estimate branch lengths and substitution parameters with `runmode = 0`. You can then move the substitution parameters (but not the branch lengths) into the file of initial values. You then change the following variables for tree search: `runmode = 3`, `method = 1`. The program will use the substitution parameters as fixed in the tree search, and optimizes branch lengths only. It is important that the substitution parameters are in the right order in the file; so copy-and-paste from PAML output is probably the safest. It is also important that you do not change the parameter specifications in the control file; the control file should indicate that you want to estimate the substitution parameters, but when the program detects the file of initial values, fixed parameter values are used instead.

Generating bootstrap data sets

To generate bootstrap pseudo-samples from your original data, use the control variable `bootstrap` in the control files `baseml.ctl` or `codeml.ctl`, as follows

```
bootstrap = 1000 * generate 1000 bootstrap datasets
```

The resulting file is named `boot.txt`. You may want to rename it. Use `baseml` to generate samples for nucleotide-based analysis and `codeml` for amino acid and codon-based analysis. If the data are partitioned (using option G), the programs use stratified sampling to generate bootstrap samples, preserving the number of sites in each partition.

To analyze the bootstrap samples using `baseml` or `codeml`, you can set `ndata = 1000`.

The rub file recording the progress of iteration

If you use a large value for the variable `noisy` (say >2), the programs `baseml` and `codeml` will log output to the screen, indicating the progress of the iteration process, i.e., the minimization of the negative log-likelihood. They will also print in the `rub` file, the size (norm) of the gradient or search direction (h), the negative log likelihood, and the current values of parameters for each round of iteration. A healthy iteration is indicated by the decrease of both h and the negative log likelihood, and h is particularly sensitive. If you run a complicated model hard to converge or analyzing a large data set with hundreds or thousands of sequences, you may switch on the output. You can check this file to see whether the algorithm has converged. A typical symptom of failure of the algorithm is that estimates of parameters are at the preset boundaries, with values like 2.00000, 5.00000. When `method = 1`, the output in the `rub` file lists the log likelihood and parameter estimates only.

Specifying initial values

You may change values of parameters in the control file such as `kappa`, `alpha`, `omega`, etc. to start the iteration from different initial values. Initial values for the second and later trees are determined by the program, and so you do not have much control in this way.

You can collect initial values into a file called `in.baseml` if you are running `baseml` or `in.codeml` if you are running `codeml`. This file should contain as many numbers, separated by white spaces, as the number of parameters that are being optimized by the program. So if the program is estimating 56 parameters (say 51 branch lengths, 1 kappa, and 5 other parameters from the ω distribution), you should put 56 numbers in the file. The parameters are ordered internally in the program and you have no control of the ordering. Nevertheless, the order is the same as in the main output (below the `lnL` line for each tree). One way of generating the `in.codeml` or `in.baseml` files is to run a data set, and then copy initial values from the `rub` file or from the main output file. The `rub` file records the iteration process and has one line for each round of iteration. Each line lists the current parameter values after the symbol `x`; you can copy those numbers (not the symbol `x`) into the file of initial values, and if you like, change one or a few of the parameter values too. When you run the program, look at `lnL0` printed out on the screen and check that it is the same as recorded in `rub`.

When the program runs, it checks to see whether a file of initial values exists, and it does, the program will read initial values from it. This may be useful if the iteration is somehow aborted, and then you can collect current values of parameters from the file `rub` into this file of initial values, so that the new iteration can have a better start and may converge faster. The file of initial values may also be useful if you experience problems with convergence. If you have already obtained parameter estimates before and do not want the program to re-estimate them and only want to do some analysis based on those estimates such as reconstructing ancestral sequences, insert `-1` before the initial values.

Warning: A complication is that in some models a transformation is applied during the iteration while the printout uses the original variables. Examples of this are the frequency/proportion parameters for base frequencies (`nhomo = 1` in `baseml`), proportions of site classes in the `NSsites` models (except for models always having only two classes in which case no transformation is applied), and times or node ages in clock models (`clock = 1, 2, 3, 5, 6`, but not `0`). For those models, you can see that the line of output in the main output file looks different from the last line of `rub` after the iteration finishes. In the file of initial values, if you use `-1` at the start, the program assumes the original variables, while if you don't, the program assumes transformed variables.

Fine-tuning the iteration algorithm

The iteration algorithm uses the difference approximation to calculate derivatives. This method changes the variable (x) slightly, say by a small number e , and see how the function value changes. One such formula is $df/dx = [f(x + e) - f(x)]/e$. The small number e should be small to allow accurate approximation but should not be too small to avoid rounding errors. You can change this value by adding a line in the control files `basemlctl` or `codemlctl`

```
Small_Diff = 1e-6
```

The iteration is rather sensitive to the value of this variable. This variable also affects the calculation of the SE's for parameters, which are much more difficult to approximate than the first derivatives. If the calculated SE's are sensitive to slight change in this variable, they are not reliable.

If you compile the source codes, you can also change the lower and upper bounds for parameters. I have not put these variables into the control files (See below).

Adjustable variables in the source codes

This section is relevant only if you compile the source codes yourself. The maximum values of certain variables are listed as constants in uppercase at the beginning of the main programs

(`baseml.c`, `basemlg.c`, `codeml.c`). These values can be raised without increasing the memory requirement by too much.

NS: maximum number of sequences (species)
LSPNAME: maximum number of characters in a species name
NGENE: maximum number of "genes" in data of multiple genes (option G)
NCATG: maximum number of rate categories in the (auto-) discrete-gamma model (`baseml.c`, `codeml.c`)

You can change the value of LSPNAME. Other variables that may be changed include the bounds for parameters, specified at the beginning of the function `testx` or `SetxBound` in the main programs (`baseml.c` and `codeml.c`). For example, these variables are defined in the function `SetxBound` in `codeml.c`:

```
double tb[]={.0001,9}, rgeneb[]={0.1,99}, rateb[]={1e-4,999};  
double alphab[]={0.005,99}, rhob[]={0.01,0.99}, omegab[]={.001,99};
```

The pairs of variables specify lower and upper bounds for variables (`tb` for branch lengths, `rgeneb` for relative rates of genes used in multiple gene analysis, `alphab` for the gamma shape parameter, `rhob` for the correlation parameter in the auto-discrete-gamma model, and `omegab` for the d_N/d_S ratio in codon based analysis.

Windows notes

Turn on file extensions in Windows Explorer. Windows Explorer by default hides file extensions for known file types. You should go to "Windows Explorer - Tools - Folder options - View" and un-tick "Hide extensions for known file types", so that you can see the full file names from Windows Explorer.

Using Task Manger to change job priority. Start Task Manger (for example, right click on task bar and choose Task Manager). Click on Processes button. Locate the big job, say, `codeml`. Right click and Set Priority to Low. Note that the process running the Command Prompt is `cmd`. If you change the priority of `cmd` to low, all jobs started from that window will run at low priority. You can change View – Update Speed to Low and change View – Select Columns. Change Options – Minimize on Use. Then you can minimize rather than close Task Manger.

All input and output files are plain text files. In the Command Prompt box (Start - Programs – Accessories – Command Prompt), you can use **type** or **more** to view a text file. If you see strange characters on the screen and perhaps also hear beeps, the file is not a plain text file. You can also use a text editor to view and edit a plain text file. If you use Microsoft Word or Wordpad to save a file, make sure that the files are saved as a plain text file. Use File – Save As and change the file type. When you do, Word or other programs might automatically add the file extension `.txt`, and you will have to rename the file if you don't want the `.txt`.

How to change your search path to include paml programs. You can create a folder called `bin` under your account. The folder name should be shown when you move (`cd`) to that folder. Let's say this is `D:\bin`. Copy or move the executable files from the `paml/bin/` folder into this folder.

Now change the environment variable path. On Windows Vista or XP, open Control Panel – System – Advanced System Settings – Environment variables. Under "User variables for Ziheng", find `path`, and Edit. Add the folder name (`D:\bin` in my example) to the end or beginning of the string. The fields are separated by semi-colons. Note that Windows/Dos is case-insensitive, so `D:\bin` is the same as `D:\BIN` or `d:\bin`.

UNIX/Linux/Mac OSX notes

How to change your search path to include paml programs. You can create a folder bin in your root directory and copy paml executables into that folder, and then include the folder in your search path. This way you can run the program no matter where you are. If you have several versions of the paml, you may even name the executables baseml3.15, baseml4, etc., to distinguish them. Similarly you can copy other programs such as mb, dnadist, etc. into that folder.

Type `cd` to move to your root directory. Create a bin/ folder in your root directory.

```
mkdir bin
```

Copy executables such as codeml, baseml, and mcmctree into the bin/ folder.

Then modify your path environment variable to include the bin/ folder in the initialization file for the shell. You can use `more /etc/passwd` to see which shell you run. Below are notes for the C shell and bash shell. There are other shells, but these two are commonly used.

- 1) If you see /bin/csh for your account in the /etc/passwd file, you are running the C shell, and the initialization file is .cshrc in your root folder. You can use `more .cshrc` to see its content if it is present. Use a text editor (such as emacs, vi, SimpleText, etc.) to edit the file, and insert the following line

```
set path = ($path . ~/bin)
```

The different fields are separated by spaces. Here `.` means the current folder, and `~/` means your root folder, and `~/bin` means the bin folder you created, and `$path` is whatever folders are already in the path.

If the file .cshrc does not exist, you create one, and insert the line above.

- 2) If you see /bin/bash in the file /etc/passwd for your account, you are running the bash shell, and the initialization file is .bashrc. Use a text editor to open .bashrc and insert the following line

```
PATH=$PATH:~/bin/
```

This changes the environment variable PATH. The different fields are separated by colon `:` and not space. If the file does not exist, create one.

After you have changed and saved the initialization file, every time you start a shell, the path is automatically set for you.

Note that UNIX is case-sensitive.

11 References

- Adachi, J., and M. Hasegawa. 1996a. Model of amino acid substitution in proteins encoded by mitochondrial DNA. *Journal of Molecular Evolution* **42**:459-468.
- Adachi, J., and M. Hasegawa. 1996b. MolPhy Version 2.3: Programs for molecular phylogenetics based on maximum likelihood. *Computer Science Monographs* **28**:1-150.
- Angelis, K., M. dos Reis, and Z. Yang. 2014. Bayesian estimation of nonsynonymous/synonymous rate ratios for pairwise sequence comparisons. *Molecular Biology and Evolution* **31**:1902-1913.
- Anisimova, M., J. P. Bielawski, and Z. Yang. 2001. The accuracy and power of likelihood ratio tests to detect positive selection at amino acid sites. *Molecular Biology and Evolution* **18**:1585-1592.
- Anisimova, M., J. P. Bielawski, and Z. Yang. 2002. Accuracy and power of Bayes prediction of amino acid sites under positive selection. *Molecular Biology and Evolution* **19**:950-958.
- Anisimova, M., R. Nielsen, and Z. Yang. 2003. Effect of recombination on the accuracy of the likelihood method for detecting positive selection at amino acid sites. *Genetics* **164**:1229-1236.
- Azzalini, A., and M. G. Genton. 2008. Robust likelihood methods based on the skew-*t* and related distributions. *Int. Statist. Rev.* **76**:106-129.
- Bielawski, J. P., and Z. Yang. 2004. A maximum likelihood method for detecting functional divergence at individual codon sites, with application to gene family evolution. *Journal of Molecular Evolution* **59**:121-132.
- Bishop, M. J., and A. E. Friday. 1987. Tetrapod relationships: the molecular evidence. Pp. 123-139 in C. Patterson, ed. *Molecules and Morphology in Evolution: Conflict or Compromise?* Cambridge University Press, Cambridge, England.
- Brown, W. M., E. M. Prager, A. Wang, and A. C. Wilson. 1982. Mitochondrial DNA sequences of primates: tempo and mode of evolution. *Journal of Molecular Evolution* **18**:225-239.
- Chang, B. S., and M. J. Donoghue. 2000. Recreating ancestral proteins. *Trends Ecol. Evol.* **15**:109-114.
- Dayhoff, M. O., R. M. Schwartz, and B. C. Orcutt. 1978. A model of evolutionary change in proteins. Pp. 345-352. *Atlas of protein sequence and structure, Vol 5, Suppl. 3.* National Biomedical Research Foundation, Washington D. C.
- DeBry, R. W. 1992. The consistency of several phylogeny-inference methods under varying evolutionary rates. *Molecular Biology and Evolution* **9**:537-551.
- dos Reis, M., and Z. Yang. 2011. Approximate likelihood calculation for Bayesian estimation of divergence times. *Molecular Biology and Evolution* **28**:2161-2172.
- Felsenstein, J. 1981. Evolutionary trees from DNA sequences: a maximum likelihood approach. *Journal of Molecular Evolution* **17**:368-376.
- Felsenstein, J. 2004. *Inferring Phylogenies.* Sinauer Associates, Sunderland, Massachusetts.
- Felsenstein, J. 2005. *Phylip: Phylogenetic Inference Program, Version 3.6.* University of Washington:Seattle.
- Fitch, W. M. 1971. Toward defining the course of evolution: minimum change for a specific tree topology. *Systematic Zoology* **20**:406-416.
- Forsberg, R., and F. B. Christiansen. 2003. A codon-based model of host-specific selection in parasites, with an application to the influenza A virus. *Molecular Biology and Evolution* **20**:1252-1259.
- Galtier, N., and M. Gouy. 1998. Inferring pattern and process: maximum-likelihood implementation of a nonhomogeneous model of DNA sequence evolution for phylogenetic analysis. *Molecular Biology and Evolution* **15**:871-879.
- Goldman, N. 1993. Statistical tests of models of DNA substitution. *Journal of Molecular Evolution* **36**:182-198.
- Goldman, N., and Z. Yang. 1994. A codon-based model of nucleotide substitution for protein-coding DNA sequences. *Molecular Biology and Evolution* **11**:725-736.
- Hartigan, J. A. 1973. Minimum evolution fits to a given tree. *Biometrics* **29**:53-65.
- Hasegawa, M., T. Yano, and H. Kishino. 1984. A new molecular clock of mitochondrial DNA and the evolution of Hominoids. *Proc. Japan Acad. B.* **60**:95-98.

- Hasegawa, M., H. Kishino, and T. Yano. 1985. Dating the human-ape splitting by a molecular clock of mitochondrial DNA. *Journal of Molecular Evolution* **22**:160-174.
- Hayasaka, K., T. Gojobori, and S. Horai. 1988. Hayasaka, K., T. Gojobori, and S. Horai. 1988. Molecular phylogeny and evolution of primate mitochondrial DNA. *Molecular Biology and Evolution* **5**:626-644. *Molecular Biology and Evolution* **5**:626-644.
- Huelsenbeck, J. P., and F. Ronquist. 2001. MrBayes: Bayesian inference of phylogenetic trees. *Bioinformatics* **17**:754-755.
- Inoue, J., P. C. H. Donoghue, and Z. Yang. 2010. The impact of the representation of fossil calibrations on Bayesian estimation of species divergence times. *Systematic Biology* **59**:74-89.
- Jones, D. T., W. R. Taylor, and J. M. Thornton. 1992. The rapid generation of mutation data matrices from protein sequences. *CABIOS* **8**:275-282.
- Jukes, T. H., and C. R. Cantor. 1969. Evolution of protein molecules. Pp. 21-123 in H. N. Munro, ed. *Mammalian Protein Metabolism*. Academic Press, New York.
- Kimura, M. 1980. A simple method for estimating evolutionary rate of base substitution through comparative studies of nucleotide sequences. *Journal of Molecular Evolution* **16**:111-120.
- Kishino, H., and M. Hasegawa. 1989. Evaluation of the maximum likelihood estimate of the evolutionary tree topologies from DNA sequence data, and the branching order in hominoidea. *Journal of Molecular Evolution* **29**:170-179.
- Kishino, H., J. L. Thorne, and W. J. Bruno. 2001. Performance of a divergence time estimation method under a probabilistic model of rate evolution. *Molecular Biology and Evolution* **18**:352-361.
- Koshi, J. M., and R. A. Goldstein. 1996. Probabilistic reconstruction of ancestral protein sequences. *Journal of Molecular Evolution* **42**:313-320.
- Kumar, S., K. Tamura, and M. Nei. 1994. MEGA: Molecular Evolutionary Genetics Analysis software for microcomputers. *Comput Appl Biosci* **10**:189-191.
- Lemey, P., O. G. Pybus, B. Wang et al. 2003. Tracing the origin and history of the HIV-2 epidemic. *Proceedings of National Academy of Sciences USA* **100**:6588-6592.
- McCullagh, P., and J. A. Nelder. 1989. *Generalized linear models*. Chapman and Hall, London.
- Messier, W., and C.-B. Stewart. 1997. Episodic adaptive evolution of primate lysozymes. *Nature* **385**:151-154.
- Nei, M., and T. Gojobori. 1986. Simple methods for estimating the numbers of synonymous and nonsynonymous nucleotide substitutions. *Molecular Biology and Evolution* **3**:418-426.
- Nielsen, R., and Z. Yang. 1998. Likelihood models for detecting positively selected amino acid sites and applications to the HIV-1 envelope gene. *Genetics* **148**:929-936.
- Page, R. D. M. 1996. TreeView: An application to display phylogenetic trees on personal computers. *Comput. Appl. Biosci.* **12**:357-358.
- Pauling, L., and E. Zuckerkandl. 1963. Chemical paleogenetics: molecular "restoration studies" of extinct forms of life. *Acta Chem. Scand.* **17**:S9-S16.
- Pupko, T., I. Pe'er, R. Shamir, and D. Graur. 2000. A fast algorithm for joint reconstruction of ancestral amino acid sequences. *Molecular Biology and Evolution* **17**:890-896.
- Rannala, B., and Z. Yang. 1996. Probability distribution of molecular evolutionary trees: a new method of phylogenetic inference. *Journal of Molecular Evolution* **43**:304-311.
- Rannala, B., and Z. Yang. 2007. Inferring speciation times under an episodic molecular clock. *Systematic Biology* **56**:453-466.
- Robinson, D. F., and L. R. Foulds. 1981. Comparison of phylogenetic trees. *Math. Biosci.* **53**:131-147.
- Saitou, N., and M. Nei. 1987. The neighbor-joining method: a new method for reconstructing phylogenetic trees. *Molecular Biology and Evolution* **4**:406-425.
- Self, S. G., and K.-Y. Liang. 1987. Asymptotic properties of maximum likelihood estimators and likelihood ratio tests under nonstandard conditions. *J. Am. Stat. Assoc.* **82**:605-610.
- Shimodaira, H., and M. Hasegawa. 1999. Multiple comparisons of log-likelihoods with applications to phylogenetic inference. *Molecular Biology and Evolution* **16**:1114-1116.
- Stadler, T., and Z. Yang. 2012. Dating phylogenies with sequentially sampled tips. *Syst. Biol.*

- Stewart, C.-B., J. W. Schilling, and A. C. Wilson. 1987. Adaptive evolution in the stomach lysozymes of foregut fermenters. *Nature* **330**:401-404.
- Suzuki, Y., and T. Gojobori. 1999. A method for detecting positive selection at single amino acid sites. *Molecular Biology and Evolution* **16**:1315-1328.
- Swanson, W. J., R. Nielsen, and Q. Yang. 2003. Pervasive adaptive evolution in mammalian fertilization proteins. *Molecular Biology and Evolution* **20**:18-20.
- Tamura, K. 1992. Estimation of the number of nucleotide substitutions when there are strong transition-transversion and G+C content biases. *Molecular Biology and Evolution* **9**:678-687.
- Tamura, K., and M. Nei. 1993. Estimation of the number of nucleotide substitutions in the control region of mitochondrial DNA in humans and chimpanzees. *Molecular Biology and Evolution* **10**:512-526.
- Thorne, J. L., H. Kishino, and I. S. Painter. 1998. Estimating the rate of evolution of the rate of molecular evolution. *Molecular Biology and Evolution* **15**:1647-1657.
- Thornton, J. 2004. Resurrecting ancient genes: experimental analysis of extinct molecules. *Nat. Rev. Genet.* **5**:366-375.
- Weadick, C. J., and B. S. Chang. 2012. An improved likelihood ratio test for detecting site-specific functional divergence among clades of protein-coding genes. *Molecular Biology and Evolution* **29**:1297-1300.
- Whelan, S., and N. Goldman. 2001. A general empirical model of protein evolution derived from multiple protein families using a maximum likelihood approach. *Molecular Biology and Evolution* **18**:691-699.
- Whelan, S., P. Liò, and N. Goldman. 2001. Molecular phylogenetics: state of the art methods for looking into the past. *Trends Genet.* **17**:262-272.
- Wong, W. S. W., Z. Yang, N. Goldman, and R. Nielsen. 2004. Accuracy and power of statistical methods for detecting adaptive evolution in protein coding sequences and for identifying positively selected sites. *Genetics* **168**:1041-1051.
- Yang, Z. 1993. Maximum-likelihood estimation of phylogeny from DNA sequences when substitution rates differ over sites. *Molecular Biology and Evolution* **10**:1396-1401.
- Yang, Z. 1994a. Maximum likelihood phylogenetic estimation from DNA sequences with variable rates over sites: approximate methods. *Journal of Molecular Evolution* **39**:306-314.
- Yang, Z. 1994b. Estimating the pattern of nucleotide substitution. *Journal of Molecular Evolution* **39**:105-111.
- Yang, Z. 1994c. Statistical properties of the maximum likelihood method of phylogenetic estimation and comparison with distance matrix methods. *Systematic Biology* **43**:329-342.
- Yang, Z. 1995. A space-time process model for the evolution of DNA sequences. *Genetics* **139**:993-1005.
- Yang, Z. 1996a. Maximum-likelihood models for combined analyses of multiple sequence data. *Journal of Molecular Evolution* **42**:587-596.
- Yang, Z. 1996b. Among-site rate variation and its impact on phylogenetic analyses. *Trends Ecol. Evol.* **11**:367-372.
- Yang, Z. 1998. Likelihood ratio tests for detecting positive selection and application to primate lysozyme evolution. *Molecular Biology and Evolution* **15**:568-573.
- Yang, Z. 2000a. Complexity of the simplest phylogenetic estimation problem. *Proc. R. Soc. B: Biol. Sci.* **267**:109-116.
- Yang, Z. 2000b. Maximum likelihood estimation on large phylogenies and analysis of adaptive evolution in human influenza virus A. *Journal of Molecular Evolution* **51**:423-432.
- Yang, Z. 2002. Inference of selection from multiple species alignments. *Curr. Opin. Genet. Devel.* **12**:688-694.
- Yang, Z. 2004. A heuristic rate smoothing procedure for maximum likelihood estimation of species divergence times. *Acta Zoologica Sinica* **50**:645-656.
- Yang, Z. 2006. *Computational Molecular Evolution*. Oxford University Press, Oxford, UK.
- Yang, Z. 2007. PAML 4: Phylogenetic analysis by maximum likelihood. *Molecular Biology and Evolution* **24**:1586-1591.

- Yang, Z., and D. Roberts. 1995. On the use of nucleic acid sequences to infer early branchings in the tree of life. *Molecular Biology and Evolution* **12**:451-458.
- Yang, Z., and T. Wang. 1995. Mixed model analysis of DNA sequence evolution. *Biometrics* **51**:552-561.
- Yang, Z., and S. Kumar. 1996. Approximate methods for estimating the pattern of nucleotide substitution and the variation of substitution rates among sites. *Molecular Biology and Evolution* **13**:650-659.
- Yang, Z., and B. Rannala. 1997. Bayesian phylogenetic inference using DNA sequences: a Markov chain Monte Carlo Method. *Molecular Biology and Evolution* **14**:717-724.
- Yang, Z., and R. Nielsen. 1998. Synonymous and nonsynonymous rate variation in nuclear genes of mammals. *Journal of Molecular Evolution* **46**:409-418.
- Yang, Z., and A. D. Yoder. 1999. Estimation of the transition/transversion rate bias and species sampling. *Journal of Molecular Evolution* **48**:274-283.
- Yang, Z., and R. Nielsen. 2000. Estimating synonymous and nonsynonymous substitution rates under realistic evolutionary models. *Molecular Biology and Evolution* **17**:32-43.
- Yang, Z., and J. P. Bielawski. 2000. Statistical methods for detecting molecular adaptation. *Trends Ecol. Evol.* **15**:496-503.
- Yang, Z., and W. J. Swanson. 2002. Codon-substitution models to detect adaptive evolution that account for heterogeneous selective pressures among site classes. *Molecular Biology and Evolution* **19**:49-57.
- Yang, Z., and R. Nielsen. 2002. Codon-substitution models for detecting molecular adaptation at individual sites along specific lineages. *Molecular Biology and Evolution* **19**:908-917.
- Yang, Z., and A. D. Yoder. 2003. Comparison of likelihood and Bayesian methods for estimating divergence times using multiple gene loci and calibration points, with application to a radiation of cute-looking mouse lemur species. *Systematic Biology* **52**:705-716.
- Yang, Z., and B. Rannala. 2006. Bayesian estimation of species divergence times under a molecular clock using multiple fossil calibrations with soft bounds. *Molecular Biology and Evolution* **23**:212-226.
- Yang, Z., and R. Nielsen. 2008. Mutation-selection models of codon substitution and their use to estimate selective strengths on codon usage. *Molecular Biology and Evolution* **25**:568-579.
- Yang, Z., N. Goldman, and A. Friday. 1994. Comparison of models for nucleotide substitution used in maximum-likelihood phylogenetic estimation. *Molecular Biology and Evolution* **11**:316-324.
- Yang, Z., S. Kumar, and M. Nei. 1995a. A new method of inference of ancestral nucleotide and amino acid sequences. *Genetics* **141**:1641-1650.
- Yang, Z., N. Goldman, and A. E. Friday. 1995b. Maximum likelihood trees from DNA sequences: a peculiar statistical estimation problem. *Systematic Biology* **44**:384-399.
- Yang, Z., R. Nielsen, and M. Hasegawa. 1998. Models of amino acid substitution and applications to mitochondrial protein evolution. *Molecular Biology and Evolution* **15**:1600-1611.
- Yang, Z., W. J. Swanson, and V. D. Vacquier. 2000a. Maximum likelihood analysis of molecular adaptation in abalone sperm lysin reveals variable selective pressures among lineages and sites. *Molecular Biology and Evolution* **17**:1446-1455.
- Yang, Z., W. S. W. Wong, and R. Nielsen. 2005. Bayes empirical Bayes inference of amino acid sites under positive selection. *Molecular Biology and Evolution* **22**:1107-1118.
- Yang, Z., R. Nielsen, N. Goldman, and A.-M. K. Pedersen. 2000b. Codon-substitution models for heterogeneous selection pressure at amino acid sites. *Genetics* **155**:431-449.
- Yoder, A. D., and Z. Yang. 2000. Estimation of primate speciation dates using local molecular clocks. *Molecular Biology and Evolution* **17**:1081-1090.
- Zhang, J. 2004. Frequent false detection of positive selection by the likelihood method with branch-site models. *Molecular Biology and Evolution* **21**:1332-1339.
- Zhang, J., R. Nielsen, and Z. Yang. 2005. Evaluation of an improved branch-site likelihood method for detecting positive selection at the molecular level. *Molecular Biology and Evolution* **22**:2472-2479.
- Zharkikh, A. 1994. Estimation of evolutionary distances between nucleotide sequences. *Journal of Molecular Evolution* **39**:315-329.

Index

aaDist	34	icode	26, 36, 37
alignment	5	in.baseml	58
alignment gap	12	in.codeml	58
alpha	22	initial values	26, 58
ambiguity characters	12	likelihood ratio test	5, 24
ancestral reconstruction		LRT	<i>See</i> likelihood ratio test
joint	25	lysozyme	9
marginal	25	MCAa.dat	39
ancestral reconstruction	4, 10, 24, 25	MCbase.dat	39
BEB	31	MCCodon.dat	39
BFGS	57	method	26, 57
BioEdit	5	Mgene	11, 19, 20, 21, 25
birth-death process	40, 46	missing data	12
bootstrap	58	model	20, 35, 37
<i>branch label</i>	15, 29	Monte Carlo simulation	41
<i>clade label</i>	15	mouse lemurs	9
cleandata	12, 26	ncatG	22
clock	9, 15, 21, 26, 28, 34	ndata	21
CLUSTAL	5	NEB	31
codon model		nhomo	23
branch model	9, 29, 35	noisy	20
branch-site model	31, 35, 36	nonhomogeneous models	23
clade model	32	nparK	23
site model	9, 30, 35	NSsites	9, 35
codon position	12, 13, 21, 25, 29, 34	OmegaAA.dat	34
CodonFreq	34	optimization	57
convergence	57, 59	Option G	11, 12, 13, 20, 21, 22, 25, 27, 37, 58, 60
evolver	39	outfile	20
examples	10	RateAncestor	24, 31, 36, 38
fix_alpha	22	rho	23
fix_blength	26	runmode	20, 34
fix_kappa	22	seqfile	20
fix_rho	23	Small_Diff	25, 59
fossil	16, 21, 34	tree	
GenDoc	5	parenthesis notation	15
gene prediction	5	rooted	15
genetic code	25	unrooted	15
getSE	24	tree search	6, 20, 57

TreeAlign.....	5	TreeView.....	16
treefile	20	verbose	20