

**IBM System/370
EQUIPMENT PRICES**

70C-491-05a
Computers

Rev 4/77

		<u>Purchase Price</u>	<u>Monthly Maint.</u>	<u>Rental (short-term lease)*</u>
PROCESSORS AND MAIN STORAGE				
3115	Processing Unit (for Model 115 system):			
	Model F; 65,536 bytes	122,150	309.00	3,235
	Model FE; 98,304 bytes	127,550	314.00	3,460
	Model G; 131,072 bytes	132,950	319.00	3,685
	Model GE; 163,840 bytes	138,350	326.00	3,910
	Model GF; 196,608 bytes	149,050	337.00	4,275
3115-2	Processing Unit (for Model 115-2 system):			
	Model F2; 65,536 bytes	160,250	345.00	4,250
	Model FE2; 98,304 bytes	165,650	350.00	4,475
	Model G2; 131,072 bytes	171,050	355.00	4,700
	Model GE2; 163,840 bytes	176,450	360.00	4,925
	Model GF2; 196,608 bytes	181,850	365.00	5,150
	Model H2; 262,144 bytes	192,650	375.00	5,600
	Model HG2; 393,216 bytes	220,250	400.00	6,660
3125	Processing Unit (for Model 125 system):			
	Model FE; 98,304 bytes	201,650	382.00	5,355
	Model G; 131,072 bytes	207,050	387.00	5,580
	Model GE; 163,840 bytes	212,450	394.00	5,805
	Model GF; 196,608 bytes	217,850	399.00	6,030
	Model H; 262,144 bytes	228,650	411.00	6,480
	Model HG; 393,216 bytes	281,650	484.00	8,125
	Model I; 524,288 bytes	303,250	506.00	9,115
3125-2	Processing Unit (for Model 125-2 system):			
	Model FE2; 98,304 bytes	227,050	390.00	6,030
	Model G2; 131,072 bytes	232,450	395.00	6,255
	Model GE2; 163,840 bytes	237,850	400.00	6,480
	Model GF2; 196,608 bytes	243,250	405.00	6,705
	Model H2; 262,144 bytes	254,050	415.00	7,155
3135	Processing Unit (for Model 135 system):			
	Model FE; 98,304 bytes	316,000	552.00	6,355
	Model GD; 147,456 bytes	365,500	587.00	7,370
	Model GF; 196,608 bytes	415,000	622.00	8,385
	Model DH; 245,760 bytes	464,500	658.00	9,400
	Model H; 262,144 bytes	466,500	731.00	9,740
	Model HF; 327,680 bytes	500,250	791.00	10,440
	Model HG; 393,216 bytes	534,000	851.00	11,140
	Model I; 524,288 bytes	601,500	971.00	12,540
3046	Power Unit (required for 3135)	17,060	33.00	356
3135-3	Processing Unit (for Accelerated Model 135-3):			
	Model A1; 262,144 bytes	586,500	890.00	13,240
	Model A2; 327,680 bytes	620,250	950.00	13,940
	Model A3; 393,216 bytes	654,000	1,010.00	14,640
	Model A4; 524,288 bytes	721,500	1,130.00	16,040
3138	Processing Unit (for Model 138 system):			
	Model I; 524,288 bytes	350,000	1,275.00	9,600
	Model J; 1,048,576 bytes	435,000	1,335.00	12,550
3145	Processing Unit (for Model 145 system):			
	Model GE; 163,840 bytes**	668,400	1,275.00	13,890
	Model GFD; 212,992 bytes *	717,800	1,315.00	14,930
	Model H; 262,144 bytes**	767,200	1,350.00	15,970
	Model HG; 393,316 bytes when used with a 3345 Model 1 or 4**	768,350	1,350.00	15,990
	Model I; 524,288 bytes when used with a 3345 Model 2 or 5**	769,500	1,350.00	16,010
	Model H2; 262,144 bytes	753,500	1,305.00	15,660
	Model HG2; 393,316 bytes	844,100	1,420.00	17,570
	Model I2; 524,288 bytes	912,800	1,550.00	18,960
	Model IH2; 786,432 bytes	1,050,300	1,785.00	21,750
	Model J2; 1,048,576 bytes	1,187,800	2,025.00	24,540
	Model JI2; 1,572,964 bytes	1,487,500	2,490.00	30,630
	Model K2; 2,097,152 bytes:	1,762,500	2,960.00	36,210
3345	Storage and Control Frame (for Model 145):			
	Model 1; 131,072 bytes**	158,350	107.00	3,285
	Model 2; 262,144 bytes**	288,650	197.00	6,015
	Model 3; Integrated 3330 Disk Storage Control	68,730	101.00	1,420
	Model 4; 131,072 bytes plus Integrated 3330 Disk Storage Control**	221,250	209.00	4,615

* Rental prices include equipment maintenance; 12-month and 24-month leases permit unlimited usage at no additional cost.
**Not in new production.

IBM System/370
EQUIPMENT PRICES

		<u>Purchase Price</u>	<u>Monthly Maint.</u>	<u>Rental (short-term lease)*</u>
PROCESSORS AND MAIN STORAGE (Continued)				
	Model 5; 262,144 bytes plus Integrated 3330 Disk Storage Control**	338,100	299.00	7,325
8100	Two-Channel Switch for 3345 Model 3, 4, or 5 or 3145	11,110	11.00	228
3046	Power Unit (required for 3345 Model 1, 2, 4, or 5)	17,060	33.00	356
3047	Power Unit (required for 3145 Models H2 through J2)	18,140	32.00	378
3145-3	Processing Unit (for Accelerated Model 145-3):			
	Model A1; 196,608 bytes	943,500	1,531.00	21,260
	Model A2; 327,680 bytes	1,034,100	1,646.00	23,170
	Model A3; 458,752 bytes	1,102,800	1,776.00	24,560
	Model A4; 720,896 bytes	1,240,300	2,011.00	27,350
	Model A5; 983,040 bytes	1,377,800	2,251.00	30,140
	Model A6; 1,507,308 bytes	1,677,500	2,716.00	36,230
	Model A7; 2,031,616 bytes	1,952,500	3,186.00	41,810
3148	Processing Unit (for Model 148 system):			
	Model J; 1,048,576 bytes	689,000	2,235.00	19,000
	Model K; 2,097,152 bytes	859,000	2,405.00	24,900
3155	Processing Unit (for Model 155 system; requires 3360 Mod 1, 2, or 3 Processor Storage)			
	Model H; 262,144 bytes	1,017,300	2,065.00	21,180
	Model HG; 393,216 bytes	1,018,500	2,065.00	21,210
	Model I; 524,288 bytes	1,019,700	2,065.00	21,240
	Model IH; 786,432 bytes	1,044,600	2,080.00	21,750
	Model J; 1,048,576 bytes	1,047,000	2,080.00	21,980
	Model JI; 1,572,964 bytes	1,134,900	2,140.00	23,600
	Model K; 2,097,152 bytes	1,162,200	2,150.00	24,170
3360	Processor Storage (for Model 155):			
	Model 1; 262,144 bytes	139,300	258.00	3,060
	Model 2; 393,216 bytes	209,000	387.00	4,590
	Model 3; 524,288 bytes	279,700	516.00	6,120
3158	Processing Unit (for Model 158 system; includes semiconductor main storage as indicated):			
	Model I; 524,288 bytes	1,850,300	2,315.00	38,120
	Model J; 1,048,576 bytes	1,935,300	2,400.00	41,070
	Model JI; 1,572,864 bytes	2,020,300	2,470.00	44,020
	Model K; 2,097,152 bytes	2,105,300	2,540.00	46,970
	Model KJ; 3,145,728 bytes	2,331,400	2,865.00	54,050
	Model L; 4,194,304 bytes	2,501,400	3,020.00	59,950
3158 MP	For Model 158 MP (multiprocessing) systems:			
	Model MP1; 524,288 bytes	2,041,200	2,430.00	42,010
	Model MP2; 1,048,576 bytes	2,126,200	2,500.00	44,960
	Model MP3; 1,572,864 bytes	2,211,200	2,575.00	47,910
	Model MP4; 2,097,152 bytes	2,296,200	2,645.00	50,860
	Model MP5; 3,145,728 bytes	2,522,300	2,970.00	57,940
	Model MP6; 4,194,304 bytes	2,692,300	3,110.00	63,840
3158-3	Uniprocessor Models:			
	Model U31; 524,288 bytes	1,973,000	2,170.00	40,670
	Model U32; 1,048,576 bytes	2,058,000	2,245.00	43,530
	Model U33; 1,572,864 bytes	2,143,000	2,310.00	46,390
	Model U34; 2,097,152 bytes	2,228,000	2,375.00	49,250
	Model U35; 3,145,728 bytes	2,454,000	2,675.00	56,060
	Model U36; 4,194,304 bytes	2,624,000	2,815.00	61,780
3158-3	Multiprocessor Models:			
	Model M31; 524,288 bytes	2,165,400	2,275.00	44,450
	Model M32; 1,048,576 bytes	2,250,400	2,340.00	47,310
	Model M33; 1,572,864 bytes	2,335,400	2,405.00	50,170
	Model M34; 2,097,152 bytes	2,420,400	2,470.00	53,030
	Model M35; 3,145,728 bytes	2,646,500	2,770.00	59,840
	Model M36; 4,194,304 bytes	2,816,500	2,900.00	65,560
3058	Multisystem Unit (required in Model 158 MP systems)	67,130	21.50	1,370
4600	I/O Assignment Switch Expansion (for 3058)	5,495	1.00	112
3165	Processing Unit (for Model 165 system; requires 3360 Mod. 4 or 5 Processor Storage):			
	Model 1; 524,288 bytes	1,814,600	3,260.00	37,790
	Model J; 1,048,576 bytes	1,819,900	3,270.00	37,900
	Model JI; 1,572,864 bytes	1,841,900	3,315.00	38,370
	Model K; 2,097,152 bytes	1,858,200	3,370.00	38,680
	Model KJ; 3,145,728 bytes	1,913,100	3,480.00	39,820

* Rental prices include equipment maintenance; 12-month and 24-month leases permit unlimited usage at no additional cost.

IBM System/370 EQUIPMENT PRICES

PROCESSORS AND MAIN STORAGE (Continued)		Purchase Price	Monthly Maint.	Rental (short-term lease)*
3066-1	System Console (required in Model 165 system)	183,050	552.00	3,825
3067-1	Power and Coolant Distribution Unit (required in Model 165 system)	135,900	131.00	2,825
9447	208/320-volt Motor Generator Set (for Model 165)	16,860	-	Purchase-only
9449	440-volt Motor Generator Set (for Model 165)	16,860	-	Purchase-only
3360	Processor Storage (for Model 165):			
	Model 4; 262,144 bytes	193,300	258.00	3,060
	Model 5; 524,288 bytes	279,700	516.00	6,120
3168	Processing Unit (for Model 168 system; includes semiconductor main storage as indicated):			
	Model J; 1,048,576 bytes	2,992,200	5,070.00	61,620
	Model K; 2,097,152 bytes	3,162,200	5,210.00	67,520
	Model KJ; 3,145,728 bytes	3,343,800	5,555.00	73,700
	Model L; 4,194,304 bytes	3,513,800	5,690.00	79,600
	Model LJ; 5,242,860 bytes	3,739,900	6,000.00	86,490
	Model LK; 6,291,456 bytes	3,909,900	6,175.00	92,600
	Model LKJ; 7,340,032 bytes	4,079,900	6,315.00	98,500
	Model M; 8,388,608 bytes	4,249,900	6,460.00	104,400
3168 MP	For Model 168 MP (multiprocessing) systems:			
	Model MP1; 1,048,576 bytes	3,083,100	5,080.00	63,470
	Model MP2; 2,097,152 bytes	3,253,100	5,220.00	69,370
	Model MP3; 3,145,728 bytes	3,434,700	5,565.00	75,550
	Model MP4; 4,194,304 bytes	3,604,700	5,705.00	81,450
	Model MP5; 5,242,860 bytes	3,830,800	6,045.00	88,550
	Model MP6; 6,291,456 bytes	4,000,800	6,185.00	94,450
	Model MP7; 7,340,032 bytes	4,170,800	6,330.00	100,350
	Model MP8; 8,388,608 bytes	4,340,800	6,470.00	106,250
3168-3	Uniprocessor Models:			
	Model U31; 1,048,576 bytes	3,302,400	5,180.00	70,920
	Model U32; 2,097,152 bytes	3,472,400	5,320.00	76,820
	Model U33; 3,145,728 bytes	3,654,000	5,665.00	83,000
	Model U34; 4,194,304 bytes	3,824,000	5,800.00	88,900
	Model U35; 5,242,860 bytes	4,050,100	6,110.00	96,000
	Model U36; 6,291,456 bytes	4,220,100	6,285.00	101,900
	Model U37; 7,340,032 bytes	4,390,100	6,425.00	107,800
	Model U38; 8,388,608 bytes	4,560,100	6,570.00	113,700
3168-3	Multiprocessor Models:			
	Model M31; 1,048,576 bytes	3,393,300	5,190.00	72,770
	Model M32; 2,097,152 bytes	3,563,300	5,330.00	78,670
	Model M33; 3,145,728 bytes	3,744,900	5,675.00	84,850
	Model M34; 4,194,304 bytes	3,914,900	5,815.00	90,750
	Model M35; 5,242,860 bytes	4,141,000	6,155.00	97,850
	Model M36; 6,291,456 bytes	4,311,000	6,295.00	103,750
	Model M37; 7,340,032 bytes	4,481,000	6,435.00	109,650
	Model M38; 8,388,608 bytes	4,651,000	6,580.00	115,550
3168-3	Attached Processor System:			
	Model A31; 1,048,576 bytes	3,367,400	5,600.00	72,910
	Model A32; 2,097,152 bytes	3,630,400	5,740.00	78,810
	Model A33; 3,145,728 bytes	3,905,000	6,085.00	84,990
	Model A34; 4,194,304 bytes	4,168,000	6,220.00	90,890
	Model A35; 5,242,860 bytes	4,487,100	6,530.00	97,990
	Model A36; 6,291,456 bytes	4,750,100	6,705.00	103,890
	Model A37; 7,340,032 bytes	5,013,100	6,845.00	109,790
	Model A38; 8,388,608 bytes	5,276,100	6,990.00	115,690
3062-1	Attached Processing Unit	1,540,000	5,100.00	53,000
3066-2	System Console (required in Model 168 system)	183,050	552.00	3,825
3066-3	System Console (required for 3062-1)	189,550	562.00	3,960
3067-2	Power and Coolant Distribution Unit (required in Model 168 system)	135,900	131.00	2,825
3067-3	Power and Coolant Distribution Unit (required in Model 168-3 system)	136,650	132.00	2,875
3067-5	Power and Coolant Distribution Unit (required in 3062-1 APU)	135,900	131.00	2,825
5050	Multiprocessing Feature (for 3066-2)	4,475	1.00	90
5050	Multiprocessing Feature (for 3067-2)	16,720	23.00	342
3068	Multisystem Communication Unit (required in Model 168 MP systems)	715,400	387.00	14,590
3850	Extended Storage Attachment (required on 3068 if either processor has over 4194K bytes)	6,875	No charge	140
4600	I/O Assignment Switch Expansion (for 3068)	5,495	1.00	112
9447	208/230-volt Motor Generator Set (for Model 168)	16,860	-	Purchase only
9449	440-volt Motor Generator Set (for Model 168)	16,860	-	Purchase only
3195	Processing Unit (for Model 195 system; includes core storage as indicated):			
	Model J1; 1,048,576 bytes	4,627,900	12,930.00	102,800
	Model K1; 2,097,152 bytes	6,219,100	13,720.00	134,400

*Rental prices include equipment maintenance; 12-month and 24-month leases permit unlimited usage at no additional cost.

IBM System/370
EQUIPMENT PRICES

	Purchase Price	Monthly Maint.	Rental (short-term lease)*
PROCESSORS AND MAIN STORAGE (Continued)			
Model KJ1; 3,145,728 bytes	7,311,100	14,490.00	155,850
Model L1; 4,194,304 bytes	8,330,300	15,180.00	175,200
3060 System Console (required in Model 195 system)	326,500	540.00	7,630
3080 Power Units (three required in Model 195 system)	39,610	17.50	901
3085 Power Distribution Unit (required in Model 195 system)	32,650	11.00	742
3086 Coolant Distribution Unit (required in Model 195 system)	34,930	11.00	795
9447 208/230-volt Motor Generator Set (for Model 195)	16,860	—	Purchase only
9449 440-volt Motor Generator Set (for Model 195)	16,860	—	Purchase only

NOTE: A purchased Model 155 Processing Unit can be converted into a Model 155-II by field installation of the Dynamic Address Translation facility at a one-time charge of \$200,000 and a \$630 increase in the monthly maintenance charge. A purchased Model 165 can be similarly converted into a Model 165-II at a one-time charge of \$400,000 and a \$1,000 increase in the monthly maintenance charge.

PROCESSOR FEATURES AND CHANNELS

For 3115 Processing Unit (Model 115):

3898 External Signals Feature	4,125	1.00	110
3900 Floating Point Feature	No charge	No charge	No charge
4650 Integrated 3203 Printer Attachment	3,145	7.00	83
4653 Integrated 3203/5203 Printer Attachment (prerequisite for Feature 4650 or 4690)	3,230	8.00	88
4670 Integrated 2560 MFCM Attachment	5,780	11.00	153
4674 2560 Card Print Control	1,235	2.00	33
4675 3411 Magnetic Tape Adapter	4,125	3.00	110
4690 Integrated 5203 Model 3 Printer Attachment	3,145	7.00	83
4692 Integrated 5213 Model 1 Printer Attachment	4,125	3.00	110
4695 Integrated 5425 MFCU Attachment	5,780	18.50	153
5248 Byte Multiplexer Channel	7,865	19.50	208
7520 System/360 Model 20 Compatibility	No charge	No charge	No charge
4640 Integrated Communications Adapter (for 3115)	8,460	25.50	225
4641 Integrated Communications Adapter Extension	3,105	1.50	83
1201 Asynchronous Line Group	1,660	3.00	43
1231 Asynchronous Line, Medium Speed	1,660	2.50	43
1241 Asynchronous Line Pair, Low Speed	2,255	3.50	60
1291, 1292 Auto Call Adapter (line position A1 or A2)	808	1.50	21
1295, 1296 Auto Call Adapter (line position S1 or S1)	808	1.50	21
4743 IBM Leased Line Adapter	417	2.50	15
IBM 1200-bps Line Adapters:			
4781 Non-switched	525	2.50	16
4782 Switched with Auto-Answer	700	3.00	21
4791 Switched with Auto-Answer and Auto-Call	1,935	11.50	71
4792 Line Adapter Base 2	1,020	2.00	28
4793 Line Adapter Base 3	1,020	2.00	28
7100 Synchronous Line Group	1,660	3.00	43
7121 Synchronous Line, High Speed	4,125	8.50	110
7141-7144 Synchronous Line, Medium Speed, with Clock	2,255	3.50	60
7151-7154 Synchronous Line, Medium Speed	1,870	3.00	49
7881 Telegraph Line Pair	2,255	9.00	60

For 3115-2 Processing Unit (Model 115-2)

3860 Expansion Base; required on 3115-2 Model H2 systems not equipped with RFQ 7B0132 and 7B0141 (to allow both native card reader attachment and the multiplexer channel) and on all 3115-2 systems with a Line Adapter Base 2 or Line Adapter Base 3	1,710	1.00	45
4101 4K Control Storage Extension	2,055	1.50	83
4102 4K Control Storage Increment	2,055	1.50	83
4210 DASF Control Storage Extension (required for string switch capability)	2,055	1.50	83
5249 Extended Byte Multiplexer Channel (for 25KB transfer rate)	1,330	3.00	35

For 3125 Processing Unit (Model 125):

3898 External Signals	4,200	1.00	112
3910 Floating Point (including Extended Precision)	No charge	No charge	No charge
4101 First 4K-Word Control Storage Increment	2,055	1.50	84
4102 Second 4K-Word Control Storage Increment	2,055	1.50	84
4457 1401/1440/1460 Compatibility	No charge	No charge	No charge
4500 5424 Card Unit Power Supply	6,715	14.00	179
4505 1403 Printer/5425 Card Unit Power Prerequisite	11,730	39.00	313
4662 Integrated 1403 Model 2/N1 Printer Attachment	434	1.00	10
4667 Integrated 1403 Model 2/7N1 Printer Attachment	5,455	12.00	145
4668 Integrated 1403 Model N1 Printer Attachment	217	1.00	5
4670 Integrated 2560 Model A1 MFCM Attachment	5,890	12.00	156
4674 2560 Card Print Control	1,250	2.00	33
4675 3411 Magnetic Tape Adapter	4,200	3.50	112
4680 Integrated 3504 Card Reader Attachment	2,730	8.50	72
4685 Integrated 3525 Card Punch Attachment	3,375	11.00	89

* Rental prices include equipment maintenance; 12-month and 24-month leases permit unlimited usage at no additional cost.

IBM System/370
EQUIPMENT PRICES

PROCESSOR FEATURES AND CHANNELS (Continued)		Purchase Price	Monthly Maint.	Rental (short-term lease)*
4692	Integrated 5213 Console Printer Attachment	4,200	3.50	112
4693	3525 Card Print Control	2,510	3.00	67
4695	Integrated 5425 MFCU Attachment	5,890	21.00	156
5248	Multiplexer Channel	8,405	24.00	224
7520	System/360 Model 20 Compatibility	No charge	No charge	No charge
8005	1052 Compatibility	No charge	No charge	No charge
8040	2311 Model 1 Compatibility	No charge	No charge	No charge
4640	Integrated Communications Adapter (for 3125)	8,585	27.50	230
4641	Integrated Communications Adapter Extension	3,160	1.50	84
1201	Asynchronous Line Group 1 (ALG 1)	1,660	3.50	43
1202	Asynchronous Line Group 2 (ALG 2)	1,660	3.50	43
1231	Asynchronous Line, Medium-Speed, ALG 1	1,685	3.00	43
1232	Asynchronous Line, Medium-Speed, ALG 2	1,685	3.00	43
1241	Asynchronous Line Pair, Low-Speed, ALG 1	2,295	4.00	60
1242	Asynchronous Line Pair, Low-Speed, ALG 2	2,295	4.00	61
1291-1296	Auto-Call Adapter (per line position)	824	1.50	21
4743	IBM Leased Line Adapter	424	3.00	15
4781	IBM 1200-bps Line Adapter: Non-Switched	535	3.00	16
4782	Switched with Auto-Answer	714	3.50	21
4791	Switched with Auto-Answer and Auto-Call	1,970	12.00	72
4792	Line Adapter Base 2	1,035	2.00	28
4793	Line Adapter Base 3	1,035	2.00	28
7100	Synchronous Line Group	1,685	3.50	43
7121	Synchronous Line, High-Speed	4,200	9.00	112
7131	Synchronous Line, Low-Load, First	4,200	9.00	112
7132	Synchronous Line, Low-Load, Second	4,200	9.00	112
7141-7144	Synchronous Line, Medium-Speed with Clock (per line)	2,295	4.00	61
7151-7154	Synchronous Line, Medium-Speed (per line)	1,905	3.50	49
7881	Telegraph Line Pair, ALG 1	2,295	9.50	61
7882	Telegraph Line Pair, ALG 2	2,295	9.50	61
5213	Printer; 85 char/sec.	5,370	52.50	179
For 3125-2 Processing Unit (Model 125-2)				
4105	8K Control Storage Extension	4,110	3.00	168
4210	4K DASD Control Storage Extension	2,055	1.50	84
For 3135 Processing Unit (Model 135):				
1290	Autocall	2,740	1.00	56
1421	Block Multiplexer Channel	No charge	No charge	No charge
1431	Block Multiplexer Shared Subchannel	No charge	No charge	No charge
1501	Channel Priority	No charge	No charge	No charge
2001	Clock Comparator & CPU Timer	No charge	No charge	No charge
3274	Direct Control	6,540	1.00	131
3840	Extended Precision Floating Point	1,495	1.00	30
3900	Floating-Point	No charge	No charge	No charge
3905-3907	Additional Multiplexer Subchannels (64, 128, or 256)	No charge	No charge	No charge
4457	IBM 1401/1440/1460 Compatibility	No charge	No charge	No charge
4650	Integrated File Adapter (IFA) for 2319	28,430	14.00	572
4655	Integrated File Adapter (IFA) for 3330 Series	38,910	3.00	786
4640	Integrated Communications Adapter (ICA)	11,900	25.00	242
4722	Second Line on ICA	2,385	5.00	47
4723	Third Line on ICA	4,790	10.00	95
4724	Fourth Line on ICA	2,385	5.00	47
4725	Fifth Line on ICA	7,150	16.00	144
4726	Sixth Line on ICA	2,385	5.00	47
4727	Seventh Line on ICA	2,385	5.00	47
4728	Eighth Line on ICA	2,385	5.00	47
4662	Integrated Printer Adapter for 1403 Model 2	20,670	21.50	419
4667	Integrated Printer Adapter for 1403 Model 7	20,670	21.50	419
4668	Integrated Printer Adapter for 1403 Model N1	20,670	21.50	419
6981	Selector Channel No. 1	10,480	4.00	211
6982	Selector Channel No. 2	8,990	4.00	181
7520	System/360 Model 20 Compatibility	No charge	No charge	No charge
7861	Control Storage Expansion; 1st 12K increment	12,330	22.00	252
7862	Control Storage Expansion; 2nd 12K increment	12,330	22.00	252
7844	Adapter for 3210-1 Console Printer-Keyboard	5,990	4.00	121
7855	Adapter for 3215 Console Printer-Keyboard	10,160	5.00	204
8637	Universal Character Set Adapter	2,045	8.00	40
9841	3333 String Attachment	No charge	No charge	No charge
3210-1	Console Printer-Keyboard; 15 char/sec.	5,935	101.00	196
3215	Console Printer-Keyboard; 85 char/sec.	8,990	65.50	224
For 3135-3 Processing Unit (Model 135-3):				
1290	Autocall	2,740	1.00	56
1425	Block Multiplexer Channel, 1st	10,480	4.00	211
1426	Block Multiplexer Channel, 2nd	8,990	4.00	181

* Rental prices include equipment maintenance; 12-month and 24-month leases permit unlimited usage at no additional cost.

IBM System/370
EQUIPMENT PRICES

PROCESSOR FEATURES AND CHANNELS (Continued)		Purchase Price	Monthly Maint.	Rental (short-term lease)*
1431	Block Multiplexer Shared Subchannel	No charge	No charge	No charge
1501	Channel Priority	No charge	No charge	No charge
3274	Direct Control	6,540	1.00	131
3840	Extended Precision Floating Point	1,487	1.00	30
3906	128 Additional Multiplexer Subchannels	No charge	No charge	No charge
3907	256 Additional Multiplexer Subchannels	No charge	No charge	No charge
4457	1401/1440/1460 Compatibility	No charge	No charge	No charge
4640	Integrated Communications Adapter (ICA)	11,900	25.00	242
4645	IFA Conversion Feature	No charge	No charge	No charge
4650	2319 Integrated File Adapter	28,430	14.00	572
4655	3330/3340 Series IFA	38,910	3.00	786
4670	Integrated Printer Adapter Basic Control	19,850	21.50	400
4672	Integrated 1403 Printer Model 2 or N1 Attachment	415	.50	10
4677	Integrated 1403 Printer Model 7 Attachment	415	.50	10
4722	Second Additional Line on ICA	2,385	5.00	47
4723	Third Additional Line on ICA	4,790	10.00	95
4724	Fourth Additional Line on ICA	2,385	5.00	47
4725	Fifth Additional Line on ICA	7,150	10.00	144
4721	Sixth Additional Line on ICA	2,385	5.00	47
4727	Seventh Additional Line on ICA	2,385	5.00	47
4728	Eighth Additional Line on ICA	2,385	5.00	47
7844	3210 Model 1 Adapter	5,590	4.00	121
7855	3215 Adapter	10,160	5.00	204
8070	2314/3340 Compatibility Feature	1,925	No charge	55
8637	Universal Character Set Adapter	2,045	8.00	40
For 3138 Processing Unit (Model 138):				
1290	Autocall	2,740	1.00	56
1431	Block Multiplexer Shared Subchannels	No charge	No charge	No charge
1502	Channel priority	No charge	No charge	No charge
3274	Direct Control	6,540	1.00	131
3906	128 Additional Multiplexer Subchannels	No charge	No charge	No charge
3907	256 Additional Multiplexer Subchannels	No charge	No charge	No charge
4457	1401/1440/1460 Compatibility	No charge	No charge	No charge
4640	Integrated Communications Adapter (ICA)	11,900	25.00	242
4655	3330/3340 Series IFA	38,910	3.00	786
4670	Integrated 1403 Printer Adapter Basic Control	19,850	21.50	400
4672	Integrated 1403 Printer Model 2 or N1 Attachment	415	.50	10
4677	Integrated 1403 Printer Model 7 Attachment	415	.50	10
4722	Second Additional Line on ICA	2,385	5.00	47
4723	Third Additional Line on ICA	4,790	10.00	95
4724	Fourth Additional Line on ICA	2,385	5.00	47
4725	Fifth Additional Line on ICA	7,150	16.00	144
4726	Sixth Additional Line on ICA	2,385	5.00	47
4727	Seventh Additional Line on ICA	2,385	5.00	47
4728	Eighth Additional Line on ICA	2,385	5.00	47
8070	2314/3340 Compatibility Feature	1,925	No charge	55
8075	Integrated 3203-4 Printer Attachment, First Printer	5,940	30.00	180
8076	Integrated 3203-4 Printer Attachment, Second Printer	5,940	30.00	180
8637	Universal Character Set Adapter	2,045	8.00	40
For 3145 Processing Unit (Model 145):				
1421-1424	Block Multiplexer Channel Features	No charge	No charge	No charge
1850	Channel-to-Channel Adapter	15,710	14.00	326
2001	Clock Comparator & CPU Timer	5,485	3.00	114
2150	Control Store Extension (prerequisite for 9845)	16,390	11.00	342
3274	Direct Control	7,085	4.00	146
3910	Floating-Point Instructions	No charge	No charge	No charge
4457	1401/1440/1460 Compatibility	No charge	No charge	No charge
4458	1401/1440/1460, 1410/7010 Compatibility	No charge	No charge	No charge
4650	Integrated File Adapter (IFA) for 2319	32,330	50.00	674
4660	Integrated Storage Control (ISC) for 3330	63,220	101.00	1,310
4951-4954	Additional Multiplexer Subchannels (32, 64, 128, or 256)	No charge	No charge	No charge
6982	Selector Channel—2nd	13,240	17.50	277
6983	Selector Channel—3rd	13,240	17.50	277
6984	Selector Channel—4th	13,240	17.50	277
7844	Console Printer Adapter for 3210 Model 1	7,410	4.00	153
7845	Console Printer Adapter for 3210 Model 2	5,925	7.00	123
7855	Console Printer Adapter for 3215	10,380	7.00	215
8810	Word Buffer	11,780	7.00	247
9841	3333 String Switch Attachment	No charge	No charge	No charge
9845	32-Drive Expansion (2150 is prerequisite)	No charge	No charge	No charge
3210	Console Printer-Keyboard; 15 char/sec: Model 1; for local use	5,935	116.00	196
	Model 2; for remote use	6,100	123.00	201
3215	Console Printer-Keyboard; 85 char/sec.	8,990	75.00	224
For 3145-3 Processing Unit (Model 145-3):				
1427	Block Multiplexer Channel, 2nd	13,240	17.50	277
1428	Block Multiplexer Channel, 3rd	13,240	17.50	277
1429	Block Multiplexer Channel, 4th	13,240	17.50	277
1850	Channel-to-Channel Adapter	15,710	14.00	326
2001	Clock Comparator and CPU Timer	5,485	3.00	114
2150	Control Store Expansion	16,390	11.00	342
2152	Expanded Control Store	26,330	22.50	550

* Rental prices include equipment maintenance; 12-month and 24-month leases permit unlimited usage at no additional cost.

IBM System/370 EQUIPMENT PRICES

PROCESSOR FEATURES AND CHANNELS (Continued)		Purchase Price	Monthly Maint.	Rental (short-term lease)*
3274	Direct Control	7,085	4.00	146
4457	1401/1440/1460 Compatibility	No charge	No charge	No charge
4458	1401/1440/1460, 1410/7010 Compatibility	No charge	No charge	No charge
4660	Integrated Storage Control	63,220	101.00	1,310
4953	128 Additional Multiplexer Subchannels	No charge	No charge	No charge
4954	256 Additional Multiplexer Subchannels	No charge	No charge	No charge
6111	Register Expansion	1,035	4.00	31
7844	3210 Model 1 Adapter	7,410	4.00	153
7845	3210 Model 2 Adapter	5,925	7.00	123
7855	3215 Adapter	10,380	7.00	215
8100	Two-Channel Switch	11,110	11.00	228
8810	Word Buffer	11,780	7.00	247
For 3148 Processing Unit (Model 148):				
1450	Block Multiplexer Additional Subchannel	No charge	No charge	No charge
1850	Channel-to-Channel Adapter	15,710	14.00	326
2150	Control Store Extension	16,390	11.00	342
2152	Expanded Control Store	26,330	22.50	550
3274	Direct Control	7,085	4.00	146
4457	1401/1440/1460 Compatibility	No charge	No charge	No charge
4458	1401/1440/1460, 1410/7010 Compatibility	No charge	No charge	No charge
4660	Integrated Storage Control	63,220	101.00	1,310
4953	128 Additional Multiplexer Subchannels	No charge	No charge	No charge
4954	256 Additional Multiplexer Subchannels	No charge	No charge	No charge
6811	Register Expansion	1,035	4.00	31
8075	Integrated 3203-4 Printer Attachment, First Printer	5,940	30.00	180
8076	Integrated 3203-4 Printer Attachment, Second Printer	5,940	30.00	180
8100	Two-Channel Switch	11,110	11.00	228
For 3155 Processing Unit (Model 155):				
1433	Third Block Multiplexer Channel	14,970	14.00	429
1434	Fourth Block Multiplexer Channel	13,930	11.00	400
1435	Fifth Block Multiplexer Channel	7,005	5.00	199
1850	Channel-to-Channel Adapter	13,930	9.00	400
3274	Direct Control	3,425	4.00	114
3700	Extended Precision Floating Point	9,615	19.00	199
3950	IBM 1401/1440/1460/1410/7010 Compatibility	18,290	19.00	457
4990	Second Byte Multiplexer Channel	14,970	14.00	429
5450	OS/DOS Compatibility	11,430	19.00	285
7117	7070/7074 Compatibility	49,390	71.50	1,025
7844	Adapter for 3210 1 Printer-Keyboard	8,240	9.00	171
7845	Adapter for 3210 2 Printer-Keyboard	9,315	9.00	193
7855	Adapter for 3215 Printer-Keyboard	10,910	9.00	228
3210	Console Printer-Keyboard; 15 char/sec:			
	Model 1; for local use	5,935	116.00	196
	Model 2; for remote use	6,100	123.00	201
3215	Console Printer-Keyboard; 85 char/sec.	8,990	75.00	224
For 3158 Processing Unit (Model 158):				
1433	Third Block Multiplexer Channel	16,160	14.00	463
1434	Fourth Block Multiplexer Channel	15,040	11.00	432
1435	Fifth Block Multiplexer Channel	7,565	5.00	215
1850	Channel-to-Channel Adapter	15,040	9.00	432
2150	Control Store Extension (prerequisite for 9845)	32,900	23.00	686
3274	Direct Control	3,705	4.00	123
3700	Extended Precision Floating Point	No charge	No charge	No charge
3950	IBM 1401/1440/1460/1410/7010 Compatibility	No charge	No charge	No charge
4650	Integrated Storage Controls (for 3330 Series)	121,250	258.00	2,510
4990	Second Byte Multiplexer Channel	16,160	14.00	463
5450	OS/DOS Compatibility	No charge	No charge	No charge
7117	7070/7074 Compatibility	No charge	No charge	No charge
7220	Staging Adapter for ISC	129,950	245.00	2,690
7840	3213 Console Printer Attachment	5,545	1.00	114
7905	Two-Channel Switch for Integrated Storage Control	22,230	23.00	458
9841	3333 String Switch Attachment	No charge	No charge	No charge
9845	32-Drive Expansion (2150 is prerequisite)	No charge	No charge	No charge
3213	Console Printer; 85 char/sec.	7,635	100.00	235
For 3165 Processing Unit (Model 165):				
1432	Buffer Expansion (to 16K bytes)	77,160	60.50	1,610
3850	Extended Channels	24,640	76.50	513
4520	High-Speed Multiply	135,150	121.00	2,815
7117	IBM 7070/7074 Compatibility	140,350	181.00	2,930
7118	IBM 7080 Compatibility	140,350	181.00	2,930
7119	IBM 709/7090/7094 II Compatibility	140,350	181.00	2,930
For 3168 Processing Unit (Model 168):				
1435	Buffer Expansion (to 16K bytes)	83,340	65.50	1,740
2150	Control Store Extension (prerequisite for 9845)	32,900	23.00	686
3855	Extended Channels	26,610	83.00	554

* Rental prices include equipment maintenance; 12-month and 24-month leases permit unlimited usage at no additional cost.

**IBM System/370
EQUIPMENT PRICES**

PROCESSOR FEATURES AND CHANNELS (Continued)		Purchase Price	Monthly Maint.	Rental (short-term lease)*		
4525	High-Speed Multiply	145,950	131.00	3,035		
4650	Integrated Storage Controls (for 3330 Series)	121,250	258.00	2,510		
7127	IBM 7070/7074 Compatibility	151,600	197.00	3,160		
7128	IBM 7080 Compatibility	151,600	197.00	3,160		
7129	IBM 709/7090/7094/7094 II Compatibility	151,600	197.00	3,160		
7220	Staging Adapter for ISC	129,950	245.00	2,690		
7905	Two-Channel Switch for Integrated Storage Control	22,230	23.00	458		
9841	3333 String Switch Attachment	No charge	No charge	No charge		
9845	32-Drive Expansion (2150 is prerequisite)	No charge	No charge	No charge		
For 3195 Processing Unit (Model 195):						
3851	Extended Channels	14,872	2.00	306		
2860	Selector Channel (for Models 165-195):					
	Mod. 1; one channel	112,050	63.50	2,400		
	Mod. 2; two channels	159,600	103.00	3,420		
	Mod. 3; three channels	206,600	144.00	4,455		
1850	Channel-to-Channel Adapter (for 2860)	10,820	4.00	256		
	Channel Indirect Data Addressing (required on 2860 for operation in Extended Control mode):					
1861	For 2860 Model 1	7,995	2.00	171		
1862	For 2860 Model 2	15,940	3.00	342		
1863	For 2860 Model 3	23,910	5.00	515		
2870	Byte Multiplexer Channel (for Models 165-195)	117,900	132.00	2,500		
6990	Selector Subchannel—First (for 2870)	19,870	20.00	458		
6991	Selector Subchannel—Second (for 2870)	12,010	12.50	285		
6992	Selector Subchannel—Third (for 2870)	12,010	12.50	285		
6993	Selector Subchannel—Fourth (for 2870)	12,010	12.50	285		
1861	Channel Indirect Data Addressing (required on 2870 for operation in Extended Control mode):	10,790	2.50	228		
2880	Block Multiplexer Channel (for Models 165-195):					
	Mod. 1; one channel	121,850	355.00	3,705		
	Mod. 2; two channels	174,500	471.00	5,310		
	Channel Indirect Data Addressing (required on 2880 for operation in Extended Control mode):					
1861	For 2880 Model 1	5,650	1.00	171		
1862	For 2880 Model 2	11,240	2.00	342		
	Two-Byte Interface (required on 2880 for attachment of 2305 Model 1 Fixed-Head Storage):					
7850	For 2880 Model 1 or first Channel of Model 2	14,220	6.00	432		
7851	For second channel of 2880 Model 2	14,220	6.00	432		
		<u>Purchase Price</u>	<u>Monthly Maint.</u>	<u>Rental (short-term lease)*</u>	<u>Rental (12-month lease)*</u>	<u>Rental (24-month lease)*</u>
MASS STORAGE						
2305	Fixed-Head Storage Facility:					
	Mod. 1; 5.4 million bytes	179,100	592.00	5,495	5,055	4,616
	Mod. 2; 11.2 million bytes	142,200	563.00	4,395	4,025	3,675
2835	Storage Control:					
	Mod. 1; for 2305 Mod. 1	109,800	396.00	3,245	2,985	2,726
	Mod. 2; for 2305 Mod. 2	90,900	338.00	2,705	2,489	2,272
2319	Disk Storage (each unit has 3 disk drives and stores a total of 87 million bytes):					
	Model A1; 3 drives and control, for connection to Model 135 or 145 IFA	35,100	220.00	1,080	994	907
	Model A2; 3 additional drives for Model 145	35,100	220.00	1,080	994	907
	Model A3; 3 additional drives for Model 135	35,280	231.00	1,135	1,044	953
	Model B1; 3 drives and control, for connection to 2314-B1 Storage Control	35,100	220.00	1,080	994	907
	Model B2; 3 additional drives for connection to 2314-B1 Storage Control	35,100	220.00	1,080	994	907
2314	Storage Control, Model B1	63,810	75.50	1,650	1,518	1,386
2312	Disk Storage; 1 drive, 29 million bytes	22,920	93.50	599	551	503
2313	Disk Storage; 4 drives, 116 million bytes	75,290	301.00	1,945	1,789	1,634
2318	Disk Storage; 2 drives, 58 million bytes	37,430	169.00	1,030	948	865
3330	Disk Storage:					
	Model 1; 2 drives, 200 million bytes	47,610	187.00	1,450	1,334	1,218**
	Model 2; 1 drive, 100 million bytes	28,440	110.00	862	—	707**
	Model 11; 2 drives, 400 million bytes	67,680	187.00	2,070	1,904	1,739**

* Rental prices include equipment maintenance; 12-month and 24-month leases permit unlimited usage at no additional cost.
** Extended-Term Plan (other 12-month and 24-month lease prices are for Fixed-Term Plan).

IBM System/370 EQUIPMENT PRICES

MASS STORAGE (Continued)		Purchase Price	Monthly Maint.	Rental (short-term lease)*	Rental (12-month lease)*	Rental (24-month lease)*
3333	Disk Storage and Control (up to three 3330 modules can be attached):					
	Model 1; 2 drives, 200 million bytes	59,670	220.00	1,810	—	1,485**
	Model 11; 2 drives, 400 million bytes	79,830	220.00	2,426	—	1,990**
3830	Storage Control, Model 2 (controls up to four 3333's and twelve 3330's)	74,340	126.00	2,270	2,088	1,907**
3830	Storage Control, Model 3 (controls up to four 3333's and twelve 3330's in a 3850 Mass Storage System)	144,000	235.00	4,405	4,053	3,700**
2150	Control Store Extension (for 3830; prerequisite for 9845)	17,190	10.50	526	484	442**
8150	String Switch (for 3333)	7,345	10.50	223	—	183**
8151	3333 String Switch Attachment (for 3830)	No charge	No charge	No charge	—	—
9845	32-Drive Expansion (for 3830)	No charge	No charge	No charge	—	—
8170	Two-channel Switch (for 3830)	7,325	10.50	223	205	187
8171	Two-Channel Switch, Additional (for 3830)	7,325	10.50	223	205	187
3336	Disk Pack, Model 1	775	—	—	—	—
3336	Disk Pack, Model 11	1,150	—	—	—	—
3340	Direct Access Storage Facility:					
	Model A2; Two drives plus control	36,000	92.00	1,100	—	936**
	Model B1; One drive	19,800	45.00	615	—	523**
	Model B2; Two drives	25,200	79.00	776	—	660**
3344 B2	Add-on Direct-Access Storage for 3340 Direct-Access Storage Facility	49,500	150.00	1,350	—	1,150**
3334 B2F	Add-on Direct-Access Storage for 3340 Direct-Access Storage Facility with 2MB fixed-head storage	65,000	210.00	1,774	—	1,510**
4301	Fixed Head Feature (for 3340 A2 or B2)	1,710	1.50	43	—	41**
6201	Rotational Position Sensing (for 3340 B1)	684	0.50	20	—	17**
6202	Rotational Position Sensing (for 3340 or A2 or B2)	864	0.50	25	—	21**
6148	Remote String Attachment	No charge	No charge	No charge	—	—
9315	3333/3340 Intermix	No charge	No charge	No charge	—	—
9845	32 Drive Expansion**	No charge	No charge	No charge	—	—
8150	String Switch	7,200	12.00	220	—	187**
3348	Data Module (for 3340 drives):					
	Model 35; 34,944,768 bytes	1,600	Time & mat'l.	59	—	50**
	Model 70; 69,889,536 bytes	2,200	Time & mat'l.	82	—	70**
	Model 70F; 69,889,536 bytes, of which 502,080 are served by fixed heads	4,400	Time & mat'l.	165	—	140**
3350 A2	Direct-Access Storage	62,500	200.00	1,704	—	1,450**
3350 A2F	Direct-Access Storage with 2MB fixed-head storage	78,000	260.00	2,127	—	1,810**
3350 B2	Add-on Direct-Access Storage Unit	49,500	150.00	1,351	—	1,150**
3350 B2F	Add-on Direct-Access Storage Unit with 2MB fixed-head storage	65,000	210.00	1,774	—	1,510**
3350 C2	Two-drive disk storage and associated control	64,650	210.00	1,763	—	1,500**
3350 C2F	Two-drive disk storage and associated control	80,150	270.00	2,186	—	1,860**
1320	Primary Controller Adapter (permits selection of A2/AF controller as on-line controller via manual switch on the C2/C2F)	430	150.00	12	—	10**
3851	Mass Storage Facility:					
	Model A1; 1 control, 35.3 billion bytes	496,050	1,400.00	12,937	—	11,010**
	Model A2; 1 control, 102.2 billion bytes	730,050	1,950.00	19,047	—	16,210**
	Model A3; 1 control, 169.1 billion bytes	964,050	2,500.00	25,157	—	21,410**
	Model A4; 1 control, 236.0 billion bytes	1,198,050	3,050.00	31,267	—	26,610**
	Model B1; 2 controls, 35.3 billion bytes	651,000	1,550.00	16,979	—	14,450**
	Model B2; 2 controls, 102.2 billion bytes	885,000	2,100.00	23,089	—	19,650**
	Model B3; 2 controls, 169.1 billion bytes	1,119,000	2,650.00	29,199	—	24,850**
	Model B4; 2 controls, 236.0 billion bytes	1,353,000	3,200.00	35,309	—	30,050**
4901/4902	Mass Storage Control Twin Port (for 3851)	6,235	2.00	159	—	135**
6148/6150	Remote Switch Attachment (for 3851)	No charge	No charge	—	—	—
8171/8172	Two Channel Switch, Additional (for 3851)	15,590	5.00	402	—	342**

NOTE: The older IBM 2301, 2303, 2311, 2314-A, and 2321 mass storage devices can also be used in a System/370; for details and prices, please refer to the IBM System/360 report (70C-491-03).

* Rental prices include equipment maintenance; 12-month and 24-month leases permit unlimited usage at no additional cost.

**Extended-Term Plan (other 12-month and 24-month lease prices are for Fixed-Term Plan).

IBM System/370
EQUIPMENT PRICES

MAGNETIC TAPE INPUT/OUTPUT		Purchase Price	Monthly Maint.	Rental (short-term lease)*	Rental (12-month lease)*	Rental (24-month lease)*
2803	Tape Control (single-channel; for 2401 or 2420): Mod. 1; for 800 bpi drives	29,200	26.00	729	671	612
	Mod. 2; for 1600 bpi drives	36,040	33.50	898	826	754
	Mod. 3; for 7-track 2401 Model 8 drives	17,190	40.50	503	463	423
5320	Nine-Track Compatibility (for 2803 Mod. 2)	9,925	37.50	256	236	215
7135	Seven- and Nine-Track Compatibility (for 2803 Mod. 2)	16,090	64.00	420	386	353
7185	16-Drive Addressing (for 2803 Mod. 1 or 2)	1,100	1.00	26	24	22
7900	2420 Model 5/7 Attachment (for 2803 Mod. 2)	15,210	12.50	381	351	320
8100	Two-Channel Switch (for 2803 Mod. 1)	3,765	4.50	110	101	92
2804	Tape Control (two-channel; for 2401): Mod. 1; for 800 bpi drives	41,880	47.00	1,040	957	874
	Mod. 2; for 1600 bpi drives	48,710	54.50	1,210	1,113	1,016
	Mod. 3; for 7-Track 2401 Model 8 drives	23,810	61.50	701	645	589
5321	Nine-Track Compatibility (for 2804 Mod. 2)	12,000	29.50	311	286	261
7136	Seven- and Nine-Track Compatibility (for 2804 Mod. 2)	19,400	58.50	503	463	423
2401	Magnetic Tape Unit: Mod. 1; 30,000 bytes/sec; 800 bpi	14,440	90.00	375	345	315
	Mod. 2; 60,000 bytes/sec; 800 bpi	20,940	102.00	544	500	457
	Mod. 3; 90,000 bytes/sec; 800 bpi	33,950	124.00	881	811	740
	Mod. 4; 60,000 bytes/sec; 1600 bpi	16,530	108.00	432	397	363
	Mod. 5; 120,000 bytes/sec; 1600 bpi	23,140	119.00	600	552	504
	Mod. 6; 180,000 bytes/sec; 1600 bpi	26,150	143.00	937	862	787
	Mod. 8; 15,000/41,700/60,000 char/sec; 7-track	15,210	124.00	447	411	375
3471	Dual Density (for 2401 Mod. 4, 5, or 6)	1,100	2.00	26	24	22
5121	Mode Compatibility (for 2401 Mod. 1, 2, or 3)	426	No charge	10	9	8
7160	Simultaneous Read-While-Write (for any 2401)	426	No charge	10	8	8
2420	Magnetic Tape Unit: Mod. 5; 160,000 bytes/sec; 1600 bpi	27,880	150.00	634	583	533
	Mod. 7; 320,000 bytes/sec; 1600 bpi	50,590	164.00	1,140	1,049	958
2816	Magnetic Tape Switching Unit	23,810	4.50	617	568	518
2415	Magnetic Tape Unit and Control: Mod. 1; 2 tape drives; 800 bpi	32,950	148.00	841	774	706
	Mod. 2; 4 tape drives; 800 bpi	52,690	265.00	1,345	1,237	1,130
	Mod. 3; 6 tape drives; 800 bpi	72,420	385.00	1,845	1,697	1,550
	Mod. 4; 2 tape drives; 800/1600 bpi	40,010	170.00	1,015	934	853
	Mod. 5; 4 tape drives; 800/1600 bpi	64,260	303.00	1,630	1,500	1,369
	Mod. 6; 6 tape drives; 800/1600 bpi	88,510	438.00	2,240	2,061	1,882
3228	Data Conversion Feature (for 2415; either 7125, 7127, or 7135 is a prerequisite)	1,935	1.00	49	45	41
5320	Nine-Track Compatibility (for 2415 Mod. 4, 5, or 6)	5,825	12.50	150	138	126
7125	Seven-Track Compatibility (for 2415 Mod. 1, 2, or 3)	2,145	1.50	54	50	45
7127	Seven-Track Compatibility (for 2415 Mod. 4, 5, or 6)	4,085	4.00	105	97	88
7135	Seven- and Nine-Track Compatibility (for Mod. 4, 5, or 6)	6,675	17.00	172	158	144
3410	Magnetic Tape Unit: Model 1; 20 KB	7,065	61.50	206	190	173
	Model 2; 40/20 KB	9,450	68.00	274	252	230
	Model 3; 80/40 KB	11,700	75.00	342	315	287
3411	Magnetic Tape Unit and Control: Model 1; 20 KB	15,570	95.00	454	418	381
	Model 2; 40/20 KB	19,710	102.00	578	532	486
	Model 3; 80/40 KB	24,030	109.00	701	645	589
3211	Single Density Feature (for 3410 & 3411)	2,295	9.50	60	55	50
3221	Dual Density Feature (for 3410 & 3411, Models 2 & 3 only)	3,305	36.50	88	81	74
7360	System/360/370 Attachment (required on 3411)	5,780	20.00	166	153	139
3803	Tape Control: Model 1; for 3420 Model 3, 5, and 7 drives	23,670	109.00	757	696	636**
	Model 2; for 3420 Model 4, 6, and 8 drives	39,420	150.00	1,220	1,122	1,025**
5310	9-Track NRZI Feature (permits connection of 800-bpi drives to 3803-2)	3,530	1.50	110	101	92**
6320	7-Track NRZI Feature (permits connection of 7-track drives to 3803-2; 5310 is prerequisite)	1,735	1.50	54	50	45**
7850	3803-2 Attachment for 2860 Selector Channel	1,140	1.00	23	—	—
9570	Single Density Feature (for 3803)	No charge	No charge	No charge	No charge	No charge

* Rental prices include equipment maintenance; 12-month and 24-month leases permit unlimited usage at no additional cost.
** Extended-Term Plan (other 12-month and 24-month lease prices are for Fixed-Term Plan).

IBM System/370 EQUIPMENT PRICES

MAGNETIC TAPE INPUT/OUTPUT (Continued)		Purchase Price	Monthly Maint.	Rental (short-term lease)*	Rental (12-month lease)*	Rental (24-month lease)*
3551	Dual Density Feature (for 3803)	2,630	3.00	83	75	68**
6408	7-Track Feature (for 3803)	2,630	3.00	83	76	70**
8100	Two-Channel Switch (for 3803)	5,265	5.50	166	153	139**
1792	2 x 16 Switching Feature	7,020	11.00	223	205	187**
1793	3 x 16 Switching Feature	8,955	17.50	286	263	240**
1794	4 x 16 Switching Feature	10,530	17.50	335	308	281**
3420	Magnetic Tape Units:					
	Mod. 3; 120,000 bytes/sec at 1600 bpi	12,420	65.50	397	365	333**
	Mod. 4; 470,000 bytes/sec at 6250 bpi	21,960	65.50	574	528	482**
	Mod. 5; 200,000 bytes/sec at 1600 bpi	16,650	72.00	533	490	448**
	Mod. 6; 780,000 bytes/sec at 6250 bpi	25,650	72.00	662	609	556**
	Mod. 7; 320,000 bytes/sec at 1600 bpi	20,520	85.50	655	603	550**
	Mod. 8; 1,250 bytes/sec at 6250 bpi	28,440	105.00	787	724	661**
6420	6250 bpi Density Feature (for 3420)	2,295	32.50	58	53	49**
6425	6250/1600 bpi Density Feature (for 3420)	3,160	39.00	82	75	69**
6631	Single Density Feature (for 3420)	2,990	19.50	94	86	79**
3550	Dual Density Feature (3420)	3,860	32.50	122	112	102**
6407	7-Track Feature (for 3420)	2,990	32.50	94	86	79**
2495	Tape Cartridge Reader	19,750	171.00	381		
DISKETTE INPUT/OUTPUT						
3540	Diskette Input/Output Unit:					
	Model B1; one drive	22,870	27.00	588	—	500**
	Model B2; two drives	34,830	37.50	886	—	754**
PUNCHED CARD I/O AND PRINTERS						
1442	Card Read Punch (with control), Mod. N1; 400/91 cpm	19,990	96.00	572		
1442	Card Punch (with control), Mod. N2; 91 cpm	14,280	84.50	409		
2501	Card Reader (with control):					
	Mod. B1; 600 cpm	16,310	60.50	291		
	Mod. B2; 1000 cpm	16,570	65.50	359		
2520	Card Read Punch (with control), Mod. B1; 500 cpm	44,420	180.00	1,025		
2520	Card Punch (with control):					
	Mod. B2; 500 cpm	39,340	169.00	910		
	Mod. B3; 300 cpm	39,010	136.00	701		
2540	Card Read Punch; 1000/300 cpm (requires 2821)	36,920	136.00	797		
2560	Multi-Function Card Machine, Model A1; reads 500 cpm, punches 160 col/sec (for Model 125 only)	21,230	115.00	691		
	Card Print Feature for 2560 Model A1:					
1575	First Two Lines	4,625	16.00	150		
1576	Second Two Lines	4,625	16.00	150		
1577	Third Two Lines	4,625	16.00	150		
3504	Card Reader (for Model 125 only):					
	Model A1; 800 cpm	21,210	82.00	525	—	447**
	Model A2; 1200 cpm	22,250	110.00	638	—	543**
3921	51/80-Column Interchangeable Read Feed (for 3504 Model A2 only)	5,300	40.50	137	—	117**
5450	Optical Mark Read Feature (for 3504)	8,420	38.00	203	—	173**
6555	Selective Stacker Feature (for 3504)	2,375	7.50	54	—	46**
3505	Card Reader:					
	Model B1; 800 cpm	29,940	101.00	634		
	Model B2; 1200 cpm	30,980	137.00	752		
5450	Optical Mark Read (for 3505)	8,420	41.00	206		
6122	Read Column Eliminate (for 3505)	No charge	No charge	No charge		
6555	Selective Stacker (for 3505)	2,375	8.00	56		
8103	3505 Punch Adapter (for 3505)	5,300	3.50	112		
8105	3525 Read/Punch Adapter (for 3505)	5,830	4.00	140		
8101	3525 Multi-Line Print Control (for 3505)	3,060	4.00	65		
8107	3525 Two-Line Print Control (for 3505)	3,060	4.00	65		
3525	Card Punch:					
	Model P1; 100 cpm	21,210	72.50	448		
	Model P2; 200 cpm	22,040	96.50	567		
	Model P3; 300 cpm	22,870	121.00	684		
1533	Card Read Feature (for 3525)	6,360	18.00	134		
5272	Multi-Line Card Print (for 3525)	14,500	90.50	378		
8338	Two-Line Card Print (for 3525)	14,100	74.50	313		
2596	Card Read Punch (for 96-column cards)	31,290	363.00	949		
1510	Card Print Feature (for 2596)	5,560	57.00	168		

* Rental prices include equipment maintenance; 12-month and 24-month leases permit unlimited usage at no additional cost.

**Extended-Term Plan (other 12-month and 24-month lease prices are for Fixed-Term Plan).

IBM System/370
EQUIPMENT PRICES

PUNCHED CARD I/O AND PRINTERS (Continued)		Purchase Price	Monthly Maint.	Rental (short-term lease)*	Rental (12-month lease*)	Rental (24-month lease)**
5425	Multi-Function Card Unit (for Model 125 only): Model A1; reads 250 cpm, punches 60 cpm, prints 60 cpm	15,560	179.00	649	—	552**
	Model A2; reads 500 cpm, punches 120 cpm, prints 120 cpm	18,960	352.00	844	—	718**
2821	Control Unit: Mod. 1 for one 2540 & one 1403	41,770	60.00	1,085	998	911
	Mod. 2; for one 1403	25,900	46.00	674	620	566
	Mod. 3; for two 1403's	51,690	94.00	1,345	1,237	1,130
	Mod. 5; for one 2540 & two 1403's	67,670	106.00	1,750	1,610	1,470
	Mod. 6; for one 2540 only	14,210	132.00	493	454	414
3615	1100 lpm Printer Adapter (for 2821; required for 1403 Mod. 3 or N1)	2,685	1.00	83	76	70
7945	Third Printer Control (for 2821 Mod. 3 or 5)	21,490	8.50	562	517	472
8100	Two-Channel Switch (for 2821)	9,425	10.00	223	205	187
8637	Universal Character Set Adapter (for 2821)	684	4.00	16	15	13
1403	Printer: Mod. 2; 600 lpm; 132 print positions	22,000	234.00	841	774	706
	Mod. 7; 600 lpm; 120 print positions	21,140	182.00	707	650	594
	Mod. N1; 1100 lpm; 132 print positions	38,140	235.00	983	904	826
1416	Interchangeable Train Cartridge (required for 1403 Mod. N1)	2,665	Time & mat'ls.	101		
4740	Interchangeable Chain Cartridge Adapter (for 1403 Mod. 2 or 7)	2,030	No charge	80	74	67
8640	Universal Character Set Feature (for 1403 Mod. N1)	426	2.00	10	9	8
8641	Universal Character Set Feature (for 1403 Mod. 2)	426	2.00	10	9	8
1443	Printer (with control), Mod. N1; 240 lpm	41,000	119.00	954	878	801
3211	Printer; 2000 lpm, 132 print positions	63,630	462.00	1,905	1,753	1,600
3216	Interchangeable Train Cartridge (for 3211)	10,530	233.00	392		
5554	18 Additional Print Positions (for 3211)	2,050	9.50	60	55	50
3811	Control Unit (for 3211 Printer)	28,080	157.00	841	774	706
5553	18 Additional Print Positions (for 3811)	752	5.50	21	19	18
3203	Printer: Model 1; 600 lpm	34,200	217.00	1,035	—	881**
	Model 2; 1200 lpm	44,100	282.00	1,357	—	1,155**
1416	Interchangeable Train Cartridge (required on 3203 Model 1 or 2)	2,665	Time & mat'ls.	101		
4650	Integrated 3203 Printer Attachment for Model 125 Processing Unit	7,500	13.00	155		
5203	Printer, Model 3	12,800	151.00	488		
3475	Dual Feed Carriage	3,365	23.00	88		
4740	Interchangeable Train Cartridge	2,145	39.00	123		
5558	24 Additional Print Positions	1,180	2.00	59		
5559	12 Additional Print Positions	587	No charge	29		
5560	36 Additional Print Positions	1,750	2.00	88		
4653	Integrated 2302/5203 Printer Attachment for Model 115 Processing Unit	3,800	7.00	80		
5213	Printer, Model 1; optional Console Printer for Model 115 and Model 125	4,840	60.00	179		
4692	5213 Attachment (for Model 115 and Model 125)	4,850	3.00	100		
3800	Printing Subsystem	310,000	445.00	7,344	—	6,250**
5401	Additional Character Generation Storage	3,720	13.50	81	—	69**
8170	Two-Channel Switch	8,140	10.50	213	—	181**
1490	Burster-Trimmed-Stacker	44,640	120.00	1,058	—	900**

PAPER TAPE INPUT/OUTPUT

2826	Paper Tape Control, Mod. 1; for up to two 1017's and/or 1018's	13,140	33.00	297		
5801	Punch Adapter; for first 1018 on 2826 Mod. 1	4,535	8.50	104		
5802	Punch Adapter; for second 1018 on 2826 Mod. 1	3,870	5.00	88		
6101	Reader Adapter; for first 1017 on 2826 Mod. 1	3,870	7.50	88		
6102	Reader Adapter; for second 1017 on 2826 Mod. 1	3,175	5.00	73		
1017	Paper Tape Reader (120 char/sec): Mod. 1; reads strips only	2,135	16.00	54		
	Mod. 2; reads strips or reels	3,265	20.00	81		
1018	Paper Tape Punch (120 char/sec)	4,950	44.00	135		

* Rental prices include equipment maintenance; 12-month and 24-month leases permit unlimited usage at no additional cost.

**Extended-Term Plan (other 12-month and 24-month lease prices are for Fixed-Term Plan).

IBM System/370 EQUIPMENT PRICES

		Purchase Price	Monthly Maint.	Rental (short-term lease)*	Rental (12-month lease)*	Rental (24-month lease)*
PAPER TAPE INPUT/OUTPUT (Continued)						
2822	Paper Tape Reader Control (for one 2671)	8,630	10.00	235		
2671	Paper Tape Reader (100 char/sec)	5,785	28.50	156		
OPTICAL AND MAGNETIC READERS						
1287	Optical Reader:					
	Mod. 1; reads documents only	111,600	881.00	2,975		
	Mod. 2; reads documents and journal tape	127,800	991.00	3,350		
	Mod. 3; reads documents only	168,300	1,365.00	4,505		
	Mod. 4; reads documents and journal tape	188,000	1,320.00	4,930		
	Mod. 5; reads handprinted digits from documents only	124,200	1,275.00	3,670		
3945	Farrington 7B Font (for 1287)	999	1.00	27		
4470	1428 & USASCSOCR Font (for 1287)	999	1.00	27		
5300	NCR Optical Type Font (for 1287)	4,005	5.00	104		
5370	Numeric Handwriting (for 1287)	32,040	55.00	837		
5479	Optical Mark Reading (for 1287)	4,005	5.00	104		
1288	Optical Page Reader	204,300	1,340.00	5,140		
3850	Expanded Symbol Set (for 1288)	2,800	3.50	73		
5370	Numeric Handwriting (for 1288)	48,060	82.00	1,050		
5479	Optical Mark Reading (for 1288)	4,715	7.50	104		
6550	Serial Numbering (for 1288)	11,430	66.00	313		
3881	Optical Mark Reader:					
	Mod. 1; for on-line use with Model 135 or 145	51,390	138.00	1,504	—	1,280**
	Mod. 2; for off-line use with 3410	46,800	109.00	1,369	—	1,165**
	Mod. 1 Magnetic Tape Unit					
1471	BCD Read (for 3881)	2,150	1.50	61	—	52**
3450	Document Counters (for 3881)	853	2.00	23	—	20**
3550	Dual Density (for 3881 Mod. 2 only)	5,410	0.50	156	—	133**
3801	Expanded Storage (for 3811)	2,150	0.50	61	—	52**
6451	Serial Numbering (for 3881)	6,325	25.00	183	—	156**
3886	Optical Character Reader:					
	Model 1; on-line	83,520	523.00	2,591	—	2,205**
	Model 2; off-line	89,910	523.00	2,791	—	2,375**
3210	Additional Data Storage (for 3886)	844	0.50	25	—	21**
4520	Additional Hopper & Stacker Capacity (for 3886)	6,785	27.50	209	—	178**
4610	Additional Instruction Storage (for 3886)	4,220	11.50	127	—	112**
4720	Line Marking (for 3886)	4,680	11.50	143	—	122**
5340	Numbering/Marking Adapter (for 3886)	1,280	0.50	35	—	32**
5360	Numeric Handprinting (for 3886)	5,510	31.50	170	—	145**
6450	Serial Numbering (for 3886)	6,785	25.00	209	—	178**
3890	Document Processor:					
	Model A1; 6 pockets	256,800	1,350.00	6,498	—	5,530
	Model A2; 12 pockets	299,800	1,510.00	7,532	—	6,410
	Model A3; 18 pockets	342,800	1,675.00	8,566	—	7,290
	Model A4; 24 pockets	385,800	1,835.00	9,600	—	8,170
	Model A5; 30 pockets	428,800	2,000.00	10,634	—	9,050**
	Model A6; 36 pockets	471,900	2,160.00	11,668	—	9,930
4666	Item Numbering/Endorsing (for 3890)	46,290	340.00	1,164	—	991**
6370	System/370 Attachment (for 3890)	4,070	7.50	103	—	88**
1255	Magnetic Character Reader:					
	Mod. 1; 500 dpm, 6 stackers	35,460	251.00	904		
	Mod. 2; 750 dpm, 6 stackers	40,590	400.00	1,100		
	Mod. 3; 750 dpm, 12 stackers	55,260	527.00	1,450		
3215	Dash Symbol Transmission (for 1255)	35	No charge	56 (1-time)		
4380	51-Column Card Sorting (for 1255)	661	No charge	16		
4520	High-Order Zero & Blank Selection (for 1255 Mod. 3 only)	1,315	5.00	33		
7060	Self-Checking Numbers (for 1255)	2,135	2.50	54		
6360	System/360/370 Adapter (required on 1255)	19,800	37.00	506		
1259	Magnetic Character Reader; 600 dpm	64,780	311.00	1,520		
1419	Magnetic Character Reader; 1600 dpm	120,100	331.00	2,665		
GRAPHIC DISPLAYS						
2250	Display Unit:					
	Mod. 1; connects directly to a channel	57,530	198.00	1,185		
	Mod. 3; requires 2840 Display Control	34,830	223.00	1,740		
1245	Alphanumeric Keyboard (for 2250 Mod. 1 or 2)	3,910	4.50	81		
4785	Light Pen (for 2250 Mod. 1 or 2)	5,220	13.00	108		
1001	Absolute Vectors (for 2250 Mod. 2)	15,210	12.00	381		
1002	Absolute Vectors and Control (for 2250 Mod. 1)	17,410	13.00	437		

* Rental prices include equipment maintenance; 12-month and 24-month leases permit unlimited usage at no additional cost.

** Extended-Term Plan (other 12-month and 24-month lease prices are for Fixed-Term Plan).

IBM System/370 EQUIPMENT PRICES

GRAPHIC DISPLAYS (Continued)		Purchase Price	Monthly Maint.	Rental (short-term lease)*	Rental (12-month lease)*	Rental (24-month lease)*
1498	Buffer; 4,096 bytes (for 2250 Mod. 1)	18,290	8.50	381		
1499	Buffer; 8,192 bytes (for 2250 Mod. 1)	26,110	12.00	544		
1880	Character Generator (for 2250 Mod. 1)	19,610	18.50	409		

NOTE: Numerous IBM terminals can be connected to a System/370 in local and/or remote configurations. For details and prices, please see Reports 70D-491-02 through 70D-491-45 in the Peripherals section.

AUDIO RESPONSE

7770	Audio Response Unit (up to 4 lines)	48,370	46.00	1,295		
4677	I/O Line Expander (for 7770; up to 4 more lines)	7,065	14.50	190		
4679	I/O Line Panel (for 7770; one 4679 required for each 8 lines beyond the first 8)	3,020	2.00	81		
4668	I/O Line Frame (for 7770; required for over 16 lines)	8,065	2.50	217		
8721	Six Additional Vocabulary Words (for 7770)	4,030	2.50	108		

COMMUNICATION CONTROLS

2701	Data Adapter Unit	7,915	20.00	224		
2702	Transmission Control (for up to 15 lines)	43,100	50.50	955		
7955	31-Line Expansion (for up to 16 more lines on 2702)	4,965	4.00	112		
2703	Transmission Control	73,520	75.00	1,560		
2711	Line Adapter Unit	6,360	26.50	145		

NOTE: Please refer to Report 70D-491-30 for detailed pricing data on the 2701, 2702, and 2703 Transmission Controls. For complete pricing data on the newer 3704 and 3705 Communications Controllers, please see Reports 70D-491-31 and 70D-491-32.

*Rental prices include equipment maintenance; 12-month and 24-month leases permit unlimited usage at no additional cost.

SOFTWARE PRICES

	Monthly Use Charge					OS/VS2 Rel. 1	OS/VS2 Rel. 2
	DOS	DOS/VS	OS/MFT	OS/VS1	OS/MVT		
PROGRAM PRODUCTS—SYSTEMS							
APL/360	302R	—	441R	—	441R	—	—
Assembler H	—	247V	247R	247V	247R	247V	247V
TSO Assembler Prompter	—	—	—	—	32R	32V	32V
ITF BASIC*	130R	130R	130R	130R	130R	130R	130R
TSO ITF BASIC*	—	—	—	—	130R	130V	130V
Full ANS COBOL Version 3 Compiler and Library	85R	85V	—	—	—	—	—
Full ANS COBOL Library Version 3	22R	22V	—	—	—	—	—
Full ANS COBOL Version 4 Compiler and Library	—	—	201R	201V	201R	201V	201V
Full ANS COBOL Library Version 4	—	—	68R	68V	68R	68V	68V
DOS/VS COBOL	—	141V	—	—	—	—	—
OS/VS COBOL and Library	—	—	—	236V	—	236V	236V
OS/VS COBOL Library	—	—	—	78V	—	78V	78V
TSO COBOL Prompter	—	—	—	—	32R	32V	32V
COBOL Interactive Debug (TSO)	—	—	—	—	254R	254V	254V
Subset ANS COBOL Compiler and Library	165R	165V	—	—	—	—	—
Customer Information and Control System (CICS) Entry	235R	235V,R	—	—	—	—	—
Full Customer Information and Control System (CICS) Version 2/Standard	588R	588V,R	823R	823V,R	823R	823V,R	—
Full Customer Information and Control System for Virtual Storage (CICS/VS)	—	404V	—	866V	—	866V	866V
FASTER LC	110R	110V	—	—	—	—	—
FASTER MT	328R	328V	520R	520V	520R	520V	—
FORTTRAN IV (G1) Compiler	—	—	74R	74V	74R	74V	74V
FORTTRAN IV (H Extended) Compiler	—	—	300R	300V	300R	300V	300V

* Either ITF PL/1 or ITF BASIC as first language costs \$132/month; as a second language, the charge is \$66/month.
V: Program runs in virtual (paged) mode.
R: Program runs in virtual=real (nonpaged) mode.

NOTE: V, R indicates that a program can run in either mode; in this case, virtual execution is generally intended for testing and small-volume operational use where the benefits of virtual storage are more important than high-volume throughput.

IBM System/370 EQUIPMENT PRICES

	Monthly Use Charge					OS/VS2 Rel. 1	OS/VS2 Rel. 2
	DOS	DOS/VS	OS/MFT	OS/VS1	OS/MVT		
PROGRAM PRODUCTS—SYSTEMS (Continued)							
FORTRAN IV Library (Mod I)	—	—	71R	71V	71R	71V	71V
FORTRAN IV Library (Mod II)	—	—	102R	102V	102R	102V	102V
FORTRAN IV Library (ASCII)	55R	55V	—	—	—	—	—
TSO FORTRAN Prompter	—	—	—	—	32R	32V	32V
Code and Go FORTRAN Compiler	—	—	317R	317V	317R	317V	317V
FORTRAN Interactive Debug	—	—	—	—	173R	173V	173V
FORTRAN IV Library Option 1	33R	33V	—	—	—	—	—
Generalized Information System (GIS)/2	—	—	530 to 1,406R	907 to 1,926V	907 to 1,926V	907 to 1,926V	907 to 1,926V
GIS DL/1 Query Support Feature	—	—	162R	162V	162R	162V	162V
Information Management System (IMS) Version 2	—	—	646R	646R	646R	646V,R	—
IMS Data Communications Feature	—	—	702R	702R	702R	702R	—
Information Management System for Virtual Storage (IMS/VS)	—	—	—	808V	—	808V	808V
IMS/VS Data Communications Feature	—	—	—	981V	—	981V	981V
IMS Interactive Query Facility (IQF)	—	—	352R	352V	352R	352V	352V
PL/1 Optimizing Compiler	210R	210V	210R	210V	210R	210V	210V
PL/1 Optimizing Compiler and Libraries	283R	283V	283R	283V	283R	283V	283V
PL/1 Checkout Compiler	—	—	392R	392V	392R	392V	392V
PL/1 Resident Library	45R	45V	45R	45V	45R	45V	45V
PL/1 Transient Library	28R	28V	28R	28V	28R	28V	28V
ITF PL/1*	132R	132V	132R	132R	132R	132R	132R
TSO ITF PL/1*	—	—	—	—	132R	132V	132V
RPG II	109R	109V	—	—	—	—	—
RPG II Auto Report Feature	33R	33V	—	—	—	—	—
Sort/Merge SM1	43R	43V	66R	66V	66R	66V	66V
Sort/Merge DOS/VS	—	68V	—	—	—	—	—
ASCII Magnetic Tape/Data Set Utilities	110R	110V	110V	110V	110V	110V	110V
TSO Data Utilities	—	—	—	—	159R	159V	159V
1288 Basic Unformatted Read System (BURS)	55R	55V	55R	55V	55R	55V	—
VIDEO/370	224R	224R	224R	224R	224R	224R	224R
PROGRAM PRODUCTS—APPLICATIONS							
Fashion Reporter System	181R	181V	—	—	—	—	—
Consumer Goods System—Allocation	165R	165V	165R	165V	165R	165V	—
Consumer Goods System—Forecasting	220R	220V	220R	220V	220R	220V	—
Order Allocation System	137R	—	—	—	—	—	—
Coursewriter III Version 3	220R	220V,R	317R	317V,R	317R	317V,R	317V
Financial Terminal System	441R	—	—	—	—	—	—
Brokerage Acct. System Elements	963R	—	—	—	—	—	—
Active Certificate Info.	330R	—	—	—	—	—	—
Alpha Search Inquiry System	231R	231V	231R	231V	231R	231V	231V
Automatically Programmed Tool (APT)—BP	173R	—	—	—	—	—	—
Automatically Programmed Tool (APT)—IC	346R	—	—	—	—	—	—
Automatically Programmed Tool (APT)—AC	578R	—	—	—	—	—	—
Budgets and Plans Generator (BUDPLAN)	—	—	—	173V	—	173V	173V
Business Analysis/Basic	57R	57V	57R	57V	57R	57V	57V
Law Enforcement Manpower Resource Allocation	386R	—	—	—	—	—	—
Budget Accounting Information System (BACIS)	300R	300V	—	—	—	—	—
Basic Courts System	688R	688V	—	—	—	—	—
Medical Information System V2	54R	—	—	—	—	—	—
Shared Laboratory Info. System	275R	—	—	—	—	—	—
Text Processor Pagination/360	520R	520R	—	—	—	—	—
Capacity Planning Infinite Loading**	82R	82V	110R	110V	110R	110V	110V
Capacity Planning Finite Loading**	247R	247V	302R	302V	302R	302V	302V
Requirements Planning Interface**	28R	28V	—	—	—	—	—
Requirements Planning**	—	—	231R	231V	231R	231V	231V
Inventory Control**	—	—	201R	201V	201R	201V	—
Data Base Organization & Maintenance Proc. (DBOMP)	115R	115V	—	—	—	—	—

* Either ITF PL/1 or ITF BASIC as first language costs \$132/month; as a second language, the charge is \$66/month.

V: Program runs in virtual (paged) mode.

R: Program runs in virtual=real (nonpaged) mode.

NOTE: V, R indicates that a program can run in either mode; in this case, virtual execution is generally intended for testing and small-volume operational use where the benefits of virtual storage are more important than high-volume throughput.

IBM System/370
EQUIPMENT PRICES

	Monthly Use Charge					OS/VS2 Rel. 1	OS/VS2 Rel. 2
	DOS	DOS/VS	OS/MFT	OS/VS1	OS/MVT		
PROGRAM PRODUCTS--APPLICATIONS (Continued)							
Shop Floor Control**	115R	115V	179R	179V	179R	179V	179V
Advanced Life Information System V2	551R	551V	—	—	—	—	—
Consolidated Functions Ordinary (CFO) II	346R	346V	346R	346V	346R	346V	346V
Property and Liability Info. System V2	330R	330V	—	—	—	—	—
PALIS Additional File Facility 2314	288R	288V	—	—	—	—	—
PALIS Automobile Enhancements	259R	259V	—	—	—	—	—
PALIS Homeowner's Enhancements	259R	259V	—	—	—	—	—
Fare Quote/Ticketing (PARS)	8,660R	—	—	—	—	—	—
Power System Planning (PSP)	—	—	330R	330V	330R	—	—
PSP Flow Output & Cap. Feature	—	—	97R	97V	97V	—	—
PSP Short Circuit Ro Feature	—	—	76R	76V	76R	—	—
Vehicle Scheduling - Extended	115R	115V	201R	201V	201R	201V	201V
DATA/360	55R	—	110R	—	110R	—	—
DATA/360 Version 2	137R	—	137R	—	137R	—	—
GPSS V	63R	—	63R	63V	63R	63V	63V
Planning System Generator II	87R	87V	87R	87V	87R	87V	87V
CATALIST	1,320R	1,320V	—	—	—	—	—
Forecasting and Modeling System	231R	—	231R	—	231R	—	—
Graphic Analysis of Three-Dimensional Data	—	—	330R	—	330R	—	—
Health Care Support/ECG	405R	405V	405R	405V	405R	405V	—
Health Care Support/Accounting	—	231V	—	—	—	—	—
Health Care Support/Lab. info. System	—	275V	—	—	—	—	—
Health Care Support/Data Communications	—	340V	—	—	—	—	—
Learn ATS	43R	—	43R	43R	43R	43R	—
DBOMP-CICS Interface	85R	85V,R	—	—	—	—	—
Electronic Circuit Analysis Program	—	—	187R	—	187R	—	—
Check Processing Control System	—	—	1,000R	1,000V,R	1,000R	1,000V,R	—
Telecommunications Control System	—	—	2,890R	—	2,890R	—	—
Securities Order Matching	—	—	2,425R	—	2,425R	—	—
STAT/BASIC-ITF	50R	50R	50R	50R	50R	50V	50V
Display Management System	200R	—	200R	—	200R	—	—
Procedure Library Mathematics	102R	—	102R	102V	102R	102V	102V
Mathematical Programming System Extended	—	—	150R	150V	150R	150V	150V
MPS Upper Bound Feature	—	—	702R	702V	702R	702V	702V
Project Management System, V3	—	—	324R	—	324R	—	—
Project Management System, V4	—	—	395R	395R	395R	395R	395R
MINIPERT	165R	—	165R	—	165R	—	—
Computer System Simulator II	—	—	2,500R	2,500V	2,500R	2,500V	2,500V
PL/1 Simulation Language	—	—	275R	275V	275R	275V	—
Continuous System Modeling	—	—	98R	—	98R	—	98V
GSM Graphic Feature	—	—	367R	—	367R	—	367V
Graphic Analysis of 3 Dimensional Data	—	—	330R	—	330R	—	—
Bill Processor Sys IMS/360 Bridge**	173R	—	173R	173R	173R	173R	—
EPIC - Socrates	192R	192V	192R	192V	192R	192V	192V
EPIC - Fast	104R	104V	104R	104V	104R	104V	104V
EPIC - Budget/Finance	121R	121V	121R	121V	121R	121V	121R
EPIC - Student	87R	87V	87R	87V	87R	87V	87V
Interactive Training System (ITS)	247R	—	247R	247R	247V,R	247V,R	247V
ITS Course Structuring Feature	27R	—	27R	27V,R	27V,R	27R	27V
Math/BASIC ITF	50R	50R	50R	50R	50R	50R	50V
Matrix Generator and Report Writer	463R	—	463R	—	463R	—	—
Subroutine Library Mathematics	101R	101V	101R	101V	101R	101V	101V
STAIRS	578R	578R	578R	578V,R	578R	578V,R	—
SIMPL/1 (5734-XXB)	—	—	—	—	—	275R	275R
Energy Management System	—	—	—	—	—	3,890V	3,890V

** Integral Part of Production Information and Control System (PICS).

V: Program runs in virtual (paged) mode.

R: Program runs in virtual-real (nonpaged) mode.

NOTE: V,R indicates that a program can run in either mode; in this case, virtual execution is generally intended for testing and small-volume operational use where the benefits of virtual storage are more important than high-volume throughput.