The small business computer market continues to grow at a phenomenal rate. In 1978 it was estimated that the value of small business computers shipped in 1977 was approximately \$930 million, and by 1982 this figure would increase to about \$3.9 billion, and that the number of small business computers shipped in 1982 would approach the 50,000 mark, almost three times the number shipped in 1977.

At a recent data processing conference, a Digital Equipment Corporation spokesman projected that the number of small business systems shipped will exceed 60,000 in 1980, climb to over 500,000 in 1985, and soar to about three million by the end of the decade. He also estimated that the dollar value of units shipped will be \$3.5 billion in 1980, be approximately \$13 billion by 1985, and reach \$50 billion in 1980.

According to the spokesman, these numbers are in reach considering the buying potential. Looking at businesses with revenues of more than \$100,000, he sees over two million prospects today and only 120,000 installations, or a 6 percent saturation. Looking five years ahead, these prospeccts will number 2.5 million, but only 1.4 million installations will exist, or slightly more than a 50 percent saturation. Over and above these prospective customers, small business system vendors will find some 12 million companies with revenues under \$100,000, each a prospective customer for their first computer.

There is no doubt that the small business computer will be a common sight in most small business firms-perhaps as commonplace as an office copier or telephone switch-


The current products of 71 suppliers of small business computers are represented in this comprehensive report. Detailed characteristics, features, and prices of 266 systems are presented in convenient comparison chart form. In addition, the report includes buying hints and discussions of new technologies.

board. The ever-increasing costs and complexities of doing business are forcing small businessmen to find new ways to cut their labor costs and gain tighter control over their operations, and a wisely chosen small computer system can help immeasurably in both these critical areas.

In price and performance, the small business computers span a wide range that fills the gap between conventional accounting machines at one extreme and medium-scale computer systems at the other. Though the current small business systems differ widely in their architecture, data formats, peripheral equipment, and software, they are generally characterized by purchase prices in the \$5,000 to \$100,000 range and by a strong orientation, in both their equipment and software, toward conventional business data processing applications.

In its basic configuration, today's small business computer typically consists of a central processor, a keyboard/CRT unit for data entry, a disk unit for file storage, and a serial printer for hard-copy output. Beyond that, the increasing number and diversity of systems on the market make it difficult to generalize about components, speeds,





Qantel's line of small business computers currently ranges from the entry level Model 210 to the 1450-2 at the top of the line, with eight other models between. The Model 210 has a maximum main memory capacity of 64K bytes and 5.2 million bytes of disk storage, and supports one workstation. The Model 1450-2 offers a maximum of 1024K bytes of main memory and 300 million bytes of disk storage, and supports up to 64 workstations. Base prices range from \$11,950 for the 210 to \$69,900 for the 1450-2.

- > capacities, and expansion possibilities. A capsule summary of some of the key characteristics of the 266 models represented in this year's report is as follows:
 - Approximately one-half of the systems offered are based on 16-bit central processors and one-third use 8bit machines. Also represented are 12-bit, 24-bit, 32-bit, 48-bit, and 64-bit computers.
 - Approximately 88 percent of the systems offer MOS memory, and all the rest use core memory, with the exception of two older NCR models that use thin-film memory.
 - Minimum memory capacities range from 4K to 524K bytes. Approximately 15 percent have a minimum of 16K bytes, 14 percent a minimum of 32K bytes, 30 percent a minimum of 64K bytes, and 13 percent a minimum of 128K bytes.
 - Maximum memory capacities range from 8K to 8 million bytes. Approximately 28 percent of the systems offered have a maximum capacity of 64K bytes, 14 percent a maximum of 128K bytes, and 18 percent a maximum of 256K bytes.
 - To provide random-access storage for data files and programs, 73 percent of the systems offer floppy disk units, 75 percent offer cartridge disk units, 46 percent offer pack disk drives, and 23 percent offer fixed-head disk or drum units.
 - To produce printed reports, 39 percent of the systems offer a serial printer and 16 percent offer a line printer as part of their basic configurations.
 - To provide for communication with remote terminals and/or larger computers, 94 percent of the systems offer at least one data communications line, and about onethird can be equipped with from two to eight lines.

The business data processing systems included in this report are known by various names, such as business minicomputers, electronic accounting machines, office computers, or electronic billing computers. To simplify matters, we have chosen to use the term "small business computers" (SBC's) throughout this report.

This report is designed to bring you, in concise comparison-chart form, the up-to-date hardware and software characteristics of the small business computer systems that are currently being marketed in the United States. For guidance in selecting and acquiring the particular system that will best meet your needs, we urge you to consult Report M07-100-201, Selection and Installation of Business Minicomputers. Also keep in mind that DATAPRO REPORTS ON MINICOMPUTERS also contains detailed individual reports on most of the popular small business computer systems, as listed in the Index or Table of Contents.

The Small Business Computer Marketplace

The small business computer market is served by four distinct types of vendors. The first type is the "Fortune 500" companies such as Burroughs, Honeywell, IBM, NCR, and Sperry Rand, all of whom have vast product lines and resources. For these companies, the small business computer is just one of a broad line of products (although in the cases of NCR and Burroughs, business minicomputers now account for a very sizeable portion of total corporate sales revenues).

A second group consists of minicomputer manufacturers such as Digital Equipment Corporation (DEC), Data General, Computer Automation, Harris, Hewlett-Packard, Microdata, Wang Laboratories, and others. This group has watched the small business computer marketplace mushroom in size, and now wants a piece of the action. Their answer to this segment of the marketplace is a packaged configuration consisting of a minicomputer and associated peripherals from their current product line, usually accompanied by some applications software. Most minicomputer vendors also offer assemblers and compilers for the user who wants to do his own programming or solve business problems that cannot be handled by packaged software.


System houses or turnkey vendors, such as Mini-Computer Systems, Qantel, STC Systems, and many others, comprise the third group of suppliers of small business computers. This group is very similar to the second group except that the turnkey vendors generally buy minicomputers and/or peripheral devices from the manufacturers, package the configurations, and supply their own software. The prime appeal of a full turnkey system is that all software is written by the vendor; therefore, the user is not required to employ a high-priced programming staff. Basic/Four Corporation, which started out as a systems house using Microdata minicomputers, is now building its own central processors and is one of the leading suppliers of small business computers.

Microcomputer companies are beginning to appear on the scene as the fourth group of SBC suppliers. Companies such as Applied Data Communications, Applied Systems Corporation, Cado Systems Corporation, and others are offering microprocessor-based small business systems that sell for \$20,000 or less. This group is still in its infancy, but seems destined to be a major force in the SBC marketplace in the near future.

Most of the current members of the last two groups sell small businesss computers and services exclusively, and in many cases are themselves small businesses. However, what they lack in size and resources is often more than compensated for by their quick reaction time to problems, general expertise, and eagerness to satisfy.

IBM, a long-time laggard in the small business computer sector of the EDP marketplace, has climbed into its





The Compal 9000 is built around a Data General MicroNova. With prices beginning at \$19,995, the 9000 offers from 64K to 128K bytes of main memory, floppy, cartridge, and fixed-head disk storage, serial and line printers, reel-to-reel and cassette/cartridge tape drives, and supports up to 16 CRT's.

> accustomed position to market leadership during the last few years on the strength of three highly significant product offerings: the System/3, System/32, and System/34.

The IBM System/3, introduced in 1969, now occupies a position at the upper end of the SBC market segment. It is offered in numerous models at system purchase prices ranging from about \$40,000 to more than \$300,000. With over 40,000 installations worldwide, the System/3 ranks as one of the fastest-selling computers in history.

The IBM System/32 was unveiled in January 1975 as the smallest and lowest-priced general business computer ever announced by the industry giant. All components of the System/32—processor, main storage, keyboard, display, printer, disk storage unit, and diskette drive—are housed in a single compact, desk-sized cabinet. What's more, IBM is billing the System/32 as a "programmer-less" machine whose software, for most users, will consist entirely of preprogrammed Industry Application Packages supplied by IBM. With equipment purchase prices beginning at \$33,560 and monthly rentals (on a 3-year lease) beginning at \$714, the System/32 has already convinced thousands of small businesses that it's time to take their first step into computer usage. The availability of the System/32, backed by IBM's powerful marketing forces, has substantially enlarged the total market for small business computers and generated increased sales for both IBM and many of its competitors.

The IBM System/34, introduced in April 1977, represents the next logical step in IBM's succession of small business computer systems. As compared with the System/32, the new system features more processing power, larger memory capacity, larger disk storage capacity, and the ability to attach a number of independent multiprogram-

ming workstations to the basic system. This last feature is the most significant difference between the two systems, since the biggest single drawback to the System/32 for most potential users has been the fact that it is rigidly restricted to serving one user at a time. Thus, with the System/34, IBM has strongly endorsed the concept of multi-user, multi-terminal SBC systems of the type that have long been offered, with considerable success, by vendors such as Basic Four, Datapoint, and Microdata.

The IBM System/38, introduced in October 1978, is the largest and most powerful member of the IBM General Systems Division's expanding line of business data processing systems. Featuring interactive operation. integrated data base support, and an extended RPG programming language, the System/38 represents an attractive migration path for current users of the smaller IBM System/34 and the aging, batch-oriented System/3. The System/38 is available in 48 packaged models that offer from 512K to 1536K bytes of main memory, 64.5 to 387 million bytes of nonremovable disk storage, a diskette magazine drive, and a system console with keyboard and display.

Burroughs and NCR, the perennial leaders in the SBC marketplace until the recent IBM onslaught, are still strong contenders. Both firms offer a broad range of products backed by extensive marketing and service organizations.

Sperry Rand is the latest of the "Fortune 500" companies to announce a bold thrust into the SBC market. The firm's Sperry Univac Division, which had long lacked an effective SBC to complement its strong line of larger computers, corrected that oversight by introducing the Univac BC/7 in January 1977. A cardless system designed for turnkey operations, the BC/7 can consist of a >

processor with 48K, 64K, or 128K bytes of MOS main memory; an operator's console; up to six workstations, each with CRT display and optional non-impact page printer; up to 6 million bytes of floppy disk storage; up to 40 million bytes of cartridge disk storage; one or two tape drives; and one or two printers. Purchase prices for the BC/7 packaged systems range from about \$22,000 up to about \$51,000. Sperry Univac's new commitment to the SBC field is underscored by the fact that at the time of the BC/7 announcement, nearly \$25 million had already been invested in the associated organization, facilities, people, and product. Then, in June 1977, Sperry Univac purchased Varian Data Machines, a major manufacturer of minicomputers since 1967. There's little doubt that the technology developed by Varian will show up in future Univac offerings in the small business computer marketplace.

Digital Equipment Corporation, the leading builder of scientific minicomputers, offers business-oriented users its Datasystem 300 and 500 Series systems based upon the popular DEC PDP-8 and PDP-11 minicomputers. In January 1975, just 10 days after IBM introduced its System/32, DEC countered with the Datasystem 310, a complete data processing system priced at just \$14,095. The basic Datasystem 310 includes a PDP-8/A minicomputer with 8,192 12-bit words of core storage, two diskette ("floppy disk") drives, CRT display unit, and typewriterstyle keyboard. Optional extras include a printer, a communications interface, and expanded main or diskette storage. DEC is marketing the Datasystem 310 in two ways: directly to end users who are prepared to write their own applications programs, and through a distributorship network of software houses that will do the applications programming for less sophisticated users. A floppy disk version of the Datasystem 310, designated the Datasystem 308, was introduced in May 1978. Employing DEC's LSIbased PDP-8 video data processor, the VT-78, the Datasystem 308 has a base price of \$12,600 including training credit and support services.

Hewlett-Packard, General Automation, Harris, and Microdata are other major suppliers of scientific minicomputers that now offer "packaged" hardware/ software configurations oriented toward business data processing applications. Wang Laboratories, which has elected to specialize in serving the SBC market, is now one of the foremost suppliers of these systems.

European-made equipment is making a much greater impact upon the small business computer market than in any other segment of the U.S. computer market. ICL, Olivetti, Philips, and Nixdorf are marketing equipment which they manufacture in Great Britain, Italy, the Netherlands, and Germany, respectively.

Buying Guidance

As with all categories of data processing equipment, the watchword in selecting a small business computer is "Buyer beware." These machines come in a wide range of

types, sizes, and capabilities—with price tags to match and there's a great deal to be gained through systematic selection of the most appropriate system for your particular needs.

Alternatives

There are several other alternatives you might want to consider before deciding that a small computer system is the answer to all your problems. Many small companies (fewer than 200 employees and sales of less than \$5 million) have selected programmable calculators, computer service bureaus, or time-sharing companies to provide the same or comparable serivces. Each user must decide which alternative provides the most cost-effective solution to his problems. Beyond that, decisions must be made regarding expandability, flexibility, ease of operation, reliability, turnaround time, compatibility with present operations, and the desirability of keeping all operations in-house. After careful consideration is given to these aspects and any other factors peculiar to your operations, an informed decision can be made as to which approach will work best in your company.

But all too often, the buyers of this class of equipment have little or no understanding of data processing principles and are likely to buy the wares of the salesman who arrives first or sells hardest.

No company should ever buy a computer from the first salesman who comes through the door. It's always far wiser to check out the offerings of at least a few of the other major suppliers, and you shouldn't hesitate to play one vendor against another in an effort to get the most for your money. Just remember that all promises of extra software, technical support, or other concessions should be specifically included in the final contract.

Before seriously considering the acquisition of any busines minicomputer, you should demand:

- Detailed specifications of all the pertinent hardware and software.
- A full-scale demonstration of the equipment on at least one of your own principal applications—or, if that's not practical, on a demonstration program whose functions are similar enough to your own needs so that you can draw realistic conclusions about the system's processing speed and ease of programming and operation.
- A detailed proposal that spells out exactly what equipment, software, and technical support will be supplied, estimated processing times for each of your applications, all responsibilities of both the vendor and the buyer, and the total purchase price or monthly rental price.
- A list of users in your geographical area who are employing the system for applications similar to >



yours. Talk to several of these users and find out as much as you can about their experiences. While they may not be able to give you much help in developing a sophisticated comparison to other alternative systems, they can give you a good idea of what pitfalls to watch out for in installing and using that particular system.

A critically important area to be evaluated is software the programming packages and languages used to program the computer and thereby direct its operations. It is important that you carefully investigate the available software. This investigation should include the programming languages, preprogrammed utility packages such as payrolls, inventory, control, general ledger, etc.

Vendors' claims and promises concerning the availability and capability of software should be carefully checked. This is particularly true of software that has been announced but not yet released. Vendors have frequently failed to live up to their marketing publicity.

Since SBC users typically start with no programming staffs of their own, it is important that appropriate program packages be available to fit your specific requirements. If not, you should require the vendor to take on full responsibility to write and test the initial programs you'll need. Otherwise, you'll have to either recruit and train your own programmers or pay an outside software firm to develop your programs. If not kept under strictest control, software costs can accumulate until they equal, or even exceed, hardware costs. Potential dollar savings can be quickly devoured by software costs.

The availability of reliable and qualified vendor support for both equipment mainteance and software aid is another vitally important factor in the business minicomputer environment. The limited resources generally available to small computer users make you depend heavily on your vendor for such assistance. In many cases the vendor will even design the initial system and make any required chaques to his program packages for you. Thus, the ability of the vendor to render competent and continuing service in these matters is a vital concern to you.

Some vendors do not offer equipment maintenance and/or software to complement teir hardware offerings. In this case, the user must deal with independent firms in order to complete the package. In one respect this is good, because overall costs may well be lower. However, when a problem occurs, the finger-pointing game can begin: one vendor blaming the other for the system's malfunction. Fortunately, this kind of reaction is in the minority, and despite the potential for problems, the multi-vendor approach can work well. If it didn't, the independent equipment maintenance and software firms would disappear, and that just isn't happening.

Most potential users of an SBC naturally raise the question of purchase versus lease. The single most important consideration is the length of time that this particular system is likely to be able to handle the data processing requirements of your company. Is there room for system expansion, with regard to both the processor and the peripherals, or is this the top of the line? In most cases, it is not a wise decision to make your first system the most powerful system offered by a particular vendor. If your company's operations expand, how will you expand the system? Will you have to acquire a new and more expensive processor? Or, worse yet, will you have to change vendors? Generally, if you are confident that a particular system can handle your data processing needs for five years or more, then purchasing the system will be advantageous. However, if you have selected the top of the line or if there are fewer than five years of potential life in the system, you will probably be better off to lease.

For a detailed discussion of all the aspects of selecting. acquiring, installing, and converting to a low-cost business data processing system, be sure to see Report M07-100-201, Selection and Installation of Business Minicomputers.

The Comparison Charts

The principal characteristics of 266 small business computers from 71 vendors are presented in the accompanying comparison charts. All of these systems are currently being marketed in the United States. Nearly all of the information in the charts was supplied and/or verified by the manufacturers or U.S. suppliers during June and July 1979; their close cooperation with the Datapro Research staff in the preparation of these charts is gratefully acknowledged.

No report on today's small business computers could be totally complete. The field of suppliers is just too large and growing too fast. We have, however, made every reasonable effort to include all of the major suppliers and a high proportion of the smaller ones as well. The absence of any company's products from these comparison charts means either that the company was unknown to us or that it failed to respond to our repeated requests for information.

The comparison chart entries and their significance to potential users of small business computers are explained in the following paragraphs, together with some useful guidelines for selecting the equipment that will most effectively meet your needs.

Data Formats

This section of the comparison charts describes the formats used to store and process data within each system.

Word length is the number of bits (binary digits) of data that can be stored in or retrieved from the internal storage unit during a single cycle. Some SBC's have a "fixed word >



length," meaning that each machine word or operand always has the same number of bits, digits, or characters. Others have a "variable word length," meaning that their operands may consist of a variable number of bits, digits, or characters. In the latter case, the "word length" entry shows the number of data bits used to represent each byte or character within the variable-length operands.

CPU

Model indicates the manufacturer and model of the minicomputer used as the system's central processing unit (CPU). In some cases this entry will be identical with the entry at the top of the chart; however, in the case of a packaged turnkey system, the entries will differ.

Add time is the time required, in microseconds, to develop the arithmetic sum of two operands. It is a widely used measure of computer performance—but a figure that turns out to be of comparatively little importance in the selection of many SBC's. The reason is that the overall speed of many of these systems is largely determined by the operator's keying speed. Add times for the systems covered in our survey span the range from a few microseconds to more than half a second—vet in many applications the key question is still whether the operator can "beat the machine." If not, the machine is probably as fast as it needs to be for these keyboard-oriented business applications. (It should be noted that for larger equipment configurations, in applications where there are two or more operators at separate terminals or where the transaction data is prerecorded on cards, or tape, add times—and internal speeds in general-become highly significant considerations.)

Number of I/O ports is an indication of the input/output capability and expandability of the system. Generally, each port allows the user to interface one peripheral device to the system, although multiple disks, CRT's or communication lines are often interfaced to one I/O port. Two numbers are given wherever possible, the first indicating the number of ports included on the basic system and the second showing the maximum number of ports that can optionally be included. Some of the figures are quite large and indicate that the vendors took into consideration the use of multiple-device interfaces and the maximum number of terminal devices theoretically connectable. It should be noted that additional hardware, in the form of expansion chassis and power supplies, may have to be added to achieve the maximum I/O capability.

Internal Storage

One of the principal characteristics that distinguishes computers from adding machines and conventional accounting machines is the provision of an internal storage unit capable of holding and selectively retrieving a significant quantity of data and/or instructions. This section of the comparison charts describes each system's internal storage facilities.



The System 3000 from Mylee Digital Sciences is a 16-bit system with main memory capacities ranging from 88K to 286K bytes. The 3000 is a turnkey system for use in the distribution industry and carries a price tag of \$28,995. Standard equipment includes diskette and cartridge disk storage, a serial printer, and a CRT. The System 3000 can support up to 16 workstations.

Type indicates whether the system uses core or MOS (semiconductor) memory. Magnetic core storage has been widely used for more than a decade, and has proved to be fast, flexible, and reliable. Semiconductor storage, which is rapidly superseding core storage as the principal storage medium for large computers, is becoming quite popular in business minicomputers as well. When both types of memory are available for a system, we've made every attempt to denote the specifications for both.

Capacity of basic system specifies the amount of memory, in bytes, included in the basic system. The amount of internal storage is one of the most significant characteristics in appraising the power of any computer. The amount of productive processing that a computer can perform during any one run is largely determined by the number of instructions and/or operands it can hold.

Maximum capacity, bytes shows the largest memory size available for this model; increment size, bytes indicates the size of the memory modules that can be added to expand the basic system.

Cycle/access time, microseconds. Cycle time is the minimum time interval that must elapse between the starts of two successive accesses to any one storage location. The storage cycle time normally ranges with word length as one of the most significant individual indicators of a computer's performance potential. However, as discussed earlier, the throughput of the equipment covered in this report is frequently determined by the operator's keying speed rather than by the machine's internal performance. Access time is the actual elapsed time between the CPU's request for data and the time when that data is received (read). In core memory, the access time is usually one-half the cycle time; MOS memories do not display a similar relationship.

> Mass Storage Capabilities

The inclusion of mass storage devices (magnetic disk units) can greatly increase the data storage and processing capabilities of a business data processing system. Disk units enable millions of characters of information to be constantly accessible to the computer. Moreover, any desired record can be retrieved, updated, and re-recorded on the disk, usually within a fraction of a second.

By replacing or augmenting slower, less flexible file storage media such as punched cards, paper tape, or magnetic ledger cards, disk units can enable small business computers to handle applications and processing volumes that would otherwise be impossible. The principal disadvantages of disk units are their comparatively high costs and the software complexities that are encountered by users who attempt to harness their full potential. One or both of these considerations may make disk units impractical for many small computer buyers, despite the obvious appeal of disk-oriented data processing.

The diskette, or "floppy disk," is an innovation that can significantly reduce the cost of disk-oriented data processing. The diskette, or "floppy disk," is an innovation that can significantly reduce the cost of disk-oriented data processing. The diskette itself consists of a flexible Mylar disk, about 8 inches in diameter, that is permanently housed in a plastic envelope. It can serve as an input/output and/or random-access storage medium that is considerably smaller in capability and slower in performance than conventional disk units-but also far lower in cost. Introduced by IBM in 1972, diskettes and diskette drive units are now being produced by dozens of vendors and are finding their way into numerous small business computer systems, such as the IBM System/32 and DEC Datasystem 310. Recent enhancements to the floppy disk concept include more concentrated data storage and "flippies" (floppy disks that utilize both sides of the diskette), allowing more data to be stored on-line.

The other, more conventional types of mass storage devices, cartridge and disk pack drives, provide access to far more data and at significantly faster rates. Unfortunately, they also carry price tags several times higher than their floppy counterparts. Most of these units employ cartridges or disk packs that can easily be removed from the drive units and interchanged in much the same manner as magnetic tape reels.

Some cartridge-type units either use nonremovable media or use two cartridges, one fixed and the other removable. Nonremovable disks impose two important limitations. First, the system's file storage capacity is effectively limited to the amount of information that can be stored on-line. Second, disk dumps to create backup files for efficient restart procedures in case of catastrophe are not available to the user.

Interchangeable disks, conversely, provide great flexibility and make it practical to use small business computers effectively for both sequential and random data processing applications. In sequential applications, files of virtually unlimited size can be handled through the use of multiple disk packs or cartridges.

Fixed-head (head-per-track) disk and drum units can provide much faster access to on-line data than any other type of mass storage device. The reason is that there is no loss of time due to head positioning because a head is provided for each track. The only delay is rotational delay (latency), or the time required for the desired data to move under the read/write head. But the price of this type of equipment is higher than that of the preceding varieties, and less data can be stored on-line. Fixed-head devices are used when data bases are relatively small and very rapid access to the information is required. Most SBC users are not faced with such demanding requirements, but for those who need them, the devices are offered by some vendors.

Entries in this section of the charts fall into four categories: floppy disk drive, cartridge disk drive, pack disk drive, and fixed-head disk/drum. The entries indicate which devices are standard on the basic system and which devices are standard on the basic system and which ones are optional or not available.

Some SBC's are not marketed as packaged systems; thus, the user is required to pick and choose the particular devices that best suit his needs. In this case, all peripherals are indicated as optional, and this should be reflected in a lower "basic system" price.

These entries also specify the maximum storage capacity of the particular type of unit that is directly accessible to the computer at any one time. The indicated figure may be the capacity of a single disk drive or the total capacity of two or more (typically, four to eight) drives that can be connected to one controller. The maximum capacity entries show the total diskette storage and hard disk storage that can be configured with the model.

Workstations

Maximum number is the largest number of workstations that can be configured with this model.

Recommended number is the number of workstations that the manufacturer recommends be on line with this model for efficient performance.

Keyboard style is the type of keyboard used with the workstation. Most are alphanumeric (typewriter) style, with or without numberic keyboards.

The Workstation printer entry indicates whether or not a printer can be attached to a workstation for hard copy output, and if it is a standard or optional item.

Input/Output Devices

Most SBC's can be equipped with additional input/output devices, the most common of these being printers, reel-to-



reel or cassette tape drives, and CRT's. Chart entries depict which of these devices are standard on the basic system and which are optional or not available. Once again, nonpackaged systems will have all the available I/O devices listed as optional. The comparison charts also indicated the rated speeds or sizes, or a range, available for the peripheral device wherever the information could be obtained.

Other types of I/O devices, such as punched card and paper tape equipment, are included in the other entry on the chart. This entry indicates whether this type of equipment, are included in the other entry on the chart. This entry indicates whether this type of equipment is available or not, and if so, as standard equipment or optionally. In some cases the type of equipment available is specified.

Serial (character-at-a-time) printers are enjoying increased popularity with the prolific growth of the small business computer marketplace. The main reason is price; serial printers can provide excellent-quality hard-copy reports for far less money than the line-at-a-time printers used with larger computers. However, for users who require faster printing capabilities, line printers are also available for many SBC's. Serial printers generally range in speed from about 30 to 600 or more characters per second (cps), while line printers operate at speeds of 100 to 2000 or more lines per minute (lpm). The user who needs faster printed output can obviously get it, but he must be willing to pay the higher price tag associated with the line printers.

Magnetic ledger cards have long been a popular input/ output medium for business/accounting minicomputers, though they are now decreasing in popularity. Their principal attraction is that they enable small businesses to retain the individual, hard-copy ledger records they have long been accustomed to using. In addition, machinereadable data can be recorded on the cards, usually on one or more vertical magnetic "stripes." Identity and status information about each account can be recorded on the appropriate card in both printed and magnetically encoded form, and the encoded data can be re-read and updated whenever necessary. Thus, magnetic ledger cards combine many of the advantages of both traditional visible records and machine-readable media such as punched cards or magnetic tape. Their chief disadvantage is that the low speed of most of the available card-handling equipment precludes the use of magnetic ledger cards in highvolume data processing applications.

CRT's are becoming increasingly important to the small business computer. Many systems now include a CRT display and its associated keyboard as the principal means of entering data into the system. In fact, on many SBC's, one or more CRT/keyboard units represent the only way to enter data into the system. The comparison charts indicate the capacity of the CRT, in number of lines and characters per line, whenever possible.

Communications Capabilities

Communications capabilities enable some of the small business computers to function as "intelligent terminals" in

data communications networks. An interface equips the small computer to send and receive data over a commoncarrier communications link, usually to a larger central computer installation. The small computer's internal processing and storage capabilities enable it to do some data processing locally and to handle a variety of code translation, editing, and control functions in connection with the data communications activities.

Maximum no. of lines indicates how many communications lines can be handled by a particular system. The types of lines are specified in the next two entries.

Synchronous and asynchronous have entries of standard, optional, or no, indicating their availability, and also a notation as to the speed of each line in bits per second (bps). Most entries will be of the type "to 4800 bps," indicating one or more transmission speeds up to a maximum of 4800 bps.

Protocols supported indicates the type of communication protocols accommodated by hardware and software for the model.

Network architecture indicates the communications network architecture support by this model. Entries may include, for example, Burroughs NDL, DEC's DECnet, or IBM's SNA.

RJE terminals emulated indicates whether there is software available from the vendor for this SBC to enable it to function as a "look-alike" for remote job entry terminals. The terminals for which support is provided is indicated. IBM 3270 emulation is listed as a separate entry as a result of an increasing amount of interest from our users concerning the emulation of the IBM 3270 Information Display System.

Software Support

Virtually as important as the computer hardware are the software and technical support each manufacturer furnishes to aid the user in utilizing the hardware effectively. The available software (if any), together with the pricing policies for both software and support, are summarized in this section of the comparison charts.

COBOL (COmmon Business Oriented language), RPG (Report Program Generator, FORTRAN (FORmula TRANslator), and BASIC (Beginners All-purpose Symbolic Instruction Code) entries specify whether a particular compiler is available or not.

A compiler is a software tool designed to shift part of the program preparation task from the user to the computer itself by converting programs written in a simplified, procedure-oriented language into machine-language object programs. Compilers are now used in virtually all large and medium-scale computer installations because of their demonstrated ability to slash programming costs-and they are becoming increasingly available for the small business computers. This trend is possible because of the >



The BTI 8000 is one of the largest models shown in the specification charts, offering from 256K to 8 million bytes of main memory and from 33M to 8,000M bytes of disk storage. The 8000 will support up to 512 workstations, line printers, and reel-to-reel tape drives. The price of a basic system is \$86,850.

more powerful central processors now being used, since compilation is an intricate process that requires more storage space and processing power than the earlier small business computers provided. Where compilers are offered, however, they frequently limit the programmer to restricted subsets of the standard programming languages and/or require the use of a larger computer to perform the compilation process.

An assembler is a special-purpose program that uses the computer's power to facilitate the preparation of other programs. It enables the programmer to write his own program in a simplified format that uses mnemonic operation codes and symbolic operand addresses. The assembler program then converts these symbolic instructions into their machine-language equivalents, producing computer programs ready for loading and execution. Entries here indicate the availability of an assembler or, in some cases, a macro assembler.

A macro assembler is another software tool to aid the programmer and make his job a little easier. Macro routines can be called by the programmer and copied right into his program. This saves the programmer from having to recode the routine each time it is used and also eliminates the possibility of keying errors when that part of the program is entered. As usual, there is a price to pay: the use of macros usually wastes memory space.

Other programming languages specifies languages such as ALGOL, SNOBOL, or proprietary languages that are available from a vendor for use on a particular SBC. The key word of warning here is that if you use a language that is unique to a vendor, you will be faced with a big problem if someday you decide to change vendors. Your investment in software will be lost, since the programs will not operate on any other system without extensive conversion work.

Multiprogramming gives an indication as to the power of the small business computer. Entries here stipulate yes or no, and, if multiprogramming is available, the number of partitions in memory. Multiple partitions allow for concurrent operation of several programs, thus permitting more processing to be accomplished in less time.

Maximum number of jobs that can run concurrently indicates the number of different independent job streams that can be running in the system simultaneously. This number may or may not be the same as the number of partitions in memory, since multiple jobs may be able to function within the same partition.

Language implemented in firmware and operating system implemented in firmware tell the reader whether or not the language processor and/or the operating system are contained in microcode. The entries stipulate yes, partially, or no to indicate the extent of firmware implementation. An advantage to the user is that a language and/or operating system implemented in firmware frees up more memory space for the user's programs and data. Also, the microcode is usually inaccessible to the user (generally contained in read-only memory), eliminating any possible tampering with the language processor or operating system and reducing chances for error. A third advantage derived from firmware implementation is the ability to create more sophisticated and complex system functions at the hardware level. Microcode routines can be substituted for often-used subroutines, thereby increasing system performance.

General accounting packages indicates the availability of already-written software to handle the normal accounting functions of a company. The most common business functions include payroll, accounts payable, accounts receivable, inventory control, and general ledger accounting. If available, and if these programs can be tailored to meet the requirements of a particular company, they will allow the user to become operational in far less time and at a substantial saving in software development costs.

Industry application areas denotes specific areas where each vendor specializes. Turnkey vendors often take one segment of the marketplace and develop in-house expertise to the point that their hardware and software combination becomes a ready-made answer to the problems of a large class of users. Some current areas of specialization include hospitals, automobile dealers, the distribution industry, trucking firms, and the financial industry. If the vendor's specialized software can be tailored to the user's exact needs, or if the user can learn to live within the constraints of the existing software, thousands of dollars worth of programming effort can be saved. A library of pertinent applications programs can be a valuable asset when selecting an SBC. Space precludes a complete listing of available applications software in the charts, so the entries attempt to summarize and present the vendor's areas of heaviest concentration.

The availability of a data base management system is becoming more important to users of small business compu-

ters. A DBMS is a software system that is intended to manage and maintain data in a nonredundant structure for the purpose of being processed by multiple applications. It organizes data elements in some predefined structure and retains relationships between different data elements within the data base. The main advantage to the user of a data base management system is that information retrieval and report generation are made much easier with one common data base.

File access methods supported tells the user which methods are supported by the software available for a particular system. The entries include random, sequential, indexed sequential, and direct access. These four file access methods are the most popular, but there are others in use. In most instances it is desirable to have several access methods supported so that you can choose the one most suitable for each application.

Software separately priced tells whether the software described in the preceding entries, and any other available software, is included in the equipment price or offered at some additional cost. Some systems have the entry "some," which usually indicates that the company provides the operating systems and language processors bundled with the hardware, but charges for applications software packages. Separate pricing of software was virtually unheard of in the computer field until June 1969, when IBM "unbundled" by placing separate price tags on many of its software products and professional services. Since then, the various manufacturers have adopted a wide range of software pricing policies. Separate pricing of software, of itself, is neither good nor bad; the buyer must carefully assess the cost of the total package consisting of the equipment and all the software and support his installation will require.

Technical help separately priced indicates whether the services of the manufacturer's technical support staff are included in the equipment cost or separately priced. Nearly every company that is installing a computer for the first time will need a good deal of help from the equipment maker's systems analysts, programmers, and/or instructors (or, alternatively, from an independent consulting firm). In fact, the equipment supplier does all the programming for the majority of small business computer installations (more than 90 percent, in the case of one major supplier). The additional cost of these services, if any, should be carefully estimated and considered in all equipment comparisons.

Lease/Maintenance Options

Lease plans available indicates whether the model is available for lease from the vendor or other sources, and the term length of the lease plans.

Maintenance plans available depicts the type of maintenance contracts available from the vendor, or whether maintenance is handled by a third party.

Pricing and Availability

Purchase price of basic system shows the minimum purchase price of a system equipped to perform basic business data processing functions. All of the facilities identified as "standard" in the charts (but none of the "optional" ones) are included in the listed prices. The addition of expanded storage capacities or optional input/output capabilities can lead to large price increases in nearly every case. Any additional information about the basic system or packaged system (if one exists) not covered in specific chart entries appears in the *Comments* section. For detailed pricing information, the manufacturers should be contacted directly.

Monthly rental of basic system specifies the monthly rental for the basic configuration of each system, as described above. All rental prices are based on a one-year lease and include equipment maintenance unless otherwise indicated. Longer-term leases are frequently available at lower monthly charges. Some systems are not available on a rental basis from the vendor and are so specified by an entry of "purchase only." In such cases, a prospective user can nearly always obtain a full-payout lease for the SBC of his choice from an independent leasing firm.

Monthly maintenance price of basic system shows the maintenance costs of the basic system as described above, while Monthly maintenance bundled with rental indicates whether or not the rental price given includes the cost of maintenance.

Purchase price of additional memory modules, printers, and workstations shows the cost of each additional unit when added to the basic system configuration, if available.

Discounts available indicates the types of discounts offered by the vendor for this model. This entry will vary by model for many manufacturers with multiple lines of systems.

Date of first U.S. delivery tells when the first production models of each system were delivered (or are scheduled to be delivered) to customers in the United States.

Number installed in U.S. to date shows how many systems of each type had been delivered to U.S. customers as of approximately November, 1979. Nearly all of the figures were supplied by the manufacturers themselves.

Comments

This final entry on the comparison charts is used to explain or amplify the preceding entries and to provide other pertinent information about each system's hardware, software, pricing, or applications.

Suppliers

Listed below, for your convenience in obtaining additional information, are the full names, addresses, and telephone numbers of the 71 suppliers whose products are listed in the comparison charts that follow.



> A.K. Industries, Inc., 23 Abbeyview Avenue, Willow Grove, Pennsylvania 19090. Telephone (215) 659-2510.

Anderson Jacobson, Inc., 521 Charcot Avenue, San Jose, California 95131. Telephone (408) 263-8520.

Applied Data Communications, 14272 Chambers Road, Tustin, California 92680. Telephone (714) 731-9000.

Applied Data Processing, Inc., 33 Bernhard Road, North Haven, Connecticut 06473. Telephone (203) 787-4107.

Applied Digital Communications, 214 Flynn Ave., Moorestown, New Jersey 08057. Telephone (609) 234-3666.

Bainbridge Research and Development (BRD), Inc., 12715 Miller Road, N.E., Bainbridge Island, Washington 98110. Telephone (206) 842-4777.

Basic/Four Corporation, 14101 Myford St. Road, Tustin, California 92680. Telephone (714) 731-5100.

BTI Computer Systems, 870 West Maude Avenue, Sunnyvale, California 94086. Telephone (408) 733-1122.

Burroughs Corporation, Burroughs Place, Detroit, Michigan 48232. Telephone (313) 972-7000.

Business Controls Corporation, 507 Boulevard, Elmwood Park, New Jersey 07407. Telephone (201) 791-7661.

Cado Systems Corporation, 2771 Toledo Drive, Torrance, California 90503. Telephone (213) 320-9660.

CDA, Inc., 470 Commercial Avenue, Palisades Park, New Jersey 07650. Telephone (201) 944-2500.

Century Computer Corporation, 2339 Stanwell Circle, Concord, California 94520. Telephone (415) 798-8000.

Comysal Computer Systems, 6300 Variel Avenue, Suite E, Woodland Hills, California 91367. Telephone (213) 992-4425.

Complete Computer Systems, 159 Gibraltar Road, Horsham, Pennsylvania 19044. Telephone (215) 441-4200.

Compudata Systems, Inc., 772 East State Street, Westport, Connecticut 06880. Telephone (203) 226-4791.

Computer Automation, Inc., 18651 Von Karman Avenue, Irvine, California 92713. Telephone (714) 833-8830.

Computer Data Access, Inc., 1373 Broad Street, Clinton, New Jersey 07011. Telephone (201) 473-4700.

Computer Design Systems, Inc., 8085 Wayzata Boulevard, Minneapolis, Minnesota 55426. Telephone (612) 545-2855.

Computer Hardware, Inc., 4111 North Freeway Boulevard, Sacramento, California 95834. Telephone (916) 929-2020.

Computer Horizons Corporation, 747 Third Avenue, New York, New York 10017. Telephone (212) 371-9600.

Computer Interactions, Inc., P.O. Box 1354, Roslyn Heights, New York 11577. Telephone (516) 365-9833.

Control Data Corporation, P.O. Box 0, Minneapolis, Minnesota 55440. Telephone (616) 853-4656.

Data Communications Corp., Minicomputer Division, 3000 Directors Row, Memphis, Tennessee 38131. Telephone (901) 345-3544.

Data General Corporation, 4400 Computer Drive, Westboro, 01581. Telephone (617) 366-8911.

Datapoint Corporation, 9725 Datapoint Drive, San Antonio, Texas 78284. Telephone (512) 690-7000.

Decision Data Computer Corporation, 100 Witmer Road, Horsham, Pennsylbania 19044. Telephone (215) 674-3300.

Diablo Systems Inc., 1270 East Arques Avenue, Sunnyvale, California 94086. Telephone (408) 733-2300.

Digi-Log Systems, Inc., Babylon Road, Horsham, Pennsylvania 19044. Telephone (215) 672-0800.

Digital Computer Controls, Inc., 221 Rosecrans Avenue, El Segundo, California 90245. Telephone (213) 644-9237.

Digital Equipment Corporation (DEC), Prker Street, PK 3-2, Maynard, Massachusetts 01754. Telephone (617) 897-5111.

Digital Scientific Corporation, 11455 Sorrento Valley Road, San Diego, California 92121. Telephone (714) 453-6050.

Digital Systems Corporation, P.O. Box 158, Walkersville, Maryland 21793. Telephone (301) 845-4141.

Dimis, Inc., 1050 Highway 34, Middletown, New Jersey 07748. Telephone (201) 671-1011.

Display Data Corporation, Executive Plaza IV, Hunt Valley, Maryland 21031. Telephone (301) 667-9211.

Distribution Management Systems Inc., 11 DeAngelo Drive, Bedford, Massachusetts 01730. Telephone (617) 275-2000.

Durango Systems, Inc., 3003 North First Street, San Jose, California 95134. Telephone (408) 946-5000.

Four-Phase Systems, Inc., 10700 North DeAnza Blvd., Cupertino, California 95014. Telephone (408) 255-0900.

General Information Systems, Inc., 4500 Campus Drive, Suite 500, Newport Beach, California 92660. Telephone (714) 540-2959.

General Robotics Corporation, 57 West Main Street, Hartford, Wisconsin 53027. Telephone (414) 673-6800.

Harris Corporation, Computer Systems Division, 2101 Gateway Drive, Fort Lauderdale, Florida 33309. Telephone (305) 974-1700.

Hewlett-Packard, Data Systems Division, 11000 Wolfe Road, Cupertino, California 95014. Telephone (408) 257-7000.

Hewlett-Packard, Desktop Computer Division, P.O. Box 1550, Fort Collins, Colorado 80522. Telephone (303) 226-3800.

Hewlett-Packard, GSD Division, 19447 Prunridge Avenue, Cupertino, California 95014. Telephone (408) 725-8111.

Honeywell Information Systems, Inc., Small/Medium Information Systems Division, 200 Smith Street, Waltham, Massachusetts, 01821. Telephone (617) 890-8400.

IBM Corporation, General Systems Division, P.O. Box 2150, Atlanta, Georgia 30301. Telephone (404) 256-7000.

ICL, Inc., 800 West Airport Freeway, P.O. Box 6099, Suite 1001, Irving, Texas 75062. Telephone (214) 438-9666.

Infomark, 9 North Bacton Hill Road, Frazer, Pennsylvania 19355. Telephone (215) 647-8685.

Infotecs Computer Systems, One Perimeter Road, Manchester, New Hampshire 03103. Telephone (603) 668-6750.

Jacquard Systems, 1639 11th Street, Santa Monica, California 90404. Telephone (201) 450-6784.



Logical Machine Corporation, 1294 Hammerwood Avenue, Sunnyvale, California 94086. Telephone (408) 744-1290.

Microdata Corporation, 17481 Red Hill Avenue, Irvine, California 92705. Telephone (714) 540-8341.

Mini-Computer Systems, Inc., 399 Fairview Park Drive, Elmsford, New York 10523. Telephone (914) 592-8812.

Mylee Digital Sciences, Inc., 155 Weldon Parkway, Maryland Heights, Missouri 63043. Telephone (314) 567-3420.

NCR Corporation, Main and K Streets, Dayton, Ohio 45479. Telephone (513) 449-2000.

Nixdorf Computer Inc., 168 Middlesex Turnpike, Burlington, Massachusetts 01803. Telephone (617) 273-0480.

Northern Telecom Systems Corporation, P.O. Box 1222, Minneapolis, Minnesota 55440. Telephone (612) 932-8000.

Northrop Data Systems, 1160 Sandhill Avenue, Carson, California 90746. Telephone (213) 637-1533.

Olivetti Corporation of America, 500 Park Avenue, New York, New York 10022. Telephone (212) 371-5500.

Polymorphic Systems, 460 Word Drive, Santa Barbara, California 9311. Telephone (805) 967-0468.

Prime Computer, Inc., 40 Walnut Street, Wellesley Hills, Massachusetts 02181. Telephone (617) 237-6990.

Programmed Control Corporation, 2 East Broad Street, Hopewell, New Jersey 08525. Telephone (609) 466-2100.

Q1 Corporation, 751 Second Avenue, New York, New York 10017. Telephone (212) 751-8410.

Quantel Corporation, 3525 Breakwater Avenue, Hayward, California 94545. Telephone (415) 783-3410.

Quodata Corporation, 196 Trumbull Street, Hartford, Connecticuit 06103. Telephone (203) 728-6777.

Rexon Business Machines Corporation, 5800 Uplander Way, Culver City, California 90230. Telephone (213) 641-7110.

Sperry Rand Corporation, Sperry Univac Division, P.O. Box 500, Blue Bell, Pennsylvania 19424. Telephone (215) 542-4011.

STC Systems, Inc., Nine Brook Avenue, Maywood, New Jersey 07607. Telephone (201)845-0500.

Tal-Star Computer Systems, Inc., P.O. Box T-1000, Princeton Junction, New Jersey 08550. Telephone (609) 799-1111.

Tandem Computers, Inc., 19333 Vallco Parkway, Cupertino, California 95014. Telephone (408) 996-6000.

Terak Corporation, 14405 North Scottsdale Road, Suite 100, Scottsdale, Arizona 85260. Telephone (602) 991-1580.

Texas Instruments, Incorporated, P.O. Box 2909, Austin, Texas 78769. Telephone (512) 250-7309.

Wang Laboratories, Inc., 836 North Street, Tewksbury, Massachusetts 08176. Telephone (617) 851-4111.

Warrex Computer Corporation, 1780 Jay Ell Drive, Richardson, Texas 75081. Telephone (214) 699-8400.

Xerox Corporation, 440 Oakmead Parkway, Sunnyvale, California 94086. Telephone (408) 733-2300.

MANUFACTURER AND MODEL	A.K. Industries Inc. AKI 903	Anderson Jacobson 1500	Applied Data Communications Event 1000	Applied Data Communications Event 2000	Applied Data Communications Event 3000
WORD LENGTH, BITS	8-bit byte	8	8-bit byte	8-bit byte	8-bit byte
CPU Model Add time, microseconds No. of I/O ports on basic sys. and max.	Intel Z-80 		Intel 8080A 2 (1 byte) 1; 256	Intel 8080 A 2 (1 byte) 1; 256	Intel 8080 A 2 (1 byte) 1; 256
INTERNAL STORAGE Type Capacity of basic system, bytes Maximum capacity, bytes Increment size, bytes Cycle/access time, microseconds	MOS, RAM 4K (ROM); 48K (RAM) 64K 16K 0.4/0.25	MOS and core 64K 64K - - 1.0/0.8	MOS 48K 65K 16K 2	MOS 65K 65K 	MOS 65K 65K
MASS STORAGE Floppy disk (diskette) drive Maximum diskette storage Cartridge disk drive Pack disk drive Fixed-head disk/drum Maximum disk storage	Standard No No No No	Standard 4 units; 2.56M bytes Opt.; 10M bytes (2) No No 2 units; 20M bytes	2 std.; 8 opt. Std.; 10M bytes (4) No No	2 std.; 8 opt. — Std.; 10M bytes (4) No	2 std.; 8 opt. 1.2M bytes Std.; 10M bytes (4) No No 12.5/25M bytes
WORKSTATIONS Maximum number connectable Recommended maximum number Keyboard style Workstation printer	 Type.; num. key 	4 3 Typewriter —	8 Type.; num. key. Optional	8 Type.; num. key. Optional	8 Type.; num. key Optional
INPUT/OUTPUT DEVICES Serial printer Line printer Reel-to-reel tape drive Cassette/cartridge tape drive CRT Other	No Std.; 80 lpm No No Std.; 24x80 chars.	Std.; 30-120 cps Opt.; 125-300 lpm No No Opt.; 1920 char.	Opt.; to 1200 cps Opt.; to 1400 lpm Opt.; 8 units Optional Std.; to 1920 char. Paper tape	Opt.; to 1200 cps Opt.; to 1400 lpm Opt.; 8 units Optional Std.; to 1920 char. Paper tape	Opt.; to 1200 cps Opt.; to 1400 lpm Opt.; 8 units Optional Std.; to 1920 char. Paper tape
COMMUNICATIONS Maximum no. of lines Synchronous Asynchronous Protocols supported Network architecture supported RJE terminals emulated IBM 3270 emulation		8 No Std.; 300-9600 bps None No	8 Opt.; 9600 bps Opt.; 19.2K bps Bisync —	8 Opt.; 9600 bps Opt.; 19.2K bps Bisync	8 Opt.; 9600 bps Opt.; 50,000 bps Bisync —
SOFTWARE SUPPORT COBOL RPG FORTRAN BASIC Assembler Other programming languages Multiprogramming Max. no. of jobs run concurrently Language complemented in firmware Op. sys. implemented in firmware General accounting packages Industry application areas Database management system File access methods supported Software separately priced Technical help separately priced	Yes No Yes Yes Yes Yes Yes 16 No Partially Yes Whsl., act'g. Yes Seq., random No Yes	No No No Yes Yes Yes Yes; 4 partitions No Partially Yes Accounting No Random, sequential See comments See comments	No No No Micro DOS/BASIC Yes None Yes; 8 partitions — No Partially (opt.) Yes None Yes Rand., seq., index Yes Yes	No No No Micro DOS/BASIC Yes None Yes; 8 partitions No Partially (opt.) Yes None Yes Rand., seq., index Yes Yes	No No No Micro DOS/BASIC Yes None Yes; 8 partitions 8 No Partially (opt.) Yes None Yes Rand., seq., index Yes Yes
LEASE/MAINTENANCE OPTIONS Lease plans available Maintenance plans available	Contact vendor	Contact vendor	Contact vendor	Contact vendor	Contact vendor
PRICING & AVAILABILITY Purchase price of basic system, \$ Monthly rental of basic system, \$ Monthly maint. price of basic system, \$ Monthly maint. bundled with rental, \$ Purchase price of: additional memory module, \$ additional workstations, \$ additional printer, \$ Discounts available	10,000 350 — — — — —	See comments	- - - - - -	 	
Date of first U.S. delivery Number installed to date	January 1979 NA	NA NA	September 1978 NA	September 1978 NA	September 1978 NA
COMMENTS	Turnkey systems; no programmers' or DP Personnel req'd.; 300 lpm printer opt.	Contact vendor for prices on software, tech. help, rentals, leases, and purchase price	Includes microproc- essor with 84K RAM, 1K PROM, dual single-density floppy disks, 60-cps tele- printer and work- station desk		

MANUFACTURER AND MODEL	Applied Data Processing Resource/100	Applied Digital Communications 102	Applied Digital Communications 103	Applied Digital Communications 202	Applied Digital Communications 400
WORD LENGTH, BITS	16	16	16	16	12
CPU Model Add time, microseconds No. of I/O ports on basic sys. and max.	DG Nova 3 1.35 (1 word) 8, 16	DG Micro Nova 2.4 (1 word) 9; 18	Interdata 5/16 1.2 1; 256	DG Nova 3 1.2 12 std.	DEC PDP-8 1 Unibus
INTERNAL STORAGE Type Capacity of basic system, bytes Maximum capacity, bytes Increment size, bytes Cycle/access time, microseconds	Core 64K 256K 32K 1.0/0.5	MOS, RAM 64K 64K 	MOS, RAM 64K 64K 	MOS, RAM 64K 256K 16K 0.16	MOS, Core 8K 32K 4K 1/1
MASS STORAGE Floppy disk (diskette) drive Maximum diskette storage Cartridge disk drive Pack disk drive Fixed-head disk/drum Maximum disk storage	No No No Std.; 320M bytes No 320M bytes	2 std.; 6 max. No No No No	2 std. 	Optional Std.; 10M bytes No No —	Opt.; 1M byte 4M bytes Optional Optional Optional
WORKSTATIONS Maximum number connectable Recommended maximum number Keyboard style Workstation printer	16 16 Type.; num. key. Optional	 Type.; num. key 	 Type.; num. key. 	— — Type.; num. key. —	— — Type.; num. key —
INPUT/OUTPUT DEVICES Serial printer Line printer Reel-to-reel tape drive Cassette/cartridge tape drive CRT Other	Std.; 165, 330 cps Opt.; 300, 600 lpm Optional No Std.; 27x74 char. Optional	Std.; 120 cps Optional No No Std.; 1920 char. Paper tape & card	Std.; 120 cps Opt.; 600 lpm Optional Optional Std.; 1920 char. Paper tape & card	Std.; 120 cps Opt.; to 600 lpm Optional No Std.; 1920 char. Paper tape & card	Std.; 120 cps Opt.; to 600 lpm Opt.; DECtape No Optional Paper tape & card
COMMUNICATIONS Maximum no. of lines Synchronous Asynchronous Protocols supported Network architecture supported RUE terminals emulated IBM 3270 emulation	7 No Std.; 1200 bpc Bisync — 2780 No	No No No Bisync — No	256 Optional Optional Bisync None None	64 No No None None None No	NA No No None None None No
SOFTWARE SUPPORT COBOL RPG FORTRAN BASIC Assembler Other programming languages Multiprogramming Max. no. of jobs run concurrently Language complemented in firmware Op. sys. implemented in firmware General accounting packages Industry application areas Database management system File access methods supported Software separately priced Technical help separately priced	No No No Yes Yes Extended BASIC Yes 16 No No No Yes Dist.; mfg. Yes Rand., seq., ind. Yes Yes	Yes No Yes Yes Yes Yes No No Yes 1 No No No No No Rand, seq., index Yes Yes	No No Yes Yes Yes Yes No Yes — No Partially Yes General purpose No Seq., rand. Yes Yes	Yes No Yes Yes Yes Yes Algol Yes — No No No Seg,, rand. Yes Yes Yes	No No Yes Yes Yes None No Mo Mo Mo No Manufacturing No Seq., rand. Yes Yes Yes
LEASE / MAINTENANCE OPTIONS Lease plans available Maintenance plans available	Contact vendor	Contact vendor	Contact vendor	Contact vendor	Contact vendor
PRICING & AVAILABILITY Purchase price of basic system, \$ Monthly rental of basic system, \$ Monthly maint. price of basic system, \$ Monthly maint. bundled with rental, \$ Purchase price of: additional memory module, \$ additional workstations, \$ additional printer, \$	32,500 NA 325 NA 4,500 (65K bytes) 2,400 8,000 (300 lpm)	23,750 	22,645 	31,500 	12,500
Discounts available Date of first U.S. delivery	NA June 1976	1978	1978 NA	 1978 NA	NA NA
Number installed to date COMMENTS	Resource/100 Ex- tended Operating Systems are said to meet 95% of most users' needs for busi- ness applications	For pricing and availability contact vendor	Accounting system	Same as Model 102, but faster, greater capacity, price in- cludes accounting software	

MANUFACTURER AND MODEL	Applied Digital Communications 401	Basic Four Corporation Model 200	Basic Four Corporation Model 410	Basic Four Corporation Model 610	Basic Four Corporation Model 730
WORD LENGTH, BITS	16	8-bit byte	8-bit byte	8-bit byte	8-bit byte
CPU Model Add time, microseconds No. of 1/O ports on basic sys. and max.	Interdata 8116E 0.75 (½ word) 4; 256	BFC 1345 7.4 —	BFC 1345 7.4 11 (above req.)	BFC 1345 7.4 11 (above req.)	BFC 1350 3 9 (above req.)
INTERNAL STORAGE Type Capacity of basic system, bytes Maximum capacity, bytes Increment size, bytes Cycle/access time, microseconds	Core 64K 256K 8K 0.75/0.275	MOS 40K 64K 8K, 16K, 24K 0.6/0.4	MOS 40K 128K 24K, 32K 0.6/0.4	MOS 64K 192K 32K, 64K, 128K 0.6/0.4	MOS 96K 256K 32K, 64K, 128K 0.6/0.4
MASS STORAGE Floppy disk (diskette) drive Maximum diskette storage Cartridge disk drive Pack disk drive Fixed-head disk/drum Maximum disk storage	Optional Std.; 10M bytes No No	No	No	No — Standard Std.; 35M bytes No 300M bytes	No — No Std.; 150M bytes No 300M bytes
WORKSTATIONS Maximum number connectable Recommended maximum number Keyboard style Workstation printer	Type.; num. key.	2 — Type.; 10-key pad Std.; 120 cps	8 — Type.; 10-key pad Std.; 120 cps	16 — Type.; 10-key pad Std.; 160 cps	32 — Type.; 10-key pad Std.; 300 cpm
INPUT/OUTPUT DEVICES Serial printer Line printer Reel-to-reel tape drive Cassette/cartridge tape drive CRT Other	Std.; 120 cps Opt.; to 600 lpm Optional Cass.; optional Std; 1920 char. Paper tape	Std.; 120 cps Opt.; 150 lpm No Cart.; 2.3M bytes Std.; 24x80 char. No	Std.; 120 cps Opt.; 150-600 lpm Opt.; 10KBS Cart.; 9.2M bytes Std.; 24x80 char. No	Std.; 160 cps Opt.; 150-600 lpm Opt.; 10KBS Cart.; 9.2M bytes Std.; 24x80 char. No	Opt.; 80, 120, 160 cps Std.; 300 lpm Opt.; 10KBS Opt.; 9.2M bytes Std.; 24x80 char. No
COMMUNICATIONS Maximum no. of lines Synchronous Asynchronous Protocols supported Network architecture supported RJE terminals emulated IBM 3270 emulation	256 Optional Optional Bisync	1 Opt.; 9600 bps Std.; 9600 bps Bisync Business Info. Net. 2780/3780 No	8 Opt.; 9600 bps Std.; 9600 bps Bisync Business Info. Net. 2780/3780 No	16 Opt.; 9600 bps Std.; 9600 bps Bisync Business Info. Net. 2780/3780 No	32 Opt.; 9600 bps Std.; 9600 bps Bisync Business Info. Net. 2780/3780 No
SOFTWARE SUPPORT COBOL RPG FORTRAN BASIC Assembler Other programming languages Multiprogramming Max. no. of jobs run concurrently Language complemented in firmware Op. sys. implemented in firmware General accounting packages Industry application areas Database management system File access methods supported Software separately priced	No No Yes Yes Yes Yes None No No Partially Yes TOTAL Seq., random Yes Yes	No No No Yes No None No 4 No Partially Yes Bus., med., dist. No Seq., random Yes Yes	No No No Yes No None Yes; 8 partitions 12 No Partially Yes Gen. business, med. No Seq., random Yes Yes	No No No Yes No None Yes; 18 partitions 24 No Partially Yes Bus., med., dist. No Seq., random Yes Yes	No No No Yes No None Yes, 36 partitions 40 No Partially Yes Gen. business, med. No Seq., random Yes Yes
LEASE/MAINTENANCE OPTIONS Lease plans available Maintenance plans available	Contact vendor	Contact vendor Third party	Contact vendor Third party	Contact vendor Third party	Contact vendor Third party
PRICING & AVAILABILITY Purchase price of basic system, \$ Monthly rental of basic system, \$ Monthly maint. price of basic system, \$ Monthly maint. bundled with rental, \$ Purchase price of: additional memory module, \$ additional workstations, \$	49,300	24,990 Contact vendor 260 — 2,000 (8K bytes) 6,400	32,500 Contact vendor 280 — 2,500 (16K bytes) 6,400	51,400 Contact vendor 424 — 3,900 (32K bytes) 6,400	95,100 Contact vendor 766 — 3,900 (32K bytes) 6,400
additional printer, \$ Discounts available Date of first U.S. delivery Number installed to date	 1978	I— NA January 1978 9,000 (all models)	7,900 (150 lpm) NA 1978 9,000 (all models)	7,900 (150 lpm) NA 1978 9,000 (all models)	11,900 (300 lpm) NA 1978 19,000 (all models)
COMMENTS	Acctg. software and NC tape verification system, NC tape gener- ation, NC tape transla- tion, inc. plotter				

MANUFACTURER AND MODEL	BRD Dolphin	BRD Porpoise	BRD Small Fry	BTI 5000/ES	BTI 5000
WORD LENGTH, BITS	8-16-64	8-16-64	8-16-64	16	16
CPU Model Add time, microseconds No. of I/O ports on basic sys. and max.	Motorola 6800 100 (15 digits) 2	Motorola 6800 100 (15 digits) 2	Motorola 6800 100 (15 digits) 2	BTI 5010 20 7	BTI 5010 20 7
NTERNAL STORAGE Type Capacity of basic system, bytes Maximum capacity, bytes Increment size, bytes Cycle/access time, microseconds	MOS 8K 64K 8K 3/100	MOS 4K 64K 4K 3/100	MOS 4K 64K 4K 3/100	MOS 64K 64K None 0.65/0.3	MOS 64K 64K None 0.65/0.3
MASS STORAGE Floppy disk (diskette) drive Maximum diskette storage Cartridge disk drive Pack disk drive Fixed-head disk/drum Maximum disk storage	Std.; dual 1.2M bytes No No No No	Std.; dual 0.6M bytes No No No —	No No No No No	No NA No 10MB No 10MB	No NA No 30 to 132MB No 132MB
NORKSTATIONS Maximum number connectable Recommended maximum number Keyboard style Workstation printer	1 1 Typewriter/10 key Std.	1 1 Typewriter/10 key Std.	1 1 Std.	32 24 Any Opt.	32 24 Any Opt.
NPUT/OUTPUT DEVICES Serial printer Line printer Reel-to-reel tape drive Cassette/cartridge tape drive CRT Other	Std.; 45 cps/abs. tab No No No/No Opt.; 1920 char.	Std.; 30 cps No No No/No Opt.; 1920 char. —	Std.; 30 cps No No No No/No No	Optional Opt.; 300-900 lpm Opt.; to 72KBS No Optional	Optional Opt.; 300-900 lpm Opt.; to 72KBS No Optional
COMMUNICATIONS Maximum no. of lines Synchronous Asynchronous Protocols supported Network architecture supported RJE terminals emulated IBM 3270 emulation	1 No Std.; 1200 bps Programmable No No No	1 No Std.; 30 bps Programmable No No No	1 No Std.; 30 bps Programmable No No	4 std.; 32 opt. No 9600 bps User-programmable NA NA	8 std.; 32 opt. No 9600 bps User-programmable NA NA
SOFTWARE SUPPORT COBOL RPG FORTRAN BASIC Assembler Other programming languages Multiprogramming Max. no. of jobs run concurrently Language complemented in firmware Op. sys. implemented in firmware General accounting packages Industry application areas Database management system File access methods supported Software separately priced Technical help separately priced	No No No No Yes B,A.L. ALPHABASE/ERAM No 1 B.A.L. (fully) Fully Yes Util., acct. Yes Ind. Seq., Linked list Yes Yes	No No No Yes B.A.L. ALPHABASE/ERAM No 1 B.A.L. (fully) Fully Yes Util., acct. Yes Ind. Seq., Linked list Yes Yes	No No No Yes B.A.L. ALPHABASE No 1 B.A.L. (fully) Fully Yes Banking NA NA Yes Yes	No No No Yes No No No So Partially Partially Yes Mfg., bus., school Yes Rand., seq., KSAM No	No No No Yes No No No So So Partially Partially Yes Mfg., bus., school Yes Rand., seq., KSAM Yes No
EASE/MAINTENANCE OPTIONS Lease plans available Maintenance plans available	2 to 5 years On-call, factory	2 to 5 years On-call, factory	2 to 5 years On-call, factory	Purchase only 24 hours	Purchase only 24 hours
PRICING & AVAILABILITY Purchase price of basic system, \$ Monthly rental of basic system, \$ Monthly maint. price of basic system, \$ Monthly maint. bundled with rental, \$ Purchase price of:	15,000 to 25,000 375 100 No	10,000 to 15,000 250 75 No	6,500 200 50 No	29,950 Purchase only 345 NA	38,950 Purchase only 345 NA
additional memory module, \$ additional workstations, \$ additional printer, \$ Discounts available	800 (8K) NA Education/15%	400 (4K) NA Education/15%	400 (4K) NA — Education/15%	765 Quantity	765-1,395 8,950-23,700 — Quantity
Date of first U.S. delivery Number installed to date	July 1977 250 (all systems)	July 1977 —	March 1979 —	September 1979 750 (all models)	March 1978 750 (all models)
COMMENTS	Complete small bus. sys. with integrated word processing and data base mgmt. soft- ware; over 20 appli- cations Packager complete	See BRD-Dolphin	Ledger-card based acctg. sys. ROM based removable program cartridges; programmable also from keyboard in B.A.L. or high level alphabase	Up to 32 users terminals concur- rently	Up to 32 users terminals concur- rently

MANUFACTURER AND MODEL	BTI 8000	Burroughs B 80	Burroughs B 730/B 720	Burroughs B 801	Burroughs B 810/B 820
WORD LENGTH, BITS	32	8	64	64	64
CPU Model Add time, microseconds No. of I/O ports on basic sys. and max.	BTI 8110 (8 CPU's) 3.2 4 to 32	B80/20/30/40/50 60 8, 11	B 731 430 6, 8	B 800 7	B 800 - 7
INTERNAL STORAGE Type Capacity of basic system, bytes Maximum capacity, bytes Increment size, bytes Cycle/access time, microseconds	Core 256K 8M 128K 0.67/0.4	MOS 32K/60K 60K/124K 4K/16K 1.0/0.5	MOS 32K 80K 8K 1.0/0.5	MOS 32K 80K 8K 1.0/0.5	MOS 64K 131K 8K 1.0/0.5
MASS STORAGE Floppy disk (diskette) drive Maximum diskette storage Cartridge disk drive Pack disk drive Fixed-head disk/drum Maximum disk storage	No NA No Std.; 33MB No 8,000MB	Opt.; 6M bytes 27.6M bytes Opt.; 27.6M bytes No Opt.; 37.6M bytes 65.6MB	Opt.; 243K bytes 36.8M bytes Opt.; 36.8M bytes No No 36.8MB	Opt.; 486 bytes 36.8M bytes Opt.; 36.8M bytes No No 36.8MB	Opt.; 2M bytes 368M bytes Opt.; 368M bytes Opt.; 521 M bytes No 521.6MB
WORKSTATIONS Maximum number connectable Recommended maximum number Keyboard style Workstation printer	512 128 Any Optional	 Type.; num. key Optional	Type.; num. key Optional	 Type.; num. key Optional	— — Type.; num. key Optional
INPUT/OUTPUT DEVICES Serial printer Line printer Reel-to-reel tape drive Cassette/cartridge tape drive CRT Other	No Opt.; 300-900 lpm OPt.; 200KBS No Optional	Std.; 60, 180 cps Opt.; 160, 250 lpm No Std.; 1KBS/No Std.; 8x32 char.	Std.; 60 cps Opt.; 85-400 lpm Opt.; 10KBS Opt.; 1KBS/No Opt.	Std.; 120 cps Opt.; 85-400 lpm Opt.; 10KBS Opt.; 1KBS/No Opt.	Opt.; 120 cps Opt.; 85-750 lpm Opt.; 10KBS Opt.; 1KBS/No Opt.
COMMUNICATIONS Maximum no. of lines Synchronous Asynchronous Protocols supported Network architecture supported RJE terminals emulated IBM 3270 emulation	8 std.; 160 opt. No 19.2 bps User-programmable NA NA	4 Opt.; to 4800 bps Opt.; to 9600 bps Bisync; BDLC Async., sync.	1 Opt.; to 9600 bps Opt.; to 9600 bps Bisync., BDLC Async., Sync. IBM 3780	4 Opt.; to 9600 bps Opt.; to 9600 bps Bisync., BDLC NDL	4 Opt., to 9600 bps Opt.; to 9600 bps Bisync., BDLC NDL —
SOFTWARE SUPPORT COBOL RPG FORTRAN BASIC Assembler Other programming languages Multiprogramming Max. no. of jobs run concurrently Language complemented in firmware Op. sys. implemented in firmware General accounting packages Industry application areas Database management system File access methods supported Software separately priced	Yes No Yes Yes Yes Yes Yes PASCAL Demand-paged VM 16 No Partially Yes Mfg., gen. bus., educ. Yes Rand., seq., ISAM Yes No	Yes Yes Yes No No No DSC/MPL/NDL Yes; to 3 programs 1 Fully Fully Yes Whisl., dist., med., fin. No Rand., seq., ISAM Yes	Yes Yes Yes No No No No AEL Yes; see comments Fully Fully Yes All business No Rand. seq., ISAM Yes Yes	Yes Yes Yes No No No No No Elly Yes Fully Fully Yes All bus. acctg. applic. No Rand., seq., ISAM Yes Yes	Yes Yes Yes No No No No No Expenses No
LEASE/MAINTENANCE OPTIONS Lease plans available Maintenance plans available	Purchase only 24 hours	1, 3, 5-year On-site contract, on-	1, 3, 5-year On-site contract, on-	1, 3, 5-year On-site contract, on-	1, 3, 5-year On-site contract, on-
PRICING & AVAILABILITY Purchase price of basic system, \$ Monthly rental of basic system, \$ Monthly maint. price of basic system, \$ Monthly maint. bundled with rental, \$ Purchase price of: additional memory module, \$ additional workstations, \$	86,850 Purchase only 650 NA 9,000 (128K bytes)	17,520 669 (1-yr. lease) 129 412 (4K bytes)	26,500 997 (1-yr. lease) — 3,515 (data entry) 8,755 (85 lpm)	35,045 1,047 (1-yr. lease) 198 — — 28,840 (750 lpm)	40,450 1,210 (1-yr. lease) 233 —
additional printer, \$ Discounts available Date of first U.S. delivery	3,950 Quantity April 1980	9,270 (160 lpm) Dollar volume April 1976	Dollar volume May 1973	Dollar volume	Dollar volume
Number installed to date COMMENTS	NA Variable resource architecture permits expansion to main- frame capacity: up to 160 users	April 1976 Over 4000	NA AEL programs can execute concurrently with RPG or COBOL programs; B 730 supports up to 4 Direct Data Entry stations	NA	NA

MANUFACTURER AND MODEL	Burroughs B1815	Burroughs B1855	Burroughs B1885	Burroughs B1860 CMS	Business Controls System 80/8
WORD LENGTH, BITS	16	16	16	16	12
CPU Model Add time, microseconds No. of I/O ports on basic sys. and max.	B 1800 1; 14	B 1800 1; 14	B 1800 - 1; 14	B 1800 - 1; 14	DEC PDP-81A, E 2.6-3.0 (word) 2; 12
INTERNAL STORAGE Type Capacity of basic system, bytes Maximum capacity, bytes Increment size, bytes Cycle/access time, microseconds	MOS/LSI 131K 262K 131K	MOS/LSI 524K 1,048K 262K	MOS/LSI 524K 1,048K 262K	MOS/LSI 64K 512K 262K	Core 32K 256K 16K 1.2/0.6
MASS STORAGE Floppy disk (diskette) drive Maximum diskette storage Cartridge disk drive Pack disk drive Fixed-head disk/drum Maximum disk storage	Opt.; 486K bytes 1 M 74.4M bytes Opt.; 697.6M bytes No 697.6M	Opt.; 486K bytes 1M 74.4M bytes Opt.; 697.6M bytes Opt.; 11.8M 697.6M	Opt.; 486K bytes 1M 74.4M bytes Opt.; 697.6M bytes Opt.; 11.8M 697.6M	Opt.; 486K bytes 1M 74.4M bytes Opt.; 697.6M bytes Opt.; 11.8M 697.6M	Opt.; 670K bytes
WORKSTATIONS Maximum number connectable Recommended maximum number Keyboard style Workstation printer	16 — Typewriter Yes	16 — Typewriter Yes	16 — Typewriter Yes	16 — Typewriter Yes	— — Type.; num. key. —
INPUT/OUTPUT DEVICES Serial printer Line printer Reel-to-reel tape drive Cassette/cartridge tape drive CRT Other	No Opt.; 85-1500 lpm Opt.; 10-120KBS Cass.; 1KBS Std.; 24x80 char. Card	No Opt.; 85-1500 lpm Opt.; 10-120KBS Cass.; 1KBS Std.; 24x80 char. Card	No Opt.; 85-1500 lpm Opt.; 10-120KBS Cass.; 1KBS Std.; 24x80 char. Card	No Opt.; 85-1500 lpm Opt.; 10-120KBS (4) Cass.; 1KBS Std.; 24x80 char. Card	Opt.; 180 cps Opt.; 250-600 lpm Opt.; 36KBS Cass.; 3KBS Std.; 24x80 char. Card, p. tape
COMMUNICATIONS Maximum no. of lines Synchronous Asynchronous Protocols supported Network architecture supported RJE terminals emulated IBM 3270 emulation	4 Opt.; 50,000 bps Opt.; 9600 bps Bisync, BDLC BNA HASP	4 Opt.; 50,000 bps Opt.; 9600 bps Bisync, BDLC BNA HASP	32 Opt.; 50,000 bps Opt.; 9600 bps Bisync, BDLC BNA HASP	8 std.; 24 opt. Opt.; 50,000 bps Opt.; 9600 bps Bisync, BDLC BNA HASP	16 Opt.; to 4800 bps Opt.; to 9600 bps IBM 2780
SOFTWARE SUPPORT COBOL RPG FORTRAN BASIC Assembler Other programming languages Multiprogramming Max. no. of jobs run concurrently Language complemented in firmware Op. sys. implemented in firmware General accounting packages Industry application areas Database management system File access methods supported Software separately priced	Yes Yes Yes Yes No NDL, UPL, AEL Yes Fully Fully Yes All business acct'g. Yes Rand., seq., ISAM Yes	Yes Yes Yes Yes No NDL, UPL, AEL Yes Fully Fully Yes All business acct'g. Yes Rand., seq., ISAM Yes	Yes Yes Yes Yes No NDL, UPL, AEL Yes Fully Fully Yes All business acct'g. Yes Rand., seq, ISAM Yes	Yes Yes Yes Yes No NDL, UPL, AEL Yes Fully Fully Yes All business acct'g, Yes Rand., seq., ISAM Yes	No No Yes Yes Yes Yes, 15 partitions No No Retail, mfg., dist. No Rand., seq., index
Technical help separately priced LEASE/MAINTENANCE OPTIONS Lease plans available Maintenance plans available	Yes 1-, 5-year Various	Yes 1-, 5-year Various	Yes 1-, 5-year Various	Yes 1-, 5-year Various	No
PRICING & AVAILABILITY Purchase price of basic system, \$ Monthly rental of basic system, \$ Monthly maint. price of basic system, \$ Monthly maint. bundled with rental, \$ Purchase price of: additional memory module, \$ additional workstations, \$ additional printer, \$ Discounts available	60,000 1,075 (5-yr.) 360 Yes 10,000 2,700 9,300 No	91,928 2,145 (5-yr.) 500 Yes 5,000 2,700 9,300 No	133,000 3,132 (5-yr.) 600 Yes 7,000 2,700 9,300 No	90,000 2,500 (5-yr.) 485 Yes 7,000 2,700 9,300 No	29,990 600
Date of first U.S. delivery Number installed to date	June 1978 NA	June 1978 NA	June 1978 NA	Second qtr. 1977 NA	1971 NA
COMMENTS				150 cpm card punch, 300-1400 cpm card readers opt.	

No. of I/O ports on basic sys. and max. INTERNAL STORAGE Type Capacity of basic system, bytes Maximum capacity, bytes Increment size, bytes Cycle/access time, microseconds MASS STORAGE Floppy disk (diskette) drive Maximum diskette storage Cartridge disk drive Pack disk drive Fixed-head disk/drum Maximum disk storage WORKSTATIONS Maximum number connectable Recommended maximum number Keyboard style Workstation printer INPUT/OUTPUT DEVICES Serial printer Line printer Reel-to-reel tape drive Cassette/cartridge tape drive CRT Other COMMUNICATIONS Maximum no. of lines Synchronous Asynchronous Protocols supported Network architecture supported RJE terminals emulated IBM 3270 emulation SOFTWARE SUPPORT	DEC PDP-11/23 to 70 8.24 (8 digits) 4; 24	8-bit byte	8-bit byte	1	1
Model Add time, microseconds No. of I/O ports on basic sys. and max. INTERNAL STORAGE Type Capacity of basic system, bytes Maximum capacity, bytes Increment size, bytes Cycle/access time, microseconds MASS STORAGE Floppy disk (diskette) drive Maximum diskette storage Cartridge disk drive Pack disk drive Fixed-head disk/drum Maximum disk storage WORKSTATIONS Maximum number connectable Recommended maximum number Keyboard style Workstation printer INPUT/OUTPUT DEVICES Serial printer Line printer Reel-to-reel tape drive Cassette/cartridge tape drive CRT Other COMMUNICATIONS Maximum no. of lines Synchronous Asynchronous Protocols supported Network architecture supported RJE terminals emulated IBM 3270 emulation SOFTWARE SUPPORT	8.24 (8 digits)		O-DIL DYLE	8-bit byte	8-bit byte
Type Capacity of basic system, bytes Maximum capacity, bytes Increment size, bytes Cycle/access time, microseconds MASS STORAGE Floppy disk (diskette) drive Maximum diskette storage Cartridge disk drive Pack disk drive Fixed-head disk/drum Maximum disk storage WORKSTATIONS Maximum number connectable Recommended maximum number Keyboard style Workstation printer INPUT/OUTPUT DEVICES Serial printer Line printer Reel-to-reel tape drive Cassette/cartridge tape drive CRT Other COMMUNICATIONS Maximum no. of lines Synchronous Asynchronous Protocols supported Network architecture supported RJE terminals emulated IBM 3270 emulation SOFTWARE SUPPORT	1	Intel 8080A 1.2 (1 byte) 2	Intel 8085A 1.3 (1 byte)	Intel 8080A 2.0 (1 byte) 2	Intel 8085A 1.3 (1 byte) 4
Floppy disk (diskette) drive Maximum diskette storage Cartridge disk drive Pack disk drive Fixed-head disk/drum Maximum disk storage WORKSTATIONS Maximum number connectable Recommended maximum number Keyboard style Workstation printer INPUT/OUTPUT DEVICES Serial printer Line printer Reel-to-reel tape drive Cassette/cartridge tape drive CRT Other COMMUNICATIONS Maximum no. of lines Synchronous Asynchronous Protocols supported Network architecture supported RJE terminals emulated IBM 3270 emulation SOFTWARE SUPPORT	COS, MOS, bipolar 64K 11M 16K 0.98/0.49	MOS 5K 9K 4K 0.45/0.45	MOS 16K 48K 16K 0.50/0.45	MOS 5K 9K 4K 0.45/0.45	MOS 16K 48K 16K 0.50/0.45
Maximum number connectable Recommended maximum number Keyboard style Workstation printer INPUT/OUTPUT DEVICES Serial printer Line printer Reel-to-reel tape drive Cassette/cartridge tape drive CRT Other COMMUNICATIONS Maximum no. of lines Synchronous Asynchronous Protocols supported Network architecture supported RJE terminals emulated IBM 3270 emulation SOFTWARE SUPPORT	Opt.; 2048K bytes — Std.; 1.4B bytes Opt.; 1400M bytes Opt.; 8M bytes	Std.; 3.6M bytes Opt.; 19M bytes No Optional	Std.; 4.8M bytes Opt.; 1.9M bytes No Opt.; 10M bytes	Std.; 3.6M bytes Opt.; 19M bytes No Opt.; 10M bytes	Std.; 4.8M bytes Opt.; 19M bytes No Opt.; 10M bytes
Serial printer Line printer Reel-to-reel tape drive Cassette/cartridge tape drive CRT Other COMMUNICATIONS Maximum no. of lines Synchronous Asynchronous Protocols supported Network architecture supported RJE terminals emulated IBM 3270 emulation SOFTWARE SUPPORT	 Type.; num. key.	 Type.; num. key. 	Type.; num. key.	 Type.; num. key.	 Type.; num. key.
Maximum no. of lines Synchronous Asynchronous Protocols supported Network architecture supported RJE terminals emulated IBM 3270 emulation SOFTWARE SUPPORT	Opt.; 180 cps Opt.; 2500-1200 lpm Opt.; 10-72KBS Opt.; 4KBS Std.; 960-1584 char. Opt.	Std.; 150 cps No Optional Optional Std.; 24x80 char. —	Std.; 150 cps No Optional Optional Std.; 24x80 char.	Optional Std.; 150 cps No Opt.; cassette Std.; 24x80 char. Opt.	Optional Std.; 300 lpm Optional Opt.; cassette Std.; 24x80 char. Opt.
	64 Opt.; to 50K bps Opt.; to 9600 bps Bisync; SDLC DECnet —	1 Std.; to 9600 bps Std.; to 9600 bps Bisync — 2780/3780	2 Std; to 9600 bps Std; to 9600 bps Bisync — 2780/3780	1 Std; to 9600 bps Std; to 9600 bps Bisync — 2780/3780	2 Std.; to 9600 bps Std.; to 9600 bps Bisync
COBOL RPG FORTRAN BASIC Assembler Other programming languages Multiprogramming Max. no. of jobs run concurrently Language complemented in firmware Op. sys. implemented in firmware General accounting packages Industry application areas Database management system File access methods supported Software separately priced Technical help separately priced	Yes Yes Yes Yes Yes OIBOL, DECform Yes, 63 partitions No Yes Retail, mfg., dist. DBMS-11 Rand., seq., index No No	No No No Yes (COBOL) Yes None No — Partially Partially Yes Retail, mfg., dist. Yes Rand., index seq. Yes No	No No No Yes (CADOL) Yes None Yes; 4 partitions — Partially Partially Yes Retail, mfg., dist. Yes Rand., index seq. Yes No	No No No Yes (CADOL) Yes None No Partially Partially Yes Retail, mfg., med. Yes Rand., index seq. Yes No	No No No Yes (CADOL) Yes None Yes; 4 partitions — Partially Partially Yes Retail, mfg., dist. Yes Rand., index seq. Yes No
LEASE/MAINTENANCE OPTIONS Lease plans available Maintenance plans available	 - -	Contact vendor	Contact vendor	Contact vendor	Contact vendor
PRICING & AVAILABILITY Purchase price of basic system, \$ Monthly rental of basic system, \$ Monthly maint. price of basic system, \$ Monthly maint. bundled with rental, \$ Purchase price of: additional memory module, \$ additional workstations, \$ additional printer, \$ Discounts available	40,000 800 — — — — — —	13,995 NA — — — — —	17,795 Third party — — — — — —	11,995 Third party 130 — — — —	20,500 Third party 154 — — — —
Date of first U.S. delivery Number installed to date	1976 120	NA NA	June 1978 NA	NA NA	June 1978 NA
COMMENTS	Supports all DEC operating systems, sorts, etc.	i			Operates 4 devices

MANUFACTURER AND MODEL	Century Computer Century 300	Century Computer Century 400	Century Computer Century 700	Century Computer Century 900	Compal 8100
WORD LENGTH, BITS	8, 16	8, 16	8, 16	8, 16	8
CPU Model Add time, microseconds No. of I/O ports on basic sys. and max.	Century 200 1.4 (16 bits) 2; 256	Century 400 1.4 (16 bits) 2; 256	Century 400 1.4 (16 bits) 2; 256	Century 400 1.4 (16 bits) 2; 256	Intel 8080 2.4 3; 4
INTERNAL STORAGE Type Capacity of basic system, bytes Maximum capacity, bytes Increment size, bytes Cycle/access time, microseconds	MOS 32K 64K 32K, 64K .4/.2	MOS 64K 240K 32K, 64K .4/.2	MOS 96K 256K 32K, 64K .4/.2	MOS 16K 512K 32K, 64K	MOS 56K 56K — 1.6/.4
MASS STORAGE Floppy disk (diskette) drive Maximum diskette storage Cartridge disk drive Pack disk drive Fixed-head disk/drum Maximum disk storage	No — 10M bytes 80M bytes No —	No 10M bytes 80M bytes No	No — 10M bytes 80M bytes No —	No — 10M bytes 80M bytes No —	Std.; 630K bytes 1.2M bytes No No No
WORKSTATIONS Maximum number connectable Recommended maximum number Keyboard style Workstation printer	4 4 Type.; num. key. Opt.; 4	8 8 Type.; num. key. Opt.; 8	20 20 Type.; num. key. Opt.; 20	32 32 Type.; num. key. Opt.; 32	1 1 Type.; num. key. 1, 1, 2
INPUT/OUTPUT DEVICES Serial printer Line printer Reel-to-reel tape drive Cassette/cartridge tape drive CRT Other	No Std.; 300 lpm Opt.; 36KBS No Std.; 24x80char. No	Opt.; 165 cps Opt.; 300, 600 lpm Opt.; 36KBS No Std.; 24x80 char. No	No Opt.; 300 lpm Opt.; 36KBS No Std.; 24x80char. No	No Opt.; 600 lpm Opt.; 56KBS No Std.; 24x80 char. No	Std.; 55-150 cps Optional No Optional Std.; 1920 char.
COMMUNICATIONS Maximum no. of lines Synchronous Asynchronous Protocols supported Network architecture supported RJE terminals emulated IBM 3270 emulation	4 Opt.; to 9600 bps 19,200 bps — No IBM 3780	8 Opt.; to 9600 bps 19,200 bps — No IBM 3780	20 Opt.; to 9600 bps 19,200 bps — No IBM 3780	32 Opt.; to 9600 bps 19,200 bps No IBM 3780 No	3 Opt.; 1200/9600 bps Std.; 300 bps — IBM 2780/3780
SOFTWARE SUPPORT COBOL RPG FORTRAN BASIC Assembler Other programming languages Multiprogramming Max. no. of jobs run concurrently Language complemented in firmware Op. sys. implemented in firmware General accounting packages Industry application areas Database management system File access methods supported Software separately priced	No No No Yes Yes Yes CPL Yes, 4 partitions 4 No No Yes Yes Rand., seq., index Yes Yes	No No No Yes Yes CPL Yes, 8 partitions 8 No No Yes Yes Rand., seq., index Yes Yes	No No No No Yes Yes CPL Yes, 20 partitions 20 No No No No No Rand., seq., index Yes Yes	No No No Yes Yes CPL Yes, 32 partitions 32 No No No Yes No Rand., seq., index Yes Yes	Yes (opt.) No Yes (opt.) Yes Yes PASCAL No One program No Partially Yes Dist., mfg., retail Yes No No
LEASE/MAINTENANCE OPTIONS Lease plans available Maintenance plans available	Contact vendor On-site, on-call, factory, third party	Contact vendor On-site, on-call, factory, third party	Contact vendor On-site, on-call, factory, third party	Contact vendor On-site, on-call, factory, third party	1 to 5 years
PRICING & AVAILABILITY Purchase price of basic system, \$ Monthly rental of basic system, \$ Monthly maint. price of basic system, \$ Monthly maint. bundled with rental, \$ Purchase price of: additional memory module, \$ additional workstations, \$ additional printer, \$ Discounts available	Contact vendor Purchase only Yes OEM	Contact vendor Purchase only - Yes OEM	Contact vendor Purchase/lease — Yes	Contact vendor Purchase/lease — Yes — — —	10,995 — 55 No — 6,995 2,100 (150 cps)
Date of first U.S. delivery Number installed to date	June 1975 NA	June 1975 NA	June 1975 NA	June 1975 NA	October 1976 400
COMMENTS					

MANUFACTURER AND MODEL	Compal 8200	Compal 9000	Complete Computer Systems # 10	Complete Computer Systems # 11	Complete Computer Systems # 12
WORD LENGTH, BITS	8	16	16 + 1	16 + 1	16 + 1
CPU Model Add time, microseconds No. of I/O ports on basic sys. and max.	Zilog Z-80 2; 4 3; 4	DG microNova 602 2.4 5; 36	DG microNova 3/12 0.7 (1 word) 3; 34	DG Nova 3/12 0.7 (1 word) 4; 34	DG Nova 3/12 0.7 (1 word) 10; 4; 34
INTERNAL STORAGE Type Capacity of basic system, bytes Maximum capacity, bytes Increment size, bytes Cycle/access time, microseconds	MOS 56K 1112K 8K 1.6/.4	MOS 64K 128K 32K .96/.16	MOS 64K 256K 32K 0.70/0.35	MOS 64K 256K 32K 0.70/0.35	MOS or core 64K 256K 32K 0.70/0.35
MASS STORAGE Floppy disk (diskette) drive Maximum diskette storage Cartridge disk drive Pack disk drive Fixed-head disk/drum Maximum disk storage	Std.; 630K bytes 1.2M bytes No No Opt.; 30M bytes	Opt.; 1.2M bytes 1.2M bytes Std.; 10M bytes No opt.; 25M bytes	Opt.; 1.2M bytes Std.; 10M bytes No No —	Opt.; 1.2M bytes Std.; 10M bytes No No	Opt.; 1.2M bytes Std.; 10M bytes No No -
WORKSTATIONS Maximum number connectable Recommended maximum number Keyboard style Workstation printer	1 1 1 Type.; num. key. 1, 1, 2	16 4 Type.; num. key. 1, 3, 16	16 16 Type.; num. key. Opt.; 2	16 16 Type.; num. key. Opt.; 2	16 16 Type.; num. key. Opt.; 2
INPUT/OUTPUT DEVICES Serial printer Line printer Reel-to-reel tape drive Cassette/cartridge tape drive CRT Other	Std.; 55-150 cps Optional No Optional Std.; 1920 char.	Std.; 150 cps Opt.; 300 lpm Optional Optional Std.; 1920 char.	Std.; 60 cps Opt.; 300-600 cps Opt.; 300-600 cps No Std.; 1920 char.	Std.; 120 cps Opt.; 300-600 lpm Opt.; 60,000 cps No Std.; 1920 char.	Std.; 180 cps Opt.; 300-600 lpm Opt.; 60,000 cps No Std.; 1920 char.
COMMUNICATIONS Maximum no. of lines Synchronous Asynchronous Protocols supported Network architecture supported RJE terminals emulated IBM 3270 emulation	3 Opt.; 1200/9600 bps Std.; 300 bps Asyn, bisync IBM 2780/3780	16 Opt.; 1200/2400 bps Std.; 1200/2400 bps Async, bisync — IBM 2780/3780	16 Opt.; to 9600 bps Opt.; to 9600 bps Async, bisync IBM 360/370 Yes	16 Opt.; to 9600 bps Opt.; to 9600 bps Async, bisync IBM 360/370 RJE 80 (2789/3780) Yes	16 Opt.; to 9600 bps Opt.; to 9600 bps Async, bisync IBM 360/370 RJE 80 (2780/3780) Yes
SOFTWARE SUPPORT COBOL RPG FORTRAN BASIC Assembler Other programming languages Multiprogramming Max. no. of jobs run concurrently Language complemented in firmware Op. sys. implemented in firmware General accounting packages Industry application areas Database management system File access methods supported Software separately priced Technical help separately priced	Yes (opt.) No Yes (opt.) Yes Yes Yes PASCAL No One program No Partially Yes All types No No	No No No Yes (opt.) Yes Yes Yes PASCAL Multi-user 3 3 or 4 programs No No Yes Dist., mfg., retail Yes All types Yes No	No No No Yes Yes Yes Yes Yes 16 Partially Partially Yes Various Yes Rand, seq., index Yes Yes	No No Yes Yes Yes Yes Yes Yes TCREATE" DBMS Yes 16 Partially Partially Partially Yes Various Yes Rand, seq., index Yes Yes	No No Yes Yes Yes Yes Yes 16 Partially Partially Yes Various Yes Rand., seq., index Yes Yes Yes
LEASE/MAINTENANCE OPTIONS Lease plans available Maintenance plans available	1 to 5 years On-site	1 to 5 years On-site	5 yr. lease/purchase On-site	5 yr. lease/purchase On-site	5 yr. lease/purchase On-site
PRICING & AVAILABILITY Purchase price of basic system, \$ Monthly rental of basic system, \$ Monthly maint. price of basic system, \$ Monthly maint. bundled with rental, \$ Purchase price of: additional memory module, \$ additional workstations, \$ additional printer, \$ Discounts available	11,995 No 60 No 300 (8K) 8,995 3,000 (55 cps) No	19,995 NA 167 No 1,850 (64K) 2,290 3,900 (180 cps) No	30,940 425 280 No 4,000 (64K bytes) 1,950 5,450 (600 cps) Govt.; 10%	33,605 462 310 No 4,000 (64K bytes) 1,950 5,450 (600 cps) Govt.; 10%	33,825 492 325 No 4,000 (64K bytes) 1,950 5,450 (600 cps) Govt., 10%
Date of first U.S. delivery Number installed to date	November 1979	December 1979 NA	1974 (Nova 2/10) NA	1974 (Nova 2/10) NA	1975 (Nova 2/10) NA
COMMENTS		,	Property manage- ment, rent and maintenance control, multi-entity financials	CREATE operates in shared-logic mode with business application; word processing with variable text fill-in and	Inventory control incl. LIFO, FIFO, avg. lot ctrl., serial no. ctrl., bulk qty.

MANUFACTURER AND MODEL	Complete Computer Systems # 14	Complete Computer Systems # 22	Complete Computer Systems # 26	Compudata Systems (DEC 300 Series)	Compudata Systems (DEC 500 Series)
WORD LENGTH, BITS	16 + 1	16 + 1	16 + 1	16 + 2	16 + 2
CPU Model Add time, microseconds No. of I/O ports on basic sys. and max.	DG Nova 3/12 0.7 (1 word) 4; 34	DG Nova 3/12 0.7 (1 word) 10; 34	DG Nova 3/12 0.7 (1 word) 10; 34	DEC PDP-11/23/34 2.03 1; 8	DEC PDP-11/34/70 0.30-1.20 1; 64
INTERNAL STORAGE Type Capacity of basic system, bytes Maximum capacity, bytes Increment size, bytes Cycle/access time, microseconds	MOS or core 64K 256K 32K 0.70/0.35	MOS or core 96K 256K 32K, 64K 0.7/0.35	MOS or core 128K 256K 32K, 64K 0.7/0.35	MOS 128K 256K 32K 0.98, 0.725/0.51, 0.635	Core 128K 512K 32K 0.98/0.36
MASS STORAGE Floppy disk (diskette) drive Maximum diskette storage Cartridge disk drive Pack disk drive Fixed-head disk/drum Maximum disk storage	Opt.; 1.2M bytes Std.; 10M bytes No No	Opt.; 1.2M bytes Std.; 30M bytes No No	Opt.; 1.2M bytes Std.; 40M bytes No No	Opt.; 310K bytes 8 units; 224MB Std.; 2.5 or 5M bytes Opt.; 28 bytes No	Opt.; 310K bytes 8 units; 1,408MB Std.; 10M bytes Opt.; to 176M bytes Opt.; 512M bytes
WORKSTATIONS Maximum number connectable Recommended maximum number Keyboard style Workstation printer	16 16 Type.; num. key. Opt.; 2	16 16 Type.; num. key. Std., 1; opt., 2	16 16 Type.; num. key. Std., 1; opt., 2	8 8 Type.; /num. key Opt.	32 32 Type.; num. key Standard
INPUT/OUTPUT DEVICES Serial printer Line printer Reel-to-reel tape drive Cassette/cartridge tape drive CRT Other	Std.; 180 cps Opt.; 300-600 lpm Opt.; 60,000 cps No Std.; 1920 char.	Std.; 180 cps Opt.; 300 lpm Opt.; 60,000 cps No Std.; 1920 char. opt.	Std.; 60-180 cps Opt.; 300 lpm Opt.; 60,000 cps No Std.; 1920 char. Opt.	Std.; 180 cps Opt.; 300-600 lpm Opt.; 800/1600 bpi No/No Std.; 1280 char.	Std.; 180 cps Opt.; 300, 600 lpm Opt.; 800/1600 bpi No/No Std.; 1920 char.
COMMUNICATIONS Maximum no. of lines Synchronous Asynchronous Protocols supported Network architecture supported RJE terminals emulated IBM 3270 emulation	16 Opt.; to 9600 bps Opt.; to 9600 bps Bisync IBM 360/370 RJE 80 (2780/3780) Yes	16 Opt.; to 9600 bps Opt.; to 9600 bps Bisync IBM 360/370 RJE 80 (2780/3780) Yes	16 opt.; to 9600 bps opt.; to 9600 bps Bisync IBM 360/370 RJE 80 (2780/3780) Yes	32 Opt.; 2400 bps Std.; 9600 bps Bisync None 2780 No	64 Opt.; 2400 bps Std.; 9600 bps Bisync DECnet 2780 Yés
SOFTWARE SUPPORT COBOL RPG FORTRAN BASIC Assembler Other programming languages Multiprogramming Max. no. of jobs run concurrently Language complemented in firmware Op. sys. implemented in firmware General accounting packages Industry application areas Database management system File access methods supported Software separately priced Technical help separately priced	No No No Yes Yes Yes Yes Yes 16 Partially Partially Yes Various Yes Rand, seq., index Yes Yes Yes	No No Yes yes Yes Yes Yes, dynamic 16 Partially Partially Yes Various Yes Multi-index, rand. Yes Yes	No No Yes yes yes yes "CREATE" DBMS Yes, dynamic 16 Partially Partially Yes Various Yes Multi-index, rand. Yes Yes	No No Yes No DIBOL Yes 8 No No No Ves Seq., rand., index seq. Yes Yes	Yes Yes Yes Yes No DIBOL Yes 32 No No No Ves Various Yes Seq., rand., index seq Yes Yes
LEASE/MAINTENANCE OPTIONS Lease plans available Maintenance plans available	5 yr. lease/purchase On-site	5 yr. lease/purchase On-site	5 yr. lease/purchase On-site	3-8 years On-site contract	3-8 years On-site contract
PRICING & AVAILABILITY Purchase price of basic system, \$ Monthly rental of basic system, \$ Monthly maint. price of basic system, \$ Monthly maint. bundled with rental, \$ Purchase price of: additional memory module, \$ additional workstations, \$ additional printer, \$ Discounts available	45,275 622 375 No 4,000 (64K bytes) 1,950 5,450 (600 cps) Govt.; 10%	63,605 874 — 4,000 (64KB) 1,950 5,450 (600 cps) Govt.; 10%	77,495 1,064 4,000 (64K) 1,950 5,450 (600 cps) Govt.; 10%	26,000 350 — No — — — — Quantity	60,000 1,250 — No — — — — Quantity
Date of first U.S. delivery Number installed to date	1976 NA	1976 NA	1976 NA	1975 200+	1976 30+
COMMENTS	HMO membership control, mail-order prospect control; CREATE report generator	CREATE operates in shared-logic mode with business application, word processing with variable text fill-in and preprinted forms fill-in	Mfg. and construc- tion systems oriented to job costing esti- mating, projected completion cost, labor, cost ctr efficiency		

MANUFACTURER AND MODEL	Computer Automation SyFA System 200	Computer Automation SyFA System 300	Computer Automation SyFA System 1000	Compudata Systems (IBM Series/1)	CDA, Inc. The Parts Handler DG IT Series
WORD LENGTH, BITS	16	16	16	16	16
CPU Model Add time, microseconds No. of I/O ports on basic sys. and max.	Naked Mini; LSI 2-60 2; 4	Naked Mini; LSI 2-60 2; 4	Naked Mini; LSI 2-60 	IBM 4952/4955 4.2 4; 56	DG micro Nova 5
INTERNAL STORAGE Type Capacity of basic system, bytes Maximum capacity, bytes Increment size, bytes Cycle/access time, microseconds MASS STORAGE Floppy disk (diskette) drive Maximum diskette storage Cartridge disk drive Pack disk drive Pack disk drive Fixed-head disk/drum Maximum disk storage WORKSTATIONS Maximum number connectable Recommended maximum number Keyboard style Workstation printer INPUT/OUTPUT DEVICES Serial printer Line printer	MOS 64K 64K 64K 	MOS 64K 304K 64K 0.7/0.5 No	MOS 64K 304K 64K 0.7/0.5 No Standard Opt.; 1760M bytes No 1760M bytes 32 32 Std.; num. key. Optional	MOS 64K 256K 32K 0.66/0.50 Opt.; 2.5M bytes 8 units; 512MB Opt.; 10 64M bytes No No — 32 12 Type.; num. key Optional Opt.; 120 cps Opt.; 155 lpm	MOS 64K 64K 64K
Reel-to-reel tape drive Cassette/cartridge tape drive CRT Other	No No Standard No	No No Standard No	Optional No Standard No	No No/No Std.; 1920 char.	No No Standard No
COMMUNICATIONS Maximum no. of lines Synchronous Asynchronous Protocols supported Network architecture supported RJE terminals emulated IBM 3270 emulation	Std.; 4800 bps 4; 9600 bps Async, bisync No Optional; 3780 Optional	Std.; 4800 bps 4; 9600 bps Async, bisync No Optional; HASP Optional	Std.; 4800 bps 8; 9600 bps; opt. 32 Async, bisy., SDLC Opt.; SNA Optional; 3780, HASP Optional	256 Opt.; 2400 bps Std.; 9600 bps — None None No	5 Optional Standard Bisync X.25 2780/3780 Yes
SOFTWARE SUPPORT COBOL RPG FORTRAN BASIC Assembler Other programming languages Multiprogramming Max. no. of jobs run concurrently Language complemented in firmware Op. sys. implemented in firmware General accounting packages Industry application areas Database management system File access methods supported Software separately priced Technical help separately priced	No No No No SYBOL Yes 6 No No No No Ro No Ro No No No Insur., utilities No Rand., seq., index No —	No No No No SyBOL Yes 6 No No No No No Ro No No No No No Insur., utilities No Rand., seq., index No —	No No No No SYBOL Yes 53 No No No No Ro No Ro Ro No No Insur., utilities No Rand., seq., index No —	Yes No No No Yes No Yes 12 No No Ves 2 Various No Seq., rand., ISAM Yes Yes	No No Yes Yes Yes ALGOL, PASCAL No 5 No No No No Rand, ISAM Yes Yes
LEASE/MAINTENANCE OPTIONS Lease plans available Maintenance plans available	Purchase only Contact vendor	Purchase only Contact vendor	Purchase only Contact vendor	3-8 years On-site contract	5 years On-site
PRICING & AVAILABILITY Purchase price of basic system, \$ Monthly rental of basic system, \$ Monthly maint. price of basic system, \$ Monthly maint. bundled with rental, \$ Purchase price of: additional memory module, \$ additional workstations, \$ additional printer, \$ Discounts available	29.000 349 NA 	36,000 369 NA 	102,500 840 NA	23.000 440 — No — — — No	26,900 NA 175 No NA 2,500 4,500 (180 cps) Quantity
Date of first U.S. delivery Number installed to date	NA NA	NA NA	NA NA	1977 30+	March 1979 10
COMMENTS					

MANUFACTURER AND MODEL	CDA, Inc. The Parts Handler DG MP/100 Series	CDA, Inc. The Parts Handler DG Nova Series	Computer Designed Systems Adviser I-1432	Computer Designed Systems Adviser I-2880	Computer Designed Systems Adviser IV-3160
WORD LENGTH, BITS	16	16	16	16	16
CPU Model Add time, microseconds No. of I/O ports on basic sys. and max.	DG MP/100 5	DG Nova 4 series 5	1/64 CDS 25 (5 digits) 1-4	1/64 CDS 25 (5 digits) 1-8	IVM-640 CDS 10 (5 digits) 1-16
INTERNAL STORAGE Type Capacity of basic system, bytes Maximum capacity, bytes Increment size, bytes Cycle/access time, microseconds	MOS 64K 64K 96/.50	MOS 128K 256K 64K ,40/.50	Core, MOS 64K 96K 32K 0.8/0.4	Core, MOS 64K 128K 32K 0.8/0.4	Core, MOS 64K 192K 32K 0.6/0.3
MASS STORAGE Floppy disk (diskette) drive Maximum diskette storage Cartridge disk drive Pack disk drive Fixed-head disk/drum Maximum disk storage	Opt.; 630K bytes 630K bytes Std.; 10-20M bytes No Opt.; 12.5M bytes 12.5M bytes	Opt.; 630K bytes 630K bytes Std.; 10-20M bytes Opt.; 96M bytes Opt.; 12.5M bytes 12.5M bytes	No — Std.; 40MB Opt.; 160MB No —	No — Std.; 80MB Opt.; 160MB No —	No — Std.; 128MB Opt.; 320MB No —
WORKSTATIONS Maximum number connectable Recommended maximum number Keyboard style Workstation printer	16 7 Type.; num. key. Optional	16 16 Type.; num. key. Optional	4 4 10 key typewriter Opt.; 4	8 8 10 key typewriter Opt.; 8	16 16 10 key typewriter Opt.; 16
INPUT/OUTPUT DEVICES Serial printer Line printer Reel-to-reel tape drive Cassette/cartridge tape drive CRT Other	No No No No Standard No	No Optional Opt.; 800, 1600 cps No Standard No	Std.; 50 cps Opt.; 300 lpm Opt.; 50KBS Opt.; 750 cps./72KBS Std.; 7920 char. Yes	Std.; 200 cps Opt.; 300 lpm Opt.; 50KBS Opt.; 750 cps/72KBS Std.; 1920 Yes	Std.; 200 cps Opt.; 600 lpm (2) Opt.; 120KBS Opt.; 750 cps/72KBS Std.; 1920 Yes
COMMUNICATIONS Maximum no. of lines Synchronous Asynchronous Protocols supported Network architecture supported RJE terminals emulated IBM 3270 emulation	16 Optional Standard Bisync X.25 2780/3780 Yes	16 Optional Standard Bisync X.25 2780/3780 Yes	4 Opt.; 9600 bps Opt.; 9600 bps Bisync No No	8 Opt.; 9600 bps Opt.; 9600 bps Bisync No No	16 Opt.; 9600 bps Opt.; 9600 bps Bisync SNA/SDLC 2780/3780 Yes
SOFTWARE SUPPORT COBOL RPG FORTRAN BASIC Assembler Other programming languages Multiprogramming Max. no. of jobs run concurrently Language complemented in firmware Op. sys. implemented in firmware General accounting packages Industry application areas Database management system File access methods supported Software separately priced Technical help separately priced	No No Yes Yes Yes Yes Yes No 16 No No No No No Rauto parts dist. No Rand, ISAM Yes Yes	Yes No Yes Yes Yes Yes ALGOL, PASCAL Yes, 2 partitions 16 No No No No No Yes Auto parts dist. No Rand, ISAM Yes Yes	Yes Yes Yes No Yes No ABOL, PASCAL Yes, 8 partitions Opt; 8 Partially Partially Partially Yes Dist., mfg., med. No Rand., seq., index Yes Yes	Yes Yes No Yes No ABOL, PASCAL Yes, 16 partitions Opt.; 16 Partially Partially Yes Dist., mfg., med. No Rand., seq., index Yes Yes	Yes Yes Yes Yes Yes Yes Yes, 24 partitions Opt.; 24 Partially Partially Partially Yes No Rand., seq., index Yes Yes
LEASE/MAINTENANCE OPTIONS Lease plans available Maintenance plans available	5 years On-site	5 years On-site	3, 5, 7 yr. On-call	3, 5, 7 yr. On-call	3, 5, 7 yr. On-call
PRICING & AVAILABILITY Purchase price of basic system, \$ Monthly rental of basic system, \$ Monthly maint. price of basic system, \$ Monthly maint. bundled with rental, \$ Purchase price of: additional memory module, \$ additional workstations, \$	26,900 NA 175 No NA 2,500	54,680 NA 350 No 6,000 (128K) 2,500	19,900 400 185 No Varies	28.900 700 260 No Varies Varies	39,700 950 290 No Varies
additional printer, \$ Discounts available Date of first U.S. delivery	4,500 (180 cps) Quantity April 1979	4,500 (180 cps) Quantity October 1979	Varies Quantity (5)	Varies Quantity (5)	Varies Quantity (5)
Number installed to date COMMENTS	5	1	NA Single source responsibility for hardware, soft- ware, service; field upgradeable	NA Single source responsibility for hardware, software, service; field upgradeable	NA Single source responsibility for hardware, software, service; preproc- essors avail.

MANUFACTURER AND MODEL	Computer Designed Systems Adviser IV-4240	Computer Designed Systems Adviser IV-5320	Computer Hardware Inc. 2130	Computer Hardware Inc. 3230	Computer Hardware Inc. 4210
WORD LENGTH, BITS	16	16	16	16	16
CPU Model Add time, microseconds No. of I/O ports on basic sys. and max.	IVM-642 CDS 10 (5 digits) 1-24	IVM-644 CDS 10 (5 digits) 1-32	CHI 2130 1.6 (1 word) 21; 128	CHI 3230 2.7 21	CHI 4210 4.6 12
INTERNAL STORAGE Type Capacity of basic system, bytes Maximum capacity, bytes Increment size, bytes Cycle/access time, microseconds	Core, MOS 64K 256K 32K 0.4/0.25	Core, MOS 64K 320K 32K 0.35/0.2	MOS 16K bytes 128K/4M bytes 16K bytes 0.8/-	MOS 16K bytes 128KB 16K bytes 1.6/-	MOS 8K bytes 64KB 8K bytes 1.2/-
MASS STORAGE Floppy disk (diskette) drive Maximum diskette storage Cartridge disk drive Pack disk drive Fixed-head disk/drum Maximum disk storage	No — Std.; 192MB Opt.; 640MB Optional —	No Std.; 256MB Opt.; 2400MB Opt.; variable	— Opt.; 10M bytes Std.; 1600 bytes Opt.; 2M bytes NA	No Opt.; 2M bytes Opt.; 80M bytes Opt.; 2M bytes NA	Std.; 1.0M bytes 2,250K bytes
WORKSTATIONS Maximum number connectable Recommended maximum number Keyboard style Workstation printer	24 24 10 key typewriter Opt.; 24	32 32 10 key typewriter Opt.; 32	32 32 Typewriter Optional	32 32 Typewriter Optional	4 1 Type.; num. key No
INPUT/OUTPUT DEVICES Serial printer Line printer Reel-to-reel tape drive Cassette/cartridge tape drive CRT Other	Std.; 200 cps Opt.; 600 lpm (2) Opt.; 120KBS Opt.; 72KBS Std.; 1920 Optional	Std.; 200 cps Opt.; 900 lpm (4) Opt.; 120KBS Opt.; 750 cps/72KBS Std.; 1920 char. Optional	Opt.; 60 cps Opt.; 600 lpm Opt.; 75 ips No/No Std.; 24x50 char.	Optional Optional Optional No/No Opt.; 24x80 char.	Opt.; 30, 180 cps No No Standard/No Opt.; 24x80 char.
COMMUNICATIONS Maximum no. of lines Synchronous Asynchronous Protocols supported Network architecture supported RJE terminals emulated IBM 3270 emulation	24 Opt.; 9600 bps Opt.; 9600 bps Bisync SNA/SDLC 2780/3780 Yes	32 Opt.; 9600 bps Opt.; 9600 bps Bisync SNA/SDLC 2780/3780 Yes	32 async.; 4 sync. Opt.; to 4800 bps Opt.; to 9600 bps Bisync NA 2780/3780, 3741 No	32 async.; 4 sync. Opt.; to 4800 bps Opt.; to 9600 bps Bisync NA 2780/3780 No	8 async.; 1 sync. Opt.; to 4800 bps Opt.; to 9600 bps Bisync NA 2780/3780 No
SOFTWARE SUPPORT COBOL RPG FORTRAN BASIC Assembler Other programming languages Multiprogramming Max. no. of jobs run concurrently Language complemented in firmware Op. sys. implemented in firmware General accounting packages Industry application areas Database management system File access methods supported Software separately priced Technical help separately priced	Yes Yes Yes Yes Yes Yes, 32 partitions Opt; 48 Partially Partially Pres Dist., mfg., med. Yes Rand., seq., index Yes Yes Yes	Yes Yes Yes Yes Yes Yes Yes, 54 partitions Partially Partially Yes Dist., mfg., med. Yes Rand., seq., index Yes Yes	Yes Yes Yes Yes Yes Yes Yes Yes Some Yes, 32 partitions 32 No Partially Yes General accounting Yes Rand., seq., ISAM Some Yes	Yes Yes Yes Yes Yes Yes Yes Yes Yes ALGOL, SNOBOL Yes 32 No Partially Yes General accounting Yes Rand., seq., ISAM Some No	No No Yes No Yes, 8 partitions 4 No No Yes General accounting No Seq., random Yes No
LEASE/MAINTENANCE OPTIONS Lease plans available Maintenance plans available	3, 5, 7 yr. On-call	3, 5, 7 yr. On-site, on-call	2, 3, 5 year On-call	2, 3, 5 year On-call	1, 2, 3, 5 year On-call, factory ret.
PRICING & AVAILABILITY Purchase price of basic system, \$ Monthly rental of basic system, \$ Monthly maint. price of basic system, \$ Monthly maint. bundled with rental, \$ Purchase price of:	48,900 1,200 380 No	59,900 1,500 535 No	Consult factory Consult factory Consult factory No	Consult factory Consult factory Consult factory No	Consult factory Consult factory Consult factory No
additional memory module, \$ additional workstations, \$ additional printer, \$ Discounts available	Varies Varies Varies Quantity (5)	Varies Varies Varies Quantity (5)	1,500 (16K bytes) Consult factory	1,500 (16K bytes)	960 (8K bytes) — Consult factory
Date of first U.S. delivery Number installed to date	1977 NA	1977 NA	1974 NA	1976 NA	1977 NA
COMMENTS	Single source responsibility for hardware, software, service; preproc- essors avail.	Single source responsible for hard- ware, software, ser- vice; pre-processors avail., field upgrade- able	Hardware floating- point available	Hardware floating- point available	

WORD LENGTH, BITS CPU Model Add time, microseconds No. of I/O ports on basic sys. and max. INTERNAL STORAGE Type Capacity of basic system, bytes Maximum capacity, bytes Increment size, bytes Cycle/access time, microseconds MASS STORAGE Floppy disk (diskette) drive Maximum diskette storage Cartridge disk drive Pack disk drive Fixed-head disk/drum Maximum disk storage WORKSTATIONS Maximum number connectable Recommended maximum number Keyboard style Workstation printer	TMS 9900 2; 4 MOS 64K bytes 256K bytes 16K bytes Std. 2 NA NA 4 1 Typewriter, numeric Standard	DEC PDP-11/34 2 (1 word) 3; 7 MOS, core 16K 248K 16K, 32K, 64K 0.49, 0.725, 0.98 No NA No Std.; 88M bytes No	DEC PDP-8/A,E,orF 15 (5 digits) 3; 32 Core, MOS 32K 64K 8K 1.2/O/6 Opt.; 256K bytes 16M bytes Std.; 256M bytes Opt.; 90M bytes No	16 + 2 Cyber 18 0.95 (1 word) 5; 9 MOS 32K 512K 32K or 64K .75/.30 Std.; 560K bytes Opt.; 35.2M bytes Opt.; 440M bytes No	See comments 0.80 (1 word) 4; 24 Core 8K 32K 8K 0.80/0.40 Opt.; 500K bytes 1.6M bytes Std.; 100M bytes Opt.; 92M bytes
Model Add time, microseconds No. of I/O ports on basic sys. and max. INTERNAL STORAGE Type Capacity of basic system, bytes Maximum capacity, bytes Increment size, bytes Cycle/access time, microseconds MASS STORAGE Floppy disk (diskette) drive Maximum diskette storage Cartridge disk drive Pack disk drive Fixed-head disk/drum Maximum disk storage WORKSTATIONS Maximum number connectable Recommended maximum number Keyboard style	2; 4 MOS 64K bytes 256K bytes 16K bytes Std. 2 NA NA NA 4 1 Typewriter, numeric	2 (1 word) 3; 7 MOS, core 16K 248K 16K, 32K, 64K 0.49, 0.725, 0.98 No NA No Std.; 88M bytes	15 (5 digits) 3; 32 Core, MOS 32K 64K 8K 1.2/0/6 Opt.; 256K bytes 16M bytes Std.; 256M bytes Opt.; 90M bytes	0.95 (1 word) 5; 9 MOS 32K 512K 32K or 64K .75/.30 Std.; 560K bytes Opt.; 35.2M bytes Opt.; 440M bytes	0.80 (1 word) 4; 24 Core 8K 32K 8K 0.80/0.40 Opt.; 500K bytes 1.6M bytes Std.; 100M bytes
Type Capacity of basic system, bytes Maximum capacity, bytes Increment size, bytes Cycle/access time, microseconds MASS STORAGE Floppy disk (diskette) drive Maximum diskette storage Cartridge disk drive Pack disk drive Fixed-head disk/drum Maximum disk storage WORKSTATIONS Maximum number connectable Recommended maximum number Keyboard style	64K bytes 256K bytes 16K bytes — Std. 2 NA NA NA 1 Typewriter, numeric	16K 248K 16K, 32K, 64K 0.49, 0.725, 0.98 No NA No Std.; 88M bytes	32K 64K 8K 1.2/0/6 Opt.; 256K bytes 16M bytes Std.; 256M bytes Opt.; 90M bytes	32K 512K 32K or 64K .75/.30 Std.; 560K bytes Opt.; 35.2M bytes Opt.; 440M bytes	8K 32K 8K 0.80/0.40 Opt.; 500K bytes 1.6M bytes Std.; 100M bytes
Floppy disk (diskette) drive Maximum diskette storage Cartridge disk drive Pack disk drive Fixed-head disk/drum Maximum disk storage WORKSTATIONS Maximum number connectable Recommended maximum number Keyboard style	NA NA NA 1 1 Typewriter, numeric	NA No Std.; 88M bytes	16M bytes Std., 256M bytes Opt., 90M bytes	Opt.; 35.2M bytes Opt.; 440M bytes	1.6M bytes Std.; 100M bytes
Maximum number connectable Recommended maximum number Keyboard style	1 Typewriter, numeric	_		1	Opt.; 2M bytes
	1	_ 	16 8 Type.; num. key. Std.; 3	Type.; num. key. Optional	64 64 All types Optional
INPUT/OUTPUT DEVICES Serial printer Line printer Reel-to-reel tape drive Cassette/cartridge tape drive CRT Other	No Std.; 1x84 lpm No Opt.; 2x10 ips/No Opt.; 1x1920 char.	Std.; 180 cps Opt.; 1200 lpm Std.; 75 ips No Std.; 24x80 char.	Opt.; 165, 300 cps Std.; 300 lpm Opt.; 20, 40 KBS Cart.; 40KBS (opt.) Std.; 24x80 char. Opt.	Opt.; 180 cps Opt.; 300-900 lpm Opt.; 80KBS No Opt.; 24x80 char. Opt.	Std.; 165 cps Opt.; 300-1200 lpm Opt.; 60KBS Opt. cassette Std.; 24x80 char. Opt.
COMMUNICATIONS Maximum no. of lines Synchronous Asynchronous Protocols supported Network architecture supported RJE terminals emulated IBM 3270 emulation	4 Opt.; 9600 bps Std.; 2x19 Bisync None 2780, 3780 No	64 Opt.; to 9600 bps Opt.; to 9600 bps ADDCP, DDCMP	32 Opt.; to 9600 bps Opt.; to 2400 bps None Std.; RS232 None No		256 Opt.; to 9600 bps Opt.; to 9600 bps ALL TNA, SNA 2780/3780 Yes
SOFTWARE SUPPORT COBOL RPG FORTRAN BASIC Assembler Other programming languages Multiprogramming Max. no. of jobs run concurrently Language complemented in firmware Op. sys. implemented in firmware General accounting packages Industry application areas Database management system File access methods supported Software separately priced Technical help separately priced	Yes No Yes Yes Yes NA Yes A No Partially No Various No Seq., random Some Some	Yes No No Yes No None Yes, 32 partitions No No No No Seg., index seq. No Yes	No No Yes Yes Yes None Yes, 4 partitions 4 No No Vo Yes Various No Rand., seq., index No Yes	Yes Yes Yes No Macro assembler None Yes, 16 partitions 17 No No No No No No No Ho Rand., seq., index Yes Yes	Yes Yes Yes FORTRAN IV, V Yes Yes Yes ALGOL Yes 2 No No Ves Various No Rand., seq., index Yes Yes
LEASE/MAINTENANCE OPTIONS Lease plans available Maintenance plans available PRICING & AVAILABILITY Purchase price of basic system, \$	1, 2, 3, 5 year On-call, factory ret.	Contact vendor —	2-, 3-, 5-year On-site, on-call, factory return, third party 35,000	5-year On-call 16,700-18,300	Purchase only On-call, on-site
Monthly rental of basic system, \$ Monthly maint. price of basic system, \$ Monthly maint. bundled with rental, \$ Purchase price of: additional memory module, \$ additional workstations, \$ additional printer, \$ Discounts available	3.25/mo. (24 mo.)	No	700 (5-yr. lease) 150 No Contact vendor — Quantity	565-618 565-618 No 3,000 (32K bytes) 10,300 (300 lpm) Quantity	Purchase only No 8,000 (256K bytes) 1,190 12,500 (300 lpm) Quantity
Date of first U.S. delivery Number installed to date	October 1979	NA NA	2nd quarter 1972 98	May 1976 NA	March 1977 NA
COMMENTS			System has paged memory; can also add word processing OS to convert to WORDPRO II system; introduced in 1977		

MANUFACTURER AND MODEL	Data Communications Corp. DPS	Data Communications Corp. RTS	Data Communications Corp. TPS	Data General CS/20	Data General CS/30 MOD.C1
WORD LENGTH, BITS	16	16	16	16	16
CPU Model Add time, microseconds No. of I/O ports on basic sys. and max.	See Comments 0.60 (1 word) 5; 59	DG Micro/Nova 3/12 0.80 (1 word) 4; 24	See Comments 0.80 (1 word) 4; 24	DG Micro Nova 2.4 1; 1	DG Micro Nova 2.4 1; 1
INTERNAL STORAGE Type Capacity of basic system, bytes Maximum capacity, bytes Increment size, bytes Cycle/access time, microseconds	Core 32K; 64K 256K 16K 0.80/0.40	Core 8K 32K 8K 0.80/0.40	Core 96K 256K 32K 0.80/0.40	NMOS 64K 64K 0.96/2.88	NMOS 64K 64K 960 nano.
MASS STORAGE Floppy disk (diskette) drive Maximum diskette storage Cartridge disk drive Pack disk drive Fixed-head disk/drum Maximum disk storage	Opt.; 500K bytes 1.6M bytes Std.; 10M bytes Opt.; 92M bytes Opt.; 2M bytes	Opt.; 500K bytes 1.6M bytes Std.; 10M bytes Opt.; 92M bytes Opt.; 2M bytes	Opt.; 500K bytes 1.6M bytes Std.; 10M bytes Opt.; 92M bytes Opt.; 2M bytes	Std.; 630K bytes 1.3M bytes — —	Opt.; 315K bytes 315K bytes Std.; 10M bytes No No 20M bytes
WORKSTATIONS Maximum number connectable Recommended maximum number Keyboard style Workstation printer	39 39 All types Optional	39 39 All types Optional	39 39 All types Optional	1 1 -	1 1 Type.; num. key. Opt.; 1
INPUT/OUTPUT DEVICES Serial printer Line printer Reel-to-reel tape drive Cassette/cartridge tape drive CRT Other	Std.; 165 cps Opt.; 200-1200 lpm Opt.; 60KBS Opt. cassette Std.; 24x80 char. Opt.	Std.; 165 cps Opt.; 300-1200 lpm Opt.; 60KBS Opt. cassette Std.; 24x80 char. Opt.	Std.; 165 cps Opt.; 300-1200 lpm Opt.; 60KBS Opt. cassette Std.; 24x80 char. Opt.	Opt.; 60, 180 cps Opt.; 240, 300 lpm No No Std.; 24x80 char.	Std.; 60, 180 cps Opt.; 300 lpm No No Std.; 24x80 char. None
COMMUNICATIONS Maximum no. of lines Synchronous Asynchronous Protocols supported Network architecture supported RJE terminals emulated IBM 3270 emulation	256 Opt.; to 50K bps Opt.; to 9600 bps ALL TNA, SNA, X.25 2780/3780 Yes	256 Opt.; to 9600 bps Opt.; to 9600 bps ALL TNA, SNA, X.25 2780/3780 Yes	256 Opt.; to 9600 bps Opt.; to 9600 bps ALL TNA, SNA, X.25 2780/3780 Yes	1 Opt.; to 9600 bps No Bisync — No	1 Opt.; 9600 bps No Bisync No 2780/3780
SOFTWARE SUPPORT COBOL RPG FORTRAN BASIC Assembler Other programming languages Multiprogramming Max. no. of jobs run concurrently Language complemented in firmware Op. sys. implemented in firmware General accounting packages Industry application areas Database management system File access methods supported Software separately priced Technical help separately priced	Yes RGP II FORTRAN IV, V Yes Yes ALGOL Yes; 1F, 1B 2 Fully No Yes Mortgages INFOS Rand., seq., index Yes	Yes Yes Yes FORTRAN IV, V Yes Yes ALGOL Yes NA No No No No No No Randa, seq., index Yes Yes	Yes No FORTRAN IV, V Yes Yes ALGOL No 2 No No Yes Banking, gen. mktg. No Rand., seq., index Yes	Yes No	Yes No No No No No No No No No O Dist., mfg., retail No Rand., seq., ISAM No No
LEASE/MAINTENANCE OPTIONS Lease plans available Maintenance plans available	Purchase only On-call, on-site	Purchase only On-call, on-site	Purchase only On-call, on-site	NA On-site, on-call,	NA On-site, on-call,
PRICING & AVAILABILITY Purchase price of basic system, \$ Monthly rental of basic system, \$ Monthly maint. price of basic system, \$ Monthly maint. bundled with rental, \$ Purchase price of: additional memory module, \$ additional workstations, \$ additional printer, \$	On request Purchase only No 8,000 (256K bytes) 1,190 12,500 (300 lpm)	25,000 Purchase only — No 8,000 (256K bytes) 1,190 12,500 (300 lpm)	85,000 Purchase only — No 8,000 (256K bytes) 1,190 12,500 (300 lpm)	factory return 10,945 — — — — —	factory return 21,840 NA 149 No 550 (16K bytes) 2,290 4,050 (180 cps)
Discounts available Date of first U.S. delivery Number installed to date	Quantity September 1976 NA	Quantity March 1977 NA	Quantity NA NA	NA NA	Oty., dollar vol. September 1979 NA
COMMENTS	CPU's include DG Nova 3/D, DG Eclipse S130/S230/S330		CPU's include DG Nova 3/D, DG Eclipse S130/S230/S330	Interactive COBOL; built-in screen handler	Interactive COBOL; built-in screen controller

MANUFACTURER AND MODEL	Data General CS/30 MOD.C3	Data General CS/40 MOD.1	Data General CS/40 MOD.C3	Data General CS/40 MOD.4	Data General CS/40 MOD.C5
WORD LENGTH, BITS	16	16	16	16	16
CPU Model Add time, microseconds No. of I/O ports on basic sys. and max.	DG Micro Nova 2.4 1; 4	DG Nova 0.70 1, 1	DG Nova 0.70 1; 1	DG Nova 0.70 1; 4	DG Nova 0.70 1; 9
INTERNAL STORAGE Type Capacity of basic system, bytes Maximum capacity, bytes Increment size, bytes Cycle/access time, microseconds	NMOS 64K 112K 16K 960 nano.	MOS 64K 64K — 0.70	MOS 64K 64K 	MOS 64K 64K 0.70	MOS 128K 192K 64K 0.70
MASS STORAGE Floppy disk (diskette) drive Maximum diskette storage Cartridge disk drive Pack disk drive Fixed-head disk/drum Maximum disk storage	Opt.; 315KB 315K bytes Std.; 10M bytes No No 20M bytes	Opt.; 315K bytes 315K bytes Std.; 10M bytes No No 80M bytes	Opt.; 315K bytes 80M bytes Std.; 10M bytes No No 80M bytes	Opt.; 315K bytes Std.; 50M bytes Opt.; 86, 190M bytes No 760M bytes	Opt.; 315K bytes 315K bytes Std.; 10-20M bytes No No 40M bytes
WORKSTATIONS Maximum number connectable Recommended maximum number Keyboard style Workstation printer	4 4 Type.; num. key. Opt.; 3	1 1 Type.; num. key. Opt.; 1	4 3 Type.; num. key. Opt.; 3	4 3 Type.; num. key. Opt.; 3	9 9 Type.; num. key. Opt.; 8
INPUT/OUTPUT DEVICES Serial printer Line printer Reel-to-reel tape drive Cassette/cartridge tape drive CRT Other	Std.; 60, 180 cps Opt.; 300 lpm No No Std.; 24x80 char.	Std.; 60, 180 cps Std.; 300 lpm Opt.; 60KBS No Std.; 24x80 char. None	Std.; 60, 180 cps Std.; 300 lpm Opt.; 60KBS No Std.; 24x80 char. None	Std.; 180 cps Std.; 300 lpm No No Std.; 24x80 char. None	Std.; 180 cps Opt.; 300-600 lpm Opt.; 60KBS No Std.; 24x80 char.
COMMUNICATIONS Maximum no. of lines Synchronous Asynchronous Protocols supported Network architecture supported RJE terminals emulated IBM 3270 emulation	1 Opt.; 9600 bps No Bisync No 2780/3780 No	1 Opt., to 9600 bps No Bisync No 2780/3780 No	1 Opt.; 9600 bps No Bisync No 2780/3780	1 Opt.; to 9600 bps No Bisync No 2780/3780 No	1 Opt.; 9600 bps No Bisync No 2780/3780 No
SOFTWARE SUPPORT COBOL RPG FORTRAN BASIC Assembler Other programming languages Multiprogramming Max. no. of jobs run concurrently Language complemented in firmware Op. sys. implemented in firmware General accounting packages Industry application areas Database management system File access methods supported Software separately priced Technical help separately priced	Yes No No No No No Yes 4 No No No No No No Ro Ro Ro Rand, seq., ISAM No No	Yes No No No No No No No No T No	Yes No No No No No Yes 4 No No Dist., mfg., retail No Rand., seq., ISAM No	Yes No No No No No Yes 4 No No No Dist., mfg., medical No Randa., seq., ISAM No No	Yes No No No No No Yes 9 No No No No No No Ro Ro Ro Randa,, seq., ISAM No No
LEASE/MAINTENANCE OPTIONS Lease plans available Maintenance plans available PRICING & AVAILABILITY	NA On-site, on-call, factory 22.090	NA On-site, on-call, factory 32,915	NA On-site, on-call, factory 34,105	NA On-site, on-call, factory 56,340	NA On-site, on-call, factory 35,090
Purchase price of basic system, \$ Monthly rental of basic system, \$ Monthly maint. price of basic system, \$ Monthly maint. bundled with rental, \$ Purchase price of: additional memory module, \$ additional workstations, \$ additional printer, \$ Discounts available Date of first U.S. delivery	22,090 NA 168 NA 550 (16K bytes) 2,290 4,050 (180 cps) Qty., dollar vol. September 1979	32,915 NA 265 NA 3600 (64K bytes) 4,050 (180 cps) 2,290 Qty., dollar vol. September 1977	360 (64K bytes) 2,290 4,050 (180 cps) Qty., dollar vol. September 1977	NA 385 NA (050 (180 bytes) 2,290 Oty., dollar vol.	3600 (64K bytes) 3,600 (64K bytes) 2,290 4,050 (180 cps) Oty., dollar vol.
Number installed to date COMMENTS	NA Interactive COBOL; up to 4 terminals, multi-terminal con- trol	NA Interactive COBOL; built-in screen handlers	Interactive COBOL; up to 4 terminals multi-terminal con- trol & built-in screen handlers	Interactive COBOL; up to 4 terminals; multi-terminal con- trol & built-in screen handlers	Interactive COBOL; up to 9 terminals, multi-terminal con- trol: concurrent operations

MANUFACTURER AND MODEL	Data General CS/40 MOD.6	Data General CS/60 MOD.C3	Data General CS/60 MOD.C5	Data General CS/60 MOD.6	Datapoint 1150
WORD LENGTH, BITS	16	16	16	16	8-bit byte
CPU Model Add time, microseconds No. of I/O ports on basic sys. and max.	DG Nova 0.70 1; 9	DG Eclipse 0.60 1; 9	DG Eclipse 0.60 1; 9	DG Eclipse 0.60 1; 17	Datapoint 1150 1.4 2
INTERNAL STORAGE Type Capacity of basic system, bytes Maximum capacity, bytes Increment size, bytes Cycle/access time, microseconds	MOS 128K 192K 64K 0.70	MOS/ERCC 64K 64K - 0.5-0.7/1.2	MOS/ERCC 128K 256K 128K 0.5-0.7/1.2	MOS/ERCC 128K 512K 128K, 256K 0.5-0.7/1.2	MOS 24K user 24K user None 0.8/0.3
MASS STORAGE Floppy disk (diskette) drive Maximum diskette storage Cartridge disk drive Pack disk drive Fixed-head disk/drum Maximum disk storage	Opt.; 315K bytes Std.; 50M bytes Opt.; 96, 190M bytes No 760M bytes	Opt.; 315K bytes Std.; 20M bytes No No 40M bytes	Opt.; 315K bytes 315K bytes Std.; 20M bytes No No 80M bytes	Opt.; 315K bytes 315K bytes Opt.; 10-20M bytes Std.; 50M bytes No 760M bytes	Std.; 1M byte 4M bytes No No No
WORKSTATIONS Maximum number connectable Recommended maximum number Keyboard style Workstation printer	9 9 Type.; num. key. Opt.; 8	4 3 Type.; num. key. Opt.; 3	9 9 Type.; num. key. Opt.; 8	17 16 Type.; num. key. Opt.; 15	1 1 Type.; num. key. Optional
INPUT/OUTPUT DEVICES Serial printer Line printer Reel-to-reel tape drive Cassette/cartridge tape drive CRT Other	Std.; 180 cps Std.; 300 lpm No No Std.; 24x80 char. None	Std.; 180 cps Std.; 300 lpm Opt.; 60K cps No Std.; 24x80 char. None	Std.; 180 cps Std.; 300 lpm Opt; 60K cps No Std.; 24x80 char. None	Std.; 180 cps Std.; 300 lpm Std.; 60K cps No Std.; 24x80 char. None	Opt.; 80, 120 cps Opt.; 300, 600 lpm Opt.; to 1600 bpi No Std.; 12x80 char. Opt. card reader
COMMUNICATIONS Maximum no. of lines Synchronous Asynchronous Protocols supported Network architecture supported RJE terminals emulated IBM 3270 emulation	1 Opt.; to 9600 bps No Bisync No 2780/3780 No	1 Opt.; to 9600 bps Opt.; to 9600 bps Bisync, async ————————————————————————————————————			
SOFTWARE SUPPORT COBOL RPG FORTRAN BASIC Assembler Other programming languages Multiprogramming Max. no. of jobs run concurrently Language complemented in firmware Op. sys. implemented in firmware General accounting packages Industry application areas Database management system File access methods supported Software separately priced Technical help separately priced	Yes No No No No No No No No Yes 9 No No No No No Rand., seq., ISAM No	Yes No No No No No Yes 4 No	Yes No No No No No No Yes 9 No	Yes No No No No No Yes 16 No No No No No No Ro No No No No No No Rand, seq., ISAM No No	No Yes No Yes Yes Oatabus, Datashare No 2 No No No Yes Gov't., pub., acct'g. No Seq., rand., ISAM Yes No
LEASE/MAINTENANCE OPTIONS Lease plans available Maintenance plans available PRICING & AVAILABILITY Purchase price of basic system, \$ Monthly rental of basic system, \$	NA On-site, on-call, factory 63,640 NA	NA On-site, on-call, factory 40,890 NA	NA On-site, on-call, factory 50,290 NA 365	NA On-site, on-call, factory 70,490 NA 528	1, 2, 3 yr. lease On-site, on-call 14,480 334 (3-yr. lease) Contact vendor
Monthly maint. price of basic system, \$ Monthly maint. bundled with rental, \$ Purchase price of: additional memory module, \$ additional workstations, \$ additional printer, \$ Discounts available	465 NA 3,600 (64K bytes) 4,050 (180 cps) 2,290 Qty., dollar vol.	465 NA 5,000 (128K bytes) 4,050 (180 cps) 2,290 Cty., dollar vol.	5,000 (128K bytes) 12,300 (300 lpm) 2,290 Qty., dollar vol.	5,000 (128K bytes) 12,300 (300 lpm) 2,290 Qty., dollar vol.	Contact vendor OEM
Date of first U.S. delivery Number installed to date	March 1977 NA	September 1978 NA	September 1978 NA	September 1978 NA	January 1977 NA
COMMENTS	Interactive COBOL; up to 9 terminals; multi-terminal con- trol & built-in screen handlers	Interactive COBOL; up to 4 terminals; multi-terminal con- trol & built-in screen handlers	Interactive COBOL; up to 9 terminals; multi-terminal con- trol & built-in screen handlers	Interactive COBOL; up to 17 terminals; multi-terminal con- trol & built-in screen handlers	Under Databus/ Multilink system can run 2 programs without partitioning; extensive communi- cation for RJE interface

MANUFACTURER AND MODEL	Datapoint 1170	Datapoint 1500	Datapoint 1800	Datapoint 3800	Datapoint 5500
WORD LENGTH, BITS	8-bit byte	8-bit byte	8-bit byte	8-bit byte	8-bit byte
CPU Model Add time, microseconds No. of I/O ports on basic sys. and max.	Datapoint 1170 1.4 4	Datapoint 1500	Datapoint 1800 3.8 4	Datapoint 3800 3.8 4 maximum	Datapoint 5500 1.4 16
INTERNAL STORAGE Type Capacity of basic system, bytes Maximum capacity, bytes Increment size, bytes Cycle/access time, microseconds	MOS 48K (user) 48K (user) None 0.8/0.3	MOS 32K 64K 32K NA	MOS 64K 64K 750/0.2	MOS 60K 120K 60K 1.75	MOS 48K 48K None 0.8/0.3
MASS STORAGE Floppy disk (diskette) drive Maximum diskette storage Cartridge disk drive Pack disk drive Fixed-head disk/drum Maximum disk storage	Std.; 1M byte 1M byte No No No	Std.; 500K-1M byte 1M byte No No No	Std.; 1M-4M bytes 4M bytes No No No	No No No No No	Opt.; 1 M byte 1 M byte Opt.; 160M bytes Opt.; 200M bytes No
WORKSTATIONS Maximum number connectable Recommended maximum number Keyboard style Workstation printer	4 2 Type.; num. key. Optional	1 1 Typewriter Optional	4 2 Typewriter Optional	4 2 Typewriter Optional	16 8 Type.; num. key. Optional
INPUT/OUTPUT DEVICES Serial printer Line printer Reel-to-reel tape drive Cassette/cartridge tape drive CRT Other	Opt.; 80, 120 cps Opt.; 300, 600 lpm Opt.; to 1600 bpi No Std.; 12x80 char. Opt. card reader	Opt.; 340 lpm Optional No No Std.; 24x80 char.	Optional Opt.; 300-900 lpm No No Std.; 24x80 char.	No Opt.; 300-900 lpm No No Std.; 24x80 char.	Opt.; 120 lpm Opt.; 300, 600 lpm Opt.; 9.6-20KBS Cass.; 352 cps Std.; 12x80 char.
COMMUNICATIONS Maximum no. of lines Synchronous Asynchronous Protocols supported Network architecture supported RJE terminals emulated IBM 3270 emulation	5 Opt.; to 9600 bps Opt.; to 9600 bps Bisync — See Comments Yes	1 Opt.; 200 bps Opt.; 900 bps Bisync — See 5500 Comments Yes	5 Std.; 9600 bps Std.; 9600 bps Bisync — See 5500 Comments Yes	4 Opt.; to 9600 bps Opt.; to 9600 bps Bisync — See 5500 Comments Yes	16 Opt.; to 9600 bps Opt.; to 9600 bps Bisync — See Comments Yes
SOFTWARE SUPPORT COBOL RPG FORTRAN BASIC Assembler Other programming languages Multiprogramming Max. no. of jobs run concurrently Language complemented in firmware Op. sys. implemented in firmware General accounting packages Industry application areas Database management system File access methods supported Software separately priced Technical help separately priced	No Yes No Yes Yes Databus, Datashare No No No No Yes Gov't., pub., acct'g. No Seq., rand., ISAM Yes	No No Yes Yes Yes Databus Yes 2 No No No No General purpose No Rand., seq., ISAM No	Yes Yes Yes No Yes Yes Yes Yes A No No Ro Ro General purpose No Rand., seq., ISAM No No	Yes Yes Yes No Yes Yes Yes A No No No No Rend, seq., ISAM Yes No	Yes Yes No Yes Yes Yes Yes, Zeribe Yes, 2 partitions 16 No No So Yes Gov't., acct'g., bankir No Rand., seq., index Yes No
LEASE/MAINTENANCE OPTIONS Lease plans available Maintenance plans available	1, 2, 3, yr. lease On-site, on-call	1, 2, 3 yr. lease On-site, on-call	1, 2, 3 yr. lease On-site, on-call	1, 2, 3 yr. lease On-site, on-call	1, 2, 3 yr. lease On-site, on-call
PRICING & AVAILABILITY Purchase price of basic system, \$ Monthly rental of basic system, \$ Monthly maint. price of basic system, \$ Monthly maint. bundled with rental, \$ Purchase price of: additional memory module, \$ additional workstations, \$ additional printer, \$	15,980 371 (3-yr. lease) Contact vendor	Contact vendor	Contact vendor No OEM	Contact vendor	Contact vendor No COEM
Discounts available Date of first U.S. delivery	OEM July 1977	NA NA	1978	1978 NA	1975 NA
Number installed to date COMMENTS	Under Datashare, system can run 4 programs without partitioning; exten- sive communications for RJE interface	See 5500 Comments	See 5500 Comments	See 5500 Comments	Dataform, Datashare and RPG II program languages are also supported; extensive communications to RJE interface

MANUFACTURER AND MODEL	Datapoint 6000	Datapoint 6600	Digi-Log Systems Microterm II	Digital Computer Controls Synergist Model 1500	Digital Computer Controls Synergist Model 1550
WORD LENGTH, BITS	8-bit byte	8-bit byte	8	16	16
CPU Model Add time, microseconds No. of I/O ports on basic sys. and max.	Datapoint 6000 6.0 24	Datapoint 6600 1.15 24	Dual Zentec Z80A 1.0 2; 3	DG Micro Nova 2.4 1; 3	DG Micro Nova 2.4 1; 3
INTERNAL STORAGE Type Capacity of basic system, bytes Maximum capacity, bytes Increment size, bytes Cycle/access time, microseconds	MOS 120K (user) 256K — 0.6/0.2	MOS 120K (user) 120K (user) — 0.6/0.2	MOS 66K 88K 16K	MOS 48K 64K 8K, 16K 0.96/0.16	MOS 64K 64K 0.96/0.16
MASS STORAGE Floppy disk (diskette) drive Maximum diskette storage Cartridge disk drive Pack disk drive Fixed-head disk/drum Maximum disk storage	Optional Optional Optional Optional Optional	Opt.; 1M byte Opt.; 160M bytes Opt.; 200M bytes No	Std.; 324K bytes See Comments No No No	No NA Opt.; 10M bytes No No	No NA Opt.; 10M bytes No No
WORKSTATIONS Maximum number connectable Recommended maximum number Keyboard style Workstation printer	24 12-14 Typewriter Optional	24 12-14 Type.; num. key. Optional	1 1 Typewriter Optional	 	
INPUT/OUTPUT DEVICES Serial printer Line printer Reel-to-reel tape drive Cassette/cartridge tape drive CRT Other	Opt.; 40 cps Opt.; 600, 900 lpm Optional No Std.; 12x80 char.	Opt.; 80, 120 cps Opt.; 300, 600 lpm Opt.; to 1600 bpi Cast.; 352 Std.; 12x80 char. Optional	RS-232C No No No Std.; 1920 char. No	Std.; 300 cps Opt.; 125 lpm No No Opt.; 1920 char.	Std.; 30 cps Opt.; 125 lpm No No Opt.; 1920 char.
COMMUNICATIONS Maximum no. of lines Synchronous Asynchronous Protocols supported Network architecture supported RJE terminals emulated IBM 3270 emulation	25 Opt.; to 9600 bps Opt.; to 9600 bps Async, bisync — See 5500 Comments Yes	25 Opt.; to 9600 bps Opt.; to 9600 bps Async, bisync — See 5500 Comments Yes	Std.; to 19,200 bps Std.; to 9600 bps Bisync — 2780/3780 Yes	2 No Standard None —	2 No Standard No —
SOFTWARE SUPPORT COBOL RPG FORTRAN BASIC Assembler Other programming languages Multiprogramming Max. no. of jobs run concurrently Language complemented in firmware Op. sys. implemented in firmware General accounting packages Industry application areas Database management system File access methods supported Software separately priced Technical help separately priced LEASE/MAINTENANCE OPTIONS	Yes Yes Yes No Yes Yes Databus Yes 24 No No Yes General purpose No Rand., seq., ISAM No No	Yes Yes Yes Yes Yes Yes Yes, 2 partitions 24 No No Yes Gov't, acct'g., banking No Rand., seq., ISAM Yes No	No Rand., seq., ISAM No No	No No No Yes No None No No Syes No Yes None Yes Rand., seq., index Yes No	No No Yes No None No No No No So No No No No Yes Whsl. dist. No Rand., seq., index Yes No
Lease plans available Maintenance plans available	1, 2, 3 yr. lease On-site, on-call	1, 2, 3 yr. lease On-site, on-call	Purchase only Third party	_	_
PRICING & AVAILABILITY Purchase price of basic system, \$ Monthly rental of basic system, \$ Monthly maint. price of basic system, \$ Monthly maint. bundled with rental, \$ Purchase price of: additional memory module, \$ additional workstations, \$ additional printer, \$ Discounts available	Contact vendor No Contact vendor No Contact vendor No Contact vendor	Contact vendor No Contact vendor Contact ve	7,800 — 75 No 600 (16K) — 3,900 Quantity	 	
Date of first U.S. delivery Number installed to date	1978 NA	July 1977 NA	May 1978 600	February 1978 NA	July 1980 NA
COMMENTS	See 5500 Comments	See 5500 Comments	Up to two dual density single-sided floppy drives are std.; options up to three dual density dbl. sided drives		
		l	L	<u> </u>	l

MANUFACTURER AND MODEL	Digital Computer Controls Synergist Model 2500	Digital Computer Controls Synergist Model 3700	Digital Equipment Corp. Datasystem 150	Digital Equipment Corp. Datasystem 308	Digital Equipment Corp. Datasystem 310
WORD LENGTH, BITS	16	16	16	12	12
CPU Model Add time, microseconds No. of I/O ports on basic sys. and max.	DG Nova 3/16 1000 1; 9	DG Nova 3/D 1000 1; 17	PDP-11 11/03 NA 2; 2	DEC VT78 1000 (15 digits) 2; 12	DEC PDP-81A 1000 (15 digits) 2; 12
INTERNAL STORAGE Type Capacity of basic system, bytes Maximum capacity, bytes Increment size, bytes Cycle/access time, microseconds	Std.; core/opt; MOS 64K 64K 	Std.; core/opt.; MOS 128K 256K 16K, 32K 1.0/1.0	MOS 32K 60K 28K .39/NA	Core 32K (6-bit) 32K (6-bit) 	Core 16K (6-bit) 64K (6-bit) 16K, 32K (6-bit) 1.4/0.7
MASS STORAGE Floppy disk (diskette) drive Maximum diskette storage Cartridge disk drive Pack disk drive Fixed-head disk/drum Maximum disk storage	No NA Std.; 10M bytes Opt.; 96-190M bytes No	No NA Std.; 10M bytes Opt.; 96-190M bytes No	Standard 512K No No No 512K	Std.; 670K bytes 2 drives; 1.3K bytes No No No	Std.; 670K bytes — Opt.; 12.8M bytes No No —
WORKSTATIONS Maximum number connectable Recommended maximum number Keyboard style Workstation printer	 	 	1 1 Type.; num. key. No	1 1 Type.; num. key	1 1 Type.; num. key
INPUT/OUTPUT DEVICES Serial printer Line printer Reel-to-reel tape drive Cassette/cartridge tape drive CRT Other	Std.; 275 cps Opt.; 300, 600 lpm Opt.; 60, 72KCS No Std.; 1920 char.	Opt.; 30, 60, 180 cps Opt.; 300, 600 lpm Opt.; 60, 72KCS No Std.; 1920 char.	Opt.; 180 cps No No No 24 x 80 No	Opt.; 45, 180 cps Opt.; 300 lpm No No Opt.; 24 x 80 char. No	Opt.; 30, 165 cps Opt.; 300 lpm No No Opt.; 24 x 80 char. No
COMMUNICATIONS Maximum no. of lines Synchronous Asynchronous Protocols supported Network architecture supported RJE terminals emulated IBM 3270 emulation	9 No Standard Async —	17 No Standard Async —	1 Yes Yes NA NA NB 1BM 2780/3780 No	O No No — —	1 Opt.; to 4800 bps No Bisync — IBM 2780
SOFTWARE SUPPORT COBOL RPG FORTRAN BASIC Assembler Other programming languages Multiprogramming Max. no. of jobs run concurrently Language complemented in firmware Op. sys. implemented in firmware General accounting packages Industry application areas Database management system File access methods supported Software separately priced Technical help separately priced	No No No Yes No None No No No Mo Mo Mo Mo Yes Mfg., whsl. dist. No Rand., seq., index Yes No	— No No No Yes No None No No Yes No No No Yes No No No Yes Mfg., whsl. dist. No Rand., seq., index Yes No	No No No No No DIBOL (COBOL) Yes 3 tasks No No No No Sequential, ISAM No Yes	No I No No Seq., ISAM No Yes	No Seq., ISAM No Yes
LEASE/MAINTENANCE OPTIONS Lease plans available Maintenance plans available		_	NA NA	Contact vendor On-site	Contact vendor On-site
PRICING & AVAILABILITY Purchase price of basic system, \$ Monthly rental of basic system, \$ Monthly maint. price of basic system, \$ Monthly maint. bundled with rental, \$ Purchase price of: additional memory module, \$ additional workstations, \$ additional printer, \$ Discounts available	Contact vendor	Contact vendor	10,000 	12,600 Purchase only 68 NA 3,300 (180 cps) OEM and volume	13,800 Purchase only 99 NA 2,500 (16K) — 11,800 (300 lpm) OEM and volume
Date of first U.S. delivery Number installed to date COMMENTS	November 1977 NA	January 1978 NA	March 1979 NA	May 1978 NA Bytes are 6 bits	May 1975 NA Bytes are 6 bits

MANUFACTURER AND MODEL	Digital Equipment Corp. Datasystem 323	Digital Equipment Corp. Datasystem 325	Digital Equipment Corp. Datasystem 333	Digital Equipment Corp. Datasystem 335	Digital Equipment Corp. Datasystem 355
WORD LENGTH, BITS	16	16	16	16	16
CPU Model Add time, microseconds No. of I/O ports on basic sys. and max.	DEC LSI-11	DEC LSI-11	PDP-11 11/23 NA 4; 4	PDP-11 11/23 NA 4; 4	DEC PDP-11/34A
INTERNAL STORAGE Type Capacity of basic system, bytes Maximum capacity, bytes Increment size, bytes Cycle/access time, microseconds	MOS 56K 56K — 1.2/0.7	MOS 64K 64K - 1.2/0.7	MOS 128K 256K 128K .28/.28	MOS 128K 256K 128K .28/.28	MOS 128K 256K 32K 0.73/0.7
MASS STORAGE Floppy disk (diskette) drive Maximum diskette storage Cartridge disk drive Pack disk drive Fixed-head disk/drum Maximum disk storage	Std.; 1M bytes — Opt.; 19.2M bytes No No 20M bytes	Std.; 7.2M byte — Opt.; 19.2M bytes No No 20M bytes	Standard 1 megabyte Opt. 10 megabyte No No 11 megabytes	No — S megabytes No No 10 megabytes	Opt.; 512K bytes Std.; 19.2M bytes No No 20M bytes
WORKSTATIONS Maximum number connectable Recommended maximum number Keyboard style Workstation printer	4 3 Type.; num. key Optional; 2	4 3 Type.; num. key Optional; 1	NA 3 Type.; num. key. No	NA 3 Type.; num. key. No	8 8 Type.; num. key Optional; 1
INPUT/OUTPUT DEVICES Serial printer Line printer Reel-to-reel tape drive Cassette/cartridge tape drive CRT Other	Opt.; 180 cps Opt.; 240, 300 lpm Opt.; 10KBS No Std.; 24 x 80 char Opt.; card reader	Opt.; 180 cps Opt; 240, 300 lpm Opt.; 10KBS No Std.; 24 x 80 char. Opt.; card reader	180 cps No No No 24 x 80 No	180 cps No No No No 24 x 80	Opt.; 30, 180 cps Opt.; 240, 300 lpm Opt.; 10KBS No Std.; 24 x 80 char. Opt.; card reader
COMMUNICATIONS Maximum no. of lines Synchronous Asynchronous Protocols supported Network architecture supported RJE terminals emulated IBM 3270 emulation	4 Opt.; to 4800 bps No Bisync DEC 2780, many DEC sys. No	4 Opt.; to 4800 bps No Bisync DEC 2780, many DEC sys. No	4 Yes No NA NA IBM 2780/3780 No	4 Yes No NA NA IBM 2780/3780 No	8 Opt.; to 9600 bps No Bisync DEC 2780, many DEC sys. No
SOFTWARE SUPPORT COBOL RPG FORTRAN BASIC Assembler Other programming languages Multiprogramming Max. no. of jobs run concurrently Language complemented in firmware Op. sys. implemented in firmware General accounting packages Industry application areas Database management system File access methods supported Software separately priced Technical help separately priced	No No No No No DIBOL (COBOL) No 3 No No No Seg., ISAM No Yes	No No No No No DIBOL (COBOL) No 3 No No No Seq., ISAM No Yes	No No No No No DIBOL Yes 16 No No No Business accounting No Sequential, ISAM No Yes	No No No No DIBOL Yes 16 No No No Sequential, ISAM No Yes	No No No No No DIBOL (COBOL) No 16 No No No Seq., ISAM No Yes
LEASE/MAINTENANCE OPTIONS Lease plans available Maintenance plans available	Contact vendor On-site	Contact Vendor On-site	Contact vendor On-site	Contact vendor On-site	Contact vendor On-site
PRICING & AVAILABILITY Purchase price of basic system, \$ Monthly rental of basic system, \$ Monthly maint. price of basic system, \$ Monthly maint. bundled with rental, \$ Purchase price of: additional memory module, \$ additional workstations, \$ additional printer, \$ Discounts available	17,250 Purchase only 152 NA 1,900 3,770 (180 cps) OEM and volume	27,000 Purchase only 198 NA — 1,900 3,770 (180 cps) OEM and volume	17,850 Purchase only NA NA NA No Yes	25,500 Purchase only NA NA NA No Yes	33,000 Purchase Only 213 NA 2,200 (32K) 1,900 11,800 (300 lpm) OEM and volume
Date of first U.S. delivery Number installed to date	November 1978 NA	September 1978 NA	First quarter 1980 NA	First quarter 1980 NA	September 1978 NA
COMMENTS					

MANUFACTURER AND MODEL	Digital Equipment Corp. Datasystem 358	Digital Equipment Corp. Datasystem 540	Digital Equipment Corp. DECstation 78	Digital Equipment Corp. DECstation 88	Digital Scientific Corporation Meta 4/1130
WORD LENGTH, BITS	16	16	12	12	16 + 2
CPU Model Add time, microseconds No. of I/O ports on basic sys. and max.	DEC PDP-11/34A 	PDP-11/44 NA NA	LSI 8/A _ 10/10	PDP-8/A 10/20	DSC 4030 2.9/word 4 to 21
INTERNAL STORAGE Type Capacity of basic system, bytes Maximum capacity, bytes Increment size, bytes Cycle/access time, microseconds	MOS 128K 256K 32K 0.73/0.7	MOS 256K (8K cache) 1 megabyte NA NA	Core 16K 16K — 3.6/	Core 32K 128K 	Core 16K 128K 16K 0.9/0.5
MASS STORAGE Floppy disk (diskette) drive Maximum diskette storage Cartridge disk drive Pack disk drive Fixed-head disk/drum Maximum disk storage	Opt.; 512K bytes — Std.; 112M bytes No No 224M bytes	No — 20 megabytes Opt. No 134 megabytes	Standard 2 million bytes No No No No 2 million bytes	Standard 2 milion bytes 20.4 million bytes No No 20.4 million bytes	Opt.; 512KB — Opt.; 1 MB Opt.; 160MB Opt.; 1-2MB
WORKSTATIONS Maximum number connectable Recommended maximum number Keyboard style Workstation printer	8 8 Type.; num. key. Optional; 1	NA NA Type.; num. key. No	1 1 Type.; num. key.	multiple multiple Type.; num. key.	 - - -
INPUT/OUTPUT DEVICES Serial printer Line printer Reel-to-reel tape drive Cassette/cartridge tape drive CRT Other	Opt.; 30, 180 cps Opt.; 240-900 lpm Opt.; 10KBS No Std.; 24 x 80 char. Opt.; card reader	Opt.; 30, 180 cps Opt.; 240-1200 lpm Opt.; 10-72KBS No Opt.; 24 x 80 NA	Opt.; 180 cps No No No Std.; 24 x 80 NA	Opt.; 180 cps Opt.; 300 lpm No No Std.; 24 x 80 NA	No Opt.; 300-600 lpm Opt.; 30, 60KB\$ No Opt.; 24 x 80 EIA
COMMUNICATIONS Maximum no. of lines Synchronous Asynchronous Protocols supported Network architecture supported RJE terminals emulated IBM 3270 emulation	8 Opt.; to 9600 bps No Bisync DEC 2780, many DEC sys. No	32 EIA Opt.; to 50K bps Opt.; to 9600 bps NA NA IBM 2780/3780 Yes	2 No Yes Async NA 2780 NA	4 No Yes Async NA 2780 NA	32 Opt.; to 9600 bps Opt.; 50-19.2K bps Async, bisync
SOFTWARE SUPPORT COBOL RPG FORTRAN BASIC Assembler Other programming languages Multiprogramming Max. no. of jobs run concurrently Language complemented in firmware Op. sys. implemented in firmware General accounting packages Industry application areas Database management system File access methods supported Software separately priced Technical help separately priced	No No No No No No No DIBOL (COBOL) No 16 No No No No No Seg., index seq. No Yes	Yes Yes Yes Yes Yes Yes Na No No No No No DBMS-11 Direct, seq., index seq. No Yes	No	No No No Yes Yes Yes NA NA Yes 127 tasks No No No Seeneral Business No Seq., index seq., rand. No Yes	Yes Yes Yes No Yes, and marco APL Opt.; to 32 partitions — Partially No Yes Mktg., eng., educ. Yes, DRS Rand., seq., index Yes No
LEASE/MAINTENANCE OPTIONS Lease plans available Maintenance plans available	Contact vendor On-site	NA NA	NA NA	NA NA	_
PRICING & AVAILABILITY Purchase price of basic system, \$ Monthly rental of basic system, \$ Monthly maint. price of basic system, \$ Monthly maint. bundled with rental, \$ Purchase price of: additional memory module, \$ additional workstations, \$ additional printer, \$ Discounts available	48,000 Purchase only 365 NA 2,200 (32K) 1,900 14,050 (240 lpm) OEM and volume	54,900 NA NA NA NA NA NA Yes	7,995 NA 68 NA — — 3,300 Yes	11,500 NA 129 NA 2,400 (16K) 1,600 to 3,770 3,300 to 11,235 Yes	60,000 1,500
Date of first U.S. delivery Number installed to date COMMENTS	September 1978 NA	June 1980 NA	September 1978 20,000+	March 1978 20,000+	1970 Over 200 Can run most IBM 1130/1180 pro- grams; firmware arithmetic unit

MANUFACTURER AND MODEL	Digital Scientific Corporation Meta 4/5020	Digital Systems Galaxy/3	Digital Systems Galaxy/5	Dimis, Inc. Total 100 (70)	Dimis, Inc. Total 100 (30)
WORD LENGTH, BITS	16 + 2	8 to 20	8 to 20	16	16
CPU Model Add time, microseconds No. of I/O ports on basic sys. and max.	DSC 5020 1.45 (word) 8 to 21	Galaxy / 3 5 (5 digits) 15	Galaxy / 5 5 (5 digits) 15	Modcomp Classic 0.2 1 to 32	Modcomp Classic 0.3 1 to 32
INTERNAL STORAGE Type Capacity of basic system, bytes Maximum capacity, bytes Increment size, bytes Cycle/access time, microseconds	MOS 16K 128K 16K 0.5/0.29	MOS 96K 128K 32K 0.75/0.50	MOS 1 28K 1 M byte 64K 0.75/0.50	MOS 512K 4M bytes 512K 250/250	MOS 128K 512K 128K 128K 250/250
MASS STORAGE Floppy disk (diskette) drive Maximum diskette storage Cartridge disk drive Pack disk drive Fixed-head disk/drum Maximum disk storage	Opt.; yes 2M bytes Opt.; 1.24M bytes — Opt.; 1-2M bytes —	No — Std.; 27M byte/drive Opt. No 100M bytes	No Opt. Std.; 80M byte/drive No 100M bytes	Optional	Optional — Optional Std.; 4 to 200M bytes Optional 4 to 200M bytes
WORKSTATIONS Maximum number connectable Recommended maximum number Keyboard style Workstation printer	16 16 Typewriter/APL Opt.;/16	15 15 Acctg.; num. pad Optional	60 60 Acctg., num. pad Optional	 50; 1st 512KB Typewriter 	
INPUT/OUTPUT DEVICES Serial printer Line printer Reel-to-reel tape drive Cassette/cartridge tape drive CRT Other	Opt.; 180 cps Opt.; 300, 600 lpm Opt.; 37.5, 75 ips No/No 1920 char.	Optional 300, 600, 900 lpm 1600 bpi Opt./No Std; 80 x 24 char.	Optional 300, 600, 900 lpm 1600 bpi Opt./No Std.; 80 x24 char.	Optional Std.; 600 lpm Std.; 800 bpi, 9 trk No/No Std.; 24 x 80 char.	Optional Std.; 600 lpm Std.; 800 bpi, 9 trk No/No Std.; 24 x 80 char.
COMMUNICATIONS Maximum no. of lines Synchronous Asynchronous Protocols supported Network architecture supported RJE terminals emulated IBM 3270 emulation	32 Opt.; to 9600 Opt.; 19.2K bps Async, bisync Noplans 2780/3780/3740 No plans	120 Std.; to 15,000 bps Std.; to 9600 bps Programmable None None	480 Std.; to 15,000 bps Std.; to 9600 bps Programmable none None No	32 Optional Std.; to 9600 bps Programmable — No No	32 Optional Std.; to 9600 bps Programmable — No
SOFTWARE SUPPORT COBOL RPG FORTRAN BASIC Assembler Other programming languages Multiprogramming Max. no. of jobs run concurrently Language complemented in firmware Op. sys. implemented in firmware General accounting packages Industry application areas Database management system File access methods supported Software separately priced Technical help separately priced	Yes Yes Yes No Yes APL Yes 16 No No Yes MKtg. res., civil eng., Yes Rand., seq., ISAM Yes No	Yes Yes Yes No Yes Yes PL/LMP, FMP Yes 6 Partially Partially Yes Most industries Yes ISAM, random Yes Yes	Yes Yes Yes No Yes Yes Yes Yes 20 Partially Partially Yes Most industries Yes ISAM, random Yes Yes	No No Yes No Yes None Yes 255 No No No Seg,, rand., ISAM Yes Yes Yes	No No Yes No Yes None Yes 255 No No No Yes Distribution Yes Seq., rand., ISAM Yes
LEASE/MAINTENANCE OPTIONS Lease plans available Maintenance plans available	3-5 On-site contract		3 yr., 5 yr. On-site contract/third	N/A N/A	N/A N/A
PRICING & AVAILABILITY Purchase price of basic system, \$ Monthly rental of basic system, \$ Monthly maint. price of basic system, \$ Monthly maint. bundled with rental, \$ Purchase price of:	21,250 494 to 1012 600 No	party 49,500 On request 345 Yes	party 89,900 On request 678 Yes	153,000 N/A N/A	98,000 N/A N/A
additional memory module, \$ additional workstations, \$ additional printer, \$ Discounts available	1,840 (16K bytes) 1,350 17,750 (600 lpm) Quantity	3,400 (32K bytes) 975 300 lpm; 8,900 On request	6,200 (64K bytes) 975 300 lpm; 3,900 On request	36,000 (512KB) 3,100* Optional N/A	10,500 (128KB) 3,100* Optional N/A
Date of first U.S. delivery Number installed to date	1978 NA	June 1979 5	August 1979 30	December 1978 15	June 1974 18*
COMMENTS	Can run most IBM 1130/1800 pro- grams; digital/analog I/O; real-times, batch, time-share OS	Sys. includes CPU, 5 comm. ports. 27 meg. drive, 300 lpm printer	Sys. includes CPU, 15 comm. ports, two 80 meg. drives, one CRT, one 600 lpm printer	3 CRT's std., pkg. includes staff and mgmt. training and conversion support *First CRT in 2 branch loca- tion is \$5,000	3 CRT's std., pkg. includes staff and mgmt. training and conversion support. *Includes compatible Modcomp II

MANUFACTURER AND MODEL	Display Data Corporation In*Sight	Distribution Management Systems BS11-70-03	Distribution Management Systems BS11-23-01	Distribution Management Systems BS11-780-03	Distribution Management Systems BS11-44-07
WORD LENGTH, BITS	8	16	16	32	16
CPU Model Add time, microseconds No. of I/O ports on basic sys. and max.	Microdata 1600/30 4.6 2; 20	DEC PDP-11/70 — —	DEC PDP-11/23 — —	DEC VAX 11/780	DEC PDP-11/44
INTERNAL STORAGE Type Capacity of basic system, bytes Maximum capacity, bytes Increment size, bytes Cycle/access time, microseconds	Core; semiconductor 32K 128K 8K, 16K, 32K, 48K 1.0/0.35	MOS 512K 2M 128K —	MOS 64K 128K 64K	MOS 512K 2M 128K	MOS 256K 11M 128K
MASS STORAGE Floppy disk (diskette) drive Maximum diskette storage Cartridge disk drive Pack disk drive Fixed-head disk/drum Maximum disk storage	No NA Std.; 80M bytes No No 80M bytes	Std.; 512K bytes 402M bytes Optional Std.; 67M bytes No	Opt.; 512K bytes 10M bytes Standard Std.; 10M bytes No	Standard — Optional Std.; 67M bytes No —	No — Std.; RK07 No No
WORKSTATIONS Maximum number connectable Recommended maximum number Keyboard style Workstation printer	32 24 Type.; num. key. Optional	64 32 Typewriter Standard	4 4 Typewriter Optional	64 64 Typewriter Standard	64 32 Typewriter Standard
INPUT/OUTPUT DEVICES Serial printer Line printer Reel-to-reel tape drive Cassette/cartridge tape drive CRT Other	Std.; 120 cps Opt.; 150-600 lpm Opt.; 10-20KBS No Std.; 24 x 80 char. No	Optional Standard Standard No Std.; VT-100 No	Standard Optional No No Optional No	Optional Standard Standard No Std.; VT100 No	Optional Standard Standard No Std.; VT100 No
COMMUNICATIONS Maximum no. of lines Synchronous Asynchronous Protocols supported Network architecture supported RJE terminals emulated IBM 3270 emulation	32 No Std.; to 9600 bps ANSI Std., async. None None No	64 No No None 2780/3780 Yes	8 No No — None 2780/3780 Yes	64 No No None 2780/3780 Yes	64 No No — None 2780/3780 Yes
SOFTWARE SUPPORT COBOL RPG FORTRAN BASIC Assembler Other programming languages Multiprogramming Max. no. of jobs run concurrently Language complemented in firmware Op. sys. implemented in firmware General accounting packages Industry application areas Database management system File access methods supported Software separately priced	No No No No Pes DEAL, ORACLE Yes; 10 partitions 26 88 No Yes Distribution Yes Rand., seq., index seq. Yes Yes	Yes No Yes Yes Yes Yes No Yes — Ses Yes Yes Yes Yes Yes No Distribution Yes Rand., seq., index Yes Yes	No No Yes Yes Yes No No No Distribution No Rand., seq., index Yes Yes	Yes No Yes Yes Yes No Yes Yes No Distribution Yes Rand., seq., index Yes Yes	Yes No Yes Yes Yes No Yes Yes Yes No Distribution Yes Rand., seq., index Yes Yes
LEASE/MAINTENANCE OPTIONS Lease plans available Maintenance plans available	5-, 7-year On-site	Purchase only On-site, on-call fact. ret., third party	Purchase only On-site, on-call, fac- tory ret., third party	Purchase only On-site, on call, fac- tory ret., third party	Purchase only On-site, on-call, fac- tory ret., third party
PRICING & AVAILABILITY Purchase price of basic system, \$ Monthly rental of basic system, \$ Monthly maint. price of basic system, \$ Monthly maint. bundled with rental, \$	54,000 Purchase only 297 No	95,000 Purch./lease only 717 No	16,500 Purch./lease only 209	159,000 Purch./lease only 948	44,000 Purch./lease only 515
Purchase price of: additional memory module, \$ additional workstations, \$ additional printer, \$ Discounts available	3,500 (8K) 3,700 8,000 300 lpm Quantity	20,000 (512K bytes) 1,900 11,800 (300 lpm) No	15,000 (64K bytes) 1,900 11,800 (300 lpm) No	18,500 (1M byte) 1,900 18,000 (600 lpm)	20,000 (512K bytes) 1,900 11,800 (300 lpm)
Date of first U.S. delivery Number installed to date	1970 43	April 1979 8	December 1979 2	January 1980 NA	January 1980 NA
COMMENTS					

MANUFACTURER AND MODEL	Durango F-85	Four-Phase IV/40	Four-Phase IV/50	Four-Phase IV/60	Four-Phase IV/65
WORD LENGTH, BITS	8-bit byte	24	24	24	24
CPU Model Add time, microseconds No. of I/O ports on basic sys. and max.	Intel 8085 1.33 0/5	Four-Phase 16 (word) 34	Four-Phase 16 (word) 29	Four-Phase IV/60 12 (word) 40	Four-Phase IV/65 12 (word) 55
INTERNAL STORAGE Type Capacity of basic system, bytes Maximum capacity, bytes Increment size, bytes Cycle/access time, microseconds	MOS 64K 64K - .50/.25	MOS 24K 96K 24K 2.0	MOS 24K 96K 24K 2.0	MOS 192K bytes 192K bytes — 0.8	MOS 192K bytes 192K bytes — 0.8
MASS STORAGE Floppy disk (diskette) drive Maximum diskette storage Cartridge disk drive Pack disk drive Fixed-head disk/drum Maximum disk storage	Std.; 946K bytes 4 units; 1.89M bytes No Std.; 12-24M bytes No	Opt.; 354K bytes 3 units; 22.5MB Std.; 2.5M bytes No 10M bytes	Std.; 354K bytes 4 units; 270MB Std.; 2.5M bytes opt.; 270M bytes 10M bytes	3-22.5M bytes 2-5M bytes 2-5, 10, 20M bytes	3-22.5M bytes 2.5m bytes 2.5, 10, 20M bytes
WORKSTATIONS Maximum number connectable Recommended maximum number Keyboard style Workstation printer	5 5 Type.; num. key. Opt.; 1	16 Varies Type.; num. key	24 Varies Type.; num. key.	16 16 Multiple std. Opt.; 16	24 24 Multiple std. Opt.; 16
INPUT/OUTPUT DEVICES Serial printer Line printer Reel-to-reel tape drive Cassette/cartridge tape drive CRT Other	Std.; 165 cps No No No Std.; 1980 char.	Opt.; 55 cps Opt.; 120-1000 lpm No No Std.; 24x80 char. Opt. card reader	Opt.; 55 cps Opt.; 120-1000 lpm No No Std.; 24 x 80 char. Opt. card reader	55 cps 120,100 lpm No No Std.; 960, 1920 char. Opt. card reader	55 cps 120, 1000 lpm No No Std.; 1920 char. Opt. card reader
COMMUNICATIONS Maximum no. of lines Synchronous Asynchronous Protocols supported Network architecture supported RJE terminals emulated IBM 3270 emulation	5 Up to 9600 bps Up to 9600 bps Async, bisync — IBM 2780/3780 No	2 Std.; to 9600 bps Opt.; to 2400 bps Async, bisync IBM SNA 2780/3780, HASP Yes	8 Std.; to 9600 bps Opt.; to 9600 bps Async, bisync IBM SNA 2780/3780, HASP Yes	Std. to 9600 bps Opt. to 2400 bps SDLC, async, bisync SNA 2780/3780, HASP Yes	Std. to 9600 bps Opt. to 2400 bps SDLC, async, bisync SNA 2780/3780, HASP Yes
SOFTWARE SUPPORT COBOL RPG FORTRAN BASIC Assembler Other programming languages Multiprogramming Max. no. of jobs run concurrently Language complemented in firmware Op. sys. implemented in firmware General accounting packages Industry application areas Database management system File access methods supported Software separately priced	No No No Yes No No Yes, 5 partitions No Partiallly Yes Seq., rand., ISAM Yes Yes	Yes Yes No No No Yes None No 1 No No No No No Rand., seq., index No	Yes Yes No No Yes None No 1 No No No No No Mfg., med., Ins., bank No Rand., seq., index No —	Yes No No No No Yes VISION, DATA IV Yes, 5 partitions 5 No No No Mfg., Ins., health No Rand., seq., ISAM No No	Yes No No No Ves VISION, DATA IV Yes, 5 partitions No No No No Ro Rand., seq., ISAM No No
LEASE/MAINTENANCE OPTIONS Lease plans available Maintenance plans available	5 years On-site and factory return	With rental On-call	With rental On-call	1, 3 yrs.; 42 months On-call	1, 3 yrs.; 42 months On-call
PRICING & AVAILABILITY Purchase price of basic system, \$ Monthly rental of basic system, \$ Monthly maint. price of basic system, \$ Monthly maint. bundled with rental, \$	12,983 300 (approx.) 107 No	37,440 619 (42 mo. lease) Contact vendor Yes	74,785 1,140 (42 mo. lease) Contact vendor Yes	64,615 726 (42/mo. lease) Yes	79,915 908 (42/mo. lease) Yes
Purchase price of: additional memory module, \$ additional workstations, \$ additional printer, \$ Discounts available	 1,995 	Contact vendor — — Quantity	Contact vendor — — Quantity	Contact vendor — Quantity	Contact vendor — Quantity
Date of first U.S. delivery Number installed to date	December 1978 Over 300	June 1973 10,000 (all systems)	Fourth qtr. 1976 10,000 (all systems)	May 1979 10,000 (all systems)	May 1979 10,000 (all systems)
COMMENTS					

MANUFACTURER AND MODEL	Four-Phase IV/70	Four-Phase IV/90	General Information Systems GIS/150-text II	General Informa- tion Systems GIS/335	General Informa- tion Systems GIS/355
WORD LENGTH, BITS	24	24	16	16	16
CPU Model Add time, microseconds No. of I/O ports on basic sys. and max.	Four-Phase 16 (word) 178	Four-Phase 12 (word) 64	DEC D150 3.85 (32 bits) 3: 6	DEC D335 2 (32 bits) 4; 8	DEC D355 3 (32 bits) 1; 8
INTERNAL STORAGE Type Capacity of basic system, bytes Maximum capacity, bytes Increment size, bytes Cycle/access time, microseconds MASS STORAGE Floppy disk (diskette) drive Maximum diskette storage Cartridge disk drive Pack disk drive Fixed-head disk/drum Maximum disk storage WORKSTATIONS Maximum number connectable Recommended maximum number Keyboard style Workstation printer INPUT/OUTPUT DEVICES Serial printer Line printer Reel-to-reel tape drive Cassette/cartridge tape drive CRT Other COMMUNICATIONS Maximum no. of lines Synchronous	MOS 24K 96K 24K 96K 24K 2.0 Opt.; 354K bytes 4 units; 270MB Std.; 10M bytes Opt.; 270M bytes No 32 Varies Type.; num. key. Opt.; 55 cps Opt.; 120-1000 lpm No No Std.; 6 x 48 char. Opt. card reader 8 Std.; to 9600 bps	MOS 96K 480K 	MOS 60K 60K	MOS 128K 256K 64K .50/.25 Opt.; 1024K (2) 2.048M bytes Std.; 20M bytes No No BOM bytes 8 8 Typewriter Std.; 2; Opt.; 8 Std.; 180 cps Opt.; 300-600 lpm No No No No	MOS 128K 256k 128K .775/.375 Opt.; 1024K (2) 2.04M bytes Std.; 20M bytes No No BOM bytes 8 8 8 Typewriter Std.; 2, Opt.; 8 Std.; 180 cps Opt.; 300-600 lpm No No No No
Asynchronous Protocols supported Network architecture supported RJE terminals emulated IBM 3270 emulation	Opt.; to 9600 bps Async, bisync IBM SNA 2780/3780, HASP Yes	Opt.; to 9600 bps Async, bisync IBM SNA 2780/3780, HASP Yes	Std.; 9600 bps Async, bisync DEC net 2780/3790 Yes	Std.; 9600 bps Async DEC net 2780/3780 Yes	Std.; 9600 bps Async DEC net 2780/3780 Yes
	Yes Yes No No No Yes None No 1 No No No No No No No No Mfg., med., Ins., bank No Rand., seq., index No —	Yes Yes Yes No No No Yes None Yes; 5 partitions 5 No No No No No Rand., seq., index No —	No No Yes Yes Yes Yes Yes Yes (2 partitions) 2 No No Yes Mfg., word proc. No Rand., seq., index No Yes	No No Yes Yes Yes APL, DIBOL, PASCAL Yes (2 partition) 16 No No No Yes Mfg., word proc. No Rand., seq., index No Yes	No No Yes Yes Yes Yes Yes (2 partitions) 16 No No No Yes Mfg., word proc. No Rand., seq., index No Yes
LEASE/MAINTENANCE OPTIONS Lease plans available Maintenance plans available	With rental On-call	1, 3 yr.; 24 months On-call	5-year On-site, on-call con- tract	5-year On-site, on-call con- tract	5-year On-call contract
PRICING & AVAILABILITY Purchase price of basic system, \$ Monthly rental of basic system, \$ Monthly maint. price of basic system, \$ Monthly maint. bundled with rental, \$ Purchase price of: additional memory module, \$ additional workstations, \$ additional printer, \$ Discounts available	62,050 1,344 (42 mo. lease) Contact vendor Yes Contact vendor — — Quantity	51,200 931 (42 mo. lease) Contact vendor Yes Contact vendor — Quantity	16,000 392 65 No 	30,500 748 265 No 1,500 (64K bytes) 2,170 7,500 (300 lpm) Quantity (5)	34,000 833 268 No 4,000 (128K bytes) 2,170 7,500 (300 lpm) Quantity (5)
Date of first U.S. delivery Number installed to date COMMENTS	February 1971 10,000 (all systems)	June 1977 10,000 (all systems)	word processing, other		able client write-up,
			softwåre available	payroll, AIP, AIR, GL, mfg. sales rep., and word processing	payroll, AIP, AIR, Gi mfg., sales rep., and word processing

MANUFACTURER AND MODEL	General Informa- tion Systems GIS/358	General Robotics Gemini	General Robotics Pegasus	General Robotics Polaris	General Robotics Tristar
WORD LENGTH, BITS	16	16	16	16	16
Add time, microseconds	DEC D358 3 (32 bits) 1; 8	DEC LSI-11 3.5 1; 14	DEC LSI-11 3.5 1; 14	DEC LSI-11 3.5 1; 14	DEC LSI-11 3.5 1; 14
INTERNAL STORAGE Type Capacity of basic system, bytes Maximum capacity, bytes Increment size, bytes Cycle/access time, microseconds MASS STORAGE Floppy disk (diskette) drive Maximum diskette storage Cartridge disk drive Pack disk drive Fixed-head disk/drum Maximum disk storage WORKSTATIONS Maximum number connectable Recommended maximum number Keyboard style Workstation printer INPUT/OUTPUT DEVICES Serial printer Line printer	MOS 128K 2256K 128K .775/.375 Opt.; 1024K (2) Std.; 224K bytes No No 1,792K bytes 8 8 8 Typewriter Std.; 2, Opt.; 8 Std.; 180 cps Opt.; 300-600 lpm	MOS 644K 64K	MOS 64K	MOS 64K 64K 64K 64K 64K 65 64K 65 64K 65 65 65 65 65 65 65 65 65 65 65 65 65	MOS 64K 64K .45/.30 Std.; 3.8M bytes (3) (3) 3.8M bytes Opt.; 20M bytes No No No 14 8 No No
Reel-to-reel tape drive Cassette/cartridge tape drive CRT Other	No No Std.; 1920 or 3168 No	No No No No	No No No No	No No Std.; 480 char. No	No No No No
COMMUNICATIONS Maximum no. of lines Synchronous Asynchronous Protocols supported Network architecture supported RJE terminals emulated IBM 3270 emulation	8 No Std.; 9600 bps Async DEC net 2780/3780 Yes	14 No Std.; 19.2K bps Async IBM, DECnet 2780 No	14 No Std.; 19.2K bps Async IBM, DECnet 2780 No	14 No Opt.; 19.2K bps Async IBM, DECnet 2780 No	14 No Std.; 19.2K bps Async IBM, DECnet 2780 No
SOFTWARE SUPPORT COBOL RPG FORTRAN BASIC Assembler Other programming languages Multiprogramming Max. no. of jobs run concurrently Language complemented in firmware Op. sys. implemented in firmware General accounting packages Industry application areas Database management system File access methods supported Software separately priced Technical help separately priced	No No Yes Yes Yes APL, DIBOL, PASCAL Yes (2 partions) 16 No No No No Yes Mfg., word proc. No Rand., seq., index No Yes	No No Yes Yes Yes Yes APL, DIBOL Yes 14 No No No General purpose No Rand., seq., index Yes Yes	No No Yes Yes Yes Yes Yes APL, DIBOL Yes 14 No No No Ro Ro Ro Rand., seq., index Yes Yes	No No Yes Yes Yes Yes APL, DIBOL Yes 14 No No General purpose No Rand., seq., index Yes Yes	No No Yes Yes Yes Yes Yes 14 No No Ro Ro General purpose No Rand., seq., index Yes Yes
LEASE/MAINTENANCE OPTIONS Lease plans available Maintenance plans available	5-year On-call contract	Purchase only Factory return	Purchase only Factory return	Purchase only Factory return	Purchase only Factory return
PRICING & AVAILABILITY Purchase price of basic system, \$ Monthly rental of basic system, \$ Monthly maint. price of basic system, \$ Monthly maint. bundled with rental, \$ Purchase price of: additional memory module, \$ additional workstations, \$ additional printer, \$ Discounts available Date of first U.S. delivery Number installed to date	51,000 1,250 420 No 4,000 (128K bytes) 2,170 7,500 (300 lpm) Quantity (5) December 1978	9,500	17,000	12,000 	11,000
COMMENTS	Basic system includes ablectient write-up, payroll, AIP, AIR, GL, mfg., sales rep., and word processing				

MANUFACTURER AND MODEL	Harris 100	Harris 500	Harris 800	Hewlett-Packard General Sys. Div. 250	Hewlett-Packard General Sys. Div. 300 Model A
WORD LENGTH, BITS	24, 48	24, 48	24, 48	16	16
CPU Model Add time, microseconds No. of I/O ports on basic sys. and max.	Harris 100 0.60 (3 bytes) 24 maximum	Harris 500 — 24 maximum	Harris 800 NA 31 maximum	HP9845 Process. Chip 1,000 (12 digits) See comments	HP300 420 (31 digits) 1 (8 devices)
INTERNAL STORAGE Type Capacity of basic system, bytes Maximum capacity, bytes Increment size, bytes Cycle/access time, microseconds	MOS 192K bytes 768K bytes 48K bytes 0.45 (68)/0.3 (68)	MOS 192K bytes 3,072K bytes 192K bytes 0.40 (6B)/0.29 (6B)	MOS 384K bytes 3,072K bytes 192K bytes 0.40 (6B)/0.29 (6B)	MOS 128 (sys); 32K (user) 196 (sys); 64K (user) 32K 0.833	MOS 256K 1M 128K 0.5/0.43
MASS STORAGE Floppy disk (diskette) drive Maximum diskette storage Cartridge disk drive Pack disk drive Fixed-head disk/drum Maximum disk storage	No — Opt.; 10.8M bytes Opt.; 40MB-4.8GB No —	No 	No — Opt.; 10.8M bytes Opt.; 40MB-4.8GB No —	Std.; 1.2-3.6M bytes 3 units; 3.5M bytes Opt.; 20M bytes No No 43M bytes	Std.; 1M byte 1 unit; 1M byte Opt.; 80M bytes Opt.; 480M bytes Std.; 12M bytes
WORKSTATIONS Maximum number connectable Recommended maximum number Keyboard style Workstation printer	32 App. dependent Typewriter Optional	64 App. dependent Typewriter Optional	128 App. dependent Typewriter Optional	5 5 Type.; num. key. Opt.; 2	16 16 Type.; num. key. Opt.; 16
INPUT/OUTPUT DEVICES Serial printer Line printer Reel-to-reel tape drive Cassette/cartridge tape drive CRT Other	180 cps 240-900 lpm Opt.; 469K No Opt.; 1920 char. Options	180 cps 240-900 lpm Opt.; 469K No Opt.; 1920 char. Options	180 cps 240-900 lpm Opt.; 469K No Opt.; 1920 char. Options	Opt.; 30, 180 cps Opt.; 400 lpm No No Std.; 24 x 80 char. No	Opt.; 180 cps Opt.; 400 lpm No No Std.; 24 x 80 char. No
COMMUNICATIONS Maximum no. of lines Synchronous Asynchronous Protocols supported Network architecture supported RJE terminals emulated IBM 3270 emulation	32 Opt.; 56K bps Opt.; 19.2K bps Async, bisync None See comments Yes	64 Opt.; 56K bps Opt.; 19.2K bps Async, bisync None See comments Yes	128 Opt.; 56K bps Opt.; 19.2K bps Async, bisync None See comments Yes	5 No Opt.; to 9600 bps None — —	16 No Opt.; to 9600 bps None — —
SOFTWARE SUPPORT COBOL RPG FORTRAN BASIC Assembler Other programming languages Multiprogramming Max. no. of jobs run concurrently Language complemented in firmware Op. sys. implemented in firmware General accounting packages Industry application areas Database management system File access methods supported Software separately priced	Yes Yes Yes Yes Yes Yes APL, SNOBOL Yes, varible App. dependent No No No — Yes, TOTAL Rand., seq., index Some Yes	Yes Yes Yes Yes Yes Yes Yes APL, SNOBOL Yes, variable App. dependent No No No To Yes, TOTAL Rand., seq., index Some Yes	Yes Yes Yes Yes Yes Yes Yes APL, SNOBOL Yes, variable App. dependent No No No Tyes, TOTAL Rand, seq., index Some Yes	No No No Yes No No No See comments See comments Yes Manuf., dist. Yes Direct chain, cal., seq. Yes (application only) Yes	No Yes No Yes SL1300 — Yes No fundamental limit Partially Partially No Office automation Yes 7 methods Yes Yes
LEASE/MAINTENANCE OPTIONS Lease plans available Maintenance plans available	Third party lease On-call	Third party lease On-call	Third party lease On-call	1 to 5 yrs. On-site, on-call	1 to 5 yrs. On-site, on-call
PRICING & AVAILABILITY Purchase price of basic system, \$ Monthly rental of basic system, \$ Monthly maint. price of basic system, \$ Monthly maint. bundled with rental, \$ Purchase price of: additional memory module, \$ additional workstations, \$ additional printer, \$ Discounts available	45,000 	99,500 —605 NA 28,800 (1.9M bytes) — Cty., dollar vol.	155,200 	17,000 90 No 1,050 (32K) 4,250 9,800 (400 lpm) OEM and volume	35,000
Date of first U.S. delivery Number installed to date	First qtr. 1977 NA	First qtr. 1979 NA	First qtr. 1980 NA	September 1978 NA	December 1978 NA
COMMENTS	Hardware supported,	Hardware supported,	Hardware supported, virtual memory sys- tem; RJE: 2780, 3780, HASP, UT-200, U-1004	Software assigns portions of RAM as registers. Std. I/O is one HPIB-type channel.	Code & data segmen-

MANUFACTURER AND MODEL	Hewlett-Packard General Sys. Div. 300 Model B	Hewlett-Packard HP 3000 Series 30	Hewlett-Packard HP 3000 Series 33	Hewlett-Packard HP 3000 Series III	Honeywell Level 6 Model 23
WORD LENGTH, BITS	16	16	16	16	16
CPU Model Add time, microseconds No. of I/O ports on basic sys. and max.	HP300 420 (31 digits) 1 (8 devices)	HP 3000 Series 30 	HP 3000 Series 33	HP 3000 Series III 13; 33	Honeywell CPS 93XX 3.5 (16 bits) 5; 9
INTERNAL STORAGE Type Capacity of basic system, bytes Maximum capacity, bytes Increment size, bytes Cycle/access time, microseconds	MOS 256K 1024K 128K 0.5/0.43	MOS 256K 1024K 256K .86	MOS 256K 1024K 256K .86	MOS 256K 2048K 256K .7	MOS 32K 128K 32K
MASS STORAGE Floppy disk (diskette) drive Maximum diskette storage Cartridge disk drive Pack disk drive Fixed-head disk/drum Maximum disk storage	Std; 1M byte 1M bytes Std.; 20-80M bytes Opt.; 360M bytes No	Std.; 1.18M bytes 1.18M bytes Std.; 8 x 20M bytes Opt.; 50-120M bytes No	Std.; 1.18M bytes 1.18M bytes Std.; 8 x 20M bytes Opt.; 50-120M bytes No	No None No Std.; 50M bytes No 960M bytes	4 x 256/512K bytes 2M bytes 4 x 26/80M bytes No No
WORKSTATIONS Maximum number connectable Recommended maximum number Keyboard style Workstation printer	16 16 Type.; num. key. Opt.; 16	32 32 All types Opt.; 1 per term.	32 32 All types Opt.; 1 per term.	64 64 All types Opt.; 1 per term.	16 Varies Type.; num. key. Opt.; up to 16
INPUT/OUTPUT DEVICES Serial printer Line printer Reel-to-reel tape drive Cassette/cartridge tape drive CRT Other	Opt.; 180 cps Opt.; 400 lpm No No Std.; 24 x 80 char. No	Opt.; 180 cps Opt.; 400 lpm Opt.; 75KBS Opt.; cassette only Std.; 1920 char.	Opt.; 180 cps Opt.; 400 lpm Opt.; 75KBS Opt.; cassette only Std.; 1920 char.	Opt.; 180 cps Opt.; 400-1000 lpm Opt.; KBS Opt.; cassette only Std.; 1920 char.	Opt.; 30-160 cps Opt.; 240-900 lpm No No Opt.; 960, 1920, 2000 No
COMMUNICATIONS Maximum no. of lines Synchronous Asynchronous Protocols supported Network architecture supported RJE terminals emulated IBM 3270 emulation	16 No Opt.; to 9600 bps None —	2 Opt.; 56KBS Std.; 9600 bps BISYNC HP-DSN 2780/3780 No	7 Opt.; 56KBS Std.; 9600 bps BISYNC HP-DSN 2780/3780 No	9 Opt.; 56KBS-2.5KBS Std.; 2400 bps BISYNC HP-DSN 2780/3780, HASP 2, No	Opt.; 50-9600 bps Opt.; 50-9600 bps Async, bisync — HASP, 2780/3780, Yes
SOFTWARE SUPPORT COBOL RPG FORTRAN BASIC Assembler Other programming languages Multiprogramming Max. no. of jobs run concurrently Language complemented in firmware Op. sys. implemented in firmware General accounting packages Industry application areas Database management system File access methods supported Software separately priced Technical help separately priced	No Yes No Yes SL/300 — Yes No fundamental limit Partially Partially No Office automation Yes 7 methods Yes Yes	Yes Yes Yes Yes No SPL Yes, virtual No limit Partially Partially No Manufacturing Yes Seq., random, ISAM Some Yes	Yes Yes Yes Yes Yes No SPL Yes, virtual No limit Partially Partially No Manufacturing Yes Seq., random, ISAM Some Yes	Yes Yes Yes Yes No SPL, APL Yes, virtual No limit Partially Partially No Manufacturing Yes Seq., random, ISAM Some Yes	Yes Yes Yes No Yes Macro preprocessor Yes; no limit No fixed limit No No No Mfg., various others Yes Rand., seq., index Yes Yes
LEASE/MAINTENANCE OPTIONS Lease plans available Maintenance plans available	1 to 5 yrs.	Yes, many plans On-site, on-call	Yes, many plans On-site, on-call	Yes, many plans On-site, on-call	Purchase only On-site, on-call fac- tory ret., third party
PRICING & AVAILABILITY Purchase price of basic system, \$ Monthly rental of basic system, \$ Monthly maint. price of basic system, \$ Monthly maint. bundled with rental, \$ Purchase price of: additional memory module, \$ additional workstations, \$	45,000 225 No 2,500 (128K) 1,450 +	49,750 None 360 5,000 (256K bytes) 1,500	58,500 None 395 — 5,000 (256K bytes) 1,500	105,000 None 534 3,750 (256K bytes) 1,500	4,800 52 2,525 (64K bytes) 1,980 (1920 char.)
additional printer, \$ Discounts available Date of first U.S. delivery	10,400 (400 lpm) OEM and volume December 1978	3,640 (180 cps) Quantity, OEM October 1979 3,500 + (all models)	3,640 (180 cps) Quantity, OEM October 1978 3,500 + (all models)	10,550 (400 lpm) Quantity, OEM June 1978 3,500 + (all models)	3,200 (160 cps) Oty., vol., educ. 1978 NA
Number installed to date COMMENTS	NA Code & data segmentation; IMAGE data base management.	J, JOO + (all Moders)	S,500 (ail models)	S,000 (all models)	

MANUFACTURER AND MODEL	Honeywell Level 6 Model 33	Honeywell Level 6 Model 43	Honeywell Level 6 Model 47	Honeywell Level 6 Model 53	Honeywell Level 6 Model 57
WORD LENGTH, BITS	16	16	16	16	16
CPU Model Add time, microseconds No. of I/O ports on basic sys. and max.	Honeywell CPS 946X 1.9 (16 bits) 160 maximum	Honeywell CPS 955X 1.0 (16 bits) 160 maximum	Honeywell CPS 955X 0.7 (16 bits) 160 maximum	0.7 (16 bits)	Honeywell CPS 9572 0.7 (16 bits) 160 maximum
INTERNAL STORAGE Type Capacity of basic system, bytes Maximum capacity, bytes Increment size, bytes Cycle/access time, microseconds	32K 128K 16K 64K	NMOS 32K 2048K 16, 64K 0.65, 0.55/0.44, 0.29	NMOS, core 32K 2048K 16K, 64K 0.65, 0.55/0.44, 0.29	32K 2048K 16K 64K	MOS 32K 2048K 16K, 64K 0.65, 0.55/0.44, 0.29
MASS STORAGE Floppy disk (diskette) drive Maximum diskette storage Cartridge disk drive Pack disk drive Fixed-head disk/drum Maximum disk storage	2M bytes Opt.: 8 x 10/26/80M	Opt.; 4 x 256/512K 2M bytes Opt.; 8 x 10/26/80M Opt.; 8 x 67/256M No	Opt.; 4 x 256/512K 2M bytes Opt.; 8 x 10/26/80M Opt.; 8 x 67/256M No	2M bytes Opt.; 8 x 10/26/80M Opt.; 8 x 67/256M	4 x 256/512K bytes 2M bytes 8 x 10/26/80M bytes 8 x 67/256K bytes No
WORKSTATIONS Maximum number connectable Recommended maximum number Keyboard style Workstation printer	160 Varies Type.; num. key. Opt.; up to 160	160 Varies Type.; num. key. Opt.; up to 160	152 Varies Type.; num. key. Opt.; up to 152	152 Varies Type.; num. key. Opt.; up to 152	144 Varies Type.; num. key Opt.; up to 144
INPUT/OUTPUT DEVICES Serial printer Line printer Reel-to-reel tape drive Cassette/cartridge tape drive CRT Other	Opt.; 36-120KBS	Opt.; 30-160 cps Opt.; 240-900 lpm Opt.; 36-120KBS No Opt.; 960, 1920, 2000 Opt.	Opt.; 30-160 cps Opt.; 240-900 lpm Opt.; 36-120KBS No Opt.; 960, 1920, 2000 Opt.	No	Opt.; 30-160 cps Opt.; 240-900 lpm Opt.; 36-120KBS No Opt.; 960, 1920, 2000 Opt.
COMMUNICATIONS Maximum no. of lines Synchronous Asynchronous Protocols supported Network architecture supported RJE terminals emulated IBM 3270 emulation	160 Opt.; 50-72000 bps Opt.; 50-19200 bps Async, bisync, HDLC — HASP, 2780/3780	160 Opt.; 50-7200 bps Opt.; 50-19200bps Async, bisync, HDLC — HASP, 2780/3780	160 Opt.; 50-7200 bps Opt.; 50-19200 bps Async, bisync, HDLC — HASP, 2780/3780	160 Opt.; 50-72000 bps Opt.; 50-19200 bps Async, bisync, HDLC — HASP, 2780/3780	160 Opt.; 50-72000 bps Opt.; 50-19200 bps Async, bisync, HDLC — HASP, 2780/3780 Yes
SOFTWARE SUPPORT COBOL RPG FORTRAN BASIC Assembler Other programming languages Multiprogramming Max. no. of jobs run concurrently Language complemented in firmware Op. sys. implemented in firmware General accounting packages Industry application areas Database management system File access methods supported Software separately priced	Yes Yes Yes No Macro assembler None Yes No fixed limit No No No Mfg., etc. Yes Rand., seq., index Yes Yes	Yes Yes Yes No Yes No Yes Macro preprocessor Yes No fixed limit No No No Mfg, etc. Yes Rand., seq., index Yes Yes	Yes Yes Yes No Yes Macro preprocessor Yes No fixed limit No No Mo Mfg., etc. Yes Rand., seq., index Yes Yes	Yes Yes Yes No Yes Macro preprocessor Yes No fixed limit No No Mfg., etc. Yes Rand., seq., index Yes Yes	Yes Yes Yes No Yes Macro preprocessor Yes; no limit No fixed limit No No No Mfg., etc. Yes Rand., seq., index Yes Yes
LEASE/MAINTENANCE OPTIONS Lease plans available Maintenance plans available PRICING & AVAILABILITY Purchase price of basic system, \$ Monthly rental of basic system, \$ Monthly maint. price of basic system, \$ Monthly maint. bundled with rental, \$ Purchase price of: additional memory module, \$ additional memory module, \$ additional printer, \$ Discounts available	Purchase only On-site, on-call, factory ret., third party 7,275 77 NA 875 (16K bytes) 1,980 (1920 char.) 3,200 (160 cps) Oty., vol., educ.	Purchase only On-site, on-call, fac- tory ret., third party 10,325 — 114 NA 2,240 (64K bytes 1980 (1920 char.) 3,200 (160 cps) Oty., vol., educ.	Purchase only On-site, on-call, factory ret., third party 22,275 227 NA 2,250 (64K bytes) 1,980 (1920 char.) 3,200 (160 cps) Oty., vol., educ.	Purchase only On-site, on-call factory ret., third party 22,175 174 NA 2,250 (64K bytes) 1,980 (1920 char.) 3,200 (160 cps) Oty., vol., educ.	Purchase only On-site, on-call fac- tory ret., third party 46,975 334 NA 875 (16K bytes) 1,980 (1920 char.) 23,000 (900 lpm) Oty., vol., educ.,
Date of first U.S. delivery Number installed to date	1976 NA	1977 NA	1978 NA	1978 NA	1978 NA
COMMENTS	Field upgradable to all higher models; re- places models 34 and 36	Field upgradable to all higher models	Field upgradable to model 57; includes high speed commer- cial instructions	Field upgradable to model 57; includes 8K bytes high-speed cache memory	Includes 8K byte high- speed cache memory and high-speed com- mercial instructions

MANUFACTURER AND MODEL	Honeywell Series 60 Level 62	IBM Series/1 4952	IBM Series / 1 4953	IBM Series / 1 4955	IBM System/3
WORD LENGTH, BITS	8-bit byte	8-bit byte/16-bit word	8-bit byte/16-bit word	8-bit byte/16-bit word	8-bit byte
CPU Model Add time, microseconds No. of I/O ports on basic sys. and max.	Honeywell 62 — 6 std.; 3 opt.	IBM Model 4952 NA 5; 14	IBM Model 4953 NA 4; 13	IBM Model 4955 NA 3; 10	IBM System/3 24 (5 digits)
INTERNAL STORAGE Type Capacity of basic system, bytes Maximum capacity, bytes Increment size, bytes Cycle/access time, microseconds	MOS 96K 992K 32K 1.0/0.5	MOS 32K 128K 32K	MOS 16K 32K 16K, 32K	MOS 16K 64K 16K, 32K	Core, MOS Varies 512K 4, 8, 16, 32K 1.52
MASS STORAGE Floppy disk (diskette) drive Maximum diskette storage Cartridge disk drive Pack disk drive Fixed-head disk/drum Maximum disk storage	Std.; 256K bytes (6); 1,800M bytes Opt.; 46.4M bytes Opt.; 1,800M bytes No	Opt.; to 27.8M bytes 27.8M bytes See Comments No Opt.; to 128K bytes	Opt.; to 27.8M bytes 27.8M bytes See Comments No Opt.; to 128K bytes	Opt.; to 27.8M bytes 27.8M bytes See Comments No Opt.; to 128K bytes —	Opt.; via 3741 Opt.; 9.9M bytes Opt.; 506M bytes No —
WORKSTATIONS Maximum number connectable Recommended maximum number Keyboard style Workstation printer	744 (24 lines x 31 dev. 100 Typewriter Optional)6 (can vary) 6 type.; num. key. No	2 (can vary) 2 Type.; num. key. No	12 (can vary) 12 Type.; num. key. No	Variable Type.; num. key.
INPUT/OUTPUT DEVICES Serial printer Line printer Reel-to-reel tape drive Cassette/cartridge tape drive CRT Other	Std.; 30 cps console Opt.; 100-1600 lpm Opt.; 10.4-60KBS Cas.; opt., 700 cps Opt.; 12 x 80 char. Opt.	Opt.; 120 cps Opt.; 80-414 lpm Opt.; to 120,000 bps No Opt.; 24 x 80 char. No	Opt.; 120 cps Opt.; 80-414 lpm Opt.; to 12,000 bps No Opt.; 24 x 80 char. No	Opt.; 120 cps Opt.; 80-414 lpm Opt.; to 12,000 bps No Opt.; 24 x 80 char. No	Opt.; 85 cps Opt.; 100-1100 lpm Opt.; 20-80KBS No Opt.; 12/24 x 80 char Opt.
COMMUNICATIONS Maximum no. of lines Synchronous Asynchronous Protocols supported Network architecture supported RJE terminals emulated IBM 3270 emulation	25 Opt.; 19,200 bps Opt.; 9600 bps Bisync IIY, ISO, BSC, VIP 360/370, 2780 Yes	8 Opt.; to 56,000 bps Opt.; to 9600 bps Bisync System/370 IBM 3780, HASP Yes	8 Opt.; to 56,000 bps Opt.; to 9600 bps Bisync System/370 IBM 3780, HASP Yes	8 Opt., to 56,000 bps Opt., to 9600 bps Bisync System/370 IBM 3780, HASP Yes	8 Opt.; to 50K bps No SDLC — System/370 Yes
SOFTWARE SUPPORT COBOL RPG FORTRAN BASIC Assembler Other programming languages Multiprogramming Max. no. of jobs run concurrently Language complemented in firmware Op. sys. implemented in firmware General accounting packages Industry application areas Database management system File access methods supported Software separately priced	Yes Yes Yes No No No No No No No Pes Dist., mfg. Yes Seq., index, relative Yes Yes Yes	Yes No No No Macro assembler PL/1 Yes 6 No No No Seeneral purpose No Index Yes Yes Yes	Macro assembler PL/1 Yes 2 No	Yes No No Fortran IV No Macro assembler PL/1 Yes 12 No No No No Seeneral Purpose No Index Yes Yes Yes	Yes RPG II Yes Yes Yes No None Yes; 3 partitions No No No No Yes Dist., med., mfg., ed. No Rand., seq., index Yes Yes
LEASE/MAINTENANCE OPTIONS Lease plans available Maintenance plans available	1-, 5-, 6-year On-site, on-call, third party, factory ret.	Purchase only On-site contract	Purchase only On-site contract	Purchase only On-site contract	Contact vendor On-call
PRICING & AVAILABILITY Purchase price of basic system, \$ Monthly rental of basic system, \$ Monthly maint. price of basic system, \$ Monthly maint. bundled with rental, \$ Purchase price of:	33,192 799 (1-yr. lease) 160 (processor) Yes	4,600 (CPU only) Purchase only 23	4,360 (CPU only) Purchase only 76	6,165 (CPU only) Purchase only 73	20,190 816 (1-yr. lease) 130 Yes
additional memory module, \$ additional workstations, \$ additional printer, \$ Discounts available	3,315 (32K) 13,645 (450 lpm) Quantity	450 (32K bytes) 1,320 8,625 (80 lpm) Contact vendor	1,170 (16K bytes) 1,395 12,425 (235 lpm) Contact vendor	1,580 (16K bytes) 1 735 12,425 (235 lpm) Contact vendor	— 4,525 4,115 (86 cps) Contact vendor
Date of first U.S. delivery Number installed to date	August 1974 Over 1,000	February 1979 NA	November 1976 NA	November 1976 NA	December 1970 Over 54,000
COMMENTS	Performance increase packages of 33, 78 of 90 percent opt.		Up to 256M bytes non-removable disk available	Up to 256M bytes non-removable disk available	Six different models currently in line

MANUFACTURER AND MODEL	IBM System/32	IBM System/34	IBM System/38	IBM 5100 Portable Computer	IBM 5110 Computing System
WORD LENGTH, BITS	8-bit byte	8-bit byte	8-bit byte	8-bit byte	8-bit byte
CPU Model Add time, microseconds No. of I/O ports on basic sys. and max.	IBM System 32 150 (5 digits)	IBM System/34 68.5 (5 digits)	IBM Model 300/500 	IBM 5110 1000 (approx.) 2; variable	IBM 5110 NA 2; variable
INTERNAL STORAGE Type Capacity of basic system, bytes Maximum capacity, bytes Increment size, bytes Cycle/access time, microseconds	MOS 16K 32K 8K 0.6/0.25	MOS 32K 128K 16K, 32K 0.6	MOS 512K 1536K No additions 1.1, 0.6	MOS 16K 64K 16K 0.53/0.33	MOS 16K 64K 16K 0.53/0.33
MASS STORAGE Floppy disk (diskette) drive Maximum diskette storage Cartridge disk drive Pack disk drive Fixed-head disk/drum Maximum disk storage	Std.; 303K bytes See Comments No No 13.75M bytes	Std.; 1.2M bytes 1.2M bytes Std.; 8.6M bytes No No 128M bytes	Std.; 240.5K bytes 24M bytes No No Std.; 129M bytes 387M bytes	No NA No No No NO	Std.; 4.8M bytes 4.8M bytes No No No
WORKSTATIONS Maximum number connectable Recommended maximum number Keyboard style Workstation printer	 Optional	16 local; 64 remote 16 Type.; num. key. Optional	40 Type.; num. key Std.; 2	1 1 Type.; num. key No	Contact vendor — Type.; num. key No
INPUT/OUTPUT DEVICES Serial printer Line printer Reel-to-reel tape drive Cassette/cartridge tape drive CRT Other	Opt.; 40, 80 cps Std.; 50-155 lpm No No Std.; 6 x 40 char Opt.	Opt.; 40, 80, 120 cps Opt.; 160, 300 lpm No No Opt.; 960-1920 char. Opt.	Opt.; 40 to 120 cps Std.; 300 or 600 lpm Opt.; 12.5-50 ips No Std.; 24 x 80 char. (6) Opt.	Opt.; 80 cps No No No Cart.; 2850 cps Std.; 16 x 64 char. Opt.	Opt.; 80, 120 cps No No Cart.; 2850 cps Std.; 16 x 64 char. Opt.
COMMUNICATIONS Maximum no. of lines Synchronous Asynchronous Protocols supported Network architecture supported RJE terminals emulated IBM 3270 emulation	1 Opt.; to 7200 bps No SDLC, Bisync System/3, /7, /360, System/370 No	16 Opt.; to 9600 bps No SDLC, Bisync — Yes	4 Opt.; to 9600 bps Opt.; to 1200 bps Bisync Most IBM system	1 No Opt.; to 3000 bps Bisync System/370 — No	1 Opt.; to 9600 bps Opt.; to 300 bps Bisync System/370 — No
SOFTWARE SUPPORT COBOL RPG FORTRAN BASIC Assembler Other programming languages Multiprogramming Max. no. of jobs run concurrently Language complemented in firmware Op. sys. implemented in firmware General accounting packages Industry application areas Database management system File access methods supported Software separately priced Technical help separately priced	No RPG II No No No Macro assembler None No No Partially Yes No No Rand., seq., index Yes Yes	Yes RPG II Yes No Yes None Yes; 8 partitions — Partially Partially Yes Mfg., med., dist. No Rand., seq., index Yes Yes	No Yes, RPG III No No No No No None No — — Yes General acct. Yes Yes Yes	No No No Yes No APL No 1 Fully Fully Fully No Finan. ana., stat. No Sequential Some Yes	No No No Yes No APL No — Fully Fully Finan. ana., stat. No Sequential Some Yes
LEASE/MAINTENANCE OPTIONS Lease plans available Maintenance plans available	2-yr. base/1 yr. ext. Contact vendor	Contact vendor On-site, on-call	Purchase/rent only Contact vendor	3-month contract Contact vendor	3-month contract Contact vendor
PRICING & AVAILABILITY Purchase price of basic system, \$ Monthly rental of basic system, \$ Monthly maint. price of basic system, \$ Monthly maint. bundled with rental, \$ Purchase price of: additional memory module, \$ additional workstations, \$ additional printer, \$ Discounts available	26.870 1,047 185 Yes 878 (8K bytes) 1,000 29,000 (77/92 cps) Contact vendor	34,700 1,062 240 (approx.) Yes 1,175 (16K bytes) 3,040 12,800 (160 ipm) Education (10%)	121,480 3,352 — Yes NA 2,850 14,000 (650 lpm) Contact vendor	6,285 1,350 (3-mo. lease) 63.50 Yes 1,175 (16K bytes) — 3,675 (80 cps) Education (10%)	8,475 1,275 (3-mo. lease) 45 Yes 1,175 (16K) Contact vendor 3,200 (80 cps) Education (10%)
Date of first U.S. delivery Number installed to date	February 1975	January 1978	August 1979	September 1975	February 1978
COMMENTS	System also includes 3.2M-13.75M bytes of nonremovable disk storage		There are 48 packaged models of the System/38	Portable computer weighing 50 lbs.; RS-232C interface available for non-IBM peripherals	Enhanced version of IBM 5100 with 2 to 3 times the internal comuting power plus diskette I/O; 5110 with both diskette and tape costs \$14,475

MANUFACTURER AND MODEL	IBM 8100 Information System	ICL Ltd. 1503/43	ICL. Ltd. 1503/44B	Infomark, Inc. S/1000	Infomark, Inc. S/2000
WORD LENGTH, BITS	8-bit byte, 32-bit word	8	8	16	16
CPU Model Add time, microseconds No. of I/O ports on basic sys. and max.	IBM 8130/8140 1; 19	ICL 1503/43 150 (5 digits) Daisy chain 63	ICL 1503/44B 150 (5 digits) Daisy chain 63	Data General 8605-E .7 2	Data General 8608-E .7 2
INTERNAL STORAGE Type Capacity of basic system, bytes Maximum capacity, bytes Increment size, bytes Cycle/access time, microseconds	MOSFET 256K 512K 128K, 256K 1.5, 0.8	MOS 16K 32K 8K 0.3/4.0	MOS 16K 32K 8K 0.3/4.0	MOS 64K bytes 64K bytes .7/.7	MOS 64K bytes 256K bytes 64K bytes 7/7
MASS STORAGE Floppy disk (diskette) drive Maximum diskette storage Cartridge disk drive Pack disk drive Fixed-head disk/drum Maximum disk storage	Std.; 29M bytes 962M bytes No No No 320M bytes	No — Std.; 10M bytes No Std.; 10M bytes —	No Std.; 10M bytes No Std.; 10M bytes	Opt. 1; 256K bytes Std.; 4-40M bytes	Opt. 1; 256K bytes Std.; 2-64M bytes
WORKSTATIONS Maximum number connectable Recommended maximum number Keyboard style Workstation printer	24 24 Type.; num. key. Optional	— — Acct'g. & num. key. —	— ————————————————————————————————————	 - - -	
INPUT/OUTPUT DEVICES Serial printer Line printer Reel-to-reel tape drive Cassette/cartridge tape drive CRT Other	Opt.; 40 to 120 cps Opt.; 120 to 400 lpm Opt.; 160KBS No Opt.; 240 to 2560 Opt.	Opt.; 165/330 cps Opt.; 100-400 lpm Optional Cart.; 2000 cps Std.; 24 x 80 lines Opt.	Opt.; 165/330 cps Opt.; 100-400 lpm Optional Cart.; 2000 cps Std.; 24 x 80 char. Opt.	Opt.; 1-180 cps 70-900 lpm — Std.; 1920 char.	Opt.; 4-180 cps 70-900 lpm Opt.; 1-10K bytes — Std.; 1920 char.
COMMUNICATIONS Maximum no. of lines Synchronous Asynchronous Protocols supported Network architecture supported RJE terminals emulated IBM 3270 emulation	24 Std.; 600 to 9600 bps No Bisync SNA Most IBM systems Yes	2 Opt.; 9600 bps Opt.; 1800 bps Async, bisync	2 Opt.; 9600 bps Opt.; 1800 bps Async, bisync —	4 Standard Async 	8 Standard Async —
SOFTWARE SUPPORT COBOL RPG FORTRAN BASIC Assembler Other programming languages Multiprogramming Max. no. of jobs run concurrently Language complemented in firmware Op. sys. implemented in firmware General accounting packages Industry application areas Database management system File access methods supported Software separately priced	Yes No Yes No Yes No — 31 No No No No Yes Yes Yes Yes	Yes No No Yes Yes STL, CDE, ADE No No No No No Stes Dist., POS, gov't. Yes Seq., index seq. Some Yes	Yes No No Yes Yes Yes No No No Some Yes Seq., index seq. Some Yes	No Yes No No Yes Forms; (FPG) No — No Wo Yes Wholesale dist. mfg. Yes Seq.; I.S. Yes Yes	No Yes No No Yes Forms; (FPG) No — No No No Wholesale dist. mfg. Yes Seq.; I.S. Yes Yes
LEASE/MAINTENANCE OPTIONS Lease plans available Maintenance plans available	2 years On-call			_	<u> </u>
PRICING & AVAILABILITY Purchase price of basic system, \$ Monthly rental of basic system, \$ Monthly maint. price of basic system, \$ Monthly maint. bundled with rental, \$ Purchase price of: additional memory module, \$ additional workstations, \$ additional printer, \$ Discounts available	91,815 (348K) 2,981 — Yes 2,250 (128K) 2,835 13,250 (400-500 lpm) Contact vendor	18,000 360 — — — —	22,000 440 — — — — —	49,000 (bundled) 	64,000 (bundled)
Date of first U.S. delivery Number installed to date	August 1979 NA	1975 100	1978 NA	1976 NA	1976 NA
COMMENTS				*Integrated applic. *Interactive query language	*Integrated applic. *Interactive query language

WORD LENGTH, BITS CPU Model Add time, microseconds No. of I/O ports on basic sys. and max. INTERNAL STORAGE Type Capacity of basic system, bytes Maximum capacity, bytes Increment size, bytes Cycle/access time, microseconds MASS STORAGE Floppy disk (diskette) drive Maximum diskette storage Cartridge disk drive Pack disk drive Pack disk drive Fixed-head disk/drum Maximum disk storage	16 DG 8608-E .7 2 MOS 64K bytes 256K bytes 64K bytes .7/.7	16 DG 8608-E .7 2 MOS 128K bytes 256K bytes	16 DG 8608-E .7 2	112 IMP-1 39 (7 digits) 4; 5	NS IMP-16 8.0 2: 62
Model Add time, microseconds No. of I/O ports on basic sys. and max. NTERNAL STORAGE Type Capacity of basic system, bytes Maximum capacity, bytes Increment size, bytes Cycle/access time, microseconds WASS STORAGE Floppy disk (diskette) drive Maximum diskette storage Cartridge disk drive Pack disk drive Fixed-head disk/drum	MOS 64K bytes 256K bytes 64K bytes	MOS 128K bytes 256K bytes	.7 2 MOS	39 (7 digits)	8.0
Add time, microseconds No. of I/O ports on basic sys. and max. NTERNAL STORAGE Type Capacity of basic system, bytes Maximum capacity, bytes Increment size, bytes Cycle/access time, microseconds WASS STORAGE Floppy disk (diskette) drive Maximum diskette storage Cartridge disk drive Pack disk drive Fixed-head disk/drum	MOS 64K bytes 256K bytes 64K bytes	MOS 128K bytes 256K bytes	.7 2 MOS	39 (7 digits)	8.0
No. of I/O ports on basic sys. and max. NTERNAL STORAGE Type Capacity of basic system, bytes Maximum capacity, bytes Increment size, bytes Cycle/access time, microseconds MASS STORAGE Floppy disk (diskette) drive Maximum diskette storage Cartridge disk drive Pack disk drive Fixed-head disk/drum	MOS 64K bytes 256K bytes 64K bytes	MOS 128K bytes 256K bytes	2 MOS		
NTERNAL STORAGE Type Capacity of basic system, bytes Maximum capacity, bytes Increment size, bytes Cycle/access time, microseconds MASS STORAGE Floppy disk (diskette) drive Maximum diskette storage Cartridge disk drive Pack disk drive Fixed-head disk/drum	MOS 64K bytes 256K bytes 64K bytes	128K bytes 256K bytes			2, 02
Type Capacity of basic system, bytes Maximum capacity, bytes Increment size, bytes Cycle/access time, microseconds MASS STORAGE Floppy disk (diskette) drive Maximum diskette storage Cartridge disk drive Pack disk drive Fixed-head disk/drum	64K bytes 256K bytes 64K bytes	128K bytes 256K bytes		1	}
Capacity of basic system, bytes Maximum capacity, bytes Increment size, bytes Cycle/access time, microseconds MASS STORAGE Floppy disk (diskette) drive Maximum diskette storage Cartridge disk drive Pack disk drive Fixed-head disk/drum	256K bytes 64K bytes	256K bytes		MOS	MOS
Increment size, bytes Cycle/access time, microseconds AASS STORAGE Floppy disk (diskette) drive Maximum diskette storage Cartridge disk drive Pack disk drive Fixed-head disk/drum	64K bytes		256K bytes	32K	196K
Cycle/access time, microseconds IASS STORAGE Floppy disk (diskette) drive Maximum diskette storage Cartridge disk drive Pack disk drive Fixed-head disk/drum			256K bytes	32K	128K 32K
Floppy disk (diskette) drive Maximum diskette storage Cartridge disk drive Pack disk drive Fixed-head disk/drum		128K bytes .7/.7	.7/.7	0.5/0.2	1.5/1.4
Floppy disk (diskette) drive Maximum diskette storage Cartridge disk drive Pack disk drive Fixed-head disk/drum			İ		
Maximum diskette storage Cartridge disk drive Pack disk drive Fixed-head disk/drum	Opt. 1; 256K bytes	Opt. 1; 256K bytes	Opt.; 1-256K bytes	Std.; 3.8M bytes	Standard
Pack disk drive Fixed-head disk/drum	- ' ' '			 	2 x 256K bytes
Fixed-head disk/drum	0.1 4 10004 5 455		Std.; 4-320M bytes	No No	Opt.; 4 x 12M bytes Opt.; 4 x 80M bytes
	Std.; 4-160M bytes Std.; 2-2M bytes	Std.; 4-320M bytes Std.; 2-40M bytes	Std.; 4-320W bytes	No	No
	July bytes	—	Old., 2-4W bytes	-	
VORKSTATIONS					1
Maximum number connectable	-	-	-	-	16
Recommended maximum number	-		Time i mine trans	Time i num kou	Depends on function Typewriter
Keyboard style Workstation printer	Type.; num. key.	Type.; num. key.	Type.; num. key.	Type.; num. key.	Opt.; 8 max.
·					
NPUT/OUTPUT DEVICES Serial printer	Opt.; 4-180 cps	Opt.; 4-180 cps	Opt.; 4-180 cps	Std.; 200 cps	Std.; 45 cps
Line printer	70-900 lpm	70-900 lpm	70-900 lpm	No	Opt.; 300 lpm
Reel-to-reel tape drive	Opt.; 1-10K bytes	Opt., 1-10K bytes	Opt.; 1-10K bytes	No	Opt.; 10-40KBS
Cassette/cartridge tape drive	-	-		No Std.; 24 x 28 char.	No Stall 1930 above
CRT Other	Std. 1; Opt. 7	Std. 1; Opt. 5	Std. 1; Opt. 23	No.; 24 x 26 char.	Std.; 1920 char.
OMMUNICATIONS					
Maximum no. of lines	8	16	24	1	19
Synchronous	No	No	No	No.	Opt.; to 4800 bps
Asynchronous	Standard	Standard	Standard	Opt.; to 2400 bps None	Opt.; to 4800 bps See comments
Protocols supported Network architecture supported	Async	Async	Async		No
RJE terminals emulated		_	_	 	2780/3780
IBM 3270 emulation	-	-	-	-	Yes
SOFTWARE SUPPORT	}		\		
COBOL	No	No	No Yes	No No	No No
RPG FORTRAN	Yes No	Yes No	No	No	No
BASIC	No	No	No	No	Yes
Assembler	Yes	Yes	Yes	No	Yes
Other programming languages	Forms (FPG)	Forms (FPG)	Forms (FPG)	HIBOL	Data Rite
Multiprogramming	No	No	No	No	Yes programmable
Max. no. of jobs run concurrently Language complemented in firmware	No	No	No	No	l No
Op. sys. implemented in firmware	No	No	No	No	No
General accounting packages	Yes	Yes	Yes	Yes	Yes
Industry application areas	Dist., manuf.	Distribution	Dist., manuf.	Accounting No	Dist., med., law
Database management system File access methods supported	Yes Seq.; I.S.	Yes Seq.; I.S.	Yes Seq.; I.S.	Rand., seq., index	Seq., keyed
Software separately priced	Yes	Yes	Yes	Yes	Yes
Technical help separately priced	Yes	Yes	Yes	Yes	Yes
EASE/MAINTENANCE OPTIONS					1
Lease plans available	Contact vendor	Contact vendor	Contact vendor	Contact vendor	Various On-call (AMSD)
Maintenance plans available	-	-			C.I Gail (Filesop)
RICING & AVAILABILITY Purchase price of basic system, \$	110.000 (bundled)	130,000 (bundled)	143,000 (bundled)	7,995	19,900
Monthly rental of basic system, \$				Contact vendor	Contact vendor
Monthly maint. price of basic system, \$		_	-	_	172
Monthly maint. bundled with rental, \$ Purchase price of:		-	-	-	Yes
additional memory module, \$	_	_	_	-	2,400(32K)
additional workstations, \$	-	1-	-	 -	2,900
additional printer, \$ Discounts available	_	<u> </u>	_		3,180 (45 cps) Qty., dollar vol., edu
	1076	1076	1976	September 1977	August 1975
Date of first U.S. delivery Number installed to date	1976 NA	1976 NA	19/6	Over 600	NA
	*Integrated applic.	*Integrated applic.	*Integrated applic.	Programs compatible	Optional 150 cps
	*Integrated applic.	*Interactive query	*Interactive query	with DEC PDP/8:	printer available
		I IIITOI GCLIAC CITICI A	I IIITEI OCTIVE GUELA		
COMMENTS	language	language	language	complete systems,	
				complete systems, and software are	
				complete systems, and software are sold and serviced by	
				complete systems, and software are	

MANUFACTURER AND MODEL	Jacquard Systems J500	Logical Machine Corp. ADAM	Logical Machine Corp. TINA	Melcom Business System Mitsubishi Computer 8018	Melcom Business System Mitsubishi Computer 8038
WORD LENGTH, BITS	16	16	16	8	16
CPU Model Add time, microseconds No. of I/O ports on basic sys. and max.	Bit-slice 3.96 3	LOMAC-prop. NA 5	LOMAC-prop. NA 7	Mitsubishi Electric Corp. A1105 900 (12 digit) 4, 12 (max.)	Mitsubishi Electric Corp. B1200-2 37.75 (5 digit) 4, 64 (max)
INTERNAL STORAGE Type Capacity of basic system, bytes Maximum capacity, bytes Increment size, bytes Cycle/access time, microseconds	MOS 128K 128K 128K 	MOS 32K 64K 32K 0.17/0.50	MOS 48K 48K NA 0.17/0.50	MOS 48K 96K 32K	MOS 128K 512K 128K
MASS STORAGE Floppy disk (diskette) drive Maximum diskette storage Cartridge disk drive Pack disk drive Fixed-head disk/drum Maximum disk storage	Standard 2 x 512K bytes Opt.; 4 x 12M bytes No No	Opt.; 250K bytes Std.; 10.6M bytes No No	Std.; 5M bytes No No No No	0.5/0.32 2M bytes (4 units) Std.; 10-40M bytes No No	0.6/0.26 2M bytes (2 units) Std.; 10-160M bytes Opt.; 50-400M bytes No
WORKSTATIONS Maximum number connectable Recommended maximum number Keyboard style Workstation printer	— — Typewriter Opt.; 8 max.	— Type.; num. key. —	— Type.; num. key.	5 3 Typewriter, numeric Opt.; 4	27 16 Typewriter, numeric Opt.; 26
INPUT/OUTPUT DEVICES Serial printer Line printer Reel-to-reel tape drive Cassette/cartridge tape drive CRT Other	45 cps Opt.; 150 cps/300 No No Std.; 1920 char.	Std.; 165 cps Opt.; 200 lpm No No No	Std.; 110 cps No No No Std.; 24 x 80 char.	Opt.; 120 Opt.; 110 No Opt.; 6K/No Std.; 1024	Opt.; 200 Opt.; 110/600 Opt.; 20K/40K Opt.; 6K/No Std.; 2000
COMMUNICATIONS Maximum no. of lines Synchronous Asynchronous Protocols supported Network architecture supported RJE terminals emulated IBM 3270 emulation	2 Std.; to 9600 bps Std.; to 9600 bps Async, bisync No 2780/3780 Yes	No No No None —	1 No No None 	1 Opt.; 1200 to 9600 Opt.; 200 to 9600 BC-1, BSC NA NA	32 Opt.; 1200 to 19200 Opt.; 300 to 9600 BC-1, BSC NA NA
SOFTWARE SUPPORT COBOL RPG FORTRAN BASIC Assembler Other programming languages Multiprogramming Max. no. of jobs run concurrently Language complemented in firmware Op. sys. implemented in firmware General accounting packages Industry application areas Database management system File access methods supported Software separately priced Technical help separately priced	No No No Yes Yes Data Rite Yes Programmable No No Yes Dist., medical, law No Seq., keyed Yes Yes	No No No No No No Partially NA All No No NA Yes All No NA Yes	No No No No No No No Hatural English No — Partially Yes All No NA No Yes	Yes No No Yes Yes Yes 6 Fully Fully Yes Dist., pub., tracking, No Seq.; direct ISAM Application Yes Yes	Yes Yes Yes Yes Yes No PROGRESS II Yes 16 No Partially Yes Distribution Yes Seq., Dir., Rel. Application Yes Yes
LEASE/MAINTENANCE OPTIONS Lease plans available Maintenance plans available	Various On-call (AMSD)	Contact vendor	Contact vendor	Third party On-site contract	Third party On-site contract
PRICING & AVAILABILITY Purchase price of basic system, \$ Monthly rental of basic system, \$ Monthly maint. price of basic system, \$ Monthly maint. bundled with rental, \$ Purchase price of: additional memory module, \$ additional workstations, \$ additional printer, \$ Discounts available	9,200 Contact vendor 92 Yes — — — Oty., dollar vol., educ.	34,995 800 (lease) — — — — —	14,995 350 (lease) — — — — —	18,900 — 128 — 800 (8K bytes) 3000 8000 (110 lpm) NA	43,000 287 — 5,000 (128K bytes) 2,800 17,000 (600 lpm) NA
Date of first U.S. delivery Number installed to date	NA NA	April 1975 NA	September 1978 NA	February 1979 NA	November 1979 NA
COMMENTS		Unique natural lan- guage programming; no compiler or as-	Unique natural lan- guage programming; no compilers or as-	Optional 2000 character CRT available	

MANUFACTURER AND MODEL	Microdata Series 2000	Microdata Series 4000	Microdata Series 6000	Microdata Series 8000	Mini-Computer Systems MICOS 75
WORD LENGTH, BITS	16	16	16	16	16
CPU Model Add time, microseconds No. of I/O ports on basic sys. and max.	Reality 2000 1 (core), 0.8 (MOS)	Reality 4000 1 (core), 0.8 (MOS)	Reality 6000 1 (core), 0.8 (MOS)	Reality 8000 1 (core), 0.8 (MOS)	DG Nova 3/4 0.70 62 maximum
NTERNAL STORAGE Type Capacity of basic system, bytes Maximum capacity, bytes Increment size, bytes Cycle/access time, microseconds	Core and MOS 16K 64K 16K	Core and MOS 16K 64K 116K 1	Core and MOS 32K 128K 16K 1	Core and MOS 128K 512K 128K 1	MOS 64K 64K 0.70/0.35
MASS STORAGE Floppy disk (diskette) drive Maximum diskette storage Cartridge disk drive Pack disk drive Fixed-head disk/drum Maximum disk storage	No NA Std.; 10M bytes No No	No NA Std.; 20-30M bytes No Opt.; 10M bytes	No NA Std.; 50-257.4MB No Opt.; 10M bytes 514M bytes	No NA Std.; 128-257MB No Opt.; 10M bytes 514M bytes	No Std.; 10M bytes No No 10M bytes
NORKSTATIONS Maximum number connectable Recommended maximum number Keyboard style Workstation printer	1 1 Type.; num. key Optional	1 1 Type.; num. key Optional	2 std.; 32 max. — Type.; num. key Optional	2 std.; 32 max. — Type.; num. key Optional	2 2 Type.; num. key. No
NPUT/OUTPUT DEVICES Serial printer Line printer Reel-to-reel tape drive Cassette/cartridge tape drive CRT Other	Std.; 165 cps Opt.; 150-600 lpm Std.; 800 bpi No Std.; 24 x 80 char.	Std.; 165 cps Opt.; 150-600 lpm Std.; 800 bpi No Std.; 24 x 80 char.	Opt.; 165 cps Std.; 150-300 lpm Std.; 800/1600 bpi No Std.; 24 x 80 char.	Opt.; 165 cps Std.; 300-600 lpm Std.; 800/1600 bpi No Std., 24 x 80 char.	Std.; 60-180 cps Opt.; 300 lpm No No Std.; 24 x 80 char. No
COMMUNICATIONS Maximum no. of lines Synchronous Asynchronous Protocols supported Network architecture supported RJE terminals emulated IBM 3270 emulation	1 Opt.; to 9600 bps Opt.; to 9600 bps Bisync IBM 360/370 2780, HASP No	1 Opt.; to 9600 bps Opt.; to 9600 bps Bisync IBM 360/370 2780, HASP No	32 Opt.; to 9600 bps Opt.; to 9600 bps Bisync IBM 360/370 2780, HASP No	32 Opt.; to 9600 bps Opt.; to 9600 bps Bisync IBM 360/370 2780, HASP No	1 Opt.; 9600 bps Std.; to 19.2K bps IBM 2780 No IBM 2780 No
COFTWARE SUPPORT COBOL RPG FORTRAN BASIC Assembler Other programming languages Multiprogramming Max. no. of jobs run concurrently Language complemented in firmware Op. sys. implemented in firmware General accounting packages Industry application areas Database management system File access methods supported Software separately priced	No Yes No Yes Yes English, PROC Yes 1 Partially Partially Yes Whsl., mfg., dist. Yes Rand., seq., index Yes Yes	No Yes No Yes Yes Yes English, PROC Yes 1 Partially Partially Yes Whsl., mfg., dist. Yes Rand., seq., index Yes	No Yes No Yes Yes English, PROC Yes 32 Partially Partially Yes Whsl., mfg., dist. Yes Rand., seq., index Yes	No Yes No Yes Yes English, PROC Yes 32 Partially Partially Yes Whsl., mfg., dist. Yes Rand., seq., index Yes Yes	No No No Extensive No MINO Yes (2 users) 2 No No Yes Acctg., CPA, whsl., "Fact matcher" Rand., seq., index Yes (application) Yes
EASE/MAINTENANCE OPTIONS Lease plans available Maintenance plans available	Contact vendor On-call	Contact vendor On-call	Contact vendor On-call	Contact vendor On-call	Contact vendor On-site contract, third party
PRICING & AVAILABILITY Purchase price of basic system, \$ Monthly rental of basic system, \$ Monthly maint. price of basic system, \$ Monthly maint. bundled with rental, \$ Purchase price of: additional memory module, \$ additional workstations, \$ additional printer, \$ Discounts available	32,500 290 NA 3,500 (16K bytes) 2,500 5,200 (165 cps)	38,550 280 NA 3,500 (16K bytes) 2,500 5,200 (165 cps)	61,250 420 NA 3,500 (16K bytes) 2,500 11,200 (300 lpm)	84,975 580 NA 6900 2,500 15,900 (600 lpm)	26,600 350 No 2,400 2,200 (60 cps) Dollar vol., OEM
Date of first U.S. delivery Number installed to date	December 1977 Over 2,000 (all sys.)	November 1973 Over 2,000 (all sys.)	November 1973 Over 2,000 (all sys.)	October 1979 Over 2,000 (all sys.)	October 1979 Over 1,600 (all mod.)
COMMENTS	1		Multi-user, interac-	Multi-user, interac- tive system; market-	

MANUFACTURER AND MODEL	Mini-Computer Systems MICOS 100	Mini-Computer Systems MICOS 200	Mini-Computer Systems MICOS 300	Mylee Digital Sciences System 3000	NCR Century 50 and 50 Mod 1
WORD LENGTH, BITS	16	16	16	16	8
CPU Model Add time, microseconds No. of I/O ports on basic sys. and max.	DG Nova 3/4 0.70 62 maximum	DG Nova 3/12 1.0 62 maximum	Dual DG Nova 3/12 1.0 62 maximum	Mylee System 3000 125 (5 digits) 11; 19	NCR 615-910 59 (5 digits) 6; 7
INTERNAL STORAGE Type Capacity of basic system, bytes Maximum capacity, bytes Increment size, bytes Cycle/access time, microseconds	MOS 64K 64K 0.70/0.35	MOS 64K 256K 64K 1.0/0.5	MOS 192K 320K 64K 1.0/0.5	MOS 88K 286K 96K 0.8/0.4	Thin film 16K 32K 16K 0.800/—
MASS STORAGE Floppy disk (diskette) drive Maximum diskette storage Cartridge disk drive Pack disk drive Fixed-head disk/drum Maximum disk storage	No Std.; 10M bytes No No 32M bytes	No — Std.; 10M bytes Opt.; 80M bytes No 144M bytes	No No Std.; 80M bytes No 300M bytes	Optional 4 drives; 64M bytes Std.; 16M bytes Optional No	No No Std.; 16M bytes No
WORKSTATIONS Maximum number connectable Recommended maximum number Keyboard style Workstation printer	8 4 Type.; num. key No	32 12 Type.; num. key No	32 24 Type.; num. key No	16 16 Type.; num. key 1 std.; 7 opt.	_ _ _ _
INPUT/OUTPUT DEVICES Serial printer Line printer Reel-to-reel tape drive Cassette/cartridge tape drive CRT Other	Std.; 60 cps Opt.; 300 lpm No No Std.; 24 x 80 char. Opt. serial printer	Std.; 60 cps Opt.; 300-600 lpm No No Std.; 24 x 80 char. Opt. serial printer	Opt.; 60-180 cps Opt.; 300-600 lpm Opt.; 36-120KBS No Std.; 24 x 80 char.	Std.; 165 cpm Opt.; 300 lpm No No Std.; 332-1920 char. No	Opt.; 6 cps Std.; 125-900 lpm Opt.; 10-80KBS Opt.; 750 cps/No Opt.; 24 x 80 char.
COMMUNICATIONS Maximum no. of lines Synchronous Asynchronous Protocols supported Network architecture supported RJE terminals emulated IBM 3270 emulation	O No Std.; to 19.2K bps MTAM/Async No	1 Opt.; 9600 bps Std.; to 19.2K bps Bisync No IBM 2780 No	O Opt.; 9600 bps Std.; to 19.2k bps Bisync No IBM 2780 No	16 Opt.; to 9600 bps Opt.; to 1200 bps Bisync — IBM 2780/3780 No	16 Opt.; to 9600 bps Opt.; to 9600 bps Bisync —
SOFTWARE SUPPORT COBOL RPG FORTRAN BASIC Assembler Other programming languages Multiprogramming Max. no. of jobs run concurrently Language complemented in firmware Op. sys. implemented in firmware General accounting packages Industry application areas Database management system File access methods supported Software separately priced Technical help separately priced	No No No Extensive No MINQ Yes (8 users) 4 No No Yes Various "Fact matcher" Rand., seq., index Yes (application) Yes	No No No Extensive No MINO Yes (12 users) 12 No Opt.; partially Yes Various "Fact matcher" Rand., seq., index Yes (application) Yes	No No No Extensive No MINO Yes (24 users) 24 No Std.; partially Yes Various "Fact matcher" Rand., seq., index Yes (applications) Yes	No No No No No ACE Yes; 12 partitions — Partially Partially Yes Distribution Yes Index sequential Some No	16 Yes RPG II No Yes No NEAT/3 No No No Susiness No Rand., seq., index sec Yes
LEASE/MAINTENANCE OPTIONS Lease plans available Maintenance plans available	Contact vendor On-site contract, third party	Contact vendor On-site contract, third party	Contact vendor On-site contract, third party	Purchase only On-call	
PRICING & AVAILABILITY Purchase price of basic system, \$ Monthly rental of basic system, \$ Monthly maint. price of basic system, \$ Monthly maint. bundled with rental, \$ Purchase price of: additional memory module, \$ additional workstations, \$ additional printer, \$ Discounts available	33,100 350 No 2,400 3,200 (120 cps) Dollar vol., OEM	39,800 — 360 No 5,400 (64K bytes) 2,400 5,200 (180 cps) Dollar vol., OEM	136,000 1,090 No 5,400 (64K bytes) 1,400 9,400 (300 lpm) Dollar vol., OEM	28,995 Purchase only 9% No 2,000 (32K bytes) 2,950 Various models	32,000 1,075
Date of first U.S. delivery Number installed to date	1977 Over 1,600 (all mod.)	February 1973 Over 1,600 (all mod.)	November 1979 Over 1,600 (all mod.)	May 1976 175	December 1970 NA
COMMENTS	Formerly "MICOS II"	Formerly "MICOS"	Price includes six CRTS, 160 mega bytes, and a 300 lpm printer	Total turnkey system from design to in-	Century 50 and 50 Mod 1 are no longer manuf.

MANUFACTURER AND MODEL	NCR Century 75	NCR Century 100	NCR Century 101	NCR Century 151	NCR 499
WORD LENGTH, BITS	8	8	8	8	16
CPU Model Add time, microseconds No. of I/O ports on basic sys. and max.	NCR 615-950 28.8 (5 digits) 2; 2	NCR 615-910 50 (5 digits) 6; 7	NCR 615-952 25.2 (5 digits) 5; 32	NCR 615-955 15.8 (5 digits) 5; 32	NCR 605 1700 (5 digits) 4; 15
INTERNAL STORAGE Type Capacity of basic system, bytes Maximum capacity, bytes Increment size, bytes Cycle/access time, microseconds	Core 16K 64K 8K, 16K 1.2/0.600	Thin film 16K 32K 16K 0.800/	Core 16K 128K 8K, 16K, 32K 1.2/0.600	MOS 32K 131K 16K, 32K 0.75/—	Core 12K 32K 2K, 4K 1.2/0.650
MASS STORAGE Floppy disk (diskette) drive Maximum diskette storage Cartridge disk drive Pack disk drive Fixed-head disk/drum Maximum disk storage	No No Std.; 9.98M bytes No	No NO Std.; 16M bytes No	No — Std.; 19.6M bytes Opt.; 380M bytes No —	No Std.; 19.6M bytes Opt.; 380M bytes No —	No — Opt.; 9.8M bytes No No —
WORKSTATIONS Maximum number connectable Recommended maximum number Keyboard style Workstation printer	 Type.; num. key 		Type.; num. key	 Type.; num. key 	Type.; num. key
INPUT/OUTPUT DEVICES Serial printer Line printer Reel-to-reel tape drive Cassette/cartridge tape drive CRT Other	No Std.; 200-450 lpm No Opt.; 750 cps/No Opt.; 24 x 80 char.	Opt.; 6 cps Std.; 450-1500 lpm Opt.; 10-40KBS Opt.; 750 cps/No Opt.; 24 x 80 char.	Opt.; 6 cps Std.; 300-3500 lpm Opt.; 40-320KBS Opt.; 750 cps/No Opt.; 24 x 80 char.	Std.; 6 cps Opt.; 300-3500 lpm Opt.; 40-320KBS Opt.; 750 cps/No Opt.; 24 x 80 char.	Std.; 75 to 130 cps Opt.; 55-300 lpm No Std.; 750 cps./No Std.; 24 x 80 char.
COMMUNICATIONS Maximum no. of lines Synchronous Asynchronous Protocols supported Network architecture supported RJE terminals emulated IBM 3270 emulation	10 Opt.; to 4800 bps Opt.; to 9600 bps Bisync	16 Opt.; to 9600 bps Opt.; to 9600 bps Bisync	255 Opt.; to 9600 bps Opt.; to 9600 bps Bisync	255 Opt.; to 9600 bps Opt.; to 9600 bps Bisync —	2 Opt.; to 9600 bps Opt.; to 1800 bps Bisync —
SOFTWARE SUPPORT COBOL RPG FORTRAN BASIC Assembler Other programming languages Multiprogramming Max. no. of jobs run concurrently Language complemented in firmware Op. sys. implemented in firmware General accounting packages Industry application areas Database management system File access methods supported Software separately priced Technical help separately priced	Yes Yes Yes Yes Yes Yes NEAT/3 No — No No No No Syes All bus. applic. Yes Rand., seq., ISAM Yes Some	Yes RPG II No Yes No NEAT/3 No — No No No No No Rand., seq., ISAM Yes Yes	Yes RPG II FORTRAN IV Yes Yes Yes, 9 partitions No No No No Yes All bus. applic. TOTAL Rand., seq. ISAM Yes Yes	Yes RPG II FORTRAN IV Yes Yes NEAT/3 Yes; 9 partitions No No No No Yes All bus. applic. TOTAL Rand., seq., ISAM Yes Yes	No An No No No No No No No Yes All business acctg. No Random, sequential Yes Yes
LEASE/MAINTENANCE OPTIONS Lease plans available Maintenance plans available	_		 	_	_
PRICING & AVAILABILITY Purchase price of basic system, \$ Monthly rental of basic system, \$ Monthly maint. price of basic system, \$ Monthly maint. bundled with rental, \$ Purchase price of: additional memory module, \$ additional workstations, \$ additional printer, \$ Discounts available	56,850 1,650 — — — — —	40,000 1,600 — — — — —	69,520 2,005 	120,325 2,975 — — — — — —	17,900 Purchase only — — — — —
Date of first U.S. delivery Number installed to date	May 1976 NA	March 1963 NA	August 1972 Over 1,200	February 1975 NA	February 1976 NA
COMMENTS		Century 100 is no longer manufactured			

MANUFACTURER AND MODEL	NCR 8130	NCR 8150	NCR 8230	NCR 8250	Nixdorf 8870
WORD LENGTH, BITS	16	16	16	16	16
CPU Model Add time, microseconds No. of I/O ports on basic sys. and max.	CCM II 2.0 (5 digits) 32	CCM II 2.0 (5 digits) 32	NCR 6080 2.4 (8 digits) 8	NCR 6080 2.4 (8 digits) 8	DEC D-116 H 1.0 (1 word) 17
INTERNAL STORAGE Type Capacity of basic system, bytes Maximum capacity, bytes Increment size, bytes Cycle/access time, microseconds	MOS 48K 64K 16K 0.600/0.620	MOS 48K 256K 16K, 32K 0.800/0.620	MOS 64K 96K 16K 0.8/NA	MOS 48K 128K 16K 0.8/NA	Core 64K 128K 32K 0.96/0.96
MASS STORAGE Floppy disk (diskette) drive Maximum diskette storage Cartridge disk drive Pack disk drive Fixed-head disk/drum Maximum disk storage	Std.; 300K bytes No No No No No	— No 40M bytes No	Opt.; 250K bytes 1M bytes Std.; 1-4M bytes No No	Opt. 250K bytes 1M byte Std.; 1-8M bytes No No	No NA Std.; 40M bytes No No
WORKSTATIONS Maximum number connectable Recommended maximum number Keyboard style Workstation printer	 	 - - - -	 	_ 	14 (remote) — Type.; num. key Optional
INPUT/OUTPUT DEVICES Serial printer Line printer Reel-to-reel tape drive Cassette/cartridge tape drive CRT Other	Std.; 130 cps Opt.; 200 lpm No Opt.; 750 cps/No Std.; 24 x 80 char.	Std.; 130 cps Opt.; 200 lpm No Cart.; 600 cps Std.; 16 x 32 char.	Opt.; 50 lpm Opt.; 125-600 lpm Opt.; 10/20KBS Std.; 750 cps/No Std.; 24 x 80 char. Opt. card reader	Opt.; 50 lpm Opt. 125-600 lpm Opt.; 10/20KBS Std.; 750 cps/No Std.; 24 x 80 char. Opt. card reader	Std.; 165 cps Opt.; 300 lpm No No Std.; 27 x 74 char.
COMMUNICATIONS Maximum no. of lines Synchronous Asynchronous Protocols supported Network architecture supported RJE terminals emulated IBM 3270 emulation	1 Opt.; to 9600 bps NA Bisync, SDLC	1 Opt.; to 9600 bps Std.; 2400 bps Bisync, async	5 Opt.; to 9600 bps Std.; 2400 bps Bisync, async	24 Opt.; to 9600 bps Std.; 2400 bps Bisync, async	8 No Std.; to 1200 bps Async
SOFTWARE SUPPORT COBOL RPG FORTRAN BASIC Assembler Other programming languages Multiprogramming Max. no. of jobs run concurrently Language complemented in firmware Op. sys. implemented in firmware General accounting packages Industry application areas Database management system File access methods supported Software separately priced Technical help separately priced	Yes No No Yes No No Yes — No No No No Seg., ISAM Yes Yes	Yes No No No Yes No Yes Whsl. dist., med., No Seq., ISAM Yes Yes	Yes No No No Yes No No Yes Whsl. dist., med., No Seq., ISAM Yes Yes	Yes No No No Yes No No Yes Whsl. dist., med., No Seq., ISAM Yes Yes	No No No Yes No None Yes No No No Yes; APL, GL, pay. Dist., med., gov't. No Rand., seq., index Yes
LEASE/MAINTENANCE OPTIONS Lease plans available Maintenance plans available	=	 	_	_	60, 72-month Contact vendor
PRICING & AVAILABILITY Purchase price of basic system, \$ Monthly rental of basic system, \$ Monthly maint. price of basic system, \$ Monthly maint. bundled with rental, \$ Purchase price of: additional memory module, \$ additional workstations, \$ additional printer, \$ Discounts available	10,700 510 — — — — —	18,300 759 — — — — —	32,420 859 163 — 1,000 (16K bytes) —	34,420 889 163 —- 1,000 (16K bytes) — —	29,500 — 250 — 1,950 (32K bytes) 2,950 7,750 (165 cps)
Date of first U.S. delivery Number installed to date	March 1978 NA	March 1978 NA	August 1977 NA	March 1977 NA	1975 NA
COMMENTS		Optional 7500 cps cassette			Turnkey system that includes NIDAS distribution account- ing system, mortgage closing, and client accounting

MANUFACTURER AND MODEL	Northern Telecom Systems Corp. 405	Northern Telecom Systems Corp. 410	Northern Telecom Systems Corp. 440	Northern Telecom Systems Corp. 445	Northrop Data Systems BDS 500 Series
WORD LENGTH, BITS	8	8	8	8	Variable, 8-32
CPU Model Add time, microseconds No. of I/O ports on basic sys. and max.	NTSC-405 5.5 8	NTSC-410 5.5 10	NTSC-440 5.5 17	NTSC-445 5.5 28	Microdata 1600 9.68 (7 digits) 1 or 2
INTERNAL STORAGE Type Capacity of basic system, bytes Maximum capacity, bytes Increment size, bytes Cycle/access time, microseconds	MOS 48K 64K 16K 0.25/0.25	MOS 40K 64K 8K 0.50/0.25	MOS 24K 64K 8K 0.50/0.25	MOS 64K 256K 32K 0.25/0.25	Core 64K 128K 32K 0.96/0.96
MASS STORAGE Floppy disk (diskette) drive Maximum diskette storage Cartridge disk drive Pack disk drive Fixed-head disk/drum Maximum disk storage	Std.; 5M bytes 4 drives; 1M byte No No No	Optional 256K bytes No No Std.: to 5M bytes 5M bytes	Optional 256K bytes No No Std.; to 20M bytes 20M bytes	Opt.; 256K bytes 2 drives; .5M bytes No Opt.; 4-74.5M bytes Opt.; 5, 10, 20M bytes	No NA Std.; 5MB No No 10MB
WORKSTATIONS Maximum number connectable Recommended maximum number Keyboard style Workstation printer	2 2 Type; num. key No	1 1 Type.; num. key. No	8 4 Type.; num. key. No	8 8 Type.; num. key. No	2 2 Type., num. pad Optional; 2
INPUT/OUTPUT DEVICES Serial printer Line printer Reel-to-reel tape drive Cassette/cartridge tape drive CRT Other	Opt.; to 180 cps Opt.; 300 or 600 lpm Opt.; 10,000 cps No Std.; 24 x 80 char.	Std.; to 180 cps Opt.; 300 lpm Opt.; 10,000 cps Std.; 1,000 cps Std.; 576 char.	Opt.; to 180 cps Opt.; to 300 lpm Opt.; 10,000 cps Std.; 1,000 cps Std.; 576 char. Opt.	Opt.; to 180 cps Opt.; 300 to 600 lpm Opt.; 10,000 cps Opt.; 1,000 cps Std.; 24 x 80 char. Opt.	Opt.; 100 cps Std.; 150 lpm Opt.; 20KBS No Std.; 24 x 80 char.
COMMUNICATIONS Maximum no. of lines Synchronous Asynchronous Protocols supported Network architecture supported RJE terminals emulated IBM 3270 emulation	2 Opt.; to 9600 bps Opt.; to 1200 bps Async, bisync, SDLC IBM SNA 3270 Yes	2 Std.; to 9600 bps Opt.; to 1200 bps Async, bisync, SDLC — UT200, TC 3800 No	2 Opt.; to 9600 bps Opt.; to 1200 bps Async, bisync, SDLC — UT200, TC 3800 No	3 Opt.; to 9600 bps Opt.; to 1200 bps Async, bisync, SDLC IBM SNA UT200, TC 3800 Yes	2 No Std.; to 1200 bps None — —
SOFTWARE SUPPORT COBOL RPG FORTRAN BASIC Assembler Other programming languages Multiprogramming Max. no. of jobs run concurrently Language complemented in firmware Op. sys. implemented in firmware General accounting packages Industry application areas Database management system File access methods supported Software separately priced Technical help separately priced	Yes No No Yes No TAL 2000 Yes; 3 partitions 3 No No No No Seq, indexed, realtive Yes; applications only No		Yes Industrial No	Yes Industrial Yes (1980) Seq., indexed, ISAM	No No No No No Yes None Yes; 3 partitions — Partially Partially Yes Mfg; health care Yes Rand; seq.; index Yes Yes
LEASE/MAINTENANCE OPTIONS Lease plans available Maintenance plans available	3 months; 1, 3, 4 yrs. On-call	1, 3, 4 yrs. On-call	3 months; 1, 3, 4 yrs. On-call	3 months; 1, 3, 4 yrs. On-call	 On-site
PRICING & AVAILABILITY Purchase price of basic system, \$ Monthly rental of basic system, \$ Monthly maint. price of basic system, \$ Monthly maint. bundled with rental, \$ Purchase price of:	6,150 234 64 No	23,960 546 144 No	21,240 528 135 No	20,680 517 200 No	29,500 Purchase only 250
additional memory module, \$ additional workstations, \$ additional printer, \$ Discounts available	800 (16K) 2,400 22,340 (600 lpm) Quantity	1,160 (8K) None 19,000 (300 lpm) Quantity	1,160 (8K) 1,440 19,000 (300 lpm) Quantity	2,000 (32K) 2,160 22,340 (600 lpm) Quantity	
Date of first U.S. delivery Number installed to date	August 1978 NA	May 1976 NA	May 1976 NA	May 1978 NA	1977 Over 200 (all models)
COMMENTS	For entry level and small DDP	Designed for trans- action proc. in dis- tributed or stand- alone environments; industry application software packages are available through distributors	Designed for trans- action processing in distributed or stand- alone environments; industry application software packages are avail. through distributors	Six remote work stations on-line con- currently; unlimited in timesharing	

MANUFACTURER AND MODEL	Northrop Data Systems BDS 1000 Series	Northrop Data Systems BDS 2000 Series	Northrop Data Systems BDS 4000 Series	Olivetti BCS 2030 MDLL	Olivetti BSC 2030 FDU
WORD LENGTH, BITS	Variable, 8-32	Variable, 8-32	16	8-bit byte	8-bit byte
СРИ	1000		4000		
Model Add time, microseconds No. of I/O ports on basic sys. and max.	Microdata 1600 9.68 (7 digits) 4	Microdata 1600 9.68 (7 digits) 8	Microdata 1600 5 2, 8	Intel 8080 6 4; 4	Intel 8080 6 4; 4
INTERNAL STORAGE					
Type Capacity of basic system, bytes	Core 24K	Core 24K	MOS 64K	MOS 4K	MOS 4K
Maximum capacity, bytes	32K	32K	512K	16K	16K
Increment size, bytes Cycle/access time, microseconds	1.0/NA	1.0/NA	32K 1/NA	1/2.3	4K 1/2.3
MASS STORAGE					
Floppy disk (diskette) drive Maximum diskette storage	No NA	No NA	No NA	Std.; 8K bytes	Standard
Cartridge disk drive	Std.; 10MB	Std.; 20MB	Std.; 20MB	No	No
Pack disk drive Fixed-head disk/drum	No No	No No		No No	No No
Maximum disk storage	10МВ	40MB	500MB	- -	_
WORKSTATIONS					
Maximum number connectable Recommended maximum number	14	8	32 32]	1
Keyboard style	Type.; num. pad.	Type.; num. pad.	Type.; num. pad.	Typewriter	Typewriter
Workstation printer	Optional; 4	Optional; 8	Optional; 32	Standard	Standard
INPUT/OUTPUT DEVICES Serial printer	Opt.; 100 cps	Opt.; 100 cps	Opt.; 100 cps	Std.; 100 cps	Std.; 100 cps
Line printer	Std.; 150 lpm	Std.; 150 lpm	Std.; 150 lpm	Opt.; 200 cps	Opt., 200 cps
Reel-to-reel tape drive Cassette/cartridge tape drive	Opt.; 20KBS	Opt.; 20KBS No	Std.; 20KBS	No Opt. cast.; 1000 cps	No Opt. cast.; 1000 cps
CRT Other	Std.; 24 x 80 char.	Std.; 24 x 80 char.	Std.; 24 x 80 char.	Standard No	Standard No
		_	_		
COMMUNICATIONS Maximum no. of lines	4	3	32	1	1
Synchronous Asynchronous	No Std.; to 1200 bps	No Std.;; to 1200 bps	Opt.; to 9,600 bps Opt.; to 9,000 bps	Standard No	Standard No
Protocols supported	None	None	Bisync	Bisync	Bisync
Network architecture supported RJE terminals emulated		_	IBM 2780	None IBM 2780	None IBM 2780
IBM 3270 emulation		_	No	No	No
SOFTWARE SUPPORT	ĺ				
COBOL RPG	No No	No No	No Yes	No No	No No
FORTRAN BASIC	No No	No No	No Yes	No Yes	No Yes
Assembler	Yes	Yes	Yes	Yes	
Other programming languages Multiprogramming	None Yes; 3 partitions	None Yes; 3 partitions	English Rpt. Writer Yes	No No	No No
Max. no. of jobs run concurrently	<u> </u>		 —	[1	[1
Language complemented in firmware Op. sys. implemented in firmware	Partially Partially	Partially Partially	Partially Partially	Fully Fully	Fully Partially
General accounting packages Industry application areas	Yes	Yes Mfg.; health care	Yes Mfg., health care	Yes Business	Yes
Database management system	Mfg.; health care	No	Yes	No	Whsl., dist., bus.
File access methods supported Software separately priced	Rand.; seq.; index Yes	Rand.; seq.; index Yes	Rand.; seq. Yes	Rand., seq. Yes	Rand., seq., index Yes
Technical help separately priced	Yes	Yes	Yes	Yes	Yes
LEASE/MAINTENANCE OPTIONS		}			
Lease plans available Maintenance plans available	On-site	On-site	On-site	Up to 5 years Contact vendor	Up to 5 years Contact vendor
PRICING & AVAILABILITY		,			
Purchase price of basic system, \$	34,920	40,385	52,295	9,095	14,950
Monthly rental of basic system, \$ Monthly maint, price of basic system, \$	Purchase only 283	Purchase only 372	Purchase only	Leases available	Leases available
Monthly maint, bundled with rental, \$ Purchase price of:	<u> </u>		_	_	-
additional memory module, \$	-	_		650 (4K bytes)	650 (4K bytes)
additional workstations, \$ additional printer, \$	2,995 2,500 (100 cps)	2,995 2,500 (100 cps)	2,995 2,500 (100 cps)	Contact vendor	Contact vendor
Discounts available			-	None	None
Date of first U.S. delivery	1972	1973	1979	January 1979	January 1979
Number installed to date	Over 200 (all mod.)	Over 200 (all mod.)	Over 200 (all mod.)	NA	NA
COMMENTS					
				Ì	
					}
	1		1	ı	i.

MANUFACTURER AND MODEL	Olivetti BCS 3030	Olivetti P6060	PolyMorphic Systems 8813	PolyMorphic Systems 8810	Prime 450
WORD LENGTH, BITS	8-bit byte	8-bit byte	8	8	16; 32
CPU Model Add time, microseconds No. of I/O ports on basic sys. and max.	Olivetti 3001 —	Olivetti 6601, 6602	Intel, NEC; 8080A 12,256	Intel, NEC; 8080A 12,256	Prime 450 1.1 64
INTERNAL STORAGE Type Capacity of basic system, bytes Maximum capacity, bytes Increment size, bytes Cycle/access time, microseconds	MOS 40K 56K 8K	MOS 16K 48K 8K	MOS 64K 56K 8K, 16K, 48K	MOS: 64K 56K 8K, 16K, 48K	MOS 256K 1024K 256K, 512K .750
MASS STORAGE Floppy disk (diskette) drive Maximum diskette storage Cartridge disk drive Pack disk drive Fixed-head disk/drum Maximum disk storage	Std.; 1.024M bytes Opt.; 20M bytes No No 20M bytes	Std.; 1.024M bytes Opt.; 20M bytes No No 20M bytes	390K bytes None Opt.; 20M bytes NA 20M bytes	390K bytes None Opt.; 20M bytes NA 20M bytes	Optional 2M bytes Std.; 32-768MB Opt.; to 2400MB Opt.; to 1M byte
WORKSTATIONS Maximum number connectable Recommended maximum number Keyboard style Workstation printer	1 1 Typewriter Optional	1 1 Typewriter Optional	2 2 Type.; num. key. Optional	1 1 Type.; num. key. Optional	32 32 Typewriter Optional
INPUT/OUTPUT DEVICES Serial printer Line printer Reel-to-reel tape drive Cassette/cartridge tape drive CRT Other	Opt.; 90-175 cps Opt.; 300-600 lpm Optional Cassette; 1000 cps Std.; 24 x 80 char. Opt. paper tape	Opt.; 80-175 cps Optional Optional Cassette; 1000 cps Std.; 24 x 80 char. Opt. paper tape	Opt.; 110-9600 bps NA NA Opt./NA Std.; 64 x 16 char.	Opt.; 110-9600 bps NA NA Opt./NA Std.; 64 x 16 char.	Opt.; 300 lpm Opt.; 1000 lpm Opt.; 800, 1600 API No Opt.; 24 x 80 char. Opt.
COMMUNICATIONS Maximum no. of lines Synchronous Asynchronous Protocols supported Network architecture supported RJE terminals emulated IBM 3270 emulation	1 Opt.; to 9600 bps Opt.; to 1200 bps Bisync None None	4 No Opt.; to 19,200 bps None None None No	1 Standard Standard — POLYNET No No	1 Standard Standard — POLYNET No No	32 Std.; 56KBS Std.; 9600 bps Bisync PRIMENET, X.25 HASP, 2780/3780 Yes
SOFTWARE SUPPORT COBOL RPG FORTRAN BASIC Assembler Other programming languages Multiprogramming Max. no. of jobs run concurrently Language complemented in firmware Op. sys. implemented in firmware General accounting packages Industry application areas Database management system File access methods supported Software separately priced	No Yes No No Yes Yes Yes (2 partitions) 1 No No Yes Whisl., dist., utilities — Yes Yes Yes	No No No Yes No No No No No Yes Printers, cost, finan. No Rand., seq. Yes Yes	No No Yes Yes Yes Yes PASCAL No 2 Partially Partially Yes All Yes Some Yes	No No Yes Yes Yes PASCAL No 1 Partially Partially Yes All Some Yes	Yes Yes Yes Yes Yes Yes Yes PL/1, FORMS, MIDAS Yes, 31 partitions 32 Partially Partially No Graph., stats. Yes Rand., seq., index Yes Yes
LEASE/MAINTENANCE OPTIONS Lease plans available Maintenance plans available	Up to 5 years Contact vendor	Up to 5 years Contact vendor	No Factory Ret., third party	No Factory Ret., third party	5-year On-site, on-call
PRICING & AVAILABILITY Purchase price of basic system, \$ Monthly rental of basic system, \$ Monthly maint. price of basic system, \$ Monthly maint. bundled with rental, \$ Purchase price of: additional memory module, \$ additional workstations, \$ additional printer, \$ Discounts available	11,000 Leases available 56 No 900 (8K bytes) — Contact vendor None	6,600 Leases available 44 No 900 (8K bytes) — Contact vendor None	6,750 (approx.) No	6750 (approx.) No No Quantity	73,000 (450 HMB)
Date of first U.S. delivery Number installed to date	March 1978 NA	January 1977 NA	1977 1500	1977 1500	First qtr. 1979 77
COMMENTS					

MANUFACTURER AND MODEL	Prime 550	Prime 650	Prime 750	Programmed Control Corp. Prophet 21 Model 1	Programmed Control Corp. Prophet 21 Model 2
WORD LENGTH, BITS	16; 32	16; 32	16; 32	16	16
CPU Model Add time, microseconds No. of I/O ports on basic sys. and max.	Prime 550 61 64	Prime 650 1.1 64	Prime 750 .5 64	TI 960B 3.6 (word) 1; 22	TI 990/10 2.8 (word) 1; 128
INTERNAL STORAGE Type Capacity of basic system, bytes Maximum capacity, bytes Increment size, bytes Cycle/access time, microseconds	MOS 512K 2048K 256K, 512K, 1M .750	MOS 512K 4096K 256K, 512K, 1M .750	MOS 512K 8192K 512K, 1M .750	MOS 32K 128K 8K 0.7	MOS 32K 2048K 8K 0.7
MASS STORAGE Floppy disk (diskette) drive Maximum diskette storage Cartridge disk drive Pack disk drive Fixed-head disk/drum Maximum disk storage	Opt.; 2M bytes 2.4M bytes Opt.; to 768M bytes Opt.; to 2400M bytes Opt.; to 2M bytes	Opt.; 2M bytes 2.4M bytes Opt.; to 768M bytes Opt.; to 2400M bytes Opt.; to 2M bytes	Opt.; 2M bytes 2.4M bytes Opt.; to 768M bytes Opt.; to 2400M bytes Opt.; to 2M bytes	No — Std.; 5M bytes No No 16 units; 40MB	No — Std.; ; No No 16 units; 1600MB
WORKSTATIONS Maximum number connectable Recommended maximum number Keyboard style Workstation printer	63 63 Typewriter Optional	63 63 Typewriter Optional	63 63 Typewriter Optional	22 22 Type., num. key. Optional	64 64 Type., num. key. Optional
INPUT/OUTPUT DEVICES Serial printer Line printer Reel-to-reel tape drive Cassette/cartridge tape drive CRT Other	Opt.; 300 lpm Opt.; 1000 lpm Opt.; 800, 1600 bpi No Opt.; 24 x 80 char. Opt.	Opt.; 300 lpm Opt.; 1000 lpm Opt.; 800, 1600 bpi No Opt.; 24 x 80 char. Opt.	Opt.; 300 lpm Opt.; 1000 lpm Opt.; 800, 1600 bpi No Opt.; 24 x 80 char. Opt.	Std.; 30 cps Opt.; 250 lpm No No Std.; 24 x 80 char. No	Opt.; 165 cps Opt.; 250 lpm No No Std.; 24 x 80 char. No
COMMUNICATIONS Maximum no. of lines Synchronous Asynchronous Protocols supported Network architecture supported RJE terminals emulated IBM 3270 emulation	63 Std.; 56KBS Std.; 9600 bps Async, bisync PRIMENET X.25 HASP, 2780/3780 Yes	63 Std.; 56KBS Std.; 9600 bps Async, bisync PRIMENET X.25 HASP, 2780/3780 Yes	63 Std.; 56KBS Std.; 9600 bps Async, bisync PRIMENET X.25 HASP, 2780/3780 Yes	No Opt.; to 1200 bps Prophet 21 No No	Yes Opt.; to 9600 bps Prophet 21 No
SOFTWARE SUPPORT COBOL RPG FORTRAN BASIC Assembler Other programming languages Multiprogramming Max. no. of jobs run concurrently Language complemented in firmware Op. sys. implemented in firmware General accounting packages Industry application areas Database management system File access methods supported Software separately priced Technical help separately priced	Yes Yes Yes Yes Yes Yes PL/1, FORMS, MID. Yes; 63 partitions 63 Partially Partially No Graph., stats. Yes Rand., seq., index Yes Yes	Yes Yes Yes Yes Yes Yes Yes Solutions Yes; Yes Fartially Partially No Graph., stats Yes Rand., seq., index Yes Yes	Yes Yes Yes Yes Yes Yes Yes So Yes Yes Yes A Yes	No No No No No No Prophet 21 Yes; 22 partitions 22 No No No Yes Dist., whsl. Yes Rand., seq., index No No	No No No No No Prophet 21 Yes; 128 partitions 64 No No Yes Dist., whsl. Yes Rand., seq., index No No
LEASE/MAINTENANCE OPTIONS Lease plans available Maintenance plans available	5-year On-site, on-call	5-year On-site, on-call	5-year On-site, on-call	NA NA	NA NA
PRICING & AVAILABILITY Purchase price of basic system, \$ Monthly rental of basic system, \$ Monthly maint. price of basic system, \$ Monthly maint. bundled with rental, \$ Purchase price of: additional memory module, \$ additional workstations, \$ additional printer, \$ Discounts available	80,000 (550 HMB) 	105,000 (650 HMB) 	149,000 (750-1MB) 785 Yes (lease) 40,000 (1M byte) 28,000 (1000 ipm) Volume	37,500 Purchase only 190 No — 4,500 6,250 (180 cps)	59,000 Purchase only 395 No 5,250 7,000 (180 cps)
Date of first U.S. delivery Number installed to date	First qtr. 1979 201	First qtr. 1979 11	Third qtr. 1979 55	1972 40	July 1977 25
COMMENTS				Turnkey system is marketed nation- wide and in Canada	

MANUFACTURER AND MODEL	Programmed Control Corp. Prophet 21 Model 2 Ext.	Q1 Corporation Microlite	Q1 Corporation Q1/LITE	Q1 Corporation Q1/LMC	Qantel 210
WORD LENGTH, BITS	16	8-bit byte	8-bit byte	8-bit byte	8
CPU Model Add time, microseconds No. of I/O ports on basic sys. and max.	TI 990/10 2.8 (word) 1; 128	8800 64; 256	8800 64; 256	8080 2 11; 32	Qantel micro CPU 6
INTERNAL STORAGE Type Capacity of basic system, bytes Maximum capacity, bytes Increment size, bytes Cycle/access time, microseconds	MOS 32K 2048K 8K 0.7	MOS 16K; 6K ROM 64K 16K 0.35/0.25	MOS 16K; 6K ROM 64K 16K 0.35/0.25	MOS 8K 64K 8, 16K 0.5/0.3	MOS 48K 64K 16K 1.5/1.5
MASS STORAGE Floppy disk (diskette) drive Maximum diskette storage Cartridge disk drive Pack disk drive Fixed-head disk/drum Maximum disk storage	No Std.; 400M bytes No No 16 units; 3000MB	Std.; 400K bytes No Opt.; 54M bytes Opt.; bubble memory 2/800K bytes	Std.; 500K bytes No Opt.; 54M bytes Opt.; bubble memory 4/4M bytes	Std.; 250K bytes Opt.; 24M bytes No No 4/1M bytes	Standard 5.2M bytes No No No NA
WORKSTATIONS Maximum number connectable Recommended maximum number Keyboard style Workstation printer	64 64 Type.; num. key. Optional	16 16 Type.; data entry, key. Optional	16 16 Type.; data en., key. Standard	4 4 Type.; data en., key. Standard	1 1 Type.; num. key. Optional
INPUT/OUTPUT DEVICES Serial printer Line printer Reel-to-reel tape drive Cassette/cartridge tape drive CRT Other	Opt.; 180 cps Opt.; 300-900 lpm No No Std.; 24 x 80 char. No	Opt.; 45-200 cps Opt.; 300 lpm Optional No Std.; 12 x 40 char. Plotter, MICR/OCR	Std.; 45-200 cps Opt.; 300 lpm Optional No Std.; 12 x 40 char. Plotter, MICR/OCR	Std.; 42-200 cps Opt.; 300 lpm No No Std.; 8 x 37 char. Plotter, MICR/ OCR	Opt.; 45-120 cps Opt.; 300 lpm No No Std.; 1728 char. No
COMMUNICATIONS Maximum no. of lines Synchronous Asynchronous Protocols supported Network architecture supported RJE terminals emulated IBM 3270 emulation	Yes Opt.; to 9600 bps Prophet 21 No No	units, light pen 16 Std.; to 4800 bps Std.; to 1200 bps Bisync No 2780 No	units, light pen 16 Std.; to 4800 bps Std.; to 1200 bps Bisync No 2780 No	unit, light pen 8 Opt.; to 2400 bps Opt.; to 9600 bps Bisync No 2780 No	1 Opt.; to 50K bps Opt.; to 38,400 bps Bisync —
SOFTWARE SUPPORT COBOL RPG FORTRAN BASIC Assembler Other programming languages Multiprogramming Max. no. of jobs run concurrently Language complemented in firmware Op. sys. implemented in firmware General accounting packages Industry application areas Database management system File access methods supported Software separately priced Technical help separately priced	No No No No No No Prophet 21 Yes (128 partitions) 64 No No Pos Dist., whsl. Yes Rand., seq., index No No	No No No No Pes PL/1 Multiprocessing — Partially Fully Yes Acctg.; word proc. — Rand., seq., KSAM Yes No	No No No No Pes PL/1 Multiprocessing — Partially Fully Yes Acctg.; word proc. Rand., seq., KSAM Yes No	No No No No Pes PL/1 Multiprocessing — artially Fully Yes Acctg.; word proc. Yes Rand., seq., KSAM No No	No No No QIC BASIC Yes No Yes; 5 partitions 2 Partially Partially Yes Whsl., med., CPA No Rand., seq., index Some Yes
LEASE/MAINTENANCE OPTIONS Lease plans available Maintenance plans available	NA NA	Purchase only On-call	Purchase only On-call	Purchase only On-call	
Monthly rental of basic system, \$ Monthly maint. price of basic system, \$	97,500 Purchase only 495 No	7,625 Purchase only 12% per year NA	21,000 Purchase only 10% per year NA	17,950 Purchase only 10% per year NA	11,950 275 (1-mo. lease) 90
additional memory module, \$ additional workstations, \$ additional printer, \$ Discounts available	 5,250 7,000 (180 cps) No	800 (16K) 7,500 5,400 GSA, quantity	800 (16K) 7,500 5,400 GSA, quantity	800 (16K) 4,275 (45 cps) 5,400 GSA, quantity	1,450 (16K bytes)
Date of first U.S. delivery Number installed to date	May 1979 7	July 1978 NA	July 1977 NA	July 1978 NA	December 1977 NA
COMMENTS					

WORD LENGTH, BITS CPU Model Add time, microseconds No. of I/O ports on basic sys. and max. INTERNAL STORAGE Type Capacity of basic system, bytes Maximum capacity, bytes Increment size, bytes Cycle/access time, microseconds MASS STORAGE Floppy disk (diskette) drive Maximum diskette storage Cartridge disk drive Pack disk drive Pack disk drive Fixed-head disk/drum Maximum disk storage WORKSTATIONS Maximum number connectable Recommended maximum number Keyboard style Workstation printer INPUT/OUTPUT DEVICES Serial printer Line printer Ceassette/cartridge tape drive CRT Other COMMUNICATIONS Maximum no. of lines Synchronous Asynchronous Protocols supported Network architecture supported RJE terminals emulated IBM 3270 emulation Add time, microseconds MOS 48K 48K No No No 1.5 No 1.5 No 16 — Type., num. Standard 16 — Type., num. Standard Opt.; 120 cr Opt.; 300-6 Opt.; 300-6 Opt.; 300-6 Opt.; 300-6 Opt.; 300-6 Opt.; to 50K Opt.; to 50K Opt.; to 50K Opt.; to 38,4 Async, bisynchisynchicals Async, bisynchisynchicals INPUT/OUTPUT DEVICES Std.; 6-36M No Opt.; to 50K Opt.; to 50K Opt.; to 38,4 Async, bisynchicals INPUT/OUTPUT of Source Input Standard INPUT/OUTPUT DEVICES Std.; 6-36M No Opt.; 120 cr Opt.; 300-6 Opt.; 300-6 Opt.; to 50K Opt.; to 50K Opt.; to 38,4 Async, bisynchicals Input Standard Inpu	MOS 16K 64K 8K, 16K	No No No 92M bytes 16 Type.; num. ke Standard	No 300M bytes	8 Qantel 970 6 MOS 64K 256K 32K — Optional 2.6M bytes Std.; 25M bytes No 300M bytes
Model Add time, microseconds No. of I/O ports on basic sys. and max. INTERNAL STORAGE Type Capacity of basic system, bytes Maximum capacity, bytes Increment size, bytes Cycle/access time, microseconds MASS STORAGE Floppy disk (diskette) drive Maximum diskette storage Cartridge disk drive Pack disk drive Pack disk drive Fixed-head disk/drum Maximum disk storage WORKSTATIONS Maximum number connectable Recommended maximum number Keyboard style Workstation printer INPUT/OUTPUT DEVICES Serial printer Line printer Line printer CRE-to-reel tape drive Cassette/cartridge tape drive CRT Other COMMUNICATIONS Maximum no. of lines Synchronous Asynchronous Asynchronous Protocols supported Network architecture supported Ryle terminals emulated Gantel 900. — 6 MOS 48K 48K 48K 48K 48K - — 1.5 No — — — — — — — — — — — — — — — — — —	MOS 16K 64K 8K, 16K	MOS 64K 256K 16K — Optional 2.6M bytes Std; 25M bytes No 92M bytes 16 — Type; num. ke Standard	MOS 64K 256K 32K Optional 2.6M bytes Std.; 12M bytes No No 300M bytes 32 Type.; num. key.	MOS 64K 256K 32K — Optional 2.6M bytes Std.; 25M bytes No No 300M bytes
INTERNAL STORAGE Type Capacity of basic system, bytes Maximum capacity, bytes Increment size, bytes Cycle/access time, microseconds MASS STORAGE Floppy disk (diskette) drive Maximum diskette storage Cartridge disk drive Pack disk drive Pack disk drive Fixed-head disk/drum Maximum disk storage WORKSTATIONS Maximum number connectable Recommended maximum number Keyboard style Workstation printer INPUT/OUTPUT DEVICES Serial printer Line printer Line printer Cassette/cartridge tape drive Cassette/cartridge tape drive CRT Other COMMUNICATIONS Maximum no. of lines Synchronous Asynchronous Protocols supported Network architecture supported RJE terminals emulated MOS 48K	MOS 16K 64K 8K, 16K — Optional 2.6M bytes Std.; 6M-12N No No 72M bytes 16 16 16 Type.; num. k Standard ps Opt.; 55-600 Opt.; 36-72K	MOS 64K 256K 16K — Optional 2.6M bytes Std.; 25M bytes No No 92M bytes 16 — Type.; num. ke Standard	MOS 64K 256K 32K — Optional 2.6M bytes Std.; 12M bytes No No No 300M bytes	MOS 64K 256K 32K — Optional 2.6M bytes Std.; 25M bytes No No No 300M bytes
Type Capacity of basic system, bytes Maximum capacity, bytes Increment size, bytes Cycle/access time, microseconds MASS STORAGE Floppy disk (diskette) drive Maximum diskette storage Cartridge disk drive Pack disk drive Pack disk drive Fixed-head disk/drum Maximum disk storage WORKSTATIONS Maximum number connectable Recommended maximum number Keyboard style Workstation printer INPUT/OUTPUT DEVICES Serial printer Line printer Line printer Cassette/cartridge tape drive Cassette/cartridge tape drive CCASCATIONS Maximum no. of lines Synchronous Asynchronous Asynchronous Protocols supported Network architecture supported RUE terminals emulated MOS 48K 48K — No 1.5 No No No No 36M bytes 16 — Type., num. Standard Opt.; 120 cp Opt.; 36-72: No Std.; 27 x 6 Opt. card re Opt.; 36-72: No Std.; 27 x 6 Opt. card re COMMUNICATIONS Maximum no. of lines Synchronous Asynchronous Asynchronous Protocols supported Network architecture supported RUE terminals emulated	16K 64K 8K, 16K — Optional 2.6M bytes Std.; 6M-12N No No 72M bytes 16 16 16 Type.; num. k Standard ps Std.; 55 cps Opt.; 50-600 KBS Opt.; 36-72K	M bytes Mo No 92M bytes 16 — Type.; num. ke Standard	64K 256K 32K — Optional 2.6M bytes Std.; 12M bytes No No No 300M bytes	64K 256K 32K — Optional 2.6M bytes Std.; 25M bytes No No 300M bytes
Floppy disk (diskette) drive Maximum diskette storage Cartridge disk drive Pack disk drive Pixed-head disk/drum Maximum disk storage WORKSTATIONS Maximum number connectable Recommended maximum number Keyboard style Workstation printer Workstation printer INPUT/OUTPUT DEVICES Serial printer Line printer Line printer Line printer Cassette/cartridge tape drive CRT Other COMMUNICATIONS Maximum no. of lines Synchronous Asynchronous Asynchronous Protocols supported Network architecture supported RJE terminals emulated	2.6M bytes Std.; 6M-12N No No 72M bytes 16 16 16 Type.; num. k Standard ps Oot, 55 cps Oot, 50-600 KBS Opt.; 36-72K	2.6M bytes Std.; 25M bytes No No 92M bytes 16 — Type.; num. ke Standard	2.6M bytes Std.; 12M bytes No No 300M bytes 32 — Type.; num. key.	2.6M bytes Std.; 25M bytes No No 300M bytes
Maximum number connectable Recommended maximum number Keyboard style Workstation printer INPUT/OUTPUT DEVICES Serial printer Line printer Cassette/cartridge tape drive CRT Other COMMUNICATIONS Maximum no. of lines Synchronous Asynchronous Protocols supported Network architecture supported RJE terminals emulated 16 Type., num. Standard Opt.; 120 opt.; 120 opt.; 300-6i Opt.; 300-6i Opt.; 30-72i No Std.; 27 x 6 Opt. card re COMMUNICATIONS Asynchronous Asynchronous Asynchronous Asynchronous Asynchronous RJE terminals emulated	16 Type.; num. k Standard ps Std.; 55 cps OO lpm Opt.; 50-600 KBS Opt.; 36-72K	key. Type.; num. ke Standard	ey. Type.; num. key.	l—
INPUT/OUTPUT DEVICES Serial printer Line printer Reel-to-reel tape drive Cassette/cartridge tape drive CRT Other COMMUNICATIONS Maximum no. of lines Synchronous Asynchronous Asynchronous Protocols supported Network architecture supported RJE terminals emulated Opt.; 120 cp. Dpt.; 36-72: No Std.; 27 x 6 Opt. card re Opt.; to 50K Opt.; to 50K Opt.; to 38,4	ps Std.; 55 cps 00 lpm Opt.; 50-600 KBS Opt.; 36-72K		Standard	
COMMUNICATIONS Maximum no. of lines Synchronous Asynchronous Protocols supported Network architecture supported RJE terminals emulated	64 char. Std.; 1728 ch	O Ipm Optional Std.; 1600 bpi No Std.; 1728 cha	ar. Std.; 1728 char.	Standard Optional Std.; 50-100 lpm Std.; 1600 bpi No Std.; 1728 char. Opt.; card reader
	400 bps Opt.; to 38,40	100 bps Opt.; to 38,400		Opt.; to 50KBS Opt.; to 38,400 bps Async, bisync
SOFTWARE SUPPORT COBOL RPG FORTRAN BASIC Assembler Other programming languages Multiprogramming Max. no. of jobs run concurrently Language complemented in firmware Op. sys. implemented in firmware General accounting packages Industry application areas Database management system Database management system Database management system Software separately priced Technical help separately priced No Rome Yes	Yes	No No No OICBASIC No None Yes 4 Partially Partially Yes CPA Whsl., dist., CF Yes Random Some Yes	No No No OICBASIC No None Yes 8 Partially Partially Yes Whsl., dist., CPA Yes Random Some Yes	No No OICBASIC No None Yes 8 Partially Partially Yes Whsl., dist., CPA Yes Random Some Yes
LEASE/MAINTENANCE OPTIONS Lease plans available Maintenance plans available —	_	<u>-</u>	_	_
PRICING & AVAILABILITY Purchase price of basic system, \$ Monthly rental of basic system, \$ Monthly maint. price of basic system, \$ Monthly maint. bundled with rental, \$ 27,900 (Monthly maint. bundled with rental, \$ 245		39,500 330	35,900 826 (1-mo. lease) 325	59,000 1,378 (1-mo. lease 482
Purchase price of: additional memory module, \$ additional workstations, \$ additional printer, \$ Discounts available 1,450 (8K b 3,450 7,450 (55 c)	3,450	3,450	3,450	2,950 (32K bytes) 3,450 7,450 (55 cps)
Date of first U.S. delivery Number installed to date First qtr. 19 NA	75 NA NA	NA NA	NA NA	NA NA
Program and generating p				

Add time, microseconds with different processor of the pr	MANUFACTURER AND MODEL	Qantel 1400	Qantel 1400-2	Qantel 1450	Qantel 1450-2	Quodata E-500
Most	WORD LENGTH, BITS	8	8	8	8	12
TERNAL STORAGE	CPU .		0 1400 0	O 1450	0	DEC BOR 914
No. of I/O ports on basic system. bytes Internal STORAGE Internal Capacity of basic system. bytes Inter		Qantel 1400 	Cantel 1400-2	Cantel 1450	1—	
Type Depart Department	No. of I/O ports on basic sys. and max.	12	12	12	12	
256 257 258	NTERNAL STORAGE					
128K 128K 1224K 1024K 256K	Type					
ASS STORAGE Storage Commonwealth Storage Commonwealth Storage Commonwealth Commo						
ASS STORAGE Tappy disk disketel drive Tappy disk drive Tappy disk disketel Tappy disk drive Tappy disk disketel Tappy disk drive T	Increment size, bytes			32K	32K	
Ciptional 28M bytes Christopy Chitonal 28M bytes 28M b	Cycle/access time, microseconds	[1.1	1.1		-	1.2/ 1.2
Vasarimum disketter storage 2,66M bytes 3dd, 12-48M bytes	MASS STORAGE	Ontional	Ontional	Ontional	Ontional	Ontional
Standard	Maximum diskette storage					
A Common strong of the strong	Cartridge disk drive	Std.; 12-48M bytes	Std.; 12-48M bytes			
Maximum disk storage						
64 64 64 64 64 64 64 64	Maximum disk storage					
64 64 64 64 64 64 64 64	VORKSTATIONS					
Exposed style Standard Stan	Maximum number connectable	64	64	64	64	
Non-traction printer Standard Standard Standard Standard Standard Standard Standard Standard Standard Opt.; 98 max.	Recommended maximum number Keyboard style	Type.; num. kev.	Type.; num. key.		Type.; num. key.	
Detail printer Opt. 20 ops Opt. 120 ops Opt. 300 ops Opt. 36 72KBS	Workstation printer					Opt.; 8 max.
Detail printer Opt. 20 ops Opt. 120 ops Opt. 300 ops Opt. 36 72KBS	NPUT/OUTPUT DEVICES					
Commonweal table drive Commonweal table Commo	Serial printer					
No						
Opt. card reader Opt. c	Cassette/cartridge tape drive	No		Std : 1729 char	Std : (2) 1728 char	
DMMUNICATIONS Maximum no. of lines Synchronous Synchronous Synchronous Portocols supported United the training semulated BM 3270 emulation No.	Other					Opt. punched card
Adaximum no. of lines Synchronous Opt.; to 50K bps Opt.; to 38,400 bps Bisync	OMMUNICATIONS					equipment
Asynchronous Protocols supported Vetwork architecture vetwork vetw	Maximum no. of lines	4	4	1 *	4	
Bisync B						
Contact vendor Cont	Protocols supported					Bisync
BM 3270 emulation OFTWARE SUPPORT COBOL RPG NO	Network architecture supported	-		1	_	
ASSIC Assembler No N	IBM 3270 emulation	_	_		<u></u>	
ASSIC Assembler No N	OFTWARE SUPPORT					
No OICBASIC Yes Assembler Other programming languages Wultiprogramming Max. no. of jobs run concurrently anguage complemented in firmware Ds. sys. implemented in firmware Obs.	COBOL					
ASSIC Assembler Assemble Assemble Assembler Assemble Assemble Assemble Assembler Assemble Assem						
Other programming languages Wultiprogramming languages Wultiprogramming languages Wultiprogramming languages Wultiprogramming languages Wax. no. of jobs run concurrently anguage complemented in firmware Do. sys. implemented in firm	BASIC	QICBASIC	QICBASIC	QICBASIC	QICBASIC	Yes
Multiprogramming Max. no. of jobs run concurrently Language complemented in firmware Dp. sys. implemented Dp. Sys. imple	Assembler					
Max no of jobs run concurrently anguage complemented in firmware 2p. sys. implemented in firmware 3eneral accounting packages ndustry application areas Natabase management system 3ele access methods supported 5oftware separately priced 8echware separately priced 9echware 9						
Dp. sys. implemented in firmware General accounting packages of an eras Joatabase management system File access methods supported Software separately priced Fechnical help separately priced Fechnica	Max. no. of jobs run concurrently					No.
Seneral accounting packages modustry application areas No Rand., seq., index Some Yes Whsl., med., CPA No Rand., seq., index Some Yes Whsl., med., CPA No Rand., seq., index Some Yes EASE/MAINTENANCE OPTIONS Lease plans available Waintenance plans available Wonthly rental of basic system, \$ Monthly rental of basic system, \$ Monthly rental of basic system, \$ Monthly maint. price of basic system, \$ Monthly maint. price of basic system, \$ Monthly maint. price of basic system, \$ additional memory module, \$ additional workstations, \$ additional printer, \$ Discounts available Date of first U.S. delivery Number installed to date Yes Whsl., med., CPA No Random Some Yes Whsl., med., CPA Yes Random Some Yes Whsl., dist., CPA Yes Whsl., dist., CPA Yes Random Some Yes Whsl., dist., CPA Yes Random Some Yes Whsl., dist., CPA Yes Random Some Yes Whsl., dist., CPA Yes Whsl., dist., CPA Yes Some Yes Whsl., dist., CPA Yes Random Some Yes Whsl., dist., CPA Yes Whsl., dist., CPA Yes Whsl., dist., CPA Yes Park Yes Non Hyres Park Yes Non Hyres Random Some Yes Whsl., dist., CPA Yes Whsl						
Database management system File access methods supported Some Some Yes No Rand., seq., index Some Yes No Random Some Yes Contact vendor — — — — — — — — — — — — — — — — — —	General accounting packages					
Random, sequential Some Some Yes Yes Yes Yes Yes Some Yes Yes Yes Yes Yes Yes Yes Yes Yes Ye						
Fase/Maintenance options Lease plans available Maintenance plans available Minimum option of basic system, \$ Monthly rental of basic system, \$ Monthly maint. price of basic system, \$ Monthly maint. price of: additional memory module, \$ additional workstations, \$ additional printer, \$ Discounts available Date of first U.S. delivery Number installed to date Yes Yes Yes Yes Yes Yes Yes Y	File access methods supported					Random, sequentia
Lease plans available Maintenance plans available Maintenance plans available RICING & AVAILABILITY Purchase price of basic system, \$ Monthly rential of basic system, \$ Monthly maint. bundled with rental, \$ Purchase price of: additional memory module, \$ additional memory module, \$ additional workstations, \$ additional printer, \$ Discounts available Date of first U.S. delivery Number installed to date OMMENTS Program and report A3,900 1,493 (1-mo. lease) 44,900 1,033 (1-mo. lease) 1,493 (1-mo. lease) 44,900 1,608 (1-mo. lease) 485	Software separately priced Technical help separately priced					
Lease plans available Maintenance plans available Maintenance plans available RICING & AVAILABILITY Purchase price of basic system, \$ Monthly rential of basic system, \$ Monthly maint. bundled with rental, \$ Purchase price of: additional memory module, \$ additional memory module, \$ additional workstations, \$ additional printer, \$ Discounts available Date of first U.S. delivery Number installed to date OMMENTS Program and report A3,900 1,493 (1-mo. lease) 44,900 1,033 (1-mo. lease) 1,493 (1-mo. lease) 44,900 1,608 (1-mo. lease) 485	FASE/MAINTENANCE OPTIONS					
RICING & AVAILABILITY Purchase price of basic system, \$ Monthly rental of basic system, \$ Monthly maint. price of basic system, \$ Purchase price of: additional memory module, \$ additional workstations, \$ additional printer, \$ Discounts available Date of first U.S. delivery Number installed to date OMMENTS RICING & AVAILABILITY 43,900 1,010 (1-mo. lease) 1,493 (1-mo. lease) 1,493 (1-mo. lease) 1,4900 1,033 (1-mo. lease) 335 44,900 1,033 (1-mo. lease) 485 2,950 (32K bytes) 3,450 7,950 (55 cps) 7,450 (55 cps	Lease plans available	_	_		_	Contact vendor
Purchase price of basic system, \$ Monthly rental of basic system, \$ Monthly maint. price of basic system, \$ Monthly maint. price of basic system, \$ Monthly maint. bundled with rental, \$ Purchase price of: additional memory module, \$ additional workstations, \$ additional printer, \$ Discounts available Date of first U.S. delivery Number installed to date OMMENTS 43,900 1,493 (1-mo. lease) 44,900 1,493 (1-mo. lease) 335 44,900 1,608 (1-mo. lease) 485 485	·	-				
1,493 (1-mo. lease) 1,493 (1-mo. lease) 335 1,608 (1-mo. lease) 335	RICING & AVAILABILITY	43 900	64 900	44 900	69 900	33,000
Monthly maint. bundled with rental, \$ Purchase price of: additional memory module, \$ additional workstations, \$ additional printer, \$ Discounts available Date of first U.S. delivery Number installed to date OMMENTS A 1,450 (8K bytes) 2,950 (32K bytes) 3,450 7,950 (55 cps) 7,450 (55 cps)	Monthly rental of basic system, \$					_
Purchase price of: additional memory module, \$ additional workstations, \$ additional printer, \$ 7,950 (55 cps) 7,950 (55 cps) 7,950 (55 cps) 7,450 (55 cps)	Monthly maint, price of basic system, \$		485	335	485	<u> </u> _
additional memory module, \$ additional workstations, \$ additional printer, \$ 7,950 (55 cps) 7,950 (55 cps) 7,950 (55 cps) 7,950 (55 cps) 7,450 (55 cps) 7,45	Purchase price of:					
additional printer, \$ Discounts available 7,950 (55 cps) 7,950 (55 cps) 7,450 (5	additional memory module, \$	1,450 (8K bytes)	1,450 (8K bytes)			
Discounts available Date of first U.S. delivery NA NA Second qtr. 1977 NA NA NA NA NA NA NA NA NA N	additional printer, \$	7,950 (55 cps)	7,950 (55 cps)			
Number installed to date NA NA NA Over 100 OMMENTS Program and report Program and report	Discounts available	_	_	-		-
OMMENTS Program and report Program and report	Date of first U.S. delivery					
	Number installed to date	NA	NA	INA	NA	Over 100
увенегаций раскайся	OMMENTS					
		Acustamia hackades	Selecating backages			1
			1			

MANUFACTURER AND MODEL	Quodata E-660	Quodata E-770	Quodata E-930	Rexon RX-30	Sperry Univac BC/7-600
WORD LENGTH, BITS	16	16	16 or 32	16	8
CPU Model Add time, microseconds No. of I/O ports on basic sys. and max.	DEC PDP-11/34 3.0 4; 6	DEC PDP-11/34 2.16	DEC PDP-11/70 Variable	Intel 8086 1-2 (5 digits) 6; 12	Univac T3038 106 (5 digits) 3; 12
INTERNAL STORAGE Type Capacity of basic system, bytes Maximum capacity, bytes Increment size, bytes Cycle/access time, microseconds	MOS 128K 256K 32K 0.9/0.45	MOS 256K 256K 0.775/0.635	Core 512K 2048K 64K Variable	MOS 64K 128K 64K 0.6/0.25	MOS 48K 64K 16K 1.0/0.5
MASS STORAGE Floppy disk (diskette) drive Maximum diskette storage Cartridge disk drive Pack disk drive Fixed-head disk/drum Maximum disk storage	Optional 2M bytes Standard Optional Optional	Optional 2M bytes Optional Std., 56M bytes Optional	Optional 2M bytes Optional Std.; 67M bytes Optional	No	Standard 6M bytes No No No
WORKSTATIONS Maximum number connectable Recommended maximum number Keyboard style Workstation printer	64 16 Variable Opt.; 8 max.	64 16 Variable Opt.; 8 max.	64 16 Variable Opt.; 8 max.	8 8 Type.; num. key. Opt.; 8	2 2 Type.; num. key.
INPUT/OUTPUT DEVICES Serial printer Line printer Reel-to-reel tape drive Cassette/cartridge tape drive CRT Other	Optional Optional Optional Optional Opt.; 24 x 80 char. Opt.	Opt.; 180 cps Opt.; 100-900 lpm Standard No Opt.; 1920 char. Opt.	Opt.; 180 cpm Opt.; 300-900 lpm Standard No Opt.; 1920 char. Opt.	Opt.; (4), 150 cps Opt.; (4), 300 lpm No No Std.; 1920 char. No	Std.; 200 cps Opt.; 125 lpm No No/No Std.; 1920 char.
COMMUNICATIONS Maximum no. of lines Synchronous Asynchronous Protocols supported Network architecture supported RJE terminals emulated IBM 3270 emulation	32 Optional Standard Bisync, SDLC DECnet 3780, HASP Yes	63 Optional Std.; to 9600 bps Bisync, SDLC DECnet 3780, HASP Yes	63 Optional Std.; to 9600 bps Bisync, SDLC DECnet 3780, HASP Yes	8 No Std.; 110-9600 bps None No No	2 Std.; to 9600 bps No Transparent — —
SOFTWARE SUPPORT COBOL RPG FORTRAN BASIC Assembler Other programming languages Multiprogramming Max. no. of jobs run concurrently Language complemented in firmware Op. sys. implemented in firmware General accounting packages Industry application areas Database management system File access methods supported Software separately priced Technical help separately priced	Yes Yes Yes Yes Yes Yes Yes No No No Seduc, and govt. Yes Rand., seq., index Yes Yes	Yes Yes Yes Yes Yes Yes; 63 partitions No No No Yes Educ. and govt. Yes Rand., seq., index Yes Yes	Yes Yes Yes Yes Yes Yes; 63 partitions No No No Yes Educ. and govt. Yes Rand., seq., index Yes Yes	No No No Business BASIC No None Yes; 9 partitions No Partially Yes Mfg., dist., health Yes Seq., rand., indexed Yes (applications) Yes	No Yes No No No No SESCORT Yes; 2 partitions 2 Partially No Yes Dist., manufacturing No Rand., seq., ISAM No Partly
LEASE/MAINTENANCE OPTIONS Lease plans available Maintenance plans available	Contact vendor	Contact vendor	Contact vendor	Third party Contract or on-call	5-yr. Various
PRICING & AVAILABILITY Purchase price of basic system, \$ Monthly rental of basic system, \$ Monthly maint. price of basic system, \$ Monthly maint. bundled with rental, \$ Purchase price of: additional memory module, \$ additional workstations, \$ additional printer, \$ Discounts available	47,000 	77,500 	131,000 	29,300 Third party 162 No 4,500 (64K) 2,000 3,000 (150 lpm)*	21,795 484 130 No 1,100 (16K) 3,698 5,238
Date of first U.S. delivery Number installed to date	1972 Over 50	1973 Over 50	1975 Over 50	July 1979 NA	July 1978 NA
COMMENTS	See E-930	See E-930	Data management software for gen. business appl. and software systems specifically designed for educational insti- tutions and govern- ment entities	Application software by indep. software house and Rexon dealers; *\$17,200 (300 lpm)	Supports up to 22 workstations; entire- ly based

			<u></u>	<u></u>	T
MANUFACTURER AND MODEL	Sperry Univac BC/7-700	Sperry Univac BC/7-800	STC Systems Personna-Data	STC Systems Ultimacc 2000	STC Systems Ultimacc 3000
WORD LENGTH, BITS	8	8	16	16	16
CPU Model Add time, microseconds No. of I/O ports on basic sys. and max.	Univac T3038 106 (5 digits) 3; 12	Univac T3048 106 (5 digits) 3; 12	DG Nova 3D 0.7 8; 32	DG Nova 3/12 0.7 8; 32	DG Nova 3D 0.7 8; 32
INTERNAL STORAGE Type Capacity of basic system, bytes Maximum capacity, bytes Increment size, bytes Cycle/access time, microseconds	MOS 48K 64K 16K 1.0/0.5	MOS 128K 128K 16K 1.0/0.5	Core 64K 512k 16K 0.7/0.35	Core 64K 128K 16K 0.7/0.35	Core 64K 512K 16K 0.7/0.35
MASS STORAGE Floppy disk (diskette) drive Maximum diskette storage Cartridge disk drive Pack disk drive Fixed-head disk/drum Maximum disk storage	Optional 4M bytes Opt.; 40M bytes No No	Optional 4M bytes Opt.; 40M bytes No No	No — Std.; 12-48M Optional No 4; 320M bytes	No 	No — Std.; 32-64M Optional No 4; 320M bytes
WORKSTATIONS Maximum number connectable Recommended maximum number Keyboard style Workstation printer	4 4 Type.; num. key. —	6 6 Type.; num. key.	20 20 Numeric keypad Optional	3 3 Type., num. key. Optional	20 20 Type., num. key. Optional
INPUT/OUTPUT DEVICES Serial printer Line printer Reel-to-reel tape drive Cassette/cartridge tape drive CRT Other	Std.; 200 cps Opt.; 125-600 lpm Opt.; 20, 40KBS No/No Std.; 1920 char.	Std.; 200 cps Opt.; 125-600 lpm Opt.; 20, 40KBS No/No Std.; 1920 char.	Std.; 165 cps Opt.; 150-900 lpm Opt.; 60 cps No Std.; 1920 char.	Std.; 165 cps Opt.; 150-900 lpm Opt.; 60 cps No Std.; 1920 char.	Std.; 165 cps Opt.; 150-900 lpm Opt.; 60 cps No Std.; 1920 char.
COMMUNICATIONS Maximum no. of lines Synchronous Asynchronous Protocols supported Network architecture supported RJE terminals emulated IBM 3270 emulation	2 Std.; to 9600 bps No Transparent — —	2 Std.; to 9600 bps No Transparent —	Unlimited Opt.; to 9600 Opt.; to 1200 Bisync	Unlimited Opt.; to 9600 Opt.; to 1200 Bisync —— IBM 2780/3780 Yes	Unlimited Opt.; to 9600 Opt.; to 1200 Bisync — IBM 2780/3780 Yes
SOFTWARE SUPPORT COBOL RPG FORTRAN BASIC Assembler Other programming languages Multiprogramming Max. no. of jobs run concurrently Language complemented in firmware Op. sys. implemented in firmware General accounting packages Industry application areas Database management system File access methods supported Software separately priced Technical help separately priced	No Yes No No No No SCORT Yes; 2 partitions 4 Partially No Yes Dist., manufacturing No Rand., seq., ISAM No Partly	No Yes No No No No ESCORT Yes; 2 partitions 6 Partially No Yes Dist., manufacturing No Rand., seq., ISAM No Partly	No Yes No Yes Yes English 210 Yes; 50 Varies No No No Yes Personnel, Man. Yes Seq., rand., ISAM No	No Yes No Yes English 210 Yes; 8 Varies No No Pes Dist., publish., appar. Yes Seq., rand., ISAM No	No Yes No Yes Yes English 210 Yes; 50 Varies No No No Yes Dist., publish., appar. Yes Seq., rand., ISAM No No
LEASE/MAINTENANCE OPTIONS Lease plans available Maintenance plans available	5-yr. Various	5-yr. Various	Contact vendor On-call/third party	Contact vendor On-call/third party	Contact vendor On-call/third party
PRICING & AVAILABILITY Purchase price of basic system, \$ Monthly rental of basic system, \$ Monthly maint. price of basic system, \$ Monthly maint. bundled with rental, \$ Purchase price of: additional memory module, \$ additional workstations, \$ additional printer, \$ Discounts available	31,200 693 175 No 1,100 (16K) 3,698 5,238	33,475 788 210 No 1,100 (16K) 3,698 5,238	34,900 NA No 3500 (32K) 2600 7600 (300 lpm) NA	34,900 Purchase only 345 No 3500 (32K) 2600 7600 (300 lpm) NA	51,000
Date of first U.S. delivery Number installed to date	March 1977 NA	July 1978 NA	1976 10	1973 100	1975 100
COMMENTS	Supports up to 4 workstations; disk- based; magnetic tape and diskettes for I/O	Supports up to 6 workstations; two applic. programs and print spooling can be be run concurrently	Turnkey only including software	Turnkey only including software	Turnkey only including software

MANUFACTURER AND MODEL	STC Systems ULTIMACC 4000	Tal-Star Computer Systems TSO	Tandem T16/240-1	Tandem T16/212-1	Tandem T16/244-1
WORD LENGTH, BITS	16	16	16	16	16
CPU Model Add time, microseconds No. of I/O ports on basic sys. and max.	DG Nova 4 0.7 8; 32	GA 18/30 2.4 —	Tandem T16 0.5 (5 digits) 64	Tandem T16 0.5 (5 digits) 256; 1024	Tandem T16 0.5 (5 digits) 256; 1024
INTERNAL STORAGE Type Capacity of basic system, bytes Maximum capacity, bytes Increment size, bytes Cycle/access time, microseconds	Core 64K 512 16K 0.7/0.35	Core 128K 256K 16K 1.2	MOS 96K 480K 96K, 32K 0.5/0.5	Core 192K 448K 64K 0.8/0.5	MOS 192K 512K 96K, 32K 0.5/0.5
MASS STORAGE Floppy disk (diskette) drive Maximum diskette storage Cartridge disk drive Pack disk drive Fixed-head disk/drum Maximum disk storage	No — Opt. Std.; 80M-320M No 4; 320M bytes	RPQ 2 RPQ 1-8; 80 or 300MB No	No NA Opt.; 10M bytes Opt.; 160M bytes No	No NA Opt.; 10M bytes Opt.; 16OM bytes No	No NA Opt.; 10M bytes Opt.; 160M bytes No —
WORKSTATIONS Maximum number connectable Recommended maximum number Keyboard style Workstation printer	20 20 Typewriter/N Opt.	32 12 Type.; num. key. Opt.; 32	 Type.; num. key	Type.; num. key	 Type.; num. key
INPUT/OUTPUT DEVICES Serial printer Line printer Reel-to-reel tape drive Cassette/cartridge tape drive CRT Other	Opt.; 165 cps Std.; 300 lpm Opt.; 60 cps No Std.; 1920	Std.; 10 cps Std.; 600 lpm Opt.; 20-60KBS With CRT Std.; 24 x 80 char. Opt. paper tape	Opt.; 30 cps Opt.; 120-1500 lpm Std.; 36KBS No Opt.; 24 x 80 char. Opt. card reader	Opt.; 30 cps Opt.; 120-1500 lpm Std.; 72KBS No Opt.; 24 x 80 char. Opt. card reader	Opt.; 30 cps Opt.; 120-1500 lpm Std.; 72KBS No Opt.; 24 x 80 char. Opt. card reader
COMMUNICATIONS Maximum no. of lines Synchronous Asynchronous Protocols supported Network architecture supported RJE terminals emulated IBM 3270 emulation	Unlimited Opt.; to 9600 Opt.; to 1200 Bisync — IBM 2780-3780 Yes	32 Std.; to 9600 bps Opt.; to 9600 bps Bisync No 2780/3780 No	64 Opt.; 5600 bps Opt.; 9600 bps Bisync, TINET	2048 Opt.; 5600 bps Opt.; 9600 bps Bisync, TINET	2048 Opt.; 5600 bps Opt.; 9600 bps Bisync, TINET
SOFTWARE SUPPORT COBOL RPG FORTRAN BASIC Assembler Other programming languages Multiprogramming Max. no. of jobs run concurrently Language complemented in firmware Op. sys. implemented in firmware General accounting packages Industry application areas Database management system File access methods supported Software separately priced Technical help separately priced	No Yes No Yes Yes English 210 Yes; 50 Up to num. of I/O No No Yes Dist., publish Yes Seq., rand., ISAM No	Yes Yes Yes No Yes None Yes (12 part. max.) 32 No No No No No Yes Rand., seq., index Yes Yes	Yes No No TAL Yes, 256 partitions Partially Partially No Dist., banking Yes Rand., seq., index Partly No	Yes No No No TAL Yes, 256 partitions Partially Partially No Dist., banking Yes Rand., seq., index Partly No	Yes No Yes No No TAL Yes, 256 partitions Partially Partially No Dist., banking Yes Rand., seq., index Partly No
LEASE/MAINTENANCE OPTIONS Lease plans available Maintenance plans available	Contact vendor On-call/third party	None Full service, all	Contact vendor	Contact vendor	Contact vendor
PRICING & AVAILABILITY Purchase price of basic system, \$ Monthly rental of basic system, \$ Monthly maint. price of basic system, \$ Monthly maint. bundled with rental, \$ Purchase price of: additional memory module, \$ additional workstations, \$ additional printer, \$ Discounts available	Contact vendor N/A No N/A 4500 (32K) 2600 4500 (600 lpm) N/A	options 70,000 NA 375 NA 3.250 (16K bytes) 3,600 10,000 (approx.) Contact vendor	59,750 NA — — — — —	92,800 NA — — — — —	87,100 NA
Date of first U.S. delivery Number installed to date	1979 40	 1977 8	October 1976 5	May 1976 10	May 1976 30
COMMENTS	Turnkey only including software	Designed as stand- alone or interactive with Tal-Star text processing and com- position systems	Multiprocessor, fault- tolerant, "non- stop" system for on-line, transaction- oriented applications	Multiprocessor, fault- tolerant, "non- stop" system for on-line, transaction- oriented applications	Multiprocessor, fault- tolerant, "non- stop" system for on-line, transaction- oriented applications

MANUFACTURER AND MODEL	Terak 8510A	Texas Instrument DS990 Series Model 1	Texas Instrument DS990 Series Model 2	Texas Instrument DS990 Series Model 4	Texas Instrument DS990 Series Model 6
WORD LENGTH, BITS	16	16 + parity	16	16	16
CPU Model Add time, microseconds No. of I/O ports on basic sys. and max.	DEC LSI-11 3.5 1;8	TI TMS-9900 4.67 (2-16 bit) 2; 2	TI 990/5 5.5 (16 bits) 3; 256	П 990/10 3.6 16; 180	TI 990/10 3.6 16; 180
INTERNAL STORAGE Type Capacity of basic system, bytes Maximum capacity, bytes Increment size, bytes Cycle/access time, microseconds	MOS; RAM 64K 64K 64K 1.2/0.6	MOS, RAM 64K 64K 0.667/0.667	RAM 64K 64K - NA/0.5	MOS 128K 2048K 64K 740	MOS 128K 2048K 64K .740
MASS STORAGE Floppy disk (diskette) drive Maximum diskette storage Cartridge disk drive Pack disk drive Fixed-head disk/drum Maximum disk storage	Standard 4 drives No No No	Std.; 1.15M bytes 4.6M bytes No No No	Std.; (2) 2.3 M bytes 4.6M bytes Opt.; 2-20M bytes Opt.; 2-400M bytes No	Opt.; 256K bytes 1024K bytes Std.; 10M bytes Std.; 100M bytes No 10M bytes	Opt.; 256K bytes 7024K bytes Opt.; (2) 10M bytes Opt.; (2) 25M bytes No 25M bytes
WORKSTATIONS Maximum number connectable Recommended maximum number Keyboard style Workstation printer	8 4 Typewriter Optional	1 1 Type.; num. key Optional	2 2 Typewriter Optional	39 8 Type.; num. key Optional	39 16 Type.; num. key Optional
INPUT/OUTPUT DEVICES Serial printer Line printer Reel-to-reel tape drive Cassette/cartridge tape drive CRT Other	Opt.; 60-180 cps No No No Std.; 24 x 80 char. No	— No No Std.; 24 x 80 char. Optional	Opt.; 150 cps Opt.; 300, 600 lpm Opt.; 4 drives No Std.; 1920 char. Opt. card reader	Opt.; 150 cps Opt.; 300, 600 lpm Opt.; 800, 1600 bps No Std.; 1920 char. Opt. card reader	Opt.; 150 cps Opt.; 300, 600 lpm Opt.; 800, 1600 bpi No Std.; 1920 char. Opt. card reader
COMMUNICATIONS Maximum no. of lines Synchronous Asynchronous Protocols supported Network architecture supported RJE terminals emulated IBM 3270 emulation	8 No Std.; 19,200 bps Async —	2 Opt.; to 4800 bps Opt.; to 9600 bps Bisync — 2780/3780 No	Std.; 3/Opt.; 16+ Std.; 9600 bps Std.; 9600 bps Bisync No No 1BM 2780/3780 No	varies Opt.; 75 to 9600 bps Opt.; 75 to 9600 bps Bisync — 2780/3780 3270 IDC	Varies Opt.; 75 to 9600 bps Opt.; 75 to Bisync — 2780/3780 3270 IDC
SOFTWARE SUPPORT COBOL RPG FORTRAN BASIC Assembler Other programming languages Multiprogramming Max. no. of jobs run concurrently Language complemented in firmware Op. sys. implemented in firmware General accounting packages Industry application areas Database management system File access methods supported Software separately priced Technical help separately priced	No No No Yes Yes Yes Yes UCSD PASCAL Yes 2 No No No No Educ., med., eng., Yes Rand., seq., index Yes Yes	Yes (Run-Time) No Yes Yes Yes Yes Yes PASCAL Run-Time, Yes; 1-4 partitions 6 No No Thru TPP's Thru TPP's No Rand., seq., keyed Yes (except TX5-OS) No	Yes (Run-Time) No Yes Yes Yes Yes Yes PASCAL Run-Time No No No No No No No Rand,, seq., index Yes Yes	Yes Yes Yes Yes Yes Yes and macro PASCAL, TIFORM, Yes, variable varies No No No No No No No Yes, DBMS 990 Seq., multi-keyed Yes Yes	Yes Yes Yes Yes Yes Yes and macro PASCAL, TIFORM, Yes, variable Varies No No No No No Yes, DBMS 990 Seq., multi-key Yes
LEASE/MAINTENANCE OPTIONS Lease plans available Maintenance plans available	Purchase only Factory return	90 days; 1, 3, 5 yrs. On-call, third party	1, 3, 5 years On-call, third party	90 days; 1, 3, 5 yrs. On-call, third party	90 days; 1,3,5 yrs. On-call, third party
PRICING & AVAILABILITY Purchase price of basic system, \$ Monthly rental of basic system, \$ Monthly maint. price of basic system, \$ Monthly maint. bundled with rental, \$ Purchase price of: additional memory module, \$ additional workstations, \$ additional printer, \$ Discounts available	7,850 NA NA NA NA NA 3,700 (180 cps) Oty., education	9,450 370 (3 yr. lease) 100 Lease only NA — 1,100 (30 cps) Contact vendor	12,995 474 (5 yr. lease) 143 Lease only NA — 2,430 (150 cps) Contact vendor	24,500 (H/W only) 996 (3 yr. lease) 225 Yes 1,750 (64K) 1,340 (W/O control.) 2,745 (150 cps) Quantity	44,250 (H/W only) 1,684 (3 yr. lease) 333 Yes 3,250 (128K) 2,150 (w/dual control) 2,745 (150 cps) Quantity
Date of first U.S. delivery Number installed to date COMMENTS	April 1977 Over 700 Features simul- taneous graphics and character display; compact, portable system; compatible with any DEC PDP-11 device	April 1979 —	June 1979 NA	NA NA	NA NA

MANUFACTURER AND MODEL	Texas Instrument DS990 Series Model 8	Texas Instrument DS990 Series Model 20	Texas Instrument DS990 Series Model 30	Wang PCS-11
VORD LENGTH, BITS	16	16	16	8-bit byte
PU Model Add time, microseconds No. of I/O ports on basic sys. and max.	TI 990/10 3.6 16; 180	TI 990/12 .552 to 4.16 16; 180	П 990/12 .552 to 4.16 16; 180	Wang 2200 PCS-11 800 (13 digits) 3
NTERNAL STORAGE Type Capacity of basic system, bytes Maximum capacity, bytes Increment size, bytes Cycle/access time, microseconds	MOS 128K 2048K 64K .740	MOS 256K 2048K 64K .74 main/.35 cache	MOS 256K 2048K 64K .74 main/.35 cache	MOS 8K 32K 8K 1.6
AASS STORAGE Floppy disk (diskette) drive Maximum diskette storage Cartridge disk drive Pack disk drive Fixed-head disk/drum Maximum disk storage	Opt.; 512K bytes 3.3M bytes Opt.; 20M bytes Std.; 100M bytes NA	Opt.; 512K bytes 3.3M bytes Opt.; 20M bytes Std.; 100 MB NA	Opt.; 512K bytes 3.3M bytes Opt.; 20M bytes Std.; 200M bytes NA	Opt.; 89-178K bytes No No No No
VORKSTATIONS Maximum number connectable Recommended maximum number Keyboard style Workstation printer	39 16 Type.; num. key Optional	39 24 Type.; num. key Optional	39 24 Type.; num. key Optional	1 1 Type.; num. key
NPUT/OUTPUT DEVICES Serial printer Line printer Reel-to-reel tape drive Cassette/cartridge tape drive CRT Other	Opt.; 150 cps Opt.; 300, 600 lpm Opt.; 800-1600 bpi No Std.; 1920 char. Opt. card reader	Opt.; 150 cps Opt.; 300, 600 lpm Opt.; 800-1600 bpi No Std.; (2) 1920 char. Opt.; card reader	Opt.; 150 cps Opt.; 300, 600 lpm Std.; 1600 bpi No Std.; (2) 1920 char. Opt. card reader	Opt.; 200 cps Opt.; to 600 lpm Opt.; 120KBS No Opt.; to 24 x 80 char. Opt. card reader
COMMUNICATIONS Maximum no. of lines Synchronous Asynchronous Protocols supported Network architecture supported RJE terminals emulated IBM 3270 emulation	Varies Opt.; 75 to 9600 bps Opt.; 75 to 9600 bps Async, bisync NA 2780/3780 Yes	Varies Opt.; 75 to 9600 bps Opt.; 75 to 9600 bps Async, bisync NA 2780/3780 Yes	Varies Opt.; 75 to 9600 bps Opt.; 75 to 9600 bps Async, bisync NA 2780/3780 Yes	1 Opt.; to 4800 bps Opt.; to 9600 bps Async, bisync
COFTWARE SUPPORT COBOL RPG FORTRAN BASIC Assembler Other programming languages Multiprogramming Max. no. of jobs run concurrently Language complemented in firmware Op. sys. implemented in firmware General accounting packages Industry application areas Database management system File access methods supported Software separately priced	Yes Yes Yes Yes Yes As and macro PASCAL, TIFORM Yes, variable Variable No No No No No So No No No No No No No Yes, DBMS 990 Seq., multi-key index Yes Yes	Yes Yes Yes Yes Yes Yes Yes and macro PASCAL, TIFORM Yes, variable Variable No No No No No No Seg., multi-key index Yes Yes	Yes Yes Yes Yes Yes and macro PASCAL, TIFORM Yes, variable Variable No No No No No No Seq., multi-key index Yes Yes	No No No Yes No None No Partially Yes Mfg., dist., insur. Yes Rand., seq., index Yes No
EASE/MAINTENANCE OPTIONS Lease plans available Maintenance plans available	90 cays; 1, 3, 5 year On-call, factory return	1, 3, 5 year On-call, factory return	1, 3, 5 year On-call, factory return	2, 3, 5 year Contract
RICING & AVAILABILITY Purchase price of basic system, \$ Monthly rental of basic system, \$ Monthly maint. price of basic system, \$ Monthly maint. bundled with rental, \$	49,250 (H/W only) 1,804 (3 yr. lease) 378 lease only	68,500 (H/W only) 2,651 (3 yr. lease) 549 lease only	78,900 (H/W only) 2,994 (3 yr. lease) 581 lease only	4,800 50 Yes
Purchase price of: additional memory module, \$ additional workstations, \$ additional printer, \$ Discounts available	1,750 (64K) 1,350 (w/o control) 2,745 (150 cps) Quantity	3,250 (128K) 2,150 2,745 (150 cps) Quantity	3,250 (128K) 2,150 2,745 (150 cps) Quantity	1,300 (8K bytes) 2,600 7,000 (200 lpm)
Date of first U.S. delivery Number installed to date	NA NA	NA NA	NA NA	March 1977 NA
COMMENTS		Additional work- station includes dual controller	Additional work- station includes dual controller	

MANUFACTURER AND MODEL	Wang WCS-15	Wang 2200 MVP	Wang 2200T	Wang 2200VP
WORD LENGTH, BITS	8-bit byte	8-bit byte	8-bit byte	8-bit byte
CPU Model Add time, microseconds No. of I/O ports on basic sys. and max.	Wang WCS-15 800 (13 digits) 3	Wang 2200 MVP 130 (13 digits) 9	Wang 2200T 800 (13 digits) 6; 9	Wang 2200VP 130 (13 digits) 9
NTERNAL STORAGE Type Capacity of basic system, bytes Maximum capacity, bytes Increment size, bytes Cycle/access time, microseconds	MOS 16k 32K 8K 1.6	MOS 16K 64K 16K, 32K 0.6	MOS 16K 32K 8K 1.6	MOS 16K 64K 16K 0.6
MASS STORAGE Floppy disk (diskette) drive Maximum diskette storage Cartridge disk drive Pack disk drive Fixed-head disk/drum Maximum disk storage	Opt.; 524K bytes No No No No	Opt.; 786K bytes Opt.; 20M bytes No No	Opt.; 786K bytes Opt.; 20M bytes No No	Opt.; 786K bytes Opt.; 20M bytes No No -
WORKSTATIONS Maximum number connectable Recommended maximum number Keyboard style Workstation printer	1 1 Type.; num. key	8 8 Type.; num. key	4 4 Type.; num. key	4 4 Type.; num. key
INPUT/OUTPUT DEVICES Serial printer Line printer Reel-to-reel tape drive Cassette/cartridge tape drive CRT Other	Opt.; 200 cps Opt.; to 600 lpm Opt.; 120KBS No Std.; 24 x 80 char. Opt. card reader	Opt.; 200 cps Opt.; to 600 lpm Opt.; 120KBS No Opt.; 24 x 80 char. Opt. paper tape	Opt.; 200 cps Opt.; to 600 lpm Opt.; 120KBS Cast.; 326 bps Opt.; 24 x 80 char. Opt. paper tape	Opt.; 200 cps Opt.; to 600 lpm Opt.; 120KBS No Opt.; 24 x 80 char. Opt. paper tape
COMMUNICATIONS Maximum no. of lines Synchronous Asynchronous Protocols supported Network architecture supported RJE terminals emulated IBM 3270 emulation	1 Opt.; to 4800 bps Opt.; to 9600 bps Async, bisync 	5 Opt.; to 4800 bps Opt.; to 9600 bps Async, bisync — —	5 Opt.; to 4800 bps Opt.; to 9600 bps Async, bisync —	5 Opt.; to 4800 bps Opt.; Async, bisync —
SOFTWARE SUPPORT COBOL RPG FORTRAN BASIC Assembler Other programming languages Multiprogramming Max. no. of jobs run concurrently Language complemented in firmware Op. sys. implemented in firmware General accounting packages Industry application areas Database management system File access methods supported Software separately priced Technical help separately priced	No No No Yes No None No — Fully Partially Yes Mfg., dist., insur. Yes Rand., seq., index Yes No	No No No Yes No None Yes; 16 partitions 16 Fully Partially Yes Mfg., dist., insur. No Rand., seq., index Yes No	No No No yes no None No 4 Fully Partially yes Mfg., dist., insur. Yes Rand., seq., index Yes No	No No No Yes No None No 4 Fully Partially Yes Mfg., dist., insur. yes Rand., seq., index Yes No
LEASE/MAINTENANCE OPTIONS Lease plans available Maintenance plans available	2, 3, 5 year Contract	2, 3, 5-year Contract	2, 3, 5-year Contract	2, 3, 5-year Contract
PRICING & AVAILABILITY Purchase price of basic system, \$ Monthly rental of basic system, \$ Monthly maint. price of basic system, \$ Monthly maint. bundled with rental, \$ Purchase price of: additional memory module, \$ additional workstations, \$ additional printer, \$ Discounts available	8,700 	9,000 	5,000 -3 Yes 2,200 (16K bytes) 2,600 7,000 (220 lpm)	8,000 45 Yes 2,500 (16K bytes) 2,600 14,000 (400 lpm)
Date of first U.S. delivery Number installed to date COMMENTS	February 1978 NA	January 1978 NA	January 1975 NA	November 1978 NA
COMMENTO				

MANUFACTURER AND MODEL	Wang VS Systems	Wang VS-100	Warrex Centurion III	Warrex Centurion 100
WORD LENGTH, BITS	32	32	8	8
CPU Model Add time, microseconds No. of I/O ports on basic sys. and max.	Wang 2200VS NA 8; 16	Wang 2200VS-E NA 8: 32	Warrex CPU V 3.0 (16 bit) 512 used, 4K max.	Warrex CPU V 3.0 (16 bit) 512 used; 4K max.
NTERNAL STORAGE Type Capacity of basic system, bytes Maximum capacity, bytes Increment size, bytes Cycle/access time, microseconds MASS STORAGE Floppy disk (diskette) drive Maximum diskette storage Cartridge disk drive Pack disk drive Pack disk drive Fixed-head disk/drum Maximum disk storage WORKSTATIONS Maximum number connectable Recommended maximum number Keyboard style Workstation printer NPUT/OUTPUT DEVICES Serial printer Line printer Line printer Reel-to-reel tape drive	MOS 128K 512K 64K 0.66 Std.; 318K bytes ————————————————————————————————————	MOS 256K 512K 64K 0.66 Std.; 318K bytes Yes; 45M bytes Yes; 72M bytes No 800MB 32 Type.; num. key Option Opt.; 120 cps Opt.; 120KBS	MOS 32K 64K 16K or 32K 0.8/0.2 Opt.; 3.6M bytes Opt.; 81.6M bytes No 16; 81.6M bytes 12 8 Data entry, num. key Optional Opt.; 65-600 cps Opt.; 125-600 lpm No	MOS 16K 64K 16K or 32K 0.8/0.2 Std.; 3.6M bytes 3; 3.6 M bytes No No No 4 2 Data entry, num. key. Standard Std.; 65-600 cps Opt.; 125-600 lpm No
Cassette/cartridge tape drive CRT Other	No Std.; 24 x 80 char.	No Std.; 24 x 80 char.	No Std.; 24 x 80 char. No	No Std.; 24 x 80 char. No
COMMUNICATIONS Maximum no. of lines Synchronous Asynchronous Protocols supported Network architecture supported RJE terminals emulated IBM 3270 emulation	3 Opt.; to 9600 bps No 	3 Opt.; to 9600 bps No — — —	4 No Opt.; 300 bps None None No	2 No Opt.; 300 bps None None No
COBOL RPG FORTRAN BASIC Assembler Other programming languages Multiprogramming Max. no. of jobs run concurrently Language complemented in firmware Op. sys. implemented in firmware General accounting packages Industry application areas Database management system File access methods supported Software separately priced Technical help separately priced	Yes Yes Yes No Yes Yes Procedure Yes; 11 users — Partially Partially Yes No No Virtual index, rand. Yes No	Yes Yes Yes No Yes Yes Procedure Yes; 32 users — Partially Partially Yes No No Virtual index, rand. —	No No No No Yes CPL, SMART, JCL yes (1-16 part.) 16 No No Yes Any No Rand., seq., index Some Yes	No No No No yes CPL, SMART, JCL Yes (1 to 6 part.) 6 No No No Yes Any No Rand., seq., index Some Yes
EASE/MAINTENANCE OPTIONS Lease plans available Maintenance plans available	2, 3, 5-year Contract	2, 3, 5-year Contract	Third party On-call	Third party On-call
PRICING & AVAILABILITY Purchase price of basic system, \$ Monthly rental of basic system, \$ Monthly maint. price of basic system, \$ Monthly maint. bundled with rental, \$ Purchase price of: additional memory module, \$ additional workstations, \$ additional printer, \$ Discounts available	22,000 235 — 5,000 (64K bytes) 2,800 3,200 (120 cps)	22,000 	28,403 	13,988
Date of first U.S. delivery Number installed to date COMMENTS	December 1977 NA	December 1977 NA	1975 Over 900 Price includes printer; English oriented JCL; large selection of applications	First qtr. 1979 150 Price includes printer; English oriented JCL; large selection of applications