

Index

- A format conversion, FORTRAN, 7-75
- A (Advance) command, EDIT, 8-15
- Abbreviations, I-1
- Absolute expression, MACRO, 6-12
- Absolute loader, LINK, 9-3
- Absolute Patch (ABSPAT), LINK, 9-55
- Access Methods, Concepts, 2-5
- Accessing registers, ODT,
 - general, 11-11
 - internal, 11-11
- Action switches, PIP, 12-7
- Addition and multiplication, binary and octal, B-13
- Addressed location @, ODT, 11-10
- Addressing information, MACRO, 6-21
- Address modes, MACRO
 - instruction modifying, 6-21
 - no instruction modifying, 6-21
- Address mode syntax summary, MACRO, 6-83
- Adjustable dimensions, FORTRAN, 7-58
- Adjustment controls,
 - LP11 line printer, H-7
- /AL (allocate contiguous file) switch,
 - PIP, 12-17
- All option, VERIFY, 14-6
- .ALLOC request, Monitor, 3-50
- Allocating a contiguous file, PIP, 12-17
- ALOG10 (x) floating-point, FORTRAN,
 - common logarithm, 7-141
 - natural logarithm, 7-141
- Alphanumeric, FORTRAN
 - data, 7-75
 - data storage, 7-76
 - data storage within format specifications, 7-76
 - table, 7-76
- American National Standard FORTRAN, 7-1
- Angle bracket (<), Concepts, 2-29
- ANSI standard labels, EBCDIC, 16-1
- Approximate DOS device driver sizes, FORTRAN, 7-115
- Apostrophe (') character
 - assembly listing of, MACRO, 6-96
- .APPND request, Monitor, 3-52
- Arguments, EDIT, 8-9
- Arguments, dimension, FORTRAN, 7-58
- Arguments for MACRO Calls and Definitions, MACRO, 6-62
- Arithmetic, FORTRAN
 - assignment statement, 7-23
 - expressions, 7-15, 7-16
 - function, FORTRAN library, 7-53, 7-54, 7-55
 - operators, 7-15
 - results, mixed mode, 7-18
 - statement functions, 7-52
- Arithmetic IF statement, 7-29
- Array, FORTRAN
 - element, 7-14
 - storage, 7-39, 7-41
 - variables, 7-14, 7-15
 - variables, equivalencing, 7-45
- ASCII,
 - card codes, A-4
 - character set, A-1
 - code, EBCDIC, 16-1
 - conversion, MACRO, 6-37
 - input and output, ODT, 11-22
- .ASCII directive, MACRO, 6-38
- ASCII/binary conversion, Concepts, 2-38
- .ASCIZ directive, MACRO, 6-39
- .ASECT directive, MACRO, 6-52
- ASR-33 Teletype console, H-1
 - keyboard, H-2
- Assembler directives, MACRO, 6-23
- Assembly directives, conditional, MACRO, 6-54, 6-55
- Assembly listing showing ' character, MACRO, 6-96
- Assembly location counter, MACRO, 6-18
- Assembly phase errors, FORTRAN Compiler, K-15
- ASSIGN command,
 - Concepts, 2-10
 - Monitor, 3-20, 3-21
- \$ASSIGN command, BATCH, 4-16
- ASSIGN statement,
 - BATCH, 4-44
 - FORTRAN, 7-25
- ASSIGN subroutine, FORTRAN, 7-151
- Assignment statements, FORTRAN,
 - arithmetic, 7-23
 - conversion rules for, 7-24
 - logical, 7-25
- Asterisk (*) character, Monitor, 3-16
- Asterisk feature, PIP, 12-5
- Asynchronous commands, BATCH, 4-16
- ATAN(X) floating-point arctangent, FORTRAN, 7-141
- ATAN2(x,y) Two argument floating-point Arctangent, FORTRAN, 7-141
- \$AUTO routine, LINK, 9-20
- Autoload, LINK, 9-19, 9-20
 - entry point, 9-17
 - operator (asterisk), 9-23, 9-29
 - overlays from FORTRAN, 9-39
 - vector entry, 9-20
 - vectors, 9-47
- B (Beginning) command, EDIT, 8-13
- /B (Bottom) switch, LINK, 9-7
- /B (no-backup) switch, EDIT, 8-2
- Back-arrow (+), ODT, 11-9

Backslash, ODT, 11-8
 Backspace statement, FORTRAN, 7-98
 Bad Block Identification, DSKINT, 18-1
 Batch Command Language (BCL), 4-12
 Batch Commands, 4-12, 4-13, 4-14
 Batch Concise Commands, 4-15
 Batch implementation, Concepts, 2-44
 BATCH input, 4-38
 Batch job example, BATCH, 4-3
 Batch mode, Concepts, 2-45
 Batch mode, entering, BATCH, 4-7
 Batch operation, Concepts, 2-43
 BATCH programming conventions, 4-42
 Batch streams, Concepts, 2-44
 Baud rate selector switch positions, VT05, H-22
 BCL rules, BATCH, 4-12
 \$BEGIN command, BATCH, 4-18
 BEGIN command, Monitor, 3-22
 Binary data, BATCH, 4-47
 Binary operators, MACRO, 6-11
 Binary relocatable object module, ODT, 11-1
 .BIN2D request, Monitor, 3-53
 .BIN2O request, Monitor, 3-53
 Bit map listing, Verify, 14-12
 BL (Blank Lines) switch, FILCOM, 13-4
 /BL (Block) switch, FILDMP, 15-7
 Blank leader/trailer tape, H-3
 Blank suppression, BATCH, 4-47
 .BLKB directive, MACRO, 6-43
 .BLKW directive, MACRO, 6-43
 Block, Monitor, 3-8
 .BLOCK, Monitor
 input/output transfers, 3-44
 request, 3-54
 BLOCK Block, Monitor, 3-111
 Block Data subprograms, FORTRAN, 7-63
 BLOCK level requests, Monitor, 3-43
 Block Search information, Verify, 14-13
 Block summary, FORTRAN, 7-107
 examples, 7-108
 BM792-YB Bootstrap Loader for Disk/
 DECTape, G-2
 Bootstrap loaders,
 BM792-TC (Card Reader), G-2
 BM792-YA (Paper Tape), G-2
 BM792-YH (Cassette), G-2
 BM792-YB (Disk/DECTape) G-2
 Cassette, G-4
 Magnetic tape, G-3
 MR11 (Disk/DECTape), G-2
 Paper tape, G-2
 Bootstrap procedures, G-1
 Branch instruction addressing, MACRO,
 6-22
 Breakpoint, ODT, 11-13, 11-25, 11-27, 11-28
 Breakpoint functions, ODT, 11-25
 /BR (brief directory) switch, PIP, 12-25
 Braces ({}), Intro, 1-2
 Brackets ([]), Intro, 1-2
 Brief directory listings, PIP, 12-25
 Buffer space, I/O, FORTRAN, 7-115
 Building the Monitor with SYSLOD, Concepts,
 2-56
 Bulk transfer, Concepts, 2-12
 Byte, FORTRAN,
 array, 7-46
 arrays and equivalence, 7-46
 format, 7-139
 .BYTE directive, MACRO, 6-35

 C (Change) command, EDIT, 8-20
 Calculating offsets, ODT, 11-19
 Calculators, relocation, ODT, 11-21
 CALL RANDU (I1,I2,F), Random Number Genera-
 tor, FORTRAN, 7-143
 CALL statement, FORTRAN, 7-62
 Calling FORTRAN subprogram, FORTRAN, 7-164
 Calling sequence conventions, FORTRAN, 7-161
 Calling sequence macros, PDP-11 FORTRAN, 7-163
 Calling the driver, Device Driver, 5-7
 Card Codes, BATCH, 4-46
 Card codes, Appendix A
 ASCII, A-4, A-5
 DEC-029, A-6
 DEC-025, A-7
 Card Reader,
 CR11, H-25
 CR11-A, H-25
 CR11-A photo, H-25
 CR11-B, H-26
 Carriage control, 7-82
 characters, table of, 7-82
 Carriage Return, Intro, 1-2
 Cassette,
 bootstrap loader, G-4
 general format, PIP, 12-37
 initialization, PIP, 12-35, 12-36
 services, Concepts, 2-23
 special functions, Monitor, 3-129
 /CC (Concatenate) switch,
 BATCH, 4-4
 LINK, 9-8
 /CH switch, FILDMP, 15-6
 \$CHANGE command, BATCH, 4-18
 Changing ribbon,
 LA30 DeCwriter, H-18
 Character
 codes, A-1
 location pointer, (DOT), EDIT, 8-7
 string arguments, FORTRAN, 7-160
 string constants, FORTRAN, 7-8
 Character Set
 ASCII, A-1
 FORTRAN, 7-7
 MACRO, 6-7
 Radix-50, A-8, A-9
 Characters, MACRO,
 legal delimiting, 6-9
 legal separating, 6-8
 illegal, 6-10

Characters, Radix-50, FORTRAN, 7-12
 CILUS (Core Image Library Update and Save)
 Concepts, 2-57
 Circular buffering, Device Driver, 5-20
 /CO (Contiguous) switch, PIP, 12-12
 /CO (Contiguous output) switch, LINK, 9-11
 .CLOSE request, Monitor, 3-55
 CLOSE routine, Device Driver, 5-19
 Closed location, ODT, 11-7
 Code, ASCII, EBASCI, 16-1
 Code or data sharing, MACRO, 6-51
 Command Data Input (CDI), BATCH, 4-43
 Command,
 datasets, BATCH, 4-42
 decoder, ODT, 11-25
 execution routines, ODT, 11-25
 format, FILCOM, 13-2
 input string, MACRO, 6-76
 interpretation, Monitor, 3-13
 mode, EDIT, 8-6
 relocation register, ODT, 11-20
 Command Output (CMO), BATCH, 4-43
 Command string,
 EDIT, 8-9
 LINK, 9-5
 Command String Interpreter (CSI),
 BATCH, 4-35
 Concepts, 2-9
 FILDMP, 15-1
 Command summary,
 EDIT, 8-34
 Monitor, 3-148
 Commands
 BATCH, 4-12, 4-13, 4-14
 FILCOM, 13-2
 ODT, 11-3
 Commands and functions, DSKINT, 18-2
 Commands, Concise, BATCH, 4-15
 Command String Input (CMI), BATCH, 4-42
 Commands, Synchronous/Asynchronous, BATCH,
 4-15
 Comment field, MACRO, 6-6
 Comment lines, FORTRAN, 7-5
 Communication between user and Monitor,
 Monitor, 2-41
 Compilation, Assembly and Linking, Concepts,
 2-49
 Compilation listing, DEMO.FIN, FORTRAN,
 7-175
 Compile-Load-and-Go-operation, FORTRAN,
 7-106
 Compile-Time memory requirements, FORTRAN,
 7-109
 Complex constants, FORTRAN, 7-10
 Complex format, FORTRAN, 7-138
 Complex I/O, FORTRAN, 7-73
 Computed GOTO statement, FORTRAN, 7-27
 Concatenation, MACRO, 6-65
 Concatenation operator, LINK, 9-3
 Concise commands,
 BATCH, 4-15
 Concepts, 2-45
 Conditional assembly directives, MACRO,
 6-54, 6-55
 Constant, floating point, FORTRAN, 7-8
 Constant register, ODT, 11-18
 Constants, FORTRAN, 7-7
 complex, 7-10
 double-precision, 7-9
 hexadecimal, 7-10
 Hollerith, 7-11, 7-12
 integer, 7-8
 literal, 7-11
 logical, 7-8, 7-11
 numeric, 7-7
 octal, 7-9
 Radix-50, 7-12
 real, 7-8
 Constants, character string, 7-8
 Contiguous files,
 Concepts, 2-21
 FORTRAN, 7-123
 Monitor, 3-74
 PIP, 12-12
 Continuation lines, FORTRAN, 7-5
 CONTINUE command, Monitor, 3-23
 CONTINUE statement, FORTRAN, 7-33
 Control characters,
 CTRL/C, Monitor, 3-17
 CTRL/U, Monitor, 3-17
 Control interface, Device Driver, 5-3
 Controls and indicators,
 LA30 DECwriter, H-15, H-16
 VT05 H-20
 Control section name, LINK, 9-64
 Control section name entry format, LINK,
 9-65
 Control word, segment, FORTRAN, 7-124
 Conventions, Intro,
 cross referencing, 1-3
 documentation, 1-1
 figures and tables, 1-3
 reference, 1-3
 UPPERCASE/lowercase, 1-3
 Conversion from EBCDIC with EBASCI,
 Concepts, 2-25
 EBASCI, 16-1
 Conversion, Hollerith, FORTRAN, 7-76, 7-77
 Conversion rules for assignment statements,
 FORTRAN, 7-24
 Conversion tables, B-1
 Core block initialization, (ODT), 11-18
 Core image descriptor, LINK, 9-83
 Core images, Concepts, 2-55
 Core map, Monitor, 3-5
 Core organization, Monitor, 3-4
 Core usage, EDIT, 8-24
 .CORE request, Monitor, 3-56
 COS(X) floating-point cosine, FORTRAN, 7-144
 \$CPY command, BATCH, 4-19
 Crash, Monitor program, 3-22
 Creating a library, (LIBR), 10-3
 Creating program sections,
 LINK, 9-87
 MACRO, 6-49

(CREF) Cross referencing listing, MACRO, 6-78

CR11 Card reader, H-24

CR11-A Card reader, H-24
Model photo, H-25

CR11-B Card reader, H-26

/CR (global cross-reference) switch, LINK, 9-11

Cross-reference listing (CREF), MACRO, 6-78

Cross-reference table generation, MACRO, 6-78

Cross-referencing conventions, Intro, 1-3

.CSECT directive, MACRO, 6-52

CSI command format, Monitor, 3-121

.CSI command string syntax rules, Monitor, 3-123

.CSI1 Request, Monitor, 3-57

.CSI2 Request, Monitor, 3-58

.CSI2 return conditions, BATCH, 4-45

CTRL/C Keys, Monitor, 3-17

CTRL/U Keys, Monitor, 3-17

.CVTDT request, Monitor, 3-61

D (Delete) command, EDIT, 8-18

/D (Done) switch, DSKINT, 18-7

D format conversions, FORTRAN, 7-70

Data buffer and device driver area, Concepts, 2-35

Data manipulation with PIP, Concepts, 2-25

Data mode, Monitor, 3-12

Data storage, FORTRAN
alphanumeric, 7-76
table, 7-76
within format specifications, 7-76

Data transmission statements, FORTRAN, 7-65

DATAN(X) double precision arctangent, FORTRAN, 7-14

DATAN2(X,Y) 2-argument double precision arctangent, FORTRAN, 7-142

Datasets,
Concepts, 2-6
Monitor, 3-7

Dataset Data Block (DDB), Device Driver, 5-15

Dataset specifier, Monitor, 3-20

Dataset specification methods, Concepts, 2-8

Dataset specification, within program, Concepts, 2-8

Data storage, Concepts, 2-14

Data storage directives, MACRO, 6-35

\$DATE command, BATCH, 4-20

DATE command, Monitor, 3-23

.DATE request, Monitor, 3-62

DATE subroutine, FORTRAN, 7-154

DCOS(X) double precision cosine, FORTRAN, 7-142

/DE (Delete) switch, PIP, 12-14

DE (Delete Existing) Switch, FILCOM, 13-5

Debugging FORTRAN programs, FORTRAN, 7-116

Declaratives, FORTRAN, 7-35

DECODE, FORTRAN
example, 7-101
statement, 7-99

DECpack procedures, ROLLIN, 17-10

DECTape and RK11 Disk initialization, PIP, 12-29

DEC-026 card codes, A-7

DEC-029 card codes, A-6

Default field specifications, FORTRAN, 7-78

DEFINE FILE statement, FORTRAN, 7-95

\$DEL command, Batch, 4-20

.DELET request, Monitor, 3-63

Deleting files, PIP, 12-14

Deleting object modules, LIBR, 10-5

Delimiter usage, EDIT, 8-24

Delta character (Δ), Intro, 1-2

DEMO.FIN compilation listing, FORTRAN, 7-175

Descriptor block, FORTRAN, 7-107

Design criteria of DOS/BATCH, 2-1

Determining file Blocks, FILDMP, 15-6

Device assignment, BATCH, 4-6

Device assignments,
FORTRAN, 7-127
FORTRAN Logical, 7-128

Device control statements, FORTRAN, 7-98

Device designators, ROLLIN, 17-2

Device driver format, Device Driver, 5-2

Device driver sizes, DOS approximate, FORTRAN, 7-115

Device Drivers, Concepts, 2-32

Device Drivers, Device Driver, 5-1

Device drivers for terminals, 5-20

Device drivers outside DOS/BATCH, 5-1

Device driver stand-alone use, 5-5

Device driver structure, 5-14

Device Independence,
Concepts, 2-5
Monitor, 3-47

Device-independent usage, Device Drivers, 5-11

Device names, Concepts, 2-7

"Device Not Ready" state, BATCH, 4-48

Device parity failure, 5-18

Device specification,
Monitor, 3-122
PIP, 12-4

Device specification codes, FORTRAN, 7-103

Device table entry, FORTRAN, 7-130

Device table listing, FORTRAN, 7-178
\$DEVTB, 7-178

Device table, FORTRAN,
\$DEVTB, 7-129

Devices supported by DOS/BATCH, Concepts, 2-4

\$DEVTB,
(FORTRAN device table), 7-129
\$DEVTB (FORTRAN device table listing), 7-178

DEXP(X) double-precision exponential, FORTRAN, 7-142

DF (Define Default) Switch, FILCOM, 13-6

/DI (Directory) switch, PIP, 12-20

Dimension arguments, FORTRAN, 7-58
 DIMENSION statement, FORTRAN, 7-39
 Dimensions, adjustable, FORTRAN, 7-58
 \$DIR command, BATCH, 4-21
 Direct assignment statement, MACRO, 6-14
 Directive arguments, listing of,
 MACRO, 6-24
 Direct access I/O, FORTRAN, 7-126
 Direct access, FORTRAN,
 READ statement, 7-96
 WRITE, 7-97
 Directives, MACRO
 Assembler, 6-23, 6-84
 Conditional assembly, 6-54
 Data storage, 6-35
 Functions, 6-32
 Listing control, 6-23
 Location counter control, 6-42
 Numeric control, 6-44
 Program boundaries, 6-47
 Program section, 6-47
 Radix control, 6-41
 Symbol control, 6-41
 Terminating, 6-46
 Directory listings, PIP, 12-20
 Directory manipulation, PIP, 12-19
 Disk and DECTape services, Concepts, 2-19
 Disk/DECTape operations, ROLLIN, 17-5
 Disk directory structure, Concepts, 2-20
 Disk initialization, PIP, 12-29
 Disk Initialization Program (DSKINT), 18-1
 Disk/Magtape Operations, ROLLIN, 17-6
 Disk restoration, ROLLIN,
 from DECTape, 17-6
 from Magtape, 17-9
 Disk to DECTape Dump, ROLLIN, 17-5
 Disk to Magtape Dumps, ROLLIN, 17-7
 Distribution media for DOS/BATCH, 2-55
 DLOG(X), double precision natural logarithm,
 FORTRAN, 7-142
 DLOG10(X), double precision command logarithm,
 FORTRAN, 7-142
 DO loop, FORTRAN,
 extended, 7-32
 range of, 7-31, 7-32
 DO statement, FORTRAN, 7-30, 7-31
 Documentation conventions, Intro, 1-1
 Documentation set, DOS/BATCH, Intro 1-1
 DOS/BATCH FORTRAN, 7-1, 7-2
 DOS/BATCH messages,
 action, K-38
 error, K-38
 fatal, K-40
 information, K-47
 keyboard command, K-47
 system program, K-48
 warning, K-51
 DOS/BATCH Monitor, 3-1
 DOS/BATCH Monitor features and benefits,
 3-2, 3-3
 DOS/BATCH recovery from F012 or F024 file
 access violations, K-46
 DOS device driver sizes, approximate,
 FORTRAN, 7-115
 Dot (character location pointer), EDIT,
 8-7
 Double precision arctangent, 2-argument,
 DATAN(X), FORTRAN, 7-142
 Double precision arctangent, DATAN(X),
 FORTRAN, 7-141
 Double precision common logarithm, DLOG10(X),
 7-142
 Double precision constants, FORTRAN, 7-9
 Double precision cosine, DCOS, FORTRAN,
 7-142
 Double precision exponential, FORTRAN
 DEXP(X), 7-142
 Double precision format (4-word floating
 point) FORTRAN, 7-137
 Double precision natural logarithm, DLOG(X),
 FORTRAN, 7-142
 Double precision sine, FORTRAN, DSIN(X),
 FORTRAN, 7-142
 Double precision square root, DSQER(X),
 7-142
 Driver call, Device Driver, 5-7
 Driver call parameter table, Device Driver,
 5-6
 Driver facilities word format, Monitor,
 3-88
 Driver interface table, Device Driver, 5-2
 Driver, I/O, Device Driver, 5-14
 Driver routines, Device Driver, 5-17
 Drivers assembled separately, Device
 Driver, 5-10
 Driver Table, 5-16
 .DSABL directives, MACRO, 6-32
 DSIN(X), double precision sine, FORTRAN,
 7-142
 DSKINT,
 commands and functions, 18-2
 error messages, K-36
 sample executions, 18-8
 switches, J-1
 DSQRT(X), double precision square root,
 FORTRAN, 7-142
 .D2BIN request, Monitor, 3-64
 \$DUMP command, BATCH, 4-22
 DUMP command, Monitor, 3-24
 /DU (dump-on-error) switch, Batch, 4-26
 Dumping blocks of data, FILDMP, 15-7
 Dumping entire files, FILDMP, 15-6
 Dumping files with FILDMP, Concepts, 2-53
 Dumping Radix-50 formatted data, FILDMP,
 15-7
 DUMP Mode, Monitor, 3-108
 .DUMP request, Monitor, 3-95
 Dumps, BATCH, 4-39
 Dynamic memory, Concepts, 2-27
 Dynamic memory area, Concepts, 2-33, 2-34
 /E (End) switch, LINK, 9-9
 E format conversions, FORTRAN, 7-69

EBASCI operating procedures, EBASCI, 16-2
 EBCDIC format, EBASCI, 16-1
 EBCDIC Conversion Program, EBASCI, 16-1
 ECHO command, monitor, 3-25
 EDIT Concepts, 2-48
 EDIT
 arguments, 8-9
 core usage, 8-24
 delimiter usage, 8-24
 error messages, K-23
 error recovery, 8-5
 file creation, 8-3
 low-speed punch procedure, 8-5
 macro usage, 8-23
 page, 8-1
 page unit of input, 8-8
 restarting an EDIT session, 8-4
 subsidiary I/O, 8-24
 EF (End File) command, EDIT, 8-12
 Effective address search, ODT, 11-17
 EH (Edit whole) command, EDIT, 8-17
 EM (Execute Macro) command, EDIT, 8-22
 EMT code summary, Monitor, 3-98
 EMT service routines, Monitor, 3-120
 /EN (ENTER) switch, PIP, 12-19
 .ENABL directive, MACRO, 6-32
 ENCODE statement, FORTRAN, 7-99
 END command, Monitor, 3-25
 .END directive,
 LINK, 9-28
 MACRO, 6-46
 END FILE statement, FORTRAN, 7-99
 Entry Format, LINK,
 control section name, 9-65
 global additive displaced relocation, 9-75
 global additive relocation, 9-75
 global displaced relocation, 9-74
 global relocation, 9-73
 global symbol name, 9-67
 internal displaced relocation, 9-74
 internal relocation, 9-73
 internal symbol name, 9-65
 location counter definition, 9-76
 location counter modification, 9-76
 module name, 9-64
 program limits, 9-77
 program version identification, 9-69
 p-section additive displaced relocation,
 9-80
 p-section additive relocation, 9-79
 p-section displaced relocation, 9-78
 p-section name, 9-68
 p-section relocation, 9b78
 transfer address, 9-66
 Entry point, LINK, 9-17
 Entry to Polish mode, FORTRAN, 7-112
 \$EOD command, BATCH, 4-22
 EO (Edit Open) command, EDIT, 8-22
 EP (Edit Position) command, EDIT, 8-17
 EQUIVALENCE statement, FORTRAN, 7-43, 7-44,
 7-45, 7-46
 Common interaction, 7-45
 Equivalencing array variables, FORTRAN, 7-45
 ER (Edit Read) command, EDIT, 8-10
 Error class table, FORTRAN, 7-118
 Error conditions, BATCH, 4-48
 Error detection, ODT, 11-23
 .ERROR directive, MACRO, 6-71
 Error handling,
 BATCH, 4-45
 Device driver, 5-3
 FORTRAN I/O, 7-127
 Error Messages
 BATCH, 4-9
 Concepts, 2-47
 DOS/BATCH,
 action messages, Kb38
 error, K-40
 fatal, K-40
 information, K-47
 keyboard command, K-47
 system program, K-48
 warning, K-51
 DSKINT, K-36
 EDIT, K-23
 FILCOM,
 command syntax errors, K-31
 error messages, Kb31
 I/O device initialization and I/O, K-32
 runtime, K-32
 FILDMP, K-35
 FORTRAN Compiler,
 assembly phase errors, Kb15
 diagnostic messages, K-3
 FORTRAN OTS
 error diagnostics, K-16
 LIBR, K-29
 LINK
 error diagnostics, K-24
 MACRO, K-1
 PIP, K-29
 ROLLIN, K-35
 VERIFY, K-33
 Errors, Device Driver
 hardware, 5-9
 irrecoverable, 5-9
 Error processing,
 FORTRAN OTS, 7-118
 ESCAPE key, Monitor, 3-18
 Evaluation, operator, FORTRAN, 7-17
 .EVEN directive, MACRO, 6-43
 EW (Edit Write) command, EDIT, 8-11
 /EX (exclude) switch, LINK, 9-10
 EX (Exit) command, EDIT, 8-13
 Example of an overlay structure, Concepts,
 2-52
 Example of run-time diagnostics, FORTRAN,
 7-117
 Executable statement, FORTRAN, 7-3
 \$EX[ECUTE] command, BATCH, 4-23
 Exit from polish mode, FORTRAN, 7-113
 .EXIT request, Monitor, 3-64
 EXIT subroutine, FORTRAN, 7-154

EXP(X) floating-point exponential, FORTRAN, 7-143
 Expressions, FORTRAN
 arithmetic, 7-15, 7-16
 logical, 7-19
 mixed mode arithmetic, 7-17
 relational, 7-19, 7-20
 Expressions, MACRO, 6-11
 absolute, 6-12
 external, 6-12
 relocatable, 6-12
 Expressions, ODT,
 relocatable, 11-2
 Extend control section (EXTSCT), LINK, 9-56
 Extension specification filename, Monitor, 3-122
 External expression, MACRO, 6-12
 EXTERNAL statement, FORTRAN, 7-47, 7-57
 External symbol, LINK, 9-2

 F (Form Feed) command, EDIT, 8-13
 F format conversions, FORTRAN, 7-68
 Facilities on each medium, summary of, Concepts, 2-24
 Facility indicator word, Device Driver, 5-15, 5-16
 Fast Copy, PIP, 12-10
 .FCTR (factor) directive, LINK, 9-25
 Figure conventions, Intro, 1-3
 Field specifications,
 default, FORTRAN, 7-78
 FILCOM
 sample output, 13-9
 switches, J-2
 FILCOM commands, 13-2
 FILCOM command
 format, 13-2
 syntax errors, K-31
 FILCOM error messages, K-31
 FILCOM errors
 I/O device initialization, K-32
 I/O, K-32
 runtime, K-32
 FILDMP
 read errors, 15-5
 dumping entire files, 15-6
 determining file blocks, 15-6
 /CH switch,
 dumping blocks of data, 15-7
 error messages, K-35
 running, 15-2
 input switches, 15-3
 output switches, 15-4
 output formats, 15-5
 switches, J-3
 File access violations,
 recovery from F012 or F024, K-46
 File Block, Monitor, 3-85
 File blocks, determining, FILDMP, 15-6
 File copy operation, PIP, 12-9
 File creation, EDIT, 8-3

 File Dump, (FILDMP), 15-1
 File Merge Operation, PIP, 12-10
 File, Monitor, 3-8
 File protection codes, Concepts, 2-18
 File specification combinations, legal, LIBR, 10-8
 File specification default values, MACRO, 6-77
 File structure, Monitor, 3-9
 File structures and formats, FORTRAN, 7-123
 File structures and I/O modes, FORTRAN, 7-123
 table, 7-123
 File transfers from the terminal, PIP, 12-13
 Filename block,
 Concepts, 2-9
 Monitor, 3-101
 Filename Block Error Conditions, Monitor, 3-102
 Filename extensions, E-1
 Filename extension, Concepts, 2-7
 Filename extensions,
 Concepts, 2-49
 FORTRAN, 7-104
 Monitor, 3-15
 Filename extension specification, PIP, 12-5
 Filename specification,
 FORTRAN, 7-103
 Monitor, 3-122
 PIP, 12-4
 Filenames
 Concepts, 2-7
 Monitor, 3-15
 Files, Concepts, 2-6
 FIND statement, FORTRAN, 7-96
 \$FINISH command, BATCH, 4-24
 FINISH command, Monitor, 3-26
 Fix option, Verify, 14-5
 Floating point arctangent, FORTRAN
 ATAN(X), 7-141
 Floating point common logarithm ALOG10(X),
 FORTRAN, 7-141
 Floating point cosine, FORTRAN
 COS(C), 7-144
 Floating-point constant, FORTRAN, 7-8
 Floating-point exception vector, Monitor, 3-88
 Floating-point exponential, FORTRAN, EXP(X), 7-143
 Floating-point formats, FORTRAN, 7-135
 Floating-point hyperbolic tangent, FORTRAN,
 TANH(X), 7-144
 Floating-point sine, FORTRAN,
 SIN(X), 7-144
 Floating-point square root, FORTRAN,
 SQRT(X), 7-144
 Floating-point natural logarithm, FORTRAN,
 ALOG(X), 7-141
 .FLUSH request, Monitor, 3-97
 FORDBG.FTN source listing, FORTRAN, 7-132
 Format, Device Driver, 5-2

Format, FILCOM command, 13-2
 Format conversion packages and I/O routines, LINK, 9-43
 Format conversions, FORTRAN, 7-69
 A, 7-75
 D, 7-70
 E, 7-69
 F, 7-68
 G, 7-71, 7-72
 I, 7-67
 L, 7-75
 O, 7-68
 Format expressions, variable, FORTRAN, 7-80
 Format specifications, alphanumeric data within, FORTRAN, 7-76
 Format specification, FORTRAN, Q, 7-78
 Format statements, FORTRAN, 7-65
 Formats, ODT printout, ODT, 11-6
 Formatted, Monitor
 ASCII normal, 3-106
 ASCII parity, 3-108
 ASCII special, 3-106
 Binary normal, 3-107
 Binary special, 3-107
 Formatted input, short field termination on, FORTRAN, 7-79
 Formatted I/O, FORTRAN, 7-123
 Formatted READ statement, FORTRAN, 7-90
 Formatted WRITE statement, FORTRAN, 7-92
 Formatting a FORTRAN line, FORTRAN, 7-3
 FORMula TRANslation, 7-1
 FORTRAN, American National Standard, 7-1
 FORTRAN character set, 7-7
 FORTRAN, compile-time memory requirements, 7-109
 object time system, 7-110
 FORTRAN Compiler/Assembly phase errors, K-15
 FORTRAN compiler error diagnostics, K-3
 FORTRAN complex format, 7-138
 byte format, 7-139
 Hollerith format, 7-139
 logical format, 7-139
 Radix-50, 7-139
 FORTRAN constants, 7-7
 FORTRAN device table listing (\$DEVTB), 7-178
 FORTRAN direct-access I/O, 7-126
 FORTRAN, DOS/BATCH, 7-1, 7-2
 FORTRAN double precision format (4 word floating point), 7-137
 complex format, 7-138
 FORTRAN executable statement, 7-3
 FORTRAN expressions, 7-15
 FORTRAN, floating-point formats, 7-135
 real format (2-word floating point), 7-136
 FORTRAN format conversions and I/O routines, LINK, 9-41
 FORTRAN formatted, I/O, 7-123
 FORTRAN integer format, 7-135
 FORTRAN I/O, 7-86, F-120
 FORTRAN I/O error handling, 7-127
 FORTRAN I/O flow, 7-120
 FORTRAN Library arithmetic functions, 7-53, 7-54, 7-55
 FORTRAN Library functions, 7-140, 7-51, 7-52
 FORTRAN Library function references, 7-16
 FORTRAN Library subroutines, 7-145
 FORTRAN Library usage, 7-106
 output listing format, 7-107
 FORTRAN line, formatting, 7-3
 FORTRAN device assignments, 7-127
 logical, 7-128
 FORTRAN,
 logical device assignments, 7-88, 7-128
 device table, \$DEVTB, 7-129
 FORTRAN logical device assignments, D-1
 FORTRAN, macro usage, 7-169,
 trace package, 7-171
 FORTRAN nonexecutable statement, 7-3
 FORTRAN object time system, 7-110
 FORTRAN operating procedures, 7-102
 FORTRAN OTS error classes, 7-119
 FORTRAN OTS error diagnostics, K-16
 FORTRAN OTS error processing, 7-118
 FORTRAN output listing format, 7-107
 FORTRAN program unit, 7-6
 FORTRAN random number generator
 RAN (I1,I2), 7-143
 CALL RANDU(I1,I2,F), 7-143
 FORTRAN run-time memory organization, 7-114
 map, 7-114
 FORTRAN, SETFIL arguments, 7-148
 FORTRAN standard peripheral devices, 7-122
 FORTRAN statement structure, 7-3
 FORTRAN source program, 7-1
 FORTRAN sources, J-4
 FORTRAN trace output description, 7-171
 FORTRAN unformatted I/O, 7-123, 7-124
 FORTRAN variables, 7-13
 FORTRAN IV extensions, Concepts, 2-50
 \$FORTRN command, BATCH, 4-24
 /FR (free blocks) switch, PIP, 12-28
 Free blocks, PIP, 12-28
 Function codes, Monitor, 3-135
 Functional organization, ODT, 11-25
 Functions, FORTRAN, 7-51
 Functions, arithmetic statement, FORTRAN, 7-52
 Functions of an Operating System, Concepts, 2-1
 Functions, FORTRAN Library, 7-51
 Function, SECNDS, FORTRAN, 7-157
 FUNCTION statement format, FORTRAN 7-59
 FUNCTION subprograms, FORTRAN, 7-59
 G format conversions, FORTRAN, 7-71, 7-72
 G (Get) command, EDIT, 8-15
 General registers, accessing, ODT, 11-11
 \$GET command, BATCH, 4-25
 GET Command, Monitor, 3-26

Global additive displaced relocation entry format, LINK, 9-75
 Global additive relocation entry, format, LINK, 9-75
 Global displaced relocation entry format, LINK, 9-74
 Global patch (GBLPAT), LINK, 9-57
 Global relocation entry format, LINK, 9-73
 Global switches, FILCOM, 13-5, 13-6
 Global symbol definition (GBLDEF), LINK, 9-57
 Global symbol directory (GSD), LINK, 9-62
 Global symbol name entry format, LINK, 9-67
 Global symbols, LINK, 9-2
 .GLOBL directive, MACRO, 6-52
 Glossary and abbreviations, I-1
 Glossary, I-1
 /GO switch, example of, BATCH, 4-2
 /GO switch, LINK, 9-10
 GOTO statement, FORTRAN, assigned, 7-28
 computed, 7-27
 GSD record and entry formats, LINK, 9-63
 GSD record format, end of, LINK, 9-69
 .GTCIL request, Monitor, 3-65
 .GTCLK request, Monitor, 3-65
 .GTOVF request, Monitor, 3-66
 .GTPLA request, Monitor, 3-66
 .GTRDV request, Monitor, 3-67
 .GTSTK request, Monitor, 3-67
 .GTUIC request, Monitor, 3-68

 H (wHole) command, EDIT, 8-16
 Hardware configurations, DOS/BATCH, 3-5
 Hardware constraints of magnetic media, Concepts, 2-16
 Hardware errors, Device Driver, 5-9
 Header cards, BATCH, 4-46
 Hexidecimal constants, FORTRAN, 7-10
 High-speed paper tape reader/punch, H-4
 Hollerith, FORTRAN, constants, 7-10, 7-11, 7-12
 conversion, 7-76, 7-77
 format, 7-139
 "Hopper Empty" condition, BATCH, 4-48

 I Format conversions, FORTRAN, 7-67
 I (Insert) command, EDIT, 8-18
 .IDENT directive, MACRO, 6-30
 IF statement, FORTRAN, 7-29
 Illegal characters, MACRO, 6-10
 Illegal mixed mode operations, FORTRAN, 7-19
 Immediate conditional directive, MACRO, 6-57
 IMPLICIT statement, FORTRAN, 7-35, 7-36
 /IN (INclude) switch, LINK, 9-10
 IN (INdirect commands) switch, FILCOM, 13-7
 /IN (INspect) switch, PIP, 12-15

 Index variable, FORTRAN, 7-31
 Indirect modes, Monitor, 3-108
 .INIT request, Monitor, Initialization, core block, ODT, 11-18
 Initialization, DSKINT, 18-1
 Input data formats, LINK, 9-60
 Input modules, LINK, 9-3
 Input switches
 FILDMP, 15-3
 LINK, 9-7
 Input/Output overview, FORTRAN, 7-120
 Insert object modules, LIBR, 10-5
 Inspecting files, PIP, 12-15
 Integer constants, FORTRAN, 7-8
 Integer format, FORTRAN, 7-135
 Integer variables, FORTRAN, 7-14
 Interactive operation, Concepts, 2-43
 Interleave factor, Concepts, 2-22
 PIP, 12-2
 Internal displaced relocation entry format, LINK, 9-74
 Internal registers, accessing, ODT, 11-11
 Internal relocation entry format, LINK, 9-73
 Internal symbol directory record format, LINK, 9-81
 Internal symbol name entry format, LINK, 9-65
 Inter-record gap, Concepts, 2-16
 Interrupt interface, Device Driver, 5-4
 Interrupt service routine, Device Driver, 5-17
 Interrupt servicing, Device Driver, 5-3
 Intrinsic function, RAN, FORTRAN, 7-153
 I/O buffer space, FORTRAN, 7-115
 I/O driver, Device Driver, 5-14
 I/O error handling, FORTRAN, 7-127
 I/O flow, FORTRAN, 7-120
 I/O FORTRAN, 7-120
 direct access, 7-126
 formatted, 7-123
 lists, 7-89
 modes, 7-123
 modes and file structures, 7-123
 records, 7-88
 unformatted, 7-123
 IRAD50 subprogram, FORTRAN, 7-157
 .IRP directive, MACRO, 6-72
 .IRPC directive, MACRO, 6-72
 Irrecoverable errors, Device Driver, 5-9

 J (Jump) command, EDIT, 8-14
 \$JOB command, BATCH, 4-26
 Job log, BATCH, 4-39

 K (Kill) command, EDIT, 8-19
 Keyboard character processing, Monitor, 3-18
 Keyboard commands, Monitor, 3-19

\$KILL command, BATCH, 4-28
 KILL command, Monitor, 3-26

L format conversions, FORTRAN, 7-75
 /L (Library) switch, LINK, 9-9
 L (List) command, EDIT, 8-12
 /L (List) switch, DSKINT, 18-4
 Label Field, MACRO, 6-4
 LA30 DECwriter, Appendix H
 changing ribbon, H-18
 controls and indicators, H-15, H-16
 loading paper, H-17
 operation of, H-15
 power controls, H-17
 ribbon threading diagram, H-19
 securing ribbon to reel, H-19
 threading, H-18
 LA30 Power Controls, H-17
 LA30S DECwriter (Serial machine), H-16
 left angle bracket, (<)
 Concepts, 2-9
 ODT, 11-10
 Legal delimiting characters, MACRO, 6-9
 Legal separating characters, MACRO, 6-8
 /LG (Long map) switch, LINK, 9-11
 LIBR error messages, K-29
 LIBR (Librarian), 10-1
 LIBR switches, J-6
 Librarian examples, LIBR, 10-9
 Librarian (LIBR), 10-1
 Library, LIBR
 creating a, 10-3
 listing, 10-6
 naming, 10-7
 updating, 10-4
 Library Building with LIBR, Concepts, 2-53
 Library functions, FORTRAN, 7-51, 7-52,
 7-140
 Library subroutines, FORTRAN, 7-106
 LICIL (Linked Core Image Library), Concepts,
 2-56
 .LIMIT directive, MACRO, 6-47
 Line, Monitor, 3-8
 Line buffer, Monitor, 3-38
 Line Buffer Header Monitor, 3-38, 3-40,
 3-104
 LINE FEED Key, ODT, 11-8
 Line printer control panel,
 LP11 Line printer, H-5
 Lines, comment, FORTRAN, 7-5
 Lines, continuation, FORTRAN, 7-5
 Link Block, Monitor, 3-85, 3-100
 Link Blocks, Concepts, 2-8
 \$LINK command, BATCH, 4-28
 LINK error diagnostics, K-24
 Link paths, LINK, 9-47
 LINK switches, J-6
 Link word, Device Driver, 5-3
 Linked file, Monitor, 3-73
 Linked files
 Concepts, 2-22
 FORTRAN, 7-123
 Linking options, LINK, 9-54
 Linking overlaid programs, Concepts, 2-51
 Linking with LINK, Concepts, 2-51
 \$LIST command, BATCH, 4-29
 .LIST directive, MACRO, 6-23
 List option, Verify, 14-3
 Listing a library, LIBR, 10-6
 Listing control directives, MACRO, 6-23
 Listing of the system macro file
 (SYSMAC.SML), F-1
 Literal constants, FORTRAN, 7-11
 /LO (default-log) switch, BATCH, 4-8
 LO (Log Dataset) switch, FILCOM, 13-7
 Load map, LINK, 9-4
 Load map examples, LINK, 9-92
 Load module output switches, LINK, 9-7
 Loading and threading tape,
 TU10 magtape drive, H-11
 Loading overlays, LINK, 9-18
 Loading paper,
 LA30 DECwriter, H-17
 LP11 Line printer, H-7
 Loading routines, Concepts, 2-38
 Local operation turn-on procedure, VT05,
 H-22
 LOCAL switches, 13-3
 Local symbols, MACRO, 6-16
 Location, closed, ODT, 11-7
 Location counter control, MACRO, 6-42
 Location counter definition entry format,
 LINK, 9-76
 Location counter modification, entry
 format, LINK, 9-76
 Location, open, ODT, 11-7
 Location pointer (DOT),
 character, EDIT, 8-7
 Logical assignment statement, FORTRAN, 7-25
 Logical constants, FORTRAN, 7-8, 7-11
 Logical expressions, FORTRAN, 7-19
 Logical format, FORTRAN, 7-139
 Logical IF statement, FORTRAN, 7-30
 Logical name, Monitor, 3-20
 Logical operators, FORTRAN, 7-20, 7-21
 precedence, 7-21
 Logical record,
 segment format, FORTRAN, 7-124
 LOGICAL*1 variables, FORTRAN, 7-14
 LOGIN command, Monitor, 3-27
 .LOOK request, Monitor, 3-69
 Low-speed punch editing procedure, EDIT, 8-5
 LP11 Line Printer, H-5
 LP11 Line Printer, Appendix H
 adjustment controls, H-27
 table of, H-28
 control panel, H-27
 loading paper, H-29
 maintenance panel, H-27
 LP11 Line Printer,
 adjustment controls, H-7
 loading paper, H-7
 maintenance panel, H-6
 printer control panel, H-5
 LS (List dataset) switch, FILCOM, 13-8
 LS11 Printer special function, Monitor, 3-138

INDEX

Dimension arguments, FORTRAN, 7-58
 DIMENSION statement, FORTRAN, 7-39
 Dimensions, adjustable, FORTRAN, 7-58
 \$DIR command, BATCH, 4-21
 Direct assignment statement, MACRO, 6-14
 Directive arguments, listing of,
 MACRO, 6-24
 Direct access I/O, FORTRAN, 7-126
 Direct access, FORTRAN,
 READ statement, 7-96
 WRITE, 7-97
 Directives, MACRO
 Assembler, 6-23, 6-84
 Conditional assembly, 6-54
 Data storage, 6-35
 Functions, 6-32
 Listing control, 6-23
 Location counter control, 6-42
 Numeric control, 6-44
 Program boundaries, 6-47
 Program section, 6-47
 Radix control, 6-41
 Symbol control, 6-41
 Terminating, 6-46
 Directory listings, PIP, 12-20
 Directory manipulation, PIP, 12-19
 Disk and DECTape services, Concepts, 2-19
 Disk/DECTape operations, ROLLIN, 17-5
 Disk directory structure, Concepts, 2-20
 Disk initialization, PIP, 12-29
 Disk Initialization Program (DSKINT), 18-1
 Disk/Magtape Operations, ROLLIN, 17-6
 Disk restoration, ROLLIN,
 from DECTape, 17-6
 from Magtape, 17-9
 Disk to DECTape Dump, ROLLIN, 17-5
 Disk to Magtape Dumps, ROLLIN, 17-7
 Distribution media for DOS/BATCH, 2-55
 DLOG(X), double precision natural logarithm,
 FORTRAN, 7-142
 DLOG10(X), double precision command logarithm,
 FORTRAN, 7-142
 DO loop, FORTRAN,
 extended, 7-32
 range of, 7-31, 7-32
 DO statement, FORTRAN, 7-30, 7-31
 Documentation conventions, Intro, 1-1
 Documentation set, DOS/BATCH, Intro 1-1
 DOS/BATCH FORTRAN, 7-1, 7-2
 DOS/BATCH messages,
 action, K-38
 error, K-38
 fatal, K-40
 information, K-47
 keyboard command, K-47
 system program, K-48
 warning, K-51
 DOS/BATCH Monitor, 3-1
 DOS/BATCH Monitor features and benefits,
 3-2, 3-3
 DOS/BATCH recovery from F012 or F024 file
 access violations, K-46
 DOS device driver sizes, approximate,
 FORTRAN, 7-115
 Dot (character location pointer), EDIT,
 8-7
 Double precision arctangent, 2-argument,
 DATAN(X), FORTRAN, 7-142
 Double precision arctangent, DATAN(X),
 FORTRAN, 7-141
 Double precision common logarithm, DLOG10(X),
 7-142
 Double precision constants, FORTRAN, 7-9
 Double precision cosine, DCOS, FORTRAN,
 7-142
 Double precision exponential, FORTRAN
 DEXP(X), 7-142
 Double precision format (4-word floating
 point) FORTRAN, 7-137
 Double precision natural logarithm, DLOG(X),
 FORTRAN, 7-142
 Double precision sine, FORTRAN, DSIN(X),
 FORTRAN, 7-142
 Double precision square root, DSQER(X),
 7-142
 Driver call, Device Driver, 5-7
 Driver call parameter table, Device Driver,
 5-6
 Driver facilities word format, Monitor,
 3-88
 Driver interface table, Device Driver, 5-2
 Driver, I/O, Device Driver, 5-14
 Driver routines, Device Driver, 5-17
 Drivers assembled separately, Device
 Driver, 5-10
 Driver Table, 5-16
 .DSABL directives, MACRO, 6-32
 DSIN(X), double precision sine, FORTRAN,
 7-142
 DSKINT,
 commands and functions, 18-2
 error messages, K-36
 sample executions, 18-8
 switches, J-1
 DSQRT(X), double precision square root,
 FORTRAN, 7-142
 .D2BIN request, Monitor, 3-64
 \$DUMP command, BATCH, 4-22
 DUMP command, Monitor, 3-24
 /DU (dump-on-error) switch, Batch, 4-26
 Dumping blocks of data, FILDMP, 15-7
 Dumping entire files, FILDMP, 15-6
 Dumping files with FILDMP, Concepts, 2-53
 Dumping Radix-50 formatted data, FILDMP,
 15-7
 DUMP Mode, Monitor, 3-108
 .DUMP request, Monitor, 3-95
 Dumps, BATCH, 4-39
 Dynamic memory, Concepts, 2-27
 Dynamic memory area, Concepts, 2-33, 2-34
 /E (End) switch, LINK, 9-9
 E format conversions, FORTRAN, 7-69

M (Mark) command, EDIT, 8-15
/M (Mark) switch, DSKINT, 18-5, 18-4
MACRO,
 binary operators, 6-11
 calls, 6-62
 features, 6-1
 listing of directive arguments, 6-24
 special characters, 6-7
 symbols, 6-12
MACRO assembly, Concepts, 2-50
MACRO Assembly Language and Assembler
 Summary, 6-82
\$MACRO command, BATCH, 4-29
.MACRO directive, MACRO, 6-59
Macro error codes, K-1
MACRO program requests, Concepts, 2-41
MACRO switches, J-9
Macro usage,
 EDIT, 8-23
 FORTRAN, 7-169
Macros for FORTRAN calling sequence, FORTRAN,
 7-163
Magnetic media, Concepts, 2-15
Magnetic media, hardware constraints,
 Concepts, 2-16
Magnetic media services, Concepts, 2-17
Magnetic tape bootstrap loader, G-3
Magnetic tape format, PIP, 12-34
Magnetic tape services, Concepts, 2-23
Magtape format, ROLLIN, 17-8
Magtape operation, PIP, 12-32
Magtape procedures, ROLLIN, 17-10
Magtape special functions, Monitor, 3-126
Maintenance panel,
 LP11 Line Printer, H-6
Manipulating data with PIP, Concepts, 2-25
Manual load, LINK, 9-17, 9-18
Manual Load overlays from FORTRAN, LINK
 9-34
Manuals in the DOS/Batch documentation set,
 Intro, 1-1
Map switches, LINK, 9-7
Mark (location pointer), EDIT, 8-7
Mark Mode command switches, DSKINT, 18-5
Mark Mode, DSKINT, 18-2
Master File Directories (MFD), Concepts,
 2-20
Master File Directory (MFD), Monitor, 3-9
Mathematical constants in Octal, B-13
MAX, FORTRAN, 7-118
MB (Multiple Blanks) Switch, FILCOM, 13-5
.MCALL directive, MACRO, 6-75
\$ME (message) command, BATCH, 4-9
MEDIA, comparison of, Concepts, 2-14
Medium interchangeability, Concepts, 2-25
Memory allocation map, LINK, 9-51
Memory allocation procedures, LINK, 9-50
Memory Economy, Concepts, 2-5
Memory, main areas of, Concepts, 2-28
Memory management, Concepts, 2-26
Memory management criteria, Concepts, 2-27
Memory occupants, Concepts, 2-26
Memory organization, FORTRAN run-time,
 7-114
 map, 7-114
Memory requirements, Compile-Time, FORTRAN,
 7-109
Message, DOS/BATCH,
 action, K-38
 error, K-40
 fatal, K-40
 information, K-47
 keyboard command, K-47
 system program, K-48
 warning, K-51
\$MESSAGE command, BATCH, 4-30
Messages, Monitor, 3-6
Messages to the Operator, BATCH, 4-9
.MEXIT directive, MACRO, 6-60
(MFD) Master File Directories, Concepts,
 2-20
MFD Listing, Verify, 14-10
Mixed mode, FORTRAN,
 arithmetic expressions, 7-17
 arithmetic results, 7-18
 operations, illegal, 7-19
Mode, byte, Monitor, 3-105
Mode, mark, DSKINT, 18-2
Mode, normal, DSKINT, 18-2
Mode of operation, EDIT,
 command, 8-6
 text, 8-6
Mode X, Radix 50, ODT, 11-12
Model CR11-A Card Reader, H-25
\$MODIFY command, BATCH, 4-31
MODIFY command, Monitor, 3-27
Modularity, Concepts, 2-12
Module Format, End of, LINK, 9-81
Module name entry format, LINK, 9-64
.MONF request, Monitor, 3-71
Monitor commands by function, 3-11
Monitor conventions, 3-20
Monitor features and benefits, DOS/BATCH,
 3-2
Monitor Library (MONLIB.CIL), Concepts,
 2-55
Monitor modification, Concepts, 2-57
Monitor messages, 3-6
Monitor mode, 3-12
Monitor modularity, Concepts, 2-28
Monitor responses, Concepts, 2-46
Monitor responses, 3-10
Monitor restoration, ROLLIN, 17-12
MONLIB.LCL file, Concepts, 2-56
.MONR request, Monitor, 3-72
/MP (overlay mapping) switch LINK, 9-10

N (Next) command, EDIT, 8-11
.NAME directive, LINK, 9-24
Naming libraries, LIBR, 10-7
.NARG directive, MACRO, 6-68
.NCHR directive, MACRO, 6-68
.NLIST directive, MACRO, 6-23

Nonexecutable statement, FORTRAN, 7-3
 Nonoverlaid program, LINK, 9-44
 Nonoverlaid program, allocation for a, LINK, 9-44
 Non-resident Monitor modules, Concepts, 2-31
 Normal input mode, BATCH, 4-38
 Normal mode, DSKINT, 18-2
 NORMAL Option, VERIFY, 14-3
 Notation, scales of, B-13
 .NSTBL symbol, LINK, 9-58
 .NTYPE directive, MACRO, 6-68
 Number field, statement, FORTRAN, 7-5
 Numbers, MACRO, 6-19
 Numeric arguments passed as symbols, MACRO, 6-66
 Numeric constants, FORTRAN, 7-7
 Numeric control directives, MACRO, 6-44
 Null arguments, FORTRAN, 7-63, 7-163

O format conversions, FORTRAN, 7-68
 /O (Options) switch, LINK, 9-10
 Objectives, DOS/BATCH, 2-4
 Object module format, LINK, 9-61
 Octal constants, FORTRAN, 7-9
 Octal-decimal integer conversions, B-1
 .ODD directive, MACRO, 6-43
 ODL task description, LINK, 9-32
 ODL usage specifications, LINK, 9-29
 /OD (ODT) switch, LINK, 9-8
 ODT,
 commands, 11-3
 functional organization, 11-25
 printout formats, 11-6
 priority level, 11-22
 proceed command, 11-14
 run command, 11-14
 start address, 11-32
 starting, 11-32
 restarting, 11-32
 stand-alone system use, 11-33
 ODT command, Monitor, 3-28
 ODT communication and data flow flowchart, 11-26
 ODT (on-line debugging technique), 11-1
 ODT with stand-alone systems, 11-33
 On-line debugging program (ODT), Concepts, 2-54
 On-line debugging technique, ODT, 11-1
 Open Location, ODT, 11-7
 .OPEN request, Monitor, 3-72
 Open request, transfer requests which may follow, Monitor, 3-74
 OPEN routine, Device Driver, 5-18, 5-19
 .OPENC request, Monitor, 3-73
 .OPENE request, Monitor, 3-73
 .OPENI request, Monitor, 3-73
 .OPENO request, Monitor, 3-73
 .OPENU request, Monitor, 3-43, 3-73
 Operand field, MACRO, 6-5
 Operating procedures, EBASCI, 16-2
 Operating procedures, FORTRAN, 7-102

Operating systems, functions of an, Concepts, 2-1
 Operation of the LA30 DECwriter, H-15
 Operation of the VT05 Alphanumeric Display Terminal, H-20
 Operator commands, BATCH, 4-10
 Operator evaluation, FORTRAN, 7-17
 Operator field, MACRO, 6-5
 Operator summary, FORTRAN, 7-22
 Operators, FORTRAN
 arithmetic, 7-15
 logical, 7-20, 7-21
 precedence, 7-21
 relational, 7-21
 Option switch descriptions, ROLLIN, 17-3
 Optional input, LINK, 9-54
 .O2BIN request, Monitor, 3-176
 .O2DEC request, Monitor,
 OTS error processing, FORTRAN, 7-118
 Output formats, FILDMP, 15-5
 Output module, LINK, 9-3
 Output switches, FILDMP, 15-4
 Overall memory allocation, LINK, 9-48
 Overlaid program, allocation for a, LINK, 9-44
 Overlay control point operator, LINK, 9-23
 Overlay description language (ODL), LINK, 9-16, 9-21
 Overlay disk format, LINK, 9-82
 Overlay file structure, LINK, 9-16
 Overlay header, LINK, 9-82
 Overlay memory allocation, LINK, 9-47
 Overlay operator, LINK, 9-23
 Overlay segment, LINK, 9-48
 Overlay segment memory allocation, LINK, 9-51
 Overlay structure, example of an, Concepts, 2-52
 Overlaying routines into core, Monitor, 3-48
 Overlays, LINK,
 loading, 9-18
 \$OWN command, BATCH, 4-31
 OWN mode, BATCH, 4-38

\$P, ODT, 11-22
 P (Position) command, EDIT, 8-17
 Page, EDIT, 8-1
 Page ejection, MACRO, 6-31
 headings, MACRO, 6-28
 unit of input, EDIT, 8-8
 PAL-11R compatible directives, MACRO, 6-58
 Paper loading and threading diagram, LA30, H-18
 Paper tape, Concepts, 2-24
 Paper tape bootstrap loader, G-2
 Paper tape reader, H-2
 Paper tape punch, H-3
 Paper tape Reader and Punch Units,
 Operating the High-Speed, H-3
 Parameter table for driver call, Device Driver, 5-6
 Parentheses, use of, FORTRAN, 7-16, 7-17

Path, LINK, 9-17
 PAUSE statement, FORTRAN, 7-33
 PDUMP subroutine, FORTRAN, 7-146
 % character, MACRO, 6-16
 Peripheral devices, H-1
 Peripheral devices, FORTRAN, 7-122
 Peripheral devices, Standard, Batch, 4-5
 Peripheral devices, FORTRAN standard, 7-122
 Peripheral Interchange Program, (PIP), 12-1
 Permanent Symbol Table (PST), MACRO, 6-88
 Phase errors, K-15
 Physical device names, C-1
 PIP,
 data manipulation, Concepts, 2-25
 error messages, K-29
 switches, PIP, 12-8
 switches, J-10
 Polish Mode, FORTRAN, 7-112
 entry to, 7-112
 exit from, 7-113
 subroutine calls, 7-113
 Polish mode subroutine calls, FORTRAN, 7-113
 Polish notation, FORTRAN, 7-110
 Position-Independent Code (PIC), MACRO, 6-93
 Powers of Two and Eight, B-12
 /PR (Protect) switch, PIP, 12-17
 Precedence of logical and relational operators, FORTRAN, 7-21
 PRINT command, Monitor, 3-29
 .PRINT directive, MACRO
 PRINT statement, FORTRAN, 7-93
 Printer control panel,
 LP11 line printer, H-5
 Printout formats, ODT, 11-6
 Priority level, ODT, 11-22
 Procedures, FORTRAN, 7-51
 Proceed command, ODT, 11-14, 11-28
 Program Command Input (PCI), BATCH, 4-43
 Program crash, Monitor, 3-22
 Program limits entry format, LINK, 9-77
 Program loading and unloading, Concepts, 2-38
 Program runaway, ODT, 11-29
 Program section defaults, LINK, 9-90
 Program section defaults, Non-DOS/BATCH, MACRO, 6-52
 Program section name, LINK, 9-67
 Program sections, creating, LINK, 9-87
 Program transfer address, LINK, 9-4
 Program unit structure, FORTRAN, 7-6
 Program version identification entry format, LINK, 9-69
 Programmed requests, Monitor, 3-34
 Programmed requests, summary of, Monitor, 3-150
 Protection codes, Monitor, 3-14
 .PSECT directive, LINK, 9-26, 9-85
 .PSECT directive, MACRO, 6-47
 .PSECT directive parameters, LINK, 9-85
 MACRO, 6-48
 P-section additive displaced relocation entry format, LINK, 9-30
 P-section additive relocation entry format, LINK, 9-79
 P-section displaced relocation, entry format, LINK, 9-78
 P-section name entry format, LINK, 9-68
 P-section relocation entry format, LINK, 9-78
 Pseudo device specifiers, BATCH, 4-44
 Pseudo device specifiers, (BI, BY), BATCH, Use of, 4-5
 Punched cards, Concepts, 2-24
 Punch unit, High-speed paper tape, H-4

 Q format specification, FORTRAN, 7-78
 Qualifying switches, PIP, 12-8

 R (Read) command, EDIT, 8-10
 /R (Retain) switch, DSKINT, 18-3
 R system program command, Monitor, 3-31
 R50ASC subprogram, FORTRAN, 7-159
 /RA (Range) switch, BATCH, 4-34
 /RA switch, FILDMP, 15-7
 .RAD50 directive, MACRO, 6-40
 RAD50 function subprogram, FORTRAN, 7-158
 .RADIX directive, MACRO, 6-41
 Radix-50, FORTRAN
 characters, 7-12
 constants, 7-12
 format, 7-139
 values, 7-12
 Radix-50 character set, A-8, A-9
 Radix-50 Mode X, ODT, 11-12
 Radix-50 packed character storage, Concepts, 2-39
 Radix-50 representation for peripheral devices, Monitor, 3-78
 .RADPK request, Monitor, 3-76
 .RADUP request, Monitor, 3-79
 RAN intrinsic function, FORTRAN, 7-153
 RAN Random Number Generator, FORTRAN, 7-143
 Random access, Concepts, 2-11
 Random number generator, FORTRAN, 7-143, 7-153
 RAN(I1,I2), 7-143
 CALL RANDU(I1,I2,F), 7-143
 Range of DO loop, FORTRAN, 7-31, 7-32
 extended, 7-32
 RANDU subroutine, FORTRAN, 7-153
 Rate problem, Device Driver, 5-20
 /RE (Rename) switch, PIP, 12-14
 Read-after-write verification, PIP, 12-37
 Read errors, FILDMP, 15-5
 READ level requests, Monitor, 3-38
 Read limitations, BATCH, 4-47
 .READ request, Monitor, 3-80
 READ statement, FORTRAN
 direct access, 7-96
 formatted, 7-90
 summary, 7-87
 unformatted, 7-93
 .READ/.WRITE Input/Output Transfers, Monitor, 3-39

Reader unit, high-speed paper tape, H-3
 Real constants, FORTRAN, 7-8
 Real format (2-word floating point), FORTRAN, 7-137
 Rear panel connectors and controls, VT05, H-21
 Record block, Monitor, 3-110
 Record format, internal symbol directory, LINK, 9-81
 Record format, relocation directory, LINK, 9-72
 Record format, text information, LINK, 9-70
 Record layout specifications, FORTRAN, 7-79
 Record level requests, Monitor, 3-41
 Recovering files, PIP, 12-30
 Recovery from F012 or F024 file access violations, K-46
 .RECRD Input/Output transfers, Monitor, 3-42
 .RECRD request, Monitor, 3-81
 Reentrancy, Concepts, 2-13
 Reference conventions, Intro, 1-3
 Register, constant, ODT, 11-18
 Register symbols, MACRO, 6-15
 Relative branch offset, (>), ODT, 11-10
 Relational expressions, FORTRAN, 7-19, 7-20
 Relational operators, FORTRAN, precedence of, 7-21
 Relocatable expression, MACRO, 6-12
 Relocatable expressions, ODT, 11-2
 Relocation, ODT, 11-1
 Relocation bias, ODT, 11-1
 Relocation calculators, ODT, 11-21
 Relocation directory, LINK, 9-71
 Relocation directory record format, LINK, 9-72
 Relocation register commands, ODT, 11-20
 .RENAM request, Monitor, 3-82
 Renaming files, PIP, 12-14
 Replace object modules, LIBR, 10-6
 .REPT (repeat block) directive, MACRO, 6-74
 Request for I/O and related services, Monitor, 3-37
 Reserved symbols and special files, LINK, 9-58
 Resident Monitor, Concepts, 2-29, 2-30
 Restart after Fail-Safe, TULØ Magtape drive, H-13
 Restart after power failure, TULØ Magtape drive, H-13
 \$RESTART command, BATCH, 4-32
 RESTART command, Monitor, 3-29
 Restarting an EDIT session, 8-4
 Restarting ODT, ODT, 11-32
 Restrictions on the user, Monitor, 3-49
 RETURN key, Intro, 1-2
 RETURN key, Monitor, 3-16
 RETURN statement, FORTRAN, 7-62
 Return to previous sequence (<), ODT, 11-10
 Return value transmission, FORTRAN, 7-169
 Returns from Driver, Device Driver, 5-8
 REWIND statement, FORTRAN, 7-99
 Ribbon threading diagram, LA3Ø DECwriter, H-19
 .RLSE request, Monitor, 3-83
 \$RNM (rename) command, BATCH, 4-32
 ROLLIN
 error messages, K-35
 magtape format, 17-8
 option switch descriptions, 17-3
 switches, J-12
 .ROOT directive, LINK, 9-22
 Root segment, LINK, 9-17
 Root segment memory allocation, LINK, 9-50
 Root segment overlaid program, LINK, 9-45
 Routines, command execution, ODT, 11-25
 RP03 disk, DSKINT, 18-1
 RP11-C disk procedures, ROLLIN, 17-11
 .RSTRT request, Monitor, 3-84
 /RU (rewind/unload) switch, PIP, 12-34
 RUBOUT key, Monitor, 3-17
 Run Blocks, Monitor, 3-85, 3-113
 Run block description, Monitor, 3-114
 Run Block function word, Monitor, 3-114
 Run block function word processing, Monitor, 3-117
 Run Block Parameter word, Key to, Monitor, 3-113
 \$RUN command, BATCH, 4-33
 RUN command, Monitor, 3-30
 RUN command, ODT, 11-14
 Running FILDMP, 15-2
 .RUN request, Monitor, 3-84
 Run-time commands, Concepts, 2-42
 Run-time diagnostics, FORTRAN, 7-117
 example, 7-117
 Run-time memory organization, FORTRAN, 7-114
 map, 7-114
 /RW (Rewind) switch, PIP, 12-32, 12-35
 S (Save) command, EDIT, 8-21
 Sample FILCOM output, 13-9
 \$SAVE command, BATCH, 4-33
 SAVE command, Monitor, 3-31
 .SBTTL directive, MACRO, 6-29
 SC (Source Compare) switch, 13-3
 Scalar variable, FORTRAN 7-14
 Scale factors, FORTRAN, 7-74
 Scales of notation, B-13
 Search, ODT, 11-30
 Search algorithm, ODT, 11-30
 Search information for a block, VERIFY, 14-13
 Search option, VERIFY, 14-5
 SECNDS function, FORTRAN, 7-157
 Segment, LINK, 9-17
 Segment control word, FORTRAN, 7-124
 Segment Descriptor, LINK, 9-45
 Segment format, FORTRAN, logical record, FORTRAN, 7-124
 Segment tables, LINK, 9-45
 Semicolon key, Monitor, 3-18

Sense switch subroutine (SSWTC), FORTRAN, 7-159
 Sequential transfer, Concepts, 2-11
 Sequential transfer modes, Concepts, 2-11
 Servicing interrupts, Device Driver, 5-3
 SETERR subroutine, FORTRAN, 7-151
 SETFIL, FORTRAN,
 arguments, 7-148
 subroutine, 7-148
 SETDU subroutine, FORTRAN, 7-148
 Setting interrupt vector, Device Driver, 5-5
 Setup routines, Device Driver, 5-2
 /SH (SHort map) switch, LINK, 9-11
 Short field termination on formatted input, FORTRAN, 7-79
 SIN(X) floating-point sine, FORTRAN, 7-144
 Single-instruction mode, ODT, 11-15
 Single-quote (') character, MACRO, 6-65
 Slash, (/), ODT, 11-7
 Source program, FORTRAN, 7-1
 Spacing control, FORTRAN, 7-79
 .SPEC request, Monitor, 3-86
 Special characters, MACRO, 6-7
 Special functions block, Monitor, 3-125
 Special functions code, Monitor, 3-126
 Special keyboard characters, Monitor, 3-16
 Special routine, Device Driver, 5-20
 Specification statement, FORTRAN, 7-35
 /SQ (program section sequencing) switch, LINK, 9-12
 SQRT(X) floating-point square root, FORTRAN, 7-144
 SSWTC, sense switche, subroutine, FORTRAN, 7-154
 Stack, the, Concepts, 2-35
 Stack pointer (SP), Concepts, 2-35
 Standard BATCH peripheral devices, 4-5
 Starting the Monitor, 3-6
 .STAT request, Monitor, 3-87
 Statement, FORTRAN,
 assigned GOTO, 7-28
 computed GOTO, 7-27
 Statement format, MACRO, 6-3
 Statement number field, FORTRAN, 7-5
 Statement structure, FORTRAN, 7-3
 Statements, FORTRAN,
 ASSIGN, 7-25
 CALL, 7-62
 COMMON, 7-40, 7-42, 7-43
 CONTINUE, 7-33
 DATA, 7-47
 DIMENSION, 7-38, 7-39
 DO, 7-30, 7-31
 END, 7-34
 EQUIVALENCE, 7-43, 7-44, 7-45, 7-46
 EQUIVALENCE and COMMON interaction, 7-45
 EQUIVALENCE and BYTE arrays, 7-46
 EXTERNAL, 7-47, 7-57
 FORMAT, 7-65
 GOTO, Assigned, 7-28
 GOTO, Computed, 7-27
 GOTO, Unconditional, 7-27
 IF, arithmetic, 7-29
 IF, logical, 7-20
 IMPLICIT, 7-35, 7-36
 PAUSE, 7-33
 READ, 7-87
 RETURN, 7-62
 Specification, 7-35
 STOP, 7-34
 SUBROUTINE, 7-61
 Summary, 7-87
 Type Declarations, 7-37, 7-38
 WRITE, 7-87
 Status, Byte, Monitor, 3-108
 Status Byte format, Monitor, 3-108
 Status indicators,
 TU10 Magtape drive, H-10
 STATUS information request, Monitor, 3-132
 .STFPU request, Monitor, 3-88
 STOP command, Monitor, 3-32
 STOP statement, FORTRAN, 7-34
 .STPLA request, Monitor, 3-89
 Structure, Device Driver, 5-14
 Structure, program unit, FORTRAN, 7-6
 .STSTK request, Monitor, 3-89
 /SU (Supercede) switch, PIP, 12-16
 Subconditional directives, MACRO, 6-56
 Subprogram, FORTRAN, 7-51
 Subprogram arguments, FORTRAN, 7-56
 Subprograms, FORTRAN,
 BLOCK DATA, 7-63
 FUNCTION, 7-59
 Sample, 7-60
 SUBROUTINE, 7-61
 SUBROUTINE statement, FORTRAN, 7-61
 SUBROUTINE subprogram, FORTRAN, 7-61
 Subroutines, FORTRAN, 7-51
 Subsidiary I/O, EDIT, 8-24
 Subsidiary routines, and overlays, Monitor, 3-119
 Summary of facilities on each medium, Concepts, 2-24
 Summary of Monitor commands, 3-148
 Summary of Monitor Programmed requests, 3-150
 Summary of Programmed Requests, Monitor, 3-35
 Supersede operation, PIP, 12-16
 Switch /B (no backup), EDIT, 8-2
 Switch functions, TU10 Magtape drive, H-10
 Switch specification, Monitor, 3-123
 Switch specifications, PIP, 12-3, 12-7
 Switch summaries, J-1
 DSKINT, J-1
 FILCOM, J-2
 FIELDMP, J-3
 FORTRAN, J-4
 LIBR, J-6
 LINK, J-6
 MACRO, J-9
 PIP, J-10
 ROLLIN, J-12
 Switches, Concepts, 2-9
 Switches, global, FILCOM, 13-5, 13-6

Switches, input, FILDMP, 15-3
 Switches, local, FILCOM, 13-3
 Switches, output, FILDMP, 15-4
 Symbol, entry, LINK, 9-2
 Symbolic arguments, MACRO, 6-32
 Symbols automatically created, MACRO, 6-67
 Symbols, MACRO, 6-12
 local, 6-16
 permanent, 6-13
 register, 6-15
 user-defined, 6-13
 Synchronous/Asynchronous commands, BATCH, 4-15
 Synchronous commands, BATCH, 4-16
 SYSDV request, Monitor, 3-90
 SYSLOD, Building the Monitor with, Concepts, 2-56
 System device, Concepts, 2-31
 System information, Concepts, 2-39
 System programs, DOS/BATCH table of, 3-4
 System Subprograms, FORTRAN 7-145
 ASSIGN, 7-151
 DATA, 7-154
 EXIT, 7-154
 IRAD5Ø, 7-157
 PDUMP, 7-146
 RAD5Ø, 7-158
 RANDU, 7-153
 R50ASC, 7-159
 SETERR, 7-151
 SETPIL, 7-148
 SETPDU, 7-148
 SSWICH, 7-159
 TIME, 7-155
 TRCRTL, 7-171
 TSTERR, 7-152

 /T (Top) switch, LINK, 9-7
 T specification, FORTRAN, 7-79
 T (Trailer) command, EDIT, 8-13
 TAB character, FORTRAN, 7-4
 TAB character, MACRO, 6-3
 Table, Driver Interface, 5-2
 Tables, standards for, Monitor, 3-9
 TAN(H) floating point hyperbolic tangent, FORTRAN, 7-144
 Tape handling,
 TU1Ø Magtape Drive, H-14
 Tape transport mechanism,
 TU1Ø Magtape Drive, H-13
 TC11 DECTape drive, H-14
 Teletype,
 operating the, H-1
 Teletype keyboard, H-2
 Temporary numeric control, MACRO, 6-45
 Temporary Radix control, MACRO, 6-42
 Terminal as ODT I/O device, 11-29
 Terminal interrupt, ODT, 11-31
 Terms, MACRO, 6-11
 Text information record format, LINK, 9-70

 Text mode, EDIT, 8-6
 Threaded code, FORTRAN, 7-110, 7-116
 \$TIME command, BATCH, 4-34
 Time command, Monitor, 3-33
 .TIME request, Monitor, 3-91
 TIME subroutine, FORTRAN, 7-155
 .TITLE directive, MACRO, 6-29
 TR (Trailing blanks) switch, FILCOM, 13-4
 /TR (Transfer address) switch, LINK, 9-8
 Trace output description, FORTRAN, 7-171
 Trace package, FORTRAN, 7-171
 TRAN BLOCK, Monitor, 3-112
 .TRAN Input/Output transfers, Monitor, 3-46
 TRAN level requests, Monitor, 3-45
 .TRAN request, Monitor, 3-91
 Transfer address entry format, LINK, 9-66
 Transfer levels for types of datasets, Monitor, 3-45
 Transfer mode, PIP, 12-11
 Transfer modes, Monitor, 3-106
 Transfer request which may follow Open requests, Monitor, 3-74
 TRANSFER routine, Device Driver, 5-17
 Transient Monitor, Concepts, 2-37
 .TRAP request, Monitor, 3-93
 TRCRTL subroutine, FORTRAN, 7-171
 Tree structure, LINK, 9-35
 Tree walk algorithm, LINK, 9-52
 TSTERR subroutine, FORTRAN, 7-152
 TU10 Magtape drive, H-9
 STATUS Indicators, H-10
 Switch functions, H-11
 Operating procedures,
 loading and threading tape, H-11
 unloading tape, H-12
 restart after power failure, H-13
 restart after Fail-Safe, H-13
 tape handling, H-14
 Two argument floating point arctangent, ATAN2, (X,Y), FORTRAN, 7-142
 Type declaration statement, FORTRAN, 7-37, 7-38

 /U (Unmark) switch, DSKINT, 18-6
 U (Unsave) command, EDIT, 8-21
 UFD, Listing, VERIFY, 14-11
 UIC capacity of directory devices, Monitor, 3-14
 Unary Operators, MACRO, 6-10
 Unconditional GOTO statement, FORTRAN, 7-27
 Underlined characters, Intro, 1-3
 Unformatted, FORTRAN
 read statement, 7-93
 write statement, 7-94
 Unformatted ASCII Normal or Special, Monitor, 3-107
 Unformatted ASCII Parity, Monitor, 3-108

Unformatted binary normal or special, Monitor, W (Write) command, EDIT, 8-11
 3-107
 Unformatted I/O, FORTRAN, 7-123, 7-124
 Unloading tape,
 TU10 Magtape Drive, H-12
 Up-arrow, (↑), ODT, 11-9
 Up-arrow, (↑), indicator, EDIT, 8-14
 Updating a library, (LIBR), 10-4
 UPPERCASE/lowercase conventions, Intro, 1-3
 User-defined symbols, MACRO, 6-13
 User file directory (UFD),
 Concepts, 2-19
 Monitor, 3-9
 User identification Codes (UIC)
 Concepts, 2-17
 Monitor, 3-13
 User Identification Code (UIC) specifi-
 cation Monitor, 3-122
 User mode, Monitor, 3-13
 User registers, Device Driver, 5-7

V (Verify) command, EDIT, 8-12
 /V (Verify) switch, DSKINT, 18-3
 Values, Radix-50, FORTRAN, 7-12
 Variable, FORTRAN,
 array, 7-15
 format expressions, 7-80
 index, 7-31
 Variables, FORTRAN, 7-13
 array, 7-14
 integer, 7-14
 LOGICAL*1, 7-14
 scalar, 7-14
 Verification, DSKINT, 18-1
 VERIFY error messages, K-33
 Verify operation, PIP, 12-10
 Verifying directories with VERIFY, Concepts,
 2-23
 VT05 Alphanumeric Display Terminal,
 baud rate selector switch positions, H-22
 controls and indicators, H-20
 filler characters required at high baud
 rates, H-22
 local operation turn-on procedure, H-22
 operation of, H-20
 rear panel connectors and controls, H-21
 remote operation turn-on procedure, H-22,
 H-23

\$WAIT command, BATCH, 4-35
 WAIT command, Monitor, 3-33
 .WAIT request, Monitor, 3-93
 .WAITR request, Monitor, 3-94
 .WORD directive, MACRO, 6-36
 Word search, ODT, 11-16
 WRITE level requests, Monitor, 3-38
 WRITE request, Monitor, 3-94
 WRITE statement, FORTRAN,
 direct access, 7-97
 formatted, 7-92
 summary, 7-92
 unformatted, 7-94

X command, ODT, 11-12
 X (eXchange) command, EDIT, 8-20
 X specification, FORTRAN, 7-79

/Z (Zero) switch, DSKINT, 18-3
 /ZE (Zero) switch, PIP, 12-34, 12-36
 ZEROing, DSKINT, 18-1

HOW TO OBTAIN SOFTWARE INFORMATION

SOFTWARE NEWSLETTERS, MAILING LIST

The Software Communications Group, located at corporate headquarters in Maynard, publishes newsletters and Software Performance Summaries (SPS) for the various Digital products. Newsletters are published monthly, and contain announcements of new and revised software, programming notes, software problems and solutions, and documentation corrections. Software Performance Summaries are a collection of existing problems and solutions for a given software system, and are published periodically. For information on the distribution of these documents and how to get on the software newsletter mailing list, write to:

Software Communications
P. O. Box F
Maynard, Massachusetts 01754

SOFTWARE PROBLEMS

Questions or problems relating to Digital's software should be reported to a Software Support Specialist. A specialist is located in each Digital Sales Office in the United States. In Europe, software problem reporting centers are in the following cities.

Reading, England	Milan, Italy
Paris, France	Solna, Sweden
The Hague, Holland	Geneva, Switzerland
Tel Aviv, Israel	Munich, West Germany

Software Problem Report (SPR) forms are available from the specialists or from the Software Distribution Centers cited below.

PROGRAMS AND MANUALS

Software and manuals should be ordered by title and order number. In the United States, send orders to the nearest distribution center.

Digital Equipment Corporation Software Distribution Center 146 Main Street Maynard, Massachusetts 01754	Digital Equipment Corporation Software Distribution Center 1400 Terra Bella Mountain View, California 94043
--	--

Outside of the United States, orders should be directed to the nearest Digital Field Sales Office or representative.

USERS SOCIETY

DECUS, Digital Equipment Computer Users Society, maintains a user exchange center for user-written programs and technical application information. A catalog of existing programs is available. The society publishes a periodical, DECUSCOPE, and holds technical seminars in the United States, Canada, Europe, and Australia. For information on the society and membership application forms, write to:

DECUS Digital Equipment Corporation 146 Main Street Maynard, Massachusetts 01754	DECUS Digital Equipment, S.A. 81 Route de l'Aire 1211 Geneva 26 Switzerland
---	---

READER'S COMMENTS

NOTE: This form is for document comments only. Problems with software should be reported on a Software Problem Report (SPR) form (see the HOW TO OBTAIN SOFTWARE INFORMATION page).

Did you find errors in this manual? If so, specify by page.

Did you find this manual understandable, usable, and well-organized? Please make suggestions for improvement.

Is there sufficient documentation on associated system programs required for use of the software described in this manual? If not, what material is missing and where should it be placed?

Please indicate the type of user/reader that you most nearly represent.

- Assembly language programmer
- Higher-level language programmer
- Occasional programmer (experienced)
- User with little programming experience
- Student programmer
- Non-programmer interested in computer concepts and capabilities

Name _____ Date _____

Organization _____

Street _____

City _____ State _____ Zip Code _____

or
Country

If you do not require a written reply, please check here.

-----**Fold Here**-----

-----**Do Not Tear - Fold Here and Staple**-----

FIRST CLASS
PERMIT NO. 33
MAYNARD, MASS.

BUSINESS REPLY MAIL
NO POSTAGE STAMP NECESSARY IF MAILED IN THE UNITED STATES

Postage will be paid by:

digital

Software Communications
P. O. Box F
Maynard, Massachusetts 01754

