


DEQNA
11/21+

FIELD FUNC TEST DIAG
CNQNAAO

COPYRIGHT (c) 1984
AH-T852A-MC
FICHE 01 OF 02

OCT 1984
digital
Made In USA



DEQNA
11/21+

FIELD FUNC TEST DIAG
CNQNA00

COPYRIGHT (c) 1984
AH-T852A-MC
FICHE 02 OF 02

OCT 1984
digital
Made In USA

The main body of the document is a grid of 15 columns and 15 rows of small, illegible diagrams or test results. Each cell in the grid contains a small, dark, rectangular area with some faint, illegible markings or patterns. The grid is located on the left side of the page, with the right side being a large, dark, blank area.

NQNA1

CNQNAAO DEQNA FUNCTIONAL TEST

12-Jul-1984 13:03:05
9-Jul-1984 07:06:36

VAX-11 B1: 16 V4.0-579
SPIDER:USERS:(BERG.DEQNA)NQNA1.BLI;2

: 0001 0
: 0002 0
: 0003 0
: 0004 0
: 0005 0
: 0006 0
: 0007 1
: 0008 1
: C 0009 1
: C 0010 1
: C 0011 1
: C 0012 1
: C 0013 1
: C 0014 1
: C 0015 1
: C 0016 1
: C 0017 1
: C 0018 1
: C 0019 1
: C 0020 1
: C 0021 1
: C 0022 1
: C 0023 1
: C 0024 1
: C 0025 1
: C 0026 1
: C 0027 1
: C 0028 1
: C 0029 1
: C 0030 1
: C 0031 1
: C 0032 1
: C 0033 1
: C 0034 1
: C 0035 1
: C 0036 1
: C 0037 1
: C 0038 1
: C 0039 1
: C 0040 1
: C 0041 1
: C 0042 1
: C 0043 1
: C 0044 1
: C 0045 1
: C 0046 1
: C 0047 1
: C 0048 1
: C 0049 1
: C 0050 1

MODULE NQNA1 (TITLE 'CNQNAAO DEQNA FUNCTIONAL TEST'
IDENT = 'V01.0',
ADDRESSING MODE(ABSOLUTE),
LANGUAGE('ISS16')) =
*SBTTL 'GLOBAL DEFINITION' MODULE

BEGIN

*(

IDENTIFICATION

PRODUCT CODE: AC-T851A-MC
PRODUCT NAME: CNQNAAO DEQNA FUNCTIONAL TEST
PRODUCT DATE: 9 JULY 1984
MAINTAINER: ASD/DIAGNOSTIC SERVICES
AUTHOR: S. MAZURCZYK
MODIFIED BY: JAKI BERG 9-JUL-1984

COPYRIGHT (C) 1984

DIGITAL EQUIPMENT CORPORATION, MAYNARD, MASSACHUSETTS 01754

THIS SOFTWARE IS FURNISHED UNDER A LICENSE FOR USE ONLY ON A SINGLE
COMPUTER SYSTEM AND MAY BE COPIED ONLY WITH THE INCLUSION OF THE
ABOVE COPYRIGHT NOTICE. THIS SOFTWARE, OR ANY OTHER COPIES THEREOF,
MAY NOT BE PROVIDED OR OTHERWISE MADE AVAILABLE TO ANY OTHER PERSON
EXCEPT FOR USE ON SUCH SYSTEM AND TO ONE WHO AGREES TO THESE LICENSE
TERMS. TITLE TO AND OWNERSHIP OF THE SOFTWARE SHALL AT ALL TIMES
REMAIN IN DEC.

THE INFORMATION IN THIS SOFTWARE IS SUBJECT TO CHANGE WITHOUT NOTICE
AND SHOULD NOT BE CONSTRUED AS A COMMITMENT BY DIGITAL EQUIPMENT
CORPORATION.

DEC ASSUMES NO RESPONSIBILITY FOR THE USE OR RELIABILITY OF ITS
SOFTWARE ON EQUIPMENT WHICH IS NOT SUPPLIED BY DEC.

THE FOLLOWING ARE TRADEMARKS OF DIGITAL EQUIPMENT CORPORATION:

DIGITAL	PDP	UNIBUS	MASSBUS
DEC	DECUS	DECTAPE	

: C 0051 1
: C 0052 1
: C 0053 1
: C 0054 1
: C 0055 1
: C 0056 1
: C 0057 1
: C 0058 1
: C 0059 1
: C 0060 1
: C 0061 1
: C 0062 1
: C 0063 1
: C 0064 1
: C 0065 1
: C 0066 1
: C 0067 1
: C 0068 1
: C 0069 1
: C 0070 1
: C 0071 1
: C 0072 1
: C 0073 1
: C 0074 1
: C 0075 1
: C 0076 1
: C 0077 1
: C 0078 1
: C 0079 1
: C 0080 1

TABLE OF CONTENTS

- 1.0 GENERAL INFORMATION
- 1.1 PROGRAM ABSTRACT
- 1.2 SYSTEM REQUIREMENTS
- 1.3 RELATED DOCUMENTS AND STANDARDS
- 1.4 ASSUMPTIONS
- 2.0 OPERATING INSTRUCTIONS
- 2.1 COMMANDS
- 2.2 SWITCHES
- 2.3 FLAGS
- 2.4 HARDWARE QUESTIONS
- 2.5 SOFTWARE QUESTIONS
- 2.6 QUICK STARTUP PROCEDURE
- 3.0 ERROR INFORMATION
- 4.0 TEST SUMMARIES
- 5.0 MAINTENANCE HISTORY

1.0 GENERAL INFORMATION
-----1.1 PROGRAM ABSTRACT

The DIGITAL ETHERNET Q-Bus Network Adapter (DEQNA) Field Functional Diagnostic Program (NQNA) performs extensive functional testing of the DEQNA/M7504 module for Q18 or Q22-Bus based PDP-11 systems. NQNA program attempts to isolate faults to the following Field Replacable Units (FRU's): DEQNA, bulkhead assembly, transceiver cable, circuit breaker (fuse in bulkhead assembly) and transceiver. This software also attempts to localize faults to the functional areas of the DEQNA module.

A test operator controls testing of the module from a console (hard copy or CRT).

This diagnostic has been written for use with the diagnostic runtime services software (supervisor). These services provide the interface to the operator and to the software environment. For a complete description of the runtime services, refer to the XXDP+ user's manual. There is a brief description of the runtime services in section 2 of this document.

1.2 SYSTEM REQUIREMENTS

The NQNA software operates on an SBC-11/21+ (FALCON+) system that has one or two DEQNA modules on the system bus. The internal and internal/extended loopback mode tests do not require the transceiver or the loopback connector to be unplugged. The external loopback mode may be used with a terminated transceiver that has no network cable attached.

Testing DEQNA module and its interface to the Ethernet requires following hardware:

- SBC-11/21+ (FALCON+),
- DEQNA module,
- Minimum of 28K words of memory (supporting block or non-block mode),
- Console terminal,
- Loopback connector (male loopback connector, Part # 12 221 96-01),
- Bulkhead assembly,
- Transceiver cable,
- and transceiver (H4000).

```

: C 0081 1
: C 0082 1
: C 0083 1
: C 0084 1
: C 0085 1
: C 0086 1
: C 0087 1
: C 0088 1
: C 0089 1
: C 0090 1
: C 0091 1
: C 0092 1
: C 0093 1
: C 0094 1
: C 0095 1
: C 0096 1
: C 0097 1
: C 0098 1
: C 0099 1
: C 0100 1
: C 0101 1
: C 0102 1
: C 0103 1
: C 0104 1
: C 0105 1
: C 0106 1
: C 0107 1
: C 0108 1
: C 0109 1
: C 0110 1
: C 0111 1
: C 0112 1
: C 0113 1
: C 0114 1
: C 0115 1
: C 0116 1
: C 0117 1
: C 0118 1
: C 0119 1
: C 0120 1
: C 0121 1
: C 0122 1
: C 0123 1
: C 0124 1
: C 0125 1
: C 0126 1
: C 0127 1
: C 0128 1
: C 0129 1

```

NQNA1
V01.0CNQNAO DEQNA FUNCTIONAL TEST
GLOBAL DEFINITION MODULE12-Jul-1984 13:03:05
9-Jul-1984 07:06:36VAX-11 Bliss-16 V4.0 579
SPIDER\$USERS:(BERG.DEQNA)NQNA1.BLI;2Page 4
(;): C 0130 1
: C 0131 1
: C 0132 1
: C 0133 1
: C 0134 1
: C 0135 1
: C 0136 1
: C 0137 1
: C 0138 1
: C 0139 1
: C 0140 1
: C 0141 1
: C 0142 1
: C 0143 1
: C 0144 1
: C 0145 1
: C 0146 1
: C 0147 1
: C 0148 1
: C 0149 1
: C 0150 1
: C 0151 1
: C 0152 1
: C 0153 1
: C 0154 1
: C 0155 1
: C 0156 1
: C 0157 1
: C 0158 1
: C 0159 1
: C 0160 1
: C 0161 1
: C 0162 1
: C 0163 1
: C 0164 1
: C 0165 1
: C 0166 1
: C 0167 1
: C 0168 1
: C 0169 1
: C 0170 1
: C 0171 1
: C 0172 1
: C 0173 1
: C 0174 1
: C 0175 1
: C 0176 1

1.3 RELATED DOCUMENTS AND STANDARDS

XXDP+ Supervisor/User's Manual - (CHQUS).

1.4 ASSUMPTIONS

It is assumed that the system has been tested without DEQNA and found working before this diagnostic is run, or that DEQNA DEC/X11 Exerciser has dropped DEQNA option module when running system test.

2.0 OPERATING INSTRUCTIONS

This section contains a brief description of the runtime services. for detailed information, refer to the XXDP+ User's Manual (CHQUS).

2.1 COMMANDS

There are eleven legal commands for the diagnostic runtime services (supervisor). This section lists the commands and gives a very brief description of them. The XXDP+ User's Manual has more details.

COMMAND	EFFECT
-----	-----
START	Start the diagnostic from an initial state
RESTART	Start the diagnostic without initializing
CONTINUE	Continue at test that was interrupted (after ↑C)
PROCEED	Continue from an error halt
EXIT	Return to XXDP+ monitor (XXDP+ operation only!)
ADD	Activate a unit for testing (all units are considered to be active at start time)
DROP	Deactivate a unit
PRINT	Print statistical information (if implemented by the diagnostic - section 4.0)
DISPLAY	Type a list of all device information
FLAGS	Type the state of all flags (see section 2.3)
ZFLAGS	Clear all flags (see section 2.3)

A command can be recognized by the first three characters. So you may, for example, type "STA" instead of "START".

2.2 SWITCHES

There are several switches which are used to modify supervisor operation. These switches are appended to the legal commands. All of the legal switches are tabulated below with a brief description of each. In the descriptions below, a decimal number is designated by "DDDD".

SWITCH	EFFECT
-----	-----
/TESTS:LIST	Execute only those tests specified in the list. List is a string of test numbers, for example - /TESTS:1:5:7-10. This list will cause tests 1,5,7,8,9,10 to be run. All other tests will not be run.
/PASS:DDDD	Execute DDDD passes (DDDD = 1 to 64000)
/FLAGS:FLGS	Set specified flags. flags are described in section 2.3.
/EOP:DDDD	Report end of pass message after every DDDD passes only. (DDDD = 1 to 64000)
/UNITS:LIST	TEST/ADD/DROP only those units specified in the list. List example - /UNITS:0:5:10-12 use units 0,5,10,11,12 (unit numbers = 0-63)

Example of switch usage:

```
START/TESTS:1-5/PASS:1000/EOP:100
```

The effect of this command will be:

1. Tests 1 through 5 will be executed.
2. All units will be tested 1000 times.
3. The end of pass messages will be printed after each 100 passes only.

A Switch can be recognized by the first three characters. You may, for example, type "/TES:1-5" instead of "/TESTS:1-5".

```
: C 0177 1
: C 0178 1
: C 0179 1
: C 0180 1
: C 0181 1
: C 0182 1
: C 0183 1
: C 0184 1
: C 0185 1
: C 0186 1
: C 0187 1
: C 0188 1
: C 0189 1
: C 0190 1
: C 0191 1
: C 0192 1
: C 0193 1
: C 0194 1
: C 0195 1
: C 0196 1
: C 0197 1
: C 0198 1
: C 0199 1
: C 0200 1
: C 0201 1
: C 0202 1
: C 0203 1
: C 0204 1
: C 0205 1
: C 0206 1
: C 0207 1
: C 0208 1
: C 0209 1
: C 0210 1
: C 0211 1
: C 0212 1
: C 0213 1
: C 0214 1
: C 0215 1
: C 0216 1
```

NQNA1
VOL.0

CNQNAO DEQNA FUNCTIONAL TEST
GLOBAL DEFINITION MODULE

12-Jul-1984 13:03:05
9-Jul-1984 07:06:36

VAX-11 Bliss-16 V4.0-579
SPIDFR\$USERS:(BERG.DEQNA)NQNA1.BLI:2

Below is a table that specifies which switches can be used by each command.

	TESTS	PASS	FLAGS	EOP	UNITS
START	X	X	X	X	X
RESTART	X	X	X	X	X
CONTINUE		X	X	X	
PROCEED			X		
DROP					X
ADD					X
PRINT					
DISPLAY					X
FLAGS					
ZFLAGS					
EXIT					

	TESTS	PASS	FLAGS	EOP	UNITS
START	X	X	X	X	X
RESTART	X	X	X	X	X
CONTINUE		X	X	X	
PROCEED			X		
DROP					X
ADD					X
PRINT					
DISPLAY					X
FLAGS					
ZFLAGS					
EXIT					

```

: C 0217 1
: C 0218 1
: C 0219 1
: C 0220 1
: C 0221 1
: C 0222 1
: C 0223 1
: C 0224 1
: C 0225 1
: C 0226 1
: C 0227 1
: C 0228 1
: C 0229 1
: C 0230 1
: C 0231 1
: C 0232 1

```


NQNA1
V01.0

CNQNA0 DEQNA FUNCTIONAL TEST
GLOBAL DEFINITION MODULE

12-Jul-1984 13:03:05
9-Jul-1984 07:06:36

VAX-11 Bliss-16 V4.0 579
SPIDER:USERS:(BERG.DEQNA)NQNA1.BLI;2

Page 7
(7)

2.3 FLAGS

Flags are used to set up certain operational parameters such as looping on error. All flags are cleared at startup and remain cleared until explicitly set using the flags switch. Flags are also cleared after a start command unless set using the flag switch. The ZFLAGS command may also be used to clear all flags, with the exception of the START and ZFLAGS commands. No commands affect the state of the flags; they remain set or cleared as specified by the last flag switch.

FLAG	EFFECT
----	-----
HOE	Halt on error - control is returned to runtime services command mode
LOE	Loop on error
IER*	Inhibit all error reports
IBR*	Inhibit all error reports except first level (first level contains error type, number, PC, test and unit)
IXR*	Inhibit extended error reports (those called by PRINTX macro's)
PRI	Direct messages to line printer
PNT	Print test number as test executes
BOE	"BELL" on error
UAM	Unattended mode (no manual intervention)
ISR	Inhibit statistical reports (does not apply to diagnostics which do not support statistical reporting)
IDR	Inhibit program dropping of units
ADR	Execute autodrop code
LOT	Loop on test
EVL	Execute evaluation (on diagnostics which have evaluation support)

*error messages are described in section 3.0

See the XXDP User's Manual for more details on flags. You may specify more than one flag with the flag switch. For example, to cause the program to loop on error, inhibit error reports and type a "BELL" on error, you may use the following string:

/FLAGS:LOE:IER:BOE

: C 0233 1
: C 0234 1
: C 0235 1
: C 0236 1
: C 0237 1
: C 0238 1
: C 0239 1
: C 0240 1
: C 0241 1
: C 0242 1
: C 0243 1
: C 0244 1
: C 0245 1
: C 0246 1
: C 0247 1
: C 0248 1
: C 0249 1
: C 0250 1
: C 0251 1
: C 0252 1
: C 0253 1
: C 0254 1
: C 0255 1
: C 0256 1
: C 0257 1
: C 0258 1
: C 0259 1
: C 0260 1
: C 0261 1
: C 0262 1
: C 0263 1
: C 0264 1
: C 0265 1
: C 0266 1
: C 0267 1
: C 0268 1
: C 0269 1
: C 0270 1
: C 0271 1
: C 0272 1
: C 0273 1
: C 0274 1
: C 0275 1
: C 0276 1
: C 0277 1

NQNA1
V01.0

CNQNAO DEQNA FUNCTIONAL TEST
GLOBAL DEFINITION MODULE

12-Jul-1984 13:03:05
9-Jul-1984 07:06:36

VAX-11 Bliss-16 V4.0-579
SPIDER\$USERS:(BERG.DEQNA)NQNA1.BLI;2

SEQ 0008
Page 5
(8)

2.4 HARDWARE QUESTIONS

When a diagnostic is started, the DRS prompts the user for hardware information by displaying

"CHANGE HW (L) ?"

you must answer "Y" after a start command unless the hardware information has been "preloaded" using the Setup Utility (see chapter 6 of the XXDP+ User's Manual). When you answer this question with a "Y", the DRS asks for the number of units. You will then be asked the following questions for each unit.

OF DEVICES (D) ?

Answer with the number of units to be tested (no default). This answer will determine how many times the following questions are asked. One (1) device must be specified.

DEQNA I/O PAGE ADR (O) 174440 ?

Answer with the address of the I/O page register assigned for one of the DEQNA devices. The I/O page addresses permitted are: 174440 and 174460.

INTERRUPT VECTOR ADR (O) 300 ?

Answer with the interrupt vector address of the DEQNA module. Interrupt vector address for device at I/O page address 174440 is 300 oct. and that for I/O page address of 174460 is 304 oct.

: C 0278 1
: C 0279 1
: C 0280 1
: C 0281 1
: C 0282 1
: C 0283 1
: C 0284 1
: C 0285 1
: C 0286 1
: C 0287 1
: C 0288 1
: C 0289 1
: C 0290 1
: C 0291 1
: C 0292 1
: C 0293 1
: C 0294 1
: C 0295 1
: C 0296 1
: C 0297 1
: C 0298 1
: C 0299 1
: C 0300 1
: C 0301 1
: C 0302 1
: C 0303 1
: C 0304 1
: C 0305 1
: C 0306 1
: C 0307 1
: C 0308 1
: C 0309 1
: C 0310 1

2.5 SOFTWARE QUESTIONS

After you have answered the hardware questions or after a RESTART or CONTINUE command, the DRS asks for software parameters. These parameters govern some diagnostic specific operation modes. You will be prompted by

CHANGE SW (L) ?

if you wish to change any parameters, answer by typing "Y". The software questions and the default values are described in the next paragraph(s).

EXTERNAL LOOPBACK MODE (L)?

Answer with "Y" if you want to execute include "TEST 7" in the test sequence. "TEST 7" is the only test that uses external loopback mode. "N" inhibits execution of "TEST 7".

SYSTEM HAS BLOCK-MODE MEMORY (L)?

Answer with "Y" if the system has block-mode memory and 'N' if it has non block-mode memory.

IS LOOPBACK CONNECTOR IN DEQNA (L)?

Answer with "Y" if loopback connector is in the back of the DEQNA module.

NONA1
VO1.0

: C 0311 1
: C 0312 1
: C 0313 1
: C 0314 1
: C 0315 1
: C 0316 1
: C 0317 1
: C 0318 1
: C 0319 1
: C 0320 1
: C 0321 1
: C 0322 1
: C 0323 1
: C 0324 1
: C 0325 1
: C 0326 1
: C 0327 1
: C 0328 1
: C 0329 1
: C 0330 1
: C 0331 1
: C 0332 1
: C 0333 1
: C 0334 1
: C 0335 1
: C 0336 1
: C 0337 1
: C 0338 1
: C 0339 1

2.6 QUICK START-UP PROCEDURE (XXDP+)

To start-up this program:

- o Boot XXDP+
- o Give the date
- o Type "R Name", where Name is the name of the BIN file for this program
- o Type "START"
- o Answer the "CHANGE HW" question with "Y"
- o Answer all the hardware questions
- o Answer the "CHANGE SW" question with "Y"
- o Answer all the software questions

When you follow this procedure you will be using only the defaults for flags and software parameters. These defaults are described in the previous sections.

NQNA1
V01.0: C 0340 1
: C 0341 1
: C 0342 1
: C 0343 1
: C 0344 1
: C 0345 1
: C 0346 1
: C 0347 1
: C 0348 1
: C 0349 1
: C 0350 1
: C 0351 1
: C 0352 1
: C 0353 1
: C 0354 1
: C 0355 1
: C 0356 1
: C 0357 1
: C 0358 1
: C 0359 1
: C 0360 1
: C 0361 1
: C 0362 1
: C 0363 1
: C 0364 1
: C 0365 1
: C 0366 1

3.0 ERROR INFORMATION

TYPES OF ERROR MESSAGES

There are three levels of error messages that may be issued by a diagnostic: general, basic and extended. General error messages are always printed unless the IBE and/or IER flag is set. The general error message is of the form:

NAME ER_TYPE ER_NO UNIT_NO TEST_NO PC_ADDR

,where:

- NAME = Diagnostic name
- ER_TYPE = Error type (all errors are HARD)
- ER_NO = Error number
- UNIT_NO = 0
- TEST_NO = Test and subtest where error occurred
- PC_ADDR = Program Counter contents

Basic error messages are messages that contain some additional information about the error. These are always printed unless one or more of the DRS error flag(s) (IBE, IXE, IER) is set. These messages are printed before the associated general message.

Extended error messages contain supplementary error information such as register contents or good/bad data. These are always printed unless the IXE and/or IER flag is set. These messages are printed after the associated general error message and any associated basic error messages. A typical extended error message might have a following format:

TRANSMIT DESCRIPTOR LIST

RECEIVE DESCRIPTOR LIST

Flag Word
 Low Order Addr Bits
 High Order Addr Bits
 Packet Length (byte)
 Status Word 1
 Status Word 2

Flag Word
 Low Order Addr Bits
 High Order Addr Bits
 Packet Length (byte)
 Status Word 1
 Status Word 2

: C 0367 1
 : C 0368 1
 : C 0369 1
 : C 0370 1
 : C 0371 1
 : C 0372 1
 : C 0373 1
 : C 0374 1
 : C 0375 1
 : C 0376 1
 : C 0377 1
 : C 0378 1
 : C 0379 1
 : C 0380 1
 : C 0381 1
 : C 0382 1
 : C 0383 1
 : C 0384 1
 : C 0385 1
 : C 0386 1
 : C 0387 1
 : C 0388 1
 : C 0389 1
 : C 0390 1
 : C 0391 1
 : C 0392 1
 : C 0393 1
 : C 0394 1
 : C 0395 1
 : C 0396 1
 : C 0397 1
 : C 0398 1
 : C 0399 1
 : C 0400 1
 : C 0401 1
 : C 0402 1
 : C 0403 1
 : C 0404 1
 : C 0405 1
 : C 0406 1
 : C 0407 1
 : C 0408 1
 : C 0409 1
 : C 0410 1

NQNA1
V01.0

CNQNAO DEQNA FUNCTIONAL TEST
GLOBAL DEFINITION MODULE

12-Jul-1984 13:03:05
9-Jul-1984 07:06:36

VAX-11 Bliss-16 V4.0-579
SPIDER#USERS:(BERG.DEQNA)NQNA1.BLI;2

SPECIFIC ERROR MESSAGES

The following are possible error messages.

```

DEQNA FATAL ERROR DETECTED
ACTUAL DATA = octal number  EXPECTED DATA = octal number
BAD CSR: ACT = octal number  EXP = octal number
BAD TRANSMIT FLAG WORD: ACT = octal number  EXP = octal number
BAD TRANSMIT STATUS WORD 1: ACT = octal number  EXP = octal number
BAD RECEIVE FLAG WORD: ACT = octal number  EXP = octal number
BAD RECEIVE STATUS WORD 1: ACT = octal number  EXP = octal number
BAD RECEIVE BUFFER LENGTH: ACT = octal number  EXP = octal number
BAD CSR = octal number
LOOPBACK PACKET UNABLE TO SET CA BIT, CSR = octal number
LOOPBACK PACKET UNABLE TO CLEAR CA BIT, CSR = octal number
CA BIT OK, BUT RI BIT IS NOT ON, CSR = octal number
CA BIT IN THE CSR WAS SET TOO EARLY, CSR = octal number
BAD CSR, EXPECTED, XL AND RL ( BITS 4,5 ) TO BE RESET TO 0
BAD CSR, EXPECTED, XL AND RL ( BITS 4,5 ) TO BE SET TO 1
BAD CSR, EXPECTED, RI ( BIT 15 ) TO BE SET TO 1
BAD CSR, EXPECTED, XI ( BIT 7 ) TO BE SET TO 1
BAD CSR, EXPECTED, NI ( BIT 2 ) TO BE SET TO 1
BAD CSR, EXPECTED, NI ( BIT 2 ) TO BE RESET TO 0

CSR ADR = octal number  ACTUAL = octal number  EXPECTED = octal number
UNABLE TO RESET DEQNA: ADR: address  CSR = octal number
WAIT ABOUT number SECOND(S)
DISCONNECT TRANSCEIVER CABLE FROM BULKHEAD ASSEMBLY AND CONNECT
LOOPBACK CONNECTOR TO BULKHEAD ASSEMBLY, THEN RETEST
DISCONNECT BULKHEAD ASSEMBLY FROM DEQNA AND CONNECT
LOOPBACK CONNECTOR TO DEQNA, THEN RETEST
CHECK FOR LOOSE WIRES IN A LOOPBACK CONNECTOR OR USE DIFFERENT
LOOPBACK CONNECTOR, THEN RETEST
REPLACE DEQNA, THEN RETEST
REPLACE BULKHEAD CONNECTOR, THEN RETEST
DISCONNECT TRANSCEIVER CABLE FROM TRANSCEIVER AND CONNECT IT TO
LOOPBACK CONNECTOR AND BULKHEAD ASSEMBLY
REPLACE TRANSCEIVER CABLE, THEN RETEST
REPLACE TRANSCEIVER, THEN RETEST
REPLACE THE FUSE IF BAD, THEN RETEST
BAD RECEIVE DESCRIPTOR:
BAD TRANSMIT DESCRIPTOR:
BAD RECEIVE BUFFER:
ACTUAL = octal number  EXPECTED = octal number  INDEX = decimal number
DMA OPERATION TAKES TOO LONG
TOO MANY DEVICES
THERE WAS A POWER FAIL - WAITING
WAIT ABOUT decimal number MINUTE(S)
WAIT ABOUT decimal number HOUR
IF NO RESET, TYPE ANY CHARACTER TO EXIT FROM TEST
TDR VALUE = 0xN'),
BAD CSR, BITS STUCK AT 0:

```

NQNA1
V01.0CNQNAO DEQNA FUNCTIONAL TEST
GLOBAL DEFINITION MODULE12-Jul-1984 13:03:05
9-Jul-1984 07:06:36

VAX-11 Bliss-16 V4.0-579

SPIDER\$USERS:[BERG.DEQNA]NQNA1.BLI;2 (12)

Page 13

(12)

```
. C 0464 1      BAD CSR, BITS STUCK AT 1:  
: C 0465 1      SOFTWARE RESET UNABLE TO CLEAR CSR STATIC BITS:  
: C 0466 1      BAD STATION ADDRESS CHECKSUM: ACT = octal number EXP = octal number  
: C 0467 1      BAD STATION ADDRESS: station address  
: C 0468 1      BAD DEQNA I/O PAGE REGISTER: register address  
: C 0469 1      BAD CSR, EXPECTED RL ( BIT 5 ) TO BE SET TO 0  
: C 0470 1      BAD B/D PROM CHECKSUM: INDEX = octal number ACT = octal number EXP = octal number  
: C 0471 1      B/D PROM CHECKSUM OFFSET = octal number ACT = octal number EXP = octal number  
: C 0472 1      BAD INTERRUPT: ADR = octal number ACT LEV = octal number EXP LEV = octal number  
: C 0473 1      REGISTER FAILED TO RESPOND AT ADDRESS: register address  
: C 0474 1
```

NONA1
V01.0

CNONA0 DEQNA FUNCTIONAL TEST
GLOBAL DEFINITION MODULE

12-Jul-1984 13:03:05
9-Jul 1984 07:06:36

VAX-11 Bliss-16 V4.0-579
SPIDER#USERS:(BERG.DEQNA)NONA1.BLI;2
SEQ 0014
Page 14
(13)

: C 0475 1
: C 0476 1
: C 0477 1
: C 0478 1
: C 0479 1
: C 0480 1
: C 0481 1

4.0 TEST SUMMARIES

Each test has its own test summary; therefore, test summaries are not included here.

NQNA1
V01.0

CNQNAO DEQNA FUNCTIONAL TEST
GLOBAL DEFINITION MODULE

12-Jul-1984 13:03:05
9-Jul-1984 07:06:36

VAX-11 Bliss-16 V4.0-579
SPIDER\USERS:[BERG.DEQNA]NQNA1.BLI:2

SEQ 0015
Page 15
(14)

5.0 MODIFICATION HISTORY

: C 0482 1
: C 0483 1
: C 0484 1
: C 0485 1
: C 0486 1
: C 0487 1
: C 0488 1
: C 0489 1
: C 0490 1
: C 0491 1
: C 0492 1
: C 0493 1
: C 0494 1
: C 0495 1
: 0496 1
: 0497 1
: 0498 1

CZQNA => CNQNA Jaki Berg 9-JUL-84
Changes were made to CZQNA to produce CNQNA for the FALCON-PLUS project
(SBC-11/21+). Changes, marked by ";JB REV A 0", are:
- Set the ODT BREAK vector (location 140) to the starting address of
FALCON's ODT ROM (170000-octal).
Change priority from level 7 to level 6 to allow the BREAK key to
interrupt.
- Change interrupt vector addresses from 70_ to 30_ (i.e. 700=>300),
because FALCON+ only recognizes lines <7:0> of the interrupt address.
- Took out Sanity Timer test, as FALCON+ operates in Power up mode 2 only,
therefore has no restart after power-fail.

)*

```

: 0499 1
: 0500 1 LIBRARY 'QNALIB';
: 0501 1 REQUIRE 'BLSMAC.REQ';           ! DIAGNOSTIC SUPERVISOR LIBRARY
: 1991 1
: 1992 1 !..
: 1993 1 !   DEFINE THE NUMBER OF TESTS IN THIS DIAGNOSTIC
: 1994 1 !..
: 1995 1
: 1996 1 PSECT
: 1997 1     CODE = AA$CODE$;
: 1998 1
: 1999 1 LITERAL
: 2000 1     DS$NBR_OF_TESTS = 20;
: 2001 1
: 2002 1 EQUALS;
: 2003 1
: 2004 1 POINTER (ALL);
: 2005 1
: 2006 1 !..
: 2007 1 !   THE PROGRAM HEADER IS THE INTERFACE BETWEEN THE DIAGNOSTIC PROGRAM
: 2008 1 !   AND THE SUPERVISOR.
: 2009 1 !..
: 2010 1
: 2011 1 HEADER (ASCII'CNQNA ',ASCII'A',ASCII'O', 120, 0, PRI00);
: 2012 1
: 2013 1
: 2014 1 !..
: 2015 1 !   NO POINTERS ARE OPTIONAL USING BLISS. MAKE SURE THE FOLLOWING
: 2016 1 !   SECTIONS OF CODE ARE IN PLACE (IN THE CORRECT SKELS),EVEN IF
: 2017 1 !   THE SECTIONS ARE BLANK.
: 2018 1
: 2019 1 !   ARGUMENT      FUNCTION
: 2020 1 !   -----      -
: 2021 1 !   RPT           REPORT CODE
: 2022 1 !   SW            SOFTWARE TABLE
: 2023 1 !   SFT          SOFTWARE TABLE QUESTIONS
: 2024 1 !   AU           ADD CODE
: 2025 1 !   DU           DROP CODE
: 2026 1 !   TBL          ERROR TABLE
: 2027 1 !   SETUP        ASSEMBLED P-TABLES
: 2028 1
: 2029 1 !   CHANGE THE "HEADER" TO CONTAIN THE PROPER ARGUMENTS.
: 2030 1 !   ARGUMENTS ARE: NAME,REV,PATCH,LONGEST TEST TIME,TYPE
: 2031 1 !   WHERE "TYPE" = 0 FOR SEQUENTIAL DIAGNOSTIC AND =1
: 2032 1 !   FOR EXERCISER. THERE IS ALSO AN OPTIONAL SIXTH ARGUMENT
: 2033 1 !   WHICH SPECIFIES THE PROCESSOR PRIORITY TO BE SET WHEN
: 2034 1 !   STARTING THE DIAGNOSTIC (DEFAULT IS 0).
: 2035 1 !..
: 2036 1
: 2037 1

```

NQNA1
V01.0

CNQNAO DEQNA FUNCTIONAL TEST
DISPATCH TABLE

12 Jul-1984 13:03:05
9 Jul-1984 07:06:36

SEQ 0017
Page 17
VAX-11 Bliss-16 V4.0-579
SPIDER\$USERS:(BERG.DEQNA)NQNA1.BLI:2 (16)

: 2038 1
: 2039 1
: 2040 1
: 2041 1
: 2042 1
: 2043 1
: 2044 1
: 2045 1
: 2046 1
: 2047 1
: 2048 1
: 2049 1
: 2050 1
: 2051 1
: 2052 1
: 2053 1
: 2054 1
: 2055 1
: 2056 1
: 2057 1
: 2058 1
: 2059 1
: 2060 1
: 2061 1

*SBTTL 'DISPATCH TABLE'

DISPATCH (DS\$NBR_OF_TESTS);

!..
! THE DISPATCH TABLE CONTAINS THE STARTING ADDRESS OF EACH TEST.
! IT IS USED BY THE SUPERVISOR TO DISPATCH TO EACH TEST.

! CHANGE THE LITERAL DECLARATION OF DS\$NBR_OF_TESTS TO BE
! THE NUMBER OF HARDWARE TESTS IN YOUR PROGRAM.

!--

ERRTBL;

!..
! THE ERRTBL MACRO IS REQUIRED WHETHER OR NOT YOU REPORT ERRORS USING
! THE "ERROR" MACRO. THE ERRTBL MACRO EXPANDS INTO FOUR WORDS THAT
! ARE USED BY THE RUNTIME SERVICES DURING AN ERROR CALL: ERROR TYPE,
! ERROR NUMBER, ADDRESS OF ERROR MESSAGE AND ADDRESS OF MESSAGE
! BLOCK. THERE MUST BE ONLY ONE ERRTBL IN ANY PROGRAM. THIS SECTION
! IS NOT OPTIONAL.

!--

NQNA1
V01.0CNQNAO DEQNA FUNCTIONAL TEST
GLOBAL DATA SECTION12-Jul-1984 13:03:05
9-Jul-1984 07:06:36VAX-11 Bliss-16 V4.0-579
SPIDER:USERS:(BERG.DEQNA)NQNA1.BLI:2Page 18
(17)

```

: 2062 1 #SBTTL 'GLOBAL DATA SECTION'
: 2063 1
: 2064 1 PSECT
: 2065 1     PLIT  = $PLIT$,
: 2066 1     OWN   = $OWN$,
: 2067 1     GLOBAL = $GLOB$;
: 2068 1
: 2069 1 :..
: 2070 1     THE GLOBAL DATA DEFINED IN THIS SECTION IS USED BY MORE THAN ONE
: 2071 1     TEST.
: 2072 1 :--
: 2073 1
: 2074 1 GLOBAL
: 2075 1
: 2076 1 :..
: 2077 1     COMMUNICATION AREA DECLARATIONS
: 2078 1 :-
: 2079 1
: 2080 1     RCV_D_LIST      : BLOCK [ D_SIZE, WORD ] FIELD ( DL_FIELDS ),
: 2081 1     XMIT_D_LIST     : BLOCK [ D_SIZE, WORD ] FIELD ( DL_FIELDS ),
: 2082 1     RCV_BUFFER      : VECTOR [ B_SIZE, BYTE ],
: 2083 1     XMIT_BUFFER     : VECTOR [ B_SIZE, BYTE ],
: 2084 1     PHYS_ADR        : VECTOR [ 22, BYTE ],
: 2085 1     SETUP_BUFFER    : VECTOR [ SETUP_SIZE, WORD ],
: 2086 1     IOP_TABLE       : VECTOR [ 8, WORD ],
: 2087 1     ETH_STATION_ADR : VECTOR [ 6, WORD ],
: 2088 1     STATION_ADR     : VECTOR [ 4, WORD ],
: 2089 1     PTRN_TABLE      : VECTOR [ 8, BYTE ] INITIAL ( BYTE (
: 2090 1
: 2091 1         %B'00000000', %B'11111111', %B'10101010', %B'01010101',
: 2092 1         %B'11001100', %B'00110011', %B'11110000', %B'00001111' ) ).

```

NQNA1
V01.0

CNONAAO DEQNA FUNCTIONAL TEST
GLOBAL DATA SECTION

12-Jul-1984 13:03:05
9-Jul-1984 07:06:36

VAX-11 Bliss 10 V4.0 579
SPIDER\$USERS:(USERG.DEQNA)NQNA1.BLI:2

LINE	COUNT	TARGET_ADR	VECTOR [T_SIZE, BYTE]	INITIAL (BYTE (DESCRIPTION
2093	1				1 - MEMORY PATTERN
2094	1				2
2095	1	00 00 00 00 00 00			3 - MEMORY PATTERN
2096	1	55 55 55 55 55 55			4 - MEMORY PATTERN
2097	1	AA AA AA AA AA AA			5 - MEMORY PATTERN
2098	1	55 55 55 55 55 55			6
2099	1	FF FF FF FF FF FF			7 - MEMORY PATTERN
2100	1	00 F4 FA 44 44 75			8
2101	1	AA 00 00 00 00 00			9
2102	1	AA 00 02 AA AA AA			10
2103	1	AA 00 05 55 55 55			11 - LOW ETHERNET ADR
2104	1	AA 00 04 FF FF FF			12 - HIGH ETHERNET ADR
2105	1	AA 00 04 00 00 00			13 - ALL MULTICAST
2106	1	AA 00 04 18 81 18			14 - ALL MULTICAST
2107	1	01 00 00 00 00 00			15 - ALL MULTICAST
2108	1	AB AA AA AA AA AA			16 - ALL MULTICAST
2109	1	FF 00 01 02 03 04			17
2110	1	55 05 06 07 08 09			18
2111	1	CD 36 26 27 27 49			19
2112	1	33 A1 67 BB 4C 9F			20 - STATION ADDR
2113	1	EB BE C7 BF 33 FF			
2114	1	FF FF FF FF FF FF)		

```

: 2115 1      BD_PROM_DESCR : VECTOR [ BD_D_SIZE, WORD ] INITIAL ( WORD (
: 2116 1
: 2117 1
: 2118 1      NEWB,           : BUFFER NOT USED IF 1
: 2119 1      V,             : VALID ADDRESS IF 1
: 2120 1      RCV_BUFFER,    : RCV BUFFER ADDRESS
: 2121 1      BYTE_COUNT,    : 1/4 THE BYTE COUNT
: 2122 1      0,             : STATUS WORD 1
: 2123 1      0,             : STATUS WORD 2
: 2124 1
: 2125 1      NEWB,           : BUFFER NOT USED IF 1
: 2126 1      V,             : VALID ADDRESS IF 1
: 2127 1      XMIT_BUFFER,   : XMIT BUFFER ADDRESS
: 2128 1      BYTE_COUNT,    : 1/4 THE BYTE COUNT
: 2129 1      0,             : STATUS WORD 1
: 2130 1      0,             : STATUS WORD 2
: 2131 1
: 2132 1      NEWB,           : BUFFER NOT USED IF 1
: 2133 1      E,             : VALID ADDRESS IF 1
: 2134 1      0,             : 2 EXTRA WORDS
: 2135 1      0 ) ).
: 2136 1
: 2137 1
: 2138 1      TD16: VECTOR [ 44, WORD ] INITIAL ( WORD (
: 2139 1
: 2140 1      NEWB, VL, XMIT_BUFFER, -1, 0, 0, : 1 BYTE DESCRIPTOR
: 2141 1      NEWB, VHL, XMIT_BUFFER, -2, 0, 0, : 2 BYTE DESCRIPTOR
: 2142 1      NEWB, VH, XMIT_BUFFER * 2, -1, 0, 0, : 1 BYTE DESCRIPTOR
: 2143 1      NEWB, VE, XMIT_BUFFER * 4, -1, 0, 0, : 2 BYTE DESCRIPTOR
: 2144 1      NEWB, E, XMIT_D_LIST * 60, -1, 0, 0, : END OF DESCRIPTOR
: 2145 1      NEWB, V, XMIT_D_LIST * 56, -2, 0, 0, : 4 BYTE DESCRIPTOR
: 2146 1      NEWB, VE, TARGET_ADR * 114, -3, 0, 0, : 6 BYTE DESCRIPTOR
: 2147 1      NEWB, E ) ).
: 2148 1
: 2149 1      TD13: VECTOR [ 34, WORD ] INITIAL ( WORD (
: 2150 1
: 2151 1      NEWB, V, XMIT_BUFFER, -1, 0, 0, : 2 BYTE DESCRIPTOR
: 2152 1      NEWB, V, XMIT_BUFFER * 2, -127, 0, 0, : 378 BYTE DESCRIPTOR
: 2153 1      NEWB, V, XMIT_BUFFER * 256, -1, 0, 0, : 2 BYTE DESCRIPTOR
: 2154 1      NEWB, C, XMIT_D_LIST * 48, -1, 0, 0, : CHAIN DESCRIPTOR
: 2155 1      NEWB, VE, XMIT_BUFFER * 258, -63, 0, 0, : 2 BYTE DESCRIPTOR
: 2156 1      NEWB, E ) ).
: 2157 1
: 2158 1      RD13: VECTOR [ 64, WORD ] INITIAL ( WORD (
: 2159 1
: 2160 1      NEWB, V, RCV_BUFFER, -1, 0, 0, : 2 BYTE DESCRIPTOR
: 2161 1      NEWB, V, RCV_BUFFER * 2, -62, 0, 0, : 124 BYTE DESCRIPTOR
: 2162 1      NEWB, V, RCV_BUFFER * 126, -1, 0, 0, : 2 BYTE DESCRIPTOR
: 2163 1      NEWB, V, RCV_BUFFER * 128, -2, 0, 0, : 4 BYTE DESCRIPTOR
: 2164 1      NEWB, V, RCV_BUFFER * 132, -60, 0, 0, : 120 BYTE DESCRIPTOR
: 2165 1      NEWB, V, RCV_BUFFER * 252, -2, 0, 0, : 4 BYTE DESCRIPTOR
: 2166 1      NEWB, VC, RCV_D_LIST * 84, -1, 0, 0, : CHAIN DESCRIPTOR
: 2167 1      NEWB, V, RCV_BUFFER * 256, 3, 0, 0, : 6 BYTE DESCRIPTOR

```

NQNA1
V01.0

CNQNAO DEQNA FUNCTIONAL TEST
GLOBAL DATA SECTION

12 Jul 1984 13:03:05
9 Jul 1984 07:06:36

VAX-11 Bliss-16 V4.0 579
SPIDER\$USERS:(BERG.DEQNA)NQNA1.BLI;2

: 2168 1
: 2169 1
: 2170 1
: 2171 1

NEWB. V . RCV_BUFFER * 262 . -60 . 0. 0. ! 120 BYTE DESCRIPTOR
NEWB. V . RCV_BUFFER * 382 . 1 . 0. 0. ! 2 BYTE DESCRIPTOR
NEWB. E). ! END OF DESCRIPTOR

```

: 2172 1 :..
: 2173 1 :..
: 2174 1 :..
: 2175 1 :..
: 2176 1 :..
: 2177 1 :..
: 2178 1 :..
: 2179 1 :..
: 2180 1 :..
: 2181 1 :..
: 2182 1 :..
: 2183 1 :..
: 2184 1 :..
: 2185 1 :..
: 2186 1 :..
: 2187 1 :..
: 2188 1 :..
: 2189 1 :..
: 2190 1 :..
: 2191 1 :..
: 2192 1 :..
: 2193 1 :..
: 2194 1 :..
: 2195 1 :..
: 2196 1 :..
: 2197 1 :..
: 2198 1 :..
: 2199 1 :..
: 2200 1 :..
: 2201 1 :..
: 2202 1 :..
: 2203 1 :..

```

HARDWARE AND SOFTWARE P-TABLE STORAGE DECLARATIONS

```

HWP_TABLE : REF BLOCK [ HWP_SIZE, WORD ] FIELD ( HWP_FIELDS ),
SWP_TABLE : REF BLOCK [ SWP_SIZE, WORD ] FIELD ( SWP_FIELDS ),

REG_ADR   : REF REG_STR FIELD ( IOP_FIELDS ),
IOP_DATA  : REF REG_STR FIELD ( IOP_FIELDS ),
GET_ADR   : REF ADR_STR FIELD ( IOP_FIELDS ),

```

MISCELLANEOUS DATA DECLARATIONS

```

XBUF_LENGTH      : WORD,          ! XMIT BUFFER LENGTH IN WORDS
RBUF_LENGTH      : WORD,          ! RCV BUFFER LENGTH IN BYTES
INTERRUPT_FLG    : WORD,          ! 1 = INTERRUPT OCCURED
DEQNA_NO         : WORD,          ! DEQNA UNDER TEST THIS PASS
COUNTER          : WORD,          ! ITERATION COUNTER, INDEX
UP_COUNTER       : WORD,          ! ITERATION COUNTER, INDEX
DOWN_COUNTER     : WORD,          ! ITERATION COUNTER, INDEX
CHECKSUM         : WORD,          ! EXPECTED PROM CHECKSUM
BUF_LENGTH       : WORD,          ! XMIT BUFFER SIZE IN WORDS
CSR_WORD         : WORD,
XC_FLAG          : WORD INITIAL (0),
ERR_NUMBER       : WORD INITIAL (0),
ERR_FLAG         : WORD INITIAL (0),
ERR_COUNT        : WORD INITIAL (0),

```



```

: 2204 1 :...
: 2205 1 :
: 2206 1 : TEMPORARY STORAGE DATA DECLARATIONS
: 2207 1 :
: 2208 1 :--
: 2209 1
: 2210 1 TMP_IOP_ADR : WORD.
: 2211 1 TMP_REG_DATA : WORD.
: 2212 1 TEMP1 : WORD.
: 2213 1 TEMP2 : WORD.
: 2214 1 TEMP3 : WORD.
: 2215 1 TEMP4 : WORD.
: 2216 1 TEMP5 : WORD.
: 2217 1 TEMP6 : WORD.
: 2218 1 TEMP7 : WORD.
: 2219 1 TEMP8 : WORD.
: 2220 1 TEMP9 : WORD.
: 2221 1 P1 : WORD.
: 2222 1 P2 : WORD.
: 2223 1 P3 : WORD.
: 2224 1 P4 : WORD.
: 2225 1 P5 : WORD.
: 2226 1 TBYTE1 : BYTE.
: 2227 1 TBYTE2 : BYTE.
: 2228 1 TBYTE3 : BYTE.
: 2229 1 TBYTE4 : BYTE.
: 2230 1 TADR1 : WORD.
: 2231 1 TADR2 : WORD.
: 2232 1

```

```

: I/O PAGE REGISTER ADDRESS
: I/O PAGE REG CONTENTS
: TEMPORARY STORAGE LOCATION
: TEMPORARY STORAGE LOCATION
: TEMPORARY STORAGE LOCATION
: TEMPORARY STORAGE LOCATION
: TEMPORARY STORAGE LOCATION
: TEMPORARY STORAGE LOCATION
: TEMPORARY STORAGE LOCATION
: TEMPORARY STORAGE LOCATION
: TEMPORARY STORAGE LOCATION
: TEMPORARY STORAGE LOCATION
: PARAMETER #1
: PARAMETER #2
: PARAMETER #3
: PARAMETER #4
: PARAMETER #5

```

#SBTTL 'GLOBAL TEXT SECTION'

!..
! THE GLOBAL TEXT SECTION CONTAINS FORMAT STATEMENTS, MESSAGES,
! AND ASCII INFORMATION THAT IS USED IN MORE THAN ONE TEST.
!--

GLOBAL BIND

DESCR_LIST = RCV_D_LIST,
DATA_BUFFER = RCV_BUFFER,

!..
! HARDWARE AND SOFTWARE QUESTIONS
!--

QST01 = UPLIT (#ASCIZ'DEQNA I/O PAGE ADR '),
QST02 = UPLIT (#ASCIZ'INTERRUPT VECTOR ADR '),
QST03 = UPLIT (#ASCIZ'DO YOU WANT TO TEST SANITY TIMER),
QST04 = UPLIT (#ASCIZ'IS LOOPBACK CONNECTOR IN DEQNA '),
QST05 = UPLIT (#ASCIZ'SANITY TIMER TIME-OUT VALUE '),
QST06 = UPLIT (#ASCIZ'EXTERNAL LOOPBACK MODE '),
QST07 = UPLIT (#ASCIZ'SYSTEM HAS BLOCK-MODE MEMORY ').

!..
! DEVICE ERROR MESSAGES
!..

MSG00 = UPLIT (#ASCIZ' DEQNA FATAL ERROR DETECTED '),
MSG01 = UPLIT (#ASCIZ'#N#N#A DEQNA ADDRESS: #06#A, STATION ADDRESS: '),
MSG02 = UPLIT (#ASCIZ'#A ACTUAL DATA = #06#A EXPECTED DATA = #06#N'),
MSG03 = UPLIT (#ASCIZ'#A XMIT DESCRIPTOR RCV DESCRIPTOR #N'),
MSG04 = UPLIT (#ASCIZ'#A FLAG WORD #06#A #06#N'),
MSG05 = UPLIT (#ASCIZ'#A HIGH ORDER ADDR BITS #06#A #06#N'),
MSG06 = UPLIT (#ASCIZ'#A LOW ORDER ADDR BITS #06#A #06#N'),
MSG07 = UPLIT (#ASCIZ'#A PACKET LENGTH (WD) #06#A #06#N'),
MSG08 = UPLIT (#ASCIZ'#A STATUS WORD 1 #06#A #06#N'),
MSG09 = UPLIT (#ASCIZ'#A STATUS WORD 2 #06#A #06#N'),
MSG10 = UPLIT (#ASCIZ'#A DEQNA CSR REGISTER #06#N'),
MSG11 = UPLIT (#ASCIZ'#A DEQNA I/O PAGE ADR #06#N#N'),
MSG12 = UPLIT (#ASCIZ'#A BAD CSR: ACT = #06#A EXP = #06#N'),
MSG13 = UPLIT (#ASCIZ'#A BAD TRANSMIT FLAG WORD: ACT = #06#A EXP = #06#N'),
MSG14 = UPLIT (#ASCIZ'#A BAD TRANSMIT STATUS WORD 1: ACT = #06#A EXP = #06#N'),
MSG15 = UPLIT (#ASCIZ'#A BAD RECEIVE FLAG WORD: ACT = #06#A EXP = #06#N'),
MSG16 = UPLIT (#ASCIZ'#A BAD RECEIVE STATUS WORD 1: ACT = #06#A EXP = #06#N'),
MSG17 = UPLIT (#ASCIZ'#A BAD RECEIVE BUFFER LENGTH: ACT = #06#A EXP = #06#N'),
MSG18 = UPLIT (#ASCIZ'#A BAD CSR = #06#N'),
MSG19 = UPLIT (#ASCIZ'#A LOOPBACK PACKET UNABLE TO SET CA BIT, CSR = #06#N'),
MSG20 = UPLIT (#ASCIZ'#A LOOPBACK PACKET UNABLE TO CLEAR CA BIT, CSR = #06#N'),
MSG21 = UPLIT (#ASCIZ'#A CA BIT OK, BUT RI BIT IS NOT ON, CSR = #06#N').

```

: 2286 1 MSG22 = UPLIT (ASCIZ' CA RIT IN THE CSR WAS SET TOO EARLY, CSR = #06#N' ),
: 2287 1 MSG23 = UPLIT (ASCIZ' XL AND RL ( BITS 4,5 ) TO BE RESET TO 0#N' ),
: 2288 1 MSG24 = UPLIT (ASCIZ' XL AND RL ( BITS 4,5 ) TO BE SET TO 1#N' ),
: 2289 1 MSG25 = UPLIT (ASCIZ' RI ( BIT 15 ) TO BE SET TO 1#N' ),
: 2290 1 MSG26 = UPLIT (ASCIZ' XI ( BIT 7 ) TO BE SET TO 1#N' ),
: 2291 1 MSG27 = UPLIT (ASCIZ' NI ( BIT 2 ) TO BE SET TO 1#N' ),
: 2292 1 MSG28 = UPLIT (ASCIZ' NI ( BIT 2 ) TO BE RESET TO 0#N' ),
: 2293 1 MSG29 = UPLIT (ASCIZ' BAD CSR, EXPECTED' ),
: 2294 1 MSG30 = UPLIT (ASCIZ' CSR ADR = #06#A ACTUAL = #06#A EXPECTED = #06#N' ),
: 2295 1 MSG31 = UPLIT (ASCIZ' UNABLE TO RESET DEQNA: ADR: #06#A CSR = #06#N' ),
: 2296 1 MSG32 = UPLIT (ASCIZ' WAIT ABOUT #D2#A SECOND(S) -' ),
: 2297 1 MSG33 = UPLIT (ASCIZ' SANITY TIMER TIMED OUT AS EXPECTED #N' ),
: 2298 1 MSG34 = UPLIT (ASCIZ' NO SANITY TIMER INTERRUPT DETECTED #N' ),
: 2299 1 MSG35 = UPLIT (ASCIZ' DISCONNECT TRANSCEIVER CABLE FROM BULKHEAD ASSEMBLY AND' ),
: 2300 1 MSG36 = UPLIT (ASCIZ' CONNECT LOOPBACK CONNECTOR TO BULKHEAD ASSEMBLY, THEN RETEST#N' ),
: 2301 1 MSG37 = UPLIT (ASCIZ' DISCONNECT BULKHEAD ASSEMBLY FROM DEQNA AND CONNECT' ),
: 2302 1 MSG38 = UPLIT (ASCIZ' LOOPBACK CONNECTOR TO DEQNA, THEN RETEST#N' ),
: 2303 1 MSG39 = UPLIT (ASCIZ' CHECK FOR LOOSE WIRES IN A LOOPBACK CONNECTOR' ),
: 2304 1 MSG40 = UPLIT (ASCIZ' OR USE DIFFERENT LOOPBACK CONNECTOR, THEN RETEST#N' ),
: 2305 1 MSG41 = UPLIT (ASCIZ' REPLACE DEQNA, THEN RETEST#N' ),
: 2306 1 MSG42 = UPLIT (ASCIZ' REPLACE BULKHEAD CONNECTOR, THEN RETEST#N' ),
: 2307 1 MSG43 = UPLIT (ASCIZ' DISCONNECT TRANSCEIVER CABLE FROM TRANSCEIVER' ),
: 2308 1 MSG44 = UPLIT (ASCIZ' AND CONNECT IT TO LOOPBACK CONNECTOR AND BULKHEAD ASSEMBLY#N' ),
: 2309 1 MSG45 = UPLIT (ASCIZ' REPLACE TRANSCEIVER CABLE, THEN RETEST#N' ),
: 2310 1 MSG46 = UPLIT (ASCIZ' REPLACE TRANSCEIVER, THEN RETEST#N' ),
: 2311 1 MSG47 = UPLIT (ASCIZ' REPLACE THE FUSE IF BAD, THEN RETEST#N' ),
: 2312 1 MSG48 = UPLIT (ASCIZ' BAD RECEIVE DESCRIPTOR:' ),
: 2313 1 MSG49 = UPLIT (ASCIZ' BAD TRANSMIT DESCRIPTOR:' ),
: 2314 1 MSG50 = UPLIT (ASCIZ' ACTUAL = #06#A EXPECTED = #06#A INDEX = #D4#N' ),
: 2315 1 MSG51 = UPLIT (ASCIZ' BAD RECEIVE BUFFER:' ),
: 2316 1 MSG52 = UPLIT (ASCIZ' DMA OPERATION TAKES TOO LONG#N' ),
: 2317 1 MSG53 = UPLIT (ASCIZ' TOO MANY DEVICES#N' ),
: 2318 1 MSG54 = UPLIT (ASCIZ' THERE WAS A POWER FAIL - WAITING#N' ),
: 2319 1 MSG55 = UPLIT (ASCIZ' WAIT ABOUT #D2#A MINUTE(S) -' ),
: 2320 1 MSG56 = UPLIT (ASCIZ' WAIT ABOUT #D2#A HOUR -' ),
: 2321 1 MSG57 = UPLIT (ASCIZ' IF NO RESET, TYPE ANY CHARACTER TO EXIT FROM TEST#N' ),
: 2322 1 MSG58 = UPLIT (ASCIZ' TDR VALUE IS EQUAL TO ZERO #N' ),
: 2323 1 MSG59 = UPLIT (ASCIZ' -----#N' ),
: 2324 1 MSG60 = UPLIT (ASCIZ' BAD CSR, BITS STUCK AT 0:#N' ),
: 2325 1 MSG61 = UPLIT (ASCIZ' BAD CSR, BITS STUCK AT 1:#N' ),
: 2326 1 MSG62 = UPLIT (ASCIZ' SOFTWARE RESET UNABLE TO CLEAR CSR STATIC BITS:#N' ),
: 2327 1 MSG63 = UPLIT (ASCIZ' BAD STATION ADDRESS CHECKSUM: ACT = #06#A EXP = #06#N' ),
: 2328 1 MSG64 = UPLIT (ASCIZ' BAD STATION ADDRESS:' ),
: 2329 1 MSG65 = UPLIT (ASCIZ' BAD DEQNA I/O PAGE REGISTER:#N' ),
: 2330 1 MSG66 = UPLIT (ASCIZ' BAD CSR, EXPECTED RL ( BIT 5 ) TO BE SET TO 0#N' ),
: 2331 1 MSG67 = UPLIT (ASCIZ' BAD B/D PROM CHECKSUM: INDEX = #06#A ACT = #06#A EXP = #06#N' ),
: 2332 1 MSG68 = UPLIT (ASCIZ' B/D PROM CHECKSUM OFFSET = #06#A ACT = #06#A EXP = #06#N' ),
: 2333 1 MSG69 = UPLIT (ASCIZ' BAD INTERRUPT: ADR = #06#A ACT LEV = #06#A EXP LEV = #06#N' ),
: 2334 1 MSG70 = UPLIT (ASCIZ' REGISTER FAILED TO RESPOND AT ADDRESS: #06#N' ),
: 2335 1 MSG71 = UPLIT (ASCIZ' BAD TRANSMIT STATUS, TOO MANY COLLISIONS#N' );
: 2336 1
: 2337 1
: 2338 1

```

NQNA1
V01.0

CNQNAO DEQNA FUNCTIONAL TEST
DEFAULT HARDWARE P-TABLE

12-Jul-1984 13:03:05

9-Jul-1984 07:06:36

VAX-11 Bliss-16 V4.0-579

SPIDER\$USERS:{BERG.DEQNA}NQNA1.BLI;2

```

: 2339 1
: 2340 1
: 2341 1
: 2342 1
: 2343 1
: 2344 1
: 2345 1
: 2346 1
: 2347 1
: 2348 1
: 2349 1
: 2350 1
: 2351 1
: 2352 1
: 2353 1
: 2354 1
: 2355 1
: 2356 1
: 2357 1
: 2358 1
: 2359 1
: 2360 1
: 2361 1
    
```

```

*SBTTL 'DEFAULT HARDWARE P-TABLE'
    
```

```

BGNHW ( HP_TABLE );
    
```

```

!++
    
```

```

THE DEFAULT HARDWARE P-TABLE CONTAINS DEFAULT VALUES OF THE
TEST-DEVICE PARAMETERS. THE STRUCTURE OF THIS TABLE IS IDENTICAL TO
THE STRUCTURE OF THE HARDWARE P-TABLES, AND IS USED AS A "TEMPLATE"
FOR BUILDING THE P-TABLES.
    
```

```

!
    
```

```

PLACE YOUR DEFAULT HARDWARE P-TABLE HERE. THE VALUES AND
SIZE WILL BE USED AS A "TEMPLATE" FOR CREATING ACTUAL P-TABLE
ENTRIES AND THE DEFAULT VALUES IN THE OPERATOR DIALOGUE.
THE ACTUAL P-TABLE BUILT AT RUNTIME IS STORED IN SUPERVISOR
SPACE.
    
```

```

!--
    
```

```

GLOBAL
    
```

```

DFSTB. : BLOCK [ HWP_SIZE, WORD ] INITIAL ( #0'174440', #0'300' );
    
```

```

ENDHW;
    
```

: 2362 1
: 2363 1
: 2364 1
: 2365 1
: 2366 1
: 2367 1
: 2368 1
: 2369 1
: 2370 1
: 2371 1
: 2372 1
: 2373 1
: 2374 1
: 2375 1
: 2376 1
: 2377 1
: 2378 1
: 2379 1
: 2380 1
: 2381 1
: 2382 1
: 2383 1
: 2384 1
: 2385 1
: 2386 1
: 2387 1

*SBTTL 'SOFTWARE P-TABLE'

!..
! THE SOFTWARE TABLE CONTAINS VARIOUS DATA USED BY THE
! PROGRAM AS OPERATIONAL PARAMETERS. THESE PARAMETERS ARE
! SET UP AT ASSEMBLY TIME AND MAY BE VARIED BY THE OPERATOR
! AT RUN TIME.
!
! PLACE YOUR SOFTWARE P-TABLE HERE, USING GLOBAL OR OWN DECLARATIONS
! THIS TABLE IS NOT OPTIONAL. THIS TABLE, UNLIKE THE HARDWARE TABLE,
! WILL CONTAIN THE ACTUAL VALUES ENTERED BY THE OPERATOR.
!..

BGNSW (SP_TABLE);

GLOBAL

SWP_TIMER : WORD INITIAL (NO), ! NO SANITY TIMER TEST
SWP_LBC : WORD INITIAL (NO), ! NO LOOPBACK IN DEQNA
SWP_TOUT_VAL : WORD INITIAL (3), ! TIMEOUT VALUE = 16 SEC.
SWP_ILOOP : WORD INITIAL (NO), ! EXTERNAL LOOPBACK MODE
SWP_BLOCK_MEM : WORD INITIAL (YES); ! BLOCK-MODE MEMORY PRESENT

ENDSW;

NQNA1
V01.0

CNQNAAO DEQNA FUNCTIONAL TEST
PROTECTION TABLE

12-Jul-1984 13:03:05
9-Jul-1984 07:06:36

VAX-11 B1:es-16 V4.0-579
SPIDER\$USERS:(BERG.DEQNA)NQNA1.BLI;2

```

: 2388 1 *SBTTL 'PROTECTION TABLE'
: 2389 1
: 2390 1
: 2391 1
: 2392 1
: 2393 1
: 2394 1
: 2395 1
: 2396 1
: 2397 1
: 2398 1
: 2399 1
: 2400 1
: 2401 1
: 2402 1
: 2403 1
: 2404 1
: 2405 1
: 2406 1
: 2407 1
: 2408 1 BGNPROT (-1, -1, -1);
: 2409 1
: 2410 1 ENDPROT;
: 2411 1
: 2412 1
: 2413 1
: 2414 1 END
: 2415 0 ELUDDM

```

```

...
THIS TABLE IS USED BY THE RUNTIME SERVICES TO PROTECT THE LOAD MEDIA.

1ST ARG = OFFSET INTO P-TABLE FOR CSR ADDRESS
2ND ARG = OFFSET INTO P-TABLE FOR MASSBUS ADDRESS
3RD ARG = OFFSET INTO P-TABLE FOR DRIVE NUMBER

INSERT BYTE OFFSET FOR DATA NOTED IN COMMENTS ABOVE. (OFFSET
REFERS TO THE NUMBER OF BYTES FROM THE BEGINNING OF A P-TABLE
ENTRY TO THE ITEM IN QUESTION.) IF THE PARTICULAR
ITEM DOES NOT APPLY, LEAVE ENTRY AS -1. WHEN THE RUNTIME
SERVICES EXECUTES A GPHARD, IT USES THESE OFFSETS (IF NOT
SET TO -1) TO GET THE ITEMS AND COMPARE WITH THOSE SAVED
IN THE XXDP MONITOR. IF THE UNIT BEING REQUESTED MATCHES THE
LOAD DEVICE, THE RUNTIME SERVICES RETURN AN INCOMPLETE FLAG ON
THE GPHARD.
...

```

```

.TITLE CNQNAAO DEQNA FUNCTIONAL TEST
.IDENT /V01.0/
.ENABL AMA

```

```

000000 .PSECT $CODE$, RO
000000 103 116 121 L$NAME::.ASCII /CNQ/
000003 116 101 040 .ASCII /NA /
000006 000 .BYTE 0
000007 000 .BYTE 0
000010 L$REV::
000010 101 .ASCII /A/
000011 060 .ASCII /O/
000012 000000G L$UNIT::.WORD T$PTHV
000014 000170 L$TIML::.WORD 170
000016 000000G L$HPCP::.WORD L$HARD
000020 000000G L$SPCP::.WORD L$SOFT
000022 000206' L$HPTP::.WORD L$HW
000024 000216' L$SPTP::.WORD L$SW
000026 000000G L$LADP::.WORD L$LAST
000030 000000 L$STA::.WORD 0
000032 000000 L$CO::.WORD 0
000034 000000 L$DTYP::.WORD 0

```

NONA1
V01.0

CNQNAO DEQNA FUNCTIONAL TEST
PROTECTION TABLE

12-Jul-1984 13:03:05
9-Jul-1984 07:06:36

VAX-11 Bliss-16 V4.0-579
SPIDER#USERS:[BERG.DEQNA]NON:1.BLI:2

000036	000000	L\$APT::	.WORD	0
000040	000124'	L\$DTP::	.WORD	L\$DISPATCH
000042	000000	L\$PRIO::	.WORD	0
000044	000000	L\$ENVI::	.WORD	0
000046	000000	L\$EXP1::	.WORD	0
000050		L\$MREV::		
000050	003		.BYTE	3
000051	003		.BYTE	3
000052	000000	L\$EF::	.WORD	0
000054	000000		.WORD	0
000056	000000	L\$SPC::	.WORD	0
000060	000000G	L\$DEVP::	.WORD	L\$DVTYP
000062	000000G	L\$REPP::	.WORD	L\$RPT
000064	000000	L\$EXP4::	.WORD	0
000066	000000	L\$EXP5::	.WORD	0
000070	000000G	L\$AUT::	.WORD	L\$AU
000072	000000G	L\$DUT::	.WORD	L\$DU
000074	000000	L\$LUN::	.WORD	0
000076	000000G	L\$DESP::	.WORD	L\$DESC
000100	104035	L\$LOAD::	.WORD	-73743
000102	000174'	L\$ETP::	.WORD	L\$ERRTBL
000104	000000G	L\$ICP::	.WORD	L\$INIT
000106	000000G	L\$CCP::	.WORD	L\$CLEAN
000110	000000G	L\$ACP::	.WORD	L\$AUTO
000112	000232'	L\$PRT::	.WORD	L\$PROT
000114	000000	L\$TEST::	.WORD	0
000116	000000	L\$DLY::	.WORD	0
000120	000000	L\$HIME::	.WORD	0
000122	000024	D\$PCNT::	.WORD	24
000124	000000G	L\$DISPATCH::		
			.WORD	T1
000126	000000G		.WORD	T2
000130	000000G		.WORD	T3
000132	000000G		.WORD	T4
000134	000000G		.WORD	T5
000136	000000G		.WORD	T6
000140	000000G		.WORD	T7
000142	000000G		.WORD	T8
000144	000000G		.WORD	T9
000146	000000G		.WORD	T10
000150	000000G		.WORD	T11
000152	000000G		.WORD	T12
000154	000000G		.WORD	T13
000156	000000G		.WORD	T14
000160	000000G		.WORD	T15
000162	000000G		.WORD	T16
000164	000000G		.WORD	T17
000166	000000G		.WORD	T18
000170	000000G		.WORD	T19
000172	000000G		.WORD	T20
000174		ERRTYP::	.BLKW	1
000176		ERRNBR::	.BLKW	1
000200		ERRMSG::	.BLKW	1

NOQA1
V01.0

CNOQA0 DEQNA FUNCTIONAL TEST
PROTECTION TABLE

12-Jul-1984 13:03:05
9-Jul-1984 07:06:36

VAX-11 Bliss-16 V4.0-579
SPIDER\$USERS:(BERG.DEQNA)NOQA1.BLI:2

(25)

000202
000204 000000C

000206 174440
000210 000300
000212
000214 000000C

000216 000000
000220 000000
000222 000003
000224 000000
000226 000001

000230
000232 177777
000234 177777
000236 177777

ERRBLK: .BLKW 1
L\$HWLEN: .WORD <<L\$NDHW-L\$HWLEN>/2>
DFSTBL: .WORD -3340
.WORD 300
L\$NDHW: .BLKW 1
L\$SWLEN: .WORD <<L\$NDSW-L\$SWLEN>/2>
SWP.TIMER: .WORD 0
SWP.LBC: .WORD 0
SWP.TOUT.VAL: .WORD 3
SWP.ILOOP: .WORD 0
SWP.BLOCK.MEM: .WORD 1
L\$NDSW: .BLKW 1
L\$PROT: .WORD -1
.WORD -1
.WORD -1

000000
000000 104 105 121
000003 116 101 040
000006 111 057 117
000011 040 120 101
000014 107 105 040
000017 101 104 122
000022 040 040 040
000025 040 000 000
000030 111 116 124
000033 105 122 122
000036 125 120 124
000041 040 126 105
000044 103 124 117
000047 122 040 101
000052 104 122 040
000055 040 000 000
000060 104 117 040
000063 131 117 125
000066 040 127 101
000071 116 124 040
000074 124 117 040
000077 124 105 123
000102 124 040 123
000105 101 116 111
000110 124 131 040
000113 124 111 115
000116 105 122 040

.PSECT \$PLIT\$, RO, D
P.AAA: .ASCII /DEQ/
.ASCII /NA/
.ASCII /I/<57>/0/
.ASCII /PA/
.ASCII /GE/
.ASCII /ADR/
.ASCII / /
P.AAB: .ASCII / /<00><00>
.ASCII /INT/
.ASCII /ERR/
.ASCII /UPT/
.ASCII /VE/
.ASCII /CTO/
.ASCII /R A/
.ASCII /DR /
P.AAC: .ASCII / /<00><00>
.ASCII /DO /
.ASCII /YOU/
.ASCII /WA/
.ASCII /NT /
.ASCII /TO /
.ASCII /TES/
.ASCII /T S/
.ASCII /ANI/
.ASCII /TY /
.ASCII /TIM/
.ASCII /ER /

NQNA1
V01.0

CNQNAO DEQNA FUNCTIONAL TEST
PROTECTION TABLE

000121	000				.ASCII	<00>
000122	111	123	040	P.AAD:	.ASCII	/IS /
000125	114	117	117		.ASCII	/LOO/
000130	120	102	101		.ASCII	/PBA/
000133	103	113	040		.ASCII	/CK /
000136	103	117	116		.ASCII	/CON/
000141	116	105	103		.ASCII	/NEC/
000144	124	117	122		.ASCII	/TOR/
000147	040	111	116		.ASCII	/ IN/
000152	040	104	105		.ASCII	/ DE/
000155	121	116	101		.ASCII	/QNA/
000160	040	040	040		.ASCII	/ /
000163	000				.ASCII	<00>
000164	123	101	116	P.AAE:	.ASCII	/SAN/
000167	111	124	131		.ASCII	/ITY/
000172	040	124	111		.ASCII	/ TI/
000175	115	105	122		.ASCII	/MER/
000200	040	124	111		.ASCII	/ TI/
000203	115	105	055		.ASCII	/ME-/
000206	117	125	124		.ASCII	/OUT/
000211	040	126	101		.ASCII	/ VA/
000214	114	125	105		.ASCII	/LUE/
000217	040	040	040		.ASCII	/ /
000222	040	040	040		.ASCII	/ /
000225	000				.ASCII	<00>
000226	105	130	124	P.AAF:	.ASCII	/EXT/
000231	105	122	116		.ASCII	/ERN/
000234	101	114	040		.ASCII	/AL /
000237	114	117	117		.ASCII	/LOO/
000242	120	102	101		.ASCII	/PBA/
000245	103	113	040		.ASCII	/CK /
000250	115	117	104		.ASCII	/MOD/
000253	105	040	040		.ASCII	/E /
000256	040	040	040		.ASCII	/ /
000261	040	040	040		.ASCII	/ /
000264	040	040	040		.ASCII	/ /
000267	000				.ASCII	<00>
000270	123	131	123	P.AAG:	.ASCII	/SYS/
000273	124	105	115		.ASCII	/TEM/
000276	040	110	101		.ASCII	/ HA/
000301	123	040	102		.ASCII	/S B/
000304	114	117	103		.ASCII	/LOC/
000307	113	055	115		.ASCII	/K-M/
000312	117	104	105		.ASCII	/ODE/
000315	040	115	105		.ASCII	/ ME/
000320	115	117	122		.ASCII	/MOR/
000323	131	040	040		.ASCII	/Y /
000326	040	040	040		.ASCII	/ /
000331	000				.ASCII	<00>
000332	040	104	105	P.AAH:	.ASCII	/ DE/
000335	121	116	101		.ASCII	/QNA/
000340	040	106	101		.ASCII	/ FA/
000343	124	101	114		.ASCII	/TAL/

NQNA1
V01.0CNQNAO DEQNA FUNCTIONAL TEST
PROTECTION TABLE12-Jul-1984 13:03:05
9-Jul-1984 07:06:36

VAX-11 Bliss-16 V4.0-579

SPIDER:USERS:[BERG.DEQNA]NQNA1.BLI;2 (25)

000346	040	105	122	.ASCII	/ ER/
000351	122	117	122	.ASCII	/ROR/
000354	040	104	105	.ASCII	/ DE/
000357	124	105	103	.ASCII	/TEC/
000362	124	105	104	.ASCII	/TED/
000365	040	000	000	.ASCII	/ /<00><00>
000370	045	116	045	P.AAI: .ASCII	/#N#/
000373	116	045	101	.ASCII	/N#A/
000376	040	040	040	.ASCII	/ /
000401	104	105	121	.ASCII	/DEQ/
000404	116	101	040	.ASCII	/NA /
000407	101	104	104	.ASCII	/ADD/
000412	122	105	123	.ASCII	/RES/
000415	123	072	040	.ASCII	/S: /
000420	045	117	066	.ASCII	/#06/
000423	045	101	054	.ASCII	/#A./
000426	040	040	123	.ASCII	/ S/
000431	124	101	124	.ASCII	/TAT/
000434	111	117	116	.ASCII	/ION/
000437	040	101	104	.ASCII	/ AD/
000442	104	122	105	.ASCII	/DRE/
000445	123	123	072	.ASCII	/SS:/
000450	040	000		.ASCII	/ /<00>
000452	045	101	040	P.AAJ: .ASCII	/#A /
000455	040	040	040	.ASCII	/ /
000460	040	040	101	.ASCII	/ A/
000463	103	124	125	.ASCII	/CTU/
000466	101	114	040	.ASCII	/AL /
000471	104	101	124	.ASCII	/DAT/
000474	101	040	075	.ASCII	/A -/
000477	040	045	117	.ASCII	/ #0/
000502	066	045	101	.ASCII	/6#A/
000505	040	040	040	.ASCII	/ /
000510	040	040	105	.ASCII	/ E/
000513	130	120	105	.ASCII	/XPE/
000516	103	124	105	.ASCII	/CTE/
000521	104	040	104	.ASCII	/D D/
000524	101	124	101	.ASCII	/AT#/
000527	040	075	040	.ASCII	/ # /
000532	045	117	066	.ASCII	/#06/
000535	045	116	000	.ASCII	/#N/<00>
000540	045	101	040	P.AAK: .ASCII	/#A /
000543	040	040	040	.ASCII	/ /
000546	040	040	040	.ASCII	/ /
000551	040	040	040	.ASCII	/ /
000554	040	040	040	.ASCII	/ /
000557	040	040	040	.ASCII	/ /
000562	040	040	040	.ASCII	/ /
000565	040	040	040	.ASCII	/ /
000570	040	040	040	.ASCII	/ /
000573	040	040	040	.ASCII	/ /
000576	130	115	111	.ASCII	/XMI/
000601	124	040	104	.ASCII	/T D/

NQNA1
V01.0

CNQNAO DEQNA FUNCTIONAL TEST
PROTECTION TABLE

12-Jul-1984 13:03:05
9-Jul-1984 07:06:36

VAX-11 Bliss-16 V4.0-579
SPIDER\$USERS:(BERG.DEQNA)NQNA1.BLI;2

000604	105	123	103	.ASCII	/ESC/
000607	122	111	120	.ASCII	/RIP/
000612	124	117	122	.ASCII	/TOR/
000615	040	040	040	.ASCII	/ /
000620	040	122	103	.ASCII	/ RC/
000623	126	040	104	.ASCII	/V D/
000626	105	123	103	.ASCII	/ESC/
000631	122	111	120	.ASCII	/RIP/
000634	124	117	122	.ASCII	/TOR/
000637	040	045	116	.ASCII	/ #N/
000642	000	000		.ASCII	<00><00>
000644	045	101	040	P.AAL: .ASCII	/#A /
000647	040	040	040	.ASCII	/ /
000652	040	040	106	.ASCII	/ F/
000655	114	101	107	.ASCII	/LAG/
000660	040	127	117	.ASCII	/ WO/
000663	122	104	040	.ASCII	/RD /
000666	040	040	040	.ASCII	/ /
000671	040	040	040	.ASCII	/ /
000674	040	040	040	.ASCII	/ /
000677	040	040	040	.ASCII	/ /
000702	040	040	040	.ASCII	/ /
000705	040	040	045	.ASCII	/ #/
000710	117	066	045	.ASCII	/06#/
000713	101	040	040	.ASCII	/A /
000716	040	040	040	.ASCII	/ /
000721	040	040	040	.ASCII	/ /
000724	040	040	040	.ASCII	/ /
000727	040	045	117	.ASCII	/ #0/
000732	066	045	116	.ASCII	/6#N/
000735	000			.ASCII	<00>
000736	045	101	040	P.AAM: .ASCII	/#A /
000741	040	040	040	.ASCII	/ /
000744	040	040	110	.ASCII	/ H/
000747	111	107	110	.ASCII	/IGH/
000752	040	117	122	.ASCII	/ OR/
000755	104	105	122	.ASCII	/DER/
000760	040	101	104	.ASCII	/ AD/
000763	104	122	040	.ASCII	/DR /
000766	102	111	124	.ASCII	/BIT/
000771	123	040	040	.ASCII	/S /
000774	040	040	040	.ASCII	/ /
000777	040	040	045	.ASCII	/ #/
001002	117	066	045	.ASCII	/06#/
001005	101	040	040	.ASCII	/A /
001010	040	040	040	.ASCII	/ /
001013	040	040	040	.ASCII	/ /
001016	040	040	040	.ASCII	/ /
001021	040	045	117	.ASCII	/ #0/
001024	066	045	116	.ASCII	/6#N/
001027	000			.ASCII	<00>
001030	045	101	040	P.AAN: .ASCII	/#A /
001033	040	040	040	.ASCII	/ /

NQNA1
VOL.0CNQNAO DEQNA FUNCTIONAL TEST
PROTECTION TABLE12-Jul-1984 13:03:05
9-Jul-1984 07:06:36VAX-11 Bliss-16 V4.0-579
SPIDER#USERS:(BERG.DEQNA)NQNA1.BLI;2 (25)

001036	040	040	114	.ASCII	/ L/
001041	117	127	040	.ASCII	/OW /
001044	040	117	122	.ASCII	/ OR/
001047	104	105	122	.ASCII	/DER/
001052	040	101	104	.ASCII	/ AD/
001055	104	122	040	.ASCII	/DR /
001060	102	111	124	.ASCII	/BIT/
001063	123	040	040	.ASCII	/S /
001066	040	040	040	.ASCII	/ /
001071	040	040	045	.ASCII	/ %/
001074	117	066	045	.ASCII	/06%/
001077	101	040	040	.ASCII	/A /
001102	040	040	040	.ASCII	/ /
001105	040	040	040	.ASCII	/ /
001110	040	040	040	.ASCII	/ /
001113	040	045	117	.ASCII	/ #0/
001116	066	045	116	.ASCII	/6#N/
001121	000			.ASCII	<00>
001122	045	101	040	P.AAO: .ASCII	/#A /
001125	040	040	040	.ASCII	/ /
001130	040	040	120	.ASCII	/ P/
001133	101	103	113	.ASCII	/ACK/
001136	105	124	040	.ASCII	/ET /
001141	114	105	116	.ASCII	/LEN/
001144	107	124	110	.ASCII	/GTH/
001147	040	050	040	.ASCII	/ (/
001152	127	104	040	.ASCII	/WD /
001155	051	040	040	.ASCII	/) /
001160	040	040	040	.ASCII	/ /
001163	040	040	045	.ASCII	/ %/
001166	117	066	045	.ASCII	/06%/
001171	101	040	040	.ASCII	/A /
001174	040	040	040	.ASCII	/ /
001177	040	040	040	.ASCII	/ /
001202	040	040	040	.ASCII	/ /
001205	040	045	117	.ASCII	/ #0/
001210	066	045	116	.ASCII	/6#N/
001213	000			.ASCII	<00>
001214	045	101	040	P.AAP: .ASCII	/#A /
001217	040	040	040	.ASCII	/ /
001222	040	040	123	.ASCII	/ S/
001225	124	101	124	.ASCII	/TAT/
001230	125	123	040	.ASCII	/US /
001233	127	117	122	.ASCII	/WOR/
001236	104	040	061	.ASCII	/D 1/
001241	040	040	040	.ASCII	/ /
001244	040	040	040	.ASCII	/ /
001247	040	040	040	.ASCII	/ /
001252	040	040	040	.ASCII	/ /
001255	040	040	045	.ASCII	/ %/
001260	117	066	045	.ASCII	/06%/
001263	101	040	040	.ASCII	/A /
001266	040	040	040	.ASCII	/ /

NONA1
VOL.0

CNQNAO DEQNA FUNCTIONAL TEST
PROTECTION TABLE

12-Jul-1984 13:03:05
9-Jul-1984 07:06:36

VAX-11 Bliss-16 V4.0-579
SPIDER\$USERS:(BERG.DEQNA)NONA1.BLI;2

(25)

001271	040	040	040	.ASCII	/ /
001274	040	040	040	.ASCII	/ /
001277	040	045	117	.ASCII	/ #0/
001302	066	045	116	.ASCII	/6#N/
001305	000			.ASCII	<00>
001306	045	101	040	P.AAQ:	.ASCII /#A /
001311	040	040	040	.ASCII	/ /
001314	040	040	123	.ASCII	/ S/
001317	124	101	124	.ASCII	/TAT/
001322	125	123	040	.ASCII	/US /
001325	127	117	122	.ASCII	/WOR/
001330	104	040	062	.ASCII	/D 2/
001333	040	040	040	.ASCII	/ /
001336	040	040	040	.ASCII	/ /
001341	040	040	040	.ASCII	/ /
001344	040	040	040	.ASCII	/ /
001347	040	040	045	.ASCII	/ #/
001352	117	066	045	.ASCII	/06#/
001355	101	040	040	.ASCII	/A /
001360	040	040	040	.ASCII	/ /
001363	040	040	040	.ASCII	/ /
001366	040	040	040	.ASCII	/ /
001371	040	045	117	.ASCII	/ #0/
001374	066	045	116	.ASCII	/6#N/
001377	000			.ASCII	<00>
001400	045	101	040	P.AAR:	.ASCII /#A /
001403	040	040	040	.ASCII	/ /
001406	040	040	104	.ASCII	/ D/
001411	105	121	116	.ASCII	/EQN/
001414	101	040	103	.ASCII	/A C/
001417	123	122	040	.ASCII	/SR /
001422	122	105	107	.ASCII	/REG/
001425	111	123	124	.ASCII	/IST/
001430	105	122	040	.ASCII	/ER /
001433	040	040	040	.ASCII	/ /
001436	040	040	040	.ASCII	/ /
001441	040	040	040	.ASCII	/ /
001444	040	040	040	.ASCII	/ /
001447	040	040	040	.ASCII	/ /
001452	040	040	045	.ASCII	/ #/
001455	117	066	045	.ASCII	/06#/
001460	116	000		.ASCII	/N/<00>
001462	045	101	040	P.AAS:	.ASCII /#A /
001465	040	040	040	.ASCII	/ /
001470	040	040	104	.ASCII	/ D/
001473	105	121	116	.ASCII	/EQN/
001476	101	040	111	.ASCII	/A I/
001501	057	117	040	.ASCII	<57>/0 /
001504	120	101	107	.ASCII	/PAG/
001507	105	040	101	.ASCII	/E A/
001512	104	122	040	.ASCII	/DR /
001515	040	040	040	.ASCII	/ /
001520	040	040	040	.ASCII	/ /

NQNA1
V01.0

CNQNAO DEQNA FUNCTIONAL TEST
PROTECTION TABLE

12-Jul-1984 13:03:05
9-Jul-1984 07:06:36

VAX-11 Bliss-16 V4.0-579
SPIDER:USERS:[BERG.DEQNA]NQNA1.BLI;2

001523	040	040	040	.ASCII	/ /
001526	040	040	040	.ASCII	/ /
001531	040	040	040	.ASCII	/ /
001534	040	040	045	.ASCII	/ #/
001537	117	066	045	.ASCII	/06#/
001542	116	045	116	.ASCII	/N#N/
001545	000			.ASCII	<00>
001546	045	101	040	P.AAT:	.ASCII /#A /
001551	102	101	104		.ASCII /BAD/
001554	040	103	123		.ASCII / CS/
001557	122	072	040		.ASCII /R: /
001562	101	103	124		.ASCII /ACT/
001565	040	075	040		.ASCII / = /
001570	045	117	066		.ASCII /#06/
001573	045	101	040		.ASCII /#A /
001576	105	130	120		.ASCII /EXP/
001601	040	075	040		.ASCII / = /
001604	045	117	066		.ASCII /#06/
001607	045	116	000	P.APU:	.ASCII /#N/<00>
001612	045	101	040		.ASCII /#A /
001615	102	101	104		.ASCII /BAD/
001620	040	124	122		.ASCII / TR/
001623	101	116	123		.ASCII /ANS/
001626	115	111	124		.ASCII /MIT/
001631	040	106	114		.ASCII / FL/
001634	101	107	040		.ASCII /AG /
001637	127	117	122		.ASCII /WOR/
001642	104	072	040		.ASCII /D: /
001645	101	103	124		.ASCII /ACT/
001650	040	075	040		.ASCII / = /
001653	045	117	066		.ASCII /#06/
001656	045	101	040		.ASCII /#A /
001661	105	130	120		.ASCII /EXP/
001664	040	075	040		.ASCII / = /
001667	045	117	066		.ASCII /#06/
001672	045	116	000		.ASCII /#N/<00>
001675	000				.ASCII <00>
001676	045	101	040	P.AAV:	.ASCII /#A /
001701	102	101	104		.ASCII /BAD/
001704	040	124	122		.ASCII / TR/
001707	101	116	123		.ASCII /ANS/
001712	115	111	124		.ASCII /MIT/
001715	040	123	124		.ASCII / ST/
001720	101	124	125		.ASCII /ATU/
001723	123	040	127		.ASCII /S W/
001726	117	122	104		.ASCII /ORD/
001731	040	061	072		.ASCII / 1:/
001734	040	101	103		.ASCII / AC/
001737	124	040	075		.ASCII /T =/
001742	040	045	117		.ASCII / #0/
001745	066	045	101		.ASCII /6#A/
001750	040	105	130		.ASCII / EX/
001753	120	040	075		.ASCII /P =/

CNQNAO DEQNA FUNCTIONAL TEST
PROTECTION TABLE

12-Jul-1984 13:03:05
9-Jul-1984 07:06:36

VAX-11 B11s-16 V4.0-579
SPIDER:USERS:(BERG.DEQNA)NQNA1.BLI;2

NQNA1
V01.0

001756	040	045	117	.ASCII	/ #0/
001761	066	045	116	.ASCII	/6#N/
001764	000	000		.ASCII	<00><00>
001766	045	101	040	P.AAW:	.ASCII /#A /
001771	102	101	104	.ASCII	/BAD/
001774	040	122	105	.ASCII	/ RE/
001777	103	105	111	.ASCII	/CEI/
002002	126	105	040	.ASCII	/VE /
002005	106	114	101	.ASCII	/FLA/
002010	107	040	127	.ASCII	/G W/
002013	117	122	104	.ASCII	/ORD/
002016	072	040	101	.ASCII	/: A/
002021	103	124	040	.ASCII	/CT /
002024	075	040	045	.ASCII	/# #/
002027	117	066	045	.ASCII	/06#/
002032	101	040	105	.ASCII	/A E/
002035	130	120	040	.ASCII	/XP /
002040	075	040	045	.ASCII	/# #/
002043	117	066	045	.ASCII	/06#/
002046	116	000		.ASCII	/N/<00>
002050	045	101	040	P.AAX:	.ASCII /#A /
002053	102	101	104	.ASCII	/BAD/
002056	040	122	105	.ASCII	/ RE/
002061	103	105	111	.ASCII	/CEI/
002064	126	105	040	.ASCII	/VE /
002067	123	124	101	.ASCII	/STA/
002072	124	125	123	.ASCII	/TUS/
002075	040	127	117	.ASCII	/ WO/
002100	122	104	040	.ASCII	/RD /
002103	061	072	040	.ASCII	/1: /
002106	101	103	124	.ASCII	/ACT/
002111	040	075	040	.ASCII	/ # /
002114	045	117	066	.ASCII	/#06/
002117	045	101	040	.ASCII	/#A /
002122	105	130	120	.ASCII	/EXP/
002125	040	075	040	.ASCII	/ # /
002130	045	117	066	.ASCII	/#06/
002133	045	116	000	.ASCII	/#N/<00>
002136	045	101	040	P.AAY:	.ASCII /#A /
002141	102	101	104	.ASCII	/BAD/
002144	040	122	105	.ASCII	/ RE/
002147	103	105	111	.ASCII	/CEI/
002152	126	105	040	.ASCII	/VE /
002155	102	125	106	.ASCII	/BUF/
002160	106	105	122	.ASCII	/FER/
002163	040	114	105	.ASCII	/ LE/
002166	116	107	124	.ASCII	/NGT/
002171	110	072	040	.ASCII	/H: /
002174	101	103	124	.ASCII	/ACT/
002177	040	075	040	.ASCII	/ # /
002202	045	117	066	.ASCII	/#06/
002205	045	101	040	.ASCII	/#A /
002210	105	130	120	.ASCII	/EXP/

NONA1
V01.0

CNONAAO DEQNA FUNCTIONAL TEST
PROTECTION TABLE

12-Jul-1984 13:03:05
9-Jul-1984 07:06:36

VAX-11 Bliss-16 V4.0-579
SPIDER#USERS:(BERG.DEQNA)NONA1.BLI;2

002213	040	075	040	.ASCII	/ = /
002216	045	117	066	.ASCII	/#06/
002221	045	116	000	.ASCII	/#N/<00>
002224	045	101	040	P.AAZ:	.ASCII /#A /
002227	102	101	104	.ASCII	/BAD/
002232	040	103	123	.ASCII	/ CS/
002235	122	040	075	.ASCII	/R =/
002240	040	045	117	.ASCII	/ #0/
002243	066	045	116	.ASCII	/6#N/
002246	000	000		.ASCII	<00><00>
002250	045	101	040	P.ABA:	.ASCII /#A /
002253	114	117	117	.ASCII	/LOO/
002256	120	102	101	.ASCII	/PBA/
002261	103	113	040	.ASCII	/CK /
002264	120	101	103	.ASCII	/PAC/
002267	113	105	124	.ASCII	/KET/
002272	040	125	116	.ASCII	/ UN/
002275	101	102	114	.ASCII	/ABL/
002300	105	040	124	.ASCII	/E T/
002303	117	040	123	.ASCII	/O S/
002306	105	124	040	.ASCII	/ET /
002311	103	101	040	.ASCII	/CA /
002314	102	111	124	.ASCII	/BIT/
002317	054	040	103	.ASCII	/, C/
002322	123	122	040	.ASCII	/SR /
002325	075	040	045	.ASCII	/= #/
002330	117	066	045	.ASCII	/06#/
002333	116	000	000	.ASCII	/N/<00><00>
002336	045	101	040	P.ABB:	.ASCII /#A /
002341	114	117	117	.ASCII	/LOO/
002344	120	102	101	.ASCII	/PBA/
002347	103	113	040	.ASCII	/CK /
002352	120	101	103	.ASCII	/PAC/
002355	113	105	124	.ASCII	/KET/
002360	040	125	116	.ASCII	/ UN/
002363	101	102	114	.ASCII	/ABL/
002366	105	040	124	.ASCII	/E T/
002371	117	040	103	.ASCII	/O C/
002374	114	105	101	.ASCII	/LEA/
002377	122	040	103	.ASCII	/R C/
002402	101	040	102	.ASCII	/A B/
002405	111	124	054	.ASCII	/IT./
002410	040	103	123	.ASCII	/ CS/
002413	122	040	075	.ASCII	/R =/
002416	040	045	117	.ASCII	/ #0/
002421	066	045	116	.ASCII	/6#N/
002424	000	000		.ASCII	<00><00>
002426	045	101	040	P.ABC:	.ASCII /#A /
002431	103	101	040	.ASCII	/CA /
002434	102	111	124	.ASCII	/BIT/
002437	040	117	113	.ASCII	/ OK/
002442	054	040	102	.ASCII	/, B/
002445	125	124	040	.ASCII	/UT /

NQNA1
V01.0

CNGNAO DEQNA FUNCTIONAL TEST
PROTECTION TABLE

12-Jul-1984 13:03:05
9-Jul-1984 07:06:36

VAX-11 Bliss-16 V4.0-579
SPIDER#USERS:[BERG.DEQNA]NQNA1.BLI;2

002450	122	111	040	.ASCII	/RI /	
002453	102	111	124	.ASCII	/BIT/	
002456	040	111	123	.ASCII	/ IS/	
002461	040	116	117	.ASCII	/ NO/	
002464	124	040	117	.ASCII	/T O/	
002467	116	054	040	.ASCII	/N. /	
002472	103	123	122	.ASCII	/CSR/	
002475	040	075	040	.ASCII	/ = /	
002500	045	117	066	.ASCII	/#06/	
002503	045	116	000	.ASCII	/#N/<00>	
002506	045	101	040	P.ABD:	.ASCII	/#A /
002511	103	101	040	.ASCII	/CA /	
002514	102	111	124	.ASCII	/BIT/	
002517	040	111	116	.ASCII	/ IN/	
002522	040	124	110	.ASCII	/ TH/	
002525	105	040	103	.ASCII	/E C/	
002530	123	122	040	.ASCII	/SR /	
002533	127	101	123	.ASCII	/WAS/	
002536	040	123	105	.ASCII	/ SE/	
002541	124	040	124	.ASCII	/T T/	
002544	117	117	040	.ASCII	/00 /	
002547	105	101	122	.ASCII	/EAR/	
002552	114	131	054	.ASCII	/LY./	
002555	040	103	123	.ASCII	/ CS/	
002560	122	040	075	.ASCII	/R =/	
002563	040	045	117	.ASCII	/ #0/	
002566	066	045	116	.ASCII	/6#N/	
002571	000			.ASCII	<00>	
002572	045	101	040	P.ABE:	.ASCII	/#A /
002575	130	114	040	.ASCII	/XL /	
002600	101	116	104	.ASCII	/AND/	
002603	040	122	114	.ASCII	/ RL/	
002606	040	050	040	.ASCII	/ (/	
002611	102	111	124	.ASCII	/BIT/	
002614	123	040	064	.ASCII	/S 4/	
002617	054	065	040	.ASCII	/,5 /	
002622	051	040	124	.ASCII	/) T/	
002625	117	040	102	.ASCII	/O B/	
002630	105	040	122	.ASCII	/E R/	
002633	105	123	105	.ASCII	/ESE/	
002636	124	040	124	.ASCII	/T T/	
002641	117	040	060	.ASCII	/O O/	
002644	045	116	000	.ASCII	/#N/<00>	
002647	000			.ASCII	<00>	
002650	045	101	040	P.ABF:	.ASCII	/#A /
002653	130	114	040	.ASCII	/XL /	
002656	101	116	104	.ASCII	/AND/	
002661	040	122	114	.ASCII	/ RL/	
002664	040	050	040	.ASCII	/ (/	
002667	102	111	124	.ASCII	/BIT/	
002672	123	040	064	.ASCII	/S 4/	
002675	054	065	040	.ASCII	/,5 /	
002700	051	040	124	.ASCII	/) T/	

NQNA1
V01.0

CNONAAO DEQNA FUNCTIONAL TEST
PROTECTION TABLE

12-Jul-1984 13:03:05
9-Jul-1984 07:06:36

VAX-11 Bliss-16 V4.0-579
SPIDER:USERS:(BERG.DEQNA)NQNA1.BLI;2

002703	117	040	102	.ASCII	/O B/
002706	105	040	123	.ASCII	/E S/
002711	105	124	040	.ASCII	/ET /
002714	124	117	040	.ASCII	/TO /
002717	061	045	116	.ASCII	/1#N/
002722	000	000		.ASCII	<00><00>
002724	045	101	040	P.ABG:	.ASCII /#A /
002727	122	111	040	.ASCII	/RI /
002732	050	040	102	.ASCII	/(B/
002735	111	124	040	.ASCII	/IT /
002740	061	065	040	.ASCII	/15 /
002743	051	040	124	.ASCII	/) T/
002746	117	040	102	.ASCII	/O B/
002751	105	040	123	.ASCII	/E S/
002754	105	124	040	.ASCII	/ET /
002757	124	117	040	.ASCII	/TO /
002762	061	045	116	.ASCII	/1#N/
002765	000			.ASCII	<00>
002766	045	101	040	P.ABH:	.ASCII /#A /
002771	130	111	040	.ASCII	/XI /
002774	050	040	102	.ASCII	/(B/
002777	111	124	040	.ASCII	/IT /
003002	067	040	051	.ASCII	/7)/
003005	040	124	117	.ASCII	/ TO/
003010	040	102	105	.ASCII	/ BE/
003013	040	123	105	.ASCII	/ SE/
003016	124	040	124	.ASCII	/T T/
003021	117	040	061	.ASCII	/O 1/
003024	045	116	000	.ASCII	/#N/<00>
003027	000			.ASCII	<00>
003030	045	101	040	P.ABI:	.ASCII /#A /
003033	116	111	040	.ASCII	/NI /
003036	050	040	102	.ASCII	/(B/
003041	111	124	040	.ASCII	/IT /
003044	062	040	051	.ASCII	/2)/
003047	040	124	117	.ASCII	/ TO/
003052	040	102	105	.ASCII	/ BE/
003055	040	123	105	.ASCII	/ SE/
003060	124	040	124	.ASCII	/T T/
003063	117	040	061	.ASCII	/O 1/
003066	045	116	000	.ASCII	/#N/<00>
003071	000			.ASCII	<00>
003072	045	101	040	P.ABJ:	.ASCII /#A /
003075	116	111	040	.ASCII	/NI /
003100	050	040	102	.ASCII	/(B/
003103	111	124	040	.ASCII	/IT /
003106	062	040	051	.ASCII	/2)/
003111	040	124	117	.ASCII	/ TO/
003114	040	102	105	.ASCII	/ BE/
003117	040	122	105	.ASCII	/ RE/
003122	123	105	124	.ASCII	/SET/
003125	040	124	117	.ASCII	/ TO/
003130	040	060	045	.ASCII	/ O#/

NQNA1
V01.0

CNQNAAO DEQNA FUNCTIONAL TEST
PROTECTION TABLE

12-Jul-1984 13:03:05
9-Jul-1984 07:06:36

VAX-11 Bliss-16 V4.0-579
SPIDER\$USERS:(BERG.DEQNA)NQNA1.BLI;2

003133	116	000	000		.ASCII	/N/<00><00>
003136	045	101	040	P.ABK:	.ASCII	/#A /
003141	102	101	104		.ASCII	/BAD/
003144	040	103	123		.ASCII	/ CS/
003147	122	054	040		.ASCII	/R, /
003152	105	130	120		.ASCII	/EXP/
003155	105	103	124		.ASCII	/ECT/
003160	105	104	000		.ASCII	/ED/<00>
003163	000				.ASCII	<00>
003164	045	101	040	P.ABL:	.ASCII	/#A /
003167	103	123	122		.ASCII	/CSR/
003172	040	101	104		.ASCII	/ AD/
003175	122	040	075		.ASCII	/R =/
003200	040	045	117		.ASCII	/ #0/
003203	066	045	101		.ASCII	/6#A/
003206	040	040	101		.ASCII	/ A/
003211	103	124	125		.ASCII	/CTU/
003214	101	114	040		.ASCII	/AL /
003217	075	040	045		.ASCII	/= #/
003222	117	066	045		.ASCII	/06#/
003225	101	040	040		.ASCII	/A /
003230	105	130	120		.ASCII	/EXP/
003233	105	103	124		.ASCII	/ECT/
003236	105	104	040		.ASCII	/ED /
003241	075	040	045		.ASCII	/= #/
003244	117	066	045		.ASCII	/06#/
003247	116	000	000		.ASCII	/N/<00><00>
003252	045	116	045	P.ABM:	.ASCII	/#N#/
003255	101	040	125		.ASCII	/A U/
003260	116	101	102		.ASCII	/NAB/
003263	114	105	040		.ASCII	/LE /
003266	124	117	040		.ASCII	/TO /
003271	127	105	123		.ASCII	/RES/
003274	105	124	040		.ASCII	/ET /
003277	104	105	121		.ASCII	/DEQ/
003302	116	101	072		.ASCII	/NA:/
003305	040	101	104		.ASCII	/ AD/
003310	122	072	040		.ASCII	/R: /
003313	045	117	066		.ASCII	/#06/
003316	045	101	040		.ASCII	/#A /
003321	040	103	123		.ASCII	/ CS/
003324	122	040	075		.ASCII	/R =/
003327	040	045	117		.ASCII	/ #0/
003332	066	045	116		.ASCII	/6#N/
003335	000				.ASCII	<00>
003336	045	116	045	P.ABN:	.ASCII	/#N#/
003341	101	040	127		.ASCII	/A W/
003344	101	111	124		.ASCII	/AIT/
003347	040	101	102		.ASCII	/ AB/
003352	117	125	124		.ASCII	/OUT/
003355	040	045	104		.ASCII	/ #0/
003360	062	045	101		.ASCII	/2#A/
003363	040	123	105		.ASCII	/ SE/

NONA1
V01.0
CNQNAO DEQNA FUNCTIONAL TEST
PROTECTION TABLE

003366	103	117	116	.ASCII	/CON/	
003371	104	050	123	.ASCII	/D(S/	
003374	051	040	055	.ASCII	/) -/	
003377	000			.ASCII	<00>	
003400	045	116	045	P.ABO:	.ASCII	/NNS/
003403	101	040	123	.ASCII	/A S/	
003406	101	116	111	.ASCII	/ANI/	
003411	124	131	040	.ASCII	/TY /	
003414	124	111	115	.ASCII	/TIM/	
003417	105	122	040	.ASCII	/ER /	
003422	124	111	115	.ASCII	/TIM/	
003425	105	104	040	.ASCII	/ED /	
003430	117	125	124	.ASCII	/OUT/	
003433	040	101	123	.ASCII	/ AS/	
003436	040	105	130	.ASCII	/ EX/	
003441	120	105	103	.ASCII	/PEC/	
003444	124	105	104	.ASCII	/TED/	
003447	040	045	116	.ASCII	/ N/	
003452	000	000		.ASCII	<00><00>	
003454	045	116	045	P.ABP:	.ASCII	/NNS/
003457	101	040	116	.ASCII	/A N/	
003462	117	040	123	.ASCII	/O S/	
003465	101	116	111	.ASCII	/ANI/	
003470	124	131	040	.ASCII	/TY /	
003473	124	111	115	.ASCII	/TIM/	
003476	105	122	040	.ASCII	/ER /	
003501	111	116	124	.ASCII	/INT/	
003504	105	122	122	.ASCII	/ERR/	
003507	125	120	124	.ASCII	/UPT/	
003512	040	104	105	.ASCII	/ DE/	
003515	124	105	103	.ASCII	/TEC/	
003520	124	105	104	.ASCII	/TED/	
003523	040	045	116	.ASCII	/ N/	
003526	000	000		.ASCII	<00><00>	
003530	045	116	045	P.ABQ:	.ASCII	/NNS/
003533	101	040	104	.ASCII	/A D/	
003536	111	123	103	.ASCII	/ISC/	
003541	117	116	116	.ASCII	/ONN/	
003544	105	103	124	.ASCII	/ECT/	
003547	040	124	122	.ASCII	/ TR/	
003552	101	116	123	.ASCII	/ANS/	
003555	103	105	111	.ASCII	/CEI/	
003560	126	105	122	.ASCII	/VER/	
003563	040	103	101	.ASCII	/ CA/	
003566	102	114	105	.ASCII	/BLE/	
003571	040	106	122	.ASCII	/ FR/	
003574	117	115	040	.ASCII	/OM /	
003577	102	125	114	.ASCII	/BUL/	
003602	113	110	105	.ASCII	/KHE/	
003605	101	104	040	.ASCII	/AD /	
003610	101	123	123	.ASCII	/ASS/	
003613	105	115	102	.ASCII	/EMB/	
003616	114	131	040	.ASCII	/LY /	

NQNA1
V01.0CNQNAO DEQNA FUNCTIONAL TEST
PROTECTION TABLE12-Jul-1984 13:03:05
9-Jul-1984 07:06:36VAX-11 Bliss-16 V4.0 579
SPIDER:USERS:(BERG.DEQNA)NQNA1.BLI:2 (25)

003621	101	116	104	.ASCII	/AND/
003624	000	000		.ASCII	<00><00>
003626	045	116	045	P.ABR: .ASCII	/N#/
003631	101	040	103	.ASCII	/A C/
003634	117	116	116	.ASCII	/ONN/
003637	105	103	124	.ASCII	/ECT/
003642	040	114	117	.ASCII	/LO/
003645	117	120	102	.ASCII	/OPB/
003650	101	103	113	.ASCII	/ACK/
003653	040	103	117	.ASCII	/CO/
003656	116	116	105	.ASCII	/NNE/
003661	103	124	117	.ASCII	/CTO/
003664	122	040	124	.ASCII	/R T/
003667	117	040	102	.ASCII	/O B/
003672	125	114	113	.ASCII	/ULK/
003675	110	105	101	.ASCII	/MEA/
003700	104	040	101	.ASCII	/D A/
003703	123	123	105	.ASCII	/SSE/
003706	115	102	114	.ASCII	/MBL/
003711	131	054	040	.ASCII	/Y. /
003714	124	110	105	.ASCII	/THE/
003717	116	040	122	.ASCII	/N R/
003722	105	124	105	.ASCII	/ETE/
003725	123	124	045	.ASCII	/ST#/
003730	116	000		.ASCII	/N/<00>
003732	045	116	045	P.ABS: .ASCII	/N#/
003735	101	040	104	.ASCII	/A D/
003740	111	123	103	.ASCII	/ISC/
003743	117	116	116	.ASCII	/ONN/
003746	105	103	124	.ASCII	/ECT/
003751	040	102	125	.ASCII	/BU/
003754	114	113	110	.ASCII	/LKH/
003757	105	101	104	.ASCII	/EAD/
003762	040	101	123	.ASCII	/AS/
003765	123	105	115	.ASCII	/SEM/
003770	102	114	131	.ASCII	/BLY/
003773	040	106	122	.ASCII	/FR/
003776	117	115	040	.ASCII	/OM /
004001	104	105	121	.ASCII	/DEQ/
004004	116	101	040	.ASCII	/NA /
004007	101	116	104	.ASCII	/AND/
004012	040	103	117	.ASCII	/CO/
004015	116	116	105	.ASCII	/NNE/
004020	103	124	000	.ASCII	/CT/<00>
004023	000			.ASCII	<00>
004024	045	116	045	P.ABT: .ASCII	/N#/
004027	101	040	114	.ASCII	/A L/
004032	117	117	120	.ASCII	/OOP/
004035	102	101	103	.ASCII	/BAC/
004040	113	040	103	.ASCII	/K C/
004043	117	116	116	.ASCII	/ONN/
004046	105	103	124	.ASCII	/ECT/
004051	117	122	040	.ASCII	/OR /

NQNA1
V01.0

CNQNAO DEQNA FUNCTIONAL TEST
PROTECTION TABLE

12-Jul-1984 13:03:05
9-Jul-1984 07:06:36

VAX-11 Bliss-16 V4.0-579

SPIDER\$USERS:(BERG.DEQNA)NQNA1.BLI;2 (25)

004054	124	117	040	.ASCII	/TO /
004057	104	105	121	.ASCII	/DEQ/
004062	116	101	054	.ASCII	/NA /
004065	040	124	110	.ASCII	/ TH/
004070	105	116	040	.ASCII	/EN /
004073	122	105	1 :	.ASCII	/RET/
004076	105	123	124	.ASCII	/EST/
004101	045	116	000	.ASCII	/N/<00>
004104	045	116	045	P.ABU: .ASCII	/N# /
004107	101	040	103	.ASCII	/A C/
004112	110	105	103	.ASCII	/HEC/
004115	113	040	106	.ASCII	/K F/
004120	117	122	040	.ASCII	/OR /
004123	114	117	117	.ASCII	/LOO/
004126	123	105	040	.ASCII	/SE /
004131	127	111	122	.ASCII	/WIR/
004134	105	123	040	.ASCII	/ES /
004137	111	116	040	.ASCII	/IN /
004142	101	040	114	.ASCII	/A L/
004145	117	117	120	.ASCII	/OOP/
004150	102	101	103	.ASCII	/BAC/
004153	113	040	103	.ASCII	/K C/
004156	117	116	116	.ASCII	/ONN/
004161	105	103	124	.ASCII	/ECT/
004164	117	122	000	.ASCII	/OR/<00>
004167	000			.ASCII	<00>
004170	045	116	045	P.ABV: .ASCII	/N# /
004173	101	040	117	.ASCII	/A O/
004176	122	040	125	.ASCII	/R U/
004201	123	105	040	.ASCII	/SE /
004204	104	111	106	.ASCII	/DIF/
004207	106	105	122	.ASCII	/FER/
004212	105	116	124	.ASCII	/ENT/
004215	040	114	117	.ASCII	/ LO/
004220	117	120	102	.ASCII	/OPB/
004223	101	103	113	.ASCII	/ACK/
004226	040	103	117	.ASCII	/ CO/
004231	116	116	105	.ASCII	/NNE/
004234	103	124	117	.ASCII	/CTO/
004237	122	054	040	.ASCII	/R, /
004242	124	110	105	.ASCII	/THE/
004245	116	040	122	.ASCII	/N R/
004250	105	124	105	.ASCII	/ETE/
004253	123	124	045	.ASCII	/ST# /
004256	116	000		.ASCII	/N/<00>
004260	045	116	045	P.ABW: .ASCII	/N# /
004263	101	040	122	.ASCII	/A R/
004266	105	120	114	.ASCII	/EPL/
004271	101	103	105	.ASCII	/ACE/
004274	040	104	105	.ASCII	/ DE/
004277	121	116	101	.ASCII	/QNA/
004302	054	040	124	.ASCII	/, T/
004305	110	105	116	.ASCII	/HEN/

NQNA1
V01.0

CNQNAO DEQNA FUNCTIONAL TEST
PROTECTION TABLE

12-Jul-1984 13:03:05
9-Jul-1984 07:06:36

VAX-11 Bliss-16 V4.0-579
SPIDER#USERS:(BERG.DEQNA)NQNA1.BLI;2

004310	040	122	105	.ASCII	/RE/
004313	124	105	123	.ASCII	/TES/
004316	124	045	116	.ASCII	/T#N/
004321	000			.ASCII	<00>
004322	045	116	045	P.ABX: .ASCII	/#N#/
004325	101	040	122	.ASCII	/A R/
004330	105	120	114	.ASCII	/EPL/
004333	101	103	105	.ASCII	/ACE/
004336	040	102	125	.ASCII	/BU/
004341	114	113	110	.ASCII	/LKH/
004344	105	101	104	.ASCII	/EAD/
004347	040	103	117	.ASCII	/CO/
004352	116	116	105	.ASCII	/NNE/
004355	103	124	117	.ASCII	/CTO/
004360	122	054	040	.ASCII	/R, /
004363	124	110	105	.ASCII	/THE/
004366	116	040	122	.ASCII	/N R/
004371	105	124	105	.ASCII	/ETE/
004374	123	124	045	.ASCII	/ST#/
004377	116	000	000	.ASCII	/#/<00><00>
004402	045	116	045	P.ABY: .ASCII	/#N#/
004405	101	040	104	.ASCII	/A D/
004410	111	123	103	.ASCII	/ISC/
004413	117	116	116	.ASCII	/#N/
004416	105	103	124	.ASCII	/ECT/
004421	040	124	122	.ASCII	/TR/
004424	101	116	123	.ASCII	/ANS/
004427	103	105	111	.ASCII	/CEI/
004432	126	105	122	.ASCII	/VER/
004435	040	103	101	.ASCII	/CA/
004440	102	114	105	.ASCII	/BLE/
004443	040	106	122	.ASCII	/FR/
004445	117	115	040	.ASCII	/OM /
004451	124	122	101	.ASCII	/TRA/
004454	116	123	103	.ASCII	/NSC/
004457	105	111	126	.ASCII	/EIV/
004462	105	122	000	.ASCII	/ER/<00>
004465	000			.ASCII	<00>
004466	045	116	045	P.ABZ: .ASCII	/#N#/
004471	101	040	101	.ASCII	/A A/
004474	116	104	040	.ASCII	/ND /
004477	103	117	116	.ASCII	/CON/
004502	116	105	103	.ASCII	/NEC/
004505	124	040	111	.ASCII	/T I/
004510	124	040	124	.ASCII	/T T/
004513	117	040	114	.ASCII	/O L/
004516	117	117	120	.ASCII	/OOP/
004521	102	101	103	.ASCII	/BAC/
004524	113	040	103	.ASCII	/K C/
004527	117	116	116	.ASCII	/ONN/
004532	105	103	124	.ASCII	/ECT/
004535	117	122	040	.ASCII	/OR /
004540	101	116	104	.ASCII	/AND/

NQNA1
V01.0

CNQNAO DEQNA FUNCTIONAL TEST
PROTECTION TABLE

12-Jul-1984 13:03:05
9-Jul-1984 07:06:36

VAX-11 Bliss-16 V4.0-579
SPIDER#USERS:(BERG.DEQNA)NQNA1.BLI;2 (25)

004543	040	102	125	.ASCII	/BU/
004546	114	113	110	.ASCII	/LKH/
004551	105	101	104	.ASCII	/EAD/
004554	040	101	123	.ASCII	/AS/
004557	123	105	115	.ASCII	/SEM/
004562	102	114	131	.ASCII	/BLY/
004565	045	116	000	.ASCII	/#N/<00>
004570	045	116	045	P.ACA: .ASCII	/#N#/
004573	101	040	122	.ASCII	/A R/
004576	105	120	114	.ASCII	/EPL/
004601	101	103	105	.ASCII	/ACE/
004604	040	124	122	.ASCII	/TR/
004607	101	116	123	.ASCII	/ANS/
004612	103	105	111	.ASCII	/CEI/
004615	126	105	122	.ASCII	/VER/
004620	040	103	101	.ASCII	/CA/
004623	102	114	105	.ASCII	/BLE/
004626	054	040	124	.ASCII	/, T/
004631	110	105	116	.ASCII	/HEN/
004634	040	122	105	.ASCII	/RE/
004637	124	105	123	.ASCII	/TES/
004642	124	045	116	.ASCII	/T#N/
004645	000			.ASCII	<00>
004646	045	116	045	P.ACB: .ASCII	/#N#/
004651	101	040	122	.ASCII	/A R/
004654	105	120	114	.ASCII	/EPL/
004657	101	103	105	.ASCII	/ACE/
004662	040	124	122	.ASCII	/TR/
004665	101	116	123	.ASCII	/ANS/
004670	103	105	111	.ASCII	/CEI/
004673	126	105	122	.ASCII	/VER/
004676	054	040	124	.ASCII	/, T/
004701	110	105	116	.ASCII	/HEN/
004704	040	122	105	.ASCII	/RE/
004707	124	105	123	.ASCII	/TES/
004712	124	045	116	.ASCII	/T#N/
004715	000			.ASCII	<00>
004716	045	116	045	P.ACC: .ASCII	/#N#/
004721	101	040	122	.ASCII	/A R/
004724	105	120	114	.ASCII	/EPL/
004727	101	103	105	.ASCII	/ACE/
004732	040	124	110	.ASCII	/TH/
004735	105	040	106	.ASCII	/E F/
004740	125	123	105	.ASCII	/USE/
004743	040	111	106	.ASCII	/IF/
004746	040	102	101	.ASCII	/BA/
004751	104	054	040	.ASCII	/D, /
004754	124	110	105	.ASCII	/THE/
004757	116	040	122	.ASCII	/N R/
004762	105	124	105	.ASCII	/ETE/
004765	123	124	045	.ASCII	/ST#/
004770	116	000		.ASCII	/N/<00>
004772	045	116	045	P.ACD: .ASCII	/#N#/

NQNA1
V01.0CNQNAO DEQNA FUNCTIONAL TEST
PROTECTION TABLE12-Jul-1984 13:03:05
9-Jul-1984 07:06:36VAX-11 Bliss-16 V4.0-579
SPIDER\$USERS:(BERG.DEQNA)NQNA1.BLI;2 (25)

004775	101	040	102	.ASCII	/A B/
005000	101	104	040	.ASCII	/AD /
005003	122	105	103	.ASCII	/REC/
005006	105	111	126	.ASCII	/EIV/
005011	105	040	104	.ASCII	/E D/
005014	105	123	103	.ASCII	/ESC/
005017	122	111	120	.ASCII	/RIP/
005022	124	117	122	.ASCII	/TOR/
005025	072	000	000	.ASCII	:/<00><00>
005030	045	116	045	P.ACE: .ASCII	/N#/
005033	101	040	102	.ASCII	/A B/
005036	101	104	040	.ASCII	/AD /
005041	124	122	101	.ASCII	/TRA/
005044	116	123	115	.ASCII	/NSM/
005047	111	124	040	.ASCII	/IT /
005052	104	105	123	.ASCII	/DES/
005055	103	122	111	.ASCII	/CRI/
005060	120	124	117	.ASCII	/PTO/
005063	122	072	000	.ASCII	/R:/<00>
005066	045	101	040	P.ACF: .ASCII	/A /
005071	101	103	124	.ASCII	/ACT/
005074	125	101	114	.ASCII	/UAL/
005077	040	075	040	.ASCII	/ = /
005102	045	117	066	.ASCII	/06/
005105	045	101	040	.ASCII	/A /
005110	105	130	120	.ASCII	/EXP/
005113	105	103	124	.ASCII	/ECT/
005116	105	104	040	.ASCII	/ED /
005121	075	040	045	.ASCII	/ = #/
005124	117	066	045	.ASCII	/06#/
005127	101	040	111	.ASCII	/A I/
005132	116	104	105	.ASCII	/NDE/
005135	130	040	075	.ASCII	/X =/
005140	040	045	104	.ASCII	/ #D/
005143	064	045	116	.ASCII	/4#N/
005146	000	000		.ASCII	<00><00>
005150	045	116	045	P.ACG: .ASCII	/N#/
005153	101	040	102	.ASCII	/A B/
005156	101	104	040	.ASCII	/AD /
005161	122	105	103	.ASCII	/REC/
005164	105	111	126	.ASCII	/EIV/
005167	105	040	102	.ASCII	/E B/
005172	125	106	106	.ASCII	/UFF/
005175	105	122	072	.ASCII	/ER:/
005200	000	000		.ASCII	<00><00>
005202	045	116	045	P.ACH: .ASCII	/N#/
005205	101	040	104	.ASCII	/A D/
005210	115	101	040	.ASCII	/MA /
005213	117	120	105	.ASCII	/OPE/
005216	122	101	124	.ASCII	/RAT/
005221	111	117	116	.ASCII	/ION/
005224	040	124	101	.ASCII	/ TA/
005227	113	105	123	.ASCII	/KES/

NQNA1
V01.0

CNQNAO DEQNA FUNCTIONAL TEST
PROTECTION TABLE

12-Jul-1984 13:03:05
9-Jul-1984 07:06:36

VAX-11 B11s-16 V4.0-579
SPIDER#USERS:[BERG.DEQNA]NQNA1.BLI;2

005232	040	124	117	.ASCII	/ TO/
005235	117	040	114	.ASCII	/O L/
005240	117	116	107	.ASCII	/ONG/
005243	045	116	000	.ASCII	/#N/<00>
005246	045	116	045	P.ACI:	.ASCII /#N#/
005251	101	040	124	.ASCII	/A T/
005254	117	117	040	.ASCII	/OO /
005257	115	101	116	.ASCII	/MAN/
005262	131	040	104	.ASCII	/Y D/
005265	105	126	111	.ASCII	/EVI/
005270	103	105	123	.ASCII	/CES/
005273	045	116	000	.ASCII	/#N/<00>
005276	045	116	045	P.ACJ:	.ASCII /#N#/
005301	101	040	124	.ASCII	/A T/
005304	110	105	122	.ASCII	/HER/
005307	105	040	127	.ASCII	/E W/
005312	101	123	040	.ASCII	/AS /
005315	101	040	120	.ASCII	/A P/
005320	117	127	105	.ASCII	/OWE/
005323	122	040	106	.ASCII	/R F/
005326	101	111	114	.ASCII	/AIL/
005331	040	055	040	.ASCII	/ - /
005334	127	101	111	.ASCII	/WAI/
005337	124	111	116	.ASCII	/TIN/
005342	107	045	116	.ASCII	/G#N/
005345	000			.ASCII	<00>
005346	045	116	045	P.ACK:	.ASCII /#N#/
005351	101	040	127	.ASCII	/A W/
005354	101	111	124	.ASCII	/AIT/
005357	040	101	102	.ASCII	/ AB/
005362	117	125	124	.ASCII	/OUT/
005365	040	045	104	.ASCII	/ #D/
005370	062	045	101	.ASCII	/2#A/
005373	040	115	111	.ASCII	/ MI/
005376	116	125	124	.ASCII	/NUT/
005401	105	050	123	.ASCII	/E(S/
005404	051	040	055	.ASCII	/) -/
005407	000			.ASCII	<00>
005410	045	116	045	P.ACL:	.ASCII /#N#/
005413	101	040	127	.ASCII	/A W/
005416	101	111	124	.ASCII	/AIT/
005421	040	101	102	.ASCII	/ AB/
005424	117	125	124	.ASCII	/OUT/
005427	040	045	104	.ASCII	/ #D/
005432	062	045	101	.ASCII	/2#A/
005435	040	110	117	.ASCII	/ HO/
005440	125	122	040	.ASCII	/UR /
005443	055	000	000	.ASCII	/-/<00><00>
005446	045	101	040	P.ACM:	.ASCII /#A /
005451	111	106	040	.ASCII	/IF /
005454	116	117	040	.ASCII	/NO /
005457	122	105	123	.ASCII	/RES/
005462	105	124	054	.ASCII	/ET./

NQNA1
V01.0

CNQNAO DEQNA FUNCTIONAL TEST
PROTECTION TABLE

12-Jul-1984 13:03:05
9-Jul-1984 07:06:36

VAX-11 Bliss-16 V4.0-579
SPIDER\$USERS:(BERG.DEQNA)NQNA1.BLI;2

005465	040	124	131	.ASCII	/TY/
005470	120	105	040	.ASCII	/PE/
005473	101	116	131	.ASCII	/ANY/
005476	040	103	110	.ASCII	/CH/
005501	101	122	101	.ASCII	/ARA/
005504	103	124	105	.ASCII	/CTE/
005507	122	040	124	.ASCII	/RT/
005512	117	040	105	.ASCII	/OE/
005515	130	111	124	.ASCII	/XIT/
005520	040	106	122	.ASCII	/FR/
005523	117	115	040	.ASCII	/OM/
005526	124	105	123	.ASCII	/TES/
005531	124	045	116	.ASCII	/T#N/
005534	000	000		.ASCII	<00><00>
005536	045	116	045	P.ACN: .ASCII	/#N#/
005541	101	040	124	.ASCII	/AT/
005544	104	122	040	.ASCII	/DR/
005547	126	101	114	.ASCII	/VAL/
005552	125	105	040	.ASCII	/UE/
005555	111	123	040	.ASCII	/IS/
005560	105	121	125	.ASCII	/EQU/
005563	101	114	040	.ASCII	/AL/
005566	124	117	040	.ASCII	/TO/
005571	132	105	122	.ASCII	/ZER/
005574	117	040	045	.ASCII	/O #/
005577	116	000	000	P.ACO: .ASCII	/N/<00><00>
005602	045	116	045	.ASCII	/#N#/
005605	116	045	101	.ASCII	/N#A/
005610	055	055	055	.ASCII	/---/
005613	055	055	055	.ASCII	/---/
005616	055	055	055	.ASCII	/---/
005621	055	055	055	.ASCII	/---/
005624	055	055	055	.ASCII	/---/
005627	055	055	055	.ASCII	/---/
005632	055	055	055	.ASCII	/---/
005635	055	055	055	.ASCII	/---/
005640	055	055	055	.ASCII	/---/
005643	055	055	055	.ASCII	/---/
005646	055	055	055	.ASCII	/---/
005651	055	055	055	.ASCII	/---/
005654	055	055	055	.ASCII	/---/
005657	055	055	055	.ASCII	/---/
005662	055	055	055	.ASCII	/---/
005665	055	055	055	.ASCII	/---/
005670	055	055	055	.ASCII	/---/
005673	055	055	055	.ASCII	/---/
005676	055	055	055	.ASCII	/---/
005701	055	055	055	.ASCII	/---/
005704	055	055	055	.ASCII	/---/
005707	055	055	045	.ASCII	/--#/
005712	116	000		.ASCII	/N/<00>
005714	045	116	045	P.ACP: .ASCII	/#N#/
005717	101	040	102	.ASCII	/AB/

NQNA1
V01.0

CNQNAO DEQNA FUNCTIONAL TEST
PROTECTION TABLE

12-Jul-1984 13:03:05
9-Jul-1984 07:06:36

VAX-11 Bliss-16 V4.0-579
SPIDER#USERS:(BERG.DEQNA)NQNA1.BLI;2

(25)

005722	101	104	040	.ASCII	/AD /
005725	103	123	122	.ASCII	/CSR/
005730	054	040	102	.ASCII	/. B/
005733	111	124	123	.ASCII	/ITS/
005736	040	123	124	.ASCII	/ ST/
005741	125	103	113	.ASCII	/UCK/
005744	040	101	124	.ASCII	/ AT/
005747	040	060	072	.ASCII	/ 0:/
005752	045	116	000	.ASCII	/#N/<00>
005755	000			.ASCII	<00>
005756	045	116	045	P.ACQ:	.ASCII /#N#/
005761	101	040	102	.ASCII	/A B/
005764	101	104	040	.ASCII	/AD /
005767	103	123	122	.ASCII	/CSR/
005772	054	040	102	.ASCII	/. B/
005775	111	124	123	.ASCII	/ITS/
006000	040	123	124	.ASCII	/ ST/
006003	125	103	113	.ASCII	/UCK/
006006	040	101	124	.ASCII	/ AT/
006011	040	061	072	.ASCII	/ 1:/
006014	045	116	000	.ASCII	/#N/<00>
006017	000			.ASCII	<00>
006020	045	116	045	P.ACR:	.ASCII /#N#/
006023	101	040	123	.ASCII	/A S/
006026	117	106	124	.ASCII	/OFT/
006031	127	101	122	.ASCII	/WAR/
006034	105	040	122	.ASCII	/E R/
006037	105	123	105	.ASCII	/ESE/
006042	124	040	125	.ASCII	/T U/
006045	116	101	102	.ASCII	/NAB/
006050	114	105	040	.ASCII	/LE /
006053	124	117	040	.ASCII	/TO /
006056	103	114	105	.ASCII	/CLE/
006061	101	122	040	.ASCII	/AR /
006064	103	123	122	.ASCII	/CSR/
006067	040	123	124	.ASCII	/ ST/
006072	101	124	111	.ASCII	/ATI/
006075	103	040	102	.ASCII	/C B/
006100	111	124	123	.ASCII	/ITS/
006103	072	045	116	.ASCII	/:#N/
006106	000	000		.ASCII	<00><00>
006110	045	116	045	P.ACS:	.ASCII /#N#/
006113	101	040	102	.ASCII	/A B/
006116	101	104	040	.ASCII	/AD /
006121	123	124	101	.ASCII	/STA/
006124	124	111	117	.ASCII	/TIO/
006127	116	040	101	.ASCII	/N A/
006132	104	104	122	.ASCII	/DDR/
006135	105	123	123	.ASCII	/ESS/
006140	040	103	110	.ASCII	/ CH/
006143	105	103	113	.ASCII	/ECK/
006146	123	125	115	.ASCII	/SUM/
006151	072	040	101	.ASCII	/: A/

CNQNAO DEQNA FUNCTIONAL TEST
PROTECTION TABLE

12-Jul-1984 13:03:05
9-Jul-1984 07:06:36

VAX-11 Bliss-16 V4.0-579
SPIDER#USERS:(BERG.DEQNA)NQNA1.BLI;2

NQNA1
V01.0

006154	103	124	040	.ASCII	/CT /
006157	075	040	045	.ASCII	/= #/
006162	117	066	045	.ASCII	/06#/
006165	101	040	105	.ASCII	/A E/
006170	130	120	040	.ASCII	/XP /
006173	075	040	045	.ASCII	/= #/
006176	117	066	045	.ASCII	/06#/
006201	116	000	000	.ASCII	/N/<00><00>
006204	045	116	045	P.ACT: .ASCII	/N#/
006207	101	040	102	.ASCII	/A B/
006212	101	104	040	.ASCII	/AD /
006215	123	124	101	.ASCII	/STA/
006220	124	111	117	.ASCII	/TIO/
006223	116	040	101	.ASCII	/N A/
006226	104	104	122	.ASCII	/DDR/
006231	105	123	123	.ASCII	/ESS/
006234	072	040	000	.ASCII	/: /<00>
006237	000			.ASCII	<00>
006240	045	116	045	P.ACU: .ASCII	/N#/
006243	101	040	102	.ASCII	/A B/
006246	101	104	040	.ASCII	/AD /
006251	104	105	121	.ASCII	/DEQ/
006254	116	101	040	.ASCII	/NA /
006257	111	057	117	.ASCII	/I/<57>/0/
006262	040	120	101	.ASCII	/ PA/
006265	107	105	040	.ASCII	/GE /
006270	122	105	107	.ASCII	/REG/
006273	111	123	124	.ASCII	/IST/
006276	105	122	072	.ASCII	/ER:/
006301	045	116	000	.ASCII	/N/<00>
006304	045	116	045	P.ACV: .ASCII	/N#/
006307	101	040	102	.ASCII	/A B/
006312	101	104	040	.ASCII	/AD /
006315	103	123	122	.ASCII	/CSR/
006320	054	040	105	.ASCII	/, E/
006323	130	120	105	.ASCII	/XPE/
006326	103	124	105	.ASCII	/CTE/
006331	104	040	122	.ASCII	/D R/
006334	114	040	050	.ASCII	/L (/
006337	040	102	111	.ASCII	/ BI/
006342	124	040	065	.ASCII	/T S/
006345	040	051	040	.ASCII	/) /
006350	124	117	040	.ASCII	/TO /
006353	102	105	040	.ASCII	/BE /
006356	123	105	124	.ASCII	/SET/
006361	040	124	117	.ASCII	/ TO/
006364	040	060	045	.ASCII	/ 0#/
006367	116	000	000	.ASCII	/N/<00><00>
006372	045	116	045	P.ACW: .ASCII	/N#/
006375	101	040	102	.ASCII	/A B/
006400	101	104	040	.ASCII	/AD /
006403	102	057	104	.ASCII	/B/<57>/D/
006406	040	120	122	.ASCII	/ PR/

NQNA1
V01.0

CNQNAO DEQNA FUNCTIONAL TEST
PROTECTION TABLE

12-Jul-1984 13:03:05
9-Jul-1984 07:06:36

VAX-11 Bliss-16 V4.0-579

SPIDER#USERS:(BERG.DEQNA)NQNA1.BLI:2

006411	117	115	040	.ASCII	/OM /
006414	103	110	105	.ASCII	/CHE/
006417	103	113	123	.ASCII	/CKS/
006422	125	115	072	.ASCII	/UM:/
006425	040	111	116	.ASCII	/ IN/
006430	104	105	130	.ASCII	/DEX/
006433	040	075	040	.ASCII	/ = /
006436	045	117	066	.ASCII	/#06/
006441	045	101	040	.ASCII	/#A /
006444	101	103	124	.ASCII	/ACT/
006447	040	075	040	.ASCII	/ = /
006452	045	117	066	.ASCII	/#06/
006455	045	101	040	.ASCII	/#A /
006460	105	130	120	.ASCII	/EXP/
006463	040	075	040	.ASCII	/ = ,
006466	045	117	066	.ASCII	/#06/
006471	045	116	000	.ASCII	/#N/<00>
006474	045	116	045	P.ACX: .ASCII	/#N# /
006477	101	040	102	.ASCII	/A B/
006502	057	104	040	.ASCII	<57>/D /
006505	120	122	117	.ASCII	/PRO/
006510	115	040	103	.ASCII	/M C/
006513	110	105	103	.ASCII	/HEC/
006516	113	123	125	.ASCII	/KSU/
006521	115	040	117	.ASCII	/M O/
006524	106	106	123	.ASCII	/FFS/
006527	105	124	040	.ASCII	/ET /
006532	075	040	045	.ASCII	/ = #/
006535	117	066	045	.ASCII	/06# /
006540	101	040	101	.ASCII	/A A/
006543	103	124	040	.ASCII	/CT /
006546	075	040	045	.ASCII	/ = #/
006551	117	066	045	.ASCII	/06# /
006554	101	040	105	.ASCII	/A E/
006557	130	120	040	.ASCII	/XP /
006562	075	040	045	.ASCII	/ = #/
006565	117	066	045	.ASCII	/06# /
006570	116	000		.ASCII	/N/<00>
006572	045	116	045	P.ACY: .ASCII	/#N# /
006575	101	040	102	.ASCII	/A B/
006600	101	104	040	.ASCII	/AD /
006603	111	116	124	.ASCII	/INT/
006606	105	122	122	.ASCII	/ERR/
006611	125	120	124	.ASCII	/UPT/
006614	072	040	101	.ASCII	/: A/
006617	104	122	040	.ASCII	/DR /
006622	075	040	045	.ASCII	/ = #/
006625	117	066	045	.ASCII	/06# /
006630	101	040	101	.ASCII	/A A/
006633	103	124	040	.ASCII	/CT /
006636	114	105	126	.ASCII	/LEV/
006641	040	075	040	.ASCII	/ = /
006644	045	117	066	.ASCII	/#06/

12-Jul-1984 13:03:05
9-Jul-1984 07:06:36

VAX-11 Bliss-16 V4.0-579
SPIDER\$USERS:(BERG.DEQNA)NONA1.BLI;2 (25)

NONA1
VOL.0

CNONA0 DEQNA FUNCTIONAL TEST
PROTECTION TABLE

006647	045	101	040	.ASCII	/#A /
006652	105	130	120	.ASCII	/EXP/
006655	040	114	105	.ASCII	/ LE/
006660	126	040	075	.ASCII	/V =/
006663	040	045	117	.ASCII	/ #0/
006666	066	045	116	.ASCII	/6#N/
006671	000			.ASCII	<00>
006672	045	116	045	P.ACZ: .ASCII	/#N#/
006675	101	040	122	.ASCII	/A R/
006700	105	107	111	.ASCII	/EGI/
006703	123	124	105	.ASCII	/STE/
006706	122	040	106	.ASCII	/R F/
006711	101	111	114	.ASCII	/AIL/
006714	105	104	040	.ASCII	/ED /
006717	124	117	040	.ASCII	/TO /
006722	122	105	123	.ASCII	/RES/
006725	120	117	116	.ASCII	/PON/
006730	104	040	101	.ASCII	/D A/
006733	124	040	101	.ASCII	/T A/
006736	104	104	122	.ASCII	/DDR/
006741	105	123	123	.ASCII	/ESS/
006744	072	040	040	.ASCII	/: /
006747	045	117	066	.ASCII	/#06/
006752	045	116	000	.ASCII	/#N/<00>
006755	000			.ASCII	<00>
006756	045	116	045	P.ADA: .ASCII	/#N#/
006761	101	040	102	.ASCII	/A B/
006764	101	104	040	.ASCII	/AD /
006767	124	122	101	.ASCII	/TRA/
006772	116	123	115	.ASCII	/NSM/
006775	111	124	040	.ASCII	/IT /
007000	123	124	101	.ASCII	/STA/
007003	124	125	123	.ASCII	/TUS/
007006	054	040	124	.ASCII	/, T/
007011	117	117	040	.ASCII	/00 /
007014	115	101	116	.ASCII	/MAN/
007017	131	040	103	.ASCII	/Y C/
007022	117	114	114	.ASCII	/OLL/
007025	111	123	111	.ASCII	/ISI/
007030	117	116	123	.ASCII	/ONS/
007033	045	116	000	.ASCII	/#N/<00>

000000		.PSECT	\$GLOB\$,	D
000000		RCV.D.LIST::		
		.BLKW	100	
000200		XMIT.D.LIST::		
		.BLKW	100	
000400		RCV.BUFFER::		
		.BLKW	2000	
004400		XMIT.BUFFER::		
		.BLKW	2000	

NQNA1
V01.0

CNQNAO DEQNA FUNCTIONAL TEST
PROTECTION TABLE

12-Jul-1984 13:03:05
9-Jul-1984 07:06:36

VAX-11 Bliss-16 V4.0-579
SPIDER#USERS:(BERG.DEQNA)NQNA1.BLI:2 (25)

010400		PHYS.ADR::	
		.BLKW	13
010426		SETUP.BUFFER::	
		.BLKW	400
011426		IOP.TABLE::	
		.BLKW	10
011446		ETH.STATION.ADR::	
		.BLKW	6
011462		STATION.ADR::	
		.BLKW	4
011472		PTRN.TABLE::	
011472	000	.BYTE	0
011473	377	.BYTE	377
011474	252	.BYTE	252
011475	125	.BYTE	125
011476	314	.BYTE	314
011477	063	.BYTE	63
011500	360	.BYTE	360
011501	017	.BYTE	17
011502		TARGET.ADR::	
011502	000	.BYTE	0
011503	000	.BYTE	0
011504	000	.BYTE	0
011505	000	.BYTE	0
011506	000	.BYTE	0
011507	000	.BYTE	0
011510	125	.BYTE	125
011511	125	.BYTE	125
011512	125	.BYTE	125
011513	125	.BYTE	125
011514	125	.BYTE	125
011515	125	.BYTE	125
011516	252	.BYTE	252
011517	252	.BYTE	252
011520	252	.BYTE	252
011521	252	.BYTE	252
011522	252	.BYTE	252
011523	252	.BYTE	252
011524	125	.BYTE	125
011525	125	.BYTE	125
011526	125	.BYTE	125
011527	125	.BYTE	125
011530	125	.BYTE	125
011531	125	.BYTE	125
011532	377	.BYTE	377
011533	377	.BYTE	377
011534	377	.BYTE	377
011535	377	.BYTE	377
011536	377	.BYTE	377
011537	377	.BYTE	377
011540	000	.BYTE	0
011541	364	.BYTE	364
011542	372	.BYTE	372

NQNA1
V01.0

CNQNAAO DEQNA FUNCTIONAL TEST
PROTECTION TABLE

12-Jul-1984 13:03:05
9-Jul-1984 07:06:36

VAX-11 Bliss-16 V4.0-579
SPIDER\$USERS:(BERG.DEQNA)NQNA1.BLI:2

011543	104	.BYTE	104
011544	104	.BYTE	104
011545	125	.BYTE	125
011546	252	.BYTE	252
011547	000	.BYTE	0
011550	000	.BYTE	0
011551	000	.BYTE	0
011552	000	.BYTE	0
011553	000	.BYTE	0
011554	252	.BYTE	252
011555	000	.BYTE	0
011556	002	.BYTE	2
011557	252	.BYTE	252
011560	252	.BYTE	252
011561	252	.BYTE	252
011562	252	.BYTE	252
011563	000	.BYTE	0
011564	005	.BYTE	5
011565	125	.BYTE	125
011566	125	.BYTE	125
011567	125	.BYTE	125
011570	252	.BYTE	252
011571	000	.BYTE	0
011572	004	.BYTE	4
011573	377	.BYTE	377
011574	377	.BYTE	377
011575	377	.BYTE	377
011576	252	.BYTE	252
011577	000	.BYTE	0
011600	004	.BYTE	4
011601	000	.BYTE	0
011602	000	.BYTE	0
011603	000	.BYTE	0
011604	252	.BYTE	252
011605	000	.BYTE	0
011606	004	.BYTE	4
011607	030	.BYTE	30
011610	201	.BYTE	201
011611	030	.BYTE	30
011612	001	.BYTE	1
011613	000	.BYTE	0
011614	000	.BYTE	0
011615	000	.BYTE	0
011616	000	.BYTE	0
011617	000	.BYTE	0
011620	253	.BYTE	253
011621	252	.BYTE	252
011622	252	.BYTE	252
011623	252	.BYTE	252
011624	252	.BYTE	252
011625	252	.BYTE	252
011626	377	.BYTE	377
011627	000	.BYTE	0

12-Jul-1984 13:03:05
9-Jul-1984 07:06:36

VAX-11 B11ss-16 V4.0-579
SPIDER\$USERS:(BERG.DEQNA)NQNA1.BLI;2 (25)

NQNA1
V01.0

CNQNAO DEQNA FUNCTIONAL TEST
PROTECTION TABLE

011630 001
011631 002
011632 003
011633 004
011634 125
011635 005
011636 006
011637 007
011640 010
011641 011
011642 315
011643 066
011644 046
011645 047
011646 047
011647 111
011650 063
011651 241
011652 147
011653 273
011654 114
011655 237
011656 353
011657 276
011660 307
011661 217
011662 063
011663 377
011664 377
011665 377
011666 377
011667 377
011670 377
011671 377
011672
011672 100000
011674 100000
011676 000400
011700 176000
011702 000000
011704 000000
011706 100000
011710 100000
011712 004400
011714 176000
011716 000000
011720 000000
011722 100000
011724 020000
011726 000000
011730 000000
011732
011732 100000

.BYTE 1
.BYTE 2
.BYTE 3
.BYTE 4
.BYTE 125
.BYTE 5
.BYTE 6
.BYTE 7
.BYTE 10
.BYTE 11
.BYTE 315
.BYTE 66
.BYTE 46
.BYTE 47
.BYTE 47
.BYTE 111
.BYTE 63
.BYTE 241
.BYTE 147
.BYTE 273
.BYTE 114
.BYTE 237
.BYTE 353
.BYTE 276
.BYTE 307
.BYTE 217
.BYTE 63
.BYTE 377
.BYTE 377
.BYTE 377
.BYTE 377
.BYTE 377
.BYTE 377
.BYTE 377
.BYTE 377

BD.PROM.DESCR::

.WORD -100000
.WORD -100000
.WORD RCV.BUFFER
.WORD -2000
.WORD 0
.WORD 0
.WORD -100000
.WORD -100000
.WORD XMIT.BUFFER
.WORD -2000
.WORD 0
.WORD 0
.WORD -100000
.WORD 20000
.WORD 0
.WORD 0

TD16::

.WORD -100000

NQNA1
V01.0CNQNAO DEQNA FUNCTIONAL TEST
PROTECTION TABLE12-Jul-1984 13:03:05
9-Jul-1984 07:06:36VAX-11 Bliss-16 V4.0-579
SPIDER#USERS:(BERG.DEQNA)NQNA1.BLI:2SEQ 0057
Page 57
(25)

011734	100200	.WORD	-77600
011736	004400'	.WORD	XMIT.BUFFER
011740	177777	.WORD	-1
011742	000000	.WORD	0
011744	000000	.WORD	0
011746	100000	.WORD	-100000
011750	100300	.WORD	-77500
011752	004400'	.WORD	XMIT.BUFFER
011754	177776	.WORD	-2
011756	000000	.WORD	0
011760	000000	.WORD	0
011762	100000	.WORD	-100000
011764	100100	.WORD	-77700
011766	004402'	.WORD	XMIT.BUFFER+2
011770	177777	.WORD	-1
011772	000000	.WORD	0
011774	000000	.WORD	0
011776	100000	.WORD	-100000
012000	120000	.WORD	-60000
012002	004404'	.WORD	XMIT.BUFFER+4
012004	177777	.WORD	-1
012006	000000	.WORD	0
012010	000000	.WORD	0
012012	100000	.WORD	-100000
012014	020000	.WORD	20000
012016	000274'	.WORD	XMIT.D.LIST+74
012020	177777	.WORD	-1
012022	000000	.WORD	0
012024	000000	.WORD	0
012026	100000	.WORD	-100000
012030	100000	.WORD	-100000
012032	000270'	.WORD	XMIT.D.LIST+70
012034	177776	.WORD	-2
012036	000000	.WORD	0
012040	000000	.WORD	0
012042	100000	.WORD	-100000
012044	120000	.WORD	-60000
012046	011664'	.WORD	TARGET.ADR+162
012050	177775	.WORD	-3
012052	000000	.WORD	0
012054	000000	.WORD	0
012056	100000	.WORD	-100000
012060	020000	.WORD	20000
012062			
012062	100000	.WORD	-100000
012064	100000	.WORD	-100000
012066	004400'	.WORD	XMIT.BUFFER
012070	177777	.WORD	-1
012072	000000	.WORD	0
012074	000000	.WORD	0
012076	100000	.WORD	-100000
012100	100000	.WORD	-100000
012102	004402'	.WORD	XMIT.BUFFER+2

TD13::

NQNA1
V01.0CNQNAO DEQNA FUNCTIONAL TEST
PROTECTION TABLE12-Jul-1984 13:03:05
9-Jul-1984 07:06:36VAX-11 Bliss-16 V4.0-579
SPIDER:USERS:[BERG.DEQNA]NQNA1.BLI:2 (25)

012104	177601	.WORD	-177
012106	000000	.WORD	0
012110	000000	.WORD	0
012112	100000	.WORD	-100000
012114	100000	.WORD	-100000
012116	005000	.WORD	XMIT.BUFFER+400
012120	177777	.WORD	-1
012122	000000	.WORD	0
012124	000000	.WORD	0
012126	100000	.WORD	-100000
012130	040000	.WORD	40000
012132	000260	.WORD	XMIT.D.LIST+60
012134	177777	.WORD	-1
012136	000000	.WORD	0
012140	000000	.WORD	0
012142	100000	.WORD	-100000
012144	120000	.WORD	-60000
012146	005002	.WORD	XMIT.BUFFER+402
012150	177701	.WORD	-77
012152	000000	.WORD	0
012154	000000	.WORD	0
012156	100000	.WORD	-100000
012160	020000	.WORD	20000
012162		.BLKB	4
012166			
012166	100000	.WORD	-100000
012170	100000	.WORD	-100000
012172	000400	.WORD	RCV.BUFFER
012174	177777	.WORD	-1
012176	000000	.WORD	0
012200	000000	.WORD	0
012202	100000	.WORD	-100000
012204	100000	.WORD	-100000
012206	000402	.WORD	RCV.BUFFER+2
012210	177702	.WORD	-76
012212	000000	.WORD	0
012214	000000	.WORD	0
012216	100000	.WORD	-100000
012220	100000	.WORD	-100000
012222	000576	.WORD	RCV.BUFFER+176
012224	177777	.WORD	-1
012226	000000	.WORD	0
012230	000000	.WORD	0
012232	100000	.WORD	-100000
012234	100000	.WORD	-100000
012236	000600	.WORD	RCV.BUFFER+200
012240	177776	.WORD	-2
012242	000000	.WORD	0
012244	000000	.WORD	0
012246	100000	.WORD	-100000
012250	100000	.WORD	-100000
012252	000604	.WORD	RCV.BUFFER+204
012254	177704	.WORD	-74

RD13::

NONA1
V01.0

CNQNAAO DEQNA FUNCTIONAL TEST
PROTECTION TABLE

012256	000000	.WORD	0
012260	000000	.WORD	0
012262	100000	.WORD	-100000
012264	100000	.WORD	-100000
012266	000774	.WORD	RCV.BUFFER+374
012270	177776	.WORD	-2
012272	000000	.WORD	0
012274	000000	.WORD	0
012276	100000	.WORD	-100000
012300	140000	.WORD	-40000
012302	000124	.WORD	RCV.D.LIST+124
012304	177777	.WORD	-1
012306	000000	.WORD	0
012310	000000	.WORD	0
012312	100000	.WORD	-100000
012314	100000	.WORD	-100000
012316	001000	.WORD	RCV.BUFFER+400
012320	177775	.WORD	-3
012322	000000	.WORD	0
012324	000000	.WORD	0
012326	100000	.WORD	-100000
012330	100000	.WORD	-100000
012332	001006	.WORD	RCV.BUFFER+406
012334	177704	.WORD	-74
012336	000000	.WORD	0
012340	000000	.WORD	0
012342	100000	.WORD	-100000
012344	100000	.WORD	-100000
012346	001176	.WORD	RCV.BUFFER+576
012350	177777	.WORD	-1
012352	000000	.WORD	0
012354	000000	.WORD	0
012356	100000	.WORD	-100000
012360	020000	.WORD	20000
012362		.BLKB	4
012366		HWP.TABLE::	
		.BLKW	1
012370		SWP.TABLE::	
		.BLKW	1
012372		REG.ADR::	
		.BLKW	1
012374		IOP.DATA::	
		.BLKW	1
012376		GET.ADR::	
		.BLKW	1
012400		XBUF.LENGTH::	
		.BLKW	1
012402		RBUF.LENGTH::	
		.BLKW	1
012404		INTERRUPT.FLG::	
		.BLKW	1
012406		DEQNA.NO::	
		.BLKW	1

NQNA1
V01.0

CNQNAO DEQNA FUNCTIONAL TEST
PROTECTION TABLE

12-Jul-1984 13:03:05
9-Jul-1984 07:06:36

VAX-11 Bliss 16 V4.0-579
SPIDER\$USERS:(BERG.DEQNA)NQNA1.BLI;2

SEQ 0050
Page 60
(25)

012410		COUNTER::		
		.BLKW	1	
012412		UP.COUNTER::		
		.BLKW	1	
012414		DOWN.COUNTER::		
		.BLKW	1	
012416		CHECKSUM::		
		.BLKW	1	
012420		BUF.LENGTH::		
		.BLKW	1	
012422		CSR.WORD::		
		.BLKW	1	
012424	000000	XC.FLAG::		
		.WORD	0	
012426	000000	ERR.NUMBER::		
		.WORD	0	
012430	000000	ERR.FLAG::		
		.WORD	0	
012432	000000	ERR.COUNT::		
		.WORD	0	
012434		TMP.IOP.ADR::		
		.BLKW	1	
012436		TMP.REG.DATA::		
		.BLKW	1	
012440		TEMP1::	.BLKW	1
012442		TEMP2::	.BLKW	1
012444		TEMP3::	.BLKW	1
012446		TEMP4::	.BLKW	1
012450		TEMP5::	.BLKW	1
012452		TEMP6::	.BLKW	1
012454		TEMP7::	.BLKW	1
012456		TEMP8::	.BLKW	1
012460		TEMP9::	.BLKW	1
012462		P1::	.BLKW	1
012464		P2::	.BLKW	1
012466		P3::	.BLKW	1
012470		P4::	.BLKW	1
012472		P5::	.BLKW	1
012474		TBYTE1::	.BLKB	1
012475		TBYTE2::	.BLKB	1
012476		TBYTE3::	.BLKB	1
012477		TBYTE4::	.BLKB	1
012500		TADR1::	.BLKW	1
012502		TADR2::	.BLKW	1

```
.GLOBL L$SOFT, T$PTHV, L$RPT, L$INIT
.GLOBL L$CLEAN, L$LAST, L$HARD, L$DVTYP
.GLOBL L$DESC, L$DU, L$AU, L$AUTO, T1
.GLOBL T2, T3, T4, T5, T6, T7, T8, T9
.GLOBL T10, T11, T12, T13, T14, T15, T16
.GLOBL T17, T18, T19, T20
```

100000	BIT15**	-100000
040000	BIT14**	40000
020000	BIT13**	20000
010000	BIT12**	10000
004000	BIT11**	4000
002000	BIT10**	2000
001000	BIT09**	1000
000400	BIT08**	400
000200	BIT07**	200
000100	BIT06**	100
000040	BIT05**	40
000020	BIT04**	20
000010	BIT03**	10
000004	BIT02**	4
000002	BIT01**	2
000001	BIT00**	1
001000	BIT9**	1000
000400	BIT8**	400
000200	BIT7**	200
000100	BIT6**	100
000040	BIT5**	40
000020	BIT4**	20
000010	BIT3**	10
000004	BIT2**	4
000002	BIT1**	2
000001	BIT0**	1
000040	EF.START**	40
000037	EF.RESTART**	37
000036	EF.CONTINUE**	36
000035	EF.NEW**	35
000034	EF.PWR**	34
000340	PRI07**	340
000300	PRI06**	300
000240	PRI05**	240
000200	PRI04**	200
000140	PRI03**	140
000100	PRI02**	100
000040	PRI01**	40
000000	PRI00**	0
000004	EVL**	4
000010	LOT**	10
000020	ADR**	20
000040	IDU**	40
000100	ISR**	100
000200	UAM**	200
000400	BOE**	400
001000	PNT**	1000
002000	PRI**	2000
004000	IXE**	4000
010000	IBE**	10000
020000	IER**	20000
040000	LOE**	40000

100000	HOE==	-100000
000174	L\$ERRTBL==	ERRTYP
000216	L\$SW==	L\$SWLEN+2
000206	L\$HW==	L\$HWLEN+2
000011	L\$DEPO==	L\$REV+1
000000	DESCR.LIST==	RCV.D.LIST
000400	DATA.BUFFER==	RCV.BUFFER
000000	QST01==	P.AAA
000030	QST02==	P.AAB
000060	QST03==	P.AAC
000122	QST04==	P.AAD
000164	QST05==	P.AAE
000226	QST06==	P.AAF
000270	QST07==	P.AAG
000332	MSG00==	P.AAH
000370	MSG01==	P.AAI
000452	MSG02==	P.AAJ
000540	MSG03==	P.AAK
000644	MSG04==	P.AAL
000736	MSG05==	P.AAM
001030	MSG06==	P.AAN
001122	MSG07==	P.AAO
001214	MSG08==	P.AAP
001306	MSG09==	P.AAQ
001400	MSG10==	P.AAR
001462	MSG11==	P.AAS
001546	MSG12==	P.AAT
001612	MSG13==	P.AAU
001676	MSG14==	P.AAV
001766	MSG15==	P.AAW
002050	MSG16==	P.AAX
002136	MSG17==	P.AAY
002224	MSG18==	P.AAZ
002250	MSG19==	P.ABA
002336	MSG20==	P.ABB
002426	MSG21==	P.ABC
002506	MSG22==	P.ABD
002572	MSG23==	P.ABE
002650	MSG24==	P.ABF
002724	MSG25==	P.ABG
002766	MSG26==	P.ABH
003030	MSG27==	P.ABI
003072	MSG28==	P.ABJ
003136	MSG29==	P.ABK
003164	MSG30==	P.ABL
003252	MSG31==	P.ABM
003336	MSG32==	P.ABN
003400	MSG33==	P.ABO
003454	MSG34==	P.ABP
003530	MSG35==	P.ABQ
003626	MSG36==	P.ABR
003732	MSG37==	P.ABS
004024	MSG38==	P.ABT

004104'	MSG39==	P.ABU
004170'	MSG40==	P.ABV
004260'	MSG41==	P.ABW
004322'	MSG42==	P.ABX
004402'	MSG43==	P.ABY
004466'	MSG44==	P.ABZ
004570'	MSG45==	P.ACA
004646'	MSG46==	P.ACB
004716'	MSG47==	P.ACC
004772'	MSG48==	P.ACD
005030'	MSG49==	P.ACE
005066'	MSG50==	P.ACF
005150'	MSG51==	P.ACG
005202'	MSG52==	P.ACH
005246'	MSG53==	P.ACI
005276'	MSG54==	P.ACJ
005346'	MSG55==	P.ACK
005410'	MSG56==	P.ACL
005446'	MSG57==	P.ACM
005536'	MSG58==	P.ACN
005602'	MSG59==	P.ACO
005714'	MSG60==	P.ACP
005756'	MSG61==	P.ACQ
006020'	MSG62==	P.ACR
006110'	MSG63==	P.ACS
006204'	MSG64==	P.ACT
006240'	MSG65==	P.ACU
006304'	MSG66==	P.ACV
006372'	MSG67==	P.ACW
006474'	MSG68==	P.ACX
006572'	MSG69==	P.ACY
006672'	MSG70==	P.ACZ
006756'	MSG71==	P.ADA
000206'	HP.TABLE==	L\$HLEN*2
000216'	SP.TABLE==	L\$SLEN*2

PSECT SUMMARY

Psect Name	Words	Attributes			
\$CODE\$	80	RO , I	LCL.	REL.	CON
\$GLOB\$	2722	RW , D	LCL.	REL.	CON
\$PLIT\$	1807	RO , D	LCL.	REL.	CON

Library Statistics

File	----- Symbols -----			Pages Mapped	Processing Time
	Total	Loaded	Percent		

NQNA1
V01.0

CNQNAO DEQNA FUNCTIONAL TEST
PROTECTION TABLE

12-Jul-1984 13:03:05
9-Jul-1984 07:06:36

VAX-11 Blis-16 V4.0-579
SPIDER\$USERS:(BERG.DEQNA)NQNA1.BLI;2

JEQ 0064
Page 64
(25)

: SPIDER\$USERS:(BERG.DEQNA)QNALIB.L16;3 223 88 39 14 00:00.1

COMMAND QUALIFIERS

: BLISS/PDP11/ENV:NOEIS NQNA1.BLI/LIST=NQNA1.LIS/OBJECT=NQNA1.OBJ/SOURCE=PAGE:53

: Size: 0 code + 4609 data words
: Run Time: 00:23.9
: Elapsed Time: 00:39.8
: Lines/CPU Min: 6070
: Lexemes/CPU Min: 38463
: Memory Used: 236 pages
: Compilation Complete

NQNA2

CNQNAAO DEQNA FUNCTIONAL TEST

12-Jul-1984 13:03:47

9-Jul-1984 07:10:19

VAX-11 Bliss-16 V4.0 579

SPIDER\$USERS:(BERG.DEQNA)NQNA2.BLI;2

```

: 0001 0  MODULE NQNA2 (#TITLE 'CNQNAAO DEQNA FUNCTIONAL TEST'
: 0002 0          IDENT = 'V01.0',
: 0003 0          ADDRESSING_MODE(Absolute)
: 0004 0          ) =
: 0005 0  #SBTTL 'PROGRAM INIT MODULE'
: 0006 0
: 0007 1  BEGIN
: 0008 1
: 0009 1  LIBRARY 'QNALIB';           ! QNALIB LIBRARY
: 0010 1  REQUIRE 'BLSMAC.REQ';     ! DIAGNOSTIC SUPERVISOR LIBRARY
: 1500 1

```

NONA2
V01.0

CHONAAO DEQNA FUNCTIONAL TEST
EXTERNAL DECLARATIONS

12-JUL-1984 13:03:47
9-JUL 1984 07:10:19

VAX-11 B1:00-16 V4.0-579
SPIDER\$USERS:(BERG.DEQNA)NONA2.BLI:2
SEQ 0066
Page 2
(2)

```

: 1501 1 #SBTTL 'EXTERNAL DECLARATIONS
: 1502 1 !<BLF/FORMAT>
: 1503 1
: 1504 1 PSECT
: 1505 1 CODE = AA$CODE$;
: 1506 1
: 1507 1
: 1508 1 FORWARD ROUTINE
: 1509 1 NXM_INT : L$ISR NOVALUE;
: 1510 1
: 1511 1 EXTERNAL ROUTINE
: 1512 1 RESET_DEQNA : NOVALUE;
: 1513 1

```

```

: 1514 1  EXTERNAL
: 1515 1
: 1516 1  :..
: 1517 1  :.. COMMUNICATION AREA DECLARATIONS
: 1518 1  :..
: 1519 1
: 1520 1  IOP_TABLE      : VECTOR [ 8, WORD ].
: 1521 1
: 1522 1
: 1523 1  :..
: 1524 1  :.. HARDWARE AND SOFTWARE P-TABLE STORAGE DECLARATIONS
: 1525 1  :..
: 1526 1
: 1527 1  HWP_TABLE      : REF BLOCK [ HWP_SIZE, WORD ] FIELD ( HWP_FIELDS ),
: 1528 1  SWP_TABLE      : REF BLOCK [ SWP_SIZE, WORD ] FIELD ( SWP_FIELDS ),
: 1529 1
: 1530 1  INTERRUPT_FLG      : WORD,                ! 1 = INTERRUPT OCCURED
: 1531 1
: 1532 1  REG_ADR         : REF REG_STR FIELD ( IOP_FIELDS ),
: 1533 1  IOP_DATA        : REF REG_STR FIELD ( IOP_FIELDS ),
: 1534 1  GET_ADR         : REF ADR_STR FIELD ( IOP_FIELDS ),
: 1535 1
: 1536 1  :..
: 1537 1  :.. TEMPORARY STORAGE DATA DECLARATIONS
: 1538 1  :..
: 1539 1
: 1540 1  TMP_IOP_ADR      : WORD,                ! I/O PAGE REGISTER ADDRESS
: 1541 1  TMP_REG_DATA     : WORD,                ! I/O PAGE REG CONTENTS
: 1542 1  TEMP1           : WORD,                ! TEMPORARY STORAGE LOCATION
: 1543 1  TEMP2           : WORD,                ! TEMPORARY STORAGE LOCATION
: 1544 1  TEMP3           : WORD,                ! TEMPORARY STORAGE LOCATION
: 1545 1  TEMP4           : WORD,                ! TEMPORARY STORAGE LOCATION
: 1546 1  TEMP5           : WORD,                ! TEMPORARY STORAGE LOCATION
: 1547 1  TEMP6           : WORD,                ! TEMPORARY STORAGE LOCATION
: 1548 1  TEMP7           : WORD,                ! TEMPORARY STORAGE LOCATION
: 1549 1  TEMP8           : WORD,                ! TEMPORARY STORAGE LOCATION
: 1550 1  TEMP9           : WORD,                ! TEMPORARY STORAGE LOCATION
: 1551 1
: 1552 1
: 1553 1  :..
: 1554 1  :.. QUESTIONS AND ERROR MESSAGEES DECLARED EXTERNALLY
: 1555 1  :..
: 1556 1
: 1557 1  QST01, QST02, QST03, QST04, QST05, QST06, QST07, MSG54;
: 1558 1

```

NQNA2
V01.0

CNQNAO DEQNA FUNCTIONAL TEST
TYPE AND DESCRIPTION

12-Jul-1984 13:03:47
9-Jul-1984 07:10:19

VAX-11 Bliss-16 V4.0-579
SPIDER\$USERS:(BERG.DEQNA)NQNA2.BLI;2

```

: 1559 1 #SBTTL 'TYPE AND DESCRIPTION'
: 1560 1
: 1561 1 !..
: 1562 1 !   NAMES OF DEVICES SUPPORTED BY PROGRAM
: 1563 1 !..
: 1564 1
: 1565 1 EQUALS;
: 1566 1 DEVTYP (#ASCIZ'DEQNA/M7504');
: 1567 1
: 1568 1 !..
: 1569 1 !   TEST DESCRIPTION
: 1570 1 !..
: 1571 1
: 1572 1 DESCRIPT (#ASCIZ'DEQNA FUNCTIONAL TEST');
: 1573 1

```

NQNA2
V01.0CNQNAO DEQNA FUNCTIONAL TEST
HARDWARE PARAMETER CODING SECTION12-Jul-1984 13:03:47
9-Jul-1984 07:10:19VAX-11 Bliss-16 V4.0-579
SPIDER#USERS:(BERG.DEQNA)NQNA2.BLI;2SEQ 0069
Page 5
(5)

```

: 1574 1 #SBTTL 'HARDWARE PARAMETER CODING SECTION'
: 1575 1
: 1576 1 !..
: 1577 1 ! THE HARDWARE PARAMETER CODING SECTION CONTAINS MACROS
: 1578 1 ! THAT ARE USED BY THE SUPERVISOR TO BUILD P-TABLES. THE
: 1579 1 ! MACROS ARE NOT EXECUTED AS MACHINE INSTRUCTIONS BUT ARE
: 1580 1 ! INTERPRETED BY THE SUPERVISOR AS DATA STRUCTURE'S. THE
: 1581 1 ! MACROS ALLOW THE SUPERVISOR TO ESTABLISH COMMUNICATIONS
: 1582 1 ! WITH THE OPERATOR.
: 1583 1
: 1584 1 ! THIS CODE IS USED BY THE SUPERVISOR TO INTERROGATE THE OPERATOR
: 1585 1 ! FOR DEVICE INFORMATION TO PUT IN THE P-TABLE. THIS CODE IS USED
: 1586 1 ! IN CONJUNCTION WITH THE DEFAULT P-TABLE TEMPLATE. THE MACROS
: 1587 1 ! USED IN THIS SECTION ARE "GPRMO", "GPRMA".
: 1588 1 !..
: 1589 1
: 1590 1 BGNHRD;
: 1591 1 GPRMA (QST01, #0'0', 0, #0'174440', #0'174460', YES, 1); ! I/O PAGE ADDRESS ?
: 1592 1 GPRMA (QST02, #0'2', 0, #0'300', #0'304', YES, 1); ! INTERRUPT VECTOR ADDR ?
: 1593 1 ENDHRD;
: 1594 1
: 1595 1

```

: 1596 1
: 1597 1
: 1598 1
: 1599 1
: 1600 1
: 1601 1
: 1602 1
: 1603 1
: 1604 1
: 1605 1
: 1606 1
: 1607 1
: 1608 1
: 1609 1
: 1610 1
: 1611 1
: 1612 1
: 1613 1
: 1614 1
: 1615 1

##SBTTL 'SOFTWARE PARAMETER CODING SECTION'

!..
! THE SOFTWARE PARAMETER CODING SECTION CONTAINS MACROS
! THAT ARE USED BY THE SUPERVISOR TO BUILD P-TABLES. THE
! MACROS ARE NOT EXECUTED AS MACHINE INSTRUCTIONS BUT ARE
! INTERPRETED BY THE SUPERVISOR AS DATA STRUCTURES. THE
! MACROS ALLOW THE SUPERVISOR TO ESTABLISH COMMUNICATIONS
! WITH THE OPERATOR.
!--

BGNSFT;

GPRML (QST06, #0'6', -1, YES, 1); ! EXTERNAL LOOPBACK MODE ?
GPRML (QST07, #0'10', -1, YES, 1); ! SYSTEM HAS BLOCK-MODE MEMORY ?
GPRML (QST04, #0'2', -1, YES, 1); ! LOOPBACK CONNECTOR IN DEQNA ?

ENDSFT;

NQNA2
V01.0

CNQNAO DEQNA FUNCTIONAL TEST
REPORT CODING SECTION

12-Jul-1984 13:03:47
9-Jul-1984 07:10:19

VAX-11 Bliss-16 V4.0-579
SPIDER#USERS:[BERG.DEQNA]NQNA2.BLI,2

```

: 1616 1 *SBTTL 'REPORT CODING SECTION'
: 1617 1
: 1618 1 !..
: 1619 1 !
: 1620 1 THE REPORT CODING SECTION CONTAINS THE
: 1621 1 "PRINTS" CALLS THAT GENERATE STATISTICAL REPORTS.
: 1622 1 !
: 1623 1 THIS SECTION CONTAINS THE CODE FOR PRINTING
: 1624 1 STATISTICAL INFORMATION GATHERED BY THE DIAGNOSTIC. IT IS
: 1625 1 EXECUTED BY THE OPERATOR COMMAND "PRINT" OR BY THE MACRO CALL
: 1626 1 "DORPT". USE THE PRINTS MACRO TO PRINT THE INFORMATION.
: 1627 1 USE FORMAT STATEMENTS AS IN THE PRINTB/PRINTX MACROS. IT IS
: 1628 1 THE PROGRAMMER'S RESPONSIBILITY TO DEVISE AND IMPLEMENT THE
: 1629 1 FORM AND CONTENT OF THE STATISTICS.
: 1630 1 !..
: 1631 1
: 1632 2 BGNRPT:
: 1633 2 TEMP1 = 1:
: 1634 2
: 1635 2
: 1636 1 ENDRPT:

```

```

.TITLE NQNA2 CNQNAO DEQNA FUNCTIONAL TEST
.IDENT /V01.0/
.ENABL AMA

```

```

000000          .PSECT  $CODE$,  RO
000000    104    105    121    L$DVTYP:
          .ASCII  /DEQ/
000003    116    101    057    .ASCII  /NA/<57>
000006    115    067    065    .ASCII  /M75/
000011    060    064    000    .ASCII  /04/<00>
000014          .BLKB   2
000016    104    105    121    L$DESC:
000021    116    101    040    .ASCII  /DEQ/
000024    106    125    116    .ASCII  /NA /
000027    103    124    111    .ASCII  /FUN/
000032    117    116    101    .ASCII  /CTI/
000035    114    040    124    .ASCII  /ONA/
000040    105    123    124    .ASCII  /L Y/
000043    000          .ASCII  /EST/
000044          .BLKB   2
000046    000000C    L$HRDLN:
          .WORD   <<<L$NDHRD-L$HRDLN>/2>-1>
000050    000031    GP#1:  .WORD   31
000052    000000G    .WORD   QST01
000054    174440    .WORD   -3340
000056    174460    .WORD   -3320
000060    001031    GP#2:  .WORD   1031
000062    000000G    .WORD   QST02
000064    000300    .WORD   300

```

NQNA2
V01.0

CNQNAO DEQNA FUNCTIONAL TEST
REPORT CODING SECTION

12-Jul-1984 13:03:47
9-Jul-1984 07:10:19

VAX-11 Bliss-16 V4.0-579
SPIDER\$USERS:(BERG.DEQNA)NQNA2.BLI:2

000066 000304
000070

000072 000000C

000074 003130
000076 000000G
000100 177777
000102 004130
000104 000000G
000106 177777
000110 001130
000112 000000G
000114 177777
000116

.WORD 304
L\$NDHRD: :
.BLKW 1
L\$SFTLN: :
.WORD <<<L\$NDSFT-L\$SFTLN>/2>-1>
GP\$3: : .WORD 3130
.WORD QST06
.WORD -1
GP\$4: : .WORD 4130
.WORD QST07
.WORD -1
GP\$5: : .WORD 1130
.WORD QST04
.WORD -1
L\$NDSFT: :
.BLKW 1

.GLOBL RESET.DEQNA, IOP.TABLE, HWP.TABLE
.GLOBL SWP.TABLE, INTERRUPT.FLG, REG.ADR
.GLOBL IOP.DATA, GET.ADR, TMP.IOP.ADR
.GLOBL TMP.REG.DATA, TEMP1, TEMP2, TEMP3
.GLOBL TEMP4, TEMP5, TEMP6, TEMP7, TEMP8
.GLOBL TEMP9, QST01, QST02, QST03, QST04
.GLOBL QST05, QST06, QST07, MSG54

100000
040000
020000
010000
004000
002000
001000
000400
000200
000100
000040
000020
000010
000004
000002
000001
001000
000400
000200
000100
000040
000020
000010
000004
000002
000001

BIT15-- -100000
BIT14-- 40000
BIT13-- 20000
BIT12-- 10000
BIT11-- 4000
BIT10-- 2000
BIT09-- 1000
BIT08-- 400
BIT07-- 200
BIT06-- 100
BIT05-- 40
BIT04-- 20
BIT03-- 10
BIT02-- 4
BIT01-- 2
BIT00-- 1
BIT9-- 1000
BIT8-- 400
BIT7-- 200
BIT6-- 100
BIT5-- 40
BIT4-- 20
BIT3-- 10
BIT2-- 4
BIT1-- 2
BIT0-- 1

NQNA2
V01.0

CNQNAO DEQNA FUNCTIONAL TEST
REPORT CODING SECTION

12-Jul-1984 13:03:47
9-Jul-1984 07:10:19

VAX-11 Bliss-16 V4.0 579
SPIDER\$USERS:(BERG.DEQNA)NQNA2.BLI;2

000040	EF.START==	40
000037	EF.RESTART==	37
000036	EF.CONTINUE==	36
000035	EF.NEW==	35
000034	EF.PWR==	34
000340	PRI07==	340
000300	PRI06==	300
000240	PRI05==	240
000200	PRI04==	200
000140	PRI03==	140
000100	PRI02==	100
000040	PRI01==	40
000000	PRI00==	0
000004	EVL==	4
000010	LOT==	10
000020	ADR==	20
000040	IDU==	40
000100	ISR==	100
000200	UAM==	200
000400	BOE==	400
001000	PNT==	1000
002000	PRI==	2000
004000	IXE==	4000
010000	IBE==	10000
020000	IER==	20000
040000	LOE==	40000
100000	HOE==	-100000
000050	L\$HARD==	L\$HRDLN*2
000074	L\$SOFT==	L\$SFTLN*2

```

000000          .SBTTL LRPT REPORT CODING SECTION
                .PSECT AA$CODE$, RO
000000 012737 000001 000000G      LRPT:  MOV  #1,TEMP1      ;          1634
000006 000207                    RTS    PC                ;          1613

```

; Routine Size: 4 words, Routine Base: AA\$CODE\$ + 0000
; Maximum stack depth per invocation: 0 words

```

000000 004737 000000'          .SBTTL L$RPT REPORT CODING SECTION
000004 104425          L$RPT: JSR  PC,LRPT      ;          1634
000006 000207          TRAP  25
                RTS    PC

```

; Routine Size: 4 words, Routine Base: AA\$CODE\$ + 0010
; Maximum stack depth per invocation: 2 words

; 1637 1

```

: 1638 1 *SBTTL 'INITIALIZE SECTION'
: 1639 1
: 1640 1
: 1641 1
: 1642 1
: 1643 1
: 1644 1
: 1645 1
: 1646 1
: 1647 1
: 1648 1
: 1649 1
: 1650 1
: 1651 1
: 1652 1
: 1653 1
: 1654 1
: 1655 1
: 1656 1
: 1657 1
: 1658 1
: 1659 1
: 1660 1
: 1661 1
: 1662 1
: 1663 1
: 1664 2 BGNINIT;
: 1665 2
: 1666 2 LOCAL
: 1667 2     START_FLAG,           ! SET IF THIS PASS IS A START
: 1668 2     DELAY_MULT;        ! CONTAINS DELAY FACTOR
: 1669 2
: 1670 2
: 1671 2 SETVEC (140,170000,PRI07);    !ODT ROM ADDRESS           !JB REV A-0 NQNA
: 1672 2
: 1673 2 ! SETPRI (PRI07);           ! PRIORITY 7 - NO INTERRUPTS ALLOWED
: 1674 2 SETPRI (PRI06);           ! MOST INTERRUPTS NOT ALLOWED !JB REV A-0 NQNA
: 1675 2
: 1676 2 START_FLAG = CLEAR_FLG;    ! CLEAR FLAG BEFORE TESTING IT
: 1677 2
: 1678 2 IF READEF (EF_PWR)         ! ARE WE HERE BECAUSE OF POWER FAIL?
: 1679 2 THEN
: 1680 3     BEGIN
: 1681 3         PRINTF ( MSG54 );    ! 'THERE WAS POWER FAILURE - WAITING"
: 1682 3
: 1683 3         INCR COUNT FROM 0 TO 60 DO
: 1684 4             BEGIN
: 1685 4                 DELAY_MULT = 10000;
: 1686 4                 DELAY (.DELAY_MULT);
: 1687 4                 BREAK;      ! BREAK FOR APT
: 1688 3             END;
: 1689 2     END;
: 1690 2

```

```

...
THE INITIALIZE SECTION CONTAINS THE CODING THAT IS PERFORMED
AT THE BEGINNING OF EACH PASS.

THE INITIALIZE CODE IS EXECUTED UNDER FIVE CONDITIONS. THERE
ARE SUPERVISOR EVENT FLAGS THAT ARE USED TO LET THE
DIAGNOSTIC KNOW UNDER WHICH CONDITION THE EXECUTION IS TAKING
PLACE. THE EVENT FLAGS ARE READ USING THE "READEF" MACRO.
THE CONDITIONS UNDER WHICH THE INIT CODE IS EXECUTED AND THE
CORRESPONDING EVENT FLAGS ARE:
    START COMMAND           EF.START
    RESTART COMMAND        EF.RESTART
    CONTINUE COMMAND       EF.CONTINUE
    POWERDOWN/POWERUP     EF.PWR
    NEW PASS                EF.NEW

EXAMPLE OF EVENT FLAG USE:
    IF READEF(EF.START) THEN
        START_FLAG = 1;

DURING THE INIT CODE, USE THE "GPHARD" MACRO TO OBTAIN P-TABLE
INFORMATION FOR DEVICE TESTING. GET ONE UNIT'S INFORMATION IF
THIS IS A SEQUENTIAL DIAGNOSTIC. NUMBER OF UNITS AVAILABLE IS IN
A HEADER LOCATION: "L$UNIT".
...

```

```

: 1691 2 IF REDEF (EF_START) ! IS THIS A START ?
: 1692 2 THEN
: 1693 3 BEGIN
: 1694 3 START_FLAG = TRUE;
: 1695 2 END;
: 1696 2
: 1697 2 !..
: 1698 2 ! CLEAR HARDWARE P-TABLE ON A START BEFORE DOING THE GPARDS
: 1699 2 !..
: 1700 2
: 1701 2 IF .START_FLAG OR REDEF (EF_NEW) OR REDEF (EF_CONTINUE)
: 1702 2 THEN ! IF THIS IS A START
: 1703 3 BEGIN
: 1704 3 LOCAL TABLE_POINTER;
: 1705 3
: 1706 3 INCR INDEX FROM 0 TO HWP_SIZE BY 2 DO ! ZERO OUT THE TABLES
: 1707 3 (HWP_TABLE + .INDEX) = 0;
: 1708 3
: 1709 3 !..
: 1710 3 ! GET BASE ADDRESS OF HARDWARE P-TABLE AND DEQNA I/O PAGE
: 1711 3 !..
: 1712 3
: 1713 3 IF GPWARD ( 0, TABLE_POINTER ) NEQU 0 ! GET P-TABLE ADDRESS
: 1714 3 THEN
: 1715 4 BEGIN
: 1716 4 IOP_DATA = .HWP_TABLE [ ADDR ];
: 1717 4 HWP_TABLE = .TABLE_POINTER; ! SAVE HW P-TABLE ADDRESS
: 1718 4 REG_ADR = .HWP_TABLE [ ADDR ]; ! SAVE I/O PAGE BASE ADDRESS
: 1719 4 GET_ADR = .HWP_TABLE [ ADDR ]; ! SAVE I/O PAGE BASE ADDRESS
: 1720 4 TMP_IOP_ADR = .HWP_TABLE [ ADDR ];
: 1721 4 INCR INDEX FROM 0 TO 7 DO
: 1722 5 BEGIN
: 1723 5 IOP_TABLE [ .INDEX ] = .TMP_IOP_ADR;
: 1724 5 TMP_IOP_ADR = .TMP_IOP_ADR + 2;
: 1725 4 END;
: 1726 3 END;
: 1727 2 END;
: 1728 2 RETURN;
: 1729 1 ENDINIT;

```

.GLOBL L\$DLY

000000	004137	000000G	LIMIT:	.SBTTL	LIMIT INITIALIZE SECTION	:	1636
000004	005746			JSR	R1,\$SAVE4	:	
000006	012746	000340		TST	-(SP)	:	
000012	012746	114020		MOV	#340,-(SP)	:	1671
000016	012746	000214		MOV	#-63760,-(SP)	:	
000022	012746	000003		MOV	#214,-(SP)	:	
000026	104437			MOV	#3,-(SP)	:	
000030	012700	000300		TRAP	37	:	
				MOV	#300,R0	:	1674

NQNA2
V01.0

CNQNAAO DEQNA FUNCTIONAL TEST
INITIALIZE SECTION

12-Jul-1984 13:03:47
9 Jul-1984 07:10:19

VAX-11 Blues-16 V4.0-579
SPIDER#USERS:(BERG.DEQNA)NQNA2.BLI:2

SEQ 0076
Page 12
(8)

000034	104441		TRAP	41			
000036	005004		CLR	R4	; START.FLAG		1676
000037	012700	000034	MOV	#34,R0	;		1678
000044	104447		TRAP	47			
000046	103031		BHIS	64			
000050	012716	000000G	MOV	#MSG54,(SP)	;		1681
000054	012746	000001	MOV	#1,-(SP)			
000060	010600		MOV	SP,R0	; SP,*		
000062	104417		TRAP	17			
000064	012702	000075	MOV	#75,R2	; *,COUNT		1683
000070	012703	023420	MOV	#23420,R3	; *,DELAY.MULT		1685
000074	010301		MOV	R3,R1	; DELAY.MULT,\$\$TMP2		1686
000076	001411		BEQ	54			
000100	013700	000000G	MOV	L#DLY,R0	; *,\$\$TMP1		
000104	001404		BEQ	44			
000106	005066	000012	CLR	12(SP)	; \$\$TMP		
000112	005300		DEC	R0	; \$\$TMP1		
000114	001374		BNE	34			
000116	005301		DEC	R1	; \$\$TMP2		
000120	000766		BR	24			
000122	104422		TRAP	22			
000124	005302		DEC	R2	; COUNT		1683
000126	001360		BNE	14			
000130	005726		TST	(SP)	;		1680
000132	012700	000040	MOV	#40,R0	;		1691
000136	104447		TRAP	47			
000140	103002		BHIS	74			
000142	012704	000001	MOV	#1,R4	; *,START.FLAG		1694
000146	006004		ROR	R4	; START.FLAG		1701
000150	103410		BLO	84			
000152	012700	000035	MOV	#35,R0			
000156	104447		TRAP	47			
000160	103404		BCS	84			
000162	012700	000036	MOV	#36,R0			
000166	104447		TRAP	47			
000170	103044		BHIS	114			
000172	005000		CLR	R0	; INDEX		1706
000174	005060	000000G	CLR	HWP.TABLE(R0)	; *(INDEX)		1707
000200	062700	000002	ADD	#2,R0	; *,INDEX		1706
000204	020027	000002	CMP	R0,#2	; INDEX,*		
000210	003771		BLE	94			
000212	005000		CLR	R0	;		1713
000214	104442		TRAP	42			
000216	005700		TST	R0	; TABLE.POINTER		
000220	001430		BEQ	114			
000222	017737	000000G 000000G	MOV	#HWP.TABLE,IOP.DATA	;		1716
000230	010037	000000G	MOV	R0,HWP.TABLE	; TABLE.POINTER,*		1717
000234	011000		MOV	(R0),R0	; HWP.TABLE,*		1718
000236	010037	000000G	MOV	R0,REG.ADR			
000242	010037	000000G	MOV	R0,GET.ADR	;		1719
000246	010037	000000G	MOV	R0,TMP.IOP.ADR	;		1720
000252	005000		CLR	R0	; INDEX		1721
000254	013760	000000G 000000G	MOV	TMP.IOP.ADR,IOP.TABLE(R0)	; *,*(INDEX)		1723

NQNA2
V01.0

CNQNAAO DEQNA FUNCTIONAL TEST
INITIALIZE SECTION

12-Jul-1984 13:03:47
9-Jul-1984 07:10:19

VAX-11 Bliss-16 V4.0-579
SPIDER#USERS:(BERG.DEQNA)NQNA2.BLI;2

SEQ 0077
Page 13
(8)

000262	062737	000002	000000G	ADD	02,TMP.IOP.ADR	:	1724
000270	062700	000002		ADD	02,R0	: *,INDEX	1721
000274	020027	000016		CMP	R0,016	: INJEX,*	
000300	003765			BLE	100		
000302	062706	000012	110:	ADD	012.SP	:	1636
000306	000207			RTS	PC		

: Routine Size: 100 words, Routine Base: AA#CODE# + 0020
: Maximum stack depth per invocation: 13 words

000000	004737	000020'		.SBTTL	L\$INIT INITIALIZE SECTION	:	1728
000004	104411		L\$INIT::	JSR	PC,LINIT		
000006	000207			TRAP	11		
				RTS	PC		

: Routine Size: 4 words, Routine Base: AA#CODE# + 0330
: Maximum stack depth per invocation: 2 words

: 1730 1
: 1731 1
: 1732 1

NONA2
V01.0

CNONA0 DEQNA FUNCTIONAL TEST
CLEANUP CODING SECTION

12-Jul-1984 13:03:47
9-Jul 1984 07:10:19

VAX-11 Bliss-16 V4.0-579
SPIDER\$USERS:(BERG.DEQNA)NONA2.BLI:2
SEQ 0079
Page 15
(10)

```

: 1751 1 #SBTTL 'CLEANUP CODING SECTION'
: 1752 1
: 1753 1 !..
: 1754 1 !
: 1755 1 ! THE CLEANUP CODING SECTION CONTAINS THE CODING THAT IS PERFORMED
: 1756 1 ! AFTER THE HARDWARE TESTS HAVE BEEN PERFORMED.
: 1757 1 !
: 1758 1 ! INSERT YOUR CLEANUP CODING. THIS CODING SHOULD
: 1759 1 ! RESTORE YOUR TEST-DEVICE TO A NEUTRAL STATE.
: 1760 1 ! THIS CODE WILL BE EXECUTED AFTER EACH PASS AND AFTER THE
: 1761 1 ! PROGRAM IS INTERRUPTED BY "+C".
: 1762 1 !..
: 1763 1
: 1764 2 BGNCLN;
: 1765 2
: 1766 2 RETURN;
: 1767 2
: 1768 1 ENDCLN;

```

```

000000 000207 .SBTTL L$CLEAN CLEANUP CODING SECTION ; 1748
LCLEAN: RTS PC

```

```

; Routine Size: 1 word, Routine Base: AA$CODE$ + 0352
; Maximum stack depth per invocation: 0 words

```

```

000000 004737 000352' .SBTTL L$CLEAN CLEANUP CODING SECTION ; 1766
L$CLEAN::
JSR PC,L$CLEAN
TRAP 12
RTS PC

```

```

; Routine Size: 4 words, Routine Base: AA$CODE$ + 0354
; Maximum stack depth per invocation: 2 words

```

```

: 1769 1
: 1770 1

```

NQNA2
V01.0

CNQNAAO DEQNA FUNCTIONAL TEST
DROP UNIT SECTION

12 Jul-1984 13:03:47
9-Jul 1984 07:10:19

VAX-11 Bliss-16 V4.0-579
SPIDER&USERS:(BERG.DEQNA)NQNA2.BLT:2

SEQ 0080
Page 16
(11)

```

: 1771 1  #SBTTL 'DROP UNIT SECTION'
: 1772 1
: 1773 1  !..
: 1774 1  !
: 1775 1  ! THE DROP-UNIT SECTION CONTAINS THE CODING THAT CAUSES A DEVICE
: 1776 1  ! TO NO LONGER BE TESTED.
: 1777 1  !
: 1778 1  ! INSERT DROP CODE HERE. THIS CODE WILL BE EXECUTED AFTER
: 1779 1  ! A "DROP" COMMAND OR A "DODU" MACRO EXECUTION. THE PURPOSE
: 1780 1  ! OR THIS CODE IS TO DO ANY NECESSARY HOUSEKEEPING AFTER A
: 1781 1  ! UNIT HAS BEEN DROPPED.
: 1782 1  !
: 1783 1  !..
: 1784 1
: 1785 2  BGNDU;
: 1786 2      RETURN;
: 1787 2
: 1788 2
: 1789 1  ENDDU;

```

```

000000 000207          LDU:  .SBTTL LDU DROP UNIT SECTION          ;          1768
                        RTS    PC

```

```

; Routine Size: 1 word,      Routine Base: AA$CODE$ + 0364
; Maximum stack depth per invocation: 0 words

```

```

000000 004737 000364'  L$DU:: .SBTTL L$DU DROP UNIT SECTION          ;          1787
000004 104453          JSR    PC,LDU
000006 000207          TRAP   S3
                        RTS    PC

```

```

; Routine Size: 4 words,      Routine Base: AA$CODE$ + 0366
; Maximum stack depth per invocation: 2 words

```

```

: 1790 1
: 1791 1

```

: 1792 1
: 1793 1
: 1794 1
: 1795 1
: 1796 1
: 1797 1
: 1798 1
: 1799 1
: 1800 1
: 1801 1
: 1802 1
: 1803 1
: 1804 1
: 1805 1
: 1806 2
: 1807 2
: 1808 2
: 1809 2
: 1810 1

*SBTTL 'ADD UNIT SECTION'

!..
!
!
!
!
!
!
!
!
!
!
!
!
!
!..

THE ADD-UNIT SECTION CONTAINS ANY CODE THE PROGRAMMER WISHES
TO BE EXECUTED IN CONJUNCTION WITH THE ADDING OF A UNIT BACK
TO THE TEST CYCLE.

INSERT ADD CODE HERE. THIS CODE WILL BE EXECUTED AFTER
AN "ADD" COMMAND. THE PURPOSE OF THIS CODE IS TO DO ANY
HOUSEKEEPING THAT MAY BE NECESSARY AFTER A UNIT HAS BEEN ADDED.

BGNAU;
RETURN;
ENDAU;

000000 000207 LAU: .SBTTL LAU ADD UNIT SECTION : 1789
RTS PC

: Routine Size: 1 word, Routine Base: AA\$CODE\$ + 0376
: Maximum stack depth per invocation: 0 words

000000 004737 000376' L\$AU: .SBTTL L\$AU ADD UNIT SECTION : 1808
000004 104452 JSR PC,LAU
000006 000207 TRAP 52
RTS PC

: Routine Size: 4 words, Routine Base: AA\$CODE\$ + 0400
: Maximum stack depth per invocation: 2 words

: 1811 1
: 1812 1

```

: 1813 1
: 1814 2  BGNSRV (NXM_INT);
: 1815 2
: 1816 2  !..
: 1817 2  !
: 1818 2  GLOBAL LOCATION "INTERRUPT_FLG" IS SET TO TRUE WHICH INDICATES
: 1819 2  THE INITIALIZATION SEQUENCE INTERRUPT OCCURED.
: 1820 2  !
: 1821 2  !..
: 1822 2
: 1823 2  INTERRUPT_FLG      = #0'177777';
: 1824 2
: 1825 1  ENDSRV;

```

```

000000 012737 177777 000000G      .SBTTL  NXM.INT ADD UNIT SECTION
NXM.INT::
MOV      0-1,INTERRUPT.FLG      ;
RTI                                           ;
000006 000002

```

: Routine Size: 4 words, Routine Base: AA\$CODE\$ + 0410
: Maximum stack depth per invocation: 0 words

```

: 1826 1
: 1827 1  END
: 1828 0  ELUDOM

```

OTS external references
.GLOBL \$SAVE4

PSECT SUMMARY

Psect Name	Words	Attributes
\$CODE\$	40	RO . I . LCL. REL. CON
AA\$CODE\$	136	RO . I . LCL. REL. CON

Library Statistics

File	Symbols			Pages Mapped	Processing Time
	Total	Loaded	Percent		
SPIDER\$USERS:(BERG.DEQNA)QNALIB.L16;3	223	48	21	14	00:00.0

NQNA2
V01.0CNQNAO DEQNA FUNCTIONAL TEST
ADD UNIT SECTION12-Jul-1984 13:03:47
9-Jul-1984 07:10:19VAX-11 Bliss 16 V4.0-579
SPIDER#USERS:(BERG.DEQNA)NQNA2.BLI:2SEQ 0053
Page 19
(13)

COMMAND QUALIFIERS

```
:  
:  
: BLISS/PDP11/ENV:NOEIS NQNA2.BLI/LIST=NQNA2.LIS/OBJECT=NQNA2.OBJ/SOURCE=PAGE:53  
:  
: Size:          136 code + 40 data words  
: Run Time:      00:13.3  
: Elapsed Time: 00:21.4  
: Lines/CPU Min: 8259  
: Lexemes/CPU Min: 52120  
: Memory Used: 176 pages  
: Compilation Complete
```

NQNA3

CNQNAO DEQNA FUNCTIONAL TEST

12-Jul-1984 13:04:10

VAX-11 Bliss-16 V4.0-579

21-Jun-1984 08:36:17

SPIDER\$USERS:(BERG.DEQNA)NQNA3.BLI;1

(1)

```

: 0001 0  MODULE NQNA3 (TITLE 'CNQNAO DEQNA FUNCTIONAL TEST'
: 0002 0      IDENT = 'V01.0',
: 0003 0      ADDRESSING_MODE(Absolute)
: 0004 0      ) =
: 0005 0  #SBTTL 'DEQNA TEST DEFINITION MODULE'
: 0006 1  BEGIN
: 0007 1  !<BLF/FORMAT>
: 0008 1
: 0009 1  LIBRARY 'QNALIB';           ! QNALIB LIBRARY
: 0010 1  REQUIRE 'BLSMAC.REQ';     ! DIAGNOSTIC SUPERVISOR LIBRARY
: 1500 1

```

: 1501 1
: 1502 1
: 1503 1
: 1504 1
: 1505 1
: 1506 1
: 1507 1
: 1508 1
: 1509 1
: 1510 1
: 1511 1
: 1512 1
: 1513 1
: 1514 1
: 1515 1
: 1516 1
: 1517 1
: 1518 1
: 1519 1
: 1520 1
: 1521 1
: 1522 1
: 1523 1
: 1524 1
: 1525 1
: 1526 1
: 1527 1
: 1528 1
: 1529 1
: 1530 1
: 1531 1
: 1532 1
: 1533 1
: 1534 1
: 1535 1
: 1536 1
: 1537 1
: 1538 1

PSECT

CODE = AB\$CODE\$;

!..
!--

EXTERNAL DATA USED BY THIS MODULE

EXTERNAL ROUTINE

CHK_CSR_STATUS : NOVALUE.
CHK_RIXI_STATUS : NOVALUE.
CHK_RCV_STATUS : NOVALUE.
CHK_XMIT_STATUS : NOVALUE.
CLR_BUFFERS : NOVALUE.
CLR_DESCR : NOVALUE.
COMPARE_PACKETS : NOVALUE.
E1\$REPORT : NOVALUE.
ERROR\$REPORT : NOVALUE.
FORM_HEX_ADR : NOVALUE.
KBD_INT : NOVALUE.
NXM_INT : L\$ISR NOVALUE.
PREP_FOR_SETUP : NOVALUE.
PWR_INT : NOVALUE.
RESET_DEQNA : NOVALUE.
SEND_ELOOP_PACKET : NOVALUE.
SEND_TEST_PACKET : NOVALUE.
SET_XDESCR_LIST : NOVALUE.
SET_RDESCR_LIST : NOVALUE.
TURN_OFF_LED : NOVALUE.
VER_DESCR_STATUS : NOVALUE.
WAIT_FOR_TIMEOUT : NOVALUE.
WALKING_BIT : NOVALUE.
WRT_STATION_ADR : NOVALUE.
XMIT_AND_RCV_PACKET : NOVALUE.
XMIT_ILOOP_PACKET : NOVALUE.
XMIT_SETUP_PACKET : NOVALUE;

: PRINT EXTENDED ERROR MESSAGE
: PRINT EXTENDED ERROR MESSAGE

: NXM INTERRUPT SERVICE ROUTINE

: 1539 1
 : 1540 1
 : 1541 1
 : 1542 1
 : 1543 1
 : 1544 1
 : 1545 1
 : 1546 1
 : 1547 1
 : 1548 1
 : 1549 1
 : 1550 1
 : 1551 1
 : 1552 1
 : 1553 1
 : 1554 1
 : 1555 1
 : 1556 1
 : 1557 1
 : 1558 1
 : 1559 1
 : 1560 1
 : 1561 1
 : 1562 1
 : 1563 1
 : 1564 1
 : 1565 1
 : 1566 1
 : 1567 1
 : 1568 1
 : 1569 1
 : 1570 1
 : 1571 1
 : 1572 1
 : 1573 1

EXTERNAL

!**
 !:
 !--

COMMUNICATION AREA DECLARATIONS

RCV_D_LIST : BLOCK [D_SIZE, WORD] FIELD (DL_FIELDS),
 XMIT_D_LIST : BLOCK [D_SIZE, WORD] FIELD (DL_FIELDS),
 DESCR_LIST : BLOCK [DESCR_SIZE, WORD] FIELD (DL_FIELDS),
 RCV_BUFFER : VECTOR [B_SIZE, BYTE],
 XMIT_BUFFER : VECTOR [B_SIZE, BYTE],
 DATA_BUFFER : VECTOR [BUF_SIZE, BYTE],
 TARGET_ADR : VECTOR [T_SIZE, BYTE],
 PHYS_ADR : VECTOR [22, BYTE],
 IOP_TABLE : VECTOR [8, WORD],
 RD13 : VECTOR [64, WORD],
 TD13 : VECTOR [28, WORD],
 TD16 : VECTOR [44, WORD],
 BD_PROM_DESCR : VECTOR [BD_D_SIZE, WORD],
 STATION_ADR : VECTOR [4, WORD],
 PTRN_TABLE : VECTOR [8, BYTE],

!**
 !:
 !--

HARDWARE AND SOFTWARE P-TABLE STORAGE DECLARATIONS

HWP_TABLE : REF BLOCK [HWP_SIZE, WORD] FIELD (HWP_FIELDS),
 SWP_TABLE : REF BLOCK [SWP_SIZE, WORD] FIELD (SWP_FIELDS),
 REG_ADR : REF REG_STR FIELD (IOP_FIELDS),
 GET_ADR : REF ADR_STR FIELD (IOP_FIELDS),
 IOP_DATA : REF REG_STR FIELD (IOP_FIELDS),

! (0=NONE,-1=L-CLOCK,1=P_CLOCK)

: 1574 1
: 1575 1
: 1576 1
: 1577 1
: 1578 1
: 1579 1
: 1580 1
: 1581 1
: 1582 1
: 1583 1
: 1584 1
: 1585 1
: 1586 1
: 1587 1
: 1588 1
: 1589 1
: 1590 1
: 1591 1
: 1592 1
: 1593 1
: 1594 1
: 1595 1
: 1596 1
: 1597 1

!..
!
!--

MISCELLANEOUS DATA DECLARATIONS

XBUF_LENGTH,	RBUF_LENGTH,	INTERRUPT_FLG,	COUNTER,
SWP_BLOCK_MEM,	SWP_TOUT_VAL,	SWP_ILOOP,	SWP_TIMER,
UP_COUNTER,	DOWN_COUNTER,	CHECKSUM,	ERR_NUMBER,
XC_FLAG,	SWP_LBC,		
ERR_COUNT,	ERR_FLAG,	CSR_WORD,	PRI00,
PRI01,	PRI02,	PRI03,	PRI04,
PRI05,	PRI06,	PRI07,	DEQNA_NO : WORD,

!..
!
!--

TEMPORARY STORAGE DATA DECLARATIONS

P1,	P2,	P3,	P4,
TMP_ICP_ADR,	TMP_REG_DATA,	TEMP1,	TEMP2,
TEMP3,	TEMP4,	TEMP5,	TEMP6,
TEMP7,	TEMP8,	TEMP9,	TADR1,
TADR2			: WORD,
TBYTE1,	TBYTE2,	TBYTE3,	TBYTE4 : BYTE,

: 1598 1
: 1599 1
: 1600 1
: 1601 1
: 1602 1
: 1603 1
: 1604 1
: 1605 1
: 1606 1
: 1607 1
: 1608 1
: 1609 1
: 1610 1
: 1611 1
: 1612 1
: 1613 1

!..
!.. ERROR MESSAGES DEFINED EXTERNALLY
!--

MSG00, MSG71,
MSG01, MSG02, MSG03, MSG04, MSG05, MSG06, MSG07, MSG08, MSG09, MSG10,
MSG11, MSG12, MSG13, MSG14, MSG15, MSG16, MSG17, MSG18, MSG19, MSG20,
MSG21, MSG22, MSG23, MSG24, MSG25, MSG26, MSG27, MSG28, MSG29, MSG30,
MSG31, MSG32, MSG33, MSG34, MSG35, MSG36, MSG37, MSG38, MSG39, MSG40,
MSG41, MSG42, MSG43, MSG44, MSG45, MSG46, MSG47, MSG48, MSG49, MSG50,
MSG51, MSG52, MSG53, MSG54, MSG55, MSG56, MSG57, MSG58, MSG59, MSG60,
MSG61, MSG62, MSG63, MSG64, MSG65, MSG66, MSG67, MSG68, MSG69, MSG70;

*SBTTL 'TEST 1 - NON-EXISTANT I/O PAGE REGISTER TEST'

TEST 1: NON-EXISTANT I/O PAGE REGISTER TEST

DESCRIPTION:

This test verifies that all the device registers residing in the I/O Page can be accessed without forcing a non-existent memory (NXM) interrupt. If the operator specifies loop on error, the program re-executes the code that detected the error until ^C is entered.

Hardware tested: Q-Bus to DEQNA Slave Registers Interface

Processing:

BEGIN

get ready for NXM interrupt

REPEAT for every I/O page register

read I/O page register

IF NXM occurred

THEN

print error message if not inhibited

ENDIF

ENDREPEAT

write any data pattern into the first 2 I/O page registers

IF NXM occurred

THEN

print error message if not inhibited

ENDIF

END

!--

```

: 1648 3  BGNTST;
: 1649 3
: 1650 3  SETVEC (4, NXM_INT, PRI07);           ! SET UP FOR AN NXM INTERRUPT
: 1651 3  DELAY (MS_DELAY);                   ! DELAY 50 x 100 us = 5 ms
: 1652 3  INTERRUPT_FLG = CLEAR_FLG;         ! CLEAR OUT NEX FLAG
: 1653 3
: 1654 3  TMP_IOP_ADR = .HWP_TABLE [ ADDR ];
: 1655 3  INCR INDEX FROM 0 TO 7 DO
: 1656 4    BEGIN
: 1657 6      BGNSUB;
: 1658 6        TEMP1 = ..TMP_IOP_ADR;
: 1659 6        DELAY(7);
: 1660 6        IF .INTERRUPT_FLG EQLU WORD_LIMIT           ! SEE IF WE GOT A NXM INTRT
: 1661 6          THEN
: 1662 7            BEGIN                                   ! ADDRESS NOT THERE
: 1663 7              INTERRUPT_FLG = CLEAR_FLG;           ! CLEAR TRAP FLAG
: 1664 7              PRINTB ( MSG59 );
: 1665 7              PRINTB ( MSG70, .TMP_IOP_ADR );
: 1666 7              ERRDF (0101, MSG00, E1$REPORT);       ! 'I/O PAGE REG. NOT PRESENT'
: 1667 7              DODU ( DEGNA_NO );
: 1668 7              DOCLN;
: 1669 6            END;
: 1670 4          ENDSUB;
: 1671 4          TMP_IOP_ADR = .TMP_IOP_ADR + 2;
: 1672 3        END;
: 1673 3
: 1674 3  TMP_IOP_ADR = .HWP_TABLE [ ADDR ];
: 1675 3  INCR INDEX FROM 0 TO 1 DO
: 1676 4    BEGIN
: 1677 6      BGNSUB;
: 1678 6        .TMP_IOP_ADR = #X'7F';                   ! WRITE FIRST 2 LOCATIONS
: 1679 6        DELAY(7);
: 1680 6        IF .INTERRUPT_FLG EQLU WORD_LIMIT           ! SEE IF WE GOT A NXM INTRT
: 1681 6          THEN
: 1682 7            BEGIN                                   ! ADDRESS NOT THERE
: 1683 7              INTERRUPT_FLG = CLEAR_FLG;           ! CLEAR TRAP FLAG
: 1684 7              PRINTB ( MSG59 );
: 1685 7              PRINTB ( MSG70, .TMP_IOP_ADR );
: 1686 7              ERRDF (0102, MSG00, E1$REPORT);       ! 'I/O PAGE REG. NOT PRESENT'
: 1687 7              DODU ( DEGNA_NO );
: 1688 7              DOCLN;
: 1689 6            END;
: 1690 4          ENDSUB;
: 1691 4          TMP_IOP_ADR = .TMP_IOP_ADR + 2;
: 1692 3        END;
: 1693 3
: 1694 3  CLRVEC (4);                                   ! CLEAR INTERRUPT VECTOR
: 1695 3
: 1696 1  ENDTST;

```

```
.ENABL AMA

.GLOBL CHK.CSR.STATUS, CHK.RIXI.STATUS
.GLOBL CHK.RCV.STATUS, CHK.XMIT.STATUS
.GLOBL CLR.BUFFERS, CLR.DESCR, COMPARE.PACKETS
.GLOBL E1$REPORT, ERROR$REPORT, FORM.HEX.ADR
.GLOBL KBD.INT, NXM.INT, PREP.FOR.SETUP
.GLOBL PWR.INT, RESET.DEQNA, SEND.ELOOP.PACKET
.GLOBL SEND.TEST.PACKET, SET.XDESCR.LIST
.GLOBL SET.RDESCR.LIST, TURN.OFF.LED
.GLOBL VER.DESCR.STATUS, WAIT.FOR.TIMEOUT
.GLOBL WALKING.BIT, WRT.STATION.ADR, XMIT.AND.RCV.PACKET
.GLOBL XMIT.ILOOP.PACKET, XMIT.SETUP.PACKET
.GLOBL RCV.D.LIST, XMIT.D.LIST, DESCR.LIST
.GLOBL RCV.BUFFER, XMIT.BUFFER, DATA.BUFFER
.GLOBL TARGET.ADR, PHYS.ADR, IOP.TABLE
.GLOBL RD13, TD13, TD16, BD.PROM.DESCR
.GLOBL STATION.ADR, PTRN.TABLE, HWP.TABLE
.GLOBL SWP.TABLE, REG.ADR, GET.ADR, IOP.DATA
.GLOBL XBUF.LENGTH, RBUF.LENGTH, INTERRUPT.FLG
.GLOBL COUNTER, SWP.BLOCK.MEM, SWP.TOUT.VAL
.GLOBL SWP.ILOOP, SWP.TIMER, UP.COUNTER
.GLOBL DOWN.COUNTER, CHECKSUM, ERR.NUMBER
.GLOBL XC.FLAG, SWP.LBC, ERR.COUNT, ERR.FLAG
.GLOBL CSR.WORD, PRI00, PRI01, PRI02
.GLOBL PRI03, PRI04, PRI05, PRI06, PRI07
.GLOBL DEQNA.NO, P1, P2, P3, P4, TMP.IOP.ADR
.GLOBL TMP.REG.DATA, TEMP1, TEMP2, TEMP3
.GLOBL TEMP4, TEMP5, TEMP6, TEMP7, TEMP8
.GLOBL TEMP9, TADR1, TADR2, TBYTE1, TBYTE2
.GLOBL TBYTE3, TBYTE4, MSG00, MSG71, MSG01
.GLOBL MSG02, MSG03, MSG04, MSG05, MSG06
.GLOBL MSG07, MSG08, MSG09, MSG10, MSG11
.GLOBL MSG12, MSG13, MSG14, MSG15, MSG16
.GLOBL MSG17, MSG18, MSG19, MSG20, MSG21
.GLOBL MSG22, MSG23, MSG24, MSG25, MSG26
.GLOBL MSG27, MSG28, MSG29, MSG30, MSG31
.GLOBL MSG32, MSG33, MSG34, MSG35, MSG36
.GLOBL MSG37, MSG38, MSG39, MSG40, MSG41
.GLOBL MSG42, MSG43, MSG44, MSG45, MSG46
.GLOBL MSG47, MSG48, MSG49, MSG50, MSG51
.GLOBL MSG52, MSG53, MSG54, MSG55, MSG56
.GLOBL MSG57, MSG58, MSG59, MSG60, MSG61
.GLOBL MSG62, MSG63, MSG64, MSG65, MSG66
.GLOBL MSG67, MSG68, MSG69, MSG70, L$DLY
```

```
.SBTTL $T1 TEST 1 - NON-EXISTANT I/O PAGE REGISTER TEST
.PSECT AB$CODE$, RO
```

000000

000000 004137 000000G
000004 005746
000006 012746 000000G

```
$T1: JSR R1, $SAVE2 ;
TST -(SP)
MOV #PRI07, -(SP) ;
```

1611
1650

NONAS
V01.0

CNENAAO DEQNA FUNCTIONAL TEST
TEST 1 - NON-EXISTANT I/O PAGE REGISTER TEST

12-Jul-1984 13:04:10
21-Jun-1984 08:36:17

VAX-11 B1100-16 V4.0-579
SPIDER:USERS:(BERG.DEQNA)NONAS.BLI:1

000012	012746	000000G		MOV	@N/M.INT.-(SP)		
000016	012746	000004		MOV	@4.(SP)		
000022	012746	000003		MOV	@3.-(SP)		
000026	104437			TRAP	37		
000030	012701	000062		MOV	@62,R1	: @.##TMP2	1651
000034	001411		18:	BEQ	48		
000036	013700	000000G		MOV	L#DLY,RO	: @.##TMP1	
000042	001404			BEQ	38		
000044	005066	000010	28:	CLR	10(SP)	: ##TMP	
000050	005300			DEC	RO	: ##TMP1	
000052	001374			BNE	28		
000054	005301		38:	DEC	R1	: ##TMP2	
000056	000766			BR	18		
000060	005037	000000G	48:	CLR	INTERRUPT.FLG	:	1652
000064	017737	000000G 000000G		MOV	@TMP.TABLE.TMP.IOP.ADR	:	1654
000072	012702	000010		MOV	@10,R2	: @.INDEX	1655
000076	104402		58:	TRAP	2	:	1656
000100	017737	000000G 000000G		MOV	@TMP.IOP.ADR,TEMP1	:	1658
000106	012701	000007		MOV	@7,R1	: @.##TMP2	1659
000112	001411		68:	BEQ	98		
000114	013700	000000G		MOV	L#DLY,RO	: @.##TMP1	
000120	001404			BEQ	88		
000122	005066	000010	78:	CLR	10(SP)	: ##TMP	
000126	005300			DEC	RO	: ##TMP1	
000130	001374			BNE	78		
000132	005301		88:	DEC	R1	: ##TMP2	
000134	000766			BR	68		
000136	023727	000000G 177777	98:	CMP	INTERRUPT.FLG,@-1	:	1660
000144	001032			BNE	108		
000146	005037	000000G		CLR	INTERRUPT.FLG	:	1663
000152	012716	000000G		MOV	@MSG59,(SP)	:	1664
000156	012746	000001		MOV	@1.-(SP)		
000162	010600			MOV	SP,RO	: SP,@	
000164	104414			TRAP	14		
000166	013716	000000G		MOV	TMP.IOP.ADR,(SP)	:	1665
000172	012746	000000G		MOV	@MSG70,-(SP)		
000176	012746	000002		MOV	@2.-(SP)		
000202	010600			MOV	SP,RO	: SP,@	
000204	104414			TRAP	14		
000206	104455			TRAP	55		1666
000210	000145			.WORD	145		
000212	000000G			.WORD	MSG00		
000214	000000G			.WORD	E1\$REPORT		
000216	012700	000000G		MOV	@DEQNA.NO,RO	:	1667
000222	104451			TRAP	51		
000224	104444			TRAP	44		
000226	062706	000006		ADD	@6,SP	:	1662
000232	104467		108:	TRAP	67	:	1669
000234	006000			ROR	RO		
000236	103717			BLO	58		
000240	062737	000002 000000G		ADD	@2,TMP.IOP.ADR	:	1671
000246	005302			DEC	R2	: INDEX	1655
000250	001312			BNE	58		

NQNA3
V01.0

CNQNA0 DEQNA FUNCTIONAL TEST
TEST 1 - NON-EXISTANT I/O PAGE REGISTER TEST

12-Jul-1984 13:04:10
21-Jun-1984 08:36:17

VAX-11 Bliss-16 V4.0-579
SPIDER\$USERS:(BERG.DEQNA)NQNA3.BLI;1

000252	017737	000000G	000000G		MOV	@TMP.TABLE,TMP.IOP.ADR	:		1674
000260	012702	000002			MOV	@2,R2	:	*,INDEX	1675
000264	104402			11\$:	TRAP	2	:		1676
000266	012777	000177	000000G		MOV	@177,@TMP.IOP.ADR	:		1678
000274	012701	000007			MOV	@7,R1	:	*,\$\$TMP2	1679
000300	001411			12\$:	BEQ	15\$:		
000302	013700	000000G			MOV	L\$DLY,RO	:	*,\$\$TMP1	
000306	001404				BEQ	14\$:		
000310	005066	000010		13\$:	CLR	10(SP)	:	\$\$TMP	
000314	005300				DEC	RO	:	\$\$TMP1	
000316	001374				BNE	13\$:		
000320	005301			14\$:	DEC	R1	:	\$\$TMP2	
000322	000766				BR	12\$:		
000324	023727	000000G	177777	15\$:	CMP	INTERRUPT.FLG,@-1	:		1680
000332	001032				BNE	16\$:		
000334	005037	000000G			CLR	INTERRUPT.FLG	:		1683
000340	012716	000000G			MOV	@MSG59,(SP)	:		1684
000344	012746	000001			MOV	@1,-(SP)	:		
000350	010600				MOV	SP,RO	:	SP,*	
000352	104414				TRAP	14	:		
000354	013716	000000G			MOV	TMP.IOP.ADR,(SP)	:		1685
000360	012746	000000G			MOV	@MSG70,-(SP)	:		
000364	012746	000002			MOV	@2,-(SP)	:		
000370	010600				MOV	SP,RO	:	SP,*	
000372	104414				TRAP	14	:		
000374	104455				TRAP	55	:		1686
000376	000146				.WORD	146	:		
000400	000000G				.WORD	MSG00	:		
000402	000000G				.WORD	E1\$REPORT	:		
000404	012700	000000G			MOV	@DEQNA.NO,RO	:		1687
000410	104451				TRAP	51	:		
000412	104444				TRAP	44	:		
000414	062706	000006			ADD	@6,SP	:		1682
000420	104467			16\$:	TRAP	67	:		1689
000422	006000				ROR	RO	:		
000424	103717				BLO	11\$:		
000426	062737	000002	000000G		ADD	@2,TMP.IOP.ADR	:		1691
000434	005302				DEC	R2	:	INDEX	1675
000436	001312				BNE	11\$:		
000440	012700	000004			MOV	@4,RO	:		1694
000444	104436				TRAP	36	:		
000446	062706	000012			ADD	@12,SP	:		1611
000452	000207				RTS	PC	:		

: Routine Size: 150 words, Routine Base: AB\$CODE\$ + 0000
: Maximum stack depth per invocation: 13 words

000000	004737	000000'		T1::	.SBTTL	T1 TEST 1 - NON-EXISTANT I/O PAGE REGISTER TEST	:		
000000				1\$:	JSR	PC,\$T1	:		1694

NONA3
V01.0

CNONA0 DEQNA FUNCTIONAL TEST
TEST 1 - NON-EXISTANT I/O PAGE REGISTER TEST

12-Jul-1984 13:04:10
21-Jun-1984 08:36:17

VAX-11 Bliss-16 V4.0-579
SPIDER\$USERS:(BERG.DEQNA)NONA3.BLI;1

000004 104466
000006 006000
000010 103773
000012 000207

TRAP 66
ROR RO
BLO 1\$
RTS PC

: Routine Size: 6 words, Routine Base: AB\$CODE\$ * 0454
: Maximum stack depth per invocation: 2 words

: 1697 1
: 1698 1

NQNA3
VO1.0

CNQNA0 DEQNA FUNCTIONAL TEST
TEST 2 - CSR STATIC BIT TEST

12-Jul-1984 13:04:10
21-Jun-1984 08:36:17

VAX-11 B11s-16 V4.0-579
SPIDER\$USERS:(BERG.DEQNA)NQNA3.BLI;1
Page 12
(8)

```

: 1699 1 *SBTTL 'TEST 2 - CSR STATIC BIT TEST'
: 1700 1 !..
: 1701 1
: 1702 1 TEST 2: CSR STATIC BIT TEST
: 1703 1
: 1704 1 DESCRIPTION:
: 1705 1
: 1706 1 This test verifies that the CSR register static bits can be set
: 1707 1 and cleared as specified. The host writes data patterns to this
: 1708 1 register and reads them back verifying no static
: 1709 1 (stuck at 1 / stuck at 0) faults occur. If the operator specifies
: 1710 1 loop on error, the program re-executes the code that detected the
: 1711 1 error until ^C is entered.
: 1712 1
: 1713 1 Hardware tested: Q-Bus to DEQNA Slave Regs. Interface
: 1714 1
: 1715 1 Processing:
: 1716 1
: 1717 1 BEGIN
: 1718 1 check Software Reset ( SR ) bit in the CSR for stuck at 0
: 1719 1 and 1
: 1720 1 IF error
: 1721 1 THEN
: 1722 1 print error message if not inhibited
: 1723 1 ENDIF
: 1724 1 set static bits ( 0,3,8,9 ) and check for expected CSR status
: 1725 1 IF error
: 1726 1 THEN
: 1727 1 print error message if not inhibited
: 1728 1 ENDIF
: 1729 1 clear static bits and check for expected CSR status
: 1730 1 IF error
: 1731 1 THEN
: 1732 1 print error message if not inhibited
: 1733 1 ENDIF
: 1734 1 set static bits ( 0,3,8,9 ) and check for expected CSR status
: 1735 1 IF error
: 1736 1 THEN
: 1737 1 print error message if not inhibited
: 1738 1 ENDIF
: 1739 1 reset DEQNA and check for expected CSR status
: 1740 1 IF error
: 1741 1 THEN
: 1742 1 print error message if not inhibited
: 1743 1 ENDIF
: 1744 1 END
: 1745 1 !..

```

```

: 1746 3  BGNTST;
: 1747 3
: 1748 5  BGNSUB;
: 1749 5
: 1750 5
: 1751 5  !..
: 1752 5  ! CHECK IF CSR STATIC BITS (BIT 0,3,8 AND 9) ARE NOT STUCK AT 0
: 1753 5  !..
: 1754 5  RESET_DEQNA ( );
: 1755 5  PUT_BIT ( CSR, ALL_BITS, PATRN1 );
: 1756 5  DELAY ( TIME6_LIMIT );
: 1757 5  TEMP1 = GET_BIT [ CSR_ALL ] AND PATRN1;
: 1758 5  IF .TEMP1 NEQU PATRN1
: 1759 5  THEN
: 1760 6  BEGIN
: 1761 6  PRINTB ( MSG59 );
: 1762 6  PRINTB ( MSG60 );
: 1763 6  PRINTB ( MSG30, .GET_ADR [ CSR_ALL ], .TEMP1, PATRN1 );
: 1764 6  ERRDF ( 0201, MSG00, E1$REPORT );
: 1765 5  END;
: 1766 3  ENDSUB;
: 1767 3
: 1768 3  !..
: 1769 3  ! CHECK IF CSR STATIC BITS (BIT 0,3,8 AND 9) ARE NOT STUCK AT 1
: 1770 3  !..
: 1771 3
: 1772 5  BGNSUB;
: 1773 5  PUT_BIT ( CSR, ALL_BITS, ZERO );
: 1774 5  DELAY ( TIME6_LIMIT );
: 1775 5  TEMP2 = GET_BIT [ CSR_ALL ] AND PATRN1;
: 1776 5  IF .TEMP2 NEQU ZERO
: 1777 5  THEN
: 1778 6  BEGIN
: 1779 6  PRINTB ( MSG59 );
: 1780 6  PRINTB ( MSG61 );
: 1781 6  PRINTB ( MSG30, .GET_ADR [ CSR_ALL ], .TEMP2, ZERO );
: 1782 6  ERRDF ( 0202, MSG00, E1$REPORT );
: 1783 5  END;
: 1784 3  ENDSUB;
: 1785 3
: 1786 5  BGNSUB;
: 1787 5  PUT_BIT ( CSR, ALL_BITS, PATRN1 );
: 1788 5  RESET_DEQNA ( );
: 1789 5  TEMP3 = GET_BIT [ CSR_ALL ] AND PATRN1;
: 1790 5  IF .TEMP3 NEQU ZERO
: 1791 5  THEN
: 1792 6  BEGIN
: 1793 6  PRINTB ( MSG59 );
: 1794 6  PRINTB ( MSG62 );
: 1795 6  PRINTB ( MSG30, .GET_ADR [ CSR_ALL ], .TEMP4, ZERO );
: 1796 6  ERRDF ( 0203, MSG00, E1$REPORT );
: 1797 5  END;
: 1798 3  ENDSUB;

```

NQNA3
V01.0CNQNAO DEQNA FUNCTIONAL TEST
TEST 2 - CSR STATIC BIT TEST12-Jul-1984 13:04:10
21-Jun-1984 08:36:17VAX-11 Blisse-16 V4.0-579
SPIDER\$USERS:(BERG.DEQNA)NQNA3.BLI;1

SEQ 0097

Page 14
(9): 1799 3
: 1800 1

ENDTST:

		.SBTTL	#T2 TEST 2 - CSR STATIC BIT TEST	
000000	004137	000000G	\$T2: JSR R1,\$SAVE2	1696
000004	162706	000016	SUB #16,SP	
000010	104402		1\$: TRAP 2	1746
000012	004737	000000G	JSR PC,RESET.DEQNA	1754
000016	013701	000000G	MOV REG.ADR,R1	1755
000022	012761	001411 000016	MOV #1411,16(R1)	
000030	012702	000001	MOV #1,R2	1756
000034	001411		2\$: BEQ 5\$	
000036	013700	000000G	MOV L\$DLY,R0	
000042	001404		BEQ 4\$	
000044	005066	000014	3\$: CLR 14(SP)	
000050	005300		DEC R0	
000052	001374		BNE 3\$	
000054	005302		4\$: DEC R2	
000056	000766		BR 2\$	
000060	016116	000016	5\$: MOV 16(R1),(SP)	1757
000064	011637	000000G	MOV (SP),TEMP1	
000070	042737	176366 000000G	BIC #176366,TEMP1	
000076	023727	000000G 001411	CMP TEMP1,#1411	1758
000104	001444		BEQ 6\$	
000106	012746	000000G	MOV #MSG59,-(SP)	1761
000112	012746	000001	MOV #1,-(SP)	
000116	010600		MOV SP,R0	
000120	104414		TRAP 14	
000122	012716	000000G	MOV #MSG60,(SP)	1762
000126	012746	000001	MOV #1,-(SP)	
000132	010600		MOV SP,R0	
000134	104414		TRAP 14	
000136	012716	001411	MOV #1411,(SP)	1763
000142	013746	000000G	MOV TEMP1,-(SP)	
000146	013766	000000G 000012	MOV GET.ADR,12(SP)	
000154	062766	000016 000012	ADD #16,12(SP)	
000162	016646	000012	MOV 12(SP),-(SP)	
000166	012746	000000G	MOV #MSG30,-(SP)	
000172	012746	000004	MOV #4,-(SP)	
000176	010600		MOV SP,R0	
000200	104414		TRAP 14	
000202	104455		TRAP 55	1764
000204	000311		.WORD 311	
000206	000000G		.WORD MSG00	
000210	000000G		.WORD E1\$REPORT	
000212	062706	000016	ADD #16,SP	1760
000216	104467		6\$: TRAP 67	1765
000220	006000		ROR R0	
000222	103672		BLO 1\$	
000224	104402		7\$: TRAP 2	1766
000226	013701	000000G	MOV REG.ADR,R1	1773
000232	005061	000016	CLR 16(R1)	

000236	012702	000001		MOV	#1,R2	:	*,\$\$TMP2	1774
000242	001411		8\$:	BEQ	11\$:		
000244	013700	000000G		MOV	L\$DLY,RO	:	*,\$\$TMP1	
000250	001404			BEQ	10\$:		
000252	005066	000014	9\$:	CLR	14(SP)	:	\$\$TMP	
000256	005300			DEC	R0	:	\$\$TMP1	
000260	001374			BNE	9\$:		
000262	005302		10\$:	DEC	R2	:	\$\$TMP2	
000264	000766			BR	8\$:		
000266	016166	000016	000004	11\$:	MOV	16(R1),4(SP)	:	*,TMP.LOCATION
000274	016637	000004	000000G	MOV	4(SP),TEMP2	:	TMP.LOCATION,*	1775
000302	042737	176366	000000G	BIC	#176366,TEMP2	:		
000310	001443			BEQ	12\$:		1776
000312	012746	000000G		MOV	#MSG59,-(SP)	:		1779
000316	012746	000001		MOV	#1,-(SP)	:		
000322	010600			MOV	SP,R0	:	SP,*	
000324	104414			TRAP	14	:		
000326	012716	000000G		MOV	#MSG61,(SP)	:		1780
000332	012746	000001		MOV	#1,-(SP)	:		
000336	010600			MOV	SP,R0	:	SP,*	
000340	104414			TRAP	14	:		
000342	005016			CLR	(SP)	:		1781
000344	013746	000000G		MOV	TEMP2,-(SP)	:		
000350	013766	000000G	000016	MOV	GET.ADR,16(SP)	:	*,TMP.LOCATION	
000356	062766	000016	000016	ADD	#16,16(SP)	:	*,TMP.LOCATION	
000364	016646	000016		MOV	16(SP),-(SP)	:	TMP.LOCATION,*	
000370	012746	000000G		MOV	#MSG30,-(SP)	:		
000374	012746	000004		MOV	#4,-(SP)	:		
000400	010600			MOV	SP,R0	:	SP,*	
000402	104414			TRAP	14	:		
000404	104455			TRAP	55	:		1782
000406	000312			.WORD	312	:		
000410	000000G			.WORD	MSG00	:		
000412	000000G			.WORD	E1\$REPORT	:		
000414	062706	000016		ADD	#16,SP	:		1778
000420	104467			12\$:	TRAP	:		1783
000422	006000			ROR	R0	:		
000424	103677			BLO	7\$:		
000426	104402			13\$:	TRAP	:		1784
000430	013700	000000G		MOV	REG.ADR,R0	:		1787
000434	012760	001411	000016	MOV	#1411,16(R0)	:		
000442	004737	000000G		JSR	PC,RESET.DEQNA	:		1788
000446	013700	000000G		MOV	REG.ADR,R0	:		1789
000452	016066	000016	000010	MOV	16(R0),10(SP)	:	*,TMP.LOCATION	
000460	016637	000010	000000G	MOV	10(SP),TEMP3	:	TMP.LOCATION,*	
000466	042737	176366	000000G	BIC	#176366,TEMP3	:		
000474	001443			BEQ	14\$:		1790
000476	012746	000000G		MOV	#MSG59,-(SP)	:		1793
000502	012746	000001		MOV	#1,-(SP)	:		
000506	010600			MOV	SP,R0	:	SP,*	
000510	104414			TRAP	14	:		
000512	012716	000000G		MOV	#MSG62,(SP)	:		1794
000516	012746	000001		MOV	#1,-(SP)	:		

NGNA3
V01.0

CNQNAO DEQNA FUNCTIONAL TEST
TEST 2 - CSR STATIC BIT TEST

12-Jul-1984 13:04:10
21-Jun-1984 08:36:17

VAX 11 Bliss-16 V4.0 579
SPIDER\$USFRS:[BERG.DEQNA]NGNA3.BLI;1
Page 16
(9)

```

000522 010600      MOV      SP,R0      ; SP,*
000524 104414      TRAP     14
000526 005016      CLR      (SP)
000530 013746 000000G  MOV      TEMP4,-(SP)      ;
000534 013766 000000G 000022  MOV      GET.ADR,22(SP)   ; *.TMP.LOCATION
000542 062766 000016 000022  ADD      #16,22(SP)      ; *.TMP.LOCATION
000550 016646 000022      MOV      22(SP),-(SP)    ; TMP.LOCATION,*
000554 012746 000000G  MOV      #MSG30,-(SP)
000560 012746 000004      MOV      #4,-(SP)
000564 010600      MOV      SP,R0      ; SP,*
000566 104414      TRAP     14
000570 104455      TRAP     55
000572 000313      .WORD   313
000574 000000G  .WORD   MSG00
000576 000000G  .WORD   E1$REPORT
000600 062706 000016      ADD      #16,SP
000604 104467      TRAP     67      ;
000606 006000      ROR     R0
000610 103706      BLO     13$
000612 062706 000016      ADD      #16,SP
000616 000207      RTS     PC

```

; Routine Size: 200 words, Routine Base: AB\$CODE\$ + 0470
; Maximum stack depth per invocation: 19 words

```

000000 004737 000470'      T2::
000000 1$:      JSR     PC,$T2      ;
000004 104466      TRAP     66
000006 006000      ROR     R0
000010 103773      BLO     1$
000012 000207      RTS     PC

```

; Routine Size: 6 words, Routine Base: AB\$CODE\$ + 1310
; Maximum stack depth per invocation: 2 words

; 1801 1
; 1802 1

```

: 1803 1 #SBTTL 'TEST 3 - ETHERNET STATION ADDRESS VERIFY TEST'
: 1804 1 :
: 1805 1 :
: 1806 1 : TEST 3: ETHERNET STATION ADDRESS VERIFY TEST
: 1807 1 :
: 1808 1 : DESCRIPTION:
: 1809 1 :
: 1810 1 : This test verifies that the Ethernet Station Address PROM can be
: 1811 1 : read and loaded to host memory correctly. Ethernet Station Address is
: 1812 1 : verified and checksum is computed from PROM data read and this checksum
: 1813 1 : is compared to the checksum stored in the Ethernet Station Address
: 1814 1 : PROM. Ethernet Station Address is always printed out on the console in
: 1815 1 : the Ethernet standard format. If the address is not proper, the error
: 1816 1 : is recorded and an appropriate error message is printed out on the
: 1817 1 : console. If the operator specifies loop on error, the program
: 1818 1 : re-executes the code that detected the error until ^C is entered.
: 1819 1 :
: 1820 1 : Hardware tested: Station Address PROM
: 1821 1 : Q-Bus DMA Interface
: 1822 1 : Processing:
: 1823 1 :
: 1824 1 : BEGIN
: 1825 1 :
: 1826 1 : read DEQNA Station Address PROM and checksum
: 1827 1 : save copy of Station Address PROM in host memory
: 1828 1 : print Station Address on the console in standard format
: 1829 1 : compute Station Address ROM checksum
: 1830 1 : IF checksum read not equal checksum computed
: 1831 1 : THEN
: 1832 1 : print error message if not inhibited
: 1833 1 : ENDIF
: 1834 1 : IF Station Address
: 1835 1 : [all 0's]
: 1836 1 : OR [all 1's]:
: 1837 1 : OR [not assigned to DEQNA space]:
: 1838 1 : OR [multicast bit set]:
: 1839 1 : THEN
: 1840 1 : print error message if not inhibited
: 1841 1 : ENDIF
: 1842 1 :
: 1843 1 : END
: 1844 1 :

```

```

: 1845 3  BGNTST:
: 1846 3
: 1847 5  BGNSUB:
: 1848 5  RESET_DEQNA ( ),
: 1849 5  FORM_HEX_ADR ( PHA_INDEX );
: 1850 5
: 1851 5  !..
: 1852 5  ! COMPUTE EXPECTED CHECKSUM
: 1853 5  !..
: 1854 5
: 1855 5  CHECKSUM = 0;
: 1856 5
: 1857 5  INCR INDEX FROM 0 TO 5 BY 2 DO
: 1858 6  BEGIN
: 1859 6  IF ( .CHECKSUM AND #0'100000' ) NEQU ZERO
: 1860 6  THEN
: 1861 7  BEGIN
: 1862 7  CHECKSUM = .CHECKSUM + 1;
: 1863 7  CHECKSUM = .CHECKSUM + 1;
: 1864 7  END
: 1865 6  ELSE
: 1866 6  CHECKSUM = .CHECKSUM + 1;
: 1867 6
: 1868 6  CHECKSUM = .CHECKSUM + .STATION_ADR [ .COUNTER ];
: 1869 6
: 1870 6  IF .CHECKSUM GTRU WORD_LIMIT
: 1871 6  THEN
: 1872 6  CHECKSUM = .CHECKSUM + 1;
: 1873 6
: 1874 6  COUNTER = .COUNTER + 1;
: 1875 5  END;
: 1876 5
: 1877 5  !..
: 1878 5  ! PRINT PHYSICAL STATION ADDRESS
: 1879 5  !..
: 1880 5
: 1881 5  PRINTB ( MSG01, .HWP_TABLE [ ADDR ] );
: 1882 5  PRINTB ( PHYS_ADR );
: 1883 5
: 1884 5  !..
: 1885 5  ! READ ACTUAL CHECKSUM FROM DEQNA STATION ADDRESS PROM AND COMPARE IT TO
: 1886 5  ! THE EXPECTED CHECKSUM COMPUTED ABOVE.
: 1887 5  !..
: 1888 5
: 1889 5  PUT_BIT ( CSR, LB, EXT_LOOPBACK );
: 1890 5  DELAY ( 5 );
: 1891 5  TEMP1 = .REG_ADR [ 1, ALL_BITS ];
: 1892 5  TEMP1 = .TEMP1 + 8;
: 1893 5  TEMP2 = .REG_ADR [ 0, ALL_BITS ];
: 1894 5  STATION_ADR [ CHSUM ] = .TEMP1 OR ( .TEMP2 AND #0'000377' );
: 1895 5  PUT_BIT ( CSR, LB, ZERO );
: 1896 5  IF .CHECKSUM NEQU .STATION_ADR [ CHSUM ]
: 1897 5  THEN

```

```

: 1898 6      BEGIN
: 1899 6      PRINTB ( MSG59 );
: 1900 6      PRINTB ( MSG63, .STATION_ADR [ CHSUM ], .CHECKSUM );
: 1901 6      ERRDF (0301, MSG00, E1$REPORT);
: 1902 5      END;
: 1903 3      ENDSUB;
: 1904 3
: 1905 3      TEMP3 = ZERO;
: 1906 3      INCR INDEX FROM 0 TO 2 DO
: 1907 3      TEMP3 = .TEMP3 + ( .STATION_ADR [ .INDEX ] AND #X'FFFF' );
: 1908 3
: 1909 4      IF ( .TEMP3 EQLU ZERO )
: 1910 4      OR ( .TEMP3 EQLU #X'FFFF' )
: 1911 4      OR (( .STATION_ADR [ ZERO ] AND #X'0100' ) EQLU #X'0100' )
: 1912 4      OR ( .STATION_ADR [ ZERO ] NEQU #X'AA00' )
: 1913 4      OR ( .STATION_ADR [ ONE ] GTRU #X'04FF' )
: 1914 3      THEN
: 1915 4      BEGIN
: 1916 4      PRINTB ( MSG59 );
: 1917 4      PRINTB ( MSG64 );
: 1918 4      PRINTB ( PHYS_ADR );
: 1919 4      ERRDF ( 0302, MSG00, E1$REPORT);
: 1920 3      END;
: 1921 3
: 1922 1      ENDTST;

```

Address	Hex	Hex	Hex	Label	Instruction	Address
000000	004237	000000G	\$T3:	.SBTTL	\$T3 TEST 3 - ETHERNET STATION ADDRESS VERIFY TEST	1800
000004	162706	000006		JSR	R1,\$SAVE2	
000010	104402		1\$:	SUB	#6,SP	
000012	004737	000000G		TRAP	2	1845
000016	012746	000023		JSR	PC,RESET.DEQNA	1848
000022	004737	000000G		MOV	#23,-(SP)	1849
000026	005037	000000G		JSR	PC,FORM.HEX.ADR	
000032	005001			CLR	CHECKSUM	1855
000034	013700	000000G	2\$:	CLR	R1	1857
000040	006300			MOV	CHECKSUM,R0	1862
000042	032737	100000 000000G		ASL	R0	
000050	001405			BIT	#-100000,CHECKSUM	1859
000052	010037	000000G		BEQ	3\$	
000056	005237	000000G		MOV	R0,CHECKSUM	1862
000062	000402			INC	CHECKSUM	1863
000064	010037	000000G	3\$:	BR	4\$	1859
000070	013700	000000G	4\$:	MOV	R0,CHECKSUM	1866
000074	006300			MOV	COUNTER,R0	1868
000076	066037	000000G 000000G		ASL	R0	
000104	005237	000000G		ADD	STATION.ADR(R0),CHECKSUM	
000110	062701	000002		INC	COUNTER	1874
000114	020127	000005		ADD	#2,R1	1857
000120	003745			CMP	R1,#5	INDEX,*
000122	017716	000000G		BLE	2\$	
000126	012746	000000G		MOV	#HWP.TABLE,(SP)	1881
				MOV	#MSG01,-(SP)	

000132	012746	000002		MOV	#2,-(SP)		
000136	010600			MOV	SP,R0	; SP,*	
000140	104414			TRAP	14		
000142	012716	000000G		MOV	#PHYS.ADR,(SP)		1882
000146	012746	000001		MOV	#1,-(SP)		
000152	010600			MOV	SP,R0	; SP,*	
000154	104414			TRAP	14		
000156	013700	000000G		MOV	REG.ADR,R0		1889
000162	052760	001400	000016	BIS	#1400,16(R0)		
000170	012702	000005		MOV	#5,R2	; *,\$\$TMP2	1890
000174	001411		5\$:	BEQ	8\$		
000176	013701	000000G		MOV	L\$DLY,R1	; *,\$\$TMP1	
000202	001404			BEQ	7\$		
000204	005066	000014		6\$:	CLR	14(SP)	; \$\$TMP
000210	005301			DEC	R1	; \$\$TMP1	
000212	001374			BNE	6\$		
000214	005302		7\$:	DEC	R2	; \$\$TMP2	
000216	000766			BR	5\$		
000220	016066	000002	000010	8\$:	MOV	2(R0),10(SP)	; *,TMP.LOCATION
000226	016637	000010	000000G	MOV	10(SP),TEMP1	; TMP.LOCATION,*	
000234	000337	000000G		SWAB	TEMP1		1892
000240	105037	000000G		CLRB	TEMP1		
000244	011066	000012		MOV	(R0),12(SP)	; *,TMP.LOCATION	1893
000250	011037	000000G		MOV	(R0),TEMP2	; TMP.LOCATION,*	
000254	005037	000006G		CLR	STATION.ADR+6		1894
000260	111037	000006G		MOVB	(R0),STATION.ADR+6	; TEMP2,*	
000264	053737	000000G	000006G	BIS	TEMP1,STATION.ADR+6		
000272	042760	001400	000016	BIC	#1400,16(R0)		1895
000300	023737	000000G	000006G	CMF	CHECKSUM,STATION.ADR+6		1896
000306	001426			BEQ	9\$		
000310	012716	000000G		MOV	#MSG59,(SP)		1899
000314	012746	000001		MOV	#1,-(SP)		
000320	010600			MOV	SP,R0	; SP,*	
000322	104414			TRAP	14		
000324	013716	000000G		MOV	CHECKSUM,(SP)		1900
000330	013746	000006G		MOV	STATION.ADR+6,-(SP)		
000334	012746	000000G		MOV	#MSG63,-(SP)		
000340	012746	000003		MOV	#3,-(SP)		
000344	010600			MOV	SP,R0	; SP,*	
000346	104414			TRAP	14		
000350	104455			TRAP	55		1901
000352	000455			.WORD	455		
000354	000000G			.WORD	MSG00		
000356	000000G			.WORD	E1\$REPORT		
000360	062706	000010		ADD	#10,SP		1898
000364	062706	000010	9\$:	ADD	#10,SP		1845
000370	104467			TRAP	67		1902
000372	006000			ROR	R0		
000374	103605			BLO	1\$		
000376	005037	000000G		CLR	TEMP3		1905
000402	005000			CLR	R0	; INDEX	1906
000404	066037	000000G	000000G	10\$:	ADD	STATION.ADR(R0),TEMP3	; *(INDEX),*
000412	062700	000002		ADD	#2,R0	; *,INDEX	1906

NQNA3
V01.0

CNQNAO DEQNA FUNCTIONAL TEST
TEST 3 - ETHERNET STATION ADDRESS VERIFY TEST

12-Jul-1984 13:04:10
21-Jun-1984 08:36:17

VAX-11 Bliss-16 V4.0-579
SPIDER#USERS:(BERG.DEQNA)NQNA3.BLI:1 (11)

000416	020027	000004		CMP	R0,#4	:	INDEX,*	
000422	003770			BLF	10\$:		
000424	013700	000000G		MOV	TEMP3,R0	:		1909
000430	001416			BEQ	11\$:		
000432	005200			INC	R0	:		1910
000434	001414			BEQ	11\$:		
000436	032737	000400	000000G	BIT	#400,STATION.ADR	:		1911
000444	001010			BNE	11\$:		
000446	023727	000000G	125000	CMP	STATION.ADR,#-53000	:		1912
000454	001004			BNE	11\$:		
000456	023727	000002G	002377	CMP	STATION.ADR+2,#2377	:		1913
000464	101430			BLOS	12\$:		
000466	012746	000000G		MOV	#MSG59,-(SP)	:		1916
000472	012746	000001		MOV	#1,-(SP)	:		
000476	010600			MOV	SP,R0	:	SP,*	
000500	104414			TRAP	14	:		
000502	012716	000000G		MOV	#MSG64,(SP)	:		1917
000506	012746	000001		MOV	#1,-(SP)	:		
000512	010600			MOV	SP,R0	:	SP,*	
000514	104414			TRAP	14	:		
000516	012716	000000G		MOV	#PHYS.ADR,(SP)	:		1918
000522	012746	000001		MOV	#1,-(SP)	:		
000526	010600			MOV	SP,R0	:	SP,*	
000530	104414			TRAP	14	:		
000532	104455			TRAP	55	:		1919
000534	000456			.WORD	456	:		
000536	000000G			.WORD	MSG00	:		
000540	000000G			.WORD	E1\$REPORT	:		
000542	062706	000010		ADD	#10,SP	:		1915
000546	062706	000006		ADD	#6,SP	:		1800
000552	000207			RTS	PC	:		

: Routine Size: 182 words, Routine Base: AB\$CODE\$ + 1324
: Maximum stack depth per invocation: 16 words

				.SBTTL	T3 TEST 3 - ETHERNET STATION ADDRESS VERIFY TEST			
000000	004737	001324'	T3::					
000000			1\$:	JSR	PC,\$T3	:		1920
000004	104466			TRAP	66	:		
000006	006000			ROR	R0	:		
000010	103773			BLO	1\$:		
000012	000207			RTS	PC	:		

: Routine Size: 6 words, Routine Base: AB\$CODE\$ + 2100
: Maximum stack depth per invocation: 2 words

: 1923 1
: 1924 1

```

1 1925 1
1 1926 1
1 1927 1
1 1928 1
1 1929 1
1 1930 1
1 1931 1
1 1932 1
1 1933 1
1 1934 1
1 1935 1
1 1936 1
1 1937 1
1 1938 1
1 1939 1
1 1940 1
1 1941 1
1 1942 1
1 1943 1
1 1944 1
1 1945 1
1 1946 1
1 1947 1
1 1948 1
1 1949 1
1 1950 1
1 1951 1
1 1952 1
1 1953 1
1 1954 1
1 1955 1
1 1956 1
1 1957 1
1 1958 1
1 1959 1
1 1960 1
1 1961 1
1 1962 1
1 1963 1
1 1964 1
1 1965 1
1 1966 1
1 1967 1
1 1968 1
1 1969 1
1 1970 1

```

```

#SBTTL 'TEST 4 - INTERRUPT VECTOR ADDRESS TEST'

```

```

..

```

```

TEST 4: INTERRUPT VECTOR ADDRESS TEST

```

```

DESCRIPTION:

```

```

This test verifies that all bits of the vector address register
can be set and cleared as specified. The host writes data patterns
to this register and reads them back verifying no static
(stuck at 1 / stuck at 0) faults occur. If the operator specifies
loop on error, the program re-executes the code that detected the
error until ^C is entered.

```

```

NOTE: Only bits 9:2 of the Interrupt Vector Address Register are
valid, rest read as 0.

```

```

The following BINARY data patterns are used:

```

```

00000000      11111111
10101010      01010101
11001100      00110011
11110000      00001111
walking 1's, 1 propagating thru Vector Address Reg.
walking 0's, 0 propagating thru Vector Address Reg.

```

```

Hardware tested:      Device Vector Address Register
                     Slave Interface Registers

```

```

Processing:

```

```

BEGIN

```

```

reset device
REPEAT for each pattern
write pattern to Vector Address Register ( bits 9:2 )
read pattern from Vector Address Register ( bits 9:2 )
compare write pattern to read pattern (less noise bits)
IF not equal
THEN
print error message if not inhibited
ENDIF

```

```

ENDREPEAT

```

```

END

```

```

...

```

```

: 1971 3  BGNTST;
: 1972 3
: 1973 3  RESET_DEQNA ( );
: 1974 3
: 1975 3  :..
: 1976 3  : WRITE ALTERNATING 0'S AND 1'S TO INTERRUPT VECTOR ADDRESS REGISTER
: 1977 3  : IN THE I/O PAGE, THEN READ AND COMPARE TO THE WRITE PATTERN
: 1978 3  : ..
: 1979 3
: 1980 3  INCR INDEX FROM 0 TO 7 DO
: 1981 4    BEGIN
: 1982 4      TEMP1 = .PTRN_TABLE [ .INDEX ];
: 1983 6      BGNSUB;
: 1984 6      PUT_BIT [ INT_VEC, VEC_ADR, .TEMP1 ];
: 1985 6      IF GET_BIT [ INT_VEC, VEC_ADR ] NEQU .TEMP1
: 1986 6      THEN
: 1987 7        BEGIN
: 1988 7          PRINTB ( MSG59 );
: 1989 7          PRINTB ( MSG65 );
: 1990 7          PRINTB ( MSG30, .GET_ADR [ VEC_ALL ], .TEMP1, GET_BIT [ INT_VEC, VEC_ADR ] );
: 1991 7          ERRDF ( 0401, MSG00, E1$REPORT );
: 1992 6        END;
: 1993 4      ENDSUB;
: 1994 3    END;
: 1995 3  :..
: 1996 3  : WRITE WALKING 1 PATTERN INTO THE INTERRUPT VECTOR ADDRESS IN THE I/O PAGE
: 1997 3  : REGISTER THEN READ AND COMPARE TO THE WRITE PATTERN
: 1998 3  : ..
: 1999 3
: 2000 3  TEMP1 = #B'00000001';
: 2001 3
: 2002 3  INCR INDEX FROM 0 TO 7 DO
: 2003 4    BEGIN
: 2004 6      BGNSUB;
: 2005 6      PUT_BIT [ INT_VEC, VEC_ADR, .TEMP1 ];
: 2006 6      IF GET_BIT [ INT_VEC, VEC_ADR ] NEQU .TEMP1
: 2007 6      THEN
: 2008 7        BEGIN
: 2009 7          PRINTB ( MSG59 );
: 2010 7          PRINTB ( MSG65 );
: 2011 7          PRINTB ( MSG30, .GET_ADR [ VEC_ALL ], .TEMP1, GET_BIT [ INT_VEC, VEC_ADR ] );
: 2012 7          ERRDF ( 0402, MSG00, E1$REPORT );
: 2013 6        END;
: 2014 6      TEMP1 = .TEMP1 + 1;
: 2015 4      ENDSUB;
: 2016 3    END;
: 2017 3
: 2018 3  :..
: 2019 3  : WRITE WALKING 0 PATTERN INTO THE INTERRUPT VECTOR ADDRESS IN THE I/O PAGE
: 2020 3  : REGISTER THEN READ AND COMPARE TO THE WRITE PATTERN
: 2021 3  : ..
: 2022 3
: 2023 3  TEMP1 = #B'11111110';

```

NQNA3
V01.0

CNQNAO DEQNA FUNCTIONAL TEST
TEST 4 - INTERRUPT VECTOR ADDRESS TEST

12-Jul-1984 13:04:10
21-Jun-1984 08:36:17

VAX-11 Bliss-16 V4.0-579
SPIDER#USERS:(BERG.DEQNA)NQNA3.BLI:1

SEQ 0107
Page 24
(13)

```

: 2024 3
: 2025 3   INCR INDEX FROM 0 TO 7 DO
: 2026 4   BEGIN
: 2027 6     BGNSUB;
: 2028 6     PUT_BIT [ INT_VEC, VEC_ADR, .TEMP1 ];
: 2029 6     IF GET_BIT [ INT_VEC, VEC_ADR ] NEQU .TEMP1
: 2030 6     THEN
: 2031 7       BEGIN
: 2032 7         PRINTB ( MSG59 );
: 2033 7         PRINTB ( MSG65 );
: 2034 7         PRINTB ( MSG30, .GET_ADR [ VEC_ALL ], .TEMP1, GET_BIT [ INT_VEC, VEC_ADR ] );
: 2035 7         ERRDF ( 0403, MSG00, E1$REPORT );
: 2036 6     END;
: 2037 6
: 2038 6     TEMP1 = (( .TEMP1 + 1 ) + 1 ) AND #0'000377' ;
: 2039 4     ENDSUB;
: 2040 3     END;
: 2041 3
: 2042 1   ENDTST;

```

000000	004137	000000G	\$T4:	.SBTTL	\$T4 TEST 4 - INTERRUPT VECTOR ADDRESS TEST	
000004	162706	000022		JSR	R1,\$SAVE2	1922
000010	004737	000000G		SUB	#22,SP	
000014	005001			JSR	PC,RESET.DEQNA	1973
000016	116137	000000G 000000G	1\$:	CLR	R1	: INDEX
000024	105037	000001G		MOV	PTRN.TABLE(R1),TEMP1	: *(INDEX),*
000030	104402		2\$:	CLRB	TEMP1+1	1982
000032	013700	000000G		TRAP	2	
000036	013702	000000G		MOV	REG.ADR,R0	1984
000042	006302			MOV	TEMP1,R2	
000044	006302			ASL	R2	
000046	042702	176003		ASL	R2	
000052	042760	001774 000014		BIC	#176003,R2	
000060	050260	000014		BIC	#1774,14(R0)	
000064	016016	000014		BIS	R2,14(R0)	
000070	013702	000000G		MOV	14(R0),(SP)	: *.TMP.LOCATION
000074	011600			MOV	TEMP1,R2	
000076	006200			MOV	(SP),R0	: TMP.LOCATION,*
000100	006200			ASR	R0	
000102	042760	177400		ASR	R0	
000106	020002			BIC	#177400,R0	
000110	001456			CMR	R0,R2	
000112	012746	000000G		BEQ	3\$	
000116	012746	000001		MOV	#MSG59,-(SP)	1988
000122	010600			MOV	#1,-(SP)	
000124	104414			MOV	SP,R0	: SP,*
000126	012716	000000G		TRAP	14	
000132	012746	000001		MOV	#MSG65,(SP)	1989
000136	010600			MOV	#1,-(SP)	
000140	104414			MOV	SP,R0	: SP,*
000142	013700	000000G		TRAP	14	
				MOV	REG.ADR,R0	1990

NQNA3
V01.0

CNQNAO DEQNA FUNCTIONAL TEST
TEST 4 - INTERRUPT VECTOR ADDRESS TEST

12-Jul-1984 13:04:10
21-Jun-1984 08:36:17

VAX-11 Bliss-16 V4.0-579
SPIDER#USERS:(BERG.DEQNA)NQNA3.BLI;1

(13)

000146	016066	000014	000010		MOV	14(R0),10(SP)	; *.TMP.LOCATION	
000154	016600	000010			MOV	10(SP),R0	; TMP.LOCATION,*	
000160	006200				ASR	R0		
000162	006200				ASR	R0		
000164	042700	177400			BIC	#177400,R0		
000170	010016				MOV	R0,(SP)		
000172	013746	000000G			MOV	TEMP1,-(SP)		
000176	013766	000000G	000014		MOV	GET.ADR,14(SP)	; *.TMP.LOCATION	
000204	062766	000014	000014		ADD	#14,14(SP)	; *.TMP.LOCATION	
000212	016646	000014			MOV	14(SP),-(SP)	; TMP.LOCATION,*	
000216	012746	000000G			MOV	#MSG30,-(SP)		
000222	012746	000004			MOV	#4,-(SP)		
000226	010600				MOV	SP,R0	; SP,*	
000230	104414				TRAP	14		
000232	104455				TRAP	55		1991
000234	000621				.WORD	621		
000236	000000G				.WORD	MSG00		
000240	000000G				.WORD	E1\$REPORT		
000242	062706	000016			ADD	#16,SP		1987
000246	104467			3\$:	TRAP	67		1992
000250	006000				ROR	R0		
000252	103666				BLO	2\$		
000254	005201				INC	R1	; INDEX	1980
000256	020127	000007			CMP	R1,#7	; INDEX,*	
000262	003655				BLE	1\$		
000264	012737	000001	000000G		MOV	#1,TEMP1		2000
000272	012701	000010			MOV	#10,R1	; *.INDEX	2002
000276	104402			4\$:	TRAP	2		2003
000300	013700	000000G			MOV	REG.ADR,R0		2005
000304	013702	000000G			MOV	TEMP1,R2		
000310	006302				ASL	R2		
000312	006302				ASL	R2		
000314	042702	176003			BIC	#176003,R2		
000320	042760	001774	000014		BIC	#1774,14(R0)		
000326	050260	000014			BIS	R2,14(R0)		
000332	016066	000014	000006		MOV	14(R0),6(SP)	; *.TMP.LOCATION	2006
000340	013702	000000G			MOV	TEMP1,R2		
000344	016600	000006			MOV	6(SP),R0	; TMP.LOCATION,*	
000350	006200				ASR	R0		
000352	006200				ASR	R0		
000354	042700	177400			BIC	#177400,R0		
000360	020002				CMP	R0,R2		
000362	001456				BEQ	5\$		
000364	012746	000000G			MOV	#MSG59,-(SP)		2009
000370	012746	000001			MOV	#1,-(SP)		
000374	010600				MOV	SP,R0	; SP,*	
000376	104414				TRAP	14		
000400	012716	000000G			MOV	#MSG65,(SP)		2010
000404	012746	000001			MOV	#1,-(SP)		
000410	010600				MOV	SP,R0	; SP,*	
000412	104414				TRAP	14		
000414	013700	000000G			MOV	REG.ADR,R0		2011
000420	016066	000014	000016		MOV	14(R0),16(SP)	; *.TMP.LOCATION	

NQNA3
V01.0

CNQNAO DEQNA FUNCTIONAL TEST
TEST 4 - INTERRUPT VECTOR ADDRESS TEST

12-Jul-1984 13:04:10
21-Jun-1984 08:36:17

VAX-11 Bliss-16 V4.0-579
SPIDER#USERS:[BERG.DEQNA]NQNA3.BLI;1 (13)

000426	016600	000016		MOV	16(SP),R0	; TMP.LOCATION,*	
000432	006200			ASR	R0		
000434	006200			ASR	R0		
000436	042700	177400		BIC	#177400,R0		
000442	010016			MOV	R0,(SP)		
000444	013746	000000G		MOV	TEMP1,-(SP,		
000450	013766	000000G	000022	MOV	GET.ADR,22(SP)	; *,TMP.LOCATION	
000456	062766	000014	000022	ADD	#14,22(SP)	; *,TMP.LOCATION	
000464	016646	000022		MOV	22(SP),-(SP)	; TMP.LOCATION,*	
000470	012746	000000G		MOV	#MSG30,-(SP)		
000474	012746	000004		MOV	#4,-(SP)		
000500	010600			MOV	SP,R0	; SP,*	
000502	104414			TRAP	14		
000504	104455			TRAP	55		2012
000506	000622			.WORD	622		
000510	000000G			.WORD	MSG00		
000512	000000G			.WORD	E1\$REPORT		
000514	062706	000016		ADD	#16,SP		2008
000520	006337	000000G	5\$:	ASL	TEMP1		2014
000524	104467			TRAP	67		
000526	006000			ROR	R0		
000530	103662			BLO	4\$		
000532	005301			DEC	R1	; INDEX	2002
000534	001260			BNE	4\$		
000536	012737	000376	000000G	MOV	#376,TEMP1		2023
000544	012701	000010		MOV	#10,R1	; * INDEX	2025
000550	104402		6\$:	TRAP	2		2026
000552	013700	000000G		MOV	REG.ADR,R0		2028
000556	013702	000000G		MOV	TEMP1,R2		
000562	006302			ASL	R2		
000564	006302			ASL	R2		
000566	042702	176003		BIC	#176003,R2		
000572	042760	001774	000014	BIC	#1774,14(R0)		
000600	050260	000014		BIS	R2,14(R0)		
000604	016066	000014	000014	MOV	14(R0),14(SP)	; *,TMP.LOCATION	2029
000612	013702	000000G		MOV	TEMP1,R2		
000616	016600	000014		MOV	14(SP),R0	; TMP.LOCATION,*	
000622	006200			ASR	R0		
000624	006200			ASR	R0		
000626	042700	177400		BIC	#177400,R0		
000632	020002			CMP	R0,R2		
000634	001456			BEQ	7\$		
000636	012746	000000G		MOV	#MSG59,-(SP)		2032
000642	012746	000001		MOV	#1,-(SP)		
000646	010600			MOV	SP,R0	; SP,*	
000650	104414			TRAP	14		
000652	012716	000000G		MOV	#MSG65,(SP)		2033
000656	012746	000001		MOV	#1,-(SP)		
000662	010600			MOV	SP,R0	; SP,*	
000664	104414			TRAP	14		
000666	013700	000000G		MOV	REG.ADR,R0		2034
000672	016066	000014	000024	MOV	14(R0),24(SP)	; *,TMP.LOCATION	
000700	016600	000024		MOV	24(SP),R0	; TMP.LOCATION,*	

NQNA3
V01.0

CNQNAO DEQNA FUNCTIONAL TEST
TEST 4 - INTERRUPT VECTOR ADDRESS TEST

12-Jul-1984 13:04:10
21-Jun-1984 08:36:17

VAX-11 Bliss-16 V4.0-579
SPIDER\$USERS.[BERG.DEQNA]NQNA3.BLI;1 (13)

```

000704 006200          ASR      R0
000706 006200          ASR      R0
000710 042700 177400   BIC      #177400,R0
000714 010016          MOV      R0,(SP)
000716 013746 000000G  MOV      TEMP1,-(SP)
000722 013766 000000G 000030  MOV      GET.ADR,30(SP)      ; *.TMP.LOCATION
000730 062766 000014 000030  ADD      #14,30(SP)        ; *.TMP.LOCATION
000736 016646 000030      MOV      30(SP),-(SP)      ; TMP.LOCATION,*
000742 012746 000000G      MOV      #MSG30,-(SP)
000746 012746 000004      MOV      #4,-(SP)
000752 010600          MOV      SP,R0              ; SP,*
000754 104414          TRAP     14
000756 104455          TRAP     55                  ;
000760 000623          .WORD   623
000762 000000G        .WORD   MSG00
000764 000000G        .WORD   E1$REPORT
000766 062706 000016      ADD      #16,SP              ;
000772 013700 000000G      MOV      TEMP1,R0          ;
000776 006300          ASL      R0
001000 005200          INC      R0
001002 005037 000000G      CLR      TEMP1
001006 110037 000000G      MOVB    R0,TEMP1
001012 104467          TRAP     67
001014 006000          ROR     R0
001016 103654          BLO     6$
001020 005301          DEC     R1                  ; INDEX
001022 001252          BNE     6$
001024 062706 000022      ADD      #22,SP              ;
001030 000207          RTS     PC

```

; Routine Size: 269 words, Routine Base: AB\$CODE\$ + 2114
; Maximum stack depth per invocation: 21 words

```

000000 004737 002114'   T4::
000000 1$:              JSR     PC,$T4              ;
000004 104466          TRAP     66
000006 006000          ROR     R0
000010 103773          BLO     1$
000012 000207          RTS     PC

```

; Routine Size: 6 words, Routine Base: AB\$CODE\$ + 3146
; Maximum stack depth per invocation: 2 words

; 2043 1

: 2044 1
: 2045 1
: 2046 1
: 2047 1
: 2048 1
: 2049 1
: 2050 1
: 2051 1
: 2052 1
: 2053 1
: 2054 1
: 2055 1
: 2056 1
: 2057 1
: 2058 1
: 2059 1
: 2060 1
: 2061 1
: 2062 1
: 2063 1
: 2064 1
: 2065 1
: 2066 1
: 2067 1
: 2068 1
: 2069 1
: 2070 1
: 2071 1
: 2072 1
: 2073 1
: 2074 1
: 2075 1
: 2076 1
: 2077 1
: 2078 1
: 2079 1
: 2080 1
: 2081 1
: 2082 1
: 2083 1
: 2084 1
: 2085 1
: 2086 1
: 2087 1
: 2088 1
: 2089 1
: 2090 1

!SBTTL 'TEST 5 - BOOT/DIAGNOSTIC PROM CHECKSUM TEST'

!..

TEST 5: BOOT/DIAGNOSTIC PROM CHECKSUM TEST

DESCRIPTION:

This test verifies that the contents of the on-board ROM (Boot/Diagnostic ROM) can be loaded to the host memory correctly. Checksum is generated from the ROM data read and this checksum is compared to the checksum stored in the last word location of the on-board ROM. If the operator specifies loop on error, the program re-executes the code that detected the error until ^C is entered.

Hardware tested: Q-Bus to DMA interface
I8051 microprocessor
I8051 ROM
CSR register
Receive FIFO

Processing:

BEGIN

reset device
setup Receive Descriptor List(s)
set Boot/Diagnostic ROM and External loopback bits
This moves ROM boot code into receive FIFO
wait 10 msec. or until RL (bit 5 in CSR) = 0
check CSR status (bit 5) and RCV Descriptor List status
IF error
THEN
print error message if not inhibited
ENDIF
clear Boot/Diagnostic ROM bit in CSR
This moves contents of FIFO to host memory
wait 10 msec. or until RCV Descriptor status changed
IF change in status
THEN
print error message if not inhibited
ENDIF
compute ROM checksum and compare to checksum read from ROM
IF not equal
THEN
print error message if not inhibited
ENDIF

END

!..

NQNA3
V01.0

CNQNAO DEQNA FUNCTIONAL TEST
TEST 5 - BOOT/DIAGNOSTIC PROM CHECKSUM TEST

12-Jul-1984 13:04:10
21-Jun 1984 08:36:17

VAX-11 Bliss-16 v4.0-579
SPIDER\$USERS:(BERG.DEQNA)NQNA3.BLI;1

SEQ 0112
Page 29
(15)

```

: 2091 3  BGNTST;
: 2092 3
: 2093 3  RESET_DEQNA ( );
: 2094 3  CLR_BUFFERS ( 2 * K );
: 2095 3
: 2096 3  !..
: 2097 3  ! COPY BOOT/DIAGNOSTIC PROM DESCRIPTOR LIST INTO WORK AREA
: 2098 3  !..
: 2099 3
: 2100 3  INCR INDEX FROM 0 TO BD_D_SIZE - 1 DO
: 2101 3  DESCR_LIST [ .INDEX, W_LEN ] = .BD_PROM_DESCR [ .INDEX ];
: 2102 3
: 2103 3  .IOP_TABLE [ RLO_ADR ] = RCV_D_LIST;
: 2104 3  .IOP_TABLE [ RHI_ADR ] = 0;
: 2105 3
: 2106 3  PUT_BIT ( CSR, LB, EXT_LOOPBACK );
: 2107 3  PUT_BIT ( CSR, BD, SET_IT );
: 2108 3
: 2109 3  DELAY ( K );
: 2110 3  INCR INDEX FROM 0 TO TIME3_LIMIT DO
: 2111 3  IF GET_BIT [ CSR, RL ] EQLU ZERO
: 2112 3  THEN
: 2113 4  BEGIN
: 2114 4  TEMP1 = .INDEX;
: 2115 4  EXITLOOP;
: 2116 4  END
: 2117 3  ELSE
: 2118 3  IF .INDEX EQLU TIME3_LIMIT
: 2119 3  THEN
: 2120 4  BEGIN
: 2121 4  PRINTB ( MSG59 );
: 2122 4  PRINTB ( MSG66, GET_BIT [ CSR_ALL ] );
: 2123 4  ERRDF ( 0501, MSG00, ERROR$REPORT );
: 2124 3  END;
: 2125 3
: 2126 3  VER_DESCR_STATUS ( );
: 2127 3
: 2128 3  !..
: 2129 3  ! FINISH BOOT/DIAGNOSTIC PROM UPLOAD
: 2130 3  !..
: 2131 3
: 2132 3  PUT_BIT ( CSR, BD, CLR_IT );
: 2133 3  DELAY ( K );
: 2134 3
: 2135 3  !..
: 2136 3  ! CHECK IF RECEIVE STATUS CHANGED
: 2137 3  !..
: 2138 3
: 2139 3  VER_DESCR_STATUS ( );
: 2140 3
: 2141 3  RESET_DEQNA ( );
: 2142 3
: 2143 3  TEMP3 = 0;

```

NQNA3
V01.0

CNQNA0 DEQNA FUNCTIONAL TEST
TEST 5 BOOT/DIAGNOSTIC PROM CHECKSUM TEST

12-Jul-1984 13:04:10
21-Jun-1984 08:36:17

VAX-11 Bliss-16 V4.0-579
SPIDER\$USERS:(BERG.DEQNA)NQNA3.BLI;1

```

: 2144 3 TEMP3 = .DATA_BUFFER [ CHSUM_OFFSET + 1 ];
: 2145 3 TEMP3 = ( .TEMP3 + 8 ) AND #X'FF00';
: 2146 3 TEMP3 = .DATA_BUFFER [ CHSUM_OFFSET ] + .TEMP3;
: 2147 3
: 2148 3 TEMP2 = .DATA_BUFFER [ .TEMP3 + 1 ];
: 2149 3 TEMP2 = ( .TEMP2 + 8 ) AND #X'FF00';
: 2150 3 TEMP2 = .DATA_BUFFER [ .TEMP3 ] + .TEMP2;
: 2151 3
: 2152 3 COUNTER = 0;
: 2153 3 CHECKSUM = 0;
: 2154 3
: 2155 3 INCR INDEX FROM 0 TO PROM_SIZE - 2 DO
: 2156 3 IF .COUNTER EQLU .TEMP3
: 2157 3 THEN
: 2158 3 COUNTER = .COUNTER + 2
: 2159 3 ELSE
: 2160 3 BEGIN
: 2161 3 CHECKSUM = .CHECKSUM + ( .DATA_BUFFER [ .COUNTER ] AND #X'FF' );
: 2162 3 COUNTER = .COUNTER + 1;
: 2163 3 END;
: 2164 3
: 2165 4 IF ( .TEMP2 EQLU ZERO ) OR ( .TEMP2 NEQU .CHECKSUM )
: 2166 3 THEN
: 2167 4 BEGIN
: 2168 4 CSR_WORD = GET_BIT ( CSR_ALL );
: 2169 4 PRINTB ( MSG59 );
: 2170 4 PRINTB ( MSG67, .TEMP3, .TEMP2, .CHECKSUM );
: 2171 4 ERRDF ( 0502, MSG00, E1$REPORT);
: 2172 3 END;
: 2173 3
: 2174 1 ENDTST;

```

		.SBTTL	\$T5 TEST 5 - BOOT/DIAGNOSTIC PROM CHECKSUM TEST	
000000	004137	000000G	\$T5: JSR R1,\$SAVE3	2042
000004	162706	000010	SUB #10,SP	
000010	004737	000000G	JSR PC,RESET.DEQNA	2093
000014	012746	004000	MOV #4000,(SP)	2094
000020	004737	000000G	JSR PC,CLR.BUFFERS	
000024	005000		CLR R0	: INDEX 2100
000026	016060	000000G 000000G	1\$: MOV BD.PROM.DESCR(R0),DESCR.LIST(R0);	*(INDEX),*(INDEX) 2101
000034	062700	000002	ADD #2,R0	: *,INDEX 2100
000040	020027	000036	CMP R0,#36	: INDEX,*
000044	003770		BLE 1\$	
000046	012777	000000G 000004G	MOV #RCV.D.LIST,@IOP.TABLE+4	: 2103
000054	005077	000006G	CLR @IOP.TABLE+6	: 2104
000060	013700	000000G	MOV REG.ADR,R0	: 2106
000064	052760	001410 000016	BIS #1410,16(R0)	: 2107
000072	012701	002000	MOV #2000,R1	: *,\$\$TMP2 2109
000076	001411		2\$: BEQ 5\$	
000100	013700	000000G	MOV L\$DLY,R0	: *,\$\$TMP1
000104	001404		BEQ 4\$	
000106	005066	000010	3\$: CLR 10(SP)	: \$\$TMP

NQNA3
V01.0

CNQNAAO DEQNA FUNCTIONAL TEST
TEST 5 BOOT/DIAGNOSTIC PROM CHECKSUM TEST

12-Jul-1984 13:04:10
21-Jun-1984 08:36:17

000112	005300			DEC	R0			
000114	001374			BNE	3\$			
000116	005301		4\$:	DEC	R1			
000120	000766			BR	2\$			
000122	005001		5\$:	CLR	R1			2110
000124	013700	000000G	6\$:	MOV	REG.ADR,R0			2111
000130	016066	000016 000002		MOV	16(R0),2(SP)			
000136	032766	000040 000002		BIT	#40,2(SP)			
000144	001003			BNE	7\$			
000146	010137	000000G		MOV	R1,TEMP1			2114
000152	000440			BR	9\$			2113
000154	020127	002000	7\$:	CMP	R1,#2000			2118
000160	001031			BNE	8\$			
000162	012716	000000G		MOV	#MSG59,(SP)			2121
000166	012746	000001		MOV	#1,-(SP)			
000172	010600			MOV	SP,R0			
000174	104414			TRAP	14			
000176	013700	000000G		MOV	REG.ADR,R0			2122
000202	016066	000016 000006		MOV	16(R0),6(SP)			
000210	016616	000006		MOV	6(SP),(SP)			
000214	012746	000000G		MOV	#MSG66,-(SP)			
000220	012746	000002		MOV	#2,-(SP)			
000224	010600			MOV	SP,R0			
000226	104414			TRAP	14			
000230	104455			TRAP	55			2123
000232	000765			.WORD	765			
000234	000000G			.WORD	MSG00			
000236	000000G			.WORD	ERROR\$REPORT			
000240	062706	000006		ADD	#6,SP			2120
000244	005201		8\$:	INC	R1			2110
000246	020127	002000		CMP	R1,#2000			
000252	003724			BLE	6\$			
000254	004737	000000G	9\$:	JSR	PC,VER.DESCR STATUS			2126
000260	013700	000000G		MOV	REG.ADR,R0			2132
000264	142760	000010 000016		BICB	#10,16(R0)			
000272	012701	002000		MOV	#2000,R1			2133
000276	001411		10\$:	BEQ	13\$			
000300	013700	000000G		MOV	L\$DLY,R0			
000304	001404			BEQ	12\$			
000306	005066	000010	11\$:	CLR	10(SP)			
000312	005300			DEC	R0			
000314	001374			BNE	11\$			
000316	005301		12\$:	DEC	R1			
000320	000766			BR	10\$			
000322	004737	000000G	13\$:	JSR	PC,VER.DESCR.STATUS			2139
000326	004737	000000G		JSR	PC,RESET.DEQNA			2141
000332	005037	000000G		CLR	TEMP3			2144
000336	113737	000007G 000000G		MOVB	DATA.BUFFER+7,TEMP3			
000344	013700	000000G		MOV	TEMP3,R0			2145
000350	000300			SWAB	R0			
000352	136000			CLRB	R0			
000354	010037	000000G		MOV	R0,TEMP3			
000360	042737	000377 000000G		BIC	#377,TEMP3			

VAX-11 Bliss-16 V4.0-579
SPIDER\$USERS:(BERG.DEQNA)NQNA3.PLI;1

NQNA3
V01.0CNQNAAG DEQNA FUNCTIONAL TEST
TEST 5 - BOOT/DIAGNOSTIC PROM CHECKSUM TEST12-Jul-1984 13:04:10
21-Jun-1984 08:36:17VAX-11 Bliss-16 V4.0-579
SPIDER\$USERS:(BERG.DEQNA)NQNA3.BLI:1SEQ 0115
Page 32
(15)

000366	005000		CLR	R0	:	2146
000370	153700	000006G	BTSB	DATA.BUFFER+6,R0		
000374	060037	000000G	ADD	R0,TEMP3		
000400	013701	000000G	MOV	TEMP3,R1	:	2148
000404	116137	000001G 000000G	MOVB	DATA.BUFFER+1(R1),TEMP2		
000412	105037	000001G	CLRB	TEMP2+1		
000416	013700	000000G	MOV	TEMP2,R0	:	2149
000422	000300		SWAB	R0		
000424	105000		CLRB	R0		
000426	010037	000000G	MOV	R0,TEMP2		
000432	042737	000377 000000G	BIC	#377,TEMP2		
000440	005000		CLR	R0	:	2150
000442	156100	000000G	BISB	DATA.BUFFER(R1),R0		
000446	060037	000000G	ADD	R0,TEMP2		
000452	005037	000000G	CLR	COUNTER	:	2152
000456	005037	000000G	CLR	CHECKSUM	:	2153
000462	012702	007777	MOV	#7777,R2	: *,INDEX	2155
000466	013700	000000G	MOV	COUNTER,R0	:	2156
000472	020001		CMP	R0,R1		
000474	001004		BNE	15#		
000476	062737	000002 000000G	ADD	#2,COUNTER	:	2158
000504	000407		BR	16#	:	2156
000506	005003		CLR	R3	:	2161
000510	156003	000000G	BISB	DATA.BUFFER(R0),R3		
000514	060337	000000G	ADD	R3,CHECKSUM		
000520	005237	000000G	INC	COUNTER	:	2162
000524	005302		DEC	R2	: INDEX	2155
000526	001357		BNE	14#		
000530	013700	000000G	MOV	TEMP2,R0	:	2165
000534	001403		BEQ	17#		
000536	020037	000000G	CMP	R0,CHECKSUM		
000542	001440		BEQ	18#		
000544	013700	000000G	MOV	REG.ADR,R0	:	2168
000550	016066	000016 000006	MOV	16(R0),6(SP)	: *,TMP.LOCATION	
000556	016637	000006 000000G	MOV	6(SP),CSR.WORD	: TMP.LOCATION,*	
000564	012716	000000G	MOV	#MSG59,(SP)	:	2169
000570	012746	000001	MOV	#1,-(SP)		
000574	010600		MOV	SP,R0	: SP,*	
000576	104414		TRAP	14		
000600	013716	000000G	MOV	CHECKSUM,(SP)	:	2170
000604	013746	000000G	MOV	TEMP2,-(SP)		
000610	013746	000000G	MOV	TEMP3,-(SP)		
000614	012746	000000G	MOV	#MSG67,-(SP)		
000620	012746	000004	MOV	#4,-(SP)		
000624	010600		MOV	SP,R0	: SP,*	
000626	104414		TRAP	14		
000630	104455		TRAP	55	:	2171
000632	000766		.WORD	766		
000634	000000G		.WORD	MSG00		
000636	000000G		.WORD	E1\$REPORT		
000640	062706	000012	ADD	#12,SP	:	2167
000644	062706	000012	ADD	#12,SP	:	2042
000650	000207		RTS	PC		

NQNA3
V01.0

CNQNAO DEQNA FUNCTIONAL TEST
TEST 5 - BOOT/DIAGNOSTIC PROM CHECKSUM TEST

12-Jul-1984 13:04:10
21-Jun-1984 08:36:17

VAX-11 Bliss-16 V4.0-579
SPIDER#USERS:(BERG.DEQNA)NQNA3.BLI;1

: Routine Size: 213 words, Routine Base: AB#CODE# + 3162
: Maximum stack depth per invocation: 16 words

			.SBTTL	T5 TEST 5 - BOOT/DIAGNOSTIC PROM CHECKSUM TEST	
000000	004737	003162'	T5::		
000000			1#:	JSR PC,\$T5	2172
000004	104466			TRAP 66	
000006	006000			ROR R0	
000010	103773			BLO 1#	
000012	000207			RTS PC	

: Routine Size: 6 words, Routine Base: AB#CODE# + 4034
: Maximum stack depth per invocation: 2 words

: 2175 1

NQNA3
V01.0CNQNAO DEQNA FUNCTIONAL TEST
TEST 6 - INTERRUPT SANITY TEST12-Jul-1984 13:04:10
21-Jun-1984 08:36:17VAX-11 Bliss-16 V4.0-579
SPIDER#USERS:(BERG.DEQNA)NQNA3.BLI:1

*SBTTL 'TEST 6 - INTERRUPT SANITY TEST'

!..

TEST 6: INTERRUPT SANITY TEST

DESCRIPTION:

This test verifies that DEQNA interrupts the processor only at the expected level (4) and not any other level. If the operator specifies loop on error, the program re-executes the code that detected the error until ^C is entered.

Hardware tested: Q-Bus to QTDC interface
CSR register
Q-Bus timeout logic
QTDC interrupt logic

Processing:

```

BEGIN
  reset device
  set-up for NXM interrupt
  REPEAT for each processor priority level
    enable device interrupt (set CSR bit 6)
    force NXM interrupt
    check for expected CSR status
    IF error
      THEN
        print error message if not inhibited
    ENDIF
  ENDREPEAT
END

```

!..

```

: 2176 1
: 2177 1
: 2178 1
: 2179 1
: 2180 1
: 2181 1
: 2182 1
: 2183 1
: 2184 1
: 2185 1
: 2186 1
: 2187 1
: 2188 1
: 2189 1
: 2190 1
: 2191 1
: 2192 1
: 2193 1
: 2194 1
: 2195 1
: 2196 1
: 2197 1
: 2198 1
: 2199 1
: 2200 1
: 2201 1
: 2202 1
: 2203 1
: 2204 1
: 2205 1
: 2206 1
: 2207 1

```

```

: 2206 1
: 2209 3  BGNTST;
: 2210 4
: 2211 5  RESET_DEQNA ( );
: 2212 3  SETVEC ( .HMP_TABLE [ VEC ], NXM_INT, PRI07 ); ! SET UP FOR AN NXM INTERRUPT
: 2213 3  .IOP_TABLE [ INT_VEC ] = .HMP_TABLE [ VEC ];
: 2214 3  TMP_IOP_ADR = .HMP_TABLE [ ADDR ];
: 2215 3  COUNTER = 0;
: 2216 3
: 2217 3  INCR PRIORITY FROM PRI00 TO PRI07 BY #0'40' DO
: 2218 4  BEGIN
: 2219 4  SETPRI ( .PRIORITY ); ! SET PROCESSOR PRI LEVEL
: 2220 6  BGNSUB;
: 2221 6  PUT_BIT ( CSR, IE, SET_IT ); ! ENABLE INTERRUPTS
: 2222 6  DELAY ( 5 ); !
: 2223 6  INTERRUPT_FLG = CLEAR_FLG;
: 2224 6
: 2225 6  .IOP_TABLE [ XLO_ADR ] = NXM_LO_ADR; ! WRITE LOW ADDRESS
: 2226 6  .IOP_TABLE [ XHI_ADR ] = NXM_HI_ADR; ! WRITE HIGH ADDRESS
: 2227 6
: 2228 6  DELAY ( 2 );
: 2229 6  GETPRI ( TEMP1 );
: 2230 6  TEMP1 = .TEMP1 + ( - 5 );
: 2231 6
: 2232 6  IF .INTERRUPT_FLG EQLU WORD_LIMIT
: 2233 6  THEN ! INTERRUPT SHOULD NOT OCCUR
: 2234 6  IF .PRIORITY GTRU PRI03
: 2235 6  THEN
: 2236 7  BEGIN
: 2237 7  PRINTB ( MSG59 );
: 2238 7  PRINTB ( MSG69, .TMP_IOP_ADR, .TEMP1, .COUNTER );
: 2239 7  ERRDF ( 0601, MSG00, E1$REPORT );
: 2240 6  END;
: 2241 6
: 2242 6  IF .INTERRUPT_FLG EQLU ZERO
: 2243 6  THEN ! INTERRUPT SHOULD OCCUR
: 2244 6  IF .PRIORITY LEQU PRI03
: 2245 6  THEN
: 2246 7  BEGIN
: 2247 7  PRINTB ( MSG59 );
: 2248 7  PRINTB ( MSG69, .TMP_IOP_ADR, .TEMP1, .COUNTER );
: 2249 7  ERRDF ( 0602, MSG00, E1$REPORT );
: 2250 6  END;
: 2251 6  RESET_DEQNA ( );
: 2252 4  ENDSUB;
: 2253 4  COUNTER = .COUNTER + 1;
: 2254 3  END;
: 2255 3
: 2256 3  SETPRI ( PRI03 ); ! SET PROCESSOR PRI LEVEL
: 2257 3
: 2258 1  ENDTST;

```



```

.SBTTL $T6 TEST 6 - INTERRUPT SANITY TEST
000000 004137 000000G $T6: JSR R1,$SAVE2 ; 2174
000004 005746 TST -(SP)
000006 004737 000000G JSR PC,RESET.DEQNA ; 2211
000012 012746 000000G MOV @PRI07,-(SP) ; 2212
000016 012746 000000G MOV @NXM INT,-(SP)
000022 013700 000000G MOV HWP.TABLE,R0
000026 016046 000002 MOV 2(R0),-(SP)
000032 012746 000003 MOV @3,-(SP)
000036 104437 TRAP 37
000040 013700 000000G MOV HWP.TABLE,R0 ; 2213
000044 016077 000002 000014G MOV 2(R0),@IOP.TABLE+14
000052 017737 000000G 000000G MOV @HWP.TABLE,TMP.IOP.ADR ; 2214
000060 005037 000000G CLR COUNTER ; 2215
000064 012702 000000G MOV @PRI00,R2 ; *,PRIORITY 2217
000070 000571 BR 13$
000072 010200 1$: MOV R2,R0 ; PRIORITY,* 2219
000074 104441 TRAP 41
000076 104402 2$: TRAP 2
000100 013700 000000G MOV REG.ADR,R0 ; 2221
000104 152760 000100 000016 BISB @100,16(R0)
000112 012701 000005 MOV @5,R1 ; *,$$TMP2 2222
000116 001411 3$: BEQ 6$
000120 013700 000000G MOV L$DLY,R0 ; *,$$TMP1
000124 001404 BEQ 5$
000126 005066 000010 4$: CLR 10(SP) ; $$TMP
000132 005300 DEC R0 ; $$TMP1
000134 001374 BNE 4$
000136 005301 5$: DEC R1 ; $$TMP2
000140 000766 BR 3$
000142 005037 000000G 6$: CLR INTERRUPT.FLG ; 2223
000146 012777 160000 000010G MOV @-20000,@IOP.TABLE+10 ; 2225
000154 012777 000077 000012G MOV @77,@IOP.TABLE+12 ; 2226
000162 012701 000002 MOV @2,R1 ; *,$$TMP2 2228
000166 001411 7$: BEQ 10$
000170 013700 000000G MOV L$DLY,R0 ; *,$$TMP1
000174 001404 BEQ 9$
000176 005066 000010 8$: CLR 10(SP) ; $$TMP
000202 005300 DEC R0 ; $$TMP1
000204 001374 BNE 8$
000206 005301 9$: DEC R1 ; $$TMP2
000210 000766 BR 7$
000212 104440 10$: TRAP 40 ; 2229
000214 010037 000000G MOV R0,TEMP1
000220 010016 MOV R0,(SP) ; TEMP1,* 2230
000222 012746 177773 MOV @-5,-(SP)
000226 004737 000000G JSR PC,BL$SHF
000232 010037 000000G MOV R0,TEMP1
000236 023727 000000G 177777 CMP INTERRUPT.FLG,@-1 ; 2232
000244 001033 BNE 11$
000246 020227 000000G CMP R2,@PRI03 ; PRIORITY,* 2234
000252 101430 BLOS 11$
000254 012716 000000G MOV @MSG59,(SP) ; 2237

```

NQNA3
V01.0

CNQNAO DEQNA FUNCTIONAL TEST
TEST 6 INTERRUPT SANITY TEST

12-Jul-1984 13:04:10
21-Jun-1984 08:36:17

VAX-11 Bliss-16 V4.0-579
SPIDER\$USERS:(BERG.DEQNA)NQNA3.BLI:1

000260	012746	000001		MOV	#1,-(SP)		
000264	010600			MOV	SP,R0	; SP,*	
000266	104414			TRAP	14		
000270	013716	000000G		MOV	COUNTER,(SP)		2238
000274	013746	000000G		MOV	TEMP1,-(SP)		
000300	013746	000000G		MOV	TMP.IOP.ADR,-(SP)		
000304	012746	000000G		MOV	#MSG69,-(SP)		
000310	012746	000004		MOV	#4,-(SP)		
000314	010600			MOV	SP,R0	; SP,*	
000316	104414			TRAP	14		
000320	104455			TRAP	55		2239
000322	001131			.WORD	1131		
000324	000000G			.WORD	MSG00		
000326	000000G			.WORD	E1\$REPORT		
000330	062706	000012		ADD	#12,SP		2236
000334	005737	000000G	11\$:	TST	INTERRUPT.FLG		2242
000340	001033			BNE	12\$		
000342	020227	000000G		CMP	R2,#PRI03	; PRIORITY,*	2244
000346	101030			BHI	12\$		
000350	012716	000000G		MOV	#MSG59,(SP)		2247
000354	012746	000001		MOV	#1,-(SP)		
000360	010600			MOV	SP,R0	; SP,*	
000362	104414			TRAP	14		
000364	013716	000000G		MOV	COUNTER,(SP)		2248
000370	013746	000000G		MOV	TEMP1,-(SP)		
000374	013746	000000G		MOV	TMP.IOP.ADR,-(SP)		
000400	012746	000000G		MOV	#MSG69,-(SP)		
000404	012746	000004		MOV	#4,-(SP)		
000410	010600			MOV	SP,R0	; SP,*	
000412	104414			TRAP	14		
000414	104455			TRAP	55		2249
000416	001132			.WORD	1132		
000420	000000G			.WORD	MSG00		
000422	000000G			.WORD	E1\$REPORT		
000424	062706	000012		ADD	#12,SP		2246
000430	004737	000000G	12\$:	JSR	PC,RESET.DEQNA		2251
000434	005726			TST	(SP)+		2219
000436	104467			TRAP	67		2251
000440	006000			ROR	R0		
000442	103615			BLO	2\$		
000444	005237	000000G		INC	COUNTER		2253
000450	062702	000040		ADD	#40,R2	; *,PRIORITY	2217
000454	020227	000000G	13\$:	CMP	R2,#PRI07	; PRIORITY,*	
000460	003604			BLE	1\$		
000462	012700	000000G		MOV	#PRI03,R0		2256
000466	104441			TRAP	41		
000470	062706	000012		ADD	#12,SP		2174
000474	000207			RTS	PC		

; Routine Size: 159 words, Routine Base: AB\$CODE\$ + 4050
; Maximum stack depth per invocation: 16 words

NQNA3
V01.0

CNQNAAO DEQNA FUNCTIONAL TEST
TEST 6 - INTERRUPT SANITY TEST

12-Jul-1984 13:04:10
21-Jun-1984 08:36:17

VAX-11 B1:88-16 V4.0-579
SPIDER:USERS:(BERG.DEQNA)NQNA3.BLI:1
SEQ 0121
Page 33
(17)

			.SBTTL	T6 TEST 6 - INTERRUPT SANITY TEST	
000000	004737	004050'	T6::		
000000			1\$:	JSR PC,\$T6	2256
000004	104466			TRAP 66	
000006	006000			ROR R0	
000010	103773			BLO 1\$	
0000:2	000207			RTS PC	

: Routine Size: 6 words. Routine Base: AB\$CODE\$ + 4546
 : Maximum stack depth per invocation: 2 words

: 2259 1

```

: 2260 1 #SBTTL 'TEST 7 - ETHERNET CARRIER SENSE TEST'
: 2261 1 :..
: 2262 1 :
: 2263 1 TEST 7: ETHERNET CARRIER SENSE TEST
: 2264 1 :
: 2265 1 DESCRIPTION:
: 2266 1
: 2267 1 This test verifies that the DEQNA can transmit external loopback
: 2268 1 packets and if not faulty FRU is can be found by executing this
: 2269 1 by implementing the instructions printed on the operator's console.
: 2270 1
: 2271 1 In order to run this test successfully the operator has to make
: 2272 1 sure that DEQNA is connected to the transceiver. If the operator
: 2273 1 specifies loop on error, the program re-executes the code that detected
: 2274 1 the error until TC is entered.
: 2275 1
: 2276 1 Hardware tested: Carrier Sense circuitry
: 2277 1 Encode/Decode ( ED ) chip
: 2278 1
: 2279 1 Processing:
: 2280 1
: 2281 1 BEGIN
: 2282 1 reset device
: 2283 1 select external loopback mode
: 2284 1 check external hardware
: 2285 1 IF bad hardware
: 2286 1 THEN
: 2287 1 print error message if not inhibited
: 2288 1 ENDIF
: 2289 1 read CSR
: 2290 1 IF Ethernet Carrier Sense bit ( bit 13 ) = 1
: 2291 1 THEN
: 2292 1 print error message if not inhibited
: 2293 1 ENDIF
: 2294 1 transmit longest unchained loopback packet ( ETHERNET format )
: 2295 1 read CSR while transmitting loopback packet
: 2296 1 IF Ethernet Carrier Sense bit (bit 13) = 0
: 2297 1 THEN
: 2298 1 print error message if not inhibited
: 2299 1 ELSE
: 2300 1 wait until Carrer Sense bit goes to 0
: 2301 1 ENDIF
: 2302 1 read CSR
: 2303 1 IF Ethernet Carrier Sense bit (bit 13) = 1
: 2304 1 THEN
: 2305 1 print error message if not inhibited
: 2306 1 ENDIF
: 2307 1 END
: 2308 1 :..

```

```

: 2309 3  BGNTST;
: 2310 3
: 2311 3  IF .SWP_ILOOP
: 2312 3  THEN
: 2313 4  BEGIN
: 2314 4  RESET_DEQNA ( );
: 2315 5  IF ( NOT GET_BIT [ CSR, XC ] ) AND ( .SWP_LBC EQLU ZERO )
: 2316 4  THEN
: 2317 5  BEGIN
: 2318 5  CSR_WORD = GET_BIT [ CSR_ALL ];
: 2319 5  SELECTONE .XC_FLAG OF
: 2320 5  SET
: 2321 5  [ 0 ]:
: 2322 6  BEGIN
: 2323 6  XC_FLAG = .XC_FLAG + 1;
: 2324 6  PRINTB ( MSG59 );
: 2325 6  PRINTB ( MSG47 );
: 2326 6  ERRDF ( 0704, MSG00, ERROR$REPORT );
: 2327 5  END;
: 2328 5  [ 1 ]:
: 2329 6  BEGIN
: 2330 6  XC_FLAG = ZERO;
: 2331 6  PRINTB ( MSG59 );
: 2332 6  PRINTB ( MSG42 );
: 2333 6  ERRDF ( 0705, MSG00, ERROR$REPORT );
: 2334 5  END;
: 2335 5  TES;
: 2336 5  EXIT_TST;
: 2337 5  END
: 2338 4  ELSE
: 2339 4  XC_FLAG = ZERO;
: 2340 4
: 2341 4  !..
: 2342 4  ! RESET DEQNA AND INITIALIZE ETHERNET STATION ADDRESS RAM IF EXECUTING
: 2343 4  ! TESTS IN EXTERNAL LOOPBACK MODE.
: 2344 4  !..
: 2345 4
: 2346 4  RESET_DEQNA ( );
: 2347 4  PREP_FOR_SETUP ( );
: 2348 4  INCR INDEX1 FROM 1 TO 14 DO
: 2349 4  WRT_STATION_ADR ( .INDEX1, PHA_INDEX );
: 2350 4
: 2351 6  BGNSUB;
: 2352 6  XMIT_SETUP_PACKET ( N_MODE );
: 2353 4  ENDSUB;
: 2354 4
: 2355 4  ERR_FLAG = ZERO;
: 2356 4  INCR INDEX2 FROM 0 TO 19 DO
: 2357 5  BEGIN
: 2358 5  SEND_TEST_PACKET ( );
: 2359 5  DELAY ( 100 );
: 2360 5  CSR_WORD = GET_BIT ( CSR_ALL );
: 2361 5  IF ( .CSR_WORD AND #0'100220' ) EQLU #0'100220'

```

```

: 2362 5      THEN
: 2363 6      BEGIN
: 2364 6      ERR_FLAG = ZERO;
: 2365 6      EXITLOOP;
: 2366 6      END
: 2367 5      ELSE
: 2368 5      ERR_FLAG = ONE;
: 2369 4      END;
: 2370 4
: 2371 4      IF .ERR_FLAG
: 2372 4      THEN
: 2373 5      BEGIN
: 2374 5      SELECTONE .ERR_COUNT OF
: 2375 5      SET
: 2376 5      [ 0 ]:
: 2377 6      BEGIN
: 2378 6      ERR_COUNT = 1;
: 2379 6      PRINTB ( MSG59 );
: 2380 6      PRINTB ( MSG35 );
: 2381 6      PRINTB ( MSG36 );
: 2382 6      ERRDF ( 0706, MSG00, ERROR$REPORT );
: 2383 5      END;
: 2384 5      [ 1 ]:
: 2385 6      BEGIN
: 2386 6      ERR_COUNT = 2;
: 2387 6      PRINTB ( MSG59 );
: 2388 6      PRINTB ( MSG37 );
: 2389 6      PRINTB ( MSG38 );
: 2390 6      ERRDF ( 0707, MSG00, ERROR$REPORT );
: 2391 5      END;
: 2392 5      [ 2 ]:
: 2393 6      BEGIN
: 2394 6      ERR_COUNT = 3;
: 2395 6      PRINTB ( MSG59 );
: 2396 6      PRINTB ( MSG39 );
: 2397 6      PRINTB ( MSG40 );
: 2398 6      ERRDF ( 0708, MSG00, ERROR$REPORT );
: 2399 5      END;
: 2400 5      [ 3 ]:
: 2401 6      BEGIN
: 2402 6      ERR_COUNT = 0;
: 2403 6      PRINTB ( MSG59 );
: 2404 6      PRINTB ( MSG41 );
: 2405 6      ERRDF ( 0709, MSG00, ERROR$REPORT );
: 2406 5      END;
: 2407 5      [ 4 ]:
: 2408 6      BEGIN
: 2409 6      ERR_COUNT = 0;
: 2410 6      PRINTB ( MSG59 );
: 2411 6      PRINTB ( MSG45 );
: 2412 6      ERRDF ( 0710, MSG00, ERROR$REPORT );
: 2413 5      END;
: 2414 5      TES;

```

NQNA3
V01.0

CNQNAO DEQNA FUNCTIONAL TEST
TEST 7 - ETHERNET CARRIER SENSE TEST

12-Jul-1984 13:04:10
21-Jun-1984 08:36:17

VAX-11 Bliss 16 V4.0 579
SPIDER\$USERS:[BERG.DEQNA]NQNA3.BLI:1 (19)

```

: 2415 5      EXIT_TST;
: 2416 5      END
: 2417 4      ELSE
: 2418 4      IF .ERR_COUNT GTRU ZERO
: 2419 4      THEN
: 2420 5      BEGIN
: 2421 5          CSR_WORD = GET_BIT ( CSR_ALL );
: 2422 5          SELECTONE .ERR_COUNT OF
: 2423 5              SET
: 2424 5                  [ 1 ]:
: 2425 6                      BEGIN
: 2426 6                          ERR_COUNT = 4;
: 2427 6                          PRINTB ( MSG59 );
: 2428 6                          PRINTB ( MSG43 );
: 2429 6                          PRINTB ( MSG44 );
: 2430 6                          ERRDF ( 0711, MSG00, ERROR$REPORT );
: 2431 5                      END;
: 2432 5                  [ 2.3 ]:
: 2433 6                      BEGIN
: 2434 6                          ERR_COUNT = 0;
: 2435 6                          PRINTB ( MSG59 );
: 2436 6                          PRINTB ( MSG42 );
: 2437 6                          ERRDF ( 0712, MSG00, ERROR$REPORT );
: 2438 5                      END;
: 2439 5                  [ 4 ]:
: 2440 6                      BEGIN
: 2441 6                          ERR_COUNT = 0;
: 2442 6                          PRINTB ( MSG59 );
: 2443 6                          PRINTB ( MSG46 );
: 2444 6                          ERRDF ( 0713, MSG00, ERROR$REPORT );
: 2445 5                      END;
: 2446 5      TES;
: 2447 5      EXIT_TST;
: 2448 4      END;
: 2449 4
: 2450 4      XC_FLAG = ZERO;
: 2451 4      ERR_COUNT = ZERO;
: 2452 4
: 2453 6      BGNSUB;
: 2454 6      INCR INDEX2 FROM 0 TO TIME1_LIMIT DO
: 2455 7          BEGIN
: 2456 7              RESET_DEQNA ( );
: 2457 7              TEMP5 = .INDEX2;
: 2458 7
: 2459 7              !..
: 2460 7              ! CHECK ETHERNET CARRIER SENSE BIT ( CA - BIT 13 ) IN THE CSR. CA SHOULD BE
: 2461 7              ! SET TO '1' WHILE THE DEQNA IS TRANSMITTING. IF CA ISN'T SET TO '1' WITHIN
: 2462 7              ! THE EXPECTED TIME LIMIT, ERROR MESSAGE IS PRINTED OUT.
: 2463 7              !..
: 2464 7
: 2465 7              SEND_TEST_PACKET ( );
: 2466 7
: 2467 7          INCR INDEX FROM 0 TO TIME1_LIMIT DO

```

```

: 2468 7      IF GET_BIT [ CSR, CA ] EQLU ONF
: 2469 7      THEN
: 2470 8          BEGIN
: 2471 8              TEMP2 = GET_BIT [ CSR_ALL ];
: 2472 8              EXITLOOP;
: 2473 8          END
: 2474 7      ELSE
: 2475 7          IF .INDEX EQLU TIME1_LIMIT
: 2476 7              THEN
: 2477 8                  BEGIN
: 2478 8                      PRINTB ( MSG59 );
: 2479 8                      PRINTB ( MSG19, GET_BIT [ CSR_ALL ] );
: 2480 8                      ERRDF ( 0701, MSG00, ERROR$REPORT );
: 2481 7                  END;
: 2482 7
: 2483 7      !**
: 2484 7      ! NOW CHECK IF THE CA BIT RESETS TO '0' WHEN THE DEQNA COMPLETES TRANSMITTING
: 2485 7      ! LOOPBACK PACKET. PRINT ERROR MESSAGE IF LOOPBACK PACKET TRANSMISSION
: 2486 7      ! EXCEEDS SELECTED TIME LIMIT.
: 2487 7      !--
: 2488 7
: 2489 7      INCR INDEX FROM 0 TO TIME2_LIMIT DO
: 2490 7          IF GET_BIT [ CSR, CA ] EQLU ZERO
: 2491 7              THEN
: 2492 8                  BEGIN
: 2493 8                      TEMP3 = GET_BIT [ CSR_ALL ];
: 2494 8                      EXITLOOP;
: 2495 8                  END
: 2496 7              ELSE
: 2497 7                  IF .INDEX EQLU TIME2_LIMIT
: 2498 7                      THEN
: 2499 8                          BEGIN
: 2500 8                              PRINTB ( MSG59 );
: 2501 8                              PRINTB ( MSG20, GET_BIT [ CSR_ALL ] );
: 2502 8                              ERRDF ( 0702, MSG00, ERROR$REPORT );
: 2503 7                          END;
: 2504 7
: 2505 7      !**
: 2506 7      ! CHECK RECEIVE INTERRUPT REQUEST BIT ( RI - BIT 15 ) TO VERIFY THAT DEQNA
: 2507 7      ! ACTUALLY TRANSMITTED LOOPBACK PACKET.
: 2508 7      !--
: 2509 7
: 2510 7      DELAY ( 50 );
: 2511 7
: 2512 7      IF GET_BIT [ CSR, RI ] EQLU ONE
: 2513 7          THEN
: 2514 8              BEGIN
: 2515 8                  TEMP4 = GET_BIT [ CSR_ALL ];
: 2516 8                  EXITLOOP;
: 2517 7              END;
: 2518 6      END;
: 2519 6
: 2520 6      IF .TEMP5 EQLU TIME1_LIMIT

```



```

: 2521 6      THEN
: 2522 7      BEGIN
: 2523 7      PRINTB ( MSG59 );
: 2524 7      PRINTB ( MSG21, GET_BIT [ CSR_ALL ] );
: 2525 7      ERRDF ( 0703, MSG00, ERROR$REPORT );
: 2526 6      END;
: 2527 6
: 2528 6
: 2529 7      IF ( .XMIT_D_LIST [ ERRSU ] EQLU 1 ) AND ( .XMIT_D_LIST [ ABORT ] EQLU 1 )
: 2530 6      THEN
: 2531 7      BEGIN
: 2532 7      PRINTB ( MSG59 );
: 2533 7      PRINTB ( MSG71 );
: 2534 7      ERRDF ( 0714, MSG00, ERROR$REPORT );
: 2535 6      END;
: 2536 6
: 2537 6      !..
: 2538 6      ! COMPARE STATUS REGISTERS TO EXPECTED VALUES
: 2539 6      !..
: 2540 6
: 2541 6      CHK_CSR_STATUS ( CSR_STATUS, CSR_MASK      ); ! 0'100220', 0'100220'
: 2542 6      XMIT_D_LIST [ STWD1 ] = .XMIT_D_LIST [ STWD1 ] AND #0'177377';
: 2543 6      CHK_XMIT_STATUS ( XFLG_STATUS, XWD11_STATUS ); ! 0'140000', 0'000000'
: 2544 6      CHK_RCV_STATUS ( RFLG_STATUS, RWD1_STATUS  ); ! 0'140000', 0'020000'
: 2545 6
: 2546 6      IF .XMIT_D_LIST [ TDR ] EQLU ZERO
: 2547 6      THEN
: 2548 7      BEGIN
: 2549 7      PRINTB ( MSG59 );
: 2550 7      PRINTB ( MSG58 );
: 2551 7      ERRDF ( 0715, MSG00, ERROR$REPORT );
: 2552 6      END;
: 2553 6
: 2554 4      ENDSUB;
: 2555 3      END;
: 2556 1      ENDTST;

```

000000	004137	000000G	\$T7:	.SBTTL	\$T7 TEST 7 - ETHERNET CARRIER SENSE TEST		2258
000004	162706	000034		JSR	R1,\$SAVE2	:	
000010	032737	000001 0000C0G		SUB	#34,SP	:	
000016	001476			BIT	#1,SWP.ILOOP	:	2311
000020	004737	000000G		BEQ	4#	:	
000024	013700	000000G		JSR	PC,RESET.DEQNA	:	2314
000030	016016	000016		MOV	REG.ADR,R0	:	2315
000034	032716	010000		MOV	16(R0),(SP)	:	*.TMP.LOCATION
000040	001067			BIT	#10000,(SP)	:	*.TMP.LOCATION
000042	005737	000000G		BNE	5#	:	
000046	001064			TST	SWP.LBC	:	
000050	011666	000002		BNE	5#	:	
000054	011637	000000G		MOV	(SP),2(SP)	:	*.TMP.LOCATION
000060	013700	000000G		MOV	(SP),CSR.WORD	:	TMP.LOCATION.*
				MOV	XC.FLAG,R0	:	2319

L10

NQNA3
V01.0

CNQNAO DEQNA FUNCTIONAL TEST
TEST 7 - ETHERNET CARRIER SENSE TEST

12-Jul-1984 13:04:10
21-Jun-1984 08:36:17

VAX-11 Bliss-16 V4.0-579
SPIDER\$USERS:(BERG.DEQNA)NQNA3.BLI;1

SEQ 0128
Page 45
(19)

000064	001023		BNE	1\$:	2321
000066	005237	000000G	INC	XC.FLAG	:	2323
000072	012746	000000G	MOV	#MSG59,-(SP)	:	2324
000076	012746	000001	MOV	#1,-(SP)	:	
000102	010600		MOV	SP,R0	: SP,*	
000104	104414		TRAP	14	:	
000106	012716	000000G	MOV	#MSG47,(SP)	:	2325
000112	012746	000001	MOV	#1,-(SP)	:	
000116	010600		MOV	SP,R0	: SP,*	
000120	104414		TRAP	14	:	
000122	104455		TRAP	55	:	2326
000124	001300		.WORD	1300	:	
000126	000000G		.WORD	MSG00	:	
000130	000000G		.WORD	ERROR\$REPORT	:	
000132	000425		BR	2\$:	2322
000134	020027	000001	1\$:	CMP	R0,#1	: 2328
000140	001024		BNE	3\$:	
000142	005037	000000G	CLR	XC.FLAG	:	2330
000146	012746	000000G	MOV	#MSG59,-(SP)	:	2331
000152	012746	000001	MOV	#1,-(SP)	:	
000156	010600		MOV	SP,R0	: SP,*	
000160	104414		TRAP	14	:	
000162	012716	000000G	MOV	#MSG42,(SP)	:	2332
000166	012746	000001	MOV	#1,-(SP)	:	
000172	010600		MOV	SP,R0	: SP,*	
000174	104414		TRAP	14	:	
000176	104455		TRAP	55	:	2333
000200	001301		.WORD	1301	:	
000202	000000G		.WORD	MSG00	:	
000204	000000G		.WORD	ERROR\$REPORT	:	
000206	062706	000006	2\$:	ADD	#6,SP	: 2329
000212	104463		3\$:	TRAP	63	: 2335
000214	000137	007106'	4\$:	JMP	49\$: 2317
000220	005037	000000G	5\$:	CLR	XC.FLAG	: 2339
000224	004737	000000G		JSR	PC,RESET.DEQNA	: 2346
000230	004737	000000G		JSR	PC,PREP.FOR.SETUP	: 2347
000234	012701	000001		MOV	#1,R1	: *,INDEX1
000240	010146		6\$:	MOV	R1,-(SP)	: INDEX1,*
000242	012746	000023		MOV	#23,-(SP)	
000246	004737	000000G		JSR	PC,WRT.STATION.ADR	
000252	022626			CMP	(SP)*,(SP)*	
000254	005201			INC	R1	: INDEX1
000256	020127	000016		CMP	R1,#16	: INDEX1,*
000262	003766			BLE	6\$	
000264	104402		7\$:	TRAP	2	: 2349
000266	012746	000200		MOV	#200,-(SP)	: 2352
000272	004737	000000G		JSR	PC,XMIT.SETUP.PACKET	
000276	005726			TST	(SP)*	: 2349
000300	104467			TRAP	67	: 2352
000302	006000			ROR	R0	
000304	103767			BLO	7\$	
000306	005037	000000G		CLR	ERR.FLAG	: 2355
000312	012702	000024		MOV	#24,R2	: *,INDEX2

NQNA3 V01.0		CNQNAO DEGNA FUNCTIONAL TEST TEST 7 ETHERNET CARRIER SENSE TEST		12-Jul-1984 13:04:10 21-Jun-1984 08:36:17		VAX-11 Bliss-16 V4.0-579 SPIDER\$USERS:(BERG.DEGNA)NQNA3.BLI;1		SEQ 0129 Page 46 (19)	
000316	004737	000000G		8\$:	JSR	PC.SEND.TEST.PACKET	:		2358
000322	012701	000144			MOV	#144,R1	:	*,\$\$TMP2	2359
000326	001411			9\$:	BEQ	12\$			
000330	013700	000000G			MOV	L\$DLY,RO	:	*,\$\$TMP1	
000334	001404				BEQ	11\$			
000336	005066	000032		10\$:	CLR	32(SP)	:	\$\$TMP	
000342	005300				DEC	RO	:	\$\$TMP1	
000344	001374				BNE	10\$			
000346	005301			11\$:	DEC	R1	:	\$\$TMP2	
000350	000766				BR	9\$			
000352	013700	000000G		12\$:	MOV	REG.ADR,RO	:		2360
000356	016066	000016	000004		MOV	16(RO),4(SP)	:	*.TMP.LOCATION	
000364	016637	000004	000000G		MOV	4(SP).CSR.WORD	:	TMP.LOCATION,*	
000372	016600	000004			MOV	4(SP),RO	:	CSR.WORD,*	2361
000376	042700	077557			BIC	#77557,RO			
000402	020027	100220			CMP	RO,#-77560			
000406	001003				BNE	13\$			
000410	005037	000000G			CLR	ERR.FLAG	:		2364
000414	000405				BR	14\$:		2363
000416	012737	000001	000000G	13\$:	MOV	#1,ERR.FLAG	:		2368
000424	005302				DEC	R2	:	INDEX2	2356
000426	001333				BNE	8\$			
000430	013701	000000G		14\$:	MOV	ERR.COUNT,R1	:		2374
000434	032737	000001	000000G		BIT	#1,ERR.FLAG	:		2371
000442	001002				BNE	15\$			
000444	000137	005650'			JMP	23\$			
000450	005701			15\$:	TST	R1	:		2376
000452	001032				BNE	16\$			
000454	012737	000001	000000G		MOV	#1,ERR.COUNT	:		2378
000462	012746	000000G			MOV	#MSG59,-(SP)	:		2379
000466	012746	000001			MOV	#1,-(SP)			
000472	010600				MOV	SP,RO	:	SP,*	
000474	104414				TRAP	14			
000476	012716	000000G			MOV	#MSG35,(SP)	:		2380
000502	012746	000001			MOV	#1,-(SP)			
000506	010600				MOV	SP,RO	:	SP,*	
000510	104414				TRAP	14			
000512	012716	000000G			MOV	#MSG36,(SP)	:		2381
000516	012746	000001			MOV	#1,-(SP)			
000522	010600				MOV	SP,RO	:	SP,*	
000524	104414				TRAP	14			
000526	104455				TRAP	55	:		2382
000530	001302				.WORD	1302			
000532	000000G				.WORD	MSG00			
000534	000000G				.WORD	ERROR\$REPORT			
000536	000471				BR	18\$:		2377
000540	020127	000001		16\$:	CMP	R1,#1	:		2384
000544	001032				BNE	17\$			
000546	012737	000002	000000G		MOV	#2,ERR.COUNT	:		2386
000554	012746	000000G			MOV	#MSG59,-(SP)	:		2387
000560	012746	000001			MOV	#1,-(SP)			
000564	010600				MOV	SP,RO	:	SP,*	
000566	104414				TRAP	14			

NQNA3
V01.0

CNQNAO DEQNA FUNCTIONAL TEST
TEST 7 - ETHERNET CARRIER SENSE TEST

12-Jul-1984 13:04:10
21-Jun-1984 08:36:17

VAX-11 Bliss-16 V4.0-579
SPIDER\$USERS:(BERG.DEQNA)NQNA3.BLI;1 (19)

000570	012716	000000G		MOV	#MSG37,(SP)	:	2388
000574	012746	000001		MOV	#1,-(SP)	:	
000600	010600			MOV	SP,R0	: SP,*	
000602	104414			TRAP	14	:	
000604	012716	000000G		MOV	#MSG38,(SP)	:	2389
000610	012746	000001		MOV	#1,-(SP)	:	
000614	010600			MOV	SP,R0	: SP,*	
000616	104414			TRAP	14	:	
000620	104455			TRAP	55	:	2390
000622	001303			.WORD	1303	:	
000624	000000G			.WORD	MSG00	:	
000626	000000G			.WORD	ERROR\$REPORT	:	
000630	000434			BR	18\$:	2385
000632	020127	000002	17\$:	CMP	R1,#2	:	2392
000636	001034			BNE	19\$:	
000640	012737	000003	000000G	MOV	#3,ERR.COUNT	:	2394
000646	012746	000000G		MOV	#MSG59,-(SP)	:	2395
000652	012746	000001		MOV	#1,-(SP)	:	
000656	010600			MOV	SP,R0	: SP,*	
000660	104414			TRAP	14	:	
000662	012716	000000G		MOV	#MSG39,(SP)	:	2396
000666	012746	000001		MOV	#1,-(SP)	:	
000672	010600			MOV	SP,R0	: SP,*	
000674	104414			TRAP	14	:	
000676	012716	000000G		MOV	#MSG40,(SP)	:	2397
000702	012746	000001		MOV	#1,-(SP)	:	
000706	010600			MOV	SP,R0	: SP,*	
000710	104414			TRAP	14	:	
000712	104455			TRAP	55	:	2398
000714	001304			.WORD	1304	:	
000716	000000G			.WORD	MSG00	:	
000720	000000G			.WORD	ERROR\$REPORT	:	
000722	062706	000010	18\$:	ADD	#10,SP	:	2393
000726	000455			BR	22\$:	2374
000730	020127	000003	19\$:	CMP	R1,#3	:	2400
000734	001023			BNE	20\$:	
000736	005037	000000G		CLR	ERR.COUNT	:	2402
000742	012746	000000G		MOV	#MSG59,-(SP)	:	2403
000746	012746	000001		MOV	#1,-(SP)	:	
000752	010600			MOV	SP,R0	: SP,*	
000754	104414			TRAP	14	:	
000756	012716	000000G		MOV	#MSG41,(SP)	:	2404
000762	012746	000001		MOV	#1,-(SP)	:	
000766	010600			MOV	SP,R0	: SP,*	
000770	104414			TRAP	14	:	
000772	104455			TRAP	55	:	2405
000774	001305			.WORD	1305	:	
000776	000000G			.WORD	MSG00	:	
001000	000000G			.WORD	ERROR\$REPORT	:	
001002	000425			BR	21\$:	2401
001004	020127	000004	20\$:	CMP	R1,#4	:	2407
001010	001024			BNE	22\$:	
001012	005037	000000G		CLR	ERR.COUNT	:	2409

NONAS
V01.0

CNONAAG DEQNA FUNCTIONAL TEST
TEST 7 - ETHERNET CARRIER SENSE TEST

12-Jul-1984 13:04:10
21-Jun-1984 08:36:17

VAX-11 Bliss-16 v4.0-579
SPIDER\$USERS:(BERG.DEQNA)NONAS.BLI:1 (19)

001016	012746	000000G		MOV	#MSG59,-(SP)	:	2410
001022	012746	000001		MOV	#1,(SP)	:	
001026	010600			MOV	SP,R0	: SP,*	
0C1030	104414			TRAP	14	:	
001032	012716	000000G		MOV	#MSG45,(SP)	:	2411
001036	012746	000001		MOV	#1,-(SP)	:	
001042	010600			MOV	SP,R0	: SP,*	
001044	104414			TRAP	14	:	
001046	104455			TRAP	55	:	2412
001050	001306			.WORD	1306	:	
001052	000000G			.WORD	MSG00	:	
001054	000000G			.WORD	ERROR\$REPORT	:	
001056	062706	000006	21\$:	ADD	#6,SP	:	2408
001062	104463		22\$:	TRAP	63	:	2414
001064	000532			BR	28\$:	2373
001066	005701		23\$:	TST	R1	:	2418
001070	001532			BEQ	29\$:	
001072	013700	000000G		MOV	REG.ADR,R0	:	2421
001076	016066	000016	000006	MOV	16(R0),6(SP)	: *,TMP.LOCATION	
001104	016637	000006	000000G	MOV	6(SP),CSP.WORD	: TMP.LOCATION,*	
001112	020127	000001		CMP	R1,#1	:	2424
001116	001034			BNE	24\$:	
001120	012737	000004	000000G	MOV	#4,ERR.COUNT	:	2426
001126	012746	000000G		MOV	#MSG59,-(SP)	:	2427
001132	012746	000001		MOV	#1,-(SP)	:	
001136	010600			MOV	SP,R0	: SP,*	
001140	104414			TRAP	14	:	
001142	012716	000000G		MOV	#MSG43,(SP)	:	2428
001146	012746	000001		MOV	#1,-(SP)	:	
001152	010600			MOV	SP,R0	: SP,*	
001154	104414			TRAP	14	:	
001156	012716	000000G		MOV	#MSG44,(SP)	:	2429
001162	012746	000001		MOV	#1,-(SP)	:	
001166	010600			MOV	SP,R0	: SP,*	
001170	104414			TRAP	14	:	
001172	104455			TRAP	55	:	2430
001174	001307			.WORD	1307	:	
001176	000000G			.WORD	MSG00	:	
001200	000000G			.WORD	ERROR\$REPORT	:	
001202	062706	000010		ADD	#10,SP	:	2425
001206	000460			BR	27\$:	2422
001210	020127	000002	24\$:	CMP	R1,#2	:	2432
001214	002426			BLT	25\$:	
001216	020127	000003		CMP	R1,#3	:	
001222	003023			BGT	25\$:	
001224	005037	000000G		CLR	ERR.COUNT	:	2434
001230	012746	000000G		MOV	#MSG59,-(SP)	:	2435
001234	012746	000001		MOV	#1,-(SP)	:	
001240	010600			MOV	SP,R0	: SP,*	
001242	104414			TRAP	14	:	
001244	012716	000000G		MOV	#MSG42,(SP)	:	2436
001250	012746	000001		MOV	#1,-(SP)	:	
001254	010600			MOV	SP,R0	: SP,*	

NONA3
V01.0

CNONA00 DEQNA FUNCTIONAL TEST
TEST 7 ETHERNET CARRIER SENSE TEST

12-Jul-1984 13:04:10
21-Jun-1984 08:36:17

VAX-11 Bliss-16 V4.0-579
SPIDER\$USERS:(BERG.DEQNA)NONA3.BLI:1

001256	104414			TRAP	14		
001260	104455			TRAP	55	:	2437
001262	001310			.WORD	1310		
001264	000000G			.WORD	MSG00		
001266	000000G			.WORD	ERROR\$REPORT		
001270	000425			BR	26\$:	2433
001272	020127	000004	25\$:	CMP	R1,#4	:	2439
001276	001024			BNE	27\$		
001300	005037	000000G		CLR	ERR.COUNT	:	2441
001304	012746	000000G		MOV	#MSG59,-(SP)		2442
001310	012746	000001		MOV	#1,-(SP)		
001314	010600			MOV	SP,R0	: SP,*	
001316	104414			TRAP	14		
001320	012716	000000G		MOV	#MSG46,(SP)	:	2443
001324	012746	000001		MOV	#1,-(SP)		
001330	010600			MOV	SP,R0	: SP,*	
001332	104414			TRAP	14		
001334	104455			TRAP	55	:	2444
001336	001311			.WORD	1311		
001340	000000G			.WORD	MSG00		
001342	000000G			.WORD	ERROR\$REPORT		
001344	062706	000006	26\$:	ADD	#6,SP	:	2440
001350	104463		27\$:	TRAP	63	:	2446
001352	000137	007106'	28\$:	JMP	49\$:	2420
001356	005037	000000G	29\$:	CLR	XC.FLAG	:	2450
001362	005037	000000G		CLR	ERR.COUNT	:	2451
001366	104402		30\$:	TRAP	2		
001370	005002			CLR	R2	: INDEX2	2454
001372	004737	000000G	31\$:	JSR	PC,RESET.DEQNA	:	2456
001376	010237	000000G		MOV	R2,TEMP5	: INDEX2,*	2457
001402	004737	000000G		JSR	PC,SEND.TEST.PACKET	:	2465
001406	005001			CLR	R1	: INDEX	2467
001410	013700	000000G	32\$:	MOV	REG.ADR,R0	:	2468
001414	016066	000016	000010	MOV	16(R0),10(SP)	: *.TMP.LOCATION	
001422	032766	020000	000010	BIT	#20000,10(SP)	: *.TMP.LOCATION	
001430	001407			BEG	33\$		
001432	016666	000010	000012	MOV	10(SP),12(SP)	: *.TMP.LOCATION	2471
001440	016637	000012	000000G	MOV	12(SP),TEMP2	: TMP.LOCATION,*	
001446	000440			BR	35\$:	2470
001450	020127	000200	33\$:	CMP	R1,#200	: INDEX,*	2475
001454	001031			BNE	34\$		
001456	012746	000000G		MOV	#MSG59,-(SP)	:	2478
001462	012746	000001		MOV	#1,-(SP)		
001466	010600			MOV	SP,R0	: SP,*	
001470	104414			TRAP	14		
001472	013700	000000G		MOV	REG.ADR,R0	:	2479
001476	016066	000016	000020	MOV	16(R0),20(SP)	: *.TMP.LOCATION	
001504	016616	000020		MOV	20(SP),(SP)	: TMP.LOCATION,*	
001510	012746	000000G		MOV	#MSG19,-(SP)		
001514	012746	000002		MOV	#2,-(SP)		
001520	010600			MOV	SP,R0	: SP,*	
001522	104414			TRAP	14		
001524	104455			TRAP	55	:	2480

001526	001275			.WORD	1275		
001530	000000G			.WORD	MSG00		
001532	000000G			.WORD	ERROR\$REPORT		
001534	062706	000010		ADD	#10,SP	:	2477
001540	005201		34\$:	INC	R1	: INDEX	2467
001542	020127	000200		CMP	R1,#200	: INDEX,*	
001546	003720			BLE	32\$		
001550	005001		35\$:	CLR	R1	: INDEX	2489
001552	013700	000000G	36\$:	MOV	REG.ADR,R0	:	2490
001556	016066	000016	000016	MOV	16(R0),16(SP)	: *,TMP.LOCATION	
001564	032766	020000	000016	BIT	#20000,16(SP)	: *,TMP.LOCATION	
001572	001007			BNE	37\$		
001574	016666	000016	000020	MOV	16(SP),20(SP)	: *,TMP.LOCATION	2493
001602	016637	000020	000000G	MOV	20(SP),TEMP3	: TMP.LOCATION,*	
001610	000440			BR	39\$:	2492
001612	020127	002000		CMP	R1,#2000	: INDEX,*	2497
001616	001031			BNE	38\$		
001620	012746	000000G		MOV	#MSG59,-(SP)	:	2500
001624	012746	000001		MOV	#1,-(SP)		
001630	010600			MOV	SP,R0	: SP,*	
001632	104414			TRAP	14		
001634	013700	000000G		MOV	REG.ADR,R0	:	2501
001640	016066	000016	000026	MOV	16(R0),26(SP)	: *,TMP.LOCATION	
001646	016616	000026		MOV	26(SP),(SP)	: TMP.LOCATION,*	
001652	012746	000000G		MOV	#MSG20,-(SP)		
001656	012746	000002		MOV	#2,-(SP)		
001662	010600			MOV	SP,R0	: SP,*	
001664	104414			TRAP	14		
001666	104455			TRAP	55	:	2502
001670	001276			.WORD	1276		
001672	000000G			.WORD	MSG00		
001674	000000G			.WORD	ERROR\$REPORT		
001676	062706	000010		ADD	#10,SP	:	2499
001702	005201		38\$:	INC	R1	: INDEX	2489
001704	020127	002000		CMP	R1,#2000	: INDEX,*	
001710	003720			BLE	36\$		
001712	012701	000062		MOV	#62,R1	: *,\$\$TMP2	2510
001716	001411		40\$:	BEQ	43\$		
001720	013700	000000G		MOV	L\$DLY,R0	: *,\$\$TMP1	
001724	001404			BEQ	42\$		
001726	005066	000032		CLR	32(SP)	: \$\$TMP	
001732	005300			DEC	R0	: \$\$TMP1	
001734	001374			BNE	41\$		
001736	005301		42\$:	DEC	R1	: \$\$TMP2	
001740	000766			BR	40\$		
001742	013700	000000G		MOV	REG.ADR,R0	:	2512
001746	016066	000016	000024	MOV	16(R0),24(SP)	: *,TMP.LOCATION	
001754	100007			BPL	44\$		
001756	016666	000024	000026	MOV	24(SP),26(SP)	: *,TMP.LOCATION	2515
001764	016637	000026	000000G	MOV	26(SP),TEMP4	: TMP.LOCATION,*	
001772	000406			BR	45\$:	2514
001774	005202		44\$:	INC	R2	: INDEX2	2454
001776	020227	000200		CMP	R2,#200	: INDEX2,*	

NQNA3
V01.0CNQNAO DEQNA FUNCTIONAL TEST
TEST 7 - ETHERNET CARRIER SENSE TEST12-Jul-1984 13:04:10
21-Jun-1984 08:36:17VAX-11 Bliss-16 V4.0-579
SPIDER\$USERS:(BERG.DEQNA)NQNA3.BLI:1 (19)Page 51
(19)

002002	003002			BGT	45:		
002004	000137	006154'		JMP	31:		
002010	023727	000000G	000200	CMP	TEMP5,#200	:	2520
002016	001031			BNE	46:		
002020	012746	000000G		MOV	#MSG59,-(SP)	:	2523
002024	012746	000001		MOV	#1,-(SP)		
002030	010600			MOV	SP,R0	: SP,*	
002032	104414			TRAP	14		
002034	013700	000000G		MOV	REG.ADR,R0	:	2524
002040	016066	000016	000034	MOV	16(R0),34(SP)	: *,TMP.LOCATION	
002046	016616	000034		MOV	34(SP),(SP)	: TMP.LOCATION,*	
002052	012746	000000G		MOV	#MSG21,-(SP)		
002056	012746	000002		MOV	#2,-(SP)		
002062	010600			MOV	SP,R0	: SP,*	
002064	104'14			TRAP	14		
002066	104455			TRAP	55	:	2525
002070	001277			.WORD	1277		
002072	000000G			.WORD	MSG00		
002074	000000G			.WORD	ERROR\$REPORT		
002076	062706	000010		ADD	#10,SP	:	2522
002102	032737	040000	000010G	BIT	#40000,XMIT.D.LIST+10	:	2529
002110	001426			BEQ	47:		
002112	032737	001000	000010G	BIT	#1000,XMIT.D.LIST+10		
002120	001422			BEQ	47:		
002122	012746	000000G		MOV	#MSG59,-(SP)	:	2532
002126	012746	000001		MOV	#1,-(SP)		
002132	010600			MOV	SP,R0	: SP,*	
002134	104414			TRAP	14		
002136	012716	000000G		MOV	#MSG71,(SP)	:	2533
002142	012746	000001		MOV	#1,-(SP)		
002146	010600			MOV	SP,R0	: SP,*	
002150	104414			TRAP	14		
002152	104455			TRAP	55	:	2534
002154	001312			.WORD	1312		
002156	000000G			.WORD	MSG00		
002160	000000G			.WORD	ERROR\$REPORT		
002162	062706	000006		ADD	#6,SP	:	2531
002166	012746	100220		MOV	#-77560,-(SP)	:	2541
002172	011646			MOV	(SP),-(SP)		
002174	004737	000000G		JSR	PC,CHK.CSR.STATUS		
002200	042737	000400	000010G	BIC	#400,XMIT.D.LIST+10	:	2542
002206	012716	140000		MOV	#-40000,(SP)	:	2543
002212	005046			CLR	-(SP)		
002214	004737	000000G		JSR	PC,CHK.XMIT.STATUS		
002220	012716	140000		MOV	#-40000,(SP)	:	2544
002224	012746	020000		MOV	#20000,-(SP)		
002230	004737	000000G		JSR	PC,CHK.RCV.STATUS		
002234	032737	037777	000012G	BIT	#37777,XMIT.D.LIST+12	:	2546
002242	001021			BNE	48:		
002244	012716	000000G		MOV	#MSG59,(SP)	:	2549
002250	012746	000001		MOV	#1,-(SP)		
002254	010600			MOV	SP,R0	: SP,*	
002256	104414			TRAP	14		

NQNA3
V01.0

CNQNAAO DEQNA FUNCTIONAL TEST
TFST 7 - ETHERNET CARRIER SENSE TEST

12-Jul-1984 13:04:10
21-Jun-1984 08:36:17

VAX-11 Bliss-16 V4.0-579
SPIDER\$USERS:(BERG.DEQNA)NQNA3.BLI;1

002260	012716	000000G		MOV	@MSG58,(SP)	:	2550
002264	012746	000001		MOV	@1,-(SP)	:	
002270	010600			MOV	SP,R0	: SP,*	
002272	104414			TRAP	14	:	
002274	104455			TRAP	55	:	2551
002276	001313			.WORD	1313	:	
002300	000C00G			.WORD	MSG00	:	
002302	000000G			.WORD	ERROR\$REPORT	:	
002304	022626			CMP	(SP)*,(SP)*	:	2548
002306	062706	000010	48\$:	ADD	@10,SP	:	2451
002312	104467			TRAP	67	:	2552
002314	006000			ROR	R0	:	
002316	103002			BHIS	49\$:	
002320	000137	006150'		JMP	30\$:	
002324	062706	000034	49\$:	ADD	@34,SP	:	2258
002330	000207			RTS	PC	:	

: Routine Size: 621 words, Routine Base: AB\$CODE\$ * 4562
: Maximum stack depth per invocation: 25 words

.SBTTL T7 TEST 7 - ETHERNET CARRIER SENSE TEST

000000	004737	004562'	T7::				
000000			1\$:	JSR	PC,\$T7	:	2555
000004	104466			TRAP	66	:	
000006	006000			ROR	R0	:	
000010	103773			BLO	1\$:	
000012	000207			RTS	PC	:	

: Routine Size: 6 words, Routine Base: AB\$CODE\$ * 7114
: Maximum stack depth per invocation: 2 words

: 2557 1
: 2558 1

```

: 2559 1
: 2560 1
: 2561 1
: 2562 1
: 2563 1
: 2564 1
: 2565 1
: 2566 1
: 2567 1
: 2568 1
: 2569 1
: 2570 1
: 2571 1
: 2572 1
: 2573 1
: 2574 1
: 2575 1
: 2576 1
: 2577 1
: 2578 1
: 2579 1
: 2580 1
: 2581 1
: 2582 1
: 2583 1
: 2584 1
: 2585 1
: 2586 1
: 2587 1
: 2588 1
: 2589 1
: 2590 1
: 2591 1
: 2592 1
: 2593 1
: 2594 1
: 2595 1
: 2596 1
: 2597 1
: 2598 1
: 2599 1
: 2600 1
: 2601 1
: 2602 1
: 2603 1
: 2604 1

```

```

#SBTTL 'TEST 8 - STATION ADDRESS RAM TEST'

```

```

!..

```

```

TEST 8: STATION ADDRESS RAM TEST

```

```

DESCRIPTION:

```

```

This test verifies that Station Address RAM has no static faults.
The host writes and then reads data patterns to all of the
addressable RAM ( 128 decimal bytes ). The data is checked to see
that the data pattern received is the same as the data pattern
transmitted. This test continues until all the data patterns are
exhausted. If the operator specifies loop on error, the program
re-executes the code that detected the error until ^C is entered.

```

```

The following BINARY patterns are used:

```

```

11111111 00000000
10101010 01010101
11001100 00110011
11110000 00001111
marching 1's, propagating 1's through the RAM
marching 0's, propagating 0's through the RAM

```

```

Hardware tested: Station Address RAM
Q-Bus to QTDC interface
CSR register - Receiver Enable (bit 0)
Portion of Receive and Transmit FIFO

```

```

Processing:

```

```

BEGIN
  reset device
  select Setup mode
  REPEAT for each pattern
    load transmit packet with data pattern
    transmit loopback packet (fill all of the RAM)
    receive packet
    check for expected loopback status
    IF error
      THEN
        print error message if not inhibited
    ENDIF
  call compare_packets
  ENDREPEAT
END

```

```

!..

```

```

: 2605 3  BGNTST;
: 2606 3
: 2607 3  RESET_DEQNA ( );
: 2608 3
: 2609 3  DECR INDEX1 FROM 7 TO 0 DO
: 2610 4  BEGIN
: 2611 4  INCR INDEX2 FROM 0 TO 127 DO
: 2612 4  XMIT_BUFFER [ .INDEX2 ] = .PTRN_TABLE [ .INDEX1 ];
: 2613 4
: 2614 6  BGNSUB;
: 2615 6  XMIT_SETUP_PACKET ( N_MODE );
: 2616 4  ENDSUB;
: 2617 3  END;
: 2618 3
: 2619 3  :
: 2620 3  : TEMP3 = ( N_MODE * 8 ) - 1;
: 2621 3  : INCR INDEX1 FROM 0 TO .TEMP3 DO
: 2622 3  : BEGIN
: 2623 3  : P1 = ZERO;
: 2624 3  : P2 = .INDEX1;
: 2625 3  : WALKING_BIT ( );
: 2626 3  : P1 = N_MODE;
: 2627 3  : XMIT_SETUP_PACKET ( );
: 2628 3  : INCR INDEX FROM 0 TO .P3 DO
: 2629 3  : XMIT_BUFFER [ .INDEX ] = ( - .XMIT_BUFFER [ .INDEX ] ) - 1;
: 2630 3  : P1 = N_MODE;
: 2631 3  : XMIT_SETUP_PACKET ( );
: 2632 3  : END;
: 2633 3
: 2634 3  INCR INDEX1 FROM 0 TO N_MODE - 1 DO
: 2635 4  BEGIN
: 2636 4  INCR INDEX FROM 0 TO N_MODE - 1 DO
: 2637 4  XMIT_BUFFER [ .INDEX ] = ZERO;
: 2638 4  XMIT_BUFFER [ .INDEX1 ] = #X'FF';
: 2639 4
: 2640 6  BGNSUB;
: 2641 6  XMIT_SETUP_PACKET ( N_MODE );
: 2642 4  ENDSUB;
: 2643 4
: 2644 4  INCR INDEX FROM 0 TO .P3 DO
: 2645 4  XMIT_BUFFER [ .INDEX ] = ( - .XMIT_BUFFER [ .INDEX ] ) - 1;
: 2646 4
: 2647 6  BGNSUB;
: 2648 6  XMIT_SETUP_PACKET ( N_MODE );
: 2649 4  ENDSUB;
: 2650 4
: 2651 3  END;
: 2652 1  ENDTST;

```

000000 004137 000000G
000004 004737 000000G

```

.SBTTL $T8 TEST 8 - STATION ADDRESS RAM TEST
$T8: JSR R1,$SAVE3 ;
JSR PC,RESET.DEQNA ;

```

2556
2607

NQNA3
V01.0

CNQNAO DEQNA FUNCTIONAL TEST
TEST 8 - STATION ADDRESS RAM TEST

12-Jul-1984 13:04:10
21-Jun-1984 08:36:17

VAX-11 Bliss-16 V4.0-579
SPIDER\$USERS:[BERG.DEQNA]NQNA3.BLI;1

000010	012701	000007		MOV	#7,R1		; *.INDEX1	2609
000014	005000		1\$:	CLR	R0		; INDEX2	2611
000016	116160	000000G 000000G	2\$:	MOVB	PTRN.TABLE(R1),XMIT.BUFFER(R0)		; *(INDEX1),*(INDEX2)	2612
000024	005200			INC	R0		; INDEX2	2611
000026	020027	000177		CMP	R0,#177		; INDEX2,*	
000032	003771			BLE	2\$			
000034	104402		3\$:	TRAP	2			2612
000036	012746	000200		MOV	#200,-(SP)			2615
000042	004737	000000G		JSR	PC,XMIT.SETUP.PACKET			
000046	005726			TST	(SP)+			2612
000050	104467			TRAP	67			2615
000052	006000			ROR	R0			
000054	103767			BLO	3\$			
000056	005301			DEC	R1		; INDEX1	2609
000060	002355			BGE	1\$			
000062	005001			CLR	R1		; INDEX1	2634
000064	005000		4\$:	CLR	R0		; INDEX	2636
000066	105060	000000G	5\$:	CLRB	XMIT.BUFFER(R0)		; *(INDEX)	2637
000072	005200			INC	R0		; INDEX	2636
000074	020027	000177		CMP	R0,#177		; INDEX,*	
000100	003772			BLE	5\$			
000102	112761	000377 000000G		MOVB	#377,XMIT.BUFFER(R1)		; *,*(INDEX1)	2638
000110	104402		6\$:	TRAP	2			
000112	012746	000200		MOV	#200,-(SP)			2641
000116	004737	000000G		JSR	PC,XMIT.SETUP.PACKET			
000122	005726			TST	(SP)+			2638
000124	104467			TRAP	67			2641
000126	006000			ROR	R0			
000130	103767			BLO	6\$			
000132	005000			CLR	R0		; INDEX	2644
000134	000411			BR	8\$			
000136	012702	177777	7\$:	MOV	#-1,R2			2645
000142	005003			CLR	R3			
000144	156003	000000G		BISB	XMIT.BUFFER(R0),R3		; *(INDEX),*	
000150	160302			SUB	R3,R2			
000152	110260	000000G		MOVB	R2,XMIT.BUFFER(R0)		; *,*(INDEX)	
000156	005200			INC	R0		; INDEX	2644
000160	020037	000000G	8\$:	CMP	R0,P3		; INDEX,*	
000164	003764			BLE	7\$			
000166	104402		9\$:	TRAP	2			2645
000170	012746	000200		MOV	#200,-(SP)			2648
000174	004737	000000G		JSR	PC,XMIT.SETUP.PACKET			
000200	005726			TST	(SP)+			2645
000202	104467			TRAP	67			2648
000204	006000			ROR	R0			
000206	103767			BLO	9\$			
000210	005201			INC	R1		; INDEX1	2634
000212	020127	000177		CMP	R1,#177		; INDEX1,*	
000216	003722			BLE	4\$			
000220	000207			RTS	PC			2556

; Routine Size: 73 words, Routine Base: AB\$CODE\$ + 7130
; Maximum stack depth per invocation: 6 words

NQNA3
V01.0

CNQNAO DEQNA FUNCTIONAL TEST
TEST 8 - STATION ADDRESS RAM TEST

12-Jul-1984 13:04:10
21-Jun-1984 08:36:17

VAX-11 Bliss-16 V4.0-579
SPIDER\$USERS:[BERG.DEQNA]NQNA3.BLI;1

```

                                .SBTTL  T8 TEST 8 - STATION ADDRESS RAM TEST
000000 004737 007130'          T8::
000000                          1$: JSR    PC,$T8                ;                2651
000004 104466                    TRAP  66
000006 006000                    ROR   R0
000010 103773                    BLO  1$
000012 000207                    RTS   PC

```

```

; Routine Size: 6 words,      Routine Base: AB$CODE$ + 7352
; Maximum stack depth per invocation: 2 words

```

; 2653 1

NQNA3
V01.0CNQNAO DEQNA FUNCTIONAL TEST
TEST 9 - PROMISCUOUS STATION ADDRESS TEST12-Jul-1984 13:04:10
21-Jun-1984 08:36:17VAX-11 Bliss-16 V4.0-579
SPIDER#USERS:(BERG.DEQNA)NQNA3.BLI;1Page 57
(22)

*SBTTL 'TEST 9 - PROMISCUOUS STATION ADDRESS TEST'

**

TEST 9: PROMISCUOUS STATION ADDRESS TEST

DESCRIPTION:

This test verifies that DEQNA promiscuous addressing mode functions as specified. Bit patterns and addresses in and out of the range of setup addresses are used to assure that there is true promiscuity. If the operator specifies loop on error, the program re-executes the code that detected the error until tC is entered.

Hardware tested: Promiscuous addressing mode logic

Set of Target Addresses in HEXADECIMAL:

00-00-00-00-00-00

AA-AA-AA-AA-AA-AA

55-55-55-55-55-55

FF-FF-FF-FF-FF-FF

Walking 1, shifting 1 across the Target Station Address

Walking 0, shifting 0 across the Target Station Address

Processing:

BEGIN

reset device

select internal loopback mode

set mode to Setup

set 'promiscuous' addressing mode bit

REPEAT for each Target Address

load Target Address of the packet

disable receiver

transmit loopback packet

enable receiver

check for expected loopback status

IF error

THEN

print error message if not inhibited

ENDIF

call compare_packets

ENDREPEAT

END

```

: 2699 3  BGNTST;
: 2700 3
: 2701 3
: 2702 3  !**
: 2703 3  ! RESET DEQNA AND INITIALIZE ETHERNET STATION ADDRESS RAM IF EXECUTING
: 2704 3  ! TESTS IN EXTERNAL LOOPBACK MODE.
: 2705 3  !--
: 2706 3  RESET_DEQNA ( );
: 2707 3  PREP_FOR_SETUP ( );
: 2708 3  INCR_INDEX1 FROM 1 TO 14 DO
: 2709 3  WRT_STATION_ADR ( .INDEX1, PHA_INDEX );
: 2710 3
: 2711 5  BGNSUB;
: 2712 5  XMIT_SETUP_PACKET ( P_MODE );
: 2713 3  ENDSUB;
: 2714 3
: 2715 3  !**
: 2716 3  ! NOW LOOPBACK 6 BYTE PACKETS AND CHECK IF THEY ARE RECEIVED PROPERLY
: 2717 3  !--
: 2718 3
: 2719 3  RBUF_LENGTH = 6;
: 2720 3  XBUF_LENGTH = - ( .RBUF_LENGTH + -1 );
: 2721 3
: 2722 3  INCR_INDEX1 FROM 0 TO 99 DO
: 2723 4  BEGIN
: 2724 4  SELECTONE .INDEX1 OF
: 2725 4  SET
: 2726 4  [ 0 TO 3 ]:
: 2727 4  WRT_STATION_ADR ( ZERO, .INDEX1 );
: 2728 4  [ 4 TO 51 ]:
: 2729 4  WALKING_BIT ( ZERO, .INDEX1 - 4, 5 );
: 2730 4  [ 52 TO 99 ]:
: 2731 4  WALKING_BIT ( ONE, .INDEX1 - 52, 5 );
: 2732 4  TES;
: 2733 4
: 2734 4  WRT_STATION_ADR ( ZERO, ZERO );
: 2735 4
: 2736 6  BGNSUB;
: 2737 6  XMIT_ILOOP_PACKET ( ZERO );
: 2738 4  ENDSUB;
: 2739 4
: 2740 3  END;
: 2741 3
: 2742 3  INCR_INDEX FROM 0 TO 5 DO
: 2743 3  TARGET_ADR [ .INDEX ] = ZERO;
: 2744 1  ENDTST;

```

000000	010146		.SBTTL	\$T9 TEST 9 - PROMISCUOUS STATION ADDRESS TEST	
000002	004737	000000G	\$T9:	MOV R1, -(SP)	2652
000006	004737	000000G		JSR PC, RESET.DEQNA	2706
000012	012701	000001		JSR PC, PREP.FOR.SETUP	2707
				MOV #1, R1	2708

000016	010146		1\$:	MOV	R1,-(SP)	; INDEX1,*	2709
000020	012746	000023		MOV	#23,-(SP)		
000024	004737	000000G		JSR	PC,WRT.STATION.ADR		
000030	022626			CMP	(SP)+,(SP)+		
000032	005201			INC	R1	; INDEX1	2708
000034	020127	000016		CMP	R1,#16	; INDEX1,*	
000040	003766			BLE	1\$		
000042	104402		2\$:	TRAP	2		2709
000044	012746	000202		MOV	#202,-(SP)		2712
000050	004737	000000G		JSR	PC,XMIT.SETUP.PACKET		
000054	005726			TST	(SP)+		2709
000056	104467			TRAP	67		2712
000060	006000			ROR	R0		
000062	103767			BLO	2\$		
000064	012737	000006	000000G	MOV	#6,RBUF.LENGTH		2719
000072	012700	000006		MOV	#6,R0		2720
000076	006200			ASR	R0		
000100	005400			NEG	R0		
000102	010037	000000G		MOV	R0,XBUF.LENGTH		
000106	005001			CLR	R1	; INDEX1	2722
000110	005701		3\$:	TST	R1	; INDEX1	2726
000112	002411			BLT	4\$		
000114	020127	000003		CMP	R1,#3	; INDEX1,*	
000120	003006			BGT	4\$		
000122	005046			CLR	-(SP)		2727
000124	010146			MOV	R1,-(SP)	; INDEX1,*	
000126	004737	000000G		JSR	PC,WRT.STATION.ADR		
000132	022626			CMP	(SP)+,(SP)+		
000134	000434			BR	7\$		2724
000136	020127	000004	4\$:	CMP	R1,#4	; INDEX1,*	2728
000142	002410			BLT	5\$		
000144	020127	000063		CMP	R1,#63	; INDEX1,*	
000150	003005			BGT	5\$		
000152	005046			CLR	-(SP)		2729
000154	010146			MOV	R1,-(SP)	; INDEX1,*	
000156	162716	000004		SUB	#4,(SP)		
000162	000413			BR	6\$		
000170	020127	000064	5\$:	CMP	R1,#64	; INDEX1,*	2730
000172	002416			BLT	7\$		
000176	020127	000143		CMP	R1,#143	; INDEX1,*	
000176	003013			BGT	7\$		
000200	012746	000001		MOV	#1,-(SP)		2731
000204	010146			MOV	R1,-(SP)	; INDEX1,*	
000206	162716	000064		SUB	#64,(SP)		
000212	012746	000005	6\$:	MOV	#5,-(SP)		
000216	004737	000000G		JSR	PC,WALKING.BIT		
000222	062706	000006		ADD	#6,SP		
000226	005046		7\$:	CLR	-(SP)		2734
000230	005046			CLR	-(SP)		
000232	004737	000000G		JSR	PC,WRT.STATION.ADR		
000236	104402		8\$:	TRAP	2		
000240	005016			CLR	(SP)		2737
000242	004737	000000G		JSR	PC,XMIT.ILOOP.PACKET		

NQNA3
V01.0

CNQNAO DEQNA FUNCTIONAL TEST
TEST 9 - PROMISCUOUS STATION ADDRESS TEST

12-Jul-1984 13:04:10
21-Jun-1984 08:36:17

VAX-11 Bliss-16 V4.0-579
SPIDER\$USERS:[BERG.DEQNA]NQNA3.BLI;1

(23)

000246	104467		TRAP	67			
000250	006000		ROR	R0			
000252	103771		BLO	8\$			
000254	022626		CMP	(SP)+,(SP)+	:		2723
000256	005201		INC	R1	:	INDEX1	2722
000260	020127	000143	CMP	R1,#143	:	INDEX1,*	
000264	003711		BLE	3\$			
000266	005000		CLR	R0	:	INDEX	2742
000270	105060	000000G	CLRB	TARGET.ADR(R0)	:	*(INDEX)	2743
000274	005200		INC	R0	:	INDEX	2742
000276	020027	000005	CMP	R0,#5	:	INDEX,*	
000302	003772		BLE	9\$			
000304	012601		MOV	(SP)+,R1	:		2652
000306	000207		RTS	PC			

: Routine Size: 100 words, Routine Base: AB\$CODE\$ + 7366
: Maximum stack depth per invocation: 5 words

			.SBTTL	T9 TEST 9 - PROMISCUOUS STATION ADDRESS TEST			
000000	004737	007366'	T9::				
000000			1\$:	JSR	PC,\$T9	:	2743
000004	104466			TRAP	66		
000006	006000			ROR	R0		
000010	103773			BLO	1\$		
000012	000207			RTS	PC		

: Routine Size: 6 words, Routine Base: AB\$CODE\$ + 7676
: Maximum stack depth per invocation: 2 words

: 2745 1

#SBTTL 'TEST 10 - TRANSMIT AND RECEIVE FIFO MEMORY TEST'

TEST 10: TRANSMIT AND RECEIVE FIFO MEMORY TEST

DESCRIPTION:

This test verifies that link memory (receive FIFO and transmit buffer) has no static faults. The host writes and then reads a sequence of data patterns to the link memory. The data is then checked to see that the data pattern received is the same as the data pattern transmitted. This test continues until all the data patterns are exhausted. If the operator specifies loop on error, the program re-executes the code that detected the error until ^C is entered.

Hardware tested: Transmit buffer address logic
 Transmit buffer memory (first 1512 bytes)
 Receive FIFO address logic
 Receive FIFO memory (first 1512 bytes)

The following BINARY patterns are used:

11111111	00000000
10101010	01010101
11001100	00110011
11110000	00001111

Processing:

```

BEGIN
  reset device
  select internal/extended loopback mode
  REPEAT for each pattern
    write link memory with pattern - transmit loopback packet
    read link memory with pattern - receive loopback packet
    check for expected loopback status
    IF error
      THEN
        print error message if not inhibited
      ENDF
    call compare_packets
  ENDREPEAT
END

```

```

2746 1
2747 1
2748 1
2749 1
2750 1
2751 1
2752 1
2753 1
2754 1
2755 1
2756 1
2757 1
2758 1
2759 1
2760 1
2761 1
2762 1
2763 1
2764 1
2765 1
2766 1
2767 1
2768 1
2769 1
2770 1
2771 1
2772 1
2773 1
2774 1
2775 1
2776 1
2777 1
2778 1
2779 1
2780 1
2781 1
2782 1
2783 1
2784 1
2785 1
2786 1
2787 1
2788 1
2789 1
2790 1

```

NONAS
V01.0CNONAAO DEQNA FUNCTIONAL TEST 12-Jul-1984 13:04:10
TEST 10 - TRANSMIT AND RECEIVE FIFO MEMORY TEST 21-Jun-1984 08:36:17VAX-11 B1100-16 V4.0-579
SPIDER@USERS.(BERG.DEQNA)NONAS.BLI:1 (25)

SEQ 0145

62

```

: 2791 3  BGNTST;
: 2792 3
: 2793 3  :...
: 2794 3  : LOOPBACK 1514 BYTE PACKETS AND CHECK IF THEY ARE RECEIVED PROPERLY
: 2795 3  :...
: 2796 3
: 2797 3  RBUF_LENGTH = LONGEST_PACKET;
: 2798 3  XBUF_LENGTH = - ( .RBUF_LENGTH + -1 );
: 2799 3
: 2800 3  INCR INDEX FROM 0 TO 7 DO
: 2801 4  BEGIN
: 2802 4  RESET_DEQNA ( );
: 2803 4  TEMP1 = 0;
: 2804 4  INCR INDEX1 FROM 0 TO 189 DO
: 2805 4  INCR INDEX2 FROM 0 TO 7 DO
: 2806 5  BEGIN
: 2807 5  XMIT_BUFFER [ .TEMP1 ] = .PTRN_TABLE [ .INDEX2 ];
: 2808 5  TEMP1 = .TEMP1 + 1;
: 2809 4  END;
: 2810 4
: 2811 4  :...
: 2812 4  : ROTATE PATTERN TABLE
: 2813 4  :...
: 2814 4
: 2815 4  TEMP2 = .PTRN_TABLE [ 0 ];
: 2816 4  INCR INDEX3 FROM 0 TO 6 DO
: 2817 4  PTRN_TABLE [ .INDEX3 ] = .PTRN_TABLE [ .INDEX3 + 1 ];
: 2818 4  PTRN_TABLE [ 7 ] = .TEMP2;
: 2819 4
: 2820 6  BGNSUB;
: 2821 6  SET_RDESCR_LIST ( .XBUF_LENGTH, VE );
: 2822 6  SET_XDESCR_LIST ( .XBUF_LENGTH, VE );
: 2823 6  SEND_ELOOP_PACKET ( ZERO );
: 2824 6  COMPARE_PACKETS ( );
: 2825 4  ENDSUB;
: 2826 4
: 2827 3  END;
: 2828 3
: 2829 3  INCR INDEX1 FROM 0 TO LONGEST_PACKET - 1 DO
: 2830 3  BEGIN
: 2831 3  INCR INDEX FROM 0 TO LONGEST_PACKET - 1 DO
: 2832 3  XMIT_BUFFER [ .INDEX ] = ZERO;
: 2833 3  XMIT_BUFFER [ .INDEX1 ] = #X'FF';
: 2834 3
: 2835 3  BGNSUB;
: 2836 3  SET_RDESCR_LIST ( .XBUF_LENGTH, VE );
: 2837 3  SET_XDESCR_LIST ( .XBUF_LENGTH, VE );
: 2838 3  SEND_ELOOP_PACKET ( ZERO );
: 2839 3  COMPARE_PACKETS ( );
: 2840 3  ENDSUB;
: 2841 3
: 2842 3  INCR INDEX FROM 0 TO .P3 DO
: 2843 3  XMIT_BUFFER [ .INDEX ] = ( - .XMIT_BUFFER [ .INDEX ] ) - 1;

```


NQNA3
V01.0

CNQNAAO DEQNA FUNCTIONAL TEST
TEST 10 TRANSMIT AND RECEIVE FIFO MEMORY TEST

12-Jul-1984 13:04:10
21-Jun-1984 08:36:17

VAX-11 Bliss-16 V4.0-579
SPIDER&USERS:(BERG.DEQNA)NQNA3.BLI:1

000214 006000
000216 103751
000220 005303
000222 001303
000224 000207

ROR R0
BLO 5\$
DEC R3
BNE 1\$
RTS PC

; INDEX

2800

;

2744

; Routine Size: 75 words, Routine Base: AB\$CODE\$ + 7712
; Maximum stack depth per invocation: 8 words

.SBTTL T10 TEST 10 - TRANSMIT AND RECEIVE FIFO MEMOR/ TEST

000000 004737 007712'
000000
000004 104466
000006 006000
000010 103773
000012 000207

T10::
1\$:

JSR PC,\$T10
TRAP 66
ROR R0
BLO 1\$
RTS PC

;

2827

; Routine Size: 6 words, Routine Base: AB\$CODE\$ + 10140
; Maximum stack depth per invocation: 2 words

; 2855 1

```

: 2856 1 *SBTTL 'TEST 11 - PACKET LENGTH TEST'
: 2857 1 :
: 2858 1 :
: 2859 1 : TEST 11: PACKET LENGTH TEST
: 2860 1 :
: 2861 1 : DESCRIPTION:
: 2862 1 :
: 2863 1 : This test verifies that DEQNA can transmit and receive variable
: 2864 1 : length packets ( equal to or greater than 60 bytes and equal to or
: 2865 1 : less than 1514 bytes without the CRC ) without losing any data
: 2866 1 : in the process. This test also verifies that the 9th bit of the
: 2867 1 : FIFO memory is not static (stuck at 1/stuck at 0). If the operator
: 2868 1 : specifies loop on error, the program re-executes the code that
: 2869 1 : detected the error until ^C is entered.
: 2870 1 :
: 2871 1 : Hardware tested: Transmit and Receive RAM
: 2872 1 :
: 2873 1 : Processing:
: 2874 1 :
: 2875 1 : BEGIN
: 2876 1 : reset device
: 2877 1 : select internal/extended loopback mode
: 2878 1 : set down_count to max. packet length
: 2879 1 : set up_count to min. packet length
: 2880 1 : REPEAT until down_count = min. packet length
: 2881 1 : transmit loopback packet (packet length = down_count)
: 2882 1 : check for expected loopback status and packet length
: 2883 1 : IF error
: 2884 1 : THEN
: 2885 1 : print error message if not inhibited
: 2886 1 : ENDIF
: 2887 1 : call compare_packets
: 2888 1 : transmit loopback packet (packet length = up_count)
: 2889 1 : check for expected loopback status and packet length
: 2890 1 : IF error
: 2891 1 : THEN
: 2892 1 : print error message if not inhibited
: 2893 1 : ENDIF
: 2894 1 : call compare_packets
: 2895 1 : decrement down_count by 2
: 2896 1 : increment up_count by 2
: 2897 1 : ENDREPEAT
: 2898 1 : END
: 2899 1 :

```

NQNA3
V01.0CNQNAO DEQNA FUNCTIONAL TEST
TEST 11 - PACKET LENGTH TEST12-Jul-1984 13:04:10
21-Jun-1984 08:36:17VAX-11 Bliss-16 V4.0-579
SPIDER\$USERS:[BERG.DEQNA]NQNA3.BLI;1SEQ 0149
Page 66
(27)

```

: 2900 3  BGNTST;
: 2901 3
: 2902 3  :..
: 2903 3  : LOOPBACK PACKETS OF INCREASING AND DECREASING LENGTH THEN CHECK IF PROPERLY
: 2904 3  : RECEIVED
: 2905 3  : --
: 2906 3
: 2907 3  COUNTER      = ZERO;
: 2908 3  UP_COUNTER    = SHORTEST_PACKET;
: 2909 3  DOWN_COUNTER  = LONGEST_PACKET;
: 2910 3
: 2911 3  INCR INDEX1 FROM SHORTEST_PACKET TO MAX_LENGTH BY STEP1 DO
: 2912 4  BEGIN
: 2913 4  RESET_DEQNA ( );
: 2914 4  IF .COUNTER EQLU ZERO
: 2915 4  THEN
: 2916 5  BEGIN
: 2917 5  RBUF_LENGTH = .UP_COUNTER;
: 2918 5  XBUF_LENGTH = - ( .RBUF_LENGTH + -1 );
: 2919 5  INCR INDEX FROM 0 TO .UP_COUNTER - 1 DO
: 2920 5  XMIT_BUFFER [ .INDEX ] = .INDEX;
: 2921 5  INCR INDEX FROM .UP_COUNTER TO MAX_LENGTH - 1 DO
: 2922 5  XMIT_BUFFER [ .INDEX ] = ZERO;
: 2923 5  UP_COUNTER = .UP_COUNTER + STEP1;
: 2924 5  COUNTER = ONE;
: 2925 5  END
: 2926 4  ELSE
: 2927 5  BEGIN
: 2928 5  RBUF_LENGTH = .DOWN_COUNTER;
: 2929 5  XBUF_LENGTH = - ( .RBUF_LENGTH + -1 );
: 2930 5  INCR INDEX FROM 0 TO .DOWN_COUNTER - 1 DO
: 2931 5  XMIT_BUFFER [ .INDEX ] = .INDEX;
: 2932 5  INCR INDEX FROM .DOWN_COUNTER TO MAX_LENGTH - 1 DO
: 2933 5  XMIT_BUFFER [ .INDEX ] = ZERO;
: 2934 5  DOWN_COUNTER = .DOWN_COUNTER - STEP1;
: 2935 5  COUNTER = ZERO;
: 2936 4  END;
: 2937 4
: 2938 6  BGNSUB;
: 2939 6  SET_RDESCR_LIST ( .XBUF_LENGTH, VE );
: 2940 6  SET_XDESCR_LIST ( .XBUF_LENGTH, VE );
: 2941 6  SEND_ELOOP_PACKET ( ZERO );
: 2942 6  COMPARE_PACKETS ( );
: 2943 4  ENDSUB;
: 2944 4
: 2945 3  END;
: 2946 1  ENDTST;

```

```

000000 004137 000000G          .SBTTL  $T11 TEST 11 - PACKET LENGTH TEST
000004 005037 000000G          $T11:  JSR    R1,$SAVE2
000010 012737 000074 000000G    CLR    COUNTER
                                MOV    #74,UP.COUNTER

```

2854
2907
2908

000016	012737	002752	000000G		MOV	#2752,DOWN.COUNTER	:		2909
000024	012702	000074			MOV	#74,R2	:	*,INDEX1	2911
000030	004737	000000G		1\$:	JSR	PC,RESET.DEQNA	:		2913
000034	005737	000000G			TST	COUNTER	:		2914
000040	001032				BNE	6\$:		
000042	013700	000000G			MOV	UP.COUNTER,R0	:		2917
000046	010037	000000G			MOV	R0,RBUF.LENGTH	:		
000052	005001				CLR	R1	:	INDEX	2919
000054	000403				BR	3\$:		
000056	110161	000000G		2\$:	MOVB	R1,XMIT.BUFFER(R1)	:	INDEX,*(INDEX)	2920
000062	005201				INC	R1	:	INDEX	2919
000064	020100			3\$:	CMP	R1,R0	:	INDEX,*	
000066	002773				BLT	2\$:		
000070	005300				DEC	R0	:		2921
000072	000402				BR	5\$:		
000074	105060	000000G		4\$:	CLRB	XMIT.BUFFER(R0)	:	*(INDEX)	2922
000100	005200			5\$:	INC	R0	:	INDEX	2921
000102	020027	002775			CMP	R0,#2775	:	INDEX,*	
000106	003772				BLE	4\$:		
000110	062737	000002	000000G		ADD	#2,UP.COUNTER	:		2923
000116	012737	000001	000000G		MOV	#1,COUNTER	:		2924
000124	000430				BR	11\$:		2914
000126	013700	000000G		6\$:	MOV	DOWN.COUNTER,R0	:		2928
000132	010037	000000G			MOV	R0,RBUF.LENGTH	:		
000136	005001				CLR	R1	:	INDEX	2930
000140	000403				BR	8\$:		
000142	110161	000000G		7\$:	MOVB	R1,XMIT.BUFFER(R1)	:	INDEX,*(INDEX)	2931
000146	005201				INC	R1	:	INDEX	2930
000150	020100			8\$:	CMP	R1,R0	:	INDEX,*	
000152	002773				BLT	7\$:		
000154	005300				DEC	R0	:		2932
000156	000402				BR	10\$:		
000160	105060	000000G		9\$:	CLRB	XMIT.BUFFER(R0)	:	*(INDEX)	2933
000164	005200			10\$:	INC	R0	:	INDEX	2932
000166	020027	002775			CMP	R0,#2775	:	INDEX,*	
000172	003772				BLE	9\$:		
000174	162737	000002	000000G		SUB	#2,DOWN.COUNTER	:		2934
000202	005037	000000G			CLR	COUNTER	:		2935
000206	013700	000000G		11\$:	MOV	RBUF.LENGTH,R0	:		2918
000212	006200				ASR	R0	:		
000214	005400				NEG	R0	:		
000216	010037	000000G			MOV	R0,XBUF.LENGTH	:		
000222	104402			12\$:	TRAP	2	:		2936
000224	013746	000000G			MOV	XBUF.LENGTH,-(SP)	:		2939
000230	012746	120000			MOV	#-60000,-(SP)	:		
000234	004737	000000G			JSR	PC,SET.RDESCR.LIST	:		
000240	013716	000000G			MOV	XBUF.LENGTH,(SP)	:		2940
000244	012746	120000			MOV	#-60000,-(SP)	:		
000250	004737	000000G			JSR	PC,SET.XDESCR.LIST	:		
000254	005016				CLR	(SP)	:		2941
000256	004737	000000G			JSR	PC,SEND.ELOOP.PACKET	:		
000262	004737	000000G			JSR	PC,COMPARE.PACKETS	:		2942
000266	062706	000006			ADD	#6,SP	:		2936

NQNA3
V01.0

CNQNAO DEQNA FUNCTIONAL TEST
TEST 11 - PACKET LENGTH TEST

12-Jul-1984 13:04:10
21-Jun-1984 08:30:17

VAX-11 Bliss-16 V4 0-579
SPIDER\$USERS:(BERG.DEQNA)NQNA3.BLI;1

000272	104467		TRAP	67			2942
000274	006000		ROR	R0			
000276	103751		BLO	12\$			
000300	062702	000002	ADD	#2,R2	:	*,INDEX1	2911
000304	020227	002776	CMP	R2,#2776	:	INDEX1,*	
000310	003647		BLE	1\$			
000312	000207		RTS	PC	:		2854

: Routine Size: 102 words, Routine Base: AB\$CODE\$ + 10154
 : Maximum stack depth per invocation: 7 words

000000	004737	010154'		.SBTTL	T11 TEST 11 - PACKET LENGTH TEST		
000000			T11::				
000004	104466		1\$:	JSR	PC,\$T11	:	2945
000006	006000			TRAP	66		
000010	103773			ROR	R0		
000012	000207			BLO	1\$		
				RTS	PC		

: Routine Size: 6 words, Routine Base: AB\$CODE\$ + 10470
 : Maximum stack depth per invocation: 2 words

: 2947 1

*SBTTL 'TEST 12 - NXM INTERRUPT TEST'

TEST 12: NXM INTERRUPT TEST

DESCRIPTION:

This test verifies that Transmit and Receive List Invalid bits (CSR bits 4 and 5) can be set and reset as specified and that both, Transmit and Receive Descriptor List addresses in the I/O page have to be valid to successfully loopback a packet.

After a software reset Transmit and Receive List Invalid bits are checked for their initial condition state (both set). Then these bits are cleared by writing Transmit and Receive Descriptor List addresses into Transmit and Receive Buffer Descriptor Registers.

First, valid loopback packet is sent to verify that UUT properly transmits and receives loopback packets. Then, a Non-Existant Memory Access (NI) bit is forced to " 1 " each time an invalid loopback packet is sent.

If the operator specifies loop on error, the program re-executes the code that detected the error until ^C is entered.

- Hardware tested:
- Q-Bus to QTDC interface
 - Valid and invalid host memory address processing
 - CSR register
 - NXM access (bit 2)
 - Interrupt Enable (bit 6)
 - XMIT List Invalid (bit 4)
 - RCV List Invalid (bit 5)

Use following Descriptor List and buffer addresses:

TRANSMIT		RECEIVE	
*****		*****	
DESCR LIST ADR	BUFFER ADR	DESCR LIST ADR	BUFFER ADR

VALID	VALID	VALID	VALID
INVALID	DON'T CARE	DON'T CARE	DON'T CARE
VALID	INVALID	DON'T CARE	DON'T CARE
VALID	VALID	INVALID	DON'T CARE
VALID	VALID	VALID	INVALID

2948 1
2949 1
2950 1
2951 1
2952 1
2953 1
2954 1
2955 1
2956 1
2957 1
2958 1
2959 1
2960 1
2961 1
2962 1
2963 1
2964 1
2965 1
2966 1
2967 1
2968 1
2969 1
2970 1
2971 1
2972 1
2973 1
2974 1
2975 1
2976 1
2977 1
2978 1
2979 1
2980 1
2981 1
2982 1
2983 1
2984 1
2985 1
2986 1
2987 1
2988 1
2989 1
2990 1
2991 1
2992 1
2993 1
2994 1
2995 1
2996 1

```

: 2997 1  :
: 2998 1  :
: 2999 1  :
: 3000 1  :
: 3001 1  :
: 3002 1  :
: 3003 1  :
: 3004 1  :
: 3005 1  :
: 3006 1  :
: 3007 1  :
: 3008 1  :
: 3009 1  :
: 3010 1  :
: 3011 1  :
: 3012 1  :
: 3013 1  :
: 3014 1  :
: 3015 1  :
: 3016 1  :
: 3017 1  :
: 3018 1  :
: 3019 1  :
: 3020 1  :
: 3021 1  :
: 3022 1  :
: 3023 1  :
: 3024 1  :
: 3025 1  :
: 3026 1  :
: 3027 1  :
: 3028 1  :
: 3029 1  :

```

```

Processing:
    BEGIN
    reset device ( disables device interrupt )
    select internal loopback mode
    read CSR
    IF XMIT and RCV List Invalid bits not = 1
    THEN
        print error message if not inhibited
    ENDIF
    enable device interrupt (set CSR bit 6)
    transmit valid loopback packet
    check for expected loopback status
    IF error
    THEN
        print error message if not inhibited
    ENDIF
    call compare_packets
    REPEAT for each set of addresses in the set
        transmit invalid loopback packet
        IF NXM interrupt didn't occured
        THEN
            print error message if not inhibited
        ENDIF
        check for expected loopback status
        IF error
        THEN
            print error message if not inhibited
        ENDIF
    ENDREPEAT
END

```

```

: 3030 3  BGNTST;
: 3031 3
: 3032 3  !..
: 3033 3  ! RESET DEQNA AND SELECT LOOPBACK MODE
: 3034 3  !..
: 3035 3
: 3036 3  RESET_DEQNA ( );
: 3037 3
: 3038 3  PREP_FOR_SETUP ( );
: 3039 3  INCR_INDEX FROM 1 TO 14 DO
: 3040 3    WRT_STATION_ADR ( .INDEX, PHA_INDEX );
: 3041 3
: 3042 5  BGNSUB;
: 3043 5    XMIT_SETUP_PACKET ( N_MODE );
: 3044 3  ENDSUB;
: 3045 3
: 3046 3  RBUF_LENGTH = 6;
: 3047 3  XBUF_LENGTH = - ( .RBUF_LENGTH + -1 );
: 3048 3
: 3049 3  CLR_BUFFERS ( B_SIZE );
: 3050 3  ERR_NUMBER = ZERO;
: 3051 3
: 3052 3  !..
: 3053 3  ! LOOPBACK A PACKET, VALID DESCRIPTORS AND BUFFER ADDRESSES, THEN CHECK IF
: 3054 3  ! LOOPBACK PACKET WAS PROPERLY RECEIVED AND NI BIT IN CSR = 0
: 3055 3  !..
: 3056 3
: 3057 3  RESET_DEQNA ( );
: 3058 3  WRT_STATION_ADR ( ZERO, PHA_INDEX );
: 3059 3
: 3060 5  JGNSUB;
: 3061 5    XMIT_ILOOP_PACKET ( ZERO );
: 3062 5    IF GET_BIT ( CSR, NI )
: 3063 5      THEN
: 3064 6        BEGIN
: 3065 6          CSR_WORD = GET_BIT ( CSR_ALL );
: 3066 6          PRINTB ( MSG59 );
: 3067 6          PRINTB ( MSG29 );
: 3068 6          PRINTB ( MSG28 );
: 3069 6          ERRDF ( 1201, MSG00, ERROR$REPORT );
: 3070 5        END;
: 3071 3  ENDSUB;
: 3072 3
: 3073 3  !..
: 3074 3  ! TRY TO LOOPBACK A PACKET WITH INVALID TRANSMIT DESCRIPTOR ADDRESS,
: 3075 3  ! THEN CHECK FOR NON-EXISTANT MEMORY INTERRUPT ( NI ) BIT IS SET TO 1
: 3076 3  !..
: 3077 3
: 3078 5  BGNSUB;
: 3079 5    RESET_DEQNA ( );
: 3080 5    .IOP_TABLE [ XLO_ADR ] = NXM_LO_ADR;
: 3081 5    .IOP_TABLE [ XHI_ADR ] = NXM_HI_ADR;
: 3082 5    IF NOT GET_BIT ( CSR, NI )

```

```

: 3083 5      THEN
: 3084 6          BEGIN
: 3085 6              CSR_WORD = GET_BIT ( CSR_ALL );
: 3086 6              PRINTB ( MSG59 );
: 3087 6              PRINTB ( MSG29 );
: 3088 6              PRINTB ( MSG27 );
: 3089 6              ERRDF ( 1202, MSG00, ERROR$REPORT );
: 3090 5          END;
: 3091 3      ENDSUB;
: 3092 3
: 3093 3      !..
: 3094 3      ! TRY TO LOOPBACK A PACKET WITH INVALID RECEIVE DESCRIPTOR ADDRESS.
: 3095 3      ! THEN CHECK IF NON-EXISTANT MEMORY INTERRUPT ( NI ) BIT IS SET TO 1
: 3096 3      !..
: 3097 3
: 3098 5      BGNSUB;
: 3099 5          RESET_DEQNA ( );
: 3100 5          WRT_STATION_ADR ( ZERO, PHA_INDEX );
: 3101 5
: 3102 5          .IOP_TABLE [ RLO_ADR ] = NXM_LO_ADR;
: 3103 5          .IOP_TABLE [ RHI_ADR ] = NXM_HI_ADR;
: 3104 5
: 3105 5          SET_XDESCR_LIST ( .XBUF_LENGTH, VE );
: 3106 5          .IOP_TABLE [ XLO_ADR ] = XMIT_D_LIST;
: 3107 5          .IOP_TABLE [ XHI_ADR ] = ZERO;
: 3108 5
: 3109 5          CHK_RIXI_STATUS ( ONE );
: 3110 5
: 3111 5          CHK_CSR_STATUS ( #0'000220', #0'000220' );
: 3112 5          CHK_XMIT_STATUS ( XFLG_STATUS, XWD12_STATUS );          ! 0'140000', 0'000400'
: 3113 5
: 3114 5          .IOP_TABLE [ CSR ] = EENABLE;
: 3115 5
: 3116 5          DELAY ( 20 );
: 3117 5          IF NOT GET_BIT ( CSR, NI )
: 3118 5              THEN
: 3119 6                  BEGIN
: 3120 6                      .IOP_TABLE [ CSR ] = DISABLE;
: 3121 6                      CSR_WORD = GET_BIT ( CSR_ALL );
: 3122 6                      PRINTB ( MSG59 );
: 3123 6                      PRINTB ( MSG29 );
: 3124 6                      PRINTB ( MSG27 );
: 3125 6                      ERRDF ( 1203, MSG00, ERROR$REPORT );
: 3126 5                  END;
: 3127 5          .IOP_TABLE [ CSR ] = DISABLE;
: 3128 3      ENDSUB;
: 3129 3
: 3130 3      !..
: 3131 3      ! TRY TO LOOPBACK A PACKET WITH INVALID TRANSMIT BUFFER ADDRESS.
: 3132 3      ! THEN CHECK IF NON-EXISTANT MEMORY INTERRUPT ( NI ) BIT IS SET TO 1
: 3133 3      !..
: 3134 3
: 3135 5      BGNSUB;

```

NQNA3
V01.0

CNQNAO DEQNA FUNCTIONAL TEST
TEST 12 - NXM INTERRUPT TEST

12-Jul-1984 13:04:10
21-Jun-1984 08:36:17

VAX-11 Bliss-16 V4.0-579
SPIDER\$USERS:(BERG.DEQNA)NQNA3.BLI;1

```

3136 5   RESET_DEQNA ( );
3137 5   SET_XDESCR_LIST ( .XBUF_LENGTH, VENXM );
3138 5   XMIT_D_LIST [ LOADR ] = NXM_LO_ADR;
3139 5   .IOP_TABLE [ XLO_ADR ] = XMIT_D_LIST;
3140 5   .IOP_TABLE [ XHI_ADR ] = ZERO;
3141 5   IF NOT GET_BIT ( CSR, NI )
3142 5     THEN
3143 6     BEGIN
3144 6       CSR_WORD = GET_BIT ( CSR_ALL );
3145 6       PRINTB ( MSG59 );
3146 6       PRINTB ( MSG29 );
3147 6       PRINTB ( MSG27 );
3148 6       ERRDF ( 1204, MSG00, ERROR$REPORT );
3149 5     END;
3150 5   ENDSUB;
3151 3
3152 3   !**
3153 3   ! TRY TO LOOPBACK A PACKET WITH INVALID RECEIVE BUFFER ADDRESS,
3154 3   ! THEN CHECK IF NON-EXISTANT MEMORY INTERRUPT ( NI ) BIT IS SET TO 1
3155 3   !--
3156 3
3157 5   BGNSUB;
3158 5   RESET_DEQNA ( );
3159 5
3160 5   SET_RDESCR_LIST ( .XBUF_LENGTH, VENXM );
3161 5   RCV_D_LIST [ LOADR ] = NXM_LO_ADR;
3162 5   .IOP_TABLE [ RLO_ADR ] = RCV_D_LIST;
3163 5   .IOP_TABLE [ RHI_ADR ] = ZERO;
3164 5
3165 5   SET_XDESCR_LIST ( .XBUF_LENGTH, VE );
3166 5   .IOP_TABLE [ XLO_ADR ] = XMIT_D_LIST;
3167 5   .IOP_TABLE [ XHI_ADR ] = ZERO;
3168 5
3169 5   CHK_RIXI_STATUS ( ONE );
3170 5
3171 5   CHK_CSR_STATUS ( #0'000220', #0'000220' );
3172 5   CHK_XMIT_STATUS ( XFLG_STATUS, XWD12_STATUS );      ! 0'140000', 0'000400'
3173 5
3174 5   .IOP_TABLE [ CSR ] = EENABLE;
3175 5
3176 5   DELAY ( 20 );
3177 5   IF NOT GET_BIT ( CSR, NI )
3178 5     THEN
3179 6     BEGIN
3180 6       CSR_WORD = GET_BIT ( CSR_ALL );
3181 6       .IOP_TABLE [ CSR ] = DISABLE;
3182 6       PRINTB ( MSG59 );
3183 6       PRINTB ( MSG29 );
3184 6       PRINTB ( MSG27 );
3185 6       ERRDF ( 1205, MSG00, ERROR$REPORT );
3186 5     END;
3187 5   .IOP_TABLE [ CSR ] = DISABLE;
3188 3   ENDSUB;

```

3189 3
3190 1
ENDTST;

Address	Hex	OpCode	Comment	Label	Instruction	Address
000000	010146			1712:	MOV R1,-(SP)	2946
000002	162706	000026			SUB #26,SP	
000006	004737	000000G			JSR PC,RESET.DEQNA	3036
000012	004737	000000G			JSR PC,PREP.FOR.SETUP	3038
000016	012701	000001			MOV #1,R1	3039
000022	010146			18:	MOV R1,-(SP)	3040
000024	012746	000023			MOV #23,-(SP)	
000030	004737	000000G			JSR PC,WRT.STATION.ADR	
000034	022626				CMP (SP),-(SP)	
000036	005201				INC R1	3039
000040	020127	000016			CMP R1,#16	
000044	003766				BLE 18	
000046	104402			28:	TRAP 2	3040
000050	012746	000200			MOV #200,-(SP)	3043
000054	004737	000000G			JSR PC,XMIT.SETUP.PACKET	
000060	005726				TST (SP)	3040
000062	104467				TRAP 67	3043
000064	006000				ROR R0	
000066	103767				BLO 28	
000070	012737	000006 000000G			MOV #6,RBUF.LENGTH	3046
000076	012700	000006			MOV #6,R0	3047
000102	006200				ASR R0	
000104	005400				NEG R0	
000106	010037	000000G			MOV R0,XBUF.LENGTH	
000112	012746	004000			MOV #4000,-(SP)	3049
000116	004737	000000G			JSR PC,CLR.BUFFERS	
000122	005037	000000G			CLR ERR.NUMBER	3050
000126	004737	000000G			JSR PC,RESET.DEQNA	3057
000132	005016				CLR (SP)	3058
000134	012746	000023			MOV #23,-(SP)	
000140	004737	000000G			JSR PC,WRT.STATION.ADR	
000144	104402			38:	TRAP 2	
000146	005016				CLR (SP)	3061
000150	004737	000000G			JSR PC,XMIT.ILOOP.PACKET	
000154	013700	000000G			MOV REG.ADR,R0	3062
000160	016066	000016 000004			MOV 16(R0),4(SP)	
000166	031766	000004			BIT (PC),4(SP)	
000172	001436				BEQ 48	
000174	016666	000004 000006			MOV 4(SP),6(SP)	3065
000202	016637	000006 000000G			MOV 6(SP),CSR.WORD	
000210	012716	000000G			MOV #MSG59,(SP)	3066
000214	012746	000001			MOV #1,-(SP)	
000220	010600				MOV SP,R0	
000222	104414				TRAP 14	
000224	012716	000000G			MOV #MSG29,(SP)	3067
000230	012746	000001			MOV #1,-(SP)	
000234	010600				MOV SP,R0	
000236	104414				TRAP 14	

NQNA3
V01.0

CNQNAAO DEQNA FUNCTIONAL TEST
TEST 12 NXM INTERRUPT TEST

12-Jul-1984 13:04:10
21-Jun-1984 08:36:17

VAX-11 B1,ss-16 V4.0-579
SPIDER:USERS:(BERG.DEQNA)NQNA3.BLI:1

000240	012716	000000G		MOV	#MSG28,(SP)	:		3068
000244	012746	000001		MOV	#1,-(SP)	:		
000250	010600			MOV	SP,R0	:	SP,*	
000252	104414			TRAP	14	:		
000254	104455			TRAP	55	:		3069
000256	002261			.WORD	2261	:		
000260	000000G			.WORD	MSG00	:		
000262	000000G			.WORD	ERROR\$REPORT	:		
000264	062706	000006		ADD	#6,SP	:		3064
000270	104467		4:	TRAP	67	:		3070
000272	006000			ROR	R0	:		
000274	103723			BLO	3:	:		
000276	104402		5:	TRAP	2	:		3071
000300	004737	000000G		JSR	PC,RESET.DEQNA	:		3079
000304	012777	160000	000010G	MOV	#-20000,@IOP.TABLE*10	:		3080
000312	012777	000077	000012G	MOV	#77,@IOP.TABLE*12	:		3081
000320	013700	000000G		MOV	REG.ADR,R0	:		3082
000324	016066	000016	000010	MOV	16(R0),10(SP)	:	*,TMP.LOCATION	
000332	032766	000004	000010	BIT	#4,10(SP)	:	*,TMP.LOCATION	
000340	001036			BNE	6:	:		
000342	016666	000010	000012	MOV	10(SP),12(SP)	:	*,TMP.LOCATION	3085
000350	016637	000012	000000G	MOV	12(SP),CSR.WORD	:	TMP.LOCATION,*	
000356	012716	000000G		MOV	#MSG59,(SP)	:		3086
000362	012746	000001		MOV	#1,-(SP)	:		
000366	010600			MOV	SP,R0	:	SP,*	
000370	104414			TRAP	14	:		
000372	012716	000000G		MOV	#MSG29,(SP)	:		3087
000376	012746	000001		MOV	#1,-(SP)	:		
000402	010600			MOV	SP,R0	:	SP,*	
000404	104414			TRAP	14	:		
000406	012716	000000G		MOV	#MSG27,(SP)	:		3088
000412	012746	000001		MOV	#1,-(SP)	:		
000416	010600			MOV	SP,R0	:	SP,*	
000420	104414			TRAP	14	:		
000422	104455			TRAP	55	:		3089
000424	002262			.WORD	2262	:		
000426	000000G			.WORD	MSG00	:		
000430	000000G			.WORD	ERROR\$REPORT	:		
000432	062706	000006		ADD	#6,SP	:		3084
000436	104467		6:	TRAP	67	:		3090
000440	006000			ROR	R0	:		
000442	103715			BLO	5:	:		
000444	104402		7:	TRAP	2	:		3091
000446	004737	000000G		JSR	PC,RESET.DEQNA	:		3099
000452	005016			CLR	(SP)	:		3100
000454	012746	000023		MOV	#23,-(SP)	:		
000460	004737	000000G		JSR	PC,WRT.STATION.ADR	:		
000464	012777	160000	000004G	MOV	#-20000,@IOP.TABLE*4	:		3102
000472	012777	000077	000006G	MOV	#77,@IOP.TABLE*6	:		3103
000500	013716	000000G		MOV	XBUF.LENGTH,(SP)	:		3105
000504	012746	120000		MOV	#-60000,-(SP)	:		
000510	004737	000000G		JSR	PC,SET.XDESCR.LIST	:		
000514	012777	000000G	000010G	MOV	#XMIT.D.LIST,@IOP.TABLE*10	:		3106

NQNA3
V01.0

CNQNA0 DEQNA FUNCTIONAL TEST
TEST 12 - NXM INTERRUPT TEST

12-Jul-1984 13:04:10
21-Jun 1984 08:36:17

VAX-11 Bliss-16 V4.0-579
SPIDER#USERS:(BERG.DEQNA)NQNA3.BLI:1

SEQ 0159
Page 76
(30)

000522	005077	000012G		CLR	@IOP.TABLE+12	:	3107
000526	012716	000001		MOV	@1.(SP)	:	3109
000532	004737	000000G		JSR	PC,CHK.RIXI.STATUS		
000536	012716	000220		MOV	@220.(SP)	:	3111
000542	011646			MOV	(SP),-(SP)		
000544	004737	000000G		JSR	PC,CHK.CSR.STATUS		
000550	012716	140000		MOV	@-40000.(SP)	:	3112
000554	012746	000400		MOV	@400, -(SP)		
000560	004737	000000G		JSR	PC,CHK.XMIT.STATUS		
000564	012777	000001	000016G	MOV	@1,@IOP.TABLE+16	:	3114
000572	012701	000024		MOV	@24,R1	:	3116
000576	001411		8\$:	BEQ	11\$:	*,\$\$TMP2
000600	013700	000000G		MOV	L\$DLY,R0	:	*,\$\$TMP1
000604	001404			BEQ	10\$		
000606	005066	000040	9\$:	CLR	40(SP)	:	\$\$TMP
000612	005300			DEC	R0	:	\$\$TMP1
000614	001374			BNE	9\$		
000616	005301		10\$:	DEC	R1	:	\$\$TMP2
000620	000766			BR	8\$		
000622	013700	000000G	11\$:	MOV	REG.ADR,R0	:	3117
000626	016066	000016	000024	MOV	16(R0),24(SP)	:	*,TMP.LOCATION
000634	032766	000004	000024	BIT	@4,24(SP)	:	*,TMP.LOCATION
000642	001040			BNE	12\$		
000644	005077	000016G		CLR	@IOP.TABLE+16	:	3120
000650	016666	000024	000026	MOV	24(SP),26(SP)	:	*,TMP.LOCATION
000656	016637	000026	000000G	MOV	26(SP),CSR.WORD	:	TMP.LOCATION,*
000664	012716	000000G		MOV	@MSG59,(SP)	:	3122
000670	012746	000001		MOV	@1, -(SP)		
000674	010600			MOV	SP,R0	:	SP,*
000676	104414			TRAP	14		
000700	012716	000000G		MOV	@MSG29,(SP)	:	3123
000704	012746	000001		MOV	@1, -(SP)		
000710	010600			MOV	SP,R0	:	SP,*
000712	104414			TRAP	14		
000714	012716	000000G		MOV	@MSG27,(SP)	:	3124
000720	012746	000001		MOV	@1, -(SP)		
000724	010600			MOV	SP,R0	:	SP,*
000726	104414			TRAP	14		
000730	104455			TRAP	55	:	3125
000732	002263			.WORD	2263		
000734	000000G			.WORD	MSG00		
000736	000000G			.WORD	ERROR\$REPORT		
000740	062706	000006		ADD	@6,SP	:	3119
000744	005077	000016G	12\$:	CLR	@IOP.TABLE+16	:	3127
000750	062706	000010		ADD	@10,SP	:	3091
000754	104467			TRAP	67	:	3127
000756	006000			ROR	R0		
000760	103631			BLO	7\$		
000762	104402		13\$:	TRAP	2	:	3128
000764	004737	000000G		JSR	PC,RESET.DEQNA	:	3136
000770	013716	000000G		MOV	XBUF.LENGTH,(SP)	:	3137
000774	012746	120077		MOV	@-57701, -(SP)		
001000	004737	000000G		JSR	PC,SET.XDESCR.LIST		

NONA3 V01.0	CNQNAAO TEST 12	DEQNA - NXM INTERRUPT TEST	FUNCTIONAL TEST	TEST 12	12-Jul-1984 13:04:10 21-Jun-1984 08:36:17	VAX-11 Bliss-16 V4.0-579 SPIDER\$USERS:(BERG.DEQNA)NONA3.BLI;1	
001004	012737	160000	000004G	MOV	@-20000,XMIT.D.LIST*4	:	3138
001012	012777	000000G	000010G	MOV	@XMIT.D.LIST,@IOP.TABLE*10	:	3139
001020	005077	000012G		CLR	@IOP.TABLE*12	:	3140
001024	013700	000000G		MOV	REG.ADR,R0	:	3141
001030	016066	000016	000022	MOV	16(R0),22(SP)	: *,TMP.LOCATION	
001036	032766	000004	000022	BIT	@4,22(SP)	: *,TMP.LOCATION	
001044	001036			BNE	14\$		
001046	016666	000022	000024	MOV	22(SP),24(SP)	: *,TMP.LOCATION	3144
001054	016637	000024	000000G	MOV	24(SP),CSR.WORD	: TMP.LOCATION,*	
001062	012716	000000G		MOV	@MSG59,(SP)	:	3145
001066	012746	000001		MOV	@1,-(SP)		
001072	010600			MOV	SP,R0	: SP,*	
001074	104414			TRAP	14		
001076	012716	000000G		MOV	@MSG29,(SP)	:	3146
001102	012746	000001		MOV	@1,-(SP)		
001106	010600			MOV	SP,R0	: SP,*	
001110	104414			TRAP	14		
001112	012716	000000G		MOV	@MSG27,(SP)	:	3147
001116	012746	000001		MOV	@1,-(SP)		
001122	010600			MOV	SP,R0	: SP,*	
001124	104414			TRAP	14		
001126	104455			TRAP	55	:	3148
001130	002264			.WORD	2264		
001132	000000G			.WORD	MSG00		
001134	000000G			.WORD	ERROR\$REPORT		
001136	062706	000006		ADD	@6,SP	:	3143
001142	005726		14\$:	TST	(SP)*	:	3128
001144	104467			TRAP	67	:	3149
001146	006000			ROR	R0		
001150	103704			BLO	13\$		
001152	104402		15\$:	TRAP	2	:	3150
001154	004737	000000G		JSR	PC,RESET.DEQNA	:	3158
001160	013716	000000G		MOV	XBUF.LENGTH,(SP)	:	3160
001164	012746	120077		MOV	@-57701,-(SP)		
001170	004737	000000G		JSR	PC,SET.RDESCR.LIST		
001174	012737	160000	000004G	MOV	@-20000,RCV.D.LIST*4	:	3161
001202	012777	000000G	000004G	MOV	@RCV.D.LIST,@IOP.TABLE*4	:	3162
001210	005077	000006G		CLR	@IOP.TABLE*6	:	3163
001214	013716	000000G		MOV	XBUF.LENGTH,(SP)	:	3165
001220	012746	120000		MOV	@-60000,-(SP)		
001224	004737	000000G		JSR	PC,SET.XDESCR.LIST		
001230	012777	000000G	000010G	MOV	@XMIT.D.LIST,@IOP.TABLE*10	:	3166
001236	005077	000012G		CLR	@IOP.TABLE*12	:	3167
001242	012716	000001		MOV	@1,(SP)	:	3169
001246	004737	000000G		JSR	PC,CHK.RIXI.STATUS		
001252	012716	000220		MOV	@220,(SP)	:	3171
001256	011646			MOV	(SP),-(SP)		
001260	004737	000000G		JSR	PC,CHK.CSR.STATUS		
001264	012716	140000		MOV	@-40000,(SP)	:	3172
001270	012746	000400		MOV	@400,-(SP)		
001274	004737	000000G		JSR	PC,CHK.XMIT.STATUS		
001300	012777	000001	000016G	MOV	@1,@IOP.TABLE*16	:	3174
001306	012701	000024		MOV	@24,R1	: *,\$\$TMP2	3176

NQNA3
V01.0

CNQNAO DEQNA FUNCTIONAL TEST
TEST 12 - NXM INTERRUPT TEST

12-Jul-1984 13:04:10
21-Jun-1984 08:36:17

VAX-11 Bliss-16 V4.0-579
SPIDER\$USERS:(BERG.DEQNA)NQNA3.BLI;1

001312	001411		16:	BEQ	19:			
001314	013700	000000G		MOV	L\$DLY,RO		; *,\$\$TMP1	
001320	001404			BEQ	18:			
001322	005066	000040	17:	CLR	40(SP)		; \$\$TMP	
001326	005300			DEC	RO		; \$\$TMP1	
001330	001374			BNE	17:			
001332	005301		18:	DEC	R1		; \$\$TMP2	
001334	000766			BR	16:			
001336	013700	000000G	19:	MOV	REG.ADR,RO			3177
001342	016066	000016 000034		MOV	16(RO),34(SP)		; *.TMP.LOCATION	
001350	032766	000004 000034		BIT	#4,34(SP)		; *.TMP.LOCATION	
001356	001040			BNE	20:			
001360	016666	000034 000036		MOV	34(SP),36(SP)		; *.TMP.LOCATION	3180
001366	016637	000036 000000G		MOV	36(SP),CSR.WORD		; TMP.LOCATION,*	
001374	005077	000016G		CLR	#IOP.TABLE+16			3181
001400	012716	000000G		MOV	#MSG59,(SP)			3182
001404	012746	000001		MOV	#1,-(SP)			
001410	010600			MOV	SP,RO		; SP,*	
001412	104414			TRAP	14			
001414	012716	000000G		MOV	#MSG29,(SP)			3183
001420	012746	000001		MOV	#1,-(SP)			
001424	010600			MOV	SP,RO		; SP,*	
001426	104414			TRAP	14			
001430	012716	000000G		MOV	#MSG27,(SP)			3184
001434	012746	000001		MOV	#1,-(SP)			
001440	010600			MOV	SP,RO		; SP,*	
001442	104414			TRAP	14			
001444	104455			TRAP	55			3185
001446	002265			.WORD	2265			
001450	000000G			.WORD	MSG00			
001452	000000G			.WORD	ERROR\$REPORT			
001454	062706	000006		ADD	#6,SP			3179
001460	005077	000016G	20:	CLR	#IOP.TABLE+16			3187
001464	062706	000010		ADD	#10,SP			3150
001470	104467			TRAP	67			3187
001472	006000			ROR	RO			
001474	103626			BLO	15:			
001476	062706	000032		ADD	#32,SP			2946
001502	012601			MOV	(SP)+,R1			
001504	000207			RTS	PC			

; Routine Size: 419 words, Routine Base: AB\$CODE\$ + 10504
; Maximum stack depth per invocation: 23 words

000000	004737	010504'	T12::	.SBTTL	T12 TEST 12 - NXM INTERRUPT TEST			
000000			1:	JSR	PC,\$T12			3188
000004	104466			TRAP	66			
000006	006000			ROR	RO			
000010	103773			BLO	1:			

G13

NQNA3
V01.0

CNQNAO DEQNA FUNCTIONAL TEST
TEST 12 - NXM INTERRUPT TEST

12-Jul-1984 13:04:10
21-Jun-1984 08:36:17

VAX-11 Bliss-16 V4.0-579
SPIDER#USERS:{BERG.DEQNA}NQNA3.BLI;1

SEG 0162
Page 79
(30)

000012 000207

RTS PC

; Routine Size: 6 words, Routine Base: AB#CODE# + 12212
; Maximum stack depth per invocation: 2 words

; 3191 1

```

: 3192 1 #SBTTL 'TEST 13 - MULTIPLE AND CHAINED PACKET TEST'
: 3193 1 :
: 3194 1 :
: 3195 1 :
: 3196 1 :
: 3197 1 :
: 3198 1 :
: 3199 1 :
: 3200 1 :
: 3201 1 :
: 3202 1 :
: 3203 1 :
: 3204 1 :
: 3205 1 :
: 3206 1 :
: 3207 1 :
: 3208 1 :
: 3209 1 :
: 3210 1 :
: 3211 1 :
: 3212 1 :
: 3213 1 :
: 3214 1 :
: 3215 1 :
: 3216 1 :
: 3217 1 :
: 3218 1 :
: 3219 1 :
: 3220 1 :
: 3221 1 :
: 3222 1 :
: 3223 1 :
: 3224 1 :
: 3225 1 :
: 3226 1 :
: 3227 1 :
: 3228 1 :

```

TEST 13: MULTIPLE AND CHAINED PACKET TEST

DESCRIPTION:

This test verifies that the DEQNA can transmit and receive multiple, linked and chained loopback packets.

If the operator specifies loop on error, the program re-executes the code that detected the error until ^C is entered.

Hardware tested:

Processing:

```

      BEGIN
        reset device
        select internal/extended loopback mode
        transmit simple loopback packet
        check for expected loopback status
        IF error
        THEN
          print error message if not inhibited
        ENDIF
        call compare_packets

        transmit multiple, linked and chained loopback packet
        check for expected loopback status
        IF error
        THEN
          print error message if not inhibited
        ENDIF
        call compare_packets
      END

```

NQNA3
V01.0CNQNAO DEQNA FUNCTIONAL TEST
TEST 13 - MULTIPLE AND CHAINED PACKET TEST12-Jul-1984 13:04:10
21-Jun-1984 08:36:17VAX-11 Bliss-16 V4.0-579
SPIDER#USERS:(BERG.DEQNA)NQNA3.BLI:1SEQ 0164
Page 81
(32)

```

: 3229 3  BGNTST;
: 3230 3
: 3231 3  RBUF_LENGTH = 64;
: 3232 3  XBUF_LENGTH = - ( .RBUF_LENGTH + -1 );
: 3233 3
: 3234 3  !..
: 3235 3  ! LOOPBACK UNCHAINED PACKET, THEN CHECK IF IT WAS PROPERLY RECEIVED
: 3236 3  !..
: 3237 3
: 3238 3  RESET_DEQNA ( );
: 3239 3  INCR INDEX FROM 0 TO 63 DO
: 3240 3    XMIT_BUFFER [ .INDEX ] = .INDEX;
: 3241 3
: 3242 5  BGNSUB;
: 3243 5    SET_RDESCR_LIST ( .XBUF_LENGTH, VE );
: 3244 5    SET_XDESCR_LIST ( .XBUF_LENGTH, VE );
: 3245 5    SEND_LOOP_PACKET ( ZERO );
: 3246 5    COMPARE_PACKETS ( );
: 3247 3  ENDSUB;
: 3248 3
: 3249 3  RESET_DEQNA ( );
: 3250 3  CLR_BUFFERS ( 512 );
: 3251 3  INCR INDEX FROM 0 TO 383 DO
: 3252 3    XMIT_BUFFER [ .INDEX ] = .INDEX;
: 3253 3
: 3254 3
: 3255 5  BGNSUB;
: 3256 5    INCR INDEX FROM 0 TO 63 DO
: 3257 5      RCV_D_LIST [ .INDEX, W_LEN ] = .RD13 [ .INDEX ];
: 3258 5    INCR INDEX FROM 0 TO 31 DO
: 3259 5      XMIT_D_LIST [ .INDEX, W_LEN ] = .TD13 [ .INDEX ];
: 3260 5
: 3261 5    XMIT_D_LIST [ 7, W_LEN ] = VE;
: 3262 5    XMIT_D_LIST [ 13, W_LEN ] = E;
: 3263 5
: 3264 5    PUT_BIT [ CSR, LB, INX_LOOPBACK ];
: 3265 5    XMIT_AND_RCV_PACKET ( );
: 3266 5    CHK_RIXI_STATUS ( ZERO );
: 3267 5    CHK_CSR_STATUS ( CSR_STATUS, CSR_MASK );      ! 0'100220', 0'100220'
: 3268 5
: 3269 5    XMIT_D_LIST [ 7, W_LEN ] = V;
: 3270 5    XMIT_D_LIST [ 12, W_LEN ] = NEWB;
: 3271 5    XMIT_D_LIST [ 13, W_LEN ] = V;
: 3272 5
: 3273 5    .IOP_TABLE [ XLO_ADR ] = XMIT_D_LIST + 24;
: 3274 5    .IOP_TABLE [ XHI_ADR ] = ZERO;
: 3275 5
: 3276 5    CHK_RIXI_STATUS ( ZERO );
: 3277 5    CHK_CSR_STATUS ( CSR_STATUS, CSR_MASK );      ! 0'100220', 0'100220'
: 3278 5
: 3279 5  !..
: 3280 5  ! CHECK IF RECEIVE BUFFER DESCRIPTOR LISTS PROPERLY VALIDATED
: 3281 5  !..

```

```

3282 5
3283 5   INCR INDEX FROM 0 TO 53 DO
3284 5     IF .RCV_D_LIST [ .INDEX, W_LEN ] NEQU .RD13 [ .INDEX ]
3285 5       AND .RCV_D_LIST [ .INDEX, W_LEN ] NEQU #0'177777'
3286 5       AND .RCV_D_LIST [ .INDEX, W_LEN ] NEQU #0'020600'
3287 5       THEN
3288 6         BEGIN
3289 6           CSR_WORD = GET_BIT ( CSR_ALL );
3290 6           PRINTB ( MSG59 );
3291 6           PRINTB ( MSG48 );
3292 6           PRINTB ( MSG50, .RCV_D_LIST [ .INDEX, W_LEN ], .RD13 [ .INDEX ], .INDEX );
3293 6           ERRDF ( 1301, MSG00, ERROR$REPORT );
3294 5         END;
3295 5
3296 5   !**
3297 5   ! CHECK IF TRANSMIT BUFFER DESCRIPTOR LISTS PROPERLY VALIDATED
3298 5   !--
3299 5
3300 5   INCR INDEX FROM 0 TO 23 DO
3301 5     IF .XMIT_D_LIST [ .INDEX, W_LEN ] NEQU .TD13 [ .INDEX ]
3302 5       AND .XMIT_D_LIST [ .INDEX, W_LEN ] NEQU #0'177777'
3303 5       AND .XMIT_D_LIST [ .INDEX, W_LEN ] NEQU #0'020414'
3304 5       AND .XMIT_D_LIST [ .INDEX, W_LEN ] NEQU #0'004140'
3305 5       THEN
3306 6         BEGIN
3307 6           CSR_WORD = GET_BIT ( CSR_ALL );
3308 6           PRINTB ( MSG59 );
3309 6           PRINTB ( MSG49 );
3310 6           PRINTB ( MSG50, .XMIT_D_LIST [ .INDEX, W_LEN ], .TD13 [ .INDEX ], .INDEX );
3311 6           ERRDF ( 1302, MSG00, ERROR$REPORT );
3312 5         END;
3313 5
3314 5   INCR INDEX FROM 0 TO 5 DO
3315 6     BEGIN
3316 6       XMIT_D_LIST [ .INDEX, W_LEN ] = .XMIT_D_LIST [ .INDEX + 24, W_LEN ];
3317 6       RCV_D_LIST [ .INDEX, W_LEN ] = .RCV_D_LIST [ .INDEX + 54, W_LEN ];
3318 5     END;
3319 5
3320 5   CHK_XMIT_STATUS ( XFLG_STATUS, XWD12_STATUS ); ! 0'140000', 0'000400'
3321 5   CHK_RCV_STATUS ( RFLG_STATUS, RWD1_STATUS ); ! 0'140000', 0'020000'
3322 5
3323 5   INCR INDEX FROM 0 TO 383 DO
3324 5     IF .XMIT_BUFFER [ .INDEX ] NEQU .RCV_BUFFER [ .INDEX ]
3325 5     THEN
3326 6       BEGIN
3327 6         CSR_WORD = GET_BIT ( CSR_ALL );
3328 6         PRINTB ( MSG59 );
3329 6         PRINTB ( MSG51 );
3330 6         PRINTB ( MSG50, .RCV_BUFFER [ .INDEX ], .XMIT_BUFFER [ .INDEX ], .INDEX );
3331 6         ERRDF ( 1303, MSG00, ERROR$REPORT );
3332 5       END;
3333 3   ENDSUB;
3334 3

```

; 3335 1 ENDTST;

		.SBITL	\$T13 TEST 13 - MULTIPLE AND CHAINED PACKET TEST	
000000	004137	000000G	\$T13: JSR R1,\$SAVE2	3100
000004	162706	000006	SUB #6,SP	
000010	012737	000100 000000G	MOV #100,RBUF.LENGTH	3231
000016	012700	000100	MOV #100,R0	3232
000022	006200		ASR R0	
000024	005400		NEG R0	
000026	010037	000000G	MOV R0,XBUF.LENGTH	
000032	004737	000000G	JSR PC,RESET.DEQNA	3238
000036	005000		CLR R0	; INDEX 3239
000040	110060	000000G	1\$: MOVB R0,XMIT.BUFFER(R0)	; INDEX,*(INDEX) 3240
000044	005200		INC R0	; INDEX 3239
000046	020027	000077	CMP R0,#77	; INDEX,*
000052	003772		BLE 1\$	
000054	104402		2\$: TRAP 2	; 3240
000056	013746	000000G	MOV XBUF.LENGTH,-(SP)	; 3243
000062	012746	120000	MOV #-60000,-(SP)	
000066	004737	000000G	JSR PC,SET.RDESCR.LIST	
000072	013716	000000G	MOV XBUF.LENGTH,(SP)	; 3244
000076	012746	120000	MOV #-60000,-(SP)	
000102	004737	000000G	JSR PC,SET.XDESCR.LIST	
000106	005016		CLR (SP)	; 3245
000110	004737	000000G	JSR PC,SEND.ELOOP.PACKET	
000114	004737	000000G	JSR PC,COMPARE.PACKETS	; 3246
000120	062706	000006	ADD #6,SP	; 3240
000124	104467		TRAP 67	; 3246
000126	006000		ROR R0	
000130	103751		BLO 2\$	
000132	004737	000000G	JSR PC,RESET.DEQNA	; 3249
000136	012746	001000	MOV #1000,-(SP)	; 3250
000142	004737	000000G	JSR PC,CLR.BUFFERS	
000146	005000		CLR R0	; INDEX 3251
000150	110060	000000G	3\$: MOVB R0,XMIT.BUFFER(R0)	; INDEX,*(INDEX) 3252
000154	005200		INC R0	; INDEX 3251
000156	020027	000577	CMP R0,#577	; INDEX,*
000162	003772		BLE 3\$	
000164	104402		4\$: TRAP 2	; 3252
000166	005000		CLR R0	; INDEX 3256
000170	016060	000000G 000000G	5\$: MOV RD13(R0),RCV.D.LIST(R0)	; *(INDEX),*(INDEX) 3257
000176	062700	000002	ADD #2,R0	; *,INDEX 3256
000202	020027	000176	CMP R0,#176	; INDEX,*
000206	003770		BLE 5\$	
000210	005000		CLR R0	; INDEX 3258
000212	016060	000000G 000000G	6\$: MOV TD13(R0),XMIT.D.LIST(R0)	; *(INDEX),*(INDEX) 3259
000220	062700	000002	ADD #2,R0	; *,INDEX 3258
000224	020027	000076	CMP R0,#76	; INDEX,*
000230	003770		BLE 6\$	
000232	012737	120000 000016G	MOV #-60000,XMIT.D.LIST+16	; 3261
000240	012737	020000 000032G	MOV #20000,XMIT.D.LIST+32	; 3262
000246	013700	000000G	MOV REG.ADR,R0	; 3264

000252	042760	001400	000016	BIC	#1400,16(R0)		
000260	052760	001000	000016	BIS	#1000,16(R0)		
000266	004737	000000G		JSR	PC,XMIT.AND.RCV.PACKET	:	3265
000272	005016			CLR	(SP)	:	3266
000274	004737	000000G		JSR	PC,CHK.RIXI.STATUS		
000300	012716	100220		MOV	#-77560,(SP)	:	3267
000304	011646			MOV	(SP),-(SP)		
000306	004737	000000G		JSR	PC,CHK.CSR.STATUS		
000312	012737	100000	000016G	MOV	#-100000,XMIT.D.LIST+16	:	3269
000320	012737	100000	000030G	MOV	#-100000,XMIT.D.LIST+30	:	3270
000326	012737	100000	000032G	MOV	#-100000,XMIT.D.LIST+32	:	3271
000334	012777	000030G	000010G	MOV	#XMIT.D.LIST+30,#IOP.TABLE+10	:	3273
000342	005077	000012G		CLR	#IOP.TABLE+12	:	3274
000346	005016			CLR	(SP)	:	3276
000350	004737	000000G		JSR	PC,CHK.RIXI.STATUS		
000354	012716	100220		MOV	#-77560,(SP)	:	3277
000360	011646			MOV	(SP),-(SP)		
000362	004737	000000G		JSR	PC,CHK.CSR.STATUS		
000366	005002			CLR	R2	: INDEX	3283
000370	010201			MOV	R2,R1	: INDEX,*	3284
000372	006301			ASL	R1		
000374	016100	000000G		MOV	RCV.D.LIST(R1),R0		
000400	020061	000000G		CMF	R0,RD13(R1)		
000404	001453			BEQ	R0,#-1	:	3285
000406	020027	177777		CMF	R0,#-1		
000412	001450			BEQ	R0,#-1	:	3286
000414	020027	020600		CMF	R0,#20600	:	3289
000420	001445			BEQ	R0,#-1		
000422	013700	000000G		MOV	REG.ADR,R0	:	3289
000426	016066	000016	000006	MOV	16(R0),6(SP)	: *,TMP.LOCATION	
000434	016637	000006	000000G	MOV	6(SP),CSR.WORD	: TMP.LOCATION,*	
000442	012716	000000G		MOV	#MSG59,(SP)	:	3290
000446	012746	000001		MOV	#1,-(SP)		
000452	010600			MOV	SP,R0	: SP,*	
000454	104414			TRAP	14		
000456	012716	000000G		MOV	#MSG48,(SP)	:	3291
000462	012746	000001		MOV	#1,-(SP)		
000466	010600			MOV	SP,R0	: SP,*	
000470	104414			TRAP	14		
000472	010216			MOV	R2,(SP)	: INDEX,*	3292
000474	016146	000000G		MOV	RD13(R1),-(SP)		
000500	016146	000000G		MOV	RCV.D.LIST(R1),-(SP)		
000504	012746	000000G		MOV	#MSG50,-(SP)		
000510	012746	000004		MOV	#4,-(SP)		
000514	010600			MOV	SP,R0	: SP,*	
000516	104414			TRAP	14		
000520	104455			TRAP	55	:	3293
000522	002425			.WORD	2425		
000524	000000G			.WORD	MSG00		
000526	000000G			.WORD	ERROR\$REPORT		
000530	062706	000014		ADD	#14,SP	:	3288
000534	005202			INC	R2	: INDEX	3283
000536	020227	000065		CMF	R2,#65	: INDEX,*	

NQNA3
V01.0CNQNAO DEQNA FUNCTIONAL TEST
TEST 13 - MULTIPLE AND CHAINED PACKET TEST12-Jul-1984 13:04:10
21-Jun-1984 08:36:17VAX-11 Bliss-16 V4.0-579
SPIDER#USERS:(BERG.DEQNA)NQNA3.BLI:1SEQ 0168
Page 85
(32)

000542	003712			BLE	7\$		
000544	005002			CLR	R2	; INDEX	3300
000546	010201		9\$:	MOV	R2,R1	; INDEX,*	3301
000550	006301			ASL	R1		
000552	016100	000000G		MOV	XMIT.D.LIST(R1),R0		
000556	020061	000000G		CMP	R0,TD13(R1)		
000562	001456			BEQ	10\$		
000564	020027	177777		CMP	R0,#-1		3302
000570	001453			BEQ	10\$		
000572	020027	020414		CMP	R0,#20414		3303
000576	001450			BEQ	10\$		
000600	020027	004140		CMP	R0,#4140		3304
000604	001445			BEQ	10\$		
000606	013700	000000G		MOV	REG.ADR,R0		3307
000612	016066	000016	000010	MOV	16(R0),10(SP)	; *,TMP.LOCATION	
000620	016637	000010	000000G	MOV	10(SP),CSR.WORD	; TMP.LOCATION,*	
000626	012716	000000G		MOV	#MSG59,(SP)		3308
000632	012746	000001		MOV	#1,-(SP)		
000636	010600			MOV	#7,R0	; SP,*	
000640	104414			TRAP	14		
000642	012716	000000G		MOV	#MSG49,(SP)		3309
000646	012746	000001		MOV	#1,-(SP)		
000652	010600			MOV	SP,#0	; SP,*	
000654	104414			TRAP	14		
000656	010216			MOV	R2,(SP)	; INDEX,*	3310
000660	016146	000000G		MOV	TD13(R1),-(SP)		
000664	016146	000000G		MOV	XMIT.D.LIST(R1),-(SP)		
000670	012746	000000G		MOV	#MSG50,-(SP)		
000674	012746	000004		MOV	#4,-(SP)		
000700	010600			MOV	SP,R0	; SP,*	
000702	104414			TRAP	14		
000704	104455			TRAP	55		3311
000706	002426			.WORD	2426		
000710	000000G			.WORD	MSG00		
000712	000000G			.WORD	ERROR#REPORT		
000714	062706	000014		ADD	#14,SP		3306
000720	005202		10\$:	INC	R2	; INDEX	3300
000722	020227	000027		CMP	R2,#27	; INDEX,*	
000726	003707			BLE	9\$		
000730	005002			CLR	R2	INDEX	3314
000732	010200		11\$:	MOV	R2,R0	; INDEX,*	3316
000734	006300			ASL	R0		
000736	010201			MOV	R2,R1	; INDEX,*	
000740	006301			ASL	R1		
000742	016160	000060G	000000G	MOV	XMIT.D.LIST+60(R1),XMIT.D.LIST(R0)		
000750	010201			MOV	R2,R1	; INDEX,*	3317
000752	006301			ASL	R1		
000754	016160	000154G	000000G	MOV	RCV.D.LIST+154(R1),RCV.D.LIST(R0)		
000762	005202			INC	R2	; INDEX	3314
000764	020227	000005		CMP	R2,#5	; INDEX,*	
000770	003760			BLE	11\$		
000772	012716	140000		MOV	#-4000,(SP)		3320
000776	012746	000400		MOV	#400,-(SP)		

NQNA3
V01.0

CNQNAAG DEQNA FUNCTIONAL TEST
TEST 13 - MULTIPLE AND CHAINED PACKET TEST

12-Jul-1984 13:04:10
21-Jun-1984 08:36:17

VAX-11 Bliss-16 V4.0-579
SPIDER\$USERS:[BERG.DEQNA]NQNA3.BLI:1

001002	004737	000000G		JSR	PC,CHK.XMIT.STATUS		
001006	012716	140000		MOV	#-40000,(SP)	:	3321
001012	012746	020000		MOV	#20000,-(SP)	:	
001016	004737	000000G		JSR	PC,CHK.RCV.STATUS		
001022	005001			CLR	R1	: INDEX	3323
001024	126161	000000G	000000G	12\$: CMPB	XMIT.BUFFER(R1),RCV.BUFFER(R1)	: *(INDEX),*(INDEX)	3324
001032	001447			BEQ	13\$		
001034	013700	000000G		MOV	REG.ADR,R0	:	3327
001040	016066	000016	000016	MOV	16(R0),16(SP)	: *,TMP.LOCATION	
001046	016637	000016	000000G	MOV	16(SP),CSR.WORD	: TMP.LOCATION,*	
001054	012716	000000G		MOV	#MSG59,(SP)	:	3328
001060	012746	000001		MOV	#1,-(SP)	:	
001064	010600			MOV	SP,R0	: SP,*	
001066	104414			TRAP	14		
001070	012716	000000G		MOV	#MSG51,(SP)	:	3329
001074	012746	000001		MOV	#1,-(SP)	:	
001100	010600			MOV	SP,R0	: SP,*	
001102	104414			TRAP	14		
001104	010116			MOV	R1,(SP)	: INDEX,*	3330
001106	005046			CLR	-(SP)		
001110	116116	000000G		MOVB	XMIT.BUFFER(R1),(SP)	: *(INDEX),*	
001114	005046			CLR	-(SP)		
001116	116116	000000G		MOVB	RCV.BUFFER(R1),(SP)	: *(INDEX),*	
001122	012746	000000G		MOV	#MSG50,-(SP)		
001126	012746	000004		MOV	#4,-(SP)		
001132	010600			MOV	SP,R0	: SP,*	
001134	104414			TRAP	14		
001136	104455			TRAP	55	:	3331
001140	002427			.WORD	2427		
001142	000000G			.WORD	MSG00		
001144	000000G			.WORD	ERROR\$REPORT		
001146	062706	000014		ADD	#14,SP	:	3326
001152	005201		13\$:	INC	R1	: INDEX	3323
001154	020127	000577		CMP	R1,#577	: INDEX,*	
001160	003721			BLE	12\$		
001162	062706	000010		ADD	#10,SP	:	3252
001166	104467			TRAP	67	:	3332
001170	006000			ROR	R0		
001172	103002			BHIS	14\$		
001174	000137	012412'		JMP	4\$		
001200	062706	000010	14\$:	ADD	#10,SP	:	3190
001204	000207			RTS	PC		

: Routine Size: 323 words, Routine Base: AB\$CODE\$ + 12226
: Maximum stack depth per invocation: 19 words

000000	004737	012226'	T13::	.SBTTL	T13 TEST 13 - MULTIPLE AND CHAINED PACKET TEST		
000000			1\$:	JSR	PC,\$T13	:	3333
000004	104466			TRAP	66		

NONAS
V01.0

NONAS DEQNA FUNCTIONAL TEST
TEST 13 MULTIPLE AND CHAINED PACKET TEST

12-Jul-1984 13:04:10
21-Jun-1984 08:36:17

VAX-11 B1.88-16 V4.0-579
SPIDER:USERS:(BERG.DEQNA)NONAS.BLI:1
SEQ 0170
Page 37
(32)

000006 006000
000010 103773
000012 000207

ROR RO
BLO 18
RTS PC

! Routine Size: 6 words. Routine Base: AB:CODE: - 13434
! Maximum stack depth per invocation: 2 words

! 3336 1

NONAS
V01.0CNONAAO DEQNA FUNCTIONAL TEST
TEST 14 - DMA TIMING TEST12 Jul-1984 13:04:10
21-Jun-1984 08:36:17VAX-11 Bliss-16 V4.0-579
SPIDER:USERS:(BERG.DEQNA)NONAS.BLI:1
SEQ 0171
Page 58
(33)

```

: 3337 1 #SBTTL 'TEST 14 - DMA TIMING TEST'
: 3338 1 :..
: 3339 1 :
: 3340 1 : TEST 14:      DMA TIMING TEST
: 3341 1 :
: 3342 1 : DESCRIPTION:
: 3343 1 :
: 3344 1 :     This test verifies that the DMA transfer completes within 'X' msec.
: 3345 1 :     Chained and linked 1514 byte loopback packet is used to accomplish
: 3346 1 :     this test. If the operator specifies loop on error, the program
: 3347 1 :     re-executes the code that detected the error until ^C is entered.
: 3348 1 :
: 3349 1 :     NOTE: An answer to the following software question
: 3350 1 :
: 3351 1 :         SYSTEM HAS BLOCK MODE MEMORY (L)?
: 3352 1 :
: 3353 1 :         determines the value for 'X'.
: 3354 1 :
: 3355 1 :     Hardware tested:  Internal/Extended loopback
: 3356 1 :                       Transmit status - last descriptor in chain (bit 15)
: 3357 1 :                       Receive status - last descriptor in chain (bit 15)
: 3358 1 :                       - error summary (bit 14)
: 3359 1 :
: 3360 1 :     Processing:
: 3361 1 :         BEGIN
: 3362 1 :             reset device
: 3363 1 :             select internal/extended loopback mode
: 3364 1 :             set the timeout timer to 'X' msec
: 3365 1 :             transmit chained loopback packet
: 3366 1 :             start the timer
: 3367 1 :             IF timeout
: 3368 1 :             THEN
: 3369 1 :                 print error message if not inhibited
: 3370 1 :             ENDIF
: 3371 1 :             check for expected loopback status
: 3372 1 :             IF error
: 3373 1 :             THEN
: 3374 1 :                 print error message if not inhibited
: 3375 1 :             ENDIF
: 3376 1 :             call compare_packets
: 3377 1 :         END
: 3378 1 :     !..

```

NQNA3
V01.0

CNQNAAO DEQNA FUNCTIONAL TEST
TEST 14 - DMA TIMING TEST

12-Jul-1984 13:04:10
21-Jun-1984 08:36:17

VAX-11 Bliss-16 V4.0-579
SPIDER\$USERS:(BERG.DEQNA)NQNA3.BLI;1
Page 89
(34)

SEQ 017

```

: 3379 3  BGNTST;
: 3380 3
: 3381 3  RBUF_LENGTH = LEGAL_LENGTH;
: 3382 3  XBUF_LENGTH = - ( RBUF_LENGTH + 1 );
: 3383 3  INCR INDEX FROM 0 TO LEGAL_LENGTH - 1 DO
: 3384 3    XMIT_BUFFER [ .INDEX ] = .INDEX;
: 3385 3
: 3386 5  BGNSUB;
: 3387 5    RESET_DEQNA ( );
: 3388 5    INCR INDEX FROM 0 TO 63 DO
: 3389 5      RCV_D_LIST [ .INDEX, W_LEN ] = .RD13 [ .INDEX ];
: 3390 5    INCR INDEX FROM 0 TO 31 DO
: 3391 5      XMIT_D_LIST [ .INDEX, W_LEN ] = .TD13 [ .INDEX ];
: 3392 5
: 3393 5    TEMP5 = .XMIT_D_LIST [ 27, W_LEN ];
: 3394 5    TEMP6 = .RCV_D_LIST [ 51, W_LEN ];
: 3395 5    TEMP7 = .RCV_D_LIST [ 56, W_LEN ];
: 3396 5
: 3397 5    XMIT_D_LIST [ 27, W_LEN ] = -628;
: 3398 5    RCV_D_LIST [ 51, W_LEN ] = -625;
: 3399 5    RCV_D_LIST [ 56, W_LEN ] = RCV_BUFFER + LEGAL_LENGTH - 2;
: 3400 5
: 3401 5    PUT_BIT [ CSR, LB, INX_LOOPBACK ];
: 3402 5    XMIT_AND_RCV_PACKET ( );
: 3403 5
: 3404 5    CHK_RIXI_STATUS ( ONE );
: 3405 5
: 3406 5    IF .SWP_BLOCK_MEM EQLU ONE
: 3407 5      THEN
: 3408 5        TEMP4 = #0'105'
: 3409 5      ELSE
: 3410 5        TEMP4 = 4 * TIME8_LIMIT;
: 3411 5
: 3412 5    IF .TEMP1 GTRU .TEMP4
: 3413 5      THEN
: 3414 5        BEGIN
: 3415 5          CSR_WORD = GET_BIT ( CSR_ALL );
: 3416 5          PRINTB ( MSG59 );
: 3417 5          PRINTB ( MSG52 );
: 3418 5          ERRDF ( 1401, MSG00, ERROR$REPORT );
: 3419 5        END;
: 3420 5
: 3421 5    CHK_CSR_STATUS ( CSR_STATUS, CSR_MASK );      ! 0'100220', 0'100220'
: 3422 5
: 3423 5    XMIT_D_LIST [ 27, W_LEN ] = .TEMP5;
: 3424 5    RCV_D_LIST [ 51, W_LEN ] = .TEMP6;
: 3425 5    RCV_D_LIST [ 56, W_LEN ] = .TEMP7;
: 3426 5
: 3427 5    !..
: 3428 5    ! CHECK IF TRANSMIT BUFFER DESCRIPTOR LISTS PROPERLY VALIDATED
: 3429 5    !..
: 3430 5    INCR INDEX FROM 0 TO 23 DO
: 3431 5      IF .XMIT_D_LIST [ .INDEX, W_LEN ] NEQU .TD13 [ .INDEX ]

```

```

3432 5      AND .XMIT_D_LIST [ .INDEX, W_LEN ] NEQU #0'177777'
3433 5      THEN
3434 6          BEGIN
3435 6              CSR_WORD = GET_BIT ( CSR_ALL );
3436 6              PRINTB ( MSG59 );
3437 6              PRINTB ( MSG49 );
3438 6              PRINTB ( MSG50, .XMIT_D_LIST [ .INDEX, W_LEN ], .TD13 [ .INDEX ], .INDEX );
3439 6              ERRDF ( 1402, MSG00, ERROR$REPORT );
3440 5          END;
3441 5
3442 5      ...
3443 5      ... CHECK IF RECEIVE BUFFER DESCRIPTOR LISTS PROPERLY VOLIDATED
3444 5      ...
3445 5      INCR INDEX FROM 0 TO 53 DO
3446 5          IF .RCV_D_LIST [ .INDEX, W_LEN ] NEQU .RD13 [ .INDEX ]
3447 5              AND .RCV_D_LIST [ .INDEX, W_LEN ] NEQU #0'177777'
3448 5                  THEN
3449 6                      BEGIN
3450 6                          CSR_WORD = GET_BIT ( CSR_ALL );
3451 6                          PRINTB ( MSG59 );
3452 6                          PRINTB ( MSG48 );
3453 6                          PRINTB ( MSG50, .RCV_D_LIST [ .INDEX, W_LEN ], .RD13 [ .INDEX ], .INDEX );
3454 6                          ERRDF ( 1403, MSG00, ERROR$REPORT );
3455 5                      END;
3456 5
3457 5      INCR INDEX FROM 0 TO 5 DO
3458 6          BEGIN
3459 6              TEMP1 = .INDEX + 24;
3460 6              TEMP2 = .INDEX + 54;
3461 6              XMIT_D_LIST [ .INDEX, W_LEN ] = .XMIT_D_LIST [ .TEMP1, W_LEN ];
3462 6              RCV_D_LIST [ .INDEX, W_LEN ] = .RCV_D_LIST [ .TEMP2, W_LEN ];
3463 5          END;
3464 5
3465 5      RBUF_LENGTH = 1514;
3466 5      CHK_XMIT_STATUS ( XFLG_STATUS, XWD12_STATUS ); ! 0'140000', 0'000400'
3467 5      CHK_RCV_STATUS ( RFLG_STATUS, RWD1_STATUS ); ! 0'140000', 0'020000'
3468 5
3469 5      INCR INDEX FROM 0 TO LEGAL_LENGTH - 1 DO
3470 5          IF .XMIT_BUFFER [ .INDEX ] NEQU .RCV_BUFFER [ .INDEX ]
3471 5              THEN
3472 6                  BEGIN
3473 6                      CSR_WORD = GET_BIT ( CSR_ALL );
3474 6                      PRINTB ( MSG59 );
3475 6                      PRINTB ( MSG51 );
3476 6                      PRINTB ( MSG50, .RCV_BUFFER [ .INDEX ], .XMIT_BUFFER [ .INDEX ], .INDEX );
3477 6                      ERRDF ( 1404, MSG00, ERROR$REPORT );
3478 5                  END;
3479 3      ENDSUB;
3480 3
3481 1      ENDTST;

```

.SBTTL \$T14 TEST 14 - DMA TIMING TEST

NQNA3
V01.0

CNQNAAG DEGNA FUNCTIONAL TEST
TEST 14 - DMA TIMING TEST

12-Jul-1984 13:04:10
21-Jun-1984 08:36:17

SEQ 0174
Page 91
VAX-11 Bliss-16 V4.0-579
SPIDER\$USERS:(BERG.DEGNA)NQNA3.BLI;1 (34)

000000	004137	000000G		\$T14:	JSR	R1,\$SAVE2	:	3335
000004	162706	000010			SUB	#10,SP		
000010	012737	002752	000000G		MOV	#2752,RBUF.LENGTH	:	3381
000016	012700	002752			MOV	#2752,R0	:	3382
000022	006200				ASR	R0		
000024	005400				NEG	R0		
000026	010037	000000G			MOV	R0,XBUF.LENGTH		
000032	005000				CLR	R0	: INDEX	3383
000034	110060	000000G		1\$:	MOV	R0,XMIT.BUFFER(R0)	: INDEX,*(INDEX)	3384
000040	005200				INC	R0	: INDEX	3383
000042	020027	002751			CMP	R0,#2751	: INDEX,*	
000046	003772				BLE	1\$		
000050	104402			2\$:	TRAP	2	:	3384
000052	004737	000000G			JSR	PC,RESET.DEGNA	:	3387
000056	005000				CLR	R0	: INDEX	3388
000060	016060	000000G	000000G	3\$:	MOV	RD13(R0),RCV.D.LIST(R0)	: *(INDEX),*(INDEX)	3389
000066	062700	000002			ADD	#2,R0	: *,INDEX	3388
000072	020027	000176			CMP	R0,#176	: INDEX,*	
000076	003770				BLE	3\$		
000100	005000				CLR	R0	: INDEX	3390
000102	016060	000000G	000000G	4\$:	MOV	TD13(R0),XMIT.D.LIST(R0)	: *(INDEX),*(INDEX)	3391
000110	062700	000002			ADD	#2,R0	: *,INDEX	3390
000114	020027	000076			CMP	R0,#76	: INDEX,*	
000120	003770				BLE	4\$		
000122	013737	000066G	000000G		MOV	XMIT.D.LIST+66,TEMP5	:	3393
000130	013737	000146G	000000G		MOV	RCV.D.LIST+146,TEMP6	:	3394
000136	013737	000160G	000000G		MOV	RCV.D.LIST+160,TEMP7	:	3395
000144	012737	176614	000066G		MOV	#-1164,XMIT.D.LIST+66	:	3397
000152	012737	176617	000146G		MOV	#-1161,RCV.D.LIST+146	:	3398
000160	012737	002750G	000160G		MOV	#RCV.BUFFER+2750,RCV.D.LIST+160	:	3399
000166	013700	000000G			MOV	REG.ADR,R0	:	3401
000172	042760	001400	000016		BIC	#1400,16(R0)		
000200	052760	001000	000016		BIS	#1000,16(R0)		
000206	004737	000000G			JSR	PC,XMIT.AND.RCV.PACKET	:	3402
000212	012746	000001			MOV	#1,-(SP)	:	3404
000216	004737	000000G			JSR	PC,CHK.RIXI.STATUS		
000222	023727	000000G	000001		CMP	SWP.BLOCK.MEM,#1	:	3406
000230	001004				ENR	5\$		
000232	012737	000105	000000G		MOV	#105,TEMP4	:	3408
000240	000403				BR	6\$:	3406
000242	012737	000310	000000G	5\$:	MOV	#310,TEMP4	:	3410
000250	023737	000000G	000000G	6\$:	CMP	TEMP1,TEMP4	:	3412
000256	101431				BLOS	7\$		
000260	013700	000000G			MOV	REG.ADR,R0	:	3415
000264	016066	000016	000002		MOV	16(R0),2(SP)	: *,TMP.LOCATION	
000272	016637	000002	000000G		MOV	2(SP),CSR.WORD	: TMP.LOCATION,*	
000300	012716	000000G			MOV	#MSG59,(SP)	:	3416
000304	012746	000001			MOV	#1,-(SP)		
000310	010600				MOV	SP,R0	: SP,*	
000312	104414				TRAP	14		
000314	012716	000000G			MOV	#MSG52,(SP)	:	3417
000320	012746	000001			MOV	#1,-(SP)		
000324	010600				MOV	SP,R0	: SP,*	

NQNA3
V01.0CNQNAAC DEQNA FUNCTIONAL TEST
TEST 14 - DMA TIMING TEST12-Jul-1984 13:04:10
21-Jun-1984 08:36:17VAX-11 Blise-16 V4.0-579
SPIDER#USERS:(BERG.DEQNA)NQNA3.BLI:1SEQ 0175
Page 92
(34)

000326	104414			TRAP	14			
000330	104455			TRAP	55			3418
000332	002571			.WORD	2571			
000334	000000G			.WORD	MSG00			
000336	000000G			.WORD	ERROR#REPORT			
000340	022626			CMP	(SP)+,(SP):			3414
000342	012716	100220	7#:	MCY	#-77560,(SP)			3421
000346	011646			MOV	(SP),-(SP)			
000350	004737	000000G		JSR	PC,CHK.CSR.STATUS			
000354	013737	000000G	000066G	MOV	TEMP5,XMIT.D.LIST+66			3423
000362	013737	000000G	000146G	MOV	TEMP6,RCV.D.LIST+146			3424
000370	013737	000000G	000160G	MOV	TEMP7,RCV.D.LIST+160			3425
000376	005002			CLR	R2		: INDEX	3430
000400	010201		8#:	MOV	R2,R1		: INDEX,*	3431
000402	006301			ASL	R1			
000404	026161	000000G	000000G	CMP	XMIT.D.LIST(R1),TD13(R1)			
000412	001451			BEQ	9#			
000414	026127	000000G	177777	CMP	XMIT.D.LIST(R1),#-1			3432
000422	001445			BEQ	9#			
000424	013700	000000G		MOV	REG.ADR,R0			3435
000430	016066	000016	000006	MOV	16(R0),6(SP)		: *,TMP.LOCATION	
000436	016637	000006	000000G	MOV	6(SP),CSR.WORD		: TMP.LOCATION,*	
000444	012716	000000G		MOV	#MSG59,(SP)			3436
000450	012746	000001		MOV	#1,-(SP)			
000454	010600			MOV	SP,R0		: SP,*	
000456	104414			TRAP	14			
000460	012716	000000G		MOV	#MSG49,(SP)			3437
000464	012746	000001		MOV	#1,-(SP)			
000470	010600			MOV	SP,R0		: SP,*	
000472	104414			TRAP	14			
000474	010216			MOV	R2,(SP)		: INDEX,*	3438
000476	016146	000000G		MOV	TD13(R1),-(SP)			
000502	016146	000000G		MOV	XMIT.D.LIST(R1),-(SP)			
000506	012746	000000G		MOV	#MSG50,-(SP)			
000512	012746	000004		MOV	#4,-(SP)			
000516	010600			MOV	SP,R0		: SP,*	
000520	104414			TRAP	14			
000522	104455			TRAP	55			3439
000524	002572			.WORD	2572			
000526	000000G			.WORD	MSG00			
000530	000000G			.WORD	ERROR#REPORT			
000532	062706	000014		ADD	#14,SP			3434
000536	005202		9#:	INC	R2		: INDEX	3430
000540	020227	000027		CMP	R2,#27		: INDE (-	
000544	003715			BLE	8#			
000546	005002			CLR	R2		: INDEX	3445
000550	010201		10#:	MOV	R2,R1		: INDEX,*	3446
000552	006301			ASL	R1			
000554	026161	000000G	000000G	CMP	RCV.D.LIST(R1),RD13(R1)			
000562	001451			BEQ	11#			
000564	026127	000000G	177777	CMP	RCV.D.LIST(R1),#-1			3447
000572	001445			BEQ	11#			
000574	013700	000000G		MOV	REG.ADR,R0			3450

NQNA3
V01.0

CNQNA0 DEQNA FUNCTIONAL TEST
TEST 14 - DMA TIMING TEST

12-Jul-1' , 13:04:10
21 Jun-19d4 08:36:17

VAX-11 Bliss-16 V4.0-579
SPi_ER\$USERS:[BERG.DEQNA]NQNA3.BLI:1 (34)

000600	016066	000016	000010	MOV	16(R0),10(SP)	:	*.TMP.LOCATION	
000606	016637	000010	000000G	MOV	10(SP),CSR.WORD	:	TMP.LOCATION,*	
000614	012716	000000G		MOV	#MSG59,(SP)	:		3451
000620	012746	000001		MOV	#1,-(SP)	:		
000624	010600			MOV	SP,R0	:	SP,*	
000626	104414			TRAP	14	:		
000630	012716	000000G		MOV	#MSG48,(SP)	:		3452
000634	012746	000001		MOV	#1,-(SP)	:		
000640	010600			MOV	SP,R0	:	SP,*	
000642	104414			TRAP	14	:		
000644	010216			MOV	R2,(SP)	:	INDEX,*	3453
000646	016146	000000G		MOV	RD13(R1),-(SP)	:		
000652	016146	000000G		MOV	RCV.D.LIST(R1),-(SP)	:		
000656	012746	000000G		MOV	#MSG50,-(SP)	:		
000662	012746	000004		MOV	#4,-(SP)	:		
000666	010600			MOV	SP,R0	:	SP,*	
000670	104414			TRAP	14	:		
000672	104455			TRAP	55	:		3454
000674	002573			.WORD	2573	:		
000676	000000G			.WORD	MSG00	:		
000700	000000G			.WORD	ERROR\$REPORT	:		
000702	062706	000014		ADD	#14,SP	:		3449
000706	005202		11\$:	INC	R2	:	INDEX	3445
000710	020227	000065		CMP	R2,#65	:	INDEX,*	
000714	003715			BLE	10\$:		
000716	005002			CLR	R2	:	INDEX	3457
000720	010237	000000G	12\$:	MOV	R2,TEMP1	:	INDEX,*	3459
000724	062737	000030	000000G	ADD	#30,TEMP1	:		
000732	010237	000000G		MOV	R2,TEMP2	:	INDEX,*	3460
000736	062737	000066	000000G	ADD	#66,TEMP2	:		
000744	010200			MOV	R2,R0	:	INDEX,*	3461
000746	006300			ASL	R0	:		
000750	013701	000000G		MOV	TEMP1,R1	:		
000754	006301			ASL	R1	:		
000756	016160	000000G	000000G	MOV	XMIT.D.LIST(R1),XMIT.D.LIST(R0)	:		
000764	013701	000000G		MOV	TEMP2,R1	:		3462
000770	006301			ASL	R1	:		
000772	016160	000000G	000000G	MOV	RCV.D.LIST(R1),RCV.D.LIST(R0)	:		
001000	005202			INC	R2	:	INDEX	3457
001002	020227	000005		CMP	R2,#5	:	INDEX,*	
001006	003744			BLE	12\$:		
001010	012737	002752	000000G	MOV	#2752,RBUF.LENGTH	:		3465
001016	012716	140000		MOV	#-40000,(SP)	:		3466
001022	012746	000400		MOV	#400,-(SP)	:		
001026	004737	000000G		JSR	PC,CHK.XMIT.STATUS	:		
001032	012716	140000		MOV	#-40000,(SP)	:		3467
001036	012746	020000		MOV	#20000,-(SP)	:		
001042	004737	000000G		JSR	PC,CHK.RCV.STATUS	:		
001046	005001			CLR	R1	:	INDEX	3469
001050	126161	000000G	000000G	13\$:	CMPB	XMIT.BUFFER(R1),RCV.BUFFER(R1)	:(INDEX),*(INDEX)	3470
001056	001447			BEQ	14\$:		
001060	013700	000000G		MOV	REG.ADR,R0	:		3473
001064	016066	000016	000016	MOV	16(R0),16(SP)	:	*.TMP.LOCATION	

NONA3
V01.0

CNONAAO DEQNA FUNCTIONAL TEST
TEST 14 - DMA TIMING TEST

12 Jul-1984 13:04:10
21-Jun-1984 08:36:17

VAX-11 Bliss-16 V4.0-579
SPIDER\$USERS:(BERG.DEQNA)NONA3.BLI;1

SEQ 0177
Page 94
(34)

001072	016637	000016	000000G	MOV	16(SP),CSR.WORD	:	TMP.LOCATION,*	
001100	012716	000000G		MOV	#MSG59,(SP)	:		3474
001104	012746	000001		MOV	#1,-(SP)	:		
001110	010600			MOV	SP,R0	:	SP,*	
001112	104414			TRAP	14	:		
001114	012716	000000G		MOV	#MSG51,(SP)	:		3475
001120	012746	000001		MOV	#1,-(SP)	:		
001124	010600			MOV	SP,R0	:	SP,*	
001126	104414			TRAP	14	:		
001130	010116			MOV	R1,(SP)	:	INDEX,*	3476
001132	005046			CLR	-(SP)	:		
001134	116116	000000G		MOV	XMIT.BUFFER(R1),(SP)	:	*(INDEX),*	
001140	005046			CLR	-(SP)	:		
001142	116116	000000G		MOV	RCV.BUFFER(R1),(SP)	:	*(INDEX),*	
001146	012746	000000G		MOV	#MSG50,-(SP)	:		
001152	012746	000004		MOV	#4,-(SP)	:		
001156	010600			MOV	SP,R0	:	SP,*	
001160	104414			TRAP	14	:		
001162	104455			TRAP	55	:		3477
001164	002574			.WORD	2574	:		
001166	000000G			.WORD	MSG00	:		
001170	000000G			.WORD	ERROR\$REPORT	:		
001172	062706	000014		ADD	#14,SP	:		3472
001176	005201		14\$:	INC	R1	:	INDEX	3469
001200	020127	002751		CMP	R1,#2751	:	INDEX,*	
001204	003721			BLE	13\$:		
001206	062706	000010		ADD	#10,SP	:		3384
001212	104467			TRAP	67	:		3478
001214	006000			ROR	R0	:		
001216	103002			BHIS	15\$:		
001220	000137	013520'		JMP	2\$:		
001224	062706	000010		ADD	#10,SP	:		3335
001230	000207		15\$:	RTS	PC	:		

; Routine Size: 333 words, Routine Base: AB\$CODE\$ + 13450
; Maximum stack depth per invocation: 19 words

000000	004737	013450'		.SBTTL	T14 TEST 14 - DMA TIMING TEST	:		
000000			T14::	JSR	PC,\$T14	:		3479
000004	104466		1\$:	TRAP	66	:		
000006	006000			ROR	R0	:		
000010	103773			BLO	1\$:		
000012	000207			RTS	PC	:		

; Routine Size: 6 words, Routine Base: AB\$CODE\$ + 14702
; Maximum stack depth per invocation: 2 words

; 3482 1

NQNA3
V01.0

CNQNAO DEQNA FUNCTIONAL TEST
TEST 15 - LONG PACKET TEST

12-Jul-1984 13:04:10
21-Jun-1984 08:36:17

VAX-11 Bliss-16 V4.0-579
SPIDER\$USERS:(BERG.DEQNA)NQNA3 JLI:1

SEQ 0178
Page 95
(35)

```

: 3483 1 #SBTTL 'TEST 15 - LONG PACKET TEST'
: 3484 1 :..
: 3485 1 :
: 3486 1 : TEST 15: LONG PACKET TEST
: 3487 1 :
: 3488 1 : DESCRIPTION:
: 3489 1 :
: 3490 1 : This test verifies that DEQNA can detect long packets ( 1600 bytes
: 3491 1 : or more with the CRC ) when transmitted in internal/extended
: 3492 1 : loopback mode. If the operator specifies loop on error, the
: 3493 1 : program re-executes the code that detected the error until tC is
: 3494 1 : entered.
: 3495 1 :
: 3496 1 : Hardware tested: RCV Status - error summary (long packet-bit 14)
: 3497 1 :
: 3498 1 : Processing:
: 3499 1 :
: 3500 1 : BEGIN
: 3501 1 : reset device
: 3502 1 : select internal/extended loopback mode
: 3503 1 : transmit loopback packet (legal packet length)
: 3504 1 : check for expected loopback status
: 3505 1 : IF error
: 3506 1 : THEN
: 3507 1 : print error message if not inhibited
: 3508 1 : ENDIF
: 3509 1 : call compare_packets
: 3510 1 : transmit loopback packet ( packet length > legal max. )
: 3511 1 : IF Error Summary bit ( Receice Status Word 1, bit 14 ) = 1
: 3512 1 : AND ( receive packet length is truncated )
: 3513 1 : THEN
: 3514 1 : print error message if not inhibited
: 3515 1 : ENDIF
: 3516 1 : END
: 3517 1 :--

```

```

: 3518 3 BGNTST;
: 3519 3
: 3520 3
: 3521 3 !..
: 3522 3 ! LOOPBACK 1534 BYTE PACKET AND THEN CHECK IF PROPERLY RECEIVED.
: 3523 3 ! THIS IS THE LONGEST PACKET LENGTH WHICH DOESN'T SET 'LONGP' BIT IN
: 3524 3 ! THE RECEIVE STATUS WORD 1 ( BIT 14 ).
: 3525 3 !..
: 3526 3 RBUF_LENGTH = 1534;
: 3527 3 XBUF_LENGTH = - ( .RBUF_LENGTH + -1 );
: 3528 3
: 3529 5 BGNSUB;
: 3530 5 RESET_DEQNA ( );
: 3531 5 SET_RDESCR_LIST ( .XBUF_LENGTH, VE );
: 3532 5 SET_XDESCR_LIST ( .XBUF_LENGTH, VE );
: 3533 5 SEND_ELOOP_PACKET ( ZERO );
: 3534 5 COMPARE_PACKETS ( );
: 3535 3 ENDSUB;
: 3536 3
: 3537 3 !..
: 3538 3 ! LOOPBACK 1536 BYTE PACKET AND THEN CHECK IF BITS 13 AND 14 ARE SET IN
: 3539 3 !..
: 3540 3
: 3541 3
: 3542 3 RBUF_LENGTH = 1536;
: 3543 3 XBUF_LENGTH = - ( .RBUF_LENGTH + -1 );
: 3544 3
: 3545 5 BGNSUB;
: 3546 5 RESET_DEQNA ( );
: 3547 5 SET_RDESCR_LIST ( .RBUF_LENGTH, VE );
: 3548 5 SET_XDESCR_LIST ( .XBUF_LENGTH, VE );
: 3549 5 SEND_ELOOP_PACKET ( ONE );
: 3550 5 COMPARE_PACKETS ( );
: 3551 3 ENDSUB;
: 3552 3
: 3553 1 ENDTST;

```

000000	012737	002776	000000G	\$T15:	.SBTTL \$T15 TEST 15 - LONG PACKET TEST		
					MOV #2776,RBUF.LENGTH	:	3526
000006	012700	002776			MOV #2776,R0	:	3527
000012	006200				ASR R0		
000014	005400				NEG R0		
000016	010037	000000G			MOV R0,XBUF.LENGTH		
000022	104402			1\$:	TRAP 2		
000024	004737	000000G			JSR PC,RESET.DEQNA	:	3530
000030	013746	000000G			MOV XBUF.LENGTH,-(SP)	:	3531
000034	012746	120000			MOV #-60000,-(SP)		
000040	004737	000000G			JSR PC,SET.RDESCR.LIST		
000044	013716	000000G			MOV XBUF.LENGTH,(SP)	:	3532
000050	012746	120000			MOV #-60000,-(SP)		
000054	004737	000000G			JSR PC,SET.XDESCR.LIST		
000060	005016				CLR (SP)	:	3533

NQNA3
V01.0

CNQNAO DEQNA FUNCTIONAL TEST
TEST 15 - LONG PACKET TEST

12-Jul-1984 13:04:10
21-Jun-1984 08:36:17

VAX-11 Bliss-16 V4.0-579
SPIDER\USERS:[BERG.DEQNA]NQNA3.BLI:1

000062	004737	000000G		JSR	PC,SEND.ELOOP.PACKET		
000066	004737	000000G		JSR	PC,COMPARE.PACKETS	:	3534
000072	062706	0000006		ADD	#6,SP	:	3527
000076	104467			TRAP	67	:	3534
000100	006000			ROR	R0		
000102	103747			BLO	1#		
000104	012737	003000	000000G	MOV	#3000,RBUF.LENGTH	:	3542
000112	012700	003000		MOV	#3000,R0	:	3543
000116	006200			ASR	R0		
000120	005400			NEG	R0		
000122	010037	000000G		MOV	R0,XBUF.LENGTH		
000126	104402		2#:	TRAP	2		
000130	004737	000000G		JSR	PC,RESET.DEQNA	:	3546
000134	013746	000000G		MOV	XBUF.LENGTH,-(SP)	:	3547
000140	012746	120000		MOV	#-60000,-(SP)		
000144	004737	000000G		JSR	PC,SET.RDESCR.LIST		
000150	013716	000000G		MOV	XBUF.LENGTH,(SP)	:	3548
000154	012746	120000		MOV	#-60000,-(SP)		
000160	004737	000000G		JSR	PC,SET.XDESCR.LIST		
000164	012716	0000001		MOV	#1,(SP)	:	3549
000170	004737	000000G		JSR	PC,SEND.ELOOP.PACKET		
000174	004737	000000G		JSR	PC,COMPARE.PACKETS	:	3550
000200	062706	0000006		ADD	#6,SP	:	3543
000204	104467			TRAP	67	:	3550
000206	006000			ROR	R0		
000210	103746			BLO	2#		
000212	000207			RTS	PC	:	3481

: Routine Size: 70 words, Routine Base: AB\$CODE\$ + 14716
: Maximum stack depth per invocation: 4 words

000000	004737	014716'		.SBTTL	T15 TEST 15 - LONG PACKET TEST		
000000			T15::	JSR	PC,#T15	:	3551
000004	104466		1#:	TRAP	66		
000006	006000			ROR	R0		
000010	103773			BLO	1#		
000012	000207			RTS	PC		

: Routine Size: 6 words, Routine Base: AB\$CODE\$ + 15132
: Maximum stack depth per invocation: 2 words

: 3554 1
: 3555 1

```

: 3556 1 *SBTTL 'TEST 16 - ODD PACKET TEST'
: 3557 1 :
: 3558 1 :
: 3559 1 : TEST 16: ODD PACKET TEST
: 3560 1 :
: 3561 1 : DESCRIPTION:
: 3562 1 :
: 3563 1 : This test verifies that DEQNA can transmit and receive odd length
: 3564 1 : packets and packets starting and/or ending on odd addresses. Chained
: 3565 1 : and unchained descriptor lists are used to verify this. If the operator
: 3566 1 : specifies loop on error, the program re-executes the code that detected
: 3567 1 : the error until tC is entered.
: 3568 1 :
: 3569 1 : Hardware tested: CSR register - XMIT List Invalid (bit 4)
: 3570 1 : - RCV List Invalid (bit 5)
: 3571 1 : Transmit Descriptor bits
: 3572 1 : - XMIT buffer ends on odd byte
: 3573 1 : - XMIT buffer ends on even byte
: 3574 1 :
: 3575 1 : Set of addresses and packet lengths:
: 3576 1 :
: 3577 1 : PACKET ADDRESS PACKET LENGTH
: 3578 1 : -----
: 3579 1 :
: 3580 1 : odd begin odd
: 3581 1 : odd begin and end even
: 3582 1 : odd end odd
: 3583 1 :
: 3584 1 : Processing:
: 3585 1 :
: 3586 1 : BEGIN
: 3587 1 : reset device
: 3588 1 : REPEAT for internal and internal/extended loopback mode
: 3589 1 : REPEAT for each packet address and length from set
: 3590 1 : check for expected loopback status
: 3591 1 : IF error
: 3592 1 : THEN
: 3593 1 : print error message if not inhibited
: 3594 1 : ENDIF
: 3595 1 : call compare_packets
: 3596 1 : ENDREPEAT
: 3597 1 : ENDREPEAT
: 3598 1 : END
: 3599 1 :

```

```

: 3600 3  BGNTST;
: 3601 3
: 3602 3  !**
: 3603 3  ! RESET DEQNA AND INITIALIZE ETHERNET STATION ADDRESS RAM
: 3604 3  !--
: 3605 3
: 3606 3  RESET_DEQNA ( );
: 3607 3  PREP_FOR_SETUP ( );
: 3608 3  INCR_INDEX1 FROM 1 TO 14 DO
: 3609 3    WRT_STATION_ADR ( .INDEX1, PHA_INDEX );
: 3610 3
: 3611 5  BGNSUB;
: 3612 5    XMIT_SETUP_PACKET ( P_MODE );
: 3613 3  ENDSUB;
: 3614 3
: 3615 3  RBUF_LENGTH = 6;
: 3616 3  XBUF_LENGTH = - ( .RBUF_LENGTH + -1 );
: 3617 3
: 3618 3  !**
: 3619 3  ! LOOPBACK A PACKET, THEN CHECK IF LOOPBACK PACKET WAS PROPERLY
: 3620 3  ! RECEIVED
: 3621 3  !--
: 3622 3
: 3623 3  CLR_BUFFERS ( 32 );
: 3624 3  CLR_DESCR ( );
: 3625 3  INCR_INDEX FROM 0 TO 5 DO
: 3626 3    XMIT_BUFFER [ .INDEX ] = .INDEX;
: 3627 3
: 3628 5  BGNSUB;
: 3629 5    INCR_INDEX FROM 0 TO 43 DO
: 3630 5      XMIT_D_LIST [ .INDEX, W_LEN ] = .TD16 [ .INDEX ];
: 3631 5      SET_RDDESCR_LIST ( .XBUF_LENGTH, VE );
: 3632 5      PUT_BIT [ CSR, LB, INT_LOOPBACK ];
: 3633 5
: 3634 5      XMIT_AND_RCV_PACKET ( );
: 3635 5      CHK_RIXI_STATUS ( ONE );
: 3636 5      .IOP_TABLE [ CSR ] = ONE;
: 3637 5      CHK_RIXI_STATUS ( ZERO );
: 3638 5      .IOP_TABLE [ CSR ] = ZERO;
: 3639 5
: 3640 5      CHK_CSR_STATUS ( CSR_STATUS, CSR_MASK );      ! 0'100220', 0'100220'
: 3641 5
: 3642 5  !**
: 3643 5  ! CHECK IF TRANSMIT BUFFER DESCRIPTOR LISTS PROPERLY VOLIDATED
: 3644 5  !--
: 3645 5
: 3646 5  INCR_INDEX FROM 0 TO 17 DO
: 3647 5    IF .XMIT_D_LIST [ .INDEX, W_LEN ] NEQU .TD16 [ .INDEX ]
: 3648 5    AND .XMIT_D_LIST [ .INDEX, W_LEN ] NEQU #0'177777'
: 3649 5    THEN
: 3650 6      BEGIN
: 3651 6        CSR_WORD = GET_BIT ( CSR_ALL );
: 3652 6        PRINTB ( MSG59 );

```


NONAS
V01.0

CNONA0 DEQNA FUNCTIONAL TEST
TEST 16 - ODD PACKET TEST

12-Jul-1984 13:04:10
21-Jun-1984 08:36:17

VAX 11 Bliss-16 V4.0-579
SPIDER:USERS:(BERG.DEQNA)NONAS BL11

```

3653 6      PRINTB ( MSG49 );
3654 6      PRINTB ( MSG50, .XMIT_D_LIST [ .INDEX, W_LEN ], .TD16 [ .INDEX ], .INDEX );
3655 6      ERRDF ( 1602, MSG00, ERROR$REPORT );
3656 5      END;
3657 5
3658 5
3659 5      INCR INDEX FROM 0 TO 5 DO
3660 5          XMIT_D_LIST [ .INDEX, W_LEN ] = .XMIT_D_LIST [ .INDEX + 18, W_LEN ];
3661 5
3662 5      CHK_XMIT_STATUS ( XFLG_STATUS, XMD12_STATUS ); ! 0'140000', 0'000400'
3663 5      CHK_RCV_STATUS ( RFLG_STATUS, RMD13_STATUS ); ! 0'140000', 0'000000'
3664 5
3665 5      INCR INDEX FROM 0 TO 5 DO
3666 5          IF .XMIT_BUFFER [ .INDEX ] NEQU .RCV_BUFFER [ .INDEX ]
3667 5              THEN
3668 6                  BEGIN
3669 6                      CSR_WORD = GET_BIT ( CSR_ALL );
3670 6                      PRINTB ( MSG59 );
3671 6                      PRINTB ( MSG51 );
3672 6                      PRINTB ( MSG50, .RCV_BUFFER [ .INDEX ], .XMIT_BUFFER [ .INDEX ], .INDEX );
3673 6                      ERRDF ( 1603, MSG00, ERROR$REPORT );
3674 5                  END;
3675 5      ENDSUB;
3676 5
3677 5      RESET_DEQNA ( );
3678 5      CLR_BUFFERS ( 32 );
3679 5      RBUF_LENGTH = 16;
3680 5      XBUF_LENGTH = - ( .RBUF_LENGTH + -1 );
3681 5      INCR INDEX FROM 0 TO 19 DO
3682 5          XMIT_BUFFER [ .INDEX ] = .INDEX;
3683 5
3684 5      BGNSUB;
3685 5          INCR INDEX FROM 0 TO 43 DO
3686 5              XMIT_D_LIST [ .INDEX, W_LEN ] = .TD16 [ .INDEX ];
3687 5
3688 5          XMIT_D_LIST [ 19, W_LEN ] = V;
3689 5          XMIT_D_LIST [ 25, W_LEN ] = C;
3690 5
3691 5          SET_RDESCR_LIST ( .XBUF_LENGTH, VE );
3692 5          PUT_BIT ( CSR, LB, INX_LOOPBACK );
3693 5          XMIT_AND_RCV_PACKET ( );
3694 5          CHK_RIXI_STATUS ( ZERO );
3695 5
3696 5          CHK_CSR_STATUS ( CSR_STATUS, CSR_MASK ); ! 0'100220', 0'100220'
3697 5
3698 5          XMIT_D_LIST [ 19, W_LEN ] = VE;
3699 5          XMIT_D_LIST [ 25, W_LEN ] = E;
3700 5
3701 5          :..
3702 5          : CHECK IF TRANSMIT BUFFER DESCRIPTOR LISTS PROPERLY VOLIDATED
3703 5          :..
3704 5
3705 5      INCR INDEX FROM 0 TO 35 DO

```

NONA3
V01.0CNONAAO DEQNA FUNCTIONAL TEST
TEST 16 - ODD PACKET TEST12-Jul-1984 13:04:10
21-Jun-1984 08:36:17SEG 0154
Page 10:
VAX-11 Bliss-16 V4.0-579
SPIDER\$USERS:(BERG.DEQNA)NONA3.BLI:1 (38)

```

: 3706 5      IF .XMIT_D_LIST [ .INDEX, W_LEN ] NEQU .TD16 [ .INDEX ]
: 3707 5      AND .XMIT_D_LIST [ .INDEX, W_LEN ] NEQU #0'177777'
: 3708 5      THEN
: 3709 6          BEGIN
: 3710 6              CSR_WORD = GET_BIT ( CSR_ALL );
: 3711 6              PRINTB ( MSG59 );
: 3712 6              PRINTB ( MSG49 );
: 3713 6              PRINTB ( MSG50, .XMIT_D_LIST [ .INDEX, W_LEN ], .TD16 [ .INDEX ], .INDEX );
: 3714 6              ERRDF ( 1604, MSG00, ERROR$REPORT );
: 3715 5          END;
: 3716 5
: 3717 5      INCR INDEX FROM 0 TO 5 DO
: 3718 5          XMIT_D_LIST [ .INDEX, W_LEN ] = .XMIT_D_LIST [ .INDEX + 36, W_LEN ];
: 3719 5
: 3720 5      CHK_XMIT_STATUS ( XFLG_STATUS, XWD12_STATUS ); ! 0'140000', 0'000400'
: 3721 5      CHK_RCV_STATUS ( RFLG_STATUS, RWD1_STATUS ); ! 0'140000', 0'020000'
: 3722 5
: 3723 5
: 3724 5      INCR INDEX FROM 0 TO 5 DO
: 3725 5          IF .XMIT_BUFFER [ .INDEX ] NEQU .RCV_BUFFER [ .INDEX ]
: 3726 5          THEN
: 3727 6              BEGIN
: 3728 6                  CSR_WORD = GET_BIT ( CSR_ALL );
: 3729 6                  PRINTB ( MSG59 );
: 3730 6                  PRINTB ( MSG51 );
: 3731 6                  PRINTB ( MSG50, .RCV_BUFFER [ .INDEX ], .XMIT_BUFFER [ .INDEX ], .INDEX );
: 3732 6                  ERRDF ( 1605, MSG00, ERROR$REPORT );
: 3733 5              END;
: 3734 5
: 3735 5      INCR INDEX FROM 6 TO 9 DO
: 3736 5          IF .RCV_BUFFER [ .INDEX ] NEQU ZERO
: 3737 5          THEN
: 3738 6              BEGIN
: 3739 6                  CSR_WORD = GET_BIT ( CSR_ALL );
: 3740 6                  PRINTB ( MSG59 );
: 3741 6                  PRINTB ( MSG51 );
: 3742 6                  PRINTB ( MSG50, .RCV_BUFFER [ .INDEX ], .XMIT_BUFFER [ .INDEX ], .INDEX );
: 3743 6                  ERRDF ( 1606, MSG00, ERROR$REPORT );
: 3744 5              END;
: 3745 5
: 3746 5      INCR INDEX FROM 0 TO 5 DO
: 3747 5          IF .RCV_BUFFER [ .INDEX + 10 ] NEQU .TARGET_ADR [ .INDEX + 114 ]
: 3748 5          THEN
: 3749 6              BEGIN
: 3750 6                  CSR_WORD = GET_BIT ( CSR_ALL );
: 3751 6                  PRINTB ( MSG59 );
: 3752 6                  PRINTB ( MSG51 );
: 3753 6                  PRINTB ( MSG50, .RCV_BUFFER [ .INDEX ], .XMIT_BUFFER [ .INDEX ], .INDEX );
: 3754 6                  ERRDF ( 1607, MSG00, ERROR$REPORT );
: 3755 5              END;
: 3756 3      ENDSUB;
: 3757 3
: 3758 1      ENDTST;

```

				.SBTTL	\$T16 TEST 16 ODD PACKET TEST		
000000	004137	000000G		JSR	R1,\$SAVE2	:	3553
000004	162706	000014	\$T16:	SUB	#14,SP	:	
000010	004737	000000G		JSR	PC,RESET.DEQNA	:	3606
000014	004737	000000G		JSR	PC,PREP.FOR.SETUP	:	3607
000020	012701	000001		MOV	#1,R1	: *,INDEX1	3608
000024	010146		1\$:	MOV	R1,-(SP)	: INDEX1,*	3609
000026	012746	000023		MOV	#23,-(SP)		
000032	004737	000000G		JSR	PC,WRT.STATION.ADR		
000036	022626			CMP	(SP)*,(SP)*		
000040	005201			INC	R1	: INDEX1	3608
000042	020127	000016		CMP	R1,#16	: INDEX1,*	
000046	003766			BLE	1\$		
000050	104402		2\$:	TRAP	2	:	3609
000052	012746	000202		MOV	#202,-(SP)	:	3612
000056	004737	000000G		JSR	PC,XMIT.SETUP.PACKET		
000062	005726			TST	(SP)*	:	3609
000064	104467			TRAP	67	:	3612
000066	006000			ROR	RO		
000070	103767			BLO	2\$		
000072	012737	000006 000000G		MOV	#6,RBUF.LENGTH	:	3615
000100	012700	000006		MOV	#6,RO	:	3616
000104	006200			ASR	RO		
000106	005400			NEG	RO		
000110	010037	000000G		MOV	RO,XBUF.LENGTH		
000114	012746	000040		MOV	#40,-(SP)	:	3623
000120	004737	000000G		JSR	PC,CLR.BUFFERS		
000124	004737	000000G		JSR	PC,CLR.DESCR	:	3624
000130	005000			CLR	RO	: INDEX	3625
000132	110060	000000G	3\$:	MOV8	RO,XMIT.BUFFER(RO)	: INDEX,* (INDEX)	3626
000136	005200			INC	RO	: INDEX	3625
000140	020027	000005		CMP	RO,#5	: INDEX,*	
000144	003772			BLE	3\$		
000146	104402		4\$:	TRAP	2	:	3626
000150	005000			CLR	RO	: INDEX	3629
000152	016060	000000G 000000G	5\$:	MOV	TD16(RO),XMIT.D.LIST(RO)	: *(INDEX),*(INDEX)	3630
000160	062700	000002		ADD	#2,RO	: *,INDEX	3629
000164	020027	000126		CMP	RO,#126	: INDEX,*	
000170	003770			BLE	5\$		
000172	013716	000000G		MOV	XBUF.LENGTH,(SP)	:	3631
000176	012746	120000		MOV	#-60000,-(SP)		
000202	004737	000000G		JSR	PC,SET.RDESCR.LIST		
000206	013700	000000G		MOV	REG.ADR,RO	:	3632
000212	042760	001400 000016		BIC	#1400,16(RO)		
000220	004737	000000G		JSR	PC,XMIT.AND.RCV.PACKET	:	3634
000224	012716	000001		MOV	#1,(SP)	:	3635
000230	004737	000000G		JSR	PC,CHK.RIXI.STATUS		
000234	012777	000001 000016G		MOV	#1,@IOP.TABLE+16	:	3636
000242	005016			CLR	(SP)	:	3637
000244	004737	000000G		JSR	PC,CHK.RIXI.STATUS		
000250	005077	000016G		CLR	@IOP.TABLE+16	:	3638

NOQA3 V01.0	CNOQA0 TEST 16	DEQNA - ODD PACKET TEST	FUNCTIONAL TEST	12-Jul-1984 13:04:10 21-Jun-1984 08:36:17	VAX-11 Bliss-16 V4.0-579 SPIDER:USERS:(BERG.DEQNA)NOQA3.BLI:1	
000254	012716	100220		MOV	@-77560,(SP)	3640
000260	011646			MOV	(SP),-(SP)	
000262	004737	000000G		JSR	PC,CHK.CSR.STATUS	
000266	005002			CLR	R2	: INDEX
000270	010201		6:	MOV	R2,R1	: INDEX,*
000272	006301			ASL	R1	
000274	026161	000000G 000000G		CMP	XMIT.D.LIST(R1),TD16(R1)	
000302	001451			BEQ	7:	
000304	026127	000000G 177777		CMP	XMIT.D.LIST(R1),@-1	3648
000312	001445			BEQ	7:	
000314	013700	000000G		MOV	REG.ADR,R0	3651
000320	016066	000016 000006		MOV	16(R0),6(SP)	: *,TMP.LOCATION
000326	016637	000006 000000G		MOV	6(SP),CSR.WORD	: TMP.LOCATION,*
000334	012716	000000G		MOV	@MSG59,(SP)	
000340	012746	000001		MOV	@1,-(SP)	
000344	010600			MOV	SP,R0	: SP,*
000346	104414			TRAP	14	
000350	012716	000000G		MOV	@MSG49,(SP)	3653
000354	012746	000001		MOV	@1,-(SP)	
000360	010600			MOV	SP,R0	: SP,*
000362	104414			TRAP	14	
000364	010216			MOV	R2,(SP)	: INDEX,*
000366	016146	000000G		MOV	TD16(R1),-(SP)	3654
000372	016146	000000G		MOV	XMIT.D.LIST(R1),-(SP)	
000376	012746	000000G		MOV	@MSG50,-(SP)	
000402	012746	000004		MOV	@4,-(SP)	
000406	010600			MOV	SP,R0	: SP,*
000410	104414			TRAP	14	
000412	104455			TRAP	55	3655
000414	003102			.WORD	3102	
000416	000000G			.WORD	MSG00	
000420	000000G			.WORD	ERROR\$REPORT	
000422	062706	000014		ADD	@14,SP	3650
000426	005202		7:	INC	R2	: INDEX
000430	020227	000021		CMP	R2,@21	: INDEX,*
000434	003715			BLE	6:	
000436	005002			CLR	R2	: INDEX
000440	010201		8:	MOV	R2,R1	: INDEX,*
000442	006301			ASL	R1	
000444	010200			MOV	R2,R0	: INDEX,*
000446	006300			ASL	R0	
000450	016061	000044G 000000G		MOV	XMIT.D.LIST+44(R0),XMIT.D.LIST(R1)	3659
000456	005202			INC	R2	: INDEX
000460	020227	000005		CMP	R2,@5	: INDEX,*
000464	003765			BLE	8:	
000466	012716	140000		MOV	@-40000,(SP)	3662
000472	012746	000400		MOV	@400,-(SP)	
000476	004737	000000G		JSR	PC,CHK.XMIT.STATUS	
000502	012716	140000		MOV	@-40000,(SP)	3663
000506	005046			CLR	-(SP)	
000510	004737	000000G		JSR	PC,CHK.RCV.STATUS	
000514	005001			CLR	R1	: INDEX
000516	126161	000000G 000000G	9:	CMPB	XMIT.BUFFER(R1),RCV.BUFFER(R1)	: *(INDEX),*(INDEX) 3666

NONA3 V01.0	CNQNAO TEST 16	DEQNA - ODD PACKET TEST	FUNCTIONAL TEST	12-Jul-1984 13:04:10 21-Jun-1984 08:36:17	VAX-11 B11-16 V4.0-579 SPIDER\$USERS:(BERG.DEQNA)NONA3.BLI;1	
000524	001447			BEG	10\$	
000526	013700	000000G		MOV	REG.ADR,R0	
000532	016066	000016	000014	MOV	16(R0),14(SP)	; *,TMP.LOCATION
000540	016637	000014	000000G	MOV	14(SP),CSR.WORD	; TMP.LOCATION,*
000546	012716	000000G		MOV	@MSG59,(SP)	
000552	012746	000001		MOV	@1,-(SP)	
000556	010600			MOV	SP,R0	; SP,*
000560	104414			TRAP	14	
000562	012716	000000G		MOV	@MSG51,(SP)	
000566	012746	000001		MOV	@1,-(SP)	
000572	010600			MOV	SP,R0	; SP,*
000574	104414			TRAP	14	
000576	010116			MOV	R1,(SP)	; INDEX,*
000600	005046			CLR	-(SP)	
000602	116116	000000G		MOVB	XMIT.BUFFER(R1),(SP)	; *(INDEX),*
000606	005046			CLR	-(SP)	
000610	116116	000000G		MOVB	RCV.BUFFER(R1),(SP)	; *(INDEX),*
000614	012746	000000G		MOV	@MSG50,-(SP)	
000620	012746	000004		MOV	@4,-(SP)	
000624	010600			MOV	SP,R0	; SP,*
000626	104414			TRAP	14	
000630	104455			TRAP	55	
000632	003103			.WORD	3103	
000634	000000G			.WORD	MSG00	
000636	000000G			.WORD	ERROR\$REPORT	
000640	062706	000014		ADD	@14,SP	
000644	005201		10\$:	INC	R1	; INDEX
000646	020127	000005		CMP	R1,@5	; INDEX,*
000652	003721			BLE	9\$	
000654	062706	000010		ADD	@10,SP	
000660	104467			TRAP	67	
000662	006000			ROR	R0	
000664	103002			BHIS	11\$	
000666	000137	015314'		JMP	4\$	
000672	004737	000000G		JSR	PC,RESET.DEQNA	
000676	012716	000040	11\$:	MOV	@40,(SP)	
000702	004737	000000G		JSR	PC,CLR.BUFFERS	
000706	012737	000020	000000G	MOV	@20,RBUF.LENGTH	
000714	012700	000020		MOV	@20,R0	
000720	006200			ASR	R0	
000722	005400			NEG	R0	
000724	010037	000000G		MOV	R0,XBUF.LENGTH	
000730	005000			CLR	R0	; INDEX
000732	110060	000000G	12\$:	MOVB	R0,XMIT.BUFFER(R0)	; INDEX,*(INDEX)
000736	005200			INC	R0	; INDEX
000740	020027	000023		CMP	R0,@23	; INDEX,*
000744	003772			BLE	12\$	
000746	104402		13\$:	TRAP	2	
000750	005000			CLR	R0	; INDEX
000752	016060	000000G	000000G	14\$:	MOV	TD16(R0),XMIT.D.LIST(R0)
000760	062700	000002		ADD	@2,R0	; *,INDEX
000764	020027	000126		CMP	R0,@126	; INDEX,*
000770	003770			BLE	14\$	

NQNA3
V01.0

CNQNAO DEQNA FUNCTIONAL TEST
TEST 16 - ODD PACKET TEST

12-Jul-1984 13:04:10
21-Jun-1984 08:36:17

VAX-11 Bliss-16 V4.0-579
SPIDER\USERS:(BERG.DEQNA)NQNA3.BLI:1

SEQ 0188
Page 105
(38)

000772	012737	100000	000046G		MOV	#-100000,XMIT.D.LIST+46	:		3688
001000	012737	040000	000062G		MOV	#40000,XMIT.D.LIST+62	:		3689
001006	013716	030000G			MOV	XBUF.LENGTH,(SP)	:		3691
001012	012746	120000			MOV	#-60000,-(SP)	:		
001016	004737	000000G			JSR	PC,SET.RDESCR.LIST	:		
001022	013700	000000G			MOV	REG.ADR,RO	:		3692
001026	042760	001400	000016		BIC	#1400,16(RO)	:		
001034	052760	001000	000016		BIS	#1000,16(RO)	:		
001042	004737	000000G			JSR	PC,XMIT.AND.RCV.PACKET	:		3693
001046	005016				CLR	(SP)	:		3694
001050	004737	000000G			JSR	PC,CHK.RIXI.STATUS	:		
001054	012716	100220			MOV	#-77560,(SP)	:		3696
001060	011646				MOV	(SP),-(SP)	:		
001062	004737	000000G			JSR	PC,CHK.CSR.STATUS	:		
001066	012737	120000	000046G		MOV	#-60000,XMIT.D.LIST+46	:		3698
001074	012737	020000	000062G		MOV	#20000,XMIT.D.LIST+62	:		3699
001102	005002				CLR	R2	:	INDEX	3705
001104	010201			15:	MOV	R2,R1	:	INDEX,*	3706
001106	006301				ASL	R1	:		
001110	026161	000000G	000000G		CMP	XMIT.D.LIST(R1),TD16(R1)	:		
001116	001451				BEQ	16:	:		
001120	026127	000000G	177777		CMP	XMIT.D.LIST(R1),#-1	:		3707
001126	001445				BEQ	16:	:		
001130	013700	000000G			MOV	REG.ADR,RO	:		3710
001134	016066	000016	000012		MOV	16(RO),12(SP)	:	*,TMP.LOCATION	
001142	016637	000012	000000G		MOV	12(SP),CSR.WORD	:	TMP.LOCATION,*	
001150	012716	000000G			MOV	#MSG59,(SP)	:		3711
001154	012746	000001			MOV	#1,-(SP)	:		
001160	010600				MOV	SP,RO	:	SP,*	
001162	104414				TRAP	14	:		
001164	012716	000000G			MOV	#MSG49,(SP)	:		3712
001170	012746	000001			MOV	#1,-(SP)	:		
001174	010600				MOV	SP,RO	:	SP,*	
001176	104414				TRAP	14	:		
001200	010216				MOV	R2,(SP)	:	INDEX,*	3713
001202	016146	000000G			MOV	TD16(R1),-(SP)	:		
001206	016146	000000G			MOV	XMIT.D.LIST(R1),-(SP)	:		
001212	012746	000000G			MOV	#MSG50,-(SP)	:		
001216	012746	000004			MOV	#4,-(SP)	:		
001222	010600				MOV	SP,RO	:	SP,*	
001224	104414				TRAP	14	:		
001226	104455				TRAP	55	:		3714
001230	003104				.WORD	3104	:		
001232	000000G				.WORD	MSG00	:		
001234	000000G				.WORD	ERROR\$REPORT	:		
001236	062706	000014			ADD	#14,SP	:		3709
001242	005202			16:	INC	R2	:	INDEX	3705
001244	020227	000043			CMP	R2,#43	:	INDEX,*	
001250	003715				BLE	15:	:		
001252	005002				CLR	R2	:	INDEX	3717
001254	010201			17:	MOV	R2,R1	:	INDEX,*	3718
001256	006301				ASL	R1	:		
001260	010200				MOV	R2,RO	:	INDEX,*	

001262	006300			ASL	R0		
001264	016061	000110G	000000G	MOV	XMIT.D.LIST+110(R0),XMIT.D.LIST(R1) ;		
001272	005202			INC	R2	; INDEX	3717
001274	020227	000005		CMP	R2,#5	; INDEX,*	
001300	003765			BLE	17#		
001302	012716	140000		MOV	#-40000,(SP)		3720
001306	012746	000400		MOV	#400,-(SP)		
001312	004737	000000G		JSR	PC,CHK.XMIT.STATUS		
001316	012716	140000		MOV	#-40000,(SP)		3721
001322	012746	020000		MOV	#20000,-(SP)		
001326	004737	000000G		JSR	PC,CHK.RCV.STATUS		
001332	005001			CLR	R1	; INDEX	3724
001334	126161	000000G	000000G	18#: CMPB	XMIT.BUFFER(R1),RCV.BUFFER(R1)	; *(INDEX),*(INDEX)	3725
001342	001447			BEQ	19#		
001344	013700	000000G		MOV	REG.ADR,R0		3728
001350	016066	000016	000020	MOV	16(R0),20(SP)	; *,TMP.LOCATION	
001356	016637	000020	000000G	MOV	20(SP),CSR.WORD	; TMP.LOCATION,*	
001364	012716	000000G		MOV	#MSG59,(SP)		3729
001370	012746	000001		MOV	#1,-(SP)		
001374	010600			MOV	SP,R0	; SP,*	
001376	104414			TRAP	14		
001400	012716	000000G		MOV	#MSG51,(SP)		3730
001404	012746	000001		MOV	#1,-(SP)		
001410	010600			MOV	SP,R0	; SP,*	
001412	104414			TRAP	14		
001414	010116			MOV	R1,(SP)	; INDEX,*	3731
001416	005046			CLR	-(SP)		
001420	116116	000000G		MOVB	XMIT.BUFFER(R1),(SP)	; *(INDEX),*	
001424	005046			CLR	-(SP)		
001426	116116	000000G		MOVB	RCV.BUFFER(R1),(SP)	; *(INDEX),*	
001432	012746	000000G		MOV	#MSG50,-(SP)		
001436	012746	000004		MOV	#4,-(SP)		
001442	010600			MOV	SP,R0	; SP,*	
001444	104414			TRAP	14		
001446	104455			TRAP	55		3732
001450	003105			.WORD	3105		
001452	000000G			.WORD	MSG00		
001454	000000G			.WORD	ERROR#REPORT		
001456	062706	000014		ADD	#14,SP		3727
001462	005201			19#: INC	R1	; INDEX	3724
001464	020127	000005		CMP	R1,#5	; INDEX,*	
001470	003721			BLE	18#		
001472	012701	000006		MOV	#6,R1	; *,INDEX	3735
001476	105761	000000G		20#: TSTB	RCV.BUFFER(R1)	; *(INDEX)	3736
001502	001447			BEQ	21#		
001504	013700	000000G		MOV	REG.ADR,R0		3739
001510	016066	000016	000022	MOV	16(R0),22(SP)	; *,TMP.LOCATION	
001516	016637	000022	000000G	MOV	22(SP),CSR.WORD	; TMP.LOCATION,*	
001524	012716	000000G		MOV	#MSG59,(SP)		3740
001530	012746	000001		MOV	#1,-(SP)		
001534	010600			MOV	SP,R0	; SP,*	
001536	104414			TRAP	14		
001540	012716	000000G		MOV	#MSG51,(SP)		3741

NQNA3
V01.0

CNQNAAG DEQNA FUNCTIONAL TFST
TEST 16 - ODD PACKET TEST

12-Jul-1984 13:04:10
21-Jun-1984 08:36:17

SEQ 0190
Page 107
VAX-11 Bliss-16 V4.0-579
SPIDER\$USERS:(BERG.DEQNA)NQNA3.BLI:1 (38)

001544	012746	000001		MOV	#1,-(SP)			
001550	010600			MOV	SP,R0	; SP,*		
001552	104414			TRAP	14			
001554	010116			MOV	R1,(SP)	; INDEX,*		3742
001556	005046			CLR	-(SP)			
001560	116116	000000G		MOVB	XMIT.BUFFER(R1),(SP)	; *(INDEX),*		
001564	005046			CLR	-(SP)			
001566	116116	000000G		MOVB	RCV.BUFFER(R1),(SP)	; *(INDEX),*		
001572	012746	000000G		MOV	#MSG50,-(SP)			
001576	012746	0000004		MOV	#4,-(SP)			
001602	010600			MOV	SP,R0	; SP,*		
001604	104414			TRAP	14			
001606	104455			TRAP	55			3743
001610	003106			.WORD	3106			
001612	000000G			.WORD	MSG00			
001614	000000G			.WORD	ERROR\$REPORT			
001616	062706	000014		ADD	#14,SP			3738
001622	005201		21\$:	INC	R1	; INDEX		3735
001624	020127	000011		CMP	R1,#11	; INDEX,*		
001630	003722			BLE	20\$			
001632	005001			CLR	R1	; INDEX		3746
001634	126161	000012G 000162G	22\$:	CMPB	RCV.BUFFER+12(R1),TARGET.ADR+162(R1)	; *(INDEX),*(INDEX)		3747
001642	001447			BEG	23\$			
001644	013700	000000G		MOV	REG.ADR,R0			3750
001650	016066	000016 000024		MOV	16(R0),24(SP)	; *,TMP.LOCATION		
001656	016637	000024 000000G		MOV	24(SP),CSR.WORD	; TMP.LOCATION,*		
001664	012716	000000G		MOV	#MSG59,(SP)			3751
001670	012746	000001		MOV	#1,-(SP)			
001674	010600			MOV	SP,R0	; SP,*		
001676	104414			TRAP	14			
001700	012716	000000G		MOV	#MSG51,(SP)			3752
001704	012746	000001		MOV	#1,-(SP)			
001710	010600			MOV	SP,R0	; SP,*		
001712	104414			TRAP	14			
001714	010116			MOV	R1,(SP)	; INDEX,*		3753
001716	005046			CLR	-(SP)			
001720	116116	000000G		MOVB	XMIT.BUFFER(R1),(SP)	; *(INDEX),*		
001724	005046			CLR	-(SP)			
001726	116116	000000G		MOVB	RCV.BUFFER(R1),(SP)	; *(INDEX),*		
001732	012746	000000G		MOV	#MSG50,-(SP)			
001736	012746	0000004		MOV	#4,-(SP)			
001742	010600			MOV	SP,R0	; SP,*		
001744	104414			TRAP	14			
001746	104455			TRAP	55			3754
001750	003107			.WORD	3107			
001752	000000G			.WORD	MSG00			
001754	000000G			.WORD	ERROR\$REPORT			
001756	062706	000014		ADD	#14,SP			3749
001762	005201		23\$:	INC	R1	; INDEX		3746
001764	020127	000005		CMP	R1,#5	; INDEX,*		
001770	003721			BLE	22\$			
001772	062706	000010		ADD	#10,SP			3682

J15

NQNA3
V01.0

CNQNAAO DEQNA FUNCTIONAL TEST
TEST 16 - ODD PACKET TEST

12-Jul-1984 13:04:10
21-Jun-1984 08:36:17

VAX-11 Bliss-16 V4.0-579
SPIDER\$USERS:(BERG.DEQNA)NQNA3.BLI:1

SEO 0191
Page 108
(38)

001776	104467		TRAP	67	:	3755
002000	006000		ROR	R0		
002002	103002		BHIS	24\$		
002004	000137	016114'	JMP	13\$		
002010	062706	000016	24\$:	ADD	@16.SP	3553
002014	000207		RTS	PC	:	

: Routine Size: 519 words. Routine Base: AB\$CODE\$ + 15146
: Maximum stack depth per invocation: 22 words

000000	004737	015146'	T16::	.SBTTL	T16 TEST 16 - ODD PACKET TEST	
000000			1\$:	JSR	PC,\$T16	3756
000004	104466			TRAP	66	
000006	006000			ROR	R0	
000010	103773			BLO	1\$	
000012	000207			RTS	PC	

: Routine Size: 6 words. Routine Base: AB\$CODE\$ + 17164
: Maximum stack depth per invocation: 2 words

: 3759 1

```

: 3760 1 #SBTTL 'TEST 17 - STATION ADDRESS TEST'
: 3761 1 :..
: 3762 1 :
: 3763 1 :
: 3764 1 :
: 3765 1 :
: 3766 1 :
: 3767 1 :
: 3768 1 :
: 3769 1 :
: 3770 1 :
: 3771 1 :
: 3772 1 :
: 3773 1 :
: 3774 1 :
: 3775 1 :
: 3776 1 :
: 3777 1 :
: 3778 1 :
: 3779 1 :
: 3780 1 :
: 3781 1 :
: 3782 1 :
: 3783 1 :
: 3784 1 :
: 3785 1 :
: 3786 1 :
: 3787 1 :
: 3788 1 :
: 3789 1 :
: 3790 1 :
: 3791 1 :
: 3792 1 :
: 3793 1 :
: 3794 1 :
: 3795 1 :
: 3796 1 :
: 3797 1 :
: 3798 1 :
: 3799 1 :
: 3800 1 :
: 3801 1 :
: 3802 1 :
: 3803 1 :
: 3804 1 :
: 3805 1 :
: 3806 1 :
: 3807 1 :
: 3808 1 :

```

TEST 17: STATION ADDRESS TEST

DESCRIPTION:

This test verifies that DEQNA accepts only packets with legitimate 'multicast' and 'non-multicast' addresses and discards those with illegitimate 'multicast' and 'non-multicast' addresses.

Station Address RAM is loaded with a set of Target Addresses and Mode bits. Target Addresses in and out of the set are used to loopback packets. If the operator specifies loop on error, the program re-executes the code that detected the error until fC is entered.

Hardware tested: Address Filter Circuitry

Set of 'multicast' addresses in HEXADECIMAL:

```

01-00-00-00-00-00
AB-AA-AA-AA-AA-AA
55 55-55-55-55-55
FF-FF-FF-FF-FF-FF
Walking 1

```

Processing:

```

BEGIN
  reset device
  select internal loopback mode
  set mode to Setup
  load Station Address RAM with 'multicast' addresses
  REPEAT for each complemented and uncomplemented 'multicast'
    address in the set
    load address
    disable receiver
    transmit loopback packet
    enable receiver
    check for expected loopback status
    IF error
    THEN
      print error message if not inhibited
    ENDIF
    call compare_packets
  ENDREPEAT
END

```

```

: 3809 3  BGNTST;
: 3810 3
: 3811 3  :..
: 3812 3  : RESET DEQNA AND INITIALIZE ETHERNET STATION ADDRESS RAM TO ALL MULTICAST
: 3813 3  : MODE.
: 3814 3  :--
: 3815 3
: 3816 3  RESET_DEQNA ( );
: 3817 3  PREP_FOR_SETUP ( );
: 3818 3  INCR INDEX1 FROM 6 TO 19 DO
: 3819 3  WRT_STATION_ADR ( .INDEX1 - 5, .INDEX1 );
: 3820 3
: 3821 5  BGNSUB;
: 3822 5  XMIT_SETUP_PACKET ( N_MODE );
: 3823 3  ENDSUB;
: 3824 3
: 3825 3  :..
: 3826 3  : NOW LOOPBACK 6 BYTE PACKETS AND CHECK IF THEY ARE RECEIVED PROPERLY
: 3827 3  :--
: 3828 3
: 3829 3  RBUF_LENGTH = 6;
: 3830 3  XBUF_LENGTH = - ( .RBUF_LENGTH + -1 );
: 3831 3
: 3832 3  INCR INDEX1 FROM 6 TO 19 DO
: 3833 4  BEGIN
: 3834 4  WRT_STATION_ADR ( ZERO, .INDEX1 );
: 3835 4
: 3836 6  BGNSUB;
: 3837 6  XMIT_ILOOP_PACKET ( ZERO );
: 3838 4  ENDSUB;
: 3839 4
: 3840 4  INCR INDEX2 FROM 0 TO 5 DO
: 3841 5  BEGIN
: 3842 5  XMIT_BUFFER [ .INDEX2 ] = ( -.XMIT_BUFFER [ .INDEX2 ] ) - 1;
: 3843 5  TARGET_ADR [ .INDEX2 ] = .XMIT_BUFFER [ .INDEX2 ];
: 3844 4  END;
: 3845 4
: 3846 6  BGNSUB;
: 3847 6  XMIT_ILOOP_PACKET ( ONE );
: 3848 4  ENDSUB;
: 3849 3  END;
: 3850 3
: 3851 3  TEMP4 = 14;
: 3852 3  INCR INDEX3 FROM 0 TO 3 DO
: 3853 4  BEGIN
: 3854 4  IF .INDEX3 EQLU 3
: 3855 4  THEN
: 3856 4  TEMP4 = 6;
: 3857 4  RESET_DEQNA ( );
: 3858 4  PREP_FOR_SETUP ( );
: 3859 4  INCR INDEX4 FROM 1 TO .TEMP4 DO
: 3860 5  BEGIN
: 3861 5  WALKING_BIT ( ZERO, .INDEX4 + ( .INDEX3 + 14 ) - 1, 5 );

```

```

: 3862 5      WRT_STATION_ADR ( .INDEX4, ZERO );
: 3863 4      END;
: 3864 4
: 3865 6      BGNSUB;
: 3866 6      XMIT_SETUP_PACKET ( N_MODE );
: 3867 4      ENDSUB;
: 3868 4
: 3869 4      RBUF_LENGTH = 6;
: 3870 4      XBUF_LENGTH = - ( .RBUF_LENGTH + -1 );
: 3871 4
: 3872 4      INCR INDEX4 FROM 1 TO .TEMP4 DO
: 3873 5      BEGIN
: 3874 5      WALKING_BIT ( ZERO, .INDEX4 + ( .INDEX3 * 14 ) - 1, 5 );
: 3875 5      WRT_STATION_ADR ( ZERO, ZERO );
: 3876 5
: 3877 7      BGNSUB;
: 3878 7      XMIT_ILOOP_PACKET ( ZERO );
: 3879 5      ENDSUB;
: 3880 4      END;
: 3881 4
: 3882 4      INCR INDEX2 FROM 0 TO 5 DO
: 3883 5      BEGIN
: 3884 5      XMIT_BUFFER [ .INDEX2 ] = ( -.XMIT_BUFFER [ .INDEX2 ] ) - 1;
: 3885 5      TARGET_ADR [ .INDEX2 ] = .XMIT_BUFFER [ .INDEX2 ];
: 3886 5
: 3887 7      BGNSUB;
: 3888 7      XMIT_ILOOP_PACKET ( ONE );
: 3889 5      ENDSUB;
: 3890 4      END;
: 3891 3      END;
: 3892 3
: 3893 3      INCR INDEX2 FROM 0 TO 5 DO
: 3894 3      TARGET_ADR [ .INDEX2 ] = ZERO;
: 3895 3
: 3896 1      ENDTST;

```

Address	Hex	OpCode	Label	Instruction	Comment	PC
000000	004137	000000G	\$T17:	JSR	R1,\$SAVE4	3758
000004	004737	000000G		JSR	PC,RESET.DEQNA	3816
000010	004737	000000G		JSR	PC,PREP.FOR.SETUP	3817
000014	012701	000006		MOV	06,R1	3818
000020	010146		1\$:	MOV	R1,-(SP)	3819
000022	162716	000005		SUB	05,(SP)	
000026	010146			MOV	R1,-(SP)	INDEX1,*
000030	004737	000000G		JSR	PC,WRT.STATION.ADR	
000034	022626			CMP	(SP)+,(SP)+	
000036	005201			INC	R1	INDEX1
000040	020127	000023		CMP	R1,023	INDEX1,*
000044	003765			BLE	1\$	
000046	104402		2\$:	TRAP	2	3819
000050	012746	000200		MOV	0200,-(SP)	3822
000054	004737	000000G		JSR	PC,XMIT.SETUP.PACKET	

NOQA3
V01.0

CNQNAO DEQNA FUNCTIONAL TEST
TEST 17 STATION ADDRESS TEST

12-Jul-1984 13:04:10
21-Jun-1984 08:36:17

VAX-11 Bliss-16 V4.0-579
SPIDER\$USERS:(BERG.DEQNA)NOQA3.BLI:1

000060	005726			TST	(SP)+	:		3819
000062	104467			TRAP	67	:		3822
000064	006000			ROR	R0			
000066	103767			BLO	2\$			
000070	012737	000006	000000G	MOV	#6,RBUF.LENGTH	:		3829
000076	012700	000006		MOV	#6,R0	:		3830
000102	006200			ASR	R0			
000104	005400			NEG	R0			
000106	010037	000000G		MOV	R0,XBUF.LENGTH			
000112	012702	000006		MOV	#6,R2	:	*,INDEX1	3832
000116	005046			3\$: CLR	-(SP)	:		3834
000120	010246			MOV	R2,-(SP)	:	INDEX1,*	
000122	004737	000000G		JSR	PC,WRT.STATION.ADR			
000126	104402			4\$: TRAP	2			
000130	005016			CLR	(SP)	:		3837
000132	004737	000000G		JSR	PC,XMIT.ILOOP.PACKET			
000136	104467			TRAP	67			
000140	006000			ROR	R0			
000142	103771			BLO	4\$			
000144	005000			CLR	R0	:	INDEX2	3840
000146	012701	000000G		5\$: MOV	#XMIT.BUFFER,R1	:		3842
000152	060001			ADD	R0,R1	:	INDEX2,*	
000154	012703	177777		MOV	#-1,R3			
000160	005004			CLR	R4			
000162	151104			BISB	(R1),R4			
000164	160403			SUB	R4,R3			
000166	110311			MOVB	R3,(R1)			
000170	110360	000000G		MOVB	R3,TARGET.ADR(R0)	:	*,*(INDEX2)	3843
000174	005200			INC	R0	:	INDEX2	3840
000176	020027	000005		CMP	R0,#5	:	INDEX2,*	
000202	003761			BLE	5\$			
000204	104402			6\$: TRAP	2	:		3844
000206	012716	000001		MOV	#1,(SP)	:		3847
000212	004737	000000G		JSR	PC,XMIT.ILOOP.PACKET			
000216	104467			TRAP	67			
000220	006000			ROR	R0			
000222	103770			BLO	6\$			
000224	022626			CMP	(SP)+,(SP)+	:		3833
000226	005202			INC	R2	:	INDEX1	3832
000230	020227	000023		CMP	R2,#23	:	INDEX1,*	
000234	003730			BLE	3\$			
000236	012737	000016	000000G	MOV	#16,TEMP4	:		3851
000244	005003			CLR	R3	:	INDEX3	3852
000246	022727	000000	000003	CMP	#0,#3	:		3854
000254	001003			7\$: BNE	8\$			
000256	012737	000006	000000G	MOV	#6,TEMP4	:		3856
000264	004737	000000G		8\$: JSR	PC,RESET.DEQNA	:		3857
000270	004737	000000G		JSR	PC,PREP.FOR.SETUP	:		3858
000274	013702	000000G		MOV	TEMP4,R2	:		3859
000300	010346			MOV	R3,-(SP)	:	INDEX3,*	3861
000302	012746	000016		MOV	#16,-(SP)			
000306	004737	000000G		JSR	PC,BL\$MUL			
000312	010004			MOV	R0,R4			

000314	005001			CLR	R1	:	INDEX4	3859
000316	000417			BR	10:	:		
000320	005016		98:	CLR	(SP)	:		3861
000322	010400			MOV	R4,R0	:		
000324	060100			ADD	R1,R0	:	INDEX4,.	
000326	010046			MOV	R0,(SP)	:		
000330	005316			DEC	(SP)	:		
000332	012746	000005		MOV	#5,-(SP)	:		
000336	004737	000000G		JSR	PC,WALKING.BIT	:		
000342	010116			MOV	R1,(SP)	:	INDEX4,.	3862
000344	005046			CLR	-(SP)	:		
000346	004737	000000G		JSR	PC,WRT.STATION.ADR	:		
000352	062706	000006		ADD	#6,SP	:		3860
000356	005201		10:	INC	R1	:	INDEX4	3859
000360	020102			CMP	R1,R2	:	INDEX4,.	
000362	003756			BLE	98	:		
000364	104402		11:	TRAP	2	:		3863
000366	012716	000200		MOV	#200,(SP)	:		3866
000372	004737	000000G		JSP	PC,XMIT.SETUP.PACKET	:		
000376	104467			TRAP	67	:		
000400	006000			ROR	R0	:		
000402	103770			BLO	11:	:		
000404	012737	000006	000000G	MOV	#6,RBUF.LENGTH	:		3869
000412	012700	000006		MOV	#6,R0	:		3870
000416	006200			ASR	R0	:		
000420	005400			NEG	R0	:		
000422	010037	000000G		MOV	R0,XBUF.LENGTH	:		
000426	013702	000000G		MOV	TEMP4,R2	:		3872
000432	005001			CLR	R1	:	INDEX4	
000434	000426			BR	14:	:		
000436	005016		12:	CLR	(SP)	:		3874
000440	010400			MOV	R4,R0	:		
000442	060100			ADD	R1,R0	:	INDEX4,.	
000444	010046			MOV	R0,-(SP)	:		
000446	005316			DEC	(SP)	:		
000450	012746	000005		MOV	#5,-(SP)	:		
000454	004737	000000G		JSR	PC,WALKING.BIT	:		
000460	005016			CLR	(SP)	:		3875
000462	005046			CLR	-(SP)	:		
000464	004737	000000G		JSR	PC,WRT.STATION.ADR	:		
000470	104402		13:	TRAP	2	:		3876
000472	005016			CLR	(SP)	:		
000474	004737	000000G		JSR	PC,XMIT.ILOOP.PACKET	:		
000500	104467			TRAP	67	:		
000502	006000			ROR	R0	:		
000504	103771			BLO	13:	:		
000506	062706	000006		ADD	#6,SP	:		3873
000512	005201		14:	INC	R1	:	INDEX4	3872
000514	020102			CMP	R1,R2	:	INDEX4,.	
000516	003747			BLE	12:	:		
000520	005002			CLR	R2	:	INDEX2	3882
000522	012700	000000G	15:	MOV	#XMIT.BUFFER,R0	:		3884
000526	060200			ADD	R2,R0	:	INDEX2,.	

NONA3
V01.0

CNONA0 DEQNA FUNCTIONAL TEST
TEST 17 - STATION ADDRESS TEST

12-Jul-1984 13:04:10
21-Jun-1984 08:36:17

VAX-11 Bliss-16 V4.0 579
SPIDER@USERS:(BERG.DEQNA)NONA3.BLI:1

SEQ 0197
Page 114
(40)

000530	012701	177777	MOV	@-1,R1		
000534	005004		CLR	R4		
000536	151004		BISB	(R0),R4		
000540	160401		SUB	R4,R1		
000542	110110		MOVB	R1,(R0)		
000544	110162	000000G	MOVB	R1,TARGET.ADR(R2)	; *(INDEX2)	3885
000550	104402		TRAP	2		
000552	012716	000001	MOV	@1,(SP)		3888
000556	004737	000000G	JSR	PC,XMIT.ILOOP.PACKET		
000562	104467		TRAP	67		
000564	006000		ROR	R0		
000566	103770		BLO	16#		
000570	005202		INC	R2	; INDEX2	3882
000572	020227	000005	CMF	R2,#5	; INDEX2,*	
000576	003751		BLE	15#		
000600	022626		CMF	(SP)*,(SP)*		3853
000602	005203		INC	R3	; INDEX3	3852
000604	020327	000003	CMF	R3,#3	; INDEX3,*	
000610	003621		BLE	7#		
000612	005000		CLR	R0	; INDEX2	3893
000614	105060	000000G	CLRB	TARGET.ADR(R0)	; *(INDEX2)	3894
000620	005200		INC	R0	; INDEX2	3893
000622	020027	000005	CMF	R0,#5	; INDEX2,*	
000626	003772		BLE	17#		
000630	000207		RTS	PC		3758

; Routine Size: 205 words, Routine Base: AB\$CODE\$ + 17200
; Maximum stack depth per invocation: 12 words

			.SBTTL	T17 TEST 17 - STATION ADDRESS TEST		
000000	004737	017200'	T17::			
000000			1#:	JSR	PC,\$T17	3894
000004	104466			TRAP	66	
000006	006000			ROR	R0	
000010	103773			BLO	1#	
000012	000207			RTS	PC	

; Routine Size: 6 words, Routine Base: AB\$CODE\$ + 20032
; Maximum stack depth per invocation: 2 words

; 3897 1
; 3898 1

3999 1
3900 1
3901 1
3902 1
3903 1
3904 1
3905 1
3906 1
3907 1
3908 1
3909 1
3910 1
3911 1
3912 1
3913 1
3914 1
3915 1
3916 1
3917 1
3918 1
3919 1
3920 1
3921 1
3922 1
3923 1
3924 1
3925 1
3926 1
3927 1
3928 1
3929 1
3930 1
3931 1
3932 1
3933 1
3934 1
3935 1
3936 1
3937 1
3938 1
3939 1
3940 1
3941 1
3942 1
3943 1
3944 1
3945 1

SBTTL 'TEST 18 - ALL MULTICAST STATION ADDRESS TEST'

TEST 18: ALL MULTICAST STATION ADDRESS TEST

DESCRIPTION:

This test verifies that DEQNA recognizes 'all multicast' addresses of the node and discards loopback packets with non-enabled addresses. If the operator specifies loop on error, the program re-executes the code that detected the error until FC is entered.

Hardware tested: All Multicast Addressing
I8051 Microprocessor
Address Filter Circuitry

Set of 'all multicast' addresses:

DEQNA Physical Addr	
AA-00-00-00-00-00	FF-FF-FF-FF-FF-FF
AA-00-02-AA-AA-AA	55-55-55-55-55-55
AA-00-05-55-55-55	AA-AA-AA-AA-AA-AA
AA-00-04-FF-FF-FF	01-00-00-00-00-00
AA-00-04-00-00-00	AB-AA-AA-AA-AA-AA
AA-00-04-18-81-8	FF-00-01-02-03-04
	00-F4-FA-44-44-55

Processing:

```

BEGIN
  reset device
  select internal loopback mode
  set mode to Setup
  load Station Address RAM with 'all multicast' addresses
  REPEAT for 'all multicast' addresses in and out of set
    load 'all multicast' address of the packet
    disable receiver
    transmit loopback packet
    enable receiver
    check for expected loopback status
    IF error
    THEN
      print error message if not inhibited
    ENDF
    call compare_packets
  ENDREPEAT
END

```



```

: 3946 3  BGNTST;
: 3947 3
: 3948 3  !..
: 3949 3  ! RESET DEQNA AND INITIALIZE ETHERNET STATION ADDRESS RAM IF EXECUTING
: 3950 3  ! TESTS IN EXTERNAL LOOPBACK MODE.
: 3951 3  !..
: 3952 3
: 3953 3  RESET_DEQNA ( );
: 3954 3  PREP_FOR_SETUP ( );
: 3955 3  INCR_INDEX1 FROM 1 TO 13 DO
: 3956 3  WRT_STATION_ADR ( .INDEX1, .INDEX1 );
: 3957 3  WRT_STATION_ADR ( 14, PHA_INDEX );
: 3958 3
: 3959 5  BGNSUB;
: 3960 5  XMIT_SETUP_PACKET ( A_MODE );
: 3961 3  ENDSUB;
: 3962 3
: 3963 3  !..
: 3964 3  ! NOW LOOPBACK 6 BYTE PACKETS AND CHECK IF THEY ARE RECEIVED PROPERLY
: 3965 3  !..
: 3966 3
: 3967 3  RBUF_LENGTH = 6;
: 3968 3  XBUF_LENGTH = - ( .RBUF_LENGTH + -1 );
: 3969 3
: 3970 3  INCR_INDEX FROM 6 TO 19 DO
: 3971 4  BEGIN
: 3972 4  WRT_STATION_ADR ( ZERO, .INDEX );
: 3973 4
: 3974 6  BGNSUB;
: 3975 6  XMIT_ILOOP_PACKET ( ZERO );
: 3976 4  ENDSUB;
: 3977 4
: 3978 4  INCR_INDEX2 FROM 0 TO 5 DO
: 3979 5  BEGIN
: 3980 5  XMIT_BUFFER [ .INDEX2 ] = ( -.XMIT_BUFFER [ .INDEX2 ] ) - 1;
: 3981 5  TARGET_ADR [ .INDEX2 ] = .XMIT_BUFFER [ .INDEX2 ];
: 3982 4  END;
: 3983 4
: 3984 4  XMIT_BUFFER [ ZERO ] = .XMIT_BUFFER [ ZERO ] AND #0'177774';
: 3985 4  TARGET_ADR [ ZERO ] = .XMIT_BUFFER [ ZERO ];
: 3986 4
: 3987 6  BGNSUB;
: 3988 6  XMIT_ILOOP_PACKET ( ONE );
: 3989 4  ENDSUB;
: 3990 4
: 3991 3  END;
: 3992 3
: 3993 3  INCR_INDEX2 FROM 0 TO 5 DO
: 3994 3  TARGET_ADR [ .INDEX2 ] = ZERO;
: 3995 3
: 3996 1  ENDTST;

```

F16

NQNA3
V01.0

CNQNA0 DEQNA FUNCTIONAL TEST
TEST 18 - ALL MULTICAST STATION ADDRESS TEST

12-Jul-1984 13:04:10
21-Jun-1984 08:36:17

VAX 11 Bliss-16 V4.0-579
SPIDER:USERS:(BERG.DEQNA)NQNA3.BLI:1

Address	Offset	Code	Label	Instruction	Comments	PC
000000	004137	000000G	\$T18:	JSP	R1,\$SAVE4	3896
000004	004737	000000G		JSR	PC,RESET.DEQNA	3953
000010	004737	000000G		JSR	PC,PREP.FOR.SETUP	3954
000014	012701	000001		MOV	#1,R1	3955
000020	010146		1\$:	MOV	R1,-(SP)	3956
000022	010146			MOV	R1,-(SP)	
000024	004737	000000G		JSR	PC,WRT.STATION.ADR	
000030	022626			CMP	(SP),.(SP)	
000032	005201			INC	R1	3955
000034	020127	000015		CMP	R1,#15	
000040	003767			BLE	1\$	
000042	012746	000016		MOV	#16,-(SP)	3957
000046	012746	000023		MOV	#23,-(SP)	
000052	004737	000000G		JSR	PC,WRT.STATION.ADR	
000056	104402		2\$:	TRAP	2	
000060	012716	000201		MOV	#201,(SP)	3960
000064	004737	000000G		JSR	PC,XMIT.SETUP.PACKET	
000070	104467			TRAP	67	
000072	006000			ROR	R0	
000074	103770			BLC	2\$	
000076	012737	000006 000000G		MOV	#6,RBUF.LENGTH	3967
000104	012700	000006		MOV	#6,R0	3968
000110	006200			ASR	R0	
000112	005400			NEG	R0	
000114	010037	000000G		MOV	R0,XBUF.LENGTH	
000120	012702	000006		MOV	#6,R2	3970
000124	005016		3\$:	CLR	(SP)	3972
000126	010246			MOV	R2,-(SP)	
000130	004737	000000G		JSR	PC,WRT.STATION.ADR	
000134	104402		4\$:	TRAP	2	
000136	005016			CLR	(SP)	3975
000140	004737	000000G		JSR	PC,XMIT.ILOOP.PACKET	
000144	104467			TRAP	67	
000146	006000			ROR	R0	
000150	103771			BLO	4\$	
000152	005000			CLR	R0	3978
000154	012701	000000G	5\$:	MOV	#XMIT.BUFFER,R1	3980
000160	060001			ADD	R0,R1	
000162	012703	177777		MOV	#-1,R3	
000166	005004			CLR	R4	
000170	151104			BISB	(R1),R4	
000172	160403			SUB	R4,R3	
000174	110311			MOV	R3,(R1)	
000176	110360	000000G		MOV	R3,TARGET.ADR(R0)	3981
000202	005200			INC	R0	3978
000204	020027	000005		CMP	R0,#5	
000210	003761			BLE	5\$	
000212	142737	000003 000000G		BICB	#3,XMIT.BUFFER	3984
000220	113737	000000G 000000G		MOV	XMIT.BUFFER,TARGET.ADR	3985
000226	104402		6\$:	TRAP	2	
000230	012716	000001		MOV	#1,(SP)	3988
000234	004737	000000G		JSR	PC,XMIT.ILOOP.PACKET	

NQNA3
V01.0
CNQNAAO DEQNA FUNCTIONAL TEST
TEST 18 - ALL MULTICAST STATION ADDRESS TEST
12-Jul-1984 13:04:10
21-Jun-1984 08:36:17

VAX-11 Bliss-16 V4.0-579
SPIDER\$USERS:[BERG.DEQNA]NQNA3.BLI;1

000240	10446		TRAP	67			
000242	006000		ROR	R0			
000244	103770		BLO	6\$			
000246	005726		TST	(SP).			
000250	005202		INC	R2		; INDEX	3971
000252	020227	000023	CMP	R2,023		; INDEX,*	3970
000256	003722		BLE	3\$			
000260	005000		CLR	R0		; INDEX2	3993
000262	105060	000000G	CLRB	TARGET.ADR(R0)		; *(INDEX2)	3994
000266	005200		INC	R0		; INDEX2	3993
000270	020027	000005	CMP	R0,05		; INDEX2,*	
000274	003772		BLE	7\$			
000276	022626		CMP	(SP),.(SP).			3896
000300	000207		RTS	PC			

; Routine Size: 97 words, Routine Base: AB\$CODE\$ + 20046
; Maximum stack depth per invocation: 10 words

			.SBTTL	T18 TEST 18 - ALL MULTICAST STATION ADDRESS TEST			
000000	004737	020046	T18::				
000000			1\$:	JSR	PC,\$T18		3994
000004	104466			TRAP	66		
000006	006000			ROR	R0		
000010	103773			BLO	1\$		
000012	000207			RTS	PC		

; Routine Size: 6 words, Routine Base: AB\$CODE\$ + 20350
; Maximum stack depth per invocation: 2 words

; 3997 1
; 3998 1

```

: 3999 1 #SBTTL TEST 19 - RUNT PACKET TEST'
: 4000 1 :..
: 4001 1 :
: 4002 1 : TEST 19: RUNT PACKET TEST
: 4003 1 :
: 4004 1 : DESCRIPTION:
: 4005 1 :
: 4006 1 : This test verifies that the DEQNA can detect runt packets in FIFO.
: 4007 1 : If the operator specifies loop on error, the program re executes the
: 4008 1 : code that detected the error until ^C is entered.
: 4009 1 :
: 4010 1 : Hardware tested: EPP
: 4011 1 : Address Filter Circuitry
: 4012 1 :
: 4013 1 : Station Address table:
: 4014 1 :
: 4015 1 : DEQNA Physical Addr
: 4016 1 : AA-00-00-00-00-00
: 4017 1 : AA-00-02-AA-AA-AA
: 4018 1 : AA-00-05-55-55-55
: 4019 1 : AA-00-04-FF-FF-FF
: 4020 1 : AA-00-04-00-00-00
: 4021 1 : AA-00-04-18-81-18
: 4022 1 :
: 4023 1 : Processing:
: 4024 1 :
: 4025 1 : BEGIN
: 4026 1 : reset device
: 4027 1 : select internal loopback mode
: 4028 1 : load Station Address RAM with Station Addresses from table
: 4029 1 : load packet with valid Station Address
: 4030 1 : disable receiver
: 4031 1 : transmit loopback packet
: 4032 1 : enable receiver
: 4033 1 : check for expected loopback status
: 4034 1 : IF error
: 4035 1 : THEN
: 4036 1 : print error message if not inhibited
: 4037 1 : ENDIF
: 4038 1 : load packet with invalid Station Address
: 4039 1 : disable receiver
: 4040 1 : transmit loopback packet
: 4041 1 : enable receiver
: 4042 1 : check for expected loopback status
: 4043 1 : IF error
: 4044 1 : THEN
: 4045 1 : print error message if not inhibited
: 4046 1 : ENDIF
: 4047 1 : END
: 4048 1 :..

```

NQNA3
V01.0CNQNAO DEQNA FUNCTIONAL TEST
TEST 19 - RUNT PACKET TEST12-Jul-1984 13:04:10
21-Jun-1984 08:36:17VAX-11 Bliss-1b V4.0-579
SPIDER\$USERS:(BERG.DEQNA)NQNA3.BLI:1SEQ 0203
Page 120
(44)

```

: 4049 3  BGNTST;
: 4050 3
: 4051 3      :..
: 4052 3      :  RESET DEQNA AND INITIALIZE ETHERNET STATION ADDRESS RAM IF EXECUTING
: 4053 3      :  TESTS IN EXTERNAL LOOPBACK MODE.
: 4054 3      :..
: 4055 3
: 4056 3  RESET_DEQNA ( );
: 4057 3  PREP_FOR_SETUP ( );
: 4058 3  INCR INDEX1 FROM 6 TO 19 DO
: 4059 3    WRT_STATION_ADR ( .INDEX1 - 5, PHA_INDEX );
: 4060 3
: 4061 5  BGNSUB;
: 4062 5    XMIT_SETUP_PACKET ( N_MODE );
: 4063 3  ENDSUB;
: 4064 3
: 4065 3      :..
: 4066 3      :  NOW LOOPBACK 6 BYTE PACKETS AND CHECK IF THEY ARE RECEIVED PROPERLY
: 4067 3      :..
: 4068 3
: 4069 3  RBUF_LENGTH = 6;
: 4070 3  XBUF_LENGTH = - ( .RBUF_LENGTH + -1 );
: 4071 3
: 4072 3  WRT_STATION_ADR ( ZERO, PHA_INDEX );
: 4073 3
: 4074 5  BGNSUB;
: 4075 5    XMIT_ILOOP_PACKET ( ZERO );
: 4076 3  ENDSUB;
: 4077 3
: 4078 5  BGNSUB;
: 4079 5    WRT_STATION_ADR ( ZERO, 2 );
: 4080 5
: 4081 5    .IOP_TABLE [ CSR ] = ONE;
: 4082 5
: 4083 5  SET_RDESCR_LIST ( .XBUF_LENGTH, VE );
: 4084 5  .IOP_TABLE [ RLO_ADR ] = RCV_D_LIST;
: 4085 5  .IOP_TABLE [ RMI_ADR ] = ZERO;
: 4086 5
: 4087 5  SET_XDESCR_LIST ( .XBUF_LENGTH, VE );
: 4088 5  .IOP_TABLE [ XLO_ADR ] = XMIT_D_LIST;
: 4089 5  .IOP_TABLE [ XMI_ADR ] = ZERO;
: 4090 5
: 4091 5  CHK_RIXI_STATUS ( ZERO );
: 4092 5  CHK_CSR_STATUS ( CSR_STATUS, CSR_MASK );           ! 0'100220', 0'100220'
: 4093 5  CHK_XMIT_STATUS ( XFLG_STATUS, XWD12_STATUS );    ! 0'140000', 0'000400'
: 4094 5  CHK_RCV_STATUS ( RFLG_STATUS, RWD16_STATUS );     ! 0'140000', 0'044000'
: 4095 5
: 4096 5  .IOP_TABLE [ CSR ] = ZERO;
: 4097 3  ENDSUB;
: 4098 3
: 4099 1  ENDTST;

```

		.SBTTL	\$T19 TEST 19 - RUNT PALKET TEST	
000000	010146		\$T19: MOV R1, -(SP)	3996
000002	004737	00000CG	JSR PC, RESET.DEQNA	4056
000006	004737	000000G	JSR PC, PREP.FOR.SETUP	4057
000012	012701	000006	MOV #6, R1	4058
000016	010146		1\$: MOV R1, -(SP)	4059
000020	162716	000005	SUB #5, (SP)	
000024	012746	000023	MOV #23, -(SP)	
000030	004737	000000G	JSR PC, WRT.STATION.ADR	
000034	022626		CMP (SP)+, (SP)+	
000036	005201		INC R1	: INDEX1 4058
000040	020127	000023	CMP R1, #23	: INDEX1, *
000044	003764		BLE 1\$	
000046	104402		2\$: TRAP 2	: 4059
000050	012746	000200	MOV #200, -(SP)	: 4062
000054	004737	000000G	JSR PC, XMIT.SETUP.PACKET	
000060	005726		TST (SP)+	: 4059
000062	104467		TRAP 67	: 4062
000064	006000		ROR R0	
000066	103767		BLO 2\$	
000070	012737	000006 000000G	MOV #6, RBUF.LENGTH	: 4069
000076	012700	000006	MOV #6, R0	: 4070
000102	006200		ASR R0	
000104	005400		NEG R0	
000106	010037	000000G	MOV R0, XBUF.LENGTH	
000112	005046		CLR -(SP)	: 40
000114	012746	000023	MOV #23, -(SP)	
000120	004737	000000G	JSR PC, WRT.STATION.ADR	
000124	104402		3\$: TRAP 2	
000126	005016		CLR (SP)	: 4075
000130	004737	000000G	JSR PC, XMIT.ILOOP.PACKET	
000134	104467		TRAP 67	
000136	006000		ROR R0	
000140	103771		BLO 3\$	
000142	104402		4\$: TRAP 2	: 4076
000144	005016		CLR (SP)	: 4079
000146	012746	000002	MOV #2, -(SP)	
000152	004737	000000G	JSR PC, WRT.STATION.ADR	
000156	012777	000001 000016G	MOV #1, @IOP.TABLE+16	: 4081
000164	013716	000000G	MOV XBUF.LENGTH, (SP)	: 4083
000170	012746	120000	MOV #-60000, -(SP)	
000174	004737	000000G	JSR PC, SET.RDESCR.LIST	
000200	012777	000000G 000004G	MOV #RCV.D.LIST, @IOP.TABLE+4	: 4084
000206	005077	000006G	CLR @IOP.TABLE+6	: 4085
000212	013716	000000G	MOV XBUF.LENGTH, (SP)	: 4087
000216	012746	120000	MOV #-60000, -(SP)	
000222	004737	000000G	JSR PC, SET.XDESCR.LIST	
000226	012777	000000G 000010G	MOV #XMIT.D.LIST, @IOP.TABLE+10	: 4088
000234	005077	000012G	CLR @IOP.TABLE+12	: 4089
000240	005016		CLR (SP)	: 4091
000242	004737	000000G	JSR PC, CHK.RIXI.STATUS	
000246	012716	100220	MOV #-77560, (SP)	: 4092
000252	011646		MOV (SP), -(SP)	

NQNA3
V01.0

CNQNAO DEQNA FUNCTIONAL TEST
TEST 19 - RUNT PACKET TEST

12-Jul-1984 13:04:10
21-Jun-1984 08:36:17

VAX-11 Bliss-16 v4.0-579
SPIDER\$USERS:[BERG.DEQNA]NQNA3.BLI;1

SEQ 0205
Page 122
(44)

000254	004737	000000G	JSR	PC,CHK.CSR.STATUS		
000260	012716	140000	MOV	@-40000,(SP)	:	4093
000264	012746	000400	MOV	@400,-(SP)		
000270	004737	000000G	JSR	PC,CHK.XMIT.STATUS		
000274	012716	140000	MOV	@-40000,(SP)	:	4094
000300	012746	044000	MOV	@44000,-(SP)		
000304	004737	000000G	JSR	PC,CHK.RCV.STATUS		
000310	005077	000016G	CLR	@IOP.TABLE+16	:	4096
000314	062706	000014	ADD	@14,SP	:	4076
000320	104467		TRAP	67	:	4096
000322	006000		ROR	R0		
000324	103706		BLO	4\$		
000326	022626		CMP	(SP)+,(SP)+	:	3996
000330	012601		MOV	(SP)+,R1		
000332	000207		RTS	PC		

; Routine Size: 110 words, Routine Base: AB\$CODE\$ + 20364
; Maximum stack depth per invocation: 10 words

			.SBTTL	T19 TEST 19 - RUNT PACKET TEST		
000000	004737	020364'	T19::			
000000			1\$:	JSR	PC,\$T19	4097
000004	104466			TRAP	66	
000006	006000			ROR	R0	
000010	103773			BLO	1\$	
000012	000207			RTS	PC	

; Routine Size: 6 words, Routine Base: AB\$CODE\$ + 20720
; Maximum stack depth per invocation: 2 words

; 4100 1
; 4101 1

```

: 4102 1 *SBTTL 'TEST 20 - FIFO OVERFLOW TEST'
: 4103 1 :
: 4104 1 :
: 4105 1 : TEST 20: FIFO OVERFLOW TEST
: 4106 1 :
: 4107 1 : DESCRIPTION:
: 4108 1 :
: 4109 1 : This test verifies that the Ethernet Protocol Processor can
: 4110 1 : detect receive FIFO overflow condition. If the operator specifies
: 4111 1 : loop on error, the program re-executes the code that detected the
: 4112 1 : error until ^C is entered.
: 4113 1 :
: 4114 1 : Hardware tested: RCV Status wd 1 - error summary (bit 14),
: 4115 1 : FIFO overflow (bit 0),
: 4116 1 : Byte FIFO in the EDLC,
: 4117 1 : and discard packet (bit 12)
: 4118 1 :
: 4119 1 : Processing:
: 4120 1 : BEGIN
: 4121 1 : reset device
: 4122 1 : select loopback mode
: 4123 1 : enable receiver ( set CSR bit 0)
: 4124 1 : transmit loopback packet
: 4125 1 : transmit another loopback packet
: 4126 1 : check for expected loopback status
: 4127 1 : IF error
: 4128 1 : THEN
: 4129 1 : print error message if not inhibited
: 4130 1 : ENDIF
: 4131 1 :
: 4132 1 : reset device
: 4133 1 : transmit loopback packet
: 4134 1 : transmit a packet
: 4135 1 : setup Receive Descriptor List
: 4136 1 : enable receiver (set CSR BIT 0)
: 4137 1 : check for expected loopback status
: 4138 1 : IF error
: 4139 1 : THEN
: 4140 1 : print error message if not inhibited
: 4141 1 : ENDIF
: 4142 1 : turn of 3 LED's on the module
: 4143 1 :
: 4144 1 : END
: 4144 1 : --

```



```

: 4145 3  BGNTST;
: 4146 3
: 4147 3  !..
: 4148 3  ! RESET DEQNA AND INITIALIZE ETHERNET STATION ADDRESS RAM
: 4149 3  !..
: 4150 3
: 4151 3  RESET_DEQNA ( );
: 4152 3  PREP_FOR_SETUP ( );
: 4153 3  INCR_INDEX1 FROM 1 TO 14 DO
: 4154 3  WRT_STATION_ADR ( .INDEX1, PHA_INDEX );
: 4155 3
: 4156 5  BGNSUB;
: 4157 5  XMIT_SETUP_PACKET ( P_MODE );
: 4158 3  ENDSUB;
: 4159 3
: 4160 3  !..
: 4161 3  ! LOOPBACK 2 6-BYTE PACKETS IN INTERNAL LOOPBACK MODE CHECK IF PACKETS
: 4162 3  ! WERE RECEIVED PROPERLY, SHOULD TRANSMIT AND RECEIVE PROPERLY.
: 4163 3  !..
: 4164 3
: 4165 3  RBUF_LENGTH = 6;
: 4166 3  XBUF_LENGTH = - ( .RBUF_LENGTH + -1 );
: 4167 3
: 4168 3  INCR_INDEX FROM 2 TO 3 DO
: 4169 4  BEGIN
: 4170 4  WRT_STATION_ADR ( ZERO, .INDEX );
: 4171 4
: 4172 6  BGNSUB;
: 4173 6  XMIT_ILOOP_PACKET ( ZERO );
: 4174 4  ENDSUB;
: 4175 3  END;
: 4176 3
: 4177 3  !..
: 4178 3  ! FORCE RECEIVE FIFO OVERFLOW ( RCV STATUS WD 1 - BIT 0 ) BY TRANSMITTING
: 4179 3  ! 2 ND 6-BYTE PACKET IN INTERNAL LOOPBACK MODE BEFORE RECEIVING FIRST PACKET
: 4180 3  !..
: 4181 3
: 4182 5  BGNSUB;
: 4183 5  .IOP_TABLE [ CSR ] = ZERO;
: 4184 5
: 4185 5  WRT_STATION_ADR ( ZERO, 2 );
: 4186 5
: 4187 5  SET_XDESCR_LIST ( .XBUF_LENGTH, VE );
: 4188 5  .IOP_TABLE [ XLO_ADR ] = XMIT_D_LIST;
: 4189 5  .IOP_TABLE [ XHI_ADR ] = ZERO;
: 4190 5
: 4191 5  CHK_RIXI_STATUS ( ONE );
: 4192 5  WRT_STATION_ADR ( ZERO, 3 );
: 4193 5
: 4194 5  SET_XDESCR_LIST ( .XBUF_LENGTH, VE );
: 4195 5  .IOP_TABLE [ XLO_ADR ] = XMIT_D_LIST;
: 4196 5  .IOP_TABLE [ XHI_ADR ] = ZERO;
: 4197 5

```

```

. 4198 5 SET_RDESCR_LIST ( .XBUF_LENGTH, VE )
: 4199 5 .IOP_TABLE [ RLO_ADR ] = RCV_D_LIST;
: 4200 5 .IOP_TABLE [ RMI_ADR ] = ZERO;
: 4201 5
: 4202 5 .IOP_TABLE [ CSR ] = ONE;
: 4203 5
: 4204 5 CHK_RIXI_STATUS ( ZERO );
: 4205 5 CHK_CSR_STATUS ( CSR_STATUS, CSR_MASK ); ! 0'100220', 0'100220'
: 4206 5 CHK_XMIT_STATUS ( XFLG_STATUS, XWD12_STATUS ); ! 0'140000', 0'000400'
: 4207 5 CHK_RCV_STATUS ( RFLG_STATUS, RWD15_STATUS ); ! 0'140000', 0'000001'
: 4208 5
: 4209 5 .IOP_TABLE [ CSR ] = ZERO;
: 4210 5 ENDSUB;
: 4211 5
: 4212 5 RESET_DEQNA ( );
: 4213 5
: 4214 5 TURN_OFF_LED ( N_MODE );
: 4215 5 TURN_OFF_LED ( LED1 );
: 4216 5 TURN_OFF_LED ( LED2 );
: 4217 5 TURN_OFF_LED ( LED3 );
: 4218 5
: 4219 1 ENDTST;

```

000000	010146		\$T20:	MOV	R1, -(SP)	:	4099
000002	004737	000000G		JSR	PC, RESET.DEQNA	:	4151
000006	004737	000000G		JSR	PC, PREP.FOR.SETUP	:	4152
000012	012701	000001		MOV	#1, R1	: *, INDEX1	4153
000016	010146		1\$:	MOV	R1, -(SP)	: INDEX1, *	4154
000020	012746	000023		MOV	#23, -(SP)		
000024	004737	000000G		JSR	PC, WRT.STATION.ADR		
000030	022626			CMP	(SP)*, (SP)*		
000032	005201			INC	R1	: INDEX1	4153
000034	020127	000016		CMP	R1, #16	: INDEX1, *	
000040	003766			BLE	1\$		
000042	104402		2\$:	TRAP	2	:	4154
000044	012746	000202		MOV	#202, -(SP)	:	4157
000050	004737	000000G		JSR	PC, XMIT.SETUP.PACKET		
000054	005726			TST	(SP)*	:	4154
000056	104467			TRAP	67	:	4157
000060	006000			ROR	R0		
000062	103767			BLO	2\$		
000064	012737	000006 000000G		MOV	#6, RBUF.LENGTH	:	4165
000072	012700	000006		MOV	#6, R0	:	4166
000076	006200			ASR	R0		
000100	005400			NEG	R0		
000102	010037	000000G		MOV	R0, XBUF.LENGTH		
000106	012701	000002		MOV	#2, R1	: *, INDEX	4168
000112	005046		3\$:	CLR	-(SP)	:	4170
000114	010146			MOV	R1, (SP)	: INDEX, *	
000116	004737	000000G		JSR	PC, WRT.STATION.ADR		
000122	104402		4\$:	TRAP	2		

NQNA3
V01.0

CNQNA0 DEQNA FUNCTIONAL TEST
TEST 20 - FIFO OVERFLOW TEST

12-Jul-1984 13:04:10
21 Jun 1984 08:36:17

VAX-11 Blis-16 V4.0-579
SPIDER\$USERS:(BLRG.DEQNA)NQNA3.BLI;1

000124	005016		CLR	(SP)	:	4173
000126	004737	000000G	JSR	PC,XMIT.ILOOP.PACKET	:	
000132	104467		TRAP	67	:	
000134	006000		ROR	R0	:	
000136	103771		BLO	4:	:	
000140	022626		CMP	(SP),,(SP),	:	4169
000142	005201		INC	R1	:	INDEX 4168
000144	020127	000003	CMP	R1,43	:	INDEX,*
000150	003760		BLE	3:	:	
000152	104402	5:	TRAP	2	:	4175
000154	005077	000016G	CLR	@IOP.TABLE+16	:	4183
000160	005046		CLR	-(SP)	:	4185
000162	012746	000002	MOV	@2,-(SP)	:	
000166	004737	000000G	JSR	PC,WRT.STATION.ADR	:	
000172	013716	000000G	MOV	XBUF.LENGTH,(SP)	:	4187
000176	012746	120000	MOV	@-60000,-(SP)	:	
000202	004737	000000G	JSR	PC,SET.XDESCR.LIST	:	
000206	012777	000000G 000010G	MOV	@XMIT.D.LIST,@IOP.TABLE+10	:	4188
000214	005077	000012G	CLR	@IOP.TABLE+12	:	4189
000220	012716	000001	MOV	@1,(SP)	:	4191
000224	004737	000000G	JSR	PC,CHK.RIXI.STATUS	:	
000230	005016		CLR	(SP)	:	4192
000232	012746	000003	MOV	@3,-(SP)	:	
000236	004737	000000G	JSR	PC,WRT.STATION.ADR	:	
000242	013716	000000G	MOV	XBUF.LENGTH,(SP)	:	4194
000246	012746	120000	MOV	@-60000,-(SP)	:	
000252	004737	000000G	JSR	PC,SET.XDESCR.LIST	:	
000256	012777	000000G 000010G	MOV	@XMIT.D.LIST,@IOP.TABLE+10	:	4195
000264	005077	000012G	CLR	@IOP.TABLE+12	:	4196
000270	013716	000000G	MOV	XBUF.LENGTH,(SP)	:	4198
000274	012746	120000	MOV	@-60000,-(SP)	:	
000300	004737	000000G	JSR	PC,SET.RDESCR.LIST	:	
000304	012777	000000G 000004G	MOV	@RCV.D.LIST,@IOP.TABLE+4	:	4199
000312	005077	000006G	CLR	@IOP.TABLE+6	:	4200
000316	012777	000001 000016G	MOV	@1,@IOP.TABLE+16	:	4202
000324	005016		CLR	(SP)	:	4204
000326	004737	000000G	JSR	PC,CHK.RIXI.STATUS	:	
000332	012716	100220	MOV	@-77560,(SP)	:	4205
000336	011646		MOV	(SP),-(SP)	:	
000340	004737	000000G	JSR	PC,CHK.CSR.STATUS	:	
000344	012716	140000	MOV	@-40000,(SP)	:	4206
000350	012746	000400	MOV	@400,-(SP)	:	
000354	004737	000000G	JSR	PC,CHK.XMIT.STATUS	:	
000360	012716	140000	MOV	@-40000,(SP)	:	4207
000364	012746	000001	MOV	@1,-(SP)	:	
000370	004737	000000G	JSR	PC,CHK.RCV.STATUS	:	
000374	005077	000016G	CLR	@IOP.TABLE+16	:	4209
000400	062706	000022	ADD	@22,SP	:	4175
000404	104467		TRAP	67	:	4209
000406	006000		ROR	R0	:	
000410	103660		BLO	5:	:	
000412	004737	000000G	JSR	PC,RESET.DEQNA	:	4212
000416	012746	000200	MOV	@200,-(SP)	:	4214

NQNA3
V01.0

CNQNAAO DEQNA FUNCTIONAL TEST
TEST 20 - FIFO OVERFLOW TEST

12-Jul-1984 13:04:10
21-Jun-1984 08:36:17

VAX-11 Bliss-16 V4.0-579
SPIDER\$USERS:[BERG.DEQNA]NQNA3.BLI;1

000422	004737	000000G	JSR	PC,TURN.OFF.LED		
000426	012716	000204	MOV	@204,(SP)	:	4215
000432	004737	000000G	JSR	PC,TURN.OFF.LED		
000436	012716	000210	MOV	@210,(SP)	:	4216
000442	004737	000000G	JSR	PC,TURN.OFF.LED		
000446	012716	000214	MOV	@214,(SP)	:	4217
000452	004737	000000G	JSR	PC,TURN.OFF.LED		
000456	005726		TST	(SP)+	:	4099
000460	012601		MOV	(SP)+,R1		
000462	000207		RTS	PC		

; Routine Size. 154 words, Routine Base: AB\$CODE\$ + 20734
; Maximum stack depth per invocation: 11 words

			.SBTTL	T20 TEST 20 - FIFO OVERFLOW TEST		
000000	004737	020734'	T20::			
000000			1\$:	JSR PC,\$T20	:	4217
000004	104466			TRAP 66		
000006	006^00			ROR R0		
000010	103773			BLO 1\$		
000012	000207			RTS PC		

; Routine Size: 6 words, Routine Base: AB\$CODE\$ + 21420
; Maximum stack depth per invocation: 2 words

:	4220	1	
:	4221	1	END
:	4222	0	ELUDOM

OTS external references
.GLOBL \$SAVE4, ;SAVE3, \$SAVE2, BL\$SHF
.GLOBL BL\$MUL

PSECT SUMMARY

Psect Name	Words	Attributes
AB\$CODE\$	4494	RO, I, LCL, REL, CON

Library Statistics

File	-----	Symbols	-----	Pages	Processing
	Total	Loaded	Percent	Mapped	Time

NQNA3
V01.0

CNQNAO DEQNA FUNCTIONAL TEST
TEST 20 FIFO OVERFLOW TEST

12-Jul-1984 13:04:10
21-Jun-1984 08:36:17

VAX-11 Bliss-16 V4.0-579
SPIDER@USERS:[BERG.DEQNA]NQNA3.BLI;1

: SPIDER@USERS:[BERG.DEQNA]QNALIB.L16:3 223 139 62 14 00:00.1

COMMAND QUALIFIERS

: BLISS/PDP11/ENV:NOEIS NQNA3.BLI/LIST=NQNA3.LIS/OBJECT=NQNA3.OBJ/SOURCE=PAGE:53

: Size: 4494 code + 0 data words
: Run Time: 01:55.3
: Elapsed Time: 05:20.7
: Lines/CPU Min: 2197
: Lexemes/CPU-Min: 25934
: Memory Used: 434 pages
: Compilation Complete

NQNA4

CNQNAO DEQNA FUNCTIONAL TEST

12-Jul 1984 13:09:35

21 Jun-1984 08:36:19

VAX-11 Bliss-16 V4.0 579

SPIDER\$USERS:[BERG.DEQNA]NQNA4.BLI;1

```

: 0001 0
: 0002 0
: 0003 0
: 0004 0
: 0005 0
: 0006 0
: 0007 1
: 0008 1
: 0009 1
: 0010 1
: 1500 1
: 1501 1

```

```

MODULE NQNA4 (#TITLE 'CNQNAO DEQNA FUNCTIONAL TEST'
              IDENT = 'V01.0',
              ADDRESSING_MODE(Absolute)
              ) =

```

#SBTTL 'GLOBAL ROUTINE DECLARATION MODULE'

BEGIN

```

LIBRARY 'QNALIB';
REQUIRE 'BLSMAC.REQ';
!<BLF/NOFORMAT>

```

```

! QNALIB LIBRARY
! DIAGNOSTIC SUPERVISOR LIBRARY

```

```

: 1502 1 PSECT
: 1503 1   CODE = AC$CODE$;
: 1504 1
: 1505 1 FORWARD ROUTINE
: 1506 1   XMIT_AND_RCV_PACKET           : NOVALUE;
: 1507 1
: 1508 1 !..
: 1509 1 !   EXTERNAL DATA USED BY THIS MODULE
: 1510 1 !..
: 1511 1
: 1512 1 EXTERNAL
: 1513 1
: 1514 1 !..
: 1515 1 !   COMMUNICATION AREA DECLARATIONS
: 1516 1 !..
: 1517 1
: 1518 1   RCV_D_LIST      : BLOCK [ D_SIZE, WORD ] FIELD ( DL_FIELDS ).
: 1519 1   XMIT_D_LIST    : BLOCK [ D_SIZE, WORD ] FIELD ( DL_FIELDS ).
: 1520 1   DESCR_LIST    : BLOCK [ DESCR_SIZE, WORD ] FIELD ( DL_FIELDS ).
: 1521 1   RCV_BUFFER    : VECTOR [ B_SIZE, BYTE ].
: 1522 1   XMIT_BUFFER    : VECTOR [ B_SIZE, BYTE ].
: 1523 1   DATA_BUFFER   : VECTOR [ BUF_SIZE, BYTE ].
: 1524 1   SETUP_BUFFER   : VECTOR [ SETUP_SIZE, WORD ].
: 1525 1   IOP_TABLE      : VECTOR [ 8, WORD ].
: 1526 1   BD_PROM_DESCR  : VECTOR [ BD_D_SIZE, WORD ].
: 1527 1   STATION_ADR    : VECTOR [ 4, WORD ].
: 1528 1   TARGET_ADR     : VECTOR [ T_SIZE, BYTE ].
: 1529 1   PHYS_ADR      : VECTOR [ 22, BYTE ].
: 1530 1
: 1531 1 !..
: 1532 1 !   HARDWARE AND SOFTWARE P-TABLE STORAGE DECLARATIONS
: 1533 1 !..
: 1534 1
: 1535 1   HWP_TABLE      : REF BLOCK [ HWP_SIZE, WORD ] FIELD ( HWP_FIELDS ).
: 1536 1   SWP_TABLE      : REF BLOCK [ SWP_SIZE, WORD ] FIELD ( SWP_FIELDS ).
: 1537 1
: 1538 1   REG_ADR        : REF REG_STR FIELD ( IOP_FIELDS ).
: 1539 1   GET_ADR        : REF ADR_STR FIELD ( IOP_FIELDS ).
: 1540 1   IOP_DATA      : REF REG_STR FIELD ( IOP_FIELDS ).
: 1541 1

```

: 1542 1
: 1543 1
: 1544 1
: 1545 1
: 1546 1
: 1547 1
: 1548 1
: 1549 1
: 1550 1
: 1551 1
: 1552 1
: 1553 1
: 1554 1
: 1555 1
: 1556 1
: 1557 1
: 1558 1
: 1559 1
: 1560 1
: 1561 1
: 1562 1
: 1563 1
: 1564 1
: 1565 1
: 1566 1
: 1567 1
: 1568 1
: 1569 1
: 1570 1
: 1571 1
: 1572 1
: 1573 1
: 1574 1
: 1575 1
: 1576 1
: 1577 1

!..
!.. MISCELLANEOUS DATA DECLARATIONS
!--

XBUF_LENGTH,	RBUF_LENGTH,	INTERRUPT_FLG,	COUNTER,
SWP_BLOCK_MEM,	SWP_TOUT_VAL,	SWP_ILOOP,	SWP_TIMER,
UP_COUNTER,	DOWN_COUNTER,	CHECKSUM,	ERR_NUMBER,
ERR_COUNT,	ERR_FLAG,	CSR_WORD,	PRI00,
PRI01,	PRI02,	PRI03,	PRI04,
PRI05,	PRI06,	PRI07,	DEQNA_NO : WORD,

!..
!.. TEMPORARY STORAGE DATA DECLARATIONS
!--

P1,	P2,	P3,	P4,
TMP_IOP_ADR,	TMP_REG_DATA,	TEMP1,	TEMP2,
TEMP3,	TEMP4,	TEMP5,	TEMP6,
TEMP7,	TEMP8,	TEMP9,	TADR1,
TADR2			: WORD,
TBYTE1,	TBYTE2,	TBYTE3,	TBYTE4 : BYTE,

!..
!.. DIAGNOSTIC ERROR MESSAGES DECLARED EXTERNALLY
!--

MSG00,
 MSG01, MSG02, MSG03, MSG04, MSG05, MSG06, MSG07, MSG08, MSG09, MSG10,
 MSG11, MSG12, MSG13, MSG14, MSG15, MSG16, MSG17, MSG18, MSG19, MSG20,
 MSG21, MSG22, MSG23, MSG24, MSG25, MSG26, MSG27, MSG28, MSG29, MSG30,
 MSG31, MSG32, MSG33, MSG34, MSG35, MSG36, MSG37, MSG38, MSG39, MSG40,
 MSG41, MSG42, MSG43, MSG44, MSG45, MSG46, MSG47, MSG48, MSG49, MSG50,
 MSG51, MSG52, MSG53, MSG54, MSG55, MSG56, MSG57, MSG58, MSG59, MSG60,
 MSG61, MSG62, MSG63, MSG64, MSG65, MSG66, MSG67, MSG68, MSG69, MSG70;

NQNA4
VO1.0

CNQNAO DEQNA FUNCTIONAL TEST
GLOBAL ROUTINE ERROR\$REPORT ()

12-Jul-1984 13:09:35
21-Jun-1984 08:36:19

VAX-11 Bliss-16 V4.0-579
SPIDER\$USERS:[BERG.DEQNA]NQNA4.BLI:1

```

: 1578 1 *SBTTL 'GLOBAL ROUTINE - ERROR$REPORT ( )'
: 1579 1
: 1580 1 !..
: 1581 1 !
: 1582 1 ! GLOBAL ROUTINE : ERROR$REPORT
: 1583 1 !
: 1584 1 ! DESCRIPTION:
: 1585 1 !
: 1586 1 ! This routine reports errors to the operator
: 1587 1 !
: 1588 1 ! --
: 1589 1 *SBTTL 'GLOBAL ROUTINE - ERROR$REPORT ( )'
: 1590 1
: 1591 1 BGNMSG (ERROR$REPORT);
: 1592 1
    
```

```

.TITLE NQNA4 CNQNAO DEQNA FUNCTIONAL TEST
.IDENT /VO1.0/
.ENABL AMA

.GLOBL RCV.D.LIST, XMIT.D.LIST, DESCR.LIST
.GLOBL RCV.BUFFER, XMIT.BUFFER, DATA.BUFFER
.GLOBL SETUP.BUFFER, IOP.TABLE, BD.PROM.DESCR
.GLOBL STATION.ADR, TARGET.ADR, PHYS.ADR
.GLOBL HWP.TABLE, SWP.TABLE, REG.ADR
.GLOBL GET.ADR, IOP.DATA, XBUF.LENGTH
.GLOBL RBUF.LENGTH, INTERRUPT.FLG, COUNTER
.GLOBL SWP.BLOCK.MEM, SWP.TOUT.VAL, SWP.ILOOP
.GLOBL SWP.TIMER, UP.COUNTER, DOWN.COUNTER
.GLOBL CHECKSUM, ERR.NUMBER, ERR.COUNT
.GLOBL ERR.FLAG, CSR.WORD, PFT00, PRI01
.GLOBL PRI02, PRI03, PRI04, PRI05, PRI06
.GLOBL PRI07, DEQNA.NO, P1, P2, P3, P4
.GLOBL TMP.IOP.ADR, TMP.REG.DATA, TEMP1
.GLOBL TEMP2, TEMP3, TEMP4, TEMP5, TEMP6
.GLOBL TEMP7, TEMP8, TEMP9, TADR1, TADR2
.GLOBL TBYTE1, TBYTE2, TBYTE3, TBYTE4
.GLOBL MSG00, MSG01, MSG02, MSG03, MSG04
.GLOBL MSG05, MSG06, MSG07, MSG08, MSG09
.GLOBL MSG10, MSG11, MSG12, MSG13, MSG14
.GLOBL MSG15, MSG16, MSG17, MSG18, MSG19
.GLOBL MSG20, MSG21, MSG22, MSG23, MSG24
.GLOBL MSG25, MSG26, MSG27, MSG28, MSG29
.GLOBL MSG30, MSG31, MSG32, MSG33, MSG34
.GLOBL MSG35, MSG36, MSG37, MSG38, MSG39
.GLOBL MSG40, MSG41, MSG42, MSG43, MSG44
.GLOBL MSG45, MSG46, MSG47, MSG48, MSG49
.GLOBL MSG50, MSG51, MSG52, MSG53, MSG54
.GLOBL MSG55, MSG56, MSG57, MSG58, MSG59
.GLOBL MSG60, MSG61, MSG62, MSG63, MSG64
.GLOBL MSG65, MSG66, MSG67, MSG68, MSG69
.GLOBL MSG70
    
```

```

000000          .SBTTL  ERROR$REPORT GLOBAL ROUTINE - ERROR$REPORT ( )
                .PSECT  AC$CODE$,  RO
000000  004737  000000V          ERROR$REPORT::
000004  104423          JSR      PC,M$ERROR$REPORT          ;          1592
000006  000207          TRAP   23
                                RTS      PC

```

```

; Routine Size: 4 words,      Routine Base: AC$CODE$ + 0000
; Maximum stack depth per invocation: 2 words

```

```

; 1593  2
; 1594  2  PRINTB ( MSG03 );
; 1595  2  PRINTB ( MSG04, .XMIT_D_LIST [ FLGWD ], .RCV_D_LIST [ FLGWD ] );
; 1596  2  PRINTB ( MSG05, .XMIT_D_LIST [ DBITS ], .RCV_D_LIST [ DBITS ] );
; 1597  2  PRINTB ( MSG06, .XMIT_D_LIST [ LOADR ], .RCV_D_LIST [ LOADR ] );
; 1598  2  PRINTB ( MSG07, .XMIT_D_LIST [ TWDL ], .RCV_D_LIST [ TWDL ] );
; 1599  2  PRINTB ( MSG08, .XMIT_D_LIST [ STWD1 ] AND XWD1_MASK, .RCV_D_LIST [ STWD1 ] AND RWD2_MASK );
; 1600  2  PRINTB ( MSG09, .XMIT_D_LIST [ STWD2 ] AND XWD2_MASK, .RCV_D_LIST [ STWD2 ] AND RLL_MASK );
; 1601  2  PRINTB ( MSG10, .CSR_WORD AND #0'133777' );
; 1602  2  PRINTB ( MSG11, .HWP_TABLE [ ADDR ] );
; 1603  2
; 1604  1  ENDMSG;

```

```

000000  012746  000000G          .SBTTL  M$ERROR$REPORT GLOBAL ROUTINE - ERROR$REPORT ( )
                                M$ERROR$REPORT:
000004  012746  000001          MOV      #MSG03, -(SP)          ;          1594
000010  010600          MOV      #1, -(SP)
000012  104414          MOV      SP,RO          ; SP,*
000014  013716  000000G          TRAP   14
000020  013746  000000G          MOV      RCV.D.LIST,(SP)          ;          1595
000024  012746  000000G          MOV      XMIT.D.LIST,-(SP)
000030  012746  000003          MOV      #MSG04, -(SP)
000034  010600          MOV      #3, -(SP)
000036  104414          MOV      SP,RO          ; SP,*
000040  013716  000002G          TRAP   14
000044  013746  000002G          MOV      RCV.D.LIST+2,(SP)          ;          1596
000050  012746  000000G          MOV      XMIT.D.LIST+2,-(SP)
000054  012746  000003          MOV      #MSG05, -(SP)
000060  010600          MOV      #3, -(SP)
000062  104414          MOV      SP,RO          ; SP,*
000064  013716  000004G          TRAP   14
000070  013746  000004G          MOV      RCV.D.LIST+4,(SP)          ;          1597
000074  012746  000000G          MOV      XMIT.D.LIST+4,-(SP)
000100  012746  000003          MOV      #MSG06, -(SP)
000104  010600          MOV      #3, -(SP)
000106  104414          MOV      SP,RO          ; SP,*
000110  013716  000006G          TRAP   14
                                MOV      RCV.D.LIST+6,(SP)          ;          1598

```

NQNA4
V01.0

CNQNAO DEQNA FUNCTIONAL TEST
GLOBAL ROUTINE - ERROR\$REPORT ()

12-Jul-1984 13:09:35
21-Jun-1984 08:36:19

SEQ 0217
Page 6
VAX-11 Bliss-16 V4.0-579
SPIDER\$USERS:[BERG.DEQNA]NQNA4.BLI;1 (4)

000114	013746	000006G	MOV	XMIT.D.LIST+6,-(SP)		
000120	012746	000000G	MOV	#MSG07,-(SP)		
000124	012746	000003	MOV	#3,-(SP)		
000130	010600		MOV	SP,R0	; SP,*	
000132	104414		TRAP	14		
000134	013716	000010G	MOV	RCV.D.LIST+10,(SP)	:	1599
000140	042716	000360	BIC	#360,(SP)		
000144	013746	000010G	MOV	XMIT.D.LIST+10,-(SP)		
000150	042716	020017	BIC	#20017,(SP)		
000154	012746	000000G	MOV	#MSG08,-(SP)		
000160	012746	000003	MOV	#3,-(SP)		
000164	010600		MOV	SP,R0	; SP,*	
000166	104414		TRAP	14		
000170	005016		CLR	(SP)	:	1600
000172	113716	000012G	MOVB	RCV.D.LIST+12,(SP)		
000176	013746	000012G	MOV	XMIT.D.LIST+12,-(SP)		
000202	042716	140000	BIC	#140000,(SP)		
000206	012746	000000G	MOV	#MSG09,-(SP)		
000212	012746	000003	MOV	#3,-(SP)		
000216	010600		MOV	SP,R0	; SP,*	
000220	104414		TRAP	14		
000222	013716	000000G	MOV	CSR.WORD,(SP)	:	1601
000226	042716	044000	BIC	#44000,(SP)		
000232	012746	000000G	MOV	#MSG10,-(SP)		
000236	012746	000002	MOV	#2,-(SP)		
000242	010600		MOV	SP,R0	; SP,*	
000244	104414		TRAP	14		
000246	017716	000000G	MOV	#HWP.TABLE,(SP)	:	1602
000252	012746	000000G	MOV	#MSG11,-(SP)		
000256	012746	000002	MOV	#2,-(SP)		
000262	010600		MOV	SP,R0	; SP,*	
000264	104414		TRAP	14		
000266	062706	000060	ADD	#60,SP	:	1592
000272	000207		RTS	PC		

; Routine Size: 94 words, Routine Base: AC\$CODE\$ + 0010
; Maximum stack depth per invocation: 26 words

; 1605 1
; 1606 1

NQNA4
V01.0

CNQNAO DEQNA FUNCTIONAL TEST
GLOBAL ROUTINE - E1\$REPORT ()

12-Jul-1984 13:09:35
21-Jun-1984 08:36:19

VAX-11 Bliss-16 V4.0 579
SPIDER\$USERS:[BERG.DEQNA]NQNA4.BLI;1

```

: 1607 1 #SBTTL 'GLOBAL ROUTINE - E1$REPORT ( )'
: 1608 1
: 1609 1 !**
: 1610 1 |
: 1611 1 | GLOBAL ROUTINE : E1$REPORT
: 1612 1 |
: 1613 1 | DESCRIPTION:
: 1614 1 |
: 1615 1 | This routine reports errors to the operator
: 1616 1 |
: 1617 1 |!--
: 1618 1
: 1619 1 #SBTTL 'GLOBAL ROUTINE - E1$REPORT ( )'
: 1620 1
: 1621 1 BGNMSG ( E1$REPORT );

```

```

000000 004737 000000V          .SBTTL E1$REPORT GLOBAL ROUTINE - E1$REPORT ( )
                                E1$REPORT::
                                JSR    PC,M$E1$REPORT          ;          1621
                                TRAP   23
                                RTS    PC
000004 104423
000006 000207

```

```

; Routine Size: 4 words,      Routine Base: AC$CODE$ + 0304
; Maximum stack depth per invocation: 2 words

```

```

: 1622 2
: 1623 2     TEMP1 = 1;
: 1624 2
: 1625 1     ENDMSG;

```

```

000000 012737 000001 000000G    .SBTTL M$E1$REPORT GLOBAL ROUTINE - E1$REPORT ( )
                                M$E1$REPORT:
                                MOV    #1,TEMP1          ;
                                RTS    PC                ;          1623
                                                ;          1621
000006 000207

```

```

; Routine Size: 4 words,      Routine Base: AC$CODE$ + 0314
; Maximum stack depth per invocation: 0 words

```

```

: 1626 1
: 1627 1

```

NQNA4
VC1.0CNQNAO DEQNA FUNCTIONAL TEST
GLOBAL ROUTINE RESET_DEQNA ()12-Jul-1984 13:09:35
21-Jun-1984 08:36:19VAX-11 Bliss-16 V4.0-579
SPIDER\$USERS:[BERG.DEQNA]NQNA4.BLI;1Page 8
(6)

```

: 1628 1 #SBTTL 'GLOBAL ROUTINE RESET_DEQNA ( )'
: 1629 1
: 1630 1 GLOBAL ROUTINE RESET_DEQNA : NOVALUE =
: 1631 1
: 1632 1 !..
: 1633 1
: 1634 1 GLOBAL ROUTINE : RESET_DEQNA
: 1635 1
: 1636 1 DESCRIPTION:
: 1637 1
: 1638 1 This routine verifies that DEQNA can be reset by setting bit 1 in the
: 1639 1 CSR register. After the reset, CSR is checked for nominal
: 1640 1 status.
: 1641 1
: 1642 1 Hardware tested: Q-Bus DMA Interface
: 1643 1
: 1644 1 Processing:
: 1645 1
: 1646 1 BEGIN
: 1647 1 set Software Reset (SR) bit in CSR and check for
: 1648 1 expected CSR status
: 1649 1 IF error
: 1650 1 THEN
: 1651 1 print error message if not inhibited
: 1652 1 ENDIF
: 1653 1 clear SR bit in CSR and check for expected CSR status
: 1654 1 IF error
: 1655 1 THEN
: 1656 1 print error message if not inhibited
: 1657 1 ENDIF
: 1658 1 END
: 1659 1
: 1660 1 INPUT PARAMETERS:
: 1661 1
: 1662 1 !--

```

```

1663 1
1664 1      !**
1665 1      !
1666 1      ! RESET THE DEVICE AND CHECK CONTENTS OF CSR FOR NOMINAL STATUS
1667 1      !
1668 1      !--
1669 1
1670 1
1671 2      BEGIN
1672 2      PUT_BIT ( CSR, ALL_BITS, ZERO );
1673 2      PUT_BIT ( CSR, SR, SET_IT );
1674 2
1675 2      DELAY ( TIME6_LIMIT );
1676 2      TEMP1 = GET_BIT [ CSR_ALL ] AND CSR2_MASK;
1677 2
1678 2      IF .TEMP1 NEQU CSR1_STATUS
1679 2          THEN
1680 3          BEGIN
1681 3              ERR_FLAG = ONE;
1682 3              CSR_WORD = GET_BIT [ CSR_ALL ];
1683 3              PRINTB ( MSG59 );
1684 3              PRINTB ( MSG31 );
1685 3              PRINTB ( MSG30, .GET_ADR [ CSR_ALL ], .TEMP1, CSR2_STATUS );
1686 3              ERRDF ( 0001, MSG00, E1$REPORT );
1687 2          END;
1688 2
1689 2      !**
1690 2      !
1691 2      ! CLEAR SOFTWARE RESET BIT IN THE CSR AND CHECK FOR EXPECTED STATUS
1692 2      !
1693 2      !--
1694 2
1695 2      PUT_BIT ( CSR, SR, CLR_IT );
1696 2      DELAY ( TIME6_LIMIT );
1697 2      TEMP2 = GET_BIT [ CSR_ALL ] AND CSR2_MASK;
1698 2      IF .TEMP2 NEQU CSR2_STATUS
1699 2          THEN
1700 3          BEGIN
1701 3              ERR_FLAG = ONE;
1702 3              CSR_WORD = GET_BIT [ CSR_ALL ];
1703 3              PRINTB ( MSG59 );
1704 3              PRINTB ( MSG31 );
1705 3              PRINTB ( MSG30, .GET_ADR [ CSR_ALL ], .TEMP1, CSR2_STATUS );
1706 3              ERRDF ( 0002, MSG00, E1$REPORT );
1707 2          END;
1708 2
1709 1      END;

```

```

.GLOBAL L$DLY

```

```

.SBTTL RESET.DEQNA GLOBAL ROUTINE - RESET_DEQNA ( )

```

NQNA4
V01.0

CNQNAO DEQNA FUNCTIONAL TEST
GLOBAL ROUTINE - RESET_DEQNA ()

12-Jul-1984 13:09:35
21 Jun-1984 08:36:19

SEQ (1221
Page 17
SPIDER\$USERS:(BERG.DEQNA)NQNA4.BLI;1 (7)

000000	004137	000000G		RESET.DEQNA::			
				JSR	R1,\$SAVE2	:	1630
000004	162706	000016		SUB	@16,SP	:	
000010	013700	000000G		MOV	REG.ADR,RO	:	1672
000014	012702	000016		MOV	@16,R2	:	
000020	060002			ADD	RO,R2	:	
000022	005012			CLR	(R2)	:	
000024	152712	000002		BISB	@2,(R2)	:	1673
000030	012701	000001		MOV	@1,R1	: *,\$\$TMP2	1675
000034	001411			1\$: BEQ	4\$:	
000036	013700	000000G		MOV	L\$DLY,RO	: *,\$\$TMP1	
000042	001404			BEQ	3\$:	
000044	005066	000014		2\$: CLR	14(SP)	: \$\$TMP	
000050	005300			DEC	RO	: \$\$TMP1	
000052	001374			BNE	2\$:	
000054	005301			3\$: DEC	R1	: \$\$TMP2	
000056	000766			BR	1\$:	
000060	011216			4\$: MOV	(R2),(SP)	: *,TMP.LOCATION	1676
000062	011637	000000G		MOV	(SP),TEMP1	:	
000066	042737	010000	000000G	BIC	@10000,TEMP1	:	
000074	023727	000000G	000062	CHP	TEMP1,@62	:	1678
000102	001453			BEQ	5\$:	
000104	012737	000001	000000G	MOV	@1,ERR.FLAG	:	1681
000112	011666	000002		MOV	(SP),2(SP)	: *,TMP.LOCATION	1682
000116	011637	000000G		MOV	(SP),CSR.WORD	:	
000122	012746	000000G		MOV	@MSG59,-(SP)	:	1683
000126	012746	000001		MOV	@1,-(SP)	:	
000132	010600			MOV	SP,RO	: SP,*	
000134	104414			TRAP	14	:	
000136	012716	000000G		MOV	@MSG31,(SP)	:	1684
000142	012746	000001		MOV	@1,-(SP)	:	
000146	010600			MOV	SP,RO	: SP,*	
000150	104414			TRAP	14	:	
000152	012716	000060		MOV	@60,(SP)	:	1685
000156	013746	000000G		MOV	TEMP1,-(SP)	:	
000162	013766	000000G	000014	MOV	GET.ADR,14(SP)	: *,TMP.LOCATION	
000170	062766	000016	000014	ADD	@16,14(SP)	: *,TMP.LOCATION	
000176	016646	000014		MOV	14(SP),-(SP)	: TMP.LOCATION,*	
000202	012746	000000G		MOV	@MSG30,-(SP)	:	
000206	012746	000004		MOV	@4,-(SP)	:	
000212	010600			MOV	SP,RO	: SP,*	
000214	104414			TRAP	14	:	
000216	104455			TRAP	55	:	1686
000220	000001			.WORD	1	:	
000222	000000G			.WORD	MSG00	:	
000224	000304			.WORD	E1\$REPORT	:	
000226	062706	000016		ADD	@16,SP	:	1680
000232	013700	000000G		5\$: MOV	REG.ADR,RO	:	1695
000236	142760	000002	000016	BICB	@2,16(RO)	:	
000244	012702	000001		MOV	@1,R2	: *,\$\$TMP2	1696
000250	001411			6\$: BEQ	9\$:	
000252	013701	000000G		MOV	L\$DLY,R1	: *,\$\$TMP1	
000256	001404			BEQ	8\$:	

NQNA4
V01.0

CNJNAAO DEQNA FUNCTIONAL TEST
GLOBAL ROUTINE RESET_DEQNA ()

12-Jul-1984 13:09:35
21-Jun-1984 08:36:19

VAY-11 Bliss-16 V4.0-579
SPIDER\USERS:(BERG.DEQNA)NQNA4.BLI:1
SEQ 0222
Page 11
(7)

```

000260 005066 000014      7$: CLR      14(SP)      ; $$TMP
000264 005301          DEC      R1          ; $$TMP1
000266 001374          BNE     7$
000270 005302      8$: DEC      R2          ; $$TMP2
000272 000766          BR      6$
000274 016066 000016 000006  9$: MOV     16(R0),-(SP) ; *.TMP.LOCATION 1697
000302 016637 000006 000000G MOV     6(SP),TEMP2    ; TMP.LOCATION,*
000310 042737 010000 000000G BIC     @10000,TEMP2
000316 023727 000000G 000060  CMP     TEMP2,@60    ;
000324 001455          BEQ     10$          ;
000326 012737 000001 000000G MOV     @1.ERR.FLAG    ;
000334 016666 000006 000010 MOV     6(SP),10(SP)  ; *.TMP.LOCATION 1701
000342 016637 000010 000000G MOV     10(SP),CSR.WORD ; TMP.LOCATION,* 1702
000350 012746 000000G      MOV     @MSG59,-(SP) ;
000354 012746 000001      MOV     @1,-(SP)      ;
000360 010600          MOV     SP,R0        ; SP,*
000362 104414          TRAP   14
000364 012716 000000G      MOV     @MSG31,(SP)  ;
000370 012746 000001      MOV     @1,-(SP)      ;
000374 010600          MOV     SP,R0        ; SP,*
000376 104414          TRAP   14
000400 012716 000060      MOV     @60,(SP)     ;
000404 013746 000000G      MOV     TEMP1,-(SP)  ;
000410 013766 000000G 000022 MOV     GET.ADR,22(SP) ; *.TMP.LOCATION
000416 062766 000016 000022 ADD     @16,22(SP)    ; *.TMP.LOCATION
000424 016646 000022      MOV     22(SP),-(SP) ; TMP.LOCATION,*
000430 012746 000000G      MOV     @MSG30,-(SP) ;
000434 012746 000004      MOV     @4,-(SP)     ;
000440 010600          MOV     SP,R0        ; SP,*
000442 104414          TRAP   14
000444 104455          TRAP   55           ;
000446 000002          .WORD  2
000450 000000G          .WORD  MSG00
000452 000304          .WORD  E1$REPORT
000454 062706 000016      ADD     @16,SP       ;
000460 062706 000016      ADD     @16,SP       ;
000464 000207          RTS     PC          ;

```

; Routine Size: 155 words, Routine Base: AC\$CODE\$ + 0324
; Maximum stack depth per invocation: 19 words

; 1710 1

NQNA4
V01.0

CNQNAO DEQNA FUNCTIONAL TEST
GLOBAL ROUTINE VER_DESCR_STATUS ()

12-Jul-1984 13:09:35
21-Jun-1984 08:36:19

VAX-11 Bliss-16 V4.0 579
SPIDER\$USERS:(BERG.DEQNA)NQNA4.BLI:1
Page 12
(8)

```

: 1711 1 #SBTTL 'GLOBAL ROUTINE - VER_DESCR_STATUS ( )'
: 1712 1
: 1713 1 GLOBAL ROUTINE VER_DESCR_STATUS : NOVALUE =
: 1714 1
: 1715 1 !..
: 1716 1 !
: 1717 1 ! GLOBAL ROUTINE : VER_DESCR_STATUS
: 1718 1 !
: 1719 1 ! DESCRIPTION:
: 1720 1 !
: 1721 1 ! This routine compares expected receive descriptor to actual receive
: 1722 1 ! descriptor.
: 1723 1 !
: 1724 1 ! INPUT PARAMETERS:
: 1725 1 !
: 1726 1 ! TEST_NO - test number in which error occurred.
: 1727 1 !
: 1728 1 !..
: 1729 1
: 1730 1
: 1731 2 BEGIN
: 1732 2
: 1733 2 INCR INDEX FROM 0 TO BD_D_SIZE - 1 DO
: 1734 3 BEGIN
: 1735 3 TEMP1 = .DESCR_LIST [ .INDEX, W_LEN ];
: 1736 4 IF ( .TEMP1 NEQU - 1 ) AND ( .TEMP1 NEQU .BD_PROM_DESCR [ .INDEX ] )
: 1737 3 THEN
: 1738 4 BEGIN
: 1739 4 ERR_FLAG = ONE;
: 1740 4 CSR_WORD = GET_BIT [ CSR_ALL ];
: 1741 4 PRINTB ( MSG59 );
: 1742 4 PRINTB ( MSG48 );
: 1743 4 PRINTB ( MSG50, .TEMP1, .BD_PROM_DESCR [ .INDEX ], .INDEX );
: 1744 4 ERRDF ( 0003, MSG00, ERROR$REPORT );
: 1745 3 END;
: 1746 2 END;
: 1747 2
: 1748 1 END;

```

Address	Label	Operation	Comments	Line No
000000	004137	000000G	.SBTTL VER.DESCR.STATUS GLOBAL ROUTINE - VER_DESCR_STATUS ()	
		VER.DESCR.STATUS::		
		JSR R1,\$SAVE2		1713
		TST -(SP)		
		CLP R2	: INDEX	1733
		1\$: MOV R2,R1	: INDEX,*	1735
		ASL R1		
		MOV DESCR.LIST(R1),TEMP1		
		CMP DESCR.LIST(R1),0-1		1736
		BEQ 2\$		
		CMP DESCR.LIST(R1),BD.PROM.DESCR(R1)		
		BEQ 2\$		
		MOV 01,ERR.FLAG		1739

NQNA4
V01.0

CNQNAO DEQNA FUNCTIONAL TEST
GLOBAL ROUTINE - VER_DESCR_STATUS ()

12-Jul-1984 13:09:35
21-Jun-1984 08:36:19

VAX-11 Bliss-16 V4.0-579
SPIDER\$USERS:[BERG.DEQNA]NQNA4.BLI;1

SEQ 0224
Page 13
(8)

000050	013700	000000G	MOV	REG.ADR,R0	:	1740
000054	016016	000016	MOV	16(R0),(SP)	: *,TMP.LOCATION	
000060	011637	000000G	MOV	(SP),CSR.WORD	: TMP.LOCATION,*	
000064	012746	000000G	MOV	@MSG59,-(SP)	:	1741
000070	012746	000001	MOV	@1,-(SP)	:	
000074	010600		MOV	SP,R0	: SP,*	
000076	104414		TRAP	14	:	
000100	012716	000000G	MOV	@MSG48,(SP)	:	1742
000104	012746	000001	MOV	@1,-(SP)	:	
000110	010600		MOV	SP,R0	: SP,*	
000112	104414		TRAP	14	:	
000114	010216		MOV	R2,(SP)	: INDEX,*	1743
000116	016146	000000G	MOV	BD.PROM.DESCR(R1),-(SP)	:	
000122	013746	000000G	MOV	TEMP1,-(SP)	:	
000126	012746	000000G	MOV	@MSG50,-(SP)	:	
000132	012746	000004	MOV	@4,-(SP)	:	
000136	010600		MOV	SP,R0	: SP,*	
000140	104414		TRAP	14	:	
000142	104455		TRAP	55	:	1744
000144	000003		.WORD	3	:	
000146	000000G		.WORD	MSG00	:	
000150	000000'		.WORD	ERROR\$REPORT	:	
000152	062706	000016	ADD	@16,SP	:	1738
000156	005202		INC	R2	: INDEX	1733
000160	020227	000017	CMP	R2,@17	: INDEX,*	
000164	003711		BLE	1\$:	
000166	005726		TST	(SP),	:	1713
000170	000207		RTS	PC	:	

: Routine Size: 61 words, Routine Base: AC\$CODE\$ + 1012
: Maximum stack depth per invocation: 13 words

: 1749 1

NOQA4
V01.0

CNQNAAO DEQNA FUNCTIONAL TEST
GLOBAL ROUTINE CLR_DESCR ()

12-Jul-1984 13:09:35
21-Jun-1984 08:36:19

VAX-11 Bliss-16 V4.0-579
SPIDER\$USERS:[BERG.DEQNA]NOQA4.BLI;1

SEQ 0225
Page 14
(9)

```

: 1750 1 *SBTTL 'GLOBAL ROUTINE - CLR_DESCR ( )'
: 1751 1
: 1752 1 GLOBAL ROUTINE CLR_DESCR : NOVALUE *
: 1753 1
: 1754 1 :..
: 1755 1 :
: 1756 1 : GLOBAL ROUTINE : CLR_DESCR
: 1757 1 :
: 1758 1 : DESCRIPTION:
: 1759 1 :
: 1760 1 : This routine initializes transmit and receive descriptor lists to 0.
: 1761 1 :--
: 1762 1
: 1763 1
: 1764 2 BEGIN
: 1765 2
: 1766 2 INCR INDEX FROM 0 TO D_SIZE - 1 DO
: 1767 3 BEGIN
: 1768 3 XMIT_D_LIST [ .INDEX, W_LEN ] = 0;
: 1769 3 RCV_D_LIST [ .INDEX, W_LEN ] = 0;
: 1770 2 END;
: 1771 2
: 1772 1 END;

```

000000	005000		.SBTTL CLR_DESCR GLOBAL ROUTINE - CLR_DESCR ()		
		CLR_DESCR::	CLR R0	: INDEX	1766
000002	005060	000000G	1\$: CLR XMIT.D.LIST(R0)	: *(INDEX)	1768
000006	005060	000000G	CLR RCV.D.LIST(R0)	: *(INDEX)	1769
000012	062700	000002	ADD #2,R0	: *.INDEX	1766
000016	020027	000176	CMP R0,#176	: INDEX.*	
000022	003767		BLE 1\$		
000024	000207		RTS PC	:	1752

```

: Routine Size: 11 words, Routine Base: AC$CODE$ + 1204
: Maximum stack depth per invocation: 0 words

```

```

: 1773 1
: 1774 1

```

NQNA4
V01.0

CNQNAO DEQNA FUNCTIONAL TEST
GLOBAL ROUTINE - CLR_BUFFERS (P1)

12-Jul-1984 13:09:35
21-Jun-1984 08:36:19

VAX-11 Bliss-16 V4.0-579
SPIDER\$USERS:(BERG.DEQNA)NQNA4.BLI:1
Page 15
(:0)

```

: 1775 1 *SBTTL 'GLOBAL ROUTINE - CLR_BUFFERS ( P1 )'
: 1776 1
: 1777 1 GLOBAL ROUTINE CLR_BUFFERS ( P1 ) : NOVALUE =
: 1778 1
: 1779 1 :..
: 1780 1 :
: 1781 1 : GLOBAL ROUTINE : CLR_BUFFERS
: 1782 1 :
: 1783 1 : DESCRIPTION:
: 1784 1 :
: 1785 1 : This routine initializes transmit and receive buffers to 0.
: 1786 1 :
: 1787 1 : INPUT PARAMETERS:
: 1788 1 :
: 1789 1 : P1 - number of bytes to clear.
: 1790 1 :
: 1791 1 :--
: 1792 1
: 1793 1
: 1794 2 BEGIN
: 1795 2
: 1796 2 INCR INDEX FROM 0 TO .P1 - 1 DO
: 1797 3 BEGIN
: 1798 3 RCV_BUFFER [ .INDEX ] = 0;
: 1799 3 XMIT_BUFFER [ .INDEX ] = 0;
: 1800 2 END;
: 1801 2
: 1802 1 END;

```

Address	Label	Code	Operation	Operand	Comment	Address
000000	005000		.SBTTL	CLR.BUFFERS GLOBAL ROUTINE - CLR_BUFFERS (P1)		
			CLR.BUFFERS::			
			CLR	R0	: INDEX	1796
			BR	2\$		
000002	000405		1\$: CLRB	RCV_BUFFER(R0)	: *(INDEX)	1798
000004	105060	000000G	1\$: CLRB	XMIT_BUFFER(R0)	: *(INDEX)	1799
000010	105060	000000G				1796
000014	005200		INC	R0	: INDEX	
000016	020066	000002	2\$: CMP	R0,2(SP)	: INDEX,P1	
000022	002770		BLT	1\$		
000024	000207		RTS	PC	:	1777

```

: Routine Size: 11 words, Routine Base: AC$CODE$ + 1232
: Maximum stack depth per invocation: 0 words

```

```

: 1803 1
: 1804 1

```

```

: 1805 1 #SBTTL 'GLOBAL ROUTINE  CHK_RIXI_STATUS ( P1 )'
: 1806 1
: 1807 1 GLOBAL ROUTINE CHK_RIXI_STATUS ( P1 ) : NOVALUE  .
: 1808 1
: 1809 1 !..
: 1810 1 !
: 1811 1 ! GLOBAL ROUTINE :      CHK_RIXI_STATUS
: 1812 1 !
: 1813 1 ! DESCRIPTION:
: 1814 1 !
: 1815 1 !     This routine verifies that XI ( bit 7 ) and RI ( bit 15 )
: 1816 1 !     of the CSR status word are set to 1 shortly after transmission of a
: 1817 1 !     loopback packet is complete. If either bit isn't set, an error
: 1818 1 !     message is printed.
: 1819 1 !
: 1820 1 ! INPUT PARAMETERS:
: 1821 1 !
: 1822 1 !     P1 - 0: check XI and RI
: 1823 1 !     - 1: ckeck XI
: 1824 1 !     - 2: check RI
: 1825 1 !
: 1826 1 !     TEST_NO - test number in which error occurred.
: 1827 1 !..
: 1828 1 !
: 1829 2 BEGIN
: 1830 2
: 1831 2 !..
: 1832 2 ! CHECK TRANSMIT INTERRUPT REQUEST BIT ( XI - BIT 7 ) TO VERIFY THAT DEQNA
: 1833 2 ! ACTUALLY COMPLETED TRANSMISSION OF A LOOPBACK PACKET.
: 1834 2 !..
: 1835 2 !
: 1836 3 IF ( .P1 EQLU 0 ) OR ( .P1 EQLU 1 )
: 1837 2 THEN
: 1838 2   INCR INDEX FROM 0 TO TIME2_LIMIT DO
: 1839 2     IF GET_BIT [ CSR, XI ] EQLU ONE
: 1840 2       THEN
: 1841 3         BEGIN
: 1842 3           TEMP1 = .INDEX;
: 1843 3           EXITLOOP;
: 1844 3         END
: 1845 2       ELSE
: 1846 2         IF .INDEX EQLU TIME2_LIMIT
: 1847 2           THEN
: 1848 3           BEGIN
: 1849 3             ERR_FLAG = ONE;
: 1850 3             CSR_WORD = GET_BIT [ CSR_ALL ];
: 1851 3             PRINTB ( MSG59 );
: 1852 3             PRINTB ( MSG29 );
: 1853 3             PRINTB ( MSG26 );
: 1854 3             ERRDF ( 0004, MSG00, ERROR$REPORT );
: 1855 2           END;
: 1856 2
: 1857 2 !..

```

NQNA4
V01.0

CNQNAO DEQNA FUNCTIONAL TEST
GLOBAL ROUTINE - CHK_RIXI_STATUS (P1)

12-Jul-1984 13:09:35
21-Jun-1984 08:36:19

VAX 11 B1100-16 V4.0 579
SPIDER\$USERS:(BERG.DEQNA)NQNA4.BLI:1

```

: 1858 2      ! CHECK RECEIVE INTERRUPT REQUEST BIT ( RI BIT 15 ) TO VERIFY THAT DEQNA
: 1859 2      ! ACTUALLY RECEIVED TRANSMITTED LOOPBACK PACKET.
: 1860 2      ! --
: 1861 2
: 1862 3      IF ( .P1 EQLU 0 ) OR ( .P1 EQLU 2 )
: 1863 2      THEN
: 1864 2          INCR INDEX FROM 0 TO TIME2_LIMIT DO
: 1865 2          IF GET_BIT ( CSR, RI ) EQLU ONE
: 1866 2              THEN
: 1867 3                  BEGIN
: 1868 3                      TEMP2 = .INDEX;
: 1869 3                      EXITLOOP;
: 1870 3                  END
: 1871 2          ELSE
: 1872 2              IF .INDEX EQLU TIME2_LIMIT
: 1873 2                  THEN
: 1874 3                      BEGIN
: 1875 3                          ERR_FLAG = ONE;
: 1876 3                          CSR_WORD = GET_BIT ( CSR_ALL );
: 1877 3                          PRINTB ( MSG59 );
: 1878 3                          PRINTB ( MSG29 );
: 1879 3                          PRINTB ( MSG25 );
: 1880 3                          ERROF ( 0005, MSG00, ERROR$REPORT );
: 1881 2                      END;
: 1882 1      END;

```

.SBTTL CHK_RIXI_STATUS GLOBAL ROUTINE - CHK_RIXI_STATUS (P1)			
000000	004137	000000G	CHK_RIXI_STATUS::
000004	162706	000010	JSR R1,\$SAVE3 ; 1807
000010	016602	000022	SUB #10,SP ; P1.* 1836
000014	005003		MOV 22(SP),R2
000016	005702		CLR R3
000020	001002		TST R2
000022	005203		BNE 1\$
000024	000403		INC R3
000026	020227	000001	BR 2\$
000032	001062		1\$: CMP R2,#1
000034	005001		BNE 6\$
000036	013700	000000G	2\$: CLR R1 ; INDEX 1838
000042	016016	X0016	3\$: MOV REG.ADR,R0 ; 1839
000046	105716		MOV 16(R0),(SP) ; *.TMP.LOCATION
000050	100005		TSTB (SP) ; TMP.LOCATION
000052	010137	000000G	BPL 4\$
000056	000450		MOV R1,TEMP1 ; INDEX.* 1842
000060	020127	002000	BR 6\$; 1841
000064	001041		4\$: CMP R1,#2000 ; INDEX.* 1846
000066	012737	000001 000000G	BNE 5\$
000074	016066	000016 000002	MOV #1,ERR.FLAG ; 1849
000102	016637	000002 000000G	MOV 16(R0),2(SP) ; *.TMP.LOCATION 1850
000110	012746	000000G	MOV 2(SP),CSR.WORD ; TMP.LOCATION.*
000114	012746	000001	MOV #MSG59,-(SP) ; 1851
			MOV #1,-(SP)

NQNA4
V01.0

CNQNAO DEQNA FUNCTIONAL TEST
GLOBAL ROUTINE CHK_RIXI_STATUS (P1)

12-Jul-1984 13:09:35
21-Jun-1984 08:36:19

VAX-11 Bliss-16 V4.0-579
SPIDER\$USERS:(BERG.DEQNA)NQNA4.BLI;1
Page 18
(11)

000120	010600			MOV	SP,R0	:	SP,*	
000122	104414			TRAP	14			
000124	012716	000000G		MOV	#MSG29,(SP)	:		1852
000130	012746	000001		MOV	#1,-(SP)			
000134	010600			MOV	SP,R0	:	SP,*	
000136	104414			TRAP	14			
000140	012716	000000G		MOV	#MSG26,(SP)	:		1853
000144	012746	000001		MOV	#1,-(SP)			
000150	010600			MOV	SP,R0	:	SP,*	
000152	104414			TRAP	14			
000154	104455			TRAP	55	:		1854
000156	000004			.WORD	4			
000160	000000G			.WORD	MSG00			
000162	000000'			.WORD	ERROR\$REPORT			
000164	062706	000010		ADD	#10,SP	:		1848
000170	005201		5\$:	INC	R1	:	INDEX	1838
000172	020127	002000		CMP	R1,#2000	:	INDEX,*	
000176	003717			BLE	3\$			
000200	006003		6\$:	ROR	R3	:		1862
000202	103403			BLO	7\$			
000204	020227	000002		CMP	R2,#2			
000210	001062			BNE	11\$			
000212	005001		7\$:	CLR	R1	:	INDEX	1864
000214	013700	000000G	8\$:	MOV	REG.ADR,R0	:		1865
000220	016066	000016	000004	MOV	16(R0),4(SP)	:	*,TMP.LOCATION	
000226	100003			BPL	9\$			
000230	010137	000000G		MOV	R1,TEMP2	:	INDEX,*	1868
000234	000450			BR	11\$:		1867
000236	020127	002000	9\$:	CMP	R1,#2000	:	INDEX,*	1872
000242	001041			BNE	10\$			
000244	012737	000001	000000G	MOV	#1,ERR.FLAG	:		1875
000252	016066	000016	000006	MOV	16(R0),6(SP)	:	*,TMP.LOCATION	1876
000260	016637	000006	000000G	MOV	6(SP),CSR.WORD	:	TMP.LOCATION,*	
000266	012746	000000G		MOV	#MSG59,-(SP)	:		1877
000272	012746	000001		MOV	#1,-(SP)			
000276	010600			MOV	SP,R0	:	SP,*	
000300	104414			TRAP	14			
000302	012716	000000G		MOV	#MSG29,(SP)	:		1878
000306	012746	000001		MOV	#1,-(SP)			
000312	010600			MOV	SP,R0	:	SP,*	
000314	104414			TRAP	14			
000316	012716	000000G		MOV	#MSG25,(SP)	:		1879
000322	012746	000001		MOV	#1,-(SP)			
000326	010600			MOV	SP,R0	:	SP,*	
000330	104414			TRAP	14			
000332	104455			TRAP	55	:		1880
000334	000005			.WORD	5			
000336	000000G			.WORD	MSG00			
000340	000000'			.WORD	ERROR\$REPORT			
000342	062706	000010		ADD	#10,SP	:		1874
000346	005201		10\$:	INC	R1	:	INDEX	1864
000350	020127	002000		CMP	R1,#2000	:	INDEX,*	
000354	003717			BLE	8\$			

NQNA4
V01.0

CNQNAO DEQNA FUNCTIONAL TEST
GLOBAL ROUTINE - CHK_RIXI_STATUS (P1)

12-Jul-1984 13:09:35
21-Jun-1984 08:36:19

VAX-11 Bliss-16 V4.0-579
SPIDER\$USERS:[BERG.DEQNA]NQNA4.BLI;1

000356 062706 000010
000362 000207

11\$: ADD @10.SP
RTS PC

:

1807

: Routine Size: 122 words, Routine Base: AC\$CODE\$ + 1260
: Maximum stack depth per invocation: 14 words

: 1883 i

NQNA4
V01.0

CNQNAO DEQNA FUNCTIONAL TEST
GLOBAL ROUTINE - CHK_CSR_STATUS (P1, P2)

12-Jul-1984 13:09:35
21-Jun-1984 08:36:19

VAX-11 Bliss-16 V4.0-579
SPIDER\$USERS:[BERG.DEQNA]NQNA4.BLI;1
SEQ 0231
Page 20
(12)

```

: 1884 1 #SBTTL 'GLOBAL ROUTINE - CHK_CSR_STATUS ( P1, P2 )'
: 1885 1
: 1886 1 GLOBAL ROUTINE CHK_CSR_STATUS ( P1, P2 ) : NOVALUE =
: 1887 1
: 1888 1 !..
: 1889 1 !
: 1890 1 GLOBAL ROUTINE : CHK_CSR_STATUS
: 1891 1 !
: 1892 1 DESCRIPTION:
: 1893 1 !
: 1894 1 This routine checks CSR status words for expected status.
: 1895 1 !
: 1896 1 INPUT PARAMETERS:
: 1897 1 !
: 1898 1 P1 - expected CSR status
: 1899 1 P2 - CSR mask
: 1900 1 TEST_NO - test number in which error occurred.
: 1901 1 !
: 1902 1 !..
: 1903 1
: 1904 2 BEGIN
: 1905 2 !..
: 1906 2 ! SAVE CSR, RESET TRANSMIT AND RECEIVE REQUEST BITS IN THE CSR
: 1907 2 !..
: 1908 2 !
: 1909 2
: 1910 2 CSR_WORD = GET_BIT [ CSR_ALL ];
: 1911 2
: 1912 2 PUT_BIT [ CSR, RI, ONE ];
: 1913 2 PUT_BIT [ CSR, XI, ONE ];
: 1914 2
: 1915 2 TEMP1 = .CSR_WORD AND .P2;
: 1916 2
: 1917 2 IF .TEMP1 NEQU .P1
: 1918 2 THEN
: 1919 3 BEGIN
: 1920 3 ERR_FLAG = ONE;
: 1921 3 PRINTB ( MSG59 );
: 1922 3 PRINTB ( MSG12, .TEMP1, .P1 );
: 1923 3 ERRDF ( 0006, MSG00, ERROR$REPORT );
: 1924 2 END;
: 1925 1 END;

```

```

000000 013700 000000G .SBTTL CHK_CSR_STATUS GLOBAL ROUTINE - CHK_CSR_STATUS ( P1, P2 )
CHK_CSR_STATUS::
000004 062700 000016 MOV REG.ADR,R0 ; 1910
000010 011046 MOV #16,R0 ;
000012 011637 000000G MOV (R0),-(SP) ; *,TMP.LOCATION
000016 052710 100200 BIs #100200,(R0) ; 1913
000022 011637 000000G MOV (SP),TEMP1 ; CSR.WORD,*
000026 016600 000004 MOV 4(SP),R0 ; P2,*

```

NQNA4
V01.0

CNQNAO DEQNA FUNCTIONAL TEST
GLOBAL ROUTINE - CHK_CSR_STATUS (P1, P2)

12-Jul-1984 13:09:35
21-Jun-1984 08:36:19

VAX-11 Bliss-16 V4.0-579
SPIDER\$USERS:[BERG.DEQNA]NQNA4.BLI;1

000032	005100		COM	R0			
000034	040037	000000G	BIC	R0,TEMP1			
000040	023766	000000G 000006	CMP	TEMP1,6(SP)	:	*,P1	1917
000046	001431		BEQ	1\$			
000050	012737	000001 000000G	MOV	#1,ERR.FLAG	:		1920
000056	012746	000000G	MOV	#MSG59,-(SP)	:		1921
000062	012746	000001	MOV	#1,-(SP)			
000066	010600		MOV	SP,R0	:	SP,*	
000070	104414		TRAP	14			
000072	016616	000012	MOV	12(SP),(SP)	:	P1,*	1922
000076	013746	000000G	MOV	TEMP1,-(SP)			
000102	012746	000000G	MOV	#MSG12,-(SP)			
000106	012746	000003	MOV	#3,-(SP)			
000112	010600		MOV	SP,R0	:	SP,*	
000114	104414		TRAP	14			
000116	104455		TRAP	55	:		1923
000120	000006		.WORD	6			
000122	000000G		.WORD	MSG00			
000124	000000'		.WORD	ERROR\$REPORT			
000126	062706	000012	ADD	#12,SP	:		1919
000132	005726	1\$:	TST	(SP)+	:		1886
000134	000207		RTS	PC			

; Routine Size: 47 words, Routine Base: AC\$CODE\$ + 1644
; Maximum stack depth per invocation: 8 words

; 1926 1
; 1927 1

NQNA4
V01.0

CNQNAO DEQNA FUNCTIONAL TEST
GLOBAL ROUTINE - CHK_XMIT_STATUS (P1, P2)

12-Jul-1984 13:09:35
21-Jun-1984 08:36:19

VAX-11 Bliss-16 V4.0-579
SPIDER\$USERS:[BERG.DEQNA]NQNA4.BLI:1

SEQ 0233
Page 22
(13)

```

: 1928 1 #SBTTL 'GLOBAL ROUTINE - CHK_XMIT_STATUS ( P1, P2 )'
: 1929 1
: 1930 1 GLOBAL ROUTINE CHK_XMIT_STATUS ( P1, P2 ) : NOVALUE =
: 1931 1
: 1932 1 !**
: 1933 1 !
: 1934 1 ! GLOBAL ROUTINE : CHK_XMIT_STATUS
: 1935 1 !
: 1936 1 ! DESCRIPTION:
: 1937 1 !
: 1938 1 ! This routine checks transmit status words for expected status.
: 1939 1 !
: 1940 1 ! INPUT PARAMETERS:
: 1941 1 !
: 1942 1 ! P1 - XMIT flag word
: 1943 1 ! P2 - expected XMIT status word 1
: 1944 1 ! TEST_NO - test number - which error occurred.
: 1945 1 !
: 1946 1 !
: 1947 1 !--
: 1948 1
: 1949 2 BEGIN
: 1950 2
: 1951 2 !**
: 1952 2 ! MASK OUT DON'T CARE BITS IN THE XMIT FLAG WORD AND COMPARE TO EXPECTED
: 1953 2 ! XMIT FLAG STATUS. IF STATUS NOT EQUAL THEN PRINT 'BAD XMIT FLAG WORD
: 1954 2 ! STATUS'
: 1955 2 !--
: 1956 2
: 1957 2 TEMP2 = .XMIT_D_LIST [ FLGWD ] AND XFLG_MASK; ! 0'140000'
: 1958 2
: 1959 2 IF .TEMP2 NEQU .P1
: 1960 2 THEN
: 1961 3 BEGIN
: 1962 3 ERR_FLAG = ONE;
: 1963 3 CSR_WORD = GET_BIT [ CSR_ALL ];
: 1964 3 PRINTB ( MSG59 );
: 1965 3 PRINTB ( MSG13, .TEMP2, XFLG_MASK );
: 1966 3 ERRDF ( 0007, MSG00, ERROR$REPORT );
: 1967 2 END;
: 1968 2
: 1969 2 !**
: 1970 2 ! MASK OUT DON'T CARE BITS IN THE XMIT STATUS WD1 AND COMPARE TO EXPECTED
: 1971 2 ! XMIT STATUS WD1. IF STATUS NOT EQUAL THEN PRINT 'BAD XMIT STATUS WORD 1'
: 1972 2 !--
: 1973 2
: 1974 2 IF .XMIT_D_LIST [ STWD1 ] GTRU ZERO
: 1975 2 THEN
: 1976 2 TEMP3 = .XMIT_D_LIST [ STWD1 ] AND XWD1_MASK ! 0'157760'
: 1977 2 ELSE
: 1978 2 TEMP3 = .XMIT_D_LIST [ STWD1 ] AND X1_MASK; ! 0'100000'
: 1979 2
: 1980 2 IF .TEMP3 NEQU .P2

```

```

: 1981 2      THEN
: 1982 3      BEGIN
: 1983 3      ERR_FLAG = ONE;
: 1984 3      CSR_WORD = GET_BIT [ CSR_ALL ];
: 1985 3      PRINTB ( MSG59 );
: 1986 3      PRINTB ( MSG14, .TEMP3, .P2 );
: 1987 3      ERROF ( 0008, MSG00, ERROR$REPORT );
: 1988 2      FND;
: 1989 2
: 1990 1      END;

```

```

000000 024646      .SBTTL CHK.XMIT.STATUS GLOBAL ROUTINE - CHK_XMIT_STATUS ( P1, P2 )
CHK.XMIT.STATUS:
000002 013737 000000G 000000G      CMP      (SP), -(SP)      ;      1930
000010 042737 037777 000000G      MOV      XMIT.D.LIST,TEMP2      ;      1957
000016 023766 000000G 000010      BIC      #37777,TEMP2      ;
000024 001437      CMP      TEMP2,10(SP)      ; *,P1      1959
000026 012737 000001 000000G      BEQ      1$      ;
000034 013700 000000G      MOV      #1,ERR.FLAG      ;      1962
000040 016016 000016      MOV      REG.ADR,RO      ;      1963
000044 011637 000000G      MOV      16(RO),(SP)      ; *,TMP.LOCATION
000050 012746 000000G      MOV      (SP),CSR.WORD      ; TMP.LOCATION,*
000054 012746 000001      MOV      #MSG59,-(SP)      ;
000060 010600      MOV      #1,-(SP)      ;      1964
000062 104414      MOV      SP,RO      ; SP,*
000064 012716 140000      TRAP     14      ;
000070 013746 000000G      MOV      #-40000,(SP)      ;      1965
000074 012746 000000G      MOV      TEMP2,-(SP)      ;
000100 012746 000003      MOV      #MSG13,-(SP)      ;
000104 010600      MOV      #3,-(SP)      ;
000106 104414      MOV      SP,RO      ; SP,*
000110 104455      TRAP     14      ;
000112 000007      TRAP     55      ;      1966
000114 000000G      .WORD    7
000116 000000'      .WORD    MSG00
000120 062706 000012      .WORD    ERROR$REPORT
000124 013700 000010G      ADD      #12,SP      ;      1961
000130 001406      1$:     MOV      XMIT.D.LIST+10,RO      ;      1974
000132 010037 000000G      BEQ      2$      ;
000136 042737 020017 000000G      MOV      RO,TEMP3      ;      1976
000144 000405      BIC      #20017,TEMP3      ;
000146 010037 000000G      BR       3$      ;      1974
000152 042737 077777 000000G      MOV      RO,TEMP3      ;      1978
000160 023766 000000G 000006      BIC      #77777,TEMP3      ;
000166 001441      3$:     CMP      TEMP3,6(SP)      ; *,P2      1980
000170 012737 000001 000000G      BEQ      4$      ;
000176 013700 000000G      MOV      #1,ERR.FLAG      ;      1983
000202 016066 000016 000002      MOV      REG.ADR,RO      ;      1984
000210 016637 000002 000000G      MOV      16(RO),2(SP)      ; *,TMP.LOCATION
000216 012746 000000G      MOV      2(SP),CSR.WORD      ; TMP.LOCATION,*
000222 012746 000001      MOV      #MSG59,-(SP)      ;      1985
000222 012746 000001      MOV      #1,-(SP)

```

NQNA4
V01.0

CNQNAO DEQNA FUNCTIONAL TEST
GLOBAL ROUTINE CHK XMIT_STATUS (P1, P2)

12-Jul-1984 13:09:35
21-Jun-1984 08:36:19

VAX-11 B1:es-16 V4.0-579
SPIDER\$USERS:[BERG.DEQNA]NQNA4.BLI:1 (13)

```

000226 010600          MOV     SP,R0          ; SP,*
000230 104414          TRAP   14
000232 016616 000012   MOV     12(SP),(SP)    ; P2,*          1986
000236 013746 000000G   MOV     TEMP3,-(SP)
000242 012746 000000G   MOV     @MSG14,-(SP)
000246 012746 000003   MOV     @3,-(SP)
000252 010600          MOV     SP,R0          ; SP,*
000254 104414          TRAP   14
000256 104455          TRAP   55              ;                1987
000260 000010          .WORD  10
000262 000000G       .WORD  MSG00
000264 000000'       .WORD  ERROR$REPORT
000266 062705 000012   ADD     @12,SP         ;                1982
000272 022626          CMP     (SP),.(SP),   ;                1930
000274 000207          RTS     PC

```

```

; Routine Size: 95 words,      Routine Base: AC$CODE$ + 2002
; Maximum stack depth per invocation: 9 words

```

```

; 1991 1
; 1992 1

```

NQNA4
V01.0CNQNAO DEQNA FUNCTIONAL TEST
GLOBAL ROUTINE CHK_RCV_STATUS (P1, P2)12-Jul-1984 13:09:35
21-Jun-1984 08:36:19VAX-11 Bliss-16 V4.0-579
SPIDER\$USERS:[BERG.DEQNA]NQNA4.BLI:1 (14)

```

: 1993 1 #SBTTL 'GLOBAL ROUTINE - CHK_RCV_STATUS ( P1, P2 )'
: 1994 1
: 1995 1 GLOBAL ROUTINE CHK_RCV_STATUS ( P1, P2 ) : NOVALUE
: 1996 1
: 1997 1
: 1998 1
: 1999 1 GLOBAL ROUTINE : CHK_RCV_STATUS
: 2000 1
: 2001 1 DESCRIPTION:
: 2002 1
: 2003 1 This routine checks receive status words for expected status.
: 2004 1
: 2005 1 INPUT PARAMETERS:
: 2006 1
: 2007 1 P1 - expected RCV flag word
: 2008 1 P2 - expected RCV status word 1
: 2009 1 TEST_NO - test number in which error occurred.
: 2010 1
: 2011 1
: 2012 1
: 2013 2 BEGIN
: 2014 2
: 2015 2
: 2016 2
: 2017 2
: 2018 2
: 2019 2
: 2020 2
: 2021 2 TEMP1 = .RCV_D_LIST [ FLGWD ] AND RFLG_MASK; ! 0'140000'
: 2022 2
: 2023 2 IF .TEMP1 NEQU .P1
: 2024 2 THEN
: 2025 3 BEGIN
: 2026 3 ERR_FLAG = ONE;
: 2027 3 CSR_WORD = GET_BIT [ CSR_ALL ];
: 2028 3 PRINTB ( MSG59 );
: 2029 3 PRINTB ( MSG15, .TEMP1, RFLG_MASK );
: 2030 3 ERRDF ( 0009, MSG00, ERROR$REPORT );
: 2031 2 END;
: 2032 2
: 2033 2
: 2034 2
: 2035 2
: 2036 2
: 2037 2
: 2038 2 IF .RCV_D_LIST [ STWD1 ] GEQU ZERO
: 2039 2 THEN
: 2040 2 TEMP2 = .RCV_D_LIST [ STWD1 ] AND R2_MASK ! 0'174017'
: 2041 2 ELSE
: 2042 2 TEMP2 = .RCV_D_LIST [ STWD1 ] AND .P2;
: 2043 2
: 2044 2 IF .TEMP2 NEQU .P2
: 2045 2 THEN

```

NQNA4
V01.0

CNQNAAO DEQNA FUNCTIONAL TEST
GLOBAL ROUTINE - CHK_RCV_STATUS (P1, P2)

12-Jul-1984 13:09:35
21-Jun-1984 08:36:19

VAX-11 B11as-16 V4.0-579
SPIDFR\$USERS:(BERG.DEQNA)NQNA4.BLI:1 (14)

```

: 2046 3 BEGIN
: 2047 3 ERR_FLAG = ONE;
: 2048 3 CSR_WORD = GET_BIT ( CSR_ALL );
: 2049 3 PRINTB ( MSG59 );
: 2050 3 PRINTB ( MSG16, .TEMP2, .P2 );
: 2051 3 ERRDF ( 0010, MSG00, ERROR$REPORT );
: 2052 2 END;
: 2053 2
: 2054 1 END;

```

```

000000 024646 .SBTTL CHK.RCV.STATUS GLOBAL ROUTINE - CHK_RCV_STATUS ( P1, P2 )
CHK.RCV.STATUS::
000002 013737 000000G 000000G CMP -(SP),-(SP) ; 1995
000010 042737 037777 000000G MOV RCV.D.LIST,TEMP1 ; 2021
000016 023766 000000G 000010 BIC #37777,TEMP1
000024 001437 BEQ 1$ ; *,P1 2023
000026 012737 000001 000000G MOV #1,ERR.FLAG ; 2026
000034 013700 000000G MOV REG.ADR,RO ; 2027
000040 016016 000016 MOV 16(RO),(SP) ; *,TMP.LOCATION
000044 011637 000000G MOV (SP),CSR.WORD ; TMP.LOCATION,*
000050 012746 000000G MOV #MSG59,-(SP) ; 2028
000054 012746 000001 MOV #1,-(SP)
000060 010600 MOV SP,RO ; SP,*
000062 104414 TRAP 14
000064 012716 140000 MOV #-40000,(SP) ; 2029
000070 013746 000000G MOV TEMP1,-(SP)
000074 012746 000000G MOV #MSG15,-(SP)
000100 012746 000003 MOV #3,-(SP)
000104 010600 MOV SP,RO ; SP,*
000106 104414 TRAP 14
000110 104455 TRAP 55 ; 2030
000112 000011 .WORD 11
000114 000000G .WORD MSG00
000116 000000' .WORD ERROR$REPORT
000120 062706 000012 ADD #12,SP ; 2025
000124 013700 000010G 1$: MOV RCV.D.LIST+10,RO ; 2038
000130 010037 000000G MOV RO,TEMP2 ; 2040
000134 042737 003760 000000G BIC #3760,TEMP2
000142 023766 000000G 000006 CMP TEMP2,6(SP) ; *,P2 2044
000150 001441 BEQ 2$
000152 012737 000001 000000G MOV #1,ERR.FLAG ; 2047
000160 013700 000000G MOV REG.ADR,RO ; 2048
000164 016066 000016 000002 MOV 16(RO),2(SP) ; *,TMP.LOCATION
000172 016637 000002 000000G MOV 2(SP),CSR.WORD ; TMP.LOCATION,*
000200 012746 000000G MOV #MSG59,-(SP) ; 2049
000204 012746 000001 MOV #1,-(SP)
000210 010600 MOV SP,RO ; SP,*
000212 104414 TRAP 14
000214 016616 000012 MOV 12(SP),(SP) ; P2,* 2050
000220 013746 000000G MOV TEMP2,-(SP)
000224 012746 000000G MOV #MSG16,-(SP)

```

NQNA4
V01.0

CNQNAO DEQNA FUNCTIONAL TEST
GLOBAL ROUTINE - CHK RCV_STATUS (P1, P2)

12-Jul-1984 13:09:35
21-Jun-1984 08:36:19

VAX-11 Bliss-16 V4.0-579
SPIDER\$USERS:[BERG.DEQNA]NQNA4.BLI;: (14)

000230	012746	000003		MOV	#3,-(SP)		
000234	010600			MOV	SP,R0	:	SP,*
000236	104414			TRAP	14		
000240	104455			TRAP	55	:	
000242	000012			.WORD	12		
000244	000000G			.WORD	MSG00		
000246	000000'			.WORD	ERROR\$REPORT		
000250	062706	000012		ADD	#12,SP	:	
000254	022626		2\$:	CMP	(SP)*,(SP)*	:	
000256	000207			RTS	PC		

2051

2046
1995

; Routine Size: 88 words. Routine Base: AC\$CODE\$ + 2300
; Maximum stack depth per invocation: 9 words

; 2055 1

NONA4
V01.0

CNQNAO DEQNA FUNCTIONAL TEST
GLOBAL ROUTINE COMPARE_PACKETS ()

12-Jul-1984 13:09:35
21-Jun-1984 08:36:19

VAX-11 Bliss-16 V4.0-579
SPIDER:USERS.(BERG.DEQNA)NONA4.BLI;1

Page 28
(15)

```

: 2056 1 #SBTTL 'GLOBAL ROUTINE COMPARE_PACKETS ( )'
: 2057 1
: 2058 1 GLOBAL ROUTINE COMPARE_PACKETS : NOVALUE =
: 2059 1
: 2060 1 :...
: 2061 1 :
: 2062 1 : GLOBAL ROUTINE : COMPARE_PACKETS
: 2063 1 :
: 2064 1 : DESCRIPTION:
: 2065 1 :
: 2066 1 : This routine compares contents of transmit packet to the contents
: 2067 1 : of receive packet and prints an error message if the don't compare.
: 2068 1 :--
: 2069 1
: 2070 2 BEGIN
: 2071 2
: 2072 2 :...
: 2073 2 : GET RECEIVE BYTE LENGTH ( RBL ) FROM RCV DISCRIPTOR AND COMPUTE WORD
: 2074 2 : LENGTH. THEN COMPARE ACTUAL TO EXPECTED RCV WORD LENGTH.
: 2075 2 :--
: 2076 2
: 2077 2 TEMP3 = 0;
: 2078 2
: 2079 2 IF GET_BIT [ CSR, LB ] GTRU ZERO
: 2080 2 THEN
: 2081 2 TEMP3 = .RCV_D_LIST [ STWD1 ] AND RML_MASK; ! 0'003400'
: 2082 2
: 2083 2 IF ( .CSR_WORD AND #0'01' ) EQLU ZERO
: 2084 2 THEN
: 2085 3 TEMP3 = .TEMP3 + ( .RCV_D_LIST [ STWD2 ] AND RLL_MASK ) ! 0'000377'
: 2086 2 ELSE
: 2087 2 TEMP3 = 6;
: 2088 2
: 2089 2 IF .TEMP3 NEQU .RBUF_LENGTH
: 2090 2 THEN
: 2091 3 BEGIN
: 2092 3 ERR_FLAG = ONE;
: 2093 3 CSR_WORD = GET_BIT [ CSR_ALL ];
: 2094 3 PRINTB ( MSG59 );
: 2095 3 PRINTB ( MSG17, .TEMP3, .RBUF_LENGTH );
: 2096 3 ERRDF ( 0011, MSG00, ERROR$REPORT );
: 2097 2 END;
: 2098 2
: 2099 2 INCR INDEX FROM 0 TO .TEMP3 - 1 DO
: 2100 3 BEGIN
: 2101 3 IF .RCV_D_LIST [ STWD1 ] EQLU NEWB
: 2102 3 THEN
: 2103 3 RCV_BUFFER [ .INDEX ] = ZERO;
: 2104 3
: 2105 3 IF .XMIT_BUFFER [ .INDEX ] NEQU .RCV_BUFFER [ .INDEX ]
: 2106 3 THEN
: 2107 3 IF .RCV_D_LIST [ LONGP ] EQLU ONE
: 2108 3 THEN

```

NQNA4
V01.0

CYONAAO DEQNA FUNCTIONAL TEST
GLOBAL ROUTINE - COMPARE_PACKETS ()

12-Jul-1984 13:09:35
21-Jun-1984 08:36:19

VAX-11 Bliss-16 V4.0-579
SPIDER:USERS:(BERG.DEQNA)NQNA4.BLI:1

SEQ 0240
Page 29
(15)

```

: 2109 4      BEGIN
: 2110 4      TEMPS = .INDEX;
: 2111 4      EXITLOOP;
: 2112 4      END
: 2113 3      ELSE
: 2114 4      BEGIN
: 2115 4      ERR_FLAG = ONE;
: 2116 4      CSR_WORD = GET_BIT ( CSR_ALL );
: 2117 4      PRINTB ( MSG59 );
: 2118 4      PRINTB ( MSG51 );
: 2119 4      PRINTB ( MSG50, .RCV_BUFFER [ .INDEX ], .XMIT_BUFFER [ .INDEX ], .INDEX );
: 2120 4      ERROF ( 0012, MSG00, ERROR$REPORT );
: 2121 3      END;
: 2122 2      ENF;
: 2123 1      END;

```

.SBTTL COMPARE_PACKETS GLOBAL ROUTINE - COMPARE_PACKETS ()

000000	004137	000000G	COMPARE_PACKETS::		
			JSR	R1,\$SAVE2	2058
000004	024646		CMP	-(SP),-(SP)	
000006	005037	000000G	CLR	TEMP3	2077
000012	013700	000000G	MOV	REG.ADR,R0	2079
000016	016046	000016	MOV	16(R0),-(SP)	*.TMP.LOCATION
000022	032716	001400	BIT	#1400,(SP)	*.TMP.LOCATION
000026	001406		BEQ	1\$	
000030	013737	000010G 000000G	MOV	RCV.D.LIST+10,TEMP3	2081
000036	042737	174377 000000G	BIC	#174377,TEMP3	
000044	032737	000001 000000G	1\$: BIT	#1,CSR.WORD	2083
000052	001006		BNE	2\$	
000054	005001		CLR	R1	2085
000056	153701	000012G	BISB	RCV.D.LIST+12,R1	
000062	060137	000000G	ADD	R1,TEMP3	
000066	000403		BR	3\$	2083
000070	012737	000006 000000G	2\$: MOV	#6,TEMP3	2087
000076	023737	000000G 000000G	3\$: CMP	TEMP3,RBUF.LENGTH	2089
000104	001437		BEQ	4\$	
000106	012737	000001 000000G	MOV	#1,ERR.FLAG	2092
000114	016066	000016 000002	MOV	16(R0),2(SP)	*.TMP.LOCATION
000122	016637	000002 000000G	MOV	2(SP),CSR.WORD	TMP.LOCATION.*
000130	012746	000000G	MOV	#MSG59,-(SP)	
000134	012746	000001	MOV	#1,-(SP)	2094
000140	010600		MOV	SP,R0	SP.*
000142	104414		TRAP	14	
000144	013716	000000G	MOV	RBUF.LENGTH,(SP)	2095
000150	013746	000000G	MOV	TEMP3,-(SP)	
000154	012746	000000G	MOV	#MSG17,-(SP)	
000160	012746	000003	MOV	#3,-(SP)	
000164	010600		MOV	SP,R0	SP.*
000166	104414		TRAP	14	
000170	104455		TRAP	55	2096
000172	000013		.WORD	13	
000174	000000G		.WORD	MSG00	

NQNA4
V01.0

CNQNAO DEQNA FUNCTIONAL TEST
GLOBAL ROUTINE - COMPARE_PACKETS ()

12-Jul-1984 13:09:35
21-Jun-1984 08:36:19

VAX-11 Bliss-16 V4.0-579
SPIDER:USERS:(BERG.DEQNA)NQNA4.BLI:1

SEQ 0241
Page 30
(15)

000176	000000'			.WORD	ERROR\$REPORT		
000200	762706	000012		ADD	#12,SP	:	2091
000204	013702	0000C0G	4\$:	MOV	TEMP3,R2	:	2099
000210	005001			CLR	R1	: INDEX	
000212	000474			BR	9\$		
000214	023727	000010G	5\$:	CMP	RCV.D.LIST*10,#-100000	:	2101
000222	001002			BNE	6\$		
000224	105061	000000G		CLRB	RCV.BUFFER(R1)	: *(INDEX)	2103
000230	126161	000000G	6\$:	CMPB	XMIT.BUFFER(R1),RCV.BUFFER(R1)	: *(INDEX),*(INDEX)	2105
000236	001461			BEQ	8\$		
000240	032737	040000		BIT	#40000,RCV.D.LIST*10	:	2107
000246	001403			BEQ	7\$		
000250	010137	000000G		MOV	R1,TEMP5	: INDEX,*	2110
000254	000455			BR	10\$:	2109
000256	012737	000001	7\$:	MOV	#1,ERR.FLAG	:	2115
000264	013700	000000G		MOV	REG.ADR,R0	:	2116
000270	016066	000016		MOV	16(R0),4(SP)	: *,TMP.LOCATION	
000276	016637	000004		MOV	4(SP),CSR.WORD	: TMP.LOCATION,*	
000304	012746	000000G		MOV	#MSG59,-(SP)	:	2117
000310	012746	000001		MOV	#1,-(SP)		
000314	010600			MOV	SP,R0	: SP,*	
000316	104414			TRAP	14		
000320	012716	000000G		MOV	#MSG51,(SP)	:	2118
000324	012746	000001		MOV	#1,-(SP)		
000330	010600			MOV	SP,R0	: SP,*	
000332	104414			TRAP	14		
000334	010116			MOV	R1,(SP)	: INDEX,*	2119
000336	005046			CLR	-(SP)		
000340	116116	000000G		MOVB	XMIT.BUFFER(R1),(SP)	: *(INDEX),*	
000344	005046			CLR	-(SP)		
000346	116116	000000G		MOVB	RCV.BUFFER(R1),(SP)	: *(INDEX),*	
000352	012746	000000G		MOV	#MSG50,-(SP)		
000356	012746	000004		MOV	#4,-(SP)		
000362	010600			MOV	SP,R0	: SP,*	
000364	104414			TRAP	14		
000366	104455			TRAP	55	:	2120
000370	000014			.WORD	14		
000372	000000G			.WORD	MSG00		
000374	000000'			.WORD	ERROR\$REPORT		
000376	062706	000016		ADD	#16,SP	:	2114
000402	005201		8\$:	INC	R1	: INDEX	2099
000404	020102		9\$:	CMP	R1,R2	: INDEX,*	
000406	002702			BLT	5\$		
000410	062706	000006	10\$:	ADD	#6,SP	:	2058
000414	000207			RTS	PC		

: Routine Size: 135 words, Routine Base: AC\$CODE\$ + 2560
: Maximum stack depth per invocation: 15 words

: 2124 1
: 2125 1

NQNA4
V01.0

CNQNAO DEQNA FUNCTIONAL TEST
GLOBAL ROUTINE - SET_RDESCR_LIST (P1, P2)

12-Jul-1984 13:09:35
21-Jun-1984 08:36:19

SEQ 0242
Page 31
VAX-11 Bliss-16 V4.0-579
SPIDER\$USERS:([BERG.DEQNA]NQNA4.BLI;1 (16)

```

: 2126 1 #SBTTL 'GLOBAL ROUTINE - SET_RDESCR_LIST ( P1, P2)
: 2127 1
: 2128 1 GLOBAL ROUTINE SET_RDESCR_LIST ( P1, P2 ) : NOVALUE .
: 2129 1
: 2130 1 !..
: 2131 1 !
: 2132 1 ! GLOBAL ROUTINE : SET_RDESCR_LIST
: 2133 1 !
: 2134 1 ! DESCRIPTION:
: 2135 1 !
: 2136 1 ! This routine initializes receive descriptor list.
: 2137 1 !
: 2138 1 ! INPUT PARAMETERS:
: 2139 1 !
: 2140 1 ! P1 - expected Ethernet packet length in words
: 2141 1 ! P2 - expected RCV Descriptor List settings
: 2142 1 !
: 2143 1 !..
: 2144 1 !
: 2145 2 BEGIN
: 2146 2
: 2147 2 RCV_D_LIST [ FLGWD ] = NEWB;
: 2148 2 RCV_D_LIST [ DBITS ] = .P2;
: 2149 2 RCV_D_LIST [ LOADR ] = RCV_BUFFER;
: 2150 2 RCV_D_LIST [ TWDL ] = .P1;
: 2151 2 RCV_D_LIST [ STWD1 ] = 0;
: 2152 2 RCV_D_LIST [ STWD2 ] = 0;
: 2153 2 RCV_D_LIST [ DLINK ] = V;
: 2154 2 RCV_D_LIST [ BSTAT ] = E;
: 2155 2
: 2156 1 END;

```

.SBTTL SET.RDESCR.LIST GLOBAL ROUTINE - SET_RDESCR_LIST (P1, P2)

SET.RDESCR.LIST::

000000	012737	100000	000000G	MOV	#-100000,RCV.D.LIST	:	2147
000006	016637	000002	000002G	MOV	2(SP),RCV.D.LIST+2	:	2148
000014	012737	000000G	000004G	MOV	#RCV.BUFFER,RCV.D.LIST+4	:	2149
000022	016637	000004	000006G	MOV	4(SP),RCV.D.LIST+6	:	2150
000030	005037	000010G		CLR	RCV.D.LIST+10	:	2151
000034	005037	000012G		CLR	RCV.D.LIST+12	:	2152
000040	012737	100000	000014G	MOV	#-100000,RCV.D.LIST+14	:	2153
000046	012737	020000	000016G	MOV	#20000,RCV.D.LIST+16	:	2154
000054	000207			RTS	PC	:	2128

```

: Routine Size: 23 words, Routine Base: AC$CODE$ + 3176
: Maximum stack depth per invocation: 0 words

```

: 2157 1

```

: 2158 1  *SBTTL 'GLOBAL ROUTINE - SET_XDESCR_LIST ( P1, P2 )'
: 2159 1
: 2160 1  GLOBAL ROUTINE SET_XDESCR_LIST ( P1, P2 ) : NOVALUE =
: 2161 1
: 2162 1  !**
: 2163 1  !
: 2164 1  ! GLOBAL ROUTINE : SET_XDESCR_LIST
: 2165 1  !
: 2166 1  ! DESCRIPTION:
: 2167 1  !
: 2168 1  ! This routine initializes transmit descriptor list.
: 2169 1  !
: 2170 1  ! INPUT PARAMETERS:
: 2171 1  !
: 2172 1  ! P1 - expected Ethernet packet length in words
: 2173 1  ! P2 - expected XMIT Descriptor List settings
: 2174 1  !
: 2175 1  ! --
: 2176 1
: 2177 2  BEGIN
: 2178 2
: 2179 2  XMIT_D_LIST [ FLGWD ] = NEWB;
: 2180 2  XMIT_D_LIST [ DBITS ] = .P2;
: 2181 2  XMIT_D_LIST [ LOADR ] = XMIT_BUFFER;
: 2182 2  XMIT_D_LIST [ TWDL ] = .P1;
: 2183 2  XMIT_D_LIST [ STWD1 ] = 0;
: 2184 2  XMIT_D_LIST [ STWD2 ] = 0;
: 2185 2  XMIT_D_LIST [ DLINK ] = V;
: 2186 2  XMIT_D_LIST [ BSTAT ] = E;
: 2187 2
: 2188 1  END;

```

```

                                .SBTTL SET.XDESCR.LIST GLOBAL ROUTINE - SET_XDESCR_LIST ( P1, P2 )
000000 012737 100000 000000G  SET.XDESCR.LIST::
                                MOV      #-100000,XMIT.D.LIST          ;
000006 016637 000002 000002G  MOV      2(SP),XMIT.D.LIST+2      ; P2.*
000014 012737 000000G 000004G  MOV      #XMIT_BUFFER,XMIT.D.LIST+4 ;
000022 016637 000004 000006G  MOV      4(SP),XMIT.D.LIST+6      ; P1.*
000030 005037 000010G          CLR      XMIT.D.LIST+10          ;
000034 005037 000012G          CLR      XMIT.D.LIST+12          ;
000040 012737 100000 000014G  MOV      #-100000,XMIT.D.LIST+14   ;
000046 012737 020000 000016G  MOV      #20000,XMIT.D.LIST+16    ;
000054 000207          RTS      PC                          ;

```

```

: Routine Size: 23 words, Routine Base: AC$CODE$ + 3254
: Maximum stack depth per invocation: 0 words

```

```

: 2189 1

```

```

: 2190 1 #SBTTL 'GLOBAL ROUTINE - WALKING_BIT ( P1, P2, P3 )'
: 2191 1
: 2192 1 GLOBAL ROUTINE WALKING_BIT ( P1, P2, P3 ) : NOVALUE =
: 2193 1
: 2194 1 !..
: 2195 1
: 2196 1 GLOBAL ROUTINE : WALKING_BIT
: 2197 1
: 2198 1 DESCRIPTION:
: 2199 1
: 2200 1 This routine sets bit to 0 or 1 in a specified bit position of the
: 2201 1 Ethernet Station Address. For example,
: 2202 1
: 2203 1 if
: 2204 1 .P1 = 0 and .P2 = 15 .P3 = 5
: 2205 1 then
: 2206 1 Ethernet Station Address = FF-FF-FF-FF-7F-FF
: 2207 1
: 2208 1 INPUT PARAMETERS:
: 2209 1
: 2210 1 P1 - bit ( 0 or 1 )
: 2211 1 P2 - bit position from base address
: 2212 1 P3 - # of bytes to be tested using this pattern
: 2213 1
: 2214 1 !..
: 2215 1
: 2216 2 BEGIN
: 2217 2
: 2218 2 SELECTONE .P2 OF
: 2219 2 SET
: 2220 2 [ 0 TO 7 ]:
: 2221 2 TEMP1 = 0;
: 2222 2 [ 8 TO ( .P3 + 1 ) * 8 ]:
: 2223 2 TEMP1 = .P2 / 8;
: 2224 2
: 2225 2 TES;
: 2226 2
: 2227 2 TEMP2 = .P2 MOD 8;
: 2228 2
: 2229 2 IF .P1 EQLU ZERO
: 2230 2 THEN
: 2231 3 BEGIN
: 2232 3 TBYTE1 = #8'00000000';
: 2233 3 SELECTONE .TEMP2 OF
: 2234 3 SET
: 2235 3 [ 0 ]: TBYTE2 = #0'001';
: 2236 3 [ 1 ]: TBYTE2 = #0'002';
: 2237 3 [ 2 ]: TBYTE2 = #0'004';
: 2238 3 [ 3 ]: TBYTE2 = #0'010';
: 2239 3 [ 4 ]: TBYTE2 = #0'020';
: 2240 3 [ 5 ]: TBYTE2 = #0'040';
: 2241 3 [ 6 ]: TBYTE2 = #0'100';
: 2242 3 [ 7 ]: TBYTE2 = #0'200';
: 2242 3 TES;

```

NQNA4
V01.0

CNQNAO DEQNA FUNCTIONAL TEST
GLOBAL ROUTINE - WALKING_BIT (P1, P2, P3)

12-Jul-1984 13:09:35
21-Jun-1984 08:36:19

VAX-11 Bliss-16 V4.0-579
SPIDER\$USERS:(BERG.DEQNA)NQNA4.BLI,1

```

: 2243 3      END
: 2244 2      ELSE
: 2245 3      BEGIN
: 2246 3      TBYTE1 = #8'11111111';
: 2247 3      SELECTONE .TEMP2 OF
: 2248 3      SET
: 2249 3      [ 0 ]: TBYTE2 = #0'376';
: 2250 3      [ 1 ]: TBYTE2 = #0'375';
: 2251 3      [ 2 ]: TBYTE2 = #0'373';
: 2252 3      [ 3 ]: TBYTE2 = #0'367';
: 2253 3      [ 4 ]: TBYTE2 = #0'357';
: 2254 3      [ 5 ]: TBYTE2 = #0'337';
: 2255 3      [ 6 ]: TBYTE2 = #0'277';
: 2256 3      [ 7 ]: TBYTE2 = #0'177';
: 2257 3      TES;
: 2258 2      END;
: 2259 2
: 2260 2      INCR INDEX FROM 0 TO .P3 DO
: 2261 2      TARGET_ADR [ .INDEX ] = .TBYTE1;
: 2262 2
: 2263 2      TEMP3 = .P3 - .TEMP1;
: 2264 2      TARGET_ADR [ .TEMP3 ] = .TBYTE2;
: 2265 2
: 2266 1      END;
    
```

```

000000 010146      .SBTTL WALKING_BIT GLOBAL ROUTINE - WALKING_BIT ( P1, P2, P3 )
000002 016601 000006      WALKING_BIT::
000006 002406      MOV      R1, -(SP)
000010 020127 000007      MOV      6(SP),R1
000014 003003      BLT     1$
000016 005037 000000G      CMP     R1,#7
000022 000424      BGT     1$
000024 020127 000010      CLR     TEMP1
000030 002421      BR     2$
000032 016600 000004      1$:    CMP     R1,#10
000036 006300      BLT     2$
000040 006300      MOV     4(SP),R0
000042 006300      ASL    R0
000044 062700 000010      ASL    R0
000050 020100      ASL    R0
000052 003010      ADD     #10,R0
000054 010146      CMP     R1,R0
000056 012746 000010      BGT     2$
000062 004737 000000G      MOV     R1, -(SP)
000066 010037 000000G      MOV     #10, -(SP)
000072 022626      JSR    PC,BL$DIV
000074 010146      2$:    MOV     R0,TEMP1
000076 012746 000010      CMP     (SP)+,(SP)+
000102 004737 000000G      MOV     R1, -(SP)
000106 010037 000000G      MOV     #10, -(SP)
                                JSR    PC,BL$MOD
                                MOV     R0,TEMP2
    
```

NQNA4
V01.0

CHQNAAO DEQNA FUNCTIONAL TEST
GLOBAL ROUTINE - WALKING_BIT (P1, P2, P3)

12-Jul-1984 13:09:35
21-Jun-1984 08:36:19

SEQ 0246
Page 35
VAX-11 Bliss-16 V4.0-579
SPIDER\$USERS:(BERG.DEQNA)NQNA4.BLI;1 (18)

000112	005766	000014		TST	14(SP)	:	P1		2228
000116	001071			BNE	10\$:			
000120	005037	000000G		CLR	TBYTE1	:			2231
000124	005700			TST	R0	:			2234
000126	001004			BNE	3\$:			
000130	012737	000001	000000G	MOV	#1,TBYTE2	:			
000136	000552			BR	18\$:			2232
000140	020027	000001		3\$: CMP	R0,#1	:			2235
000144	001004			BNE	4\$:			
000146	012737	000002	000000G	MOV	#2,TBYTE2	:			
000154	000543			BR	18\$:			2232
000156	020027	000002		4\$: CMP	R0,#2	:			2236
000162	001004			BNE	5\$:			
000164	012737	000004	000000G	MOV	#4,TBYTE2	:			
000172	000534			BR	18\$:			2232
000174	020027	000003		5\$: CMP	R0,#3	:			2237
000200	001004			BNE	6\$:			
000202	012737	000010	000000G	MOV	#10,TBYTE2	:			
000210	000525			BR	18\$:			2232
000212	020027	000004		6\$: C:O	R0,#4	:			2238
000216	001004			BNE	7\$:			
000220	012737	000020	000000G	MOV	#20,TBYTE2	:			
000226	000516			BR	18\$:			2232
000230	020027	000005		7\$: CMP	R0,#5	:			2239
000234	001004			BNE	8\$:			
000236	012737	000040	000000G	MOV	#40,TBYTE2	:			
000244	000507			BR	18\$:			2232
000246	020027	000006		8\$: CMP	R0,#6	:			2240
000252	001004			BNE	9\$:			
000254	012737	000100	000000G	MOV	#100,TBYTE2	:			
000262	000500			BR	18\$:			2232
000264	020027	000007		9\$: CMP	R0,#7	:			2241
000270	001075			BNE	18\$:			
000272	012737	000200	000000G	MOV	#200,TBYTE2	:			
000300	000471			BR	18\$:			2228
000302	012737	000377	000000G	10\$: MOV	#377,TBYTE1	:			2246
000310	005700			TST	R0	:			2249
000312	001004			BNE	11\$:			
000314	012737	000376	000000G	MOV	#376,TBYTE2	:			
000322	000460			BR	18\$:			2247
000324	020027	000001		11\$: CMP	R0,#1	:			2250
000330	001004			BNE	12\$:			
000332	012737	000375	000000G	MOV	#375,TBYTE2	:			
000340	000451			BR	18\$:			2247
000342	020027	000002		12\$: CMP	R0,#2	:			2251
000346	001004			BNE	13\$:			
000350	012737	000373	000000G	MOV	#373,TBYTE2	:			
000356	000442			BR	18\$:			2247
000360	020027	000003		13\$: CMP	R0,#3	:			2252
000364	001004			BNE	14\$:			
000366	012737	000367	000000G	MOV	#367,TBYTE2	:			2247
000374	000433			BR	18\$:			2253
000376	020027	000004		14\$: CMP	R0,#4	:			

NONA4
V01.0

CHONAAO DEQNA FUNCTIONAL TEST
GLOBAL ROUTINE - WALKING BIT (P1, P2, P3)

12-Jul-1984 13:09:35
21-Jun-1984 08:36:19

SEQ 0247
Page 36
VAX-11 Bliss-16 V4.0-579
SPIDER\$USERS:(BERG.DEQNA)NONA4.BLI:1 (18)

000402	001004			BNE	15:			
000404	012737	000357	000000G	MOV		#357, TBYTE2		
000412	000424			BR	18:		:	2247
000414	020027	000005		CMP		R0, #5	:	2254
000420	001004			BNE	16:	16:		
000422	012737	000337	000000G	MOV		#337, TBYTE2		
000430	000415			BR	18:		:	2247
000432	020027	000006		CMP		R0, #6	:	2255
000436	001004			BNE	17:	17:		
000440	012737	000277	000000G	MOV		#277, TBYTE2		
000446	000406			BR	18:		:	2247
000450	020027	000007		CMP		R0, #7	:	2256
000454	001003			BNE	18:	18:		
000456	012737	000177	000000G	MOV		#177, TBYTE2		
000464	005000			CLR		R0	:	INDEX
000466	000404			BR	20:	20:		2260
000470	113760	000000G	000000G	MOVB		TBYTE1, TARGET.ADR(R0)	:	*,*(INDEX)
000476	005200			INC		R0	:	INDEX
000500	020066	000010		CMP		R0, 10(SP)	:	INDEX, P3
000504	003771			BLE	19:	19:		
000506	016637	000010	000000G	MOV		10(SP), TEMP3	:	P3, *
000514	163737	000000G	000000G	SUB		TEMP1, TEMP3		
000522	013700	000000G		MOV		TEMP3, R0	:	
000526	113760	000000G	000000G	MOVB		TBYTE2, TARGET.ADR(R0)		2264
000534	022626			CMP		(SP), *(SP),	:	2216
000536	012601			MOV		(SP), *R1	:	2192
000540	000207			RTS		PC		

: Routine Size: 177 words, Routine Base: AC\$CODE\$ + 3332
: Maximum stack depth per invocation: 4 words

: 2267 1

NONA4
V01.0

CNQNAAO DEQNA FUNCTIONAL TEST
GLOBAL ROUTINE - WRT_STATION_ADR (P1, P2)

12-Jul-1984 13:09:35
21-Jun-1984 08:36:19

SEQ 0248
Page 37
VAX-11 Bliss-16 V4.0-579
SPIDER:USERS:(BERG.DEQNA)NONA4.BLI;1 (19)

```

: 2268 1 *SBTTL 'GLOBAL ROUTINE - WRT_STATION_ADR ( P1, P2 )'
: 2269 1
: 2270 1 GLOBAL ROUTINE WRT_STATION_ADR ( P1, P2 ): NOVALUE =
: 2271 1
: 2272 1 :..
: 2273 1 :
: 2274 1 : GLOBAL ROUTINE : WRT_STATION_ADR
: 2275 1 :
: 2276 1 : DESCRIPTION.
: 2277 1 :
: 2278 1 : This routine writes Station Address to XMIT_BUFFER.
: 2279 1 :
: 2280 1 : INPUT PARAMETERS:
: 2281 1 :
: 2282 1 : P1 - Ethernet Station Address index (1:14) in Station Address RAM
: 2283 1 : P2 - Ethernet Station Address index ( 0:19 ) in the TARGET_ADR table
: 2284 1 :
: 2285 1 :--
: 2286 1
: 2287 2 BEGIN
: 2288 2
: 2289 2 TEMP1 = .P2 * 6;
: 2290 2
: 2291 2 SELECTONE .P1 OF
: 2292 2 SET
: 2293 2 [ 0 TO 7 ]:
: 2294 2 TEMP2 = .P1;
: 2295 2 [ 8 TO 14 ]:
: 2296 2 TEMP2 = .P1 * 57;
: 2297 2 YES;
: 2298 2
: 2299 2 IF .TEMP2 EQLU ZERO
: 2300 2 THEN
: 2301 2 INCR INDEX FROM 0 TO 5 DO
: 2302 3 BEGIN
: 2303 3 XMIT_BUFFER [ .INDEX ] = .TARGET_ADR [ .INDEX * .TEMP1 ];
: 2304 3 END
: 2305 2 ELSE
: 2306 2 INCR INDEX FROM 0 TO 5 DO
: 2307 3 BEGIN
: 2308 3 TEMP3 = .INDEX * 8 * .TEMP2;
: 2309 3 XMIT_BUFFER [ .TEMP3 ] = .TARGET_ADR [ .INDEX * .TEMP1 ];
: 2310 2 END;
: 2311 1 END;

```

000000	004137	000000G	.SBTTL WRT.STATION.ADR GLOBAL ROUTINE - WRT_STATION_ADR (P1, P2)	
			WRT.STATION.ADR::	
			JSR R1, \$SAVE3	: 2270
000004	016646	000012	MOV 12(SP), -(SP)	: P2,* 2289
000010	012746	000006	MOV #6, -(SP)	
000014	004737	000000G	JSR PC, BL \$MUL	
000020	010037	000000G	MOV R0, TEMP1	

NGNA4
V01.0

CNQNAAO DEQNA FUNCTIONAL TEST
GLOBAL ROUTINE WRT_STATION_ADR (P1, P2)

12 Jul-1984 13:09:35
21-Jun-1984 08:36:19

VAX-11 Bliss 16 V4.0-579
SPIDER\$USERS:[BERG.DEQNA]NGNA4.BLI:1

SEQ 0249
Page 38
(19)

000024	016600	000020		MOV	20(SP),R0	:	P1.*	2291
000030	002406			BLT	1\$:		2293
000032	020027	000007		CMP	R0,#7	:		
000036	003003			BGT	1\$:		
000040	010037	000000G		MOV	R0,TEMP2	:		2294
000044	000413			BR	2\$:		2291
000046	020027	000010	1\$:	CMP	R0,#10	:		2295
CJ0052	002410			BLT	2\$:		
000054	020027	000016		CMP	R0,#16	:		
000060	003005			BGT	2\$:		
000062	010037	000000G		MOV	R0,TEMP2	:		2296
000066	052737	000071	000000G	ADD	#71,TEMP2	:		
000074	013703	000000G	2\$:	MOV	TEMP2,R3	:		2299
000100	001014			BNE	4\$:		
000102	005000			CLR	R0	:	INDEX	2301
000104	010001		3\$:	MOV	R0,R1	:	INDEX.*	2303
000106	063701	000000G		ADD	TEMP1,R1	:		
000112	116160	000000G	000000G	MOVB	TARGET.ADR(R1),XMIT.BUFFER(R0)	:	*,*(INDEX)	
000120	005200			INC	R0	:	INDEX	2301
000122	020027	000005		CMP	R0,#5	:	INDEX.*	
000126	003766			BLE	3\$:		
000130	000422			BR	6\$:		2299
000132	005002		4\$:	CLR	R2	:	INDEX	2306
000134	010200		5\$:	MOV	R2,R0	:	INDEX.*	2308
000136	006300			ASL	R0	:		
000140	006300			ASL	R0	:		
000142	006300			ASL	R0	:		
000144	060300			ADD	R3,R0	:		
000146	010037	000000G		MOV	R0,TEMP3	:		
000152	010201			MOV	R2,R1	:	INDEX.*	2309
000154	063701	000000G		ADD	TEMP1,R1	:		
000160	116160	000000G	000000G	MOVB	TARGET.ADR(R1),XMIT.BUFFER(R0)	:		
000166	005202			INC	R2	:	INDEX	2306
000170	020227	000005		CMP	R2,#5	:	INDEX.*	
000174	003757			BLE	5\$:		
000176	022626		6\$:	CMP	(SP)*,(SP)*	:		2287
000200	000207			RTS	PC	:		2270

: Routine Size: 65 words, Routine Base: AC\$CODE\$ + 4074
: Maximum stack depth per invocation: 7 words

: 2312 1

NQNA4
V01.0

CNONAAO DEQNA FUNCTIONAL TEST
GLOBAL ROUTINE - PREP_FOR_SETUP ()

12-Jul-1984 13:09:35
21 Jun-1984 08:36:19

VAX-11 B1111-16 V4.0-579
SPIDER#USERS:(BERG.DEQNA)NQNA4.BLI:1

SEQ 0250
Page 39
(20)

```

: 2313 1 *SBTTL 'GLOBAL ROUTINE - PREP_FOR_SETUP ( ) '
: 2314 1
: 2315 1 GLOBAL ROUTINE PREP_FOR_SETUP : NOVALUE *
: 2316 1
: 2317 1 !..
: 2318 1 !
: 2319 1 GLOBAL ROUTINE : PREP_FOR_SETUP
: 2320 1 !
: 2321 1 DESCRIPTION:
: 2322 1 !
: 2323 1 This routine retrieves Ethernet Station Address from the Ethernet's
: 2324 1 Station Address PROM, saves copy of Ethernet Station Address PROM
: 2325 1 in the TARGET_ADR vector, initializes transmit and receive buffers
: 2326 1 to zero and finally sets buffer length to select promiscuous mode.
: 2327 1 !
: 2328 1 INPUT PARAMETERS:
: 2329 1 !
: 2330 1 none
: 2331 1 !..
: 2332 1
: 2333 2 BEGIN
: 2334 2 !..
: 2335 2 RETRIEVE ETHERNET PHYSICAL STATION ADDRESS AND SAVE A COPY OF IT IN THE
: 2336 2 'TARGET_ADR' VECTOR.
: 2337 2 !..
: 2338 2 !..
: 2339 2
: 2340 2 INCR INDEX FROM 0 TO 5 DO
: 2341 3 BEGIN
: 2342 3 TBYTE1 = .REG_ADR [ .INDEX, ST_ADDR ];
: 2343 3 TARGET_ADR [ ( PHA_INDEX * 6 ) + .INDEX ] = .TBYTE1;
: 2344 2 END;
: 2345 2
: 2346 2 CLR_BUFFERS ( 256 );
: 2347 2
: 2348 1 END;

```

```

000000 010146 .SBTTL PREP.FOR.SETUP GLOBAL ROUTINE - PREP_FOR_SETUP ( )
PREP.FOR.SETUP::
MOV R1, -(SP) ; 2315
TST -(SP)
CLR R1 ; INDEX 2340
1$: MOV R1, R0 ; INDEX,* 2342
ASL R0
ADD REG.ADR, R0
MOV (R0), (SP) ; *,TMP.LOCATION
CLR TBYTE1
MOVB (SP), TBYTE1
MOVB (SP), TARGET.ADR+162(R1) ; *,*(INDEX) 2343
INC R1 ; INDEX 2340
CMP R1, #5
BLE 1$

```

NQNA4
V01.0

CNQNAO DEQNA FUNCTIONAL TEST
GLOBAL ROUTINE PREP_FOR_SETUP ()

12-Jul-1984 13:09:35
21-Jun-1984 08:36:19

VAX-11 Bliss-16 V4.0-579
SPIDER#USERS:[BERG.DEQNA]NQNA4.BLI:1
SEQ 0251
Page 40
(20)

000044	012746	000400	MOV	#400,-(SP)	:	2346
000050	004737	001232'	JSR	PC,CLR.BUFFERS	:	
000054	022626		CMP	(SP)*,(SP)*	:	2315
000056	012601		MOV	(SP)*,R1	:	
000060	000207		RTS	PC	:	

: Routine Size: 25 words, Routine Base: AC#CODE# + 4276
 : Maximum stack depth per invocation: 4 words

: 2349 1
 : 2350 1
 : 2351 1

NQNA4
V01.0

CNQNAO DEQNA FUNCTIONAL TEST
GLOBAL ROUTINE FORM_HEX_ADR (P3)

12-Jul-1984 13:09:35
21-Jun-1984 08:36:19

VAX-11 Bliss-16 V4.0 579
SPIDER\$USERS:(BERG.DEQNA)NQNA4.BLI;1

SEQ 0252
Page 41
(21)

```

: 2352 1 *SBTTL 'GLOBAL ROUTINE - FORM_HEX_ADR ( P3 ) '
: 2353 1
: 2354 1 GLOBAL ROUTINE FORM_HEX_ADR ( P3 ) : NOVALUE =
: 2355 1
: 2356 1 !..
: 2357 1 !
: 2358 1 GLOBAL ROUTINE : FORM_HEX_ADR
: 2359 1 !
: 2360 1 DESCRIPTION:
: 2361 1 !
: 2362 1 This routine retrieves Ethernet Station Address from the Ethernet's
: 2363 1 Station Address PROM, saves its copy in the TARGET_ADR vector.
: 2364 1 !
: 2365 1 INPUT PARAMETERS:
: 2366 1 !
: 2367 1 P3 - Index to Station Address in the TARGET_ADR vector
: 2368 1 !..
: 2369 1
: 2370 2 BEGIN
: 2371 2
: 2372 2 !..
: 2373 2 RETRIEVE ETHERNET PHYSICAL STATION ADDRESS AND SAVE A COPY OF IT IN THE
: 2374 2 'TARGET_ADR' AND 'STATION_ADR' VECTORS.
: 2375 2 !..
: 2376 2
: 2377 2 IF .P3 EGLU ZERO
: 2378 2 THEN
: 2379 2 TEMP5 = 0
: 2380 2 ELSE
: 2381 2 TEMP5 = .P3 * 6;
: 2382 2
: 2383 2 INCR INDEX5 FROM 0 TO 5 DO
: 2384 3 BEGIN
: 2385 3 TBYTE1 = .REG_ADR [ .INDEX5, ST_ADDR ];
: 2386 3 TARGET_ADR [ ( PHA_INDEX * 6 ) + .INDEX5 ] = .TBYTE1;
: 2387 3 END;
: 2388 2
: 2389 2 COUNTER = ZERO;
: 2390 2
: 2391 2 INCR INDEX5 FROM 0 TO 5 BY 2 DO
: 2392 3 BEGIN
: 2393 3 TEMP1 = .TARGET_ADR [ .TEMP5 + .INDEX5 ];
: 2394 3 TEMP1 = .TEMP1 + 8;
: 2395 3 TEMP2 = .TARGET_ADR [ .TEMP5 + .INDEX5 + 1 ];
: 2396 3 STATION_ADR [ .COUNTER ] = .TEMP1 OR ( .TEMP2 AND #0'000377' );
: 2397 3 COUNTER = .COUNTER + 1;
: 2398 2 END;
: 2399 2
: 2400 2 !..
: 2401 2 PRINT ETHERNET STATION ADDRESS ON THE CONSOLE
: 2402 2 !..
: 2403 2
: 2404 2 COUNTER = 18;

```

NQNA4
V01.0

CNQNAO DEQNA FUNCTIONAL TEST
GLOBAL ROUTINE - FORM_HEX_ADR (P3)

12-Jul-1984 13:09:35
21-Jun-1984 08:36:19

VAX-11 Bliss-16 V4.0-579
SPIDER\$USERS:[BERG.DEQNA]NQNA4.BLI;1

```

: 2405 2    PHYS_ADR [ 0 ] = #C' ':
: 2406 2    PHYS_ADR [ 1 ] = #C'A':
: 2407 2    PHYS_ADR [ 19 ] = #C' ':
: 2408 2    PHYS_ADR [ 20 ] = #C' ':
: 2409 2    PHYS_ADR [ 21 ] = #C'N':
: 2410 2
: 2411 2    DECR INDEX1 FROM 2 TO 0 DO
: 2412 3      BEGIN
: 2413 3        TEMP3 = .STATION_ADR [ .INDEX1 ];
: 2414 3        INCR INDEX2 FROM 0 TO 1 DO
: 2415 4          BEGIN
: 2416 4            INCR INDEX3 FROM 0 TO 1 DO
: 2417 5              BEGIN
: 2418 5                TEMP1 = .TEMP3 AND #X'F';
: 2419 5                IF .TEMP1 LEQU #DECIMAL'9'
: 2420 5                  THEN
: 2421 5                    TBYTE1 = #C'O' + .TEMP1
: 2422 5                  ELSE
: 2423 5                    TBYTE1 = #C'A' + ( .TEMP1 - #DECIMAL'10' );
: 2424 5                    PHYS_ADR [ .COUNTER ] = .TBYTE1;
: 2425 5                    COUNTER = .COUNTER - 1;
: 2426 5                    TEMP3 = .TEMP3 + ( -4 );
: 2427 4              END;
: 2428 4
: 2429 4          IF .COUNTER GTRU 2
: 2430 4            THEN
: 2431 4              PHYS_ADR [ .COUNTER ] = #C'-' ;
: 2432 4
: 2433 4          COUNTER = .COUNTER - 1;
: 2434 4
: 2435 3        END;
: 2436 2      END;
: 2437 2
: 2438 1    END;

```

```

000000 004137 000000G          .SBTTL  FORM.HEX.ADR GLOBAL ROUTINE - FORM_HEX_ADR ( P3 )
                                FORM.HEX.ADR::
000004 005746                   JSR    R1,$SAVE3           ;           2354
000006 016600 000014           TST    -(SP)
000012 001003                   MOV    14(SP),R0       ; P3,*   2377
000014 005037 000000G           BNE    1$
000020 000410                   CLR    TEMP5
000022 010046                   BR     2$
000024 012746 000006           1$:  MOV    R0,-(SP)
000030 004737 000000G           MOV    #6,-(SP)
000034 010037 000000G           JSR    PC,BL$MUL
000040 022626                   MOV    R0,TEMP5
000042 005000                   CMP    (SP)+,(SP)+
000044 010001                   2$:  CLR    R0           ; INDEX5  2383
000046 006301                   3$:  MOV    R0,R1       ; INDEX5,* 2385
000050 063701 000000G           ASL    R1
                                ADD    REG.ADR,R1

```

NQNA4 V01.0		CNQNAO DEQNA FUNCTIONAL TEST GLOBAL ROUTINE FORM_HEX_ADR (P3)		12-Jul-1984 13:09:35 21-Jun-1984 08:36:19	VAX-11 Bliss-16 V4.0-579 SPIDER\$USERS:[BERG.DEQNA]NQNA4.BLI:1	SEQ 0254 Page 43 (21)	
000054	011116			MOV (R1),(SP)	:	* ,TMP.LOCATION	
000056	005037	000000G		CLR TBYTE1	:		
000062	111637	000000G		MOVB (SP),TBYTE1	:		
000066	111660	000162G		MOVB (SP),TARGET.ADR+162(R0)	:	* ,(INDEX5)	2386
000072	005200			INC R0	:	INDEX5	2383
000074	020027	000005		CMP R0,#5	:	INDEX5,*	
000100	003761			BLE 3\$:		
000102	005037	000000G		CLR COUNTER	:		2389
000106	005001			CLR R1	:	INDEX5	2391
000110	010100		4\$:	MOV R1,R0	:	INDEX5,*	2393
000112	063700	000000G		ADD TEMP5,R0	:		
000116	116037	000000G	000000G	MOVB TARGET.ADR(R0),TEMP1	:		
000124	105037	000001G		CLRB TEMP1+1	:		
000130	000337	000000G		SWAB TEMP1	:		2394
000134	105037	000000G		CLRB TEMP1	:		
000140	116037	000001G	000000G	MOVB TARGET.ADR+1(R0),TEMP2	:		2395
000146	105037	000001G		CLRB TEMP2+1	:		
000152	013700	000000G		MOV COUNTER,R0	:		2396
000156	006300			ASL R0	:		
000160	005002			CLR R2	:		
000162	153702	000000G		BISB TEMP2,R2	:		
000166	053702	000000G		BIS TEMP1,R2	:		
000172	010260	000000G		MOV R2,STATION.ADR(R0)	:		
000176	005237	000000G		INC COUNTER	:		2397
000202	062701	000002		ADD #2,R1	:	* ,INDEX5	2391
000206	020127	000005		CMP R1,#5	:	INDEX5,*	
000212	003736			BLE 4\$:		
000214	012737	000022	000000G	MOV #22,COUNTER	:		2404
000222	112737	000045	000000G	MOVB #45,PHYS.ADR	:		2405
000230	112737	000101	000001G	MOVB #101,PHYS.ADR+1	:		2406
000236	112737	000040	000023G	MOVB #40,PHYS.ADR+23	:		2407
000244	112737	000045	000024G	MOVB #45,PHYS.ADR+24	:		2408
000252	112737	000116	000025G	MOVB #116,PHYS.ADR+25	:		2409
000260	012701	000004		MOV #4,R1	:	* ,INDEX1	2411
000264	016137	000000G	000000G	MOV STATION.ADR(R1),TEMP3	:	* ,(INDEX1),*	2413
000272	012703	000002		MOV #2,R3	:	* ,INDEX2	2414
000276	012702	000002		MOV #2,R2	:	* ,INDEX3	2416
000302	013737	000000G	000000G	MOV TEMP3,TEMP1	:		2418
000310	042737	177760	000000G	BIC #177760,TEMP1	:		
000316	013700	000000G		MOV TEMP1,R0	:		2419
000322	020027	000011		CMP R0,#11	:		
000326	101006			BHI 8\$:		
000330	010037	000000G		MOV R0,TBYTE1	:		2421
000334	062737	000060	000000G	ADD #60,TBYTE1	:		
000342	000405			BR 9\$:		2419
000344	010037	000000G		MOV R0,TBYTE1	:		2423
000350	062737	000067	000000G	ADD #67,TBYTE1	:		
000356	013700	000000G		MOV COUNTER,R0	:		2424
000362	113760	000000G	000000G	MOVB TBYTE1,PHYS.ADR(R0)	:		
000370	005337	000000G		DEC COUNTER	:		2425
000374	006237	000000G		ASR TEMP3	:		2426
000400	006237	000000G		ASR TEMP3	:		
000404	006237	000000G		ASR TEMP3	:		

NOQA4
V01.0

CNOQA0 DEQNA FUNCTIONAL TEST
GLOBAL ROUTINE - FORM_HEX_ADR (P3)

12 Jul-1984 13:09:35
21-Jun-1984 08:36:19

VAX-11 Bliss-16 V4.0-579
SPIDER\$USERS:(BERG.DEQNA)NOQA4.BLI;1

000410	006237	000000G		ASR	TEMP3		
000414	005302			DEC	R2	; INDEX3	2416
000416	001331			BNE	7\$		
000420	013702	000000G		MOV	COUNTER,R2		2429
000424	020227	000002		CMP	R2,#2		
000430	101403			BLOS	10\$		
000432	112762	000055	000000G	MOVB	#55,PHYS.ADR(R2)		2431
000440	005337	000000G	10\$:	DEC	COUNTER		2433
000444	005303			DEC	R3	; INDEX2	2414
000446	001313			BNE	6\$		
000450	162701	000002		SUB	#2,R1	; *,INDEX1	2411
000454	100303			BPL	5\$		
000456	005726			TST	(SP)+		2354
000460	000207			RTS	PC		

; Routine Size: 153 words, Routine Base: AC\$CODE\$ + 4360
; Maximum stack depth per invocation: 8 words

; 2439 1
; 2440 1

: 2441 1 *SBTTL 'GLOBAL ROUTINE - XMIT_SETUP_PACKET (P1)'
: 2442 1
: 2443 1 GLOBAL ROUTINE XMIT_SETUP_PACKET (P1) : NOVALUE =
: 2444 1

: 2445 1 :
: 2446 1 :
: 2447 1 :
: 2448 1 :
: 2449 1 :
: 2450 1 :
: 2451 1 :
: 2452 1 :
: 2453 1 :
: 2454 1 :
: 2455 1 :
: 2456 1 :
: 2457 1 :
: 2458 1 :
: 2459 1 :
: 2460 1 :
: 2461 1 :
: 2462 1 :
: 2463 1 :
: 2464 1 :
: 2465 1 :
: 2466 1 :
: 2467 1 :
: 2468 1 :
: 2469 1 :
: 2470 1 :
: 2471 1 :
: 2472 1 :
: 2473 2 :
: 2474 2 :
: 2475 2 :
: 2476 2 :
: 2477 2 :
: 2478 2 :
: 2479 2 :
: 2480 2 :
: 2481 2 :
: 2482 2 :
: 2483 3 :
: 2484 3 :
: 2485 3 :
: 2486 3 :
: 2487 2 :
: 2488 2 :
: 2489 2 :
: 2490 2 :
: 2491 2 :
: 2492 2 :
: 2493 2

: *
: GLOBAL ROUTINE : XMIT_SETUP_PACKET

: DESCRIPTION:

: This routine initializes descriptor lists to transmit and receive
: unchained Setup loopback packet. After loopback packet has been
: received DEQNA CSR, transmit and receive status registers are
: checked for proper status. Finally, transmit and receive packets
: are compared to verify that they are identical.

: XMIT_D_LIST [0] = NEWB RCV_D_LIST [0] = NEWB
: XMIT_D_LIST [1] = VSE RCV_D_LIST [1] = VE
: XMIT_D_LIST [2] = XMIT_BUFFER RCV_D_LIST [2] = RCV_BUFFER
: XMIT_D_LIST [3] = .XBUF_LENGTH RCV_D_LIST [3] = .XBUF_LENGTH
: XMIT_D_LIST [4] = 0 RCV_D_LIST [4] = 0
: XMIT_D_LIST [5] = 0 RCV_D_LIST [5] = 0
: XMIT_D_LIST [6] = V RCV_D_LIST [6] = V
: XMIT_D_LIST [7] = E RCV_D_LIST [7] = E

: INPUT PARAMETERS:

: P1 - transmit buffer length in bytes

: BEGIN

: CLR_DESCR ();
: RBUF_LENGTH = .P1;
: XBUF_LENGTH = - (.RBUF_LENGTH + -1);
: SET_RDESCR_LIST (.XBUF_LENGTH, VE);
: SET_XDESCR_LIST (.XBUF_LENGTH, VSE);

: IF .P1 EQLU A_MODE

: THEN

: BEGIN

: XBUF_LENGTH = - ((.RBUF_LENGTH + -1) + 1);
: SET_XDESCR_LIST (.XBUF_LENGTH, VSEL);
: SET_RDESCR_LIST (.XBUF_LENGTH, VE);

: END;

: XMIT_AND_RCV_PACKET ();

: *
: COMPARE STATUS REGISTERS TO EXPECTED VALUES
: *

```

: 2494 2
: 2495 2      CHK_RIXI_STATUS ( ONE );
: 2496 2      CHK_CSR_STATUS ( CSR_STATUS, CSR_MASK );      ! 0'100220', 0'100220'
: 2497 2      CHK_RCV_STATUS ( RFLG_STATUS, RWD1_STATUS );  ! 0'140000', 0'020000'
: 2498 2
: 2499 2      TEMP1 = XWD12_STATUS;      ! 0'000400'
: 2500 2      IF .XMIT_D_LIST [ STE16 ]
: 2501 2      THEN
: 2502 2      TEMP1 = #0'002400';
: 2503 2      CHK_XMIT_STATUS ( XFLG_STATUS, .TEMP1 );      ! 0'140000', ???????
: 2504 2
: 2505 2      COMPARE_PACKETS ( );
: 2506 2
: 2507 1      END;

```

.SBTTL XMIT.SETUP.PACKET GLOBAL ROUTINE - XMIT_SETUP_PACKET (P1)

XMIT.SETUP.PACKET::

```

000000 004737 001204'      JSR      PC,CLR.DESCR      ;      2475
000004 016637 000002 000000G      MOV      2(SP),RBUF.LENGTH      ; P1,*      2476
000012 016600 000002      MOV      2(SP),R0      ; RBUF.LENGTH,*      2477
000016 006200      ASR      R0
000020 005400      NEG      R0
000022 010037 000000G      MOV      R0,XBUF.LENGTH
000026 010046      MOV      R0,-(SP)      ; XBUF.LENGTH,*      2478
000030 012746 120000      MOV      #-60000,-(SP)
000034 004737 003176'      JSR      PC,SET.RDESCR.LIST
000040 013716 000000G      MOV      XBUF.LENGTH,(SP)      ;      2479
000044 012746 130000      MOV      #-50000,-(SP)
000050 004737 00325'      JSR      PC,SET.XDESCR.LIST
000054 026627 0000.0 000201      CMP      10(SP),#201      ; P1,*      2481
000062 001023      BNE      1$
000064 013700 0' J000G      MOV      RBUF.LENGTH,R0      ;      2484
000070 006200      ASR      R0
000072 005200      INC      R0
000074 00540'      NEG      R0
000076 010' 37 000000G      MOV      R0,XBUF.LENGTH
000102 0' J016      MOV      R0,(SP)      ; XBUF.LENGTH,*      2485
000104 12746 130200      MOV      #-47600,-(SP)
000110 004737 003254'      JSR      PC,SET.XDESCR.LIST
000114 013716 000000G      MOV      XBUF.LENGTH,(SP)      ;      2486
000120 012746 120000      MOV      #-60000,-(SP)
000124 004737 003176'      JSR      PC,SET.RDESCR.LIST
J00130 022626      CMP      (SP)+,(SP)+      ;      2483
000132 004737 000000V      JSR      PC,XMIT.AND.RCV.PACKET      ;      2489
000136 012716 000001      MOV      #1,(SP)      ;      2495
000142 004737 001260'      JSR      PC,CHK.RIXI.STATUS
000146 012716 100220      MOV      #-77560,(SP)      ;      2496
000152 011646      MOV      (SP),-(SP)
000154 004737 001644'      JSR      PC,CHK.CSR.STATUS
000160 012716 140000      MOV      #-40000,(SP)      ;      2497
000164 012746 020000      MOV      #20000,-(SP)
000170 004737 002300'      JSR      PC,CHK.RCV.STATUS

```

NQNA4
V01.0CNQNAO DEQNA FUNCTIONAL TEST
GLOBAL ROUTINE - XMIT_SETUP_PACKET (P1)12-Jul 1984 13:09:35
21 Jun-1984 08:36:19VAX-11 Bliss-16 V4.0-579
SPIDER\$USERS:(BERG.DEQNA)NQNA4.BLI;1SEQ 0258
Page 47
(22)

000174	012737	000400	000000G		MOV	#400,TEMP1	:	2499
000202	032737	002000	000010G		BIT	#2000,XMIT.D.LIST+10	:	2500
000210	001403				BEQ	2\$:	
000212	012737	002400	000000G		MOV	#2400,TEMP1	:	2502
000220	012716	140000		2\$:	MOV	#-40000,(SP)	:	2503
000224	013746	000000G			MOV	TEMP1,-(SP)	:	
000230	004737	002002'			JSR	PC,CHK.XMIT.STATUS	:	
000234	004737	002560'			JSR	PC,COMPARE.PACKETS	:	2505
000240	062706	000014			ADD	#14,SP	:	2473
000244	000207				RTS	PC	:	2443

; Routine Size: 83 words. Routine Base: AC\$CODE\$ + 5042
; Maximum stack depth per invocation: 7 words

; 2508 1
; 2509 1

```

: 2510 1 #SBTTL 'GLOBAL ROUTINE - SEND_ELOOP_PACKET ( P3 ) '
: 2511 1
: 2512 1 GLOBAL ROUTINE SEND_ELOOP_PACKET ( P3 ) : NOVALUE =
: 2513 1
: 2514 1
: 2515 1
: 2516 1 GLOBAL ROUTINE : SEND_ELOOP_PACKET
: 2517 1
: 2518 1 DESCRIPTION:
: 2519 1
: 2520 1 This routine initializes transmit and receive descriptor lists and
: 2521 1 then initiates transmissin of a loopback packet. After
: 2522 1 loopback packet is received DEQNA CSR, transmit and receive status r
: 2523 1 egisters are checked for proper status. Finally, transmit and receive
: 2524 1 packets are compared to verify that they are identical.
: 2525 1
: 2526 1 XMIT_D_LIST [ 0 ] = NEWB RCV_D_LIST [ 0 ] = NEWB
: 2527 1 XMIT_D_LIST [ 1 ] = VE RCV_D_LIST [ 1 ] = VE
: 2528 1 XMIT_D_LIST [ 2 ] = XMIT_BUFFER RCV_D_LIST [ 2 ] = RCV_BUFFER
: 2529 1 XMIT_D_LIST [ 3 ] = .XBUF_LENGTH RCV_D_LIST [ 3 ] = .XBUF_LENGTH
: 2530 1 XMIT_D_LIST [ 4 ] = 0 RCV_D_LIST [ 4 ] = 0
: 2531 1 XMIT_D_LIST [ 5 ] = 0 RCV_D_LIST [ 5 ] = 0
: 2532 1 XMIT_D_LIST [ 6 ] = V RCV_D_LIST [ 6 ] = V
: 2533 1 XMIT_D_LIST [ 7 ] = E RCV_D_LIST [ 7 ] = E
: 2534 1
: 2535 1
: 2536 1 INPUT PARAMETERS:
: 2537 1
: 2538 1 P3 -
: 2539 1
: 2540 1
: 2541 2 BEGIN
: 2542 2
: 2543 2 PUT_BIT ( CSR, LB, INX_LOOPBACK );
: 2544 2 XMIT_AND_RCV_PACKET ( );
: 2545 2
: 2546 2
: 2547 2 ! COMPARE STATUS REGISTERS TO EXPECTED VALUES
: 2548 2 !
: 2549 2 !
: 2550 2 CHK_RIXI_STATUS ( ZERO );
: 2551 2 CHK_CSR_STATUS ( CSR_STATUS, CSR_MASK ); ! 0'100220', 0'100220'
: 2552 2 CHK_XMIT_STATUS ( XFLG_STATUS, XWD12_STATUS ); ! 0'140000', 0'000400'
: 2553 2
: 2554 2 IF .P3 EQLU ZERO
: 2555 2 THEN
: 2556 3 BEGIN
: 2557 3 CHK_RCV_STATUS ( RFLG_STATUS, RWD1_STATUS ); ! 0'140000', 0'020000'
: 2558 3 END
: 2559 2 ELSE
: 2560 3 BEGIN
: 2561 3 TEMP1 = RWD14_STATUS; ! 0'060000'
: 2562 3 IF .RCV_D_LIST [ STWD1 ] AND #0'070001' EQLU #0'070001'

```

NONA4
V01.0

CNONA40 DEQNA FUNCTIONAL TEST
GLOBAL ROUTINE - SEND_ELOOP_PACKET (P3)

12-Jul-1984 13:09:35
21-Jun-1984 08:36:19

SEQ 0260
Page 49
VAX-11 Bliss-16 V4.0-579
SPIDER\$USERS:(BERG.DEQNA)NONA4.BLI:1 (23)

```

; 2563 3
; 2564 3
; 2565 3
; 2566 2
; 2567 1
      THEN
      TEMP1 = #0 070001 ;
      CHK_RCV_STATUS ( RFLG_STATUS, .TEMP1 );      ! 0'140000', ??????
END;
END;

```

```

.SBTTL SEND.ELOOP.PACKET GLOBAL ROUTINE - SEND_ELOOP_PACKET ( P3 )
SEND.ELOOP_PACKET::
000000 013700 000000G      MOV      REG.ADR,RO      ;      2543
000004 042760 001400 000016 BIC      #1400,16(RO)
000012 052760 001000 000016 BIS      #1000,16(RO)
000020 004737 000000V      JSR      PC,XMIT.AND.RCV.PACKET ;      2544
000024 005046      CLR      -(SP) ;      2550
000026 004737 001260'      JSR      PC,CHK.RIXI.STATUS
000032 012716 100220      MOV      # -77560,(SP) ;      2551
000036 011646      MOV      (SP),-(SP)
000040 004737 001644'      JSR      PC,CHK.CSR.STATUS
000044 012716 140000      MOV      # -40000,(SP) ;      2552
000050 012746 000400      MOV      #400,-(SP)
000054 004737 002002'      JSR      PC,CHK.XMIT.STATUS
000060 005766 000010      TST      10(SP) ; P3      2554
000064 001005      BNE      1$
000066 012716 140000      MOV      # -40000,(SP) ;      2557
000072 012746 020000      MOV      #20000,-(SP)
000076 000416      BR      3$
000100 012737 060000 000000G 1$: MOV      #60000,TEMP1 ;      2561
000106 032737 000001 000010G BIT      #1,RCV.D.LIST+10 ;      2562
000114 001403      BEQ      2$
000116 012737 070001 000000G MOV      #70001,TEMP1 ;      2564
000124 012716 140000 2$: MOV      # -40000,(SP) ;      2565
000130 013746 000000G MOV      TEMP1,-(SP)
000134 004737 002300' 3$: JSR      PC,CHK.RCV.STATUS
000140 062706 000010      ADD      #10,SP ;      2541
000144 000207      RTS      PC ;      2512

```

```

; Routine Size: 51 words.      Routine Base: AC$CODE$ + 5310
; Maximum stack depth per invocation: 5 words

```

; 2568 1

NQNA4
V01.0

CNQNAO DEQNA FUNCTIONAL TEST
GLOBAL ROUTINE - SEND_TEST_PACKET

12 Jul-1984 13:09:35
21-Jun-1984 08:36:19

VAX-11 Bliss-16 V4.0 579
SPIDER\$USERS:(BERG.DEQNA)NQNA4.BLI:1 (24)

SEQ 0261
Page 50

```

: 2569 1 *SBTTL 'GLOBAL ROUTINE - SEND_TEST_PACKET '
: 2570 1
: 2571 1 GLOBAL ROUTINE SEND_TEST_PACKET : NOVALUE =
: 2572 1
: 2573 1 ...
: 2574 1
: 2575 1 GLOBAL ROUTINE : SEND_TEST_PACKET
: 2576 1
: 2577 1 DESCRIPTION:
: 2578 1
: 2579 1 This routine initializes transmit and receive descriptor lists and
: 2580 1 then initiates transmissin of an external loopback packet.
: 2581 1
: 2582 1 XMIT_D_LIST [ 0 ] = NEWB RCV_D_LIST [ 0 ] = NEWB
: 2583 1 XMIT_D_LIST [ 1 ] = VE RCV_D_LIST [ 1 ] = VE
: 2584 1 XMIT_D_LIST [ 2 ] = XMIT_BUFFER RCV_D_LIST [ 2 ] = RCV_BUFFER
: 2585 1 XMIT_D_LIST [ 3 ] = .XBUF_LENGTH RCV_D_LIST [ 3 ] = .XBUF_LENGTH
: 2586 1 XMIT_D_LIST [ 4 ] = 0 RCV_D_LIST [ 4 ] = 0
: 2587 1 XMIT_D_LIST [ 5 ] = 0 RCV_D_LIST [ 5 ] = 0
: 2588 1 XMIT_D_LIST [ 6 ] = V RCV_D_LIST [ 6 ] = V
: 2589 1 XMIT_D_LIST [ 7 ] = E RCV_D_LIST [ 7 ] = E
: 2590 1
: 2591 1
: 2592 1 INPUT PARAMETERS:
: 2593 1
: 2594 1 None
: 2595 1 ...
: 2596 1
: 2597 2 BEGIN
: 2598 2
: 2599 2 ...
: 2600 2 ! WRITE ETHERNET STATION ADDRESS AND DATA PATTERN INTO THE TRANSMIT BUFFER
: 2601 2 !...
: 2602 2
: 2603 2 RESET_DEQNA ( );
: 2604 2
: 2605 2 INCR INDEX FROM 0 TO 5 DO
: 2606 3 BEGIN
: 2607 3 XMIT_BUFFER [ .INDEX ] = .TARGET_ADR [ ( PHA_INDEX * 6 ) + .INDEX ];
: 2608 3 XMIT_BUFFER [ .INDEX + 6 ] = .TARGET_ADR [ ( PHA_INDEX * 6 ) + .INDEX ];
: 2609 2 END;
: 2610 2
: 2611 2 XMIT_BUFFER [ PKT_TYPE ] = LPB_PKT;
: 2612 2 XMIT_BUFFER [ PKT_TYPE + 1 ] = SKIP_CNT;
: 2613 2 XMIT_BUFFER [ PKT_TYPE + 2 ] = RFC;
: 2614 2
: 2615 2 ...
: 2616 2 ! CONVERT SETUP PACKET SIZE FROM BYTE COUNT TO WORD COUNT AND SET UP
: 2617 2 ! DESCRIPTOR LISTS
: 2618 2 !...
: 2619 2
: 2620 2 RBUF_LENGTH = PKT_LENGTH + 14;
: 2621 2 XBUF_LENGTH = - ( .RBUF_LENGTH + -1 );

```

NQNA4
V01.0

CNQNAO DEQNA FUNCTIONAL TEST
GLOBAL ROUTINE - SEND_TEST_PACKET

12-Jul-1984 13:09:35
21-Jun-1984 08:36:19

VAX-11 B11ss-16 V4.0-579
SPIDER\$USERS:(BERG.DEQNA)NQNA4.BLI;1
SEQ 0262
Page 51
(24)

```

: 2622 2
: 2623 2   SET_RDESCR_LIST ( .XBUF_LENGTH, VE );
: 2624 2   SET_XDESCR_LIST ( .XBUF_LENGTH, VE );
: 2625 2
: 2626 2   !..
: 2627 2   ! SET DEQNA TO EXTERNAL LOOPBACK MODE AND SEND LOOPBACK PACKET
: 2628 2   !..
: 2629 2
: 2630 2   PUT_BIT ( CSR, LB, EXT_LOOPBACK );
: 2631 2   XMIT_AND_RCV_PACKET ( );
: 2632 2
: 2633 1   END;

```

```

000000 004737 000324' .SBTTL SEND.TEST.PACKET GLOBAL ROUTINE - SEND_TEST_PACKET
SEND.TEST.PACKET::
000004 005000 JSR PC,RESET.DEQNA ; 2603
000006 116060 000162G 000000G CLR RO ; INDEX 2605
1$: MOVB TARGET.ADR+162(R0),XMIT.BUFFER(R0) ; *(INDEX),*(INDEX) 2607
000014 116060 000162G 000006G MOVB TARGET.ADR+162(R0),XMIT.BUFFER+6(R0) ; *(INDEX),*(INDEX) 2608
000022 005200 INC RO ; INDEX 2605
000024 020027 000005 CMP RO,#5 ; INDEX,*
000030 003766 BLE 1$
000032 112737 000220 000014G MOVB #220,XMIT.BUFFER+14 ; 2611
000040 105037 000015G CLRB XMIT.BUFFER+15 ; 2612
000044 112737 000001 000016G MOVB #1,XMIT.BUFFER+16 ; 2613
000052 012737 002752 000000G MOV #2752,RBUF.LENGTH ; 2620
000060 012700 002752 MOV #2752,R0 ; 2621
000064 006200 ASR RO
000066 005400 NEG RO
000070 010037 000000G MOV RO,XBUF.LENGTH
000074 010046 MOV RO,-(SP) ; XBUF.LENGTH,* 2623
000076 012746 120000 MOV #-60000,-(SP)
000102 004737 003176' JSR PC,SET.RDESCR.LIST
000106 013716 000000G MOV XBUF.LENGTH,(SP) ; 2624
000112 012746 120000 MOV #-60000,-(SP)
000116 004737 003254' JSR PC,SET.XDESCR.LIST
000122 013700 000000G MOV REG.ADR,R0 ; 2630
000126 052760 001400 000016 BIS #1400,16(R0)
000134 004737 000000V JSR PC,XMIT.AND.RCV.PACKET ; 2631
000140 062706 000006 ADD #6,SP ; 2597
000144 000207 RTS PC ; 2571

```

```

: Routine Size: 51 words, Routine Base: AC$CODE$ + 5456
: Maximum stack depth per invocation: 4 words

```

```

: 2634 1

```


NQNA4
V01.0

CNQNAO DEQNA FUNCTIONAL TEST
GLOBAL ROUTINE - XMIT_AND_RCV_PACKET

12-Jul-1984 13:09:35
21 Jun 1984 08:36:19

VAX-11 Bliss-16 V4.0-579
SPIDER\$USERS:(BERG.DEQNA)NQNA4.BLI:1

```

: 2635 1  #SBTTL 'GLOBAL ROUTINE - XMIT_AND_RCV_PACKET '
: 2636 1
: 2637 1  GLOBAL ROUTINE XMIT_AND_RCV_PACKET : NOVALUE =
: 2638 1
: 2639 1  !..
: 2640 1  !
: 2641 1  ! GLOBAL ROUTINE : XMIT_AND_RCV_PACKET
: 2642 1  !
: 2643 1  ! DESCRIPTION:
: 2644 1  !
: 2645 1  ! This routine initiates transmit and receive operations.
: 2646 1  !
: 2647 1  ! INPUT PARAMETERS:
: 2648 1  !
: 2649 1  !
: 2650 1  !
: 2651 1  !
: 2652 1  ! --
: 2653 1
: 2654 2  BEGIN
: 2655 2
: 2656 2  .IOP_TABLE [ RLO_ADR ] = RCV_D_LIST;
: 2657 2  .IOP_TABLE [ RHI_ADR ] = 0;
: 2658 2
: 2659 2  .IOP_TABLE [ XLO_ADR ] = XMIT_D_LIST;
: 2660 2  .IOP_TABLE [ XHI_ADR ] = 0;
: 2661 2
: 2662 1  END;

```

```

: 000000 012777 000000G 000004G      .SBTTL XMIT.AND.RCV.PACKET GLOBAL ROUTINE - XMIT_AND_RCV_PACKET
:                                XMIT.AND.RCV.PACKET::
:                                MOV      #RCV.D.LIST,@IOP.TABLE+4      ; 2656
:                                CLR      @IOP.TABLE+6                  ; 2657
: 000006 005077 000006G              MOV      #XMIT.D.LIST,@IOP.TABLE+10   ; 2659
: 000012 012777 000000G 000010G      CLR      @IOP.TABLE+12      ; 2660
: 000020 005077 000012G              RTS      PC                  ; 2637
: 000024 000207

```

: Routine Size: 11 words, Routine Base: AC\$CODE\$ + 5624
: Maximum stack depth per invocation: 0 words

: 2663 1
: 2664 1

NQNA4
V01.0

CNQNAO DEQNA FUNCTIONAL TEST
GLOBAL ROUTINE - XMIT_ILOOP_PACKET (P3)

12-Jul-1984 13:09:35
21-Jun-1984 08:36:19

VAX-11 Bliss 16 V4.0-579
SPIDER\$USERS:(BERG.DEQNA)NQNA4.BLI;1

```

: 2665 1 *SBTTL 'GLOBAL ROUTINE - XMIT_ILOOP_PACKET ( P3 ) '
: 2666 1
: 2667 1 GLOBAL ROUTINE XMIT_ILOOP_PACKET ( P3 ) : NOVALUE =
: 2668 1
: 2669 1 :..
: 2670 1
: 2671 1 GLOBAL ROUTINE : XMIT_ILOOP_PACKET
: 2672 1
: 2673 1 DESCRIPTION:
: 2674 1
: 2675 1 This routine
: 2676 1
: 2677 1 INPUT PARAMETERS:
: 2678 1
: 2679 1 P3 - selector
: 2680 1
: 2681 1 :--
: 2682 1
: 2683 2 BEGIN
: 2684 2
: 2685 2 CLR_DESCR ( );
: 2686 2
: 2687 2 SET_RDESCR_LIST ( .XBUF_LENGTH, VE );
: 2688 2 SET_XDESCR_LIST ( .XBUF_LENGTH, VE );
: 2689 2
: 2690 2 XMIT_AND_RCV_PACKET ( );
: 2691 2
: 2692 2 .IOP_TABLE [ CSR ] = EENABLE;
: 2693 2
: 2694 2 IF .P3 EQLU ONE
: 2695 2 THEN
: 2696 3 BEGIN
: 2697 3 CHK_RIXI_STATUS ( ONE );
: 2698 3 CHK_CSR_STATUS ( CSR_STATUS, CSR_MASK ); ! 0'100220', 0'100220'
: 2699 3 CHK_RCV_STATUS ( RFLG_STATUS, RWD16_STATUS ); ! 0'140000', 0'044000'
: 2700 3 END
: 2701 2 ELSE
: 2702 3 BEGIN
: 2703 3 CHK_RIXI_STATUS ( ZERO );
: 2704 3 CHK_CSR_STATUS ( CSR_STATUS, CSR_MASK ); ! 0'100220', 0'100220'
: 2705 3 CHK_RCV_STATUS ( RFLG_STATUS, RWD13_STATUS ); ! 0'140000', 0'000000'
: 2706 2 END;
: 2707 2
: 2708 2 CHK_XMIT_STATUS ( XFLG_STATUS, XWD12_STATUS ); ! 0'140000', 0'000400'
: 2709 2 COMPARE_PACKETS ( );
: 2710 2 .IOP_TABLE [ CSR ] = DISABLE;
: 2711 2
: 2712 1 END;

```

```

000000 004737 001204'
                                .SBTTL XMIT_ILOOP_PACKET GLOBAL ROUTINE - XMIT_ILOOP_PACKET ( P3 )
                                XMIT_ILOOP_PACKET::
                                JSR PC,CLR_DESCR

```

NQNA4
V01.0

CNQNAO DEQNA FUNCTIONAL TEST
GLOBAL ROUTINE - XMIT_ILOOP_PACKET (P3)

12-Jul-1984 13:09:35
21-Jun-1984 08:36:19

VAX-11 B1:es-16 V4.0-579
SPIDER\$USERS:[BERG.DEQNA]NQNA4.BLI;1

000004	013746	000000G		MOV	XBUF.LENGTH, -(SP)	:	2687
000010	012746	120000		MOV	@-60000, -(SP)	:	
000014	004737	003176'		JSR	PC.SET.RDESCR.LIST	:	
000020	013716	000000G		MOV	XBUF.LENGTH, (SP)	:	2688
000024	012746	120000		MOV	@-60000, -(SP)	:	
000030	004737	003254'		JSR	PC.SET.XDESCR.LIST	:	
000034	004737	005624'		JSR	PC.XMIT.AND.RCV.PACKET	:	2690
000040	012777	000001	000016G	MOV	@1,@IOP.TABLE+16	:	2692
000046	026627	000010	000001	CMP	10(SP), @1	: P3, *	2694
000054	001016			BNE	1\$:	
00005C	012716	000001		MOV	@1, (SP)	:	2697
000062	004737	001260'		JSR	PC.CHK.RIXI.STATUS	:	
000066	012716	100220		MOV	@-77560, (SP)	:	2698
000072	011646			MOV	(SP), -(SP)	:	
000074	004737	001644'		JSR	PC.CHK.CSR.STATUS	:	
000100	012716	140000		MOV	@-40000, (SP)	:	2699
000104	012746	044000		MOV	@44000, -(SP)	:	
000110	000413			BR	2\$:	
000112	005016		1\$:	CLR	(SP)	:	2703
000114	004737	001260'		JSR	PC.CHK.RIXI.STATUS	:	
000120	012716	100220		MOV	@-77560, (SP)	:	2704
000124	011646			MOV	(SP), -(SP)	:	
000126	004737	001644'		JSR	PC.CHK.CSR.STATUS	:	
000132	012716	140000		MOV	@-40000, (SP)	:	2705
000136	005046			CLR	-(SP)	:	
000140	004737	002300'	2\$:	JSR	PC.CHK.RCV.STATUS	:	
000144	012716	140000		MOV	@-40000, (SP)	:	2708
000150	012746	000400		MOV	@400, -(SP)	:	
000154	004737	002002'		JSR	PC.CHK.XMIT.STATUS	:	
000160	004737	002560'		JSR	PC.COMPARE.PACKETS	:	2709
000164	005077	000016G		CLR	@IOP.TABLE+16	:	2710
000170	062706	000014		ADD	@14, SP	:	2683
000174	000207			RTS	PC	:	2667

: Routine Size: 63 words, Routine Base: AC\$CODE\$ + 5652
: Maximum stack depth per invocation: 7 words

: 2713 1
: 2714 1

NQNA4
V01.0

CNQNAO DEQNA FUNCTIONAL TEST
GLOBAL ROUTINE - TURN_OFF_LED (P1)

12-Jul-1984 13:09:35
21-Jun-1984 08:36:19

VAX-11 Bliss-16 V4.0-579
SPIDER\$USERS:[BERG.DEQNA]NQNA4.BLI;1

```

: 2715 1 #SBTTL 'GLOBAL ROUTINE - TURN_OFF_LED ( P1 )'
: 2716 1
: 2717 1 GLOBAL ROUTINE TURN_OFF_LED ( P1 ) : NOVALUE =
: 2718 1
: 2719 1 !..
: 2720 1 !
: 2721 1 ! GLOBAL ROUTINE : TURN_OFF_LED
: 2722 1 !
: 2723 1 ! DESCRIPTION:
: 2724 1 !
: 2725 1 ! This routine
: 2726 1 !
: 2727 1 ! INPUT PARAMETERS:
: 2728 1 !
: 2729 1 ! P1 -
: 2730 1 !
: 2731 1 ! ---
: 2732 1
: 2733 2 BEGIN
: 2734 2
: 2735 2 PREP_FOR_SETUP ( );
: 2736 2
: 2737 2 INCR INDEX1 FROM 1 TO 14 DO
: 2738 2 WRT_STATION_ADR ( .INDEX1, PHA_INDEX );
: 2739 2
: 2740 2 XMIT_SETUP_PACKET ( .P1 );
: 2741 2
: 2742 2
: 2743 1 END;

```

```

000000 010146 .SBTTL TURN.OFF.LED GLOBAL ROUTINE - TURN_OFF_LED ( P1 )
TURN.OFF.LED::
000002 004737 004276' MOV R1,-(SP) ; 2717
000006 012701 000001 JSR PC,PREP.FOR.SETUP ; 2735
000012 010146 1$: MOV #1,R1 ; *,INDEX1 2737
000014 012746 000023 MOV R1,-(SP) ; INDEX1,* 2738
000020 004737 004074' JSR PC,WRT.STATION.ADR
000024 022626 CMP (SP)*,(SP)*
000026 005201 INC R1 ; INDEX1 2737
000030 020127 000016 CMP R1,#16 ; INDEX1,*
000034 003766 BLE 1$
000036 016646 000004 MOV 4(SP),-(SP) ; P1,* 2740
000042 004737 005042' JSR PC,XMIT.SETUP.PACKET
000046 005726 TST (SP)*
000050 012601 MOV (SP)*,R1 ; 2733
000052 000207 RTS PC ; 2717

```

```

: Routine Size: 22 words. Routine Base: AC$CODE$ + 6050
: Maximum stack depth per invocation: 4 words

```

NQNA4
V01.0

CNQNAAO DEQNA FUNCTIONAL TEST
GLOBAL ROUTINE TURN OFF_LED (P1)

12-Jul 1984 13:09:35
21-Jun-1984 08:36:19

VAX-11 Bliss-16 V4.0 579
SPIDER\$USERS:(BERG.DEQNA)NQNA4.BLI;1

SEQ 0267
Page 56
(27)

```

: 2744 1
: 2745 1
: 2746 1   END
: 2747 0   ELUDDM

```

OTS external references

```

.GLOBAL $SAVE3, $SAVE2, BL$DIV, BL$MOD
.GLOBAL BL$MUL

```

PSECT SUMMARY

```

:
: Psect Name      Words  Attributes
: AC$CODE$       1578   RO , I , LCL, REL, CON
:

```

Library Statistics

File	Symbols		Pages Mapped	Processing Time
	Total	Loaded Percent		
SPIDER\$USERS:(BERG.DEQNA)QNALIB.L16;3	223	132 59	14	00:00.0

COMMAND QUALIFIERS

```

: BLISS/PDP11/ENV:NOEIS NQNA4.BLI/LIST=NQNA4.LIS/OBJECT=NQNA4.OBJ/SOURCE=PAGE:53

```

```

: Size:          1578 code + 0 data words
: Run Time:      00:45.6
: Elapsed Time: 01:30.3
: Lines/CPU Min: 3613
: Lexemes/CPU-Min: 25874
: Memory Used:  240 pages
: Compilation Complete

```

NQNAS

CNQNAO DEQNA FUNCTIONAL TEST

12 Jul-1984 13:11:07
21-Jun-1984 08:36:21

VAX-11 Bliss-16 V4.0-579
SPIDER#USERS:(BERG.DEQNA)NQNAS.BLI;1

SEQ 0268

Page 1
(1)

```

: 0001 0  MODULE NQNAS (TITLE 'CNQNAO DEQNA FUNCTIONAL TEST'
: 0002 0          IDENI = 'V01.0',
: 0003 0          ADDRESSING_MODE(Absolute)
: 0004 0          ) =
: 0005 0  #SBTTL 'LAST ADDRESS AND SETUP SECTION'
: 0006 0
: 0007 1  BEGIN
: 0008 1
: 0009 1  LIBRARY 'QNALIB';           ! QNALIB LIBRARY
: 0010 1  REQUIRE 'BLSMAC.REQ';     ! DIAGNOSTIC SUPERVISOR LIBRARY
: 1500 1  !<BLF/NOFORMAT>
: 1501 1

```

NQNAS
V01.0

CNQNAO DEQNA FUNCTIONAL TEST
LAST ADDRESS AND SETUP SECTION

12 Jul-1984 13:11:07
21-Jun-1984 08:36:21

VAX-11 Bliss-16 V4.0-579
SPIDER\$USERS:(BERG.DEQNA)NQNAS.BLI;1

SEQ 0269
Page 2
(2)

: 1502 2 LASTAD
: 1503 2 BGNSETUP(1);
: P 1504 2 BGNPTAB
: 1505 2 ENOPTAB
: 1506 1 ENDSETUP

! NUMBER OF P-TABLES

.TITLE NQNAS CNQNAO DEQNA FUNCTIONAL TEST
.IDENT /V01.0/
.ENABL AMA

000000
000000 000004'
000002 000000C
000004 000000

.PSECT \$XYZ\$, RO
BL\$LAS::.WORD T\$FREE
.WORD <<T\$FREE-<BL\$LAS+4>>/2>
T\$FREE::.WORD 0

000004'
000001

L\$LAST== BL\$LAS+4
T\$PTHV== 1

000000 000207

.SBTTL \$END.LINK LAST ADDRESS AND SETUP SECTION
\$END.LINK::
RTS PC ;

1499

; Routine Size: 1 word, Routine Base: \$XYZ\$ + 0006
; Maximum stack depth per invocation: 0 words

: 1507 1
: 1508 1 END
: 1509 0 ELUDOM

PSECT SUMMARY

:
: Psect Name Words Attributes
: \$XYZ\$ 4 RO, I, LCL, REL, CON

Library Statistics

:
: File Total Symbols Loaded Percent Pages Mapped Processing Time
: SPIDER\$USERS:(BERG.DEQNA)QNALIB.L16;3 223 3 1 14 00:00.1

NQNAS
V01.0

CNQNAO DEQNA FUNCTIONAL TEST
LAST ADDRESS AND SETUP SECTION

12-Jul-1984 13:11:07
21-Jun-1984 08:36:21

VAX-11 Bliss-16 V4.0-579
SPIDER\USERS:(BERG.DEQNA)NQNAS.BLI:1

SEQ 02 0
Page 3
(2)

COMMAND QUALIFIERS

BLISS/PDF11/ENV:NOEIS NQNAS.BLI/LIST=NQNAS.LIS/OBJECT=NQNAS.OBJ/SOURCE=PAGE:53

: Size: 1 code + 3 data words
: Run Time: 00:06.1
: Elapsed Time: 00:07.2
: Lines/CPU Min: 14965
: Lexemes/CPU-Min: 78773
: Memory Used: 101 pages
: Compilation Complete


```

: 0001 0  !..
: 0002 0  !
: 0003 0  ! DEFINE DATA STRUCTURES IN THIS SECTION
: 0004 0  !
: 0005 0  !--
: 0006 0
: 0007 0  STRUCTURE                                ! DEFINE ACCESS ALGORITHM
: 0008 0  REG_STR [ O, P, S, E ]=
: 0009 1  BEGIN
: 0010 1  LOCAL TMP_LOCATION;
: 0011 1  TMP_LOCATION = (REG_STR + #UPVAL * 0) <0, #BPVAL, 0>;
: 0012 1  TMP_LOCATION
: 0013 0  END < P, S, E >;
: 0014 0
: 0015 0
: 0016 0  STRUCTURE                                ! DEFINE ACCESS ALGORITHM
: 0017 0  ADR_STR [ O, P, S, E ]=
: 0018 1  BEGIN
: 0019 1  LOCAL TMP_LOCATION;
: 0020 1  TMP_LOCATION = (ADR_STR + #UPVAL * 0) <0, #BPVAL, 0>;
: 0021 1  TMP_LOCATION
: 0022 0  END < P, S, E >;
: 0023 0
: 0024 0  STRUCTURE                                ! DEFINE ACCESS ALGORITHM
: 0025 0  LBLOCK [ O, P, S, E, I ]=
: 0026 1  BEGIN
: 0027 1  CASE I FROM 0 TO 2 OF
: 0028 1  SET
: 0029 1  [ 0 ]:
: 0030 1  ( LBLOCK + 0 * #UPVAL );
: 0031 1  [ 1 ]:
: 0032 1  ( .LBLOCK + 0 * #UPVAL );
: 0033 1  [ 2 ]:
: 0034 1  ( .LBLOCK + 0 * #UPVAL );
: 0035 1  TES;
: 0036 0  END < P, S, E >;

```

```

: 0037 0
: 0038 0
: 0039 0
: 0040 0
: 0041 0
: 0042 0
: 0043 0
: 0044 0
: M 0045 0
: M 0046 0
: M 0047 0
: M 0048 0
: M 0049 0
: 0050 0
: 0051 0
: 0052 0
: M 0053 0
: M 0054 0
: M 0055 0
: 0056 0
: 0057 0
: M 0058 0
: M 0059 0
: M 0060 0
: 0061 0
: 0062 0
: 0063 0
: 0064 0
: 0065 0
: 0066 0
: 0067 0
: 0068 0
: 0069 0
: 0070 0
: M 0071 0
: M 0072 0
: 0073 0
: 0074 0

```

```

!..
!
! MACRO DEFINITIONS
!
!..
MACRO
TST_BIT ( ADDR, EXPECTED ) =
( IF ( .ADDR AND EXPECTED ) EQLU EXPECTED
THEN
TRUE
ELSE
FALSE )#.

PUT_BIT ( OFFSET, POSITION, IMAGE ) =
BEGIN
( .REG_ADR * #UPVAL * OFFSET ) < #FIELDEXPAND ( POSITION ) > = IMAGE;
END#.

GET_STATION_ADR ( OFFSET, POSITION, IMAGE ) =
BEGIN
( .STATION_ADR * OFFSET ) < #FIELDEXPAND ( POSITION ) > = IMAGE;
END#.

!..
!
! THIS MACRO GETS BITS SPECIFIED BY THE FIELD NAME " POSITION "
! AND MEMORY LOC SPECIFIED BY ( .REG_ADR * #UPVAL * OFFSET )
!
!..
GET_BIT ( OFFSET, POSITION ) =
.REG_ADR [ OFFSET, POSITION ] #;

```

0075 0
0076 0
0077 0
0078 0
0079 0
0080 0
0081 0
0082 0
0083 0
0084 0
0085 0
0086 0
0087 0
0088 0
0089 0
0090 0
0091 0
0092 0
0093 0
0094 0
0095 0
0096 0
0097 0
0098 0
0099 0
0100 0
0101 0
0102 0
0103 0
0104 0
0105 0
0106 0
0107 0
0108 0
0109 0
0110 0
0111 0
0112 0
0113 0
0114 0
0115 0
0116 0
0117 0
0118 0
0119 0
0120 0
0121 0
0122 0
0123 0
0124 0
0125 0
0126 0
0127 0

...
PROGRAM LITERALS
...

LITERAL

NO	= 0.	:
YES	= 1.	:
FALSE	= 0.	:
TRUE	= 1.	:
ZERO	= 0.	:
ONE	= 1.	:
DISABLE	= 0.	:
EENABLE	= 1.	:
P_CLOCK	= 1.	:
L_CLOCK	= 1.	:
NO_CLOCK	= 0.	:
CLEAR_FLG	= 0.	:
SET_FLG	= 1.	:
PWR_DELAY	= 10000.	:
M1_DELAY	= 10.	:
M2_DELAY	= 20.	:
M3_DELAY	= 30.	:
M4_DELAY	= 40.	:
M5_DELAY	= 50.	:
K	= 1024.	:
TIME1_LIMIT	= 128.	: DELAY - LOOP ITERATION COUNT
TIME2_LIMIT	= 1 * K.	: DELAY - LOOP ITERATION COUNT
TIME3_LIMIT	= 1 * K.	: DELAY - LOOP ITERATION COUNT
TIME4_LIMIT	= 512.	: DELAY - LOOP ITERATION COUNT
TIME5_LIMIT	= 16 * K.	: DELAY - 16K LOOP ITERATION COUNT
TIME6_LIMIT	= 1.	: DELAY - LOOP ITERATION COUNT
TIME7_LIMIT	= 10.	: DELAY - LOOP ITERATION COUNT
TIME8_LIMIT	= 50.	: DELAY - LOOP ITERATION COUNT
TIME9_LIMIT	= 100.	: DELAY - LOOP ITERATION COUNT
STEP1	= 2.	:
RLO_ADR	= 2.	:
RHI_ADR	= 3.	:
XLO_ADR	= 4.	:
XHI_ADR	= 5.	:
IOP_LO_ADR	= 2.	:
IOP_HI_ADR	= 3.	:
IOP_SIZE	= #0'16'.	: I/O PAGE REGISTER SIZE
IOP_ADR	= 0.	: OFFSET TO DEVICE ADDRESS
IOP_VEC	= 2.	: OFFSET TO DEVICE VECTOR ADDRESS

```
: 0128 0      IOP_BRL      = 4.      : OFFSET TO DEVICE BR LEVEL  
: 0129 0      INT_VEC      = 6.      :  
: 0130 0  
: 0131 0      CSR          = 7.      :  
: 0132 0      WORD_LIMIT   = '0'177777'. :  
: 0133 0
```

```

0134 0
0135 0
0136 0
0137 0
0138 0
0139 0
0140 0      D_FLAG_WD      = 0.      ; STATUS WORD 0, FLAG WORD
0141 0      D_DESCR_BITS = 1.      ;
0142 0      D_HI_ADR     = 1.      ;
0143 0      D_LO_ADR     = 2.      ;
0144 0      D_WD_COUNT  = 3.      ;
0145 0      D_WD1_STATUS = 4.      ;
0146 0      D_WD2_STATUS = 5.      ;
0147 0
0148 0      D1_OFFSET  = 18.      ;
0149 0      D2_OFFSET  = 36.      ;
0150 0
0151 0      T_SIZE     = 120.      ;
0152 0      DESCR_SIZE = 128.      ;
0153 0      D_SIZE     = DESCR_SIZE / 2.
0154 0      BD_D_SIZE  = 16.      ;
0155 0      BUF_SIZE   = 4096.     ;
0156 0      B_SIZE     = BUF_SIZE / 2.
0157 0      SETUP_SIZE = 256.     ;
0158 0      BYTE_COUNT = - ( BUF_SIZE / 4 ).
0159 0      PROM_SIZE  = 4096.     ;
0160 0      CHSUM_OFFSET = 6.      ;
0161 0
0162 0      SA_RBL     = #0'177775'. ; STATION ADR RCV BUF LENGTH - 3 WDS
0163 0
0164 0      PKT_LENGTH = 1500.     ; PACKET LENGTH
0165 0      MAX_LENGTH = 1534.     ; PACKET LENGTH
0166 0      LEGAL_LENGTH = 1514.   ; LEGAL PACKET LENGTH
0167 0      ILLEGAL_LENGTH = 1536. ; ILLEGAL PACKET LENGTH
0168 0      LPB_PKT    = #0'0220'. ; LOOPBACK PACKET
0169 0      PKT_TYPE   = 12.      ; PACKET TYPE
0170 0
0171 0      SKIP_CNT   = 0.      ;
0172 0      RFC        = 1.      ;
0173 0      PKT_DATA    = 15.      ;
0174 0      SHORTEST_PACKET = 60.  ; SHORTEST SETUP PACKET LENGTH
0175 0      LONGEST_PACKET = 1514. ; LONGEST SETUP PACKET LENGTH
0176 0      LSPL       = 1514.   ; LONGEST SETUP PACKET LENGTH
0177 0      PHA_INDEX  = 19.      ; PHYSICAL ADDRESS INDEX IN THE
0178 0                                     ; TARGET_ADR VECTOR
0179 0
0180 0      KB_VEC_LOC  = #0'000060'. ; INPUT CONSOLE TERMINAL VECTOR LOC
0181 0      PF_VEC_LOC  = #0'000024'. ; POWER FAIL VECTOR LOCATION
0182 0      CPU_LED    = #0'177524'. ; TURN OFF CPU LED LIT ON DCOK
0183 0      KB_ADDR    = #0'177560'. ; CONSOLE TERMINAL INPUT ADDRESS
0184 0      KB_ENABLE   = #0'000100'. ; ENABLE CONSOLE TERMINAL INPUT
    
```

```

: 0185 0 :
: 0186 0 :
: 0187 0 :
: 0188 0 :
: 0189 0 :
: 0190 0 :
: 0191 0 CSR_STATUS      = #0'100220' :
: 0192 0 CSR1_STATUS     = #0'000062' :
: 0193 0 CSR2_STATUS     = #0'000060' :
: 0194 0 CSR_MASK       = #0'100220' :
: 0195 0 CSR1_MASK      = #0'010376' :
: 0196 0 CSR2_MASK      = #0'167777' :
: 0197 0 CSR3_MASK      = #0'010000' :
: 0198 0 :
: 0199 0 PATRN1          = #0'001411' :
: 0200 0 PATRN2          = #0'001471' :
: 0201 0 :
: 0202 0 NXM_LO_ADR      = #0'160000' :
: 0203 0 NXM_HI_ADR     = #0'000077' :
: 0204 0 :
: 0205 0 XFLG_MASK       = #0'140000' :
: 0206 0 X1_MASK        = #0'100000' :
: 0207 0 XWD1_MASK      = #0'157760' :
: 0208 0 XWD2_MASK      = #0'037777' :
: 0209 0 XFLG_STATUS   = #0'140000' :
: 0210 0 XWD11_STATUS  = #0'000000' :
: 0211 0 XWD12_STATUS  = #0'000400' :
: 0212 0 :
: 0213 0 :
: 0214 0 XWD14_STATUS  = #0'047600' :
: 0215 0 :
: 0216 0 RFLG_MASK     = #0'140000' :
: 0217 0 R1_MASK      = #0'100000' :
: 0218 0 R2_MASK      = #0'174017' :
: 0219 0 RWD1_MASK    = #0'140000' :
: 0220 0 RWD2_MASK    = #0'177417' :
: 0221 0 RWD1_STATUS  = #0'020000' :
: 0222 0 RWD11_STATUS = #0'100000' :
: 0223 0 RWD12_STATUS = #0'160000' :
: 0224 0 RWD13_STATUS = #0'000000' :
: 0225 0 RWD14_STATUS = #0'060000' :
: 0226 0 RWD15_STATUS = #0'000001' :
: 0227 0 RWD16_STATUS = #0'044000' :
: 0228 0 :
: 0229 0 RFLG_STATUS  = #0'140000' :
: 0230 0 :
: 0231 0 :
: 0232 0 RHL_MASK     = #0'003400' :
: 0233 0 RLL_MASK     = #0'000377' :

```

```

:
: TRANSMIT, RECEIVE AND CSR STATUS AND MASK WORD DEFINITIONS
:

```

```

: TRANSCEIVER POWER ( XC - BIT 12 )
: TRANSCEIVER POWER ( XC - BIT 12 )

```

```

: CSR STATIC BITS
: CSR STATIC BITS

```

```

: NXM ADDRESS - LOW ORDER BITS
: NXM ADDRESS - HIGH ORDER BITS

```

```

: TRANSMIT FLAG WORD MASK BITS
: TRANSMIT STATUS WD 1 MASK BITS
: TRANSMIT STATUS WD 1 MASK BITS
: TRANSMIT STATUS WD 2 MASK BITS
: EXPECTED TRANSMIT FLAG WORD

```

```

: EXPECTED TRANSMIT STATUS WD 1
: BIT 8 IS SET IN INTERNAL LOOPBACK MODES
: BIT 8 IS RESET IN EXTERNAL LOOPBACK MODES
: EXPECTED TRANSMIT STATUS WD 1

```

```

: RECEIVE FLAG WORD MASK BITS
: RECEIVE STATUS WD 1 MASK BITS
: RECEIVE STATUS WD 1 MASK BITS
: RECEIVE STATUS WD 1 MASK BITS
: RECEIVE STATUS WD 1 MASK BITS
: EXPECTED RECEIVE STATUS WD 1
: EXPECTED RECEIVE STATUS WD 1
: EXPECTED RECEIVE STATUS WD 1
: EXPECTED RECEIVE STATUS WD 1
: EXPECTED RECEIVE STATUS WD 1
: EXPECTED RECEIVE STATUS WD 1
: EXPECTED RECEIVE STATUS WD 1

```

```

: EXPECTED RECEIVE FLAG WORD

```

```

: RCV HIGH ORDER LENGTH BITS
: RLV LOW ORDER LENGTH BITS

```

```

: 0234 0 :...
: 0235 0 :
: 0236 0 : BUFFER DESCRIPTOR / CHAIN DESCRIPTOR BIT DEFINITIONS
: 0237 0 :
: 0238 0 :--
: 0239 0 :
: 0240 0 V      = #0'100000' . ! VALID ADDRESS IF 1
: 0241 0 C      = #0'040000' . ! CHAIN ADDRESS IF 1
: 0242 0 E      = #0'020000' . ! END OF MESSAGE IF 1
: 0243 0 S      = #0'010000' . ! SETUP MODE PACKET IF 1
: 0244 0 :
: 0245 0 NEWB   = #0'100000' . ! BUFFER NOT USED IF 1
: 0246 0 LASTD  = #0'100000' . ! LAST DESCRIPTOR IN CHAIN
: 0247 0 VE     = #0'120000' .
: 0248 0 VL     = #0'100200' .
: 0249 0 VH     = #0'100100' .
: 0250 0 VC     = #0'140000' .
: 0251 0 VHL    = #0'100300' .
: 0252 0 VSE    = #0'130000' .
: 0253 0 VSEL   = #0'130200' .
: 0254 0 VENXM  = #0'120077' .
: 0255 0 :
: 0256 0 XLRL_SET = #8'11' . ! XMIT AND RCV LISTS INVALID
: 0257 0 ILEL_SET = #8'11' . ! INTERNAL AND EXTERNAL LOOPBACK BITS
: 0258 0 ILEL_CLR = #8'00' . ! INTERNAL AND EXTERNAL LOOPBACK BITS
: 0259 0 :
: 0260 0 INT_LOOPBACK = #8'00' . ! INTERNAL LOOPBACK MODE
: 0261 0 INX_LOOPBACK = #8'10' . ! INTERNAL/EXTENDED LOOPBACK MODE
: 0262 0 EXT_LOOPBACK = #8'11' . ! EXTERNAL LOOPBACK MODE
: 0263 0 :
: 0264 0 N_MODE  = #0'000200' . ! ENABLE NORMAL MODE OF OPERATION
: 0265 0 P_MODE  = #0'000202' . ! ENABLE PROMISCUOUS MODE OF OPERATION
: 0266 0 A_MODE  = #0'000201' . ! ENABLE ALL MULTICAST MODE OF OPERATION
: 0267 0 LED1    = #0'000204' . ! TURN OFF LED 1
: 0268 0 LED2    = #0'000210' . ! TURN OFF LED 2
: 0269 0 LED3    = #0'000214' . ! TURN OFF LED 3
: 0270 0 :

```

```
: 0271 0      :...  
: 0272 0      : STATION ADDRESS CONSTANTS  
: 0273 0      :--  
: 0274 0  
: 0275 0      SADR1 = 0.      : HIGH STATION ADDRESS BITS  
: 0276 0      SADR2 = 1.      : MIDDLE BITS  
: 0277 0      SADR3 = 2.      : LOW STATION ADDRESS BITS  
: 0278 0      Ch.SUM = 3.     : ACTUAL CHECKSUM INDEX  
: 0279 0  
: 0280 0      :...  
: 0281 0      : HARDWARE AND SOFTWARE P-TABLE EQUATES  
: 0282 0      :--  
: 0283 0  
: 0284 0      SWP_SIZE   = 5.      : SOFTWARE P-TABLE SIZE ( WORDS )  
: 0285 0      HWP_SIZE   = 2.      : HARDWARE P-TABLE SIZE ( WORDS )  
: 0286 0  
: 0287 0  
: 0288 0      SET_IT    = 1.  
: 0289 0      CLR_IT    = 0;  
: 0290 0
```



```

: 0291 0 :...
: 0292 0 :
: 0293 0 : THE CONTROL AND STATUS REGISTER BIT DEFINITIONS
: 0294 0 :
: 0295 0 :
: 0296 0 :
: 0297 0 :
: 0298 0 : FIELD
: 0299 0 : IOP_FIELDS =

```

```

: 0300 0 : RE = [ 0, 1, 0 ], ! RECEIVER ENABLE R/W ( ACTIVE HIGH )
: 0301 0 : SR = [ 1, 1, 0 ], ! SOFTWARE RESET R/W ( ACTIVE HIGH )
: 0302 0 : NI = [ 2, 1, 0 ], ! NXM INTERRUPT R ( ACTIVE HIGH )
: 0303 0 : BD = [ 3, 1, 0 ], ! BOOT/DIAGNOSTIC ROM R/W ( ACTIVE HIGH )
: 0304 0 : XL = [ 4, 1, 0 ], ! XMIT LIST INVALID R ( ACTIVE HIGH )
: 0305 0 : RL = [ 5, 1, 0 ], ! RCV LIST INVALID R ( ACTIVE HIGH )
: 0306 0 : IE = [ 6, 1, 0 ], ! INTERRUPT ENABLE R/W ( ACTIVE HIGH )
: 0307 0 : XI = [ 7, 1, 0 ], ! XMIT INTERRUPT REQUEST R/W ( ACTIVE HIGH )
: 0308 0 : IL = [ 8, 1, 0 ], ! INTERNAL LOOPBACK MODE R/W ( ACTIVE LOW )
: 0309 0 : EL = [ 9, 1, 0 ], ! EXTERNAL LOOPBACK MODE R/W ( ACTIVE HIGH )
: 0310 0 : SE = [10, 1, 0 ], ! SANITY TIMER ENABLE R/W ( ACTIVE HIGH )
: 0311 0 : X1 = [11, 1, 0 ], ! RESERVED, UNUSABLE
: 0312 0 : XC = [12, 1, 0 ], ! TRANSCEIVER PWR R ( ACTIVE HIGH )
: 0313 0 : CA = [13, 1, 0 ], ! CARRIER R ( ACTIVE HIGH )
: 0314 0 : X2 = [14, 1, 0 ], ! RESERVED, UNUSABLE
: 0315 0 : RI = [15, 1, 0 ], ! RCV INTERRUPT REQUEST R/W ( ACTIVE HIGH )
: 0316 0 :
: 0317 0 : LB = [ 8, 2, 0 ], ! LOOPBACK BITS
: 0318 0 : XLRL = [ 4, 2, 0 ], ! XMIT AND RCV LISTS INVALID BITS
: 0319 0 : ALL_BITS = [ 0,16, 0 ], ! FETCH WHOLE WORD
: 0320 0 :
: 0321 0 : LO_NIBBLE = [ 0, 0, 0 ], !
: 0322 0 : HI_NIBBLE = [ 0, 4, 0 ], !
: 0323 0 : LO_BYTE = [ 0, 8, 0 ], !
: 0324 0 : HI_BYTE = [ 0,16, 0 ], ! GET WORD, ALL BITS
: 0325 0 : ST_ADDR = [ 0, 8, 0 ], ! STATION ADDRESS LOW BYTE
: 0326 0 : ST_WORD = [ 0,16, 0 ], ! GET WORD, ALL BITS
: 0327 0 :
: 0328 0 : RCV_LO = [ 2, 0,16, 0 ], ! RCV BUFFER DESCRIPTOR LIST LOW ADDRESS
: 0329 0 : RCV_HI = [ 3, 0, 8, 0 ], ! RCV BUFFER DESCRIPTOR LIST HIGH ADDRESS
: 0330 0 : XMIT_LO = [ 4, 0,16, 0 ], ! XMIT BUFFER DESCRIPTOR LIST LOW ADDRESS
: 0331 0 : XMIT_HI = [ 5, 0, 8, 0 ], ! XMIT BUFFER DESCRIPTOR LIST HIGH ADDRESS
: 0332 0 : VEC_ADR = [ 2, 8, 0 ], ! INTERRUPT VECTOR ADDRESS
: 0333 0 : VEC_ALL = [ 6, 0,16, 0 ], ! INTERRUPT VECTOR ADDRESS
: 0334 0 : CSR_ALL = [ 7, 0,16, 0 ], ! CONTROL AND STATUS REGISTER
: 0335 0 : TES;

```

```

: 0336 0
: 0337 0
: 0338 0
: 0339 0
: 0340 0
: 0341 0
: 0342 0
: 0343 0
: 0344 0
: 0345 0
: 0346 0
: 0347 0
: 0348 0
: 0349 0
: 0350 0
: 0351 0
: 0352 0
: 0353 0
: 0354 0
: 0355 0
: 0356 0
: 0357 0
: 0358 0
: 0359 0
: 0360 0
: 0361 0
: 0362 0
: 0363 0
: 0364 0
: 0365 0
: 0366 0
: 0367 0
: 0368 0
: 0369 0
: 0370 0
: 0371 0
: 0372 0
: 0373 0
: 0374 0
: 0375 0
: 0376 0
: 0377 0
: 0378 0
: 0379 0
: 0380 0

```

...
TRANSMIT AND RECEIVE DESCRIPTOR LIST FIELDS
...

```

FIELD
DL_FIELDS *
SET
FLGWD = [ 0. 0. 16. 0 ]. : XMIT OF RCV FLAG WORD
DBITS = [ 1. 0. 16. 0 ]. : DESCRIPTOR BITS
H_BIT = [ 1. 6. 1. 0 ]. : XMIT BUFFER BEGINS ON BYTE BOUNDARY
L_BIT = [ 1. 7. 1. 0 ]. : XMIT BUFFER ENDS ON BYTE BOUNDARY
S_BIT = [ 1. 12. 1. 0 ]. : SET-UP PACKET IF 1
E_BIT = [ 1. 13. 1. 0 ]. : LAST DESCRIPTOR IN CHAIN ( END )
C_BIT = [ 1. 14. 1. 0 ]. : DESCRIPTOR HAS CHAIN ADDRESS IF 1
V_BIT = [ 1. 15. 1. 0 ]. : VALID ADDRESS IF 1
LOADR = [ 2. 0. 16. 0 ]. : LOW 16 BITS OF XMIT OR RCV BUFFER ADDRESS
TWDL = [ 3. 0. 16. 0 ]. : XMIT OR RCV PACKET WORD LENGTH
STWD1 = [ 4. 0. 16. 0 ]. : XMIT OR RCV STATUS WORD 1
OVF = [ 4. 0. 1. 0 ]. : FIFO BUFFER OVERFLOW
ABORT = [ 4. 9. 1. 0 ]. :
STE16 = [ 4. 10. 1. 0 ]. : SANITY TIMER ON AT POWER_UP
NOCAR = [ 4. 11. 1. 0 ]. : NO CARRIER
RUNT = [ 4. 11. 1. 0 ]. : RUNT PACKET IN FIFO
ESETUP = [ 4. 13. 1. 0 ]. : CONTROL SET_UP OR LOOPBACK PACKET
LONGP = [ 4. 14. 1. 0 ]. : LONG PACKET
ERRSU = [ 4. 14. 1. 0 ]. : ERROR SUMMARY
LSTD = [ 4. 15. 1. 0 ]. : LAST DESCRIPTOR LIST IN CHAIN
STWD2 = [ 5. 0. 16. 0 ]. : XMIT OR RCV STATUS WORD 2
TDR = [ 5. 0. 14. 0 ]. :
RBLL = [ 5. 0. 8. 0 ]. : RECEIVE BYTE LENGTH ( LOW 8 BITS )
DLINK = [ 6. 0. 16. 0 ]. : DESCRIPTOR LINK PRE-FILL STATUS WD
BSTAT = [ 7. 0. 16. 0 ]. : BUFFER STATE ! XMIT ODD/EVEN ! HIGH ORDER ADR
B_LEN = [ 0. 8. 0 ]. :
W_LEN = [ 0.16. 0 ] :
TES;

```

```

: 0381 0 : **
: 0382 0 :
: 0383 0 :   HARDWARE P-TABLE FIELD DEFINITIONS
: 0384 0 :
: 0385 0 :   --
: 0386 0 :
: 0387 0 :   FIELD
: 0388 0 :     HWP_FIELDS =
: 0389 0 :       SET
: 0390 0 :       ADDR   = [ 0, 0, 16, 0 ],   ! I/O PAGE BASE ADDRESS
: 0391 0 :       VEC    = [ 1, 0, 16, 0 ],   ! INTERRUPT VECTOR ADDRESS
: 0392 0 :       BRL    = [ 2, 0, 16, 0 ]   ! BR LEVEL
: 0393 0 :       TES;
: 0394 0 :
: 0395 0 :
: 0396 0 :   **
: 0397 0 :   :
: 0398 0 :   SOFTWARE P-TABLE FIELD DEFINITIONS
: 0399 0 :   :
: 0400 0 :   --
: 0401 0 :
: 0402 0 :   FIELD
: 0403 0 :     SWP_FIELDS =
: 0404 0 :       SET
: 0405 0 :       ERR_CNT = [0,0,16,0]       ! # OF ERRORS BEFORE DROPPING DEQNA
: 0406 0 :       TES;
: 0407 0 :
: 0408 0 :

```

COMMAND QUALIFIERS

: BLISS/PDP11/ENV:NOEIS QNALIB.R16/LIST=QNALIB.LIS/LIBRARY=QNALIB.L16/SOURCE=PAGE:53

```

: Run Time:      00:03.4
: Elapsed Time:  00:08.0
: Lines/CPU Min: 7221
: Lexemes/CPU-Min: 34513
: Memory Used:  46 pages
: Library Precompilation Complete

```

Partition name : DUMMY
Identification : V01.0
Task UIC : [300,11]
Task attributes: -MD
Total address windows: 1.
Task image size : 11040. words
Task address limits: 002000 055063
R/W disk blk limits: 000002 000055 000054 00044.

*** Root segment: NQNA1

R/W mem limits: 002000 055063 053064 22068.
Disk blk limits: 000002 000055 000054 00044.

Memory allocation synopsis:

Section	Title	Ident	File
\$CODE\$:(RO,I,LCL,REL,CON)	002000 000676 00446.		
	002000 000240 00160.	NQNA1	V01.0 NQNA1.OBJ;2
	002240 000120 00080.	NQNA2	V01.0 NQNA2.OBJ;1
	002360 000316 00206.	B16MUL	2.8 B16LIB.OLB;1
\$GLOB\$:(RW,D,LCL,REL,CON)	002676 012504 0544.		
	002676 012504 0544.	NQNA1	V01.0 NQNA1.OBJ;2
\$PLIT\$:(RO,D,LCL,REL,CON)	015402 007036 03614.		
	015402 007036 03614.	NQNA1	V01.0 NQNA1.OBJ;2
AA\$COD:(RO,I,LCL,REL,CON)	024440 000420 00272.		
	024440 000420 00272.	NQNA2	V01.0 NQNA2.OBJ;1
AB\$COD:(RO,I,LCL,REL,CON)	025060 021434 08988.		
	025060 021434 08988.	NQNA3	V01.0 NQNA3.OBJ;1
AC\$COD:(RO,I,LCL,REL,CON)	046514 006124 03156.		
	046514 006124 03156.	NQNA4	V01.0 NQNA4.OBJ;1
. BLK.:(RW,I,LCL,REL,CON)	054640 000000 00000.		
\$XYZ\$:(RO,I,LCL,REL,CON)	054640 000224 00148.		
	054640 000214 00140.	CNQNA	2.4 B16SAV.OBJ;3
	055054 000010 00008.	NQNA5	V01.0 NQNA5.OBJ;1

Global symbols:

ADR 000020	BIT09 001000	BIT6 000100	CHK.CS 050360-R	DFSTBL 002206-R	ERRTYP 002174-R	GP\$4 002342-R
BD.PRO 014570-R	BIT1 000002	BIT7 000200	CHK.RC 051014-R	DOWN.C 015312-R	ERR.CO 015330-R	GP\$5 002350-R
BIT0 000001	BIT10 002000	BIT8 000400	CHK.RI 047774-R	D\$PCNT 002122-R	ERR.FL 015326-R	H0E 100000
BIT00 000001	BIT11 004000	BIT9 001000	CHK.XM 050516-R	EF.CON 000036	ERR.NU 015324-R	HP.TAB 002206 R
BIT01 000002	BIT12 010000	BL\$DIV 002604-R	CLR.BU 047746-R	EF.NEW 000035	ETH.ST 014344-R	HWP.TA 015264-R
BIT02 000004	BIT13 020000	BL\$LAS 055054-R	CLR.DE 047720-R	EF.PWR 000034	EVL 000004	IBE 010000
BIT03 000010	BIT14 040000	BL\$MOD 002616-R	COMP.AR 051274-R	EF.RES 000037	E1\$REP 047020-R	IDU 000040
BIT04 000020	BIT15 100000	BL\$MUL 002360-R	COUNTE 015306-R	EF.STA 000040	FORM.H 053074-R	IER 020000
BIT05 000040	BIT2 000004	BL\$SHF 002630-R	CSR.WO 015320-R	ERRBLK 002202-R	GET.AD 015274-R	INTERR 015302-R
BIT06 000100	BIT3 000010	BOE 000400	DATA.B 003276-R	ERRMSG 002200-R	GP\$1 002310-R	IOP.DA 015272-R
BIT07 000200	BIT4 000020	BUF.LE 015316-R	DEQNA. 015304-R	ERRNBR 002176-R	GP\$2 002320-R	IOP.TA 014324-R
BIT08 000400	BIT5 000040	CHECKS 015314-R	DESCR. 002176-R	ERROR\$ 046514-R	GP\$3 002334-R	ISR 000100

IXE	004000	L\$HW	002206-R	MSG04	016246-R	MSG39	021506-R	PNT	001000	SET.XD	051770-R	T12	037272-R
KBD.IN	055026-R	L\$HMLE	002204-R	MSG05	016340-R	MSG40	021572-R	PREP.F	053012-R	SP.TAB	002216-R	T13	040514-R
LOE	040000	L\$ICP	002104-R	MSG06	016432-R	MSG41	021662-R	PRI	002000	STATIO	014360-R	T14	041762-R
LOT	000010	L\$INIT	024770-R	MSG07	016524-R	MSG42	021724-R	PRI00	000000	SWP.BL	002226-R	T15	042212-R
L\$ACP	002110-R	L\$LADP	002026-R	MSG08	016616-R	MSG43	022004-R	PRI01	000040	SWP.IL	002224-R	T16	044244-R
L\$APT	002036-R	L\$LAST	055060-R	MSG09	016710-R	MSG44	022070-R	PRI02	000100	SWP.LB	002220-R	T17	045112-R
L\$AU	025040-R	L\$LOAD	002100-R	MSG10	017002-R	MSG45	022172-R	PRI03	000140	SWP.TA	015266-R	T18	045430-R
L\$AUT	002070-R	L\$LUN	002074-R	MSG11	017064-R	MSG46	022250-R	PRI04	000200	SWP.TI	002216-R	T19	046000-R
L\$AUTO	025002-R	L\$MREV	002050-R	MSG12	017150-R	MSG47	022320-R	PRI05	000240	SWP.TO	002222-R	T2	026370-R
L\$CCP	002106-R	L\$NAME	002000-R	MSG13	017214-R	MSG48	022374-R	PRI06	000300	TADR1	015376-R	T20	046500-R
L\$CLEA	025014-R	L\$NDHR	002330-R	MSG14	017300-R	MSG49	022432-R	PRI07	000340	TADR2	015400-R	T3	027160-R
L\$CO	002032-R	L\$NDHW	002212-R	MSG15	017370-R	MSG50	022470-R	PTRN.T	014370-R	TARGET	014400-R	T4	030226-R
L\$DEPO	002011-R	L\$NDSF	002356-R	MSG16	017452-R	MSG51	022552-R	PWR.IN	054764-R	TBYTE1	015372-R	T5	031114-R
L\$DESC	002256-R	L\$NDSW	002230-R	MSG17	017540-R	MSG52	022604-R	P1	015360-R	TBYTE2	015373-R	T6	031626-R
L\$DESP	002076-R	L\$PRIO	002042-R	MSG18	017626-R	MSG53	022650-R	P2	015362-R	TBYTE3	015374-R	T7	034174-R
L\$DEVP	002060-R	L\$PROT	002232-R	MSG19	017652-R	MSG54	022700-R	P3	015364-R	TBYTE4	015375-R	T8	034432-R
L\$DISP	002124-R	L\$PRT	002112-R	MSG20	017740-R	MSG55	022750-R	P4	015366-R	TD:3	014760-R	T9	034756-R
L\$DLY	002116-R	L\$REPP	002062-R	MSG21	020030-R	MSG56	023012-R	P5	015370-R	TD16	014630-R	UAM	000200
L\$DTP	002040-R	L\$REV	002010-R	MSG22	020110-R	MSG57	023050-R	QST01	015402-R	TEMP1	015336-R	UP.COU	015310-R
L\$DTYP	002034-R	L\$RPT	024450-R	MSG23	020174-R	MSG58	023140-R	QST02	015432-R	TEMP2	015340-R	VER.DE	047526-R
L\$DU	025026-R	L\$SFTL	002332-R	MSG24	020252-R	MSG59	023204-R	QST03	015462-R	TEMP3	015342-R	WAIT.F	054746-R
L\$DUT	002072-R	L\$SOFT	002334-R	MSG25	020326-R	MSG60	023316-R	QST04	015524-R	TEMP4	015344-R	WALKIN	052046-R
L\$DVTY	002240-R	L\$SPC	002056-R	MSG26	020370-R	MSG61	023360-R	QST05	015566-R	TEMP5	015346-R	WRT.ST	052610-R
L\$EF	002052-R	L\$SPCP	002020-R	MSG27	020432-R	MSG62	023422-R	QST06	015630-R	TEMP6	015350-R	XBUF.L	015276-R
L\$ENVI	002044-R	L\$SPTP	002024-R	MSG28	020474-R	MSG63	023512-R	QST07	015672-R	TEMP7	015352-R	XC.FLA	015322-R
L\$ERRT	002174-R	L\$STA	002030-R	MSG29	020540-R	MSG64	023606-R	RBUF.L	015300-R	TEMP8	015354-R	XMIT.A	054340-R
L\$ETP	002102-R	L\$SW	002216-R	MSG30	020566-R	MSG65	023642-R	RCV.BU	003276-R	TEMP9	015356-R	XMIT.B	007276-R
L\$EXP1	002046-R	L\$SMLE	002214-R	MSG31	020654-R	MSG66	023706-R	RCV.D.	002676-R	TMP.IO	015332-R	XMIT.D	003076-R
L\$EXP4	002064-R	L\$TEST	002114-R	MSG32	020740-R	MSG67	023774-R	RD13	015064-R	TMP.RE	015334-R	XMIT.I	054366-R
L\$EXP5	002066-R	L\$TIML	002014-R	MSG33	021002-R	MSG68	024076-R	REG.AD	015270-R	TURN.O	054564-R	XMIT.S	053556-R
L\$HARD	002310-R	L\$UNIT	002012-R	MSG34	021056-R	MSG69	024174-R	RESET.	047040-R	T\$FREE	055060-R	\$END.L	055062-R
L\$HIME	002120-R	MSG00	015734-R	MSG35	021132-R	MSG70	024274-R	SEND.E	054024-R	T\$PTHV	000001	\$SAVE2	054640-R
L\$HPCP	002016-R	MSG01	015772-R	MSG36	021230-R	MSG71	024360-R	SEND.T	054172-R	T1	025534-R	\$SAVE3	054654-R
L\$HPTP	002022-R	MSG02	016054-R	MSG37	021334-R	NXM.IN	025050-R	SETUP.	013324-R	T10	035220-R	\$SAVE4	054672-R
L\$HRDL	002306-R	MSG03	016142-R	MSG38	021426-R	PHYS.A	013276-R	SET.RD	051712-R	T11	035550-R	\$SAVE5	054712-R

*** Task builder statistics:

Total work file references: 86933.
 Work file reads: 0.
 Work file writes: 0.
 Size of core pool: 4016. words (15. pages)
 Size of work file: 3328. words (13. pages)

Elapsed time:00:00:21

SYMBOL	VALUE	REFERENCES...
ADR	000020	⊕ NQNA1 ⊕ NQNA2
BD.PRO	014570-R	⊕ NQNA1 NQNA3 NQNA4
BIT0	000001	⊕ NQNA1 ⊕ NQNA2
BIT00	000001	⊕ NQNA1 ⊕ NQNA2
BIT01	000002	⊕ NQNA1 ⊕ NQNA2
BIT02	000004	⊕ NQNA1 ⊕ NQNA2
BIT03	000010	⊕ NQNA1 ⊕ NQNA2
BIT04	000020	⊕ NQNA1 ⊕ NQNA2
BIT05	000040	⊕ NQNA1 ⊕ NQNA2
BIT06	000100	⊕ NQNA1 ⊕ NQNA2
BIT07	000200	⊕ NQNA1 ⊕ NQNA2
BIT08	000400	⊕ NQNA1 ⊕ NQNA2
BIT09	001000	⊕ NQNA1 ⊕ NQNA2
BIT1	000002	⊕ NQNA1 ⊕ NQNA2
BIT10	002000	⊕ NQNA1 ⊕ NQNA2
BIT11	004000	⊕ NQNA1 ⊕ NQNA2
BIT12	010000	⊕ NQNA1 ⊕ NQNA2
BIT13	020000	⊕ NQNA1 ⊕ NQNA2
BIT14	040000	⊕ NQNA1 ⊕ NQNA2
BIT15	100000	⊕ NQNA1 ⊕ NQNA2
BIT2	000004	⊕ NQNA1 ⊕ NQNA2
BIT3	000010	⊕ NQNA1 ⊕ NQNA2
BIT4	000020	⊕ NQNA1 ⊕ NQNA2
BIT5	000040	⊕ NQNA1 ⊕ NQNA2
BIT6	000100	⊕ NQNA1 ⊕ NQNA2
BIT7	000200	⊕ NQNA1 ⊕ NQNA2
BIT8	000400	⊕ NQNA1 ⊕ NQNA2
BIT9	001000	⊕ NQNA1 ⊕ NQNA2
BL\$DIV	002604-R	⊕ B16MUL NQNA4
BL\$LAS	055054-R	⊕ NQNA5
BL\$MOD	002616-R	⊕ B16MUL NQNA4
BL\$MUL	002360-R	⊕ B16MUL NQNA3 NQNA4
BL\$SHF	002630-R	⊕ B16MUL NQNA3
BOE	000400	⊕ NQNA1 ⊕ NQNA2
BUF.LE	015316-R	⊕ NQNA1
CHECKS	015314-R	⊕ NQNA1 NQNA3 NQNA4
CHK.CS	050360-R	NQNA3 ⊕ NQNA4
CHK.RC	051014-R	NQNA3 ⊕ NQNA4
CHK.RI	047774-R	NQNA3 ⊕ NQNA4
CHK.XM	050516-R	NQNA3 ⊕ NQNA4
CLR.BU	047746-R	NQNA3 ⊕ NQNA4
CLR.DE	047720-R	NQNA3 ⊕ NQNA4
COMPAR	051274-R	NQNA3 ⊕ NQNA4
COUNTE	015306-R	⊕ NQNA1 NQNA3 NQNA4
CSR.WO	015320-R	⊕ NQNA1 NQNA3 NQNA4
DATA.B	003276-R	⊕ NQNA1 NQNA3 NQNA4
DEQNA.	015304-R	⊕ NQNA1 NQNA3 NQNA4
DESCR.	002676-R	⊕ NQNA1 NQNA3 NQNA4
DFSTBL	002206-R	⊕ NQNA1
DOWN.C	015312-R	⊕ NQNA1 NQNA3 NQNA4
D\$PCNT	002122-R	⊕ NQNA1
EF.CON	000036	⊕ NQNA1 ⊕ NQNA2

GLOBAL CROSS REFERENCE CREF V02

SYMBOL	VALUE	REFERENCES...
EF.NEW	000035	⊕ NQNA1 ⊕ NQNA2
EF.PWR	000034	⊕ NQNA1 ⊕ NQNA2
EF.RES	000037	⊕ NQNA1 ⊕ NQNA2
EF.STA	000040	⊕ NQNA1 ⊕ NQNA2
ERRBLK	002202-R	⊕ NQNA1
ERRMSG	002200-R	⊕ NQNA1
ERRNBR	002176-R	⊕ NQNA1
ERROR\$	046514-R	NQNA3 ⊕ NQNA4
ERRTYP	002174-R	⊕ NQNA1
ERR.CO	015330-R	⊕ NQNA1 NQNA3 NQNA4
ERR.FL	015326-R	⊕ NQNA1 NQNA3 NQNA4
ERR.NU	015324-R	⊕ NQNA1 NQNA3 NQNA4
ETH.ST	014344-R	⊕ NQNA1
EVL	000004	⊕ NQNA1 ⊕ NQNA2
E1\$REP	047020-R	NQNA3 ⊕ NQNA4
FORM.H	053074-R	NQNA3 ⊕ NQNA4
GET.AD	015274-R	⊕ NQNA1 NQNA2 NQNA3 NQNA4
GP\$1	002310-R	⊕ NQNA2
GP\$2	002320-R	⊕ NQNA2
GP\$3	002334-R	⊕ NQNA2
GP\$4	002342-R	⊕ NQNA2
GP\$5	002350-R	⊕ NQNA2
HOE	100000	⊕ NQNA1 ⊕ NQNA2
HP.TAB	002206-R	⊕ NQNA1
HWP.TA	015264-R	⊕ NQNA1 NQNA2 NQNA3 NQNA4
IBE	010000	⊕ NQNA1 ⊕ NQNA2
IDU	000040	⊕ NQNA1 ⊕ NQNA2
IER	020000	⊕ NQNA1 ⊕ NQNA2
INTERR	015302-7	CNQNAA ⊕ NQNA1 NQNA2 NQNA3 NQNA4
IOP.DA	015272-R	⊕ NQNA1 NQNA2 NQNA3 NQNA4
IOP.TA	014324-R	⊕ NQNA1 NQNA2 NQNA3 NQNA4
ISR	000100	⊕ NQNA1 ⊕ NQNA2
IXE	004000	⊕ NQNA1 ⊕ NQNA2
KBD.IN	055026-R	⊕ CNQNAA NQNA3
LOE	040000	⊕ NQNA1 ⊕ NQNA2
LOT	000010	⊕ NQNA1 ⊕ NQNA2
L\$ACP	002110-R	⊕ NQNA1
L\$APT	002036-R	⊕ NQNA1
L\$AU	025040-R	NQNA1 ⊕ NQNA2
L\$AUT	002070-R	⊕ NQNA1
L\$AUTO	025002-R	NQNA1 ⊕ NQNA2
L\$CCP	002106-R	⊕ NQNA1
L\$CLEA	025014-R	NQNA1 ⊕ NQNA2
L\$CO	002032-R	⊕ NQNA1
L\$DEPO	002011-R	⊕ NQNA1
L\$DESC	002256-R	NQNA1 ⊕ NQNA2
L\$DESP	002076-R	⊕ NQNA1
L\$DEVP	002060-R	⊕ NQNA1
L\$DISP	002124-R	⊕ NQNA1
L\$DLY	002116-R	⊕ NQNA1 NQNA2 NQNA3 NQNA4
L\$DTP	002040-R	⊕ NQNA1
L\$DTYP	002034-R	⊕ NQNA1

CRE: V02

GLOBAL CROSS REFERENCE

SYMBOL	VALUE	REFERENCES...		
L\$DU	025026-R	NQNA1	•	NQNA2
L\$DUT	002072-R	• NQNA1		
L\$DVTY	002240-R	NQNA1	•	NQNA2
L\$EF	002052-R	• NQNA1		
L\$ENVI	002044-R	• NQNA1		
L\$ERRT	002174-R	• NQNA1		
L\$ETP	002102-R	• NQNA1		
L\$EXP1	002046-R	• NQNA1		
L\$EXP4	002064-R	• NQNA1		
L\$EXPS	002066-R	• NQNA1		
L\$HARD	002310-R	NQNA1	•	NQNA2
L\$HIME	002120-R	• NQNA1		
L\$HPCP	002016-R	• NQNA1		
L\$HPTP	002022-R	• NQNA1		
L\$HRDL	002306-R	• NQNA2		
L\$HW	002206-R	• NQNA1		
L\$HMLE	002204-R	• NQNA1		
L\$ICP	002104-R	• NQNA1		
L\$INIT	024770-R	NQNA1	•	NQNA2
L\$LADP	002026-R	• NQNA1		
L\$LAST	055060-R	NQNA1	•	NQNA5
L\$LOAD	002100-R	• NQNA1		
L\$LUN	002074-R	• NQNA1		
L\$MREV	002050-R	• NQNA1		
L\$NAME	002000-R	• NQNA1		
L\$NDHR	002330-R	• NQNA2		
L\$NDHW	002212-R	• NQNA1		
L\$NDSF	002356-R	• NQNA2		
L\$NDSW	002230-R	• NQNA1		
L\$PRIO	002042-R	• NQNA1		
L\$PROT	002232-R	• NQNA1		
L\$PRT	002112-R	• NQNA1		
L\$REPP	002062-R	• NQNA1		
L\$REV	002010-R	• NQNA1		
L\$RPT	024450-R	NQNA1	•	NQNA2
L\$SFTL	002332-R	• NQNA2		
L\$SOFT	002334-R	NQNA1	•	NQNA2
L\$SPC	002056-R	• NQNA1		
L\$SPCP	002020-R	• NQNA1		
L\$SPTP	002024-R	• NQNA1		
L\$STA	002030-R	• NQNA1		
L\$SW	002216-R	• NQNA1		
L\$SWLE	002214-R	• NQNA1		
L\$TEST	002114-R	• NQNA1		
L\$TIML	002014-R	• NQNA1		
L\$UNIT	002012-R	• NQNA1		
MSG00	015734-R	• NQNA1	NQNA3	NQNA4
MSG01	015772-R	• NQNA1	NQNA3	NQNA4
MSG02	016054-R	• NQNA1	NQNA3	NQNA4
MSG03	016142-R	• NQNA1	NQNA3	NQNA4
MSG04	016246-R	• NQNA1	NQNA3	NQNA4
MSG05	016340-R	• NQNA1	NQNA3	NQNA4

GLOBAL CROSS REFERENCE

CRE# V02

SYMBOL	VALUE	REFERENCES...
MSG06	016432-R	@ NQNA1 NQNA3 NQNA4
MSG07	016524-R	@ NQNA1 NQNA3 NQNA4
MSG08	016616-R	@ NQNA1 NQNA3 NQNA4
MSG09	016710-R	@ NQNA1 NQNA3 NQNA4
MSG10	017002-R	@ NQNA1 NQNA3 NQNA4
MSG11	017064-R	@ NQNA1 NQNA3 NQNA4
MSG12	017150-R	@ NQNA1 NQNA3 NQNA4
MSG13	017214-R	@ NQNA1 NQNA3 NQNA4
MSG14	017300-R	@ NQNA1 NQNA3 NQNA4
MSG15	017370-R	@ NQNA1 NQNA3 NQNA4
MSG16	017452-R	@ NQNA1 NQNA3 NQNA4
MSG17	017540-R	@ NQNA1 NQNA3 NQNA4
MSG18	017626-R	@ NQNA1 NQNA3 NQNA4
MSG19	017652-R	@ NQNA1 NQNA3 NQNA4
MSG20	017740-R	@ NQNA1 NQNA3 NQNA4
MSG21	020030-R	@ NQNA1 NQNA3 NQNA4
MSG22	020110-R	@ NQNA1 NQNA3 NQNA4
MSG23	020174-R	@ NQNA1 NQNA3 NQNA4
MSG24	020252-R	@ NQNA1 NQNA3 NQNA4
MSG25	020326-R	@ NQNA1 NQNA3 NQNA4
MSG26	020370-R	@ NQNA1 NQNA3 NQNA4
MSG27	020432-R	@ NQNA1 NQNA3 NQNA4
MSG28	020474-R	@ NQNA1 NQNA3 NQNA4
MSG29	020540-R	@ NQNA1 NQNA3 NQNA4
MSG30	020566-R	@ NQNA1 NQNA3 NQNA4
MSG31	020654-R	@ NQNA1 NQNA3 NQNA4
MSG32	020740-R	@ NQNA1 NQNA3 NQNA4
MSG33	021002-R	@ NQNA1 NQNA3 NQNA4
MSG34	021056-R	@ NQNA1 NQNA3 NQNA4
MSG35	021132-R	@ NQNA1 NQNA3 NQNA4
MSG36	021230-R	@ NQNA1 NQNA3 NQNA4
MSG37	021334-R	@ NQNA1 NQNA3 NQNA4
MSG38	021426-R	@ NQNA1 NQNA3 NQNA4
MSG39	021506-R	@ NQNA1 NQNA3 NQNA4
MSG40	021572-R	@ NQNA1 NQNA3 NQNA4
MSG41	021662-R	@ NQNA1 NQNA3 NQNA4
MSG42	021724-R	@ NQNA1 NQNA3 NQNA4
MSG43	022004-R	@ NQNA1 NQNA3 NQNA4
MSG44	022070-R	@ NQNA1 NQNA3 NQNA4
MSG45	022172-R	@ NQNA1 NQNA3 NQNA4
MSG46	022250-R	@ NQNA1 NQNA3 NQNA4
MSG47	022320-R	@ NQNA1 NQNA3 NQNA4
MSG48	022374-R	@ NQNA1 NQNA3 NQNA4
MSG49	022432-R	@ NQNA1 NQNA3 NQNA4
MSG50	022470-R	@ NQNA1 NQNA3 NQNA4
MSG51	022552-R	@ NQNA1 NQNA3 NQNA4
MSG52	022604-R	@ NQNA1 NQNA3 NQNA4
MSG53	022650-R	@ NQNA1 NQNA3 NQNA4
MSG54	022700-R	@ NQNA1 NQNA2 NQNA3 NQNA4
MSG55	022750-R	@ NQNA1 NQNA3 NQNA4
MSG56	023012-R	@ NQNA1 NQNA3 NQNA4
MSG57	023050-R	@ NQNA1 NQNA3 NQNA4

NQNA4

GLOBAL CROSS REFERENCE

CREP V02

SYMBOL	VALUE	REFERENCES...
MSG58	023140-R	• NQNA1 NQNA3 NQNA4
MSG59	023204-R	• NQNA1 NQNA3 NQNA4
MSG60	023316-R	• NQNA1 NQNA3 NQNA4
MSG61	023360-R	• NQNA1 NQNA3 NQNA4
MSG62	023422-R	• NQNA1 NQNA3 NQNA4
MSG63	023512-R	• NQNA1 NQNA3 NQNA4
MSG64	023606-R	• NQNA1 NQNA3 NQNA4
MSG65	023642-R	• NQNA1 NQNA3 NQNA4
MSG66	023706-R	• NQNA1 NQNA3 NQNA4
MSG67	023774-R	• NQNA1 NQNA3 NQNA4
MSG68	024076-R	• NQNA1 NQNA3 NQNA4
MSG69	024174-R	• NQNA1 NQNA3 NQNA4
MSG70	024274-R	• NQNA1 NQNA3 NQNA4
MSG71	024360-R	• NQNA1 NQNA3
NXM.IN	025050-R	• NQNA2 NQNA3
PHYS.A	013276-R	• NQNA1 NQNA3 NQNA4
PNT	001000	• NQNA1 • NQNA2
PREP.F	053012-R	NQNA3 • NQNA4
PRI	002000	• NQNA1 • NQNA2
PRI00	000000	• NQNA1 • NQNA2 NQNA3 NQNA4
PRI01	000040	• NQNA1 • NQNA2 NQNA3 NQNA4
PRI02	000100	• NQNA1 • NQNA2 NQNA3 NQNA4
PRI03	000140	• NQNA1 • NQNA2 NQNA3 NQNA4
PRI04	000200	• NQNA1 • NQNA2 NQNA3 NQNA4
PRI05	000240	• NQNA1 • NQNA2 NQNA3 NQNA4
PRI06	000300	• NQNA1 • NQNA2 NQNA3 NQNA4
PRI07	000340	• NQNA1 • NQNA2 NQNA3 NQNA4
PTRN.T	014370-R	• NQNA1 NQNA3
PWR.IN	054764-R	• CNQNAA NQNA3
P1	015360-R	• NQNA1 NQNA3 NQNA4
P2	015362-R	• NQNA1 NQNA3 NQNA4
P3	015364-R	• NQNA1 NQNA3 NQNA4
P4	015366-R	• NQNA1 NQNA3 NQNA4
P5	015370-R	• NQNA1
QST01	015402-R	• NQNA1 NQNA2
QST02	015432-R	• NQNA1 NQNA2
QST03	015462-R	• NQNA1 NQNA2
QST04	015524-R	• NQNA1 NQNA2
QST05	015566-R	• NQNA1 NQNA2
QST06	015630-R	• NQNA1 NQNA2
QST07	015672-R	• NQNA1 NQNA2
RBUF.L	015300-R	• NQNA1 NQNA3 NQNA4
RCV.BU	003276-R	• NQNA1 NQNA3 NQNA4
RCV.D.	002676-R	• NQNA1 NQNA3 NQNA4
RD13	015064-R	• NQNA1 NQNA3
REG.AD	015270-R	• NQNA1 NQNA2 NQNA3 NQNA4
RESET.	047040-R	NQNA2 NQNA3 • NQNA4
SEND.E	054024-R	NQNA3 • NQNA4
SEND.T	054172-R	NQNA3 • NQNA4
SETUP.	013324-R	• NQNA1 NQNA4
SET.RD	051712-R	NQNA3 • NQNA4
SET.XD	051770-R	NQNA3 • NQNA4

NQNA00 CREATED BY TKB ON 12 JUL 84 AT 13:16 PAGE 6

GLOBAL CROSS REFERENCE

CRE# V02

SYMBOL	VALUE	REFERENCES...
SP.TAB	002216-R	⊙ NQNA1
STATIO	014360-R	⊙ NQNA1 NQNA3 NQNA4
SWP.BL	002226-R	⊙ NQNA1 NQNA3 NQNA4
SWP.IL	002224-R	⊙ NQNA1 NQNA3 NQNA4
SWP.LB	002220-R	⊙ NQNA1 NQNA3
SWP.TA	015266-R	⊙ NQNA1 NQNA2 NQNA3 NQNA4
SWP.TI	002216-R	⊙ NQNA1 NQNA3 NQNA4
SWP.TO	002222-R	⊙ NQNA1 NQNA3 NQNA4
TADR1	015376-R	⊙ NQNA1 NQNA3 NQNA4
TADR2	015400-R	⊙ NQNA1 NQNA3 NQNA4
TARGET	014400-R	⊙ NQNA1 NQNA3 NQNA4
TBYTE1	015372-R	⊙ NQNA1 NQNA3 NQNA4
TBYTE2	015373-R	⊙ NQNA1 NQNA3 NQNA4
TBYTE3	015374-R	⊙ NQNA1 NQNA3 NQNA4
TBYTE4	015375-R	⊙ NQNA1 NQNA3 NQNA4
TD13	014760-R	⊙ NQNA1 NQNA3
TD16	014630-R	⊙ NQNA1 NQNA3
TEMP1	015336-R	CNQNAA ⊙ NQNA1 NQNA2 NQNA3 NQNA4
TEMP2	015340-R	⊙ NQNA1 NQNA2 NQNA3 NQNA4
TEMP3	015342-R	⊙ NQNA1 NQNA2 NQNA3 NQNA4
TEMP4	015344-R	⊙ NQNA1 NQNA2 NQNA3 NQNA4
TEMP5	015346-R	⊙ NQNA1 NQNA2 NQNA3 NQNA4
TEMP6	015350-R	CNQNAA ⊙ NQNA1 NQNA2 NQNA3 NQNA4
TEMP7	015352-R	⊙ NQNA1 NQNA2 NQNA3 NQNA4
TEMP8	015354-R	⊙ NQNA1 NQNA2 NQNA3 NQNA4
TEMP9	015356-R	⊙ NQNA1 NQNA2 NQNA3 NQNA4
TMP.IO	015332-R	⊙ NQNA1 NQNA2 NQNA3 NQNA4
TMP.RE	015334-R	⊙ NQNA1 NQNA2 NQNA3 NQNA4
TURN.0	054564-R	NQNA3 ⊙ NQNA4
T\$FREE	055060-R	⊙ NQNA5
T\$PTHV	000001	NQNA1 ⊙ NQNA5
T1	025534-R	NQNA1 ⊙ NQNA3
T10	035220-R	NQNA1 ⊙ NQNA3
T11	035550-R	NQNA1 ⊙ NQNA3
T12	037272-R	NQNA1 ⊙ NQNA3
T13	040514-R	NQNA1 ⊙ NQNA3
T14	041762-R	NQNA1 ⊙ NQNA3
T15	042212-R	NQNA1 ⊙ NQNA3
T16	044244-R	NQNA1 ⊙ NQNA3
T17	045112-R	NQNA1 ⊙ NQNA3
T18	045430-R	NQNA1 ⊙ NQNA3
T19	046000-R	NQNA1 ⊙ NQNA3
T2	026370-R	NQNA1 ⊙ NQNA3
T20	046500-R	NQNA1 ⊙ NQNA3
T3	027160-R	NQNA1 ⊙ NQNA3
T4	030226-R	NQNA1 ⊙ NQNA3
T5	031114-R	NQNA1 ⊙ NQNA3
T6	031626-R	NQNA1 ⊙ NQNA3
T7	034174-R	NQNA1 ⊙ NQNA3
T8	034432-R	NQNA1 ⊙ NQNA3
T9	034756-R	NQNA1 ⊙ NQNA3
UAM	000200	⊙ NQNA1 ⊙ NQNA2

NONAAO CREATED BY TKB ON 12-JUL-84 AT 13:16 PAGE 7

GLOBAL CROSS REFERENCE CREF V02

SYMBOL	VALUE	REFERENCES...
UP.COU	015310-R	• NONA1 NONA3 NONA4
VER.DE	047526-R	NONA3 • NONA4
WAIT.F	054746-R	• CNQNAA NONA3
WALKIN	052046-R	NONA3 • NONA4
WRT.ST	052610-R	NONA3 • NONA4
XBUF.L	015276-R	• NONA1 NONA3 NONA4
XC.FLA	015322-R	• NONA1 NONA3
XMIT.A	054340-R	NONA3 • NONA4
XMIT.B	007276-R	• NONA1 NONA3 NONA4
XMIT.D	003076-R	• NONA1 NONA3 NONA4
XMIT.I	054366-R	NONA3 • NONA4
XMIT.S	053556-R	NONA3 • NONA4
END.L	055062-R	• NONA5
SAVE2	054640-R	B16MUL • CNQNAA NONA3 NONA4
SAVE3	054654-R	• CNQNAA NONA3 NONA4
SAVE4	054672-R	• CNQNAA NONA2 NONA3
SAVE5	054712-R	B16MUL • CNQNAA