



Numerical Index

If you know the correct 5400, 7400, 9300 or 9600 device type number, find the correct page in the Numerical Index.

- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12

NUMERICAL INDEX OF DEVICES

DEVICE	DESCRIPTION	PAGE	DEVICE	DESCRIPTION	PAGE
4100	See 93400	9-1	54H30 (9H30)	Single 8-Input NAND Gate	5-69
4101	See 93401	9-27	5432 (9N32)	Quad 2-Input OR Gate	5-71
4102	See 93402	9-6	5437 (9N37)	Quad 2-Input NAND Gate/Buffer	5-72
4103	See 93403	9-10	5438 (9N38)	Quad 2-Input NAND Gate/Buffer (Open Collector)	5-72
4106	See 93406	9-13	5439 (9N39)	Quad 2-Input NAND Gate/Buffer (Open Collector)	5-74
5033	See 93407	9-23	5440 (9N40)	Dual 4-Input NAND Buffer	5-76
5400 (9N00)	Quad 2-Input NAND Gate	5-28	54H40 (9H40)	Dual 4-Input NAND Buffer	5-75
54H00 (9H00)	Quad 2-Input NAND Gate	5-25	54S40 (9S40)	Dual 4-Input NAND Buffer	5-77
54S00 (9S00)	Quad 2-Input NAND Gate	5-29	5442 (9352)	BCD to Decimal Decoder/Driver	8-183
5401 (9N01)	Quad 2-Input NAND Gate (Open Collector)	5-31	5443 (9353)	Excess-3 to Decimal Decoder	8-183
54H01 (9H01)	Quad 2-Input NAND Gate (Open Collector)	5-30	5444 (9354)	Excess-3 Gray to Decimal Decoder	8-183
5402 (9N02)	Quad 2-Input NOR Gate	5-32	5445 (9345)	1-of-10 Decoder	8-173
5403 (9N03)	Quad 2-Input NAND Gate (Open Collector)	5-33	5446 (9357A)	BCD to 7-Segment Decoder/Driver	8-191
*54S03 (9S03)	Quad 2-Input NAND Gate (Open Collector)	5-34	5447 (9357B)	BCD to 7-Segment Decoder/Driver	8-191
5404 (9N04)	Hex Inverter	5-38	5448 (9358)	BCD to 7-Segment Decoder	8-197
54H04 (9H04)	Hex Inverter	5-35	5449 (9359)	BCD to 7-Segment Decoder	8-197
54S04 (9S04)	Hex Inverter	5-39	5450 (9N50)	Dual AND/OR Gate Inverter/Expander	5-80
5405 (9N05)	Hex Inverter (Open Collector)	5-41	54H50 (9H50)	Dual AND/OR Gate Inverter/Expander	5-78
54H05 (9H05)	Hex Inverter (Open Collector)	5-40	5451 (9N51)	Dual 2-Input AND/OR Invert Gate	5-80
*54S05 (9S05)	Hex Inverter (Open Collector)	5-42	54H51 (9H51)	Dual 2-Input AND/OR Invert Gate	5-78
5406 (9N06)	Hex Inverter Buffer/Driver	5-43	54H52 (9H52)	2-2-2-3-Input AND/OR Gate	5-82
5407 (9N07)	Hex Buffer/Driver	5-44	5453 (9N53)	Expandable 4 Wide 2-Input AND/OR Invert Gate	5-86
5408 (9N08)	Quad 2-Input AND Gate	5-46	54H53 (9H53)	Expandable 2-2-2-3-Input AND/OR Invert Gate	5-84
54H08 (9H08)	Quad 2-Input AND Gate	5-45	5454 (9N54)	4 Wide 2-Input AND/OR Invert Gate	5-86
5409 (9N09)	Quad 2-Input AND Gate (Open Collector)	5-47	54H54 (9H54)	2-2-2-3-Input AND/OR Invert Gate	5-84
5410 (9N10)	Triple 3-Input NAND Gate	5-49	54H55 (9H55)	2 Wide 4-Input AND/OR Invert Gate	5-90
54H10 (9H10)	Triple 3-Input NAND Gate	5-48	5460 (9N60)	Dual 4-Input Expander	5-93
5411 (9N11)	Triple 3-Input AND Gate	5-51	54H60 (9H60)	Dual 4-Input Expander	5-92
54H11 (9H11)	Triple 3-Input AND Gate	5-50	54H61 (9H61)	Triple 3-Input Expander	5-94
5412 (9N12)	Triple 3-Input NAND Gate (Open Collector)	5-52	54H62 (9H62)	3-2-2-3-Input AND/OR Expander	5-95
5413 (9N13)	Dual 4-Input NAND Schmitt Trigger	5-53	54S64 (9S64)	4-2-3-2-Input AND/OR Invert Gate	5-96
5416 (9N16)	Hex Inverter Buffer/Driver	5-43	*54S65 (9S65)	4-2-3-2-Input AND/OR Invert Gate (Open Collector)	5-97
5417 (9N17)	Hex Buffer/Driver	5-44	5470 (9N70)	JK Edge Triggered Flip-Flop	5-98
5420 (9N20)	Dual 4-Input NAND Gate	5-56	54H71 (9H71)	JK M/S Flip-Flop	5-100
54H20 (9H20)	Dual 4-Input NAND Gate	5-55	5472 (9N72)	JK M/S Flip-Flop	5-104
54S20 (9S20)	Dual 4-Input NAND Gate	5-57	54H72 (9H72)	JK M/S Flip-Flop	5-102
54H21 (9H21)	High Speed AND Gate	5-58	5473 (9N73)	Dual JK M/S Flip-Flop	5-108
54H22 (9H22)	Dual 4-Input NAND Gate (Open Collector)	5-59	54H73 (9H73)	Dual JK M/S Flip-Flop	5-106
*54S22 (9S22)	Dual 4-Input NAND Gate (Open Collector)	5-60	5474 (9N74)	Dual D Flip-Flop	5-112
5423 (9N23)	Dual 4-Input NOR Gate w/Strobe	5-61	54H74 (9H74)	Dual D Flip-Flop	5-110
5425 (9N25)	Dual 4-Input NOR Gate w/Strobe	5-61			
5426 (9N26)	Quad 2-Input High Voltage NAND Gate	5-67			
5427 (9N27)	Triple 3-Input NOR Gate	5-68			
5430 (9N30)	Single 8-Input NAND Gate	5-70			

*To be announced.

NUMERICAL INDEX OF DEVICES

DEVICE	DESCRIPTION	PAGE	DEVICE	DESCRIPTION	PAGE
54S74 (9S74)	Dual D Flip-Flop	5-114	54181 (9341)	4-Bit ALU	8-153
5475 (9375)	4-Bit Latch	8-211	54S181 (93S41)	4-Bit ALU	8-158
5476 (9N76)	Dual JK M/S Flip-Flop	5-118	54182 (9342)	Carry Lookahead Unit	8-163
54H76 (9H76)	Dual JK M/S Flip-Flop	5-116	54S182 (93S42)	Carry Lookahead Unit	8-167
5477 (9377)	4-Bit Latch	8-211	54H183 (93H183)	Dual Full Adder	8-288
54H78 (9H78)	Dual JK M/S Flip-Flop	5-120	54187 (93406)	1024-Bit Read Only Memory	9-13
5480 (9380)	Full Adder	8-215	54190 (93190)	Up/Down Decade Counter	8-292
5481 (93407)	16-Bit Read/Write Memory	9-23	54191 (93191)	Up/Down Binary Counter	8-292
5482 (9382)	2-Bit Full Adder	8-221	54192 (9360)	Up/Down Decade Counter	8-203
5483 (9383)	4-Bit Full Adder	8-225	54193 (9366)	Up/Down Binary Counter	8-203
5486 (9N86)	Quad Exclusive OR Gate	5-124	54195 (9300)	4-Bit Universal Shift Register	8-1
54H87 (93H87)	4-Bit True/Complement 0/1 Element	8-232	*54S195 (93S00)	4-Bit Universal Shift Register	8-14
5488A (93434)	256-Bit Read Only Memory	9-36	*54196 (93196)	Decade Counter	8-297
5489 (93403)	64-Bit Read/Write Memory	9-10	*54197 (93197)	Binary Counter	8-297
5490 (9390)	Decade Counter	8-236	*54198 (93198)	8-Bit Shift Register	8-301
5491 (9391)	8-Bit Shift Register	8-240	55107	Dual Line Receiver	7-34
5492 (9392)	Divide by 12 Counter	8-244	55108	Dual Line Receiver	7-34
5493 (9393)	Binary Counter	8-248	55109	Dual Line Driver	7-35
5494 (9394)	4-Bit Shift Register	8-252	55110	Dual Line Driver	7-35
5495 (9395)	4-Bit Right/Left Shift Register	8-254	7400 (9N00)	Quad 2-Input NAND Gate	5-28
5496 (9396)	5-Bit Shift Register	8-259	74H00 (9H00)	Quad 2-Input NAND Gate	5-25
54H101 (9H101)	JK Edge Triggered Flip-Flop	5-126	74S00 (9S00)	Quad 2-Input NAND Gate	5-29
54H102 (9H102)	JK Edge Triggered Flip-Flop	5-128	7401 (9N01)	Quad 2-Input NAND Gate (Open Collector)	5-31
54H103 (9H103)	Dual JK Edge Triggered Flip-Flop	5-130	74H01 (9H01)	Quad 2-Input NAND Gate (Open Collector)	5-30
54104 (9000)	JK M/S Flip-Flop	5-14	7402 (9N02)	Quad 2-Input NOR Gate	5-32
54105 (9001)	JK M/S Flip-Flop	5-14	7403 (9N03)	Quad 2-Input NAND Gate (Open Collector)	5-33
54H106 (9H106)	Dual JK Edge Triggered Flip-Flop	5-132	74S03 (9S03)	Quad 2-Input NAND Gate (Open Collector)	5-34
54107 (9N107)	Dual JK M/S Flip-Flop	5-108	7404 (9N04)	Hex Inverter	5-38
54H108 (9H108)	Dual JK Edge Triggered Flip-Flop	5-134	74H04 (9H04)	Hex Inverter	5-35
54S112 (9S112)	Dual JK Edge Triggered Flip-Flop	5-138	74S04 (9S04)	Hex Inverter	5-39
54S113 (9S113)	Dual JK Edge Triggered Flip-Flop	5-140	7405 (9N05)	Hex Inverter (Open Collector)	5-41
54S114 (9S114)	Dual JK Edge Triggered Flip-Flop	5-142	74H05 (9H05)	Hex Inverter (Open Collector)	5-40
54121 (9603)	One-Shot Multivibrator	7-21	74S05 (9S05)	Hex Inverter (Open Collector)	5-42
54S140 (9S140)	Dual 4-Input Line Driver	5-144	7406 (9N06)	Hex Inverter Buffer/Driver	5-43
54145 (93145)	1-of-10 Decoder/Driver	8-173	7407 (9N07)	Hex Buffer/Driver	5-44
54150 (93150)	16-Input Multiplexer	8-265	7408 (9N08)	Quad 2-Input AND Gate	5-46
54151 (93151)	8-Input Multiplexer	8-265	74H08 (9H08)	Quad 2-Input AND Gate	5-45
54152 (93152)	8-Input Multiplexer	8-265	7409 (9N09)	Quad 2-Input AND Gate (Open Collector)	5-47
54153 (93153)	Dual 4-Input Multiplexer	8-272	7410 (9N10)	Triple 3-Input NAND Gate	5-49
54154 (9311)	1-of-16 Decoder	8-66	74H10 (9H10)	Triple 3-Input NAND Gate	5-48
54157 (9322)	Quad 2-Input Multiplexer	8-117	7411 (9N11)	Triple 3-Input AND Gate	5-51
54160 (9310)	Decade Counter	8-54	74H11 (9H11)	Triple 3-Input AND Gate	5-50
54161 (9316)	Binary Counter	8-54	7412 (9N12)	Triple 3-Input NAND Gate (Open Collector)	5-52
*54164 (93164)	8-Bit Serial to Parallel Converter	8-276	7413 (9N13)	Dual 4-Input NAND Schmitt Trigger	5-53
54165 (93165)	8-Bit Parallel to Serial Converter	8-279	7416 (9N16)	Hex Inverter Buffer/Driver	5-43
*54176 (93176)	BCD Decade Counter	8-282	7417 (9N17)	Hex Buffer/Driver	5-44
*54177 (93177)	Binary Counter	8-282			
*54178 (93178)	4-Bit Shift Register	8-283			
*54179 (93179)	4-Bit Shift Register	8-283			
54180 (93180)	8-Bit Parity Generator/Checker	8-284			

*To be announced.

NUMERICAL INDEX OF DEVICES

DEVICE	DESCRIPTION	PAGE	DEVICE	DESCRIPTION	PAGE
7420 (9N20)	Dual 4-Input NAND Gate	5-56	74H60 (9H60)	Dual 4-Input Expander	5-92
74H20 (9H20)	Dual 4-Input NAND Gate	5-55	74H61 (9H61)	Triple 3-Input Expander	5-94
74S20 (9S20)	Dual 4-Input NAND Gate	5-57	74H62 (9H62)	3-2-2-3-Input AND/OR Expander	5-95
74H21 (9H21)	High Speed AND Gate	5-58	74S64 (9S64)	4-2-3-2-Input AND/OR Invert Gate	5-96
74H22 (9H22)	Dual 4-Input NAND Gate (Open Collector)	5-59	74S65 (9S65)	4-2-3-2-Input AND/OR Invert Gate (Open Collector)	5-97
74S22 (9S22)	Dual 4-Input NAND Gate (Open Collector)	5-60	7470 (9N70)	JK Edge Triggered Flip-Flop	5-98
7423 (9N23)	Dual 4-Input NOR Gate w/Strobe	5-61	74H71 (9H71)	JK M/S Flip-Flop	5-100
7425 (9N25)	Dual 4-Input NOR Gate w/Strobe	5-61	7472 (9N72)	JK M/S Flip-Flop	5-104
7426 (9N26)	Quad 2-Input High Voltage NAND Gate	5-67	74H72 (9H72)	JK M/S Flip-Flop	5-102
7427 (9N27)	Triple 3-Input NOR Gate	5-68	7473 (9N73)	Dual JK M/S Flip-Flop	5-108
7430 (9N30)	Single 8-Input NAND Gate	5-70	74H73 (9H73)	Dual JK M/S Flip-Flop	5-106
74H30 (9H30)	Single 8-Input NAND Gate	5-69	7474 (9N74)	Dual D Flip-Flop	5-112
7432 (9N32)	Quad 2-Input OR Gate	5-71	74H74 (9H74)	Dual D Flip-Flop	5-110
7437 (9N37)	Quad 2-Input NAND Gate/Buffer	5-72	74S74 (9S74)	Dual D Flip-Flop	5-114
7438 (9N38)	Quad 2-Input NAND Gate/Buffer (Open Collector)	5-72	7475 (9375)	4-Bit Latch	8-211
7439 (9N39)	Quad 2-Input NAND Gate/Buffer (Open Collector)	5-74	7476 (9N76)	Dual JK M/S Flip-Flop	5-118
7440 (9N40)	Dual 4-Input Buffer	5-76	74H76 (9H76)	Dual JK M/S Flip-Flop	5-116
74H40 (9H40)	Dual 4-Input Buffer	5-75	7477 (9377)	4-Bit Latch	8-211
74S40 (9S40)	Dual 4-Input Buffer	5-77	74H78 (9H78)	Dual JK M/S Flip-Flop	5-120
7441 (9315)	1-of-10 Decoder/Driver	8-95	7480 (9380)	Full Adder	8-215
7442 (9352)	BCD to Decimal Decoder/Driver	8-183	7481 (93407)	16-Bit Read/Write Memory	9-23
7443 (9353)	Excess 3 to Decimal Decoder	8-183	7482 (9382)	2-Bit Full Adder	8-221
7444 (9354)	Excess 3 Gray to Decimal Decoder	8-183	7483 (9383)	4-Bit Full Adder	8-225
7445 (9345)	1-of-10 Decoder	8-173	7486 (9N86)	Quad Exclusive OR Gate	5-124
7446 (9357A)	BCD to 7-Segment Decoder/Driver	8-191	74H87 (93H87)	4-Bit True/Complement 0/1 Element	8-232
7447 (9357B)	BCD to 7-Segment Decoder/Driver	8-191	7488A (93434)	256-Bit Read Only Memory	9-36
7448 (9358)	BCD to 7-Segment Decoder	8-197	7489 (93403)	64-Bit Read/Write Memory	9-10
7449 (9359)	BCD to 7-Segment Decoder	8-197	7490 (9390)	Decade Counter	8-236
7450 (9N50)	Dual AND/OR Gate Inverter/Expander	5-80	7491 (9391)	8-Bit Shift Register	8-240
74H50 (9H50)	Dual AND/OR Gate Inverter/Expander	5-78	7492 (9392)	Divide by 12 Counter	8-244
7451 (9N51)	Dual 2-Input AND/OR Invert Gate	5-80	7493 (9393)	Binary Counter	8-248
74H51 (9H51)	Dual 2-Input AND/OR Invert Gate	5-78	7494 (9394)	4-Bit Shift Register	8-252
74H52 (9H52)	2-2-2-3-Input AND/OR Gate	5-82	7495 (9395)	4-Bit Right/Left Shift Register	8-254
7453 (9N53)	Expandable 4 Wide 2-Input AND/OR Invert Gate	5-86	7496 (9396)	5-Bit Shift Register	8-259
74H53 (9H53)	Expandable 2-2-2-3-Input AND/OR Invert Gate	5-84	74H101 (9H101)	JK Edge Triggered Flip-Flop	5-126
7454 (9N54)	4 Wide 2-Input AND/OR Invert Gate	5-86	74H102 (9H102)	JK Edge Triggered Flip-Flop	5-128
74H54 (9H54)	2-2-2-3-Input AND/OR Invert Gate	5-84	74H103 (9H103)	Dual JK Edge Triggered Flip-Flop	5-130
74H55 (9H55)	2 Wide 4-Input AND/OR Invert Gate	5-90	74104 (9000)	JK M/S Flip-Flop	5-14
7460 (9N60)	Dual 4-Input Expander	5-93	74105 (9001)	JK M/S Flip-Flop	5-14
			74H106 (9H106)	Dual JK Edge Triggered Flip-Flop	5-132
			74107 (9N107)	Dual JK M/S Flip-Flop	5-108
			74H108 (9H108)	Dual JK Edge Triggered Flip-Flop	5-134
			74S112 (9S112)	Dual JK Edge Triggered Flip-Flop	5-138
			74S113 (9S113)	Dual JK Edge Triggered Flip-Flop	5-140
			74S114 (9S114)	Dual JK Edge Triggered Flip-Flop	5-142
			74121 (9603)	One-Shot Multivibrator	7-21
			74S140 (9S140)	Dual 4-Input Line Driver	5-144
			74141 (93141)	BCD to Decimal Decoder/Driver	8-261

NUMERICAL INDEX OF DEVICES

DEVICE	DESCRIPTION	PAGE	DEVICE	DESCRIPTION	PAGE
74145 (93145)	1-of-10 Decoder/Driver	8-173	9S03 (54/74S03)	Quad 2-Input NAND Gate (Open Collector)	5-34
74150 (93150)	16-Input Multiplexer	8-265	9004	Dual 4-Input NAND Gate	5-2
74151 (93151)	8-Input Multiplexer	8-265	9H04 (54/74H04)	Hex Inverter	5-35
74152 (93152)	8-Input Multiplexer	8-265	9L04	Hex Inverter	5-36
74153 (93153)	Dual 4-Input Multiplexer	8-272	9N04 (54/7404)	Hex Inverter	5-38
74154 (9311)	1-of-16 Decoder	8-66	9S04 (54/74S04)	Hex Inverter	5-39
74157 (9322)	Quad 2-Input Multiplexer	8-117	9S04A	Hex Inverter	5-39
74160 (9310)	Decade Counter	8-54	9005	Dual AND/OR Invert Gate/Expander	5-5
74161 (9316)	Binary Counter	8-54	9H05 (54/74H05)	Hex Inverter (Open Collector)	5-40
*74164 (93164)	8-Bit Serial to Parallel Converter	8-276	9N05 (54/7405)	Hex Inverter (Open Collector)	5-41
74165 (93165)	8-Bit Parallel to Serial Converter	8-279	9S05 (54/74S05)	Hex Inverter (Open Collector)	5-42
*74176 (93176)	BCD Decade Counter	8-282	9S05A	Hex Inverter (Open Collector)	5-42
*74177 (93177)	Binary Counter	8-282	9006	Dual 4-Input Expander	5-5
*74178 (93178)	4-Bit Shift Register	8-283	9N06 (54/7406)	Hex Inverter Buffer/Driver	5-43
*74179 (93179)	4-Bit Shift Register	8-283	9007	8-Input NAND Gate	5-2
74180 (93180)	8-Bit Parity Generator/Checker	3-284	9N07 (54/7407)	Hex Buffer/Driver	5-44
74181 (9341)	4-Bit ALU	8-153	9008	2-2-2-3-Input AND/OR Invert Gate	5-5
74S181 (93S41)	4-Bit ALU	8-158	9H08 (54/74H08)	Quad 2-Input AND Gate	5-45
74182 (9342)	Carry Lookahead Unit	8-163	9N08 (54/7408)	Quad 2-Input AND Gate	5-46
74S182 (93S42)	Carry Lookahead Unit	8-167	9009	Dual 4-Input NAND Buffer	5-9
74H183 (93H183)	Dual Full Adder	8-288	9N09 (54/7409)	Quad 2-Input AND Gate (Open Collector)	5-47
74187 (93406)	1024-Bit Read Only Memory	9-13	9H10 (54/74H10)	Triple 3-Input NAND Gate	5-48
74190 (93190)	Up/Down Decade Counter	8-292	9N10 (54/7410)	Triple 3-Input NAND Gate	5-49
74191 (93191)	Up/Down Binary Counter	8-292	9H11 (54/74H11)	Triple 3-Input AND Gate	5-50
74192 (9360)	Up/Down Decade Counter	8-203	9N11 (54/7411)	Triple 3-Input AND Gate	5-51
74193 (9366)	Up/Down Binary Counter	8-203	9012	Quad 2-Input NAND Gate (Open Collector)	5-2
74195 (9300)	4-Bit Universal Shift Register	8-1	9N12 (54/7412)	Triple 3-Input NAND Gate (Open Collector)	5-52
*74S195 (93S00)	4-Bit Universal Shift Register	8-14	9N13 (54/7413)	Dual 4-Input NAND Schmitt Trigger	5-53
*74196 (93196)	Decade Counter	8-297	9014	Quad Exclusive OR Gate	5-11
*74197 (93197)	Binary Counter	8-297	9015	2-2-2-4-Input NOR Gate	5-13
*74198 (93198)	8-Bit Shift Register	8-301	9016	Hex Inverter	5-2
75107	Dual Line Receiver	7-34	9N16 (54/7416)	Hex Inverter Buffer/Driver	5-43
75108	Dual Line Receiver	7-34	9017	Hex Inverter (Open Collector)	5-2
75109	Dual Line Driver	7-35	9N17 (54/7417)	Hex Buffer/Driver	5-44
75110	Dual Line Driver	7-35	9020	Dual JK Flip-Flop	5-14
75450	Dual Peripheral Driver	7-36	9H20 (54/74H20)	Dual 4-Input NAND Gate	5-55
9000 (54/74104)	JK M/S Flip-Flop	5-14	9N20 (54/7420)	Dual 4-Input NAND Gate	5-56
9H00 (54/74H00)	Quad 2-Input NAND Gate	5-25	9S20 (54/74S20)	Dual 4-Input NAND Gate	5-57
9L00	Quad 2-Input NAND Gate	5-26	9H21 (54/74H21)	High Speed AND Gate	5-58
9N00 (54/7400)	Quad 2-Input NAND Gate	5-28	9022	Dual JK M/S Flip-Flop	5-14
9S00 (54/74S00)	Quad 2-Input NAND Gate	5-29	9H22 (54/74H22)	Dual 4-Input NAND Gate (Open Collector)	5-59
9001 (54/74105)	JK M/S Flip-Flop	5-14	9S22 (54/74S22)	Dual 4-Input NAND Gate (Open Collector)	5-60
9H01 (54/74H01)	Quad 2-Input NAND Gate (Open Collector)	5-30	9N23 (54/7423)	Dual 4-Input NOR Gate w/Strobe	5-61
9N01 (54/7401)	Quad 2-Input NAND Gate (Open Collector)	5-31	9024	Dual JK Flip-Flop	5-22
9002	Quad 2-Input NAND Gate	5-2			
9N02 (54/7402)	Quad 2-Input NOR Gate	5-32			
9003	Triple 3-Input NAND Gate	5-2			
9N03 (54/7403)	Quad 2-Input NAND Gate (Open Collector)	5-33			

*To be announced.

NUMERICAL INDEX OF DEVICES

DEVICE	DESCRIPTION	PAGE	DEVICE	DESCRIPTION	PAGE
9L24	Dual JK Flip-Flop	5-63	9N74 (54/7474)	Dual D Flip-Flop	5-112
9N25 (54/7425)	Dual 4-Input NOR Gate w/Strobe	5-61	9S74 (54/74S74)	Dual D Flip-Flop	5-114
9N26 (54/7426)	Quad 2-Input High Voltage NAND Gate	5-67	9H76 (54/74H76)	Dual JK M/S Flip-Flop	5-116
9N27 (54/7427)	Triple 3-Input NOR Gate	5-68	9N76 (54/7476)	Dual JK M/S Flip-Flop	5-118
9H30 (54/74H30)	Single 8-Input NAND Gate	5-69	9H78 (54/74H78)	Dual JK M/S Flip-Flop	5-120
9N30 (54/7430)	Single 8-Input NAND Gate	5-70	9L86	Quad Exclusive OR Gate	5-122
9N32 (54/7432)	Quad 2-Input OR Gate	5-71	9N86 (54/7486)	Quad Exclusive OR Gate	5-124
9033	See 93433	9-23	9H101 (54/74H101)	JK Edge Triggered Flip-Flop	5-126
9034	See 93434	9-36	9H102 (54/74H102)	JK Edge Triggered Flip-Flop	5-128
9035	See 93435	9-39	9H103 (54/74H103)	Dual JK Edge Triggered Flip-Flop	5-130
9N37 (54/7437)	Quad 2-Input NAND Gate/Buffer	5-72	9H106 (54/74H106)	Dual JK Edge Triggered Flip-Flop	5-132
9N38 (54/7438)	Quad 2-Input NAND Gate/Buffer (Open Collector)	5-72	9N107 (54/74107)	Dual JK M/S Flip-Flop	5-108
9N39 (54/7439)	Quad 2-Input NAND Gate/Buffer (Open Collector)	5-74	9H108 (54/74H108)	Dual JK Edge Triggered Flip-Flop	5-134
9H40 (54/74H40)	Dual 4-Input Buffer	5-75	9S109	Dual JK Flip-Flop	5-136
9N40 (54/7440)	Dual 4-Input Buffer	5-76	9S112 (54/74S112)	Dual JK Edge Triggered Flip-Flop	5-138
9S40 (54/74S40)	Dual 4-Input Buffer	5-77	9S113 (54/74S113)	Dual JK Edge Triggered Flip-Flop	5-140
9H50 (54/74H50)	Dual AND/OR Invert Gate/Expander	5-78	9S114 (54/74S114)	Dual JK Edge Triggered Flip-Flop	5-142
9N50 (54/7450)	Dual AND/OR Invert Gate/Expander	5-80	9S140 (54/74S140)	Dual 4-Input Line Driver	5-144
9H51 (54/74H51)	Dual 2-Input AND/OR Invert Gate	5-78	9300	4-Bit Shift Register	8-1
9N51 (54/7451)	Dual 2-Input AND/OR Invert Gate	5-80	93H00	4-Bit Shift Register	8-6
9H52 (54/74H52)	2-2-2-3-Input AND/OR Gate	5-82	93L00	4-Bit Shift Register	8-10
9H53 (54/74H53)	Expandable 2-2-2-3-Input AND/OR Invert Gate	5-84	*93S00	4-Bit Shift Register	8-14
9N53 (54/7453)	Expandable 4 Wide 2-Input AND/OR Invert Gate	5-86	9301	1-of-10 Decoder	8-15
9H54 (54/74H54)	2-2-2-3-Input AND/OR Invert Gate	5-84	93L01	1-of-10 Decoder	8-18
9L54	2-2-2-3-Input AND/OR Invert Gate	5-88	9302	1-of-10 Decoder (Open Collector)	8-21
9N54 (54/7454)	4 Wide 2-Input AND/OR Invert Gate	5-86	9304	Dual Full Adder	8-24
9H55 (54/74H55)	2 Wide 4-Input AND/OR Invert Gate	5-90	9305	Variable Modulo Counter	8-28
9H60 (54/74H60)	Dual 4-Input Expander	5-92	93S05	Variable Modulo Counter	8-33
9N60 (54/7460)	Dual 4-Input Expander	5-93	9307	7-Segment Decoder	8-34
9H61 (54/74H61)	Triple 3-Input Expander	5-94	9308	Dual 4-Bit Latch	8-38
9H62 (54/74H62)	3-2-2-3-Input AND/OR Expander	5-95	93L08	Dual 4-Bit Latch	8-43
9S64 (54/74S64)	4-2-3-2-Input AND/OR Invert Gate	5-96	9309	Dual 4-Input Multiplexer	8-47
9S65 (54/74S65)	4-2-3-2-Input AND/OR Invert Gate (Open Collector)	5-97	93L09	Dual 4-Input Multiplexer	8-51
9N70 (54/7470)	JK Edge Triggered Flip-Flop	5-98	9310	Decade Counter	8-54
9H71 (54/74H71)	JK M/S Flip-Flop	5-100	93L10	Decade Counter	8-60
9H72 (54/74H72)	JK M/S Flip-Flop	5-102	*93S10	Decade Counter	8-65
9N72 (54/7472)	JK M/S Flip-Flop	5-104	9311	1-of-16 Decoder	8-66
9H73 (54/74H73)	Dual JK M/S Flip-Flop	5-106	93L11	1-of-16 Decoder	8-69
9N73 (54/7473)	Dual JK M/S Flip-Flop	5-108	9312	8-Input Multiplexer	8-72
9H74 (54/74H74)	Dual D Flip-Flop	5-110	93L12	8-Input Multiplexer	8-76
			*93S12	8-Input Multiplexer	8-79
			9313	8-Input Multiplexer (Open Collector)	8-80
			9314	4-Bit Latch	8-85
			93L14	4-Bit Latch	8-90
			9315	1-of-10 Decoder/Driver	8-95
			9316	4-Bit Binary Counter	8-54
			93L16	4-Bit Binary Counter	8-60
			*93S16	4-Bit Binary Counter	8-65
			9317B	7-Segment Decoder/Driver	8-98
			9317C	7-Segment Decoder/Driver	8-98

*To be announced.

NUMERICAL INDEX OF DEVICES

DEVICE	DESCRIPTION	PAGE	DEVICE	DESCRIPTION	PAGE
9318	8-Input Priority Encoder	8-103	9394 (54/7494)	4-Bit Shift Register	8-252
93L18	8-Input Priority Encoder	8-107	9395 (54/7495)	4-Bit Right/Left Shift Register	8-254
9321	Dual 1-of-4 Decoder	8-111	9396 (54/7496)	5-Bit Shift Register	8-259
93L21	Dual 1-of-4 Decoder	8-114	93141 (74141)	BCD to Decimal Decoder/Driver	8-261
9322	Quad 2-Input Multiplexer	8-117	93145 (54/74145)	1-of-10 Decoder/Driver	8-173
93L22	Quad 2-Input Multiplexer	8-121	93150 (54/74150)	16-Input Multiplexer	8-265
9324	5-Bit Comparator	8-124	93151 (54/74151)	8-Input Multiplexer	8-265
93L24	5-Bit Comparator	8-128	93152 (54/74152)	8-Input Multiplexer	8-265
9328	Dual 8-Bit Shift Register	8-131	93153 (54/74153)	Dual 4-Input Multiplexer	8-272
93L28	Dual 8-Bit Shift Register	8-135	*93164 (54/74164)	8-Bit Serial to Parallel Converter	8-276
9334	8-Bit Addressable Latch	8-138	93165 (54/74165)	8-Bit Parallel to Serial Converter	8-279
9338	8-Bit Multiport Register	8-142	*93176 (54/74176)	BCD Decade Counter	8-282
*93S39	8-Bit Multiport Register	8-147	*93177 (54/74177)	Binary Counter	8-282
9340	4-Bit ALU	8-148	*93178 (54/74178)	4-Bit Shift Register	8-283
			*93179 (54/74179)	4-Bit Shift Register	8-283
9341 (54/74181)	4-Bit ALU	8-153	93180 (54/74180)	8-Bit Parity Generator/Checker	8-284
93S41	4-Bit ALU	8-158	93H183 (54/74H183)	Dual Full Adder	8-288
9342 (54/74182)	Carry Lookahead Unit	8-163	93190 (54/74190)	Up/Down Decade Counter	8-292
93S42	Carry Lookahead Unit	8-167	93191 (54/74191)	Up/Down Binary Counter	8-292
9344	4-Bit by 2-Bit Multiplier	8-168	*93196 (54/74196)	Decade Counter	8-297
9345 (54/7445)	1-of-10 Decoder	8-173	*93197 (54/74197)	Binary Counter	8-297
9348	12-Input Parity Checker/Generator	8-177	*93198 (54/74198)	8-Bit Shift Register	8-301
			93400	256-Bit Read/Write Memory	9-1
9350	Decade Counter	8-180	93400B	256-Bit Read/Write Memory	9-1
9352 (54/7442)	BCD to Decimal Decoder	8-183	93401	Decoder/Driver for 93400	9-1
9353 (54/7443)	Excess 3 to Decimal Decoder	8-183	93402	16-Bit CAM	9-6
9354 (54/7444)	Excess 3 Gray to Decimal Decoder	8-183	93403 (54/7489)	64-Bit Read/Write Memory	9-10
			93406 (54/74187)	1024-Bit Read Only Memory	9-13
9356	Binary Counter	8-188	93407 (54/7481)	16-Bit Read/Write Memory	9-23
9357A (54/7446)	BCD to 7-Segment Decoder/Driver	8-191	93410	256-Bit Read/Write Memory	9-27
			93415	1024-Bit Read/Write Memory	9-32
9357B (54/7447)	BCD to 7-Segment Decoder/Driver	8-191	93433	16-Bit Read/Write Memory	9-23
			93434 (54/7488A)	256-Bit Read Only Memory	9-35
9358 (54/7448)	BCD to 7-Segment Decoder	8-197	93435	64-Bit Read/Write Memory	9-38
9359 (54/7449)	BCD to 7-Segment Decoder	8-197	9600	One-Shot Multivibrator	7-1
9360 (54/74192)	Up/Down Decade Counter	8-203	9601	One-Shot Multivibrator	7-6
*93S62	9-Bit Parity Checker/Generator	8-206	9602	Dual One-Shot Multivibrator	7-11
9366 (54/74193)	Up/Down Binary Counter	8-203	96L02	Dual One-Shot Multivibrator	7-16
93H72	4-Bit Shift Register	8-207	9603 (54/74121)	One-Shot Multivibrator	7-21
9375 (54/7475)	4-Bit Latch	8-211	9614	Dual Line Driver	7-25
9377 (54/7477)	4-Bit Latch	8-211	9615	Dual Line Receiver	7-26
9380 (54/7480)	Full Adder	8-215	9616	EIA Line Driver	7-27
9382 (54/7482)	2-Bit Full Adder	8-221	9617	EIA Line Receiver	7-28
9383 (54/7483)	4-Bit Full Adder	8-225	9620	Dual Line Receiver	7-29
9386	Quad Exclusive NOR/Comparator	8-230	9621	Dual Line Driver	7-30
93H87 (54/74H87)	4-Bit True/Complement 0/1 Element	8-232	9622	Dual Line Receiver	7-31
			9624	Dual TTL to MOS Interface	7-32
9390 (54/7490)	Decade Counter	8-236	9625	Dual MOS to TTL Interface	7-32
9391 (54/7491)	8-Bit Shift Register	8-240	9644	Dual High Voltage High Current Driver	7-33
9392 (54/7492)	Divide by 12 Counter	8-244			
9393 (54/7493)	Binary Counter	8-248			

*To be announced.