J2120B DTC Manager/UX Version A.14.4C.020 for HP-UX 10.20 Release Notes

J2120-90035
HP 9000 Networking
E0698

Printed in: United States
© Copyright 1998 Hewlett-Packard Company.

Legal Notices

The information in this document is subject to change without notice.

Hewlett-Packard makes no warranty of any kind with regard to this manual, including, but not limited to, the implied warranties of merchantability and fitness for a particular purpose. Hewlett-Packard shall not be held liable for errors contained herein or direct, indirect, special, incidental or consequential damages in connection with the furnishing, performance, or use of this material.

Warranty. A copy of the specific warranty terms applicable to your Hewlett- Packard product and replacement parts can be obtained from your local Sales and Service Office.

Restricted Rights Legend. Use, duplication or disclosure by the U.S. Government is subject to restrictions as set forth in subparagraph (c) (1) (ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.227-7013 for DOD agencies, and subparagraphs (c) (1) and (c) (2) of the Commercial Computer Software Restricted Rights clause at FAR 52.227-19 for other agencies.

HEWLETT-PACKARD COMPANY
3000 Hanover Street
Palo Alto, California 94304
U.S.A.

Use of this manual and flexible disk(s) or tape cartridge(s) supplied for this pack is restricted to this product only. Additional copies of the programs may be made for security and back-up purposes only. Resale of the programs in their present form or with alterations, is expressly prohibited.

Copyright Notices. ©copyright 1983-98 Hewlett-Packard Company, all rights reserved.

Reproduction, adaptation, or translation of this document without prior written permission is prohibited, except as allowed under the copyright laws.

©copyright 1979, 1980, 1983, 1985-93 Regents of the University of California

This software is based in part on the Fourth Berkeley Software Distribution under license from the Regents of the University of California.

©copyright 1980, 1984, 1986 Novell, Inc.
©copyright 1986-1992 Sun Microsystems, Inc.
©copyright 1985-86, 1988 Massachusetts Institute of Technology.
©copyright 1989-93 The Open Software Foundation, Inc.
©copyright 1986 Digital Equipment Corporation.
©copyright 1990 Motorola, Inc.
©copyright 1990, 1991, 1992 Cornell University
©copyright 1989-1991 The University of Maryland
©copyright 1988 Carnegie Mellon University.

Trademark Notices UNIX is a registered trademark of The Open Group.

X Window System is a trademark of the Massachusetts Institute of Technology.

MS-DOS and Microsoft are U.S. registered trademarks of Microsoft Corporation.

OSF/Motif is a trademark of the Open Software Foundation, Inc. in the U.S. and other countries.

Contents

1. J2120B DTC Manager/UX Version A.14.4C.020 for HP-UX 10.20 Release Notes

What's in this Version 9
Benefits 9
Features 9
Known Problems and Workarounds 10
Compatibility and Installation Requirements 11
Patches and Fixes in this Version 12
Native Language Support 13
Manuals Available for this Version. 14

Contents

1 J2120B DTC Manager/UX Version A.14.4C.020 for HP-UX 10.20 Release Notes

This document describes version A.14.4C.020 of the J2120B DTC Manager/UX software running on HP-UX 10.20.

What's in this Version

Version A.14.4C.020 of the DTC Manager / UX software supports HP 9000 series 700 and HP 9000 series 800 systems running HP-UX release 10.20.

Benefits

Version A.14.4C.020 of the DTC Manager/UX software contains new features and bug fixes.

Features

This section summarizes changes and functional enhancements that have been made to the DTC Manager / UX since version A.14.4A.020. These changes are as follows:

- improvement in formatting DTC configuration list
- re-ARP

  The DTC now flushes its ARP cache in case of MC/ServiceGuard local switching.

Known Problems and Workarounds

There is no known problem for this version.

Compatibility and Installation Requirements

Migration is supported from the following versions of the DTC Manager/UX from:

- A.14.3B or A.143B.B00 (PHNE_11116) running on HP-UX 9.04,
- A.14.2C or A.14.2C.C00 (PHNE_11117) running on HP-UX 10.01,
- A.14.2C or A.14.4A.010 running on HP-UX 10.10,
- A.14.3A or A.14.4A.020 running on HP-UX 10.20.

CAUTION You cannot migrate directly from DTC Manager/UX version A.14.3B or A.14.3B.B00 to version A.14.4C.020.You must first migrate to HP-UX 10.01 and install DTC Manager/UX version A.14.2C. Then, migrate to HP-UX 10.20 and install DTC Manager/UX version A.14.4C.020.

To update your system, you must install DTC Manager/UX version A.14.4C.020 using the swinstall utility. The swinstall program allows you to select which components of the software you want to install (RunTime, Minimum RunTime, Manual Pages).

It is recommended to install all the components of the product.

Please refer to *Using the HP DTC Manager/UX* (J2120B-62000) and/or the man pages for swinstall.

Supported terminals:

The standard terminal 700/65 replaces the 700/96 Block-mode terminal as the supported/recommended console for the HP 9000. To use this terminal with the DTC Manager/UX, use VT100 or VT220 terminal emulation. Function keys are accessed by pressing the <Control> and <F> keys simultaneously, followed by the number of the function key (range: 1 to 8). For example, to access <F5>, press <Control + F> + <5>.

Patches and Fixes in this Version

The following Service Requests have been fixed in the DTC Manager/UX version A.14.4C.020 since A.14.4A.020:

#1653-228684	DTCs do not detect re-ARP from MC/Service Guard local switching
#4701-385278	Bad behavior of dtcmodifyconfs with the Hardware Handshake parameter
#5003-365064	Inter-byte timer/Escape sequence read termination inconsistent

Native Language Support

This product is only available in English.

Manuals Available for this Version

The following manuals are available for DTC Manager/UX, version A.14.4C.020:

- *Using the HP DTC Manager/UX* (J2120-62000)
- *HP DTC Technical Reference Guide* (5961-9820)
- *Managing MC/Service Guard* (B3936-90005)
- *DTC Device File Access Utilities and Telnet Port Identification* (B1014-90012)