

**IBM System/3
Model 10
Disk System
Operator's Guide**

Preface

This manual provides the information needed to operate the IBM System/3 Model 10 Disk System, Program Number 5702SC1. Operation of Program Products 5702AS1, 5702RG1, 5702SM1, and 5702UT1 is also in this manual. Chapter 1 provides an introduction. Chapters 2 through 8 describe the operating equipment and the function and use of the equipment. Chapters 9 through 11 describe system operation, program operation on the system and system generation. Familiarity with Chapters 1 through 8 is necessary before proceeding to the remaining chapters.

Note: In this publication, there are some references to support 64K bytes of main storage. A System/3 Model 10 with a 64K processing unit is available only as an RPQ. Your IBM Marketing Representative can inform you about this.

The following manuals contain additional information about the IBM System/3 Model 10 Disk System:

IBM System/3 Disk System Introduction, GC21-7510

IBM System/3 Model 10 Disk System Operation Control Language and Disk Utilities Reference Manual, GC21-7512

IBM System/3 Sort/Collate and Card Utilities Reference Manual, SC21-7529

IBM System/3 Card and Disk System Components Reference Manual, GA21-9103

IBM System/3 Model 10 Disk System Halt Guide, GC21-7540

IBM System/3 Disk System RPG II Reference Manual, SC21-7504

IBM System/3 Disk Sort Reference Manual, SC21-7522

IBM System/3 Disk System Basic Assembler Program Reference Manual, SC21-7509

IBM 1403 Printer Component Description, GA24-3073

Third Edition (March 1972)

This is a major revision of, and obsoletes, GC21-7508-1 and Technical Newsletters GN21-7559, GN21-7581, GN21-7582, and GN21-7597. It is revised to include descriptions of the 1442 Card Read Punch as the only card input device and the IBM 5445 Disk Storage Drive. This manual is revised extensively and should be reread in its entirety.

This edition applies to version 06, modification 00 of IBM System/3 Model 10 Disk System (Program Number 5702-SC1), and to all subsequent versions, and modification levels until otherwise indicated in new editions or Technical Newsletters. Changes are continually made to the specifications herein; before using this publication in connection with the operation of IBM Systems, consult the latest IBM System/3 Newsletter, GN20-2228, for the editions that are applicable and current.

Requests for copies of IBM publications should be made to your IBM representative or to the IBM branch office serving your locality.


A Reader's Comment Form is at the back of this publication. If the form is gone, address your comments to IBM Corporation, Publications, Department 245, Rochester, Minnesota 55901.

Contents

<p>CHAPTER 1. YOU AND SYSTEM/3 1</p> <p>Introduction 2</p> <p>Program Run Sheet 4</p> <p>CHAPTER 2. IBM 5410 PROCESSING UNIT</p> <p>CONTROLS AND INDICATORS 7</p> <p>System Controls and Indicators 8</p> <p> System Control Panel 9</p> <p> Emergency Power Off and Meter Panel 10</p> <p> Processing Unit Display Panel 11</p> <p> Customer Engineer Control Panel 12</p> <p> Disk Panel 13</p> <p> Dual Program Control Panel 14</p> <p> Binary Synchronous Communications</p> <p> Adapter Panel 15</p> <p>CHAPTER 3. IBM 5424 MULTI-FUNCTION</p> <p>CARD UNIT 17</p> <p>MFCU Controls and Indicators 18</p> <p>Clearing a Card Jam 19</p> <p>Changing the MFCU Print Ribbon 24</p> <p> Removal 24</p> <p> Installation 27</p> <p>Emptying the MFCU Chip Box 30</p> <p>CHAPTER 4. IBM 5203 PRINTER 31</p> <p>Printer Controls and Indicators 32</p> <p>Loading Forms in the Printer 34</p> <p>Changing the Printer Ribbon 44</p> <p> Removal 44</p> <p> Installation 48</p> <p>Changing the Print Chain Cartridge 50</p> <p> Removal 50</p> <p> Installation of 48-Character LC Print Arrangement</p> <p> Chain 54</p> <p> Installation of UCS Cartridge 56</p> <p>CHAPTER 5. IBM 5440 DISK CARTRIDGE AND IBM</p> <p>5444 DISK STORAGE DRIVE 61</p> <p>Mounting a 5440 Disk Cartridge 62</p> <p>Removing a 5440 Disk Cartridge 66</p> <p>CHAPTER 6. IBM 2316 DISK CARTRIDGE AND IBM</p> <p>5445 DISK STORAGE DRIVE 71</p> <p>Disk Controls and Indicators 72</p> <p>Mounting a 2316 Disk Cartridge 73</p> <p>Removing a 2316 Disk Cartridge 75</p>	<p>CHAPTER 7. IBM 5471 PRINTER-KEYBOARD 79</p> <p>Use of the Printer-Keyboard 80</p> <p>Removing the Typeball 82</p> <p>Replacing the Typeball 82</p> <p>Adjusting the Impression Selector 83</p> <p>Removing the Fabric Ribbon Cartridge 84</p> <p>Installing a Fabric Ribbon Cartridge 85</p> <p>Placing Forms in the Printer-Keyboard 87</p> <p>CHAPTER 8. IBM 1442 CARD READ PUNCH 89</p> <p>1442 Controls and Indicators 90</p> <p>Clearing a Card Jam 92</p> <p> Indications 92</p> <p> Removing Cards from the Card Feed Path 92</p> <p>1442 Power On and Ready Procedures 96</p> <p>1442 Last Card Procedures 96</p> <p>CHAPTER 9. SYSTEM OPERATION 97</p> <p>Using the 1442 as the Only Card Input Device 98</p> <p>Preparing System for Program Operation 98</p> <p> Clear Cards from the MFCU 98</p> <p> Place Forms in the Printer 98</p> <p> Perform IPL (Initial Program Load) 98</p> <p>Clearing I/O Attention 102</p> <p>Using the Console Error Log Sheet 102</p> <p>Stopping a Job Before it is Completed 102</p> <p>Using the Machine Covers for Safety 104</p> <p>Turning System Power Off 104</p> <p>Restoring System Power 106</p> <p> PWR CHK Light Only 106</p> <p> PWR CHK and TH CHK Lights 106</p> <p> No Lights 106</p> <p>Core Storage Dump 106</p> <p> Considerations Before Taking a Core Storage Dump 106</p> <p>Dual Programming Operation 107</p> <p> Procedures 107</p> <p> Procedures for Canceling Jobs 108</p> <p>CHAPTER 10. PROGRAM OPERATION 109</p> <p>Operation Control Language (OCL) Consideration 110</p> <p> // DATE Statement 110</p> <p> // READER Statement 110</p> <p> // LOG Statement 110</p> <p> // LOAD Statement 110</p> <p> // RUN Statement 111</p> <p> // SWITCH Statement 111</p> <p> // NOHALT Statement 111</p> <p> // HALT Statement 111</p> <p> // PAUSE Statement 111</p> <p> // CALL Statement 111</p>
--	---

// FILE Statement	111	APPENDIX A. IMAGE STATEMENT	195
// PARTITION Statement	111	Description of the IMAGE Statement	195
// COMPILE Statement	111	// IMAGE Parameters	195
// FORMS Statement	111	Using the IMAGE Statement to Change the Chain	
// IMAGE Statement	111	Image when Performing System Generation	196
// PUNCH Statement	111	Procedures for Selecting IMAGE Statement	
RPG II Program	112	and Data Cards at System Generation Time	199
Compilation	112		
Object Program Execution	114		
Executing an RPG II I-Type Program	116		
Interrupting an RPG II Object Program	116	APPENDIX B. SORT/COLLATE MESSAGES	201
BSC Programs	118	APPENDIX C. RPG II SAMPLE PROGRAM	209
Compilation	118	Preparing the Sample Programs for	
Execution	118	Compilation	209
Device Counter Logout Program	120	Compiling the SAMPL1 Program	210
Card Utilities	122	Compiling the SAMPL2 Program	210
96-List Program	123	Executing the SAMPL1 Program	210
96-96 Reproduce and Interpret Program	124	Executing the SAMPL2 Program	210
Restart Procedure	124		
Reformat Data Card	126	APPENDIX D. PROBLEM DETERMINATION	219
MFCU Sort/Collate Program	128	Performing Problem Determination	219
Sort Operating Procedure	130	Halts	219
Data Recording Program	134	Processor Checks	219
Program Load Procedure	134	System Loops	219
Data Verifying Program	135		
Program Load Procedure	135	APPENDIX E. DETERMINING LIBRARY SIZE	231
Disk Sort Program	136	Determining File Space	232
Basic Assembler Program	138	Generating Two System Packs	232
Execution of a Basic Assembler Object Program	139		
Disk Utility Programs	140	APPENDIX F. PROCEDURES FOR APPLYING	
Operating Procedures	140	PROGRAM TEMPORARY FIXES	235
Operating Procedures for Library Maintenance		Considerations Before Applying PTFs	235
Utility Program	142	Applying the PTF	235
Use of Checkpoint/Restart and Execution of a			
Checkpoint Program	144	INDEX	237
Checkpoint Accepted	144		
Removing Cards Prior to Restarting a			
Checkpoint Program	144		
Restarting a Checkpointed Program	144		
CHAPTER 11. SYSTEM GENERATION	147		
System Generation Procedures	148		
Preparing for System Generation	148		
Backing Up Your Resident System	149		
System Control Program (SCP) Generation	150		
Program Product Generation	177		
Completing System Generation and Installation			
Verification	185		
Building a Program Pack	192		

- Introduction
- Program Run Sheet



55239A

INTRODUCTION

This manual tells you how to operate the IBM System/3 Model 10 Disk System and provides instructions for running the system programs. Some of the things you must be able to do are:

- Load paper forms in the printer.
- Clear cards from the multi-function card unit (MFCU).
- Clear cards from the 1442 Card Read Punch.
- Mount and remove disk cartridges.
- Operate the system.
- Perform error recovery procedures for halts.

Figure 1 summarizes typical responsibilities of a system operator. This figure also shows the source of the items you need to do the job.




Figure 1. System/3 Operator Responsibilities

PROGRAM RUN SHEET

Information concerning the nature of each program and what is required of you as the operator to run that program can be supplied on the program run sheet. Figure 2 shows a program run sheet. This sheet is provided to you by the programmer.

The program run sheet indicates:

- The disk cartridge to mount.
- The forms to use in the printer.
- The input device to use.
- The Operation Control Language (OCL) statements used (found on back of sheet).
- Any special procedures that are not normally performed but necessary with this program.
- RPG II programmed halts to be used.

**IBM SYSTEM/3 DISK SYSTEM
PROGRAM RUN SHEET**

Application _____ Date _____
 Program Name _____ Number _____ Programmer _____

JOB PREPARATION

MFCU: Primary Hopper Secondary Hopper	Description and Source of Card Files
DISK: Removable 1 Removable 2	Description of Disk Cartridges and/or Files
PRINTER: Form Number Form Name	Description of Form

JOB COMPLETION

MFCU: Stacker 1 Stacker 2 Stacker 3 Stacker 4	Destination of Card Files
DISK: Removable 1 Removable 2	Disposition of Cartridges
PRINTER: Burst? ____ Decollate? ____	Distribution of Forms

RPG PROGRAMMED HALTS

Halt Code	Halt Meaning	Action Required
H1		
H2		
H3		
H4		
H5		
H6		
H7		
H8		
H9		


SPECIAL INSTRUCTIONS

Form No. GX21-9122
Printed In USA

Figure 2 (Part 1 of 2). Program Run Sheet (Front)

Chapter 2. IBM 5410 Processing Unit Controls and Indicators

- System Controls and Indicators
- System Control Panel
- Emergency Power Off and Meter Panel
- Processing Unit Display Panel
- Customer Engineer Control Panel
- Disk Panel
- Dual Program Control Panel
- Binary Synchronous Communications Adapter Panel



55239A

SYSTEM CONTROLS AND INDICATORS

Each System/3 processing unit has lights, keys, and switches that are used for communication between you and the system. Lights indicate conditions existing in a device or in the system. Keys and switches are used to control operation of the system. Functions of the lights, keys, and switches on the processing unit are discussed in this chapter.

Controls and indicators for the processing unit are located on a large panel called the console (Figure 3). Although this panel is divided into several smaller panels, you will be concerned primarily with the system control panel, disk panel, and the dual program control panel if you have this feature. The processing unit displays and Customer Engineer controls are used primarily by the Customer Engineer when he services the system.




Figure 3. System Console Controls

53298A

System Control Panel

The controls and indicators on the system control panel (Figure 4), along with those on the MFCU and the printer panels, are the means by which you operate the system.

Message Display Unit: This two-position display unit, at the top of the system control panel, displays characters whenever a programmed halt occurs. Characters that can be displayed are: A, C, E, F, H, J, L, P, U, Y, quote ('), dash (-), blank, and 0 through 9.

The display unit is not used if you have the Dual Programming Feature (DPF). The message display units on the DPF panel have the same function.

The *IBM System/3 Model 10 Disk System Halt Guide*, GC21-7540, lists all System/3 Disk System program halts.

PROCESSOR CHECK Light: This light comes on when an error occurs in the processing unit. The error is displayed on the processing unit display panel. All processor checks are reset and PROCESSOR CHECK turns off when you perform the initial program load (IPL) process.

I/O ATTENTION Light: This light comes on when the program requests any input/output device to do something and that device is not ready to do it. Some causes are:

1. Printer is out of forms.
2. MFCU or 1442 hopper is empty; stacker or chip box is full.
3. Disk is not up to speed.

Additional indicators on the device guide you to the exact cause of a not-ready condition. I/O ATTENTION goes off when the condition is corrected. Instructions for clearing I/O ATTENTION are included in *Chapter 9. System Operation*.

POWER ON/OFF Switch: This switch controls power to all units on the system. It is effective when (1) the emergency pull switch is in its normal position, (2) the TH CHK (thermal check) indicator is not lit, and (3) the PWR CHK (power check) indicator is not lit. The thermal and power check indicators are located on the processing unit display panel.

PROGRAM LOAD Key: This key is used when you perform the initial program load process. This key is pressed after you have selected the device from which you will perform IPL (either the fixed or removable disk on drive 1, or the MFCU). When you press this key, the IPL program begins and the programs necessary to run your jobs are loaded into storage.

START Key: When you press START, it allows the system to continue normal operation. Use START only after (1) a programmed halt (non-DPF system) or (2) after you have pressed console STOP. Do not press START at any other time. If your system has DPF, use the appropriate HALT/RESET key rather than START to restart a program following a programmed halt.

STOP Key/Light: When you press STOP, it causes the system to stop after completing the current operation. The STOP light is lit as soon as processing stops. You restart the system by pressing START.




Figure 4. System Control Panel

55023

Emergency Power Off and Meter Panel

EMERGENCY PULL Switch: This switch, as its name implies, should be used only under unusual circumstances. Once the emergency pull switch is pulled, system power cannot be turned on until the Customer Engineer has reset the switch. Information in storage may be destroyed when the emergency pull is used. Data on disks can also be destroyed by this operation.

Usage Meter: This meter records the time used to process programs and data. The meter records all the time that the processing unit is in operation from the time the console START (HALT/RESET if you have DPF), or PROGRAM LOAD is pressed, until the job is complete.

The emergency power off and meter panel is illustrated in Figure 5.




Figure 5. Emergency Power Off and Meter Panel

55024

Processing Unit Display Panel

The lights on this panel (Figure 6) indicate system status and are mainly for Customer Engineer (CE) use.

ADDRESS/DATA Switches: These switches are used to indicate an address or data. Switch settings can be tested by the program in operation, can be entered into storage, or can cause a storage location to be displayed by the register display unit.

LAMP TEST Key: When you press this key, all indicator lights on all units on the system are lit.

Register Display Unit: This display unit consists of a row of 20 lights and an eight-position rotary switch. The lights display processing unit status and contents of main registers (intermediate storage areas). Any of eight different areas can be selected for display.

Cycle Control Display: The 12 indicator lights labeled MACHINE CYCLE and the 10 indicator lights labeled CLOCK identify the processing cycle just completed.

INT LEV Light: This lamp is lit when an interrupt level is being serviced. Some system devices, such as the printer-keyboard, operate on interrupt levels.

TH CHK Light: The thermal check light is lit whenever the temperature of the processing unit or printer electronics exceed the limit set for normal operation. The thermal check light is also lit by a loss of external power to the system. In both cases, power in the system shuts off and the TH CHK and PWR CHK (power check) lights are lit. For recovery procedures, see *Restoring System Power* in chapter 9.

PWR CHK Light: The power check light is lit by:

1. Loss of voltage or overvoltage condition in the processing unit. (The TH CHK light is not lit.)
2. Thermal condition in the processing unit or printer electronics. (The TH CHK light is lit.)
3. Loss of external power to the system. (The TH CHK light is lit.)

In all three cases power in the system shuts off. For recovery procedures, see *Restoring System Power* in chapter 9.




Figure 6. Processing Unit Display Panel

55025

Customer Engineer Control Panel

The switches, lights, and dials on this panel (Figure 7) are used primarily by the Customer Engineer to service the system.

I/O CHECK Switch: When this switch is set at STOP, the processing unit comes to an immediate stop if an input or output error occurs. The system displays show the status of the system at the time the error occurred. The I/O check, however, is normally set at RUN. This means the system will not stop if an input or output error occurs unless instructed to do so by the program in operation. In this case, the system displays do not reflect conditions at the time the error occurred.

PARITY CHECK Switch: This switch is normally set at STOP. It causes the processing unit to stop when a parity error is detected and the error is displayed. When the switch is set at RUN, parity errors are detected and displayed in the register display unit (8 PROC CHK), but the system is not stopped.

STORAGE TEST Switch: This switch allows the CE to alter or display storage.

ADDR INCREM Switch: This switch is used by the CE to control a counter that increments the storage address register. This switch is effective only when the system is in the CE test modes of alter or display storage.

ADDR COMPARE Switch: This switch enables the CE to stop the program when the contents of the storage address register (SAR) matches the setting of the address/data switches. The ADDRESS COMPARE light also turns on when these addresses match. The CE mode selector switch must be set at PROCESS and the register display unit must be set at 1 SAR HI for the ADDR COMPARE switch to be effective.

P1 and P2 Switches: These two switches enable the CE to control selection of program 1 or program 2 for use in the dedicated mode (only one program can run in the system). These two switches are on for normal operation of the DPF system. These switches should never be changed unless the system is stopped. A processor check will occur if these switches are changed while the system is running.

I/O OVERLAP Switch: This switch enables the CE to control system input/output operations. When in the normal ON position, input and output operations are executed at the same time the processing unit is doing other operations. When this switch is at OFF, each input/output operation must be completed before any other processing occurs.

ADDRESS COMPARE Light: This light turns on when an address compare occurs (see *ADDR COMPARE Switch*)

I/O CHECK Light: This light turns on when certain errors occur in an input or output device. It is turned off when the SYSTEM RESET key or CHECK RESET key is pressed, or the input/output device error condition is corrected.

CE KEY Switch: This switch is operated by the customer engineer to prevent recording time on the customer usage meter. It allows the CE meter to run when the system is being serviced.


SYSTEM RESET Key: When the SYSTEM RESET key is pressed, the system enters an idle state. All input/output and machine registers, controls, and indicators are reset. A program must be reloaded after a system reset. The CE mode selector switch must be set at PROCESS for the SYSTEM RESET key to be effective.

CHECK RESET Key: When this key is pressed, all current error conditions in the processing unit and input/output devices are cleared. The system resumes normal operation when console START (HALT/RESET if you have DPF) is pressed. The CHECK RESET key is also used to reset a power check.

BSCA STEP Key: This key is used for BSCA testing. The key is effective only when BSCA is in the test mode and step mode.

FILE WRITE Switch: When this switch is at OFF, write operations cannot be performed on the disk.

BSCA LOCAL TEST Switch: This switch is used for testing BSCA on systems that have high speed data sets. For normal operation, the switch is in the OFF position. The switch is present only if you have high speed data sets.



(CE Use Meter)

55227

Figure 7. Customer Engineer Control Panel

LSR DISPLAY SELECTOR: This rotary switch selects the area of internal storage to be displayed by the register display unit.

CE MODE SELECTOR: This rotary switch selects one of the three processing modes: process, step, or test. Process is the mode for normal system operation. In step mode, one of three settings can be used to control the way in which the program is executed. The test mode settings are used by the CE to display or alter storage.

Disk Panel

The disk panel (Figure 8) consists of a rotary switch (to indicate the initial program load device) and controls and indicators that control the disk and indicate the status of the disk.

PROGRAM LOAD SELECTOR Switch: This rotary switch is used to select the unit from which you initiate IPL. The **FIXED DISK** and **REMOVABLE DISK** positions refer to drive 1 only (top drawer). You cannot IPL from the 1442 Card Read Punch.

START/STOP Switches: These switches (one for each drive) turn the disk drive power on or off when system power is on. With the switch at **OFF** and the **OPEN** light on, the drawer can be opened and the removable disk can be replaced.




Figure 8. Disk Panel

55226

READY Lights: These lights (one for each drive) are on when the disk drive is ready for use. If you try to use the drive before this light is on, I/O ATTENTION on the console turns on.

OPEN Lights: These lights (one for each disk drive) indicate that the associated disk drive drawer can be opened for changing the removable disk. This light is on when the START/STOP switch is placed at STOP and the disk has come to a stop.

Dual Program Control Panel

Your system can have the Dual Programming Feature (DPF). This feature enables the system to have two programs in storage at the same time. The dual program control panel (Figure 9) contains switches, lights, and keys used to initiate and control the running of two completely different programs.

Message Display Unit (Program 1 and 2): Whenever a programmed halt occurs, a combination of the letters in the appropriate DPF message display unit is displayed: A, C, E, F, H, J, L, P, U, or Y, quote ('), dash (-), blank, and 0 through 9. The displayed characters are used to identify the halt. In the dual programming mode, both display units can be lit at the same time. The PROCESS light determines which program is in control. The HALT/RESET key is used to take a program out of its programmed halt.

PROCESS Lights (Program 1 and 2): These lights indicate which program level (program 1 or 2) is currently being used. When the PROCESS light for program 1 is on, program level 1 is being used. When the PROCESS light for program 2 is on, program level 2 is being used.

HALT/RESET Keys (Program 1 and 2): HALT/RESET is used to take a program (1 or 2) out of its programmed halt. When the correct HALT/RESET key is pressed, (PROCESS light is lit) the message display unit for that program is cleared and the program continues normal operation.

DUAL PROGRAM CONTROL Switch: This switch is only used in conjunction with the INTERRUPT key. When you press the INTERRUPT key, the system expects the input for the job to be supplied from one of three possible devices selected by you: MFCU, auxiliary device (AUX), or printer-keyboard (P-KB). The MFCU position on the panel refers to the primary hopper of the MFCU as the input device. The input device related to the AUX and P-KB positions on the panel are selected when system generation is performed. If you are using the 1442 as the only input device, you must assign the 1442 as an auxiliary device (AUX). For information on which devices can be selected for the AUX and P-KB positions, see Chapter 11. System Generation. The CANCEL position allows you to cancel the job for the program (1 or 2) selected. See Chapter 9. System Operation for information on cancelling jobs.




Figure 9. Dual Program Control Panel

55228

INTERRUPT Key/Light: INTERRUPT is pressed when you want to initiate or cancel a job. The key is effective only when the INTERRUPT light is lit. This key is used in conjunction with the DUAL PROGRAM CONTROL switch. INTERRUPT is lit when you are operating in the DPF mode.

Binary Synchronous Communications Adapter Panel

The binary synchronous communications adapter (BSCA) panel (Figure 10) contains the lights and a switch to indicate and control the status of telecommunication processing.

Lights

The following text describes the lights you are concerned with when running BSCA programs:

BSCA ATTN: This light turns on when BSCA is addressed and one of the following conditions is present:

- A data set is not ready.
- Auto call unit power is off.
- Data line is being used.
- BSCA is disabled.
- External test switch is in the TEST position and BSCA is not in the test mode.

The I/O ATTENTION light on the console is also on whenever the BSCA ATTN light is on.

DT TERM READY: This light turns on when BSCA is enabled and the data terminal is ready for use.

DT SET READY: This light turns on when the data set ready line from the data set is on and the data set is ready for use.

TEST MODE: This light turns on when a program places BSCA in the test mode of operation. The light is used only when diagnostic programs are run.




Figure 10. BSCA Panel

55027A

EXT TEST SW: For medium speed data sets, this light turns on when the switch on the cable is in the TEST position. For high-speed data sets, this light is on when the local test switch on the CE panel is in the on position. This light is used only when diagnostic programs are run.

TSM MODE: This light turns on whenever data is being transmitted.

CLEAR TO SEND: This light turns on to indicate that the BSCA hardware may now transmit.

TSM TRIGGER: This light indicates the instantaneous value of the data being transmitted.

RECEIVE MODE: This light turns on when a receive operation is taking place.

CHAR PHASE: This light turns on when BSCA has established character synchronism with the transmitting station and is receiving data. The light is turned off when character synchronism is lost or when receive operations have ended.

RECEIVE TRIGGER: This light indicates the instantaneous value of the data being received.

RECEIVE INITIAL: This light turns on at the initiation of a receive operation and turns off at the end of the initiation operation.

BUSY: This light turns on when BSCA is executing a receive initial, transmit and receive, autocall, or receive only operation.

UNIT CHECK: This light turns on when the BSCA program should enter an error recovery procedure.

CONTROL MODE: This light is used only on systems that have multipoint nonswitched network feature installed. The light is turned on when the control station finishes data transfer with a remote terminal. It is turned off when the control station initiates data transfer with a different remote terminal.

DATA MODE: This light turns on during a transmit or receive operation when data is being checked for errors. It is turned off at the end of the transmit or receive operation.

DIGIT PRESENT: This light is used only on systems that have the autocall feature installed. This light is turned on when a digit is being dialed by the autocall unit.

ACU PWR OFF: This light turns on when the power for the autocall unit is off.

CALL REQUEST: This light turns on when an autocall operation is being performed.


DT LINE IN USE: This light turns on when autocall is being performed, or TALK has been pressed on the data phone while the phone is off the receiver.

Switches

RATE SELECT: This switch is present only on systems that have the rate select feature installed. The switch controls the rate at which data is transmitted and received. The switch must be set so the transmission rate of both terminals is identical.

Chapter 3. IBM 5424 Multi-Function Card Unit

- MFCU Controls and Indicators
- Clearing a Card Jam
- Changing the MFCU Print Ribbon
- Emptying the MFCU Chip Box



55239A

MFCU CONTROLS AND INDICATORS

The lights and keys that you use to communicate with the MFCU are on the front of the MFCU.

Lights

There are thirty lights on the top part of the MFCU operator's panel. Twenty of these are numbered and identify the position of cards within the MFCU when a feed check occurs (see *Clearing a Card Jam*). A description of the other lights on the MFCU panel are as follows:

SEC: The last card was fed from the secondary hopper.

PRI: The last card was fed from the primary hopper.

RD: There was a read check on the last card read. The SEC or PRI light indicates which hopper the card came from.

HPR: A card did not feed from the selected hopper. The SEC or PRI light indicates which hopper failed to feed a card.

NPRO: The card paths are not clear. This light also comes on when the system is turned on. To turn the light off, press the NPRO key twice after turning on the system. The hoppers must be empty for the NPRO key to be effective.

STKR: One of the four stackers is full. You can turn this light off by removing the cards from the stacker and pressing START or NPRO.

CHIP: The chip box is either full or out of the machine. To turn the light off, correct the condition and press START or NPRO.

CVR: The top covers are open or not securely latched. To turn the light off, close the covers and press START or NPRO.

SECONDARY READY: The secondary feed path is ready for operation.


PRIMARY READY: The primary feed path is ready for operation.

Keys

NPRO (Nonprocess Runout): Press this key to clear cards from the MFCU. Make sure the card hoppers are empty. Press the key twice to clear both the primary and secondary card paths. The primary feed path is cleared first. Both feed paths empty into stacker 1.

START: Press this key to place the MFCU in a ready condition. One or both card feeds are readied, depending on whether cards are in the hoppers and the card paths are clear. Use of the START key does not cause cards to feed from the hoppers.

STOP: Press this key to indicate to the system that the MFCU should stop after it completes the current operation. The ready lights turn off.



55027

Customer Engineering Aids

If you press the LAMP TEST key on the processing unit console, you will see two additional indicators on the MFCU panel. They are labeled A and B. These lamps are CE diagnostic aids and are not lit during normal system operations.

CLEARING A CARD JAM

The following procedure tells you how to remove cards from the MFCU card paths.

The program recovery procedure—what to do with the cards to continue program operations—are listed under the F0 and F1 halts in the *IBM System/3 Model 10 Disk System Halt Guide*, GC21-7540.

Indications

A misfeed or card jam in the MFCU is indicated by any or all of the following:

- F0 or F1 halt in the console message display unit.
- MFCU ready lights are off.

- A number (1 to 20) is lit on the MFCU operator's panel.
- NPRO light is on.

The numbers on the MFCU operator's panel indicate where in the card paths the trouble occurred. When a misfeed or jam occurs, write the number down in your console log book. If the same number occurs repeatedly, the MFCU needs service.

When the card paths are cleared, press NPRO twice to turn off the error indicator on the MFCU operator's panel.

Removing Cards From the Card Feed Paths

The MFCU card paths are shown in Figure 11. The numbers refer to the photographs that show how to remove a card from a particular place in the card path.




Figure 11. MFCU Card Paths


- ① To open the MFCU top covers, lift latch to release cover. Pivot outer and inner top covers towards front of machine.



ART: 55028

- ② To remove a card from the hopper station, press down on latch and raise cover. Close cover when station is cleared.

If a card will not come out, free it by turning the feed drive wheel (see item ④).




ART: 55029

3

To remove a card from a wait station, open spring-loaded cover and remove card.

Primary Wait


Secondary Wait



ART: 55030

4


To remove a card from the punch unit, turn feed drive wheel clockwise to advance card.



ART: 55031

5


To remove a card from the corner station, pull back on latch to open cover. Close cover when station is cleared.



ART: 55032

6

To remove a card from the print unit, turn shaft counter-clockwise to unlock print unit. Tip unit towards front of MFCU. Lock print unit when station is cleared.




ART: 55033

7

To clear a stacker jam, raise spring-loaded cover over stackers and remove jammed cards.

If card will not come out, open top covers and free it by turning the feed wheel drive (see preceding item 4).

Never remove cards from the stackers while the MFCU is running.




ART: 55034

CHANGING THE MFCU PRINT RIBBON


Removal

- 1 Open MFCU top covers. Lift latch to release cover. Pivot outer and inner top covers towards front of machine.



ART: 55042


- 2 Raise print unit. Turn shaft counterclockwise to unlock. Tip unit towards front of MFCU.



ART: 55035

3

Slide ribbon out of ribbon drive. Pull ribbon back towards ribbon drive to get slack.




ART: 55036

4


Squeeze split shaft holding ribbon cartridge and pull cartridge off shaft.

Split Shaft



ART: 55037


- 5** Slip ribbon out from under guide plate and front and rear rollers and remove ribbon cartridge from machine.



ART: 55038


Installation

- 1 Snap new ribbon cartridge in place. The ribbon feeds down from the back of the cartridge.




ART: 55037

- 2 Slip ribbon into ribbon drive.



ART: 55036


- 3** Position ribbon under guide plate and under front and back guide.



ART: 55039

- 4** Turn knob on ribbon drive counterclockwise to take up slack in ribbon.

Note: Apply light pressure with one finger under the ribbon during the take-up operation. No folds should be allowed to feed into the ribbon cartridge. When the take-up operation is complete, check the ribbon path to ensure there are no folds in the ribbon and the ribbon is not wrapped around any of the guides or rolls.




ART: 55040

- ⑤ Close and lock print unit.
- ⑥ Close MFCU top covers.
- ⑦ Press and hold NPRO key to feed ribbon. Release NPRO key.

Raise top cover to see if ribbon is feeding properly. If ribbon is feeding properly, close top cover and resume program operations.


EMPTYING THE MFCU CHIP BOX

- 1 Open MFCU top cover. Lift latch to release cover. Pivot outer top cover towards front of machine.



ART: 55028

- 2 Lift chip box up and out towards front of machine.



- 3 Empty chip box.


- 4 Replace chip box.

- 5 Close MFCU top cover.

- 6 Press MFCU START to turn off CVR and CHIP lights on MFCU operator's panel.

ART: 55041

- Printer Controls and Indicators
- Loading Forms in the Printer
- Changing the Printer Ribbon
- Changing the Print Chain Cartridge




55239A


Note: You can use the 1403 Printer in place of the 5203 Printer. For a description and operating procedures of the 1403 Printer see *IBM 1403 Printer Component Description*, GA24-3073.

PRINTER CONTROLS AND INDICATORS

The lights and keys you use for communication with the printer are located on a panel on the printer. This panel contains four keys and four lights (six keys when the dual-feed carriage is installed).



Printer Operator's Panel (Single-Feed Carriage)



Printer Operator's Panel (Dual-Feed Carriage)

Lights

READY Light: The READY light indicates that the printer is ready to print. When the light is on, the system has control of the printer. At this time, you cannot use CARRIAGE SPACE and CARRIAGE RESTORE keys.

The READY light turns on when you press START if no interlock and check conditions exist and there are forms in the printer. The READY light turns off if you press the STOP key, or if an interlock, check, or end-of-forms condition occurs.

CHECK Light: The CHECK light turns on when the system detects a condition that prevents or impairs print operations. The CHECK light turns off if you correct the error condition and press the START key.

INTERLOCK Light: The INTERLOCK light turns on when either of the following conditions exist:

1. Chain interlock. This condition occurs when the rear unit is open. The chain motor starts only when the rear unit is properly closed.
2. Chute interlock. This condition occurs when the forms chute is not pivoted back to the feed position.

The INTERLOCK light turns off when you correct the condition causing the interlock and press the START key.

FORMS Light: The FORMS light is turned on when about 14 inches (356 mm) of paper remains below the print line. When this light comes on, the printer finishes printing the current form and skips to the next form. As line 1 of the new form is detected, the READY light turns off. The paper stops at the first print line of the new form. No more printing can be done until new forms are loaded in the printer.

Note: For printers with dual-feed carriage, the READY light turns off when line 1 of the new form of either carriage is detected. The paper stops at the first print line of the new form for one of the carriages. No more printing can be done until new forms are loaded in the printer.

To restart, load new forms, using the forms loading procedure. It is not necessary to use the CARRIAGE RESTORE or CARRIAGE SPACE. Position the new form at the same line where the old form stopped. Press START to continue.

Note: For printers with dual-feed carriage, check to see that the form that caused the FORMS light to turn on is at line 1. If it is at line 1, load new forms using the preceding procedure. Press START to continue.

Keys

START Key: When you press this key, it indicates to the system that the printer has been prepared for operation. If the printer is ready, READY turns on.

STOP Key: When you press the STOP key, it indicates to the system that the printer should stop after it completes the current print operation. The READY light turns off. If you press the STOP key during a manual restore operation, the forms stop immediately.

CARRIAGE RESTORE Keys: When you press the CARRIAGE RESTORE key, the forms advance to the first print line of a new form. If your printer has the dual-feed carriage, LEFT CAR. RESTORE restores the left carriage and RIGHT CAR. RESTORE restores the right carriage.

The restore keys are operational only when the printer is not ready. If READY is on, you must press the STOP key before the forms can be restored. The carriage restore keys can be used when the rear unit is open.

CARRIAGE SPACE Keys: When you press the CARRIAGE SPACE key, the forms advance one space. If your printer has a dual-feed carriage, LEFT CAR. SPACE moves the left carriage and RIGHT CAR. SPACE moves the right carriage.

The space keys are operational only when the printer is not ready. If READY is on, you must press the printer STOP key before the forms can be spaced. The carriage space keys can be used when the rear unit is open.


LOADING FORMS IN THE PRINTER

- 1 Open printer top cover.



ART: 55047

- 2 Tip rear unit back.




ART: 55048

- 3** Open forms tractors and position them for forms you are using. The tractors move easily when they are open.

Note: When full width forms, card stock, or envelopes are used, dummy tractors (clip-ons) must be installed between the tractors used to move the form. Dummy tractors ensure proper forms feeding. Up to three dummy tractors may be used.

Dummy Tractors (Clip-Ons)



ART: 55049

- 4** Open sliding door and pull forms chute forward to forms loading position.



ART: 55050

- 5 Position forms and feed first form up forms chute. On multiple-copy forms, the dull side of the carbon should be towards you.



ART: 55051


- 6 Pull forms up and lay them back across tractor assembly. Place forms in form tractors, making certain that tractors keep tension across forms.



ART: 55052


(System power must be on to perform the following steps.)

- 7 Feed forms back under pressure rollers using carriage restore key.




ART: 55053

- 8 Position the pressure rollers on the forms so the outside edges of the rollers are aligned approximately with the center of the pin feed holes. Use only two rollers on a form (one on each side). To prevent ink smudging, the rollers must be outside the print area. To prevent the rollers from possibly pulling the tear strip off the forms, the rollers should overlap the perforation of the tear strip.




ART: 55054

- 9** Set pressure roller tension for forms you are using. See recommendation label on ribbon cover.



ART: 55055

- 10** Activate pressure rollers to check if forms are pulled back evenly. The rollers should not turn when they are set against paper. If a roller continues to turn, move it right or left until it drops against paper.




ART: 55056

- 11 Disengage carriage clutch of carriage you are using. (Set the space select lever to the center position.)

Left Carriage Clutch


Right Carriage Clutch
(Dual Feed Carriage Only)



ART: 55057

- 12 Advance forms using vertical adjustment knob (ϕ) until crease between forms is aligned with upper scribe line on forms guide.

This procedure aligns forms for printing first line.



ART: 55058

13

Press appropriate carriage restore key.

14

Engage carriage clutch. (Set space select lever to six or eight lines per inch.)

15

Tip ribbon shield back against forms. Use tractor lateral adjustment knob (←→) to align forms with print positions. Close ribbon shield.

Note: Printers with dual feed carriage. The tractor lateral adjustment knob moves both sets of tractors at the same time. One form can be adjusted as described above. However, the other form must be laterally adjusted by physically moving the tractors to align the form with the print position.


Do not leave unused tractors against edge of carriage. A tractor can be damaged if it is forced against the edge of the carriage by the lateral adjustment knob.

16

Close rear unit.

17

If you have the 300-line-per-minute printer, set impression control dial on the printer to proper setting for forms you are using. See recommendation label on ribbon cover. Change setting as required to obtain best print quality.




ART: 55060



ART: 55061

- 18** Set forms adjusting lever to proper setting for forms you are using. See recommendation label on ribbon cover. Change setting as required to obtain best print quality.

Note: Printers with dual feed carriage. To obtain best quality printing when using two forms, the forms should be the same thickness.



ART: 55060

- 19** Push forms loading chute back to operating position.



ART: 55061

20 Position end-of-forms switch so end-of-forms switch feeler drops into cutout over forms.


Note: Printers with dual feed carriage have two end-of-forms switches. Only one end-of-forms switch should be used on a form.

When only one carriage is used, position the unused end-of-forms switch as follows:

- Raise the end-of-forms switch feeler out of the cutout in the forms chute.
- Move the switch left or right to the next position (indentation) on the bar.

In this position, the end-of-forms switch feeler rides on the forms chute, simulating forms in the printer.

When two forms are used, move an end-of-forms switch into a cutout over each form.



ART: 55062

Forms Loading Chute

21 Close sliding door on forms compartment.

22 Close printer top cover.

23

Adjust forms stacker. Press carriage restore a number of times to feed paper into stacker. Raise the stacker tray until the distance from the tray to the bottom of the printer top cover is one form length. This is a good setting for a medium stack of standard forms. Set the inner and outer upright guides so they just clear the forms. The outer guides can be layed out horizontally to handle large forms.

When forms are loaded with a length different from the length of the forms used previously, a FORMS statement must be supplied to the system by the next job run on the system. The programmer should provide you with the FORMS statement.

24

Press printer START.



Outer Guides

Tray Release
Levers


ART: 55063

CHANGING THE PRINTER RIBBON

Removal


Wear disposable gloves when handling the ribbon.

- 1 Open printer top cover.




ART: 55064

- 2 Tip rear unit back.




ART: 55065

- 3 Tip ribbon shield back.




ART: 55066

- 4 Lift ribbon cover and swing it back onto rear unit.




ART: 55067

- 5 Disengage ribbon spool containing the least ribbon from the ribbon drive.




ART: 55068

- 6 Drop ribbon behind print chain cartridge or feed ribbon spool up behind chain cartridge.



- 7 Disengage ribbon spool from other ribbon drive. Discard ribbon.



ART: 55069


Installation

- 1 Attach new ribbon spool to upper ribbon drive. The bulk of ribbon is now on this spool.



ART: 55070

- 2 Feed ribbon behind and under chain cartridge assembly.



- 3 Attach ribbon spool to lower ribbon drive. Make sure ribbon is under ribbon guide.

Note: Check that reversing bar is still on ribbon spool circumference, or is at least between ribbon spool body and reversing lever (see illustration in step 2).

Ribbon Guide



ART: 55071

- 4 Ensure that notches in ribbon spools are properly seated on drive keys.

- 5 Close ribbon cover.

- 6 Close ribbon shield.


- 7 Close rear unit.

- 8 Close printer top cover.

Note: It is recommended that excessive ribbon lint be removed from the ribbon shield and from around the cartridge area on a regular basis. Excessive accumulation of ribbon lint may cause smudging or light printing on the forms. Contact your Customer Engineer for cleaning instructions.

“For 5203 Model 3, with 132 print positions only” – If a ribbon is being removed for re-use at a later time, spools should be attached in the same positions (i.e., top spools must remain on top). If the spools are reversed, characters printed in the first print position may be illegible.

Spool properly seated



Key

Notch


ART: 55072

CHANGING THE PRINT CHAIN CARTRIDGE

Removal


Wear disposable gloves when handling the ribbon or chain cartridge.

- 1 Open printer top cover.




ART: 55064

- 2 Tip rear unit back.




ART: 55065

3 Tip ribbon shield back.




ART: 55066

4 Lift ribbon cover and swing it back onto rear unit.




ART: 55067

- 5 Disengage ribbon spool from upper ribbon drive.



ART: 55068


- 6 Lay ribbon on ribbon cover.



ART: 55073

- 7 Raise chain cartridge handles and lift cartridge up and out of machine.

Note: Some cartridges* are secured by thumb screws rather than locking handles. Loosen the thumb screws until they are disengaged from the guide pins and lift the cartridge using the rings on the thumb screws.



ART: 55089

* These cartridges will be used only on printers delivered in the United States that do not have the Universal Character Set feature.

Installation of 48-Character LC Print Arrangement Chain

- 1 Lower new cartridge onto guide pins.
Caution: Do not close cartridge handles. If the cartridge has thumb screws rather than locking handles, do not tighten the thumb screws.




ART: 55089

- 2 Hold print chain and turn chain drive motor until left end of cartridge seats on casting. There is an audible click when the cartridge drops into place.

Access to turn the motor is through the cut-a-way portion of the casting between the ribbon shield and the chain drive motor.

- 3 Close cartridge handles. They lay down flat against cartridge.


If the cartridge has thumb screws, thread the thumb screws into the guide pins until the screws are thumb tight.



ART: 55090

- 4 Attach ribbon spool to upper ribbon drive. Make sure ribbon is under ribbon guide.

Ribbon Guide




ART: 55068

- 5 Close ribbon cover.
- 6 Close ribbon shield.
- 7 Close rear unit.
- 8 Close printer top cover.
- 9 After you have changed the printer chain, a // IMAGE statement must be supplied to the system before any more jobs are run. Be sure the // IMAGE statement is in front of the OCL for the first job to be run after changing the chain. For more information on the IMAGE statement, see *Appendix A*.


Installation of UCS Cartridge

- 1 Turn drive motor counterclockwise until mark in view window (A) and slot in drive shaft (B) line up as shown. The mark in the view window can appear up to five times before the proper relationship between A and B is achieved.

Access to turn the motor is through the cutaway portion of the casting between the ribbon shield and the drive motor (or a special tool may be attached to the printer to turn the cartridge drive).




ART: 55091




2

Swing the cartridge up and out (away from you) and turn it upside down.

Chain Cartridges for 100 and 200 Line-Per-Minute Printers: Turn the chain until the key character, the key slot, and the arrow on the decal are aligned as shown in the diagram. (A special tool may be attached to the printer to turn the chain.) Check the characters on the chain to either side of the arrow on the decal. If the chain is properly aligned, the characters on the decal will match the characters on the chain. If the characters do not match, turn the chain until the key character, the key slot, and the arrow on the decal are aligned as shown. Check the chain and decal characters again. You may have to turn the chain up to four times before the proper match is found.




Train Cartridges for 300 Line-Per-Minute Printers: Turn the train until the copper colored slug with the characters + .) is opposite the arrow on the cartridge base. (A special tool may be attached to the printer to turn the train.) Other slugs might have the characters + .) but only one slug is copper colored. Align the character) on this slug with the arrow.



3

Lower cartridge onto guide pins, hold print chain, and rock motor until cartridge seats on casting.

Caution: Do not close cartridge handles before cartridge is seated.




ART: 55090

4

Attach ribbon spool to upper ribbon drive. Make sure ribbon is under ribbon guide.

Ribbon Guide




ART: 55068

- 5 Close ribbon cover.
- 6 Close ribbon shield.
- 7 Close rear unit.
- 8 Close printer top cover.
- 9 After you have changed the printer chain, a `// IMAGE` statement must be supplied to the system before any more jobs are run. Be sure the `// IMAGE` statement is in front of the OCL for the first job to be run after changing the chain. For more information on the `IMAGE` statement, see Appendix A.

Chapter 5. IBM 5440 Disk Cartridge and IBM 5444 Disk Storage Drive

- Mounting a 5440 Disk Cartridge
- Removing a 5440 Disk Cartridge



55239A

MOUNTING A 5440 DISK CARTRIDGE


The following procedures are for mounting a cartridge. If a cartridge is on the disk drive, remove it before placing a new cartridge on the disk drive. Follow the procedures later in this chapter for removing a cartridge.

The cartridge to be used by the system should be in the environment in which it is to be used for at least three hours. This ensures the disk cartridge can be used properly by System/3. A cartridge should always be on the disk drive when the system is not in use. This keeps dust from entering the drive.

- 1 Check for the following conditions before mounting a cartridge:
- Disk panel START/STOP switch for the drive you are loading (R1 or R2) in the STOP position.
 - Disk panel OPEN light lit.
 - Disk storage drawer slid out.
 - Clamp arms extended out.


- 2 Select the cartridge to be mounted as indicated on the program run sheet.

- 3 Slide the release button to the left.



55231


- 4 With one hand under the bottom cover of the cartridge to catch the cover, raise the carrying handle to the upright position.



55232

5 With the IBM label pointed toward the front of the disk storage drawer, mount the cartridge by lowering it on the disk drive.

6 Release the carrying handle. It should be flush with the cartridge.



55233

7 Invert the bottom cover and place it on top of the cartridge.



55234

8 Bring in the clamp arms over the cartridge.

9 Slide the disk storage drawer all the way in. The cartridge is now mounted and can be made ready for use by performing the following step.



55235

10 Set the disk panel START/STOP switch, for the drive you are using, at START. The OPEN light turns off. The READY light is lit when the disk is up to speed. There is approximately a two-minute delay from the time you set the START/STOP switch at START until the READY light is lit. When the READY light is lit, the system can use the disks on the drive.

REMOVING 5440 DISK CARTRIDGE


1

Set disk panel START/STOP switch at STOP for the cartridge to be dismantled (R1 or R2).

Note: The disk storage drawer cannot be opened until the OPEN light for the selected disk (1 or 2) is lit.

2

When disk panel OPEN light is lit (READY light is off), squeeze drawer release lever and slide disk storage drawer out until it stops.



55236

3

Pull both clamp arms outward.




Clamp Arms

- 4 Lift bottom cover off of cartridge.



55234

- 5 Push release button to left and raise carrying handle to release cartridge from disk drive.



55238

- 6 Lift cartridge from disk drive.




55233

Disk Drive

- 7 Invert bottom cover of cartridge and place it back on cartridge. Lower carrying handle until it is flush with cartridge. This locks bottom cover on cartridge.

- 8 Store cartridge.



55232


Chapter 6. IBM 2316 Disk Cartridge and IBM 5445 Disk Storage Drive

- Disk Controls and Indicators
- How to Mount a 2316 Disk Cartridge
- How to Remove a 2316 Disk Cartridge



55290

DISK CONTROLS AND INDICATORS



READY Light: This light comes on when the 5445 disk drive is ready for use.

SELECT/LOCK Light: This light comes on when a halt has occurred in the program being processed or when the 5445 disk storage drive is malfunctioning.

START/STOP switch: This switch turns the disk drive power on or off when the system power is on. With the switch at STOP, the drawer can be opened and the disk can be replaced.

55291

MOUNTING A 2316 DISK CARTRIDGE


The following procedures are for mounting a cartridge. If a cartridge is on the disk drive, remove it before placing a new cartridge on the disk drive. Follow the procedures later in this chapter for removing a cartridge.

The cartridge to be used by the system should be in the environment in which it is to be used for at least three hours. This ensures the disk cartridge can be used properly by System/3.

A cartridge should always be on the disk drive when the system is not in use. This keeps dust from entering the drive.

- 1 Set START/STOP switch at STOP and wait until the disk drive stops.

- 2 Lift drawer handle and slide disk storage drawer open.




55292

- 3 Select the cartridge to be mounted as indicated on the program run sheet.

4

Remove the bottom cover of the disk cartridge by holding the top cover handle with one hand and turning the bottom cover handle counterclockwise with the other.



55293

5

Lower the cartridge on the disk drive.



55294

6

Turn the top cover handle clockwise until the handle is tight.

- 7 Lift off top cover.




55295

- 8 Slide the disk storage drawer closed.
- 9 Set the START/STOP switch to START. Within two minutes the green READY light comes on and the disk can be used.


REMOVING A 2316 DISK CARTRIDGE

- 1 Set START/STOP switch at STOP and wait until the disk drive stops.
- 2 Lift drawer handle and slide disk storage drawer out.



55296


- 3 Place the top cover on the cartridge.



55295

- 4 Turn top cover handle counterclockwise until a clicking sound is heard.

- 5 Lift cartridge from disk drive.



55294


- 6 Place bottom cover on cartridge and turn bottom cover handle until handle will not turn.



55297

- 7 Store cartridge.

- Use of the Printer-Keyboard
- Removing the Typeball
- Replacing the Typeball
- Adjusting the Impression Selector
- Removing the Fabric Ribbon Cartridge
- Installing a Fabric Ribbon Cartridge
- Placing Forms in the Printer-Keyboard



55239A

USE OF THE PRINTER-KEYBOARD

The printer-keyboard (Figure 12) is an optional device for System/3 and consists of the printer and keyboard connected to the system processing unit. With the printer-keyboard, you can:

1. Request information from a disk file.
2. Print out requested information.
3. Enter data directly into the system.
4. Print out OCL statements and error codes for a program by using the printer-keyboard as a logging device.
5. Interrupt an RPG program (if inquiry has been specified) by pressing the REQ key. You will be told when to do this on the program run sheet.



Figure 12. Printer - Keyboard

53297

Keys

Figure 13 shows the keyboard. The shaded keys are function keys; the other keys are data keys.

LOCK: This key locks the shift in the uppercase mode.

SHIFT (one on each side of the keyboard): This key allows you to key uppercase characters.

SPACE: This bar allows you to enter blanks.

RETURN: This key causes the carrier to return.

END: This key is pressed when you have keyed in the OCL statement or data. It tells the system that you are through with the line (OCL statement or data).

REQ (Request): This key allows you to interrupt a program if the program can be interrupted. If the request to interrupt the program is not allowed, the request is ignored.

CANCEL: This key is used to cancel the current line you keyed. (Used when you hit a wrong key.)

Lights

REQUEST PENDING: This light comes on when you press the REQ key. It means that the program you are trying to interrupt will not allow it at this time. The light is off when the request to interrupt the program is allowed.

PROCEED: When this light comes on, you can key OCL statements or data.





Figure 13. Keyboard


REMOVING THE TYPEBALL

- 1 Lift the typeball release lever until the lever clicks into position.
- 2 Remove the typeball by lifting it off of the typeball post.



REPLACING THE TYPEBALL


- 1 Lift the typeball release lever until it clicks into position.
- 2 Place the typeball on the typeball post with the triangle facing directly away from you.
- 3 Close the lever. Avoid using force.



ADJUSTING THE IMPRESSION SELECTOR


The impression selector on the right side of the typeball enables you to adjust the striking force of the typeball. Numbers on the impression selector range from one to five. Position 1 has the lightest striking force and position 5 has the hardest.

- 1 To change the setting, push the lever to the right and slide it either forward or backward to the desired number.



55214

- 2 When the impression selector is adjusted to increase the striking force of the typeball, the multiple copy control must also be moved the same number of positions away from you. When the impression selector is adjusted to decrease the striking force of the typeball, the multiple copy control must also be moved the same number of positions towards you.




55213

REMOVING THE FABRIC RIBBON CARTRIDGE

1 Lift the front cover.


2 Move the ribbon change lever to the right. This will raise the ribbon lifts for easier removal of the ribbon.



3 Lift the cartridge upward and off the ribbon cartridge spindles.


4 Ease the ribbon out of the slots in the ribbon lifts.

5 To rewind excess ribbon, insert a pencil in either of the holes in the cartridge and turn in the direction of the arrow.




INSTALLING A FABRIC RIBBON CARTRIDGE


- 1 Lift the front cover.
- 2 Make sure the ribbon change lever is all the way to the right.




- 3 Position the cartridge in front of the ribbon lifts.
- 4 Slide the ribbon through the right ribbon lift.
- 5 Slide the ribbon down behind the typeball and through the left ribbon lift.
- 6 Place the cartridge on the ribbon spindles and press down evenly and firmly.



- 8 Move the ribbon change lever back to the left. This will lower the ribbon into typing position.
- 9 To rewind excess ribbon, turn either spindle in the direction of the arrow.
- 10 Close the cover.




This is the way the fabric ribbon cartridge will look when it is correctly inserted and ready for use. The arrows indicate the direction in which the ribbon can move.




PLACING FORMS IN THE PRINTER-KEYBOARD


- 1 Move forms release lever forward.
- 2 Raise bail.
- 3 Lift paper clamps on both sides of the platen.
- 4 Insert forms behind platen and push through until the forms appear on the side of the platen nearest you.



- 5 Align forms and place holes in forms onto the pin wheels.
- 6 Lower paper clamps.
- 7 Lower bail
- 8 Push forms release lever back.



- 1442 Controls and Indicators
- Clearing a Card Jam
- 1442 Power On and Ready Procedures
- 1442 Last Card Procedures



152298

1442 CONTROLS AND INDICATORS

All of the 1442 controls and indicators are on a single panel to the right of the card hopper. Eight of the indicators are on a backlit panel.

Keys

The operator's panel (Figure 14) contains three keys:

START Key: Pressing the START key places the 1442 in a ready status if the following conditions are met:

1. System power on.
2. Cards in the hopper. One card is fed and registered at the pre-read station when the START key is pressed.
3. 1442 CHECK light off.
4. Stacker not full.
5. Chip box properly positioned and not full.
6. 1442 covers closed (after card jam removed).

The START key is also used to return the 1442 to a ready status after 1442 STOP has been pressed and to indicate the last card sequence.

STOP Key: Pressing the STOP key takes the 1442 out of ready status. The READY light turns off. Do not use the 1442 STOP key to stop a job, use console STOP.

NPRO Key: Pressing the Nonprocess Runout (NPRO) key clears all cards from the card feed path. The hopper must be empty before the NPRO key will operate.

NPRO is also used to turn off the CHECK light and HOPR sense light when the system is turned on. This procedure ensures that the card feed path is clear.

Status Lights

Four lights, above the keys on the operator's panel, show 1442 status.

POWER ON Light: This light turns on when the system power is turned on.




Figure 14. Operator's Panel

READY Light: When this light is on, the 1442 is ready to accept instructions from the processing unit. The READY light turns on if the following conditions are met:

1. System power on.
2. Cards in the hopper-except for last card sequence. Cards can also be in the card feed path if you press 1442 START after you press 1442 STOP.
3. 1442 CHECK light off.
4. Stacker not full.
5. 1442 START pressed.

CHIP BOX Light: The light turns on if the chip box is full or out of the machine. The READY light turns off when the CHIP BOX light turns on. The chip box is behind the left front cover.

CHECK Light: This light turns on when any of the backlit error indicators are lit. The READY light turns off. The CHECK light also turns on when system power is turned on. Press the NPRO key to turn off the CHECK light.

Sense Lights

Seven lights, on a backlit panel to the left of the CHECK light (Figure 15), indicate errors in the card feed. An eighth light, OVER RUN, indicates a probable loss of data.

HOPR: A card failed to feed from the hopper. The HOPR light also turns on when system power is turned on. Press the NPRO key to turn off the HOPR light.

READ STA: A card is jammed at the read station.

PUNCH STA: A card is jammed at the punch station.

TRANS: A card is jammed in the stacker area.

FEED CLU (Clutch): All cards in the card feed path have advanced one position because of an unrequested feed cycle.

READ REG: Read error.

PUNCH: Punch error.

OVER RUN: Data is lost. The processing unit is unable to accept data from the 1442 or provide data to the 1442 as fast as is necessary.




Figure 15. Sense Lights

CLEARING A CARD JAM

The following procedure tells you how to physically remove cards from the 1442 card path. The program recovery procedures with corresponding halts – what to do with the cards to continue program operations – are listed in the program halts in the *IBM System/3 Model 10 Disk System Halt Guide*, GC21-7540.

Indications

All of the following indicate a hopper misfeed or card jam in the 1442:

- C5, C6, C7, C8, or C9 halt in the console Message Display Unit.
- 1442 READY light not on.
- 1442 CHECK light on.
- A sense light on.

A sense light indicates the area in the card feed path where the trouble occurred. When a hopper misfeed or card jam occurs, record the error in your console log book. If the same error occurs repeatedly, it is an indication that the 1442 should be serviced.

Removing Cards From the Card Feed Path

The 1442 card path is shown in Figure 16. The sense lights, whose names are shown in Figure 17, are lit to indicate where in the card path a card is jammed.

Hopper Misfeed :

1. Remove the cards from the hopper.
2. Check the bottom card for damage. All edges must be smooth. If the card is damaged, punch a new card to replace it.
3. Refer to the C5 halt in the *IBM System/3 Model 10 Disk System Halt Guide*, GC21-7540, for program recovery procedures.




Figure 16. 1442 Card Path Schematic





Figure 17. Card Path

Card Jam in Card Path:


- ① Open the 1442 top covers.



53508

2

Raise the plastic card guides and remove all cards from the card path. If a card remains jammed under the punch unit, proceed with steps 3-7; otherwise go to step 8.




3

Open the two twist-type fasteners on the inside of the rear cover and lower the cover.


4

Turn the punch unit handwheel clockwise at least one-half revolution. System power must be on.



5


Push down on the punch feed release lever and pull out the card.



53511

6

If the card will still not come free, unscrew and pull out the lower punch guide. Remove the card and replace the lower punch guide.



53512

7

Raise the rear cover and close the twist-type fasteners.

8

Lower the plastic card guides to their normal positions.

9

Close the 1442 top covers.

10

Refer to the appropriate halt in the *IBM System/3 Model 10 Disk System Halt Guide*, GC21-7540.

1442 POWER ON AND READY PROCEDURES

1. Turn on the system POWER switch on the processing unit console. The 1442 CHECK and HOPR lights turn on.
2. Remove any cards from the 1442 card hopper.
3. Press the 1442 NPRO key. The CHECK and HOPR lights turn off.
4. Remove any cards from the stackers.
5. Place the cards to be processed, 9-edge first, face down in the card hopper.
6. Place the card weight behind these cards.
7. Press 1442 START. The first card in the hopper feeds to the pre-read station and the 1442 READY light turns on. The 1442 Card Read Punch is now ready for program operation.

1442 LAST CARD PROCEDURES

When the last card is fed from the card hopper, the 1442 READY light turns off and the I/O ATTENTION light on the processing unit console turns on.


Operator action is determined by the program in operation:

1. More cards are required. Place the cards in the 1442 card hopper and press 1442 START. The program resumes operation.
2. Last card sequence. Press 1442 START. The last card is processed and the program resumes operation.

Note: If a single card is being processed, it is necessary to press 1442 START twice. The first time START is pressed the card is registered at the pre-read station. The READY light turns on and off. The second time START is pressed the READY light turns on, and the card is ready to be processed as part of the last card sequence.

Chapter 9. System Operation

- Using the 1442 as the Only Card Input Device
- Preparing for System Operation
- Clearing I/O Attention
- Using the Console Log Sheet
- Stopping a Job Before It Is Completed
- Using the Machine Covers for Safety
- Turning System Power Off
- Restoring System Power
- Core Storage Dump
- Dual Program Operation



55239A

USING THE 1442 AS THE ONLY CARD INPUT DEVICE

You may have a System/3 Model 10 Disk System that has the 1442 as the only card input device. In this case, you cannot run the following types of jobs:

- Any LOAD * job.
- 96-List program.
- 96-96 Reproduce and Interpret program.
- MFCU Sort/Collate program.
- Data Recording program.
- Data Verifying program.

The following procedures describe the necessary steps that must be taken to run all jobs that can be run using the 1442 as the only card input device. Figure 18 shows the general input for the 1442.

1. Mount disk cartridges as specified on the program run sheet and ready disks.
2. Clear all cards from 1442. Remove any cards in stackers.
3. Place OCL and source statements in 1442 hopper. Place a blank card after the last card for the job in the 1442 hopper.




Figure 18. General 1442 Input for a Job

Note: If the job is going to punch cards, place blank cards after the last card for the job.

4. Press 1442 START. The READY light turns on.
5. Read printer.
6. Press console START or appropriate HALT/RESET key if you have DPF. The job is complete when EJ is displayed in the message display unit.

If halts occur during the execution of the job, see *IBM System/3 Model 10 Disk System Halt Guide, GC21-7540*, for recovery procedures.

PREPARING SYSTEM FOR PROGRAM OPERATION

To ready the system for operation, turn on system power. The power switch is on the system control panel on the processing unit console (Figures 19 and 20).

Clear Cards from the MFCU

When power is on, the NPRO light is lit on the MFCU. To turn this light off:

1. Remove any cards from card hoppers.
2. Press NPRO key twice.
3. Remove any cards from stackers.


This procedure ensures that both card paths are free of cards.

Place Forms in the Printer

To have the system ready for program operation, you should have forms in the printer. If you have not aligned the forms in the printer, you can do that now. See *Chapter 4. The IBM 5203 Printer* for procedures on loading and aligning forms.

Perform IPL (Initial Program Load)

Next, you must initiate the IPL process. The IPL process that you initiate consists of a program that clears storage and loads into storage the control programs necessary to run your jobs. This must be done each time you turn the system power on and when indicated by recovery from halts.



1. System power on.
2. Mount disk cartridge as specified on the program run sheet. Be sure the START/STOP switch is set at STOP and the OPEN light is on before mounting a cartridge.
3. Set START/STOP switch at START.
4. READY light comes on when disk is up to speed.
5. Remove cards from MFCU hoppers.
6. Press NPRO to clear primary feed path.
7. Press NPRO to clear secondary feed path.
8. Clear all cards from stacker.
9. Place OCL statements, data cards, and blank cards in hoppers, as required by program. Load cards face down, top edge to the left. Check program operating procedures in this manual, and run sheet provided by the programmer for specific instructions.
10. Press MFCU START.
11. Ready printer if it is used by the program.
12. Set program load selector at position from which you will IPL.
13. Press PROGRAM LOAD.
14. I/O device not ready conditions are indicated by I/O ATTENTION light. Ready I/O devices to continue.
15. Programmed halts are displayed in message display unit. See *IBM System/3 Model 10 Disk System Halt Guide, GC21-7540* for explanation of halts.
16. Press console START to continue.
17. Press console STOP when the system is not being used. Press console STOP before turning off system power.

Figure 19. Summary of Program Operating Procedures for a Dedicated System

You initiate the IPL process from one of three sources: MFCU, fixed disk (F1), or removable disk (R1). Normally the IPL process is initiated from the fixed disk or the removable disk depending on where the resident system is located. The IPL process cannot be initiated from R2 or F2.

You may have to select the device from which the system will be reading after IPL. If you do not have an MFCU on your system, the data switches must be set before IPL. Set the data switches to 1442 if your system input device is the 1442 Card Read Punch. Do not have these numbers set in the data switches when you IPL if your system input device is the MFCU.

You may have to initiate the IPL process from the MFCU for some jobs. The program run sheet supplied to you by the programmer indicates when you have to do this. See the procedures later in this section on how to perform IPL from the MFCU.

If you have a dedicated (non-DPF) system, the system will not halt after IPL is performed. This is because the system is ready to begin reading OCL for the first job after IPL is complete. If the first job is ready to be run, ready the proper devices needed by the job. See *Chapter 10. Program Operation* for the procedures for running jobs.

If no jobs are to be run, you can still initiate the IPL process. When IPL is complete, the I/O ATTENTION light comes on and remains on until the appropriate input devices for the first job are ready. When the I/O devices are readied, the system immediately begins to execute the job.

If you have a DPF system, the system will halt with an EJ in both message display units after the IPL process is complete. When EJ appears in the message display units, the system is ready to accept jobs in both program levels.

The first statement supplied to the system after the IPL process is complete is a DATE statement. This statement is supplied to the system via the system input device (normally the primary hopper of the MFCU). The DATE statement has two different formats. The one you choose was defined at system generation time. See *Chapter 11. System Generation* for more information on the DATE statement.

The formats of a DATE statement are:

1	4	8	12	16	20	24	28	32	36	40	44
//	DATE	mm	dd	/	yy						
				OR							
//	DATE	dd	mm	-	yy						

Delimiters (/, -, or any desired character except commas, quotes, numbers, and blanks) may be placed between the month (mm), day (dd), and year (yy). For example:

1	4	8	12	16	20	24	28	32	36	40	44
//	DATE	mm	dd	/	yy						
				OR							
//	DATE	dd	mm	-	yy						


Place the DATE statement in front of the first job to be run after the IPL process is complete.

The following procedures must be performed each time you initiate the IPL process from the fixed or removable disk:

1. Perform step 1a if the resident system disk cartridge has to be mounted. Perform step 1b if the disk cartridge is mounted or the resident system is on F1.
 - a. If your resident system is on a removable disk cartridge and it is not mounted, mount the cartridge on R1. (See the procedures in *Chapter 5. IBM 5440 Disk Cartridge and IBM 5444 Disk Storage Drive*, if you do not know how to mount or remove cartridges.)
 - b. If the proper cartridge is already mounted or if the resident system is on the fixed disk (F1), set the disk 1 START/STOP switch on the disk panel at START.

Note: For you to initiate the IPL process, a cartridge must be on R1. When your resident system is on F1, mount the cartridge for the first job on R1 if one is used by the first job. Otherwise, mount any cartridge so you can initiate the IPL process.

2. Set program load selector at FIXED DISK (F1) or REMOVABLE DISK (R1).
3. When the READY light for disk 1 is on, press PROGRAM LOAD. Initial program loading is performed.



1. System power on.
2. Mount indicated disk cartridge as specified on program run sheet. Be sure the START/STOP switch is set at STOP and the OPEN light is on before mounting cartridge.
3. Set appropriate START/STOP switch to START.
4. READY light turns on when disk is up to speed.
5. Remove cards from MFCU hoppers.
6. Press NPRO to clear primary feed path.
7. Press NPRO to clear secondary feed path.
8. Clear all cards from stacker.
9. Ready printer if it is used by the program.
10. Set PROGRAM LOAD SELECTOR at position from which you will perform the IPL process.
11. Press PROGRAM LOAD.
12. Set DUAL-PROGRAM CONTROL switch to input device for program 1.
 - 12a. If MFCU, place OCL statements, data cards, and blank cards in hoppers as required by program. Load cards face down, top edge to the left. Check program run sheet and operating procedures in this manual. Press MFCU START.
 - 12b. If printer-keyboard, be ready to key information.
 - 12c. If auxiliary device, ready it.
13. Press INTERRUPT key.
14. Set DUAL-PROGRAM CONTROL switch to input device for program 2.
 - 14a. If MFCU, place OCL statements, data cards, and blank cards in hoppers as required by the program. Load cards face down, top edge to the left. Press MFCU START.
 - 14b. If printer-keyboard, be ready to key information.
 - 14c. If auxiliary device, ready it.
15. Press INTERRUPT key.
16. I/O devices not ready will be indicated by the I/O ATTENTION light. Ready the devices to continue.
17. Programmed halts are displayed on the DPF message display units. See *IBM System/3 Model 10 Disk System Halt Guide*, GC21-7540, for an explanation of halts.
18. Press HALT/RESET to continue.
19. Press console STOP when the system is not being used. Press console STOP before turning system power off.

Figure 20. Summary of Program Operating Procedures for a DPF System

Initiating the IPL Process from the MFCU

Some programs require that you initiate the IPL process from the MFCU. These are known as stand-alone programs because they do not require system control programs to execute. The program run sheet supplied to you by the programmer will indicate when to initiate the IPL process from the MFCU. Perform the following procedures to initiate the IPL process from the MFCU:

1. Place cards for stand-alone job in primary hopper of MFCU.
2. Press MFCU START.
3. Set program load selector at MFCU.
4. Press PROGRAM LOAD.

Cards in the primary hopper of the MFCU are read into storage and the program is executed.

Initiate the IPL process from the fixed or removable disk after completion of the programs that required you to initiate the IPL process from the MFCU.

Figures 19 and 20 show the steps required to load and run a program on System/3. The necessary information you require to run the program can come from two sources, System/3 or the programmer:

1. Information from System/3. The system informs you of error conditions or special operating instructions by a displayed or printed message or both:
 - I/O ATTENTION means an I/O (input/output) device is not ready. See *Clearing I/O ATTENTION* in this chapter.
 - Programmed halts are displayed in the Message Display Unit and described in the *IBM System/3 Model 10 Disk System Halt Guide*, GC21-7540.
 - Unidentifiable halts should be recorded on the error log sheet described in this chapter.
2. Information from the programmer. The programmer can give you special instructions on the program run sheet.

CLEARING I/O ATTENTION

The I/O ATTENTION light on the processing unit console turns on when any input/output device is selected by a program and the device is not ready. The device itself has additional indicators to guide you to the cause of the not-ready condition. I/O ATTENTION turns off when the device that required service is ready for operation. Conditions that cause I/O ATTENTION, along with recovery procedures, are listed in Figure 21.

USING THE CONSOLE ERROR LOG SHEET

During system operation, a processor check or unidentifiable halt may occur. To determine the cause of the error, be sure to record the conditions that exist on the system at that moment. You can record these conditions on the System/3 Error Log Sheet (Figure 22). After you have filled out the error log sheet, rerun the program in which the error occurred and proceed according to the appropriate condition:

1. The same error occurs at the same point in the program. Note the condition under which the error occurs on the program run sheet and continue other program operations. Return the program decks, run sheet, and error log sheet to the programmer.
2. The same error occurs at a different point in the program. Contact the shift supervisor to determine if a service call is necessary.
3. The error does not recur. Set the error log sheet aside for review by the CE on his next service call. Continue program operations.

STOPPING A JOB BEFORE IT IS COMPLETED

If you want to stop a job before reaching the normal end-of-job (EJ halt in message display unit), use the stop key on the processing unit. Do not use MFCU STOP or printer STOP.

When you press MFCU or printer STOP, the current program continues to run until it requires the device that is not ready. Then I/O ATTENTION will be on. In this case, if you clear the MFCU, place punched cards for a new program in either hopper, then press MFCU START (or printer START followed by MFCU START). The program that was waiting for the printer or MFCU will resume operations. If the program waiting for the MFCU starts a punch operation, the new program deck or data cards may be ruined.

Device	Device Indicator On	Cause	How to Clear
Printer	none	Printer not ready.	Press printer START.
Printer	FORMS	Forms end.	Load forms in printer and press printer START.
Printer	CHECK	Forms jam.	Clear forms jam and reload forms. Forms position for restart depends on program in operation. Press printer START.
Printer	INTERLOCK	INTERLOCK light is turned on by either of the following conditions: 1. Chute interlock. 2. Chain interlock.	Open forms compartment door. Push forms chute back to feed position. Close forms compartment door and press printer START. This condition occurs when rear unit is open. Chain motor starts only when rear unit is closed. Close rear unit and press printer START.
MFCU	none*	MFCU not ready.	Ensure proper cards are in hoppers. Press MFCU START.
MFCU	STKR	A stacker is full.	Place cards in bin above stacker and press MFCU START.
MFCU	CHIP	Chip box is full or not in machine.	Open MFCU top cover. Empty and put back chip box. Close top cover and press MFCU START.
MFCU	CVR	MFCU top cover is open or not securely latched.	Close MFCU covers and press MFCU START.
Disk	None	Disk not up to speed.	Wait for READY light to turn on.
BSCA	BSCA ATTN	BSCA ATTN light is turned on by any of the following conditions: 1. Data set is not ready. 2. Autocall unit power is off. 3. BSCA is disabled. 4. External test switch is on test and BSCA is not in the test mode. 5. Data line in use.	Place call. Turn autocall unit power on. Place call. Set external test switch to OPER. Wait for BSCA ATTN light to turn off, then place call.
*PRI or SEC light is on for all MFCU stops.			

Figure 21 (Part 1 of 1). Clearing I/O ATTENTION

Device	Device Indicator On	Cause	How to Clear
1442	None	1442 not ready. Can be caused by: 1. No cards in hopper. 2. Last card sequence. 3. You pressed 1442 STOP. 4. Stacker full. 5. Top cover open or not securely latched.	1. On initial run in, load cards in hopper and press 1442 START. 2. For last card, press 1442 START, or place cards in hopper and press 1442 START. 3. Press 1442 START. 4. Empty stacker and press 1442 START. 5. Close covers and press 1442 START.
1442	CHIP BOX	Chip box is full or not in machine.	1. Empty the chip box or place it back in the machine. The chip box is located inside the left front cover. 2. Press 1442 START.

Figure 21 (Part 2 of 2). Clearing I/O ATTENTION

It is necessary to perform the IPL process on the system to start a new job after using the console STOP key to stop a job. If you have DPF, you can cancel the job. (See *Dual Programming Operation, Procedures for Canceling Jobs.*)

USING THE MACHINE COVERS FOR SAFETY

Besides improving appearance, covers of IBM machines have been designed to protect you against possible injury during operation. While some hazards, such as moving mechanical parts, are obvious, others are not. Electrical potential and acoustical noise are in the latter category.

IBM maintains vigorous attention to safety on all its machines. However, the effectiveness of this effort is lessened when you fail to keep the covers closed while the system is running.

Covers have been designed to reduce noise levels to a more comfortable range. Operation with the covers open causes needless exposure to unseen hazards. Because of this, IBM strongly recommends that all people working with the equipment follow the simple safety-first procedure of keeping all covers closed while the system is operating.

The frames of all IBM equipment have been made electrically safe by recommended grounding practices.

In addition to the safety aspects of this procedure, the system runs quieter and looks better.

TURNING SYSTEM POWER OFF


When turning system power off, an EJ halt should be displayed in the message display unit. Perform the following procedures to turn system power off:

1. Press console STOP.
2. Set START/STOP switches on the disk panel at STOP.
3. Clear cards from MFCU.
4. When the OPEN lights on the disk panel are lit, set the console power switch at OFF.


If system power is turned off before the disk panel START/STOP switches are set STOP, perform the following procedures:

1. Set the power switch at ON and wait for the READY lights to turn on.
2. Set START/STOP switches at STOP and wait for the OPEN lights to turn on.
3. Clear cards from MFCU.
4. Set power switch at OFF.

Figure 22. System/3 Error Log Sheet



All of the above switches are normally in the down position. X any switch that is in the up position.



LSR DISPLAY SELECTOR

CONSOLE DISPLAY SELECTOR Note: X block if corresponding indicator is on.

1 SAR HI	P	0	1	2	3	4	5	6	7		P	0	1	2	3	4	5	6	7	SAR LO	1
2 LSR HI	P	0	1	2	3	4	5	6	7		P	0	1	2	3	4	5	6	7	LSR LO	2
3 OP REG	P	0	1	2	3	4	5	6	7		P	0	1	2	3	4	5	6	7	Q REG	3
4 B REG	P	0	1	2	3	4	5	6	7		DIG CAR	DEC	RE COMP	ADD	SUB	TEMP CAR	AND	OR		ALU CTRL	4
5 A REG	P	0	1	2	3	4	5	6	7		P	0	1	2	3	4	5	6	7	ALU OUT	5
6											P			BIN OVF	TF	DEC OVF	HI	LO	EO	COND REG	6
7 CS ASNMT	P	0	1	2	3	4	5	6	7		0	1	2	3	4	5	6	7		INT LEV	7
8 PROC CHK	I/O LSR	LSR F1	LSR F2	LSR HI	LSR LO	SAR HI	SAR LO	INV ADDR	SDR	CAR	DBI	A/B REG	ALU	CPU DBO	OP/O REG	INV OP	CHAN DBO	INV O		PROC CHK	8

Set LSR DISPLAY SELECTOR to ARR

2 LSR HI	P	0	1	2	3	4	5	6	7		P	0	1	2	3	4	5	6	7	LSR LO	2
----------	---	---	---	---	---	---	---	---	---	--	---	---	---	---	---	---	---	---	---	--------	---

Set LSR DISPLAY SELECTOR to IAR

2 LSR HI	P	0	1	2	3	4	5	6	7		P	0	1	2	3	4	5	6	7	LSR LO	2
----------	---	---	---	---	---	---	---	---	---	--	---	---	---	---	---	---	---	---	---	--------	---


MACHINE CYCLE

TOP	IO	IR	IX1	IH1	IL1	IX2	IH2	IL2	EA	EB	I/O	INT LEV
-----	----	----	-----	-----	-----	-----	-----	-----	----	----	-----	---------

CLOCK

0	1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---	---

Enter ADDRESS/DATA switch setting in circle



SIOC

Processing Unit Serial Number

Enter Meter Reading:

--	--	--	--	--	--	--	--

BSCA ATTN

TSM MODE

RECEIVE MODE

RECEIVE INITIAL

CONTROL MODE

ACU PWR OFF

DT TERM READY

TEST MODE

CLEAR TO SEND

CHAR PHASE

BUSY

DATA MODE

CALL REQUEST

DT SET READY

EXT TEST SW


TSM TRIGGER

RECEIVE TRIGGER

UNIT CHECK

DIGIT PRESENT

DT LINE IN USE



SYSTEM/3 5410 ERROR LOG SHEET

Date: _____ Time: _____

Operator: _____

Job Name: _____

Use this sheet to record console display at any unrecognizable halt.

- At the halt:
1. X all console lights that are on.
 2. X all console switch settings requested.
 3. X any MFCU or printer lights that are on.
 4. Set LSR display selector to NORM. Set console display selector to "1 SAR HI." X all insert blocks with corresponding indicators (PB421) on. Repeat for positions 2 through 8.
 5. Set LSR display selector to ARR. Set console display selector to "2 LSR HI." X any indicators that are on.
 6. Set LSR display selector to IAR. Set console display selector to "2 LSR HI." X any indicators that are on.

Comments: _____

_____ (Continue on back)

MFCU Indicator Panel

1	2	3	4	SEC	PRI
5	6	7	8	RD	HPR
9	10	11	12	NPRC	STKR
13	14	15	16	CHIP	CVR
17	18	19	20	A	B

SECONDARY READY

PRIMARY READY

Printer Indicator Panel

CHECK	INTERLOCK	FORMS
-------	-----------	-------

PROCESSOR CHECK

I/O ATTENTION

STOP

READY

RESTORING SYSTEM POWER

System/3 can turn off as a result of internal or external power loss, or an overtemperature condition in the processing unit or printer electronics. The recovery procedure depends on the status of the TH CHK (thermal check) and PWR CHK (power check) lights on the processing unit display panel:

PWR CHK Light Only

Power off was caused by voltage loss or overvoltage in the system. To restore power:

1. Turn the power on switch to OFF.
2. Press the CHECK RESET on the CE control panel.
3. Turn the power on switch to ON.

If power cannot be restored, call IBM for service.

PWR CHK and TH CHK Lights

Power off was caused by a thermal condition or an external power loss. To restore power:

1. Turn the power on switch to OFF.
2. The PWR CHK and TH CHK lights will turn off. If the thermal check light remains on, you must wait until the temperature lowers and the light turns off.
3. Turn the power on switch to ON.

Thermal checks may indicate that the machine room is too warm or the flow of air to the system has been restricted. If thermal checks continue to occur, contact IBM for service.

No Lights

Check that line voltage is available to the system. Check that the emergency pull switch is in the normal (in) position. If the emergency pull switch is pulled, call IBM for service.

CORE STORAGE DUMP

A core storage dump is a process by which the contents of core storage are printed on the printer. The printout is in hexadecimal format and shows the contents at each address in storage.

You may have to take core storage dumps for the following reasons:

- A program is not executing properly. Taking a core storage dump at this time will provide valuable information to the programmer in determining what is wrong with his program. The programmer should indicate to you on the program run sheet when and under what conditions he wants you to take a core storage dump.
- Several halts described in the *IBM System/3 Model 10 Disk System Halt Guide*, GC21-7540, require you to take core storage dumps.
- If you ever get processor checks (the PROCESSOR CHECK light on the console is on), you should take a core storage dump. Processor checks indicate that an error occurred in the processing unit while it was attempting to execute a program.

Considerations Before Taking a Core Storage Dump

- For DPF systems, take a core storage dump *only* when the other program level does not have any programs running. You should wait until the other level is at end-of-job. If it is not possible to wait until the other level is completed and an option is listed for the halt, select the option.
- When a core storage dump is taken and options are listed, the options are no longer valid. This is because you have to perform the IPL process after a core storage dump is taken.

A core storage dump is performed as follows:

1. Press console STOP.
2. Set each ADDRESS/DATA switch at 0.
3. Raise CE panel cover and press SYSTEM RESET.
4. Press console START. The entire System/3 core storage will be printed on the printer. When the printing of core storage is complete, EJ will be displayed in the message display unit.
5. Save the dump and return it to the programmer.
6. Perform IPL process before starting next job.

DUAL PROGRAMMING OPERATION

The Dual Programming Feature (DPF) allows two jobs to execute at the same time within the system. These two jobs are referred to as program 1 and program 2 levels. Jobs can be initiated in either level first. In other words, a job can be loaded into the program 2 level before a job is loaded into the program 1 level. Running jobs under DPF is basically the same as running jobs on System/3 without DPF. The following differences should be noted:

- You select the system input device to be used for each level by using the dual program control switch.
- Press INTERRUPT to initiate the first job for the level, after selecting the input device.
- Press HALT/RESET to recover from programmed halts or to initiate the next job if the same input device for the level is being used.
- If you select a different input device for the level, you must again press INTERRUPT to initiate the job.
- You can use the same input device for both levels only when the first level loaded no longer requires the input device. Halt JP displayed in the DPF message display unit means you are trying to use an input device that is required by the other level.
- Halt JL displayed in the DPF message display unit means that there is not enough room in storage for the job you are trying to load. The PARTITION statement controls the amount of storage available for program 2.

The *IBM System/3 Model 10 Disk System Halt Guide*, GC21-7540, lists the halts and the procedures you must take to recover from the halts.

Procedures

The following general procedures tell you how to run programs if you have DPF:

1. Follow the steps under *Preparing the System for Program Operation* in this chapter to perform IPL. After performing IPL, the EJ halt appears on both DPF message display units.

2. Set dual program control switch on DPF panel to appropriate input device for level you are going to load first (program 1 or program 2). Be sure you supply a DATE statement in front of the first job to be loaded after performing IPL. The system expects the input from the device you selected. If the MFCU is the device, have the cards in the specified hoppers. If the printer-keyboard is the device, be ready to key-in the information.
3. Press INTERRUPT on DPF panel. The job is loaded and execution begins. If the printer-keyboard is the input device, you must key the job.
4. Set dual program control switch on DPF panel to the input device to be used for other program level. Remember, if one level is using an input device, the other level cannot use that device until the first level no longer requires it.
5. Press INTERRUPT on the DPF panel. The job is loaded and execution begins.
6. When a job in one of the levels (program 1 or program 2) is complete, an EJ halt is displayed on the DPF message display unit for that level. If the next job for that level uses the same input device as the preceding job, press HALT/RESET on the DPF panel to load the next job. If you are going to use a different device, repeat steps 2 and 3.
7. Repeat step 6 for the other level when EJ halt occurs.
8. Repeat steps 6 and 7 until there are no more jobs to be run.

While jobs are running, program halts can occur for both levels. See *IBM System/3 Model 10 Disk System Halt Guide*, GC21-7540, for recovery procedures when program halts occur. If program halts occur for both levels at the same time, handle them one at a time according to the procedures in *IBM System/3 Model 10 Disk System Halt Guide*, GC21-7540. See *Chapter 10. Program Operation* for information on running individual programs.

Procedures for Canceling Jobs


The CANCEL position on the dual program control panel allows you to cancel programs. Programs cannot be cancelled if:

- The I/O ATTENTION light is on.
- An RPG II object program has been interrupted.
- The RECEIVE INITIAL light on the BSCA panel is on.
- The system is performing the end-of-job function (INTERRUPT light is off).

To cancel a job in either level, perform the following steps.

1. Set dual program control switch on DPF panel at CANCEL for the level (program 1 or program 2) you want to cancel.
2. Press INTERRUPT on DPF panel.
3. Set rightmost address/data switch on processing unit display panel at 2 or 3 when halt JU is displayed on the DPF message display unit.
4. Press HALT/RESET on DPF panel. An EJ halt is displayed on DPF message display unit when the job is canceled.

- Operation Control Language (OCL) Considerations
- RPG II Program
- BSCA Program
- Device Counter Logout Program
- 96-List Program
- 96-96 Reproduce and Interpret Program
- MFCU Sort/Collate Program
- Data Recording Program
- Data Verifying Program
- Disk Sort Program
- Basic Assembler Program
- Disk Utility Programs
- Checkpoint/Restart Program



55239A

OPERATION CONTROL LANGUAGE (OCL) CONSIDERATIONS

Every program that you run has certain statements in front of the deck called OCL (operation control language) statements. OCL provides the system the information about the job to be run (what program to use, what files to use, what input/output devices to use, etc.). It is a good idea to examine these statements because some of them require action from you. OCL statements used by a program should be listed on the program run sheet. Never change the order of the OCL statements. For more information on OCL, see *IBM System/3 Model 10 Disk System Operation Control Language and Disk Utilities Reference Manual*, GC21-7512.

// DATE Statement

This card must always be the first statement supplied to the system after IPL. Each time the IPL process is performed, the system expects a DATE statement. The date supplied is used as the system date. Place it in the system input device (normally the primary hopper of the MFCU) ahead of the set of statements of the first job. If you have DPF, the DATE statement must be supplied with the program you load first. Do not provide a DATE statement for the other program.

// READER Statement

The primary system input device is the primary hopper of the MFCU. The READER statement tells the system to use a different device (printer-keyboard, secondary hopper of the MFCU or 1442). When the READER statement is present, place it and any OCL statement preceding it into the primary hopper of the MFCU. The remaining OCL statements and jobs must be supplied from the device named on the READER statement. To change the system input device back to the primary hopper of the MFCU, perform IPL or supply another READER statement naming the primary hopper of the MFCU as the system input device. The READER statement should be preceded with a /& statement.

If the system input device is the 5471 Printer-Keyboard, the keyed input will be preceded by a blank, 1, or 2. These characters provide the following information:

Blank	Dedicated system.
1	DPF. Program level one has initiated the input request.
2	DPF. Program level two has initiated the input request.

// LOG Statement

If your system has a printer-keyboard, OCL statements and error codes are printed by the printer-keyboard; otherwise, the statements and error codes are printed on the printer. The LOG statement can tell the system to do one of the following:

- Use the printer as the logging device.
- Use the printer-keyboard as the logging device.
- Stop printing OCL statements and error codes.
- Start printing OCL statements and error codes.

The logging device is turned on when you perform IPL. If your system has DPF, the following should be noted:

- The logging device will be off if LOG statements for *either* level (program 1 or program 2) specify that it be off.
- LOG statements for both program 1 and program 2 must state that the logging device be on before it can be used for logging.
- Only LOG statements for program 1 can tell the system to use a different logging device.
- When the printer is the logging device, OCL statements and error codes are not printed if *either* program 1 or program 2 are using the printer for other output.

If the logging device is the 5471 Printer-Keyboard, the logged output is preceded by a blank, 1, or 2. These characters provide the following information:

Blank	Dedicated system.
1	DPF. Program level one has initiated the log request.
2	DPF. Program level two has initiated the log request.

At end-of-job, the characters EJ preceded by a blank, 1, or 2 are logged if the 5471 Printer-Keyboard is the logging device.

// LOAD Statement

This statement identifies the program to be run and indicates whether the program will be loaded from cards or disk.

// RUN Statement

This statement indicates the end of OCL statements for a job and tells the system to begin execution.

// SWITCH Statement

This statement is used to set one or more external indicators on or off. Once these indicators are on, they remain on until they are turned off by another SWITCH statement or until you perform the IPL process. The indicators are all off after the IPL process is performed.

// NOHALT Statement

This statement tells the system to continue, without stopping, when a program ends. The system continues until it reads a HALT statement. You can stop the system by pressing the console stop key. The NOHALT statement is invalid for program 2 (DPF system). Program 2 will always stop after each job is completed.

// HALT Statement

This statement is used only if you want to cancel the effect of a NOHALT statement. It tells the system to halt when a job is completed. You can tell the system to continue to the next job by pressing console START (or by pressing the HALT/RESET key if you have DPF). The HALT statement is ignored in program level 2 if you have DPF.

// PAUSE Statement

This statement causes the system to halt with a display of 90 in the message display unit. It is usually preceded by comments on the printer, informing you of some action to take. You may have to mount a different cartridge or insert special forms in the printer. When you have taken the necessary action, press console START (or the HALT/RESET key if you have DPF) to continue operation.

// CALL Statement

This statement is used only when OCL needed for the job is on disk as a procedure. Procedures are groups of OCL statements that have been placed in the source library on disk.

// FILE Statement

This statement is used to supply to the system information about groups of related records called files. The system uses this information to read records from and write records on disk.

// PARTITION Statement

This statement is used only if you have DPF. It tells the system the amount of storage you want for program 2.

// COMPILE Statement

This statement tells the system where the source program is located (on disk or on cards) and where the object program is to be placed.

// FORMS Statement

This statement is used to change the number of lines to be printed per page on the printer. The number of lines is normally 66 but could have been changed at system generation.

// IMAGE Statement

This statement must be supplied whenever the printer chain is changed. The printer requires characters matching those on the printer chain to be in a special area of storage called the chain-image area. When you replace the printer chain with one having different characters, the contents of the chain-image area must also be changed. See Appendix A for more information on the IMAGE statement.

// PUNCH Statement

This statement indicates the card output device that will be used to punch the object deck. Be sure to place blank cards following the /* card in the hopper.

RPG II PROGRAM

Note: If you are using the 1442 instead of the MFCU see *Using the 1442 as the Only Card Input Device* in *Chapter 9. System Operation*.

This section lists the steps required to compile and execute an RPG II program. *IBM System/3 Model 10 Disk System Halt Guide*, GC21-7540, lists compilation halts and object program execution halts.

Compilation

The procedures for compiling an RPG II source program are:

1. Mount any disk cartridges specified on program run sheet, and ready disks.
2. Clear all cards from the MFCU by pressing NPRO twice.
3. Place OCL statements source program deck in the primary hopper (see Figures 23 and 24). Load cards facedown, top edge to the left. A source program deck may not be given to you if a // COMPILE statement is supplied in the OCL for the program. The COMPILE statement tells the system where the

source program is located (on disk or cards) and where to place the object program. When the source program is on disk, you will not be given a source program deck. This is all that is needed for diagnostics—only run.

4. If an object deck is to be punched, place blank cards in the secondary hopper. Load cards facedown top edge to the left.
5. Press MFCU START. PRIMARY READY and SECONDARY READY lights turn on.
6. Ready printer.
7. Press console START (or appropriate HALT/RESET key if you have DPF).

During compilation, a number of halts can occur. Check the list of program halts in *IBM System/3 Model 10 Disk System Halt Guide*, GC21-7540, for recovery procedures.

EJ in the Message Display Unit indicates the end of compilation, or the end of a diagnostics only run. Clear the MFCU according to the type of run just completed (see following methods). Always clear the primary hopper first.




Figure 23. RPG II Input




Figure 24. RPG II Input with Optional Source Material

Clearing the MFCU After a Successful Compilation

1. Press MFCU STOP.
2. Press NPRO to feed source deck end-of-file card into stacker 1.
3. Remove source deck from stacker 1.
4. If an object deck was punched, it will be in stacker 3. Use these cards for the execution portion of the RPG II program.
5. Remove blank cards from secondary hopper.
6. Press NPRO.
7. Remove blank card from stacker 1.

Clearing the MFCU After a Diagnostic-Only Run

1. Press MFCU STOP.
2. Press NPRO to feed source deck end-of-file card into stacker 1.
3. Remove source deck from stacker 1.

Object Program Execution

1. Mount disk cartridge specified on program run sheet, and ready disks.
2. Clear cards from MFCU.
3. Place OCL statement in primary hopper. Load cards face down, top edge to the left. If an object deck was punched, place it in the primary hopper of the MFCU.
4. If required, place object tables and data cards (Figure 25) in the hopper designated on program run sheet.
5. Press MFCU START. The PRIMARY READY light will come on. If any cards are in the secondary hopper, SECONDARY READY will come on.
6. Ready printer. If special forms are required, load them in the printer.
7. Press console START (or appropriate HALT/RESET key if you have DPF).

During object program execution, a number of halts can occur. H1-H9 halts indicate that instructions for running this program are provided on the program run sheet or printer listing. A 1P halt means the forms in the printer need positioning. H1-H9 and 1P halts can occur only if the programmer specified them in the source program. All object program halts are included in the list of program halts in *IBM System/3 Model 10 Disk System Halt Guide*, GC21-7540.

EJ in the message display unit indicates a successful program execution.




Figure 25. Input for RPG II Object Program Execution

Executing an RPG II I-Type Program

RPG II I-Type programs are loaded into storage and remain there to be used as needed. I-Type programs can only be executed by an inquiry request (pressing REQ on the printer-keyboard). An I-Type program cannot be interrupted and placed on disk. I-Type programs can be used most efficiently with a DPF system, however, they can also be used on a dedicated (non-DPF) system. I-Type programs can also be loaded into storage after interrupting an RPG II object program. For information on executing I-Type programs after interrupting RPG II object programs, see *Interrupting an RPG II Object Program*.

The execution of an I-Type program depends on the input device (MFCU or printer-keyboard) being used.

Execution of an I-Type Program Using the MFCU

1. Mount disk cartridge specified on program run sheet and ready disks.
2. Clear cards from MFCU.
3. Place OCL statements and data cards in primary hopper of MFCU.

Note: The OCL statements may be keyed using the printer-keyboard. This will be indicated on the program run sheet when you have to do this. The data cards will still be placed in the primary hopper.

4. Press MFCU START.
5. Press console START, or appropriate HALT/RESET key if you have DPF. The OCL statements are read and the I-Type program is loaded into storage.
6. Press REQ on printer-keyboard. The data cards are read and the I-Type program is executed. EJ is displayed in the message display unit when the job is complete. If any other halts occur, see *IBM System/3 Model 10 Disk System Halt Guide, GC21-7540* for recovery procedures.

Execution of an I-Type Program Using the Printer-Keyboar

1. Mount disk cartridge specified on the program run sheet and ready disks.
2. Key OCL statements using the printer-keyboard.

Note: The OCL statements can be on cards. The program run sheet will indicate to you when the OCL statements are on cards. Place the OCL statements in the primary hopper, press MFCU START, and console START, or appropriate HALT/RESET key if you have DPF.

3. Press REQ on printer-keyboard. PROCEED light turns on.
4. Key data record using printer-keyboard. The data record is processed and then the I-Type program goes into a wait state. It is waiting for the next data record to be processed.
5. Press REQ on printer-keyboard. PROCEED light turns on.
6. Key next data record when desired. The data record is processed and, again, the I-Type program goes into a wait state.
7. Repeat steps 5 and 6 for each data record to be processed.
8. When no more data records are to be processed, press REQ on printer-keyboard and key /*. EJ is then displayed in the message display unit. If other halts occur, see *IBM System/3 Model 10 Disk System Halt Guide, GC21-7540*

Interrupting an RPG II Object Program

RPG II object programs can be interrupted provided the job being executed allows interrupts and you have a printer-keyboard to initiate the interrupt. When the interrupt is initiated, the job in storage is placed on disk. A new job can then be loaded into storage and executed. The program run sheet will indicate when you have to interrupt an RPG II object program.

Perform the following procedures to interrupt an RPG II object program.

1. Press REQ on printer-keyboard. The REQUEST PENDING light is on. When the REQUEST PENDING light is off, the interrupt has been allowed. The RPG II job in storage is now placed out on disk by the system.

2. When halt JY is displayed in the message display unit, check the program run sheet to determine if the interrupted program is using the MFCU. Then perform the following steps as required. If the MFCU is not being used, proceed to step 9.

Note: If the 1442 Card Read Punch is being used by the user program, do not remove (NPRO) the cards from the machine.

3. Remove cards from primary hopper. Indicate that these cards came from the primary hopper. You will have to use these cards later.
4. Press MFCU NPRO. One card is fed into stacker 1. Place this card in front of cards removed from primary hopper.
5. Remove cards from stacker 1 and set them aside. They will not be used again by this job.
6. Remove any cards from the secondary hopper. Indicate that these cards came from the secondary hopper.
7. Press MFCU NPRO. One card is fed into stacker 1 if the secondary hopper is being used. Place this card in front of any cards removed from secondary hopper.
8. Remove any cards from stackers.
9. Place cards, if necessary, for new job in specified hoppers of MFCU as indicated on the program run sheet.
10. Press MFCU START, if necessary.
11. Mount disk cartridge as specified on the program run sheet for the new program, if any, and ready disks.
12. Ready printer.
13. Set rightmost ADDRESS/DATA switch at 0.
14. Press console START (or appropriate HALT/RESET key if you have DPF).

15. When the PROCEED light comes on, key OCL for new job via the printer-keyboard. If the 1442 Card Read Punch is being used by the interrupted program and will be needed when the program resumes execution, do not attempt to use it as a SYSIN device for the interrupting program. You may only have to key a READER statement for the MFCU if the OCL for the new job is on cards. In this case, key-in the READER statement and place the OCL for the job in front of any cards in the primary hopper. If an I-Type program is being loaded (determine this by checking the program run sheet) and the printer-keyboard is being used as the input device, the following must be done after keying the OCL statements and the first data record:

- a. Press REQ on the printer-keyboard. The PROCEED light turns on.
- b. Key next data record.
- c. Repeat steps a and b for each data record, including the end-of-file (/*) statement.

The new job is loaded and halt '5 occurs. This halt allows you to continue with or cancel the job.

16. Set rightmost ADDRESS/DATA switch at 0 to allow the job to execute or set rightmost ADDRESS/DATA switch at 3 to cancel the job.
17. Press console START (or appropriate HALT/RESET key if you have DPF). If you cancelled the job, go to step 20.

The job begins execution. When the job is complete, halt J' is displayed in the message display unit. You must now restore the conditions that existed before the RPG II job was interrupted.

18. Clear cards from MFCU.
19. Remove cards from stacker 1.
20. Place remaining cards (if any) for the interrupted program back in the appropriate hoppers of the MFCU.
21. Press MFCU START.
22. Remount disk cartridge used by the interrupted job and ready disks.
23. Ready printer.
24. Set rightmost ADDRESS/DATA switch at 0.

25. Press console START (or appropriate HALT/RESET key if you have DPF) to continue operation of the interrupted job. If the J' halt occurs again, you may have mounted the wrong cartridge. After you have checked that the correct cartridge is mounted, set the rightmost address/data switch at 0 and press console START (or appropriate HALT/RESET key if you have DPF).

If any other halts occur during this operation, refer to the *IBM System/3 Model 10 Disk System Halt Guide*, GC21-7540, for recovery procedures.

BSC PROGRAMS

This section lists the steps required to compile and execute a BSC program. Any halts that occur are listed in the *IBM System/3 Model 10 Disk System Halt Guide*, GC21-7540.

Compilation

1. Mount disk cartridges specified on the program run sheet and ready disks.
2. Clear cards from MFCU.
3. Remove cards from stackers.
4. Place OCL statements and source deck in primary hopper. Load cards face down, top edge to the left. This is all that is needed for a diagnostics-only run.
5. If an object deck is to be punched, place blank cards in the secondary hopper. Load cards face down, top edge to the left. (The object program is placed on disk when cards are not punched.)
6. Press MFCU START. PRIMARY READY and SECONDARY READY lights turn on.
7. Ready printer.
8. Press console START, or appropriate HALT/RESET key if you have DPF. During compilation, a number of halts can occur. Check the list of program halts in *IBM System/3 Model 10 Disk System Halt Guide*, GC21-7540, for recovery procedures.

EJ in the message display unit indicates the end of compilation or the end of a diagnostics-only run. Clear the MFCU according to the type of job just completed (see following methods). Always clear the primary hopper first.

Clearing the MFCU After a Successful Compilation

1. Press MFCU STOP.
2. Press NPRO to feed source deck end-of-file card into stacker 1.
3. Remove source deck from stacker 1.
4. If an object deck was punched, it will be in stacker 3. Use these cards for the execution portion of the BSCA program.
5. Remove blank cards from secondary hopper.
6. Press NPRO.
7. Remove blank card from stacker 1.

Clearing the MFCU After a Diagnostic-Only Run

1. Press MFCU STOP.
2. Press NPRO to feed source deck end-of-file card into stacker 1.
3. Remove source deck from stacker 1.

Execution

There are two types of BSCA networks: nonswitched and switched. For nonswitched networks, there is always a direct communication line between the stations. The data phone is never used. Nonswitched networks can be further broken down into point-to-point and multipoint, nonswitched networks. For point-to-point, nonswitched networks, the communication lines are continuously established between two stations. A multipoint, nonswitched network has a central station and several tributary stations. The communication lines are continuously established, but the central station selects the tributary station that can send and receive data at a certain point in time.

For switched networks, a direct communication line is not always established. The data phone is used to establish the necessary communication lines. A switched network is point-to-point only, but communication is possible with many different stations. The procedures for executing BSCA object programs over switched and nonswitched networks follow.

A schedule must be established to ensure that each BSCA station loads its program at the correct time. On a leased network, the receiving station must start first. On a multi-point network, the System/3 terminal must start first. These programs will wait; a transmit program will not wait for the receiving program to be started. On a switched network, the answering terminal must be ready first.

Nonswitched Networks

1. Mount disk cartridges specified on program run sheet and ready disks.
2. Clear cards from MFCU.
3. Remove cards from stackers.
4. Place OCL statements, object deck (if any), and data cards (if any) in hoppers as specified on program run sheet.
5. Press MFCU START. PRIMARY READY LIGHT turns on. If there are any cards in the secondary hopper, the SECONDARY READY light turns on.
6. Ready printer.
7. Press console START, or appropriate HALT/RESET key if you have DPF. The programs are loaded and transfer of data occurs. Transmission is complete when EJ is displayed in the message display unit.

Switched Networks

The procedures you perform when your system is on a switched network depends on whether you are initiating the call and whether the initiation of the call is being made manually or automatically.

Initiating a Call Manually

1. Mount disk cartridges specified on program run sheet and ready disks.
2. Clear cards from MFCU.
3. Remove cards from stacker.

4. Place OCL statements, object deck (if any), and data cards (if any) in hoppers as specified on program run sheet.
5. Press MFCU START. PRIMARY READY light turns on. If there are any cards in the secondary hopper, the SECONDARY READY light turns on.
6. Ready printer.
7. Press console START, or appropriate HALT/RESET key if you have DPF. The program is loaded and execution begins.
8. When halt Y7 occurs, do the following:
 - a. Press TALK on data phone.
 - b. Set rightmost address/data switch at 0.
 - c. Press console START, or appropriate HALT/RESET key if you have DPF.
 - d. Wait for I/O ATTENTION and BSCA ATTN lights to turn on.
 - e. Pick up receiver and dial digits in proper sequence.
 - f. Verbally communicate with the operator on the other system, or if AUTO is pressed on the data phone of the other system, wait for a high-pitch tone.
 - g. Press DATA on your phone.
 - h. Place receiver back on phone.

Initiating a Call Automatically

1. Mount disk cartridges specified on program run sheet and ready disks.
2. Press AUTO on data phone.
3. Clear cards from MFCU.
4. Remove cards from stackers.
5. Place OCL statements, object deck (if any), and data cards (if any) in hoppers as specified on program run sheet.
6. Press MFCU START. PRIMARY READY light turns on. If there are any cards in the secondary hopper, the SECONDARY READY light turns on.

7. Ready printer.
8. Press console **START**, or appropriate **HALT/RESET** key if you have **DPF**. When the operator or the other system answers, transmission of data occurs and is complete when **EJ** is displayed in the message display unit.

Answering a Call Manually

1. Mount disk cartridges specified on program run sheet and ready disks.
2. Clear cards from **MFCU**.
3. Remove cards from stackers.
4. Place **OCL** statements, object deck (if any), and data cards (if any) in hoppers as specified on program run sheet.
5. Press **MFCU START**. **PRIMARY READY** light turns on. If there are any cards in the secondary hopper, the **SECONDARY READY** light turns on.
6. Ready printer.
7. Press console **START**, or appropriate **HALT/RESET** key if you have **DPF**. The program is loaded and execution begins.
8. When **Y8** occurs, do the following:
 - a. Press **TALK** on data phone and wait for incoming call.
 - b. Set rightmost **ADDRESS/DATA** switch at 0.
 - c. Press console **START**, or appropriate **HALT/RESET** key if you have **DPF**.
 - d. Wait for **RECEIVE INITIAL** light on **BSCA** panel to turn on.
 - e. Lift receiver and verbally communicate with the operator of the other system or wait for a high-pitch tone if **AUTO CALL** is used by the calling station.
 - f. Press **DATA** on your phone.
 - g. Place receiver back on phone. Transmission of data occurs and is complete when **EJ** is displayed in the message display unit.

Answering a Call Automatically

1. Mount disk cartridges specified on program run sheet and ready disks.
2. Press **AUTO** on data phone.
3. Clear cards from **MFCU**.
4. Remove cards from stackers.
5. Place **OCL** statements, object deck (if any) and data cards (if any) in hoppers specified on program run sheet.
6. Press **MFCU START**. **PRIMARY READY** light turns on. If there are any cards in the secondary hopper, the **SECONDARY READY** light turns on.
7. Ready Printer.
8. Press console **START**, or appropriate **HALT/RESET** key if you have **DPF**. When the connection is made, transmission of data occurs and is complete when **EJ** is displayed in the message display unit.

DEVICE COUNTER LOGOUT PROGRAM

The primary purpose of the Device Counter Logout program is to report information about errors that were recorded during the execution of a Binary Synchronous Communications (**BSC**) program, which contained the programming support to update these counters. You should run the Device Counter Logout program immediately following every such **BSC** program. The system **LOG** must be **ON** when the Device Counter Logout program is run or the program will go to end of job. The contents of the counters will be displayed on the device assigned as the system **LOG**.

Operating Procedure

1. Place the following **OCL** cards in the **MFCU** primary hopper.


```
// LOG ON
// LOAD $$BSDL,F1 (Use R1 if your system pack
is mounted there.)
// RUN
```
2. Press **MFCU START**.
3. Ready the system **LOG** device.

4. Press console START (or appropriate HALT/RESET Key if you have DPF). The device counters will be displayed as follows.

BSCA LOG mm/dd/yy	
1. TEXT BLOCKS SENT	nnnnn
2. TEXT BLOCKS RECEIVED	nnnnn
3. NAKS RECEIVED	nnnnn
4. DATA CHECKS	nnnnn
5. FORWARD ABORTS	nnnnn
6. ABORTS	nnnnn
7. ADAPTER CHECKS ON TRANSMIT	nnnnn
8. ADAPTER CHECKS ON RECEIVE	nnnnn
9. INVALID REPLIES	nnnnn
10. ENQ'S RECEIVED	nnnnn
11. LOST DATA COUNT	nnnnn
12. DISCONNECT TIMEOUTS	nnnnn
13. TIMEOUTS DURING RECEIVE DATA	nnnnn

The entries have the following meaning:

- | | |
|--------------------------------|--|
| BSCA LOG | – Heading to identify the printout. |
| mm/dd/yy | – Date stored in the System Communication area. |
| 1. TEXT BLOCKS SENT | – Number of blocks of data transmitted successfully from this terminal to a remote terminal. |
| 2. TEXT BLOCKS RECEIVED | – Number of blocks of data received successfully by this terminal from a remote terminal. |
| 3. NAKS RECEIVED | – Number of negative responses received by this terminal in response to data transmitted by this terminal. |
| 4. DATA CHECKS | – Number of text blocks received with invalid error check bits. |
| 5. FORWARD ABORTS | – Number of times a remote terminal has terminated transmission abnormally while transmitting data. |

- 6. **ABORTS** – Number of times a remote terminal has terminated transmission abnormally while receiving data.
- 7. **ADAPTER CHECKS ON TRANSMIT** – Number of times the following errors occurred while the terminal was transmitting data:
 - 1. Parity check within the adapter.
 - 2. Cycle steal overrun.
 - 3. Local store register or control register check.
- 8. **ADAPTER CHECKS ON RECEIVE** – Number of times the following errors occurred while the terminal was receiving data:
 - 1. Parity check within the adapter.
 - 2. Cycle steal overrun.
 - 3. Local store register or control register check.
- 9. **INVALID REPLIES** – Number of abnormal responses (including no responses) from the remote terminal.
- 10. **ENQ'S RECEIVED** – Number of requests for retransmission of this terminal's last acknowledgement after the acknowledgement has already been sent.
- 11. **LOST DATA COUNT** – Number of text blocks received which do not fit into the receive area.
- 12. **DISCONNECT TIMEOUTS** – Number of times the data set has dropped ready status after that status was set on.
- 13. **TIMEOUTS DURING RECEIVE DATA** – Number of times this terminal expected to receive text but did not receive anything for 3.25 seconds.

CARD UTILITIES

The procedures in this section are for the following card utilities:

- 1. 96-List
- 2. 96-96 Reproduce and Interpret
- 3. MFCU Sort/Collate
- 4. Data Recording
- 5. Data Verifying

96-LIST PROGRAM

1. Mount disk cartridge specified on the program run sheet, if any, and ready disks.
2. Clear cards from MFCU.
3. Place OCL statements and cards to be listed in primary hopper of MFCU (Figure 26). Load cards face-down, top edge to the left. Be sure two end-of-file (/*) cards are at the end of the deck to be listed.

More than one deck can be placed in the MFCU and listed. Each deck, however, must be followed by two end-of-file cards.

4. Press MFCU START. The PRIMARY READY light will turn on.
5. Ready printer.
6. Press console START (or appropriate HALT/RESET key if you have DPF). After the program is loaded, the system halts with CU displayed in the message display unit. If CU is not displayed, check the list of program halts in the *IBM System/3 Model 10 Disk System Halt Guide*, GC21-7540.

7. Set rightmost ADDRESS/DATA switch on console to select the program option you want to run, as indicated on the program run sheet:

- Card count only; no listing 0
- Single space with card count 1
- Double space with card count 2
- Triple space with card count 3

Any switch setting other than 0 through 3 selects the double-space-with-card-count option (same as 2).

8. Press console START (or appropriate HALT/RESET key if you have DPF). The selected program option is performed and all cards are placed in stacker 1.

When the end-of-file cards (/*) are read, the system halts with 52 in the message display unit. If there are no more list jobs to run, proceed to step 9. If more list jobs are to be run, follow the steps under *Restart Procedure*.

9. Set rightmost ADDRESS/DATA switch at 2.




Figure 26. Input Deck for List Program

10. Press console START (or appropriate HALT/RESET key if you have DPF).
11. System halts with EJ in the message display unit. Clear cards from MFCU.

Restart Procedure

1. Set rightmost ADDRESS/DATA switch at 1.
2. Press console START (or appropriate HALT/RESET key if you have DPF). The message display unit changes to CU.
3. Place cards needed for this run in primary hopper of MFCU—if they are not already there—and ready MFCU.
4. Repeat operating procedure starting at step 7.

96-96 REPRODUCE AND INTERPRET PROGRAM

1. Mount proper disk cartridge if specified on program run sheet and ready disks.
2. Clear cards from MFCU.
3. Place OCL statements, followed by cards required for the job, in primary hopper of MFCU. Load cards face down, top edge to the left. Be sure two end-of-file (/*) cards are at the end of the deck. Several reproduce and interpret jobs can be placed in the MFCU at the same time. Place the cards in the order shown in Figures 27 and 28. Each deck, however, must be followed by two end-of-file cards.
4. Place blank cards in secondary hopper if any deck in primary hopper is being reproduced. You will be able to tell this by looking at the program run sheet.
5. Press MFCU START. The PRIMARY READY light will turn on. If there are blank cards in the secondary hopper, the SECONDARY READY light will turn on.
6. Press console START (or appropriate HALT/RESET key if you have DPF). After the program is loaded, the system halts with CU displayed in the message display unit. If CU is not displayed, check the list of program halts in the *IBM System/3 Model 10 Disk System Halt Guide*, GC21-7540.

7. Set rightmost ADDRESS/DATA switch on console to select program option you want to run, as indicated on the program run sheet:

- Read and interpret (print as punched) 0
- Reproduce (punch a new card deck) 1
- Reproduce and interpret (punch and print on cards) 2
- Reproduce with reformatting 3
- Reproduce and interpret with reformatting 4

Any switch setting other than 0 through 4 selects the reproduce and interpret option (same as 2).

8. Press console START (or appropriate HALT/RESET key if you have DPF). The selected program option is performed. Cards from the primary hopper go to stacker 1 (nearest the hoppers). Cards from the secondary hopper go to stacker 4. If any reformat data cards are present, they go to stacker 2. When two consecutive end-of-file (/*) cards are read, the system halts with 52 in the message display unit.
9. If there are no more reproduce and interpret jobs to run, set the rightmost ADDRESS/DATA switch at 2. If more reproduce and interpret jobs are to be run, follow the steps under *Restart Procedure*.
10. Press console START (or appropriate HALT/RESET key if you have DPF).
11. When system halts with EJ in the message display unit, clear cards from MFCU.

Restart Procedure

1. Set rightmost ADDRESS/DATA switch at 1.
2. Press console START (or appropriate HALT/RESET key if you have DPF). The message display unit changes to CU.
3. Place cards needed for this run in proper hoppers of MFCU—if they are not already there—and ready MFCU.
4. Repeat operating procedure starting at step 7.




Figure 27. Input Deck for Reproduce or Interpret Without Reformatting




Figure 28. Input Deck for Reformatting

Reformat Data Card

If reformatting is needed, reformat data cards must be punched to indicate the format of the new deck.

A reformat unit of six card columns is required to reformat a field. Up to 100 reformat units can be used. (A field is one or more columns on a card that contains the same or related information.) Several reformat units may be placed on one card or each unit can be placed on a separate card.

Figure 29 shows the format of a reformat data card. When reformatting is specified, all cards are reformatted except those with a /* in columns 1 and 2; these cards are reproduced in their original format.

1	2	3	4	5	6	7	8	9	10
0	1	0	4	0	8				
a	a	b	b	c	c				
These six columns make one reformat unit									
A field beginning in column 01 (aa)		and ending in column 04 (bb) is being reproduced.				It will be reformatted so that in the new deck it will end in column 08 (cc). Therefore, the reformatted field will begin in column 05 in the new deck.			

Figure 29. Reformat Data Card Format

Examples

Moving Fields: In this example, we want to switch fields 1 and 2. The deck to be reformatted is:

```
Card Column  1 2 3 4 5 6 7 8 9 10 11 12
              F I E L D 2 F I E L D 1
```

The reformat data card that will cause Fields 1 and 2 to be switched in the new deck is shown in Figure 30. The format of the new deck is:


```
Card Column  1 2 3 4 5 6 7 8 9 10 11 12
              F I E L D 1 F I E L D 2
```

Deleting a Field: In this example, we want to delete Field 6. The deck to be reformatted is:

```
Card
Column  51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68
        F I E L D 5 F I E L D 6 F I E L D 7
```

The reformat data card needed to punch a deck that does not contain Field 6 is shown in Figure 31. Columns 57-62 (Field 6) are not punched on the new cards because these columns are not included in the reformat data card. The format of the new deck is:

```
Card
Column  51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68
        F I E L D 5                F I E L D 7
```



The field from columns 1-6 is punched in columns 7-12 in the new cards.

The field from columns 7-12 is punched in columns 1-6 in the new cards.

The remainder of the data fields are punched in their original position in the new cards.

Figure 30. Reformat Data Card: Moving Fields

0	1	5	6	5	6	6	3	9	6	9	6								
a	a	b	b	c	c	a	a	b	b	c	c								
All fields from columns 1-56 are punched in the same position in the new cards.						All fields from columns 63-96 are punched in the same position in the new cards.													

Figure 31. Reformat Data Card: Deleting a Field

For more information on reproduce and interpret, see the *IBM System/3 Sort/Collate and Card Utilities Reference Manual*, SC21-7529.

MFCU SORT/COLLATE PROGRAM

The following steps are required for all sort/collate jobs.

1. Mount disk cartridge if specified on program run sheet, and ready disks.
2. Clear cards from MFCU.
3. Place OCL cards in primary hopper of MFCU. Load cards face down, top edge to the left.
4. Place sort specification cards in secondary hopper of MFCU. Figure 32 shows the input for sort/collate without alternate collating. Figure 33 shows the input for sort/collate with alternate collating.
5. Press MFCU START. PRIMARY READY and SECONDARY READY lights will turn on.
6. Ready printer.
7. Press console START (or appropriate HALT/RESET key if you have DPF) to load the program. When the program is loaded, it reads specifications cards and lists them on the logging device.

The system halts with one of the following values displayed in the message display unit:

- EE (ready to go halt). This halt signifies that the program is successfully loaded. Read the operating procedure for the job you are doing for further instructions.
- EL (conditional halt). Check message on logging device to determine cause (all sort/collate messages are described in Appendix B). Set rightmost ADDRESS/DATA switch to 0 and press console START (or appropriate HALT/RESET key if you have DPF) to continue. The message display unit changes to EE. Read the operating procedure for the job you are doing for further instructions.
- EA (terminal halt). This halt indicates that something is wrong with the specification deck. Check printout to determine the cause of the error. Set rightmost ADDRESS/DATA switch at 3 and press console START (or appropriate HALT/RESET key if you have DPF) to cancel the job. The sort/collate program must be reloaded after the error is corrected. If the message display unit contains a display other than EE, EL, or EA, check the list of program halts in the *IBM System/3 Model 10 Disk System Halt Guide*, GC21-7540.




Figure 32. Input for Sort/Collate Without Alternate Collate Cards




Figure 33. Input for Sort/Collate With Alternate Collate Cards

Sort Operating Procedure

A complete file can be sorted or a file can be sorted after selected card types are removed. The first method is a simple sort; the second is a sort with omits.

Sort (No Omits):

1. Clear cards from MFCU.
2. Divide card deck to be sorted. Place approximately one half of the card deck in the primary hopper of the MFCU and place the remaining cards in the secondary hopper.
3. Ensure that an end-of-file (/*) card (if one is not there) is placed behind cards in each hopper. (Have two extra end-of-file cards available. These cards will save you time in the next pass of the program.)
4. Press MFCU START. The PRIMARY READY and SECONDARY READY lights turn on.
5. Set rightmost ADDRESS/DATA switch at 0.
6. Press console START (or appropriate HALT/RESET key if you have DPF).
7. Cards are read in from both hoppers and selected into all four stackers. If a stacker fills before the hoppers empty, take cards from stacker and place them in bin above stacker. Press MFCU START to continue.
8. When the pass is completed, the system halts with EP in the message display unit. A message indicating the number of passes remaining to complete the sort is printed on the logging device.
9. Place cards from stacker 1 and stacker 2 (in that order) in the primary hopper (Figure 34). Place cards (if any) from the stacker-1 bin in the primary hopper before the cards in stacker 1. The same procedure applies for stacker 2.
10. Place cards from stacker 3 and stacker 4 (in that order) in the secondary hopper (Figure 34). Before you place cards from stacker 3 in the secondary hopper, place the cards in the stacker-3 bin, if any, in the secondary hopper. The same procedure applies for stacker 4.

11. Place end-of-file cards behind decks in both hoppers.
12. Press MFCU START.
13. Set rightmost ADDRESS/DATA switch at 0.
14. Press console START (or appropriate HALT/RESET key if you have DPF).
15. The second pass of the sort is run and the system again halts with EP in the message display unit. Remove end-of-file cards from under the cards in stacker 1 and 3. You will use these cards in the next pass.
16. Repeat steps 9-15 until all cards are routed into stacker 1 (the end-of-file card from the secondary hopper will be in stacker 3). At this time, the system halts with EJ in the message display unit. Press MFCU NPRO key twice to run end-of-file cards out of unit. The sort is completed.

Note: If a halt other than EP or EJ occurs during the sort run, check list of program halts in the *IBM System/3 Model 10 Disk System Halt Guide*, GC21-7540.

Note: If you forget to remove one of the end-of-file cards (/*) from under the cards in one of the stackers (step 15), you can save yourself an extra pass by performing the following:

1. Remove end-of-file cards from behind cards in both hoppers and let the pass continue.
2. Wait for I/O ATTENTION. One hopper is empty and the other hopper has cards in it. The cards remaining in the hopper are there because the system has read the misplaced end-of-file card and does not expect any more cards from that hopper, but is looking for more cards from the empty hopper.
3. Remove remaining cards from hopper and place them in empty hopper.
4. Place end-of-file card after cards in hopper.
5. Press MFCU START. The pass continues.




Figure 34. Stacker to Hopper Sequence During Sort. Don't forget any cards in bins. When the cards are sorted such that only stacker 1 and stacker 3 are used, place the cards in stacker 1 in the primary hopper; the cards in stacker 3 in the secondary hopper. When all cards being sorted are in stacker 1, the run is finished.

Sort (With Omits):

1. Clear cards from MFCU.
2. Divide card deck to be sorted. Place approximately one half of the card deck in the primary hopper of the MFCU and place the remaining cards in the secondary hopper.
3. Place an end-of-file (/*) card (if one is not there) behind cards in each hopper. (Have two extra end-of-file cards available. These cards will save you time in the next pass of the program.)
4. Press MFCU START (or appropriate HALT/RESET key if you have DPF).
5. Set rightmost ADDRESS/DATA switch at 0.
6. Press console START
7. Cards are read from both hoppers and selected into all four stackers.

If a stacker fills before hoppers empty, take cards from the stacker and place them in bin above stacker. Press MFCU START to continue.
8. When the pass is completed, the system halts with EO in the message display unit. A message indicating the number of passes remaining to complete the sort is printed on the logging device.
9. Take cards from stackers 2 and 4 and set them aside. These are the omitted cards.
10. Place any cards in bin above stacker 1 in primary hopper, then place cards from stacker 1 in primary hopper.

11. Place cards from stacker 3 in secondary hopper.
12. Place end-of-file cards behind decks in both hoppers.
13. Press MFCU START.
14. Set rightmost ADDRESS/DATA switch at 0.
15. Press console START (or appropriate HALT/RESET key if you have DPF).
16. The second pass of the sort is run and the system halts with EP in the message display unit. Remove end-of-file cards from under the cards in stackers 1 and 3. You will use these cards in the next pass.
17. Do steps 8-16 of the Sort (No Omits) procedure.

Note: If you forget to remove one of the end-of-file cards (/*) from under the cards in one of the stackers (step 16), you can save yourself an extra pass by doing the following:

1. Remove end-of-file cards from behind cards in both hoppers and let the pass continue.
2. Wait for I/O ATTENTION. One hopper is empty and the other hopper has cards in it. The cards remaining in the hopper are there because the system has read the misplaced end-of-file card and does not expect any more cards from that hopper, but is looking for more cards from the empty hopper.
3. Remove remaining cards from hopper and place them in empty hopper.
4. Place end-of-file card after cards in hopper.
5. Press MFCU START. The pass continues.

Merge

Merge is a one-pass operation.

1. Clear cards from MFCU.
2. Place primary file in primary hopper.
3. Place secondary file in secondary hopper.
4. Press MFCU START. PRIMARY READY and SECONDARY READY lights turn on.
5. Set rightmost ADDRESS/DATA switch at 0.
6. Press console START (or appropriate HALT/RESET key if you have DPF).
7. Cards are read in from both hoppers, merged, and routed to stacker 1.

A sequence error causes the system to halt with E1 (primary hopper) or E2 (secondary hopper) in the message display unit. The recovery procedures for these errors are included in the list of program halts in the *IBM System/3 Model 10 Disk System Halt Guide*, GC21-7540. Any omit cards from the primary hopper go to stacker 2. Any omit cards from the secondary hopper go to stacker 4.

When the pass is complete, the system halts with EJ in the message display unit. If the message display unit contains a display other than EJ, check the list of program halts in the *IBM System/3 Model 10 Disk System Halt Guide*, GC21-7540.

Match

The program run sheet should indicate which type of output appears in which stacker.

1. Clear cards from MFCU.
2. Place primary file in primary hopper. The last card must be an end-of-file card.
3. Place secondary file in secondary hopper. The last card must be an end-of-file card.
4. Press MFCU START. PRIMARY READY and SECONDARY READY lights turn on.

5. Set rightmost ADDRESS/DATA switch at 0.
6. Press console START (or appropriate HALT/RESET key if you have DPF).
7. Cards are routed to any or all stackers.

A sequence error causes the system to halt with E1 (primary hopper) or E2 (secondary hopper) in the message display unit. The recovery procedures for these errors are included in the list of program halts in the *IBM System/3 Model 10 Disk System Halt Guide*, GC21-7540.

When the pass is completed, the system halts with EJ in the message display unit. If the message display unit contains a display other than EJ, check the list of program halts in the *IBM System/3 Model 10 Disk System Halt Guide*, GC21-7540.

Select

1. Clear cards from MFCU.
2. Place file in primary hopper. The last card must be an end-of-file card.
3. Press MFCU START. PRIMARY READY turns on.
4. Set rightmost ADDRESS/DATA switch at 0.
5. Press console START (or appropriate HALT/RESET key if you have DPF).
6. Cards are routed to the stackers as follows:
 - Non-selected cards to stacker 4.
 - Selected cards to any or all of the remaining stackers (1, 2, and 3).

A sequence error in a sequenced file causes the system to halt with E1 in the message display unit. The recovery procedure for this error is in the list of program halts in the *IBM System/3 Model 10 Disk System Halt Guide*, GC21-7540.

When the pass is completed, the system halts with EJ in the message display unit. If the message display unit contains a display other than EJ, check the list of program halts in the *IBM System/3 Model 10 Disk System Halt Guide*, GC21-7540.

DATA RECORDING PROGRAM

The data recording program enables you to use System/3 for recording data in punched cards, using the IBM 5475 Data Entry Keyboard. The following procedure is used for loading the data recording program into storage, allowing the data entry keyboard to be used for data recording. For more information on the data recording program and the data entry keyboard, see the *IBM System/3 Sort/Collate and Card Utilities Reference Manual*, SC21-7529.

Program Load Procedure

1. Mount disk cartridge as specified on Program Run Sheet, if any, and ready disks.
2. Remove cards from both hoppers of MFCU.
3. Clear cards from MFCU.
4. Remove any cards from stackers.
5. Place OCL statements in primary hopper of MFCU. Load cards face down, top edge to the left.
6. Place cards to be punched in secondary hopper of MFCU. Load cards face down, top edge to the left.
7. Press MFCU START. PRIMARY READY and SECONDARY READY lights turn on.
8. Press console START (or appropriate HALT/RESET key if you have DPF).
9. When the column indicator on the keyboard panel comes on, showing 01, the program has been loaded. (If 01 does not light, check to make sure there are cards in the secondary hopper.)
10. When the column indicator shows 01, press MFCU STOP.
11. Press NPRO on the MFCU control panel once. (This removes the last card fed and stacks it in stacker 1.)
12. Press MFCU START. Data recording can now begin, unless program control cards are to be used.

A program control card causes specified functions to be performed automatically and must be loaded into storage before data recording can begin. For more information on the program control card and how to load it, see the *IBM System/3 Sort/Collate and Card Utilities Reference Manual*, SC21-7529.

DATA VERIFYING PROGRAM

The Data Verifying program enables you to verify previously punched cards, using the IBM 5475 Data Entry Keyboard. The following procedure is used for loading the data verifying program into storage, allowing the data entry keyboard to be used for data verifying. For more information on the data verifying program and the data entry keyboard, see the *IBM System/3 Sort/Collate and Card Utilities Reference Manual*, SC21-7529.

Program Load Procedure


1. Mount indicated disk cartridge as specified on Program Run Sheet, if any, and ready disks.
2. Remove cards from both hoppers of MFCU.
3. Clear cards from MFCU.
4. Remove any cards from stackers.
5. Place OCL statements in primary hopper of MFCU. Load cards face down, top edge to the left.
6. Place punched cards to be verified, followed by a blank card, in the secondary hopper. Load cards face down, top edge to the left.
7. Press MFCU START. PRIMARY READY and SECONDARY READY lights turn on.
8. Press console START (or appropriate HALT/RESET key if you have DPF).
9. When the column indicator on the keyboard panel comes on, showing 01, the system is ready for data verifying.
10. When the column indicator shows 01, press MFCU STOP.
11. Press MFCU NPRO and remove cards from stacker 1.
12. Press MFCU START. Data verifying can now begin, unless program control cards are to be used.

A program control card causes specified functions to be performed automatically and must be loaded into storage before data recording can begin. For more information on the program control card and how to load it, see the *IBM System/3 Sort/Collate and Card Utilities Reference Manual*, SC21-7529.


DISK SORT PROGRAM

Note: If you are using the 1442 instead of the MFCU see *Using the 1442 as the Only Card Input Device* in *Chapter 9, System Operation*.

1. Mount disk cartridge as specified on program run sheet and ready disks.
2. Ready printer.
3. Press console START (or appropriate HALT/RESET key if you have DPF). Various program halts can occur while the disk sort program is running.
4. Enter the required OCL statements and sort sequence specifications through the system input device. See the *IBM System/3 Model 10 Disk System Halt Guide*, GC21-7540, for the action you are to take. When the job is complete, EJ is displayed on the message display unit.



All sort specifications are in a procedure on disk. Only OCL statements are required to run the job.



The sort specifications are on cards and follow the OCL statements.

Figure 35. Possible Input for Disk Sort

BASIC ASSEMBLER PROGRAM

1. Mount disk cartridge as specified on program run sheet, and ready disks.
2. Clear cards from MFCU.
3. Place OCL statements and assembler source deck (Figure 36) in the primary hopper of the MFCU.
4. The assembler program can punch an object deck if requested. This should be indicated to you on the program run sheet. If an object deck will be punched, place blank cards in the secondary hopper of the MFCU.
5. Press MFCU START. PRIMARY READY turns on. SECONDARY READY turns on if blank cards are in the secondary hopper.
6. Ready printer.
7. Press console START (or appropriate HALT/RESET if you have DPF).

See the *IBM System/3 Model 10 Disk System Halt Guide*, GC21-7540 for recovery procedures if program halts are displayed on the message display unit.
8. When the job is complete, EJ is displayed on the message display unit.
9. Punched cards, if any, will be in stacker 4 of the MFCU. The OCL statements and assembler source deck will be in stacker 1.




Figure 36. Input for Basic Assembler Program

Execution of a Basic Assembler Object Program

1. Clear cards from MFCU.
2. Place punched absolute loader cards and object deck (Figure 37) in primary hopper of MFCU. Load cards face down, top edge to the left.
3. Press MFCU START. PRIMARY READY light turns on. If cards are in the secondary hopper, the SECONDARY READY turns on.
4. Ready printer.
5. Set program load selector at MFCU.
6. Press console PROGRAM LOAD. The object program is loaded and execution begins.
7. Perform the IPL process after execution of the Basic Assembly object program is complete.

During the execution of the object program, halts can occur. These halts are not necessarily related to the halts described in the *IBM System/3 Model 10 Disk System Halt Guide*, GC21-7540, because the programmer can use any halts desired. Also, the halt indicating that the object program is complete does not have to be EJ. The program run sheet, supplied to you by the programmer, indicates the halts that will occur and the action you should take.




Figure 37. Input for Basic Assembler Object Program Execution

DISK UTILITY PROGRAMS

Your resident system includes a group of disk utility programs. These programs do a variety of jobs, from preparing disks for use to adding new or changed programs to the system. The utility programs are:

- **Disk Initialization**—prepares a disk for use. This program must be run for each new disk that is used for the first time or when the contents of a disk can be erased.
- **Alternate Track Assignment**—assigns alternate tracks to disk tracks that become defective after they are initialized. The data on the defective track is transferred to the alternate track.
- **Alternate Track Rebuild**—corrects data that could not be transferred to an alternate track or was transferred in error.
- **File and Volume Label**—prints the contents of an area on disk called the volume table of contents (VTOC). This area contains information on all data files (groups of related records) on disk.
- **File Delete**—deletes files on disk by modifying the VTOC indicating the files no longer needed.
- **Disk Copy/Dump**—copies the contents of one disk to another, copies a data file from one disk to another, copies a data file from one location to another on the same disk, and prints the contents of a data file.
- **Library Maintenance**—builds, maintains, and services disk resident source and object libraries.

The source library is an area on disk used to store procedures and source statements. Procedures are groups of OCL statements that are used to run a particular program. The object library is an area on disk used to store executable programs and subroutines. The system programs are stored in an object library.

Each utility program to be run has OCL statements followed by control statements. The OCL statements consist of a LOAD statement, in some cases one or more FILE statements, and a RUN statement. The LOAD statement has the name of the utility program to be run. The FILE statement provides the system with information about groups of related records called files. The RUN statement tells the utility program to begin.

Control statements follow the OCL statements. These control statements are read by the utility program. They tell the utility program what to do. The last statement of the control statements is a // END card. This statement tells the utility that there are no more control statements.

For more information on the utility programs and their OCL and control statements, see the *IBM System/3 Model 10 Disk System Operation Control Language and Disk Utilities Reference Manual*, GC21-7512.

Operating Procedures

Operating procedures for the utility programs are the same, except for the disk copy/dump and library maintenance programs. Procedures for Disk Copy/Dump and Library Maintenance are discussed later in this section.

Operating Procedures for all Utility Programs but Disk Copy/Dump and Library Maintenance

1. Mount disk cartridge if specified on program run sheet, and ready disks.
2. Clear cards from MFCU.
3. Place OCL statements and control statements in primary hopper of MFCU (Figure 38).
4. Press MFCU START. The PRIMARY READY light comes on.
5. Ready the printer.
6. Press console START (or appropriate HALT/RESET key if you have DPF). The utility program performs the functions indicated on the control statements. An EJ halt appears on the message display unit when the utility program is completed.

See the *IBM System/3 Model 10 Disk System Halt Guide*, GC21-7540, for other programmed halts and how to recover from them.




Figure 38. Input for All Disk Utility Programs

Operating Procedures for Disk Copy/Dump Utility Program

Operating procedures for disk copy/dump are the same as for the other utility programs except when you have to mount several different cartridges on the same drive during the running of the program. The program run sheet indicates when this type of disk copy/dump program will be run.

1. Mount disk cartridge if specified on program run sheet, and ready disks.
2. Clear cards from MFCU.
3. Place OCL statements and control statements in the primary hopper of the MFCU.
4. Press MFCU START. PRIMARY READY comes on.
5. Ready the printer.
6. Press console START (or appropriate HALT/RESET key if you have DPF).

For a particular type of disk copy/dump program you will have to mount several different cartridges. Program halts indicate when it is time to do this. This particular form of program works as follows:

The program is going to copy data from one removable disk on R1 to another removable disk on R1. This kind of operation requires that you mount different cartridges at different times:

1. The preceding steps 1 through 6 have been performed. You have mounted the proper cartridge on R1.
2. After the program has copied data to the fixed disk, a program halt of 37 will occur. At that time you must mount the cartridge the program is going to copy the data onto. Keep the cartridge you removed handy, you will have to mount it again in step 5.
3. Set rightmost ADDRESS/DATA switch at 0.
4. Press console START (or appropriate HALT/RESET key if you have DPF). If you mounted the wrong cartridge, a halt of 38 will occur. To correct this, mount the correct cartridge, set rightmost ADDRESS/DATA switch to 0, and press console START (or appropriate HALT/RESET key if you have DPF).
5. When the data has been copied, another program halt of 37 will occur. At this time you must remount the cartridge you previously removed.
6. Set rightmost ADDRESS/DATA switch at 0.
7. Press console START (or appropriate HALT/RESET key if you have DPF).
8. Perform steps 2 through 5 as many times as necessary to get all the data copied onto the removable cartridge.
9. When the utility program is completed, EJ is displayed in the message display unit.

Operating Procedures for Library Maintenance Utility Program

The library maintenance utility program can create, delete, reorganize or change the size of a library, copy data, read from cards to a library (Figure 39), punch data on cards (Figure 40), and print data on the printer from data in a library. The type of library maintenance utility program being run will be indicated on the program run sheet.

The following operating procedures cover all of these possibilities:

1. Mount disk cartridge as specified on program run sheet and ready disks.
2. Clear cards from MFCU.
3. Place OCL statements, control statements, and data cards (if any) in the primary hopper of the MFCU. Place cards face down, top edge to the left.
4. Place blank cards in secondary hopper of MFCU, if specified on the program run sheet.
5. Press MFCU START. PRIMARY READY turns on. SECONDARY READY turns on if cards are in the secondary hopper.
6. Ready the printer.
7. Press console START (or appropriate HALT/RESET key if you have DPF).
8. Halt EJ is displayed when the job is completed.
9. Any cards punched by this particular library maintenance utility program are deposited in stacker 4. Remove them from the stacker.

If any program halts occur while the utility program is running, see the *IBM System/3 Model 10 Disk System Halt Guide*, GC21-7540, for recovery procedures.




Figure 39. Input for Library Maintenance Utility Program That Copies Data from Cards to a Disk File




Figure 40. Input for Library Maintenance Utility Program That will Punch Cards

USE OF CHECKPOINT/RESTART AND EXECUTION OF A CHECKPOINT PROGRAM

Checkpoint is a means of recording the status of a user program at desired intervals. Restart is the facility to resume the execution of the checkpointed program from the last checkpoint rather than from the beginning, if processing is terminated for any reason (except controlled cancel) before the normal end of job. For example, some malfunction such as a power failure may occur and cause an interruption. No intervening program executions are allowed between the failure and the restart. The checkpoint request is accepted only if the checkpoint program is executed in program level 1.

Checkpoint Accepted

Perform the following procedures when a checkpoint request has been accepted (the program run sheet for the checkpoint program should be used to communicate repositioning aids to the operator):

1. When halt HY is displayed in the message display unit, check the program run sheet to determine if the checkpoint program is using the MFCU. If the MFCU is not being used, proceed to step 3.
2. Remove cards from stackers and set them aside. They will not be used again by this job.
3. Check the program run sheet to determine if the checkpoint program is using the printer. If the printer is not being used, proceed to step 5.
4. Record the number of the line printed so the paper in the printer can then be repositioned to this line if the program must be restarted.
5. Check the program run sheet to determine if the checkpoint program is using the 1442. If the 1442 is not being used, proceed to step 7.
6. See the program run sheet for 1442 repositioning procedures.
7. Set rightmost ADDRESS/DATA switch at 0.
8. Press console START (or appropriate HALT/RESET key if you have DPF) and the checkpoint program will resume execution.

Removing Cards Prior to Restarting a Checkpoint Program

1. Check the program run sheet to determine if the MFCU was being used. If the MFCU was not being used, proceed to step 7.
2. Remove cards from the primary hopper. Indicate that these cards came from the primary hopper. You will have to use these cards later.
3. Press MFCU NPRO. Place card fed into stacker 1 in front of cards removed from the primary hopper.
4. Remove cards from the secondary hopper. Indicate that these cards came from the secondary. You will have to use these cards later.
5. Press MFCU NPRO. Place card fed into stacker 2 in front of cards removed from the secondary hopper.
6. Remove any cards from stackers and place them in their proper order in front of cards for their appropriate hopper.

Note: Carefully consider the sequence in which the cards in the stackers were originally processed to ensure that they are reprocessed in the same sequence.

7. Check the program run sheet to determine if the checkpointed program was using the 1442. If the 1442 was not being used, proceed to step 9.
8. See the program run sheet for 1442 repositioning procedures.
9. Dismount disk cartridges or packs as specified on program run sheet.

Restarting a Checkpointed Program

1. Submit the following OCL statements to load Restart:

```


LOAD $$$RSTR,unit
RUN
    
```

(In order to guarantee the required minimum size for program level 2, a PARTITION statement may be required. Also, to reestablish the log device a LOG statement may be required.)

2. When halt Hb is displayed in the message display unit the logged error code (or subhalt) gives the reason for the halt. You may have:
 - a. Subhalt AC: attempted restart without an active checkpoint.
 - b. Subhalt CS: reserved storage with the PARTITION statement required by the checkpointed program. Proceed to step 9 to cancel.
 - c. Subhalt nn where nn is the number of the requested checkpoint. You may:
 - Cancel, Proceed to step 9.
 - Control cancel to delete the active checkpoint and immediate cancel. Proceed to step 9.
 - Check the program run sheet to determine if the checkpoint program was using the MFCU. If the MFCU was not being used, proceed to step 4.
3. Place cards back in appropriate hoppers of the MFCU and press MFCU START.
4. Check the program run sheet to determine if the checkpointed program was using the printer. If the printer was not being used, proceed to step 6.
5. Reposition the paper in the printer to the line that was being printed when the last checkpoint was accepted. To reposition the paper:
 - a. Disengage the carriage clutch.
 - b. Position the forms using the vertical adjustment knob until the crease between the forms is aligned with the upper scribe line on the forms guide.
 - c. Press the CARRIAGE RESTORE key.
 - d. Engage the carriage clutch.
 - e. Press the carriage space key until the paper is at the line at which the checkpoint was accepted.
 - f. If the printer has dual feed carriage feature and two forms were used, both forms must be repositioned. Unequal length forms must maintain the same relative position after repositioning that they had when the checkpoint request was accepted.
 - g. Press printer START.
6. Check the program run sheet to determine if the checkpointed program was using the 1442. If the 1442 was not being used, proceed to step 8.
7. See the program run sheet for 1442 repositioning procedures.
8. Mount disk cartridges or packs as specified on program run sheet and ready disk drives.
9. Set rightmost ADDRESS/DATA switch at 0 to allow the job to restart, set rightmost ADDRESS/DATA switch at 2 to de-activate checkpoint and immediate cancel, or set rightmost ADDRESS/DATA switch at 3 to cancel the job.
10. Press console START (or appropriate HALT/RESET key if you have DPF). If you cancelled the job, go to step 1.
11. If Hb occurs again, you may have mounted the wrong cartridge or pack. After you have checked that the correct cartridge or pack is mounted, set rightmost ADDRESS/DATA switch at 0 to allow the job to continue or set rightmost ADDRESS/DATA switch at 3 to cancel the job.

If any other halts occur during the preceding procedures, refer to the *IBM System/3 Model 10 Disk System Halt Guide*, GC21-7540, for recovery procedures.

- System Generation Procedures



55239A

SYSTEM GENERATION PROCEDURES

System/3 must have all the programs on disk needed to perform your everyday jobs. These disk programs are called a resident system. System generation is the process by which your resident system is built and placed on disk.

System generation must be performed when:

- You first receive System/3.
- You add new devices to System/3.
- Changes to existing programs are extensive enough to merit performing system generation.

Your installation has a distribution disk cartridge that contains a system generation program, system control programs (SCP), and program products (PP). Program products may also be on separate disk cartridges. The system generation program is used to define your system configuration and build your system. System control programs control operation of System/3. They are generated by the system generation program according to your system configuration. Program products (such as RPG II, Disk Sort, Card Utilities, and Basic Assembler) are special programs you may use in your installation. These programs will be included in the system generation procedure when generating your system.

Note: Your installation has one or more distribution disk cartridges. These distribution disk cartridges must be used every time you perform system generation. You should never destroy these disk cartridges until you have received new ones. Therefore, you should label these cartridges and use them only for system generation. Follow the system generation procedures carefully so that you may remove the distribution disks at the appropriate times during system generation.

A program pack contains one or more program products and, if you desire, a minimal system.

Program packs may be built anytime after the completion of system generation. There are several reasons for building program packs. One, if you have 100 cylinder disks there may not be enough room on one pack for a system and all of your program products. Another, you may prefer to have more file space on the system pack.

System generation is divided into six functions:

1. Preparing for system generation.

2. Backing up your resident system (when performing system generation after the first time).
3. System control program generation.
4. Program product generation.
5. Completing system generation.
6. Building a program pack.

Note: Later in this chapter, you will be directed to *Appendix E* for information on how to modify the ALLOCATE statement. You may wish to read *Appendix E* before you continue reading this chapter.

Preparing for System Generation

1. Enter the following cards:

1	4	8	12	16	20	24	28	32	36	40	44
/	/	/	/	/	/	/	/	/	/	/	/
/	DATE	00/00/00									
/	PUNCH	1442									
/	CALL	\$SGPCH, R1									
/	RUN										

The // PUNCH card is necessary only if your system input device is the 1442 Card Read Punch.

2. If the printer has the standard 48-character chain, go to step 4.
3. If a printer chain other than the standard 48-character LC chain is used, an IMAGE statement and data cards reflecting the characters on the chain must be prepared. See *Appendix A* for information on how to do this. This has to be done because the system generation program assumes a standard 48-character chain is mounted.

Place the IMAGE statement and data cards between the DATE and CALL statements you punched in step 1. The IMAGE statement causes the characters on the data cards representing the characters on the printer chain to be stored in the chain-image area. This chain-image will become part of your generated system.

4. Set console power switch at ON.
5. Remove any cards from the reader.
6. Press NPRO to ensure that the card paths are clear.
7. Remove any cards from reader stackers.

- Place forms in printer and press printer START.

Note: When the 1403 Printer is the logging device, the recommended operating procedure is to slide the T-casting to the right so print position 1 is aligned to the right of the upper left tractor door. This will allow the operator to read logged halt messages or PAUSE statements.

The cards needed to initiate system generation are prepared and the system is ready to perform system generation. During system generation, halts can occur. For information on how to recover from the halts, see the *IBM System/3 Model 10 Disk System Halt Guide*, GC21-7540.

Backing Up Your Resident System

Note: If you are performing system generation for the first time, proceed to *System Control Program (SCP) Generation*.

Initializing a Scratch Disk Cartridge to Which Your Resident System is Copied

- Mount a scratch disk cartridge (a cartridge that has not been used or a cartridge that can be reused) on R1.
- Ready disks.
- Prepare a current DATE statement.
- If the scratch disk cartridge is not initialized (made ready for use by the system) it must be initialized. Prepare the OCL and control statements needed to initialize the scratch disk cartridge. For information on how to prepare the statements, see the *IBM System/3 Model 10 Disk System Operation Control Language and Disk Utilities Reference Manual*, GC21-7512.

- Place OCL and control statements in primary hopper. The DATE statement must be first.
- Press reader START.
- Set program load selector at FIXED DISK and set the data switches to indicate 1442 if your system input device is the 1442.
- Press PROGRAM LOAD. Initial program loading is performed and, when complete, the system begins reading cards from the reader.

If your system has DPF, EJ is displayed in both message display units when initial program loading is complete. Press appropriate HALT/RESET key to continue.

Scratch disk cartridge on R1 is initialized when EJ is displayed in the message display unit. You can now copy your resident system from F1 to R1.

Copying Your Resident System from F1 to R1

- Punch these statements:

1	4	8	12	16	20	24	28	32	36	40	44
LOAD	COPY	,F1									
RUN											
COPYPACK	FROM-F1,	TO-R1									
END											

- Place OCL and control statements in primary hopper.
- Press reader START.
- Press console START (program 1 HALT/RESET key if you have DPF).

When EJ is displayed in the message display unit, your resident system on F1 is copied on R1. This is your backup disk cartridge. You can now perform system control program generation.

System Control Program (SCP) Generation

Punching the System Generation Instruction Cards from the Distribution Disk Cartridge


1. Mount distribution disk cartridge for system generation on R1 and ready disks.
2. Place cards punched in *Preparing for System Generation* in primary hopper.
3. Place blank cards in secondary hopper of MFCU, or if your system input device is the 1442, place blank cards behind the cards from step 2.
4. Press reader START. PRIMARY READY light turns on.
5. Ready printer.
6. Set program load selector at REMOVABLE DISK and set the data switches to indicate 1442 if your system input device is the 1442.
7. Press PROGRAM LOAD. Initial program loading is performed and, when complete, the system begins reading cards from the reader.

Note: If you are using a printer chain other than the standard 48-character chain set, the DATE, IMAGE, and data cards are not printable. A halt of 7P is displayed in the message display unit. This halt occurs to ensure that you have the correct printer chain mounted. If the correct printer chain is not mounted, mount it at this time. After ensuring the correct printer chain is mounted, press console START (program 1 HALT/RESET key if you have DPF) to continue with system generation.

8. A halt of 91 is displayed in the message display unit. This halt is provided to give you time to read the instructions printed on the printer.
9. After reading the instructions, set rightmost ADDRESS/DATA switch on console at 0.
10. Press console START (program 1 HALT/RESET key if you have DPF). System generation continues.


When the EJ halt is displayed on the message display unit, a deck of punched cards (Figure 41) will be in stacker 4 of the MFCU, stacker 2 of the 1442 if your system input device is the 1442, and a listing of the punched cards will be printed on the printer. The deck of punched cards is used to continue with system generation. (Make sure your cards are kept in the correct order.) You can now initialize F1.

Note: If you are performing system generation from the 1442, the punched cards in stacker 2 are uninterpreted. It is suggested that you interpret all of these cards before continuing for ease in modifying them later.




Note: If your system input device is the 1442, the punched cards are un-interpreted 80-column cards.

Figure 41 (Part 1 of 7). Punched Cards for SCP Generation




Note: If your system input device is the 1442, the punched cards are un-interpreted 80-column cards.

Figure 41 (Part 2 of 7). Punched Cards for SCP Generation




Note: If your system input device is the 1442, the punched cards are uninterpreted 80-column cards.

Figure 41 (Part 3 of 7). Punched Cards for SCP Generation




Note: If your system input device is the 1442, the punched cards are uninterpreted 80-column cards.

Figure 41 (Part 4 of 7). Punched Cards for SCP Generation




Note: If your system input device is the 1442, the punched cards are uninterpreted 80-column cards.

Figure 41 (Part 5 of 7). Punched Cards for SCP Generation



Note: If your system input device is the 1442, the punched cards are uninterpreted 80-column cards.

Figure 41 (Part 6 of 7). Punched Cards for SCP Generation




Note: If your system input device is the 1442, the punched cards are uninterpreted 80-column cards.


Figure 41 (Part 7 of 7). Punched Cards for SCP Generation

Initializing F1

1. Remove the punched cards from stacker.
2. Remove the following two cards from the deck and discard them:



3. Clear cards from hopper.
4. Remove cards shown in Figure 42 from deck of punched cards and place them in primary hopper.
5. Press reader START. PRIMARY READY turns on.
6. Press console START (program 1 HALT/RESET key if you have DPF). The system begins reading the cards in the primary hopper and initialization of F1 begins.



Note: If your system input device is the 1442, the punched cards are uninterpreted 80-column cards.

Figure 42. First Cards for System Generation

Halt 90 (caused by a // PAUSE statement) is displayed in the message display unit when the fixed disk (F1) has been initialized. There are still two cards in the primary hopper. Leave them there because they are part of the next procedure.

Modifying the System Configuration Statements

You can now modify the system configuration statements shown in Figure 43, depending on your system configuration. Figure 44 discusses each of the system configuration statements and the options available for each. If you do not have to change any of these statements, leave them in the remaining deck of punched cards and proceed to step 2 in *Procedures for Modifying the System Configuration Statements*.

This punched deck of system configuration statements already contains an assumed option for your system configuration to the right of the dash sign. The circled options are the ones you may choose from if your system configuration does not agree with the assumed option. The circled option could contain more than one value to choose from, therefore, the options are separated by the word OR. If the options are within quotes, the quotes must also be punched in the new card. The dashes which are circled with the options are not to be punched.

The diagram shows six overlapping punched cards, each representing a system configuration statement. The cards are arranged vertically, with each subsequent card overlapping the one below it. Each card contains a statement with options and line numbers. The cards are labeled with 'B A 8 4 2 1' on the right side. The bottom card is labeled 'IBM 3700'.

Card 1 (Top): \$DWID WIDTH-96 (96 is circled) / 32
 --120 OR 132, 132 IF PRINT-140
 3 --

Card 2: \$DPRN PRINT-5203
 --1403--

Card 3: \$DATE DATE-MDY
 --DMY--

Card 4: \$DOVR OVRLAP-NO
 --YES--

Card 5: \$DSK D5445-NO
 --D1 OR 'D1, D2'--

Card 6: \$DISK DISKS-'R1, F1'
 --'R1, F1, R2' OR 'R1, F1, R2, F2'-

Card 7: \$DDPF DPF-NO
 --YES--

Card 8 (Bottom): \$DCOR CORE-12K
 --16K OR 24K OR 32K OR 48K OR 64K--

IBM 3700

Figure 43 (Part 1 of 3). System Configuration Statements




Figure 43 (Part 2 of 3). System Configuration Statements




Figure 43 (Part 3 of 3). System Configuration Statements

Description Statement	Assumed Value	Optional Values	Description
\$DCOR CORE—	12K	16K or 24K or 32K or 48K or 64K	Indicates the storage size of your processing unit. (K = 1024 bytes)
\$DDPF DPF—	NO	YES	Indicates whether you have the Dual Programming Feature (DPF). (See Supervisor Size Considerations.)
\$DISK DISKS—	'R1,F1'	'R1,F1,R2' or 'R1,F1,R2,F2'	Indicates the number of 5444 disk units your system has. (See Supervisor Size Considerations.)
\$DSK D5445—	NO	D1 or 'D1,D2'	Indicates the number of 5445 disk units your system has. (See Supervisor Size Considerations.)
\$DOVR OVRLAP—	NO	YES	Indicates that you want the seek overlap capability if you chose YES and you have 'R1,F1,R2' or 'R1,F1,R2,F2', or D1, or 'D1,D2'.
\$DATE DATE—	mdy	dmy	Indicates the order for specifying month (m), day (d), and year (y) on the DATE OCL statement. Depending on the order you selected, the format of the DATE statement is either: // DATE mmddyy or // DATE ddmmyy Delimiters (/ , - , or any other characters except commas, quotes, numbers, and blanks) may be placed between the month, day, and year. Examples: // DATE mm/dd/yy //DATE dd-mm-yy You supply the system a DATE statement in front of the cards for the first job run after you perform the IPL process for the system.
\$DPRN PRINT—	5203	1403	Indicates the system printer being used.
\$DWID WIDTH—	96	120 or 132	Indicates the number of print positions on the printer. If you have the 1403 printer you must select 132 print positions.
\$DUAL DUAL—	NO	YES	Indicates whether your system has the dual feed carriage. Used with \$DPRN PRINT—5203 only.
\$DLIN LINE—	66	Any two digit number except 00	Indicates the number of lines to be printed per page.
\$DCRD CARD—	MFCU	1442 or 'MFCU, 1442'	Indicates the card devices you have.
\$DOUT DEV—	MFCU2	NO or MFCU1, or 1442	Indicates the system output device for punching.
\$DKBD KEYBD—	NO	5471 or 5475	Indicates the type of keyboard (5471 Printer-KeyBoard or 5475 Date Entry Keyboard) you have, if any. (See Supervisor Size Considerations.)
\$DAUX AUX—	NO	*MFCU2 or CONSOLE or 1442	Indicates the device you want assigned to the AUX position on the DPF panel. Console refers to 5471 Printer-KeyBoard.
\$DCON CON—	NO	*MFCU or CONSOLE or 1442	Indicates the device you want assigned to the P-KB position of the DPF panel. Console refers to 5471 Printer-KeyBoard.

Figure 44 (Part 1 of 2). Description of System Configuration Statements

Description Statement	Assumed Value	Optional Values	Description
\$DINQ INQUR—	NO	YES	Indicates whether you want inquiry. You can have inquiry only if you have the 5471 Printer-Keyboard. Inquiry gives your system the capability of interrupting an RPG II program, placing the interrupted program on disk, loading and executing a new program, then loading the interrupted program back into storage. (See Supervisor Size Considerations.)
\$DBSC BSCA—	NO	EBCDIC or ASCII	Indicates whether you have the Binary Synchronous Communications Adapter (BSCA). If you have BSCA, select the optional value your adapter supports.
\$DMCR MICR—	NO	YES	Indicates whether you have the 1255 (Models 1, 2, or 3) Magnetic Ink Character Reader.
\$DCPR CKRS—	NO	YES	Indicates whether or not you have Checkpoint/Restart.
\$DLKE OVLNK—	NO	YES	Indicates whether or not you have the Overlay Link Editor.
\$DSAM SIAM—	NO	YES	Indicates whether you have shared I/O access methods.
\$DRJE RJE—	NO	YES	Indicates whether you have the Remote Job Entry (RJE) capability. You can have RJE only if you have BSCA with the EBCDIC adapter.
\$DSPV ADD—	0	256 or 512 or 768 or 1024	Indicates the number of bytes you may increase your supervisor.
\$DMOC TRIO—	NO	1270 or 1255 or '1270, 1255'	Indicates the Terminal Reader In Optics (TRIO) devices you have (if any): 1270 Optical Reader Sorter 1255 Model 21, 22, or 23 Magnetic Ink Character Reader You can select either or both of these devices to be supported by your system. These devices are not available in the United States.

*\$DAUX AUX— and \$DCON CON— are used with DPF only and cannot be assigned the same device. If your only card input device is the 1442, you must specify \$DAUX AUX—1442.

Figure 44 (Part 2 of 2). Description of System Configuration Statements

Supervisor Size Considerations: The size of the supervisor generated for your system depends on the options you select for \$DDPF, \$DISK, \$DSK, and \$DKBD. To build the smallest supervisor (3K), you must use the following options:

\$DDPF	DPF-NO
\$DISK	DISKS-'R1,F1'
\$DSK	D5445-NO
\$DKBD	KEYBD-NO

Using these options gives you a dedicated supervisor, input/output support for disk drive one, and no program support for a keyboard device. When you select an alternate for any of these options, you may increase the size of the supervisor. The size of the supervisor generated will be printed for you during system generation. See Figure 45 for the supervisor size for your system configuration.

You may build a minimal supervisor even if your System/3 has DPF, both 5444 disk drives, 5445 disk support, and a 5471 console keyboard device. If you have an application which will not fit into core storage with a large supervisor, you might want to generate an additional supervisor especially for this application. From the four options mentioned earlier, you would select alternates only for those required by the application. This would give you the smallest supervisor capable of supporting this application. However, do not select options to support devices that you do not have.

Note: If you select DPF-NO when you have a DPF system and also select INQUERY-YES, the P2 switch located on the CE panel must be set at OFF when system generation is complete.

Note: If you select options that are not valid for your system configuration, you will not be able to successfully perform the IPL process from your generated system.

Disk Drives	Dedicated System		Dual Programming Feature	
	With Console	Without Console	With Console	Without Console
R1,F1	3.00K	3.00K	3.75K	3.50K
R1,F1,R2,F2	3.25K	3.00K	4.00K	4.00K
R1,F1,D1	3.75K	3.75K	4.75K	4.50K
R1,F1,D1,D2	4.00K	3.75K	4.75K	4.50K
R1,F1,R2,F2,D1	4.00K	3.75K	4.75K	4.50K
R1,F1,R2,F2,D1,D2	4.00K	3.75K	4.75K	4.50K

Notes:


- K = 1024 bytes
 R1,F1 = 5444 Drive 1
 R2,F2 = 5444 Drive 2
 D1 = 5445 Drive 1
 D2 = 5445 Drive 2
- Dual spindle 5444 configurations without disk drive F2 will require the same size supervisor as those with disk drive F2.
- You may optionally increase the size of your supervisor up to 1.0K in increments of .25K to allow for future expansion of your supervisor. (To plan for the next release of the disk system, add .50K bytes to the supervisor size for tape support and .25K for BSCA support. (The .25K must be added for all BSCA support.))

Figure 45. Determining the Size of Your Supervisor

Procedures for Modifying the System Configuration Statements

1. Use the following procedure to change the system configuration statements:
 - a. Remove system configuration statements from the remaining deck of punched cards that you did not place in the primary hopper.
 - b. Select appropriate option for each statement using Figures 43 and 44. If the statement does not have to be changed, place it back in the deck and proceed to the next statement. (Make sure your system configuration statements are in the same order as when they were punched.)
 - c. Punch the card to be changed in exactly the same format, up to and including the dash sign, then punch the option you choose.

- d. Place each new card back in the deck. Discard the old card. Be sure to keep the cards in the same order shown in Figure 43.
 - e. When the changes are complete, place the system configuration statements back in front of the remaining deck of punched cards.
2. Place the system configuration statements after the two remaining cards from the preceding procedure in the primary hopper followed by the remaining deck of punched cards.
 3. Press reader START.
 4. Set rightmost ADDRESS/DATA switch at 0.
 5. Press console START (program 1 HALT/RESET key if you have DPF).



When a halt of 91 is displayed in the message display unit, SCP generation is preparing to allocate F1 with a system, a source library, and an object library. This halt is given to allow you to modify these allocations if necessary. To modify these allocations do the following:

1. Remove cards from reader. The ALLOCATE statement is the second card in the MFCU hopper or the first card in the 1442 hopper.
2. Modify the ALLOCATE statement if necessary. For information on how to determine whether or not to modify this statement and how it should be done see *Appendix E*.
3. Replace cards, including new ALLOCATE statement, and press console START (program 1 HALT/RESET key if you have DPF).

When a halt of 90 is displayed in the message display unit, SCP generation is complete and the following has been accomplished:

- System configuration statements have been processed.
- Required SCP system has been built on F1.

Figure 46 is a sample printout of required SCP generation. You may generate additional SCP for the programs you have ordered. This is done by generating the following OCL statements:

```

// CALL $SGMAC,R1
// RUN

// CALL $SGMLT,R1
// RUN

```

The following is an example of the program product generation for these two programs:

```

// CALL $SGMAC,R1
XX CALL $SGH01,R1
XX LOAD $MAINT,R1
*
***      MACRO PROCESSOR AND I/O MACROS
*
XX RUN
// RUN
// COPY FROM-R1,TO-F1,LIBRARY-O,RETAIN-P,NAME-$SGX.ALL,NEWNAME-$MPX
// COPY FROM-R1,TO-F1,LIBRARY-S,RETAIN-P,NAME-$ALOC
// COPY FROM-R1,TO-F1,LIBRARY-S,RETAIN-P,NAME-$CLOS
// COPY FROM-R1,TO-F1,LIBRARY-S,RETAIN-P,NAME-$DTFD
// COPY FROM-R1,TO-F1,LIBRARY-S,RETAIN-P,NAME-$EOJ
// COPY FROM-R1,TO-F1,LIBRARY-S,RETAIN-P,NAME-$FTCH
// COPY FROM-R1,TO-F1,LIBRARY-S,RETAIN-P,NAME-$FIND
// COPY FROM-R1,TO-F1,LIBRARY-S,RETAIN-P,NAME-$GETD
// COPY FROM-R1,TO-F1,LIBRARY-S,RETAIN-P,NAME-$IOBD
// COPY FROM-R1,TO-F1,LIBRARY-S,RETAIN-P,NAME-$IOED
// COPY FROM-R1,TO-F1,LIBRARY-S,RETAIN-P,NAME-$LOAD
// COPY FROM-R1,TO-F1,LIBRARY-S,RETAIN-P,NAME-$OPEN
// COPY FROM-R1,TO-F1,LIBRARY-S,RETAIN-P,NAME-$PRNT
// COPY FROM-R1,TO-F1,LIBRARY-S,RETAIN-P,NAME-$PUTD
// END

XX CALL $SGM02,R1
XX LOAD $MAINT,R1
*
***      MACRO PROCESSOR AND I/O MACROS
*
XX RUN
// COPY FROM-R1,TO-F1,LIBRARY-S,RETAIN-P,NAME-$RDD
// COPY FROM-R1,TO-F1,LIBRARY-S,RETAIN-P,NAME-$DTCU
// COPY FROM-R1,TO-F1,LIBRARY-S,RETAIN-P,NAME-$DTOD
// COPY FROM-R1,TO-F1,LIBRARY-S,RETAIN-P,NAME-$DTFU
// COPY FROM-R1,TO-F1,LIBRARY-S,RETAIN-P,NAME-$SVC
// COPY FROM-R1,TO-F1,LIBRARY-S,RETAIN-P,NAME-$WTD
// COPY FROM-R1,TO-F1,LIBRARY-S,RETAIN-P,NAME-$WRTD
// COPY FROM-R1,TO-F1,LIBRARY-S,RETAIN-P,NAME-$XCTL
// COPY FROM-R1,TO-F1,LIBRARY-S,RETAIN-P,NAME-$GPU
// COPY FROM-R1,TO-F1,LIBRARY-S,RETAIN-P,NAME-$PKBU
// COPY FROM-R1,TO-F1,LIBRARY-S,RETAIN-P,NAME-$COMN
// COPY FROM-R1,TO-F1,LIBRARY-R,RETAIN-R,NAME-$COAM,NEWNAME-$$COAM
// END

```

```

MEMBER NAME P$SGMLT

// CALL $SGH03,R1
// CALL $SGM04,R1
MEMBER NAME P$SGM03

// LOAD $MAINT,R1
*
***      MLTA PROGRAM
*
// RUN
// COPY FROM-R1,TO-F1,RETAIN-P,LIBRARY-R,NAME-$OHL.ALL,NEWNAME-$$ML
// COPY FROM-R1,TO-F1,RETAIN-P,LIBRARY-O,NAME-$OHL.ALL,NEWNAME-$$ML
// COPY FROM-R1,TO-F1,RETAIN-P,LIBRARY-O,NAME-$ML.ALL
// COPY FROM-R1,TO-F1,RETAIN-P,LIBRARY-S,NAME-$CHK
// COPY FROM-R1,TO-F1,RETAIN-P,LIBRARY-S,NAME-$CKL
// COPY FROM-R1,TO-F1,RETAIN-P,LIBRARY-S,NAME-$CLM
// COPY FROM-R1,TO-F1,RETAIN-P,LIBRARY-S,NAME-$CTLM
// COPY FROM-R1,TO-F1,RETAIN-P,LIBRARY-S,NAME-$DTFM
// COPY FROM-R1,TO-F1,RETAIN-P,LIBRARY-S,NAME-$DTOM
// COPY FROM-R1,TO-F1,RETAIN-P,LIBRARY-S,NAME-$OPM
// COPY FROM-R1,TO-F1,RETAIN-P,LIBRARY-S,NAME-$POLM
// COPY FROM-R1,TO-F1,RETAIN-P,LIBRARY-S,NAME-$RB40
// COPY FROM-R1,TO-F1,RETAIN-P,LIBRARY-S,NAME-$RC40
// COPY FROM-R1,TO-F1,RETAIN-P,LIBRARY-S,NAME-$RC41
// COPY FROM-R1,TO-F1,RETAIN-P,LIBRARY-S,NAME-$RC50
// COPY FROM-R1,TO-F1,RETAIN-P,LIBRARY-S,NAME-$RDM
// END

MEMBER NAME P$SGM04

// LOAD $MAINT,R1
*
***      MLTA PROGRAM
*
// RUN
// COPY FROM-R1,TO-F1,RETAIN-P,LIBRARY-S,NAME-$RF40
// COPY FROM-R1,TO-F1,RETAIN-P,LIBRARY-S,NAME-$RF41
// COPY FROM-R1,TO-F1,RETAIN-P,LIBRARY-S,NAME-$RF50
// COPY FROM-R1,TO-F1,RETAIN-P,LIBRARY-S,NAME-$RU40
// COPY FROM-R1,TO-F1,RETAIN-P,LIBRARY-S,NAME-$SB40
// COPY FROM-R1,TO-F1,RETAIN-P,LIBRARY-S,NAME-$SD40
// COPY FROM-R1,TO-F1,RETAIN-P,LIBRARY-S,NAME-$SD41
// COPY FROM-R1,TO-F1,RETAIN-P,LIBRARY-S,NAME-$SD50
// COPY FROM-R1,TO-F1,RETAIN-P,LIBRARY-S,NAME-$SHAP
// COPY FROM-R1,TO-F1,RETAIN-P,LIBRARY-S,NAME-$TRAN
// COPY FROM-R1,TO-F1,RETAIN-P,LIBRARY-S,NAME-$TRL
// COPY FROM-R1,TO-F1,RETAIN-P,LIBRARY-S,NAME-$WRTM
// COPY FROM-R1,TO-F1,RETAIN-P,LIBRARY-S,NAME-$GEN
// END

```

You can now perform program product generation, if desired. However, if you do not want to perform program generation at this time, perform the following:

1. Set rightmost ADDRESS/DATA switch at 0.
2. Press console START (program 1 HALT/RESET key if you have DPF). I/O ATTENTION will then occur.
3. Proceed to *Completing System Generation and Installation Verification* to copy your SCP system on F1 to R1 to create a backup and build a minimal system on F1, if desired.

The following is a printout of the punched cards.

```

$SGPLH
// NUHALT
// CALL $SQUIN;R1          INITIALIZE F1
// RUN
*   BE SURE THE SYSTEM CONFIGURATION STATEMENTS HAVE BEEN MODIFIED BEFORE
*   CONTINUING.
***  SET RIGHTMOST ADDRESS/DATA SWITCH TO 0,
*   PRESS CONSOLE START! --HALT/RESET IF YOU HAVE DPF SYSTEM-- TO CONTINUE.
// PAUSE
// CALL $SGEN;R1          PROCESS THE SYSTEM CONFIGURATION STATEMENTS
// RUN
$CCLK CLKC=12K          --16K OR 24K OR 32K OR 48K OR 64K--
$DUPF DPF=NU           --YES--
$DISK DISKS='R1,F1'    --'R1,F1,R2' OR 'R1,F1,R2,F2'--
$DSK  D5445=NU        --D1 OR 'D1,D2'--
$DUVK DVLAP=NU        --YES--
$DATE DATE=MY        --MY--
$DPRN PRINT=2203      --1403--
$DIRD WIDTH=20        --120 OR 132, 132 IF PRINT=1403 --
$DUAL DUAL=NU        --YES--
$DLIN LINE=60         --ANY TWO DIGIT NUMBER EXCEPT 00 --
$DCRD CARD=MFCU       --MFCU OR 1442 OR 'MFCU,1442'--
$DUUI DEV=MFCU2       --NU OR MFCU1 OR 1442--
$URBD KEYBD=NU        --2471 OR 2472--
$AUX  AUX=NU          --MFCU2 OR CONSOLE OR 1442--
$DCUN CON=NU          --MFCU2 OR CONSOLE OR 1442--
$DINQ INQRY=NU        --YES  VALID ONLY IF KEYBD=2471--
$BSC  BSLA=NU         --EBCDIC OR ASCII--
$MCR  MLCR=NU         --YES--
$DCPR CKRS=NU         --YES--
$DLKE UVLIN=NU        --YES--
$DSAM SIAM=NU         --YES--
$DRJE RJE=NU          --YES, ONLY IF BSLA=EBCDIC WAS SPECIFIED--
$LMUL TRIU=NU        --1270 OR 1255 OR '1270,1255'--
//
END

```

Place these cards in the primary hopper of the MFCU and continue with SCP generation.

These are the system configuration statements. You may have to modify some of these statements. After modifying these statements, you will place them in the primary hopper of the MFCU.

Figure 46 (Part 2 of 7). Example of System Control Program Generation

```

*
*** THE SYSTEM CONFIGURATION STATEMENTS HAVE BEEN PROCESSED.
*
// CALL %$GENK%R1          PROCESS THE SYSTEM CONFIGURATION STATEMENT OUTPUT FILE.
// RUN
*
*** THE SYSTEM CONFIGURATION STATEMENT OUTPUT FILE HAS BEEN PROCESSED.
*
// CALL %$GENK%R1          BUILD THE NEW SUPERVISOR FOR THIS INSTALLATION
// RUN
// LOCAL %$MAINT%R1
*
*** THE ALLOCATION FOR OBJECT LIBRARY IS 170 TRACKS, FOR SOURCE LIBRARY
*** 5 TRACKS, AND FOR OBJECT DIRECTORY 4 TRACKS. YOU SHOULD DETERMINE
*** THE ADEQUACY OF THESE ALLOCATIONS AND, IF NECESSARY, ALTER THE ALLOCATE
*** CONTROL STATEMENT WHICH FOLLOWS IN THE READER.
*
*** TO CONTINUE, SET RIGHTMOST ADDRESS/DATA SWITCH TO 0
*** PRESS CONSOLE START --HALT/RESET IF YOU HAVE DPF SYSTEM--
// PAUSE
// RUN

```

This statement causes the system to halt with 90 in the message display unit.

```

// ALLOCATE TO=FI,OBJECT=170,SOURCE=3,SYSTEM=YES,DIRSIZE
// END
// CALL %$SCOR%R1          BUILD REQUIRED SCP SYSTEM ON FI
// RUN
// CALL %$SOPT%R1          BUILD OPTIONAL SCP SYSTEM FUNCTIONS ONTO FI
// RUN
*
*** THE SYSTEM CONTROL PROGRAMS HAVE BEEN GENERATED
*
*** NORMAL END OF SCP GENERATION
*
*** ADDITIONAL SCP MAY NOW BE GENERATED.
*** TO GENERATE THE MACRO PROCESSOR CALL THE PROCEDURE %$SMAC FROM R1.
*
*** TO GENERATE THE MULTI LINE TERMINAL ADAPTOR PROGRAM CALL THE PROCEDURE
*** %$SMLT FROM R1.
// PAUSE
// END

```

This statement causes the system to halt with 90 in the message display unit.

After placing the system configuration statements in the primary hopper, place these cards in the hopper.

Figure 46 (Part 3 of 7). Example of System Control Program Generation

End of the printout of the punched cards.

Beginning of the printout of the cards you placed in the primary hopper of the MFCU.
The system is executing these instructions.

```
// RGHALL
// CALL $S01,F1,RI          INITIALIZE F1
XX LOAD $L11,F1
XX R04
// R04
// GEN UNIT=F1,TYPE=CLEAR
// VOL PACK=F1F1F1
// END
INITIALIZATION OF F1 COMPLETE
```

```
* BE SURE THE SYSTEM CONFIGURATION STATEMENTS HAVE BEEN MODIFIED BEFORE
* CONTINUING.
*
*** SET RIGHTMOST ADDRESS/DATA SWITCH TO 0,
* PRESS CONSOLE START --HALT/RESET IF YOU HAVE DPF SYSTEM-- TO CONTINUE.
// PAUSE
```

This statement causes the system to halt with 90 in the message display unit.
The system configuration statements must be modified at this time before continuing.

```
// CALL $S02,F1,RI          PROCESS THE SYSTEM CONFIGURATION STATEMENTS
XX LOAD $S02,F1,RI
*
*** THE FOLLOWING CARDS AFTER THE // RUN AND BEFORE THE // END CARD ARE
*** THE SYSTEM CONFIGURATION STATEMENTS.
*
XX FILE NAME=MAC001,UNIT=F1,PACK=F1F1F1,RETAIN=1,TRACKS=20
XX RUN
// RUN
$D00R C00K=12K             --10K OR 24K OR 32K OR 48K OR 64K--
$D00P DPF=NU              --YES--
$D01R D1R2S='R1,F1'      --'R1,F1,R2' OR 'R1,F1,R2,F2'--
$D02R D2R4S=NU           --01 OR '01,02'--
$D03R D3R4P=NU           --YES--
$D04R D4R1C=NU           --NO--
$D05R D5R1T=9203         --1403--
$D06R D6R1M=70           --120 OR 102, 132 IF PRINT=1403 --
$D07R D7R4L=NU           --YES--
$D08R D8R1C=00           --ANY TWO DIGIT NUMBER EXCEPT 00 --
$D09R D9R0U=MFCU         --MFCU OR 1442 OR 'MFCU,1442'--
$D10R D10U1=DEV=MFC02    --00 OR MFCU1 OR 1442--
$D11R D11R0U=KEY=5473    --5471 OR 5473--
$D12R D12R0U=CON=NU      --MFC02 OR CONSOLE OR 1442--
$D13R D13R0U=CON=NU      --MFC02 OR CONSOLE OR 1442--
$D14R D14R0U=INQ=NU      --YES VALID ONLY IF KEY=5471--
$D15R D15R0U=BSA=NU      --EBCDIC OR ASCII--
$D16R D16R0U=MFC=NU      --YES--
$D17R D17R0U=CKK=NU      --YES--
$D18R D18R0U=UPLK=NU     --YES--
$D19R D19R0U=SIAM=NU     --YES--
$D20R D20R0U=RUL=NU      --YES, ONLY IF DSLA=EBCDIC WAS SPECIFIED--
$D21R D21R0U=TRU=NU      --1270 OR 1255 OR '1270,1255'--
// END
```

Figure 46 (Part 4 of 7). Example of System Control Program Generation


```

*
*** THE SYSTEM CONFIGURATION STATEMENTS HAVE BEEN PROCESSED.
*
*
// CALL %SGEN1,%R1      PROCESS THE SYSTEM CONFIGURATION STATEMENT OUTPUT FILE.
XX LOAD %SGEN1,%R1
*
*** BUILD THE NEW CONFIGURATION RECORD.
*
XX FILE NAME=MACOUT,UNIT=F1,PACK=F1F1F1,RETAIN=S,TRACKS=20
XX FILE NAME=%WORK,UNIT=F1,PACK=F1F1F1,RETAIN=T,TRACKS=10
XX RUN
// RUN

*
*** THE SYSTEM CONFIGURATION STATEMENT OUTPUT FILE HAS BEEN PROCESSED.
*
*
// CALL %SLENK,%R1      BUILD THE NEW SUPERVISOR FOR THIS INSTALLATION
XX LOAD %LINK,%R1
XX FILE NAME=%WORK,UNIT=F1,PACK=F1F1F1,RETAIN=S,TRACKS=10
XX RUN
// RUN
SUPERVISOR SIZE = 3072 BYTES
TOTAL NUMBER OF LIBRARY SECTORS REQUIRED = 14

// LOAD %MAINT,%R1
*
*
*** THE ALLOCATION FOR OBJECT LIBRARY IS 170 TRACKS, FOR SOURCE LIBRARY
*** 5 TRACKS, AND FOR OBJECT DIRECTORY 4 TRACKS. YOU SHOULD DETERMINE
*** THE ADEQUACY OF THESE ALLOCATIONS AND, IF NECESSARY, ALTER THE ALLOCATE
*** CONTROL STATEMENT WHICH FOLLOWS IN THE READER.
*
*** TO CONTINUE, SET RIGHTMOST ADDRESS/DATA SWITCH TO 0
*** PRESS CONSOLE START --HALT/RESET IF YOU HAVE GPF SYSTEM--.
// PAUSE
    ← This statement causes the system to halt with 90 in the message display unit.

// RUN
// ALLOCATE 10=F1,OBJECT=170,SOURCE=5,SYSTEM=YES,DIRSIZE=4
// END

```

Figure 46 (Part 5 of 7). Example of System Control Program Generation

```

// CALL %SGCUM,R1          BUILD REQUIRED SCP SYSTEM ONTO F1
XX LOAD %MAINT,R1
XX RUN
// RUN
// COPY FROM-R1,LIBRARY-U,NAME=SYSTEM,TU-F1
// COPY FROM-R1,TU-F1,LIBRARY-U,NAME=%GNSUP,RETAIN-P,NEWNAME=%SSPVR
// DELETE FROM-R1,RETAIN-P,LIBRARY-U,NAME=%GNSUP
// COPY FROM-R1,TU-F1,RETAIN-P,LIBRARY-U,NAME=%SAL.ALL
// COPY FROM-R1,TU-F1,RETAIN-P,LIBRARY-U,NAME=%SOU.ALL
// COPY FROM-R1,TU-F1,RETAIN-P,LIBRARY-U,NAME=%SCU.ALL
// COPY FROM-R1,TU-F1,RETAIN-P,LIBRARY-U,NAME=%SUE.ALL
// COPY FROM-R1,TU-F1,RETAIN-P,LIBRARY-U,NAME=%SIN.ALL
// COPY FROM-R1,TU-F1,RETAIN-P,LIBRARY-U,NAME=%SLA.ALL
// COPY FROM-R1,TU-F1,RETAIN-P,LIBRARY-U,NAME=%SLI.ALL
// COPY FROM-R1,TU-F1,RETAIN-P,LIBRARY-U,NAME=%SHA.ALL
// COPY FROM-R1,TU-F1,RETAIN-P,LIBRARY-R,NAME=%S%.ALL
// COPY FROM-R1,TU-F1,LIBRARY-P,RETAIN-P,NAME=%SSUCPY
// COPY FROM-R1,TU-F1,LIBRARY-P,RETAIN-P,NAME=%SSUINK
// COPY FROM-R1,TU-F1,LIBRARY-J,RETAIN-P,NAME=%SSUIVP
// COPY FROM-R1,TU-F1,LIBRARY-P,RETAIN-P,NAME=%SSUIVP
// COPY FROM-R1,TU-F1,LIBRARY-U,RETAIN-P,NAME=%SUMNT
// END

// CALL %SGUPT,R1          BUILD OPTIONAL SCP SYSTEM FUNCTIONS ONTO F1
XX CALL %SGPUL,R1
XX LOAD %MAINT,R1
XX RUN
// RUN
// DELETE FROM-F1,RETAIN-P,LIBRARY-U,NAME=%SLEEK
// DELETE FROM-F1,RETAIN-P,LIBRARY-U,NAME=%SULOU
// DELETE FROM-F1,RETAIN-P,LIBRARY-U,NAME=%STOU
// DELETE FROM-F1,RETAIN-P,LIBRARY-U,NAME=%STIL
// DELETE FROM-F1,RETAIN-P,LIBRARY-U,NAME=%STIC1
// DELETE FROM-F1,RETAIN-P,LIBRARY-U,NAME=%SLLG7
// COPY FROM-F1,TU-PRINT,LIBRARY=SYSTEM,NAME=DIK

```

Figure 46 (Part 6 of 7). Example of System Control Program Generation

SYSTEM DIRECTORY FROM FI VOLUME ID FIFIF1 00/00/00

SOURCE LIBRARY SECTION

SOURCE DIRECTORY LOCATION	008-00
NEXT AVAILABLE LIBRARY SECTOR	008-05
END OF LIBRARY	012-23
NUMBER OF DIRECTORY SECTORS	2
NUMBER OF PERMANENT LIBRARY SECTORS	3
NUMBER OF ACTIVE LIBRARY SECTORS	3
NUMBER OF AVAILABLE LIBRARY SECTORS	115
ALLOCATED SIZE OF LIBRARY	5

OBJECT LIBRARY SECTION

OBJECT DIRECTORY LOCATION	015-00
ALLOCATED SIZE OF DIRECTORY	4
START OF LIBRARY	019-00
ALLOCATED END OF LIBRARY	184-23
EXTENDED END OF LIBRARY	184-23
NUMBER OF AVAILABLE PERMANENT DIRECTORY ENTRIES	855
NUMBER OF AVAILABLE TEMPORARY DIRECTORY ENTRIES	855
FIRST TEMPORARY DIRECTORY ENTRY	000-00-000
NEXT AVAILABLE TEMPORARY DIRECTORY ENTRY	016-00-108
NEXT AVAILABLE LIBRARY SECTOR FOR PERMANENTS	068-15
NEXT AVAILABLE LIBRARY SECTOR FOR TEMPORARIES	068-15
NUMBER OF AVAILABLE LIBRARY SECTORS FOR PERMANENTS	2793
NUMBER OF AVAILABLE LIBRARY SECTORS FOR TEMPORARIES	2793
NUMBER OF ACTIVE LIBRARY SECTORS	1163
NUMBER OF ACTIVE OBJECT PERMANENT LIBRARY SECTORS	1025
NUMBER OF ACTIVE ROUTINE PERMANENT LIBRARY SECTORS	138
ALLOCATED SIZE OF LIBRARY	170

ROLL-IN/ROLL-OUT LOCATION	000-00
ROLL-IN/ROLL-OUT SIZE	0

SCHEDULER WORK AREA LOCATION	013-00
SCHEDULER WORK AREA SIZE	

START OF LIBRARIES	008-00
END OF LIBRARIES	184-23

// END

```
*
*** THE SYSTEM CONTROL PROGRAMS HAVE BEEN GENERATED
*
*** NORMAL END OF SCP GENERATION
*
*** ADDITIONAL SCP MAY NOW BE GENERATED.
*** TO GENERATE THE MACRO PROCESSOR CALL THE PROCEDURE $SUMAC FROM RL.
*
*** TO GENERATE THE MULTI LINE TERMINAL ADAPTOR PROGRAM CALL THE PROCEDURE
*** $SUMLT FROM RL.
*
```

// PAUSE

← This statement causes the system to halt
with 90 in the message display unit.

Figure 46 (Part 7 of 7). Example of System Control Program Generation

Program Product Generation

Consideration 1

Program product generation can be performed:

1. When SCP generation has just been completed. In this case, proceed to *Consideration 2*.
2. At any later time. For example, you did not want to perform program product generation immediately after SCP generation, or you ordered a new program product at a later time which does not require you to perform system control program generation again. In either case, perform the following to prepare F1 as if system control program generation has just been completed before going to *Consideration 2*.

Backing up F1

1. Mount an initialized scratch disk cartridge on R1.
2. Ready disks.
3. Punch these statements:

```

1 4 8 12 16 20 24 28 32 36 40 44
// DATE 00/00/00
// LOAD #COPY,F1
// RUN
// COPYBACK FROM-F1,TO-R1
// END
  
```

4. Place statements you just punched in primary hopper.
5. Press reader START.
6. Ready printer.
7. Set program load selector at FIXED DISK and data switches to indicate 1442 if your system input device is the 1442.
8. Press PROGRAM LOAD. If your system has DPF, EJ is displayed in both message display units when initial program loading is complete. Press appropriate HALT/RESET key to continue.

When EJ is displayed in the message display unit, your system on F1 has been copied to R1. This is your backup disk cartridge. You now delete all files on F1.

Deleting All Libraries and Files on F1

1. Clear cards from reader.
2. Remove cards from stacker 1.
3. Remove backup disk cartridge on R1.
4. Mount your tailored system disk cartridge on R1, and ready disks.
5. Punch these statements:

```

1 4 8 12 16 20 24 28 32 36 40 44
// DATE 00/00/00
// NOHALT
// LOAD SMAINT,R1
// RUN
// ALLOCATE TC-F1,SOURCE-0,OBJECT-0
// END
// HALT
// LOAD #DELET,R1
// RUN
// REMOVE UNIT-F1,LABEL-VTOC,PACK=nnnnnn
// END
  
```

Note: nnnnnn is the name of the pack.
You must fill in this parameter.

6. Place punched statements in primary hopper.
7. Set program load selector at REMOVABLE DISK and data switches to indicate 1442 if your system input device is the 1442.
8. Press PROGRAM LOAD. If your system has DPF, EJ is displayed in both message display units. Press appropriate HALT/RESET key to continue.

All libraries and files on F1 are deleted when EJ is displayed in the message display unit. You can now copy your tailored system on R1 to F1.

Copying R1 to F1

1. Clear cards from reader.
2. Remove cards from stacker 1.
3. Punch these statements:

1	4	8	12	16	20	24	28	32	36	40	44
//	LOAD	BCOPY,	R1								
//	RUN										
//	COPYPACK	FROM-R1,	TO-F1								
//	END										

4. Place punched statements in primary hopper.
5. Press reader START.
6. Press console START (or appropriate HALT/RESET key if you have DPF).

Your tailored system on R1 is copied to F1 and, when complete, EJ is displayed in the message display unit. You can now proceed to *Consideration 2*.

Consideration 2

A program product can be distributed to you on:

1. The same cartridge as the distribution disk cartridge that contains the system generation programs and the system control programs. In this case, perform *Procedure 1*.
2. A separate disk cartridge. In this case, perform *Procedure 2*.

Note: If you have program products on the distribution disk cartridge and also on separate disk cartridges, perform *Procedure 1* first for the program products on the distribution disk cartridge, then perform *Procedure 2* for the program products on separate disk cartridges.

Procedure 1

1. Figure 47 shows the OCL needed for each program product. Punch the two cards indicated for each program product ordered.
2. Clear cards from reader.
3. Place punched cards in primary hopper.
4. Press reader START.
5. Ready printer.
6. Set rightmost ADDRESS/DATA switch at 0.
7. Press console START (program 1 HALT/RESET key if you have DPF). The program products are copied to F1.

If the program products are only on the distribution disk cartridge, program product generation is complete. At this point you have a tailored system on F1, because it has been generated according to your system configuration and the programs you wanted. I/O ATTENTION occurs when program product generation is complete, because the system is expecting more cards. Proceed to *Completing System Generation* and punch the indicated cards.

If you also have program products on a separate cartridge, perform Procedure 2 before going to *Completing System Generation*.

Procedure 2

1. Mount disk cartridge containing the program product on R1.
2. Clear cards from reader.
3. Punch a DATE statement and place it in the primary hopper.
4. Figure 47 shows the OCL needed for each program product. Punch the two cards indicated for each program product ordered.
5. Place punched cards in primary hopper.

6. Ready printer.
7. Set program load selector at FIXED DISK and the data switches to indicate 1442 if your system input device is the 1442.
8. Press PROGRAM LOAD.
9. Press reader START. The program product is copied to F1 and, when complete, EJ is displayed in the message display unit.

Note: Repeat steps 1 through 9 for each program product that is on a separate disk cartridge, then perform steps 10 through 14.

10. Remove disk cartridge containing the program products from R1.
11. Mount distribution disk cartridge (the one you used to perform SCP system generation) on R1.
12. Punch a DATA statement and place it in the primary hopper.
13. Set program load selector at REMOVABLE DISK and data switches to indicate 1442 if your system input device is the 1442.
14. Press PROGRAM LOAD. The DATE statement is read and I/O ATTENTION occurs.

At this point you have a tailored system on F1, because it has been generated according to your system configuration and the programs you wanted. I/O ATTENTION occurs when program product generation is complete, because the system is expecting more cards. Proceed to *Completing System Generation* and punch the indicated cards.

Figure 48 is a sample printout of program product generation.

//	CALL	\$SGRPG,R1	}	RPG II Program for 5444 Disk
//	RUN			
//	CALL	\$SGRPA,R1	}	RPG II Program for 5445 Disk (See note 1.)
//	RUN			
//	CALL	\$SGBSC,R1	}	BSCA/RPG II Support Programs
//	RUN			
//	CALL	\$SGSRT,R1	}	Disk Sort Program (See note 2.)
//	RUN			
//	CALL	\$SGSR5,R1	}	Disk Sort for 5445 Disk (See note 2.)
//	RUN			
//	CALL	\$SGCOB,R1	}	COBOL Program
//	RUN			
//	CALL	\$SGFTN,R1	}	FORTRAN Program
//	RUN			
//	CALL	\$SGUTL,R1	}	Card Utility Programs
//	RUN			
//	CALL	\$SGASM,R1	}	Basic Assembler Program
//	RUN			
//	CALL	\$SGMCR,R1	}	1255 (Models 1, 2, or 3) Magnetic Character Reader Utility Program
//	RUN			
//	CALL	\$SGDMO,R1	}	Terminal Reader in Optics Program
//	RUN			
//	CALL	\$SGAU,R1	}	Auto Report Program
//	RUN			

Note 1: If you have RPG II and 5445 Disk support you must copy 5445 Disk support for RPG II.

Note 2: If you have Disk Sort and 5445 Disk support you must copy 5445 Disk support for Disk Sort.

Figure 47. OCL for Program Products

```

// CALL $SGRPG,R1
XX LOAD $MAINT,F1
*
***      RPG II COMPILER PROGRAM
*
XX RUN
// RUN
// COPY FROM-R1,TO-F1,RETAIN-P,LIBRARY-P,NAME-$ORPG,NEWNAME-RPG
// COPY FROM-R1,TO-F1,RETAIN-P,LIBRARY-O,NAME-$RP.ALL
// COPY FROM-R1,TO-F1,RETAIN-P,LIBRARY-R,NAME-$PG.ALL,NEWNAME-$$PG
// COPY FROM-R1,TO-F1,LIBRARY-R,RETAIN-P,NAME-$@R.ALL,NEWNAME-SUBR
// END
// CALL $SGSRT,R1
XX LOAD $MAINT,F1
*
***      DISK SORT PROGRAM
*
XX RUN
// RUN
// COPY FROM-R1,TO-F1,LIBRARY-O,RETAIN-P,NAME-$DS.ALL
// END
// CALL $SGASM,R1
XX LOAD $MAINT,F1
*
***      BASIC ASSEMBLER PROGRAM
*
XX RUN
// RUN
// COPY FROM-R1,TO-F1,LIBRARY-O,RETAIN-P,NAME-$AS.ALL
// END
// CALL $SGBSC,R1
XX LOAD $MAINT,F1
*
***      RPG II SUPPORT FOR BINARY SYNCHRONOUS COMMUNICATIONS
*
XX RUN
// RUN
// COPY FROM-R1,TO-F1,RETAIN-R,LIBRARY-R,NAME-$@PB.ALL,NEWNAME-$$PG
// COPY FROM-R1,TO-F1,RETAIN-R,LIBRARY-O,NAME-$RB.ALL,NEWNAME-$RP
// END
// CALL $SGRPA,R1
XX LOAD $MAINT,F1
*
***      RPG II 5445 DISK SUPPORT
*
XX RUN
// RUN
// COPY FROM-R1,TO-F1,LIBRARY-O,RETAIN-P,NAME-$RX.ALL,NEWNAME-$RP
// END

```

Figure 48 (Part 1 of 4). Example of Program Product Generation


```

// CALL $$GSR5,R1
XX LOAD $MAINT,R1
*
***      DISK SORT FOR DISK 5445 SUPPORT
*
XX RUN
// RUN
// COPY FROM-R1,TO-F1,RETAIN-P,LIBRARY-0,NAME-$DX.ALL,NEWNAME-$DS
// END
// CALL $$GDM0,R1
XX LOAD $MAINT,F1
*
***      TERMINAL READER IN OPTICS UTILITY PROGRAM
*
XX RUN
// RUN
// COPY FROM-R1,TO-F1,RETAIN-P,LIBRARY-0,NAME-$MO.ALL
// END
// CALL $$GMCR,R1
XX LOAD $MAINT,F1
*
***      1255 MAGNETIC INK CHARACTER READER UTILITY PROGRAM
*
XX RUN
// RUN
// COPY FROM-R1,TO-F1,LIBRARY-0,RETAIN-P,NAME-$MI.ALL
// END
// CALL $$GUTL,R1
XX LOAD $MAINT,F1
*
***      CARD UTILITY PROGRAMS
*
XX RUN
// RUN
// COPY FROM-R1,TO-F1,RETAIN-P,LIBRARY-0,NAME-$CS.ALL
// COPY FROM-R1,TO-F1,RETAIN-P,LIBRARY-0,NAME-$REPRO
// COPY FROM-R1,TO-F1,RETAIN-P,LIBRARY-0,NAME-$CLIST
// COPY FROM-R1,TO-F1,RETAIN-P,LIBRARY-0,NAME-$DREC
// COPY FROM-R1,TO-F1,RETAIN-P,LIBRARY-0,NAME-$DVER
// COPY FROM-R1,TO-F1,RETAIN-P,LIBRARY-0,NAME-$CNVRT
// END
// CALL $$GCOB,R1
XX LOAD $MAINT,F1
*
***      COBOL COMPILER PROGRAM
*
XX RUN
// RUN
// COPY FROM-R1,TO-F1,LIBRARY-S,RETAIN-P,NAME-CBLTST
// COPY FROM-R1,TO-F1,LIBRARY-P,RETAIN-P,NAME-COBOL
// COPY FROM-R1,TO-F1,LIBRARY-O,RETAIN-P,NAME-$CB.ALL
// COPY FROM-R1,TO-F1,LIBRARY-R,RETAIN-P,NAME-$CB.ALL
// END

```

Figure 48 (Part 2 of 4). Example of Program Product Generation

```

MEMBER NAME P$SGFTN

// CALL $SGF01,R1
// CALL $SGF02,R1
// CALL $SGF03,R1
MEMBER NAME P$SGF01

// LOAD $MAINT,F1
*
***      FORTRAN COMPILER PROGRAM
*
// RUN
// COPY FROM-R1,TO-F1,RETAIN-P,LIBRARY-O,NAME-$FO.ALL
// COPY FROM-R1,TO-F1,RETAIN-P,LIBRARY-R,NAME-$FO.ALL
// COPY FROM-R1,TO-F1,RETAIN-P,LIBRARY-P,NAME-FORTRN
// COPY FROM-R1,TO-F1,RETAIN-P,LIBRARY-R,NAME-GET
// COPY FROM-R1,TO-F1,RETAIN-P,LIBRARY-R,NAME-EDIT
// COPY FROM-R1,TO-F1,RETAIN-P,LIBRARY-R,NAME-ADD
// COPY FROM-R1,TO-F1,RETAIN-P,LIBRARY-R,NAME-SUB
// COPY FROM-R1,TO-F1,RETAIN-P,LIBRARY-R,NAME-MPY
// COPY FROM-R1,TO-F1,RETAIN-P,LIBRARY-R,NAME-DIV
// COPY FROM-R1,TO-F1,RETAIN-P,LIBRARY-R,NAME-INCOMP
// COPY FROM-R1,TO-F1,RETAIN-P,LIBRARY-R,NAME-NSIGN
// COPY FROM-R1,TO-F1,RETAIN-P,LIBRARY-R,NAME-CARRY
// COPY FROM-R1,TO-F1,RETAIN-P,LIBRARY-R,NAME-KEYBD
// COPY FROM-R1,TO-F1,RETAIN-P,LIBRARY-R,NAME-TYPER
// END
MEMBER NAME P$SGF02

// LOAD $MAINT,R1
*
***      FORTRAN COMPILER PROGRAM
*
// RUN
// COPY FROM-R1,TO-F1,RETAIN-P,LIBRARY-R,NAME-PRINT
// COPY FROM-R1,TO-F1,RETAIN-P,LIBRARY-R,NAME-SKIP
// COPY FROM-R1,TO-F1,RETAIN-P,LIBRARY-R,NAME-P1403
// COPY FROM-R1,TO-F1,RETAIN-P,LIBRARY-R,NAME-S1402
// COPY FROM-R1,TO-F1,RETAIN-P,LIBRARY-R,NAME-PUNCH
// COPY FROM-R1,TO-F1,RETAIN-P,LIBRARY-R,NAME-READ
// COPY FROM-R1,TO-F1,RETAIN-P,LIBRARY-R,NAME-STACK
// COPY FROM-R1,TO-F1,RETAIN-P,LIBRARY-R,NAME-NCOMP
// COPY FROM-R1,TO-F1,RETAIN-P,LIBRARY-R,NAME-MOVE
// COPY FROM-R1,TO-F1,RETAIN-P,LIBRARY-R,NAME-FILL
// COPY FROM-R1,TO-F1,RETAIN-P,LIBRARY-R,NAME-WHOLE
// COPY FROM-R1,TO-F1,RETAIN-P,LIBRARY-R,NAME-NZONE
// COPY FROM-R1,TO-F1,RETAIN-P,LIBRARY-R,NAME-PUT
// COPY FROM-R1,TO-F1,RETAIN-P,LIBRARY-R,NAME-PACK
// COPY FROM-R1,TO-F1,RETAIN-P,LIBRARY-R,NAME-UNPACK
// COPY FROM-R1,TO-F1,RETAIN-P,LIBRARY-R,NAME-DPACK
// COPY FROM-R1,TO-F1,RETAIN-P,LIBRARY-R,NAME-DUNPK

```

Figure 48 (Part 3 of 4). Example of Program Product Generation

```

// COPY FROM-R1,TO-F1,RETAIN-P,LIBRARY-R,NAME-A1DEC
// COPY FROM-R1,TO-F1,RETAIN-P,LIBRARY-R,NAME-DECA1
// COPY FROM-R1,TO-F1,RETAIN-P,LIBRARY-R,NAME-A1A3
// END
    MEMBER NAME P$SGF03


// LOAD $MAINT,R1
*
***      FORTRAN COMPILER PROGRAM
*
// RUN
// COPY FROM-R1,TO-F1,RETAIN-P,LIBRARY-R,NAME-A3A1
// COPY FROM-R1,TO-F1,RETAIN-P,LIBRARY-R,NAME-EXP
// COPY FROM-R1,TO-F1,RETAIN-P,LIBRARY-R,NAME-DEXP
// COPY FROM-R1,TO-F1,RETAIN-P,LIBRARY-R,NAME-ALOG
// COPY FROM-R1,TO-F1,RETAIN-P,LIBRARY-R,NAME-DLOG
// COPY FROM-R1,TO-F1,RETAIN-P,LIBRARY-R,NAME-ALOG10
// COPY FROM-R1,TO-F1,RETAIN-P,LIBRARY-R,NAME-DLOG10
// COPY FROM-R1,TO-F1,RETAIN-P,LIBRARY-R,NAME-ATAN
// COPY FROM-R1,TO-F1,RETAIN-P,LIBRARY-R,NAME-DATAN
// COPY FROM-R1,TO-F1,RETAIN-P,LIBRARY-R,NAME-SIN
// COPY FROM-R1,TO-F1,RETAIN-P,LIBRARY-R,NAME-DSIN
// COPY FROM-R1,TO-F1,RETAIN-P,LIBRARY-R,NAME-COS
// COPY FROM-R1,TO-F1,RETAIN-P,LIBRARY-R,NAME-DCOS
// COPY FROM-R1,TO-F1,RETAIN-P,LIBRARY-R,NAME-SORT
// COPY FROM-R1,TO-F1,RETAIN-P,LIBRARY-R,NAME-DSORT
// COPY FROM-R1,TO-F1,RETAIN-P,LIBRARY-R,NAME-TANH
// COPY FROM-R1,TO-F1,RETAIN-P,LIBRARY-R,NAME-DTANH
// COPY FROM-R1,TO-F1,RETAIN-P,LIBRARY-R,NAME-MOD
// COPY FROM-R1,TO-F1,RETAIN-P,LIBRARY-R,NAME-AMOD
// COPY FROM-R1,TO-F1,RETAIN-P,LIBRARY-R,NAME-DMOD
// END

```

Figure 48 (4 of 4). Example of Program Product Generation

Completing System Generation and Installation Verification

1. Punch the following cards:



2. Clear cards from reader.
3. Place the three punched cards in primary hopper.
4. Place blank cards in secondary hopper of MFCU, or behind cards from step 3 if your system input device is the 1442.
5. Press reader START. PRIMARY READY light turns on. System generation continues.


A deck of punched cards (Figure 49), needed to continue with system generation, is in stacker 4. Halt EJ is displayed in the message display unit. You can now copy the system from F1 to R1.

Note: If you are performing system generation from the 1442, the punched cards will go to stacker 2.

Preparing for the Copy of Your Tailored System on F1 to R1

1. Clear cards from reader and remove cards from stacker 1.
2. Remove deck of punched cards from stacker 4.

3. Remove these two cards from the deck and discard them:



4. Place punched cards in primary hopper.
5. Press reader START.
6. Remove distribution disk cartridge from R1 and store it.
7. Mount a scratch cartridge on R1 and ready disks.
8. Set program load selector at FIXED DISK and data switches to 1442 if your system input device is the 1442.
9. Press PROGRAM LOAD. Initial program loading is performed and, when complete, the system begins reading cards from the reader.

If your system has DPF, EJ will be displayed in both message display units when initial program loading is complete. Press program 1 HALT/RESET key to continue.

A halt of 90 is displayed in the message display unit. This halt is provided to ensure that you have a scratch cartridge on R1. The cartridge on R1 will now be initialized. The volume label will be SYSTEM.




Figure 49 (Part 1 of 2). Punched Cards for Completing System Generation




Figure 49 (Part 2 of 2). Punched Cards for Completing System Generation

Copying Your Tailored System on F1 to R1

1. Set rightmost ADDRESS/DATA switch at 0.
2. Press console START (program 1 HALT/RESET key if you have DPF).

The disk on R1 is initialized and your system is copied to R1. You now have two identical tailored systems on R1 and F1 containing all the programs generated. The system halts with 90 displayed in the message display unit.

You do not have to perform the following procedures if you want to leave the entire tailored system on F1. The following procedures will delete the tailored system on F1 and replace it with a minimal resident system. The minimal resident system will consist of the system control programs needed to sustain the IPL process and read OCL statements. If any disk utility programs or program products are desired on F1, COPY statements have to be prepared to include them (Figure 50). The second ALLOCATE statement can also be modified to increase or decrease the size of your libraries.

To determine the number of tracks required for the source and object libraries, use the Library Maintenance program (\$MAINT) to list the directories of these libraries on F1. Then, determine the number of sectors each program that you are going to copy requires. Now divide the total number of sectors required for a library by 24 to get the number of tracks needed for the programs. Be sure to add one track for any remainder from the division.


If you expect to add any programs to these libraries later, leave space for them now.

If you decide to leave the entire generated system on F1, system generation is complete. Be sure to identify the cartridge on R1 as your tailored system disk cartridge. The disk name is SYSTEM.

After identifying the cartridge on R1 as your tailored system disk cartridge, sample programs should be run to ensure that your system has been generated properly. Information on how to run the RPG II sample program is provided in *Appendix C*.

Building a Minimal Resident System on F1

1. Modify or add more of the following statements:



2. Press reader STOP and remove the cards from the primary hopper. If you have modified the ALLOCATE statement, replace the second ALLOCATE statement in the deck with the modified statement. Figure 50 shows the COPY statements needed to copy additional programs to F1. Place any additional COPY statements in from of the END statement.
3. Press reader START.
4. Set program load selector at REMOVABLE DISK and data switches to 1442 if your system input device is the 1442.
5. Press PROGRAM LOAD. Initial program loading is performed and, when complete, the system begins reading cards from the reader.

If your system has DPF, EJ will be displayed in both message display units when initial program loading is complete. Press program 1 HALT/RESET key to continue.

System generation is complete when a halt of 90 is displayed in the message display unit. A minimal resident system is on F1. Figure 51 is a sample printout of completing system generation.

//	COPY	FROM-R1,	TO-F1,	LIBRARY-P,	RETAIN-R,	NAME-RPG			} RPG II Program (You must also include Data Management modules to support your system configuration. You can also select the IBM - supplied RPG II user subroutines to be copied at this time.)
//	COPY	FROM-R1,	TO-F1,	LIBRARY-R,	RETAIN-R,	NAME-\$\$\$PG.ALL			
//	COPY	FROM-R1,	TO-F1,	LIBRARY-O,	RETAIN-R,	NAME-\$\$\$RP.ALL			
//	COPY	FROM-R1,	TO-F1,	LIBRARY-O,	RETAIN-R,	NAME-\$\$\$LI.ALL			
//	COPY	FROM-R1,	TO-F1,	LIBRARY-R,	RETAIN-R,	NAME-\$\$\$CS.ALL			} Disk 5444 data management
//	COPY	FROM-R1,	TO-F1,	LIBRARY-R,	RETAIN-R,	NAME-\$\$\$DA.ALL			
//	COPY	FROM-R1,	TO-F1,	LIBRARY-R,	RETAIN-R,	NAME-\$\$\$I.ALL			
//	COPY	FROM-R1,	TO-F1,	LIBRARY-R,	RETAIN-R,	NAME-\$\$\$SR.ALL			
//	COPY	FROM-R1,	TO-F1,	LIBRARY-R,	RETAIN-R,	NAME-\$\$\$CF.ALL			} Disk 5445 data management
//	COPY	FROM-R1,	TO-F1,	LIBRARY-R,	RETAIN-R,	NAME-\$\$\$DF.ALL			
//	COPY	FROM-R1,	TO-F1,	LIBRARY-R,	RETAIN-R,	NAME-\$\$\$IF.ALL			
//	COPY	FROM-R1,	TO-F1,	LIBRARY-R,	RETAIN-R,	NAME-\$\$\$IG.ALL			
//	COPY	FROM-R1,	TO-F1,	LIBRARY-R,	RETAIN-R,	NAME-\$\$\$IH.ALL			
//	COPY	FROM-R1,	TO-F1,	LIBRARY-R,	RETAIN-R,	NAME-\$\$\$SF.ALL			
//	COPY	FROM-R1,	TO-F1,	LIBRARY-R,	RETAIN-R,	NAME-\$\$\$CODM			} 5471 Console I/O data management
//	COPY	FROM-R1,	TO-F1,	LIBRARY-R,	RETAIN-R,	NAME-\$\$\$SC.ALL			} Shared I/O SIAM data management
//	COPY	FROM-R1,	TO-F1,	LIBRARY-R,	RETAIN-R,	NAME-\$\$\$ARFF			} 1442 data management
//	COPY	FROM-R1,	TO-F1,	LIBRARY-R,	RETAIN-R,	NAME-\$\$\$LPRT			} Printer data management
//	COPY	FROM-R1,	TO-F1,	LIBRARY-R,	RETAIN-R,	NAME-\$\$\$BS.ALL			} BSCA data management
//	COPY	FROM-R1,	TO-F1,	LIBRARY-R,	RETAIN-R,	NAME-\$\$\$M.ALL			} MFCU data management
//	COPY	FROM-R1,	TO-F1,	LIBRARY-O,	RETAIN-R,	NAME-\$\$\$AS.ALL			} Basic Assembler Program
//	COPY	FROM-R1,	TO-F1,	LIBRARY-O,	RETAIN-R,	NAME-\$\$\$DS.ALL			} Disk Sort Program
//	COPY	FROM-R1,	TO-F1,	LIBRARY-O,	RETAIN-R,	NAME-\$\$\$CS.ALL			} MFCU Sort/Collate Program
//	COPY	FROM-R1,	TO-F1,	LIBRARY-O,	RETAIN-R,	NAME-\$\$\$REPRO			} 96-96 Reproduce and Interpret Program
//	COPY	FROM-R1,	TO-F1,	LIBRARY-O,	RETAIN-R,	NAME-\$\$\$CLIST			} 96 List Program
//	COPY	FROM-R1,	TO-F1,	LIBRARY-O,	RETAIN-R,	NAME-\$\$\$DREC			} Data Record Program
//	COPY	FROM-R1,	TO-F1,	LIBRARY-O,	RETAIN-R,	NAME-\$\$\$DVER			} Data Verify Program
//	COPY	FROM-R1,	TO-F1,	LIBRARY-O,	RETAIN-R,	NAME-\$\$\$CNVRT			} 80-96 Conversion Program
//	COPY	FROM-R1,	TO-F1,	LIBRARY-O,	RETAIN-R,	NAME-\$\$\$AL.ALL			} Alternate Track Assignment Program
//	COPY	FROM-R1,	TO-F1,	LIBRARY-O,	RETAIN-R,	NAME-\$\$\$BU.ALL			} Alternate Track Rebuild Program
//	COPY	FROM-R1,	TO-F1,	LIBRARY-O,	RETAIN-R,	NAME-\$\$\$CO.ALL			} Disk Copy/Dump Program
//	COPY	FROM-R1,	TO-F1,	LIBRARY-O,	RETAIN-R,	NAME-\$\$\$DE.ALL			} File Delete Program
//	COPY	FROM-R1,	TO-F1,	LIBRARY-O,	RETAIN-R,	NAME-\$\$\$IN.ALL			} Disk Initialization Program

Figure 50 (Part 1 of 2). COPY Statements Needed to Copy Additional Programs to F1 When Building a Minimal System

//	COPY	FROM-R1,	TO-F1,	LIBRARY-O,	RETAIN-R,	NAME-\$LA.	ALL	}	File and Volume Label Display Program
//	COPY	FROM-R1,	TO-F1,	LIBRARY-O,	RETAIN-R,	NAME-\$MA.	ALL	}	Library Maintenance Program
//	COPY	FROM-R1,	TO-F1,	LIBRARY-O,	RETAIN-R,	NAME-\$MI.	ALL	}	1255 Magnetic Character Reader Utility Program
//	COPY	FROM-R1,	TO-F1,	LIBRARY-O,	RETAIN-R,	NAME-\$MO.	ALL	}	Terminal Reader In Optics Program
//	COPY	FROM-R1,	TO-F1,	LIBRARY-R,	RETAIN-R,	NAME-SUBR.	ALL	}	IBM-supplied RPG II user subroutine
//	COPY	FROM-R1,	TO-F1,	LIBRARY-R,	RETAIN-R,	NAME-\$OL.	ALL	}	Overlay Linkage Editor
//	COPY	FROM-R1,	TO-F1,	LIBRARY-O,	RETAIN-R,	NAME-\$\$CB.	ALL	}	COBOL Program
//	COPY	FROM-R1,	TO-F1,	LIBRARY-R,	RETAIN-R,	NAME-\$\$CB.	ALL		
//	COPY	FROM-R1,	TO-F1,	LIBRARY-O,	RETAIN-R,	NAME-\$FO.	ALL	}	FORTRAN Program
//	COPY	FROM-R1,	TO-F1,	LIBRARY-R,	RETAIN-R,	NAME-\$FO.	ALL		

Figure 50 (Part 2 of 2). COPY Statements Needed to Copy Additional Programs to F1 When Building a Minimal System

```

// HALT
// CALL $SGUPC,R1
XX LOAD $MAINT,R1
*
*** THIS CONTROL DECK PUNCHES OUT THE FOLLOW-UP SYSTEM GENERATION INSTRUCTION CARDS.
*
*** THE FIRST CARD -- A COPY CARD-- AND THE LAST CARD -- A MENU CARD-- THAT ARE PUNCHED OUT MUST BE DISCARDED BEFORE PLACING THE INSTRUCTION CARDS INTO THE READER.
*
XX RUN
// RUN
// COPY FROM-R1,TO-PKTPUR,LIBRARY-S,NAME-$SGUPC

```

You prepared these cards.

You prepared this card.

```

$SGUPC
// DATE 00/00/00
*
*** AT THIS TIME A SCRATCH PACK SHOULD BE MOUNTED ON DRIVE-R1
*
*** SET RIGHTMOST ADDRESS/DATA SWITCH TO 0,
* PRESS CONSOLE START --HALT/RESET IF YOU HAVE DPF SYSTEM-- TO CONTINUE.
// PAUSE
// NUHALT
// CALL $SGINR,F1 INITIALIZE R1
// RUN
// CALL $SGCOPY,F1 COPY TAILORED SYSTEM TO R1
// RUN
// CALL $SGIVP,F1
// RUN
*
* R1 NOW HAS THE TAILORED SYSTEM PACK.
*
* AT THIS POINT YOU CAN MODIFY OR ADD TO THE FOLLOWING
* CONTROL STATEMENTS, AS NECESSARY, TO BUILD THE MINIMAL SYSTEM.
*
// PAUSE IPL FROM R1, PRESS CONSOLE START --HALT/RESET IF YOU HAVE DPF SYSTEM-
// DATE 00/00/00
// NUHALT
// LOAD $MAINT,R1
// RUN
// ALLOCATE TO-F1,SOURCE-0,OBJECT-0
// ALLOCATE TO-F1,SOURCE-4,OBJECT-40,SYSTEM-YES,DIRSIZE-3
// COPY FROM-R1,TO-F1,LIBRARY-U,NAME-SYSTEM
// END
// PAUSE END OF SYSTEM GENERATION
// END

```

Printout of the punched cards. Place these cards in the primary hopper and continue.

```

// DATE 00/00/00
*
*** AT THIS TIME A SCRATCH PACK SHOULD BE MOUNTED ON DRIVE-R1
*
*** SET RIGHTMOST ADDRESS/DATA SWITCH TO 0,
* PRESS CONSOLE START --HALT/RESET IF YOU HAVE DPF SYSTEM-- TO CONTINUE.
// PAUSE

```

This statement causes the system to halt with 90 in the message display unit. Ensure a scratch cartridge is mounted on R1.

```

// NUHALT
// CALL $SGINR,F1 INITIALIZE R1
XX LOAD $INIT,F1
XX RUN
// RUN
// DIN UNIT-R1,TYPE-CLEAR
// VOL PACK-SYSTEM
// END
INITIALIZATION ON R1 COMPLETE
// CALL $SGCOPY,F1 COPY TAILORED SYSTEM TO R1
XX LOAD $COPY,F1
*
*** START UP SYSTEM VERIFICATION
*
XX RUN
// RUN
// COPYPACK FROM-F1,TO-R1
// END
COPYPACK IS COMPLETE
// CALL $SGIVP,F1
XX LOAD $SGIVP,F1
XX RUN
// RUN
END OF SYSTEM VERIFICATION

```

```

*
* R1 NOW HAS THE TAILORED SYSTEM PACK.
*
* AT THIS POINT YOU CAN MODIFY OR ADD TO THE FOLLOWING
* CONTROL STATEMENTS, AS NECESSARY, TO BUILD THE MINIMAL SYSTEM.
*
// PAUSE IPL FROM R1, PRESS CONSOLE START --HALT/RESET IF YOU HAVE DPF SYSTEM-

```

This statement causes the system to halt with 90 in the message display unit. The ALLOCATE statement can be changed or more COPY statements added at this time.

- The halt of 90 allows you to:
1. Change this statement.
 2. Add COPY statements here to copy additional programs to F1.

```

// DATE 00/00/00
// NUHALT
// LOAD $MAINT,R1
// RUN
// ALLOCATE TO-F1,SOURCE-0,OBJECT-0
// ALLOCATE TO-F1,SOURCE-4,OBJECT-40,SYSTEM-YES,DIRSIZE-3
// COPY FROM-R1,TO-F1,LIBRARY-U,NAME-SYSTEM
// END

```

This statement causes the system to halt with 90 in the message display unit.

Figure 51. Example of Completing System Generation

Note: Be sure to identify the cartridge on R1 as your tailored system disk cartridge.

After identifying the cartridge on R1 as your tailored system disk cartridge, sample programs should be run to ensure that your system has been generated properly. Information on how to run the RPG II sample program is provided in *Appendix C*.

Note: At the end of system generation, your tailored system (on R1 or F1) contains some system generation procedures not needed in your day-to-day operation. If you wish to have this space available for some other use, you can simply delete these procedures using the following load sequence. However, you must not attempt to remove these procedures from the distribution disk cartridge.

```
// LOAD $MAINT, {R1}
//                {OR}
//                {F1}
// RUN
// DELETE FROM- {R1}, RETAIN-P, LIBRARY-P, NAME-$SG.ALL
//                {OR}
//                {F1}
// END
```

Building a Program Pack

A program pack may be built anytime after system generation. If you have a 100 cylinder disk, there may not be enough room on one pack for the system and all of your program products; or if you want to have more file space on the system pack, separate your program products by putting them on different packs.

The following procedures tell you how to build a program pack. First, be sure you have a back up copy of the system on F1. Next, determine the number of tracks required for the source and object libraries, use the Library Maintenance program (\$MAINT) to list the directories of these libraries on F1. Then, determine the number of sectors each program that you are going to copy to R1 requires. Now divide the total number of sectors required for a library by 24 to get the number of tracks needed for the programs. Be sure to add one track for any remainder from the division. In addition, an object library with a system needs three tracks for a directory. When a system is not included in an object library, the directory only needs one track.

If you expect to add any programs to these libraries later, leave space for them now.

Deleting All Libraries and Files on F1

1. Mount tailored system disk cartridge on R1, and ready disks.
2. Set program load selector at REMOVABLE DISK. If your system input device is the 1442 set data switches appropriately. Press PROGARM LOAD.
3. Enter the following statements.

```
1  4  8 12 16 20 24 28 32 36 40 44
// DATE 00/00/00
// NOHALT
// LOAD $MAINT, R1
// RUN
// ALLOCATE TO- F1, SOURCE-0, OBJECT-0
// END
// HALT
// LOAD $DELETE, R1
// RUN
// REMOVE UNIT- F1, LABEL-VTCC, PACK- nnnnnn
// END
```

Note: nnnnnn is the name of the pack. You must fill in this parameter.

If you have DPF, EJ is displayed in both message display units when initial program loading is complete. Press appropriate HALT/RESET key to continue.

```
// DATE 00/00/00
// LOAD MAINT,F1
// RUN
// END
```

All files on F1 are deleted when EJ is displayed in the message display unit. You can now copy from R1 to F1.

Copying from R1 to F1

1. Set program load selector at REMOVABLE DISK. If your system input device is the 1442 set data switches appropriately. Press PROGRAM LOAD.
2. Punch the following statements.

```
// DATE 00/00/00
// LOAD MAINT,R1
// RUN
// ALLOCATE TO-F1, SOURCE-5, OBJECT-160, SYSTEM-YES
// COPY FROM-R1, LIBRARY-0, NAME-SYSTEM, TO-F1
// COPY FROM-R1, TO-F1, LIBRARY-0, RETAIN-R, NAME-SMA, ALL
// COPY FROM-R1, TO-F1, LIBRARY-0, RETAIN-R, NAME-SCO, ALL
// COPY FROM-R1, TO-F1, LIBRARY-0, RETAIN-R, NAME-SDE, ALL
// COPY FROM-R1, TO-F1, LIBRARY-0, RETAIN-R, NAME-SIM, ALL
// END
```

Note: Place a COPY statement before the // END statement for each program that you want to copy. (See *Completing System Generation* for the detailed description of COPY statement preparation.)

Note: If the program products that you want to copy to your program pack are currently on R1, place additional COPY statements, for them, in front of the // END card. (See *Completing System Generation* for detailed description of COPY statement preparation.)

If your system has DPF, EJ is displayed in both message display units when initial program loading is complete. Press appropriate HALT/RESET key to continue. EJ will be displayed when the copy is complete.

If your system has DPF, EJ is displayed in both message display units when initial program loading is complete. Press appropriate HALT/RESET key to continue. EJ will be displayed when copy is complete.

Now you are ready to copy the program products to the program pack.

If the program products to be copied are on another pack or packs, you must perform the following six steps for each pack. If the program products are on the pack currently mounted, go to *Copy F1 to Program Pack*.

Copying F1 to Program Pack

1. Remove the tailored system pack from R1.
2. Mount the pack containing program products on R1.
3. Set program load selector at FIXED DISK. If your system input device is the 1442 set data switches appropriately. Press PROGRAM LOAD.
4. Enter the following statements.

1. Mount an initialized scratch disk cartridge on R1 and ready disks. This will be your program pack.
2. Set program load selector at FIXED DISK. If your system input device is the 1442 set data switches appropriately. Press PROGRAM LOAD.
3. Enter one of the following sets of cards.

Note: Replace nnn on the ALLOCATE statements with the number of tracks that you have determined are required for your source and object libraries.

Statements to Copy All of F1 to R1:

```
// DATE 00/00/00
// LOAD @MAINT,F1
// RUN
// ALLOCATE TO-R1,SOURCE-nnn,OBJECT-nnn,SYSTEM-YES
// COPY FROM-F1,TO-R1,RETAIN-R,LIBRARY-ALL,NAME-ALL
// END
```

Statements to Copy the System and Selected Programs:

```
// DATE 00/00/00
// LOAD @MAINT,F1
// RUN
// ALLOCATE TO-R1,SOURCE-nnn,OBJECT-nnn,SYSTEM-YES
// COPY FROM-F1,TO-R1,LIBRARY-C,NAME-SYSTEM
// END
```

Note: Place a COPY statement for each program you want to copy in front of the // END statement. (See *Completing System Generation* for detailed description of COPY statement preparation.)

Statements to Copy Selected Programs:

```
// DATE 00/00/00
// LOAD @MAINT,F1
// RUN
// ALLOCATE TO-R1,SOURCE-nnn,OBJECT-nnn
// END
```

Note: Place a COPY statement for each program you want to copy in front of the // END statement. (See *Completing System Generation* for detailed description of COPY statement preparation.)

If you have DPF, EJ is displayed in both message display units when initial program loading is complete. Press the appropriate HALT/RESET key to continue. EJ will be displayed when copying is complete.

The first part of this appendix describes the IMAGE statement and how it is used. The second part of this appendix provides the possible IMAGE statement and data cards you need when you want to change the chain image during system generation.

Description of the IMAGE Statement

The printer requires characters matching those on the printer chain to be in a special area of storage called the chain-image area. When you replace the printer chain with one having different characters, you must also change the contents of the chain-image area.

The IMAGE statement instructs the system to replace the contents of the chain-image area with the characters indicated by the statement. The characters can be in cards, or in the source library on disk. The statement can appear anywhere among the OCL statements. The IMAGE statement format is:

// IMAGE Parameters

The IMAGE statement tells the system that either the new chain characters are to be read from cards or they are to be read from the source library.

The IMAGE parameters are:

- NAME - name
- UNIT - code
- FORMAT - HEXADECEMAL, CHARACTER, or MEMBER
- NUMBER - value

(Coding only HEX, CHAR, or MEM is preferable for FORMAT.)

Characters on Cards

If you want to indicate that the new chain characters are to be read from cards, use the following parameters:

FORMAT: Use CHAR to indicate that the characters are in EBCDIC form. The number of columns in the cards following the IMAGE statement that contain the new characters must not exceed 120. Use HEX to indicate that the characters are in hexadecimal form.

NUMBER: The number parameter must be used with HEX and CHAR. It must be a value equal to the number of columns in the cards following the IMAGE statement that contain the new characters. This number must not exceed 240 when the characters are hexadecimal; 120 when characters are EBCDIC. The name and UNIT parameters must not be coded.

Figure 52 shows an IMAGE statement. The statement tells the system that the new characters are on cards. The FORMAT parameter indicates that the new characters are in hexadecimal form. The NUMBER parameter indicates that there are 150 columns containing the new characters.

The following rules apply to punching the new characters into cards:

1. Characters must begin in column 1.
2. Consecutive card columns must be used; however, only the first 80 columns of the card can be used. Column 80, or the first blank, terminates the card. Hexadecimal requires an even number of characters for a card.
3. To continue characters in another card, begin the characters in column 1.

	1		4		8		12		16		20		24		28		32		36		40		44
	// IMAGE HEX,150																						

Figure 52. Sample IMAGE Statement: Hexadecimal Codes on Cards

IMAGE Statement:

1	4	8	12	16	20	24	28	32	36	40	44	48
// IMAGE CHAR,60												

Data Card 1

1	4	8	12	16	20	24	28	32	36	40	44	48																															
1	2	3	4	5	6	7	8	9	X	Y	S	T	U	V	W	:	"	,	=	J	K	L	M	N	O	P	Q	R	-	Z	(A	B	C	D	E	F	G	H	I	+	.)

Data Card 2

1	4	8	12	16	20	24	28	32	36	40	44	48
2	\$	*	#	&	@	<	>	;	'	?>		

Figure 57. IMAGE Statement and Data Cards for the 60-Character PN Print Arrangement Chain When Using EBCDIC Code

Procedures for Selecting IMAGE Statement and Data Cards at System Generation Time

1. Select the appropriate IMAGE statement and data cards.
2. Punch the IMAGE statement and data cards.
3. Place the IMAGE statement in front of the data cards.
4. Place the IMAGE statement and data cards between the // DATE mmddy and // CALL \$SGPCH,R1 statement punched when *Preparing for System Generation* in Chapter 11. *System Generation*.

During loading and execution the sort/collate program prints a job history on the printer. This printout includes a card image of the specifications cards, error messages, and informational messages that tell you what to do to continue the job. Some of these messages are accompanied by programmed halts. The halts are discussed in *IBM System/3 Model 10 Disk System Halt Guide*, GC21-7540.

Sort/collate messages are printed in the following format:

SC xxx X (message)

- SC indicates the sort/collate program
- xxx is the message serial number
- X is the significance code:
 - A—Operator action required.
 - I—Information only.
 - W—Warning message. An abnormal, though possibly deliberate, condition exists. Check the program run sheet.
 - T—Terminal errors in the specification cards. These errors must be corrected before the job can be run.

Generation Phase Messages

SYSTEM/3 MODEL D SORT/COLLATE VERSION xx,
MODIFICATION LEVEL xx xx/xx/xx

This heading is printed before the listing of the specification cards. The date is the date entered on the // DATE statement read after you performed the IPL process.

SC 011 W INVALID PRINT OPTION, COL. 27

Header card. Valid entries are blank, 0, 1, 2, or 3. All print (blank or 0) is assumed.

SC 009 W INVALID ALT. COLLATING SEQ. ENTRY,
COL. 26

Header card. Column 26 must be blank or S. S alters the normal collating sequence. S is assumed.

SC 011 LARGEST TOTAL OF CONTROL FIELDS
INVALID

Header card. Columns 7-12 must contain SORT, MERGE, MATCH, or SELECT. Job is terminated.

SC 011 T SUM OF LENGTHS OF CONTROL FIELDS
INVALID

Header card. Columns 15-17 must contain a number from 1-100. Job is terminated.

SC 012 T SEQUENCE, COL. 18, NOT VALID

Header card. Sequence entry is not A or D or, in the case of a select run, is not A, D, or S. Job is terminated.

SC 013 T INVALID STACKER SELECT, COL. 19-24

Header card. Columns 19-24 must contain a number from 1-4 or be blank. Job is terminated.

SC 014 T INVALID NUMBER SPECIFICATION,
COL. 25

Header card. For a MATCH job, entry in column 25 must be 1 or N. Job is terminated.

SC 015 A INVALID ALTERNATE COLLATING
SEQUENCE CARD

An alternate collating sequence card is missing or unidentifiable (columns 1-8 not ALTSEQ blank blank), or a separator card (***) is missing. The recovery procedure for this message is listed under the E5 halt in *IBM System/3 Model 10 Disk System Halt Guide*, GC21-7540.

SC 016 T ALTERNATE COLLATING SEQUENCE
DATA INVALID

Entries on ALTSEQ cards must consist of 4-column sets of hexadecimal characters (A-F and 0-9). Asterisks are printed under invalid or missing entries. Job is terminated.

SC 017 T INVALID SPECIFICATION TYPE, COL. 6

Column 6 is not I, O, or F (or H for first card). Card is bypassed.

SC 018 W FIRST SPEC. IN SET NEEDS BLANK
CONTINUATION

Column 7 in the first record type specification of a set must be blank. Record type specifications have an I or O in column 6. Blank is assumed.

SC 019 T INVALID CONTINUATION, COL. 7

Column 7 of a record type specification (I or O in column 6) is not A, O, or blank. Card is bypassed.

SC 020 W INVALID C/Z/D/U SPECIFICATION, COL. 8	Entry in column 8 must be C, Z, D, or U except for forced fields, where only C, Z, and D are valid. <i>C</i> is assumed.
SC 021 T ILLEGAL ORDER OF SPECIFICATIONS	Specifications are out of order. This error is caused by: <ol style="list-style-type: none"> 1. Field specification (F in column 6) following an omit specification (O in column 6). 2. Omit specification (O in column 6) following an include specification (I in column 6). 3. Include-all following another include. Card is bypassed.
SC 022 T INCLUDE OR OMIT AFTER INCLUDE ALL	The include-all card must be the last record type card. Job is terminated.
SC 023 T NO CONTROL FIELD CARDS FOR RECORD TYPE	Control field cards must be used for all jobs except SELECT job with SELECT sequence. Job is terminated.
SC 024 T TOO MANY SOURCE CARDS OR ERRORS	The source cards and diagnostic messages, if any, require more core storage than is available. Reduce the number of source cards or correct the errors. Job is terminated.
SC 025 T ZONE SPECIFIED, FIELD LENGTH MORE THAN 1	When column 8 contains a Z, field length (columns 9-16) must be 1. Job is terminated.
SC 026 T COL. 9-16 OR 20-27 ARE INVALID	Entry in Factor 1, Factor 2, or location fields must be a number from 1 to 96. The number must be right-justified. Job is terminated.
SC 027 T DIGIT OR UNPACKED FIELD LENGTH EXCEEDS 16	When column 8 contains a D or U, field length (columns 9-16 or 20-27) cannot be greater than 16. Job is terminated.
SC 028 T FACTOR 1 LENGTH EXCEEDS 20 FOR CONSTANT	When columns 8 and 19 contain C, the length specified in Factor 1 (columns 9-16) cannot exceed 20. Job is terminated.
SC 029 W SAME SPEC TYPE AS PREVIOUS ASSUMED, COL. 6	Column 6 is blank. If column 7 contains A or O and the preceding spec had an I or O in column 6, I or O from preceding record spec is assumed.
SC 030 W OR CONTINUATION ASSUMED, COL. 7	Column 7 is blank; therefore, an OR condition is assumed. O is assumed.
SC 031 T ZONE SPECIFIED, FACTOR 2 NOT A CONSTANT	When column 8 contains a Z, Factor 2 must be a constant. Job is terminated.
SC 032 T ZONE SPECIFIED, RELATIONSHIP NOT EQ OR NE	When column 8 contains a Z, EQ or NE must be entered in columns 17-18. Job is terminated.

SC 033 T INVALID RELATIONSHIP, COL. 17-18	Columns 17-18 must contain EQ, NE, LT, GT, LE, or GE. Job is terminated.
SC 034 T INVALID FACTOR 2 TYPE, COL. 19	Column 19 must contain C or F. Job is terminated.
SC 035 W DEFAULT STACKER, NO. 1 ASSUMED, COL. 9	Column 9 must contain 1, 2, or 3. 1 is assumed.
SC 036 W UNPACKED FACTOR 1 USED WITH ALTSEQ	Factor 1 and Factor 2 are changed as indicated by ALTSEQ statements. This change may affect the units position (and sign) of an unpacked decimal number. If it does, you may not include or omit the desired records. Do not use U (unpacked) record type entries when you specify alternate collating sequence.
SC 040 W INVALID CONTROL FIELD TYPE, COL. 7	Column 7 must contain N, O, or F. N is assumed.
SC 041 W OPPOSITE SPECIFIED, COL. 7. ONLY D AND U ARE VALID	When column 7 contains an O, column 8 must contain a D or U. D is assumed.
SC 042 TOTAL LENGTH OF CONTROL FIELDS EXCEEDED	Sum of control field lengths is greater than length specified on header card. Job is terminated.
SC 040 W INVALID CONTROL FIELD TYPE, COL. 7	Column 7 must contain N, O, or F. N is assumed.
SC 041 W OPPOSITE SPECIFIED, COL. 7. ONLY D IS VALID	When column 7 contains an O, column 8 must contain a D. D is assumed.
SC 042 T CONTROL FIELD GREATER THAN SUM OF LENGTHS	Sum of control field lengths is greater than length specified on header card. Job is terminated.
SC 043 T ILLEGAL FORCE SEQUENCE CONTINUATION	Force-all line with continuation entry in column 19 can only follow a force spec. Job is terminated.
SC 090 I END OF GENERATION PHASE	All specification cards have been read and processed. The Sort/Collate program now prints one of the next three messages.
SC 091 I NO ERRORS IN SOURCE DECK	The specification cards were processed successfully. The Sort/Collate program is ready to do the job. The recovery procedures for this message are listed under the EE halt in <i>IBM System/3 Model 10 Disk System Halt Guide</i> , GC21-7540.
SC 092 A REVIEW WARNING MESSAGE	There are no known errors in source deck; however, abnormal conditions as defined by warning messages exist. The recovery procedures for this message are listed under the EL halt in <i>IBM System/3 Model 10 Disk System Halt Guide</i> , GC21-7540.
SC 093 A ERRORS IN SOURCE DECK, JOB TERMINATED	The job cannot be completed because of errors in the source deck. The recovery procedure for this message is listed under the EA halt in <i>IBM System/3 Model 10 Disk System Halt Guide</i> , GC21-7540.

Execution Phase Messages

Sort Job

SC 101 I SORT/COLLATE – SORT JOB – PASS nnnnn

Heading for each pass of a sort job. nnnnn is the number of the pass just completed.

SC 105 I NUMBER OF OMIT CARDS nnnnn

On a sort with omits, nnnnn is the number of omitted cards selected to stackers 2 and 4.

SC 107 I NUMBER OF DATA CARDS nnnnn

nnnnn is the number of cards being sorted. This number does not include a count of omitted cards. Any time the number of cards read does not agree with the number of cards read on the preceding pass, the card count is followed by ***.

SC 109 I REMAINING STRINGS nnnnn


Strings are groups of sequenced cards.

SC 111 I MAXIMUM PASSES LEFT nnnnn

nnnnn is the maximum number of passes remaining to complete the sort. It is possible that the job will be completed in less passes.

SC 121 A STACKS 1, 2 TO PRI – STACKS 3, 4 TO SEC

Instructions for intermediate passes of a sort job where cards have been selected to all four stackers. Reposition cards as follows:





SC 123 A SHORT STRINGS TO PRI AND SEC – CLEAR STACK 1

Instructions for intermediate pass of sort job where cards have been selected to three of the four stackers. Take the smallest group of cards from a stacker and place it in a hopper. It doesn't matter which hopper. Take the next smallest group and place it in the other hopper. This leaves the largest group of cards in a stacker. If these cards are in stacker 2, 3, or 4, they can remain where they are. If they are in stacker 1, remove them from the stacker and set them aside for the next pass.


SC 125 A FEED STACK 1 TO PRI – STACK 3 TO SEC

Printed on omit pass to indicate positioning of data cards for start of sort. Also printed on sort job where cards have been selected to two of four stackers. Reposition cards as follows:



SC 127 A SET ASIDE CARDS FROM STACKS 2 AND 4

On an omit pass, the cards in stackers 2 and 4 are the omitted cards. Set these cards aside before continuing.



SC 129 A OUTPUT IN STACK 1 – OMITTS IN STACKS 2 AND 4

This message indicates that all sorting was completed during the omit pass.

SC 131 A ONE STRING TO PRI AND OTHER TO SEC

Instructions for final pass following a three stack pass. Place the cards from stacker 1 in a hopper. It doesn't matter which one. Place the other group of cards in the other hopper. These cards are in stacker 2, 3, or 4, or were set aside for the last pass.

SC 197 A PRESS MFCU START AND CONSOLE START

Instructions for starting next pass.

SC 199 A SORTING COMPLETED

The job is finished. The sorted cards are in stacker 1.

Merge Job

SC 201 I SORT/COLLATE—MERGE JOB

Heading for merge job.

SC 211 I MERGED CARDS nnnnn

Total of cards merged and selected to stacker 1. This number does not include any cards omitted to stackers 2 and 4.

SC 221 I PRIMARY OMIT CARDS nnnnn

nnnnn is the number of cards omitted from the primary hopper and selected into stacker 2.

SC 231 I SECONDARY OMIT CARDS nnnnn

nnnnn is the number of cards omitted from the secondary hopper and selected into stacker 4.

SC 241 A SEQUENCE ERROR —XXX

Cards are out of sequence in XXX, where XXX is PRI or SEC. The recovery procedures for this message are listed under the E1 (primary) or E2 (secondary) halts in *IBM System/3 Model 10 Disk System Halt Guide*, GC21-7540.

SC 251 I MERGING COMPLETED

The job is finished. The merged cards are in stacker 1.

Match Job

SC 301 I SORT/COLLATE—MATCH JOB

Heading for match job.

SC 311 I PRIMARY MATCHED CARDS nnnnn

nnnnn is the number of matched cards from the primary hopper.

SC 321 I SECONDARY MATCHED CARDS nnnnn

nnnnn is the number of matched cards from the secondary hopper.

SC 331 I PRIMARY UNMATCHED CARDS nnnnn

nnnnn is the number of unmatched cards from the primary hopper.

SC 341 I SECONDARY UNMATCHED CARDS nnnnn

nnnnn is the number of unmatched cards from the secondary hopper.

SC 351 I PRIMARY OMIT CARDS nnnnn

nnnnn is the number of omitted cards from the primary hopper.

SC 161 I SECONDARY OMIT CARDS nnnnn

nnnnn is the number of omitted cards from the secondary hopper.

SC 371 A SEQUENCE ERROR — XXX

Cards are out of sequence in XXX, where XXX is PRI or SEC. The recovery procedures for this message are listed under the E1 (primary) or E2 (secondary) halts in *IBM System/3 Model 10 Disk System Halt Guide*, GC21-7540.

SC 381 A MATCHING COMPLETED

The job is finished. The matched and unmatched cards are in the stackers designated by the programmer on the program run sheet.

Select Job

SC 401 I SORT/COLLATE – SELECT JOB

Heading for select job.

SC 411 I INCLUDED CARDS – STACK 1 nnnnn

nnnnn is the number of cards in stacker 1.

SC 421 I INCLUDED CARDS – STACK 2 nnnnn

nnnnn is the number of cards in stacker 2.

SC 431 I INCLUDED CARDS – STACK 3 nnnnn

nnnnn is the number of cards in stacker 3.

SC 441 I OMITTED CARDS nnnnn

nnnnn is the number of non-selected cards routed to stacker 4.

SC 451 A SEQUENCE ERROR–PRI

Cards are out of sequence in the primary hopper. The recovery procedure for this message is included under the E1 halt in *IBM System/3 Model 10 Disk System Halt Guide*, GC21-7540.

SC 461 A SELECTING COMPLETED

The job is finished. The selected cards can appear in all stackers except stacker 4.

A sample RPG II program is in a procedure on the distribution disk cartridge. The RPG II sample program actually consists of two individual programs (SAMPL1 and SAMPL2). The SAMPL2 program must be run after the SAMPL1 program since SAMPL2 program uses the output of the SAMPL1 program. The sample programs must be run after system generation is complete. The successful execution of the sample programs indicates that your system has been generated properly. Operating procedures for running the sample programs are shown in the following paragraphs. For a description of what this program is doing and how it is doing it, see *IBM System/3 Disk System RPG II Reference Manual*. GC21-7504.

Preparing the Sample Programs for Compilation

1. Mount distribution disk cartridge on R1 and ready disks.
2. Set program load selector to FIXED DISK.
3. Punch the following statements:

/	/	D	A	T	E	0	0	/	0	0	/	0	0		
/	/	C	A	L	L	\$	R	P	S	P	L	,	R	1	
/	/	R	U	N											

4. Remove any cards from the stackers.
5. Press reader NPRO. Any cards in the wait station are fed into stacker 1.
6. Place punched statements in primary hopper.
7. Press reader START.
8. Ready printer.
9. Press PROGRAM LOAD. Initial program loading is performed and, when complete, the system begins reading cards from the MFCU.

If your system has DPF, EJ is displayed in the message display unit when initial program loading is complete. Press HALT/RESET to continue.

The system copies the sample programs and all procedures needed to compile and execute the sample programs to F1.

INDICATORS USED
LR OF IP 01

FIELD NAMES USED				
STMT#	NAME	DEC	LGTH	DISP
0013	PAGE	0	004	011C
0004	KEY		006	0105
0005	DESC		013	0112
0006	RECNR	0	003	0115
0007	COUNT	0	003	0118

START	NAME IF	CODE	NAME	CORE USAGE OF RPGII CODE
ADDR	OVERLAY	LENGTH		TITLE
1300		06AC	RGROOT	ROOT
1A04		00A0	RGMAIN	INPUT MAINLINE
1AA4		003A	RGSUBS	RECORD ID
1ADE		0026	RGSUBS	CONTROL FIELDS
19AC		0050	RGSUBS	INPUT CTRL RTN
19FC		0008	RGSUBS	SUBSEG
1B04		003B	\$\$\$ISIP	5444 IDX SEQ INPUT
1B3F		0079	\$\$\$SRBR	SYSTEM SUBR
1BB8		0038	\$\$\$SRDI	SYSTEM SUBR
1BF0		006D	\$\$\$SRIC	SYSTEM SUBR
1C5D		007B	\$\$\$SRRC	SYSTEM SUBR
1CD8		0029	\$\$\$SRRI	SYSTEM SUBR
1D01		001C	\$\$\$SRTC	SYSTEM SUBR
1D1D		0081	\$\$\$SRMO	SYSTEM SUBR
1D9E		0043	\$\$\$SRSB	SYSTEM SUBR
1DE1		002F	\$\$\$SRBP	SYSTEM SUBR
1E10		002C	RGMAIN	INPUT FIELDS
1E3D		0010	RGMAIN	DETAIL CALCS
1E3C		0001	RGSUBS	CONSTANTS
1EFB		0032	RGMAIN	DETAIL OUTPUT
1EF6		0005	RGSUBS	CONSTANTS
1E4D		009D	RGSUBS	OUTPUT CTRL RTN
1EEA		000C	RGSUBS	SUBSEG
1F2D		00FB	\$\$\$LPRT	5203 PRINT
2028		000B	RGMAIN	TOTAL OUTPUT
206E		0024	RGMAIN	LR & OVERFLOW PROCESSING
2033		0017	RGSUBS	CONSTANTS
204A		0024	RGSUBS	OVERFLOW SUBSEGMENT
2092		008E	RGMAIN	OPEN
2120		0028	RGSUBS	SUBSEG
2174		0021	RGMAIN	CLOSE
2148		002C	RGSUBS	CONSTANTS
2195		0030	RGSUBS	LR PROCESSING

03781 SAMPL2 TOTAL CORE USAGE REQUIRED TO EXECUTE
TOTAL NUMBER OF LIBRARY SECTORS REQUIRED 16

```
// CALL $RPSP3,F1
XX LOAD SAMPL1,R1
XX FILE NAME-$SOURCE,UNIT-R1,RETAIN-S,PACK-SYSTEM
XX FILE NAME-DISKOUT,UNIT-R1,RETAIN-T,PACK-SYSTEM,RECORDS-100
XX RUN
// RUN
```

SAMPLE PROGRAM 1 HAS LOADED 100 RECORDS INTO AN INDEXED FILE.

KEYS ARE IN ASCENDING SEQUENCE STARTING AT 000005 AND INCREASING IN INCREMENTS OF 5.

SAMPLE PROGRAM 2 WILL PRINT FROM THE INDEXED FILE TO SHOW THAT IT WAS PROPERLY LOADED.

```

// CALL $RPSP4,F1
XX LOAD SAMPL2,R1
XX FILE NAME-DISKIN,LABEL-DISKOUT,UNIT-R1,PACK-SYSTEM,RETAIN-S
XX RUN
// RUN

```

KEY	DESCRIPTION	PAGE	1
000005	RECORD NUMBER	1	
000010	RECORD NUMBER	2	
000015	RECORD NUMBER	3	
000020	RECORD NUMBER	4	
000025	RECORD NUMBER	5	
000030	RECORD NUMBER	6	
000035	RECORD NUMBER	7	
000040	RECORD NUMBER	8	
000045	RECORD NUMBER	9	
000050	RECORD NUMBER	10	
000055	RECORD NUMBER	11	
000060	RECORD NUMBER	12	
000065	RECORD NUMBER	13	
000070	RECORD NUMBER	14	
000075	RECORD NUMBER	15	
000080	RECORD NUMBER	16	
000085	RECORD NUMBER	17	
000090	RECORD NUMBER	18	
000095	RECORD NUMBER	19	
000100	RECORD NUMBER	20	
000105	RECORD NUMBER	21	
000110	RECORD NUMBER	22	
000115	RECORD NUMBER	23	
000120	RECORD NUMBER	24	
000125	RECORD NUMBER	25	
000130	RECORD NUMBER	26	
000135	RECORD NUMBER	27	
000140	RECORD NUMBER	28	
000145	RECORD NUMBER	29	
000150	RECORD NUMBER	30	
000155	RECORD NUMBER	31	
000160	RECORD NUMBER	32	
000165	RECORD NUMBER	33	
000170	RECORD NUMBER	34	
000175	RECORD NUMBER	35	
000180	RECORD NUMBER	36	
000185	RECORD NUMBER	37	
000190	RECORD NUMBER	38	
000195	RECORD NUMBER	39	
000200	RECORD NUMBER	40	
000205	RECORD NUMBER	41	
000210	RECORD NUMBER	42	
000215	RECORD NUMBER	43	
000220	RECORD NUMBER	44	
000225	RECORD NUMBER	45	
000230	RECORD NUMBER	46	
000235	RECORD NUMBER	47	
000240	RECORD NUMBER	48	
000245	RECORD NUMBER	49	
000250	RECORD NUMBER	50	
000255	RECORD NUMBER	51	
000260	RECORD NUMBER	52	
000265	RECORD NUMBER	53	
000270	RECORD NUMBER	54	
000275	RECORD NUMBER	55	

KEY	DESCRIPTION	PAGE	2
000280	RECORD NUMBER	56	
000285	RECORD NUMBER	57	
000290	RECORD NUMBER	58	
000295	RECORD NUMBER	59	
000300	RECORD NUMBER	60	
000305	RECORD NUMBER	61	
000310	RECORD NUMBER	62	
000315	RECORD NUMBER	63	
000320	RECORD NUMBER	64	
000325	RECORD NUMBER	65	
000330	RECORD NUMBER	66	
000335	RECORD NUMBER	67	
000340	RECORD NUMBER	68	
000345	RECORD NUMBER	69	
000350	RECORD NUMBER	70	
000355	RECORD NUMBER	71	
000360	RECORD NUMBER	72	
000365	RECORD NUMBER	73	
000370	RECORD NUMBER	74	
000375	RECORD NUMBER	75	
000380	RECORD NUMBER	76	
000385	RECORD NUMBER	77	
000390	RECORD NUMBER	78	
000395	RECORD NUMBER	79	
000400	RECORD NUMBER	80	
000405	RECORD NUMBER	81	
000410	RECORD NUMBER	82	
000415	RECORD NUMBER	83	
000420	RECORD NUMBER	84	
000425	RECORD NUMBER	85	
000430	RECORD NUMBER	86	
000435	RECORD NUMBER	87	
000440	RECORD NUMBER	88	
000445	RECORD NUMBER	89	
000450	RECORD NUMBER	90	
000455	RECORD NUMBER	91	
000460	RECORD NUMBER	92	
000465	RECORD NUMBER	93	
000470	RECORD NUMBER	94	
000475	RECORD NUMBER	95	
000480	RECORD NUMBER	96	
000485	RECORD NUMBER	97	
000490	RECORD NUMBER	98	
000495	RECORD NUMBER	99	
000500	RECORD NUMBER	100	

100 RECORDS WERE READ FROM THE INDEXED FILE.

To determine a malfunctioning device or program, and who should correct it, you can follow a prescribed procedure called *problem determination*. Problem determination does not give you the precise cause of a malfunction nor correct it, but it can reduce the amount of system down time if performed prior to calling IBM.

PERFORMING PROBLEM DETERMINATION

The following pages tell you how to do problem determination. The meanings of indicators that show various types of failures are included. Also, when possible, you are told whether the failure is the result of a machine or user error.

Halts

Halts displayed on the message display unit indicate incorrect program operation, machine errors, or in some cases, information or instructions. If the log option is used, error codes are printed on the logging device. Whenever a programmed halt occurs, take the appropriate action indicated in the *IBM System/3 Model 10 Disk System Halt Guide*, GC21-7540.

Processor Checks

The PROCESSOR CHECK light on the display panel indicates that an abnormal condition has occurred in the processing unit and the system is stopped. Processor checks commonly caused by programming malfunctions are: invalid address, invalid op code, and invalid Q byte. All other processor checks indicate hardware malfunctions. If a combination of lights is on, such as invalid op code and invalid Q byte, you should suspect a hardware malfunction. The system stops with the PROCESSOR CHECK light on and the type of check is indicated in position 8 (PROC CHK) on the register display unit.

If a hardware malfunction is not indicated, the program must be examined closely to determine the cause of the processor check. If the system stops with a processor check, certain information needed for problem determination is retained in the system: type of check, contents of the local storage registers (LSRs), and contents of main storage. See Figures 58 and 59 for the procedures you can follow to obtain this information.

System Loops

A loop in a system is the repetitive execution of a sequence of instructions. A loop can be recognized in several ways.

- A steady flow in the lights of the processing unit display panel when the STOP light is off.
- A rhythmic pattern in the lights of the processing unit display panel.
- A pointless recurrence of input/output activity.
- A job that does not change status for a long period of time.

Loops can be caused by:

- Deliberate coding by a programmer as a debugging aid.
- A logic or coding error by a programmer.
- An incorrect setup by the operator.
- A hardware malfunction.

When a loop occurs, it continues until the operator intervenes and cancels the job. (See Figure 60 for operator-programmer action for a loop.) The operator's main responsibility when a loop occurs is to gather pertinent information as follows:

1. Determine whether the job is set up correctly. If it is not, correct it and rerun the job. If the job is set up correctly, follow the procedures in Figure 60.
2. If the loop is a long one, try to get random addresses in the loop. Set the CE mode selector to PROCESS, press START and STOP, and record the address. By repeating this procedure, you can obtain a random list of addresses in the loop.
3. Have the loop addresses, program listing, and storage dump available for the programmer.

It is the programmer's responsibility to determine the cause of a program loop. He should thoroughly examine the logic of his program to make sure he did not code a loop. If his program appears to be coded correctly, he should have the information supplied by the operator available and contact IBM for assistance.

Incorrect Output


If output is incorrect after a job has apparently been completed successfully, the incorrect output falls into the following categories:

- Missing records.
- Duplicate records.
- Invalid data containing sequence errors, incorrect values, format errors, or meaningless information.

To perform problem determination for errors of this type:

1. Isolate the failing program.
2. Check for a possible hardware error (do other programs fail in the same way?).
3. Perform the appropriate data collection procedure in Figure 61.

If several programs are involved in a failure, locate the program that you know has correct input, but incorrect output. The fastest method of analyzing a series of programs is to check the output of one of the programs in the middle of the job stream, then repeat the check for the remaining programs until one has been isolated. After that, use Figure 61 to complete problem determination.



Note: To execute a storage dump, press SYSTEM RESET and then START. The contents of the index registers and storage are printed and halt EJ occurs.

Figure 58. Operator Procedures for Processor Check





Figure 59. Operator Procedures for Displaying Local Storage Registers



Note: To execute a storage dump, press SYSTEM RESET and then START. The contents of the index registers and storage are printed and halt EJ occurs.

Figure 60. Operator and Programmer Action for a System Loop




Figure 61 (Part 1 of 7). Operating Procedures for Incorrect Output




Figure 61 (Part 2 of 7). Operating Procedures for Incorrect Output




Figure 61 (Part 3 of 7). Operating Procedures for Incorrect Output




Figure 61 (Part 4 of 7). Operating Procedures for Incorrect Output




Figure 61 (Part 5 of 7). Operating Procedures for Incorrect Output




Figure 61 (Part 6 of 7). Operating Procedures for Incorrect Output




Figure 61 (Part 7 of 7). Operating Procedures for Incorrect Output

Appendix E. Determining Library Size

When a halt of 91 is given during system generation, the following message is given:

The allocation for the object library is 170 tracks, for the source library five tracks, and for the object library directory four tracks. You should determine the adequacy of these allocations and, if necessary, alter the ALLOCATE control statement which follows in the reader.

This halt allows you to change the default allocations. You may want to change the allocations for two reasons:

1. If the system you generate fills or nearly fills the libraries, you will have to reallocate at the completion of system generation before you can add your own programs to the libraries.
2. If you ordered all of the SCP and several of the larger program products, the required object library allocation will be in excess of 200 tracks. If you allow system generation to continue with the default object library allocation of 170 tracks, a halt of 68 is displayed on the message display unit. This halt indicates that the library is full. If a halt 68 occurs, you should take option 3, check your allocation, and repeat the system generation procedure.

This appendix provides you with the information needed to estimate in advance what your disk space requirements will be.

The following example explains the use of Figures 62 and 63 for estimating your minimum library allocation.

Suppose you need to generate base SCP as well as RPG II. From Figure 62 you can see that the requirements for base SCP are:

- 3 sectors for the source library.
- 1301 sectors for the object library.
- 343 entries for the object library directory.

From Figure 63 you can see that the requirements for RPG II are:

- 21 sectors for the source library.
- 1242 sectors for the object library.
- 143 entries for the object library directory.

You can obtain the total requirement by adding the requirements:

- 24 sectors for the source library.
- 2543 sectors for the object library.
- 486 entries for the object library directory.

To convert sectors to tracks divide sectors by 24 (there are 24 sectors per track), rounding up to the next track:

- 1 track for the source library.
- 106 tracks for the object library.

To find the number of tracks needed for the object library directory, divide the number of entries by 288 (there are 288 directory entries per track), rounding up to the next track. In this case you need two tracks for the object library directory. Add the number of tracks for the object library directory to the number of tracks for the object library: 108 tracks.

The following ALLOCATE statement can be coded:

```
// ALLOCATE TO-F1, OBJECT-108, SOURCE-1,  
SYSTEM-YES,DIRSIZE-2
```

Note: The parameter OBJECT-108 indicates 108 tracks are needed for the total object library. DIRSIZE-2 indicates that 2 of these 108 tracks are the object library directory. SOURCE-1 indicates 1 track is needed for the total source library (including the source library directory). No special parameter is needed for the source library directory because requirements for the source library directory are minimal.

In this case the default allocations could have been reduced. In order to add user programs and to provide adequate library space on the system pack for the maintenance of these programs you should increase these allocations beyond those necessary to complete system generation. For example:

```
// ALLOCATE TO-F1, OBJECT-150,SOURCE-3,
SYSTEM-YES,DIRSIZE-3
```

Note: If the total number of tracks required for your system plus program products is in excess of your disk capacity, you should consider generating two system packs (see *Generating Two System Packs*).

Determining File Space

You can determine how much file space is available on your system pack by subtracting the number of tracks you have allocated for the source and object libraries, scheduler work area (See Figure 64) and the constant 2 from the number of tracks you have on your disk (200 tracks for half capacity, 400 tracks for full capacity). For example:

153 tracks for the source and object libraries
2 tracks used by the system on all packs
2 tracks for the minimum schedule work area
157 tracks total

This leaves 43 tracks for files on a half capacity system.

Generating Two System Packs

You should generate two system packs if the total number of tracks required for your system and program products is greater than your disk capacity. Before you generate your system packs, you must first determine which program products are desired on each system pack. Place the

program products you frequently use on one system pack and place the remaining program products on the other system pack. To generate your system packs, use the following procedure:

1. Establish your allocation requirements using the preceding discussion.
2. Complete SCP generation and installation verification using the larger of the two allocations.
3. Remove the PID distribution pack and build a backup pack of F1 by copying F1 to an initialized scratch pack on R1. Remove R1 and label it System Pack 1.
4. Mount the distribution pack containing the program products desired and call the appropriate procedures (Figure 47) to build on F1 those program products you desire on System Pack 2. (Use the procedure for program product generation.)
5. Remove the PID distribution pack and copy F1 to an initialized scratch pack on R1. Label this System Pack 2.
6. Remove this pack from R1 and mount System Pack 1.
7. Initialize F1 and copy R1 to F1.
8. Repeat step 4 for the remaining program products which you desire on System Pack 1.
9. Place System Pack 1 on R1, initialize R1, and copy F1 to R1.

You now have your full system support on the two packs. These are your backup system packs. You may now build your minimal resident system on F1.

```

*****
* PROGRAM                * NUMBER OF SECTORS FOR * NUMBER OF OBJECT LIBRARY *
*                        * SOURCE * OBJECT * DIRECTORY ENTRIES *
*****
BASE SYSTEM CONTROL PROGRAM * 3 * 1301 * 343 *
*****
BSCA                     * 0 * 117 * 16 *
*****
RJE                       * 0 * 66 * 19 *
*****
OVERLAY LINKAGE EDITOR   * 0 * 179 * 13 *
*****
CHECKPOINT RESTART       * 0 * 28 * 5 *
*****
DISK 5445 SUPPORT        * 0 * 532 * 141 *
*****
MACRO PROCESSOR AND MACROS * 293 * 47 * 7 *
*****

```

Figure 62. Library Allocations for SCP

```

*****
* PROGRAM                * NUMBER OF SECTORS FOR * NUMBER OF OBJECT LIBRARY *
*                        * SOURCE * OBJECT * DIRECTORY ENTRIES *
*****
RPG II                   * 21 * 1242 * 143 *
*****
DISK 5445 SUPPORT FOR RPG II * 0 * 7 * 1 *
*****
BSCA SUPPORT FOR RPG II  * 0 * 33 * 9 *
*****
DISK SORT                * 3 * 252 * 41 *
*****
DISK SORT SUPPORT FOR 5445 * 0 * 11 * 4 *
*****
CARD UTILITIES           * 0 * 166 * 11 *
*****
ASSEMBLER                * 0 * 148 * 13 *
*****
MAG CHARACTER READER     * 0 * 55 * 4 *
*****
TERMINAL READER IN OPTICS * 0 * 57 * 4 *
*****
AUTO REPORT              * 26 * 182 * 17 *
*****

```

Figure 63. Library Allocations for Program Products

The scheduler work area is 2 tracks for a dedicated system, 4 tracks for DPF systems, and, if Inquiry and/or Checkpoint/Restart is selected during system generation, an additional number of tracks is added according to the following chart:

Core	Additional scheduler work area for Inquiry or Checkpoint/Restart
12	4 tracks
16	5 tracks
24	6 tracks
32	7 tracks
48	10 tracks
64	13 tracks

Figure 64. Determining Scheduler Work Area Size

Appendix F: Procedures for Applying Program Temporary Fixes

Considerations Before Applying PTFs

Sometimes it is necessary to modify programs between normal maintenance releases of the system. Such program modifications are made available in the form of PTFs (Program Temporary Fixes). PTFs are applied to programs residing in the object library (on F1) by using the Field Engineering Maintenance program (\$SGPTF).

Perform the following before applying the PTFs.

1. Ensure that the system containing the Library Maintenance program (\$MAINT) and the programs or modules to which PTFs are to be applied resides on F1.
2. Examine the comment cards in each PTF deck to make certain that this is the required PTF.

Applying the PTF

1. Mount the user distribution disk cartridge (PID pack) on R1. This pack contains the Field Engineering Maintenance program (\$SGPTF).
2. Perform the IPL procedure from disk F1. Include the DATE statement at IPL time.
3. Clear the reader primary hopper of cards and place the PTF deck into the reader primary hopper. The PTF deck contains the information to be inserted into a module or the replacement for a module. The PTF deck also includes the // LOAD and // RUN cards necessary to apply the information to the module(s) on F1.

4. Press reader START.
5. Press console START (or appropriate HALT/RESET key if you have DPF).

The PTFs are applied to the programs on F1; the procedure is complete when EJ is displayed in the message display unit. You can now copy the maintained programs on F1 to R1.

Note: If you are applying a complete module replacement PTF you must use Library Maintenance (\$MAINT). The procedures for applying the PTF are the same as the preceding procedures except that you cannot IPL from the same pack containing \$MAINT. For further information on \$MAINT see *IBM System/3 Model 10 Disk System Operation Control Language and Disk Utilities Reference Manual*, GC21-7512.

- A light 18
- ACU PWR OFF light 16
- ADDR INCREM switch 12
- ADDRESS COMPARE
 - light 12
 - switch 12
- ADDRESS/DATA switches 11
- ALLOCATE statement 231
- Assembler Program 138

- B light 18
- Basic Assembler Program
 - source execution 138
 - object execution 139
- Binary Synchronous Communications Adapter Panel
 - lights
 - ACU PWR OFF 16
 - BSCA ATTN 15
 - BUSY 16
 - CALL REQUEST 16
 - CHAR PHASE 16
 - CLEAR TO SEND 16
 - CONTROL MODE 16
 - DATA MODE 16
 - DIGIT PRESENT 16
 - DT LINE IN USE 16
 - DT SET READY 15
 - DT TERM READY 15
 - EXT TEST SW 15
 - RECEIVE INITIAL 16
 - RECEIVE MODE 16
 - RECEIVE TRIGGER 16
 - TEST MODE 15
 - TSM MODE 15
 - TSM TRIGGER 16
 - UNIT CHECK 16
 - switch
 - RATE SELECT 16
- BSC program
 - answering a call automatically 120
 - answering a call manually 120
 - compiling 118
 - execution 118
 - initiating a call automatically 119
 - initiating a call manually 119
 - nonswitched networks 119
 - switched networks 119
- BSCA ATTN light 15
- BSCA LOCAL TEST switch 12
- BSCA panel 15
- BSCA STEP key 12
- building a program pack 192
- BUSY light 16

- CALL REQUEST light 16
- CALL statement 111
- CANCEL key 81
- cancelling jobs, DPF 108

- card feed path
 - MFCU 19
 - 1442 92
- card jam
 - MFCU
 - clearing 19
 - indicators 19
 - 1442
 - clearing 92
 - indicators 92
- card utilities 122
- carriage clutch 39
- CARRIAGE RESTORE key 33
- CARRIAGE SPACE key 33
- CE control panel 12, 13
- CE KEY switch 12
- CE mode selector 13
- chain cartridge
 - installing 48-character 54
 - installing 60-character 56
 - removal 50
- chain image data cards 198
- chain interlock 33, 103
- CHAR PHASE light 16
- CHECK light
 - printer 33
 - 1442 91
- Checkpoint/Restart programs
 - checkpoint accepted 144
 - removing cards 144
 - restarting a checkpointed program 144
- CHECK RESET key 12
- CHIP BOX light 91
- CHIP light 18
- chip box, emptying 30
- chute interlock 33, 103
- CLEAR TO SEND light 16
- clearing
 - cards from MFCU 98
 - I/O ATTENTION 102
 - MFCU card jam 19
 - 1442 card jam 92
- CLOCK lights 11
- compilation procedures 112
- COMPILE statement 111
- completing system generation
 - building a minimal system 188
 - copying tailored system 188
 - example printout 191
- configuration statements, system generation 160-165
- Console Error Log Sheet 102, 105
- console, processing unit 8
- CONTROL MODE light 16

- controls
 - customer engineer 12, 13
 - dual program control 14
 - emergency power off 10
 - MFCU 18
 - printer 32
 - printer-keyboard 81
 - processing unit 8, 11
 - system 9
 - 1442 90
 - 5444 disk 13
 - 5445 disk 72
- core storage dump
 - considerations 106
 - procedures 106
 - reasons for taking 106
- corner station, removing cards 22
- customer engineer control panel 12, 13
- CVR light 18
- cycle control display 11

- data cards, chain image 198
- DATA MODE light 16
- data switches 11
- Data Recording Program 134
- Data Verifying Program 135
- DATE statement 110
- Device Counter Logout program
 - counters 121
 - operating procedures 120
- diagnostics only run, RPG II 112
- DIGIT PRESENT light 16
- disk
 - panel 13
 - using two 232
- Disk Copy/Dump Program, procedures 141
- Disk Sort Program 136
- Disk Utility Programs
 - description 140
 - procedures 140
- DPF 14
- DT LINE IN USE light 16
- DT SET READY light 15
- DT TERM READY light 15
- dual program control panel 14
- dual program control switch 14
- dual program feature 14
- dual program operation
 - loading jobs 107
 - cancelling jobs 108
- dummy tractors 35

- emergency power off and meter panel 10
- emergency pull switch 10
- END key 81
- error log sheet 102, 105
- executing I-type programs, RPG II 116
- EXT TEST SW light 15

- fabric ribbon cartridge
 - installing 85
 - removing 84
- FEED CLU light 91
- FILE statement iii
- FILE WRITE switch 12
- FORMS light 33

- forms, printer
 - lateral adjustment 40
 - loading 34
 - print density 38
 - stacker 43
 - vertical adjustment 39
- forms, printer-keyboard
 - loading 87
- FORMS statement 111

- halt indicator 9, 14
- HALT/RESET key 14
- HALT statement 111
- hopper station, removing cards
 - MFCU 20
 - 1442 92
- HOPR light 91
- HPR light 18

- IMAGE statement 111, 195
- impression selector, adjusting 83
- indicators
 - MFCU 18
 - printer 32
 - printer-keyboard 81
 - processing 8
 - test 11
 - 1442 90
- initial program load 98
- initiating IPL from MFCU 102
- INT LEV light 11
- INTERLOCK light 33
- interpret 126
- INTERRUPT key/light 15
- IPL 98
- IPL process 98
- I/O ATTENTION
 - light 9
 - not ready 9, 102
- I/O CHECK
 - light 12
 - switch 12
- I/O OVERLAP switch 12

- key
 - CANCEL 81
 - CARRIAGE RESTORE 33
 - CARRIAGE SPACE 33
 - END 81
 - HALT/RESET 14
 - INTERRUPT 15
 - LAMP TEST 11, 18
 - LOCK 81
 - NPRO
 - MFCU 18
 - 1442 90
 - PROGRAM LOAD 9
 - REQ 81
 - RETURN 81
 - SHIFT 81
 - SPACE 81
 - START
 - MFCU 18
 - printer 33
 - processing unit 9
 - 1442 90

STOP
 MFCU 18
 printer 33
 processing unit 9
 1442 90
 SYSTEM RESET 12
 keyboard 81

lamps
 MFCU 18
 printer 33
 printer-keyboard 80
 processing unit 8
 test 11
 LAMP TEST key 11, 18
 lateral adjustment, printer 40
 library maintenance, procedures 142
 light
 ACU PWR OFF 16
 BCSA ATTN 15
 BUSY 16
 CALL REQUEST 16
 CHAR PHASE 16
 CHECK
 printer 33
 1442 91
 CHECK RESET 12
 CHIP 18
 CHIP BOX 91
 CLEAR TO SEND 16
 CLOCK 11
 CONTROL MODE 16
 CVR 18
 DATA MODE 16
 DIGIT PRESENT 16
 DT LINE IN USE 16
 DT SET READY 15
 DT TERM READY 15
 EXT TEST SW 15
 FEED CLU 91
 FORMS 33
 HOPR 91
 HPR 18
 INT LEV 11
 INTERLOCK 33
 INTERRUPT 15
 I/O ATTENTION 9
 I/O CHECK 12
 MACHINE CYCLE 11
 NPRO 18
 OPEN 13
 OVER RUN 91
 PARITY CHECK 12
 POWER ON 90
 PRI 18
 PRIMARY READY 18
 PROCEED 81
 PROCESS 14
 PROCESSOR CHECK 9
 PUNCH 91
 PUNCH STA 91
 PWR CHK 11
 READ REG 91
 READ STA 91

READY
 1442 91
 5444 disk 13
 5445 disk 72
 RECEIVE INITIAL 16
 RECEIVE MODE 16
 RECEIVE TRIGGER 16
 REQUEST PENDING 81
 RD 18
 SEC 18
 SECONDARY READY 18
 SELECT/LOCK 72
 STKR 18
 TEST MODE 15
 TH CHK 11
 TRANS 91
 TSM MODE 15
 TSM TRIGGER 16
 UNIT CHECK 16

library size, determining 231
 List Program 123
 LOAD statement 110
 LOCK key 81
 log sheet 102, 105
 LOG statement 110
 LSR display selector 13

MACHINE CYCLE lights 11
 match operating procedures
 general 130
 match 133
 merge operating procedures
 general 130
 merge 133
 message display unit 9
 message display unit (DPF) 14
 meter
 customer engineer 12, 13
 customer usage 10
 MFCU
 card feed paths 19
 controls and indicators 18
 panel 18
 print ribbon
 installing 27
 removing 24
 MFCU Sort/Collate Program 128
 mounting a disk cartridge
 5444 62
 5445 73

NOHALT statement 111
 NPRO (non-process run out)
 MFCU
 key 18
 light 18
 operation 98
 1442 90

object program execution, RPG II 114
 OPEN light 13

- operation control language
 - considerations 110
 - statements 110
- operator's panel
 - disk 13
 - dual program 14
 - MFCU 18
 - printer, dual feed 32
 - printer, single feed 32
 - system 9
 - 1442 90
- OVER RUN light 91
- PARITY CHECK light 12
- PARTITION statement 111
- PAUSE statement 111
- power off procedure 104
- POWER ON light 90
- power on procedure 106
- POWER ON/OFF switch 9
- PRI light 18
- PRIMARY READY light 18
- print chain cartridge
 - installing 48-character 54
 - installing 60-character 56
 - removal 50
- print quality, printer 41
- print unit (MFCU)
 - changing ribbon 24
 - removing cards 22
- printer
 - controls and indicators 32
 - loading forms 34
- printer-keyboard 79, 80
- printer-keyboard
 - loading forms 87
 - ribbon changing 84, 85
 - typeball changing 82
 - using 80
- printer panel 32
- printer, ribbon changing
 - installation 48
 - removal 44
- pressure rollers, forms 37
- problem determination 219
- PROCEED light 81
- PROCESS light 14
- processing unit
 - controls and indicators 8
 - display panel 11
- processor check 9
- PROCESSOR CHECK light 9
- program
 - Basic Assembler 138
 - BSC 118
 - Checkpoint/Restart 144
 - Data Recording 134
 - Data Verifying 135
 - Device Counter Logout 120
 - Disk Copy/Dump 141
 - Disk Sort 136
 - Disk Utilities 140
 - Sort/Collate 128
 - 96 List 123
 - 96-96 Reproduce and Interpret 124
- program halts 9, 14
- PROGRAM LOAD key 9
- PROGRAM LOAD SELECTOR switch 13
- program operating procedures
 - summary 99, 101
- program packs, building 192
- program product generation
 - example printout 181
 - procedures 177
- program run sheet 4-6
- PTFs
 - applying 235
 - considerations before applying 235
- PUNCH light 91
- PUNCH STA light 91
- PUNCH statement 111
- punch unit, removing cards 21
- PWR CHK
 - light 11
 - restart 106
- P1 and P2 switches 12
- RATE SELECT switch 16
- READER statement 110
- READ REG light 91
- READ STA light 91
- READY light
 - printer 33
 - 1442 91
 - 5444 disk 13
 - 5445 disk 72
- RECEIVE INITIAL light 16
- RECEIVE MODE light 16
- RECEIVE TRIGGER light 16
- reformat data card 126
- register display unit 11
- removing
 - disk cartridge
 - 5444 68
 - 5445 75
 - cards from MFCU card feed path 19
 - cards from 1442 card feed path 92
- reproduce 126
- Reproduce and Interpret Program 124
- RFQ key 81
- REQUEST PENDING light 81
- restoring system power
 - procedures 106
- RETURN key 81
- RD light 18
- ribbon, changing
 - MFCU 24
 - printer 44
 - printer-keyboard 84
- run sheet 4-6
- RUN statement 111
- RPG II
 - compiling 112
 - executing 114
 - interrupting 116
 - I-type 116
 - sample 209
- safety, covers 104
- sample program, RPG II 209
- SEC light 18
- SECONDARY READY light 18
- SELECT/LOCK light 72

- select operating procedures
 - general 130
 - select 133
- SHIFT key 81
- Sort/Collate
 - messages 201
 - program 130
- sort operating procedures
 - general 130
 - no omits 130
 - omits 132
- SPACE key 81
- stacker jam 23
- START key
 - MFCU 18
 - printer 33
 - processing unit 9
 - 1442 90
- START/STOP switches 13, 72
- statement
 - CALL 111
 - COMPILE 111
 - DATE 110
 - FILE 111
 - FORMS 111
 - HALT 111
 - IMAGE 111
 - LOAD 110
 - LOG 110
 - NOHALT 111
 - PARTITION 111
 - PAUSE 111
 - PUNCH 111
 - READER 110
 - RUN 111
 - SWITCH 111
- STKR light 18
- STOP key
 - MFCU 18
 - printer 33
 - processing unit 9
 - restrictions 109
 - 1442 90
- stopping a job 102
- storage dump, procedures 106
- STORAGE TEST switch 12
- switches
 - ADDR INCREM 12
 - ADDRESS COMPARE 12
 - ADDRESS/DATA 11
 - dual program control 14
 - FILE WRITE 12
 - I/O CHECK 12
 - I/O OVERLAP 12
 - POWER ON/OFF 9
 - PROGRAM LOAD SELECTOR 13
 - P1 12
 - P2 12
 - RATE SELECT 16
 - START/STOP 13, 72
 - STORAGE TEST 12
- SWITCH statement 111
- system console, controls 8
- system control panel 9
- system control program generation 150
- system controls and indicators 8
- system generation
 - ALLOCATE statement 231
 - backing up resident system for 149
 - building a program pack 192
 - completing 185
 - determining library size 231
 - example printout 170
 - functions 148
 - preparing for 148
 - program product 177
 - system control program 150
 - using two system packs 232
- system power
 - restoring 106
 - turning off 104
- SYSTEM RESET key 12
- test mode 11, 18
- TEST MODE light 15
- TH CHK light 11
- TRANS light 91
- TSM MODE light 15
- TSM TRIGGER light 16
- typeball
 - removing 82
 - replacing 82
- UNIT CHECK light 16
- usage meter 10
- using 1442 as only card input device
 - restrictions 98
 - running jobs 98
- utility programs
 - card 122
 - disk 140
- vertical adjustment, printer 39
- wait station, removing cards 21
- 96 List Program 123
- 96-96 Reproduce and Interpret Program 124
- 1403 Printer 32
- 1442 Card Read Punch 89
 - card feed paths 92
 - controls and indicators 90
 - panel 90
- 5203 Printer 31
- 5410 Central Processing Unit 7
- 5424 Multi-Function Card Unit 17
- 5444 Disk Storage Drive 61
 - disk cartridge
 - mounting 62
 - removing 66
- 5445 Disk Storage Drive 71
 - controls and indicators 72
 - disk cartridge
 - mounting 73
 - removing 75
- 5471 Printer-Keyboard 79

READER'S COMMENT FORM

IBM System/3 Model 10
Disk System
Operator's Guide

GC21-7508-2

YOUR COMMENTS, PLEASE. . .

Your comments concerning this publication will help us produce better publications for your use. Each reply will be carefully reviewed by the persons responsible for writing and publishing this material. All comments and suggestions become the property of IBM.

Note: Please direct any requests for copies of publications, or for assistance in using your IBM system, to your IBM representative or to the IBM branch office serving your locality.


Along Line

Fold

Fold

FIRST CLASS
PERMIT NO. 387
ROCHESTER, MINN.

BUSINESS REPLY MAIL
NO POSTAGE STAMP NECESSARY IF MAILED IN THE UNITED STATES



POSTAGE WILL BE PAID BY . . .

IBM Corporation
General Systems Division
Development Laboratory
Rochester, Minnesota 55901

Attention: Publications, Dept 245

Fold

Fold

IBM System/3 Printed in USA GC21-7508-2



International Business Machines Corporation
Data Processing Division
1133 Westchester Avenue, White Plains, New York 10604
(U.S.A. only)

IBM World Trade Corporation
821 United Nations Plaza, New York, New York 10017
(International)

IBM

**International Business Machines Corporation
Data Processing Division
1133 Westchester Avenue, White Plains, New York 10604
(U.S.A. only)**

**IBM World Trade Corporation
821 United Nations Plaza, New York, New York 10017
(International)**