

# Permuted Index





© 1983-1993 The Santa Cruz Operation, Inc.  
© 1980-1990 Microsoft Corporation.  
© 1989-1990 UNIX System Laboratories, Inc.  
All Rights Reserved.

No part of this publication may be reproduced, transmitted, stored in a retrieval system, nor translated into any human or computer language, in any form or by any means, electronic, mechanical, magnetic, optical, chemical, manual, or otherwise, without the prior written permission of the copyright owner, The Santa Cruz Operation, Inc., 400 Encinal, Santa Cruz, California, 95060, U.S.A. Copyright infringement is a serious matter under the United States and foreign Copyright Laws.

The copyrighted software that accompanies this manual is licensed to the End User only for use in strict accordance with the End User License Agreement, which should be read carefully before commencing use of the software. Information in this document is subject to change without notice and does not represent a commitment on the part of The Santa Cruz Operation, Inc.

SCO OPEN DESKTOP Software is commercial computer software and, together with any related documentation, is subject to the restrictions on U.S. Government use as set forth below.

If this procurement is for a DOD agency, the following DFAR Restricted Rights Legend applies:

**RESTRICTED RIGHTS LEGEND:**

USE, DUPLICATION OR DISCLOSURE BY THE GOVERNMENT IS SUBJECT TO RESTRICTIONS AS SET FORTH IN SUBPARAGRAPH (c)(1)(ii) OF RIGHTS IN TECHNICAL DATA AND COMPUTER SOFTWARE CLAUSE AT DFARS 252.227-7013. CONTRACTOR/MANUFACTURER IS THE SANTA CRUZ OPERATION, INC., 400 ENCINAL STREET, SANTA CRUZ, CA 95060.

If this procurement is for a civilian government agency, the following FAR Restricted Rights Legend applies:

**RESTRICTED RIGHTS LEGEND:**

THIS COMPUTER SOFTWARE IS SUBMITTED WITH RESTRICTED RIGHTS UNDER GOVERNMENT CONTRACT NO. \_\_\_\_\_ (AND SUBCONTRACT NO. \_\_\_\_\_, IF APPROPRIATE). IT MAY NOT BE USED, REPRODUCED, OR DISCLOSED BY THE GOVERNMENT EXCEPT AS PROVIDED IN PARAGRAPH (g)(3)(i) OF FAR CLAUSE 52.227-14 OR AS OTHERWISE EXPRESSLY STATED IN THE CONTRACT. CONTRACTOR/MANUFACTURER IS THE SANTA CRUZ OPERATION, INC., 400 ENCINAL STREET, SANTA CRUZ, CA 95060.

# Permuted Index



**SCO, Open Desktop, The Santa Cruz Operation, the Open Desktop logo, and the SCO logo** are registered trademarks of The Santa Cruz Operation, Inc. in the USA and other countries.

All other brand and product names are or may be trademarks of, and are used to identify products or services of, their respective owners.

Date: 6 January 1993

Document version: 3.0.0A

# Permuted Index

---

SCO<sup>®</sup> reference material is distributed as individual reference sections in the various volumes of the Operating and Development Systems. The section identifier is enclosed in parentheses after the title of the manual page; this same system is used in text when discussing manual pages.

Reference manual pages can also be accessed online with the `man(C)` command or with the `xman(X)` command on Open Desktop<sup>®</sup> / Open Server<sup>™</sup> systems.

The permuted index directs you to the reference manual page containing the command, call, or file that you need.

The permuted index is derived from the description lines found on each reference manual page. Each entry is alphabetized by the middle column, and ends with the title of a reference manual page and section letter(s). In many cases, the lines wrap, starting in the middle column and ending in the left column. A slash (/) indicates that the description line is truncated.

```
prof: display profile  data ..... prof(CP)
                        :
                        prof: display profile data ..... prof(CP)
                        :
                        prof: display profile data ..... prof(CP)
                        :
prof: display  profile data ..... prof(CP)
```

To use the permuted index, search the middle column for a key word or phrase. In the example above, a search for “data”, “display”, “prof”, and “profile” each yield the man page name and section `prof(CP)`.

## Reference manual sections

---

While other system vendors used arabic numerals to identify the sections. SCO has replaced this convention with mnemonic character section names. The following table lists the section name, description, and location of each reference section.

Section	Description	Volume
<b>ADM</b>	administrative commands	<i>System Administrator's Reference</i>
<b>C</b>	commands	<i>User's Reference</i>
<b>CP</b>	programming commands	<i>Programmer's Reference Manual</i>
<b>DOS</b>	DOS and OS/2 <sup>®</sup> library routines	<i>Programmer's Reference Manual</i>
<b>F</b>	file formats	<i>System Administrator's Reference</i>
<b>FP</b>	programming file formats	<i>Programmer's Reference Manual</i>
<b>HW</b>	hardware devices	<i>System Administrator's Reference</i>
<b>K</b>	kernel functions used in device drivers	<i>Device Driver Writer's Guide</i>
<b>M</b>	miscellaneous	<i>User's Reference</i>
<b>NC</b>	RPC protocol compiler	<i>Network Programmer's Guide and Reference</i>
<b>NS</b>	network system calls	<i>Network Programmer's Guide and Reference</i>
<b>PCI</b>	PC-Interface extended library	<i>Network Programmer's Guide and Reference</i>
<b>S</b>	system calls and library routines	<i>Programmer's Reference Manual</i>
<b>SLIB</b>	socket library functions	<i>Network Programmer's Guide and Reference</i>
<b>SMT</b>	Software Mastering Toolkit utilities	<i>Software Mastering Toolkit Guide</i>
<b>SSC</b>	socket system calls	<i>Network Programmer's Guide and Reference</i>
<b>X</b>	X clients	online only
<b>XNX</b>	XENIX <sup>®</sup> cross development	<i>Programmer's Reference Manual</i>
<b>XS</b>	X library routines	<i>X Window System Programmer's Reference</i>
<b>Xext</b>	X Extensions library	<i>X Window System Programmer's Reference</i>
<b>Xm</b>	OSF/Motif commands and functions	<i>OSF/Motif Programmer's Reference</i>
<b>Xmu</b>	Xmu library	<i>X Window System Programmer's Reference</i>
<b>Xt</b>	X Toolkit Intrinsic library	<i>X Window System Programmer's Reference</i>



---

the absolute value of x,   x	fabs: returns	floor(S)
xclock: analog	/ digital clock for X	xclock(X)
	[: test conditions	test(C)
returns the absolute value of x,	x   fabs:	floor(S)
convert integer to a digit	(0 - 9) todigit:	toascii(S)
vga display adapter/ screen: tty	{01-n}, color, monochrome, ega,	screen(HW)
putp: calls tputs (str,	1, putchar)	cursor(S)
putp: calls tputs (str,	1, putchar)	terminfo(S)
changes from Motif 1.0 through	1.2 /Identifies the feature	Intro(Xm)
puzzle:	15-puzzle game for XQ	puzzle(X)
I/O/ inw, outw: read or write a	16-bit word from or to a physical	inw(K)
repoutsw: write a stream of	16-bit words	repins(K)
arranges that curses assumes a	1-line screen filter:	cursor(S)
arranges that curses assumes a	1-line screen filter:	terminfo(S)
converts a tm structure to a	26-character string asctime:	ctime(S)
converts a tm structure to a	26-character string nl_asctime:	nl_ctime(S)
a true value if a machine is a	286 i286: Return	machid(C)
a true value if a machine is a	286 iAPX286: Return	machid(C)
brkctl: allocates data in a	286 far segment	brkctl(S)
functions of DASI 300 and 300s/	300, 300s: handle special	300(C)
handle special functions of DASI	300 and 300s terminals /300s:	300(C)
the DASI 300 terminal	300: Handle special functions for	300(C)
special functions for the DASI	300 terminal 300: Handle	300(C)
for the DASI 300s terminal	300s: Handle special functions	300(C)
DASI 300 and 300s terminals 300,	300s: handle special functions of	300(C)
special functions for the DASI	300s terminal 300s: Handle	300(C)
special functions of DASI 300 and	300s terminals 300, 300s: handle	300(C)
fuword: get one	32-bit word from user data space	fuword(K)
suword: store a	32-bit word in user data space	suword(K)
ind, outd: read or write a	32-bit word to a physical I/O/	ind(K)
repinsd: read a stream of	32-bit words	repins(K)
repoutsd: write a stream of	32-bit words	repins(K)
a true value if a machine is a	386 or fully compatible /Return	machid(C)
scsi_mkadr3: assign a	3-byte array for an address	scsi(K)
l3tol, ltol3: convert between	3-byte integers and long integers	l3tol(S)
4014 terminal	4014: paginator for the TEKTRONIX	4014(C)
4014: paginator for the TEKTRONIX	4014 terminal	4014(C)
the DASI 450 terminal	450: handle special functions of	450(C)
special functions of the DASI	450 terminal 450: handle	450(C)
a true value if a machine is a	486 or fully compatible /Return	machid(C)
wtinit: object downloader for the	5620 DMD terminal	wtinit(ADM)
toascii: convert integer to a	7-bit ASCII character	toascii(S)
onto 8-bit/ kcodemap: return	7-bit escape sequence that maps	tam(S)
i286emul: emulate UNIX	80286	i286emul(C)
i286emul: emulate	80286	i286emul(CP)
x286emul: emulate XENIX	80286	x286emul(C)
x286emul: emulate XENIX	80286	x286emul(CP)
	80387: math coprocessor	80387(HW)
Object Modules 86rel: Intel	8086 Relocatable Format for	86rel(FP)
Format for Object Modules	86rel: Intel 8086 Relocatable	86rel(FP)
escape sequence that maps onto	8-bit value /return 7-bit	tam(S)

## Permuted Index

representation a64l: gets long from base-64 . . . . . a64l(S)  
 integer and base-64 ASCII string a64l, l64a: convert between long . . . . . a64l(S)  
 format of UUCP Dialcode dialcodes: . . . . . dialcodes(F)  
 routine ERROR: abnormal return from compile . . . . . regexp(S)  
 abort: generate an abort fault . . . . . abort(S)  
     abort: generate an abort fault . . . . . abort(S)  
     value abs: return integer absolute . . . . . abs(S)  
     abs: return integer absolute value . . . . . abs(S)  
     labs: converts to absolute value . . . . . labs(S)  
     fabs: floor, ceiling, remainder, absolute value functions /fmod, . . . floor(S)  
     fabs: returns the absolute value of x, | x | . . . . . floor(S)  
     /managing accelerator tables . . . . . XtParseAcceleratorTable(Xt)  
 XtInstallAccelerators: managing accelerator tables . . . . . XtParseAcceleratorTable(Xt)  
 XtParseAcceleratorTable: managing accelerator tables . . . . . XtParseAcceleratorTable(Xt)  
     t\_accept: accept a connect request . . . . . t\_accept(S)  
     accept: accept a connection on a socket . . . . . accept(SSC)  
     socket accept: accept a connection on a . . . . . accept(SSC)  
 transmitted to the user uupick: Accept or reject the files . . . . . uto(C)  
 print requests to a lineprinter/ accept, reject: allow /prevent . . . . . accept(ADM)  
     password is cryptic acceptable\_password: determine if . . . . . accept\_pw(S)  
     xdr\_accept\_reply: XDR an accepted reply . . . . . rpc(NS)  
     /call a widget's accept\_focus procedure . . . . . XtCallAcceptFocus(Xt)  
     using RUID access: check file accessibility . . . . . access(S)  
     xhost: server access control program for X . . . . . xhost(X)  
     accessibility of a file access, eaccess: determine . . . . . access(S)  
         fetch: accesses data stored under a key . . . . . dbm(S)  
     of screen ripoffline: accesses facility to reduce size . . . . . curses(S)  
     of screen ripoffline: accesses facility to reduce size . . . . . terminfo(S)  
     tsearch: builds and accesses search tree . . . . . tsearch(S)  
     /a TextField function that accesses the character position/ . . . . . XmTextFieldXYToPos(Xm)  
 nearest an/ /a Text function that accesses the character position . . . . . XmTextXYToPos(Xm)  
     state /a Text function that accesses the edit permission . . . . . XmTextGetEditable(Xm)  
     state /a TextField function that accesses the edit permission . . . . . XmTextFieldGetEditable(Xm)  
     text /a Text function that accesses the last position in the . . . . . XmTextGetLastPosition(Xm)  
         file ll\_init: accesses the opened MMDf logging llog(S)  
     /a TextField function that accesses the position of the/ . . . . . XmTextFieldGetInsertionPosition(Xm)  
     /a TextField function that accesses the position of the/ . . . . . XmTextFieldGetSelectionPosition(Xm)  
     first/ /a Text function that accesses the position of the . . . . . XmTextGetTopCharacter(Xm)  
     insert/ /a Text function that accesses the position of the . . . . . XmTextGetInsertionPosition(Xm)  
     primary/ /a Text function that accesses the position of the . . . . . XmTextGetSelectionPosition(Xm)  
     text/ /a TextField function that accesses the position of the last . . . . . XmTextFieldGetLastPosition(Xm)  
         /a Text function that accesses the source of the widget . . . . . XmTextGetSource(Xm)  
         /a Text function that accesses the string value . . . . . XmTextGetString(Xm)  
         /a TextField function that accesses the string value . . . . . XmTextFieldGetString(Xm)  
         /a TextField function that accesses the value of the current/ . . . . . XmTextFieldGetMaxLength(Xm)  
     maximum/ /a Text function that accesses the value of the current . . . . . XmTextGetMaxLength(Xm)  
     a character/ /a Text function that accesses the x and y position of . . . . . XmTextPosToXY(Xm)  
         a/ /a TextField function that accesses the x and y position of . . . . . XmTextFieldPosToXY(Xm)  
         first/ /a Text function that accesses the x position of the . . . . . XmTextGetBaseline(Xm)  
         access, eaccess: determine accessibility of a file . . . . . access(S)  
         eaccess: check file accessibility using EUID . . . . . access(S)  
         access: check file accessibility using RUID . . . . . access(S)  
         electronic mail/ scmail: an accessory that sends and receives . . . . . scmail(X)  
         creates a font set and creates an accompanying font list entry /or . . . . . XmFontListEntryLoad(Xm)

csplit: split files according to context ..... csplit(C)  
 /test float for Not-a-Number (NaN) according to IEEE Standard ..... isnan(S)  
 double for Not-a-Number (NaN) according to IEEE Standard /test ..... isnan(S)  
 XtLanguageProc: set locale according to resource/ ..... XtLanguageProc(Xt)  
 chtype: change the usertype of an account unretire, ..... unretire(ADM)  
 minimum password length of an account passwd: determine ..... passwd(S)  
 to other machines ap: generate account profile for propagation ..... ap(ADM)  
 acct: enable or disable process accounting ..... acct(S)  
 acctcon1, acctcon2: connect-time accounting acctcon: ..... acctcon(ADM)  
 acctcon: start/stop process accounting ..... acct(ADM)  
 acctcon: turn on accounting ..... acctcon(ADM)  
 acctprc1, acctprc2: process accounting acctprc: ..... acctprc(ADM)  
 runacct: run daily accounting ..... runacct(ADM)  
 turnacct: shell procedures for accounting /shutacct, startup, ..... acctsh(ADM)  
 /accton, acctwtmp: overview of accounting and miscellaneous/ ..... acct(ADM)  
 of accounting and miscellaneous accounting commands /overview ..... acct(ADM)  
 diskusg: generate disk accounting data by user ID ..... diskusg(ADM)  
 acct: format of per-process accounting file ..... acct(FP)  
 acctcom: search and print process accounting file(s) ..... acctcom(ADM)  
 acctmerg: merge or add total accounting files ..... acctmerg(ADM)  
 acctcon1: generates per login accounting records ..... acctcon(ADM)  
 acctcon2: generates total accounting records ..... acctcon(ADM)  
 acctprc1: generate per process accounting records acctdusg: ..... acct(ADM)  
 calculate disk consumption for accounting records acctcms: ..... acctcms(ADM)  
 command summary from per-process accounting records acctwtmp, ..... acctwtmp(ADM)  
 wtmpfix: manipulate connect accounting records to standard ..... acct(ADM)  
 output acctwtmp: write accounting total records ..... acctprc(ADM)  
 acctprc2: generate accounts rmuser, ..... rmuser(ADM)  
 rmgroup, rmpasswd: remove user accounts given a traditional/ ..... addxusers(ADM)  
 addxusers: create new user acct: acctdisk, acctdusg, accton, ..... acct(ADM)  
 acctwtmp: overview of accounting/ acct: enable or disable process ..... acct(S)  
 accounting acct: format of per-process ..... acct(FP)  
 accounting file acctcms: command summary from ..... acctcms(ADM)  
 per-process accounting records acctcom: search and print process ..... acctcom(ADM)  
 accounting file(s) acctcon: acctcon1, acctcon2: ..... acctcon(ADM)  
 connect-time accounting acctcon1, acctcon2: connect-time ..... acctcon(ADM)  
 accounting acctcon: acctcon1: generates per login ..... acctcon(ADM)  
 accounting records acctcon2: connect-time accounting ..... acctcon(ADM)  
 acctcon: acctcon1, acctcon2: generates total ..... acctcon(ADM)  
 accounting records acctwtmp: overview of/ acct: acctdisk, acctdusg, accton, ..... acct(ADM)  
 acctwtmp: overview of/ acct: acctdisk, acctdusg, accton, acctwtmp: ..... acct(ADM)  
 acctwtmp: overview of/ acct: acctdisk, acctdusg: calculate disk ..... acct(ADM)  
 consumption for accounting/ acctmerg: merge or add total ..... acctmerg(ADM)  
 accounting files accton, acctwtmp: overview of/ ..... acct(ADM)  
 acct: acctdisk, acctdusg, accton: start/stop process ..... acct(ADM)  
 accounting accton: turn on accounting ..... accton(ADM)  
 process accounting acctprc: acctprc1, acctprc2: ..... acctprc(ADM)  
 accounting acctprc: acctprc1, acctprc2: process ..... acctprc(ADM)  
 accounting records acctprc1: generate per process ..... acctprc(ADM)  
 total records acctprc2: generate accounting ..... acctprc(ADM)  
 acctprc: acctprc1, acctprc2: process accounting ..... acctprc(ADM)  
 dodisk, lastlogin, monacct,/ acctsh: chargefee, ckpacct, ..... acctsh(ADM)

## Permuted Index

acct: acctdisk, acctdusg, accton, acctwtmp: overview of accounting/ acct(ADM)  
 records to standard output acctwtmp: write accounting ..... acct(ADM)  
 pkgchk: check accuracy of installation ..... pkgchk(ADM)  
 release indication t\_rcvrel: acknowledge receipt of an orderly .. t\_rcvrel(S)  
 sin, tan: trigonometric/ trig: acos, asin, atan, atan2, cos, ..... trig(S)  
 acos: return arc cosine of x ..... trig(S)  
 of MMDf tailoring/ tai: get: acquires and parses the next line .. tai(S)  
 initcond: special security actions for init and getty ..... initcond(ADM)  
 /function that allows pre and post actions to be executed when a / .... XmSetProtocolHooks(Xm)  
 /that allows pre and post actions to be executed when a / .... XmSetWMPProtocolHooks(Xm)  
 /a VendorShell function that activates a protocol ..... XmActivateProtocol(Xm)  
 convenience interface that activates a protocol /VendorShell . XmActivateWMPProtocol(Xm)  
 XForceScreenSaver: activates disabled screen saver .... XSetScreenSaver(XS)  
 XActivateScreenSaver: activates screen saver ..... XSetScreenSaver(XS)  
 interface for audit subsystem activation, termination, / /command auditcmd(ADM)  
 returns a pointer to the next active directory entry readdir: .... directory(S)  
 killall: kill all active processes ..... killall(ADM)  
 groups proct1: controls active processes or process ..... proct1(S)  
 sc\_getkeymap: returns the current active scancode keypad table ..... sc\_init(S)  
 sc\_setkeymap: sets the current active scancode keypad table ..... sc\_init(S)  
 display information about system activity uptime: ..... uptime(C)  
 print current SCCS file editing activity sact: ..... sact(CP)  
 report process data and system activity timex: time a command; .. timex(ADM)  
 sag: system activity graph ..... sag(ADM)  
 sar, sa1, sa2, sadc: system activity report package ..... sar(ADM)  
 Sharegister: register SCSI host adapter ..... devreg(K)  
 /Sdevregister: register SCSI host adapter and peripheral drivers .... devreg(K)  
 monochrome, ega, vga display adapter and video monitor /color, screen(HW)  
 /SCSI peripheral device and host adapter configuration file ..... mscsi(F)  
 support I/O control commands for adapter driver viddoio: ..... video(K)  
 /register a SCSI host adapter driver as multithreaded ... scsi\_distributed(K)  
 /vidunmap: support video adapter driver development ..... video(K)  
 /restore the console graphics adapter to VGA alphanumeric mode clean\_screen(X)  
 debugger adb: invokes a general-purpose .... adb(CP)  
 device driver/ idinstall: add, delete, update, or get ..... idinstall(ADM)  
 windows addch: manipulates text in ..... curses(S)  
 windows addch: manipulates text in ..... tam(S)  
 windows addch: manipulates text in ..... terminfo(S)  
 page table ecc: add/delete entries from the bad ... ecc(ADM)  
 interrupt routine handler add\_intr\_handler: dynamically add add\_intr\_handler(K)  
 type set\_fieldtype\_arg: connects additional arguments to field ..... fieldtype(S)  
 newwin: creates additional default window ..... curses(S)  
 newwin: creates additional default window ..... terminfo(S)  
 /and Drop function that enables additional drop transfer entries/ .. XmDropTransferAdd(Xm)  
 keymode tree addkey: adds additional sequences to the ..... curses(S)  
 keymode tree addkey: adds additional sequences to the ..... terminfo(S)  
 to the keymode tree addkey: adds additional sequences ..... curses(S)  
 to the keymode tree addkey: adds additional sequences ..... terminfo(S)  
 a 32-bit word to a physical I/O address ind, outd: read or write ... ind(K)  
 a virtual address to a physical address vasbind: bind ..... vas(K)  
 a virtual address to a physical address vtop: convert ..... vtop(K)  
 and network address into Internet address /Converts local ..... inet(SLIB)  
 assign a 3-byte array for an address scsi\_mkadr:3: ..... scsi(K)  
 character string to Internet address inet\_addr: Converts ..... inet(SLIB)

character string to network address inet\_network: Converts ... inet(SLIB)  
 convert 3 bytes to kernel address scsi\_stok: ..... scsi(K)  
 copy bytes to or from a physical address copyio: ..... copyio(K)  
 from or write a byte to an I/O address inb, outb: read a byte ... inb(K)  
   get network entry by address getnetbyaddr: ..... getnetent(SLIB)  
   get network host entry by address gethostbyaddr: ..... gethostbyname(SLIB)  
   get protocol entry by address getprotoyaddr: ..... getprotoent(SLIB)  
   inb: read a byte from I/O address ..... inb(K)  
 local address from Internet address inet\_lnaof: Extracts ..... inet(SLIB)  
 ml\_addr: specifies the text of one address ..... ml\_send(S)  
   ml\_cc: switches to ml\_to address ..... ml\_send(S)  
   ml\_to: switches to ml\_cc address ..... ml\_send(S)  
   mm\_radr: reads an MMDF address ..... mmdf(S)  
   mm\_wadr: writes an MMDF address ..... mmdf(S)  
 network address from Internet address inet\_netof: Extracts ..... inet(SLIB)  
   outb: write a byte to I/O address ..... inb(K)  
 read a word from physical I/O address inw: ..... inw(K)  
   return the local IP address get\_myaddress: ..... rpc(NS)  
 word from or to a physical I/O address /read or write a 16-bit ... inw(K)  
 write a word from to physical I/O address outw: ..... inw(K)  
   region edata: first address above initialized data ... end(S)  
   etext: first address above program text ... end(S)  
   region end: first address above uninitialized data ... end(S)  
   inet\_lnaof: Extracts local address from Internet address ..... inet(SLIB)  
   inet\_netof: Extracts network address from Internet address ..... inet(SLIB)  
   /Converts local and network address into Internet address ..... inet(SLIB)  
   mm\_waend: ends MMDF address list ..... mmdf(S)  
   /inet\_netof: Internet address manipulation routines ..... inet(SLIB)  
   protocol specific name and address resolver nameserver: ..... nameserver(X)  
 /vasmapped, vasunbind: virtual address space memory routines ... vas(K)  
 ml\_aend: signals the end of address specification ..... ml\_send(S)  
   vasbind: bind a virtual address to a physical address ..... vas(K)  
   vtop: convert a virtual address to a physical address ..... vtop(K)  
   t\_bind: bind an address to a transport endpoint ... t\_bind(S)  
 inet\_ntoa: Converts Internet address to ASCII format ..... inet(SLIB)  
   checkaddr: MMDF address verification program ..... checkaddr(ADM)  
   addressee ml\_ladr: initiates addressee ml\_ladr: ..... ml\_send(S)  
   addresses ptok, ktop: ..... ptok(K)  
   addressing string ..... termcap(S)  
 XmAddTabGroup: a function that adds a manager or a primitive/ ... XmAddTabGroup(Xm)  
   keymode tree addkey: adds additional sequences to the ... curses(S)  
   keymode tree addkey: adds additional sequences to the ... terminfo(S)  
   putdvagnam: rewrites or adds an entry to the database ..... getdvagent(S)  
 /a pixmap caching function that adds an image to the pixmap cache XmInstallImage(Xm)  
   /a List function that adds an item to the list ..... XmListAddItem(Xm)  
   /a List function that adds an item to the list ..... XmListAddItemUnselected(Xm)  
   /a VendorShell function that adds client callbacks for a/ ..... XmAddProtocolCallback(Xm)  
   /convenience interface that adds client callbacks for a/ ..... XmAddWMPProtocolCallback(Xm)  
     XAddPixel: adds constant value to pixels ..... XCreateImage(XS)  
     /a List function that adds items to a list ..... XmListAddItemsUnselected(Xm)  
     /a List function that adds items to the list ..... XmListAddItems(Xm)  
     XInsertModifiermapEntry: adds KeyCode to control set ..... XChangeKeyboardMapping(XS)  
 /a ScrolledWindow function that adds or changes a window work/ ... XmScrolledWindowSetAreas(Xm)  
   refreshes screen echochar: adds single character and ..... curses(S)

## Permuted Index

refreshes screen echochar: adds single character and ..... terminfo(S)  
 refreshes screen pechochar: adds single character and ..... curses(S)  
 refreshes screen pechochar: adds single character and ..... terminfo(S)  
 refreshes screen wechochar: adds single character and ..... curses(S)  
 refreshes screen wechochar: adds single character and ..... terminfo(S)  
 control list XAddHosts: adds specified hosts to access ..... XAddHost(XS)  
 save set XAddToSaveSet: adds specified window to client's .. XChangeSaveSet(XS)  
 /a VendorShell function that adds the protocols to the/ ..... XmAddProtocols(Xm)  
 /convenience interface that adds the protocols to the/ ..... XmAddWMProtocols(Xm)  
 lfind: searches for object and adds to table ..... lsearch(S)  
 addstr: writes on given window ... tam(S)  
 addstr: writes on given window ... terminfo(S)  
 window addstr: writes string on default ... curses(S)  
 accounts given a traditional/ addxusers: create new user ..... addxusers(ADM)  
 output string to paste buffer in ADF format pb\_puts: ..... tam(S)  
 adf\_gttok: convert word to token .. tam(S)  
 string and copy to buffer adf\_gtword: get next word from .... tam(S)  
 from string and copy to buffer adf\_gtxcd: get next text code ..... tam(S)  
 adjmsg: trim bytes in a message ... adjmsg(K)  
 allow synchronization of the/ adjtime: correct the time to ..... adjtime(SSC)  
 specified/ /sets the white point adjustment procedure in the ..... XcmsSetWhitePoint(XS)  
 files admin: create and administer SCCS admin(CP)  
 print service lpfilter: administer filters used with the ... lpfilter(ADM)  
 print service lpforms: administer forms used with the ... lpforms(ADM)  
 admin: create and administer SCCS files ..... admin(CP)  
 netutil: administer the Micnet network ... netutil(ADM)  
 uuinstall: administer UUCP control files ..... uuinstall(ADM)  
 network listener service administration nlsadmin: ..... nlsadmin(ADM)  
 Intro: introduction to system administration commands ..... intro(ADM)  
 /(API) initialization and internal administration functions ..... sc\_init(S)  
 atcronsh: at and cron administration utility ..... atcronsh(ADM)  
 auditsh: menu driven audit administration utility ..... auditsh(ADM)  
 backupsh: menu driven backup administration utility ..... backupsh(ADM)  
 menu driven lp print service administration utility lpsh: ..... lpsh(ADM)  
 sysadmsh: menu driven system administration utility ..... sysadmsh(ADM)  
 uadmin: administrative control ..... uadmin(ADM)  
 uadmin: administrative control ..... uadmin(S)  
 swap: swap administrative interface ..... swap(ADM)  
 /uudemon.poll2: UUCP administrative scripts ..... uudemon(ADM)  
 authorization subsystem authsh: administrator interface for ..... authsh(ADM)  
 string argument and returns advance step: steps through ..... regexp(S)  
 compile string for use with advance or step compile: ..... regexp(S)  
 compiled regular expression advance: pattern match given a ... regexp(S)  
 loop locs: pointer causing advance to break out of back up ... regexp(S)  
 entry in authcap file agetcommand: find next command authcap(S)  
 entry in authcap file agetdefault: find next default ..... authcap(S)  
 authcap file agetfile: find next file entry in ..... authcap(S)  
 agetflag: returns id flag ..... authcap(S)  
 agetstr: returns string ..... authcap(S)  
 associated with id agettty: find next tty entry in ..... authcap(S)  
 authcap file agetuser: find entry with user ..... authcap(S)  
 name aio: AIO tunable parameters ..... aio(F)  
 commands aio: Asynchronous disk I/O ioctl .. aio(M)  
 aiomemlock: AIO memory lock permissions file . aiomemlock(F)

aiolkinit: set up AIO memory locking permissions . aiolkinit(ADM)  
 aioinfo: print out AIO statistics . . . . . aioinfo(ADM)  
     aio: AIO tunable parameters . . . . . aio(F)  
         aioinfo: print out AIO statistics . . . . . aioinfo(ADM)  
 locking permissions aiolkinit: set up AIO memory . . . . . aiolkinit(ADM)  
     permissions file aiomemlock: AIO memory lock . . . . . aiomemlock(F)  
 alarm: set a process alarm clock . . . . . alarm(S)  
     alarm: set a process alarm clock . . . . . alarm(S)  
     ale: lock and update . . . . . ale(ADM)  
 authentication files algorithm malloc: . . . . . malloc(S)  
     controls the space allocation algorithm) /converts character . . . . . toascii(S)  
     to lowercase (faster, limited algorithm) /converts character . . . . . toascii(S)  
     to uppercase (faster, limited /the MMDF hashed database of  
     tables: MMDF name tables for aliases, domains, and hosts . . . . . tables(F)  
 mmdfalias: convert XENIX-style aliases file to MMDF format . . . . . mmdfalias(ADM)  
     stdbl: convert unaligned ISAM aligned double . . . . . isconv(S)  
     stfloat: convert unaligned ISAM aligned float . . . . . isconv(S)  
     stlong: convert unaligned ISAM aligned long . . . . . isconv(S)  
     stint: convert unaligned ISAM aligned short . . . . . isconv(S)  
     processors can do device I/O all\_io: determine if all . . . . . all\_io(K)  
         t\_alloc: allocate a library structure . . . . . t\_alloc(S)  
         allocb: allocate a message block . . . . . allocb(K)  
 argument/ XVaCreateNestedList: allocate a nested variable . . . . . XVaCreateNestedList(XS)  
     in any/ XcmsAllocNamedColor: allocate a read-only color cell . . . . . XcmsAllocColor(XS)  
         XAllocColor: allocate and free colors . . . . . XAllocColor(XS)  
 and set or read/ XAllocClassHint: allocate class hints structure . . . . . XAllocClassHint(XS)  
     initialization memget: allocate contiguous memory at . . . . . memget(K)  
         colors XcmsAllocColor: allocate device-independent . . . . . XcmsAllocColor(XS)  
     set or read a/ XAllocIconSize: allocate icon size structure and . . . . . XAllocIconSize(XS)  
     to linked list allocldptr: allocate ldptr structure and add . . . . . ldptr(S)  
 colormap/ XAllocStandardColormap: allocate, set, or read a standard . . . . . XAllocStandardColormap(XS)  
     set or read a/ XAllocSizeHints: allocate size hints structure and . . . . . XAllocSizeHints(XS)  
         operation xdr\_inline: allocate space for inline XDR . . . . . xdr(NS)  
     a device into memory sptalloc: allocate temporary memory or map . . . . . sptalloc(K)  
         vasmalloc: allocate virtual memory . . . . . vas(K)  
 structure and set/ XAllocWMHints: allocate window manager hints . . . . . XAllocWMHints(XS)  
     vital resource could not be allocated audit\_no\_resource: . . . . . audit(S)  
         function frees memory allocated by/ XwcFreeStringList: XmbTextListToTextProperty(XS)  
         clnt\_freeres: free data allocated by RPC/XDR . . . . . rpc(NS)  
         svc\_freeargs: free data allocated by RPC/XDR . . . . . rpc(NS)  
         free\_item: frees storage allocated for given item . . . . . item(S)  
         linked list freeldptr: free allocated ldptr structure from . . . . . ldptr(S)  
             free: frees allocated space . . . . . malloc(S)  
 realloc: changes the size of the allocated space . . . . . malloc(S)  
     type free\_fieldtype: frees allocated space for given field . . . . . fieldtype(S)  
     mallinfo: reports allocated space usage . . . . . malloc(S)  
     release memory previously allocated with sptalloc sptfree: . . . . . sptfree(K)  
 MrmOpenHierarchyPerDisplay: allocates a hierarchy ID and/ . . . . . MrmOpenHierarchyPerDisplay(Xm)  
 opens all the/ MrmOpenHierarchy: allocates a hierarchy ID and . . . . . MrmOpenHierarchy(Xm)  
     LDFILE structure ldaopen: allocates and initializes a new . . . . . ldopen(S)  
         XAllocColorPlanes: allocates color planes . . . . . XAllocColor(XS)  
         segment brkctl: allocates data in a 286 far . . . . . brkctl(S)  
     free, realloc, calloc, cfree: allocates main memory malloc . . . . . malloc(S)  
     /calloc, malloc, mallinfo: allocates main memory quickly . . . . . malloc(S)

## Permuted Index

entry XAllocColor: allocates read-only colormap ..... XAllocColor(XS)  
 XAllocColorCells: allocates read/write color cells ..... XAllocColor(XS)  
     malloc: allocates space ..... malloc(S)  
     elements calloc: allocates space for an array of ..... malloc(S)  
     malloc: allocates space for an object ..... malloc(S)  
     space: allocates space for plotting area ... plot(S)  
     the table hcreate: allocates sufficient space for ..... hsearch(S)  
     /to the protocol manager and allocates the internal tables ..... XmAddProtocols(Xm)  
     /to the protocol manager and allocates the internal tables ..... XmAddWMProtocols(Xm)  
     array calloc: allocates unused space for an ..... malloc(S)  
 sbrk: change data segment space allocation brk, ..... brk(S)  
     mallot: controls the space allocation algorithm ..... malloc(S)  
     free\_field: frees storage allocation for given field ..... field(S)  
     /determine best allocation of colors ..... XmGetColormapAllocation(Xmu)  
 bufcall: recover from failure of allocb ..... bufcall(K)  
     allocb: allocate a message block ... allocb(K)  
 structure and add to linked list allocldptr: allocate ldptr ..... ldptr(S)  
     ldptr structure usage routines allocldptr, freeldptr, vldldptr: ..... ldptr(S)  
 /the value of the current maximum allowable length of a text string/ ..... XmTextFieldGetMaxLength(Xm)  
 /the value of the current maximum allowable length of a text string/ ..... XmTextFieldSetMaxLength(Xm)  
 /the value of the current maximum allowable length of a text string/ ..... XmTextGetMaxLength(Xm)  
 /the value of the current maximum allowable length of a text string/ ..... XmTextSetMaxLength(Xm)  
     lineprinter or/ accept, reject: allow/prevent print requests to a ..... accept(ADM)  
     AllPlanes: display utility ..... AllPlanes(XS)  
     isalpha: tests for alphabetic character ..... ctype(S)  
     console graphics adapter to VCA alphanumeric mode /restore the ..... clean\_screen(X)  
     machid: i286, iAPX286, i386, i486 (also: vax, mc68k, pdp11, u370,/ ..... machid(C)  
     in seconds between GMT and alternate time zone /difference ..... ctime(S)  
     /set to non-zero value if alternate time zone exists ..... ctime(S)  
     uudemmon, poll2: alternative polling scheme ..... uudemmon(ADM)  
 between GMT and alternate time/ altzone: difference in seconds ..... ctime(S)  
     moves region by specified amount XOffsetRegion: ..... XIntersectRegion(XS)  
     reduces region by specified amount XShrinkRegion: ..... XIntersectRegion(XS)  
     xclock: analog / digital clock for X ..... xclock(X)  
     reduce: perform audit data analysis and reduction ..... reduce(ADM)  
     delete: deletes a key (and its associated contents) ..... dbm(S)  
     polyhedron ico: animate an icosahedron or other ... ico(X)  
     pkgask: store answers to a request script ..... pkgask(ADM)  
     link editor output a.out: UNIX common assembler and a.out(FP)  
     propagation to other machines ap: generate account profile for ..... ap(ADM)  
 /Application Programming Interface (API) initialization and internal/ ..... sc\_init(S)  
 /Application Programming Interface (API) line-discipline and/ ..... sc\_raw(S)  
 XmuLookupAPL: map key event to APL string ..... XmuLookupLatin1(Xmu)  
     end of paste buffer and set for appending pb\_seek: seek to ..... tam(S)  
     the end of string s1 strcat: appends a copy of string s2 to ..... string(S)  
 /a compound string function that appends a specified number of/ ..... XmStringNConcat(Xm)  
     /a font list function that appends an entry to a font list ..... XmFontListAppendEntry(Xm)  
     strncat: appends at most n characters ..... string(S)  
     fwrite: appends items from an array ..... fread(S)  
 /a compound string function that appends one string to another ..... XmStringConcat(Xm)  
 the end/ /a Command function that appends the passed XmString to ..... XmCommandAppendValue(Xm)  
     custom-installable distribution (application cutting tool) /make ..... mkcuts(SMT)  
     appres: list application resource database ..... appres(X)  
     when form/ set\_field\_init: sets application-defined func called ..... form(S)



writing of upward-compatible applications and widgets /allows . XmResolveAllPartOffsets(Xm)  
writing of upward-compatible applications and widgets /allows . XmResolvePartOffsets(Xm)  
xslclients: list client applications running on a display . xslclients(X)  
/a font list function that allows applications to access the/ . . . . . XmFontListInitFontContext(Xm)  
/a font list function that allows applications to access the fonts/ . . . . . XmFontListGetNextFont(Xm)  
/string function that allows applications to read out the/ . . . . . XmStringInitContext(Xm)  
ApplicationShell widget class ApplicationShell: the . . . . . ApplicationShell(Xm)  
ApplicationShell: the ApplicationShell widget class . . . . . ApplicationShell(Xm)  
and outputs it tputs: applies padding to the string str . . . . . curses(S)  
and outputs it tputs: applies padding to the string str . . . . . terminfo(S)  
database appres: list application resource . . . . . appres(X)  
maintainer for portable archives ar: archive and library . . . . . ar(CP)  
ar: archive file format . . . . . ar(FP)  
libraries ar: maintains archives and . . . . . ar(XNX)  
dc: invoke an arbitrary precision calculator . . . . . dc(C)  
XFillArc: fills arc . . . . . XFillRectangle(XS)  
acos: return arc cosine of x . . . . . trig(S)  
arc: plots an arc of a circle . . . . . plot(S)  
arc: plots an arc of a circle . . . . . plot(S)  
asin: return arc sine of x . . . . . trig(S)  
XArc: arc structure . . . . . XDrawArc(XS)  
XDrawArc: draw arcs and arc structure . . . . . XDrawArc(XS)  
atan: return arc tangent of x . . . . . trig(S)  
atan2: return arc tangent of y/x . . . . . trig(S)  
archtobus: extract bus type from architecture . . . . . archtobus(K)  
cpio: format of cpio archive . . . . . cpio(F)  
names of files on a XENIX backup archive xdumpdir: print the . . . . . xdumpdir(ADM)  
mar: message catalogue archive and library maintainer . . . . . mar(CP)  
for portable archives ar: archive and library maintainer . . . . . ar(CP)  
extract a file from a cpio archive and stop xtract: . . . . . xtract(C)  
information archive: default backup device . . . . . archive(F)  
pax: portable archive exchange . . . . . pax(C)  
archive header of a member of an archive file ldahread: read the . . . . . ldahread(S)  
ar: archive file format . . . . . ar(FP)  
tar: archive files . . . . . tar(C)  
convert: convert archive files to common formats . . . . . convert(CP)  
tar: archive format . . . . . tar(F)  
archive file ldahread: read the archive header of a member of an . . . . . ldahread(S)  
library maintainer for portable archives ar: archive and . . . . . ar(CP)  
ptar: process tape archives . . . . . ptar(C)  
ar: maintains archives and libraries . . . . . ar(XNX)  
cpio: copy file archives in and out . . . . . cpio(C)  
pcpio: copy file archives in and out . . . . . pcpio(C)  
fdformats: fit file archives onto floppies . . . . . fdformats(SMT)  
fdfit: fits file archives onto media volumes . . . . . fdfit(SMT)  
ranlib: converts archives to random libraries . . . . . ranlib(XNX)  
architecture archtobus: extract bus type from . . . . . archtobus(K)  
XDrawArcs: draws arcs . . . . . XDrawArc(XS)  
XFillArcs: fills arcs . . . . . XFillRectangle(XS)  
fill rectangles, polygons, or arcs XFillRectangle: . . . . . XFillRectangle(XS)  
XDrawArc: draw arcs and arc structure . . . . . XDrawArc(XS)  
XtMergeArgLists: merge ArgLists . . . . . XtSetArg(Xt)  
XtSetArg: set and merge ArgLists . . . . . XtSetArg(Xt)  
XtSetArg: set ArgLists . . . . . XtSetArg(Xt)

## Permuted Index

processed optind: argv index of next argument to be . getopt(S)  
 XIntersectRegion: region arithmetic . . . . . XIntersectRegion(XS)  
   1-line screen filter: arranges that curses assumes a . . . . . curses(S)  
   1-line screen filter: arranges that curses assumes a . . . . . terminfo(S)  
   XmArrowButton: the ArrowButton widget class . . . . . XmArrowButton(Xm)  
   XmCreateArrowButton: the ArrowButton widget creation/ . . . . . XmCreateArrowButton(Xm)  
 XmCreateArrowButtonGadget: the ArrowButtonGadget creation/ . . . . . XmCreateArrowButtonGadget(Xm)  
   XmArrowButtonGadget: the ArrowButtonGadget widget class . . . . . XmArrowButtonGadget(Xm)  
     as: common assembler . . . . . as(CP)  
     asa: unsupported utility . . . . . undocumented(M)  
   convert integer to a 7-bit ASCII character toascii: . . . . . toascii(S)  
   toascii: converts to ASCII character . . . . . ctype(S)  
   ascii: map of the ASCII character set . . . . . ascii(M)  
   isascii: test for ASCII characters . . . . . ctype(S)  
 Converts Internet address to ASCII format inet\_ntoa: . . . . . inet(SLIB)  
   set ascii: map of the ASCII character . . . . . ascii(M)  
 between long integer and base-64 ASCII string a64l, l64a: convert . . . . . a64l(S)  
   atof: converts ASCII to floating point numbers . . . . . atof(S)  
   atoi: converts ASCII to integers . . . . . atof(S)  
   atol: converts ASCII to long integer numbers . . . . . atof(S)  
   atof, atoi, atol: converts ASCII to numbers . . . . . atof(S)  
   to a 26-character string asctime: converts a tm structure . . . . . ctime(S)  
 date/ ctime, localtime, gmtime, asctime, strftime, tzset: convert . . . . . ctime(S)  
 database used to get system/ asetdefaults: change authcap . . . . . authcap(S)  
 trigonometric/ trig: acos, asin, atan, atan2, cos, sin, tan: . . . . . trig(S)  
   asin: return arc sine of x . . . . . trig(S)  
   help: Asks for help about SCCS commands help(CP)  
   time of day asktime: prompt for the correct . . . . . asktime(ADM)  
   /etc/asktime asktime: is a link to . . . . . asktime(ADM)  
   asroot: run a command as root . . . . . asroot(ADM)  
   as: common assembler . . . . . as(CP)  
   masm: invokes the assembler . . . . . masm(CP)  
   a.out: UNIX common assembler and link editor output . . . . . a.out(FP)  
   idas: assembler used by the Link Kit . . . . . idas(M)  
   assert: verify program assertion . . . . . assert(S)  
 assert: verify program assertion . . . . . assert(S)  
 address scsi\_mkadr3: assign a 3-byte array for an . . . . . scsi(K)  
   assign, deassign: assign and deassign devices . . . . . assign(C)  
     assign: assign devices . . . . . assign(C)  
   been opened setvbuf: assign buffer after a stream has . . . . . setbuf(S)  
     setbuf: assign buffer to a stream . . . . . setbuf(S)  
   setbuf, setvbuf: assign buffering to a stream . . . . . setbuf(S)  
   deassign devices assign, deassign: assign and . . . . . assign(C)  
     assign: assign devices . . . . . assign(C)  
     setkey: assign the function keys . . . . . setkey(C)  
   /that identifies a drop site and assigns resources that specify/ . . . . . XmDropSiteRegister(Xm)  
   descriptor fdopen: associates a stream with a file . . . . . fopen(S)  
   field set\_field\_type: associates given field type with . . . . . field(S)  
   fopen: opens file and associates stream with it . . . . . fopen(S)  
 database with/ XmSetDatabase: associates the specified . . . . . XrmGetFileDatabase(XS)  
   XFindContext: associative look-up routine . . . . . XSaveContext(XS)  
   XSaveContext: associative look-up routines . . . . . XSaveContext(XS)  
   filter: arranges that curses assumes a 1-line screen . . . . . curses(S)  
   filter: arranges that curses assumes a 1-line screen . . . . . terminfo(S)

daemon async\_daemons: asynchronous I/O nfs\_svc(NS)  
 nfs\_svc, async\_daemons: NFS daemons .... nfs\_svc(NS)  
 commands aio: Asynchronous disk I/O ioctl ..... aio(M)  
 async\_daemons: asynchronous I/O daemon ..... nfs\_svc(NS)  
 execute commands scheduled by at, batch, and crontab cron: ..... cron(C)  
 later time at, batch: execute commands at a .. at(C)  
 proto: prototype job file for at, cron and batch ..... proto(F)  
 at a particular time at: Schedule jobs for execution .... at(C)  
 trigonometric/ trig: acos, asin, atan, atan2, cos, sin, tan: ..... trig(S)  
 atan: return arc tangent of x ..... trig(S)  
 atan2, cos, sin, tan:/ ..... trig(S)  
 atan2: return arc tangent of y/x .... trig(S)  
 administration utility atronsh: at and cron ..... atronsh(ADM)  
 called at termination atexit: register function to be ..... atexit(S)  
 converter/ bitmap, bmtoa, atobm: bitmap editor and ..... bitmap(X)  
 to numbers atof, atoi, atol: converts ASCII ..... atof(S)  
 point numbers atof: converts ASCII to floating .... atof(S)  
 numbers atof, atoi, atol: converts ASCII to ..... atof(S)  
 atoi: converts ASCII to integers .... atof(S)  
 integer numbers atol: converts ASCII to long ..... atof(S)  
 atof, atoi, atol: converts ASCII to numbers ... atof(S)  
 XA\_ATOM\_PAIR: returns atom ..... XmuAtom(Xmu)  
 XA\_CHARACTER\_POSITION: returns atom ..... XmuAtom(Xmu)  
 XA\_CLASS: returns atom ..... XmuAtom(Xmu)  
 XA\_CLIENT\_WINDOW: returns atom ..... XmuAtom(Xmu)  
 XA\_CLIPBOARD: returns atom ..... XmuAtom(Xmu)  
 XA\_COMPOUND\_TEXT: returns atom ..... XmuAtom(Xmu)  
 XA\_DECNET\_ADDRESS: returns atom ..... XmuAtom(Xmu)  
 XA\_DELETE: returns atom ..... XmuAtom(Xmu)  
 XA\_FILENAME: returns atom ..... XmuAtom(Xmu)  
 XA\_HOSTNAME: returns atom ..... XmuAtom(Xmu)  
 XA\_IP\_ADDRESS: returns atom ..... XmuAtom(Xmu)  
 XA\_LENGTH: returns atom ..... XmuAtom(Xmu)  
 XA\_LIST\_LENGTH: returns atom ..... XmuAtom(Xmu)  
 XA\_NAME: returns atom ..... XmuAtom(Xmu)  
 XA\_NET\_ADDRESS: returns atom ..... XmuAtom(Xmu)  
 XA\_NULL: returns atom ..... XmuAtom(Xmu)  
 XA\_OWNER\_OS: returns atom ..... XmuAtom(Xmu)  
 XA\_SPAN: returns atom ..... XmuAtom(Xmu)  
 XA\_TARGETS: returns atom ..... XmuAtom(Xmu)  
 XA\_TEXT: returns atom ..... XmuAtom(Xmu)  
 XA\_TIMESTAMP: returns atom ..... XmuAtom(Xmu)  
 XA\_USER: returns atom ..... XmuAtom(Xmu)  
 XmuGetAtomName: return name of an Atom ..... XmuAtom(Xmu)  
 the string representation for an atom /a function that returns .... XmGetAtomName(Xm)  
 /a function that returns an atom for a given name ..... XmInternAtom(Xm)  
 XmuInternAtom: return Atom for an AtomPtr ..... XmuAtom(Xmu)  
 XmuAtom: Xmu atom functions and macros ..... XmuAtom(Xmu)  
 XGetAtomName: returns atom names ..... XInternAtom(XS)  
 XInternAtom: create or return atom names ..... XInternAtom(XS)  
 XmuInternStrings: convert list of atom names into Atom values ..... XmuAtom(Xmu)  
 XmuNameOfAtom: cache atom value ..... XmuAtom(Xmu)  
 convert list of atom names into Atom values XmuInternStrings: ... XmuAtom(Xmu)  
 XmuInternAtom: return Atom for an AtomPtr ..... XmuAtom(Xmu)

## Permuted Index

xlsatoms: list interned atoms defined on server ..... xlsatoms(X)  
     rcc: AT&T C compiler ..... rcc(CP)  
         cpp: the AT&T C language preprocessor ... cpp(CP)  
 QIC-24/QIC-02 tape/ tapecntl: AT&T tape control for ..... tapecntl(C)  
 xt: multiplexed tty driver for AT&T windowing terminals ..... xt(HW)  
     xdaemon: AT&T X11 connections daemon ... xdaemon(X)  
 XShmAttach: tells the server to attach to the shared memory / ..... XShm(Xext)  
     / or any file to a serial printer attached to the printer port of a / ... consoleprint(ADM)  
         lprint: print to a printer attached to the user's terminal ..... lprint(C)  
             sdget: attaches a shared data segment .... sdget(S)  
     data segment sdget, sdfree: attaches and detaches a shared .... sdget(S)  
         shmat: attaches shared memory segment ... shmop(S)  
 disk for defective blocks and attempt to reallocate them /hard ... scsibadblk(ADM)  
     parameter idtune: attempt to set value of a tunable ... idtune(ADM)  
     audit\_login: audits login ..... authaudit(S)  
     audits password change attempts audit\_passwd: ..... authaudit(S)  
 attributes of named window attroff: manipulates current ..... tam(S)  
 attributes of named window attroff: manipulates current ..... terminfo(S)  
     attributes of window attroff: manipulates current ..... curses(S)  
 attributes of named window attron: manipulates current ..... tam(S)  
 attributes of named window attron: manipulates current ..... terminfo(S)  
     attributes of window attron: manipulates current ..... curses(S)  
 attributes of named window attrset: manipulates current ..... terminfo(S)  
     attributes of window attrset: manipulates current ..... curses(S)  
     dat: digital audio tape device ..... dat(HW)  
     auditsh: menu driven audit administration utility ..... auditsh(ADM)  
         device audit: audit subsystem interface ... audit(HW)  
     by the audit/ auditd: read audit collection files generated .... auditd(ADM)  
         reduce: perform audit data analysis and reduction . reduce(ADM)  
     audit\_close: close an audit data session ..... audit(S)  
     audit\_open: open an audit data session ..... audit(S)  
     audit\_read: read an audit data session record ..... audit(S)  
     authaudit: produce audit records due to / ..... authaudit(S)  
     events dlvr\_audit: produce audit records for subsystem ..... dlvr\_audit(ADM)  
     /audit\_read: open and access audit session data records ..... audit(S)  
 auditcmd: command interface for audit subsystem activation,/ ..... auditcmd(ADM)  
     /collection files generated by the audit subsystem and compact the/ auditd(ADM)  
         audit: audit subsystem interface device ... audit(HW)  
             audit\_adjust\_mask: user mask .... authaudit(S)  
     database inconsistency audit\_auth\_entry: reports ..... authaudit(S)  
 audit\_read: open and access/ audit\_close, audit\_open, ..... audit(S)  
     session audit\_close: close an audit data .... audit(S)  
     audit subsystem activation,/ auditcmd: command interface for . auditcmd(ADM)  
     files generated by the audit/ auditd: read audit collection ..... auditd(ADM)  
     chg\_audit: enable and disable auditing for the next session ..... chg\_audit(ADM)  
         check breakdown audit\_lax\_file: reports sanity ..... authaudit(S)  
         locking operations audit\_lock: audits database ..... authaudit(S)  
             attempts audit\_login: audits login ..... authaudit(S)  
         could not be allocated audit\_no\_resource: vital resource ... authaudit(S)  
     access audit/ audit\_close, audit\_open, audit\_read: open and . audit(S)  
         session audit\_open: open an audit data .... audit(S)  
         change attempts audit\_passwd: audits password ... authaudit(S)  
     session/ audit\_close, audit\_open, audit\_read: open and access audit . audit(S)  
         session record audit\_read: read an audit data .... audit(S)

operations audit\_lock: audits database locking ..... authaudit(S)  
           audit\_login: audits login attempts ..... authaudit(S)  
           audit\_passwd: audits password change attempts .. authaudit(S)  
 system object problem audit\_security\_failure: records .... authaudit(S)  
   administration utility auditsih: menu driven audit ..... auditsih(ADM)  
 subsystem problem or event audit\_subsystem: reports a ..... authaudit(S)  
 due to authentication events authaudit: produce audit records .. authaudit(S)  
           authcap: authentication database .. authcap(F)  
           authcap database used to get ..... authcap(S)  
 system/ asetdefaults: change authcap file ..... authcap(S)  
 agetfile: find next file entry in authcap file ..... authcap(S)  
 agetty: find next tty entry in authcap file ..... authcap(S)  
   find next command entry in authcap file agetcommand: ..... authcap(S)  
   find next default entry in authcap file agetdefault: ..... authcap(S)  
   authentication database authcap: get information from the .. authcap(S)  
 consistency of authentication/ authck: check internal ..... authck(ADM)  
   checker,/ tcbck, smmck, authckrc: trusted computing base .. tcbck(ADM)  
   authentication handle auth\_destroy: destroy ..... rpc(NS)  
     ruserok: remote user authentication ..... rcmd(SLIB)  
 /examine system files against the authentication database ..... integrity(ADM)  
 authcap: get information from the authentication database ..... authcap(S)  
   authcap: authentication database ..... authcap(F)  
   check internal consistency of authentication database authck: .. authck(ADM)  
   return status based on fields of authentication database fields: .... fields(S)  
   system files consistent with the authentication database /specific .. fixmog(ADM)  
     prpw: protected password authentication database files ..... prpw(F)  
     routines /replace\_file: authentication database locking .. dblock(S)  
   produce audit records due to authentication events authaudit: .. authaudit(S)  
     ale: lock and update authentication files ..... ale(ADM)  
     auth\_destroy: destroy authentication handle ..... rpc(NS)  
     authnone\_create: create authentication handle ..... rpc(NS)  
     authunix\_create: create authentication handle ..... rpc(NS)  
 xdr\_opaque\_auth: XDR opaque authentication parameters ..... rpc(NS)  
   authentication handle authnone\_create: create ..... rpc(NS)  
   xauth: X authority file utility ..... xauth(X)  
 name associated with secondary authorization /authorization ..... subsystems(S)  
   primary\_auth: checks user's authorization against Protected/ .. subsystems(S)  
 secondary\_auth: checks secondary authorization against Protected/ .. subsystems(S)  
   authorize: subsystem authorization file ..... authorize(F)  
 with secondary/ /returns primary authorization name associated .... subsystems(S)  
   /screens user ID for authorization permission ..... subsystems(S)  
   widest\_auth: returns longest authorization string name ..... subsystems(S)  
   administrator interface for authorization subsystem authsh: .. authsh(ADM)  
   list and/or restrict kernel authorizations auths: ..... auths(C)  
 recognized primary and secondary authorizations /the number of .... subsystems(S)  
   authorization file authorize: subsystem ..... authorize(F)  
   for authorization permission authorized\_user: screens user ID .. subsystems(S)  
   kernel authorizations auths: list and/or restrict ..... auths(C)  
   for authorization subsystem authsh: administrator interface .... authsh(ADM)  
 authunix\_create\_default: invoke authunix\_create ..... rpc(NS)  
   authentication handle authunix\_create: create ..... rpc(NS)  
     authunix\_create system authunix\_create\_default: invoke .. rpc(NS)  
     schedule: database for autoboot: automatically boot the .. autoboot(ADM)  
     automated system backups ..... schedule(ADM)  
     automatically ..... rcvprint(C)

## Permuted Index

ttytype: set terminal types automatically at login . . . . . ttytype(F)  
     autoboot: automatically boot the system . . . . . autoboot(ADM)  
 XAutoRepeatOff: turns off auto-repeat for keyboard on/ . . . . . XChangeKeyboardControl(XS)  
 XAutoRepeatOn: turns on auto-repeat for keyboard on/ . . . . . XChangeKeyboardControl(XS)  
     xload: load average display for X . . . . . xload(X)  
     processes wait: await completion of background . . . . . wait(C)  
     waitsem, nbwaitsem: awaits and checks access to a/ . . . . . waitsem(S)  
     selwakeup: support select(S) . . . . . select(K)  
 scanning and processing language awk: awk, oawk, nawk: pattern . . . . . awk(C)  
     and processing language awk: awk, oawk, nawk: pattern scanning . . . . . awk(C)  
     menu\_back: returns the menu background attribute . . . . . menu(S)  
     set\_menu\_back: sets the menu's background attribute . . . . . menu(S)  
         field\_back: returns the background attribute of field . . . . . field(S)  
         set\_field\_back: sets the background attribute of field . . . . . field(S)  
         XSetBackground: sets background in specified GC . . . . . XSetState(XS)  
         XSetWindowBackground: sets background of window . . . . . XChangeWindowAttributes(XS)  
 XSetWindowBackgroundPixmap: sets background pixmap of window . . . . . XChangeWindowAttributes(XS)  
     wait: await completion of background processes . . . . . wait(C)  
 XtAppAddWorkProc: add and remove background processing procedures . . . . . XtAppAddWorkProc(Xt)  
     XtAppAddWorkProc: add background processing procedures . . . . . XtAppAddWorkProc(Xt)  
     XtRemoveWorkProc: remove background processing procedures . . . . . XtAppAddWorkProc(Xt)  
         whether screen supports backing store /returns indication . . . . . BlackPixelOfScreen(XS)  
         /convert string to backing-store integer . . . . . XmuCvtStringToBackingStore(Xmu)  
         behind a given queue backq: get pointer to the queue . . . . . backq(K)  
 XENIX incremental filesystem backup xbackup: perform . . . . . xbackup(ADM)  
     error-checking filesystem backup fsave: interactive, . . . . . fsave(ADM)  
 perform unattended incremental backup cbackup: . . . . . cbackup(ADM)  
 pwdmenu: support utility for backup . . . . . undocumented(M)  
     backupsh: menu driven backup administration utility . . . . . backupsh(ADM)  
     the names of files on a XENIX backup archive xdumpdir: print . . . . . xdumpdir(ADM)  
         sddate: print and set backup dates . . . . . sddate(C)  
         archive: default backup device information . . . . . archive(F)  
         backup: performs UNIX backup functions . . . . . backup(ADM)  
             functions backup: performs UNIX backup . . . . . backup(ADM)  
         restore: incremental filesystem backup restore . . . . . restore(ADM)  
         database for automated system backups schedule: . . . . . schedule(ADM)  
         periodic semi-automated system backups fsphoto: perform . . . . . fsphoto(ADM)  
             administration utility backupsh: menu driven backup . . . . . backupsh(ADM)  
 ecc: add/delete entries from the bad page table . . . . . ecc(ADM)  
     fixed disk for flaws and creates bad track table badrtrk: scan . . . . . badrtrk(ADM)  
         and creates bad track table badtrk: scan fixed disk for flaws . . . . . badtrk(ADM)  
         banner: print large letters . . . . . banner(C)  
         base cmos: display . . . . . cmos(HW)  
 tcb/ /authkr: trusted computing base checker, single-user mode . . . . . tcbck(ADM)  
     /returns the original base font name list . . . . . XFontsOfFontSet(XS)  
     major, minor, return base major, new device number, or/ major(K)  
         log10: returns the logarithm base ten of x . . . . . exp(S)  
     convert between long integer and base-64 ASCII string a64l, l64a: . . . . . a64l(S)  
         a64l: gets long from base-64 representation . . . . . a64l(S)  
         l64a: gets base-64 representation from long . . . . . a64l(S)  
     /that deletes items from a list based on an array of positions . . . . . XmListDeletePositions(Xm)  
     database fields: return status based on fields of authentication . . . . . fields(S)  
     that replaces items in a list based on position /List function . . . . . XmListReplacePositions(Xm)  
     thex position of the first baseline /function that accesses . . . . . XmTextFieldGetBaseline(Xm)

thex position of the first baseline /function that accesses ... XmTextGetBaseline(Xm)  
 XmWidgetGetBaselines: retrieves baseline information for a widget ... XmWidgetGetBaselines(Xm)  
 /top of the character box and the baseline of the first line of/ ... XmStringBaseline(Xm)  
 from pathnames basename: remove directory names basename(C)  
 job file for at, cron and batch proto: prototype ... proto(F)  
 execute commands scheduled by at, batch, and crontab cron: ... cron(C)  
 later time at, batch: execute commands at a ... at(C)  
 execution when the system load/ batch: Schedule jobs for ... at(C)  
 cfgetspeed: returns the input baud rate ... cfspeed(S)  
 cfgetospeed: returns the output baud rate ... cfspeed(S)  
 cfsetspeed: sets the input baud rate ... cfspeed(S)  
 cfsetospeed: sets the output baud rate ... cfspeed(S)  
 cfsetspeed, cfsetospeed: baud rate functions /cfgetospeed, . cfspeed(S)  
 the terminal baudrate: returns output speed of . curses(S)  
 the terminal baudrate: returns output speed of . tam(S)  
 the terminal baudrate: returns output speed of . terminfo(S)  
 BC: contains bc capability used by tgoto ... termcap(S)  
 by tgoto BC: contains bc capability used ... termcap(S)  
 bc: invoke a calculator ... bc(C)  
 filesystem at system/ bcheckrc: check and mount root ... bcheckrc(ADM)  
 bcmp: byte comparison operation ... bstring(SLIB)  
 operations bcopy, bcmp, bzero: bit and byte string ... bstring(SLIB)  
 string operations bcopy, bcmp, bzero: bit and byte ... bstring(SLIB)  
 bcopy: byte copy operation ... bstring(SLIB)  
 bcopy: copy bytes in kernel space ... bcopy(K)  
 snftobdf: SNF to BDF font decompiler for X11 ... snftobdf(X)  
 fstobdf: BDF font generator ... fstobdf(X)  
 bdfstosnf: BDF to SNF font compiler for X11 ... bdfstosnf(X)  
 Bitmap Distribution Format to/ bdftopcf: convert font from ... bdftopcf(X)  
 compiler for X11 bdfstosnf: BDF to SNF font ... bdfstosnf(X)  
 driver can have multiprocessor/ bdistributed: indicate block ... bdistributed(K)  
 cb: C program beautifier ... cb(CP)  
 user beep: used to signal the terminal ... curses(S)  
 user beep: used to signal the terminal ... tam(S)  
 user beep: used to signal the terminal ... terminfo(S)  
 set\_new\_page: marks field to begin a new page of form ... form(S)  
 getbegyx: places current begining coordinates into integer/ . curses(S)  
 number ldlread: begins its search with the line ... ldlread(S)  
 resources that specify its behavior /a drop site and assigns ... XmDropSiteRegister(Xm)  
 display XBell: rings bell on keyboard on specified ... XChangeKeyboardControl(XS)  
 clrtbody: erases all lines below cursor in current window ... curses(S)  
 clrtbody: erases all lines below cursor in current window ... tam(S)  
 clrtbody: erases all lines below cursor in current window ... terminfo(S)  
 wclrtbody: erases all lines below cursor in given window ... curses(S)  
 wclrtbody: erases all lines below cursor in given window ... terminfo(S)  
 /gets pointer to panel below specified panel ... panel(S)  
 second kind of order/ y0: return Bessel function of x of the ... bessel(S)  
 second kind of order/ y1: return Bessel function of x of the ... bessel(S)  
 second kind of order/ yn: return Bessel function of x of the ... bessel(S)  
 kind of order 0 j0: return Bessel function of x of the first ... bessel(S)  
 kind of order 1 j1: return Bessel function of x of the first ... bessel(S)  
 kind of order n jn: return Bessel function of x of the first ... bessel(S)  
 bessel: j0, j1, jn, y0, y1, yn: bessel functions ... bessel(S)  
 bessel functions bessel: j0, j1, jn, y0, y1, yn: ... bessel(S)

## Permuted Index

bfs: scan big files ..... bfs(C)  
 bidirectional lines ..... getty(M)  
 uugetty: permit logins over  
 clear a / getpasswd, fgetpasswd, bigcrypt, bigcryptmax: read or ..... getpasswd(S)  
 password bigcrypt: encrypt a short or long ..... getpasswd(S)  
 password bigcryptmax: encrypt a long ..... getpasswd(S)  
 getpasswd, fgetpasswd, bigcrypt, bigcryptmax: read or clear a / ..... getpasswd(S)  
 cpset: install object files in binary directories ..... cpset(C)  
 uuencode: decode a uuencoded binary file ..... uuencode(C)  
 uuencode: encode a binary file for mail transmission ..... uuencode(C)  
 mail /uuencode: encode/decode a binary file for transmission via ..... uuencode(C)  
 fixhdr: change executable binary file headers ..... fixhdr(C)  
 fread, fwrite: binary input/output ..... fread(S)  
 bsearch: binary search a sorted table ..... bsearch(S)  
 tdelete: deletes a node from a binary search tree ..... tsearch(S)  
 twalk: traverses a binary search tree ..... tsearch(S)  
 tfind, tdelete, twalk: manage binary search trees tsearch, ..... tsearch(S)  
 creates an instance of a binary semaphore creatsem: ..... creatsem(S)  
 /creates encryption key for /bin/crypt connection ..... crypt(S)  
 crypt\_close: terminates /bin/crypt connection ..... crypt(S)  
 cryptopen: open /bin/crypt connection ..... crypt(S)  
 run\_crypt: encrypts data using /bin/crypt connection ..... crypt(S)  
 bind: bind a name to a socket ..... bind(SSC)  
 port bindresvport: bind a socket to a privileged IP ..... bindresvport(NS)  
 physical address vasbind: bind a virtual address to a ..... vas(K)  
 endpoint t\_bind: bind an address to a transport ..... t\_bind(S)  
 bind: bind a name to a socket ..... bind(SSC)  
 yp\_bind: bind to a NIS server ..... ypclnt(NS)  
 xmbind: configures virtual key bindings ..... xmbind(Xm)  
 key events VirtualBindings: bindings for virtual mouse and ..... VirtualBindings(Xm)  
 privileged IP port bindresvport: bind a socket to a ..... bindresvport(NS)  
 menu\_add: link to /bin/true ..... undocumented(M)  
 menu\_del: link to /bin/true ..... undocumented(M)  
 bcopy, bcmp, bzero: bit and byte string operations ..... bstring(SLIB)  
 bit least or most significant bit in unit /whether leftmost ..... limageByteOrder(XS)  
 in/ /indicates whether leftmost bit least or most significant bit ..... limageByteOrder(XS)  
 keyboard XQueryKeymap: returns bit vector for logical state of ..... XChangeKeyboardControl(XS)  
 /create pixmap from bitmap ..... XmuCreatePixmapFromBitmap(Xmu)  
 XCreateBitmapFromData: creates bitmap ..... XReadBitmapFile(XS)  
 convert string to bitmap XmuCvtStringToBitmap: ..... XmuCvtStringToBitmap(Xmu)  
 locate and return bitmap XmuLocateBitmapFile: ..... XmuLocateBitmapFile(Xmu)  
 editor and converter utilities/ bitmap, bmtoa, atobm: bitmap ..... bitmap(X)  
 /creates pixmap from bitmap data ..... XReadBitmapFile(XS)  
 XmuReadBitmapDataFromFile: read bitmap data from specified file ..... XmuReadBitmapData(Xmu)  
 bdfpcf: convert font from Bitmap Distribution Format to / ..... bdfpcf(X)  
 utilities/ bitmap, bmtoa, atobm: bitmap editor and converter ..... bitmap(X)  
 XmuReadBitmapData: read bitmap file description ..... XmuReadBitmapData(Xmu)  
 MrmFetchBitmapLiteral: fetches a bitmap literal from a hierarchy ..... MrmFetchBitmapLiteral(Xm)  
 XWriteBitmapFile: writes bitmap out to file ..... XReadBitmapFile(XS)  
 leftmost bit least or most/ BitmapBitOrder: indicates whether ImageByteOrder(XS)  
 that each scanline must be/ BitmapPad: returns number of bits ImageByteOrder(XS)  
 XReadBitmapFile: manipulate bitmaps ..... XReadBitmapFile(XS)  
 BitmapUnit: returns size of bitmap's scanline unit in bits ImageByteOrder(XS)  
 bitmap's scanline unit in bits BitmapUnit: returns size of ImageByteOrder(XS)  
 removes symbols and relocation bits strip: ..... strip(XNX)



size of bitmap's scanline unit in bits BitmapUnit: returns ..... ImageByteOrder(XS)  
tcsendbreak: transmit zero-valued bits for specified duration ..... tcfLOW(S)  
BitmapPad: returns number of bits that each scanline must be/ ... ImageByteOrder(XS)  
white CCC/ XcmsQueryBlack: obtain black, blue, green, red, and ..... XcmsQueryBlack(XS)  
screen BlackPixel: returns black pixel value for specified ..... AllPlanes(XS)  
value for specified screen BlackPixel: returns black pixel ..... AllPlanes(XS)  
information functions and macros BlackPixelOfScreen: screen ..... BlackPixelOfScreen(XS)  
insertln: inserts blank line above current line ..... curses(S)  
insertln: inserts blank line above current line ..... tam(S)  
insertln: inserts blank line above current line ..... terminfo(S)  
winsertln: inserts blank line above current line ..... curses(S)  
winsertln: inserts blank line above current line ..... terminfo(S)  
rmb: remove extra blank lines from a file ..... rmb(M)  
window erase: copies blanks to every position in the ..... curses(S)  
window erase: copies blanks to every position in the ..... tam(S)  
window erase: copies blanks to every position in the ..... terminfo(S)  
window werase: copies blanks to every position in the ..... curses(S)  
window werase: copies blanks to every position in the ..... terminfo(S)  
alloc: allocate a message block ..... alloc(K)  
copyb: copy a message block ..... copyb(K)  
dupmsg: duplicate a message block ..... dupmsg(K)  
freeb: free a message block ..... freeb(K)  
scsi\_get\_gen\_cmd: fill a command block ..... scsi(K)  
select(S) - process should not block selsuccess: support ..... select(K)  
select(S) - process should block selfailure: support ..... select(K)  
sync: update super block ..... sync(S)  
sync: update the super block ..... sync(ADM)  
translate input block to output block lcs\_translate\_block: ..... lcs\_translate\_block(PCI)  
enter\_quiet\_zone: block all keyboard signals ..... dblock(S)  
brlse: release a block buffer ..... brlse(K)  
getatblk: get a buffer from the block buffer pool geteblk, ..... geteblk(K)  
acctdisk: gather user disk block data ..... acct(ADM)  
dupb: duplicate a message block descriptor ..... dupb(K)  
ramdisk: memory block device ..... ramdisk(HW)  
splbuf: prevent interrupts from block device ..... spl(K)  
bdistributed: indicate block driver can have/ ..... bdistributed(K)  
physck: raw I/O for block drivers ..... physio(K)  
physio: physck: raw I/O for block drivers ..... physio(K)  
physio: raw I/O for block drivers ..... physio(K)  
rmvb: remove a message block from a message ..... rmvb(K)  
unlinkb: remove a message block from the head of a message ..... unlinkb(K)  
shutdn: flushes block I/O and halts the CPU ..... shutdn(S)  
clrbuf: zero a block I/O buffer ..... clrbuf(K)  
queue disksort: add a block I/O request to a device's ..... disksort(K)  
mm\_wtxt: writes block of MMDF message text ..... mmdf(S)  
mm\_rstin: reads a buffered block of MMDF text ..... mmdf(S)  
/splni, splpp, spltty, splx: block or permit interrupts ..... spl(K)  
S\_ISBLK: determines if file is a block special file ..... stat(S)  
putc: add block to clist ..... putc(K)  
putc: add block to freelist ..... putc(K)  
/translate input block to output block ..... lcs\_translate\_block(PCI)  
exhelp: execute help process and block until return ..... tam(S)  
change and/or examine blocked signals sigprocmask: ..... sigprocmask(S)  
r/w can be performed without blocking tselect: ensure ..... tty(K)

## Permuted Index

df: report number of free disk blocks ..... df(C)  
 /scan hard disk for defective blocks and attempt to reallocate/ ..... scsibadblk(ADM)  
 a checksum and count the blocks in a file sum: calculate ..... sum(C)  
 freemsg: free all message blocks in a message ..... freemsg(K)  
 ttyflush: release character blocks to free list ..... tty(K)  
 XcmsQueryBlack: obtain black, blue, green, red, and white CCC/ ..... XcmsQueryBlack(XS)  
 converter utilities for/ bitmap, bmtoa, atobm: bitmap editor and ..... bitmap(X)  
 EISA bus eisa: report on boards that are installed on the ..... eisa(ADM)  
 xdr\_bool: XDR an boolean ..... xdr(NS)  
 tgetflag: gets the boolean entry for codename ..... curses(S)  
 tgetflag: gets the boolean entry for codename ..... terminfo(S)  
 screen/ DoesSaveUnders: returns Boolean value indicating whether ..... BlackPixelOfScreen(XS)  
 string string: access boot, configuration, or package ..... string(M)  
 fdswap: swap default boot floppy drive ..... fdswap(ADM)  
 boot: UNIX boot program ..... boot(HW)  
 autoboot: automatically boot the system ..... autoboot(ADM)  
 disk btdl: contents of a boot time loadable device driver ..... btdl(F)  
 boot: UNIX boot program ..... boot(HW)  
 getbsflag: check existence of bootstring ..... getbsvalue(K)  
 getbsvalue: get the bootstring ..... getbsvalue(K)  
 into the/ btdlinstall: install boot-time loadable device drivers ..... btdlinstall(ADM)  
 XSetWindowBorder: sets border of window ..... XChangeWindowAttributes(XS)  
 XSetWindowBorderPixmap: set border pixmap of window ..... XChangeWindowAttributes(XS)  
 /sets window border to specified width ..... XConfigureWindow(XS)  
 restacks windows from top to bottom XRestackWindows: ..... XRaiseWindow(XS)  
 overlapping layers Bottom: moves layer to bottom of ..... libwindows(S)  
 bottom\_panel: puts panel at the bottom of all panels ..... panel(S)  
 Bottom: moves layer to bottom of overlapping layers ..... libwindows(S)  
 lowers specified window to bottom of stack XLowerWindow: ..... XRaiseWindow(XS)  
 bottom of all panels bottom\_panel: puts panel at the ..... panel(S)  
 /returns the name of the locale bound to the database ..... XrmGetFileDatabase(XS)  
 /returns the name of the locale bound to the specified string ..... XFontsOfFontSet(XS)  
 /a List function that returns the bounding box of an item at a/ ..... XmListPosToBounds(Xm)  
 box: plots a box ..... plot(S)  
 /between the top of the character box and the baseline of the first/ ..... XmStringBaseline(Xm)  
 box: draws box around the edge of the window ..... curses(S)  
 box: draws box around the edge of the window terminfo(S)  
 the window box: draws box around the edge of ..... curses(S)  
 the window box: draws box around the edge of ..... terminfo(S)  
 /that returns the bounding box of an item at a specified/ ..... XmListPosToBounds(Xm)  
 box: plots a box ..... plot(S)  
 utility brand: installation script ..... undocumented(M)  
 locs: pointer causing advance to break out of back up loop ..... regexp(S)  
 pio\_breakup: break up programmed I/O requests ..... pio\_breakup(K)  
 brk: set the break value ..... brk(S)  
 sbrk: add bytes to the break value ..... brk(S)  
 reports sanity check breakdown audit\_lax\_file: ..... authaudit(S)  
 brelse: release a block buffer ..... brelse(K)  
 space allocation brk, sbrk: change data segment ..... brk(S)  
 brk: set the break value ..... brk(S)  
 far segment brkctl: allocates data in a 286 ..... brkctl(S)  
 clnt\_broadcast: broadcast remote procedure call ..... rpc(NS)  
 table bsearch: binary search a sorted ..... bsearch(S)  
 loadable device driver disk btdl: contents of a boot time ..... btdl(F)

loadable device drivers into the/ btdinstall: install boot-time ..... btdinstall(ADM)  
 pages btoc: convert bytes to memory ..... btoc(K)  
 and clicks (memory pages) btoc, ctob: convert between bytes .. btoc(K)  
 returns value of field buffer buf field\_buffer: ..... field(S)  
 set\_field\_buffer: sets buffer buf of field to value ..... field(S)  
 allocb bufcall: recover from failure of .... bufcall(K)  
 brelse: release a block buffer ..... brelse(K)  
 clrbuf: zero a block I/O buffer ..... clrbuf(K)  
 current state of terminal to a buffer savetty: saves ..... curses(S)  
 current state of terminal to a buffer savetty: saves ..... tam(S)  
 current state of terminal to a buffer savetty: saves ..... terminfo(S)  
 flush the translation lookaside buffer flushtlb: ..... flushtlb(K)  
 next word from string and copy to buffer adf\_gtwrld: get ..... tam(S)  
 of a portion of the internal text buffer /that retrieves a copy ..... XmTextFieldGetSubstring(Xm)  
 of a portion of the internal text buffer /that retrieves a copy ..... XmTextGetSubstring(Xm)  
 of a wide character internal text buffer /retrieves a portion ..... XmTextFieldGetSubstringWcs(Xm)  
 of a wide character internal text buffer /that retrieves a portion .... XmTextGetSubstringWcs(Xm)  
 read paste buffer file to buffer pb\_gbuf: ..... tam(S)  
 returns events in motion history buffer XGetMotionEvents: ..... XSendEvent(XS)  
 returns number of bytes in cut buffer XFetchBytes: ..... XStoreBytes(XS)  
 testb: test for an available buffer ..... testb(K)  
 text code from string and copy to buffer adf\_gtxcd: get next ..... tam(S)  
 ttout: move data to the output buffer ..... tty(K)  
 opened setvbuf: assign buffer after a stream has been .... setvbuf(S)  
 pb\_wEOF: output EOF to paste buffer and close file ..... tam(S)  
 pb\_empty: clear out paste buffer and close it ..... tam(S)  
 xcutsel: interchange between cut buffer and selection ..... xcutsel(X)  
 pb\_seek: seek to end of paste buffer and set for appending ..... tam(S)  
 returns value of field buffer buf field\_buffer: ..... field(S)  
 set\_field\_buffer: sets buffer buf of field to value ..... field(S)  
 pb\_check: check if paste buffer contains anything ..... tam(S)  
 pb\_name: get name for paste buffer file ..... tam(S)  
 pb\_open: open or create a paste buffer file ..... tam(S)  
 pb\_gets: read paste buffer file and convert to text ..... tam(S)  
 pb\_gbuf: read paste buffer file to buffer ..... tam(S)  
 /returns string in menu buffer for given menu ..... menu(S)  
 geteblk, getablk: get a buffer from the block buffer pool ... geteblk(K)  
 pb\_puts: output string to paste buffer in ADF format ..... tam(S)  
 XFlush: handle output buffer or event queue ..... XFlush(XS)  
 get a buffer from the block buffer pool geteblk, getablk: ..... geteblk(K)  
 XStoreBuffer: store bytes in cut buffer, provide the buffer to use .... XStoreBytes(XS)  
 /returns motion history buffer size ..... XSendEvent(XS)  
 netbuf: TLI/XTI network buffer structure ..... netbuf(FP)  
 requests/ XSync: flushes output buffer then waits until all ..... XFlush(XS)  
 setvbuf: assign buffer to a stream ..... setvbuf(S)  
 /sets the menu pattern buffer to given pattern ..... menu(S)  
 bytes in cut buffer, provide the buffer to use /store ..... XStoreBytes(XS)  
 mm\_rstm: reads a buffered block of MMDF text ..... mmdf(S)  
 fclose: writes buffered data and closes stream ... fclose(S)  
 stream fflush: writes buffered data to file for named .... fclose(S)  
 stdio: standard buffered input/output package ..... stdio(S)  
 mm\_wstm: writes buffered MMDF text ..... mmdf(S)  
 setvbuf, setvbuf: assign buffering to a stream ..... setvbuf(S)  
 XRotateBuffers: rotates cut buffers ..... XStoreBytes(XS)

## Permuted Index

getcb, getcbp, getcf: read list buffers getc, . . . . . getc(K)  
 manipulate cut and paste buffers XStoreBytes: . . . . . XStoreBytes(XS)  
 manipulates contents of terminal buffers ttioctl: . . . . . tty(K)  
 XFetchBuffer: returns cut buffer's contents . . . . . XStoreBytes(XS)  
 link\_unix: build a new UNIX system kernel . . . link\_unix(ADM)  
 /idconfig, idvidi, idscsi: build new UNIX system kernel . . . idbuild(ADM)  
 object\_builder: build or modify Desktop objects . . . objbld(X)  
 mknod: build special files . . . . . mknod(C)  
 of alias and routing/ dbmbuild: build the MMDF hashed database . . . dbmbuild(ADM)  
 tsearch: builds and accesses search tree . . . tsearch(S)  
 /returns a pointer to field type built from two given types . . . . . fieldType(S)  
 XmCreateBulletinBoardDialog: the BulletinBoard BulletinBoardDialog/ XmCreateBulletinBoardDialog(Xm)  
 XmBulletinBoard: the BulletinBoard widget class . . . . . XmBulletinBoard(Xm)  
 XmCreateBulletinBoard: the BulletinBoard widget creation/ . . . XmCreateBulletinBoard(Xm)  
 creation/ /the BulletinBoard BulletinBoardDialog convenience . . . XmCreateBulletinBoardDialog(Xm)  
 that are installed on the EISA bus eisa: report on boards . . . . . eisa(ADM)  
 archtobus: extract bus type from architecture . . . . . archtobus(K)  
 structure ButtonPress: ButtonPress event . . . XButtonEvent(XS)  
 /KeyPress, KeyRelease, ButtonPress, ButtonRelease, and/ . . XButtonEvent(XS)  
 ButtonPress: ButtonPress event structure . . . XButtonEvent(XS)  
 event/ /KeyRelease, ButtonPress, ButtonRelease, and MotionNotify XButtonEvent(XS)  
 event structure ButtonRelease: ButtonRelease . . . XButtonEvent(XS)  
 ButtonRelease: ButtonRelease event structure . . . XButtonEvent(XS)  
 XGrabButton: grab pointer buttons . . . . . XGrabButton(XS)  
 XUngrabButton: releases pointer buttons . . . . . XGrabButton(XS)  
 bcmp: byte comparison operation . . . . . bstring(SLIB)  
 bcopy: byte copy operation . . . . . bstring(SLIB)  
 inb: read a byte from I/O address . . . . . inb(K)  
 I/O address inb, outb: read a byte from or write a byte to an . . . inb(K)  
 bzero: byte null string operation . . . . . bstring(SLIB)  
 elements XtOffset: determine the byte offset or number of array . . . XtOffset(Xt)  
 XtOffset: determine the byte offset or resource fields . . . . XtOffset(Xt)  
 values between host and network byte order /ntohl, ntohs: convert . . . byteorder(SLIB)  
 values between host and network byte order byteorder: convert . . . . . byteorder(SLIB)  
 values from host to network long byte order htonl: convert . . . . . byteorder(SLIB)  
 values from host to network short byte order htons: convert . . . . . byteorder(SLIB)  
 values from network to host long byte order ntohl: convert . . . . . byteorder(SLIB)  
 values from network to host short byte order ntohs: convert . . . . . byteorder(SLIB)  
 /specifies required byte order for images . . . . . ImageByteOrder(XS)  
 ftell: returns offset of current byte relative to beginning of/ . . . . . fseek(S)  
 xdr\_bytes: XDR a counted byte string . . . . . xdr(NS)  
 bcopy, bcmp, bzero: bit and byte string operations . . . . . bstring(SLIB)  
 outb: read a byte from or write a byte to an I/O address inb, . . . . . inb(K)  
 outb: write a byte to I/O address . . . . . inb(K)  
 /encrypts or decrypts data byte with DES primitive . . . . . crypt(S)  
 that indicates the results of a byte-by-byte comparison /function XmStringByteCompare(Xm)  
 host and network byte order byteorder: convert values between . . . byteorder(SLIB)  
 ntohs: convert values between/ byteorder, htons, htonl, ntohl, . . . . . byteorder(SLIB)  
 ctob: convert memory pages to bytes . . . . . btoc(K)  
 places "output," in consecutive bytes nl\_sprintf: . . . . . nl\_printf(S)  
 places "output," in consecutive bytes sprintf: . . . . . printf(S)  
 places "output," in consecutive bytes vsprintf: . . . . . vprintf(S)  
 repinsb: read a stream of bytes vsprintf: . . . . . repins(K)  
 repoutsb: write a stream of bytes . . . . . repins(K)

scsi_swap4: swap 4	bytes	scsi(K)
swab: swap	bytes	swab(S)
the point given by the next four	bytes	point: plots plot(S)
wc: count words, lines and	bytes	wc(C)
btoc, ctob: convert between	bytes and clicks (memory pages)	btoc(K)
space copyin, copyout: copy	bytes between user and kernel	copyin(K)
space copyout: copy	bytes from kernel space to user	copyin(K)
space copyin: copy	bytes from user space to kernel	copyin(K)
adjmsg: trim	bytes in a message	adjmsg(K)
msgdsize: get the number of data	bytes in a message	msgdsize(K)
pullupmsg: concatenate	bytes in a message	pullupmsg(K)
XFetchBytes: returns number of	bytes in cut buffer	XStoreBytes(XS)
buffer to/ XStoreBuffer: store	bytes in cut buffer, provide the	XStoreBytes(XS)
bcopy: copy	bytes in kernel space	bcopy(K)
size: print section sizes in	bytes of COFF files	size(CP)
appends a specified number of	bytes to a compound string /that	XmStringNConcat(Xm)
scsi_s2tos: convert 2	bytes to a short	scsi(K)
scsi_stok: convert 3	bytes to kernel address	scsi(K)
scsi_s3tol: convert 3	bytes to long	scsi(K)
scsi_stol: convert 4	bytes to long	scsi(K)
btoc: convert	bytes to memory pages	btoc(K)
address copyio: copy	bytes to or from a physical	copyio(K)
sbrk: add	bytes to the break value	brk(S)
operations bcopy, bcmb,	bzero: bit and byte string	bstring(SLIB)
(zero)	bzero: byte null string operation	bstring(SLIB)
moves cursor to row r, column	bzero: set memory locations to 0	bzero(K)
representation of the character	c move:	tam(S)
representation of the character	c unctrl: expands to printable	curses(S)
the pad character for menu m to	c unctrl: expands to printable	terminfo(S)
xdr_array: XDR a	c set_menu_pad: sets	menu(S)
xdr_char: XDR a	C array of objects	xdr(NS)
cc: invokes the	C character	xdr(NS)
rcc: AT&T	C compiler	cc(CP)
xdr_double: XDR a	C compiler	rcc(CP)
xdr_enum: XDR a	C double	xdr(NS)
xdr_vector: XDR a	C enum	xdr(NS)
xdr_float: XDR a	C fixed length array	xdr(NS)
cflow: generate	C float	xdr(NS)
rcflow: generate	C flowgraph	cflow(CP)
returns pointer to last character	C flowgraph	rcflow(CP)
pointer to first character	c from string s strchr:	string(S)
xdr_int: XDR a	c in string s strchr: returns	string(S)
form_driver: checks if	C integer	xdr(NS)
menu_driver: checks if character	c is a form request or data	form(S)
cpp: the AT&T	(c) is a menu request or data	menu(S)
xdr_long: XDR a	C language preprocessor	cpp(CP)
UNGETC: returns argument	C long	xdr(NS)
ungetch: places character	c on call to GETC() or/	regexp(S)
ungetch: places character	c onto input queue	curses(S)
xdr_pointer: XDR a	c onto input queue	terminfo(S)
xdr_reference: XDR a	C pointer	xdr(NS)
make utility imake:	C pointer	xdr(NS)
cscope: interactively examine a	C preprocessor interface to the	imake(XS)
	C program	cscope(CP)

## Permuted Index

cb: C program beautifier ..... cb(CP)  
 lint: a C program checker ..... lint(CP)  
 rlint: a C program checker ..... rlint(CP)  
 cxref: generate C program cross-reference ..... cxref(CP)  
 rcxref: generate C program cross-reference ..... rcxref(CP)  
 ctrace: C program debugger ..... ctrace(CP)  
 xstr: extracts strings from C programs ..... xstr(CP)  
   xdr\_short: XDR a C short ..... xdr(NS)  
 an error message file from C source mkstr: creates ..... mkstr(CP)  
   findstr: find strings in C source code ..... findstr(CP)  
   object file list: produce C source listing from a common ... list(CP)  
   xdr\_string: XDR a C string ..... xdr(NS)  
   xdr\_wrapstring: XDR a C string ..... xdr(NS)  
   xdr\_u\_char: XDR a C unsigned character ..... xdr(NS)  
   xdr\_u\_int: XDR a C unsigned integer ..... xdr(NS)  
   xdr\_u\_long: XDR a C unsigned long ..... xdr(NS)  
   xdr\_u\_short: XDR a C unsigned short ..... xdr(NS)  
 removes a pixmap from the pixmap XmdestroyPixmap(Xm)  
 removes an image from the image cache /caching function that ..... XmUninstallImage(Xm)  
   that adds an image to the pixmap cache /a pixmap caching function . XmInstallImage(Xm)  
   /a pixmap, stores it in a pixmap cache, and returns the pixmap ... XmGetPixmapByDepth(Xm)  
   /a pixmap, stores it in a pixmap cache, and returns the pixmap ... XmGetPixmapByDepth(Xm)  
   XmNameOfAtom: cache atom value ..... XmAtom(Xmu)  
 image/ XmInstallImage: a pixmap caching function that adds an ... XmInstallImage(Xm)  
   XmGetPixmapByDepth: a pixmap caching function that generates a / ... XmGetPixmapByDepth(Xm)  
 pixmap,/ XmGetPixmap: a pixmap caching function that generates a ... XmGetPixmap(Xm)  
 pixmap/ XmDestroyPixmap: a pixmap caching function that removes a ... XmDestroyPixmap(Xm)  
 image/ XmUninstallImage: a pixmap caching function that removes an ... XmUninstallImage(Xm)  
   cal: print a calendar ..... cal(C)  
   the blocks in a file sum: calculate a checksum and count ... sum(C)  
   accounting records acctdusg: calculate disk consumption for .... acct(ADM)  
   union and/ XXorRegion: calculates difference between ..... XIntersectRegion(XS)  
 procedure used for default color calculation /function to get the ... XmGetColorCalculation(Xm)  
 procedure used for default color calculation /function to set the ... XmSetColorCalculation(Xm)  
   Shell with calendar, mail, and calculator /menu-driven SCO .... scosh(C)  
   bc: invoke a calculator ..... bc(C)  
 dc: invoke an arbitrary precision calculator ..... dc(C)  
   xcalc: scientific calculator for X ..... xcalc(X)  
   cal: print a calendar ..... cal(C)  
   service calendar: invoke a reminder ..... calendar(C)  
   scosh: menu-driven SCO Shell with calendar, mail, and calculator .... scosh(C)  
   mtime: converts local time to calendar time ..... mktime(S)  
 XmuRemoveCloseDisplayHook: delete callback ..... XmuRemoveCloseDisplayHook(Xmu)  
   /function that removes a callback from the internal list .... XmRemoveProtocolCallback(Xm)  
   /interface that removes a callback from the internal list .... XmRemoveWmProtocolCallback(Xm)  
   /hierarchy (for example, UIL) callback function names or UIL/ ... MrmRegisterNamesInHierarchy(Xm)  
   /in UIL (for example, UIL) callback function names or UIL/ ... MrmRegisterNames(Xm)  
   /determine if callback installed ..... XmuRemoveCloseDisplayHook(Xmu)  
   /convert callback procedure to callback list ..... XmuCvtFunctionToCallback(Xmu)  
   XtAddCallbacks: add callback procedure ..... XtAddCallback(Xt)  
 XmuCvtFunctionToCallback: convert callback procedure to callback/ ... XmuCvtFunctionToCallback(Xmu)  
   XtAddCallback: add and remove callback procedures ..... XtAddCallback(Xt)  
   XtAddCallbacks: add callback procedures ..... XtAddCallback(Xt)  
   XtRemoveAllCallbacks: remove callback procedures ..... XtAddCallback(Xt)

XtRemoveCallback: remove  
 XtRemoveCallbacks: remove  
 XmuAddCloseDisplayHook: add a  
 XtCallCallbacks: process  
 XtHasCallbacks: process  
 /function that adds client  
 /interface that adds client  
 get the network of the  
 exit: terminates  
 getpid: returns process ID of  
 returns parent process ID of  
 returns process group ID of  
 wait: suspends  
 waitpid: suspends  
 a signal sigpause: suspends the  
 popen: creates pipe between  
 /specified by the user and by the  
 array of elements  
 for an array  
 memory malloc, free, realloc,  
 allocates/ malloc, free, realloc,  
 callback procedures ..... XtAddCallback(Xt)  
 callback procedures ..... XtAddCallback(Xt)  
 callback to display ..... XmuAddCloseDisplayHook(Xmu)  
 callbacks ..... XtCallCallbacks(Xt)  
 callbacks ..... XtCallCallbacks(Xt)  
 callbacks for a protocol ..... XmAddProtocolCallback(Xm)  
 callbacks for a protocol ..... XmAddWMMProtocolCallback(Xm)  
 caller svc\_getcaller: ..... rpc(NS)  
 calling process ..... exit(S)  
 calling process ..... getpid(S)  
 calling process getppid: ..... getpid(S)  
 calling process getpgrp: ..... getpid(S)  
 calling process ..... wait(S)  
 calling process of pid ..... wait(S)  
 calling process until it receives .... sigset(S)  
 calling program and command ..... popen(S)  
 calling program with size hints .... XParseGeometry(XS)  
 calloc: allocates space for an ..... malloc(S)  
 calloc: allocates unused space ..... malloc(S)  
 calloc, cfree: allocates main ..... malloc(S)  
 calloc, mallopt, mallinfo: ..... malloc(S)  
 callrpc: call a remote procedure ... rpc(NS)  
 cancel a timeout request ..... timeout(K)  
 cancel: cancel requests to ..... cancel(C)  
 cancel: cancel requests to lineprinter ..... cancel(C)  
 /a clipboard function that  
 whether terminal has color/  
 whether terminal has color/  
 processor can do device I/O  
 from tty device  
 cancels a copy to the clipboard .... XmClipboardCancelCopy(Xm)  
 can\_change\_color: determines ..... curses(S)  
 can\_change\_color: determines ..... terminfo(S)  
 can\_doio: determine if current .... can\_doio(K)  
 canon: process raw input data ..... canon(K)  
 canput: test for room in a queue .... canput(K)  
 capabilities /determines ..... curses(S)  
 capabilities /determines ..... terminfo(S)  
 capable terminal ..... scancode(HW)  
 description into a terminfo/  
 pnch: file format for  
 into/ nl: controls whether  
 into/ nl: controls whether  
 into/ nl: controls whether  
 into/ nonl: controls whether  
 into/ nonl: controls whether  
 /reads input until newline,  
 getstr: returns newline,  
 wgetstr: returns newline,  
 /calls wgetch() until newline,  
 XmCascadeButtonHighlight: a  
 XmCascadeButton: the  
 XmCreateCascadeButton: the  
 XmCreateCascadeButtonGadget: the  
 XmCascadeButtonGadgetHighlight: a  
 sets the / a CascadeButton and  
 obtains the widget ID for the  
 XmCascadeButtonGadget: the  
 CascadeButton widget class ..... XmCascadeButton(Xm)  
 CascadeButton widget class ..... XmCascadeButton(Xm)  
 CascadeButton widget creation/ .. XmCreateCascadeButton(Xm)  
 CascadeButtonGadget creation/ .. XmCreateCascadeButtonGadget(Xm)  
 CascadeButtonGadget function that / XmCascadeButtonGadgetHighlight(Xm)  
 CascadeButtonGadget function that XmCascadeButtonHighlight(Xm)  
 CascadeButtonGadget in an/ /that XmOptionButtonGadget(Xm)  
 CascadeButtonGadget widget class XmCascadeButtonGadget(Xm)

## Permuted Index

comparison strcasecmp: case-insensitive string ..... string(SLIB)  
 comparison strncasecmp: case-insensitive string ..... string(SLIB)  
     files  
     cat: concatenate and display ..... cat(C)  
 catclose: closes a message catalog ..... catopen(S)  
 catopen: open/close a message catalog catopen, ..... catopen(S)  
     catalog ..... catopen(S)  
     catalog ..... catopen(S)  
 generate a formatted message catalogue gencat: ..... gencat(CP)  
     maintainer mar: message catalogue archive and library ..... mar(CP)  
     catalog ..... catclose(S)  
     catalog catopen, ..... catclose: open/close a message ..... catopen(S)  
     message catalog ..... catgets: read a program message ..... catgets(S)  
     ..... catopen, catclose: open/close a ..... catopen(S)  
     ..... catopen: open a message catalog ..... catopen(S)  
 non-blocking call nodelay: causes wgetch() to be a ..... curses(S)  
 non-blocking call nodelay: causes wgetch() to be a ..... tam(S)  
 non-blocking call nodelay: causes wgetch() to be a ..... terminfo(S)  
 back up loop locs: pointer causing advance to break out of ..... regexp(S)  
     cb: C program beautifier ..... cb(CP)  
     incremental backup cbackup: perform unattended ..... cbackup(ADM)  
     crmode: replaced by cbreak ..... curses(S)  
     cbreak: puts terminal into CBREAK mode ..... curses(S)  
     cbreak: puts terminal into CBREAK mode ..... tam(S)  
     cbreak: puts terminal into CBREAK mode ..... terminfo(S)  
     crmode: puts terminal into CBREAK mode ..... tam(S)  
     crmode: puts terminal into CBREAK mode ..... terminfo(S)  
     nocbreak: puts terminal out of CBREAK mode ..... curses(S)  
     nocbreak: puts terminal out of CBREAK mode ..... tam(S)  
     nocbreak: puts terminal out of CBREAK mode ..... terminfo(S)  
     nocrmode: puts terminal out of CBREAK mode ..... tam(S)  
     nocrmode: puts terminal out of CBREAK mode ..... terminfo(S)  
     mode cbreak: puts terminal into CBREAK ..... curses(S)  
     mode cbreak: puts terminal into CBREAK ..... tam(S)  
     mode cbreak: puts terminal into CBREAK ..... terminfo(S)  
     cc: invokes the C compiler ..... cc(CP)  
     procedure in the specified CCC /the white point adjustment ..... XcmsSetWhitePoint(XS)  
 returns the screen number of the CCC ScreenNumberOfCCC: ..... DisplayOfCCC(XS)  
     returns the visual of the CCC VisualOfCCC: ..... DisplayOfCCC(XS)  
     the client white point of the CCC /returns ..... DisplayOfCCC(XS)  
 the memory used for the specified CCC XcmsFreeCCC: frees ..... XcmsCreateCCC(XS)  
     the screen white point of the CCC /returns ..... DisplayOfCCC(XS)  
 XcmsSetCCCOfColormap: changes the CCC associated with the specified/ ..... XcmsCCCOfColormap(XS)  
     XcmsSetWhitePoint: modifying CCC attributes ..... XcmsSetWhitePoint(XS)  
     XcmsConvertColors: convert CCC color specifications ..... XcmsConvertColors(XS)  
     blue, green, red, and white CCC color specifications /black, ..... XcmsQueryBlack(XS)  
     obtain the default CCC for a screen XcmsDefaultCCC: XcmsDefaultCCC(XS)  
     /query and modify CCC of a colormap ..... XcmsCCCOfColormap(XS)  
     creating and destroying CCCs XcmsCreateCCC: ..... XcmsCreateCCC(XS)  
     cd: change working directory ..... cd(C)  
     of an SCCS delta cdc: change the delta commentary ..... cdc(CP)  
 driver can have multiprocessor/ cdistributed: indicate character ..... cdistributed(K)  
     cdrom: compact disk devices ..... cdrom(HW)  
     hs: High Sierra/ISO-9660 CD-ROM filesystem ..... hs(F)  
 remainder, absolute value/ floor, ceil, fmod, fabs: floor, ceiling, ..... floor(S)  
     not less than x ceil: returns smallest integer ..... floor(S)





## Permuted Index

time-stamp of MMDF specified	channel and phase	phs_get: gets	...	phs(S)
openchan: opens the	channel argument chan	.....	libwindows(S)	
list: list processor	channel for MMDF	.....	list(ADM)	
emdupmap: duplicate	channel mapping	.....	emdupmap(K)	
process NIC database into	channel/domain tables	nictable: ..	nictable(ADM)	
driver xtproto: multiplexed	channels protocol used by xt(HW)	.....	xtproto(M)	
dkinit: display/change hard disk	characteristics	dparam, .....	dparam(ADM)	
size, position, and other field	characteristics /returns	.....	field(S)	
pkginfo: package	characteristics file	.....	pkginfo(F)	
sc_readstr: read scancode	character(s)	.....	sc_readkb(S)	
lastlogin, monacct,/ acctsh:	chargefee, ckpacct, dodisk, .....	acctsh(ADM)		
	chdir: change working directory	.....	chdir(S)	
non-obviousness	check a password for	.....	goodpw(ADM)	
goodpw:	state XtIsSensitive:	check a widget's sensitivity	.....	XtSetSensitive(Xt)
state XtIsSensitive:	check a widget's sensitivity	.....	XtSetSensitive(Xt)	
set and	pkgchk:	check accuracy of installation	.....	pkgchk(ADM)
pkgchk:	at system/ bcheckrc:	check and mount root filesystem	.....	bcheckrc(ADM)
at system/ bcheckrc:	dfscck:	check and repair filesystems	.....	fsck(ADM)
dfscck:	fsck, dfscck:	check and repair filesystems	.....	fsck(ADM)
fsck, dfscck:	audit_lax_file: reports sanity	check breakdown	.....	authaudit(S)
audit_lax_file: reports sanity	against/ is_starting_egid (gid):	check current effective GID	.....	identity(S)
against/ is_starting_egid (gid):	against/ is_starting_euid (uid):	check current effective UID	.....	identity(S)
against/ is_starting_euid (uid):	retained/ is_starting_luid (uid):	check current login UID against	.....	identity(S)
retained/ is_starting_luid (uid):	retained/ is_starting_rgid (gid):	check current real GID against	.....	identity(S)
retained/ is_starting_rgid (gid):	retained/ is_starting_ruid (uid):	check current real UID against	.....	identity(S)
retained/ is_starting_ruid (uid):	getbsflag:	check existence of bootstring	.....	getbsvalue(K)
getbsflag:	input queue ttrdchk:	check existence of characters on	.....	tty(K)
input queue ttrdchk:	getpkgflag:	check existence of package string	.....	getbsvalue(K)
getpkgflag:	EUID eaccess:	check file accessibility using	.....	access(S)
EUID eaccess:	RUID access:	check file accessibility using	.....	access(S)
RUID access:	interface ifignore:	check for ignored network	.....	ifignore(SLIB)
interface ifignore:	submitted but not/ checkmail:	check for mail which has been	.....	checkmail(C)
submitted but not/ checkmail:	grpck:	check group file	.....	grpck(ADM)
grpck:	anything pb_check:	check if paste buffer contains	.....	tam(S)
anything pb_check:	authentication database authck:	check internal consistency of	.....	authck(ADM)
authentication database authck:	pwck:	check password file	.....	pwck(ADM)
pwck:	permlint:	check permlist syntax	.....	permlint(SMT)
permlint:	check script, multiuser mode tcb	check script /mode tcb	.....	tcck(ADM)
check script, multiuser mode tcb	/checker, single-user mode tcb	check script, multiuser mode tcb/	.....	tcck(ADM)
/checker, single-user mode tcb	spelling list spell:	Check spelling against a hashed	.....	spell(C)
spelling list spell:	uudemmon.hour:	check spool directory for work	.....	uudemmon(ADM)
uudemmon.hour:	predicate procedure XIfEvent:	check the event queue with a	.....	XIfEvent(XS)
predicate procedure XIfEvent:	permissions file uuecheck:	check the UUCP directories and	.....	uuecheck(ADM)
permissions file uuecheck:	start identity: get or	check uids or gids from program	.....	identity(S)
start identity: get or	verification program	checkaddr: MMDF address	.....	checkaddr(ADM)
verification program	that set_auth_parameters has/	check_auth_parameters: verify	.....	identity(S)
that set_auth_parameters has/	checkeq: macro equation	checker	.....	undocumented(M)
checkeq: macro equation	lint: a C program	checker	.....	lint(CP)
lint: a C program	rlint: a C program	checker	.....	rlint(CP)
rlint: a C program	/authckrc: trusted computing base	checker, single-user mode tcb/	.....	tcck(ADM)
/authckrc: trusted computing base	processed by fsck	checklist: list of file systems	.....	checklist(F)
processed by fsck	has been submitted but not/	checkmail: check for mail which	.....	checkmail(C)
has been submitted but not/	report generator	checkque: MMDF queue status	.....	checkque(ADM)
report generator				

waitsem, nwaitsem: awaits and checks access to a/ ..... waitsem(S)  
 matched event XCheckIfEvent: checks event queue and copy ..... XIfEvent(XS)  
 match found XPeekIfEvent: checks event queue and return if ... XIfEvent(XS)  
 the list /a List function that checks if a specified item is in ..... XmListItemExists(Xm)  
   data form\_driver: checks if c is a form request or ..... form(S)  
 request or data menu\_driver: checks if character (c) is a menu ... menu(S)  
   DISPLAYED: checks if screen is displayed ..... video(K)  
 against/ secondary\_auth: checks secondary authorization ... subsystems(S)  
 memory/ XShmQueryExtension: checks the server for shared ..... XShm(Xext)  
   be read rdchk: checks to see if there is data to ..... rdchk(S)  
 against Protected/ primary\_auth: checks user's authorization ..... subsystems(S)  
   a file sum: calculate a checksum and count the blocks in ... sum(C)  
   auditing for the next session  
     checkup: report on MMDF problems    checkup(ADM)  
     chg\_audit: enable and disable ..... chg\_audit(ADM)  
     chgrp: change group ID ..... chgrp(C)  
     /lowers highest mapped child of specified window ..... XRaiseWindow(XS)  
     /raises lowest mapped child of specified window ..... XRaiseWindow(XS)  
     with ptrace for tracing a child process /in conjunction ..... paccess(S)  
     times: get process and child process times ..... times(S)  
 window after/ wprexec: called by child process to prepare to take ... tam(S)  
   wait, waitpid: wait for child process to stop or/ ..... wait(S)  
   /convert string to immediate child widget ..... XmuCvtStringToWidget(Xmu)  
   /convert string to immediate child widget ..... XmuNewCvtStringToWidget(Xmu)  
     focus events on a child widget XtSetKeyboardFocus: XtSetKeyboardFocus(Xt)  
 query the preferred geometry of a child widget XtQueryGeometry: ... XtQueryGeometry(Xt)  
   returns the parent, a list of children, and the number of / that XmDropSiteQueryStackingOrder(Xm)  
     libraries tool    chkshlib: compare shared ..... chkshlib(CP)  
     chmod: change mode of file ..... chmod(S)  
     permissions of a file or/ chmod: change the access ..... chmod(C)  
   XDR a discriminated union of choices xdr\_union: ..... xdr(NS)  
 field type set\_fieldtype\_choice: chooses between next or previous . fieldtype(S)  
   a file chown: change owner and group of chown(S)  
     chown: change owner ID ..... chown(C)  
   / finds the point of maximum chroma displayable by the screen .. XcmsCIELabQueryMaxC(XS)  
   / finds the point of maximum chroma displayable by the screen .. XcmsCIElLuvQueryMaxC(XS)  
 by the/ /given Hue, Value and Chroma's find colors displayable .. XcmsTekHVCQueryMaxC(XS)  
   chroot: change root directory ..... chroot(S)  
   command chroot: change root directory for ... chroot(ADM)  
   table chrtbl: create a ctype locale ..... chrtbl(M)  
   file chsize: changes the size of a ..... chsize(S)  
   account unretire, chtype: change the usertype of an .. unretire(ADM)  
 XcmsCIELabQueryMaxC: obtain the CIE L\*a\*b\* coordinates ..... XcmsCIELabQueryMaxC(XS)  
 XcmsCIElLuvQueryMaxC: obtain the CIE L\*u\*v\* coordinates ..... XcmsCIElLuvQueryMaxC(XS)  
   circf: reserved external variable ... regeXP(S)  
   arc: plots an arc of a circle ..... plot(S)  
   circle: plots a circle ..... plot(S)  
     circle: plots a circle ..... plot(S)  
   XCirculateEvent: CirculateNotify event structure ... XCirculateEvent(XS)  
   XCirculateRequestEvent: CirculateRequest event structure ... XCirculateRequestEvent(XS)  
 window in/ XCirculateSubwindows: circulates children of specified ... XRaiseWindow(XS)  
   \_exit: circumvents cleanup ..... exit(S)  
   ckbpscd: unsupported utility ..... undocumented(M)  
   monacct,/ acctsh: chargefee, ckpacct, dodisk, lastlogin, ..... acctsh(ADM)  
 Composite: the Composite widget class ..... Composite(Xm)

## Permuted Index

Constraint: the Constraint widget	class	Constraint(Xm)
Core: the Core widget	class	Core(Xm)
Object: the Object widget	class	Object(Xm)
RectObj: the RectObj widget	class	RectObj(Xm)
Shell: the Shell widget	class	Shell(Xm)
WMShell: the WMShell widget	class	WMShell(Xm)
XmCommand: the Command widget	class	XmCommand(Xm)
XmDisplay: the Display widget	class	XmDisplay(Xm)
XmDragIcon: the DragIcon widget	class	XmDragIcon(Xm)
XmForm: the Form widget	class	XmForm(Xm)
XmFrame: the Frame widget	class	XmFrame(Xm)
XmGadget: the Gadget widget	class	XmGadget(Xm)
XmLabel: the Label widget	class	XmLabel(Xm)
XmList: the List widget	class	XmList(Xm)
XmManager: the Manager widget	class	XmManager(Xm)
XmMenuShell: the MenuShell widget	class	XmMenuShell(Xm)
XmPrimitive: the Primitive widget	class	XmPrimitive(Xm)
XmRowColumn: the RowColumn widget	class	XmRowColumn(Xm)
XmScale: the Scale widget	class	XmScale(Xm)
XmScreen: the Screen widget	class	XmScreen(Xm)
XmScrollBar: the ScrollBar widget	class	XmScrollBar(Xm)
XmSeparator: the Separator widget	class	XmSeparator(Xm)
XmText: the Text widget	class	XmText(Xm)
XmTextField: the TextField widget	class	XmTextField(Xm)
obtain and verify a widget's	class XtCheckSubclass:	XtClass(Xt)
obtain and verify a widget's	class XtClass:	XtClass(Xt)
obtain and verify a widget's	class XtIsComposite:	XtClass(Xt)
obtain and verify a widget's	class XtIsManaged:	XtClass(Xt)
obtain and verify a widget's	class XtIsSubclass:	XtClass(Xt)
obtain and verify a widget's	class XtSuperClass:	XtClass(Xt)
the ApplicationShell widget	class ApplicationShell:	ApplicationShell(Xm)
the ArrowButton widget	class XmArrowButton:	XmArrowButton(Xm)
the ArrowButtonGadget widget	class XmArrowButtonGadget:	XmArrowButtonGadget(Xm)
the BulletinBoard widget	class XmBulletinBoard:	XmBulletinBoard(Xm)
the CascadeButton widget	class XmCascadeButton:	XmCascadeButton(Xm)
the CascadeButtonGadget widget	class XmCascadeButtonGadget:	XmCascadeButtonGadget(Xm)
the DialogShell widget	class XmDialogShell:	XmDialogShell(Xm)
the DragContext widget	class XmDragContext:	XmDragContext(Xm)
the DrawingArea widget	class XmDrawingArea:	XmDrawingArea(Xm)
the DrawnButton widget	class XmDrawnButton:	XmDrawnButton(Xm)
the DropTransfer widget	class XmDropTransfer:	XmDropTransfer(Xm)
the FileSelectionBox widget	class XmFileSelectionBox:	XmFileSelectionBox(Xm)
the LabelGadget widget	class XmLabelGadget:	XmLabelGadget(Xm)
the MainWindow widget	class XmMainWindow:	XmMainWindow(Xm)
the MessageBox widget	class XmMessageBox:	XmMessageBox(Xm)
the OverrideShell widget	class OverrideShell:	OverrideShell(Xm)
the PanedWindow widget	class XmPanedWindow:	XmPanedWindow(Xm)
the PushButton widget	class XmPushButton:	XmPushButton(Xm)
the PushButtonGadget widget	class XmPushButtonGadget:	XmPushButtonGadget(Xm)
the ScrolledWindow widget	class XmScrolledWindow:	XmScrolledWindow(Xm)
the SelectionBox widget	class XmSelectionBox:	XmSelectionBox(Xm)
the SeparatorGadget widget	class XmSeparatorGadget:	XmSeparatorGadget(Xm)
the ToggleButton widget	class XmToggleButton:	XmToggleButton(Xm)
the ToggleButtonGadget widget	class XmToggleButtonGadget:	XmToggleButtonGadget(Xm)

the TopLevelShell widget class TopLevelShell: ..... TopLevelShell(Xm)  
 the TransientShell widget class TransientShell: ..... TransientShell(Xm)  
 the VendorShell widget class VendorShell: ..... VendorShell(Xm)  
     XSetClassHint: sets class hint for specified window .... XAllocClassHint(XS)  
     XClassHint: class hint structure ..... XAllocClassHint(XS)  
 read a / XAllocClassHint: allocate class hints structure and set or .... XAllocClassHint(XS)  
 requests to a lineprinter or class of printers /print ..... accept(ADM)  
     XGetClassHint: returns class of specified window ..... XAllocClassHint(XS)  
     /obtain widget class resources ..... XmuWnFetchResources(Xmu)  
     IsCursorKey: keysym classification macros ..... IsCursorKey(XS)  
         cleanup: clean up log files ..... undocumented(M)  
         /merge log files and clean UUCP directories ..... uudemond(ADM)  
         return expired mail cleanque: send warnings and ..... cleanque(ADM)  
 graphics adapter to VGA / clean\_screen: restore the console ... clean\_screen(X)  
 in directories specified cleantmp: remove temporary files . cleantmp(ADM)  
     \_exit: circumvents cleanup ..... exit(S)  
 uuclean: UUCP spool directory clean-up ..... uuclean(ADM)  
     cleanup: clean up log files ..... undocumented(M)  
 strclean: STREAMS error logger cleanup program ..... strclean(ADM)  
 bigcrypt, bigcryptmax: read or clear a password /fgetpasswd, .... getpasswd(S)  
     getpasswd: read or clear a password ..... getpasswd(S)  
     fgetpasswd: read or clear a password from a file ..... getpasswd(S)  
     clear: clear a terminal screen ..... clear(C)  
     XClearArea: clear area or window ..... XClearArea(XS)  
         clear: clear a terminal screen ..... clear(C)  
         clear: clears screen completely ..... curses(S)  
         clear: clears screen completely ..... tam(S)  
         clear: clears screen completely ..... terminfo(S)  
         clr: clear inode ..... clr(ADM)  
         it pb\_empty: clear out paste buffer and close .... tam(S)  
         XClearWindow: clear window ..... XClearArea(XS)  
 inquiries ferror, feof, clearferr, fileno: stream status ..... ferror(S)  
     to zero clearerr: resets error indicator ..... ferror(S)  
         clearok: clears screen completely ..... curses(S)  
         clearok: clears screen completely .. tam(S)  
         clearok: clears screen completely .. terminfo(S)  
         clear: clears screen completely ..... curses(S)  
         clear: clears screen completely ..... tam(S)  
         clear: clears screen completely ..... terminfo(S)  
         clearok: clears screen completely ..... curses(S)  
         clearok: clears screen completely ..... tam(S)  
         clearok: clears screen completely ..... terminfo(S)  
         screen slk\_clear: clears soft labels from the ..... curses(S)  
         screen slk\_clear: clears soft labels from the ..... terminfo(S)  
         /a Text function that clears the primary selection ..... XmTextClearSelection(Xm)  
         /a TextField function that clears the primary selection ..... XmTextFieldClearSelection(Xm)  
         wclear: clears window completely ..... curses(S)  
         wclear: clears window completely ..... terminfo(S)  
 font names xfontsel: point and click interface for selecting X11 .... xfontsel(X)  
 ctob: convert between bytes and clicks (memory pages) btoc, ..... btoc(K)  
 XKillClient: forces close-down of client ..... XSetCloseDownMode(XS)  
 modifies the menu cursor for a client /a function that ..... XmSetMenuCursor(Xm)  
     clipboard: X clipboard client ..... xclipboard(X)  
     display xlsclients: list client applications running on a ... xlsclients(X)

## Permuted Index

xkill: kill a client by its X resource ..... xkill(X)  
 /a VendorShell function that adds client callbacks for a protocol ..... XmAddProtocolCallback(Xm)  
 /convenience interface that adds client callbacks for a protocol ..... XmAddWMProtocolCallback(Xm)  
 XFree: free client data ..... XFree(XS)  
 clnt\_control: control client handle ..... rpc(NS)  
 clnt\_destroy: destroy client handle ..... rpc(NS)  
 clnt\_create: generic client handle creation ..... rpc(NS)  
 clntraw\_create: client handle creation ..... rpc(NS)  
 clnttcp\_create: client handle creation ..... rpc(NS)  
 clntudp\_create: client handle creation ..... rpc(NS)  
 kclt\_create: create kernel RPC client handles ..... kclt\_create(NS)  
 Network Information Service (NIS) client interface ypclnt: ..... ypclnt(NS)  
 /returns the client white point of the CCC ..... DisplayOfCCC(XS)  
 XSetCloseDownMode: control clients ..... XSetCloseDownMode(XS)  
 manage starting and stopping clients scossession: ..... scossession(X)  
 properties for communicating with clients /sets window ..... XSetWMProperties(XS)  
 start the X server and default clients startx: ..... startx(X)  
 /removes specified window from client's save set ..... XChangeSaveSet(XS)  
 XChangeSaveSet: change a client's save set ..... XChangeSaveSet(XS)  
 adds specified window to the client white point of the ClientWhitePointOfCCC: returns ..... DisplayOfCCC(XS)  
 a shell command interpreter with C-like syntax csh: invoke ..... csh(C)  
 list of rectangles and set clip origin /to specified ..... XSetClipOrigin(XS)  
 clipboard function that locks the clipboard XmClipboardLock: a ..... XmClipboardLock(Xm)  
 function that ends a copy to the clipboard /a clipboard ..... XmClipboardEndCopy(Xm)  
 function that unlocks the clipboard /a clipboard ..... XmClipboardUnlock(Xm)  
 retrieves a data item from the clipboard /function that ..... XmClipboardRetrieve(Xm)  
 storage for later copying to clipboard /data item to temporary ..... XmClipboardCopy(Xm)  
 that cancels a copy to the clipboard /a clipboard function ..... XmClipboardCancelCopy(Xm)  
 that ends a copy from the clipboard /a clipboard function ..... XmClipboardEndRetrieve(Xm)  
 that starts a copy from the clipboard /a clipboard function ..... XmClipboardStartRetrieve(Xm)  
 the last item placed on the clipboard /function that deletes ..... XmClipboardUndoCopy(Xm)  
 the primary selection to the clipboard /function that copies ..... XmTextCopy(Xm)  
 the primary selection to the clipboard /function that copies ..... XmTextFieldCopy(Xm)  
 the primary selection to the clipboard and deletes the /copies ..... XmTextCut(Xm)  
 the primary selection to the clipboard and deletes the /copies ..... XmTextFieldCut(Xm)  
 xclipboard: X clipboard client ..... xclipboard(X)  
 clipboard function that cancels a clipboard function that cancels a ..... XmClipboardCancelCopy(Xm)  
 data item to/ XmClipboardCopy: a clipboard function that copies a ..... XmClipboardCopy(Xm)  
 data/ XmClipboardCopyByName: a clipboard function that copies a ..... XmClipboardCopyByName(Xm)  
 the last/ XmClipboardUndoCopy: a clipboard function that deletes ..... XmClipboardUndoCopy(Xm)  
 copy to/ XmClipboardEndCopy: a clipboard function that ends a ..... XmClipboardEndCopy(Xm)  
 copy/ XmClipboardEndRetrieve: a clipboard function that ends a ..... XmClipboardEndRetrieve(Xm)  
 XmClipboardWithdrawFormat: a clipboard function that indicates/ ..... XmClipboardWithdrawFormat(Xm)  
 a clipboard XmClipboardLock: a clipboard function that locks the ..... XmClipboardLock(Xm)  
 a/ XmClipboardRegisterFormat: a clipboard function that registers ..... XmClipboardRegisterFormat(Xm)  
 a data/ XmClipboardRetrieve: a clipboard function that retrieves ..... XmClipboardRetrieve(Xm)  
 the/ XmClipboardInquireCount: a clipboard function that returns ..... XmClipboardInquireCount(Xm)  
 the/ XmClipboardInquireLength: a clipboard function that returns ..... XmClipboardInquireLength(Xm)  
 XmClipboardInquireFormat: a clipboard function that returns a/ ..... XmClipboardInquireFormat(Xm)  
 XmClipboardInquirePendingItems: a clipboard function that returns a/ ..... XmClipboardInquirePendingItems(Xm)  
 storage/ XmClipboardStartCopy: a clipboard function that sets up a ..... XmClipboardStartCopy(Xm)  
 copy/ XmClipboardStartRetrieve: a clipboard function that starts a ..... XmClipboardStartRetrieve(Xm)  
 the/ XmClipboardUnlock: a clipboard function that unlocks ..... XmClipboardUnlock(Xm)

for quick paste and certain clipboard operations /destination . XmGetDestination(Xm)  
 a Text function that inserts the clipboard selection XmTextPaste: . . . XmTextPaste(Xm)  
 function that inserts the clipboard selection /a TextField . . . XmTextFieldPaste(Xm)  
 XSetRegion: sets clip-mask . . . . . XCreateRegion(XS)  
 XSetClipRectangles: changes clip-mask to specified list of/ . . . . . XSetClipOrigin(XS)  
 XSetClipMask: sets clip-mask to specified pixmap . . . . . XSetClipOrigin(XS)  
 putbc: add block to clist . . . . . putc(K)  
 putc: add character to clist . . . . . putc(K)  
 putcb: add characters to clist . . . . . putc(K)  
 getc, getcb, getcbp, getcf: read clist buffers . . . . . getc(K)  
 putcb, putcbp, putcf: write to clists putc, . . . . . putc(K)  
 procedure call clnt\_broadcast: broadcast remote . . . . . rpc(NS)  
 procedure clnt\_call: call a remote . . . . . rpc(NS)  
 handle clnt\_control: control client . . . . . rpc(NS)  
 handle creation clnt\_create: generic client . . . . . rpc(NS)  
 handle clnt\_destroy: destroy client . . . . . rpc(NS)  
 by RPC/XDR clnt\_freeres: free data allocated . . . . . rpc(NS)  
 information clnt\_geterr: get error . . . . . rpc(NS)  
 information clnt\_pcreateerror: print error . . . . . rpc(NS)  
 information clnt\_perrno: print error . . . . . rpc(NS)  
 information clnt\_perror: print error . . . . . rpc(NS)  
 creation clntraw\_create: client handle . . . . . rpc(NS)  
 error information clnt\_spcreateerror: string print . . . . . rpc(NS)  
 information clnt\_sperno: string print error . . . . . rpc(NS)  
 information clnt\_sperro: string print error . . . . . rpc(NS)  
 creation clnttcp\_create: client handle . . . . . rpc(NS)  
 creation clntudp\_create: client handle . . . . . rpc(NS)  
 alarm: set a process alarm clock . . . . . alarm(S)  
 getclk: get string from real-time clock . . . . . getclk(M)  
 spl6: prevent interrupts from the clock . . . . . spl(K)  
 synchronization of the system clock /correct the time to allow . . . . . adjtime(SSC)  
 system real-time (time of day) clock clock: the . . . . . clock(F)  
 system real-time (time of day) clock setclock: set the . . . . . setclock(ADM)  
 dclock: digital clock for X . . . . . dclock(X)  
 xclock: analog / digital clock for X . . . . . xclock(X)  
 the frequency of the system clock in ticks per second /return . . . . . gethz(S)  
 rtc: real time clock interface . . . . . rtc(HW)  
 of day) clock clock: report CPU time used . . . . . clock(S)  
 converts time pointed to by clock: the system real-time (time . . . . . clock(F)  
 STREAMS driver clock to tm structure localtime: . . . . . ctime(S)  
 information XOpenIM: open, clone: open any minor device on a . . . . . clone(M)  
 close, and obtain input method . . . . . XOpenIM(XS)  
 close: close a file descriptor . . . . . close(S)  
 directory stream and frees the/ closedir: closes the named . . . . . directory(S)  
 rewinddir, seekdir,/ directory: closedir, opendir, readdir, . . . . . directory(S)  
 XKillClient: forces close-down of client . . . . . XSetCloseDownMode(XS)  
 output closepl: flushes the plotter . . . . . plot(S)  
 catclose: closes a message catalog . . . . . catopen(S)  
 MrmCloseHierarchy: closes a UID hierarchy . . . . . MrmCloseHierarchy(Xm)  
 processing is/ endprdfnt: closes default control file when . . . . . getprdfnt(S)  
 ldaclose: closes file and frees memory . . . . . ldclose(S)  
 ldclose: closes file and frees memory . . . . . ldclose(S)  
 processing is/ endprfnt: closes file control file when . . . . . getprfnt(S)  
 is a complete endgrent: closes group file when processing . . . . . getgrent(S)

## Permuted Index

processing is complete endpoint: closes password file when ..... getpwent(S)  
 when processing is/ endprpwent: closes protected password files .... getprpwent(S)  
 processing is complete endspnt: closes shadow password file when . getsptent(S)  
 fclose: writes buffered data and closes stream ..... fclose(S)  
     endhostent: closes TCP connection ..... gethostbyname(SLIB)  
     endutent: closes the currently open file ..... getut(S)  
     resets ll\_fd to zero ll\_close: closes the MMDF logging file and .. llog(S)  
     and frees the DIR/ closedir: closes the named directory stream . directory(S)  
         XClosetM: closes the specified input method .. XOpenM(XS)  
 /looks up named color and returns closest color supported by screen .. XAllocColor(XS)  
     XQueryBestTile: returns best or closest size ..... XQueryBestSize(XS)  
         returns best or closest size XQueryBestStipple: .. XQueryBestSize(XS)  
     clrbuf: zero a block I/O buffer ..... clrbuf(K)  
     clri: clear inode ..... clri(ADM)  
     clrtoeb: erases all lines below ..... curses(S)  
     cursor in current window clrtoeb: erases all lines below ..... tam(S)  
     cursor in current window clrtoeb: erases all lines below ..... terminfo(S)  
     cursor in current window clrtoeb: erases current line to ..... curses(S)  
     right of cursor inclusive clrtoeb: erases current line to ..... tam(S)  
     right of cursor inclusive clrtoeb: erases current line to ..... terminfo(S)  
     right of cursor inclusive cmn\_err: display message or panic cmn\_err(K)  
     the system cmos: display and set the ..... cmos(HW)  
     configuration data base cmp: compare two files ..... cmp(C)  
     mailboxes to MMDF format cnvtmpbox: convert XENIX-style .... cnvtmpbox(ADM)  
     findstr: find strings in C source code ..... findstr(CP)  
     XGetErrorText: reads error code description ..... XSetErrorHandler(XS)  
         dis: object code disassembler ..... dis(CP)  
 eccd: memory Error Correction Code (ECC) facility ecc, ..... ecc(ADM)  
     buffer adf\_gtxcd: get next text code from string and copy to ..... tam(S)  
         seterror: set error code in u.u\_error ..... seterror(K)  
         lockb: lock critical code section ..... lockb(K)  
         unlockb: unlock critical code section ..... lockb(K)  
 /unlockb: lock and unlock critical code section for single processor/ . lockb(K)  
     Write a spelling list from hash codes spellin: ..... spell(C)  
         hashmake: Generate hash codes for a list of words ..... spell(C)  
         hashcheck: Recreate the hash codes in a hashed spelling list ..... spell(C)  
         iconv: international codeset conversion ..... iconv(CP)  
     print section sizes in bytes of codeview: visual debugger ..... codeview(CP)  
         strcoll: used to COFF files size: ..... size(CP)  
         character is reached strncoll: col: filter reverse linefeeds ..... col(C)  
             coltbl: create a collate two strings ..... strcoll(S)  
             strnxfm, strxfm: handles collates two strings until nth ..... strcoll(S)  
                 prfdc: periodically collation locale table ..... coltbl(M)  
                 invocation prfsnap: collation of strings /strncoll, ..... strcoll(S)  
                 uudemmon.admin: collect data ..... profiler(ADM)  
                 audit/ auditd: read audit collect data at time of ..... profiler(ADM)  
 XStoreNamedColor: looks up named collect uustat data ..... uudemmon(ADM)  
     changes the definition of a collection files generated by the .. auditd(ADM)  
     changes the definition of a color ..... XStoreColors(XS)  
     components in an initialized color init\_color: ..... curses(S)  
     components in an initialized color init\_color: ..... terminfo(S)  
     looks up the string name of a color /allows user to identify ..... curses(S)  
     color /allows user to identify ..... terminfo(S)  
     color XcmsLookupColor: ..... XcmsQueryColor(XS)



start\_color: manipulates color on  
 start\_color: manipulates color on  
 setcolor, setcolour: set screen  
 XAllocNamedColor: looks up named  
 the procedure used for default  
 the procedure used for default  
 /determines whether terminal has  
 /determines whether terminal has  
 specified /allocate a read-only  
 allocates read/write  
 DisplayOfCCC:  
 /convert string to  
 rgb:  
 showrgb:  
 /fetches a named  
 display/ screen: tty [01-n],  
 start\_color: manipulates  
 start\_color: manipulates  
 XAllocColorPlanes: allocates  
 /looks up the string name of a  
 XcmsQueryBlue: returns the  
 XcmsQueryGreen: returns the  
 XcmsQueryRed: returns the  
 XcmsQueryWhite: returns the  
 XcmsConvertColors: convert CCC  
 blue, green, red, and white CCC  
 XColor:  
 XcmsColor: Xcms  
 copy, or destroy colormaps and  
 possible formats in the Xcms  
 possible formats in the Xcms  
 possible formats in the Xcms  
 possible formats in the Xcms  
 possible formats in the Xcms  
 possible formats in the Xcms  
 possible formats in the Xcms  
 possible formats in the Xcms  
 possible formats in the Xcms  
 named color and returns closest  
 of a color, returns the exact  
 XLookupColor: returns  
 XQueryColor: obtain  
 XQueryColors: returns  
 XcmsQueryColor: obtain  
 identify components in an/  
 identify components in an/  
 /create standard  
 CCC associated with the specified  
 XCopyColormapAndFree: copies  
 XFreeColormap: deletes  
 XUninstallColormap: removes  
 XmuCreateColormap: create  
 create standard  
 number of entries in default  
 color alphanumeric terminals ..... curses(S)  
 color alphanumeric terminals ..... terminfo(S)  
 color and other screen attributes ... setcolor(C)  
 color and returns closest color/ ..... XAllocColor(XS)  
 color calculation /to get ..... XmGetColorCalculation(Xm)  
 color calculation /to set ..... XmSetColorCalculation(Xm)  
 color capabilities ..... curses(S)  
 color capabilities ..... terminfo(S)  
 color cell in any format ..... XcmsAllocColor(XS)  
 color cells XAllocColorCells: ..... XAllocColor(XS)  
 Color Conversion Context macros . DisplayOfCCC(XS)  
 color cursor ..... XmuCvtStringToColorCursor(Xmu)  
 color database compiler ..... rgb(X)  
 color database previewer ..... showrgb(X)  
 color literal from a UID file ..... MrmFetchColorLiteral(Xm)  
 color, monochrome, ega, vga ..... screen(HW)  
 color on color alphanumeric/ ..... curses(S)  
 color on color alphanumeric/ ..... terminfo(S)  
 color planes ..... XAllocColor(XS)  
 color, returns the exact color/ ..... XQueryColor(XS)  
 color specification in the/ ..... XcmsQueryBlack(XS)  
 color specification in the/ ..... XcmsQueryBlack(XS)  
 color specification in the/ ..... XcmsQueryBlack(XS)  
 color specification in the/ ..... XcmsQueryBlack(XS)  
 color specifications ..... XcmsConvertColors(XS)  
 color specifications /black, ..... XcmsQueryBlack(XS)  
 color structure ..... XCreateColormap(XS)  
 color structure ..... XcmsColor(XS)  
 color structure /create, ..... XCreateColormap(XS)  
 color structure XcmsCIELab: ..... XcmsColor(XS)  
 color structure XcmsCIELuv: ..... XcmsColor(XS)  
 color structure XcmsCIEXYZ: ..... XcmsColor(XS)  
 color structure XcmsCIEuvY: ..... XcmsColor(XS)  
 color structure XcmsCIExyY: ..... XcmsColor(XS)  
 color structure XcmsPad: ..... XcmsColor(XS)  
 color structure XcmsRGB: ..... XcmsColor(XS)  
 color structure XcmsRGBi: ..... XcmsColor(XS)  
 color structure XcmsTekHVC: ..... XcmsColor(XS)  
 color supported by screen /up .... XAllocColor(XS)  
 color value /up the string name ... XQueryColor(XS)  
 color values ..... XQueryColor(XS)  
 color values ..... XQueryColor(XS)  
 color values ..... XQueryColor(XS)  
 color values ..... XcmsQueryColor(XS)  
 color\_content: allows user to ..... curses(S)  
 color\_content: allows user to ..... terminfo(S)  
 colormap ..... XmuLookupStandardColormap(Xmu)  
 colormap /changes the ..... XcmsCCCOfColormap(XS)  
 colormap ..... XCreateColormap(XS)  
 colormap ..... XCreateColormap(XS)  
 colormap ..... XInstallColormap(XS)  
 colormap ..... XmuCreateColormap(Xmu)  
 colormap XmuStandardColormap: XmuStandardColormap(Xmu)  
 colormap /returns maximum ..... AllPlanes(XS)

## Permuted Index

query and modify CCC of a colormap `XcmsCCCOfColormap`: `XcmsCCCOfColormap(XS)`  
     `xshowcmap`: shows colormap `xshowcmap(X)`  
**CellsOfScreen**: returns number of colormap cells in default/ `BlackPixelOfScreen(XS)`  
     values/ `XStoreColor`: change colormap entries of the pixel `XStoreColors(XS)`  
**XAllocColor**: allocates read-only colormap entry `XAllocColor(XS)`  
     /of colormap cells in default colormap of specified screen `BlackPixelOfScreen(XS)`  
     /returns default colormap of specified screen `BlackPixelOfScreen(XS)`  
**XSetWindowColormap**: set colormap of window `XChangeWindowAttributes(XS)`  
     visual /define standard colormap properties for given `XmuVisualStandardColormaps(Xmu)`  
     /delete standard colormap property `XmuDeleteStandardColormap(Xmu)`  
     /allocate, set, or read a standard colormap structure `XAllocStandardColormap(XS)`  
**XGetRGBColormaps**: reads standard colormap structure `XAllocStandardColormap(XS)`  
**XSetRGBColormaps**: sets standard colormap structure `XAllocStandardColormap(XS)`  
**XStandardColormap**: standard colormap structure `XAllocStandardColormap(XS)`  
     `xstdcmap`: X standard colormap utility `xstdcmap(X)`  
**XClientMessageEvent**: ColormapNotify event structure `XClientMessageEvent(XS)`  
     `XColormapEvent`: ColormapNotify event structure `XColormapEvent(XS)`  
     /lists currently installed colormaps `XInstallColormap(XS)`  
**XInstallColormap**: control colormaps `XInstallColormap(XS)`  
**XmuAllStandardColormaps**: standard colormaps `XmuAllStandardColormaps(Xmu)`  
     /create, copy, or destroy colormaps and color structure `XCreateColormap(XS)`  
     /maximum number of installed colormaps supported by screen `BlackPixelOfScreen(XS)`  
     /minimum number of installed colormaps supported by screen `BlackPixelOfScreen(XS)`  
     `init_pair`: initializes a color-pair `curse(S)`  
     `init_pair`: initializes a color-pair `termInfo(S)`  
     /user to find out how a given color-pair is currently defined `curse(S)`  
     /user to find out how a given color-pair is currently defined `termInfo(S)`  
**XAllocColor**: allocate and free colors `XAllocColor(XS)`  
     `XFreeColors`: frees colors `XAllocColor(XS)`  
     `XStoreColors`: set colors `XStoreColors(XS)`  
     `XcmsStoreColor`: set colors `XcmsStoreColor(XS)`  
     allocate device-independent colors `XcmsAllocColor`: `XcmsAllocColor(XS)`  
     determine best allocation of colors `XmuGetColormapAllocation`: `XmuGetColormapAllocation(Xmu)`  
     foreground, select, and shadow colors /a function that generates `XmGetColors(Xm)`  
     if terminal can manipulate colors `has_colors`: determines `curse(S)`  
     if terminal can manipulate colors `has_colors`: determines `termInfo(S)`  
         `setcolor`: Set screen colors and other attributes `setcolor(C)`  
     /Hue, Value and Chroma's find colors displayable by the screen `XcmsTekHVCQueryMaxC(XS)`  
     `sccolor`: change window colors in the SCO Open Desktop GUI `sccolor(X)`  
     /recalculates all associated colors of a widget `XmChangeColor(Xm)`  
**XcmsStoreColors**: converts the colors specified into RGB values `XcmsStoreColor(XS)`  
     `sysadmsh(ADM)` `sysadmcolor`: colors used to render `sysadmcolor(F)`  
         `setcolour`: Set screen colours and other attributes `setcolor(C)`  
         table `coltbl`: create a collation locale `coltbl(M)`  
         `lc`: List files in columns `ls(C)`  
     number displayed menu rows and columns /sets maximum `menu(S)`  
     rather than/ `lx`: List files in columns, sorted across the page, `ls(C)`  
     menu /maximum number of rows and columns that can be displayed in `menu(S)`  
     `comb`: combine SCCS deltas `comb(CP)`  
         `comb`: combine SCCS deltas `comb(CP)`  
     specified by the/ `XWMGeometry`: combines geometry information `XParseGeometry(XS)`  
     common to two sorted files `comm`: select or reject lines `comm(C)`  
     `chroot`: change root directory for command `chroot(ADM)`  
     create a front-end to the rcc command `gcc`: `gcc(CP)`

execute UNIX operating system  
 ioctl: I/O control  
 pclose: returns exit status of  
 pipe between calling program and  
 returning a stream to a remote  
 rexec: return stream to a remote  
 system: issue a shell  
 time: time a  
 /Korn shell, a standard/restricted  
 of the string displayed in the  
 asroot: run a  
 priority nice: run a  
 scsi\_get\_gen\_cmd: fill a  
 agetcommand: find next  
 output null-terminated string to  
 env: set environment for  
 printenv: print environment for  
 uux: UNIX-to-UNIX system  
 passed/ XmCommandAppendValue: a  
 error message XmCommandError: a  
 access a/ XmCommandGetChild: a  
 displayed/ XmCommandSetValue: a  
 quits nohup: run a  
 Runlayer: runs specified  
 subsystem activation,/ auditcmd:  
 rsh: invoke a restricted shell  
 sh: invoke the shell  
 syntax csh: invoke a shell  
 constructs of the Deskshell  
 the commands of the Deskshell  
 Manager structures, and parse the  
 XmParseCommand: parses  
 rcmd: execute a  
 getopt: parse  
 getopts, getoptcv: parse  
 system activity timex: time a  
 uuxqt: execute remote  
 accounting records acctcms:  
 /is a link to init. When the  
 XmCommand: the  
 XmCreateCommand: the  
 Xt\_options: standard X Toolkit  
 Intro: introduces UNIX  
 Introduces Development System  
 aio: Asynchronous disk I/O ioctl  
 and miscellaneous accounting  
 help: Asks for help about SCCS  
 install: install  
 interpret tty driver I/O control  
 script that executes initab  
 streamio: STREAMS ioctl  
 to XENIX cross-development  
 to system administration  
 xargs: construct and execute  
 command uexec: ..... uexec(PCI)  
 command ..... ioctl(S)  
 command ..... popen(S)  
 command popen: creates ..... popen(S)  
 command /ruserok: routines for .. rcmd(SLIB)  
 command ..... rexec(SLIB)  
 command ..... system(S)  
 command ..... time(C)  
 command and programming language ksh(C)  
 command area of the widget /end . XmCommandAppendValue(Xm)  
 command as root ..... asroot(ADM)  
 command at a different scheduling nice(C)  
 command block ..... scsi(K)  
 command entry in authcap file .... authcap(S)  
 command entry/echo line wcmd: . tam(S)  
 command execution ..... env(C)  
 command execution ..... env(C)  
 command execution ..... uux(C)  
 Command function that appends the XmCommandAppendValue(Xm)  
 Command function that displays an XmCommandError(Xm)  
 Command function that is used to . XmCommandGetChild(Xm)  
 Command function that replaces a XmCommandSetValue(Xm)  
 command immune to hangups and nohup(C)  
 command in layer ..... libwindows(S)  
 command interface for audit ..... auditcmd(ADM)  
 (command interpreter) ..... rsh(C)  
 command interpreter ..... sh(C)  
 command interpreter with C-like .. csh(C)  
 command language /and control .. deskshell(X)  
 command language /commands: . deskcommands(X)  
 command line /Manager, Resource XmInitialize(XS)  
 command line ..... XmInitialize(XS)  
 command on a remote machine .. rcmd(SLIB)  
 command options ..... getopt(C)  
 command options ..... getopts(C)  
 command; report process data and timex(ADM)  
 command requests ..... uuxqt(ADM)  
 command summary from per-process acctcms(ADM)  
 command telinit is run, init is/ .. init(M)  
 Command widget class ..... XmCommand(Xm)  
 Command widget creation function XmCreateCommand(Xm)  
 command-line options ..... Xt\_options(X)  
 commands ..... intro(C)  
 commands Intro: ..... Intro(CP)  
 commands ..... aio(M)  
 commands /overview of accounting acct(ADM)  
 commands ..... help(CP)  
 commands ..... install(ADM)  
 commands ttiocom: ..... ttiocom(K)  
 commands initscript: ..... initscript(ADM)  
 commands ..... streamio(M)  
 commands Intro: introduction .... Intro(XNX)  
 commands Intro: introduction ..... intro(ADM)  
 commands ..... xargs(C)

## Permuted Index

at, batch: execute commands at a later time ..... at(C)  
viddoio: support I/O control commands for adapter driver ..... video(K)  
language deskshell commands: the commands of the Deskshell comand deskcomands(X)  
remote: execute commands on a remote system .... remote(C)  
environment rc2: run commands performed for multiuser rc2(ADM)  
operating system rc0: run commands performed to stop the .. rc0(ADM)  
and crontab cron: execute commands scheduled by at, batch, .. cron(C)  
Deskshell command/ deskshell commands: the commands of the .. deskcomands(X)  
regular/ crontab: schedule commands to be executed at ..... crontab(C)  
mcs: manipulate the object file comment section ..... mcs(CP)  
cdc: change the delta commentary of an SCCS delta ..... cdc(CP)  
/sets window properties for communicating with clients ..... XSetWMProperties(XS)  
socket: create an endpoint for communication ..... socket(SSC)  
the status of inter-process communication facilities /report .. ipc(ADM)  
ftok: standard interprocess communication package ..... ftok(S)  
tellxdt3: Desktop to UNIX shell communications utility ..... tellxdt3(X)  
cdrom: compact disk devices ..... cdrom(HW)  
by the audit subsystem and compact the records /generated ... auditd(ADM)  
dircmp: compare directories ..... dircmp(C)  
sdiff: compare files side-by-side ..... sdiff(C)  
diskcmp: Compare floppy disks ..... diskcp(C)  
diskcp, diskcmp: copy or compare floppy disks ..... diskcp(C)  
nl\_strcmp, nl\_strncmp: compare native language strings .. nl\_strcmp(S)  
nl\_strcmp: compare native language strings .. nl\_strcmp(S)  
nl\_strncmp: compare native n language strings .. nl\_strncmp(S)  
descriptions infocmp: compare or print out terminfo ..... infocmp(ADM)  
and past distributions hocheck: compare perms lists with current .. hocheck(SMT)  
chkshlib: compare shared libraries tool ..... chkshlib(CP)  
diff3: compare three files ..... diff3(C)  
cmp: compare two files ..... cmp(C)  
XmuCompareISOLatin1: compare two Latin-1 strings ..... XmuCompareISOLatin1(Xmu)  
diff: compare two text files ..... diff(C)  
file sccsdiff: compare two versions of an SCCS .. sccsdiff(CP)  
memcmp: compares arguments ..... memory(S)  
returns an integer strcmp: compares its arguments and ..... string(S)  
of n characters strncmp: compares its arguments to maximum string(S)  
/a compound string function that compares two strings ..... XmStringCompare(Xm)  
case-insensitive string comparison strcasecmp: ..... string(SLIB)  
case-insensitive string comparison strcmp: ..... string(SLIB)  
the results of a byte-by-byte comparison /that indicates ..... XmStringByteCompare(Xm)  
bcmp: byte comparison operation ..... bstring(SLIB)  
if a machine is a 386 or fully compatible /Return a true value .. machid(C)  
if a machine is a 486 or fully compatible /Return a true value .. machid(C)  
cmpver: compatible versions file ..... cmpver(F)  
INIT: initialize before compile ..... regexp(S)  
regcmp: regular expression compile ..... regcmp(CP)  
regcmp: compile a regular expression ..... regcmp(S)  
regexp: regular expression compile and match routines ..... regexp(S)  
with advance or step compile: compile string for use ..... regexp(S)  
ERROR: abnormal return from compile routine ..... regexp(S)  
pointer argument at exit of compile routine RETURN: returns .. regexp(S)  
advance or step compile: compile string for use with ..... regexp(S)  
Distribution Format to Portable Compiled Format /font from Bitmap bdfproc(X)  
advance: pattern match given a compiled regular expression ..... regexp(S)

against a/ regex: execute a compiled regular expression ..... regcmp(S)  
 terminfo: format of compiled terminfo file ..... terminfo(F)  
 X keyboard configuration compiler xconfig: ..... xconfig(X)  
 cc: invokes the C compiler ..... cc(CP)  
 rcc: AT&T C compiler ..... rcc(CP)  
 rgb: color database compiler ..... rgb(X)  
 rpcgen: an RPC protocol compiler ..... rpcgen(NC)  
 tic: terminfo compiler ..... tic(C)  
 uil: the user interface language compiler ..... uil(Xm)  
 bdf2osnf: BDF to SNF font compiler for X11 ..... bdf2osnf(X)  
 application Uil: invokes the UIL compiler from within an ..... Uil(Xm)  
 generator yacc: yet another compiler-compiler—a parser ..... yacc(CP)  
 expressions regcmp, regex: compiles and executes regular ..... regcmp(S)  
 erf, erf\_c: error function and complementary error function ..... erf(S)  
 iodone: signal I/O completion ..... iodone(K)  
 iowait: wait for I/O completion ..... iowait(K)  
 processes wait: await completion of background ..... wait(C)  
 function that is used to access a component /a Command ..... XmCommandGetChild(Xm)  
 function that is used to access a component /a MessageBox ..... XmMessageBoxGetChild(Xm)  
 function that is used to access a component /a SelectionBox ..... XmSelectionBoxGetChild(Xm)  
 function used to access a component /a FileSelectionBox ..... XmFileSelectionBoxGetChild(Xm)  
 subsystem: security subsystem component description ..... subsystem(M)  
 the component type of the next component fetched /that returns ..... XmStringPeekNextComponent(Xm)  
 /the type and value of the next component in a compound string ..... XmStringGetNextComponent(Xm)  
 /a function that determines which component receives keyboard/ ..... XmProcessTraversal(Xm)  
 /string function that returns the component type of the next/ ..... XmStringPeekNextComponent(Xm)  
 method XmLookupString: obtain composed input from an input ..... XmLookupString(XS)  
 method XwcLookupString: obtain composed input from an input ..... XmbLookupString(XS)  
 class Composite: the Composite widget ..... Composite(Xm)  
 Composite widget class ..... Composite(Xm)  
 XmString: data type for a compound string ..... XmString("Xm")  
 a specified number of bytes to a compound string /that appends ..... XmStringNConcat(Xm)  
 for a text segment in the input compound string /that searches ..... XmStringGetLtoR(Xm)  
 function that creates a copy of a compound string /compound string ..... XmStringNCopy(Xm)  
 octets in the next segment of a compound string /that fetches the ..... XmStringGetNextSegment(Xm)  
 plus one in the provided compound string /of separators ..... XmStringLineCount(Xm)  
 rectangle that will enclose the compound string /of the smallest ..... XmStringExtent(Xm)  
 sequence of text components in a compound string /of the longest ..... XmStringWidth(Xm)  
 string function that creates a compound string /a compound ..... XmStringCreate(Xm)  
 string function that creates a compound string /a compound ..... XmStringCreateLtoR(Xm)  
 string function that creates a compound string /a compound ..... XmStringDirectionCreate(Xm)  
 string function that creates a compound string /a compound ..... XmStringSegmentCreate(Xm)  
 that converts compound text to a compound string /a compound ..... XmStringSeparatorCreate(Xm)  
 that obtains the length of a compound string /string function ..... XmCvtCTToXmString(Xm)  
 the line height of the given compound string /string function ..... XmStringLength(Xm)  
 value of the next component in a compound string /that returns ..... XmStringHeight(Xm)  
 XmRegisterSegmentEncoding: a compound string /the type and ..... XmStringGetNextComponent(Xm)  
 XmStringCreateLocalized: a compound string function that/ ..... XmRegisterSegmentEncoding(Xm)  
 XmStringDirectionCreate: a compound string function that/ ..... XmStringCreateLocalized(Xm)  
 XmStringDrawUnderline: a compound string function that/ ..... XmStringDirectionCreate(Xm)  
 XmStringGetNextComponent: a compound string function that/ ..... XmStringDrawUnderline(Xm)  
 XmStringGetNextSegment: a compound string function that/ ..... XmStringGetNextComponent(Xm)  
 XmStringHasSubstring: a compound string function that/ ..... XmStringGetNextSegment(Xm)  
 compound string function that/ ..... XmStringHasSubstring(Xm)

## Permuted Index

XmStringPeekNextComponent: a compound string function that/ ... XmStringPeekNextComponent(Xm)  
     XmStringSeparatorCreate: a compound string function that/ ... XmStringSeparatorCreate(Xm)  
     allows/ XmStringInitContext: a compound string function that ... XmStringInitContext(Xm)  
     appends a/ XmStringNConcat: a compound string function that ... XmStringNConcat(Xm)  
     appends one/ XmStringConcat: a compound string function that ... XmStringConcat(Xm)  
     compares two/ XmStringCompare: a compound string function that ... XmStringCompare(Xm)  
     converts a/ XmCvtXmStringToCT: a compound string function that ... XmCvtXmStringToCT(Xm)  
     converts/ XmCvtCTToXmString: a compound string function that ... XmCvtCTToXmString(Xm)  
     creates a copy/ XmStringNCopy: a compound string function that ... XmStringNCopy(Xm)  
     creates a/ XmStringCreate: a compound string function that ... XmStringCreate(Xm)  
     creates a/ XmStringCreateLtoR: a compound string function that ... XmStringCreateLtoR(Xm)  
     creates/ XmStringCreateSimple: a compound string function that ... XmStringCreateSimple(Xm)  
     creates/ XmStringSegmentCreate: a compound string function that ... XmStringSegmentCreate(Xm)  
     determines the/ XmStringExtent: a compound string function that ... XmStringExtent(Xm)  
     draws a compound/ XmStringDraw: a compound string function that ... XmStringDraw(Xm)  
     draws a/ XmStringDrawImage: a compound string function that ... XmStringDrawImage(Xm)  
     indicates/ XmStringByteCompare: a compound string function that ... XmStringByteCompare(Xm)  
     instructs/ XmStringFreeContext: a compound string function that ... XmStringFreeContext(Xm)  
     makes a copy of/ XmStringCopy: a compound string function that ... XmStringCopy(Xm)  
     obtains the/ XmStringLength: a compound string function that ... XmStringLength(Xm)  
     provides/ XmStringEmpty: a compound string function that ... XmStringEmpty(Xm)  
     recovers memory XmStringFree: a compound string function that ... XmStringFree(Xm)  
     returns the/ XmStringBaseline: a compound string function that ... XmStringBaseline(Xm)  
     returns the/ XmStringHeight: a compound string function that ... XmStringHeight(Xm)  
     returns the/ XmStringLineCount: a compound string function that ... XmStringLineCount(Xm)  
     returns the/ XmStringWidth: a compound string function that ... XmStringWidth(Xm)  
     returns/ XmMapSegmentEncoding: a compound string function that ... XmMapSegmentEncoding(Xm)  
     searches for/ XmStringGetLtoR: a compound string function that ... XmStringGetLtoR(Xm)  
     /string function that draws a compound string in an X window XmStringDraw(Xm)  
     and/ /string function that draws a compound string in an X Window XmStringDrawImage(Xm)  
     /string function that creates a compound string in the current/ ... XmStringCreateLocalized(Xm)  
     /string function that creates a compound string in the language/ ... XmStringCreateSimple(Xm)  
     /that indicates whether one compound string is contained/ ... XmStringHasSubstring(Xm)  
     /string function that converts a compound string to compound text XmCvtXmStringToCT(Xm)  
     data type for an array of compound strings XmStringTable: XmStringTable( ""Xm"" )  
     converts a compound string to compound text /function that ... XmCvtXmStringToCT(Xm)  
     /string function that returns the compound text encoding format/ ... XmMapSegmentEncoding(Xm)  
     /string function that registers a compound text encoding format for/ XmRegisterSegmentEncoding(Xm)  
         XctData: a compound text functions ... XctData(Xmu)  
         XctData structure for parsing Compound Text string /create ... XctData(Xmu)  
         XctData structure to reparse Compound Text string /reset ... XctData(Xmu)  
     XctNextItem: parse next item from Compound Text string ... XctData(Xmu)  
         /string function that converts compound text to a compound/ ... XmCvtCTToXmString(Xm)  
         cprs: compress a common object file ... cprs(CP)  
         pack, pcat, unpack: compress and expand files ... pack(C)  
         compress: compress data ... compress(C)  
             compress: compress data ... compress(C)  
         compress, uncompress, zcat: compress data for storage,/ ... compress(C)  
         compress data for storage,/ compress, uncompress, zcat: ... compress(C)  
         storage, uncompress and display compressed files /data for ... compress(C)  
         zcat: display compressed files ... compress(C)  
         dn\_comp: compresses domain name ... resolver(SLIB)  
         XTextExtents: compute or query text extents ... XTextExtents(XS)  
         XmbTextExtents: compute text extents ... XmbTextExtents(XS)

XwcTextExtents: compute text extents ..... XmbTextExtents(XS)  
 XTextWidth: compute text width ..... XTextWidth(XS)  
 table entry of a/ ldtbindex: compute the index of a symbol ..... ldtbindex(S)  
     scsi: small computer systems interface ..... scsi(HW)  
 mem: provides access to the computer's physical memory ..... mem(FP)  
 XTextExtents16: computes text extents ..... XTextExtents(XS)  
     XTextWidth16: computes text width ..... XTextWidth(XS)  
 time values difftime: computes the difference between ..... difftime(S)  
     XUnionRegion: computes union of two regions ..... XIntersectRegion(XS)  
 tcbck, smmck, authckrc: trusted computing base checker,/ ..... tcbck(ADM)  
     compver: compatible versions file ..... compver(F)  
     cat: concatenate and display files ..... cat(C)  
     pullupmsg: concatenate bytes in a message ..... pullupmsg(K)  
     linkb: concatenate two messages into one ..... linkb(K)  
 dbm\_clearerr: reset error condition ..... ndbm(NS)  
     [: test conditions ..... test(C)  
     test: test conditions ..... test(C)  
 selected information about system configuration idcheck: return ..... idcheck(ADM)  
     xsconfig: X keyboard configuration compiler ..... xsconfig(X)  
 update, or get device driver configuration data /add, delete, ... idinstall(ADM)  
     cmos: display and set the configuration data base ..... cmos(HW)  
     device and host adapter configuration file /peripheral ..... mscsi(F)  
 mvdevice: video driver back end configuration file ..... mvdevice(F)  
     sdevice: local device configuration file ..... sdevice(F)  
     types mfsys: configuration file for filesystem ..... mfsys(FP)  
 line disciplines from kernel configuration files /or remove ..... idaddld(ADM)  
     hwconfig: read the configuration information ..... hwconfig(C)  
     string: access boot, configuration, or package string ..... string(M)  
     configure: kernel configuration program ..... configure(ADM)  
 slot: read the microchannel configuration registers ..... slot(C)  
     getcfgline: get the configuration string ..... getbsvalue(K)  
     mapstr: Configure function key mapping ..... mapkey(M)  
     program configure: kernel configuration ..... configure(ADM)  
 PC keyboard mapkey: Configure keyboard mapping on a ..... mapkey(M)  
 /determine locale support and configure locale modifiers ..... XSupportsLocale(XS)  
 mapkey, mapscrn, mapstr, convkey: configure monitor screen mapping ..... mapkey(M)  
     netconfig: configure networking products ..... netconfig(ADM)  
     mapscrn: Configure screen mapping ..... mapkey(M)  
     scomouse: configure the mouse ..... scomouse(X)  
     lpadmin: configure the print service ..... lpadmin(ADM)  
     mapchan: configure tty device mapping ..... mapchan(M)  
     idconfig: configure UNIX system kernel ..... idbuild(ADM)  
 changes/ XConfigureWindow: configure windows and window .. XConfigureWindow(XS)  
     XConfigureEvent: ConfigureNotify event structure ... XConfigureEvent(XS)  
     XConfigureRequestEvent: ConfigureRequest event structure .. XConfigureRequestEvent(XS)  
         xmbind: configures virtual key bindings ..... xmbind(Xm)  
 changes/ XWindowChanges: configures windows and window .. XConfigureWindow(XS)  
     t\_rcvconnect: receive the confirmation from a connect/ ..... t\_rcvconnect(S)  
 tracing a child/ paccess: used in conjunction with ptrace for ..... paccess(S)  
     fwtmp, wtmpfix: manipulate connect accounting records ..... fwtmp(ADM)  
         a socket connect: initiate a connection on ... connect(SSC)  
     XOpenDisplay: connect or disconnect to X server .. XOpenDisplay(XS)  
 receive the confirmation from a connect request t\_rcvconnect: ..... t\_rcvconnect(S)  
     t\_accept: accept a connect request ..... t\_accept(S)

## Permuted Index

t\_listen: listen for a  
 returns length of event queue for  
 return the name of a currently  
 getpeername: get name of  
 recv: receive a message from a  
 send: send a message to a  
 returns the number of fields  
 /changes the fields  
 an outgoing terminal line  
 cryptopen: open /bin/crypt  
 data or expedited data over a  
 encryption key for /bin/crypt  
 encrypts data using /bin/crypt  
 endhostent: closes TCP  
 or expedited data sent over a  
 shut down part of a full-duplex  
 terminates /bin/crypt  
 ConnectionNumber: returns  
 accept: accept a  
 connect: initiate a  
 user t\_connect: establish a  
 connection number for specified/  
 xdaemon: AT&T X11  
 listen: listen for  
 field type set\_fieldtype\_arg:  
 acctcon: acctcon1, acctcon2:  
 nl\_sprintf: places "output," in  
 sprintf: places "output," in  
 vsprintf: places "output," in  
 database authck: check internal  
 make all or specific system files  
 a device error message on the  
 printf: print a message on the  
 putchar: print a character on the  
 the system messages on the  
 to the printer port of a serial  
 console: system  
 clean\_screen: restore the  
 /keys for screen-switching from  
 /usr/adm/messages or any file to/  
 XAddPixel: adds  
 file for implementation-specific  
 langinfo: language information  
 math: math functions and  
 unistd: file header for symbolic  
 class  
 Constraint: the  
 Constraint widget class  
 mkfs: construct a filesystem  
 xargs: construct and execute commands  
 deskshell: syntax and control  
 records acctdusg: calculate disk  
 point to the next  
 debugging on uutry: try to  
 connect request ..... t\_listen(S)  
 connected display QLength: ..... AllPlanes(XS)  
 connected host vhost: ..... host(PCI)  
 connected peer ..... getpeername(SSC)  
 connected socket ..... recv(SSC)  
 connected socket ..... send(SSC)  
 connected to form field\_count: ..... form(S)  
 connected to form to fields ..... form(S)  
 connection dial: establish ..... dial(S)  
 connection ..... crypt(S)  
 connection t\_snd: send ..... t\_snd(S)  
 connection run\_setkey: creates ..... crypt(S)  
 connection run\_crypt: ..... crypt(S)  
 connection ..... gethostbyname(SLIB)  
 connection t\_rcv: receive data ..... t\_rcv(S)  
 connection shutdown: ..... shutdown(SSC)  
 connection crypt\_close: ..... crypt(S)  
 connection number for specified/ ..... AllPlanes(XS)  
 connection on a socket ..... accept(SSC)  
 connection on a socket ..... connect(SSC)  
 connection with another transport ..... t\_connect(S)  
 ConnectionNumber: returns ..... AllPlanes(XS)  
 connections daemon ..... xdaemon(X)  
 connections on a socket ..... listen(SSC)  
 connects additional arguments to ..... fieldtype(S)  
 connect-time accounting ..... acctcon(ADM)  
 consecutive bytes ..... nl\_printf(S)  
 consecutive bytes ..... printf(S)  
 consecutive bytes ..... vprintf(S)  
 consistency of authentication ..... authck(ADM)  
 consistent with the/ fixmog, cps: ..... fixmog(ADM)  
 console deverr: print ..... deverr(K)  
 console ..... printf(K)  
 console ..... putchar(K)  
 console dmesg: display ..... dmesg(ADM)  
 console /serial printer attached ..... consoleprint(ADM)  
 console device ..... console(M)  
 console graphics adapter to VGA/ ..... clean\_screen(X)  
 console multiscreens running Xsco/ switchkey(X)  
 console: system console device ..... console(M)  
 consoleprint: print ..... consoleprint(ADM)  
 constant value to pixels ..... XCreateImage(XS)  
 constants limits: header ..... limits(FP)  
 constants ..... langinfo(FP)  
 constants ..... math(M)  
 constants ..... unistd(FP)  
 Constraint: the Constraint widget ..... Constraint(Xm)  
 Constraint widget class ..... Constraint(Xm)  
 mkfs: construct a filesystem ..... mkfs(ADM)  
 xargs: construct and execute commands ..... xargs(C)  
 constructs of the Deskshell/ ..... deskshell(X)  
 consumption for accounting ..... acct(ADM)  
 cont: plots a line from a current ..... plot(S)  
 contact remote system with ..... uutry(ADM)



/whether one compound string is contained within another ..... XmStringHasSubstring(Xm)  
     idmkinrit: read files containing inittab specifications ... idmkinrit(ADM)  
 /returns pointer to structure containing modifier keys ..... XChangeKeyboardMapping(XS)  
 ev\_block: wait until the queue contains an event ..... ev\_block(S)  
 pb\_check: check if paste buffer contains anything ..... tam(S)  
     tgoto BC: contains bc capability used by ..... termcap(S)  
         as encoded by stty ospeed: contains output speed of terminal ..... termcap(S)  
     capability used by tputs PC: contains pad character from pc .... termcap(S)  
         tzname: contains time zone names ..... ctime(S)  
     tgoto UP: contains up capability used by .... termcap(S)  
 /applications to read out the content segment by segment ..... XmStringInitContext(Xm)  
 deletes a key (and its associated contents) delete: ..... dbm(S)  
     showsnf: print contents of an SNF file ..... showsnf(X)  
     xev: print contents of X events ..... xev(X)  
         /create an application context ..... XtCreateApplicationContext(Xt)  
         /destroy an application context ..... XtCreateApplicationContext(Xt)  
 GContext from associated graphics context XGContextFromGC: obtains XCreateGC(XS)  
     XChangeGC: changes graphics context ..... XCreateGC(XS)  
     XCopyGC: copies graphics context ..... XCreateGC(XS)  
     XFreeGC: destroys graphics context ..... XCreateGC(XS)  
         and obtain an application context /create, destroy, ..... XtCreateApplicationContext(Xt)  
 csplit: split files according to context ..... csplit(C)  
     reset the stat of an input context XwcResetIC: ..... XmbResetIC(XS)  
     reset the state of an input context XmbResetIC: ..... XmbResetIC(XS)  
     the input method of an input context /destroy, and obtain ..... XCreateIC(XS)  
     values from the specified input context /obtain input context ..... XSetICValues(XS)  
 XGetGCValues: returns graphics context components ..... XCreateGC(XS)  
 XSetICFocus: set and unset input context focus ..... XSetICFocus(XS)  
 an input method that the input context has lost focus /notify ..... XSetICFocus(XS)  
     /the toolkit that the font list context is no longer needed ..... XmFontListFreeFontContext(Xm)  
     instructs the toolkit that the context is no longer needed /that ..... XmStringFreeContext(Xm)  
 DisplayOfCCC: Color Conversion Context macros ..... DisplayOfCCC(XS)  
     XGCValues: graphics context structure ..... XCreateGC(XS)  
         graphics contexts and graphics context structure /create or free ... XCreateGC(XS)  
     XUniqueContext: creates unique context type ..... XSaveContext(XS)  
 input/ XGetICValues: obtain input context values from the specified ... XSetICValues(XS)  
     if the font\_set might include context-dependent drawing /true ... XFontsOffFontSet(XS)  
         /create or free graphics contexts and graphics context/ ..... XCreateGC(XS)  
     initialization memget: allocate contiguous memory at ..... memget(K)  
 Desktop/ deskshell: syntax and control constructs of the ..... deskshell(X)  
     xhost: server access control program for X ..... xhost(X)  
     converter conv: common object file ..... conv(CP)  
 /BulletinBoard BulletinBoardDialog convenience creation function ..... XmCreateBulletinBoardDialog(Xm)  
     /FileSelectionDialog convenience creation function ..... XmCreateFileSelectionDialog(Xm)  
     /a Form FormDialog convenience creation function ..... XmCreateFormDialog(Xm)  
     /a MessageBox TemplateDialog convenience creation function ..... XmCreateTemplateDialog(Xm)  
         /a RowColumn widget convenience creation function ..... XmCreateMenuBar(Xm)  
         /a RowColumn widget convenience creation function ..... XmCreateOptionMenu(Xm)  
         /a RowColumn widget convenience creation function ..... XmCreatePopupMenu(Xm)  
         /a RowColumn widget convenience creation function ..... XmCreatePulldownMenu(Xm)  
         /a RowColumn widget convenience creation function ..... XmCreateRadioBox(Xm)  
         /a RowColumn widget convenience creation function ..... XmCreateSimpleCheckBox(Xm)  
         /a RowColumn widget convenience creation function ..... XmCreateSimpleMenuBar(Xm)  
         /a RowColumn widget convenience creation function ..... XmCreateSimpleOptionMenu(Xm)

## Permuted Index

/a RowColumn widget	convenience creation function	....	XmCreateSimplePopupMenu(Xm)
/a RowColumn widget	convenience creation function	....	XmCreateSimplePulldownMenu(Xm)
/a RowColumn widget	convenience creation function	....	XmCreateSimpleRadioBox(Xm)
/a RowColumn widget	convenience creation function	....	XmVaCreateSimpleCheckBox(Xm)
/a RowColumn widget	convenience creation function	....	XmVaCreateSimpleMenuBar(Xm)
/a RowColumn widget	convenience creation function	....	XmVaCreateSimpleOptionMenu(Xm)
/a RowColumn widget	convenience creation function	....	XmVaCreateSimplePopupMenu(Xm)
/a RowColumn widget	convenience creation function	....	XmVaCreateSimplePulldownMenu(Xm)
/a RowColumn widget	convenience creation function	....	XmVaCreateSimpleRadioBox(Xm)
/the List ScrolledList	convenience creation function	....	XmCreateScrolledList(Xm)
/the MessageBox ErrorDialog	convenience creation function	....	XmCreateErrorDialog(Xm)
/the MessageBox InformationDialog	convenience creation function	....	XmCreateInformationDialog(Xm)
/the MessageBox MessageDialog	convenience creation function	....	XmCreateMessageDialog(Xm)
/the MessageBox QuestionDialog	convenience creation function	....	XmCreateQuestionDialog(Xm)
/the MessageBox WarningDialog	convenience creation function	....	XmCreateWarningDialog(Xm)
/the MessageBox WorkingDialog	convenience creation function	....	XmCreateWorkingDialog(Xm)
/the SelectionBox PromptDialog	convenience creation function	....	XmCreatePromptDialog(Xm)
/the SelectionBox SelectionDialog	convenience creation function	....	XmCreateSelectionDialog(Xm)
/the TextScrolledText	convenience creation function	....	XmCreateScrolledText(Xm)
XtCreateWindow: window creation	convenience function	.....	XtCreateWindow(Xt)
activates a/ /a VendorShell	convenience interface that	.....	XmActivateWMProtocol(Xm)
deactivates a/ /a VendorShell	convenience interface that	.....	XmDeactivateWMProtocol(Xm)
removes a callback/ /a VendorShell	convenience interface that	.....	XmRemoveWMProtocolCallback(Xm)
removes the/ /a VendorShell	convenience interface that	.....	XmRemoveWMProtocols(Xm)
XmAddWMProtocols: a VendorShell	convenience interface that adds/	.....	XmAddWMProtocols(Xm)
client callbacks/ /a VendorShell	convenience interface that adds	.....	XmAddWMProtocolCallback(Xm)
pre and post/ /a VendorShell	convenience interface that allows	.....	XmSetWMProtocolHooks(Xm)
/initialize application	convenience procedure	.....	XtAppInitialize(Xt)
XSetArcMode: GC	convenience routines	.....	XSetArcMode(XS)
XSetClipOrigin: GC	convenience routines	.....	XSetClipOrigin(XS)
XSetFillStyle: GC	convenience routines	.....	XSetFillStyle(XS)
XSetFont: GC	convenience routines	.....	XSetFont(XS)
XSetLineAttributes: GC	convenience routines	.....	XSetLineAttributes(XS)
XSetState: GC	convenience routines	.....	XSetState(XS)
XSetTitle: GC	convenience routines	.....	XSetTitle(XS)
term:	conventional names for terminals	.....	term(M)
iconv: international codeset	conversion	.....	iconv(CP)
string used by Xlib for text	conversion /returns the default	....	XmbTextListToTextProperty(XS)
DisplayOfCCC: Color	Conversion Context macros	.....	DisplayOfCCC(XS)
/releases a language character set	conversion table	.....	lcs_release_table(PCI)
get language character set	conversion table lcs_get_table:	....	lcs_get_table(PCI)
/sets language character set	conversion table options	.....	lcs_set_options(PCI)
and output language character set	conversion tables /sets input	....	lcs_set_tables(PCI)
stfloat, stint, stlong: ISAM data	conversion tools /ldlong, stdbl,	....	isconv(S)
/issue a	conversion warning message	.....	XtStringConversionWarning(Xt)
scsi_s2tos:	convert 2 bytes to a short	.....	scsi(K)
scsi_stok:	convert 3 bytes to kernel address	....	scsi(K)
scsi_s3tol:	convert 3 bytes to long	.....	scsi(K)
scsi_stol:	convert 4 bytes to long	.....	scsi(K)
long integer strtoul:	convert a string to an unsigned	....	strtoul(S)
into a terminfo/ captainfo:	convert a termcap description	....	captainfo(ADM)
MMDf format uulist:	convert a UUCP routing file to	....	uulist(ADM)
physical address vtop:	convert a virtual address to a	.....	vtop(K)
routing file to MMDf/ mnlist:	convert a XENIX-style Micnet	.....	mnlist(ADM)

dd: convert and copy a file ..... dd(C)  
 formats convert: convert archive files to common ... convert(CP)  
 and long integers l3tol, ltol3: convert between 3-byte integers ... l3tol(S)  
 (memory pages) btoc, ctob: convert between bytes and clicks ... btoc(K)  
 base-64 ASCII string a64l, l64a: convert between long integer and ... a64l(S)  
 btoc: convert bytes to memory pages ... btoc(K)  
 XmuCvtFunctionToCallback: convert callback procedure to/ ... XmuCvtFunctionToCallback(Xmu)  
 XcmsConvertColors: convert CCC color specifications ... XcmsConvertColors(XS)  
 toint: convert character to an integer ... toascii(S)  
 common formats convert: convert archive files to ... convert(CP)  
 /gmtime, asctime, strftime, tzset: convert date and time to string ... ctime(S)  
 string ecvt, fcvt, gcv: convert floating-point number to ... ecvt(S)  
 Distribution Format to/ bdf: convert font from Bitmap ..... bdf(BDF)  
 bdfpcfcf: convert font from Bitmap ..... bdfpcfcf(X)  
 fscanf: convert formatted input ..... scanf(S)  
 scanf: convert formatted input ..... scanf(S)  
 sscanf: convert formatted input ..... sscanf(S)  
 character toascii: convert integer to a 7-bit ASCII ... toascii(S)  
 9) todigit: convert integer to a digit (0- ... toascii(S)  
 lddbl: convert ISAM integer to double ... isconv(S)  
 ldfloat: convert ISAM integer to float ..... isconv(S)  
 ldint: convert ISAM integer to short ..... isconv(S)  
 ldlong: convert ISAM integer to long ..... isconv(S)  
 XtConvertCase: convert KeySym to KeyCodes ..... XtSetKeyTranslator(Xt)  
 XtRegisterCaseConverter: convert KeySym to KeyCodes ..... XtSetKeyTranslator(Xt)  
 XtSetKeyTranslator: convert KeySym to KeyCodes ..... XtSetKeyTranslator(Xt)  
 XtTranslateKeycode: convert KeySym to KeyCodes ..... XtSetKeyTranslator(Xt)  
 XStringToKeysym: convert keysyms ..... XStringToKeysym(XS)  
 Atom values XmuInternStrings: convert list of atom names into ... XmuAtom(Xmu)  
 format repackman: convert man pages to packed ... repackman(ADM)  
 ctob: convert memory pages to bytes ... btoc(K)  
 string mbstowcs: Convert multibyte string to wide ... mblen(S)  
 dumps to old-style corex: convert new-style core image ... corex(C)  
 getopt instead of/ getoptcv: convert shell scripts to use ..... getopt(C)  
 character to wide/ mbtowc: Convert single multibyte ... mblen(S)  
 XmuConvertStandardSelection: convert standard selection ..... XmuConvertStandardSelection(Xmu)  
 XStringListToTextProperty: convert string lists and text/ ... XStringListToTextProperty(XS)  
 double-precision number strtod: convert string to ..... strtod(S)  
 XmuCvtStringToBackingStore: convert string to backing-store/ ... XmuCvtStringToBackingStore(Xmu)  
 XmuCvtStringToBitmap: convert string to bitmap ..... XmuCvtStringToBitmap(Xmu)  
 XmuCvtStringToColorCursor: convert string to color cursor ..... XmuCvtStringToColorCursor(Xmu)  
 XmuCvtStringToCursor: convert string to cursor ..... XmuCvtStringToCursor(Xmu)  
 value XmuCvtStringToGravity: convert string to enumeration ... XmuCvtStringToGravity(Xmu)  
 widget XmuCvtStringToWidget: convert string to immediate child ... XmuCvtStringToWidget(Xmu)  
 widget XmuNewCvtStringToWidget: convert string to immediate child ... XmuNewCvtStringToWidget(Xmu)  
 strtol: convert string to integer ..... strtol(S)  
 long XmuCvtStringToLong: convert string to integer of type ... XmuCvtStringToLong(Xmu)  
 style XmuCvtStringToShapeStyle: convert string to integer shape ... XmuCvtStringToShapeStyle(Xmu)  
 XmuCvtStringToJustify: convert string to XtJustify value ... XmuCvtStringToJustify(Xmu)  
 XmuCvtStringToOrientation: convert string to XtOrientation/ ... XmuCvtStringToOrientation(Xmu)  
 XmbTextListToTextProperty: convert text lists and text/ ..... XmbTextListToTextProperty(XS)  
 gmtime: convert time to UTC ..... ctime(S)  
 read paste buffer file and: convert to text pb\_gets: ..... tam(S)  
 double stdbl: convert unaligned ISAM aligned ... isconv(S)  
 float stfloat: convert unaligned ISAM aligned ... isconv(S)

## Permuted Index

long stlong: convert unaligned ISAM aligned ... isconv(S)  
short stint: convert unaligned ISAM aligned ... isconv(S)  
units: convert units ..... units(C)  
/htons, htonl, ntohs, ntohs: convert values between host and/ ... byteorder(SLIB)  
network byte order byteorder: convert values between host and ... byteorder(SLIB)  
network long byte order htonl: convert values from host to ... byteorder(SLIB)  
network short byte order htons: convert values from host to ... byteorder(SLIB)  
host long byte order ntohl: convert values from network to ... byteorder(SLIB)  
host short byte order ntohs: convert values from network to ... byteorder(SLIB)  
addresses ptok, ktop: convert virtual and physical ..... ptok(K)  
multibyte character wctomb: Convert wide character to ..... mblen(S)  
string wcstombs: Convert wide string to multibyte ... mblen(S)  
adf\_gttok: convert word to token ..... tam(S)  
to MMDf format mmdfalias: convert XENIX-style aliases file ... mmdfalias(ADM)  
MMDf format cnvtmpbox: convert XENIX-style mailboxes to ... cnvtmpbox(ADM)  
XtConvert: invoke resource converter ..... XtConvert(Xt)  
XtDirectConvert: invoke resource converter ..... XtConvert(Xt)  
conv: common object file converter ..... conv(CP)  
register resource converter XtAppAddConverter: ... XtAppAddConverter(Xt)  
/that installs the reverse converter for a previously/ ... XmRepTypeAddReverse(Xm)  
/that installs the resource converter for XmNtearOffModel ... XmRepTypeInstallTearOffModelConverter(Xm)  
/bmtoa, atobm: bitmap editor and converter utilities for X ..... bitmap(X)  
XtConvert: invoke resource converters ..... XtConvert(Xt)  
/a compound string function that converts a compound string to/ ... XmCvtXmStringToCT(Xm)  
value /a function that converts a string to a unit-type ... XmCvtStringToUnitType(Xm)  
26-character string asctime: converts a tm structure to a ..... ctime(S)  
26-character string nl\_ascxtime: converts a tm structure to a ..... nl\_cxtime(S)  
XmConvertUnits: a function that converts a value in one unit type/ ... XmConvertUnits(Xm)  
libraries ranlib: converts archives to random ..... ranlib(XNX)  
numbers atof: converts ASCII to floating point ... atof(S)  
atoi: converts ASCII to integers ..... atof(S)  
numbers atol: converts ASCII to long integer ..... atof(S)  
atof, atoi, atol: converts ASCII to numbers ..... atof(S)  
Internet address inet\_addr: Converts character string to ..... inet(SLIB)  
network address inet\_network: Converts character string to ..... inet(SLIB)  
tolower: converts character to lowercase ... toascii(S)  
(faster, limited/ \_tolower: converts character to lowercase ... toascii(S)  
toupper: converts character to uppercase ... toascii(S)  
(faster, limited/ \_toupper: converts character to uppercase ... toascii(S)  
/a compound string function that converts compound text to a/ ... XmCvtCTToXmString(Xm)  
nl\_scanf, nl\_fscanf, nl\_sscanf: converts formatted native/ ..... nl\_scanf(S)  
ASCII format inet\_ntoa: Converts Internet address to ..... inet(SLIB)  
XKeycodeToKeysym: converts keysyms ..... XStringToKeysym(XS)  
XKeysymToKeycode: converts keysyms ..... XStringToKeysym(XS)  
XKeysymToString: converts keysyms ..... XStringToKeysym(XS)  
address into/ inet\_makeaddr: Converts local and network ..... inet(SLIB)  
time mktime: converts local time to calendar .... mktime(S)  
three-byte integers ltol3: converts long integers to ..... l3tol(S)  
into RGB values XcmsStoreColors: converts the colors specified ..... XcmsStoreColor(XS)  
long integers l3tol: converts three-byte integers to ..... l3tol(S)  
to tm structure localtime: converts time pointed to by clock ... ctime(S)  
pointed to by timeptr strftime: converts time values in structure ... ctime(S)  
labs: converts to absolute value ..... labs(S)  
toascii: converts to ASCII character ..... ctype(S)

\_tolower: converts to lowercase ..... ctype(S)  
 tolower: converts to lowercase ..... ctype(S)  
 \_toupper: converts to uppercase ..... ctype(S)  
 toupper: converts to uppercase ..... ctype(S)  
 local time ctime: converts UNIX epoch time to ..... ctime(S)  
 local time nl\_cxtime: converts UNIX epoch time to ..... nl\_cxtime(S)  
 null-terminated string in/ gcvt: converts value to a ..... ecvt(S)  
 ndigit rounded for FORTRAN/ fcvt: converts value to string of ..... ecvt(S)  
 ndigit ecvt: converts value to string of ..... ecvt(S)  
 mapping mapkey, mapscm, mapstr, convkey: configure monitor screen . mapkey(M)  
 mapkey file into the current/ convkey: Translate an old-style .... mapkey(M)  
 timod: Transport Interface cooperating STREAMS module ... timod(M)  
 of the item at a specified y coordinate /returns the position ... XmListYToPos(Xm)  
 /a clipboard function that copies a data item passed by name XmClipboardCopyByName(Xm)  
 /a clipboard function that copies a data item to temporary/ .. XmClipboardCopy(Xm)  
 structure and the/ copydvagent: copies a device assignment ..... getdvagent(S)  
 system doscp: Copies a DOS file to UNIX ..... doscmd(C)  
 /a font list function that copies a font list ..... XmFontListCopy(Xm)  
 in the window erase: copies blanks to every position .... curses(S)  
 in the window erase: copies blanks to every position .... tam(S)  
 in the window erase: copies blanks to every position .... terminfo(S)  
 in the window werase: copies blanks to every position .... curses(S)  
 in the window werase: copies blanks to every position .... terminfo(S)  
 memmove: copies characters between objects .. memmove(S)  
 area memcopy: copies characters from memory ... memory(S)  
 XCopyColormapAndFree: copies colormap ..... XCreateColormap(XS)  
 strncpy: copies exactly n characters ..... string(S)  
 XCopyGC: copies graphics context ..... XCreateGC(XS)  
 fread: copies items into an array ..... fread(S)  
 to/ XmuCopyISOLatin1Uppered: copies Latin-1 lowercase string ... XmuCopyISOLatin1Lowered(Xmu)  
 to/ XmuCopyISOLatin1Lowered: copies Latin-1 uppercase string ... XmuCopyISOLatin1Lowered(Xmu)  
 memcopy: copies n characters ..... memory(S)  
 screen using stdscr as/ refresh: copies named window to terminal . curses(S)  
 screen using stdscr as/ refresh: copies named window to terminal . tam(S)  
 screen using stdscr as/ refresh: copies named window to terminal . terminfo(S)  
 strcpy: copies string s2 to s1 ..... string(S)  
 physical terminal/ wrefresh: copies the named window to the .. curses(S)  
 physical terminal/ wrefresh: copies the named window to the .. tam(S)  
 physical terminal/ wrefresh: copies the named window to the .. terminfo(S)  
 XmTextCopy: a Text function that copies the primary selection to/ .. XmTextCopy(Xm)  
 XmTextCut: a Text function that copies the primary selection to/ .. XmTextCut(Xm)  
 the/ /a TextField function that copies the primary selection to .... XmTextFieldCopy(Xm)  
 the/ /a TextField function that copies the primary selection to .... XmTextFieldCut(Xm)  
 one tty to/ sc\_copystate: copies the scancode state from .... sc\_raw(S)  
 80387: math coprocessor ..... 80387(HW)  
 public UNIX-to-UNIX system file copy uuto, uupick: ..... uuto(C)  
 uucp: Perform a UNIX-to-UNIX copy ..... uucp(C)  
 uuname: UNIX-to-UNIX system copy uucp, uulog, ..... uucp(C)  
 dd: convert and copy a file ..... dd(C)  
 copymsg: copy a message ..... copymsg(K)  
 copyb: copy a message block ..... copyb(K)  
 XCopyArea: copy areas ..... XCopyArea(XS)  
 kernel space copyin, copyout: copy bytes between user and ..... copyin(K)  
 user space copyout: copy bytes from kernel space to ... copyin(K)

## Permuted Index

kernel space copyin: copy bytes from user space to ..... copyin(K)  
     bcopy: copy bytes in kernel space ..... bcopy(K)  
 address copyio: copy bytes to or from a physical .... copyio(K)  
     copy: copy groups of files ..... copy(C)  
     cpio: copy file archives in and out ..... cpio(C)  
     pcpio: copy file archives in and out ..... pcpio(C)  
     cp: copy files ..... cp(C)  
     rcp: copy files across systems ..... rcp(C)  
     diskcp: Copy floppy disks ..... diskcp(C)  
 /a clipboard function that starts a copy from the clipboard ..... XmClipboardEndRetrieve(Xm)  
 clipboard function that starts a copy from the clipboard /a ..... XmClipboardStartRetrieve(Xm)  
     copy: copy groups of files ..... copy(C)  
         /checks event queue and copy matched event ..... XlIfEvent(XS)  
         /string function that creates a copy of a compound string ..... XmStringNCopy(Xm)  
         /a Text function that retrieves a copy of a portion of the internal / ..... XmTextGetSubstring(Xm)  
         text/ /function that retrieves a copy of a portion of the internal .... XmTextFieldGetSubstring(Xm)  
         string function that makes a copy of a string /a compound ..... XmStringCopy(Xm)  
         string s1 strcat: appends a copy of string s2 to the end of ..... string(S)  
         /manager function that returns a copy of the registration list ..... XmRepTypeGetRegistered(Xm)  
 the/ XrmPutFileDatabase: stores a copy of the specified database in ..... XrmGetFileDatabase(XS)  
         /a Text function that retrieves a copy of the wide character string/ ..... XmTextGetStringWcs(Xm)  
         value/ /function that retrieves a copy of the wide character string ..... XmTextFieldGetStringWcs(Xm)  
         volcopy: make literal copy of UNIX filesystem ..... volcopy(ADM)  
         bcopy: byte copy operation ..... bstring(SLIB)  
         diskcp, diskcmp: copy or compare floppy disks ..... diskcp(C)  
 color/ XCreateColormap: create, copy, or destroy colormaps and ..... XCreateColormap(XS)  
         XCOPYPlane: copy planes ..... XCOPYArea(XS)  
         get next word from string and copy to buffer adf\_gtwrld: ..... tam(S)  
         next text code from string and copy to buffer adf\_gtxcd: get ..... tam(S)  
 /a clipboard function that ends a copy to the clipboard ..... XmClipboardEndCopy(Xm)  
 clipboard function that cancels a copy to the clipboard /a ..... XmClipboardCancelCopy(Xm)  
 optimal access time dcopy: copy UNIX filesystems for ..... dcopy(ADM)  
     copyb: copy a message block ..... copyb(K)  
     copydvagent: copies a device ..... getdvagent(S)  
     copydvagent: manipulate device/ ..... getdvagent(S)  
     copyin: copy bytes from user ..... copyin(K)  
     copyin, copyout: copy bytes ..... copyin(K)  
     copying to clipboard /a data item ..... XmClipboardCopy(Xm)  
     copyio: copy bytes to or from a .... copyio(K)  
     copymsg: copy a message ..... copymsg(K)  
     copyout: copy bytes between user ..... copyin(K)  
     copyout: copy bytes from kernel ... copyin(K)  
     copyright: copyright information .. copyright(F)  
     copyright: copyright information file ..... copyright(F)  
     overlay() and overwrite() copywin: provides control over ..... curses(S)  
     overlay() and overwrite() copywin: provides control over ..... terminfo(S)  
     core: Format of core image file ..... core(FP)  
     corex: convert new-style core image dumps to old-style ..... corex(C)  
     core image file ..... core(FP)  
     Core: the Core widget class ..... Core(Xm)  
     Core: the Core widget class ..... Core(Xm)  
     corex: convert new-style core ..... corex(C)  
 mvwin: moves window so upper left corner is at position (y,x) ..... curses(S)  
 mvwin: moves window so upper left corner is at position (y,x) ..... terminfo(S)

permissions/ fixperm: examine, correct or initialize file ..... fixperm(ADM)  
/moves the menu windows cursor to correct position ..... menu(S)  
synchronization of the/ adjtime: correct the time to allow ..... adjtime(SSC)  
asktime: prompt for the correct time of day ..... asktime(ADM)  
ecc, eccd: memory Error Correction Code (ECC) facility .... ecc(ADM)  
wtmpfix: corrects wtmp files ..... fwtmp(ADM)  
keyname: returns character string corresponding to key ..... curses(S)  
keyname: returns character string corresponding to key ..... terminfo(S)  
cos: return cosine of x ..... trig(S)  
trig: acos, asin, atan, atan2, cos, sin, tan: trigonometric/ ..... trig(S)  
of argument cosh: returns hyperbolic cosine .... sinh(S)  
sinh, cosh, tanh: hyperbolic functions ... sinh(S)  
cosh: returns hyperbolic cosine of argument ..... sinh(S)  
acos: return arc cosine of x ..... trig(S)  
cos: return cosine of x ..... trig(S)  
display line-by-line execution count profile data lprof: ..... lprof(CP)  
sum: calculate a checksum and sum the blocks in a file ..... sum(C)  
XmuWnCountOwnedResources: count widget resources ..... XmuWnCountOwnedResources(Xmu)  
wc: count words, lines and bytes ..... wc(C)  
xdr\_bytes: XDR a counted byte string ..... xdr(NS)  
cp: copy files ..... cp(C)  
between user space and the/ cpass, pass: pass a character ..... cpass(K)  
user write request cpass: returns a character in ..... cpass(K)  
cpio: format of cpio archive ..... cpio(F)  
xtract: extract a file from a cpio archive and stop ..... xtract(C)  
out cpio: copy file archives in and ..... cpio(C)  
preprocessor cpio: format of cpio archive ..... cpio(F)  
file cpp: the AT&T C language ..... cpp(CP)  
consistent with/ fixmog, cprs: compress a common object ... cprs(CP)  
binary directories cps: make all or specific system ... fixmog(ADM)  
cpset: install object files in ..... cpset(C)  
flushes block I/O and halts the CPU shutdown: ..... shutdown(S)  
clock: report CPU time used ..... clock(S)  
crash: examine system images .... crash(ADM)  
rewrite an existing one creat: create a new file or ..... creat(S)  
coltbl: create a collation locale table ..... coltbl(M)  
chrtbl: create a ctype locale table ..... chrtbl(M)  
curtbl: create a currency locale table ..... montbl(M)  
montbl: create a currency locale table ..... montbl(M)  
create\_file\_securely: create a file using an attribute/ .... create\_file\_securely(S)  
command gcc: create a front-end to the rcc ..... gcc(CP)  
lmakefile xmkmf: create a Makefile from an ..... xmkmf(XS)  
mestbl: create a messages locale table ..... mestbl(M)  
file tmpnam, tmpnam: create a name for a temporary ..... tmpnam(S)  
existing one creat: create a new file or rewrite an ..... creat(S)  
new\_menu: create a new menu ..... menu(S)  
fork: create a new process ..... fork(S)  
numtbl: create a numeric locale table ..... numtbl(M)  
pb\_open: open or create a paste buffer file ..... tam(S)  
XtCreatePopupShell: create a pop-up shell ..... XtCreatePopupShell(Xt)  
symbolic links to another/ lndir: create a shadow directory of ..... lndir(XS)  
mkshlib: create a shared library ..... mkshlib(CP)  
ctags: create a tags file ..... ctags(C)  
tee: create a tee in a pipe ..... tee(C)

## Permuted Index

tmpfile: create a temporary file ..... tmpfile(S)  
 timtbl: create a time locale table ..... timtbl(M)  
 wcreate: create a window ..... tam(S)  
 distribution docut: create an application ..... docut(SMT)  
 XtCreateApplicationContext: create an application context ..... XtCreateApplicationContext(Xt)  
 communication socket: create an endpoint for ..... socket(SSC)  
   pipe: create an interprocess channel ..... pipe(S)  
   isbuild: create an ISAM file ..... isbuild(S)  
 xdrmem\_create: create an XDR stream ..... xdr(NS)  
 xdrrec\_create: create an XDR stream ..... xdr(NS)  
 xdrstdio\_create: create an XDR stream ..... xdr(NS)  
   admin: create and administer SCCS files ..... admin(CP)  
 XtCreateWidget: create and destroy widgets ..... XtCreateWidget(Xt)  
   form: create and display a form ..... tam(S)  
   menu: create and display a menu ..... tam(S)  
 pictures; and edit xbm/ scopaint: create and edit icons and ..... scopaint(X)  
 text drawing/ XCreateFontSet: create and free an international ..... XCreateFontSet(XS)  
   object XmuMakeAtom: create and initialize an opaque ..... XmuAtom(Xmu)  
 XmuDisplayQueue XmuDQCreate: create and return empty ..... XmuDisplayQueue(Xmu)  
   authnone\_create: create authentication handle ..... rpc(NS)  
   authunix\_create: create authentication handle ..... rpc(NS)  
   XmuCreateColormap: create colormap ..... XmuCreateColormap(Xmu)  
 colormaps and/ XCreateColormap: create, copy, or destroy ..... XCreateColormap(XS)  
   XCreateFontCursor: create cursors ..... XCreateFontCursor(XS)  
   makeldepend: create dependencies in makefiles ..... makeldepend(XS)  
   XtCreateApplicationContext: create, destroy, and obtain an/ ..... XtCreateApplicationContext(Xt)  
   XtWidgetToApplicationContext: create, destroy, and obtain an/ ..... XtCreateApplicationContext(Xt)  
   input method of an/ XCreateIC: create, destroy, and obtain the ..... XCreateIC(XS)  
   diskimage: create file image for floppy disk ..... diskimage(SMT)  
   mkcuts(SMT) output mkflops: create floppy disks from ..... mkflops(SMT)  
   directory of font/ mkfontdir: create fonts.dir file from ..... mkfontdir(X)  
   kclt\_create: create kernel RPC client handles ..... kclt\_create(NS)  
 traditional password/ addxusers: create new user accounts given a ..... addxusers(ADM)  
   XCreatePixmap: create or destroy pixmaps ..... XCreatePixmap(XS)  
   XCreateRegion: create or destroy regions ..... XCreateRegion(XS)  
 and graphics context/ XCreateGC: create or free graphics contexts ..... XCreateGC(XS)  
   XInternAtom: create or return atom names ..... XInternAtom(XS)  
 XmuCreatePixmapFromBitmap: create pixmap from bitmap ..... XmuCreatePixmapFromBitmap(Xmu)  
   svcfcd\_create: create service handle ..... rpc(NS)  
   svcraw\_create: create service handle ..... rpc(NS)  
   svctcp\_create: create service handle ..... rpc(NS)  
   svcupdp\_create: create service handle ..... rpc(NS)  
   setsid: create session and set process ID ..... setsid(S)  
 XmuLookupStandardColormap: create standard colormap ..... XmuLookupStandardColormap(Xmu)  
   XmuStandardColormap: create standard colormap ..... XmuStandardColormap(Xmu)  
   XtAppCreateShell: create top-level widget instance ..... XtAppCreateShell(Xt)  
   make\_transition\_files: create transition file names ..... dblock(S)  
   XtCreateManagedWidget: create widget ..... XtCreateWidget(Xt)  
   XtCreateWidget: create widget ..... XtCreateWidget(Xt)  
   attributes/ XCreateWindow: create windows and window ..... XCreateWindow(XS)  
 parsing Compound Text/ XctCreate: create XctData structure for ..... XctData(Xmu)  
   file using an attribute/ create\_file\_securely: create a ..... create\_file\_securely(S)  
   XCreateWindowEvent: CreateNotify event structure ..... XCreateWindowEvent(XS)  
   /a compound string function that creates a compound string ..... XmStringCreate(Xm)



/a compound string function that creates a compound string ..... XmStringCreateLtoR(Xm)  
 /a compound string function that creates a compound string ..... XmStringDirectionCreate(Xm)  
 /a compound string function that creates a compound string ..... XmStringSegmentCreate(Xm)  
 /a compound string function that creates a compound string ..... XmStringSeparatorCreate(Xm)  
 /a compound string function that creates a compound string in the/ ..... XmStringCreateLocalized(Xm)  
 /a compound string function that creates a compound string in the/ ..... XmStringCreateSimple(Xm)  
 /a compound string function that creates a copy of a compound/ ..... XmStringNCopy(Xm)  
 /a Drag and Drop function that creates a DragIcon widget ..... XmCreateDragIcon(Xm)  
     directory tmpnam: creates a filename in a named ..... tmpnam(S)  
     path-prefix tmpnam: creates a filename using the ..... tmpnam(S)  
     /a font list function that creates a font list ..... XmFontListCreate(Xm)  
     /a font list function that creates a font list entry ..... XmFontListEntryCreate(Xm)  
     /function that loads a font or creates a font set and creates an/ ..... XmFontListEntryLoad(Xm)  
 it in the/ XmGetStringDatabase: creates a new database and stores ..... XmGetFileDatabase(XS)  
     new\_field: creates a new field ..... field(S)  
     new\_fieldtype: creates a new field type ..... fieldType(S)  
     /a font list function that creates a new font list ..... XmFontListAdd(Xm)  
     new\_form: creates a new form ..... form(S)  
     separate shell New: creates a new layer with a ..... libwindows(S)  
     separate shell Newlayer: creates a new layer without a ..... libwindows(S)  
 XmCreateWorkArea: a function that creates a RowColumn work area .. XmCreateWorkArea(Xm)  
     XShmCreatePixmap: creates a shared memory pixmap .. XShm(Xext)  
     XShmCreateImage: creates a shared memory XImage .. XShm(Xext)  
     newwin: creates additional default window .. curses(S)  
     newwin: creates additional default window .. terminfo(S)  
     /a font or creates a font set and creates an accompanying font list/ ..... XmFontListEntryLoad(Xm)  
     from C source mkstr: creates an error message file ..... mkstr(CP)  
     string in an X Window and creates an image /a compound ..... XmStringDrawImage(Xm)  
     semaphore createsem: creates an instance of a binary ..... createsem(S)  
 a subwindow within a pad subpad: creates and returns a pointer to ..... curses(S)  
 a subwindow within a pad subpad: creates and returns a pointer to ..... terminfo(S)  
     new pad data structure newpad: creates and returns pointer to ..... curses(S)  
     new pad data structure newpad: creates and returns pointer to ..... terminfo(S)  
     new window subwin: creates and returns pointer to ..... curses(S)  
     new window subwin: creates and returns pointer to ..... terminfo(S)  
 MrmFetchWidget: fetches and creates any indexed (UIL named)/ .. MrmFetchWidget(Xm)  
     scan fixed disk for flaws and creates bad track table badtrk: .... badtrk(ADM)  
     XCreateBitmapFromData: creates bitmap ..... XReadBitmapFile(XS)  
     setkey: creates encryption key ..... crypt(S)  
     /bin/crypt/ run\_setkey: creates encryption key for ..... crypt(S)  
     primitive des\_setkey: creates encryption key with DES .. crypt(S)  
     XCreateGlyphCursor: creates glyph cursor ..... XCreateFontCursor(XS)  
     pointer XrmPutLineResource: creates new database and returns .. XrmPutResource(XS)  
     pointer XrmPutStringResource: creates new database and returns .. XrmPutResource(XS)  
     pointer XrmQPutResource: creates new database and returns .. XrmPutResource(XS)  
     pointer XrmQPutStringResource: creates new database and returns .. XrmPutResource(XS)  
         new\_item: creates new item ..... item(S)  
     XSubImage: creates new sub image ..... XCreateImage(XS)  
     program and command popen: creates pipe between calling ..... popen(S)  
     XCreatePixmapCursor: creates pixmap cursor ..... XCreateFontCursor(XS)  
 XCreatePixmapFromBitmapData: creates pixmap from bitmap data .. XReadBitmapFile(XS)  
     XmuCreateStippledPixmap: creates stippled pixmap ..... XmuCreateStippledPixmap(Xmu)  
     XCreateSimpleWindow: creates subwindow ..... XCreateWindow(XS)  
     symlink: creates symbolic link to a file ..... symlink(S)

## Permuted Index

XUniqueContext:	creates unique context type	.....	XSaveContext(XS)
XcmsCreateCCC:	creating and destroying CCCs	.....	XcmsCreateCCC(XS)
clntraw_create:	client handle	creation	rpc(NS)
clnttcp_create:	client handle	creation	rpc(NS)
clntudp_create:	client handle	creation	rpc(NS)
generic client handle	creation	clnt_create:	rpc(NS)
XtCreateWindow:	window	creation convenience function	..... XtCreateWindow(Xt)
/FileSelectionDialog	convenience	creation function	..... XmCreateFileSelectionDialog(Xm)
/a Form	FormDialog convenience	creation function	..... XmCreateFormDialog(Xm)
/a RowColumn	widget convenience	creation function	..... XmCreateMenuBar(Xm)
/a RowColumn	widget convenience	creation function	..... XmCreateOptionMenu(Xm)
/a RowColumn	widget convenience	creation function	..... XmCreatePopupMenu(Xm)
/a RowColumn	widget convenience	creation function	..... XmCreatePulldownMenu(Xm)
/a RowColumn	widget convenience	creation function	..... XmCreateRadioBox(Xm)
/a RowColumn	widget convenience	creation function	..... XmCreateSimpleCheckBox(Xm)
/a RowColumn	widget convenience	creation function	..... XmCreateSimpleMenuBar(Xm)
/a RowColumn	widget convenience	creation function	..... XmCreateSimpleOptionMenu(Xm)
/a RowColumn	widget convenience	creation function	..... XmCreateSimplePopupMenu(Xm)
/a RowColumn	widget convenience	creation function	..... XmCreateSimplePulldownMenu(Xm)
/a RowColumn	widget convenience	creation function	..... XmCreateSimpleRadioBox(Xm)
/a RowColumn	widget convenience	creation function	..... XmVaCreateSimpleCheckBox(Xm)
/a RowColumn	widget convenience	creation function	..... XmVaCreateSimpleMenuBar(Xm)
/a RowColumn	widget convenience	creation function	..... XmVaCreateSimpleOptionMenu(Xm)
/a RowColumn	widget convenience	creation function	..... XmVaCreateSimplePopupMenu(Xm)
/a RowColumn	widget convenience	creation function	..... XmVaCreateSimplePulldownMenu(Xm)
/a RowColumn	widget convenience	creation function	..... XmVaCreateSimpleRadioBox(Xm)
/the ArrowButton	widget	creation function	..... XmCreateArrowButton(Xm)
/the ArrowButtonGadget	widget	creation function	..... XmCreateArrowButtonGadget(Xm)
/the BulletinBoard	widget	creation function	..... XmCreateBulletinBoard(Xm)
/the CascadeButton	widget	creation function	..... XmCreateCascadeButton(Xm)
/the CascadeButtonGadget	widget	creation function	..... XmCreateCascadeButtonGadget(Xm)
/the Command	widget	creation function	..... XmCreateCommand(Xm)
/the DialogShell	widget	creation function	..... XmCreateDialogShell(Xm)
/the DrawingArea	widget	creation function	..... XmCreateDrawingArea(Xm)
/the DrawnButton	widget	creation function	..... XmCreateDrawnButton(Xm)
/the FileSelectionBox	widget	creation function	..... XmCreateFileSelectionBox(Xm)
/the LabelGadget	widget	creation function	..... XmCreateLabelGadget(Xm)
/the List	ScrolledList convenience	creation function	..... XmCreateScrolledList(Xm)
/the MainWindow	widget	creation function	..... XmCreateMainWindow(Xm)
/the MenuShell	widget	creation function	..... XmCreateMenuShell(Xm)
/the MessageBox	widget	creation function	..... XmCreateMessageBox(Xm)
/the PanedWindow	widget	creation function	..... XmCreatePanedWindow(Xm)
/the PushButton	widget	creation function	..... XmCreatePushButton(Xm)
/the PushButtonGadget	widget	creation function	..... XmCreatePushButtonGadget(Xm)
/the RowColumn	widget	creation function	..... XmCreateRowColumn(Xm)
/the ScrollBar	widget	creation function	..... XmCreateScrollBar(Xm)
/the ScrolledWindow	widget	creation function	..... XmCreateScrolledWindow(Xm)
/the SelectionBox	widget	creation function	..... XmCreateSelectionBox(Xm)
/the Separator	widget	creation function	..... XmCreateSeparator(Xm)
/the SeparatorGadget	widget	creation function	..... XmCreateSeparatorGadget(Xm)
/the TextField	widget	creation function	..... XmCreateTextField(Xm)
/the TextScrolledText	convenience	creation function	..... XmCreateScrolledText(Xm)
/the ToggleButton	widget	creation function	..... XmCreateToggleButton(Xm)
/the ToggleButtonGadget	widget	creation function	..... XmCreateToggleButtonGadget(Xm)

BulletinBoardDialog convenience creation function /BulletinBoard ... XmCreateBulletinBoardDialog(Xm)  
 AlertDialog convenience creation function /the MessageBox XmCreateAlertDialog(Xm)  
 InformationDialog convenience creation function /the MessageBox XmCreateInformationDialog(Xm)  
 MessageDialog convenience creation function /the MessageBox XmCreateMessageDialog(Xm)  
 PromptDialog convenience creation function /SelectionMode ... XmCreatePromptDialog(Xm)  
 QuestionDialog convenience creation function /the MessageBox XmCreateQuestionDialog(Xm)  
 SelectionDialog convenience creation function /SelectionMode ... XmCreateSelectionDialog(Xm)  
 TemplateDialog convenience creation function /a MessageBox ... XmCreateTemplateDialog(Xm)  
 WarningDialog convenience creation function /the MessageBox XmCreateWarningDialog(Xm)  
 WorkingDialog convenience creation function /the MessageBox XmCreateWorkingDialog(Xm)  
 XmCreateForm: the Form widget creation function ..... XmCreateForm(Xm)  
 XmCreateFrame: the Frame widget creation function ..... XmCreateFrame(Xm)  
 XmCreateLabel: the Label widget creation function ..... XmCreateLabel(Xm)  
 XmCreateList: the List widget creation function ..... XmCreateList(Xm)  
 XmCreateScale: the Scale widget creation function ..... XmCreateScale(Xm)  
 XmCreateText: the Text widget creation function ..... XmCreateText(Xm)  
 for MRM to access the widget creation function for/ /needed ... MrmRegisterClass(Xm)  
 umask: set and get file creation mask ..... umask(S)  
     a binary semaphore creatsem: creates an instance of ..... creatsem(S)  
 xdr\_authunix\_parms: XDR UNIX credentials ..... rpc(NS)  
     lockb: lock critical code section ..... lockb(K)  
     unlockb: unlock critical code section ..... lockb(K)  
 lockb, unlockb: lock and unlock critical code section for single/ ..... lockb(K)  
     mode crmode: puts terminal into CBREAK tam(S)  
     mode crmode: puts terminal into CBREAK terminfo(S)  
     mode crmode: replaced by cbreak ..... curses(S)  
 wnl: turn on/off mapping NL into CR/NL on output ..... tam(S)  
     atcronsh: at and cron administration utility ..... atcronsh(ADM)  
 proto: prototype job file for at, cron and batch ..... proto(F)  
     by at, batch, and crontab cron: execute commands scheduled cron(C)  
     scheduling information for cron queues queuedefs: ..... queuedefs(F)  
     scheduled by at, batch, and crontab cron: execute commands .. cron(C)  
     executed at regular intervals crontab: schedule commands to be crontab(C)  
         dosld: MS-DOS cross linker ..... dosld(CP)  
         os2ld: OS/2 cross linker ..... os2ld(CP)  
 Intro: introduction to XENIX cross-development commands ..... Intro(XNX)  
 cxref: generate C program cross-reference ..... cxref(CP)  
 rcxref: generate C program cross-reference ..... rcxref(CP)  
     menu: CRT menu routines ..... menu(S)  
     item: CRT menu-item routines ..... item(S)  
         crypt: encode/decode ..... crypt(C)  
         crypt: encrypts a password ..... crypt(S)  
         crypt: password and file ..... crypt(S)  
         crypt\_close: terminates ..... crypt(S)  
         cryptic acceptable\_password: ..... accept\_pw(S)  
         connection cryptopen: open /bin/crypt ..... crypt(S)  
         program cscope: interactively examine a C .. cscope(CP)  
 interpreter with C-like syntax csh: invoke a shell command ..... csh(C)  
     context csplit: split files according to ..... csplit(C)  
     terminal ct: spawn getty to a remote ..... ct(C)  
         ctags: create a tags file ..... ctags(C)  
         filename ctermid: generate terminal ..... ctermid(S)  
         to local time ctime: converts UNIX epoch time .. ctime(S)  
         asctime, strftime, tzset:/ ctime, localtime, gmtime, ..... ctime(S)

## Permuted Index

clicks (memory pages) btoc, ctob: convert between bytes and ... btoc(K)  
     bytes ctob: convert memory pages to ... btoc(K)  
     routines ctrace: C program debugger ... ctrace(CP)  
     ctype: character handling ... ctype(S)  
 chrtbl: create a ctype locale table ... chrtbl(M)  
     system cu: call another UNIX/XENIX ... cu(C)  
 available only through termcap/ curloff: turns cursor display off, ... curses(S)  
 available only through termcap/ curloff: turns cursor display off, ... terminfo(S)  
 available only through termcap/ curon: turns cursor display on, ... curses(S)  
 available only through termcap/ curon: turns cursor display on, ... terminfo(S)  
     currency locale table ... montbl(M)  
     curtbl: create a currency locale table ... montbl(M)  
     montbl: create a Current: makes the layer current ... libwindows(S)  
 TERMCAP and terminal settings current window size /to set ... resize(X)  
     current field of form current\_field: returns pointer to ... form(S)  
     current menu item set with/ current\_item: returns pointer to ... menu(S)  
 available only through termcap curses /turns cursor display off, ... curses(S)  
 available only through termcap curses /turns cursor display off, ... terminfo(S)  
 available only through termcap curses /turns cursor display on, ... curses(S)  
 available only through termcap curses /turns cursor display on, ... terminfo(S)  
     filter: arranges that curses assumes a 1-line screen ... curses(S)  
     filter: arranges that curses assumes a 1-line screen ... terminfo(S)  
     initscr: initializes all curses data structures ... curses(S)  
     initscr: initializes all curses data structures ... tam(S)  
     initscr: initializes all curses data structures ... terminfo(S)  
     of filename to initialize curses data structures /contents ... terminfo(S)  
     scr\_init: initializes curses data structures from file ... curses(S)  
 /gives low-level access to various curses functionality ... curses(S)  
 /gives low-level access to various curses functionality ... terminfo(S)  
     idlok: enables curses insert/delete-line feature ... curses(S)  
     scr\_dump: format of curses screen image file ... scr\_dump(FP)  
     and optimization package curses: terminal screen handling ... curses(S)  
 line garbagedlines: indicates to curses to throw away a screen ... curses(S)  
 line garbagedlines: indicates to curses to throw away a screen ... terminfo(S)  
     idlok: enables curses to use/ ... terminfo(S)  
     /convert string to color cursor ... XmuCvtStringToColorCursor(Xmu)  
 XCreateGlyphCursor: creates glyph cursor ... XCreateFontCursor(XS)  
     before the character under cursor /and inserts character ... curses(S)  
     before the character under cursor insch: inserts character ... curses(S)  
     before the character under cursor winsch: inserts character ... curses(S)  
 ch before the character under cursor /inserts character ... terminfo(S)  
 ch before the character under cursor insch: inserts character ... tam(S)  
 ch before the character under cursor insch: inserts character ... terminfo(S)  
 ch before the character under cursor winsch: inserts character ... terminfo(S)  
     convert string to cursor cursor XmuCvtStringToCursor: ... XmuCvtStringToCursor(Xmu)  
 coordinates of the virtual screen cursor getsyx: returns current ... curses(S)  
 coordinates of the virtual screen cursor getsyx: returns current ... terminfo(S)  
     creates pixmap cursor XCreatePixmapCursor: ... XCreateFontCursor(XS)  
 cursor ID for the current menu cursor /function that returns the ... XmGetMenuCursor(Xm)  
 delch: deletes character under cursor ... curses(S)  
 moves and deletes character under cursor mvdelch: ... curses(S)  
     of the item at the location cursor /that returns the position ... XmListGetKbdItemPos(Xm)  
     sets the position of the insert cursor /a Text function that ... XmTextSetInsertionPosition(Xm)  
     the position of the insert cursor /function that accesses ... XmTextGetInsertionPosition(Xm)

the position of the insertion cursor /function that accesses ..... `XmTextFieldGetInsertionPosition(Xm)`  
 the position of the insertion cursor /function that sets ..... `XmTextFieldSetInsertionPosition(Xm)`  
     `tgoto`: returns a cursor addressing string ..... `termcap(S)`  
 /function that sets the location cursor at a specified position ..... `XmListSetKbdItemPos(Xm)`  
 cursor being/ leaveok: leaves cursor at location of the window .. `curses(S)`  
 cursor being/ leaveok: leaves cursor at location of the window .. `tam(S)`  
 cursor being/ leaveok: leaves cursor at location of the window .. `terminfo(S)`  
 cursor at location of the window cursor being refreshed /leaves .... `curses(S)`  
 cursor at location of the window cursor being refreshed /leaves .... `tam(S)`  
 cursor at location of the window cursor being refreshed /leaves .... `terminfo(S)`  
`XUndefineCursor`: undoes effect of cursor define ..... `XDefineCursor(XS)`  
     only through/ `curoff`: turns cursor display off, available ..... `curses(S)`  
     only through/ `curoff`: turns cursor display off, available ..... `terminfo(S)`  
     through `termcap`/ `curon`: turns cursor display on, available only .. `curses(S)`  
     through `termcap`/ `curon`: turns cursor display on, available only .. `terminfo(S)`  
 /a function that modifies the menu cursor for a client ..... `XmSetMenuCursor(Xm)`  
     `XFreeCursor`: frees cursor from cursor resource ID .... `XRecolorCursor(XS)`  
     /a function that returns the cursor ID for the current menu/ .. `XmGetMenuCursor(Xm)`  
     `clrtobot`: erases all lines below cursor in current window ..... `curses(S)`  
     `clrtobot`: erases all lines below cursor in current window ..... `tam(S)`  
     `clrtobot`: erases all lines below cursor in current window ..... `terminfo(S)`  
     `wclrtobot`: erases all lines below cursor in given window ..... `curses(S)`  
     `wclrtobot`: erases all lines below cursor in given window ..... `terminfo(S)`  
     moves and deletes character under cursor in named window `mvwdelch`: `curses(S)`  
     `wdelch`: deletes character under cursor in named window ..... `curses(S)`  
     `delch`: deletes character under cursor in window ..... `tam(S)`  
     `delch`: deletes character under cursor in window ..... `terminfo(S)`  
     `deleteln`: deletes line under cursor in window ..... `curses(S)`  
     `deleteln`: deletes line under cursor in window ..... `tam(S)`  
     `deleteln`: deletes line under cursor in window ..... `terminfo(S)`  
     `mvdelch`: deletes character under cursor in window ..... `terminfo(S)`  
     `mvdelch`: deletes character under cursor in window ..... `terminfo(S)`  
     `wdelch`: deletes character under cursor in window ..... `terminfo(S)`  
     `wdelch`: deletes character under cursor in window ..... `curses(S)`  
     `wdeleteln`: deletes line under cursor in window ..... `curses(S)`  
     `wdeleteln`: deletes line under cursor in window ..... `terminfo(S)`  
     erases current line to right of cursor inclusive `clrtoeol`: ..... `curses(S)`  
     erases current line to right of cursor inclusive `clrtoeol`: ..... `tam(S)`  
     erases current line to right of cursor inclusive `clrtoeol`: ..... `terminfo(S)`  
     erases current line to right of cursor, inclusive `wclrtoeol`: ..... `curses(S)`  
     erases current line to right of cursor, inclusive `wclrtoeol`: ..... `terminfo(S)`  
     True if specified `KeySym` is cursor key `IsCursorKey`: returns ... `IsCursorKey(XS)`  
     `mvcur`: low-level cursor motion ..... `curses(S)`  
     `mvcur`: low-level cursor motion ..... `terminfo(S)`  
     window `wgetpos`: get current cursor position in specified ..... `tam(S)`  
     two integer/ `getyx`: places cursor position of the window in .. `curses(S)`  
     two integer/ `getyx`: places cursor position of the window in .. `tam(S)`  
     two integer/ `getyx`: places cursor position of the window in .. `terminfo(S)`  
     `XFreeCursor`: frees cursor from cursor resource ID ..... `XRecolorCursor(XS)`  
`XQueryBestCursor`: returns largest cursor size ..... `XRecolorCursor(XS)`  
     normal, or very/  `curs_set`: sets cursor state to invisible, ..... `curses(S)`  
     normal, or very/  `curs_set`: sets cursor state to invisible, ..... `terminfo(S)`  
     /moves the menu windows cursor to correct position ..... `menu(S)`  
     move: moves cursor to line y, column x ..... `curses(S)`  
     move: moves cursor to line y, column x ..... `terminfo(S)`

## Permuted Index

wmove: moves cursor to line y, column x ..... curses(S)  
 wmove: moves cursor to line y, column x ..... terminfo(S)  
 form driver /moves form window cursor to position required by ..... form(S)  
   move: moves cursor to row r, column c ..... tam(S)  
   wgoto: moves window's cursor to specific row and column ..... tam(S)  
 setsyx: sets virtual screen cursor to y, x ..... curses(S)  
 setsyx: sets virtual screen cursor to y, x ..... terminfo(S)  
 XmuCursorNameToIndex: cursor utilities ..... XmuCursorNameToIndex(Xmu)  
 XCreateFontCursor: create cursors ..... XCreateFontCursor(XS)  
   XDefineCursor: define cursors ..... XDefineCursor(XS)  
 XRecolorCursor: manipulate cursors ..... XRecolorCursor(XS)  
 invisible, normal, or very/ curs\_set: sets cursor state to ..... curses(S)  
 invisible, normal, or very/ curs\_set: sets cursor state to ..... terminfo(S)  
   table curtbl: create a currency locale ..... montbl(M)  
 set\_curterm: sets variable cur\_term to nterm ..... curses(S)  
 set\_curterm: sets variable cur\_term to nterm ..... terminfo(S)  
 spline: interpolate smooth curve ..... spline(C)  
   of the user cuserid: get character login name ..... cuserid(S)  
   and components custom: install software products ..... custom(ADM)  
 (application/ mkcuts: make custom-installable distribution ..... mkcuts(SMT)  
   XStoreBytes: manipulate cut and paste buffers ..... XStoreBytes(XS)  
   returns number of bytes in cut buffer XFetchBytes: ..... XStoreBytes(XS)  
 xcutsel: interchange between cut buffer and selection ..... xcutsel(X)  
 use XStoreBuffer: store bytes in cut buffer, provide the buffer to ..... XStoreBytes(XS)  
   XRotateBuffers: rotates cut buffers ..... XStoreBytes(XS)  
   XFetchBuffer: returns cut buffer's contents ..... XStoreBytes(XS)  
   each line of a file cut: cut out selected fields of ..... cut(C)  
   line of a file cut: cut out selected fields of each ..... cut(C)  
   distribution (application cutting tool) /custom-installable ..... mkcuts(SMT)  
   cv: visual debugger ..... codeview(CP)  
   cross-reference cxref: generate C program ..... cxref(CP)  
 async\_daemons: asynchronous I/O daemon ..... nfs\_svc(NS)  
   eccd: ECC daemon ..... ecc(ADM)  
   mcd daemon: tape driver daemon ..... mcconfig(F)  
   nfs\_svc: transport endpoint daemon ..... nfs\_svc(NS)  
   sd, sdd: start a no-LUID daemon ..... sd(ADM)  
   strerr: STREAMS error logger daemon ..... strerr(ADM)  
 xdaemon: AT&T X11 connections daemon ..... xdaemon(X)  
   nfs\_svc, async\_daemons: NFS daemons ..... nfs\_svc(NS)  
   runacct: run daily accounting ..... runacct(ADM)  
   and dash-list attributes for dashed line styles /dash-offset ..... XSetLineAttributes(XS)  
 XSetDashes: sets dash-offset and dash-list attributes for dashed/ ..... XSetLineAttributes(XS)  
   attributes for / XSetDashes: sets dash-offset and dash-list ..... XSetLineAttributes(XS)  
 300s: handle special functions of DASI 300 and 300s terminals 300, ..... 300(C)  
 Handle special functions of the DASI 300 terminal 300: ..... 300(C)  
 Handle special functions for the DASI 300s terminal 300s: ..... 300(C)  
   handle special functions of the DASI 450 terminal 450: ..... 450(C)  
   (c) is a menu request or dat: digital audio tape device ..... dat(HW)  
   /creates pixmap from bitmap data /checks if character ..... menu(S)  
   XFree: free client data ..... XReadBitmapFile(XS)  
   data ..... XFree(XS)  
 acctdisk: gather user disk block data ..... acct(ADM)  
   checks if c is a form request or data form\_driver: ..... form(S)  
   compress: compress data ..... compress(C)

delete: delete data ..... dbm(NS)  
 execution count profile data /display line-by-line ..... lprof(CP)  
 fetch: access data ..... dbm(NS)  
 get device driver configuration data /add, delete, update, or ..... idinstall(ADM)  
 prfdc: periodically collect data ..... profiler(ADM)  
 prfpr: format profiler data ..... profiler(ADM)  
 prof: display profile data ..... prof(CP)  
 prof: displays profile data ..... prof(XNX)  
 read and write streams of device data /reputsw, reputsd: ..... repins(K)  
 repout: write streams of data ..... repins(K)  
 returns the length of the stored data /a clipboard function that ..... XmClipboardInquireLength(Xm)  
 store: store data ..... dbm(NS)  
 to secondary widget resource data /that provides access ..... XmGetSecondaryResourceData(Xm)  
 transmission or reception of data tcfow: suspend ..... tcfow(S)  
 uncompress: uncompress data ..... compress(C)  
 uudemmon.admin: collect uustat data ..... uudemmon(ADM)  
 sdwaitv: synchronizes shared data access ..... sdgetv(S)  
 sdwaitv: synchronizes shared data access sdgetv, ..... sdgetv(S)  
 clnt\_freeres: free data allocated by RPC/XDR ..... rpc(NS)  
 svc\_freeargs: free data allocated by RPC/XDR ..... rpc(NS)  
 reduce: perform audit data analysis and reduction ..... reduce(ADM)  
 fclose: writes buffered data and closes stream ..... fclose(S)  
 time a command; report process data and system activity timex: ..... timex(ADM)  
 structure XctFree: free all data associated with XctData ..... XctData(Xmu)  
 prfsnap: collect data at time of invocation ..... profiler(ADM)  
 display and set the configuration data base cmos: ..... cmos(HW)  
 diskusg: generate disk accounting data by user ID ..... diskusg(ADM)  
 des\_encrypt: encrypts or decrypts data byte with DES primitive ..... crypt(S)  
 msgdsizc: get the number of data bytes in a message ..... msgdsizc(K)  
 stfloat, stint, stlong: ISAM data conversion tools /stdbl, ..... isconv(S)  
 t\_rcvuderr: receive a unit data error indication ..... t\_rcvuderr(S)  
 /uncompress, zcat: compress data for storage, uncompress and/ compress(C)  
 gets the server pixmap data format XShmPixmapFormat: . XShm(Xext)  
 ttread: read data from a device ..... tty(K)  
 sgetl: gets long integer data from memory ..... sputl(S)  
 /read bitmap data from specified file ..... XmReadBitmapData(Xmu)  
 canon: process raw input data from tty device ..... canon(K)  
 brkctl: allocates data in a 286 far segment ..... brkctl(S)  
 sputl, sgetl: access long integer data in a machine-independent/ ..... sputl(S)  
 plock: lock process, text, or data in memory ..... plock(S)  
 sputl: puts long integer data in memory ..... sputl(S)  
 timing requirements for raw data input ttimeo: ..... tty(K)  
 XShmGetImage: reads image data into a shared memory XImage XShm(Xext)  
 no longer wants to supply a data item /that the application ..... XmClipboardWithdrawFormat(Xm)  
 that returns the number of data item formats /function ..... XmClipboardInquireCount(Xm)  
 /function that retrieves a data item from the clipboard ..... XmClipboardRetrieve(Xm)  
 clipboard function that copies a data item passed by name /a ..... XmClipboardCopyByName(Xm)  
 clipboard function that copies a data item to temporary storage/ /a XmClipboardCopy(Xm)  
 test whether a message is a data message datams: ..... datams(K)  
 tcfush: discard all data not written or read ..... tcfow(S)  
 connection t\_snd: send data or expedited data over a ..... t\_snd(S)  
 a connection t\_rcv: receive data or expedited data sent over ..... t\_rcv(S)  
 t\_snd: send data or expedited data over a connection ..... t\_snd(S)  
 vidumapint: return a kernel data pointer ..... video(K)

## Permuted Index

open and access audit session    data records /audit\_read:    audit(S)  
 first address above initialized   data region edata:    end(S)  
 first address above uninitialized   data region end:    end(S)  
     execseg: makes a    data region executable    execseg(S)  
     unexecseg: makes a   data region returned by execseg/ .. execseg(S)  
     library routines for external   data representation xdr:    xdr(NS)  
     stat:    data returned by stat system call    stat(FP)  
 attaches and detaches a shared   data segment sdget, sdfree:    sdget(S)  
 returns version number of shared   data segment sdgetv:    sdgetv(S)  
     scenter: access shared   data segment    scenter(S)  
     sdfree: detaches a shared   data segment    sdget(S)  
     sdget: attaches a shared   data segment    sdget(S)  
     sdleave: modify shared   data segment    scenter(S)  
 synchronizes access to a shared   data segment scenter, sdleave:    scenter(S)  
     brk, sbrk: change   data segment space allocation    brk(S)  
 t\_rcv: receive data or expedited   data sent over a connection    t\_rcv(S)  
     audit\_close: close an audit   data session    audit(S)  
     audit\_open: open an audit   data session    audit(S)  
     audit\_read: read an audit   data session record    audit(S)  
     null:    data sink or empty source    null(F)  
 fubyte: get a character from user   data space    fubyte(K)  
     get one 32-bit word from user   data space fuword:    fuword(K)  
     store a 32-bit word in user   data space suword:    suword(K)  
 subyte: store a character in user   data space    subyte(K)  
     fetch: accesses   data stored under a key    dbm(S)  
 and returns pointer to new pad   data structure newpad: creates    curses(S)  
 and returns pointer to new pad   data structure newpad: creates    terminfo(S)  
     that sets up a storage and   data structure /function    XmClipboardStartCopy(Xm)  
     /initialize internal Toolkit   data structures    XtDisplayInitialize(Xt)  
 initscr: initializes all curses   data structures    curses(S)  
 initscr: initializes all curses   data structures    tam(S)  
 initscr: initializes all curses   data structures    terminfo(S)  
 of filename to initialize curses   data structures /uses contents    terminfo(S)  
     scr\_init: initializes curses   data structures from file    curses(S)  
     ttwrite: write   data to a device    tty(K)  
 rdchk: checks to see if there is   data to be read    rdchk(S)  
     fflush: writes buffered   data to file for named stream    fclose(S)  
     ttout: move   data to the output buffer    tty(K)  
     iomove: move   data to/from the user/kernel area    iomove(K)  
 position within/ XmTextPosition:   data type for a character    XmTextPosition(“Xm”)  
     XmString:   data type for a compound string    XmString(“Xm”)  
     XmFontList:   data type for a font list    XmFontList(“Xm”)  
 compound strings XmStringTable:   data type for an array of    XmStringTable(“Xm”)  
 display in a/ XmStringDirection:   data type for the direction of    XmStringDirection(“Xm”)  
     types: primitive system   data types    types(FP)  
     support nl\_types:   data types for native language    nl\_types(FP)  
     store: places   data under a key    dbm(S)  
     t\_rcvudata: receive a   data unit    t\_rcvudata(S)  
     t\_sndudata: send a   data unit    t\_sndudata(S)  
     run\_crypt: encrypts   data using /bin/crypt connection    crypt(S)  
 appres: list application resource   database    appres(X)  
     authcap: authentication   database    authcap(F)  
 based on fields of authentication   database fields: return status    fields(S)  
     consistency of authentication   database authck: check internal    authck(ADM)



dbm_close: close	database	.....	ndbm(NS)
dbm_open: open	database	.....	ndbm(NS)
dbmunit: initialize	database	.....	dbm(NS)
dbmunit: opens	database	.....	dbm(S)
destroy the specified resource	database	XrmDestroyDatabase: ..	XrmGetFileDatabase(XS)
file to the software installation	database	installf: add a .....	installf(ADM)
files against the authentication	database	/examine system .....	integrity(ADM)
files: file control	database	.....	files(F)
firstkey: return first key in	database	.....	dbm(NS)
from protected password	database	/and flag information ..	fields(S)
from the authentication	database	/get information .....	authcap(S)
from the file control	database	/attribute specification ..	create_file_securely(S)
information from terminal control	database	/current field and flag ..	fields(S)
information from protected password	database	/add field and flag .....	fields(S)
message from error message	database	/returns .....	XSetErrorHandler(XS)
name of the locale bound to the	database	/returns the .....	XrmGetFileDatabase(XS)
nextkey: return next key in	database	.....	dbm(NS)
of a resource file into a	database	/merges the contents ....	XrmMergeDatabases(XS)
remove a file from software	database	removef: .....	removef(ADM)
restartterm: reads in terminfo(F)	database	.....	curSES(S)
restartterm: reads in terminfo(F)	database	.....	terminfo(S)
return error	database	XtAppGetErrorDatabase: ..	XtAppGetErrorDatabase(Xt)
returns the first key in a	database	firstkey: .....	dbm(S)
returns the next key in a	database	nextkey: .....	dbm(S)
rewrites or adds an entry to the	database	putdvagname: .....	getdvagent(S)
routines for Subsystems	database	/manipulation .....	subsystems(S)
setupterm: reads in terminfo(F)	database	.....	curSES(S)
setupterm: reads in terminfo(F)	database	.....	terminfo(S)
termcap: terminal capability	database	.....	termcap(F)
terminfo: terminal capability	database	.....	terminfo(M)
terminfo: terminal description	database	.....	terminfo(S)
tput: query the terminfo	database	.....	tput(C)
update the Terminal Control	database	tyupd, termupd: .....	tyupd(ADM)
updates the Subsystem	database	write_authorizations: ..	subsystems(S)
with the authentication	database	/system files consistent ..	fixmog(ADM)
/creates new	database	and returns pointer .....	XrmPutResource(XS)
XrmPutLineResource: creates new	database	and returns pointer .....	XrmPutResource(XS)
XrmPutStringResource: creates new	database	and returns pointer .....	XrmPutResource(XS)
XrmQPutResource: creates new	database	and returns pointer .....	XrmPutResource(XS)
specified string /creates a new	database	and stores it in the .....	XrmGetFileDatabase(XS)
XrmGetDatabase: returns the	database	associated with the/ .....	XrmGetFileDatabase(XS)
/sets device assignment	database	back to first entry .....	getdvagent(S)
rgb: color	database	compiler .....	rgb(X)
/enumerate resource	database	entries .....	XrmEnumerateDatabase(XS)
manipulate default control	database	entry /putprdfname: .....	getprdfent(S)
manipulate device assignment	database	entry /copydvagent: .....	getdvagent(S)
manipulate file control	database	entry /putprfname: .....	getprfent(S)
manipulate protected password	database	entry /putprpwnam: .....	getprpwent(S)
manipulate terminal control	database	entry /putprtcnam: .....	getprtcent(S)
dbmedit: edit the MMDf	database	file .....	dbmedit(ADM)
default: system default	database	file .....	default(F)
devassign: device assignment	database	file .....	devassign(F)
ttys: terminal control	database	file .....	ttys(F)
protected password authentication	database	files prpw: .....	prpw(F)

## Permuted Index

backups schedule: database for automated system . . . . . schedule(ADM)  
 /search device assignment database for device name . . . . . getdvagent(S)  
 XrmQGetSearchResource: searches database for resource . . . . . XrmGetResource(XS)  
 XtScreenDatabase: obtain resource database for specified screen . . . . . XtScreenDatabase(Xt)  
   nextkey, store: performs database functions /firstkey, . . . . . dbm(S)  
   /stores a copy of the specified database in the specified file . . . . . XrmGetFileDatabase(XS)  
   audit\_auth\_entry: reports database inconsistency . . . . . authaudit(S)  
   /merges the contents of one database into another . . . . . XrmMergeDatabases(XS)  
   tables nictable: process NIC database into channel/domain . . . . . nictable(ADM)  
   audit\_lock: audits database locking operations . . . . . authaudit(S)  
   /replace\_file: authentication database locking routines . . . . . dblock(S)  
 dbmbuild: build the MMDf hashed database of alias and routing / . . . . . dbmbuild(ADM)  
   /obtain error database or message . . . . . XtAppGetErrorDatabase(Xt)  
   showrgb: color database previewer . . . . . showrgb(X)  
   isverify: verify ISAM database records . . . . . isverify(M)  
 XrmQGetResource: retrieves database resource . . . . . XrmGetResource(XS)  
   XrmPutResource: store database resources . . . . . XrmPutResource(XS)  
 lists XrmGetResource: retrieve database resources and search . . . . . XrmGetResource(XS)  
 XrmQGetSearchList: returns database search list . . . . . XrmGetResource(XS)  
   /dbm\_error, dbm\_clearerr: database subroutines . . . . . ndbm(NS)  
   dbm: database subroutines . . . . . dbm(NS)  
   store, delete, firstkey, nextkey: database subroutines /fetch, . . . . . dbm(NS)  
   file/ replace\_file: perform a database update using transition . . . . . dblock(S)  
   asetdefaults: change authcap database used to get system/ . . . . . authcap(S)  
   xrdb: X server resource database utility . . . . . xrdb(X)  
 display /associates the specified database with the specified . . . . . XrmGetFileDatabase(XS)  
 XrmMergeDatabases: merge resource databases . . . . . XrmMergeDatabases(XS)  
   retrieve and store resource databases XrmGetFileDatabase: . . . . . XrmGetFileDatabase(XS)  
   /function that returns a list of data\_id/private\_id pairs . . . . . XmClipboardInquirePendingItems(Xm)  
   is a data message datamsq: test whether a message . . . . . datamsq(K)  
   date: print and set the date(C)  
   gettimeofday: get date and time . . . . . gettimeofday(SSC)  
 nl\_cxtime, nl\_ascxtime: format date and time . . . . . nl\_cxtime(S)  
   settimeofday: get/set date and time gettimeofday, . . . . . gettimeofday(SSC)  
   settimeofday: set date and time . . . . . gettimeofday(SSC)  
 asctime, strftime, tzset: convert date and time to string /gmtime, . . . . . ctime(S)  
   date: print and set the date . . . . . date(C)  
   sddate: print and set backup dates . . . . . sddate(C)  
   the access and modification dates of files settime: change . . . . . settime(ADM)  
   strftime: format date/time string . . . . . strftime(S)  
   dbm\_delete: delete datum and key . . . . . ndbm(NS)  
   pointer tfind: searches for a datum in the tree and returns a . . . . . tsearch(S)  
   dbm\_fetch: retrieve datum under key . . . . . ndbm(NS)  
   dbm\_store: store datum under key . . . . . ndbm(NS)  
 set the system real-time (time of day) clock setclock: . . . . . setclock(ADM)  
 the system real-time (time of day) clock clock: . . . . . clock(F)  
 if alternate time zone exists daylight: set to non-zero value . . . . . ctime(S)  
   exit\_quiet\_zone,/ dblock: enter\_quiet\_zone, . . . . . dblock(S)  
   firstkey, nextkey, store:/ dbm: database subroutines . . . . . dbm(NS)  
   delete, firstkey, nextkey:/ dbm: dbminit, delete, fetch, . . . . . dbm(S)  
 database of alias and routing/ dbm, dbminit, fetch, store, . . . . . dbm(NS)  
   /dbm\_nextkey, dbm\_error, dbmbuild: build the MMDf hashed . . . . . dbmbuild(ADM)  
   condition dbm\_clearerr: database/ . . . . . ndbm(NS)  
   dbm\_clearerr: reset error . . . . . ndbm(NS)

dbm\_close: close database ..... ndbm(NS)  
 dbm\_delete,/ ndbm, dbm\_open, dbm\_close, dbm\_fetch, dbm\_store, ndbm(NS)  
 /dbm\_close, dbm\_fetch, dbm\_store, dbm\_delete, dbm\_firstkey,/ ..... ndbm(NS)  
 dbm\_delete: delete datum and key ndbm(NS)  
 file dbmedit: edit the MMDF database .. dbmedit(ADM)  
 /dbm\_firstkey, dbm\_nextkey, dbm\_error, dbm\_clearerr: database/ ndbm(NS)  
 dbm\_error: return error value .... ndbm(NS)  
 ndbm, dbm\_open, dbm\_close, dbm\_fetch, dbm\_store, dbm\_delete,/ ndbm(NS)  
 key dbm\_fetch: retrieve datum under .. ndbm(NS)  
 /dbm\_fetch, dbm\_store, dbm\_delete, dbm\_firstkey, dbm\_nextkey,/ ..... ndbm(NS)  
 dbm\_firstkey: find first key ..... ndbm(NS)  
 nextkey, store: performs/ dbm: dbminit, delete, fetch, firstkey, .... dbm(S)  
 firstkey, nextkey: database/ dbm, dbminit, fetch, store, delete, ..... dbm(NS)  
 dbminit: initialize database ..... dbm(NS)  
 dbminit: opens database ..... dbm(S)  
 /dbm\_delete, dbm\_firstkey, dbm\_nextkey, dbm\_error,/ ..... ndbm(NS)  
 dbm\_nextkey: find next key ..... ndbm(NS)  
 dbm\_store, dbm\_delete,/ ndbm, dbm\_open, dbm\_close, dbm\_fetch, ndbm(NS)  
 dbm\_open: open database ..... ndbm(NS)  
 dbm\_store, dbm\_delete,/ ndbm, .. ndbm(NS)  
 dbm\_store: store datum under key . ndbm(NS)  
 dbXtra: dbx-based / ..... dbXtra(CP)  
 debugger dbxtra: dbx-based screen-oriented ..... dbxtra(CP)  
 Motif/X11 interface-oriented/ dbXtra: dbx-based ..... dbXtra(CP)  
 screen-oriented debugger dbxtra: dbx-based ..... dbxtra(CP)  
 calculator dc: invoke an arbitrary precision ... dc(C)  
 dclock: digital clock for X ..... dclock(X)  
 optimal access time dcopy: copy UNIX filesystems for .. dcopy(ADM)  
 dd: convert and copy a file ..... dd(C)  
 /a VendorShell function that deactivate a protocol without/ ... XmDeactivateProtocol(Xm)  
 /convenience interface that deactivate a protocol without/ ... XmDeactivateWMProtocol(Xm)  
 XDestroyImage: deallocate image ..... XCreateImage(XS)  
 cfree: deallocate space ..... malloc(S)  
 free: deallocate space ..... malloc(S)  
 /from the protocol manager and deallocate the internal tables .... XmRemoveProtocols(Xm)  
 /from the protocol manager and deallocate the internal tables .... XmRemoveWMProtocols(Xm)  
 devices assign, deassign: assign and deassign .... assign(C)  
 deassign: deassign devices ..... assign(C)  
 assign, deassign: assign and deassign devices ..... assign(C)  
 deassign: deassign devices ..... assign(C)  
 utility debrand: installation script ..... undocumented(M)  
 Motif/X11 interface-oriented debugger dbXtra: dbx-based ..... dbXtra(CP)  
 adb: invokes a general-purpose debugger ..... adb(CP)  
 codeview: visual debugger ..... codeview(CP)  
 ctrace: C program debugger ..... ctrace(CP)  
 cv: visual debugger ..... codeview(CP)  
 dbx-based screen-oriented debugger dbxtra: ..... dbxtra(CP)  
 fsdb: filesystem debugger ..... fsdb(ADM)  
 sdb: symbolic debugger ..... sdb(CP)  
 try to contact remote system with debugging on uutry: ..... uutry(ADM)  
 traceoff: turns off debugging trace output ..... curses(S)  
 traceoff: turns off debugging trace output ..... terminfo(S)  
 traceon: turns on debugging trace output ..... curses(S)  
 traceon: turns on debugging trace output ..... terminfo(S)

## Permuted Index

isdigit: tests for decimal digit ..... ctype(S)  
 if panel is removed from deck\_panel\_hidden: indicates ..... panel(S)  
 puts visible panel on top of the deck\_top\_panel: ..... panel(S)  
 removes panel from panels deck\_hide\_panel: ..... panel(S)  
 visible and puts on top of the deck /makes hidden panel ..... panel(S)  
 traverse the argument/ va\_list: declares a variable used to ..... varargs(S)  
     va\_dcl: declares va\_alist ..... varargs(S)  
 uuencode: decode a uuencoded binary file ..... uuencode(C)  
     svc\_getargs: decode the arguments to an RPC ..... rpc(NS)  
     information tputs: decodes the leading padding ..... termcap(S)  
 snftobdf: SNF to BDF font decompiler for X11 ..... snftobdf(X)  
 des\_encrypt: encrypts or decrypts data byte with DES/ ..... crypt(S)  
 startx: start the X server and default clients ..... startx(X)  
     file default: system default database ..... default(F)  
     default root window for/ DefaultColormap: returns depth of ..... AllPlanes(XS)  
     default colormap of specified/ DefaultColormapOfScreen: returns BlackPixelOfScreen(XS)  
     for root window of specified/ DefaultDepth: returns default GC ..... AllPlanes(XS)  
 default depth of root window of/ DefaultDepthOfScreen: returns ..... BlackPixelOfScreen(XS)  
 root window of specified screen DefaultGC: returns default GC for ..... AllPlanes(XS)  
 default GC of specified screen DefaultGCOfScreen: returns ..... BlackPixelOfScreen(XS)  
 window for default screen DefaultRootWindow: returns root ..... AllPlanes(XS)  
     database used to get system defaults /change authcap ..... authcap(S)  
 relax: change system security defaults ..... relax(ADM)  
     information directory defaults: default program ..... defaults(F)  
 screen number referenced in/ DefaultScreen: returns default ..... AllPlanes(XS)  
 default screen of specified/ DefaultScreenOfDisplay: returns ..... AllPlanes(XS)  
 visual type for specified screen DefaultVisual: returns default ..... AllPlanes(XS)  
     default visual of specified/ DefaultVisualOfScreen: returns ..... BlackPixelOfScreen(XS)  
 scsibadblk: scan hard disk for defective blocks and attempt to/ ..... scsibadblk(ADM)  
     undoes effect of cursor define XUndefineCursor: ..... XDefineCursor(XS)  
     XDefineCursor: define cursors ..... XDefineCursor(XS)  
     pipe: list or define pipe filesystem ..... pipe(ADM)  
 XmuVisualStandardColormaps: define standard colormap/ ..... XmuVisualStandardColormaps(Xmu)  
     a given color-pair is currently defined /user to find out how ..... curses(S)  
     a given color-pair is currently defined /user to find out how ..... terminfo(S)  
     xlsatoms: list interned atoms defined on server ..... xlsatoms(X)  
     reads pointer movement definition XGetPointerControl: ..... XChangePointerControl(XS)  
     init\_color: changes the definition of a color ..... curses(S)  
     init\_color: changes the definition of a color ..... terminfo(S)  
     entries defopen, defread: reads default ..... defopen(S)  
     saveterm: replaced by defopen: opens default file ..... defopen(S)  
     access to various curses/ def\_prog\_mode ..... curses(S)  
     access to various curses/ def\_prog\_mode: gives low-level ..... curses(S)  
     defopen, defread: reads default entries ..... defopen(S)  
     file defread: reads opened default ..... defopen(S)  
     access to various curses/ def\_shell\_mode: gives low-level ..... curses(S)  
     access to various curses/ def\_shell\_mode: gives low-level ..... terminfo(S)  
     for specified time delay: delay process execution ..... delay(K)  
     wndelay: set no delay input mode ..... tam(S)  
     specified time delay: delay process execution for ..... delay(K)  
     millisecond pause in the output delay\_output: inserts a ms ..... curses(S)  
     millisecond pause in the output delay\_output: inserts a ms ..... terminfo(S)  
     cursor in window delch: deletes character under ..... tam(S)

cursor in window delch: deletes character under ..... terminfo(S)  
 cursor delch: deletes character under ..... curses(S)  
 use space pointed to by oterm del\_curterm: frees for further ..... terminfo(S)  
 use space pointed to by oterm del\_curterm: frees for further ..... curses(S)  
 wdelete: delete a window ..... tam(S)  
 iserase: delete an entire ISAM file ..... iserase(S)  
 isdelindex: delete an index ..... isdelindex(S)  
 XmuRemoveCloseDisplayHook: delete callback ..... XmuRemoveCloseDisplayHook(Xmu)  
 delete: delete data ..... dbm(NS)  
 dbm\_delete: delete datum and key ..... ndbm(NS)  
 delete: delete data ..... dbm(NS)  
 associated contents) delete: deletes a key (and its ..... dbm(S)  
 Delete: deletes the layer ..... libwindows(S)  
 store: performs/ dbm: dbmunit, delete, fetch, firstkey, nextkey, ..... dbm(S)  
 dbm, dbmunit, fetch, store, delete, firstkey, nextkey:/ ..... dbm(NS)  
 primary key isdelete: delete record specified by ..... isdelete(S)  
 number isdelrec: delete record specified by record ..... isdelrec(S)  
 XmuDeleteStandardColormap: delete standard colormap property ..... XmuDeleteStandardColormap(Xmu)  
 isdelcurr: delete the current record ..... isdelcurr(S)  
 driver/ idinstall: add, delete, update, or get device ..... idinstall(ADM)  
 cursor in window deleteln: deletes line under ..... curses(S)  
 cursor in window deleteln: deletes line under ..... tam(S)  
 cursor in window deleteln: deletes line under ..... terminfo(S)  
 pathname dirname: deliver directory part of ..... dirname(C)  
 process deliver: MMDF mail delivery ..... deliver(ADM)  
 which has been submitted but not delivered /check for mail ..... checkmail(C)  
 deliver: MMDF mail delivery process ..... deliver(ADM)  
 maildelivery: user delivery specification file ..... maildelivery(F)  
 del\_panel: deletes panel ..... panel(S)  
 the delta commentary of an SCCS delta cdc: change ..... cdc(CP)  
 delta: make a delta (change) to an SCCS file ..... delta(CP)  
 cdc: change the delta commentary of an SCCS delta cdc(CP)  
 rmdel: remove a delta from an SCCS file ..... rmdel(CP)  
 an SCCS file delta: make a delta (change) to ..... delta(CP)  
 comb: combine SCCS deltas ..... comb(CP)  
 frees up all associated memory delwin: deletes named window and ..... curses(S)  
 frees up all associated memory delwin: deletes named window and ..... terminfo(S)  
 argument list va\_alist: denotes an old-style variable ..... varargs(S)  
 msg: permit or deny messages sent to a terminal ..... msg(C)  
 files depend: software dependencies ..... depend(F)  
 depend: software dependencies files ..... depend(F)  
 makelink: create dependencies in makefiles ..... makelink(XS)  
 /u3b2, u3b5): get truth value dependent on processor type ..... machid(C)  
 DefaultColormap: returns depth of default root window for/ ..... AllPlanes(XS)  
 DisplayPlanes: returns the depth of root window of specified/ ..... AllPlanes(XS)  
 screen /returns default depth of root window of specified ..... BlackPixelOfScreen(XS)  
 XListDepths: returns array of depths available on specified/ ..... AllPlanes(XS)  
 creates encryption key with DES primitive des\_setkey: ..... crypt(S)  
 des\_crypt: encrypts password from DES primitive ..... crypt(S)  
 or decrypts data byte with DES primitive /encrypts ..... crypt(S)  
 /function that makes an invisible descendant of a ScrolledWindow/ ..... XmScrolledWindow(Xm)  
 XGetErrorText: reads error code description ..... XSetErrorHandler(XS)  
 description into a terminfo description /convert a termcap ..... captinfo(ADM)  
 read bitmap file description XmuReadBitmapData: XmuReadBitmapData(Xmu)

## Permuted Index

returns pointer to given item's description item\_description: ..... item(S)  
 security subsystem component description subsystem: ..... subsystem(M)  
     terminfo: terminal description database ..... terminfo(S)  
 mdevice: device driver module description file ..... mdevice(F)  
     pkgmap: package contents description file ..... pkgmap(F)  
 captinfo: convert a termcap description into a terminfo/ ..... captinfo(ADM)  
     /returns pointer to verbose description of current terminal ..... curses(S)  
     /returns pointer to verbose description of current terminal ..... terminfo(S)  
 compare or print out terminfo descriptions infocmp: ..... infocmp(ADM)  
 associates a stream with a file descriptor fdopen: ..... fopen(S)  
     close: close a file descriptor ..... close(S)  
     current value of an open file descriptor fpathconf: determines ..... pathconf(S)  
 dup2: duplicate an open file descriptor ..... dup2(S)  
     dup: duplicate an open file descriptor ..... dup(S)  
 dupb: duplicate a message block descriptor ..... dupb(K)  
     fileno: returns integer file descriptor ..... ferror(S)  
         FD\_CLR: removes a descriptor from a descriptor set ..... select(S)  
     FD\_SET: include a particular descriptor in descriptor set ..... select(S)  
     rresvport: returns a socket descriptor in privileged port/ ..... rcmd(SLIB)  
     FD\_ISSET: returns non-zero if descriptor is member of a descriptor is member of a/ ..... select(S)  
     if descriptor is member of a descriptor set FD\_SET: include ..... select(S)  
     removes a descriptor from a descriptor set /returns non-zero ..... select(S)  
         FD\_ZERO: initialize descriptor set FD\_CLR: ..... select(S)  
         select: examine I/O descriptor set to the null set ..... select(S)  
         getdtablesize: get descriptor sets ..... select(S)  
         DES primitive descriptor table size ..... getdtablesize(SLIB)  
 position in/ /a List function that des\_crypt: encrypts password from ..... crypt(S)  
     the/ /a List function that deselects an item at a specified ..... XmListDeselectPos(Xm)  
     data byte with DES primitive deselects the specified item from ..... XmListDeselectItem(Xm)  
     /and control constructs of the des\_encrypt: encrypts or decrypts ..... crypt(S)  
 /commands: the commands of the Desktopshell command language ..... desktopshell(X)  
     of the Desktopshell command/ Desktopshell command language ..... desktopcommands(X)  
     constructs of the Desktopshell/ desktopshell commands: the commands desktopcommands(X)  
     graphical user interface for the desktopshell: syntax and control ..... desktopshell(X)  
         scohelp: provide help on Desktop xdt3: the ..... xdt3(X)  
     object\_builder: build or modify desktop ..... scohelp(X)  
     communications utility tellxdt3: Desktop objects ..... objbld(X)  
         key with DES primitive Desktop to UNIX shell ..... tellxdt3(X)  
 /widget to be used as the current des\_setkey: creates encryption ..... crypt(S)  
 XUnionRectWithRegion: updates destination for quick paste and/ ..... XmGetDestination(Xm)  
     pmap\_unset: destroy a program-to-port mapping ..... rpc(NS)  
     svc\_destroy: destroy a service handle ..... rpc(NS)  
         XtGetGC: obtain and destroy a sharable GC ..... XtGetGC(Xt)  
         XtReleaseGC: destroy a sharable GC ..... XtGetGC(Xt)  
     XtDestroyApplicationContext: destroy an application context ..... XtCreateApplicationContext(Xt)  
         xdr\_destroy: destroy an XDR stream ..... xdr(NS)  
         application context /create, destroy, and obtain an ..... XtCreateApplicationContext(Xt)  
 method of an/ XCreateIC: create, destroy, and obtain the input ..... XCreateIC(XS)  
     auth\_destroy: destroy authentication handle ..... rpc(NS)  
     clnt\_destroy: destroy client handle ..... rpc(NS)  
 XCreateColormap: create, copy, or destroy colormaps and color/ ..... XCreateColormap(XS)  
     XCreatePixmap: create or destroy pixmaps ..... XCreatePixmap(XS)  
     XCreateRegion: create or destroy regions ..... XCreateRegion(XS)

XDestroyIC: destroy the specified IC ..... XCreateIC(XS)  
 database XrmDestroyDatabase: destroy the specified resource ..... XrmGetFileDatabase(XS)  
     XtDestroyWidget: destroy widget ..... XtCreateWidget(Xt)  
     XtCreateWidget: create and destroy widgets ..... XtCreateWidget(Xt)  
     XDestroyWindow: destroy windows ..... XDestroyWindow(XS)  
 XcmsCreateCCC: creating and destroying CCCs ..... XcmsCreateCCC(XS)  
     XDestroyWindowEvent: DestroyNotify event structure ..... XDestroyWindowEvent(XS)  
     XFreeGC: destroys graphics context ..... XCreateGC(XS)  
     XFreePixmap: destroys pixmap ..... XCreatePixmap(XS)  
     XDestroyRegion: destroys region ..... XCreateRegion(XS)  
     XDestroySubwindows: destroys subwindows ..... XDestroyWindow(XS)  
         hdestroy: destroys the search table ..... hsearch(S)  
 XShmDetach: tells the server to detach from the shared memory / .. XShm(Xext)  
     sdfree: detaches a shared data segment ... sdget(S)  
     sdget, sdfree: attaches and detaches a shared data segment ... sdget(S)  
     shmdt: detaches shared memory segment ... shmop(S)  
     access, eaccess: determine accessibility of a file ..... access(S)  
 colors XmuGetColormapAllocation: determine best allocation of ..... XmuGetColormapAllocation(Xmu)  
     dtype: determine disk type ..... dtype(C)  
     XQueryBestSize: determine efficient sizes ..... XQueryBestSize(XS)  
         file: determine file type ..... file(C)  
         fstyp: determine filesystem type ..... fstyp(ADM)  
         do device I/O all\_io: determine if all processors can ... all\_io(K)  
 XmuLookupCloseDisplayHook: determine if callback installed ..... XmuRemoveCloseDisplayHook(Xmu)  
     can do device I/O can\_doio: determine if current processor ..... can\_doio(K)  
         superuser suser: determine if current user is the ... suser(K)  
         acceptable\_password: determine if password is cryptic ... accept\_pw(S)  
         equal XEmptyRegion: determine if regions are empty or .. XEmptyRegion(XS)  
         log in locked\_out: determine if specified user can ... fields(S)  
     configure/ XSupportsLocale: determine locale support and ..... XSupportsLocale(XS)  
         of an account passlen: determine minimum password length passlen(S)  
         number of array/ XtOffset: determine the byte offset or ..... XtOffset(Xt)  
         resource fields XtOffset: determine the byte offset or ..... XtOffset(Xt)  
         elements XtNumber: determine the number of array ... XtOffset(Xt)  
         whodo: determine who is doing what ..... whodo(C)  
         database file devassign: device assignment ..... devassign(F)  
         message on the console deverr: print a device error ..... deverr(K)  
 audit: audit subsystem interface device ..... audit(HW)  
     console: system console device ..... console(M)  
 control for QIC-24/QIC-02 tape device tapcntl: AT&T tape ..... tapcntl(C)  
     dat: digital audio tape device ..... dat(HW)  
     error: kernel error output device ..... error(M)  
 font and video mode for a video device vidi: set the ..... vidi(C)  
     getpkgvalue: access the string device /getcflgline, getpkgflag, ... getbvalue(K)  
     isatty: test for a terminal device ..... ttyname(S)  
     prevent interrupts from block device splbuf: ..... spl(K)  
     process raw input data from tty device canon: ..... canon(K)  
 pts???: STREAMS master pseudo-tty device ptmx, ..... ptmx(M)  
     ramdisk: memory block device ..... ramdisk(HW)  
     systty: system maintenance device ..... systty(M)  
         tape: magnetic tape device ..... tape(HW)  
     ttclose: remove access to tty device ..... tty(K)  
         tthead: read data from a device ..... tty(K)  
         ttrstrt: restart tty device ..... tty(K)

Permuted Index

ttwrite: write data to a device ..... tty(K)  
 mscsi: SCSI peripheral device and host adapter/ ..... mscsi(F)  
 to first entry setdvagent: sets device assignment database back ... getdvagent(S)  
 /copydvagent: manipulate device assignment database entry . getdvagent(S)  
 devassign: device assignment database file ... devassign(F)  
 device name getdvagnam: search device assignment database for ... getdvagent(S)  
 /return pointer to first device assignment entry ..... getdvagent(S)  
 memory and close files supporting device assignment routines /free .. getdvagent(S)  
 the fields/ copydvagent: copies a device assignment structure and .. getdvagent(S)  
 sdevice: device configuration file ..... sdevice(F)  
 read and write streams of device data /repoutsw, repoutsd: .. repins(K)  
 /add, delete, update, or get device driver configuration data ... idinstall(ADM)  
 contents of a boot time loadable device driver disk btld: ..... btld(F)  
 /system service, kernel, and device driver error messages ..... messages(M)  
 file mdevice: device driver module description ... mdevice(F)  
 /install boot-time loadable device drivers into the Link Kit .... btldinstall(ADM)  
 console deverr: print a device error message on the ..... deverr(K)  
 multiscreen: multiple screens (device files) ..... multiscreen(M)  
 openpl: opens plot device for writing ..... plot(S)  
 archive: default backup device information ..... archive(F)  
 lp, lp0, lp1, lp2: line printer device interfaces ..... lp(HW)  
 temporary memory or map a device into memory /allocate ..... sptalloc(K)  
 if all processors can do device I/O all\_io: determine ..... all\_io(K)  
 if current processor can do device I/O can\_doio: determine ... can\_doio(K)  
 mapchan: configure tty device mapping ..... mapchan(M)  
 mapchan: format of tty device mapping files ..... mapchan(F)  
 device assignment database for device name getdvagnam: search . getdvagent(S)  
 devnm: identify device name ..... devnm(C)  
 device number, or extended minor device number /base major, new .. major(K)  
 get major and extended minor device number makedev: ..... major(K)  
 major: get major device number ..... major(K)  
 minor: get extended minor device number ..... major(K)  
 scsi\_getdev: get a SCSI device number ..... scsi(K)  
 /minor: return base major, new device number, or extended minor/ major(K)  
 extract extended major /minor device numbers emajor, eminor: .. emajor(K)  
 /display the list of major device numbers currently/ ..... majorsinuse(ADM)  
 clone: open any minor device on a STREAMS driver ..... clone(M)  
 ttyname: get terminal device pathname ..... ttyname(S)  
 XcmsAllocColor: allocate device-independent colors ..... XcmsAllocColor(XS)  
 assign: assign devices ..... assign(C)  
 call scripts to add peripheral devices mkdev: ..... mkdev(ADM)  
 cdrom: compact disk devices ..... cdrom(HW)  
 deassign: assign and deassign devices assign, ..... assign(C)  
 deassign: deassign devices ..... assign(C)  
 event queue and all associated devices ev\_close: close the ..... ev\_close(S)  
 fd: floppy devices ..... fd(HW)  
 parallel: parallel interface devices ..... parallel(HW)  
 prevent interrupts from character devices spl5: ..... spl(K)  
 prevent interrupts from network devices spln: ..... spl(K)  
 ev\_getdev: gets a list of devices feeding an event queue .... ev\_getdev(S)  
 devices: format of UUCP devices file ..... devices(F)  
 ev\_gindev: include/exclude devices for event input ..... ev\_gindev(S)  
 file devices: format of UUCP devices ... devices(F)  
 add a block I/O request to a device's queue disksort: ..... disksort(K)



Sdevregister: register SCSI blocks  
 host for PCILIB IPC functions  
     filesystems  
     filesystems fsck,  
         dial, uuchat:  
         terminal line connection  
         read/write  
     dialcodes: format of UUCP  
     Dialcode abbreviations file  
     dialers: format of UUCP  
         file  
         XmDialogShell: the  
         XmCreateDialogShell: the  
 passwd: change login, or modem  
     difftime: computes the  
     XXorRegion: calculates  
 and alternate time zone altzone:  
 and main time zone timezone:  
     function key/ notimeout:  
     function key/ notimeout:  
         between time values  
     isxdigit: tests for decimal  
     isxdigit: tests for hexadecimal  
     todigit: convert integer to a  
         dat:  
         dclock:  
         xclock: analog /  
     getdim: gets beginning  
     getdim: gets beginning  
 directory stream and frees the  
     DOS directories in the DOS  
 of specified window in specified  
     on a stream in the reverse  
     /data type for the  
         ml\_txt:  
     xdpr: dump an X window  
         dircmp: compare  
     install object files in binary  
     lf, lr, ls, lx: list contents of  
 merge log files and clean UUCP  
     mv: move or rename files and  
         rm: remove files or  
         rmdir: remove  
 unlink: link and unlink files and  
     uuchek: check the UUCP  
         lf: List files indicating  
         devnum: identify device name ..... devnm(C)  
         devreg: Sharegister, ..... devreg(K)  
         df: report number of free disk ..... df(C)  
         dfllthost: get/set the current ..... dfllthost(PCLI)  
         dfscck: check and repair ..... fsck(ADM)  
         dfscck: check and repair ..... fsck(ADM)  
         dfspace: report disk space ..... dfspace(C)  
         dial a modem ..... dial(ADM)  
         dial: establish an outgoing ..... dial(S)  
         dial: open a terminal line for ..... dial(S)  
         dial, uuchat: dial a modem ..... dial(ADM)  
         Dialcode abbreviations file ..... dialcodes(F)  
         dialcodes: format of UUCP ..... dialcodes(F)  
         Dialers file ..... dialers(F)  
         dialers: format of UUCP Dialers ..... dialers(F)  
         DialogShell widget class ..... XmDialogShell(Xm)  
         DialogShell widget creation/ ..... XmCreateDialogShell(Xm)  
         (dialup shell) password ..... passwd(C)  
         diff: compare two text files ..... diff(C)  
         diff3: compare three files ..... diff3(C)  
         difference between time values ..... difftime(S)  
         difference between union and/ ..... XIntersectRegion(XS)  
         difference in seconds between GMT ..... ctime(S)  
         difference in seconds between GMT ..... ctime(S)  
         differentiates between user and ..... curses(S)  
         differentiates between user and ..... terminfo(S)  
         difftime: computes the difference ..... difftime(S)  
         digit ..... ctype(S)  
         digit ..... ctype(S)  
         digit (0 - 9) ..... toascii(S)  
         digital audio tape device ..... dat(HW)  
         digital clock for X ..... dclock(X)  
         digital clock for X ..... xclock(X)  
         dimensions of specified window ..... curses(S)  
         dimensions of specified window ..... terminfo(S)  
         dir: format of a directory ..... dir(FP)  
         DIR structure /closes the named ..... directory(S)  
         DIR style dosdir: List ..... doscmd(C)  
         dircmp: compare directories ..... dircmp(C)  
         direction /circulates children ..... XRaiseWindow(XS)  
         direction qreply: send a message ..... qreply(K)  
         direction of display in a string ..... XmStringDirection("Xm")  
         directly enters raw text ..... ml\_send(S)  
         directly to a printer ..... xdpr(X)  
         directories ..... dircmp(C)  
         directories cpset: ..... cpset(C)  
         directories l, lc ..... ls(C)  
         directories uudemmon.clean: ..... uudemmon(ADM)  
         directories ..... mv(C)  
         directories ..... rm(C)  
         directories ..... rmdir(C)  
         directories link, ..... link(ADM)  
         directories and permissions file ..... uuchek(ADM)  
         directories, executables, and/ ..... ls(C)

## Permuted Index

dosrmdir: Remove directories from a DOS disk ..... doscmd(C)  
 style dosdir: List DOS directories in the DOS DIR ..... doscmd(C)  
 ls style dosls: Lists DOS directories in the UNIX system ..... doscmd(C)  
 remove temporary files in directories specified cleantmp: ..... cleantmp(ADM)  
 S\_ISDIR: determines if file is a directory ..... stat(S)  
 access permissions of a file or directory chmod: change the ..... chmod(C)  
 cd: change working directory ..... cd(C)  
 chdir: change working directory ..... chdir(S)  
 chroot: change root directory ..... chroot(S)  
 creates a filename in a named directory tmpnam: ..... tmpnam(S)  
 default program information directory defaults: ..... defaults(F)  
 dir: format of a directory ..... dir(FP)  
 get pathname of current working directory getcwd: ..... getcwd(S)  
 mkdir: make a directory ..... mkdir(C)  
 mkdir: make a directory ..... mkdir(S)  
 mmdir: move a directory ..... mmdir(ADM)  
 of the pathname of a file or directory /current value ..... pathconf(S)  
 opendir: opens a directory ..... opendir(S)  
 rmdir: remove a directory ..... rmdir(S)  
 stream to the beginning of the directory /the named directory ..... directory(S)  
 uclean: UUCP spool directory uclean-up ..... uclean(ADM)  
 readdir, rewinddir, seekdir, / directory: closedir, opendir, ..... directory(S)  
 getdents: read directory entries and put in a / ..... getdents(S)  
 a pointer to the next active directory entry readdir: returns ..... directory(S)  
 dirent: filesystem-independent directory entry ..... dirent(FP)  
 unlink: remove directory entry ..... unlink(S)  
 chroot: change root directory for command ..... chroot(ADM)  
 uudemmon.hour: check spool directory for work ..... uudemmon(ADM)  
 mkdirhier: makes a directory hierarchy ..... mkdirhier(XS)  
 pwd: print working directory name ..... pwd(C)  
 basename: remove directory names from pathnames .. basename(C)  
 /create fonts.dir file from directory of font files ..... mkfontdir(X)  
 another / lndir: create a shadow directory of symbolic links to ..... lndir(XS)  
 dosmkdir: Make a directory on a DOS disk ..... doscmd(C)  
 rewinddir, seekdir, telldir: directory operations /readdir, ..... directory(S)  
 ordinary file or a / mknod: make a directory or a special or ..... mknod(S)  
 dirname: deliver directory part of pathname ..... dirname(C)  
 /function that initiates a directory search ..... XmFileSelectionDoSearch(Xm)  
 location associated with named directory stream /returns current .. directory(S)  
 DIR/ closedir: closes the named directory stream and frees the ..... directory(S)  
 of/ rewinddir: resets the named directory stream to the beginning .. directory(S)  
 of symbolic links to another directory tree /shadow directory .. lndir(XS)  
 exportfs: export directory trees ..... exportfs(NS)  
 directory entry dirent: filesystem-independent ..... dirent(FP)  
 of pathname dirname: deliver directory part ..... dirname(C)  
 dis: object code disassembler ..... dis(CP)  
 t\_unbind: disable a transport endpoint ..... t\_unbind(S)  
 session chg\_audit: enable and disable auditing for the next ..... chg\_audit(ADM)  
 emunmap: disable mapping on a channel ..... emunmap(K)  
 acct: enable or disable process accounting ..... acct(S)  
 scanon, scanoff: enable and disable scancode-to-character / ..... scanon(M)  
 XSynchronize: enable or disable synchronization ..... XSynchronize(XS)  
 printers disable: turn off terminals and ..... disable(C)  
 XForceScreenSaver: activates disabled screen saver ..... XSetScreenSaver(XS)

opterr: disables error message ..... getopt(S)  
 mapping scanoff: disables scancode-to-character ..... scanon(M)  
 XSetAfterFunction: enables or disables synchronization ..... XSynchronize(XS)  
 XSetAccessControl: enables or disables use of access control/ ..... XAddHost(XS)  
 list XDisableAccessControl: disables use of access control ..... XAddHost(XS)  
   dis: object code disassembler ..... dis(CP)  
   read tcf flush: discard all data not written or ..... tcf flow(S)  
   the queue ev\_flush: discard all events currently in ..... ev\_flush(S)  
 holds a signal until released or discarded sighold: ..... sigsetv(S)  
 information touchline: discards window optimization ..... curses(S)  
 information touchline: discards window optimization ..... terminfo(S)  
 information touchwin: discards window optimization ..... curses(S)  
 information touchwin: discards window optimization ..... terminfo(S)  
 type, modes, speed, and line discipline /uugetty: set terminal ..... getty(M)  
 idaddld: add or remove line disciplines from kernel/ ..... idaddld(ADM)  
 retrieve information from disconnect t\_rcvdis: ..... t\_rcvdis(S)  
 t\_snddis: send user-initiated disconnect request ..... t\_snddis(S)  
 XOpenDisplay: connect or disconnect to X server ..... XOpenDisplay(XS)  
   move\_field: moves the disconnected field ..... field(S)  
   associated field/ free\_form: disconnects form from its ..... form(S)  
   XCloseDisplay: disconnects from X server ..... XOpenDisplay(XS)  
 item pointer array free\_menu: disconnects menu from associated ..... menu(S)  
   xdr\_union: XDR a discriminated union of choices ..... xdr(NS)  
 Make a directory on a DOS disk dosmkdir: ..... doscmd(C)  
 Remove directories from a DOS disk dosrmdir: ..... doscmd(C)  
 boot time loadable device driver disk btld: contents of a ..... btld(F)  
   create file image for floppy disk diskimage: ..... diskimage(SMT)  
 dosrm: Remove files from a DOS disk ..... doscmd(C)  
   diskusg: generate disk accounting data by user ID ..... diskusg(ADM)  
   acctdisk: gather user disk block data ..... acct(ADM)  
   df: report number of free disk blocks ..... df(C)  
   dkinit: display/change hard disk characteristics dparam, ..... dparam(ADM)  
   records acctdusg: calculate disk consumption for accounting ..... acct(ADM)  
   cdrom: compact disk devices ..... cdrom(HW)  
   divvy: disk dividing utility ..... divvy(ADM)  
   hd: internal hard disk drive ..... hd(HW)  
 attempt to/ scsibadblk: scan hard disk for defective blocks and ..... scsibadblk(ADM)  
   track table badtrk: scan fixed disk for flaws and creates bad ..... badtrk(ADM)  
   aio: Asynchronous disk I/O ioctl commands ..... aio(M)  
   fdisk: maintain disk partitions ..... fdisk(ADM)  
   dfspace: report disk space ..... dfspace(C)  
   space: disk space requirement file ..... space(F)  
   dtype: determine disk type ..... dtype(C)  
   du: summarize disk usage ..... du(C)  
     diskcmp: Compare floppy disks ..... diskcp(C)  
     diskcmp: copy or compare floppy ..... diskcp(C)  
     diskcp: Copy floppy disks ..... diskcp(C)  
     floppy disks diskcp, diskcmp: copy or compare ..... diskcp(C)  
     floppy disk diskimage: create file image for ..... diskimage(SMT)  
   diskcmp: Compare floppy disks ..... diskcp(C)  
 diskcmp: copy or compare floppy disks diskcp, ..... diskcp(C)  
   format: Copy floppy disks ..... diskcp(C)  
   format: format floppy disks ..... format(C)  
   mkflops: create floppy disks from mkcuts(SMT) output ..... mkflops(SMT)

## Permuted Index

to a device's queue      disksort: add a block I/O request .. disksort(K)

    data by user ID      diskusg: generate disk accounting .. diskusg(ADM)

    XtCloseDisplay: close a      display ..... XtDisplayInitialize(Xt)

    XtDatabase: initialize a      display ..... XtDisplayInitialize(Xt)

    XtDisplayInitialize: initialize a      display ..... XtDisplayInitialize(Xt)

    XtOpenDisplay: open a      display ..... XtDisplayInitialize(Xt)

        add a callback to      display XmuAddCloseDisplayHook: XmuAddCloseDisplayHook(Xmu)

        associated with the specified      display /returns the database ..... XrmGetFileDatabase(XS)

        bell on keyboard on specified      display XBell: rings ..... XChangeKeyboardControl(XS)

        client applications running on a      display xlsclients: list ..... xlsclients(X)

        connection number for specified      display /returns ..... AllPlanes(XS)

        database with the specified      display /the specified ..... XrmGetFileDatabase(XS)

        default screen of specified      display /returns ..... AllPlanes(XS)

        for keyboard on specified      display /turns off auto-repeat ..... XChangeKeyboardControl(XS)

        for keyboard on specified      display /turns on auto-repeat ..... XChangeKeyboardControl(XS)

        initialize, open, or close a      display XtDisplayInitialize: ..... XtDisplayInitialize(Xt)

        object ID for a specified      display /returns the XmDisplay ..... XmGetXmDisplay(Xm)

        of event queue for connected      display QLength: returns length ..... AllPlanes(XS)

        pointer to screen of specified      display ScreenOfDisplay: returns ..... AllPlanes(XS)

            scolock: lock X      display ..... scolock(X)

        sets the font unit value for a      display /a function that ..... XmSetFontUnit(Xm)

        sets the font unit value for a      display /a function that ..... XmSetFontUnits(Xm)

            doscat: Display a DOS file ..... doscmd(C)

            form: create and      display a form ..... tam(S)

            menu: create and      display a menu ..... tam(S)

            pcat: Display a packed file ..... pack(C)

        /color, monochrome, ega, vga      display adapter and video monitor screen(HW)

            data base cmos:      display and set the configuration .. cmos(HW)

            XDisplayOfIM: returns the      display associated with the/ ..... XOpenIM(XS)

        /data for storage, uncompress and      display compressed files ..... compress(C)

            zcat: display compressed files ..... compress(C)

            message printcfg:      display driver initialization ..... printcfg(K)

        vedit: invoke a screen-oriented      display editor vi, view, ..... vi(C)

        vi: Invoke a screen-oriented      display editor ..... vi(C)

        cat: concatenate and      display files ..... cat(C)

            format hd:      display files in hexadecimal ..... hd(C)

            od: display files in octal format ..... od(C)

        server fslsfonts:      display font list for X font ..... fslsfonts(X)

        pg: paginate      display for soft-copy terminals ..... pg(C)

        xload: load average      display for X ..... xload(X)

    XmuDQRemoveDisplay: remove      display from queue ..... XmuDisplayQueue(Xmu)

    XmDisplay/ XmGetXmDisplay: a      Display function that returns the .. XmGetXmDisplay(Xm)

        /data type for the direction of      display in a string ..... XmStringDirection("Xm")

        activity uptime:      display information about system ..... uptime(C)

    on the system and what they/ w:      display information about who is .. w(C)

        xdpyinfo:      display information utility for X .. xdpyinfo(X)

        displaypkg:      display installed packages ..... displaypkg(ADM)

    produced by call to/ t\_error:      display last error message ..... t\_error(S)

        count profile data lprof:      display line-by-line execution ..... lprof(CP)

        ProPrinter ibmlpopt:      display lp options for the IBM ..... undocumented(M)

        scologin: X      Display Manager ..... scologin(X)

        system cmn\_err:      display message or panic the ..... cmn\_err(K)

    XDisplayName: returns      display name ..... XSetErrorHandler(XS)

    DisplayOfScreen: returns      display of specified screen ..... BlackPixelOfScreen(XS)

through/ curoff: turns cursor display off, available only ..... curses(S)  
 through/ curoff: turns cursor display off, available only ..... terminfo(S)  
 through/ curon: turns cursor display on, available only ..... curses(S)  
 through/ curon: turns cursor display on, available only ..... terminfo(S)  
     pkgparam: display package parameter values .. pkgparam(ADM)  
     prof: display profile data ..... prof(CP)  
 System xman: manual page display program for the X Window .. xman(X)  
     XmuDisplayQueue: display queue functions ..... XmuDisplayQueue(Xmu)  
     XmuDisplayQueue: display queue structure ..... XmuDisplayQueue(Xmu)  
 XmWidgetGetDisplayRect: retrieves display rectangle information for/ .. XmWidgetGetDisplayRect(Xm)  
     object file hdr: display selected parts of a XENIX .. hdr(XNX)  
     information pkginfo: display software package ..... pkginfo(ADM)  
     tail: display the last part of a file ..... tail(C)  
 numbers currently/ majorsinuse: display the list of major device .... majorsinuse(ADM)  
     currently/ vectorsinuse: display the list of vectors ..... vectorsinuse(ADM)  
     the console dmesg: display the system messages on .. dmesg(ADM)  
     oclock: display time of day ..... oclock(X)  
     XmuDQAddDisplay: add display to queue ..... XmuDisplayQueue(Xmu)  
     XmuDisplayQueueEntry: add display to queue or return entry .. XmuDisplayQueue(Xmu)  
     AllPlanes: display utility ..... AllPlanes(XS)  
     XmDisplay: the Display widget class ..... XmDisplay(Xm)  
 /finds the point of maximum chroma displayable by the screen ..... XcmsCIELabQueryMaxC(XS)  
 /finds the point of maximum chroma displayable by the screen ..... XcmsCIELuvQueryMaxC(XS)  
     Value and Chroma's find colors displayable by the screen /Hue, .. XcmsTekHVCQueryMaxC(XS)  
     point of maximum lightness (L\*) displayable by the screen /the ... XcmsCIELabQueryMaxC(XS)  
     point of maximum lightness (L\*) displayable by the screen /the ... XcmsCIELuvQueryMaxC(XS)  
     point of minimum lightness (L\*) displayable by the screen /the ... XcmsCIELabQueryMaxC(XS)  
     point of minimum lightness (L\*) displayable by the screen /the ... XcmsCIELuvQueryMaxC(XS)  
     number of entries in default/ DisplayCells: returns maximum .. AllPlanes(XS)  
     characteristics dparam, dkinit: display/change hard disk ..... dparam(ADM)  
 DISPLAYED: checks if screen is displayed ..... video(K)  
     position of the first character displayed /function that sets the .. XmTextSetTopCharacter(Xm)  
     position of the first character displayed /that accesses the ..... XmTextGetTopCharacter(Xm)  
     text at a given position to be displayed /function that forces ... XmTextFieldShowPosition(Xm)  
     text at a given position to be displayed /function that forces ... XmTextShowPosition(Xm)  
     displayed DISPLAYED: checks if screen is ... video(K)  
     of rows and columns that can be displayed in menu /maximum number menu(S)  
 /XmString to the end of the string displayed in the command area of/ XmCommandAppendValue(Xm)  
     returns number of currently displayed menu row top\_row: ... menu(S)  
     /sets maximum number displayed menu rows and columns menu(S)  
 Command function that replaces a displayed string /a ..... XmCommandSetValue(Xm)  
     vidinitscreen, vidmap,/ video: DISPLAYED, viddoio, ..... video(K)  
     xfd: font displayer for X ..... xfd(X)  
     xlsfonts: server font list displayer for X ..... xlsfonts(X)  
     xlswins: server window list displayer for X ..... xlswins(X)  
     xprop: property displayer for X ..... xprop(X)  
     xwud: image displayer for X ..... xwud(X)  
     specified screen in pixels DisplayHeight: returns height of .. ImageByteOrder(XS)  
     of specified screen in/ DisplayHeightMM: returns height .. ImageByteOrder(XS)  
     Context macros DisplayOfCCC: Color Conversion .. DisplayOfCCC(XS)  
     of specified screen DisplayOfScreen: returns display .. BlackPixelOfScreen(XS)  
     packages displaypkg: display installed ..... displaypkg(ADM)  
     of root window of specified/ DisplayPlanes: returns the depth .. AllPlanes(XS)  
     /a Command function that displays an error message ..... XmCommandError(Xm)

## Permuted Index

prof: displays profile data ..... prof(XNX)  
 passed to XOpenDisplay when/ DisplayString: returns string ..... AllPlanes(XS)  
     specified screen in pixels DisplayWidth: returns width of ..... ImageByteOrder(XS)  
     specified screen in millimeters DisplayWidthMM: returns width of ImageByteOrder(XS)  
         hypot: euclidean distance function ..... hypot(S)  
     /seed48: generate uniformly distributed pseudo-random numbers drand48(S)  
     docut: create an application distribution ..... docut(SMT)  
 mkcuts: make custom-installable distribution (application cutting/ .. mkcuts(SMT)  
     /convert font from Bitmap Distribution Format to Portable/ .. bdf2pcf(X)  
 perms lists with current and past distributions hocheck: compare .. hocheck(SMT)  
     div: divides integers ..... div(S)  
         div: divides integers ..... div(S)  
         ldiv: divides long integers ..... ldiv(S)  
         divvy: disk dividing utility ..... divvy(ADM)  
     floating-point remainder of division of x fmod: returns ..... floor(S)  
         divvy: disk dividing utility ..... divvy(ADM)  
         characteristics dparam, dkinit: display/change hard disk .. dparam(ADM)  
         dkinit: front end to dparam ..... dparam(ADM)  
         for subsystem events dlvr\_audit: produce audit records .. dlvr\_audit(ADM)  
     object downloader for the 5620 DMD terminal wtinit: ..... wtinit(ADM)  
         messages on the console dmesg: display the system ..... dmesg(ADM)  
         of virtual screen to filename dmp\_win: writes current contents .. curses(S)  
     /res\_mkquery, res\_send, res\_init, dn\_comp: compresses domain name resolver(SLIB)  
         /res\_send, res\_init, dn\_comp, dn\_comp, dn\_expand: resolver/ .. resolver(SLIB)  
         List DOS directories in the dn\_expand: expands domain name resolver(SLIB)  
             DIR style dosdir: List DOS directories in the DOS ..... doscmd(C)  
             system ls style dosls: Lists DOS directories in the UNIX ..... doscmd(C)  
             Remove directories from a DOS disk dosrmdir: ..... doscmd(C)  
             dosmkdir: Make a directory on a DOS disk ..... doscmd(C)  
             dosrm: Remove files from a DOS disk ..... doscmd(C)  
                 sleep\_h: suspend DOS execution ..... sleep\_h(PCI)  
                 doscat: Display a DOS file ..... doscmd(C)  
                 doscp: Copies a DOS file to UNIX system ..... doscmd(C)  
     /dosrm, dosrmdir: manipulates DOS files and filesystems ..... doscmd(C)  
         dosrmdir: Make a directory on a DOS floppy ..... doscmd(C)  
     operating system/ mapd2u: map a DOS path name to UNIX ..... mapd2u(PCI)  
     operating system pathname to a DOS pathname mapu2d: map UNIX mapu2d(PCI)  
     undocumented: programs not documented elsewhere in these/ .. undocumented(M)  
         distribution docut: create an application ..... docut(SMT)  
         acctsh: chargefee, ckpacct, dodisk, lastlogin, monacct,/ ..... acctsh(ADM)  
         indication whether screen/ DoesBackingStore: returns ..... BlackPixelOfScreen(XS)  
         value indicating whether screen/ DoesSaveUnders: returns Boolean BlackPixelOfScreen(XS)  
             get name of current domain getdomainname: ..... getdomainname(NS)  
             get/set name of current domain /setdomainname: ..... getdomainname(NS)  
                 return the default domain yp\_get\_default\_domain: .. ypclnt(NS)  
                 set name of current domain setdomainname: ..... getdomainname(NS)  
             dn\_comp: compresses domain name ..... resolver(SLIB)  
             dn\_expand: expands domain name ..... resolver(SLIB)  
     MMDF name tables for aliases, domains, and hosts tables: ..... tables(F)  
         Routines: DOS routines and man pages listed Routines(DOS)  
         doscat: Display a DOS file ..... doscmd(C)  
     dosmkdir, dosls, dosrm,/ doscmd: doscat, doscp, dosdir, dosformat, .. doscmd(C)

dosformat, dosmkdir, dosls,/ UNIX system  
 dosmkdir, dosls,/ doscmd: doscat, doscp, dosdir, dosformat, ..... doscmd(C)  
 dosls,/ doscmd: doscat, doscp, dosdir, dosformat, dosmkdir, ..... doscmd(C)  
 the DOS DIR style  
 doscmd: doscat, doscp, dosdir, dosformat, dosmkdir, dosls,/ ..... doscmd(C)  
 dosformat: Format a DOS floppy ..... doscmd(C)  
 dosld: MS-DOS cross linker ..... dosld(CP)  
 dosdir, dosformat, dosmkdir, dosls, dosrm, dosrmdir:/ /doscp, ..... doscmd(C)  
 the UNIX system ls style  
 dosls: Lists DOS directories in ..... doscmd(C)  
 /doscat, doscp, dosdir, dosformat, dosmkdir, dosls, dosrm, dosrmdir:/ ..... doscmd(C)  
 DOS disk  
 dosmkdir: Make a directory on a ..... doscmd(C)  
 /dosformat, dosmkdir, dosls, dosrm, dosrmdir: manipulates/ ..... doscmd(C)  
 disk  
 dosrm: Remove files from a ..... doscmd(C)  
 and/ /dosmkdir, dosls, dosrm, dosrmdir: manipulates DOS files ..... doscmd(C)  
 a DOS disk  
 dosrmdir: Remove directories from ..... doscmd(C)  
 convert unaligned ISAM aligned  
 double stdbl: ..... isconv(S)  
 ldbl: convert ISAM integer to double ..... isconv(S)  
 xdr\_double: XDR a C double ..... xdr(NS)  
 isnan: test double for Not-a-Number (NaN) ..... isnan(S)  
 according to IEEE/ isnan: test double for Not-a-Number (NaN) ..... isnan(S)  
 frexp: returns the mantissa of a double value ..... frexp(S)  
 drand48: returns non-negative double-precision floating-point/ ..... drand48(S)  
 erand48: returns non-negative double-precision floating-point/ ..... drand48(S)  
 strtod: convert string to double-precision number ..... strtod(S)  
 to physical terminal screen  
 douupdate: allows multiple updates ..... curses(S)  
 to physical terminal screen  
 douupdate: allows multiple updates ..... terminfo(S)  
 terminal wtinit: object  
 dkinit: front end to  
 hard disk characteristics  
 wtinit(ADM)  
 XmDropSiteEndUpdate: a Drag and Drop function that/ ..... XmDropSiteEndUpdate(Xm)  
 XmDropSiteQueryStackingOrder: a Drag and Drop function that/ ..... XmDropSiteQueryStackingOrder(Xm)  
 XmDropSiteStartUpdate: a Drag and Drop function that/ ..... XmDropSiteStartUpdate(Xm)  
 creates a/ XmCreateDragIcon: a Drag and Drop function that ..... XmCreateDragIcon(Xm)  
 enables/ XmDropTransferAdd: a Drag and Drop function that ..... XmDropTransferAdd(Xm)  
 identifies/ XmDropSiteRegister: a Drag and Drop function that ..... XmDropSiteRegister(Xm)  
 initiates a drag/ XmDragStart: a Drag and Drop function that ..... XmDragStart(Xm)  
 initiates/ XmDropTransferStart: a Drag and Drop function that ..... XmDropTransferStart(Xm)  
 reorders a stack of widgets/ /a Drag and Drop function that ..... XmDropSiteConfigureStackingOrder(Xm)  
 retrieves/ XmDropSiteRetrieve: a Drag and Drop function that ..... XmDropSiteRetrieve(Xm)  
 retrieves/ XmGetDragContext: a Drag and Drop function that ..... XmGetDragContext(Xm)  
 terminates a/ XmDragCancel: a Drag and Drop function that ..... XmDragCancel(Xm)  
 drop/ XmDropSiteUnregister: a Drag and Drop function that frees ..... XmDropSiteUnregister(Xm)  
 resource/ XmDropSiteUpdate: a Drag and Drop function that sets ..... XmDropSiteUpdate(Xm)  
 Drop function that initiates a drag and drop transaction /and ..... XmDragStart(Xm)  
 Drop function that terminates a drag transaction /a Drag and ..... XmDragCancel(Xm)  
 XmDragContext: the DragContext widget class ..... XmDragContext(Xm)  
 /Drop function that retrieves the DragContext widget ID associated/ XmGetDragContext(Xm)  
 and Drop function that creates a DragIcon widget /a Drag ..... XmCreateDragIcon(Xm)  
 XmDragIcon: the DragIcon widget class ..... XmDragIcon(Xm)  
 draino: waits until output has  
 drained ..... curses(S)  
 draino: waits until output has  
 drained ..... terminfo(S)  
 drained  
 draino: waits until output has ..... curses(S)  
 drained  
 draino: waits until output has ..... terminfo(S)

## Permuted Index

lcong48, lrand48, nrand48, drand48, erand48, jrand48, ..... drand48(S)  
 double-precision floating-point/ drand48: returns non-negative ..... drand48(S)  
     graph: draw a graph ..... graph(ADM)  
         XDrawArc: draw arcs and arc structure ..... XDrawArc(XS)  
     XmuFillRoundedRectangle: draw filled rounded rectangle ..... XmuDrawRoundedRectangle(Xmu)  
         XDrawImageString: draw image text ..... XDrawImageString(XS)  
     font set XmbDrawImageString: draw image text using a single ..... XmbDrawImageString(XS)  
     font set XwcDrawImageString: draw image text using a single ..... XmbDrawImageString(XS)  
         structure XDrawLine: draw lines, polygons, and line ..... XDrawLine(XS)  
             XDrawPoint: draw points and points structure .. XDrawPoint(XS)  
 drawing structures XDrawText: draw polytext text and text ..... XDrawText(XS)  
     structure XDrawRectangle: draw rectangles and rectangles ..... XDrawRectangle(XS)  
     XmuDrawRoundedRectangle: draw rounded rectangle ..... XmuDrawRoundedRectangle(Xmu)  
         XDrawString: draw text characters ..... XDrawString(XS)  
         XmbDrawString: draw text using a single font set ... XmbDrawString(XS)  
         XwcDrawString: draw text using a single font set ... XmbDrawString(XS)  
         sets XmbDrawText: draw text using multiple font ..... XmbDrawText(XS)  
         sets XwcDrawText: draw text using multiple font ..... XmbDrawText(XS)  
         XmuDrawLogo: draw X Window System logo ..... XmuDrawLogo(Xmu)  
 a shared memory XImage into an X drawable XShmPutImage: writes .. XShm(Xext)  
 might include context-dependent drawing /true if the font\_set ..... XFontsOffFontSet(XS)  
     and free an international text drawing font set /create ..... XCreateFontSet(XS)  
     free an international text drawing font set XFreeFontSet: .... XCreateFontSet(XS)  
         XTextItem16: text drawing structure ..... XDrawText(XS)  
         XTextItem: text drawing structure ..... XDrawText(XS)  
     draw polytext text and text drawing structures XDrawText: ... XDrawText(XS)  
         XmDrawingArea: the DrawingArea widget class ..... XmDrawingArea(Xm)  
         XmCreateDrawingArea: the DrawingArea widget creation/ ... XmCreateDrawingArea(Xm)  
         function that underlines a string drawn in an X Window /string ... XmStringDrawUnderline(Xm)  
         XmDrawnButton: the DrawnButton widget class ..... XmDrawnButton(Xm)  
         XmCreateDrawnButton: the DrawnButton widget creation/ ..... XmCreateDrawnButton(Xm)  
     /a compound string function that draws a compound string in an X/ XmStringDraw(Xm)  
     /a compound string function that draws a compound string in an X/ XmStringDrawImage(Xm)  
         XDrawArcs: draws arcs ..... XDrawArc(XS)  
         window box: draws box around the edge of the .. curses(S)  
         window box: draws box around the edge of the .. terminfo(S)  
     XDrawImageString16: draws image text ..... XDrawImageString(XS)  
         XDrawLines: draws lines ..... XDrawLine(XS)  
         XDrawPoints: draws points ..... XDrawPoint(XS)  
         XDrawSegments: draws polygons ..... XDrawLine(XS)  
         XDrawText16: draws polytext text ..... XDrawText(XS)  
     XDrawRectangles: draws rectangles ..... XDrawRectangle(XS)  
         XDrawString16: draws text characters ..... XDrawString(XS)  
 fdswap: swap default boot floppy drive ..... fdswap(ADM)  
     features supported by a virtual drive /feature\_list: get ..... feature(PCI)  
         hd: internal hard disk drive ..... hd(HW)  
     the drive number of a virtual drive vdrive: return ..... vdrive(PCI)  
         mt: lists Intel tape drive model number ..... undocumented(M)  
     isvirtual: return the virtual drive number of a specified path ... isvirtual(PCI)  
         vdrive: return the drive number of a virtual drive .... vdrive(PCI)  
         utility auditsh: menu driven audit administration ..... auditsh(ADM)  
         utility backupsh: menu driven backup administration ..... backupsh(ADM)  
     administration/ lpsh: menu driven lp print service ..... lpsh(ADM)  
         utility sysadmsh: menu driven system administration ..... sysadmsh(ADM)



I/O control commands for adapter driver viddoio: support ..... video(K)  
 any minor device on a STREAMS driver clone: open ..... clone(M)  
 channels protocol used by xt(HW) driver xtproto: multiplexed ..... xtproto(M)  
 meta: changes control mode of tty driver ..... curses(S)  
 meta: changes control mode of tty driver ..... terminfo(S)  
 register SCSI peripheral driver Sdevregister: ..... devreg(K)  
 sxt: pseudo-device driver ..... sxt(M)  
 to position required by form driver /moves form window cursor form(S)  
 /register a SCSI host adapter driver as multithreaded ..... scsi\_distributed(K)  
 file mvdevice: video driver back end configuration ..... mvdevice(F)  
 bdistributed: indicate block driver can have multiprocessor/ ..... bdistributed(K)  
 cdistributed: indicate character driver can have multiprocessor/ ..... cdistributed(K)  
 delete, update, or get device driver configuration data /add, ... idinstall(ADM)  
 mcdaemon: tape driver daemon ..... mcconfig(F)  
 vidunmap: support video adapter driver development /vidumapinit, video(K)  
 of a boot time loadable device driver disk btd: contents ..... btd(F)  
 service, kernel, and device driver error messages /system ..... messages(M)  
 terminals xt: multiplexed tty driver for AT&T windowing ..... xt(HW)  
 printcfg: display driver initialization message ..... printcfg(K)  
 tticom: interpret tty driver I/O control commands ..... tticom(K)  
 xtd: extract and print xt driver link structure ..... xtd(ADM)  
 mdevice: device driver module description file ..... mdevice(F)  
 xtt: extract and print xt driver packet traces ..... xtt(ADM)  
 mcconfig: lrwin tape driver parameters ..... mcconfig(F)  
 flushes all output in the tty driver queue intrflush: ..... curses(S)  
 flushes all output in the tty driver queue intrflush: ..... terminfo(S)  
 ttyflush, ttywait, ttioctl: tty driver routines /twrite, ttxput, ... tty(K)  
 xts: extract and print xt driver statistics ..... xts(ADM)  
 SCSI host adapter and peripheral drivers /Sdevregister: register ..... devreg(K)  
 physck: raw I/O for block drivers ..... physio(K)  
 physio, physck: raw I/O for block drivers ..... physio(K)  
 physio: raw I/O for block drivers ..... physio(K)  
 /install boot-time loadable device drivers into the Link Kit ..... btdinstall(ADM)  
 XmCreateDragIcon: a Drag and Drop function that creates a/ ..... XmCreateDragIcon(Xm)  
 XmDropTransferAdd: a Drag and Drop function that enables/ ..... XmDropTransferAdd(Xm)  
 XmDropSiteEndUpdate: a Drag and Drop function that facilitates/ ..... XmDropSiteEndUpdate(Xm)  
 XmDropSiteStartUpdate: a Drag and Drop function that facilitates/ ..... XmDropSiteStartUpdate(Xm)  
 XmDropSiteUnregister: a Drag and Drop function that frees drop/ ..... XmDropSiteUnregister(Xm)  
 XmDropSiteRegister: a Drag and Drop function that identifies a/ ..... XmDropSiteRegister(Xm)  
 XmDropTransferStart: a Drag and Drop function that initiates a/ ..... XmDropTransferStart(Xm)  
 drag and/ XmDragStart: a Drag and Drop function that initiates a ..... XmDragStart(Xm)  
 stack of widgets that/ /a Drag and Drop function that reorders a ..... XmDropSiteConfigureStackingOrder(Xm)  
 XmDropSiteRetrieve: a Drag and Drop function that retrieves/ ..... XmDropSiteRetrieve(Xm)  
 XmGetDragContext: a Drag and Drop function that retrieves the/ ..... XmGetDragContext(Xm)  
 parent, a list of / /a Drag and Drop function that returns the ..... XmDropSiteQueryStackingOrder(Xm)  
 XmDropSiteUpdate: a Drag and Drop function that sets resource/ ..... XmDropSiteUpdate(Xm)  
 drag/ XmDragCancel: a Drag and Drop function that terminates a ..... XmDragCancel(Xm)  
 resource values set on a drop site /that retrieves ..... XmDropSiteRetrieve(Xm)  
 that sets resource values for a drop site /Drag and Drop function ..... XmDropSiteUpdate(Xm)  
 /Drop function that identifies a drop site and assigns resources/ ..... XmDropSiteRegister(Xm)  
 /the target types match between a drop site and source object ..... XmTargetsAreCompatible(Xm)  
 Drag and Drop function that frees drop site information /a ..... XmDropSiteUnregister(Xm)  
 of widgets that are registered drop sites /that reorders a stack ..... XmDropSiteConfigureStackingOrder(Xm)  
 processing updates to multiple drop sites /that facilitates ..... XmDropSiteEndUpdate(Xm)

## Permuted Index

processing updates to multiple  
     that initiates a drag and  
     Drop function that initiates a  
     be processed after initiating a  
     function that enables additional  
         XmDropSite: the  
         XmDropTransfer: the  
     srb from sra and stores result in  
         overlays text from srcwin to  
         overlays text from srcwin to  
         overlays text from srcwin to  
         overlays text from srcwin to  
             MS-DOS to UNIX  
 audit/ audit: produce audit records  
     load a system memory image  
         xpr: print an X window  
             xwd:  
                 dump an image of an X window ... xwd(X)  
             printer xdpr:  
                 dump an X window directly to a ... xdpr(X)  
         common object file  
             tapedump:  
                 dump magnetic tape to output file . tapedump(C)  
             object file dump:  
                 dump selected parts of a common . dump(CP)  
         xbackup: XENIX incremental  
             showfont: font  
                 dumper for X font server . showfont(X)  
             source file  
                 dumpmsg: generate a message . dumpmsg(CP)  
                 dumps the contents of a named UIL UilDumpSymbolTable(Xm)  
                 convert new-style core image  
                 of virtual screen to filename  
                     descriptor  
                     descriptor  
                     descriptor  
                     field at the named location  
                         dupmsg:  
                             duplicate a message block . dupmsg(K)  
                         descriptor dupb:  
                             duplicate a message block . dupb(K)  
                             dup2:  
                                 duplicate an open file descriptor ... dup2(S)  
                             dup:  
                                 duplicate an open file descriptor ... dup(S)  
                             emdumap:  
                                 duplicate channel mapping . emdumap(K)  
                     s1 strdup: returns pointer to  
                         location link\_field:  
                             duplicates given field at named . field(S)  
                             dupwin:  
                                 duplicates named window . curses(S)  
                                 dupwin:  
                                     duplicates named window . terminfo(S)  
                             named location dup\_field:  
                                 duplicates the given field at the . field(S)  
                                 dupmsg:  
                                     duplicate a message block dupmsg(K)  
                                 dupwin:  
                                     duplicates named window curses(S)  
                                 dupwin:  
                                     duplicates named window terminfo(S)  
                             zero-valued bits for specified  
                                 handler add\_intr\_handler:  
                                     dynamically add interrupt routine . add\_intr\_handler(K)  
                                 routine/ remove\_intr\_handler:  
                                     dynamically remove interrupt . remove\_intr\_handler(K)  
                                     using EUID  
                                     of a file access,  
                                     bad page table  
                                     eccd:  
   ECC daemon . ecc(ADM)

Correction Code (ECC) facility ecc, eccd: memory Error ..... ecc(ADM)  
memory Error Correction Code (ECC) facility ecc, eccd: ..... ecc(ADM)  
eccd: ECC daemon ..... ecc(ADM)  
Code (ECC) facility ecc, eccd: memory Error Correction ..... ecc(ADM)  
echo: echo arguments ..... echo(C)  
are echoed as they are typed echo: controls whether characters .. curses(S)  
are echoed as they are typed echo: controls whether characters .. tam(S)  
are echoed as they are typed echo: controls whether characters .. terminfo(S)  
echo: echo arguments ..... echo(C)  
and refreshes screen echochar: adds single character .... curses(S)  
and refreshes screen echochar: adds single character .... terminfo(S)  
ndigit ecvt: converts value to string of .... ecvt(S)  
floating-point number to string ecvt, fcvt, gcvt: convert ..... ecvt(S)  
ed: Invoke the text editor ..... ed(C)  
ed, red: invoke the text editor ..... ed(C)  
initialized data region edata: first address above ..... end(S)  
end, etext, edata: last locations in program ... end(S)  
xbm and xpm/ scopaint: create and edit icons and pictures; and edit ... scopaint(X)  
the ex text editor edit: Invoke a novice version of .... ex(C)  
ex, edit: invoke a text editor ..... ex(C)  
/a Text function that sets the edit permission ..... XmTextSetEditable(Xm)  
TextField function that sets the edit permission /a ..... XmTextFieldSetEditable(Xm)  
/a Text function that accesses the edit permission state ..... XmTextGetEditable(Xm)  
function that accesses the edit permission state /TextField .. XmTextFieldGetEditable(Xm)  
dbmedit: edit the MMDf database file ..... dbmedit(ADM)  
/and edit icons and pictures; and edit xbm and xpm formatted files . scopaint(X)  
sact: print current SCCS file editing activity ..... sact(CP)  
Invoke a screen-oriented display editor vi: ..... vi(C)  
a novice version of the ex text editor edit: Invoke ..... ex(C)  
ed, red: invoke the text editor ..... ed(C)  
ed: Invoke the text editor ..... ed(C)  
ex, edit: invoke a text editor ..... ex(C)  
ex: Invoke the ex text editor ..... ex(C)  
invoke a screen-oriented display editor vi, view, vedit: ..... vi(C)  
ld: invokes the link editor ..... ld(CP)  
ld: invokes the link editor ..... ld(XNX)  
red: Invoke a restricted text editor ..... ed(C)  
sed: invoke the stream editor ..... sed(C)  
for/ bitmap, bmtoa, atobm: bitmap editor and converter utilities ..... bitmap(X)  
scoedit: graphical editor for Open Desktop ..... scoedit(X)  
UNIX common assembler and link editor output a.out: ..... a.out(FP)  
x.out: format of XENIX link editor output ..... x.out(FP)  
idld: link editor used by the Link Kit ..... idld(M)  
XUndefineCursor: undoes effect of cursor define ..... XDefineCursor(XS)  
starting\_egid: returns the effective GID ..... identity(S)  
/(gid): check current effective GID against retained ID .. identity(S)  
getegid: get effective group ID ..... getuid(S)  
effective user, real group, and effective group IDs /real user, .... getuid(S)  
setregid: set real and effective group IDs ..... setregid(SSC)  
starting\_euid: returns the effective UID ..... identity(S)  
/(uid): check current effective UID against retained ID .. identity(S)  
geteuid: get effective user ID ..... getuid(S)  
setreuid: set real and effective user IDs ..... setreuid(SSC)  
/getgid, getegid: get real user, effective user, real group, and/ .... getuid(S)

## Permuted Index

by a parent process to reverse effects of wprexec /called ..... tam(S)  
 XQueryBestSize: determine efficient sizes ..... XQueryBestSize(XS)  
 /tty [01-n], color, monochrome, ega, vga display adapter and/ ..... screen(HW)  
     pattern grep, egrep, fgrep: search files for a ..... grep(C)  
     more patterns egrep: Search a file for one or ..... grep(C)  
 boards that are installed on the EISA bus eisa: report on ..... eisa(ADM)  
     installed on the EISA bus eisa: report on boards that are ..... eisa(ADM)  
 accessory that sends and receives electronic mail messages /an ..... scomail(X)  
 insque, remque: insert/remove element from a queue ..... insque(SLIB)  
     insque: insert element from a queue ..... insque(SLIB)  
     remque: remove element from a queue ..... insque(SLIB)  
 format for a specified font list element tag /text encoding ..... XmRegisterSegmentEncoding(Xm)  
 allocates space for an array of elements calloc: ..... malloc(S)  
 byte offset or number of array elements XtOffset: determine the .. XtOffset(Xt)  
 determine the number of array elements XtNumber: ..... XtOffset(Xt)  
     that replaces the specified elements in the list /function ..... XmlListReplaceltems(Xm)  
     that replaces the specified elements in the list /function ..... XmlListReplaceltemsPos(Xm)  
 emactovi: unsupported utility ..... undocumented(M)  
 major/minor device numbers emajor, emminor: extract extended .. emajor(K)  
     mapping emdupmap: duplicate channel ..... emdupmap(K)  
 major/minor device/ emajor, emminor: extract extended ..... emajor(K)  
 ttywait: wait for UART to be empty ..... tty(K)  
     determine if regions are empty or equal XEmptyRegion: ... XEmptyRegion(XS)  
     null: data sink or empty source ..... null(F)  
 XmuDQCreate: create and return empty XmuDisplayQueue ..... XmuDisplayQueue(Xmu)  
     i286emul: emulate 80286 ..... i286emul(CP)  
     i286emul: emulate UNIX 80286 ..... i286emul(C)  
     x286emul: emulate XENIX 80286 ..... x286emul(C)  
     x286emul: emulate XENIX 80286 ..... x286emul(CP)  
     scoterm: terminal emulator for X ..... scoterm(X)  
     xterm: terminal emulator for X ..... xterm(X)  
         channel emunmap: disable mapping on a .. emunmap(K)  
     qenable: enable a queue ..... qenable(K)  
     scanon, scanoff enable and disable/ ..... scanon(M)  
     the next session chg\_audit: enable and disable auditing for .... chg\_audit(ADM)  
     accounting acct: enable or disable process ..... acct(S)  
     XSynchronize: enable or disable synchronization .. XSynchronize(XS)  
         line printers enable: turn on terminals and ..... enable(C)  
     prevent a queue from being enabled noenable: ..... noenable(K)  
         prfstat enable/disable sampling ..... profiler(ADM)  
         scheduled for service enableok: re-allow a queue to be .. enableok(K)  
 /a Drag and Drop function that enables additional drop transfer/ .. XmDropTransferAdd(Xm)  
     feature idlok: enables curses insert/delete-line ... curses(S)  
     "insert/delete-line"/ idlok: enables curses to use ..... terminfo(S)  
     XSetAfterFunction: enables or disables/ ..... XSynchronize(XS)  
 control list XSetAccessControl: enables or disables use of access ... XAddHost(XS)  
     terminal newterm: enables output to more than one ... curses(S)  
     terminal newterm: enables output to more than one ... terminfo(S)  
     mapping scanon: enables scancode-to-character ..... scanon(M)  
     list XEnableAccessControl: enables use of access control ..... XAddHost(XS)  
 the smallest rectangle that will enclose the compound string /of .. XmStringExtent(Xm)  
 generates smallest rectangle enclosing region XClipBox: ..... XPolygonRegion(XS)  
     transmission uuencode: encode a binary file for mail ..... uuencode(C)  
     output speed of terminal as encoded by stty ospeed: contains .. termcap(S)

/the value of a wide character  
 /the value of a wide character  
 crypt:  
 transmission/ uuencode, uudecode:  
   event to string in JISX0201-1976  
 structure /manipulate keyboard  
 /that returns the compound text  
 /that registers a compound text  
 XModifierKeymap: keyboard  
 keyboard encoding and keyboard  
   listing any subdirectories  
 or/ perror: print last error  
   bigcryptmax:  
     bigcrypt:  
       crypt: password and file  
       makekey: generate an  
         setkey: creates  
 connection run\_setkey: creates  
   des\_setkey: creates  
     crypt:  
       encrypt:  
         connection run\_crypt:  
 with DES primitive des\_encrypt:  
   primitive des\_crypt:  
     in program  
   uninitialized data region  
   files supporting device/  
   /getdvagname, setdvagname,  
     processing is complete  
   /getgrgid, getgrname, setgrname,  
     gethostbyaddr, perror: get/  
   getnetbyaddr, getnetbyname,/  
 control file when processing is/  
   /getprdfname, setprdfname,  
 file when processing is complete  
   /getprfname, setprfname,  
 getprotoyaddr, getprotobyname,/  
 password files when processing/  
   /getprpwnam, setprpwnam,  
 control file when processing is/  
   /getprtcnam, setprtcent,  
 when processing is complete  
 /getpwuid, getpwnam, setpwnam,  
   /a clipboard function that  
   /a clipboard function that  
     mm\_waend:  
     mm\_pkend:  
     mm\_sbend:  
 access tai\_end:

encoded primary selection ..... XmTextFieldGetSelectionWcs(Xm)  
 encoded primary selection ..... XmTextGetSelectionWcs(Xm)  
 encode/decode ..... crypt(C)  
 encode/decode a binary file for .... uuencode(C)  
 encoding /map key ..... XmuLookupLatin1(Xmu)  
 encoding and keyboard encoding .. XChangeKeyboardMapping(XS)  
 encoding format associated with/ .. XMapSegmentEncoding(Xm)  
 encoding format for a specified/ .. XmRegisterSegmentEncoding(Xm)  
 encoding structure ..... XChangeKeyboardMapping(XS)  
 encoding structure /manipulate .. XChangeKeyboardMapping(XS)  
 encountered /files, recursively .... ls(C)  
 encountered during call to system . perror(S)  
 encrypt a long password ..... getpasswd(S)  
 encrypt a short or long password .. getpasswd(S)  
 encrypt: encrypts a password ..... crypt(S)  
 encryption functions ..... crypt(S)  
 encryption key ..... makekey(ADM)  
 encryption key ..... crypt(S)  
 encryption key for /bin/crypt ..... crypt(S)  
 encryption key with DES primitive crypt(S)  
 encrypts a password ..... crypt(S)  
 encrypts a password ..... crypt(S)  
 encrypts data using /bin/crypt .... crypt(S)  
 encrypts or decrypts data byte .... crypt(S)  
 encrypts password from DES ..... crypt(S)  
 end, etext, edata: last locations .... end(S)  
 end: first address above ..... end(S)  
 enddvagname: free memory and close getdvagname(S)  
 enddvagname, putdvagname,/ ..... getdvagname(S)  
 endgroup: closes group file when ... getgroup(S)  
 endgroup, fgetgroup: get group/ .... getgroup(S)  
 endhostent: closes TCP connection . gethostbyname(SLIB)  
 endhostent, gethostbyname, ..... gethostbyname(SLIB)  
 endnetent: end network entry ..... getnetent(SLIB)  
 endnetent, getnetent, ..... getnetent(SLIB)  
 endprdfname: closes default ..... getprdfname(S)  
 endprdfname, putprdfname:/ ..... getprdfname(S)  
 endprfname: closes file control ..... getprfname(S)  
 endprfname, putprfname:/ ..... getprfname(S)  
 endprotoent: end protocol entry ... getprotoent(SLIB)  
 endprotoent, getprotoent, ..... getprotoent(SLIB)  
 endprpwnam: closes protected .... getprpwnam(S)  
 endprpwnam, putprpwnam:/ ..... getprpwnam(S)  
 endprtcname: close the terminal .... getprtcname(S)  
 endprtcname, putprtcname:/ ..... getprtcname(S)  
 endpwent: closes password file .... getpwent(S)  
 endpwent, fgetpwent: get password/ getpwent(S)  
 endrpcname: close the rpc file ..... getrpcname(NS)  
 ends a copy from the clipboard .... XmClipboardEndRetrieve(Xm)  
 ends a copy to the clipboard ..... XmClipboardEndCopy(Xm)  
 ends MMDf address list ..... mmdf(S)  
 ends MMDf pickup ..... mmdf(S)  
 ends MMDf submission ..... mmdf(S)  
 ends MMDf tailoring package .... tai(S)

## Permuted Index

window wstandend: ends standout mode in named . . . . . curses(S)  
     standend: ends standout mode in window . . . . . curses(S)  
     va\_end: ends variable list . . . . . varargs(S)  
     endservent: end service entry . . . . . getservent(SLIB)  
 getservbyname, getservbyport, / endservent, getservent, . . . . . getservent(SLIB)  
 file when processing is complete endsptent: closes shadow password . . . . . getsptent(S)  
     getsptent, getsptnam, setsptent, endsptent, fgetsptent, lckpwdf, / . . . . . getsptent(S)  
     open file endtutent: closes the currently . . . . . getut(S)  
     getutline, pututline, / getut: endtutent, getutent, getutid, . . . . . getut(S)  
 without / isendwin: determines if endwin() has been called . . . . . curses(S)  
 without / isendwin: determines if endwin() has been called . . . . . terminfo(S)  
     non-visual mode endwin: resets terminal to . . . . . curses(S)  
     non-visual mode endwin: resets terminal to . . . . . tam(S)  
     non-visual mode endwin: resets terminal to . . . . . terminfo(S)  
     without blocking tselect: ensure r/w can be performed . . . . . tty(K)  
     newline, carriage return, or enter key /reads input until . . . . . curses(S)  
     newline, carriage return, or enter key getstr: returns . . . . . terminfo(S)  
     newline, carriage return, or enter key wgetstr: returns . . . . . terminfo(S)  
     newline, carriage return, or enter key is received /until . . . . . terminfo(S)  
     /allowable length of a text string entered from the keyboard . . . . . XmTextFieldGetMaxLength(Xm)  
     /allowable length of a text string entered from the keyboard . . . . . XmTextFieldSetMaxLength(Xm)  
     /allowable length of a text string entered from the keyboard . . . . . XmTextGetMaxLength(Xm)  
     /allowable length of a text string entered from the keyboard . . . . . XmTextSetMaxLength(Xm)  
     structure XCrossingEvent: EnterNotify and LeaveNotify event XCrossingEvent(XS)  
     exit\_quiet\_zone, / dblock: enter\_quiet\_zone, . . . . . dblock(S)  
     keyboard signals enter\_quiet\_zone: block all . . . . . dblock(S)  
     ml\_txt: directly enters raw text . . . . . ml\_send(S)  
     iserase: delete an entire ISAM file . . . . . iserase(S)  
 null-terminated string to command entry/echo line wcmd: output . . . . . tam(S)  
     xdr\_enum: XDR a C enum . . . . . xdr(NS)  
     entries XmEnumerateDatabase: enumerate resource database . . . . . XmEnumerateDatabase(XS)  
     /convert string to XtOrientation enumeration value . . . . . XmuCvtStringToOrientation(Xmu)  
     /convert string to enumeration value . . . . . XmuCvtStringToGravity(Xmu)  
     execution env: set environment for command env(C)  
     environ: the user environment . . . . . environ(M)  
 commands performed for multiuser environment rc2: run . . . . . rc2(ADM)  
     environ: the user environment . . . . . environ(M)  
     longjmp: restores last saved environment . . . . . setjmp(S)  
     putenv: change or add value to environment . . . . . putenv(S)  
     set or read international environment setlocale: . . . . . setlocale(S)  
     setjmp: saves stack environment . . . . . setjmp(S)  
     siglongjmp: restores last saved environment . . . . . sigsetjmp(S)  
     sigsetjmp: saves stack environment . . . . . sigsetjmp(S)  
     with argument list and given environment /execute process . . . . . exec(S)  
     profile: set up an environment at login time . . . . . profile(M)  
     fpsetsticky: IEEE floating point environment control /fpgetsticky, . . . . . fpgetround(S)  
     env: set environment for command execution env(C)  
     printenv: print environment for command execution env(C)  
     getenv: return value for environment name . . . . . getenv(S)  
 a compound string in the language environment of a widget /creates . . . . . XmStringCreateSimple(Xm)  
     tz: time zone environment variable . . . . . tz(M)  
     feof: test for previous EOF . . . . . feof(S)  
     file pb\_wEOF: output EOF to paste buffer and close . . . . . tam(S)  
     ctime: converts UNIX epoch time to local time . . . . . ctime(S)

nl\_cxtime: converts UNIX epoch time to local time ..... nl\_cxtime(S)  
 determine if regions are empty or equal XEmptyRegion: ..... XEmptyRegion(XS)  
   determines if regions equal XEqualRegion: ..... XEmptyRegion(XS)  
     checkeq: macro ..... undocumented(M)  
     lrand48, nrand48, / drand48, erand48, jrand48, lcong48, ..... drand48(S)  
 double-precision floating-point/ erand48: returns non-negative ..... drand48(S)  
 erasechar: returns user's current erase character ..... curses(S)  
   position in the window erase character ..... terminfo(S)  
   position in the window erase: copies blanks to every ..... curses(S)  
   position in the window erase: copies blanks to every ..... tam(S)  
     plotter output erase: copies blanks to every ..... terminfo(S)  
     erase character erase: starts another frame of ..... plot(S)  
     erase character erasechar: returns user's current ..... curses(S)  
     current window clrtoeol erasechar: returns user's current ..... terminfo(S)  
     current window clrtoeol erases all lines below cursor in ..... curses(S)  
     current window clrtoeol erases all lines below cursor in ..... tam(S)  
     given window wclrtoeol erases all lines below cursor in ..... terminfo(S)  
     given window wclrtoeol erases all lines below cursor in ..... curses(S)  
     cursor inclusive clrtoeol erases all lines below cursor in ..... terminfo(S)  
     cursor inclusive clrtoeol erases current line to right of ..... curses(S)  
     cursor inclusive clrtoeol erases current line to right of ..... tam(S)  
     cursor, inclusive wclrtoeol erases current line to right of ..... terminfo(S)  
     cursor, inclusive wclrtoeol erases current line to right of ..... curses(S)  
     subwindow unpost\_form erases current line to right of ..... terminfo(S)  
     subwindow unpost\_menu erases form from its associated ..... form(S)  
     complementary error function erases menu from associated ..... menu(S)  
       of x erf, erfc: error function and ..... erf(S)  
     complementary error/ erf erf: returns the error function ..... erf(S)  
       function of x erfc: error function and ..... erf(S)  
     string ll\_err: returns erfc: returns 1.0 minus the error ..... erf(S)  
     errno and the specified MMDF ..... llog(S)  
     errno: system error messages ..... perror(S)  
     error longjmp: ..... longjmp(K)  
     error /gets error message ..... sterror(S)  
     error ..... rpc(NS)  
     error ..... rpc(NS)  
     error ..... rpc(NS)  
     error ..... rpc(NS)  
     error ..... rpc(NS)  
     error ..... rpc(NS)  
     error ..... rpc(NS)  
     error ..... rpc(NS)  
     error error: ..... ferror(S)  
     error ..... ypclnt(NS)  
     ERROR: abnormal return from ..... regexp(S)  
     error, and statistics logging for/ ..... logs(F)  
     error code description ..... XSetErrorHandler(XS)  
     error code in u.u\_error ..... seterror(K)  
     error condition ..... ndbm(NS)  
     Error Correction Code (ECC) ..... ecc(ADM)  
     error database ..... XtAppGetErrorDatabase(Xt)  
     error database or message ..... XtAppGetErrorDatabase(Xt)  
     error encountered during call to ..... perror(S)  
     error event structure ..... XErrorEvent(XS)  
     error file ..... stderr(S)

## Permuted Index

error function and complementary	error function erf, erfc: . . . . .	erf(S)
error function erf, erfc:	error function and complementary	erf(S)
erf: returns the	error function of x . . . . .	erf(S)
erfc: returns 1.0 minus the	error function of x . . . . .	erf(S)
/high-level	error handler . . . . .	XtAppErrorMsg(Xt)
/sets fatal I/O	error handler . . . . .	XSetErrorHandler(XS)
XtAppError: low-level	error handler . . . . .	XtAppError(Xt)
XtAppErrorMsg: high-level	error handler . . . . .	XtAppErrorMsg(Xt)
XtAppSetErrorHandler: low-level	error handler . . . . .	XtAppError(Xt)
XtAppSetWarningHandler: low-level	error handler . . . . .	XtAppError(Xt)
XtAppWarning: low-level	error handler . . . . .	XtAppError(Xt)
XtAppWarningMsg: high-level	error handler . . . . .	XtAppErrorMsg(Xt)
/XtAppWarning: low-level	error handlers . . . . .	XtAppError(Xt)
XSetErrorHandler: default	error handlers . . . . .	XSetErrorHandler(XS)
XtAppErrorMsg: high-level	error handlers . . . . .	XtAppErrorMsg(Xt)
t_rcvuderr: receive a unit data	error indication . . . . .	t_rcvuderr(S)
clearerr: resets	error indicator to zero . . . . .	ferorr(S)
clnt_geterr: get	error information . . . . .	rpc(NS)
clnt_pcreateerror: print	error information . . . . .	rpc(NS)
clnt_perrno: print	error information . . . . .	rpc(NS)
clnt_perror: print	error information . . . . .	rpc(NS)
clnt_screateerror: string print	error information . . . . .	rpc(NS)
clnt_sperrno: string print	error information . . . . .	rpc(NS)
clnt_sperror: string print	error information . . . . .	rpc(NS)
error: kernel error output device . . . . .		error(M)
strclean: STREAMS	error logger cleanup program . . . . .	strclean(ADM)
strerr: STREAMS	error logger daemon . . . . .	strerr(ADM)
log: interface to STREAMS	error logging and event tracing . . . . .	log(HW)
log: interface to STREAMS	error logging and event tracing . . . . .	log(M)
/print	error message . . . . .	XmuPrintDefaultErrorMessage(Xmu)
Command function that displays an	error message . . . . .	XmCommandError: a XmCommandError(Xm)
XtAppGetErrorDatabaseText: return	error message . . . . .	XtAppGetErrorDatabase(Xt)
herror: print	error message . . . . .	gethostbyname(SLIB)
opterr: disables	error message . . . . .	getopt(S)
pr_intr_adderr: output an	error message . . . . .	pr_intr_adderr(K)
pr_intr_rmerr: output an	error message . . . . .	pr_intr_rmerr(K)
scsi_deverr: print a SCSI sense	error message . . . . .	scsi(K)
t_errno: value for current	error message . . . . .	t_error(S)
t_error: produce	error message . . . . .	t_error(S)
response message: output help or	error message and wait for . . . . .	tam(S)
/returns message from	error message database . . . . .	XSetErrorHandler(XS)
mkstr: creates an	error message file from C source . . . . .	mkstr(CP)
deverr: print a device	error message on the console . . . . .	deverr(K)
routine call/ strerror: gets	error message pointer from last . . . . .	strerror(S)
transport/ t_error: display last	error message produced by call to . . . . .	t_error(S)
yperr_string: return	error message string . . . . .	ypclnt(NS)
XmuSimpleErrorHandler: prints	error message, with exceptions . . . . .	XmuPrintDefaultErrorMessage(Xmu)
errno: system	error messages . . . . .	perror(S)
kernel, and device driver	error messages /system service, . . . . .	messages(M)
perror: system	error messages . . . . .	perror(S)
sys_errlist: system	error messages . . . . .	perror(S)
sys_nerr: system	error messages . . . . .	perror(S)
services, library routines, and	error numbers /introduce system . . . . .	Intro(S)
to socket system calls and	error numbers /introduction . . . . .	Intro(SSC)



error: kernel error output device ..... error(M)  
 dbm\_error: return error value ..... ndbm(NS)  
 fsave: interactive, error-checking filesystem backup .. fsave(ADM)  
 function / the MessageBox, ErrorDialog convenience creation .. XmCreateErrorDialog(Xm)  
 matherr: error-handling function ..... matherr(S)  
 spellin, hashcheck: find spelling errors spell, hashmake, ..... spell(C)  
 8-bit/ kcode: return 7-bit escape sequence that maps onto .. tam(S)  
 XmSetTextEscapement: obtain the escapement of text ..... XmSetTextEscapement(XS)  
 XwcTextEscapement: obtain the escapement of text ..... XwcTextEscapement(XS)  
 another transport/ t\_connect: establish a connection with ..... t\_connect(S)  
 mapping pmap\_set: establish a program-to-port ..... rpc(NS)  
 t\_open: establish a transport endpoint ..... t\_open(S)  
 line connection dial: establish an outgoing terminal ..... dial(S)  
 setmnt: establish /etc/mnttab table ..... setmnt(ADM)  
 screen-switching from/ switchkey: establish modifier keys for ..... switchkey(X)  
 screen-switching from/ xswkey: establish the modifier key or ..... xswkey(X)  
 signal: returns action established by signal type ..... signal(S)  
 asktimer: is a link to /etc/asktime ..... asktime(ADM)  
 setmnt: establish /etc/mnttab table ..... setmnt(ADM)  
 program\_end, etext, edata: last locations in ..... end(S)  
 program text, etext: first address above ..... end(S)  
 hypot: euclidean distance function ..... hypot(S)  
 check file accessibility using EUID eaccess: ..... eaccess(S)  
 expression expr: evaluate arguments as an ..... expr(C)  
 contains an event ev\_block: wait until the queue ..... ev\_block(S)  
 and all associated devices ev\_close: close the event queue ..... ev\_close(S)  
 events currently in the queue ev\_count: returns the number of .. ev\_count(S)  
 XLookupString: translates key event ..... XLookupKeysym(XS)  
 and events available for matching event /searches queue ..... XNextEvent(XS)  
 event queue and copy matched event XCheckIfEvent: checks ..... XIfEvent(XS)  
 records the indicated MMDF event pbs\_note: ..... pbs(S)  
 reports a subsystem problem or event audit\_subsystem: ..... authaudit(S)  
 searches queue for matching event XWindowEvent: ..... XNextEvent(XS)  
 wait until the queue contains an event ev\_block: ..... ev\_block(S)  
 XPeekEvent: returns first event from queue ..... XNextEvent(XS)  
 XtAddEventHandler: add and remove event handlers ..... XtAddEventHandler(Xt)  
 XtAddEventHandler: add event handlers ..... XtAddEventHandler(Xt)  
 XtAddRawEventHandler: add event handlers ..... XtAddEventHandler(Xt)  
 XtRemoveEventHandler: remove event handlers ..... XtAddEventHandler(Xt)  
 XtRemoveRawEventHandler: remove event handlers ..... XtAddEventHandler(Xt)  
 ev\_read: read the next event in the queue ..... ev\_read(S)  
 include/exclude devices for event input ev\_gindev: ..... ev\_gindev(S)  
 ev\_init: invokes the event manager ..... ev\_init(S)  
 ev\_initf: invokes the event manager ..... ev\_init(S)  
 ev\_getemask: return the current event mask ..... ev\_getemask(S)  
 ev\_setemask: sets event mask ..... ev\_setemask(S)  
 retrieve a widget's event mask XtBuildEventMask: .. XtBuildEventMask(Xt)  
 EventMaskOfScreen: returns root event mask of root ..... BlackPixelOfScreen(XS)  
 ev\_pop: pop the next event off the queue ..... ev\_pop(S)  
 t\_look: look at the current event on a transport endpoint ..... t\_look(S)  
 XFlush: handle output buffer or event queue ..... XFlush(XS)  
 ev\_suspend: suspends an event queue ..... ev\_suspend(S)  
 gets a list of devices feeding an event queue ev\_getdev: ..... ev\_getdev(S)  
 number of events already in event queue /returns ..... XFlush(XS)

## Permuted Index

devices ev\_close: close the event queue and all associated event queue and copy matched . . . . . ev\_close(S)  
 event XCheckIfEvent: checks event queue and return if match . . . . . XIfEvent(XS)  
 found XPeekIfEvent: checks event queue for connected display . . . . . AllPlanes(XS)  
 QLength: returns length of event queue for input . . . . . ev\_open(S)  
 ev\_open: opens an event queue with a predicate . . . . . XIfEvent(XS)  
 procedure XIfEvent: check the event structure . . . . . XCirculateRequestEvent(XS)  
   /CirculateRequest event structure . . . . . XClientMessageEvent(XS)  
   /ColormapNotify event structure . . . . . XConfigureRequestEvent(XS)  
   /ConfigureRequest event structure . . . . . XDestroyWindowEvent(XS)  
   /DestroyNotify event structure . . . . . XFocusChangeEvent(XS)  
   /FocusIn and FocusOut event structure . . . . . XResizeRequestEvent(XS)  
   /ResizeRequest event structure . . . . . XSelectionClearEvent(XS)  
   /SelectionClear event structure . . . . . XSelectionRequestEvent(XS)  
   /SelectionRequest event structure . . . . . XVisibilityNotifyEvent(XS)  
   /VisibilityNotify event structure . . . . . XButtonEvent(XS)  
 ButtonPress: ButtonPress event structure . . . . . XButtonEvent(XS)  
 ButtonRelease: ButtonRelease event structure . . . . . XButtonEvent(XS)  
 EnterNotify and LeaveNotify event structure XCrossingEvent: . . . . . XCrossingEvent(XS)  
   KeyPress: KeyPress event structure . . . . . XButtonEvent(XS)  
   KeyRelease: KeyRelease event structure . . . . . XButtonEvent(XS)  
   MotionNotify: MotionNotify event structure . . . . . XButtonEvent(XS)  
   XCirculateEvent: CirculateNotify event structure . . . . . XCirculateEvent(XS)  
   XColormapEvent: ColormapNotify event structure . . . . . XColormapEvent(XS)  
   XConfigureEvent: ConfigureNotify event structure . . . . . XConfigureEvent(XS)  
 XCreateWindowEvent: CreateNotify event structure . . . . . XCreateWindowEvent(XS)  
   XErrorEvent: X error event structure . . . . . XErrorEvent(XS)  
   XEvent: generic X event structure . . . . . XAnyEvent(XS)  
   XExposeEvent: Expose event structure . . . . . XExposeEvent(XS)  
   XGravityEvent: GravityNotify event structure . . . . . XGravityEvent(XS)  
   XKeyEvent: XKeyEvent event structure . . . . . XButtonEvent(XS)  
   XKeymapEvent: KeymapNotify event structure . . . . . XKeymapEvent(XS)  
 XMapRequestEvent: MapRequest event structure . . . . . XMapRequestEvent(XS)  
 XMappingEvent: MappingNotify event structure . . . . . XMapEvent(XS)  
   XMotionEvent: XMotionEvent event structure . . . . . XButtonEvent(XS)  
   XNoExposeEvent: NoExpose event structure . . . . . XGraphicsExposeEvent(XS)  
   XPropertyEvent: PropertyNotify event structure . . . . . XPropertyEvent(XS)  
   XReparentEvent: ReparentNotify event structure . . . . . XReparentEvent(XS)  
   XSelectionEvent: SelectionNotify event structure . . . . . XSelectionEvent(XS)  
   XUnmapEvent: UnmapNotify event structure . . . . . XUnmapEvent(XS)  
   /GraphicsExpose and NoExpose event structures . . . . . XGraphicsExposeEvent(XS)  
 ButtonRelease, and MotionNotify event structures /ButtonPress, . . . . . XButtonEvent(XS)  
 MapNotify and MappingNotify event structures XMapEvent: . . . . . XMapEvent(XS)  
   XAnyEvent: generic X event structures . . . . . XAnyEvent(XS)  
   XmuLookupAPL: map key event to APL string . . . . . XmuLookupLatin1(Xmu)  
   XmuLookupLatin1: map key event to Latin1 string . . . . . XmuLookupLatin1(Xmu)  
   XmuLookupLatin2: map key event to Latin2 string . . . . . XmuLookupLatin1(Xmu)  
   XmuLookupLatin3: map key event to Latin3 string . . . . . XmuLookupLatin1(Xmu)  
   XmuLookupLatin4: map key event to Latin4 string . . . . . XmuLookupLatin1(Xmu)  
   XmuLookupArabic: map key event to Latin/Arabic string . . . . . XmuLookupLatin1(Xmu)  
   XmuLookupCyrillic: map key event to Latin/Cyrillic string . . . . . XmuLookupLatin1(Xmu)  
   XmuLookupGreek: map key event to Latin/Greek string . . . . . XmuLookupLatin1(Xmu)  
   XmuLookupHebrew: map key event to Latin/Hebrew string . . . . . XmuLookupLatin1(Xmu)  
   XmuLookupKana: map key event to string . . . . . XmuLookupLatin1(Xmu)  
   XmuLookupJISX0201: map key event to string in JISX0201-1976/ . . . . . XmuLookupLatin1(Xmu)

to STREAMS error logging and event tracing log: interface ..... log(HW)  
 to STREAMS error logging and event tracing log: interface ..... log(M)  
 XShmGetEventBase: determines event type value ..... XShm(Xext)  
     event mask of root EventMaskOfScreen: returns root ... BlackPixelOfScreen(XS)  
 XAllowEvents: release queued events ..... XAllowEvents(XS)  
     XSelectInput: select input events ..... XSelectInput(XS)  
     audit records for subsystem events dlvr\_audit: produce ..... dlvr\_audit(ADM)  
     for virtual mouse and key events VirtualBindings: bindings .. VirtualBindings(Xm)  
     records due to authentication events auditit: produce audit ... auditit(S)  
     xev: print contents of X events ..... xev(X)  
 XEventsQueued: returns number of events already in event queue ..... XFlush(XS)  
     /query and process events and input ..... XtAppNextEvent(Xt)  
 XtAppMainLoop: query and process events and input ..... XtAppNextEvent(Xt)  
 XtAppNextEvent: query and process events and input ..... XtAppNextEvent(Xt)  
 XtAppPeekEvent: query and process events and input ..... XtAppNextEvent(Xt)  
     XtAppPending: query and process events and input ..... XtAppNextEvent(Xt)  
     structure XSendEvent: send events and pointer motion history ... XSendEvent(XS)  
 XMaskEvent: searches queue for events associated with specified/ ... XNextEvent(XS)  
     event /searches queue and events available for matching ..... XNextEvent(XS)  
     specified/ /searches queue and events available for matching ..... XNextEvent(XS)  
     XPutBackEvent: put events back on the queue ..... XPutBackEvent(XS)  
     XNextEvent: select events by type ..... XNextEvent(XS)  
 ev\_count: returns the number of events currently in the queue ..... ev\_count(S)  
     ev\_flush: discard all events currently in the queue ..... ev\_flush(S)  
     XFilterEvent: filter X events for an input method ..... XFilterEvent(XS)  
 processes all pending exposure events immediately /function that XmUpdateDisplay(Xm)  
     handle keyboard input events in Latin-1 XLookupKeysym: XLookupKeysym(XS)  
     XGetMotionEvents: returns events in motion history buffer ... XSendEvent(XS)  
     /merge exposure events into a region ..... XtAddExposureToRegion(Xt)  
     XtSetKeyboardFocus: focus events on a child widget ..... XtSetKeyboardFocus(Xt)  
     XPending: returns number of events pending ..... XFlush(XS)  
 /which component receives keyboard events when a widget has the/ ... XmProcessTraversal(Xm)  
     currently in the queue ev\_flush: discard all events ..... ev\_flush(S)  
     feeding an event queue ev\_getdev: gets a list of devices ... ev\_getdev(S)  
     event mask ev\_getemask: return the current ... ev\_getemask(S)  
     devices for event input ev\_gindev: include/exclude ..... ev\_gindev(S)  
     manager ev\_init: invokes the event ..... ev\_init(S)  
     manager ev\_initf: invokes the event ..... ev\_init(S)  
     input ev\_open: opens an event queue for ev\_open(S)  
     the queue ev\_pop: pop the next event off ..... ev\_pop(S)  
     the queue ev\_read: read the next event in ... ev\_read(S)  
     queue ev\_resume: restart a suspended ... ev\_resume(S)  
     queue ev\_setemask: sets event mask ..... ev\_setemask(S)  
     queue ev\_suspend: suspends an event ... ev\_suspend(S)  
 exp: returns e\*x ..... exp(S)  
     ex, edit: invoke a text editor ..... ex(C)  
     ex: Invoke the ex text editor ..... ex(C)  
     ex text editor edit: ..... ex(C)  
     ex text editor ..... ex(C)  
 Invoke a novice version of the exact color value /up the string ... XQueryColor(XS)  
     ex: Invoke the exactly n characters ..... string(S)  
     name of a color, returns the examine a C program ..... cscope(CP)  
     strncpy: copies sigprocmask: change and/or examine blocked signals ..... sigprocmask(S)  
     scope: interactively examine, correct or initialize ..... fixperm(ADM)  
     sigprocmask: change and/or file permissions and/ fixperm:

Permuted Index

select: examine I/O descriptor sets ..... select(S)  
 sigpending: examine pending signals ..... sigpending(S)  
 sigaction: change and/or ..... sigaction(S)  
 authentication/ integrity: examine system files against the ... integrity(ADM)  
 crash: examine system images ..... crash(ADM)  
 to change the name of the file ..... getut(S)  
 /the names referenced in UIL (for ..... MrmRegisterNames(Xm)  
 /within a single hierarchy (for ..... MrmRegisterNamesInHierarchy(Xm)  
 fpgetmask: returns the current ..... fpgetground(S)  
 previous/ fpsetmask: sets the ..... fpgetground(S)  
 fpgetsticky: returns the current ..... fpgetground(S)  
 returns/ fpsetsticky: sets the ..... fpgetground(S)  
 /prints error message, with ..... XmPrintDefaultErrorMessage(Xmu)  
 pax: portable archive ..... pax(C)  
 execve, execlp, execvp: execute/ ..... exec(S)  
 argument list ..... exec(S)  
 execlp, execvp: execute a/ ..... exec(S)  
 argument list and given/ ..... exec(S)  
 execute a/ ..... exec(S)  
 PATH variable and argument list ..... exec(S)  
 /execl, execv, execl, execv, ..... exec(S)  
 executable ..... execseg(S)  
 /makes a data region returned by ..... execseg(S)  
 execseg: makes a data region ..... execseg(S)  
 executable ..... execseg(S)  
 fixhdr: change ..... fixhdr(C)  
 /files indicating directories ..... ls(C)  
 machine rcmd: execute a command on a remote ... rcmd(SLIB)  
 expression against a/ regex: execute a compiled regular ..... regcmp(S)  
 execl, execv, execlp, execvp: execute a file /execl, execv, ..... exec(S)  
 untimeout: schedule a time to ..... timeout(K)  
 xargs: construct and ..... xargs(C)  
 at, batch: execute commands ..... at(C)  
 system remote: execute commands on a remote ... remote(C)  
 batch, and crontab cron: execute commands scheduled by at, cron(C)  
 until return exhelp: execute help process and block .... tam(S)  
 variable and argument/ execlp: execute process using PATH ..... exec(S)  
 variable and argument/ execvp: execute process using PATH ..... exec(S)  
 array and given argument execve: execute process with argument ..... exec(S)  
 array execv: execute process with argument ..... exec(S)  
 list and given/ execl: execute process with argument ..... exec(S)  
 list execl: execute process with argument ..... exec(S)  
 uuxqt: execute remote command requests uuxqt(ADM)  
 command uexec: execute UNIX operating system ..... uexec(PCI)  
 timeout: schedule a routine to be ..... timeout(K)  
 crontab: schedule commands to be ..... crontab(C)  
 /allows pre and post actions to be ..... XmSetProtocolHooks(Xm)  
 /allows pre and post actions to be ..... XmSetWmProtocolHooks(Xm)  
 initscript: script that ..... initscript(ADM)  
 regcmp, regex: compiles and ..... regcmp(S)  
 execvp: execute a/ ..... exec(S)  
 execl, ..... exec(S)  
 argument array ..... exec(S)  
 file execl, execv, execl, ..... exec(S)  
 argument array and given/ ..... exec(S)  
 execv, execl, execv, execlp, ..... exec(S)  
 execvp: execute a file /execl, ..... exec(S)

PATH variable and argument array  
 block until return  
 getbsflag: check  
 queue ttrdchk: check  
 /that provides information on the  
 getpkgflag: check  
 /a List function that makes an  
 /a List function that makes an  
 create a new file or rewrite an  
 remove a signal from the  
 sigaddset: add a signal to the  
 test if a signal is in the  
 value if alternate time zone  
 feature\_list /returns 1 if token  
 reset parameters set by winit and  
 returns pointer argument at  
 system/ uwait: poll for the  
 pclose: returns  
 exit,  
 false: return with a non-zero  
 true: return with a zero  
 dblock: enter\_quiet\_zone,  
 signals  
 exponential, logarithm, power,/  
 pack, pcat, unpack: compress and  
 dn\_expand:  
 representation of the/ unctrl:  
 representation of the/ unctrl:  
 t\_snd: send data or  
 t\_rcv: receive data or  
 prwarn: warn about password  
 send warnings and return  
 exp, log, log10, pow, sqrt:  
 exportfs:  
 XExposeEvent:  
 /that processes all pending  
 XtAddExposureToRegion: merge  
 expression  
 expr: evaluate arguments as an  
 first character matching regular  
 last character matching regular  
 match given a compiled regular  
 regcmp: compile a regular  
 regex: execute a compiled regular  
 regcmp: regular  
 routines regexp: regular  
 compiles and executes regular  
 numbers emajor, eminor: extract  
 execvp: execute process using ..... exec(S)  
 xhelp: execute help process and ... tam(S)  
 existence of bootstring ..... getbvalue(K)  
 existence of characters on input ... ty(K)  
 existence of non-zero length text/ ... XmStringEmpty(Xm)  
 existence of package string ..... getbvalue(K)  
 existing item the first visible/ ..... XmListSetItem(Xm)  
 existing item the last visible/ ..... XmListSetBottomItem(Xm)  
 existing one create: ..... creat(S)  
 existing signal set sigdelset: ..... sigset(S)  
 existing signal set ..... sigset(S)  
 existing signal set sigsmember: ... sigset(S)  
 exists daylight: set to non-zero ... ctime(S)  
 exists in string returned by ..... feature(PCI)  
 exit wexit: ..... tam(S)  
 \_exit: circumvents cleanup ..... exit(S)  
 exit, \_exit: terminate process ..... exit(S)  
 Exit: kills all layer processes ..... libwindows(S)  
 exit of compile routine RETURN: ... regexp(S)  
 exit status of a UNIX operating ... uwait(PCI)  
 exit status of command ..... popen(S)  
 exit, \_exit: terminate process ..... exit(S)  
 exit: terminates calling process ... exit(S)  
 exit value ..... false(C)  
 exit value ..... true(C)  
 exit\_quiet\_zone,/ ..... dblock(S)  
 exit\_quiet\_zone: unblock keyboard  
 exp, log, log10, pow, sqrt: ..... exp(S)  
 exp: returns e^x ..... exp(S)  
 expand files ..... pack(C)  
 expands domain name ..... resolver(SLIB)  
 expands to printable ..... curses(S)  
 expands to printable ..... terminfo(S)  
 expedited data over a connection ... t\_snd(S)  
 expedited data sent over a / ..... t\_rcv(S)  
 expiration ..... prwarn(C)  
 expired mail cleanque: ..... cleanque(ADM)  
 exponential, logarithm, power, / ... exp(S)  
 export directory trees ..... exportfs(NS)  
 exportfs: export directory trees ... exportfs(NS)  
 XExposeEvent ..... XExposeEvent(XS)  
 /that processes all pending  
 exposure events immediately ..... XmUpdateDisplay(Xm)  
 exposure events into a region ..... XtAddExposureToRegion(Xt)  
 expr: evaluate arguments as an ... expr(C)  
 expression ..... expr(C)  
 expression loc1: pointer to ..... regexp(S)  
 expression /to character after ..... regexp(S)  
 expression advance: pattern ..... regexp(S)  
 expression ..... regcmp(S)  
 expression against a string ..... regcmp(S)  
 expression compile ..... regcmp(CP)  
 expression compile and match ... regexp(S)  
 expressions regcmp, regex: ..... regcmp(S)  
 extended major/minor device ..... emajor(K)

## Permuted Index

/base major, new device number, or  
     makedev: get major and  
         minor: get  
         sysadmmenu: layout of  
 /returns version numbers of the  
     XShm: shared memory  
     the server for shared memory  
     Intro: introduction to the X  
 XQueryTextExtents16: queries text  
 XQueryTextExtents: queries text  
 XTextExtents16: computes text  
 XmbTextExtents: compute text  
 XwcTextExtents: compute text  
     compute or query text  
     /obtain the maximum  
     xdr: library routines for  
         circf: reserved  
         nbra: reserved  
         sed: reserved  
         rmb: remove  
     archive and stop  
         packet traces  
         xtt: statistics  
         xts: structure  
         xtd: architecture  
         archtobus: device numbers  
         emajor, eminor:  
         used for next/ NextRequest:  
         Internet address inet\_lnaof:  
         Internet address inet\_netof:  
 known/ LastKnownRequestProcessed:  
     xstr:  
         tgetent:  
         fabs: absolute/  
         floor, ceil, fmod,  
         of x, | x |  
     /a Drag and Drop function that  
     /a Drag and Drop function that  
     of inter-process communication  
     to use MRM widget-fetching  
     Error Correction Code (ECC)  
         rippoffline: accesses  
         rippoffline: accesses  
         factor:  
             bufcall: recover from  
             mm\_end: indicates success or  
             exit value  
     data in a machine-independent  
     /converts character to lowercase  
     /converts character to uppercase  
     XSetErrorHandler: sets  
     abort: generate an abort  
         stream  
         closes stream  
     extended minor device number ... major(K)  
     extended minor device number ... major(K)  
     extended minor device number ... major(K)  
     extensible menus in sysadmsh ... sysadmmenu(F)  
     extension implementation ... XShm(Xext)  
     extensions ... XShm(Xext)  
     extensions /checks ... XShm(Xext)  
     Extensions library ... Intro(Xext)  
     extents ... XTextExtents(XS)  
     extents ... XTextExtents(XS)  
     extents ... XTextExtents(XS)  
     extents ... XmbTextExtents(XS)  
     extents ... XmbTextExtents(XS)  
     extents XTextExtents: ... XTextExtents(XS)  
     extents structure for a font set ... XExtentsOfFontSet(XS)  
     external data representation ... xdr(NS)  
     external variable ... regexp(S)  
     external variable ... regexp(S)  
     external variable ... regexp(S)  
     extra blank lines from a file ... rmb(M)  
     extract a file from a cpio ... xtract(C)  
     extract and print xt driver ... xtt(ADM)  
     extract and print xt driver ... xts(ADM)  
     extract and print xt driver link ... xtd(ADM)  
     extract bus type from ... archtobus(K)  
     extract extended major/minor ... emajor(K)  
     extracts full serial number to be ... AllPlanes(XS)  
     Extracts local address from ... inet(SLIB)  
     Extracts network address from ... inet(SLIB)  
     extracts serial number of last ... AllPlanes(XS)  
     extracts strings from C programs ... xstr(CP)  
     extracts the entry for terminal ... termcap(S)  
     fabs: floor, ceiling, remainder, ... floor(S)  
     fabs: returns the absolute value ... floor(S)  
     facilitates processing updates to/ ... XmDropSiteEndUpdate(Xm)  
     facilitates processing updates to/ ... XmDropSiteStartUpdate(Xm)  
     facilities /report the status ... ipc(ADM)  
     facilities /an application ... MrmInitialize(Xm)  
     facility ecc, eccd: memory ... ecc(ADM)  
     facility to reduce size of screen ... curses(S)  
     facility to reduce size of screen ... terminfo(S)  
     factor a number ... factor(C)  
     factor: factor a number ... factor(C)  
     failure of allocb ... bufcall(K)  
     failure of MDMF conversation ... mmdf(S)  
     false: return with a non-zero ... false(C)  
     fashion /access long integer ... sputl(S)  
     (faster, limited algorithm) ... toascii(S)  
     (faster, limited algorithm) ... toascii(S)  
     fatal I/O error handler ... XSetErrorHandler(XS)  
     fault ... abort(S)  
     fclose, fflush: close or flush a ... fclose(S)  
     fclose: writes buffered data and ... fclose(S)  
     fcntl: file control ... fcntl(S)

fcntl: file control options ..... fcntl(M)  
 fh\_fcntl: fcntl given NFS file handle ..... fh\_fcntl(NS)  
 ndigit rounded for FORTRAN/  
 floating-point number to/ ecvt,  
 a descriptor set FD\_CLR: removes a descriptor from select(S)  
 media volumes fdffit: fits file archives onto ..... fdffit(SMT)  
 floppies fdformats: fit file archives onto ..... fdformats(SMT)  
 fdisk: maintain disk partitions ..... fdisk(ADM)  
 descriptor is member of a/  
 a file descriptor FD\_ISSET: returns non-zero if ..... select(S)  
 fopen, freopen, fdopen: associates a stream with ..... fopen(S)  
 fdopen: open a stream ..... fopen(S)  
 descriptor in descriptor set FD\_SET: include a particular ..... select(S)  
 drive fdswap: swap default boot floppy ..... fdswap(ADM)  
 set to the null set FD\_ZERO: initialize descriptor ..... select(S)  
 feature\_list: get features/  
 features supported by a/ feature,  
 token exists in string returned/  
 exists in string returned by  
 by feature feature\_list: a subroutine called ..... feature(PCI)  
 feature, feature\_exists,  
 introduction to miscellaneous  
 to machine related miscellaneous  
 /for querying properties or  
 /feature\_exists, feature\_list: get  
 ev\_getdev: gets a list of devices  
 status inquiries ferror,  
 stream status inquiries  
 read/write error  
 a key  
 performs/ dbm: dbmunit, delete,  
 nextkey: database/ dbm, dbmunit,  
 type of the next component  
 hierarchy MrmFetchBitmapLiteral:  
 from a UID/ MrmFetchColorLiteral:  
 hierarchy MrmFetchIconLiteral:  
 (UIL named)/ MrmFetchWidget:  
 MrmFetchWidgetOverride:  
 /a compound string function that  
 literals/ MrmFetchSetValues:  
 statistics for a filesystem  
 fclose,  
 file for named stream  
 of ndigit rounded for FORTRAN  
 word from a/ getc, getchar,  
 named input stream  
 /getgrnam, setgrent, endgrent,  
 next group structure  
 bigcryptmax: read or/ getpasswd,  
 password from a file  
 current value of a stream's file/  
 feature\_exists, feature\_list: get ..... feature(PCI)  
 feature\_exists: returns 1 if ..... feature(PCI)  
 feature\_list /returns 1 if token ..... feature(PCI)  
 feature\_list: get features/ ..... feature(PCI)  
 features and files Intro: ..... intro(M)  
 features and files /introduction ..... intro(HW)  
 features of the specified input/ ..... XOpenLM(XS)  
 features supported by a virtual/ ..... feature(PCI)  
 feeding an event queue ..... ev\_getdev(S)  
 feof, clearerr, fileno: stream ..... ferror(S)  
 feof: test for previous EOF ..... ferror(S)  
 ferror, feof, clearerr, fileno: ..... ferror(S)  
 ferror: tests for previous ..... ferror(S)  
 fetch: access data ..... dbm(NS)  
 fetch: accesses data stored under ..... dbm(S)  
 fetch, firstkey, nextkey, store: ..... dbm(S)  
 fetch, store, delete, firstkey, ..... dbm(NS)  
 fetched /returns the component ... XmStringPeekNextComponent(Xm)  
 fetches a bitmap literal from a ..... MrmFetchBitmapLiteral(Xm)  
 fetches a literal from a UID file ..... MrmFetchLiteral(Xm)  
 fetches a named color literal ..... MrmFetchColorLiteral(Xm)  
 fetches an icon literal from a ..... MrmFetchIconLiteral(Xm)  
 fetches and creates any indexed ..... MrmFetchWidget(Xm)  
 fetches any indexed (UIL named)/ ..... MrmFetchWidgetOverride(Xm)  
 fetches the octets in the next/ ..... XmStringGetNextSegment(Xm)  
 fetches the values to be set from ..... MrmFetchSetValues(Xm)  
 ff: list file names and ..... ff(ADM)  
 fflush: close or flush a stream ..... fclose(S)  
 fflush: writes buffered data to ..... fclose(S)  
 F-format /value to string ..... ecvt(S)  
 fgetc, getw: get character or ..... getc(S)  
 fgetc: return next character from ..... getc(S)  
 fgetgrent: get group file entry ..... getgrent(S)  
 fgetgrent: returns pointer to ..... getgrent(S)  
 fgetpasswd, bigcrypt, ..... getpasswd(S)  
 fgetpasswd: read or clear a ..... getpasswd(S)  
 fgetpos: gets and stores the ..... fgetpos(S)

## Permuted Index

/getpwnam, setpwent, endpwent, fgetpwent: get password file/ ..... getpwent(S)  
     matching passwd structure fgetpwent: gets pointer to next ..... getpwent(S)  
         gets, fgets: get a string from a stream ..... gets(S)  
         stream in an array fgets: reads characters from ..... gets(S)  
         spwd structure fgetspent: get pointer to next ..... getspent(S)  
 /getspnam, setspent, endspent, fgetspent, lckpwd, ulckpwd: get/ ..... getspent(S)  
     string fgrep: Search a file for a fixed ..... grep(C)  
     grep, egrep, fgrep: search files for a pattern ..... grep(C)  
     handle fh\_fcntl: fcntl given NFS file ..... fh\_fcntl(NFS)  
         field: FIELD library routines ..... field(S)  
 field arguments associated with/  
     background attribute of field field\_arg: returns pointer to ..... field(S)  
         field\_back: returns the ..... field(S)  
         field buffer buf field\_buffer: returns value of ..... field(S)  
         of fields connected to form field\_count: returns the number ..... form(S)  
         attribute of field field\_fore: returns foreground ..... field(S)  
     field pointer array to given/  
         position, and other field/ field\_index: returns index in ..... form(S)  
     form initialization function field\_info: returns size, ..... field(S)  
         the field justification field\_init: returns pointer to ..... form(S)  
             option setting field\_just: returns indicator of ..... field(S)  
             named options field\_opts: returns the field's ..... field(S)  
             options field\_opts\_off: turns off the ..... field(S)  
             character for field field\_opts\_on: turns on the named ..... field(S)  
             field\_pad: returns the pad ..... field(S)  
     shareable GC with modifiable fields XtAllocateGC: obtain ..... XtAllocateGC(Xt)  
         the byte offset or resource fields XtOffset: determine ..... XtOffset(Xt)  
 the fields connected to form to fields set\_form\_fields: changes ..... form(S)  
     /returns the number of fields connected to form ..... form(S)  
     set\_form\_fields: changes the fields connected to form to/ ..... form(S)  
     fields: return status based on fields of authentication database ..... fields(S)  
     cut: cut out selected fields of each line of a file ..... cut(C)  
         field\_opts: returns the field's option setting ..... field(S)  
         fields of authentication/ fields: return status based on ..... fields(S)  
     assignment structure and the fields to which it refers /device ... getdvagnt(S)  
         field\_userptr: returns the field's user pointer ..... field(S)  
         set\_field\_userptr: sets the field's user pointer ..... field(S)  
         field field\_status: returns status of ..... field(S)  
     form initialization function field\_term: returns pointer to ..... form(S)  
         routines fieldtype: FIELDTYPE library ..... fieldtype(S)  
         fieldtype: FIELDTYPE library routines ..... fieldtype(S)  
         field type of field field\_type: returns pointer to ..... field(S)  
         field's user pointer field\_userptr: returns the ..... field(S)  
     a special or ordinary file or a FIFO mknod: make a directory or ..... mknod(S)  
         if file is a first-in, first-out (FIFO) S\_ISFIFO: determines ..... stat(S)  
         mkfifo: make a FIFO special file ..... mkfifo(C)  
         mkfifo: make a FIFO special file ..... mkfifo(S)  
     format of the Xconnections file Xconnections: ..... Xconnections(X)  
     showsrf: print contents of an SNF file ..... showsrf(X)  
         file: determine file type ..... file(C)  
         mkfontdir: create fonts.dir file from directory of font files ..... mkfontdir(X)  
         xauth: X authority file utility ..... xauth(X)  
         umask: get or set file-creation mode mask ..... umask(C)  
         object files filehdr: file header for common ..... filehdr(FP)  
     contents of virtual screen to filename /writes current ..... curses(S)  
     contents of virtual screen to filename /writes current ..... terminfo(S)



contents of virtual screen to filename dmp\_win: writes current . curses(S)  
 contents of virtual screen to filename dumpwin: writes current terminfo(S)  
 ctermid: generate terminal filename ..... ctermid(S)  
 mktemp: make a unique filename ..... mktemp(S)  
     remove: removes filename ..... remove(S)  
     rename: changes filename ..... rename(S)  
 virtual screen to contents of filename scr\_restore: sets ..... curses(S)  
 virtual screen to contents of filename scr\_restore: sets ..... terminfo(S)  
     tempnam: creates a filename in a named directory ..... tmpnam(S)  
 data/ scr\_init: uses contents of filename to initialize curses ..... terminfo(S)  
     tmpnam: creates a filename using the path-prefix ..... tmpnam(S)  
         descriptor filename: returns integer file ..... ferror(S)  
         ferror, feof, clearerr, filename: stream status inquiries ..... ferror(S)  
 and edit xbm and xpm formatted files /edit icons and pictures; ..... scopaint(X)  
 and print process accounting file(s) acctcom: search ..... acctcom(ADM)  
 file from directory of font files /create fonts.dir ..... mkfontdir(X)  
 multiple screens (device files) multiscreen: ..... multiscreen(M)  
     files: file control database ..... files(F)  
     subdirectories/ lr: List files, recursively listing any ..... ls(C)  
     statistics/ logs: MMDF log files: system status, error, and ..... logs(F)  
 XmCreateFileSelectionDialog: the FileSelectionBox/ ..... XmCreateFileSelectionDialog(Xm)  
     XmFileSelectionDoSearch: a FileSelectionBox function that/ ..... XmFileSelectionDoSearch(Xm)  
     XmFileSelectionBoxGetChild: a FileSelectionBox function used to/ ..... XmFileSelectionBoxGetChild(Xm)  
     XmFileSelectionBox: the FileSelectionBox widget class ..... XmFileSelectionBox(Xm)  
     XmCreateFileSelectionBox: the FileSelectionBox widget creation/ ..... XmCreateFileSelectionBox(Xm)  
     creation/ /the FileSelectionBox FileSelectionDialog convenience ..... XmCreateFileSelectionDialog(Xm)  
     mounting filesystems filesys: default information for ..... filesys(F)  
     file names and statistics for a filesystem ff: list ..... ff(ADM)  
 hs: High Sierra/ISO-9660 CD-ROM filesystem ..... hs(F)  
     make literal copy of UNIX filesystem volcopy: ..... volcopy(ADM)  
         mkfs: construct a filesystem ..... mkfs(ADM)  
         mnt, umnt: mount a filesystem ..... mnt(C)  
         mount: mount a filesystem ..... mount(S)  
         pipe: list or define pipe filesystem ..... pipe(ADM)  
         processes using a file or filesystem fuser: identify ..... fuser(ADM)  
     bcheckrc: check and mount root filesystem at system/ ..... bcheckrc(ADM)  
         interactive, error-checking filesystem backup fsave: ..... fsave(ADM)  
         perform XENIX incremental filesystem backup xbackup: ..... xbackup(ADM)  
         restore: incremental filesystem backup restore ..... restore(ADM)  
             fsdb: filesystem debugger ..... fsdb(ADM)  
             types filesystem: format of filesystem ..... filesystem(FP)  
 xrestor: invoke XENIX incremental filesystem restorer xrestore, ..... xrestore(ADM)  
     mnttab: format of mounted filesystem table ..... mnttab(F)  
         fstyp: determine filesystem type ..... fstyp(ADM)  
             sfsys: local filesystem type file ..... sfsys(FP)  
             filesystem: format of filesystem types ..... filesystem(FP)  
     mfsys: configuration file for filesystem types ..... mfsys(FP)  
         entry dirent: filesystem-independent directory .. dirent(FP)  
     /directory entries and put in a filesystem-independent format ..... getdents(S)  
     default information for mounting filesystems filesys: ..... filesys(F)  
         dfscck: check and repair filesystems ..... fsck(ADM)  
         fsck, dfscck: check and repair filesystems ..... fsck(ADM)  
         labelit: provide labels for filesystems ..... labelit(ADM)  
         manipulates DOS files and filesystems /dosrm, dosrmdir: ..... doscmd(C)

## Permuted Index

mnt: Mount selected	filesystems	mnt(C)
umnt: Unmount selected	filesystems	mnt(C)
haltsys, reboot: close out	filesystems and shut down the/	haltsys(ADM)
time dcopy: copy UNIX	filesystems for optimal access	dcopy(ADM)
scsi_get_gen_cmd:	fill a command block	scsi(K)
arcs: XFillRectangle:	fill rectangles, polygons, or	XFillRectangle(XS)
XmuFillRoundedRectangle: draw	filed rounded rectangle	XmuDrawRoundedRectangle(Xmu)
XSetFillRule: sets	fill-rule in specified GC	XSetFillStyle(XS)
XFillArc:	fills arc	XFillRectangle(XS)
XFillArcs:	fills arcs	XFillRectangle(XS)
XFillPolygon:	fills polygon	XFillRectangle(XS)
XFillRectangles:	fills rectangles	XFillRectangle(XS)
greek: select terminal	filter	greek(C)
assumes a 1-line screen	filter: arranges that curses	curses(S)
assumes a 1-line screen	filter: arranges that curses	terminfo(S)
	col: filter reverse linefeeds	col(C)
method XFilterEvent:	filter X events for an input	XFilterEvent(XS)
tplot: graphics	filters	tplot(ADM)
service lpfiler: administer	filters used with the print	lpfilter(ADM)
	find: find files	find(C)
text string /a Text function that	finds the beginning position of a	XmTextFindString(Xm)
wide/ /a Text function that	finds the beginning position of a	XmTextFindStringWcs(Xm)
string s1 of string s2 strstr:	finds the first occurrence in	string(S)
lightness/ XcmsCIELabQueryMaxL:	finds the point of maximum	XcmsCIELabQueryMaxC(XS)
lightness/ XcmsCIELuvQueryMaxL:	finds the point of maximum	XcmsCIELuvQueryMaxC(XS)
XcmsCIELabQueryMaxL:C:	finds the point of maximum chroma/	XcmsCIELabQueryMaxC(XS)
XcmsCIELuvQueryMaxL:C:	finds the point of maximum chroma/	XcmsCIELuvQueryMaxC(XS)
lightness/ XcmsCIELabQueryMinL:	finds the point of minimum	XcmsCIELabQueryMaxC(XS)
lightness/ XcmsCIELuvQueryMinL:	finds the point of minimum	XcmsCIELuvQueryMaxC(XS)
	code	findstr: find strings in C source
users	finger: find information about	finger(C)
S_ISFIFO: determines if file is a	first-in, first-out (FIFO)	stat(S)
dbminit, fetch, store, delete,	firstkey, nextkey: database/ dbm,	dbm(NS)
dbm: dbminit, delete, fetch,	firstkey, nextkey, store:/	dbm(S)
database	firstkey: return first key in	dbm(NS)
in a database	firstkey: returns the first key	dbm(S)
fdformats:	fit file archives onto floppies	fdformats(SMT)
volumes fdfit:	fits file archives onto media	fdfit(SMT)
bad track table badtrk: scan	fixed disk for flaws and creates	badtrk(ADM)
xdr_vector: XDR a C	fixed length array	xdr(NS)
fgrep: Search a file for a	fixed string	grep(C)
file headers	fixhdr: change executable binary	fixhdr(C)
system files consistent with the/	fixmog, cps: make all or specific	fixmog(ADM)
initialize file permissions and/	fixperm: examine, correct or	fixperm(ADM)
	fixshlib: unsupported utility	undocumented(M)
reset_prog_mode	fixterm: replaced by	curses(S)
program state	fixterm: restore terminal to	tam(S)
agetflag: returns id	flag	authcap(S)
xbiff: mailbox	flag for X	xbiff(X)
/sets graphics-exposure	flag in specified GC	XSetArcMode(XS)
password/ /get current field and	flag information from protected	fields(S)
control/ /get current field and	flag information from terminal	fields(S)
store_pw_fields: add field and	flag information to protected/	fields(S)
store_tc_fields: add field and	flag information to protected/	fields(S)

sets the field status flag to status set\_field\_status: ..... field(S)

the current exception sticky flags fpgetsticky: returns ..... fpgetround(S)

/sets the exception sticky flags and returns previous/ ..... fpgetround(S)

terminal user flash: used to signal the ..... curses(S)

terminal user flash: used to signal the ..... tam(S)

terminal user flash: used to signal the ..... terminfo(S)

badtrk: scan fixed disk for flaws and creates bad track table ..... badtrk(ADM)

ldfloat: convert ISAM integer to float ..... isconv(S)

xdr\_float: XDR a C float ..... xdr(NS)

according to IEEE/ isnan: test float for Not-a-Number (NaN) ..... isnan(S)

/fpgetsticky, fpsetsticky: IEEE floating point environment/ ..... fpgetround(S)

isnan, isnand, isnanf: test for a floating point NaN (Not-A-Number) isnan(S)

atof: converts ASCII to floating point numbers ..... atof(S)

ecvt, fcvt, gcvt: convert floating-point number to string ..... ecvt(S)

ldexp, modf: manipulate parts of floating-point numbers frexp, ..... frexp(S)

division of x fmod: returns floating-point remainder of ..... floor(S)

non-negative double-precision floating-point value /returns ..... drand48(S)

ceiling, remainder, absolute/ floor, ceil, fmod, fabs: floor, ..... floor(S)

floor, ceil, fmod, fabs: floor, ceiling, remainder,/ ..... floor(S)

not greater than x floor: returns largest integer ..... floor(S)

fdformats: fit file archives onto floppies ..... fdformats(SMT)

dosformat: Format a DOS floppy ..... doscmd(C)

fd: floppy devices ..... fd(HW)

diskimage: create file image for floppy disk ..... diskimage(SMT)

diskcmp: Compare floppy disks ..... diskcp(C)

diskcp, diskcmp: copy or compare floppy disks ..... diskcp(C)

diskcp: Copy floppy disks ..... diskcp(C)

format: format floppy disks ..... format(C)

output mkflops: create floppy disks from mkcuts(SMT) ... mkflops(SMT)

fdswap: swap default boot floppy drive ..... fdswap(ADM)

cflow: generate C flowgraph ..... cflow(CP)

rcflow: generate C flowgraph ..... rcflow(CP)

flushq: flush a queue ..... flushq(K)

fclose, fflush: close or flush a stream ..... fclose(S)

buffer flush: flush the translation lookaside ..... flush:tb(K)

driver queue intrflush: flushes all output in the tty ..... curses(S)

driver queue intrflush: flushes all output in the tty ..... terminfo(S)

CPU shutdown: flushes block I/O and halts the ..... shutdown(S)

until all requests/ XSync: flushes output buffer then waits ... XFlush(XS)

closepl: flushes the plotter output ..... plot(S)

not yet read by the program flushinp: throws away typeahead ... curses(S)

not yet read by the program flushinp: throws away typeahead .. tam(S)

not yet read by the program flushinp: throws away typeahead .. terminfo(S)

flushq: flush a queue ..... flushq(K)

flush:tb: flush the translation ..... flush:tb(K)

lookaside buffer fmod, fabs: floor, ceiling, ..... floor(S)

remainder, absolute/ floor, ceil, fmod: returns floating-point ..... floor(S)

convert unaligned ISAM aligned foat stfloat: ..... isconv(S)

XSetInputFocus: control input focus ..... XSetInputFocus(XS)

events when a widget has the focus /receives keyboard ..... XmProcessTraversal(Xm)

of the widget that has keyboard focus /returns the ID ..... XmGetFocusWidget(Xm)

set and unset input context focus XSetCFocus: ..... XSetCFocus(XS)

that the input context has lost focus /notify an input method ..... XSetCFocus(XS)

XtSetKeyboardFocus: focus events on a child widget ..... XtSetKeyboardFocus(Xt)

## Permuted Index

returns focus window and current focus `XGetInputFocus`: returns structure `XFocusChangeEvent`: `XFocusChangeEvent`: `FocusIn` and `XFreeFont`: frees `XLoadQueryFont`: loads `XUnloadFont`: unloads device `vidi`: set the `bdftosnf`: BDF to SNF `snftobdf`: SNF to BDF `xfd`: font displayer for X `showfont`: font dumper for X font server `fonts.dir` file from directory of `Format to/ bdftopcf`: convert `fstobdf`: BDF `XQueryFont`: returns `XFreeFontInfo`: frees `/list` function that retrieves `XmFontList`: data type for a font list function that copies a list function that creates a new removes a font list entry from a that appends an entry to a that recovers memory used by a that returns the next entry in a the fonts and character sets in a to access the entries in a `/instructs` the toolkit that the `xlsfonts`: server encoding format for a specified font list function that creates a retrieves font information from a set and creates an accompanying that retrieves the tag of a that recovers memory used by a `/font` list function that removes a `fslsfonts`: display `XmFontListEntryGetFont`: a `XmFontListEntryGetTag`: a `XmFontListGetNextFont`: a `XmFontListInitFontContext`: a `an/ XmFontListAppendEntry`: a font list `XmFontListCopy`: a font list `XmFontListCreate`: a font list `XmFontListEntryCreate`: a new font list `XmFontListAdd`: a font list `XmFontListFreeFontContext`: a font or `XmFontListEntryLoad`: a memory used by `XmFontListFree`: a memory `XmFontListEntryFree`: a font `XmFontListRemoveEntry`: a the next `XmFontListNextEntry`: a associated with the specified focus state `XGetInputFocus`: `XSetInputFocus(XS)` focus window and current focus `XSetInputFocus(XS)` `FocusIn` and `FocusOut` event `XFocusChangeEvent(XS)` `FocusOut` event structure `XFocusChangeEvent(XS)` font `XLoadFont(XS)` font `XLoadFont(XS)` font `XLoadFont(XS)` font and video mode for a video `vidi(C)` font compiler for X11 `bdftosnf(X)` font decompiler for X11 `snftobdf(X)` `xfd`: font displayer for X `showfont(X)` font files `mkfontdir`: create `mkfontdir(X)` font from Bitmap Distribution `bdftopcf(X)` font generator `fstobdf(X)` font information `XLoadFont(XS)` font information array `XListFonts(XS)` font information from a font list `XmFontListEntryGetFont(Xm)` font list `XmFontList(Xm)` font list `XmFontListCopy`: a `XmFontListCopy(Xm)` font list `XmFontListCreate`: a `XmFontListCreate(Xm)` font list `XmFontListAdd`: a font `XmFontListAdd(Xm)` font list `/list` function that `XmFontListRemoveEntry(Xm)` font list `/a` font list function `XmFontListAppendEntry(Xm)` font list `/a` font list function `XmFontListFree(Xm)` font list `/a` font list function `XmFontListNextEntry(Xm)` font list `/applications` to access `XmFontListGetNextFont(Xm)` font list `/allows` applications `XmFontListInitFontContext(Xm)` font list context is no longer `XmFontListFreeFontContext(Xm)` font list displayer for X `xlsfonts(X)` font list element tag `/text` `XmRegisterSegmentEncoding(Xm)` font list entry `/a` `XmFontListEntryCreate(Xm)` font list entry `/function` that `XmFontListEntryGetFont(Xm)` font list entry `/creates` a font `XmFontListEntryLoad(Xm)` font list entry `/list` function `XmFontListEntryGetTag(Xm)` font list entry `/list` function `XmFontListEntryFree(Xm)` font list entry from a font list `XmFontListRemoveEntry(Xm)` font list for X font server `fslsfonts(X)` font list function that `XmFontListEntryGetFont(Xm)` font list function that `XmFontListEntryGetTag(Xm)` font list function that allows `XmFontListGetNextFont(Xm)` font list function that allows `XmFontListInitFontContext(Xm)` font list function that appends `XmFontListAppendEntry(Xm)` font list function that copies a `XmFontListCopy(Xm)` font list function that creates a `XmFontListCreate(Xm)` font list function that creates a `XmFontListEntryCreate(Xm)` font list function that creates a `XmFontListAdd(Xm)` font list function that instructs `XmFontListFreeFontContext(Xm)` font list function that loads a `XmFontListEntryLoad(Xm)` font list function that recovers `XmFontListFree(Xm)` font list function that recovers `XmFontListEntryFree(Xm)` font list function that removes a `XmFontListRemoveEntry(Xm)` font list function that returns `XmFontListNextEntry(Xm)` font list tag `/encoding` format `XmMapSegmentEncoding(Xm)`

/load or unload fonts and font metric structures ..... XLoadFont(XS)  
 /returns the original base font name list ..... XFontsOffFontSet(XS)  
 click interface for selecting X11 font names xfontsel: point and ..... xfontsel(X)  
 XListFonts: obtain or free font names and information ..... XListFonts(XS)  
 XListFontsWithInfo: lists font names and information ..... XListFonts(XS)  
 XFreeFontNames: frees font names array ..... XListFonts(XS)  
 /a font list function that loads a font or creates a font set and / ..... XmFontListEntryLoad(Xm)  
 returns value of specified font property XGetFontProperty: ..... XLoadFont(XS)  
 XFreeFontPath: frees font search path ..... XSetFontPath(XS)  
 XGetFontPath: gets font search path ..... XSetFontPath(XS)  
 set, get, or free the font search path XSetFontPath: ..... XSetFontPath(XS)  
 display font list for X font server fslsfnts: ..... fslsfnts(X)  
 fs: X font server ..... fs(X)  
 showfont: font dumper for X font server ..... showfont(X)  
 fsinfo: font server information utility ..... fsinfo(X)  
 an international text drawing font set /create and free ..... XCreateFontSet(XS)  
 an international text drawing font set XFreeFontSet: free ..... XCreateFontSet(XS)  
 draw image text using a single font set XmbDrawImageString: ..... XmbDrawImageString(XS)  
 draw image text using a single font set XwcDrawImageString: ..... XmbDrawImageString(XS)  
 draw text using a single font set XmbDrawString: ..... XmbDrawString(XS)  
 draw text using a single font set XwcDrawString: ..... XmbDrawString(XS)  
 maximum extents structure for a font set /obtain the ..... XExtentsOffFontSet(XS)  
 that loads a font or creates a font set and creates an / /function ..... XmFontListEntryLoad(Xm)  
 draw text using multiple font sets XmbDrawText: ..... XmbDrawText(XS)  
 draw text using multiple font sets XwcDrawText: ..... XmbDrawText(XS)  
 XChar2b: font structure ..... XLoadFont(XS)  
 XCharStruct: font structure ..... XLoadFont(XS)  
 XFontProp: font structure ..... XLoadFont(XS)  
 XFontStruct: font structure ..... XLoadFont(XS)  
 /a function that sets the font unit value for a display ..... XmSetFontUnit(Xm)  
 /a function that sets the font unit value for a display ..... XmSetFontUnits(Xm)  
 /allows applications to access the fonts and character sets in a / ..... XmFontListGetNextFont(Xm)  
 XLoadFont: load or unload fonts and font metric structures ..... XLoadFont(XS)  
 font files mkfontdir: create fonts.dir file from directory of ..... mkfontdir(X)  
 XFontsOffFontSet: obtain fontset information ..... XFontsOffFontSet(XS)  
 context-dependent / /true if the font\_set might include ..... XFontsOffFontSet(XS)  
 stream fopen, freopen, fdopen: open a ..... fopen(S)  
 stream with it fopen: opens file and associates ..... fopen(S)  
 /in UIL within a single hierarchy (for example, UIL callback / ..... MrmRegisterNamesInHierarchy(Xm)  
 /with the names referenced in UIL (for example, UIL callback / ..... MrmRegisterNames(Xm)  
 XKillClient: forces close-down of client ..... XSetCloseDownMode(XS)  
 slk\_touch: forces output of all soft labels ..... curses(S)  
 slk\_touch: forces output of all soft labels ..... terminfo(S)  
 to be / /a Text function that forces text at a given position ..... XmTextShowPosition(Xm)  
 to be / /a TextField function that forces text at a given position ..... XmTextFieldShowPosition(Xm)  
 Text widget /a Text function that forces the visual update of a ..... XmTextEnableRedisplay(Xm)  
 menu\_fore: returns the menu foreground attribute ..... menu(S)  
 set\_menu\_fore: sets the menu's foreground attribute ..... menu(S)  
 field\_fore: returns foreground attribute of field ..... field(S)  
 set\_field\_fore: sets the foreground attribute of field ..... field(S)  
 XSetForeground: sets foreground in specified GC ..... XSetState(XS)  
 gets process group ID for tty foreground process tgetpgrp: ..... tcpgrp(S)  
 tcsetpgrp: sets the foreground process ID group ..... tcpgrp(S)  
 colors /a function that generates foreground, select, and shadow ..... XmGetColors(Xm)

## Permuted Index

to prepare to take window after fork /called by child process ..... tam(S)  
 fork: create a new process ..... fork(S)  
 form: create and display a form .... tam(S)  
 form: FORM library routines ..... form(S)  
 Format to Portable Compiled Format /from Bitmap Distribution bdftopcf(X)  
 format: format floppy disks ..... format(C)  
 Xconnections: format of the Xconnections file .... Xconnections(X)  
 /font from Bitmap Distribution Format to Portable Compiled/ ..... bdftopcf(X)  
 Intro: introduction to file formats ..... intro(F)  
 convert archive files to common formats convert: ..... convert(CP)  
 returns the number of data item formats /clipboard function that ... XmClipboardInquireCount(Xm)  
 Intro: introduction to file formats for programmers ..... Intro(FP)  
 structure XcmsCIELab: possible formats in the Xcms color ..... XcmsColor(XS)  
 structure XcmsCIELuv: possible formats in the Xcms color ..... XcmsColor(XS)  
 structure XcmsCIEXYZ: possible formats in the Xcms color ..... XcmsColor(XS)  
 structure XcmsCIEuvY: possible formats in the Xcms color ..... XcmsColor(XS)  
 structure XcmsCIExyY: possible formats in the Xcms color ..... XcmsColor(XS)  
 structure XcmsPad: possible formats in the Xcms color ..... XcmsColor(XS)  
 structure XcmsRGB: possible formats in the Xcms color ..... XcmsColor(XS)  
 structure XcmsRGBi: possible formats in the Xcms color ..... XcmsColor(XS)  
 structure XcmsTekHVC: possible formats in the Xcms color ..... XcmsColor(XS)  
 /nl\_fprintf, nl\_sprintf: formats native language output ... nl\_printf(S)  
 pictures; and edit xbm and xpm formatted files /edit icons and ... scopaint(X)  
 fscanf: convert formatted input ..... scanf(S)  
 scanf: convert formatted input ..... scanf(S)  
 sscanf: convert formatted input ..... scanf(S)  
 gencat: generate a formatted message catalogue ..... gencat(CP)  
 /nl\_fscanf, nl\_sscanf: converts formatted native language input ... nl\_scanf(S)  
 printf, fprintf, sprintf: print formatted output ..... printf(S)  
 /vfprintf, vsprintf: print formatted output of a varargs/ ... vprintf(S)  
 sfmt: perform special formatting ..... sfmt(ADM)  
 XmCreateFormDialog: a Form Dialog convenience creation/ XmCreateFormDialog(Xm)  
 form request or data form\_driver: checks if c is a ..... form(S)  
 splx: restore a former interrupt ..... spl(K)  
 field pointer array of form form\_fields: returns pointer to ..... form(S)  
 form initialization function form\_init: returns pointer to ..... form(S)  
 setting form\_opts: returns form's options .. form(S)  
 named form options form\_opts\_off: turns off the ..... form(S)  
 form options form\_opts\_on: turns on the named .. form(S)  
 page number of form form\_page: returns the current .... form(S)  
 form\_opts: returns form's options setting ..... form(S)  
 lpforms: administer forms used with the print service .. lpforms(ADM)  
 form\_userptr: returns form's user pointer ..... form(S)  
 set\_form\_userptr: sets the form's user pointer ..... form(S)  
 subwindow associated with form form\_sub: returns pointer to ..... form(S)  
 form termination function form\_term: returns pointer to ..... form(S)  
 pointer form\_userptr: returns form's user .. form(S)  
 window associated with form form\_win: returns pointer to ..... form(S)  
 to string of ndigit rounded for FORTRAN F-format /converts value ecvt(S)  
 getutid: searches forward in the utmp -like file ..... getut(S)  
 value of an open file descriptor fpathconf: determines current ..... pathconf(S)  
 fpgetround, fpsetround, fpgetmask, fpsetmask,/ ..... fpgetround(S)  
 exception masks fpgetmask: returns the current .... fpgetround(S)  
 fpgetmask, fpsetmask,/ fpgetround, fpsetround, ..... fpgetround(S)

rounding mode `fpgetround`: returns the current `fpgetround(S)`  
 /`fpsetround`, `fpgetmask`, `fpsetmask` `fpgetsticky`, `fpsetsticky`: IEEE/ `fpgetround(S)`  
 exception sticky flags `fpgetsticky`: returns the current `fpgetround(S)`  
 named output stream `fprintf`: places output on the `printf(S)`  
 output `fprintf`, `sprintf`: print formatted `printf(S)`  
 /`fpsetround`, `fpgetmask`, `fpsetmask`, `fpgetsticky`,/ `fpgetround(S)`  
 masks and returns the previous/ `fpsetmask`: sets the exception `fpgetround(S)`  
`fpgetsticky`,/ `fpgetround`, `fpsetround`, `fpgetmask`, `fpsetmask`, `fpgetround(S)`  
 mode and returns the previous/ `fpsetround`: sets the rounding `fpgetround(S)`  
 /`fpsetmask`, `fpgetsticky`, `fpsetsticky`: IEEE floating point/ `fpgetround(S)`  
 sticky flags and returns/ `fpsetsticky`: sets the exception `fpgetround(S)`  
 function `fputc`: behaves as `putc` but is a `putc(S)`  
 word on a stream `putc`, `putchar`, `fputc`, `putw`: put character or `putc(S)`  
`puts`, `fputs`: put a string on a stream `puts(S)`  
 string to named output stream `fputs`: writes nul-terminated `puts(S)`  
 modf: returns the signed `fractional part of value frexp(S)`  
 erase: starts another `frame of plotter output plot(S)`  
`XmFrame`: the `Frame widget class XmFrame(Xm)`  
`XmCreateFrame`: the `Frame widget creation function XmCreateFrame(Xm)`  
 input/output `fread`: copies items into an array `fread(S)`  
`fread`, `fwrite`: binary `fread(S)`  
`frec`: unsupported utility `undocumented(M)`  
`free`: deallocates space `malloc(S)`  
`free`: frees allocated space `malloc(S)`  
 allocates main memory `malloc`, `free`, `realloc`, `calloc`, `cfree`: `malloc(S)`  
`mallocinfo`: allocates main/ `malloc`, `free`, `realloc`, `calloc`, `malloc`, `malloc(S)`  
`freeb`: free a message block `freeb(K)`  
 allocation for given field `free_field`: frees storage `field(S)`  
 space for given field type `free_fieldtype`: frees allocated `fieldtype(S)`  
 its associated field pointer/ `free_form`: disconnects form from `form(S)`  
 allocated for given item `free_item`: frees storage `item(S)`  
 structure from linked list `freeldptr`: free allocated `ldptr ldptr(S)`  
 structure usage/ `alloclldptr`, `freeldptr`, `vidldptr`: `ldptr ldptr(S)`  
`putcf`: add block to `freelist` `putc(K)`  
 associated item pointer array `free_menu`: disconnects menu from `menu(S)`  
 in a message `freemsg`: free all message blocks `freemsg(K)`  
`free`: frees allocated space `malloc(S)`  
 field type `free_fieldtype`: frees allocated space for given `fieldtype(S)`  
`XFreeColors`: frees colors `XAllocColor(XS)`  
 ID `XFreeCursor`: frees cursor from cursor resource `XRecolorCursor(XS)`  
 /a Drag and Drop function that `free`s drop site information `XmDropSiteUnregister(Xm)`  
`XFreeFont`: frees font `XLoadFont(XS)`  
`XFreeFontInfo`: frees font information array `XListFonts(XS)`  
`XFreeFontNames`: frees font names array `XListFonts(XS)`  
`XFreeFontPath`: frees font search path `XSetFontPath(XS)`  
 pointed to by `oTerm del_curterm`: frees for further use space `cursets(S)`  
 pointed to by `oTerm del_curterm`: frees for further use space `terminfo(S)`  
`XFreeStringList`: frees memory `XStringListToTextProperty(XS)`  
`ldaclose`: closes file and `free`s memory `ldclose(S)`  
`ldclose`: closes file and `free`s memory `ldclose(S)`  
`XwcFreeStringList`: function `free`s memory allocated by / `XmbTextListToTextProperty(XS)`  
 item `free_item`: frees storage allocated for given `item(S)`  
 given field `free_field`: frees storage allocation for `field(S)`  
 the named directory stream and `free`s the DIR structure /closes `directory(S)`

## Permuted Index

specified CCC XcmsFreeCCC: frees the memory used for the . . . . . XcmsCreateCCC(XS)  
 delwin: deletes named window and . . . . . curses(S)  
 delwin: deletes named window and . . . . . termInfo(S)  
     XFreeModifiermap: frees XModifierKeymap structure . . . XChangeKeyboardMapping(XS)  
     fopen, freopen, fdopen: open a stream . . . . . fopen(S)  
     file in place of the open stream . . . . . fopen(S)  
     ticks per / gethz: return the . . . . . gethz(S)  
     parts of floating-point numbers . . . . . frexp(S)  
         double value . . . . . frexp(S)  
         dkinit: front end to dparam . . . . . dparam(ADM)  
         gencc: create a . . . . . gencc(CP)  
             fs: X font server . . . . . fs(X)  
             fsanck: unsupported utility . . . . . undocumented(M)  
 error-checking filesystem backup . . . . . fsave: interactive, . . . . . fsave(ADM)  
     fsba: unsupported utility . . . . . undocumented(M)  
     fscanf: convert formatted input . . . . . scanf(S)  
 list of file systems processed by . . . . . fsck checkList: . . . . . checkList(F)  
     filesystems . . . . . fsck, dfsck: check and repair . . . . . fsck(ADM)  
     fsdb: filesystem debugger . . . . . fsdb(ADM)  
     a file pointer in a stream . . . . . fseek, ftell, rewind: reposition . . . . . fseek(S)  
     operation on a stream . . . . . fseek: sets position of next I/O . . . . . fseek(S)  
     indicator for a stream . . . . . fsetpos: sets the file position . . . . . fsetpos(S)  
     utility . . . . . fsinfo: font server information . . . . . fsinfo(X)  
     X font server . . . . . fsfonts: display font list for . . . . . fsfonts(X)  
     of a file system . . . . . fsname: print or change the name . . . . . fsname(ADM)  
     text files . . . . . fspec: format specification in . . . . . fspec(F)  
 semi-automated system backups . . . . . fsphoto: perform periodic . . . . . fsphoto(ADM)  
     fsstat: report file system status . . . . . fsstat(ADM)  
     fst: unsupported utility . . . . . undocumented(M)  
     file status stat, . . . . . fstat, lstat, statlstat: returns . . . . . stat(S)  
     an open file . . . . . fstat: returns information about . . . . . stat(S)  
     information . . . . . fstafs: get file system . . . . . statfs(S)  
     information statfs, . . . . . fstafs: get file system . . . . . statfs(S)  
     fstobdf: BDF font generator . . . . . fstobdf(X)  
     fstyp: determine filesystem type . . . . . fstyp(ADM)  
     file . . . . . fsync: synchronize changes to a . . . . . fsync(S)  
 byte relative to beginning of / . . . . . ftell: returns offset of current . . . . . fseek(S)  
     pointer in a stream . . . . . ftell, rewind: reposition a file . . . . . fseek(S)  
     time, . . . . . ftime: return time . . . . . time(S)  
     ftime: return time in a structure . . . . . time(S)  
     communication package . . . . . ftok: standard interprocess . . . . . ftok(S)  
     ftw: walk a file tree . . . . . ftw(S)  
     data space . . . . . fubyte: get a character from user . . . . . fubyte(K)  
     more: view a file one screen . . . . . full at a time . . . . . more(C)  
     l: List files with . . . . . full (long) information . . . . . ls(C)  
     next/ NextRequest: extracts . . . . . full serial number to be used for . . . AllPlanes(XS)  
 shutdown: shut down part of a . . . . . full-duplex connection . . . . . shutdown(SSC)  
     value if a machine is a 386 or . . . . . fully compatible /Return a true . . . machid(C)  
     value if a machine is a 486 or . . . . . fully compatible /Return a true . . . machid(C)  
     /sets application-defined . . . . . func called when form is posted . . . . . form(S)  
 is unposted set\_field\_term: sets . . . . . func to be called when the form . . . . . form(S)  
     /calls initialization . . . . . func when form is posted . . . . . form(S)  
     set\_form\_term: calls . . . . . func when form is unposted . . . . . form(S)  
     stopio: stop . . . . . further I/O to an open file . . . . . stopio(S)



linemod: sets style for plotting  
 oterm del\_curterm: frees for  
 oterm del\_curterm: frees for  
 file or filesystem  
 /retain IDs for  
 user data space  
 array  
 fread,  
 connect accounting records  
 from file pointer  
 from files xlist,  
 XmGadget: the  
 puzzle: 15-puzzle  
 gamma: log  
 lgamma: xpg3 log  
 sign of value returned by  
 curses to throw away a screen/  
 curses to throw away a screen/  
 acctdisk:  
 XtGetGC: obtain sharable  
 XtReleaseGC: destroy a sharable  
 flag in specified  
 obtain and destroy a sharable  
 sets background in specified  
 sets fill-rule in specified  
 sets foreground in specified  
 sets plane mask in specified  
 sets specified value in specified  
 sets stipple in specified  
 sets subwindow mode in specified  
 tile/stipple origin in specified  
 XSetArcMode:  
 XSetClipOrigin:  
 XSetFillStyle:  
 XSetFont:  
 XSetLineAttributes:  
 XSetState:  
 XSetTile:  
 DefaultDepth: returns default  
 DefaultGC: returns default  
 /returns default  
 XtAllocateGC: obtain shareable  
 context XGCContextFromGC: obtains  
 number to string ecvt, fcvt,  
 null-terminated string in an/  
 message catalogue  
 rec command  
 adb: invokes a  
 and/ /read audit collection files  
 /type manager function that  
 a/ /a pixmap caching function that  
 a/ /a pixmap caching function that  
 XmGetColors: a function that  
 further lines ..... plot(S)  
 further use space pointed to by ..... curses(S)  
 further use space pointed to by ..... terminfo(S)  
 fuser: identify processes using a ..... fuser(ADM)  
 future lookup ..... identity(S)  
 fuword: get one 32-bit word from .. fuword(K)  
 fwrite: appends items from an ..... fread(S)  
 fwrite: binary input/output ..... fread(S)  
 fwtmp, wtmpfix: manipulate ..... fwtmp(ADM)  
 fxlist: gets name list entries ..... xlist(S)  
 fxlist: gets name list entries ..... xlist(S)  
 Gadget widget class ..... XmGadget(Xm)  
 game for XQ ..... puzzle(X)  
 gamma function ..... gamma(S)  
 gamma function ..... gamma(S)  
 gamma: log gamma function ..... gamma(S)  
 gamma or lgamma: siggam: ..... gamma(S)  
 garbagedlines: indicates to ..... curses(S)  
 garbagedlines: indicates to ..... terminfo(S)  
 gather user disk block data ..... acct(ADM)  
 GC ..... XtGetGC(Xt)  
 GC ..... XtGetGC(Xt)  
 GC /sets graphics-exposure ..... XSetArcMode(XS)  
 GC XtGetGC: ..... XtGetGC(Xt)  
 GC XSetBackground: ..... XSetState(XS)  
 GC XSetFillRule: ..... XSetFillStyle(XS)  
 GC XSetForeground: ..... XSetState(XS)  
 GC XSetPlanemask: ..... XSetState(XS)  
 GC XSetFunction: ..... XSetState(XS)  
 GC XSetStipple: ..... XSetTile(XS)  
 GC XSetSubwindowMode: ..... XSetArcMode(XS)  
 GC XSetTSTOrigin: sets ..... XSetTile(XS)  
 GC convenience routines ..... XSetArcMode(XS)  
 GC convenience routines ..... XSetClipOrigin(XS)  
 GC convenience routines ..... XSetFillStyle(XS)  
 GC convenience routines ..... XSetFont(XS)  
 GC convenience routines ..... XSetLineAttributes(XS)  
 GC convenience routines ..... XSetState(XS)  
 GC convenience routines ..... XSetTile(XS)  
 GC for root window of specified/ . AllPlanes(XS)  
 GC for root window of specified/ . AllPlanes(XS)  
 GC of specified screen ..... BlackPixelOfScreen(XS)  
 GC with modifiable fields ..... XtAllocateGC(Xt)  
 GContext from associated graphics XCreateGC(XS)  
 gcvt: convert floating-point ..... ecvt(S)  
 gcvt: converts value to a ..... ecvt(S)  
 gencat: generate a formatted ..... gencat(CP)  
 gencc: create a front-end to the ..... gencc(CP)  
 general-purpose debugger ..... adb(CP)  
 generated by the audit subsystem . auditd(ADM)  
 generates a list of values for a/ ..... XmRepTypeGetNameList(Xm)  
 generates a pixmap, stores it in ..... XmGetPixmap(Xm)  
 generates a pixmap, stores it in ..... XmGetPixmapByDepth(Xm)  
 generates foreground, select, and/ . XmGetColors(Xm)

## Permuted Index

records acctcon1: generates per login accounting . . . . acctcon(ADM)  
 enclosing region XClipBox: generates smallest rectangle . . . . . XPolygonRegion(XS)  
 records acctcon2: generates total accounting . . . . . acctcon(ADM)  
 fstobdf: BDF font generator . . . . . fstobdf(X)  
 clnt\_create: generic client handle creation . . . . . rpc(NS)  
     XEvent: generic X event structure . . . . . XAnyEvent(XS)  
     XAnyEvent: generic X event structures . . . . . XAnyEvent(XS)  
     xdr\_free: generic XDR free routine . . . . . xdr(NS)  
 XParseGeometry: parse window geometry . . . . . XParseGeometry(XS)  
 returns root window and current geometry XGetGeometry: . . . . . XGetWindowAttributes(XS)  
 /get current window attribute or geometry and current window / . . . . . XGetWindowAttributes(XS)  
 the user/ XWMGeometry: combines geometry information specified by . . . . . XParseGeometry(XS)  
 XtMakeGeometryRequest: make geometry manager request . . . . . XtMakeGeometryRequest(Xt)  
 XtMakeResizeRequest: make geometry manager request . . . . . XtMakeGeometryRequest(Xt)  
     /query the preferred geometry of a child widget . . . . . XtQueryGeometry(Xt)  
     file get: get a version of an SCCS . . . . . get(CP)  
         XSetFontPath: set, get, or free the font search path . . . . . XSetFontPath(XS)  
         block buffer pool gettblk, gettblk: gettblk(K)  
         beginning coordinates into/ getbegyx: places current . . . . . terminfo(S)  
         coordinates into integer/ getbegyx: places current begining . . . . . curses(S)  
         bootstring getbsflag: check existence of . . . . . getbsvalue(K)  
         getbsvalue: cfgstart, getbsflag, getbsvalue,/ . . . . . getbsvalue(K)  
         getbsvalue, getcfgline,/ getbsvalue: cfgstart, getbsflag, . . . . . getbsvalue(K)  
         getbsvalue: get the bootstring . . . . . getbsvalue(K)  
         getbsvalue: cfgstart, getbsflag, getbsvalue, getcfgline,/ . . . . . getbsvalue(K)  
         clist buffers getc, getcb, getcbp, getcf: read . . . . . getc(K)  
 character or word from a stream getc, getchar, fgetc, getw: get . . . . . getc(S)  
     returns argument c on call to GETC() or PEEKC() UNGETC: . . . . . regexp(S)  
     named input stream getc: return next character from . . . . . getc(S)  
     character GETC: return the value of next . . . . . regexp(S)  
         buffers getc, getcb, getcbp, getcf: read clist . . . . . getc(K)  
         getc, getcb, getcbp, getcf: read clist buffers . . . . . getc(K)  
         getc, getcb, getcbp, getcf: read clist buffers . . . . . getc(K)  
     cfgstart: reset read pointer for getcfgline . . . . . getbsvalue(K)  
     string getcfgline: get the configuration . . . . . getbsvalue(K)  
 /cfgstart, getbsflag, getbsvalue, getcfgline, getpkgflag,/ . . . . . getbsvalue(K)  
     terminal associated with a/ getch: reads character from . . . . . curses(S)  
     terminal associated with a/ getch: reads character from . . . . . tam(S)  
     terminal associated with a/ getch: reads character from . . . . . terminfo(S)  
 character or word from a/ getc, getchar, fgetc, getw: get . . . . . getc(S)  
     input getchar: get one character of . . . . . getchar(K)  
     from stdin getchar: return next character . . . . . getc(S)  
     clock getcl: get string from real-time . . . . . getclk(M)  
     working directory getcwd: get pathname of current . . . . . getcwd(S)  
     and put in a/ getdents: read directory entries . . . . . getdents(S)  
     of specified window getdim: gets beginning dimensions . . . . . curses(S)  
     of specified window getdim: gets beginning dimensions . . . . . terminfo(S)  
     current domain getdomainname: get name of . . . . . getdomainname(NS)  
 get/set name of current domain getdomainname, setdomainname: . . . . . getdomainname(NS)  
     table size getdtablesize: get descriptor . . . . . getdtablesize(SLIB)  
     setdvagent, enddvagent,/ getdvagent, getdvagnam, . . . . . getdvagent(S)  
     first device assignment entry getdvagent: return pointer to . . . . . getdvagent(S)  
 assignment database for device/ getdvagnam: search device . . . . . getdvagent(S)  
     enddvagent,/ getdvagent, getdvagnam, setdvagent, . . . . . getdvagent(S)

from the block buffer pool    geteblk, getatblk: get a buffer    . . . . . geteblk(K)  
                                   getegid: get effective group ID    . . . . . getuid(S)  
 user,/    getuid, geteuid, getgid,    getegid: get real user, effective    . . . . . getuid(S)  
           environment name        getenv: return value for    . . . . . getenv(S)  
                                   geteuid: get effective user ID    . . . . . getuid(S)  
           real user, effective/    getuid,    getuid, getgid, getegid: get    . . . . . getuid(S)  
                                   getgid: get real group ID    . . . . . getuid(S)  
 effective user,/    getuid, geteuid,    getgid, getegid: get real user,    . . . . . getuid(S)  
           setgrent, endgrent, fgetgrent:/    getgrent, getgrgid, getgrnam,    . . . . . getgrent(S)  
           first and successive group/    getgrent: returns pointer to the    . . . . . getgrent(S)  
           endgrent, fgetgrent:/    getgrent,    getgrgid, getgrnam, setgrent,    . . . . . getgrent(S)  
                                   gid        getgrgid: searches for matching    . . . . . getgrent(S)  
                                   name        getgrnam: searches for matching    . . . . . getgrent(S)  
 fgetgrent:/    getgrent, getgrgid,    getgrnam, setgrent, endgrent,    . . . . . getgrent(S)  
                                   group ID's    getgroups: get supplementary    . . . . . getgroups(S)  
                                   entry by address    gethostbyaddr: get network host    . . . . . gethostbyname(SLIB)  
           endhostent, gethostbyname,    gethostbyaddr, horror: get/    . . . . . gethostbyname(SLIB)  
                                   entry by name    gethostbyname: get network host    . . . . . gethostbyname(SLIB)  
 horror: get network/    endhostent,    gethostbyname, gethostbyaddr,    . . . . . gethostbyname(SLIB)  
                                   host        gethostname: get name of current    . . . . . gethostname(SLIB)  
                                   name of current host    gethostname, sethostname: get/set    gethostname(SLIB)  
 the system clock in ticks per/    gethz: return the frequency of    . . . . . gethz(S)  
           value of the specified timer    getitimer: returns the current    . . . . . getitimer(S)  
           value of interval timers        getitimer, setitimer: get and set    . . . . . getitimer(S)  
                                   getlogin: get login name    . . . . . getlogin(S)  
                                   getuid: get login user ID    . . . . . getuid(S)  
           into integer variable        getmaxyx: places size coordinates    . . . . . curses(S)  
           into integer variable        getmaxyx: places size coordinates    . . . . . terminfo(S)  
           stream        getmsg: get next message off a    . . . . . getmsg(S)  
           IP address        get\_myaddress: return the local    . . . . . rpc(NS)  
           by address        getnetbyaddr: get network entry    . . . . . getnetent(SLIB)  
 setnetent:/    endnetent, getnetent,    getnetbyaddr, getnetbyname,    . . . . . getnetent(SLIB)  
                                   by name        getnetbyname: get network entry    . . . . . getnetent(SLIB)  
 network/    /getnetent, getnetbyaddr,    getnetbyname, setnetent: get    . . . . . getnetent(SLIB)  
                                   getnetent: get network entry    . . . . . getnetent(SLIB)  
                                   getnetbyname,/    endnetent,    getnetent, getnetbyaddr,    . . . . . getnetent(SLIB)  
 scripts to use getopts instead of    getopt    getoptcv: convert shell    . . . . . getopts(C)  
           argument vector        getopt: get option letter from    . . . . . getopt(S)  
                                   getopt: parse command options    . . . . . getopt(C)  
 to use getopt instead of getopt    getoptcv: convert shell scripts    . . . . . getopts(C)  
           getopts,        getoptcv: parse command options    . . . . . getopts(C)  
           options        getopts, getoptcv: parse command    . . . . . getopts(C)  
           /convert shell scripts to use    getopts instead of getopt    . . . . . getopts(C)  
           parameters in shell procedures    getopts: parse positional    . . . . . getopts(C)  
 coordinates of specified window    getorg: gets beginning    . . . . . curses(S)  
 coordinates of specified window    getorg: gets beginning    . . . . . terminfo(S)  
           getpass: read a password    . . . . . getpass(S)  
 bigcryptmax: read or clear a/    getpasswd, fgetpasswd, bigcrypt,    . . . . . getpasswd(S)  
           password        getpasswd: read or clear a    . . . . . getpasswd(S)  
           connected peer        getpeername: get name of    . . . . . getpeername(SSC)  
 process group, and/    getpid,    getppid: get process,    . . . . . getpid(S)  
           of calling process        getppid: returns process group ID    . . . . . getpid(S)  
 process, process group, and/    getpid, getppid, getppid: get    . . . . . getpid(S)  
           calling process        getpid: returns process ID of    . . . . . getpid(S)



LED state sc\_getled: gets current scancode keyboard ... sc\_init(S)  
 XGetScreenSaver: gets current screen saver values ... XSetScreenSaver(XS)  
 last routine call/ stterror: gets error message pointer from ... stterror(S)  
   stream gets, fgets: get a string from a ... gets(S)  
 XGetFontPath: gets font search path ... XSetFontPath(XS)  
   standard input gets: get a string from the ... gets(C)  
 representation a64l: gets long from base-64 ... a64l(S)  
   memory sgetl: gets long integer data from ... sputl(S)  
     xlist: gets name list entries from file ... xlist(S)  
   pointer fxlist: gets name list entries from file ... xlist(S)  
     xlist, fxlist: gets name list entries from files ... xlist(S)  
     va\_arg: gets next arg on variable list ... varargs(S)  
   \_nextchoice: gets next field type ... fieldtype(S)  
   getprfrient: gets next pr\_file structure ... getprfrient(S)  
   tgetnum: gets numeric entry for codename ... curses(S)  
   tgetnum: gets numeric entry for codename ... terminfo(S)  
   new\_panel: gets pointer to new panel ... panel(S)  
 passwd structure fgetpwent: gets pointer to next matching ... getpwent(S)  
   structure getpwent: gets pointer to next passwd ... getpwent(S)  
   structure getprpwent: gets pointer to next pr\_passwd ... getprpwent(S)  
   structure getprtcnt: gets pointer to next pr\_term ... getprtcnt(S)  
 specified panel panel\_above: gets pointer to panel above ... panel(S)  
 specified panel panel\_below: gets pointer to panel below ... panel(S)  
   \_prevchoice: gets previous field type ... fieldtype(S)  
 foreground process tcgetpgrp: gets process group ID for tty ... tcpggrp(S)  
   standard input stream gets: reads characters from ... gets(S)  
   sc\_mapcode2kb: gets scancode from mapcode ... sc\_readkb(S)  
     sc\_getfkeystr: gets scancode key string ... sc\_init(S)  
     sc\_str2kb: gets scancode keytop string ... sc\_readkb(S)  
     sc\_mapcode2str: gets scancode map string ... sc\_readkb(S)  
   string sc\_mapout: gets scancode mapped output ... sc\_readkb(S)  
   sc\_getscreenswitch: gets scancode screen switch keys ... sc\_raw(S)  
   codename tgetflag: gets the boolean entry for ... curses(S)  
   codename tgetflag: gets the boolean entry for ... terminfo(S)  
   tcgetattr: gets the fildes object parameters ... tcattr(S)  
   capability tgetnum: gets the numeric value of ... termcap(S)  
   format XShmPixmapFormat: gets the server pixmap data ... XShm(Xext)  
 specified channel and/ phs\_get: gets time-stamp of MMDF ... phs(S)  
   number generator get\_seed: obtain seed for random ... seed(S)  
 seed for random number/ seed: get\_seed, set\_seed: obtain or set ... seed(S)  
   number getserno: outputs the serial ... getserno(C)  
     by name getservbyname: get service entry ... getservent(SLIB)  
   endservent, getservent, getservbyname, getservbyport, / ... getservent(SLIB)  
     by port number getservbyport: get service entry ... getservent(SLIB)  
   /getservent, getservbyname, getservbyport, setservent: get/ ... getservent(SLIB)  
     getservent: get service entry ... getservent(SLIB)  
   getservbyport, / endservent, getservent, getservbyname, ... getservent(SLIB)  
   gettimeofday, settimeofday: get/set date and time ... gettimeofday(SSC)  
 getdomainname, setdomainname: get/set name of current domain ... getdomainname(NS)  
   gethostname, sethostname: get/set name of current host ... gethostname(SLIB)  
 PCILIB IPC functions dfllhost: get/set the current host for ... dfllhost(PCI)  
   getsockname: get socket name ... getsockname(SSC)  
   sockets getsockopt: get options on ... getsockopt(SSC)  
   set options on sockets getsockopt, setsockopt: get and ... getsockopt(SSC)

## Permuted Index

entry  
 endsptent, fgetspent, lckpwdf,/ shadow password entry  
 fgetspent, lckpwdf,/ getspent, newline, carriage return, or return, or enter key  
 coordinates of the virtual/ coordinates of the virtual/  
 get/set date and time  
 and terminal settings used by security actions for init and ct: spawn  
 type, modes, speed, and line/ settings used by getty  
 system file attributes  
 get real user, effective user,/ getuid, getutline, pututline,/ pututline,/ getut: endutent, from a utmp -like file  
 getut: endutent, getutent, utmp -like file  
 /endutent, getutent, getutid, LOGIN\_PROCESS or USER\_PROCESS/  
 a stream getc, getchar, fgetc, input stream  
 the window in two integer/  
 the window in two integer/  
 the window in two integer/  
 getgrgid: searches for matching returns the effective starting\_rgid: returns the real /(gid): check current effective /(gid): check current real  
 GID against/ is\_starting\_egid against/ is\_starting\_rgid identity: get or check uids or semaphore-governed/ waitsem: curses/ def\_prog\_mode: curses/ def\_prog\_mode: curses/ def\_shell\_mode: curses/ def\_shell\_mode:  
 XCreateGlyphCursor: creates /difference in seconds between difference in seconds between convert date/ ctime, localtime, non-obviousness  
 setjmp, longjmp: non-local XGrabKey: XGrabButton:  
 XChangeActivePointerGrab: changes  
 getspent: get shadow password ... getspent(S)  
 getspent, getsppnam, setspent, ... getspent(S)  
 getsppnam: get matching login name getspent(S)  
 getsppnam, setspent, endsptent, ... getspent(S)  
 getstr: reads input until ... curses(S)  
 getstr: returns newline, carriage ... terminfo(S)  
 getsyx: returns current ... curses(S)  
 getsyx: returns current ... terminfo(S)  
 gettimeofday: get date and time ... gettimeofday(SSC)  
 gettimeofday, setttimeofday: ... gettimeofday(SSC)  
 gettmode: no operation ... curses(S)  
 getty gettydefs: speed ... gettydefs(F)  
 getty initcond: special ... initcond(ADM)  
 getty to a remote terminal ... ct(C)  
 getty, uugetty: set terminal ... getty(M)  
 gettydefs: speed and terminal ... gettydefs(F)  
 getuattr: get UNIX operating ... getuattr(PCI)  
 getuid: get real user ID ... getuid(S)  
 getuid, geteuid, getgid, getegid: ... getuid(S)  
 getut: endutent, getutent, ... getut(S)  
 getutent, getutid, getutline, ... getut(S)  
 getutent: reads in the next entry ... getut(S)  
 getutid, getutline, pututline,/ ... getut(S)  
 getutid: searches forward in the ... getut(S)  
 getutline, pututline, setutent,/ ... getut(S)  
 getutline: searches for ... getut(S)  
 getw: get character or word from ... getc(S)  
 getw: return next word from named getc(S)  
 getyx: places cursor position of ... curses(S)  
 getyx: places cursor position of ... tam(S)  
 getyx: places cursor position of ... terminfo(S)  
 gid ... getgrent(S)  
 GID starting\_egid: ... identity(S)  
 GID ... identity(S)  
 GID against retained ID ... identity(S)  
 GID against retained ID ... identity(S)  
 (gid): check current effective ... identity(S)  
 (gid): check current real GID ... identity(S)  
 gids from program start ... identity(S)  
 gives access to a ... waitsem(S)  
 gives low-level access to various .. curses(S)  
 gives low-level access to various .. terminfo(S)  
 gives low-level access to various .. curses(S)  
 gives low-level access to various .. terminfo(S)  
 glyph cursor ... XCreateFontCursor(XS)  
 GMT and alternate time zone ... ctime(S)  
 GMT and main time zone timezone: ctime(S)  
 gmtime, asctime, strftime, tzset: ... ctime(S)  
 gmtime: convert time to UTC ... ctime(S)  
 goodpw: check a password for ... goodpw(ADM)  
 goto ... setjmp(S)  
 grab keyboard keys ... XGrabKey(XS)  
 grab pointer buttons ... XGrabButton(XS)  
 grab pointer parameters ... XGrabPointer(XS)

XGrabKeyboard: grab the keyboard ..... XGrabKeyboard(XS)  
 XGrabPointer: grab the pointer ..... XGrabPointer(XS)  
 XGrabServer: grab the server ..... XGrabServer(XS)  
 graph: draw a graph ..... graph(ADM)  
 sag: system activity graph ..... sag(ADM)  
     graph: draw a graph ..... graph(ADM)  
     scoedit: graphical editor for Open Desktop . scoedit(X)  
     Desktop xdt3: the graphical user interface for the .... xdt3(X)  
     clean\_screen: restore the console graphics adapter to VGA/ ..... clean\_screen(X)  
 /obtains GContext from associated graphics context ..... XCreateGC(XS)  
     XChangeGC: changes graphics context ..... XCreateGC(XS)  
     XCopyGC: copies graphics context ..... XCreateGC(XS)  
     XFreeGC: destroys graphics context ..... XCreateGC(XS)  
     XGetGCValues: returns graphics context components ..... XCreateGC(XS)  
 /or free graphics contexts and graphics context structure ..... XCreateGC(XS)  
     XGCValues: graphics context structure ..... XCreateGC(XS)  
     XCreateGC: create or free graphics contexts and graphics/ ... XCreateGC(XS)  
         tplot: graphics filters ..... tplot(ADM)  
         plot: graphics interface ..... plot(FP)  
         plot: graphics interface subroutines .... plot(S)  
 structures XGraphicsExposeEvent: GraphicsExpose and NoExpose event XGraphicsExposeEvent(XS)  
     XSetGraphicsExposure: sets graphics-exposure flag in/ ..... XSetArcMode(XS)  
         XGravityEvent: GravityNotify event structure .... XGravityEvent(XS)  
         returns largest integer not greater than x floor: ..... floor(S)  
         greek: select terminal filter ..... greek(C)  
         /obtain black, blue, green, red, and white CCC color/ . XcmsQueryBlack(XS)  
         for a pattern  
         grep, egrep, fgrep: search files ..... grep(C)  
         grep: Search a file for a pattern .... grep(C)  
         grey attribute ..... menu(S)  
         grey attribute ..... menu(S)  
         gr\_idtoname: map between group . pw\_nametoid(S)  
 group/ /pw\_idtoname, gr\_nametoid, gr\_idtoname: map between user and pw\_nametoid(S)  
     pw\_nametoid, pw\_idtoname, gr\_nametoid, gr\_idtoname: map/ . pw\_nametoid(S)  
     gr\_nametoid: map between group . pw\_nametoid(S)  
     /real user, effective user, real group, and effective group IDs .... getuid(S)  
     /getppid: get process, process group, and parent process ID ..... getpid(S)  
     group: format of the group file .... group(F)  
     setuid, setgid: set user and groupIDs ..... setuid(S)  
     active processes or process groups proctl: controls ..... proctl(S)  
     sg: set groups ..... sg(C)  
     widget to the list of tab groups /a manager or a primitive . XmAddTabGroup(Xm)  
     copy: copy groups of files ..... copy(C)  
 maintain, update, and regenerate groups of programs make: ..... make(CP)  
     grpck: check group file ..... grpck(ADM)  
     by its argument gsignal: raises signal identified .... ssignal(S)  
     ssignal: software signals ..... ssignal(S)  
 window colors in the SCO Open Desktop GUI scocolor: change ..... scocolor(X)  
     print reference pages in this guide man: ..... man(C)  
     user are immediately available/ halfdelay: characters typed by ..... curses(S)  
     user are immediately available/ halfdelay: characters typed by ..... terminfo(S)  
         panic: halt the system ..... panic(K)  
         shutdn: flushes block I/O and halts the CPU ..... shutdn(S)  
         filesystems and shut down the/ haltsys, reboot: close out ..... haltsys(ADM)  
         haltsys: shut down the system .... haltsys(ADM)

## Permuted Index

an RPC service transport handle /unregister ..... rpc(NS)  
 clnt\_control: control client handle ..... rpc(NS)  
 clnt\_destroy: destroy client handle ..... rpc(NS)  
   create authentication handle authnone\_create: ..... rpc(NS)  
   create authentication handle authunix\_create: ..... rpc(NS)  
   destroy authentication handle auth\_destroy: ..... rpc(NS)  
 fh\_fcntl: fcntl given NFS file handle ..... fh\_fcntl(NS)  
   nfs\_getfh: get NFS file handle ..... nfs\_getfh(NS)  
 register an RPC service transport handle xpvt\_register: ..... rpc(NS)  
 svc\_destroy: destroy a service handle ..... rpc(NS)  
   svcf\_create: create service handle ..... rpc(NS)  
   svcrw\_create: create service handle ..... rpc(NS)  
   svctcp\_create: create service handle ..... rpc(NS)  
   svcudp\_create: create service handle ..... rpc(NS)  
   clnt\_create: generic client handle creation ..... rpc(NS)  
   clntraw\_create: client handle creation ..... rpc(NS)  
   clnttcp\_create: client handle creation ..... rpc(NS)  
   clntudp\_create: client handle creation ..... rpc(NS)  
   intraloc, intralocs: get handle for later call to startio ..... intraloc(K)  
   intraloc: get handle for later call to startio ..... intraloc(K)  
   intralocs: get handle for later call to startio ..... intraloc(K)  
 Latin-1 XLookupKeysym: handle keyboard input events in ... XLookupKeysym(XS)  
   queue XFlush: handle output buffer or event ..... XFlush(XS)  
   DASI 300 terminal 300: Handle special functions for the ... 300(C)  
   DASI 300s terminal 300s: Handle special functions for the ... 300(C)  
 Hewlett-Packard terminals hp: handle special functions of ..... hp(C)  
   300 and 300s/ 300, 300s: handle special functions of DASI ... 300(C)  
   DASI 450 terminal 450: handle special functions of the ... 450(C)  
   /high-level error handler ..... XtAppErrorMsg(Xt)  
   XtAppError: low-level error handler ..... XtAppError(Xt)  
   XtAppErrorMsg: high-level error handler ..... XtAppErrorMsg(Xt)  
   XtAppWarning: low-level error handler ..... XtAppError(Xt)  
 XtAppWarningMsg: high-level error handler ..... XtAppErrorMsg(Xt)  
 dynamically add interrupt routine handler add\_intr\_handler: ..... add\_intr\_handler(K)  
   high-level error handler XtAppSetErrorMsgHandler: XtAppErrorMsg(Xt)  
   low-level error handler XtAppSetErrorHandler: ... XtAppError(Xt)  
   low-level error handler XtAppSetWarningHandler: XtAppError(Xt)  
 remove interrupt routine handler /dynamically ..... remove\_intr\_handler(K)  
   sets fatal I/O error handler XSetOErrorHandler: ..... XSetErrorHandler(XS)  
   /remove event handlers ..... XtAddEventHandler(Xt)  
   XSetErrorHandler: default error handlers ..... XSetErrorHandler(XS)  
   XtAddEventHandler: add event handlers ..... XtAddEventHandler(Xt)  
 XtAddRawEventHandler: add event handlers ..... XtAddEventHandler(Xt)  
   XtAppErrorMsg: high-level error handlers ..... XtAppErrorMsg(Xt)  
   XtAppWarning: low-level error handlers /XtAppSetWarningHandler, XtAppError(Xt)  
   add and remove event handlers XtAddEventHandler: ..... XtAddEventHandler(Xt)  
   remove event handlers XtRemoveEventHandler: XtAddEventHandler(Xt)  
   create kernel RPC client handles kclt\_create: ..... kclt\_create(NS)  
   /strncoll, strnxfrm, strxfm: handles collation of strings ..... strcoll(S)  
   curses: terminal screen handling and optimization package curses(S)  
   ctype: character handling routines ..... ctype(S)  
 nohup: run a command immune to hangups and quits ..... nohup(C)  
   dparam, dkinit: display/change hard disk characteristics ..... dparam(ADM)  
   hd: internal hard disk drive ..... hd(HW)



and attempt to/ scsibadblk: scan hard disk for defective blocks ..... scsibadblk(ADM)

terminal can manipulate colors has\_colors: determines if ..... curses(S)

terminal can manipulate colors has\_colors: determines if ..... terminfo(S)

Write a spelling list from hash codes spellin: ..... curses(S)

hashmake: Generate hash codes for a list of words ..... spell(C)

list hashcheck: Recreate the hash codes in a hashed spelling ..... spell(C)

hcreate, hdestroy: manage hash search tables hsearch, ..... hsearch(S)

hsearch: searches a hash table ..... hsearch(S)

spell, hashmake, spellin, hashcheck: find spelling errors ..... spell(C)

codes in a hashed spelling list hashcheck: Recreate the hash ..... spell(C)

dbmbuild: build the MMDF hashed database of alias and/ ..... dbmbuild(ADM)

Recreate the hash codes in a hashed spelling list hashcheck: ..... spell(C)

spell: Check spelling against a hashed spelling list ..... spell(C)

a list of words hashmake: Generate hash codes for ..... spell(C)

find spelling errors spell, hashmake, spellin, hashcheck: ..... spell(C)

has insert/delete character/ has\_ic: determines if terminal ..... terminfo(S)

insert/delete character/ has\_ic: true if terminal has ..... curses(S)

has insert/delete-line/ has\_il: determines if terminal ..... terminfo(S)

insert/delete-line capability has\_il: true if terminal has ..... curses(S)

space for the table hcreate: allocates sufficient ..... hsearch(S)

search tables hsearch, hcreate, hdestroy: manage hash ..... hsearch(S)

format hd: display files in hexadecimal ..... hd(C)

table hd: internal hard disk drive ..... hd(HW)

hdestroy: destroys the search ..... hsearch(S)

tables hsearch, hcreate, hdestroy: manage hash search ..... hsearch(S)

XENIX object file hdr: display selected parts of a ..... hdr(XNX)

of a file head: print the first few lines ..... head(C)

xdr\_callhdr: XDR the RPC call header ..... rpc(NS)

implementation-specific/ limits: header file for ..... limits(FP)

scnhdr: section header for a common object file ..... scnhdr(FP)

filehdr: file header for common object files ..... filehdr(FP)

unistd: file header for symbolic constants ..... unistd(FP)

/read an indexed/named section header of a common object file ..... ldshread(S)

/seek to the optional file header of a common object file ..... ldohseek(S)

ldfthead: read the file header of a common object file ..... ldfthead(S)

file ldahread: read the archive header of a member of an archive ..... ldahread(S)

memory ldshread: reads section header specified by sectindx into ..... ldshread(S)

memory ldshread: reads section header specified by sectname into ..... ldshread(S)

sets the prefix of the MMDF header string ll\_hdirut: ..... llog(S)

change executable binary file headers fixhdr: ..... fixhdr(C)

HeightMMOfScreen: returns height, in millimeters, of/ ..... BlackPixelOfScreen(XS)

HeightOfScreen: returns height of specified screen ..... BlackPixelOfScreen(XS)

DisplayHeightMM: returns height of specified screen in/ ..... ImageByteOrder(XS)

pixels DisplayHeight: returns height of specified screen in ..... ImageByteOrder(XS)

/function that returns the line height of the given compound/ ..... XmStringHeight(Xm)

in millimeters, of specified/ HeightMMOfScreen: returns height, ..... BlackPixelOfScreen(XS)

specified screen HeightOfScreen: returns height of ..... BlackPixelOfScreen(XS)

user hello: send a message to another ..... hello(C)

commands help: Asks for help about SCCS ..... help(CP)

/gethostbyname, gethostbyaddr, herror: get network host entry ..... gethostbyname(SLIB)

herror: print error message ..... gethostbyname(SLIB)

hp: handle special functions of Hewlett-Packard terminals ..... hp(C)

isxdigit: tests for hexadecimal digit ..... ctype(S)

hd: display files in hexadecimal format ..... hd(C)

## Permuted Index

top of the/ show\_panel: makes hidden panel visible and puts on ... panel(S)  
     panels deck hide\_panel: removes panel from ... panel(S)  
 MrmCloseHierarchy: closes a UID hierarchy ..... MrmCloseHierarchy(Xm)  
     fetches a bitmap literal from a hierarchy MrmFetchBitmapLiteral: MrmFetchBitmapLiteral(Xm)  
     fetches an icon literal from a hierarchy MrmFetchIconLiteral: ... MrmFetchIconLiteral(Xm)  
     makedirs: makes a directory hierarchy ..... mkdirhier(XS)  
     opens all the UID files in the hierarchy /a hierarchy ID and ... MrmOpenHierarchy(Xm)  
     opens all the UID files in the hierarchy /a hierarchy ID and ... MrmOpenHierarchyPerDisplay(Xm)  
 /referenced in UIL within a single hierarchy (for example, UIL/ ..... MrmRegisterNamesInHierarchy(Xm)  
 MrmOpenHierarchy: allocates a hierarchy ID and opens all the/ ..... MrmOpenHierarchy(Xm)  
     UID files in the/ /allocates a hierarchy ID and opens all the ..... MrmOpenHierarchyPerDisplay(Xm)  
     XtAppErrorMsg: high-level error handler ..... XtAppErrorMsg(Xt)  
     XtAppSetErrorMsgHandler: high-level error handler ..... XtAppErrorMsg(Xt)  
     XtAppSetWarningMsgHandler: high-level error handler ..... XtAppErrorMsg(Xt)  
     XtAppWarningMsg: high-level error handler ..... XtAppErrorMsg(Xt)  
     XtAppErrorMsg: high-level error handlers ..... XtAppErrorMsg(Xt)  
     /function that sets the highlight state ..... XmCascadeButtonGadgetHighlight(Xm)  
     /function that sets the highlight state ..... XmCascadeButtonHighlight(Xm)  
     /a Text function that highlights text ..... XmTextSetHighlight(Xm)  
     /a TextField function that highlights text ..... XmTextFieldSetHighlight(Xm)  
 XCirculateSubwindowsDown: lowers highest mapped child of/ ..... XRaiseWindow(XS)  
     XSetClassHint: sets class hint for specified window ..... XAllocClassHint(XS)  
     XClassHint: class hint structure ..... XAllocClassHint(XS)  
 XGetWMHints: reads window manager hints ..... XAllocWMHints(XS)  
     XGetWMNormalHints: reads size hints ..... XAllocSizeHints(XS)  
     XGetWMSizeHints: reads size hints ..... XAllocSizeHints(XS)  
 XSetWMHints: sets window manager hints ..... XAllocWMHints(XS)  
     XSetWMNormalHints: sets size hints ..... XAllocSizeHints(XS)  
     XSetWMSizeHints: sets size hints ..... XAllocSizeHints(XS)  
     by the calling program with size hints /specified by the user and ... XParseGeometry(XS)  
     XSizeHints: size hints structure ..... XAllocSizeHints(XS)  
     XWMHints: window manager hints structure ..... XAllocWMHints(XS)  
     XAllocClassHint: allocate class hints structure and set or read a/ ... XAllocClassHint(XS)  
     XAllocSizeHints: allocate size hints structure and set or read a/ ... XAllocSizeHints(XS)  
 window's/ /allocate window manager hints structure and set or read a ... XAllocWMHints(XS)  
     current and past distributions hocheck: compare perms lists with hocheck(SMT)  
     discarded sighold: holds a signal until released or ... sigsetv(S)  
     /a window work region and a horizontal or vertical ScrollBar/ ... XmScrolledWindowSetAreas(Xm)  
     get/set name of current host gethostname, sethostname: ... gethostname(SLIB)  
     gethostname: get name of current host ..... gethostname(SLIB)  
     sethostname: set name of current host ..... gethostname(SLIB)  
     the name of a currently connected host vhost: return ..... vhost(PCI)  
     structure XAddHost: control host access and host control ..... XAddHost(XS)  
     Sharegister: register SCSI host adapter ..... devreg(K)  
     /Sdevregister: register SCSI host adapter and peripheral/ ..... devreg(K)  
     mcsbi: SCSI peripheral device and host adapter configuration file ..... mcsbi(F)  
     scsi\_distributed: register a SCSI host adapter driver as/ ..... scsi\_distributed(K)  
     /ntohs: convert values between host and network byte order ..... byteorder(SLIB)  
     byteorder: convert values between host and network byte order ..... byteorder(SLIB)  
     layers: protocol used between host and windowing terminal under/ layers(M)  
     terminal jagent: host control of windowing ..... jagent(M)  
 XAddHost: control host access and host control structure ..... XAddHost(XS)  
     XHostAddress: host control structure ..... XAddHost(XS)  
     herror: get network host entry /gethostbyaddr, ..... gethostbyname(SLIB)

gethostbyaddr: get network host entry by address ..... gethostbyname(SLIB)  
 gethostbyname: get network host entry by name ..... gethostbyname(SLIB)  
 dfthost: get/set the current host for PCILIB IPC functions ..... dfthost(PCI)  
 /removes each specified host from access control list ..... XAddHost(XS)  
 XRemoveHost: removes specified host from access control list ..... XAddHost(XS)  
 convert values from network to host long byte order ntohs: ..... byteorder(SLIB)  
 XmuGetHostname: host name ..... XmuGetHostname(Xmu)  
 convert values from network to host short byte order ntohs: ..... byteorder(SLIB)  
 htonl: convert values from host to network long byte order ... byteorder(SLIB)  
 htons: convert values from host to network short byte order ... byteorder(SLIB)  
 tables for aliases, domains, and hosts tables: MMDf name ..... tables(F)  
 XAddHosts: adds specified hosts to access control list ..... XAddHost(XS)  
 Hewlett-Packard terminals hp: handle special functions of ... hp(C)  
 filesystem hs: High Sierra/ISO-9660 CD-ROM hs(F)  
 manage hash search tables hsearch, hcreate, hdestroy: ..... hsearch(S)  
 to network long byte order hsearch: searches a hash table ..... hsearch(S)  
 values between/ byteorder, htons, htonl: convert values from host ... byteorder(SLIB)  
 to network short byte order htonl, ntohs, ntohl: convert ..... byteorder(SLIB)  
 convert values/ byteorder, htons, htonl, ntohs, ntohl: ..... byteorder(SLIB)  
 XcmsTekHVCQueryMaxV: given Hue, Value and Chroma's find/ ... XcmsTekHVCQueryMaxC(XS)  
 XcmsTekHVCQueryMaxVC: given Hue, Value and Chroma's find/ ... XcmsTekHVCQueryMaxC(XS)  
 XcmsTekHVCQueryMaxVSamples: given Hue, Value and Chroma's find/ ... XcmsTekHVCQueryMaxC(XS)  
 XcmsTekHVCQueryMinV: given Hue, Value and Chroma's find/ ... XcmsTekHVCQueryMaxC(XS)  
 information hwconfig: read the configuration ... hwconfig(C)  
 cosh: returns hyperbolic cosine of argument ..... sinh(S)  
 sinh, cosh, tanh: hyperbolic functions ..... sinh(S)  
 sinh: returns hyperbolic sine of argument ..... sinh(S)  
 tanh: returns hyperbolic tangent of argument ..... sinh(S)  
 function hypot: euclidean distance ..... hypot(S)  
 vax, mc68k, pdp11, u370,/ machid: i286, iAPX286, i386, i486 (also: ... machid(C)  
 machine is a 286 i286: Return a true value if a ..... machid(C)  
 i286emul: emulate 80286 ..... i286emul(CP)  
 i286emul: emulate UNIX 80286 ..... i286emul(C)  
 pdp11,/ machid: i286, iAPX286, i386, i486 (also: vax, mc68k, ..... machid(C)  
 machine is a 386 or fully/ i386: Return a true value if a ..... machid(C)  
 machid: i286, iAPX286, i386, i486 (also: vax, mc68k, pdp11,/ ..... machid(C)  
 machine is a 486 or fully/ i486: Return a true value if a ..... machid(C)  
 mc68k, pdp11,/ machid: i286, iAPX286, i386, i486 (also: vax, ..... machid(C)  
 machine is a 286 iAPX286: Return a true value if a ..... machid(C)  
 display lp options for the IBM ProPrinter ibmlpopt: ..... undocumented(M)  
 the IBM ProPrinter ibmlpopt: display lp options for ... undocumented(M)  
 XDestroyIC: destroy the specified IC ..... XCreateIC(XS)  
 the input method of the specified IC XIMOfIC: return ..... XCreateIC(XS)  
 other polyhedron ico: animate an icosahedron or ..... ico(X)  
 MrmFetchIconLiteral: fetches an icon literal from a hierarchy ..... MrmFetchIconLiteral(Xm)  
 wicoff: turns icon off ..... tam(S)  
 wicon: turns icon on ..... tam(S)  
 XGetIconSizes: returns icon size ..... XAllocIconSize(XS)  
 XSetIconSizes: sets icon size ..... XAllocIconSize(XS)  
 XIconSize: icon size structure ..... XAllocIconSize(XS)  
 read a/ XAllocIconSize: allocate icon size structure and set or ..... XAllocIconSize(XS)  
 and/ scopaint: create and edit icons and pictures; and edit xbm ... scopaint(X)  
 conversion iconv: international codeset ..... iconv(CP)

## Permuted Index

ico: animate an icosahedron or other polyhedron ... ico(X)  
 chgrp: change group ID ..... chgrp(C)  
 chown: change owner ID ..... chown(C)  
 create session and set process ID setsid: ..... setsid(S)  
 current real GID against retained ID is\_starting\_rgid (gid): check ..... identity(S)  
 current real UID against retained ID is\_starting\_ruid (uid): check ..... identity(S)  
 disk accounting data by user ID diskusg: generate ..... diskusg(ADM)  
 effective GID against retained ID /(gid): check current ..... identity(S)  
 effective UID against retained ID /(uid): check current ..... identity(S)  
 for matching numerical user ID getpwuid: searches ..... getpwent(S)  
 frees cursor from cursor resource ID XFreeCursor: ..... XRecolorCursor(XS)  
 getgid: get effective group ID ..... getuid(S)  
 geteuid: get effective user ID ..... getuid(S)  
 getgid: get real group ID ..... getuid(S)  
 getluid: get login user ID ..... getuid(S)  
 getuid: get real user ID ..... getuid(S)  
 login UID against retained ID /(uid): check current ..... identity(S)  
 process group, and parent process ID /getppid: get process, ..... getpid(S)  
 returns string associated with id agestr: ..... authcap(S)  
 returns visual ID XVisualIDFromVisual: ..... XGetVisualInfo(XS)  
 semaphore set or shared memory ID /remove a message queue, .... ipcrm(ADM)  
 setgid: set group ID ..... seteuid(SLIB)  
 setegid: set user and group ID seteuid, ..... seteuid(SLIB)  
 seteuid: set user ID ..... seteuid(SLIB)  
 setluid: set login user ID ..... setluid(S)  
 setpgrp: set process group ID ..... setpgrp(S)  
 the/ /allocates a hierarchy ID and opens all the UID files in ... MrmOpenHierarchy(Xm)  
 the/ /allocates a hierarchy ID and opens all the UID files in ... MrmOpenHierarchyPerDisplay(Xm)  
 /retrieves the DragContext widget ID associated with a timestamp ... XmGetDragContext(Xm)  
 agelag: returns id flag ..... authcap(S)  
 /that returns the XmDisplay object ID for a specified display ..... XmGetXmDisplay(Xm)  
 /that returns the XmScreen object ID for a specified screen ..... XmGetXmScreen(Xm)  
 authorized\_user: screens user ID for authorization permission ... subsystems(S)  
 setpgid: set process group ID for job control ..... setpgid(S)  
 /function that obtains the widget ID for the CascadeButtonGadget in/ XmOptionButtonGadget(Xm)  
 function that returns the cursor ID for the current menu cursor /a ... XmGetMenuCursor(Xm)  
 /function that obtains the widget ID for the LabelGadget in an/ XmOptionLabelGadget(Xm)  
 /function that obtains the widget ID for the tear-off control in a/ .... XmGetTearOffControl(Xm)  
 tcgetpgrp: gets process group ID for tty foreground process ..... tcpgrp(S)  
 tcsetpgrp: process group id functions tcgetpgrp, ..... tcpgrp(S)  
 sets the foreground process ID group tcsetpgrp: ..... tcpgrp(S)  
 searches for numerical user ID matching uid getprpwuid: ..... getprpwent(S)  
 XmGetTabGroup: returns the widget ID of a tab group ..... XmGetTabGroup(Xm)  
 getpgrp: returns process group ID of calling process ..... getpid(S)  
 getpid: returns process ID of calling process ..... getpid(S)  
 getppid: returns parent process ID of calling process ..... getpid(S)  
 /function that returns the widget ID of the first Separator widget ... XmMainWindowSep1(Xm)  
 /function that returns the widget ID of the second Separator widget ... XmMainWindowSep2(Xm)  
 /function that returns the widget ID of the third Separator widget ... XmMainWindowSep3(Xm)  
 XmGetFocusWidget: returns the ID of the widget that has/ ..... XmGetFocusWidget(Xm)  
 function that returns the widget ID of the widget to be used as/ /a ... XmGetDestination(Xm)  
 names id: print user and group IDs and ... id(C)  
 disciplines from kernel/ idaddld: add or remove line ..... idaddld(ADM)  
 Kit idas: assembler used by the Link ... idas(M)

idconfig, idvidi, idscsi: build/ information about system/ kernel  
 idbuild, idmkenv, idmkunix, ..... idbuild(ADM)  
 idcheck: return selected ..... idcheck(ADM)  
 idconfig: configure UNIX system ..... idbuild(ADM)  
 idconfig, idvidi, idscsi: build ..... idbuild(ADM)  
 new/ idbuild, idmkenv, idmkunix, issue: issue  
 identification file ..... issue(F)  
 systemid: the Micnet system identification file ..... systemid(F)  
 /function that retrieves the identification number of a/ ..... XmRepTypeGetId(Xm)  
 gsignal: raises signal identified by its argument ..... ssignal(S)  
 isrewrite: rewrite a record identified by its primary key ..... isrewrite(S)  
 /a Drag and Drop function that identifies a drop site and/ ..... XmDropSiteRegister(Xm)  
 for/ /a MainWindow function that identifies manageable children ..... XmMainWindowSetAreas(Xm)  
 from Motif 1.0 through/ Intro: Identifies the feature changes ..... Intro(Xm)  
 XmlsTraversable: a function that identifies whether a widget can/ ..... XmlsTraversable(Xm)  
 color\_content: allows user to identify components in an/ ..... curses(S)  
 color\_content: allows user to identify components in an/ ..... terminfo(S)  
 devrnm: identify device name ..... devnm(C)  
 what: identify files ..... what(C)  
 or filesystem fuser: identify processes using a file ..... fuser(ADM)  
 what: identify SCCS files ..... what(CP)  
 gids from program start identity: get or check uids or ..... identity(S)  
 or get device driver/ idinstall: add, delete, update, ..... idinstall(ADM)  
 Link Kit idld: link editor used by the ..... idld(M)  
 idleout: log out idle users ..... idleout(ADM)  
 idleout: log out idle users ..... idleout(ADM)  
 insert/delete-line feature idlok: enables curses ..... curses(S)  
 "insert/delete-line" feature idlok: enables curses to use ..... terminfo(S)  
 idvidi, idscsi: build/ idbuild, idmkenv, idmkunix, idconfig, ..... idbuild(ADM)  
 inittab specifications idmkinit: read files containing ..... idmkinit(ADM)  
 specifications of nodes idmknod: remove nodes and read ..... idmknod(ADM)  
 idscsi: build/ idbuild, idmkenv, idmkunix, idconfig, idvidi, ..... idbuild(ADM)  
 between user and group names and IDs /gr\_idtoname: map ..... pw\_nametoid(S)  
 get supplementary group ID's getgroups: ..... getgroups(S)  
 map between group names and ID's gr\_nametoid: ..... pw\_nametoid(S)  
 map between user names and ID's pw\_nametoid: ..... pw\_nametoid(S)  
 real group, and effective group ID's /real user, effective user, ..... getuid(S)  
 set real and effective group ID's setregid: ..... setregid(SSC)  
 set real and effective user ID's setreuid: ..... setreuid(SSC)  
 set supplementary group ID's setgroups: ..... setgroups(S)  
 setgid: set group ID's ..... setuid(S)  
 setuid: set user ID's ..... setuid(S)  
 gr\_idtoname: map between group ID's and names ..... pw\_nametoid(S)  
 id: print user and group ID's and names ..... id(C)  
 pw\_idtoname: map between user ID's and names ..... pw\_nametoid(S)  
 set\_auth\_parameters: retain ID's for future lookup ..... identity(S)  
 /idmkunix, idconfig, idvidi, idscsi: build new UNIX system/ ..... idbuild(ADM)  
 tunable parameter idspace: investigate free space ..... idspace(ADM)  
 /idmkenv, idmkunix, idconfig, idvidi, idscsi: build new UNIX/ ..... idbuild(ADM)  
 /fpgetsticky, fpsetsticky: IEEE floating point environment/ ..... fpgetround(S)  
 Not-a-Number (NaN) according to IEEE Standard /test double for ..... isnan(S)  
 Not-a-Number (NaN) according to IEEE Standard /test float for ..... isnan(S)  
 network interface ifignore: check for ignored ..... ifignore(SLIB)  
 ifignore: check for ignored network interface ..... ifignore(SLIB)  
 XDestroyImage: deallocates image ..... XCreateImage(XS)

## Permuted Index

XGetImage: transfers image ..... XPutImage(XS)  
 XGetPixel: returns pixel from image ..... XCreateImage(XS)  
 XSubImage: creates new sub image ..... XCreateImage(XS)  
 in an X Window and creates an image /draws a compound string ..... XmStringDrawImage(Xm)  
 that removes an image from the image cache /caching function ..... XmUninstallImage(Xm)  
 XImage XShmGetImage: reads image data into a shared memory ..... XShm(Xext)  
 xwud: image displayer for X ..... xwud(X)  
 ldsysdump: load a system memory image dump ..... ldsysdump(ADM)  
 corex: convert new-style core image dumps to old-style ..... corex(C)  
 core: Format of core image file ..... core(FP)  
 mem, kmem: memory image file ..... mem(FP)  
 scr\_dump: format of curses screen image file ..... scr\_dump(FP)  
 diskimage: create file image for floppy disk ..... diskimage(SMT)  
 ImageByteOrder: image format functions and macros ImageByteOrder(XS)  
 /caching function that removes an image from the image cache ..... XmUninstallImage(Xm)  
 xwd: dump an image of an X window ..... xwd(X)  
 XDrawImageString16: draws image text ..... XDrawImageString(XS)  
 XDrawImageString: draw image text ..... XDrawImageString(XS)  
 set XmbDrawImageString: draw image text using a single font ..... XmbDrawImageString(XS)  
 set XwcDrawImageString: draw image text using a single font ..... XmbDrawImageString(XS)  
 caching function that adds an image to the pixmap cache /pixmap ..... XmInstallImage(Xm)  
 XCreateImage: image utilities ..... XCreateImage(XS)  
 functions and macros ImageByteOrder: image format ..... ImageByteOrder(XS)  
 required byte order for images ImageByteOrder: specifies ..... ImageByteOrder(XS)  
 XPutImage: transfer images ..... XPutImage(XS)  
 crash: examine system images ..... crash(ADM)  
 pnch: file format for card images ..... pnch(FP)  
 specifies required byte order for images ImageByteOrder: ..... ImageByteOrder(XS)  
 to the make utility imake: C preprocessor interface ..... imake(XS)  
 xmkmf: create a Makefile from an Imakefile ..... xmkmf(XS)  
 /convert string to immediate child widget ..... XmuCvtStringToWidget(Xmu)  
 /convert string to immediate child widget ..... XmuNewCvtStringToWidget(Xmu)  
 nohup: run a command immune to hangups and quits ..... nohup(C)  
 version numbers of the extension implementation /returns ..... XShm(Xext)  
 limits: header file for implementation-specific constants ..... limits(FP)  
 write a byte to an I/O address inb, outb: read a byte from or ..... inb(K)  
 inb: read a byte from I/O address ..... inb(K)  
 current position in named window inch: returns character at ..... terminfo(S)  
 current position inch: returns character at ..... curses(S)  
 in descriptor set FD\_SET: include a particular descriptor ..... select(S)  
 initialize the signal set to include all signals sigfillset: ..... sigset(S)  
 /true if the font\_set might include context-dependent drawing XFontsOffFontSet(XS)  
 initialize the signal set to include no signals sigemptyset: ..... sigset(S)  
 input ev\_gindex: include/exclude devices for event ..... ev\_gindex(S)  
 reports database inconsistency audit\_auth\_entry: ..... authaudit(S)  
 that returns the ScrollBar's increment values /function ..... XmScrollBarGetValues(Xm)  
 /function that changes ScrollBar's increment values and the slider's/ ..... XmScrollBarSetValues(Xm)  
 cbackup: perform unattended incremental backup ..... cbackup(ADM)  
 xbackup: XENIX incremental dump tape format ..... xbackup(F)  
 xbackup: perform XENIX incremental filesystem backup ..... xbackup(ADM)  
 restore restore: incremental filesystem backup ..... restore(ADM)  
 xrestore, xrestor: invoke XENIX incremental filesystem restorer ..... xrestore(ADM)  
 word to a physical I/O address ind, outd: read or write a 32-bit ..... ind(K)  
 ind: read word from physical I/O ..... ind(K)

isdelindex: delete an index ..... isdelindex(S)  
 isstart: select an index and locate a record ..... isstart(S)  
 given field field\_index: returns index in field pointer array to ..... form(S)  
 /returns screen index number of specified screen ..... BlackPixelOfScreen(XS)  
 a common/ ldtbindex: compute the index of a symbol table entry of ..... ldtbindex(S)  
 processed optind: argv index of next argument to be ..... getopt(S)  
 string, strcasecmp, strcmp, index, rindex: string operations ..... string(SLIB)  
 index: string indexing operation ..... string(SLIB)  
 index to an ISAM file ..... isaddindex(S)  
 index to given menu item in ..... menu(S)  
 pointer/ item\_index: returns index value for t\_errlist ..... t\_error(S)  
 t\_nerr: maximum indexed symbol table entry of a ..... ldtbread(S)  
 common object/ ldtbread: read an indexed (UIL named) application .. MrmFetchWidgetOverride(Xm)  
 widget. It overrides/ /fetches any indexed (UIL named) application .. MrmStringWidget(Xm)  
 widgets/ /fetches and creates any a/ ldshread, ldnsread: read an indexed/named section header of ..... ldshread(S)  
 a/ ldshread, ldnsseek: seek to an indexed/named section of a/ ..... ldseek(S)  
 ldsseek, ldnsseek: seek to an indexing operation ..... string(SLIB)  
 index: string indexing operation ..... string(SLIB)  
 rindex: string indicate block driver can have ..... bdistributed(K)  
 multiprocessor/ bdistributed: indicate character driver can ..... cdistributed(K)  
 have/ cdistributed: indicate last logins of users and ..... last(C)  
 teletypes last: indicated by record number ..... isrewrec(S)  
 isrewrec: rewrite the record indicated MMDF event ..... phs(S)  
 phs\_note: records the indicates if panel is removed ..... panel(S)  
 from deck panel\_hidden: indicates success or failure of ..... mmdf(S)  
 MMDF conversation mm\_end: indicates that the application no ..... XmClipboardWithdrawFormat(Xm)  
 longer/ /a clipboard function that indicates the results of a/ ..... XmStringByteCompare(Xm)  
 /a compound string function that a screen line garbagedlines: indicates to curses to throw away .. curses(S)  
 a screen line garbagedlines: indicates to curses to throw away .. terminfo(S)  
 a screen line garbagedlines: indicates visibility of item ..... item(S)  
 item\_visible: indicates whether leftmost bit ..... ImageByteOrder(XS)  
 least or most/ BitmapBitOrder: indicates whether one compound/ ..... XmStringHasSubstring(Xm)  
 /a compound string function that indicating directories, ..... ls(C)  
 executables, and/ lf: List files indicating whether screen ..... BlackPixelOfScreen(XS)  
 supports/ /returns Boolean value indication t\_rcvrel: acknowledge .. t\_rcvrel(S)  
 receipt of an orderly release indication t\_rcvuderr: ..... t\_rcvuderr(S)  
 receive a unit data error indication whether screen/ ..... BlackPixelOfScreen(XS)  
 DoesBackingStore: returns indicator /and stores the current .. fgetpos(S)  
 value of a stream's file position indicator for a stream ..... fsetpos(S)  
 fsetpos: sets the file position indicator of the field/ ..... field(S)  
 field\_just: returns indicator to zero ..... ferror(S)  
 clearerr: resets error indirect remote procedure call ..... rpc(NS)  
 pmap\_rmtcall: string to Internet address inet\_addr: Converts character ..... inet(SLIB)  
 inet\_addr, inet\_pton, inet\_pton: inet\_addr, inet\_network, ..... inet(SLIB)  
 address from Internet address inet\_pton: Extracts local ..... inet(SLIB)  
 /inet\_network, inet\_pton, inet\_pton: inet\_pton, inet\_makeaddr,/ ..... inet(SLIB)  
 network address into Internet/ inet\_makeaddr: Converts local and ..... inet(SLIB)  
 Internet/ /inet\_pton, inet\_pton, inet\_pton: inet\_makeaddr, inet\_netof: ..... inet(SLIB)  
 address from Internet address inet\_netof: Extracts network ..... inet(SLIB)  
 /inet\_pton, inet\_pton, inet\_pton: inet\_netof: Internet address/ ..... inet(SLIB)  
 string to network address inet\_network: Converts character ..... inet(SLIB)  
 inet\_pton, inet\_pton: inet\_network, inet\_pton, ..... inet(SLIB)  
 address to ASCII format inet\_pton: Converts Internet ..... inet(SLIB)  
 inet\_pton, inet\_network, inet\_pton, inet\_pton, ..... inet(SLIB)

## Permuted Index

getpw: get user info from UID ..... getpw(S)  
 terminfo descriptions infocmp: compare or print out ..... infocmp(ADM)  
 creation function /the MessageBox InformationDialog convenience ... XmCreateInformationDialog(Xm)  
 inipcrn: unsupported utility ..... undocumented(M)  
 special security actions for init and getty initcond: ..... initcond(ADM)  
 started during the last phase of/ init: general process spawner ..... init(M)  
 INIT: initialize before compile ..... regexp(S)  
 When the command telinit is run, init is invoked /a link to init. .... init(M)  
 init.base: script for the init process ..... inittab(F)  
 init.base: script for the init process inittab, ..... inittab(F)  
 initialization init, telinit: process control ..... init(M)  
 telinit: telinit is a link to init. When the command telinit is/ ..... init(M)  
 process init.base: script for the init ..... inittab(F)  
 process inittab, init.base: script for the init ..... inittab(F)  
 definition of a color init\_color: changes the ..... curses(S)  
 definition of a color init\_color: changes the ..... terminfo(S)  
 actions for init and getty initcond: special security ..... initcond(ADM)  
 strcsprn: returns length of initial segment of string s1 ..... string(S)  
 vidinitscreen: initialise a multiscreen ..... video(K)  
 ttinit: initialise the tty structure ..... tty(K)  
 allocate contiguous memory at initialization memget: ..... memget(K)  
 during the last phase of kernel initialization /spawner started ..... init(M)  
 init, telinit: process control initialization ..... init(M)  
 mount root filesystem at system initialization /check and ..... bcheckrc(ADM)  
 /Programming Interface (API) initialization and internal/ ..... sc\_init(S)  
 lcong48: invoke initialization entry points ..... drand48(S)  
 seed48: invokes initialization entry points ..... drand48(S)  
 srand48: invokes initialization entry points ..... drand48(S)  
 res\_init: reads initialization file ..... resolver(SLIB)  
 posted set\_form\_init: calls initialization func when form is ... form(S)  
 /returns pointer to form initialization function ..... form(S)  
 MMDf message mm\_rinit: reads initialization information for ..... mmdf(S)  
 message mm\_winit: sends MMDf initialization information for a ..... mmdf(S)  
 printcfg: display driver initialization message ..... printcfg(K)  
 /returns pointer to menu item initialization routine ..... menu(S)  
 /returns pointer to menu's initialization routine ..... menu(S)  
 XtDatabase: initialize a display ..... XtDisplayInitialize(Xt)  
 XtDisplayInitialize: initialize a display ..... XtDisplayInitialize(Xt)  
 convenience/ XtAppInitialize: initialize application ..... XtAppInitialize(Xt)  
 INIT: initialize before compile ..... regexp(S)  
 /uses contents of filename to initialize curses data structures ..... terminfo(S)  
 dbminit: initialize database ..... dbm(NS)  
 null set FD\_ZERO: initialize descriptor set to the ..... select(S)  
 fixperm: examine, correct or initialize file permissions and/ ..... fixperm(ADM)  
 structures XtToolkitInitialize: initialize internal Toolkit data ..... XtDisplayInitialize(Xt)  
 display XtDisplayInitialize: initialize, open, or close a ..... XtDisplayInitialize(Xt)  
 prfld: initialize profiling ..... profiler(ADM)  
 slk\_init: initialize soft labels ..... curses(S)  
 slk\_init: initialize soft labels ..... terminfo(S)  
 openlog: initialize system log file ..... syslog(SLIB)  
 Resource Manager/ XrmInitialize: initialize the Resource Manager, ... XrmInitialize(XS)  
 include all signals sigfillset: initialize the signal set to ..... sigset(S)  
 include no signals sigemptyset: initialize the signal set to ..... sigset(S)  
 xinit: X Window System initializer ..... xinit(X)



init\_pair: initializes a color-pair ..... curses(S)  
 init\_pair: initializes a color-pair ..... terminfo(S)  
 structure ldaopen: allocates and ..... ldopen(S)  
 structures initscr: initializes all curses data ..... curses(S)  
 structures initscr: initializes all curses data ..... tam(S)  
 structures initscr: initializes all curses data ..... terminfo(S)  
 conversation mm\_pkinit: initializes an MMDF pickup ..... mmdf(S)  
 MMDF mail system mm\_init: initializes conversation with ..... mmdf(S)  
 structures from file scr\_init: initializes curses data ..... curses(S)  
 submission mm\_sbinit: initializes for an MMDF ..... mmdf(S)  
 sc\_init: initializes for scancode input ..... sc\_init(S)  
 package tai\_init: initializes MMDF tailoring ..... tai(S)  
 support operation nl\_init: initializes native language ..... nl\_init(S)  
 tables sc\_mapin: initializes scancode translation ..... sc\_readkb(S)  
 internals XtToolkitInitialize: initializes the X Toolkit ..... XtCreateApplicationContext(Xt)  
 va\_start: initializes variable list ..... varargs(S)  
 connect: initiate a connection on a socket ..... connect(SSC)  
 process popen, pclose: initiate a pipe to or from a ..... popen(S)  
 t\_sndrel: initiate an orderly release ..... t\_sndrel(S)  
 /a FileSelectionBox function that ..... XmFileSelectionDoSearch(Xm)  
 /a Drag and Drop function that ..... XmDragStart(Xm)  
 /a Drag and Drop function that ..... XmDropTransferStart(Xm)  
 ml\_init: initiates mail ..... ml\_send(S)  
 one addressee ml\_1adr: initiates mail when there is only ..... ml\_send(S)  
 /entries to be processed after ..... XmDropTransferAdd(Xm)  
 color-pair init\_pair: initializes a ..... curses(S)  
 color-pair init\_pair: initializes a ..... terminfo(S)  
 data structures initscr: initializes all curses ..... curses(S)  
 data structures initscr: initializes all curses ..... tam(S)  
 data structures initscr: initializes all curses ..... terminfo(S)  
 inittab commands initscript: script that executes ..... initscript(ADM)  
 initscript: script that executes inittab commands ..... initscript(ADM)  
 the init process inittab, init.base: script for ..... inittab(F)  
 idmkinit: read files containing inittab specifications ..... idmkinit(ADM)  
 xdr\_inline: allocate space for inline XDR operation ..... xdr(NS)  
 clr: clear inode ..... clr(ADM)  
 inode: format of an inode ..... inode(FP)  
 inode: format of an inode ..... inode(FP)  
 inode numbers ..... ncheck(ADM)  
 ncheck: generate names from ..... ncheck(ADM)  
 ev\_open: opens an event queue for ..... ev\_open(S)  
 formatted native language input /nl\_sscanf: converts ..... nl\_sscanf(S)  
 fscanf: convert formatted input ..... scanf(S)  
 get a string from the standard input gets: ..... gets(C)  
 getchar: get one character of input ..... getchar(K)  
 include/exclude devices for event input ev\_gindev: ..... ev\_gindev(S)  
 nl\_fscanf: reads from the named input ..... nl\_sscanf(S)  
 query and process events and input XtAppMainLoop: ..... XtAppNextEvent(Xt)  
 query and process events and input XtAppNextEvent: ..... XtAppNextEvent(Xt)  
 query and process events and input XtAppPeekEvent: ..... XtAppNextEvent(Xt)  
 query and process events and input XtAppPending: ..... XtAppNextEvent(Xt)  
 query and process events and input XtAppProcessEvent: ..... XtAppNextEvent(Xt)  
 query and process events and input XtDispatchEvent: ..... XtAppNextEvent(Xt)  
 sc\_init: initializes for scancode input ..... sc\_init(S)  
 scanf: convert formatted input ..... scanf(S)

## Permuted Index

sscanf: convert formatted input ..... sscanf(S)  
 timing requirements for raw data input ..... tty(K)  
 character/ lcs\_set\_tables: sets input and output language ..... lcs\_set\_tables(PCI)  
 cfgetspeed: returns the input baud rate ..... cfspeed(S)  
 cfsetispeed: sets the input baud rate ..... cfspeed(S)  
 lcs\_translate\_block: translate input block to output block ..... lcs\_translate\_block(PCI)  
 for a text segment in the input compound string /searches ..... XmStringGetLtoR(Xm)  
 XmbResetIC: reset the state of an input context ..... XmbResetIC(XS)  
 XwcResetIC: reset the stat of an input context ..... XmbResetIC(XS)  
 and obtain the input method of an input context /create, destroy, ..... XCreateIC(XS)  
 context values from the specified input context /obtain input ..... XSetICValues(XS)  
 XSetICFocus: set and unset input context focus ..... XSetICFocus(XS)  
 /notify an input method that the input context has lost focus ..... XSetICFocus(XS)  
 specified/ XGetICValues: obtain input context values from the ..... XSetICValues(XS)  
 canon: process raw input data from tty device ..... canon(K)  
 XSelectInput: select input events ..... XSelectInput(XS)  
 XLookupKeysym: handle keyboard input events in Latin-1 ..... XLookupKeysym(XS)  
 stdin: standard input file ..... stdin(S)  
 XSetInputFocus: control input focus ..... XSetInputFocus(XS)  
 XmbLookupString: obtain composed input from an input method ..... XmbLookupString(XS)  
 XwcLookupString: obtain composed input from an input method ..... XmbLookupString(XS)  
 sc\_readmapcode: returns the next input mapcode ..... sc\_readkb(S)  
 XCloseIM: closes the specified input method ..... XOpenIM(XS)  
 XLocaleOfIM: get the locale of an input method ..... XOpenIM(XS)  
 associated with the specified input method /returns the display ..... XOpenIM(XS)  
 filter X events for an input method XFilterEvent: ..... XFilterEvent(XS)  
 obtain composed input from an input method XmbLookupString: ..... XmbLookupString(XS)  
 obtain composed input from an input method XwcLookupString: ..... XmbLookupString(XS)  
 or features of the specified input method /querying properties ..... XOpenIM(XS)  
 XOpenIM: open, close, and obtain input method information ..... XOpenIM(XS)  
 /create, destroy, and obtain the input method of an input context ..... XCreateIC(XS)  
 XIMOfIC: return the input method of the specified IC ..... XCreateIC(XS)  
 context/ XUnsetICFocus: notify an input method that the input ..... XSetICFocus(XS)  
 wndelay: set no delay input mode ..... tam(S)  
 sets scancode information from input parameter sc\_setinfo: ..... sc\_raw(S)  
 check existence of characters on input queue ttrdchk: ..... tty(K)  
 ungetch: places character c onto input queue ..... curses(S)  
 ungetch: places character c onto input queue ..... terminfo(S)  
 wake up processes waiting for input queue ttwake: ..... tty(K)  
 sc\_readkb: returns the next input scancode ..... sc\_readkb(S)  
 XtAppAddInput: register an input source ..... XtAppAddInput(Xt)  
 XtRemoveInput: remove an input source ..... XtAppAddInput(Xt)  
 register or remove an input source XtAppAddInput: ..... XtAppAddInput(Xt)  
 getw: return next word from named input stream .....getc(S)  
 nl\_scanf: reads from the standard input stream .....nl\_scanf(S)  
 reads characters from standard input stream gets: .....gets(S)  
 return next character from named input stream fgetc: .....getc(S)  
 return next character from named input stream getc: .....getc(S)  
 setutent: resets input stream .....getut(S)  
 ungetc: push character back into input stream .....ungetc(S)  
 lcs\_translate\_string: translates input string to output string ..... lcs\_translate\_string(PCI)  
 XtAddGrab: redirect user input to a modal widget ..... XtAddGrab(Xt)  
 XtRemoveGrab: redirect user input to a modal widget ..... XtAddGrab(Xt)  
 usemouse: map mouse input to keystrokes ..... usemouse(C)

return, or enter/ getstr: reads input until newline, carriage . . . . . curses(S)  
 return, or enter/ mvgetstr: reads input until newline, carriage . . . . . curses(S)  
 return, or enter/ wgetstr: reads input until newline, carriage . . . . . curses(S)  
 return, or/ mvwgetstr: reads input until newline, carriage . . . . . curses(S)  
     fread, fwrite: binary input/output . . . . . fread(S)  
     poll: STREAMS input/output multiplexing . . . . . poll(S)  
     stdio: standard buffered input/output package . . . . . stdio(S)  
 clearerr, fileno: stream status inquiries ferror, feof, . . . . . ferror(S)  
     uustat: uucp status inquiry and job control . . . . . uustat(C)  
     the character under cursor insch: inserts character before . . . . . curses(S)  
     before the character under/ insch: inserts character ch . . . . . tam(S)  
     before the character under/ insch: inserts character ch . . . . . terminfo(S)  
 that accesses the position of the insert cursor /a Text function . . . . . XmTextGetInsertionPosition(Xm)  
 that sets the position of the insert cursor /a Text function . . . . . XmTextSetInsertionPosition(Xm)  
     insque: insert element from a queue . . . . . insque(SLIB)  
     determines if terminal has insert/delete character/ has\_ic: . . . . . terminfo(S)  
     has\_ic: true if terminal has insert/delete character/ . . . . . curses(S)  
     /determines if terminal has insert/delete-line capability . . . . . terminfo(S)  
     has\_il: true if terminal has insert/delete-line capability . . . . . curses(S)  
     idlok: enables curses to use "insert/delete-line" feature . . . . . terminfo(S)  
     idlok: enables curses insert/delete-line feature . . . . . curses(S)  
 that accesses the position of the insertion cursor /function . . . . . XmTextFieldGetInsertionPosition(Xm)  
 that sets the position of the insertion cursor /function . . . . . XmTextFieldSetInsertionPosition(Xm)  
     above current line insertln: inserts blank line . . . . . curses(S)  
     above current line insertln: inserts blank line . . . . . tam(S)  
     above current line insertln: inserts blank line . . . . . terminfo(S)  
     program logic insertmsg: separate strings from . . . . . insertmsg(CP)  
     queue insque, remque: insert/remove element from a . . . . . insque(SLIB)  
 text string /a Text function that inserts a character string into a . . . . . XmTextInsert(Xm)  
 text/ /a TextField function that inserts a character string into a . . . . . XmTextFieldInsert(Xm)  
     the output delay\_output: inserts a ms millisecond pause in . . . . . curses(S)  
     the output delay\_output: inserts a ms millisecond pause in . . . . . terminfo(S)  
 into a Text/ /a Text function that inserts a wide character string . . . . . XmTextInsertWcs(Xm)  
 into a / /a TextField function that inserts a wide character string . . . . . XmTextFieldInsertWcs(Xm)  
     line insertln: inserts blank line above current . . . . . curses(S)  
     line insertln: inserts blank line above current . . . . . tam(S)  
     line insertln: inserts blank line above current . . . . . terminfo(S)  
     line winsertln: inserts blank line above current . . . . . curses(S)  
     line winsertln: inserts blank line above current . . . . . terminfo(S)  
     character under cursor insch: inserts character before the . . . . . curses(S)  
     character under cursor winsch: inserts character before the . . . . . curses(S)  
     character/ mvinsch: moves and inserts character before the . . . . . curses(S)  
     character/ mvwinsch: moves and inserts character before the . . . . . curses(S)  
     character under cursor insch: inserts character ch before the . . . . . tam(S)  
     character under cursor insch: inserts character ch before the . . . . . terminfo(S)  
     character under cursor mvinsch: inserts character ch before the . . . . . terminfo(S)  
     character under cursor mvwinsch: inserts character ch before the . . . . . terminfo(S)  
     character under cursor winsch: inserts character ch before the . . . . . terminfo(S)  
     /a TextField function that inserts the clipboard selection . . . . . XmTextFieldPaste(Xm)  
 XmTextPaste: a Text function that inserts the clipboard selection . . . . . XmTextPaste(Xm)  
     particular place in a queue insq: put a message at a . . . . . insq(K)  
     queue insque: insert element from a . . . . . insque(SLIB)  
     element from a queue insque, remque: insert/remove . . . . . insque(SLIB)  
 shadow/ pwconv, pwunconv: install and update or remove the . . . . . pwconv(ADM)

## Permuted Index

drivers into the/	btldinstall:	install boot-time loadable device	..	btldinstall(ADM)
	install:	install commands	.....	install(ADM)
		install: install commands	.....	install(ADM)
directories	cpset:	install object files in binary	.....	cpset(C)
	installpkg:	install package	.....	installpkg(ADM)
components	custom:	install software products and	.....	custom(ADM)
	pkgmk:	produce an installable package	.....	pkgmk(ADM)
file permissions list for package		installation perms:	.....	perms(F)
	pkgchk:	check accuracy of installation	.....	pkgchk(ADM)
support utility for package		installation message:	.....	undocumented(M)
add a file to the software		installation database installf:	.....	installf(ADM)
	brand:	installation script utility	.....	undocumented(M)
	debrand:	installation script utility	.....	undocumented(M)
	xinstall:	XENIX installation shell script	.....	xinstall(ADM)
/determine if callback		installed	.....	XmuRemoveCloseDisplayHook(Xmu)
/lists currently		installed colormaps	.....	XInstallColormap(XS)
screen /returns maximum number of		installed colormaps supported by	.....	BlackPixelOfScreen(XS)
screen /returns minimum number of		installed colormaps supported by	.....	BlackPixelOfScreen(XS)
eisa: report on boards that are		installed on the EISA bus	.....	eisa(ADM)
removepkg: remove		installed package	.....	removepkg(ADM)
displaypkg: display		installed packages	.....	displaypkg(ADM)
software installation database		installf: add a file to the	.....	installf(ADM)
		installpkg: install package	.....	installpkg(ADM)
for/ /type manager function that		installs the resource converter	.....	XmRepTypeInstallTearOffModelConverter(Xm)
for a /type manager function that		installs the reverse converter	.....	XmRepTypeAddReverse(Xm)
create top-level widget		instance XtAppCreateShell:	.....	XtAppCreateShell(Xt)
creatsem: creates an		instance of a binary semaphore	.....	creatsem(S)
/a List function that returns all		instances of an item in the list	.....	XmListGetMatchPos(Xm)
given capability tgoto:		instantiates parameters into	.....	curses(S)
given capability tgoto:		instantiates parameters into	.....	terminfo(S)
parms p2 tparm:		instantiates the string str with	.....	curses(S)
parms p2 tparm:		instantiates the string str with	.....	terminfo(S)
shell scripts to use getopt		instead of getopt /convert	.....	getopts(C)
/a compound string function that		instructs the toolkit that the/	.....	XmStringFreeContext(Xm)
font/ /a font list function that		instructs the toolkit that the	.....	XmFontListFreeFontContext(Xm)
/convert string to backing-store		integer	.....	XmuCvtStringToBackingStore(Xmu)
a string to an unsigned long		integer strtoul: convert	.....	strtoul(S)
its arguments and returns an		integer strcmp: compares	.....	string(S)
strtol: convert string to		integer	.....	strtol(S)
toint: convert character to an		integer	.....	toascii(S)
xdr_int: XDR a C		integer	.....	xdr(NS)
xdr_u_int: XDR a C unsigned		integer	.....	xdr(NS)
abs: return		integer absolute value	.....	abs(S)
a64l, l64a: convert between long		integer and base-64 ASCII string	.....	a64l(S)
sgetl: gets long		integer data from memory	.....	sputl(S)
sputl, sgetl: access long		integer data in a/	.....	sputl(S)
sputl: puts long		integer data in memory	.....	sputl(S)
fileno: returns		integer file descriptor	.....	ferror(S)
floor: returns largest		integer not greater than x	.....	floor(S)
ceil: returns smallest		integer not less than x	.....	floor(S)
atol: converts ASCII to long		integer numbers	.....	atof(S)
/convert string to		integer of type long	.....	XmuCvtStringToLong(Xmu)
/convert string to		integer shape style	.....	XmuCvtStringToShapeStyle(Xmu)
character toascii: convert		integer to a 7-bit ASCII	.....	toascii(S)

todigit: convert integer to a digit (0 - 9) ..... toascii(S)  
 lddbl: convert ISAM integer to double ..... isconv(S)  
 ldfloat: convert ISAM integer to float ..... isconv(S)  
 putw: writes integer to output stream ..... putc(S)  
 ldint: convert ISAM integer to short ..... isconv(S)  
 beginning coordinates into integer variable /places current ... terminfo(S)  
 current beginning coordinates into integer variable /places ..... curses(S)  
 places size coordinates into integer variable getmaxyx: ..... curses(S)  
 places size coordinates into integer variable getmaxyx: ..... terminfo(S)  
 position of the window in two integer variables /places cursor ... curses(S)  
 position of the window in two integer variables /places cursor ... tam(S)  
 position of the window in two integer variables /places cursor ... terminfo(S)  
 atoi: converts ASCII to integers ..... atof(S)  
 between 3-byte integers and long integers l3tol, ltol3: convert ... l3tol(S)  
 div: divides integers ..... div(S)  
 jrand48: returns signed long integers ..... drand48(S)  
 lddiv: divides long integers ..... lddiv(S)  
 long integers to three-byte integers ltol3: converts ..... l3tol(S)  
 mrand48: returns signed long integers ..... drand48(S)  
 returns non-negative long integers lrand48: ..... drand48(S)  
 returns non-negative long integers nrand48: ..... drand48(S)  
 three-byte integers to long integers l3tol: converts ..... l3tol(S)  
 /ltol3: convert between 3-byte integers and long integers ..... l3tol(S)  
 l3tol: converts three-byte integers to long integers ..... l3tol(S)  
 ltol3: converts long integers to three-byte integers ..... l3tol(S)  
 against the authentication/ integrity: examine system files ... integrity(ADM)  
 Object Modules 86rel: Intel 8086 Relocatable Format for ... 86rel(FP)  
 mt: lists Intel tape drive model number ... undocumented(M)  
 function that provides a modal interaction /a Toolkit ..... XmTrackingEvent(Xm)  
 function that provides a modal interaction /a Toolkit ..... XmTrackingLocate(Xm)  
 filesystem backup fsave: interactive, error-checking ..... fsave(ADM)  
 system mail, mailx: interactive message processing ... mail(C)  
 system. mailx is a link/ mailx: interactive message processing ... mail(C)  
 cscope: interactively examine a C program cscope(CP)  
 and selection xcutsel: interchange between cut buffer ... xcutsel(X)  
 Information Service (NIS) client interface ypclnt: Network ..... ypclnt(NS)  
 check for ignored network interface ifignore: ..... ifignore(SLIB)  
 plot: graphics interface ..... plot(FP)  
 rtc: real time clock interface ..... rtc(HW)  
 scsi: small computer systems interface ..... scsi(HW)  
 swap: swap administrative interface ..... swap(ADM)  
 termio: general terminal interface ..... termio(M)  
 tty: special terminal interface ..... tty(M)  
 /scancode Application Programming Interface (API) initialization/ ..... sc\_init(S)  
 /scancode Application Programming Interface (API) line-discipline/ ... sc\_raw(S)  
 module timod: Transport Interface cooperating STREAMS ... timod(M)  
 audit: audit subsystem interface device ..... audit(HW)  
 parallel: parallel interface devices ..... parallel(HW)  
 activation,/ auditcmd: command interface for audit subsystem ..... auditcmd(ADM)  
 subsystem authsh: administrator interface for authorization ..... authsh(ADM)  
 or features of the/ XGetIMValues: interface for querying properties ... XOpenIM(XS)  
 names xfonsel: point and click interface for selecting X11 font ... xfonsel(X)  
 xdt3: the graphical user interface for the Desktop ..... xdt3(X)  
 uil: the user interface language compiler ..... uil(Xm)

## Permuted Index

STREAMS module `tirdwr`: Transport Interface read/write  
     `plot`: graphics  
     `/a VendorShell convenience`  
     `/a VendorShell convenience`  
 to the/ `/a VendorShell convenience`  
     `post/ /a VendorShell convenience`  
     `/a VendorShell convenience`  
 from/ `/a VendorShell convenience`  
     `/a VendorShell convenience`  
     `/, tty2[a-h], tty2[A-H]`:  
     logging and event tracing `log`:  
     logging and event tracing `log`:  
         `imake`: C preprocessor  
     `lp1, lp2`: line printer device  
         `/ (API) initialization and`  
     authentication/ `authck`: check  
         `hd`:  
 that removes a callback from the  
     manager and allocates the  
     manager and allocates the  
     manager and deallocates the  
     manager and deallocates the  
 a portion of a wide character  
     a copy of a portion of the  
     a copy of a portion of the  
     a portion of a wide character  
     `XtToolkitInitialize`: initialize  
     initializes the X Toolkit  
     `iconv`:  
         `setlocale`: set or read  
         `locale`: the  
         `set /create and free an`  
         `set XFreeFontSet`: free an  
     language support/ `lconv`:  
         `xlsatoms`: list  
     Converts character string to  
     Extracts local address from  
 Extracts network address from  
 local and network address into  
     `/inet_makeaddr, inet_netof`:  
         `inet_ntoa`: Converts  
         `spline`:  
         `commands ttiocom`:  
         a restricted shell (command  
     `sh`: invoke the shell command  
     `csh`: invoke a shell command  
         `pipe`: create an  
     `ipcs`: report the status of  
     package `ftok`: standard  
     `splx`: restore a former  
     `/dynamically remove`  
     Interface Language file format `uil`(Xm)  
     Interface read/write interface `tirdwr`(M)  
     interface STREAMS module `tirdwr`(M)  
     interface subroutines `plot`(S)  
     interface that activates a/  
     interface that adds client/  
     interface that adds the protocols  
     interface that allows pre and  
     interface that deactivates a/  
     interface that removes a callback  
     interface that removes the/  
     interface to serial ports  
     interface to STREAMS error  
     interface to STREAMS error  
     interface to the make utility  
     interfaces `lp, lp0`:  
     internal administration functions  
     internal consistency of  
     internal hard disk drive  
     internal list /function  
     internal list /interface  
     internal tables /to the protocol  
     internal tables /to the protocol  
     internal tables /the protocol  
     internal tables /the protocol  
     internal text buffer /retrieves  
     internal text buffer /retrieves  
     internal text buffer /retrieves  
     internal text buffer /retrieves  
     internal Toolkit data structures  
     internals `XtToolkitInitialize`:  
     international codeset conversion  
     international environment  
     international locale  
     international text drawing font  
     international text drawing font  
     Internationalization (native  
     interned atoms defined on server  
     Internet address `inet_addr`:  
     Internet address `inet_ianaof`:  
     Internet address `inet_netof`:  
     Internet address /Converts  
     Internet address manipulation/  
     Internet address to ASCII format  
     interpolate smooth curve  
     interpret tty driver I/O control  
     interpreter) `rsh`: invoke  
     interpreter  
     interpreter with C-like syntax  
     interprocess channel  
     inter-process communication/  
     interprocess communication  
     interrupt  
     interrupt routine handler  
         `sc_init`(S)  
         `authck`(ADM)  
         `hd`(HW)  
         `XmRemoveProtocolCallback`(Xm)  
         `XmRemoveWMPProtocolCallback`(Xm)  
         `XmAddProtocols`(Xm)  
         `XmAddWMPProtocols`(Xm)  
         `XmRemoveProtocols`(Xm)  
         `XmRemoveWMPProtocols`(Xm)  
         `XmTextFieldGetSubstringWcs`(Xm)  
         `XmTextFieldGetSubstring`(Xm)  
         `XmTextGetSubstring`(Xm)  
         `XmTextGetSubstringWcs`(Xm)  
         `XtDisplayInitialize`(Xt)  
         `XtCreateApplicationContext`(Xt)  
         `iconv`(CP)  
         `setlocale`(S)  
         `locale`(M)  
         `XCreateFontSet`(XS)  
         `XCreateFontSet`(XS)  
         `lconv`(FP)  
         `xlsatoms`(X)  
         `inet`(SLIB)  
         `inet`(SLIB)  
         `inet`(SLIB)  
         `inet`(SLIB)  
         `inet`(SLIB)  
         `inet`(SLIB)  
         `spline`(C)  
         `ttiocom`(K)  
         `rsh`(C)  
         `sh`(C)  
         `csh`(C)  
         `pipe`(S)  
         `ipcs`(ADM)  
         `ftok`(S)  
         `splx`(K)  
         `remove_intr_handler`(K)

add\_intr\_handler: dynamically add interrupt routine handler ..... add\_intr\_handler(K)  
     spl0: permit all interrupts ..... spl(K)  
     spl1: prevent priority level 1 interrupts ..... spl(K)  
     spl2: prevent priority level 2 interrupts ..... spl(K)  
     spl3: prevent priority level 3 interrupts ..... spl(K)  
     spl4: prevent priority level 4 interrupts ..... spl(K)  
         spl7: prevent all interrupts ..... spl(K)  
         splhi: prevent all interrupts ..... spl(K)  
     spltty, splx: block or permit interrupts /splhi, splni, splpp, .... spl(K)  
     splbuf: prevent interrupts from block device ..... spl(K)  
 parallel ports splpp: prevent interrupts from character ..... spl(K)  
 parallel ports spltty: prevent interrupts from character ..... spl(K)  
     spl5: prevent interrupts from character devices .. spl(K)  
     processing splcli: prevent interrupts from character list ..... spl(K)  
         splni: prevent interrupts from network devices ... spl(K)  
         spl6: prevent interrupts from the clock ..... spl(K)  
 /difference between union and intersection of two regions ..... XIntersectRegion(XS)  
 sleep: suspend execution for an interval ..... sleep(C)  
     sleep: suspend execution for an interval ..... sleep(S)  
 suspends execution for a short interval nap: ..... nap(S)  
     settimer: sets the specified interval timer ..... getitimer(S)  
         itimer: interval timers ..... getitimer(S)  
     settimer: get and set value of interval timers getitimer, ..... getitimer(S)  
         to be executed at regular intervals /schedule commands ... crontab(C)  
     XmuMakeAtom: create and initialize an opaque object ..... XmuAtom(Xmu)  
         call to startio intralloc: get handle for later ..... intralloc(K)  
         for later call to startio intralloc, intrallocs: get handle ..... intralloc(K)  
         call to startio intrallocs: get handle for later ..... intralloc(K)  
         call to startio intralloc, intrallocs: get handle for later ..... intralloc(K)  
         the tty driver queue intrflush: flushes all output in ..... curses(S)  
         the tty driver queue intrflush: flushes all output in ..... terminfo(S)  
 Intro: introduction to X Toolkit Intrinsic ..... Intro(Xt)  
 changes from Motif 1.0 through/ Intro: Identifies the feature ..... Intro(Xm)  
     library routines, and error/ Intro: introduce system services, ... Intro(S)  
         System commands Intro: Introduces Development .... Intro(CP)  
             Intro: introduces UNIX commands ..... intro(C)  
 miscellaneous features and files Intro: introduction to ..... Intro(M)  
     formats for programmers Intro: introduction to file ..... Intro(FP)  
         formats Intro: introduction to file ..... intro(F)  
 related miscellaneous features/ Intro: introduction to machine ..... intro(HW)  
     queues and semaphores Intro: introduction to message ..... Intro(PCI)  
         library functions Intro: introduction to RPC ..... Intro(NS)  
         library functions Intro: introduction to socket ..... Intro(SLIB)  
 system calls and error numbers Intro: introduction to socket ..... Intro(SSC)  
     mastering toolkit utilities Intro: introduction to software .... Intro(SMT)  
     administration commands Intro: introduction to system ..... intro(ADM)  
         Extensions library Intro: introduction to the X ..... Intro(Xext)  
     library functions and routines Intro: introduction to X Lib ..... Intro(XS)  
         Intrinsic Intro: introduction to X Toolkit .... Intro(Xt)  
 cross-development commands Intro: introduction to XENIX ..... Intro(XNX)  
     library functions and routines Intro: introduction to Xmu ..... Intro(Xmu)  
         references Intro: list manual page ..... intro(K)  
     library routines, and/ Intro: introduce system services, ..... Intro(S)  
         commands Intro: Introduces Development System .. Intro(CP)

## Permuted Index

Intro: introduces UNIX commands ..... intro(C)  
 Intro: introduction to file formats ..... intro(F)  
 programmers Intro: introduction to file formats for .... Intro(FP)  
 character set/ lcs\_intro: introduction to language ..... lcs\_intro(PCI)  
 miscellaneous features/ Intro: introduction to machine related ... intro(HW)  
 and semaphores Intro: introduction to message queues ... Intro(PCI)  
 features and files Intro: introduction to miscellaneous ..... intro(M)  
 functions Intro: introduction to RPC library ..... Intro(NS)  
 functions Intro: introduction to socket library ..... Intro(SLIB)  
 calls and error numbers Intro: introduction to socket system ..... Intro(SSC)  
 mastering toolkit/ Intro: introduction to software ..... Intro(SMT)  
 administration commands Intro: introduction to system ..... intro(ADM)  
 library Intro: introduction to the X Extensions ... Intro(Xext)  
 functions and routines Intro: introduction to X Lib library ..... Intro(XS)  
 Intrinsics Intro: introduction to X Toolkit ..... Intro(Xt)  
 cross-development/ Intro: introduction to XENIX ..... Intro(XNX)  
 functions and routines Intro: introduction to Xmu library ..... Intro(Xmu)  
 idspace: investigate free space ..... idspace(ADM)  
 /function that makes an invisible descendant of a/ ..... XmScrollVisible(Xm)  
 curs\_set: sets cursor state to invisible, normal, or very/ ..... curses(S)  
 curs\_set: sets cursor state to invisible, normal, or very/ ..... terminfo(S)  
 profsnap: collect data at time of invocation ..... profiler(ADM)  
 bc: invoke a calculator ..... bc(C)  
 text editor edit: Invoke a novice version of the ex ... ex(C)  
 vedit: Invoke a novice version of vi ..... vi(C)  
 view: Invoke a read-only vi ..... vi(C)  
 calendar: invoke a reminder service ..... calendar(C)  
 rksh: invoke a restricted Korn shell ..... ksh(C)  
 (command interpreter) rsh: invoke a restricted shell ..... rsh(C)  
 red: Invoke a restricted text editor ..... ed(C)  
 editor vi, view, vedit: invoke a screen-oriented display .. vi(C)  
 editor vi: Invoke a screen-oriented display .. vi(C)  
 interpreter with C-like/ csh: invoke a shell command ..... csh(C)  
 ex, edit: invoke a text editor ..... ex(C)  
 calculator dc: invoke an arbitrary precision ..... dc(C)  
 authunix\_create\_default: invoke authunix\_create ..... rpc(NS)  
 points lcong48: invoke initialization entry ..... drand48(S)  
 XtConvert: invoke resource converter ..... XtConvert(Xt)  
 XtDirectConvert: invoke resource converter ..... XtConvert(Xt)  
 XtConvert: invoke resource converters ..... XtConvert(Xt)  
 ex: Invoke the ex text editor ..... ex(C)  
 ksh: invoke the Korn shell ..... ksh(C)  
 interpreter sh: invoke the shell command ..... sh(C)  
 sed: invoke the stream editor ..... sed(C)  
 ed, red: invoke the text editor ..... ed(C)  
 ed: Invoke the text editor ..... ed(C)  
 filesystem/ xrestore, xrestor: invoke XENIX incremental ..... xrestore(ADM)  
 command telinit is run, init is invoked /a link to init. When the ... init(M)  
 has been perviously invoked /that set\_auth\_parameters identity(S)  
 debugger adb: invokes a general-purpose ..... adb(CP)  
 points seed48: invokes initialization entry ..... drand48(S)  
 points srand48: invokes initialization entry ..... drand48(S)  
 masm: invokes the assembler ..... masm(CP)  
 cc: invokes the C compiler ..... cc(CP)



ev\_init: invokes the event manager ..... ev\_init(S)  
 ev\_initf: invokes the event manager ..... ev\_initf(S)  
     ld: invokes the link editor ..... ld(CP)  
     ld: invokes the link editor ..... ld(XNX)  
     within an application Uil: invokes the UIL compiler from .... Uil(Xm)  
 word from or to a physical I/O/  
     I/O address inw, outw: read or write a 16-bit ... inw(K)  
     inw: read a word from physical ... inw(K)  
 current processor can do device I/O can\_doio: determine if ..... can\_doio(K)  
 if all processors can do device I/O all\_io: determine ..... all\_io(K)  
     ind: read word from physical I/O ..... ind(K)  
     outd: write value to physical I/O ..... ind(K)  
 16-bit word from or to a physical I/O address /read or write a ..... inw(K)  
 a byte from or write a byte to an I/O address inb, outb: read ..... inb(K)  
     inb: read a byte from I/O address ..... inb(K)  
     inw: read a word from physical I/O address ..... inw(K)  
     outb: write a byte to I/O address ..... inb(K)  
 write a 32-bit word to a physical I/O address ind, outd: read or .... ind(K)  
     write a word from to physical I/O address outw: ..... inw(K)  
     shutdown: flushes block I/O and halts the CPU ..... shutdown(S)  
     clrbuf: zero a block I/O buffer ..... clrbuf(K)  
         iodone: signal I/O completion ..... iodone(K)  
         iowait: wait for I/O completion ..... iowait(K)  
         ioctl: I/O control command ..... ioctl(S)  
     ttiocom: interpret tty driver I/O control commands ..... ttiocom(K)  
         driver viddoio: support I/O control commands for adapter video(K)  
 async\_daemons: asynchronous I/O daemon ..... nfs\_svc(NS)  
     select: examine I/O descriptor sets ..... select(S)  
 XSetIOErrorHandler: sets fatal I/O error handler ..... XSetErrorHandler(XS)  
     physck: raw I/O for block drivers ..... physio(K)  
     physio, physck: raw I/O for block drivers ..... physio(K)  
     physio: raw I/O for block drivers ..... physio(K)  
     aio: Asynchronous disk I/O ioctl commands ..... aio(M)  
         select: synchronous I/O multiplexing ..... select(S)  
 a/ rewind: sets position of next I/O operation but does not return ... fseek(S)  
     fseek: sets position of next I/O operation on a stream ..... fseek(S)  
     disksort: add a block I/O request to a device's queue .... disksort(K)  
 pio\_breakup: break up programmed I/O requests ..... pio\_breakup(K)  
     stopio: stop further I/O to an open file ..... stopio(S)  
     aio: Asynchronous disk I/O ioctl commands ..... aio(M)  
     streamio: STREAMS ioctl commands ..... streamio(M)  
         ioctl: I/O control command ..... ioctl(S)  
         iodone: signal I/O completion .... iodone(K)  
     user/kernel area iomove: move data to/from the ... iomove(K)  
         iowait: wait for I/O completion ... iowait(K)  
 get\_myaddress: return the local IP address ..... rpc(NS)  
     bind a socket to a privileged IP port bindresvport: ..... bindresvport(NS)  
     the current host for PCILIB IPC functions dflthost: get/set .... dflthost(PCI)  
         msg: IPC message structures ..... msg(FP)  
         shm: IPC shared memory structures .... shm(FP)  
 semaphore set or shared memory/ ipcrm: remove a message queue, ... ipcrm(ADM)  
     inter-process communication/ ipcps: report the status of ..... ipcps(ADM)  
     maintenance program mcart: lrwin mini-cartridge tape ..... mcart(C)  
         mconfig: lrwin tape driver parameters ..... mconfig(F)  
     ISAM file isaddindex: add an index to an .... isaddindex(S)

## Permuted Index

character	isalnum: tests for alphanumeric	ctype(S)
character	isalpha: tests for alphabetic	ctype(S)
stdbl: convert unaligned	ISAM aligned double	isconv(S)
stfloat: convert unaligned	ISAM aligned float	isconv(S)
stlong: convert unaligned	ISAM aligned long	isconv(S)
stint: convert unaligned	ISAM aligned short	isconv(S)
/stdbl, stfloat, stint, stlong;	ISAM data conversion tools	isconv(S)
isverify: verify	ISAM database records	isverify(M)
isaddindex: add an index to an	ISAM file	isaddindex(S)
isbuild: create an	ISAM file	isbuild(S)
isclose: close an	ISAM file	isclose(S)
iserase: delete an entire	ISAM file	iserase(S)
islock: lock an	ISAM file	islock(S)
isopen: open an	ISAM file	isopen(S)
isread: read records in an	ISAM file	isread(S)
isrename: rename an	ISAM file	isrename(S)
isunlock: unlock an	ISAM file	isunlock(S)
obtain information about an	ISAM file isindexinfo:	isindexinfo(S)
write a new record into an	ISAM file iswrite:	iswrite(S)
lddbl: convert	ISAM integer to double	isconv(S)
ldfloat: convert	ISAM integer to float	isconv(S)
ldint: convert	ISAM integer to short	isconv(S)
ldlong: convert	ISAM integer to long	isconv(S)
characters	isascii: test for ASCII	ctype(S)
ttyname,	isatty: get name of a terminal	ttyname(S)
device	isatty: test for a terminal	ttyname(S)
	isbuild: create an ISAM file	isbuild(S)
	isclose: close an ISAM file	isclose(S)
characters	isctrl: tests for control	ctype(S)
ldlong, stdbl, stfloat, stint,	isconv: lddb, ldfloat, ldint,	isconv(S)
classification macros	IsCursorKey: keysym	IsCursorKey(XS)
specified KeySym is cursor key	IsCursorKey: returns True if	IsCursorKey(XS)
record	isdelcurr: delete the current	isdelcurr(S)
by primary key	isdelete: delete record specified	isdelete(S)
	isdelindex: delete an index	isdelindex(S)
by record number	isdelrec: delete record specified	isdelrec(S)
	isdigit: tests for decimal digit	ctype(S)
endwin() has been called/	isendwin: determines if	courses(S)
endwin() has been called/	isendwin: determines if	terminfo(S)
file	iserase: delete an entire ISAM	iserase(S)
specified KeySym is function key	IsFunctionKey: returns True if	IsCursorKey(XS)
character	isgraph: tests for a visible	ctype(S)
about an ISAM file	isindexinfo: obtain information	isindexinfo(S)
specified KeySym is keypad key	IsKeypadKey: returns True if	IsCursorKey(XS)
	islock: lock an ISAM file	islock(S)
letter	islower: tests for any lowercase	ctype(S)
if specified KeySym is/	IsMiscFunctionKey: returns True	IsCursorKey(XS)
specified KeySym is modifier key	IsModifierKey: returns True if	IsCursorKey(XS)
state	ismpx: return windowing terminal	ismpx(C)
floating point NaN/	isnan, isnand, isnanf: test for a	isnan(S)
Not-a-Number (NaN)	isnan: test double for	isnan(S)
floating point NaN/ isnan,	isnanand, isnanf: test for a	isnan(S)
Not-a-Number (NaN) according to/	isnanand: test double for	isnan(S)
Not-a-Number (NaN) according to/	isnanf: test float for	isnan(S)

NaN/ isnan, isrand, isranf: test for a floating point ..... isnan(S)  
 isopen: open an ISAM file ..... isopen(S)  
 specified KeySym is PF key IsPFKey: returns True if ..... IsCursorKey(XS)  
 character isprint: tests for printing ..... ctype(S)  
 character ispunct: tests for punctuation ..... ctype(S)  
 file isread: read records in an ISAM ... isread(S)  
 locked records in a file isrelease: unlocks all manually ... isrelease(S)  
 isrename: rename an ISAM file ... isrename(S)  
 record isrewcurr: rewrite the current ... isrewcurr(S)  
 indicated by record number isrewrec: rewrite the record ..... isrewrec(S)  
 identified by its primary key isrewrite: rewrite a record ..... isrewrite(S)  
 unique identifier issetunique: set the value of a ..... issetunique(S)  
 character isspace: tests for white-space ..... ctype(S)  
 locate a record isstart: select an index and ..... isstart(S)  
 current effective GID against/ is\_starting\_egid (gid): check ..... identity(S)  
 current effective UID against/ is\_starting\_euid (uid): check ..... identity(S)  
 current login UID against/ is\_starting\_luid (uid): check ..... identity(S)  
 current real GID against/ is\_starting\_rgid (gid): check ..... identity(S)  
 current real UID against/ is\_starting\_ruid (uid): check ..... identity(S)  
 XtStringConversionWarning: issue a conversion warning/ ..... XtStringConversionWarning(Xt)  
 system: issue a shell command ..... system(S)  
 issue: issue identification file ..... issue(F)  
 issue: issue identification file ..... issue(F)  
 identifier isuniqueid: return a unique ..... isuniqueid(S)  
 isunlock: unlock an ISAM file ..... isunlock(S)  
 letter isupper: tests for any uppercase ... ctype(S)  
 records isverify: verify ISAM database ..... isverify(M)  
 drive number of a specified path isvirtual: return the virtual ..... isvirtual(PCI)  
 local or remote iswind: determines if terminal is ... tam(S)  
 make it current iswcurr: write a new record and ... iswcurr(S)  
 an ISAM file iswrite: write a new record into ... iswrite(S)  
 digit isxdigit: tests for hexadecimal ..... ctype(S)  
 item: CRT menu-item routines ..... item(S)  
 items in given menu item\_count: returns number of ... item(S)  
 to given item's description item\_description: returns pointer .. item(S)  
 given menu item in pointer array item\_index: returns index to ..... menu(S)  
 menu item initialization routine item\_init: returns pointer to ..... menu(S)  
 given item's name item\_name: returns pointer to ..... item(S)  
 item's option(s) setting item\_opts: returns the given ..... item(S)  
 item's options item\_opts\_off: turns off named ... item(S)  
 item's options item\_opts\_on: turns on named ..... item(S)  
 /returns pointer to given item's description ..... item(S)  
 returns pointer to given item's name item\_name: ..... item(S)  
 item\_opts\_off: turns off named item's options ..... item(S)  
 item\_opts\_on: turns on named item's options ..... item(S)  
 item\_opts: returns the given item's option(s) setting ..... item(S)  
 set\_item\_value: sets the given item's select value ..... item(S)  
 item\_userptr: returns item's user pointer ..... item(S)  
 set\_item\_userptr: sets item's user pointer ..... item(S)  
 menu termination function item\_term: returns pointer to ..... menu(S)  
 pointer item\_userptr: returns item's user ... item(S)  
 of given item item\_value: returns select value ... item(S)  
 visibility of item item\_visible: indicates ..... item(S)  
 itimer: interval timers ..... getitimer(S)

## Permuted Index

functions `bessel`: `j0, j1, jn, y0, y1, yn`: `bessel` ..... `bessel(S)`  
 of the first kind of order 0  
 functions `bessel`: `j0, j1, jn, y0, y1, yn`: `bessel` ..... `bessel(S)`  
 of the first kind of order 1  
 terminal  
`/map` key event to string in  
 of the first kind of order `n`  
     `bessel`: `j0, j1, jn, y0, y1, yn`: `bessel` functions ..... `bessel(S)`  
 particular time at: `Schedule`  
 system load/ batch: `Schedule`  
     jobs for execution when the ..... at(C)  
     join: join two relations ..... `join(C)`  
     join two relations ..... `join(C)`  
`nrand48`,/ `drand48`, `erand48`,  
     integers  
     terminal  
`sigsetjmp`, `siglongjmp`: non-local  
 returns indicator of the field  
     `set_field_just`: sets  
         jobs for execution at a ..... at(C)  
         join: join two relations ..... `join(C)`  
         join two relations ..... `join(C)`  
         `jrاند48`, `lcong48`, `lrاند48`, ..... `drاند48(S)`  
         integers  
         `jrاند48`: returns signed long ..... `drاند48(S)`  
         terminal  
         `jterm`: reset layer of windowing ..... `jterm(C)`  
         jumps ..... `sigsetjmp(S)`  
         justification field\_just: ..... `field(S)`  
         justification for given field ..... `field(S)`  
         jwin: print size of layer ..... `jwin(C)`  
         keyboard support  
         client handles  
         sequence that maps onto 8-bit/  
         between user space and the  
         build a new UNIX system  
     `idconfig`: configure UNIX system  
     `idcs`: build new UNIX system  
     `scsi_stok`: convert 3 bytes to  
         messages: system service,  
         \_\_scoinfo: get  
         auths: list and/or restrict  
     or remove line disciplines from  
         configure:  
         `vidumapinit`: return a  
         error:  
         started during the last phase of  
     `select(S)` /`selfailure`, `selwakeu`:  
         `kclt_create`: create  
         bcopy: copy bytes in  
         copy bytes between user and  
         copy bytes from user space to  
         copyout: copy bytes from  
         `kmem`: provides access to the  
     `KeySym` is miscellaneous function  
     True if specified `KeySym` is PF  
     `XUngrabKey`: releases keyboard  
     accesses data stored under a  
         carriage return, or enter  
         carriage return, or enter  
         carriage return, or enter  
     character string corresponding to  
     character string corresponding to  
         `dbm_delete`: delete datum and  
     `dbm_fetch`: retrieve datum under  
         `dbm_firstkey`: find first

dbm\_nextkey: find next key ..... ndbm(NS)  
 dbm\_store: store datum under key ..... ndbm(NS)  
 if specified KeySym is cursor key IsCursorKey: returns True ..... IsCursorKey(XS)  
 if specified KeySym is function key IsFunctionKey: returns True ..... IsCursorKey(XS)  
 if specified KeySym is keypad key IsKeypadKey: returns True ..... IsCursorKey(XS)  
 if specified KeySym is modifier key IsModifierKey: returns True ..... IsCursorKey(XS)  
 makekey: generate an encryption key ..... makekey(ADM)  
 record identified by its primary key isrewrite: rewrite a ..... isrewrite(S)  
 record specified by primary key isdelete: delete ..... isdelete(S)  
 return value associated with key yp\_match: ..... ypcInt(NS)  
 setkey: creates encryption key ..... crypt(S)  
 store: places data under a key ..... dbm(S)  
 string to a screen labeled key /output a null-terminated ..... tam(S)  
 delete: deletes a key (and its associated contents) ..... dbm(S)  
 xmbind: configures virtual key bindings ..... xmbind(Xm)  
 XLookupString: translates key event ..... XLookupKeysym(XS)  
 XmuLookupAPL: map key event to APL string ..... XmuLookupLatin1(Xmu)  
 XmuLookupLatin1: map key event to Latin1 string ..... XmuLookupLatin1(Xmu)  
 XmuLookupLatin2: map key event to Latin2 string ..... XmuLookupLatin1(Xmu)  
 XmuLookupLatin3: map key event to Latin3 string ..... XmuLookupLatin1(Xmu)  
 XmuLookupLatin4: map key event to Latin4 string ..... XmuLookupLatin1(Xmu)  
 XmuLookupArabic: map key event to Latin/Arabic string ..... XmuLookupLatin1(Xmu)  
 string XmuLookupCyrillic: map key event to Latin/Cyrillic ..... XmuLookupLatin1(Xmu)  
 XmuLookupGreek: map key event to Latin/Greek string ..... XmuLookupLatin1(Xmu)  
 XmuLookupHebrew: map key event to Latin/Hebrew string ..... XmuLookupLatin1(Xmu)  
 XmuLookupKana: map key event to string ..... XmuLookupLatin1(Xmu)  
 XmuLookupJISX0201: map key event to string in/ ..... XmuLookupLatin1(Xmu)  
 bindings for virtual mouse and key events VirtualBindings: ..... VirtualBindings(Xm)  
 run\_setkey: creates encryption key for /bin/crypt connection ..... crypt(S)  
 firstkey: returns the first key in a database ..... dbm(S)  
 nextkey: returns the next key in a database ..... dbm(S)  
 firstkey: return first key in database ..... dbm(NS)  
 nextkey: return next key in database ..... dbm(NS)  
 carriage return, or enter key is received /until newline, ..... terminfo(S)  
 mapstr: Configure function key mapping ..... mapkey(M)  
 X/ xswkey: establish the modifier key or screen-switching from the ..... xswkey(X)  
 between user and function key sequences /differentiates ..... curses(S)  
 between user and function key sequences /differentiates ..... terminfo(S)  
 sc\_getfkeystr: gets scancode key string ..... sc\_init(S)  
 sc\_setfkeystr: sets scancode key string ..... sc\_init(S)  
 des\_setkey: creates encryption key with DES primitive ..... crypt(S)  
 XGrabKeyboard: grab the keyboard ..... XGrabKeyboard(XS)  
 XUngrabKeyboard: releases keyboard ..... XGrabKeyboard(XS)  
 bit vector for logical state of keyboard XQueryKeymap: returns XChangeKeyboardControl(XS)  
 keyboard mapping on a PC keyboard mapkey: Configure ..... mapkey(M)  
 keyboard: the PC keyboard ..... keyboard(HW)  
 of a text string entered from the keyboard /allowable length ..... XmTextFieldGetMaxLength(Xm)  
 of a text string entered from the keyboard /allowable length ..... XmTextFieldSetMaxLength(Xm)  
 of a text string entered from the keyboard /allowable length ..... XmTextGetMaxLength(Xm)  
 of a text string entered from the keyboard /allowable length ..... XmTextSetMaxLength(Xm)  
 the state of the scancode keyboard /maintains ..... sc\_readkb(S)  
 xsconfig: X keyboard configuration compiler ..... xsconfig(X)  
 /manipulate keyboard settings and keyboard control structure ..... XChangeKeyboardControl(XS)  
 XKeyboardControl: keyboard control structure ..... XChangeKeyboardControl(XS)

## Permuted Index

/returns current	keyboard control values	.....	XChangeKeyboardControl(XS)
encoding structure /manipulate	keyboard encoding and keyboard	..	XChangeKeyboardMapping(XS)
/manipulate keyboard encoding and	keyboard encoding structure	.....	XChangeKeyboardMapping(XS)
XModifierKeymap:	keyboard encoding structure	.....	XChangeKeyboardMapping(XS)
the/ /which component receives	keyboard events when a widget has		XmProcessTraversal(Xm)
the ID of the widget that has	keyboard focus /returns	.....	XmGetFocusWidget(Xm)
XLookupKeysym: handle	keyboard input events in Latin-1	..	XLookupKeysym(XS)
XUnggrabKey: releases	keyboard key	.....	XGrabKey(XS)
XGrabKey: grab	keyboard keys	.....	XGrabKey(XS)
sc_getled: gets current scancode	keyboard LED state	.....	sc_init(S)
sc_setled: sets the scancode	keyboard LED state	.....	sc_init(S)
mapkey: Configure	keyboard mapping on a PC keyboard		mapkey(M)
support kbmode: set	keyboard mode or test keyboard	..	kbmode(ADM)
/turns off auto-repeat for	keyboard on specified display	.....	XChangeKeyboardControl(XS)
/turns on auto-repeat for	keyboard on specified display	.....	XChangeKeyboardControl(XS)
XBell: rings bell on	keyboard on specified display	.....	XChangeKeyboardControl(XS)
control structure /manipulate	keyboard settings and keyboard	..	XChangeKeyboardControl(XS)
enter_quiet_zone: block all	keyboard signals	.....	dblock(S)
exit_quiet_zone: unblock	keyboard signals	.....	dblock(S)
kbmode: set keyboard mode or test	keyboard support	.....	kbmode(ADM)
	keyboard: the PC keyboard	.....	keyboard(HW)
XDeleteModifiermapEntry: deletes	KeyCode from control set	.....	XChangeKeyboardMapping(XS)
XGetKeyboardMapping: returns	KeyCode symbols	.....	XChangeKeyboardMapping(XS)
XInsertModifiermapEntry: adds	KeyCode to control set	.....	XChangeKeyboardMapping(XS)
/convert KeySym to	KeyCodes	.....	XtSetKeyTranslator(Xt)
XtConvertCase: convert KeySym to	KeyCodes	.....	XtSetKeyTranslator(Xt)
convert KeySym to	KeyCodes XtSetKeyTranslator:	....	XtSetKeyTranslator(Xt)
convert KeySym to	KeyCodes XtTranslateKeycode:	....	XtSetKeyTranslator(Xt)
XSetModifierMapping: sets	KeyCodes of modifiers keys	.....	XChangeKeyboardMapping(XS)
XmTranslateKey: the default	keycode-to-keysym translator	....	XmTranslateKey(Xm)
/refreshes stored modifier and	keymap information	.....	XLookupKeysym(XS)
sets the current active scancode	keymap table sc_setkeymap:	.....	sc_init(S)
the current active scancode	keymap table /returns	.....	sc_init(S)
XKeymapEvent:	KeymapNotify event structure	....	XKeymapEvent(XS)
xmodmap: utility for modifying	keymaps in X	.....	xmodmap(X)
adds additional sequences to the	keymode tree addkey:	.....	courses(S)
corresponding to key	keymode tree addkey:	.....	terminfo(S)
corresponding to key	keyname: returns character string	..	courses(S)
True if specified KeySym is	keyname: returns character string	..	terminfo(S)
keypad of user's terminal	keypad key IsKeypadKey: returns	..	IsCursorKey(XS)
keypad of user's terminal	keypad: obtains information from	..	courses(S)
keypad of user's terminal	keypad: obtains information from	..	tam(S)
keypad: obtains information from	keypad: obtains information from	..	terminfo(S)
keypad: obtains information from	keypad of user's terminal	.....	courses(S)
keypad: obtains information from	keypad of user's terminal	.....	tam(S)
	keypad of user's terminal	.....	terminfo(S)
KeyPress:	KeyPress event structure	.....	XButtonEvent(XS)
structure	KeyPress: KeyPress event	.....	XButtonEvent(XS)
ButtonPress,/ XButtonEvent:	KeyPress, KeyRelease,	.....	XButtonEvent(XS)
XButtonEvent: KeyPress,	KeyRelease, ButtonPress,/	.....	XButtonEvent(XS)
KeyRelease:	KeyRelease event structure	.....	XButtonEvent(XS)
structure	KeyRelease: KeyRelease event	.....	XButtonEvent(XS)
XGrabKey: grab keyboard	keys	.....	XGrabKey(XS)
gets scancode screen switch	keys sc_getscreenswitch:	.....	sc_raw(S)

setkey: assign the function keys ..... setkey(C)  
 sets KeyCode of modifiers keys XSetModifierMapping: ..... XChangeKeyboardMapping(XS)  
 sets scancode screen switch keys sc\_setscreenswitch: ..... sc\_raw(S)  
 to structure containing modifier keys /returns pointer ..... XChangeKeyboardMapping(XS)  
 switchkey: establish modifier keys for screen-switching from/ ... switchkey(X)  
 usemouse: map mouse input to keystrokes ..... usemouse(C)  
 XRebindKeySym: rebinds meaning of Keysym ..... XLookupKeysym(XS)  
     IsCursorKey: keysym classification macros ..... IsCursorKey(XS)  
     /returns True if specified KeySym is cursor key ..... IsCursorKey(XS)  
     /returns True if specified KeySym is function key ..... IsCursorKey(XS)  
     /returns True if specified KeySym is keypad key ..... IsCursorKey(XS)  
     key /returns True if specified KeySym is miscellaneous function .. IsCursorKey(XS)  
     /returns True if specified KeySym is modifier key ..... IsCursorKey(XS)  
     returns True if specified KeySym is PF key IsPFKey: ..... IsCursorKey(XS)  
     XtConvertCase: convert KeySym to KeyCodes ..... XtSetKeyTranslator(Xt)  
 XtRegisterCaseConverter: convert KeySym to KeyCodes ..... XtSetKeyTranslator(Xt)  
     XtSetKeyTranslator: convert KeySym to KeyCodes ..... XtSetKeyTranslator(Xt)  
     XtTranslateKeycode: convert KeySym to KeyCodes ..... XtSetKeyTranslator(Xt)  
 XKeycodeToKeysym: converts keysyms ..... XStringToKeysym(XS)  
 XKeysymToKeycode: converts keysyms ..... XStringToKeysym(XS)  
 XKeysymToString: converts keysyms ..... XStringToKeysym(XS)  
 XStringToKeysym: convert keysyms ..... XStringToKeysym(XS)  
     sc\_str2kb: gets scancode keytop string ..... sc\_readkb(S)  
     yp\_first: return first key-value pair ..... ypInt(NS)  
     yp\_next: return next key-value pair ..... ypInt(NS)  
     yp\_all: return all key-value pairs ..... ypInt(NS)  
         xkill: kill a client by its X resource ..... xkill(X)  
         killall: kill all active processes ..... killall(ADM)  
         or a group of processes kill: send a signal to a process ..... kill(S)  
             kill: terminate a process ..... kill(C)  
             processes killall: kill all active ..... killall(ADM)  
         line-kill character killchar: returns user's current ..... curses(S)  
         line-kill character killchar: returns user's current ..... terminfo(S)  
         group killpg: send signal to a process ..... killpg(SLIB)  
             Exit: kills all layer processes ..... libwindows(S)  
         device drivers into the Link Kit /install boot-time loadable ..... btdinstall(ADM)  
     idas: assembler used by the Link Kit ..... idas(M)  
     link editor used by the Link Kit idld: ..... idld(M)  
         mem, knem: memory image file ..... mem(FP)  
         kernel virtual memory knem: provides access to the ..... mem(FP)  
         ksh: invoke the Korn shell ..... ksh(C)  
         rksh: invoke a restricted Korn shell ..... ksh(C)  
         command and/ ksh, rksh: Korn shell, a standard/restricted .. ksh(C)  
         ksh: invoke the Korn shell ..... ksh(C)  
     standard/restricted command and/ ksh, rksh: Korn shell, a ..... ksh(C)  
         physical addresses ptok, ktop: convert virtual and ..... ptok(K)  
         / the point of maximum lightness (L\*) displayable by the screen ..... XcmsCIELuvQueryMaxC(XS)  
         / the point of maximum lightness (L\*) displayable by the screen ..... XcmsCIELuvQueryMaxC(XS)  
         / the point of minimum lightness (L\*) displayable by the screen ..... XcmsCIELuvQueryMaxC(XS)  
         / the point of minimum lightness (L\*) displayable by the screen ..... XcmsCIELuvQueryMaxC(XS)  
         contents of directories l, lc, lf, lr, ls, lx: list ..... ls(C)  
         information l: List files with full (long) ..... ls(C)  
         integers to long integers l3tol: converts three-byte ..... l3tol(S)  
         3-byte integers and long/ l3tol, ltol3: convert between ..... l3tol(S)

## Permuted Index

integer and base-64 ASCII/ a64l, l64a: convert between long ..... a64l(S)  
 from long l64a: gets base-64 representation ... a64l(S)  
 /obtain the CIE L\*a\*b\* coordinates ..... XcmsCIELabQueryMaxC(XS)  
 slk\_label: returns current label ..... curses(S)  
 slk\_label: returns current label ..... terminfo(S)  
 plotting point label: labels the current ..... plot(S)  
 null-terminated string to window label line wlabel: output ..... tam(S)  
 slk\_set: sets soft label number and string ..... curses(S)  
 slk\_set: sets soft label number and string ..... terminfo(S)  
 XmLabel: the Label widget class ..... XmLabel(Xm)  
 XmCreateLabel: the Label widget creation function .... XmCreateLabel(Xm)  
 string to a screen labeled key /a null-terminated .... tam(S)  
 XmCreateLabelGadget: the LabelGadget creation function .... XmCreateLabelGadget(Xm)  
 /obtains the widget ID for the LabelGadget in an OptionMenu ... XmOptionLabelGadget(Xm)  
 XmLabelGadget: the LabelGadget widget class ..... XmLabelGadget(Xm)  
 filesystems labelit: provide labels for ..... labelit(ADM)  
 forces output of all soft labels slk\_touch: ..... curses(S)  
 forces output of all soft labels slk\_touch: ..... terminfo(S)  
 slk\_init: initialize soft labels ..... curses(S)  
 slk\_init: initialize soft labels ..... terminfo(S)  
 labelit: provide labels for filesystems ..... labelit(ADM)  
 slk\_clear: clears soft labels from the screen ..... curses(S)  
 slk\_clear: clears soft labels from the screen ..... terminfo(S)  
 label: labels the current plotting point ... plot(S)  
 slk\_restore: restores soft labels to default settings ..... curses(S)  
 slk\_restore: restores soft labels to default settings ..... terminfo(S)  
 labs: converts to absolute value .... labs(S)  
 constants langinfo: language information .... langinfo(FP)  
 command and programming language /a standard/restricted ... ksh(C)  
 commands of the Desksell command language desksell commands: the deskcommands(X)  
 of the Desksell command language /and control constructs .. desksell(X)  
 pattern scanning and processing language awk: awk, oawk, nawk: .. awk(C)  
 pattern scanning and processing language nawk: ..... awk(C)  
 pattern scanning and processing language oawk: ..... awk(C)  
 lcs\_release\_table: releases a language character set conversion/ lcs\_release\_table(PCI)  
 table lcs\_get\_table: get language character set conversion . lcs\_get\_table(PCI)  
 table/ lcs\_set\_options: sets language character set conversion . lcs\_set\_options(PCI)  
 tables /sets input and output language character set conversion . lcs\_set\_tables(PCI)  
 lcs\_intro: introduction to language character set routines .... lcs\_intro(PCI)  
 uil: the user interface language compiler ..... uil(Xm)  
 /creates a compound string in the language environment of a widget . XmStringCreateSimple(Xm)  
 UIL: the User Interface Language file format ..... uil(Xm)  
 nl\_langinfo: language information ..... nl\_langinfo(S)  
 langinfo: language information constants ... langinfo(FP)  
 converts formatted native language input /nl\_sscanf: ..... nl\_sscanf(S)  
 nl\_sprintf: formats native language output /nl\_fprintf, ..... nl\_printf(S)  
 cpp: the AT&T C language preprocessor ..... cpp(CP)  
 nl\_strncmp: compare native language strings ..... nl\_strncmp(S)  
 nl\_strncmp: compare native n language strings ..... nl\_strncmp(S)  
 nl\_strncmp: compare native language strings nl\_strncmp, ..... nl\_strncmp(S)  
 nl\_types: data types for native language support ..... nl\_types(FP)  
 /Internationalization (native language support) information .... lconv(FP)  
 nl\_init: initializes native language support operation ..... nl\_init(S)  
 XQueryBestCursor: returns largest cursor size ..... XRecolorCursor(XS)



x floor: returns largest integer not greater than . . . . . floor(S)  
 users and teletypes last: indicate last logins of . . . . . last(C)  
 extracts serial number of last/ LastKnownRequestProcessed: . . . . . AllPlanes(XS)  
 /chargefee, ckpact, dodisk, lastlogin, monacct, nulladm, / . . . . . acctsh(ADM)  
 handle keyboard input events in Latin-1 XLookupKeysym: . . . . . XLookupKeysym(XS)  
 XmuCopyISOLatin1Uppered: copies Latin-1 lowercase string to / . . . . . XmuCopyISOLatin1Lowered(Xmu)  
 XmuLookupLatin1: map key event to Latin1 string . . . . . XmuLookupLatin1(Xmu)  
 XmuCompareISOLatin1: compare two Latin-1 strings . . . . . XmuCompareISOLatin1(Xmu)  
 XmuCopyISOLatin1Lowered: copies Latin-1 uppercase string to / . . . . . XmuCopyISOLatin1Lowered(Xmu)  
 XmuLookupLatin2: map key event to Latin2 string . . . . . XmuLookupLatin1(Xmu)  
 XmuLookupLatin3: map key event to Latin3 string . . . . . XmuLookupLatin1(Xmu)  
 XmuLookupLatin4: map key event to Latin4 string . . . . . XmuLookupLatin1(Xmu)  
 XmuLookupArabic: map key event to Latin/Arabic string . . . . . XmuLookupLatin1(Xmu)  
 /map key event to Latin/Cyrillic string . . . . . XmuLookupLatin1(Xmu)  
 XmuLookupGreek: map key event to Latin/Greek string . . . . . XmuLookupLatin1(Xmu)  
 muLookupHebrew: map key event to Latin/Hebrew string . . . . . XmuLookupLatin1(Xmu)  
 Delete: deletes the layer . . . . . libwindows(S)  
 Reshape: reshapes the layer . . . . . libwindows(S)  
 jwin: print size of layer . . . . . jwin(C)  
 login entry to show current layer relogin: rename . . . . . relogin(ADM)  
 runs specified command in layer Runlayer: . . . . . libwindows(S)  
 Current: makes the layer current . . . . . libwindows(S)  
 ypprot\_err: return ypclnt layer error . . . . . ypclnt(NS)  
 sh: shell layer manager . . . . . shl(C)  
 terminals layers: layer multiplexer for windowing . . layers(C)  
 jterm: reset layer of windowing terminal . . . . . jterm(C)  
 Exit: kills all layer processes . . . . . libwindows(S)  
 layers Bottom: moves layer to bottom of overlapping . . . libwindows(S)  
 Move: moves layer to new location . . . . . libwindows(S)  
 layers Top: moves layer to top of overlapping . . . . . libwindows(S)  
 New: creates a new layer with a separate shell . . . . . libwindows(S)  
 Newlayer: creates a new layer without a separate shell . . . . libwindows(S)  
 layer to bottom of overlapping layers Bottom: moves . . . . . libwindows(S)  
 moves layer to top of overlapping layers Top: . . . . . libwindows(S)  
 windowing terminals layers: layer multiplexer for . . . . . layers(C)  
 host and windowing terminal/ layers: protocol used between . . . . . layers(M)  
 host and windowing terminal under layers(C) /protocol used between . . layers(M)  
 sysadmsh sysadmnu: layout of extensible menus in . . . . . sysadmmenu(F)  
 of directories l, l, lf, lr, ls, lx: list contents . . . . . ls(C)  
 lc: List files in columns . . . . . ls(C)  
 file lckpwdf: lock the shadow password getspent(S)  
 /setspent, endspent, fgetspent, lckpwdf, ulckpwdf: get shadow / . . . . . getspent(S)  
 entry points lcong48: invoke initialization . . . . . drand48(S)  
 drand48, erand48, jrand48, lcong48, lrand48, nrand48, / . . . . . drand48(S)  
 (native language support)/ lconv: Internationalization . . . . . lconv(FP)  
 localeconv: get lconv structure pointer . . . . . localeconv(S)  
 character set conversion table lcs\_get\_table: get language . . . . . lcs\_get\_table(PCI)  
 language character set routines lcs\_intro: introduction to . . . . . lcs\_intro(PCI)  
 language character set/ lcs\_release\_table: releases a . . . . . lcs\_release\_table(PCI)  
 character set conversion table/ lcs\_set\_options: sets language . . . . . lcs\_set\_options(PCI)  
 output language character set/ lcs\_set\_tables: sets input and . . . . . lcs\_set\_tables(PCI)  
 input block to output block lcs\_translate\_block: translate . . . . . lcs\_translate\_block(PCI)  
 input string to output string lcs\_translate\_string: translates . . . . . lcs\_translate\_string(PCI)  
 ld: invokes the link editor . . . . . ld(CP)

## Permuted Index

ld: invokes the link editor ..... ld(XNX)  
 file and free memory ldclose, ldclose: close a common object ... ldclose(S)  
     memory ldclose: closes file and frees ..... ldclose(S)  
 of a member of an archive file ldahread: read the archive header .. ldahread(S)  
     initializes a new LDFILE/ ldaopen: allocates and ..... ldopen(S)  
     file for reading ldopen, ldaopen: open a common object ... ldopen(S)  
     memory ldclose: closes file and frees ..... ldclose(S)  
     object file and free memory ldclose, ldclose: close a common ... ldclose(S)  
     double lddbl: convert ISAM integer to ..... isconv(S)  
     stdbl, stfloat, stint,/ isconv: lddbl, ldfloat, ldint, ldlong, ..... isconv(S)  
 floating-point numbers frexp, ldexp, modf: manipulate parts of ... frexp(S)  
     value \* 2<sup>exp</sup> ldexp: returns the quantity ..... frexp(S)  
     routines ldfcn: common object file access ... ldfcn(FP)  
     a common object file ldhread: read the file header of ... ldhread(S)  
 allocates and initializes a new LDFILE structure ldaopen: ..... ldopen(S)  
     ldopen: returns a pointer to LDFILE structure ..... ldopen(S)  
     float ldfloat: convert ISAM integer to ... isconv(S)  
     stfloat, stint,/ isconv: lddbl, ldfloat, ldint, ldlong, stdbl, ..... isconv(S)  
 for common object file symbol/ ldgetname: retrieve symbol name .. ldgetname(S)  
     short ldint: convert ISAM integer to ..... isconv(S)  
     stint,/ isconv: lddbl, ldfloat, ldint, ldlong, stdbl, stfloat, ..... isconv(S)  
     ldiv: divides long integers ..... ldiv(S)  
 number entries of a/ ldread, ldlin, lditem: manipulate line ... ldread(S)  
     smallest line number ldlin: reads the entry with the ... ldread(S)  
     entries of a/ ldread, ldlin, lditem: manipulate line number .. ldread(S)  
     line number entries lditem: retrieves a series of ..... ldread(S)  
     long ldlong: convert ISAMinteger to ..... isconv(S)  
     isconv: lddbl, ldfloat, ldint, ldlong, stdbl, stfloat, stint,/ ..... isconv(S)  
     the line number ldread: begins its search with ..... ldread(S)  
 manipulate line number entries/ ldread, ldlin, lditem: ..... ldread(S)  
 number entries of a section of a/ ldseek, ldnlseek: seek to line ..... ldseek(S)  
     entries of section specified by/ ldseek: seek to line number ..... ldseek(S)  
     entries of a section of/ ldseek, ldnlseek: seek to line number ..... ldseek(S)  
     entries of section specified by/ ldnlseek: seek to line number ..... ldseek(S)  
     entries of a section of/ ldnrseek, ldnrseek: seek to relocation ..... ldnrseek(S)  
     entries of section specified by/ ldnrseek: seeks relocation ..... ldnrseek(S)  
     section header of a/ ldshread, ldnsbread: read an indexed/named .. ldshread(S)  
     specified by sectname into/ ldnsbread: reads section header ... ldshread(S)  
 indexed/named section/ ldnsseek, ldnsseek: seek to an ..... ldnsseek(S)  
     specified by sectname ldnsseek: seeks to the section ..... ldnsseek(S)  
     file header of a common object/ ldohseek: seek to the optional ..... ldohseek(S)  
     object file for reading ldopen, ldaopen: open a common .. ldopen(S)  
     LDFILE structure ldopen: returns a pointer to ..... ldopen(S)  
     list allocdptr: allocate ldptr structure and add to linked .. ldptr(S)  
     freeldptr: free allocated ldptr structure from linked list .... ldptr(S)  
     vldldptr: verify ldptr structure on linked list ..... ldptr(S)  
     allocdptr, freeldptr, vldldptr: ldptr structure usage routines ..... ldptr(S)  
     relocation entries of a section/ ldnrseek, ldnrseek: seek to ..... ldnrseek(S)  
     of section specified by sectname ldnrseek: seeks relocation entries ... ldnrseek(S)  
 indexed/named section header of/ ldshread, ldnsbread: read an ..... ldshread(S)  
     specified by sectindx into/ ldshread: reads section header .... ldshread(S)  
     indexed/named section of a/ ldnsseek, ldnsseek: seek to an ..... ldnsseek(S)  
     specified by sectindx ldnsseek: seeks to the section ..... ldnsseek(S)  
     image dump ldsysdump: load a system memory ldsysdump(ADM)

symbol table entry of a common/ `ldtbindx: compute the index of a` `ldtbindx(S)`  
 table entry of a common object/ `ldtbread: read an indexed symbol` `ldtbread(S)`  
 table of a common object file `ldtbseek: seek to the symbol` `ldtbseek(S)`  
     `tputs: decodes the` `leading padding information` `termcap(S)`  
**XCrossingEvent: EnterNotify and** `LeaveNotify event structure` `XCrossingEvent(XS)`  
     location of the window cursor/ `leaveok: leaves cursor at` `curse(S)`  
     location of the window cursor/ `leaveok: leaves cursor at` `tam(S)`  
     location of the window cursor/ `leaveok: leaves cursor at` `terminfo(S)`  
     window cursor being/ `leaveok: leaves cursor at location of the` `curse(S)`  
     window cursor being/ `leaveok: leaves cursor at location of the` `tam(S)`  
     window cursor being/ `leaveok: leaves cursor at location of the` `terminfo(S)`  
     gets current scancode keyboard `LED state sc_getled:` `sc_init(S)`  
     sets the scancode keyboard `LED state sc_setled:` `sc_init(S)`  
**BitmapBitOrder: indicates whether** `leftmost bit least or most/` `ImageByteOrder(XS)`  
     `xdr_vector: XDR a C fixed` `length array` `xdr(NS)`  
     /string function that obtains the `length of a compound string` `XmStringLength(Xm)`  
     /of the current maximum allowable `length of a text string entered/` `XmTextFieldGetMaxLength(Xm)`  
     /of the current maximum allowable `length of a text string entered/` `XmTextFieldSetMaxLength(Xm)`  
     /of the current maximum allowable `length of a text string entered/` `XmTextGetMaxLength(Xm)`  
     /of the current maximum allowable `length of a text string entered/` `XmTextSetMaxLength(Xm)`  
     determine minimum password `length of an account passlen:` `passlen(S)`  
     connected/ `QLength: returns` `length of event queue for` `AllPlanes(XS)`  
     string `s1 strcspn: returns` `length of initial segment of` `string(S)`  
     mblen: `Get` `length of multibyte character` `mblen(S)`  
     s2 strspn: `returns segment` `length of string s1 from string` `string(S)`  
     /function that returns the `length of the stored data` `XmClipboardInquireLength(Xm)`  
     /on the existence of non-zero `length text components` `XmStringEmpty(Xm)`  
     islower: `tests for any lowercase` `letter` `ctype(S)`  
     isupper: `tests for any uppercase` `letter` `ctype(S)`  
         `getopt: get option` `letter from argument vector` `getopt(S)`  
         `banner: print large` `letters` `banner(C)`  
     `splstr: set stream priority` `level` `splstr(K)`  
     `spl1: prevent priority` `level 1 interrupts` `spl(K)`  
     `spl2: prevent priority` `level 2 interrupts` `spl(K)`  
     `spl3: prevent priority` `level 3 interrupts` `spl(K)`  
     `spl4: prevent priority` `level 4 interrupts` `spl(K)`  
     `lex: a` `lexical-analyzer generator` `lex(CP)`  
     `lex: a` `lexical-analyzer generator` `lex(CP)`  
     directories, executables, and/ `lf: List files indicating` `ls(C)`  
     directories `l, lc,` `lf, lr, ls, lx: list contents of` `ls(C)`  
         `lsearch,` `lfind: linear search and update` `lsearch(S)`  
         `adds to table` `lfind: searches for object and` `lsearch(S)`  
     of value returned by gamma or `lgamma signgam: sign` `gamma(S)`  
     `lgamma: xpg3 log gamma function` `gamma(S)`  
     Lib library functions and/ `Intro(XS)`  
     `(libmalloc) information` `mallinfo(FP)`  
     libraries `ar(XNX)`  
     libraries `ranlib:` `ranlib(XNX)`  
     libraries `tanlib:` `tanlib(S)`  
     libraries tool `chkshlib(CP)`  
     introduction to the X Extensions `library Intro:` `Intro(Xext)`  
     `mkshlib: create a shared` `library` `mkshlib(CP)`  
     ordering relation for an object `library lorder: find` `lorder(CP)`  
     `t_sync: synchronize transport` `library` `t_sync(S)`

## Permuted Index

windowing terminal function library libwindows: ..... libwindows(S)  
 during call to system or library function /encountered ..... perror(S)  
 Intro: introduction to RPC library functions ..... Intro(NS)  
 Intro: introduction to socket library functions ..... Intro(SLIB)  
 Intro: introduction to X Lib library functions and routines ..... Intro(XS)  
 Intro: introduction to Xmu library functions and routines ..... Intro(Xmu)  
 llog: library logging package ..... llog(S)  
 message catalogue archive and library maintainer mar: ..... mar(CP)  
 archives ar: archive and library maintainer for portable ..... ar(CP)  
 field: FIELD library routines ..... field(S)  
 filetype: FILETYPE library routines ..... filetype(S)  
 form: FORM library routines ..... form(S)  
 panel: PANEL library routines ..... panel(S)  
 Intro: introduce system services, library routines, and error/ ..... Intro(S)  
 data representation xdr: library routines for external ..... xdr(NS)  
 procedure calls rpc: library routines for remote ..... rpc(NS)  
 t\_alloc: allocate a library structure ..... t\_alloc(S)  
 t\_free: free a library structure ..... t\_free(S)  
 xtil: XTI library trace control ..... xtil(CP)  
 function library libwindows: windowing terminal ..... libwindows(S)  
 /finds the point of maximum lightness (L\*) displayable by the/ .. XcmsCIELabQueryMaxC(XS)  
 /finds the point of maximum lightness (L\*) displayable by the/ .. XcmsCIELuvQueryMaxC(XS)  
 /finds the point of minimum lightness (L\*) displayable by the/ .. XcmsCIELabQueryMaxC(XS)  
 /finds the point of minimum lightness (L\*) displayable by the/ .. XcmsCIELuvQueryMaxC(XS)  
 in the next entry from a utmp -like file getutent: reads ..... getut(S)  
 searches forward in the utmp -like file getutid: ..... getut(S)  
 supplied utmp structure to utmp -like file pututline: writes out ..... getut(S)  
 maxuuxseds: UUCP uuxsed(ADM) limit file ..... maxuuxseds(F)  
 maxuuxqts: UUCP uuxqt(ADM) limit file ..... maxuuxqts(F)  
 ulimit: get and set user limits ..... ulimit(S)  
 implementation-specific/ limits: header file for ..... limits(FP)  
 line: plots a line ..... plot(S)  
 line: read one line ..... line(C)  
 lsearch, lfind: linear search and update ..... lsearch(S)  
 lsearch: performs linear search of table ..... lsearch(S)  
 typeahead: does "line-breakout optimization" ..... curses(S)  
 typeahead: does "line-breakout optimization" ..... terminfo(S)  
 profile data lprof: display line-by-line execution count ..... lprof(CP)  
 Programming Interface (API) line-discipline and/ /Application ..... sc\_raw(S)  
 col: filter reverse linefeeds ..... col(C)  
 killchar: returns user's current line-kill character ..... curses(S)  
 killchar: returns user's current line-kill character ..... terminfo(S)  
 further lines linemod: sets style for plotting ..... plot(S)  
 common object file linenum: line number entries in a .. linenum(FP)  
 cancel: cancel requests to lineprinter ..... cancel(C)  
 lp, lpr: send requests to lineprinter ..... lp(C)  
 lpr: send request to lineprinter ..... lp(C)  
 /allow /prevent print requests to a lineprinter or class of printers ..... accept(ADM)  
 XDrawLines: draws lines ..... XDrawLine(XS)  
 permit logins over bidirectional lines ugetty: ..... getty(M)  
 sets style for plotting further lines linemod: ..... plot(S)  
 wc: count words, lines and bytes ..... wc(C)  
 window clrtbody: erases all lines below cursor in current ..... curses(S)  
 window clrtbody: erases all lines below cursor in current ..... tam(S)

window clrbot: erases all lines below cursor in current ..... terminfo(S)  
 window wclrbot: erases all lines below cursor in given ..... curses(S)  
 window wclrbot: erases all lines below cursor in given ..... terminfo(S)  
 comm: select or reject lines common to two sorted files ... comm(C)  
 rmb: remove extra blank lines from a file ..... rmb(M)  
 uniq: report repeated lines in a file ..... uniq(C)  
 head: print the first few lines of a file ..... head(C)  
 paste: merge lines of files ..... paste(C)  
 structure XDrawLine: draw lines, polygons, and line ..... XDrawLine(XS)  
 information about a symbolic link lstat: returns ..... stat(S)  
 readlink: reads a symbolic link ..... readlink(S)  
 directories link, unlink: link and unlink files and ..... link(ADM)  
 ld: invokes the link editor ..... ld(CP)  
 ld: invokes the link editor ..... ld(XNX)  
 a.out: UNIX common assembler and link editor output ..... a.out(FP)  
 x.out: format of XENIX link editor output ..... x.out(FP)  
 idld: link editor used by the Link Kit ..... idld(M)  
 idas: assembler used by the Link Kit ..... idas(M)  
 idld: link editor used by the Link Kit ..... idld(M)  
 loadable device drivers into the Link Kit /install boot-time ..... btldinstall(ADM)  
 link: link to a file ..... link(S)  
 information about a symbolic link or a named file /returns ..... stat(S)  
 xtd: extract and print xt driver link structure ..... xtd(ADM)  
 link: link to a file ..... link(S)  
 ln: make a link to a file ..... ln(C)  
 symlink: creates symbolic link to a file ..... symlink(S)  
 menu\_add: link to /bin/true ..... undocumented(M)  
 menu\_del: link to /bin/true ..... undocumented(M)  
 asktimer: is a link to /etc/asktime ..... asktime(ADM)  
 telinit is/ telinit: telinit is a link to init. When the command ... init(M)  
 processing system. mailx is a link to mail /interactive message ... mail(C)  
 page: is a link to more ..... more(C)  
 options for a terminal. STTY is a link to stty STTY: set the ..... stty(C)  
 xdump: link to xbackup ..... xbackup(ADM)  
 files and directories link, unlink: link and unlink ..... link(ADM)  
 into one linkb: concatenate two messages ... linkb(K)  
 allocated ldptr structure from linked list freeldptr: free ..... ldptr(S)  
 ldptr structure and add to linked list allocldptr: allocate ..... ldptr(S)  
 verify ldptr structure on linked list vldldptr: ..... ldptr(S)  
 dosld: MS-DOS cross linker ..... dosld(CP)  
 os2ld: OS/2 cross linker ..... os2ld(CP)  
 field at named location link\_field: duplicates given ..... field(S)  
 to field type built from two/ link\_fieldtype: returns a pointer ..... fieldtype(S)  
 executables, and symbolic links /indicating directories, ..... ls(C)  
 /a shadow directory of symbolic links to another directory tree ..... Indir(XS)  
 system kernel link\_unix: build a new UNIX ..... link\_unix(ADM)  
 lint: a C program checker ..... lint(CP)  
 XmFontList: data type for a font list ..... XmFontList("Xm")  
 a callback from the internal list /function that removes ..... XmRemoveProtocolCallback(Xm)  
 a callback from the internal list /interface that removes ..... XmRemoveWMProtocolCallback(Xm)  
 a copy of the registration list /function that returns ..... XmRepTypeGetRegistered(Xm)  
 a font list entry from a font list /list function that removes ..... XmFontListRemoveEntry(Xm)  
 a nested variable argument list /allocate ..... XVaCreateNestedList(XS)  
 against a hashed spelling list spell: Check spelling ..... spell(C)

## Permuted Index

all instances of an item in the list /List function that returns ..... `XmListGetMatchPos(Xm)`  
 all items from the selected list /unhighlights and removes ... `XmListDeselectAllItems(Xm)`  
 an old-style variable argument `va_alist`: denotes ..... `varargs(S)`  
 and character sets in a font list /to access the fonts ..... `XmFontListGetNextFont(Xm)`  
 at a specified position in the list /that deselects an item ..... `XmListDeselectPos(Xm)`  
 at a specified position in the list /that selects an item ..... `XmListSelectPos(Xm)`  
 the callback procedure to callback list /convert ..... `XmuCvtFunctionToCallback(Xmu)`  
 disables use of access control list `XDisableAccessControl`: ..... `XAddHost(XS)`  
 enables use of access control list `XEnableAccessControl`: ..... `XAddHost(XS)`  
 execute process with argument list `exec`: ..... `exec(S)`  
 function that adds an item to the list /a List ..... `XmListAddItemUnselected(Xm)`  
 function that adds an item to the list `XmListAddItem`: a List ..... `XmListAddItem(Xm)`  
 function that adds items to a list /a List ..... `XmListAddItemsUnselected(Xm)`  
 function that adds items to the list `XmListAddItems`: a List ..... `XmListAddItems(Xm)`  
 function that creates a new font list `XmFontListAdd`: a font list ..... `XmFontListAdd(Xm)`  
 function that replaces items in a list /a List ..... `XmListReplaceItemsUnselected(Xm)`  
 hash codes in a hashed spelling list `hashcheck`: Recreate the ..... `spell(C)`  
 host from access control list /removes each specified ..... `XAddHost(XS)`  
 host from access control list /removes specified ..... `XAddHost(XS)`  
 if a specified item is in the list /a List function that checks ..... `XmListItemExists(Xm)`  
 item at a specified position in a list /the bounding box of an ..... `XmListPosToBounds(Xm)`  
 item the last visible item in the list /that makes a specified ..... `XmListSetBottomPos(Xm)`  
 item the last visible item in the list /that makes an existing ..... `XmListSetBottomItem(Xm)`  
`ldptr` structure and add to linked list `allocldptr`: allocate ..... `ldptr(S)`  
`ldptr` structure from linked list `freeldptr`: free allocated ..... `ldptr(S)`  
 list function that copies a font list `XmFontListCopy`: a font ..... `XmFontListCopy(Xm)`  
 list function that creates a font list `XmFontListCreate`: a font ..... `XmFontListCreate(Xm)`  
`mm_waend`: ends MMDf address list ..... `mmddf(S)`  
`nlist`: get entries from name list ..... `nlist(S)`  
`nm`: prints name list ..... `nm(XNX)`  
 obtain resource list `XtGetResourceList`: ..... `XtGetResourceList(Xt)`  
 of every selected item in the list /that returns the position ..... `XmListGetSelectedPos(Xm)`  
 or disables use of access control list `XSetAccessControl`: enables ... `XAddHost(XS)`  
 output of a `varargs` argument list /vsprintf: print formatted ..... `vprintf(S)`  
 recovers memory used by a font list /a font list function that ..... `XmFontListFree(Xm)`  
 release character blocks to free list `ttyflush`: ..... `ty(K)`  
 returns current access control list `XListHosts`: ..... `XAddHost(XS)`  
 returns database search list `XrmQGetSearchList`: ..... `XrmGetResource(XS)`  
 returns the next entry in a font list /a font list function that ..... `XmFontListNextEntry(Xm)`  
 specified hosts to access control list `XAddHosts`: adds ..... `XAddHost(XS)`  
 specified item from the selected list /function that deselects the ... `XmListDeselectItem(Xm)`  
`stdarg`: variable argument list `varargs`, ..... `varargs(S)`  
 that appends an entry to a font list /a font list function ..... `XmFontListAppendEntry(Xm)`  
 that deletes all items from the list /a List function ..... `XmListDeleteAllItems(Xm)`  
 that deletes an item from the list /a List function ..... `XmListDeleteItem(Xm)`  
 that deletes items from the list /a List function ..... `XmListDeleteItems(Xm)`  
 that selects an item in the list /a List function ..... `XmListSelectItem(Xm)`  
 that sets add mode in the list /a List function ..... `XmListSetAddMode(Xm)`  
 the first visible item in the list /that makes an existing item ... `XmListSetItem(Xm)`  
 the first visible position in the list /item at the given position ... `XmListSetPos(Xm)`  
 the original base font name list /returns ..... `XFontsOfFontSet(XS)`  
 the position of an item in the list /List function that returns ..... `XmListItemPos(Xm)`  
 the specified elements in the list /List function that replaces ... `XmListReplaceItems(Xm)`  
 the specified elements in the list /List function that replaces ... `XmListReplaceItemsPos(Xm)`

to access the entries in a font list /that allows applications ..... `XmFontListInitFontContext(Xm)`  
to the specified position in the list /List function that scrolls ..... `XmListSetHorizPos(Xm)`  
used to traverse the argument list /declares a variable ..... `varargs(S)`  
using PATH variable and argument list `exec!p: execute process` ..... `exec(S)`  
va\_arg: gets next arg on variable list ..... `varargs(S)`  
va\_end: ends variable list ..... `varargs(S)`  
va\_start: initializes variable list ..... `varargs(S)`  
verify ldaptr structure on linked list `vldldptr: .....` `ldaptr(S)`  
/execute process with argument list and given environment ..... `exec(S)`  
authorizations auths: list and/or restrict kernel ..... `auths(C)`  
database appres: list application resource ..... `appres(X)`  
/that deletes an item from a list at a specified position ..... `XmListDeletePos(Xm)`  
/that deletes items from a list based on an array of/ ..... `XmListDeletePositions(Xm)`  
function that replaces items in a list based on position /a List ..... `XmListReplacePositions(Xm)`  
on a display `xlsclients: list client applications running` ..... `xlsclients(X)`  
l, lc, lf, lr, ls, lx: list contents of directories ..... `ls(C)`  
/the toolkit that the font list context is no longer needed ..... `XmFontListFreeFontContext(Xm)`  
xlsfonts: server font list displayer for X ..... `xlsfonts(X)`  
xswins: server window list displayer for X ..... `xswins(X)`  
DOS DIR style `dosdir: List DOS directories in the` ..... `doscmd(C)`  
format for a specified font list element tag /text encoding ..... `XmRegisterSegmentEncoding(Xm)`  
xlist: gets name list entries from file ..... `xlist(S)`  
fxlist: gets name list entries from file pointer ..... `xlist(S)`  
xlist, fdlist: gets name list entries from files ..... `xlist(S)`  
and creates an accompanying font list entry /or creates a font set ..... `XmFontListEntryLoad(Xm)`  
font information from a font list entry /that retrieves ..... `XmFontListEntryGetFont(Xm)`  
list function that creates a font list entry /a font ..... `XmFontListEntryCreate(Xm)`  
recovers memory used by a font list entry /list function that ..... `XmFontListEntryFree(Xm)`  
that retrieves the tag of a font list entry /a font list function ..... `XmFontListEntryGetTag(Xm)`  
list function that removes a font list entry from a font list /font ..... `XmFontListRemoveEntry(Xm)`  
for a filesystem `ff: list file names and statistics` ..... `ff(ADM)`  
ls: List files ..... `ls(C)`  
lc: List files in columns ..... `ls(C)`  
across the page, rather than/ `lx: List files in columns, sorted` ..... `ls(C)`  
directories, executables,/ `lf: List files indicating` ..... `ls(C)`  
any subdirectories/ `lr: List files, recursively listing` ..... `ls(C)`  
information `l: List files with full (long)` ..... `ls(C)`  
perms: file permissions list for package installation ..... `perms(F)`  
fslsfonts: display font list for X font server ..... `fslsfonts(X)`  
spellin: Write a spelling list from hash codes ..... `spell(C)`  
XmFontListEntryGetFont: a font list function that retrieves/ ..... `XmFontListEntryGetFont(Xm)`  
XmFontListEntryGetTag: a font list function that retrieves the/ ..... `XmFontListEntryGetTag(Xm)`  
to/ the list `XmListAddItem: a List function that adds an item` ..... `XmListAddItem(Xm)`  
XmListAddItemUnselected: a List function that adds an item ..... `XmListAddItemUnselected(Xm)`  
a/ `XmListAddItemsUnselected: a List function that adds items to` ..... `XmListAddItemsUnselected(Xm)`  
the list `XmListAddItems: a List function that adds items to` ..... `XmListAddItems(Xm)`  
XmFontListGetNextFont: a font list function that allows/ ..... `XmFontListGetNextFont(Xm)`  
XmFontListInitFontContext: a font list function that allows/ ..... `XmFontListInitFontContext(Xm)`  
XmFontListAppendEntry: a font list function that appends an/ ..... `XmFontListAppendEntry(Xm)`  
specified/ `XmListItemExists: a List function that checks if a` ..... `XmListItemExists(Xm)`  
list `XmFontListCopy: a font list function that copies a font` ..... `XmFontListCopy(Xm)`  
XmFontListEntryCreate: a font list function that creates a font/ ..... `XmFontListEntryCreate(Xm)`  
list `XmFontListCreate: a font list function that creates a font` ..... `XmFontListCreate(Xm)`  
font list `XmFontListAdd: a font list function that creates a new` ..... `XmFontListAdd(Xm)`

## Permuted Index

items/ `XmListDeleteAllItems`: a List function that deletes all ..... `XmListDeleteAllItems(Xm)`  
 item from a/ `XmListDeletePos`: a List function that deletes an ..... `XmListDeletePos(Xm)`  
 item from/ `XmListDeleteItem`: a List function that deletes an ..... `XmListDeleteItem(Xm)`  
 from a/ `XmListDeletePositions`: a List function that deletes items ..... `XmListDeletePositions(Xm)`  
 from the/ `XmListDeleteItems`: a List function that deletes items ..... `XmListDeleteItems(Xm)`  
 from the/ `XmListDeleteItemsPos`: a List function that deletes items ..... `XmListDeleteItemsPos(Xm)`  
 item at a/ `XmListDeselectPos`: a List function that deselects an ..... `XmListDeselectPos(Xm)`  
 specified/ `XmListDeselectItem`: a List function that deselects the ..... `XmListDeselectItem(Xm)`  
 the list/ `XmListPosSelected`: a List function that determines if ..... `XmListPosSelected(Xm)`  
`XmFontListFreeFontContext`: a font list function that instructs the/ ..... `XmFontListFreeFontContext(Xm)`  
 or/ `XmFontListEntryLoad`: a font list function that loads a font ..... `XmFontListEntryLoad(Xm)`  
 specified/ `XmListSetBottomPos`: a List function that makes a ..... `XmListSetBottomPos(Xm)`  
 existing item/ `XmListSetItem`: a List function that makes an ..... `XmListSetItem(Xm)`  
 existing/ `XmListSetBottomItem`: a List function that makes an ..... `XmListSetBottomItem(Xm)`  
 at the given/ `XmListSetPos`: a List function that makes the item ..... `XmListSetPos(Xm)`  
`XmFontListEntryFree`: a font list function that recovers/ ..... `XmFontListEntryFree(Xm)`  
 memory/ `XmFontListFree`: a font list function that recovers ..... `XmFontListFree(Xm)`  
`XmFontListRemoveEntry`: a font list function that removes a font/ .. `XmFontListRemoveEntry(Xm)`  
`XmListReplaceItemsUnselected`: a List function that replaces items/ .. `XmListReplaceItemsUnselected(Xm)`  
 in a list without selecting/ /a List function that replaces items ... `XmListReplaceItemsPosUnselected(Xm)`  
 in a/ `XmListReplaceItemsPos`: a List function that replaces items ..... `XmListReplaceItemsPos(Xm)`  
`XmListReplaceItemsPos`: a List function that replaces the/ ..... `XmListReplaceItemsPos(Xm)`  
 specified/ `XmListReplaceItems`: a List function that replaces the ..... `XmListReplaceItems(Xm)`  
 instances/ `XmListGetMatchPos`: a List function that returns all ..... `XmListGetMatchPos(Xm)`  
 bounding/ `XmListPosToBounds`: a List function that returns the ..... `XmListPosToBounds(Xm)`  
 next/ `XmFontListNextEntry`: a font list function that returns the ..... `XmFontListNextEntry(Xm)`  
 position of an/ `XmListItemPos`: a List function that returns the ..... `XmListItemPos(Xm)`  
 position of the/ `XmListYToPos`: a List function that returns the ..... `XmListYToPos(Xm)`  
 position/ `XmListGetKbdItemPos`: a List function that returns the ..... `XmListGetKbdItemPos(Xm)`  
 position/ `XmListGetSelectedPos`: a List function that returns the ..... `XmListGetSelectedPos(Xm)`  
 specified/ `XmListSetHorizPos`: a List function that scrolls to the ..... `XmListSetHorizPos(Xm)`  
 item at a/ `XmListSelectPos`: a List function that selects an ..... `XmListSelectPos(Xm)`  
 in the/ `XmListSelectItem`: a List function that selects an ..... `XmListSelectItem(Xm)`  
 in the list `XmListSetAddMode`: a List function that sets add mode ... `XmListSetAddMode(Xm)`  
 location/ `XmListSetKbdItemPos`: a List function that sets the ..... `XmListSetKbdItemPos(Xm)`  
 and/ `XmListDeselectAllItems`: a List function that unhighlights ..... `XmListDeselectAllItems(Xm)`  
`XmListUpdateSelectedList`: a List function that updates the/ ..... `XmListUpdateSelectedList(Xm)`  
 server `xlsatoms`: list interned atoms defined on ..... `xlsatoms(X)`  
 /function that determines if the list item at a specified position/ ..... `XmListPosSelected(Xm)`  
`MMDf`: list: list processor channel for ..... `list(ADM)`  
`Intro`: list manual page references ..... `intro(K)`  
`uucp` `uname`: List names of systems known to ... `uucp(C)`  
`XtGetActionList`: retrieve list of action procedures ..... `XtGetActionList(Xt)`  
`section` routines `Routines`: List of all system service (S) ..... `Routines(S)`  
`values` `XmUnInternStrings`: convert list of atom names into `Atom` ..... `XmUnAtom(Xmu)`  
`of/ /that` returns the parent, and the number ..... `XmDropSiteQueryStackingOrder(Xm)`  
`nm`: print name list of common object file ..... `nm(CP)`  
`/clipboard` function that returns a list of `data_id/private_id` pairs ..... `XmClipboardInquirePendingItems(Xm)`  
`queue` `ev_getdev`: gets a list of devices feeding an event ..... `ev_getdev(S)`  
`fsck` `checklist`: list of file systems processed by ..... `checklist(F)`  
`major` `sinuse`: display the list of major device numbers/ ..... `majorinuse(ADM)`  
`/set` an `XTextProperty` from a list of null terminated strings ..... `XmTextListToTextProperty(XS)`  
`xdr_pmaplist`: `XDR` list of port mappings ..... `rpc(NS)`  
`/changes` `clip-mask` to specified list of rectangles and set `clip/` ..... `XSetClipOrigin(XS)`



- /returns list of strings ..... XStringListToTextProperty(XS)
  - terminals: list of supported terminals ..... terminals(M)
  - or a primitive widget to the list of tab groups /a manager ..... XmAddTabGroup(Xm)
- specified text property /return a list of text strings from the ..... XmbTextListToTextProperty(XS)
  - specified text /return a list of text strings from the ..... XmbTextListToTextProperty(XS)
  - swconfig: produce a list of the software/ ..... swconfig(C)
- manager function that generates a list of values for a/ /type ..... XmRepTypeGetNameList(Xm)
  - vectorsinuse: display the list of vectors currently/ ..... vectorsinuse(ADM)
  - /returns pointer to list of window properties ..... XGetWindowProperty(XS)
- Generate hash codes for a list of words hashmake: ..... spell(C)
  - pipe: list or define pipe filesystem ..... pipe(ADM)
- make a product permissions list (permlist) mkperm: ..... mkperm(SMT)
- prevent interrupts from character list processing splcli: ..... spl(K)
  - list: list processor channel for MMDF ..... list(ADM)
  - from a common object file list: produce C source listing ..... list(CP)
  - listsets list resources in widgets ..... listsets(X)
- XmCreateScrolledList: the List ScrolledList convenience/ ..... XmCreateScrolledList(Xm)
  - /that deletes items from the list starting at the given/ ..... XmListDeleteItemsPos(Xm)
  - with the specified font list tag /format associated ..... XmMapSegmentEncoding(Xm)
  - who: list who is on the system ..... who(C)
- XmList: the List widget class ..... XmList(Xm)
  - XmCreateList: the List widget creation function ..... XmCreateList(Xm)
- function that replaces items in a list without selecting the/ /List ..... XmListReplaceItemsPosUnselected(Xm)
  - DOS routines and man pages listed Routines: ..... Routines(DOS)
  - t\_listen: listen for a connect request ..... t\_listen(S)
  - socket listen: listen for connections on a ..... listen(SSC)
  - a socket listen: listen for connections on ..... listen(SSC)
  - nlsadmin: network listener service administration ..... nlsadmin(ADM)
  - lr: List files, recursively listing any subdirectories/ ..... ls(C)
  - list: produce C source listing from a common object file .. list(CP)
  - widgets listsets: list resources in ..... listsets(X)
- database resources and search lists XmGetResource: retrieve ..... XmGetResource(XS)
  - structures /convert text lists and text property ..... XmbTextListToTextProperty(XS)
  - /convert string lists and text property structure ... XStringListToTextProperty(XS)
- XListInstalledColormaps: lists currently installed/ ..... XInstallColormap(XS)
- UNIX system ls style dosls: Lists DOS directories in the ..... doscmd(C)
  - XListFontsWithInfo: lists font names and information ... XListFonts(XS)
  - number mt: lists Intel tape drive model ..... undocumented(M)
  - hocheck: compare perms lists with current and past/ ..... hocheck(SMT)
  - volcopy: make literal copy of UNIX filesystem ..... volcopy(ADM)
  - /fetches a bitmap literal from a hierarchy ..... MrmFetchBitmapLiteral(Xm)
  - /fetches an icon literal from a hierarchy ..... MrmFetchIconLiteral(Xm)
  - /fetches a named color literal from a UID file ..... MrmFetchColorLiteral(Xm)
  - MrmFetchLiteral: fetches a literal from a UID file ..... MrmFetchLiteral(Xm)
  - /fetches the values to be set from literals stored in UID files ..... MrmFetchSetValues(Xm)
  - logging file and resets ll\_fd to/ ll\_close: closes the MMDF ..... llog(S)
  - specified MMDF string ll\_err: returns erno and the ..... llog(S)
  - the MMDF logging file and resets ll\_fd to zero ll\_close: closes ..... llog(S)
  - MMDF header string ll\_hdnit: sets the prefix of the ..... llog(S)
  - MMDF logging file ll\_init: accesses the opened ..... llog(S)
  - ll\_log: makes an MMDF log entry .. llog(S)
  - llog: library logging package ..... llog(S)
  - file ll\_open: opens the MMDF logging .. llog(S)
  - ln: make a link to a file ..... ln(C)

## Permuted Index

of symbolic links to another/ **Indir**: create a shadow directory ... **Indir(XS)**  
**ldsysdump**: load a system memory image dump **ldsysdump(ADM)**  
**xload**: load average display for X ... **xload(X)**  
**metric structures XLoadFont**: load or unload fonts and font ... **XLoadFont(XS)**  
 for execution when the system **load permits /Schedule jobs** ... **at(C)**  
**btld**: contents of a boot time **loadable device driver disk** ... **btld(F)**  
**btldinstall**: install boot-time **loadable device drivers into the/** ... **btldinstall(ADM)**  
**set/ /a font list function that** **loads a font or creates a font** ... **XmFontListEntryLoad(Xm)**  
**XLoadQueryFont**: **loads font** ... **XLoadFont(XS)**  
**regex match** **\_\_loc1**: pointer to beginning of ... **regcmp(S)**  
**matching regular expression** **loc1**: pointer to first character ... **regexp(S)**  
**last character matching regular/** **loc2**: pointer to character after ... **regexp(S)**  
**a compound string in the current** **locale /function that creates** ... **XmStringCreateLocalized(Xm)**  
**locale: the international** **locale** ... **locale(M)**  
**XtLanguageProc: set** **locale according to resource/** ... **XtLanguageProc(Xt)**  
**/returns the name of the** **locale bound to the database** ... **XrmGetFileDatabase(XS)**  
**string /returns the name of the** **locale bound to the specified** ... **XFontsOffFontSet(XS)**  
**locale support and configure** **locale modifiers /determine** ... **XSupportsLocale(XS)**  
**XLocaleOfIM: get the** **locale of an input method** ... **XOpenIM(XS)**  
**the X modifiers for the current** **locale setting /sets** ... **XSupportsLocale(XS)**  
**XSupportsLocale: determine** **locale support and configure/** ... **XSupportsLocale(XS)**  
**chrtbl**: create a ctype **locale table** ... **chrtbl(M)**  
**coltbl**: create a collation **locale table** ... **coltbl(M)**  
**curtbl**: create a currency **locale table** ... **montbl(M)**  
**mestbl**: create a messages **locale table** ... **mestbl(M)**  
**montbl**: create a currency **locale table** ... **montbl(M)**  
**numtbl**: create a numeric **locale table** ... **numtbl(M)**  
**timtbl**: create a time **locale table** ... **timtbl(M)**  
**locale: the international locale** ... **locale(M)**  
**pointer** **localeconv: get lconv structure** ... **localeconv(S)**  
**network mmdf: route mail** **locally and over any supported** ... **mmdf(ADM)**  
**to by clock to tm structure** **localtime: converts time pointed** ... **ctime(S)**  
**strftime, tzset: convert/ ctime** **localtime, gmtime, asctime,** ... **ctime(S)**  
**isstart: select an index and** **locate a record** ... **isstart(S)**  
**XmuLocateBitmapFile:** **locate and return bitmap** ... **XmuLocateBitmapFile(Xmu)**  
**Move: moves layer to new** **location** ... **libwindows(S)**  
**changes window size and** **location XMoveResizeWindow:** ... **XConfigureWindow(XS)**  
**duplicates given field at named** **location link\_field:** ... **field(S)**  
**the given field at the named** **location dup\_field: duplicates** ... **field(S)**  
**telldir: returns current** **location associated with named/** ... **directory(S)**  
**the position of the item at the** **location cursor /that returns** ... **XmListGetKbdItemPos(Xm)**  
**/a list function that sets the** **location cursor at a specified/** ... **XmListSetKbdItemPos(Xm)**  
**being/ leaveok: leaves cursor at** **location of the window cursor** ... **curses(S)**  
**being/ leaveok: leaves cursor at** **location of the window cursor** ... **tam(S)**  
**being/ leaveok: leaves cursor at** **location of the window cursor** ... **terminfo(S)**  
**end, etext, edata: last** **locations in program** ... **end(S)**  
**bzero: set memory** **locations to 0 (zero)** ... **bzero(K)**  
**lock:** **lock a user's terminal** ... **lock(C)**  
**islock:** **lock an ISAM file** ... **islock(S)**  
**section for/ lockb, unlockb:** **lock and unlock critical code** ... **lockb(K)**  
**files ale:** **lock and update authentication** ... **ale(ADM)**  
**lockb:** **lock critical code section** ... **lockb(K)**  
**lock:** **lock a user's terminal** ... **lock(C)**  
**memory** **lock: locks a process in primary** ... **lock(S)**

aiomemlock: AIO memory lock permissions file ..... aiomemlock(F)  
     memory plock: lock process, text, or data in ..... plock(S)  
     lckpwwdf: lock the shadow password file ..... getspent(S)  
     scolock: lock X display ..... scolock(X)  
         lockb: lock critical code section ..... lockb(K)  
         lockb, unlockb: lock and unlock ..... lockb(K)  
 critical code section for single/lockb, unlockb: lock and unlock ..... lockb(K)  
 isrelease: unlocks all manually locked records in a file ..... isrelease(S)  
     specified user can log in locked\_out: determine if ..... fields(S)  
         lockf: record locking on files ..... lockf(S)  
     region for reading or writing locking: locks or unlocks a file ..... locking(S)  
         lockf: record locking on files ..... lockf(S)  
     audit\_lock: audits database locking operations ..... authaudit(S)  
 aiolokit: set up AIO memory locking permissions ..... aiolokit(ADM)  
     authentication database locking routines /replace\_file: ..... dblock(S)  
         lock: locks a process in primary memory lock(S)  
 for reading or writing locking: locks or unlocks a file region ..... locking(S)  
     /a clipboard function that locks the clipboard ..... XmClipboardLock(Xm)  
     break out of back up loop locs: pointer causing advance to ..... regexp(S)  
         syslog: control system log ..... syslog(SLIB)  
         vsyslog: control system log ..... syslog(SLIB)  
         vsyslog: control system log syslog, openlog, setlogmask, ..... syslog(SLIB)  
         ll\_log: makes an MMDF log entry ..... llog(S)  
         openlog: initialize system log file ..... syslog(SLIB)  
         setlogmask: set log file priority mask ..... syslog(SLIB)  
         cleanup: clean up log files ..... undocumented(M)  
 directories uudemon.clean: merge log files and clean UUCP ..... uudemon(ADM)  
     and statistics/ logs: MMDF log files: system status, error, ..... logs(F)  
         gamma: log gamma function ..... gamma(S)  
         lgamma: xpg3 log gamma function ..... gamma(S)  
 determine if specified user can log in locked\_out: ..... fields(S)  
     logging and event tracing log: interface to STREAMS error ..... log(HW)  
     logging and event tracing log: interface to STREAMS error ..... log(M)  
 exponential, logarithm,/ exp, log, log10, pow, sqrt: ..... exp(S)  
     uulog: Query a log of uucp or uuxqt transactions ..... uucp(C)  
         idleout: log out idle users ..... idleout(ADM)  
         logarithm of x log: returns the natural ..... exp(S)  
         newgrp: log user into a new group ..... newgrp(C)  
 logarithm, power,/ exp, log, log10, pow, sqrt: exponential, ..... exp(S)  
     ten of x log10: returns the logarithm base ..... exp(S)  
         log10: returns the logarithm base ten of x ..... exp(S)  
         log: returns the natural logarithm of x ..... exp(S)  
     /log10, pow, sqrt: exponential, logarithm, power, square root/ ..... exp(S)  
     strclean: STREAMS error logger cleanup program ..... strclean(ADM)  
     strerr: STREAMS error logger daemon ..... strerr(ADM)  
     strlog: submit messages for logging ..... strlog(K)  
 log: interface to STREAMS error logging and event tracing ..... log(HW)  
 log: interface to STREAMS error logging and event tracing ..... log(M)  
     accesses the opened MMDF logging file ll\_init: ..... llog(S)  
     ll\_open: opens the MMDF logging file ..... llog(S)  
     zero ll\_close: closes the MMDF logging file and resets ll\_fd to ..... llog(S)  
     status, error, and statistics logging for MMDF /files: system ..... logs(F)  
         llog: library logging package ..... llog(S)  
     separate strings from program logic insertmsg: ..... insertmsg(CP)  
         /returns bit vector for logical state of keyboard ..... XChangeKeyboardControl(XS)

## Permuted Index

terminal types automatically at login ttytype: set ..... ttytype(F)  
 acctcon1: generates per login accounting records ..... acctcon(ADM)  
 audit\_login: audits login attempts ..... authaudit(S)  
 rellogin: rename login entry to show current layer .. rellogin(ADM)  
 login: give access to the system ..... login(M)  
 getlogin: get login name ..... getlogin(S)  
 getprdfnam: searches for matching login name ..... getprdfent(S)  
 getprfinam: searches for matching login name ..... getprfient(S)  
 logname: get login name ..... logname(C)  
 getprpwnam: searches for login name matching name ..... getprpwent(S)  
 getprtcnam: searches for login name matching name ..... getprtcent(S)  
 getpwnam: searches for login name matching name ..... getpwent(S)  
 cuserid: get character login name of the user ..... cuserid(S)  
 logname: return login name of user ..... logname(S)  
 getsprnam: get matching login name shadow password entry getspent(S)  
 password passwd: change login, or modem (dialup shell) .... passwd(C)  
 terminal: login terminal ..... terminal(HW)  
 profile: set up an environment at login time ..... profile(M)  
 starting\_luid: returns the login UID ..... identity(S)  
 /(uid): check current login UID against retained ID ..... identity(S)  
 getluid: get login user ID ..... getluid(S)  
 setluid: set login user ID ..... setluid(S)  
 entry getutline: searches for LOGIN\_PROCESS or USER\_PROCESS getut(S)  
 last: indicate last logins of users and teletypes ..... last(C)  
 uugetty: permit logins over bidirectional lines ..... getty(M)  
 user logname: get login name ..... logname(C)  
 logname: return login name of ..... logname(S)  
 XmuDrawLogo: draw X Window System logo ..... XmuDrawLogo(Xm)  
 xlogo: X Window System logo ..... xlogo(X)  
 status, error, and statistics/ logs: MMDf log files: system ..... logs(F)  
 l: List files with full (long) information ..... ls(C)  
 that the font list context is no longer needed /the toolkit ..... XmFontListFreeFontContext(Xm)  
 toolkit that the context is no longer needed /that instructs the .. XmStringFreeContext(Xm)  
 /indicates that the application no longer wants to supply a data/ .. XmClipboardWithdrawFormat(Xm)  
 widest\_auth: returns longest authorization string name .. subsystems(S)  
 /that returns the width of the longest sequence of text/ ..... XmStringWidth(Xm)  
 with error longjmp: end current system call .. longjmp(K)  
 setjmp, longjmp: non-local goto ..... setjmp(S)  
 environment longjmp: restores last saved ..... setjmp(S)  
 verbose description of current/ longname: returns pointer to ..... curses(S)  
 verbose description of current/ longname: returns pointer to ..... terminfo(S)  
 flushtb: flush the translation lookaside buffer ..... flushtb(K)  
 XStoreNamedColor: looks up named color ..... XStoreColors(XS)  
 closest color/ XAllocNamedColor: looks up named color and returns .. XAllocColor(XS)  
 tgetent: looks up termcap entry for name .. curses(S)  
 tgetent: looks up termcap entry for name .. terminfo(S)  
 color XcmsLookupColor: looks up the string name of a ..... XcmsQueryColor(XS)  
 color, returns the/ XParseColor: looks up the string name of a ..... XQueryColor(XS)  
 retain IDs for future lookup set\_auth\_parameters: ..... identity(S)  
 XFindContext: associative look-up routine ..... XSaveContext(XS)  
 XSaveContext: associative look-up routines ..... XSaveContext(XS)  
 advance to break out of back up loop locs: pointer causing ..... regexp(S)  
 for an object library lorder: find ordering relation ..... lorder(CP)  
 method that the input context has lost focus /notify an input ..... XSetICFocus(XS)

Latin-1 uppercase string to lowercase /copies ..... XmuCopyISOLatin1Lowered(Xmu)  
 \_tolower: converts to lowercase ..... ctype(S)  
 tolower: converts character to lowercase ..... toascii(S)  
 tolower: converts to lowercase ..... ctype(S)  
 \_tolower: converts character to lowercase (faster, limited/ ..... toascii(S)  
 islower: tests for any lowercase letter ..... ctype(S)  
 /copies Latin-1 lowercase string to uppercase ..... XmuCopyISOLatin1Lowered(Xmu)  
 XCirculateSubwindowsDown: lowers highest mapped child of/ ..... XRaiseWindow(XS)  
 of stack XLowerWindow: lowers specified window to bottom ..... XRaiseWindow(XS)  
 XCirculateSubwindowsUp: raises lowest mapped child of specified/ ..... XRaiseWindow(XS)  
 device interfaces lp, lp0, lp1, lp2: line printer ..... lp(HW)  
 lineprinter lp, lpr: send requests to ..... lp(C)  
 ibmlpopt: display lp options for the IBM ProPrinter .. undocumented(M)  
 about status of (remote) lp print service /information ..... lpstat(C)  
 about status of remote lp print service /information ..... lpstat(C)  
 utility lpsch: menu driven lp print service administration ..... lpsch(ADM)  
 device interfaces lp, lp0, lp1, lp2: line printer ..... lp(HW)  
 interfaces lp, lp0, lp1, lp2: line printer device ..... lp(HW)  
 interfaces lp, lp0, lp1, lp2: line printer device ..... lp(HW)  
 service lpadmin: configure the print ..... lpadmin(ADM)  
 with the print service lpfilter: administer filters used ..... lpfilter(ADM)  
 with the print service lpforms: administer forms used ..... lpforms(ADM)  
 lpmove: move print requests ..... lpmove(ADM)  
 lpr: send request to lineprinter ..... lp(C)  
 lp, lpr: send requests to lineprinter ..... lp(C)  
 attached to the user's terminal lprint: print to a printer ..... lprint(C)  
 execution count profile data lprof: display line-by-line ..... lprof(CP)  
 print service lpsched, lpshut: start/stop the ..... lpsched(ADM)  
 lpsched: start the print service ..... lpsched(ADM)  
 service administration utility lpsch: menu driven lp print ..... lpsch(ADM)  
 service lpsched, lpshut: start/stop the print ..... lpsched(ADM)  
 lpshut: stop the print service ..... lpsched(ADM)  
 information about status of/ lpstat, rlpstat: print ..... lpstat(C)  
 priorities lpusers: set printing queue ..... lpusers(ADM)  
 listing any subdirectories/ lr: List files, recursively ..... ls(C)  
 directories l, lc, lf, lr, ls, lx: list contents of ..... ls(C)  
 /erand48, jrand48, lcong48, lrand48, nrand48, mrand48,/ ..... drand48(S)  
 long integers lrand48: returns non-negative ..... drand48(S)  
 ls: List files ..... ls(C)  
 directories l, lc, lf, lr, ls, lx: list contents of ..... ls(C)  
 directories in the UNIX system ls style dosls: Lists DOS ..... doscmd(C)  
 update lsearch, lfind: linear search and ..... lsearch(S)  
 of table lsearch: performs linear search ..... lsearch(S)  
 pointer lseek: move read/write file ..... lseek(S)  
 lstat: get file status ..... lstat(NS)  
 a symbolic link lstat: returns information about ..... stat(S)  
 status stat, fstat, lstat, statlstat: returns file ..... stat(S)  
 integers and long/ l3tol, ltol3: convert between 3-byte ..... l3tol(S)  
 three-byte integers ltol3: converts long integers to ..... l3tol(S)  
 /obtain the CIE L\*u\*v\* coordinates ..... XcmsCIEuvQueryMaxC(XS)  
 l, lc, lf, lr, ls, lx: list contents of directories ..... ls(C)  
 across the page, rather than/ lx: List files in columns, sorted ..... ls(C)  
 sets window w as window of menu m set\_menu\_win: ..... menu(S)  
 window w as subwindow of menu m set\_menu\_sub: sets ..... menu(S)

## Permuted Index

sets the pad character for menu m to c set\_menu\_pad: ..... menu(S)  
 m4: macro processor ..... m4(CP)  
 (also: vax, mc68k, pdp11, u370,/ machid: i286, iAPX286, i386, i486 .. machid(C)  
 execute a command on a remote machine rcmd: ..... rcmd(SLIB)  
 i286: Return a true value if a machine is a 286 ..... machid(C)  
 iAPX286: Return a true value if a machine is a 286 ..... machid(C)  
 i386: Return a true value if a machine is a 386 or fully/ ..... machid(C)  
 i486: Return a true value if a machine is a 486 or fully/ ..... machid(C)  
 features/ Intro: introduction to machine related miscellaneous ..... intro(HW)  
 values: machine-dependent values ..... values(M)  
 /access long integer data in a machine-independent fashion ..... sputl(S)  
 profile for propagation to other machines ap: generate account ..... ap(ADM)  
 rwall: write to specified remote machines ..... rwall(NS)  
 sysi86: machine-specific functions ..... sysi86(S)  
 checkeq: macro equation checker ..... undocumented(M)  
 m4: macro processor ..... m4(CP)  
 Color Conversion Context macros DisplayOfCCC: ..... DisplayOfCCC(XS)  
 XmuAtom: Xmu atom functions and macros ..... XmuAtom(Xmu)  
 image format functions and macros ImageByteOrder: ..... ImageByteOrder(XS)  
 keySYM classification macros IsCursorKey: ..... IsCursorKey(XS)  
 screen information functions and macros BlackPixelOfScreen: ..... BlackPixelOfScreen(XS)  
 tape: magnetic tape device ..... tape(HW)  
 tape: magnetic tape maintenance program tape(C)  
 tapedump: dump magnetic tape to output file ..... tapedump(C)  
 xmag: magnify parts of the screen ..... xmag(X)  
 binary file for transmission via mail /uudecode: encode/decode a uencode(C)  
 ml\_init: initiates mail ..... ml\_send(S)  
 send warnings and return expired mail cleanque: ..... cleanque(ADM)  
 system. mailx is a link to mail /message processing ..... mail(C)  
 SCO Shell with calendar, mail, and calculator /menu-driven scosh(C)  
 deliver: MMDF mail delivery process ..... deliver(ADM)  
 MMDF queue files for storing mail in transit queue: ..... queue(F)  
 supported network mmdf: route mail locally and over any ..... mmdf(ADM)  
 processing system mail, mailx: interactive message ... mail(C)  
 sends and receives electronic mail messages /an accessory that ..... scomail(X)  
 submit: MMDF mail queue manager ..... submit(ADM)  
 rmail: submit remote mail received via UUCP ..... rmail(ADM)  
 run-time tailoring for the MMDF mail router mmdftailor: provide .. mmdftailor(F)  
 away rcvtrip: notify mail sender that recipient is ..... rcvtrip(C)  
 mmdf: MMDF mail submission and pickup ..... mmdf(S)  
 ml\_send: Simple mail submission (ml\_) ..... ml\_send(S)  
 conversation with MMDF mail system mn\_init: initializes .. mmdf(S)  
 encode a binary file for mail transmission uencode: ..... uencode(C)  
 resend: redistribute mail using the Resent- notation .... resend(C)  
 addressee ml\_ladr: initiates mail when there is only one ..... ml\_send(S)  
 not/ checkmail: check for mail which has been submitted but ..... checkmail(C)  
 xbiff mailbox flag for X ..... xbiff(X)  
 cnvtmbox: convert XENIX-style mailboxes to MMDF format ..... cnvtmbox(ADM)  
 specification file maildelivery: user delivery ..... maildelivery(F)  
 rcvalert: mail-receipt notification ..... rcvalert(C)  
 processing system mail, mailx: interactive message ..... mail(C)  
 processing system. mailx is a/ mailx: interactive message ..... mail(C)  
 /message processing system. mailx is a link to mail ..... mail(C)  
 realloc, calloc, cfree: allocates main memory malloc, free, ..... malloc(S)

malloc, mallinfo: allocates main memory quickly / calloc, ... malloc(S)  
 in seconds between CMT and main time zone / difference ..... ctime(S)  
 fdisk: maintain disk partitions ..... fdisk(ADM)  
 groups of programs make: maintain, update, and regenerate .. make(CP)  
 catalogue archive and library maintainer mar: message ..... mar(CP)  
 ar: archive and library maintainer for portable archives ... ar(CP)  
 ar: maintains archives and libraries ... ar(XNX)  
 structure sc\_receive\_kb: maintains scancode sc\_bitmap .... sc\_init(S)  
 scancode keyboard sc\_kb2mapcode: maintains the state of the ..... sc\_readkb(S)  
 systty: system maintenance device ..... systty(M)  
 mcart: Irwin mini-cartridge tape maintenance program ..... mcart(C)  
 tape: magnetic tape maintenance program ..... tape(C)  
 XmMainWindowSetAreas: a MainWindow function that/ ..... XmMainWindowSetAreas(Xm)  
 the widget/ XmMainWindowSep1: a MainWindow function that returns XmMainWindowSep1(Xm)  
 the widget/ XmMainWindowSep2: a MainWindow function that returns XmMainWindowSep2(Xm)  
 the widget/ XmMainWindowSep3: a MainWindow function that returns XmMainWindowSep3(Xm)  
 XmMainWindow: the MainWindow widget class ..... XmMainWindow(Xm)  
 function XmCreateMainWindow: the MainWindow widget creation ..... XmCreateMainWindow(Xm)  
 major: get major device number ... major(K)  
 base major, new device number,/ major, makedev, minor: return major(K)  
 /makedev, minor: return base major, new device number, or/ ... major(K)  
 emajor, eminor: extract extended major/minor device numbers .... emajor(K)  
 major device numbers currently/ majorsinuse: display the list of .... majorsinuse(ADM)  
 regenerate groups of programs make: maintain, update, and ..... make(CP)  
 in makefiles makedepend: create dependencies . makedepend(XS)  
 minor device number makedev: get major and extended . major(K)  
 major, new device number,/ major, makedev, minor: return base ..... major(K)  
 xmkmf: create a Makefile from an lmakefile ..... xmkmf(XS)  
 create dependencies in makefiles makedepend: ..... makedepend(XS)  
 key makekey: generate an encryption .. makekey(ADM)  
 /a compound string function that makes a copy of a string ..... XmStringCopy(Xm)  
 execseg: makes a data region executable .... execseg(S)  
 unexecseg: makes a data region returned by ... execseg(S)  
 mkdirhier: makes a directory hierarchy ..... mkdirhier(XS)  
 visible/ /a List function that makes a specified item the last .... XmListSetBottomPos(Xm)  
 res\_mkquery: makes a standard query message .. resolver(SLIB)  
 visible/ /a List function that makes an existing item the first .... XmListSetItem(Xm)  
 visible/ /a List function that makes an existing item the last .... XmListSetBottomItem(Xm)  
 a/ /a ScrolledWindow function that makes an invisible descendant of ... XmScrollVisible(Xm)  
 ll\_log: makes an MMDf log entry ..... llog(S)  
 puts on top of the/ show\_panel: makes hidden panel visible and .... panel(S)  
 position/ /a List function that makes the item at the given ..... XmListSetPos(Xm)  
 Current: makes the layer current ..... libwindows(S)  
 replace\_file:/ /exit\_quiet\_zone, make\_transition\_files, ..... dblock(S)  
 transition file names make\_transition\_files: create ..... dblock(S)  
 /free, realloc, calloc, malloc, mallinfo: allocates main memory/ . malloc(S)  
 information mallinfo: malloc (libmalloc) ..... mallinfo(FP)  
 usage mallinfo: reports allocated space .. malloc(S)  
 malloc: allocates space ..... malloc(S)  
 object malloc: allocates space for an ..... malloc(S)  
 cfree: allocates main memory malloc, free, realloc, calloc, ..... malloc(S)  
 malloc, free, realloc, calloc, ..... malloc(S)  
 mallinfo: malloc (libmalloc) information ..... mallinfo(FP)  
 allocation algorithm mallopt: controls the space ..... malloc(S)

Permuted Index

malloc, free, realloc, calloc, mallopt, mallinfo: allocates main/ . malloc(S)  
 this guide man: print reference pages in ..... man(C)  
 XtManageChildren: manage and unmanage children ... XtManageChildren(Xt)  
 tsearch, tfind, tdelete, twalk: manage binary search trees ..... tsearch(S)  
     XtManageChild: manage children ..... XtManageChildren(Xt)  
     XtManageChildren: manage children ..... XtManageChildren(Xt)  
 hsearch, hcreate, hdestroy: manage hash search tables ..... hsearch(S)  
     endpoint t\_optmgmt: manage options for a transport ..... t\_optmgmt(S)  
     clients scossession: manage starting and stopping ..... scossession(X)  
 XtAugmentTranslations: manage translation tables ..... XtParseTranslationTable(Xt)  
 XtOverrideTranslations: manage translation tables ..... XtParseTranslationTable(Xt)  
 XtParseTranslationTable: manage translation tables ..... XtParseTranslationTable(Xt)  
 XtUninstallTranslations: manage translation tables ..... XtParseTranslationTable(Xt)  
 /function that identifies manageable children for each area . XmMainWindowSetAreas(Xm)  
     XtCalloc: memory management function ..... XtMalloc(Xt)  
     XtFree: memory management function ..... XtMalloc(Xt)  
     XtMalloc: memory management function ..... XtMalloc(Xt)  
     XtNew: memory management function ..... XtMalloc(Xt)  
     XtNewString: memory management function ..... XtMalloc(Xt)  
     XtRealloc: memory management function ..... XtMalloc(Xt)  
     XtMalloc: memory management functions ..... XtMalloc(Xt)  
 sigignore, sigpause: signal management routines /sigrelse, ... sigsetv(S)  
 ev\_init: invokes the event manager ..... ev\_init(S)  
 ev\_initf: invokes the event manager ..... ev\_init(S)  
 is received from the window manager /when a protocol message XmSetWMProtocolHooks(Xm)  
 mwm: the Motif Window Manager ..... mwm(X)  
 mwm: the Motif Window Manager ..... mwm(Xm)  
 scologin: X Display Manager ..... scologin(X)  
     sh: shell layer manager ..... shl(C)  
     submit: MMDF mail queue manager ..... submit(ADM)  
 the protocols to the protocol manager and allocates the/ /adds . XmAddProtocols(Xm)  
 the protocols to the protocol manager and allocates the/ /adds . XmAddWMProtocols(Xm)  
 /the protocols from the protocol manager and deallocates the/ ..... XmRemoveProtocols(Xm)  
 /the protocols from the protocol manager and deallocates the/ ..... XmRemoveWMProtocols(Xm)  
 list of/ /a representation type manager function that generates a . XmRepTypeGetNameList(Xm)  
 the/ /a representation type manager function that installs ..... XmRepTypeAddReverse(Xm)  
 the/ /a representation type manager function that installs ..... XmRepTypeInstallTearOffModelConverter(Xm)  
     /a representation type manager function that registers a/ . XmRepTypeRegister(Xm)  
     the/ /a representation type manager function that retrieves ... XmRepTypeGetId(Xm)  
     /a representation type manager function that returns/ ... XmRepTypeGetRecord(Xm)  
 copy of/ /a representation type manager function that returns a ... XmRepTypeGetRegistered(Xm)  
 validity/ /a representation type manager function that tests the ... XmRepTypeValidValue(Xm)  
 XGetWMHints: reads window manager hints ..... XAllocWMHints(XS)  
     XSetWMHints: sets window manager hints ..... XAllocWMHints(XS)  
     XWMHints: window manager hints structure ..... XAllocWMHints(XS)  
 XAllocWMHints: allocate window manager hints structure and set/ .. XAllocWMHints(XS)  
 determines whether the window manager is running /function that XmIsMotifFWMRunning(Xm)  
 the list/ /a function that adds manager or a primitive widget to . XmAddTabGroup(Xm)  
     /initialize the Resource Manager request ..... XtMakeGeometryRequest(Xt)  
     XrmOptionDescRec: Resource Manager, Resource Manager/ ..... XrmInitialize(XS)  
     XrmOptionKind: Resource Manager structure ..... XrmInitialize(XS)  
     XrmValue: Resource Manager structure ..... XrmInitialize(XS)  
 /the Resource Manager, Resource Manager structures, and parse the/ XrmInitialize(XS)



XmManager: the Manager widget class ..... XmManager(Xm)  
 XtInstallAccelerators: managing accelerator tables ..... XtParseAcceleratorTable(Xt)  
 XtInstallAllAccelerators: managing accelerator tables ..... XtParseAcceleratorTable(Xt)  
 XtParseAcceleratorTable: managing accelerator tables ..... XtParseAcceleratorTable(Xt)  
 XReadBitmapFile: manipulate bitmaps ..... XReadBitmapFile(XS)  
 determines if terminal can manipulate colors has\_colors: ..... curses(S)  
 determines if terminal can manipulate colors has\_colors: ..... terminfo(S)  
 records fwtmp, wtmpfix: manipulate connect accounting ... fwtmp(ADM)  
 XRecolorCursor: manipulate cursors ..... XRecolorCursor(XS)  
 XStoreBytes: manipulate cut and paste buffers ... XStoreBytes(XS)  
 database/ /endprdfnt, putprdfnam: manipulate default control ..... getprdfnt(S)  
 /putdvagnam, copydvagent: manipulate device assignment/ ... getdvagent(S)  
 entry /endprfint, putprfinam: manipulate file control database ... getprfint(S)  
 keyboard/ XChangeKeyboardMapping: manipulate keyboard encoding and XChangeKeyboardMapping(XS)  
 keyboard/ XChangeKeyboardControl: manipulate keyboard settings and XChangeKeyboardControl(XS)  
 a/ ldlread, ldlinit, ldlitem: manipulate line number entries of ldlread(S)  
 frexp, ldexp, modf: manipulate parts of/ ..... frexp(S)  
 XSetPointerMapping: manipulate pointer settings ..... XSetPointerMapping(XS)  
 database/ /endprpwn, putprpwnam: manipulate protected password ... getprpwn(S)  
 XrmUniqueQuark: manipulate resource quarks ..... XrmUniqueQuark(XS)  
 sigset: manipulate signal sets ..... sigset(S)  
 database/ /endprtcent, putprtcent: manipulate terminal control ..... getprtcent(S)  
 comment section mcs: manipulate the object file ..... mcs(CP)  
 XSetScreenSaver: manipulate the screen saver ..... XSetScreenSaver(XS)  
 XIconifyWindow: manipulate top-level windows .... XIconifyWindow(XS)  
 XmuWnInitializeNodes: manipulate widget set ..... XmuWnInitializeNodes(Xmu)  
 XSetSelectionOwner: manipulate window selection ..... XSetSelectionOwner(XS)  
 /inet\_netof: Internet address manipulation routines ..... inet(SLIB)  
 Subsystems database subsystems: manipulation routines for ..... subsystems(S)  
 frexp: returns the mantissa of a double value ..... frexp(S)  
 the X Window System xman: manual page display program for xman(X)  
 Intro: list manual page references ..... intro(K)  
 isrelease: unlocks all manually locked records in a file .. isrelease(S)  
 not documented elsewhere in these manuals undocumented: programs undocumented(M)  
 current RPC program-to-ports map pmap\_getmaps: return ..... rpc(NS)  
 return the master for a map yp\_master: ..... ypclnt(NS)  
 return the order number for a map yp\_order: ..... ypclnt(NS)  
 /allocate temporary memory or map a device into memory ..... sptalloc(K)  
 operating system path/ mapd2u: map a DOS path name to UNIX .... mapd2u(PCI)  
 XtCallbackExclusive: map a pop-up ..... XtMenuPopup(Xt)  
 XtCallbackNone: map a pop-up ..... XtMenuPopup(Xt)  
 XtCallbackNonexclusive: map a pop-up ..... XtMenuPopup(Xt)  
 XtMenuPopup: map a pop-up ..... XtMenuPopup(Xt)  
 XtPopup: map a pop-up ..... XtMenuPopup(Xt)  
 XtMapWidget: map and unmap widgets ..... XtMapWidget(Xt)  
 gr\_idtoname: map between group IDs and names pw\_nametoid(S)  
 gr\_nametoid: map between group names and IDs pw\_nametoid(S)  
 and/ /gr\_nametoid, gr\_idtoname: map between user and group names pw\_nametoid(S)  
 pw\_idtoname: map between user IDs and names pw\_nametoid(S)  
 pw\_nametoid: map between user names and IDs pw\_nametoid(S)  
 XmuLookupAPL: map key event to APL string ..... XmuLookupLatin1(Xmu)  
 XmuLookupLatin1: map key event to Latin1 string .... XmuLookupLatin1(Xmu)  
 XmuLookupLatin2: map key event to Latin2 string .... XmuLookupLatin1(Xmu)  
 XmuLookupLatin3: map key event to Latin3 string .... XmuLookupLatin1(Xmu)

## Permuted Index

XmuLookupLatin4: map key event to Latin4 string .... XmuLookupLatin1(Xmu)  
string XmuLookupArabic: map key event to Latin/Arabic .... XmuLookupLatin1(Xmu)  
string XmuLookupCyrillic: map key event to Latin/Cyrillic .... XmuLookupLatin1(Xmu)  
string XmuLookupGreek: map key event to Latin/Greek .... XmuLookupLatin1(Xmu)  
string XmuLookupHebrew: map key event to Latin/Hebrew .... XmuLookupLatin1(Xmu)  
XmuLookupKana: map key event to string .... XmuLookupLatin1(Xmu)  
JISX0201-1976/ XmuLookupJISX0201: map key event to string in .... XmuLookupLatin1(Xmu)  
usemouse: map mouse input to keystrokes .... usemouse(C)  
    ascii: map of the ASCII character set .... ascii(M)  
sc\_mapcode2str: gets scancode map string .... sc\_readkb(S)  
pathname to a DOS/ mapu2d: map UNIX operating system .... mapu2d(PCI)  
XtMapWidget: map widgets .... XtMapWidget(Xt)  
XtSetMappedWhenManaged: map widgets .... XtMapWidget(Xt)  
XMapWindow: map windows .... XMapWindow(XS)  
mapping mapchan: configure tty device .... mapchan(M)  
    mapping files mapchan: format of tty device .... mapchan(F)  
    returns the next input mapcode sc\_readmapcode: .... sc\_readkb(S)  
sc\_mapcode2kb: gets scancode from mapcode .... sc\_readkb(S)  
UNIX operating system path name mapd2u: map a DOS path name to .... mapd2u(PCI)  
    mapping on a PC keyboard mapkey: Configure keyboard .... mapkey(M)  
    convkey: Translate an old-style mapkey file into the current/ .... mapkey(M)  
configure monitor screen mapping mapkey, mapscrn, mapstr, convkey: mapkey(M)  
    structures XMapEvent: MapNotify and MappingNotify event XMapEvent(XS)  
    /lowers highest mapped child of specified window XRaiseWindow(XS)  
    /raises lowest mapped child of specified window XRaiseWindow(XS)  
    sc\_mapout: gets scancode mapped output string .... sc\_readkb(S)  
and disable scancode-to-character mapping scanon, scanoff: enable .... scanon(M)  
convkey: configure monitor screen mapping mapkey, mapscrn, mapstr, mapkey(M)  
    destroy a program-to-port mapping pmap\_unset: .... rpc(NS)  
disables scancode-to-character mapping scanoff: .... scanon(M)  
emdupmap: duplicate channel mapping .... emdupmap(K)  
enables scancode-to-character mapping scanon: .... scanon(M)  
establish a program-to-port mapping pmap\_set: .... rpc(NS)  
mapchan: configure tty device mapping .... mapchan(M)  
    mapscrn: Configure screen mapping .... mapkey(M)  
mapstr: Configure function key mapping .... mapkey(M)  
    vasunbind: undo mapping .... vas(K)  
mapchan: format of tty device mapping files .... mapchan(F)  
sc\_mapinit: saves for scancode mapping functions .... sc\_init(S)  
vasmapped: determines if mapping is in place .... vas(K)  
    wnl: turn on/off mapping NL into CR/NL on output tam(S)  
    /returns current mapping of pointer .... XSetPointerMapping(XS)  
    emunmap: disable mapping on a channel .... emunmap(K)  
    mapkey: Configure keyboard mapping on a PC keyboard .... mapkey(M)  
    XMappingEvent: MappingNotify event structure .... XMapEvent(XS)  
    XMapEvent: MapNotify and MappingNotify event structures .... XMapEvent(XS)  
    xdr\_pmaplist: XDR a list of port mappings .... rpc(NS)  
    XMapRequestEvent: MapRequest event structure .... XMapRequestEvent(XS)  
    return 7-bit escape sequence that maps onto 8-bit value kcode:map: .... tam(S)  
stacking order XMapSubwindows: maps subwindows in top-to-bottom XMapWindow(XS)  
    raise to top of/ XMapRaised: maps windows, subwindows and .... XMapWindow(XS)  
    mapscrn: Configure screen mapping mapkey(M)  
configure monitor screen/ mapkey, mapscrn, mapstr, convkey: .... mapkey(M)  
    mapping mapstr: Configure function key .... mapkey(M)

monitor screen/ mapkey, mapscrm, mapstr, convkey: configure ..... mapkey(M)  
 system pathname to a DOS/ mapu2d: map UNIX operating ..... mapu2d(PCL)  
 and library maintainer mar: message catalogue archive ... mar(CP)  
 xdrrec\_eof: mark end of file on XDR stream ... xdr(NS)  
 xdrrec\_endofrecord: mark end of record on XDR stream xdr(NS)  
 returns pointer to menu's mark string menu\_mark: ..... menu(S)  
 set\_menu\_mark: sets the menu's mark string to n ..... menu(S)  
 of form set\_new\_page: marks field to begin a new page ... form(S)  
 audit\_adjust\_mask: user mask ..... authaudit(S)  
 available for matching specified mask /searches queue and events .. XNextEvent(XS)  
 ev\_setemask: sets event mask ..... ev\_setemask(S)  
 events associated with specified mask /searches queue for ..... XNextEvent(XS)  
 get or set file-creation mode mask umask: ..... umask(C)  
 retrieve a widget's event mask XtBuildEventMask: ..... XtBuildEventMask(Xt)  
 return the current event mask ev\_getemask: ..... ev\_getemask(S)  
 setlogmask: set log file priority mask ..... syslog(SLIB)  
 umask: set and get file creation mask ..... umask(S)  
 XSetPlanemask: sets plane mask in specified GC ..... XSetState(XS)  
 returns root event mask of root EventMaskOfScreen: .. BlackPixelOfScreen(XS)  
 returns the current exception masks fpgetmask: ..... fpgetround(S)  
 fpsetmask: sets the exception masks and returns the previous/ .. fpgetround(S)  
 ym\_master: return the masm: invokes the assembler ..... masm(CP)  
 ptnx, pts???: STREAMS master for a map ..... ypCnt(NS)  
 Intro: introduction to software master pseudo-ty device ..... ptmx(M)  
 pointer to beginning of regex mastering toolkit utilities ..... Intro(SMT)  
 /tests whether the target types match \_loc1: ..... regcmp(S)  
 checks event queue and return if match between a drop site and/ ... XmTargetsAreCompatible(Xm)  
 expression advance: pattern match found XPeekIfEvent: ..... XIfEvent(XS)  
 regular expression compile and match given a compiled regular ... regexp(S)  
 checks event queue and copy match routines regexp: ..... regexp(S)  
 XWindowEvent: searches queue for matched event XCheckIfEvent: .... XIfEvent(XS)  
 queue and events available for matching event ..... XNextEvent(XS)  
 getrgid: searches for matching event /searches ..... XNextEvent(XS)  
 getprdfnam: searches for matching gid ..... getgrent(S)  
 getprfinam: searches for matching login name ..... getprdfent(S)  
 password entry getspname: get matching login name ..... getprfient(S)  
 getgrnam: searches for matching login name shadow .... getspnt(S)  
 getpwnam: searches for login name matching name ..... getgrent(S)  
 searches for login name matching name ..... getpwent(S)  
 getpwuid: searches for matching name getprpwnam: ..... getprpwent(S)  
 fgetpwent: gets pointer to next matching name getprtcnam: ..... getprtcent(S)  
 /to character after last character matching numerical user ID ..... getpwent(S)  
 loc1: pointer to first character matching passwd structure ..... getpwent(S)  
 queue and events available for matching regular expression ..... regexp(S)  
 searches for numerical user ID matching regular expression ..... regexp(S)  
 OTHERQ: get pointer to the matching specified mask /searches XNextEvent(XS)  
 80387: mate queue ..... otherq(K)  
 math coprocessor ..... 80387(HW)  
 math: math functions and constants ..... math(M)  
 constants math: math functions and ..... math(M)  
 number of installed colormap/ Matherr: error-handling function .. matherr(S)  
 /accesses the value of the current MaxCmapsOfScreen: returns maximum BlackPixelOfScreen(XS)  
 maximum allowable length of a/ .. XmTextFileGetMaxLength(Xm)

## Permuted Index

/accesses the value of the current maximum allowable length of a/ ... XmTextGetMaxLength(Xm)  
 /sets the value of the current maximum allowable length of a/ ... XmTextFieldSetMaxLength(Xm)  
 /sets the value of the current maximum allowable length of a/ ... XmTextSetMaxLength(Xm)  
 screen /finds the point of maximum chroma displayable by the XcmsCIELabQueryMaxC(XS)  
 screen /finds the point of maximum chroma displayable by the XcmsCIELuvQueryMaxC(XS)  
 XExtentsOffFontSet: obtain the maximum extents structure for a/ ... XExtentsOffFontSet(XS)  
     t\_nerr: maximum index value for t\_errlist t\_error(S)  
 displayable/ /finds the point of maximum lightness (L\*) ... XcmsCIELabQueryMaxC(XS)  
 displayable/ /finds the point of maximum lightness (L\*) ... XcmsCIELuvQueryMaxC(XS)  
 rows and/ set\_menu\_format: sets maximum number displayed menu menu(S)  
     default/ DisplayCells: returns maximum number of entries in ... AllPlanes(XS)  
     MaxCmapsOfScreen: returns maximum number of installed/ ... BlackPixelOfScreen(XS)  
 columns/ menu\_format: returns maximum number of rows and ... menu(S)  
     compares its arguments to maximum of n characters strncmp: string(S)  
 request XMaxRequestSize: returns maximum size of a protocol ... AllPlanes(XS)  
     returns min-keycodes and ... XDisplayKeycodes: XChangeKeyboardMapping(XS)  
         limit file maxuuxscheds: UUCP uuxsched(ADM) maxuuxscheds(F)  
         file maxuuxqts: UUCP uuxqt(ADM) limit maxuuxqts(F)  
         character mblen: Get length of multibyte ... mblen(S)  
 wctombs: multibyte character/ mblen, mbtowc, mbstowcs, wctomb, mblen(S)  
     string to wide string mblen, mbtowc: Convert multibyte ... mblen(S)  
     multibyte/ mblen, mbtowc, mbstowcs, wctomb, wctombs: ... mblen(S)  
     character to wide character mblen, mbtowc: Convert single multibyte mblen(S)  
 wctombs: multibyte/ mblen, mbtowc, mbstowcs, wctomb, ... mblen(S)  
 /iAPX286, i386, i486 (also: vax, mc68k, pdp11, u370, u3b, u3b15,/ machid(C)  
     maintenance program mcart: Irwin mini-cartridge tape ... mcart(C)  
     parameters mconffig: Irwin tape driver ... mconffig(F)  
         mcd daemon: tape driver daemon ... mconffig(F)  
     comment section mcs: manipulate the object file ... mcs(CP)  
     description file mdevice: device driver module ... mdevice(F)  
     currently specified in the mdevice file /device numbers ... majorsinuse(ADM)  
         running Xsco server or /from console multiscreens ... switchkey(X)  
 XRebindKeySym: rebinds meaning of Keysym ... XLookupKeysym(XS)  
 fdfit: fits file archives onto media volumes ... fdfit(SMT)  
     mem, kmem: memory image file ... mem(FP)  
     computer's physical memory mem: provides access to the ... mem(FP)  
 /returns non-zero if descriptor is member of a descriptor set ... select(S)  
     /read the archive header of a member of an archive file ... ldahread(S)  
         memory area memccpy: copies characters from ... memory(S)  
     memset: memory/ memory: memccpy, memchr, memcmp, memcpy, memory(S)  
     memory/ memory: memccpy, memchr, memcmp, memcpy, memset: memory(S)  
     first occurrence of a character memchr: returns a pointer to the ... memory(S)  
     memory: memccpy, memchr, memcmp, memcpy, memset: memory/ memory(S)  
         memcpy: copies n characters ... memory(S)  
 memory: memccpy, memchr, memcmp, memcpy, memset: memory operations memory(S)  
     memory at initialization memget: allocate contiguous ... memget(K)  
         between objects memmove: copies characters ... memmove(S)  
         XFreeStringList: frees memory ... XStringListToTextProperty(XS)  
     a common object file and free memory ldclose, ldaclose: close ... ldclose(S)  
     access to the computer's physical memory mem: provides ... mem(FP)  
     access to the kernel virtual memory kmem: provides ... mem(FP)  
     and frees up all associated memory /deletes named window ... curses(S)  
     and frees up all associated memory /deletes named window ... terminfo(S)

calloc, cfree: allocates main  
 gets long integer data from  
 header specified by sectindx into  
 header specified by sectname into  
 ldaclose: closes file and frees  
 ldclose: closes file and frees  
 lock process, text, or data in  
 lock: locks a process in primary  
 memory or map a device into  
 sputl: puts long integer data in  
 string function that recovers  
 vasmalloc: allocate virtual  
 vidmap: get a pointer to virtual  
 XwcFreeStringList: function frees  
 device/ enddvagent: free  
 memccpy: copies characters from  
 sets the first n characters in  
 XmuDQDestroy: release  
 memget: allocate contiguous  
 ramdisk:  
 shunctl: shared  
 (ECC) facility ecc, eccd:  
 /checks the server for shared  
 XShm: shared  
 vidunmap: unbind virtual  
 queue, semaphore set or shared  
 ldsysdump: load a system  
 mem, kmem:  
 bzero: set  
 aiomemlock: AIO  
 aiolkinit: set up AIO  
 XtCalloc: memory management function ... XtMalloc(Xt)  
 XtFree: memory management function ... XtMalloc(Xt)  
 XtMalloc: memory management function ... XtMalloc(Xt)  
 XtNew: memory management function ... XtMalloc(Xt)  
 XtNewString: memory management function ... XtMalloc(Xt)  
 XtRealloc: memory management function ... XtMalloc(Xt)  
 XtMalloc: memory management functions ... XtMalloc(Xt)  
 memcpy, memset: memory/  
 realloc: changes the size of  
 memchr, memcmp, memcpy, memset:  
 shmop: shmat, shmdt: shared  
 sptalloc: allocate temporary  
 btoc: convert bytes to  
 convert between bytes and clicks  
 ctob: convert  
 creates a shared  
 sptalloc sptfree: release  
 mallopt, mallinfo: allocates main  
 vasunbind: virtual address space  
 server to attach to the shared  
 server to detach from the shared  
 shmat: attaches shared  
 shmdt: detaches shared  
 memory malloc, free, realloc, ... malloc(S)  
 memory sgetl: ... sputl(S)  
 memory ldshread: reads section ... ldshread(S)  
 memory ldnshread: reads section ... ldshread(S)  
 memory ... ldclose(S)  
 memory ... ldclose(S)  
 memory plock: ... plock(S)  
 memory ... lock(S)  
 memory /allocate temporary ... sptalloc(K)  
 memory ... sputl(S)  
 memory XmStringFree: a compound XmStringFree(Xm)  
 memory ... vas(K)  
 memory ... video(K)  
 memory allocated by/ ... XmTextListToTextProperty(XS)  
 memory and close files supporting getdvagent(S)  
 memory area ... memory(S)  
 memory area memset: ... memory(S)  
 memory associated with queue ... XmuDisplayQueue(Xmu)  
 memory at initialization ... memget(K)  
 memory block device ... ramdisk(HW)  
 memory control operations ... shunctl(S)  
 memory Error Correction Code ... ecc(ADM)  
 memory extensions ... XShm(Xext)  
 memory extensions ... XShm(Xext)  
 memory got by vidumapinit ... video(K)  
 memory ID /remove a message ... ipcrm(ADM)  
 memory image dump ... ldsysdump(ADM)  
 memory image file ... mem(FP)  
 memory locations to 0 (zero) ... bzero(K)  
 memory lock permissions file ... aiomemlock(F)  
 memory locking permissions ... aiolkinit(ADM)  
 memory management function ... XtMalloc(Xt)  
 memory management function ... XtMalloc(Xt)  
 memory management function ... XtMalloc(Xt)  
 memory management function ... XtMalloc(Xt)  
 memory management function ... XtMalloc(Xt)  
 memory management functions ... XtMalloc(Xt)  
 memory: memccpy, memchr, memcmp, memory(S)  
 memory object ... malloc(S)  
 memory operations /memcpy, ... memory(S)  
 memory operations ... shmop(S)  
 memory or map a device into/ ... sptalloc(K)  
 memory pages ... btoc(K)  
 (memory pages) btoc, ctob: ... btoc(K)  
 memory pages to bytes ... btoc(K)  
 memory pixmap XShmCreatePixmap: XShm(Xext)  
 memory previously allocated with sptfree(K)  
 memory quickly /realloc, calloc, ... malloc(S)  
 memory routines /vasmapped, ... vas(K)  
 memory segment /tells the ... XShm(Xext)  
 memory segment /tells the ... XShm(Xext)  
 memory segment ... shmop(S)  
 memory segment ... shmop(S)  
 memory segment ... memory(S)

## Permuted Index

shmget: get shared memory segment identifier ..... shmget(S)  
 memsize: print memory size ..... memsize(ADM)  
 shm: IPC shared memory structures ..... shm(FP)  
 font list function that recovers memory used by a font list /a ..... XmFontListFree(Xm)  
 /font list function that recovers memory used by a font list entry ... XmFontListEntryFree(Xm)  
 XcmsFreeCCC: frees the memory used for the specified CCC XcmsCreateCCC(XS)  
 XShmCreateImage: creates a shared memory XImage ..... XShm(Xext)  
 reads image data into a shared memory XImage XShmGetImage: XShm(Xext)  
 XShmPutImage: writes a shared memory XImage into an X drawable XShm(Xext)  
 /memccpy, memchr, memcmp, memcpy, memset: memory operations ..... memory(S)  
 characters in memory area memset: sets the first n ..... memory(S)  
 memsize: print memory size ..... memsize(ADM)  
 ID for the tear-off control in a menu /that obtains the widget .... XmGetTearOffControl(Xm)  
 columns that can be displayed in a menu /maximum number of rows and menu(S)  
 menu: create and display a menu ..... tam(S)  
 new\_menu: create a new menu ..... menu(S)  
 off the named options for the menu menu\_opts\_off: turns ..... menu(S)  
 on the named options for the menu menu\_opts\_on: turns ..... menu(S)  
 returns number of items in given menu item\_count: ..... item(S)  
 string in menu buffer for given menu menu\_pattern: returns ..... menu(S)  
 turns on named options for menu set\_menu\_opts: ..... menu(S)  
 menu\_back: returns the menu background attribute ..... menu(S)  
 menu\_pattern: returns string in menu buffer for given menu ..... menu(S)  
 menu: create and display a menu ... tam(S)  
 menu: CRT menu routines ..... menu(S)  
 the cursor ID for the current menu cursor /that returns ..... XmGetMenuCursor(Xm)  
 /a function that modifies the menu cursor for a client ..... XmSetMenuCursor(Xm)  
 utility auditsh: menu driven audit administration . auditsh(ADM)  
 utility backupsh: menu driven backup administration backupsh(ADM)  
 administration utility lpsch: menu driven lp print service ..... lpsch(ADM)  
 utility sysadmsh: menu driven system administration sysadmsh(ADM)  
 menu\_fore: returns the menu foreground attribute ..... menu(S)  
 array free\_menu: disconnects menu from associated item pointer menu(S)  
 unpost\_menu: erases menu from associated subwindow . menu(S)  
 post\_menu: writes the menu in the menu's subwindow ... menu(S)  
 calls function f when menu is posted set\_item\_init: ..... menu(S)  
 calls function f when menu is posted set\_menu\_init: ..... menu(S)  
 calls function f when menu is unposted set\_item\_term: . menu(S)  
 calls function f when menu is unposted set\_menu\_term: menu(S)  
 /returns index to given menu item in pointer array ..... menu(S)  
 item\_init: returns pointer to menu item initialization routine ... menu(S)  
 pointer/ set\_menu\_items: changes menu item pointer array to item ... menu(S)  
 returns pointer to current menu item set with/ current\_item: menu(S)  
 /sets the current menu item to current item ..... menu(S)  
 sets window w as subwindow of menu m set\_menu\_sub: ..... menu(S)  
 sets window w as window of menu m set\_menu\_win: ..... menu(S)  
 sets the pad character for menu m to c set\_menu\_pad: ..... menu(S)  
 set\_menu\_pattern: sets the menu pattern buffer to given/ ..... menu(S)  
 /checks if character (c) is a menu request or data ..... menu(S)  
 menu: CRT menu routines ..... menu(S)  
 number of currently displayed menu row top\_row: returns ..... menu(S)  
 /sets maximum number displayed menu rows and columns ..... menu(S)  
 item\_term: returns pointer to menu termination function ..... menu(S)  
 set\_top\_row: sets top of menu to named row ..... menu(S)

returns the widget from which a  
 pos\_menu\_cursor: moves the  
 background attribute  
 calendar, mail, and/ scosh:  
 (c) is a menu request or data  
 foreground attribute  
 number of rows and columns that/  
 grey attribute  
 menu's initialization routine  
 item: CRT  
 item pointer array  
 menu's mark string  
 files  
 option setting  
 named options for the menu  
 options for the menu  
 character  
 function that positions a Popup  
 menu buffer for given menu  
 set\_menu\_back: sets the  
 set\_menu\_fore: sets the  
 menu\_grey: returns the  
 set\_menu\_grey: sets the  
 sysadmmenu: layout of extensible  
 menu\_init: returns pointer to  
 menu\_mark: returns pointer to  
 set\_menu\_mark: sets the  
 menu\_opts: returns the  
 menu\_pad: returns the  
 menu\_sub: returns pointer to  
 post\_menu: writes the menu in the  
 /returns a pointer to the  
 menu\_userptr: returns  
 set\_menu\_userptr: sets the  
 menu\_win: returns pointer to  
 XmMenuShell: the  
 function XmCreateMenuShell: the  
 menu's subwindow  
 the menu's termination routine  
 pointer  
 menu's window  
 XtMergeArgLists:  
 XtSetArg: set and  
 region XtAddExposureToRegion:  
 sort: sort and  
 paste:  
 directories uudemmon.clean:  
 files acctmerge:  
 XrmMergeDatabases:  
 menumerge:  
 file/ XrmCombineFileDatabase:  
 database/ XrmCombineDatabase:  
 menu was posted /function that ... XmGetPostedFromWidget(Xm)  
 menu windows cursor to correct/ ... menu(S)  
 menu\_add: link to /bin/true ..... undocumented(M)  
 menu\_back: returns the menu ..... menu(S)  
 menu\_del: link to /bin/true ..... undocumented(M)  
 menu-driven SCO Shell with ..... scosh(C)  
 menu\_driver: checks if character ... menu(S)  
 menu\_fore: returns the menu ..... menu(S)  
 menu\_format: returns maximum ... menu(S)  
 menu\_grey: returns the menu's ... menu(S)  
 menu\_init: returns pointer to ... menu(S)  
 menu-item routines ..... item(S)  
 menu\_items: returns pointer to ... menu(S)  
 menu\_mark: returns pointer to ... menu(S)  
 menumerge: merge sysadmmenu(F) menumerge(ADM)  
 menu\_opts: returns the menu's ... menu(S)  
 menu\_opts\_off: turns off the ..... menu(S)  
 menu\_opts\_on: turns on the named menu(S)  
 menu\_pad: returns the menu's pad menu(S)  
 MenuPane /a RowColumn ..... XmMenuPosition(Xm)  
 menu\_pattern: returns string in ... menu(S)  
 menu's background attribute ..... menu(S)  
 menu's foreground attribute ..... menu(S)  
 menu's grey attribute ..... menu(S)  
 menu's grey attribute ..... menu(S)  
 menus in sysadmsh ..... sysadmmenu(F)  
 menu's initialization routine ..... menu(S)  
 menu's mark string ..... menu(S)  
 menu's mark string to n ..... menu(S)  
 menu's option setting ..... menu(S)  
 menu's pad character ..... menu(S)  
 menu's subwindow ..... menu(S)  
 menu's subwindow ..... menu(S)  
 menu's termination routine ..... menu(S)  
 menu's user pointer ..... menu(S)  
 menu's user pointer ..... menu(S)  
 menu's window ..... menu(S)  
 MenuShell widget class ..... XmMenuShell(Xm)  
 MenuShell widget creation ..... XmCreateMenuShell(Xm)  
 menu\_sub: returns pointer to ..... menu(S)  
 menu\_term: returns a pointer to ... menu(S)  
 menu\_userptr: returns menu's user menu(S)  
 menu\_win: returns pointer to ..... menu(S)  
 merge ArgLists ..... XtSetArg(Xt)  
 merge ArgLists ..... XtSetArg(Xt)  
 merge exposure events into a ..... XtAddExposureToRegion(Xt)  
 merge files ..... sort(C)  
 merge lines of files ..... paste(C)  
 merge log files and clean UUCP ... uudemmon(ADM)  
 merge or add total accounting ..... acctmerge(ADM)  
 merge resource databases ..... XrmMergeDatabases(XS)  
 merge sysadmmenu(F) files ..... menumerge(ADM)  
 merges the contents of a resource .. XrmMergeDatabases(XS)  
 merges the contents of one ..... XrmMergeDatabases(XS)

## Permuted Index

sent to a terminal	mesg: permit or deny messages	... mesg(C)
/issue a conversion warning	message	XtStringConversionWarning(Xt)
/prints error	message	XmuPrintDefaultErrorMessage(Xmu)
/return error	message	XtAppGetErrorDatabase(Xt)
XDR a REX tty modes	message xdr_rex_ttymode:	rex(NS)
XDR a REX tty size	message xdr_rex_ttysize:	rex(NS)
adjmsg: trim bytes in a	message	adjmsg(K)
catgets: read a program	message	catgets(S)
copymsg: copy a	message	copymsg(K)
display driver initialization	message printfg:	printfg(K)
free all message blocks in a	message freemsg:	freemsg(K)
function that displays an error	message /a Command	XmCommandError(Xm)
get the number of data bytes in a	message msgdsize:	msgdsize(K)
herror: print error	message	gethostbyname(SLIB)
information for MMDF	message /reads initialization	mmdf(S)
initialization information for a	message mm_winit: sends MMDF	mmdf(S)
makes a standard query	message res_mkquery:	resolver(SLIB)
message block from the head of a	message unlinkb: remove a	unlinkb(K)
msgrcv: receives a	message	msgop(S)
msgsnd: sends a	message	msgop(S)
obtain error database or	message XtAppGetErrorDatabase:	XtAppGetErrorDatabase(Xt)
opterr: disables error	message	getopt(S)
pr_intr_adderr: output an error	message	pr_intr_adderr(K)
pr_intr_rmerr: output an error	message	pr_intr_rmerr(K)
print a SCSI sense error	message scsi_deverr:	scsi(K)
pullupmsg: concatenate bytes in a	message	pullupmsg(K)
putctl: put a control	message	putctl(K)
remove a message block from a	message rmvb:	rmvb(K)
t_erno: value for current error	message	t_error(S)
t_error: produce error	message	t_error(S)
test whether a message is a data	message datamsg:	datamsg(K)
the transmission of one MMDF	message phs_msg: records	phs(S)
xdr_callmsg: XDR an RPC call	message	rpc(NS)
xdr_replymsg: XDR an RPC reply	message	rpc(NS)
xdr_rex_result: XDR a REX result	message	rex(NS)
xdr_rex_start: XDR a REX start	message	rex(NS)
message: output help or error	message and wait for response	tam(S)
a queue insq: put a	message at a particular place in	insq(K)
rcvprint: print	message automatically	rcvprint(C)
allocb: allocate a	message block	allocb(K)
copyb: copy a	message block	copyb(K)
dupmsg: duplicate a	message block	dupmsg(K)
freeb: free a	message block	freeb(K)
dupb: duplicate a	message block descriptor	dupb(K)
rmvb: remove a	message block from a message	rmvb(K)
message unlinkb: remove a	message block from the head of a	unlinkb(K)
freemsg: free all	message blocks in a message	freemsg(K)
catclose: closes a	message catalog	catopen(S)
catopen, catclose: open/close a	message catalog	catopen(S)
catopen: open a	message catalog	catopen(S)
gencat: generate a formatted	message catalogue	gencat(CP)
library maintainer mar:	message catalogue archive and	mar(CP)
msgctl:	message control operations	msgctl(PCI)
msgctl:	message control operations	msgctl(S)



/returns message from error message database ..... XSetErrorHandler(XS)  
 mkstr: creates an error message file from C source ..... mkstr(CP)  
 recv: receive a message from a connected socket .. recv(SSC)  
 getq: get a message from a queue ..... getq(K)  
 rmvq: remove a message from a queue ..... rmvq(K)  
 recv, recvfrom: receive a message from a socket ..... recv(SSC)  
 recvfrom: receive a message from a socket ..... recv(SSC)  
 XGetErrorDatabaseText: returns message from error message/ ..... XSetErrorHandler(XS)  
 rcvfile: put message into named file ..... rcvfile(C)  
 datamsq: test whether a message is a data message ..... datamsq(K)  
 /to be executed when a protocol message is received from MWM ... XmSetProtocolHooks(Xm)  
 /to be executed when a protocol message is received from the/ ..... XmSetWMPProtocolHooks(Xm)  
 getmsg: get next message off a stream ..... getmsg(S)  
 putq: put a message on a queue ..... putq(K)  
 putmsg: send a message on a stream ..... putmsg(S)  
 reverse direction qreply: send a message on a stream in the ..... qreply(K)  
 deverr: print a device error message on the console ..... deverr(K)  
 printf: print a message on the console ..... printf(K)  
 msgop: message operations ..... msgop(S)  
 cmn\_err: display message or panic the system ..... cmn\_err(K)  
 message and wait for response message: output help or error ..... tam(S)  
 call error strerror: gets error message pointer from last routine .. strerror(S)  
 mail, mailx: interactive message processing system ..... mail(C)  
 is a link to/ mailx: interactive message processing system. mailx .. mail(C)  
 t\_error: display last error message produced by call to/ ..... t\_error(S)  
 msgget: get message queue ..... msgget(PCI)  
 msgget: get message queue ..... msgget(S)  
 shared memory ID ipcrm: remove a message queue, semaphore set or .. ipcrm(ADM)  
 Intro: introduction to message queues and semaphores .. Intro(PCI)  
 msgrcv: message receiving ..... msgrcv(PCI)  
 msgsnd: message sending ..... msgsnd(PCI)  
 dumpmsg: generate a message source file ..... dumpmsg(CP)  
 yperr\_string: return error message string ..... ypclnt(NS)  
 t\_errlist: pointer to array of message strings ..... t\_error(S)  
 msg: IPC message structures ..... msg(FP)  
 package installation message: support utility for ..... undocumented(M)  
 mm\_rtxt: reads MMDF message text ..... mmdf(S)  
 mm\_wtend: signals end of MMDF message text ..... mmdf(S)  
 mm\_wtxt: writes block of MMDF message text ..... mmdf(S)  
 ml\_tinit: signals start of message text submission ..... ml\_send(S)  
 send: send a message to a connected socket ..... send(SSC)  
 send, sendto: send a message to a socket ..... send(SSC)  
 sendto: send a message to a socket ..... send(SSC)  
 hello: send a message to another user ..... hello(C)  
 queue putbq: return a message to the beginning of a ..... putbq(K)  
 putnext: put a message to the next queue ..... putnext(K)  
 putctl1: put a control message with a one-byte parameter ..... putctl1(K)  
 /prints error message, with exceptions ..... XmPrintDefaultErrorMessage(Xmu)  
 XmCreateErrorDialog: the MessageBox ErrorDialog/ ..... XmCreateErrorDialog(Xm)  
 to/ XmMessageBoxGetChild: a MessageBox function that is used .. XmMessageBoxGetChild(Xm)  
 XmCreateInformationDialog: the MessageBox InformationDialog/ .. XmCreateInformationDialog(Xm)  
 XmCreateMessageDialog: the MessageBox MessageDialog/ ..... XmCreateMessageDialog(Xm)  
 XmCreateQuestionDialog: the MessageBox QuestionDialog/ ..... XmCreateQuestionDialog(Xm)  
 XmCreateTemplateDialog: a MessageBox TemplateDialog/ ..... XmCreateTemplateDialog(Xm)

## Permuted Index

XmCreateWarningDialog: the MessageBox WarningDialog/ ..... XmCreateWarningDialog(Xm)  
     XmMessageBox: the MessageBox widget class ..... XmMessageBox(Xm)  
 function XmCreateMessageBox: the MessageBox widget creation ..... XmCreateMessageBox(Xm)  
     XmCreateWorkingDialog: the MessageBox WorkingDialog/ ..... XmCreateWorkingDialog(Xm)  
 creation function /the MessageBox MessageBox convenience ..... XmCreateMessageDialog(Xm)  
     and receives electronic mail messages /an accessory that sends ..... scomail(X)  
     errno: system error messages ..... perror(S)  
     kernel, and device driver error messages /system service, ..... messages(M)  
     error: system error messages ..... perror(S)  
     strace: print STREAMS trace messages ..... strace(ADM)  
     sys\_errlist: system error messages ..... perror(S)  
     sys\_nerr: system error messages ..... perror(S)  
     strlog: submit messages for logging ..... strlog(K)  
     linkb: concatenate two messages into one ..... linkb(K)  
     mestbl: create a messages locale table ..... mestbl(M)  
     qsize: find the number of messages on a queue ..... qsize(K)  
     dmesg: display the system messages on the console ..... dmesg(ADM)  
     mesg: permit or deny messages sent to a terminal ..... mesg(C)  
 and device driver error messages messages: system service, kernel, ..... messages(M)  
     table mestbl: create a messages locale ..... mestbl(M)  
     driver meta: changes control mode of tty ..... curses(S)  
     driver meta: changes control mode of tty ..... terminfo(S)  
     closes the specified input method XCloseIM: ..... XOpenIM(XS)  
     composed input from an input method XmbLookupString: obtain ..... XmbLookupString(XS)  
     composed input from an input method XwcLookupString: obtain ..... XmbLookupString(XS)  
     features of the specified input method /querying properties or ..... XOpenIM(XS)  
     filter X events for an input method XFilterEvent: ..... XFilterEvent(XS)  
     get the locale of an input method XLocaleOfIM: ..... XOpenIM(XS)  
     with the specified input method /the display associated ..... XOpenIM(XS)  
     open, close, and obtain input method information XOpenIM: ..... XOpenIM(XS)  
     /destroy, and obtain the input method of an input context ..... XCreateC(XS)  
     XIMOfIC: return the input method of the specified IC ..... XCreateC(XS)  
 XUnsetICFocus: notify an input method that the input context has/ ..... XSetICFocus(XS)  
     load or unload fonts and font metric structures XLoadFont: ..... XLoadFont(XS)  
     filesystem types mfsys: configuration file for ..... mfsys(FP)  
     netutil: administer the Micnet network ..... netutil(ADM)  
     mnlst: convert a XENIX-style Micnet routing file to MMDF/ ..... mnlst(ADM)  
     systemid: the Micnet system identification file ..... systemid(F)  
     top, top.next: the Micnet topology files ..... top(F)  
     registers slot: read the microchannel configuration ..... slot(C)  
     height of specified screen in millimeters /returns ..... ImageByteOrder(XS)  
     width of specified screen in millimeters /returns ..... ImageByteOrder(XS)  
     /returns height, in millimeters, of specified screen ..... BlackPixelOfScreen(XS)  
     /returns width, in millimeters, of specified screen ..... BlackPixelOfScreen(XS)  
     delay\_output: inserts a ms millisecond pause in the output ..... curses(S)  
     delay\_output: inserts a ms millisecond pause in the output ..... terminfo(S)  
     napms: sleep for ms milliseconds ..... curses(S)  
     napms: sleep for ms milliseconds ..... terminfo(S)  
     number of installed colormaps/ MinCmapsOfScreen: returns minimum BlackPixelOfScreen(XS)  
     program mcart: Irwin mini-cartridge tape maintenance ..... mcart(C)  
     displayable/ /finds the point of minimum lightness (L\*) ..... XcmsCIELabQueryMaxC(XS)  
     displayable/ /finds the point of minimum lightness (L\*) ..... XcmsCIELuvQueryMaxC(XS)  
     MinCmapsOfScreen: returns minimum number of installed/ ..... BlackPixelOfScreen(XS)  
     account passwd: determine minimum password length of an ..... passwd(S)

the/ scale\_menu: returns the  
 XDisplayKeycodes: returns  
 makedev: get major and extended  
     minor: get extended  
     new device number, or extended  
     clone: open any  
         number  
 X/ ProtocolRevision: returns  
 device number,/ major, makedev,  
     erfc: returns 1.0  
     /overview of accounting and  
     /introduction to machine related  
         Intro: introduction to  
         /True if specified KeySym is  
         distribution (application/  
 mkflops: create floppy disks from  
     peripheral devices  
         hierarchy  
         mkcuts(SMT) output  
         from directory of font files  
         special or ordinary file or a/  
         permissions list (permlist)  
         file from C source  
         calendar time  
 ml\_send: Simple mail submission  
     there is only one addressee  
     address  
     address specification  
     ml\_to: switches to  
         submission  
     be used for text submission  
         (ml\_)  
     message text submission  
     ml\_cc: switches to  
         error, and statistics logging for  
         list: list processor channel for  
         mm\_radr: reads an  
         mm\_wadr: writes an  
         mm\_waend: ends  
         program checkaddr:  
         indicates success or failure of  
     minimum window size necessary for menu(S)  
     min-keycodes and max-keycodes . . . XChangeKeyboardMapping(XS)  
     minor device number . . . . . major(K)  
     minor device number . . . . . major(K)  
     minor device number /base major, major(K)  
     minor device on a STREAMS driver clone(M)  
     minor: get extended minor device . . . major(K)  
     minor protocol revision number of AllPlanes(XS)  
     minor: return base major, new . . . . . major(K)  
     minus the error function of x . . . . . erf(S)  
     miscellaneous accounting commands acct(ADM)  
     miscellaneous features and files . . . intro(HW)  
     miscellaneous features and files . . . intro(M)  
     miscellaneous function key . . . . . IsCursorKey(XS)  
     mkcuts: make custom-installable . . . mkcuts(SMT)  
     mkcuts(SMT) output . . . . . mkflops(SMT)  
     mkdev: call scripts to add . . . . . mkdev(ADM)  
     mkdir: make a directory . . . . . mkdir(C)  
     mkdir: make a directory . . . . . mkdir(S)  
     mkdirhier: makes a directory . . . . . mkdirhier(XS)  
     mkfifo: make a FIFO special file . . . mkfifo(C)  
     mkfifo: make a FIFO special file . . . mkfifo(S)  
     mkflops: create floppy disks from . . . mkflops(SMT)  
     mkfontdir: create fonts.dir file . . . mkfontdir(X)  
     mkfs: construct a filesystem . . . . . mkfs(ADM)  
     mknod: build special files . . . . . mknod(C)  
     mknod: make a directory or a . . . . . mknod(S)  
     mkperm: make a product . . . . . mkperm(SMT)  
     mkshlib: create a shared library . . . mkshlib(CP)  
     mkstr: creates an error message . . . mkstr(CP)  
     mktemp: make a unique filename . . . mktemp(S)  
     mktime: converts local time to . . . . . mktime(S)  
     (ml\_) . . . . . ml\_send(S)  
     ml\_1adr: initiates mail when . . . . . ml\_send(S)  
     ml\_adr: specifies the text of one . . . ml\_send(S)  
     ml\_aend: signals the end of . . . . . ml\_send(S)  
     ml\_cc address . . . . . ml\_send(S)  
     ml\_cc: switches to ml\_to address . . . ml\_send(S)  
     ml\_end: signals end of text . . . . . ml\_send(S)  
     ml\_file: passes a file pointer to . . . ml\_send(S)  
     ml\_init: initiates mail . . . . . ml\_send(S)  
     mlist: unsupported utility . . . . . undocumented(M)  
     (ml\_) ml\_send: Simple mail submission . . ml\_send(S)  
     ml\_tinit: signals start of . . . . . ml\_send(S)  
     ml\_to address . . . . . ml\_send(S)  
     ml\_to: switches to ml\_cc address . . . ml\_send(S)  
     ml\_txt: directly enters raw text . . . ml\_send(S)  
     MMDF /log files: system status, . . . logs(F)  
     MMDF . . . . . list(ADM)  
     MMDF address . . . . . mmdf(S)  
     MMDF address . . . . . mmdf(S)  
     MMDF address list . . . . . mmdf(S)  
     MMDF address verification . . . . . checkaddr(ADM)  
     MMDF conversation mm\_end: . . . . . mmdf(S)

## Permuted Index

mm_rrec: reads an	M MDF conversation record	mmddf(S)
dbmedit: edit the	M MDF database file	dbmedit(ADM)
phs_note: records the indicated	M MDF event	phs(S)
Micnet routing file to	M MDF format /a XENIX-style	mmulist(ADM)
XENIX-style aliases file to	M MDF format mmdfalias: convert	mmdfalias(ADM)
convert XENIX-style mailboxes to	M MDF format cnvrtmbox:	cnvrtmbox(ADM)
convert a UUCP routing file to	M MDF format uulist:	uulist(ADM)
and routing/ dbmbuild: build the	M MDF hashed database of alias	dbmbuild(ADM)
ll_hdinit: sets the prefix of the	M MDF header string	llog(S)
for a message mm_winit: sends	M MDF initialization information	mmddf(S)
ll_log: makes an	M MDF log entry	llog(S)
error, and statistics/ logs:	M MDF log files: system status,	logs(F)
ll_init: accesses the opened	M MDF logging file	llog(S)
ll_open: opens the	M MDF logging file	llog(S)
ll_fd / ll_close: closes the	M MDF logging file and resets	llog(S)
deliver:	M MDF mail delivery process	deliver(ADM)
submit:	M MDF mail queue manager	submit(ADM)
run-time tailoring for the	M MDF mail router /provide	mmddf(ADM)
initializes conversation with	M MDF mail system mm_init:	mmddf(S)
initialization information for	M MDF message mm_rinit: reads	mmddf(S)
records the transmission of one	M MDF message phs_msg:	phs(S)
mm_rtxt: reads	M MDF message text	mmddf(S)
mm_wtend: signals end of	M MDF message text	mmddf(S)
mm_wtxt: writes block of	M MDF message text	mmddf(S)
domains, and hosts tables:	M MDF name tables for aliases,	tables(F)
mm_pkend: ends	M MDF pickup	mmddf(S)
mm_pkinit: initializes an	M MDF pickup conversation	mmddf(S)
checkpoint: report on	M MDF problems	checkpoint(ADM)
reads a reply from the other	M MDF process mm_rrply:	mmddf(S)
mail in transit queue:	M MDF queue files for storing	queue(F)
generator checkpoint:	M MDF queue status report	checkpoint(ADM)
mm_wrec: writes	M MDF record	mmddf(S)
mm_wrply: writes	M MDF reply	mmddf(S)
phs_get: gets time-stamp of	M MDF specified channel and phase	phs(S)
returns erno and the specified	M MDF string ll_err:	llog(S)
mm_sbend: ends	M MDF submission	mmddf(S)
mm_sbinit: initializes for an	M MDF submission	mmddf(S)
mm_wstm: writes buffered	M MDF text	mmddf(S)
reads a buffered block of	M MDF text mm_rstn:	mmddf(S)
mmddf:	M MDF mail submission and pickup	mmddf(S)
pickup	mmddf: M MDF mail submission and	mmddf(S)
any supported network	mmddf: route mail locally and over	mmddf(ADM)
tai_end, tai_get, tai_init: get	M MDF site tailoring information	tai(S)
and parses the next line of	M MDF tailoring package /acquires	tai(S)
tai_init: initializes	M MDF tailoring package	tai(S)
tai_end: ends	M MDF tailoring package access	tai(S)
phs: Note the	M MDF transmission phase (phs_)	phs(S)
aliases file to M MDF format	mmdfalias: convert XENIX-style	mmdfalias(ADM)
tailoring for the M MDF mail/	mmddf(ADM): provide run-time	mmddf(ADM)
failure of M MDF conversation	mm_end: indicates success or	mmddf(S)
with M MDF mail system	mm_init: initializes conversation	mmddf(S)
	mm_pkend: ends M MDF pickup	mmddf(S)
pickup conversation	mm_pkinit: initializes an M MDF	mmddf(S)
	mm_radr: reads an M MDF address	mmddf(S)

information for MMDF message `mm_rinit`: reads initialization . . . . . `mmdf(S)`  
 conversation record `mm_rrec`: reads an MMDF . . . . . `mmdf(S)`  
 other MMDF process `mm_rrply`: reads a reply from the . . `mmdf(S)`  
 of MMDF text `mm_rstm`: reads a buffered block . . `mmdf(S)`  
`mm_rtxt`: reads MMDF message text `mmdf(S)`  
`mm_sbend`: ends MMDF submission `mmdf(S)`  
 MMDF submission `mm_sbinit`: initializes for an . . . . . `mmdf(S)`  
`mm_wadr`: writes an MMDF address `mmdf(S)`  
`mm_waend`: ends MMDF address list `mmdf(S)`  
 initialization information for a/  
`mm_winit`: sends MMDF . . . . . `mmdf(S)`  
`mm_wrec`: writes MMDF record . . . . . `mmdf(S)`  
`mm_wrply`: writes MMDF reply . . . . . `mmdf(S)`  
 text `mm_wstn`: writes buffered MMDF . `mmdf(S)`  
 message text `mm_wtend`: signals end of MMDF . `mmdf(S)`  
 message text `mm_wtxt`: writes block of MMDF . `mmdf(S)`  
 Micrnet routing file to MMDF/  
`mnlist`: convert a XENIX-style . . . . . `mnlist(ADM)`  
`mnt`: Mount selected filesystems . . `mnt(C)`  
`mnt, umnt`: mount a filesystem . . . `mnt(C)`  
 filesystem table `mnttab`: format of mounted . . . . . `mnttab(F)`  
 Toolkit function that provides a `modal interaction /a` . . . . . `XmTrackingEvent(Xm)`  
 Toolkit function that provides a `modal interaction /a` . . . . . `XmTrackingLocate(Xm)`  
 redirect user input to a `modal widget XtAddGrab`: . . . . . `XtAddGrab(Xt)`  
 redirect user input to a `modal widget XtRemoveGrab`: . . . . `XtAddGrab(Xt)`  
 adapter to VGA alphanumeric `mode /the console graphics` . . . . . `clean_screen(X)`  
 and returns the original `mode /off scancode translation` . . . . `sc_raw(S)`  
 and returns the original `mode /on scancode translation` . . . . `sc_raw(S)`  
 and returns the previous rounding `mode /sets the rounding mode` . . . . `fpgetround(S)`  
`cbreak`: puts terminal into CBREAK `mode` . . . . . `curses(S)`  
`cbreak`: puts terminal into CBREAK `mode` . . . . . `tam(S)`  
`cbreak`: puts terminal into CBREAK `mode` . . . . . `terminfo(S)`  
`crmode`: puts terminal into CBREAK `mode` . . . . . `tam(S)`  
`crmode`: puts terminal into CBREAK `mode` . . . . . `terminfo(S)`  
 noraw: places terminal into RAW `mode` . . . . . `terminfo(S)`  
 noraw: places terminal out of RAW `mode` . . . . . `curses(S)`  
 puts terminal out of CBREAK `mode nocbreak`: . . . . . `curses(S)`  
 puts terminal out of CBREAK `mode nocbreak`: . . . . . `tam(S)`  
 puts terminal out of CBREAK `mode nocbreak`: . . . . . `terminfo(S)`  
 puts terminal out of CBREAK `mode nocrmode`: . . . . . `tam(S)`  
 puts terminal out of CBREAK `mode nocrmode`: . . . . . `terminfo(S)`  
 raw: places terminal into RAW `mode` . . . . . `curses(S)`  
 raw: places terminal out of RAW `mode` . . . . . `terminfo(S)`  
 resets terminal to non-visual `mode endwin`: . . . . . `curses(S)`  
 resets terminal to non-visual `mode endwin`: . . . . . `tam(S)`  
 resets terminal to non-visual `mode endwin`: . . . . . `terminfo(S)`  
 returns the current rounding `mode fpgetround`: . . . . . `fpgetround(S)`  
 sulogin: access single-user `mode` . . . . . `sulogin(ADM)`  
 that puts terminal in video `mode vidattr`: outputs a string . . . . `curses(S)`  
 that puts terminal in video `mode vidattr`: outputs a string . . . . `terminfo(S)`  
 that puts terminal in video `mode vidputs`: outputs a string . . . . `curses(S)`  
 that puts terminal in video `mode vidputs`: outputs a string . . . . `terminfo(S)`  
 that sets the state of Add `Mode /a Text function` . . . . . `XmTextSetAddMode(Xm)`  
 that sets the state of Add `Mode /a TextField function` . . . . `XmTextFieldSetAddMode(Xm)`  
 wndelay: set no delay input `mode` . . . . . `tam(S)`  
 fpsetround: sets the rounding `mode and returns the previous/` . . . `fpgetround(S)`

## Permuted Index

restores scancode terminal  
 vidi: set the font and video  
 wstandend: ends standout  
 wstandout: starts standout  
 XSetSubwindowMode: sets subwindow  
 /a List function that sets add  
 standend: ends standout  
 standout: starts standout  
 umask: get or set file-creation  
     chmod: change  
         meta: changes control  
         meta: changes control  
         kbmode: set keyboard  
 /mode tcb check script, multiuser  
 mode/ /base checker, single-user  
     mt: lists Intel tape drive  
         dial, uchat: dial a  
     passwd: change login, or  
         tset: set terminal  
 xdr\_rex\_ttymode: XDR a REX tty  
 /uugetty: set terminal type,  
 floating-point/ frexp, ldexp,  
 fractional part of value  
 obtain shareable GC with  
 settime: change the access and  
 utime: set file access and  
 touch: update access and  
     /refreshes stored  
     True if specified KeySym is  
 from the X/ xswkey: establish the  
     pointer to structure containing  
     switchkey: establish  
     support and configure locale  
 XSetLocaleModifiers: sets the X  
     /sets KeyCodes of  
 XmSetMenuCursor: a function that  
 XcmsCCCOFColormap: query and  
     object\_builder: build or  
     sdleave:  
         XcmsSetWhitePoint:  
         xmodmap: utility for  
 Interface cooperating STREAMS  
 read/write interface STREAMS  
     mdevice: device driver  
 Relocatable Format for Object  
     /ckpacct, dodisk, lastlogin,  
     vga display adapter and video  
     profile  
 mapstr, convkey: configure  
     screen: tty [01-n], color,  
         table  
         at a time  
     the feature changes from  
     mwm: the  
 mode and tty settings sc\_exit: ..... sc\_init(S)  
 mode for a video device ..... vidi(C)  
 mode in named window ..... curses(S)  
 mode in named window ..... curses(S)  
 mode in specified GC ..... XSetArcMode(XS)  
 mode in the list ..... XmListSetAddMode(Xm)  
 mode in window ..... curses(S)  
 mode in window ..... curses(S)  
 mode mask ..... umask(C)  
 mode of file ..... chmod(S)  
 mode of tty driver ..... curses(S)  
 mode of tty driver ..... terminfo(S)  
 mode or test keyboard support .... kbmode(ADM)  
 mode tcb check script ..... tcbck(ADM)  
 mode tcb check script, multiuser ... tcbck(ADM)  
 model number ..... undocumented(M)  
 modem ..... dial(ADM)  
 modem (dialup shell) password ... passwd(C)  
 modes ..... tset(C)  
 modes message ..... rex(NS)  
 modes, speed, and line discipline . getty(M)  
 modf: manipulate parts of ..... frexp(S)  
 modf: returns the signed ..... frexp(S)  
 modifiable fields XtAllocateGC: ... XtAllocateGC(Xt)  
 modification dates of files ..... settime(ADM)  
 modification times ..... utime(S)  
 modification times of a file ..... touch(C)  
 modifier and keymap information . XLookupKeysym(XS)  
 modifier key /returns ..... IsCursorKey(XS)  
 modifier key or screen-switching ... xswkey(X)  
 modifier keys /returns ..... XChangeKeyboardMapping(XS)  
 modifier keys for/ ..... switchkey(X)  
 modifiers /determine locale ..... XSupportsLocale(XS)  
 modifiers for the current locale/ ... XSupportsLocale(XS)  
 modifiers keys ..... XChangeKeyboardMapping(XS)  
 modifies the menu cursor for a/ ... XmSetMenuCursor(Xm)  
 modify CCC of a colormap ..... XcmsCCCOFColormap(XS)  
 modify Desktop objects ..... objblid(X)  
 modify shared data segment ..... scenter(S)  
 modifying CCC attributes ..... XcmsSetWhitePoint(XS)  
 modifying keymaps in X ..... xmodmap(X)  
 module timod: Transport ..... timod(M)  
 module /Transport Interface ..... tirdwr(M)  
 module description file ..... mdevice(F)  
 Modules 86rel: Intel 8086 ..... 86rel(FP)  
 monacct, nulladm, prctmp./ ..... acctsh(ADM)  
 monitor /color, monochrome, ega, screen(HW)  
 monitor: prepare execution ..... monitor(S)  
 monitor screen mapping /mapscrm, mapkey(M)  
 monochrome, ega, vga display/ ... screen(HW)  
 montbl: create a currency locale ... montbl(M)  
 more: view a file one screen full ... more(C)  
 Motif 1.0 through 1.2 /Identifies . Intro(Xm)  
 Motif Window Manager ..... mwm(X)

mwm: the Motif Window Manager ..... mwm(Xm)  
 debugger dbXtra: dbx-based Motif/X11 interface-oriented .... dbXtra(CP)  
 mvcur: low-level cursor motion ..... curses(S)  
 mvcur: low-level cursor motion ..... terminfo(S)  
     track: track mouse motion ..... tam(S)  
     /returns events in motion history buffer ..... XSendEvent(XS)  
 XDisplayMotionBufferSize: returns motion history buffer size ..... XSendEvent(XS)  
     /send events and pointer motion history structure ..... XSendEvent(XS)  
     XTimeCoord: pointer motion history structure ..... XSendEvent(XS)  
     MotionNotify: MotionNotify event structure ..... XButtonEvent(XS)  
     /ButtonPress, ButtonRelease, and MotionNotify event structures .... XButtonEvent(XS)  
     structure MotionNotify: MotionNotify event XButtonEvent(XS)  
     mount: mount a file structure ..... mount(ADM)  
     mnt, umnt: mount a filesystem ..... mnt(C)  
     mount: mount a filesystem ..... mount(S)  
     structure mount, umount: mount and unmount a file ..... mount(ADM)  
     mount: mount a file structure ..... mount(ADM)  
     mount: mount a filesystem ..... mount(S)  
     mountall: mount multiple file systems ..... mountall(ADM)  
     bcheckrc: check and mount root filesystem at system/ .. bcheckrc(ADM)  
     mnt: Mount selected filesystems ..... mnt(C)  
     a file structure mount, umount: mount and unmount mount(ADM)  
     systems mountall, umountall: mount, unmount multiple file ..... mountall(ADM)  
     systems mountall: mount multiple file ..... mountall(ADM)  
     unmount multiple file systems mountall, umountall: mount, ..... mountall(ADM)  
     mnttab: format of mounted filesystem table ..... mnttab(F)  
     filesystems: default information for mounting filesystems ..... filesystems(F)  
     mouse: system mouse ..... mouse(HW)  
     scomouse: configure the mouse ..... scomouse(X)  
     set up parameters associated with mouse wsetmouse: ..... tam(S)  
     /bindings for virtual mouse and key events ..... VirtualBindings(Xm)  
     usemouse: map mouse input to keystrokes ..... usemouse(C)  
     track: track mouse motion ..... tam(S)  
     wreadmouse: get mouse state ..... tam(S)  
     wgetmouse: return mouse status ..... tam(S)  
     mouse: system mouse ..... mouse(HW)  
     mvdire: move a directory ..... mvdire(ADM)  
 /XtMoveWidget, XtResizeWidget: move and resize widgets ..... XtConfigureWidget(Xt)  
     XtConfigureWidget: move and resize widgets ..... XtConfigureWidget(Xt)  
     ttout: move data to the output buffer ..... tty(K)  
     area iomove: move data to/from the user/kernel iomove(K)  
     for plotting move: gets a new current point .... plot(S)  
     column x move: moves cursor to line y, ..... curses(S)  
     column x move: moves cursor to line y, ..... terminfo(S)  
     column c move: moves cursor to row r, ..... tam(S)  
     Move: moves layer to new location libwindows(S)  
     directories mv: move or rename files and ..... mv(C)  
     XWarpPointer: move pointer ..... XWarpPointer(XS)  
     lpmove: move print requests ..... lpmove(ADM)  
     lseek: move read/write file pointer ..... lseek(S)  
     XtMoveWidget: move widgets ..... XtConfigureWidget(Xt)  
     disconnected field move\_field: moves the ..... field(S)  
 XGetPointerControl: reads pointer movement definition ..... XChangePointerControl(XS)  
     new x-y coordinates move\_panel: moves panel window to panel(S)

## Permuted Index

cursor in named window mvwdelch: moves and deletes character under    curses(S)  
     cursor mvdelch: moves and deletes character under    curses(S)  
     before the character/ mvinsch: moves and inserts character    curses(S)  
     before the character/ mvwinsch: moves and inserts character    curses(S)  
     new position in named/ mvwinch: moves and returns character at    curses(S)  
     new position mvinch: moves and returns character at    curses(S)  
     default window mvaddstr: moves and writes string on    curses(S)  
     specified window mvwaddstr: moves and writes string on    curses(S)  
         move: moves cursor to line y, column x    curses(S)  
         move: moves cursor to line y, column x    terminfo(S)  
         wmove: moves cursor to line y, column x    curses(S)  
         wmove: moves cursor to line y, column x    terminfo(S)  
         move: moves cursor to row r, column c    tam(S)  
 position/ pos\_form\_cursor: moves form window cursor to    form(S)  
 overlapping layers Bottom: moves layer to bottom of    libwindows(S)  
     Move: moves layer to new location    libwindows(S)  
     layers Top: moves layer to top of overlapping    libwindows(S)  
     coordinates move\_panel: moves panel window to new x-y    panel(S)  
         XOffsetRegion: moves region by specified amount    XIntersectRegion(XS)  
         move\_field: moves the disconnected field    field(S)  
 correct/ pos\_menu\_cursor: moves the menu windows cursor to    menu(S)  
     XMoveWindow: moves window    XConfigureWindow(XS)  
     is at position (y,x) mvwin: moves window so upper left corner    curses(S)  
     is at position (y,x) mvwin: moves window so upper left corner    terminfo(S)  
     row and column wgoto: moves window's cursor to specific    tam(S)  
     integers mrand48: returns signed long    drand48(S)  
     /Iconv48, Irand48, nrand48, mrand48, srand48, seed48:/    drand48(S)  
 /saves the information needed for MRM to access the widget creation/ MrmRegisterClass(Xm)  
 /prepares an application to use MRM widget-fetching facilities    MrmInitialize(Xm)  
     hierarchy MrmCloseHierarchy: closes a UID    MrmCloseHierarchy(Xm)  
     bitmap literal from a hierarchy MrmFetchBitmapLiteral: fetches a    MrmFetchBitmapLiteral(Xm)  
     named color literal from a UID/ MrmFetchColorLiteral: fetches a    MrmFetchColorLiteral(Xm)  
     icon literal from a hierarchy MrmFetchIconLiteral: fetches an    MrmFetchIconLiteral(Xm)  
     literal from a UID file MrmFetchLiteral: fetches a    MrmFetchLiteral(Xm)  
     values to be set from literals/ MrmFetchSetValues: fetches the    MrmFetchSetValues(Xm)  
 creates any indexed (UIL named)/ MrmFetchWidget: fetches and    MrmFetchWidget(Xm)  
     any indexed (UIL named)/ MrmFetchWidgetOverride: fetches    MrmFetchWidgetOverride(Xm)  
     application to use MRM/ MrmInitialize: prepares an    MrmInitialize(Xm)  
     hierarchy ID and opens all the/ MrmOpenHierarchy: allocates a    MrmOpenHierarchy(Xm)  
     allocates a hierarchy ID and/ MrmOpenHierarchyPerDisplay:    MrmOpenHierarchyPerDisplay(Xm)  
     information needed for MRM to/ MrmRegisterClass: saves the    MrmRegisterClass(Xm)  
     values associated with the names/ MrmRegisterNames: registers the    MrmRegisterNames(Xm)  
     registers the values associated/ MrmRegisterNamesInHierarchy:    MrmRegisterNamesInHierarchy(Xm)  
     change file format from UNIX to MS-DOS xtod:    xtod(C)  
     dosld: MS-DOS cross linker    dosld(CP)  
     output delay\_output: inserts a    ms millisecond pause in the    curses(S)  
     output delay\_output: inserts a    ms millisecond pause in the    terminfo(S)  
     napms: sleep for    ms milliseconds    curses(S)  
     napms: sleep for    ms milliseconds    terminfo(S)  
     dtox: change file format from MS-DOS to UNIX    dtox(C)  
     utility    mscreen: serial multiscreens    mscreen(M)  
     host adapter configuration file    mcscl: SCSI peripheral device and    mcscl(F)  
     operations    msg: IPC message structures    msg(FP)  
     operations    msgctl: message control    msgctl(PCI)



operations msgctl: message control ..... msgctl(S)  
 bytes in a message msgdsz: get the number of data .. msgdsz(K)  
 msgget: get message queue ..... msgget(PCI)  
 msgget: get message queue ..... msgget(S)  
 msgop: message operations ..... msgop(S)  
 msgrcv: message receiving ..... msgrcv(PCI)  
 msgrcv: receives a message ..... msgop(S)  
 msgsnd: message sending ..... msgsnd(PCI)  
 msgsnd: sends a message ..... msgop(S)  
 number mt: lists Intel tape drive model .... undocumented(M)  
 mtune: tunable parameter file ..... mtune(F)  
 XmbufChangeBufferAttributes: X multibuffering function ..... Xmbuf(Xext)  
 XmbufChangeWindowAttributes: X multibuffering function ..... Xmbuf(Xext)  
 XmbufCreateBuffers: X multibuffering function ..... Xmbuf(Xext)  
 XmbufCreateStereoWindow: X multibuffering function ..... Xmbuf(Xext)  
 XmbufDestroyBuffers: X multibuffering function ..... Xmbuf(Xext)  
 XmbufDisplayBuffers: X multibuffering function ..... Xmbuf(Xext)  
 XmbufGetBufferAttributes: X multibuffering function ..... Xmbuf(Xext)  
 XmbufGetScreenInfo: X multibuffering function ..... Xmbuf(Xext)  
 XmbufGetVersion: X multibuffering function ..... Xmbuf(Xext)  
 XmbufGetWindowAttributes: X multibuffering function ..... Xmbuf(Xext)  
 XmbufQueryExtension: X multibuffering function ..... Xmbuf(Xext)  
 Xmbuf: X multibuffering functions ..... Xmbuf(Xext)  
 mblen: Get length of multibyte character ..... mblen(S)  
 wctomb: Convert wide character to multibyte character ..... mblen(S)  
 /mbstowcs, wctomb, wcstombs: multibyte character routines ..... mblen(S)  
 character mbtowc: Convert single multibyte character to wide ..... mblen(S)  
 wcstombs: Convert wide string to multibyte string ..... mblen(S)  
 mbstowcs: Convert multibyte string to wide string .... mblen(S)  
 used by xt(HW) driver xtproto: multiplexed channels protocol .... xtproto(M)  
 windowing terminals xt: multiplexed tty driver for AT&T ... xt(HW)  
 terminals layers: layer multiplexer for windowing ..... layers(C)  
 poll: STREAMS input/output multiplexing ..... poll(S)  
 select: synchronous I/O multiplexing ..... select(S)  
 /indicate block driver can have multiprocessor access ..... bdistributed(K)  
 character driver can have multiprocessor access /indicate ... cdistributed(K)  
 vidinit: initialise a multiscreen ..... video(K)  
 vidrest: restore a multiscreen ..... video(K)  
 vidsav: save a multiscreen ..... video(K)  
 (device files) multiscreen: multiple screens ..... multiscreen(M)  
 /for screen-switching from console multiscreens running Xsco server/ switchkey(X)  
 utmp\_getty: serial multiscreens support utility ..... undocumented(M)  
 mscreen: serial multiscreens utility ..... mscreen(M)  
 a SCSI host adapter driver as multithreaded /register ..... scsi\_distributed(K)  
 rc2: run commands performed for multiuser environment ..... rc2(ADM)  
 /mode tcb check script, multiuser mode tcb check script ... tcbck(ADM)  
 directories mv: move or rename files and .... mv(C)  
 windows mvaddch: manipulates text in ..... curses(S)  
 windows mvaddch: manipulates text in ..... tam(S)  
 windows mvaddch: manipulates text in ..... terminfo(S)  
 on default window mvaddstr: moves and writes string ..... curses(S)  
 of null-terminated character/ mvaddstr: writes all characters .... tam(S)  
 of null-terminated character/ mvaddstr: writes all characters .... terminfo(S)  
 mvcur: low-level cursor motion .... curses(S)

*Permuted Index*

mvcur: low-level cursor motion ... terminfo(S)  
 cursor in window mvdelch: deletes character under ... terminfo(S)  
 character under cursor mvdelch: moves and deletes ... curses(S)  
 configuration file mvdevice: video driver back end ... mvdevice(F)  
 mvdir: move a directory ... mvdir(ADM)  
 terminal associated with a/ mvgetch: reads character from ... curses(S)  
 terminal associated with a/ mvgetch: reads character from ... terminfo(S)  
 newline, carriage return, or/ mvgetstr: calls wgetch() until ... terminfo(S)  
 newline, carriage return, or/ mvgetstr: reads input until ... curses(S)  
 character at new position mvinch: moves and returns ... curses(S)  
 current position in named window mvinch: returns character at ... tam(S)  
 current position in named window mvinch: returns character at ... terminfo(S)  
 before the character under/ mvinsch: inserts character ch ... terminfo(S)  
 character before the character/ mvinsch: moves and inserts ... curses(S)  
 printf(S) mvprintw: corresponds to ... curses(S)  
 printf(S) mvprintw: corresponds to ... terminfo(S)  
 mvscanw: corresponds to scanf(S) ... curses(S)  
 mvscanw: corresponds to scanf(S) ... terminfo(S)  
 windows mvwaddch: manipulates text in ... curses(S)  
 windows mvwaddch: manipulates text in ... terminfo(S)  
 string on specified window mvwaddstr: moves and writes ... curses(S)  
 of null-terminated character/ mvwaddstr: writes all characters ... terminfo(S)  
 cursor in window mvwdelch: deletes character under ... terminfo(S)  
 character under cursor in named/ mvwdelch: moves and deletes ... curses(S)  
 terminal associated with a/ mvwgetch: reads character from ... curses(S)  
 terminal associated with a/ mvwgetch: reads character from ... terminfo(S)  
 newline, carriage return, or/ mvwgetstr: calls wgetch() until ... terminfo(S)  
 newline, carriage return, or/ mvwgetstr: reads input until ... curses(S)  
 corner is at position (y,x) mvwin: moves window so upper left ... curses(S)  
 corner is at position (y,x) mvwin: moves window so upper left ... terminfo(S)  
 character at new position in/ mvwinch: moves and returns ... curses(S)  
 current position in named window mvwinch: returns character at ... terminfo(S)  
 before the character under/ mvwinsch: inserts character ch ... terminfo(S)  
 character before the character/ mvwinsch: moves and inserts ... curses(S)  
 printf(S) mvwprintw: corresponds to ... curses(S)  
 printf(S) mvwprintw: corresponds to ... terminfo(S)  
 mvwscanw: corresponds to scanf(S) ... curses(S)  
 mvwscanw: corresponds to scanf(S) ... terminfo(S)  
 protocol message is received from MWM /to be executed when a ... XmSetProtocolHooks(Xm)  
 mwm: the Motif Window Manager mwm(X)  
 mwm: the Motif Window Manager mwm(Xm)  
 named) application widget. It/ ... MrmFetchWidgetOverride(Xm)  
 its/ /and creates any indexed (UIL named) application widgets and ... MrmFetchWidget(Xm)  
 function names or UIL identifier names) /example, UIL callback ... MrmRegisterNames(Xm)  
 function names or UIL identifier names) /example, UIL callback ... MrmRegisterNamesInHierarchy(Xm)  
 interface for selecting X11 font names xfontsel: point and click ... xfontsel(X)  
 name and address resolver nameserver: protocol specific ... nameserver(X)  
 test double for Not-a-Number (NaN) isnan: ... isnan(S)  
 /test double for Not-a-Number (NaN) according to IEEE Standard ... isnan(S)  
 /test float for Not-a-Number (NaN) according to IEEE Standard ... isnan(S)  
 isnan: test for a floating point NaN (Not-A-Number) /isnan, ... isnan(S)  
 short interval nap: suspends execution for a ... nap(S)  
 napms: sleep for ms milliseconds ... curses(S)  
 napms: sleep for ms milliseconds ... terminfo(S)

nl\_sscanf: converts formatted  
 /nl\_fprintf, nl\_sprintf: formats  
 nl\_strcmp, nl\_strncmp: compare  
 nl\_strcmp: compare  
 lconv: Internationalization  
 nl\_types: data types for  
 nl\_init: initializes  
 nl\_strncmp: compare  
 log: returns the  
 processing language  
 processing/ awk: awk, oawk,  
 access to a/ waitsem,  
 semaphore-governed resource  
 numbers  
 dbm\_fetch, dbm\_store,/   
 ecvt: converts value to string of  
 fcvt: converts value to string of  
 accesses the character position  
 accesses the character position  
 returns smallest window size  
 /returns the minimum window size  
 font list context is no longer  
 that the context is no longer  
 widget/ /saves the information  
 XVaCreateNestedList: allocate a  
 structure  
 products  
 network  
 locally and over any supported  
 netutil: administer the Micnet  
 Converts character string to  
 address inet\_netof: Extracts  
 inet\_makeaddr: Converts local and  
 netbuf: TLI/XTI  
 convert values between host and  
 convert values between host and  
 splni: prevent interrupts from  
 endnetent: end  
 getnetbyname, setnetent: get  
 getnetent: get  
 setnetent: set  
 getnetbyaddr: get  
 getnetbyname: get  
 /gethostbyaddr, herror: get  
 gethostbyaddr: get  
 gethostbyname: get  
 yppasswd: update user password in  
 client interface ypclnt:  
 ifignore: check for ignored  
 administration nlsadmin:  
 convert values from host to  
 svc\_getcaller: get the  
 convert values from host to  
 native language input /nl\_fscanf, . nl\_scanf(S)  
 native language output . . . . . nl\_printf(S)  
 native language strings . . . . . nl\_strcmp(S)  
 native language strings . . . . . nl\_strcmp(S)  
 (native language support)/ . . . . . lconv(FP)  
 native language support . . . . . nl\_types(FP)  
 native language support operation nl\_init(S)  
 native n language strings . . . . . nl\_strcmp(S)  
 natural logarithm of x . . . . . exp(S)  
 nawk: pattern scanning and . . . . . awk(C)  
 nawk: pattern scanning and . . . . . awk(C)  
 nbra: reserved external variable . . . . . regexp(S)  
 nbwaitsem: awaits and checks . . . . . waitsem(S)  
 nbwaitsem: waits for access to a . . . . . waitsem(S)  
 ncheck: generate names from inode ncheck(ADM)  
 ndbm, dbm\_open, dbm\_close, . . . . . ndbm(NS)  
 ndigit . . . . . ecvt(S)  
 ndigit rounded for FORTRAN/ . . . . . ecvt(S)  
 nearest an x and y position /that . . . . . XmTextFieldXYToPos(Xm)  
 nearest an x and y position /that . . . . . XmTextXYToPos(Xm)  
 necessary for form scale\_form: . . . . . form(S)  
 necessary for the window . . . . . menu(S)  
 needed /the toolkit that the . . . . . XmFontListFreeFontContext(Xm)  
 needed /instructs the toolkit . . . . . XmStringFreeContext(Xm)  
 needed for MRM to access the . . . . . MrmRegisterClass(Xm)  
 nested variable argument list . . . . . XVaCreateNestedList(XS)  
 netbuf: TLI/XTI network buffer . . . . . netbuf(FP)  
 netconfig: configure networking . . . . . netconfig(ADM)  
 netutil: administer the Micnet . . . . . netutil(ADM)  
 network mmdf: route mail . . . . . mmdf(ADM)  
 network . . . . . netutil(ADM)  
 network address inet\_network: . . . . . inet(SLIB)  
 network address from Internet . . . . . inet(SLIB)  
 network address into Internet/ . . . . . inet(SLIB)  
 network buffer structure . . . . . netbuf(FP)  
 network byte order /ntohl, ntohs: . . . . . byteorder(SLIB)  
 network byte order byteorder: . . . . . byteorder(SLIB)  
 network devices . . . . . spl(K)  
 network entry . . . . . getnetent(SLIB)  
 network entry /getnetbyaddr, . . . . . getnetent(SLIB)  
 network entry . . . . . getnetent(SLIB)  
 network entry . . . . . getnetent(SLIB)  
 network entry by address . . . . . getnetent(SLIB)  
 network entry by name . . . . . getnetent(SLIB)  
 network host entry . . . . . gethostbyname(SLIB)  
 network host entry by address . . . . . gethostbyname(SLIB)  
 network host entry by name . . . . . gethostbyname(SLIB)  
 Network Information Service (NIS) yppasswd(NS)  
 Network Information Service (NIS) ypclnt(NS)  
 network interface . . . . . ifignore(SLIB)  
 network listener service . . . . . nlsadmin(ADM)  
 network long byte order htonl: . . . . . byteorder(SLIB)  
 network of the caller . . . . . rpc(NS)  
 network short byte order htons: . . . . . byteorder(SLIB)

## Permuted Index

ntohl: convert values from network to host long byte order ... byteorder(SLIB)  
 ntohs: convert values from network to host short byte order ... byteorder(SLIB)  
 netconfig: configure networking products ..... netconfig(ADM)  
   X: portable, network-transparent window system x(X)  
   separate shell New: creates a new layer with a ... libwindows(S)  
     new\_field: creates a new field ..... field(S)  
     field type new\_fieldtype: creates a new ..... fieldtype(S)  
     text file newform: change the format of a ... newform(C)  
       new\_form: creates a new form ..... form(S)  
       newgrp: log user into a new group . newgrp(C)  
       new\_item: creates new item ..... item(S)  
     without a separate shell Newlayer: creates a new layer ..... libwindows(S)  
 mvgetstr: calls wgetch() until newline, carriage return, or/ ..... terminfo(S)  
   mvgetstr: reads input until newline, carriage return, or/ ..... curses(S)  
 mvwgetstr: calls wgetch() until newline, carriage return, or/ ..... terminfo(S)  
   mvwgetstr: reads input until newline, carriage return, or/ ..... curses(S)  
   enter key getstr: returns newline, carriage return, or ..... terminfo(S)  
   enter key wgetstr: returns newline, carriage return, or ..... terminfo(S)  
   enter/ getstr: reads input until newline, carriage return, or ..... curses(S)  
   enter/ wgetstr: reads input until newline, carriage return, or ..... curses(S)  
     newmail: unsupported utility ..... undocument(M)  
     new\_menu: create a new menu ..... menu(S)  
     newpad: creates and returns ..... curses(S)  
     newpad: creates and returns ..... terminfo(S)  
     new\_page: shows whether given ... form(S)  
     new\_panel: gets pointer to new ... panel(S)  
     news items ..... news(C)  
     news: print news items ..... news(C)  
   old-style corex: convert new-style core image dumps to ... corex(C)  
   than one terminal newterm: enables output to more .. curses(S)  
   than one terminal newterm: enables output to more .. terminfo(S)  
   default window newwin: creates additional ..... curses(S)  
   default window newwin: creates additional ..... terminfo(S)  
     \_nextchoice: gets next field type ... fieldtype(S)  
   / fetch, store, delete, firstkey, nextkey: database subroutines ..... dbm(NS)  
     database nextkey: return next key in ..... dbm(NS)  
     a database nextkey: returns the next key in ..... dbm(S)  
   /dbmunit, delete, fetch, firstkey, nextkey, store: performs database/ ..... dbm(S)  
   number to be used for next/ NextRequest: extracts full serial ... AllPlanes(XS)  
   nfs\_svc, async\_daemons: NFS daemons ..... nfs\_svc(NS)  
   fh\_fcntl: fcntl given NFS file handle ..... fh\_fcntl(NS)  
   nfs\_getfh: get NFS file handle ..... nfs\_getfh(NS)  
   nfs\_getfh: get NFS file handle ..... nfs\_getfh(NS)  
   nfs\_svc, async\_daemons: NFS ..... nfs\_svc(NS)  
   nfs\_svc, async\_daemons: NFS ..... nfs\_svc(NS)  
   nfs\_svc: transport endpoint ..... nfs\_svc(NS)  
   tables nictable: process NIC database into channel/domain nictable(ADM)  
   process nice: change priority of a ..... nice(S)  
   different scheduling priority nice: run a command at a ..... nice(C)  
   into channel/domain tables nictable: process NIC database ..... nictable(ADM)  
 in Network Information Service (NIS) /update user password ..... yppasswd(NS)  
 Network Information Service (NIS) client interface ypclnt: ..... ypclnt(NS)  
   xdr\_yppasswd: XDR an NIS passwd entry ..... yppasswd(NS)  
   yppasswd: replace an NIS password entry ..... yppasswd(NS)  
   yp\_bind: bind to a NIS server ..... ypclnt(NS)

yp\_unbind: unbind from a specific NIS server ..... ypclnt(NS)  
 nl: add line numbers to a file ..... nl(C)  
 return is translated into/ nl: controls whether carriage ..... curses(S)  
 return is translated into/ nl: controls whether carriage ..... tam(S)  
 return is translated into/ nl: controls whether carriage ..... terminfo(S)  
 wnl: turn on/off mapping NL into CR/NL on output ..... tam(S)  
 structure to a 26-character/ nl\_ascxtime: converts a tm ..... nl\_cxtime(S)  
 nl\_cxtime, nl\_ascxtime: format date and time ..... nl\_cxtime(S)  
 time to local time nl\_cxtime: converts UNIX epoch ..... nl\_cxtime(S)  
 date and time nl\_cxtime, nl\_ascxtime: format ..... nl\_cxtime(S)  
 native language/ nl\_printf, nl\_fprintf, nl\_sprintf: formats ..... nl\_printf(S)  
 named output nl\_fprintf: places output on the ..... nl\_printf(S)  
 formatted native/ nl\_scanf, nl\_fscanf, nl\_sscanf: converts ..... nl\_scanf(S)  
 input nl\_fscanf: reads from the named ..... nl\_scanf(S)  
 language support operation nl\_init: initializes native ..... nl\_init(S)  
 nlist: get entries from name list ..... nlist(S)  
 nl\_langinfo: language information ..... nl\_langinfo(S)  
 nl\_printf: formats native/ nl\_printf, nl\_fprintf, ..... nl\_printf(S)  
 standard output stream nl\_printf: places output on the ..... nl\_printf(S)  
 service administration nlsadmin: network listener ..... nlsadmin(ADM)  
 converts formatted native/ nl\_scanf, nl\_fscanf, nl\_sscanf: ..... nl\_scanf(S)  
 input stream nl\_scanf: reads from the standard ..... nl\_scanf(S)  
 language/ nl\_printf, nl\_fprintf, nl\_sprintf: formats native ..... nl\_printf(S)  
 consecutive bytes nl\_sprintf: places "output," in ..... nl\_printf(S)  
 native/ nl\_scanf, nl\_fscanf, nl\_sscanf: converts formatted ..... nl\_scanf(S)  
 character string nl\_sscanf: reads from the ..... nl\_scanf(S)  
 language strings nl\_strncmp: compare native ..... nl\_strncmp(S)  
 native language strings nl\_strncmp, nl\_strncmp: compare ..... nl\_strncmp(S)  
 language strings nl\_strncmp, nl\_strncmp: compare native ..... nl\_strncmp(S)  
 language strings nl\_strncmp: compare native n ..... nl\_strncmp(S)  
 language support nl\_types: data types for native ..... nl\_types(FP)  
 object file nm: print name list of common ..... nm(CP)  
 nm: prints name list ..... nm(XNX)  
 nocrmode: replaced by nocbreak ..... curses(S)  
 CBREAK mode nocbreak: puts terminal out of ..... curses(S)  
 CBREAK mode nocbreak: puts terminal out of ..... tam(S)  
 CBREAK mode nocbreak: puts terminal out of ..... terminfo(S)  
 CBREAK mode nocrmode: puts terminal out of ..... tam(S)  
 CBREAK mode nocrmode: puts terminal out of ..... terminfo(S)  
 nocrmode: replaced by nocbreak ..... curses(S)  
 tdelete: deletes a node from a binary search tree ..... tsearch(S)  
 a non-blocking call nodelay: causes wgetch() to be ..... curses(S)  
 a non-blocking call nodelay: causes wgetch() to be ..... tam(S)  
 a non-blocking call nodelay: causes wgetch() to be ..... terminfo(S)  
 nodes and read specifications of nodes idmknod: remove ..... idmknod(ADM)  
 nodes idmknod: remove nodes and read specifications of ..... idmknod(ADM)  
 characters are echoed as they/ noecho: controls whether ..... curses(S)  
 characters are echoed as they/ noecho: controls whether ..... tam(S)  
 characters are echoed as they/ noecho: controls whether ..... terminfo(S)  
 being enabled noenable: prevent a queue from ..... noenable(K)  
 XNoExposeEvent: NoExpose event structure ..... XGraphicsExposeEvent(XS)  
 /GraphicsExpose and NoExpose event structures ..... XGraphicsExposeEvent(XS)  
 hangups and quits nohup: run a command immune to ..... nohup(C)  
 sd, sdd: start a no-LUID daemon ..... sd(ADM)

## Permuted Index

a data region returned by `execseg` non-executable `unexecseg`; makes `execseg(S)`  
 return is translated into/ nonl: controls whether carriage `courses(S)`  
 return is translated into/ nonl: controls whether carriage `tam(S)`  
 return is translated into/ nonl: controls whether carriage `terminfo(S)`  
     `setjmp`, `longjmp`: non-local goto `setjmp(S)`  
     `sigsetjmp`, `siglongjmp`: non-local jumps `sigsetjmp(S)`  
 floating-point/ `drand48`: returns non-negative double-precision `drand48(S)`  
 floating-point/ `erand48`: returns non-negative double-precision `drand48(S)`  
     `lrand48`: returns non-negative long integers `drand48(S)`  
     `rrand48`: returns non-negative long integers `drand48(S)`  
     `sqr`: returns the non-negative square root of x `exp(S)`  
`goodpw`: check a password for non-obviousness `goodpw(ADM)`  
     `XShapeCombineMask`: X nonrectangular shape function `XShape(Xext)`  
     `XShapeCombineRectangles`: X nonrectangular shape function `XShape(Xext)`  
     `XShapeCombineRegion`: X nonrectangular shape function `XShape(Xext)`  
     `XShapeCombineShape`: X nonrectangular shape function `XShape(Xext)`  
     `XShapeGetRectangles`: X nonrectangular shape function `XShape(Xext)`  
     `XShapeInputSelected`: X nonrectangular shape function `XShape(Xext)`  
     `XShapeOffsetShape`: X nonrectangular shape function `XShape(Xext)`  
     `XShapeQueryExtension`: X nonrectangular shape function `XShape(Xext)`  
     `XShapeQueryExtents`: X nonrectangular shape function `XShape(Xext)`  
     `XShapeQueryVersion`: X nonrectangular shape function `XShape(Xext)`  
     `XShapeSelectInput`: X nonrectangular shape function `XShape(Xext)`  
     `XShape`: X nonrectangular shape functions `XShape(Xext)`  
     `endwin`: resets terminal to non-visual mode `courses(S)`  
     `endwin`: resets terminal to non-visual mode `tam(S)`  
     `endwin`: resets terminal to non-visual mode `terminfo(S)`  
         false: return with a non-zero exit value `false(C)`  
         of a/ `_FD_ISSET`: returns non-zero if descriptor is member `select(S)`  
 /information on the existence of non-zero length text components `XmStringEmpty(Xm)`  
     zone exists `daylight`: set to non-zero value if alternate time `ctime(S)`  
         mode `noraw`: places terminal into RAW `terminfo(S)`  
         mode `noraw`: places terminal out of RAW `courses(S)`  
     /sets cursor state to invisible, normal, or very visible `courses(S)`  
     /sets cursor state to invisible, normal, or very visible `terminfo(S)`  
     test for a floating point NaN (Not-A-Number) /`isnan`, `isnanf`: `isnan(S)`  
         `isnan`: test double for Not-a-Number (NaN) `isnan(S)`  
     IEEE/ `isnan`: test double for Not-a-Number (NaN) according to `isnan(S)`  
     IEEE/ `isnanf`: test float for Not-a-Number (NaN) according to `isnan(S)`  
     mail using the Resent-rcvalert: mail-receipt `resend(C)`  
     retrieval, and subsystem notification `rcvalert(C)`  
     notification /`statistic` `auditcmd(ADM)`  
 input context has/ `XUnsetCFocus`: notify an input method that the `XSetCFocus(XS)`  
     is away `rcvtrip`: notify mail sender that recipient `rcvtrip(C)`  
     user and function key sequences `notimeout`: differentiates between `courses(S)`  
     user and function key sequences `notimeout`: differentiates between `terminfo(S)`  
         editor `edit`: Invoke a novice version of the `ex` text `ex(C)`  
         `vedit`: Invoke a novice version of `vi` `vi(C)`  
     /`jr``rand48`, `l``rand48`, `long` integers `rrand48`, `mr``rand48`, `sr``rand48`,/ `drand48(S)`  
         `long` integers `rrand48`: returns non-negative `drand48(S)`  
         structure `nssend`: name server request `nssend(FP)`  
     sets variable `cur_term` `nterm set_curterm`: `courses(S)`  
     sets variable `cur_term` to `nterm set_curterm`: `terminfo(S)`  
     /collates two strings until `nth` character is reached `strcoll(S)`

network to host long byte order  
between/ byteorder, htons, htonl,  
byteorder, htons, htonl, ntohl,  
network to host short byte order

    null: the  
initialize descriptor set to the  
    bzero: byte  
an XTextProperty from a list of

    /dodisk, lastlogin, monacct,  
str on/ /writes all characters of  
str on/ /writes all characters of  
ServerVendor: returns pointer to  
array gcvt: converts value to a  
standard output/ puts: writes  
screen labeled/ wslk: output a  
entry/echo line wcmd: output  
line wprompt: output  
label line wlabel: output  
output stream fputs: writes  
/return base major, new device

tgetnum: gets  
tgetnum: gets  
numtbl: create a  
tgetnum: gets the  
getpwuid: searches for matching  
getprpwuid: searches for  
that tests the validity of a  
table

processing language awk: awk,  
processing language  
between a drop site and source  
changes the size of memory  
create and initialize an opaque  
malloc: allocates space for an  
xdr\_opaque: XDR an opaque  
lfind: searches for  
dis:

DMD terminal wtinit:  
C source listing from a common  
a symbol table entry of a common  
cprs: compress a common  
display selected parts of a XENIX  
dump selected parts of a common  
entries of a section of a common  
entries of a section of a common  
find the printable strings in an  
information for a common  
line number entries in a common  
nm: print name list of common  
number information from a common  
optional file header of a common  
read the file header of a common

ntohl: convert values from ..... byteorder(SLIB)  
ntohl, ntohs: convert values ..... byteorder(SLIB)  
ntohs: convert values between/ ..... byteorder(SLIB)  
ntohs: convert values from ..... byteorder(SLIB)  
null: data sink or empty source ..... null(F)  
null file ..... null(FP)  
null set FD\_ZERO: ..... select(S)  
null string operation ..... bstring(SLIB)  
null terminated strings /set ..... XmbTextListToTextProperty(XS)  
null: the null file ..... null(FP)  
nulladm, prctmp, prdaily,/ ..... acctsh(ADM)  
null-terminated character string ... tam(S)  
null-terminated character string ... terminfo(S)  
null-terminated string ..... AllPlanes(XS)  
null-terminated string in an ..... ecvt(S)  
null-terminated string to ..... puts(S)  
null-terminated string to a ..... tam(S)  
null-terminated string to command tam(S)  
null-terminated string to prompt ... tam(S)  
null-terminated string to window ... tam(S)  
nul-terminated string to named ... puts(S)  
number, or extended minor device/ major(K)  
numeric entry for codename ..... curses(S)  
numeric entry for codename ..... terminfo(S)  
numeric locale table ..... numtbl(M)  
numeric value of capability ..... termcap(S)  
numerical user ID ..... getpwent(S)  
numerical user ID matching uid ... getprpwent(S)  
numerical value of a/ /function ... XmRepTypeValidValue(Xm)  
numtbl: create a numeric locale ... numtbl(M)  
oawk, nawk: pattern scanning and ... awk(C)  
oawk: pattern scanning and ..... awk(C)  
object /the target types match .... XmTargetsAreCompatible(Xm)  
object realloc: ..... malloc(S)  
object XmuMakeAtom: ..... XmuAtom(Xmu)  
object ..... malloc(S)  
object ..... xdr(NS)  
object and adds to table ..... lsearch(S)  
object code disassembler ..... dis(CP)  
object downloader for the 5620 .... wtinit(ADM)  
object file list: produce ..... list(CP)  
object file /compute the index of ... ldtbindex(S)  
object file ..... cprs(CP)  
object file hdr: ..... hdr(XNX)  
object file dump: ..... dump(CP)  
object file /seek to line number .... ldseek(S)  
object file /seek to relocation ..... ldseek(S)  
object file strings: ..... strings(C)  
object file reloc: relocation ..... reloc(FP)  
object file linenum: ..... linenum(FP)  
object file ..... nm(CP)  
object file /symbol and line ..... strip(CP)  
object file /seek to the ..... ldohseek(S)  
object file ldhread: ..... ldhread(S)

## Permuted Index

section header for a common object file scnhdr: ..... scnhdr(FP)  
 section header of a common object file /an indexed/named ..... ldshdr(S)  
     section of a common object file /to an indexed/named ..... ldssseek(S)  
     size: prints the size of an object file ..... size(XNX)  
 symbol table entry of a common object file /read an indexed ..... ldtbread(S)  
 to the symbol table of a common object file ldtbseek: seek ..... ldtbseek(S)  
     ldfcn: common object file access routines ..... ldfcn(FP)  
 ldclose, Idaclose: close a common object file and free memory ..... ldclose(S)  
     mcs: manipulate the object file comment section ..... mcs(CP)  
     conv: common object file converter ..... conv(CP)  
 ldopen, ldaoopen: open a common object file for reading ..... ldopen(S)  
 line number entries of a common object file function /manipulate ..... ldread(S)  
 /retrieve symbol name for common object file symbol table entry ..... ldgetname(S)  
     syms: common object file symbol table format ..... syms(FP)  
 filehdr: file header for common object files ..... filehdr(FP)  
     directories cpset: install object files in binary ..... cpset(C)  
     /that returns the XmDisplay object ID for a specified display ..... XmGetXmDisplay(Xm)  
     /that returns the XmScreen object ID for a specified screen ..... XmGetXmScreen(Xm)  
     find ordering relation for an object library lorder: ..... lorder(CP)  
 Intel 8086 Relocatable Format for Object Modules 86rel: ..... 86rel(FP)  
     tcgetattr: gets the fildes object parameters ..... tcattr(S)  
     tsetattr: sets the fildes object parameters ..... tsetattr(S)  
     /records system object problem ..... authaudit(S)  
     Object: the Object widget class ..... Object(Xm)  
     Object widget class ..... Object(Xm)  
     Desktop objects object\_builder: build or modify ..... objblid(X)  
     build or modify Desktop objects object\_builder: ..... objblid(X)  
     copies characters between objects memmove: ..... memmove(S)  
     xdr\_array: XDR a C array of objects ..... xdr(NS)  
     /create, destroy, and obtain an application context ..... XtCreateApplicationContext(Xt)  
 properties XGetWindowProperty: obtain and change window ..... XGetWindowProperty(XS)  
     XtGetGC: obtain and destroy a sharable GC ..... XtGetGC(Xt)  
     XtSetValues: obtain and set widget resources ..... XtSetValues(Xt)  
     class XtCheckSubclass: obtain and verify a widget's ..... XtClass(Xt)  
     class XtClass: obtain and verify a widget's ..... XtClass(Xt)  
     class XtIsComposite: obtain and verify a widget's ..... XtClass(Xt)  
     class XtIsManaged: obtain and verify a widget's ..... XtClass(Xt)  
     class XtIsSubclass: obtain and verify a widget's ..... XtClass(Xt)  
     class XtSuperClass: obtain and verify a widget's ..... XtClass(Xt)  
     XtGetApplicationResources: obtain application resources ..... XtGetSubresources(Xt)  
 and white CCC/ XcmsQueryBlack: obtain black, blue, green, red, ..... XcmsQueryBlack(XS)  
     XQueryColor: obtain color values ..... XQueryColor(XS)  
     XcmsQueryColor: obtain color values ..... XcmsQueryColor(XS)  
 input method XmbLookupString: obtain composed input from an ..... XmbLookupString(XS)  
 input method XwcLookupString: obtain composed input from an ..... XmbLookupString(XS)  
     XtAppGetErrorDatabase: obtain error database or message ..... XtAppGetErrorDatabase(Xt)  
     XFontsOffFontSet: obtain fontset information ..... XFontsOffFontSet(XS)  
     file isindexinfo: obtain information about an ISAM ..... isindexinfo(S)  
     the specified/ XGetICValues: obtain input context values from ..... XSetICValues(XS)  
     XOpenIM: open, close, and obtain input method information ..... XOpenIM(XS)  
     by widget XmuWnNameToNode: obtain number of resources owned ..... XmuWnNameToNode(Xmu)  
     information XListFonts: obtain or free font names and ..... XListFonts(XS)  
 number/ seed: get\_seed, set\_seed: obtain or set seed for random ..... seed(S)  
     for a/ XmbTextPerCharExtents: obtain per-character information ..... XmbTextPerCharExtents(XS)



for a/ XwcTextPerCharExtents: obtain per-character information .. XmbTextPerCharExtents(XS)  
 specified/ XtScreenDatabase: obtain resource database for ..... XtScreenDatabase(Xt)  
     XtGetResourceList: obtain resource list ..... XtGetResourceList(Xt)  
     generator get\_seed: obtain seed for random number .. seed(S)  
 XtAppGetSelectionTimeout: set and obtain selection timeout values .... XtAppGetSelectionTimeout(Xt)  
     XtAppGetSelectionTimeout: obtain selection timeout values .... XtAppGetSelectionTimeout(Xt)  
         XtGetSelectionValue: obtain selection value ..... XtGetSelectionValue(Xt)  
         XtGetSelectionValue: obtain selection values ..... XtGetSelectionValue(Xt)  
         XtGetSelectionValues: obtain selection values ..... XtGetSelectionValue(Xt)  
         XResourceManagerString: obtain server resource properties .. XResourceManagerString(XS)  
             XtGetGC: obtain sharable GC ..... XtGetGC(Xt)  
 modifiable fields XtAllocateGC: obtain shareable GC with ..... XtAllocateGC(Xt)  
     XtGetSubresources: obtain subresources ..... XtGetSubresources(Xt)  
 application/ XtGetSubresources: obtain subresources or ..... XtGetSubresources(Xt)  
     XcmsCIELabQueryMaxC: obtain the CIE L\*a\*b\* coordinates .. XcmsCIELabQueryMaxC(XS)  
     XcmsCIELuvQueryMaxC: obtain the CIE L\*u\*v\* coordinates .. XcmsCIELuvQueryMaxC(XS)  
     screen XcmsDefaultCCC: obtain the default CCC for a ..... XcmsDefaultCCC(XS)  
         XmbTextEscapement: obtain the escapement of text ..... XmbTextEscapement(XS)  
         XwcTextEscapement: obtain the escapement of text ..... XmbTextEscapement(XS)  
     XCreateIC: create, destroy, and obtain the input method of an/ .... XCreateIC(XS)  
 structure for/ XExtentsOfFontSet: obtain the maximum extents ..... XExtentsOfFontSet(XS)  
     XcmsTekHVCQueryMaxC: obtain the TekHVC coordinates .... XcmsTekHVCQueryMaxC(XS)  
 visual structure XGetVisualInfo: obtain visual information and ..... XGetVisualInfo(XS)  
     XmuWnFetchResources: obtain widget class resources ..... XmuWnFetchResources(Xmu) .  
         XtGetSubvalues: obtain widget resources ..... XtSetValues(Xt)  
         XtGetValues: obtain widget resources ..... XtSetValues(Xt)  
         widget XtDisplay: obtain window information about a XtDisplay(Xt)  
         widget XtParent: obtain window information about a XtDisplay(Xt)  
         widget XtScreen: obtain window information about a XtDisplay(Xt)  
         widget XtWindow: obtain window information about a XtDisplay(Xt)  
         XSetICValues: set and obtain XIC values ..... XSetICValues(XS)  
 graphics/ XGContextFromGC: obtains GContext from associated .. XCreateGC(XS)  
     of user's terminal keypad: obtains information from keypad .. curses(S)  
     of user's terminal keypad: obtains information from keypad .. tam(S)  
     of user's terminal keypad: obtains information from keypad .. terminfo(S)  
 /a compound string function that obtains the length of a compound/ XmStringLength(Xm)  
 values in the/ XcmsQueryColors: obtains the RGB values for pixel ... XcmsQueryColor(XS)  
     /a ToggleButton function that obtains the state of a/ ..... XmToggleButtonGetState(Xm)  
 ToggleButtonGadget function that obtains the state of a/ /a ..... XmToggleButtonGadgetGetState(Xm)  
     /a RowColumn function that obtains the widget ID for the/ ..... XmGetTearOffControl(Xm)  
     /a RowColumn function that obtains the widget ID for the/ ..... XmToggleButtonGadget(Xm)  
     /a RowColumn function that obtains the widget ID for the/ ..... XmOptionLabelGadget(Xm)  
         s2 strstr: finds the first occurrence in string s1 of string ..... string(S)  
     /returns a pointer to the first occurrence of a character ..... memory(S)  
         oclock: display time of day ..... oclock(X)  
         od: display files in octal format ..... od(C)  
     /string function that fetches the octets in the next segment of a/ ... XmStringGetNextSegment(Xm)  
         scoedit: graphical editor for Open Desktop ..... scoedit(X)  
         od: display files in octal format ..... od(C)  
 change window colors in the SCO Open Desktop GUI scocolor: ..... scocolor(X)  
     curoff: turns cursor display off, available only through/ ..... curses(S)  
     curoff: turns cursor display off, available only through/ ..... terminfo(S)  
     to beginning of / ftell: returns offset of current byte relative ..... fseek(S)  
     XtOffset: determine the byte offset or number of array/ ..... XtOffset(Xt)

## Permuted Index

XtOffset: determine the byte	offset or resource fields	.....	XtOffset(Xt)
new-style core image dumps to	old-style corex: convert	.....	corex(C)
current/ convkey: Translate an	old-style mapkey file into the	.....	mapkey(M)
va_alist: denotes an	old-style variable argument list	.....	varargs(S)
put a control message with a	one-byte parameter putctl1:	.....	putctl1(K)
output wrnl: turn	on/off mapping NL into CR/NL on	.....	tam(S)
xdr_opaque_auth: XDR	opaque authentication parameters	.....	rpc(NS)
create and initialize an	opaque object XmuMakeAtom:	.....	XmuAtom(Xmu)
xdr_opaque: XDR an	opaque object	.....	xdr(NS)
method information XOpenIM:	open, close, and obtain input	.....	XOpenIM(XS)
	open: open for reading or writing	.....	open(S)
XtDisplayInitialize: initialize,	open, or close a display	.....	XtDisplayInitialize(Xt)
channel	openagent: opens the control	.....	libwindows(S)
argument chan	openchan: opens the channel	.....	libwindows(S)
catopen, catclose:	open/close a message catalog	.....	catopen(S)
	opendir: opens a directory	.....	directory(S)
seekdir,/ directory: closedir,	opendir, readdir, rewinddir,	.....	directory(S)
file	openlog: initialize system log	.....	syslog(SLIB)
control system log syslog,	openlog, setlogmask, vsyslog:	.....	syslog(SLIB)
writing	openpl: opens plot device for	.....	plot(S)
opendir:	opens a directory	.....	directory(S)
opensem:	opens a semaphore	.....	opensem(S)
/allocates a hierarchy ID and	opens all the UID files in the/	.....	MrmOpenHierarchy(Xm)
/allocates a hierarchy ID and	opens all the UID files in the/	.....	MrmOpenHierarchyPerDisplay(Xm)
ev_open:	opens an event queue for input	.....	ev_open(S)
dbmunit:	opens database	.....	dbm(S)
defopen:	opens default file	.....	defopen(S)
with it fopen:	opens file and associates stream	.....	fopen(S)
openpl:	opens plot device for writing	.....	plot(S)
openchan:	opens the channel argument chan	.....	libwindows(S)
openagent:	opens the control channel	.....	libwindows(S)
ll_open:	opens the MMDF logging file	.....	llog(S)
	opensem: opens a semaphore	.....	opensem(S)
commands performed to stop the	operating system rc0: run	.....	rc0(ADM)
uexec: execute UNIX	operating system command	.....	uexec(PCI)
uren: rename a UNIX	operating system file	.....	uren(PCI)
getuattr: get UNIX	operating system file attributes	.....	getuattr(PCI)
uchmod: change UNIX	operating system file attributes	.....	uchmod(PCI)
/map a DOS path name to UNIX	operating system path name	.....	mapd2u(PCI)
DOS pathname mapu2d: map UNIX	operating system pathname to a	.....	mapu2d(PCI)
for the exit status of a UNIX	operating system process /poll	.....	uwait(PCI)
ukill: send a signal to a UNIX	operating system process or group/	.....	ukill(PCI)
prf:	operating system profiler	.....	prf(HW)
XNoOp: No	Operation	.....	XNoOp(XS)
allocate space for inline XDR	operation xdr_inline:	.....	xdr(NS)
bcmp: byte comparison	operation	.....	bstring(SLIB)
bcopy: byte copy	operation	.....	bstring(SLIB)
bzero: byte null string	operation	.....	bstring(SLIB)
gettmode: no	operation	.....	curses(S)
index: string indexing	operation	.....	string(SLIB)
native language support	operation nl_init: initializes	.....	nl_init(S)
rintdex: string indexing	operation	.....	string(SLIB)
the position of the next readdir	operation seekdir: sets	.....	directory(S)
rewind: sets position of next I/O	operation but does not return a/	.....	fseek(S)

fseek: sets position of next I/O operation on a stream ..... fseek(S)  
argument ..... optarg(S)  
optarg: pointer to option ..... getopt(S)  
opterr: disables error message ..... getopt(S)  
optimal access time ..... dcopy(ADM)  
dcopy: copy UNIX filesystems for optimization" ..... curses(S)  
typeahead: does "line-breakout optimization" ..... terminfo(S)  
typeahead: does "line-breakout optimization information ..... curses(S)  
touchline: discards window optimization information ..... terminfo(S)  
touchline: discards window optimization information ..... curses(S)  
touchwin: discards window optimization information ..... terminfo(S)  
touchwin: discards window optimization information ..... curses(S)  
terminal screen handling and optimization package curses: ..... curses(S)  
argument to be processed optind: argv index of next ..... getopt(S)  
optarg: pointer to option argument ..... getopt(S)  
vector ..... getopt(S)  
field\_opts: returns the field's option setting ..... field(S)  
menu\_opts: returns the menu's option setting ..... menu(S)  
object/ ldoohseek: seek to the optional file header of a common ..... ldoohseek(S)  
ID for the LabelGadget in an OptionMenu /obtains the widget ..... XmOptionLabelGadget(Xm)  
for the CascadeButtonGadget in an OptionMenu /obtains the widget ID ..... XmOptionButtonGadget(Xm)  
an character set conversion table options /sets language ..... lcs\_set\_options(PCI)  
fcntl: file control options ..... fcntl(M)  
field\_opts\_on: turns on the named options ..... field(S)  
getopt: parse command options ..... getopt(C)  
getopts, getoptcv: parse command options ..... getopt(C)  
standard X Toolkit command-line options Xt\_options: ..... Xt\_options(X)  
to resource specification options /set locale according ..... XtLanguageProc(Xt)  
turns off named item's options item\_opts\_off: ..... item(S)  
turns off the named form options form\_opts\_off: ..... form(S)  
turns off the named options field\_opts\_off: ..... field(S)  
turns on named item's options item\_opts\_on: ..... item(S)  
turns on the named form options form\_opts\_on: ..... form(S)  
stty, STTY: set the options for a terminal ..... stty(C)  
link to stty STTY: set the options for a terminal. STTY is a ..... stty(C)  
t\_optmgmt: manage options for a transport endpoint ..... t\_optmgmt(S)  
set\_menu\_opts: turns on named options for menu ..... menu(S)  
set\_form\_opts: turns on named options for the form ..... form(S)  
ibmlpopt: display lp options for the IBM ProPrinter ..... undocumented(M)  
set\_item\_opts: turns on the named option(s) for the item ..... item(S)  
/turns off the named options for the menu ..... menu(S)  
menu\_opts\_on: turns on the named options for the menu ..... menu(S)  
set\_field\_opts: turns on named options of field ..... field(S)  
getsockopt: get options on sockets ..... getsockopt(SSC)  
setsockopt: get and set options on sockets ..... getsockopt(SSC)  
setsockopt: set options on sockets ..... getsockopt(SSC)  
form\_opts: returns form's options setting ..... form(S)  
returns the given item's option(s) setting item\_opts: ..... item(S)  
library lorder: find ordering relation for an object ..... lorder(CP)  
t\_sndrel: initiate an orderly release ..... t\_sndrel(S)  
/acknowledge receipt of an orderly release indication ..... t\_rcvrel(S)  
make a directory or a special or ordinary file or a FIFO mknod: ..... mknod(S)  
list of rectangles and set clip origin /clip-mask to specified ..... XSetClipOrigin(XS)  
XSetTSTOrigin: sets tile/stipple origin in specified GC ..... XSetTitle(XS)  
os2ld: OS/2 cross linker ..... os2ld(CP)  
os2ld: OS/2 cross linker ..... os2ld(CP)

## Permuted Index

terminal as encoded by stty ospeed: contains output speed of ... termcap(S)  
 further use space pointed to by oterm\_del\_curterm: frees for ... curses(S)  
 further use space pointed to by oterm\_del\_curterm: frees for ... terminfo(S)  
 queue OTHERQ: get pointer to the mate ... otherq(K)  
 byte to an I/O address inb, outb: read a byte from or write a ... inb(K)  
 to a physical I/O address ind, outb: write a byte to I/O address ... inb(K)  
 outd: read or write a 32-bit word ... ind(K)  
 outd: write value to physical I/O ... ind(K)  
 outgoing terminal line connection dial(S)  
 dial: establish an "output," in consecutive bytes ... nl\_printf(S)  
 nl\_sprintf: places "output," in consecutive bytes ... printf(S)  
 sprintf: places "output," in consecutive bytes ... vprintf(S)  
 vsprintf: places  
 terminal in video mode vidattr: outputs a string that puts ... curses(S)  
 terminal in video mode vidattr: outputs a string that puts ... terminfo(S)  
 terminal in video mode vidputs: outputs a string that puts ... curses(S)  
 terminal in video mode vidputs: outputs a string that puts ... terminfo(S)  
 padding to the string str and outputs it tputs: applies ... curses(S)  
 padding to the string str and outputs it tputs: applies ... terminfo(S)  
 getserno: outputs the serial number ... getserno(C)  
 from or to a physical I/O/ inw, outw: read or write a 16-bit word ... inw(K)  
 physical I/O address outw: write a word from to ... inw(K)  
 Bottom: moves layer to bottom of overlapping layers ... libwindows(S)  
 Top: moves layer to top of overlapping layers ... libwindows(S)  
 copywin: provides control over overlay() and overwrite() ... curses(S)  
 copywin: provides control over overlay() and overwrite() ... terminfo(S)  
 srcwin to dstwin overlay: overlays text from ... curses(S)  
 srcwin to dstwin overlay: overlays text from ... terminfo(S)  
 dstwin overlay: overlays text from srcwin to ... curses(S)  
 dstwin overlay: overlays text from srcwin to ... terminfo(S)  
 dstwin overwrite: overlays text from srcwin to ... curses(S)  
 dstwin overwrite: overlays text from srcwin to ... terminfo(S)  
 /named) application widget. It overrides the arguments specified/ MmFetchWidgetOverride(Xm)  
 widget class OverrideShell: the OverrideShell ... OverrideShell(Xm)  
 OverrideShell: the OverrideShell widget class ... OverrideShell(Xm)  
 /acctdusg, accton, acctwtmpt: overview of accounting and/ ... acct(ADM)  
 control over overlay() and overwrite() copywin: provides ... curses(S)  
 control over overlay() and overwrite() copywin: provides ... terminfo(S)  
 srcwin to dstwin overwrite: overlays text from ... curses(S)  
 srcwin to dstwin overwrite: overlays text from ... terminfo(S)  
 purge: overwrite specified files ... purge(C)  
 XPutPixel: overwrites pixel ... XCreateImage(XS)  
 obtain number of resources owned by widget XmUwNNameToNode: XmUwNNameToNode(Xmu)  
 XtDisownSelection: set selection owner ... XtOwnSelection(Xt)  
 XtOwnSelection: set selection owner ... XtOwnSelection(Xt)  
 chown: change owner and group of a file ... chown(S)  
 chown: change owner ID ... chown(C)  
 initialize file permissions and ownership /examine, correct or ... fixperm(ADM)  
 quot: summarize file system ownership ... quot(C)  
 ptrace for tracing a child/ paccess: used in conjunction with ... paccess(S)  
 pack: Pack a file ... pack(C)  
 pack: Pack a file ... pack(C)  
 expand files pack, pcat, unpack: compress and ... pack(C)  
 initializes MMDF tailoring package tai\_init: ... tai(S)  
 installpkg: install package ... installpkg(ADM)

interprocess communication package ftok: standard ..... ftok(S)  
 llog: library logging package ..... llog(S)  
 pkgmk: produce an installable package ..... pkgmk(ADM)  
 removepkg: remove installed package ..... removepkg(ADM)  
 sa2, sadc: system activity report package sar, sa1, ..... sar(ADM)  
 screen handling and optimization package curses: terminal ..... curses(S)  
 standard buffered input/output package stdio: ..... stdio(S)  
 the next line of MMDf tailoring package /acquires and parses ..... tai(S)  
 tai\_end: ends MMDf tailoring package access ..... tai(S)  
 pkginfo: package characteristics file ..... pkginfo(F)  
 pkgmap: package contents description file ..... pkgmap(F)  
 pkgtrans: translate package format ..... pkgtrans(ADM)  
 pkgrm: remove a package from the system ..... pkgrm(ADM)  
 pkginfo: display software package information ..... pkginfo(ADM)  
 prototype: package information file ..... prototype(F)  
 message: support utility for package installation ..... undocumented(M)  
 perms: file permissions list for package installation ..... perms(F)  
 pkgparam: display package parameter values ..... pkgparam(ADM)  
 pkgsize: updates package size information ..... pkgsize(SMT)  
 access boot, configuration, or package string string: ..... string(M)  
 getpkgflag: check existence of package string ..... getsvalue(K)  
 getpkgvalue: get the package string ..... getsvalue(K)  
 pkgadd: transfer software package to the system ..... pkgadd(ADM)  
 displaypkg: display installed packages ..... displaypkg(ADM)  
 pcat: Display a packed file ..... pack(C)  
 repackman: convert man pages to packed format ..... repackman(ADM)  
 xtt: extract and print xt driver packet traces ..... xtt(ADM)  
 a pointer to a subwindow within a pad subpad: creates and returns ..... curses(S)  
 a pointer to a subwindow within a pad subpad: creates and returns ..... terminfo(S)  
 menu\_pad: returns the menu's pad character ..... menu(S)  
 field\_pad: returns the pad character for field ..... field(S)  
 set\_field\_pad: sets the pad character for field ..... field(S)  
 set\_menu\_pad: sets the pad character for menu m to c ..... menu(S)  
 used by tputs PC: contains pad character from pc capability ..... termcap(S)  
 and returns pointer to new pad data structure /creates ..... curses(S)  
 and returns pointer to new pad data structure /creates ..... terminfo(S)  
 bits that each scanline must be padded /returns number of ..... ImageByteOrder(XS)  
 sets the page number of form to page set\_form\_page: ..... form(S)  
 the page, rather than down the page /in columns, sorted across ..... ls(C)  
 Window System xman: manual page display program for the X ..... xman(X)  
 page: is a link to more ..... more(C)  
 form\_page: returns the current page number of form ..... form(S)  
 set\_form\_page: sets the page number of form to page ..... form(S)  
 marks field to begin a new page of form set\_new\_page: ..... form(S)  
 whether given field starts new page of form new\_page: shows ..... form(S)  
 /in columns, sorted across the page, rather than down the page ..... ls(C)  
 Intro: list manual page references ..... intro(K)  
 add/delete entries from the bad page table ecc: ..... ecc(ADM)  
 between bytes and clicks (memory pages) btoc, ctob: convert ..... btoc(K)  
 btoc: convert bytes to memory pages ..... btoc(K)  
 man: print reference pages in this guide ..... man(C)  
 Routines: DOS routines and man pages listed ..... Routines(DOS)  
 ctob: convert memory pages to bytes ..... btoc(K)  
 repackman: convert man pages to packed format ..... repackman(ADM)

## Permuted Index

terminals pg: paginate display for soft-copy . . . . pg(C)  
 terminal 4014: paginator for the TEKTRONIX 4014 4014(C)  
 vmstat: report paging and system statistics . . . . vmstat(C)  
 yp\_first: return first key-value pair . . . . . ypclnt(NS)  
 yp\_next: return next key-value pair . . . . . ypclnt(NS)  
 out how a given color-pair is/ pair\_content: allows user to find . . . curses(S)  
 out how a given color-pair is/ pair\_content: allows user to find . . terminfo(S)  
 a list of data\_id/private\_id pairs /function that returns . . . . XmClipboardInquirePendingItems(Xm)  
 yp\_all: return all key-value pairs . . . . . ypclnt(NS)  
 XmPanedWindow: the PanedWindow widget class . . . . XmPanedWindow(Xm)  
 XmCreatePanedWindow: the PanedWindow widget creation/ . . XmCreatePanedWindow(Xm)  
 a pointer to the window of panel panel\_window: returns . . . . panel(S)  
 del\_panel: deletes panel . . . . . panel(S)  
 new\_panel: gets pointer to new panel . . . . . panel(S)  
 pointer to panel above specified panel panel\_above: gets . . . . . panel(S)  
 pointer to panel below specified panel panel\_below: gets . . . . . panel(S)  
 the user pointer for a given panel panel\_userptr: returns . . . . panel(S)  
 panel\_above: gets pointer to panel above specified panel . . . . panel(S)  
 bottom\_panel: puts panel at the bottom of all panels . . . . panel(S)  
 panel\_below: gets pointer to panel below specified panel . . . . panel(S)  
 hide\_panel: removes panel from panels deck . . . . . panel(S)  
 panel\_hidden: indicates if panel is removed from deck . . . . . panel(S)  
 panel: PANEL library routines . . . . . panel(S)  
 top\_panel: puts visible panel on top of the deck . . . . . panel(S)  
 panel: PANEL library routines . . . . . panel(S)  
 the virtual screen to show panel relations /refreshes . . . . . panel(S)  
 the/ show\_panel: makes hidden panel visible and puts on top of . . . . panel(S)  
 coordinates move\_panel: moves panel window to new x-y . . . . . panel(S)  
 replaces the current window of panel with window replace\_panel: . . . . panel(S)  
 panel above specified panel panel\_above: gets pointer to . . . . . panel(S)  
 panel below specified panel panel\_below: gets pointer to . . . . . panel(S)  
 is removed from deck panel\_hidden: indicates if panel . . . . . panel(S)  
 puts panel at the bottom of all panels bottom\_panel: . . . . . panel(S)  
 hide\_panel: removes panel from panels deck . . . . . panel(S)  
 set\_panel\_userptr: sets the panel's user pointer . . . . . panel(S)  
 pointer for a given panel panel\_userptr: returns the user . . . . panel(S)  
 to the window of panel panel\_window: returns a pointer . . . . panel(S)  
 panic: halt the system . . . . . panic(K)  
 cmn\_err: display message or panic the system . . . . . cmn\_err(K)  
 parallel: parallel interface devices . . . . . parallel(HW)  
 devices parallel: parallel interface . . . . . parallel(HW)  
 prevent interrupts from character parallel ports splpp: . . . . . spl(K)  
 prevent interrupts from character parallel ports spltty: . . . . . spl(K)  
 a control message with a one-byte parameter putctl1: put . . . . . putctl1(K)  
 attempt to set value of a tunable parameter idtune: . . . . . idtune(ADM)  
 scancode information from input parameter sc\_setinfo: sets . . . . . sc\_raw(S)  
 mtune: tunable parameter file . . . . . mtune(F)  
 stune: local tunable parameter file . . . . . stune(F)  
 xsetroot: root window parameter setting utility for X . . . . xsetroot(X)  
 pkgparam: display package parameter values . . . . . pkgparam(ADM)  
 /Drop function that returns the parent, a list of children, and/ . . . . XmDropSiteQueryStackingOrder(Xm)  
 get process, process group, and parent process ID /getppid: . . . . . getppid(S)  
 process getppid: returns parent process ID of calling . . . . . getpid(S)  
 of/ wpostwait: called by a parent process to reverse effects . . . . tam(S)

instantiates the string str with	parms p2 tparm: . . . . .	curses(S)
instantiates the string str with	parms p2 tparm: . . . . .	terminfo(S)
getopt:	parse command options . . . . .	getopt(C)
getopts, getoptcv:	parse command options . . . . .	getopts(C)
Text string XctNextItem:	parse next item from Compound . .	XctData(Xmu)
shell procedures getopt:	parse positional parameters in . . .	getopts(C)
Resource Manager structures, and	parse the command line /Manager,	XrmInitialize(XS)
XParseGeometry:	parse window geometry . . . . .	XParseGeometry(XS)
another compiler-compiler—a	parser generator yacc: yet . . . . .	yacc(CP)
XrmParseCommand:	parses command line . . . . .	XrmInitialize(XS)
tailoring/ tai_get: acquires and	parses the next line of MMDF . . . .	tai(S)
/create XctData structure for	parsing Compound Text string . . . .	XctData(Xmu)
descriptor set FD_SET: include a	particular descriptor in . . . . .	select(S)
insq: put a message at a	particular place in a queue . . . . .	insq(K)
Schedule jobs for execution at a	particular time at: . . . . .	at(C)
fdisk: maintain disk	partitions . . . . .	fdisk(ADM)
dump: dump selected	parts of a common object file . . . . .	dump(CP)
hdr: display selected	parts of a XENIX object file . . . . .	hdr(XNX)
frexp, ldexp, modf: manipulate	parts of floating-point numbers . . . .	frexp(S)
xmag: magnify	parts of the screen . . . . .	xmag(X)
space and the/ cpass, passc:	pass a character between user . . . . .	cpass(K)
request passc:	pass a character to user read . . . . .	cpass(K)
user space and the kernel cpass,	passc: pass a character between . . . .	cpass(K)
read request	passc: pass a character to user . . . .	cpass(K)
for text submission ml_file:	passes a file pointer to be used . . . .	ml_send(S)
uudemon.poll: control polling of	passive sites . . . . .	uudemon(ADM)
password length of an account	passlen: determine minimum . . . . .	passlen(S)
(dialup shell) password	passwd: change login, or modem . . . . .	passwd(C)
xdr_yppasswd: XDR an NIS	passwd entry . . . . .	yppasswd(NS)
	passwd: password entry structure . . . .	passwd(FP)
	passwd: password file . . . . .	passwd(F)
getpwent: gets pointer to next	passwd structure . . . . .	getpwent(S)
gets pointer to next matching	passwd structure fgetpwent: . . . . .	getpwent(S)
bigcrypt: encrypt a short or long	password . . . . .	getpasswd(S)
bigcryptmax: encrypt a long	password . . . . .	getpasswd(S)
bigcryptmax: read or clear a	password /fgetpasswd, bigcrypt, . . . .	getpasswd(S)
crypt: encrypts a	password . . . . .	crypt(S)
encrypt: encrypts a	password . . . . .	crypt(S)
generate a pronounceable	password randomword: . . . . .	randomword(S)
getpass: read a	password . . . . .	getpass(S)
getpasswd: read or clear a	password . . . . .	getpasswd(S)
login, or modem (dialup shell)	password passwd: change . . . . .	passwd(C)
functions crypt:	password and file encryption . . . . .	crypt(S)
files prpw: protected	password authentication database . . . .	prpw(F)
audit_passwd: audits	password change attempts . . . . .	authaudit(S)
and flag information to protected	password database /add field . . . . .	fields(S)
flag information from protected	password database /field and . . . . .	fields(S)
/putprpwnam: manipulate protected	password database entry . . . . .	getprpwnent(S)
authorization against Protected	Password entry /checks secondary . . . .	subsystems(S)
authorization against Protected	Password entry /checks user's . . . . .	subsystems(S)
get matching login name shadow	password entry getspname: . . . . .	getspent(S)
getspent: get shadow	password entry . . . . .	getspent(S)
yppasswd: replace an NIS	password entry . . . . .	yppasswd(NS)
passwd:	password entry structure . . . . .	passwd(FP)

## Permuted Index

/writes new or replaced protected password entry to a file ..... getprpwent(S)  
     prwarn: warn about password expiration ..... prwarn(C)  
 and update or remove the shadow password file /pwunconv: install ..... pwconv(ADM)  
     lckpwdf: lock the shadow password file ..... getspent(S)  
     passwd: password file ..... passwd(F)  
         pwck: check password file ..... pwck(ADM)  
     pwunconv: remove the shadow password file ..... pwconv(ADM)  
         shadow: shadow password file ..... shadow(F)  
     ulckpwdf: unlock the shadow password file ..... getspent(S)  
 user accounts given a traditional password file /create new ..... addxusers(ADM)  
     endpwent, fgetpwent: get password file entry /setpwent, ..... getpwent(S)  
     lckpwdf, ulckpwdf: get shadow password file entry /fgetspent, ..... getspent(S)  
         putpwent: write password file entry ..... putpwent(S)  
         putspent: write shadow password file entry ..... putspent(S)  
     searches setpwent: rewinds password file to allow repeated ..... getpwent(S)  
     searches setspent: rewind shadow password file to allow repeated ..... getspent(S)  
     complete endpwent: closes password file when processing is ..... getpwent(S)  
     complete endspent: closes shadow password file when processing is ..... getspent(S)  
     setprpwent: rewinds protected password files to allow repeated/ ..... getprpwent(S)  
     endprpwent: closes protected password files when processing is/ ..... getprpwent(S)  
         goodpw: check a password for non-obviousness ..... goodpw(ADM)  
         fgetpasswd: read or clear a password from a file ..... getpasswd(S)  
         des\_crypt: encrypts password from DES primitive ..... crypt(S)  
     Service/ yppasswd: update user password in Network Information ..... yppasswd(NS)  
     acceptable\_password: determine if password is cryptic ..... accept\_pw(S)  
     passwd: determine minimum password length of an account ..... passwd(S)  
     the current destination for quick paste and certain clipboard/ /as ..... XmGetDestination(Xm)  
         pb\_wEOF: output EOF to paste buffer and close file ..... tam(S)  
         pb\_empty: clear out paste buffer and close it ..... tam(S)  
         pb\_seek: seek to end of paste buffer and set for/ ..... tam(S)  
         pb\_check: check if paste buffer contains anything ..... tam(S)  
         pb\_name: get name for paste buffer file ..... tam(S)  
         pb\_open: open or create a paste buffer file ..... tam(S)  
             text pb\_gets: read paste buffer file and convert to ..... tam(S)  
             pb\_gbuf: read paste buffer file to buffer ..... tam(S)  
             pb\_puts: output string to paste buffer in ADF format ..... tam(S)  
     XStoreBytes: manipulate cut and paste buffers ..... XStoreBytes(XS)  
         paste: merge lines of files ..... paste(C)  
     path ..... XSetFontPath(XS)  
     XSetFontPath: gets font search path ..... XSetFontPath(XS)  
     drive number of a specified path /return the virtual ..... isvirtual(PCI)  
     set, get, or free the font search path XSetFontPath: ..... XSetFontPath(XS)  
     name to UNIX operating system path name /map a DOS path ..... mapd2u(PCI)  
     system path/ mapd2u: map a DOS path name to UNIX operating ..... mapd2u(PCI)  
     execvp: execute process using PATH variable and argument array ..... exec(S)  
     execlp: execute process using PATH variable and argument list ..... exec(S)  
     value of the pathname of a file/ pathname variables ..... pathconf(S)  
         pathname variables ..... pathconf(S)  
         deliver directory part of pathconf: get configurable ..... pathconf(S)  
         system pathname to a DOS pathname ..... dirname(C)  
         ttyname: get terminal device pathname /map UNIX operating ..... mapu2d(PCI)  
     /determines current value of the pathname ..... ttyname(S)  
         directory getcwd: get pathname of a file or directory ..... pathconf(S)  
         /map UNIX operating system pathname of current working ..... getcwd(S)  
         pathname to a DOS pathname ..... mapu2d(PCI)



pathconf: get configurable  
 remove directory names from  
 creates a filename using the  
 egrep, fgrep: search files for a  
 grep: Search a file for a  
 the menu pattern buffer to given  
 set\_menu\_pattern: sets the menu  
 regular expression advance:  
 language awk: awk, oawk, nawk:  
     language nawk:  
     language oawk:  
 Search a file for one or more  
 /inserts a ms millisecond  
 /inserts a ms millisecond  
     signal  
     contains anything  
         and close it  
         to buffer  
     and convert to text  
         buffer file  
         buffer file  
     buffer in ADF format  
     buffer and set for appending  
     buffer and close file  
 PC: contains pad character from  
     pc capability used by tputs  
 Configure keyboard mapping on a  
     keyboard: the  
         files pack,  
     get/set the current host for  
         from a process popen,  
         command  
         out  
         scancode:  
         /i386, i486 (also: vax, mc68k,  
         and refreshes screen  
         and refreshes screen  
 argument c on call to GETC() or  
     get name of connected  
     returns number of events  
 /a function that processes all  
     sigpending: examine  
 XmbTextPerCharExtents: obtain  
 XwcTextPerCharExtents: obtain  
     transition file/ replace\_file  
     uucp:  
         reduction reduce:  
         system backups fsphoto:  
         sfmt:  
         backup cbackup:  
     filesystem backup xbackup:  
     pathname variables ..... pathconf(S)  
     pathnames basename: ..... basename(C)  
     path-prefix tmpnam: ..... tmpnam(S)  
     pattern grep, ..... grep(C)  
     pattern ..... grep(C)  
     pattern set\_menu\_pattern: sets ..... menu(S)  
     pattern buffer to given pattern ..... menu(S)  
     pattern match given a compiled ..... regexp(S)  
     pattern scanning and processing ..... awk(C)  
     pattern scanning and processing ..... awk(C)  
     pattern scanning and processing ..... awk(C)  
     patterns egrep: ..... grep(C)  
     pause in the output ..... curses(S)  
     pause in the output ..... terminfo(S)  
     pause: suspend process until ..... pause(S)  
     pax: portable archive exchange ..... pax(C)  
     pb\_check: check if paste buffer ..... tam(S)  
     pb\_empty: clear out paste buffer ..... tam(S)  
     pb\_gbuf: read paste buffer file ..... tam(S)  
     pb\_gets: read paste buffer file ..... tam(S)  
     pb\_name: get name for paste ..... tam(S)  
     pb\_open: open or create a paste ..... tam(S)  
     pb\_puts: output string to paste ..... tam(S)  
     pb\_seek: seek to end of paste ..... tam(S)  
     pb\_weof: output EOF to paste ..... tam(S)  
     pc capability used by tputs ..... termcap(S)  
     PC: contains pad character from ..... termcap(S)  
     PC keyboard mapkey: ..... mapkey(M)  
     PC keyboard ..... keyboard(HW)  
     pcat: Display a packed file ..... pack(C)  
     pcat, unpack: compress and expand pack(C)  
     PCILIB IPC functions dflthost: .... dflthost(PCI)  
     pclose: initiate a pipe to or ..... popen(S)  
     pclose: returns exit status of ..... popen(S)  
     pcpio: copy file archives in and ..... pcpio(C)  
     PC-scancode capable terminal ..... scancode(HW)  
     pdp11, u370, u3b, u3b15, u3b2, / ..... machid(C)  
     pechochar: adds single character ..... curses(S)  
     pechochar: adds single character ..... terminfo(S)  
     PEEK() UNGETC: returns ..... regexp(S)  
     PEEK: return the next character ..... regexp(S)  
     peer getpeername: ..... getpeername(SSC)  
     pending XPending: ..... XFlush(XS)  
     pending exposure events/ ..... XmUpdateDisplay(Xm)  
     pending signals ..... sigpending(S)  
     per-character information for a / ..... XmbTextPerCharExtents(XS)  
     per-character information for a / ..... XmbTextPerCharExtents(XS)  
     perform a database update using ..... dblock(S)  
     Perform a UNIX-to-UNIX copy ..... uucp(C)  
     perform audit data analysis and ..... reduce(ADM)  
     perform periodic semi-automated ..... fsphoto(ADM)  
     perform special formatting ..... sfmt(ADM)  
     perform unattended incremental ..... cbackup(ADM)  
     perform XENIX incremental ..... xbackup(ADM)

## Permuted Index

/fetch, firstkey, nextkey, store: performs database functions ..... dbm(S)  
     lsearch: performs linear search of table ..... lsearch(S)  
 /tgetflag, tgetstr, tgoto, tputs: performs terminal functions ..... termcap(S)  
     backup: performs UNIX backup functions .. backup(ADM)  
     backups fsphoto: perform periodic semi-automated system .. fsphoto(ADM)  
     prfdc: periodically collect data ..... profiler(ADM)  
     adapter/ mscsi: SCSI peripheral device and host ..... mscsi(F)  
     mkdev: call scripts to add peripheral devices ..... mkdev(ADM)  
     Sdevregister: register SCSI peripheral driver ..... devreg(K)  
     register SCSI host adapter and peripheral drivers /Sdevregister: .. devreg(K)  
     Text function that sets the edit permission XmTextSetEditable: a .. XmTextSetEditable(Xm)  
         function that sets the edit permission /a TextField ..... XmTextFieldSetEditable(Xm)  
 screens user ID for authorization permission authorized\_user: ..... subsystems(S)  
     function that accesses the edit permission state /a Text ..... XmTextGetEditable(Xm)  
     function that accesses the edit permission state /a TextField ..... XmTextFieldGetEditable(Xm)  
     set up AIO memory locking permissions aiolinit: ..... aiolinit(ADM)  
     /correct or initialize file permissions and ownership ..... fixperm(ADM)  
 aiomemlock: AIO memory lock permissions file ..... aiomemlock(F)  
 check the UUCP directories and permissions file uuchek: ..... uuchek(ADM)  
     permissions: format of UUCP Permissions file ..... permissions(F)  
     Permissions file permissions: format of UUCP ..... permissions(F)  
     installation perms: file permissions list for package ..... perms(F)  
     mkperm: make a product permissions list (permlist) ..... mkperm(SMT)  
     chmod: change the access permissions of a file or / ..... chmod(C)  
         spl0: permit all interrupts ..... spl(K)  
     splpp, spltty, splx: block or permit interrupts /splhi, splri, ..... spl(K)  
         lines uugetty: permit logins over bidirectional .. getty(M)  
         terminal mesg: permit or deny messages sent to a .. mesg(C)  
 execution when the system load permits batch: Schedule jobs for ... at(C)  
     permlint: check permlist syntax ... permlint(SMT)  
     (permlist) mkperm: ..... mkperm(SMT)  
     permlist syntax ..... permlint(SMT)  
     perms: file permissions list for ..... perms(F)  
     perms lists with current and past .. hocheck(SMT)  
     per-process accounting file ..... acct(FP)  
     per-process accounting records ..... acctcms(ADM)  
     perror: print last error ..... perror(S)  
     perror: system error messages ..... perror(S)  
     previously invoked /verify ..... identity(S)  
     PF key lsPFKey: returns ..... lsCursorKey(XS)  
     pg: paginate display for ..... pg(C)  
     phase phs\_get: gets time-stamp ... phs(S)  
     phase of kernel initialization ..... init(M)  
     phase (phs\_) ..... phs(S)  
     (phs\_) phs: ..... phs(S)  
     phs: Note the MMDF transmission .. phs(S)  
     Note the MMDF transmission phase phs\_get: gets time-stamp of MMDF .. phs(S)  
         phase (phs\_) phs\_msg: records the transmission .. phs(S)  
         specified channel and phase phs\_note: records the indicated .... phs(S)  
         of one MMDF message physck: raw I/O for block drivers .. physio(K)  
         MMDF event physck: raw I/O for block drivers .. physio(K)  
         physio: bind a virtual address to a physical address vasbind: ..... vas(K)  
         bind a virtual address to a physical address vtop: ..... vtop(K)  
         convert a virtual address to a physical address ..... copyio(K)  
         copyio: copy bytes to or from a

ptok, ktop: convert virtual and physical addresses ..... ptok(K)  
     ind: read word from physical I/O ..... ind(K)  
     inw: read a word from physical I/O address ..... inw(K)  
     outw: write a word from to physical I/O address ..... inw(K)  
     read or write a 32-bit word to a physical I/O address ind, outd: ... ind(K)  
     write a 16-bit word from or to a physical I/O address /read or ... inw(K)  
 provides access to the computer's physical memory mem: ..... mem(FP)  
     /allows multiple updates to physical terminal screen ..... curses(S)  
     /allows multiple updates to physical terminal screen ..... terminfo(S)  
     /copies the named window to the physical terminal screen ..... curses(S)  
     /copies the named window to the physical terminal screen ..... tam(S)  
     /copies the named window to the physical terminal screen ..... terminfo(S)  
     /calls wrefresh and scrolls physical terminal window one line ..... curses(S)  
     /calls wrefresh and scrolls physical terminal window one line ..... terminfo(S)  
         drivers physio, physick: raw I/O for block . physio(K)  
         physio: raw I/O for block drivers .. physio(K)  
         outd: write value to physixal I/O ..... ind(K)  
         mm\_pkend: ends MMDF pickup ..... mmdf(S)  
 mmdf: MMDF mail submission and pickup ..... mmdf(S)  
     mm\_pkinit: initializes an MMDF pickup conversation ..... mmdf(S)  
     /create and edit icons and pictures; and edit xbm and xpm/ ... scopaint(X)  
     suspends calling process of pid waitpid: ..... wait(S)  
     split: split a file into pieces ..... split(C)  
         I/O requests pio\_breakup: break up programmed pio\_breakup(K)  
         tee: create a tee in a pipe ..... tee(C)  
     command popen: creates pipe between calling program and . popen(S)  
         channel pipe: create an interprocess ..... pipe(S)  
         pipe: list or define pipe filesystem ..... pipe(ADM)  
         filesystem pipe: list or define pipe ..... pipe(ADM)  
         popen, pclose: initiate a pipe to or from a process ..... popen(S)  
         XPutPixel: overwrites pixel ..... XCreateImage(XS)  
         XGetPixel: returns pixel from image ..... XCreateImage(XS)  
         wrastop: pixel raster operations ..... tam(S)  
         BlackPixel: returns black pixel value for specified screen ... AllPlanes(XS)  
         WhitePixel: returns white pixel value for specified screen ... AllPlanes(XS)  
 WhitePixelOfScreen: returns white pixel value of specified screen ... BlackPixelOfScreen(XS)  
     /obtains the RGB values for pixel values in the XcmsColor/ ... XcmsQueryColor(XS)  
     /change colormap entries of the pixel values specified in the/ ..... XStoreColors(XS)  
 XAddPixel: adds constant value to pixels ..... XCreateImage(XS)  
     height of specified screen in pixels DisplayHeight: returns ..... ImageByteOrder(XS)  
     width of specified screen in pixels DisplayWidth: returns ..... ImageByteOrder(XS)  
     /that returns the number of pixels between the top of the/ ..... XmStringBaseline(Xm)  
     XFreePixmap: destroys pixmap ..... XCreatePixmap(XS)  
     a pixmap cache, and returns the pixmap /a pixmap, stores it in ... XmGetPixmap(Xm)  
     a pixmap cache, and returns the pixmap /a pixmap, stores it in ... XmGetPixmapByDepth(Xm)  
         creates a shared memory pixmap XShmCreatePixmap: ..... XShm(Xext)  
         creates stippled pixmap XmCreateStippledPixmap: XmCreateStippledPixmap(Xmu)  
         release stippled pixmap XmReleaseStippledPixmap: XmCreateStippledPixmap(Xmu)  
         sets clip-mask to specified pixmap XSetClipMask: ..... XSetClipOrigin(XS)  
         that adds an image to the pixmap cache /caching function ... XmInstallImage(Xm)  
     that removes a pixmap from the pixmap cache /caching function .. XmDestroyPixmap(Xm)  
     pixmap /a pixmap, stores it in a pixmap cache, and returns the ... XmGetPixmap(Xm)  
     pixmap /a pixmap, stores it in a pixmap cache, and returns the ... XmGetPixmapByDepth(Xm)  
     generates a/ XmGetPixmap: a pixmap caching function that ..... XmGetPixmap(Xm)

## Permuted Index

generates/ XmGetPixmapByDepth: pixmap caching function that . . . . XmGetPixmapByDepth(Xm)  
 removes a/ XmDestroyPixmap: pixmap caching function that . . . . XmDestroyPixmap(Xm)  
 removes an/ XmUninstallImage: pixmap caching function that . . . . XmUninstallImage(Xm)  
 an image to/ XmInstallImage: pixmap caching function that adds XmInstallImage(Xm)  
 XCreatePixmapCursor: creates pixmap cursor . . . . . XCreateFontCursor(XS)  
 XShmPixmapFormat: gets the server pixmap data format . . . . . XShm(Xext)  
 XmuCreatePixmapFromBitmap: create pixmap from bitmap . . . . . XmuCreatePixmapFromBitmap(Xmu)  
 /creates pixmap from bitmap data . . . . . XReadBitmapFile(XS)  
 /caching function that removes a pixmap from the pixmap cache . . . XmDestroyPixmap(Xm)  
 /set border pixmap of window . . . . . XChangeWindowAttributes(XS)  
 /sets background pixmap of window . . . . . XChangeWindowAttributes(XS)  
 /caching function that generates a pixmap, stores it in a pixmap/ . . . . XmGetPixmap(Xm)  
 /caching function that generates a pixmap, stores it in a pixmap/ . . . . XmGetPixmapByDepth(Xm)  
 XPixmapFormatValues: pixmap structure . . . . . ImageByteOrder(XS)  
 XCreatePixmap: create or destroy pixmaps . . . . . XCreatePixmap(XS)  
 to the system pkgadd: transfer software package . pkgadd(ADM)  
 request script pkgask: store answers to a . . . . . pkgask(ADM)  
 installation pkgchk: check accuracy of . . . . . pkgchk(ADM)  
 information pkginfo: display software package . pkginfo(ADM)  
 file pkginfo: package characteristics . . pkginfo(F)  
 description file pkgmap: package contents . . . . . pkgmap(F)  
 package pkgmk: produce an installable . . . . pkgmk(ADM)  
 parameter values pkgparam: display package . . . . . pkgparam(ADM)  
 file pkgproto: generate a prototype(F) . . . . pkgproto(ADM)  
 system pkgrm: remove a package from the . . . . . pkgrm(ADM)  
 information pkgsize: updates package size . . . . . pkgsize(SMT)  
 format pkgtrans: translate package . . . . . pkgtrans(ADM)  
 that deletes the last item placed on the clipboard /function . XmClipboardUndoCopy(Xm)  
 thing scoinst: This is a placeholder file for the real . . . . . scoinst(XS)  
 queue ungetch: places character c onto input . . . . . curses(S)  
 queue ungetch: places character c onto input . . . . . terminfo(S)  
 coordinates into/ getbegyx: places current beginning . . . . . curses(S)  
 coordinates into/ getbegyx: places current beginning . . . . . terminfo(S)  
 window in two integer/ getyx: places cursor position of the . . . . . curses(S)  
 window in two integer/ getyx: places cursor position of the . . . . . tam(S)  
 window in two integer/ getyx: places cursor position of the . . . . . terminfo(S)  
 store: places data under a key . . . . . dbm(S)  
 bytes nl\_sprintf: places "output," in consecutive . . . . . nl\_sprintf(S)  
 bytes sprintf: places "output," in consecutive . . . . . printf(S)  
 bytes vsprintf: places "output," in consecutive . . . . . vsprintf(S)  
 nl\_fprintf: places output on the named output . . . . . nl\_sprintf(S)  
 stream fprintf: places output on the named output . . . . . printf(S)  
 stream vsprintf: places output on the named output . . . . . vsprintf(S)  
 output stream nl\_printf: places output on the standard . . . . . nl\_sprintf(S)  
 output stream printf: places output on the standard . . . . . printf(S)  
 output stream vsprintf: places output on the standard . . . . . vsprintf(S)  
 integer variable getmaxyx: places size coordinates into . . . . . curses(S)  
 integer variable getmaxyx: places size coordinates into . . . . . terminfo(S)  
 noraw: places terminal into RAW mode . . . . . terminfo(S)  
 raw: places terminal into RAW mode . . . . . curses(S)  
 noraw: places terminal out of RAW mode . . . . . curses(S)  
 raw: places terminal out of RAW mode . . . . . terminfo(S)  
 XSetPlanemask: sets plane mask in specified GC . . . . . XSetState(XS)  
 XCopyPlane: copy planes . . . . . XCopyArea(XS)

allocates color planes XAllocColorPlanes: ..... XAllocColor(XS)  
 PlanesOfScreen: returns number of planes in root window of/ ..... BlackPixelOfScreen(XS)  
 PlanesOfScreen: returns number of planes in root window of/ ..... BlackPixelOfScreen(XS)  
 data in memory plock: lock process, text, or ..... plock(S)  
 openpl: opens plot device for writing ..... plot(S)  
 plot: graphics interface ..... plot(FP)  
 subroutines plot: graphics interface ..... plot(S)  
 box: plots a box ..... plot(S)  
 circle: plots a circle ..... plot(S)  
 line: plots a line ..... plot(S)  
 to the next cont: plots a line from a current point ..... plot(S)  
 arc: plots an arc of a circle ..... plot(S)  
 four bytes point: plots the point given by the next ..... plot(S)  
 closepl: flushes the plotter output ..... plot(S)  
 erase: starts another frame of plotter output ..... plot(S)  
 gets a new current point for plotting move: ..... plot(S)  
 space: allocates space for plotting area ..... plot(S)  
 linemod: sets style for plotting further lines ..... plot(S)  
 label: labels the current plotting point ..... plot(S)  
 /returns the number of separators plus one in the provided compound/ XmStringLineCount(Xm)  
 program-to-ports map pmap\_getmaps: return current RPC rpc(NS)  
 for RPC service pmap\_getport: return port number rpc(NS)  
 procedure call pmap\_rmtcall: indirect remote ..... rpc(NS)  
 program-to-port mapping pmap\_set: establish a ..... rpc(NS)  
 program-to-port mapping pmap\_unset: destroy a ..... rpc(NS)  
 pnch: file format for card images ..... pnch(FP)  
 the terminal pnoutrefresh: writes output to ..... curses(S)  
 the terminal pnoutrefresh: writes output to ..... terminfo(S)  
 the next four bytes point: plots the point given by ..... plot(S)  
 localtime: converts time pointed to by clock to tm/ ..... ctime(S)  
 frees for further use space pointed to by oterm del\_curterm: ..... curses(S)  
 frees for further use space pointed to by oterm del\_curterm: ..... terminfo(S)  
 pointer to duplicate of string pointed to by s1 strdup: returns ..... string(S)  
 converts time values in structure pointed to by timeptr strtftime: ..... ctime(S)  
 XChangePointerControl: control pointer ..... XChangePointerControl(XS)  
 XGrabPointer: grab the pointer ..... XGrabPointer(XS)  
 XUngrabPointer: releases pointer ..... XGrabPointer(XS)  
 XWarpPointer: move pointer ..... XWarpPointer(XS)  
 a datum in the tree and returns pointer tfind: searches for ..... tsearch(S)  
 creates new database and returns pointer XrmPutLineResource: ..... XrmPutResource(XS)  
 creates new database and returns pointer XrmPutStringResource: ..... XrmPutResource(XS)  
 creates new database and returns pointer XrmQPutResource: ..... XrmPutResource(XS)  
 creates new database and returns pointer XrmQPutStringResource: ..... XrmPutResource(XS)  
 form\_userptr: returns form's user pointer ..... form(S)  
 gets name list entries from file pointer fxlist: ..... xlist(S)  
 item\_userptr: returns item's user pointer ..... item(S)  
 localeconv: get lconv structure pointer ..... localeconv(S)  
 lseek: move read/write file pointer ..... lseek(S)  
 menu\_userptr: returns menu's user pointer ..... menu(S)  
 returns current mapping of pointer XGetPointerMapping: ..... XSetPointerMapping(XS)  
 returns the field's user pointer field\_userptr: ..... field(S)  
 sets item's user pointer set\_item\_userptr: ..... item(S)  
 sets the field's user pointer set\_field\_userptr: ..... field(S)  
 sets the form's user pointer set\_form\_userptr: ..... form(S)

## Permuted Index

sets the menu's user	pointer set_menu_userptr: . . . . .	menu(S)
sets the panel's user	pointer set_panel_userptr: . . . . .	panel(S)
vidumapinut: return a kernel data	pointer . . . . .	video(K)
xdr_pointer: XDR a C	pointer . . . . .	xdr(NS)
xdr_reference: XDR a C	pointer . . . . .	xdr(NS)
compile routine RETURN: returns	pointer argument at exit of . . . . .	form(S)
form from its associated field	pointer array /disconnects . . . . .	form(S)
index to given menu item in	pointer array /returns . . . . .	menu(S)
menu from associated item	pointer array /disconnects . . . . .	menu(S)
returns pointer to item	pointer array menu_items: . . . . .	menu(S)
menu item pointer array to item	pointer array i /changes . . . . .	menu(S)
/returns pointer to field	pointer array of form . . . . .	form(S)
/returns index in field	pointer array to given field . . . . .	form(S)
set_menu_items: changes menu item	pointer array to item pointer/ . . . . .	menu(S)
XGrabButton: grab	pointer buttons . . . . .	XGrabButton(XS)
XUngrabButton: releases	pointer buttons . . . . .	XGrabButton(XS)
out of back up loop locs:	pointer causing advance to break . . . . .	regexp(S)
XQueryPointer: get	pointer coordinates . . . . .	XQueryPointer(XS)
panel_userptr: returns the user	pointer for a given panel . . . . .	panel(S)
cfgstart: reset read	pointer for getcfgline . . . . .	getbvalue(K)
strerror: gets error message	pointer from last routine call/ . . . . .	strerror(S)
fell, rewind: reposition a file	pointer in a stream fseek, . . . . .	fseek(S)
XSendEvent: send events and	pointer motion history structure . . . . .	XSendEvent(XS)
XTimeCoord:	pointer motion history structure . . . . .	XSendEvent(XS)
XGetPointerControl: reads	pointer movement definition . . . . .	XChangePointerControl(XS)
/changes grab	pointer parameters . . . . .	XGrabPointer(XS)
XSetPointerMapping: manipulate	pointer settings . . . . .	XSetPointerMapping(XS)
subpad: creates and returns a	pointer to a subwindow within a/ . . . . .	curses(S)
subpad: creates and returns a	pointer to a subwindow within a/ . . . . .	terminfo(S)
strings t_errlist:	pointer to array of message . . . . .	t_error(S)
ml_file: passes a file	pointer to be used for text/ . . . . .	ml_send(S)
match __loc1:	pointer to beginning of regex . . . . .	regcmp(S)
character matching regular/ loc2:	pointer to character after last . . . . .	regexp(S)
current_field: returns	pointer to current field of form . . . . .	form(S)
with/ current_item: returns	pointer to current menu item set . . . . .	menu(S)
pointed to by s1 strdup: returns	pointer to duplicate of string . . . . .	string(S)
associated/ field_arg: returns	pointer to field arguments . . . . .	field(S)
form form_fields: returns	pointer to field pointer array of . . . . .	form(S)
two/ link_fieldtype: returns a	pointer to field type built from . . . . .	fieldtype(S)
field_type: returns	pointer to field type of field . . . . .	field(S)
pr_default/ getprdfent: returns	pointer to first and successive . . . . .	getprdfent(S)
matching regular/ loc1:	pointer to first character . . . . .	regexp(S)
string s strchr: returns	pointer to first character c in . . . . .	string(S)
from string s2 strpbkr: returns	pointer to first character s1 . . . . .	string(S)
assignment/ getdvagent: return	pointer to first device . . . . .	getdvagent(S)
function field_init: returns	pointer to form initialization . . . . .	form(S)
function field_term: returns	pointer to form initialization . . . . .	form(S)
function form_init: returns	pointer to form initialization . . . . .	form(S)
function form_term: returns	pointer to form termination . . . . .	form(S)
item_description: returns	pointer to given item's/ . . . . .	item(S)
item_name: returns	pointer to given item's name . . . . .	item(S)
menu_items: returns	pointer to item pointer array . . . . .	menu(S)
string s strchr: returns	pointer to last character c from . . . . .	string(S)
ldopen: returns a	pointer to LDFILE structure . . . . .	ldopen(S)

XListProperties: returns pointer to list of window/ ..... XGetWindowProperty(XS)  
     item\_init: returns pointer to menu item/ ..... menu(S)  
 function item\_term: returns pointer to menu termination ..... menu(S)  
 routine menu\_init: returns pointer to menu's initialization ..... menu(S)  
     menu\_mark: returns pointer to menu's mark string ..... menu(S)  
     menu\_sub: returns pointer to menu's subwindow ..... menu(S)  
     menu\_win: returns pointer to menu's window ..... menu(S)  
 newpad: creates and returns pointer to new pad data structure . curses(S)  
 newpad: creates and returns pointer to new pad data structure . terminfo(S)  
     new\_panel: gets pointer to new panel ..... panel(S)  
 subwin: creates and returns pointer to new window ..... curses(S)  
 subwin: creates and returns pointer to new window ..... terminfo(S)  
     fgetgrent: returns pointer to next group structure .... getgrent(S)  
 structure fgetpwent: gets pointer to next matching passwd . getpwent(S)  
     getpwent: gets pointer to next passwd structure . getpwent(S)  
 structure getprpwent: gets pointer to next pr\_passwd ..... getprpwent(S)  
     getprctent: gets pointer to next pr\_term structure . getprctent(S)  
     fgetspent: get pointer to next spwd structure .... getspent(S)  
 ServerVendor: returns pointer to null-terminated string . AllPlanes(XS)  
     optarg: pointer to option argument ..... getopt(S)  
     panel panel\_above: gets pointer to panel above specified ... panel(S)  
     panel panel\_below: gets pointer to panel below specified ... panel(S)  
 structure sc\_getbmap: returns pointer to scancode sc\_bitmap .... sc\_init(S)  
 display ScreenOfDisplay: returns pointer to screen of specified ..... AllPlanes(XS)  
 XGetModifierMapping: returns pointer to structure containing/ ... XChangeKeyboardMapping(XS)  
     with form form\_sub: returns pointer to subwindow associated ... form(S)  
 successive/ getgrent: returns pointer to the first and ..... getgrent(S)  
 after a token strtok: returns a pointer to the first character ..... string(S)  
 of a character memchr: returns a pointer to the first occurrence ..... memory(S)  
     OTHERQ: get pointer to the mate queue ..... otherq(K)  
 routine menu\_term: returns a pointer to the menu's termination . menu(S)  
 directory/ readdir: returns a pointer to the next active ..... directory(S)  
     given queue backq: get pointer to the queue behind a ..... backq(K)  
     RD: get pointer to the read queue ..... rd(K)  
     panel\_window: returns a pointer to the window of panel .... panel(S)  
     WR: get pointer to the write queue ..... wr(K)  
 current/ longname: returns pointer to verbose description of ... curses(S)  
 current/ longname: returns pointer to verbose description of ... terminfo(S)  
     vidmap: get a pointer to virtual memory ..... video(K)  
     form form\_wir: returns pointer to window associated with form(S)  
 XNewModifiermap: returns pointer to XModifierKeymap ..... XChangeKeyboardMapping(XS)  
     XDrawPoints: draws points ..... XDrawPoint(XS)  
     invoke initialization entry points lcong48: ..... drand48(S)  
     invokes initialization entry points seed48: ..... drand48(S)  
     invokes initialization entry points srand48: ..... drand48(S)  
     XDrawPoint: draw points and points structure ..... XDrawPoint(XS)  
 XDrawPoint: draw points and points structure ..... XDrawPoint(XS)  
     XPoint: points structure ..... XDrawPoint(XS)  
     utility purge purge: policy file of the sanitization ..... purge(F)  
 Poll.day: format of UUCP Poll files /Poll, Poll.hour, ..... poll(F)  
 UNIX operating system/ uwait: poll for the exit status of a ..... uwait(PCI)  
     format of UUCP Poll files poll: Poll, Poll.hour, Poll.day: ..... poll(F)  
     of UUCP Poll files poll: Poll, Poll.hour, Poll.day: format ..... poll(F)  
     multiplexing poll: STREAMS input/output ..... poll(S)

## Permuted Index

files poll: Poll, Poll.hour, Poll.day: format of UUCP Poll . . . . . poll(F)  
 UUCP Poll files poll: Poll, Poll.hour, Poll.day: format of . . . . . poll(F)  
 uudemond.poll: control . . . . . uudemond(ADM)  
 uudemond.poll2: alternative polling scheme . . . . . uudemond(ADM)  
 XFillPolygon: fills polygon . . . . . XFillRectangle(XS)  
 XDrawSegments: draws polygons . . . . . XDrawLine(XS)  
 XDrawLine: draw lines, polygons, and line structure . . . . . XDrawLine(XS)  
 XFillRectangle: fill rectangles, polygons, or arcs . . . . . XFillRectangle(XS)  
 animate an icosahedron or other polyhedron ico: . . . . . ico(X)  
 XDrawTextf6: draws polytext text . . . . . XDrawText(XS)  
 structures XDrawText: draw polytext text and text drawing . . . . . XDrawText(XS)  
 a buffer from the block buffer pool geteblk, getablk: get . . . . . geteblk(K)  
 ev\_pop: pop the next event off the queue . . . . . ev\_pop(S)  
 calling program and command popen: creates pipe between . . . . . popen(S)  
 or from a process popen, pclose: initiate a pipe to . . . . . popen(S)  
 XtCallbackExclusive: map a pop-up . . . . . XtMenuPopup(Xt)  
 XtCallbackNone: map a pop-up . . . . . XtMenuPopup(Xt)  
 XtCallbackNonexclusive: map a pop-up . . . . . XtMenuPopup(Xt)  
 XtCallbackPopdown: unmap a pop-up . . . . . XtMenuPopdown(Xt)  
 XtMenuPopdown: unmap a pop-up . . . . . XtMenuPopdown(Xt)  
 XtMenuPopdown: unmap a pop-up /XtCallbackPopdown, . . . . . XtMenuPopdown(Xt)  
 XtMenuPopup: map a pop-up . . . . . XtMenuPopup(Xt)  
 XtPopdown: unmap a pop-up . . . . . XtMenuPopdown(Xt)  
 XtPopup: map a pop-up . . . . . XtMenuPopup(Xt)  
 function that positions a Popup MenuPane /a RowColumn . . . . . XmMenuPosition(Xm)  
 XtCreatePopupShell: create a pop-up shell . . . . . XtCreatePopupShell(Xt)  
 bind a socket to a privileged IP port bindresvport: . . . . . bindresvport(NS)  
 xdr\_pmaplist: XDR a list of port mappings . . . . . rpc(NS)  
 get service entry by port number getservbyport: . . . . . getservent(SLIB)  
 getrpcport: get RPC port number . . . . . getrpcport(NS)  
 pmap\_getport: return port number for RPC service . . . . . rpc(NS)  
 printer attached to the printer port of a serial console /serial . . . . . consoleprint(ADM)  
 a socket descriptor in privileged port space rresvport: returns . . . . . rcmd(SLIB)  
 pax: portable archive exchange . . . . . pax(C)  
 and library maintainer for portable archives ar: archive . . . . . ar(CP)  
 Bitmap Distribution Format to Portable Compiled Format /from . . . . . bdfstopcf(X)  
 window system X: portable, network-transparent . . . . . x(X)  
 /a Text function that retrieves a portion of a wide character/ . . . . . XmTextGetSubstringWcs(Xm)  
 /function that retrieves a a portion of a wide character/ . . . . . XmTextFieldGetSubstringWcs(Xm)  
 /that retrieves a copy of a portion of the internal text/ . . . . . XmTextFieldGetSubstring(Xm)  
 /that retrieves a copy of a portion of the internal text/ . . . . . XmTextGetSubstring(Xm)  
 xdr\_pmap: XDR parameters to portmapper procedures . . . . . rpc(NS)  
 , tty2[A-H]: interface to serial ports /, tty1[A-H], tty2[a-h] . . . . . serial(HW)  
 from character parallel ports splpp: prevent interrupts . . . . . spl(K)  
 from character parallel ports splty: prevent interrupts . . . . . spl(K)  
 window cursor to position/ pos\_form\_cursor: moves form . . . . . form(S)  
 field\_info: returns size, position, and other field/ . . . . . field(S)  
 procedures getopts: parse positional parameters in shell . . . . . getopts(C)  
 from a list based on an array of positions /that deletes items . . . . . XmListDeletePositions(Xm)  
 /a RowColumn function that positions a Popup MenuPane . . . . . XmMenuPosition(Xm)  
 windows cursor to correct/ pos\_menu\_cursor: moves the menu . . . . . menu(S)  
 a/ /function that allows pre and post actions to be executed when . . . . . XmSetProtocolHooks(Xm)  
 a/ /interface that allows pre and post actions to be executed when . . . . . XmSetWMPProtocolHooks(Xm)  
 calls function f when menu is posted set\_item\_init: . . . . . menu(S)



calls function *f* when menu is  
 func called when form is  
 initialization func when form is  
 the widget from which a menu was  
 associated subwindow  
 menu's subwindow

logarithm, / exp, log, log10,  
 /sqrt: exponential, logarithm,  
 output  
 /lastlogin, monacct, nulladm,  
 /monacct, nulladm, prctmp,  
 pointer to first and successive  
 /convenience interface that allows  
 VendorShell function that allows  
 dc: invoke an arbitrary  
 check the event queue with a  
 xset: user

XtQueryGeometry: query the  
 ll\_hdinit: sets the  
 terminal  
 terminal  
 monitor:

/called by child process to  
 MRM/ MrmInitialize:  
 cpp: the AT&T C language  
 make utility imake: C  
 type  
 enabled noenable:  
 spl7:  
 splhi:  
 device splbuf:  
 devices spl5:  
 list processing splcli:  
 parallel ports splpp:  
 parallel ports spltty:  
 devices splni:  
 spl6:  
 interrupts spl1:  
 interrupts spl2:  
 interrupts spl3:  
 interrupts spl4:

/a Text function that temporarily  
 showrgb: color database  
 sptalloc sptfree: release memory  
 the reverse converter for a

posted set\_menu\_init: ..... menu(S)  
 posted /sets application-defined .. form(S)  
 posted set\_form\_init: calls ..... form(S)  
 posted /function that returns ..... XmGetPostedFromWidget(Xm)  
 post\_form: writes form in its ..... form(S)  
 post\_menu: writes the menu in the menu(S)  
 pow: returns x<sup>y</sup> ..... exp(S)  
 pow, sqrt: exponential, ..... exp(S)  
 power, square root functions ..... exp(S)  
 pr: print files on the standard ..... pr(C)  
 prctmp, prdaily, prtacct, / ..... acctsh(ADM)  
 prdaily, prtacct, runacct, / ..... acctsh(ADM)  
 pr\_default structures /returns ..... getprdfent(S)  
 pre and post actions to be/ ..... XmSetWMProtocolHooks(Xm)  
 pre and post actions to be/ /a ..... XmSetProtocolHooks(Xm)  
 precision calculator ..... dc(C)  
 predicate procedure XIfEvent: ..... XIEvent(XS)  
 preference utility for X ..... xset(X)  
 preferred geometry of a child/ ..... XtQueryGeometry(Xt)  
 prefix of the MMDF header string .. llog(S)  
 prefetch: writes output to the ..... curses(S)  
 prefetch: writes output to the ..... terminfo(S)  
 prepare execution profile ..... monitor(S)  
 prepare to take window after fork ..... tam(S)  
 prepares an application to use ..... MrmInitialize(Xm)  
 preprocessor ..... cpp(CP)  
 preprocessor interface to the ..... imake(XS)  
 \_prevchoice: gets previous field ... fieldtype(S)  
 prevent a queue from being ..... noenable(K)  
 prevent all interrupts ..... spl(K)  
 prevent all interrupts ..... spl(K)  
 prevent interrupts from block ..... spl(K)  
 prevent interrupts from character ..... spl(K)  
 prevent interrupts from character ..... spl(K)  
 prevent interrupts from character ..... spl(K)  
 prevent interrupts from character ..... spl(K)  
 prevent interrupts from network .. spl(K)  
 prevent interrupts from the clock .. spl(K)  
 prevent priority level 1 ..... spl(K)  
 prevent priority level 2 ..... spl(K)  
 prevent priority level 3 ..... spl(K)  
 prevent priority level 4 ..... spl(K)

prevents visual update of the/ ..... XmTextDisableRedisplay(Xm)  
 previewer ..... showrgb(X)  
 previously allocated with ..... sptfree(K)  
 previously registered/ /installs ... XmRepTypeAddReverse(Xm)  
 prf: operating system profiler ..... prf(HW)  
 prfdc: periodically collect data ..... profiler(ADM)  
 prfdc, prfsnap, prfpr: system/ ..... profiler(ADM)  
 pr\_file structure ..... getprfent(S)  
 prfld: initialize profiling ..... profiler(ADM)  
 prfld, prfstat, prfdc, prfsnap, ..... profiler(ADM)  
 prfpr: format profiler data ..... profiler(ADM)  
 prfpr: system profiler profiler: ..... profiler(ADM)

prfld, prfstat, prfdc, prfsnap,

## Permuted Index

invocation prfsnap: collect data at time of . . . . profiler(ADM)  
 profiler: prfld, prfstat, prfdc, prfsnap, prfpr: system profiler . . . . profiler(ADM)  
 prfstat: enable/disable sampling . . . . profiler(ADM)  
 system profiler profiler: prfld, prfstat, prfdc, prfsnap, prfpr: . . . . profiler(ADM)  
 /returns the number of recognized primary and secondary/ . . . . subsystems(S)  
 associated with/ /returns primary authorization name . . . . subsystems(S)  
 a record identified by its primary key isrewrite: rewrite . . . . isrewrite(S)  
 delete record specified by primary key isdelete: . . . . isdelete(S)  
 lock: locks a process in primary memory . . . . lock(S)  
 /a Text function that clears the primary selection . . . . XmTextClearSelection(Xm)  
 a Text function that deletes the primary selection XmTextRemove: XmTextRemove(Xm)  
 function that clears the primary selection /a TextField . . . XmTextFieldClearSelection(Xm)  
 function that deletes the primary selection /a TextField . . . XmTextFieldRemove(Xm)  
 that accesses the position of the primary selection /Text function . . XmTextGetSelectionPosition(Xm)  
 that accesses the position of the primary selection /function . . . . XmTextFieldGetSelectionPosition(Xm)  
 that retrieves the value of the primary selection /Text function . . XmTextGetSelection(Xm)  
 that retrieves the value of the primary selection /function . . . . XmTextFieldGetSelection(Xm)  
 value of a wide character encoded primary selection /retrieves the . . XmTextFieldGetSelectionWcs(Xm)  
 value of a wide character encoded primary selection /retrieves the . . XmTextGetSelectionWcs(Xm)  
 /a Text function that sets the primary selection of the text . . . . XmTextSetSelection(Xm)  
 TextField function that sets the primary selection of the text /a . . . XmTextFieldSetSelection(Xm)  
 /a Text function that copies the primary selection to the/ . . . . XmTextCopy(Xm)  
 /a Text function that copies the primary selection to the/ . . . . XmTextCut(Xm)  
 /function that copies the primary selection to the/ . . . . XmTextFieldCopy(Xm)  
 /function that copies the primary selection to the/ . . . . XmTextFieldCut(Xm)  
 authorization against Protected/ primary\_auth: checks user's . . . . subsystems(S)  
 returns primary authorization/ primary\_of\_secondary\_auth: . . . . subsystems(S)  
 creates encryption key with DES primitive des\_setkey: . . . . crypt(S)  
 encrypts password from DES primitive des\_crypt: . . . . crypt(S)  
 or decrypts data byte with DES primitive des\_encrypt: encrypts . . crypt(S)  
 types: primitive system data types . . . . types(FP)  
 XmPrimitive: the Primitive widget class . . . . XmPrimitive(Xm)  
 /function that adds a manager or a primitive widget to the list of/ . . . XmAddTabGroup(Xm)  
 cal: print a calendar . . . . cal(C)  
 putchar: print a character on the console . . . . putchar(K)  
 the console devert: print a device error message on . . . devert(K)  
 printf: print a message on the console . . . . printf(K)  
 scsi\_devert: print a SCSI sense error message . . scsi(K)  
 prs: print an SCCS file . . . . prs(CP)  
 xpr: print an X window dump . . . . xpr(X)  
 sddate: print and set backup dates . . . . sddate(C)  
 date: print and set the date . . . . date(C)  
 showsnf: print contents of an SNF file . . . . showsnf(X)  
 xev: print contents of X events . . . . xev(X)  
 activity sact: print current SCCS file editing . . . sact(CP)  
 execution printenv: print environment for command . . env(C)  
 clnt\_pcreateerror: print error information . . . . rpc(NS)  
 clnt\_perrno: print error information . . . . rpc(NS)  
 clnt\_perror: print error information . . . . rpc(NS)  
 clnt\_screateerror: string print error information . . . . rpc(NS)  
 clnt\_sperno: string print error information . . . . rpc(NS)  
 clnt\_sperro: string print error information . . . . rpc(NS)  
 error: print error message . . . . gethostbyname(SLIB)  
 output pr: print files on the standard . . . . pr(C)

printf, fprintf, sprintf: print formatted output ..... printf(S)  
 vprintf, vfprintf, vsprintf: print formatted output of a / ..... vprintf(S)  
 (remote) lp/ lpstat, rlpstat: print information about status of ... lpstat(C)  
 remote lp print service rlpstat: print information about status of ... lpstat(C)  
     banner: print large letters ..... banner(C)  
 during call to system or / perror: print last error encountered ..... perror(S)  
     memsize: print memory size ..... memsize(ADM)  
     rcvprint: print message automatically ..... rcvprint(C)  
     file nm: print name list of common object ... nm(CP)  
     news: print news items ..... news(C)  
     file system fsname: print or change the name of a ..... fsname(ADM)  
     aioinfo: print out AIO statistics ..... aioinfo(ADM)  
 infocmp: compare or print out terminfo descriptions .... infocmp(ADM)  
 acctcom: search and print process accounting file(s) .... acctcom(ADM)  
     guide man: print reference pages in this ..... man(C)  
     lpmove: move print requests ..... lpmove(ADM)  
 or/ accept, reject: allow/prevent print requests to a lineprinter ..... accept(ADM)  
     COFF files size: print section sizes in bytes of ..... size(CP)  
     about status of (remote) lp print service /print information ... lpstat(C)  
     about status of remote lp print service /print information ... lpstat(C)  
 administer filters used with the print service lpfilter: ..... lpfilter(ADM)  
 administer forms used with the print service lpforms: ..... lpforms(ADM)  
     lpadmin: configure the print service ..... lpadmin(ADM)  
 lpsched, lpshut: start/stop the print service ..... lpsched(ADM)  
     lpsched: start the print service ..... lpsched(ADM)  
     lpshut: stop the print service ..... lpsched(ADM)  
 utility lpsch: menu driven lp print service administration ..... lpsch(ADM)  
     jwin: print size of layer ..... jwin(C)  
     strace: print STREAMS trace messages ... strace(ADM)  
     yes: print string repeatedly ..... yes(C)  
     file head: print the first few lines of a ..... head(C)  
     system uname: print the name of the current ..... uname(C)  
 XENIX backup archive xdumppdir: print the names of files on a ..... xdumppdir(ADM)  
     the user's terminal lprint: print to a printer attached to ..... lprint(C)  
         wprintf: print to specified window ..... tam(S)  
         names id: print user and group IDs and ..... id(C)  
 file to a serial/ consoleprint: print /usr/adm/messages or any ... consoleprint(ADM)  
     pwd: print working directory name ..... pwd(C)  
     xtt: extract and print xt driver link structure ..... xtd(ADM)  
     xtt: extract and print xt driver packet traces ..... xtt(ADM)  
     xts: extract and print xt driver statistics ..... xts(ADM)  
 character c unctrl: expands to printable representation of the ... curses(S)  
 character c unctrl: expands to printable representation of the ... terminfo(S)  
     file strings: find the printable strings in an object ..... strings(C)  
     initialization message printcfg: display driver ..... printcfg(K)  
     command execution printenv: print environment for ... env(C)  
 dump an X window directly to a printer xdpr: ..... xdpr(X)  
     send requests to remote line printer rlpcmd: ..... rlpcmd(C)  
 port of / or any file to a serial printer attached to the printer ..... consoleprint(ADM)  
     terminal lprint: print to a printer attached to the user's ..... lprint(C)  
         lp, lp0, lp1, lp2: line printer device interfaces ..... lp(HW)  
 /a serial printer attached to the printer port of a serial console ..... consoleprint(ADM)  
     disable: turn off terminals and printers ..... disable(C)  
         to a lineprinter or class of printers /print requests ..... accept(ADM)

Permuted Index

turn on terminals and line	printers enable: .....	enable(C)
formatted output	printf, fprintf, sprintf: print .....	printf(S)
standard output stream	printf: places output on the .....	printf(S)
console	printf: print a message on the .....	printf(K)
mvprintw: corresponds to	printf(S) .....	curses(S)
mvprintw: corresponds to	printf(S) .....	terminfo(S)
mvwprintw: corresponds to	printf(S) .....	curses(S)
mvwprintw: corresponds to	printf(S) .....	terminfo(S)
printw: corresponds to	printf(S) .....	curses(S)
printw: corresponds to	printf(S) .....	tam(S)
printw: corresponds to	printf(S) .....	terminfo(S)
wprintw: corresponds to	printf(S) .....	curses(S)
wprintw: corresponds to	printf(S) .....	terminfo(S)
isprint: tests for	printing character .....	ctype(S)
lpusers: set	printing queue priorities .....	lpusers(ADM)
message	pr_intr_adderr: output an error ....	pr_intr_adderr(K)
message	pr_intr_rmerr: output an error ....	pr_intr_rmerr(K)
XmPrintDefaultErrorMessage:	prints error message .....	XmPrintDefaultErrorMessage(Xmu)
XmuSimpleErrorHandler:	prints error message, with/ .....	XmPrintDefaultErrorMessage(Xmu)
nm:	prints name list .....	nm(XNX)
size:	prints the size of an object file ....	size(XNX)
	printw: corresponds to printf(S) ...	curses(S)
	printw: corresponds to printf(S) ...	tam(S)
	printw: corresponds to printf(S) ...	terminfo(S)
lpusers: set printing queue	priorities .....	lpusers(ADM)
command at a different scheduling	priority nice: run a .....	nice(C)
splstr: set stream	priority level .....	splstr(K)
spl1: prevent	priority level 1 interrupts .....	spl(K)
spl2: prevent	priority level 2 interrupts .....	spl(K)
spl3: prevent	priority level 3 interrupts .....	spl(K)
spl4: prevent	priority level 4 interrupts .....	spl(K)
setlogmask: set log file	priority mask .....	syslog(SLIB)
nice: change	priority of a process .....	nice(S)
bindresvport: bind a socket to a	privileged IP port .....	bindresvport(NS)
returns a socket descriptor in	privileged port space rresvport: ...	rcmd(SLIB)
process getpriv: get system	privileges associated with this .....	getpriv(S)
setpriv: set system	privileges for this process .....	setpriv(S)
	proc: process table structure .....	proc(FP)
XmuAddInitializer: register	procedure .....	XmuAddInitializer(Xmu)
XtAddCallbacks: add callback	procedure .....	XtAddCallback(Xt)
application convenience	procedure /initialize .....	XtAppInitialize(Xt)
call a widget's accept_focus	procedure XtCallAcceptFocus: .....	XtCallAcceptFocus(Xt)
callrpc: call a remote	procedure .....	rpc(NS)
clnt_call: call a remote	procedure .....	rpc(NS)
register an RPC service	procedure svc_register: .....	rpc(NS)
the event queue with a predicate	procedure XlfEvent: check .....	XlfEvent(XS)
unregister an RPC service	procedure svc_unregister: .....	rpc(NS)
clnt_broadcast: broadcast remote	procedure call .....	rpc(NS)
pmap_rmtcall: indirect remote	procedure call .....	rpc(NS)
rpc: library routines for remote	procedure calls .....	rpc(NS)
/sets the white point adjustment	procedure in the specified CCC ...	XcmsSetWhitePoint(XS)
/convert callback	procedure to callback list .....	XmuCvtFunctionToCallback(Xmu)
/a function to get the	procedure used for default color/ ..	XmGetColorCalculation(Xm)
/a function to set the	procedure used for default color/ ..	XmSetColorCalculation(Xm)

registerrpc: register procedure with RPC ..... rpc(NS)  
 XDR parameters to portmapper procedures xdr\_pmap: ..... rpc(NS)  
 XtAddCallbacks: add callback procedures ..... XtAddCallback(Xt)  
 XtRemoveCallback: remove callback procedures ..... XtAddCallback(Xt)  
     add and remove callback procedures XtAddCallback: ..... XtAddCallback(Xt)  
     add background processing procedures XtAppAddWorkProc: .. XtAppAddWorkProc(Xt)  
     and remove background processing procedures XtAppAddWorkProc: add XtAppAddWorkProc(Xt)  
     positional parameters in shell procedures getopt: parse ..... getopt(C)  
     remove background processing procedures XtRemoveWorkProc: .. XtAppAddWorkProc(Xt)  
     remove callback procedures XtRemoveAllCallbacks: .. XtAddCallback(Xt)  
     remove callback procedures XtRemoveCallbacks: .. XtAddCallback(Xt)  
     retrieve list of action procedures XtGetActionList: ..... XtGetActionList(Xt)  
     /startup, turnacct: shell procedures for accounting ..... acctsh(ADM)  
     XmuCallInitializers: call procedures registered by / ..... XmuAddInitializer(Xmu)  
     a reply from the other MMDF process mm\_rrply: reads ..... mmdf(S)  
     deliver: MMDF mail delivery process ..... deliver(ADM)  
     exit, \_exit: terminate process ..... exit(S)  
     exit: terminates calling process ..... exit(S)  
     fork: create a new process ..... fork(S)  
     group ID for tty foreground process tcgetpgrp: gets process .... tcpgrp(S)  
     init.base: script for the init process ..... inittab(F)  
     init.base: script for the init process inittab, ..... inittab(F)  
     initiate a pipe to or from a process popen, pclose: ..... popen(S)  
     kill: terminate a process ..... kill(C)  
     nice: change priority of a process ..... nice(S)  
     of a UNIX operating system process /poll for the exit status ... uwait(PCI)  
     parent process ID of calling process getpid: returns ..... getpid(S)  
     privileges associated with this process getpriv: get system ..... getpriv(S)  
     process group ID of calling process getpgrp: returns ..... getpid(S)  
     psignal: send signal to a process ..... psignal(K)  
     returns process ID of calling process getpid: ..... getpid(S)  
     set system privileges for this process setpriv: ..... setpriv(S)  
     support select(S) - awaken process selwakeup: ..... select(K)  
     wait: suspends calling process ..... wait(S)  
     wakeup: wake up a sleeping process ..... wakeup(K)  
     with ptrace for tracing a child process /used in conjunction ..... paccess(S)  
     acct: enable or disable process accounting ..... acct(S)  
     accton: start/stop process accounting ..... acct(ADM)  
     acctprc: acctprc1, acctprc2: process accounting ..... acctprc(ADM)  
     acctcom: search and print process accounting file(s) ..... acctcom(ADM)  
     acctprc1: generate per process accounting records ..... acctprc(ADM)  
     alarm: set a process alarm clock ..... alarm(S)  
     exhelp: execute help process and block until return ..... tam(S)  
     times: get process and child process times ... times(S)  
     XtCallCallbacks: process callbacks ..... XtCallCallbacks(Xt)  
     XtHasCallbacks: process callbacks ..... XtCallCallbacks(Xt)  
     ttn: process characters ..... tty(K)  
     init, telinit: process control initialization ..... init(M)  
     timex: time a command; report process data and system activity .. timex(ADM)  
     XtAppMainLoop: query and process events and input ..... XtAppNextEvent(Xt)  
     XtAppNextEvent: query and process events and input ..... XtAppNextEvent(Xt)  
     XtAppPeekEvent: query and process events and input ..... XtAppNextEvent(Xt)  
     XtAppPending: query and process events and input ..... XtAppNextEvent(Xt)  
     XtAppProcessEvent: query and process events and input ..... XtAppNextEvent(Xt)

## Permuted Index

XtDispatchEvent: query and	process events and input	XtAppNextEvent(Xt)
time delay: delay	process execution for specified	delay(K)
winit: sets up	process for window access	tam(S)
killpg: send signal to a	process group	killpg(SLIB)
signal: send a signal to a	process group	signal(K)
/getpgrp, getppid: get process,	process group, and parent process/	getpid(S)
setpgrp: set	process group ID	setpgrp(S)
setpgid: set	process group ID for job control	setpgid(S)
foreground/ tcgetpgrp: gets	process group ID for tty	tcpggrp(S)
tcgetpgrp, tcsetpgrp:	process group id functions	tcpggrp(S)
process getpgrp: returns	process group ID of calling	getpid(S)
controls active processes or	process groups proct:	proct(S)
process group, and parent	process ID /getppid: get process, ..	getpid(S)
setsid: create session and set	process ID	setsid(S)
tcsetpgrp: sets the foreground	process ID group	tcpggrp(S)
getpid: returns	process ID of calling process	getpid(S)
getppid: returns parent	process ID of calling process	getpid(S)
lock: locks a	process in primary memory	lock(S)
channel/domain tables nictable:	process NIC database into	nictable(ADM)
waitpid: suspends calling	process of pid	wait(S)
kill: send a signal to a	process or a group of processes	kill(S)
/to a UNIX operating system	process or group of processes	ukill(PCI)
getpid, getpgrp, getppid: get	process, process group, and/	getpid(S)
device canon:	process raw input data from tty	canon(K)
selfailure: support select(S) -	process should block	select(K)
selsuccess: support select(S) -	process should not block	select(K)
the last phase of/ init: general	process spawned started during	init(M)
ps: report	process status	ps(C)
proc:	process table structure	proc(FP)
ptar:	process tape archives	ptar(C)
plock: lock	process, text, or data in memory	plock(S)
times: get process and child	process times	times(S)
after/ wprexec: called by child	process to prepare to take window	tam(S)
wpostwait: called by a parent	process to reverse effects of/	tam(S)
wait, waitpid: wait for child	process to stop or terminate	wait(S)
wait3: wait for	process to terminate or stop	wait3(SLIB)
ptrace:	process trace	ptrace(S)
sigpause: suspends the calling	process until it receives a/	sigsetv(S)
pause: suspend	process until signal	pause(S)
argument array execvp: execute	process using PATH variable and	exec(S)
argument list execlp: execute	process using PATH variable and	exec(S)
sigsem: signals a	process waiting on a semaphore	sigsem(S)
execv: execute	process with argument array	exec(S)
given argument execve: execute	process with argument array and	exec(S)
execl: execute	process with argument list	exec(S)
given/ execl: execute	process with argument list and	exec(S)
argv index of next argument to be	processed optind:	getopt(S)
until all requests received and	processed /buffer then waits	XFlush(XS)
/drop transfer entries to be	processed after initiating a drop/	XmDropTransferAdd(Xm)
checkboxlist: list of file systems	processed by fsck	checkboxlist(F)
serial number of last known	processed request /extracts	AllPlanes(XS)
Exit: kills all layer	processes	libwindows(S)
await completion of background	processes wait:	wait(C)
killall: kill all active	processes	killall(ADM)

signal to a process or a group of processes kill: send a ..... kill(S)  
 system process or group of processes /to a UNIX operating ... ukill(PCl)  
 XmUpdateDisplay: a function that processes all pending exposure/ ... XmUpdateDisplay(Xm)  
 proctl: controls active processes or process groups ..... proctl(S)  
 filesystem fuser: identify processes using a file or ..... fuser(ADM)  
 tiwake: wake up processes waiting for input queue ... tty(K)  
 queue ttwake: wake up processes waiting for output ..... tty(K)  
     m4: macro processor ..... m4(CP)  
 run xxstart routine from another processor startio: ..... startio(K)  
 critical code section for single processor access /lock and unlock ... lockb(K)  
 can\_doio: determine if current processor can do device I/O ..... can\_doio(K)  
     list: list processor channel for MMDF ..... list(ADM)  
 get truth value dependent on processor type /u3b2, u3b5): ..... machid(C)  
     all\_io: determine if all processors can do device I/O ..... all\_io(K)  
     or process groups proctl: controls active processes ... proctl(S)  
 modifications to the/ swconfig: produce a list of the software ..... swconfig(C)  
     pkgmk: produce an installable package ... pkgmk(ADM)  
 authentication events authaudit: produce audit records due to ..... authaudit(S)  
 subsystem events dlvr\_audit: produce audit records for ..... dlvr\_audit(ADM)  
     common object file list: produce C source listing from a ... list(CP)  
         t\_error: produce error message ..... t\_error(S)  
     /display last error message produced by call to transport/ ... t\_error(S)  
     (permlist) mkperm: make a product permissions list ..... mkperm(SMT)  
 netconfig: configure networking products ..... netconfig(ADM)  
     custom: install software products and components ..... custom(ADM)  
     prof: display profile data ..... prof(CP)  
     prof: displays profile data ..... prof(XNX)  
     prof: profile within a function ..... prof(M)  
     profil: execution time profile ..... profil(S)  
     profile ..... monitor(S)  
     profile ..... profil(S)  
     profile data lprof: display ..... lprof(CP)  
     profile data ..... prof(CP)  
     profile data ..... prof(XNX)  
 machines ap: generate account profile for propagation to other .... ap(ADM)  
     login time profile: set up an environment at .. profile(M)  
     prof: profile within a function ..... prof(M)  
     prf: operating system profiler ..... prf(HW)  
     prfdc, prfsnap, prfpr: system profiler /prfld, prfstat, ..... profiler(ADM)  
     prfpr: format profiler data ..... profiler(ADM)  
     prfsnap, prfpr: system profiler profiler: prfld, prfstat, prfdc, ..... profiler(ADM)  
     prfld: initialize profiling ..... profiler(ADM)  
     /restores terminal to "program" state ..... curses(S)  
     /restores terminal to "program" state ..... terminfo(S)  
     reset\_tty: restores terminal to "program" state ..... curses(S)  
     reset\_tty: restores terminal to "program" state ..... tam(S)  
     reset\_tty: restores terminal to "program" state ..... terminfo(S)  
     pio\_breakup: break up programmed I/O requests ..... pio\_breakup(K)  
 introduction to file formats for programmers Intro: ..... Intro(FP)  
 sc\_init: scancode Application Programming Interface (API)/ ..... sc\_init(S)  
 sc\_raw: scancode Application Programming Interface (API)/ ... sc\_raw(S)  
 a standard/restricted command and programming language /Korn shell, ksh(C)  
 update, and regenerate groups of programs make: maintain, ..... make(CP)  
     xstr: extracts strings from C programs ..... xstr(CP)

## Permuted Index

in these manuals undocumented: programs not documented elsewhere undocumented(M)  
 pmap\_set: establish a program-to-port mapping rpc(NS)  
 pmap\_unset: destroy a program-to-port mapping rpc(NS)  
 pmap\_getmaps: return current RPC program-to-ports map rpc(NS)  
 day asktime: prompt for the correct time of asktime(ADM)  
 output null-terminated string: prompt line wprompt: tam(S)  
 function /the SelectionBox PromptDialog convenience creation XmCreatePromptDialog(Xm)  
 randomword: generate a pronounceable password randomword(S)  
 ap: generate account profile for propagation to other machines ap(ADM)  
 /obtain server resource properties XResourceManagerString(XS)  
 /rotates window properties XGetWindowProperty(XS)  
 XChangeProperty: changes window properties XGetWindowProperty(XS)  
 XDeleteProperty: deletes window properties XGetWindowProperty(XS)  
 obtain and change window properties XGetWindowProperty: XGetWindowProperty(XS)  
 returns pointer to list of window properties XListProperties: XGetWindowProperty(XS)  
 set and read text properties XSetTextProperty: XSetTextProperty(XS)  
 set standard window properties XSetWMProperties: XSetWMProperties(XS)  
 XmbSetWMProperties: sets window properties for communicating with/ XSetWMProperties(XS)  
 /define standard colormap properties for given visual XmuVisualStandardColormaps(Xmu)  
 specified/ /interface for querying properties or features of the XOpenIM(XS)  
 /delete standard colormap XmuDeleteStandardColormap(Xmu)  
 XGetTextProperty: reads text property XSetTextProperty(XS)  
 XStoreName: sets window's WM\_NAME property XSetWMName(XS)  
 a window's WM\_COLORMAP\_WINDOWS property /set or read XSetWMColormapWindows(XS)  
 or read a window's WM\_ICON\_NAME property XSetWMIconName: set XSetWMIconName(XS)  
 or read a window's WM\_ICON\_SIZES property /size structure and set XAllocIconSize(XS)  
 or read a window's WM\_PROTOCOLS property XSetWMProtocols: set XSetWMProtocols(XS)  
 read a window's WM\_CLIENT\_MACHINE property /set or XSetWMClientMachine(XS)  
 read a window's WM\_NORMAL\_HINTS property /structure and set or XAllocSizeHints(XS)  
 read a window's WM\_TRANSIENT\_FOR property /set or XSetTransientForHint(XS)  
 reads window's WM\_CLIENT\_MACHINE property XGetWMClientMachine: XSetWMClientMachine(XS)  
 reads window's WM\_COMMAND property XGetCommand: XSetCommand(XS)  
 reads window's WM\_ICON\_NAME property XGetIconName: XSetWMIconName(XS)  
 reads window's WM\_ICON\_NAME property XGetWMIconName: XSetWMIconName(XS)  
 reads window's WM\_NAME property XFetchName: XSetWMName(XS)  
 reads window's WM\_NAME property XGetWMName: XSetWMName(XS)  
 reads window's WM\_PROTOCOLS property XGetWMProtocols: XSetWMProtocols(XS)  
 reads window's WM\_TRANSIENT\_FOR property XGetTransientForHint: XSetTransientForHint(XS)  
 returns value of specified font property XGetFontProperty: XLoadFont(XS)  
 set or read a window's WM\_CLASS property /hints structure and XAllocClassHint(XS)  
 set or read a window's WM\_COMMAND property XSetCommand: XSetCommand(XS)  
 set or read a window's WM\_HINTS property /hints structure and XAllocWMHints(XS)  
 set or read a window's WM\_NAME property XSetWMName: XSetWMName(XS)  
 sets window's WM\_ICON\_NAME property XSetIconName: XSetWMIconName(XS)  
 strings from the specified text property /return a list of text XmbTextListToTextProperty(XS)  
 window's WM\_COLORMAP\_WINDOWS property /reads XSetWMColormapWindows(XS)  
 xprop: property displayer for X xprop(X)  
 the/ /returns the SCREEN\_RESOURCES property from the root window of XResourceManagerString(XS)  
 /convert string lists and text property structure XStringListToTextProperty(XS)  
 XTextProperty: text property structure XStringListToTextProperty(XS)  
 /convert text lists and text property structures XmbTextListToTextProperty(XS)  
 XPropertyEvent: PropertyNotify event structure XPropertyEvent(XS)  
 display lp options for the IBM ProPrinter ibmlpopt: undocumented(M)  
 database files prpw: protected password authentication prpw(F)



/add field and flag information to protected password database ..... fields(S)  
 /field and flag information from protected password database ..... fields(S)  
 /putprpwnam: manipulate protected password database entry getprpwnent(S)  
 secondary authorization against Protected Password entry /checks . subsystems(S)  
 user's authorization against Protected Password entry /checks . subsystems(S)  
 file /writes new or replaced protected password entry to a ..... getprpwnent(S)  
 repeated/ setprpwnent: rewinds protected password files to allow ... getprpwnent(S)  
 processing is/ endprpwnent: closes protected password files when ..... getprpwnent(S)  
 cron and batch proto: prototype job file for at, ..... proto(F)  
 function that activates a protocol /a VendorShell ..... XmActivateProtocol(Xm)  
 interface that activates a protocol /VendorShell convenience XmActivateWMPProtocol(Xm)  
 returns major version number of X protocol ProtocolVersion: ..... AllPlanes(XS)  
 rex: remote execution protocol ..... rex(NS)  
 that adds client callbacks for a protocol /a VendorShell function .. XmAddProtocolCallback(Xm)  
 that adds client callbacks for a protocol /convenience interface ... XmAddWMPProtocolCallback(Xm)  
 rpcgen: an RPC protocol compiler ..... rpcgen(NC)  
 endprotoent: end protocol entry ..... getprotoent(SLIB)  
 getprotobyname, setprotoent: get protocol entry /getprotobyaddr, .. getprotoent(SLIB)  
 getprotoent: get protocol entry ..... getprotoent(SLIB)  
 setprotoent: set protocol entry ..... getprotoent(SLIB)  
 getprotobyaddr: get protocol entry by address ..... getprotoent(SLIB)  
 getprotobyname: get protocol entry by name ..... getprotoent(SLIB)  
 /that adds the protocols to the protocol manager and allocates/ .. XmAddProtocols(Xm)  
 /that adds the protocols to the protocol manager and allocates/ .. XmAddWMPProtocols(Xm)  
 /removes the protocols from the protocol manager and deallocates/ XmRemoveProtocols(Xm)  
 /removes the protocols from the protocol manager and deallocates/ XmRemoveWMPProtocols(Xm)  
 /actions to be executed when a protocol message is received from/ XmSetProtocolHooks(Xm)  
 /actions to be executed when a protocol message is received from/ XmSetWMPProtocolHooks(Xm)  
 /returns maximum size of a protocol request ..... AllPlanes(XS)  
 ProtocolRevision: returns minor protocol revision number of X/ ... AllPlanes(XS)  
 address resolver nameserver: protocol specific name and ..... nameserver(X)  
 t\_info: TLI and XTI transport protocol structure ..... t\_info(FP)  
 windowing terminal under/ layers: protocol used between host and ... layers(M)  
 xtproto: multiplexed channels protocol used by xt(HW) driver ... xtproto(M)  
 /function that deactivates a protocol without removing it ..... XmDeactivateProtocol(Xm)  
 /interface that deactivates a protocol without removing it ..... XmDeactivateWMPProtocol(Xm)  
 protocol revision number of X/ ProtocolRevision: returns minor ... AllPlanes(XS)  
 /function that removes the protocols from the protocol/ ..... XmRemoveProtocols(Xm)  
 /interface that removes the protocols from the protocol/ ..... XmRemoveWMPProtocols(Xm)  
 and/ /function that adds the protocols to the protocol manager .. XmAddProtocols(Xm)  
 and/ /interface that adds the protocols to the protocol manager .. XmAddWMPProtocols(Xm)  
 information t\_getinfo: get protocol-specific service ..... t\_getinfo(S)  
 version number of X protocol ProtocolVersion: returns major ..... AllPlanes(XS)  
 and batch proto: prototype job file for at, cron ..... proto(F)  
 file prototype: package information ... prototype(F)  
 pkgproto: generate a prototype(F) file ..... pkgproto(ADM)  
 scohelp: provide help on desktop ..... scohelp(X)  
 labelit: provide labels for filesystems ..... labelit(ADM)  
 the MMDF mail/ mmdftailor: provide run-time tailoring for ..... mmdftailor(F)  
 /store bytes in cut buffer, provide the buffer to use ..... XStoreBytes(XS)  
 of separators plus one in the provided compound string /number XmStringLineCount(Xm)  
 /a Toolkit function that provides a modal interaction ..... XmTrackingEvent(Xm)  
 /a Toolkit function that provides a modal interaction ..... XmTrackingLocate(Xm)  
 widget resource/ /a function that provides access to secondary ..... XmGetSecondaryResourceData(Xm)

## Permuted Index

physical memory mem: provides access to the computer's . mem(FP)  
 virtual memory kmem: provides access to the kernel . . . . . mem(FP)  
 and overwrite() copywin: provides control over overlay() . . . curses(S)  
 and overwrite() copywin: provides control over overlay() . . . terminfo(S)  
 /a compound string function that provides information on the/ . . . . . XmStringEmpty(Xm)  
 getprpwnt: gets pointer to next pr\_passwd structure . . . . . getprpwnt(S)  
 authentication database files prpw: protected password . . . . . prpw(F)  
 prs: print an SCCS file . . . . . prs(CP)  
 /nulladm, prctmp, prdaily, prtacct, runacct, shutacct,/ . . . . . acctsh(ADM)  
 getprtcent: gets pointer to next pr\_term structure . . . . . getprtcent(S)  
 expiration prwarn: warn about password . . . . . prwarn(C)  
 ps: report process status . . . . . ps(C)  
 sxt: pseudo-device driver . . . . . sxt(M)  
 generate uniformly distributed pseudo-random numbers /seed48: drand48(S)  
 ptmx, pts???: STREAMS master pseudo-tty device . . . . . ptmx(M)  
 psignal: send signal to a process . . . psignal(K)  
 pstat: report system information . . . pstat(C)  
 ptar: process tape archives . . . . . ptar(C)  
 ptmx, pts???: STREAMS master . . . ptmx(M)  
 physical addresses ptok, ktop: convert virtual and . . . . . ptok(K)  
 paccess: used in conjunction with ptrace for tracing a child/ . . . . . paccess(S)  
 ptrace: process trace . . . . . ptrace(S)  
 pts???: STREAMS master pseudo-tty ptmx(M)  
 device ptmx, pullupmsg: concatenate bytes in a . . . pullupmsg(K)  
 message punctuation character . . . . . ctype(S)  
 ispunct: tests for purge purge: policy . . . . . purge(F)  
 file of the sanitization utility purge: overwrite specified files . . . . . purge(C)  
 sanitization utility purge purge: policy file of the . . . . . purge(F)  
 stream ungetc: push character back into input . . . . . ungetc(S)  
 XmPushButton: the PushButton widget class . . . . . XmPushButton(Xm)  
 function XmCreatePushButton: the PushButton widget creation . . . . . XmCreatePushButton(Xm)  
 XmCreatePushButtonGadget: the PushButtonGadget creation/ . . . . . XmCreatePushButtonGadget(Xm)  
 XmPushButtonGadget: the PushButtonGadget widget class . . . . . XmPushButtonGadget(Xm)  
 putbc: add block to clist . . . . . putc(K)  
 beginning of a queue putbq: return a message to the . . . . . putbq(K)  
 putc: add character to clist . . . . . putc(K)  
 fputc: behaves as putc but is a function . . . . . putc(S)  
 to clists putc, putcb, putcbp, putcf: write . . . . . putc(K)  
 character or word on a stream putc, putchar, fputc, putw: put . . . . . putc(S)  
 stream putc: writes character to output . . . . . putc(S)  
 putcb: add characters to clist . . . . . putc(K)  
 clists putc, putcb, putcbp, putcf: write to . . . . . putc(K)  
 putcbp, putcf: write to clists . . . . . putc(K)  
 putcf: add block to freelist . . . . . putc(K)  
 putc, putcb, putcbp, putcf: write to clists . . . . . putc(K)  
 character or word on a / putc, putchar, fputc, putw: put . . . . . putc(S)  
 console putchar: print a character on the . . . . . putchar(K)  
 output stream putchar: writes character to . . . . . putc(S)  
 putctl: put a control message . . . . . putctl(K)  
 with a one-byte parameter putctlI: put a control message . . . . . putctlI(K)  
 /setdvagent, enddvagent, putdvagnam, copydvagent:/ . . . . . getdvagent(S)  
 entry to the database putdvagnam: rewrites or adds an . . . . . getdvagent(S)  
 environment putenv: change or add value to . . . . . putenv(S)  
 stream putmsg: send a message on a . . . . . putmsg(S)

next queue putnext: put a message to the ..... putnext(K)  
 putchar) putp: calls tputs (str, l, ..... curses(S)  
 putchar) putp: calls tputs (str, l, ..... terminfo(S)  
 control/ /setprdfent, endprdfent, replaced default control entry putprdfnam: manipulate default ..... getprdfent(S)  
 control/ /setprfient, endprfient, replaced file control entry putprdfnam: puts a new or ..... getprdfent(S)  
 sword/ /setprpwent, endprpwent, replaced protected password/ putprfiam: manipulate file ..... getprfient(S)  
 control/ /setprtcent, endprtcent, replaced terminal control entry putprfiam: puts a new or ..... getprfient(S)  
 entry putprpwnam: manipulate protected getprpwent(S)  
 control entry putprpwnam: writes new or ..... getprpwent(S)  
 control entry putprtcnam: manipulate terminal ..... getprtcent(S)  
 control entry putprtcnam: puts a new or ..... getprtcent(S)  
 stream putpwent: write password file ..... putpwent(S)  
 sputl: putq: put a message on a queue ..... putq(K)  
 /makes hidden panel visible and puts a new or replaced default ..... getprdfent(S)  
 panels bottom\_panel: puts a new or replaced file ..... getprfient(S)  
 vidattr: outputs a string that puts a new or replaced terminal ..... getprtcent(S)  
 vidattr: outputs a string that puts, fputs: put a string on a ..... puts(S)  
 vidputs: outputs a string that sputl: puts long integer data in memory .. sputl(S)  
 vidputs: outputs a string that puts on top of the deck ..... panel(S)  
 cbreak: puts terminal in video mode ..... curses(S)  
 cbreak: puts terminal in video mode ..... terminfo(S)  
 cbreak: puts terminal in video mode ..... curses(S)  
 cbreak: puts terminal in video mode ..... terminfo(S)  
 cbreak: puts terminal into CBREAK mode ..... curses(S)  
 cbreak: puts terminal into CBREAK mode ..... tam(S)  
 cbreak: puts terminal into CBREAK mode ..... terminfo(S)  
 crmode: puts terminal into CBREAK mode ..... tam(S)  
 crmode: puts terminal into CBREAK mode ..... terminfo(S)  
 nocbreak: puts terminal out of CBREAK mode ..... curses(S)  
 nocbreak: puts terminal out of CBREAK mode ..... tam(S)  
 nocbreak: puts terminal out of CBREAK mode ..... terminfo(S)  
 nocrmode: puts terminal out of CBREAK mode ..... tam(S)  
 nocrmode: puts terminal out of CBREAK mode ..... terminfo(S)  
 deck top\_panel: puts visible panel on top of the .... panel(S)  
 string to standard output stream puts: writes null-terminated ..... puts(S)  
 file entry putspent: write shadow password ..... putspent(S)  
 /getutent, getutid, getutline, pututline, setutent, utmpname:/ ..... getut(S)  
 utmp structure to utmp -like/ pututline: writes out supplied ..... getut(S)  
 stream putc, putchar, fputc, putw: put character or word on a ..... putc(S)  
 stream putw: writes integer to output ..... putc(S)  
 puzzle: 15-puzzle game for XQ .... puzzle(X)  
 pwck: check password file ..... pwck(ADM)  
 update or remove the shadow/ pwconv, pwunconv: install and ..... pwconv(ADM)  
 backup pwd: print working directory name pwd(C)  
 gr\_idtoname: map/ pw\_nametoid, pwdmnu: support utility for ..... undocumented(M)  
 and names pw\_idtoname, gr\_nametoid, ..... pw\_nametoid(S)  
 names and IDs pw\_idtoname: map between user IDs pw\_nametoid(S)  
 gr\_nametoid, gr\_idtoname: map/ pw\_nametoid: map between user .. pw\_nametoid(S)  
 remove the shadow/ pwconv, pw\_nametoid, pw\_idtoname, ..... pw\_nametoid(S)  
 password file pwunconv: install and update or ..... pwconv(ADM)  
 pwunconv: remove the shadow .... pwconv(ADM)  
 qenable: enable a queue ..... qenable(K)  
 tapcntl: AT&T tape control for QIC-24/QIC-02 tape device ..... tapcntl(C)

## Permuted Index

queue for connected display QLength: returns length of event ... AllPlanes(XS)  
 stream in the reverse direction qreply: send a message on a ... qreply(K)  
 messages on a queue qsize: find the number of ... qsize(K)  
 Idexp: returns the quantity value \* 2<sup>EXP</sup> ... frexp(S)  
 /manipulates resource quarks ... XrmUniqueQuark(XS)  
 manipulate resource quarks XrmUniqueQuark: ... XrmUniqueQuark(XS)  
 manipulates resource quarks XrmPermStringToQuark: ... XrmUniqueQuark(XS)  
 manipulates resource quarks XrmQuarkToString: ... XrmUniqueQuark(XS)  
 manipulates resource quarks XrmStringToQuark: ... XrmUniqueQuark(XS)  
 manipulates resource quarks XrmStringToQuarkList: ... XrmUniqueQuark(XS)  
 XQueryTextExtents16: queries text extents ... XTextExtents(XS)  
 XQueryTextExtents: queries text extents ... XTextExtents(XS)  
 transactions uulog: Query a log of uucp or uuxqt ... uucp(C)  
 colormap XcmsCCOfColormap: query and modify CCC of a ... XcmsCCOfColormap(XS)  
 input XtAppMainLoop: query and process events and ... XtAppNextEvent(Xt)  
 input XtAppNextEvent: query and process events and ... XtAppNextEvent(Xt)  
 input XtAppPeekEvent: query and process events and ... XtAppNextEvent(Xt)  
 input XtAppPending: query and process events and ... XtAppNextEvent(Xt)  
 input XtAppProcessEvent: query and process events and ... XtAppNextEvent(Xt)  
 input XtDispatchEvent: query and process events and ... XtAppNextEvent(Xt)  
 res\_mkquery: makes a standard query message ... resolver(SLIB)  
 XTextExtents: compute or query text extents ... XTextExtents(XS)  
 child widget XtQueryGeometry: query the preferred geometry of a ... XtQueryGeometry(Xt)  
 tput: query the terminfo database ... tput(C)  
 res\_send: sends a query to name server ... resolver(SLIB)  
 XQueryTree: query window tree information ... XQueryTree(XS)  
 of/ XGetIMValues: interface for querying properties or features ... XOpenIM(XS)  
 creation function /the MessageBox QuestionDialog convenience ... XmCreateQuestionDialog(Xm)  
 OTHERQ: get pointer to the mate queue ... otherq(K)  
 RD: get pointer to the read queue ... rd(K)  
 WR: get pointer to the write queue ... wr(K)  
 XmuDQAddDisplay: add display to queue ... XmuDisplayQueue(Xmu)  
 a block I/O request to a device's queue disksort: add ... disksort(K)  
 a message to the beginning of a queue putbq: return ... putbq(K)  
 all events currently in the queue ev\_flush: discard ... ev\_flush(S)  
 all output in the tty driver queue intrflush: flushes ... curses(S)  
 all output in the tty driver queue intrflush: flushes ... terminfo(S)  
 at a particular place in a queue insq: put a message ... insq(K)  
 canput: test for room in a queue ... canput(K)  
 ev\_resume: restart a suspended queue ... ev\_resume(S)  
 ev\_suspend: suspends an event queue ... ev\_suspend(S)  
 existence of characters on input queue ttrdchk: check ... tty(K)  
 find the number of messages on a queue qsize: ... qsize(K)  
 flushq: flush a queue ... flushq(K)  
 getq: get a message from a queue ... getq(K)  
 handle output buffer or event queue XFlush: ... XFlush(XS)  
 insert/remove element from a queue insque, remque: ... insque(SLIB)  
 a queue ... insque(SLIB)  
 list of devices feeding an event queue ev\_getdev: gets a ... ev\_getdev(S)  
 msgget: get message queue ... msgget(PCI)  
 msgget: get message queue ... msgget(S)  
 number of events already in event queue XEventsQueued: returns ... XFlush(XS)  
 number of events currently in the queue ev\_count: returns the ... ev\_count(S)

places character c onto input queue ungetch: ..... curses(S)  
places character c onto input queue ungetch: ..... terminfo(S)  
pop the next event off the queue ev\_pop: ..... ev\_pop(S)  
put a message to the next queue putnext: ..... putnext(K)  
put characters on tty output queue ttxput: ..... tty(K)  
put events back on the queue XPutBackEvent: ..... XPutBackEvent(XS)  
putq: put a message on a queue ..... putq(K)  
qenable: enable a queue ..... qenable(K)  
read the next event in the queue ev\_read: ..... ev\_read(S)  
release memory associated with queue XmuDQDestroy: ..... XmuDisplayQueue(Xmu)  
remove display from queue XmuDQRemoveDisplay: ..... XmuDisplayQueue(Xmu)  
remque: remove element from a queue ..... insque(SLIB)  
returns first event from queue XPeekEvent: ..... XNextEvent(XS)  
rmvq: remove a message from a queue ..... rmvq(K)  
to the queue behind a given queue backq: get pointer ..... backq(K)  
up processes waiting for input queue ttiwake: wake ..... tty(K)  
up processes waiting for output queue ttowake: wake ..... tty(K)  
ev\_close: close the event queue and all associated devices .. ev\_close(S)  
XCheckIfEvent: checks event queue and copy matched event ... XIfEvent(XS)  
XCheckMaskEvent: searches queue and events available for / ... XNextEvent(XS)  
XCheckTypedEvent: searches queue and events available for / ... XNextEvent(XS)  
XCheckTypedWindowEvent: searches queue and events available for / ... XNextEvent(XS)  
XCheckWindowEvent: searches queue and events available for / ... XNextEvent(XS)  
XPeekIfEvent: checks event queue and return if match found .. XIfEvent(XS)  
backq: get pointer to the queue behind a given queue ..... backq(K)  
ev\_block: wait until the queue contains an event ..... ev\_block(S)  
XmuDQLookupDisplay: return queue entry ..... XmuDisplayQueue(Xmu)  
transit queue: MMDF queue files for storing mail in ..... queue(F)  
QLength: returns length of event queue for connected display ..... AllPlanes(XS)  
specified/ XMaskEvent: searches queue for events associated with .. XNextEvent(XS)  
ev\_open: opens an event queue for input ..... ev\_open(S)  
XWindowEvent: searches queue for matching event ..... XNextEvent(XS)  
noenable: prevent a queue from being enabled ..... noenable(K)  
XmuDisplayQueue: display queue functions ..... XmuDisplayQueue(Xmu)  
submit: MMDF mail queue manager ..... submit(ADM)  
storing mail in transit queue: MMDF queue files for ..... queue(F)  
/add display to queue or return entry ..... XmuDisplayQueue(Xmu)  
lpusers: set printing queue priorities ..... lpusers(ADM)  
memory/ ipcrm: remove a message queue, semaphore set or shared ... ipcrm(ADM)  
checkque: MMDF queue status report generator ..... checkque(ADM)  
XmuDisplayQueue: display queue structure ..... XmuDisplayQueue(Xmu)  
enableok: re-allow a queue to be scheduled for service .. enableok(K)  
XIfEvent: check the event queue with a predicate procedure .. XIfEvent(XS)  
XAllowEvents: release queued events ..... XAllowEvents(XS)  
for cron queues queuedefs: scheduling information queuedefs(F)  
scheduling information queues queuedefs: ..... queuedefs(F)  
Intro: introduction to message queues and semaphores ..... Intro(PCI)  
/as the current destination for quick paste and certain clipboard/ XrmGetDestination(Xm)  
qsort: quicker sort ..... qsort(S)  
mallinfo: allocates main memory quickly /calloc, mallopt, ..... malloc(S)  
a command immune to hangups and quits nohup: run ..... nohup(C)  
ownership quot: summarize file system ..... quot(C)  
move: moves cursor to row r, column c ..... tam(S)  
execution program raise: send signal to the ..... raise(S)

## Permuted Index

/maps windows, subwindows and raise to top of stack ..... XMapWindow(XS)  
     generator ramdisk: memory block device .... ramdisk(HW)  
     generator rand: simple random-number ..... rand(S)  
     generator rand, srand: simple random-number rand(S)  
         random: generate a random number random(C)  
 ranlib: converts archives to random libraries ..... ranlib(XNX)  
     random: generate a random number ..... random(C)  
 /set\_seed: obtain or set seed for random number generator ..... seed(S)  
     get\_seed: obtain seed for random number generator ..... seed(S)  
     set\_seed: set seed for random number generator ..... seed(S)  
         rand, srand: simple random-number generator ..... rand(S)  
         rand: simple random-number generator ..... rand(S)  
         srand: reset random-number generator ..... rand(S)  
 pronounceable password randomword: generate a ..... randomword(S)  
 random libraries ranlib: converts archives to ..... ranlib(XNX)  
     wrastop: pixel raster operations ..... tam(S)  
 cfsetispeed: sets the input baud rate ..... cfspeed(S)  
 cfsetospeed: sets the output baud rate ..... cfspeed(S)  
     returns the input baud rate cfgetispeed: ..... cfspeed(S)  
     returns the output baud rate cfgetospeed: ..... cfspeed(S)  
 cfsetispeed, cfsetospeed: baud rate functions /cfgetospeed, ..... cfspeed(S)  
 ttimeo: timing requirements for raw data input ..... tty(K)  
     canon: process raw input data from tty device .... canon(K)  
         physck: raw I/O for block drivers ..... physio(K)  
         physio, physck: raw I/O for block drivers ..... physio(K)  
         physio: raw I/O for block drivers ..... physio(K)  
     noraw: places terminal into RAW mode ..... terminfo(S)  
     noraw: places terminal out of RAW mode ..... curses(S)  
     raw: places terminal into RAW mode ..... curses(S)  
     raw: places terminal out of RAW mode ..... terminfo(S)  
         mode raw: places terminal into RAW .... curses(S)  
         mode raw: places terminal out of RAW .. terminfo(S)  
     ml\_txt: directly enters raw text ..... ml\_send(S)  
 stop the operating system rc0: run commands performed to .... rc0(ADM)  
     multiuser environment rc2: run commands performed for .... rc2(ADM)  
         gcc: AT&T C compiler ..... rcc(CP)  
         rcc command ..... gcc(CP)  
         rcflow: generate C flowgraph ..... rcflow(CP)  
         remote machine rcmd: execute a command on a .... rcmd(SLIB)  
 routines for returning a stream/ rcmd, resvport, ruserok: ..... rcmd(SLIB)  
     notification rcp: copy files across systems ..... rcp(C)  
     file rcvalert: mail-receipt ..... rcvalert(C)  
     automatically rcvfile: put message into named .... rcvfile(C)  
     recipient is away rcvprint: print message ..... rcvprint(C)  
     cross-reference rcvtrip: notify mail sender that .... rcvtrip(C)  
         RD: get pointer to the read queue .. rd(K)  
         data to be read rdchk: checks to see if there is .... rdchk(S)  
     strings until nth character is reached strncoll: collates two .... strcoll(S)  
         read: read from file ..... read(S)  
     sets the position of the next readdir operation seekdir: ..... directory(S)  
     next active directory entry readdir: returns a pointer to the .... directory(S)  
     directory: closedir, opendir, readdir, rewinddir, seekdir, / ..... directory(S)  
     open a common object file for reading ldopen, ldaopen: ..... ldopen(S)

open: open for reading or writing ..... open(S)  
 or unlocks a file region for reading or writing /locks ..... locking(S)  
 readlink: reads a symbolic link ..... readlink(S)  
 XcmsAllocNamedColor: allocate a read-only color cell in any/ ..... XcmsAllocColor(XS)  
 XAllocColor: allocates read-only colormap entry ..... XAllocColor(XS)  
 view: Invoke a read-only vi ..... vi(C)  
 and flag information from/ read\_pw\_fields: get current field ..... fields(S)  
 text mm\_rstm: reads a buffered block of MMDF ..... mmdf(S)  
 MMDF process mm\_rply: reads a reply from the other ..... mmdf(S)  
 readlink: reads a symbolic link ..... readlink(S)  
 mm\_radr: reads an MMDF address ..... mmdf(S)  
 record mm\_rrec: reads an MMDF conversation ..... mmdf(S)  
 associated with a window getch: reads character from terminal ..... curses(S)  
 associated with a window getch: reads character from terminal ..... tam(S)  
 associated with a window getch: reads character from terminal ..... terminfo(S)  
 associated with a window wgetch: reads character from terminal ..... curses(S)  
 associated with a window wgetch: reads character from terminal ..... terminfo(S)  
 associated with a/ mvgetch: reads character from terminal ..... curses(S)  
 associated with a/ mvgetch: reads character from terminal ..... terminfo(S)  
 associated with a/ mvwgetch: reads character from terminal ..... curses(S)  
 associated with a/ mvwgetch: reads character from terminal ..... terminfo(S)  
 input stream gets: reads characters from standard ..... gets(S)  
 an array fgets: reads characters from stream in ..... gets(S)  
 defopen, defread: reads default entries ..... defopen(S)  
 XGetErrorText: reads error code description ..... XSetErrorHandler(XS)  
 nl\_sscanf: reads from the character string ..... nl\_scanf(S)  
 nl\_fscanf: reads from the named input ..... nl\_scanf(S)  
 stream nl\_scanf: reads from the standard input ..... nl\_scanf(S)  
 memory XImage XShmGetImage: reads image data into a shared ..... XShm(Xext)  
 restartterm: reads in terminfo(F) database ..... curses(S)  
 restartterm: reads in terminfo(F) database ..... terminfo(S)  
 setupterm: reads in terminfo(F) database ..... curses(S)  
 setupterm: reads in terminfo(F) database ..... terminfo(S)  
 utmp -like file getutent: reads in the next entry from a ..... getut(S)  
 res\_init: reads initialization file ..... resolver(SLIB)  
 for MMDF message mm\_rinit: reads initialization information ..... mmdf(S)  
 carriage return, or/ getstr: reads input until newline, ..... curses(S)  
 carriage return, or/ mvgetstr: reads input until newline, ..... curses(S)  
 carriage return, or/ mvwgetstr: reads input until newline, ..... curses(S)  
 carriage return, or/ wgetstr: reads input until newline, ..... curses(S)  
 mm\_rtxt: reads MMDF message text ..... mmdf(S)  
 defread: reads opened default file ..... defopen(S)  
 XGetPointerControl: reads pointer movement definition ..... XChangePointerControl(XS)  
 sectindx into memory ldshread: reads section header specified by ..... ldshread(S)  
 sectname into memory ldshread: reads section header specified by ..... ldshread(S)  
 XGetWMNormalHints: reads size hints ..... XAllocSizeHints(XS)  
 XGetWMSizeHints: reads size hints ..... XAllocSizeHints(XS)  
 XGetRGBColormaps: reads standard colormap structure ..... XAllocStandardColormap(XS)  
 XGetTextProperty: reads text property ..... XSetTextProperty(XS)  
 line number ldlnit: reads the entry with the smallest ..... ldread(S)  
 XGetWMHints: reads window manager hints ..... XAllocWMHints(XS)  
 XGetWMColormapWindows: reads window's/ ..... XSetWMColormapWindows(XS)  
 property XGetWMClientMachine: reads window's WM\_CLIENT\_MACHINE XSetWMClientMachine(XS)  
 property XGetCommand: reads window's WM\_COMMAND XSetCommand(XS)

## Permuted Index

property XGetIconName: reads window's WM\_ICON\_NAME XSetWMIconName(XS)  
 property XGetWMIconName: reads window's WM\_ICON\_NAME XSetWMIconName(XS)  
     XFetchName: reads window's WM\_NAME property XSetWMName(XS)  
     XGetWMName: reads window's WM\_NAME property XSetWMName(XS)  
 property XGetWMProtocols: reads window's WM\_PROTOCOLS XSetWMProtocols(XS)  
 property XGetTransientForHint: reads window's WM\_TRANSIENT\_FOR XSetTransientForHint(XS)  
 and flag information from/  
 dial: open a terminal line for read/write ..... dial(S)  
 XAllocColorCells: allocates read/write color cells ..... XAllocColor(XS)  
     ferror: tests for previous read/write error ..... ferror(S)  
     lseek: move read/write file pointer ..... lseek(S)  
 tirdwr: Transport Interface read/write interface STREAMS/ .. tirdwr(M)  
 XtRealizeWidget: realize and unrealize widgets ..... XtRealizeWidget(Xt)  
     XtIsRealized: realize widget ..... XtRealizeWidget(Xt)  
     XtRealizeWidget: realize widget ..... XtRealizeWidget(Xt)  
 main memory malloc, free, realloc, calloc, cfree: allocates ..... malloc(S)  
 mallinfo: / malloc, free, realloc, calloc, mallopt, ..... malloc(S)  
 memory object realloc: changes the size of ..... malloc(S)  
     allocated space realloc: changes the size of the ..... malloc(S)  
 defective blocks and attempt to reallocate them /hard disk for ..... scsibadblk(ADM)  
     for service enableok: re-allow a queue to be scheduled ..... enableok(K)  
     getclk: get string from real-time clock ..... getclk(M)  
     clock: the system real-time (time of day) clock ..... clock(F)  
     setclock: set the system real-time (time of day) clock ..... setclock(ADM)  
     XRebindKeySym: rebinds meaning of Keysym ..... XLookupKeysym(XS)  
 reboot: shut down the system and reboot ..... haltsys(ADM)  
     shut down the system haltsys, reboot: close out filesystems and ... haltsys(ADM)  
     reboot reboot: shut down the system and ... haltsys(ADM)  
     colors of a/ XmChangeColor: recalculates all associated ..... XmChangeColor(Xm)  
 indication t\_rcvrel: acknowledge receipt of an orderly release ..... t\_rcvrel(S)  
     t\_rcvdata: receive a data unit ..... t\_rcvdata(S)  
     connected socket rcv: receive a message from a ..... rcv(SSC)  
         rcv, rcvfrom: receive a message from a socket ... rcv(SSC)  
         rcvfrom: receive a message from a socket ... rcv(SSC)  
     indication t\_rcvuderr: receive a unit data error ..... t\_rcvuderr(S)  
     sent over a connection t\_rcv: receive data or expedited data ..... t\_rcv(S)  
     connect request t\_rcvconnect: receive the confirmation from a ... t\_rcvconnect(S)  
 carriage return, or enter key is received /wgetch() until newline, . terminfo(S)  
     then waits until all requests received and processed /buffer ... XFlush(XS)  
     when a protocol message is received from MWM /to be executed XmSetProtocolHooks(Xm)  
     /when a protocol message is received from the window manager XmSetWMProtocolHooks(Xm)  
     rmail: submit remote mail received via UUCP ..... rmail(ADM)  
     msgrcv: receives a message ..... msgop(S)  
     the calling process until it receives a signal /suspends ..... sigsetv(S)  
     /an accessory that sends and receives electronic mail messages .. scomail(X)  
 /that determines which component receives keyboard events when a/ . XmProcessTraversal(Xm)  
     msgrcv: message receiving ..... msgrcv(PCI)  
 tcflow: suspend transmission or reception of data ..... tcflow(S)  
 rcvtrip: notify mail sender that recipient is away ..... rcvtrip(C)  
     /returns the number of recognized primary and secondary/ subsystems(S)  
     XReconfigureWMWindow: reconfigures window ..... XIconifyWindow(XS)  
     isdelcurr: delete the current record ..... isdelcurr(S)  
     isrewcurr: rewrite the current record ..... isrewcurr(S)  
     mm\_wrec: writes MMDf record ..... mmdf(S)



read an audit data session record audit\_read: ..... audit(S)  
 reads an MMDF conversation record mm\_rrec: ..... mmdf(S)  
 select an index and locate a record isstart: ..... isstart(S)  
   skip rest of XDR record xdrrec\_skiprecord: ..... xdr(NS)  
   iswrcurr: write a new record and make it current ..... iswrcurr(S)  
   key isrewrite: rewrite a record identified by its primary ... isrewrite(S)  
   iswrec: rewrite the record indicated by record number iswrec(S)  
   iswrite: write a new record into an ISAM file ..... iswrite(S)  
   lockf: record locking on files ..... lockf(S)  
   delete record specified by record number isdelrec: ..... isdelrec(S)  
   rewrite the record indicated by record number iswrec: ..... iswrec(S)  
 xdrrec\_endofrecord: mark end of record on XDR stream ..... xdr(NS)  
   isdelete: delete record specified by primary key ... isdelete(S)  
   isdelrec: delete record specified by record number ... isdelrec(S)  
   and access audit session data records /audit\_read: open ..... audit(S)  
 audit subsystem and compact the records /files generated by the ... auditd(ADM)  
 disk consumption for accounting records acctdusg: calculate ..... acct(ADM)  
   from per-process accounting records acctcms: command summary acctcms(ADM)  
   generate accounting total records acctprc2: ..... acctprc(ADM)  
   generate per process accounting records acctprc1: ..... acctprc(ADM)  
   generates per login accounting records acctcon1: ..... acctcon(ADM)  
   generates total accounting records acctcon2: ..... acctcon(ADM)  
   isverify: verify ISAM database records ..... isverify(M)  
   manipulate connect accounting records fwtmp, wtmpfix: ..... fwtmp(ADM)  
 events authaudit: produce audit records due to authentication ..... authaudit(S)  
   dlvr\_audit: produce audit records for subsystem events ..... dlvr\_audit(ADM)  
   unlocks all manually locked records in a isrelease: ..... isrelease(S)  
     isread: read records in an ISAM file ..... isread(S)  
     audit\_security\_failure: records system object problem ..... authaudit(S)  
     pfs\_note: records the indicated MMDF event ... pfs(S)  
   MMDF message pfs\_msg: records the transmission of one ... pfs(S)  
   acctwtmp: write accounting records to standard output ..... acct(ADM)  
     bufcall: recover from failure of alloc ..... bufcall(K)  
 a compound string function that recovers memory XmStringFree: .. XmStringFree(Xm)  
   list /a font list function that recovers memory used by a font ... XmFontListFree(Xm)  
   list/ /a font list function that recovers memory used by a font ... XmFontListEntryFree(Xm)  
 hashed spelling list hashcheck: Recreate the hash codes in a ..... spell(C)  
   /draw filled rounded rectangle ..... XmuDrawRoundedRectangle(Xmu)  
   /draw rounded rectangle ..... XmuDrawRoundedRectangle(Xmu)  
 XClipBox: generates smallest rectangle enclosing region ..... XPolygonRegion(XS)  
 XRectInRegion: determines if rectangle in region ..... XEmptyRegion(XS)  
   widget /retrieves display rectangle information for a ..... XmWidgetGetDisplayRect(Xm)  
     XRectangle: rectangle structure ..... XDrawRectangle(XS)  
   /the size of the smallest rectangle that will enclose the/ ..... XmStringExtent(Xm)  
   XDrawRectangles: draws rectangles ..... XDrawRectangle(XS)  
   XFillRectangles: fills rectangles ..... XFillRectangle(XS)  
 structure XDrawRectangle: draw rectangles and rectangles ..... XDrawRectangle(XS)  
   /clip-mask to specified list of rectangles and set clip origin ..... XSetClipOrigin(XS)  
   XFillRectangle: fill rectangles, polygons, or arcs ..... XFillRectangle(XS)  
   /draw rectangles and rectangles structure ..... XDrawRectangle(XS)  
     RectObj: the RectObj widget class .. RectObj(Xm)  
     RectObj widget class ..... RectObj(Xm)  
   subdirectories/ lr: List files, recursively listing any ..... ls(C)  
   connected socket recv: receive a message from a ..... recv(SSC)

## Permuted Index

from a socket   rcv, rcvfrom: receive a message   rcv(SSC)  
   a socket   rcvfrom: receive a message from   rcv(SSC)  
   a socket rcv, rcvfrom: receive a message from   rcv(SSC)  
 /obtain black, blue, green, red, and white CCC color/   XcmsQueryBlack(XS)  
 editor   red: Invoke a restricted text   ed(C)  
   ed, red: invoke the text editor   ed(C)  
   widget XtAddGrab: redirect user input to a modal   XtAddGrab(Xt)  
   widget XtRemoveGrab: redirect user input to a modal   XtAddGrab(Xt)  
   Resent- notation resend: redistribute mail using the   resend(C)  
   analysis and reduction   reduce: perform audit data   reduce(ADM)  
 ripoffline: accesses facility to   reduce size of screen   curses(S)  
 ripoffline: accesses facility to   reduce size of screen   terminfo(S)  
   amount XShrinkRegion: reduces region by specified   XIntersectRegion(XS)  
 perform audit data analysis and   reduction reduce:   reduce(ADM)  
   man: print   reference pages in this guide   man(C)  
 /values associated with the names   referenced in UIL (for example,/   MrmRegisterNames(Xm)  
 /values associated with the names   referenced in UIL within a single/   MrmRegisterNamesInHierarchy(Xm)  
 /returns default screen number   referenced in XOpenDisplay/   AllPlanes(XS)  
   Intro: list manual page   references   intro(K)  
   and the fields to which it   refers /assignment structure   getdvagent(S)  
   screen xrefresh:   refresh all or part of an X   refresh(X)  
 terminal screen using stdscr as/   refresh: copies named window to   curses(S)  
 terminal screen using stdscr as/   refresh: copies named window to   tam(S)  
 terminal screen using stdscr as/   refresh: copies named window to   terminfo(S)  
   of the window cursor being   refreshed /cursor at location   curses(S)  
   of the window cursor being   refreshed /cursor at location   tam(S)  
   of the window cursor being   refreshed /cursor at location   terminfo(S)  
   adds single character and   refreshes screen echochar:   curses(S)  
   adds single character and   refreshes screen echochar:   terminfo(S)  
   adds single character and   refreshes screen pechochar:   curses(S)  
   adds single character and   refreshes screen pechochar:   terminfo(S)  
   adds single character and   refreshes screen wechochar:   curses(S)  
   adds single character and   refreshes screen wechochar:   terminfo(S)  
 keymap/ XRefreshKeyboardMapping: refreshes stored modifier and   XLookupKeysym(XS)  
   show panel/ update\_panels: refreshes the virtual screen to   panel(S)  
   expression   regcmp: compile a regular   regcmp(S)  
   executes regular expressions   regcmp, regex: compiles and   regcmp(S)  
   compile   regcmp: regular expression   regcmp(CP)  
   make: maintain, update, and   regenerate groups of programs   make(CP)  
   regular expressions regcmp,   regex: compiles and executes   regcmp(S)  
   expression against a string   regex: execute a compiled regular   regcmp(S)  
   \_loc1: pointer to beginning of   regex match   regcmp(S)  
   compile and match routines   regexp: regular expression   regexp(S)  
   XDestroyRegion: destroys   region   XCreateRegion(XS)  
   address above initialized data   region edata: first   end(S)  
 address above uninitialized data   region end: first   end(S)  
   determines if point in   region XPointInRegion:   XEmptyRegion(XS)  
   determines if rectangle in   region XRectInRegion:   XEmptyRegion(XS)  
   merge exposure events into a   region XtAddExposureToRegion:   XtAddExposureToRegion(Xt)  
   smallest rectangle enclosing   region XClipBox: generates   XPolygonRegion(XS)  
   updates destination   region XUnionRectWithRegion:   XIntersectRegion(XS)  
 adds or changes a window work   region and a horizontal or/ /that   XmScrolledWindowSetAreas(Xm)  
   XIntersectRegion:   region arithmetic   XIntersectRegion(XS)  
   XOffsetRegion: moves   region by specified amount   XIntersectRegion(XS)

XShrinkRegion: reduces region by specified amount ..... XIntersectRegion(XS)  
 execseg: makes a data region executable ..... execseg(S)  
 locking: locks or unlocks a file region for reading or writing ..... locking(S)  
 sets a software scrolling region in a window setscreg: ..... curses(S)  
 sets a software scrolling region in a window setscreg: ..... terminfo(S)  
 sets a software scrolling region in a window wsetscreg: ..... curses(S)  
 sets a software scrolling region in a window wsetscreg: ... terminfo(S)  
 unexecseg: makes a data region returned by execseg / ..... execseg(S)  
 XCreateRegion: create or destroy regions ..... XCreateRegion(XS)  
 XPolygonRegion: generate regions ..... XPolygonRegion(XS)  
 computes union of two regions XUnionRegion: ..... XIntersectRegion(XS)  
 union and intersection of two regions /difference between ..... XIntersectRegion(XS)  
 XEmptyRegion: determine if regions are empty or equal ..... XEmptyRegion(XS)  
 XEqualRegion: determines if regions equal ..... XEmptyRegion(XS)  
 driver as/ scsi\_distributed: register a SCSI host adapter ..... scsi\_distributed(K)  
 XtAppAddActions: register an action table ..... XtAppAddActions(Xt)  
 XtAppAddInput: register an input source ..... XtAppAddInput(Xt)  
 svc\_register: register an RPC service procedure . rpc(NS)  
 handle xpvt\_register: register an RPC service transport . rpc(NS)  
 AppAddTimeOut, XtRemoveTimeOut: register and remove timeouts ..... XtAppAddTimeOut(Xt)  
 termination atexit: register function to be called at ..... atexit(S)  
 source XtAppAddInput: register or remove an input ..... XtAppAddInput(Xt)  
 XmuAddInitializer: register procedure ..... XmuAddInitializer(Xmu)  
 regterrpc: register procedure with RPC ..... rpc(NS)  
 XtAppAddConverter: register resource converter ..... XtAppAddConverter(Xt)  
 Sharegister: register SCSI host adapter ..... devreg(K)  
 /Sharegister, Sdevregister: register SCSI host adapter and/ ... devreg(K)  
 Sdevregister: register SCSI peripheral driver .... devreg(K)  
 XtAppAddTimeOut: register timeouts ..... XtAppAddTimeOut(Xt)  
 /call procedures registered by XmuAddInitializer ... XmuAddInitializer(Xmu)  
 a stack of widgets that are registered drop sites /reorders .... XmDropSiteConfigureStackingOrder(Xm)  
 /converter for a previously registered representation type .... XmRepTypeAddReverse(Xm)  
 with RPC regterrpc: register procedure ..... rpc(NS)  
 the microchannel configuration registers slot: read ..... slot(C)  
 /a compound string function that registers a compound text/ ..... XmRegisterSegmentEncoding(Xm)  
 /a clipboard function that registers a new format ..... XmClipboardRegisterFormat(Xm)  
 /type manager function that registers a representation type/ ... XmRepTypeRegister(Xm)  
 MrmRegisterNamesInHierarchy: registers the values associated/ ... MrmRegisterNamesInHierarchy(Xm)  
 with the names/ MrmRegisterNames: registers the values associated .... MrmRegisterNames(Xm)  
 that returns a copy of the registration list /function ..... XmRepTypeGetRegistered(Xm)  
 XmDropSite: the DropSite Registry ..... XmDropSite(Xm)  
 after last character matching regular expression /to character . regexp(S)  
 pattern match given a compiled regular expression advance: ..... regexp(S)  
 regcmp: compile a regular expression ..... regcmp(S)  
 to first character matching regular expression loc1: pointer ... regexp(S)  
 string regex: execute a compiled regular expression against a ..... regcmp(S)  
 regcmp: regular expression compile ..... regcmp(CP)  
 match routines regexp: regular expression compile and ... regexp(S)  
 regex: compiles and executes regular expressions regcmp, ..... regcmp(S)  
 S\_ISREG: determines if file is a regular file ..... stat(S)  
 commands to be executed at regular intervals /schedule ..... crontab(C)  
 requests to a/ accept, reject: allow /prevent print ..... accept(ADM)  
 files comm: select or reject lines common to two sorted . comm(C)  
 the user uupick: Accept or reject the files transmitted to ..... uuto(C)

## Permuted Index

xdr\_rejected\_reply: XDR a rejected reply ..... rpc(NS)  
 Intro: introduction to machine related miscellaneous features/ ..... intro(HW)  
 VendorRelease: returns number related to vendor's release of X/ ..... AllPlanes(XS)  
   lorder: find ordering relation for an object library ..... lorder(CP)  
   join: join two relations ..... join(C)  
 the virtual screen to show panel relations /refreshes ..... panel(S)  
   /returns offset of current byte relative to beginning of file ..... fseek(S)  
   defaults relax: change system security ..... relax(ADM)  
   t\_sndrel: initiate an orderly release ..... t\_sndrel(S)  
     brelse: release a block buffer ..... brelse(K)  
     sigrelse: release a held signal ..... sigsetv(S)  
   list ttyflush: release character blocks to free ..... tty(K)  
 acknowledge receipt of an orderly release indication t\_rcvrel: ..... t\_rcvrel(S)  
   queue XmuDQDestroy: release memory associated with ..... XmuDisplayQueue(Xmu)  
 allocated with sptalloc sptfree: release memory previously ..... sptfree(K)  
   number related to vendor's release of X server /returns ..... AllPlanes(XS)  
     XAllowEvents: release queued events ..... XAllowEvents(XS)  
 XmuReleaseStippledPixmap: release stippled pixmap ..... XmuCreateStippledPixmap(Xmu)  
   sighold: holds a signal until released or discarded ..... sigsetv(S)  
   XUngrabKeyboard: releases keyboard ..... XGrabKeyboard(XS)  
 conversion/ lcs\_release\_table: releases a language character set ..... lcs\_release\_table(PCI)  
   XUngrabKey: releases keyboard key ..... XGrabKey(XS)  
   XUngrabPointer: releases pointer ..... XGrabPointer(XS)  
   XUngrabButton: releases pointer buttons ..... XGrabButton(XS)  
   XUngrabServer: releases server ..... XGrabServer(XS)  
     a common object file reloc: relocation information for ..... reloc(FP)  
 Modules 86rel: Intel 8086 Relocatable Format for Object ..... 86rel(FP)  
   strip: removes symbols and relocation bits ..... strip(XNX)  
 of a / ldrseek, ldrseek: seek relocation entries of a section ..... ldrseek(S)  
   specified by/ ldrseek: seeks relocation entries of section ..... ldrseek(S)  
   specified by/ ldrseek: seeks relocation entries of section ..... ldrseek(S)  
   common object file reloc: relocation information for a ..... reloc(FP)  
     show current layer regoin: rename login entry to ..... regoin(ADM)  
 ceil, fmod, fabs: floor, ceiling, remainder, absolute value/ floor, . floor(S)  
 fmod: returns floating-point remainder of division of x ..... floor(S)  
   calendar: invoke a reminder service ..... calendar(C)  
   if terminal is local or remote iswind: determines ..... tam(S)  
   for returning a stream to a remote command /ruserok: routines rcmd(SLIB)  
   rexec: return stream to a remote command ..... rexec(SLIB)  
     uuxqt: execute remote command requests ..... uuxqt(ADM)  
     remote system remote: execute commands on a ..... remote(C)  
     rex: remote execution protocol ..... rex(NS)  
   rlpcmd: send requests to remote line printer ..... rlpcmd(C)  
   /print information about status of (remote) lp print service ..... lpstat(C)  
   /print information about status of remote lp print service rlpmat: ..... lpstat(C)  
   rcmd: execute a command on a remote machine ..... rcmd(SLIB)  
     rwall: write to specified remote machines ..... rwall(NS)  
     rmail: submit remote mail received via UUCP ..... rmail(ADM)  
     callrpc: call a remote procedure ..... rpc(NS)  
     clnt\_call: call a remote procedure ..... rpc(NS)  
   clnt\_broadcast: broadcast remote procedure call ..... rpc(NS)  
   pmap\_rmtcall: indirect remote procedure call ..... rpc(NS)  
   rpc: library routines for remote procedure calls ..... rpc(NS)  
 remote: execute commands on a remote system ..... remote(C)

**uutry:** try to contact remote system with debugging on . . . uutry(ADM)  
**ct:** spawn getty to a remote terminal . . . . . ct(C)  
**ruserok:** remote user authentication . . . . . rcmd(SLIB)  
**rmdel:** remove a delta from an SCCS file . . . rmdel(CP)  
**rmdir:** remove a directory . . . . . rmdir(S)  
**database remove:** remove a file from software . . . . . removef(ADM)  
**message rmvb:** remove a message block from a . . . rmvb(K)  
**head of a message unlinkb:** remove a message block from the . . . unlinkb(K)  
**rmvq:** remove a message from a queue . . . . . rmvq(K)  
**set or shared memory ID ipcrm:** remove a message queue, semaphore ipcrm(ADM)  
**pkgrm:** remove a package from the system . . . pkgrm(ADM)  
**signal set sigdelset:** remove a signal from the existing . . . sigset(S)  
**ttclose:** remove access to tty device . . . . . tty(K)  
**XtAppAddInput:** remove an input source . . . . . XtAppAddInput(Xt)  
**XtRemoveInput:** remove an input source . . . . . XtAppAddInput(Xt)  
**XtAppAddWorkProc:** add and remove background processing/ . . . XtAppAddWorkProc(Xt)  
**XtRemoveWorkProc:** remove background processing . . . XtAppAddWorkProc(Xt)  
**XtAddCallback:** add and remove callback procedures . . . XtAddCallback(Xt)  
**XtRemoveAllCallbacks:** remove callback procedures . . . XtAddCallback(Xt)  
**XtRemoveCallback:** remove callback procedures . . . XtAddCallback(Xt)  
**XtRemoveCallbacks:** remove callback procedures . . . XtAddCallback(Xt)  
**rmdir:** remove directories . . . . . rmdir(C)  
**disk dosrmdir:** Remove directories from a DOS . . . doscmd(C)  
**unlink:** remove directory entry . . . . . unlink(S)  
**pathnames basename:** remove directory names from . . . . . basename(C)  
**XmuDQRemoveDisplay:** remove display from queue . . . . . XmuDisplayQueue(Xmu)  
**rmqueue:** remove element from a queue . . . . . insque(SLIB)  
**XtAddEventHandler:** add and remove event handlers . . . . . XtAddEventHandler(Xt)  
**XtRemoveEventHandler:** remove event handlers . . . . . XtAddEventHandler(Xt)  
**XtRemoveRawEventHandler:** remove event handlers . . . . . XtAddEventHandler(Xt)  
**file rmb:** remove extra blank lines from a . . . . . rmb(M)  
**dosrm:** Remove files from a DOS disk . . . . . doscmd(C)  
**rm:** remove files or directories . . . . . rm(C)  
**removepkg:** remove installed package . . . . . removepkg(ADM)  
**remove\_intr\_handler:** dynamically remove interrupt routine handler . . . remove\_intr\_handler(K)  
**kernel/ idaddld:** add or remove line disciplines from . . . . . idaddld(ADM)  
**specifications of nodes idmknod:** remove nodes and read . . . . . idmknod(ADM)  
**remove:** removes filename . . . . . remove(S)  
**directories specified cleantmp:** remove temporary files in . . . . . cleantmp(ADM)  
**/pwunconv:** install and update or remove the shadow password file . . . pwconv(ADM)  
**pwunconv:** remove the shadow password file . . . pwconv(ADM)  
**XtRemoveTimeOut:** register and remove timeouts XtAppAddTimeOut, XtAppAddTimeOut(Xt)  
**XtRemoveTimeOut:** remove timeouts . . . . . XtAppAddTimeOut(Xt)  
**rmuser, rmgroup, rmpasswd:** remove user accounts . . . . . rmuser(ADM)  
**indicates if panel is removed from deck panel\_hidden:** panel(S)  
**software database removef:** remove a file from . . . . . removef(ADM)  
**remove interrupt routine handler remove\_intr\_handler:** dynamically remove\_intr\_handler(K)  
**package removepkg:** remove installed . . . . . removepkg(ADM)  
**/a VendorShell function that removes a callback from the/ . . . . . XmRemoveProtocolCallback(Xm)**  
**/convenience interface that removes a callback from the/ . . . . . XmRemoveWMProtocolCallback(Xm)**  
**descriptor set FD\_CLR:** removes a descriptor from a . . . . . select(S)  
**font/ /a font list function that removes a font list entry from a . . . . . XmFontListRemoveEntry(Xm)**  
**/a pixmap caching function that removes a pixmap from the pixmap/ XmDestroyPixmap(Xm)**  
**XmRemoveTabGroup:** a function that removes a tab group . . . . . XmRemoveTabGroup(Xm)

## Permuted Index

function that unhighlights and  
/a pixmap caching function that  
XUninstallColormap:  
access control/ XRemoveHosts:  
remove:  
hide\_panel:  
access control list XRemoveHost:  
client/s/ XRemoveFromSaveSet:  
bits strip:  
/a VendorShell function that  
/convenience interface that  
deactivates a protocol without  
deactivates a protocol without  
from a queue insque,  
queue  
file uren:  
isrename:  
mv: move or  
current layer relolin:  
sysadmcolor: colors used to  
/a Drag and Drop function that  
packed format  
dfsc: check and  
fsck, dfsc: check and  
XReparentWindow:  
XReparentEvent:  
/reset XctData structure to  
yes: print string  
repinsd, repoutsb, repoutsw,/

repoutsb, repoutsw,/ repins:  
words  
repins: repinsb, repinsw,  
repoutsw,/ repins: repinsb,  
repinsw,  
repinsd, repoutsb, repoutsw,  
repinsw, repinsd, repoutsb,  
repinsw: write a stream of words .. repins(K)  
replace an NIS password entry .. yppasswd(NS)

database/ /make\_transition\_files,  
update using transition file/  
in a list without selecting the  
current window of panel with/  
/a Command function that  
/a List function that  
position /a List function that  
selecting/ /a List function that  
/a Text function that  
/a TextField function that  
string in a / /a Text function that  
string/ /a TextField function that  
panel with window replace\_panel:  
in the list /a List function that  
in the list /a List function that  
svc\_sendreply: send  
XDR a rejected

removes all items from the / /List .. XmListDeselectAllItems(Xm)  
removes an image from the image/ XmUninstallImage(Xm)  
removes colormap .. XInstallColormap(XS)  
removes each specified host from .. XAddHost(XS)  
removes filename .. remove(S)  
removes panel from panels deck .. panel(S)  
removes specified host from .. XAddHost(XS)  
removes specified window from .. XChangeSaveSet(XS)  
removes symbols and relocation .. strip(XNX)  
removes the protocols from the/ .. XmRemoveProtocols(Xm)  
removes the protocols from the/ .. XmRemoveWMProtocols(Xm)  
removing it /function that .. XmDeactivateProtocol(Xm)  
removing it /interface that .. XmDeactivateWMProtocol(Xm)  
remque: insert/remove element .. insque(SLIB)  
remque: remove element from a .. insque(SLIB)  
rename a UNIX operating system .. uren(PCI)  
rename an ISAM file .. isrename(S)  
rename: changes filename .. rename(S)  
rename files and directories .. mv(C)  
rename login entry to show .. relolin(ADM)  
render sysadmsh(ADM) .. sysadmcolor(F)  
reorders a stack of widgets that/ .. XmDropSiteConfigureStackingOrder(Xm)  
repackman: convert man pages to .. repackman(ADM)  
repair filesystems .. fsck(ADM)  
repair filesystems .. fsck(ADM)  
reparent windows .. XReparentWindow(XS)  
ReparentNotify event structure .. XReparentEvent(XS)  
reparse Compound Text string .. XctData(Xmu)  
repeatedly .. yes(C)  
repins: repinsb, repinsw, .. repins(K)  
repinsb: read a stream of bytes .. repins(K)  
repinsb, repinsw, repinsd, .. repins(K)  
repinsd: read a stream of 32-bit .. repins(K)  
repinsd, repoutsb, repoutsw,/ .. repins(K)  
repinsw, repinsd, repoutsb, .. repins(K)  
repinsw: write a stream of words .. repins(K)  
replace \_file: authentication .. dblock(S)  
replace \_file: perform a database .. dblock(S)  
replacement items /replaces items XmListReplaceltemsPosUnselected(Xm)  
replace\_panel: replaces the .. panel(S)  
replaces a displayed string .. XmCommandSetValue(Xm)  
replaces items in a list .. XmListReplaceltemsUnselected(Xm)  
replaces items in a list based on .. XmListReplacePositions(Xm)  
replaces items in a list without .. XmListReplaceltemsPosUnselected(Xm)  
replaces part of a text string .. XmTextReplace(Xm)  
replaces part of a text string .. XmTextFieldReplace(Xm)  
replaces part of a wide character .. XmTextReplaceWcs(Xm)  
replaces part of a wide character .. XmTextFieldReplaceWcs(Xm)  
replaces the current window of .. panel(S)  
replaces the specified elements .. XmListReplaceltems(Xm)  
replaces the specified elements .. XmListReplaceltemsPos(Xm)  
replies to an RPC .. rpc(NS)  
reply xdr\_rejected\_reply: .. rpc(NS)

mm\_wrply: writes MMDF reply ..... mmdf(S)  
 xdr\_accept\_reply: XDR an accepted reply ..... rpc(NS)  
 process mm\_rrply: reads a reply from the other MMDF ..... mmdf(S)  
 xdr\_replymsg: XDR an RPC reply message ..... rpc(NS)  
 clock: report CPU time used ..... clock(S)  
 dfspace: report disk space ..... dfspace(C)  
 fsstat: report file system status ..... fsstat(ADM)  
 checkqueue: MMDF queue status report generator ..... checkqueue(ADM)  
 df: report number of free disk blocks ... df(C)  
 installed on the EISA bus eisa: report on boards that are ..... eisa(ADM)  
 checkup: report on MMDF problems ..... checkup(ADM)  
 sa1, sa2, sadc: system activity report package sar, ..... sar(ADM)  
 statistics vmstat: report paging and system ..... vmstat(C)  
 activity timex: time a command; report process data and system .... timex(ADM)  
 ps: report process status ..... ps(C)  
 uniq: report repeated lines in a file ..... uniq(C)  
 pstat: report system information ..... pstat(C)  
 inter-process/ ipc: report the status of ..... ipc(ADM)  
 event audit\_subsystem: reports a subsystem problem or ... authaudit(S)  
 mallinfo: reports allocated space usage ..... malloc(S)  
 audit\_auth\_entry: reports database inconsistency .... authaudit(S)  
 audit\_lax\_file: reports sanity check breakdown ... authaudit(S)  
 stream fseek, ftell, rewind: reposition a file pointer in a ..... fseek(S)  
 repout: write streams of data ..... repins(K)  
 read/ /repinsb, repinsw, repinsd, repoutsb, repoutsw, repoutsd: ..... repins(K)  
 repoutsb: write a stream of bytes .. repins(K)  
 repoutsd: read and write streams .. repins(K)  
 of/ /repinsd, repoutsb, repoutsw, 32-bit words repoutsd: write a stream of ..... repins(K)  
 /repinsw, repinsd, repoutsb, repoutsw, repoutsd: read and/ ..... repins(K)  
 16-bit words repoutsw: write a stream of ..... repins(K)  
 a64l: gets long from base-64 representation ..... a64l(S)  
 routines for external data representation xdr: library ..... xdr(NS)  
 function that returns the string representation for an atom /a ..... XmGetAtomName(Xm)  
 l64a: gets base-64 representation from long ..... a64l(S)  
 unctrl: expands to printable representation of the character c ... curses(S)  
 unctrl: expands to printable representation of the character c ... terminfo(S)  
 for a previously registered representation type /converter .... XmRepTypeAddReverse(Xm)  
 generates a list of values for a representation type /that ..... XmRepTypeGetNameList(Xm)  
 that returns information about a representation type /function ..... XmRepTypeGetRecord(Xm)  
 the identification number of a representation type /retrieves ..... XmRepTypeGetId(Xm)  
 XmRepTypeGetRegistered: a representation type manager/ ..... XmRepTypeGetRegistered(Xm)  
 function that installs the/ /a representation type manager ..... XmRepTypeInstallTearOffModelConverter(Xm)  
 function that/ XmRepTypeGetId: a representation type manager ..... XmRepTypeGetId(Xm)  
 function/ XmRepTypeAddReverse: a representation type manager ..... XmRepTypeAddReverse(Xm)  
 function/ XmRepTypeGetNameList: a representation type manager ..... XmRepTypeGetNameList(Xm)  
 function/ XmRepTypeGetRecord: a representation type manager ..... XmRepTypeGetRecord(Xm)  
 function/ XmRepTypeRegister: a representation type manager ..... XmRepTypeRegister(Xm)  
 function/ XmRepTypeValidValue: a representation type manager ..... XmRepTypeValidValue(Xm)  
 /manager function that registers a representation type resource ..... XmRepTypeRegister(Xm)  
 /of a numerical value of a representation type resource ..... XmRepTypeValidValue(Xm)  
 make geometry manager request XtMakeGeometryRequest: XtMakeGeometryRequest(Xt)  
 make geometry manager request XtMakeResizeRequest: .... XtMakeGeometryRequest(Xt)  
 maximum size of a protocol request XMaxRequestSize: returns AllPlanes(XS)  
 number of last known processed request /extracts serial ..... AllPlanes(XS)

## Permuted Index

pass a character to user read request pass: ..... cpass(K)  
 returns a character in user write request cpass: ..... cpass(K)  
 send user-initiated disconnect request t\_snddis: ..... t\_snddis(S)  
 serial number to be used for next request /extracts full ..... AllPlanes(XS)  
     svc\_getreq: get RPC request ..... rpc(NS)  
     svc\_getreqset: get RPC request ..... rpc(NS)  
     t\_accept: accept a connect request ..... t\_accept(S)  
     t\_listen: listen for a connect request ..... t\_listen(S)  
 the confirmation from a connect request t\_rcvconnect: receive ..... t\_rcvconnect(S)  
 untimeout: cancel a timeout request ..... timeout(K)  
     checks if c is a form request or data form\_driver: ..... form(S)  
     checks if character (c) is a menu request or data menu\_driver: ..... menu(S)  
     pkgask: store answers to a request script ..... pkgask(ADM)  
         nssend: name server request structure ..... nssend(FP)  
         disksort: add a block I/O request to a device's queue ..... disksort(K)  
         lpr: send request to lineprinter ..... lp(C)  
     break up programmed I/O requests pio\_breakup: ..... pio\_breakup(K)  
         lpmove: move print requests ..... lpmove(ADM)  
         svc\_run: get RPC requests ..... rpc(NS)  
 uuxqt: execute remote command requests ..... uuxqt(ADM)  
     /buffer then waits until all requests received and processed ..... XFlush(XS)  
     /reject: allow/prevent print requests to a lineprinter or/ ..... accept(ADM)  
         cancel: cancel requests to lineprinter ..... cancel(C)  
         lp, lpr: send requests to lineprinter ..... lp(C)  
         rtpcmd: send requests to remote line printer ..... rtpcmd(C)  
 form window cursor to position required by form driver /moves ..... form(S)  
 ImageByteOrder: specifies required byte order for images ..... ImageByteOrder(XS)  
     space: disk space requirement file ..... space(F)  
     ttimeo: timing requirements for raw data input ..... tty(K)  
 the Resent- notation resend: redistribute mail using ..... resend(C)  
 redistribute mail using the Resent- notation resend: ..... resend(C)  
     circf: reserved external variable ..... regexp(S)  
     nbra: reserved external variable ..... regexp(S)  
     sed: reserved external variable ..... regexp(S)  
 dbm\_clearerr: reset error condition ..... ndbm(NS)  
     jterm: reset layer of windowing terminal ..... jterm(C)  
     exit wexit: reset parameters set by winit and ..... tam(S)  
     srand: reset random-number generator ..... rand(S)  
     cfgstart: reset read pointer for getcflgline ..... getsvalue(K)  
     context XwcResetI: reset the stat of an input ..... XmbResetI(XS)  
     context XmbResetI: reset the state of an input ..... XmbResetI(XS)  
 reparse Compound Text/ XctReset: reset XctData structure to ..... XctData(Xmu)  
     fixterm: replaced by reset\_prog\_mode ..... curses(S)  
     terminal to "program" state reset\_prog\_mode: restores ..... curses(S)  
     terminal to "program" state reset\_prog\_mode: restores ..... terminfo(S)  
         clearerr: resets error indicator to zero ..... ferror(S)  
         setutent: resets input stream ..... getut(S)  
 closes the MMDF logging file and resets ll\_fd to zero ll\_close: ..... llog(S)  
     XResetScreenSaver: resets screen saver ..... XSetScreenSaver(XS)  
         mode endwin: resets terminal to non-visual ..... curses(S)  
         mode endwin: resets terminal to non-visual ..... tam(S)  
         mode endwin: resets terminal to non-visual ..... terminfo(S)  
     to the beginning of/ rewinddir: resets the named directory stream ..... directory(S)  
     resetterm: replaced by reset\_shell\_mode ..... curses(S)



terminal to "shell" state reset\_shell\_mode: restores ..... curses(S)  
terminal to "shell" state reset\_shell\_mode: restores ..... terminfo(S)  
reset\_shell\_mode resetterm: replaced by ..... curses(S)  
"program" state reset\_tty: restores terminal to ..... curses(S)  
"program" state reset\_tty: restores terminal to ..... tam(S)  
"program" state reset\_tty: restores terminal to ..... terminfo(S)  
previous state resetty: restores terminal to ..... tam(S)  
previous state resetty: restores terminal to ..... terminfo(S)  
previous state resetty: restores terminal to ..... curses(S)  
Reshape: reshapes the layer ..... libwindows(S)  
XmuReshapeWidget: reshape widget ..... XmuReshapeWidget(Xmu)  
Reshape: reshapes the layer ..... libwindows(S)  
resolver, res\_mkquery, res\_send, res\_init, dn\_comp, dn\_expand:/ ... resolver(SLIB)  
file res\_init: reads initialization ..... resolver(SLIB)  
and terminal settings to current/ resize: utility to set TERMCAP ..... resize(X)  
XtConfigureWidget: move and resize widgets ..... XtConfigureWidget(Xt)  
XtResizeWidget: move and resize widgets /XtMoveWidget, ..... XtConfigureWidget(Xt)  
XtResizeWidget: resize widgets ..... XtConfigureWidget(Xt)  
XResizeRequestEvent: ResizeRequest event structure ..... XResizeRequestEvent(XS)  
XResizeWindow: resizes window ..... XConfigureWindow(XS)  
query message res\_mkquery: makes a standard ... resolver(SLIB)  
dn\_comp, dn\_expand:/ resolver, res\_mkquery, res\_send, res\_init, ... resolver(SLIB)  
specific name and address resolver nameserver: protocol ..... nameserver(X)  
res\_init, dn\_comp, dn\_expand:/ resolver, res\_mkquery, res\_send, ... resolver(SLIB)  
res\_init, dn\_comp, dn\_expand: resolver routines /res\_send, ..... resolver(SLIB)  
XmuWnNameToNode: obtain number of resources owned by widget ..... XmuWnNameToNode(Xmu)  
access to a semaphore-governed resource /awaits and checks ..... waitsem(S)  
access to a semaphore-governed resource nbwaitsem: waits for ..... waitsem(S)  
access to a semaphore-governed resource waitsem: gives ..... waitsem(S)  
registers a representation type resource /manager function that ... XmRepTypeRegister(Xm)  
retrieves database resource XrmQGetResource: ..... XrmGetResource(XS)  
searches database for resource XrmQGetSearchResource: XrmGetResource(XS)  
that updates the XmNselectedItems resource /a List function ..... XmListUpdateSelectedList(Xm)  
value of a representation type resource /validity of a numerical ... XmRepTypeValidValue(Xm)  
xkill: kill a client by its X resource ..... xkill(X)  
XtAppAddConverter: register resource converter ..... XtAppAddConverter(Xt)  
XtConvert: invoke resource converter ..... XtConvert(Xt)  
XtDirectConvert: invoke resource converter ..... XtConvert(Xt)  
function that installs the resource converter for/ /manager ... XmRepTypeInstallTearOffModelConverter(Xm)  
XtConvert: invoke resource converters ..... XtConvert(Xt)  
audit\_no\_resource: vital resource could not be allocated ..... xtaudit(S)  
access to secondary widget resource data /that provides ..... XmGetSecondaryResourceData(Xm)  
/destroy the specified resource database ..... XrmGetFileDatabase(XS)  
appres: list application resource database ..... appres(X)  
XrmEnumerateDatabase: enumerate resource database entries ..... XrmEnumerateDatabase(XS)  
screen XtScreenDatabase: obtain resource database for specified ... XtScreenDatabase(Xt)  
xrd: X server resource database utility ..... xrd(X)  
/retrieve and store resource databases ..... XrmGetFileDatabase(XS)  
XrmMergeDatabases: merge resource databases ..... XrmMergeDatabases(XS)  
determine the byte offset or resource fields XtOffset: ..... XtOffset(Xt)  
/merges the contents of a resource file into a database ..... XrmMergeDatabases(XS)  
frees cursor from cursor resource ID XFreeCursor: ..... XRecolorCursor(XS)  
XtGetResourceList: obtain resource list ..... XtGetResourceList(Xt)  
XrmInitialize: initialize the Resource Manager, Resource/ ..... XrmInitialize(XS)

## Permuted Index

XrmOptionDescRec: Resource Manager structure ..... XrmInitialize(XS)  
 XrmOptionKind: Resource Manager structure ..... XrmInitialize(XS)  
 XrmValue: Resource Manager structure ..... XrmInitialize(XS)  
 /initialize the Resource Manager, Resource Manager structures, and/ XrmInitialize(XS)  
   /obtain server resource properties ..... XResourceManagerString(XS)  
   /manipulates resource quarks ..... XrmUniqueQuark(XS)  
 XrmPermStringToQuark: manipulates resource quarks ..... XrmUniqueQuark(XS)  
 XrmQuarkToString: manipulates resource quarks ..... XrmUniqueQuark(XS)  
 XrmStringToQuark: manipulates resource quarks ..... XrmUniqueQuark(XS)  
 XrmStringToQuarkList: manipulates resource quarks ..... XrmUniqueQuark(XS)  
   XrmUniqueQuark: manipulate resource quarks ..... XrmUniqueQuark(XS)  
   /set locale according to resource specification options ..... XtLanguageProc(Xt)  
   /specify default set of resource values ..... XtAppSetFallbackResources(Xt)  
 /Drag and Drop function that sets resource values for a drop site ..... XmDropSiteUpdate(Xm)  
 /and Drop function that retrieves resource values set on a drop/ ..... XmDropSiteRetrieve(Xm)  
   /count widget resources ..... XmWnCountOwnedResources(Xmu)  
   /obtain application resources ..... XtGetSubresources(Xt)  
 XrmPutResource: store database resources ..... XrmPutResource(XS)  
 XtGetSubvalues: obtain widget resources ..... XtSetValues(Xt)  
 XtGetValues: obtain widget resources ..... XtSetValues(Xt)  
 XtSetSubvalues: set widget resources ..... XtSetValues(Xt)  
   XtSetValues: set widget resources ..... XtSetValues(Xt)  
   obtain and set widget resources XtSetValues: ..... XtSetValues(Xt)  
   obtain widget class resources XmuWnFetchResources: ..... XmuWnFetchResources(Xmu)  
   subresources or application resources /obtain ..... XtGetSubresources(Xt)  
 XrmGetResource: retrieve database resources and search lists ..... XrmGetResource(XS)  
   listres: list resources in widgets ..... listres(X)  
   behavior /a drop site and assigns resources that specify its ..... XmDropSiteRegister(Xm)  
   or error message and wait for response message: output help ..... tam(S)  
     resolver, res\_mkquery, res\_send, res\_init, dn\_comp,/ ..... resolver(SLIB)  
     server res\_send: sends a query to name ..... resolver(SLIB)  
     xdrrec\_skiprecord: skip rest of XDR record ..... xdr(NS)  
   bottom XRestackWindows: restacks windows from top to ..... XRaiseWindow(XS)  
     ev\_resume: restart a suspended queue ..... ev\_resume(S)  
     ttrstr: restart tty device ..... tty(K)  
     database restartterm: reads in terminfo(F) ..... curses(S)  
     database restartterm: reads in terminfo(F) ..... terminfo(S)  
   incremental filesystem backup restore restore: ..... restore(ADM)  
     splx: restore a former interrupt ..... spl(K)  
     vidrescreen: restore a multiscreen ..... video(K)  
   backup restore restore: incremental filesystem ..... restore(ADM)  
     fixterm: restore terminal to program state ..... tam(S)  
   adapter to VGA / clean\_screen: restore the console graphics ..... clean\_screen(X)  
   XENIX incremental filesystem restorer /xrestor: invoke ..... xrestore(ADM)  
     longjmp: restores last saved environment ..... setjmp(S)  
     siglongjmp: restores last saved environment ..... sigsetjmp(S)  
   and tty settings sc\_exit: restores scancode terminal mode ..... sc\_init(S)  
     settings silk\_restore: restores soft labels to default ..... curses(S)  
     settings silk\_restore: restores soft labels to default ..... terminfo(S)  
     state resetty: restores terminal to previous ..... tam(S)  
     state resetty: restores terminal to previous ..... terminfo(S)  
   state reset\_prog\_mode: restores terminal to "program" ..... curses(S)  
   state reset\_prog\_mode: restores terminal to "program" ..... terminfo(S)  
   state reset\_tty: restores terminal to "program" ..... curses(S)

state reset\_tty: restores terminal to "program" .... tam(S)  
 state reset\_tty: restores terminal to "program" .... terminfo(S)  
 state reset\_shell\_mode: restores terminal to "shell" .... curses(S)  
 state reset\_shell\_mode: restores terminal to "shell" .... terminfo(S)  
     state set\_tty: restores terminal to "shell" .... curses(S)  
     state set\_tty: restores terminal to "shell" .... terminfo(S)  
     state resetty: restores terminal to previous .... curses(S)  
 auths: list and/or restrict kernel authorizations .... auths(C)  
     rksh: invoke a restricted Korn shell .... ksh(C)  
 interpreter) rsh: invoke a restricted shell (command .... rsh(C)  
     red: Invoke a restricted text editor .... ed(C)  
 function that indicates the results of a byte-by-byte/ /string .. XmStringByteCompare(Xm)  
     set\_auth\_parameters: retain IDs for future lookup .... identity(S)  
 check current login UID against retained ID /(uid): .... identity(S)  
 check current real GID against retained ID /(gid): .... identity(S)  
 check current real UID against retained ID /(uid): .... identity(S)  
 current effective GID against retained ID /(gid): check .... identity(S)  
 current effective UID against retained ID /(uid): check .... identity(S)  
     dbm\_fetch: retrieve datum under key .... ndbm(NS)  
     /termination, statistic retrieval, and subsystem/ .... auditcmd(ADM)  
     XtBuildEventMask: retrieve a widget's event mask .... XtBuildEventMask(Xt)  
 databases XmGetFileDatabase: retrieve and store resource .... XmGetFileDatabase(XS)  
     search lists XmGetResource: retrieve database resources and .... XmGetResource(XS)  
         disconnect t\_rcvdis: retrieve information from .... t\_rcvdis(S)  
     procedures XtGetActionList: retrieve list of action .... XtGetActionList(Xt)  
 object file symbol/ lidgetname: retrieve symbol name for common .. lidgetname(S)  
     /a TextField function that retrieves a portion of a wide/ .... XmTextFieldGetSubstringWcs(Xm)  
     the/ /a Text function that retrieves a copy of a portion of .... XmTextGetSubstring(Xm)  
     the/ /a TextField function that retrieves a copy of a portion of .... XmTextFieldGetSubstring(Xm)  
     /a TextField function that retrieves a copy of the wide/ .... XmTextFieldGetStringWcs(Xm)  
 character/ /a Text function that retrieves a copy of the wide .... XmTextGetStringWcs(Xm)  
     /a clipboard function that retrieves a data item from the/ .... XmClipboardRetrieve(Xm)  
 character/ /a Text function that retrieves a portion of a wide .... XmTextGetSubstringWcs(Xm)  
     entries ldlitem: retrieves a series of line number .... ldlread(S)  
 for a/ XmWidgetGetBaselines: retrieves baseline information .... XmWidgetGetBaselines(Xm)  
     XrmQGetResource: retrieves database resource .... XrmGetResource(XS)  
     XmWidgetGetDisplayRect: retrieves display rectangle/ .... XmWidgetGetDisplayRect(Xm)  
     font/ /a font list function that retrieves font information from a .. XmFontListEntryGetFont(Xm)  
 a/ /a Drag and Drop function that retrieves resource values set on .... XmDropSiteRetrieve(Xm)  
 ID/ /a Drag and Drop function that retrieves the DragContext widget .. XmGetDragContext(Xm)  
     /type manager function that retrieves the identification/ .... XmRepTypeGetId(Xm)  
     entry /a font list function that retrieves the tag of a font list .... XmFontListEntryGetTag(Xm)  
     /a TextField function that retrieves the value of a wide/ .... XmTextFieldGetSelectionWcs(Xm)  
     character/ /a Text function that retrieves the value of a wide .... XmTextGetSelectionWcs(Xm)  
     /a TextField function that retrieves the value of the/ .... XmTextFieldGetSelection(Xm)  
     primary/ /a Text function that retrieves the value of the .... XmTextGetSelection(Xm)  
     help process and block until return exhelp: execute .... tam(S)  
 maps onto 8-bit value kcodemap: return 7-bit escape sequence that .. tam(S)  
     vidumapini: return a kernel data pointer .... video(K)  
 from/ XmBTextPropertyToTextList: return a list of text strings .... XmBTextListToTextProperty(XS)  
 from/ XwcTextPropertyToTextList: return a list of text strings .... XmBTextListToTextProperty(XS)  
     of a queue putbq: return a message to the beginning .. putbq(K)  
         is a 286 i286: Return a true value if a machine ... machid(C)  
         is a 286 iAPX286: Return a true value if a machine ... machid(C)

## Permuted Index

is a 386 or fully/ i386: Return a true value if a machine ... machid(C)  
 is a 486 or fully/ i486: Return a true value if a machine ... machid(C)  
 isuniqueid: return a unique identifier ... isuniqueid(S)  
 next I/O operation but does not return a value /sets position of ... fseek(S)  
 yp\_all: return all key-value pairs ... ypclnt(NS)  
 acos: return arc cosine of x ... trig(S)  
 asin: return arc sine of x ... trig(S)  
 atan: return arc tangent of x ... trig(S)  
 atan2: return arc tangent of y/x ... trig(S)  
 XmuInternAtom: return Atom for an AtomPtr ... XmuAtom(Xmu)  
 XInternAtom: create or return atom names ... XInternAtom(XS)  
 number,/ major, makedev, minor: return base major, new device ... major(K)  
 the first kind of order 0 j0: return Bessel function of x of ... bessel(S)  
 the first kind of order 1 j1: return Bessel function of x of ... bessel(S)  
 the first kind of order n jn: return Bessel function of x of ... bessel(S)  
 the second kind of order n yn: return Bessel function of x of ... bessel(S)  
 the second kind of order 0 y0: return Bessel function of x of ... bessel(S)  
 the second kind of order 1 y1: return Bessel function of x of ... bessel(S)  
 XmuLocateBitmapFile: locate and return bitmap ... XmuLocateBitmapFile(Xmu)  
 cos: return cosine of x ... trig(S)  
 program-to-ports/ pmap\_getmaps: return current RPC ... rpc(NS)  
 wgetsel: return currently selected window ... tam(S)  
 XmuDQCreate: create and return empty XmuDisplayQueue ... XmuDisplayQueue(Xmu)  
 /add display to queue or return entry ... XmuDisplayQueue(Xmu)  
 XtAppGetErrorDatabase: return error database ... XtAppGetErrorDatabase(Xt)  
 XtAppGetErrorDatabaseText: return error message ... XtAppGetErrorDatabase(Xt)  
 yperr\_string: return error message string ... ypclnt(NS)  
 dbm\_error: return error value ... ndbm(NS)  
 cleanque: send warnings and return expired mail ... cleanque(ADM)  
 firstkey: return first key in database ... dbm(NS)  
 yp\_first: return first key-value pair ... ypclnt(NS)  
 ERROR: abnormal return from compile routine ... regexp(S)  
 /checks event queue and return if match found ... XifEvent(XS)  
 abs: return integer absolute value ... abs(S)  
 nl: controls whether carriage return is translated into newline ... curses(S)  
 nl: controls whether carriage return is translated into newline ... tam(S)  
 nl: controls whether carriage return is translated into newline ... terminfo(S)  
 nonl: controls whether carriage return is translated into newline ... curses(S)  
 nonl: controls whether carriage return is translated into newline ... tam(S)  
 nonl: controls whether carriage return is translated into newline ... terminfo(S)  
 logname: return login name of user ... logname(S)  
 wgetmouse: return mouse status ... tam(S)  
 XmuGetAtomName: return name of an Atom ... XmuAtom(Xmu)  
 input stream fgetc: return next character from named ...getc(S)  
 input streamgetc: return next character from named ...getc(S)  
 getchar: return next character from stdin ...getc(S)  
 nextkey: return next key in database ... dbm(NS)  
 yp\_next: return next key-value pair ... ypclnt(NS)  
 stream getw: return next word from named input ...getc(S)  
 getstr: returns newline, carriage return, or enter key ... terminfo(S)  
 input until newline, carriage return, or enter key /reads ... curses(S)  
 returns newline, carriage return, or enter key wgetstr: ... terminfo(S)  
 /wgetch() until newline, carriage return, or enter key is received ... terminfo(S)  
 assignment entry getdvagent: return pointer to first device ... getdvagent(S)

service pmap\_getport: return port number for RPC ..... rpc(NS)  
 XmuDQLookupDisplay: return queue entry ..... XmuDisplayQueue(Xmu)  
 at exit of compile routine RETURN: returns pointer argument regexp(S)  
 system configuration idcheck: return selected information about . idcheck(ADM)  
     svcerr\_auth: return service error ..... rpc(NS)  
     svcerr\_decode: return service error ..... rpc(NS)  
     svcerr\_noproc: return service error ..... rpc(NS)  
     svcerr\_noprogram: return service error ..... rpc(NS)  
     svcerr\_progrvers: return service error ..... rpc(NS)  
     svcerr\_systemerr: return service error ..... rpc(NS)  
     svcerr\_weakauth: return service error ..... rpc(NS)  
     sin: return sine of x ..... trig(S)  
 authentication database fields: return status based on fields of ... fields(S)  
     rexec: return stream to a remote command rexec(SLIB)  
     tan: return tangent of x ..... trig(S)  
     ev\_getemask: return the current event mask ..... ev\_getemask(S)  
 yp\_get\_default\_domain: return the default domain ..... ypclnt(NS)  
 virtual drive vdrive: return the drive number of a ..... vdrive(PCI)  
 system clock in ticks per/ gethz: return the frequency of the ..... gethz(S)  
 specified IC XIMOfIC: return the input method of the .... XCreateIC(XS)  
     get\_myaddress: return the local IP address ..... rpc(NS)  
     yp\_master: return the master for a map ..... ypclnt(NS)  
 connected host vhost: return the name of a currently ..... vhost(PCI)  
     PEEKc: return the next character ..... regexp(S)  
     yp\_order: return the order number for a map . ypclnt(NS)  
     character GETC: return the value of next ..... regexp(S)  
 of a specified path isvirtual: return the virtual drive number ... isvirtual(PCI)  
     time, ftime: return time ..... time(S)  
     time: return time ..... time(S)  
     ftime: return time in a structure ..... time(S)  
     yp\_match: return value associated with key . ypclnt(NS)  
     getenv: return value for environment name getenv(S)  
     ismpx: return windowing terminal state . ismpx(C)  
     false: return with a non-zero exit value .. false(C)  
     true: return with a zero exit value ..... true(C)  
     ypprot\_err: return ypclnt layer error ..... ypclnt(NS)  
 unexecseg: makes a data region returned by execseg/ ..... execseg(S)  
     1 if token exists in string returned by feature\_list /returns .. feature(PCI)  
     signgam: sign of value returned by gamma or lgamma ... gamma(S)  
     stat: data returned by stat system call ..... stat(FP)  
 /rresvport, ruserok: routines for returning a stream to a remote/ ... rcmd(SLIB)  
 string returned/ feature\_exists: returns 1 if token exists in ..... feature(PCI)  
     function of x erf: returns 1.0 minus the error ..... erf(S)  
     request cpass: returns a character in user write ... cpass(K)  
     /type manager function that returns a copy of the/ ..... XmRepTypeGetRegistered(Xm)  
     string tgoto: returns a cursor addressing ..... termcap(S)  
     /a clipboard function that returns a list of/ ..... XmClipboardInquirePendingItems(Xm)  
     for a datum in the tree and returns a pointer /searches ..... tsearch(S)  
 within a pad subpad: creates and returns a pointer to a subwindow ... curses(S)  
 within a pad subpad: creates and returns a pointer to a subwindow .. terminfo(S)  
     built from two/ link\_fieldtype: returns a pointer to field type ..... fieldtype(S)  
     structure ldopen: returns a pointer to LDFILE ..... ldopen(S)  
     character after a token strtok: returns a pointer to the first ..... string(S)  
     occurrence of a/ memchr: returns a pointer to the first ..... memory(S)

## Permuted Index

termination routine	menu_term:	returns a pointer to the menu's	menu(S)
active directory entry	readdir:	returns a pointer to the next	directory(S)
of panel	panel_window:	returns a pointer to the window	panel(S)
privileged port space	rresvport:	returns a socket descriptor in	rcmd(SLIB)
/a clipboard function that	returns a specified format name	XmClipboardInquireFormat(Xm)	
signal type	ssignal:	returns action established by	ssignal(S)
steps through string argument and	returns advance step:	regex(S)	
in the list	/a List function that	returns all instances of an item	XmListGetMatchPos(Xm)
XmInternAtom:	returns an atom for a given name	XmInternAtom(Xm)	
compares its arguments and	returns an integer	strcmp:	string(S)
GETC() or PEEKC() UNGETC:	returns argument c on call to	regex(S)	
XListPixmapFormats:	returns array of/	imageByteOrder(XS)	
on specified screen	XListDepths:	returns array of depths available	AllPlanes(XS)
XA_ATOM_PAIR:	returns atom	XmuAtom(Xmu)	
XA_CHARACTER_POSITION:	returns atom	XmuAtom(Xmu)	
XA_CLASS:	returns atom	XmuAtom(Xmu)	
XA_CLIENT_WINDOW:	returns atom	XmuAtom(Xmu)	
XA_CLIPBOARD:	returns atom	XmuAtom(Xmu)	
XA_COMPOUND_TEXT:	returns atom	XmuAtom(Xmu)	
XA_DECNET_ADDRESS:	returns atom	XmuAtom(Xmu)	
XA_DELETE:	returns atom	XmuAtom(Xmu)	
XA_FILENAME:	returns atom	XmuAtom(Xmu)	
XA_HOSTNAME:	returns atom	XmuAtom(Xmu)	
XA_IP_ADDRESS:	returns atom	XmuAtom(Xmu)	
XA_LENGTH:	returns atom	XmuAtom(Xmu)	
XA_LIST_LENGTH:	returns atom	XmuAtom(Xmu)	
XA_NAME:	returns atom	XmuAtom(Xmu)	
XA_NET_ADDRESS:	returns atom	XmuAtom(Xmu)	
XA_NULL:	returns atom	XmuAtom(Xmu)	
XA_OWNER_OS:	returns atom	XmuAtom(Xmu)	
XA_SPAN:	returns atom	XmuAtom(Xmu)	
XA_TARGETS:	returns atom	XmuAtom(Xmu)	
XA_TEXT:	returns atom	XmuAtom(Xmu)	
XA_TIMESTAMP:	returns atom	XmuAtom(Xmu)	
XA_USER:	returns atom	XmuAtom(Xmu)	
XGetAtomName:	returns atom names	XInternAtom(XS)	
XQueryBestStipple:	returns best or closest size	XQueryBestSize(XS)	
XQueryBestTile:	returns best or closest size	XQueryBestSize(XS)	
state of keyboard	XQueryKeymap:	returns bit vector for logical	XChangeKeyboardControl(XS)
specified screen	BlackPixel:	returns black pixel value for	AllPlanes(XS)
whether screen/	DoesSaveUnders:	returns Boolean value indicating	BlackPixelOfScreen(XS)
position in named window	inch:	returns character at current	terminfo(S)
position in named window	mvinch:	returns character at current	tam(S)
position in named window	mvvinch:	returns character at current	terminfo(S)
position in named window	winch:	returns character at current	urses(S)
position in named window	winch:	returns character at current	terminfo(S)
position in named/	mvwvinch:	returns character at current	terminfo(S)
position	inch:	returns character at current	urses(S)
mvvinch: moves and	returns character at new position	urses(S)	
in named/	mvwvinch: moves and	returns character at new position	urses(S)
corresponding to key	keyname:	returns character string	urses(S)
corresponding to key	keyname:	returns character string	terminfo(S)
XGetClassHint:	returns class of specified window	XAllocClassHint(XS)	
by/ /looks up named color and	returns closest color supported	XAllocColor(XS)	

XLookupColor: returns color values ..... XQueryColor(XS)  
 XQueryColors: returns color values ..... XQueryColor(XS)  
 specified/ ConnectionNumber: returns connection number for ..... AllPlanes(XS)  
 list XListHosts: returns current access control ..... XAddHost(XS)  
 the virtual screen/ getsyx: returns current coordinates of ..... curses(S)  
 the virtual screen/ getsyx: returns current coordinates of ..... terminfo(S)  
 values XGetKeyboardControl: returns current keyboard control ... XChangeKeyboardControl(XS)  
 slk\_label: returns current label ..... curses(S)  
 slk\_label: returns current label ..... terminfo(S)  
 associated with named/ telldir: returns current location ..... directory(S)  
 pointer XGetPointerMapping: returns current mapping of ..... XSetPointerMapping(XS)  
 XFetchBuffer: returns cut buffer's contents ..... XStoreBytes(XS)  
 XrmQGetSearchList: returns database search list ..... XrmGetResource(XS)  
 DefaultColormapOfScreen: returns default colormap of/ ..... BlackPixelOfScreen(XS)  
 window of/ DefaultDepthOfScreen: returns default depth of root ..... BlackPixelOfScreen(XS)  
 window of specified/ DefaultGC: returns default GC for root ..... AllPlanes(XS)  
 window of/ DefaultDepth: returns default GC for root ..... AllPlanes(XS)  
 screen DefaultGCOfScreen: returns default GC of specified .... BlackPixelOfScreen(XS)  
 referenced in/ DefaultScreen: returns default screen number ..... AllPlanes(XS)  
 DefaultScreenOfDisplay: returns default screen of/ ..... AllPlanes(XS)  
 specified/ DefaultVisualOfScreen: returns default visual of ..... BlackPixelOfScreen(XS)  
 specified screen DefaultVisual: returns default visual type for ..... AllPlanes(XS)  
 window for/ DefaultColormap: returns depth of default root ..... AllPlanes(XS)  
 XDisplayName: returns display name ..... XSetErrorHandler(XS)  
 screen DisplayOfScreen: returns display of specified ..... BlackPixelOfScreen(XS)  
 MMDF string ll\_err: returns errno and the specified .... llog(S)  
 buffer XGetMotionEvents: returns events in motion history ... XSendEvent(XS)  
 exp: returns e<sup>x</sup> ..... exp(S)  
 pclose: returns exit status of command .... popen(S)  
 stat, fstat, lstat, statlstat: returns file status ..... stat(S)  
 XPeekEvent: returns first event from queue ..... XNextEvent(XS)  
 of division of x fmod: returns floating-point remainder .. floor(S)  
 focus state XGetInputFocus: returns focus window and current . XSetInputFocus(XS)  
 XQueryFont: returns font information ..... XLoadFont(XS)  
 field field\_fore: returns foreground attribute of .... field(S)  
 form\_opts: returns form's options setting ..... form(S)  
 form\_userptr: returns form's user pointer ..... form(S)  
 components XGetGCValues: returns graphics context ..... XCreateGC(XS)  
 of specified/ HeightMMOfScreen: returns height, in millimeters, .... BlackPixelOfScreen(XS)  
 screen in pixels DisplayHeight: returns height of specified ..... ImageByteOrder(XS)  
 screen in/ DisplayHeightMM: returns height of specified ..... ImageByteOrder(XS)  
 screen HeightOfScreen: returns height of specified ..... BlackPixelOfScreen(XS)  
 argument cosh: returns hyperbolic cosine of ..... sinh(S)  
 argument sinh: returns hyperbolic sine of ..... sinh(S)  
 argument tanh: returns hyperbolic tangent of ..... sinh(S)  
 XGetIconSizes: returns icon size ..... XAllocIconSize(XS)  
 agetflag: returns id flag ..... authcap(S)  
 array to given/ field\_index: returns index in field pointer ..... form(S)  
 in pointer array item\_index: returns index to given menu item .. menu(S)  
 supports/ DoesBackingStore: returns indication whether screen . BlackPixelOfScreen(XS)  
 justification field\_just: returns indicator of the field ..... field(S)  
 /type manager function that returns information about a / ..... XmRepTypeGetRecord(Xm)  
 symbolic link or a/ statlstat: returns information about a ..... stat(S)  
 symbolic link lstat: returns information about a ..... stat(S)

## Permuted Index

file fstat: returns information about an open . stat(S)  
 file stat: returns information about named . stat(S)  
 specified window wgetstat: returns information in WSTAT for . tam(S)  
     fileno: returns integer file descriptor . . . . . ferror(S)  
     item\_userptr: returns item's user pointer . . . . . item(S)  
 XGetKeyboardMapping: returns keyCode symbols . . . . . XChangeKeyboardMapping(XS)  
     XQueryBestCursor: returns largest cursor size . . . . . XRecolorCursor(XS)  
     greater than x floor: returns largest integer not . . . . . floor(S)  
 connected display QLength: returns length of event queue for . . . . . AllPlanes(XS)  
     of string s1 strcspn: returns length of initial segment . . . . . string(S)  
 XTextPropertyToStringList: returns list of strings . . . . . XStringListToTextProperty(XS)  
     string name widest\_auth: returns longest authorization . . . . . subsystems(S)  
     protocol ProtocolVersion: returns major version number of X . . . . . AllPlanes(XS)  
 installed/ MaxCmapsOfScreen: returns maximum number of . . . . . BlackPixelOfScreen(XS)  
     in default/ DisplayCells: returns maximum number of entries . . . . . AllPlanes(XS)  
 and columns that/ menu\_format: returns maximum number of rows . . . . . menu(S)  
     protocol/ XMaxRequestSize: returns maximum size of a . . . . . AllPlanes(XS)  
     menu\_userptr: returns menu's user pointer . . . . . menu(S)  
 message/ XGetErrorDatabaseText: returns message from error . . . . . XSetErrorHandler(XS)  
     installed/ MinCmapsOfScreen: returns minimum number of . . . . . BlackPixelOfScreen(XS)  
 max-keycodes XDisplayKeycodes: returns min-keycodes and . . . . . XChangeKeyboardMapping(XS)  
     number of X/ ProtocolRevision: returns minor protocol revision . . . . . AllPlanes(XS)  
     size XDisplayMotionBufferSize: returns motion history buffer . . . . . XSendEvent(XS)  
     or enter key getstr: returns newline, carriage return, . . . . . terminfo(S)  
     or enter key wgetstr: returns newline, carriage return, . . . . . terminfo(S)  
     double-precision/ drand48: returns non-negative . . . . . drand48(S)  
     double-precision/ erand48: returns non-negative . . . . . drand48(S)  
     integers lrand48: returns non-negative long . . . . . drand48(S)  
     integers nrand48: returns non-negative long . . . . . drand48(S)  
 member of a descriptor/ FD\_ISSET: returns non-zero if descriptor is . . . . . select(S)  
     screens ScreenCount: returns number of available . . . . . AllPlanes(XS)  
     scanline must be/ BitmapPad: returns number of bits that each . . . . . ImageByteOrder(XS)  
     buffer XFetchBytes: returns number of bytes in cut . . . . . XStoreBytes(XS)  
     in default/ CellsOfScreen: returns number of colormap cells . . . . . BlackPixelOfScreen(XS)  
     displayed menu row top\_row: returns number of currently . . . . . menu(S)  
     in event queue XEventsQueued: returns number of events already . . . . . XFlush(XS)  
     XPending: returns number of events pending . . . . . XFlush(XS)  
     menu item\_count: returns number of items in given . . . . . item(S)  
     window of/ PlanesOfScreen: returns number of planes in root . . . . . BlackPixelOfScreen(XS)  
 vendor's release/ VendorRelease: returns number related to . . . . . AllPlanes(XS)  
     relative to beginning of/ ftell: returns offset of current byte . . . . . fseek(S)  
     terminal baudrate: returns output speed of the . . . . . curses(S)  
     terminal baudrate: returns output speed of the . . . . . tam(S)  
     terminal baudrate: returns output speed of the . . . . . terminfo(S)  
     calling process getppid: returns parent process ID of . . . . . getpid(S)  
     XGetPixel: returns pixel from image . . . . . XCreateImage(XS)  
     /creates new database and returns pointer . . . . . XrmPutResource(XS)  
     creates new database and returns pointer XrmQPutResource: XrmPutResource(XS)  
     of compile routine RETURN: returns pointer argument at exit . . . . . regexp(S)  
 XModifierKeymap XNewModifiermap: returns pointer to . . . . . XChangeKeyboardMapping(XS)  
     null-terminated/ ServerVendor: returns pointer to . . . . . AllPlanes(XS)  
     of form current\_field: returns pointer to current field . . . . . form(S)  
     item set with/ current\_item: returns pointer to current menu . . . . . menu(S)  
     string pointed to by s1 strdup: returns pointer to duplicate of . . . . . string(S)



arguments associated/ field\_arg: returns pointer to field ..... field(S)  
 array of form form\_fields: returns pointer to field pointer .... form(S)  
   field field\_type: returns pointer to field type of ..... field(S)  
 character c in string s strchr: returns pointer to first ..... string(S)  
 character s1 from/ strpbrk: returns pointer to first ..... string(S)  
   successive/ getprdfent: returns pointer to first and ..... getprdfent(S)  
   initialization/ field\_init: returns pointer to form ..... form(S)  
   initialization/ field\_term: returns pointer to form ..... form(S)  
   initialization/ form\_init: returns pointer to form ..... form(S)  
 termination function form\_term: returns pointer to form ..... form(S)  
   description item\_description: returns pointer to given item's ..... item(S)  
   name item\_name: returns pointer to given item's ..... item(S)  
   array menu\_items: returns pointer to item pointer .... menu(S)  
   c from string s strchr: returns pointer to last character ... string(S)  
   properties XListProperties: returns pointer to list of window ... XGetWindowProperty(XS)  
 termination function item\_term: returns pointer to menu ..... menu(S)  
   initialization/ item\_init: returns pointer to menu item ..... menu(S)  
   initialization/ menu\_init: returns pointer to menu's ..... menu(S)  
   subwindow menu\_sub: returns pointer to menu's ..... menu(S)  
     string menu\_mark: returns pointer to menu's mark .... menu(S)  
     menu\_win: returns pointer to menu's window . menu(S)  
 structure newpad: creates and returns pointer to new pad data ... curses(S)  
 structure newpad: creates and returns pointer to new pad data ... terminfo(S)  
   subwin: creates and returns pointer to new window .... curses(S)  
   subwin: creates and returns pointer to new window .... terminfo(S)  
   structure fgetgrent: returns pointer to next group ..... getgrent(S)  
 sc\_bitmap structure sc\_getkmap: returns pointer to scancode ..... sc\_init(S)  
   specified/ ScreenOfDisplay: returns pointer to screen of ..... AllPlanes(XS)  
 containing/ XGetModifierMapping: returns pointer to structure ..... XChangeKeyboardMapping(XS)  
   associated with form form\_sub: returns pointer to subwindow ..... form(S)  
     successive group/ getgrent: returns pointer to the first and ..... getgrent(S)  
   description of current/ longname: returns pointer to verbose ..... curses(S)  
   description of current/ longname: returns pointer to verbose ..... terminfo(S)  
   associated with form form\_win: returns pointer to window ..... form(S)  
     the exception sticky flags and returns previous setting /sets ..... fgetground(S)  
 name/ primary\_of\_secondary\_auth: returns primary authorization ..... subsystems(S)  
   calling process getprgrp: returns process group ID of ..... getpid(S)  
     process getpid: returns process ID of calling ..... getpid(S)  
   EventMaskOfScreen: returns root event mask of root .... BlackPixelOfScreen(XS)  
     RootWindow: returns root window ..... AllPlanes(XS)  
     geometry XGetGeometry: returns root window and current ... XGetWindowAttributes(XS)  
   screen DefaultRootWindow: returns root window for default ... AllPlanes(XS)  
   screen RootWindowOfScreen: returns root window of specified ... BlackPixelOfScreen(XS)  
     sc\_getinfo: returns scancode information .... sc\_raw(S)  
 specified/ XScreenNumberOfScreen: returns screen index number of .... BlackPixelOfScreen(XS)  
 window XmuScreenOfWindow: returns screen of specified ..... XmuScreenOfWindow(Xmu)  
   s1 from string s2 strspn: returns segment length of string ... string(S)  
     item item\_value: returns select value of given ..... item(S)  
       jrand48: returns signed long integers ..... drand48(S)  
       mrand48: returns signed long integers ..... drand48(S)  
   unit in bits BitmapUnit: returns size of bitmap's scanline ... ImageByteOrder(S)  
     field/ field\_info: returns size, position, and other ... field(S)  
       than x ceil: returns smallest integer not less ... floor(S)  
   necessary for form scale\_form: returns smallest window size ..... form(S)

## Permuted Index

field\_status: returns status of field . . . . . field(S)  
agetstr: returns string associated with id . . . . . authcap(S)  
tgetstr: returns string entry for codename . . . . . curses(S)  
tgetstr: returns string entry for codename . . . . . terminfo(S)  
given menu menu\_pattern: returns string in menu buffer for . . . . . menu(S)  
XOpenDisplay when/ DisplayString: returns string passed to . . . . . AllPlanes(XS)  
    ! x ! fabs: returns the absolute value of x, . . . . . floor(S)  
    of field field\_back: returns the background attribute . . . . . field(S)  
    item at a / a List function that returns the bounding box of an . . . . . XmListPosToBounds(Xm)  
the CCC ClientWhitePointOfCCC: returns the client white point of . . . . . DisplayOfCCC(XS)  
in the specified/ XcmsQueryBlue: returns the color specification . . . . . XcmsQueryBlack(XS)  
in the specified/ XcmsQueryGreen: returns the color specification . . . . . XcmsQueryBlack(XS)  
in the specified/ XcmsQueryRed: returns the color specification . . . . . XcmsQueryBlack(XS)  
in the specified/ XcmsQueryWhite: returns the color specification . . . . . XcmsQueryBlack(XS)  
/a compound string function that returns the component type of the/ . . . . . XmStringPeekNextComponent(Xm)  
/a compound string function that returns the compound text/ . . . . . XmMapSegmentEncoding(Xm)  
scancode keymap/ sc\_getkeymap: returns the current active . . . . . sc\_init(S)  
masks fpgetmask: returns the current exception . . . . . fpgetround(S)  
sticky flags fpgetsticky: returns the current exception . . . . . fpgetround(S)  
of form form\_page: returns the current page number . . . . . form(S)  
fpgetround: returns the current rounding mode . . . . . fpgetround(S)  
position /a Scale function that returns the current slider . . . . . XmScaleGetValue(Xm)  
specified timer getitimer: returns the current value of the . . . . . getitimer(S)  
XmGetMenuCursor: a function that returns the cursor ID for the/ . . . . . XmGetMenuCursor(Xm)  
with the/ XmGetDatabase: returns the database associated . . . . . XmGetFileDatabase(XS)  
by Xlib for text/ XDefaultString: returns the default string used . . . . . XmBTextListToTextProperty(XS)  
of specified/ DisplayPlanes: returns the depth of root window . . . . . AllPlanes(XS)  
with the specified/ XDisplayOfIM: returns the display associated . . . . . XOpenIM(XS)  
starting\_egid: returns the effective GID . . . . . identity(S)  
starting\_euid: returns the effective UID . . . . . identity(S)  
erf: returns the error function of x . . . . . erf(S)  
/up the string name of a color, returns the exact color value . . . . . XQueryColor(XS)  
setting field\_opts: returns the field's option . . . . . field(S)  
field\_userptr: returns the field's user pointer . . . . . field(S)  
database firstkey: returns the first key in a . . . . . dbm(S)  
option(s) setting item\_opts: returns the given item's . . . . . item(S)  
has keyboard/ XmGetFocusWidget: returns the ID of the widget that . . . . . XmGetFocusWidget(Xm)  
cfgetspeed: returns the input baud rate . . . . . cfspeed(S)  
data /a clipboard function that returns the length of the stored . . . . . XmClipboardInquireLength(Xm)  
/a compound string function that returns the line height of the/ . . . . . XmStringHeight(Xm)  
x log10: returns the logarithm base ten of . . . . . exp(S)  
starting\_luid: returns the login UID . . . . . identity(S)  
value frexp: returns the mantissa of a double . . . . . frexp(S)  
attribute menu\_back: returns the menu background . . . . . menu(S)  
attribute menu\_fore: returns the menu foreground . . . . . menu(S)  
menu\_grey: returns the menu's grey attribute . . . . . menu(S)  
menu\_opts: returns the menu's option setting . . . . . menu(S)  
menu\_pad: returns the menu's pad character . . . . . menu(S)  
necessary for the/ scale\_menu: returns the minimum window size . . . . . menu(S)  
bound to the/ XLocaleOfFontSet: returns the name of the locale . . . . . XFontsOfFontSet(XS)  
bound to/ XrmLocaleOfDatabase: returns the name of the locale . . . . . XrmGetFileDatabase(XS)  
x log: returns the natural logarithm of . . . . . exp(S)  
list /a font list function that returns the next entry in a font . . . . . XmFontListNextEntry(Xm)  
sc\_readmapcode: returns the next input mapcode . . . . . sc\_readkb(S)

sc\_readkb: returns the next input scancode ... sc\_readkb(S)  
 database nextkey: returns the next key in a ... dbm(S)  
 root of x sqrt: returns the non-negative square ... exp(S)  
 in s strlen: returns the number of characters ... string(S)  
 /a clipboard function that returns the number of data item/ ... XmClipboardInquireCount(Xm)  
 currently in the queue ev\_count: returns the number of events ... ev\_count(S)  
 connected to form field\_count: returns the number of fields ... form(S)  
 /a compound string function that returns the number of pixels/ ... XmStringBaseline(Xm)  
 primary and/ total\_auths: returns the number of recognized ... subsystems(S)  
 /a compound string function that returns the number of separators/ ... XmStringLineCount(Xm)  
 name/ XBaseFontNameListOfFontSet: returns the original base font ... XFontsOffFontSet(XS)  
 /turns on scancode translation and returns the original mode ... sc\_raw(S)  
 off scancode translation and returns the original mode /turns ... sc\_raw(S)  
 cfgetospeed: returns the output baud rate ... cfspeed(S)  
 field field\_pad: returns the pad character for ... field(S)  
 /a Drag and Drop function that returns the parent, a list of/ ... XmDropSiteQueryStackingOrder(Xm)  
 stores it in a pixmap cache, and returns the pixmap /a pixmap, ... XmGetPixmap(Xm)  
 stores it in a pixmap cache, and returns the pixmap /a pixmap, ... XmGetPixmapByDepth(Xm)  
 in the list /a List function that returns the position of an item ... XmListItemPos(Xm)  
 selected/ /a List function that returns the position of every ... XmListGetSelectedPos(Xm)  
 at a/ /a List function that returns the position of the item ... XmListYToPos(Xm)  
 at the/ /a List function that returns the position of the item ... XmListGetKbdItemPos(Xm)  
 mode /sets the rounding mode and returns the previous rounding ... fpgetround(S)  
 /sets the exception masks and returns the previous setting ... fpgetround(S)  
 2<sup>exp</sup> ldexp: returns the quantity value \* ... frexp(S)  
 starting\_rgid: returns the real GID ... identity(S)  
 starting\_ruid: returns the real UID ... identity(S)  
 CCC ScreenNumberOfCCC: returns the screen number of the ... DisplayOfCCC(XS)  
 the CCC ScreenWhitePointOfCCC: returns the screen white point of ... DisplayOfCCC(XS)  
 property/ XScreenResourceString: returns the SCREEN\_RESOURCES XResourceManagerString(XS)  
 values /a ScrollBar function that returns the ScrollBar's increment ... XmScrollBarGetValues(Xm)  
 part of value modf: returns the signed fractional ... frexp(S)  
 XmGetAtomName: a function that returns the string representation/ ... XmGetAtomName(Xm)  
 capability tgetstr: returns the string value of ... termcap(S)  
 /a compound string function that returns the type and value of the/ ... XmStringGetComponent(Xm)  
 given panel panel\_userptr: returns the user pointer for a ... panel(S)  
 VisualOfCCC: returns the visual of the CCC ... DisplayOfCCC(XS)  
 menu/ /a RowColumn function that returns the widget from which a ... XmGetPostedFromWidget(Xm)  
 group XmGetTabGroup: returns the widget ID of a tab ... XmGetTabGroup(Xm)  
 /a MainWindow function that returns the widget ID of the/ ... XmMainWindowSep2(Xm)  
 XmGetDestination: a function that returns the widget ID of the/ ... XmGetDestination(Xm)  
 first/ /a MainWindow function that returns the widget ID of the ... XmMainWindowSep1(Xm)  
 third/ /a MainWindow function that returns the widget ID of the ... XmMainWindowSep3(Xm)  
 /a compound string function that returns the width of the longest/ ... XmStringWidth(Xm)  
 for a/ /a Display function that returns the XmDisplay object ID ... XmGetXmDisplay(Xm)  
 for a/ /a Screen function that returns the XmScreen object ID ... XmGetXmScreen(Xm)  
 is PF key IsPFKey: returns True if specified KeySym ... IsCursorKey(XS)  
 is cursor key IsCursorKey: returns True if specified KeySym ... IsCursorKey(XS)  
 is function key IsFunctionKey: returns True if specified KeySym ... IsCursorKey(XS)  
 is keypad key IsKeypadKey: returns True if specified KeySym ... IsCursorKey(XS)  
 is modifier key IsModifierKey: returns True if specified KeySym ... IsCursorKey(XS)  
 is / IsMiscFunctionKey: returns True if specified KeySym ... IsCursorKey(XS)  
 character erasechar: returns user's current erase ... curses(S)  
 character erasechar: returns user's current erase ... terminfo(S)

## Permuted Index

character killchar: returns user's current line-kill . . . . . curses(S)  
 character killchar: returns user's current line-kill . . . . . terminfo(S)  
     passed to it tigetflag: returns value of capability . . . . . curses(S)  
     passed to it tigetflag: returns value of capability . . . . . terminfo(S)  
     passed to it tigetnum: returns value of capability . . . . . curses(S)  
     passed to it tigetnum: returns value of capability . . . . . terminfo(S)  
     passed to it tigetstr: returns value of capability . . . . . curses(S)  
     passed to it tigetstr: returns value of capability . . . . . terminfo(S)  
         field\_buffer: returns value of field buffer buf . . . . . field(S)  
 property XGetFontProperty: returns value of specified font . . . . . XLoadFont(XS)  
     data segment sidgetv: returns version number of shared . . . . . sidgetv(S)  
 extension/ XShmQueryVersion: returns version numbers of the . . . . . XShm(Xext)  
     XVisualIDFromVisual: returns visual ID . . . . . XGetVisualInfo(XS)  
         XMatchVisualInfo: returns visual information . . . . . XGetVisualInfo(XS)  
     specified screen WhitePixel: returns white pixel value for . . . . . AllPlanes(XS)  
     specified/ WhitePixelOfScreen: returns white pixel value of . . . . . BlackPixelOfScreen(XS)  
     specified/ WidthMMOfScreen: returns width, in millimeters, of . . . . . BlackPixelOfScreen(XS)  
         WidthOfScreen: returns width of specified screen . . . . . BlackPixelOfScreen(XS)  
 in millimeters DisplayWidthMM: returns width of specified screen . . . . . ImageByteOrder(XS)  
     in pixels DisplayWidth: returns width of specified screen . . . . . ImageByteOrder(XS)  
         pow: returns x'y . . . . . exp(S)  
     function that installs the reverse converter for a/ /manager XmRepTypeAddReverse(Xm)  
 send a message on a stream in the reverse direction greply: . . . . . greply(K)  
     /called by a parent process to reverse effects of wprexec . . . . . tam(S)  
         col: filter reverse linefeeds . . . . . col(C)  
         /returns minor protocol revision number of X server . . . . . AllPlanes(XS)  
     in a stream fseek, ftell, rewind: reposition a file pointer . . . . . fseek(S)  
 operation but does not return a/ rewind: sets position of next I/O . . . . . fseek(S)  
     allow repeated/ setspent: rewind shadow password file to . . . . . getspent(S)  
         setrprcnt: rewind the rpc file . . . . . getrprcnt(NS)  
         directory stream to the/ rewinddir: resets the named . . . . . directory(S)  
         /closedir, opendir, readdir, rewinddir, seekdir, telldir:/ . . . . . directory(S)  
     allow repeated/ setprdfent: rewinds default control file to . . . . . getprdfent(S)  
     allow repeated/ setprfient: rewinds file control file to . . . . . getprfient(S)  
     repeated searches setpwent: rewinds password file to allow . . . . . getpwent(S)  
     to allow repeated/ setprpwent: rewinds protected password files . . . . . getprpwent(S)  
     allow repeated/ setprtrcnt: rewinds terminal control file to . . . . . getprtrcnt(S)  
     repeated searches setrgent: rewinds the group file to allow . . . . . getrgent(S)  
     its primary key isrewrite: rewrite a record identified by . . . . . isrewrite(S)  
     creat: create a new file or rewrite an existing one . . . . . creat(S)  
         isrewcurr: rewrite the current record . . . . . isrewcurr(S)  
     record number isrewrec: rewrite the record indicated by . . . . . isrewrec(S)  
     database putdvnam: rewrites or adds an entry to the . . . . . getdvagent(S)  
         rex: remote execution protocol . . . . . rex(NS)  
         xdr\_rex\_result: XDR a REX result message . . . . . rex(NS)  
         xdr\_rex\_start: XDR a REX start message . . . . . rex(NS)  
         xdr\_rex\_ttymode: XDR a REX tty modes message . . . . . rex(NS)  
         xdr\_rex\_ttysize: XDR a REX tty size message . . . . . rex(NS)  
         command rexec: return stream to a remote . . . . . rexec(SLIB)  
         rgb: color database compiler . . . . . rgb(X)  
         the colors specified into RGB values /converts . . . . . XcmsStoreColor(XS)  
 the/ XcmsQueryColors: obtains the RGB values for pixel values in . . . . . XcmsQueryColor(XS)  
         rindex: string indexing operation . . . . . string(SLIB)  
         /strcasecmp, strncasecmp, index, rindex: string operations . . . . . string(SLIB)



## Permuted Index

argument at exit of compile	routine RETURN: returns pointer	regexp(S)
number referenced in XOpenDisplay	routine /returns default screen	AllPlanes(XS)
pointer to menu's initialization	routine menu_init: returns	menu(S)
pointer to the menu's termination	routine menu_term: returns a	menu(S)
schedule a time to execute a	routine timeout, untimeout:	timeout(K)
to menu item initialization	routine /returns pointer	menu(S)
topen: open a serial	routine	tty(K)
xdr_free: generic XDR free	routine	xdr(NS)
error message pointer from last	routine call error /gets	strerror(S)
startio: run xxstart	routine from another processor	startio(K)
/dynamically add interrupt	routine handler	add_intr_handler(K)
/dynamically remove interrupt	routine handler	remove_intr_handler(K)
timeout: schedule a	routine to be executed	timeout(K)
GC convenience	routines XSetLineAttributes:	XSetLineAttributes(XS)
Internet address manipulation	routines /inet_netof:	inet(SLIB)
XSaveContext: associative look-up	routines	XSaveContext(XS)
XSetArcMode: GC convenience	routines	XSetArcMode(XS)
XSetClipOrigin: GC convenience	routines	XSetClipOrigin(XS)
XSetFillStyle: GC convenience	routines	XSetFillStyle(XS)
XSetFont: GC convenience	routines	XSetFont(XS)
XSetState: GC convenience	routines	XSetState(XS)
XSetTile: GC convenience	routines	XSetTile(XS)
authentication database locking	routines /replace_file:	dblock(S)
ctype: character handling	routines	ctype(S)
dn_comp, dn_expand: resolver	routines /res_send, res_init,	resolver(SLIB)
expression compile and match	routines regexp: regular	regexp(S)
field: FIELD library	routines	field(S)
fieldtype: FIELDTYPE library	routines	fieldtype(S)
form: FORM library	routines	form(S)
item: CRT menu-item	routines	item(S)
ldfcn: common object file access	routines	ldfcn(FP)
menu: CRT menu	routines	menu(S)
of all system service (S) section	routines Routines: List	Routines(S)
panel: PANEL library	routines	panel(S)
scsi_stol, scsi_swap4: SCSI	routines /scsi_s3tol, scsi_stok,	scsi(K)
sigpause: signal management	routines /sigelse, sigignore,	sigsetv(S)
supporting device assignment	routines /memory and close files	getdvagent(S)
to X Lib library functions and	routines Intro: introduction	Intro(XS)
to Xmu library functions and	routines Intro: introduction	Intro(Xmu)
to language character set	routines lcs_intro: introduction	lcs_intro(PCI)
ttywait, ttioctl: tty driver	routines /txput, ttyflush,	tty(K)
virtual address space memory	routines /vasmapped, vasunbind:	vas(K)
vldldptr: ldptr structure usage	routines allocldptr, freedptr,	ldptr(S)
wcstombs: multibyte character	routines /mbstowcs, wctomb,	mblen(S)
/system services, library	routines, and error numbers	Intro(S)
Routines: DOS	routines and man pages listed	Routines(DOS)
pages listed	Routines: DOS routines and man	Routines(DOS)
representation xdr: library	routines for external data	xdr(NS)
calls rpc: library	routines for remote procedure	rpc(NS)
to a/ rcmd, rresvport, ruserok:	routines for returning a stream	rcmd(SLIB)
subsystems: manipulation	routines for Subsystems database	subsystems(S)
service (S) section routines	Routines: List of all system	Routines(S)
/selffailure, selwakeup: kernel	routines supporting select(S)	select(K)
/_tolower, toupper, _toupper:	routines used to translate/	toascii(S)

/convert a XENIX-style Micnet routing file to MMDF format	.....	munlist(ADM)
uulist: convert a UUCP routing file to MMDF format	.....	uulist(ADM)
hashed database of alias and routing information /the MMDF	.....	dbmbuild(ADM)
of currently displayed menu row top_row: returns number	.....	menu(S)
sets top of menu to named row set_top_row:	.....	menu(S)
moves window's cursor to specific row and column wgoto:	.....	tam(S)
move: moves cursor to row r, column c	.....	tam(S)
the/ XmGetTearOffControl: a RowColumn function that obtains	.....	XmGetTearOffControl(Xm)
the/ XmOptionButtonGadget: a RowColumn function that obtains	.....	XmOptionButtonGadget(Xm)
the/ XmOptionLabelGadget: a RowColumn function that obtains	.....	XmOptionLabelGadget(Xm)
a Popup/ XmMenuPosition: a RowColumn function that positions	.....	XmMenuPosition(Xm)
the/ XmGetPostedFromWidget: a RowColumn function that returns	.....	XmGetPostedFromWidget(Xm)
XmRowColumn: the RowColumn widget class	.....	XmRowColumn(Xm)
XmCreateSimpleCheckBox: a RowColumn widget convenience/	.....	XmCreateSimpleCheckBox(Xm)
XmCreateSimpleMenuBar: a RowColumn widget convenience/	.....	XmCreateSimpleMenuBar(Xm)
XmCreateSimpleOptionMenu: a RowColumn widget convenience/	.....	XmCreateSimpleOptionMenu(Xm)
XmCreateSimplePopupMenu: a RowColumn widget convenience/	.....	XmCreateSimplePopupMenu(Xm)
XmCreateSimplePulldownMenu: a RowColumn widget convenience/	.....	XmCreateSimplePulldownMenu(Xm)
XmCreateSimpleRadioBox: a RowColumn widget convenience/	.....	XmCreateSimpleRadioBox(Xm)
XmVaCreateSimpleCheckBox: a RowColumn widget convenience/	.....	XmVaCreateSimpleCheckBox(Xm)
XmVaCreateSimpleMenuBar: a RowColumn widget convenience/	.....	XmVaCreateSimpleMenuBar(Xm)
XmVaCreateSimpleOptionMenu: a RowColumn widget convenience/	.....	XmVaCreateSimpleOptionMenu(Xm)
XmVaCreateSimplePopupMenu: a RowColumn widget convenience/	.....	XmVaCreateSimplePopupMenu(Xm)
XmVaCreateSimplePulldownMenu: a RowColumn widget convenience/	.....	XmVaCreateSimplePulldownMenu(Xm)
XmVaCreateSimpleRadioBox: a RowColumn widget convenience/	.....	XmVaCreateSimpleRadioBox(Xm)
creation/ XmCreateMenuBar: a RowColumn widget convenience	.....	XmCreateMenuBar(Xm)
creation/ XmCreateOptionMenu: a RowColumn widget convenience	.....	XmCreateOptionMenu(Xm)
creation/ XmCreatePopupMenu: a RowColumn widget convenience	.....	XmCreatePopupMenu(Xm)
creation/ XmCreatePulldownMenu: a RowColumn widget convenience	.....	XmCreatePulldownMenu(Xm)
creation/ XmCreateRadioBox: a RowColumn widget convenience	.....	XmCreateRadioBox(Xm)
function XmCreateRowColumn: the RowColumn widget creation	.....	XmCreateRowColumn(Xm)
/a function that creates a RowColumn work area	.....	XmCreateWorkArea(Xm)
maximum number displayed menu rows and columns /sets	.....	menu(S)
/returns maximum number of rows and columns that can be/	.....	menu(S)
decode the arguments to an RPC svc_getargs:	.....	rpc(NS)
register procedure with RPC registerrpc:	.....	rpc(NS)
svc_sendreply: send replies to an RPC	.....	rpc(NS)
xdr_callhdr: XDR the RPC call header	.....	rpc(NS)
xdr_callmsg: XDR an RPC call message	.....	rpc(NS)
kclt_create: create kernel RPC client handles	.....	kclt_create(NS)
getrpcbyname, getrpcbynumber: get RPC entry getrpcent:	.....	getrpcent(NS)
getrpccent: get RPC entry	.....	getrpccent(NS)
getrpcbyname: get RPC entry by name	.....	getrpccent(NS)
getrpcbynumber: get RPC entry by number	.....	getrpccent(NS)
endrpcent: close the rpc file	.....	getrpccent(NS)
setrpcent: rewind the rpc file	.....	getrpccent(NS)
Intro: introduction to RPC library functions	.....	Intro(NS)
procedure calls rpc: library routines for remote	.....	rpc(NS)
getrpcport: get RPC port number	.....	getrpcport(NS)
pmap_getmaps: return current RPC program-to-ports map	.....	rpc(NS)
rpcgen: an RPC protocol compiler	.....	rpcgen(NS)
xdr_replymsg: XDR an RPC reply message	.....	rpc(NS)
svc_getreq: get RPC request	.....	rpc(NS)
svc_getreqset: get RPC request	.....	rpc(NS)

*Permuted Index*

svc\_run: get RPC requests ..... rpc(NS)  
 return port number for RPC service pmap\_getport: ..... rpc(NS)  
 svc\_register: register an RPC service procedure ..... rpc(NS)  
 svc\_unregister: unregister an RPC service procedure ..... rpc(NS)  
 xprt\_register: register an RPC service transport handle ..... rpc(NS)  
 xprt\_unregister: unregister an RPC service transport handle ..... rpc(NS)  
 rpcgen: an RPC protocol compiler ..... rpcgen(NC)  
 RPC/XDR clnt\_freeres: ..... rpc(NS)  
 free data allocated by RPC/XDR svc\_freeargs: ..... rpc(NS)  
 free data allocated by RPC/XDR ..... rpc(NS)  
 descriptor in privileged port/ rresvport: returns a socket ..... rcmd(SLIB)  
 returning a stream to a/ rcmd, rresvport, ruserok: routines for ..... rcmd(SLIB)  
 (command interpreter) rsh: invoke a restricted shell ..... rsh(C)  
 rstab: unsupported utility ..... undocumented(M)  
 rtc: real time clock interface ..... rtc(HW)  
 check file accessibility using RUID access: ..... access(S)  
 asroot: run a command as root ..... asroot(ADM)  
 scheduling priority nice: run a command at a different ..... nice(C)  
 and quits nohup: run a command immune to hangups ..... nohup(C)  
 multiuser environment rc2: run commands performed for ..... rc2(ADM)  
 the operating system rc0: run commands performed to stop ..... rc0(ADM)  
 runacct: run daily accounting ..... runacct(ADM)  
 init. When the command telinit is run, init is invoked /a link to ..... init(M)  
 processor startio: run xxstart routine from another ..... startio(K)  
 /prctmp, prdaily, prtacct, runacct: run daily accounting ..... runacct(ADM)  
 /bin/crypt connection runacct, shutacct, startup,/ ..... acctsh(ADM)  
 in layer run\_crypt: encrypts data using ..... crypt(S)  
 whether the window manager is running /function that determines XmIsMotifWmRunning(Xm)  
 list client applications running on a display xlsclients: ... xlsclients(X)  
 /from console multiscreens running Xsco server or ..... switchkey(X)  
 Runlayer: runs specified command libwindows(S)  
 key for /bin/crypt connection runs specified command in layer ..... libwindows(S)  
 mail router mmdftailor: provide run\_setkey: creates encryption ..... crypt(S)  
 authentication run-time tailoring for the MMDF ..... mmdftailor(F)  
 stream to a/ rcmd, rresvport, ruserok: remote user ..... rcmd(SLIB)  
 blocking tselect: ensure ruserok: routines for returning a ..... rcmd(SLIB)  
 machines r/w can be performed without ..... tty(K)  
 List of all system service rwall: write to specified remote ..... rwall(NS)  
 report package sar, (S) section routines Routines: ..... Routines(S)  
 package sar, sa1, sa2, sadc: system activity ..... sar(ADM)  
 editing activity sa2, sadc: system activity report ... sar(ADM)  
 package sar, sa1, sa2, sact: print current SCCS file ..... sact(CP)  
 sadc: system activity report ..... sar(ADM)  
 prfstat: enable/disable sag: system activity graph ..... sag(ADM)  
 purge: policy file of the sampling ..... profiler(ADM)  
 audit\_lax\_file: reports sanitization utility purge ..... purge(F)  
 activity report package sanity check breakdown ..... authaudit(S)  
 vidsavscreen: sar, sa1, sa2, sadc: system ..... sar(ADM)  
 save set save a multiscreen ..... video(K)  
 adds specified window to client's save set ..... XChangeSaveSet(XS)  
 specified window from client's save set XAddToSaveSet: ..... XChangeSaveSet(XS)  
 whether screen supports save set /removes ..... XChangeSaveSet(XS)  
 longimp: restores last save unders /value indicating ..... BlackPixelOfScreen(XS)  
 siglongimp: restores last saved environment ..... setjmp(S)  
 saved environment saved environment ..... sigsetjmp(S)



XResetScreenSaver: resets screen  
 activates disabled screen  
 activates screen  
 manipulate the screen  
 gets current screen  
 to a buffer savetty:  
 to a buffer savetty:  
 to a buffer savetty:  
 functions sc\_mapinit:  
 setjmp:  
 sigsetjmp:  
 MRM to access/ MrmRegisterClass:  
 def\_prog\_mode  
 terminal to a buffer  
 terminal to a buffer  
 terminal to a buffer  
 value  
 allocation brk,  
 current/ XmScaleGetValue: a  
 value XmScaleSetValue: a  
 XmScale: the  
 XmCreateScale: the  
 window size necessary for form  
 window size necessary for the/  
 bfs:  
 creates bad track table badtrk:  
 blocks and attempt/ scsibadblk:  
 sc\_readkb: returns the next input  
 Interface (API)/ sc\_init:  
 Interface (API)/ sc\_raw:  
 sc\_readstr: read  
 sc\_mapcode2kb: gets  
 sc\_getinfo: returns  
 parameter sc\_setinfo: sets  
 sc\_init: initializes for  
 sc\_getfkeystr: gets  
 sc\_setfkeystr: sets  
 maintains the state of the  
 sc\_getled: gets current  
 sc\_setled: sets the  
 /returns the current active  
 /sets the current active  
 sc\_str2kb: gets  
 sc\_mapcode2str: gets  
 sc\_mapout: gets  
 sc\_mapinit: saves for  
 terminal  
 sc\_getkbmap: returns pointer to  
 sc\_receive\_kb: maintains  
 sc\_getscreenswitch: gets  
 sc\_setscreenswitch: sets  
 sc\_copyscstate: copies the  
 settings sc\_exit: restores  
 the original/ sc\_raw: turns off  
 saver ..... XSetScreenSaver(XS)  
 saver XForceScreenSaver: ..... XSetScreenSaver(XS)  
 saver XActivateScreenSaver: ..... XSetScreenSaver(XS)  
 saver XSetScreenSaver: ..... XSetScreenSaver(XS)  
 saver values XGetScreenSaver: ..... XSetScreenSaver(XS)  
 saves current state of terminal ..... curses(S)  
 saves current state of terminal ..... tam(S)  
 saves current state of terminal ..... terminfo(S)  
 saves for scandcode mapping ..... sc\_init(S)  
 saves stack environment ..... setjmp(S)  
 saves stack environment ..... sigsetjmp(S)  
 saves the information needed for .. MrmRegisterClass(Xm)  
 saveterm: replaced by ..... curses(S)  
 savetty: saves current state of ..... curses(S)  
 savetty: saves current state of ..... tam(S)  
 savetty: saves current state of ..... terminfo(S)  
 sbrk: add bytes to the break ..... brk(S)  
 sbrk: change data segment space .. brk(S)  
 Scale function that returns the ..... XmScaleGetValue(Xm)  
 Scale function that sets a slider .... XmScaleSetValue(Xm)  
 Scale widget class ..... XmScale(Xm)  
 Scale widget creation function .... XmCreateScale(Xm)  
 scale\_form: returns smallest ..... form(S)  
 scale\_menu: returns the minimum .. menu(S)  
 scan big files ..... bfs(C)  
 scan fixed disk for flaws and ..... badtrk(ADM)  
 scan hard disk for defective ..... scsibadblk(ADM)  
 scandcode ..... sc\_readkb(S)  
 scandcode Application Programming sc\_init(S)  
 scandcode Application Programming sc\_raw(S)  
 scandcode character(s) ..... sc\_readkb(S)  
 scandcode from mapcode ..... sc\_readkb(S)  
 scandcode information ..... sc\_raw(S)  
 scandcode information from input .. sc\_raw(S)  
 scandcode input ..... sc\_init(S)  
 scandcode key string ..... sc\_init(S)  
 scandcode key string ..... sc\_init(S)  
 scandcode keyboard sc\_kb2mapcode: sc\_readkb(S)  
 scandcode keyboard LED state ..... sc\_init(S)  
 scandcode keyboard LED state ..... sc\_init(S)  
 scandcode keymap table ..... sc\_init(S)  
 scandcode keymap table ..... sc\_init(S)  
 scandcode keytop string ..... sc\_readkb(S)  
 scandcode map string ..... sc\_readkb(S)  
 scandcode mapped output string .. sc\_readkb(S)  
 scandcode mapping functions ..... sc\_init(S)  
 scandcode: PC-scancode capable ..... scancode(HW)  
 scandcode sc\_bitmap structure ..... sc\_init(S)  
 scandcode sc\_bitmap structure ..... sc\_init(S)  
 scandcode screen switch keys ..... sc\_raw(S)  
 scandcode screen switch keys ..... sc\_raw(S)  
 scandcode state from one tty to/ .... sc\_raw(S)  
 scandcode terminal mode and tty ... sc\_init(S)  
 scandcode translation and returns .. sc\_raw(S)



screen switch keys `sc_getscreenswitch: gets scancode . . . sc_raw(S)`  
     `timeout: schedule a routine to be executed . . . timeout(K)`  
 routine `timeout, untimeout: schedule a time to execute a . . . . . timeout(K)`  
 at regular intervals `crontab: schedule commands to be executed . . . crontab(C)`  
     system backups `schedule: database for automated . . . schedule(ADM)`  
     particular time at: `Schedule jobs for execution at a . . . at(C)`  
 the system load permits batch: `Schedule jobs for execution when . . . at(C)`  
 crontab cron: execute commands `scheduled by at, batch, and . . . . . cron(C)`  
 enableok: re-allow a queue to be `scheduled for service . . . . . enableok(K)`  
 transport program `uusched: the scheduler for the UUCP file . . . . . uusched(ADM)`  
     queues `queuedefs: scheduling information for cron . . . queuedefs(F)`  
 run a command at a different `scheduling priority nice: . . . . . nice(C)`  
     alternative polling `scheme uudemon.poll2: . . . . . uudemon(ADM)`  
     `xcalc: scientific calculator for X . . . . . xcalc(X)`  
     input `sc_init: initializes for scancode . . . . . sc_init(S)`  
 Programming Interface (API)/ `sc_init: scancode Application . . . . . sc_init(S)`  
 state of the scancode keyboard `sc_kb2mapcode: maintains the . . . . . sc_readkb(S)`  
     `mapcode sc_mapcode2kb: gets scancode from . . . sc_readkb(S)`  
     string `sc_mapcode2str: gets scancode map . . . sc_readkb(S)`  
     translation tables `sc_mapin: initializes scancode . . . . . sc_readkb(S)`  
     mapping functions `sc_mapinit: saves for scancode . . . . . sc_init(S)`  
     output string `sc_mapout: gets scancode mapped . . . sc_readkb(S)`  
     common object file `scnhdr: section header for a . . . . . scnhdr(FP)`  
 and/ `scosh: menu-driven SCO Shell with calendar, mail, . . . scosh(C)`  
 the SCO Open Desktop GUI `scocolor: change window colors in . . . scocolor(X)`  
     Open Desktop `scoedit: graphical editor for . . . . . scoedit(X)`  
     information `scohelp: provide help on desktop . . . scohelp(X)`  
     file for the real thing `__scoinfo: get kernel and system . . . __scoinfo(S)`  
     `scoinst: This is a placeholder . . . . . scoinst(XS)`  
     `scolock: lock X display . . . . . scolock(X)`  
     `scologin: X Display Manager . . . . . scologin(X)`  
 and receives electronic mail/ `scomail: an accessory that sends . . . scomail(X)`  
     `scomouse: configure the mouse . . . . . scomouse(X)`  
 and pictures; and edit xbm and/ `scopaint: create and edit icons . . . . . scopaint(X)`  
     stopping clients `scosession: manage starting and . . . scosession(X)`  
 calendar, mail, and calculator `scosh: menu-driven SCO Shell with . . . scosh(C)`  
     `scoterm: terminal emulator for X . . . scoterm(X)`  
 Programming Interface (API)/ `sc_raw: scancode Application . . . . . sc_raw(S)`  
 translation and returns the/ `sc_raw: turns off scancode . . . . . sc_raw(S)`  
     image file `scr_dump: format of curses screen . . . scr_dump(FP)`  
     of virtual screen to filename `scr_dump: writes current contents . . . curses(S)`  
     of virtual screen to filename `scr_dump: writes current contents . . . terminfo(S)`  
     scancode `sc_readkb: returns the next input . . . sc_readkb(S)`  
     functions `sc_readkb: scancode translation . . . sc_readkb(S)`  
     input mapcode `sc_readmapcode: returns the next . . . sc_readkb(S)`  
     character(s) `sc_readstr: read scancode . . . . . sc_readkb(S)`  
     `sc_bitmap structure sc_receive_kb: maintains scancode . . . sc_init(S)`  
 GC for root window of specified `screen /returns default . . . . . AllPlanes(XS)`  
 black pixel value for specified `screen BlackPixel: returns . . . . . AllPlanes(XS)`  
     `clear: clear a terminal screen . . . . . clear(C)`  
     clears soft labels from the `screen silk_clear: . . . . . curses(S)`  
     clears soft labels from the `screen silk_clear: . . . . . terminfo(S)`  
     closest color supported by `screen /named color and returns . . . XAllocColor(XS)`  
     default colormap of specified `screen /returns . . . . . BlackPixelOfScreen(XS)`

## Permuted Index

default root window for specified screen /returns depth of ..... AllPlanes(XS)  
     default visual of specified screen /returns ..... BlackPixelOfScreen(XS)  
     default visual type for specified screen DefaultVisual: returns ..... AllPlanes(XS)  
 depth of root window of specified screen /returns default ..... BlackPixelOfScreen(XS)  
 depth of root window of specified screen /returns the ..... AllPlanes(XS)  
     facility to reduce size of screen ripoffline: accesses ..... curses(S)  
     facility to reduce size of screen ripoffline: accesses ..... terminfo(S)  
     find colors displayable by the screen /Hue, Value and Chroma's ..... XcmsTekHVCQueryMaxC(XS)  
     in default colormap of specified screen /number of colormap cells ..... BlackPixelOfScreen(XS)  
     in millimeters, of specified screen /returns height, ..... BlackPixelOfScreen(XS)  
     in millimeters, of specified screen /returns width, ..... BlackPixelOfScreen(XS)  
     in root window of specified screen /returns number of planes ..... BlackPixelOfScreen(XS)  
 installed colormaps supported by screen /returns maximum number of BlackPixelOfScreen(XS)  
 installed colormaps supported by screen /returns minimum number of BlackPixelOfScreen(XS)  
     lightness (L\*) displayable by the screen the point of maximum .... XcmsCIELabQueryMaxC(XS)  
     lightness (L\*) displayable by the screen /the point of maximum .... XcmsCIELuvQueryMaxC(XS)  
     lightness (L\*) displayable by the screen /the point of minimum .... XcmsCIELabQueryMaxC(XS)  
     lightness (L\*) displayable by the screen /the point of minimum .... XcmsCIELuvQueryMaxC(XS)  
 maximum chroma displayable by the screen /finds the point of ..... XcmsCIELabQueryMaxC(XS)  
 maximum chroma displayable by the screen /finds the point of ..... XcmsCIELuvQueryMaxC(XS)  
     object ID for a specified screen /that returns the XmScreen XmGetXmScreen(Xm)  
     obtain the default CCC for a screen XcmsDefaultCCC: ..... XcmsDefaultCCC(XS)  
     of depths available on specified screen /returns array ..... AllPlanes(XS)  
     refresh all or part of an X screen xrefresh: ..... xrefresh(X)  
     resource database for specified screen XtScreenDatabase: obtain ..... XtScreenDatabase(Xt)  
     returns default GC of specified screen DefaultGCOfScreen: ..... BlackPixelOfScreen(XS)  
     returns display of specified screen DisplayOfScreen: ..... BlackPixelOfScreen(XS)  
     returns height of specified screen HeightOfScreen: ..... BlackPixelOfScreen(XS)  
     returns root window for default screen DefaultRootWindow: ..... AllPlanes(XS)  
     returns root window of specified screen RootWindowOfScreen: ..... BlackPixelOfScreen(XS)  
     returns width of specified screen WidthOfScreen: ..... BlackPixelOfScreen(XS)  
 screen index number of specified screen /returns ..... BlackPixelOfScreen(XS)  
     single character and refreshes screen echochar: adds ..... curses(S)  
     single character and refreshes screen echochar: adds ..... terminfo(S)  
     single character and refreshes screen pechochar: adds ..... curses(S)  
     single character and refreshes screen pechochar: adds ..... terminfo(S)  
     single character and refreshes screen wechochar: adds ..... curses(S)  
     single character and refreshes screen wechochar: adds ..... terminfo(S)  
     that curses assumes a 1-line screen filter: arranges ..... curses(S)  
     that curses assumes a 1-line screen filter: arranges ..... terminfo(S)  
 the root window of the specified screen /property from ..... XResourceManagerString(XS)  
     updates of terminal window screen /allows multiple ..... curses(S)  
     updates of terminal window screen /allows multiple ..... terminfo(S)  
     updates to physical terminal screen /allows multiple ..... curses(S)  
     updates to physical terminal screen /allows multiple ..... terminfo(S)  
     updates to physical terminal screen douupdate: allows multiple ..... curses(S)  
     updates to physical terminal screen douupdate: allows multiple ..... terminfo(S)  
     white pixel value for specified screen WhitePixel: returns ..... AllPlanes(XS)  
     white pixel value of specified screen /returns ..... BlackPixelOfScreen(XS)  
     wind: place window on screen ..... tam(S)  
     window to the physical terminal screen /copies the named ..... curses(S)  
     window to the physical terminal screen /copies the named ..... tam(S)  
     window to the physical terminal screen /copies the named ..... terminfo(S)  
     xmag: magnify parts of the screen ..... xmag(X)

set screen color and other screen attributes /setcolour: . . . . . setcolor(C)  
     setcolor, setcolour: set screen color and other screen/ . . . . . setcolor(C)  
     attributes setcolor: Set screen colors and other . . . . . setcolor(C)  
     attributes setcolour: Set screen colours and other . . . . . setcolor(C)  
         clear: clears screen completely . . . . . curses(S)  
         clear: clears screen completely . . . . . tam(S)  
         clear: clears screen completely . . . . . terminfo(S)  
         clearok: clears screen completely . . . . . curses(S)  
         clearok: clears screen completely . . . . . tam(S)  
         clearok: clears screen completely . . . . . terminfo(S)  
 coordinates of the virtual screen cursor /returns current . . . . . curses(S)  
 coordinates of the virtual screen cursor /returns current . . . . . terminfo(S)  
     setyx: sets virtual screen cursor to y, x . . . . . curses(S)  
     setyx: sets virtual screen cursor to y, x . . . . . terminfo(S)  
     more: view a file one screen full at a time . . . . . more(C)  
 XmScreen object/ XmGetXmScreen: a Screen function that returns the . . . . . XmGetXmScreen(Xm)  
     package curses: terminal screen handling and optimization . . . . . curses(S)  
     scr\_dump: format of curses screen image file . . . . . scr\_dump(FP)  
     /returns height of specified screen in millimeters . . . . . ImageByteOrder(XS)  
     /returns width of specified screen in millimeters . . . . . ImageByteOrder(XS)  
     returns height of specified screen in pixels DisplayHeight: . . . . . ImageByteOrder(XS)  
     returns width of specified screen in pixels DisplayWidth: . . . . . ImageByteOrder(XS)  
 XScreenNumberOfScreen: returns screen index number of specified/ . . . . . BlackPixelOfScreen(XS)  
 macros BlackPixelOfScreen: screen information functions and . . . . . BlackPixelOfScreen(XS)  
     DISPLAYED: checks if screen is displayed . . . . . video(K)  
     a null-terminated string to a screen labeled key wsik: output . . . . . tam(S)  
     to curses to throw away a screen line /indicates . . . . . curses(S)  
     to curses to throw away a screen line /indicates . . . . . terminfo(S)  
     convey: configure monitor screen mapping /mapscrn, mapstr, mapkey(M)  
         mapscrn: Configure screen mapping . . . . . mapkey(M)  
 ScreenNumberOfCCC: returns the screen number of the CCC . . . . . DisplayOfCCC(XS)  
     DefaultScreen: returns default screen number referenced in/ . . . . . AllPlanes(XS)  
     /returns default screen of specified display . . . . . AllPlanes(XS)  
     /returns pointer to screen of specified display . . . . . AllPlanes(XS)  
     XmuScreenOfWindow: returns screen of specified window . . . . . XmuScreenOfWindow(Xmu)  
     XActivateScreenSaver: activates screen saver . . . . . XSetScreenSaver(XS)  
     XResetScreenSaver: resets screen saver . . . . . XSetScreenSaver(XS)  
     XSetScreenSaver: manipulate the screen saver . . . . . XSetScreenSaver(XS)  
         activates disabled screen saver XForceScreenSaver: . . . . . XSetScreenSaver(XS)  
     XGetScreenSaver: gets current screen saver values . . . . . XSetScreenSaver(XS)  
     /returns indication whether screen supports backing store . . . . . BlackPixelOfScreen(XS)  
     /Boolean value indicating whether screen supports save unders . . . . . BlackPixelOfScreen(XS)  
     sc\_getscreenswitch: gets scancode screen switch keys . . . . . sc\_raw(S)  
     sc\_setscreenswitch: sets scancode screen switch keys . . . . . sc\_raw(S)  
         scr\_restore: sets virtual screen to contents of filename . . . . . curses(S)  
         scr\_restore: sets virtual screen to contents of filename . . . . . terminfo(S)  
     current contents of virtual screen to filename /writes . . . . . curses(S)  
     current contents of virtual screen to filename /writes . . . . . terminfo(S)  
     /refreshes the virtual screen to show panel relations . . . . . panel(S)  
     monochrome, ega, vga display/ screen: tty [01-n], color, . . . . . screen(HW)  
     /copies named window to terminal screen using stdscr as default . . . . . curses(S)  
     /copies named window to terminal screen using stdscr as default . . . . . tam(S)  
     /copies named window to terminal screen using stdscr as default . . . . . terminfo(S)  
         /returns the screen white point of the CCC . . . . . DisplayOfCCC(XS)

## Permuted Index

XScreen: the Screen widget class ..... XScreen(Xm)  
 available screens ScreenCount: returns number of ... AllPlanes(XS)  
 screen number of the CCC ScreenNumberOfCCC: returns the ... DisplayOfCCC(XS)  
 to screen of specified display ScreenOfDisplay: returns pointer .. AllPlanes(XS)  
 dbxtra: dbx-based screen-oriented debugger ..... dbxtra(CP)  
 vi, view, vedit: invoke a screen-oriented display editor ..... vi(C)  
 vi: Invoke a screen-oriented display editor ..... vi(C)  
 the root window of/ /returns the SCREEN\_RESOURCES property from XResourceManagerString(XS)  
 returns number of available screens ScreenCount: ..... AllPlanes(XS)  
 multiscreen: multiple screens (device files) ..... multiscreen(M)  
 permission authorized\_user: screens user ID for authorization .. subsystems(S)  
 /establish modifier keys for screen-switching from console/ ... switchkey(X)  
 /establish the modifier key or screen-switching from the X/ ..... xswkey(X)  
 /(API) line-discipline and screen-switching functions ..... sc\_raw(S)  
 the screen white point of the/ ScreenWhitePointOfCCC: returns . DisplayOfCCC(XS)  
 structures from file scr\_init: initializes curses data ..... curses(S)  
 filename to initialize curses/ scr\_init: uses contents of ..... terminfo(S)  
 XENIX installation shell script xinstall: ..... xinstall(ADM)  
 script, multiuser mode tcb check script /mode tcb check ..... tcbck(ADM)  
 store answers to a request script pkgask: ..... pkgask(ADM)  
 init.base: script for the init process ..... inittab(F)  
 inittab, init.base: script for the init process ..... inittab(F)  
 /single-user mode tcb check script, multiuser mode tcb check/ .. tcbck(ADM)  
 commands initscript: script that executes inittab ..... initscript(ADM)  
 brand: installation script utility ..... undocumented(M)  
 debrand: installation script utility ..... undocumented(M)  
 UUCP administrative scripts /uudemon.poll2: ..... uudemon(ADM)  
 mkdev: call scripts to add peripheral devices .. mkdev(ADM)  
 getopt getoptcvt: convert shell scripts to use getopt's instead of ... getopt's(C)  
 line scroll: scrolls window up one ..... curses(S)  
 line scroll: scrolls window up one ..... terminfo(S)  
 XmScrollBarSetValues: a ScrollBar function that changes/ .. XmScrollBarSetValues(Xm)  
 the/ XmScrollBarGetValues: a ScrollBar function that returns ... XmScrollBarGetValues(Xm)  
 XmScrollBar: the ScrollBar widget class ..... XmScrollBar(Xm)  
 function XmCreateScrollBar: the ScrollBar widget creation ..... XmCreateScrollBar(Xm)  
 and a horizontal or vertical ScrollBar widget to the/ /region .. XmScrolledWindowSetAreas(Xm)  
 /function that returns the ScrollBar's increment values ..... XmScrollBarGetValues(Xm)  
 /a ScrollBar function that changes ScrollBar's increment values and/ .. XmScrollBarSetValues(Xm)  
 XmCreateScrolledList: the List ScrolledList convenience creation/ XmCreateScrolledList(Xm)  
 makes an/ XmScrollVisible: a ScrolledWindow function that ... XmScrollVisible(Xm)  
 or/ XmScrolledWindowSetAreas: a ScrolledWindow function that adds XmScrolledWindowSetAreas(Xm)  
 vertical ScrollBar widget to the ScrolledWindow widget /or ..... XmScrolledWindowSetAreas(Xm)  
 XmScrolledWindow: the ScrolledWindow widget class ..... XmScrolledWindow(Xm)  
 XmCreateScrolledWindow: the ScrolledWindow widget creation/ .. XmCreateScrolledWindow(Xm)  
 /an invisible descendant of a ScrolledWindow work area visible XmScrollVisible(Xm)  
 setscreg: sets a software scrolling region in a window ..... curses(S)  
 setscreg: sets a software scrolling region in a window ..... terminfo(S)  
 wssetscreg: sets a software scrolling region in a window ..... curses(S)  
 wssetscreg: sets a software scrolling region in a window ..... terminfo(S)  
 scrolls physical terminal window/ scrollok: calls wrefresh and ..... curses(S)  
 scrolls physical terminal window/ scrollok: calls wrefresh and ..... terminfo(S)  
 one/ scrollok: calls wrefresh and scrolls physical terminal window .. curses(S)  
 one/ scrollok: calls wrefresh and scrolls physical terminal window .. terminfo(S)  
 a Text function that scrolls text XmTextScroll: ..... XmTextScroll(Xm)

in the list /a List function that scrolls to the specified position . . . . XmListSetHorizPos(Xm)

scroll: scrolls window up one line . . . . . curses(S)

scroll: scrolls window up one line . . . . . terminfo(S)

to contents of filename scr\_restore: sets virtual screen . . . . . curses(S)

to contents of filename scr\_restore: sets virtual screen . . . . . terminfo(S)

string sc\_setfkeystr: sets scancode key . . . . . sc\_init(S)

information from input parameter sc\_setinfo: sets scancode . . . . . sc\_raw(S)

active scancode keymap table sc\_setkeymap: sets the current . . . . . sc\_init(S)

keyboard LED state sc\_setled: sets the scancode . . . . . sc\_init(S)

screen switch keys sc\_setscreenswitch: sets scancode . . . . . sc\_raw(S)

scsi\_getdev: get a SCSI device number . . . . . scsi(K)

Sharegister: register SCSI host adapter . . . . . devreg(K)

drivers /Sdevregister: register SCSI host adapter and peripheral . . . . . devreg(K)

scsi\_distributed: register a SCSI host adapter driver as/ . . . . . scsi\_distributed(K)

adapter configuration/ mscsi: SCSI peripheral device and host . . . . . mscsi(F)

Sdevregister: register SCSI peripheral driver . . . . . devreg(K)

scsi\_stok, scsi\_stol, scsi\_swap4: SCSI routines /scsi\_s3tol, . . . . . scsi(K)

scsi\_get\_gen\_cmd, scsi\_getdev,/ scsi: scsi\_deverr, . . . . . scsi(K)

scsi\_deverr: print a SCSI sense error message . . . . . scsi(K)

interface scsi: small computer systems . . . . . scsi(HW)

defective blocks and attempt to/ scsibadblk: scan hard disk for . . . . . scsibadblk(ADM)

error message scsi\_deverr: print a SCSI sense . . . . . scsi(K)

scsi\_getdev, scsi\_mkadr3,/ scsi: scsi\_deverr, scsi\_get\_gen\_cmd, . . . . . scsi(K)

host adapter driver as/ scsi\_distributed: register a SCSI . . . . . scsi\_distributed(K)

number scsi\_getdev: get a SCSI device . . . . . scsi(K)

scsi\_deverr, scsi\_get\_gen\_cmd, scsi\_getdev, scsi\_mkadr3,/ scsi: . . . . . scsi(K)

block scsi\_get\_gen\_cmd: fill a command . . . . . scsi(K)

scsi\_mkadr3,/ scsi: scsi\_deverr, scsi\_get\_gen\_cmd, scsi\_getdev, . . . . . scsi(K)

array for an address scsi\_mkadr3: assign a 3-byte . . . . . scsi(K)

/scsi\_get\_gen\_cmd, scsi\_getdev, scsi\_mkadr3, scsi\_s2tos,/ . . . . . scsi(K)

short scsi\_s2tos: convert 2 bytes to a . . . . . scsi(K)

/scsi\_getdev, scsi\_mkadr3, scsi\_s2tos, scsi\_s3tol,/ . . . . . scsi(K)

long scsi\_s3tol: convert 3 bytes to . . . . . scsi(K)

/scsi\_mkadr3, scsi\_s2tos, scsi\_s3tol, scsi\_stok, scsi\_stol,/ . . . . . scsi(K)

kernel address scsi\_stok: convert 3 bytes to . . . . . scsi(K)

SCSI/ /scsi\_s2tos, scsi\_s3tol, scsi\_stok, scsi\_stol, scsi\_swap4: . . . . . scsi(K)

long scsi\_stol: convert 4 bytes to . . . . . scsi(K)

routines /scsi\_s3tol, scsi\_stok, scsi\_stol, scsi\_swap4: SCSI . . . . . scsi(K)

/scsi\_s3tol, scsi\_stok, scsi\_stol, scsi\_swap4: SCSI routines . . . . . scsi(K)

scsi\_swap4: swap 4 bytes . . . . . scsi(K)

string sc\_str2kb: gets scancode keytop . . . . . sc\_readkb(S)

translation and returns the/ sc\_urraw: turns on scancode . . . . . sc\_raw(S)

sd, sdd: start a no-LUID daemon . . . . . sd(ADM)

sdb: symbolic debugger . . . . . sdb(CP)

sd, sdd: start a no-LUID daemon . . . . . sd(ADM)

dates sddate: print and set backup . . . . . sddate(C)

segment sdenter: access shared data . . . . . sdenter(S)

access to a shared data segment sdenter, sdleave: synchronizes . . . . . sdenter(S)

currently specified in the sdevice file /the list of vectors . . . . . vectorsinuse(ADM)

configuration file sdevice: local device . . . . . device(F)

peripheral driver Sdevregister: register SCSI . . . . . devreg(K)

adapter and/ devreg: Sharegister, Sdevregister: register SCSI host . . . . . devreg(K)

shared data segment sdget, sdfree: attaches and detaches a . . . . . sdget(S)

segment sdfree: detaches a shared data . . . . . sdget(S)

## Permuted Index

segment sdget: attaches a shared data ..... sdget(S)  
 detaches a shared data segment sdget, sdfree: attaches and ..... sdget(S)  
 shared data segment sdgetv: returns version number of ..... sdgetv(S)  
 shared data access sdgetv, sdwaitv: synchronizes ..... sdgetv(S)  
 sdiff: compare files side-by-side ..... sdiff(C)  
 segment sdleave: modify shared data ..... scenter(S)  
 shared data segment scenter, sdleave: synchronizes access to a ..... scenter(S)  
 access sdwaitv: synchronizes shared data ..... sdgetv(S)  
 access sdgetv, sdwaitv: synchronizes shared data ..... sdgetv(S)  
 that initiates a directory search /FileSelectionBox function ..... XmFileSelectionDoSearch(Xm)  
 fgrep: Search a file for a fixed string ..... grep(C)  
 grep: Search a file for a pattern ..... grep(C)  
 patterns egrep: Search a file for one or more ..... grep(C)  
 bsearch: binary search a sorted table ..... bsearch(S)  
 accounting file(s) acctcom: search and print process ..... acctcom(ADM)  
 lsearch, lfind: linear search and update ..... lsearch(S)  
 for device name getdvagname: search device assignment database ..... getdvagname(S)  
 grep, egrep, fgrep: search files for a pattern ..... grep(C)  
 returns database search list XmQGetSearchList: ..... XmGetResource(XS)  
 retrieve database resources and search lists XmGetResource: ..... XmGetResource(XS)  
 lsearch: performs linear search of table ..... lsearch(S)  
 XFreeFontPath: frees font search path ..... XSetFontPath(XS)  
 XGetFontPath: gets font search path ..... XSetFontPath(XS)  
 set, get, or free the font search path XSetFontPath: ..... XSetFontPath(XS)  
 hdestroy: destroys the search table ..... hsearch(S)  
 hcreate, hdestroy: manage hash search tables hsearch, ..... hsearch(S)  
 deletes a node from a binary search tree tdelete: ..... tsearch(S)  
 tsearch: builds and accesses search tree ..... tsearch(S)  
 twalk: traverses a binary search tree ..... tsearch(S)  
 tdelete, twalk: manage binary search trees tsearch, tfind, ..... tsearch(S)  
 ldread: begins its search with the line number ..... ldread(S)  
 /name associated with secondary authorization ..... subsystems(S)  
 Protected/ secondary\_auth: checks secondary authorization against ..... subsystems(S)  
 number of recognized primary and secondary authorizations /the ..... subsystems(S)  
 function that provides access to secondary widget resource data /a ..... XmGetSecondaryResourceData(Xm)  
 authorization against Protected/ secondary\_auth: checks secondary ..... subsystems(S)  
 time zone altzone: difference in seconds between GMT and alternate ..... ctime(S)  
 zone timezone: difference in seconds between GMT and main time ..... ctime(S)  
 entries of section specified by sectindx /seek to line number ..... ldseek(S)  
 seeks to the section specified by sectindx ldsseek: ..... ldseek(S)  
 reads section header specified by sectindx into memory ldshread: ..... ldshread(S)  
 entries of section specified by sectname /seek to line number ..... ldseek(S)  
 entries of section specified by sectname /seeks relocation ..... ldseek(S)  
 seeks to the section specified by sectname ldnsseek: ..... ldseek(S)  
 reads section header specified by sectname into memory ldshread: ..... ldshread(S)  
 getty initcond: special security actions for init and ..... initcond(ADM)  
 relax: change system security defaults ..... relax(ADM)  
 description subsystem: security subsystem component ..... subsystem(M)  
 sed: invoke the stream editor ..... sed(C)  
 sed: reserved external variable ..... regexp(S)  
 /get\_seed, set\_seed: obtain or set seed for random number generator ..... seed(S)  
 get\_seed: obtain seed for random number generator ..... seed(S)  
 set\_seed: set seed for random number generator ..... seed(S)  
 or set seed for random number/ seed: get\_seed, set\_seed: obtain ..... seed(S)



/nrand48, mrand48, srand48, seed48: generate uniformly/ ..... drand48(S)  
 entry points seed48: invokes initialization ..... drand48(S)  
 of a common/ ldsseek, ldnseek: seek to an indexed/named section ..... ldsseek(S)  
 set for appending pb\_seek: seek to end of paste buffer and ..... tam(S)  
 section specified by/ ldlseek: seek to line number entries of ..... ldlseek(S)  
 section specified by/ ldnseek: seek to line number entries of ..... ldlseek(S)  
 section of a/ ldlseek, ldnseek: seek to line number entries of a ..... ldsseek(S)  
 section of a/ ldrseek, ldnrseek: seek to relocation entries of a ..... ldrseek(S)  
 of a common object/ ldoseek: seek to the optional file header ..... ldoseek(S)  
 common object file ldtbseek: seek to the symbol table of a ..... ldtbseek(S)  
 next readdir operation seekdir: sets the position of the ..... directory(S)  
 /opendir, readdir, rewinddir, seekdir, telldir: directory/ ..... directory(S)  
 section specified by/ ldnrseek: seeks relocation entries of ..... ldrseek(S)  
 section specified by/ ldrseek: seeks relocation entries of ..... ldrseek(S)  
 sectindx ldsseek: seeks to the section specified by ..... ldsseek(S)  
 sectname ldnseek: seeks to the section specified by ..... ldsseek(S)  
 access to a shared data segment /sdleave: synchronizes ..... scenter(S)  
 allocates data in a 286 far segment brkctl: ..... brkctl(S)  
 and detaches a shared data segment sdget, sdfree: attaches ..... sdget(S)  
 read out the content segment by segment /allows applications to ..... XmStringInitContext(Xm)  
 scenter: access shared data segment ..... scenter(S)  
 sdfree: detaches a shared data segment ..... sdget(S)  
 sdget: attaches a shared data segment ..... sdget(S)  
 sdleave: modify shared data segment ..... scenter(S)  
 shmatt: attaches shared memory segment ..... shmop(S)  
 shmatt: detaches shared memory segment ..... shmop(S)  
 to attach to the shared memory segment /tells the server ..... XShm(Xext)  
 to detach from the shared memory segment /tells the server ..... XShm(Xext)  
 version number of shared data segment sdgetv: returns ..... sdgetv(S)  
 to read out the content segment by segment /applications XmStringInitContext(Xm)  
 shmget: get shared memory segment identifier ..... shmget(S)  
 /function that searches for a text segment in the input compound/ ..... XmStringGetLtoR(Xm)  
 string s2 strspn: returns segment length of string s1 from ..... string(S)  
 /fetches the octets in the next segment of a compound string ..... XmStringGetNextSegment(Xm)  
 returns length of initial segment of string s1 strcspn: ..... string(S)  
 brk, sbrk: change data segment space allocation ..... brk(S)  
 record isstart: select an index and locate a ..... isstart(S)  
 /that generates foreground, select, and shadow colors ..... XmGetColors(Xm)  
 XNextEvent: select events by type ..... XNextEvent(XS)  
 sets select: examine I/O descriptor ..... select(S)  
 XSelectInput: select input events ..... XSelectInput(XS)  
 two sorted files comm: select or reject lines common to ..... comm(C)  
 selwakeup: kernel routines/ select: selsuccess, selfailure, ..... select(K)  
 current window wselect: select specified window as ..... tam(S)  
 multiplexing select: synchronous I/O ..... select(S)  
 greek: select terminal filter ..... greek(C)  
 sets the given item's select value set\_item\_value: ..... item(S)  
 item\_value: returns select value of given item ..... item(S)  
 /replaces items in a list without selecting the replacement items ..... XmListReplaceItemsPosUnselected(Xm)  
 /point and click interface for selecting X11 font names ..... xfntsel(X)  
 /convert standard selection ..... XmConvertStandardSelection(Xmu)  
 a wide character encoded primary selection /retrieves the value of ..... XmTextFieldGetSelectionWcs(Xm)  
 a wide character encoded primary selection /retrieves the value of ..... XmTextGetSelectionWcs(Xm)  
 between cut buffer and selection xcutsel: interchange ..... xcutsel(X)

*Permuted Index*

function that clears the primary	selection /a Text	XmTextClearSelection(Xm)
function that clears the primary	selection /a TextField	XmTextFieldClearSelection(Xm)
function that deletes the primary	selection /a TextField	XmTextFieldRemove(Xm)
function that deletes the primary	selection XmTextRemove: a Text	XmTextRemove(Xm)
manipulate window	selection XSetSelectionOwner:	XSetSelectionOwner(XS)
manipulates window	selection XConvertSelection:	XSetSelectionOwner(XS)
manipulates window	selection XGetSelectionOwner:	XSetSelectionOwner(XS)
that inserts the clipboard	selection /a Text function	XmTextPaste(Xm)
that inserts the clipboard	selection /a TextField function	XmTextFieldPaste(Xm)
the position of the primary	selection /function that accesses	XmTextFieldGetSelectionPosition(Xm)
the position of the primary	selection /function that accesses	XmTextGetSelectionPosition(Xm)
the value of the primary	selection /that retrieves	XmTextFieldGetSelection(Xm)
the value of the primary	selection /that retrieves	XmTextGetSelection(Xm)
function that sets the primary	selection of the text /TextField	XmTextFieldSetSelection(Xm)
function that sets the primary	selection of the text /a Text	XmTextSetSelection(Xm)
XtDisownSelection: set	selection owner	XtOwnSelection(Xt)
XtOwnSelection: set	selection owner	XtOwnSelection(Xt)
/set and obtain	selection timeout values	XtAppGetSelectionTimeout(Xt)
XtAppGetSelectionTimeout: obtain	selection timeout values	XtAppGetSelectionTimeout(Xt)
XtAppSetSelectionTimeout: set	selection timeout values	XtAppGetSelectionTimeout(Xt)
/function that copies the clipboard	selection to the clipboard	XmTextFieldCopy(Xm)
function that copies the primary	selection to the clipboard /Text	XmTextCopy(Xm)
/function that copies the primary	selection to the clipboard and/	XmTextCut(Xm)
/function that copies the primary	selection to the clipboard and/	XmTextFieldCut(Xm)
XtGetSelectionValue: obtain	selection value	XtGetSelectionValue(Xt)
XtGetSelectionValue: obtain	selection values	XtGetSelectionValue(Xt)
XtGetSelectionValues: obtain	selection values	XtGetSelectionValue(Xt)
used/ XmSelectionBoxGetChild: a	SelectionBox function that is	XmSelectionBoxGetChild(Xm)
XmCreatePromptDialog: the	SelectionBox PromptDialog/	XmCreatePromptDialog(Xm)
XmCreateSelectionDialog: the	SelectionBox SelectionDialog/	XmCreateSelectionDialog(Xm)
XmSelectionBox: the	SelectionBox widget class	XmSelectionBox(Xm)
XmCreateSelectionBox: the	SelectionBox widget creation/	XmCreateSelectionBox(Xm)
XSelectionClearEvent:	SelectionClear event structure	XSelectionClearEvent(XS)
creation/ /the SelectionBox	SelectionDialog convenience	XmCreateSelectionDialog(Xm)
XSelectionEvent:	SelectionNotify event structure	XSelectionEvent(XS)
XSelectionRequestEvent:	SelectionRequest event structure	XSelectionRequestEvent(XS)
kernel routines supporting	select(S) /selfailure, selwakeup:	select(K)
selwakeup: support	select(S) - awaken process	select(K)
selfailure: support	select(S) - process should block	select(K)
block selwakeup: support	select(S) - process should not	select(K)
position in/ /a List function that	selects an item at a specified	XmListSelectPos(Xm)
/a List function that	selects an item in the list	XmListSelectItem(Xm)
routines/ select: selwakeup: kernel	selfailure, selwakeup: kernel	select(K)
process should block	selfailure: support select(S) -	select(K)
selwakeup: kernel/ select:	selwakeup: kernel routines/	select(K)
process should not block	selwakeup: support select(S) -	select(K)
select: selwakeup: kernel routines,	selwakeup: support select(S) -	select(K)
awaken process	sem: controls structures for	sem(FP)
UNIX System V semaphores	semaphore creatsem:	creatsem(S)
creates an instance of a binary	semaphore	opensem(S)
opensem: opens a	semaphore sigsem:	sigsem(S)
signals a process waiting on a	semaphore control operations	semctl(PCl)
semctl:	semaphore control operations	semctl(S)

semop: semaphore operations ..... semop(PCI)  
 semop: semaphore operations ..... semop(S)  
 ipcrm: remove a message queue, semaphore set or shared memory ID ipcrm(ADM)  
 /awaits and checks access to a semaphore-governed resource ..... waitsem(S)  
 nbwaitsem: waits for access to a semaphore-governed resource ..... waitsem(S)  
 waitsem: gives access to a semaphore-governed resource ..... waitsem(S)  
 semget: get set of semaphores ..... semget(PCI)  
 semget: get set of semaphores ..... semget(S)  
 structures for UNIX System V semaphores sem: controls ..... sem(FP)  
 to message queues and semaphores Intro: introduction ... Intro(PCI)  
 operations semctl: semaphore control ..... semctl(PCI)  
 operations semctl: semaphore control ..... semctl(S)  
 semget: get set of semaphores ..... semget(PCI)  
 semget: get set of semaphores ..... semget(S)  
 fsphoto: perform periodic semi-automated system backups ... fsphoto(ADM)  
 semop: semaphore operations ..... semop(PCI)  
 semop: semaphore operations ..... semop(S)  
 t\_sndudata: send a data unit ..... t\_sndudata(S)  
 putmsg: send a message on a stream ..... putmsg(S)  
 reverse direction qreply: send a message on a stream in the ... qreply(K)  
 socket send: send a message to a connected ... send(SSC)  
 send, sendto: send a message to a socket ..... send(SSC)  
 sendto: send a message to a socket ..... send(SSC)  
 hello: send a message to another user ..... hello(C)  
 signal: send a signal to a process group ... signal(K)  
 group of processes kill: send a signal to a process or a ... kill(S)  
 operating system process/ ukill: send a signal to a UNIX ..... ukill(PCI)  
 a connection t\_snd: send data or expedited data over ... t\_snd(S)  
 history structure XSendEvent: send events and pointer motion ... XSendEvent(XS)  
 uuto: Send files via UUCP ..... uuto(C)  
 svc\_sendreply: send replies to an RPC ..... rpc(NS)  
 lpr: send request to lineprinter ..... lp(C)  
 lp, lpr: send requests to lineprinter ..... lp(C)  
 printer rlpCmd: send requests to remote line ..... rlpCmd(C)  
 connected socket send: send a message to a ..... send(SSC)  
 socket send, sendto: send a message to a ... send(SSC)  
 psignal: send signal to a process ..... psignal(K)  
 killpg: send signal to a process group ..... killpg(SLIB)  
 program raise: send signal to the execution ..... raise(S)  
 request t\_snddis: send user-initiated disconnect ..... t\_snddis(S)  
 mail cleanque: send warnings and return expired ... cleanque(ADM)  
 rcvtrip: notify mail sender that recipient is away ..... rcvtrip(C)  
 msgsnd: message sending ..... msgsnd(PCI)  
 msgsnd: sends a message ..... msgop(S)  
 res\_send: sends a query to name server ..... resolver(SLIB)  
 mail/ scomail: an accessory that sends and receives electronic ..... scomail(X)  
 information for a/ mm\_winit: sends MMDf initialization ..... mmdf(S)  
 socket sendto: send a message to a ..... send(SSC)  
 socket send, sendto: send a message to a ..... send(SSC)  
 /set and check a widget's sensitivity state ..... XtSetSensitive(Xt)  
 XtIsSensitive: check a widget's sensitivity state ..... XtSetSensitive(Xt)  
 XtSetSensitive: set a widget's sensitivity state ..... XtSetSensitive(Xt)  
 receive data or expedited data sent over a connection t\_rcv: ..... t\_rcv(S)  
 mesg: permit or deny messages sent to a terminal ..... mesg(C)

## Permuted Index

New: creates a new layer with a separate shell ..... libwindows(S)  
 creates a new layer without a separate shell Newlayer: ..... libwindows(S)  
     logic insertmsg: ..... insertmsg(CP)  
     the widget ID of the first Separator widget /that returns .... XmMainWindowSep1(Xm)  
     the widget ID of the second Separator widget /that returns .... XmMainWindowSep2(Xm)  
     the widget ID of the third Separator widget /that returns .... XmMainWindowSep3(Xm)  
     XmSeparator: the Separator widget class ..... XmSeparator(Xm)  
 function XmCreateSeparator: the Separator widget creation ..... XmCreateSeparator(Xm)  
     XmCreateSeparatorGadget: the SeparatorGadget creation function ..... XmCreateSeparatorGadget(Xm)  
     XmSeparatorGadget: the SeparatorGadget widget class ..... XmSeparatorGadget(Xm)  
     /that returns the number of separators plus one in the/ ..... XmStringLineCount(Xm)  
 /returns the width of the longest sequence of text components in a/ ..... XmStringWidth(Xm)  
 kccodemap: return 7-bit escape sequence that maps onto 8-bit/ ..... tam(S)  
 between user and function key sequences /differentiates ..... curses(S)  
 between user and function key sequences /differentiates ..... terminfo(S)  
     addkey: adds additional sequences to the keymode tree ..... curses(S)  
     addkey: adds additional sequences to the keymode tree ..... terminfo(S)  
 attached to the printer port of a serial console /a serial printer ..... consoleprint(ADM)  
     utility utmp\_getty: serial multiscreens support ..... undocumented(M)  
         mscreen: serial multiscreens utility ..... mscreen(M)  
         getserno: outputs the serial number ..... getserno(C)  
         processed request /extracts serial number of last known ..... AllPlanes(XS)  
         NextRequest: extracts full serial number to be used for next/ ..... AllPlanes(XS)  
         , tty2[A-H]: interface to serial ports /, tty2[a-h] ..... serial(HW)  
 printer port of / /or any file to a serial printer attached to the ..... consoleprint(ADM)  
     ttopen: open a serial routine ..... tty(K)  
     tty2[a-h], tty2[A-H]: interface/ serial: tty1[a-h], tty1[A-H], ..... serial(HW)  
     ldlitem: retrieves a series of line number entries ..... ldlread(S)  
 XCloseDisplay: disconnects from X server ..... XOpenDisplay(XS)  
     XGrabServer: grab the server ..... XGrabServer(XS)  
     XUngrabServer: releases server ..... XGrabServer(XS)  
     Xsco: X Window System server ..... Xsco(X)  
     connect or disconnect to X server XOpenDisplay: ..... XOpenDisplay(XS)  
     display font list for X font server fslsfonts: ..... fslsfonts(X)  
     fs: X font server ..... fs(X)  
     list interned atoms defined on server xlsatoms: ..... xlsatoms(X)  
     or screen-switching from the X server /the modifier key ..... xswkey(X)  
     protocol revision number of X server /returns minor ..... AllPlanes(XS)  
     related to vendor's release of X server /returns number ..... AllPlanes(XS)  
     res\_send: sends a query to name server ..... resolver(SLIB)  
     showfont: font dumper for X font server ..... showfont(X)  
     unbind from a specific NIS server yp\_unbind: ..... ypclnt(NS)  
     yp\_bind: bind to a NIS server ..... ypclnt(NS)  
     X xhost: server access control program for .. xhost(X)  
     startx: start the X server and default clients ..... startx(X)  
     xlsfonts: server font list displayer for X ..... xlsfonts(X)  
 XShmQueryExtension: checks the server for shared memory/ ..... XShm(Xext)  
     fsinfo: font server information utility ..... fsinfo(X)  
 console multiscreens running Xsco server or /from ..... switchkey(X)  
     XShmPixmapFormat: gets the server pixmap data format ..... XShm(Xext)  
         nssend: name server request structure ..... nssend(FP)  
         xrdp: X server resource database utility ..... xrdp(X)  
     XResourceManagerString: obtain server resource properties ..... XResourceManagerString(XS)  
     memory/ XShmAttach: tells the server to attach to the shared ..... XShm(Xext)

memory/ XShmDetach: tells the server to detach from the shared ... XShm(Xext)  
 X xlswins: server window list displayer for ... xlswins(X)  
 null-terminated string ServerVendor: returns pointer to ... AllPlanes(XS)  
 driver error/ messages: system service, kernel, and device ... messages(M)  
 error/ Intro: introduce system services, library routines, and ... Intro(S)  
 and disable auditing for the next session chg\_audit: enable ... chg\_audit(ADM)  
 audit\_close: close an audit data session ... audit(S)  
 audit\_open: open an audit data session ... audit(S)  
 setsid: create session and set process ID ... setsid(S)  
 audit\_read: open and access audit session data records /audit\_open, ... audit(S)  
 audit\_read: read an audit data session record ... audit(S)  
 path XSetFontPath: set, get, or free the font search ... XSetFontPath(XS)  
 XAllocStandardColormap: allocate, set, or read a standard colormap/ ... XAllocStandardColormap(XS)  
 perviously invoked /verify that set\_auth\_parameters has been ... identity(S)  
 for future lookup set\_auth\_parameters: retain IDs ... identity(S)  
 to a stream setbuf: assign buffer to a stream ... setbuf(S)  
 setbuf, setvbuf: assign buffering ... setvbuf(S)  
 setclk: unsupported utility ... undocumented(M)  
 real-time (time of day) clock setclock: set the system ... setclock(ADM)  
 other attributes setcolor: Set screen colors and ... setcolor(C)  
 color and other screen/ setcolor, setcolour: set screen ... setcolor(C)  
 other screen/ setcolor, setcolour: set screen color and ... setcolor(C)  
 other attributes setcolour: Set screen colours and ... setcolor(C)  
 field of form to field set\_current\_field: sets current ... form(S)  
 to current menu item set with set\_current\_item /returns pointer ... menu(S)  
 current menu item to current/ set\_current\_item: sets the ... menu(S)  
 cur\_term to nterm set\_curterm: sets variable ... curterm(S)  
 cur\_term to nterm set\_curterm: sets variable ... terminfo(S)  
 current domain getdomainname, setdomainname: get/set name of ... getdomainname(NS)  
 current domain setdomainname: set name of ... getdomainname(NS)  
 getdvagent, getdvagnam, setdvagent, enddvagent, / ... getdvagent(S)  
 assignment database back to/ setdvagent: sets device ... getdvagent(S)  
 setegid: set group ID ... setegid(SLIB)  
 seteuid, setegid: set user and group ID ... seteuid(SLIB)  
 u.u\_error seterror: set error code in ... seterror(K)  
 seteuid: set user ID ... seteuid(SLIB)  
 group ID seteuid, setegid: set user and ... seteuid(SLIB)  
 background attribute of field set\_field\_back: sets the ... field(S)  
 of field to value set\_field\_buffer: sets buffer buf ... field(S)  
 foreground attribute of field set\_field\_fore: sets the ... field(S)  
 application-defined func called/ set\_field\_init: sets ... form(S)  
 justification for given field set\_field\_just: sets ... field(S)  
 options of field set\_field\_opts: turns on named ... field(S)  
 character for field set\_field\_pad: sets the pad ... field(S)  
 status flag to status set\_field\_status: sets the field ... field(S)  
 called when the form is unposted set\_field\_term: sets func to be ... form(S)  
 field type with field set\_field\_type: associates given ... field(S)  
 additional arguments to field/ set\_fieldtype\_arg: connects ... fieldtype(S)  
 between next or previous field/ set\_fieldtype\_choice: chooses ... fieldtype(S)  
 field's user pointer set\_field\_userptr: sets the ... field(S)  
 fields connected to form to/ set\_form\_fields: changes the ... form(S)  
 initialization func when form is/ set\_form\_init: calls ... form(S)  
 options for the form set\_form\_opts: turns on named ... form(S)  
 number of form to page set\_form\_page: sets the page ... form(S)

## Permuted Index

form subwindow of form set\_form\_sub: sets window as the . . . form(S)  
 form is unposted set\_form\_term: calls func when . . . form(S)  
 user pointer set\_form\_userptr: sets the form's . . . form(S)  
 form window of form set\_form\_win: sets window as the . . . form(S)  
 setgid: set group IDs . . . . . setuid(S)  
 setuid: set user and groupIDs . . . . . setuid(S)  
 getgrent, getgrgid, getgrnam, setgrent, endgrent, fgetgrent: / . . . . . getgrent(S)  
 to allow repeated searches setgrent: rewinds the group file . . . . . getgrent(S)  
 group ID's setgroups: set supplementary . . . . . setgroups(S)  
 current host gethostname, sethostname: get/set name of . . . . . gethostname(SLIB)  
 host sethostname: set name of current . . . . . gethostname(SLIB)  
 when menu is posted set\_item\_init: calls function f . . . . . menu(S)  
 option(s) for the item set\_item\_opts: turns on the named . . . . . item(S)  
 when menu is unposted set\_item\_term: calls function f . . . . . menu(S)  
 user pointer set\_item\_userptr: sets item's . . . . . item(S)  
 item's select value set\_item\_value: sets the given . . . . . item(S)  
 interval timers getitimer, setitimer: get and set value of . . . . . getitimer(S)  
 interval timer setitimer: sets the specified . . . . . setitimer(S)  
 setjmp, longjmp: non-local goto . . . . . setjmp(S)  
 setjmp: saves stack environment . . . . . setjmp(S)  
 setkey: assign the function keys . . . . . setkey(C)  
 setkey: creates encryption key . . . . . crypt(S)  
 international environment setlocale: set or read . . . . . setlocale(S)  
 mask setlogmask: set log file priority . . . . . syslog(SLIB)  
 system log syslog, openlog, setlogmask, vsyslog: control . . . . . syslog(SLIB)  
 setluid: set login user ID . . . . . setluid(S)  
 background attribute set\_menu\_back: sets the menu's . . . . . menu(S)  
 foreground attribute set\_menu\_fore: sets the menu's . . . . . menu(S)  
 number displayed menu rows and/ set\_menu\_format: sets maximum . . . . . menu(S)  
 grey attribute set\_menu\_grey: sets the menu's . . . . . menu(S)  
 when menu is posted set\_menu\_init: calls function f . . . . . menu(S)  
 pointer array to item pointer/ set\_menu\_items: changes menu item . . . . . menu(S)  
 mark string to n set\_menu\_mark: sets the menu's . . . . . menu(S)  
 options for menu set\_menu\_opts: turns on named . . . . . menu(S)  
 character for menu m to c set\_menu\_pad: sets the pad . . . . . menu(S)  
 pattern buffer to given pattern set\_menu\_pattern: sets the menu . . . . . menu(S)  
 subwindow of menu m set\_menu\_sub: sets window w as . . . . . menu(S)  
 when menu is unposted set\_menu\_term: calls function f . . . . . menu(S)  
 user pointer set\_menu\_userptr: sets the menu's . . . . . menu(S)  
 window of menu m set\_menu\_win: sets window w as . . . . . menu(S)  
 table setmnt: establish /etc/mnttab . . . . . setmnt(ADM)  
 /getnetbyaddr, getnetbyname, setnetent: get network entry . . . . . getnetent(SLIB)  
 setnetent: set network entry . . . . . getnetent(SLIB)  
 begin a new page of form set\_new\_page: marks field to . . . . . form(S)  
 panel's user pointer set\_panel\_userptr: sets the . . . . . panel(S)  
 job control setpgid: set process group ID for . . . . . setpgid(S)  
 setpgrp: set process group ID . . . . . setpgrp(S)  
 getprdfent, getprdfnam, setprdfent, endprdfent, / . . . . . getprdfent(S)  
 control file to allow repeated/ setprdfent: rewinds default . . . . . getprdfent(S)  
 getprfient, getprfinam, setprfient, endprfient, / . . . . . getprfient(S)  
 file to allow repeated searches setprfient: rewinds file control . . . . . getprfient(S)  
 for this process setpriv: set system privileges . . . . . setpriv(S)  
 /getprotobyaddr, getprotobyname, setprotoent: get protocol entry . . . . . getprotoent(SLIB)  
 setprotoent: set protocol entry . . . . . getprotoent(SLIB)

/getprpwuid, getprpwnam, setprpwent, endprpwent,/ ..... getprpwent(S)  
 password files to allow repeated/ setprpwent: rewinds protected .... getprpwent(S)  
 getprtcent, getprtcnam, setprtcent, endprtcent,/ ..... getprtcent(S)  
 control file to allow repeated/ setprtcent: rewinds terminal ..... getprtcent(S)  
 getpwent, getpwuid, getpwnam, setpwent, endpwent, fgetpwent:/ . getpwent(S)  
 to allow repeated searches setpwent: rewinds password file . getpwent(S)  
 group IDs setregid: set real and effective .... setregid(SSC)  
 user IDs setreuid: set real and effective .... setreuid(SSC)  
 setrprcent: rewind the rpc file ..... getrprcent(NS)  
 scrolling region in a window setsrreg: sets a software ..... curses(S)  
 scrolling region in a window setsrreg: sets a software ..... terminfo(S)  
 random number/ seed: get\_seed, set\_seed: obtain or set seed for .... seed(S)  
 number generator set\_seed: set seed for random ..... seed(S)  
 /getservbyname, getservbyport, setservent: get service entry ..... getservent(SLIB)  
 process ID setservent: set service entry ..... getservent(SLIB)  
 on sockets getsockopt, setsid: create session and set ..... setsid(S)  
 sockets setsockopt: get and set options .... setsockopt(SSC)  
 setsockopt: set options on ..... setsockopt(SSC)  
 lckpwwdf,/ getspent, getsprnam, setspent, endspent, fgetspent, .... getspent(S)  
 file to allow repeated searches setspent: rewind shadow password getspent(S)  
 cursor to y, x setsyx: sets virtual screen ..... curses(S)  
 cursor to y, x setsyx: sets virtual screen ..... terminfo(S)  
 set\_term: replaced by setupterm ... curses(S)  
 set\_term: replaced by setupterm ... terminfo(S)  
 setterm: replaced by setupterm ... curses(S)  
 modification dates of files settime: change the access and .... settime(ADM)  
 time gettimeofday, settimeofday: get/set date and .... gettimeofday(SSC)  
 settimeofday: set date and time .... gettimeofday(SSC)  
 xsetroot: root window parameter setting utility for X ..... xsetroot(X)  
 manipulate pointer settings XSetPointerMapping: .... XSetPointerMapping(XS)  
 restores soft labels to default settings slk\_restore: ..... curses(S)  
 restores soft labels to default settings slk\_restore: ..... terminfo(S)  
 scancode terminal mode and tty settings sc\_exit: restores ..... sc\_init(S)  
 structure /manipulate keyboard settings and keyboard control .... XChangeKeyboardControl(XS)  
 /to set TERMCAP and terminal settings to current window size ... resize(X)  
 gettydefs: speed and terminal settings used by getty ..... gettydefs(F)  
 named row set\_top\_row: sets top of menu to . menu(S)  
 "shell" state set\_tty: restores terminal to ..... curses(S)  
 "shell" state set\_tty: restores terminal to ..... terminfo(S)  
 setuid: set user IDs ..... setuid(S)  
 groupIDs setuid, setgid: set user and ..... setuid(S)  
 set\_term: replaced by setupterm ..... curses(S)  
 set\_term: replaced by setupterm ..... terminfo(S)  
 setterm: replaced by setupterm ..... curses(S)  
 database setupterm: reads in terminfo(F) .... curses(S)  
 database setupterm: reads in terminfo(F) .... terminfo(S)  
 /getutid, getutline, pututline, setutent: resets input stream ..... getut(S)  
 stream has been opened setutent, utmpname: access utmp/ getut(S)  
 stream setbuf, setvbuf: assign buffer after a ..... setbuf(S)  
 setvbuf: assign buffering to a ..... setbuf(S)  
 sfmt: perform special formatting . sfmt(ADM)  
 sfsys: local filesystem type file ..... sfsys(FP)  
 sg: set groups ..... sg(C)  
 sgetl: access long integer data ..... sputl(S)

in a machine-independent/ sputl,

## Permuted Index

from memory	sgetl: gets long integer data	.....	sputl(S)
interpreter	sh: invoke the shell command	.....	sh(C)
generates foreground, select, and	shadow colors /a function that	.....	XmGetColors(Xm)
links to another/	shadow directory of symbolic	.....	Indir(XS)
Indir: create a	shadow password entry	.....	getspent(S)
getspent: get	shadow password entry	.....	getspent(S)
getsprnm: get matching login name	shadow password file /pwunconv:	pwconv(ADM)	
install and update or remove the	shadow password file	.....	getspent(S)
lckpwdf: lock the	shadow password file	.....	pwconv(ADM)
pwunconv: remove the	shadow password file	.....	shadow(F)
shadow:	shadow password file	.....	getspent(S)
ulckpwdf: unlock the	shadow password file entry	.....	getspent(S)
/fgetspent, lckpwdf, ulckpwdf: get	shadow password file entry	.....	putspent(S)
putspent: write	shadow password file to allow	.....	getspent(S)
repeated/	shadow password file when	.....	getspent(S)
setspent: rewind	shadow: shadow password file	.....	shadow(F)
processing is/	endspent: closes		
/X nonrectangular	shape function	.....	XShape(Xext)
XShape: X nonrectangular	shape functions	.....	XShape(Xext)
/convert string to integer	shape style	.....	XmuCvtStringToShapeStyle(Xmu)
XtGetGC: obtain and destroy a	sharable GC	.....	XtGetGC(Xt)
XtGetGC: obtain	sharable GC	.....	XtGetGC(Xt)
XtReleaseGC: destroy a	sharable GC	.....	XtGetGC(Xt)
fields	XtAllocateGC: obtain	.....	XtAllocateGC(Xt)
sdgetv, sdwaitv: synchronizes	shared data access	.....	sdgetv(S)
sdwaitv: synchronizes	shared data access	.....	sdgetv(S)
sdenter: access	shared data segment	.....	sdenter(S)
sdfree: attaches and detaches a	shared data segment sdget,	.....	sdget(S)
sdfree: detaches a	shared data segment	.....	sdget(S)
sdget: attaches a	shared data segment	.....	sdget(S)
sdgetv: returns version number of	shared data segment	.....	sdgetv(S)
sdleave: modify	shared data segment	.....	sdenter(S)
sdleave: synchronizes access to a	shared data segment sdenter,	.....	sdenter(S)
chkshlib: compare	shared libraries tool	.....	chkshlib(CP)
mkshlib: create a	shared library	.....	mkshlib(CP)
shmctl: shared memory control operations	.....	shmctl(S)	
/checks the server for	shared memory extensions	.....	XShm(Xext)
XShm: shared memory extensions	.....	XShm(Xext)	
a message queue, semaphore set or	shared memory ID ipcrm: remove	.....	ipcrm(ADM)
shmop: shmact, shmact:	shared memory operations	.....	shmop(S)
XShmCreatePixmap: creates a	shared memory pixmap	.....	XShm(Xext)
/tells the server to attach to the	shared memory segment	.....	XShm(Xext)
shmact: attaches	shared memory segment	.....	shmop(S)
shmact: detaches	shared memory segment	.....	shmop(S)
the server to detach from the	shared memory segment /tells	.....	XShm(Xext)
shmget: get	shared memory segment identifier	.....	shmget(S)
shm: IPC	shared memory structures	.....	shm(FP)
/reads image data into a	shared memory XImage	.....	XShm(Xext)
XShmCreateImage: creates a	shared memory XImage	.....	XShm(Xext)
drawable	shared memory XImage into an X	.....	XShm(Xext)
XShmPutImage: writes a	Sharegister: register SCSI host	.....	devreg(K)
adapter	Sharegister, Sdevregister:	.....	devreg(K)
register SCSI host/	devreg:	.....	libwindows(S)
a new layer with a separate	shell New: creates	.....	libwindows(S)
a new layer without a separate	shell Newlayer: creates	.....	libwindows(S)
create a pop-up	shell XtCreatePopupShell:	.....	XtCreatePopupShell(Xt)



ksh: invoke the Korn shell ..... ksh(C)  
 rksh: invoke a restricted Korn shell ..... ksh(C)  
 command and/ ksh, rksh: Korn shell, a standard/restricted ..... ksh(C)  
 system: issue a shell command ..... system(S)  
 rsh: invoke a restricted shell (command interpreter) ..... rsh(C)  
 sh: invoke the shell command interpreter ..... sh(C)  
 C-like syntax csh: invoke a shell command interpreter with ... csh(C)  
 telldt3: Desktop to UNIX shell communications utility ..... telldt3(X)  
 shl: shell layer manager ..... shl(C)  
 change login, or modem (dialup shell) password passwd: ..... passwd(C)  
 parse positional parameters in shell procedures getopt: ..... getopt(C)  
 /shutacct, startup, turnacct: shell procedures for accounting ... acctsh(ADM)  
 xinstall: XENIX installation shell script ..... xinstall(ADM)  
 instead of/ getoptcv: convert shell scripts to use getopt ..... getopt(C)  
 /restores terminal to "shell" state ..... curses(S)  
 /restores terminal to "shell" state ..... terminfo(S)  
 set\_tty: restores terminal to "shell" state ..... curses(S)  
 set\_tty: restores terminal to "shell" state ..... terminfo(S)  
 Shell: the Shell widget class ..... Shell(Xm)  
 Shell widget class ..... Shell(Xm)  
 scosh: menu-driven SCO Shell with calendar, mail, and/ ... scosh(C)  
 shl: shell layer manager ..... shl(C)  
 shm: IPC shared memory structures shm(FP)  
 segment shmat: attaches shared memory ... shmop(S)  
 operations shmop: shmat, shmdt: shared memory ... shmop(S)  
 operations shmctl: shared memory control ... shmctl(S)  
 segment shmdt: detaches shared memory .. shmop(S)  
 shmop: shmat, shmdt: shared memory operations . shmop(S)  
 identifier shmget: get shared memory segment shmget(S)  
 memory operations shmop: shmat, shmdt: shared ..... shmop(S)  
 convert unaligned ISAM aligned short stint: ..... isconv(S)  
 ldint: convert ISAM integer to short ..... isconv(S)  
 scsi\_s2tos: convert 2 bytes to a short ..... scsi(K)  
 xdr\_short: XDR a C short ..... xdr(NS)  
 xdr\_u\_short: XDR a C unsigned short ..... xdr(NS)  
 values from host to network short byte order htons: convert ... byteorder(SLIB)  
 values from network to host short byte order ntohs: convert ... byteorder(SLIB)  
 nap: suspends execution for a short interval ..... nap(S)  
 bigcrypt: encrypt a short or long password ..... getpasswd(S)  
 xeyes: watch over your shoulder ..... xeyes(X)  
 server showfont: font dumper for X font ... showfont(X)  
 visible and puts on top of the/ show\_panel: makes hidden panel .. panel(S)  
 showrgb: color database previewer showrgb(X)  
 xshowcmap: shows colormap ..... xshowcmap(X)  
 new page of form new\_page: shows whether given field starts ... form(S)  
 file showsnf: print contents of an SNF .. showsnf(X)  
 connection shutdown: shut down part of a full-duplex ... shutdown(SSC)  
 haltsys: shut down the system ..... haltsys(ADM)  
 reboot: close out filesystems and shut down the system haltsys, ... haltsys(ADM)  
 reboot: shut down the system and reboot .. haltsys(ADM)  
 shell/ /prdaily, prtacct, runacct, shutacct, startup, turnacct: ..... acctsh(ADM)  
 halts the CPU shutdown: flushes block I/O and ..... shutdown(S)  
 full-duplex connection shutdown: shut down part of a ..... shutdown(SSC)  
 processing shutdown: terminate all ..... shutdown(ADM)

## Permuted Index

sdiff: compare files side-by-side ..... sdiff(C)  
     hs: High Sierra/ISO-9660 CD-ROM filesystem hs(F)  
 signal action sigaction: change and/or examine . sigaction(S)  
     existing signal set sigaddset: add a signal to the ..... sigset(S)  
     the existing signal set sigdelset: remove a signal from ..... sigset(S)  
 signal set to include no signals sigemptyset: initialize the ..... sigset(S)  
     set to include all signals sigfillset: initialize the signal ..... sigset(S)  
     released or discarded sighold: holds a signal until ..... sigsetv(S)  
     sigpause: signal / sigset, sighold, sigelse, sigignore, ..... sigsetv(S)  
     sets the action for signal to SIG\_IGN sigignore: ..... sigsetv(S)  
     signal to SIG\_IGN sigignore: sets the action for ..... sigsetv(S)  
     sigset, sighold, sigelse, sigignore, sigpause: signal / ..... sigsetv(S)  
     in the existing signal set sigismember: test if a signal is ..... sigset(S)  
     sigsetjmp, siglongjmp: non-local jumps ..... sigsetjmp(S)  
     environment siglongjmp: restores last saved .... sigsetjmp(S)  
     or lgamma siggam: sign of value returned by gamma . gamma(S)  
     pause: suspend process until signal ..... pause(S)  
     process until it receives a signal /suspends the calling ..... sigsetv(S)  
     sigelse: release a held signal ..... sigsetv(S)  
 sigaction: change and/or examine signal action ..... sigaction(S)  
     signal: set a signal action ..... sigsetv(S)  
     sigset: specifies signal action to be taken ..... sigsetv(S)  
     set sigdelset: remove a signal from the existing signal ..... sigset(S)  
     gsignal: raises signal identified by its argument . ssignal(S)  
     iodone: signal I/O completion ..... iodone(K)  
     set sigismember: test if a signal is in the existing signal ..... sigset(S)  
     /sigelse, sigignore, sigpause: signal management routines ..... sigsetv(S)  
     process group signal: send a signal to a ..... signal(K)  
     add a signal to the existing signal set sigaddset: ..... sigset(S)  
     if a signal is in the existing signal set sigismember: test ..... sigset(S)  
     remove a signal from the existing signal set sigdelset: ..... sigset(S)  
     signal: set a signal action ..... signal(S)  
     sigfillset: initialize the signal set to include all signals .... sigset(S)  
     sigemptyset: initialize the signal set to include no signals .... sigset(S)  
     sigset: manipulate signal sets ..... sigset(S)  
     beep: used to signal the terminal user ..... curses(S)  
     beep: used to signal the terminal user ..... tam(S)  
     beep: used to signal the terminal user ..... terminfo(S)  
     flash: used to signal the terminal user ..... curses(S)  
     flash: used to signal the terminal user ..... tam(S)  
     flash: used to signal the terminal user ..... terminfo(S)  
     psignal: send signal to a process ..... psignal(K)  
     killpg: send signal to a process group ..... killpg(SLIB)  
     signal: send a signal to a process group ..... signal(K)  
     processes kill: send a signal to a process or a group of ... kill(S)  
     system process or / ukill: send a signal to a UNIX operating ..... ukill(PCI)  
     sigignore: sets the action for signal to SIG\_IGN ..... sigsetv(S)  
     raise: send signal to the execution program ... raise(S)  
     sigaddset: add a signal to the existing signal set .... sigset(S)  
     returns action established by signal type ssignal: ..... ssignal(S)  
     discarded sighold: holds a signal until released or ..... sigsetv(S)  
     block all keyboard signals enter\_quiet\_zone: ..... dblock(S)  
     change and/or examine blocked signals sigprocmask: ..... sigprocmask(S)  
     exit\_quiet\_zone: unblock keyboard signals ..... dblock(S)

sigpending: examine pending signals ..... sigpending(S)  
 sigsuspend: wait for signal(s) ..... sigsuspend(S)  
 ssignal, gsignal: software signals ..... ssignal(S)  
 the signal set to include all signals sigfillset: initialize ..... sigset(S)  
 the signal set to include no signals sigemptyset: initialize ..... sigset(S)  
 semaphore sigsem: signals a process waiting on a ..... sigsem(S)  
 mm\_wtend: signals end of MMDf message text ..... mmdf(S)  
 ml\_end: signals end of text submission ..... ml\_send(S)  
 submission ml\_tinit: signals start of message text ..... ml\_send(S)  
 specification ml\_aend: signals the end of address ..... ml\_send(S)  
 modf: returns the signed fractional part of value ..... frexp(S)  
 rand48: returns signed long integers ..... drand48(S)  
 mrand48: returns signed long integers ..... drand48(S)  
 by gamma or lgamma signgam: sign of value returned ..... gamma(S)  
 leftmost bit least or most significant bit in unit /whether .... limageByteOrder(XS)  
 /sighold, sigrelse, sigignore, sigpause: signal management/ ..... sigsetv(S)  
 process until it receives a / sigpause: suspends the calling ..... sigsetv(S)  
 signals sigpending: examine pending ..... sigpending(S)  
 examine blocked signals sigprocmask: change and/or ..... sigprocmask(S)  
 sigrelse: release a held signal ..... sigsetv(S)  
 signal/ sigset, sighold, sigrelse, sigignore, sigpause: ..... sigsetv(S)  
 on a semaphore sigsem: signals a process waiting ..... sigsem(S)  
 sigset: manipulate signal sets ..... sigset(S)  
 sigignore, sigpause: signal/ sigset, sighold, sigrelse, ..... sigsetv(S)  
 to be taken sigset: specifies signal action ..... sigsetv(S)  
 environment sigsetjmp: saves stack ..... sigsetjmp(S)  
 jumps sigsetjmp, siglongjmp: non-local ... sigsetjmp(S)  
 sigsuspend: wait for signal(s) ..... sigsuspend(S)  
 ml\_send: Simple mail submission (ml\_) ..... ml\_send(S)  
 rand, srand: simple random-number generator ..... rand(S)  
 rand: simple random-number generator ..... rand(S)  
 sin: return sine of x ..... trig(S)  
 /acos, asin, atan, atan2, cos, sin, tan: trigonometric functions ... trig(S)  
 sinh: returns hyperbolic sine of argument ..... sinh(S)  
 asin: return arc sine of x ..... trig(S)  
 sin: return sine of x ..... trig(S)  
 sulogin: access single-user mode ..... sulogin(ADM)  
 /trusted computing base checker, single-user mode tcb check/ ..... tcbck(ADM)  
 functions sinh, cosh, tanh: hyperbolic ..... sinh(S)  
 argument sinh: returns hyperbolic sine of ..... sinh(S)  
 null: data sink or empty source ..... null(F)  
 block special file S\_ISBLK: determines if file is a ..... stat(S)  
 character special file S\_ISCHR: determines if file is a ..... stat(S)  
 directory S\_ISDIR: determines if file is a ..... stat(S)  
 first-in, first-out (FIFO) S\_ISFIFO: determines if file is a ..... stat(S)  
 special named file S\_ISNAM: determines if file is a ..... stat(S)  
 regular file S\_ISREG: determines if file is a ..... stat(S)  
 resource values set on a drop site /function that retrieves ..... XmDropSiteRetrieve(Xm)  
 sets resource values for a drop site /Drag and Drop function that ..... XmDropSiteUpdate(Xm)  
 /function that identifies a drop site and assigns resources that / ... XmDropSiteRegister(Xm)  
 target types match between a drop site and source object /the ..... XmTargetsAreCompatible(Xm)  
 and Drop function that frees drop site information /a Drag ..... XmDropSiteUnregister(Xm)  
 /tai\_get, tai\_init: get MMDf site tailoring information ..... tai(S)  
 control polling of passive sites uudemom.poll: ..... uudemom(ADM)

## Permuted Index

updates to multiple drop sites /facilitates processing ..... `XmDropSiteEndUpdate(Xm)`  
 updates to multiple drop sites /facilitates processing ..... `XmDropSiteStartUpdate(Xm)`  
 widgets that are registered drop sites /that reorders a stack of ..... `XmDropSiteConfigureStackingOrder(Xm)`  
`XGetIconSize`: returns icon size ..... `XAllocIconSize(XS)`  
`XSetIconSize`: sets icon size ..... `XAllocIconSize(XS)`  
 get descriptor table size `getdtablesize`: ..... `getdtablesize(SLIB)`  
`memsize`: print memory size ..... `memsize(ADM)`  
 returns best or closest size `XQueryBestStipple`: ..... `XQueryBestSize(XS)`  
 returns best or closest size `XQueryBestTile`: ..... `XQueryBestSize(XS)`  
 returns largest cursor size `XQueryBestCursor`: ..... `XRecolorCursor(XS)`  
 returns motion history buffer size `XDisplayMotionBufferSize`: ..... `XSendEvent(XS)`  
 settings to current window size /to set TERMCAP and terminal `resize(X)`  
`XMoveResizeWindow`: changes window size and location ..... `XConfigureWindow(XS)`  
 increment values and the slider's size and position /`ScrollBar's` ..... `XmScrollBarSetValues(Xm)`  
 variable `getmaxyx`: places size coordinates into integer ..... `curses(S)`  
 variable `getmaxyx`: places size coordinates into integer ..... `terminfo(S)`  
`XGetWMNormalHints`: reads size hints ..... `XAllocSizeHints(XS)`  
`XGetWMSizeHints`: reads size hints ..... `XAllocSizeHints(XS)`  
`XSetWMNormalHints`: sets size hints ..... `XAllocSizeHints(XS)`  
`XSetWMSizeHints`: sets size hints ..... `XAllocSizeHints(XS)`  
 and by the calling program with size hints /specified by the user ..... `XParseGeometry(XS)`  
`XSizeHints`: size hints structure ..... `XAllocSizeHints(XS)`  
 read a/ `XAllocSizeHints`: allocate size hints structure and set or ..... `XAllocSizeHints(XS)`  
`pkgsize`: updates package size information ..... `pkgsize(SMT)`  
`xdr_rex_tysize`: XDR a REX tty size message ..... `rex(NS)`  
 /returns smallest window size necessary for form ..... `form(S)`  
 /returns the minimum window size necessary for the window ..... `menu(S)`  
`chsize`: changes the size of a file ..... `chsize(S)`  
`XMaxRequestSize`: returns maximum size of a protocol request ..... `AllPlanes(XS)`  
 size: prints the size of an object file ..... `size(XNX)`  
 bits `BitmapUnit`: returns size of bitmap's scanline unit in ..... `ImageByteOrder(XS)`  
`jwin`: print size of layer ..... `jwin(C)`  
`realloc`: changes the size of memory object ..... `malloc(S)`  
 accesses facility to reduce size of screen ripoffline: ..... `curses(S)`  
 accesses facility to reduce size of screen ripoffline: ..... `terminfo(S)`  
`realloc`: changes the size of the allocated space ..... `malloc(S)`  
 /function that determines the size of the smallest rectangle/ ..... `XmStringExtent(Xm)`  
`field_info`: returns size, position, and other field/ ..... `field(S)`  
 bytes of COFF files size: print section sizes in ..... `size(CP)`  
 object file size: prints the size of an ..... `size(XNX)`  
`XIconSize`: icon size structure ..... `XAllocIconSize(XS)`  
`XAllocIconSize`: allocate icon size structure and set or read a/ ..... `XAllocIconSize(XS)`  
 determine efficient sizes `XQueryBestSize`: ..... `XQueryBestSize(XS)`  
 size: print section sizes in bytes of COFF files ..... `size(CP)`  
`xdrrec_skiprecord`: skip rest of XDR record ..... `xdr(NS)`  
`napms`: sleep for ms milliseconds ..... `curses(S)`  
`napms`: sleep for ms milliseconds ..... `terminfo(S)`  
 interval sleep: suspend execution for ..... `sleep(S)`  
 interval sleep: suspend execution for an ..... `sleep(C)`  
 temporarily sleep: suspend processing ..... `sleep(K)`  
`sleep_h`: suspend DOS execution ..... `sleep_h(PCI)`  
`wakeup`: wake up a sleeping process ..... `wakeup(K)`  
 function that returns the current slider position /a Scale ..... `XmScaleGetValue(Xm)`  
 a Scale function that sets a slider value `XmScaleSetValue`: ..... `XmScaleSetValue(Xm)`

/increment values and the	slider's size and position	XmScrollBarSetValues(Xm)
from the screen	slk_clear: clears soft labels	curses(S)
from the screen	slk_clear: clears soft labels	terminfo(S)
	slk_init: initialize soft labels	curses(S)
	slk_init: initialize soft labels	terminfo(S)
	slk_label: returns current label	curses(S)
	slk_label: returns current label	terminfo(S)
updates of terminal window/	slk_noutrefresh: allows multiple	curses(S)
updates of terminal window/	slk_noutrefresh: allows multiple	terminfo(S)
updates of terminal window/	slk_refresh: allows multiple	curses(S)
updates of terminal window/	slk_refresh: allows multiple	terminfo(S)
to default settings	slk_restore: restores soft labels	curses(S)
to default settings	slk_restore: restores soft labels	terminfo(S)
and string	slk_set: sets soft label number	curses(S)
and string	slk_set: sets soft label number	terminfo(S)
soft labels	slk_touch: forces output of all	curses(S)
soft labels	slk_touch: forces output of all	terminfo(S)
current user	ttyslot: find the	slot in the utmp file of the
configuration registers	slot: read the microchannel	slot(C)
ceil: returns	smallest integer not less than x	floor(S)
ldlnit: reads the entry with the	smallest line number	ldlread(S)
region	smallest rectangle enclosing	XPolygonRegion(XS)
/that determines the size of the	smallest rectangle that will/	XmStringExtent(Xm)
for form	smallest window size necessary	form(S)
computing base checker,/ tcbck,	smmck, authckrc: trusted	tcbck(ADM)
showsnf: print contents of an	SNF file	showsnf(X)
bdfosnf: BDF to	SNF font compiler for X11	bdfosnf(X)
X11 snftobdf:	SNF to BDF font decompiler for	snftobdf(X)
decompiler for X11	snftobdf: SNF to BDF font	snftobdf(X)
change window colors in the	SCO Open Desktop GUI	scocolor(X)
a message from a connected	socket recv: receive	recv(SSC)
accept: accept a connection on a	socket	accept(SSC)
bind: bind a name to a	socket	bind(SSC)
initiate a connection on a	socket connect:	connect(SSC)
listen for connections on a	socket listen:	listen(SSC)
receive a message from a	socket recv, recvfrom:	recv(SSC)
receive a message from a	socket recvfrom:	recv(SSC)
send a message to a connected	socket send:	send(SSC)
send, sendto: send a message to a	socket	send(SSC)
sendto: send a message to a	socket	send(SSC)
communication	socket: create an endpoint for	socket(SSC)
port space	socket descriptor in privileged	rcmd(SLIB)
Intro: introduction to	socket library functions	Intro(SLIB)
getsockname: get	socket name	getsockname(SSC)
numbers	Intro: introduction to	socket system calls and error
bindresvport: bind a	socket to a privileged IP port	bindresvport(NS)
get and set options on	sockets	getsockopt(SSC)
getsockopt: get options on	sockets	getsockopt(SSC)
setsockopt: set options on	sockets	getsockopt(SSC)
slk_set: sets	soft label number and string	curses(S)
slk_set: sets	soft label number and string	terminfo(S)
slk_init: initialize	soft labels	curses(S)
slk_init: initialize	soft labels	terminfo(S)
slk_touch: forces output of all	soft labels	curses(S)

## Permuted Index

slk\_touch: forces output of all  
     slk\_clear: clears  
     slk\_clear: clears  
     slk\_restore: restores  
     slk\_restore: restores  
 pg: paginate display for  
 removef: remove a file from  
     depend:  
         installf: add a file to the  
 utilities Intro: introduction to  
 swconfig: produce a list of the  
     pkginfo: display  
     pkgadd: transfer  
         custom: install  
     window setscrreg: sets a  
     window setscrreg: sets a  
     window wsetscrreg: sets a  
     window wsetscrreg: sets a  
         ssignal, gsignal:  
         qsort: quicker  
     tsort: topological  
         sort:  
 than/ lx: List files in columns,  
 or reject lines common to two  
     bsearch: binary search a  
 XtAppAddInput: register an input  
 XtRemoveInput: remove an input  
     an error message file from C  
     null: data sink or empty  
     register or remove an input  
     findstr: find strings in C  
 dumpmsg: generate a message  
     object file list: produce C  
 match between a drop site and  
 /a Text function that accesses the  
     /a Text function that sets the  
         bcopy: copy bytes in kernel  
     bytes between user and kernel  
     bytes from kernel space to user  
     bytes from user space to kernel  
         cfree: deallocates  
 changes the size of the allocated  
     descriptor in privileged port  
         dfspace: report disk  
         free: deallocates  
         free: frees allocated  
     get a character from user data  
         idspace: investigate free  
         malloc: allocates  
     one 32-bit word from user data  
     store a 32-bit word in user data  
         store a character in user data  
         plotting area  
     soft labels ..... terminfo(S)  
     soft labels from the screen ..... curses(S)  
     soft labels from the screen ..... terminfo(S)  
     soft labels to default settings ..... curses(S)  
     soft labels to default settings ..... terminfo(S)  
     soft-copy terminals ..... pg(C)  
     software database ..... removef(ADM)  
     software dependencies files ..... depend(F)  
     software installation database ..... installf(ADM)  
     software mastering toolkit ..... Intro(SMT)  
     software modifications to the/ ..... swconfig(C)  
     software package information ..... pkginfo(ADM)  
     software package to the system ..... pkgadd(ADM)  
     software products and components ..... custom(ADM)  
     software scrolling region in a ..... curses(S)  
     software scrolling region in a ..... terminfo(S)  
     software scrolling region in a ..... curses(S)  
     software scrolling region in a ..... terminfo(S)  
     software signals ..... ssignal(S)  
     sort ..... qsort(S)  
     sort ..... tsort(CP)  
     sort and merge files ..... sort(C)  
     sort: sort and merge files ..... sort(C)  
     sorted across the page, rather ..... ls(C)  
     sorted files comm: select ..... comm(C)  
     sorted table ..... bsearch(S)  
     source ..... XtAppAddInput(Xt)  
     source ..... XtAppAddInput(Xt)  
     source mkstr: creates ..... mkstr(CP)  
     source ..... null(F)  
     source XtAppAddInput: ..... XtAppAddInput(Xt)  
     source code ..... findstr(CP)  
     source file ..... dumpmsg(CP)  
     source listing from a common ..... list(CP)  
     source object /the target types ..... XmTargetsAreCompatible(Xm)  
     source of the widget ..... XmTextGetSource(Xm)  
     source of the widget ..... XmTextSetSource(Xm)  
     space ..... bcopy(K)  
     space copyin, copyout: copy ..... copyin(K)  
     space copyout: copy ..... copyin(K)  
     space copyin: copy ..... copyin(K)  
     space ..... malloc(S)  
     space realloc: ..... malloc(S)  
     space /returns a socket ..... rcmd(SLIB)  
     space ..... dfspace(C)  
     space ..... malloc(S)  
     space ..... malloc(S)  
     space fubyte: ..... fubyte(K)  
     space idspace: ..... idspace(ADM)  
     space ..... malloc(S)  
     space fuword: get ..... fuword(K)  
     space suword: ..... suword(K)  
     space subyte: ..... subyte(K)  
     space allocates space for ..... plot(S)

brk, sbrk: change data segment  
 malloc: controls the  
 pass a character between user  
 file  
 calloc: allocates unused  
 calloc: allocates  
 malloc: allocates  
 free\_fieldtype: frees allocated  
 xdr\_inline: allocate  
 space: allocates  
 hcreate: allocates sufficient  
 vasunbind: virtual address  
 /frees for further use  
 /frees for further use  
 space: disk  
 copyin: copy bytes from user  
 copyout: copy bytes from kernel  
 mallinfo: reports allocated  
 ct:  
 phase of/ init: general process  
 resolver nameserver: protocol  
 yp\_unbind: unbind from a  
 wgoto: moves window's cursor to  
 with/ fixmog, cps: make all or  
 signals the end of address  
 maildelivery: user delivery  
 /create a file using an attribute  
 fspec: format  
 XcmsQueryBlue: returns the color  
 XcmsQueryGreen: returns the color  
 XcmsQueryRed: returns the color  
 XcmsQueryWhite: returns the color  
 /set locale according to resource  
 /convert CCC color  
 green, red, and white CCC color  
 read files containing inittab  
 idmknod: remove nodes and read  
 images ImageByteOrder:  
 taken sigset:  
 ml\_adr:  
 XtAppSetFallbackResources:  
 site and assigns resources that  
 /set terminal type, modes,  
 by getty gettydefs:  
 stty ospeed: contains output  
 baudrate: returns output  
 baudrate: returns output  
 baudrate: returns output  
 hashed spelling list  
 hashcheck: find spelling errors  
 errors spell, hashmake,  
 from hash codes  
 spelling list spell: Check  
 spellin, hashcheck: find  
 space allocation ..... brk(S)  
 space allocation algorithm ..... malloc(S)  
 space and the kernel /pass: ..... cpass(K)  
 space: disk space requirement ..... space(F)  
 space for an array ..... malloc(S)  
 space for an array of elements ..... malloc(S)  
 space for an object ..... malloc(S)  
 space for given field type ..... fieldtype(S)  
 space for inline XDR operation .... xdr(NS)  
 space for plotting area ..... plot(S)  
 space for the table ..... hsearch(S)  
 space memory routines /vasmapped, vas(K)  
 space pointed to by oterm ..... curses(S)  
 space pointed to by oterm ..... terminfo(S)  
 space requirement file ..... space(F)  
 space to kernel space ..... copyin(K)  
 space to user space ..... copyin(K)  
 space usage ..... malloc(S)  
 space usage ..... malloc(S)  
 spawn getty to a remote terminal .. ct(C)  
 spawner started during the last ... init(M)  
 specific name and address ..... nameserver(X)  
 specific NIS server ..... ypclnt(NS)  
 specific row and column ..... tam(S)  
 specific system files consistent .... fixmog(ADM)  
 specification ml\_aend: ..... ml\_send(S)  
 specification file ..... maildelivery(F)  
 specification from the file/ ..... create\_file\_securely(S)  
 specification in text files ..... fspec(F)  
 specification in the specified/ .... XcmsQueryBlack(XS)  
 specification in the specified/ .... XcmsQueryBlack(XS)  
 specification in the specified/ .... XcmsQueryBlack(XS)  
 specification in the specified/ .... XcmsQueryBlack(XS)  
 specification options ..... XtLanguageProc(Xt)  
 specifications ..... XcmsConvertColors(XS)  
 specifications /black, blue, ..... XcmsQueryBlack(XS)  
 specifications idmkinit: ..... idmkinit(ADM)  
 specifications of nodes ..... idmknod(ADM)  
 specifies required byte order for ... ImageByteOrder(XS)  
 specifies signal action to be ..... sigset(S)  
 specifies the text of one address ... ml\_send(S)  
 specify default set of resource/ .... XtAppSetFallbackResources(Xt)  
 specify its behavior /a drop ..... XmDropSiteRegister(Xm)  
 speed, and line discipline ..... getty(M)  
 speed and terminal settings used .. gettydefs(F)  
 speed of terminal as encoded by ... termcap(S)  
 speed of the terminal ..... curses(S)  
 speed of the terminal ..... tam(S)  
 speed of the terminal ..... terminfo(S)  
 spell: Check spelling against a .... spell(C)  
 spell, hashmake, spellin, ..... spell(C)  
 spellin, hashcheck: find spelling ... spell(C)  
 spellin: Write a spelling list ..... spell(C)  
 spelling against a hashed ..... spell(C)  
 spelling errors spell, hashmake, ... spell(C)

## Permuted Index

Check spelling against a hashed spelling list spell: ..... spell(C)  
     the hash codes in a hashed spelling list /Recreate ..... spell(C)  
     spellin: Write a spelling list from hash codes ..... spell(C)  
 spl4, spl5, spl6, spl7, splbuf,/ spl: spl0, spl1, spl2, spl3, ..... spl(K)  
     spl0: permit all interrupts ..... spl(K)  
 spl5, spl6, spl7, splbuf,/ spl: spl0, spl1, spl2, spl3, spl4, ..... spl(K)  
     interrupts spl1: prevent priority level 1 ..... spl(K)  
 spl6, spl7, splbuf,/ spl: spl0, spl1, spl2, spl3, spl4, spl5, ..... spl(K)  
     interrupts spl2: prevent priority level 2 ..... spl(K)  
 spl7, splbuf,/ spl: spl0, spl1, spl2, spl3, spl4, spl5, spl6, ..... spl(K)  
     interrupts spl3: prevent priority level 3 ..... spl(K)  
 splbuf,/ spl: spl0, spl1, spl2, spl3, spl4, spl5, spl6, spl7, ..... spl(K)  
     interrupts spl4: prevent priority level 4 ..... spl(K)  
     spl: spl0, spl1, spl2, spl3, spl4, spl5, spl6, spl7, splbuf,/ ..... spl(K)  
     character devices spl5: prevent interrupts from ..... spl(K)  
     /spl0, spl1, spl2, spl3, spl4, spl5, spl6, spl7, splbuf, splcli,/ ..... spl(K)  
     clock spl6: prevent interrupts from the ..... spl(K)  
     /spl1, spl2, spl3, spl4, spl5, spl6, spl7, splbuf, splcli,/ ..... spl(K)  
     spl7: prevent all interrupts ..... spl(K)  
     /spl2, spl3, spl4, spl5, spl6, spl7, splbuf, splcli, splhi,/ ..... spl(K)  
     block device splbuf: prevent interrupts from ..... spl(K)  
     /spl3, spl4, spl5, spl6, spl7, splbuf, splcli, splhi, splni,/ ..... spl(K)  
     character list processing splcli: prevent interrupts from ..... spl(K)  
     /spl4, spl5, spl6, spl7, splbuf, splcli, splhi, splni, splpp,/ ..... spl(K)  
     splhi: prevent all interrupts ..... spl(K)  
     /spl5, spl6, spl7, splbuf, splcli, splhi, splni, splpp, spltty,/ ..... spl(K)  
     spline: interpolate smooth curve ... spline(C)  
     split: split a file into pieces ..... split(C)  
     csplit: split files according to context ..... csplit(C)  
     split: split a file into pieces ..... split(C)  
     network devices splni: prevent interrupts from ..... spl(K)  
 or / spl7, splbuf, splcli, splhi, splni, splpp, spltty, splx: block ..... spl(K)  
     character parallel ports splpp: prevent interrupts from ..... spl(K)  
     /splbuf, splcli, splhi, splni, splpp, spltty, splx: block or / ..... spl(K)  
     splstr: set stream priority level ..... splstr(K)  
     character parallel ports spltty: prevent interrupts from ..... spl(K)  
     /splcli, splhi, splni, splpp, spltty, splx: block or permit / ..... spl(K)  
     /splhi, splni, splpp, spltty, splx: block or permit interrupts ..... spl(K)  
     splx: restore a former interrupt ..... spl(K)  
     uuclean: UUCP spool directory clean-up ..... uuclean(ADM)  
     uudemon.hour: check spool directory for work ..... uudemon(ADM)  
     consecutive bytes sprintf: places "output," in ..... printf(S)  
     printf, fprintf, sprintf: print formatted output ..... printf(S)  
 memory previously allocated with sptalloc sptfree: release ..... sptfree(K)  
     memory or map a device into/ sptalloc: allocate temporary ..... sptalloc(K)  
     previously allocated with/ sptfree: release memory ..... sptfree(K)  
     memory sputl: puts long integer data in ..... sputl(S)  
 data in a machine-independent/ sputl, sgetl: access long integer ..... sputl(S)  
     fgetspent: get pointer to next spwd structure ..... getspent(S)  
     power,/ exp, log, log10, pow, sqrt: exponential, logarithm, ..... exp(S)  
     square root of x sqrt: returns the non-negative ..... exp(S)  
     exponential, logarithm, power, square root functions /pow, sqrt: .. exp(S)  
     sqrt: returns the non-negative square root of x ..... exp(S)  
     dr\_return /subtracts srb from sra and stores result in ..... XIntersectRegion(XS)



generator srand: reset random-number ..... rand(S)  
 generator rand, srand: simple random-number .... rand(S)  
 entry points srand48: invokes initialization ..... drand48(S)  
 /lrand48, nrand48, mrand48, srand48, seed48: generate/ ..... drand48(S)  
 XSubtractRegion: subtracts srb from sra and stores result in/ ... XIntersectRegion(XS)  
 sscanf: convert formatted input .... scanf(S)  
 signals ssignal, gsignal: software ..... ssignal(S)  
 established by signal type ssignal: returns action ..... ssignal(S)  
 specified window to bottom of stack XLowerWindow: lowers .... XRaiseWindow(XS)  
 subwindows and raise to top of stack XMapRaised: maps windows, XMapWindow(XS)  
 setjmp: saves stack environment ..... setjmp(S)  
 sigsetjmp: saves stack environment ..... sigsetjmp(S)  
 and Drop function that reorders a stack of widgets that are/ /a Drag . XmDropSiteConfigureStackingOrder(Xm)  
 XRaiseWindow: change window stacking order ..... XRaiseWindow(XS)  
 maps subwindows in top-to-bottom stacking order XMapSubwindows: XMapWindow(XS)  
 (NaN) according to IEEE Standard /double for Not-a-Number isnan(S)  
 (NaN) according to IEEE Standard /float for Not-a-Number isnan(S)  
 package stdio: standard buffered input/output .... stdio(S)  
 XmuLookupStandardColormap: create standard colormap ..... XmuLookupStandardColormap(Xmu)  
 XmuStandardColormap: create standard colormap ..... XmuStandardColormap(Xmu)  
 given visual /define standard colormap properties for ... XmuVisualStandardColormaps(Xmu)  
 XmuDeleteStandardColormap: delete standard colormap property ..... XmuDeleteStandardColormap(Xmu)  
 /allocate, set, or read a standard colormap structure ..... XAllocStandardColormap(XS)  
 XGetRGBColormaps: reads standard colormap structure ..... XAllocStandardColormap(XS)  
 XSetRGBColormaps: sets standard colormap structure ..... XAllocStandardColormap(XS)  
 XStandardColormap: standard colormap structure ..... XAllocStandardColormap(XS)  
 xstdcmap: X standard colormap utility ..... xstdcmap(X)  
 XmuAllStandardColormaps: standard colormaps ..... XmuAllStandardColormaps(Xmu)  
 stderr: standard error file ..... stdio(S)  
 gets: get a string from the standard input ..... gets(C)  
 stdin: standard input file ..... stdio(S)  
 gets: reads characters from standard input stream ..... gets(S)  
 nl\_scanf: reads from the standard input stream ..... nl\_scanf(S)  
 communication package ftok: standard interprocess ..... ftok(S)  
 of a named UIL symbol table to standard output /the contents .... UILDumpSymbolTable(Xm)  
 pr: print files on the standard output ..... pr(C)  
 write accounting records to standard output acctwtmpt: ..... acct(ADM)  
 stdout: standard output file ..... stdio(S)  
 nl\_printf: places output on the standard output stream ..... nl\_printf(S)  
 printf: places output on the standard output stream ..... printf(S)  
 vprintf: places output on the standard output stream ..... vprintf(S)  
 writes null-terminated string to standard output stream puts: ..... puts(S)  
 res\_mkquery: makes a standard query message ..... resolver(SLIB)  
 /convert standard selection ..... XmuConvertStandardSelection(Xmu)  
 XSetWMProperties: set standard window properties ..... XSetWMProperties(XS)  
 options Xt\_options: standard X Toolkit command-line . Xt\_options(X)  
 ksh, rksh: Korn shell, a standard/restricted command and/ ksh(C)  
 window standend: ends standout mode in .. curses(S)  
 attributes of named window standend: manipulates current .... terminfo(S)  
 attributes of named window standout: manipulates current .... terminfo(S)  
 wstandend: ends standout mode in named window . curses(S)  
 wstandout: starts standout mode in named window . curses(S)  
 standend: ends standout mode in window ..... curses(S)  
 standout: starts standout mode in window ..... curses(S)

## Permuted Index

window                    standout: starts standout mode in     curses(S)  
 check uids or gids from program   start\_identity: get or             identity(S)  
     sd, sdd:               start a no-LUID daemon             sd(ADM)  
 xdr\_rex\_start: XDR a REX       start message                    rex(NS)  
     ml\_tinit: signals       start of message text submission   ml\_send(S)  
     lpsched:               start the print service             lpsched(ADM)  
     clients startx:       start the X server and default     startx(X)  
 color alphanumeric terminals   start\_color: manipulates color on   curses(S)  
 color alphanumeric terminals   start\_color: manipulates color on   terminfo(S)  
 init: general process spawner   started during the last phase of /   init(M)  
     scoession: manage      starting and stopping clients     scoession(X)  
 /that deletes items from the list starting at the given position     XmListDeleteItemsPos(Xm)  
     effective GID       starting\_egid: returns the         identity(S)  
     effective UID       starting\_euid: returns the        identity(S)  
     UID                 starting\_luid: returns the login     identity(S)  
     GID                 starting\_rgid: returns the real     identity(S)  
     UID                 starting\_ruid: returns the real     identity(S)  
 get handle for later call to     startio intralloc, intrallocs:     intralloc(K)  
 get handle for later call to     startio intralloc:                intralloc(K)  
 get handle for later call to     startio intrallocs:               intralloc(K)  
     another processor     startio: run xstart routine from   startio(K)  
 /a clipboard function that      starts a copy from the clipboard   XmClipboardStartRetrieve(Xm)  
     output erase:       starts another frame of plotter     plot(S)  
 /shows whether given field       starts new page of form            form(S)  
     window wstandout:   starts standout mode in named     curses(S)  
     standout:           starts standout mode in window     curses(S)  
     accton:             start/stop process accounting     acct(ADM)  
     lpsched, lpshut:   start/stop the print service     lpsched(ADM)  
 /prtacct, runacct, shutacct,   startup, turnacct: shell /         acctsh(ADM)  
     default clients     startx: start the X server and     startx(X)  
     system call        stat: data returned by stat         stat(FP)  
     returns file status   stat, fstat, lstat, statlstat:     stat(S)  
     XwcResetC: reset the   stat of an input context          XmbResetC(XS)  
     named file         stat: returns information about     stat(S)  
     stat: data returned by   stat system call                 stat(FP)  
     information         statfs, fstatfs: get file system     statfs(S)  
     information         statfs: get file system            statfs(S)  
     /activation, termination,   statistic retrieval, and/         auditcmd(ADM)  
     aioinfo: print out AIO   statistics                         aioinfo(ADM)  
     ustat: get file system   statistics                         ustat(S)  
 vmstat: report paging and system   statistics                         vmstat(C)  
     xts: extract and print xt driver   statistics                         xts(ADM)  
     ff list file names and   statistics for a filesystem        ff(ADM)  
     files: system status, error, and   statistics logging for MMDf /log   logs(F)  
     stat, fstat, lstat,   statlstat: returns file status     stat(S)  
 about a symbolic link or a named/   statlstat: returns information     stat(S)  
     fsstat: report file system   status                             fsstat(ADM)  
     lstat, statlstat: returns file   status stat, fstat,               stat(S)  
     lstat: get file       status                             lstat(NS)  
     ps: report process     status                             ps(C)  
     sets the field status flag to   status set\_field\_status:          field(S)  
     wgetmouse: return mouse   status                             tam(S)  
 authentication/ fields: return   status based on fields of         fields(S)  
     logs: MMDf log files: system   status, error, and statistics/     logs(F)

set\_field\_status: sets the field status flag to status ..... field(S)  
 feof, clearerr, fileno: stream status inquiries error, ..... ferror(S)  
 uustat: uucp status inquiry and job control ..... uustat(C)  
 system/ uwait: poll for the exit status of a UNIX operating ..... uwait(PCI)  
 pclose: returns exit status of command ..... popen(S)  
 field\_status: returns status of field ..... field(S)  
 communication/ ipc: report the status of inter-process ..... ipc(ADM)  
 /rlpstat: print information about status of (remote) lp print/ ..... lpstat(C)  
 rlpstat: print information about status of remote lp print service ... lpstat(C)  
 checkque: MMDF queue status report generator ..... checkque(ADM)  
 varargs, stdarg: variable argument list ..... varargs(S)  
 aligned double stdbl: convert unaligned ISAM ..... isconv(S)  
 /lddbl, ldfloat, ldint, ldlong, stdbl, stfloat, stint, stlong:/ ..... isconv(S)  
 return next character from stdin getchar: ..... getch(S)  
 input/output package stdin: standard input file ..... stdio(S)  
 window to terminal screen using stderr: standard error file ..... stdio(S)  
 window to terminal screen using stdout: standard output file ..... stdio(S)  
 window to terminal screen using stdscr as default /copies named ... curses(S)  
 string for use with advance or stdscr as default /copies named ... tam(S)  
 argument and returns advance stdscr as default /copies named ... terminfo(S)  
 returns current advance step: step compile: compile ..... regexp(S)  
 aligned float step: steps through string ..... regexp(S)  
 /ldfloat, ldint, ldlong, stdbl, stfloat: convert unaligned ISAM ... isconv(S)  
 returns the current exception stfloat, stint, stlong: ISAM data/ ..... isconv(S)  
 fpsetsticky: sets the exception sticky flags fpgetsticky: ..... fpgetround(S)  
 aligned short sticky flags and returns previous/ . fpgetround(S)  
 /ldint, ldlong, stdbl, stfloat, stime: set time ..... stime(S)  
 XSetStipple: sets stint: convert unaligned ISAM ..... isconv(S)  
 XmuCreateStippledPixmap: creates stint, stlong: ISAM data/ ..... isconv(S)  
 XmuReleaseStippledPixmap: release stipple in specified GC ..... XSetTile(XS)  
 aligned long stippled pixmap ..... XmuCreateStippledPixmap(Xmu)  
 /ldlong, stdbl, stfloat, stint, stippled pixmap ..... XmuCreateStippledPixmap(Xmu)  
 a file from a cpio archive and stlong: convert unaligned ISAM ... isconv(S)  
 wait for process to terminate stlong: ISAM data conversion/ ..... isconv(S)  
 stopio: stop xtract: extract ..... xtract(C)  
 wait for child process to stop wait3: ..... wait3(SLIB)  
 rc0: run commands performed to stop further I/O to an open file ... stopio(S)  
 lpshut: stop or terminate wait, waitpid: ... wait(S)  
 open file stop the operating system ..... rc0(ADM)  
 scosession: manage starting and stopio: stop further I/O to an ..... stopio(S)  
 free\_item: frees stopping clients ..... scosession(X)  
 field free\_field: frees storage allocated for given item ... item(S)  
 clipboard function that sets up a storage allocation for given ..... field(S)  
 /copies a data item to temporary storage and data structure /a ..... XmClipboardStartCopy(Xm)  
 /zcat: compress data for storage for later copying to/ ..... XmClipboardCopy(Xm)  
 whether screen supports backing storage, uncompress and display/.. compress(C)  
 space suword: store /returns indication ..... BlackPixelOfScreen(XS)  
 space subbyte: store a 32-bit word in user data .... suword(K)  
 pkgask: store a character in user data ..... subbyte(K)  
 provide the buffer/ XStoreBuffer: store answers to a request script ... pkgask(ADM)  
 store bytes in cut buffer, ..... XStoreBytes(XS)

## Permuted Index

store: store data ..... dbm(NS)  
 XrmPutResource: store database resources ..... XrmPutResource(XS)  
     dbm\_store: store datum under key ..... ndbm(NS)  
 database/ dbm, dbmunit, fetch, store, delete, firstkey, nextkey: ..... dbm(NS)  
 /delete, fetch, firstkey, nextkey, store: performs database/ ..... dbm(S)  
     store: places data under a key ..... dbm(S)  
 XrmGetFileDatabase: retrieve and store resource databases ..... XrmGetFileDatabase(XS)  
     store: store data ..... dbm(NS)  
     store data /a clipboard function ..... XnClipboardInquireLength(Xm)  
     stored in UID files /fetches the ..... MrmFetchSetValues(Xm)  
     stored modifier and keymap ..... XLookupKeysym(XS)  
     stored under a key ..... dbm(S)  
     store\_pw\_fields: add field and ..... fields(S)  
     stores a copy of the specified ..... XrmGetFileDatabase(XS)  
     stores it in a pixmap cache, and/ ..... XnGetPixmap(Xm)  
     stores it in a pixmap cache, and/ ..... XnGetPixmapByDepth(Xm)  
     stores it in the specified string ..... XrmGetFileDatabase(XS)  
     stores result in dr\_return ..... XIntersectRegion(XS)  
     stores the current value of a ..... fgetpos(S)  
     store\_tc\_fields: add field and ..... fields(S)  
     storing mail in transit (str, 1, putchar) ..... curses(S)  
     (str, 1, putchar) ..... terminfo(S)  
     str and outputs it tputs: ..... curses(S)  
     str and outputs it tputs: ..... terminfo(S)  
     str on given window /of ..... tam(S)  
     str on given window /of ..... terminfo(S)  
     str with parms p2 ..... curses(S)  
     str with parms p2 ..... terminfo(S)  
     strace: print STREAMS trace ..... trace(ADM)  
     strcasecmp: case-insensitive ..... string(SLIB)  
     strcasecmp, strncasecmp, index, ..... string(SLIB)  
     strcat: appends a copy of string ..... string(S)  
     strcat, strchr, strcmp, strcpy, ..... string(S)  
     strchr: returns pointer to first ..... string(S)  
     strchr, strcmp, strcpy, strcspn, ..... string(S)  
     strclean: STREAMS error logger ..... strclean(ADM)  
     strcmp: compares its arguments ..... string(S)  
     strcmp, strcpy, strcspn, strdup, ..... string(S)  
     strcoll, strncoll, strxfrm, ..... strcoll(S)  
     strcoll: used to collate two ..... strcoll(S)  
     strcpy: copies string s2 to s1 ..... string(S)  
     strcpy, strcspn, strdup, strlen, / ..... string(S)  
     strcspn: returns length of ..... string(S)  
     strcspn, strdup, strlen, strcat, / ..... string(S)  
     strdup: returns pointer to ..... string(S)  
     strdup, strlen, strcat, strcmp, / ..... string(S)  
     streamio: STREAMS ioctl commands streamio(M)  
     STREAMS driver ..... clone(M)  
 clone: open any minor device on a program strclean: STREAMS error logger cleanup ..... strclean(ADM)  
     strerr: STREAMS error logger daemon ..... strerr(ADM)  
     tracing log: interface to STREAMS error logging and event log(HW)  
     tracing log: interface to STREAMS error logging and event log(M)  
 /and stores the current value of a stream's file position indicator ..... fgetpos(S)

poll: STREAMS input/output multiplexing poll(S)  
 streamio: STREAMS ioctl commands ..... streamio(M)  
 ptmx, pts???: STREAMS master pseudo-tty device ptmx(M)  
 Interface read/write interface STREAMS module tirdwr: Transport Tirdwr(M)  
 Transport Interface cooperating STREAMS module timod: ..... timod(M)  
 repout: write streams of data ..... repins(K)  
 repoutsd: read and write streams of device data /repoutsw, .. repins(K)  
 strace: print STREAMS trace messages ..... strace(ADM)  
 daemon strerr: STREAMS error logger ..... strerr(ADM)  
 pointer from last routine call/ strerror: gets error message ..... strerror(S)  
 structure pointed to by timeptr strftime: converts time values in .. ctime(S)  
 strftime: format date/time string .. strftime(S)  
 time/ /localtime, gmtime, asctime, strftime, tzset: convert date and .. ctime(S)  
 configuration, or package string string: access boot, ..... string(M)  
 index, rindex: string operations string, strcasecmp, strcmp, .. string(SLIB)  
 strcpy, strcpn, strdup, strlen,/ string: strcat, strchr, strcmp, ..... string(S)  
 /returns list of strings ..... XStringListToTextProperty(XS)  
 compare native language strings nl\_strncmp, nl\_strncmp: .. nl\_strncmp(S)  
 compare native language strings nl\_strncmp: ..... nl\_strncmp(S)  
 compare native n language strings nl\_strncmp: ..... nl\_strncmp(S)  
 compare two Latin-1 strings XmuCompareISOLatin1: .. XmuCompareISOLatin1(Xmu)  
 from a list of null terminated strings /set an XTextProperty ..... XmbTextListToTextProperty(XS)  
 pointer to array of message strings t\_errlist: ..... t\_error(S)  
 strcoll: used to collate two strings ..... strcoll(S)  
 string function that compares two strings /a compound ..... XmStringCompare(Xm)  
 strxfrm: handles collation of strings /strcoll, strxfrm, ..... strcoll(S)  
 type for an array of compound strings XmStringTable: data ..... XmStringTable(“Xm”)  
 strings in an object file strings: find the printable ..... strings(C)  
 xstr: extracts strings from C programs ..... xstr(CP)  
 insertmsg: separate strings from program logic ..... insertmsg(CP)  
 /return a list of text strings from the specified text ..... XmbTextListToTextProperty(XS)  
 property /return a list of text strings from the specified text ..... XmbTextListToTextProperty(XS)  
 strings: find the printable strings in an object file ..... strings(C)  
 findstr: find strings in C source code ..... findstr(CP)  
 XtNameToWidget: translating strings to widgets ..... XtNameToWidget(Xt)  
 XtNameToWidget: translating strings to widgets or widgets to/ .. XtNameToWidget(Xt)  
 reached strncoll: collates two strings until nth character is ..... strcoll(S)  
 relocation bits strip: removes symbols and ..... strip(XNX)  
 number information from a common/ strip: strip symbol and line ..... strip(CP)  
 information from a common/ strip: strip symbol and line number ..... strip(CP)  
 characters in s strlen: returns the number of ..... string(S)  
 /strcmp, strcpy, strcpn, strdup, strlen, strcat, strncmp,/ ..... string(S)  
 logging strlog: submit messages for ..... strlog(K)  
 string comparison strncasecmp: case-insensitive ..... string(SLIB)  
 string/ string, strcasecmp, strncasecmp, index, rindex: ..... string(SLIB)  
 characters strcat: appends at most n ..... string(S)  
 /strcpy, strcpn, strdup, strlen, strncat, strncmp, strcmp, strcpy,/ ..... string(S)  
 to maximum of n characters strncmp: compares its arguments .. string(S)  
 /strcpn, strdup, strlen, strcat, strcmp, strcpy, strpbrk,/ ..... string(S)  
 until nth character is reached strncoll: collates two strings ..... strcoll(S)  
 handles collation of/ strcoll, strncoll, strxfrm, strxfrm: ..... strcoll(S)  
 characters strcpy: copies exactly n ..... string(S)  
 /strdup, strlen, strcat, strcmp, strncmp, strcpy, strpbrk, strchr,/ ..... string(S)  
 collation of/ strcoll, strncoll, strxfrm, strxfrm: handles ..... strcoll(S)

## Permuted Index

characters in the from string  
 character s1 from string s2  
 /strncat, strncmp, strncpy,  
 character c from string s  
 /strncmp, strncpy, strpbkr,  
 string s1 from string s2  
 /strncpy, strpbkr, strchr,  
 occurrence in string s1 of/  
 /strpbkr, strchr, strspn,  
 double-precision number  
 first character after a token  
 /strpbkr, strchr, strspn, strstr,  
 unsigned long integer  
 line /Manager, Resource Manager  
 strcoll, strncoll, strxfrm,  
 from  
 for a terminal. STTY is a link to  
 speed of terminal as encoded by  
 set the options for a terminal.  
 terminal stty,  
 terminal. STTY is a link to stty  
 terminal  
 file  
 convert string to integer shape  
 directories in the DOS DIR  
 in the UNIX system ls  
 linemod: sets  
 attributes for dashed line  
 another user  
 XSubImage: creates new  
 files, recursively listing any  
 XGetSubImage: transfers  
 strlog:  
 UUCP rmail:  
 /check for mail which has been  
 pointer to a subwindow within a/  
 pointer to a subwindow within a/  
 XtGetSubresources: obtain  
 XtGetSubresources: obtain  
 feature\_list: a  
 dbm: database  
 dbm\_error, dbm\_clearerr: database  
 firstkey, nextkey: database  
 plot: graphics interface  
 place of the open/ freopen:  
 interface for authorization  
 command interface for audit  
 /files generated by the audit  
 authorize:  
 subsystem: security  
 write\_authorizations: updates the  
 produce audit records for  
 strxfrm: transforms at most n . . . . strcoll(S)  
 strpbkr: returns pointer to first . . . . string(S)  
 strpbkr, strchr, strspn, strstr,/ . . . . string(S)  
 strchr: returns pointer to last . . . . string(S)  
 strchr, strspn, strstr, strtok:/ . . . . string(S)  
 strspn: returns segment length of . . . . string(S)  
 strspn, strstr, strtok: string/ . . . . string(S)  
 strstr: finds the first . . . . string(S)  
 strstr, strtok: string operations . . . . string(S)  
 strtod: convert string to . . . . strtod(S)  
 strtok: returns a pointer to the . . . . string(S)  
 strtok: string operations . . . . string(S)  
 strtol: convert string to integer . . . . strtol(S)  
 strtoul: convert a string to an . . . . strtoul(S)  
 structures, and parse the command . . . . XrmInitialize(XS)  
 strxfrm: handles collation of/ . . . . strcoll(S)  
 strxfrm: transforms the string . . . . strcoll(S)  
 stty STTY: set the options . . . . stty(C)  
 stty speed: contains output . . . . termcap(S)  
 STTY is a link to stty STTY: . . . . stty(C)  
 STTY: set the options for a . . . . stty(C)  
 STTY: set the options for a . . . . stty(C)  
 stty, STTY: set the options for a . . . . stty(C)  
 stune: local tunable parameter . . . . stune(F)  
 style XmuCvtStringToShapeStyle: . . . . XmuCvtStringToShapeStyle(Xmu)  
 style dosdir: List DOS . . . . doscmd(C)  
 style /Lists DOS directories . . . . doscmd(C)  
 style for plotting further lines . . . . plot(S)  
 styles /dash-offset and dash-list . . . . XSetLineAttributes(XS)  
 su: make the user a super user or . . . . su(C)  
 sub image . . . . XCreateImage(XS)  
 subdirectories encountered /List . . . . ls(C)  
 subimage . . . . XPutImage(XS)  
 submit messages for logging . . . . strlog(K)  
 submit: MMDf mail queue manager . . . . submit(ADM)  
 submit remote mail received via . . . . rmail(ADM)  
 submitted but not delivered . . . . checkmail(C)  
 subpad: creates and returns a . . . . curses(S)  
 subpad: creates and returns a . . . . terminfo(S)  
 subresources . . . . XtGetSubresources(Xt)  
 subresources or application/ . . . . XtGetSubresources(Xt)  
 subroutine called by feature . . . . feature(PCI)  
 subroutines . . . . dbm(NS)  
 subroutines /dbm\_nextkey, . . . . ndbm(NS)  
 subroutines /store, delete, . . . . dbm(NS)  
 subroutines . . . . plot(S)  
 substitutes the named file in . . . . fopen(S)  
 subsystem authsh: administrator . . . . authsh(ADM)  
 subsystem activation,/ auditcmd: . . . . auditcmd(ADM)  
 subsystem and compact the records . . . . auditd(ADM)  
 subsystem authorization file . . . . authorize(F)  
 subsystem component description . . . . subsystem(M)  
 Subsystem database . . . . subsystems(S)  
 subsystem events dlvr\_audit: . . . . dlvr\_audit(ADM)

audit: audit subsystem interface device ..... audit(HW)  
 /statistic retrieval, and subsystem notification ..... auditcmd(ADM)  
 audit\_subsystem: reports a subsystem problem or event ..... authaudit(S)  
 component description subsystem: security subsystem ..... subsystem(M)  
 manipulation routines for Subsystems database subsystems: ..... subsystems(S)  
 for Subsystems database subsystems: manipulation routines ..... subsystems(S)  
 result in/ XSubtractRegion: subtracts srb from sra and stores ... XIntersectRegion(XS)  
 pointer to new window subwin: creates and returns ..... curses(S)  
 pointer to new window subwin: creates and returns ..... terminfo(S)  
 XCreateSimpleWindow: creates subwindow ..... XCreateWindow(XS)  
 erases form from its associated subwindow unpost\_form: ..... form(S)  
 erases menu from associated subwindow unpost\_menu: ..... menu(S)  
 returns pointer to menu's subwindow menu\_sub: ..... menu(S)  
 writes form in its associated subwindow post\_form: ..... form(S)  
 writes the menu in the menu's subwindow post\_menu: ..... menu(S)  
 form\_sub: returns pointer to subwindow associated with form .. form(S)  
 XSetSubwindowMode: sets subwindow mode in specified GC .. XSetArcMode(XS)  
 sets window as the form subwindow of form set\_form\_sub: form(S)  
 set\_menu\_sub: sets window w as subwindow of menu m ..... menu(S)  
 and returns a pointer to a subwindow within a pad /creates .. curses(S)  
 and returns a pointer to a subwindow within a pad /creates .. terminfo(S)  
 XDestroySubwindows: destroys subwindows ..... XDestroyWindow(XS)  
 XUnmapSubwindows: unmaps subwindows ..... XUnmapWindow(XS)  
 stack XMapRaised: maps windows, subwindows and raise to top of ... XMapWindow(XS)  
 stacking/ XMapSubwindows: maps subwindows in top-to-bottom .... XMapWindow(XS)  
 data space subyte: store a character in user .. subyte(K)  
 conversation mm\_end: indicates success or failure of MMDF ..... mmdf(S)  
 /returns pointer to the first and successive group structures ..... getgrent(S)  
 /returns pointer to first and successive pr\_default structures ... getprdfent(S)  
 hcreate: allocates sufficient space for the table ..... hsearch(S)  
 sologin: access single-user mode .. sologin(ADM)  
 count the blocks in a file sum: calculate a checksum and .... sum(C)  
 du: summarize disk usage ..... du(C)  
 quot: summarize file system ownership .. quot(C)  
 accounting/ acctcms: command summary from per-process ..... acctcms(ADM)  
 sync: update the super block ..... sync(ADM)  
 sync: update super block ..... sync(S)  
 su: make the user a super user or another user ..... su(C)  
 determine if current user is the superuser suser: ..... suser(K)  
 getgroups: get supplementary group ID's ..... getgroups(S)  
 setgroups: set supplementary group ID's ..... setgroups(S)  
 -like file pututline: writes out supplied utmp structure to utmp .. getut(S)  
 application no longer wants to supply a data item /that the ..... XmClipboardWithdrawFormat(Xm)  
 data types for native language support nl\_types: ..... nl\_types(FP)  
 keyboard mode or test keyboard support kbmode: set ..... kbmode(ADM)  
 XSupportsLocale: determine locale support and configure locale/ ..... XSupportsLocale(XS)  
 / (native language support) information ..... lconv(FP)  
 adapter driver viddoio: support I/O control commands for video(K)  
 initializes native language support operation nl\_init: ..... nl\_init(S)  
 process selwakeup: support select(S) - awaken ..... select(K)  
 should block selfailure: support select(S) - process ..... select(K)  
 should not block selfuccess: support select(S) - process ..... select(K)  
 utmp\_getty: serial multiscreens support utility ..... undocumented(M)  
 pwdmenu: support utility for backup ..... undocumented(M)

## Permuted Index

installation message: support utility for package ..... undocumented(M)  
 /vidumapinit, vidunmap: support video adapter driver/ ..... video(K)  
 /feature\_list: get features supported by a virtual drive ..... feature(PCI)  
 color and returns closest color supported by screen /up named ... XAllocColor(XS)  
 number of installed colormaps supported by screen /maximum ... BlackPixelOffScreen(XS)  
 number of installed colormaps supported by screen /minimum ... BlackPixelOffScreen(XS)  
 route mail locally and over any supported network mmdf: ..... mmdf(ADM)  
 terminals: list of supported terminals ..... terminals(M)  
 /free memory and close files supporting device assignment/ ..... getdvagent(S)  
 selwakeup: kernel routines supporting select(S) /selfailure, ... select(K)  
 /returns indication whether screen supports backing store ..... BlackPixelOffScreen(XS)  
 value indicating whether screen supports save unders /Boolean ... BlackPixelOffScreen(XS)  
 is the superuser user: determine if current user ... suser(K)  
 sleep\_h: suspend DOS execution ..... sleep\_h(PCI)  
 sleep: suspend execution for an interval ... sleep(C)  
 sleep: suspend execution for interval ... sleep(S)  
 pause: suspend process until signal ..... pause(S)  
 sleep: suspend processing temporarily ... sleep(K)  
 of data tcflow: suspend transmission or reception . tcflow(S)  
 ev\_resume: restart a suspended queue ..... ev\_resume(S)  
 ev\_suspend: suspends an event queue ..... ev\_suspend(S)  
 wait: suspends calling process ..... wait(S)  
 waitpid: suspends calling process of pid ... wait(S)  
 interval nap: suspends execution for a short ... nap(S)  
 until it receives a/ sigpause: suspends the calling process ..... sigsetv(S)  
 user data space suword: store a 32-bit word in ..... suword(K)  
 handle svc\_destroy: destroy a service ..... rpc(NS)  
 svcerr\_auth: return service error ... rpc(NS)  
 error svcerr\_decode: return service ..... rpc(NS)  
 error svcerr\_noproc: return service ..... rpc(NS)  
 error svcerr\_noprogram: return service ..... rpc(NS)  
 error svcerr\_progvers: return service ..... rpc(NS)  
 error svcerr\_systemerr: return service ... rpc(NS)  
 error svcerr\_weakauth: return service ... rpc(NS)  
 handle svcfd\_create: create service ..... rpc(NS)  
 by RPC/XDR svc\_freeargs: free data allocated ... rpc(NS)  
 to an RPC svc\_getargs: decode the arguments ... rpc(NS)  
 the caller svc\_getcaller: get the network of ... rpc(NS)  
 svc\_getreq: get RPC request ..... rpc(NS)  
 svc\_getreqset: get RPC request ..... rpc(NS)  
 handle svcraw\_create: create service ..... rpc(NS)  
 service procedure svc\_register: register an RPC ..... rpc(NS)  
 svc\_run: get RPC requests ..... rpc(NS)  
 RPC svc\_sendreply: send replies to an ... rpc(NS)  
 handle svctcp\_create: create service ..... rpc(NS)  
 handle svcudp\_create: create service ..... rpc(NS)  
 service procedure svc\_unregister: unregister an RPC . rpc(NS)  
 swab: swap bytes ..... swab(S)  
 scsi\_swap4: swap 4 bytes ..... scsi(K)  
 swap: swap administrative interface ..... swap(ADM)  
 swap: swap bytes ..... swap(S)  
 fdswap: swap default boot floppy drive ... fdswap(ADM)  
 interface swap: swap administrative ..... swap(ADM)  
 software modifications to the/ swconfig: produce a list of the ..... swconfig(C)



gets scancode screen switch keys sc\_getscreenswitch: ... sc\_raw(S)  
 sets scancode screen switch keys sc\_setscreenswitch: ... sc\_raw(S)  
 ml\_cc: switches to ml\_to address ..... ml\_send(S)  
 keys for screen-switching from/ switchkey: establish modifier ..... switchkey(X)  
 ml\_to: switchces to ml\_cc address ..... ml\_send(S)  
 sxt: pseudo-device driver ..... sxt(M)  
 information from a/ strip: strip symbol and line number ..... strip(CP)  
 file symbol/ ldgetname: retrieve symbol name for common object ..... ldgetname(S)  
 name for common object file symbol table entry /symbol ..... ldgetname(S)  
 ldtbindex: compute the index of a symbol table entry of a common/ ..... ldtbindex(S)  
 object/ ldtbread: read an indexed symbol table entry of a common ..... ldtbread(S)  
 syms: common object file symbol table format ..... syms(FP)  
 file ldtbseek: seek to the symbol table of a common object ..... ldtbseek(S)  
 /dumps the contents of a named ULL symbol table to standard output ... UllDumpSymbolTable(Xm)  
 unistd: file header for symbolic constants ..... unistd(FP)  
 sdb: symbolic debugger ..... sdb(CP)  
 readlink: reads a symbolic link ..... readlink(S)  
 returns information about a symbolic link lstat: ..... stat(S)  
 /returns information about a symbolic link or a named file ..... stat(S)  
 symlink: creates symbolic link to a file ..... symlink(S)  
 directories, executables, and symbolic links /files indicating ... ls(C)  
 create a shadow directory of symbolic links to another/ lndir: ... lndir(XS)  
 returns KeyCode symbols XGetKeyboardMapping: XChangeKeyboardMapping(XS)  
 strip: removes symbols and relocation bits ..... strip(XNX)  
 a file symlink: creates symbolic link to ..... symlink(S)  
 table format syms: common object file symbol ..... syms(FP)  
 sync: update super block ..... sync(S)  
 sync: update the super block ..... sync(ADM)  
 /enables or disables synchronization ..... XSynchronize(XS)  
 XSynchronize: enable or disable synchronization ..... XSynchronize(XS)  
 clock /correct the time to allow synchronization of the system ..... adjtime(SSC)  
 fsync: synchronize changes to a file ..... fsync(S)  
 t\_sync: synchronize transport library ..... t\_sync(S)  
 data segment sdenter, sdleave: synchronizes access to a shared ..... sdenter(S)  
 sdgetv, sdwaitv: synchronizes shared data access ... sdgetv(S)  
 sdwaitv: synchronizes shared data access ... sdgetv(S)  
 select: synchronous I/O multiplexing ... select(S)  
 command interpreter with C-like syntax csh: invoke a shell ..... csh(C)  
 permlint: check permlint syntax ..... permlint(SMT)  
 the Desksell command/ deskshell: syntax and control constructs of ... deskshell(X)  
 render sysadmsh(ADM) sysadmcolor: colors used to ..... sysadmcolor(F)  
 menus in sysadmsh sysadmmenu: layout of extensible ..... sysadmmenu(F)  
 menumerge: merge sysadmmenu(F) files ..... menumerge(ADM)  
 layout of extensible menus in sysadmsh sysadmmenu: ..... sysadmmenu(F)  
 administration utility sysadmsh: menu driven system ... sysadmsh(ADM)  
 colors used to render sysadmsh(ADM) sysadmcolor: ..... sysadmcolor(F)  
 variables sysconf: get configurable system ... sysconf(S)  
 parameters sysdef: output values of tunable ... sysdef(ADM)  
 messages sys\_errlist: system error ..... perror(S)  
 sysfiles: format of UUCP Sysfiles file ..... sysfiles(F)  
 Sysfiles file sysfiles: format of UUCP ..... sysfiles(F)  
 information sysfs: get file system type ..... sysfs(S)  
 functions sysi86: machine-specific ..... sysi86(S)  
 syslog: control system log ..... syslog(SLIB)

## Permuted Index

vsyslog: control system log    syslog, openlog, setlogmask,    .....    syslog(SLIB)  
                                   sys\_nerr: system error messages    .....    perror(S)  
                                   system: issue a shell command    .....    system(S)  
 /interactive message processing  
     identification file    system: mailx is a link to mail    .....    mail(C)  
     mount, unmount multiple file    systemid: the Micnet system    .....    systemid(F)  
     mountall: mount multiple file    systems mountall, umountall:    .....    mountall(ADM)  
     rcp: copy files across    systems .....    mountall(ADM)  
     systems .....    rcp(C)  
 umountall: unmount multiple file    systems .....    mountall(ADM)  
     systems: format of UUCP    Systems file .....    systems(F)  
     file    systems: format of UUCP Systems ..    systems(F)  
     scsi: small computer    systems interface .....    scsi(HW)  
     uname: List names of    systems known to uucp .....    uucp(C)  
     checklist: list of file    systems processed by fsck .....    checklist(F)  
                                   sysstty: system maintenance device ..    sysstty(M)  
     a function that removes a    tab group XmRemoveTabGroup: ..    XmRemoveTabGroup(Xm)  
     returns the widget ID of a    tab group XmGetTabGroup: .....    XmGetTabGroup(Xm)  
 a primitive widget to the list of    tab groups /adds a manager or    .....    XmAddTabGroup(Xm)  
     aliases, domains, and hosts    tables: MMDF name tables for .....    tables(F)  
     tabs: set    tabs on a terminal .....    tabs(C)  
                                   tabs: set tabs on a terminal .....    tabs(C)  
     request    t\_accept: accept a connect .....    t\_accept(S)  
 for a specified font list element    tag /text encoding format .....    XmRegisterSegmentEncoding(Xm)  
     with the specified font list    tag /encoding format associated ..    XmMapSegmentEncoding(Xm)  
 list function that retrieves the    tag of a font list entry /a font .....    XmFontListEntryGetTag(Xm)  
     ctags: create a    tags file .....    ctags(C)  
     package access    tai\_end: ends MMDF tailoring .....    tai(S)  
 MMDF site tailoring information    tai\_end, tai\_get, tai\_init: get .....    tai(S)  
     next line of MMDF tailoring/    tai\_get: acquires and parses the .....    tai(S)  
     tailoring information tai\_end,    tai\_get, tai\_init: get MMDF site .....    tai(S)  
     information tai\_end, tai\_get,    tai\_init: get MMDF site tailoring ...    tai(S)  
     tailoring package    tai\_init: initializes MMDF .....    tai(S)  
     file    tail: display the last part of a .....    tail(C)  
     mmdftailor: provide run-time    tailoring for the MMDF mail/ .....    mmdftailor(F)  
     tai\_get, tai\_init: get MMDF site    tailoring information tai\_end, .....    tai(S)  
 and parses the next line of MMDF    tailoring package /acquires .....    tai(S)  
     tai\_init: initializes MMDF    tailoring package .....    tai(S)  
     tai\_end: ends MMDF    tailoring package access .....    tai(S)  
     structure    t\_alloc: allocate a library .....    t\_alloc(S)  
                                   tam: TAM transition libraries .....    tam(S)  
                                   tam: TAM transition libraries .....    tam(S)  
                                   tan: return tangent of x .....    trig(S)  
 /asin, atan, atan2, cos, sin,    tan: trigonometric functions .....    trig(S)  
     tanh: returns hyperbolic    tangent of argument .....    sinh(S)  
     atan: return arc    tangent of x .....    trig(S)  
     tan: return    tangent of x .....    trig(S)  
     atan2: return arc    tangent of y/x .....    trig(S)  
     sinh, cosh,    tanh: hyperbolic functions .....    sinh(S)  
     of argument    tanh: returns hyperbolic tangent ...    sinh(S)  
     ptar: process    tape archives .....    ptar(C)  
 tape device tapectl: AT&T    tape control for QIC-24/QIC-02 ...    tapectl(C)  
     dat: digital audio    tape device .....    dat(HW)  
 tape control for QIC-24/QIC-02    tape device tapectl: AT&T .....    tapectl(C)  
     tape: magnetic    tape device .....    tape(HW)

mt: lists Intel tape drive model number ..... undocumented(M)  
 mcd daemon: tape driver daemon ..... mcconfig(F)  
 mcconfig: Irwin tape driver parameters ..... mcconfig(F)  
 xbackup: XENIX incremental dump  
   tape format ..... xbackup(F)  
   tape: magnetic tape device ..... tape(HW)  
   program  
     tape: magnetic tape maintenance ..... tape(C)  
     tape maintenance program ..... mcart(C)  
     tape maintenance program ..... tape(C)  
   tapedump: dump magnetic tape to output file ..... tapedump(C)  
   QIC-24/ QIC-02 tape device  
     tapedump: dump magnetic tape to output file ..... tapedump(C)  
     tar: archive files ..... tar(C)  
     tar: archive format ..... tar(F)  
   specification in the specified target format /returns the color ... XcmsQueryBlack(XS)  
   /a function that tests whether the target types match between a drop/ XmTargetsAreCompatible(Xm)  
     transport endpoint t\_bind: bind an address to a ..... t\_bind(S)  
   tcb check script, multiuser mode tcb check script /mode ..... tcbck(ADM)  
   /base checker, single-user mode tcb check script, multiuser mode/ . tcbck(ADM)  
   computing base checker,/ tcbck, smmck, authckrc: trusted ... tcbck(ADM)  
   tcsendbreak: line control/  
     has been transmitted tcdrain, tcf flow, tcf l u s h , ..... tcf l o w ( S )  
     reception of data tcdrain: wait until all output ..... tcf l o w ( S )  
   line control functions tcdrain, tcf l o w , tcf l u s h , tcsendbreak: ..... tcf l o w ( S )  
     written or read tcf l u s h : discard all data not ..... tcf l o w ( S )  
     control/ tcdrain, tcf l o w , tcf l u s h , tcsendbreak: line ..... tcf l o w ( S )  
     parameters tcgetattr: gets the fildes object ..... tcattr(S)  
     functions tcgetattr, tcssetattr: state ..... tcattr(S)  
   for tty foreground process tcgetgrp: gets process group ID ..... tcpggrp(S)  
     group id functions tcgetgrp, tcsetgrp: process ..... tcpggrp(S)  
     endpoint t\_close: close a transport ..... t\_close(S)  
   with another transport user t\_connect: establish a connection ... t\_connect(S)  
     endhostent: closes TCP connection ..... gethostbyname(SLIB)  
     tcdrain, tcf l o w , tcf l u s h , tcsendbreak: line control/ ..... tcf l o w ( S )  
     bits for specified duration tcsendbreak: transmit zero-valued ... tcf l o w ( S )  
     parameters tcsetattr: sets the fildes object ..... tcattr(S)  
     tcsetattr, tcssetattr: state functions ..... tcattr(S)  
     functions tcsetgrp, tcsetgrp: process group id ..... tcpggrp(S)  
     process ID group tcsetgrp: sets the foreground ..... tcpggrp(S)  
     binary search tree tdelete: deletes a node from a ..... tsearch(S)  
     search trees tsearch, tfind, tdelete, twalk: manage binary ..... tsearch(S)  
   obtains the widget ID for the tear-off control in a menu /that ... XmGetTearOffControl(Xm)  
   tee: create a tee in a pipe ..... tee(C)  
   tee in a pipe ..... tee(C)  
 XcmsTekHVCQueryMaxC: obtain the TekHVC coordinates ..... XcmsTekHVCQueryMaxC(XS)  
   4014: paginator for the TEKTRONIX 4014 terminal ..... 4014(C)  
   indicate last logins of users and teletypes last: ..... last(C)  
   and the command telinit is/ telinit: telinit is a link to init. When ..... init(M)  
   /a link to init. When the command telinit is run, init is invoked ..... init(M)  
   initialization init, telinit: process control ..... init(M)  
   init. When the command telinit/ telinit: telinit is a link to ..... init(M)  
   /readdir, rewinddir, seekdir, telldir: directory operations ..... directory(S)  
   associated with named directory/ telldir: returns current location ... directory(S)  
   shared memory/ XShmAttach: tells the server to attach to the ..... XShm(Xext)  
   the shared memory/ XShmDetach: tells the server to detach from ..... XShm(Xext)

## Permuted Index

communications utility      `tellxd3: Desktop to UNIX shell`      `tellxd3(X)`  
 creation function /a MessageBox      `TemplateDialog convenience`      `XmCreateTemplateDialog(Xm)`  
 temporary file `tmpnam,`  
     named directory      `tmpnam: create a name for a`      `tmpnam(S)`  
     sleep: suspend processing      `tmpnam: creates a filename in a`      `tmpnam(S)`  
 update of / /a Text function that      `temporarily`      `sleep(K)`  
     `tmpnam: create a name for a`  
     `tmpfile: create a`  
     specified `cleantmp: remove`  
 into memory `sptalloc: allocate`  
     /that copies a data item to      `temporary files in directories`      `cleantmp(ADM)`  
     terminals      `temporary memory or map a device`      `sptalloc(K)`  
     current/ resize: utility to set      `temporary storage for later/`      `XmClipboardCopy(Xm)`  
     off, available only through      `term: conventional names for`      `term(M)`  
     off, available only through      `TERMCAP and terminal settings to`      `resize(X)`  
     on, available only through      `termcap curses /cursor display`      `urses(S)`  
     on, available only through      `termcap curses /cursor display`      `terminfo(S)`  
     information from keypad of user's      `termcap curses /cursor display`      `urses(S)`  
     information from keypad of user's      `termcap curses /cursor display`      `terminfo(S)`  
     information from keypad of user's      `termcap description into a`      `captainfo(ADM)`  
     jagent: host control of windowing      `termcap entry for name`      `urses(S)`  
     jterm: reset layer of windowing      `termcap entry for name`      `terminfo(S)`  
     lock: lock a user's      `termcap: terminal capability`      `termcap(F)`  
     paginator for the TEKTRONIX 4014      `termcap: tgetent, tgetnum,`      `termcap(S)`  
     permit or deny messages sent to a      `terminal lprint: print to`      `lprint(C)`  
     prefresh: writes output to the      `terminal`      `ct(C)`  
     prefresh: writes output to the      `terminal wtinit: object`      `wtinit(ADM)`  
     returns output speed of the      `terminal newterm:`      `urses(S)`  
     returns output speed of the      `terminal newterm:`      `terminfo(S)`  
     returns output speed of the      `terminal 300: Handle special`      `300(C)`  
     scancode: PC-scancode capable      `terminal 300s: Handle special`      `300(C)`  
 special functions of the DASl 450      `terminal keypad: obtains`      `urses(S)`  
     `stty, STTY: set the options for a`  
     `tabs: set tabs on a`  
     terminal: login      `terminal keypad: obtains`      `tam(S)`  
     `tgetent: extracts the entry for`  
     to verbose description of current      `terminal keypad: obtains`      `terminfo(S)`  
     to verbose description of current      `terminal`      `jagent(M)`  
     `ttyname, isatty: get name of a`  
     writes output to the      `terminal`      `jterm(C)`  
     writes output to the      `terminal`      `lock(C)`  
     ospeed: contains output speed of      `terminal 4014:`      `4014(C)`  
     terminal as encoded by `stty`      `terminal mesg:`      `mesg(C)`  
     terminal      `terminal`      `urses(S)`  
     terminal      `terminal`      `terminfo(S)`  
     terminal      `terminal baudrate:`      `urses(S)`  
     terminal      `terminal baudrate:`      `tam(S)`  
     terminal      `terminal baudrate:`      `terminfo(S)`  
     terminal      `terminal scancode:`      `scancode(HW)`  
     terminal      `terminal 450: handle`      `450(C)`  
     terminal      `terminal`      `stty(C)`  
     terminal      `terminal`      `tabs(C)`  
     terminal      `terminal`      `terminal(HW)`  
     terminal      `terminal`      `termcap(S)`  
     terminal /returns pointer      `terminal`      `urses(S)`  
     terminal /returns pointer      `terminal`      `terminfo(S)`  
     terminal      `terminal`      `ttyname(S)`  
     terminal `pnoutrefresh:`      `terminal`      `urses(S)`  
     terminal `pnoutrefresh:`      `terminal`      `terminfo(S)`  
     terminal as encoded by `stty`      `terminal`      `termcap(S)`

getch: reads character from	terminal associated with a window	curses(S)
getch: reads character from	terminal associated with a window	tam(S)
getch: reads character from	terminal associated with a window	terminfo(S)
mvgetch: reads character from	terminal associated with a window	curses(S)
mvgetch: reads character from	terminal associated with a window	terminfo(S)
mvwgetch: reads character from	terminal associated with a window	curses(S)
mvwgetch: reads character from	terminal associated with a window	terminfo(S)
wgetch: reads character from	terminal associated with a window	curses(S)
wgetch: reads character from	terminal associated with a window	terminfo(S)
tiocld: manipulates contents of	terminal buffers	tty(K)
has_colors: determines if	terminal can manipulate colors	curses(S)
has_colors: determines if	terminal can manipulate colors	terminfo(S)
termcap:	terminal capability database	termcap(F)
terminfo:	terminal capability database	terminfo(M)
/field and flag information from	terminal control database	fields(S)
ttyupd, termupd: update the	Terminal Control database	ttyupd(ADM)
/putprctnam: manipulate	terminal control database entry	getprct(S)
ttys:	terminal control database file	ttys(F)
/puts a new or replaced	terminal control entry	getprct(S)
repeated/ setprct: rewinds	terminal control file to allow	getprct(S)
processing/ endprct: close the	terminal control file when	getprct(S)
terminfo:	terminal description database	terminfo(S)
isatty: test for a	terminal device	ttyname(S)
ttyname: get	terminal device pathname	ttyname(S)
scoterm:	terminal emulator for X	scoterm(X)
xterm:	terminal emulator for X	xterm(X)
ctermid: generate	terminal filename	ctermid(S)
greek: select	terminal filter	greek(C)
libwindows: windowing	terminal function library	libwindows(S)
tgetstr, tgoto, tputs: performs	terminal functions /tgetflag,	termcap(S)
/determines whether	terminal has color capabilities	curses(S)
/determines whether	terminal has color capabilities	terminfo(S)
character/ has_ic: determines if	terminal has insert/delete	terminfo(S)
character/ has_ic: true if	terminal has insert/delete	curses(S)
capability has_il: determines if	terminal has insert/delete-line	terminfo(S)
capability has_il: true if	terminal has insert/delete-line	curses(S)
outputs a string that puts	terminal in video mode vidattr:	curses(S)
outputs a string that puts	terminal in video mode vidattr:	terminfo(S)
outputs a string that puts	terminal in video mode vidputs:	curses(S)
outputs a string that puts	terminal in video mode vidputs:	terminfo(S)
termio: general	terminal interface	termio(M)
tty: special	terminal interface	tty(M)
cbreak: puts	terminal into CBREAK mode	curses(S)
cbreak: puts	terminal into CBREAK mode	tam(S)
cbreak: puts	terminal into CBREAK mode	terminfo(S)
crmode: puts	terminal into CBREAK mode	tam(S)
crmode: puts	terminal into CBREAK mode	terminfo(S)
noraw: places	terminal into RAW mode	terminfo(S)
raw: places	terminal into RAW mode	curses(S)
iswind: determines if	terminal is local or remote	tam(S)
undial: close a	terminal line	dial(S)
dial: establish an outgoing	terminal line connection	dial(S)
dial: open a	terminal line for read/write	dial(S)
	terminal: login terminal	terminal(HW)

## Permuted Index

sc\_exit: restores scancode  
     tset: set  
     nocbreak: puts  
     nocbreak: puts  
     nocbreak: puts  
     nocrmode: puts  
     nocrmode: puts  
     noraw: places  
     raw: places  
     clear: clear a  
     multiple updates to physical  
     multiple updates to physical  
     multiple updates to physical  
     multiple updates to physical  
     the named window to the physical  
     the named window to the physical  
     the named window to the physical  
     optimization package curses:  
     refresh: copies named window to  
     refresh: copies named window to  
     refresh: copies named window to  
     /utility to set TERMCAP and  
     gettydefs: speed and  
     ismpx: return windowing  
     STTY: set the options for a  
     savetty: saves current state of  
     savetty: saves current state of  
     savetty: saves current state of  
     endwin: resets  
     endwin: resets  
     endwin: resets  
     resetty: restores  
     resetty: restores  
     resetty: restores  
     fixterm: restore  
     reset\_prog\_mode: restores  
     reset\_prog\_mode: restores  
     reset\_tty: restores  
     reset\_tty: restores  
     reset\_tty: restores  
     reset\_tty: restores  
     reset\_shell\_mode: restores  
     reset\_shell\_mode: restores  
     reset\_shell\_mode: restores  
     set\_tty: restores  
     set\_tty: restores  
     line/ getty, uugetty: set  
     login ttytype: set  
     /used between host and windowing  
     beep: used to signal the  
     beep: used to signal the  
     beep: used to signal the  
     flash: used to signal the  
     flash: used to signal the  
     flash: used to signal the  
     wrefresh and scrolls physical  
     terminal mode and tty settings . . . . sc\_init(S)  
     terminal modes . . . . . tset(C)  
     terminal out of CBREAK mode . . . . . curses(S)  
     terminal out of CBREAK mode . . . . . tam(S)  
     terminal out of CBREAK mode . . . . . terminfo(S)  
     terminal out of CBREAK mode . . . . . tam(S)  
     terminal out of CBREAK mode . . . . . terminfo(S)  
     terminal out of RAW mode . . . . . curses(S)  
     terminal out of RAW mode . . . . . terminfo(S)  
     terminal screen . . . . . clear(C)  
     terminal screen /allows . . . . . curses(S)  
     terminal screen /allows . . . . . terminfo(S)  
     terminal screen douupdate: allows . . . . . curses(S)  
     terminal screen douupdate: allows . . . . . terminfo(S)  
     terminal screen wrefresh: copies . . . . . curses(S)  
     terminal screen wrefresh: copies . . . . . tam(S)  
     terminal screen wrefresh: copies . . . . . terminfo(S)  
     terminal screen handling and . . . . . curses(S)  
     terminal screen using stdscr as/ . . . . . curses(S)  
     terminal screen using stdscr as/ . . . . . tam(S)  
     terminal screen using stdscr as/ . . . . . terminfo(S)  
     terminal settings to current/ . . . . . resize(X)  
     terminal settings used by getty . . . . . gettydefs(F)  
     terminal state . . . . . ismpx(C)  
     terminal. STTY is a link to stty . . . . . stty(C)  
     terminal to a buffer . . . . . curses(S)  
     terminal to a buffer . . . . . tam(S)  
     terminal to a buffer . . . . . terminfo(S)  
     terminal to non-visual mode . . . . . curses(S)  
     terminal to non-visual mode . . . . . tam(S)  
     terminal to non-visual mode . . . . . terminfo(S)  
     terminal to previous state . . . . . tam(S)  
     terminal to previous state . . . . . terminfo(S)  
     terminal to previous state . . . . . curses(S)  
     terminal to program state . . . . . tam(S)  
     terminal to "program" state . . . . . curses(S)  
     terminal to "program" state . . . . . terminfo(S)  
     terminal to "program" state . . . . . curses(S)  
     terminal to "program" state . . . . . tam(S)  
     terminal to "program" state . . . . . terminfo(S)  
     terminal to "shell" state . . . . . curses(S)  
     terminal to "shell" state . . . . . terminfo(S)  
     terminal to "shell" state . . . . . curses(S)  
     terminal to "shell" state . . . . . terminfo(S)  
     terminal type, modes, speed, and . . . . . getty(M)  
     terminal types automatically at . . . . . ttytype(F)  
     terminal under layers(C) . . . . . layers(M)  
     terminal user . . . . . curses(S)  
     terminal user . . . . . tam(S)  
     terminal user . . . . . terminfo(S)  
     terminal user . . . . . curses(S)  
     terminal user . . . . . tam(S)  
     terminal user . . . . . terminfo(S)  
     terminal window one line /calls . . . . . curses(S)

wrefresh and scrolls physical terminal window one line /calls .. terminfo(S)  
 /allows multiple updates of terminal window screen ..... curses(S)  
 /allows multiple updates of terminal window screen ..... terminfo(S)  
 color on color alphanumeric terminals /manipulates ..... curses(S)  
 color on color alphanumeric terminals /manipulates ..... terminfo(S)  
 functions of DASI 300 and 300s terminals /300s: handle special ..... 300(C)  
 functions of Hewlett-Packard terminals hp: handle special ..... hp(C)  
 layer multiplexer for windowing terminals layers: ..... layers(C)  
 paginate display for soft-copy terminals pg: ..... pg(C)  
 term: conventional names for terminals ..... term(M)  
 terminals: list of supported terminals ..... terminals(M)  
 tty driver for AT&T windowing terminals xt: multiplexed ..... xt(HW)  
 enable: turn on terminals and line printers ..... enable(C)  
 disable: turn off terminals and printers ..... disable(C)  
 capability is present in the terminal's entry /if specified ..... termcap(S)  
 terminals terminals: list of supported ..... terminals(M)  
 tty: get the terminal's name ..... tty(C)  
 wait for child process to stop or terminate wait, waitpid: ..... wait(S)  
 kill: terminate a process ..... kill(C)  
 shutdown: terminate all processing ..... shutdown(ADM)  
 wait3: wait for process to terminate or stop ..... wait3(SLIB)  
 exit, \_exit: terminate process ..... exit(S)  
 XTextProperty from a list of null terminated strings /set an ..... XmTextListToTextProperty(XS)  
 /a Drag and Drop function that terminates a drag transaction ..... XmDragCancel(Xm)  
 crypt\_close: terminates /bin/crypt connection .. crypt(S)  
 exit: terminates calling process ..... exit(S)  
 register function to be called at termination atexit: ..... atexit(S)  
 returns pointer to form termination function form\_term: .. form(S)  
 returns pointer to menu termination function item\_term: .. menu(S)  
 returns a pointer to the menu's termination routine menu\_term: .. menu(S)  
 /for audit subsystem activation, termination, statistic retrieval,/ .. auditcmd(ADM)  
 tic: terminfo compiler ..... tic(C)  
 tput: query the terminfo database ..... tput(C)  
 a termcap description into a terminfo description /convert ..... captoinfo(ADM)  
 infocmp: compare or print out terminfo descriptions ..... infocmp(ADM)  
 terminfo: format of compiled terminfo file ..... terminfo(F)  
 terminfo file terminfo: format of compiled ..... terminfo(F)  
 database terminfo: terminal capability ..... terminfo(M)  
 database terminfo: terminal description ..... terminfo(S)  
 restartterm: reads in terminfo(F) database ..... curses(S)  
 restartterm: reads in terminfo(F) database ..... terminfo(S)  
 setupterm: reads in terminfo(F) database ..... curses(S)  
 setupterm: reads in terminfo(F) database ..... terminfo(S)  
 interface termio: general terminal ..... termio(M)  
 Control database ttyupd, termupd: update the Terminal ..... ttyupd(ADM)  
 t\_nerr: maximum index value for t\_errlist ..... t\_error(S)  
 message strings t\_errlist: pointer to array of ..... t\_error(S)  
 message t\_errno: value for current error ..... t\_error(S)  
 message produced by call to/ t\_error: display last error ..... t\_error(S)  
 t\_error: produce error message ..... t\_error(S)  
 [: test conditions ..... test(C)  
 test: test conditions ..... test(C)  
 (NaN) according to IEEE/ isnand: test double for Not-a-Number ..... isnan(S)  
 (NaN) isnan: test double for Not-a-Number ..... isnan(S)

## Permuted Index

according to IEEE/ isnanf: test float for Not-a-Number (NaN) . isnan(S)  
 isnan, isnand, isnanf: test for a floating point NaN/ ..... isnan(S)  
 isatty: test for a terminal device ..... ttyname(S)  
 testb: test for an available buffer ..... testb(K)  
 isascii: test for ASCII characters ..... ctype(S)  
 feof: test for previous EOF ..... ferror(S)  
 canput: test for room in a queue ..... canput(K)  
 existing signal set sigismember: test if a signal is in the ..... sigset(S)  
 kbmode: set keyboard mode or test keyboard support ..... kbmode(ADM)  
 test: test conditions ..... test(C)  
 message datamsq: test whether a message is a data ... datamsq(K)  
 buffer testb: test for an available ..... testb(K)  
 isgraph: tests for a visible character ..... ctype(S)  
 isalpha: tests for alphabetic character ..... ctype(S)  
 isalnum: tests for alphanumeric character ... ctype(S)  
 islower: tests for any lowercase letter ..... ctype(S)  
 isupper: tests for any uppercase letter ..... ctype(S)  
 iscntrl: tests for control characters ..... ctype(S)  
 isdigit: tests for decimal digit ..... ctype(S)  
 isxdigit: tests for hexadecimal digit ..... ctype(S)  
 error ferror: tests for previous read/write ..... ferror(S)  
 isprint: tests for printing character ..... ctype(S)  
 ispunct: tests for punctuation character ..... ctype(S)  
 isspace: tests for white-space character ..... ctype(S)  
 value/ /type manager function that tests the validity of a numerical ... XmRepTypeValidValue(Xm)  
 match between a / /a function that tests whether the target types ..... XmTargetsAreCompatible(Xm)  
 XDrawImageString16: draws image text ..... XDrawImageString(XS)  
 XDrawImageString: draw image text ..... XDrawImageString(XS)  
 XDrawText16: draws polytext text ..... XDrawText(XS)  
 a Text function that highlights text XmTextSetHighlight: ..... XmTextSetHighlight(Xm)  
 a Text function that scrolls text XmTextScroll: ..... XmTextScroll(Xm)  
 a compound string to compound text /function that converts ..... XmCvtXmStringToCT(Xm)  
 accesses the last position in the text /a Text function that ..... XmTextGetLastPosition(Xm)  
 and deletes the selected text /selection to the clipboard .... XmTextCut(Xm)  
 and deletes the selected text /selection to the clipboard .... XmTextFieldCut(Xm)  
 first address above program text etext: ..... end(S)  
 function that highlights text /a TextField ..... XmTextFieldSetHighlight(Xm)  
 ml\_txt: directly enters raw text ..... ml\_send(S)  
 mm\_rtxt: reads MMDF message text ..... mmdf(S)  
 mm\_wstm: writes buffered MMDF text ..... mmdf(S)  
 obtain the escapement of text XmBTextEscapement: ..... XmBTextEscapement(XS)  
 obtain the escapement of text XwcTextEscapement: ..... XmBTextEscapement(XS)  
 paste buffer file and convert to text pb\_gets: read ..... tam(S)  
 reads a buffered block of MMDF text mm\_rstm: ..... mmdf(S)  
 sets the primary selection of the text /a Text function that ..... XmTextSetSelection(Xm)  
 sets the primary selection of the text /a TextField function that ... XmTextFieldSetSelection(Xm)  
 signals end of MMDF message text mm\_wtend: ..... mmdf(S)  
 text strings from the specified text /return a list of ..... XmBTextListToTextProperty(XS)  
 the baseline of the first line of text /of the character box and ..... XmStringBaseline(Xm)  
 writes block of MMDF message text mm\_wtxt: ..... mmdf(S)  
 XDrawText: draw polytext text and text drawing structures XDrawText(XS)  
 /a Text function that forces text at a given position to be/ ..... XmTextShowPosition(Xm)  
 /a TextField function that forces text at a given position to be/ ..... XmTextFieldShowPosition(Xm)  
 copy of a portion of the internal text buffer /that retrieves a ..... XmTextFieldGetSubstring(Xm)



copy of a portion of the internal text buffer /that retrieves a ..... XmTextGetSubstring(Xm)  
of a wide character internal text buffer /a a portion ..... XmTextFieldGetSubstringWcs(Xm)  
of a wide character internal text buffer /retrieves a portion ..... XmTextGetSubstringWcs(Xm)  
accesses the position of the last text character /function that ..... XmTextFieldGetLastPosition(Xm)  
XDrawString16: draws text characters ..... XDrawString(XS)  
XDrawString: draw text characters ..... XDrawString(XS)  
buffer adf\_gtxcd: get next text code from string and copy to ..... tam(S)  
the existence of non-zero length text components /information on ..... XmStringEmpty(Xm)  
/width of the longest sequence of text components in a compound/ ..... XmStringWidth(Xm)  
default string used by Xlib for text conversion /returns the ..... XmbTextListToTextProperty(XS)  
/create and free an international text drawing font set ..... XCreateFontSet(XS)  
/free an international text drawing font set ..... XCreateFontSet(XS)  
XTextItem16: text drawing structure ..... XDrawText(XS)  
XTextItem: text drawing structure ..... XDrawText(XS)  
XDrawText: draw polytext text and text drawing structures ..... XDrawText(XS)  
Invoke a novice version of the text editor edit: ..... ex(C)  
ed, red: invoke the text editor ed(C) ..... ed(C)  
ed: Invoke the text editor ..... ed(C)  
ex, edit: invoke a text editor ..... ex(C)  
ex: Invoke the ex text editor ..... ex(C)  
red: Invoke a restricted text editor ..... ed(C)  
with/ /that returns the compound text encoding format associated ... XmMapSegmentEncoding(Xm)  
/that registers a compound text encoding format for a/ ..... XmRegisterSegmentEncoding(Xm)  
XQueryTextExtents16: queries text extents ..... XTextExtents(XS)  
XQueryTextExtents: queries text extents ..... XTextExtents(XS)  
XTextExtents16: computes text extents ..... XTextExtents(XS)  
XTextExtents: compute or query text extents ..... XTextExtents(XS)  
XmbTextExtents: compute text extents ..... XmbTextExtents(XS)  
XwcTextExtents: compute text extents ..... XmbTextExtents(XS)  
newform: change the format of a text file ..... newform(C)  
diff compare two text files ..... diff(C)  
fspec: format specification in text files ..... fspec(F)  
overlay: overlays text from srcwin to dstwin ..... curses(S)  
overlay: overlays text from srcwin to dstwin ..... terminfo(S)  
overwrite: overlays text from srcwin to dstwin ..... curses(S)  
overwrite: overlays text from srcwin to dstwin ..... terminfo(S)  
XmTextGetInsertionPosition: a Text function that accesses the/ ... XmTextGetInsertionPosition(Xm)  
XmTextGetSelectionPosition: a Text function that accesses the/ ... XmTextGetSelectionPosition(Xm)  
XmTextGetTopCharacter: a Text function that accesses the/ ... XmTextGetTopCharacter(Xm)  
character/ XmTextXYToPos: a Text function that accesses the ..... XmTextXYToPos(Xm)  
edit/ XmTextGetEditable: a Text function that accesses the ..... XmTextGetEditable(Xm)  
last/ XmTextGetLastPosition: a Text function that accesses the ..... XmTextGetLastPosition(Xm)  
source of the/ XmTextGetSource: a Text function that accesses the ..... XmTextGetSource(Xm)  
string value XmTextGetString: a Text function that accesses the ..... XmTextGetString(Xm)  
a value of/ XmTextGetMaxLength: a Text function that accesses the ..... XmTextGetMaxLength(Xm)  
and y position/ XmTextPosToXY: a Text function that accesses the x ..... XmTextPosToXY(Xm)  
position of/ XmTextGetBaseline: a Text function that accesses the ..... XmTextGetBaseline(Xm)  
primary/ XmTextClearSelection: a Text function that clears the ..... XmTextClearSelection(Xm)  
primary selection/ XmTextCopy: a Text function that copies the ..... XmTextCopy(Xm)  
primary selection/ XmTextCut: a Text function that copies the ..... XmTextCut(Xm)  
primary/ XmTextRemove: a Text function that deletes the ..... XmTextRemove(Xm)  
beginning/ XmTextFindString: a Text function that finds the ..... XmTextFindString(Xm)  
beginning/ XmTextFindStringWcs: a Text function that finds the ..... XmTextFindStringWcs(Xm)  
a given/ XmTextShowPosition: a Text function that forces text at ..... XmTextShowPosition(Xm)

## Permuted Index

visual/ XmTextEnableRedisplay: a Text function that forces the ..... XmTextEnableRedisplay(Xm)  
     text XmTextSetHighlight: a Text function that highlights ..... XmTextSetHighlight(Xm)  
     character string/ XmTextInsert: a Text function that inserts a ..... XmTextInsert(Xm)  
     character/ XmTextInsertWcs: a Text function that inserts a wide ... XmTextInsertWcs(Xm)  
     clipboard/ XmTextPaste: a Text function that inserts the ..... XmTextPaste(Xm)  
     of a text/ XmTextReplace: a Text function that replaces part ..... XmTextReplace(Xm)  
     of a wide/ XmTextReplaceWcs: a Text function that replaces part ..... XmTextReplaceWcs(Xm)  
     copy of a / XmTextGetSubstring: a Text function that retrieves a ..... XmTextGetSubstring(Xm)  
     copy of / XmTextGetSubstringWcs: a Text function that retrieves a ..... XmTextGetSubstringWcs(Xm)  
 portion/ XmTextGetSubStringWcs: a Text function that retrieves a ..... XmTextGetSubStringWcs(Xm)  
     value of/ XmTextGetSelection: a Text function that retrieves the ..... XmTextGetSelection(Xm)  
     value/ XmTextGetSelectionWcs: a Text function that retrieves the .... XmTextGetSelectionWcs(Xm)  
         XmTextScroll: a Text function that scrolls text ..... XmTextScroll(Xm)  
     character/ XmTextSetStringWcs: a Text function that sets a wide ..... XmTextSetStringWcs(Xm)  
         XmTextSetInsertionPosition: a Text function that sets the/ ..... XmTextSetInsertionPosition(Xm)  
         XmTextSetTopCharacter: a Text function that sets the/ ..... XmTextSetTopCharacter(Xm)  
     primary/ XmTextSetSelection: a Text function that sets the ..... XmTextSetSelection(Xm)  
     source of the/ XmTextSetSource: a Text function that sets the ..... XmTextSetSource(Xm)  
     string value XmTextSetString: a Text function that sets the ..... XmTextSetString(Xm)  
     permission XmTextSetEditable: a Text function that sets the edit ..... XmTextSetEditable(Xm)  
     of Add Mode XmTextSetAddMode: a Text function that sets the state ... XmTextSetAddMode(Xm)  
     of the/ XmTextSetMaxLength: a Text function that sets the value ... XmTextSetMaxLength(Xm)  
     XmTextDisableRedisplay: a Text function that temporarily/ ..... XmTextDisableRedisplay(Xm)  
         XctData: compound text functions ..... XctData(Xmu)  
         addch: manipulates text in windows ..... curses(S)  
         addch: manipulates text in windows ..... tam(S)  
         addch: manipulates text in windows ..... terminfo(S)  
         mvaddch: manipulates text in windows ..... curses(S)  
         mvaddch: manipulates text in windows ..... tam(S)  
         mvaddch: manipulates text in windows ..... terminfo(S)  
         mvwaddch: manipulates text in windows ..... curses(S)  
         mvwaddch: manipulates text in windows ..... terminfo(S)  
         waddch: manipulates text in windows ..... curses(S)  
         waddch: manipulates text in windows ..... terminfo(S)  
         structures /convert text lists and text property ..... XmbTextListToTextProperty(XS)  
         ml\_adr: specifies text of one address ..... ml\_send(S)  
         plock: lock process, text, or data in memory ..... plock(S)  
     XSetTextProperty: set and read text properties ..... XSetTextProperty(XS)  
     XGetTextProperty: reads text property ..... XSetTextProperty(XS)  
     text strings from the specified text property /return a list of ..... XmbTextListToTextProperty(XS)  
     /convert string lists and text property structure ..... XStringListToTextProperty(XS)  
         XTextProperty: text property structure ..... XStringListToTextProperty(XS)  
     /convert text lists and text property structures ..... XmbTextListToTextProperty(XS)  
     function that searches for a text segment in the input/ /string XmStringGetLtoR(Xm)  
     finds the beginning position of a text string /a Text function that ... XmTextFindString(Xm)  
     for a character position within a text string /data type ..... XmTextPosition("Xm")  
     function that replaces part of a text string /a Text ..... XmTextReplace(Xm)  
     function that replaces part of a text string /a TextField ..... XmTextFieldReplace(Xm)  
     inserts a character string into a text string /a Text function that ... XmTextInsert(Xm)  
     inserts a character string into a text string /function that ..... XmTextFieldInsert(Xm)  
     parse next item from Compound Text string XctNextItem: ..... XctData(Xmu)  
     per-character information for a text string /obtain ..... XmbTextPerCharExtents(XS)  
     position of a wide character text string /finds the beginning ... XmTextFindStringWcs(Xm)  
     structure for parsing Compound Text string /create XctData ..... XctData(Xmu)

structure to reparse Compound Text string /reset XctData ..... XctData(Xmu)

/maximum allowable length of a text string entered from the/ ..... XmTextFieldGetMaxLength(Xm)

/maximum allowable length of a text string entered from the/ ..... XmTextFieldSetMaxLength(Xm)

/maximum allowable length of a text string entered from the/ ..... XmTextFieldGetMaxLength(Xm)

/maximum allowable length of a text string entered from the/ ..... XmTextFieldSetMaxLength(Xm)

text property /return a list of text strings from the specified ..... XmbTextListToTextProperty(XS)

text /return a list of text strings from the specified ..... XmbTextListToTextProperty(XS)

a file pointer to be used for text submission ml\_file: passes ..... ml\_send(S)

ml\_end: signals end of text submission ..... ml\_send(S)

signals start of message text submission ml\_tunit: ..... ml\_send(S)

function that converts compound text to a compound string /string ..... XmCvtCTToXmString(Xm)

XmbDrawImageString: draw image text using a single font set ..... XmbDrawImageString(XS)

XmbDrawString: draw image text using a single font set ..... XmbDrawString(XS)

XwcDrawImageString: draw image text using a single font set ..... XmbDrawImageString(XS)

XwcDrawString: draw image text using a single font set ..... XmbDrawString(XS)

XmbDrawText: draw image text using multiple font sets ..... XmbDrawText(XS)

XwcDrawText: draw image text using multiple font sets ..... XmbDrawText(XS)

a wide character string into a Text widget /that inserts ..... XmTextInsertWcs(Xm)

forces the visual update of a Text widget /a Text function that ..... XmTextEnableRedisplay(Xm)

of a wide character string in a Text widget /that replaces part ..... XmTextReplaceWcs(Xm)

prevents visual update of the Text widget /that temporarily ..... XmTextDisableRedisplay(Xm)

wide character string value of a Text widget /a copy of the ..... XmTextGetStringWcs(Xm)

XmText: the Text widget class ..... XmText(Xm)

XmCreateText: the Text widget creation function ..... XmCreateText(Xm)

XTextWidth16: computes text width ..... XTextWidth(XS)

XTextWidth: compute text width ..... XTextWidth(XS)

XmTextField: the TextField class ..... XmTextField(Xm)

XmTextFieldSetHighlight: a TextField function that/ ..... XmTextFieldSetHighlight(Xm)

XmTextFieldGetLastPosition: a TextField function that accesses/ ..... XmTextFieldGetLastPosition(Xm)

the position of the insertion/ /a TextField function that accesses ..... XmTextFieldGetInsertionPosition(Xm)

the position of the primary/ /a TextField function that accesses ..... XmTextFieldGetSelectionPosition(Xm)

the x and/ XmTextFieldPosToXY: a TextField function that accesses ..... XmTextFieldPosToXY(Xm)

the/ XmTextFieldGetEditable: a TextField function that accesses ..... XmTextFieldGetEditable(Xm)

the/ XmTextFieldGetMaxLength: a TextField function that accesses ..... XmTextFieldGetMaxLength(Xm)

the/ XmTextFieldGetString: a TextField function that accesses ..... XmTextFieldGetString(Xm)

the/ XmTextFieldXYToPos: a TextField function that accesses ..... XmTextFieldXYToPos(Xm)

thex/ XmTextFieldGetBaseline: a TextField function that accesses ..... XmTextFieldGetBaseline(Xm)

the/ XmTextFieldClearSelection: a TextField function that clears ..... XmTextFieldClearSelection(Xm)

the primary/ XmTextFieldCopy: a TextField function that copies ..... XmTextFieldCopy(Xm)

the primary/ XmTextFieldCut: a TextField function that copies ..... XmTextFieldCut(Xm)

the primary/ XmTextFieldRemove: a TextField function that deletes ..... XmTextFieldRemove(Xm)

text/ XmTextFieldShowPosition: a TextField function that forces ..... XmTextFieldShowPosition(Xm)

the/ XmTextFieldPaste: a TextField function that inserts ..... XmTextFieldPaste(Xm)

character/ XmTextFieldInsert: a TextField function that inserts a ..... XmTextFieldInsert(Xm)

wide/ XmTextFieldInsertWcs: a TextField function that inserts a ..... XmTextFieldInsertWcs(Xm)

part of a/ XmTextFieldReplace: a TextField function that replaces ..... XmTextFieldReplace(Xm)

part of/ XmTextFieldReplaceWcs: a TextField function that replaces ..... XmTextFieldReplaceWcs(Xm)

XmTextFieldGetSelectionWcs: a TextField function that retrieves/ ..... XmTextFieldGetSelectionWcs(Xm)

a/ XmTextFieldGetStringWcs: a TextField function that retrieves ..... XmTextFieldGetStringWcs(Xm)

a/ XmTextFieldGetSubstring: a TextField function that retrieves ..... XmTextFieldGetSubstring(Xm)

a/ XmTextFieldGetSubstringWcs: a TextField function that retrieves ..... XmTextFieldGetSubstringWcs(Xm)

the/ XmTextFieldGetSelection: a TextField function that retrieves ..... XmTextFieldGetSelection(Xm)

wide/ XmTextFieldSetStringWcs: a TextField function that sets a ..... XmTextFieldSetStringWcs(Xm)

XmTextFieldSetSelection: a TextField function that sets the/ ..... XmTextFieldSetSelection(Xm)

## Permuted Index

edit/ `XmTextFieldSetEditable`: a TextField function that sets the `.... XmTextFieldSetEditable(Xm)`  
     position of the insertion/ `/a` TextField function that sets the `.... XmTextFieldSetInsertionPosition(Xm)`  
 state/ `XmTextFieldSetAddMode`: a TextField function that sets the `.... XmTextFieldSetAddMode(Xm)`  
 string/ `XmTextFieldSetString`: a TextField function that sets the `.... XmTextFieldSetString(Xm)`  
 value/ `XmTextFieldSetMaxLength`: a TextField function that sets the `.... XmTextFieldSetMaxLength(Xm)`  
     a wide character string into a TextField widget /that inserts `.... XmTextFieldInsertWcs(Xm)`  
     of a wide character string in a TextField widget /replaces part `.... XmTextFieldReplaceWcs(Xm)`  
     of a wide character string value of a TextField widget /a copy of the `.... XmTextFieldGetStringWcs(Xm)`  
 function `XmCreateTextField`: the TextField widget creation `.... XmCreateTextField(Xm)`  
     `XmCreateScrolledText`: the TextScrolledText convenience/ `.... XmCreateScrolledText(Xm)`  
     the tree and returns a pointer `tfind`: searches for a datum in `.... tsearch(S)`  
     binary search trees `tsearch`, `tfind`, `tdelete`, `twalk`: manage `.... tsearch(S)`  
     `t_free`: free a library structure `.... t_free(S)`  
     terminal `tgetent`: extracts the entry for `.... termcap(S)`  
     for name `tgetent`: looks up termcap entry `.... curses(S)`  
     for name `tgetent`: looks up termcap entry `.... terminfo(S)`  
`tgetstr`, `tgoto`, `tputs`:/ `termcap`: `tgetent`, `tgetnum`, `tgetflag`, `.... termcap(S)`  
     capability is present in the/ `tgetflag`: determines if specified `.... termcap(S)`  
     for codename `tgetflag`: gets the boolean entry `.... curses(S)`  
     for codename `tgetflag`: gets the boolean entry `.... terminfo(S)`  
     `termcap`: `tgetent`, `tgetnum`, `tgetflag`, `tgetstr`, `tgoto`, `tputs`:/ `.... termcap(S)`  
     service information `t_getinfo`: get protocol-specific `.... t_getinfo(S)`  
     codename `tgetnum`: gets numeric entry for `.... curses(S)`  
     codename `tgetnum`: gets numeric entry for `.... terminfo(S)`  
     of capability `tgetnum`: gets the numeric value `.... termcap(S)`  
`tgoto`, `tputs`:/ `termcap`: `tgetent`, `tgetnum`, `tgetflag`, `tgetstr`, `.... termcap(S)`  
     `t_getstate`: get the current state `.... t_getstate(S)`  
     codename `tgetstr`: returns string entry for `.... curses(S)`  
     codename `tgetstr`: returns string entry for `.... terminfo(S)`  
     of capability `tgetstr`: returns the string value `.... termcap(S)`  
     /`tgetent`, `tgetnum`, `tgetflag`, `tgetstr`, `tgoto`, `tputs`: performs/ `.... termcap(S)`  
     contains bc capability used by `tgoto BC`: `.... termcap(S)`  
     contains up capability used by `tgoto UP`: `.... termcap(S)`  
     into given capability `tgoto`: instantiates parameters `.... curses(S)`  
     into given capability `tgoto`: instantiates parameters `.... terminfo(S)`  
     addressing string `tgoto`: returns a cursor `.... termcap(S)`  
     /`tgetnum`, `tgetflag`, `tgetstr`, `tgoto`, `tputs`: performs terminal/ `.... termcap(S)`  
     /a Text function that accesses `thex` position of the first/ `.... XmTextGetBaseline(Xm)`  
 TextField function that accesses `thex` position of the first/ `/a` `.... XmTextFieldGetBaseline(Xm)`  
 that returns the widget ID of the third Separator widget /function `.... XmMainWindowSep3(Xm)`  
`l3tol`: converts long integers to three-byte integers `.... l3tol(S)`  
     integers `l3tol`: converts three-byte integers to long `.... l3tol(S)`  
     `tic`: terminfo compiler `.... tic(C)`  
 frequency of the system clock in ticks per second /return the `.... gethz(S)`  
     capability passed to it `tgetflag`: returns value of `.... curses(S)`  
     capability passed to it `tgetflag`: returns value of `.... terminfo(S)`  
     capability passed to it `tgetnum`: returns value of `.... curses(S)`  
     capability passed to it `tgetnum`: returns value of `.... terminfo(S)`  
     capability passed to it `tgetstr`: returns value of `.... curses(S)`  
     capability passed to it `tgetstr`: returns value of `.... terminfo(S)`  
     GC `XSetTSOrigin`: sets tile/stipple origin in specified `.... XSetTile(XS)`  
     `time`, `ftime`: return time `.... time(S)`  
 clock: the system real-time (time of day) clock `.... clock(F)`  
     set the system real-time (time of day) clock `setclock`: `.... setclock(ADM)`

time: return time ..... time(S)  
 time: time a command ..... time(C)  
 timeout request ..... timeout(K)  
 timeout: schedule a routine to be ..... timeout(K)  
 time to execute a routine ..... timeout(K)  
 /obtain selection ..... XtAppGetSelectionTimeout(Xt)  
 /set and obtain selection ..... XtAppGetSelectionTimeout(Xt)  
 /set selection ..... XtAppGetSelectionTimeout(Xt)  
 XtAppAddTimeout: register ..... XtAppAddTimeout(Xt)  
 XtRemoveTimeout: remove ..... XtAppAddTimeout(Xt)  
 register and remove ..... XtAppAddTimeout(Xt)  
 values in structure pointed to by ..... XtAppAddTimeout(Xt)  
 current value of the specified ..... XtAppAddTimeout(Xt)  
 sets the specified interval ..... XtAppAddTimeout(Xt)  
 get and set value of interval ..... XtAppAddTimeout(Xt)  
 itimer: interval ..... XtAppAddTimeout(Xt)  
 process times ..... XtAppAddTimeout(Xt)  
 widget ID associated with a ..... XtAppAddTimeout(Xt)  
 channel and phase pbs\_get: gets ..... XtAppAddTimeout(Xt)  
 process data and system activity ..... XtAppAddTimeout(Xt)  
 between GMT and main time zone ..... XtAppAddTimeout(Xt)  
 zone ..... XtAppAddTimeout(Xt)  
 input tttimeo: ..... XtAppAddTimeout(Xt)  
 cooperating STREAMS module ..... XtAppAddTimeout(Xt)  
 table ..... XtAppAddTimeout(Xt)  
 protocol structure ..... XtAppAddTimeout(Xt)  
 read/write interface STREAMS/ ..... XtAppAddTimeout(Xt)  
 structure t\_info: ..... XtAppAddTimeout(Xt)  
 request ..... XtAppAddTimeout(Xt)  
 netbuf: ..... XtAppAddTimeout(Xt)  
 on a transport endpoint ..... XtAppAddTimeout(Xt)  
 time pointed to by clock to ..... XtAppAddTimeout(Xt)  
 string nl\_asctime: converts a ..... XtAppAddTimeout(Xt)  
 string nl\_asctime: converts a ..... XtAppAddTimeout(Xt)  
 the path-prefix ..... XtAppAddTimeout(Xt)  
 for a temporary file ..... XtAppAddTimeout(Xt)  
 t\_errlist ..... XtAppAddTimeout(Xt)  
 7-bit ASCII character ..... XtAppAddTimeout(Xt)  
 character ..... XtAppAddTimeout(Xt)  
 \_tolower, toupper, \_toupper: / ..... XtAppAddTimeout(Xt)  
 digit (0 - 9) ..... XtAppAddTimeout(Xt)  
 \_tolower, toupper, / toascii ..... XtAppAddTimeout(Xt)  
 iomove: move data ..... XtAppAddTimeout(Xt)  
 that obtains the state of a ..... XtAppAddTimeout(Xt)  
 XmToggleButtonGetState: a ..... XtAppAddTimeout(Xt)  
 or / XmToggleButtonSetState: a ..... XtAppAddTimeout(Xt)  
 XmToggleButton: the ..... XtAppAddTimeout(Xt)  
 XmCreateToggleButton: the ..... XtAppAddTimeout(Xt)  
 that obtains the state of a ..... XtAppAddTimeout(Xt)  
 XmCreateToggleButtonGadget: the ..... XtAppAddTimeout(Xt)  
 XmToggleButtonGadgetGetState: a ..... XtAppAddTimeout(Xt)  
 XmToggleButtonGadgetSetState: a ..... XtAppAddTimeout(Xt)  
 XmToggleButtonGadget: the ..... XtAppAddTimeout(Xt)  
 time: return time ..... time(S)  
 time: time a command ..... time(C)  
 timeout request ..... timeout(K)  
 timeout: schedule a routine to be ..... timeout(K)  
 time to execute a routine ..... timeout(K)  
 /obtain selection ..... XtAppGetSelectionTimeout(Xt)  
 /set and obtain selection ..... XtAppGetSelectionTimeout(Xt)  
 /set selection ..... XtAppGetSelectionTimeout(Xt)  
 XtAppAddTimeout: register ..... XtAppAddTimeout(Xt)  
 XtRemoveTimeout: remove ..... XtAppAddTimeout(Xt)  
 register and remove ..... XtAppAddTimeout(Xt)  
 values in structure pointed to by ..... XtAppAddTimeout(Xt)  
 current value of the specified ..... XtAppAddTimeout(Xt)  
 sets the specified interval ..... XtAppAddTimeout(Xt)  
 get and set value of interval ..... XtAppAddTimeout(Xt)  
 itimer: interval ..... XtAppAddTimeout(Xt)  
 process times ..... XtAppAddTimeout(Xt)  
 widget ID associated with a ..... XtAppAddTimeout(Xt)  
 channel and phase pbs\_get: gets ..... XtAppAddTimeout(Xt)  
 process data and system activity ..... XtAppAddTimeout(Xt)  
 between GMT and main time zone ..... XtAppAddTimeout(Xt)  
 zone ..... XtAppAddTimeout(Xt)  
 input tttimeo: ..... XtAppAddTimeout(Xt)  
 cooperating STREAMS module ..... XtAppAddTimeout(Xt)  
 table ..... XtAppAddTimeout(Xt)  
 protocol structure ..... XtAppAddTimeout(Xt)  
 read/write interface STREAMS/ ..... XtAppAddTimeout(Xt)  
 structure t\_info: ..... XtAppAddTimeout(Xt)  
 request ..... XtAppAddTimeout(Xt)  
 netbuf: ..... XtAppAddTimeout(Xt)  
 on a transport endpoint ..... XtAppAddTimeout(Xt)  
 time pointed to by clock to ..... XtAppAddTimeout(Xt)  
 string nl\_asctime: converts a ..... XtAppAddTimeout(Xt)  
 string nl\_asctime: converts a ..... XtAppAddTimeout(Xt)  
 the path-prefix ..... XtAppAddTimeout(Xt)  
 for a temporary file ..... XtAppAddTimeout(Xt)  
 t\_errlist ..... XtAppAddTimeout(Xt)  
 7-bit ASCII character ..... XtAppAddTimeout(Xt)  
 character ..... XtAppAddTimeout(Xt)  
 \_tolower, toupper, \_toupper: / ..... XtAppAddTimeout(Xt)  
 digit (0 - 9) ..... XtAppAddTimeout(Xt)  
 \_tolower, toupper, / toascii ..... XtAppAddTimeout(Xt)  
 iomove: move data ..... XtAppAddTimeout(Xt)  
 that obtains the state of a ..... XtAppAddTimeout(Xt)  
 XmToggleButtonGetState: a ..... XtAppAddTimeout(Xt)  
 or / XmToggleButtonSetState: a ..... XtAppAddTimeout(Xt)  
 XmToggleButton: the ..... XtAppAddTimeout(Xt)  
 XmCreateToggleButton: the ..... XtAppAddTimeout(Xt)  
 that obtains the state of a ..... XtAppAddTimeout(Xt)  
 XmCreateToggleButtonGadget: the ..... XtAppAddTimeout(Xt)  
 XmToggleButtonGadgetGetState: a ..... XtAppAddTimeout(Xt)  
 XmToggleButtonGadgetSetState: a ..... XtAppAddTimeout(Xt)  
 XmToggleButtonGadget: the ..... XtAppAddTimeout(Xt)

## Permuted Index

integer  
 toupper,/ toascii, todigit,  
 adf\_gttok: convert word to  
 to the first character after a  
 by/ feature\_exists: returns 1 if  
 lowercase (faster, limited/  
 lowercase  
 toascii, todigit, toint,  
 toascii, todigit, toint, tolower,  
 compare shared libraries  
 distribution (application cutting  
 Xt\_options: standard X  
 /initialize internal  
 modal/ XmTrackingEvent: a  
 modal/ XmTrackingLocate: a  
 /initializes the X  
 Intro: introduction to X  
 /function that instructs the  
 list function that instructs the  
 to software mastering  
 stlong: ISAM data conversion  
 overlapping layers  
 topology files  
 endpoint  
 XtAppCreateShell: create  
 XIconifyWindow: manipulate  
 widget class  
 TopLevelShell: the  
 files top,  
 tsort:  
 top, top.next: the Micnet  
 top of the deck  
 currently displayed menu row  
 transport endpoint  
 /maps subwindows in  
 acctmrg: merge or add  
 acctcon2: generates  
 acctprc2: generate accounting  
 of recognized primary and/  
 modification times of a file  
 optimization information  
 optimization information  
 optimization information  
 optimization information  
 uppercase (faster, limited/  
 uppercase  
 /tolower, \_tolower, toupper,  
 to/ /toint, tolower, \_tolower,  
 str with parms p2  
 str with parms p2  
 toint: convert character to an . . . . . toascii(S)  
 toint, tolower, \_tolower, . . . . . toascii(S)  
 token . . . . . tam(S)  
 token strtok: returns a pointer . . . . . string(S)  
 token exists in string returned . . . . . feature(PCI)  
 \_tolower: converts character to . . . . . toascii(S)  
 tolower: converts character to . . . . . toascii(S)  
 \_tolower: converts to lowercase . . . . . ctype(S)  
 tolower: converts to lowercase . . . . . ctype(S)  
 tolower, \_tolower, toupper,/ . . . . . toascii(S)  
 \_tolower, toupper, \_toupper:/ . . . . . toascii(S)  
 tool chkshlib: . . . . . chkshlib(CP)  
 tool /make custom-installable . . . . . mkcuts(SMT)  
 Toolkit command-line options . . . . . Xt\_options(X)  
 Toolkit data structures . . . . . XtDisplayInitialize(Xt)  
 Toolkit function that provides a . . . . . XmTrackingEvent(Xm)  
 Toolkit function that provides a . . . . . XmTrackingLocate(Xm)  
 Toolkit internals . . . . . XtCreateApplicationContext(Xt)  
 Toolkit Intrinsics . . . . . Intro(Xt)  
 toolkit that the context is no/ . . . . . XmStringFreeContext(Xm)  
 toolkit that the font list/ /font . . . . . XmFontListFreeFontContext(Xm)  
 toolkit utilities /introduction . . . . . Intro(SMT)  
 tools /stdlib, stfloat, stint, . . . . . isconv(S)  
 Top: moves layer to top of . . . . . libwindows(S)  
 top, top.next: the Micnet . . . . . top(F)  
 t\_open: establish a transport . . . . . t\_open(S)  
 top-level widget instance . . . . . XtAppCreateShell(Xt)  
 top-level windows . . . . . XIconifyWindow(XS)  
 TopLevelShell: the TopLevelShell . . . . . TopLevelShell(Xm)  
 TopLevelShell widget class . . . . . TopLevelShell(Xm)  
 top.next: the Micnet topology . . . . . top(F)  
 topological sort . . . . . tsort(CP)  
 topology files . . . . . top(F)  
 top\_panel: puts visible panel on . . . . . panel(S)  
 top\_row: returns number of . . . . . menu(S)  
 t\_optmgmt: manage options for a . . . . . t\_optmgmt(S)  
 top-to-bottom stacking order . . . . . XMapWindow(XS)  
 total accounting files . . . . . acctmrg(ADM)  
 total accounting records . . . . . acctcon(ADM)  
 total records . . . . . acctprc(ADM)  
 total\_auths: returns the number . . . . . subsystems(S)  
 touch: update access and . . . . . touch(C)  
 touchline: discards window . . . . . curses(S)  
 touchline: discards window . . . . . terminfo(S)  
 touchwin: discards window . . . . . curses(S)  
 touchwin: discards window . . . . . terminfo(S)  
 \_toupper: converts character to . . . . . toascii(S)  
 toupper: converts character to . . . . . toascii(S)  
 \_toupper: converts to uppercase . . . . . ctype(S)  
 toupper: converts to uppercase . . . . . ctype(S)  
 \_toupper: routines used to/ . . . . . toascii(S)  
 toupper, \_toupper: routines used . . . . . toascii(S)  
 tparm: instantiates the string . . . . . curses(S)  
 tparm: instantiates the string . . . . . terminfo(S)

tplot: graphics filters ..... tplot(ADM)  
 tput: query the terminfo database ... tput(C)  
 tputs PC: contains pad character ... termcap(S)  
 tputs: applies padding to the ..... curses(S)  
 tputs: applies padding to the ..... terminfo(S)  
 tputs: decodes the leading ..... termcap(S)  
 tputs: performs terminal/ ..... termcap(S)  
 tputs (str, l, putchar) ..... curses(S)  
 tputs (str, l, putchar) ..... terminfo(S)  
 tr: translate characters ..... tr(C)  
 trace ..... ptrace(S)  
 trace control ..... xtil(CP)  
 trace messages ..... strace(ADM)  
 trace output ..... curses(S)  
 trace output ..... terminfo(S)  
 trace output ..... curses(S)  
 trace output ..... terminfo(S)  
 traceoff: turns off debugging ..... curses(S)  
 traceoff: turns off debugging ..... terminfo(S)  
 traceon: turns on debugging ..... curses(S)  
 traceon: turns on debugging trace .. terminfo(S)  
 trace output ..... curses(S)  
 traceon: turns on debugging trace .. terminfo(S)  
 output  
 and print xt driver packet  
 STREAMS error logging and event  
 STREAMS error logging and event  
 in conjunction with ptrace for  
 track:  
 disk for flaws and creates bad  
 /create new user accounts given a  
 function that terminates a drag  
 that initiates a drag and drop  
 Query a log of uucp or uuxqt  
 function that initiates a drop  
 processed after initiating a drop  
 /that enables additional drop  
 XPutImage: transfer images ..... XPutImage(XS)  
 system pkgadd: transfer software package to the ... pkgadd(ADM)  
 XGetImage: transfers image ..... XPutImage(XS)  
 XGetSubImage: transfers subimage ..... XPutImage(XS)  
 in the from string strxfm: transforms at most n characters ... strcoll(S)  
 strxfm: transforms the string from ..... strcoll(S)  
 TransientShell widget class  
 TransientShell: the ..... TransientShell(Xm)  
 TransientShell widget class ..... TransientShell(Xm)  
 queue files for storing mail in  
 /perform a database update using  
 make\_transition\_files: create  
 tam: TAM  
 file into the current/ convkey: Translate an old-style mapkey ..... mapkey(M)  
 trchan: translate character sets ..... trchan(M)  
 \_toupper: routines used to  
 tr: translate characters /toupper, .... toascii(S)  
 tr: translate characters ..... tr(C)  
 to another translate: translate files from one format .... translate(C)  
 block lcs\_translate\_block: translate input block to output .... lcs\_translate\_block(PCI)  
 pkgtrans: translate package format ..... pkgtrans(ADM)

## Permuted Index

one format to another `translate: translate files from` ..... `translate(C)`  
`XtTranslateCoords` `translate widget coordinates` ..... `XtTranslateCoords(Xt)`  
`XTranslateCoordinates` `translate window coordinates` ..... `XTranslateCoordinates(XS)`  
 whether carriage return is translated into newline `/controls` .. `cursets(S)`  
 whether carriage return is translated into newline `/controls` .. `tam(S)`  
 whether carriage return is translated into newline `/controls` .. `terminfo(S)`  
`string lcs_translate_string` `translates input string to output` ... `lcs_translate_string(PCI)`  
`XLookupString` `translates key event` ..... `XLookupKeysym(XS)`  
`XtNameToWidget` `translating strings to widgets` ..... `XtNameToWidget(Xt)`  
`widgets to/ XtNameToWidget` `translating strings to widgets or` ... `XtNameToWidget(Xt)`  
`XtWidgetToWindow` `translating widgets to windows` ... `XtNameToWidget(Xt)`  
`sc_raw` `turns off scancode translation and returns the/` ..... `sc_raw(S)`  
`sc_unraw` `turns on scancode translation and returns the/` ..... `sc_raw(S)`  
`sc_readkb` `scancode translation functions` ..... `sc_readkb(S)`  
`flushtb` `flush the translation lookaside buffer` ..... `flushtb(K)`  
`XtAugmentTranslations: manage` `translation tables` ..... `XtParseTranslationTable(Xt)`  
`XtOverrideTranslations: manage` `translation tables` ..... `XtParseTranslationTable(Xt)`  
`XtParseTranslationTable: manage` `translation tables` ..... `XtParseTranslationTable(Xt)`  
`XtUninstallTranslations: manage` `translation tables` ..... `XtParseTranslationTable(Xt)`  
`sc_mapin` `initializes scancode translation tables` ..... `sc_readkb(S)`  
 the default keycode-to-keystate translator `XmTranslateKey`: ..... `XmTranslateKey(Xm)`  
 encode a binary file for mail transmission `uuencode`: ..... `uuencode(C)`  
`phs_msg` `records the transmission of one MMDF message` `phs(S)`  
`tcflow` `suspend transmission or reception of data` .. `tcflow(S)`  
`phs` `Note the MMDF transmission phase (phs_)` ..... `phs(S)`  
 encode/decode a binary file for transmission via mail `/uudecode`: `uuencode(C)`  
`specified duration tcsendbreak` `transmit zero-valued bits for` ..... `tcflow(S)`  
`look at the current event t_look` `transport endpoint t_look`: ..... `t_look(S)`  
`t_bind` `bind an address to a transport endpoint` ..... `t_bind(S)`  
`t_close` `close a transport endpoint` ..... `t_close(S)`  
`t_open` `establish a transport endpoint` ..... `t_open(S)`  
`t_optmgmt` `manage options for a transport endpoint` ..... `t_optmgmt(S)`  
`t_unbind` `disable a transport endpoint` ..... `t_unbind(S)`  
`nfs_svc` `transport endpoint daemon` ..... `nfs_svc(NS)`  
 error message produced by call to transport function `/display last` ... `t_error(S)`  
`/unregister an RPC service` `transport handle` ..... `rpc(NS)`  
`register an RPC service` `transport handle xprt_register`: ..... `rpc(NS)`  
`STREAMS module timod` `Transport Interface cooperating` ... `timod(M)`  
 interface `STREAMS` module `tirdwr` `Transport Interface read/write` .... `tirdwr(M)`  
`t_sync` `synchronize transport library` ..... `t_sync(S)`  
 the scheduler for the UUCP file transport program `uusched`: ..... `uusched(ADM)`  
`system uuico` `file transport program for the UUCP` ... `uuico(ADM)`  
`t_info` `TLI and XTI transport protocol structure` ..... `t_info(PP)`  
 a connection with another transport user `/establish` ..... `t_connect(S)`  
`/declares a variable used to traverse the argument list` ..... `varargs(S)`  
 whether a widget can be traversed `/that identifies` ..... `XmIsTraversable(Xm)`  
`twalk` `traverses a binary search tree` ..... `tsearch(S)`  
`trchan` `translate character sets` .... `trchan(M)`  
`t_rcv` `data sent over a connection receive data or expedited` ... `t_rcv(S)`  
`confirmation from a connect/ t_rcvconnect` `receive the` ..... `t_rcvconnect(S)`  
`from disconnect t_rcvdis` `retrieve information` ..... `t_rcvdis(S)`  
`an orderly release indication t_rcvrel` `acknowledge receipt of` ... `t_rcvrel(S)`  
`t_rcvudata` `receive a data unit` .... `t_rcvudata(S)`  
`error indication t_rcvuderr` `receive a unit data` ..... `t_rcvuderr(S)`



a node from a binary search tree tdelete: deletes ..... tsearch(S)  
 builds and accesses search tree tsearch: ..... tsearch(S)  
 ftw: walk a file tree ..... ftw(S)  
 links to another directory tree /directory of symbolic ..... Indir(XS)  
 sequences to the keymode tree addkey: adds additional ..... curses(S)  
 sequences to the keymode tree addkey: adds additional ..... terminfo(S)  
 twalk: traverses a binary search tree ..... tsearch(S)  
 /searches for a datum in the tree and returns a pointer ..... tsearch(S)  
 XQueryTree: query window tree information ..... XQueryTree(XS)  
 exportfs: export directory trees ..... exportfs(NS)  
 twalk: manage binary search trees tsearch, tfind, tdelete, ..... tsearch(S)  
 cos, sin, tan: trigonometric/ trig: acos, asin, atan, atan2, ..... trig(S)  
 asin, atan, atan2, cos, sin, tan: trigonometric functions /acos, .... trig(S)  
 adjmsg: trim bytes in a message ..... adjmsg(K)  
 value true: return with a zero exit ..... true(C)  
 tcbck, smnck, authckrc: trusted computing base checker,/ . tcbck(ADM)  
 u3b, u3b15, u3b2, u3b5): get truth value dependent on/ /u370, . machid(C)  
 debugging on uutry: try to contact remote system with .. uutry(ADM)  
 search tree tsearch: builds and accesses ..... tsearch(S)  
 manage binary search trees tsearch, tfind, tdelete, twalk: ..... tsearch(S)  
 tset: set terminal modes ..... tset(C)  
 data over a connection t\_snd: send data or expedited ..... t\_snd(S)  
 disconnect request t\_snddis: send user-initiated ..... t\_snddis(S)  
 release t\_sndrel: initiate an orderly ..... t\_sndrel(S)  
 t\_sndudata: send a data unit ..... t\_sndudata(S)  
 library tsort: topological sort ..... tsort(CP)  
 device t\_sync: synchronize transport ..... t\_sync(S)  
 ttopen, ttout, ttowake,/ tty: ttclose: remove access to tty ..... tty(K)  
 ttclose, ttin, ttinit, ttiwake, ..... tty(K)  
 ttin: process characters ..... tty(K)  
 ttout, ttowake,/ tty: ttclose, ttin, ttinit, ttiwake, ttopen, ..... tty(K)  
 structure ttinit: initialise the tty ..... tty(K)  
 ttowake,/ tty: ttclose, ttin, ttinit, ttiwake, ttopen, ttout, ..... tty(K)  
 control commands ttiocom: interpret tty driver I/O ... ttiocom(K)  
 terminal buffers ttioctl: manipulates contents of .... tty(K)  
 /ttxput, ttyflush, ttywait, ttioctl: tty driver routines ..... tty(K)  
 tty: ttclose, ttin, ttinit, ttiwake, ttopen, ttout, ttowake,/ ... tty(K)  
 waiting for input queue ttiwake: wake up processes ..... tty(K)  
 ttopen: open a serial routine ..... tty(K)  
 /ttclose, ttin, ttinit, ttiwake, ttopen, ttout, ttowake, tthead,/ ... tty(K)  
 buffer ttout: move data to the output ..... tty(K)  
 /ttin, ttinit, ttiwake, ttopen, ttout, ttowake, tthead, ttrdchk,/ ... tty(K)  
 ttinit, ttiwake, ttopen, ttout, ttowake, tthead, ttrdchk,/ /ttin, ... tty(K)  
 waiting for output queue ttowake: wake up processes ..... tty(K)  
 characters on input queue ttrdchk: check existence of ..... tty(K)  
 /ttopen, ttout, ttowake, tthead, ttrdchk, ttrstrt, tselect,/ ..... tty(K)  
 tthead: read data from a device .... tty(K)  
 /ttiwake, ttopen, ttout, ttowake, tthead, ttrdchk, ttrstrt,/ ..... tty(K)  
 ttrstrt: restart tty device ..... tty(K)  
 /ttout, ttowake, tthead, ttrdchk, ttrstrt, tselect, ttimeo,/ ..... tty(K)  
 performed without blocking tselect: ensure r/w can be ..... tty(K)  
 /tthead, ttrdchk, ttrstrt, tselect, ttimeo, ttwrite,/ ..... tty(K)  
 raw data input ttimeo: timing requirements for ... tty(K)  
 /ttrdchk, ttrstrt, tselect, ttimeo, ttwrite, ttxput,/ ..... tty(K)

## Permuted Index

/ttrstrt, tselect, tttimeo, ttwrite, txput, ttyflush, / ..... tty(K)  
 ttwrite: write data to a device ..... tty(K)  
 output queue txput: put characters on tty ..... tty(K)  
 /ttselect, tttimeo, ttwrite, txput, ttyflush, ttywait, / ..... tty(K)  
 ega, vga display adapter/ screen: tty [01-n], color, monochrome, ..... screen(HW)  
 process raw input data from tty device canon: ..... canon(K)  
 tclose: remove access to tty device ..... tty(K)  
 ttrstrt: restart tty device ..... tty(K)  
 mapchan: configure tty device mapping ..... mapchan(M)  
 mapchan: format of tty device mapping files ..... mapchan(F)  
 meta: changes control mode of tty driver ..... curses(S)  
 meta: changes control mode of tty driver ..... terminfo(S)  
 terminals xt: multiplexed tty driver for AT&T windowing ... xt(HW)  
 ttiocom: interpret tty driver I/O control commands ... ttiocom(K)  
 flushes all output in the tty driver queue intrflush: ..... curses(S)  
 flushes all output in the tty driver queue intrflush: ..... terminfo(S)  
 ttyflush, ttywait, ttiocli: tty driver routines /txput, ..... tty(K)  
 agettty: find next tty entry in authcap file ..... authcap(S)  
 /gets process group ID for tty foreground process ..... tcpggrp(S)  
 tty: get the terminal's name ..... tty(C)  
 xdr\_rex\_ttymode: XDR a REX tty modes message ..... rex(NS)  
 txput: put characters on tty output queue ..... tty(K)  
 scancode terminal mode and tty settings sc\_exit: restores ..... sc\_init(S)  
 xdr\_rex\_ttyssize: XDR a REX tty size message ..... rex(NS)  
 tty: special terminal interface ..... tty(M)  
 ttinit: initialise the tty structure ..... tty(K)  
 the scancode state from one tty to another /copies ..... sc\_raw(S)  
 ttiwake, ttopen, ttout, ttowake, / tty: tclose, ttin, ttinit, ..... tty(K)  
 , tty2[A-H]: interface/ serial: tty1[a-h], tty1[A-H], tty2[a-h] ..... serial(HW)  
 tty2[A-H]:/ serial: tty1[a-h], tty1[A-H], tty2[A-H], tty2[A-H]: interface/ ..... serial(HW)  
 serial: tty1[a-h], tty1[A-H], tty2[a-h], tty2[A-H]: interface to serial ..... serial(HW)  
 ports /, tty1[A-H], tty2[a-h], ttyflush: release character ..... tty(K)  
 blocks to free list ttyflush, ttywait, ttiocli: tty ..... tty(K)  
 driver/ /tttimeo, ttwrite, txput, ttyname: get terminal device ..... ttyname(S)  
 pathname ttyname, isatty: get name of a ..... ttyname(S)  
 terminal file ttys: terminal control database ..... ttys(F)  
 utmp file of the current user ttyslot: find the slot in the ..... ttyslot(S)  
 automatically at login ttytype: set terminal types ..... ttytype(F)  
 Terminal Control database ttyupd, termupd: update the ..... ttyupd(ADM)  
 /ttwrite, txput, ttyflush, ttywait, ttiocli: tty driver/ ..... tty(K)  
 empty ttywait: wait for UART to be ..... tty(K)  
 idtune: attempt to set value of a tunable parameter ..... idtune(ADM)  
 mtune: tunable parameter file ..... mtune(F)  
 stune: local tunable parameter file ..... stune(F)  
 aio: AIO tunable parameters ..... aio(F)  
 sysdef: output values of tunable parameters ..... sysdef(ADM)  
 endpoint t\_unbind: disable a transport ..... t\_unbind(S)  
 /runacct, shutacct, startup, turnacct: shell procedures for/ ..... acctsh(ADM)  
 available only through/ curoff: turns cursor display off, ..... curses(S)  
 available only through/ curoff: turns cursor display off, ..... terminfo(S)  
 available only through/ curon: turns cursor display on, ..... curses(S)  
 available only through/ curon: turns cursor display on, ..... terminfo(S)  
 wicoff: turns icon off ..... tam(S)

wicon: turns icon on ..... tam(S)  
 keyboard on/ XAutoRepeatOff: turns off auto-repeat for ..... XChangeKeyboardControl(XS)  
 traceoff: turns off debugging trace output ... curses(S)  
 traceoff: turns off debugging trace output ... terminfo(S)  
 wattoff: turns off named attributes ..... terminfo(S)  
 item\_opts\_off: turns off named item's options ..... item(S)  
 and returns the original/ sc\_raw: turns off scancode translation ..... sc\_raw(S)  
 named window wattoff: turns off specified attributes in ..... curses(S)  
 form\_opts\_off: turns off the named form options .. form(S)  
 field\_opts\_off: turns off the named options ..... field(S)  
 the menu menu\_opts\_off: turns off the named options for ..... menu(S)  
 on specified/ XAutoRepeatOn: turns on auto-repeat for keyboard . XChangeKeyboardControl(XS)  
 traceon: turns on debugging trace output ... curses(S)  
 traceon: turns on debugging trace output ... terminfo(S)  
 wattron: turns on named attributes ..... terminfo(S)  
 item\_opts\_on: turns on named item's options ..... item(S)  
 set\_menu\_opts: turns on named options for menu . menu(S)  
 form set\_form\_opts: turns on named options for the .... form(S)  
 set\_field\_opts: turns on named options of field ..... field(S)  
 returns the original/ sc\_unraw: turns on scancode translation and . sc\_raw(S)  
 named window wattron: turns on specified attributes in ..... curses(S)  
 form\_opts\_on: turns on the named form options .. form(S)  
 field\_opts\_on: turns on the named options ..... field(S)  
 the item set\_item\_opts: turns on the named option(s) for ... item(S)  
 the menu menu\_opts\_on: turns on the named options for ..... menu(S)  
 tsearch, tfind, tdelete, twalk: manage binary search trees . tsearch(S)  
 tree twalk: traverses a binary search ... tsearch(S)  
 XNextEvent: select events by type ..... XNextEvent(XS)  
 \_nextchoice: gets next field type ..... fieldType(S)  
 \_prevchoice: gets previous field type ..... fieldType(S)  
 about a representation type /that returns information .... XmRepTypeGetRecord(Xm)  
 action established by signal type ssignal: returns ..... ssignal(S)  
 additional arguments to field type set\_fieldtype\_arg: connects ... fieldType(S)  
 allocated space for given field type free\_fieldtype: frees ..... fieldType(S)  
 between next or previous field type /chooses ..... fieldType(S)  
 creates a new field type new\_fieldtype: ..... fieldType(S)  
 creates unique context type XUniqueContext: ..... XSaveContext(XS)  
 dtype: determine disk type ..... dtype(C)  
 entry for given window and type XDeleteContext: deletes ..... XSaveContext(XS)  
 file: determine file type ..... file(C)  
 fstyp: determine filesystem type ..... fstyp(ADM)  
 in one unit type to another unit type /that converts a value ..... XmConvertUnits(Xm)  
 number of a representation type /the identification ..... XmRepTypeGetId(Xm)  
 of values for a representation type /that generates a list ..... XmRepTypeGetNameList(Xm)  
 registered representation type /converter for a previously .. XmRepTypeAddReverse(Xm)  
 value dependent on processor type /u3b2, u3b5): get truth ..... machid(C)  
 /string function that returns the type and value of the next/ ..... XmStringGetNextComponent(Xm)  
 /returns a pointer to field type built from two given types ... fieldType(S)  
 sfsys: local filesystem type file ..... sfsys(FP)  
 within a / XmTextPosition: data type for a character position ..... XmTextPosition("Xm")  
 XmString: data type for a compound string ..... XmString("Xm")  
 XmFontList: data type for a font list ..... XmFontList("Xm")  
 strings XmStringTable: data type for an array of compound .... XmStringTable("Xm")  
 /returns default visual type for specified screen ..... AllPlanes(XS)

## Permuted Index

in a/ XmStringDirection: data type for the direction of display ... XmStringDirection( ""Xm"" )  
 archtobus: extract bus type from architecture ... archtobus(K)  
 sysfs: get file system type information ... sysfs(S)  
 convert string to integer of type long XmuCvtStringToLong: ... XmuCvtStringToLong(Xmu)  
 XmRepTypeGetId: a representation type manager function that/ ... XmRepTypeGetId(Xm)  
 generates a/ /a representation type manager function that ... XmRepTypeGetNameList(Xm)  
 installs the/ /a representation type manager function that ... XmRepTypeAddReverse(Xm)  
 installs the/ /a representation type manager function that ... XmRepTypeInstallTearOffModelConverter(Xm)  
 registers a/ /a representation type manager function that ... XmRepTypeRegister(Xm)  
 returns a copy/ /a representation type manager function that ... XmRepTypeGetRegistered(Xm)  
 returns/ /a representation type manager function that ... XmRepTypeGetRecord(Xm)  
 the validity of/ /a representation type manager function that tests ... XmRepTypeValidValue(Xm)  
 getty, uugetty: set terminal type, modes, speed, and line/ ... getty(M)  
 returns pointer to field type of field field\_type: ... field(S)  
 /that returns the component type of the next component/ ... XmStringPeekNextComponent(Xm)  
 that registers a representation type resource /manager function ... XmRepTypeRegister(Xm)  
 value of a representation type resource /of a numerical ... XmRepTypeValidValue(Xm)  
 /that converts a value in one unit type to another unit type ... XmConvertUnits(Xm)  
 determines event type value XShmGetEventBase: ... XShm(Xext)  
 associates given field type with field set\_field\_type: ... field(S)  
 optimization" typeahead: does "line-breakout ... curses(S)  
 optimization" typeahead: does "line-breakout ... terminfo(S)  
 program flushing: throws away typeahead not yet read by the ... curses(S)  
 program flushing: throws away typeahead not yet read by the ... tam(S)  
 program flushing: throws away typeahead not yet read by the ... terminfo(S)  
 configuration file for filesystem types mfsys: ... mfsys(FP)  
 field type built from two given types /returns a pointer to ... fieldType(S)  
 filesystem: format of filesystem types ... filesystem(FP)  
 types: primitive system data types ... types(FP)  
 ttytype: set terminal types automatically at login ... ttytype(F)  
 nl\_types: data types for native language support ... nl\_types(FP)  
 /that tests whether the target types match between a drop site/ ... XmTargetsAreCompatible(Xm)  
 types: primitive system data ... types(FP)  
 variable tz: time zone environment ... tz(M)  
 tzname: contains time zone names ... ctime(S)  
 variables tzset: changes values of time ... ctime(S)  
 /gmtime, asctime, strftime, tzset: convert date and time to/ ... ctime(S)  
 change file format from MS-DOS to UNIX dtoc: ... dtoc(C)  
 i286emul: emulate UNIX 80286 ... i286emul(C)  
 backup: performs UNIX backup functions ... backup(ADM)  
 boot: UNIX boot program ... boot(HW)  
 Intro: introduces UNIX commands ... intro(C)  
 editor output a.out: UNIX common assembler and link ... a.out(FP)  
 xdr\_authunix\_parms: XDR UNIX credentials ... rpc(NS)  
 ctime: converts UNIX epoch time to local time ... ctime(S)  
 nl\_cxtime: converts UNIX epoch time to local time ... nl\_cxtime(S)  
 volcopy: make literal copy of UNIX filesystem ... volcopy(ADM)  
 access time dcopy: copy UNIX filesystems for optimal ... dcopy(ADM)  
 uexec: execute UNIX operating system command ... uexec(PCI)  
 uren: rename a UNIX operating system file ... uren(PCI)  
 attributes getuattr: get UNIX operating system file ... getuattr(PCI)  
 attributes uchmod: change UNIX operating system file ... uchmod(PCI)  
 mapd2u: map a DOS path name to UNIX operating system path name ... mapd2u(PCI)  
 to a DOS pathname mapu2d: map UNIX operating system pathname ... mapu2d(PCI)

/poll for the exit status of a group/  
 ukill: send a signal to a utility  
 telldt3: Desktop to doscp: Copies a DOS file to idconfig: configure idvidi, idscsi: build new link\_unix: build a new Lists DOS directories in the sem: controls structures for xtod: change file format from uucp: Perform a execution uux: uucp, uulog, uuname: uuto, uupick: public cu: call another /i486 (also: vax, mc68k, pdp11, / (also: vax, mc68k, pdp11, u370, /vax, mc68k, pdp11, u370, u3b, /mc68k, pdp11, u370, u3b, u3b15, /pdp11, u370, u3b, u3b15, u3b2, UNIX operating system process ..... uwait(PCI) UNIX operating system process or ..... ukill(PCI) UNIX shell communications ..... telldt3(X) UNIX system ..... doscmd(C) UNIX system kernel ..... idbuild(ADM) UNIX system kernel /idconfig, ..... idbuild(ADM) UNIX system kernel ..... link\_unix(ADM) UNIX system ls style dosls: ..... doscmd(C) UNIX System V semaphores ..... sem(FP) UNIX to MS-DOS ..... xtod(C) UNIX-to-UNIX copy ..... uucp(C) UNIX-to-UNIX system command ..... uux(C) UNIX-to-UNIX system copy ..... uucp(C) UNIX-to-UNIX system file copy ..... uuto(C) UNIX/XENIX system ..... cu(C) u370, u3b, u3b15, u3b2, u3b5):/ ..... machid(C) u3b, u3b15, u3b2, u3b5): get/ ..... machid(C) u3b15, u3b2, u3b5): get truth/ ..... machid(C) u3b2, u3b5): get truth value/ ..... machid(C) u3b5): get truth value dependent/ ..... machid(C) uadmin: administrative control ..... uadmin(ADM) uadmin: administrative control ..... uadmin(S) ttywait: wait for system file attributes ..... uchmod(PCI) system command uexec: execute UNIX operating ..... uexec(PCI) the quantity value \* 2 exp Idexp: returns ..... frexp(S) for numerical user ID matching uid getprpwuid: searches ..... getprpwent(S) getpw: get user info from UID ..... getpw(S) returns the effective UID starting\_euid: ..... identity(S) starting\_ruid: returns the real UID ..... identity(S) /(uid): check current effective UID against retained ID ..... identity(S) /(uid): check current login UID against retained ID ..... identity(S) /(uid): check current real UID against retained ID ..... identity(S) UID against/ is\_starting\_euid (uid): check current effective ..... identity(S) against/ is\_starting\_luid (uid): check current login UID ..... identity(S) against/ is\_starting\_ruid (uid): check current real UID ..... identity(S) a named color literal from a UID file /fetches ..... MrmFetchColorLiteral(Xm) fetches a literal from a UID file MrmFetchLiteral: ..... MrmFetchLiteral(Xm) to be set from literals stored in UID files /fetches the values ..... MrmFetchSetValues(Xm) /a hierarchy ID and opens all the UID files in the hierarchy ..... MrmOpenHierarchy(Xm) /a hierarchy ID and opens all the UID files in the hierarchy ..... MrmOpenHierarchyPerDisplay(Xm) MrmCloseHierarchy: closes a UID hierarchy ..... MrmCloseHierarchy(Xm) identity: get or check uids or gids from program start ..... identity(S) for this application widget in UIL /the arguments specified ..... MrmFetchWidgetOverride(Xm) /a single hierarchy (for example, UIL callback function names or/ ..... MrmRegisterNamesInHierarchy(Xm) /referenced in UIL (for example, UIL callback function names or/ ..... MrmRegisterNames(Xm) application Uil: invokes the UIL compiler from within an ..... Uil(Xm) /with the names referenced in UIL (for example, UIL callback/ ..... MrmRegisterNames(Xm) UIL callback function names or UIL identifier names) /example, ..... MrmRegisterNames(Xm) UIL callback function names or UIL identifier names) /example, ..... MrmRegisterNamesInHierarchy(Xm) from within an application Uil: invokes the UIL compiler ..... Uil(Xm) It overrides/ /fetches any indexed (UIL named) application widget. .... MrmFetchWidgetOverride(Xm) /fetches and creates any indexed (UIL named) application widgets/ MrmFetchWidget(Xm)



XUniqueContext: creates unique context type ..... XSaveContext(XS)  
 mktemp: make a unique filename ..... mktemp(S)  
 issetunique: set the value of a unique identifier ..... issetunique(S)  
 isuniqueid: return a unique identifier ..... isuniqueid(S)  
 constants unistd: file header for symbolic ..... unistd(FP)  
 units: convert units ..... units(C)  
 units: convert units ..... units(C)  
 that converts a string to a unit-type value /a function ..... XmCvtStringToUnitType(Xm)  
 link, unlink: link and unlink files and directories ..... link(ADM)  
 directories link, unlink: link and unlink files and ..... link(ADM)  
 unlink: remove directory entry ..... unlink(S)  
 from the head of a message unlinkb: remove a message block ..... unlinkb(K)  
 XUnloadFont: unload font ..... XLoadFont(XS)  
 structures XLoadFont: load or unload fonts and font metric ..... XLoadFont(XS)  
 isunlock: unlock an ISAM file ..... isunlock(S)  
 unlockb: unlock critical code section ..... lockb(K)  
 single/ lockb, unlockb: lock and unlock critical code section for ..... lockb(K)  
 ulckpwdf: unlock the shadow password file .. getspent(S)  
 code section for single/ lockb, unlockb: lock and unlock critical ..... lockb(K)  
 section unlockb: unlock critical code ..... lockb(K)  
 or writing locking: locks or unlocks a file region for reading ..... locking(S)  
 records in a file isrelease: unlocks all manually locked ..... isrelease(S)  
 /a clipboard function that unlocks the clipboard ..... XmClipboardUnlock(Xm)  
 XtManageChildren: manage and unmanage children ..... XtManageChildren(Xt)  
 XtUnmanageChild: unmanage children ..... XtManageChildren(Xt)  
 XtUnmanageChildren: unmanage children ..... XtManageChildren(Xt)  
 XtCallbackPopdown, XtMenuPopdown: unmap a pop-up XtPopdown, ..... XtMenuPopdown(Xt)  
 XtCallbackPopdown: unmap a pop-up ..... XtMenuPopdown(Xt)  
 XtMenuPopdown: unmap a pop-up ..... XtMenuPopdown(Xt)  
 XtPopdown: unmap a pop-up ..... XtMenuPopdown(Xt)  
 XtMapWidget: map and unmap widgets ..... XtMapWidget(Xt)  
 XtUnmapWidget: unmap widgets ..... XtMapWidget(Xt)  
 XUnmapWindow: unmap windows ..... XUnmapWindow(XS)  
 XUnmapEvent: UnmapNotify event structure ..... XUnmapEvent(XS)  
 XUnmapSubwindows: unmaps subwindows ..... XUnmapWindow(XS)  
 XWithdrawWindow: unmaps window ..... XIconifyWindow(XS)  
 mount, umount: mount and unmount a file structure ..... mount(ADM)  
 umount: unmount a file structure ..... mount(ADM)  
 umount: unmount a file system ..... umount(S)  
 mountall, umountall: mount, unmount multiple file systems ..... mountall(ADM)  
 umountall: unmount multiple file systems ..... mountall(ADM)  
 umnt: Unmount selected filesystems ..... mnt(C)  
 unpack: Unpack a file ..... pack(C)  
 pack, pcat, unpack: compress and expand files ..... pack(C)  
 unpack: Unpack a file ..... pack(C)  
 associated subwindow unpost\_form: erases form from its ..... form(S)  
 associated subwindow unpost\_menu: erases menu from ..... menu(S)  
 XtUnrealizeWidget: unrealize widget ..... XtRealizeWidget(Xt)  
 XtRealizeWidget: realize and unrealize widgets ..... XtRealizeWidget(Xt)  
 procedure svc\_unregister: unregister an RPC service ..... rpc(NS)  
 transport/ xprt\_unregister: unregister an RPC service ..... rpc(NS)  
 usertype of an account unretire, chtype: change the ..... unretire(ADM)  
 XSetICFocus: set and unset input context focus ..... XSetICFocus(XS)  
 xdr\_u\_char: XDR a C unsigned character ..... xdr(NS)

## Permuted Index

xdr\_u\_int: XDR a C unsigned integer ..... xdr(NS)  
 xdr\_u\_long: XDR a C unsigned long ..... xdr(NS)  
 strtoul: convert a string to an unsigned long integer ..... strtoul(S)  
 xdr\_u\_short: XDR a C unsigned short ..... xdr(NS)  
 \_fst: unsupported utility ..... undocumented(M)  
 asa: unsupported utility ..... undocumented(M)  
 ckbupscd: unsupported utility ..... undocumented(M)  
 dsconfig: unsupported utility ..... undocumented(M)  
 emactovi: unsupported utility ..... undocumented(M)  
 fixshlib: unsupported utility ..... undocumented(M)  
 freq: unsupported utility ..... undocumented(M)  
 fsanck: unsupported utility ..... undocumented(M)  
 fsba: unsupported utility ..... undocumented(M)  
 inipcrm: unsupported utility ..... undocumented(M)  
 mlist: unsupported utility ..... undocumented(M)  
 newmail: unsupported utility ..... undocumented(M)  
 rstab: unsupported utility ..... undocumented(M)  
 setclk: unsupported utility ..... undocumented(M)  
 update: unsupported utility ..... undocumented(M)  
 request  
   untimeout: cancel a timeout ..... timeout(K)  
 execute a routine timeout, untimeout: schedule a time to ..... timeout(K)  
   calloc: allocates unused space for an array ..... malloc(S)  
   by goto UP: contains up capability used ..... termcap(S)  
 lsearch, lfind: linear search and update ..... lsearch(S)  
   times of a file touch: update access and modification ..... touch(C)  
   programs make: maintain, update, and regenerate groups of ..... make(CP)  
   ale: lock and update authentication files ..... ale(ADM)  
   function that forces the visual update of a Text widget /a Text ..... XmTextEnableRedisplay(Xm)  
   /that temporarily prevents visual update of the Text widget ..... XmTextDisableRedisplay(Xm)  
   idinstall: add, delete, update, or get device driver / ..... idinstall(ADM)  
 pwconv, pwunconv: install and update or remove the shadow / ..... pwconv(ADM)  
   sync: update super block ..... sync(S)  
   sync: update the super block ..... sync(ADM)  
   database ttyupd, termupd: update the Terminal Control ..... ttyupd(ADM)  
   update: unsupported utility ..... undocumented(M)  
 Information Service/ yppasswd: update user password in Network ..... yppasswd(NS)  
 replace\_file: perform a database update using transition file/ ..... dblock(S)  
   for files volno: update volume number information volno(SMT)  
   virtual screen to show panel/ update\_panels: refreshes the ..... panel(S)  
   Latin-1 lowercase string to uppercase /copies ..... XmuCopyISOLatin1Lowered(Xmu)  
   \_toupper: converts to uppercase ..... ctype(S)  
   toupper: converts character to uppercase ..... toascii(S)  
   toupper: converts to uppercase ..... ctype(S)  
   \_toupper: converts character to uppercase (faster, limited/ ..... toascii(S)  
   isupper: tests for any uppercase letter ..... ctype(S)  
   /copies Latin-1 uppercase string to lowercase ..... XmuCopyISOLatin1Lowered(Xmu)  
   system activity uptime: display information about ..... uptime(C)  
   /a function that allows writing of upward-compatible applications/ ..... XmResolveAllPartOffsets(Xm)  
   /a function that allows writing of upward-compatible applications/ ..... XmResolvePartOffsets(Xm)  
   system file uren: rename a UNIX operating ..... uren(PCI)  
   du: summarize disk usage ..... du(C)  
 mallinfo: reports allocated space usage ..... malloc(S)  
 vldlptr: ldptr structure usage routines /freeldptr, ..... ldptr(S)  
   keystrokes usemouse: map mouse input to ..... usemouse(C)



beep: used to signal the terminal user ..... curses(S)  
 beep: used to signal the terminal user ..... tam(S)  
 beep: used to signal the terminal user ..... terminfo(S)  
 connection with another transport user t\_connect: establish a ..... t\_connect(S)  
 get character login name of the user cuserid: ..... cuserid(S)  
 hello: send a message to another user ..... hello(C)  
 in the utmp file of the current user tty slot: find the slot ..... tty slot(S)  
 logname: return login name of the user ..... logname(S)  
 the files transmitted to the user uupick: Accept or reject ..... uuto(C)  
 the user a super user or another user su: make ..... su(C)  
 used to signal the terminal user flash: ..... curses(S)  
 used to signal the terminal user flash: ..... tam(S)  
 used to signal the terminal user flash: ..... terminfo(S)  
 write: write to another user ..... write(C)  
 su: make the user a super user or another user .. su(C)  
 rmuser, rmggroup, rmpasswd: remove user accounts ..... rmuser(ADM)  
 password/ addusers: create new user accounts given a traditional ..... addusers(ADM)  
 /information specified by the user and by the calling program/ .. XParseGeometry(XS)  
 notimeout: differentiates between user and function key sequences ... curses(S)  
 notimeout: differentiates between user and function key sequences ... terminfo(S)  
 setuid, setgid: set user and group ID ..... setuid(SLIB)  
 id: print user and group IDs and names .... id(C)  
 /gr\_idtoname: map between user and group names and IDs .... pw\_nametoid(S)  
 setuid, setgid: set user and group IDs ..... setuid(S)  
 copyout: copy bytes between user and kernel space copyin, .... copyin(K)  
 halfdelay: characters typed by user are immediately available to/ ..... curses(S)  
 halfdelay: characters typed by user are immediately available to/ terminfo(S)  
 ruserok: remote user authentication ..... rcmd(SLIB)  
 determine if specified user can log in locked\_out: ..... fields(S)  
 fubyte: get a character from user data space ..... fubyte(K)  
 fuword: get one 32-bit word from user data space ..... fuword(K)  
 subyte: store a character in user data space ..... subyte(K)  
 suword: store a 32-bit word in user data space ..... suword(K)  
 maildelivery: user delivery specification file ..... maildelivery(F)  
 acctdisk: gather user disk block data ..... acct(ADM)  
 and/ /getgid, getegid: get real user, effective user, real group, .... getuid(S)  
 environ: the user environment ..... environ(M)  
 generate disk accounting data by user ID diskug: ..... diskug(ADM)  
 geteuid: get effective user ID ..... getuid(S)  
 getuid: get login user ID ..... getuid(S)  
 getuid: get real user ID ..... getuid(S)  
 searches for matching numerical user ID getpwuid: ..... getpwent(S)  
 setuid: set user ID ..... setuid(SLIB)  
 setuid: set login user ID ..... setuid(S)  
 authorized\_user: screens user ID for authorization/ ..... subsystems(S)  
 searches for numerical user ID matching uid getprpwuid: getprpwent(S)  
 setreuid: set real and effective user IDs ..... setreuid(SSC)  
 setuid: set user IDs ..... setuid(S)  
 pw\_idtoname: map between user IDs and names ..... pw\_nametoid(S)  
 getpw: get user info from UID ..... getpw(S)  
 XtAddGrab: redirect user input to a modal widget ..... XtAddGrab(Xt)  
 XtRemoveGrab: redirect user input to a modal widget ..... XtAddGrab(Xt)  
 xdt3: the graphical user interface for the Desktop ..... xdt3(X)  
 uil: the user interface language compiler .. uil(Xm)

## Permuted Index

format UIL: the	User Interface Language file	uul(Xm)
newgrp: log	user into a new group	newgrp(C)
suser: determine if current	user is the superuser	suser(K)
ulimit: get and set	user limits	ulimit(S)
wuser: write the	user line of the window	tam(S)
audit_adjust_mask:	user mask	authaudit(S)
agetuser: find entry with	user name	authcap(S)
pw_nametoid: map between	user names and IDs	pw_nametoid(S)
su: make the user a super	user or another user	su(C)
Information/ yppasswd: update	user password in Network	yppasswd(NS)
form_userptr: returns form's	user pointer	form(S)
item_userptr: returns item's	user pointer	item(S)
menu_userptr: returns menu's	user pointer	menu(S)
returns the field's	user pointer field_userptr:	field(S)
set_form_userptr: sets the form's	user pointer	form(S)
set_item_userptr: sets item's	user pointer	item(S)
set_menu_userptr: sets the menu's	user pointer	menu(S)
sets the field's	user pointer set_field_userptr:	field(S)
sets the panel's	user pointer set_panel_userptr:	panel(S)
panel_userptr: returns the	user pointer for a given panel	panel(S)
xset:	user preference utility for X	xset(X)
pass: pass a character to	user read request	cpass(K)
/getegid: get real user, effective	user, real group, and effective/	getuid(S)
copy bytes from kernel space to	user space copyout:	copyin(K)
pass: pass a character between	user space and the kernel	cpass, ... cpass(K)
copyin: copy bytes from	user space to kernel space	copyin(K)
file/ utmpname: allows the	user to change the name of the	getut(S)
color-pair/ pair_content: allows	user to find out how a given	curses(S)
color-pair/ pair_content: allows	user to find out how a given	terminfo(S)
color_content: allows	user to identify components in an/	curses(S)
color_content: allows	user to identify components in an/	terminfo(S)
cpass: returns a character in	user write request	cpass(K)
the widget creation function for	user-defined widgets /to access	MrmRegisterClass(Xm)
t_snddis: send	user-initiated disconnect request	t_snddis(S)
iomove: move data to/from the	user/kernel area	iomove(K)
searches for LOGIN_PROCESS or	USER_PROCESS entry	getutline: ... getut(S)
finger: find information about	users	finger(C)
idleout: log out idle	users	idleout(ADM)
wall: write to all	users	wall(ADM)
last: indicate last logins of	users and teletypes	last(C)
Protected/ primary_auth: checks	user's authorization against	subsystems(S)
erasechar: returns	user's current erase character	curses(S)
erasechar: returns	user's current erase character	terminfo(S)
character killchar: returns	user's current line-kill	curses(S)
character killchar: returns	user's current line-kill	terminfo(S)
information from keypad of	user's terminal keypad: obtains	curses(S)
information from keypad of	user's terminal keypad: obtains	tam(S)
information from keypad of	user's terminal keypad: obtains	terminfo(S)
lock: lock a	user's terminal	lock(C)
to a printer attached to the	user's terminal lprint: print	lprint(C)
unretire, ctype: change the	usertype of an account	unretire(ADM)
initialize curses data/ scr_init:	uses contents of filename to	terminfo(S)
fuser: identify processes	using a file or filesystem	fuser(ADM)
/draw image text	using a single font set	XmbDrawImageString(XS)

XmbDrawString: draw text using a single font set ..... XmbDrawString(XS)  
XwcDrawString: draw text using a single font set ..... XmbDrawString(XS)  
from the file/ /create a file using an attribute specification ..... create\_file\_securely(S)  
run\_crypt: encrypts data using /bin/crypt connection ..... crypt(S)  
eaccess: check file accessibility using EUID ..... access(S)  
XmbDrawText: draw text using multiple font sets ..... XmbDrawText(XS)  
XwcDrawText: draw text using multiple font sets ..... XmbDrawText(XS)  
array execvp: execute process using PATH variable and argument ..... exec(S)  
list execlp: execute process using PATH variable and argument ..... exec(S)  
access: check file accessibility using RUID ..... access(S)  
named window to terminal screen using stdscr as default /copies ..... curses(S)  
named window to terminal screen using stdscr as default /copies ..... tam(S)  
named window to terminal screen using stdscr as default /copies ..... terminfo(S)  
tmpnam: creates a filename using the path-prefix ..... tmpnam(S)  
resend: redistribute mail using the Resent- notation ..... resend(C)  
/perform a database update using transition file names ..... dblock(S)  
a serial/ consoleprint: print /usr/adm/messages or any file to ..... consoleprint(ADM)  
ustat: get file system statistics ..... ustat(S)  
UTC ..... ctime(S)  
gmtime: convert time to utilities ..... XCreateImage(XS)  
XCreateImage: image utilities ..... XmuCursorNameToIndex(Xmu)  
XmuCursorNameToIndex: cursor utilities Intro: introduction ..... Intro(SMT)  
to software mastering toolkit utilities for X /bmtoa, atobm: ..... bitmap(X)  
bitmap editor and converter utility ..... fsinfo(X)  
fsinfo: font server information utility telldt3: Desktop ..... telldt3(X)  
to UNIX shell communications utility ..... xauth(X)  
xauth: X authority file utility ..... xrdp(X)  
xrdp: X server resource database utility ..... xstdcmap(X)  
xstdcmap: X standard colormap utility for modifying keymaps in ..... xmodmap(X)  
X xmodmap: utility for X xsetroot: ..... xsetroot(X)  
root window parameter setting utility for X ..... xdpinfo(X)  
xdpinfo: display information utility for X ..... xset(X)  
xset: user preference utility for X ..... xwininfo(X)  
xwininfo: window information utility to set TERMCAP and ..... resize(X)  
terminal settings to/ resize: utime: set file access and ..... utime(S)  
modification times utmp and wtmp entries ..... utmp(F)  
utmp, wtmp: format of utmp file entry /pututline, ..... getut(S)  
setent, utmpname: access utmp file of the current user ..... tty slot(S)  
tty slot: find the slot in the utmp-like file ..... getut(S)  
getutid: searches forward in the utmp-like file /writes ..... getut(S)  
out supplied utmp structure to utmp-like file getutent: ..... getut(S)  
reads in the next entry from a utmp structure to utmp-like file ..... getut(S)  
pututline: writes out supplied utmp, wtmp: format of utmp and ..... utmp(F)  
wtmp entries utmp\_getty: serial multiscreens ..... undocumented(M)  
support utility utmpname: access utmp file entry ..... getut(S)  
/getutline, pututline, setent, utmpname: allows the user to ..... getut(S)  
change the name of the file/ UUCP rmail: ..... rmail(ADM)  
submit remote mail received via UUCP ..... uuto(C)  
uuto: Send files via UUCP administrative scripts ..... uudemmon(ADM)  
/uudemmon.poll, uudemmon.poll2: UUCP control files ..... uuninstall(ADM)  
uuninstall: administer UUCP devices file ..... devices(F)  
devices: format of UUCP Dialcode abbreviations file ..... dialcodes(F)  
dialcodes: format of UUCP Dialers file ..... dialers(F)  
dialers: format of UUCP directories uudemmon.clean: ..... uudemmon(ADM)  
merge log files and clean

## Permuted Index

file uuclean: check the UUCP directories and permissions . uuclean(ADM)  
 uuclean: check the UUCP file transport program . . . . . uuclean(ADM)  
 permissions: format of UUCP Permissions file . . . . . permissions(F)  
 Poll.hour, Poll.day: format of UUCP Poll files poll: Poll, . . . . . poll(F)  
 format uulist: convert a UUCP routing file to MMDF . . . . . uulist(ADM)  
 uuclean: UUCP spool directory clean-up . . . . . uuclean(ADM)  
 sysfiles: format of UUCP Sysfiles file . . . . . sysfiles(F)  
 file transport program for the UUCP system uucico: . . . . . uucico(ADM)  
 systems: format of UUCP Systems file . . . . . systems(F)  
 maxuuscheds: UUCP uusched(ADM) limit file . . . . . maxuuscheds(F)  
 maxuuxqts: UUCP uuxqt(ADM) limit file . . . . . maxuuxqts(F)  
 dial, uuchat: dial a modem . . . . . dial(ADM)  
 directories and permissions file uuclean: check the UUCP . . . . . uuclean(ADM)  
 for the UUCP system uucico: file transport program . . . . . uucico(ADM)  
 clean-up uuclean: UUCP spool directory . . . . . uuclean(ADM)  
 List names of systems known to uucp uuname: . . . . . uucp(C)  
 uulog: Query a log of uucp or uuxqt transactions . . . . . uucp(C)  
 copy uucp: Perform a UNIX-to-UNIX . . . . . uucp(C)  
 control uustat: uucp status inquiry and job . . . . . uustat(C)  
 UNIX-to-UNIX system copy uucp, uulog, uuname: . . . . . uucp(C)  
 binary file uuencode: decode a uuencoded . . . . . uuencode(C)  
 file for transmission/ uuencode, uuencode: encode/decode a binary . . . . . uuencode(C)  
 uudemmon.clean, uudemmon.hour, / uudemmon: uudemmon.admin, . . . . . uudemmon(ADM)  
 data uudemmon.admin: collect uustat . . . . . uudemmon(ADM)  
 uudemmon.hour, / uudemmon: uudemmon.admin, uudemmon.clean, . . . . . uudemmon(ADM)  
 and clean UUCP directories uudemmon.clean: merge log files . . . . . uudemmon(ADM)  
 uudemmon: uudemmon.admin, uudemmon.hour, / . . . . . uudemmon(ADM)  
 directory for work uudemmon.hour: check spool . . . . . uudemmon(ADM)  
 /uudemmon.admin, uudemmon.clean, uudemmon.hour, uudemmon.poll, / . . . . . uudemmon(ADM)  
 passive sites uudemmon.poll: control polling of . . . . . uudemmon(ADM)  
 /uudemmon.clean, uudemmon.hour, uudemmon.poll, uudemmon.poll2: / . . . . . uudemmon(ADM)  
 polling scheme uudemmon.poll2: alternative . . . . . uudemmon(ADM)  
 /uudemmon.hour, uudemmon.poll, uuencode: encode a binary file . . . . . uuencode(C)  
 for mail transmission uuencode, uuencode: encode/decode uuencode(C)  
 a binary file for transmission/ uuencoded binary file . . . . . uuencode(C)  
 uuencode: decode a uustat: set error code in . . . . . seterror(K)  
 seterror: set error code in bidirectional lines . . . . . uugetty: permit logins over . . . . . getty(M)  
 bidirectional lines uugetty: set terminal type, . . . . . getty(M)  
 modes, speed, and line/ getty, uuinstall: administer UUCP . . . . . uuinstall(ADM)  
 control files uulist: convert a UUCP routing . . . . . uulist(ADM)  
 file to MMDF format uulog: Query a log of uucp or . . . . . uucp(C)  
 uuxqt transactions uulog, uuname: UNIX-to-UNIX . . . . . uucp(C)  
 system copy uucp, uuname: List names of systems . . . . . uucp(C)  
 known to uucp uuname: UNIX-to-UNIX system . . . . . uucp(C)  
 copy uucp, uulog, uupick: Accept or reject the . . . . . uuto(C)  
 files transmitted to the user uupick: public UNIX-to-UNIX . . . . . uuto(C)  
 system file copy uuto, uusched: the scheduler for the . . . . . uusched(ADM)  
 UUCP file transport program uusched(ADM) limit file . . . . . maxuuscheds(F)  
 maxuuscheds: UUCP uustat data . . . . . uudemmon(ADM)  
 uudemmon.admin: collect uustat: uucp status inquiry and . . . . . uustat(C)  
 job control uuto: Send files via UUCP . . . . . uuto(C)  
 UNIX-to-UNIX system file copy uuto, uupick: public . . . . . uuto(C)  
 system with debugging on uutry: try to contact remote . . . . . uutry(ADM)

command execution uux: UNIX-to-UNIX system ..... uux(C)  
                   requests uuxqt: execute remote command .. uuxqt(ADM)  
 uulog: Query a log of uucp or uuxqt transactions ..... uucp(C)  
           maxuuxqts: UUCP uuxqt(ADM) limit file ..... maxuuxqts(F)  
 of a UNIX operating system/ uwait: poll for the exit status ..... uwait(PCI)  
   structures for UNIX System V semaphores sem: controls ..... sem(FP)  
           va\_dcl: declares va\_alist ..... varargs(S)  
 variable argument list va\_alist: denotes an old-style ..... varargs(S)  
   list va\_arg: gets next arg on variable .. varargs(S)  
           va\_dcl: declares va\_alist ..... varargs(S)  
           va\_end: ends variable list ..... varargs(S)  
           val: validate SCCS file ..... val(CP)  
           val: validate SCCS file ..... val(CP)  
 /manager function that tests the validity of a numerical value of/ .. XmRepTypeValidValue(Xm)  
   to traverse the argument list va\_list: declares a variable used .. varargs(S)  
   ldexp: returns the quantity value \* 2<sup>exp</sup> ..... frexp(S)  
           values: machine-dependent values values(M)  
           varargs argument list /vsprintf: .. vprintf(S)  
           varargs, stdarg: variable ..... varargs(S)  
 beginning coordinates into integer variable /places current ..... curses(S)  
   circf: reserved external variable ..... regexp(S)  
   coordinates into integer variable /current beginning ..... terminfo(S)  
   nbra: reserved external variable ..... regexp(S)  
   sed: reserved external variable ..... regexp(S)  
   size coordinates into integer variable getmaxyx: places ..... curses(S)  
   size coordinates into integer variable getmaxyx: places ..... terminfo(S)  
   tz: time zone environment variable ..... tz(M)  
 /execute process using PATH variable and argument array ..... exec(S)  
 /execute process using PATH variable and argument list ..... exec(S)  
   /allocate a nested variable argument list ..... XVaCreateNestedList(XS)  
   va\_alist: denotes an old-style variable argument list ..... varargs(S)  
           varargs, stdarg: variable argument list ..... varargs(S)  
           set\_curterm: sets variable cur\_term to nterm ..... curses(S)  
           set\_curterm: sets variable cur\_term to nterm ..... terminfo(S)  
           va\_arg: gets next arg on variable list ..... varargs(S)  
           va\_end: ends variable list ..... varargs(S)  
           va\_start: initializes variable list ..... varargs(S)  
   argument/ va\_list: declares a variable used to traverse the ..... varargs(S)  
   get configurable pathname variables pathconf: ..... pathconf(S)  
   of the window in two integer variables /places cursor position .. curses(S)  
   of the window in two integer variables /places cursor position .. tam(S)  
   of the window in two integer variables /places cursor position .. terminfo(S)  
 sysconf: get configurable system variables ..... sysconf(S)  
   tzset: changes values of time variables ..... ctime(S)  
 vasmapped, vasunbind: virtual/ vas: vasbind, vasmalloc, ..... vas(K)  
   to a physical address vasbind: bind a virtual address .... vas(K)  
 vasunbind: virtual address/ vas: vasbind, vasmalloc, vasmapped, .. vas(K)  
   memory vasmalloc: allocate virtual ..... vas(K)  
   virtual address/ vas: vasbind, vasmalloc, vasmapped, vasunbind: vas(K)  
           is in place vasmapped: determines if mapping vas(K)  
 address/ vas: vasbind, vasmalloc, vasmapped, vasunbind: virtual .. vas(K)  
   list va\_start: initializes variable ..... varargs(S)  
           vasunbind: undo mapping ..... vas(K)  
 /vasbind, vasmalloc, vasmapped, vasunbind: virtual address space / .. vas(K)

## Permuted Index

/i286, iAPX286, i386, i486 (also: vax, mc68k, pdp11, u370, u3b,/ ... machid(C)  
 vc: version control (SCCS) ..... vc(CP)  
 of a virtual drive vdrive: return the drive number ... vdrive(PCI)  
 get option letter from argument vector getopt: ..... getopt(S)  
 XQueryKeymap: returns bit vector for logical state of/ ..... XChangeKeyboardControl(XS)  
 vectorsinuse: display the list of vectors currently specified in/ ..... vectorsinuse(ADM)  
 vectors currently specified in/ vectorsinuse: display the list of ..... vectorsinuse(ADM)  
 vi vedit: Invoke a novice version of .. vi(C)  
 display editor vi, view, vedit: invoke a screen-oriented .... vi(C)  
 related to vendor's release of X/ VendorRelease: returns number ... AllPlanes(XS)  
 /returns number related to vendor's release of X server ..... AllPlanes(XS)  
 XmRemoveWMPProtocolCallback: a VendorShell convenience interface/ XmRemoveWMPProtocolCallback(Xm)  
 that adds/ XmAddWMPProtocols: a VendorShell convenience interface . XmAddWMPProtocols(Xm)  
 that/ XmActivateWMPProtocol: a VendorShell convenience interface . XmActivateWMPProtocol(Xm)  
 that/ XmAddWMPProtocolCallback: a VendorShell convenience interface . XmAddWMPProtocolCallback(Xm)  
 that/ XmDeactivateWMPProtocol: a VendorShell convenience interface . XmDeactivateWMPProtocol(Xm)  
 that/ XmRemoveWMPProtocols: a VendorShell convenience interface . XmRemoveWMPProtocols(Xm)  
 that/ XmSetWMPProtocolHooks: a VendorShell convenience interface . XmSetWMPProtocolHooks(Xm)  
 XmDeactivateProtocol: a VendorShell function that/ ..... XmDeactivateProtocol(Xm)  
 activates/ XmActivateProtocol: a VendorShell function that ..... XmActivateProtocol(Xm)  
 client/ XmAddProtocolCallback: a VendorShell function that adds .... XmAddProtocolCallback(Xm)  
 the protocols/ XmAddProtocols: a VendorShell function that adds .... XmAddProtocols(Xm)  
 pre and/ XmSetProtocolHooks: a VendorShell function that allows .. XmSetProtocolHooks(Xm)  
 a/ XmRemoveProtocolCallback: a VendorShell function that removes XmRemoveProtocolCallback(Xm)  
 the/ XmRemoveProtocols: a VendorShell function that removes XmRemoveProtocols(Xm)  
 widget class VendorShell: the VendorShell ..... VendorShell(Xm)  
 VendorShell: the VendorShell widget class ..... VendorShell(Xm)  
 longname: returns pointer to verbose description of current/ ..... curses(S)  
 longname: returns pointer to verbose description of current/ ..... terminfo(S)  
 checkaddr: MMDF address verification program ..... checkaddr(ADM)  
 XtCheckSubclass: obtain and verify a widget's class ..... XtClass(Xt)  
 XtClass: obtain and verify a widget's class ..... XtClass(Xt)  
 XtlsComposite: obtain and verify a widget's class ..... XtClass(Xt)  
 XtlsManaged: obtain and verify a widget's class ..... XtClass(Xt)  
 XtlsSubclass: obtain and verify a widget's class ..... XtClass(Xt)  
 XtSuperClass: obtain and verify a widget's class ..... XtClass(Xt)  
 isverify: verify ISAM database records ..... isverify(M)  
 list vldlptr: verify ldptr structure on linked ..... ldptr(S)  
 assert: verify program assertion ..... assert(S)  
 has been/ check\_auth\_parameters: verify that set\_auth\_parameters ... identity(S)  
 vc: version control (SCCS) ..... vc(CP)  
 segment sdgetv: returns version number of shared data .... sdgetv(S)  
 ProtocolVersion: returns major version number of X protocol .... AllPlanes(XS)  
 XShmQueryVersion: returns version numbers of the extension/ . XShm(Xext)  
 get: get a version of an SCCS file ..... get(CP)  
 edit: Invoke a novice version of the ex text editor ..... ex(C)  
 vedit: Invoke a novice version of vi ..... vi(C)  
 compver: compatible versions file ..... compver(F)  
 scsdiff: compare two versions of an SCCS file ..... scsdiff(CP)  
 /work region and a horizontal or vertical ScrollBar widget to the/ ... XmScrolledWindowSetAreas(Xm)  
 named output stream vfprintf: places output on the ..... vprintf(S)  
 formatted output of a/ vprintf, vfprintf, vsprintf: print ..... vprintf(S)  
 vwprintw: corresponds to vfprintf(S) ..... curses(S)  
 vwprintw: corresponds to vfprintf(S) ..... terminfo(S)

the console graphics adapter to VGA alphanumeric mode /restore clean\_screen(X)  
 /[01-n], color, monochrome, ega, vga display adapter and video/ ... screen(HW)  
 currently connected host vhost: return the name of a ... vhost(PCI)  
 vedit: Invoke a novice version of vi ... vi(C)  
 view: Invoke a read-only vi ... vi(C)  
 display editor vi: Invoke a screen-oriented ... vi(C)  
 screen-oriented display editor vi, view, vedit: invoke a ... vi(C)  
 a binary file for transmission via mail /uudecode: encode/decode uuencode(C)  
 submit remote mail received via UUCP rmail: ... rmail(ADM)  
 uuto: Send files via UUCP ... uuto(C)  
 puts terminal in video mode vidattr: outputs a string that ... curses(S)  
 puts terminal in video mode vidattr: outputs a string that ... terminfo(S)  
 commands for adapter driver viddoio: support I/O control ... video(K)  
 vidresscreen,/ video: DISPLAYED, viddoio, vidinitscreen, vidmap, ... video(K)  
 /vidumapinit, vidunmap: support video adapter driver development ... video(K)  
 set the font and video mode for a video device vidi: ... vidi(C)  
 vidinitscreen, vidmap,/ video: DISPLAYED, viddoio, ... video(K)  
 configuration file mvdevice: video driver back end ... mvdevice(F)  
 a string that puts terminal in video mode vidattr: outputs ... curses(S)  
 a string that puts terminal in video mode vidattr: outputs ... terminfo(S)  
 a string that puts terminal in video mode vidputs: outputs ... curses(S)  
 a string that puts terminal in video mode vidputs: outputs ... terminfo(S)  
 vidi: set the font and video mode vidi: ... vidi(C)  
 ega, vga display adapter and video monitor /color, monochrome, screen(HW)  
 for a video device vidi: set the font and video mode ... vidi(C)  
 multiscreen vidinitscreen: initialise a ... video(K)  
 video: DISPLAYED, viddoio, vidinitscreen, vidmap,/ ... video(K)  
 memory vidmap: get a pointer to virtual ... video(K)  
 viddoio, vidinitscreen, vidmap, vidresscreen,/ /DISPLAYED, video(K)  
 puts terminal in video mode vidputs: outputs a string that ... curses(S)  
 puts terminal in video mode vidputs: outputs a string that ... terminfo(S)  
 multiscreen vidresscreen: restore a ... video(K)  
 /viddoio, vidinitscreen, vidmap, vidresscreen, vidsavscreen,/ ... video(K)  
 vidsavscreen: save a multiscreen .. video(K)  
 vidsavscreen, vidumapinit, ... video(K)  
 vidunmap:/ /vidmap, vidresscreen, vidumapinit vidunmap: ... video(K)  
 unbind virtual memory got by vidumapinit: return a kernel data .. video(K)  
 pointer vidumapinit: return a kernel data .. video(K)  
 /vidresscreen, vidsavscreen, vidumapinit, vidunmap: support/ video(K)  
 /vidsavscreen, vidumapinit, vidunmap: support video adapter/ video(K)  
 got by vidumapinit vidunmap: unbind virtual memory video(K)  
 time more: view a file one screen full at a ... more(C)  
 screen-oriented display/ vi view: Invoke a read-only vi ... vi(C)  
 view, vedit: invoke a ... vi(C)  
 /vasmalloc, vasmapped, vasunbind: virtual address space memory/ ... vas(K)  
 address vasbind: bind a virtual address to a physical ... vas(K)  
 address vtop: convert a virtual address to a physical ... vtop(K)  
 ptk, ktop: convert virtual and physical addresses ... ptk(K)  
 get features supported by a virtual drive /feature\_list: ... feature(PCI)  
 return the drive number of a virtual drive vdrive: ... vdrive(PCI)  
 specified/ isvirtual: return the virtual drive number of a ... isvirtual(PCI)  
 xmbind: configures virtual key bindings ... xmbind(Xm)  
 provides access to the kernel virtual memory kmem: ... mem(FP)  
 vasmalloc: allocate virtual memory ... vas(K)  
 vidmap: get a pointer to virtual memory ... video(K)

Permuted Index

vidunmap: unbind  
 VirtualBindings: bindings for  
   current coordinates of the  
   current coordinates of the  
     setsyx: sets  
     setsyx: sets  
   filename scr\_restore: sets  
   filename scr\_restore: sets  
   /writes current contents of  
   /writes current contents of  
   update\_panels: refreshes the  
   virtual mouse and key events  
   item\_visible: indicates  
     XVisibilityEvent:  
     XVisibilityNotifyEvent:  
   colormap properties for given  
     codeview:  
     cv:  
 XVisualIDFromVisual: returns  
 XMatchVisualInfo: returns  
 structure XGetVisualInfo: obtain  
   /returns default  
   VisualOfCCC: returns the  
     XVisualInfo:  
   obtain visual information and  
   DefaultVisual: returns default  
   /a Text function that forces the  
   /that temporarily prevents  
   of the CCC  
   allocated audit\_no\_resource:  
   routines allocldptr, freedptr,  
   on linked list  
   statistics  
   UNIX filesystem  
   information for files  
   files volno: update  
   fits file archives onto media  
   standard output stream  
   print formatted output of a/  
   consecutive bytes  
   of a varargs/ vprintf, vfprintf,  
   syslog, openlog, setlogmask,  
   to a physical address  
   vfprintf(S)  
   vfprintf(S)  
   set\_menu\_sub: sets window  
   set\_menu\_win: sets window  
   is on the system and what they/  
   windows  
   windows  
   given window  
   virtual memory got by vidumapinit  
   virtual mouse and key events  
   virtual screen cursor /returns  
   virtual screen cursor /returns  
   virtual screen cursor to y, x  
   virtual screen cursor to y, x  
   virtual screen to contents of  
   virtual screen to contents of  
   virtual screen to filename  
   virtual screen to filename  
   virtual screen to show panel/  
   VirtualBindings: bindings for  
   visibility of item  
   VisibilityNotify event structure  
   VisibilityNotify event structure  
   visual /define standard  
   visual debugger  
   visual debugger  
   visual ID  
   visual information  
   visual information and visual  
   visual of specified screen  
   visual of the CCC  
   visual structure  
   visual structure XGetVisualInfo:  
   visual type for specified screen  
   visual update of a Text widget  
   visual update of the Text widget  
   VisualOfCCC: returns the visual  
   vital resource could not be  
   vidldptr: ldptr structure usage  
   vldldptr: verify ldptr structure  
   vmstat: report paging and system  
   volcopy: make literal copy of  
   volno: update volume number  
   volume number information for  
   volumes fdfit:  
   vprintf: places output on the  
   vprintf, vfprintf, vsprintf:  
   vsprintf: places "output," in  
   vsprintf: print formatted output  
   vsyslog: control system log  
   vsyslog: control system log  
   vtop: convert a virtual address  
   vwprintw: corresponds to  
   vwprintw: corresponds to  
   vwscanw: corresponds to scanf(S)  
   vwscanw: corresponds to scanf(S)  
   w as subwindow of menu m  
   w as window of menu m  
   w: display information about who  
   waddch: manipulates text in  
   waddch: manipulates text in  
   waddstr: writes characters to



specified window waddstr: writes string on ..... curses(S)  
 background processes wait: await completion of ..... wait(C)  
 terminate wait, waitpid: wait for child process to stop or ... wait(S)  
     iowait: wait for I/O completion ..... iowait(K)  
     stop wait3: wait for process to terminate or ... wait3(SLIB)  
 output help or error message and wait for response message: ..... tam(S)  
     sigsuspend: wait for signal(s) ..... sigsuspend(S)  
     ttywait: wait for UART to be empty ..... tty(K)  
         wait: suspends calling process ..... wait(S)  
 transmitted tcdrain: wait until all output has been ..... tcfow(S)  
     event ev\_block: wait until the queue contains an ... ev\_block(S)  
 process to stop or terminate wait, waitpid: wait for child ..... wait(S)  
     terminate or stop wait3: wait for process to ..... wait3(SLIB)  
 ttwake: wake up processes waiting for input queue ..... tty(K)  
 ttwake: wake up processes waiting for output queue ..... tty(K)  
     sigsem: signals a process waiting on a semaphore ..... sigsem(S)  
         of pid waitpid: suspends calling process ... wait(S)  
     to stop or terminate wait, waitpid: wait for child process .... wait(S)  
 semaphore-governed/ nbwaitsem: waits for access to a ..... waitsem(S)  
 XSync: flushes output buffer then waits until all requests received/ ... XFlush(XS)  
     draino: waits until output has drained ... curses(S)  
     draino: waits until output has drained .... terminfo(S)  
 semaphore-governed resource waitsem: gives access to a ..... waitsem(S)  
     checks access to a/ waitsem, nbwaitsem: awaits and ... waitsem(S)  
     wakeup: wake up a sleeping process ..... wakeup(K)  
         input queue ttwake: wake up processes waiting for .... tty(K)  
         output queue ttwake: wake up processes waiting for .... tty(K)  
             process wakeup: wake up a sleeping ..... wakeup(K)  
             ftw: walk a file tree ..... ftw(S)  
                 wall: write to all users ..... wall(ADM)  
 /that the application no longer wants to supply a data item ..... XmClipboardWithdrawFormat(Xm)  
     prwarn: warn about password expiration .. prwarn(C)  
     /issue a conversion warning message ..... XtStringConversionWarning(Xt)  
 creation function /the MessageBox WarningDialog convenience ..... XmCreateWarningDialog(Xm)  
     cleanque: send warnings and return expired mail . cleanque(ADM)  
     xeyes: watch over your shoulder ..... xeyes(X)  
     attributes watroff: turns off named ..... terminfo(S)  
 attributes in named window watroff: turns off specified ..... curses(S)  
     attributes wattron: turns on named ..... terminfo(S)  
 attributes in named window wattron: turns on specified ..... curses(S)  
     of a given window wattset: sets current attributes .... terminfo(S)  
 attributes of named window wattset: sets specified ..... curses(S)  
     wc: count words, lines and bytes .. wc(C)  
     wclear: clears window completely . curses(S)  
     wclear: clears window completely . terminfo(S)  
     wclrtoeol: erases all lines below ... curses(S)  
     wclrtoeol: erases all lines below ... terminfo(S)  
     right of cursor, inclusive wclrtoeol: erases current line to .... curses(S)  
     right of cursor, inclusive wclrtoeol: erases current line to .... terminfo(S)  
 string to command entry/echo/ wcmd: output null-terminated .... tam(S)  
     wcreate: create a window ..... tam(S)  
     multibyte string wcstombs: Convert wide string to . mblen(S)  
 mblen, mbtowc, mbstowcs, wctomb, wcstombs: multibyte character/ ... mblen(S)  
     multibyte character wctomb: Convert wide character to mblen(S)

## Permuted Index

mblen, mbtowc, mbstowcs, wctomb, wcstombs: multibyte/ ... mblen(S)  
 cursor in named window wdelch: deletes character under ... curses(S)  
   cursor in window wdelch: deletes character under ... terminfo(S)  
     wdelete: delete a window ... tam(S)  
       cursor in window wdeleteln: deletes line under ... curses(S)  
       cursor in window wdeleteln: deletes line under ... terminfo(S)  
       and refreshes screen wechochar: adds single character ... curses(S)  
       and refreshes screen wechochar: adds single character ... terminfo(S)  
       position in the window werase: copies blanks to every ... curses(S)  
       position in the window werase: copies blanks to every ... terminfo(S)  
       winit and exit wexit: reset parameters set by ... tam(S)  
       wgetc: get character from window ... tam(S)  
 terminal associated with a/ wgetch: reads character from ... curses(S)  
 terminal associated with a/ wgetch: reads character from ... terminfo(S)  
   call nodelay: causes wgetch() to be a non-blocking ... curses(S)  
   call nodelay: causes wgetch() to be a non-blocking ... tam(S)  
   call nodelay: causes wgetch() to be a non-blocking ... terminfo(S)  
 return, or enter/ mvwgetstr: calls wgetch() until newline, carriage ... terminfo(S)  
   return, or/ mvwgetstr: calls wgetch() until newline, carriage ... terminfo(S)  
     wgetmouse: return mouse status ... tam(S)  
 position in specified window wgetpos: get current cursor ... tam(S)  
   selected window wgetsel: return currently ... tam(S)  
 WSTAT for specified window wgetstat: returns information in ... tam(S)  
   newline, carriage return, or/ wgetstr: reads input until ... curses(S)  
   carriage return, or enter key wgetstr: returns newline, ... terminfo(S)  
   specific row and column wgoto: moves window's cursor to ... tam(S)  
     what: identify files ... what(C)  
     what: identify SCCS files ... what(CP)  
   value for specified screen WhitePixel: returns white pixel ... AllPlanes(XS)  
 pixel value of specified screen WhitePixelOfScreen: returns white ... BlackPixelOfScreen(XS)  
   isspace: tests for white-space character ... ctype(S)  
     who: list who is on the system ... who(C)  
   what whodo: determine who is doing ... whodo(C)  
     wicoff: turns icon off ... tam(S)  
     wicon: turns icon on ... tam(S)  
 single multibyte character to wide character mbtowc: Convert ... mblen(S)  
   /that retrieves the value of a wide character encoded primary/ ... XmTextFieldGetSelectionWcs(Xm)  
   /that retrieves the value of a wide character encoded primary/ ... XmTextGetSelectionWcs(Xm)  
   /that retrieves a portion of a wide character internal text/ ... XmTextFieldGetSubstringWcs(Xm)  
   /that retrieves a portion of a wide character internal text/ ... XmTextGetSubstringWcs(Xm)  
   /function that replaces part of a wide character string in a/ ... XmTextFieldReplaceWcs(Xm)  
   /function that replaces part of a wide character string in a Text/ ... XmTextReplaceWcs(Xm)  
   TextField function that inserts a wide character string into a/ /a ... XmTextFieldInsertWcs(Xm)  
   /a Text function that inserts a wide character string into a Text/ ... XmTextInsertWcs(Xm)  
   /a Text function that sets a wide character string value ... XmTextSetStringWcs(Xm)  
   /a TextField function that sets a wide character string value ... XmTextFieldSetStringWcs(Xm)  
   /that retrieves a copy of the wide character string value of a/ ... XmTextFieldGetStringWcs(Xm)  
   /that retrieves a copy of the wide character string value of a/ ... XmTextGetStringWcs(Xm)  
 finds the beginning position of a wide character text string /that ... XmTextFindStringWcs(Xm)  
   character wctomb: Convert wide character to multibyte ... mblen(S)  
   Convert multibyte string to wide string mbstowcs: ... mblen(S)  
     wcstombs: Convert wide string to multibyte string ... mblen(S)  
   authorization string name widest\_auth: returns longest ... subsystems(S)  
   XmuReshapeWidget: reshape widget ... XmuReshapeWidget(Xmu)

XtCreateManagedWidget: create	widget	.....	XtCreateWidget(Xt)
XtCreateWidget: create	widget	.....	XtCreateWidget(Xt)
XtDestroyWidget: destroy	widget	.....	XtCreateWidget(Xt)
XtIsRealized: realize	widget	.....	XtRealizeWidget(Xt)
XtRealizeWidget: realize	widget	.....	XtRealizeWidget(Xt)
XtUnrealizeWidget: unrealize	widget	.....	XtRealizeWidget(Xt)
a wide character string in a Text	widget	/that replaces part of	..... XmTextFieldReplaceWcs(Xm)
all associated colors of a	widget	/recalculates	..... XmChangeColor(Xm)
baseline information for a	widget	/retrieves	..... XmWidgetGetBaselines(Xm)
character string in a TextField	widget	/replaces part of a wide	..... XmTextFieldInsertWcs(Xm)
character string in a TextField	widget	/that inserts a wide	..... XmTextFieldInsertWcs(Xm)
character string value of a Text	widget	/a copy of the wide	..... XmTextFieldGetStringWcs(Xm)
convert string to immediate child	widget	XmuCvtStringToWidget:	..... XmCvtStringToWidget(Xmu)
convert string to immediate child	widget	XmuNewCvtStringToWidget:	..... XmNewCvtStringToWidget(Xmu)
focus events on a child	widget	XtSetKeyboardFocus:	..... XtSetKeyboardFocus(Xt)
function that creates a DragIcon	widget	/a Drag and Drop	..... XmCreateDragIcon(Xm)
in the command area of the	widget	/of the string displayed	..... XmCommandAppendValue(Xm)
in the language environment of a	widget	/creates a compound string	..... XmStringCreateSimple(Xm)
number of resouces owned by	widget	XmuWnNameToNode: obtain	..... XmWnNameToNode(Xmu)
obtain window information about a	widget	XtDisplay:	..... XtDisplay(Xt)
obtain window information about a	widget	XtParent:	..... XtDisplay(Xt)
obtain window information about a	widget	XtScreen:	..... XtDisplay(Xt)
obtain window information about a	widget	XtWindow:	..... XtDisplay(Xt)
of children for a specified	widget	/children, and the number	..... XmDropSiteQueryStackingOrder(Xm)
rectangle information for a	widget	/retrieves display	..... XmWidgetGetDisplayRect(Xm)
redirect user input to a modal	widget	XtAddGrab:	..... XtAddGrab(Xt)
redirect user input to a modal	widget	XtRemoveGrab:	..... XtAddGrab(Xt)
string value of a TextField	widget	/of the wide character	..... XmTextFieldGetStringWcs(Xm)
that accesses the source of the	widget	/a Text function	..... XmTextGetSource(Xm)
that sets the source of the	widget	/a Text function	..... XmTextSetSource(Xm)
the preferred geometry of a child	widget	XtQueryGeometry: query	..... XtQueryGeometry(Xt)
the visual update of a Text	widget	/Text function that forces	..... XmTextEnableRedisplay(Xm)
visual update of the Text	widget	/that temporarily prevents	..... XmTextDisableRedisplay(Xm)
wide character string into a Text	widget	/function that inserts a	..... XmTextInsertWcs(Xm)
widget ID of the first Separator	widget	/function that returns the	..... XmMainWindowSep1(Xm)
widget ID of the second Separator	widget	/function that returns the	..... XmMainWindowSep2(Xm)
widget ID of the third Separator	widget	/function that returns the	..... XmMainWindowSep3(Xm)
widget to the ScrolledWindow	widget	/or vertical ScrollBar	..... XmScrolledWindowSetAreas(Xm)
that identifies whether a	widget	can be traversed /function	..... XmIsTraversable(Xm)
/the ArrowButtonGadget	widget class	.....	XmArrowButtonGadget(Xm)
/the CascadeButtonGadget	widget class	.....	XmCascadeButtonGadget(Xm)
/the ToggleButtonGadget	widget class	.....	XmToggleButtonGadget(Xm)
Composite: the Composite	widget class	.....	Composite(Xm)
Constraint: the Constraint	widget class	.....	Constraint(Xm)
Core: the Core	widget class	.....	Core(Xm)
Object: the Object	widget class	.....	Object(Xm)
OverrideShell: the OverrideShell	widget class	.....	OverrideShell(Xm)
RectObj: the RectObj	widget class	.....	RectObj(Xm)
Shell: the Shell	widget class	.....	Shell(Xm)
TopLevelShell: the TopLevelShell	widget class	.....	TopLevelShell(Xm)
VendorShell: the VendorShell	widget class	.....	VendorShell(Xm)
WMShell: the WMShell	widget class	.....	WMShell(Xm)
XmArrowButton: the ArrowButton	widget class	.....	XmArrowButton(Xm)
XmCommand: the Command	widget class	.....	XmCommand(Xm)

## Permuted Index

XmDialogShell: the DialogShell	widget class	.....	XmDialogShell(Xm)
XmDisplay: the Display	widget class	.....	XmDisplay(Xm)
XmDragContext: the DragContext	widget class	.....	XmDragContext(Xm)
XmDragIcon: the DragIcon	widget class	.....	XmDragIcon(Xm)
XmDrawingArea: the DrawingArea	widget class	.....	XmDrawingArea(Xm)
XmDrawnButton: the DrawnButton	widget class	.....	XmDrawnButton(Xm)
XmDropTransfer: the DropTransfer	widget class	.....	XmDropTransfer(Xm)
XmForm: the Form	widget class	.....	XmForm(Xm)
XmFrame: the Frame	widget class	.....	XmFrame(Xm)
XmGadget: the Gadget	widget class	.....	XmGadget(Xm)
XmLabel: the Label	widget class	.....	XmLabel(Xm)
XmLabelGadget: the LabelGadget	widget class	.....	XmLabelGadget(Xm)
XmList: the List	widget class	.....	XmList(Xm)
XmMainWindow: the MainWindow	widget class	.....	XmMainWindow(Xm)
XmManager: the Manager	widget class	.....	XmManager(Xm)
XmMenuShell: the MenuShell	widget class	.....	XmMenuShell(Xm)
XmMessageBox: the MessageBox	widget class	.....	XmMessageBox(Xm)
XmPanedWindow: the PanedWindow	widget class	.....	XmPanedWindow(Xm)
XmPrimitive: the Primitive	widget class	.....	XmPrimitive(Xm)
XmPushButton: the PushButton	widget class	.....	XmPushButton(Xm)
XmRowColumn: the RowColumn	widget class	.....	XmRowColumn(Xm)
XmScale: the Scale	widget class	.....	XmScale(Xm)
XmScreen: the Screen	widget class	.....	XmScreen(Xm)
XmScrollBar: the ScrollBar	widget class	.....	XmScrollBar(Xm)
XmSelectionBox: the SelectionBox	widget class	.....	XmSelectionBox(Xm)
XmSeparator: the Separator	widget class	.....	XmSeparator(Xm)
XmText: the Text	widget class	.....	XmText(Xm)
XmToggleButton: the ToggleButton	widget class	.....	XmToggleButton(Xm)
the ApplicationShell	widget class	ApplicationShell: .....	ApplicationShell(Xm)
the BulletinBoard	widget class	XmBulletinBoard: .....	XmBulletinBoard(Xm)
the CascadeButton	widget class	XmCascadeButton: .....	XmCascadeButton(Xm)
the FileSelectionBox	widget class	XmFileSelectionBox: .....	XmFileSelectionBox(Xm)
the PushButtonGadget	widget class	XmPushButtonGadget: .....	XmPushButtonGadget(Xm)
the ScrolledWindow	widget class	XmScrolledWindow: .....	XmScrolledWindow(Xm)
the SeparatorGadget	widget class	XmSeparatorGadget: .....	XmSeparatorGadget(Xm)
the TransientShell	widget class	TransientShell: .....	TransientShell(Xm)
XmWnFetchResources: obtain	widget class	resources .....	XmWnFetchResources(Xm)
XmCreateMenuBar: a RowColumn	widget convenience creation/	.....	XmCreateMenuBar(Xm)
XmCreateOptionMenu: a RowColumn	widget convenience creation/	.....	XmCreateOptionMenu(Xm)
XmCreatePopupMenu: a RowColumn	widget convenience creation/	.....	XmCreatePopupMenu(Xm)
XmCreatePulldownMenu: a RowColumn	widget convenience creation/	.....	XmCreatePulldownMenu(Xm)
XmCreateRadioBox: a RowColumn	widget convenience creation/	.....	XmCreateRadioBox(Xm)
function /a RowColumn	widget convenience creation	.....	XmCreateSimpleCheckBox(Xm)
function /a RowColumn	widget convenience creation	.....	XmCreateSimpleMenuBar(Xm)
function /a RowColumn	widget convenience creation	.....	XmCreateSimpleOptionMenu(Xm)
function /a RowColumn	widget convenience creation	.....	XmCreateSimplePopupMenu(Xm)
function /a RowColumn	widget convenience creation	.....	XmCreateSimplePulldownMenu(Xm)
function /a RowColumn	widget convenience creation	.....	XmCreateSimpleRadioBox(Xm)
function /a RowColumn	widget convenience creation	.....	XmVaCreateSimpleCheckBox(Xm)
function /a RowColumn	widget convenience creation	.....	XmVaCreateSimpleMenuBar(Xm)
function /a RowColumn	widget convenience creation	.....	XmVaCreateSimpleOptionMenu(Xm)
function /a RowColumn	widget convenience creation	.....	XmVaCreateSimplePopupMenu(Xm)
function /a RowColumn	widget convenience creation	.....	XmVaCreateSimplePulldownMenu(Xm)
function /a RowColumn	widget convenience creation	.....	XmVaCreateSimpleRadioBox(Xm)

XtTranslateCoords: translate	widget coordinates	XtTranslateCoords(Xt)
/the ArrowButton	widget creation function	XmCreateArrowButton(Xm)
/the BulletinBoard	widget creation function	XmCreateBulletinBoard(Xm)
/the CascadeButton	widget creation function	XmCreateCascadeButton(Xm)
/the DialogShell	widget creation function	XmCreateDialogShell(Xm)
/the DrawingArea	widget creation function	XmCreateDrawingArea(Xm)
/the DrawnButton	widget creation function	XmCreateDrawnButton(Xm)
/the FileSelectionBox	widget creation function	XmCreateFileSelectionBox(Xm)
/the MainWindow	widget creation function	XmCreateMainWindow(Xm)
/the MessageBox	widget creation function	XmCreateMessageBox(Xm)
/the PanedWindow	widget creation function	XmCreatePanedWindow(Xm)
/the PushButton	widget creation function	XmCreatePushButton(Xm)
/the ScrolledWindow	widget creation function	XmCreateScrolledWindow(Xm)
/the SelectionBox	widget creation function	XmCreateSelectionBox(Xm)
/the ToggleButton	widget creation function	XmCreateToggleButton(Xm)
XmCreateCommand: the Command	widget creation function	XmCreateCommand(Xm)
XmCreateForm: the Form	widget creation function	XmCreateForm(Xm)
XmCreateFrame: the Frame	widget creation function	XmCreateFrame(Xm)
XmCreateLabel: the Label	widget creation function	XmCreateLabel(Xm)
XmCreateList: the List	widget creation function	XmCreateList(Xm)
XmCreateMenuShell: the MenuShell	widget creation function	XmCreateMenuShell(Xm)
XmCreateRowColumn: the RowColumn	widget creation function	XmCreateRowColumn(Xm)
XmCreateScale: the Scale	widget creation function	XmCreateScale(Xm)
XmCreateScrollBar: the ScrollBar	widget creation function	XmCreateScrollBar(Xm)
XmCreateSeparator: the Separator	widget creation function	XmCreateSeparator(Xm)
XmCreateText: the Text	widget creation function	XmCreateText(Xm)
XmCreateTextField: the TextField	widget creation function	XmCreateTextField(Xm)
/needed for MRM to access the	widget creation function for/	MrmRegisterClass(Xm)
posted /function that returns the	widget from which a menu was	XmGetPostedFromWidget(Xm)
receives keyboard events when a	widget has the focus /component	XmProcessTraversal(Xm)
/that retrieves the DragContext	widget ID associated with a/	XmGetDragContext(Xm)
function that obtains the	widget ID for the/ /a RowColumn	XmOptionButtonGadget(Xm)
an/ /function that obtains the	widget ID for the LabelGadget in	XmOptionLabelGadget(Xm)
/function that obtains the	widget ID for the tear-off/	XmGetTearOffControl(Xm)
XmGetTabGroup: returns the	widget ID of a tab group	XmGetTabGroup(Xm)
widget /function that returns the	widget ID of the first Separator	XmMainWindowSep1(Xm)
widget /function that returns the	widget ID of the second Separator	XmMainWindowSep2(Xm)
widget /function that returns the	widget ID of the third Separator	XmMainWindowSep3(Xm)
used/ /a function that returns the	widget ID of the widget to be	XmGetDestination(Xm)
specified for this application	widget in UIL /the arguments	MrmFetchWidgetOverride(Xm)
/create top-level	widget instance	XtAppCreateShell(Xt)
/a function that determines if a	widget is visible	XmGetVisibility(Xm)
indexed (UIL named) application	widget. It overrides the/ /any	MrmFetchWidgetOverride(Xm)
that provides access to secondary	widget resource data /a function	XmGetSecondaryResourceData(Xm)
XmuWnCountOwnedResources: count	widget resources	XmuWnCountOwnedResources(Xmu)
XtGetSubValues: obtain	widget resources	XtSetValues(Xt)
XtGetValues: obtain	widget resources	XtSetValues(Xt)
XtSetSubValues: set	widget resources	XtSetValues(Xt)
XtSetValues: obtain and set	widget resources	XtSetValues(Xt)
XtSetValues: set	widget resources	XtSetValues(Xt)
XmuWnInitializeNodes: manipulate	widget set	XmuWnInitializeNodes(Xmu)
/returns the ID of the	widget that has keyboard focus	XmGetFocusWidget(Xm)
/that returns the widget ID of the	widget to be used as the current/	XmGetDestination(Xm)
/adds a manager or a primitive	widget to the list of tab groups	XmAddTabGroup(Xm)

## Permuted Index

horizontal or vertical ScrollBar widget to the ScrolledWindow / / a `XmScrolledWindowSetAreas(Xm)`  
 /an application to use MRM widget-fetching facilities ..... `MrmInitialize(Xm)`  
**XtMapWidget**: map and unmap widgets ..... `XtMapWidget(Xt)`  
   **XtMapWidget**: map widgets ..... `XtMapWidget(Xt)`  
   **XtMoveWidget**: move widgets ..... `XtConfigureWidget(Xt)`  
**XtResizeWidget**: move and resize widgets /**XtMoveWidget**, ..... `XtConfigureWidget(Xt)`  
   **XtResizeWidget**: resize widgets ..... `XtConfigureWidget(Xt)`  
**XtSetMappedWhenManaged**: map widgets ..... `XtMapWidget(Xt)`  
   **XtUnmapWidget**: unmap widgets ..... `XtMapWidget(Xt)`  
     applications and widgets /of upward-compatible .. `XmResolveAllPartOffsets(Xm)`  
     applications and widgets /of upward-compatible .. `XmResolvePartOffsets(Xm)`  
     create and destroy widgets **XtCreateWidget**: ..... `XtCreateWidget(Xt)`  
     function for user-defined widgets /the widget creation ..... `MrmRegisterClass(Xm)`  
     listres: list resources in widgets ..... `listres(X)`  
       move and resize widgets **XtConfigureWidget**: ..... `XtConfigureWidget(Xt)`  
       realize and unrealize widgets **XtRealizeWidget**: ..... `XtRealizeWidget(Xt)`  
       translating strings to widgets **XtNameToWidget**: ..... `XtNameToWidget(Xt)`  
       widget's accept\_focus procedure widget's **XtCallAcceptFocus(Xt)**  
     indexed (UIL named) application widgets and its children /any ..... `MrmFetchWidget(Xm)`  
       **XtClass**: obtain and verify a widget's class ..... `XtClass(Xt)`  
       **XtIsManaged**: obtain and verify a widget's class ..... `XtClass(Xt)`  
       **XtIsSubclass**: obtain and verify a widget's class ..... `XtClass(Xt)`  
       **XtSuperClass**: obtain and verify a widget's class ..... `XtClass(Xt)`  
       obtain and verify a widget's class **XtCheckSubclass**: ... `XtClass(Xt)`  
       obtain and verify a widget's class **XtIsComposite**: ..... `XtClass(Xt)`  
       **XtBuildEventMask**: retrieve a widget's event mask ..... `XtBuildEventMask(Xt)`  
       /translating strings to widgets or widgets to windows ... `XtNameToWidget(Xt)`  
       **XtIsSensitive**: check a widget's sensitivity state ..... `XtSetSensitive(Xt)`  
       **XtSetSensitive**: set a widget's sensitivity state ..... `XtSetSensitive(Xt)`  
       **XtSetSensitive**: set and check a widget's sensitivity state ..... `XtSetSensitive(Xt)`  
     /function that reorders a stack of widgets that are registered drop/ .. `XmDropSiteConfigureStackingOrder(Xm)`  
     /translating strings to widgets or widgets to windows ..... `XtNameToWidget(Xt)`  
**XtWidgetToWindow**: translating widgets to windows ..... `XtNameToWidget(Xt)`  
   **XTextWidth16**: computes text width ..... `XTextWidth(XS)`  
   **XTextWidth**: compute text width ..... `XTextWidth(XS)`  
   sets window border to specified width **XSetWindowBorderWidth**: .. `XConfigureWindow(XS)`  
     width, in millimeters, of/ ..... `BlackPixelOfScreen(XS)`  
     width of specified screen ..... `BlackPixelOfScreen(XS)`  
     width of specified screen in/ ..... `ImageByteOrder(XS)`  
     width of specified screen in ..... `ImageByteOrder(XS)`  
     width of the longest sequence of/ .. `XmStringWidth(Xm)`  
     **WidthMMOfScreen**: returns width, `BlackPixelOfScreen(XS)`  
     **WidthOfScreen**: returns width of .. `BlackPixelOfScreen(XS)`  
   current position in named window winch: returns character at ..... `curses(S)`  
   current position in named window winch: returns character at ..... `terminfo(S)`  
   wind: place window on screen ..... `tam(S)`  
   window ..... `xwd(X)`  
   **xwd**: dump an image of an X window colors in the SCO Open Desktop `sccolor(X)`  
   GUI `sccolor`: change window directly to a printer ..... `xdpr(X)`  
   **xdpr**: dump an X window dump ..... `xpr(X)`  
   **xpr**: print an X window information utility for X .. `xwininfo(X)`  
   **xwininfo**: window information utility for X .. `xwininfo(X)`  
   **xlswins**: server window list displayer for X ..... `xlswins(X)`  
   **mwm**: the Motif Window Manager ..... `mwm(X)`  
   for X `xsetroot`: root window parameter setting utility .. `xsetroot(X)`

and terminal settings to current window size /to set TERMCAP ... resize(X)

X: portable, network-transparent window system ..... x(X)

page display program for the X Window System xman: manual ... xman(X)

xinit: X Window System initializer ..... xinit(X)

xlogo: X Window System logo ..... xlogo(X)

Xsco: X Window System server ..... Xsco(X)

jagent: host control of windowing terminal ..... jagent(M)

jterm: reset layer of windowing terminal ..... jterm(C)

library libwindows: windowing terminal function ..... libwindows(S)

ismpx: return windowing terminal state ..... ismpx(C)

protocol used between host and windowing terminal under/ layers: layers(M)

layers: layer multiplexer for windowing terminals ..... layers(C)

multiplexed tty driver for AT&T windowing terminals xt: ..... xt(HW)

and column wgoto: moves window's cursor to specific row ... tam(S)

top of stack XMapRaised: maps windows, subwindows and raise to XMapWindow(XS)

hints structure and set or read a window's WM\_CLASS property /class XAllocClassHint(XS)

XGetWMClientMachine: reads window's WM\_CLIENT\_MACHINE/ XSetWMClientMachine(XS)

property /set or read a window's WM\_CLIENT\_MACHINE XSetWMClientMachine(XS)

XGetWMColormapWindows: reads window's WM\_COLORMAP\_WINDOWS/ XSetWMColormapWindows(XS)

property /set or read a window's WM\_COLORMAP\_WINDOWS XSetWMColormapWindows(XS)

XGetCommand: reads window's WM\_COMMAND property XSetCommand(XS)

XSetCommand: set or read a window's WM\_COMMAND property XSetCommand(XS)

/hints structure and set or read a window's WM\_HINTS property ... XAllocWMHints(XS)

XGetIconName: reads window's WM\_ICON\_NAME property XSetWMIconName(XS)

XGetWMIconName: reads window's WM\_ICON\_NAME property XSetWMIconName(XS)

XSetWMIconName: sets window's WM\_ICON\_NAME property XSetWMIconName(XS)

/size structure and set or read a window's WM\_ICON\_SIZES property XAllocIconSize(XS)

XFetchName: reads window's WM\_NAME property ... XSetWMName(XS)

XGetWMName: reads window's WM\_NAME property ... XSetWMName(XS)

XSetWMName: set or read a window's WM\_NAME property ... XSetWMName(XS)

XStoreName: sets window's WM\_NAME property ... XSetWMName(XS)

/hints structure and set or read a window's WM\_NORMAL\_HINTS property XAllocSizeHints(XS)

XGetWMProtocols: reads window's WM\_PROTOCOLS property XSetWMProtocols(XS)

XSetWMProtocols: set or read a window's WM\_PROTOCOLS property XSetWMProtocols(XS)

XGetTransientForHint: reads window's WM\_TRANSIENT\_FOR/ XSetTransientForHint(XS)

property /set or read a window's WM\_TRANSIENT\_FOR XSetTransientForHint(XS)

wexit: reset parameters set by winit and exit ..... tam(S)

access winit: sets up process for window ... tam(S)

the character under cursor winsch: inserts character before ... curses(S)

before the character under/ winsch: inserts character ch ..... terminfo(S)

above current line winsertln: inserts blank line ..... curses(S)

above current line winsertln: inserts blank line ..... terminfo(S)

string to window label line wlabel: output null-terminated ... tam(S)

and set or read a window's WM\_CLASS property /structure ... XAllocClassHint(XS)

/reads window's WM\_CLIENT\_MACHINE property XSetWMClientMachine(XS)

/set or read a window's WM\_CLIENT\_MACHINE property XSetWMClientMachine(XS)

/reads window's WM\_COLORMAP\_WINDOWS property XSetWMColormapWindows(XS)

/set or read a window's WM\_COLORMAP\_WINDOWS property XSetWMColormapWindows(XS)

XGetCommand: reads window's WM\_COMMAND property ..... XSetCommand(XS)

set or read a window's WM\_COMMAND property XSetCommand: XSetCommand(XS)

and set or read a window's WM\_HINTS property /structure ... XAllocWMHints(XS)

/set or read a window's WM\_ICON\_NAME property ..... XSetWMIconName(XS)

XGetIconName: reads window's WM\_ICON\_NAME property ..... XSetWMIconName(XS)

## Permuted Index

XGetWMIconName: reads window's WM\_ICON\_NAME property ..... XSetWMIconName(XS)  
     XSetIconName: sets window's WM\_ICON\_NAME property ..... XSetWMIconName(XS)  
         and set or read a window's WM\_ICON\_SIZES property /structure XAllocIconSize(XS)  
     XFetchName: reads window's WM\_NAME property ..... XSetWMName(XS)  
 XGetWMName: reads window's WM\_NAME property ..... XSetWMName(XS)  
     XStoreName: sets window's WM\_NAME property ..... XSetWMName(XS)  
         set or read a window's WM\_NAME property XSetWMName: XSetWMName(XS)  
         /and set or read a window's WM\_NORMAL\_HINTS property . XAllocSizeHints(XS)  
             column x wmove: moves cursor to line y, .... curses(S)  
             column x wmove: moves cursor to line y, .... terminfo(S)  
         /set or read a window's WM\_\_PROTOCOLS property ..... XSetWMProtocols(XS)  
 XGetWMProtocols: reads window's WM\_PROTOCOLS property ..... XSetWMProtocols(XS)  
     WMShell: the WMShell widget class WMShell(Xm)  
         WMShell: the WMShell widget class ..... WMShell(Xm)  
         /reads window's WM\_TRANSIENT\_FOR property . XSetTransientForHint(XS)  
         /set or read a window's WM\_TRANSIENT\_FOR property . XSetTransientForHint(XS)  
     wndelay: set no delay input mode . tam(S)  
     wnl: turn on/off mapping NL into . tam(S)  
     wnoutrefresh: allows multiple . curses(S)  
     wnoutrefresh: allows multiple . terminfo(S)  
     wc: count words, lines and bytes ..... wc(C)  
     cd: change working directory ..... cd(C)  
     chdir: change working directory ..... chdir(S)  
     getcwd: get pathname of current working directory ..... getcwd(S)  
         pwd: print working directory name ..... pwd(C)  
     creation function /the MessageBox WorkingDialog convenience ..... XmCreateWorkingDialog(Xm)  
         process to reverse effects of wpostwait: called by a parent ..... tam(S)  
         process to reverse effects of wprexec /called by a parent ..... tam(S)  
         to prepare to take window after wprexec: called by child process ... tam(S)  
         window wprintf: print to specified ..... tam(S)  
             wprintw: corresponds to printf(S) . curses(S)  
             wprintw: corresponds to printf(S) . terminfo(S)  
         string to prompt line wprompt: output null-terminated . tam(S)  
         to specified window wput: output specified character . tam(S)  
     string to specified window wputs: output specified character .. tam(S)  
         queue WR: get pointer to the write ..... wr(K)  
         wrastop: pixel raster operations ... tam(S)  
         wreadmouse: get mouse state ..... tam(S)  
         has been called without wrefresh() /if endwin() ..... curses(S)  
         has been called without wrefresh() /if endwin() ..... terminfo(S)  
     terminal window/ scrollok: calls wrefresh and scrolls physical ..... curses(S)  
     terminal window/ scrollok: calls wrefresh and scrolls physical ..... terminfo(S)  
         to the physical terminal screen wrefresh: copies the named window curses(S)  
         to the physical terminal screen wrefresh: copies the named window tam(S)  
         to the physical terminal screen wrefresh: copies the named window terminfo(S)  
     physical I/O/ inw, outw: read or write a 16-bit word from or to a ... inw(K)  
         I/O address ind, outd: read or write a 32-bit word to a physical ... ind(K)  
         inb, outb: read a byte from or write a byte to an I/O address ..... inb(K)  
         outb: write a byte to I/O address ..... inb(K)  
     current iswrcurr: write a new record and make it ... iswrcurr(S)  
         file iswrite: write a new record into an ISAM . iswrite(S)  
     codes spellin: Write a spelling list from hash ..... spell(C)  
         reputsw: write a stream of 16-bit words ..... repins(K)  
         reputsd: write a stream of 32-bit words ..... repins(K)



repoutsb: write a stream of bytes ..... repins(K)  
 repinsw: write a stream of words ..... repins(K)  
 address outw: write a word from to physical I/O .. inw(K)  
 standard output acctwtmp: write accounting records to ..... acct(ADM)  
 ttwrite: write data to a device ..... tty(K)  
 write: write on a file ..... write(S)  
 putpwent: write password file entry ..... putpwent(S)  
 WR: get pointer to the write queue ..... wr(K)  
 returns a character in user write request cpass: ..... cpass(K)  
 putspent: write shadow password file entry .. putspent(S)  
 repout: write streams of data ..... repins(K)  
 /repoutsw, repoutsd: read and write streams of device data ..... repins(K)  
 wuser: write the user line of the window .. tam(S)  
 wall: write to all users ..... wall(ADM)  
 write: write to another user ..... write(C)  
 putc, putcb, putcbp, putcf: write to clists ..... putc(K)  
 machines rwall: write to specified remote ..... rwall(NS)  
 outd: write value to physixal I/O ..... ind(K)  
 write: write on a file ..... write(S)  
 write: write to another user ..... write(C)  
 Subsystem database write\_authorizations: updates the .. subsystems(S)  
 into an X drawable XShmPutImage: writes a shared memory XImage .. XShm(Xext)  
 null-terminated/ mvaddstr: writes all characters of ..... tam(S)  
 null-terminated/ mvaddstr: writes all characters of ..... terminfo(S)  
 null-terminated/ mvwaddstr: writes all characters of ..... terminfo(S)  
 mm\_wadr: writes an MMDF address ..... mmdf(S)  
 XWriteBitmapFile: writes bitmap out to file ..... XReadBitmapFile(XS)  
 text mm\_wtxt: writes block of MMDF message .... mmdf(S)  
 stream fclose: writes buffered data and closes .... fclose(S)  
 named stream fflush: writes buffered data to file for .... fclose(S)  
 mm\_wstrn: writes buffered MMDF text ..... mmdf(S)  
 putc: writes character to output stream .. putc(S)  
 putchar: writes character to output stream .. putc(S)  
 waddstr: writes characters to given window .. terminfo(S)  
 virtual screen to/ dmp\_win: writes current contents of ..... curses(S)  
 virtual screen to/ dumpwin: writes current contents of ..... terminfo(S)  
 virtual screen to/ scr\_dump: writes current contents of ..... curses(S)  
 virtual screen to/ scr\_dump: writes current contents of ..... terminfo(S)  
 subwindow post\_form: writes form in its associated ..... form(S)  
 putw: writes integer to output stream .... putc(S)  
 mm\_wrec: writes MMDF record ..... mmdf(S)  
 mm\_wrpky: writes MMDF reply ..... mmdf(S)  
 password entry to a/ putprpwnam: writes new or replaced protected .. getprpwent(S)  
 standard output stream puts: writes null-terminated string to ... puts(S)  
 named output stream fputs: writes nul-terminated string to .... puts(S)  
 addstr: writes on given window ..... tam(S)  
 addstr: writes on given window ..... terminfo(S)  
 structure to utmp/ pututline: writes out supplied utmp ..... getut(S)  
 pnoutrefresh: writes output to the terminal ..... curses(S)  
 pnoutrefresh: writes output to the terminal ..... terminfo(S)  
 prefresh: writes output to the terminal ..... curses(S)  
 prefresh: writes output to the terminal ..... terminfo(S)  
 addstr: writes string on default window ... curses(S)  
 mvaddstr: moves and writes string on default window ... curses(S)

## Permuted Index

mvwaddstr: moves and writes string on specified window . curses(S)  
     waddstr: writes string on specified window . curses(S)  
     subwindow post\_menu: writes the menu in the menu's . . . . . menu(S)  
 a file region for reading or writing /locks or unlocks . . . . . locking(S)  
 open: open for reading or writing . . . . . open(S)  
 openpl: opens plot device for writing . . . . . plot(S)  
     /a function that allows writing of upward-compatible/ . . . Xm.ResolveAllPartOffsets(Xm)  
     /a function that allows writing of upward-compatible/ . . . Xm.ResolvePartOffsets(Xm)  
     wscanw: corresponds to scanf(S) . . . curses(S)  
     wscanw: corresponds to scanf(S) . . . terminfo(S)  
     wselect: select specified window . . . tam(S)  
     wsetmouse: set up parameters . . . . . tam(S)  
     wsetsrreg: sets a software . . . . . curses(S)  
     wsetsrreg: sets a software . . . . . terminfo(S)  
     wsetstat: change parameters in . . . tam(S)  
     wslk: output a null-terminated . . . tam(S)  
     wstandend: ends standout mode in . . . curses(S)  
     wstandend: manipulates current . . . terminfo(S)  
     wstandout: manipulates current . . . terminfo(S)  
     wstandout: starts standout mode . . . curses(S)  
     WSTAT for specified window . . . tam(S)  
     WSTAT for specified window . . . tam(S)  
     wtinit: object downloader for the . . wtinit(ADM)  
     wtmp entries . . . . . utmp(F)  
     wtmp files . . . . . fwtmp(ADM)  
     wtmp: format of utmp and wtmp . . . utmp(F)  
     wtmpfix: corrects wtmp files . . . . fwtmp(ADM)  
     wtmpfix: manipulate connect . . . fwtmp(ADM)  
     wuser: write the user line of the . . tam(S)  
     X xclock: . . . . . xclock(X)  
     X /bmtoa, atobm: bitmap editor . . . bitmap(X)  
     X . . . . . dclock(X)  
     X xdpiyinfo: . . . . . xdpiyinfo(X)  
     X xsetroot: root window . . . . . xsetroot(X)  
     X . . . . . scoterm(X)  
     X xhost: . . . . . xhost(X)  
     X xlsfonts: . . . . . xlsfonts(X)  
     X xlswins: . . . . . xlswins(X)  
     X xmodmap: . . . . . xmodmap(X)  
     X xwininfo: . . . . . xwininfo(X)  
     X . . . . . xbiff(X)  
     X . . . . . xcalc(X)  
     X . . . . . xfd(X)  
     X . . . . . xload(X)  
     X . . . . . xprop(X)  
     X . . . . . xset(X)  
     X . . . . . xterm(X)  
     X . . . . . xwud(X)  
     X . . . . . xauth(X)  
     X . . . . . xclipboard(X)  
     X . . . . . scolock(X)  
     X . . . . . scologin(X)  
     X . . . . . xev(X)  
     X . . . . . fs(X)

fslsfonts: display font list for X font server ..... fslsfonts(X)  
 showfont: font dumper for X font server ..... showfont(X)  
     xsconfig: X keyboard configuration compiler xsconfig(X)  
 window system X: portable, network-transparent ... x(X)  
 xkill: kill a client by its X resource ..... xkill(X)  
     refresh all or part of an X screen xrefresh: ..... xrefresh(X)  
 key or screen-switching from the X server /establish the modifier ... xswkey(X)  
     startx: start the X server and default clients ..... startx(X)  
     utility xrdp: X server resource database ..... xrdp(X)  
         xstdcmap: X standard colormap utility ..... xstdcmap(X)  
     Xt\_options: standard X Toolkit command-line options ... Xt\_options(X)  
 xwd: dump an image of an X window ..... xwd(X)  
     xdpr: dump an X window directly to a printer .... xdpr(X)  
     xpr: print an X window dump ..... xpr(X)  
 page display program for the X Window System xman: manual . xman(X)  
     xinit: X Window System initializer ..... xinit(X)  
     xlogo: X Window System logo ..... xlogo(X)  
     Xsco: X Window System server ..... Xsco(X)  
     x286emul: emulate XENIX 80286 ..... x286emul(C)  
     x286emul: emulate XENIX 80286 ..... x286emul(CP)  
 print the names of files on a XENIX backup archive xdumpdir: . xdumpdir(ADM)  
     Intro: introduction to XENIX cross-development commands Intro(XNX)  
         format xbackup: XENIX incremental dump tape .... xbackup(F)  
         xrestore, xrestor: invoke XENIX incremental filesystem/ ... xrestore(ADM)  
     backup xbackup: perform XENIX incremental filesystem .... xbackup(ADM)  
         xinstall: XENIX installation shell script ..... xinstall(ADM)  
         x.out: format of XENIX link editor output ..... x.out(FP)  
 hdr: display selected parts of a XENIX object file ..... hdr(XNX)  
     BDF to SNF font compiler for X11 bdftosnf: ..... bdftosnf(X)  
 SNF to BDF font decompiler for X11 snftobdf: ..... snftobdf(X)  
     xdaemon: AT&T X11 connections daemon ..... xdaemon(X)  
 and click interface for selecting X11 font names xfontsel: point .... xfontsel(X)  
     format mmdfalias: convert XENIX-style aliases file to MMDF ... mmdfalias(ADM)  
     format cnvtmbox: convert XENIX-style mailboxes to MMDF ... cnvtmbox(ADM)  
     to MMDF/ mnlis: convert a XENIX-style Micnet routing file .... mnlis(ADM)  
         x286emul: emulate XENIX 80286 ... x286emul(C)  
         x286emul: emulate XENIX 80286 ... x286emul(CP)  
         XA\_ATOM\_PAIR: returns atom ... XmuAtom(Xmu)  
     atom XA\_CHARACTER\_POSITION: returns XmuAtom(Xmu)  
         XA\_CLASS: returns atom ..... XmuAtom(Xmu)  
         XA\_CLIENT\_WINDOW: returns atom XmuAtom(Xmu)  
         XA\_CLIPBOARD: returns atom ... XmuAtom(Xmu)  
         XA\_COMPOUND\_TEXT: returns atom XmuAtom(Xmu)  
     screen saver XActivateScreenSaver: activates ... XSetScreenSaver(XS)  
     host control structure XAddHost: control host access and XAddHost(XS)  
         to access control list XAddHosts: adds specified hosts .. XAddHost(XS)  
         pixels XAddPixel: adds constant value to . XCreateImage(XS)  
     window to client's save set XAddToSaveSet: adds specified ... XChangeSaveSet(XS)  
         XA\_DECNET\_ADDRESS: returns atom XmuAtom(Xmu)  
         XA\_DELETE: returns atom ..... XmuAtom(Xmu)  
         XA\_FILENAME: returns atom .... XmuAtom(Xmu)  
         XA\_HOSTNAME: returns atom ... XmuAtom(Xmu)  
         XA\_IP\_ADDRESS: returns atom ... XmuAtom(Xmu)  
         XA\_LENGTH: returns atom ..... XmuAtom(Xmu)

## Permuted Index

XA\_LIST\_LENGTH: returns atom . . . XmuAtom(Xmu)  
 hints structure and set or read/  
   colors XAllocClassHint: allocate class . . . XAllocClassHint(XS)  
           XAllocColor: allocate and free . . . XAllocColor(XS)  
   colormap entry XAllocColor: allocates read-only . . XAllocColor(XS)  
   read/write color cells XAllocColorCells: allocates . . . . . XAllocColor(XS)  
   color planes XAllocColorPlanes: allocates . . . . . XAllocColor(XS)  
 size structure and set or read a/  
   color and returns closest color/ XAllocNamedColor: looks up named XAllocColor(XS)  
   hints structure and set or read/ XAllocSizeHints: allocate size . . . . XAllocSizeHints(XS)  
 set, or read a standard colormap/ XAllocStandardColormap: allocate, XAllocStandardColormap(XS)  
 manager hints structure and set/  
   events XAllocWMHints: allocate window XAllocWMHints(XS)  
           XAllowEvents: release queued . . . XAllowEvents(XS)  
           XA\_NAME: returns atom . . . . . XmuAtom(Xmu)  
           XA\_NET\_ADDRESS: returns atom XmuAtom(Xmu)  
           XA\_NULL: returns atom . . . . . XmuAtom(Xmu)  
   structures XAnyEvent: generic X event . . . . . XAnyEvent(XS)  
           XA\_OWNER\_OS: returns atom . . . XmuAtom(Xmu)  
           XArc: arc structure . . . . . XDrawArc(XS)  
   commands xargs: construct and execute . . . . . xargs(C)  
           XA\_SPAN: returns atom . . . . . XmuAtom(Xmu)  
           XA\_TARGETS: returns atom . . . . XmuAtom(Xmu)  
           XA\_TEXT: returns atom . . . . . XmuAtom(Xmu)  
           XA\_TIMESTAMP: returns atom . . . XmuAtom(Xmu)  
           XA\_USER: returns atom . . . . . XmuAtom(Xmu)  
           xauth: X authority file utility . . . xauth(X)  
   auto-repeat for keyboard on/ XAutoRepeatOff: turns off . . . . . XChangeKeyboardControl(XS)  
   auto-repeat for keyboard on/ XAutoRepeatOn: turns on . . . . . XChangeKeyboardControl(XS)  
     xdump: link to xbackup . . . . . xbackup(ADM)  
 incremental filesystem backup xbackup: perform XENIX . . . . . xbackup(ADM)  
   tape format xbackup: XENIX incremental dump xbackup(FM)  
 returns the original base font/  
   specified display XBaseFontNameListOfFontSet: . . . . XFontsOfFontSet(XS)  
   XBell: rings bell on keyboard on . . . XChangeKeyboardControl(XS)  
   xbiff: mailbox flag for X . . . . . xbiff(X)  
 edit icons and pictures; and edit xbm and xpm formatted files /and scopaint(X)  
   KeyRelease, ButtonPress,/ XButtonEvent: KeyPress, . . . . . XButtonEvent(XS)  
   X xcalc: scientific calculator for . . . . . xcalc(X)  
   grab pointer parameters XChangeActivePointerGrab: changes XGrabPointer(XS)  
   context XChangeGC: changes graphics . . . . XCreateGC(XS)  
 manipulate keyboard settings and/ XChangeKeyboardControl: . . . . . XChangeKeyboardControl(XS)  
 manipulate keyboard encoding and/ XChangeKeyboardMapping: . . . . . XChangeKeyboardMapping(XS)  
   pointer XChangePointerControl: control . . . XChangePointerControl(XS)  
   properties XChangeProperty: changes window XGetWindowProperty(XS)  
   save set XChangeSaveSet: change a client's . XChangeSaveSet(XS)  
   window attributes XChangeWindowAttributes: change XChangeWindowAttributes(XS)  
   XChar2b: font structure . . . . . XLoadFont(XS)  
   XCharStruct: font structure . . . . . XLoadFont(XS)  
   and copy matched event XCheckIfEvent: checks event queue XIfEvent(XS)  
   and events available for/ XCheckMaskEvent: searches queue XNextEvent(XS)  
   and events available for/ XCheckTypedEvent: searches queue XNextEvent(XS)  
   queue and events available for/ XCheckTypedWindowEvent: searches XNextEvent(XS)  
   and events available for/ XCheckWindowEvent: searches queue XNextEvent(XS)  
   event structure XCirculateEvent: CirculateNotify . . XCirculateEvent(XS)  
 CirculateRequest event structure XCirculateRequestEvent: . . . . . XCirculateRequestEvent(XS)  
 children of specified window in/ XCirculateSubwindows: circulates . XRaiseWindow(XS)



## Permuted Index

CCC associated with the/ XcmsSetCCCOfColormap: changes the XcmsCCCOfColormap(XS)  
 white point adjustment procedure/ XcmsSetWhiteAdjustProc: sets the XcmsSetWhitePoint(XS)  
     attributes XcmsSetWhitePoint: modifying CCC XcmsSetWhitePoint(XS)  
                   XcmsStoreColor: set colors XcmsStoreColor(XS)  
 colors specified into RGB values XcmsStoreColors: converts the XcmsStoreColor(XS)  
     the Xcms color structure XcmsTekHVC: possible formats in XcmsColor(XS)  
     TekHVC coordinates XcmsTekHVCQueryMaxC: obtain the XcmsTekHVCQueryMaxC(XS)  
 Value and Chroma's find colors/ XcmsTekHVCQueryMaxV: given Hue, XcmsTekHVCQueryMaxC(XS)  
 Value and Chroma's find colors/ XcmsTekHVCQueryMaxVC: given Hue, XcmsTekHVCQueryMaxC(XS)  
 Hue, Value and Chroma's find/ XcmsTekHVCQueryMaxVSamples: given XcmsTekHVCQueryMaxC(XS)  
 Value and Chroma's find colors/ XcmsTekHVCQueryMinV: given Hue, XcmsTekHVCQueryMaxC(XS)  
 the pixel values specified in the XColor: color structure XColor: color structure  
     event structure XColor structure /entries of XStoreColors(XS)  
     event structure XColormapEvent: ColormapNotify XColormapEvent(XS)  
     event structure XConfigureEvent: ConfigureNotify XConfigureEvent(XS)  
 ConfigureRequest event structure XConfigureRequestEvent: XConfigureRequestEvent(XS)  
 windows and window changes/ XConfigureWindow: configure XConfigureWindow(XS)  
     Xconnections: format of the Xconnections file Xconnections(X)  
     Xconnections file Xconnections: format of the Xconnections(X)  
     the font\_set might include/ XContextDependentDrawing: true if XFontsOfFontSet(XS)  
     window selection XConvertSelection: manipulates XSetSelectionOwner(XS)  
                           XCopyArea: copy areas XCopyArea(XS)  
                           colormap XCopyColormapAndFree: copies XCreateColormap(XS)  
                           XCopyGC: copies graphics context XCreateGC(XS)  
                           XCopyPlane: copy planes XCopyArea(XS)  
                           bitmap XCreateBitmapFromData: creates XReadBitmapFile(XS)  
     destroy colormaps and color/ XCreateColormap: create, copy, or XCreateColormap(XS)  
                           XCreateFontCursor: create cursors XCreateFontCursor(XS)  
     an international text drawing/ XCreateFontSet: create and free XCreateFontSet(XS)  
     graphics contexts and graphics/ XCreateGC: create or free XCreateGC(XS)  
                           cursor XCreateGlyphCursor: creates glyph XCreateFontCursor(XS)  
     obtain the input method of an/ XCreateIC: create, destroy, and XCreateIC(XS)  
                           XCreateImage: image utilities XCreateImage(XS)  
                           pixmap XCreatePixmap: create or destroy XCreatePixmap(XS)  
                           pixmap cursor XCreatePixmapCursor: creates XCreateFontCursor(XS)  
 creates pixmap from bitmap data XCreatePixmapFromBitmapData: XReadBitmapFile(XS)  
     regions XCreateRegion: create or destroy XCreateRegion(XS)  
     subwindow XCreateSimpleWindow: creates XCreateWindow(XS)  
     window attributes structure XCreateWindow: create windows and XCreateWindow(XS)  
     event structure XCreateWindowEvent: CreateNotify XCreateWindowEvent(XS)  
     LeaveNotify event structure XCrossingEvent: EnterNotify and XCrossingEvent(XS)  
 structure for parsing Compound/ XctCreate: create XctData XctData(Xmu)  
                           XctData: compound text functions XctData(Xmu)  
     free all data associated with XctData structure XctFree: XctData(Xmu)  
 Compound Text/ XctCreate: create XctData structure for parsing XctData(Xmu)  
 Compound Text/ XctReset: reset XctData structure to repare XctData(Xmu)  
     with XctData structure XctFree: free all data associated XctData(Xmu)  
     Compound Text string XctNextItem: parse next item from XctData(Xmu)  
 to repare Compound Text string XctReset: reset XctData structure XctData(Xmu)  
     buffer and selection xcutsel: interchange between cut xcutsel(X)  
     daemon xdaemon: AT&T X11 connections xdaemon(X)  
     default string used by Xlib for/ XDefaultString: returns the XmbTextListToTextProperty(XS)  
                           XDefineCursor: define cursors XDefineCursor(XS)  
     given window and type XDeleteContext: deletes entry for XSaveContext(XS)

KeyCode from control set XDeleteModifiermapEntry: deletes XChangeKeyboardMapping(XS)  
     properties XDeleteProperty: deletes window XGetWindowProperty(XS)  
     IC XDestroyIC: destroy the specified XCreateIC(XS)  
         XDestroyImage: deallocates image XCreateImage(XS)  
         XDestroyRegion: destroys region XCreateRegion(XS)  
     subwindows XDestroySubwindows: destroys XDestroyWindow(XS)  
         XDestroyWindow: destroy windows XDestroyWindow(XS)  
 DestroyNotify event structure XDestroyWindowEvent: XDestroyWindowEvent(XS)  
     use of access control list XDisableAccessControl: disables XAddHost(XS)  
 min-keycodes and max-keycodes XDisplayKeycodes: returns XChangeKeyboardMapping(XS)  
     motion history buffer size XDisplayMotionBufferSize: returns XSendEvent(XS)  
     name XDisplayName: returns display XSetErrorHandler(XS)  
 associated with the specified/ XDisplayOfIM: returns the display XOpenIM(XS)  
     to a printer xdpr: dump an X window directly xdpr(X)  
     utility for X xdpynfo: display information xdpynfo(X)  
     xdr\_array: XDR a C array of objects xdr(NS)  
     xdr\_char: XDR a C character xdr(NS)  
     xdr\_double: XDR a C double xdr(NS)  
     xdr\_enum: XDR a C enum xdr(NS)  
     xdr\_vector: XDR a C fixed length array xdr(NS)  
         xdr\_float: XDR a C float xdr(NS)  
         xdr\_int: XDR a C integer xdr(NS)  
         xdr\_long: XDR a C long xdr(NS)  
         xdr\_pointer: XDR a C pointer xdr(NS)  
     xdr\_reference: XDR a C pointer xdr(NS)  
     xdr\_short: XDR a C short xdr(NS)  
     xdr\_string: XDR a C string xdr(NS)  
     xdr\_wrapstring: XDR a C string xdr(NS)  
     xdr\_u\_char: XDR a C unsigned character xdr(NS)  
     xdr\_u\_int: XDR a C unsigned integer xdr(NS)  
     xdr\_u\_long: XDR a C unsigned long xdr(NS)  
     xdr\_u\_short: XDR a C unsigned short xdr(NS)  
     xdr\_bytes: XDR a counted byte string xdr(NS)  
 choices xdr\_union: XDR a discriminated union of xdr(NS)  
     xdr\_pmaplist: XDR a list of port mappings rpc(NS)  
 xdr\_rejected\_reply: XDR a rejected reply rpc(NS)  
     xdr\_rex\_result: XDR a REX result message rex(NS)  
     xdr\_rex\_start: XDR a REX start message rex(NS)  
     xdr\_rex\_ttymode: XDR a REX tty modes message rex(NS)  
     xdr\_rex\_tysize: XDR a REX tty size message rex(NS)  
     xdr\_accept\_reply: XDR an accepted reply rpc(NS)  
         xdr\_bool: XDR an boolean xdr(NS)  
         xdr\_yppasswd: XDR an NIS passwd entry yppasswd(NS)  
         xdr\_opaque: XDR an opaque object xdr(NS)  
         xdr\_callmsg: XDR an RPC call message rpc(NS)  
         xdr\_replymsg: XDR an RPC reply message rpc(NS)  
         xdr\_ppasswd: XDR an yppasswd yppasswd(NS)  
     xdr\_free: generic XDR free routine xdr(NS)  
 external data representation xdr: library routines for xdr(NS)  
     xdr\_void: XDR nothing xdr(NS)  
 parameters xdr\_opaque\_auth: XDR opaque authentication rpc(NS)  
     allocate space for inline XDR operation xdr\_inline: xdr(NS)  
     procedures xdr\_pmap: XDR parameters to portmapper rpc(NS)  
 xdrrec\_skiprecord: skip rest of XDR record xdr(NS)

## Permuted Index

get current position of XDR stream xdr\_getpos: ..... xdr(NS)  
 mark end of record on XDR stream xdrrec\_endofrecord: .. xdr(NS)  
 set current position on XDR stream xdr\_setpos: ..... xdr(NS)  
 xdr\_destroy: destroy an XDR stream ..... xdr(NS)  
 xdrmem\_create: create an XDR stream ..... xdr(NS)  
 xdrrec\_create: create an XDR stream ..... xdr(NS)  
 xdrrec\_eof: mark end of file on XDR stream ..... xdr(NS)  
 xdrstdio\_create: create an XDR stream ..... xdr(NS)  
     xdr\_callhdr: XDR the RPC call header ..... rpc(NS)  
 xdr\_authunix\_parms: XDR UNIX credentials ..... rpc(NS)  
     reply xdr\_accept\_reply: XDR an accepted ..... rpc(NS)  
     objects xdr\_array: XDR a C array of ..... xdr(NS)  
     credentials xdr\_authunix\_parms: XDR UNIX .. rpc(NS)  
     structure XDrawArc: draw arcs and arc ..... XDrawArc(XS)  
         XDrawArcs: draws arcs ..... XDrawArc(XS)  
         XDrawImageString: draw image text XDrawImageString(XS)  
     text XDrawImageString16: draws image XDrawImageString(XS)  
 and line structure XDrawLine: draw lines, polygons, . XDrawLine(XS)  
     XDrawLines: draws lines ..... XDrawLine(XS)  
     points structure XDrawPoint: draw points and ..... XDrawPoint(XS)  
     XDrawPoints: draws points ..... XDrawPoint(XS)  
 and rectangles structure XDrawRectangle: draw rectangles . XDrawRectangle(XS)  
     XDrawRectangles: draws rectangles XDrawRectangle(XS)  
     XDrawSegments: draws polygons . XDrawLine(XS)  
     XDrawString: draw text characters XDrawString(XS)  
     characters XDrawString16: draws text ..... XDrawString(XS)  
 text drawing structures XDrawText: draw polytext text and XDrawText(XS)  
     XDrawText16: draws polytext text . XDrawText(XS)  
     xdr\_bool: XDR an boolean ..... xdr(NS)  
     string xdr\_bytes: XDR a counted byte ... xdr(NS)  
     header xdr\_callhdr: XDR the RPC call .... rpc(NS)  
     message xdr\_callmsg: XDR an RPC call .... rpc(NS)  
     xdr\_char: XDR a C character ..... xdr(NS)  
     stream xdr\_destroy: destroy an XDR ..... xdr(NS)  
     xdr\_double: XDR a C double ..... xdr(NS)  
     xdr\_enum: XDR a C enum ..... xdr(NS)  
     xdr\_float: XDR a C float ..... xdr(NS)  
     routine xdr\_free: generic XDR free ..... xdr(NS)  
     of XDR stream xdr\_getpos: get current position ... xdr(NS)  
 inline XDR operation xdr\_inline: allocate space for ..... xdr(NS)  
     xdr\_int: XDR a C integer ..... xdr(NS)  
     xdr\_long: XDR a C long ..... xdr(NS)  
     stream xdrmem\_create: create an XDR .... xdr(NS)  
     xdr\_opaque: XDR an opaque object xdr(NS)  
 authentication parameters xdr\_opaque\_auth: XDR opaque ... rpc(NS)  
 portmapper procedures xdr\_pmap: XDR parameters to .... rpc(NS)  
     mappings xdr\_pmaplist: XDR a list of port ... rpc(NS)  
     xdr\_pointer: XDR a C pointer ..... xdr(NS)  
     xdr\_ppasswd: XDR an yppasswd ... yppasswd(NS)  
     stream xdrrec\_create: create an XDR ..... xdr(NS)  
 record on XDR stream xdrrec\_endofrecord: mark end of .. xdr(NS)  
     XDR stream xdrrec\_eof: mark end of file on .... xdr(NS)  
     XDR record xdrrec\_skiprecord: skip rest of .... xdr(NS)  
     xdr\_reference: XDR a C pointer ... xdr(NS)



rejected reply xdr\_rejected\_reply: XDR a ..... rpc(NS)  
 message xdr\_replymsg: XDR an RPC reply .. rpc(NS)  
 message xdr\_rex\_result: XDR a REX result .. rex(NS)  
 message xdr\_rex\_start: XDR a REX start .... rex(NS)  
 modes message xdr\_rex\_ttymode: XDR a REX tty .. rex(NS)  
 size message xdr\_rex\_ttysize: XDR a REX tty .... rex(NS)  
 on XDR stream xdr\_setpos: set current position ... xdr(NS)  
     xdr\_short: XDR a C short ..... xdr(NS)  
     stream xdrstdio\_create: create an XDR .... xdr(NS)  
           xdr\_string: XDR a C string ..... xdr(NS)  
     character xdr\_u\_char: XDR a C unsigned .... xdr(NS)  
     integer xdr\_u\_int: XDR a C unsigned ..... xdr(NS)  
           xdr\_u\_long: XDR a C unsigned long xdr(NS)  
 union of choices xdr\_union: XDR a discriminated .. xdr(NS)  
     short xdr\_u\_short: XDR a C unsigned ... xdr(NS)  
     array xdr\_vector: XDR a C fixed length .. xdr(NS)  
           xdr\_void: XDR nothing ..... xdr(NS)  
           xdr\_wrapstring: XDR a C string ... xdr(NS)  
     entry xdr\_yppasswd: XDR an NIS passwd yppasswd(NS)  
 interface for the Desktop xdt3: the graphical user ..... xdt3(X)  
     xdump: link to xbackup ..... xbackup(ADM)  
 files on a XENIX backup archive xdumpdir: print the names of ..... xdumpdir(ADM)  
 regions are empty or equal XEmptyRegion: determine if ..... XEmptyRegion(XS)  
     of access control list XEnableAccessControl: enables use XAddHost(XS)  
     regions equal XEqualRegion: determines if ..... XEmptyRegion(XS)  
     structure XErrorEvent: X error event ..... XErrorEvent(XS)  
           xev: print contents of X events .... xev(X)  
           XEvent: generic X event structure .. XAnyEvent(XS)  
 events already in event queue XEventsQueued: returns number of XFlush(XS)  
     structure XExposeEvent: Expose event ..... XExposeEvent(XS)  
 maximum extents structure for a/ XExtentsOfFontSet: obtain the ..... XExtentsOfFontSet(XS)  
     xeyes: watch over your shoulder ... xeyes(X)  
     xfd: font displayer for X ..... xfd(X)  
     buffer's contents XFetchBuffer: returns cut ..... XStoreBytes(XS)  
     bytes in cut buffer XFetchBytes: returns number of ... XStoreBytes(XS)  
 WM\_NAME property XFetchName: reads window's ..... XSetWMName(XS)  
     XFillArc: fills arc ..... XFillRectangle(XS)  
     XFillArcs: fills arcs ..... XFillRectangle(XS)  
     XFillPolygon: fills polygon ..... XFillRectangle(XS)  
 polygons, or arcs XFillRectangle: fill rectangles, .... XFillRectangle(XS)  
     XFillRectangles: fills rectangles ... XFillRectangle(XS)  
     an input method XFilterEvent: filter X events for ... XFilterEvent(XS)  
     routine XFindContext: associative look-up XSaveContext(XS)  
     event queue XFlush: handle output buffer or ... XFlush(XS)  
 FocusOut event structure XFocusChangeEvent: FocusIn and XFocusChangeEvent(XS)  
     XFontProp: font structure ..... XLoadFont(XS)  
 interface for selecting X11 font/ xfontsel: point and click ..... xfontsel(X)  
     XFontSetExtents: XFontSetExtents structure ..... XFontSetExtents(XS)  
     structure XFontSetExtents: XFontSetExtents XFontSetExtents(XS)  
     information XFontsOffFontSet: obtain fontset ... XFontsOffFontSet(XS)  
     XFontStruct: font structure ..... XLoadFont(XS)  
 disabled screen saver XForceScreenSaver: activates ..... XSetScreenSaver(XS)  
     XFree: free client data ..... XFree(XS)  
     XFreeColormap: deletes colormap XCreateColormap(XS)

## Permuted Index

XFreeColors: frees colors . . . . . XAllocColor(XS)  
 cursor resource ID XFreeCursor: frees cursor from . . . . . XRecolorCursor(XS)  
 XFreeFont: frees font . . . . . XLoadFont(XS)  
 information array XFreeFontInfo: frees font . . . . . XListFonts(XS)  
 array XFreeFontNames: frees font names . . . . . XListFonts(XS)  
 path XFreeFontPath: frees font search . . . . . XSetFontPath(XS)  
 international text drawing font/  
 context XFreeFontSet: free an . . . . . XCreateFontSet(XS)  
 XFreeGC: destroys graphics . . . . . XCreateGC(XS)  
 XModifierKeymap structure XFreeModifiermap: frees . . . . . XChangeKeyboardMapping(XS)  
 XFreePixmap: destroys pixmap . . . . . XCreatePixmap(XS)  
 XFreeStringList: frees memory . . . . . XStringListToTextProperty(XS)  
 from associated graphics context XFreeContextFromGC: obtains GContext XCreateGC(XS)  
 structure XGCValues: graphics context . . . . . XCreateGC(XS)  
 specified window XGetAtomName: returns atom names XInternAtom(XS)  
 XGetClassHint: returns class of . . . . . XAllocClassHint(XS)  
 WM\_COMMAND property XGetCommand: reads window's . . . . . XSetCommand(XS)  
 message from error message/  
 description XGetErrorDatabaseText: returns . . . . . XSetErrorHandler(XS)  
 XGetErrorText: reads error code . . . . . XSetErrorHandler(XS)  
 path XGetFontPath: gets font search . . . . . XSetFontPath(XS)  
 of specified font property XGetFontProperty: returns value . . . . . XLoadFont(XS)  
 context components XGetGCValues: returns graphics . . . . . XCreateGC(XS)  
 and current geometry XGetGeometry: returns root window XGetWindowAttributes(XS)  
 WM\_ICON\_NAME property XGetIconName: reads window's . . . . . XSetWMIconName(XS)  
 XGetIconSizes: returns icon size . . . . . XAllocIconSize(XS)  
 context values from the/  
 XGetICValues: obtain input . . . . . XSetICValues(XS)  
 XGetImage: transfers image . . . . . XPutImage(XS)  
 XGetIMValues: interface for . . . . . XOpenIM(XS)  
 querying properties or features/  
 window and current focus state XGetInputFocus: returns focus . . . . . XSetInputFocus(XS)  
 current keyboard control values XGetKeyboardControl: returns . . . . . XChangeKeyboardControl(XS)  
 KeyCode symbols XGetKeyboardMapping: returns . . . . . XChangeKeyboardMapping(XS)  
 pointer to structure containing/  
 in motion history buffer XGetModifierMapping: returns . . . . . XChangeKeyboardMapping(XS)  
 image XGetMotionEvents: returns events . . . . . XSendEvent(XS)  
 XGetPixel: returns pixel from . . . . . XCreateImage(XS)  
 movement definition XGetPointerControl: reads pointer . . . . . XChangePointerControl(XS)  
 current mapping of pointer XGetPointerMapping: returns . . . . . XSetPointerMapping(XS)  
 colormap structure XGetRGBColormaps: reads standard XAllocStandardColormap(XS)  
 screen saver values XGetScreenSaver: gets current . . . . . XSetScreenSaver(XS)  
 window selection XGetSelectionOwner: manipulates XSetSelectionOwner(XS)  
 XGetSubImage: transfers subimage XPutImage(XS)  
 property XGetTextProperty: reads text . . . . . XSetTextProperty(XS)  
 window's WM\_TRANSIENT\_FOR/  
 information and visual structure XGetTransientForHint: reads . . . . . XSetTransientForHint(XS)  
 XGetVisualInfo: obtain visual . . . . . XGetVisualInfo(XS)  
 window attribute or geometry and/  
 change window properties XGetWindowAttributes: get current XGetWindowAttributes(XS)  
 XGetWindowProperty: obtain and . . . . . XGetWindowProperty(XS)  
 window's WM\_CLIENT\_MACHINE XGetWMClientMachine: reads . . . . . XSetWMClientMachine(XS)  
 window's WM\_COLORMAP\_WINDOWS/  
 hints XGetWMColormapWindows: reads XSetWMColormapWindows(XS)  
 XGetWMHints: reads window manager XAllocWMHints(XS)  
 WM\_ICON\_NAME property XGetWMIconName: reads window's XSetWMIconName(XS)  
 WM\_NAME property XGetWMName: reads window's . . . . . XSetWMName(XS)  
 hints XGetWMNormalHints: reads size . . . . . XAllocSizeHints(XS)  
 WM\_PROTOCOLS property XGetWMProtocols: reads window's XSetWMProtocols(XS)  
 XGetWMSizeHints: reads size hints XAllocSizeHints(XS)  
 XGrabButton: grab pointer buttons XGrabButton(XS)  
 XGrabKey: grab keyboard keys . . . . . XGrabKey(XS)

XGrabKeyboard: grab the keyboard XGrabKeyboard(XS)  
XGrabPointer: grab the pointer . . . . XGrabPointer(XS)  
XGrabServer: grab the server . . . . XGrabServer(XS)  
GraphicsExpose and NoExpose/  
event structure XGraphicsExposeEvent: . . . . XGraphicsExposeEvent(XS)  
program for X XGravityEvent: GravityNotify . . . . XGravityEvent(XS)  
structure xhost: server access control . . . . xhost(X)  
XHostAddress: host control . . . . XAddHost(XS)  
XSetICValues: set and obtain XIC values . . . . XSetICValues(XS)  
top-level windows XIconifyWindow: manipulate . . . . XIconifyWindow(XS)  
XIconSize: icon size structure . . . . XAllIconSize(XS)  
with a predicate procedure XIfEvent: check the event queue . . . XIfEvent(XS)  
creates a shared memory XImage XShmCreateImage: . . . . XShm(Xext)  
image data into a shared memory XImage XShmGetImage: reads . . . . XShm(Xext)  
/writes a shared memory XImage into an X drawable . . . . XShm(Xext)  
of the specified IC XIMOfIC: return the input method . XCreateIC(XS)  
initializer xinit: X Window System . . . . xinit(X)  
KeyCode to control set XInserModifiermapEntry: adds . . . XChangeKeyboardMapping(XS)  
shell script xinstall: XENIX installation . . . . xinstall(ADM)  
colormaps XInstallColormap: control . . . . XInstallColormap(XS)  
atom names XInternAtom: create or return . . . . XInternAtom(XS)  
arithmetic XIntersectRegion: region . . . . XIntersectRegion(XS)  
control structure XKeyboardControl: keyboard . . . . XChangeKeyboardControl(XS)  
keysyms XKeycodeToKeysym: converts . . . . XStringToKeysym(XS)  
XKeyEvent: XKeyEvent event structure . . . . XButtonEvent(XS)  
structure XKeyEvent: XKeyEvent event . . . . XButtonEvent(XS)  
structure XKeymapEvent: KeymapNotify event XKeymapEvent(XS)  
keysyms XKeysymToKeycode: converts . . . . XStringToKeysym(XS)  
XKeysymToString: converts keysyms XStringToKeysym(XS)  
resource xkill: kill a client by its X . . . . xkill(X)  
client XKillClient: forces close-down of . . XSetCloseDownMode(XS)  
the default string used by Xlib for text conversion /returns . XmbTextListToTextProperty(XS)  
entries from files xlist, fxlist: gets name list . . . . xlist(S)  
from file xlist: gets name list entries . . . . xlist(S)  
depths available on specified/  
names and information XListDepths: returns array of . . . . AllPlanes(XS)  
names and information XListFonts: obtain or free font . . . . XListFonts(XS)  
XListFontsWithInfo: lists font . . . . XListFonts(XS)  
access control list XListHosts: returns current . . . . XAddHost(XS)  
currently installed colormaps XListInstalledColormaps: lists . . . . XInstallColormap(XS)  
of XPixmapFormatValues XListPixmapFormats: returns array ImageByteOrder(XS)  
to list of window properties XListProperties: returns pointer . . . XGetWindowProperty(XS)  
xload: load average display for X . . . xload(X)  
and font metric structures XLoadFont: load or unload fonts . . . XLoadFont(XS)  
XLoadQueryFont: loads font . . . . XLoadFont(XS)  
name of the locale bound to the/  
input method XLocaleOfFontSet: returns the . . . . XFontsOfFontSet(XS)  
XLocaleOfIM: get the locale of an . . XOpenIM(XS)  
xlogo: X Window System logo . . . . xlogo(X)  
values XLookupColor: returns color . . . . XQueryColor(XS)  
input events in Latin-1 XLookupKeysym: handle keyboard XLookupKeysym(XS)  
event XLookupString: translates key . . . . XLookupKeysym(XS)  
window to bottom of stack XLowerWindow: lowers specified . . . XRaiseWindow(XS)  
defined on server xlsatoms: list interned atoms . . . . xlsatoms(X)  
applications running on a/  
displayer for X xlsclients: list client . . . . xlsclients(X)  
displayer for X xlsfonts: server font list . . . . xlsfonts(X)  
xlswins: server window list . . . . xlswins(X)

## Permuted Index

function that activates a VendorShell convenience/ VendorShell function that adds/ function that adds the protocols/ adds a manager or a primitive/ VendorShell convenience/ convenience interface that adds/

for the X Window System

MappingNotify event structures event structure

subwindows and raise to top of/ event structure

in top-to-bottom stacking order

widget class

ArrowButtonGadget widget class

events associated with specified/ information

size of a protocol request

text using a single font set

single font set

multiple font sets

bindings

input from an input method

input context

properties for communicating/ escapement of text

extents

convert text lists and text/

per-character information for a/ a list of text strings from the/

multibuffering function

multibuffering function

multibuffering function

multibuffering function

multibuffering function

multibuffering function

multibuffering function

multibuffering function

multibuffering function

multibuffering function

multibuffering function

multibuffering function

multibuffering function

multibuffering function

BulletinBoard widget class

CascadeButton widget class

CascadeButtonGadget widget class

CascadeButtonGadget function/ CascadeButton and/ associated colors of a widget

clipboard function that cancels/ function that copies a data item/ clipboard function that copies a/ function that ends a copy to the/

XmActivateProtocol: a VendorShell XmActivateProtocol(Xm)

XmActivateWMProtocol: a ..... XmActivateWMProtocol(Xm)

XmAddProtocolCallback: a ..... XmAddProtocolCallback(Xm)

XmAddProtocols: a VendorShell ... XmAddProtocols(Xm)

XmAddTabGroup: a function that . XmAddTabGroup(Xm)

XmAddWMProtocolCallback: a ... XmAddWMProtocolCallback(Xm)

XmAddWMProtocols: a VendorShell XmAddWMProtocols(Xm)

xmag: magnify parts of the screen . xmag(X)

xman: manual page display program xman(X)

XMapEvent: MapNotify and ..... XMapEvent(XS)

XMappingEvent: MappingNotify . XMapEvent(XS)

XMapRaised: maps windows, ..... XMapWindow(XS)

XMapRequestEvent: MapRequest . XMapRequestEvent(XS)

XMapSubwindows: maps subwindows XMapWindow(XS)

XMapWindow: map windows ..... XMapWindow(XS)

XmArrowButton: the ArrowButton XmArrowButton(Xm)

XmArrowButtonGadget: the ..... XmArrowButtonGadget(Xm)

XMaskEvent: searches queue for ... XNextEvent(XS)

XMatchVisualInfo: returns visual . XGetVisualInfo(XS)

XMaxRequestSize: returns maximum AllPlanes(XS)

XmbDrawImageString: draw image XmbDrawImageString(XS)

XmbDrawString: draw text using a XmbDrawString(XS)

XmbDrawText: draw text using ... XmbDrawText(XS)

xmbind: configures virtual key ... xmbind(Xm)

XmbLookupString: obtain composed XmbLookupString(XS)

XmbResetC: reset the state of an ... XmbResetC(XS)

XmbSetWMProperties: sets window XSetWMProperties(XS)

XmbTextEscapement: obtain the ... XmbTextEscapement(XS)

XmbTextExtents: compute text ... XmbTextExtents(XS)

XmbTextListToTextProperty: ..... XmbTextListToTextProperty(XS)

XmbTextPerCharExtents: obtain ... XmbTextPerCharExtents(XS)

XmbTextPropertyToTextList: return XmbTextListToTextProperty(XS)

Xmbuf: X multibuffering functions . Xmbuf(Xext)

XmbufChangeBufferAttributes: X ... Xmbuf(Xext)

XmbufChangeWindowAttributes: X Xmbuf(Xext)

XmbufCreateBuffers: X ..... Xmbuf(Xext)

XmbufCreateStereoWindow: X .... Xmbuf(Xext)

XmbufDestroyBuffers: X ..... Xmbuf(Xext)

XmbufDisplayBuffers: X ..... Xmbuf(Xext)

XmbufGetBufferAttributes: X .... Xmbuf(Xext)

XmbufGetScreenInfo: X ..... Xmbuf(Xext)

XmbufGetVersion: X multibuffering Xmbuf(Xext)

XmbufGetWindowAttributes: X ... Xmbuf(Xext)

XmbufQueryExtension: X ..... Xmbuf(Xext)

XmBulletinBoard: the ..... XmBulletinBoard(Xm)

XmCascadeButton: the ..... XmCascadeButton(Xm)

XmCascadeButtonGadget: the ..... XmCascadeButtonGadget(Xm)

XmCascadeButtonGadgetHighlight: a XmCascadeButtonGadgetHighlight(Xm)

XmCascadeButtonHighlight: a .... XmCascadeButtonHighlight(Xm)

XmChangeColor: recalculates all .. XmChangeColor(Xm)

XmClipboardCancelCopy: a ..... XmClipboardCancelCopy(Xm)

XmClipboardCopy: a clipboard ... XmClipboardCopy(Xm)

XmClipboardCopyByName: a ..... XmClipboardCopyByName(Xm)

XmClipboardEndCopy: a clipboard XmClipboardEndCopy(Xm)

clipboard function that ends a / XmClipboardEndRetrieve: a ..... XmClipboardEndRetrieve(Xm)  
clipboard function that returns / XmClipboardInquireCount: a ..... XmClipboardInquireCount(Xm)  
clipboard function that returns / XmClipboardInquireFormat: a ..... XmClipboardInquireFormat(Xm)  
clipboard function that returns / XmClipboardInquireLength: a ..... XmClipboardInquireLength(Xm)  
clipboard function that returns / XmClipboardInquirePendingItems: a ..... XmClipboardInquirePendingItems(Xm)  
function that locks the / XmClipboardLock: a clipboard ..... XmClipboardLock(Xm)  
clipboard function that / XmClipboardRegisterFormat: a ..... XmClipboardRegisterFormat(Xm)  
function that retrieves a data / XmClipboardRetrieve: a clipboard ..... XmClipboardRetrieve(Xm)  
function that sets up a storage / XmClipboardStartCopy: a clipboard ..... XmClipboardStartCopy(Xm)  
clipboard function that starts a / XmClipboardStartRetrieve: a ..... XmClipboardStartRetrieve(Xm)  
function that deletes the last / XmClipboardUndoCopy: a clipboard ..... XmClipboardUndoCopy(Xm)  
function that unlocks the / XmClipboardUnlock: a clipboard ..... XmClipboardUnlock(Xm)  
clipboard function that / XmClipboardWithdrawFormat: a ..... XmClipboardWithdrawFormat(Xm)  
class XmCommand: the Command widget XmCommand(Xm)  
function that appends the passed / XmCommandAppendValue: a Command ..... XmCommandAppendValue(Xm)  
function that displays an error / XmCommandError: a Command ..... XmCommandError(Xm)  
function that is used to access / XmCommandGetChild: a Command ..... XmCommandGetChild(Xm)  
function that replaces a / XmCommandSetValue: a Command ..... XmCommandSetValue(Xm)  
converts a value in one unit / XmConvertUnits: a function that ..... XmConvertUnits(Xm)  
ArrowButton widget creation / XmCreateArrowButton: the ..... XmCreateArrowButton(Xm)  
ArrowButtonGadget creation / XmCreateArrowButtonGadget: the ..... XmCreateArrowButtonGadget(Xm)  
BulletinBoard widget creation / XmCreateBulletinBoard: the ..... XmCreateBulletinBoard(Xm)  
BulletinBoard / XmCreateBulletinBoardDialog: the ..... XmCreateBulletinBoardDialog(Xm)  
CascadeButton widget creation / XmCreateCascadeButton: the ..... XmCreateCascadeButton(Xm)  
CascadeButtonGadget creation / XmCreateCascadeButtonGadget: the ..... XmCreateCascadeButtonGadget(Xm)  
widget creation function XmCreateCommand: the Command ..... XmCreateCommand(Xm)  
DialogShell widget creation / XmCreateDialogShell: the ..... XmCreateDialogShell(Xm)  
function that creates a DragIcon / XmCreateDragIcon: a Drag and Drop ..... XmCreateDragIcon(Xm)  
DrawingArea widget creation / XmCreateDrawingArea: the ..... XmCreateDrawingArea(Xm)  
DrawnButton widget creation / XmCreateDrawnButton: the ..... XmCreateDrawnButton(Xm)  
MessageBox ErrorDialog / XmCreateErrorDialog: the ..... XmCreateErrorDialog(Xm)  
FileSelectionBox widget creation / XmCreateFileSelectionBox: the ..... XmCreateFileSelectionBox(Xm)  
FileSelectionBox / XmCreateFileSelectionDialog: the ..... XmCreateFileSelectionDialog(Xm)  
creation function XmCreateForm: the Form widget ..... XmCreateForm(Xm)  
FormDialog convenience creation / XmCreateFormDialog: a Form ..... XmCreateFormDialog(Xm)  
creation function XmCreateFrame: the Frame widget ..... XmCreateFrame(Xm)  
MessageBox InformationDialog / XmCreateInformationDialog: the ..... XmCreateInformationDialog(Xm)  
creation function XmCreateLabel: the Label widget ..... XmCreateLabel(Xm)  
LabelGadget creation function XmCreateLabelGadget: the ..... XmCreateLabelGadget(Xm)  
creation function XmCreateList: the List widget ..... XmCreateList(Xm)  
MainWindow widget creation / XmCreateMainWindow: the ..... XmCreateMainWindow(Xm)  
widget convenience creation / XmCreateMenuBar: a RowColumn ..... XmCreateMenuBar(Xm)  
widget creation function XmCreateMenuShell: the MenuShell ..... XmCreateMenuShell(Xm)  
MessageBox widget creation / XmCreateMessageBox: the ..... XmCreateMessageBox(Xm)  
MessageBox MessageDialog / XmCreateMessageDialog: the ..... XmCreateMessageDialog(Xm)  
widget convenience creation / XmCreateOptionMenu: a RowColumn ..... XmCreateOptionMenu(Xm)  
PanedWindow widget creation / XmCreatePanedWindow: the ..... XmCreatePanedWindow(Xm)  
widget convenience creation / XmCreatePopupMenu: a RowColumn ..... XmCreatePopupMenu(Xm)  
SelectionBox PromptDialog / XmCreatePromptDialog: the ..... XmCreatePromptDialog(Xm)  
widget convenience creation / XmCreatePullDownMenu: a RowColumn ..... XmCreatePullDownMenu(Xm)  
PushButton widget creation / XmCreatePushButton: the ..... XmCreatePushButton(Xm)  
PushButtonGadget creation / XmCreatePushButtonGadget: the ..... XmCreatePushButtonGadget(Xm)  
MessageBox QuestionDialog / XmCreateQuestionDialog: the ..... XmCreateQuestionDialog(Xm)  
widget convenience creation / XmCreateRadioBox: a RowColumn ..... XmCreateRadioBox(Xm)

## Permuted Index

widget creation function `XmCreateRowColumn`: the `RowColumn` widget `XmCreateRowColumn(XmCreateRowColumn)`  
creation function `XmCreateScale`: the `Scale` widget `XmCreateScale(XmCreateScale)`  
widget creation function `XmCreateScrollBar`: the `ScrollBar` widget `XmCreateScrollBar(XmCreateScrollBar)`  
ScrolledList convenience/ `XmCreateScrolledList`: the `List` widget `XmCreateScrolledList(XmCreateScrolledList)`  
TextScrolledText convenience/ `XmCreateScrolledText`: the `Text` widget `XmCreateScrolledText(XmCreateScrolledText)`  
ScrolledWindow widget creation/ `XmCreateScrolledWindow`: the `ScrolledWindow` widget `XmCreateScrolledWindow(XmCreateScrolledWindow)`  
SelectionBox widget creation/ `XmCreateSelectionBox`: the `SelectionBox` widget `XmCreateSelectionBox(XmCreateSelectionBox)`  
SelectionBox SelectionDialog/ `XmCreateSelectionDialog`: the `SelectionDialog` widget `XmCreateSelectionDialog(XmCreateSelectionDialog)`  
widget creation function `XmCreateSeparator`: the `Separator` widget `XmCreateSeparator(XmCreateSeparator)`  
SeparatorGadget creation/ `XmCreateSeparatorGadget`: the `SeparatorGadget` widget `XmCreateSeparatorGadget(XmCreateSeparatorGadget)`  
RowColumn widget convenience/ `XmCreateSimpleCheckBox`: a `CheckBox` widget `XmCreateSimpleCheckBox(XmCreateSimpleCheckBox)`  
RowColumn widget convenience/ `XmCreateSimpleMenuBar`: a `MenuBar` widget `XmCreateSimpleMenuBar(XmCreateSimpleMenuBar)`  
RowColumn widget convenience/ `XmCreateSimpleOptionMenu`: a `OptionMenu` widget `XmCreateSimpleOptionMenu(XmCreateSimpleOptionMenu)`  
RowColumn widget convenience/ `XmCreateSimplePopupMenu`: a `PopupMenu` widget `XmCreateSimplePopupMenu(XmCreateSimplePopupMenu)`  
RowColumn widget convenience/ `XmCreateSimplePulldownMenu`: a `PulldownMenu` widget `XmCreateSimplePulldownMenu(XmCreateSimplePulldownMenu)`  
RowColumn widget convenience/ `XmCreateSimpleRadioBox`: a `RadioBox` widget `XmCreateSimpleRadioBox(XmCreateSimpleRadioBox)`  
MessageBox TemplateDialog/ `XmCreateTemplateDialog`: a `TemplateDialog` widget `XmCreateTemplateDialog(XmCreateTemplateDialog)`  
creation function `XmCreateText`: the `Text` widget `XmCreateText(XmCreateText)`  
widget creation function `XmCreateTextField`: the `TextField` widget `XmCreateTextField(XmCreateTextField)`  
ToggleButton widget creation/ `XmCreateToggleButton`: the `ToggleButton` widget `XmCreateToggleButton(XmCreateToggleButton)`  
ToggleButtonGadget creation/ `XmCreateToggleButtonGadget`: the `ToggleButtonGadget` widget `XmCreateToggleButtonGadget(XmCreateToggleButtonGadget)`  
MessageBox WarningDialog/ `XmCreateWarningDialog`: the `WarningDialog` widget `XmCreateWarningDialog(XmCreateWarningDialog)`  
creates a RowColumn work area `XmCreateWorkArea`: a function that creates a `WorkArea` widget `XmCreateWorkArea(XmCreateWorkArea)`  
MessageBox WorkingDialog/ `XmCreateWorkingDialog`: the `WorkingDialog` widget `XmCreateWorkingDialog(XmCreateWorkingDialog)`  
string function that converts/ `XmCvtCTToXmString`: a compound function `XmCvtCTToXmString(XmCvtCTToXmString)`  
that converts a string to a `String` `XmCvtStringToUnitType`: a function `XmCvtStringToUnitType(XmCvtStringToUnitType)`  
string function that converts a `String` to a `UnitType` `XmCvtXmStringToCT`: a compound function `XmCvtXmStringToCT(XmCvtXmStringToCT)`  
VendorShell function that/ `XmDeactivateProtocol`: a function `XmDeactivateProtocol(XmDeactivateProtocol)`  
VendorShell convenience/ `XmDeactivateWMPProtocol`: a function `XmDeactivateWMPProtocol(XmDeactivateWMPProtocol)`  
function that removes a pixmap/ `XmDestroyPixmap`: a function `XmDestroyPixmap(XmDestroyPixmap)`  
widget class `XmDialogShell`: the `DialogShell` widget `XmDialogShell(XmDialogShell)`  
Display function that returns the `Display` object ID for a `Display` `XmGetXmDisplay(XmGetXmDisplay)`  
class `XmDisplay`: the `Display` widget `XmDisplay(XmDisplay)`  
function that terminates a drag/ `XmDragCancel`: a `Drag` and `Drop` widget `XmDragCancel(XmDragCancel)`  
widget class `XmDragContext`: the `DragContext` widget `XmDragContext(XmDragContext)`  
class `XmDragIcon`: the `DragIcon` widget `XmDragIcon(XmDragIcon)`  
function that initiates a drag/ `XmDragStart`: a `Drag` and `Drop` widget `XmDragStart(XmDragStart)`  
widget class `XmDrawingArea`: the `DrawingArea` widget `XmDrawingArea(XmDrawingArea)`  
widget class `XmDrawnButton`: the `DrawnButton` widget `XmDrawnButton(XmDrawnButton)`  
`XmDropSite`: the `DropSite` Registry `XmDropSite(XmDropSite)`  
a `Drag` and `Drop` function that/ `XmDropSiteConfigureStackingOrder`: a function `XmDropSiteConfigureStackingOrder(XmDropSiteConfigureStackingOrder)`  
`Drop` function that facilitates/ `XmDropSiteEndUpdate`: a `Drag` and `Drop` function `XmDropSiteEndUpdate(XmDropSiteEndUpdate)`  
`Drop` function that facilitates/ `XmDropSiteQueryStackingOrder`: a `Drag` and `Drop` function `XmDropSiteQueryStackingOrder(XmDropSiteQueryStackingOrder)`  
`Drop` function that identifies a `DropSite` `XmDropSiteRegister`: a `Drag` and `Drop` function `XmDropSiteRegister(XmDropSiteRegister)`  
`Drop` function that retrieves/ `XmDropSiteRetrieve`: a `Drag` and `Drop` function `XmDropSiteRetrieve(XmDropSiteRetrieve)`  
`Drop` function that facilitates/ `XmDropSiteStartUpdate`: a `Drag` and `Drop` function `XmDropSiteStartUpdate(XmDropSiteStartUpdate)`  
`Drop` function that frees drop/ `XmDropSiteUnregister`: a `Drag` and `Drop` function `XmDropSiteUnregister(XmDropSiteUnregister)`  
function that sets resource/ `XmDropSiteUpdate`: a `Drag` and `Drop` function `XmDropSiteUpdate(XmDropSiteUpdate)`  
widget class `XmDropTransfer`: the `DropTransfer` widget `XmDropTransfer(XmDropTransfer)`  
`Drop` function that enables/ `XmDropTransferAdd`: a `Drag` and `Drop` function `XmDropTransferAdd(XmDropTransferAdd)`  
`Drop` function that initiates a `Drop` `XmDropTransferStart`: a `Drag` and `Drop` function `XmDropTransferStart(XmDropTransferStart)`  
`FileSelectionBox` widget class `XmFileSelectionBox`: the `FileSelectionBox` widget `XmFileSelectionBox(XmFileSelectionBox)`  
`FileSelectionBox` function used/ `XmFileSelectionBoxGetChild`: a function `XmFileSelectionBoxGetChild(XmFileSelectionBoxGetChild)`  
`FileSelectionBox` function that/ `XmFileSelectionDoSearch`: a function `XmFileSelectionDoSearch(XmFileSelectionDoSearch)`

list XmFontList: data type for a font ... XmFontList(“Xm”)

function that creates a new font/ XmFontListAdd: a font list ... XmFontListAdd(Xm)

list function that appends an/ XmFontListAppendEntry: a font ... XmFontListAppendEntry(Xm)

function that copies a font list XmFontListCopy: a font list ... XmFontListCopy(Xm)

function that creates a font/ XmFontListCreate: a font list ... XmFontListCreate(Xm)

list function that creates a/ XmFontListEntryCreate: a font ... XmFontListEntryCreate(Xm)

function that recovers memory/ XmFontListEntryFree: a font list ... XmFontListEntryFree(Xm)

list function that retrieves/ XmFontListEntryGetFont: a font ... XmFontListEntryGetFont(Xm)

list function that retrieves/ XmFontListEntryGetTag: a font ... XmFontListEntryGetTag(Xm)

function that loads a font or/ XmFontListEntryLoad: a font list ... XmFontListEntryLoad(Xm)

function that recovers memory/ XmFontListFree: a font list ... XmFontListFree(Xm)

list function that instructs the/ XmFontListFreeFontContext: a font ... XmFontListFreeFontContext(Xm)

list function that allows/ XmFontListGetNextFont: a font ... XmFontListGetNextFont(Xm)

list function that allows/ XmFontListInitFontContext: a font ... XmFontListInitFontContext(Xm)

function that returns the next/ XmFontListNextEntry: a font list ... XmFontListNextEntry(Xm)

list function that removes a/ XmFontListRemoveEntry: a font ... XmFontListRemoveEntry(Xm)

XmForm: the Form widget class ... XmForm(Xm)

XmFrame: the Frame widget class ... XmFrame(Xm)

XmGadget: the Gadget widget class ... XmGadget(Xm)

returns the string/ XmGetAtomName: a function that ... XmGetAtomName(Xm)

to get the procedure used for/ XmGetColorCalculation: a function ... XmGetColorCalculation(Xm)

generates foreground, select/ XmGetColors: a function that ... XmGetColors(Xm)

returns the widget ID of the/ XmGetDestination: a function that ... XmGetDestination(Xm)

function that retrieves the/ XmGetDragContext: a Drag and Drop ... XmGetDragContext(Xm)

of the widget that has keyboard/ XmGetFocusWidget: returns the ID ... XmGetFocusWidget(Xm)

returns the cursor ID for the/ XmGetMenuCursor: a function that ... XmGetMenuCursor(Xm)

function that generates a/ XmGetPixmap: a pixmap caching ... XmGetPixmap(Xm)

caching function that generates/ XmGetPixmapByDepth: a pixmap ... XmGetPixmapByDepth(Xm)

RowColumn function that returns/ XmGetPostedFromWidget: a ... XmGetPostedFromWidget(Xm)

function that provides access to/ XmGetSecondaryResourceData: a ... XmGetSecondaryResourceData(Xm)

ID of a tab group XmGetTabGroup: returns the widget ... XmGetTabGroup(Xm)

function that obtains the widget/ XmGetTearOffControl: a RowColumn ... XmGetTearOffControl(Xm)

determines if a widget is/ XmGetVisibility: a function that ... XmGetVisibility(Xm)

function that returns the/ XmGetXmDisplay: a Display ... XmGetXmDisplay(Xm)

that returns the XmScreen object/ XmGetXmScreen: a Screen function ... XmGetXmScreen(Xm)

function that adds an image to/ XmInstallImage: a pixmap caching ... XmInstallImage(Xm)

returns an atom for a given name XmInternAtom: a function that ... XmInternAtom(Xm)

that determines whether the/ XmIsMotifWMRunning: a function ... XmIsMotifWMRunning(Xm)

identifies whether a widget can/ XmIsTraversable: a function that ... XmIsTraversable(Xm)

Imakefile xmkmf: create a Makefile from an ... xmkmf(XS)

widget class XmLabel: the Label widget class ... XmLabel(Xm)

XmLabelGadget: the LabelGadget ... XmLabelGadget(Xm)

XmList: the List widget class ... XmList(Xm)

that adds an item to the list XmListAddItem: a List function ... XmListAddItem(Xm)

that adds items to the list XmListAddItems: a List function ... XmListAddItems(Xm)

function that adds items to a/ XmListAddItemsUnselected: a List ... XmListAddItemsUnselected(Xm)

function that adds an item to/ XmListAddItemUnselected: a List ... XmListAddItemUnselected(Xm)

function that deletes all items/ XmListDeleteAllItems: a List ... XmListDeleteAllItems(Xm)

that deletes an item from the/ XmListDeleteItem: a List function ... XmListDeleteItem(Xm)

function that deletes items from/ XmListDeleteItems: a List ... XmListDeleteItems(Xm)

function that deletes items from/ XmListDeleteItemsPos: a List ... XmListDeleteItemsPos(Xm)

that deletes an item from a list/ XmListDeletePos: a List function ... XmListDeletePos(Xm)

function that deletes items from/ XmListDeletePositions: a List ... XmListDeletePositions(Xm)

function that unhighlights and/ XmListDeselectAllItems: a List ... XmListDeselectAllItems(Xm)

*Permuted Index*

function that deselects the/ `XmListDeselectItem: a List . . . . . XmListDeselectItem(Xm)`  
function that deselects an item/ `XmListDeselectPos: a List . . . . . XmListDeselectPos(Xm)`  
function that returns the/ `XmListGetKbdItemPos: a List . . . . . XmListGetKbdItemPos(Xm)`  
function that returns all/ `XmListGetMatchPos: a List . . . . . XmListGetMatchPos(Xm)`  
function that returns the/ `XmListGetSelectedPos: a List . . . . . XmListGetSelectedPos(Xm)`  
that checks if a specified item/ `XmListItemExists: a List function . . . XmListItemExists(Xm)`  
that returns the position of an/ `XmListItemPos: a List function . . . . XmListItemPos(Xm)`  
function that determines if the/ `XmListPosSelected: a List . . . . . XmListPosSelected(Xm)`  
function that returns the/ `XmListPosToBounds: a List . . . . . XmListPosToBounds(Xm)`  
function that replaces the/ `XmListReplaceltems: a List . . . . . XmListReplaceltems(Xm)`  
function that replaces the/ `XmListReplaceltemsPos: a List . . . . XmListReplaceltemsPos(Xm)`  
a List function that replaces/ `XmListReplaceltemsPosUnselected: XmListReplaceltemsPosUnselected(Xm)`  
List function that replaces/ `XmListReplaceltemsUnselected: a . . XmListReplaceltemsUnselected(Xm)`  
function that replaces items in/ `XmListReplacePositions: a List . . . . XmListReplacePositions(Xm)`  
that selects an item in the list `XmListSelectItem: a List function . . . XmListSelectItem(Xm)`  
that selects an item at a/ `XmListSelectPos: a List function . . . XmListSelectPos(Xm)`  
that sets add mode in the list `XmListSetAddMode: a List function . . XmListSetAddMode(Xm)`  
function that makes an existing/ `XmListSetBottomItem: a List . . . . . XmListSetBottomItem(Xm)`  
function that makes a specified/ `XmListSetBottomPos: a List . . . . . XmListSetBottomPos(Xm)`  
function that scrolls to the/ `XmListSetHorizPos: a List . . . . . XmListSetHorizPos(Xm)`  
that makes an existing item the/ `XmListSetItem: a List function . . . . XmListSetItem(Xm)`  
function that sets the location/ `XmListSetKbdItemPos: a List . . . . . XmListSetKbdItemPos(Xm)`  
that makes the item at the given/ `XmListSetPos: a List function . . . . . XmListSetPos(Xm)`  
function that updates the/ `XmListUpdateSelectedList: a List . . . XmListUpdateSelectedList(Xm)`  
that returns the position of the/ `XmListYToPos: a List function . . . . . XmListYToPos(Xm)`  
widget class `XmMainWindow: the MainWindow . . . . . XmMainWindow(Xm)`  
function that returns the widget/ `XmMainWindowSep1: a MainWindow . . . . XmMainWindowSep1(Xm)`  
function that returns the widget/ `XmMainWindowSep2: a MainWindow . . . . XmMainWindowSep2(Xm)`  
function that returns the widget/ `XmMainWindowSep3: a MainWindow . . . . XmMainWindowSep3(Xm)`  
MainWindow function that/ `XmMainWindowSetAreas: a . . . . . XmMainWindowSetAreas(Xm)`  
class `XmManager: the Manager widget . . . . XmManager(Xm)`  
string function that returns the/ `XmMapSegmentEncoding: a compound . . XmMapSegmentEncoding(Xm)`  
function that positions a Popup/ `XmMenuPosition: a RowColumn . . . . XmMenuPosition(Xm)`  
class `XmMenuShell: the MenuShell widget . . XmMenuShell(Xm)`  
widget class `XmMessageBox: the MessageBox . . . . XmMessageBox(Xm)`  
MessageBox function that is used/ `XmMessageBoxGetChild: a . . . . . XmMessageBoxGetChild(Xm)`  
/a List function that updates the `XmNselectedItems resource . . . . . XmListUpdateSelectedList(Xm)`  
the resource converter for `XmNtearOffModel /that installs . . . . XmRepTypeInstallTearOffModelConverter(Xm)`  
returns pointer to `XModifierKeymap XNewModifiermap: XChangeKeyboardMapping(XS)`  
encoding structure `XModifierKeymap: keyboard . . . . . XChangeKeyboardMapping(XS)`  
XFreeModifiermap: frees `XModifierKeymap structure . . . . . XChangeKeyboardMapping(XS)`  
keymaps in X `xmodmap: utility for modifying . . . . xmodmap(X)`  
function that obtains the widget/ `XmOptionButtonGadget: a RowColumn . . XmOptionButtonGadget(Xm)`  
function that obtains the widget/ `XmOptionLabelGadget: a RowColumn . . XmOptionLabelGadget(Xm)`  
XMotionEvent: `XMotionEvent event structure . . . . XButtonEvent(XS)`  
structure `XMotionEvent: XMotionEvent event . . XButtonEvent(XS)`  
size and location `XMoveResizeWindow: changes window . . XConfigureWindow(XS)`  
`XMoveWindow: moves window . . . . . XConfigureWindow(XS)`  
widget class `XmPanedWindow: the PanedWindow . . . . XmPanedWindow(Xm)`  
class `XmPrimitive: the Primitive widget . . . XmPrimitive(Xm)`  
that determines which component/ `XmProcessTraversal: a function . . . . XmProcessTraversal(Xm)`  
widget class `XmPushButton: the PushButton . . . . XmPushButton(Xm)`  
PushButtonGadget widget class `XmPushButtonGadget: the . . . . . XmPushButtonGadget(Xm)`  
compound string function that/ `XmRegisterSegmentEncoding: a . . . . XmRegisterSegmentEncoding(Xm)`



VendorShell function that/  
function that removes the/  
removes a tab group  
VendorShell convenience/  
VendorShell convenience/  
representation type manager/  
type manager function that/  
representation type manager/  
representation type manager/  
representation type manager/  
representation type manager/  
rter: a representation type/  
representation type manager/  
representation type manager/  
function that allows writing of/  
that allows writing of/  
class  
that returns the current slider/  
that sets a slider value  
Screen function that returns the  
class  
function that returns the/  
function that changes/  
ScrolledWindow widget class  
ScrolledWindow function that/  
function that makes an invisible/  
widget class  
SelectionBox function that is/  
class  
SeparatorGadget widget class  
to set the procedure used for/  
sets the font unit value for a/  
sets the font unit value for a/  
modifies the menu cursor for a/  
function that allows pre and/  
VendorShell convenience/  
compound string  
/function that appends the passed  
string function that returns the/  
string function that indicates/  
string function that compares/  
function that appends one string/  
function that makes a copy of a/  
function that creates a compound/  
compound string function that/  
string function that creates a/  
string function that creates a/  
the direction of display in a/  
compound string function that/  
function that draws a compound/  
string function that draws a/  
string function that underlines/  
function that provides/  
XmRemoveProtocolCallback: a . . . . . XmRemoveProtocolCallback(Xm)  
XmRemoveProtocols: a VendorShell XmRemoveProtocols(Xm)  
XmRemoveTabGroup: a function that XmRemoveTabGroup(Xm)  
XmRemoveWMProtocolCallback: a XmRemoveWMProtocolCallback(Xm)  
XmRemoveWMProtocols: a . . . . . XmRemoveWMProtocols(Xm)  
XmRepTypeAddReverse: a . . . . . XmRepTypeAddReverse(Xm)  
XmRepTypeGetId: a representation XmRepTypeGetId(Xm)  
XmRepTypeGetNameList: a . . . . . XmRepTypeGetNameList(Xm)  
XmRepTypeGetRecord: a . . . . . XmRepTypeGetRecord(Xm)  
XmRepTypeGetRegistered: a . . . . . XmRepTypeGetRegistered(Xm)  
XmRepTypeInstallTearOffModelConve XmRepTypeInstallTearOffModelConverter(Xm)  
XmRepTypeRegister: a . . . . . XmRepTypeRegister(Xm)  
XmRepTypeValidValue: a . . . . . XmRepTypeValidValue(Xm)  
XmResolveAllPartOffsets: a . . . . . XmResolveAllPartOffsets(Xm)  
XmResolvePartOffsets: a function . . XmResolvePartOffsets(Xm)  
XmRowColumn: the RowColumn widget XmRowColumn(Xm)  
XmScale: the Scale widget class . . . XmScale(Xm)  
XmScaleGetValue: a Scale function XmScaleGetValue(Xm)  
XmScaleSetValue: a Scale function . XmScaleSetValue(Xm)  
XmScreen object ID for a / /a . . . . . XmGetXmScreen(Xm)  
XmScreen: the Screen widget class . XmScreen(Xm)  
XmScrollBar: the ScrollBar widget . XmScrollBar(Xm)  
XmScrollBarGetValues: a ScrollBar XmScrollBarGetValues(Xm)  
XmScrollBarSetValues: a ScrollBar . XmScrollBarSetValues(Xm)  
XmScrolledWindow: the . . . . . XmScrolledWindow(Xm)  
XmScrolledWindowSetAreas: a . . . . XmScrolledWindowSetAreas(Xm)  
XmScrollVisible: a ScrolledWindow XmScrollVisible(Xm)  
XmSelectionBox: the SelectionBox . XmSelectionBox(Xm)  
XmSelectionBoxGetChild: a . . . . . XmSelectionBoxGetChild(Xm)  
XmSeparator: the Separator widget XmSeparator(Xm)  
XmSeparatorGadget: the . . . . . XmSeparatorGadget(Xm)  
XmSetColorCalculation: a function XmSetColorCalculation(Xm)  
XmSetFontUnit: a function that . . . . XmSetFontUnit(Xm)  
XmSetFontUnits: a function that . . . XmSetFontUnits(Xm)  
XmSetMenuCursor: a function that XmSetMenuCursor(Xm)  
XmSetProtocolHooks: a VendorShell XmSetProtocolHooks(Xm)  
XmSetWMProtocolHooks: a . . . . . XmSetWMProtocolHooks(Xm)  
XmString: data type for a . . . . . XmString( ""Xm"" )  
XmString to the end of the string / . XmCommandAppendValue(Xm)  
XmStringBaseline: a compound . . . . XmStringBaseline(Xm)  
XmStringByteCompare: a compound XmStringByteCompare(Xm)  
XmStringCompare: a compound . . . . XmStringCompare(Xm)  
XmStringConcat: a compound string XmStringConcat(Xm)  
XmStringCopy: a compound string XmStringCopy(Xm)  
XmStringCreate: a compound string XmStringCreate(Xm)  
XmStringCreateLocalized: a . . . . . XmStringCreateLocalized(Xm)  
XmStringCreateLtoR: a compound XmStringCreateLtoR(Xm)  
XmStringCreateSimple: a compound XmStringCreateSimple(Xm)  
XmStringDirection: data type for . . . XmStringDirection( ""Xm"" )  
XmStringDirectionCreate: a . . . . . XmStringDirectionCreate(Xm)  
XmStringDraw: a compound string XmStringDraw(Xm)  
XmStringDrawImage: a compound XmStringDrawImage(Xm)  
XmStringDrawUnderline: ~ compound XmStringDrawUnderline(Xm)  
XmStringEmpty: a compound string XmStringEmpty(Xm)

function that determines the/ XmStringExtent: a compound string XmStringExtent(Xm)  
function that recovers memory XmStringFree: a compound string XmStringFree(Xm)  
string function that instructs/ XmStringFreeContext: a compound XmStringFreeContext(Xm)  
string function that searches/ XmStringGetLtoR: a compound ... XmStringGetLtoR(Xm)  
compound string function that/ XmStringGetNextComponent: a ... XmStringGetNextComponent(Xm)  
compound string function that/ XmStringGetNextSegment: a ... XmStringGetNextSegment(Xm)  
string function that indicates/ XmStringHasSubstring: a compound XmStringHasSubstring(Xm)  
function that returns the line/ XmStringHeight: a compound string XmStringHeight(Xm)  
string function that allows/ XmStringInitContext: a compound XmStringInitContext(Xm)  
function that obtains the length/ XmStringLength: a compound string XmStringLength(Xm)  
string function that returns the/ XmStringLineCount: a compound XmStringLineCount(Xm)  
string function that appends a/ XmStringNConcat: a compound ... XmStringNConcat(Xm)  
function that creates a copy of/ XmStringNCopy: a compound string XmStringNCopy(Xm)  
compound string function that/ XmStringPeekNextComponent: a ... XmStringPeekNextComponent(Xm)  
string function that creates a/ XmStringSegmentCreate: a compound XmStringSegmentCreate(Xm)  
compound string function that/ XmStringSeparatorCreate: a ... XmStringSeparatorCreate(Xm)  
array of compound strings XmStringTable: data type for an ... XmStringTable("Xm")  
function that returns the width/ XmStringWidth: a compound string XmStringWidth(Xm)  
function that tests whether the/ XmTargetsAreCompatible: a ... XmTargetsAreCompatible(Xm)  
XmText: the Text widget class ... XmText(Xm)  
function that clears the primary/ XmTextClearSelection: a Text ... XmTextClearSelection(Xm)  
copies the primary selection to/ XmTextCopy: a Text function that ... XmTextCopy(Xm)  
copies the primary selection to/ XmTextCut: a Text function that ... XmTextCut(Xm)  
function that temporarily/ XmTextDisableRedisplay: a Text ... XmTextDisableRedisplay(Xm)  
function that forces the visual/ XmTextEnableRedisplay: a Text ... XmTextEnableRedisplay(Xm)  
XmTextField: the TextField class ... XmTextField(Xm)  
TextField function that clears/ XmTextFieldClearSelection: a ... XmTextFieldClearSelection(Xm)  
function that copies the primary/ XmTextFieldCopy: a TextField ... XmTextFieldCopy(Xm)  
function that copies the primary/ XmTextFieldCut: a TextField ... XmTextFieldCut(Xm)  
TextField function that accesses/ XmTextFieldGetBaseline: a ... XmTextFieldGetBaseline(Xm)  
TextField function that accesses/ XmTextFieldGetEditable: a ... XmTextFieldGetEditable(Xm)  
a TextField function that/ XmTextFieldGetInsertionPosition: XmTextFieldGetInsertionPosition(Xm)  
TextField function that accesses/ XmTextFieldGetLastPosition: a ... XmTextFieldGetLastPosition(Xm)  
TextField function that accesses/ XmTextFieldGetMaxLength: a ... XmTextFieldGetMaxLength(Xm)  
TextField function that/ XmTextFieldGetSelection: a ... XmTextFieldGetSelection(Xm)  
a TextField function that/ XmTextFieldGetSelectionPosition: XmTextFieldGetSelectionPosition(Xm)  
TextField function that/ XmTextFieldGetSelectionWcs: a ... XmTextFieldGetSelectionWcs(Xm)  
function that accesses the/ XmTextFieldGetString: a TextField ... XmTextFieldGetString(Xm)  
TextField function that/ XmTextFieldGetStringWcs: a ... XmTextFieldGetStringWcs(Xm)  
TextField function that/ XmTextFieldGetSubstring: a ... XmTextFieldGetSubstring(Xm)  
TextField function that/ XmTextFieldGetSubstringWcs: a ... XmTextFieldGetSubstringWcs(Xm)  
function that inserts a/ XmTextFieldInsert: a TextField ... XmTextFieldInsert(Xm)  
function that inserts a wide/ XmTextFieldInsertWcs: a TextField ... XmTextFieldInsertWcs(Xm)  
function that inserts the/ XmTextFieldPaste: a TextField ... XmTextFieldPaste(Xm)  
function that accesses the x and/ XmTextFieldPosToXY: a TextField ... XmTextFieldPosToXY(Xm)  
function that deletes the/ XmTextFieldRemove: a TextField ... XmTextFieldRemove(Xm)  
function that replaces part of a/ XmTextFieldReplace: a TextField ... XmTextFieldReplace(Xm)  
TextField function that replaces/ XmTextFieldReplaceWcs: a ... XmTextFieldReplaceWcs(Xm)  
TextField function that sets the/ XmTextFieldSetAddMode: a ... XmTextFieldSetAddMode(Xm)  
TextField function that sets the/ XmTextFieldSetEditable: a ... XmTextFieldSetEditable(Xm)  
a TextField function that/ XmTextFieldSetHighlight: a ... XmTextFieldSetHighlight(Xm)  
TextField function that sets/ XmTextFieldSetInsertionPosition: ... XmTextFieldSetInsertionPosition(Xm)  
TextField function that sets the/ XmTextFieldSetMaxLength: a ... XmTextFieldSetMaxLength(Xm)  
TextField function that sets the/ XmTextFieldSetSelection: a ... XmTextFieldSetSelection(Xm)

function that sets the string/  
 TextField function that sets a/  
 TextField function that forces/  
 function that accesses the/  
 that finds the beginning/  
 function that finds the/  
 function that accesses the/  
 function that accesses the edit/  
 Text function that accesses the/  
 function that accesses the last/  
 function that accesses the value/  
 function that retrieves the/  
 Text function that accesses the/  
 function that retrieves the/  
 that accesses the source of the/  
 that accesses the string value/  
 function that retrieves a copy/  
 function that retrieves a copy/  
 function that retrieves a/  
 function that accesses the/  
 that inserts a character string/  
 that inserts a wide character/  
 inserts the clipboard selection  
 character position within a text/  
 that accesses the x and y/  
 that deletes the primary/  
 that replaces part of a text/  
 that replaces part of a wide/  
 that scrolls text  
 that sets the state of Add Mode  
 function that sets the edit/  
 function that highlights text  
 Text function that sets the/  
 function that sets the value of/  
 function that sets the primary/  
 that sets the source of the/  
 that sets the string value  
 function that sets a wide/  
 function that sets the position/  
 function that forces text at a/  
 that accesses the character/  
 widget class  
 ToggleButtonGadget widget class  
 ToggleButtonGadget function that/  
 ToggleButtonGadget function that/  
 ToggleButton function that/  
 ToggleButton function that sets/  
 function that provides a modal/  
 function that provides a modal/  
 keycode-to-keysym translator  
 XmuAtom:  
 routines Intro: introduction to  
 callback to display  
 /call procedures registered by  
 XmTextFieldSetString: a TextField . XmTextFieldSetString(Xm)  
 XmTextFieldSetStringWcs: a . . . . . XmTextFieldSetStringWcs(Xm)  
 XmTextFieldShowPosition: a . . . . . XmTextFieldShowPosition(Xm)  
 XmTextFieldXYToPos: a TextField . XmTextFieldXYToPos(Xm)  
 XmTextFindString: a Text function . XmTextFindString(Xm)  
 XmTextFindStringWcs: a Text . . . . . XmTextFindStringWcs(Xm)  
 XmTextGetBaseline: a Text . . . . . XmTextGetBaseline(Xm)  
 XmTextGetEditable: a Text . . . . . XmTextGetEditable(Xm)  
 XmTextGetInsertionPosition: a . . . . . XmTextGetInsertionPosition(Xm)  
 XmTextGetLastPosition: a Text . . . . . XmTextGetLastPosition(Xm)  
 XmTextGetMaxLength: a Text . . . . . XmTextGetMaxLength(Xm)  
 XmTextGetSelection: a Text . . . . . XmTextGetSelection(Xm)  
 XmTextGetSelectionPosition: a . . . . . XmTextGetSelectionPosition(Xm)  
 XmTextGetSelectionWcs: a Text . . . . . XmTextGetSelectionWcs(Xm)  
 XmTextGetSource: a Text function . XmTextGetSource(Xm)  
 XmTextGetString: a Text function . . . . . XmTextGetString(Xm)  
 XmTextGetStringWcs: a Text . . . . . XmTextGetStringWcs(Xm)  
 XmTextGetSubstring: a Text . . . . . XmTextGetSubstring(Xm)  
 XmTextGetSubstringWcs: a Text . . . . . XmTextGetSubstringWcs(Xm)  
 XmTextGetTopCharacter: a Text . . . . . XmTextGetTopCharacter(Xm)  
 XmTextInsert: a Text function . . . . . XmTextInsert(Xm)  
 XmTextInsertWcs: a Text function . . . . . XmTextInsertWcs(Xm)  
 XmTextPaste: a Text function that . . . . . XmTextPaste(Xm)  
 XmTextPosition: data type for a . . . . . XmTextPosition(“”Xm””)  
 XmTextPosToXY: a Text function . . . . . XmTextPosToXY(Xm)  
 XmTextRemove: a Text function . . . . . XmTextRemove(Xm)  
 XmTextReplace: a Text function . . . . . XmTextReplace(Xm)  
 XmTextReplaceWcs: a Text function . . . . . XmTextReplaceWcs(Xm)  
 XmTextScroll: a Text function . . . . . XmTextScroll(Xm)  
 XmTextSetAddMode: a Text function . . . . . XmTextSetAddMode(Xm)  
 XmTextSetEditable: a Text . . . . . XmTextSetEditable(Xm)  
 XmTextSetHighlight: a Text . . . . . XmTextSetHighlight(Xm)  
 XmTextSetInsertionPosition: a . . . . . XmTextSetInsertionPosition(Xm)  
 XmTextSetMaxLength: a Text . . . . . XmTextSetMaxLength(Xm)  
 XmTextSetSelection: a Text . . . . . XmTextSetSelection(Xm)  
 XmTextSetSource: a Text function . . . . . XmTextSetSource(Xm)  
 XmTextSetString: a Text function . . . . . XmTextSetString(Xm)  
 XmTextSetStringWcs: a Text . . . . . XmTextSetStringWcs(Xm)  
 XmTextSetTopCharacter: a Text . . . . . XmTextSetTopCharacter(Xm)  
 XmTextShowPosition: a Text . . . . . XmTextShowPosition(Xm)  
 XmTextXYToPos: a Text function . . . . . XmTextXYToPos(Xm)  
 XmToggleButton: the ToggleButton . . . . . XmToggleButton(Xm)  
 XmToggleButtonGadget: the . . . . . XmToggleButtonGadget(Xm)  
 XmToggleButtonGadgetGetState: a . . . . . XmToggleButtonGadgetGetState(Xm)  
 XmToggleButtonGadgetSetState: a . . . . . XmToggleButtonGadgetSetState(Xm)  
 XmToggleButtonGetState: a . . . . . XmToggleButtonGetState(Xm)  
 XmToggleButtonSetState: a . . . . . XmToggleButtonSetState(Xm)  
 XmTrackingEvent: a Toolkit . . . . . XmTrackingEvent(Xm)  
 XmTrackingLocate: a Toolkit . . . . . XmTrackingLocate(Xm)  
 XmTranslateKey: the default . . . . . XmTranslateKey(Xm)  
 XmuAtom: Xmu atom functions and macros . . . . . XmuAtom(Xmu)  
 Xmu library functions and . . . . . Intro(Xmu)  
 XmuAddCloseDisplayHook: add a . . . . . XmuAddCloseDisplayHook(Xmu)  
 XmuAddInitializer . . . . . XmuAddInitializer(Xmu)

## Permuted Index

procedure XmuAddInitializer: register . . . . . XmuAddInitializer(Xmu)  
 colormaps XmuAllStandardColormaps: standard XmuAllStandardColormaps(Xmu)  
 macros XmuAtom: Xmu atom functions and XmuAtom(Xmu)  
 procedures registered by/  
   functions XmuCallInitializers: call . . . . . XmuAddInitializer(Xmu)  
           XmuClientWindow: window utility XmuScreenOfWindow(Xmu)  
 Latin-1 strings XmuCompareISOLatin1: compare two XmuCompareISOLatin1(Xmu)  
 convert standard selection XmuConvertStandardSelection: . . . XmuConvertStandardSelection(Xmu)  
 Latin-1 uppercase string to/  
   Latin-1 lowercase string to/  
     colormap XmuCreateColormap: create . . . . . XmuCreateColormap(Xmu)  
   pixmap from bitmap XmuCreatePixmapFromBitmap: create XmuCreatePixmapFromBitmap(Xmu)  
   stippled pixmap XmuCreateStippledPixmap: creates XmuCreateStippledPixmap(Xmu)  
   utilities XmuCursorNameToIndex: cursor . XmuCursorNameToIndex(Xmu)  
 callback procedure to callback XmuCvtFunctionToCallback: convert XmuCvtFunctionToCallback(Xmu)  
 convert string to backing-store/  
   string to bitmap XmuCvtStringToBackingStore: . . . . XmuCvtStringToBackingStore(Xmu)  
                   XmuCvtStringToBitmap: convert . . . XmuCvtStringToBitmap(Xmu)  
 convert string to color cursor XmuCvtStringToColorCursor: . . . . . XmuCvtStringToColorCursor(Xmu)  
   string to cursor XmuCvtStringToCursor: convert . . . . XmuCvtStringToCursor(Xmu)  
   string to enumeration value XmuCvtStringToGravity: convert . . XmuCvtStringToGravity(Xmu)  
     string to XtJustify value XmuCvtStringToJustify: convert . . . XmuCvtStringToJustify(Xmu)  
   string to integer of type long XmuCvtStringToLong: convert . . . . XmuCvtStringToLong(Xmu)  
 convert string to XtOrientation/  
   string to integer shape style XmuCvtStringToOrientation: . . . . . XmuCvtStringToOrientation(Xmu)  
                                   XmuCvtStringToShapeStyle: convert XmuCvtStringToShapeStyle(Xmu)  
 string to immediate child widget XmuCvtStringToWidget: convert . . XmuCvtStringToWidget(Xmu)  
 standard colormap property XmuDeleteStandardColormap: delete XmuDeleteStandardColormap(Xmu)  
   create and return empty XmuDisplayQueue XmuDQCreate: XmuDisplayQueue(Xmu)  
     functions XmuDisplayQueue: display queue . XmuDisplayQueue(Xmu)  
     structure XmuDisplayQueue: display queue . XmuDisplayQueue(Xmu)  
   to queue or return entry XmuDisplayQueueEntry: add display XmuDisplayQueue(Xmu)  
     queue XmuDQAddDisplay: add display to XmuDisplayQueue(Xmu)  
   empty XmuDisplayQueue XmuDQCreate: create and return . . XmuDisplayQueue(Xmu)  
   associated with queue XmuDQDestroy: release memory . . XmuDisplayQueue(Xmu)  
     entry XmuDQLookupDisplay: return queue XmuDisplayQueue(Xmu)  
   display from queue XmuDQRemoveDisplay: remove . . XmuDisplayQueue(Xmu)  
     logo XmuDrawLogo: draw X Window System XmuDrawLogo(Xmu)  
   rounded rectangle XmuDrawRoundedRectangle: draw XmuDrawRoundedRectangle(Xmu)  
   filled rounded rectangle XmuFillRoundedRectangle: draw . XmuDrawRoundedRectangle(Xmu)  
     Atom XmuGetAtomName: return name of an XmuAtom(Xmu)  
 determine best allocation of/  
   Atom XmuGetColormapAllocation: . . . . . XmuGetColormapAllocation(Xmu)  
   XmuGetHostname: host name . . . . XmuGetHostname(Xmu)  
     AtomPtr XmuInternAtom: return Atom for an XmuAtom(Xmu)  
 atom names into Atom values XmuInternStrings: convert list of . . XmuAtom(Xmu)  
   return bitmap XmuLocateBitmapFile: locate and . XmuLocateBitmapFile(Xmu)  
   APL string XmuLookupAPL: map key event to XmuLookupLatin1(Xmu)  
   Latin/Arabic string XmuLookupArabic: map key event to XmuLookupLatin1(Xmu)  
 determine if callback installed XmuLookupCloseDisplayHook: . . XmuRemoveCloseDisplayHook(Xmu)  
   to Latin/Cyrillic string XmuLookupCyrillic: map key event XmuLookupLatin1(Xmu)  
   Latin/Greek string XmuLookupGreek: map key event to XmuLookupLatin1(Xmu)  
   Latin/Hebrew string XmuLookupHebrew: map key event to XmuLookupLatin1(Xmu)  
   to string in JISX0201-1976/  
     string XmuLookupJISX0201: map key event XmuLookupLatin1(Xmu)  
     Latin1 string XmuLookupKana: map key event to XmuLookupLatin1(Xmu)  
     Latin1 string XmuLookupLatin1: map key event to XmuLookupLatin1(Xmu)  
     Latin2 string XmuLookupLatin2: map key event to XmuLookupLatin1(Xmu)  
     Latin3 string XmuLookupLatin3: map key event to XmuLookupLatin1(Xmu)

Latin4 string XmuLookupLatin4: map key event to XmuLookupLatin1(Xmu)  
 standard colormap XmuLookupStandardColormap: create XmuLookupStandardColormap(Xmu)  
 initialize an opaque object XmuMakeAtom: create and . . . . . XmuAtom(Xmu)  
 XmuNameOfAtom: cache atom value XmuAtom(Xmu)  
 string to immediate child widget XmuNewCvtStringToWidget: convert XmuNewCvtStringToWidget(Xmu)  
 caching function that removes an/ XmuUninstallImage: a pixmap . . . . XmuUninstallImage(Xm)  
 processes all pending exposure/ XmuUpdateDisplay: a function that . XmuUpdateDisplay(Xm)  
 prints error message XmuPrintDefaultErrorMessage: . . . XmuPrintDefaultErrorMessage(Xmu)  
 file description XmuReadBitmapData: read bitmap XmuReadBitmapData(Xmu)  
 bitmap data from specified file XmuReadBitmapDataFromFile: read XmuReadBitmapData(Xmu)  
 stippled pixmap XmuReleaseStippledPixmap: release XmuCreateStippledPixmap(Xmu)  
 callback XmuRemoveCloseDisplayHook: delete XmuRemoveCloseDisplayHook(Xmu)  
 XmuReshapeWidget: reshape widget XmuReshapeWidget(Xmu)  
 of specified window XmuScreenOfWindow: returns screen XmuScreenOfWindow(Xmu)  
 error message, with exceptions XmuSimpleErrorHandler: prints . . XmuPrintDefaultErrorMessage(Xmu)  
 standard colormap XmuStandardColormap: create . . . XmuStandardColormap(Xmu)  
 functions XmuUpdateMapHints: window utility XmuScreenOfWindow(Xmu)  
 define standard colormap/ XmuVisualStandardColormaps: . . . XmuVisualStandardColormaps(Xmu)  
 widget resources XmuWnCountOwnedResources: count XmuWnCountOwnedResources(Xmu)  
 widget class resources XmuWnFetchResources: obtain . . . XmuWnFetchResources(Xmu)  
 widget set XmuWnInitializeNodes: manipulate XmuWnInitializeNodes(Xmu)  
 resources owned by widget XmuWnNameToNode: obtain number of XmuWnNameToNode(Xmu)  
 RowColumn widget convenience/ XmVaCreateSimpleCheckBox: a . . . XmVaCreateSimpleCheckBox(Xm)  
 RowColumn widget convenience/ XmVaCreateSimpleMenuBar: a . . . . XmVaCreateSimpleMenuBar(Xm)  
 RowColumn widget convenience/ XmVaCreateSimpleOptionMenu: a XmVaCreateSimpleOptionMenu(Xm)  
 RowColumn widget convenience/ XmVaCreateSimplePopupMenu: a . XmVaCreateSimplePopupMenu(Xm)  
 RowColumn widget convenience/ XmVaCreateSimplePullDownMenu: a XmVaCreateSimplePullDownMenu(Xm)  
 RowColumn widget convenience/ XmVaCreateSimpleRadioBox: a . . . XmVaCreateSimpleRadioBox(Xm)  
 baseline information for a/ XmWidgetGetBaselines: retrieves . XmWidgetGetBaselines(Xm)  
 display rectangle information/ XmWidgetGetDisplayRect: retrieves XmWidgetGetDisplayRect(Xm)  
 to XModifierKeymap XNewModifiermap: returns pointer XChangeKeyboardMapping(XS)  
 XNextEvent: select events by type . XNextEvent(XS)  
 structure XNoExposeEvent: NoExpose event XGraphicsExposeEvent(XS)  
 XNoOp: No Operation . . . . . XNoOp(XS)  
 specified amount XOffsetRegion: moves region by . . . XIntersectRegion(XS)  
 disconnect to X server XOpenDisplay: connect or . . . . . XOpenDisplay(XS)  
 screen number referenced in XOpenDisplay routine /default . . . AllPlanes(XS)  
 opened /returns string passed to XOpenDisplay when current window AllPlanes(XS)  
 input method information XOpenIM: open, close, and obtain . XOpenIM(XS)  
 editor output x.out: format of XENIX link . . . . . x.out(FP)  
 name of a color, returns the/ XParseColor: looks up the string . . . XQueryColor(XS)  
 geometry XParseGeometry: parse window . . . XParseGeometry(XS)  
 from queue XPeekEvent: returns first event . . . XNextEvent(XS)  
 and return if match found XPeekIfEvent: checks event queue . XIfEvent(XS)  
 events pending XPending: returns number of . . . . XFlush(XS)  
 lgamma: xpg3 log gamma function . . . . . gamma(S)  
 /returns array of XPixmapFormatValues . . . . . ImageByteOrder(XS)  
 structure XPixmapFormatValues: pixmap . . . ImageByteOrder(XS)  
 and pictures; and edit xbm and xpm formatted files /edit icons . . . scpaint(X)  
 XPoint: points structure . . . . . XDrawPoint(XS)  
 point in region XPointInRegion: determines if . . . XEmptyRegion(XS)  
 XPolygonRegion: generate regions . XPolygonRegion(XS)  
 xpr: print an X window dump . . . . xpr(X)  
 xprop: property displayer for X . . . . xprop(X)

## Permuted Index

event structure XPropertyEvent: PropertyNotify ... XPropertyEvent(XS)  
 service transport handle xpvt\_register: register an RPC ... rpc(NS)  
 RPC service transport handle xpvt\_unregister: unregister an ... rpc(NS)  
   the queue XPutBackEvent: put events back on XPutBackEvent(XS)  
   XPutImage: transfer images ... XPutImage(XS)  
   XPutPixel: overwrites pixel ... XCreateImage(XS)  
 puzzle: 15-puzzle game for XQ ... puzzle(X)  
   cursor size XQueryBestCursor: returns largest XRecolorCursor(XS)  
   efficient sizes XQueryBestSize: determine ... XQueryBestSize(XS)  
   or closest size XQueryBestStipple: returns best ... XQueryBestSize(XS)  
   closest size XQueryBestTile: returns best or ... XQueryBestSize(XS)  
   XQueryColor: obtain color values XQueryColor(XS)  
   values XQueryColors: returns color ... XQueryColor(XS)  
   information XQueryFont: returns font ... XLoadFont(XS)  
 for logical state of keyboard XQueryKeymap: returns bit vector XChangeKeyboardControl(XS)  
   coordinates XQueryPointer: get pointer ... XQueryPointer(XS)  
   extents XQueryTextExtents: queries text XTextExtents(XS)  
   extents XQueryTextExtents16: queries text XTextExtents(XS)  
   information XQueryTree: query window tree XQueryTree(XS)  
   stacking order XRaiseWindow: change window XRaiseWindow(XS)  
   utility xrdp: X server resource database xrdp(X)  
   bitmaps XReadBitmapFile: manipulate XReadBitmapFile(XS)  
   Keysym XRebindKeySym: rebinds meaning of XLookupKeysym(XS)  
   cursors XRecolorCursor: manipulate XRecolorCursor(XS)  
 reconfigures window XReconfigureWMWindow: XIconifyWindow(XS)  
   XRectangle: rectangle structure XDrawRectangle(XS)  
   rectangle in region XRectInRegion: determines if XEmptyRegion(XS)  
   an X screen xrefresh: refresh all or part of xrefresh(X)  
   refreshes stored modifier and XRefreshKeyboardMapping: XLookupKeysym(XS)  
 specified window from client's XRemoveFromSaveSet: removes XChangeSaveSet(XS)  
   host from access control list XRemoveHost: removes specified XAddHost(XS)  
   specified host from access/ XRemoveHosts: removes each XAddHost(XS)  
   event structure XReparentEvent: ReparentNotify XReparentEvent(XS)  
   XReparentWindow: reparent windows XReparentWindow(XS)  
   saver XResetScreenSaver: resets screen XSetScreenSaver(XS)  
 ResizeRequest event structure XResizeRequestEvent: XResizeRequestEvent(XS)  
   XResizeWindow: resizes window XConfigureWindow(XS)  
   server resource properties XResourceManagerString: obtain XResourceManagerString(XS)  
   from top to bottom XRestackWindows: restacks windows XRaiseWindow(XS)  
   filesystem restorer xrestor: invoke XENIX incremental xrestore(ADM)  
 incremental filesystem restorer xrestor, xrestor: invoke XENIX xrestore(ADM)  
   contents of one database into/ XrmCombineDatabase: merges the XrmMergeDatabases(XS)  
   the contents of a resource file/ XrmCombineFileDatabase: merges XrmMergeDatabases(XS)  
   specified resource database XrmDestroyDatabase: destroy the XrmGetFileDatabase(XS)  
   resource database entries XrmEnumerateDatabase: enumerate XrmEnumerateDatabase(XS)  
   database associated with the/ XrmGetDatabase: returns the XrmGetFileDatabase(XS)  
   store resource databases XrmGetFileDatabase: retrieve and XrmGetFileDatabase(XS)  
   resources and search lists XrmGetResource: retrieve database XrmGetResource(XS)  
   new database and stores it in/ XrmGetStringDatabase: creates a XrmGetFileDatabase(XS)  
   Resource Manager, Resource/ XrmInitialize: initialize the XrmInitialize(XS)  
   name of the locale bound to the/ XrmLocaleOfDatabase: returns the XrmGetFileDatabase(XS)  
   databases XrmMergeDatabases: merge resource XrmMergeDatabases(XS)  
   Manager structure XrmOptionDescRec: Resource XrmInitialize(XS)  
   structure XrmOptionKind: Resource Manager XrmInitialize(XS)

line XrmParseCommand: parses command XrmInitialize(XS)  
 resource quarks XrmPermStringToQuark: manipulates XrmUniqueQuark(XS)  
 of the specified database in the/  
 database and returns pointer XrmPutFileDatabase: stores a copy XrmGetFileDatabase(XS)  
 XrmPutLineResource: creates new XrmPutResource(XS)  
 resources XrmPutResource: store database ... XrmPutResource(XS)  
 database and returns pointer XrmPutStringResource: creates new XrmPutResource(XS)  
 database resource XrmQGetResource: retrieves ... XrmGetResource(XS)  
 database search list XrmQGetSearchList: returns ... XrmGetResource(XS)  
 database for resource XrmQGetSearchResource: searches XrmGetResource(XS)  
 database and returns pointer XrmQPutResource: creates new ... XrmPutResource(XS)  
 new database and returns pointer XrmQPutStringResource: creates new ... XrmPutResource(XS)  
 resource quarks XrmQuarkToString: manipulates ... XrmUniqueQuark(XS)  
 specified database with the/  
 manipulates resource quarks XrmSetDatabase: associates the ... XrmGetFileDatabase(XS)  
 XrmStringToBindingQuarkList: ... XrmUniqueQuark(XS)  
 resource quarks XrmStringToQuark: manipulates ... XrmUniqueQuark(XS)  
 resource quarks XrmStringToQuarkList: manipulates XrmUniqueQuark(XS)  
 resource quarks XrmUniqueQuark: manipulate ... XrmUniqueQuark(XS)  
 structure XrmValue: Resource Manager ... XrmInitialize(XS)  
 buffers XRotateBuffers: rotates cut ... XStoreBytes(XS)  
 window properties XRotateWindowProperties: rotates XGetWindowProperty(XS)  
 routines XSaveContext: associative look-up XSaveContext(XS)  
 /from console multiscreens running Xsco server or ... switchkey(X)  
 Xsco: X Window System server ... Xsco(X)  
 configuration compiler Xsconfig: X keyboard ... Xsconfig(X)  
 screen index number of specified/  
 the SCREEN\_RESOURCES property/ XScreenNumberOfScreen: returns BlackPixelOfScreen(XS)  
 XScreenResourceString: returns XResourceManagerString(XS)  
 XSegment: line structure ... XDrawLine(XS)  
 XSelectInput: select input events XSelectInput(XS)  
 SelectionClear event structure XSelectionClearEvent: ... XSelectionClearEvent(XS)  
 event structure XSelectionEvent: SelectionNotify XSelectionEvent(XS)  
 SelectionRequest event structure XSelectionRequestEvent: ... XSelectionRequestEvent(XS)  
 pointer motion history structure XSendEvent: send events and ... XSendEvent(XS)  
 X xset: user preference utility for ... xset(X)  
 disables use of access control/ XSetAccessControl: enables or ... XAddHost(XS)  
 disables synchronization XSetAfterFunction: enables or ... XSynchronize(XS)  
 routines XSetArcMode: GC convenience ... XSetArcMode(XS)  
 in specified GC XSetBackground: sets background XSetState(XS)  
 for specified window XSetClassHint: sets class hint ... XAllocClassHint(XS)  
 specified pixmap XSetClipMask: sets clip-mask to ... XSetClipOrigin(XS)  
 routines XSetClipOrigin: GC convenience ... XSetClipOrigin(XS)  
 clip-mask to specified list of/  
 clients XSetClipRectangles: changes ... XSetClipOrigin(XS)  
 XSetCloseDownMode: control ... XSetCloseDownMode(XS)  
 window's WM\_COMMAND property XSetCommand: set or read a ... XSetCommand(XS)  
 dash-list attributes for dashed/  
 handlers XSetDashes: sets dash-offset and ... XSetLineAttributes(XS)  
 specified GC XSetErrorHandler: default error ... XSetErrorHandler(XS)  
 routines XSetFillRule: sets fill-rule in ... XSetFillStyle(XS)  
 XSetFillStyle: GC convenience ... XSetFillStyle(XS)  
 XSetFont: GC convenience routines XSetFont(XS)  
 the font search path XSetFontPath: set, get, or free ... XSetFontPath(XS)  
 in specified GC XSetForeground: sets foreground ... XSetState(XS)  
 value in specified GC XSetFunction: sets specified ... XSetState(XS)  
 graphics-exposure flag in/ XSetGraphicsExposure: sets ... XSetArcMode(XS)  
 context focus XSetICFocus: set and unset input ... XSetICFocus(XS)  
 WM\_ICON\_NAME property XSetIconName: sets window's ... XSetWMIconName(XS)

*Permuted Index*

XSetIconSizes: sets icon size . . . . . XAllocIconSize(XS)  
 values XSetICValues: set and obtain XIC . . . XSetICValues(XS)  
 focus XSetInputFocus: control input . . . . XSetInputFocus(XS)  
 I/O error handler XSetOErrorHandler: sets fatal . . . . XSetErrorHandler(XS)  
 convenience routines XSetLineAttributes: GC . . . . . XSetLineAttributes(XS)  
 modifiers for the current locale/ XSetLocaleModifiers: sets the X . . . . XSupportsLocale(XS)  
 KeyCodes of modifiers keys XSetModifierMapping: sets . . . . . XChangeKeyboardMapping(XS)  
 specified GC XSetPlanemask: sets plane mask in . . . XSetState(XS)  
 pointer settings XSetPointerMapping: manipulate . . XSetPointerMapping(XS)  
 XSetRegion: sets clip-mask . . . . . XCreateRegion(XS)  
 colormap structure XSetRGBColormaps: sets standard . . XAllocStandardColormap(XS)  
 setting utility for X xsetroot: root window parameter . . . xsetroot(X)  
 screen saver XSetScreenSaver: manipulate the . . XSetScreenSaver(XS)  
 window selection XSetSelectionOwner: manipulate . . XSetSelectionOwner(XS)  
 routines XSetState: GC convenience . . . . . XSetState(XS)  
 specified GC XSetStipple: sets stipple in . . . . . XSetTile(XS)  
 mode in specified GC XSetSubwindowMode: sets subwindow . . XSetArcMode(XS)  
 text properties XSetTextProperty: set and read . . . . XSetTextProperty(XS)  
 XSetTitle: GC convenience routines . . XSetTitle(XS)  
 a window's WM\_TRANSIENT\_FOR/ XSetTransientForHint: set or read . . XSetTransientForHint(XS)  
 origin in specified GC XSetTSMargin: sets tile/stipple . . . XSetTile(XS)  
 attributes structure XSetWindowAttributes: window . . . XCreateWindow(XS)  
 background of window XSetWindowBackground: sets . . . . XChangeWindowAttributes(XS)  
 background pixmap of window XSetWindowBackgroundPixmap: sets . . XChangeWindowAttributes(XS)  
 window XSetWindowBorder: sets border of . . XChangeWindowAttributes(XS)  
 border pixmap of window XSetWindowBorderPixmap: set . . . . XChangeWindowAttributes(XS)  
 window border to specified width XSetWindowBorderWidth: sets . . . . XConfigureWindow(XS)  
 of window XSetWindowColormap: set colormap . . XChangeWindowAttributes(XS)  
 a window's WM\_CLIENT\_MACHINE/ XSetWmClientMachine: set or read . . XSetWmClientMachine(XS)  
 read a window's/ XSetWmColormapWindows: set or . . XSetWmColormapWindows(XS)  
 hints XSetWmHints: sets window manager . XAllocWmHints(XS)  
 window's WM\_ICON\_NAME property XSetWmIconName: set or read a . . . XSetWmIconName(XS)  
 window's WM\_NAME property XSetWmName: set or read a . . . . . XSetWmName(XS)  
 hints XSetWmNormalHints: sets size . . . . XAllocSizeHints(XS)  
 window properties XSetWmProperties: set standard . . . XSetWmProperties(XS)  
 window's WM\_\_PROTOCOLS property XSetWmProtocols: set or read a . . . XSetWmProtocols(XS)  
 XSetWmSizeHints: sets size hints . . . XAllocSizeHints(XS)  
 functions XShape: X nonrectangular shape . . XShape(Xext)  
 nonrectangular shape function XShapeCombineMask: X . . . . . XShape(Xext)  
 nonrectangular shape function XShapeCombineRectangles: X . . . . XShape(Xext)  
 nonrectangular shape function XShapeCombineRegion: X . . . . . XShape(Xext)  
 nonrectangular shape function XShapeCombineShape: X . . . . . XShape(Xext)  
 nonrectangular shape function XShapeGetRectangles: X . . . . . XShape(Xext)  
 nonrectangular shape function XShapeInputSelected: X . . . . . XShape(Xext)  
 nonrectangular shape function XShapeOffsetShape: X . . . . . XShape(Xext)  
 nonrectangular shape function XShapeQueryExtension: X . . . . . XShape(Xext)  
 nonrectangular shape function XShapeQueryExtents: X . . . . . XShape(Xext)  
 nonrectangular shape function XShapeQueryVersion: X . . . . . XShape(Xext)  
 nonrectangular shape function XShapeSelectInput: X . . . . . XShape(Xext)  
 XShm: shared memory extensions . . XShm(Xext)  
 attach to the shared memory/ XShmAttach: tells the server to . . . XShm(Xext)  
 memory XImage XShmCreateImage: creates a shared . . XShm(Xext)  
 shared memory pixmap XShmCreatePixmap: creates a . . . . XShm(Xext)  
 detach from the shared memory/ XShmDetach: tells the server to . . . XShm(Xext)



event type value XShmGetEventBase: determines ... XShm(Xext)  
 into a shared memory XImage XShmGetImage: reads image data ... XShm(Xext)  
 pixmap data format XShmPixmapFormat: gets the server XShm(Xext)  
 memory XImage into an X drawable XShmPutImage: writes a shared ... XShm(Xext)  
 server for shared memory/ XShmQueryExtension: checks the ... XShm(Xext)  
 numbers of the extension/ XShmQueryVersion: returns version XShm(Xext)  
 xshowcmap: shows colormap ... xshowcmap(X)  
 specified amount XShrinkRegion: reduces region by ... XIntersectRegion(XS)  
 XSizeHints: size hints structure ... XAllocSizeHints(XS)  
 colormap structure XStandardColormap: standard ... XAllocStandardColormap(XS)  
 utility xstdcmap: X standard colormap ... xstdcmap(X)  
 buffer, provide the buffer to/ XStoreBuffer: store bytes in cut ... XStoreBytes(XS)  
 paste buffers XStoreBytes: manipulate cut and ... XStoreBytes(XS)  
 entries of the pixel values/ XStoreColor: change colormap ... XStoreColors(XS)  
 XStoreColors: set colors ... XStoreColors(XS)  
 property XStoreName: sets window's WM\_NAME XSetWMName(XS)  
 color XStoreNamedColor: looks up named XStoreColors(XS)  
 programs xstr: extracts strings from C ... xstr(CP)  
 convert string lists and text/ XStringListToTextProperty: ... XStringListToTextProperty(XS)  
 XStringToKeysym: convert keysyms XStringToKeysym(XS)  
 XSubImage: creates new sub image XCreateImage(XS)  
 from sra and stores result in/ XSubtractRegion: subtracts srb ... XIntersectRegion(XS)  
 support and configure locale/ XSupportsLocale: determine locale XSupportsLocale(XS)  
 key or screen-switching from the/ xswkey: establish the modifier ... xswkey(X)  
 waits until all requests/ XSync: flushes output buffer then ... XFlush(XS)  
 synchronization XSynchronize: enable or disable ... XSynchronize(XS)  
 xtd: extract and print xt driver link structure ... xtd(ADM)  
 xtt: extract and print xt driver packet traces ... xtt(ADM)  
 xts: extract and print xt driver statistics ... xts(ADM)  
 AT&T windowing terminals xt: multiplexed tty driver for ... xt(HW)  
 callback procedures XtAddCallback: add and remove ... XtAddCallback(Xt)  
 procedure XtAddCallbacks: add callback ... XtAddCallback(Xt)  
 procedures XtAddCallbacks: add callback ... XtAddCallback(Xt)  
 event handlers XtAddEventHandler: add and remove XtAddEventHandler(Xt)  
 handlers XtAddEventHandler: add event ... XtAddEventHandler(Xt)  
 exposure events into a region XtAddExposureToRegion: merge ... XtAddExposureToRegion(Xt)  
 a modal widget XtAddGrab: redirect user input to ... XtAddGrab(Xt)  
 handlers XtAddRawEventHandler: add event XtAddEventHandler(Xt)  
 with modifiable fields XtAllocateGC: obtain shareable GC XtAllocateGC(Xt)  
 action table XtAppAddActions: register an ... XtAppAddActions(Xt)  
 resource converter XtAppAddConverter: register ... XtAppAddConverter(Xt)  
 source XtAppAddInput: register an input ... XtAppAddInput(Xt)  
 an input source XtAppAddInput: register or remove XtAppAddInput(Xt)  
 timeouts XtAppAddTimeout: register ... XtAppAddTimeout(Xt)  
 register and remove timeouts XtAppAddTimeout, XtRemoveTimeout: XtAppAddTimeout(Xt)  
 background processing procedures XtAppAddWorkProc: add and remove XtAppAddWorkProc(Xt)  
 processing procedures XtAppAddWorkProc: add background XtAppAddWorkProc(Xt)  
 top-level widget instance XtAppCreateShell: create ... XtAppCreateShell(Xt)  
 handler XtAppError: low-level error ... XtAppError(Xt)  
 XtAppSetWarningHandler,/ XtAppError, XtAppSetErrorHandler, XtAppError(Xt)  
 handler XtAppErrorMsg: high-level error ... XtAppErrorMsg(Xt)  
 handlers XtAppErrorMsg: high-level error ... XtAppErrorMsg(Xt)  
 error database or message XtAppGetErrorDatabase: obtain ... XtAppGetErrorDatabase(Xt)  
 error database XtAppGetErrorDatabase: return ... XtAppGetErrorDatabase(Xt)

*Permuted Index*

error message XtAppGetErrorDatabaseText: return XtAppGetErrorDatabase(Xt)  
 selection timeout values XtAppGetSelectionTimeout: obtain XtAppGetSelectionTimeout(Xt)  
 obtain selection timeout values XtAppGetSelectionTimeout: set and XtAppGetSelectionTimeout(Xt)  
 application convenience/ XtAppInitialize: initialize ..... XtAppInitialize(Xt)  
   events and input XtAppMainLoop: query and process XtAppNextEvent(Xt)  
   events and input XtAppNextEvent: query and process XtAppNextEvent(Xt)  
   events and input XtAppPeekEvent: query and process XtAppNextEvent(Xt)  
   events and input XtAppPending: query and process . XtAppNextEvent(Xt)  
 process events and input XtAppProcessEvent: query and ..... XtAppNextEvent(Xt)  
   XtAppError, XtAppSetErrorHandler,/ ..... XtAppError(Xt)  
   error handler XtAppSetErrorHandler: low-level . XtAppError(Xt)  
   high-level error handler XtAppSetErrorMsgHandler: ..... XtAppErrorMsg(Xt)  
 specify default set of resource/ XtAppSetFallbackResources: ..... XtAppSetFallbackResources(Xt)  
 selection timeout values XtAppSetSelectionTimeout: set ..... XtAppGetSelectionTimeout(Xt)  
 XtAppError, XtAppSetErrorHandler, XtAppSetWarningHandler,/ ..... XtAppError(Xt)  
   error handler XtAppSetWarningHandler: low-level XtAppError(Xt)  
   high-level error handler XtAppSetWarningMsgHandler: ... XtAppErrorMsg(Xt)  
   handler XtAppWarning: low-level error ... XtAppError(Xt)  
 handlers /XtAppSetWarningHandler, XtAppWarning: low-level error ... XtAppError(Xt)  
   handler XtAppWarningMsg: high-level error XtAppErrorMsg(Xt)  
   translation tables XtAugmentTranslations: manage ... XtParseTranslationTable(Xt)  
   widget's event mask XtBuildEventMask: retrieve a ..... XtBuildEventMask(Xt)  
 widget's accept\_focus procedure XtCallAcceptFocus: call a ..... XtCallAcceptFocus(Xt)  
   XtCallbackExclusive: map a pop-up XtMenuPopup(Xt)  
   XtCallbackNone: map a pop-up ... XtMenuPopup(Xt)  
   pop-up XtCallbackNonexclusive: map a ... XtMenuPopup(Xt)  
   XtCallbackPopdown: unmap a pop-up XtMenuPopdown(Xt)  
 unmap a pop-up XtPopdown, XtCallbackPopdown, XtMenuPopdown: XtMenuPopdown(Xt)  
   callbacks XtCallCallbacks: process ..... XtCallCallbacks(Xt)  
   function XtCalloc: memory management ... XtMalloc(Xt)  
   verify a widget's class XtCheckSubclass: obtain and ..... XtClass(Xt)  
   widget's class XtClass: obtain and verify a ..... XtClass(Xt)  
   resize widgets XtCloseDisplay: close a display ... XtDisplayInitialize(Xt)  
 XtResizeWidget: move and resize/ XtConfigureWidget: move and .... XtConfigureWidget(Xt)  
   converter XtConfigureWidget, XtMoveWidget, XtConfigureWidget(Xt)  
   converters XtConvert: invoke resource ..... XtConvert(Xt)  
   KeyCodes XtConvertCase: convert KeySym to XtSetKeyTranslator(Xt)  
   create an application context XtCreateApplicationContext: ..... XtCreateApplicationContext(Xt)  
   create, destroy, and obtain an/ XtCreateApplicationContext: ..... XtCreateApplicationContext(Xt)  
   widget XtCreateManagedWidget: create ... XtCreateWidget(Xt)  
   pop-up shell XtCreatePopupShell: create a ..... XtCreatePopupShell(Xt)  
   destroy widgets XtCreateWidget: create and ..... XtCreateWidget(Xt)  
   XtCreateWidget: create widget ... XtCreateWidget(Xt)  
   convenience function XtCreateWindow: window creation XtCreateWindow(Xt)  
   link structure xtd: extract and print xt driver .... xtd(ADM)  
   XtDatabase: initialize a display ... XtDisplayInitialize(Xt)  
 destroy an application context XtDestroyApplicationContext: .... XtCreateApplicationContext(Xt)  
   XtDestroyWidget: destroy widget ... XtCreateWidget(Xt)  
   converter XtDirectConvert: invoke resource . XtConvert(Xt)  
   owner XtDisownSelection: set selection ... XtOwnSelection(Xt)  
   process events and input XtDispatchEvent: query and ..... XtAppNextEvent(Xt)  
   information about a widget XtDisplay: obtain window ..... XtDisplay(Xt)  
   open, or close a display XtDisplayInitialize: initialize, ..... XtDisplayInitialize(Xt)

display XtDisplayInitialize: initialize a . . . . XtDisplayInitialize(Xt)  
 xterm: terminal emulator for X . . . . xterm(X)  
 text extents XTextExtents: compute or query . . . . XTextExtents(XS)  
 extents XTextExtents16: computes text . . . . XTextExtents(XS)  
 XTextItem: text drawing structure . . . . XDrawText(XS)  
 structure XTextItem16: text drawing . . . . . XDrawText(XS)  
 XwcTextListToTextProperty: set an  
 structure XTextProperty from a list of null/ . . . . XmbTextListToTextProperty(XS)  
 structure XTextProperty: text property . . . . . XStringListToTextProperty(XS)  
 returns list of strings XTextPropertyToStringList: . . . . . XStringListToTextProperty(XS)  
 XTextWidth: compute text width . . . . XTextWidth(XS)  
 XTextWidth16: computes text width . . . . XTextWidth(XS)  
 function XtFree: memory management . . . . XtMalloc(Xt)  
 action procedures XtGetActionList: retrieve list of . . . . XtGetActionList(Xt)  
 application resources XtGetApplicationResources: obtain . . . . XtGetSubresources(Xt)  
 sharable GC XtGetGC: obtain and destroy a . . . . XtGetGC(Xt)  
 XtGetGC: obtain sharable GC . . . . XtGetGC(Xt)  
 resource list XtGetResourceList: obtain . . . . . XtGetResourceList(Xt)  
 selection value XtGetSelectionValue: obtain . . . . . XtGetSelectionValue(Xt)  
 selection values XtGetSelectionValue: obtain . . . . . XtGetSelectionValue(Xt)  
 selection values XtGetSelectionValues: obtain . . . . . XtGetSelectionValue(Xt)  
 subresources or application/ XtGetSubresources: obtain . . . . . XtGetSubresources(Xt)  
 subresources XtGetSubresources: obtain . . . . . XtGetSubresources(Xt)  
 resources XtGetSubvalues: obtain widget . . . . . XtSetValues(Xt)  
 resources XtGetValues: obtain widget . . . . . XtSetValues(Xt)  
 XtHasCallbacks: process callbacks . . . . XtCallCallbacks(Xt)  
 channels protocol used by  
 xt(HW) driver /multiplexed . . . . . xtproto(M)  
 xtil: XTI library trace control . . . . . xtil(CP)  
 t\_info: TLI and XTI transport protocol structure . . . . t\_info(FP)  
 xtil: XTI library trace control . . . . . xtil(CP)  
 history structure XTimeCoord: pointer motion . . . . . XSendEvent(XS)  
 accelerator tables XtInstallAccelerators: managing . . . . XtParseAcceleratorTable(Xt)  
 managing accelerator tables XtInstallAllAccelerators: . . . . . XtParseAcceleratorTable(Xt)  
 a widget's class XtIsComposite: obtain and verify . . . . XtClass(Xt)  
 widget's class XtIsManaged: obtain and verify a . . . . XtClass(Xt)  
 XtIsRealized: realize widget . . . . . XtRealizeWidget(Xt)  
 sensitivity state XtIsSensitive: check a widget's . . . . XtSetSensitive(Xt)  
 widget's class XtIsSubclass: obtain and verify a . . . . XtClass(Xt)  
 /convert string to XtJustify value . . . . . XmuCvtStringToJustify(Xmu)  
 according to resource/ XtLanguageProc: set locale . . . . . XtLanguageProc(Xt)  
 geometry manager request XtMakeGeometryRequest: make . . . . . XtMakeGeometryRequest(Xt)  
 geometry manager request XtMakeResizeRequest: make . . . . . XtMakeGeometryRequest(Xt)  
 function XtMalloc: memory management . . . . XtMalloc(Xt)  
 functions XtMalloc: memory management . . . . XtMalloc(Xt)  
 XtManageChild: manage children . . . . XtManageChildren(Xt)  
 unmanage children XtManageChildren: manage and . . . . XtManageChildren(Xt)  
 XtManageChildren: manage children . . . . XtManageChildren(Xt)  
 widgets XtMapWidget: map and unmap . . . . . XtMapWidget(Xt)  
 XtMapWidget: map widgets . . . . . XtMapWidget(Xt)  
 XtMenuPopdown: unmap a pop-up . . . . XtMenuPopdown(Xt)  
 XtMenuPopdown: unmap a pop-up . . . . XtMenuPopdown(Xt)  
 XtMenuPopup: map a pop-up . . . . . XtMenuPopup(Xt)  
 XtMergeArgLists: merge ArgLists . . . . XtSetArg(Xt)  
 XtMoveWidget: move widgets . . . . . XtConfigureWidget(Xt)  
 move and/ XtConfigureWidget, XtMoveWidget, XtResizeWidget: . . . . XtConfigureWidget(Xt)

## Permuted Index

strings to widgets or widgets / XtNameToWidget: translating . . . . XtNameToWidget(Xt)  
 strings to widgets XtNameToWidget: translating . . . . XtNameToWidget(Xt)  
     function XtNew: memory management XtMalloc(Xt)  
     array elements XtNewString: memory management XtMalloc(Xt)  
     UNIX to MS-DOS XtNumber: determine the number of XtOffset(Xt)  
     offset or number of array / xtod: change file format from . . . . xtod(C)  
     offset or resource fields XtOffset: determine the byte . . . . XtOffset(Xt)  
     XtOpenDisplay: open a display . . . . XtDisplayInitialize(Xt)  
     command-line options Xt\_options: standard X Toolkit . . . . Xt\_options(X)  
     /convert string to XtOrientation enumeration value . . XmuCvtStringToOrientation(Xmu)  
     translation tables XtOverrideTranslations: manage . . XtParseTranslationTable(Xt)  
     owner XtOwnSelection: set selection . . . . XtOwnSelection(Xt)  
     information about a widget XtParent: obtain window . . . . . XtDisplay(Xt)  
     accelerator tables XtParseAcceleratorTable: managing XtParseAcceleratorTable(Xt)  
     translation tables XtParseTranslationTable: manage . . XtParseTranslationTable(Xt)  
     XtPopdown: unmap a pop-up . . . . . XtMenuPopdown(Xt)  
     XtMenuPopdown: unmap a pop-up . . . . . XtMenuPopdown(Xt)  
     XtPopup: map a pop-up . . . . . XtMenuPopup(Xt)  
     protocol used by xt(HW) driver xtproto: multiplexed channels . . . . xtproto(M)  
     preferred geometry of a child / XtQueryGeometry: query the . . . . XtQueryGeometry(Xt)  
     cpio archive and stop xtract: extract a file from a . . . . . xtract(C)  
     window coordinates XTranslateCoordinates: translate . . XTranslateCoordinates(XS)  
     unrealize widgets XtRealizeWidget: realize and . . . . XtRealizeWidget(Xt)  
     XtRealizeWidget: realize widget . . . . XtRealizeWidget(Xt)  
     function XtRealloc: memory management . . XtMalloc(Xt)  
     KeySym to KeyCodes XtRegisterCaseConverter: convert . . XtSetKeyTranslator(Xt)  
     GC XtReleaseGC: destroy a sharable . . XtGetGC(Xt)  
     callback procedures XtRemoveAllCallbacks: remove . . XtAddCallback(Xt)  
     procedures XtRemoveCallback: remove callback XtAddCallback(Xt)  
     callback procedures XtRemoveCallbacks: remove . . . . . XtAddCallback(Xt)  
     event handlers XtRemoveEventHandler: remove . . XtAddEventHandler(Xt)  
     to a modal widget XtRemoveGrab: redirect user input XtAddGrab(Xt)  
     source XtRemoveInput: remove an input . . XtAppAddInput(Xt)  
     event handlers XtRemoveRawEventHandler: remove XtAddEventHandler(Xt)  
 remove timeouts XtAppAddTimeOut, XtRemoveTimeOut: register and . . XtAppAddTimeOut(Xt)  
     XtRemoveTimeOut: remove timeouts XtAppAddTimeOut(Xt)  
     background processing procedures XtRemoveWorkProc: remove . . . . . XtAppAddWorkProc(Xt)  
 XtConfigureWidget, XtMoveWidget, XtResizeWidget: move and resize / XtConfigureWidget(Xt)  
     XtResizeWidget: resize widgets . . . . XtConfigureWidget(Xt)  
     statistics xts: extract and print xt driver . . . . xts(ADM)  
     information about a widget XtScreen: obtain window . . . . . XtDisplay(Xt)  
     database for specified screen XtScreenDatabase: obtain resource . . XtScreenDatabase(Xt)  
     XtSetArg: set and merge ArgLists . . XtSetArg(Xt)  
     XtSetArg: set ArgLists . . . . . XtSetArg(Xt)  
     on a child widget XtSetKeyboardFocus: focus events . . XtSetKeyboardFocus(Xt)  
     KeySym to KeyCodes XtSetKeyTranslator: convert . . . . . XtSetKeyTranslator(Xt)  
     widgets XtSetMappedWhenManaged: map XtMapWidget(Xt)  
     sensitivity state XtSetSensitive: set a widget's . . . . XtSetSensitive(Xt)  
     widget's sensitivity state XtSetSensitive: set and check a . . . . XtSetSensitive(Xt)  
     resources XtSetSubvalues: set widget . . . . . XtSetValues(Xt)  
     widget resources XtSetValues: obtain and set . . . . . XtSetValues(Xt)  
     XtSetValues: set widget resources . . XtSetValues(Xt)  
     a conversion warning message XtStringConversionWarning: issue XtStringConversionWarning(Xt)

widget's class XtSuperClass: obtain and verify a . . . XtClass(Xt)  
 packet traces xtt: extract and print xt driver . . . . . xtt(ADM)  
 internal Toolkit data structures XtToolkitInitialize: initialize . . . . . XtDisplayInitialize(Xt)  
 the X Toolkit internals XtToolkitInitialize: initializes . . . . . XtCreateApplicationContext(Xt)  
 widget coordinates XtTranslateCoords: translate . . . . . XtTranslateCoords(Xt)  
 KeySym to KeyCodes XtTranslateKeycode: convert . . . . . XtSetKeyTranslator(Xt)  
 translation tables XtUninstallTranslations: manage . . . . . XtParseTranslationTable(Xt)  
     children XtUnmanageChild: unmanage . . . . . XtManageChildren(Xt)  
     children XtUnmanageChildren: unmanage . . . . . XtManageChildren(Xt)  
         XtUnmapWidget: unmap widgets . . . . . XtMapWidget(Xt)  
     widget XtUnrealizeWidget: unrealize . . . . . XtRealizeWidget(Xt)  
 create, destroy, and obtain an/ XtWidgetToApplicationContext: . . . . . XtCreateApplicationContext(Xt)  
     widgets to windows XtWidgetToWindow: translating . . . . . XtNameToWidget(Xt)  
 information about a widget XtWindow: obtain window . . . . . XtDisplay(Xt)  
     cursor define XUndefineCursor: undoes effect of . . . . . XDefineCursor(XS)  
         buttons XUGrabButton: releases pointer . . . . . XGrabButton(XS)  
             XUGrabKey: releases keyboard key . . . . . XGrabKey(XS)  
         keyboard XUGrabKeyboard: releases . . . . . XGrabKeyboard(XS)  
             XUGrabPointer: releases pointer . . . . . XGrabPointer(XS)  
             XUGrabServer: releases server . . . . . XGrabServer(XS)  
         colormap XUinstallColormap: removes . . . . . XInstallColormap(XS)  
     destination region XUnionRectWithRegion: updates . . . . . XIntersectRegion(XS)  
     two regions XUnionRegion: computes union of . . . . . XIntersectRegion(XS)  
     context type XUniqueContext: creates unique . . . . . XSaveContext(XS)  
         XUnloadFont: unload font . . . . . XLoadFont(XS)  
         structure XUUnmapEvent: UnmapNotify event XUUnmapEvent(XS)  
     subwindows XUUnmapSubwindows: unmaps . . . . . XUUnmapWindow(XS)  
         XUUnmapWindow: unmap windows XUUnmapWindow(XS)  
 method that the input context/ XUunsetCFocus: notify an input . . . . . XSetCFocus(XS)  
     nested variable argument list XVaCreateNestedList: allocate a . . . . . XVaCreateNestedList(XS)  
 VisibilityNotify event structure XVisibilityEvent: . . . . . XVisibilityNotifyEvent(XS)  
 VisibilityNotify event structure XVisibilityNotifyEvent: . . . . . XVisibilityNotifyEvent(XS)  
     visual ID XVisualIDFromVisual: returns . . . . . XGetVisualInfo(XS)  
         XVisualInfo: visual structure . . . . . XGetVisualInfo(XS)  
         XWarpPointer: move pointer . . . . . XWarpPointer(XS)  
 text using a single font set XwcDrawImageString: draw image XmbDrawImageString(XS)  
     single font set XwcDrawString: draw text using a XmbDrawString(XS)  
     multiple font sets XwcDrawText: draw text using . . . . . XmbDrawText(XS)  
     memory allocated by/ XwcFreeStringList: function frees . . . . . XmbTextListToTextProperty(XS)  
 input from an input method XwcLookupString: obtain composed XmbLookupString(XS)  
     input context XwcResetC: reset the stat of an . . . . . XmbResetC(XS)  
     escapement of text XwcTextEscapement: obtain the . . . . . XmbTextEscapement(XS)  
         extents XwcTextExtents: compute text . . . . . XmbTextExtents(XS)  
     XTextProperty from a list of/ XwcTextListToTextProperty: set an XmbTextListToTextProperty(XS)  
 per-character information for a/ XwcTextPerCharExtents: obtain . . . . . XmbTextPerCharExtents(XS)  
     /frees memory allocated by XwcTextPropertyToTextList . . . . . XmbTextListToTextProperty(XS)  
     a list of text strings from the/ XwcTextPropertyToTextList: return XmbTextListToTextProperty(XS)  
     xwd: dump an image of an X window xwd(X)  
     attribute structure XWindowAttributes: window . . . . . XGetWindowAttributes(XS)  
 windows and window changes/ XWindowChanges: configures . . . . . XConfigureWindow(XS)  
     matching event XWindowEvent: searches queue for XNextEvent(XS)  
     utility for X xwininfo: window information . . . . . xwininfo(X)  
     XWithdrawWindow: unmaps window XIconifyWindow(XS)  
 information specified by the/ XWMGeometry: combines geometry XParseGeometry(XS)

## Permuted Index

structure XWMHints: window manager hints XAllocWMHints(XS)  
 out to file XWriteBitmapFile: writes bitmap .. XReadBitmapFile(XS)  
 xwud: image displayer for X ..... xwud(X)  
 between union and intersection/ XxorRegion: calculates difference .. XIntersectRegion(XS)  
   processor startio: run xxstart routine from another ..... startio(K)  
     pow: returns  $x^y$  ..... exp(S)  
   moves panel window to specified x-y coordinates move\_panel: ..... panel(S)  
   of the item at a new position y coordinate /the position ..... XmListYToPos(Xm)  
   position nearest an x and y position /the character ..... XmTextFieldXYToPos(Xm)  
   position nearest an x and y position /the character ..... XmTextXYToPos(Xm)  
 /function that accesses the x and y position of a character/ ..... XmTextFieldPosToXY(Xm)  
 function that accesses the x and y position of a character/ /a Text .. XmTextPosToXY(Xm)  
   of the second kind of order 0 y0: return Bessel function of x ..... bessel(S)  
     bessel: j0, j1, jn, y0, y1, yn: Bessel functions ..... bessel(S)  
   of the second kind of order 1 y1: return Bessel function of x ..... bessel(S)  
     bessel: j0, j1, jn, y0, y1, yn: Bessel functions ..... bessel(S)  
 compiler-compiler—a parser/ yacc: yet another ..... yacc(CP)  
   yes: print string repeatedly ..... yes(C)  
     bessel: j0, j1, jn, y0, y1, yn: Bessel functions ..... bessel(S)  
   of the second kind of order n yn: return Bessel function of x ..... bessel(S)  
   pairs yp\_all: return all key-value ..... ypclnt(NS)  
     yp\_bind: bind to a NIS server ..... ypclnt(NS)  
     ypprot\_err: return ypclnt layer error ..... ypclnt(NS)  
 Service (NIS) client interface ypclnt: Network Information ..... ypclnt(NS)  
   message string ypperr\_string: return error ..... ypclnt(NS)  
     pair yp\_first: return first key-value ..... ypclnt(NS)  
   default domain yp\_get\_default\_domain: return the ypclnt(NS)  
     a map yp\_master: return the master for .. ypclnt(NS)  
     with key yp\_match: return value associated .. ypclnt(NS)  
     pair yp\_next: return next key-value ... ypclnt(NS)  
     for a map yp\_order: return the order number ypclnt(NS)  
   xdr\_ppasswd: XDR an yppasswd ..... yppasswd(NS)  
   entry yppasswd: replace an NIS password yppasswd(NS)  
 Network Information Service/ yppasswd: update user password in yppasswd(NS)  
   error ypprot\_err: return ypclnt layer ..... ypclnt(NS)  
   NIS server yp\_unbind: unbind from a specific .. ypclnt(NS)  
   atan2: return arc tangent of y/x ..... trig(S)  
   upper left corner is at position (y,x) mvwin: moves window so ... curses(S)  
   upper left corner is at position (y,x) mvwin: moves window so ... terminfo(S)  
 uncompress/ compress, uncompress, zcat: compress data for storage, .. compress(C)  
   zcat: display compressed files ..... compress(C)  
   bzero: set memory locations to 0 (zero) ..... bzero(K)  
   logging file and resets ll\_fd to zero ll\_close: closes the MMDF ..... llog(S)  
   resets error indicator to zero clearerr: ..... ferror(S)  
   clrbuf: zero a block I/O buffer ..... clrbuf(K)  
   true: return with a zero exit value ..... true(C)  
   duration tcsendbreak: transmit zero-valued bits for specified ..... tcfow(S)  
   between GMT and alternate time zone /difference in seconds ..... ctime(S)  
 seconds between GMT and main time zone timezone: difference in ..... ctime(S)  
 timezone: set default system time zone ..... timezone(F)  
   tz: time zone environment variable ..... tz(M)  
   non-zero value if alternate time zone exists daylight: set to ..... ctime(S)  
   tzname: contains time zone names ..... ctime(S)



Please help us to write computer manuals that meet your needs by completing this form. Please post the completed form to the Publications Manager nearest you: The Santa Cruz Operation, Ltd., Croxley Centre, Hatters Lane, Watford WD1 8YN, United Kingdom; The Santa Cruz Operation, Inc., 400 Encinal Street, P.O. Box 1900, Santa Cruz, California 95061, USA or SCO Canada, Inc., 130 Bloor Street West, 10th Floor, Toronto, Ontario, Canada M5S 1N5.

Volume title: \_\_\_\_\_

(Copy this from the title page of the manual)

Product: \_\_\_\_\_

(for example, SCO UNIX System V Release 3.2 Operating System Version 4.0)

How long have you used this product?

- Less than one month, Less than six months, Less than one year, 1 to 2 years, More than 2 years

How much have you read of this manual?

- Entire manual, Specific chapters, Used only for reference

Table with 2 columns: Statement, and two sub-columns for 'Agree' and 'Disagree' (each with 5 checkboxes).

If you have specific comments or if you have found specific inaccuracies, please report these on the back of this form or on a separate sheet of paper. In the case of inaccuracies, please list the relevant page number.

May we contact you further about how to improve SCO documentation? If so, please supply the following details:

Name \_\_\_\_\_ Position \_\_\_\_\_

Company \_\_\_\_\_

Address \_\_\_\_\_

City & Post/Zip Code \_\_\_\_\_

Country \_\_\_\_\_

Telephone \_\_\_\_\_ Facsimile \_\_\_\_\_



6 January 1993



BH01413P000

61048



