Seeing Using Sound

By: Clayton Shepard Richard Hall Jared Flatow

Seeing Using Sound

By: Clayton Shepard Richard Hall Jared Flatow

Online: < http://cnx.org/content/col10319/1.2/ >

CONNEXIONS

Rice University, Houston, Texas

This selection and arrangement of content as a collection is copyrighted by Clayton Shepard, Richard Hall, Jared Flatow. It is licensed under the Creative Commons Attribution 2.0 license (http://creativecommons.org/licenses/by/2.0/). Collection structure revised: December 15, 2005

PDF generated: February 4, 2011

For copyright and attribution information for the modules contained in this collection, see p. 15.

Table of Contents

1	Introduction and Background for Seeing with Sound		1
2	Seeing using Sound - Design Overview		3
3	Canny Edge Detection		5
4	Seeing using Sound's Mapping Algorithm		7
5	Demonstrations of Seeing using Sound		9
6	Final Remarks on Seeing using Sound	. 1	3
In	dex	. 1	4
\mathbf{A}^{\dagger}	Attributions		5

iv

Introduction and Background for Seeing with Sound¹

1.1 Introduction

Seeing with sound is our attempt to meaningfully transform an image to sound. The motivation behind it is simple, to convey visual information to blind people using their sense of hearing. We believe in time, the human brain can adapt to the sounds, making it a useful and worthwhile system.

1.2 Background and Problems

In researching for this project, we found one marketed product online, the, $vOICe^2$, that did just what we set out to do. However, we believe that the $vOICe^3$ is not optimum, and we have a few improvements in mind. One idea is to make the center of the image the focus of the final sound. We feel like the center of an image contains the most important information, and it gets lost in the left to right sweeping of $vOICe^4$. Also, some of the images are far too "busy" to use their technique. We the images need to be simplified so that only the most important information is conveyed in the sounds.

 $^{{}^{1}{\}rm This\ content\ is\ available\ online\ at\ <http://cnx.org/content/m13222/1.1/>.}$

 $^{^{2}} http://www.visualprosthesis.com/javoice.htm$

 $^{^{3}} http://www.visualprosthesis.com/javoice.htm$

⁴http://www.visualprosthesis.com/javoice.htm

CHAPTER 1. INTRODUCTION AND BACKGROUND FOR SEEING WITH SOUND

Seeing using Sound - Design Overview¹

2.1 Input Filtering

The first step in our process is to filter the input image. This process helps solve the "busy" sound problem from the $vOICe^2$. We decided to first smooth the image with a low pass filter, leaving only the most prominent features of the image behind. We then wanted to filter the result with an edge detector, essentially a high pass filter of some sort. We chose to use a Canny filter for the edge detection. The advantage of using an edge detector lies in simplifying the image while at the same time highlighting the most structurally significant components of an image. This is especially applicable to using the system for the blind, as the structural features of the image are the most important to find your way around a room.

2.2 The Mapping Process

Simply put, the mapping process is the actual transformation between visual information and sound. This block takes the data from the filtered input, and produces a sequence of notes representing the image. The process of mapping images to sound is a matter of interpretation, there is no known "optimal" solution to the mapping for the human brain. Thus, we simply chose an interpretation that made sense to us.

First of all, it seemed clear to us that the most intuitive use of frequency would be to correlate it to the relative vertical position of an edge in the picture. That is, higher frequencies should correspond to edges that are higher in the image than lower frequencies. The only other idea that we wanted to stick to was making the center the focus of the attention. For a complete description of this component, see the mapping process.

¹This content is available online at http://cnx.org/content/m13224/1.1/.

 $^{^{2} \}rm http://www.visualprosthesis.com/javoice.htm$

Canny Edge Detection¹

3.1 Introduction to Edge Detection

Edge detection is the process of finding sharp contrasts in intensities in an image. This process significantly reduces the amount of data in the image, while preserving the most important structural features of that image. Canny Edge Detection is considered to be the ideal edge detection algorithm for images that are corrupted with white noise. For a more in depth introduction, see the Canny Edge Detection Tutorial².

3.2 Canny Edge Detection and Seeing Using Sound

The Canny Edge Detector worked like a charm for Seeing Using Sound. We used a Matlab implementation of the Canny Edge Detector, which can be found at http://ai.stanford.edu/~mitul/cs223b/canny.m³. Here is an example of the results of filtering an image with a Canny Edge Detector:




Figure 3.1: Before Edge Detection

¹This content is available online at <http://cnx.org/content/m13218/1.2/>.

²http://www.pages.drexel.edu/~weg22/can_tut.html

³http://ai.stanford.edu/~mitul/cs223b/canny.m

Figure Title (optional)



Figure 3.2: After Edge Detection

Seeing using Sound's Mapping Algorithm¹

The mapping algorithm is the piece of the system that takes in an edge-detected image, and produces a sound clip representing the image. The mapping as we implemented it takes three steps:

- Vertical Mapping
- Horizontal Mapping
- Color Mapping




Figure 4.1: Illustration of our mapping algorithm

¹This content is available online at < http://cnx.org/content/m13226/1.3/>.

4.1 Vertical Mapping

The first step of the algorithm is to map the vertical axis of the image to the frequency content of the output sound at a given time. We implemented this by having the relative pitch of the output at that time correspond to rows in each column that have an edge. Basically, the higher the note you hear, the higher it is in your field of vision, and the lower the note, the lower in your field of vision.

4.2 Horizontal Mapping

Next, we need some way of mapping the horizontal axis to the output sound. We chose to implement this by having our system "sweep" the image from the outside-in in time (see figure 1). The reasoning behind this is that the focus of the final sound should be the center of the field of vision, so we have everything meeting in the middle. This means that each image will have some period that it will take to be "displayed" as sound. The period begins at some time t0, and, with stereo sound, the left and right channels start sounding notes corresponding to edges on each side of the image, finally meeting in the middle at some time tf.

4.3 Color Mapping

Using scales instead of continuous frequencies for the notes gives us some extra information to work with. We decided to also try to incorporate the color from the original image of the point at an edge. We were able to do this by letting the brightness of the scale that we use. For example, major scales sound much brighter than minor scales, so bright colors correspond to major scales, and darker ones correspond to minor. This effect is difficult to perceive for those that aren't trained, but we believe that the brain can adapt to this pattern regardless of whether or not the user truly understands the mapping.

Demonstrations of Seeing using Sound¹

For each example, right click on the link to the corresponding sound and go to "Save Link Target As..." to download and play it.

5.1 Examples






Figure 5.1: Our Simplest Example - Listen²

¹This content is available online at < http://cnx.org/content/m13219/1.2/>.





Edge Detected Heart



Figure 5.3: $Listen^4$

 $^{^2 \}rm http://cnx.org/content/m13219/latest/identity.au <math display="inline">^3 \rm http://cnx.org/content/m13219/latest/crisscross.au <math display="inline">^4 \rm http://cnx.org/content/m13219/latest/heart.au$




Figure 5.4: Our Hardest Example - Not for beginners! - Listen⁵

 $^{^{5}} http://cnx.org/content/m13219/latest/cdoor.au$

Final Remarks on Seeing using Sound¹

6.1 Future Considerations and Conclusions

There are many ways to improve upon our approach. One way to significantly improve left/right positioning is to have the left and right scales play different instruments. Another way to improve resolution would be to have different neighboring blocks compare data so that when an edge spans many different blocks it does not sound like a cacophony. Other filters could be applied, besides edge detectors, to determine other features of the image, such as color gradients or the elements in the foreground. This information could be encoded into different elements of the basis scale, or even change the scale to a different, perhaps acyclic, pattern. One way to go about this might be to look at existing photo processing filters (e.g. in Photoshop) and use those for inspiration.

6.2 Contact Information of Group Members

- Flatow, Jared: jmflizz @ rice dot edu
- Hall, Richard: rlhall @ rice dot edu
- Shepard, Clay: cwshep @ rice dot edu

 $^{^{1}}$ This content is available online at < http://cnx.org/content/m13220/1.1/>.

Index of Keywords and Terms

Keywords are listed by the section with that keyword (page numbers are in parentheses). Keywords do not necessarily appear in the text of the page. They are merely associated with that section. Ex. apples, § 1.1 (1) **Terms** are referenced by the page they appear on. Ex. apples, 1

 \mathbf{C} Canny, § 3(5)

E Edge Detection, § 3(5)

ATTRIBUTIONS

Attributions

Collection: Seeing Using Sound Edited by: Clayton Shepard, Richard Hall, Jared Flatow URL: http://cnx.org/content/col10319/1.2/ License: http://creativecommons.org/licenses/by/2.0/

Module: "Introduction and Background for Seeing with Sound" By: Richard Hall, Jared Flatow URL: http://cnx.org/content/m13222/1.1/ Page: 1 Copyright: Richard Hall, Jared Flatow License: http://creativecommons.org/licenses/by/2.0/

Module: "Seeing using Sound - Design Overview" By: Richard Hall, Jared Flatow URL: http://cnx.org/content/m13224/1.1/ Page: 3 Copyright: Richard Hall, Jared Flatow License: http://creativecommons.org/licenses/by/2.0/

Module: "Canny Edge Detection" By: Richard Hall, Jared Flatow URL: http://cnx.org/content/m13218/1.2/ Pages: 5-6 Copyright: Richard Hall, Jared Flatow License: http://creativecommons.org/licenses/by/2.0/

Module: "Seeing using Sound's Mapping Algorithm" By: Richard Hall, Jared Flatow URL: http://cnx.org/content/m13226/1.3/ Pages: 7-8 Copyright: Richard Hall, Jared Flatow License: http://creativecommons.org/licenses/by/2.0/

Module: "Demonstrations of Seeing using Sound" By: Richard Hall, Jared Flatow URL: http://cnx.org/content/m13219/1.2/ Pages: 9-11 Copyright: Richard Hall, Jared Flatow License: http://creativecommons.org/licenses/by/2.0/

Module: "Final Remarks on Seeing using Sound" By: Richard Hall, Jared Flatow URL: http://cnx.org/content/m13220/1.1/ Page: 13 Copyright: Richard Hall, Jared Flatow License: http://creativecommons.org/licenses/by/2.0/

Seeing Using Sound

Elec 301 Project - Fall 2005. Seeing using Sound transforms images in to sound to aid blind people.

About Connexions

Since 1999, Connexions has been pioneering a global system where anyone can create course materials and make them fully accessible and easily reusable free of charge. We are a Web-based authoring, teaching and learning environment open to anyone interested in education, including students, teachers, professors and lifelong learners. We connect ideas and facilitate educational communities.

Connexions's modular, interactive courses are in use worldwide by universities, community colleges, K-12 schools, distance learners, and lifelong learners. Connexions materials are in many languages, including English, Spanish, Chinese, Japanese, Italian, Vietnamese, French, Portuguese, and Thai. Connexions is part of an exciting new information distribution system that allows for **Print on Demand Books**. Connexions has partnered with innovative on-demand publisher QOOP to accelerate the delivery of printed course materials and textbooks into classrooms worldwide at lower prices than traditional academic publishers.