Centre Number	Candidate Number	Name	

## UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

BIOLOGY 0610/05

Paper 5 Practical Test

May/June 2005

1 hour

Candidates answer on the Question Paper.

Additional Materials: As listed in Instructions to Supervisors

## **READ THESE INSTRUCTIONS FIRST**

Write your Centre number, candidate number and name in the spaces provided at the top of this page. Write in dark blue or black pen in the spaces provided on the Question Paper. You may use a soft pencil for any diagrams, graphs or rough working.

Do not use staples, paper clips, highlighters, glue or correction fluid.

Answer both questions.

The number of marks is given in brackets [ ] at the end of each question or part questions.

FOR EXAMINER'S USE	
1	
2	
TOTAL	

This document consists of **7** printed pages and **1** blank page.



1 In this exercise you are going to investigate the effect of the enzyme catalase on hydrogen peroxide.

Catalase is present in all living cells. It speeds up the breakdown of hydrogen peroxide as shown by the following equation:

You are provided with two pieces of Irish potato, *Solanum tuberosum*, that will be used as your source of catalase. One of these is raw and one has been boiled.

- Label the large test tubes **S1**, **S2**, **S3** and **S4**.
- Into each test tube pour hydrogen peroxide to a depth of 2 cm.
- Cut two cubes, with sides measuring 1cm, from the **raw** potato.
- Add one cube to the test tube labelled \$1.
  - 1. **Immediately** mark the height of the contents on the tube.
  - 2. Mark the maximum height reached during the next few minutes.
  - 3. Measure the change in height (if any) and record this in Table 1.1.

(a) Table 1.1

tube	contents of tube	maximum change in height / mm
<b>S</b> 1	cube of raw potato	
S2	chopped, raw potato	
<b>S</b> 3	cube of boiled potato	
S4	chopped, boiled potato	

[2]

- Chop the other cube of **raw** potato into small pieces.
- Add this chopped potato to the test tube labelled \$2.
- Repeat steps 1, 2 and 3 above.
- Cut two cubes, with sides measuring 1cm, from the boiled potato.
- Add one cube to the test tube labelled \$3.
- Repeat steps 1, 2 and 3 above.
- Chop the other cube of **boiled** potato into small pieces.
- Add this chopped potato to the test tube labelled S4.
- Repeat steps 1, 2 and 3 above.

© UCLES 2005 0610/05/M/J/05

(b)					ifference in the appen en peroxide.	pearance of the contents of	tubes
	simil	arity					•••••
	diffe	rence					
		11					
							[2]
(c)			e appeara	ance of the c	ontents of tubes S3	and <b>S4</b> after adding the hyd	rogen
	pero	xide.					
							[2]
(d)	(i)	Plot the	maximur	m change in	neight of the conten	its of each test tube as a bar	chart
	(	on the g	rid below	<i>l</i> .			
$\perp$							

	(ii)	Explain the differences in your observations between
		<b>S1</b> and <b>S2</b> ;
		S1 and S3.
		[4]
(e)		ggest ways in which the method you have used could be improved to obtain more urate and reliable results.
	•••••	[5]
		[Total : 19]

© UCLES 2005 0610/05/M/J/05

[6]

- 2 You are provided with an insect-pollinated flower, labelled F1.
  - (a) (i) Cut the flower in half longitudinally.

    Make a large labelled drawing of the cut surface of the flower.

(ii)	Measure the length of your drawing, using a line to show where you made the measurement.
	length of drawing
	Measure the length of the flower.
	length of flower
	Calculate the magnification of your drawing. Show your working.
	Magnification = [3]

You are provided with a solution labelled **F2**.

The composition of **F2** is similar to nectar.

ı ar	e to test solution <b>F2</b> for re	ducing sugar and starch.	
De	escribe how you will test <b>F</b>	2 for the presence of	
(i)	reducing sugar;		
••••			[2]
(ii)	starch.		
			 [1]
		·	
(i)	Record your observatio		
Г		Table 2.1	
_	test	observation	
	reducing sugar		
	starch		
L			[2]
(ii)			ı of
			 [3]
	Div (ii)  Div (ii)	Describe how you will test F  (i) reducing sugar;  (ii) starch.  Divide your sample of F2 into Test one part for reducing some servation test reducing sugar  starch  (ii) Using your observation	(ii) starch.  Divide your sample of F2 into two parts. Test one part for reducing sugar and the other for starch.  (i) Record your observations in Table 2.1.  Table 2.1  test observation reducing sugar starch

© UCLES 2005 0610/05/M/J/05

) It has been suggested that the colour of the petals is important in attracting insects to a flower.
Outline how you would carry out an investigation to determine which colour would attract most insects.
[4]
[Total : 21]

© UCLES 2005 0610/05/M/J/05

## **BLANK PAGE**

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.