



# UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

CANDIDATE NAME					
CENTRE NUMBER			CANDIDATE NUMBER		
BIOLOGY				06	10/05

Candidates answer on the Question Paper.

Additional Materials: As listed in Confidential Instructions.

#### **READ THESE INSTRUCTIONS FIRST**

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use a pencil for any diagrams or graphs.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer both questions.

Paper 5 Practical Test

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [ ] at the end of each question or part question.

For Exam	iner's Use
1	
2	
Total	

May/June 2008

1 hour

This document consists of 6 printed pages and 2 blank pages.



#### 1 Read the whole question before starting work.

For Examiner's Use

Humans and other mammals are able to maintain a relatively constant body temperature despite widely ranging environmental temperatures.

You are provided with two containers with lids. The containers represent two mammals cooling.

- Wrap a paper towel around each container and secure each towel with an elastic band.
- Use the pipette to squirt water from the beaker onto the paper towel around **one** of the containers, so that it is wet all over.
- IF, AT ANY TIME, THE PAPER TOWEL APPEARS TO BE GETTING DRY, ADD MORE WATER FROM THE PIPETTE.
- The paper towel around the second container should be left dry.
- When you are ready, raise your hand and ask the supervisor to fill both containers with hot water.
- BE CAREFUL WITH THE HOT WATER.
- Cover the containers with the lids.
- (a) (i) Immediately, take the temperature of the water in each container by gently putting the thermometer through the hole in the lids and into the water.

Record the temperature of the water in each container in Table 1.1. This is 'zero' time.

(ii) Every 2 minutes after zero time, take the temperatures in the two containers and record your readings in Table 1.1.

Table 1.1

time from start/min	'dry' container temperature/°C	'wet' container temperature/°C
0 ['zero' time]		
2		
4		
6		
8		
10		

[5]

**(b)** On the same axes, plot a graph of your results.

For
Examiner's
Use

ПП	т	$\overline{}$	$\Box$	т	$\neg$	$\neg$	$\overline{}$	$\neg$	т	т	Т	т	$\neg$	П	$\neg$	П	$\top$			П	TT			т	П	$\neg$	1 1								П	$\neg$
$\vdash$	+	+	-	+	+	_	+	+	+	+	+	+	+	+	_	+	+	-	-	+	+	+	-	+	+	-	$\vdash$	+	+	+	$\vdash$	+	+	_	$\vdash$	+
				1 1	1 1							1 I					1 1				11			11			1 1				1 1		1 1			
	Т	Т		П	$\Box$		П	$\neg$	П	П	$\top$	П	$\neg$	П	$\neg$	П	$\top$			П	$\top$			П	П		П	Т	П		П	$\neg$	П			
$\vdash$	+	+	-	+	+	-	+	+	+	+	+	+	+	+	-	+	+	-	-	+	+	-	-	+	+	-	+	_	+	_	+	+	+	_	$\vdash$	+
$\perp$	_	_	ш.	$\perp$	$\perp$	_	$\perp$		$\perp$	_		ш	_	ш		$\perp$	$\perp$	$\perp$		$\perp$	$\perp$	$\perp$			$\perp$	_	ш	_	ш		ш		ш		ш.	$\perp$
			11	1 1	1 1							1 1		1 1			1 1							11			1 1		1 1		1 1		1 1			
$\vdash$	$^{-}$	_	-	-	-	-	$\overline{}$	-	$\overline{}$	-	+	-	-	$\overline{}$	_		+	-		$\overline{}$	-	-		-	$\overline{}$	_	$\vdash$	-	$\overline{}$	_	$\vdash$		$\overline{}$		-	-
$\vdash$	_	_	-	$\vdash$	$\rightarrow$	_	$\perp$	_	$\rightarrow$	_	_	$\vdash$	_	$\vdash$	_	$\vdash$	$\perp$	-		$\vdash$	$\rightarrow$	$\perp$	$\perp$	$\vdash$	$\perp$	_	$\vdash$	_	$\rightarrow$	_	$\vdash$	_	$\vdash$	_	$\vdash$	$\perp$
				1 1	1 1							1 I					1 1				11			11			1 1				1 1		1 1			
$\vdash$	$\neg$	-	-	+	$\neg$	-	$\overline{}$	-	$\overline{}$	-	$\top$	$\vdash$	-	-			$\top$	-		-	-	-			$\top$	$\neg$	$\vdash$	-	-		$\vdash$		-	-		
$\vdash$	-	_	-	+	+	_	$\vdash$	_	-	_	+	$\vdash$	_	-	_	$\vdash$	+	-	_	+	+	$\perp$		-	$\perp$	_	$\vdash$	_	-	_	$\vdash$	_	$\vdash$	_	$\vdash$	-
			11	1 1	1 1							1 1		1 1			1 1							11			1 1		1 1		1 1		1 1		1 1	
		$\top$			$\Box$			$\neg$	$\top$				$\neg$	П		П				T					$\top$		П		П		П		П			
$\rightarrow$	-	-	-	+	$\overline{}$	_	-	-	$\rightarrow$	-	+	+	-	$\rightarrow$	_	-	+	-	_	+	$\rightarrow$	$\overline{}$	-	-	+	$\overline{}$	$\rightarrow$	-	+	_	₩	_	+	_	-	-
												$\perp$																			ш		ш			
														П											П		П		П		П					
$\rightarrow$	+	-	-	+	$\overline{}$	-	+	-	+	+	+	+	-	+	_	+	+	-	-	+	+	-	-	-	+	-	+	+	+	-	+	_	+	-	-	+
$\perp$	_	_	$\perp$	$\perp$	$\perp$		$\perp$		$\perp$			$\perp$	_	$\perp$		$\perp$	$\perp$			$\perp$	$\perp$	$\perp$		$\perp$	$\perp$	_	ш	_	$\perp$	_	ш		$\perp$			
				1 1	1 1							1 I					1 1				11			11			1 1				1 1		1 1			
$\vdash$	$^{-}$	-	-	+	-	-	$\overline{}$	-	+	-	+	+	-	$\overline{}$	-	-	+	-	-	-	$\rightarrow$	-	-	+	+	-	$\vdash$	-	$\overline{}$	_	$\vdash$	-	+	-	-	-
$\vdash$	-	+	$\vdash$	$\vdash$	$\perp$	_	$\vdash$	-	$\perp$	+	+	$\vdash$	-	$\vdash$	_	$\vdash$	+	$\perp$	-	+	+	$\perp$	-	$\vdash$	$\vdash$	_	$\vdash$	_	$\vdash$	_	$\vdash$	_	$\vdash$	_	$\vdash$	$\perp$
					1	- 1			1	- 1		1		1		Π				1	1 1			1 1	1 1		1		1		1		1		l I	1 1
					$\neg \neg$				$\Box$		$\top$					П					-															
$\vdash$	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	++	+	+	+	+	+	$\vdash$	+	+	+	$\vdash$	+	+	+	+	++
шЫ			ш	Ш	⊥LI		Ш		ш		丄	ᆈ		الله		ш	┸		ш	ш			ш	$\perp$	الله		L		الله		ш	丄	ш		ш	ш
	Т	Т	ΙТ	П	$\Box$	T	Т	Т	$\Box$	Т	Т	T	Т	П	Т	П		$\Box$		T	$\Box$	$\Box$		ΙТ	П	T	П	Т	П	Т	П	Т	П	Т	ГТ	П
+	+	+	-	+	+	_	+	+	+	+	+	+	+	++	+	+	+	_	$\vdash$	+	+	+	+	+	+	+	+	+	++	+	+	+	++	+	$\vdash$	++
$\Box$			$\perp$	$\perp$	ш		$\perp$					$\perp$		$\perp$		$\perp \perp$	$\perp$		$\perp$		$\perp$	$\perp$		$\perp$	$\perp$		$\perp$	$\perp$	$\perp$				$\perp$	$\perp$	$\perp \perp$	$\perp \perp$
T	- [	1	1 1	ιГ	1	1	ΙГ	- 1 -	ıΓ	- 1	1	1 T	- 1 -	1 T	- 1 -	ιГ	1 T	17		ıΓ	1 [	17	1 1	1 1	1 T	- 1 -	1 T	- 1 -	1 T	- 1 -	ıΤ	- 1 -	ιГ	- 1 7	I I -	1 [
$\rightarrow$	+	+	$\vdash$	+	+	+	+	+	+	+	+	$\vdash$	+	+	+	+	+		$\vdash$	+	+	+	+	+	+	$\rightarrow$	$\vdash$	+	+	+	1	+	+	+	$\vdash$	+
$\vdash$	+	+	$\vdash$	+	+	+	+	+	+	+	+	$\vdash$	+	$\vdash$	+	+	+	$\perp$	$\vdash$	+	+	$\perp$	$\vdash$	+	+	-	$\vdash$	+	$\vdash$	+	₩	+	$\vdash$	$\perp$	$\vdash$	+
			1 1		1	- 1			1	- 1		1		1		Η				1	1 1			1 1	1 1		1		1		1		1		l I	1 1
	$\neg$	$\top$			$\neg \neg$			$\neg$	$\top$	$\top$	1	$\Box$		$\Box$	$\neg$	$\Box$	$\neg$			$\top$	$\top$				$\Box$		$\Box$		$\Box$	$\neg$	$\Box$	$\neg$	$\Box$	$\neg$		
$\vdash$	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	$\vdash$	+	+	+	$\vdash$	+	+	+	+	+
ш	_		Ш.	ш	┸		ш		L	ш.	_	╙	_	L		ш	┸		ш.	ш			ш		الله		ш	_	L		ш		ш		Ш.	
	Т	Т		ΙТ	П		Т	T	П	Т	Т	T	Т	I	Т	ΙТ		$\top$		П		П			П	T		Т	I	Т	I	Т	П	Т		
+	+	+	-	+	+	_	+	+	+	+	+	+	+	+	+	+	+	-	$\vdash$	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	$\vdash$	++
$\sqcup$	_	$\perp$	$\vdash$	$\perp$	$\perp$	$\perp$	$\perp$	_	$\perp$	$\perp$	$\perp$	$\sqcup$	$\perp$	$\sqcup$	_	$\vdash$	$\perp$	$\perp$	$\perp$	$\perp$	$\perp$	$\perp$	$\perp$	$\perp$	$\perp$	$\perp$	$\sqcup$	$\perp$	$\sqcup$	$\perp$	╙	$\perp$	$\perp$	$\perp$	$\vdash$	$\perp$
			11	1 1	1 1							1 1		1 1			1 1							11			1 1		1 1		1 1		1 1		1 1	
	$^{+}$	+		+	-		+	+	+	+	+	+	+	+	_	+	+			+	+	-		+	+	-	+	+	+	-	+	+	+		$\vdash$	+
	-				$\perp$	_			$\perp$				- 1	1 1			1 1		_	$\vdash$	$\perp$	$\rightarrow$		$\vdash$	$\vdash$	_	$\vdash$	-	$\rightarrow$	_	$\vdash$		$\vdash$	_	-	-
		Т		П	11		П	Т	П	Т	Т	П		П		П	П							11			1 1				H		1 1			
$\mathbf{H}$	+	+	Н	Н	Н	+	$\perp$	+	Н	Ŧ	Ŧ	П	Ŧ	H	Ŧ	H	Н	+	+	Н	+	+	+	Н	+	+	Н	+	Н	+	Н	+	Н	+	H	Н
	1	H			$\pm$	+				ł	F		Ŧ					$\pm$	$\pm$	H	+		$\pm$					t	H			$^{+}$	H	t		
	+					+					F		Ŧ															+								
									H				Ŧ															+		+		+				
																												+								
																												+								

(c)	(i)	Compare the cooling of the water in the two containers.	[5]
			[2]

(ii)	Explain what has happened to produce the results you have obtained.	For Examiner's
		Use
	[3]	
(iii)	Describe how the human skin carries out a similar cooling process when the body becomes too hot.	
	[2]	
(d) (i)	Describe <b>two</b> ways in which your investigation is a fair test.	
	[2]	
(ii)	Describe <b>three</b> improvements you could make to increase the accuracy and reliability of this investigation.	
	[3]	
	[Total: 23]	

© UCLES 2008 0610/05/M/J/08

2	You are provided with two fruits, S1 and S2, which have been cut in half through the middle.	longitudinally
	(a) Make a large, labelled drawing of the cut surface of S1.	
	(b) Study the specimens S1 and S2.	[5]
	(i) Complete Table 2.1 to show four differences between the two fruits, S	1 and <b>S2</b>
	Table 2.1	. and <b>CL</b> .
	S1 S2	
1		
2	2	
3	3	

[4]

For Examiner's Use

4

	(ii) Describe two similarities between <b>S1</b> and <b>S2</b> .
	1.
(c)	Describe an investigation you could carry out to compare the reducing sugar content of these two fruits, <b>S1</b> and <b>S2</b> .
	Include any safety precautions you will need to consider.
	[6]
	[Total: 17]

For Examiner's Use

© UCLES 2008 0610/05/M/J/08

## **BLANK PAGE**

### **BLANK PAGE**

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.