CHEMISTRY		5070/0
Paper 1 Multiple (	Choice	October/November 200
		1 hou
Additional Materials:	Multiple Choice Answer Sheet	
	Soft clean eraser Soft pencil (type B or HB is recomme	anded)

## **READ THESE INSTRUCTIONS FIRST**

Write in soft pencil.

Do not use staples, paper clips, highlighters, glue or correction fluid.

Write your name, Centre number and candidate number on the answer sheet in the spaces provided unless this has been done for you.

There are **forty** questions on this paper. Answer **all** questions. For each question there are four possible answers **A**, **B**, **C**, and **D**.

Choose the **one** you consider correct and record your choice in **soft pencil** on the separate answer sheet.


## Read the instructions on the Answer Sheet very carefully.

Each correct answer will score one mark. A mark will not be deducted for a wrong answer. Any rough working should be done in this booklet. A copy of the Periodic Table is printed on page 20.


This document consists of **18** printed pages and **2** blank pages.

- 1 What is the most suitable way of investigating the different food colourings in some drinks?
  - A crystallisation
  - **B** filtration
  - **C** fractional distillation
  - **D** paper chromatography
- 2 A gas, X, is less dense than air and insoluble in water.

Which method cannot be used to collect the gas?



**3** The apparatus shown in the diagram was set up.



Over a period of time how will the water level at X change?

- **A** It will fall, then rise and return to **X**.
- **B** It will fall and remain at a lower level.
- **C** It will rise, then fall then return to **X**.
- **D** It will rise and remain at a higher level.
- 4 A salt is dissolved in water. The results of two separate tests on it are shown in the table.

	test	result
1	add aqueous ammonia	a white precipitate which dissolves when an excess of aqueous ammonia is added
2	add dilute nitric acid then aqueous barium nitrate	a white precipitate

What is the salt?

- A aluminium chloride
- B aluminium sulphate
- C zinc chloride
- D zinc sulphate

5 A researcher notices that atoms of an element **X** are releasing energy.

Why does this happen?

- **A** The atoms are affected by light.
- **B** The atoms are radioactive.
- **C** The atoms react with argon in the air.
- **D** The atoms are evaporating.
- 6 An atom of element **X** is represented by  ${}^{7}_{3}$ **X**.

Which statement about an atom of X is correct?

- A It is in Group III of the Periodic Table.
- **B** It is in Group VII of the Periodic Table.
- **C** The total number of protons and electrons is 6.
- **D** The total number of protons and neutrons is 10.
- 7 In which pair of substances, does each have a giant molecular structure?
  - A diamond, iodine
  - B diamond, silica (sand)
  - C iodine, methane
  - D methane, silica (sand)
- 8 In which substance is each carbon atom **covalently** bonded to only three other atoms?
  - A carbon dioxide
  - B diamond
  - **C** graphite
  - D methane

- 9 How many electrons are shared in the covalent bonding of a methane molecule?
  - **A** 2
  - **B** 4
  - **C** 6
  - **D** 8
- 10 The table gives information about the ability of four substances to conduct electricity.

substance	
W	does not conduct under any conditions
X	conducts only in aqueous solution
Y	conducts when molten and when solid
Z	conducts when molten and when in aqueous solution

What could these four substances be?


	W	X	Y	Z
Α	Pb	ΗCl	NaCl	S
в	S	ΗCl	NaCl	Pb
С	S	ΗCl	Pb	NaCl
D	S	NaCl	HCl	Pb

- **11** What is the mass of magnesium which completely reacts with 250 cm<sup>3</sup> of 1.0 mol/dm<sup>3</sup> sulphuric acid?
  - **A** 6g **B** 12g **C** 48g **D** 96g
- **12** A volume of ethane,  $C_2H_6$ , at r.t.p. has a mass of 20 g.

What is the mass of an equal volume of propene,  $\mathrm{C_3H_6},$  at r.t.p.?

**A** 20g **B** 21g **C** 28g **D** 42g

**13** Apparatus is set up as shown in the diagram.




What occurs at electrode X?

- A Chloride ions are oxidised.
- **B** Chloride ions are reduced.
- **C** Nickel ions are oxidised.
- **D** Nickel is deposited.
- **14** Which of the following, when added to water, makes a solution that is a good conductor of electricity?
  - A calcium carbonate
  - B copper
  - **C** ethanol
  - D sodium hydroxide

**15** The diagram shows an energy profile diagram for a chemical reaction.

Which energy change is the activation energy for the catalysed reaction?



**16** The formation of hydrogen iodide from hydrogen and iodine is an endothermic reaction.

 $H-H + I-I \longrightarrow H-I + H-I$ 

What may be deduced from this information?

- **A** The number of bonds broken is greater than the number of bonds formed.
- **B** The formation of H I bonds absorbs energy.
- **C** The products possess less energy than the reactants.
- **D** The total energy change in bond formation is less than that in bond breaking.

17 Calcium carbonate was reacted with an excess of dilute hydrochloric acid at room temperature.


 $\mathrm{CaCO}_3 \ + \ 2\mathrm{HC}l \ \longrightarrow \ \mathrm{CaC}l_2 \ + \ \mathrm{H_2O} \ + \ \mathrm{CO}_2$ 

Two experiments were carried out.

Experiment 1 100 g of calcium carbonate in large lumps.

Experiment 2 50 g of calcium carbonate as a fine powder.

Which of the graphs is correct?



- 18 When acidified potassium manganate(VII) is reduced, which colour change occurs?
  - **A** from colourless to purple
  - B from green to orange
  - **C** from orange to green
  - **D** from purple to colourless

**19** The pH of an aqueous solution of hydrochloric acid is 2.

What will be the pH of the acid after the addition of 10 g of sodium chloride?

- **A** 1
- **B** 2
- **C** 7
- **D** 9
- 20 An acid, X, was added to a solution of the nitrate of metal Y. A dense white precipitate was formed.

What are X and Y?

	acid <b>X</b>	metal Y
Α	hydrochloric	calcium
в	nitric	zinc
С	sulphuric	aluminium
D	sulphuric	barium

21 Aluminium sulphate is used in water treatment. Aqueous aluminium sulphate is acidic.


The table shows the results of tests on four different samples of treated water.

To which sample had an excess of aluminium sulphate been added?

sample	pH of sample	reaction with an excess of aqueous ammonia
Α	3	white precipitate
В	3	no reaction
С	7	no reaction
D	11	white precipitate

- 22 Which statement about the alkali metals is true?
  - A they form covalent bonds with Group VII elements
  - B they form oxides on reacting with water
  - C their melting points decrease on descending Group I
  - D their reactivities decrease on descending Group I

23 Which gas is present in the light bulb?



- A argon
- **B** krypton
- **C** nitrogen
- D oxygen
- 24 Which shows the correct catalyst for each industrial process?

	manufacture of sulphuric acid	manufacture of ammonia	manufacture of margarine
A	nickel	iron	vanadium(V) oxide
в	nickel	vanadium(V) oxide	iron
с	vanadium(V) oxide	iron	nickel
D	vanadium(V) oxide	nickel	iron


- 25 Which statement is not a reason for the importance of recycling aluminium?
  - **A** Aluminium is a rare metal in the Earth's crust.
  - **B** The demand for aluminium continues to rise annually.
  - **C** The extraction of aluminium from its ore is expensive.
  - **D** The properties of aluminium make it one of the most useful of all metals.
- 26 Three types of steel have different properties.

steel 1	easily shaped
steel 2	brittle
steel 3	resistant to corrosion

What are the names of these three types of steel?

	steel 1	steel 2	steel 3
Α	high carbon	mild	stainless
в	high carbon	stainless	mild
С	mild	high carbon	stainless
D	mild	stainless	high carbon

27 Four experiments on rusting are shown.



Which two experiments can be used to show that air is needed for iron to rust?


- **A** 1 and 3
- **B** 1 and 4
- **C** 2 and 3
- **D** 2 and 4

**28** The metals iron, lead and zinc can each be manufactured by the reduction of the oxides with coke.

What is the correct order of the ease of reduction of the metal oxides?

	oxides becoming more difficult to reduce	
Α	iron, lead, zinc	
в	iron, zinc, lead	
С	lead, iron, zinc	
D	zinc, iron, lead	

29 The diagram shows the structure of brass.



Why is brass harder than pure copper?

- **A** The zinc atoms form strong covalent bonds with copper atoms.
- **B** The zinc atoms prevent layers of copper atoms from slipping over each other easily.
- **C** The zinc atoms prevent the 'sea of electrons' from moving freely in the lattice.
- **D** Zinc atoms have more electrons than copper atoms.

- 30 Which of the following methods would not produce ammonia?
  - **A** heating concentrated aqueous ammonia
  - **B** heating ammonium chloride with calcium hydroxide
  - **C** heating ammonium sulphate with sodium hydroxide
  - **D** heating ammonium sulphate with dilute hydrochloric acid
- **31** Aqueous copper(II) sulphate is electrolysed using carbon electrodes.

What happens to the electrolyte?

- A It becomes more acidic.
- **B** It becomes more alkaline.
- **C** It turns deeper blue.
- **D** It remains unchanged.
- **32** The water in a lake showed signs of eutrophication.

What could be the cause of this?

- A increasing the amount of dissolved fertiliser
- B increasing the amount of dissolved oxygen
- **C** decreasing the amount of dissolved mineral salts
- D decreasing the number of bacteria
- **33** Methane, sulphur dioxide and carbon dioxide are gases which affect the atmosphere and the environment.


In what way do these gases affect the environment?

	methane	sulphur dioxide	carbon dioxide
Α	depletion of the ozone layer	acid rain	global warming
В	global warming	photochemical smog	acid rain
С	photochemical smog	global warming	depletion of the ozone layer
D	global warming	acid rain	global warming

**34** The macromolecules of proteins, fats and carbohydrates can all be broken down into their simple units by a similar process.

What is the process called?

- **A** esterification
- **B** hydrolysis
- **C** oxidation
- **D** reduction
- **35** The repeating units of two polymers, **X** and **Y**, are shown below.




What are X and Y?


	X	Y
Α	nylon	Terylene
в	starch	Terylene
с	protein	starch
D	nylon	protein

36 The table shows the results of tests carried out on compound X.


test	result
bromine water added	decolourised
sodium carbonate added	colourless gas evolved


Which formula represents compound X?





В





**37** Butane and methylpropane are isomers.


Which formula is different for the two isomers?

- Α empirical formula
- В general formula
- С molecular formula
- D structural formula

38 What is the general formula of the homologous series of carboxylic acids?

methanoic acid	HCO <sub>2</sub> H
ethanoic acid	CH <sub>3</sub> CO <sub>2</sub> H
propanoic acid	C <sub>2</sub> H <sub>5</sub> CO <sub>2</sub> H
butanoic acid	C₃H <sub>7</sub> CO₂H

- A CHO
- $\mathbf{B} = C_n H_{2n} O$
- $\mathbf{C} = \mathbf{C}_{n}\mathbf{H}_{n}\mathbf{O}_{n}$
- $\mathbf{D} = \mathbf{C}_{n}\mathbf{H}_{2n}\mathbf{O}_{2}$
- **39** A section of a polymer is shown.




The monomer is



The monomer undergoes condensation polymerisation. What is made each time a monomer adds to the polymer?

- **A** hydrogen molecules, H<sub>2</sub>
- B hydroxide ions, OH<sup>-</sup>
- C oxygen atoms, O
- **D** water molecules,  $H_2O$

40 The experiment shown is carried out.



watér

What process occurs?

- **A** cracking
- **B** dehydrogenation
- **C** distillation
- **D** polymerisation

## **BLANK PAGE**

## **BLANK PAGE**

						Ē	The Perio	DATA SHEET dic Table of th	DATA SHEET Periodic Table of the Elements	Elemen	ts						
								Gro	Group								
_	=											≡	2	>	5	١١٨	0
							Hydrogen										4 Helium
		ſ				-	-				_						2
2												÷	12	14	16	19 	20
<b>ב</b>		<u> </u>										m,	ပ	z	o ,	<b>L</b>	Se l
3 Lithium	beryllium 4	5										5 Boron	Carbon 6	Nitrogen 7	Oxygen 8	Fluorine 9	10 Neon
23	24											27	28	31	8	35.5	40
Na	M	~										Al	Si	۵.	S	CI	Ar
Sodium	Magnesium	tium										Aluminium	Silicon		Sulphur	Chlorine	Argon
Ħ	12											13	14	15	16	17	18
8	40		48	51	52	55	56	28	28	64	65	20	73	75	62	80	84
×	S	a Sc	Ħ	>	ບັ	R	Fe	ပိ	Ż	CC	Zn	Ga	Ge	As	s	Ъ	Ъ
Potassium	Calcium	s	Titanium	Vanadium	Chromium	Manganese	Iron	Cobalt	Nickel	Copper	Zinc	Gallium	Germanium	Arsenic	Selenium	Bromine	Krypton
19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36
85	88	89	91	93	96		101	103	106	108	112	115	119	122	128	127	131
Rb			z	qN	Mo	۲ ۲	Bu	Rh	Ъd	Ag	ខ	In	Sn	Sb	Te	Ι	Xe
Rubidium 37	Strontium	um Yttrium 39	Zirconium 40	Niobium 41	Molybdenum 42	Technetium 43	Ruthenium 44	Rhodium 45	Palladium 46	Silver 47	Cadmium 48	Indium 49	50 Tin	Antimony 51	Tellurium	lodine 53	Xenon 54
133	137		178	181	184	186	190	192	195		201		207	209			
Š	Ba		Ŧ	Ë	3	E B B B B B B B B B B B B B B B B B B B	SC	lr I	ä 🗗	Au	Ë	1L	n P		DO	Δt	Bn
Caesium		La	Hafnium	Tantalum	Tungsten	Bhenium	Osmium	Iridium	Platinum	Gold	Mercury	Thallium	Lead	Bismuth	Polonium	Astatine	Radon
55	56	Ω.	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86
	226	227															
۲ ۲	Ra																
Francium																	
87	88	89 †															
	-			140	141	144		150	152	157	159	162	165	167	169	173	175
L/-86°	Lanthai	58-/1 Lanthanoid series		ဗီ	ŗ		E	Sm	Ы	Gd	q	2	የ	ш	Ē	٩Y	Ľ
†90-10	3 Actinc	†90-103 Actinoid series		Cerium	Praseodymium		Promethium	Samarium	Europium	Gadolinium	Terbium	Dysprosium	Holmium	Erbium	Thulium	Ytterbium	Lutetium
L		-		58	59	60	61	62	63	64	65	99	67	68	69	0/	5
	ø	a = relative atomic mass	mass	232 <b>T b</b>	Ő	238	SN	0.1	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	Ę	10	۲	ц Ц	2	ΡM		7
Key	×	X = atomic symbol		Thorium	Protactinium	Uranium	Neptunium	Plutonium	Americium	Curium	Berkelium	Californium	Einsteinium	Fermium	Mendelevium	Nobelium	Lawrencium
	p	b = proton (atomic) number	) number	06	91	92	93	94	95	96	97	98	99	100	101	102	103

The volume of one mole of any gas is  $24\,\text{dm}^3$  at room temperature and pressure (r.t.p.).

5070/01/O/N/03

20