## UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS General Certificate of Education Ordinary Level

CHEMISTRY 5070/01

Paper 1 Multiple Choice

May/June 2004

1 hour

Additional Materials: Multiple Choice Answer Sheet

Soft clean eraser

Soft pencil (type B or HB is recommended)

## **READ THESE INSTRUCTIONS FIRST**

Write in soft pencil.

Do not use staples, paper clips, highlighters, glue or correction fluid.

Write your name, Centre number and candidate number on the answer sheet in the spaces provided unless this has been done for you.

There are **forty** questions on this paper. Answer **all** questions. For each question there are four possible answers **A**, **B**, **C**, and **D**.

Choose the one you consider correct and record your choice in soft pencil on the separate answer sheet.

## Read the instructions on the Answer Sheet very carefully.


Each correct answer will score one mark. A mark will not be deducted for a wrong answer. Any rough working should be done in this booklet.

A copy of the Periodic Table is to be found on page 16.

1 Aqueous hydrogen peroxide undergoes catalytic decomposition as shown in the equation below.

$$2H_2O_2(aq) \rightarrow 2H_2O(1) + O_2(q)$$


The diagram shows part of the apparatus used to measure the rate of decomposition.



Which piece of apparatus is connected at position X?

- A burette
- B gas syringe
- C measuring cylinder
- **D** pipette
- 2 A mixture of two substances is spotted on to a piece of chromatography paper.

The paper was inserted into a beaker containing a liquid.



For separation of the substances to occur the mixture must

- A be placed so that the spot is just below the level of the liquid.
- **B** be soluble in the liquid.
- **C** contain substances of the same R<sub>f</sub> values.
- **D** contain substances that are coloured.

3 In a sample of air at 25 °C, the molecules of oxygen, nitrogen and carbon dioxide all move with different average speeds.

Which of the following lists the molecules in order of decreasing average speed?

	fastest —		
Α	carbon dioxide	oxygen	nitrogen
В	nitrogen	oxygen	carbon dioxide
С	oxygen	carbon dioxide	nitrogen
D	oxygen	nitrogen	carbon dioxide


- 4 Which of the following is the best method of obtaining pure water from ink?
  - **A** chromatography
  - **B** distillation
  - **C** filtration
  - **D** freezing
- **5** The relative molecular mass,  $M_r$ , of copper(II) sulphate, CuSO<sub>4</sub>, is 160.

The relative molecular mass,  $M_r$ , of water is 18.

What is the percentage by mass of water in copper(II) sulphate crystals, CuSO<sub>4</sub>.5H<sub>2</sub>O?

- **A**  $\frac{18 \times 100}{160}$
- $\textbf{B} \qquad \frac{5 \times 18 \times 100}{160 + 18}$
- $c = \frac{18 \times 100}{160 + 18}$
- $D = \frac{5 \times 18 \times 100}{160 + (5 \times 18)}$

6 A solution of fertiliser was tested as shown.



Which ions must be present in the fertiliser?

- **A**  $NH_4^+$  and  $NO_3^-$
- **B**  $NH_4^+$  and  $Fe^{2+}$
- **C**  $Fe^{2+}$  and  $SO_4^{2-}$
- **D**  $Fe^{3+}$  and  $NO_3^-$
- 7 An element X has two isotopes, <sup>238</sup>X and <sup>235</sup>X.

How does <sup>238</sup>X differ from <sup>235</sup>X?

- **A** It has 3 more protons and 3 more electrons.
- **B** It has 3 more protons, but no more electrons.
- **C** It has 3 more neutrons and 3 more electrons.
- **D** It has 3 more neutrons, but no more electrons.

8 The formulae of the ions of four elements are shown below.


 $O^{2-}$   $F^{-}$   $Li^{+}$   $Mg^{2+}$ 

Which statement about these ions is correct?

They all have


- A the same number of electrons in their outer shells.
- **B** the same electronic structure as a noble gas.
- **C** the same number of protons in their nuclei.
- **D** more electrons than protons.

**9** Which diagram represents the structure of sand, SiO<sub>2</sub>?



- 10 What happens when sodium chloride melts?
  - A Covalent bonds in a giant lattice are broken.
  - **B** Electrons are released from atoms.
  - **C** Electrostatic forces of attraction between ions are overcome.
  - **D** Molecules are separated into ions.

11 In the circuit below, the lamp lights up.



What could X be?

- a solution of ethanol in water
- a solution of sodium chloride in water
- C liquid ethanol
- solid sodium chloride
- 12 The formula of china clay (aluminium silicate) was shown in an old book as Al<sub>2</sub>O<sub>3</sub>.2SiO<sub>2</sub>.2H<sub>2</sub>O.

This formula is shown in a modern book as  $Al_2(OH)_x Si_2O_y$ .

What are the values of *x* and *y* in the modern formula?

	Х	У
Α	2	4
В	2	5
С	4	3
D	4	5

- 13 What is the concentration of iodine,  $I_2$ , molecules in a solution containing 2.54 g of iodine in  $250\,\text{cm}^3$  of solution?
  - **A**  $0.01 \, \text{mol/dm}^3$  **B**  $0.02 \, \text{mol/dm}^3$  **C**  $0.04 \, \text{mol/dm}^3$  **D**  $0.08 \, \text{mol/dm}^3$
- 14 The formula of an oxide of uranium is UO<sub>2</sub>.

What is the formula of the corresponding chloride?

A UC $l_2$ B UCl<sub>4</sub>


 $\mathbf{C}$  U<sub>2</sub>ClU₄Cl

**15** The equation for the burning of hydrogen in oxygen is shown below.

$$2H_2(g) + O_2(g) \rightarrow 2H_2O(g)$$

Which information does this equation give about the reaction?


- A 36 g of steam can be obtained from 16 g of oxygen.
- **B** 2g of hydrogen combine with 1g of oxygen.
- **C** 2 mol of steam can be obtained from 1 mol of oxygen.
- **D** 2 atoms of hydrogen combine with 2 atoms of oxygen.
- **16** A current was passed through concentrated aqueous potassium chloride, KC*l*, as shown.



Which entry in the table is correct?

	ions moving towards					
	the cathode (-ve) the anode (+ve)					
Α	K⁺ only	C <i>l</i> ⁻ and OH⁻				
В	K <sup>+</sup> only	C <i>l</i> − only				
С	K⁺ and H⁺ C <i>1</i> ⁻ only					
D	K⁺ and H⁺ C <i>l</i> ⁻ and OH⁻					

17 When the experiment shown was set up, the bulb lit, but there were no decomposition products at the electrodes.



What is X?

A aqueous sodium chloride

**B** bromine

C molten sodium chloride

**D** mercury

18 Which of the following changes is endothermic?


**A**  $H(g) + Cl(g) \rightarrow HCl(g)$ 

**B**  $H_2O(g) \rightarrow 2H(g) + O(g)$ 

**C**  $H_2O(l) \rightarrow H_2O(s)$ 

**D**  $2H_2(g) + O_2(g) \rightarrow 2H_2O(1)$ 

19 The diagram shows apparatus for measuring the volume of hydrogen given off when an excess of dilute hydrochloric acid is added to powdered metal. The volume of gas is measured at room temperature and pressure.



The experiment is carried out three times, using the same mass of powder each time but with different powders:


- pure magnesium
- pure zinc
- a mixture of magnesium and zinc

Which powder gives the greatest volume of hydrogen and which the least volume?

	greatest volume of H <sub>2</sub>	least volume of H <sub>2</sub>		
Α	magnesium	zinc		
В	magnesium	the mixture		
С	zinc	magnesium		
D	zinc	the mixture		

- Which change will increase the speed of the reaction between 1 mol of each of the gases, X and Y?
  - A a decrease in surface area of the catalyst
  - B a decrease in temperature
  - **C** a decrease in the volume of the reaction flask
  - **D** an increase in the volume of the reaction flask

21 Dilute hydrochloric acid was reacted with magnesium ribbon and the volume of hydrogen gas evolved was measured for the first 80 s.



What was the average rate of production of hydrogen?

- **A**  $0.4 \, \text{cm}^3/\text{s}$
- **B**  $2.5 \, \text{cm}^3/\text{s}$
- $\mathbf{C} \quad 4 \,\mathrm{cm}^3/\mathrm{s}$
- **D**  $40 \, \text{cm}^3 / \text{s}$

22 Small portions of aqueous potassium iodide and of acidified, aqueous potassium manganate(VII) were added to four solutions. The colour changes seen are shown in the table.

solution number	potassium iodide	potassium manganate(VII)
1	colourless to red	purple to colourless
2	colourless to red	no change
3	no change	purple to colourless
4	no change	no change

Which solutions contained an oxidising agent?

- A 1 only
- **B** 1 and 2 only
- C 1 and 3 only
- **D** 2 and 4 only

23 The table gives information about three indicators.

indicator	colour change low pH ———➤ high pH	pH at which colour change takes place	
methyl orange	red — → yellow	4.0	
bromothymol blue	yellow ──► blue	6.5	
phenolphthalein	colourless — → pink	9.0	

If equal volumes of these three indicators were mixed, which colour would be observed at pH 5?


- A blue
- **B** green
- C orange
- **D** yellow

**24** A solution of hydrochloric acid has a concentration of 2 mol/dm<sup>3</sup>.

Different volumes of the acid are added to different volumes of aqueous sodium hydroxide.

NaOH + HC
$$l \rightarrow$$
 NaC $l$  + H<sub>2</sub>O

The maximum temperature of each mixture is measured. The graph shows the results.



What is the concentration of the aqueous sodium hydroxide?

- **A** 0.67 mol/dm<sup>3</sup>
- $\mathbf{B}$  1.3 mol/dm<sup>3</sup>
- $\mathbf{C}$  1.5 mol/dm<sup>3</sup>
- $\mathbf{D}$  3.0 mol/dm<sup>3</sup>

25 Which method of preparation of a pure salt solution requires the use of a pipette and burette?

- **A** BaC $l_2(aq)$  + H<sub>2</sub>SO<sub>4</sub>(aq)  $\rightarrow$  BaSO<sub>4</sub>(s) + 2HCl(aq)
- **B** CuO(s) + 2HC $l(aq) \rightarrow CuCl_2(aq) + H_2O(l)$
- **C** KOH(aq) + HCl(aq)  $\rightarrow$  KCl(aq) + H<sub>2</sub>O(I)
- **D** MgCO<sub>3</sub>(s) + H<sub>2</sub>SO<sub>4</sub>(aq)  $\rightarrow$  MgSO<sub>4</sub>(aq) + H<sub>2</sub>O(l) + CO<sub>2</sub>(g)

26 Which statement about the manufacture of ammonia by the Haber Process is correct?

- **A** The reactants and product are elements.
- **B** The reactants and product are gases.
- **C** The reactants and product are compounds.
- **D** The reactants are both obtained from the air.

27 Which of the following occurs in the Contact process?

- A Sulphur dioxide is dissolved in water.
- **B** Sulphur trioxide is dissolved in water.
- **C** Sulphur dioxide is dissolved in dilute sulphuric acid.
- **D** Sulphur trioxide is dissolved in concentrated sulphuric acid.


**28** The diagrams show the arrangements of the electrons of four elements.




element 1



element 2





Which two elements are metals?

- **A** 1 and 2
- **B** 1 and 3
- **C** 2 and 4
- **D** 3 and 4

29 Sodium, aluminium and sulphur are in the same period of the Periodic Table.

What trend in types of oxide occurs across this period?

	left -	•	right
Α	acidic	amphoteric	basic
В	amphoteric	basic	acidic
С	basic	acidic	amphoteric
D	basic	amphoteric	acidic

- **30** Use the Periodic Table to decide which element has all four of the properties shown.
  - high melting point
  - variable oxidation states
  - good electrical conductivity
  - forms coloured compounds
  - A caesium, Cs
  - B cobalt, Co
  - C iodine, I
  - **D** strontium, Sr
- 31 Iron rusts when exposed to oxygen in the presence of water.

Which of these methods will **not** slow down the rate of rusting of an iron roof?

- A attaching strips of copper to it
- B coating it with plastic
- **C** galvanising it with zinc
- **D** painting it
- 32 Why does aluminium have an apparent lack of reactivity?
  - **A** Aluminium has a coating of aluminium oxide, preventing further reaction.
  - **B** Aluminium has a giant molecular structure that is too hard to break.
  - **C** Aluminium is low in the reactivity series.
  - **D** The activation energy for the reaction of aluminium with other elements is too high.

- **33** Which oxide can be reduced to the metal by hydrogen?
  - A calcium oxide
  - B copper(II) oxide
  - C magnesium oxide
  - **D** sodium oxide
- **34** The data gives the concentration, in parts of pollutant per billion parts of air, of polluting gases in four different industrialised cities.

In which city are limestone buildings under greatest threat from pollution?

city	sulphur dioxide	nitrogen dioxide	ozone
Α	17	46	23
В	32	33	30
С	38	40	11
D	45	14	21

- **35** The water in a lake contains the following dissolved substances.
  - mineral salts
  - nitrates
  - oxygen
  - phosphates
  - sewage

How many of these substances can cause eutrophication?

- **A** 1
- **B** 2
- **C** 3
- **D** 4
- **36** The equation represents the conversion of starch to a simple sugar.

$$(C_6H_{10}O_5)_n + nH_2O \rightarrow nC_6H_{12}O_6$$
  
starch simple sugar

This reaction is an example of

- A condensation.
- B hydrogenation.
- C hydrolysis.
- **D** polymerisation.

37 Methane, CH<sub>4</sub>, the first member of the alkane homologous series, has a boiling point of –161 °C.

Which molecular formula and boiling point could be correct for another alkane?

	molecular formula	boiling point/°C		
Α	$C_2H_4$	-88		
В	$C_2H_6$	-185		
С	C <sub>3</sub> H <sub>6</sub>	-69		
D	C₃H <sub>8</sub>	-42		

38 A student carries out three tests on a gas X.

test	results
damp red litmus paper	stays red
aqueous bromine	stays brown
lighted splint	gas burns

Which gas could be X?

- ammonia
- В ethene
- methane
- D oxygen

39 An organic compound, Y, reacts with sodium hydroxide to give a compound with formula  $C_3H_5O_2Na$ .

What is compound **Y**?

- **A** ethanol
- propane
- propanoic acid
- **D** propanol

**40** Which compound has an addition reaction with chlorine?

- $\textbf{A} \quad C_2H_4 \qquad \qquad \textbf{B} \quad C_2H_6 \qquad \qquad \textbf{C} \quad C_2H_5OH \qquad \qquad \textbf{D} \quad CH_3CO_2H$

DATA SHEET
The Periodic Table of the Elements

	Т			1				1	
	0	4 <b>He</b> lium	20 <b>Ne</b> Neon	40 <b>Ar</b> Argon	84 <b>Kr</b> Krypton 36	131 <b>Xe</b> Xenon	Rn Radon 86		175 <b>Lu</b> Lutetium
	II/		19 <b>T</b> Fluorine	35.5 <b>C 1</b> Chlorine	80 <b>Br</b> Bromine 35	127 <b>I</b> lodine 53	At Astatine 85		173 Yb Ytterbium
	>		16 Oxygen 8	32 <b>S</b> Sulphur	79 <b>Se</b> Selenium 34	128 <b>Te</b> Tellurium	<b>Po</b> Polonium 84		169 <b>Tm</b> Thulium
	>		14 <b>N</b> Nitrogen 7	31 <b>P</b> Phosphorus	75 <b>As</b> Arsenic	22 <b>ib</b> nony	209 <b>Bi</b> Bismuth		167 <b>Er</b> Erbium
	≥		12 <b>C</b> Carbon	28 <b>Si</b> Silicon	73 <b>Ge</b> Germanium		207 <b>Pb</b> Lead 82		165 <b>Ho</b>
	=		11 Boron 5	27 <b>A1</b> Aluminium 13		115 <b>In</b> Indium	204 <b>T 1</b> Thallium		162 <b>Dy</b> Dysprosium
					65 <b>Zn</b> Zinc 30	_	201 <b>Hg</b> Mercury 80		159 <b>Tb</b> Terbium
					64 Copper 29	108 <b>Ag</b> Silver			157 <b>Gd</b> Gadolinium
dn					59 <b>Ni</b> Nickel	106 Pd Palladium	195 <b>Pt</b> Platinum 78		152 <b>Eu</b> Europium
Group					59 <b>Co</b> Cobalt	103 Rh Rhodium	192 <b>Ir</b> Iridium		J50 Samarium
		T Hydrogen			56 <b>Fe</b> Iron	101 <b>Ru</b> Ruthenium 44	190 <b>Os</b> Osmium 76		<b>Pm</b> Promethium
			ı		Mn Manganese	Tc Technetium 43	186 <b>Re</b> Rhenium 75		144 <b>Nd</b> Neodymium
					52 <b>Cr</b> Chromium 24	96 <b>Mo</b> Molybdenum 42	184 <b>W</b> Tungsten 74		141 <b>Pr</b> Praseodymium
					51 V Vanadium 23	93 Nobium	181 <b>Ta</b> Tantalum		140 <b>Ce</b>
					48 <b>T</b> Titanium	91 Zr Zirconium 40	178 <b>Hf</b> Hafhium * 72		
					Scandium 21	89 <b>×</b>	139 <b>La</b> Lanthanum 57 *	Actinium Actinium 89	series iries
	=		9 <b>Be</b> Beryllium	24 Mg Magnesium	40 Ca Calcium 20	Strontium	137 <b>Ba</b> Barium 56	226 <b>Ra</b> Radium 88	'58-71 Lanthanoid series 90-103 Actinoid series
	_		7 <b>Li</b> thium	23 <b>Na</b> Sodium	39 <b>K</b> Potassium 19	Rb Rubidium 37	133 Cs Caesium 55	<b>Fr</b> Francium 87	*58-71 Lanthanoid series 90-103 Actinoid series

175 <b>Lu</b> Lutetium 71	<b>Lr</b> Lawrencium 103
<b>Yb</b> Ytterbium 70	No Nobelium 102
169 <b>Tm</b> Thulium 69	Md Mendelevium 101
167 <b>Er</b> Erbium 68	Fm Fermium 100
165 <b>Ho</b> Holmium 67	<b>ES</b> Einsteinium 99
162 Dy Dysprosium 66	Cf Californium 98
159 <b>Tb</b> Terbium 65	<b>BK</b> Berkelium 97
157 <b>Gd</b> Gadolinium 64	<b>Cm</b> Curium
152 <b>Eu</b> Europium 63	Am Americium 95
150 Samarium 62	<b>Pu</b> Plutonium 94
Pm Promethium 61	Neptunium 93
144 <b>Nd</b> Neodymium 6	238 <b>U</b> Uranium 92
741 Praseodymium 59	Pa Protactinium 91
140 <b>Ce</b> Cerium 58	232 <b>Th</b> Thorium 90

The volume of one mole of any gas is 24 dm<sup>3</sup> at room temperature and pressure (r.t.p.).

b = proton (atomic) number

a = relative atomic massX = atomic symbol

Key