




---

**IBM Japanese Graphic Character Set, Kanji**

DBCS - Host and DBCS - PC

---



---

**IBM Japanese Graphic Character Set, Kanji**

DBCS - Host and DBCS - PC

---

**IBM Japanese Graphic Character Set, Kanji**

DBCS - Host and DBCS - PC

**Contents**

<b>Introduction</b> . . . . .	1	<b>8. DBCS-Host Specification</b> . . . . .	11
<b>1. Scope</b> . . . . .	1	<b>8.1 Format of DBCS-Host Specification Tables</b> . . . . .	11
<b>1.1 Abstract</b> . . . . .	1	<b>8.2 Non-Kanji Set</b> . . . . .	12
<b>1.2 Objective</b> . . . . .	1	<b>8.3 Basic Kanji Set</b> . . . . .	23
<b>1.3 Application</b> . . . . .	1	<b>8.4 Extended Kanji Set</b> . . . . .	86
<b>1.4 Effective Date</b> . . . . .	1	<b>8.5 New Extended Non-Kanji Set</b> . . . . .	154
<b>2. Document Administration</b> . . . . .	1	<b>8.6 New Extended Kanji Set</b> . . . . .	194
<b>2.1 Originating Area and Responsibility</b> . . . . .	1	<b>9. DBCS-PC Specification</b> . . . . .	301
<b>2.2 Authorization</b> . . . . .	1	<b>9.1 Format of DBCS-PC Specification Tables</b> . . . . .	301
<b>2.3 Compliance</b> . . . . .	1	<b>9.2 Non-Kanji Set</b> . . . . .	301
<b>2.4 Property Statement</b> . . . . .	1	<b>9.3 Level 1 Kanji Set</b> . . . . .	312
<b>3. Related Documents</b> . . . . .	1	<b>9.4 Level 2 Kanji Set</b> . . . . .	370
<b>3.1 Superseded Documents</b> . . . . .	1	<b>9.5 IBM-Selected Non-Kanji Set</b> . . . . .	436
<b>3.2 Referenced External Documents</b> . . . . .	2	<b>9.6 IBM-Selected Kanji Set</b> . . . . .	437
<b>3.3 Referenced IBM Documents</b> . . . . .	2	<b>Supplementary Information</b> . . . . .	444
<b>3.4 Copyright Permission</b> . . . . .	2	<b>10. Definition of Terms</b> . . . . .	444
<b>Requirements</b> . . . . .	2	<b>10.1 Product</b> . . . . .	444
<b>4. External Standards</b> . . . . .	2	<b>10.2 Graphic Character</b> . . . . .	444
<b>4.1 ISO Standard</b> . . . . .	2	<b>10.3 User Definable Character</b> . . . . .	444
<b>4.2 The Japanese Industrial Standard</b> . . . . .	2	<b>10.4 Universal Multiple-Octet Coded Character Set (UCS)</b> . . . . .	444
<b>4.3 Microsoft Windows Japanese Unicode Subset</b> . . . . .	3	<b>10.5 Graphic Character Global Identifier (GCGID)</b> . . . . .	444
<b>4.4 Relation of IBM, JIS and Unicode Character Set</b> . . . . .	3	<b>10.6 Graphic Character UCS Identifier (GCUID)</b> . . . . .	444
<b>4.4.1 Character Coverage</b> . . . . .	3	<b>10.7 Graphic Character Set</b> . . . . .	444
<b>4.4.2 Code Scheme</b> . . . . .	3	<b>10.8 Byte</b> . . . . .	444
<b>5. Specification of Character Repertoire</b> . . . . .	3	<b>10.9 Graphic Character Set Global Identifier (GCSGID)</b> . . . . .	444
<b>5.1 Identification of Graphic Characters</b> . . . . .	3	<b>10.10 Code</b> . . . . .	444
<b>5.2 Algorithm of GCGID</b> . . . . .	4	<b>10.11 Code Point</b> . . . . .	444
<b>6. Character Sets and Code Pages</b> . . . . .	4	<b>10.12 Code Page</b> . . . . .	444
<b>6.1 Registration of GCSGID and CPGID</b> . . . . .	4	<b>10.13 Registered Code Page</b> . . . . .	444
<b>6.2 Structure of Japanese DBCS-Host</b> . . . . .	7	<b>10.14 Unrestricted Code Page</b> . . . . .	444
<b>6.3 Structure of Japanese DBCS-PC</b> . . . . .	8	<b>10.15 Code Page Global Identifier (CPGID)</b> . . . . .	444
<b>7. Code Translation Correspondence</b> . . . . .	10	<b>10.16 Coded Graphic Character</b> . . . . .	444
<b>7.1 Code Translation Correspondence of Kanji and non-Kanji Characters</b> . . . . .	10	<b>10.17 Coded Graphic Character Set</b> . . . . .	444
<b>7.1.1 Between DBCS-Host (CS65535/CP00300) and DBCS-PC</b> . . . . .	10	<b>10.18 Registered Coded Graphic Character Set</b> . . . . .	444
<b>7.1.2 Between DBCS-Host (CS65535/CP00300) and DBCS-PC (New JIS Sequence)</b> . . . . .	10	<b>10.19 Coded Graphic Character Set Global Identifier (CGCSGID)</b> . . . . .	444
<b>7.1.3 Between DBCS-Host (CS65535/CP00300) and DBCS-EUC</b> . . . . .	10	<b>10.20 EBCDIC</b> . . . . .	445
<b>7.1.4 Between DBCS-PC and DBCS-EUC</b> . . . . .	10	<b>10.21 PC Code</b> . . . . .	445
<b>7.1.5 Between DBCS-PC and DBCS-PC (New JIS Sequence)</b> . . . . .	10	<b>10.22 SBCS</b> . . . . .	445
<b>7.2 Code Translation Correspondence of User Definable Characters</b> . . . . .	10	<b>10.23 DBCS</b> . . . . .	445
<b>7.2.1 Between DBCS-Host (CS65535/CP00300) and DBCS-PC</b> . . . . .	10	<b>10.24 DBCS-Host</b> . . . . .	445
<b>7.2.2 Between DBCS-Host (CS65535/CP00300) and DBCS-PC (New JIS Sequence)</b> . . . . .	10	<b>10.25 DBCS-PC</b> . . . . .	445
<b>7.2.3 Between DBCS-Host (CS65535/CP00300) and DBCS-EUC</b> . . . . .	10	<b>10.25.1 Ward</b> . . . . .	445
<b>7.2.4 Between DBCS-PC and DBCS-EUC</b> . . . . .	11	<b>11. History of JIS Coded Character Set Standards</b> . . . . .	445
<b>7.2.5 Between DBCS-PC and DBCS-PC (New JIS Sequence)</b> . . . . .	11	<b>11.1 JIS C 6226-1978</b> . . . . .	445
<b>8. DBCS-Host Specification</b> . . . . .	11	<b>11.2 JIS X 0208-1983</b> . . . . .	445
<b>8.1 Format of DBCS-Host Specification Tables</b> . . . . .	11	<b>11.3 JIS X 0208-1990</b> . . . . .	445
<b>8.2 Non-Kanji Set</b> . . . . .	12	<b>11.4 JIS X 0208-1997</b> . . . . .	445
<b>8.3 Basic Kanji Set</b> . . . . .	23	<b>11.5 JIS X 0212-1990</b> . . . . .	445
<b>8.4 Extended Kanji Set</b> . . . . .	86	<b>11.6 JIS X 0221-1995</b> . . . . .	445
<b>8.5 New Extended Non-Kanji Set</b> . . . . .	154	<b>12. Difference From the Former Specification</b> . . . . .	446
<b>8.6 New Extended Kanji Set</b> . . . . .	194	<b>12.1 Difference From the revision 89-08 to revision 92-11</b> . . . . .	446
<b>9. DBCS-PC Specification</b> . . . . .	301	<b>12.1.1 Addition of 2 characters</b> . . . . .	446
<b>9.1 Format of DBCS-PC Specification Tables</b> . . . . .	301		
<b>9.2 Non-Kanji Set</b> . . . . .	301		
<b>9.3 Level 1 Kanji Set</b> . . . . .	312		
<b>9.4 Level 2 Kanji Set</b> . . . . .	370		
<b>9.5 IBM-Selected Non-Kanji Set</b> . . . . .	436		
<b>9.6 IBM-Selected Kanji Set</b> . . . . .	437		
<b>Supplementary Information</b> . . . . .	444		
<b>10. Definition of Terms</b> . . . . .	444		
<b>10.1 Product</b> . . . . .	444		
<b>10.2 Graphic Character</b> . . . . .	444		
<b>10.3 User Definable Character</b> . . . . .	444		
<b>10.4 Universal Multiple-Octet Coded Character Set (UCS)</b> . . . . .	444		
<b>10.5 Graphic Character Global Identifier (GCGID)</b> . . . . .	444		
<b>10.6 Graphic Character UCS Identifier (GCUID)</b> . . . . .	444		
<b>10.7 Graphic Character Set</b> . . . . .	444		
<b>10.8 Byte</b> . . . . .	444		
<b>10.9 Graphic Character Set Global Identifier (GCSGID)</b> . . . . .	444		
<b>10.10 Code</b> . . . . .	444		
<b>10.11 Code Point</b> . . . . .	444		
<b>10.12 Code Page</b> . . . . .	444		
<b>10.13 Registered Code Page</b> . . . . .	444		
<b>10.14 Unrestricted Code Page</b> . . . . .	444		
<b>10.15 Code Page Global Identifier (CPGID)</b> . . . . .	444		
<b>10.16 Coded Graphic Character</b> . . . . .	444		
<b>10.17 Coded Graphic Character Set</b> . . . . .	444		
<b>10.18 Registered Coded Graphic Character Set</b> . . . . .	444		
<b>10.19 Coded Graphic Character Set Global Identifier (CGCSGID)</b> . . . . .	444		
<b>10.20 EBCDIC</b> . . . . .	445		
<b>10.21 PC Code</b> . . . . .	445		
<b>10.22 SBCS</b> . . . . .	445		
<b>10.23 DBCS</b> . . . . .	445		
<b>10.24 DBCS-Host</b> . . . . .	445		
<b>10.25 DBCS-PC</b> . . . . .	445		
<b>10.25.1 Ward</b> . . . . .	445		
<b>11. History of JIS Coded Character Set Standards</b> . . . . .	445		
<b>11.1 JIS C 6226-1978</b> . . . . .	445		
<b>11.2 JIS X 0208-1983</b> . . . . .	445		
<b>11.3 JIS X 0208-1990</b> . . . . .	445		
<b>11.4 JIS X 0208-1997</b> . . . . .	445		
<b>11.5 JIS X 0212-1990</b> . . . . .	445		
<b>11.6 JIS X 0221-1995</b> . . . . .	445		
<b>12. Difference From the Former Specification</b> . . . . .	446		
<b>12.1 Difference From the revision 89-08 to revision 92-11</b> . . . . .	446		
<b>12.1.1 Addition of 2 characters</b> . . . . .	446		



IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

12.1.2 Correction of GCGIDs . . . . .	446	12.2.1 Extension of DBCS-Host (CPGID 00300) . . . . .	446
12.1.3 Changes of Graphic Images . . . . .	446		
<b>12.2 Difference From the revision 92-11 to revision 99-03 . . . . .</b>	<b>446</b>		

**13. Graphic Character Representation . . . . . 448**

**Tables**

1. Registration of GCSGID and CPGID for the IBM Japanese Graphic Character Set . . . . .	5	12. Non-Kanji Set, DBCS-PC . . . . .	301
2. Structure of Japanese DBCS-Host . . . . .	7	13. Level 1 Kanji Set (1 of 2), DBCS-PC . . . . .	312
3. Structure of Japanese DBCS-PC . . . . .	8	14. Level 1 Kanji Set (2 of 2), DBCS-PC . . . . .	339
4. Format of DBCS-Host Specification Tables . . . . .	11	15. Level 2 Kanji Set (1 of 2), DBCS-PC . . . . .	370
5. Non-Kanji Set, DBCS - Host . . . . .	12	16. Level 2 Kanji Set (2 of 2), DBCS-PC . . . . .	397
6. Basic Kanji Set (1 of 2), DBCS-Host . . . . .	23	17. IBM-Selected Non-Kanji Set, DBCS-PC . . . . .	436
7. Basic Kanji Set (2 of 2), DBCS-Host . . . . .	63	18. IBM-Selected Kanji Set, DBCS - PC . . . . .	437
8. Extended Kanji Set (1 of 2), DBCS-Host . . . . .	86	19. 61 NEC Selected Characters . . . . .	447
9. Extended Kanji Set (2 of 2), DBCS-Host . . . . .	123	20. 3 non-Kanji characters from Halfwidth and Fullwidth Forms in JIS X 0221 . . . . .	448
10. New Extended Non-Kanji Set . . . . .	154	21. Sample Heisei Graphic Images . . . . .	449
11. New Extended Kanji Set . . . . .	194		



# IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

## Introduction

### 1. Scope

#### 1.1 Abstract

This document is a registry of the IBM Japanese *Graphic Character Set*, in which the following are set forth:

- the repertoire of the IBM Japanese *Graphic Character Sets* is specified.
- each *graphic character* of the repertoire is identified by a *Graphic Character Global Identifier* (GCGID) or *Graphic Character UCS Identifier* (GCUID).
- *graphic character sets*, which are the subsets of the repertoire are specified and identified by *Graphic Character Set Global IDs* (GCSGID).
- two *code pages*, *DBCS-Host* and *DBCS-PC* for the *graphic character sets* are specified and identified by *Code Page Global IDs* (CPGID).
- code translation correspondence between *DBCS-Host* and *DBCS-PC* are specified.

#### 1.2 Objective

The objectives of this document are:

- 1) to make available to all developers supporting Japanese the specification of the Japanese *graphic character sets* and *code pages*.
- 2) To ensure consistent implementation of the Japanese *DBCS Graphic Character Sets* and *code pages* and the code correspondence between *DBCS-Host* and *DBCS-PC*.

**Note:** This document is one of a set of documents defined in C-S 3-3220-019, *Coded Character Sets Implementation*. The reader should be familiar with the requirements specified in C-S 3-3220-019 which describe the relationship of the documents. Note also that the requirements for compliance with this specification are described in C-S 3-3220-019.

Terms in italics (except in headings) are defined in the Supplementary Information section.

X'nn' or X'nnnn' represents a hexadecimal notation.

#### 1.3 Application

This specification is applicable to all IBM products which implement the IBM Japanese *Graphic Character Set* specified in this specification and which are announced or released to production (whichever occurs first) after date of publication.

#### 1.4 Effective Date

This document takes effect with its publication.

### 2. Document Administration

#### 2.1 Originating Area and Responsibility

This document is maintained by the Standards Project Authority (SPA) for:

**SIRS Code:** 029 (Double-Byte Character Set (DBCS))  
**Location Code:** 93K (Yamato)  
**Division:** AP  
**SCRL Group:** None  
**Page Count:** 449

#### 2.2 Authorization

Publication of this document was approved by the Standards Authorities of the affected operating units.

#### 2.3 Compliance

Compliance with the requirements of this document is recommended unless it is called out as a requirement in a standard or equivalent document. It then assumes the same compliance requirements as that document.

#### 2.4 Property Statement

This document is the property of IBM. Its use outside IBM is authorized only for responding to a request for quotation or for the performance of work for IBM. All supplier/vendor questions must be referred to the IBM purchasing department.

### 3. Related Documents

#### 3.1 Superseded Documents

C-H 3-3220-024 dated 1992-11.

**Note:** Changes in this edition (1999-03) are indicated by the character "|" (vertical bar) in the revision column.

**IBM Japanese Graphic Character Set, Kanji**

DBCS - Host and DBCS - PC

**3.2 Referenced External Documents****ISO 646**

Information technology - ISO 7-bit coded character set for information interchange

**C-S 3-3220-002***Extended BCD Interchange Code (EBCDIC)***C-S 3-3220-019***Coded Character Sets, Implementation***ISO/IEC 10646-1**

Information technology - Universal Multiple-Octet Coded Character Set (UCS)

**C-H 3-3220-050***REGISTRY, Graphic Character Sets and Code Pages***JIS X 0208**

Code of the Japanese Graphic Character Set for Information Interchange

**C-H 3-3220-055***Graphic Character Identification System***JIS X 0201**

7-bit and 8-bit coded character sets for information interchange

**C-S 3-3220-102***Double-Byte Character Set (DBCS)***JIS X 0212**

Code of the Supplemental Japanese Graphic Character Set for Information Interchange

**C-H 3-3220-127***IBM Japanese Graphic Character Set for Extended UNIX Code (EUC) DBCS - EUC***JIS X 0221**

Information technology - Universal Multiple-Octet Coded Character Set (UCS)

**C-H 3-3220-133***IBM Japanese Graphic Character Set, Kanji, for Open Environment DBCS-PC (New JIS Sequence)***3.4 Copyright Permission**

Not applicable.

**3.3 Referenced IBM Documents****Requirements****4. External Standards****4.1 ISO Standard**

- ISO/IEC 10646-1:1993, ("ISO 10646-1" hereinafter) specifies the Universal Multiple-Octet Coded Character Set (UCS). It is applicable to the representation, transmission, interchange, processing, storage, input and presentation of the written form of the language of the world as well as additional symbols. It contains 20,902 CJK unified ideographs.

**4.2 The Japanese Industrial Standard**

- JIS X 0208-1997, *Code of the Japanese Graphic Character Set for Information Interchange* defines total 6,879 characters, 2,965 First Level Kanji characters, 3,390 Second Level Kanji characters and 524 non-Kanji characters based on the JIS 7-bits code scheme.

- JIS X 0212-1990, *Code of the Japanese Graphic Character Set for Information Interchange* defines total 6,067 characters, 5,801 Kanji characters and 266 non-Kanji characters based on the JIS 7-bits code scheme.

- JIS X 0221-1995 (JIS for ISO 10646-1), *Japanese translation of ISO 10646-1:1993* defines all the character sets supported by both JIS X 0208 and JIS X 0212. Moreover, JIS X 0221-1995 defines the seven Japanese Sub-repertoires. The content and number of characters for each Sub-repertoire are as follows:

- Sub-repertoire (1): 6,884 characters

**BASIC JAPANESE**

The characters specified in JIS X 0201-1976 and JIS X 0208-1990.

- Sub-repertoire (2): 1,913 characters

**JAPANESE NON-IDEOGRAPHICS SUPPLEMENT**

## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

This set comprises all non-ideographic characters of JIS X 0212-1990 plus newly added characters in JIS X 0221-1995 that are supplemental symbols used in Japanese publications, and are in Annex 1 of JIS X 0221-1995.

- Sub-repertoire (3): 918 characters  
**JAPANESE IDEOGRAPHICS SUPPLEMENT 1**

This set comprises Kanji characters specified in JIS X 0212-1990 that are frequently used, and are in Annex 1 of JIS X 0221-1995.

- Sub-repertoire (4): 4,883 characters  
**JAPANESE IDEOGRAPHICS SUPPLEMENT 2**

This set comprises all the Kanji characters specified in JIS X 0212-1990 that do not belong to the Japanese Sub-repertoire (3) of JIS X 0221-1995.

- Sub-repertoire (5): 8,746 characters  
**JAPANESE IDEOGRAPHICS SUPPLEMENT 3**

This set comprises Kanji characters which are not defined in J column of the CJK Unified Ideographs block in JIS X 0221.

- Sub-repertoire (6): 94 characters  
**FULL-WIDTH ALPHANUMERIC**

This set comprises the full-width alphanumeric characters, and are in Table 4 in Annex 1 of JIS X 0221-1995.

- Sub-repertoire (7): 63 characters  
**HALF-WIDTH KATAKANA**

This set comprises the half-width Katakana characters, and are in Table 5 in Annex 1 of JIS X 0221-1995.

### 4.3 Microsoft Windows Japanese Unicode Subset

103 Japanese non-Kanji characters are enhanced by Microsoft Windows Japanese Unicode Subset in addition to all the Japanese Sub-repertoires except for Sub-repertoire (5) in JIS X 0221.

### 4.4 Relation of IBM, JIS and Unicode Character Set

**4.4.1 Character Coverage.** As for characters of PC, the IBM Japanese *Graphic Character Set* defines total 7,265 coded *graphic characters* and it is a superset of JIS X 0208.

As for characters of Host code, it supports five Japanese Sub-repertoires except for Sub-repertoire (5) and (7), which means that includes Microsoft Windows Japanese Unicode Subset.

Moreover, it supports the following character sets in addition to the five Japanese Sub-repertoires:

- 103 Japanese non-Kanji characters enhanced by Microsoft Windows
- 31 non-Kanji subset characters including euro currency sign proposed by JIS X 0213\*
- 81 Kanji characters defined in IBM selected characters

It contains both JIS X 0208-1997 and JIS X 0212-1990, and defines total 14,823 coded *graphic characters*.

**Note:** \* As of March in 1999, JIS X 0213 is not an official standard, and it will be published by the end of 1999. The name of standard may be changed, since it is called tentatively.

**4.4.2 Code Scheme.** The code schemes for the IBM Japanese *Graphic Character Set* are *DBCS-Host* and *DBCS-PC*, which are defined C-S 3-3220-102 and independent of the code scheme of JIS X 0208-1997, JIS X 0212-1990 and JIS X 0221-1995.

## 5. Specification of Character Repertoire

### 5.1 Identification of Graphic Characters

This document specifies the repertoire of the Japanese *graphic character sets*. Each *graphic character* of the repertoire is identified by a unique *Graphic Character Global ID (GCGID)* and *Graphic Character UCS Identifier (GCUID)* for characters defined in UCS-2.

In Japanese *graphic character sets*, GCGIDs for Kanji take the form 'Izzz0080', and those for *user definable characters* take the form 'Xzzz0080', following the



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

specification of C-H 3-3220-055. GCGIDs of non-Kanji *graphic characters* refer to those registered in C-H 3-3220-055.

The GCUID format is for defining additional characters and sets of characters that (mostly) exist in UCS-4 and need to be used on IBM code pages. The format allows all current and future characters from UCS-2 and at least the first sixteen additional planes from UCS-4 to be described. It also allows glyph variants not defined in UCS to be defined as well as allowing for the glyph variants of the unified Han area of UCS-2.

For those characters that exist in ISO 10646-1, the graphic character descriptive name specified in that standard is used as a description for the GCUID.

GCUIDs take the form 'U000xxxx' (xxxx: UCS-2 code point), following the specification of C-H 3-3220-055.

The 1,322 non-Kanji characters for new DBCS-Host characters are defined by GCUID.

### 5.2 Algorithm of GCGID

zzz value for 'Izzz0080' and 'Xzzz0080' is calculated by the following algorithm:

- 1) Assign virtual *codes* starting with the first *code point* of *EBCDIC* code range sequentially to the *graphic character set* of the proper collating.
- 2) Convert both *bytes* of the *code* from hexadecimal to decimal.
- 3) Subtract 64 from both numbers.

4) Multiply the high-order number by 192 and add the low-order number to the result.

5) Convert the resulting number to a base 36 number, where the values from 0 through 35 are 0 through 9, followed by A through Z. (The conversion algorithm is essentially the same as would be used to convert from decimal to hexadecimal.) The resulting value will be a three digit value. For Japanese, it must be between 0QP (for code point X'4541') and 9HA (for code point X'7FFE').

## 6. Character Sets and Code Pages

### 6.1 Registration of GCSGID and CPGID

This specification registers subsets of the IBM Japanese *Graphic Character Set* and identifies them by *Graphic Character Set Global Identifier (GCSGID)*.

It also specifies relevant *code pages* for those *registered graphic character set; DBCS-Host* and *DBCS-PC*, and identifies them by *Code Page Global Identifier (CPGID)*.

Table 1 on page 5 specifies the *GCSGIDs* and *CPGIDs* of the *registered coded graphic character sets* of Japanese.

The registration category "U" means "Unrestricted", which implies that *graphic character sets* and *code pages* in this category have potential broad implementation in information processing *products*.

**Note:** See C-H 3-3220-050 for the detail of registration categories of *graphic character sets* and *code pages*.



**IBM Japanese Graphic Character Set, Kanji**

DBCS - Host and DBCS - PC

<b>Table 1 (Page 1 of 2).</b> Registration of GCSGID and CPGID for the IBM Japanese Graphic Character Set					
<b>CGCSGID</b> <b>GCSGID</b>	<b>CPGID</b>	<b>Name</b>	<b>Set Size</b>	<b>Reference in Table 2 on page 7 and Table 3 on page 8</b>	<b>Category of Registration</b>
65535	00300	Extended Japanese DBCS-Host, including 12,237 Kanji characters, 2,585 Non-Kanji characters, 6,205 UDCs, and other growing characters Wards 41 to 44 for Non-Kanji characters Wards 45 to 68 for Kanji characters Wards B8 to D5 for New Extended Kanji characters Wards D6 to E9 for New Extended Non-Kanji characters	21,028 (Mini - mum)	area 0, 1, 2, 3, 4, 6, and 7 of Table 2	U
02053	00300	Extended Japanese DBCS-Host without UDCs	14,823	area 0, 1, 2, 3, 6, and 7 of Table 2	U
00370	00300	DBCS-Host including 1880 UDCs Wards 40 to 72	9,145	area 0, 1*, 2, 3, and 4*** of Table 2	U
00540	00300	DBCS-Host, Non-Kanji Set Wards 40, 41, 42, 43 and 44	550	area 0, 1* of Table 2	U
00571	00300	DBCS-Host, Basic Kanji Set Wards 45 to 55	3,226	area 2 of Table 2	U
00572	00300	DBCS-Host, Extended Kanji Set Wards 56 to 68	3,489	area 3 of Table 2	U
01000	00300	DBCS-Host excluding UDCs Wards 40 to 68	7,265	area 0, 1*, 2, and 3 of Table 2	U
01001	00300	DBCS-Host including 4370 UDCs Wards 40 to 7F	11,635	area 0, 1*, 2, 3, and 4** of Table 2	U
01002	00300	DBCS-Host, 1880 UDCs Wards 69 to 72	1,880	area 4*** of Table 2	U
01003	00300	DBCS-Host, 4370 UDCs Wards 69 to 7F	4,370	area 4** of Table 2	U
00370	00301	DBCS-PC including 1880 UDCs Wards 81 to 9F and E0 to FC	9,145	area 1, 2, 3, 4, 5, 6, 7 of Table 3	U
00574	00301	DBCS-PC, Non-Kanji Set Wards 81 to 84 and FA	550	area 1 of Table 3	U



IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

<b>Table 1 (Page 2 of 2).</b> Registration of GCSGID and CPGID for the IBM Japanese Graphic Character Set					
<b>CGCSGID</b> GCSGID CPGID		<b>Name</b>	<b>Set Size</b>	<b>Reference in Table 2 on page 7 and Table 3 on page 8</b>	<b>Category of Registration</b>
00575	00301	DBCS-PC, Level 1 Kanji Set Wards 88 to 98	2,965	area 2 of Table 3	U
00576	00301	DBCS-PC, Level 2 Kanji Set Wards 98 to 9F and E0 to EA	3,390	area 3 of Table 3	U
00577	00301	DBCS-PC, IBM-Selected Kanji Set Wards FA to FC	360	area 5, 6 of Table 3	U
01000	00301	DBCS-PC excluding UDCs Wards 81 to 9F, E0 to EA and FA to FC	7,265	area 1, 2, 3, 4, 5, 6 of Table 3	U
01002	00301	DBCS-PC, 1880 UDCs Wards F0 to F9	1,880	area 7 of Table 3	U
<b>Notes:</b>					
* Euro currency sign is not included.					
** The maximum number of <i>user definable characters</i> is 4,370.					
*** The maximum number of <i>user definable characters</i> is 1,880.					

**IBM Japanese Graphic Character Set, Kanji**

DBCS - Host and DBCS - PC

**6.2 Structure of Japanese DBCS-Host**

The *coded graphic character set* of the Japanese *DBCS-Host* is structured as shown in Table 2.

The specification of the Japanese *DBCS-Host coded graphic character set* is shown in Table 5 on page 12 to Table 11 on page 194 .

Area	Wards in Hex	Content	Number of Characters
0	40	Unassignable (except for SPACE in 4040) (Table 5 on page 12)	1
1	41 to 44	Non-Kanji Set (Table 5 on page 12) <ul style="list-style-type: none"> <li>• Greek, Russian, Roman Numeric (Ward 41)</li> <li>• Alphanumeric and Related Symbols (Ward 42)</li> <li>• Euro Currency Sign (Ward 42)</li> <li>• Katakana, Hiragana and Special (Ward 43-44) Symbols</li> </ul>	550
2	45 to 55	Basic Kanji Set (Table 6 on page 23, Table 7 on page 63)	3,226
3	56 to 68	Extended Kanji Set (Table 8 on page 86, Table 9 on page 123)	3,489
4	69 to 89	User Definable Characters Area	6,205*
5	8A to B7	Reserved for Future IBM Assignments	
6	B8 to D5	New Extended Kanji Set (Table 11 on page 194)	5,522
7	D6 to E9	New Extended Non-Kanji Set (Table 10 on page 154)	2,035
8	EA to FE	Reserved for Future IBM Assignments	
<b>Note:</b> * The maximum number of <i>user definable characters</i>			

**IBM Japanese Graphic Character Set, Kanji**

DBCS - Host and DBCS - PC

**6.3 Structure of Japanese DBCS-PC**


The *coded graphic character set* of the Japanese *DBCS-PC* is structured as shown in Table 3.

The specification of the Japanese *DBCS-PC coded graphic character set* is shown in Table 12 on page 301 to Table 18 on page 437.

<b>Table 3.</b> Structure of Japanese DBCS-PC			
<b>Area</b>	<b>Wards in Hex</b>	<b>Content</b>	<b>Number of Characters</b>
1	81 to 84	Non-Kanji Set (Table 12 on page 301) <ul style="list-style-type: none"> <li>• Space</li> <li>• Greek, Russian, Roman Numeric</li> <li>• Alphanumeric and Related Symbols</li> <li>• Katakana, Hiragana and Special Symbols</li> </ul>	524
2	88 to 98*	Level 1 Kanji Set (Table 13 on page 312, Table 14 on page 339)	2,965
3	98* to 9F E0 to EA	Level 2 Kanji Set (Table 15 on page 370, Table 16 on page 397)	3,390
4	FA*	IBM Selected Non-Kanji Set (Table 17 on page 436)	26
5	FA* to FC	IBM-Selected Kanji Set (Table 18 on page 437)	360
6	F0 to F9	User Definable Characters Area	1,880**
7	85 to 87 EB to EF	Reserved for Future IBM Assignments	
<b>Notes:</b>			
* A part of the <i>ward</i> is used for this character area.			
** The maximum number of <i>user definable characters</i>			

**IBM Japanese Graphic Character Set, Kanji**

DBCS - Host and DBCS - PC



Note: The number in parentheses indicates the number of characters assigned.

**Figure 1.** Code Structure for Japanese DBCS-Host (Overview)

## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

### 7. Code Translation Correspondence

The *code* translation correspondence between DBCS-Host (CS65535/CP00300) and DBCS-PC is defined in this specification. Also the code translation correspondences between DBCS-Host (CS65535/CP00300) or DBCS-PC and the following *code pages* are defined:

- *DBCS-PC (New JIS Sequence)* (refer to C-H 3-3220-133)
- *DBCS-EUC* (refer to C-H 3-3220-127)

Since DBCS-Host (CS65535/CP00300) is a superset of DBCS-Host (CS01001/CP00300), no code conversion is required, and the characters, which are not defined in DBCS-Host (CS01001/CP00300), are substituted.

#### 7.1 Code Translation Correspondence of Kanji and non-Kanji Characters

**7.1.1 Between DBCS-Host (CS65535/CP00300) and DBCS-PC.** Table conversion is required. No change from the conversion between the characters which are common to those defined in DBCS-Host (CS01001/CP00300) and DBCS-PC. The characters defined in new Extended Kanji Set and new Extended non-Kanji Set on DBCS-Host (CS65535/CP00300) are substituted on DBCS-PC.

**7.1.2 Between DBCS-Host (CS65535/CP00300) and DBCS-PC (New JIS Sequence).** Table conversion is required. No change from the conversion between the characters which are common to those defined in DBCS-Host (CS01001/CP00300) and DBCS-PC (New JIS Sequence). The characters defined in new Extended Kanji Set and new Extended non-Kanji Set on DBCS-Host (CS65535/CP00300) are substituted on DBCS-PC (New JIS Sequence) except for 61 NEC selected characters. (Refer to Table 19 on page 447.)

**7.1.3 Between DBCS-Host (CS65535/CP00300) and DBCS-EUC.** Table conversion is required. No change from the conversion between the characters which are common to those defined in DBCS-Host (CS01001/CP00300) and DBCS-EUC. The characters defined in new Extended Kanji Set and new Extended non-Kanji Set on DBCS-Host (CS65535/CP00300) are substituted on DBCS-EUC.

**7.1.4 Between DBCS-PC and DBCS-EUC.** The code translation correspondence between DBCS-PC and DBCS-EUC is logically given for most characters from the code point of the source in both translation of DBCS-PC to DBCS-EUC vice versa. Refer to C-H 3-3220-127 for more details.

**7.1.5 Between DBCS-PC and DBCS-PC (New JIS Sequence).** No conversion is required.

#### 7.2 Code Translation Correspondence of User Definable Characters

**7.2.1 Between DBCS-Host (CS65535/CP00300) and DBCS-PC.** Table conversion is required. The code translation correspondence between DBCS-Host (CS65535/CP00300) and DBCS-PC is equivalent to the one between DBCS-Host (CS01001/CP00300) and DBCS-PC. The last 4,325 UDCs are substituted on the code translation correspondence from DBCS-Host (CS65535/CP00300) to DBCS-PC. The first *code point* of the *DBCS-Host* UDC area (X'6941') is mapped to the first *code point* of the *DBCS-PC* UDC area (X'F040'), and the mapping continues sequentially.

**7.2.2 Between DBCS-Host (CS65535/CP00300) and DBCS-PC (New JIS Sequence).** Table conversion is required. The code translation correspondence between DBCS-Host (CS65535/CP00300) and DBCS-PC (New JIS Sequence) is equivalent to the one between DBCS-Host (CS01001/CP00300) and DBCS-PC (New JIS Sequence). The last 4,325 UDCs are substituted on the code translation correspondence from DBCS-Host (CS65535/CP00300) to DBCS-PC (New JIS Sequence). The first *code point* of the *DBCS-Host* UDC area (X'6941') is mapped to the first *code point* of the *DBCS-PC (New JIS Sequence)* UDC area (X'F040'), and the mapping continues sequentially.

**7.2.3 Between DBCS-Host (CS65535/CP00300) and DBCS-EUC.** Table conversion is required. The code translation correspondence between DBCS-Host (CS65535/CP00300) and DBCS-EUC is equivalent to the one between DBCS-Host (CS01001/CP00300) and DBCS-EUC in C-H 3-3220-127. The last 4,325 UDCs are substituted on the code translation correspondence from DBCS-Host (CS65535/CP00300) to DBCS-EUC.



# IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

7.2.4 Between DBCS-PC and DBCS-EUC. Refer to C-H 3-3220-127.

As for UDC, the first half of 940 UDCs of DBCS-PC are mapped to G1 UDC area of DBCS-EUC, and latter half of 940 UDCs of DBCS-PC are mapped to G3 UDC area of DBCS-EUC.

7.2.5 Between DBCS-PC and DBCS-PC (New JIS Sequence). No conversion is required.

## 8. DBCS-Host Specification

### 8.1 Format of DBCS-Host Specification Tables

In this section, the specification of the Japanese DBCS-Host coded graphic character sets is provided by tables. They are formatted as illustrated in Table 4.

Table 4. Format of DBCS-Host Specification Tables

Column				
1	2	3	4	5
Line No. (Decimal)	Graphic	Host Code (Hex)	PC Code (Hex)	GCGID
XXXX	X	XXXX	XXXX	XXXXXXXX

Note: Line number in column 1 is the serial number of the listed graphic characters in the area for the better legibility.



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

## 8.2 Non-Kanji Set

Line Number	Graphic	Host Code	PC Code	GCGID
1		4040	8140	SP010080
2	α	4141	83BF	GA010080
3	β	4142	83C0	GB010080
4	γ	4143	83C1	GG010080
5	δ	4144	83C2	GD010080
6	ε	4145	83C3	GE010080
7	ζ	4146	83C4	GZ010080
8	η	4147	83C5	GE310080
9	θ	4148	83C6	GT610082
10	ι	4149	83C7	GI010080
11	κ	414A	83C8	GK010080
12	λ	414B	83C9	GL010080
13	μ	414C	83CA	GM010080
14	ν	414D	83CB	GN010080
15	ξ	414E	83CC	GX010080
16	ο	414F	83CD	GO010080
17	π	4150	83CE	GP010080
18	ρ	4151	83CF	GR010080
19	σ	4152	83D0	GS010080
20	τ	4153	83D1	GT010080
21	υ	4154	83D2	GU010080
22	φ	4155	83D3	GF010081
23	χ	4156	83D4	GH010080
24	ψ	4157	83D5	GP610080
25	ω	4158	83D6	GO310080

Line Number	Graphic	Host Code	PC Code	GCGID
26	A	4161	839F	GA020080
27	B	4162	83A0	GB020080
28	Γ	4163	83A1	GG020080
29	Δ	4164	83A2	GD020080
30	E	4165	83A3	GE020080
31	Z	4166	83A4	GZ020080
32	H	4167	83A5	GE320080
33	Θ	4168	83A6	GT620080
34	I	4169	83A7	GI020080
35	K	416A	83A8	GK020080
36	Λ	416B	83A9	GL020080
37	M	416C	83AA	GM020080
38	N	416D	83AB	GN020080
39	Ξ	416E	83AC	GX020080
40	O	416F	83AD	GO020080
41	Π	4170	83AE	GP020080
42	P	4171	83AF	GR020080
43	Σ	4172	83B0	GS020080
44	T	4173	83B1	GT020080
45	Υ	4174	83B2	GU020080
46	Φ	4175	83B3	GF020080
47	X	4176	83B4	GH020080
48	Ψ	4177	83B5	GP620080
49	Ω	4178	83B6	GO320080
50	a	4180	8470	KA010080
51	ϐ	4181	8471	KB010080





## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
52	В	4182	8472	KV010080
53	Г	4183	8473	KG010080
54	Д	4184	8474	KD010080
55	е	4185	8475	KE010080
56	ё	4186	8476	KE170080
57	Ж	4187	8477	KZ210080
58	з	4188	8478	KZ010080
59	И	4189	8479	KI010080
60	Й	418A	847A	KJ110080
61	К	418B	847B	KK010080
62	Л	418C	847C	KL010080
63	М	418D	847D	KM010080
64	Н	418E	847E	KN010080
65	О	418F	8480	KO010080
66	П	4190	8481	KP010080
67	Р	4191	8482	KR010080
68	С	4192	8483	KS010080
69	Т	4193	8484	KT010080
70	У	4194	8485	KU010080
71	Ф	4195	8486	KF010080
72	Х	4196	8487	KH010080
73	Ц	4197	8488	KC010080
74	Ч	4198	8489	KC210080
75	Ш	4199	848A	KS210080
76	Щ	419A	848B	KS150080
77	Ъ	419B	848C	KU210080

Line Number	Graphic	Host Code	PC Code	GCGID
78	Ы	419C	848D	KY010080
79	Ь	419D	848E	KX110080
80	Э	419E	848F	KE130080
81	Ю	419F	8490	KU150080
82	Я	41A0	8491	KA150080
83	i	41B1	FA40	NR010080
84	ii	41B2	FA41	NR020080
85	iii	41B3	FA42	NR030080
86	iv	41B4	FA43	NR040080
87	v	41B5	FA44	NR050080
88	vi	41B6	FA45	NR060080
89	vii	41B7	FA46	NR070080
90	viii	41B8	FA47	NR080080
91	ix	41B9	FA48	NR090080
92	x	41BA	FA49	NR100080
93	А	41C0	8440	KA020080
94	Б	41C1	8441	KB020080
95	В	41C2	8442	KV020080
96	Г	41C3	8443	KG020080
97	Д	41C4	8444	KD020080
98	Е	41C5	8445	KE020080
99	Ё	41C6	8446	KE180080
100	Ж	41C7	8447	KZ220080
101	З	41C8	8448	KZ020080
102	И	41C9	8449	KI020080
103	Й	41CA	844A	KJ120080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 5 (Page 3 of 11). Non-Kanji Set, DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
104	K	41CB	844B	KK020080
105	Л	41CC	844C	KL020080
106	M	41CD	844D	KM020080
107	H	41CE	844E	KN020080
108	O	41CF	844F	KO020080
109	П	41D0	8450	KP020080
110	P	41D1	8451	KR020080
111	C	41D2	8452	KS020080
112	T	41D3	8453	KT020080
113	У	41D4	8454	KU020080
114	Φ	41D5	8455	KF020080
115	X	41D6	8456	KH020080
116	Ц	41D7	8457	KC020080
117	Ч	41D8	8458	KC220080
118	Ш	41D9	8459	KS220080
119	Щ	41DA	845A	KS160080
120	Ъ	41DB	845B	KU220080
121	Ы	41DC	845C	KY020080
122	Ь	41DD	845D	KX120080
123	Э	41DE	845E	KE140080
124	Ю	41DF	845F	KU160080
125	Я	41E0	8460	KA160080
126	I	41F1	FA4A	NR110080
127	II	41F2	FA4B	NR120080
128	III	41F3	FA4C	NR130080
129	IV	41F4	FA4D	NR140080

Table 5 (Page 3 of 11). Non-Kanji Set, DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
130	V	41F5	FA4E	NR150080
131	VI	41F6	FA4F	NR160080
132	VII	41F7	FA50	NR170080
133	VIII	41F8	FA51	NR180080
134	IX	41F9	FA52	NR190080
135	X	41FA	FA53	NR200080
136	£	424A	8192	SC020080
137	.	424B	8144	SP110080
138	<	424C	8183	SA030080
139	(	424D	8169	SP060080
140	+	424E	817B	SA010080
141		424F	8162	SM130080
142	&	4250	8195	SM030080
143	!	425A	8149	SP020080
144	¥	425B	818F	SC050080
145	*	425C	8196	SM040080
146	)	425D	816A	SP070080
147	;	425E	8147	SP140080
148	¬	425F	FA54	SM660080
149	—	4260	817C	SP100080
150	/	4261	815E	SP120080
151	‡	426A	FA55	SM650080
152	,	426B	8143	SP080080
153	%	426C	8193	SM020080
154	—	426D	8151	SP090080
155	>	426E	8184	SA050080




## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
156	?	426F	8148	SP150080
157	`	4279	814D	SD130080
158	:	427A	8146	SP130080
159	#	427B	8194	SM010080
160	@	427C	8197	SM050080
161	´	427D	FA56	SP050080
162	=	427E	8181	SA040080
163	"	427F	FA57	SP040080
164	a	4281	8281	LA010080
165	b	4282	8282	LB010080
166	c	4283	8283	LC010080
167	d	4284	8284	LD010080
168	e	4285	8285	LE010080
169	f	4286	8286	LF010080
170	g	4287	8287	LG010080
171	h	4288	8288	LH010080
172	i	4289	8289	LI010080
173	j	4291	828A	LJ010080
174	k	4292	828B	LK010080
175	l	4293	828C	LL010080
176	m	4294	828D	LM010080
177	n	4295	828E	LN010080
178	o	4296	828F	LO010080
179	p	4297	8290	LP010080
180	q	4298	8291	LQ010080
181	r	4299	8292	LR010080

Line Number	Graphic	Host Code	PC Code	GCGID
182	—	42A1	8150	SM150080
183	s	42A2	8293	LS010080
184	t	42A3	8294	LT010080
185	u	42A4	8295	LU010080
186	v	42A5	8296	LV010080
187	w	42A6	8297	LW010080
188	x	42A7	8298	LX010080
189	y	42A8	8299	LY010080
190	z	42A9	829A	LZ010080
191	{	42C0	816F	SM110080
192	A	42C1	8260	LA020080
193	B	42C2	8261	LB020080
194	C	42C3	8262	LC020080
195	D	42C4	8263	LD020080
196	E	42C5	8264	LE020080
197	F	42C6	8265	LF020080
198	G	42C7	8266	LG020080
199	H	42C8	8267	LH020080
200	I	42C9	8268	LI020080
201	}	42D0	8170	SM140080
202	J	42D1	8269	LJ020080
203	K	42D2	826A	LK020080
204	L	42D3	826B	LL020080
205	M	42D4	826C	LM020080
206	N	42D5	826D	LN020080
207	O	42D6	826E	LO020080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 5 (Page 5 of 11). Non-Kanji Set, DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
208	P	42D7	826F	LP020080
209	Q	42D8	8270	LQ020080
210	R	42D9	8271	LR020080
211	\$	42E0	8190	SC030080
212	€	42E1	----	SC200080
213	S	42E2	8272	LS020080
214	T	42E3	8273	LT020080
215	U	42E4	8274	LU020080
216	V	42E5	8275	LV020080
217	W	42E6	8276	LW020080
218	X	42E7	8277	LX020080
219	Y	42E8	8278	LY020080
220	Z	42E9	8279	LZ020080
221	0	42F0	824F	ND100080
222	1	42F1	8250	ND010080
223	2	42F2	8251	ND020080
224	3	42F3	8252	ND030080
225	4	42F4	8253	ND040080
226	5	42F5	8254	ND050080
227	6	42F6	8255	ND060080
228	7	42F7	8256	ND070080
229	8	42F8	8257	ND080080
230	9	42F9	8258	ND090080
231	。	4341	8142	JQ700080
232	「	4342	8175	JQ710080
233	」	4343	8176	JQ720080

Table 5 (Page 5 of 11). Non-Kanji Set, DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
234	、	4344	8141	JQ730080
235	・	4345	8145	JQ740080
236	ヲ	4346	8392	JW500080
237	ア	4347	8340	JA010080
238	イ	4348	8342	JI010080
239	ウ	4349	8344	JU010080
240	¢	434A	8191	SC040080
241	∠	434B	81DA	SA350088
242	⊥	434C	81DB	SA780080
243	∩	434D	81DC	SV420080
244	∂	434E	81DD	SA490080
245	∇	434F	81DE	SL030080
246	エ	4351	8346	JE010080
247	オ	4352	8348	JO010080
248	ヤ	4353	8383	JY110080
249	ユ	4354	8385	JY310080
250	ヨ	4355	8387	JY510080
251	ツ	4356	8362	JT310080
252	ワ	4357	838E	JW110080
253	一	4358	815B	JX700080
254	カ	4359	8395	JK110080
255	ケ	435A	8396	JK410080
256	≡	435B	81DF	SA480080
257	≡	435C	81E0	SA700081
258	≪	435D	81E1	SA730080
259	≫	435E	81E2	SA740080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
260	√	435F	81E3	SA800080
261	∞	4360	81E4	SA830080
262	∞	4361	81E5	SA470080
263	∫	4362	81E7	SA510080
264	∫∫	4363	81E8	SA840080
265	∈	4364	81B8	SA670080
266	⊃	4365	81B9	SA310080
267	⊆	4366	81BA	SA240080
268	⊇	4367	81BB	SA270080
269	⊂	4368	81BC	SA400080
270	⊃	4369	81BD	SA410080
271	∪	436A	81BE	SA390080
272	∩	436B	81BF	SA380080
273	∧	436C	81C8	SA330080
274	∨	436D	81C9	SA320080
275	⇒	436E	81CB	SM420080
276	⇔	436F	81CC	SM410080
277	∇	4370	81CD	SA210080
278	∃	4371	81CE	SA230080
279	Å	4372	81F0	SM220080
280	‰	4373	81F1	SM560080
281	#	4374	81F2	SM880080
282	♮	4375	81F3	SM890080
283	♪	4376	81F4	SM930080
284	†	4377	81F5	SM340080
285	‡	4378	81F6	SM350080

Line Number	Graphic	Host Code	PC Code	GCGID
286	¶	4379	81F7	SM250080
287	○	437A	81FC	SV220080
288	—	437C	849F	SF100080
289		437D	84A0	SF110080
290	┌	437E	84A1	SF010080
291	┐	437F	84A2	SF030080
292	ア	4381	8341	JA000080
293	イ	4382	8343	JI000080
294	ウ	4383	8345	JU000080
295	エ	4384	8347	JE000080
296	オ	4385	8349	JO000080
297	カ	4386	834A	JK100080
298	キ	4387	834C	JK200080
299	ク	4388	834E	JK300080
300	ケ	4389	8350	JK400080
301	コ	438A	8352	JK500080
302	サ	438C	8354	JS100080
303	シ	438D	8356	JS200080
304	ス	438E	8358	JS300080
305	セ	438F	835A	JS400080
306	ソ	4390	835C	JS500080
307	タ	4391	835E	JT100080
308	チ	4392	8360	JT200080
309	ツ	4393	8363	JT300080
310	テ	4394	8365	JT400080
311	ト	4395	8367	JT500080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 5 (Page 7 of 11). Non-Kanji Set, DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
312	ナ	4396	8369	JN100080
313	ニ	4397	836A	JN200080
314	ヌ	4398	836B	JN300080
315	ネ	4399	836C	JN400080
316	ノ	439A	836D	JN500080
317	ハ	439D	836E	JH100080
318	ヒ	439E	8371	JH200080
319	フ	439F	8374	JH300080
320	〜	43A1	8160	SD190080
321	へ	43A2	8377	JH400080
322	ホ	43A3	837A	JH500080
323	マ	43A4	837D	JM100080
324	ミ	43A5	837E	JM200080
325	ム	43A6	8380	JM300080
326	メ	43A7	8381	JM400080
327	モ	43A8	8382	JM500080
328	ヤ	43A9	8384	JY100080
329	ユ	43AA	8386	JY300080
330	ヨ	43AC	8388	JY500080
331	ラ	43AD	8389	JR100080
332	リ	43AE	838A	JR200080
333	ル	43AF	838B	JR300080
334	ㇿ	43B0	84A3	SF040080
335	ㇾ	43B1	84A4	SF020080
336	ㇽ	43B2	84A5	SF080080
337	ㇼ	43B3	84A6	SF060080

Table 5 (Page 7 of 11). Non-Kanji Set, DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
338	ㇻ	43B4	84A7	SF090080
339	ㇺ	43B5	84A8	SF070080
340	ㇹ	43B6	84A9	SF050080
341	ㇸ	43B7	84AA	SF100082
342	ㇷ	43B8	84AB	SF110082
343	ㇶ	43B9	84AC	SF010082
344	ㇵ	43BA	838C	JR400080
345	ㇴ	43BB	838D	JR500080
346	ㇳ	43BC	838F	JW100080
347	ㇲ	43BD	8393	JN000080
348	ㇱ	43BE	814A	JX710080
349	ㇰ	43BF	814B	JX720080
350	ガ	43C0	834B	JG100080
351	ギ	43C1	834D	JG200080
352	グ	43C2	834F	JG300080
353	ゲ	43C3	8351	JG400080
354	ゴ	43C4	8353	JG500080
355	ザ	43C5	8355	JZ100080
356	ジ	43C6	8357	JZ200080
357	ズ	43C7	8359	JZ300080
358	ゼ	43C8	835B	JZ400080
359	ゾ	43C9	835D	JZ500080
360	ダ	43CA	835F	JD100080
361	ヂ	43CB	8361	JD200080
362	ヅ	43CC	8364	JD300080
363	ヂ	43CD	8366	JD400080




## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
364	ド	43CE	8368	JD500080
365	バ	43CF	836F	JB100080
366	ビ	43D0	8372	JB200080
367	ブ	43D1	8375	JB300080
368	ベ	43D2	8378	JB400080
369	ボ	43D3	837B	JB500080
370	ヴ	43D4	8394	JV000080
371	パ	43D5	8370	JP100080
372	ピ	43D6	8373	JP200080
373	プ	43D7	8376	JP300080
374	ペ	43D8	8379	JP400080
375	ポ	43D9	837C	JP500080
376	ヰ	43DA	8390	JW200080
377	ヱ	43DB	8391	JW400080
378	ヽ	43DC	8152	JQ750080
379	ヾ	43DD	8153	JQ760080
380	／	43E0	815F	SM070080
381	ㄐ	43E1	84AD	SF030082
382	ㄑ	43E2	84AE	SF040082
383	ㄒ	43E3	84AF	SF020082
384	ㄓ	43E4	84B0	SF080082
385	ㄔ	43E5	84B1	SF060082
386	ㄕ	43E6	84B2	SF090082
387	ㄖ	43E7	84B3	SF070082
388	ㄗ	43E8	84B4	SF050082
389	ㄘ	43E9	84B5	SF080083

Line Number	Graphic	Host Code	PC Code	GCGID
390	ㄙ	43EA	84B6	SF060083
391	ㄚ	43EB	84B7	SF090083
392	ㄛ	43EC	84B8	SF070083
393	ㄜ	43ED	84B9	SF050083
394	ㄝ	43EE	84BA	SF080084
395	ㄞ	43EF	84BB	SF060084
396	ㄟ	43F0	84BC	SF090084
397	ㄠ	43F1	84BD	SF070084
398	ㄡ	43F2	84BE	SF050084
399	『	4442	8177	JQ710081
400	』	4443	8178	JQ720081
401	[	4444	816D	SM060080
402	]	4445	816E	SM080080
403	を	4446	82F0	RW500080
404	あ	4447	829F	RA010080
405	い	4448	82A1	RI010080
406	う	4449	82A3	RU010080
407	一	444A	815C	SM120080
408	±	444B	817D	SA020080
409	≠	444C	8182	SA540080
410	∞	444D	8187	SA450080
411	℃	444E	818E	SM440080
412	´	4450	814C	SD110080
413	え	4451	82A5	RE010080
414	お	4452	82A7	RO010080
415	や	4453	82E1	RY110080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 5 (Page 9 of 11). Non-Kanji Set, DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
416	ゆ	4454	82E3	RY310080
417	よ	4455	82E5	RY510080
418	つ	4456	82C1	RT310080
efi	わ	4457	82EC	RW110080
ref	-	445A	815D	SP320080
421	”	445B	8156	SV090081
422	全	445C	8157	SS760080
423	々	445D	8158	SS770080
424	↗	445E	8159	SS720080
425	○	445F	815A	ND100087
426	”	4460	814E	SD170080
427	‘	4461	8165	SP190080
428	“	4462	8167	SP210080
429	{	4463	816B	SP060081
430	<	4464	8171	SP060082
431	《	4465	8173	SP060083
432	【	4466	8179	SP060084
433	≦	4467	8185	SA520082
434	∴	4468	8188	SA370080
435	♂	4469	8189	SM280080
436	§	446A	8198	SM240080
437	※	446B	81A6	SM040088
438	〒	446C	81A7	SS730080
439	(株)	446D	FA58	SS740080
440	N <sup>o</sup>	446E	FA59	SM000080
441	TEL	446F	FA5A	SS710080

Table 5 (Page 9 of 11). Non-Kanji Set, DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
442	^	4470	814F	SD150080
443	’	4471	8166	SP200080
444	”	4472	8168	SP220080
445	}]	4473	816C	SP070081
446	>	4474	8172	SP070082
447	》	4475	8174	SP070083
448	】	4476	817A	SP070084
449	≧	4477	8186	SA530082
450	∴	4478	FA5B	SS540080
451	♀	4479	818A	SM290080
452	×	447A	817E	SA070080
453	÷	447B	8180	SA060080
454		447C	8161	SV370080
455	≡	447D	81AC	SS750080
456	∴	447E	8164	SV430080
457	∴	447F	8163	SV440080
458	あ	4481	82A0	RA000080
459	い	4482	82A2	RI000080
460	う	4483	82A4	RU000080
461	え	4484	82A6	RE000080
462	お	4485	82A8	RO000080
463	か	4486	82A9	RK100080
464	き	4487	82AB	RK200080
465	く	4488	82AD	RK300080
466	け	4489	82AF	RK400080
467	こ	448A	82B1	RK500080





## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
468	さ	448C	82B3	RS100080
469	し	448D	82B5	RS200080
470	す	448E	82B7	RS300080
471	せ	448F	82B9	RS400080
472	そ	4490	82BB	RS500080
473	た	4491	82BD	RT100080
474	ち	4492	82BF	RT200080
475	つ	4493	82C2	RT300080
476	て	4494	82C4	RT400080
477	と	4495	82C6	RT500080
478	な	4496	82C8	RN100080
479	に	4497	82C9	RN200080
480	ぬ	4498	82CA	RN300080
481	ね	4499	82CB	RN400080
482	の	449A	82CC	RN500080
483	は	449D	82CD	RH100080
484	ひ	449E	82D0	RH200080
485	ふ	449F	82D3	RH300080
486	へ	44A2	82D6	RH400080
487	ほ	44A3	82D9	RH500080
488	ま	44A4	82DC	RM100080
489	み	44A5	82DD	RM200080
490	む	44A6	82DE	RM300080
491	め	44A7	82DF	RM400080
492	も	44A8	82E0	RM500080
493	や	44A9	82E2	RY100080

Line Number	Graphic	Host Code	PC Code	GCGID
494	ゆ	44AA	82E4	RY300080
495	よ	44AC	82E6	RY500080
496	ら	44AD	82E7	RR100080
497	り	44AE	82E8	RR200080
498	る	44AF	82E9	RR300080
499	れ	44BA	82EA	RR400080
500	ろ	44BB	82EB	RR500080
501	わ	44BC	82ED	RW100080
502	ん	44BD	82F1	RN000080
503	が	44C0	82AA	RG100080
504	ぎ	44C1	82AC	RG200080
505	ぐ	44C2	82AE	RG300080
506	げ	44C3	82B0	RG400080
507	ご	44C4	82B2	RG500080
508	ざ	44C5	82B4	RZ100080
509	じ	44C6	82B6	RZ200080
510	ず	44C7	82B8	RZ300080
511	ぜ	44C8	82BA	RZ400080
512	ぞ	44C9	82BC	RZ500080
513	だ	44CA	82BE	RD100080
514	ぢ	44CB	82C0	RD200080
515	づ	44CC	82C3	RD300080
516	で	44CD	82C5	RD400080
517	ど	44CE	82C7	RD500080
518	ば	44CF	82CE	RB100080
519	び	44D0	82D1	RB200080




## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 5 (Page 11 of 11). Non-Kanji Set, DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
520	ぶ	44D1	82D4	RB300080
521	べ	44D2	82D7	RB400080
522	ぼ	44D3	82DA	RB500080
523	ば	44D5	82CF	RP100080
524	び	44D6	82D2	RP200080
525	ぷ	44D7	82D5	RP300080
526	ぺ	44D8	82D8	RP400080
527	ぽ	44D9	82DB	RP500080
528	る	44DA	82EE	RW200080
529	ゑ	44DB	82EF	RW400080
530	ゝ	44DC	8154	RQ750080
531	ゞ	44DD	8155	RQ760080
532	○	44E0	819B	SM750080
533	●	44E1	819C	SM580080
534	△	44E2	81A2	SM730080
535	▲	44E3	81A3	SM600080
536	◎	44E4	819D	SM810080
537	☆	44E5	8199	SS570080
538	★	44E6	819A	SS580080
539	◇	44E7	819E	SA660080
540	◆	44E8	819F	SM610080
541	□	44E9	81A0	SM450080
542	■	44EA	81A1	SM470080
543	▽	44EB	81A4	SM740080
544	▼	44EC	81A5	SV040080
545	◦	44ED	818B	SM190080

Table 5 (Page 11 of 11). Non-Kanji Set, DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
546	'	44EE	818C	SM500080
547	”	44EF	818D	SM510080
548	→	44F0	81A8	SM310080
549	←	44F1	81A9	SM300080
550	↑	44F2	81AA	SM320080
551	↓	44F3	81AB	SM330080




## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

## 8.3 Basic Kanji Set

Line Number	Graphic	Host Code	PC Code	GCGID
1	一	4541	88EA	I0QP0080
2	二	4542	93F1	I0QQ0080
3	三	4543	8E4F	I0QR0080
4	四	4544	8E6C	I0QS0080
5	五	4545	8CDC	I0QT0080
6	六	4546	985A	I0QU0080
7	七	4547	8EB5	I0QV0080
8	八	4548	94AA	I0QW0080
9	九	4549	8BE3	I0QX0080
10	十	454A	8F5C	I0QY0080
11	百	454B	9553	I0QZ0080
12	千	454C	90E7	I0R00080
13	万	454D	969C	I0R10080
14	億	454E	89AD	I0R20080
15	都	454F	9373	I0R30080
16	道	4550	93B9	I0R40080
17	府	4551	957B	I0R50080
18	県	4552	8CA7	I0R60080
19	市	4553	8E73	I0R70080
20	区	4554	8BE6	I0R80080
21	町	4555	92AC	I0R90080
22	村	4556	91BA	I0RA0080
23	東	4557	938C	I0RB0080
24	西	4558	90BC	I0RC0080

Line Number	Graphic	Host Code	PC Code	GCGID
25	南	4559	93EC	I0RD0080
26	北	455A	966B	I0RE0080
27	大	455B	91E5	I0RF0080
28	中	455C	9286	I0RG0080
29	小	455D	8FAC	I0RH0080
30	上	455E	8FE3	I0RI0080
31	下	455F	89BA	I0RJ0080
32	年	4560	944E	I0RK0080
33	月	4561	8C8E	I0RL0080
34	日	4562	93FA	I0RM0080
35	田	4563	9363	I0RN0080
36	子	4564	8E71	I0RO0080
37	山	4565	8E52	I0RP0080
38	本	4566	967B	I0RQ0080
39	川	4567	90EC	I0RR0080
40	藤	4568	93A1	I0RS0080
41	野	4569	96EC	I0RT0080
42	工	456A	8D48	I0RU0080
43	業	456B	8BC6	I0RV0080
44	木	456C	96D8	I0RW0080
45	井	456D	88E4	I0RX0080
46	郎	456E	9859	I0RY0080
47	島	456F	9387	I0RZ0080
48	雄	4570	9759	I0S00080
49	高	4571	8D82	I0S10080
50	岡	4572	89AA	I0S20080




## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
51	夫	4573	9576	I0S30080
52	原	4574	8CB4	I0S40080
53	京	4575	8B9E	I0S50080
54	佐	4576	8DB2	I0S60080
55	正	4577	90B3	I0S70080
56	松	4578	8FBC	I0S80080
57	機	4579	8B40	I0S90080
58	和	457A	9861	I0SA0080
59	製	457B	90BB	I0SB0080
60	男	457C	926A	I0SC0080
61	美	457D	94FC	I0SD0080
62	吉	457E	8B67	I0SE0080
63	崎	457F	8DE8	I0SF0080
64	石	4580	90CE	I0SG0080
65	谷	4581	924A	I0SH0080
66	電	4582	9364	I0SI0080
67	長	4583	92B7	I0SJ0080
68	治	4584	8EA1	I0SK0080
69	沢	4585	91F2	I0SL0080
70	金	4586	8BE0	I0SM0080
71	新	4587	9056	I0SN0080
72	口	4588	8CFB	I0SO0080
73	橋	4589	8BB4	I0SP0080
74	久	458A	8B76	I0SQ0080
75	福	458B	959F	I0SR0080
76	所	458C	8F8A	I0SS0080

Line Number	Graphic	Host Code	PC Code	GCGID
77	平	458D	95BD	I0ST0080
78	内	458E	93E0	I0SU0080
79	国	458F	8D91	I0SV0080
80	化	4590	89BB	I0SW0080
81	阪	4591	8DE3	I0SX0080
82	宮	4592	8B7B	I0SY0080
83	人	4593	906C	I0SZ0080
84	作	4594	8DEC	I0T00080
85	部	4595	9594	I0T10080
86	清	4596	90B4	I0T20080
87	次	4597	8E9F	I0T30080
88	義	4598	8B60	I0T40080
89	生	4599	90B6	I0T50080
90	代	459A	91E3	I0T60080
91	出	459B	8F6F	I0T70080
92	水	459C	9085	I0T80080
93	森	459D	9058	I0T90080
94	光	459E	8CF5	I0TA0080
95	加	459F	89C1	I0TB0080
96	合	45A0	8D87	I0TC0080
97	神	45A1	905F	I0TD0080
98	林	45A2	97D1	I0TE0080
99	重	45A3	8F64	I0TF0080
100	行	45A4	8D73	I0TG0080
101	信	45A5	904D	I0TH0080
102	明	45A6	96BE	I0TI0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 6 (Page 3 of 41). Basic Kanji Set (1 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
103	海	45A7	8A43	I0TJ0080
104	安	45A8	88C0	I0TK0080
105	幸	45A9	8D4B	I0TL0080
106	保	45AA	95DB	I0TM0080
107	太	45AB	91BE	I0TN0080
108	富	45AC	9578	I0TO0080
109	江	45AD	8D5D	I0TP0080
110	鈴	45AE	97E9	I0TQ0080
111	前	45AF	914F	I0TR0080
112	知	45B0	926D	I0TS0080
113	武	45B1	9590	I0TT0080
114	伊	45B2	88C9	I0TU0080
115	昭	45B3	8FBA	I0TV0080
116	分	45B4	95AA	I0TW0080
117	勝	45B5	8F9F	I0TX0080
118	用	45B6	9770	I0TY0080
119	広	45B7	8D4C	I0TZ0080
120	造	45B8	91A2	I0U00080
121	気	45B9	8B43	I0U10080
122	成	45BA	90AC	I0U20080
123	見	45BB	8CA9	I0U30080
124	利	45BC	9798	I0U40080
125	会	45BD	89EF	I0U50080
126	学	45BE	8A77	I0U60080
127	岩	45BF	8AE2	I0U70080
128	産	45C0	8E59	I0U80080

Table 6 (Page 3 of 41). Basic Kanji Set (1 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
129	間	45C1	8AD4	I0U90080
130	地	45C2	926E	I0UA0080
131	自	45C3	8EA9	I0UB0080
132	良	45C4	97C7	I0UC0080
133	関	45C5	8AD6	I0UD0080
134	愛	45C6	88A4	I0UE0080
135	政	45C7	90AD	I0UF0080
136	尾	45C8	94F6	I0UG0080
137	計	45C9	8C76	I0UH0080
138	文	45CA	95B6	I0UI0080
139	手	45CB	8EE8	I0UJ0080
140	父	45CC	9583	I0UK0080
141	方	45CD	95FB	I0UL0080
142	事	45CE	8E96	I0UM0080
143	戸	45CF	8CCB	I0UN0080
144	品	45D0	9569	I0UO0080
145	喜	45D1	8AEC	I0UP0080
146	渡	45D2	936E	I0UQ0080
147	弘	45D3	8D4F	I0UR0080
148	古	45D4	8CC3	I0US0080
149	辺	45D5	95D3	I0UT0080
150	倉	45D6	9171	I0UU0080
151	鉄	45D7	9353	I0UV0080
152	之	45D8	9456	I0UW0080
153	場	45D9	8FEA	I0UX0080
154	洋	45DA	976D	I0UY0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 6 (Page 4 of 41). Basic Kanji Set (1 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
155	城	45DB	8FE9	I0UZ0080
156	津	45DC	92C3	I0V00080
157	立	45DD	97A7	I0V10080
158	度	45DE	9378	I0V20080
159	午	45DF	8CDF	I0V30080
160	今	45E0	8DA1	I0V40080
161	彦	45E1	9546	I0V50080
162	設	45E2	90DD	I0V60080
163	通	45E3	92CA	I0V70080
164	動	45E4	93AE	I0V80080
165	後	45E5	8CE3	I0V90080
166	奈	45E6	93DE	I0VA0080
167	定	45E7	92E8	I0VB0080
168	池	45E8	9272	I0VC0080
169	屋	45E9	89AE	I0VD0080
170	浜	45EA	956C	I0VE0080
171	理	45EB	979D	I0VF0080
172	坂	45EC	8DE2	I0VG0080
173	実	45ED	8EC0	I0VH0080
174	英	45EE	8970	I0VI0080
175	的	45EF	9349	I0VJ0080
176	司	45F0	8E69	I0VK0080
177	秀	45F1	8F47	I0VL0080
178	横	45F2	89A1	I0VM0080
179	名	45F3	96BC	I0VN0080
180	孝	45F4	8D46	I0VO0080

Table 6 (Page 4 of 41). Basic Kanji Set (1 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
181	竹	45F5	927C	I0VP0080
182	博	45F6	948E	I0VQ0080
183	力	45F7	97CD	I0VR0080
184	庫	45F8	8CC9	I0VS0080
185	葉	45F9	9774	I0VT0080
186	栄	45FA	8968	I0VU0080
187	永	45FB	8969	I0VV0080
188	器	45FC	8AED	I0VW0080
189	玉	45FD	8BCA	I0VX0080
190	多	45FE	91BD	I0VY0080
191	賀	4641	89EA	I0W10080
192	真	4642	905E	I0W20080
193	恵	4643	8C62	I0W30080
194	静	4644	90C3	I0W40080
195	円	4645	897E	I0W50080
196	茂	4646	96CE	I0W60080
197	敏	4647	9571	I0W70080
198	豊	4648	964C	I0W80080
199	兵	4649	95BA	I0W90080
200	法	464A	9640	I0WA0080
201	発	464B	94AD	I0WB0080
202	青	464C	90C2	I0WC0080
203	増	464D	919D	I0WD0080
204	料	464E	97BF	I0WE0080
205	忠	464F	9289	I0WF0080
206	資	4650	8E91	I0WG0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 6 (Page 5 of 41). Basic Kanji Set (1 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
207	時	4651	8E9E	I0WH0080
208	物	4652	95A8	I0WI0080
209	車	4653	8ED4	I0WJ0080
210	徳	4654	93BF	I0WK0080
211	要	4655	9776	I0WL0080
212	対	4656	91CE	I0WM0080
213	塚	4657	92CB	I0WN0080
214	秋	4658	8F48	I0WO0080
215	白	4659	9492	I0WP0080
216	河	465A	89CD	I0WQ0080
217	瀬	465B	90A3	I0WR0080
218	油	465C	96FB	I0WS0080
219	隆	465D	97B2	I0WT0080
220	歳	465E	91A0	I0WU0080
221	当	465F	9396	I0WV0080
222	俊	4660	8F72	I0WW0080
223	志	4661	8E75	I0WX0080
224	春	4662	8F74	I0WY0080
225	社	4663	8ED0	I0WZ0080
226	馬	4664	946E	I0X00080
227	入	4665	93FC	I0X10080
228	建	4666	8C9A	I0X20080
229	根	4667	8DAA	I0X30080
230	杉	4668	9099	I0X40080
231	進	4669	9069	I0X50080
232	興	466A	8BBB	I0X60080

Table 6 (Page 5 of 41). Basic Kanji Set (1 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
233	浦	466B	8959	I0X70080
234	精	466C	90B8	I0X80080
235	同	466D	93AF	I0X90080
236	性	466E	90AB	I0XA0080
237	米	466F	95C4	I0XB0080
238	者	4670	8ED2	I0XC0080
239	助	4671	8F95	I0XD0080
240	枝	4672	8E7D	I0XE0080
241	近	4673	8BDF	I0XF0080
242	直	4674	92BC	I0XG0080
243	目	4675	96DA	I0XH0080
244	来	4676	9788	I0XI0080
245	画	4677	89E6	I0XJ0080
246	相	4678	918A	I0XK0080
247	黒	4679	8D95	I0XL0080
248	丸	467A	8ADB	I0XM0080
249	船	467B	9144	I0XN0080
250	由	467C	9752	I0XO0080
251	士	467D	8E6D	I0XP0080
252	第	467E	91E6	I0XQ0080
253	熊	467F	8C46	I0XR0080
254	紙	4680	8E86	I0XS0080
255	健	4681	8C92	I0XT0080
256	械	4682	8A42	I0XU0080
257	芳	4683	9646	I0XV0080
258	土	4684	9379	I0XW0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 6 (Page 6 of 41). Basic Kanji Set (1 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
259	有	4685	974C	I0XX0080
260	家	4686	89C6	I0XY0080
261	線	4687	90FC	I0XZ0080
262	経	4688	8C6F	I0Y00080
263	調	4689	92B2	I0Y10080
264	天	468A	9356	I0Y20080
265	期	468B	8AFA	I0Y30080
266	置	468C	9275	I0Y40080
267	浅	468D	90F3	I0Y50080
268	斉	468E	90C4	I0Y60080
269	式	468F	8EAE	I0Y70080
270	形	4690	8C60	I0Y80080
271	面	4691	96CA	I0Y90080
272	種	4692	8EED	I0YA0080
273	輸	4693	9741	I0YB0080
274	外	4694	8A4F	I0YC0080
275	元	4695	8CB3	I0YD0080
276	体	4696	91CC	I0YE0080
277	鹿	4697	8EAD	I0YF0080
278	御	4698	8CE4	I0YG0080
279	女	4699	8F97	I0YH0080
280	康	469A	8D4E	I0YI0080
281	世	469B	90A2	I0YJ0080
282	勇	469C	9745	I0YK0080
283	堀	469D	9678	I0YL0080
284	好	469E	8D44	I0YM0080

Table 6 (Page 6 of 41). Basic Kanji Set (1 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
285	児	469F	8E99	I0YN0080
286	寺	46A0	8E9B	I0YO0080
287	鋼	46A1	8D7C	I0YP0080
288	特	46A2	93C1	I0YQ0080
289	埼	46A3	8DE9	I0YR0080
290	達	46A4	9242	I0YS0080
291	向	46A5	8CFC	I0YT0080
292	取	46A6	8EE6	I0YU0080
293	等	46A7	9399	I0YV0080
294	智	46A8	9271	I0YW0080
295	回	46A9	89F1	I0YX0080
296	門	46AA	96E5	I0YY0080
297	運	46AB	895E	I0YZ0080
298	備	46AC	94F5	I0Z00080
299	思	46AD	8E76	I0Z10080
300	阿	46AE	88A2	I0Z20080
301	不	46AF	9573	I0Z30080
302	須	46B0	907B	I0Z40080
303	全	46B1	9153	I0Z50080
304	寿	46B2	8EF5	I0Z60080
305	善	46B3	9150	I0Z70080
306	板	46B4	94C2	I0Z80080
307	飯	46B5	94D1	I0Z90080
308	貞	46B6	92E5	I0ZA0080
309	現	46B7	8CBB	I0ZB0080
310	食	46B8	9048	I0ZC0080





## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
311	組	46B9	9167	I0ZD0080
312	類	46BA	97DE	I0ZE0080
313	公	46BB	8CF6	I0ZF0080
314	材	46BC	8DDE	I0ZG0080
315	香	46BD	8D81	I0ZH0080
316	商	46BE	8FA4	I0ZI0080
317	結	46BF	8C8B	I0ZJ0080
318	表	46C0	955C	I0ZK0080
319	矢	46C1	96EE	I0ZL0080
320	瀉	46C2	8A83	I0ZM0080
321	私	46C3	8E84	I0ZN0080
322	制	46C4	90A7	I0ZO0080
323	邦	46C5	964D	I0ZP0080
324	沼	46C6	8FC0	I0ZQ0080
325	糸	46C7	8E85	I0ZR0080
326	宏	46C8	8D47	I0ZS0080
327	策	46C9	8DF4	I0ZT0080
328	波	46CA	9467	I0ZU0080
329	員	46CB	88F5	I0ZV0080
330	数	46CC	9094	I0ZW0080
331	開	46CD	8A4A	I0ZX0080
332	準	46CE	8F80	I0ZY0080
333	樹	46CF	8EF7	I0ZZ0080
334	費	46D0	94EF	I1000080
335	昌	46D1	8FB9	I1010080
336	強	46D2	8BAD	I1020080

Line Number	Graphic	Host Code	PC Code	GCGID
337	研	46D3	8CA4	I1030080
338	友	46D4	9746	I1040080
339	宇	46D5	8946	I1050080
340	若	46D6	8EE1	I1060080
341	菊	46D7	8B65	I1070080
342	持	46D8	8E9D	I1080080
343	花	46D9	89D4	I1090080
344	引	46DA	88F8	I10A0080
345	紀	46DB	8B49	I10B0080
346	荒	46DC	8D72	I10C0080
347	別	46DD	95CA	I10D0080
348	修	46DE	8F43	I10E0080
349	越	46DF	897A	I10F0080
350	住	46E0	8F5A	I10G0080
351	葉	46E1	96F2	I10H0080
352	毛	46E2	96D1	I10I0080
353	遠	46E3	8993	I10J0080
354	間	46E4	96E2	I10K0080
355	奥	46E5	899C	I10L0080
356	型	46E6	8C5E	I10M0080
357	心	46E7	9053	I10N0080
358	登	46E8	936F	I10O0080
359	早	46E9	9181	I10P0080
360	柳	46EA	96F6	I10Q0080
361	浩	46EB	8D5F	I10R0080
362	質	46EC	8EBF	I10S0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 6 (Page 8 of 41). Basic Kanji Set (1 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
363	務	46ED	96B1	I10T0080
364	泉	46EE	90F2	I10U0080
365	常	46EF	8FED	I10V0080
366	守	46F0	8EE7	I10W0080
367	基	46F1	8AEE	I10X0080
368	管	46F2	8AC7	I10Y0080
369	泰	46F3	91D7	I10Z0080
370	伸	46F4	904C	I1100080
371	最	46F5	8DC5	I1110080
372	以	46F6	88C8	I1120080
373	歌	46F7	89CC	I1130080
374	裕	46F8	9754	I1140080
375	赤	46F9	90D4	I1150080
376	足	46FA	91AB	I1160080
377	規	46FB	8B4B	I1170080
378	流	46FC	97AC	I1180080
379	誠	46FD	90BD	I1190080
380	昇	46FE	8FB8	I11A0080
381	州	4741	8F42	I11D0080
382	照	4742	8FC6	I11E0080
383	塩	4743	8996	I11F0080
384	送	4744	9197	I11G0080
385	雅	4745	89EB	I11H0080
386	末	4746	9696	I11I0080
387	哲	4747	934E	I11J0080
388	岸	4748	8ADD	I11K0080

Table 6 (Page 8 of 41). Basic Kanji Set (1 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
389	也	4749	96E7	I11L0080
390	岐	474A	8AF2	I11M0080
391	初	474B	8F89	I11N0080
392	茨	474C	88EF	I11O0080
393	則	474D	91A5	I11P0080
394	比	474E	94E4	I11Q0080
395	能	474F	945C	I11R0080
396	話	4750	9862	I11S0080
397	投	4751	938A	I11T0080
398	転	4752	935D	I11U0080
399	菅	4753	909B	I11V0080
400	連	4754	9841	I11W0080
401	他	4755	91BC	I11X0080
402	民	4756	96AF	I11Y0080
403	給	4757	8B8B	I11Z0080
404	酒	4758	8EF0	I1200080
405	繁	4759	94C9	I1210080
406	価	475A	89BF	I1220080
407	満	475B	969E	I1230080
408	朝	475C	92A9	I1240080
409	付	475D	9574	I1250080
410	条	475E	8FF0	I1260080
411	無	475F	96B3	I1270080
412	考	4760	8D6C	I1280080
413	楽	4761	8A79	I1290080
414	主	4762	8EE5	I12A0080

IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

**Table 6 (Page 9 of 41).** Basic Kanji Set (1 of 2), DBCS-Host

Line Number	Graphic	Host Code	PC Code	GCGID
415	意	4763	88D3	I12B0080
416	戦	4764	90ED	I12C0080
417	切	4765	90D8	I12D0080
418	剂	4766	8DDC	I12E0080
419	片	4767	95D0	I12F0080
420	細	4768	8DD7	I12G0080
421	济	4769	8DCF	I12H0080
422	稻	476A	88EE	I12I0080
423	布	476B	957A	I12J0080
424	里	476C	97A2	I12K0080
425	属	476D	91AE	I12L0080
426	章	476E	8FCD	I12M0080
427	変	476F	95CF	I12N0080
428	何	4770	89BD	I12O0080
429	桜	4771	8DF7	I12P0080
430	彼	4772	94DE	I12Q0080
431	查	4773	8DB8	I12R0080
432	益	4774	8976	I12S0080
433	壳	4775	9484	I12T0080
434	仁	4776	906D	I12U0080
435	深	4777	905B	I12V0080
436	台	4778	91E4	I12W0080
437	鳥	4779	92B9	I12X0080
438	鶴	477A	92DF	I12Y0080
439	支	477B	8E78	I12Z0080
440	整	477C	90AE	I1300080

**Table 6 (Page 9 of 41).** Basic Kanji Set (1 of 2), DBCS-Host

Line Number	Graphic	Host Code	PC Code	GCGID
441	角	477D	8A70	I1310080
442	嘉	477E	89C3	I1320080
443	味	477F	96A1	I1330080
444	衛	4780	8971	I1340080
445	議	4781	8B63	I1350080
446	圧	4782	88B3	I1360080
447	率	4783	97A6	I1370080
448	路	4784	9848	I1380080
449	火	4785	89CE	I1390080
450	阜	4786	958C	I13A0080
451	輝	4787	8B50	I13B0080
452	点	4788	935F	I13C0080
453	与	4789	975E	I13D0080
454	減	478A	8CB8	I13E0080
455	畑	478B	94A8	I13F0080
456	銀	478C	8BE2	I13G0080
457	空	478D	8BF3	I13H0080
458	交	478E	8CF0	I13I0080
459	羽	478F	8948	I13J0080
460	半	4790	94BC	I13K0080
461	収	4791	8EFB	I13L0080
462	央	4792	899B	I13M0080
463	総	4793	918D	I13N0080
464	記	4794	8B4C	I13O0080
465	晴	4795	90B0	I13P0080
466	構	4796	8D5C	I13Q0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 6 (Page 10 of 41). Basic Kanji Set (1 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
467	際	4797	8DDB	I13R0080
468	梅	4798	947E	I13S0080
469	印	4799	88F3	I13T0080
470	言	479A	8CBE	I13U0080
471	栗	479B	8C49	I13V0080
472	身	479C	9067	I13W0080
473	書	479D	8F91	I13X0080
474	克	479E	8D8E	I13Y0080
475	素	479F	9166	I13Z0080
476	集	47A0	8F57	I1400080
477	節	47A1	90DF	I1410080
478	先	47A2	90E6	I1420080
479	滝	47A3	91EA	I1430080
480	決	47A4	8C88	I1440080
481	教	47A5	8BB3	I1450080
482	純	47A6	8F83	I1460080
483	柴	47A7	8EC4	I1470080
484	接	47A8	90DA	I1480080
485	星	47A9	90AF	I1490080
486	着	47AA	9285	I14A0080
487	留	47AB	97AF	I14B0080
488	映	47AC	8966	I14C0080
489	己	47AD	8CC8	I14D0080
490	界	47AE	8A45	I14E0080
491	具	47AF	8BEF	I14F0080
492	敬	47B0	8C68	I14G0080

Table 6 (Page 10 of 41). Basic Kanji Set (1 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
493	群	47B1	8C51	I14H0080
494	順	47B2	8F87	I14I0080
495	共	47B3	8BA4	I14J0080
496	活	47B4	8A88	I14K0080
497	量	47B5	97CA	I14L0080
498	指	47B6	8E77	I14M0080
499	解	47B7	89F0	I14N0080
500	室	47B8	8EBA	I14O0080
501	果	47B9	89CA	I14P0080
502	各	47BA	8A65	I14Q0080
503	望	47BB	965D	I14R0080
504	防	47BC	9668	I14S0080
505	約	47BD	96F1	I14T0080
506	憲	47BE	8C9B	I14U0080
507	陽	47BF	977A	I14V0080
508	龜	47C0	8B54	I14W0080
509	凶	47C1	907D	I14X0080
510	予	47C2	975C	I14Y0080
511	色	47C3	9046	I14Z0080
512	税	47C4	90C5	I1500080
513	植	47C5	9041	I1510080
514	可	47C6	89C2	I1520080
515	恒	47C7	8D50	I1530080
516	位	47C8	88CA	I1540080
517	典	47C9	9354	I1550080
518	必	47CA	954B	I1560080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 6 (Page 11 of 41). Basic Kanji Set (1 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
519	続	47CB	91B1	I1570080
520	急	47CC	8B7D	I1580080
521	在	47CD	8DDD	I1590080
522	垣	47CE	8A5F	I15A0080
523	君	47CF	8C4E	I15B0080
524	延	47D0	8984	I15C0080
525	嶋	47D1	9388	I15D0080
526	企	47D2	8AE9	I15E0080
527	枳	47D3	93C8	I15F0080
528	服	47D4	959E	I15G0080
529	熱	47D5	944D	I15H0080
530	割	47D6	8A84	I15I0080
531	協	47D7	8BA6	I15J0080
532	歩	47D8	95E0	I15K0080
533	史	47D9	8E6A	I15L0080
534	優	47DA	9744	I15M0080
535	齋	47DB	8DD6	I15N0080
536	房	47DC	965B	I15O0080
537	宗	47DD	8F40	I15P0080
538	格	47DE	8A69	I15Q0080
539	辰	47DF	9243	I15R0080
540	笠	47E0	8A7D	I15S0080
541	園	47E1	8980	I15T0080
542	諸	47E2	8F94	I15U0080
543	脇	47E3	9865	I15V0080
544	啓	47E4	8C5B	I15W0080

Table 6 (Page 11 of 41). Basic Kanji Set (1 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
545	賢	47E5	8CAB	I15X0080
546	弥	47E6	96ED	I15Y0080
547	風	47E7	9597	I15Z0080
548	得	47E8	93BE	I1600080
549	易	47E9	88D5	I1610080
550	打	47EA	91C5	I1620080
551	頭	47EB	93AA	I1630080
552	旭	47EC	88AE	I1640080
553	段	47ED	9269	I1650080
554	勢	47EE	90A8	I1660080
555	然	47EF	9152	I1670080
556	団	47F0	9263	I1680080
557	額	47F1	8A7A	I1690080
558	落	47F2	978E	I16A0080
559	配	47F3	947A	I16B0080
560	程	47F4	92F6	I16C0080
561	辻	47F5	92D2	I16D0080
562	吾	47F6	8CE1	I16E0080
563	感	47F7	8AB4	I16F0080
564	寛	47F8	8AB0	I16G0080
565	反	47F9	94BD	I16H0080
566	稔	47FA	96AB	I16I0080
567	需	47FB	8EF9	I16J0080
568	源	47FC	8CB9	I16K0080
569	沖	47FD	89AB	I16L0080
570	題	47FE	91E8	I16M0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 6 (Page 12 of 41). Basic Kanji Set (1 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
571	込	4841	8D9E	I16P0080
572	草	4842	9190	I16Q0080
573	算	4843	8E5A	I16R0080
574	盛	4844	90B7	I16S0080
575	農	4845	945F	I16T0080
576	那	4846	93DF	I16U0080
577	省	4847	8FC8	I16V0080
578	様	4848	976C	I16W0080
579	殿	4849	9361	I16X0080
580	少	484A	8FAD	I16Y0080
581	介	484B	89EE	I16Z0080
582	受	484C	8EF3	I1700080
583	音	484D	89B9	I1710080
584	編	484E	95D2	I1720080
585	委	484F	88CF	I1730080
586	庄	4850	8FAF	I1740080
587	係	4851	8C57	I1750080
588	状	4852	8FF3	I1760080
589	示	4853	8EA6	I1770080
590	店	4854	9358	I1780080
591	媛	4855	9551	I1790080
592	株	4856	8A94	I17A0080
593	滋	4857	8EA0	I17B0080
594	梨	4858	979C	I17C0080
595	縄	4859	93EA	I17D0080
596	右	485A	8945	I17E0080

Table 6 (Page 12 of 41). Basic Kanji Set (1 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
597	左	485B	8DB6	I17F0080
598	及	485C	8B79	I17G0080
599	選	485D	9149	I17H0080
600	居	485E	8B8F	I17I0080
601	情	485F	8FEE	I17J0080
602	練	4860	97FB	I17K0080
603	炭	4861	9259	I17L0080
604	館	4862	8AD9	I17M0080
605	鉦	4863	8D7A	I17N0080
606	模	4864	96CD	I17O0080
607	殊	4865	8EEA	I17P0080
608	績	4866	90D1	I17Q0080
609	垂	4867	889F	I17R0080
610	織	4868	9140	I17S0080
611	仲	4869	9287	I17T0080
612	塗	486A	9368	I17U0080
613	消	486B	8FC1	I17V0080
614	術	486C	8F70	I17W0080
615	検	486D	8C9F	I17X0080
616	朗	486E	984E	I17Y0080
617	宅	486F	91EE	I17Z0080
618	功	4870	8CF7	I1800080
619	尚	4871	8FAE	I1810080
620	賀	4872	9666	I1820080
621	悦	4873	8978	I1830080
622	脂	4874	8E89	I1840080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 6 (Page 13 of 41). Basic Kanji Set (1 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
623	襪	4875	8EC2	I1850080
624	佳	4876	89C0	I1860080
625	紡	4877	9661	I1870080
626	富	4878	9579	I1880080
627	桑	4879	8C4B	I1890080
628	確	487A	8A6D	I18A0080
629	牧	487B	9671	I18B0080
630	並	487C	95C0	I18C0080
631	値	487D	926C	I18D0080
632	観	487E	8ACF	I18E0080
633	貴	487F	8B4D	I18F0080
634	維	4880	88DB	I18G0080
635	統	4881	939D	I18H0080
636	宿	4882	8F68	I18I0080
637	両	4883	97BC	I18J0080
638	糖	4884	939C	I18K0080
639	親	4885	9065	I18L0080
640	録	4886	985E	I18M0080
641	澄	4887	909F	I18N0080
642	施	4888	8E7B	I18O0080
643	容	4889	9765	I18P0080
644	飛	488A	94F2	I18Q0080
645	局	488B	8BC7	I18R0080
646	祐	488C	9753	I18S0080
647	過	488D	89DF	I18T0080
648	氏	488E	8E81	I18U0080

Table 6 (Page 13 of 41). Basic Kanji Set (1 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
649	改	488F	89FC	I18V0080
650	盤	4890	94D5	I18W0080
651	積	4891	90CF	I18X0080
652	渋	4892	8F61	I18Y0080
653	巻	4893	8AAA	I18Z0080
654	淳	4894	8F7E	I1900080
655	応	4895	899E	I1910080
656	争	4896	9188	I1920080
657	軍	4897	8C52	I1930080
658	装	4898	9195	I1940080
659	酸	4899	8E5F	I1950080
660	織	489A	9044	I1960080
661	染	489B	90F5	I1970080
662	帝	489C	92E9	I1980080
663	綿	489D	96C8	I1990080
664	粉	489E	95B2	I19A0080
665	航	489F	8D71	I19B0080
666	甲	48A0	8D62	I19C0080
667	周	48A1	8EFC	I19D0080
668	仙	48A2	90E5	I19E0080
669	待	48A3	91D2	I19F0080
670	低	48A4	92E1	I19G0080
671	緑	48A5	97CE	I19H0080
672	軽	48A6	8C79	I19I0080
673	麻	48A7	9683	I19J0080
674	慶	48A8	8C63	I19K0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 6 (Page 14 of 41). Basic Kanji Set (1 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
675	勞	48A9	984A	I19L0080
676	磯	48AA	88E9	I19M0080
677	丹	48AB	924F	I19N0080
678	育	48AC	88E7	I19O0080
679	限	48AD	8CC0	I19P0080
680	導	48AE	93B1	I19Q0080
681	放	48AF	95FA	I19R0080
682	晃	48B0	8D57	I19S0080
683	座	48B1	8DC0	I19T0080
684	件	48B2	8C8F	I19U0080
685	想	48B3	917A	I19V0080
686	驗	48B4	8CB1	I19W0080
687	仕	48B5	8E64	I19X0080
688	使	48B6	8E67	I19Y0080
689	輪	48B7	97D6	I19Z0080
690	顏	48B8	8AE7	I1A00080
691	番	48B9	94D4	I1A10080
692	張	48BA	92A3	I1A20080
693	聞	48BB	95B7	I1A30080
694	供	48BC	8B9F	I1A40080
695	湯	48BD	9392	I1A50080
696	溶	48BE	976E	I1A60080
697	校	48BF	8D5A	I1A70080
698	銅	48C0	93BA	I1A80080
699	鑄	48C1	9292	I1A90080
700	融	48C2	975A	I1AA0080

Table 6 (Page 14 of 41). Basic Kanji Set (1 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
701	靖	48C3	96F5	I1AB0080
702	写	48C4	8ECA	I1AC0080
703	完	48C5	8AAE	I1AD0080
704	港	48C6	8D60	I1AE0080
705	鍛	48C7	9262	I1AF0080
706	夜	48C8	96E9	I1AG0080
707	充	48C9	8F5B	I1AH0080
708	龍	48CA	97B4	I1AI0080
709	綱	48CB	8D6A	I1AJ0080
710	菱	48CC	9548	I1AK0080
711	速	48CD	91AC	I1AL0080
712	勉	48CE	95D7	I1AM0080
713	刷	48CF	8DFC	I1AN0080
714	起	48D0	8B4E	I1AO0080
715	摩	48D1	9680	I1AP0080
716	参	48D2	8E51	I1AQ0080
717	營	48D3	8963	I1AR0080
718	穗	48D4	95E4	I1AS0080
719	推	48D5	9084	I1AT0080
720	返	48D6	95D4	I1AU0080
721	職	48D7	9045	I1AV0080
722	止	48D8	8E7E	I1AW0080
723	伝	48D9	9360	I1AX0080
724	幹	48DA	8AB2	I1AY0080
725	球	48DB	8B85	I1AZ0080
726	權	48DC	8CA0	I1B00080





## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 6 (Page 15 of 41). Basic Kanji Set (1 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
727	展	48DD	9357	I1B10080
728	幡	48DE	94A6	I1B20080
729	葛	48DF	8A8B	I1B30080
730	庭	48E0	92EB	I1B40080
731	非	48E1	94F1	I1B50080
732	号	48E2	8D86	I1B60080
733	单	48E3	9250	I1B70080
734	歳	48E4	8DCE	I1B80080
735	扨	48E5	8A67	I1B90080
736	処	48E6	8F88	I1BA0080
737	語	48E7	8CEA	I1BB0080
738	昨	48E8	8DF0	I1BC0080
739	域	48E9	88E6	I1BD0080
740	淵	48EA	95A3	I1BE0080
741	再	48EB	8DC4	I1BF0080
742	働	48EC	93AD	I1BG0080
743	科	48ED	89C8	I1BH0080
744	魚	48EE	8B9B	I1BI0080
745	端	48EF	925B	I1BJ0080
746	途	48F0	9372	I1BK0080
747	案	48F1	88C4	I1BL0080
748	字	48F2	8E9A	I1BM0080
749	論	48F3	985F	I1BN0080
750	兼	48F4	8C93	I1BO0080
751	又	48F5	9694	I1BP0080
752	振	48F6	9055	I1BQ0080

Table 6 (Page 15 of 41). Basic Kanji Set (1 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
753	技	48F7	8B5A	I1BR0080
754	徹	48F8	934F	I1BS0080
755	札	48F9	8E44	I1BT0080
756	系	48FA	8C6E	I1BU0080
757	従	48FB	8F5D	I1BV0080
758	冷	48FC	97E2	I1BW0080
759	態	48FD	91D4	I1BX0080
760	峰	48FE	95F4	I1BY0080
761	失	4941	8EB8	I1C10080
762	厚	4942	8CFA	I1C20080
763	側	4943	91A4	I1C30080
764	注	4944	928D	I1C40080
765	測	4945	91AA	I1C50080
766	頃	4946	8DA0	I1C60080
767	乘	4947	8FE6	I1C70080
768	試	4948	8E8E	I1C80080
769	坪	4949	92D8	I1C90080
770	萩	494A	948B	I1CA0080
771	党	494B	937D	I1CB0080
772	汽	494C	8B44	I1CC0080
773	宝	494D	95F3	I1CD0080
774	恭	494E	8BB1	I1CE0080
775	樋	494F	94F3	I1CF0080
776	温	4950	89B7	I1CG0080
777	敷	4951	957E	I1CH0080
778	説	4952	90E0	I1CI0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 6 (Page 16 of 41). Basic Kanji Set (1 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
779	芸	4953	8C7C	I1CJ0080
780	告	4954	8D90	I1CK0080
781	歴	4955	97F0	I1CL0080
782	般	4956	94CA	I1CM0080
783	飾	4957	8FFC	I1CN0080
784	礼	4958	97E7	I1CO0080
785	将	4959	8FAB	I1CP0080
786	難	495A	93EF	I1CQ0080
787	砂	495B	8DBB	I1CR0080
788	判	495C	94BB	I1CS0080
789	役	495D	96F0	I1CT0080
790	影	495E	8965	I1CU0080
791	曾	495F	915D	I1CV0080
792	帯	4960	91D1	I1CW0080
793	陸	4961	97A4	I1CX0080
794	鎌	4962	8A99	I1CY0080
795	談	4963	926B	I1CZ0080
796	彰	4964	8FB2	I1D00080
797	悪	4965	88AB	I1D10080
798	標	4966	9557	I1D20080
799	申	4967	905C	I1D30080
800	害	4968	8A51	I1D40080
801	母	4969	95EA	I1D50080
802	補	496A	95E2	I1D60080
803	幌	496B	9679	I1D70080
804	声	496C	90BA	I1D80080

Table 6 (Page 16 of 41). Basic Kanji Set (1 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
805	除	496D	8F9C	I1D90080
806	筐	496E	8DF9	I1DA0080
807	婦	496F	9577	I1DB0080
808	乾	4970	8AA3	I1DC0080
809	競	4971	8BA3	I1DD0080
810	芝	4972	8EC5	I1DE0080
811	牛	4973	8B8D	I1DF0080
812	買	4974	9483	I1DG0080
813	移	4975	88DA	I1DH0080
814	硝	4976	8FC9	I1DI0080
815	茶	4977	9283	I1DJ0080
816	効	4978	8CF8	I1DK0080
817	養	4979	977B	I1DL0080
818	勲	497A	8C4D	I1DM0080
819	肥	497B	94EC	I1DN0080
820	謙	497C	8CAA	I1DO0080
821	炉	497D	9846	I1DP0080
822	夏	497E	89C4	I1DQ0080
823	堂	497F	93B0	I1DR0080
824	柏	4980	9490	I1DS0080
825	払	4981	95A5	I1DT0080
826	帰	4982	8B41	I1DU0080
827	焼	4983	8FC4	I1DV0080
828	硫	4984	97B0	I1DW0080
829	老	4985	9856	I1DX0080
830	究	4986	8B86	I1DY0080

IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

**Table 6 (Page 17 of 41).** Basic Kanji Set (1 of 2), DBCS-Host

Line Number	Graphic	Host Code	PC Code	GCGID
831	審	4987	9052	I1DZ0080
832	針	4988	906A	I1E00080
833	断	4989	9266	I1E10080
834	射	498A	8ECB	I1E20080
835	差	498B	8DB7	I1E30080
836	嵐	498C	9792	I1E40080
837	折	498D	90DC	I1E50080
838	耐	498E	91CF	I1E60080
839	宣	498F	90E9	I1E70080
840	始	4990	8E6E	I1E80080
841	律	4991	97A5	I1E90080
842	残	4992	8E63	I1EA0080
843	景	4993	8C69	I1EB0080
844	象	4994	8FDB	I1EC0080
845	郷	4995	8BBD	I1ED0080
846	卓	4996	91EC	I1EE0080
847	離	4997	97A3	I1EF0080
848	薫	4998	8C4F	I1EG0080
849	死	4999	8E80	I1EH0080
850	耕	499A	8D6B	I1EI0080
851	操	499B	9180	I1EJ0080
852	亮	499C	97BA	I1EK0080
853	云	499D	895D	I1EL0080
854	郡	499E	8C53	I1EM0080
855	勤	499F	8BCE	I1EN0080
856	求	49A0	8B81	I1EO0080

**Table 6 (Page 17 of 41).** Basic Kanji Set (1 of 2), DBCS-Host

Line Number	Graphic	Host Code	PC Code	GCGID
857	貫	49A1	8AD1	I1EP0080
858	官	49A2	8AAF	I1EQ0080
859	妻	49A3	8DC8	I1ER0080
860	裏	49A4	97A0	I1ES0080
861	眼	49A5	8AE1	I1ET0080
862	伯	49A6	948C	I1EU0080
863	窯	49A7	9771	I1EV0080
864	築	49A8	927A	I1EW0080
865	階	49A9	8A4B	I1EX0080
866	換	49AA	8AB7	I1EY0080
867	桂	49AB	8C6A	I1EZ0080
868	駅	49AC	8977	I1F00080
869	梶	49AD	8A81	I1F10080
870	均	49AE	8BCF	I1F20080
871	財	49AF	8DE0	I1F30080
872	命	49B0	96BD	I1F40080
873	王	49B1	89A4	I1F50080
874	蒲	49B2	8A97	I1F60080
875	郁	49B3	88E8	I1F70080
876	磨	49B4	9681	I1F80080
877	笑	49B5	8FCE	I1F90080
878	曲	49B6	8BC8	I1FA0080
879	極	49B7	8BC9	I1FB0080
880	報	49B8	95F1	I1FC0080
881	提	49B9	92F1	I1FD0080
882	証	49BA	8FD8	I1FE0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 6 (Page 18 of 41). Basic Kanji Set (1 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
883	雪	49BB	90E1	I1FF0080
884	遑	49BC	88E1	I1FG0080
885	裁	49BD	8DD9	I1FH0080
886	首	49BE	8EF1	I1FI0080
887	病	49BF	9561	I1FJ0080
888	桐	49C0	8BCB	I1FK0080
889	余	49C1	975D	I1FL0080
890	瓦	49C2	8AA2	I1FM0080
891	令	49C3	97DF	I1FN0080
892	吹	49C4	9081	I1FO0080
893	猪	49C5	9296	I1FP0080
894	未	49C6	96A2	I1FQ0080
895	剛	49C7	8D84	I1FR0080
896	負	49C8	9589	I1FS0080
897	伴	49C9	94BA	I1FT0080
898	儀	49CA	8B56	I1FU0080
899	含	49CB	8ADC	I1FV0080
900	適	49CC	934B	I1FW0080
901	迄	49CD	9698	I1FX0080
902	尻	49CE	904B	I1FY0080
903	巖	49CF	8ADE	I1FZ0080
904	答	49D0	939A	I1G00080
905	追	49D1	92C7	I1G10080
906	討	49D2	93A2	I1G20080
907	丈	49D3	8FE4	I1G30080
908	鉛	49D4	8994	I1G40080

Table 6 (Page 18 of 41). Basic Kanji Set (1 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
909	燃	49D5	9452	I1G50080
910	課	49D6	89DB	I1G60080
911	為	49D7	88D7	I1G70080
912	院	49D8	8940	I1G80080
913	枚	49D9	9687	I1G90080
914	皮	49DA	94E7	I1GA0080
915	護	49DB	8CEC	I1GB0080
916	綾	49DC	88BB	I1GC0080
917	雨	49DD	894A	I1GD0080
918	我	49DE	89E4	I1GE0080
919	寄	49DF	8AF1	I1GF0080
920	荻	49E0	89AC	I1GG0080
921	押	49E1	899F	I1GH0080
922	納	49E2	945B	I1GI0080
923	監	49E3	8AC4	I1GJ0080
924	縫	49E4	9644	I1GK0080
925	降	49E5	8D7E	I1GL0080
926	圭	49E6	8C5C	I1GM0080
927	竜	49E7	97B3	I1GN0080
928	範	49E8	94CD	I1GO0080
929	殺	49E9	8E45	I1GP0080
930	貝	49EA	8A4C	I1GQ0080
931	榎	49EB	897C	I1GR0080
932	遇	49EC	8BF6	I1GS0080
933	演	49ED	8989	I1GT0080
934	占	49EE	90E8	I1GU0080

IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

**Table 6 (Page 19 of 41).** Basic Kanji Set (1 of 2), DBCS-Host

Line Number	Graphic	Host Code	PC Code	GCGID
935	迫	49EF	9497	I1GV0080
936	劇	49F0	8C80	I1GW0080
937	才	49F1	8DCB	I1GX0080
938	敦	49F2	93D6	I1GY0080
939	級	49F3	8B89	I1GZ0080
940	終	49F4	8F49	I1H00080
941	毎	49F5	9688	I1H10080
942	絹	49F6	8CA6	I1H20080
943	縮	49F7	8F6B	I1H30080
944	普	49F8	9581	I1H40080
945	祥	49F9	8FCB	I1H50080
946	個	49FA	8CC2	I1H60080
947	専	49FB	90EA	I1H70080
948	駒	49FC	8BEE	I1H80080
949	評	49FD	955D	I1H90080
950	阜	49FE	94A9	I1HA0080
951	存	4A41	91B6	I1HD0080
952	肉	4A42	93F7	I1HE0080
953	傾	4A43	8C58	I1HF0080
954	師	4A44	8E74	I1HG0080
955	液	4A45	8974	I1HH0080
956	例	4A46	97E1	I1HI0080
957	臣	4A47	9062	I1HJ0080
958	至	4A48	8E8A	I1HK0080
959	因	4A49	88F6	I1HL0080
960	繼	4A4A	8C70	I1HM0080

**Table 6 (Page 19 of 41).** Basic Kanji Set (1 of 2), DBCS-Host

Line Number	Graphic	Host Code	PC Code	GCGID
961	已	4A4B	9BDF	I1HN0080
962	覺	4A4C	8A6F	I1HO0080
963	溝	4A4D	8D61	I1HP0080
964	洗	4A4E	90F4	I1HQ0080
965	読	4A4F	93C7	I1HR0080
966	視	4A50	8E8B	I1HS0080
967	猛	4A51	96D2	I1HT0080
968	巨	4A52	8B90	I1HU0080
969	網	4A53	96D4	I1HV0080
970	袋	4A54	91DC	I1HW0080
971	任	4A55	9443	I1HX0080
972	密	4A56	96A7	I1HY0080
973	袖	4A57	91B3	I1HZ0080
974	況	4A58	8BB5	I1I00080
975	著	4A59	9298	I1I10080
976	較	4A5A	8A72	I1I20080
977	毅	4A5B	8B42	I1I30080
978	響	4A5C	8BBF	I1I40080
979	販	4A5D	94CC	I1I50080
980	幅	4A5E	959D	I1I60080
981	苦	4A5F	8BEA	I1I70080
982	措	4A60	915B	I1I80080
983	征	4A61	90AA	I1I90080
984	磁	4A62	8EA5	I1IA0080
985	舞	4A63	9591	I1IB0080
986	努	4A64	9377	I1IC0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 6 (Page 20 of 41). Basic Kanji Set (1 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
987	窪	4A65	8C45	I1ID0080
988	妙	4A66	96AD	I1IE0080
989	抗	4A67	8D52	I1IF0080
990	輔	4A68	95E3	I1IG0080
991	習	4A69	8F4B	I1IH0080
992	促	4A6A	91A3	I1II0080
993	哉	4A6B	8DC6	I1IJ0080
994	險	4A6C	8CAF	I1IK0080
995	更	4A6D	8D58	I1IL0080
996	講	4A6E	8D75	I1IM0080
997	干	4A6F	8AB1	I1IN0080
998	復	4A70	959C	I1IO0080
999	訪	4A71	964B	I1IP0080
1000	派	4A72	9468	I1IQ0080
1001	督	4A73	93C2	I1IR0080
1002	擊	4A74	8C82	I1IS0080
1003	識	4A75	8EAF	I1IT0080
1004	慎	4A76	9054	I1IU0080
1005	婚	4A77	8DA5	I1IV0080
1006	超	4A78	92B4	I1IW0080
1007	燐	4A79	97D3	I1IX0080
1008	頼	4A7A	978A	I1IY0080
1009	狩	4A7B	8EEB	I1IZ0080
1010	堺	4A7C	8DE4	I1J00080
1011	巾	4A7D	8BD0	I1J10080
1012	認	4A7E	9446	I1J20080

Table 6 (Page 20 of 41). Basic Kanji Set (1 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1013	柄	4A7F	95BF	I1J30080
1014	締	4A80	92F7	I1J40080
1015	休	4A81	8B78	I1J50080
1016	短	4A82	925A	I1J60080
1017	伏	4A83	959A	I1J70080
1018	寅	4A84	93D0	I1J80080
1019	拔	4A85	94B2	I1J90080
1020	尼	4A86	93F2	I1JA0080
1021	医	4A87	88E3	I1JB0080
1022	淀	4A88	9784	I1JC0080
1023	白	4A89	8950	I1JD0080
1024	雜	4A8A	8E47	I1JE0080
1025	遊	4A8B	9756	I1JF0080
1026	浮	4A8C	9582	I1JG0080
1027	鏡	4A8D	8BBE	I1JH0080
1028	層	4A8E	9177	I1JI0080
1029	飼	4A8F	8E94	I1JJ0080
1030	削	4A90	8DED	I1JK0080
1031	添	4A91	9359	I1JL0080
1032	薄	4A92	9496	I1JM0080
1033	隊	4A93	91E0	I1JN0080
1034	固	4A94	8CC5	I1JO0080
1035	境	4A95	8BAB	I1JP0080
1036	睦	4A96	9672	I1JQ0080
1037	項	4A97	8D80	I1JR0080
1038	乳	4A98	93FB	I1JS0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 6 (Page 21 of 41). Basic Kanji Set (1 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1039	豆	4A99	93A4	I1JT0080
1040	許	4A9A	8B96	I1JU0080
1041	緒	4A9B	8F8F	I1JV0080
1042	述	4A9C	8F71	I1JW0080
1043	浪	4A9D	9851	I1JX0080
1044	依	4A9E	88CB	I1JY0080
1045	齒	4A9F	8E95	I1JZ0080
1046	欧	4AA0	89A2	I1K00080
1047	担	4AA1	9253	I1K10080
1048	償	4AA2	8F9E	I1K20080
1049	革	4AA3	8A76	I1K30080
1050	却	4AA4	8B70	I1K40080
1051	骨	4AA5	8D9C	I1K50080
1052	杵	4AA6	8B6E	I1K60080
1053	衿	4AA7	8BDC	I1K70080
1054	包	4AA8	95EF	I1K80080
1055	異	4AA9	88D9	I1K90080
1056	走	4AAA	9196	I1KA0080
1057	虎	4AAB	8CD5	I1KB0080
1058	峯	4AAC	95F5	I1KC0080
1059	賞	4AAD	8FDC	I1KD0080
1060	念	4AAE	944F	I1KE0080
1061	牟	4AAF	96B4	I1KF0080
1062	皆	4AB0	8A46	I1KG0080
1063	悟	4AB1	8CE5	I1KH0080
1064	背	4AB2	9477	I1KI0080

Table 6 (Page 21 of 41). Basic Kanji Set (1 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1065	姫	4AB3	9550	I1KJ0080
1066	脱	4AB4	9245	I1KK0080
1067	希	4AB5	8AF3	I1KL0080
1068	託	4AB6	91F5	I1KM0080
1069	陶	4AB7	93A9	I1KN0080
1070	苗	4AB8	9563	I1KO0080
1071	環	4AB9	8AC2	I1KP0080
1072	蒸	4ABA	8FF6	I1KQ0080
1073	僕	4ABB	966C	I1KR0080
1074	雲	4ABC	895F	I1KS0080
1075	版	4ABD	94C5	I1KT0080
1076	破	4ABE	946A	I1KU0080
1077	淑	4ABF	8F69	I1KV0080
1078	涉	4AC0	8FC2	I1KW0080
1079	柿	4AC1	8A60	I1KX0080
1080	潔	4AC2	8C89	I1KY0080
1081	夕	4AC3	975B	I1KZ0080
1082	倍	4AC4	947B	I1L00080
1083	犬	4AC5	8CA2	I1L10080
1084	黄	4AC6	89A9	I1L20080
1085	筆	4AC7	954D	I1L30080
1086	鬼	4AC8	8B53	I1L40080
1087	散	4AC9	8E55	I1L50080
1088	去	4ACA	8B8E	I1L60080
1089	誘	4ACB	9755	I1L70080
1090	釜	4ACC	8A98	I1L80080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 6 (Page 22 of 41). Basic Kanji Set (1 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1091	領	4ACD	97CC	I1L90080
1092	濃	4ACE	945A	I1LA0080
1093	旅	4ACF	97B7	I1LB0080
1094	借	4AD0	8ED8	I1LC0080
1095	羊	4AD1	9772	I1LD0080
1096	潤	4AD2	8F81	I1LE0080
1097	週	4AD3	8F54	I1LF0080
1098	弾	4AD4	9265	I1LG0080
1099	援	4AD5	8987	I1LH0080
1100	逸	4AD6	88ED	I1LI0080
1101	警	4AD7	8C78	I1LJ0080
1102	篤	4AD8	93C4	I1LK0080
1103	爆	4AD9	949A	I1LL0080
1104	桃	4ADA	938D	I1LM0080
1105	独	4ADB	93C6	I1LN0080
1106	族	4ADC	91B0	I1LO0080
1107	芦	4ADD	88B0	I1LP0080
1108	客	4ADE	8B71	I1LQ0080
1109	楠	4ADF	93ED	I1LR0080
1110	麦	4AE0	949E	I1LS0080
1111	募	4AE1	95E5	I1LT0080
1112	析	4AE2	90CD	I1LU0080
1113	掛	4AE3	8A7C	I1LV0080
1114	絵	4AE4	8A47	I1LW0080
1115	顕	4AE5	8CB0	I1LX0080
1116	已	4AE6	96A4	I1LY0080

Table 6 (Page 22 of 41). Basic Kanji Set (1 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1117	堅	4AE7	8C98	I1LZ0080
1118	請	4AE8	90BF	I1M00080
1119	闈	4AE9	8A74	I1M10080
1120	衣	4AEA	88DF	I1M20080
1121	貨	4AEB	89DD	I1M30080
1122	季	4AEC	8B47	I1M40080
1123	床	4AED	8FB0	I1M50080
1124	呉	4AEE	8CE0	I1M60080
1125	硬	4AEF	8D64	I1M70080
1126	紫	4AF0	8E87	I1M80080
1127	貢	4AF1	8D76	I1M90080
1128	卒	4AF2	91B2	I1MA0080
1129	絶	4AF3	90E2	I1MB0080
1130	貸	4AF4	91DD	I1MC0080
1131	灰	4AF5	8A44	I1MD0080
1132	呼	4AF6	8CC4	I1ME0080
1133	故	4AF7	8CCC	I1MF0080
1134	晶	4AF8	8FBB	I1MG0080
1135	玲	4AF9	97E6	I1MH0080
1136	囿	4AFA	88CD	I1MI0080
1137	箱	4AFB	94A0	I1MJ0080
1138	墨	4AFC	966E	I1MK0080
1139	突	4AFD	93CB	I1ML0080
1140	暮	4AFE	95E9	I1MM0080
1141	肇	4B41	94A3	I1MP0080
1142	姿	4B42	8E70	I1MQ0080



IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

**Table 6 (Page 23 of 41).** Basic Kanji Set (1 of 2), DBCS-Host

Line Number	Graphic	Host Code	PC Code	GCGID
1143	血	4B43	8C8C	I1MR0080
1144	困	4B44	8DA2	I1MS0080
1145	筑	4B45	927D	I1MT0080
1146	混	4B46	8DAC	I1MU0080
1147	弁	4B47	95D9	I1MV0080
1148	鍋	4B48	93E7	I1MW0080
1149	退	4B49	91DE	I1MX0080
1150	俣	4B4A	9693	I1MY0080
1151	束	4B4B	91A9	I1MZ0080
1152	便	4B4C	95D6	I1N00080
1153	賃	4B4D	92C0	I1N10080
1154	副	4B4E	959B	I1N20080
1155	採	4B4F	8DCC	I1N30080
1156	呂	4B50	9843	I1N40080
1157	複	4B51	95A1	I1N50080
1158	榊	4B52	8DE5	I1N60080
1159	席	4B53	90C8	I1N70080
1160	娘	4B54	96BA	I1N80080
1161	甘	4B55	8AC3	I1N90080
1162	免	4B56	96C6	I1NA0080
1163	幾	4B57	8AF4	I1NB0080
1164	債	4B58	8DC2	I1NC0080
1165	寢	4B59	9051	I1ND0080
1166	棒	4B5A	965F	I1NE0080
1167	瑞	4B5B	9090	I1NF0080
1168	槻	4B5C	92CE	I1NG0080

**Table 6 (Page 23 of 41).** Basic Kanji Set (1 of 2), DBCS-Host

Line Number	Graphic	Host Code	PC Code	GCGID
1169	微	4B5D	94F7	I1NH0080
1170	嗣	4B5E	8E6B	I1NI0080
1171	詰	4B5F	8B6C	I1NJ0080
1172	寸	4B60	90A1	I1NK0080
1173	堤	4B61	92E7	I1NL0080
1174	荘	4B62	9191	I1NM0080
1175	弓	4B63	8B7C	I1NN0080
1176	底	4B64	92EA	I1NO0080
1177	灯	4B65	9394	I1NP0080
1178	甚	4B66	9072	I1NQ0080
1179	紅	4B67	8D67	I1NR0080
1180	惣	4B68	9179	I1NS0080
1181	繰	4B69	8C4A	I1NT0080
1182	倒	4B6A	937C	I1NU0080
1183	券	4B6B	8C94	I1NV0080
1184	華	4B6C	89D8	I1NW0080
1185	即	4B6D	91A6	I1NX0080
1186	弱	4B6E	8EE3	I1NY0080
1187	櫛	4B6F	8A7E	I1NZ0080
1188	鳴	4B70	96C2	I1O00080
1189	双	4B71	916F	I1O10080
1190	洲	4B72	8F46	I1O20080
1191	享	4B73	8B9D	I1O30080
1192	互	4B74	8CDD	I1O40080
1193	萬	4B75	E4DD	I1O50080
1194	誌	4B76	8E8F	I1O60080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 6 (Page 24 of 41). Basic Kanji Set (1 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1195	既	4B77	8AF9	I1O70080
1196	漁	4B78	8B99	I1O80080
1197	肩	4B79	8CA8	I1O90080
1198	鷹	4B7A	91E9	I1OA0080
1199	讓	4B7B	8FF7	I1OB0080
1200	筒	4B7C	939B	I1OC0080
1201	閉	4B7D	95C2	I1OD0080
1202	浴	4B7E	9781	I1OE0080
1203	探	4B7F	9254	I1OF0080
1204	斐	4B80	94E3	I1OG0080
1205	寒	4B81	8AA6	I1OH0080
1206	拳	4B82	8B93	I1OI0080
1207	誰	4B83	924E	I1OJ0080
1208	盟	4B84	96BF	I1OK0080
1209	馨	4B85	8A5D	I1OL0080
1210	穴	4B86	8C8A	I1OM0080
1211	舶	4B87	9495	I1ON0080
1212	衆	4B88	8F4F	I1OO0080
1213	聰	4B89	918F	I1OP0080
1214	敗	4B8A	9473	I1OQ0080
1215	夢	4B8B	96B2	I1OR0080
1216	附	4B8C	958D	I1OS0080
1217	被	4B8D	94ED	I1OT0080
1218	錦	4B8E	8BD1	I1OU0080
1219	筋	4B8F	8BD8	I1OV0080
1220	抵	4B90	92EF	I1OW0080

Table 6 (Page 24 of 41). Basic Kanji Set (1 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1221	危	4B91	8AEB	I1OX0080
1222	庁	4B92	92A1	I1OY0080
1223	察	4B93	8E40	I1OZ0080
1224	併	4B94	95B9	I1P00080
1225	壁	4B95	95C7	I1P10080
1226	灘	4B96	93E5	I1P20080
1227	緊	4B97	8BD9	I1P30080
1228	吸	4B98	8B7A	I1P40080
1229	珠	4B99	8EEC	I1P50080
1230	勘	4B9A	8AA8	I1P60080
1231	刈	4B9B	8AA0	I1P70080
1232	磐	4B9C	94D6	I1P80080
1233	欣	4B9D	8BD3	I1P90080
1234	核	4B9E	8A6A	I1PA0080
1235	乃	4B9F	9454	I1PB0080
1236	椎	4BA0	92C5	I1PC0080
1237	荷	4BA1	89D7	I1PD0080
1238	滑	4BA2	8A8A	I1PE0080
1239	飲	4BA3	88F9	I1PF0080
1240	腰	4BA4	8D98	I1PG0080
1241	街	4BA5	8A58	I1PH0080
1242	軸	4BA6	8EB2	I1PI0080
1243	禎	4BA7	92F5	I1PJ0080
1244	菜	4BA8	8DD8	I1PK0080
1245	迎	4BA9	8C7D	I1PL0080
1246	縁	4BAA	898F	I1PM0080

IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

**Table 6 (Page 25 of 41).** Basic Kanji Set (1 of 2), DBCS-Host

Line Number	Graphic	Host Code	PC Code	GCGID
1247	唐	4BAB	9382	I1PN0080
1248	亨	4BAC	8B9C	I1PO0080
1249	訳	4BAD	96F3	I1PP0080
1250	酢	4BAE	907C	I1PQ0080
1251	廻	4BAF	89F4	I1PR0080
1252	息	4BB0	91A7	I1PS0080
1253	了	4BB1	97B9	I1PT0080
1254	晋	4BB2	9057	I1PU0080
1255	捨	4BB3	8ECC	I1PV0080
1256	列	4BB4	97F1	I1PW0080
1257	聖	4BB5	90B9	I1PX0080
1258	函	4BB6	949F	I1PY0080
1259	療	4BB7	97C3	I1PZ0080
1260	舟	4BB8	8F4D	I1Q00080
1261	隅	4BB9	8BF7	I1Q10080
1262	像	4BBA	919C	I1Q20080
1263	是	4BBB	90A5	I1Q30080
1264	似	4BBC	8E97	I1Q40080
1265	乙	4BBD	89B3	I1Q50080
1266	樽	4BBE	924D	I1Q60080
1267	乱	4BBF	9790	I1Q70080
1268	刺	4BC0	8E68	I1Q80080
1269	諷	4BC1	907A	I1Q90080
1270	橘	4BC2	8B6B	I1QA0080
1271	替	4BC3	91D6	I1QB0080
1272	朋	4BC4	95FC	I1QC0080

**Table 6 (Page 25 of 41).** Basic Kanji Set (1 of 2), DBCS-Host

Line Number	Graphic	Host Code	PC Code	GCGID
1273	攻	4BC5	8D55	I1QD0080
1274	露	4BC6	9849	I1QE0080
1275	麿	4BC7	9470	I1QF0080
1276	訓	4BC8	8C50	I1QG0080
1277	垂	4BC9	9082	I1QH0080
1278	恋	4BCA	97F6	I1QI0080
1279	虫	4BCB	928E	I1QJ0080
1280	鬪	4BCC	93AC	I1QK0080
1281	惱	4BCD	9459	I1QL0080
1282	丁	4BCE	929A	I1QM0080
1283	描	4BCF	9560	I1QN0080
1284	激	4BD0	8C83	I1QO0080
1285	斜	4BD1	8ECE	I1QP0080
1286	責	4BD2	90D3	I1QQ0080
1287	茅	4BD3	8A9D	I1QR0080
1288	粧	4BD4	8FCF	I1QS0080
1289	恐	4BD5	8BB0	I1QT0080
1290	雷	4BD6	978B	I1QU0080
1291	忍	4BD7	9445	I1QV0080
1292	損	4BD8	91B9	I1QW0080
1293	孔	4BD9	8D45	I1QX0080
1294	透	4BDA	93A7	I1QY0080
1295	拓	4BDB	91F1	I1QZ0080
1296	妹	4BDC	9685	I1R00080
1297	煙	4BDD	898C	I1R10080
1298	冬	4BDE	937E	I1R20080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 6 (Page 26 of 41). Basic Kanji Set (1 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1299	称	4BDF	8FCC	I1R30080
1300	唯	4BE0	9742	I1R40080
1301	創	4BE1	916E	I1R50080
1302	暗	4BE2	88C3	I1R60080
1303	胸	4BE3	8BB9	I1R70080
1304	亘	4BE4	986A	I1R80080
1305	仏	4BE5	95A7	I1R90080
1306	凍	4BE6	9380	I1RA0080
1307	鶉	4BE7	894C	I1RB0080
1308	兄	4BE8	8C5A	I1RC0080
1309	窓	4BE9	918B	I1RD0080
1310	柱	4BEA	928C	I1RE0080
1311	墨	4BEB	97DB	I1RF0080
1312	簡	4BEC	8AC8	I1RG0080
1313	衡	4BED	8D74	I1RH0080
1314	就	4BEE	8F41	I1RI0080
1315	棚	4BEF	9249	I1RJ0080
1316	劔	4BF0	8BFA	I1RK0080
1317	鶯	4BF1	9868	I1RL0080
1318	揮	4BF2	8AF6	I1RM0080
1319	敵	4BF3	9347	I1RN0080
1320	蓮	4BF4	9840	I1RO0080
1321	刻	4BF5	8D8F	I1RP0080
1322	欲	4BF6	977E	I1RQ0080
1323	粘	4BF7	9453	I1RR0080
1324	如	4BF8	9440	I1RS0080

Table 6 (Page 26 of 41). Basic Kanji Set (1 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1325	障	4BF9	8FE1	I1RT0080
1326	霸	4BFA	9465	I1RU0080
1327	粟	4BFB	88BE	I1RV0080
1328	逆	4BFC	8B74	I1RW0080
1329	招	4bfd	8FB5	I1RX0080
1330	曜	4BFE	976A	I1RY0080
1331	捕	4C41	95DF	I1S10080
1332	概	4C42	8A54	I1S20080
1333	催	4C43	8DC3	I1S30080
1334	戾	4C44	96DF	I1S40080
1335	忘	4C45	9659	I1S50080
1336	揚	4C46	9767	I1S60080
1337	痛	4C47	92C9	I1S70080
1338	承	4C48	8FB3	I1S80080
1339	慮	4C49	97B6	I1S90080
1340	艦	4C4A	8ACD	I1SA0080
1341	粕	4C4B	9494	I1SB0080
1342	煮	4C4C	8ECF	I1SC0080
1343	雇	4C4D	8CD9	I1SD0080
1344	罪	4C4E	8DDF	I1SE0080
1345	否	4C4F	94DB	I1SF0080
1346	刀	4C50	9381	I1SG0080
1347	菓	4C51	89D9	I1SH0080
1348	刑	4C52	8C59	I1SI0080
1349	奏	4C53	9174	I1SJ0080
1350	鴨	4C54	8A9B	I1SK0080

IBM Japanese Graphic Character Set, Kanji


DBCS - Host and DBCS - PC

**Table 6 (Page 27 of 41).** Basic Kanji Set (1 of 2), DBCS-Host

Line Number	Graphic	Host Code	PC Code	GCGID
1351	坊	4C55	9656	I1SL0080
1352	曇	4C56	93DC	I1SM0080
1353	願	4C57	8AE8	I1SN0080
1354	舎	4C58	8EC9	I1SO0080
1355	昔	4C59	90CC	I1SP0080
1356	猿	4C5A	898E	I1SQ0080
1357	傷	4C5B	8F9D	I1SR0080
1358	救	4C5C	8B7E	I1SS0080
1359	庸	4C5D	9766	I1ST0080
1360	孫	4C5E	91B7	I1SU0080
1361	喬	4C5F	8BAA	I1SV0080
1362	快	4C60	89F5	I1SW0080
1363	授	4C61	8EF6	I1SX0080
1364	貯	4C62	9299	I1SY0080
1365	杯	4C63	9474	I1SZ0080
1366	契	4C64	8C5F	I1T00080
1367	威	4C65	88D0	I1T10080
1368	燥	4C66	9187	I1T20080
1369	巢	4C67	9183	I1T30080
1370	豪	4C68	8D8B	I1T40080
1371	扱	4C69	88B5	I1T50080
1372	致	4C6A	9276	I1T60080
1373	尺	4C6B	8EDA	I1T70080
1374	徒	4C6C	936B	I1T80080
1375	遲	4C6D	9278	I1T90080
1376	玄	4C6E	8CBA	I1TA0080

**Table 6 (Page 27 of 41).** Basic Kanji Set (1 of 2), DBCS-Host

Line Number	Graphic	Host Code	PC Code	GCGID
1377	煉	4C6F	97F9	I1TB0080
1378	秘	4C70	94E9	I1TC0080
1379	祭	4C71	8DD5	I1TD0080
1380	逃	4C72	93A6	I1TE0080
1381	菌	4C73	8BDB	I1TF0080
1382	徵	4C74	92A5	I1TG0080
1383	宍	4C75	8EB3	I1TH0080
1384	批	4C76	94E1	I1TI0080
1385	撮	4C77	8E42	I1TJ0080
1386	紘	4C78	8D68	I1TK0080
1387	爾	4C79	8EA2	I1TL0080
1388	寮	4C7A	97BE	I1TM0080
1389	旧	4C7B	8B8C	I1TN0080
1390	贈	4C7C	91A1	I1TO0080
1391	鹼	4C7D	8CB2	I1TP0080
1392	勸	4C7E	8AA9	I1TQ0080
1393	崇	4C7F	9092	I1TR0080
1394	齡	4C80	97EE	I1TS0080
1395	恩	4C81	89B6	I1TT0080
1396	卯	4C82	894B	I1TU0080
1397	曉	4C83	8BC5	I1TV0080
1398	陣	4C84	9077	I1TW0080
1399	帽	4C85	9658	I1TX0080
1400	抱	4C86	95F8	I1TY0080
1401	爪	4C87	92DC	I1TZ0080
1402	湊	4C88	96A9	I1U00080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 6 (Page 28 of 41). Basic Kanji Set (1 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1403	鎮	4C89	92C1	I1U10080
1404	秦	4C8A	9060	I1U20080
1405	旬	4C8B	8BE5	I1U30080
1406	肝	4C8C	8ACC	I1U40080
1407	裾	4C8D	909E	I1U50080
1408	巖	4C8E	8CB5	I1U60080
1409	沈	4C8F	92BE	I1U70080
1410	湿	4C90	8EBC	I1U80080
1411	允	4C91	88F2	I1U90080
1412	邑	4C92	9757	I1UA0080
1413	潮	4C93	92AA	I1UB0080
1414	蓄	4C94	927E	I1UC0080
1415	藪	4C95	96F7	I1UD0080
1416	脩	4C96	E3F9	I1UE0080
1417	毒	4C97	93C5	I1UF0080
1418	昼	4C98	928B	I1UG0080
1419	署	4C99	8F90	I1UH0080
1420	珂	4C9A	89CF	I1UI0080
1421	弟	4C9B	92ED	I1UJ0080
1422	礎	4C9C	9162	I1UK0080
1423	悲	4C9D	94DF	I1UL0080
1424	狭	4C9E	8BB7	I1UM0080
1425	壯	4C9F	9173	I1UN0080
1426	腹	4CA0	95A0	I1UO0080
1427	躍	4CA1	96F4	I1UP0080
1428	履	4CA2	979A	I1UQ0080

Table 6 (Page 28 of 41). Basic Kanji Set (1 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1429	巧	4CA3	8D49	I1UR0080
1430	氷	4CA4	9558	I1US0080
1431	淡	4CA5	9257	I1UT0080
1432	蘭	4CA6	9796	I1UU0080
1433	犯	4CA7	94C6	I1UV0080
1434	踊	4CA8	9778	I1UW0080
1435	粒	4CA9	97B1	I1UX0080
1436	館	4CAA	8ADA	I1UY0080
1437	耳	4CAB	8EA8	I1UZ0080
1438	控	4CAC	8D54	I1V00080
1439	銑	4CAD	914C	I1V10080
1440	候	4CAE	8CF3	I1V20080
1441	腕	4CAF	9872	I1V30080
1442	詩	4CB0	8E8D	I1V40080
1443	軟	4CB1	93EE	I1V50080
1444	暴	4CB2	965C	I1V60080
1445	腦	4CB3	945D	I1V70080
1446	疑	4CB4	8B5E	I1V80080
1447	欠	4CB5	8C87	I1V90080
1448	晚	4CB6	94D3	I1VA0080
1449	郵	4CB7	9758	I1VB0080
1450	串	4CB8	8BF8	I1VC0080
1451	珪	4CB9	8C5D	I1VD0080
1452	椿	4CBA	92D6	I1VE0080
1453	皇	4CBB	8D63	I1VF0080
1454	災	4CBC	8DD0	I1VG0080

IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

**Table 6 (Page 29 of 41).** Basic Kanji Set (1 of 2), DBCS-Host

Line Number	Graphic	Host Code	PC Code	GCGID
1455	紺	4CBD	8DAE	I1VH0080
1456	慈	4CBE	8E9C	I1VI0080
1457	蘇	4CBF	9168	I1VJ0080
1458	駿	4CC0	8F78	I1VK0080
1459	姉	4CC1	8E6F	I1VL0080
1460	砲	4CC2	9643	I1VM0080
1461	碎	4CC3	8DD3	I1VN0080
1462	避	4CC4	94F0	I1VO0080
1463	股	4CC5	8CD2	I1VP0080
1464	尿	4CC6	9441	I1VQ0080
1465	暢	4CC7	92A8	I1VR0080
1466	鐘	4CC8	8FE0	I1VS0080
1467	浄	4CC9	8FF2	I1VT0080
1468	幕	4CCA	968B	I1VU0080
1469	塔	4CCB	9383	I1VV0080
1470	箕	4CCC	96A5	I1VW0080
1471	跡	4CCD	90D5	I1VX0080
1472	亡	4CCE	9653	I1VY0080
1473	豚	4CCF	93D8	I1VZ0080
1474	臨	4CD0	97D5	I1W00080
1475	触	4CD1	9047	I1W10080
1476	陰	4CD2	8941	I1W20080
1477	劍	4CD3	8C95	I1W30080
1478	瓶	4CD4	9572	I1W40080
1479	驚	4CD5	8BC1	I1W50080
1480	怒	4CD6	937B	I1W60080

**Table 6 (Page 29 of 41).** Basic Kanji Set (1 of 2), DBCS-Host

Line Number	Graphic	Host Code	PC Code	GCGID
1481	刊	4CD7	8AA7	I1W70080
1482	琴	4CD8	8BD5	I1W80080
1483	頁	4CD9	95C5	I1W90080
1484	遣	4CDA	88E2	I1WA0080
1485	唄	4CDB	8953	I1WB0080
1486	祖	4CDC	9163	I1WC0080
1487	到	4CDD	939E	I1WD0080
1488	咲	4CDE	8DE7	I1WE0080
1489	訴	4CDF	9169	I1WF0080
1490	隣	4CE0	97D7	I1WG0080
1491	俳	4CE1	946F	I1WH0080
1492	銃	4CE2	8F65	I1WI0080
1493	釣	4CE3	92DE	I1WJ0080
1494	紹	4CE4	8FD0	I1WK0080
1495	隈	4CE5	8C47	I1WL0080
1496	佑	4CE6	9743	I1WM0080
1497	絡	4CE7	978D	I1WN0080
1498	嶺	4CE8	97E4	I1WO0080
1499	鮮	4CE9	914E	I1WP0080
1500	往	4CEA	899D	I1WQ0080
1501	祝	4CEB	8F6A	I1WR0080
1502	菌	4CEC	8992	I1WS0080
1503	趣	4CED	8EEF	I1WT0080
1504	籠	4CEE	9855	I1WU0080
1505	尊	4CEF	91B8	I1WV0080
1506	略	4CF0	97AA	I1WW0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 6 (Page 30 of 41). Basic Kanji Set (1 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1507	薩	4CF1	8E46	I1WX0080
1508	揖	4CF2	974B	I1WY0080
1509	麗	4CF3	97ED	I1WZ0080
1510	索	4CF4	8DF5	I1X00080
1511	卵	4CF5	9791	I1X10080
1512	髮	4CF6	94AF	I1X20080
1513	遂	4CF7	908B	I1X30080
1514	欽	4CF8	8BD4	I1X40080
1515	紋	4CF9	96E4	I1X50080
1516	排	4CFA	9472	I1X60080
1517	肪	4CFB	9662	I1X70080
1518	緩	4CFC	8AC9	I1X80080
1519	鼻	4CFD	9540	I1X90080
1520	馱	4CFE	8BEC	I1XA0080
1521	浸	4D41	905A	I1XD0080
1522	朱	4D42	8EE9	I1XE0080
1523	唱	4D43	8FA5	I1XF0080
1524	掘	4D44	8C40	I1XG0080
1525	砥	4D45	9375	I1XH0080
1526	岳	4D46	8A78	I1XI0080
1527	巡	4D47	8F84	I1XJ0080
1528	錢	4D48	914B	I1XK0080
1529	飽	4D49	964F	I1XL0080
1530	預	4D4A	9761	I1XM0080
1531	泣	4D4B	8B83	I1XN0080
1532	此	4D4C	8D9F	I1XO0080

Table 6 (Page 30 of 41). Basic Kanji Set (1 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1533	匡	4D4D	8BA7	I1XP0080
1534	歡	4D4E	8ABD	I1XQ0080
1535	序	4D4F	8F98	I1XR0080
1536	童	4D50	93B6	I1XS0080
1537	倫	4D51	97CF	I1XT0080
1538	湖	4D52	8CCE	I1XU0080
1539	抽	4D53	928A	I1XV0080
1540	艷	4D54	8990	I1XW0080
1541	檜	4D55	954F	I1XX0080
1542	丘	4D56	8B75	I1XY0080
1543	執	4D57	8EB7	I1XZ0080
1544	甫	4D58	95E1	I1Y00080
1545	粗	4D59	9165	I1Y10080
1546	苦	4D5A	93CF	I1Y20080
1547	頂	4D5B	92B8	I1Y30080
1548	脚	4D5C	8B72	I1Y40080
1549	珍	4D5D	92BF	I1Y50080
1550	辛	4D5E	9068	I1Y60080
1551	尋	4D5F	9071	I1Y70080
1552	握	4D60	88AC	I1Y80080
1553	獲	4D61	8A6C	I1Y90080
1554	腐	4D62	9585	I1YA0080
1555	胡	4D63	8CD3	I1YB0080
1556	宙	4D64	9288	I1YC0080
1557	盜	4D65	9390	I1YD0080
1558	抑	4D66	977D	I1YE0080



IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

**Table 6 (Page 31 of 41).** Basic Kanji Set (1 of 2), DBCS-Host

Line Number	Graphic	Host Code	PC Code	GCGID
1559	旬	4D67	8F7B	I1YF0080
1560	診	4D68	9066	I1YG0080
1561	奇	4D69	8AEF	I1YH0080
1562	旨	4D6A	8E7C	I1YI0080
1563	湾	4D6B	9870	I1YJ0080
1564	暖	4D6C	9267	I1YK0080
1565	嗅	4D6D	8B69	I1YL0080
1566	載	4D6E	8DDA	I1YM0080
1567	銳	4D6F	8973	I1YN0080
1568	鎖	4D70	8DBD	I1YO0080
1569	仮	4D71	89BC	I1YP0080
1570	畜	4D72	927B	I1YQ0080
1571	漸	4D73	9151	I1YR0080
1572	辞	4D74	8EAB	I1YS0080
1573	禁	4D75	8BD6	I1YT0080
1574	封	4D76	9595	I1YU0080
1575	扱	4D77	8B92	I1YV0080
1576	鯨	4D78	8C7E	I1YW0080
1577	积	4D79	8EDF	I1YX0080
1578	扶	4D7A	957D	I1YY0080
1579	旋	4D7B	90F9	I1YZ0080
1580	踏	4D7C	93A5	I1Z00080
1581	謡	4D7D	9777	I1Z10080
1582	榛	4D7E	9059	I1Z20080
1583	或	4D7F	88BD	I1Z30080
1584	媒	4D80	947D	I1Z40080

**Table 6 (Page 31 of 41).** Basic Kanji Set (1 of 2), DBCS-Host

Line Number	Graphic	Host Code	PC Code	GCGID
1585	邸	4D81	9340	I1Z50080
1586	僚	4D82	97BB	I1Z60080
1587	租	4D83	9164	I1Z70080
1588	汁	4D84	8F60	I1Z80080
1589	剩	4D85	8FE8	I1Z90080
1590	酵	4D86	8D79	I1ZA0080
1591	謹	4D87	8BDE	I1ZB0080
1592	柈	4D88	9691	I1ZC0080
1593	塵	4D89	906F	I1ZD0080
1594	膜	4D8A	968C	I1ZE0080
1595	宜	4D8B	8B58	I1ZF0080
1596	誉	4D8C	975F	I1ZG0080
1597	該	4D8D	8A59	I1ZH0080
1598	鷄	4D8E	8C7B	I1ZI0080
1599	捷	4D8F	8FB7	I1ZJ0080
1600	奴	4D90	937A	I1ZK0080
1601	誤	4D91	8CEB	I1ZL0080
1602	励	4D92	97E3	I1ZM0080
1603	櫓	4D93	93E8	I1ZN0080
1604	屈	4D94	8BFC	I1ZO0080
1605	鳩	4D95	94B5	I1ZP0080
1606	机	4D96	8AF7	I1ZQ0080
1607	疲	4D97	94E6	I1ZR0080
1608	洞	4D98	93B4	I1ZS0080
1609	伍	4D99	8CDE	I1ZT0080
1610	繭	4D9A	969A	I1ZU0080

IBM Japanese Graphic Character Set, Kanji


DBCS - Host and DBCS - PC

**Table 6 (Page 32 of 41).** Basic Kanji Set (1 of 2), DBCS-Host

Line Number	Graphic	Host Code	PC Code	GCGID
1611	筈	4D9B	94A4	I1ZV0080
1612	翌	4D9C	9782	I1ZW0080
1613	旦	4D9D	9255	I1ZX0080
1614	妥	4D9E	91C3	I1ZY0080
1615	秩	4D9F	9281	I1ZZ0080
1616	戒	4DA0	89FA	I2000080
1617	滯	4DA1	91D8	I2010080
1618	看	4DA2	8AC5	I2020080
1619	貧	4DA3	956E	I2030080
1620	於	4DA4	8997	I2040080
1621	衝	4DA5	8FD5	I2050080
1622	櫛	4DA6	8BF9	I2060080
1623	届	4DA7	93CD	I2070080
1624	聽	4DA8	92AE	I2080080
1625	還	4DA9	8AD2	I2090080
1626	軌	4DAA	8B4F	I20A0080
1627	旗	4DAB	8AF8	I20B0080
1628	培	4DAC	947C	I20C0080
1629	炎	4DAD	898A	I20D0080
1630	漆	4DAE	8EBD	I20E0080
1631	幼	4DAF	9763	I20F0080
1632	瞬	4DB0	8F75	I20G0080
1633	俵	4DB1	9555	I20H0080
1634	奉	4DB2	95F2	I20I0080
1635	臭	4DB3	8F4C	I20J0080
1636	魅	4DB4	96A3	I20K0080

**Table 6 (Page 32 of 41).** Basic Kanji Set (1 of 2), DBCS-Host

Line Number	Graphic	Host Code	PC Code	GCGID
1637	翼	4DB5	9783	I20L0080
1638	腸	4DB6	92B0	I20M0080
1639	槽	4DB7	9185	I20N0080
1640	泊	4DB8	9491	I20O0080
1641	楨	4DB9	968A	I20P0080
1642	秒	4DBA	9562	I20Q0080
1643	謝	4DBB	8ED3	I20R0080
1644	黙	4DBC	96D9	I20S0080
1645	臈	4DBD	919F	I20T0080
1646	稼	4DBE	89D2	I20U0080
1647	票	4DBF	955B	I20V0080
1648	潜	4DC0	90F6	I20W0080
1649	掲	4DC1	8C66	I20X0080
1650	距	4DC2	8B97	I20Y0080
1651	掃	4DC3	917C	I20Z0080
1652	溜	4DC4	97AD	I2100080
1653	帳	4DC5	92A0	I2110080
1654	懸	4DC6	8C9C	I2120080
1655	皿	4DC7	8E4D	I2130080
1656	搬	4DC8	94C0	I2140080
1657	綴	4DC9	92D4	I2150080
1658	扇	4DCA	90EE	I2160080
1659	摘	4DCB	9345	I2170080
1660	栖	4DCC	90B2	I2180080
1661	彩	4DCD	8DCA	I2190080
1662	逢	4DCE	88A7	I21A0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
1663	稚	4DCF	9274	I21B0080
1664	芹	4DD0	8BDA	I21C0080
1665	烈	4DD1	97F3	I21D0080
1666	騷	4DD2	919B	I21E0080
1667	慣	4DD3	8AB5	I21F0080
1668	濯	4DD4	91F3	I21G0080
1669	叫	4DD5	8BA9	I21H0080
1670	鴻	4DD6	8D83	I21I0080
1671	拾	4DD7	8F45	I21J0080
1672	悠	4DD8	9749	I21K0080
1673	閑	4DD9	8AD5	I21L0080
1674	涙	4DDA	97DC	I21M0080
1675	慢	4DDB	969D	I21N0080
1676	銘	4DDC	96C1	I21O0080
1677	搜	4DDD	917B	I21P0080
1678	震	4DDE	906B	I21Q0080
1679	襲	4DDF	8F50	I21R0080
1680	栽	4DE0	8DCD	I21S0080
1681	凡	4DE1	967D	I21T0080
1682	魔	4DE2	9682	I21U0080
1683	悌	4DE3	92EE	I21V0080
1684	嬢	4DE4	8FEC	I21W0080
1685	駄	4DE5	91CA	I21X0080
1686	焦	4DE6	8FC5	I21Y0080
1687	詳	4DE7	8FDA	I21Z0080
1688	霜	4DE8	919A	I2200080

Line Number	Graphic	Host Code	PC Code	GCGID
1689	玖	4DE9	8BE8	I2210080
1690	柔	4DEA	8F5F	I2220080
1691	患	4DEB	8AB3	I2230080
1692	丑	4DEC	894E	I2240080
1693	仰	4DED	8BC2	I2250080
1694	贊	4DEE	8E5E	I2260080
1695	貫	4DEF	96E1	I2270080
1696	磯	4DF0	E245	I2280080
1697	靴	4DF1	8C43	I2290080
1698	覆	4DF2	95A2	I22A0080
1699	兆	4DF3	929B	I22B0080
1700	埜	4DF4	9457	I22C0080
1701	駐	4DF5	9293	I22D0080
1702	胃	4DF6	88DD	I22E0080
1703	茸	4DF7	91F9	I22F0080
1704	碧	4DF8	95C9	I22G0080
1705	蚩	4DF9	8C75	I22H0080
1706	羅	4DFA	9785	I22I0080
1707	偉	4DFB	88CC	I22J0080
1708	艇	4DFC	92F8	I22K0080
1709	棕	4DFD	96B8	I22L0080
1710	籊	4DFE	90D0	I22M0080
1711	只	4E41	91FC	I22P0080
1712	弦	4E42	8CB7	I22Q0080
1713	渥	4E43	88AD	I22R0080
1714	梁	4E44	97C0	I22S0080

IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

**Table 6 (Page 34 of 41).** Basic Kanji Set (1 of 2), DBCS-Host

Line Number	Graphic	Host Code	PC Code	GCGID
1715	鍵	4E45	8CAE	I22T0080
1716	巽	4E46	9246	I22U0080
1717	升	4E47	8FA1	I22V0080
1718	霧	4E48	96B6	I22W0080
1719	携	4E49	8C67	I22X0080
1720	症	4E4A	8FC7	I22Y0080
1721	澤	4E4B	E056	I22Z0080
1722	玩	4E4C	8ADF	I2300080
1723	矩	4E4D	8BE9	I2310080
1724	鑑	4E4E	8AD3	I2320080
1725	譜	4E4F	9588	I2330080
1726	肌	4E50	94A7	I2340080
1727	李	4E51	979B	I2350080
1728	亨	4E52	92E0	I2360080
1729	堯	4E53	8BC4	I2370080
1730	疊	4E54	8FF4	I2380080
1731	軒	4E55	8CAC	I2390080
1732	泥	4E56	9344	I23A0080
1733	錠	4E57	8FF9	I23B0080
1734	迷	4E58	96C0	I23C0080
1735	紳	4E59	9061	I23D0080
1736	狂	4E5A	8BB6	I23E0080
1737	舗	4E5B	95DC	I23F0080
1738	琢	4E5C	91F4	I23G0080
1739	苻	4E5D	8AA1	I23H0080
1740	騰	4E5E	93AB	I23I0080

**Table 6 (Page 34 of 41).** Basic Kanji Set (1 of 2), DBCS-Host

Line Number	Graphic	Host Code	PC Code	GCGID
1741	眺	4E5F	92AD	I23J0080
1742	徑	4E60	8C61	I23K0080
1743	陳	4E61	92C2	I23L0080
1744	播	4E62	9464	I23M0080
1745	鈍	4E63	93DD	I23N0080
1746	瓜	4E64	895A	I23O0080
1747	惇	4E65	93D5	I23P0080
1748	蛭	4E66	9567	I23Q0080
1749	俺	4E67	89B4	I23R0080
1750	劣	4E68	97F2	I23S0080
1751	樺	4E69	8A92	I23T0080
1752	眠	4E6A	96B0	I23U0080
1753	匠	4E6B	8FA0	I23V0080
1754	憶	4E6C	89AF	I23W0080
1755	噴	4E6D	95AC	I23X0080
1756	蝶	4E6E	92B1	I23Y0080
1757	沿	4E6F	8988	I23Z0080
1758	停	4E70	92E2	I2400080
1759	怪	4E71	89F6	I2410080
1760	葦	4E72	88AF	I2420080
1761	殖	4E73	9042	I2430080
1762	涼	4E74	97C1	I2440080
1763	韓	4E75	8AD8	I2450080
1764	随	4E76	908F	I2460080
1765	桶	4E77	89B1	I2470080
1766	惑	4E78	9866	I2480080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 6 (Page 35 of 41). Basic Kanji Set (1 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1767	卸	4E79	89B5	I2490080
1768	撤	4E7A	9350	I24A0080
1769	冠	4E7B	8AA5	I24B0080
1770	醉	4E7C	908C	I24C0080
1771	巴	4E7D	9462	I24D0080
1772	扱	4E7E	91F0	I24E0080
1773	幣	4E7F	95BC	I24F0080
1774	銚	4E80	92B6	I24G0080
1775	皓	4E81	E1A9	I24H0080
1776	汚	4E82	8998	I24I0080
1777	斗	4E83	936C	I24J0080
1778	僧	4E84	916D	I24K0080
1779	叅	4E85	8C48	I24L0080
1780	彫	4E86	92A4	I24M0080
1781	泡	4E87	9641	I24N0080
1782	彬	4E88	956A	I24O0080
1783	嫁	4E89	89C5	I24P0080
1784	漬	4E8A	92D0	I24Q0080
1785	蔭	4E8B	88FC	I24R0080
1786	摂	4E8C	90DB	I24S0080
1787	坐	4E8D	8DBF	I24T0080
1788	壇	4E8E	9264	I24U0080
1789	購	4E8F	8D77	I24V0080
1790	詞	4E90	8E8C	I24W0080
1791	穿	4E91	90FA	I24X0080
1792	條	4E92	9E8A	I24Y0080

Table 6 (Page 35 of 41). Basic Kanji Set (1 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1793	縦	4E93	8F63	I24Z0080
1794	穀	4E94	8D92	I2500080
1795	獄	4E95	8D96	I2510080
1796	諫	4E96	8AD0	I2520080
1797	俗	4E97	91AD	I2530080
1798	穰	4E98	8FF5	I2540080
1799	耶	4E99	96EB	I2550080
1800	緯	4E9A	88DC	I2560080
1801	胆	4E9B	925F	I2570080
1802	諭	4E9C	9740	I2580080
1803	獵	4E9D	97C2	I2590080
1804	迪	4E9E	E78C	I25A0080
1805	伎	4E9F	8AEA	I25B0080
1806	疋	4EA0	9544	I25C0080
1807	冊	4EA1	8DFB	I25D0080
1808	朴	4EA2	9670	I25E0080
1809	忙	4EA3	965A	I25F0080
1810	懇	4EA4	8DA7	I25G0080
1811	斯	4EA5	8E7A	I25H0080
1812	鳳	4EA6	9650	I25I0080
1813	廊	4EA7	984C	I25J0080
1814	鉢	4EA8	94AB	I25K0080
1815	棟	4EA9	938F	I25L0080
1816	沸	4EAA	95A6	I25M0080
1817	胴	4EAB	93B7	I25N0080
1818	埋	4EAC	9684	I25O0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
1819	沙	4EAD	8DB9	I25P0080
1820	隱	4EAE	8942	I25Q0080
1821	孤	4EAF	8CC7	I25R0080
1822	尙	4EB0	88EB	I25S0080
1823	棄	4EB1	8AFC	I25T0080
1824	吐	4EB2	9366	I25U0080
1825	頰	4EB3	966A	I25V0080
1826	誇	4EB4	8CD6	I25W0080
1827	乞	4EB5	8CEE	I25X0080
1828	慧	4EB6	8C64	I25Y0080
1829	鮫	4EB7	8E4C	I25Z0080
1830	邪	4EB8	8ED7	I2600080
1831	喰	4EB9	8BF2	I2610080
1832	芽	4EBA	89E8	I2620080
1833	奪	4EBB	9244	I2630080
1834	曳	4EBC	8967	I2640080
1835	芙	4EBD	9587	I2650080
1836	墓	4EBE	95E6	I2660080
1837	熟	4EBF	8F6E	I2670080
1838	抄	4EC0	8FB4	I2680080
1839	柑	4EC1	8AB9	I2690080
1840	遣	4EC2	8CAD	I26A0080
1841	嫌	4EC3	8C99	I26B0080
1842	汗	4EC4	8ABE	I26C0080
1843	糧	4EC5	97C6	I26D0080
1844	塑	4EC6	9159	I26E0080

Line Number	Graphic	Host Code	PC Code	GCGID
1845	撲	4EC7	966F	I26F0080
1846	壞	4EC8	89F3	I26G0080
1847	莖	4EC9	8C73	I26H0080
1848	獎	4ECA	8FA7	I26I0080
1849	匂	4ECB	93F5	I26J0080
1850	婆	4ECC	946B	I26K0080
1851	蜂	4ECD	9649	I26L0080
1852	恥	4ECE	9270	I26M0080
1853	狙	4ECF	915F	I26N0080
1854	覽	4ED0	9797	I26O0080
1855	暉	4ED1	9DF4	I26P0080
1856	曹	4ED2	9182	I26Q0080
1857	嗟	4ED3	8DB5	I26R0080
1858	宰	4ED4	8DC9	I26S0080
1859	隼	4ED5	94B9	I26T0080
1860	据	4ED6	9098	I26U0080
1861	惜	4ED7	90C9	I26V0080
1862	祈	4ED8	8B46	I26W0080
1863	凝	4ED9	8BC3	I26X0080
1864	蘆	4EDA	E562	I26Y0080
1865	廉	4EDB	97F5	I26Z0080
1866	畔	4EDC	94C8	I2700080
1867	奮	4EDD	95B1	I2710080
1868	欄	4EDE	9793	I2720080
1869	佃	4EDF	92CF	I2730080
1870	箔	4EE0	9493	I2740080

IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

**Table 6 (Page 37 of 41).** Basic Kanji Set (1 of 2), DBCS-Host

Line Number	Graphic	Host Code	PC Code	GCGID
1871	柚	4EE1	974D	I2750080
1872	拌	4EE2	9471	I2760080
1873	把	4EE3	9463	I2770080
1874	霞	4EE4	89E0	I2780080
1875	拭	4EE5	9040	I2790080
1876	滅	4EE6	96C5	I27A0080
1877	傍	4EE7	9654	I27B0080
1878	架	4EE8	89CB	I27C0080
1879	胤	4EE9	88FB	I27D0080
1880	膺	4EEA	969B	I27E0080
1881	庵	4EEB	88C1	I27F0080
1882	掌	4EEC	8FB6	I27G0080
1883	藍	4EED	9795	I27H0080
1884	顧	4EEE	8CDA	I27I0080
1885	勅	4EEF	92BA	I27J0080
1886	怖	4EF0	957C	I27K0080
1887	棋	4EF1	8AFB	I27L0080
1888	懷	4EF2	89F9	I27M0080
1889	坑	4EF3	8D42	I27N0080
1890	輩	4EF4	9479	I27O0080
1891	循	4EF5	8F7A	I27P0080
1892	膨	4EF6	9663	I27Q0080
1893	絢	4EF7	88BA	I27R0080
1894	燈	4EF8	9395	I27S0080
1895	哀	4EF9	88A3	I27T0080
1896	槌	4EFA	92C6	I27U0080

**Table 6 (Page 37 of 41).** Basic Kanji Set (1 of 2), DBCS-Host

Line Number	Graphic	Host Code	PC Code	GCGID
1897	款	4EFB	8ABC	I27V0080
1898	斬	4EFC	8E61	I27W0080
1899	揃	4EFD	91B5	I27X0080
1900	但	4EFE	9241	I27Y0080
1901	笛	4F41	934A	I2810080
1902	殆	4F42	9677	I2820080
1903	裸	4F43	9787	I2830080
1904	刃	4F44	906E	I2840080
1905	献	4F45	8CA3	I2850080
1906	暇	4F46	89C9	I2860080
1907	紗	4F47	8ED1	I2870080
1908	埴	4F48	8FFB	I2880080
1909	圈	4F49	8C97	I2890080
1910	憎	4F4A	919E	I28A0080
1911	靈	4F4B	97EC	I28B0080
1912	簿	4F4C	95EB	I28C0080
1913	謀	4F4D	9664	I28D0080
1914	碁	4F4E	8CE9	I28E0080
1915	賠	4F4F	9485	I28F0080
1916	咋	4F50	8DEE	I28G0080
1917	箇	4F51	89D3	I28H0080
1918	瑛	4F52	896C	I28I0080
1919	簞	4F53	E2C0	I28J0080
1920	衰	4F54	908A	I28K0080
1921	厘	4F55	97D0	I28L0080
1922	呈	4F56	92E6	I28M0080




## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 6 (Page 38 of 41). Basic Kanji Set (1 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1923	泳	4F57	896A	I28N0080
1924	漢	4F58	8ABF	I28O0080
1925	叶	4F59	8A90	I28P0080
1926	袴	4F5A	8CD1	I28Q0080
1927	匆	4F5B	96E6	I28R0080
1928	穫	4F5C	8A6E	I28S0080
1929	蚕	4F5D	8E5C	I28T0080
1930	填	4F5E	9355	I28U0080
1931	崩	4F5F	95F6	I28V0080
1932	裂	4F60	97F4	I28W0080
1933	拒	4F61	8B91	I28X0080
1934	丞	4F62	8FE5	I28Y0080
1935	俱	4F63	8BE4	I28Z0080
1936	雀	4F64	909D	I2900080
1937	獸	4F65	8F62	I2910080
1938	註	4F66	9290	I2920080
1939	其	4F67	91B4	I2930080
1940	熙	4F68	E086	I2940080
1941	翠	4F69	9089	I2950080
1942	袈	4F6A	8C55	I2960080
1943	縞	4F6B	8EC8	I2970080
1944	乏	4F6C	9652	I2980080
1945	蓋	4F6D	8A57	I2990080
1946	漫	4F6E	969F	I29A0080
1947	塙	4F6F	94B7	I29B0080
1948	鋏	4F70	8C4C	I29C0080

Table 6 (Page 38 of 41). Basic Kanji Set (1 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1949	叩	4F71	9240	I29D0080
1950	虚	4F72	8B95	I29E0080
1951	酉	4F73	93D1	I29F0080
1952	虻	4F74	E582	I29G0080
1953	帆	4F75	94BF	I29H0080
1954	唇	4F76	904F	I29I0080
1955	逮	4F77	91DF	I29J0080
1956	枕	4F78	968D	I29K0080
1957	葬	4F79	9192	I29L0080
1958	宥	4F7A	9747	I29M0080
1959	芥	4F7B	8A48	I29N0080
1960	萱	4F7C	8A9E	I29O0080
1961	涌	4F7D	974F	I29P0080
1962	揺	4F7E	9768	I29Q0080
1963	亥	4F7F	88E5	I29R0080
1964	准	4F80	8F79	I29S0080
1965	挨	4F81	88A5	I29T0080
1966	罰	4F82	94B1	I29U0080
1967	孟	4F83	96D0	I29V0080
1968	嶽	4F84	9BD4	I29W0080
1969	駟	4F85	8BED	I29X0080
1970	召	4F86	8FA2	I29Y0080
1971	禪	4F87	9154	I29Z0080
1972	詔	4F88	8FD9	I2A00080
1973	祢	4F89	9449	I2A10080
1974	裛	4F8A	8DBE	I2A20080





## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 6 (Page 39 of 41). Basic Kanji Set (1 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1975	嬉	4F8B	8AF0	I2A30080
1976	侵	4F8C	904E	I2A40080
1977	侑	4F8D	98D0	I2A50080
1978	鮎	4F8E	88BC	I2A60080
1979	冒	4F8F	9660	I2A70080
1980	雰	4F90	95B5	I2A80080
1981	涯	4F91	8A55	I2A90080
1982	戲	4F92	8B59	I2AA0080
1983	蒐	4F93	8F4E	I2AB0080
1984	賜	4F94	8E92	I2AC0080
1985	偵	4F95	92E3	I2AD0080
1986	峠	4F96	93BB	I2AE0080
1987	且	4F97	8A8E	I2AF0080
1988	侃	4F98	8AA4	I2AG0080
1989	藪	4F99	E2D6	I2AH0080
1990	蓑	4F9A	96AA	I2AI0080
1991	瞳	4F9B	93B5	I2AJ0080
1992	諮	4F9C	8E90	I2AK0080
1993	峨	4F9D	89E3	I2AL0080
1994	撈	4F9E	8E41	I2AM0080
1995	昂	4F9F	8D56	I2AN0080
1996	誓	4FA0	90BE	I2AO0080
1997	蔦	4FA1	92D3	I2AP0080
1998	誕	4FA2	9261	I2AQ0080
1999	旺	4FA3	89A0	I2AR0080
2000	朔	4FA4	8DF1	I2AS0080

Table 6 (Page 39 of 41). Basic Kanji Set (1 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
2001	叔	4FA5	8F66	I2AT0080
2002	披	4FA6	94E2	I2AU0080
2003	賦	4FA7	958A	I2AV0080
2004	裳	4FA8	8FD6	I2AW0080
2005	寧	4FA9	944A	I2AX0080
2006	蚊	4FAA	89E1	I2AY0080
2007	暎	4FAB	9DF3	I2AZ0080
2008	堪	4FAC	8AAC	I2B00080
2009	慰	4FAD	88D4	I2B10080
2010	楯	4FAE	8F7C	I2B20080
2011	鼓	4FAF	8CDB	I2B30080
2012	窠	4FB0	9282	I2B40080
2013	碓	4FB1	894F	I2B50080
2014	檣	4FB2	8A80	I2B60080
2015	逗	4FB3	9080	I2B70080
2016	鉦	4FB4	8FDE	I2B80080
2017	紐	4FB5	9552	I2B90080
2018	篇	4FB6	95D1	I2BA0080
2019	滴	4FB7	9348	I2BB0080
2020	舜	4FB8	8F77	I2BC0080
2021	尽	4FB9	9073	I2BD0080
2022	拍	4FBA	948F	I2BE0080
2023	藁	4FBB	986D	I2BF0080
2024	漂	4FBC	9559	I2BG0080
2025	湧	4FBD	974E	I2BH0080
2026	暑	4FBE	8F8B	I2BI0080




## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 6 (Page 40 of 41). Basic Kanji Set (1 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
2027	薦	4FBF	9145	I2BJ0080
2028	捺	4FC0	93E6	I2BK0080
2029	舛	4FC1	9143	I2BL0080
2030	侍	4FC2	8E98	I2BM0080
2031	傑	4FC3	8C86	I2BN0080
2032	訂	4FC4	92F9	I2BO0080
2033	括	4FC5	8A87	I2BP0080
2034	鯉	4FC6	8CEF	I2BQ0080
2035	稽	4FC7	8C6D	I2BR0080
2036	肅	4FC8	8F6C	I2BS0080
2037	僅	4FC9	8BCD	I2BT0080
2038	這	4FCA	9487	I2BU0080
2039	炊	4FCB	9086	I2BV0080
2040	粹	4FCC	9088	I2BW0080
2041	擬	4FCD	8B5B	I2BX0080
2042	晟	4FCE	9DEE	I2BY0080
2043	敢	4FCF	8AB8	I2BZ0080
2044	猫	4FD0	944C	I2C00080
2045	匹	4FD1	9543	I2C10080
2046	桦	4FD2	9867	I2C20080
2047	喧	4FD3	8C96	I2C30080
2048	洪	4FD4	8D5E	I2C40080
2049	稿	4FD5	8D65	I2C50080
2050	擦	4FD6	8E43	I2C60080
2051	禧	4FD7	E255	I2C70080
2052	柘	4FD8	92D1	I2C80080

Table 6 (Page 40 of 41). Basic Kanji Set (1 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
2053	符	4FD9	9584	I2C90080
2054	隻	4FDA	90C7	I2CA0080
2055	挑	4FDB	92A7	I2CB0080
2056	犧	4FDC	8B5D	I2CC0080
2057	屯	4FDD	93D4	I2CD0080
2058	瀧	4FDE	9295	I2CE0080
2059	菲	4FDF	9442	I2CF0080
2060	惟	4FE0	88D2	I2CG0080
2061	諾	4FE1	91F8	I2CH0080
2062	騰	4FE2	93A3	I2CI0080
2063	蒔	4FE3	8EAA	I2CJ0080
2064	鯖	4FE4	8E49	I2CK0080
2065	芯	4FE5	9063	I2CL0080
2066	鍊	4FE6	9842	I2CM0080
2067	昆	4FE7	8DA9	I2CN0080
2068	陀	4FE8	91C9	I2CO0080
2069	寂	4FE9	8EE2	I2CP0080
2070	蛇	4FEA	8ED6	I2CQ0080
2071	祉	4FEB	8E83	I2CR0080
2072	耗	4FEC	96D5	I2CS0080
2073	楣	4FED	909A	I2CT0080
2074	炒	4FEE	E075	I2CU0080
2075	阻	4FEF	916A	I2CV0080
2076	糲	4FF0	96E0	I2CW0080
2077	姓	4FF1	90A9	I2CX0080
2078	致	4FF2	8E79	I2CY0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
2079	紛	4FF3	95B4	I2CZ0080
2080	釘	4FF4	9342	I2D00080
2081	檀	4FF5	9268	I2D10080
2082	藩	4FF6	94CB	I2D20080
2083	椅	4FF7	88D6	I2D30080
2084	杳	4FF8	8C42	I2D40080
2085	倭	4FF9	9860	I2D50080
2086	亦	4FFA	9692	I2D60080
2087	翁	4FFB	89A5	I2D70080
2088	憤	4FFC	95AE	I2D80080
2089	賊	4FFD	91AF	I2D90080
2090	陷	4FFE	8AD7	I2DA0080

Line Number	Graphic	Host Code	PC Code	GCGID
2091	鑄	5041	934C	I2DD0080
2092	叱	5042	8EB6	I2DE0080
2093	妊	5043	9444	I2DF0080
2094	躬	5044	E75A	I2DG0080
2095	拘	5045	8D53	I2DH0080
2096	桧	5046	9E77	I2DI0080
2097	燕	5047	898D	I2DJ0080
2098	筧	5048	E2A8	I2DK0080
2099	偏	5049	95CE	I2DL0080
2100	某	504A	965E	I2DM0080
2101	苑	504B	8991	I2DN0080
2102	鞍	504C	88C6	I2DO0080
2103	璋	504D	E0F6	I2DP0080
2104	肺	504E	9478	I2DQ0080
2105	猶	504F	9750	I2DR0080
2106	兔	5050	9365	I2DS0080
2107	脅	5051	8BBA	I2DT0080
2108	郊	5052	8D78	I2DU0080
2109	塊	5053	89F2	I2DV0080
2110	柁	5054	968F	I2DW0080
2111	濱	5055	E05F	I2DX0080
2112	忽	5056	8D9A	I2DY0080
2113	盆	5057	967E	I2DZ0080
2114	騎	5058	8B52	I2E00080
2115	偽	5059	8B55	I2E10080
2116	隔	505A	8A75	I2E20080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
2117	廷	505B	92EC	I2E30080
2118	箸	505C	94A2	I2E40080
2119	遍	505D	95D5	I2E50080
2120	汎	505E	94C4	I2E60080
2121	藻	505F	9194	I2E70080
2122	膝	5060	9547	I2E80080
2123	枯	5061	8CCD	I2E90080
2124	噌	5062	9158	I2EA0080
2125	嘆	5063	9251	I2EB0080
2126	貌	5064	9665	I2EC0080
2127	囚	5065	8EFA	I2ED0080
2128	班	5066	94C7	I2EE0080
2129	賄	5067	9864	I2EF0080
2130	迅	5068	9076	I2EG0080
2131	零	5069	97EB	I2EH0080
2132	汐	506A	8EAC	I2EI0080
2133	襄	506B	E5F5	I2EJ0080
2134	輿	506C	9760	I2EK0080
2135	絞	506D	8D69	I2EL0080
2136	慘	506E	8E53	I2EM0080
2137	狼	506F	9854	I2EN0080
2138	綜	5070	918E	I2EO0080
2139	董	5071	939F	I2EP0080
2140	峻	5072	8F73	I2EQ0080
2141	呆	5073	95F0	I2ER0080
2142	崖	5074	8A52	I2ES0080

Line Number	Graphic	Host Code	PC Code	GCGID
2143	没	5075	9676	I2ET0080
2144	膳	5076	9156	I2EU0080
2145	壺	5077	92D9	I2EV0080
2146	宴	5078	8983	I2EW0080
2147	脈	5079	96AC	I2EX0080
2148	吟	507A	8BE1	I2EY0080
2149	貼	507B	935C	I2EZ0080
2150	憂	507C	974A	I2F00080
2151	碩	507D	90D7	I2F10080
2152	濡	507E	9447	I2F20080
2153	醬	507F	8FDD	I2F30080
2154	盲	5080	96D3	I2F40080
2155	怠	5081	91D3	I2F50080
2156	盾	5082	8F82	I2F60080
2157	蓉	5083	9775	I2F70080
2158	缶	5084	8ACA	I2F80080
2159	仇	5085	8B77	I2F90080
2160	畝	5086	90A4	I2FA0080
2161	稗	5087	9542	I2FB0080
2162	蓬	5088	9648	I2FC0080
2163	痴	5089	9273	I2FD0080
2164	伺	508A	8E66	I2FE0080
2165	杭	508B	8D59	I2FF0080
2166	璫	508C	97DA	I2FG0080
2167	拳	508D	8C9D	I2FH0080
2168	漠	508E	9499	I2FI0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 7 (Page 3 of 23). Basic Kanji Set (2 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
2169	秤	508F	9489	I2FJ0080
2170	蟹	5090	8A49	I2FK0080
2171	悔	5091	89F7	I2FL0080
2172	戴	5092	91D5	I2FM0080
2173	暫	5093	8E62	I2FN0080
2174	舌	5094	90E3	I2FO0080
2175	蒙	5095	96D6	I2FP0080
2176	爺	5096	96EA	I2FQ0080
2177	忌	5097	8AF5	I2FR0080
2178	愉	5098	96F9	I2FS0080
2179	烏	5099	8947	I2FT0080
2180	牡	509A	89B2	I2FU0080
2181	穉	509B	88AA	I2FV0080
2182	傘	509C	8E50	I2FW0080
2183	髭	509D	9545	I2FX0080
2184	嵩	509E	9093	I2FY0080
2185	恰	509F	97E5	I2FZ0080
2186	皓	50A0	9DEC	I2G00080
2187	馴	50A1	93E9	I2G10080
2188	幻	50A2	8CB6	I2G20080
2189	搾	50A3	8DEF	I2G30080
2190	堰	50A4	8981	I2G40080
2191	叉	50A5	8DB3	I2G50080
2192	窟	50A6	8C41	I2G60080
2193	餌	50A7	8961	I2G70080
2194	魂	50A8	8DB0	I2G80080

Table 7 (Page 3 of 23). Basic Kanji Set (2 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
2195	轟	50A9	8D8C	I2G90080
2196	窮	50AA	8B87	I2GA0080
2197	宛	50AB	88B6	I2GB0080
2198	梢	50AC	8FBD	I2GC0080
2199	扉	50AD	94E0	I2GD0080
2200	祿	50AE	985C	I2GE0080
2201	鷺	50AF	8DEB	I2GF0080
2202	吞	50B0	93DB	I2GG0080
2203	錯	50B1	8DF6	I2GH0080
2204	諄	50B2	E678	I2GI0080
2205	徐	50B3	8F99	I2GJ0080
2206	跳	50B4	92B5	I2GK0080
2207	娛	50B5	8CE2	I2GL0080
2208	胞	50B6	9645	I2GM0080
2209	洩	50B7	896B	I2GN0080
2210	穩	50B8	89B8	I2GO0080
2211	蒼	50B9	9193	I2GP0080
2212	鳴	50BA	8EB0	I2GQ0080
2213	逐	50BB	9280	I2GR0080
2214	洸	50BC	9FA9	I2GS0080
2215	酪	50BD	978F	I2GT0080
2216	濁	50BE	91F7	I2GU0080
2217	餅	50BF	96DD	I2GV0080
2218	殼	50C0	8A6B	I2GW0080
2219	庶	50C1	8F8E	I2GX0080
2220	釀	50C2	8FF8	I2GY0080




## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 7 (Page 4 of 23). Basic Kanji Set (2 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
2221	偶	50C3	8BF4	I2GZ0080
2222	漏	50C4	9852	I2H00080
2223	丙	50C5	95B8	I2H10080
2224	吏	50C6	9799	I2H20080
2225	陵	50C7	97CB	I2H30080
2226	汲	50C8	8B82	I2H40080
2227	冴	50C9	8DE1	I2H50080
2228	囑	50CA	8FFA	I2H60080
2229	鼠	50CB	916C	I2H70080
2230	曆	50CC	97EF	I2H80080
2231	弊	50CD	95BE	I2H90080
2232	疫	50CE	8975	I2HA0080
2233	凸	50CF	93CA	I2HB0080
2234	杏	50D0	88C7	I2HC0080
2235	踐	50D1	9148	I2HD0080
2236	汰	50D2	91BF	I2HE0080
2237	詫	50D3	986C	I2HF0080
2238	畿	50D4	8B45	I2HG0080
2239	岬	50D5	96A6	I2HH0080
2240	桁	50D6	8C85	I2HI0080
2241	賓	50D7	956F	I2HJ0080
2242	鯛	50D8	91E2	I2HK0080
2243	葵	50D9	88A8	I2HL0080
2244	梓	50DA	88B2	I2HM0080
2245	萌	50DB	9647	I2HN0080
2246	狛	50DC	8D9D	I2HO0080

Table 7 (Page 4 of 23). Basic Kanji Set (2 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
2247	曠	50DD	93EB	I2HP0080
2248	蕨	50DE	986E	I2HQ0080
2249	砺	50DF	E1E8	I2HR0080
2250	葺	50E0	9598	I2HS0080
2251	弌	50E1	93F3	I2HT0080
2252	茜	50E2	88A9	I2HU0080
2253	栓	50E3	90F0	I2HV0080
2254	渚	50E4	8F8D	I2HW0080
2255	鶯	50E5	89A7	I2HX0080
2256	凹	50E6	899A	I2HY0080
2257	稟	50E7	E268	I2HZ0080
2258	瓦	50E8	9869	I2I00080
2259	廣	50E9	9C41	I2I10080
2260	邊	50EA	E7B2	I2I20080
2261	肯	50EB	8D6D	I2I30080
2262	妨	50EC	9657	I2I40080
2263	矛	50ED	96B5	I2I50080
2264	赴	50EE	958B	I2I60080
2265	訟	50EF	8FD7	I2I70080
2266	朽	50F0	8B80	I2I80080
2267	匿	50F1	93BD	I2I90080
2268	訊	50F2	9075	I2IA0080
2269	嘘	50F3	8952	I2IB0080
2270	杖	50F4	8FF1	I2IC0080
2271	叙	50F5	8F96	I2ID0080
2272	伐	50F6	94B0	I2IE0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 7 (Page 5 of 23). Basic Kanji Set (2 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
2273	琉	50F7	97AE	I2IF0080
2274	婁	50F8	984B	I2IG0080
2275	俸	50F9	95EE	I2IH0080
2276	禰	50FA	9448	I2II0080
2277	頸	50FB	8C7A	I2IJ0080
2278	踪	50FC	E748	I2IK0080
2279	鵠	50FD	8D94	I2IL0080
2280	轄	50FE	8A8D	I2IM0080
2281	斥	5141	90CB	I2IP0080
2282	疾	5142	8EBE	I2IQ0080
2283	遭	5143	9198	I2IR0080
2284	虻	5144	88B8	I2IS0080
2285	悼	5145	9389	I2IT0080
2286	冶	5146	96E8	I2IU0080
2287	夷	5147	88CE	I2IV0080
2288	累	5148	97DD	I2IW0080
2289	酬	5149	8F56	I2IX0080
2290	榮	514A	9EC4	I2IY0080
2291	糠	514B	8D66	I2IZ0080
2292	礪	514C	9376	I2J00080
2293	崔	514D	9BC1	I2J10080
2294	擁	514E	9769	I2J20080
2295	壬	514F	9070	I2J30080
2296	墜	5150	92C4	I2J40080
2297	赦	5151	8ECD	I2J50080
2298	曙	5152	8F8C	I2J60080

Table 7 (Page 5 of 23). Basic Kanji Set (2 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
2299	懲	5153	92A6	I2J70080
2300	鄭	5154	9341	I2J80080
2301	湘	5155	8FC3	I2J90080
2302	鐵	5156	E863	I2JA0080
2303	陞	5157	95C3	I2JB0080
2304	牲	5158	90B5	I2JC0080
2305	彪	5159	9556	I2JD0080
2306	庚	515A	8D4D	I2JE0080
2307	輻	515B	E770	I2JF0080
2308	宕	515C	9386	I2JG0080
2309	尹	515D	9B9A	I2JH0080
2310	逋	515E	92FC	I2JI0080
2311	荏	515F	8960	I2JJ0080
2312	糴	5160	9157	I2JK0080
2313	戊	5161	95E8	I2JL0080
2314	郭	5162	8A73	I2JM0080
2315	椏	5163	8A91	I2JN0080
2316	洌	5164	9FBA	I2JO0080
2317	旌	5165	9DD7	I2JP0080
2318	曾	5166	915C	I2JQ0080
2319	亟	5167	98B2	I2JR0080
2320	喪	5168	9172	I2JS0080
2321	窃	5169	90DE	I2JT0080
2322	善	516A	95EC	I2JU0080
2323	讚	516B	8E5D	I2JV0080
2324	葭	516C	E4D1	I2JW0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
2325	菰	516D	8CD4	I2JX0080
2326	罐	516E	E3A3	I2JY0080
2327	醜	516F	91E7	I2JZ0080
2328	醐	5170	8CED	I2K00080
2329	疎	5171	9161	I2K10080
2330	閥	5172	94B4	I2K20080
2331	臧	5173	E468	I2K30080
2332	痢	5174	979F	I2K40080
2333	憩	5175	8C65	I2K50080
2334	詐	5176	8DBC	I2K60080
2335	閱	5177	897B	I2K70080
2336	厨	5178	907E	I2K80080
2337	始	5179	88A6	I2K90080
2338	頓	517A	93DA	I2KA0080
2339	碑	517B	94E8	I2KB0080
2340	築	517C	E2CA	I2KC0080
2341	欺	517D	8B5C	I2KD0080
2342	埠	517E	9575	I2KE0080
2343	戎	517F	8F5E	I2KF0080
2344	苜	5180	8FD2	I2KG0080
2345	諒	5181	97C8	I2KH0080
2346	痔	5182	8EA4	I2KI0080
2347	銓	5183	9667	I2KJ0080
2348	姜	5184	9B49	I2KK0080
2349	劉	5185	97AB	I2KL0080
2350	邇	5186	93F4	I2KM0080

Line Number	Graphic	Host Code	PC Code	GCGID
2351	濾	5187	E068	I2KN0080
2352	瑳	5188	8DBA	I2KO0080
2353	尉	5189	88D1	I2KP0080
2354	鵬	518A	9651	I2KQ0080
2355	蓼	518B	E4F8	I2KR0080
2356	糟	518C	918C	I2KS0080
2357	箭	518D	90FB	I2KT0080
2358	詮	518E	9146	I2KU0080
2359	奎	518F	9AF5	I2KV0080
2360	囊	5190	9458	I2KW0080
2361	膚	5191	9586	I2KX0080
2362	祇	5192	8B5F	I2KY0080
2363	昶	5193	9DE2	I2KZ0080
2364	叡	5194	8962	I2L00080
2365	碇	5195	92F4	I2L10080
2366	壤	5196	8FEB	I2L20080
2367	鎗	5197	9199	I2L30080
2368	溪	5198	8C6B	I2L40080
2369	剖	5199	9655	I2L50080
2370	芋	519A	88F0	I2L60080
2371	麟	519B	97D9	I2L70080
2372	閃	519C	914D	I2L80080
2373	斌	519D	956B	I2L90080
2374	麓	519E	985B	I2LA0080
2375	獅	519F	8E82	I2LB0080
2376	渦	51A0	8951	I2LC0080





## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 7 (Page 7 of 23). Basic Kanji Set (2 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
2377	鴉	51A1	93BC	I2LD0080
2378	妃	51A2	94DC	I2LE0080
2379	綬	51A3	8EF8	I2LF0080
2380	雁	51A4	8AE5	I2LG0080
2381	憾	51A5	8AB6	I2LH0080
2382	奎	51A6	96DB	I2LI0080
2383	黎	51A7	EA74	I2LJ0080
2384	邨	51A8	E7B5	I2LK0080
2385	醇	51A9	8F86	I2LL0080
2386	鼎	51AA	9343	I2LM0080
2387	簸	51AB	94F4	I2LN0080
2388	凱	51AC	8A4D	I2LO0080
2389	雍	51AD	93E3	I2LP0080
2390	刺	51AE	998F	I2LQ0080
2391	后	51AF	8D40	I2LR0080
2392	礁	51B0	8FCA	I2LS0080
2393	敞	51B1	9DC6	I2LT0080
2394	晨	51B2	9DED	I2LU0080
2395	峽	51B3	8BAC	I2LV0080
2396	畦	51B4	8C6C	I2LW0080
2397	盈	51B5	896D	I2LX0080
2398	虹	51B6	93F8	I2LY0080
2399	匝	51B7	9178	I2LZ0080
2400	唆	51B8	8DB4	I2M00080
2401	礦	51B9	8D7B	I2M10080
2402	褒	51BA	964A	I2M20080

Table 7 (Page 7 of 23). Basic Kanji Set (2 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
2403	矯	51BB	8BB8	I2M30080
2404	糍	51BC	E2EF	I2M40080
2405	國	51BD	9AA0	I2M50080
2406	兜	51BE	8A95	I2M60080
2407	續	51BF	FA5C	I2M70080
2408	卜	51C0	966D	I2M80080
2409	詠	51C1	8972	I2M90080
2410	斧	51C2	9580	I2MA0080
2411	蝦	51C3	89DA	I2MB0080
2412	坦	51C4	9252	I2MC0080
2413	櫨	51C5	94A5	I2MD0080
2414	蟻	51C6	8B61	I2ME0080
2415	帖	51C7	929F	I2MF0080
2416	豎	51C8	9247	I2MG0080
2417	赳	51C9	E6E0	I2MH0080
2418	眞	51CA	E1C1	I2MI0080
2419	獺	51CB	E0DA	I2MJ0080
2420	曠	51CC	9E44	I2MK0080
2421	鏹	51CD	E860	I2ML0080
2422	腫	51CE	8EEE	I2MM0080
2423	笈	51CF	8B88	I2MN0080
2424	釩	51D0	E7DD	I2MO0080
2425	坏	51D1	9AA8	I2MP0080
2426	濤	51D2	9393	I2MQ0080
2427	蕪	51D3	9593	I2MR0080
2428	繕	51D4	9155	I2MS0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
2429	饗	51D5	8BC0	I2MT0080
2430	螺	51D6	9786	I2MU0080
2431	楊	51D7	976B	I2MV0080
2432	膏	51D8	8D70	I2MW0080
2433	廿	51D9	93F9	I2MX0080
2434	襲	51DA	FA5D	I2MY0080
2435	狐	51DB	8CCF	I2MZ0080
2436	穎	51DC	E8F7	I2N00080
2437	黛	51DD	91E1	I2N10080
2438	趙	51DE	E6E2	I2N20080
2439	巖	51DF	9BDC	I2N30080
2440	抹	51E0	9695	I2N40080
2441	撫	51E1	958F	I2N50080
2442	佶	51E2	98C9	I2N60080
2443	愿	51E3	9CC3	I2N70080
2444	梯	51E4	92F2	I2N80080
2445	弔	51E5	92A2	I2N90080
2446	而	51E6	8EA7	I2NA0080
2447	鋸	51E7	8B98	I2NB0080
2448	篋	51E8	E2B9	I2NC0080
2449	勾	51E9	8CF9	I2ND0080
2450	晏	51EA	9DE5	I2NE0080
2451	酷	51EB	8D93	I2NF0080
2452	凶	51EC	8BA5	I2NG0080
2453	鞠	51ED	8B66	I2NH0080
2454	莞	51EE	8ACE	I2NI0080

Line Number	Graphic	Host Code	PC Code	GCGID
2455	摺	51EF	90A0	I2NJ0080
2456	鯨	51F0	88B1	I2NK0080
2457	柵	51F1	8DF2	I2NL0080
2458	籊	51F2	E2D7	I2NM0080
2459	棧	51F3	8E56	I2NN0080
2460	魯	51F4	9844	I2NO0080
2461	齋	51F5	E256	I2NP0080
2462	翻	51F6	967C	I2NQ0080
2463	鏌	51F7	FA5E	I2NR0080
2464	俶	51F8	98E6	I2NS0080
2465	麒	51F9	EA69	I2NT0080
2466	醜	51FA	94AE	I2NU0080
2467	雛	51FB	9097	I2NV0080
2468	實	51FC	9B89	I2NW0080
2469	泌	51FD	94E5	I2NX0080
2470	糾	51FE	8B8A	I2NY0080
2471	鑪	5241	96F8	I2O10080
2472	栢	5242	8A9C	I2O20080
2473	暹	5243	9DF9	I2O30080
2474	寔	5244	9B86	I2O40080
2475	飴	5245	88B9	I2O50080
2476	諦	5246	92FA	I2O60080
2477	腔	5247	8D6F	I2O70080
2478	砧	5248	8B6D	I2O80080
2479	璽	5249	8EA3	I2O90080
2480	滓	524A	9FE6	I2OA0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 7 (Page 9 of 23). Basic Kanji Set (2 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
2481	銈	524B	FA5F	I2OB0080
2482	娠	524C	9050	I2OC0080
2483	宋	524D	9176	I2OD0080
2484	蛸	524E	91FB	I2OE0080
2485	瘍	524F	E187	I2OF0080
2486	虜	5250	97B8	I2OG0080
2487	晁	5251	9DE8	I2OH0080
2488	釉	5252	E7D6	I2OI0080
2489	喉	5253	8D41	I2OJ0080
2490	穎	5254	896E	I2OK0080
2491	姥	5255	8957	I2OL0080
2492	恂	5256	9C96	I2OM0080
2493	錫	5257	8EE0	I2ON0080
2494	孚	5258	9B74	I2OO0080
2495	蒜	5259	9566	I2OP0080
2496	岑	525A	9BA8	I2OQ0080
2497	雍	525B	E8B4	I2OR0080
2498	拙	525C	90D9	I2OS0080
2499	杜	525D	936D	I2OT0080
2500	枇	525E	94F8	I2OU0080
2501	幽	525F	9748	I2OV0080
2502	虐	5260	8B73	I2OW0080
2503	麴	5261	8D8D	I2OX0080
2504	岱	5262	91D0	I2OY0080
2505	胎	5263	91D9	I2OZ0080
2506	稀	5264	8B48	I2P00080

Table 7 (Page 9 of 23). Basic Kanji Set (2 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
2507	誼	5265	8B62	I2P10080
2508	囿	5266	9A9B	I2P20080
2509	肖	5267	8FD1	I2P30080
2510	絲	5268	E34E	I2P40080
2511	鋌	5269	E7E5	I2P50080
2512	肘	526A	9549	I2P60080
2513	遼	526B	97C9	I2P70080
2514	睡	526C	9087	I2P80080
2515	蝮	526D	E590	I2P90080
2516	遵	526E	8F85	I2PA0080
2517	腺	526F	9142	I2PB0080
2518	簾	5270	97FA	I2PC0080
2519	溢	5271	88EC	I2PD0080
2520	陞	5272	E89E	I2PE0080
2521	纈	5273	E396	I2PF0080
2522	狗	5274	8BE7	I2PG0080
2523	壽	5275	9AE6	I2PH0080
2524	慮	5276	9C7B	I2PI0080
2525	鞞	5277	E8DB	I2PJ0080
2526	纈	5278	E392	I2PK0080
2527	塾	5279	8F6D	I2PL0080
2528	渠	527A	8B94	I2PM0080
2529	醜	527B	FA60	I2PN0080
2530	榆	527C	9EBE	I2PO0080
2531	瞭	527D	97C4	I2PP0080
2532	冗	527E	8FE7	I2PQ0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 7 (Page 10 of 23). Basic Kanji Set (2 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
2533	攪	527F	8A68	I2PR0080
2534	杷	5280	9466	I2PS0080
2535	巍	5281	9BD9	I2PT0080
2536	愁	5282	8F44	I2PU0080
2537	錮	5283	E7FC	I2PV0080
2538	奔	5284	967A	I2PW0080
2539	捧	5285	95F9	I2PX0080
2540	禍	5286	89D0	I2PY0080
2541	竿	5287	8AC6	I2PZ0080
2542	胖	5288	E3F4	I2Q00080
2543	墳	5289	95AD	I2Q10080
2544	慨	528A	8A53	I2Q20080
2545	櫃	528B	9F43	I2Q30080
2546	璃	528C	979E	I2Q40080
2547	鮒	528D	95A9	I2Q50080
2548	昊	528E	9DDD	I2Q60080
2549	搭	528F	938B	I2Q70080
2550	儘	5290	9699	I2Q80080
2551	杣	5291	9E5B	I2Q90080
2552	肛	5292	E3E8	I2QA0080
2553	鰐	5293	986B	I2QB0080
2554	悟	5294	FA61	I2QC0080
2555	楓	5295	9596	I2QD0080
2556	稜	5296	97C5	I2QE0080
2557	勿	5297	96DC	I2QF0080
2558	恕	5298	8F9A	I2QG0080

Table 7 (Page 10 of 23). Basic Kanji Set (2 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
2559	皎	5299	E1A7	I2QH0080
2560	腿	529A	91DA	I2QI0080
2561	樽	529B	895C	I2QJ0080
2562	彭	529C	9C64	I2QK0080
2563	熔	529D	976F	I2QL0080
2564	炆	529E	FA62	I2QM0080
2565	琶	529F	9469	I2QN0080
2566	耀	52A0	9773	I2QO0080
2567	蠟	52A1	9858	I2QP0080
2568	鳴	52A2	9A6A	I2QQ0080
2569	琵	52A3	94FA	I2QR0080
2570	阜	52A4	8E48	I2QS0080
2571	雫	52A5	8EB4	I2QT0080
2572	曝	52A6	9498	I2QU0080
2573	甜	52A7	935B	I2QV0080
2574	挽	52A8	94D2	I2QW0080
2575	滉	52A9	9FE4	I2QX0080
2576	籤	52AA	E2DC	I2QY0080
2577	粥	52AB	8A9F	I2QZ0080
2578	洵	52AC	9FAB	I2R00080
2579	鍛	52AD	E847	I2R10080
2580	瀧	52AE	91EB	I2R20080
2581	帥	52AF	9083	I2R30080
2582	瀝	52B0	E06C	I2R40080
2583	咽	52B1	88F4	I2R50080
2584	愚	52B2	8BF0	I2R60080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 7 (Page 11 of 23). Basic Kanji Set (2 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
2585	楳	52B3	9480	I2R70080
2586	汪	52B4	9F8A	I2R80080
2587	喚	52B5	8AAB	I2R90080
2588	洙	52B6	9FAA	I2RA0080
2589	雌	52B7	8E93	I2RB0080
2590	寡	52B8	89C7	I2RC0080
2591	姻	52B9	88F7	I2RD0080
2592	樓	52BA	984F	I2RE0080
2593	酌	52BB	8EDE	I2RF0080
2594	眉	52BC	94FB	I2RG0080
2595	蓓	52BD	8EC1	I2RH0080
2596	穆	52BE	9673	I2RI0080
2597	裕	52BF	94A1	I2RJ0080
2598	鋤	52C0	8F9B	I2RK0080
2599	賭	52C1	9371	I2RL0080
2600	糺	52C2	E2FB	I2RM0080
2601	駕	52C3	8995	I2RN0080
2602	腎	52C4	9074	I2RO0080
2603	髓	52C5	9091	I2RP0080
2604	柎	52C6	9E91	I2RQ0080
2605	淋	52C7	97D2	I2RR0080
2606	刂	52C8	99C7	I2RS0080
2607	莱	52C9	9789	I2RT0080
2608	嘩	52CA	89DC	I2RU0080
2609	魁	52CB	8A40	I2RV0080
2610	梗	52CC	8D5B	I2RW0080

Table 7 (Page 11 of 23). Basic Kanji Set (2 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
2611	炳	52CD	E07A	I2RX0080
2612	靱	52CE	9078	I2RY0080
2613	鐙	52CF	93A8	I2RZ0080
2614	枢	52D0	9095	I2S00080
2615	姆	52D1	92CC	I2S10080
2616	碯	52D2	8DEA	I2S20080
2617	梧	52D3	8CE6	I2S30080
2618	僖	52D4	9944	I2S40080
2619	肱	52D5	8D6E	I2S50080
2620	廸	52D6	9C4E	I2S60080
2621	苔	52D7	91DB	I2S70080
2622	祺	52D8	E251	I2S80080
2623	柎	52D9	9541	I2S90080
2624	繡	52DA	8F4A	I2SA0080
2625	槍	52DB	9184	I2SB0080
2626	淒	52DC	90A6	I2SC0080
2627	爽	52DD	9175	I2SD0080
2628	栩	52DE	9E7A	I2SE0080
2629	馳	52DF	9279	I2SF0080
2630	弼	52E0	954A	I2SG0080
2631	轡	52E1	8C44	I2SH0080
2632	柎	52E2	9E81	I2SI0080
2633	慕	52E3	95E7	I2SJ0080
2634	斑	52E4	94C1	I2SK0080
2635	辱	52E5	904A	I2SL0080
2636	縛	52E6	949B	I2SM0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 7 (Page 12 of 23). Basic Kanji Set (2 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
2637	鞆	52E7	8FE2	I2SN0080
2638	饒	52E8	E960	I2SO0080
2639	衷	52E9	928F	I2SP0080
2640	孀	52EA	92DA	I2SQ0080
2641	昱	52EB	FA63	I2SR0080
2642	俠	52EC	8BA0	I2SS0080
2643	榘	52ED	9EB9	I2ST0080
2644	櫻	52EE	9F4E	I2SU0080
2645	宵	52EF	8FAA	I2SV0080
2646	竈	52F0	8A96	I2SW0080
2647	倦	52F1	8C91	I2SX0080
2648	奄	52F2	8982	I2SY0080
2649	遙	52F3	9779	I2SZ0080
2650	筍	52F4	9079	I2T00080
2651	筏	52F5	94B3	I2T10080
2652	蹴	52F6	8F52	I2T20080
2653	蕃	52F7	94D7	I2T30080
2654	塘	52F8	9384	I2T40080
2655	謎	52F9	93E4	I2T50080
2656	儉	52FA	8C90	I2T60080
2657	虔	52FB	E569	I2T70080
2658	韶	52FC	E8EE	I2T80080
2659	岷	52FD	E15D	I2T90080
2660	狸	52FE	924B	I2TA0080
2661	价	5341	98C1	I2TD0080
2662	鶉	5342	EA47	I2TE0080

Table 7 (Page 12 of 23). Basic Kanji Set (2 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
2663	倅	5343	8CF4	I2TF0080
2664	凌	5344	97BD	I2TG0080
2665	拌	5345	9D61	I2TH0080
2666	采	5346	94CE	I2TI0080
2667	蝕	5347	9049	I2TJ0080
2668	撚	5348	9451	I2TK0080
2669	裴	5349	E5E8	I2TL0080
2670	釦	534A	9674	I2TM0080
2671	桔	534B	8B6A	I2TN0080
2672	楚	534C	915E	I2TO0080
2673	汀	534D	92F3	I2TP0080
2674	箴	534E	E2AB	I2TQ0080
2675	杓	534F	9E54	I2TR0080
2676	矗	5350	E1DE	I2TS0080
2677	蠣	5351	8A61	I2TT0080
2678	厄	5352	96EF	I2TU0080
2679	軀	5353	8BEB	I2TV0080
2680	犀	5354	8DD2	I2TW0080
2681	豫	5355	98AC	I2TX0080
2682	碍	5356	8A56	I2TY0080
2683	煥	5357	E085	I2TZ0080
2684	與	5358	E46F	I2U00080
2685	梱	5359	8DAB	I2U10080
2686	贄	535A	E6D1	I2U20080
2687	遷	535B	914A	I2U30080
2688	瀨	535C	93D2	I2U40080

IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

**Table 7 (Page 13 of 23).** Basic Kanji Set (2 of 2), DBCS-Host

Line Number	Graphic	Host Code	PC Code	GCGID
2689	迦	535D	89DE	I2U50080
2690	脊	535E	90D2	I2U60080
2691	膿	535F	945E	I2U70080
2692	觜	5360	E658	I2U80080
2693	梳	5361	9E80	I2U90080
2694	櫟	5362	9F4A	I2UA0080
2695	鋪	5363	95DD	I2UB0080
2696	閤	5364	88C5	I2UC0080
2697	祇	5365	E24C	I2UD0080
2698	稠	5366	E266	I2UE0080
2699	既	5367	8958	I2UF0080
2700	蹟	5368	90D6	I2UG0080
2701	硯	5369	8CA5	I2UH0080
2702	禹	536A	E25A	I2UI0080
2703	弧	536B	8CCA	I2UJ0080
2704	廖	536C	9C40	I2UK0080
2705	桓	536D	8ABA	I2UL0080
2706	鎬	536E	E84D	I2UM0080
2707	醜	536F	8F58	I2UN0080
2708	櫛	5370	9EAD	I2UO0080
2709	堆	5371	91CD	I2UP0080
2710	撰	5372	90EF	I2UQ0080
2711	繫	5373	8C71	I2UR0080
2712	綏	5374	E356	I2US0080
2713	棲	5375	90B1	I2UT0080
2714	溥	5376	9FEE	I2UU0080

**Table 7 (Page 13 of 23).** Basic Kanji Set (2 of 2), DBCS-Host

Line Number	Graphic	Host Code	PC Code	GCGID
2715	苛	5377	89D5	I2UV0080
2716	醒	5378	90C1	I2UW0080
2717	荆	5379	92E4	I2UX0080
2718	躄	537A	E75B	I2UY0080
2719	邁	537B	E7B0	I2UZ0080
2720	爛	537C	E0A3	I2V00080
2721	緋	537D	94EA	I2V10080
2722	癖	537E	95C8	I2V20080
2723	妬	537F	9369	I2V30080
2724	濠	5380	8D8A	I2V40080
2725	謨	5381	E695	I2V50080
2726	肢	5382	8E88	I2V60080
2727	啄	5383	91ED	I2V70080
2728	恰	5384	8A86	I2V80080
2729	彊	5385	8BAE	I2V90080
2730	精	5386	FA64	I2VA0080
2731	挺	5387	92F0	I2VB0080
2732	鐸	5388	91F6	I2VC0080
2733	魏	5389	E9B0	I2VD0080
2734	臥	538A	89E7	I2VE0080
2735	樗	538B	9294	I2VF0080
2736	烝	538C	E07E	I2VG0080
2737	榷	538D	9ED0	I2VH0080
2738	慌	538E	8D51	I2VI0080
2739	鈎	538F	8A62	I2VJ0080
2740	錐	5390	908D	I2VK0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 7 (Page 14 of 23). Basic Kanji Set (2 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
2741	鮭	5391	8DF8	I2VL0080
2742	昴	5392	99A6	I2VM0080
2743	鉞	5393	E7E6	I2VN0080
2744	銀	5394	FA65	I2VO0080
2745	妓	5395	8B57	I2VP0080
2746	皖	5396	E1A8	I2VQ0080
2747	昇	5397	FA66	I2VR0080
2748	坩	5398	9AAE	I2VS0080
2749	珊	5399	8E58	I2VT0080
2750	癸	539A	E1A1	I2VU0080
2751	樟	539B	8FBE	I2VV0080
2752	纜	539C	E39C	I2VW0080
2753	頑	539D	8AE6	I2VX0080
2754	賑	539E	93F6	I2VY0080
2755	塀	539F	95BB	I2VZ0080
2756	捉	53A0	91A8	I2W00080
2757	蜜	53A1	96A8	I2W10080
2758	拐	53A2	89FB	I2W20080
2759	悴	53A3	9CAA	I2W30080
2760	殉	53A4	8F7D	I2W40080
2761	蚤	53A5	94D8	I2W50080
2762	坤	53A6	8DA3	I2W60080
2763	塙	53A7	9AC4	I2W70080
2764	蕉	53A8	8FD4	I2W80080
2765	爵	53A9	8EDD	I2W90080
2766	癒	53AA	96FC	I2WA0080

Table 7 (Page 14 of 23). Basic Kanji Set (2 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
2767	頻	53AB	9570	I2WB0080
2768	舷	53AC	8CBD	I2WC0080
2769	卑	53AD	94DA	I2WD0080
2770	尢	53AE	96DE	I2WE0080
2771	妾	53AF	8FA8	I2WF0080
2772	墮	53B0	91C2	I2WG0080
2773	逝	53B1	90C0	I2WH0080
2774	榴	53B2	9ED6	I2WI0080
2775	荊	53B3	8C74	I2WJ0080
2776	麩	53B4	EA6E	I2WK0080
2777	鞞	53B5	E8D4	I2WL0080
2778	肆	53B6	E3E6	I2WM0080
2779	厭	53B7	897D	I2WN0080
2780	恨	53B8	8DA6	I2WO0080
2781	侮	53B9	958E	I2WP0080
2782	盃	53BA	9475	I2WQ0080
2783	樅	53BB	9EE0	I2WR0080
2784	椰	53BC	9E8B	I2WS0080
2785	鍾	53BD	8FDF	I2WT0080
2786	駕	53BE	89ED	I2WU0080
2787	采	53BF	8DD1	I2WV0080
2788	尖	53C0	90EB	I2WW0080
2789	塞	53C1	8DC7	I2WX0080
2790	懂	53C2	93B2	I2WY0080
2791	隙	53C3	8C84	I2WZ0080
2792	俟	53C4	98D6	I2X00080



IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

**Table 7 (Page 15 of 23).** Basic Kanji Set (2 of 2), DBCS-Host

Line Number	Graphic	Host Code	PC Code	GCGID
2793	艸	53C5	E487	I2X10080
2794	鱒	53C6	9690	I2X20080
2795	躰	53C7	FA67	I2X30080
2796	愈	53C8	96FA	I2X40080
2797	耗	53C9	96AE	I2X50080
2798	聯	53CA	97FC	I2X60080
2799	巷	53CB	8D4A	I2X70080
2800	赫	53CC	8A71	I2X80080
2801	埤	53CD	9AB9	I2X90080
2802	飢	53CE	8B51	I2XA0080
2803	圃	53CF	95DE	I2XB0080
2804	禿	53D0	93C3	I2XC0080
2805	妖	53D1	9764	I2XD0080
2806	邗	53D2	8C56	I2XE0080
2807	吊	53D3	92DD	I2XF0080
2808	菟	53D4	9370	I2XG0080
2809	鯉	53D5	8A8F	I2XH0080
2810	勒	53D6	E8D3	I2XI0080
2811	毘	53D7	94F9	I2XJ0080
2812	蛋	53D8	9260	I2XK0080
2813	什	53D9	8F59	I2XL0080
2814	驢	53DA	91CB	I2XM0080
2815	卦	53DB	8C54	I2XN0080
2816	耆	53DC	E3CB	I2XO0080
2817	猷	53DD	9751	I2XP0080
2818	撒	53DE	8E54	I2XQ0080

**Table 7 (Page 15 of 23).** Basic Kanji Set (2 of 2), DBCS-Host

Line Number	Graphic	Host Code	PC Code	GCGID
2819	迭	53DF	9352	I2XR0080
2820	嫉	53E0	8EB9	I2XS0080
2821	吠	53E1	9669	I2XT0080
2822	卿	53E2	8BA8	I2XU0080
2823	侯	53E3	8CF2	I2XV0080
2824	聾	53E4	9857	I2XW0080
2825	吻	53E5	95AB	I2XX0080
2826	襲	53E6	E150	I2XY0080
2827	笞	53E7	E298	I2XZ0080
2828	蟬	53E8	90E4	I2Y00080
2829	咳	53E9	8A50	I2Y10080
2830	灌	53EA	8AC1	I2Y20080
2831	視	53EB	9460	I2Y30080
2832	沫	53EC	9697	I2Y40080
2833	藺	53ED	E561	I2Y50080
2834	焰	53EE	898B	I2Y60080
2835	楮	53EF	9EB8	I2Y70080
2836	錨	53F0	9564	I2Y80080
2837	瑚	53F1	8CE8	I2Y90080
2838	姑	53F2	8CC6	I2YA0080
2839	湛	53F3	9258	I2YB0080
2840	慾	53F4	977C	I2YC0080
2841	叢	53F5	9170	I2YD0080
2842	茗	53F6	E4AA	I2YE0080
2843	盧	53F7	E1B8	I2YF0080
2844	蔣	53F8	8FD3	I2YG0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 7 (Page 16 of 23). Basic Kanji Set (2 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
2845	薯	53F9	8F92	I2YH0080
2846	枷	53FA	9EA7	I2YI0080
2847	屠	53FB	936A	I2YJ0080
2848	牙	53FC	89E5	I2YK0080
2849	痕	53FD	8DAD	I2YL0080
2850	讐	53FE	8F51	I2YM0080
2851	渴	5441	8A89	I2YP0080
2852	芭	5442	946D	I2YQ0080
2853	屏	5443	9BA0	I2YR0080
2854	箆	5444	E2C4	I2YS0080
2855	鞫	5445	8A93	I2YT0080
2856	潰	5446	92D7	I2YU0080
2857	癌	5447	8AE0	I2YV0080
2858	袷	5448	88BF	I2YW0080
2859	鋒	5449	964E	I2YX0080
2860	伶	544A	97E0	I2YY0080
2861	井	544B	9C4F	I2YZ0080
2862	邇	544C	916B	I2Z00080
2863	裡	544D	97A1	I2Z10080
2864	葱	544E	944B	I2Z20080
2865	焚	544F	95B0	I2Z30080
2866	洛	5450	978C	I2Z40080
2867	肴	5451	8DE6	I2Z50080
2868	瓢	5452	955A	I2Z60080
2869	琳	5453	97D4	I2Z70080
2870	媚	5454	96B9	I2Z80080

Table 7 (Page 16 of 23). Basic Kanji Set (2 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
2871	遜	5455	91BB	I2Z90080
2872	頌	5456	E8F1	I2ZA0080
2873	匙	5457	8DFA	I2ZB0080
2874	遮	5458	8ED5	I2ZC0080
2875	毆	5459	89A3	I2ZD0080
2876	薪	545A	9064	I2ZE0080
2877	碗	545B	9871	I2ZF0080
2878	竺	545C	8EB1	I2ZG0080
2879	檮	545D	938E	I2ZH0080
2880	褐	545E	8A8C	I2ZI0080
2881	閏	545F	895B	I2ZJ0080
2882	戍	5460	9CFA	I2ZK0080
2883	伽	5461	89BE	I2ZL0080
2884	倭	5462	8CF1	I2ZM0080
2885	禾	5463	89D1	I2ZN0080
2886	鷗	5464	89A8	I2ZO0080
2887	仔	5465	8E65	I2ZP0080
2888	垢	5466	8D43	I2ZQ0080
2889	冥	5467	96BB	I2ZR0080
2890	椀	5468	986F	I2ZS0080
2891	悉	5469	8EBB	I2ZT0080
2892	灼	546A	8EDC	I2ZU0080
2893	竣	546B	8F76	I2ZV0080
2894	襖	546C	89A6	I2ZW0080
2895	鎧	546D	8A5A	I2ZX0080
2896	鰭	546E	9568	I2ZY0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 7 (Page 17 of 23). Basic Kanji Set (2 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
2897	儒	546F	8EF2	I2ZZ0080
2898	勺	5470	8ED9	I3000080
2899	糊	5471	8CD0	I3010080
2900	惹	5472	8EE4	I3020080
2901	灸	5473	8B84	I3030080
2902	臆	5474	89B0	I3040080
2903	喝	5475	8A85	I3050080
2904	樽	5476	9ED2	I3060080
2905	雉	5477	E8B3	I3070080
2906	唾	5478	91C1	I3080080
2907	聚	5479	E3DA	I3090080
2908	茄	547A	89D6	I30A0080
2909	茲	547B	E4A2	I30B0080
2910	哺	547C	9A4D	I30C0080
2911	嚙	547D	8A9A	I30D0080
2912	辿	547E	9248	I30E0080
2913	嘴	547F	9A7B	I30F0080
2914	杠	5480	9E59	I30G0080
2915	剥	5481	948D	I30H0080
2916	萎	5482	88DE	I30I0080
2917	幟	5483	9BEE	I30J0080
2918	筥	5484	E2A6	I30K0080
2919	逵	5485	E79C	I30L0080
2920	飭	5486	E4B4	I30M0080
2921	歎	5487	9256	I30N0080
2922	壑	5488	8DA4	I30O0080

Table 7 (Page 17 of 23). Basic Kanji Set (2 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
2923	按	5489	88C2	I30P0080
2924	牽	548A	8CA1	I30Q0080
2925	鞭	548B	95DA	I30R0080
2926	槐	548C	9EC5	I30S0080
2927	呪	548D	8EF4	I30T0080
2928	顎	548E	8A7B	I30U0080
2929	挫	548F	8DC1	I30V0080
2930	煎	5490	90F7	I30W0080
2931	落	5491	9599	I30X0080
2932	糞	5492	95B3	I30Y0080
2933	捲	5493	8C9E	I30Z0080
2934	棹	5494	9EA8	I3100080
2935	甌	5495	8D99	I3110080
2936	藥	5496	8EC7	I3120080
2937	溺	5497	934D	I3130080
2938	娼	5498	8FA9	I3140080
2939	窄	5499	8DF3	I3150080
2940	蔚	549A	8955	I3160080
2941	閤	549B	8D7D	I3170080
2942	姐	549C	88B7	I3180080
2943	惚	549D	8D9B	I3190080
2944	凧	549E	93E2	I31A0080
2945	婉	549F	95D8	I31B0080
2946	煩	54A0	94CF	I31C0080
2947	漕	54A1	9186	I31D0080
2948	楫	54A2	9EB5	I31E0080




## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
2949	掻	54A3	917E	I31F0080
2950	瘦	54A4	9189	I31G0080
2951	乎	54A5	8CC1	I31H0080
2952	綻	54A6	925D	I31I0080
2953	椴	54A7	93CC	I31J0080
2954	蔡	54A8	E4EF	I31K0080
2955	迺	54A9	E792	I31L0080
2956	鰐	54AA	92D5	I31M0080
2957	鰻	54AB	8956	I31N0080
2958	弗	54AC	95A4	I31O0080
2959	廓	54AD	8A66	I31P0080
2960	艘	54AE	E47A	I31Q0080
2961	襟	54AF	8BDD	I31R0080
2962	苧	54B0	9297	I31S0080
2963	勃	54B1	9675	I31T0080
2964	屑	54B2	8BFB	I31U0080
2965	莫	54B3	949C	I31V0080
2966	砦	54B4	8DD4	I31W0080
2967	稜	54B5	E260	I31X0080
2968	翰	54B6	8ACB	I31Y0080
2969	扮	54B7	95AF	I31Z0080
2970	惰	54B8	91C4	I3200080
2971	咀	54B9	915A	I3210080
2972	澗	54BA	8AC0	I3220080
2973	熨	54BB	E091	I3230080
2974	餉	54BC	E94D	I3240080

Line Number	Graphic	Host Code	PC Code	GCGID
2975	儲	54BD	96D7	I3250080
2976	帷	54BE	9BE7	I3260080
2977	弄	54BF	984D	I3270080
2978	捻	54C0	9450	I3280080
2979	杓	54C1	8EDB	I3290080
2980	棗	54C2	9EA5	I32A0080
2981	晒	54C3	8E4E	I32B0080
2982	鳶	54C4	93CE	I32C0080
2983	褰	54C5	E5DC	I32D0080
2984	劫	54C6	8D85	I32E0080
2985	俄	54C7	89E2	I32F0080
2986	井	54C8	98A5	I32G0080
2987	枳	54C9	9E6B	I32H0080
2988	箎	54CA	925C	I32I0080
2989	疊	54CB	E3A1	I32J0080
2990	訣	54CC	8C8D	I32K0080
2991	搦	54CD	92CD	I32L0080
2992	燦	54CE	8E57	I32M0080
2993	斤	54CF	8BD2	I32N0080
2994	漉	54D0	8D97	I32O0080
2995	蔽	54D1	95C1	I32P0080
2996	俚	54D2	8EC3	I32Q0080
2997	綺	54D3	E359	I32R0080
2998	唾	54D4	88A0	I32S0080
2999	筭	54D5	E2A0	I32T0080
3000	狽	54D6	9482	I32U0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 7 (Page 19 of 23). Basic Kanji Set (2 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
3001	泓	54D7	9F97	I32V0080
3002	菴	54D8	E4CB	I32W0080
3003	戟	54D9	8C81	I32X0080
3004	備	54DA	9762	I32Y0080
3005	舵	54DB	91C7	I32Z0080
3006	蜘蛛	54DC	9277	I3300080
3007	夙	54DD	8F67	I3310080
3008	怨	54DE	8985	I3320080
3009	杼	54DF	9E60	I3330080
3010	漣	54E0	97F8	I3340080
3011	疹	54E1	905D	I3350080
3012	糊	54E2	9EB3	I3360080
3013	芻	54E3	9986	I3370080
3014	耘	54E4	E3CF	I3380080
3015	謁	54E5	8979	I3390080
3016	燭	54E6	9043	I33A0080
3017	圓	54E7	9AA2	I33B0080
3018	昏	54E8	8DA8	I33C0080
3019	董	54E9	E4BF	I33D0080
3020	煤	54EA	9481	I33E0080
3021	認	54EB	E358	I33F0080
3022	嘗	54EC	8FA6	I33G0080
3023	緝	54ED	E357	I33H0080
3024	轍	54EE	9351	I33I0080
3025	錘	54EF	908E	I33J0080
3026	蕩	54F0	93A0	I33K0080

Table 7 (Page 19 of 23). Basic Kanji Set (2 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
3027	崗	54F1	9BBC	I33L0080
3028	粉	54F2	9E62	I33M0080
3029	柞	54F3	9E6F	I33N0080
3030	墓	54F4	E5AF	I33O0080
3031	禮	54F5	E258	I33P0080
3032	堵	54F6	9367	I33Q0080
3033	荀	54F7	93B8	I33R0080
3034	遁	54F8	93D9	I33S0080
3035	翔	54F9	E3C4	I33T0080
3036	澆	54FA	94AC	I33U0080
3037	詣	54FB	8C77	I33V0080
3038	鴈	54FC	E9EC	I33W0080
3039	肫	54FD	9E4B	I33X0080
3040	鎚	54FE	92C8	I33Y0080
3041	掬	5541	8B64	I3410080
3042	怯	5542	8BAF	I3420080
3043	擢	5543	9346	I3430080
3044	悍	5544	9C9B	I3440080
3045	隸	5545	97EA	I3450080
3046	抄	5546	92BB	I3460080
3047	葡	5547	9592	I3470080
3048	酋	5548	8F55	I3480080
3049	痘	5549	9397	I3490080
3050	惧	554A	9C9C	I34A0080
3051	餓	554B	89EC	I34B0080
3052	鱗	554C	97D8	I34C0080

IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

**Table 7 (Page 20 of 23).** Basic Kanji Set (2 of 2), DBCS-Host

Line Number	Graphic	Host Code	PC Code	GCGID
3053	妄	554D	96CF	I34D0080
3054	淫	554E	88FA	I34E0080
3055	庖	554F	95F7	I34F0080
3056	滄	5550	93C0	I34G0080
3057	鯨	5551	E9CE	I34H0080
3058	墻	5552	9AD4	I34I0080
3059	禱	5553	9398	I34J0080
3060	悶	5554	96E3	I34K0080
3061	挿	5555	917D	I34L0080
3062	寵	5556	929E	I34M0080
3063	頌	5557	94D0	I34N0080
3064	喋	5558	929D	I34O0080
3065	苓	5559	97E8	I34P0080
3066	兇	555A	8BA2	I34Q0080
3067	憐	555B	97F7	I34R0080
3068	祓	555C	E250	I34S0080
3069	禽	555D	8BD7	I34T0080
3070	汝	555E	93F0	I34U0080
3071	麵	555F	96CB	I34V0080
3072	鱈	5560	924C	I34W0080
3073	趨	5561	9096	I34X0080
3074	廠	5562	8FB1	I34Y0080
3075	絃	5563	8CBC	I34Z0080
3076	迺	5564	9455	I3500080
3077	蕎	5565	8BBC	I3510080
3078	賤	5566	9147	I3520080

**Table 7 (Page 20 of 23).** Basic Kanji Set (2 of 2), DBCS-Host

Line Number	Graphic	Host Code	PC Code	GCGID
3079	嫡	5567	9284	I3530080
3080	哨	5568	8FA3	I3540080
3081	倣	5569	95ED	I3550080
3082	効	556A	8A4E	I3560080
3083	緬	556B	96C9	I3570080
3084	蔑	556C	95CC	I3580080
3085	晦	556D	8A41	I3590080
3086	汜	556E	94C3	I35A0080
3087	牌	556F	9476	I35B0080
3088	諜	5570	92B3	I35C0080
3089	鰵	5571	8A82	I35D0080
3090	警	5572	95CB	I35E0080
3091	謂	5573	88E0	I35F0080
3092	贅	5574	E6D2	I35G0080
3093	漑	5575	9FF2	I35H0080
3094	穎	5576	896F	I35I0080
3095	韻	5577	8943	I35J0080
3096	僻	5578	95C6	I35K0080
3097	罵	5579	946C	I35L0080
3098	娃	557A	88A1	I35M0080
3099	蔓	557B	96A0	I35N0080
3100	侶	557C	97B5	I35O0080
3101	捌	557D	8E4A	I35P0080
3102	鷓	557E	96B7	I35Q0080
3103	肋	557F	985D	I35R0080
3104	劒	5580	9999	I35S0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
3105	幹	5581	88B4	I35T0080
3106	嘶	5582	94B6	I35U0080
3107	套	5583	9385	I35V0080
3108	賈	5584	8AE4	I35W0080
3109	樵	5585	8FBF	I35X0080
3110	櫓	5586	9845	I35Y0080
3111	烹	5587	9642	I35Z0080
3112	虞	5588	8BF1	I3600080
3113	澱	5589	9362	I3610080
3114	胤	558A	91FA	I3620080
3115	翫	558B	8AE3	I3630080
3116	姪	558C	96C3	I3640080
3117	庇	558D	94DD	I3650080
3118	歪	558E	9863	I3660080
3119	畏	558F	88D8	I3670080
3120	煽	5590	90F8	I3680080
3121	耐	5591	9291	I3690080
3122	紬	5592	92DB	I36A0080
3123	豹	5593	955E	I36B0080
3124	恢	5594	89F8	I36C0080
3125	戚	5595	90CA	I36D0080
3126	羨	5596	9141	I36E0080
3127	弛	5597	926F	I36F0080
3128	沌	5598	93D7	I36G0080
3129	蛾	5599	89E9	I36H0080
3130	畢	559A	954C	I36I0080

Line Number	Graphic	Host Code	PC Code	GCGID
3131	篋	559B	95CD	I36J0080
3132	骸	559C	8A5B	I36K0080
3133	昧	559D	9686	I36L0080
3134	窺	559E	894D	I36M0080
3135	葎	559F	97A8	I36N0080
3136	澁	55A0	E046	I36O0080
3137	謬	55A1	9554	I36P0080
3138	蚤	55A2	9461	I36Q0080
3139	濫	55A3	9794	I36R0080
3140	箋	55A4	E2B3	I36S0080
3141	罷	55A5	94EB	I36T0080
3142	輯	55A6	8F53	I36U0080
3143	蹄	55A7	92FB	I36V0080
3144	縣	55A8	E370	I36W0080
3145	乍	55A9	93E1	I36X0080
3146	禦	55AA	8B9A	I36Y0080
3147	諺	55AB	8CBF	I36Z0080
3148	逼	55AC	954E	I3700080
3149	僑	55AD	8BA1	I3710080
3150	黍	55AE	8B6F	I3720080
3151	廟	55AF	955F	I3730080
3152	疏	55B0	9160	I3740080
3153	挾	55B1	8BB2	I3750080
3154	叛	55B2	94BE	I3760080
3155	餐	55B3	8E60	I3770080
3156	艮	55B4	8DAF	I3780080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
3157	拷	55B5	8D89	I3790080
3158	棺	55B6	8ABB	I37A0080
3159	牝	55B7	96C4	I37B0080
3160	耽	55B8	925E	I37C0080
3161	壕	55B9	8D88	I37D0080
3162	屍	55BA	8E72	I37E0080
3163	蛙	55BB	8A5E	I37F0080
3164	吋	55BC	8944	I37G0080
3165	蠅	55BD	9488	I37H0080
3166	鋌	55BE	9565	I37I0080
3167	鈷	55BF	8CD8	I37J0080
3168	屢	55C0	8EC6	I37K0080
3169	顛	55C1	935E	I37L0080
3170	蛤	55C2	94B8	I37M0080
3171	陪	55C3	9486	I37N0080
3172	牢	55C4	9853	I37O0080
3173	檣	55C5	91C8	I37P0080
3174	泗	55C6	9F99	I37Q0080
3175	榔	55C7	9850	I37R0080
3176	鯛	55C8	88F1	I37S0080
3177	矧	55C9	948A	I37T0080
3178	棉	55CA	96C7	I37U0080
3179	跨	55CB	8CD7	I37V0080
3180	湮	55CC	8A5C	I37W0080
3181	柁	55CD	91C6	I37X0080
3182	鮪	55CE	968E	I37Y0080

Line Number	Graphic	Host Code	PC Code	GCGID
3183	憚	55CF	9CDD	I37Z0080
3184	掩	55D0	8986	I3800080
3185	瀕	55D1	956D	I3810080
3186	鎔	55D2	8E4B	I3820080
3187	鍍	55D3	9374	I3830080
3188	橡	55D4	93C9	I3840080
3189	托	55D5	91EF	I3850080
3190	劃	55D6	8A63	I3860080
3191	甥	55D7	8999	I3870080
3192	嚇	55D8	8A64	I3880080
3193	沃	55D9	9780	I3890080
3194	梅	55DA	90F1	I38A0080
3195	撞	55DB	93B3	I38B0080
3196	些	55DC	8DB1	I38C0080
3197	牒	55DD	92AB	I38D0080
3198	姦	55DE	8AAD	I38E0080
3199	迂	55DF	8949	I38F0080
3200	徽	55E0	8B4A	I38G0080
3201	淘	55E1	9391	I38H0080
3202	諳	55E2	8F93	I38I0080
3203	訖	55E3	91C0	I38J0080
3204	頗	55E4	909C	I38K0080
3205	駁	55E5	949D	I38L0080
3206	掠	55E6	97A9	I38M0080
3207	籽	55E7	8BCC	I38N0080
3208	嬰	55E8	8964	I38O0080



**IBM Japanese Graphic Character Set, Kanji**

DBCS - Host and DBCS - PC

<b>Table 7 (Page 23 of 23).</b> Basic Kanji Set (2 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
3209	脹	55E9	92AF	I38P0080
3210	吃	55EA	8B68	I38Q0080
3211	纂	55EB	8E5B	I38R0080
3212	脆	55EC	90C6	I38S0080
3213	匪	55ED	94D9	I38T0080
3214	檣	55EE	8CE7	I38U0080
3215	罽	55EF	8C72	I38V0080
3216	哩	55F0	9689	I38W0080
3217	噸	55F1	93D3	I38X0080
3218	誹	55F2	94EE	I38Y0080
3219	朕	55F3	92BD	I38Z0080
3220	寓	55F4	8BF5	I3900080
3221	摸	55F5	96CC	I3910080
3222	擾	55F6	8FEF	I3920080
3223	鬱	55F7	8954	I3930080
3224	賂	55F8	9847	I3940080
3225	凋	55F9	929C	I3950080
3226	纏	55FA	935A	I3960080




## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

## 8.4 Extended Kanji Set

Line Number	Graphic	Host Code	PC Code	GCGID
1	弌	5641	989F	I39D0080
2	𠄎	5642	98A0	I39E0080
3	丕	5643	98A1	I39F0080
4	丨	5644	FA68	I39G0080
5	个	5645	98A2	I39H0080
6	𠄎	5646	98A3	I39I0080
7	丷	5647	98A4	I39J0080
8	丿	5648	98A6	I39K0080
9	乂	5649	98A7	I39L0080
10	乖	564A	98A8	I39M0080
11	乘	564B	98A9	I39N0080
12	屮	564C	9BA4	I39O0080
13	亂	564D	98AA	I39P0080
14	丿	564E	98AB	I39Q0080
15	𠄎	564F	98AD	I39R0080
16	于	5650	98B0	I39S0080
17	弌	5651	98AF	I39T0080
18	亞	5652	98B1	I39U0080
19	一	5653	98B3	I39V0080
20	亢	5654	98B4	I39W0080
21	京	5655	98B5	I39X0080
22	毫	5656	98B6	I39Y0080
23	亶	5657	98B7	I39Z0080
24	从	5658	98B8	I3A00080

Line Number	Graphic	Host Code	PC Code	GCGID
25	仍	5659	98B9	I3A10080
26	仄	565A	98BA	I3A20080
27	仆	565B	98BB	I3A30080
28	仂	565C	98BC	I3A40080
29	乞	565D	FA69	I3A50080
30	仗	565E	98BD	I3A60080
31	仃	565F	98BE	I3A70080
32	𠄎	5660	98BF	I3A80080
33	仟	5661	98C0	I3A90080
34	任	5662	FA6A	I3AA0080
35	伉	5663	98C2	I3AB0080
36	倅	5664	98E5	I3AC0080
37	伧	5665	FA6B	I3AD0080
38	仔	5666	FA6C	I3AE0080
39	佚	5667	98C3	I3AF0080
40	估	5668	98C4	I3AG0080
41	徇	5669	98C6	I3AH0080
42	但	566A	FA6D	I3AI0080
43	佗	566B	98C7	I3AJ0080
44	佇	566C	98C8	I3AK0080
45	佞	566D	9B43	I3AL0080
46	佻	566E	FA6E	I3AM0080
47	佛	566F	98C5	I3AN0080
48	佞	5670	FA6F	I3AO0080
49	佻	5671	FA70	I3AP0080
50	侈	5672	98CA	I3AQ0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 8 (Page 2 of 37). Extended Kanji Set (1 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
51	侏	5673	98CB	I3AR0080
52	侑	5674	FA71	I3AS0080
53	侔	5675	98D4	I3AT0080
54	侗	5676	98CC	I3AU0080
55	侘	5677	98CD	I3AV0080
56	侚	5678	9B44	I3AW0080
57	供	5679	98CE	I3AX0080
58	侜	567A	98CF	I3AY0080
59	依	567B	FA72	I3AZ0080
60	侞	567C	98D1	I3B00080
61	來	567D	98D2	I3B10080
62	侟	567E	98D3	I3B20080
63	侠	567F	98D5	I3B30080
64	価	5680	98D7	I3B40080
65	侢	5681	98D8	I3B50080
66	侣	5682	98D9	I3B60080
67	侤	5683	98DA	I3B70080
68	侥	5684	98DB	I3B80080
69	侦	5685	98DC	I3B90080
70	侧	5686	FA73	I3BA0080
71	侨	5687	98DD	I3BB0080
72	侩	5688	98DE	I3BC0080
73	侪	5689	98DF	I3BD0080
74	侫	568A	FA74	I3BE0080
75	侬	568B	98E0	I3BF0080
76	侭	568C	98E1	I3BG0080

Table 8 (Page 2 of 37). Extended Kanji Set (1 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
77	侩	568D	98E2	I3BH0080
78	侪	568E	98E3	I3BI0080
79	侣	568F	98E4	I3BJ0080
80	侤	5690	98E7	I3BK0080
81	侥	5691	FA75	I3BL0080
82	侦	5692	98E8	I3BM0080
83	侧	5693	98E9	I3BN0080
84	侨	5694	FA76	I3BO0080
85	侩	5695	98EA	I3BP0080
86	侪	5696	98EB	I3BQ0080
87	侫	5697	98EC	I3BR0080
88	侬	5698	FA77	I3BS0080
89	侭	5699	98ED	I3BT0080
90	侭	569A	98EE	I3BU0080
91	侮	569B	98EF	I3BV0080
92	侯	569C	98F1	I3BW0080
93	侰	569D	98F2	I3BX0080
94	侱	569E	98F3	I3BY0080
95	侲	569F	98F4	I3BZ0080
96	侳	56A0	98F5	I3C00080
97	侴	56A1	E0C5	I3C10080
98	侵	56A2	FA78	I3C20080
99	侶	56A3	FA79	I3C30080
100	侷	56A4	FA7A	I3C40080
101	侸	56A5	98F6	I3C50080
102	侹	56A6	98F7	I3C60080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 8 (Page 3 of 37). Extended Kanji Set (1 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
103	傀	56A7	98F8	I3C70080
104	儼	56A8	FA7B	I3C80080
105	倣	56A9	98F9	I3C90080
106	傅	56AA	98FA	I3CA0080
107	樞	56AB	98FB	I3CB0080
108	會	56AC	98F0	I3CC0080
109	傲	56AD	98FC	I3CD0080
110	僉	56AE	9940	I3CE0080
111	僊	56AF	9941	I3CF0080
112	傳	56B0	9942	I3CG0080
113	儻	56B1	9943	I3CH0080
114	僣	56B2	FA7C	I3CI0080
115	僞	56B3	9945	I3CJ0080
116	僇	56B4	9946	I3CK0080
117	倣	56B5	FA7D	I3CL0080
118	僭	56B6	9947	I3CM0080
119	僮	56B7	9948	I3CN0080
120	僯	56B8	9949	I3CO0080
121	價	56B9	994A	I3CP0080
122	僯	56BA	994B	I3CQ0080
123	儉	56BB	994C	I3CR0080
124	儻	56BC	994D	I3CS0080
125	儻	56BD	994E	I3CT0080
126	儻	56BE	9952	I3CU0080
127	儻	56BF	9950	I3CV0080
128	儻	56C0	9951	I3CW0080

Table 8 (Page 3 of 37). Extended Kanji Set (1 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
129	儻	56C1	994F	I3CX0080
130	儻	56C2	9953	I3CY0080
131	儻	56C3	9954	I3CZ0080
132	儻	56C4	9955	I3D00080
133	儻	56C5	9956	I3D10080
134	儻	56C6	9957	I3D20080
135	儿	56C7	9958	I3D30080
136	兀	56C8	9959	I3D40080
137	兂	56C9	FA7E	I3D50080
138	兌	56CA	995B	I3D60080
139	兒	56CB	995A	I3D70080
140	兔	56CC	995C	I3D80080
141	競	56CD	995D	I3D90080
142	羶	56CE	FA80	I3DA0080
143	兩	56CF	995F	I3DB0080
144	兪	56D0	9960	I3DC0080
145	兮	56D1	9961	I3DD0080
146	冀	56D2	9962	I3DE0080
147	冂	56D3	9963	I3DF0080
148	冂	56D4	9964	I3DG0080
149	册	56D5	9965	I3DH0080
150	冉	56D6	9966	I3DI0080
151	冂	56D7	9967	I3DJ0080
152	冂	56D8	9968	I3DK0080
153	冂	56D9	9969	I3DL0080
154	冕	56DA	996A	I3DM0080

IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

**Table 8 (Page 4 of 37).** Extended Kanji Set (1 of 2), DBCS-Host

Line Number	Graphic	Host Code	PC Code	GCGID
155	一	56DB	996B	I3DN0080
156	亘	56DC	FA81	I3DO0080
157	冤	56DD	996C	I3DP0080
158	寇	56DE	996D	I3DQ0080
159	冢	56DF	996E	I3DR0080
160	冴	56E0	996F	I3DS0080
161	冪	56E1	9970	I3DT0080
162	冫	56E2	9971	I3DU0080
163	決	56E3	9972	I3DV0080
164	冫	56E4	9973	I3DW0080
165	冲	56E5	9974	I3DX0080
166	冰	56E6	9975	I3DY0080
167	况	56E7	9976	I3DZ0080
168	洽	56E8	FA82	I3E00080
169	冽	56E9	9977	I3E10080
170	涸	56EA	9978	I3E20080
171	凉	56EB	9979	I3E30080
172	凜	56EC	997A	I3E40080
173	几	56ED	997B	I3E50080
174	凵	56EE	997D	I3E60080
175	凵	56EF	FA83	I3E70080
176	凭	56F0	997E	I3E80080
177	凰	56F1	9980	I3E90080
178	凵	56F2	9981	I3EA0080
179	凵	56F3	9982	I3EB0080
180	凵	56F4	9983	I3EC0080

**Table 8 (Page 4 of 37).** Extended Kanji Set (1 of 2), DBCS-Host

Line Number	Graphic	Host Code	PC Code	GCGID
181	刊	56F5	9984	I3ED0080
182	剗	56F6	9985	I3EE0080
183	剗	56F7	FA84	I3EF0080
184	剗	56F8	9987	I3EG0080
185	刪	56F9	9988	I3EH0080
186	刮	56FA	9989	I3EI0080
187	剗	56FB	998A	I3EJ0080
188	剗	56FC	998B	I3EK0080
189	剗	56FD	998D	I3EL0080
190	剗	56FE	998E	I3EM0080
191	剗	5741	998C	I3EP0080
192	剗	5742	9990	I3EQ0080
193	剗	5743	9991	I3ER0080
194	剗	5744	999B	I3ES0080
195	剪	5745	9992	I3ET0080
196	剗	5746	9995	I3EU0080
197	剗	5747	9993	I3EV0080
198	剩	5748	9994	I3EW0080
199	剗	5749	9996	I3EX0080
200	剗	574A	9997	I3EY0080
201	劍	574B	9998	I3EZ0080
202	劈	574C	999C	I3F00080
203	劍	574D	999A	I3F10080
204	劑	574E	999D	I3F20080
205	凵	574F	FA85	I3F30080
206	剗	5750	FA86	I3F40080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 8 (Page 5 of 37). Extended Kanji Set (1 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
207	劬	5751	99A0	I3F50080
208	劬	5752	99A1	I3F60080
209	劬	5753	99A2	I3F70080
210	券	5754	99A3	I3F80080
211	勁	5755	99A4	I3F90080
212	勅	5756	FA87	I3FA0080
213	勅	5757	99A5	I3FB0080
214	勛	5758	FA88	I3FC0080
215	勞	5759	99A7	I3FD0080
216	勳	575A	99A8	I3FE0080
217	勳	575B	99A9	I3FF0080
218	勳	575C	99AB	I3FG0080
219	勳	575D	99AC	I3FH0080
220	勵	575E	99AD	I3FI0080
221	勸	575F	99AE	I3FJ0080
222	勸	5760	99AF	I3FK0080
223	勻	5761	FA89	I3FL0080
224	匆	5762	99B0	I3FM0080
225	匆	5763	FA8A	I3FN0080
226	匈	5764	99B1	I3FO0080
227	甸	5765	99B2	I3FP0080
228	匍	5766	99B3	I3FQ0080
229	匍	5767	99B4	I3FR0080
230	匏	5768	99B5	I3FS0080
231	匏	5769	99B6	I3FT0080
232	匏	576A	99B7	I3FU0080

Table 8 (Page 5 of 37). Extended Kanji Set (1 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
233	匡	576B	FA8B	I3FV0080
234	匡	576C	99B8	I3FW0080
235	匯	576D	99B9	I3FX0080
236	匱	576E	99BA	I3FY0080
237	匱	576F	99BB	I3FZ0080
238	匚	5770	99BC	I3G00080
239	區	5771	99BD	I3G10080
240	卅	5772	99BF	I3G20080
241	卅	5773	99BE	I3G30080
242	卉	5774	99C1	I3G40080
243	卅	5775	99C0	I3G50080
244	卂	5776	99C2	I3G60080
245	準	5777	99C3	I3G70080
246	舉	5778	9DA8	I3G80080
247	卞	5779	99C4	I3G90080
248	卞	577A	99C5	I3GA0080
249	卮	577B	99C6	I3GB0080
250	邵	577C	FA8C	I3GC0080
251	卷	577D	99C9	I3GD0080
252	卻	577E	99C8	I3GE0080
253	厂	577F	99CA	I3GF0080
254	厓	5780	FA8D	I3GG0080
255	厓	5781	99CB	I3GH0080
256	厠	5782	99CC	I3GI0080
257	厦	5783	99CD	I3GJ0080
258	厥	5784	99CE	I3GK0080

IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

**Table 8 (Page 6 of 37).** Extended Kanji Set (1 of 2), DBCS-Host

Line Number	Graphic	Host Code	PC Code	GCGID
259	廝	5785	99CF	I3GL0080
260	廩	5786	99D0	I3GM0080
261	厲	5787	FA8E	I3GN0080
262	厶	5788	99D1	I3GO0080
263	參	5789	99D2	I3GP0080
264	篡	578A	99D3	I3GQ0080
265	覘	578B	FA8F	I3GR0080
266	叟	578C	99D5	I3GS0080
267	曼	578D	99D6	I3GT0080
268	雙	578E	FA90	I3GU0080
269	變	578F	99D7	I3GV0080
270	叮	5790	99D8	I3GW0080
271	叨	5791	99D9	I3GX0080
272	叭	5792	99DA	I3GY0080
273	叭	5793	99DB	I3GZ0080
274	吁	5794	99DC	I3H00080
275	吡	5795	99DD	I3H10080
276	呀	5796	99DE	I3H20080
277	听	5797	99DF	I3H30080
278	吭	5798	99E0	I3H40080
279	吼	5799	99E1	I3H50080
280	吮	579A	99E2	I3H60080
281	呐	579B	99E3	I3H70080
282	吩	579C	99E4	I3H80080
283	吝	579D	99E5	I3H90080
284	呖	579E	99E6	I3HA0080

**Table 8 (Page 6 of 37).** Extended Kanji Set (1 of 2), DBCS-Host

Line Number	Graphic	Host Code	PC Code	GCGID
285	咏	579F	99E7	I3HB0080
286	呵	57A0	99E8	I3HC0080
287	咎	57A1	99E9	I3HD0080
288	咳	57A2	99EA	I3HE0080
289	呱	57A3	99EB	I3HF0080
290	呷	57A4	99EC	I3HG0080
291	訾	57A5	99ED	I3HH0080
292	咒	57A6	99EE	I3HI0080
293	呻	57A7	99EF	I3HJ0080
294	咀	57A8	99F0	I3HK0080
295	吃	57A9	FA91	I3HL0080
296	呶	57AA	99F1	I3HM0080
297	咄	57AB	99F2	I3HN0080
298	咐	57AC	99F3	I3HO0080
299	咆	57AD	99F4	I3HP0080
300	咏	57AE	FA92	I3HQ0080
301	哇	57AF	99F5	I3HR0080
302	崙	57B0	9A44	I3HS0080
303	咯	57B1	9A5D	I3HT0080
304	罅	57B2	99F6	I3HU0080
305	咸	57B3	99F7	I3HV0080
306	啞	57B4	99F8	I3HW0080
307	咬	57B5	99F9	I3HX0080
308	哄	57B6	99FA	I3HY0080
309	唢	57B7	9A45	I3HZ0080
310	哈	57B8	99FB	I3I00080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 8 (Page 7 of 37). Extended Kanji Set (1 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
311	咨	57B9	99FC	I3I10080
312	咫	57BA	9A40	I3I20080
313	晒	57BB	9A41	I3I30080
314	咤	57BC	9A42	I3I40080
315	咩	57BD	FA93	I3I50080
316	啫	57BE	9A43	I3I60080
317	哥	57BF	9A46	I3I70080
318	哿	57C0	FA94	I3I80080
319	哦	57C1	9A47	I3I90080
320	唏	57C2	9A48	I3IA0080
321	唔	57C3	9A49	I3IB0080
322	哽	57C4	9A4A	I3IC0080
323	哮	57C5	9A4B	I3ID0080
324	哭	57C6	9A4C	I3IE0080
325	哢	57C7	9A4E	I3IF0080
326	唵	57C8	9A4F	I3IG0080
327	嗑	57C9	9A50	I3IH0080
328	啣	57CA	9A51	I3II0080
329	啞	57CB	9A52	I3IJ0080
330	售	57CC	9A53	I3IK0080
331	啜	57CD	9A54	I3IL0080
332	啗	57CE	9A55	I3IM0080
333	啖	57CF	9A56	I3IN0080
334	啗	57D0	9A57	I3IO0080
335	唸	57D1	9A58	I3IP0080
336	唢	57D2	9A59	I3IQ0080

Table 8 (Page 7 of 37). Extended Kanji Set (1 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
337	啾	57D3	9A5A	I3IR0080
338	喙	57D4	9A5B	I3IS0080
339	喀	57D5	9A5C	I3IT0080
340	喊	57D6	9A5E	I3IU0080
341	喟	57D7	9A5F	I3IV0080
342	畜	57D8	9A60	I3IW0080
343	啾	57D9	9A61	I3IX0080
344	喘	57DA	9A62	I3IY0080
345	啣	57DB	9A63	I3IZ0080
346	單	57DC	9A64	I3J00080
347	啼	57DD	9A65	I3J10080
348	喆	57DE	FA95	I3J20080
349	喃	57DF	9A66	I3J30080
350	喻	57E0	9A67	I3J40080
351	喇	57E1	9A68	I3J50080
352	唳	57E2	9A69	I3J60080
353	嗅	57E3	9A6B	I3J70080
354	嗟	57E4	9A6C	I3J80080
355	嘎	57E5	9A6D	I3J90080
356	嗜	57E6	9A6E	I3JA0080
357	嗑	57E7	9A6F	I3JB0080
358	嗔	57E8	9A70	I3JC0080
359	嗔	57E9	9A77	I3JD0080
360	嘔	57EA	9A71	I3JE0080
361	嗽	57EB	9A72	I3JF0080
362	嘖	57EC	9A73	I3JG0080



IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

**Table 8 (Page 8 of 37).** Extended Kanji Set (1 of 2), DBCS-Host

Line Number	Graphic	Host Code	PC Code	GCGID
363	嗑	57ED	9A74	I3JH0080
364	嗽	57EE	9A75	I3JI0080
365	嘛	57EF	9A76	I3JJ0080
366	噎	57F0	9A78	I3JK0080
367	噤	57F1	9A79	I3JL0080
368	嘶	57F2	9A7C	I3JM0080
369	嘲	57F3	9A7D	I3JN0080
370	噍	57F4	9A7E	I3JO0080
371	噫	57F5	9A80	I3JP0080
372	噤	57F6	9A81	I3JQ0080
373	噤	57F7	9A85	I3JR0080
374	嘯	57F8	9A82	I3JS0080
375	噬	57F9	9A83	I3JT0080
376	噪	57FA	9A84	I3JU0080
377	營	57FB	9A7A	I3JV0080
378	噫	57FC	9A89	I3JW0080
379	噫	57FD	9A8A	I3JX0080
380	噤	57FE	9A86	I3JY0080
381	噤	5841	9A87	I3K10080
382	噤	5842	9A88	I3K20080
383	噤	5843	9A8B	I3K30080
384	嚮	5844	9A8C	I3K40080
385	嚮	5845	9A8D	I3K50080
386	巖	5846	9A8E	I3K60080
387	嚮	5847	9A94	I3K70080
388	嚮	5848	9A8F	I3K80080

**Table 8 (Page 8 of 37).** Extended Kanji Set (1 of 2), DBCS-Host

Line Number	Graphic	Host Code	PC Code	GCGID
389	嚮	5849	9A90	I3K90080
390	嚮	584A	9A91	I3KA0080
391	嚮	584B	9A92	I3KB0080
392	嚮	584C	9A93	I3KC0080
393	嚮	584D	9A95	I3KD0080
394	嚮	584E	9A97	I3KE0080
395	嚮	584F	9A96	I3KF0080
396	囗	5850	9A98	I3KG0080
397	囗	5851	9A99	I3KH0080
398	囗	5852	9A9A	I3KI0080
399	囗	5853	9A9C	I3KJ0080
400	囗	5854	9A9D	I3KK0080
401	囗	5855	9A9E	I3KL0080
402	囗	5856	9A9F	I3KM0080
403	囗	5857	9AA1	I3KN0080
404	嚮	5858	9AA5	I3KO0080
405	囗	5859	9AA3	I3KP0080
406	圖	585A	9AA4	I3KQ0080
407	圖	585B	9AA6	I3KR0080
408	圪	585C	9AA7	I3KS0080
409	圪	585D	9AA9	I3KT0080
410	坎	585E	9AAA	I3KU0080
411	圪	585F	9AAB	I3KV0080
412	至	5860	FA96	I3KW0080
413	址	5861	9AAC	I3KX0080
414	坏	5862	9AAD	I3KY0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 8 (Page 9 of 37). Extended Kanji Set (1 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
415	垣	5863	FA97	I3KZ0080
416	垩	5864	9AB0	I3L00080
417	坡	5865	9AB1	I3L10080
418	圻	5866	9AB2	I3L20080
419	垈	5867	9AB3	I3L30080
420	垓	5868	9AB4	I3L40080
421	垕	5869	9AB5	I3L50080
422	垖	586A	9AB7	I3L60080
423	圉	586B	9AB6	I3L70080
424	垑	586C	FA98	I3L80080
425	垒	586D	9AB8	I3L90080
426	垓	586E	9ABA	I3LA0080
427	垔	586F	9ABB	I3LB0080
428	垕	5870	FA99	I3LC0080
429	垂	5871	9AAF	I3LD0080
430	埔	5872	9ABC	I3LE0080
431	埔	5873	FA9A	I3LF0080
432	圉	5874	9ABD	I3LG0080
433	圉	5875	9ABE	I3LH0080
434	垑	5876	9AC0	I3LI0080
435	垒	5877	FA9B	I3LJ0080
436	壘	5878	9ABF	I3LK0080
437	垓	5879	9AC1	I3LL0080
438	棚	587A	9AC2	I3LM0080
439	埤	587B	9AC3	I3LN0080
440	堡	587C	9AC6	I3LO0080

Table 8 (Page 9 of 37). Extended Kanji Set (1 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
441	塋	587D	9AC8	I3LP0080
442	塋	587E	9AC7	I3LQ0080
443	毀	587F	9ACA	I3LR0080
444	塋	5880	9ACC	I3LS0080
445	塋	5881	9ACB	I3LT0080
446	塚	5882	FA9C	I3LU0080
447	塋	5883	9AC9	I3LV0080
448	塋	5884	9ACD	I3LW0080
449	塋	5885	9ACE	I3LX0080
450	塋	5886	9AC5	I3LY0080
451	墟	5887	9AD0	I3LZ0080
452	塋	5888	9AD1	I3M00080
453	塋	5889	9AD5	I3M10080
454	塋	588A	FA9D	I3M20080
455	墮	588B	9AD6	I3M30080
456	塋	588C	FA9E	I3M40080
457	塋	588D	9ACF	I3M50080
458	塋	588E	9AD2	I3M60080
459	壅	588F	9AD7	I3M70080
460	壙	5890	9AD8	I3M80080
461	壙	5891	9AD9	I3M90080
462	壙	5892	9ADA	I3MA0080
463	壙	5893	9ADB	I3MB0080
464	壙	5894	9ADC	I3MC0080
465	壙	5895	9AD3	I3MD0080
466	壙	5896	9ADE	I3ME0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 8 (Page 10 of 37). Extended Kanji Set (1 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
467	壘	5897	9AE0	I3MF0080
468	壤	5898	9ADF	I3MG0080
469	壘	5899	9ADD	I3MH0080
470	壯	589A	9AE1	I3MI0080
471	壺	589B	9AE2	I3MJ0080
472	壹	589C	9AE3	I3MK0080
473	壻	589D	9AE4	I3ML0080
474	壺	589E	9AE5	I3MM0080
475	久	589F	9AE7	I3MN0080
476	攵	58A0	9AE8	I3MO0080
477	夂	58A1	FA9F	I3MP0080
478	復	58A2	9AE9	I3MQ0080
479	彳	58A3	9AEA	I3MR0080
480	夢	58A4	9AEB	I3MS0080
481	夥	58A5	9AEC	I3MT0080
482	夂	58A6	9AED	I3MU0080
483	夭	58A7	9AEE	I3MV0080
484	夂	58A8	9AEF	I3MW0080
485	夸	58A9	9AF0	I3MX0080
486	夾	58AA	9AF1	I3MY0080
487	奕	58AB	9AF3	I3MZ0080
488	奂	58AC	9AF4	I3N00080
489	麥	58AD	FAA0	I3N10080
490	奚	58AE	9AF6	I3N20080
491	奘	58AF	9AF7	I3N30080
492	翁	58B0	FAA1	I3N40080

Table 8 (Page 10 of 37). Extended Kanji Set (1 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
493	裔	58B1	FAA2	I3N50080
494	翁	58B2	FAA3	I3N60080
495	奢	58B3	9AF8	I3N70080
496	奠	58B4	9AF9	I3N80080
497	奧	58B5	9AFA	I3N90080
498	獎	58B6	9AFB	I3NA0080
499	奩	58B7	9AFC	I3NB0080
500	奸	58B8	9B40	I3NC0080
501	妁	58B9	9B41	I3ND0080
502	妍	58BA	9B4A	I3NE0080
503	妄	58BB	9BAA	I3NF0080
504	妝	58BC	9B42	I3NG0080
505	妣	58BD	9B45	I3NH0080
506	妤	58BE	FAA4	I3NI0080
507	妲	58BF	9B46	I3NJ0080
508	妹	58C0	FAA5	I3NK0080
509	姆	58C1	9B47	I3NL0080
510	姨	58C2	9B48	I3NM0080
511	姪	58C3	9B4B	I3NN0080
512	姚	58C4	9B4C	I3NO0080
513	娥	58C5	9B4D	I3NP0080
514	娟	58C6	9B4E	I3NQ0080
515	娑	58C7	9B4F	I3NR0080
516	娜	58C8	9B50	I3NS0080
517	甥	58C9	9B52	I3NT0080
518	媪	58CA	9B51	I3NU0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 8 (Page 11 of 37). Extended Kanji Set (1 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
519	婀	58CB	9B53	I3NV0080
520	姪	58CC	9B54	I3NW0080
521	婉	58CD	9B55	I3NX0080
522	娠	58CE	9B56	I3NY0080
523	娶	58CF	9B57	I3NZ0080
524	婢	58D0	9B58	I3O00080
525	婪	58D1	9B59	I3O10080
526	媚	58D2	9B5A	I3O20080
527	媪	58D3	9B5B	I3O30080
528	媾	58D4	9B5C	I3O40080
529	媿	58D5	9B6B	I3O50080
530	媯	58D6	9B5D	I3O60080
531	嫂	58D7	9B5E	I3O70080
532	媽	58D8	9B5F	I3O80080
533	媽	58D9	9B60	I3O90080
534	嫗	58DA	9B61	I3OA0080
535	媼	58DB	9B62	I3OB0080
536	嫩	58DC	9B63	I3OC0080
537	嫖	58DD	9B64	I3OD0080
538	嫖	58DE	9B65	I3OE0080
539	嫖	58DF	9B66	I3OF0080
540	嬌	58E0	9B67	I3OG0080
541	嬋	58E1	9B68	I3OH0080
542	嬖	58E2	9B69	I3OI0080
543	嬖	58E3	9B6A	I3OJ0080
544	嬖	58E4	9B6C	I3OK0080

Table 8 (Page 11 of 37). Extended Kanji Set (1 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
545	嬖	58E5	9B6D	I3OL0080
546	嬖	58E6	9B6E	I3OM0080
547	嬖	58E7	9B6F	I3ON0080
548	嬖	58E8	9B70	I3OO0080
549	嬖	58E9	9B71	I3OP0080
550	子	58EA	9B72	I3OQ0080
551	孕	58EB	9B73	I3OR0080
552	孖	58EC	FAA6	I3OS0080
553	孖	58ED	9B7C	I3OT0080
554	孖	58EE	9B75	I3OU0080
555	孖	58EF	9B76	I3OV0080
556	孩	58F0	9B77	I3OW0080
557	孰	58F1	9B78	I3OX0080
558	孳	58F2	9B79	I3OY0080
559	孳	58F3	9B7A	I3OZ0080
560	學	58F4	9B7B	I3P00080
561	孺	58F5	9B7D	I3P10080
562	宀	58F6	9B7E	I3P20080
563	它	58F7	9B80	I3P30080
564	宦	58F8	9B81	I3P40080
565	宸	58F9	9B82	I3P50080
566	冤	58FA	9B83	I3P60080
567	寇	58FB	9B84	I3P70080
568	宀	58FC	FAA7	I3P80080
569	雀	58FD	9B85	I3P90080
570	甯	58FE	FAA8	I3PA0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 8 (Page 12 of 37). Extended Kanji Set (1 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
571	寐	5941	9B87	I3PD0080
572	寘	5942	FAA9	I3PE0080
573	寘	5943	9B8B	I3PF0080
574	寘	5944	FAAA	I3PG0080
575	寤	5945	9B88	I3PH0080
576	寤	5946	9B8A	I3PI0080
577	寐	5947	9B8C	I3PJ0080
578	寫	5948	9B8D	I3PK0080
579	寢	5949	9B8E	I3PL0080
580	寶	594A	9B90	I3PM0080
581	寶	594B	9B8F	I3PN0080
582	尅	594C	9B91	I3PO0080
583	將	594D	9B92	I3PP0080
584	專	594E	9B93	I3PQ0080
585	對	594F	9B94	I3PR0080
586	尔	5950	9B95	I3PS0080
587	寮	5951	FAAB	I3PT0080
588	尠	5952	9B96	I3PU0080
589	尢	5953	9B97	I3PV0080
590	尢	5954	9B98	I3PW0080
591	尸	5955	9B99	I3PX0080
592	屁	5956	9B9B	I3PY0080
593	屈	5957	9B9C	I3PZ0080
594	屎	5958	9B9D	I3Q00080
595	屮	5959	9B9E	I3Q10080
596	屮	595A	9B9F	I3Q20080

Table 8 (Page 12 of 37). Extended Kanji Set (1 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
597	屮	595B	9BA1	I3Q30080
598	屬	595C	9BA2	I3Q40080
599	屮	595D	9BA3	I3Q50080
600	屮	595E	9BA5	I3Q60080
601	屹	595F	9BA6	I3Q70080
602	岌	5960	9BA7	I3Q80080
603	岔	5961	9BA9	I3Q90080
604	岫	5962	9BB1	I3QA0080
605	岫	5963	9BAB	I3QB0080
606	岷	5964	9BAC	I3QC0080
607	岯	5965	9BAD	I3QD0080
608	岷	5966	9BAF	I3QE0080
609	岯	5967	FAAC	I3QF0080
610	岯	5968	FAAD	I3QG0080
611	岯	5969	9BB0	I3QH0080
612	岯	596A	9BAE	I3QI0080
613	岯	596B	9BB2	I3QJ0080
614	峙	596C	9BB3	I3QK0080
615	峩	596D	9BB4	I3QL0080
616	峩	596E	9BB5	I3QM0080
617	岷	596F	9BB6	I3QN0080
618	岷	5970	FAAE	I3QO0080
619	峭	5971	9BB7	I3QP0080
620	峪	5972	9BB9	I3QQ0080
621	嶺	5973	9BBA	I3QR0080
622	嶺	5974	9BBB	I3QS0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
623	崑	5975	9BBE	I3QT0080
624	嶠	5976	9BBF	I3QU0080
625	崑	5977	9BC0	I3QV0080
626	崑	5978	FAAF	I3QW0080
627	嶠	5979	9BC2	I3QX0080
628	嶠	597A	9BC3	I3QY0080
629	崑	597B	9BC4	I3QZ0080
630	嶠	597C	9BC5	I3R00080
631	崑	597D	9BC6	I3R10080
632	嶠	597E	9BC7	I3R20080
633	崑	597F	FAB0	I3R30080
634	嶠	5980	FAB1	I3R40080
635	崑	5981	9BBD	I3R50080
636	嶠	5982	9BC8	I3R60080
637	嶠	5983	9BC9	I3R70080
638	崑	5984	FAB2	I3R80080
639	嶠	5985	9BCA	I3R90080
640	崑	5986	9BCB	I3RA0080
641	嶠	5987	FAB3	I3RB0080
642	嶠	5988	9BCC	I3RC0080
643	嶠	5989	9BCD	I3RD0080
644	嶠	598A	9BCE	I3RE0080
645	嶠	598B	9BCF	I3RF0080
646	嶠	598C	9BB8	I3RG0080
647	嶠	598D	9BD0	I3RH0080
648	嶠	598E	9BD1	I3RI0080

Line Number	Graphic	Host Code	PC Code	GCGID
649	嶠	598F	9BD5	I3RJ0080
650	嶠	5990	9BD2	I3RK0080
651	嶠	5991	9BD3	I3RL0080
652	嶠	5992	9BD6	I3RM0080
653	嶠	5993	FAB4	I3RN0080
654	嶠	5994	9BD7	I3RO0080
655	嶠	5995	FAB5	I3RP0080
656	嶠	5996	9BD8	I3RQ0080
657	嶠	5997	FAB6	I3RR0080
658	嶠	5998	9BDA	I3RS0080
659	嶠	5999	9BDB	I3RT0080
660	嶠	599A	9BDD	I3RU0080
661	嶠	599B	9BDE	I3RV0080
662	嶠	599C	9BE0	I3RW0080
663	嶠	599D	9BE1	I3RX0080
664	嶠	599E	9BE2	I3RY0080
665	嶠	599F	9BE3	I3RZ0080
666	嶠	59A0	9BE4	I3S00080
667	嶠	59A1	9BE5	I3S10080
668	嶠	59A2	9BE6	I3S20080
669	嶠	59A3	9BE8	I3S30080
670	嶠	59A4	9BE9	I3S40080
671	嶠	59A5	9BEA	I3S50080
672	嶠	59A6	9BF1	I3S60080
673	嶠	59A7	9BEB	I3S70080
674	嶠	59A8	9BEC	I3S80080

IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

**Table 8 (Page 14 of 37).** Extended Kanji Set (1 of 2), DBCS-Host

Line Number	Graphic	Host Code	PC Code	GCGID
675	幔	59A9	9BED	I3S90080
676	幢	59AA	9BEF	I3SA0080
677	幣	59AB	9BF0	I3SB0080
678	幵	59AC	9BF2	I3SC0080
679	井	59AD	9BF3	I3SD0080
680	么	59AE	9BF4	I3SE0080
681	广	59AF	9BF6	I3SF0080
682	庠	59B0	9BF7	I3SG0080
683	廁	59B1	9BF8	I3SH0080
684	廂	59B2	9BF9	I3SI0080
685	廈	59B3	9BFA	I3SJ0080
686	廡	59B4	9BFB	I3SK0080
687	廩	59B5	9BFC	I3SL0080
688	廪	59B6	9C42	I3SM0080
689	廚	59B7	9C43	I3SN0080
690	廩	59B8	9C44	I3SO0080
691	廢	59B9	9C45	I3SP0080
692	廡	59BA	9C46	I3SQ0080
693	廨	59BB	9C47	I3SR0080
694	廩	59BC	9C48	I3SS0080
695	廬	59BD	9C49	I3ST0080
696	廡	59BE	9C4C	I3SU0080
697	廨	59BF	9C4A	I3SV0080
698	廳	59C0	9C4B	I3SW0080
699	夂	59C1	9C4D	I3SX0080
700	弃	59C2	9C50	I3SY0080

**Table 8 (Page 14 of 37).** Extended Kanji Set (1 of 2), DBCS-Host

Line Number	Graphic	Host Code	PC Code	GCGID
701	彗	59C3	9C51	I3SZ0080
702	弋	59C4	9C54	I3T00080
703	弑	59C5	9C55	I3T10080
704	弓	59C6	9C56	I3T20080
705	彀	59C7	FAB7	I3T30080
706	弩	59C8	9C57	I3T40080
707	弭	59C9	9C58	I3T50080
708	弯	59CA	9C5E	I3T60080
709	孳	59CB	FAB8	I3T70080
710	弮	59CC	9C59	I3T80080
711	弮	59CD	9C5A	I3T90080
712	彈	59CE	9C5B	I3TA0080
713	彌	59CF	9C5C	I3TB0080
714	彎	59D0	9C5D	I3TC0080
715	彑	59D1	9C5F	I3TD0080
716	彖	59D2	9C60	I3TE0080
717	彗	59D3	9C61	I3TF0080
718	彙	59D4	9C62	I3TG0080
719	彘	59D5	9C53	I3TH0080
720	彘	59D6	9C52	I3TI0080
721	彘	59D7	9C63	I3TJ0080
722	彘	59D8	FAB9	I3TK0080
723	彘	59D9	9C65	I3TL0080
724	徻	59DA	9C66	I3TM0080
725	徻	59DB	9C67	I3TN0080
726	徻	59DC	9C68	I3TO0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 8 (Page 15 of 37). Extended Kanji Set (1 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
727	佛	59DD	9C69	I3TP0080
728	徊	59DE	9C6A	I3TQ0080
729	很	59DF	9C6B	I3TR0080
730	徇	59E0	9C6D	I3TS0080
731	徑	59E1	9C6C	I3TT0080
732	徙	59E2	9C6F	I3TU0080
733	從	59E3	9C6E	I3TV0080
734	徘	59E4	9C70	I3TW0080
735	徠	59E5	9C71	I3TX0080
736	徨	59E6	9C72	I3TY0080
737	徯	59E7	9C73	I3TZ0080
738	德	59E8	FABA	I3U00080
739	徼	59E9	9C74	I3U10080
740	付	59EA	9C75	I3U20080
741	忻	59EB	9C76	I3U30080
742	忤	59EC	9C77	I3U40080
743	忸	59ED	9C78	I3U50080
744	忱	59EE	9C79	I3U60080
745	忤	59EF	9CAB	I3U70080
746	忝	59F0	9C7A	I3U80080
747	忞	59F1	FABB	I3U90080
748	忿	59F2	9C7C	I3UA0080
749	怡	59F3	9C7D	I3UB0080
750	怙	59F4	9C80	I3UC0080
751	恂	59F5	9C81	I3UD0080
752	恠	59F6	9C82	I3UE0080

Table 8 (Page 15 of 37). Extended Kanji Set (1 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
753	恚	59F7	9C83	I3UF0080
754	恣	59F8	9C84	I3UG0080
755	怛	59F9	9C85	I3UH0080
756	怕	59FA	9C86	I3UI0080
757	怫	59FB	9C87	I3UJ0080
758	怦	59FC	9C88	I3UK0080
759	怱	59FD	9C89	I3UL0080
760	怲	59FE	9C8A	I3UM0080
761	恚	5A41	9C8B	I3UP0080
762	恣	5A42	9C8C	I3UQ0080
763	恠	5A43	9C7E	I3UR0080
764	恡	5A44	FABC	I3US0080
765	恣	5A45	9C8D	I3UT0080
766	恠	5A46	9C8E	I3UU0080
767	恡	5A47	9C8F	I3UV0080
768	恣	5A48	9C90	I3UW0080
769	恆	5A49	9C91	I3UX0080
770	恍	5A4A	9C92	I3UY0080
771	恠	5A4B	9C93	I3UZ0080
772	恃	5A4C	9C94	I3V00080
773	恠	5A4D	9C95	I3V10080
774	恬	5A4E	9C97	I3V20080
775	恠	5A4F	9C98	I3V30080
776	恠	5A50	9C99	I3V40080
777	悅	5A51	FABD	I3V50080
778	恠	5A52	9C9A	I3V60080





## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
779	悃	5A53	9C9D	I3V70080
780	悚	5A54	9C9E	I3V80080
781	悄	5A55	9C9F	I3V90080
782	悛	5A56	9CA0	I3VA0080
783	惹	5A57	FABE	I3VB0080
784	悝	5A58	9CA1	I3VC0080
785	悞	5A59	9CA2	I3VD0080
786	悞	5A5A	9CA3	I3VE0080
787	悞	5A5B	9CA4	I3VF0080
788	悞	5A5C	9CA5	I3VG0080
789	惡	5A5D	9CA6	I3VH0080
790	悞	5A5E	9CA7	I3VI0080
791	愀	5A5F	FABF	I3VJ0080
792	愀	5A60	9CA8	I3VK0080
793	倦	5A61	9CA9	I3VL0080
794	悽	5A62	9CAC	I3VM0080
795	惆	5A63	9CAD	I3VN0080
796	悵	5A64	9CAE	I3VO0080
797	悵	5A65	FAC0	I3VP0080
798	悵	5A66	9CAF	I3VQ0080
799	悵	5A67	FAC1	I3VR0080
800	悵	5A68	FAC2	I3VS0080
801	悵	5A69	9CB1	I3VT0080
802	愆	5A6A	9CB2	I3VU0080
803	愆	5A6B	9CB3	I3VV0080
804	愆	5A6C	9CB4	I3VW0080

Line Number	Graphic	Host Code	PC Code	GCGID
805	愀	5A6D	9CB5	I3VX0080
806	悵	5A6E	9CB6	I3VY0080
807	悵	5A6F	9CB7	I3VZ0080
808	愆	5A70	9CB8	I3W00080
809	愆	5A71	9CB9	I3W10080
810	悵	5A72	9CBA	I3W20080
811	愆	5A73	9CBB	I3W30080
812	愆	5A74	9CBC	I3W40080
813	悵	5A75	9CBD	I3W50080
814	悵	5A76	FAC3	I3W60080
815	愆	5A77	9CBE	I3W70080
816	悵	5A78	9CB0	I3W80080
817	愆	5A79	FAC4	I3W90080
818	愆	5A7A	9CC0	I3WA0080
819	悵	5A7B	9CC1	I3WB0080
820	悵	5A7C	9CBF	I3WC0080
821	悵	5A7D	9CC2	I3WD0080
822	悵	5A7E	FAC5	I3WE0080
823	悵	5A7F	9CC4	I3WF0080
824	悵	5A80	9CC5	I3WG0080
825	悵	5A81	9CC6	I3WH0080
826	悵	5A82	9CD2	I3WI0080
827	悵	5A83	9CD5	I3WJ0080
828	悵	5A84	9CC7	I3WK0080
829	悵	5A85	9CC8	I3WL0080
830	悵	5A86	9CC9	I3WM0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
831	慳	5A87	9CCA	I3WN0080
832	𪗇	5A88	9CDA	I3WO0080
833	慷	5A89	9CCB	I3WP0080
834	慘	5A8A	9CCC	I3WQ0080
835	慙	5A8B	9CCD	I3WR0080
836	慚	5A8C	9CCE	I3WS0080
837	慙	5A8D	9CCF	I3WT0080
838	慙	5A8E	9CD0	I3WU0080
839	傷	5A8F	9CD1	I3WV0080
840	傳	5A90	9CD3	I3WW0080
841	慙	5A91	9CD4	I3WX0080
842	慙	5A92	9CD6	I3WY0080
843	慵	5A93	9CD7	I3WZ0080
844	愷	5A94	FAC6	I3X00080
845	熹	5A95	9CD8	I3X10080
846	愁	5A96	9CD9	I3X20080
847	憬	5A97	9CDB	I3X30080
848	憔	5A98	9CDC	I3X40080
849	憊	5A99	9CDE	I3X50080
850	憑	5A9A	9CDF	I3X60080
851	憫	5A9B	9CE0	I3X70080
852	憮	5A9C	9CE1	I3X80080
853	憯	5A9D	9CE2	I3X90080
854	懊	5A9E	9CE3	I3XA0080
855	應	5A9F	9CE4	I3XB0080
856	懈	5AA0	9CE6	I3XC0080

Line Number	Graphic	Host Code	PC Code	GCGID
857	慙	5AA1	9CE7	I3XD0080
858	慙	5AA2	9CE8	I3XE0080
859	慙	5AA3	9CE9	I3XF0080
860	慙	5AA4	9CEA	I3XG0080
861	罹	5AA5	9CEB	I3XH0080
862	慙	5AA6	9CEC	I3XI0080
863	慙	5AA7	9CED	I3XJ0080
864	慙	5AA8	9CEE	I3XK0080
865	慙	5AA9	9CF1	I3XL0080
866	懷	5AAA	9CE5	I3XM0080
867	懶	5AAB	9CEF	I3XN0080
868	慙	5AAC	9CF3	I3XO0080
869	饑	5AAD	9CF0	I3XP0080
870	懿	5AAE	9CF2	I3XQ0080
871	懼	5AAF	9CF4	I3XR0080
872	儼	5AB0	9CF5	I3XS0080
873	戀	5AB1	9CF6	I3XT0080
874	戈	5AB2	9CF7	I3XU0080
875	戍	5AB3	9CF8	I3XV0080
876	戍	5AB4	9CF9	I3XW0080
877	或	5AB5	FAC7	I3XX0080
878	戔	5AB6	9CFB	I3XY0080
879	戛	5AB7	9CFC	I3XZ0080
880	戛	5AB8	9D40	I3Y00080
881	戛	5AB9	9D41	I3Y10080
882	戛	5ABA	9D42	I3Y20080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
883	戮	5ABB	9D43	I3Y30080
884	戰	5ABC	9D44	I3Y40080
885	戲	5ABD	9D45	I3Y50080
886	戮	5ABE	9D46	I3Y60080
887	扁	5ABF	9D47	I3Y70080
888	扎	5AC0	9D48	I3Y80080
889	扌	5AC1	9D49	I3Y90080
890	扣	5AC2	9D4A	I3YA0080
891	扌	5AC3	9D4B	I3YB0080
892	扌	5AC4	9D4C	I3YC0080
893	扌	5AC5	9D4D	I3YD0080
894	扌	5AC6	9D4E	I3YE0080
895	扌	5AC7	9D4F	I3YF0080
896	扌	5AC8	9D50	I3YG0080
897	扌	5AC9	9D52	I3YH0080
898	扌	5ACA	9D51	I3YI0080
899	扌	5ACB	9D53	I3YJ0080
900	扌	5ACC	9D54	I3YK0080
901	扌	5ACD	9D56	I3YL0080
902	扌	5ACE	9D57	I3YM0080
903	扌	5ACF	9D58	I3YN0080
904	拈	5AD0	9D59	I3YO0080
905	扌	5AD1	9D5A	I3YP0080
906	拏	5AD2	9D5B	I3YQ0080
907	扌	5AD3	9DAB	I3YR0080
908	扌	5AD4	9D5D	I3YS0080

Line Number	Graphic	Host Code	PC Code	GCGID
909	拈	5AD5	9D5F	I3YT0080
910	拜	5AD6	9D60	I3YU0080
911	拈	5AD7	9D55	I3YV0080
912	拈	5AD8	9D62	I3YW0080
913	拂	5AD9	9D63	I3YX0080
914	柄	5ADA	FAC8	I3YY0080
915	扌	5ADB	9D64	I3YZ0080
916	拋	5ADC	9D65	I3Z00080
917	拉	5ADD	9D66	I3Z10080
918	格	5ADE	9D67	I3Z20080
919	拈	5ADF	9D68	I3Z30080
920	拱	5AE0	9D69	I3Z40080
921	擲	5AE1	9D6A	I3Z50080
922	挂	5AE2	9D6B	I3Z60080
923	擊	5AE3	9D6C	I3Z70080
924	拯	5AE4	9D6D	I3Z80080
925	拈	5AE5	9D6E	I3Z90080
926	拿	5AE6	9D5C	I3ZA0080
927	捐	5AE7	9D6F	I3ZB0080
928	捍	5AE8	9D71	I3ZC0080
929	挾	5AE9	9D70	I3ZD0080
930	捏	5AEA	9D73	I3ZE0080
931	掖	5AEB	9D74	I3ZF0080
932	揸	5AEC	9D75	I3ZG0080
933	掀	5AED	9D76	I3ZH0080
934	掀	5AEE	9D77	I3ZI0080




## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 8 (Page 19 of 37). Extended Kanji Set (1 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
935	捶	5AEF	9D78	I3ZJ0080
936	掣	5AF0	9D79	I3ZK0080
937	掏	5AF1	9D7A	I3ZL0080
938	掉	5AF2	9D7B	I3ZM0080
939	掟	5AF3	9D7C	I3ZN0080
940	捫	5AF4	9D7E	I3ZO0080
941	扨	5AF5	9D80	I3ZP0080
942	掄	5AF6	9D7D	I3ZQ0080
943	掾	5AF7	9D81	I3ZR0080
944	措	5AF8	9D82	I3ZS0080
945	揀	5AF9	9D83	I3ZT0080
946	揆	5AFA	9D84	I3ZU0080
947	揅	5AFB	FAC9	I3ZV0080
948	揣	5AFC	9D85	I3ZW0080
949	揉	5AFD	9D86	I3ZX0080
950	插	5AFE	9D87	I3ZY0080
951	挪	5B41	9D88	I4010080
952	揄	5B42	9D89	I4020080
953	攀	5B43	9D8B	I4030080
954	搆	5B44	9D8C	I4040080
955	搓	5B45	9D8D	I4050080
956	搦	5B46	9D8E	I4060080
957	搶	5B47	9D8F	I4070080
958	搜	5B48	9D72	I4080080
959	搗	5B49	9D91	I4090080
960	搨	5B4A	9D92	I40A0080

Table 8 (Page 19 of 37). Extended Kanji Set (1 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
961	搏	5B4B	9D93	I40B0080
962	搖	5B4C	9D8A	I40C0080
963	摺	5B4D	9D97	I40D0080
964	摧	5B4E	9D94	I40E0080
965	摯	5B4F	9D95	I40F0080
966	摠	5B50	FACA	I40G0080
967	搏	5B51	9D96	I40H0080
968	攪	5B52	9D98	I40I0080
969	搯	5B53	FACB	I40J0080
970	擎	5B54	FACC	I40K0080
971	撕	5B55	9D99	I40L0080
972	撻	5B56	9DA3	I40M0080
973	撓	5B57	9D9A	I40N0080
974	撥	5B58	9D9B	I40O0080
975	撩	5B59	9D9C	I40P0080
976	撈	5B5A	9D9D	I40Q0080
977	撻	5B5B	9D9E	I40R0080
978	據	5B5C	9D9F	I40S0080
979	擒	5B5D	9DA0	I40T0080
980	擅	5B5E	9DA1	I40U0080
981	擇	5B5F	9DA2	I40V0080
982	擔	5B60	9D5E	I40W0080
983	擘	5B61	9DA4	I40X0080
984	播	5B62	9DA5	I40Y0080
985	攔	5B63	9DA6	I40Z0080
986	舉	5B64	9DA7	I4100080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
987	擠	5B65	9DA9	I4110080
988	擡	5B66	9DAA	I4120080
989	擣	5B67	9DAC	I4130080
990	擯	5B68	9DAD	I4140080
991	擧	5B69	9DB0	I4150080
992	擻	5B6A	9DAF	I4160080
993	擲	5B6B	9DB1	I4170080
994	擺	5B6C	9DB2	I4180080
995	攀	5B6D	9DB3	I4190080
996	擽	5B6E	9DB4	I41A0080
997	擿	5B6F	9DB5	I41B0080
998	擱	5B70	9DB6	I41C0080
999	攝	5B71	9D90	I41D0080
1000	擻	5B72	9DB7	I41E0080
1001	攤	5B73	9DB8	I41F0080
1002	擿	5B74	9DB9	I41G0080
1003	擿	5B75	9DBA	I41H0080
1004	攬	5B76	9DAE	I41I0080
1005	攴	5B77	9DBB	I41J0080
1006	攵	5B78	9DBC	I41K0080
1007	攷	5B79	9DBD	I41L0080
1008	攸	5B7A	9DBE	I41M0080
1009	攵	5B7B	9DBF	I41N0080
1010	攷	5B7C	9DC0	I41O0080
1011	攸	5B7D	9DC1	I41P0080
1012	攷	5B7E	FACD	I41Q0080

Line Number	Graphic	Host Code	PC Code	GCGID
1013	敖	5B7F	9DC2	I41R0080
1014	敍	5B80	9DC4	I41S0080
1015	敍	5B81	9DC5	I41T0080
1016	敍	5B82	9DC3	I41U0080
1017	敍	5B83	9DC7	I41V0080
1018	敍	5B84	9DC8	I41W0080
1019	敍	5B85	9DC9	I41X0080
1020	敍	5B86	9DCA	I41Y0080
1021	斃	5B87	9DCB	I41Z0080
1022	斃	5B88	9DCC	I4200080
1023	斃	5B89	9DCD	I4210080
1024	斃	5B8A	9DCE	I4220080
1025	斃	5B8B	9DCF	I4230080
1026	斃	5B8C	9DD0	I4240080
1027	旃	5B8D	9DD1	I4250080
1028	旃	5B8E	9DD2	I4260080
1029	旃	5B8F	9DD3	I4270080
1030	旃	5B90	9DD4	I4280080
1031	旃	5B91	9DD5	I4290080
1032	旃	5B92	9DD6	I42A0080
1033	旃	5B93	9DD8	I42B0080
1034	旃	5B94	9DDA	I42C0080
1035	旃	5B95	9DD9	I42D0080
1036	旃	5B96	9ddb	I42E0080
1037	旃	5B97	FACE	I42F0080
1038	旃	5B98	FACF	I42G0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 8 (Page 21 of 37). Extended Kanji Set (1 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1039	昂	5B99	FAD0	I42H0080
1040	杲	5B9A	9DDC	I42I0080
1041	昃	5B9B	9DDE	I42J0080
1042	旻	5B9C	9DDF	I42K0080
1043	昉	5B9D	FAD1	I42L0080
1044	昡	5B9E	9E45	I42M0080
1045	昵	5B9F	9DE1	I42N0080
1046	昃	5BA0	FAD2	I42O0080
1047	昃	5BA1	FAD3	I42P0080
1048	昃	5BA2	9DE3	I42Q0080
1049	昃	5BA3	9DE4	I42R0080
1050	昃	5BA4	FAD4	I42S0080
1051	昃	5BA5	9DE6	I42T0080
1052	晉	5BA6	9DE7	I42U0080
1053	昃	5BA7	FAD5	I42V0080
1054	昃	5BA8	FAD6	I42W0080
1055	昃	5BA9	9DE9	I42X0080
1056	昃	5BAA	9DEB	I42Y0080
1057	昃	5BAB	FAD7	I42Z0080
1058	晝	5BAC	9DEF	I4300080
1059	晝	5BAD	9DEA	I4310080
1060	晝	5BAE	FAD8	I4320080
1061	晝	5BAF	FAD9	I4330080
1062	晰	5BB0	9DF0	I4340080
1063	晝	5BB1	9DF1	I4350080
1064	暈	5BB2	9DF2	I4360080

Table 8 (Page 21 of 37). Extended Kanji Set (1 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1065	暄	5BB3	9DF5	I4370080
1066	暄	5BB4	FADA	I4380080
1067	暄	5BB5	9DF6	I4390080
1068	暄	5BB6	FADB	I43A0080
1069	暄	5BB7	9DF7	I43B0080
1070	暄	5BB8	FADC	I43C0080
1071	暄	5BB9	9E40	I43D0080
1072	暄	5BBA	9DF8	I43E0080
1073	暄	5BBB	FADD	I43F0080
1074	暄	5BBC	9DFA	I43G0080
1075	暄	5BBD	9DFB	I43H0080
1076	暄	5BBE	9DFC	I43I0080
1077	暄	5BBF	9E41	I43J0080
1078	暄	5BC0	9E42	I43K0080
1079	暄	5BC1	9E43	I43L0080
1080	暄	5BC2	9E46	I43M0080
1081	暄	5BC3	9E47	I43N0080
1082	暄	5BC4	9E48	I43O0080
1083	暄	5BC5	9E49	I43P0080
1084	暄	5BC6	9E4A	I43Q0080
1085	暄	5BC7	FADE	I43R0080
1086	暄	5BC8	FADF	I43S0080
1087	暄	5BC9	FAE0	I43T0080
1088	暄	5BCA	9E4C	I43U0080
1089	暄	5BCB	9E4D	I43V0080
1090	暄	5BCC	E377	I43W0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 8 (Page 22 of 37). Extended Kanji Set (1 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1091	朦	5BCD	9E4E	I43X0080
1092	朧	5BCE	9E4F	I43Y0080
1093	霸	5BCF	9E50	I43Z0080
1094	朮	5BD0	9E51	I4400080
1095	束	5BD1	9E52	I4410080
1096	朶	5BD2	9E53	I4420080
1097	初	5BD3	9E56	I4430080
1098	朮	5BD4	9E55	I4440080
1099	杆	5BD5	9E57	I4450080
1100	杞	5BD6	9E58	I4460080
1101	柁	5BD7	9E5A	I4470080
1102	杓	5BD8	FAE1	I4480080
1103	朽	5BD9	9E5C	I4490080
1104	枉	5BDA	9E5D	I44A0080
1105	研	5BDB	9E66	I44B0080
1106	杰	5BDC	9E5E	I44C0080
1107	杳	5BDD	9E5F	I44D0080
1108	杪	5BDE	9E61	I44E0080
1109	枋	5BDF	9E63	I44F0080
1110	杏	5BE0	9DE0	I44G0080
1111	栎	5BE1	9E64	I44H0080
1112	枧	5BE2	9E65	I44I0080
1113	柁	5BE3	FAE2	I44J0080
1114	枷	5BE4	9E67	I44K0080
1115	柯	5BE5	9E68	I44L0080
1116	枒	5BE6	9E69	I44M0080

Table 8 (Page 22 of 37). Extended Kanji Set (1 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1117	束	5BE7	9E6A	I44N0080
1118	柁	5BE8	9E6C	I44O0080
1119	柁	5BE9	9E6D	I44P0080
1120	柁	5BEA	9E76	I44Q0080
1121	柁	5BEB	9E6E	I44R0080
1122	柁	5BEC	FAE3	I44S0080
1123	柁	5BED	9E70	I44T0080
1124	柁	5BEE	9E71	I44U0080
1125	柁	5BEF	9E72	I44V0080
1126	柁	5BF0	FAE4	I44W0080
1127	柁	5BF1	9E74	I44X0080
1128	柁	5BF2	9E73	I44Y0080
1129	柁	5BF3	FAE5	I44Z0080
1130	柁	5BF4	9E75	I4500080
1131	柁	5BF5	9E78	I4510080
1132	柁	5BF6	9E79	I4520080
1133	柁	5BF7	9E7C	I4530080
1134	柁	5BF8	9E7B	I4540080
1135	柁	5BF9	FAE6	I4550080
1136	柁	5BFA	9E7D	I4560080
1137	柁	5BFB	9E7E	I4570080
1138	柁	5BFC	9E83	I4580080
1139	柁	5BFD	9E82	I4590080
1140	柁	5BFE	9E94	I45A0080
1141	柁	5C41	9E84	I45D0080
1142	柁	5C42	9E85	I45E0080




## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 8 (Page 23 of 37). Extended Kanji Set (1 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1143	梟	5C43	9E86	I45F0080
1144	裙	5C44	9E95	I45G0080
1145	梏	5C45	9E87	I45H0080
1146	梭	5C46	9E88	I45I0080
1147	梏	5C47	9E89	I45J0080
1148	梏	5C48	9E8C	I45K0080
1149	梏	5C49	9E8D	I45L0080
1150	梏	5C4A	9E8E	I45M0080
1151	梏	5C4B	9E8F	I45N0080
1152	梵	5C4C	9E90	I45O0080
1153	梵	5C4D	9E92	I45P0080
1154	楹	5C4E	9E93	I45Q0080
1155	椋	5C4F	9E96	I45R0080
1156	某	5C50	9E97	I45S0080
1157	椋	5C51	9E98	I45T0080
1158	棘	5C52	9E99	I45U0080
1159	椋	5C53	9E9B	I45V0080
1160	椋	5C54	9E9C	I45W0080
1161	控	5C55	9E9D	I45X0080
1162	棍	5C56	9E9E	I45Y0080
1163	楮	5C57	9E9F	I45Z0080
1164	棧	5C58	9EA0	I4600080
1165	棕	5C59	9EA1	I4610080
1166	椒	5C5A	9EA3	I4620080
1167	楡	5C5B	9EAA	I4630080
1168	接	5C5C	9EA4	I4640080

Table 8 (Page 23 of 37). Extended Kanji Set (1 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1169	椋	5C5D	9EA6	I4650080
1170	棠	5C5E	9EA9	I4660080
1171	椋	5C5F	FAE7	I4670080
1172	楡	5C60	9EB0	I4680080
1173	楡	5C61	9E9A	I4690080
1174	楡	5C62	9EAC	I46A0080
1175	楡	5C63	9EAF	I46B0080
1176	楡	5C64	9EAE	I46C0080
1177	楡	5C65	9EAB	I46D0080
1178	楡	5C66	FAE8	I46E0080
1179	楡	5C67	9EB1	I46F0080
1180	楡	5C68	9EB2	I46G0080
1181	椋	5C69	9EA2	I46H0080
1182	楡	5C6A	9EB4	I46I0080
1183	椋	5C6B	9EB6	I46J0080
1184	楡	5C6C	9EC2	I46K0080
1185	楡	5C6D	9EBA	I46L0080
1186	楡	5C6E	FAE9	I46M0080
1187	椋	5C6F	9EBB	I46N0080
1188	楡	5C70	9EBC	I46O0080
1189	椋	5C71	9EBD	I46P0080
1190	椋	5C72	9EBF	I46Q0080
1191	楡	5C73	9EC0	I46R0080
1192	楡	5C74	9EB7	I46S0080
1193	楡	5C75	9EC1	I46T0080
1194	楡	5C76	9EC3	I46U0080





## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 8 (Page 24 of 37). Extended Kanji Set (1 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1195	橙	5C77	9EC6	I46V0080
1196	榨	5C78	FAEA	I46W0080
1197	渠	5C79	FAEB	I46X0080
1198	稿	5C7A	9EC7	I46Y0080
1199	楨	5C7B	9EC8	I46Z0080
1200	榎	5C7C	9EC9	I4700080
1201	槎	5C7D	9ECA	I4710080
1202	寨	5C7E	9ECB	I4720080
1203	槃	5C7F	9ECC	I4730080
1204	榲	5C80	9EE1	I4740080
1205	槁	5C81	9ECD	I4750080
1206	榻	5C82	9ECE	I4760080
1207	槃	5C83	9ECF	I4770080
1208	榎	5C84	9ED3	I4780080
1209	榜	5C85	9ED4	I4790080
1210	榕	5C86	9ED5	I47A0080
1211	檣	5C87	9ED7	I47B0080
1212	檟	5C88	9ED1	I47C0080
1213	榔	5C89	9ED8	I47D0080
1214	樂	5C8A	9ED9	I47E0080
1215	櫛	5C8B	9EDA	I47F0080
1216	槿	5C8C	9EDB	I47G0080
1217	榎	5C8D	9EDD	I47H0080
1218	榭	5C8E	9EDE	I47I0080
1219	槩	5C8F	9EDF	I47J0080
1220	櫛	5C90	FAEC	I47K0080

Table 8 (Page 24 of 37). Extended Kanji Set (1 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1221	樞	5C91	9EE2	I47L0080
1222	械	5C92	9EE3	I47M0080
1223	櫟	5C93	9EE4	I47N0080
1224	樽	5C94	9EE5	I47O0080
1225	樊	5C95	9EE6	I47P0080
1226	槁	5C96	9EF6	I47Q0080
1227	櫛	5C97	9EE7	I47R0080
1228	樣	5C98	9EE9	I47S0080
1229	樓	5C99	9EEA	I47T0080
1230	榑	5C9A	FAED	I47U0080
1231	橫	5C9B	FAEE	I47V0080
1232	橄	5C9C	9EEB	I47W0080
1233	檣	5C9D	9EEC	I47X0080
1234	槃	5C9E	9EF9	I47Y0080
1235	椲	5C9F	9EEE	I47Z0080
1236	楫	5CA0	9EEF	I4800080
1237	櫛	5CA1	9EF0	I4810080
1238	櫛	5CA2	9EF1	I4820080
1239	橙	5CA3	9EF2	I4830080
1240	槿	5CA4	9EF3	I4840080
1241	櫛	5CA5	9EF4	I4850080
1242	舞	5CA6	FAEF	I4860080
1243	樸	5CA7	9EF5	I4870080
1244	禧	5CA8	9EED	I4880080
1245	櫛	5CA9	FAF0	I4890080
1246	櫛	5CAA	9EF7	I48A0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 8 (Page 25 of 37). Extended Kanji Set (1 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1247	櫛	5CAB	9EF8	I48B0080
1248	櫛	5CAC	9EFA	I48C0080
1249	櫛	5CAD	9EFB	I48D0080
1250	櫛	5CAE	9EFC	I48E0080
1251	櫛	5CAF	FAF1	I48F0080
1252	櫛	5CB0	9F40	I48G0080
1253	櫛	5CB1	9F47	I48H0080
1254	櫛	5CB2	9F4B	I48I0080
1255	櫛	5CB3	9F42	I48J0080
1256	櫛	5CB4	9F44	I48K0080
1257	櫛	5CB5	9F45	I48L0080
1258	櫛	5CB6	9F46	I48M0080
1259	櫛	5CB7	9EE8	I48N0080
1260	櫛	5CB8	9F48	I48O0080
1261	櫛	5CB9	FAF2	I48P0080
1262	櫛	5CBA	9F49	I48Q0080
1263	櫛	5CBB	9F4C	I48R0080
1264	櫛	5CBC	FAF3	I48S0080
1265	櫛	5CBD	9F50	I48T0080
1266	櫛	5CBE	9F41	I48U0080
1267	櫛	5CBF	9F4D	I48V0080
1268	櫛	5CC0	9F4F	I48W0080
1269	櫛	5CC1	9EDC	I48X0080
1270	櫛	5CC2	9F51	I48Y0080
1271	櫛	5CC3	9F52	I48Z0080
1272	櫛	5CC4	9F53	I4900080

Table 8 (Page 25 of 37). Extended Kanji Set (1 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1273	櫛	5CC5	9F55	I4910080
1274	欵	5CC6	9F56	I4920080
1275	欵	5CC7	9F57	I4930080
1276	欵	5CC8	9F59	I4940080
1277	盜	5CC9	9F58	I4950080
1278	飲	5CCA	9F5A	I4960080
1279	飲	5CCB	9F5B	I4970080
1280	飲	5CCC	9F5C	I4980080
1281	歉	5CCD	9F5D	I4990080
1282	歐	5CCE	9F5E	I49A0080
1283	飲	5CCF	9F5F	I49B0080
1284	飲	5CD0	9F60	I49C0080
1285	飲	5CD1	9F61	I49D0080
1286	飲	5CD2	9F62	I49E0080
1287	歡	5CD3	9F63	I49F0080
1288	歸	5CD4	9F64	I49G0080
1289	歹	5CD5	9F65	I49H0080
1290	歿	5CD6	9F66	I49I0080
1291	歿	5CD7	9F67	I49J0080
1292	殄	5CD8	9F68	I49K0080
1293	殄	5CD9	9F69	I49L0080
1294	殄	5CDA	9F6A	I49M0080
1295	殘	5CDB	9F6B	I49N0080
1296	殄	5CDC	9F6C	I49O0080
1297	殄	5CDD	9F6D	I49P0080
1298	殄	5CDE	9F6E	I49Q0080

IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

**Table 8 (Page 26 of 37).** Extended Kanji Set (1 of 2), DBCS-Host

Line Number	Graphic	Host Code	PC Code	GCGID
1299	殮	5CDF	9F6F	I49R0080
1300	殫	5CE0	9F70	I49S0080
1301	殞	5CE1	9F71	I49T0080
1302	殲	5CE2	9F73	I49U0080
1303	殲	5CE3	9F72	I49V0080
1304	殳	5CE4	9F74	I49W0080
1305	殷	5CE5	9F75	I49X0080
1306	殼	5CE6	9F76	I49Y0080
1307	毆	5CE7	9F77	I49Z0080
1308	毋	5CE8	9F78	I4A00080
1309	毓	5CE9	9F79	I4A10080
1310	毖	5CEA	FAF4	I4A20080
1311	毳	5CEB	9F7A	I4A30080
1312	毳	5CEC	9F7B	I4A40080
1313	毫	5CED	9F7C	I4A50080
1314	毳	5CEE	9F7D	I4A60080
1315	毳	5CEF	9F7E	I4A70080
1316	氈	5CF0	9F81	I4A80080
1317	氓	5CF1	9F82	I4A90080
1318	气	5CF2	9F83	I4AA0080
1319	氛	5CF3	9F84	I4AB0080
1320	氫	5CF4	9F85	I4AC0080
1321	氣	5CF5	9F86	I4AD0080
1322	汎	5CF6	FAF5	I4AE0080
1323	汞	5CF7	9F87	I4AF0080
1324	汕	5CF8	9F88	I4AG0080

**Table 8 (Page 26 of 37).** Extended Kanji Set (1 of 2), DBCS-Host

Line Number	Graphic	Host Code	PC Code	GCGID
1325	汜	5CF9	FAF6	I4AH0080
1326	汊	5CFA	9F89	I4AI0080
1327	沂	5CFB	9F8B	I4AJ0080
1328	沔	5CFC	9F8C	I4AK0080
1329	沆	5CFD	FAF7	I4AL0080
1330	沇	5CFE	FAF8	I4AM0080
1331	沚	5D41	9F8D	I4AP0080
1332	沁	5D42	9F8E	I4AQ0080
1333	沛	5D43	9F8F	I4AR0080
1334	汾	5D44	9F90	I4AS0080
1335	汨	5D45	9F91	I4AT0080
1336	汭	5D46	9F92	I4AU0080
1337	沒	5D47	9F93	I4AV0080
1338	沐	5D48	9F94	I4AW0080
1339	泄	5D49	9F95	I4AX0080
1340	洑	5D4A	9F96	I4AY0080
1341	沽	5D4B	9F98	I4AZ0080
1342	泗	5D4C	9F9A	I4B00080
1343	沮	5D4D	9F9C	I4B10080
1344	泚	5D4E	FAF9	I4B20080
1345	泝	5D4F	9F9B	I4B30080
1346	沱	5D50	9F9D	I4B40080
1347	沾	5D51	9F9E	I4B50080
1348	泔	5D52	9F9F	I4B60080
1349	泛	5D53	9FA0	I4B70080
1350	泯	5D54	9FA1	I4B80080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 8 (Page 27 of 37). Extended Kanji Set (1 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1351	泮	5D55	9FA2	I4B90080
1352	泪	5D56	9FA3	I4BA0080
1353	澳	5D57	9FA4	I4BB0080
1354	洄	5D58	FAFA	I4BC0080
1355	洵	5D59	9FA6	I4BD0080
1356	洫	5D5A	9FA7	I4BE0080
1357	洽	5D5B	9FA8	I4BF0080
1358	洳	5D5C	9FAC	I4BG0080
1359	洒	5D5D	9FAD	I4BH0080
1360	洴	5D5E	9FAE	I4BI0080
1361	浣	5D5F	9FAF	I4BJ0080
1362	涇	5D60	FAFB	I4BK0080
1363	涓	5D61	9FB0	I4BL0080
1364	涪	5D62	FAFC	I4BM0080
1365	浚	5D63	9FB1	I4BN0080
1366	浚	5D64	9FB2	I4BO0080
1367	浹	5D65	9FB3	I4BP0080
1368	浙	5D66	9FB4	I4BQ0080
1369	涎	5D67	9FB5	I4BR0080
1370	涕	5D68	9FB6	I4BS0080
1371	涛	5D69	9FB7	I4BT0080
1372	涅	5D6A	9FB8	I4BU0080
1373	泣	5D6B	FB40	I4BV0080
1374	淹	5D6C	9FB9	I4BW0080
1375	渊	5D6D	9FBB	I4BX0080
1376	清	5D6E	9FCF	I4BY0080

Table 8 (Page 27 of 37). Extended Kanji Set (1 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1377	涵	5D6F	9FBC	I4BZ0080
1378	淦	5D70	9FBE	I4C00080
1379	淇	5D71	9FBD	I4C10080
1380	淬	5D72	FB41	I4C20080
1381	涸	5D73	9FBF	I4C30080
1382	溴	5D74	FB42	I4C40080
1383	滑	5D75	9FC0	I4C50080
1384	淬	5D76	9FC1	I4C60080
1385	淞	5D77	9FC2	I4C70080
1386	淌	5D78	9FC3	I4C80080
1387	淨	5D79	9FC4	I4C90080
1388	清	5D7A	FB43	I4CA0080
1389	淒	5D7B	9FC5	I4CB0080
1390	浙	5D7C	9FC6	I4CC0080
1391	淺	5D7D	9FC7	I4CD0080
1392	淙	5D7E	9FC8	I4CE0080
1393	澆	5D7F	FB44	I4CF0080
1394	森	5D80	FB45	I4CG0080
1395	淤	5D81	9FC9	I4CH0080
1396	漑	5D82	9FCA	I4CI0080
1397	淪	5D83	9FCB	I4CJ0080
1398	淮	5D84	9FCC	I4CK0080
1399	渭	5D85	9FCD	I4CL0080
1400	湮	5D86	9FCE	I4CM0080
1401	渙	5D87	9FD0	I4CN0080
1402	浚	5D88	9FD1	I4CO0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 8 (Page 28 of 37). Extended Kanji Set (1 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1403	湟	5D89	9FD2	I4CP0080
1404	洵	5D8A	FB46	I4CQ0080
1405	渾	5D8B	9FD3	I4CR0080
1406	渣	5D8C	9FD4	I4CS0080
1407	湫	5D8D	9FD5	I4CT0080
1408	湜	5D8E	FB47	I4CU0080
1409	渫	5D8F	9FD6	I4CV0080
1410	潦	5D90	9FD7	I4CW0080
1411	湍	5D91	9FD8	I4CX0080
1412	渟	5D92	9FD9	I4CY0080
1413	滌	5D93	FB48	I4CZ0080
1414	滢	5D94	9FDA	I4D00080
1415	渼	5D95	FB49	I4D10080
1416	渺	5D96	9FDB	I4D20080
1417	涵	5D97	9FDC	I4D30080
1418	渤	5D98	9FDD	I4D40080
1419	渝	5D99	9FDF	I4D50080
1420	游	5D9A	9FE0	I4D60080
1421	渊	5D9B	9FE1	I4D70080
1422	溪	5D9C	9FE2	I4D80080
1423	溘	5D9D	9FE3	I4D90080
1424	溏	5D9E	9FE5	I4DA0080
1425	溏	5D9F	9FE7	I4DB0080
1426	溯	5DA0	9FE8	I4DC0080
1427	滄	5DA1	9FE9	I4DD0080
1428	溲	5DA2	9FEA	I4DE0080

Table 8 (Page 28 of 37). Extended Kanji Set (1 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1429	滔	5DA3	9FEB	I4DF0080
1430	滕	5DA4	9FEC	I4DG0080
1431	漭	5DA5	9FED	I4DH0080
1432	漈	5DA6	FB4A	I4DI0080
1433	滂	5DA7	9FEF	I4DJ0080
1434	溟	5DA8	9FF0	I4DK0080
1435	潁	5DA9	9FF1	I4DL0080
1436	滙	5DAA	9FF3	I4DM0080
1437	滬	5DAB	9FF4	I4DN0080
1438	滢	5DAC	9FF5	I4DO0080
1439	滢	5DAD	9FF6	I4DP0080
1440	滢	5DAE	9FF7	I4DQ0080
1441	滢	5DAF	9FF8	I4DR0080
1442	漱	5DB0	9FF9	I4DS0080
1443	滯	5DB1	9FFA	I4DT0080
1444	漲	5DB2	9FFB	I4DU0080
1445	滌	5DB3	9FFC	I4DV0080
1446	滿	5DB4	9FDE	I4DW0080
1447	漾	5DB5	E040	I4DX0080
1448	瀉	5DB6	E041	I4DY0080
1449	滷	5DB7	E042	I4DZ0080
1450	澆	5DB8	E043	I4E00080
1451	澆	5DB9	E044	I4E10080
1452	澆	5DBA	E045	I4E20080
1453	澆	5DBB	E047	I4E30080
1454	澆	5DBC	E048	I4E40080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 8 (Page 29 of 37). Extended Kanji Set (1 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1455	潜	5DBD	E049	I4E50080
1456	潭	5DBE	E04B	I4E60080
1457	漕	5DBF	E06B	I4E70080
1458	激	5DC0	E04C	I4E80080
1459	澈	5DC1	FB4B	I4E90080
1460	潼	5DC2	E04D	I4EA0080
1461	潘	5DC3	E04E	I4EB0080
1462	漬	5DC4	E058	I4EC0080
1463	澎	5DC5	E04F	I4ED0080
1464	溜	5DC6	E050	I4EE0080
1465	潦	5DC7	E052	I4EF0080
1466	澳	5DC8	E053	I4EG0080
1467	澣	5DC9	E054	I4EH0080
1468	渐	5DCA	FB4C	I4EI0080
1469	澡	5DCB	E055	I4EJ0080
1470	澹	5DCC	E057	I4EK0080
1471	濛	5DCD	E061	I4EL0080
1472	濛	5DCE	E059	I4EM0080
1473	濂	5DCF	E051	I4EN0080
1474	濟	5DD0	E05A	I4EO0080
1475	濕	5DD1	E05B	I4EP0080
1476	濬	5DD2	E05C	I4EQ0080
1477	濶	5DD3	E05E	I4ER0080
1478	灞	5DD4	E05D	I4ES0080
1479	瀆	5DD5	FB4D	I4ET0080
1480	濮	5DD6	E060	I4EU0080

Table 8 (Page 29 of 37). Extended Kanji Set (1 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1481	滢	5DD7	FB4E	I4EV0080
1482	瀆	5DD8	FB4F	I4EW0080
1483	瀉	5DD9	E062	I4EX0080
1484	瀦	5DDA	E063	I4EY0080
1485	濺	5ddb	E064	I4EZ0080
1486	瀑	5DDC	E065	I4F00080
1487	濩	5DDD	E066	I4F10080
1488	瀏	5DDE	E067	I4F20080
1489	瀛	5DDF	E069	I4F30080
1490	瀚	5DE0	E06A	I4F40080
1491	瀟	5DE1	E06E	I4F50080
1492	潛	5DE2	E04A	I4F60080
1493	瀨	5DE3	FB50	I4F70080
1494	瀘	5DE4	E06D	I4F80080
1495	瀰	5DE5	E06F	I4F90080
1496	瀾	5DE6	E070	I4FA0080
1497	激	5DE7	E071	I4FB0080
1498	灑	5DE8	E072	I4FC0080
1499	灣	5DE9	E073	I4FD0080
1500	炅	5DEA	FB51	I4FE0080
1501	炙	5DEB	E074	I4FF0080
1502	炯	5DEC	E076	I4FG0080
1503	炫	5DED	FB52	I4FH0080
1504	炬	5DEE	E078	I4FI0080
1505	炸	5DEF	E079	I4FJ0080
1506	炮	5DF0	E07B	I4FK0080

IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

**Table 8 (Page 30 of 37).** Extended Kanji Set (1 of 2), DBCS-Host

Line Number	Graphic	Host Code	PC Code	GCGID
1507	烟	5DF1	E07C	I4FL0080
1508	佗	5DF2	E07D	I4FM0080
1509	烙	5DF3	E080	I4FN0080
1510	焉	5DF4	E081	I4FO0080
1511	烝	5DF5	FB53	I4FP0080
1512	焗	5DF6	FB54	I4FQ0080
1513	烟	5DF7	E077	I4FR0080
1514	烽	5DF8	E082	I4FS0080
1515	焜	5DF9	E083	I4FT0080
1516	焙	5DFA	E084	I4FU0080
1517	焅	5DFB	FB55	I4FV0080
1518	煨	5DFC	FB56	I4FW0080
1519	煇	5DFD	FB57	I4FX0080
1520	煦	5DFE	E088	I4FY0080
1521	煢	5E41	E089	I4G10080
1522	煌	5E42	E08A	I4G20080
1523	煖	5E43	E08B	I4G30080
1524	煊	5E44	E08C	I4G40080
1525	熙	5E45	E087	I4G50080
1526	熏	5E46	E08D	I4G60080
1527	熄	5E47	E08F	I4G70080
1528	煨	5E48	E090	I4G80080
1529	煨	5E49	FB58	I4G90080
1530	熬	5E4A	E092	I4GA0080
1531	燁	5E4B	FB59	I4GB0080
1532	烹	5E4C	E094	I4GC0080

**Table 8 (Page 30 of 37).** Extended Kanji Set (1 of 2), DBCS-Host

Line Number	Graphic	Host Code	PC Code	GCGID
1533	熾	5E4D	E095	I4GD0080
1534	燒	5E4E	E096	I4GE0080
1535	燧	5E4F	E09C	I4GF0080
1536	燉	5E50	E097	I4GG0080
1537	燔	5E51	E098	I4GH0080
1538	爛	5E52	E093	I4GI0080
1539	燎	5E53	E099	I4GJ0080
1540	燧	5E54	E09D	I4GK0080
1541	燠	5E55	E09A	I4GL0080
1542	燂	5E56	E09B	I4GM0080
1543	燃	5E57	E08E	I4GN0080
1544	燄	5E58	E09E	I4GO0080
1545	燅	5E59	E09F	I4GP0080
1546	燆	5E5A	FB5A	I4GQ0080
1547	燇	5E5B	E0A0	I4GR0080
1548	燈	5E5C	E0A1	I4GS0080
1549	燉	5E5D	E0A2	I4GT0080
1550	燊	5E5E	E0A4	I4GU0080
1551	爭	5E5F	E0A5	I4GV0080
1552	爬	5E60	E0A6	I4GW0080
1553	爰	5E61	E0A7	I4GX0080
1554	爲	5E62	E0A8	I4GY0080
1555	爰	5E63	E0A9	I4GZ0080
1556	爰	5E64	E0AA	I4H00080
1557	爰	5E65	E0AB	I4H10080
1558	牀	5E66	E0AC	I4H20080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 8 (Page 31 of 37). Extended Kanji Set (1 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1559	牆	5E67	E0AD	I4H30080
1560	賤	5E68	E0AE	I4H40080
1561	牘	5E69	E0AF	I4H50080
1562	牴	5E6A	E0B0	I4H60080
1563	牯	5E6B	E0B1	I4H70080
1564	犁	5E6C	E0B3	I4H80080
1565	犇	5E6D	E0B4	I4H90080
1566	犂	5E6E	E0B2	I4HA0080
1567	犒	5E6F	E0B5	I4HB0080
1568	犖	5E70	E0B6	I4HC0080
1569	犢	5E71	E0B7	I4HD0080
1570	犛	5E72	E0B8	I4HE0080
1571	犛	5E73	FB5B	I4HF0080
1572	豺	5E74	E0BA	I4HG0080
1573	狢	5E75	FB5C	I4HH0080
1574	狣	5E76	E0BB	I4HI0080
1575	狥	5E77	E0BC	I4HJ0080
1576	狦	5E78	E0BD	I4HK0080
1577	狨	5E79	E0B9	I4HL0080
1578	狩	5E7A	E0BE	I4HM0080
1579	狪	5E7B	E0BF	I4HN0080
1580	狫	5E7C	E0C0	I4HO0080
1581	独	5E7D	E0C1	I4HP0080
1582	狭	5E7E	E0C2	I4HQ0080
1583	狮	5E7F	E0C3	I4HR0080
1584	狯	5E80	E0C4	I4HS0080

Table 8 (Page 31 of 37). Extended Kanji Set (1 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1585	猯	5E81	E0C6	I4HT0080
1586	猷	5E82	E0C7	I4HU0080
1587	猜	5E83	E0C8	I4HV0080
1588	狙	5E84	E0C9	I4HW0080
1589	猝	5E85	E0CA	I4HX0080
1590	猻	5E86	FB5D	I4HY0080
1591	猴	5E87	E0CB	I4HZ0080
1592	猩	5E88	E0CD	I4I00080
1593	獐	5E89	E0CC	I4I10080
1594	猪	5E8A	FB5E	I4I20080
1595	猥	5E8B	E0CE	I4I30080
1596	猾	5E8C	E0CF	I4I40080
1597	獭	5E8D	E0D1	I4I50080
1598	獭	5E8E	E0D0	I4I60080
1599	獭	5E8F	E0D3	I4I70080
1600	默	5E90	E0D2	I4I80080
1601	獯	5E91	E0D4	I4I90080
1602	獨	5E92	E0D5	I4IA0080
1603	獯	5E93	E0D6	I4IB0080
1604	獯	5E94	FB5F	I4IC0080
1605	獸	5E95	E0D7	I4ID0080
1606	獯	5E96	E0D8	I4IE0080
1607	獻	5E97	E0D9	I4IF0080
1608	珈	5E98	E0DB	I4IG0080
1609	珣	5E99	FB60	I4IH0080
1610	玳	5E9A	E0DC	I4II0080





## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 8 (Page 32 of 37). Extended Kanji Set (1 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1611	玢	5E9B	E0DD	I4IJ0080
1612	玻	5E9C	E0DE	I4IK0080
1613	珀	5E9D	E0DF	I4IL0080
1614	珉	5E9E	FB61	I4IM0080
1615	珖	5E9F	FB62	I4IN0080
1616	珗	5EA0	E0E0	I4IO0080
1617	珘	5EA1	FB63	I4IP0080
1618	肆	5EA2	FB64	I4IQ0080
1619	珞	5EA3	E0E1	I4IR0080
1620	琰	5EA4	E0FC	I4IS0080
1621	珞	5EA5	E0E2	I4IT0080
1622	珞	5EA6	E0E7	I4IU0080
1623	琇	5EA7	FB65	I4IV0080
1624	琈	5EA8	FB66	I4IW0080
1625	琅	5EA9	E0E4	I4IX0080
1626	琦	5EAA	FB67	I4IY0080
1627	琪	5EAB	FB68	I4IZ0080
1628	琥	5EAC	E0E6	I4J00080
1629	琚	5EAD	FB69	I4J10080
1630	琮	5EAE	FB6A	I4J20080
1631	琲	5EAF	E0E8	I4J30080
1632	琲	5EB0	E0E9	I4J40080
1633	瑕	5EB1	E0EA	I4J50080
1634	琿	5EB2	E0EB	I4J60080
1635	瑟	5EB3	E0EC	I4J70080
1636	璫	5EB4	E0ED	I4J80080

Table 8 (Page 32 of 37). Extended Kanji Set (1 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1637	璜	5EB5	E0EE	I4J90080
1638	瑜	5EB6	E0EF	I4JA0080
1639	瑩	5EB7	E0F0	I4JB0080
1640	瑰	5EB8	E0F1	I4JC0080
1641	瓊	5EB9	E0F2	I4JD0080
1642	瑪	5EBA	E0F3	I4JE0080
1643	瑤	5EBB	E0F4	I4JF0080
1644	琿	5EBC	FB6B	I4JG0080
1645	璉	5EBD	FB6C	I4JH0080
1646	瑯	5EBE	E0E5	I4JI0080
1647	瑾	5EBF	E0F5	I4JJ0080
1648	璟	5EC0	FB6D	I4JK0080
1649	璞	5EC1	E0F7	I4JL0080
1650	璠	5EC2	E0E3	I4JM0080
1651	璧	5EC3	E0F8	I4JN0080
1652	瓊	5EC4	E0F9	I4JO0080
1653	瓏	5EC5	E0FA	I4JP0080
1654	璣	5EC6	E0FB	I4JQ0080
1655	瓠	5EC7	E140	I4JR0080
1656	瓣	5EC8	E141	I4JS0080
1657	阝	5EC9	E142	I4JT0080
1658	阝	5ECA	E143	I4JU0080
1659	瓮	5ECB	E144	I4JV0080
1660	阝	5ECC	E146	I4JW0080
1661	阝	5ECD	E145	I4JX0080
1662	阝	5ECE	E147	I4JY0080




## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 8 (Page 33 of 37). Extended Kanji Set (1 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1663	瓷	5ECF	E149	I4JZ0080
1664	甌	5ED0	E148	I4K00080
1665	瓶	5ED1	FB6E	I4K10080
1666	甌	5ED2	E14A	I4K20080
1667	甌	5ED3	E14B	I4K30080
1668	甌	5ED4	E14C	I4K40080
1669	甌	5ED5	E14F	I4K50080
1670	甌	5ED6	E14D	I4K60080
1671	甌	5ED7	E14E	I4K70080
1672	甌	5ED8	E151	I4K80080
1673	甌	5ED9	E152	I4K90080
1674	甌	5EDA	E153	I4KA0080
1675	甌	5EDB	E154	I4KB0080
1676	甌	5EDC	E155	I4KC0080
1677	甌	5EDD	E156	I4KD0080
1678	甌	5EDE	E157	I4KE0080
1679	甌	5EDF	E158	I4KF0080
1680	甌	5EE0	E159	I4KG0080
1681	甌	5EE1	E15B	I4KH0080
1682	甌	5EE2	E15A	I4KI0080
1683	甌	5EE3	E15C	I4KJ0080
1684	甌	5EE4	E15E	I4KK0080
1685	甌	5EE5	E15F	I4KL0080
1686	甌	5EE6	E160	I4KM0080
1687	甌	5EE7	FB6F	I4KN0080
1688	甌	5EE8	E166	I4KO0080

Table 8 (Page 33 of 37). Extended Kanji Set (1 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1689	疔	5EE9	E161	I4KP0080
1690	疔	5EEA	E162	I4KQ0080
1691	疔	5EEB	E163	I4KR0080
1692	疔	5EEC	E169	I4KS0080
1693	疔	5EED	E164	I4KT0080
1694	疔	5EEE	E165	I4KU0080
1695	疔	5EEF	E167	I4KV0080
1696	疔	5EF0	E168	I4KW0080
1697	疔	5EF1	E16A	I4KX0080
1698	疔	5EF2	E16B	I4KY0080
1699	疔	5EF3	E16C	I4KZ0080
1700	疔	5EF4	E16D	I4L00080
1701	疔	5EF5	E16E	I4L10080
1702	疔	5EF6	E16F	I4L20080
1703	疔	5EF7	E170	I4L30080
1704	疔	5EF8	E171	I4L40080
1705	疔	5EF9	E172	I4L50080
1706	疔	5EFA	E173	I4L60080
1707	疔	5EFB	E174	I4L70080
1708	疔	5EFC	E175	I4L80080
1709	疔	5EFD	E176	I4L90080
1710	疔	5EFE	E177	I4LA0080
1711	疔	5F41	E178	I4LD0080
1712	疔	5F42	E179	I4LE0080
1713	疔	5F43	E17A	I4LF0080
1714	疔	5F44	E17B	I4LG0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 8 (Page 34 of 37). Extended Kanji Set (1 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1715	痞	5F45	E17C	I4LH0080
1716	痲	5F46	E17D	I4LI0080
1717	痿	5F47	E17E	I4LJ0080
1718	痲	5F48	E180	I4LK0080
1719	瘁	5F49	E181	I4LL0080
1720	痰	5F4A	E182	I4LM0080
1721	痺	5F4B	E183	I4LN0080
1722	痲	5F4C	E184	I4LO0080
1723	痲	5F4D	E185	I4LP0080
1724	瘋	5F4E	E186	I4LQ0080
1725	癩	5F4F	E188	I4LR0080
1726	癩	5F50	E189	I4LS0080
1727	瘡	5F51	E18A	I4LT0080
1728	瘡	5F52	E18B	I4LU0080
1729	瘡	5F53	E18C	I4LV0080
1730	癩	5F54	E18D	I4LW0080
1731	瘡	5F55	E18E	I4LX0080
1732	瘡	5F56	E18F	I4LY0080
1733	癩	5F57	E190	I4LZ0080
1734	癩	5F58	E191	I4M00080
1735	癩	5F59	E192	I4M10080
1736	癩	5F5A	E193	I4M20080
1737	癩	5F5B	E196	I4M30080
1738	癩	5F5C	E194	I4M40080
1739	癩	5F5D	E195	I4M50080
1740	癩	5F5E	E197	I4M60080

Table 8 (Page 34 of 37). Extended Kanji Set (1 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1741	癩	5F5F	E198	I4M70080
1742	癩	5F60	E199	I4M80080
1743	癩	5F61	E19A	I4M90080
1744	癩	5F62	E19C	I4MA0080
1745	癩	5F63	E19B	I4MB0080
1746	癩	5F64	E19D	I4MC0080
1747	癩	5F65	E19E	I4MD0080
1748	癩	5F66	E19F	I4ME0080
1749	癩	5F67	E1A0	I4MF0080
1750	發	5F68	E1A2	I4MG0080
1751	皂	5F69	FB70	I4MH0080
1752	皂	5F6A	E1A3	I4MI0080
1753	兒	5F6B	E1A4	I4MJ0080
1754	販	5F6C	E1A5	I4MK0080
1755	皋	5F6D	E1A6	I4ML0080
1756	皙	5F6E	E1AA	I4MM0080
1757	皚	5F6F	E1AB	I4MN0080
1758	皚	5F70	FB71	I4MO0080
1759	皚	5F71	FB72	I4MP0080
1760	皚	5F72	FB73	I4MQ0080
1761	皚	5F73	FB74	I4MR0080
1762	皚	5F74	E1AC	I4MS0080
1763	皚	5F75	E1AD	I4MT0080
1764	皚	5F76	E1AE	I4MU0080
1765	輝	5F77	E1AF	I4MV0080
1766	皚	5F78	E1B0	I4MW0080

IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

**Table 8 (Page 35 of 37).** Extended Kanji Set (1 of 2), DBCS-Host

Line Number	Graphic	Host Code	PC Code	GCGID
1767	盃	5F79	E1B1	I4MX0080
1768	益	5F7A	FB75	I4MY0080
1769	盍	5F7B	E1B2	I4MZ0080
1770	盖	5F7C	E1B3	I4N00080
1771	盒	5F7D	E1B4	I4N10080
1772	盞	5F7E	E1B5	I4N20080
1773	盞	5F7F	E1B6	I4N30080
1774	盥	5F80	E1B7	I4N40080
1775	盪	5F81	E1B9	I4N50080
1776	盪	5F82	E1BA	I4N60080
1777	盼	5F83	E1BB	I4N70080
1778	眈	5F84	E1BC	I4N80080
1779	眇	5F85	E1BD	I4N90080
1780	眇	5F86	E1BE	I4NA0080
1781	昵	5F87	E1C0	I4NB0080
1782	眩	5F88	E1BF	I4NC0080
1783	眚	5F89	E1C2	I4ND0080
1784	眚	5F8A	E1C3	I4NE0080
1785	昧	5F8B	E1C4	I4NF0080
1786	眷	5F8C	E1C5	I4NG0080
1787	眸	5F8D	E1C6	I4NH0080
1788	睨	5F8E	FB76	I4NI0080
1789	睇	5F8F	E1C7	I4NJ0080
1790	睚	5F90	E1C8	I4NK0080
1791	睚	5F91	E1C9	I4NL0080
1792	睫	5F92	E1CA	I4NM0080

**Table 8 (Page 35 of 37).** Extended Kanji Set (1 of 2), DBCS-Host

Line Number	Graphic	Host Code	PC Code	GCGID
1793	睛	5F93	E1CB	I4NN0080
1794	睥	5F94	E1CC	I4NO0080
1795	睿	5F95	E1CD	I4NP0080
1796	宰	5F96	E1CE	I4NQ0080
1797	睹	5F97	E1CF	I4NR0080
1798	瞎	5F98	E1D0	I4NS0080
1799	瞋	5F99	E1D1	I4NT0080
1800	瞑	5F9A	E1D2	I4NU0080
1801	瞠	5F9B	E1D3	I4NV0080
1802	瞞	5F9C	E1D4	I4NW0080
1803	瞰	5F9D	E1D5	I4NX0080
1804	瞶	5F9E	E1D6	I4NY0080
1805	瞷	5F9F	E1D7	I4NZ0080
1806	瞿	5FA0	E1D8	I4O00080
1807	瞿	5FA1	E1D9	I4O10080
1808	瞽	5FA2	E1DA	I4O20080
1809	瞻	5FA3	E1DB	I4O30080
1810	矇	5FA4	E1DC	I4O40080
1811	矍	5FA5	E1DD	I4O50080
1812	矍	5FA6	E1DF	I4O60080
1813	矜	5FA7	E1E0	I4O70080
1814	矣	5FA8	E1E1	I4O80080
1815	矮	5FA9	E1E2	I4O90080
1816	矧	5FAA	FB77	I4OA0080
1817	矧	5FAB	E1E3	I4OB0080
1818	砌	5FAC	E1E4	I4OC0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
1819	砒	5FAD	E1E5	I4OD0080
1820	砑	5FAE	FB78	I4OE0080
1821	砒	5FAF	E1E6	I4OF0080
1822	砑	5FB0	E1E7	I4OG0080
1823	砑	5FB1	E1E9	I4OH0080
1824	砑	5FB2	FB79	I4OI0080
1825	砑	5FB3	FB7A	I4OJ0080
1826	砑	5FB4	E1EB	I4OK0080
1827	砑	5FB5	E1EA	I4OL0080
1828	砑	5FB6	FB7B	I4OM0080
1829	砑	5FB7	E1EC	I4ON0080
1830	砑	5FB8	E1EE	I4OO0080
1831	砑	5FB9	E1ED	I4OP0080
1832	砑	5FBA	E1EF	I4OQ0080
1833	砑	5FBB	E1F0	I4OR0080
1834	砑	5FBC	E1F1	I4OS0080
1835	砑	5FBD	E1F2	I4OT0080
1836	砑	5FBE	E1F3	I4OU0080
1837	砑	5FBF	E1F4	I4OV0080
1838	砑	5FC0	E1F5	I4OW0080
1839	砑	5FC1	E1F6	I4OX0080
1840	砑	5FC2	E1F7	I4OY0080
1841	砑	5FC3	E1F8	I4OZ0080
1842	砑	5FC4	E1F9	I4P00080
1843	砑	5FC5	E1FA	I4P10080
1844	砑	5FC6	E1FB	I4P20080

Line Number	Graphic	Host Code	PC Code	GCGID
1845	磬	5FC7	E1FC	I4P30080
1846	磬	5FC8	E240	I4P40080
1847	磬	5FC9	E241	I4P50080
1848	磬	5FCA	E242	I4P60080
1849	磬	5FCB	E243	I4P70080
1850	磬	5FCC	E244	I4P80080
1851	磬	5FCD	E246	I4P90080
1852	磬	5FCE	E247	I4PA0080
1853	磬	5FCF	E248	I4PB0080
1854	磬	5FD0	E249	I4PC0080
1855	磬	5FD1	FB7C	I4PD0080
1856	磬	5FD2	FB7D	I4PE0080
1857	磬	5FD3	E24A	I4PF0080
1858	磬	5FD4	E24B	I4PG0080
1859	磬	5FD5	FB7E	I4PH0080
1860	磬	5FD6	E24D	I4PI0080
1861	磬	5FD7	E24E	I4PJ0080
1862	磬	5FD8	E24F	I4PK0080
1863	磬	5FD9	FB80	I4PL0080
1864	磬	5FDA	E252	I4PM0080
1865	磬	5FDB	E253	I4PN0080
1866	磬	5FDC	FB81	I4PO0080
1867	磬	5FDD	FB82	I4PP0080
1868	磬	5FDE	E254	I4PQ0080
1869	磬	5FDF	FB83	I4PR0080
1870	磬	5FE0	E257	I4PS0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 8 (Page 37 of 37). Extended Kanji Set (1 of 2), DBCS-Host

Line Number	Graphic	Host Code	PC Code	GCGID
1871	禳	5FE1	E259	I4PT0080
1872	禺	5FE2	E25B	I4PU0080
1873	秉	5FE3	E25C	I4PV0080
1874	秕	5FE4	E25D	I4PW0080
1875	秧	5FE5	E25E	I4PX0080
1876	秬	5FE6	E25F	I4PY0080
1877	秣	5FE7	E261	I4PZ0080
1878	稈	5FE8	E262	I4Q00080
1879	稍	5FE9	E263	I4Q10080
1880	棋	5FEA	E264	I4Q20080
1881	植	5FEB	E265	I4Q30080
1882	稟	5FEC	E267	I4Q40080
1883	稱	5FED	E269	I4Q50080
1884	稟	5FEE	E26B	I4Q60080
1885	稷	5FEF	E26C	I4Q70080
1886	稻	5FF0	E26A	I4Q80080
1887	稭	5FF1	E26D	I4Q90080
1888	穗	5FF2	E26E	I4QA0080
1889	穉	5FF3	E26F	I4QB0080
1890	穢	5FF4	E271	I4QC0080
1891	穉	5FF5	E270	I4QD0080
1892	穉	5FF6	E272	I4QE0080
1893	穉	5FF7	E273	I4QF0080
1894	穉	5FF8	E274	I4QG0080
1895	穹	5FF9	E275	I4QH0080
1896	穿	5FFA	E276	I4QI0080

Table 8 (Page 37 of 37). Extended Kanji Set (1 of 2), DBCS-Host

Line Number	Graphic	Host Code	PC Code	GCGID
1897	窈	5FFB	E277	I4QJ0080
1898	窈	5FFC	E279	I4QK0080
1899	窈	5FFD	E27A	I4QL0080
1900	窈	5FFE	E27B	I4QM0080

IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

**Table 9 (Page 1 of 31).** Extended Kanji Set (2 of 2), DBCS-Host

Line Number	Graphic	Host Code	PC Code	GCGID
1901	窗	6041	E278	I4QP0080
1902	窩	6042	E27C	I4QQ0080
1903	窰	6043	E27E	I4QR0080
1904	窰	6044	E280	I4QS0080
1905	窰	6045	E284	I4QT0080
1906	窰	6046	E27D	I4QU0080
1907	窰	6047	E283	I4QV0080
1908	窰	6048	E281	I4QW0080
1909	窰	6049	E282	I4QX0080
1910	窰	604A	E285	I4QY0080
1911	窰	604B	E286	I4QZ0080
1912	竝	604C	E287	I4R00080
1913	竝	604D	E288	I4R10080
1914	竝	604E	9AF2	I4R20080
1915	竝	604F	FB84	I4R30080
1916	竝	6050	E289	I4R40080
1917	竝	6051	E28A	I4R50080
1918	竝	6052	E28B	I4R60080
1919	竝	6053	E28C	I4R70080
1920	竝	6054	E28D	I4R80080
1921	竝	6055	E28E	I4R90080
1922	竝	6056	E28F	I4RA0080
1923	竝	6057	E290	I4RB0080
1924	竝	6058	FB85	I4RC0080
1925	竝	6059	FB86	I4RD0080
1926	竝	605A	FB87	I4RE0080

**Table 9 (Page 1 of 31).** Extended Kanji Set (2 of 2), DBCS-Host

Line Number	Graphic	Host Code	PC Code	GCGID
1927	竝	605B	E291	I4RF0080
1928	竝	605C	E292	I4RG0080
1929	竝	605D	995E	I4RH0080
1930	竝	605E	E293	I4RI0080
1931	竝	605F	E294	I4RJ0080
1932	竝	6060	E2A2	I4RK0080
1933	竝	6061	E295	I4RL0080
1934	竝	6062	E296	I4RM0080
1935	竝	6063	E297	I4RN0080
1936	竝	6064	E29D	I4RO0080
1937	竝	6065	E299	I4RP0080
1938	竝	6066	E29A	I4RQ0080
1939	竝	6067	E29B	I4RR0080
1940	竝	6068	E29C	I4RS0080
1941	竝	6069	E29E	I4RT0080
1942	竝	606A	E2A1	I4RU0080
1943	竝	606B	E2A3	I4RV0080
1944	竝	606C	E2A4	I4RW0080
1945	竝	606D	E2B6	I4RX0080
1946	竝	606E	E2A5	I4RY0080
1947	竝	606F	E29F	I4RZ0080
1948	竝	6070	E2A7	I4S00080
1949	竝	6071	E2A9	I4S10080
1950	竝	6072	E2AA	I4S20080
1951	竝	6073	E2AC	I4S30080
1952	竝	6074	E2AD	I4S40080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 9 (Page 2 of 31). Extended Kanji Set (2 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1953	筩	6075	E2AE	I4S50080
1954	篲	6076	E2AF	I4S60080
1955	籊	6077	E2B0	I4S70080
1956	箜	6078	E2B1	I4S80080
1957	筭	6079	E2B2	I4S90080
1958	箒	607A	E2B4	I4SA0080
1959	箐	607B	E2B5	I4SB0080
1960	箄	607C	E2B7	I4SC0080
1961	箅	607D	E2BB	I4SD0080
1962	箆	607E	E2B8	I4SE0080
1963	箇	607F	E2BA	I4SF0080
1964	箈	6080	E2BC	I4SG0080
1965	篆	6081	E2BD	I4SH0080
1966	箙	6082	FB88	I4SI0080
1967	箚	6083	E2BE	I4SJ0080
1968	箛	6084	E2BF	I4SK0080
1969	箜	6085	E2C2	I4SL0080
1970	籐	6086	E2C9	I4SM0080
1971	箠	6087	E2C3	I4SN0080
1972	管	6088	E2C1	I4SO0080
1973	箢	6089	E2C5	I4SP0080
1974	箣	608A	E2C7	I4SQ0080
1975	箤	608B	E2C6	I4SR0080
1976	箥	608C	E2C8	I4SS0080
1977	箦	608D	E2CB	I4ST0080
1978	箧	608E	E2CC	I4SU0080

Table 9 (Page 2 of 31). Extended Kanji Set (2 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1979	箨	608F	E2CD	I4SV0080
1980	箩	6090	E2CE	I4SW0080
1981	箥	6091	E2CF	I4SX0080
1982	箦	6092	E2D0	I4SY0080
1983	箧	6093	E2D1	I4SZ0080
1984	箨	6094	E2D2	I4T00080
1985	箩	6095	E2D3	I4T10080
1986	箥	6096	E2D8	I4T20080
1987	箦	6097	E2D4	I4T30080
1988	箧	6098	E2D5	I4T40080
1989	箨	6099	E2DD	I4T50080
1990	箩	609A	E2D9	I4T60080
1991	箥	609B	E2DA	I4T70080
1992	箦	609C	E2DB	I4T80080
1993	箧	609D	E2DE	I4T90080
1994	箨	609E	E2DF	I4TA0080
1995	料	609F	E2E0	I4TB0080
1996	糝	60A0	E2E1	I4TC0080
1997	粿	60A1	E2E2	I4TD0080
1998	粿	60A2	E2E3	I4TE0080
1999	粿	60A3	E2E5	I4TF0080
2000	粿	60A4	E2E6	I4TG0080
2001	粿	60A5	E2E7	I4TH0080
2002	粿	60A6	E2E4	I4TI0080
2003	粿	60A7	E2E8	I4TJ0080
2004	粿	60A8	E2E9	I4TK0080



IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

**Table 9 (Page 3 of 31).** Extended Kanji Set (2 of 2), DBCS-Host

Line Number	Graphic	Host Code	PC Code	GCGID
2005	粲	60A9	E2EA	I4TL0080
2006	梁	60AA	E2EB	I4TM0080
2007	粮	60AB	E2EC	I4TN0080
2008	粹	60AC	E2ED	I4TO0080
2009	精	60AD	FB89	I4TP0080
2010	粽	60AE	E2EE	I4TQ0080
2011	糅	60AF	E2F0	I4TR0080
2012	糍	60B0	E2F1	I4TS0080
2013	糯	60B1	E2F3	I4TT0080
2014	糝	60B2	E2F5	I4TU0080
2015	糞	60B3	E2F2	I4TV0080
2016	糜	60B4	E2F4	I4TW0080
2017	糯	60B5	E2F7	I4TX0080
2018	糲	60B6	E2F8	I4TY0080
2019	糴	60B7	E2F9	I4TZ0080
2020	糵	60B8	E2FA	I4U00080
2021	紆	60B9	E2FC	I4U10080
2022	紉	60BA	E340	I4U20080
2023	紊	60BB	E341	I4U30080
2024	紋	60BC	E342	I4U40080
2025	紌	60BD	E343	I4U50080
2026	納	60BE	E344	I4U60080
2027	紎	60BF	E345	I4U70080
2028	紏	60C0	E346	I4U80080
2029	紐	60C1	E347	I4U90080
2030	紑	60C2	E348	I4UA0080

**Table 9 (Page 3 of 31).** Extended Kanji Set (2 of 2), DBCS-Host

Line Number	Graphic	Host Code	PC Code	GCGID
2031	紒	60C3	E349	I4UB0080
2032	紓	60C4	FB8A	I4UC0080
2033	紕	60C5	E34A	I4UD0080
2034	紖	60C6	FB8B	I4UE0080
2035	紗	60C7	E34B	I4UF0080
2036	紘	60C8	E34C	I4UG0080
2037	紙	60C9	E34D	I4UH0080
2038	級	60CA	E34F	I4UI0080
2039	紛	60CB	E350	I4UJ0080
2040	紜	60CC	E351	I4UK0080
2041	紝	60CD	E352	I4UL0080
2042	紞	60CE	E353	I4UM0080
2043	紟	60CF	E354	I4UN0080
2044	素	60D0	E355	I4UO0080
2045	紡	60D1	E35A	I4UP0080
2046	索	60D2	E35B	I4UQ0080
2047	紣	60D3	E35C	I4UR0080
2048	紤	60D4	FB8C	I4US0080
2049	紥	60D5	E35D	I4UT0080
2050	紦	60D6	E35E	I4UU0080
2051	紧	60D7	E35F	I4UV0080
2052	紨	60D8	E361	I4UW0080
2053	紩	60D9	E362	I4UX0080
2054	紪	60DA	FB8D	I4UY0080
2055	紽	60DB	E364	I4UZ0080
2056	紿	60DC	E365	I4V00080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 9 (Page 4 of 31). Extended Kanji Set (2 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
2057	緋	60DD	E366	I4V10080
2058	緋	60DE	E38E	I4V20080
2059	緋	60DF	E367	I4V30080
2060	緋	60E0	E368	I4V40080
2061	緋	60E1	FB8E	I4V50080
2062	緋	60E2	E369	I4V60080
2063	緋	60E3	E36A	I4V70080
2064	緋	60E4	E36B	I4V80080
2065	緋	60E5	E376	I4V90080
2066	緋	60E6	E36C	I4VA0080
2067	緋	60E7	E36D	I4VB0080
2068	緋	60E8	E363	I4VC0080
2069	緋	60E9	E36E	I4VD0080
2070	緋	60EA	E36F	I4VE0080
2071	緋	60EB	E371	I4VF0080
2072	緋	60EC	E372	I4VG0080
2073	緋	60ED	E374	I4VH0080
2074	緋	60EE	E375	I4VI0080
2075	緋	60EF	E381	I4VJ0080
2076	緋	60F0	E378	I4VK0080
2077	緋	60F1	E379	I4VL0080
2078	緋	60F2	E373	I4VM0080
2079	緋	60F3	E360	I4VN0080
2080	緋	60F4	E37B	I4VO0080
2081	緋	60F5	E37A	I4VP0080
2082	緋	60F6	E37C	I4VQ0080

Table 9 (Page 4 of 31). Extended Kanji Set (2 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
2083	緋	60F7	E37D	I4VR0080
2084	緋	60F8	E37E	I4VS0080
2085	緋	60F9	E380	I4VT0080
2086	緋	60FA	E383	I4VU0080
2087	緋	60FB	E384	I4VV0080
2088	緋	60FC	E385	I4VW0080
2089	緋	60FD	FB8F	I4VX0080
2090	緋	60FE	E386	I4VY0080
2091	緋	6141	E387	I4W10080
2092	緋	6142	E382	I4W20080
2093	緋	6143	E388	I4W30080
2094	緋	6144	E389	I4W40080
2095	緋	6145	E38A	I4W50080
2096	緋	6146	E38B	I4W60080
2097	緋	6147	E38C	I4W70080
2098	緋	6148	E38F	I4W80080
2099	緋	6149	E390	I4W90080
2100	緋	614A	E391	I4WA0080
2101	緋	614B	E38D	I4WB0080
2102	緋	614C	E393	I4WC0080
2103	緋	614D	E39A	I4WD0080
2104	緋	614E	E394	I4WE0080
2105	緋	614F	E395	I4WF0080
2106	緋	6150	E397	I4WG0080
2107	緋	6151	E398	I4WH0080
2108	緋	6152	E399	I4WI0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 9 (Page 5 of 31). Extended Kanji Set (2 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
2109	羸	6153	E39B	I4WJ0080
2110	缸	6154	E39D	I4WK0080
2111	缺	6155	E39E	I4WL0080
2112	罅	6156	E39F	I4WM0080
2113	罅	6157	FB90	I4WN0080
2114	罅	6158	E3A0	I4WO0080
2115	罅	6159	E3A2	I4WP0080
2116	罅	615A	E3A4	I4WQ0080
2117	罅	615B	E3A5	I4WR0080
2118	罅	615C	E3A6	I4WS0080
2119	罅	615D	E3A7	I4WT0080
2120	罅	615E	E3A8	I4WU0080
2121	罅	615F	E3A9	I4WV0080
2122	罅	6160	E3AA	I4WW0080
2123	罅	6161	E3AC	I4WX0080
2124	罅	6162	E3AB	I4WY0080
2125	罅	6163	E3AD	I4WZ0080
2126	罅	6164	E3AE	I4X00080
2127	罅	6165	E3AF	I4X10080
2128	罅	6166	E3B0	I4X20080
2129	罅	6167	E3B2	I4X30080
2130	罅	6168	E3B1	I4X40080
2131	罅	6169	E3B3	I4X50080
2132	罅	616A	E3B4	I4X60080
2133	罅	616B	E3B5	I4X70080
2134	罅	616C	E3B6	I4X80080

Table 9 (Page 5 of 31). Extended Kanji Set (2 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
2135	羸	616D	E3B7	I4X90080
2136	羸	616E	FB91	I4XA0080
2137	羸	616F	E3B8	I4XB0080
2138	羸	6170	E3B9	I4XC0080
2139	羸	6171	E3BC	I4XD0080
2140	羸	6172	E3BA	I4XE0080
2141	羸	6173	E3BB	I4XF0080
2142	羸	6174	E3BD	I4XG0080
2143	羸	6175	E3BE	I4XH0080
2144	羸	6176	E3BF	I4XI0080
2145	羸	6177	FB92	I4XJ0080
2146	羸	6178	E3C0	I4XK0080
2147	羸	6179	E3C1	I4XL0080
2148	羸	617A	E3C2	I4XM0080
2149	羸	617B	E3C3	I4XN0080
2150	羸	617C	E3C5	I4XO0080
2151	羸	617D	E3C6	I4XP0080
2152	羸	617E	E3C7	I4XQ0080
2153	羸	617F	E3C8	I4XR0080
2154	羸	6180	E3C9	I4XS0080
2155	羸	6181	E3CC	I4XT0080
2156	羸	6182	E3CD	I4XU0080
2157	羸	6183	E3CE	I4XV0080
2158	羸	6184	E3D0	I4XW0080
2159	羸	6185	E3D1	I4XX0080
2160	羸	6186	E3D2	I4XY0080




## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 9 (Page 6 of 31). Extended Kanji Set (2 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
2161	耨	6187	E3D3	I4XZ0080
2162	耿	6188	E3D4	I4Y00080
2163	耻	6189	E3D5	I4Y10080
2164	聊	618A	E3D6	I4Y20080
2165	聆	618B	E3D7	I4Y30080
2166	聒	618C	E3D8	I4Y40080
2167	聘	618D	E3D9	I4Y50080
2168	聿	618E	E3DB	I4Y60080
2169	聃	618F	E3DC	I4Y70080
2170	聒	6190	E3DD	I4Y80080
2171	聒	6191	E3DE	I4Y90080
2172	聒	6192	E3DF	I4YA0080
2173	聒	6193	E3E0	I4YB0080
2174	聒	6194	E3E1	I4YC0080
2175	聒	6195	E3E2	I4YD0080
2176	聒	6196	E3E3	I4YE0080
2177	聒	6197	E3E4	I4YF0080
2178	聒	6198	E3E5	I4YG0080
2179	聒	6199	E3E7	I4YH0080
2180	盲	619A	E3E9	I4YI0080
2181	肚	619B	E3EA	I4YJ0080
2182	肱	619C	E3EB	I4YK0080
2183	胃	619D	E3EC	I4YL0080
2184	肱	619E	E3ED	I4YM0080
2185	胛	619F	E3EE	I4YN0080
2186	胥	61A0	E3EF	I4YO0080

Table 9 (Page 6 of 31). Extended Kanji Set (2 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
2187	胙	61A1	E3F0	I4YP0080
2188	胙	61A2	E3F1	I4YQ0080
2189	胙	61A3	E3F2	I4YR0080
2190	胙	61A4	E3F3	I4YS0080
2191	胙	61A5	E3F5	I4YT0080
2192	胙	61A6	E3F6	I4YU0080
2193	胙	61A7	E3F7	I4YV0080
2194	胙	61A8	E3F8	I4YW0080
2195	胙	61A9	E3FA	I4YX0080
2196	胙	61AA	E3FB	I4YY0080
2197	胙	61AB	E3FC	I4YZ0080
2198	胙	61AC	E441	I4Z00080
2199	胙	61AD	E442	I4Z10080
2200	胙	61AE	E443	I4Z20080
2201	胙	61AF	E444	I4Z30080
2202	胙	61B0	E445	I4Z40080
2203	胙	61B1	E446	I4Z50080
2204	胙	61B2	E447	I4Z60080
2205	胙	61B3	E448	I4Z70080
2206	胙	61B4	E454	I4Z80080
2207	胙	61B5	E449	I4Z90080
2208	胙	61B6	E44A	I4ZA0080
2209	胙	61B7	E44B	I4ZB0080
2210	胙	61B8	E44C	I4ZC0080
2211	胙	61B9	E44D	I4ZD0080
2212	胙	61BA	E44E	I4ZE0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 9 (Page 7 of 31). Extended Kanji Set (2 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
2213	膂	61BB	E44F	I4ZF0080
2214	膠	61BC	E450	I4ZG0080
2215	臑	61BD	E451	I4ZH0080
2216	臑	61BE	E453	I4ZI0080
2217	臑	61BF	E455	I4ZJ0080
2218	臑	61C0	E458	I4ZK0080
2219	臑	61C1	E452	I4ZL0080
2220	臑	61C2	E456	I4ZM0080
2221	臑	61C3	E45A	I4ZN0080
2222	臑	61C4	E457	I4ZO0080
2223	臑	61C5	E464	I4ZP0080
2224	臑	61C6	E459	I4ZQ0080
2225	臑	61C7	E45B	I4ZR0080
2226	臑	61C8	E45C	I4ZS0080
2227	臑	61C9	E45D	I4ZT0080
2228	臑	61CA	E45E	I4ZU0080
2229	臑	61CB	E45F	I4ZV0080
2230	臑	61CC	E460	I4ZW0080
2231	臑	61CD	E461	I4ZX0080
2232	臑	61CE	E463	I4ZY0080
2233	臑	61CF	E462	I4ZZ0080
2234	臑	61D0	E465	I5000080
2235	臑	61D1	E466	I5010080
2236	臑	61D2	E467	I5020080
2237	臑	61D3	E469	I5030080
2238	臑	61D4	E46A	I5040080

Table 9 (Page 7 of 31). Extended Kanji Set (2 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
2239	臑	61D5	E46B	I5050080
2240	臑	61D6	E46C	I5060080
2241	臑	61D7	E46D	I5070080
2242	臑	61D8	E46E	I5080080
2243	臑	61D9	E471	I5090080
2244	臑	61DA	E472	I50A0080
2245	臑	61DB	98AE	I50B0080
2246	臑	61DC	E473	I50C0080
2247	臑	61DD	E474	I50D0080
2248	臑	61DE	E475	I50E0080
2249	臑	61DF	E484	I50F0080
2250	臑	61E0	E476	I50G0080
2251	臑	61E1	E477	I50H0080
2252	臑	61E2	E478	I50I0080
2253	臑	61E3	E479	I50J0080
2254	臑	61E4	E47C	I50K0080
2255	臑	61E5	E47B	I50L0080
2256	臑	61E6	E47D	I50M0080
2257	臑	61E7	E47E	I50N0080
2258	臑	61E8	E480	I50O0080
2259	臑	61E9	E481	I50P0080
2260	臑	61EA	E482	I50Q0080
2261	臑	61EB	E483	I50R0080
2262	臑	61EC	E485	I50S0080
2263	臑	61ED	E486	I50T0080
2264	臑	61EE	E488	I50U0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 9 (Page 8 of 31). Extended Kanji Set (2 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
2265	芍	61EF	E489	I50V0080
2266	芒	61F0	E48A	I50W0080
2267	茈	61F1	E48B	I50X0080
2268	芟	61F2	E48C	I50Y0080
2269	芻	61F3	E48D	I50Z0080
2270	芬	61F4	E48E	I5100080
2271	苻	61F5	E48F	I5110080
2272	苈	61F6	E490	I5120080
2273	苟	61F7	E491	I5130080
2274	茁	61F8	FB93	I5140080
2275	苒	61F9	E492	I5150080
2276	苴	61FA	E493	I5160080
2277	苕	61FB	E494	I5170080
2278	范	61FC	E497	I5180080
2279	苻	61FD	E498	I5190080
2280	萃	61FE	E499	I51A0080
2281	苞	6241	E49A	I51D0080
2282	茆	6242	E49B	I51E0080
2283	苜	6243	E49C	I51F0080
2284	苎	6244	E495	I51G0080
2285	茱	6245	E49D	I51H0080
2286	苳	6246	E49E	I51I0080
2287	茵	6247	E49F	I51J0080
2288	苧	6248	FB94	I51K0080
2289	茴	6249	E4A0	I51L0080
2290	茗	624A	E4A1	I51M0080

Table 9 (Page 8 of 31). Extended Kanji Set (2 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
2291	茱	624B	E4A3	I51N0080
2292	荀	624C	E4A4	I51O0080
2293	茹	624D	E4A5	I51P0080
2294	荐	624E	E4A6	I51Q0080
2295	苔	624F	E4A7	I51R0080
2296	茯	6250	E4A8	I51S0080
2297	茫	6251	E4A9	I51T0080
2298	荔	6252	E4AB	I51U0080
2299	蕈	6253	E4AD	I51V0080
2300	蕺	6254	E4AE	I51W0080
2301	苔	6255	E4AF	I51X0080
2302	蕪	6256	E4B0	I51Y0080
2303	莖	6257	E4B1	I51Z0080
2304	莫	6258	E4B2	I5200080
2305	莎	6259	E4B3	I5210080
2306	葱	625A	E4B9	I5220080
2307	葳	625B	FB95	I5230080
2308	莊	625C	E4B5	I5240080
2309	荼	625D	E4B6	I5250080
2310	菟	625E	E4B7	I5260080
2311	荳	625F	E4B8	I5270080
2312	莓	6260	E496	I5280080
2313	莠	6261	E4BA	I5290080
2314	莅	6262	E4AC	I52A0080
2315	莉	6263	E4BB	I52B0080
2316	蓂	6264	E4BC	I52C0080

IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

**Table 9 (Page 9 of 31).** Extended Kanji Set (2 of 2), DBCS-Host

Line Number	Graphic	Host Code	PC Code	GCGID
2317	菴	6265	E4BD	I52D0080
2318	萱	6266	E4BE	I52E0080
2319	菇	6267	FB96	I52F0080
2320	蕨	6268	E4C0	I52G0080
2321	蒂	6269	E4C6	I52H0080
2322	菽	626A	E4C1	I52I0080
2323	萃	626B	E4C2	I52J0080
2324	菘	626C	E4C3	I52K0080
2325	蕒	626D	E4C4	I52L0080
2326	菁	626E	E4C5	I52M0080
2327	蕘	626F	E4C7	I52N0080
2328	菠	6270	E4C8	I52O0080
2329	菲	6271	E4C9	I52P0080
2330	萍	6272	E4CA	I52Q0080
2331	萌	6273	E4CC	I52R0080
2332	葦	6274	FB97	I52S0080
2333	莽	6275	E4CD	I52T0080
2334	菰	6276	E4D0	I52U0080
2335	菰	6277	E4D2	I52V0080
2336	葢	6278	E4E2	I52W0080
2337	萼	6279	E4D3	I52X0080
2338	葎	627A	E4D5	I52Y0080
2339	葷	627B	E4D6	I52Z0080
2340	葫	627C	E4D7	I5300080
2341	蒹	627D	E4DF	I5310080
2342	藁	627E	FB98	I5320080

**Table 9 (Page 9 of 31).** Extended Kanji Set (2 of 2), DBCS-Host

Line Number	Graphic	Host Code	PC Code	GCGID
2343	蔴	627F	E4D9	I5330080
2344	蒂	6280	E4DA	I5340080
2345	葩	6281	E4DB	I5350080
2346	葆	6282	E4DC	I5360080
2347	葯	6283	E4DE	I5370080
2348	蕒	6284	E4CE	I5380080
2349	蒿	6285	E4E0	I5390080
2350	蕒	6286	E4E1	I53A0080
2351	蕒	6287	E4E3	I53B0080
2352	蒿	6288	E4E4	I53C0080
2353	蒟	6289	E4E5	I53D0080
2354	蒟	628A	FB99	I53E0080
2355	藎	628B	E4E7	I53F0080
2356	蒟	628C	E4E8	I53G0080
2357	蔞	628D	E4E9	I53H0080
2358	蔞	628E	E4EA	I53I0080
2359	藎	628F	E4EB	I53J0080
2360	藎	6290	E4D8	I53K0080
2361	蔞	6291	E4EC	I53L0080
2362	藎	6292	E4ED	I53M0080
2363	藎	6293	E4EE	I53N0080
2364	蔞	6294	E4E6	I53O0080
2365	蔞	6295	E4F0	I53P0080
2366	藎	6296	E4F1	I53Q0080
2367	藎	6297	E4F2	I53R0080
2368	藎	6298	E4F3	I53S0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 9 (Page 10 of 31). Extended Kanji Set (2 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
2369	蔬	6299	E4F4	I53T0080
2370	族	629A	E4F5	I53U0080
2371	蒂	629B	E4F6	I53V0080
2372	蔔	629C	E4F7	I53W0080
2373	菱	629D	E4CF	I53X0080
2374	蓼	629E	FB9A	I53Y0080
2375	蓴	629F	E4D4	I53Z0080
2376	蕨	62A0	E4F9	I5400080
2377	蕙	62A1	FB9B	I5410080
2378	蕤	62A2	E4FA	I5420080
2379	蕹	62A3	E4FB	I5430080
2380	葦	62A4	E4FC	I5440080
2381	葶	62A5	E540	I5450080
2382	蕊	62A6	E541	I5460080
2383	蕊	62A7	E542	I5470080
2384	董	62A8	FB9C	I5480080
2385	稽	62A9	E543	I5490080
2386	藎	62AA	E544	I54A0080
2387	薺	62AB	E545	I54B0080
2388	薺	62AC	E546	I54C0080
2389	藎	62AD	E547	I54D0080
2390	薺	62AE	E548	I54E0080
2391	藎	62AF	E549	I54F0080
2392	藎	62B0	E54A	I54G0080
2393	藎	62B1	E54B	I54H0080
2394	藎	62B2	E54C	I54I0080

Table 9 (Page 10 of 31). Extended Kanji Set (2 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
2395	藎	62B3	E54D	I54J0080
2396	藎	62B4	E54E	I54K0080
2397	藎	62B5	E54F	I54L0080
2398	藎	62B6	E550	I54M0080
2399	藎	62B7	E551	I54N0080
2400	藎	62B8	E552	I54O0080
2401	藎	62B9	FB9D	I54P0080
2402	藎	62BA	E470	I54Q0080
2403	藎	62BB	FB9E	I54R0080
2404	藎	62BC	E553	I54S0080
2405	藎	62BD	E554	I54T0080
2406	藎	62BE	E555	I54U0080
2407	藎	62BF	E556	I54V0080
2408	藎	62C0	E557	I54W0080
2409	藎	62C1	E558	I54X0080
2410	藎	62C2	E559	I54Y0080
2411	藎	62C3	E55A	I54Z0080
2412	藎	62C4	E55B	I5500080
2413	藎	62C5	E55C	I5510080
2414	藎	62C6	E55D	I5520080
2415	藎	62C7	E55E	I5530080
2416	藎	62C8	E55F	I5540080
2417	藎	62C9	E560	I5550080
2418	藎	62CA	E563	I5560080
2419	藎	62CB	E564	I5570080
2420	藎	62CC	E565	I5580080





## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
2421	蘿	62CD	E566	I5590080
2422	蘘	62CE	FB9F	I55A0080
2423	虍	62CF	E567	I55B0080
2424	帀	62D0	E568	I55C0080
2425	處	62D1	997C	I55D0080
2426	號	62D2	E56A	I55E0080
2427	虧	62D3	E56B	I55F0080
2428	虱	62D4	E56C	I55G0080
2429	蚓	62D5	E56D	I55H0080
2430	蚣	62D6	E56E	I55I0080
2431	蚩	62D7	E56F	I55J0080
2432	蚋	62D8	E571	I55K0080
2433	蚪	62D9	E570	I55L0080
2434	蚌	62DA	E572	I55M0080
2435	蚶	62DB	E573	I55N0080
2436	蚯	62DC	E574	I55O0080
2437	蛄	62DD	E575	I55P0080
2438	蛆	62DE	E576	I55Q0080
2439	蚰	62DF	E577	I55R0080
2440	蛉	62E0	E578	I55S0080
2441	蛎	62E1	E579	I55T0080
2442	蛭	62E2	FBA0	I55U0080
2443	蛸	62E3	E57A	I55V0080
2444	蛔	62E4	E57B	I55W0080
2445	蛞	62E5	E57C	I55X0080
2446	蛩	62E6	E57D	I55Y0080

Line Number	Graphic	Host Code	PC Code	GCGID
2447	蝥	62E7	E57E	I55Z0080
2448	蛟	62E8	E580	I5600080
2449	蛛	62E9	E581	I5610080
2450	蜒	62EA	E583	I5620080
2451	蜺	62EB	E584	I5630080
2452	蜈	62EC	E585	I5640080
2453	蜀	62ED	E586	I5650080
2454	蜃	62EE	E587	I5660080
2455	蛻	62EF	E588	I5670080
2456	蜚	62F0	E589	I5680080
2457	蜉	62F1	E58A	I5690080
2458	蝻	62F2	E58B	I56A0080
2459	蛹	62F3	E58C	I56B0080
2460	蚺	62F4	E58D	I56C0080
2461	蜴	62F5	E58E	I56D0080
2462	蜿	62F6	E58F	I56E0080
2463	蜻	62F7	E591	I56F0080
2464	蜥	62F8	E592	I56G0080
2465	蝮	62F9	E593	I56H0080
2466	蜚	62FA	E594	I56I0080
2467	蝟	62FB	E596	I56J0080
2468	蝸	62FC	E597	I56K0080
2469	蝻	62FD	E598	I56L0080
2470	蝮	62FE	E599	I56M0080
2471	蝻	6341	E59A	I56P0080
2472	蝗	6342	E59B	I56Q0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
2473	蝨	6343	E59C	I56R0080
2474	螂	6344	E5A5	I56S0080
2475	蜴	6345	E5A1	I56T0080
2476	蝠	6346	E595	I56U0080
2477	蝮	6347	E59D	I56V0080
2478	蝙	6348	E59E	I56W0080
2479	蝮	6349	E59F	I56X0080
2480	蝮	634A	E5A0	I56Y0080
2481	蠅	634B	E5A2	I56Z0080
2482	螢	634C	E5A3	I5700080
2483	蠟	634D	E5B0	I5710080
2484	螟	634E	E5A4	I5720080
2485	螯	634F	E5A6	I5730080
2486	蟋	6350	E5A7	I5740080
2487	蝨	6351	E5A8	I5750080
2488	蟀	6352	E5A9	I5760080
2489	蟀	6353	E5AA	I5770080
2490	蝮	6354	E5AB	I5780080
2491	蝮	6355	E5AC	I5790080
2492	蝮	6356	E5AD	I57A0080
2493	蝮	6357	E5AE	I57B0080
2494	蟀	6358	E5BB	I57C0080
2495	蝮	6359	E5B1	I57D0080
2496	蝮	635A	E5B2	I57E0080
2497	蝮	635B	E5B3	I57F0080
2498	蝮	635C	E5B4	I57G0080

Line Number	Graphic	Host Code	PC Code	GCGID
2499	蟀	635D	E5BA	I57H0080
2500	蝮	635E	FBA1	I57I0080
2501	蝮	635F	E5B5	I57J0080
2502	蝮	6360	E5BD	I57K0080
2503	蝮	6361	E5B6	I57L0080
2504	蝮	6362	E5B7	I57M0080
2505	蝮	6363	E5B8	I57N0080
2506	蝮	6364	E5B9	I57O0080
2507	蝮	6365	E5BC	I57P0080
2508	蝮	6366	E5BE	I57Q0080
2509	蝮	6367	E5BF	I57R0080
2510	蝮	6368	E5C0	I57S0080
2511	蝮	6369	E5C4	I57T0080
2512	蝮	636A	E5C1	I57U0080
2513	蝮	636B	E5C2	I57V0080
2514	蝮	636C	E5C3	I57W0080
2515	蝮	636D	E5C5	I57X0080
2516	蝮	636E	E5C7	I57Y0080
2517	蝮	636F	E5C6	I57Z0080
2518	衍	6370	9FA5	I5800080
2519	衍	6371	E5C8	I5810080
2520	衍	6372	E5C9	I5820080
2521	衍	6373	E5CA	I5830080
2522	衍	6374	E5CB	I5840080
2523	衫	6375	E5CC	I5850080
2524	袁	6376	E5CD	I5860080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 9 (Page 13 of 31). Extended Kanji Set (2 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
2525	袷	6377	E5CE	I5870080
2526	袈	6378	E5D0	I5880080
2527	袉	6379	E5D1	I5890080
2528	袊	637A	E5D3	I58A0080
2529	袋	637B	E5D4	I58B0080
2530	袌	637C	E5CF	I58C0080
2531	袍	637D	E5D5	I58D0080
2532	袎	637E	E5D6	I58E0080
2533	袏	637F	E5D7	I58F0080
2534	袐	6380	E5D8	I58G0080
2535	袑	6381	E5D9	I58H0080
2536	袒	6382	E5DA	I58I0080
2537	袓	6383	E5DB	I58J0080
2538	袛	6384	E5DD	I58K0080
2539	袜	6385	E5D2	I58L0080
2540	袝	6386	E5DE	I58M0080
2541	袞	6387	E5DF	I58N0080
2542	袟	6388	E5E0	I58O0080
2543	袠	6389	E5E1	I58P0080
2544	袡	638A	E5E2	I58Q0080
2545	袢	638B	E5E3	I58R0080
2546	袣	638C	E5E4	I58S0080
2547	袤	638D	E5E5	I58T0080
2548	袥	638E	E5E6	I58U0080
2549	袦	638F	E5E7	I58V0080
2550	袧	6390	FBA2	I58W0080

Table 9 (Page 13 of 31). Extended Kanji Set (2 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
2551	袨	6391	E5E9	I58X0080
2552	袩	6392	E5EA	I58Y0080
2553	袪	6393	E5EB	I58Z0080
2554	被	6394	E5EC	I5900080
2555	袬	6395	E5F2	I5910080
2556	袭	6396	E5FA	I5920080
2557	袮	6397	E5ED	I5930080
2558	袯	6398	E5EE	I5940080
2559	袰	6399	E5F0	I5950080
2560	袱	639A	E5F1	I5960080
2561	袲	639B	E5F3	I5970080
2562	袳	639C	E5F4	I5980080
2563	袴	639D	E5F6	I5990080
2564	袵	639E	E5F7	I59A0080
2565	袶	639F	E5EF	I59B0080
2566	袷	63A0	E5F8	I59C0080
2567	袸	63A1	E8B5	I59D0080
2568	袹	63A2	E5F9	I59E0080
2569	袺	63A3	E5FB	I59F0080
2570	袻	63A4	E5FC	I59G0080
2571	袼	63A5	E640	I59H0080
2572	袽	63A6	E643	I59I0080
2573	袾	63A7	E641	I59J0080
2574	袿	63A8	E642	I59K0080
2575	袽	63A9	E644	I59L0080
2576	袿	63AA	E645	I59M0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 9 (Page 14 of 31). Extended Kanji Set (2 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
2577	禪	63AB	E646	I59N0080
2578	𪛑	63AC	E647	I59O0080
2579	覃	63AD	E648	I59P0080
2580	覈	63AE	E649	I59Q0080
2581	羈	63AF	E64A	I59R0080
2582	覓	63B0	E64B	I59S0080
2583	覘	63B1	E64C	I59T0080
2584	覘	63B2	E64D	I59U0080
2585	覘	63B3	E64E	I59V0080
2586	覘	63B4	E64F	I59W0080
2587	覘	63B5	E650	I59X0080
2588	覘	63B6	E651	I59Y0080
2589	覘	63B7	E652	I59Z0080
2590	覺	63B8	E653	I5A00080
2591	覘	63B9	E655	I5A10080
2592	覽	63BA	E654	I5A20080
2593	觀	63BB	E656	I5A30080
2594	觚	63BC	E657	I5A40080
2595	觚	63BD	E659	I5A50080
2596	觥	63BE	E65A	I5A60080
2597	觥	63BF	E65B	I5A70080
2598	觸	63C0	E65C	I5A80080
2599	訃	63C1	E65D	I5A90080
2600	訖	63C2	E65E	I5AA0080
2601	訖	63C3	E65F	I5AB0080
2602	訖	63C4	E660	I5AC0080

Table 9 (Page 14 of 31). Extended Kanji Set (2 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
2603	訖	63C5	FBA3	I5AD0080
2604	訖	63C6	E661	I5AE0080
2605	訝	63C7	E662	I5AF0080
2606	訥	63C8	E663	I5AG0080
2607	訶	63C9	E664	I5AH0080
2608	詰	63CA	E665	I5AI0080
2609	諄	63CB	FBA4	I5AJ0080
2610	詛	63CC	E666	I5AK0080
2611	詒	63CD	E667	I5AL0080
2612	詆	63CE	E668	I5AM0080
2613	詈	63CF	E669	I5AN0080
2614	詼	63D0	E66A	I5AO0080
2615	詭	63D1	E66B	I5AP0080
2616	詬	63D2	E66C	I5AQ0080
2617	詢	63D3	E66D	I5AR0080
2618	詹	63D4	FBA5	I5AS0080
2619	誅	63D5	E66E	I5AT0080
2620	詭	63D6	E66F	I5AU0080
2621	誅	63D7	E670	I5AV0080
2622	誨	63D8	E671	I5AW0080
2623	誡	63D9	E672	I5AX0080
2624	誑	63DA	E673	I5AY0080
2625	誥	63DB	E674	I5AZ0080
2626	誦	63DC	E675	I5B00080
2627	誦	63DD	E676	I5B10080
2628	誣	63DE	E677	I5B20080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 9 (Page 15 of 31). Extended Kanji Set (2 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
2629	誦	63DF	FBA6	I5B30080
2630	諫	63E0	E67C	I5B40080
2631	閻	63E1	FBA7	I5B50080
2632	諍	63E2	E679	I5B60080
2633	諂	63E3	E67A	I5B70080
2634	諛	63E4	E67B	I5B80080
2635	諜	63E5	E67D	I5B90080
2636	諧	63E6	E67E	I5BA0080
2637	諤	63E7	E680	I5BB0080
2638	諗	63E8	E681	I5BC0080
2639	諝	63E9	E682	I5BD0080
2640	誼	63EA	E683	I5BE0080
2641	譚	63EB	E684	I5BF0080
2642	諡	63EC	E68B	I5BG0080
2643	諴	63ED	FBA8	I5BH0080
2644	諸	63EE	FBA9	I5BI0080
2645	諶	63EF	FBAA	I5BJ0080
2646	諷	63F0	E685	I5BK0080
2647	諘	63F1	E686	I5BL0080
2648	諡	63F2	E687	I5BM0080
2649	諣	63F3	E688	I5BN0080
2650	譽	63F4	E689	I5BO0080
2651	諤	63F5	E68A	I5BP0080
2652	諞	63F6	E68C	I5BQ0080
2653	諠	63F7	E68D	I5BR0080
2654	諡	63F8	E68E	I5BS0080

Table 9 (Page 15 of 31). Extended Kanji Set (2 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
2655	謠	63F9	E68F	I5BT0080
2656	謳	63FA	E690	I5BU0080
2657	譚	63FB	E696	I5BV0080
2658	鞫	63FC	E691	I5BW0080
2659	警	63FD	E692	I5BX0080
2660	謫	63FE	E693	I5BY0080
2661	謾	6441	E694	I5C10080
2662	謔	6442	E697	I5C20080
2663	譏	6443	E698	I5C30080
2664	譎	6444	E699	I5C40080
2665	諛	6445	FBAB	I5C50080
2666	證	6446	E69A	I5C60080
2667	譖	6447	E69B	I5C70080
2668	譖	6448	E69C	I5C80080
2669	譚	6449	E69D	I5C90080
2670	譴	644A	E6A2	I5CA0080
2671	譚	644B	E69E	I5CB0080
2672	譟	644C	E69F	I5CC0080
2673	譬	644D	E6A0	I5CD0080
2674	譚	644E	E6A1	I5CE0080
2675	譽	644F	E6A3	I5CF0080
2676	譚	6450	FBAC	I5CG0080
2677	讀	6451	E6A4	I5CH0080
2678	讌	6452	E6A5	I5CI0080
2679	讎	6453	E6A6	I5CJ0080
2680	讞	6454	E6AA	I5CK0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 9 (Page 16 of 31). Extended Kanji Set (2 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
2681	讒	6455	E6A7	I5CL0080
2682	讓	6456	E6A8	I5CM0080
2683	識	6457	E6A9	I5CN0080
2684	讚	6458	E6AB	I5CO0080
2685	衍	6459	E6AC	I5CP0080
2686	豁	645A	E6AD	I5CQ0080
2687	谿	645B	E6AE	I5CR0080
2688	豈	645C	E6AF	I5CS0080
2689	毓	645D	E6B0	I5CT0080
2690	豎	645E	E6B1	I5CU0080
2691	豐	645F	E6B2	I5CV0080
2692	豕	6460	E6B3	I5CW0080
2693	豢	6461	E6B4	I5CX0080
2694	豕	6462	E6B5	I5CY0080
2695	豕	6463	E6B6	I5CZ0080
2696	豕	6464	E6B7	I5D00080
2697	豕	6465	E6BF	I5D10080
2698	豕	6466	E6B8	I5D20080
2699	豕	6467	E6B9	I5D30080
2700	豕	6468	E6BA	I5D40080
2701	豕	6469	E6BB	I5D50080
2702	豕	646A	E6BC	I5D60080
2703	豕	646B	E6BD	I5D70080
2704	豕	646C	E6C0	I5D80080
2705	豕	646D	E6BE	I5D90080
2706	賤	646E	E6C1	I5DA0080

Table 9 (Page 16 of 31). Extended Kanji Set (2 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
2707	賈	646F	E6C2	I5DB0080
2708	貪	6470	E6C3	I5DC0080
2709	貳	6471	E6C7	I5DD0080
2710	貽	6472	E6C4	I5DE0080
2711	賈	6473	E6C5	I5DF0080
2712	貳	6474	E6C6	I5DG0080
2713	賈	6475	E6CA	I5DH0080
2714	貶	6476	E6C8	I5DI0080
2715	賈	6477	E6C9	I5DJ0080
2716	賤	6478	E6CB	I5DK0080
2717	賤	6479	E6DA	I5DL0080
2718	賈	647A	E6CC	I5DM0080
2719	賈	647B	E6CD	I5DN0080
2720	賤	647C	FBAD	I5DO0080
2721	賴	647D	FBAE	I5DP0080
2722	賈	647E	E6CE	I5DQ0080
2723	賤	647F	E6CF	I5DR0080
2724	賤	6480	E6D0	I5DS0080
2725	賈	6481	E6D4	I5DT0080
2726	賈	6482	E6D3	I5DU0080
2727	贏	6483	E6D5	I5DV0080
2728	賤	6484	E6D6	I5DW0080
2729	賈	6485	FBAF	I5DX0080
2730	賤	6486	E6D7	I5DY0080
2731	賤	6487	E6D9	I5DZ0080
2732	賈	6488	E6DB	I5E00080

IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

**Table 9 (Page 17 of 31).** Extended Kanji Set (2 of 2), DBCS-Host

Line Number	Graphic	Host Code	PC Code	GCGID
2733	贖	6489	E6DC	I5E10080
2734	赅	648A	E6DD	I5E20080
2735	赅	648B	E6DE	I5E30080
2736	赅	648C	E6DF	I5E40080
2737	赅	648D	FBB0	I5E50080
2738	赅	648E	FBB1	I5E60080
2739	赅	648F	E6E1	I5E70080
2740	赅	6490	E6E3	I5E80080
2741	赅	6491	E6E4	I5E90080
2742	赅	6492	E6E5	I5EA0080
2743	赅	6493	E6E6	I5EB0080
2744	赅	6494	E6E7	I5EC0080
2745	赅	6495	E6E8	I5ED0080
2746	赅	6496	E6E9	I5EE0080
2747	赅	6497	E6EA	I5EF0080
2748	赅	6498	E6EB	I5EG0080
2749	赅	6499	E6EC	I5EH0080
2750	赅	649A	E6ED	I5EI0080
2751	赅	649B	E6EE	I5EJ0080
2752	赅	649C	E6EF	I5EK0080
2753	赅	649D	E6F0	I5EL0080
2754	赅	649E	E6F1	I5EM0080
2755	赅	649F	E6F3	I5EN0080
2756	赅	64A0	E6F2	I5EO0080
2757	赅	64A1	E6F4	I5EP0080
2758	赅	64A2	E6F5	I5EQ0080

**Table 9 (Page 17 of 31).** Extended Kanji Set (2 of 2), DBCS-Host

Line Number	Graphic	Host Code	PC Code	GCGID
2759	踐	64A3	E6F6	I5ER0080
2760	躑	64A4	E6F7	I5ES0080
2761	躑	64A5	E6F8	I5ET0080
2762	躑	64A6	E6F9	I5EU0080
2763	躑	64A7	E6FA	I5EV0080
2764	躑	64A8	E6FB	I5EW0080
2765	躑	64A9	E6FC	I5EX0080
2766	躑	64AA	E740	I5EY0080
2767	躑	64AB	E741	I5EZ0080
2768	躑	64AC	E742	I5F00080
2769	躑	64AD	E743	I5F10080
2770	躑	64AE	E744	I5F20080
2771	躑	64AF	E745	I5F30080
2772	躑	64B0	E746	I5F40080
2773	躑	64B1	E747	I5F50080
2774	躑	64B2	E74A	I5F60080
2775	躑	64B3	E749	I5F70080
2776	躑	64B4	E74B	I5F80080
2777	躑	64B5	E74C	I5F90080
2778	躑	64B6	E74F	I5FA0080
2779	躑	64B7	E74D	I5FB0080
2780	躑	64B8	E74E	I5FC0080
2781	躑	64B9	E750	I5FD0080
2782	躑	64BA	E751	I5FE0080
2783	躑	64BB	E752	I5FF0080
2784	躑	64BC	E753	I5FG0080




## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 9 (Page 18 of 31). Extended Kanji Set (2 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
2785	躓	64BD	E754	I5FH0080
2786	躓	64BE	E755	I5FI0080
2787	躓	64BF	E756	I5FJ0080
2788	躓	64C0	E757	I5FK0080
2789	躓	64C1	E759	I5FL0080
2790	躓	64C2	E758	I5FM0080
2791	躓	64C3	E75D	I5FN0080
2792	躓	64C4	E75E	I5FO0080
2793	躓	64C5	E75C	I5FP0080
2794	躓	64C6	E75F	I5FQ0080
2795	躓	64C7	E760	I5FR0080
2796	軋	64C8	E761	I5FS0080
2797	軋	64C9	FBB2	I5FT0080
2798	軋	64CA	E762	I5FU0080
2799	軋	64CB	E763	I5FV0080
2800	軋	64CC	E764	I5FW0080
2801	軋	64CD	E765	I5FX0080
2802	軋	64CE	E766	I5FY0080
2803	軋	64CF	E767	I5FZ0080
2804	軋	64D0	E768	I5G00080
2805	軋	64D1	E771	I5G10080
2806	軋	64D2	E769	I5G20080
2807	軋	64D3	E76A	I5G30080
2808	軋	64D4	E76B	I5G40080
2809	軋	64D5	E76D	I5G50080
2810	軋	64D6	E76E	I5G60080

Table 9 (Page 18 of 31). Extended Kanji Set (2 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
2811	輒	64D7	E76C	I5G70080
2812	輒	64D8	E76F	I5G80080
2813	輒	64D9	E772	I5G90080
2814	輒	64DA	E773	I5GA0080
2815	輒	64DB	E774	I5GB0080
2816	輒	64DC	E775	I5GC0080
2817	輒	64DD	E776	I5GD0080
2818	輒	64DE	E777	I5GE0080
2819	輒	64DF	E778	I5GF0080
2820	輒	64E0	E77A	I5GG0080
2821	輒	64E1	E77B	I5GH0080
2822	輒	64E2	E779	I5GI0080
2823	輒	64E3	E77C	I5GJ0080
2824	輒	64E4	E77D	I5GK0080
2825	輒	64E5	E77E	I5GL0080
2826	輒	64E6	E780	I5GM0080
2827	輒	64E7	E781	I5GN0080
2828	輒	64E8	E782	I5GO0080
2829	輒	64E9	E783	I5GP0080
2830	輒	64EA	E784	I5GQ0080
2831	輒	64EB	E785	I5GR0080
2832	輒	64EC	999E	I5GS0080
2833	輒	64ED	999F	I5GT0080
2834	輒	64EE	E786	I5GU0080
2835	輒	64EF	E787	I5GV0080
2836	輒	64F0	E788	I5GW0080





## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 9 (Page 19 of 31). Extended Kanji Set (2 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
2837	返	64F1	FBB3	I5GX0080
2838	迎	64F2	E789	I5GY0080
2839	廻	64F3	E78A	I5GZ0080
2840	迢	64F4	E78B	I5H00080
2841	逊	64F5	E78D	I5H10080
2842	还	64F6	E78E	I5H20080
2843	迴	64F7	E78F	I5H30080
2844	逅	64F8	E790	I5H40080
2845	迹	64F9	E791	I5H50080
2846	迸	64FA	E79E	I5H60080
2847	逯	64FB	E793	I5H70080
2848	逡	64FC	E794	I5H80080
2849	迳	64FD	E7A3	I5H90080
2850	逦	64FE	E795	I5HA0080
2851	逍	6541	E796	I5HD0080
2852	逞	6542	E797	I5HE0080
2853	逖	6543	E798	I5HF0080
2854	逋	6544	E799	I5HG0080
2855	逄	6545	E79A	I5HH0080
2856	逵	6546	E79B	I5HI0080
2857	逶	6547	E79D	I5HJ0080
2858	遏	6548	E79F	I5HK0080
2859	逸	6549	FBB4	I5HL0080
2860	遐	654A	E7A0	I5HM0080
2861	遄	654B	E7A1	I5HN0080
2862	遑	654C	E7A2	I5HO0080

Table 9 (Page 19 of 31). Extended Kanji Set (2 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
2863	遒	654D	E7A4	I5HP0080
2864	逾	654E	E7A5	I5HQ0080
2865	逋	654F	E7A6	I5HR0080
2866	遑	6550	E7A7	I5HS0080
2867	遒	6551	E7A8	I5HT0080
2868	遒	6552	E7A9	I5HU0080
2869	遒	6553	FBB5	I5HV0080
2870	遒	6554	E7AA	I5HW0080
2871	遒	6555	E7AB	I5HX0080
2872	隨	6556	E7AC	I5HY0080
2873	遲	6557	E7AD	I5HZ0080
2874	邂	6558	E7AE	I5I00080
2875	遽	6559	E7AF	I5I10080
2876	遑	655A	E7B3	I5I20080
2877	遒	655B	E7B1	I5I30080
2878	邏	655C	E7B4	I5I40080
2879	扈	655D	E7BB	I5I50080
2880	邯	655E	E7B6	I5I60080
2881	邱	655F	E7B7	I5I70080
2882	邵	6560	E7B8	I5I80080
2883	郢	6561	E7B9	I5I90080
2884	郤	6562	E7BA	I5IA0080
2885	郛	6563	E7BC	I5IB0080
2886	郎	6564	FBB6	I5IC0080
2887	鄂	6565	E7BD	I5ID0080
2888	都	6566	FBB7	I5IE0080




## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 9 (Page 20 of 31). Extended Kanji Set (2 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
2889	郷	6567	FBB8	I5IF0080
2890	鄒	6568	E7BE	I5IG0080
2891	鄙	6569	E7BF	I5IH0080
2892	鄆	656A	E7C0	I5II0080
2893	鄧	656B	FBB9	I5IJ0080
2894	鄰	656C	E7C1	I5IK0080
2895	酇	656D	E7C2	I5IL0080
2896	醜	656E	E7C3	I5IM0080
2897	醜	656F	E7C4	I5IN0080
2898	醜	6570	E7C5	I5IO0080
2899	醜	6571	E7C6	I5IP0080
2900	醜	6572	E7C7	I5IQ0080
2901	醜	6573	E7C8	I5IR0080
2902	醜	6574	E7C9	I5IS0080
2903	醜	6575	E7CA	I5IT0080
2904	醜	6576	E7CB	I5IU0080
2905	醜	6577	E7CC	I5IV0080
2906	醜	6578	E7CD	I5IW0080
2907	醫	6579	E7CE	I5IX0080
2908	醜	657A	E7CF	I5IY0080
2909	醜	657B	E7D0	I5IZ0080
2910	醜	657C	E7D1	I5J00080
2911	醜	657D	E7D2	I5J10080
2912	醜	657E	E7D3	I5J20080
2913	醜	657F	E7D4	I5J30080
2914	覺	6580	E7D5	I5J40080

Table 9 (Page 20 of 31). Extended Kanji Set (2 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
2915	釋	6581	E7D7	I5J50080
2916	釐	6582	E7D8	I5J60080
2917	鈇	6583	FBBA	I5J70080
2918	鈇	6584	E7DC	I5J80080
2919	釗	6585	FBBB	I5J90080
2920	鈇	6586	FBBC	I5JA0080
2921	鈇	6587	E7D9	I5JB0080
2922	鈇	6588	E7DA	I5JC0080
2923	釜	6589	E7DB	I5JD0080
2924	鈇	658A	FBBD	I5JE0080
2925	釵	658B	E7DE	I5JF0080
2926	鈇	658C	FBBE	I5JG0080
2927	鈇	658D	FBBF	I5JH0080
2928	鈇	658E	E7DF	I5JI0080
2929	鈇	658F	FBC0	I5JJ0080
2930	鈇	6590	FBC1	I5JK0080
2931	鈇	6591	E7E0	I5JL0080
2932	鈇	6592	E7E1	I5JM0080
2933	鈇	6593	FBC2	I5JN0080
2934	鈇	6594	E7E2	I5JO0080
2935	鈇	6595	FBC3	I5JP0080
2936	鈇	6596	E7E3	I5JQ0080
2937	鈇	6597	E7E4	I5JR0080
2938	鈇	6598	E86E	I5JS0080
2939	鈇	6599	E7E7	I5JT0080
2940	鈇	659A	E7E8	I5JU0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 9 (Page 21 of 31). Extended Kanji Set (2 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
2941	鈺	659B	FBC4	I5JV0080
2942	鉉	659C	E7E9	I5JW0080
2943	鉤	659D	E7EA	I5JX0080
2944	鉀	659E	FBC5	I5JY0080
2945	鉆	659F	FBC6	I5JZ0080
2946	鉈	65A0	E7EB	I5K00080
2947	銑	65A1	FBC7	I5K10080
2948	鉍	65A2	E7EF	I5K20080
2949	鉨	65A3	FBC8	I5K30080
2950	鈿	65A4	E7ED	I5K40080
2951	鉊	65A5	FBC9	I5K50080
2952	鉋	65A6	FBCA	I5K60080
2953	鉌	65A7	E7EE	I5K70080
2954	鉍	65A8	FBCB	I5K80080
2955	鉎	65A9	E7F4	I5K90080
2956	銜	65AA	E7F0	I5KA0080
2957	銑	65AB	FBC C	I5KB0080
2958	銑	65AC	FBCD	I5KC0080
2959	銑	65AD	FBCE	I5KD0080
2960	銑	65AE	E7F1	I5KE0080
2961	銑	65AF	E7F2	I5KF0080
2962	銑	65B0	E7F3	I5KG0080
2963	銑	65B1	E7EC	I5KH0080
2964	銑	65B2	E7F8	I5KI0080
2965	銑	65B3	E7F5	I5KJ0080
2966	銑	65B4	FBCF	I5KK0080

Table 9 (Page 21 of 31). Extended Kanji Set (2 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
2967	銑	65B5	FBD0	I5KL0080
2968	銑	65B6	FBD1	I5KM0080
2969	銑	65B7	FBD2	I5KN0080
2970	銑	65B8	FBD3	I5KO0080
2971	銑	65B9	FBD4	I5KP0080
2972	銑	65BA	E7F6	I5KQ0080
2973	銑	65BB	E7F7	I5KR0080
2974	銑	65BC	FBD5	I5KS0080
2975	銑	65BD	FBD6	I5KT0080
2976	銑	65BE	E844	I5KU0080
2977	銑	65BF	E845	I5KV0080
2978	銑	65C0	E7F9	I5KW0080
2979	銑	65C1	FBD7	I5KX0080
2980	銑	65C2	E7FA	I5KY0080
2981	銑	65C3	FBD8	I5KZ0080
2982	銑	65C4	E7FB	I5L00080
2983	銑	65C5	FBD9	I5L10080
2984	銑	65C6	FBDA	I5L20080
2985	銑	65C7	E840	I5L30080
2986	銑	65C8	FBDB	I5L40080
2987	銑	65C9	FBDC	I5L50080
2988	銑	65CA	E841	I5L60080
2989	銑	65CB	E842	I5L70080
2990	銑	65CC	FBDD	I5L80080
2991	銑	65CD	E843	I5L90080
2992	銑	65CE	FBDE	I5LA0080




## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 9 (Page 22 of 31). Extended Kanji Set (2 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
2993	鉞	65CF	E846	I5LB0080
2994	鍔	65D0	FBDF	I5LC0080
2995	鎗	65D1	E848	I5LD0080
2996	鉞	65D2	E849	I5LE0080
2997	鍬	65D3	E84A	I5LF0080
2998	鎚	65D4	E84B	I5LG0080
2999	鎚	65D5	FBE0	I5LH0080
3000	鎚	65D6	E850	I5LI0080
3001	鎚	65D7	E84C	I5LJ0080
3002	鎚	65D8	FBE1	I5LK0080
3003	鎚	65D9	E84E	I5LL0080
3004	鎚	65DA	E84F	I5LM0080
3005	鎚	65DB	E859	I5LN0080
3006	鎚	65DC	E851	I5LO0080
3007	鎚	65DD	FBE2	I5LP0080
3008	鎚	65DE	E852	I5LQ0080
3009	鎚	65DF	E853	I5LR0080
3010	鎚	65E0	E854	I5LS0080
3011	鎚	65E1	E855	I5LT0080
3012	鎚	65E2	E856	I5LU0080
3013	鎚	65E3	E857	I5LV0080
3014	鎚	65E4	FBE3	I5LW0080
3015	鎚	65E5	E858	I5LX0080
3016	鎚	65E6	E85A	I5LY0080
3017	鎚	65E7	E85B	I5LZ0080
3018	鎚	65E8	FBE4	I5M00080

Table 9 (Page 22 of 31). Extended Kanji Set (2 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
3019	鐸	65E9	E85C	I5M10080
3020	鐸	65EA	E85D	I5M20080
3021	鐸	65EB	E864	I5M30080
3022	鐸	65EC	E85E	I5M40080
3023	鐸	65ED	E85F	I5M50080
3024	鐸	65EE	E861	I5M60080
3025	鐸	65EF	E862	I5M70080
3026	鐸	65F0	FBE5	I5M80080
3027	鐸	65F1	E865	I5M90080
3028	鐸	65F2	E866	I5MA0080
3029	鐸	65F3	E867	I5MB0080
3030	鐸	65F4	FBE6	I5MC0080
3031	鐸	65F5	E868	I5MD0080
3032	鐸	65F6	FBE7	I5ME0080
3033	鐸	65F7	E869	I5MF0080
3034	鐸	65F8	E873	I5MG0080
3035	鐸	65F9	E86A	I5MH0080
3036	鐸	65FA	E86B	I5MI0080
3037	鐸	65FB	E86C	I5MJ0080
3038	鐸	65FC	E86D	I5MK0080
3039	鐸	65FD	E870	I5ML0080
3040	鐸	65FE	E86F	I5MM0080
3041	鐸	6641	E871	I5MP0080
3042	鐸	6642	E877	I5MQ0080
3043	鐸	6643	E872	I5MR0080
3044	鐸	6644	E874	I5MS0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 9 (Page 23 of 31). Extended Kanji Set (2 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
3045	鑾	6645	E875	I5MT0080
3046	鑼	6646	E876	I5MU0080
3047	門	6647	E878	I5MV0080
3048	閤	6648	E879	I5MW0080
3049	閤	6649	E87A	I5MX0080
3050	閤	664A	FBE8	I5MY0080
3051	閤	664B	E87B	I5MZ0080
3052	閤	664C	E87C	I5N00080
3053	閤	664D	E87D	I5N10080
3054	閤	664E	E87E	I5N20080
3055	閤	664F	E880	I5N30080
3056	閤	6650	E881	I5N40080
3057	閤	6651	E882	I5N50080
3058	閤	6652	E883	I5N60080
3059	閤	6653	E884	I5N70080
3060	閤	6654	E885	I5N80080
3061	閤	6655	E886	I5N90080
3062	閤	6656	E887	I5NA0080
3063	閤	6657	E888	I5NB0080
3064	閤	6658	E889	I5NC0080
3065	閤	6659	E88A	I5ND0080
3066	閤	665A	E88B	I5NE0080
3067	閤	665B	E88C	I5NF0080
3068	閤	665C	E88D	I5NG0080
3069	閤	665D	E88E	I5NH0080
3070	閤	665E	E88F	I5NI0080

Table 9 (Page 23 of 31). Extended Kanji Set (2 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
3071	關	665F	E890	I5NJ0080
3072	關	6660	E891	I5NK0080
3073	關	6661	E892	I5NL0080
3074	關	6662	E893	I5NM0080
3075	阡	6663	E894	I5NN0080
3076	阨	6664	E895	I5NO0080
3077	阮	6665	E896	I5NP0080
3078	阢	6666	E897	I5NQ0080
3079	陂	6667	E898	I5NR0080
3080	隋	6668	E89A	I5NS0080
3081	陌	6669	E899	I5NT0080
3082	陋	666A	E89B	I5NU0080
3083	陝	666B	E89D	I5NV0080
3084	陝	666C	E89F	I5NW0080
3085	陟	666D	E8A0	I5NX0080
3086	陟	666E	E8A1	I5NY0080
3087	陷	666F	E89C	I5NZ0080
3088	陞	6670	E8A2	I5O00080
3089	陞	6671	E8A3	I5O10080
3090	隍	6672	E8A4	I5O20080
3091	隋	6673	E440	I5O30080
3092	隆	6674	FBE9	I5O40080
3093	隘	6675	E8A5	I5O50080
3094	隕	6676	E8A6	I5O60080
3095	隗	6677	E8A7	I5O70080
3096	隗	6678	FBEA	I5O80080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 9 (Page 24 of 31). Extended Kanji Set (2 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
3097	隴	6679	FBEB	I5O90080
3098	隧	667A	E8A9	I5OA0080
3099	險	667B	E8A8	I5OB0080
3100	隱	667C	E8AA	I5OC0080
3101	隴	667D	E8AB	I5OD0080
3102	隰	667E	E8AC	I5OE0080
3103	隰	667F	FBEC	I5OF0080
3104	隴	6680	E8AD	I5OG0080
3105	隸	6681	E8AE	I5OH0080
3106	隸	6682	E8AF	I5OI0080
3107	隹	6683	E8B0	I5OJ0080
3108	隹	6684	E8B1	I5OK0080
3109	雋	6685	E8B2	I5OL0080
3110	雕	6686	E8B8	I5OM0080
3111	雜	6687	E8B6	I5ON0080
3112	雙	6688	99D4	I5OO0080
3113	霽	6689	E8B9	I5OP0080
3114	霄	668A	E8BA	I5OQ0080
3115	霽	668B	E8BB	I5OR0080
3116	霽	668C	E8BC	I5OS0080
3117	霽	668D	E8C2	I5OT0080
3118	霍	668E	E8B7	I5OU0080
3119	霓	668F	E8BD	I5OV0080
3120	霽	6690	E8BE	I5OW0080
3121	霽	6691	E8BF	I5OX0080
3122	霽	6692	E8C0	I5OY0080

Table 9 (Page 24 of 31). Extended Kanji Set (2 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
3123	霖	6693	E8C1	I5OZ0080
3124	霽	6694	E8C3	I5P00080
3125	霽	6695	E8C4	I5P10080
3126	霽	6696	E8C5	I5P20080
3127	霽	6697	FBED	I5P30080
3128	霽	6698	E8C6	I5P40080
3129	霽	6699	FBEE	I5P50080
3130	霽	669A	E8C7	I5P60080
3131	霽	669B	E8C8	I5P70080
3132	隸	669C	E8CA	I5P80080
3133	霽	669D	E8C9	I5P90080
3134	霽	669E	FBEF	I5PA0080
3135	靈	669F	E8CB	I5PB0080
3136	靈	66A0	E8CC	I5PC0080
3137	靈	66A1	E8CD	I5PD0080
3138	靈	66A2	FBF0	I5PE0080
3139	靈	66A3	FBF1	I5PF0080
3140	青	66A4	FBF2	I5PG0080
3141	晴	66A5	FBF3	I5PH0080
3142	靜	66A6	E8CE	I5PI0080
3143	靠	66A7	E8CF	I5PJ0080
3144	砲	66A8	E8D0	I5PK0080
3145	靦	66A9	E8D1	I5PL0080
3146	靦	66AA	E8D2	I5PM0080
3147	靦	66AB	E8D5	I5PN0080
3148	靦	66AC	E8D6	I5PO0080

IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

**Table 9 (Page 25 of 31).** Extended Kanji Set (2 of 2), DBCS-Host

Line Number	Graphic	Host Code	PC Code	GCGID
3149	鞅	66AD	E8D7	I5PP0080
3150	鞅	66AE	E8D8	I5PQ0080
3151	鞅	66AF	E8D9	I5PR0080
3152	鞅	66B0	E8DA	I5PS0080
3153	鞋	66B1	E8DC	I5PT0080
3154	鞅	66B2	E8DD	I5PU0080
3155	鞅	66B3	E8DE	I5PV0080
3156	鞅	66B4	E8DF	I5PW0080
3157	鞅	66B5	E8E0	I5PX0080
3158	鞅	66B6	E8E1	I5PY0080
3159	鞅	66B7	E8E2	I5PZ0080
3160	鞅	66B8	E8E3	I5Q00080
3161	鞅	66B9	E8E4	I5Q10080
3162	鞅	66BA	E8E5	I5Q20080
3163	鞅	66BB	E8E6	I5Q30080
3164	鞅	66BC	E8E7	I5Q40080
3165	韋	66BD	E8E8	I5Q50080
3166	鞅	66BE	E8E9	I5Q60080
3167	韭	66BF	E8EA	I5Q70080
3168	壘	66C0	E8EC	I5Q80080
3169	竟	66C1	E8ED	I5Q90080
3170	韵	66C2	E8EF	I5QA0080
3171	頤	66C3	E8F0	I5QB0080
3172	頤	66C4	E8F2	I5QC0080
3173	頤	66C5	E8F3	I5QD0080
3174	頤	66C6	E8F4	I5QE0080

**Table 9 (Page 25 of 31).** Extended Kanji Set (2 of 2), DBCS-Host

Line Number	Graphic	Host Code	PC Code	GCGID
3175	頤	66C7	E8F5	I5QF0080
3176	頤	66C8	E8F6	I5QG0080
3177	顏	66C9	E8F8	I5QH0080
3178	頤	66CA	E8F9	I5QI0080
3179	顛	66CB	FBF4	I5QJ0080
3180	顛	66CC	FBF5	I5QK0080
3181	顛	66CD	E8FA	I5QL0080
3182	顛	66CE	E8FB	I5QM0080
3183	鞅	66CF	E8FC	I5QN0080
3184	顛	66D0	E940	I5QO0080
3185	顛	66D1	E941	I5QP0080
3186	顛	66D2	E942	I5QQ0080
3187	颯	66D3	E943	I5QR0080
3188	颯	66D4	E944	I5QS0080
3189	颯	66D5	E945	I5QT0080
3190	颯	66D6	E946	I5QU0080
3191	颯	66D7	E947	I5QV0080
3192	颯	66D8	E948	I5QW0080
3193	颯	66D9	E949	I5QX0080
3194	飴	66DA	E3CA	I5QY0080
3195	飴	66DB	99AA	I5QZ0080
3196	飴	66DC	E94A	I5R00080
3197	飯	66DD	FBF6	I5R10080
3198	飴	66DE	E94B	I5R20080
3199	飼	66DF	FBF7	I5R30080
3200	餃	66E0	E94C	I5R40080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
3201	飭	66E1	E952	I5R50080
3202	餒	66E2	E94E	I5R60080
3203	餽	66E3	E94F	I5R70080
3204	餘	66E4	E950	I5R80080
3205	餒	66E5	FBF8	I5R90080
3206	館	66E6	FBF9	I5RA0080
3207	餡	66E7	E951	I5RB0080
3208	餞	66E8	E953	I5RC0080
3209	談	66E9	E954	I5RD0080
3210	餅	66EA	E955	I5RE0080
3211	餽	66EB	E956	I5RF0080
3212	饗	66EC	E957	I5RG0080
3213	餽	66ED	E958	I5RH0080
3214	餽	66EE	E959	I5RI0080
3215	饜	66EF	E95A	I5RJ0080
3216	饜	66F0	E95B	I5RK0080
3217	饜	66F1	E95C	I5RL0080
3218	饜	66F2	E95D	I5RM0080
3219	饜	66F3	E95E	I5RN0080
3220	饜	66F4	E95F	I5RO0080
3221	饜	66F5	E961	I5RP0080
3222	饜	66F6	E962	I5RQ0080
3223	馱	66F7	E963	I5RR0080
3224	馱	66F8	E964	I5RS0080
3225	馱	66F9	FBFA	I5RT0080
3226	馱	66FA	E965	I5RU0080

Line Number	Graphic	Host Code	PC Code	GCGID
3227	馱	66FB	E966	I5RV0080
3228	馱	66FC	E967	I5RW0080
3229	馱	66FD	E968	I5RX0080
3230	馱	66FE	E969	I5RY0080
3231	馱	6741	E96A	I5S10080
3232	馱	6742	E96B	I5S20080
3233	馱	6743	E96C	I5S30080
3234	馱	6744	E96D	I5S40080
3235	馱	6745	E96E	I5S50080
3236	馱	6746	E96F	I5S60080
3237	馱	6747	E977	I5S70080
3238	馱	6748	E970	I5S80080
3239	馱	6749	E971	I5S90080
3240	馱	674A	E972	I5SA0080
3241	馱	674B	E973	I5SB0080
3242	馱	674C	E974	I5SC0080
3243	馱	674D	E975	I5SD0080
3244	馱	674E	E976	I5SE0080
3245	馱	674F	E978	I5SF0080
3246	馱	6750	E979	I5SG0080
3247	馱	6751	E97A	I5SH0080
3248	馱	6752	E97D	I5SI0080
3249	馱	6753	E97B	I5SJ0080
3250	馱	6754	E97C	I5SK0080
3251	馱	6755	E97E	I5SL0080
3252	馱	6756	E980	I5SM0080



IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

**Table 9 (Page 27 of 31).** Extended Kanji Set (2 of 2), DBCS-Host

Line Number	Graphic	Host Code	PC Code	GCGID
3253	驕	6757	E981	I5SN0080
3254	驍	6758	E982	I5SO0080
3255	驎	6759	FBFB	I5SP0080
3256	驛	675A	E983	I5SQ0080
3257	驗	675B	E984	I5SR0080
3258	驟	675C	E985	I5SS0080
3259	驢	675D	E986	I5ST0080
3260	驢	675E	E989	I5SU0080
3261	驥	675F	E987	I5SV0080
3262	驥	6760	E988	I5SW0080
3263	驥	6761	E98B	I5SX0080
3264	羸	6762	E98A	I5SY0080
3265	骀	6763	E98C	I5SZ0080
3266	骀	6764	E98D	I5T00080
3267	骀	6765	E98E	I5T10080
3268	骀	6766	E98F	I5T20080
3269	骀	6767	E990	I5T30080
3270	髓	6768	E992	I5T40080
3271	體	6769	E993	I5T50080
3272	髑	676A	E991	I5T60080
3273	髑	676B	FBFC	I5T70080
3274	髑	676C	FC40	I5T80080
3275	髑	676D	E994	I5T90080
3276	髑	676E	E995	I5TA0080
3277	髑	676F	E996	I5TB0080
3278	髑	6770	E997	I5TC0080

**Table 9 (Page 27 of 31).** Extended Kanji Set (2 of 2), DBCS-Host

Line Number	Graphic	Host Code	PC Code	GCGID
3279	髑	6771	E998	I5TD0080
3280	髑	6772	E999	I5TE0080
3281	髑	6773	E99A	I5TF0080
3282	髑	6774	E99B	I5TG0080
3283	髑	6775	E99C	I5TH0080
3284	髑	6776	E99D	I5TI0080
3285	髑	6777	E99E	I5TJ0080
3286	髑	6778	E99F	I5TK0080
3287	髑	6779	E9A0	I5TL0080
3288	髑	677A	E9A1	I5TM0080
3289	髑	677B	E9A2	I5TN0080
3290	髑	677C	E9A3	I5TO0080
3291	髑	677D	E9A4	I5TP0080
3292	髑	677E	E9A5	I5TQ0080
3293	鬥	677F	E9A6	I5TR0080
3294	鬪	6780	E9A7	I5TS0080
3295	鬪	6781	E9A8	I5TT0080
3296	鬪	6782	E9A9	I5TU0080
3297	鬪	6783	E9AA	I5TV0080
3298	鬪	6784	E9AB	I5TW0080
3299	鬪	6785	E9AC	I5TX0080
3300	鬪	6786	9F54	I5TY0080
3301	鬪	6787	E9AD	I5TZ0080
3302	鬪	6788	E2F6	I5U00080
3303	髑	6789	E9AE	I5U10080
3304	髑	678A	E9AF	I5U20080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 9 (Page 28 of 31). Extended Kanji Set (2 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
3305	鰩	678B	E9B1	I5U30080
3306	魷	678C	E9B2	I5U40080
3307	魷	678D	E9B3	I5U50080
3308	魷	678E	E9B4	I5U60080
3309	魷	678F	FC41	I5U70080
3310	魷	6790	E9B5	I5U80080
3311	魷	6791	FC42	I5U90080
3312	魷	6792	E9B6	I5UA0080
3313	魷	6793	FC43	I5UB0080
3314	魷	6794	E9B7	I5UC0080
3315	魷	6795	E9B8	I5UD0080
3316	魷	6796	E9B9	I5UE0080
3317	魷	6797	E9BA	I5UF0080
3318	魷	6798	E9BB	I5UG0080
3319	魷	6799	E9BC	I5UH0080
3320	魷	679A	E9BD	I5UI0080
3321	魷	679B	FC44	I5UJ0080
3322	魷	679C	E9BE	I5UK0080
3323	魷	679D	E9BF	I5UL0080
3324	魷	679E	E9C0	I5UM0080
3325	魷	679F	FC45	I5UN0080
3326	魷	67A0	E9C1	I5UO0080
3327	魷	67A1	E9C2	I5UP0080
3328	魷	67A2	E9C3	I5UQ0080
3329	魷	67A3	E9C4	I5UR0080
3330	魷	67A4	E9C5	I5US0080

Table 9 (Page 28 of 31). Extended Kanji Set (2 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
3331	鯧	67A5	E9C6	I5UT0080
3332	鯧	67A6	E9C7	I5UU0080
3333	鯧	67A7	E9C8	I5UV0080
3334	鯧	67A8	E9C9	I5UW0080
3335	鯧	67A9	E9CA	I5UX0080
3336	鯧	67AA	E9CB	I5UY0080
3337	鯧	67AB	E9CD	I5UZ0080
3338	鯧	67AC	E9CC	I5V00080
3339	鯧	67AD	E9D8	I5V10080
3340	鯧	67AE	E9DA	I5V20080
3341	鯧	67AF	E9CF	I5V30080
3342	鯧	67B0	E9D0	I5V40080
3343	鯧	67B1	FC46	I5V50080
3344	鯧	67B2	E9D1	I5V60080
3345	鯧	67B3	E9D2	I5V70080
3346	鯧	67B4	E9D3	I5V80080
3347	鯧	67B5	E9D4	I5V90080
3348	鯧	67B6	E9D5	I5VA0080
3349	鯧	67B7	E9D6	I5VB0080
3350	鯧	67B8	E9D7	I5VC0080
3351	鯧	67B9	E9D9	I5VD0080
3352	鯧	67BA	E9DB	I5VE0080
3353	鯧	67BB	E9DC	I5VF0080
3354	鯧	67BC	E9DD	I5VG0080
3355	鯧	67BD	E9DE	I5VH0080
3356	鯧	67BE	E9DF	I5VI0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
3357	鰲	67BF	E9E0	I5VJ0080
3358	鯨	67C0	E9E1	I5VK0080
3359	鯨	67C1	E9E2	I5VL0080
3360	鯨	67C2	E9E3	I5VM0080
3361	鯨	67C3	E9E4	I5VN0080
3362	鯨	67C4	E9E5	I5VO0080
3363	鯨	67C5	E9E6	I5VP0080
3364	鯨	67C6	E9E7	I5VQ0080
3365	鳶	67C7	E9ED	I5VR0080
3366	鳶	67C8	E9E8	I5VS0080
3367	鳶	67C9	E9E9	I5VT0080
3368	鵠	67CA	E9EA	I5VU0080
3369	鵠	67CB	E9EB	I5VV0080
3370	鵠	67CC	E9EE	I5VW0080
3371	鵠	67CD	E9EF	I5VX0080
3372	鵠	67CE	E9F0	I5VY0080
3373	鵠	67CF	E9F1	I5VZ0080
3374	鵠	67D0	E9F2	I5W00080
3375	鵠	67D1	E9F3	I5W10080
3376	鵠	67D2	E9F4	I5W20080
3377	鵠	67D3	E9F6	I5W30080
3378	鵠	67D4	E9F7	I5W40080
3379	鵠	67D5	E9F8	I5W50080
3380	鵠	67D6	E9F9	I5W60080
3381	鵠	67D7	E9F5	I5W70080
3382	鵠	67D8	E9FA	I5W80080

Line Number	Graphic	Host Code	PC Code	GCGID
3383	衛	67D9	E9FB	I5W90080
3384	鵠	67DA	E9FC	I5WA0080
3385	鵠	67DB	EA40	I5WB0080
3386	鵠	67DC	EA41	I5WC0080
3387	鵠	67DD	EA45	I5WD0080
3388	鵠	67DE	EA43	I5WE0080
3389	鵠	67DF	EA44	I5WF0080
3390	鵠	67E0	EA42	I5WG0080
3391	鵠	67E1	EA46	I5WH0080
3392	鵠	67E2	FC47	I5WI0080
3393	鵠	67E3	EA48	I5WJ0080
3394	鵠	67E4	FC48	I5WK0080
3395	鵠	67E5	EA4A	I5WL0080
3396	鵠	67E6	EA4B	I5WM0080
3397	鵠	67E7	EA4C	I5WN0080
3398	鵠	67E8	EA4D	I5WO0080
3399	鵠	67E9	EA4E	I5WP0080
3400	鵠	67EA	EA49	I5WQ0080
3401	鵠	67EB	EA4F	I5WR0080
3402	鵠	67EC	EA50	I5WS0080
3403	鵠	67ED	EA51	I5WT0080
3404	鵠	67EE	EA52	I5WU0080
3405	鵠	67EF	EA53	I5WV0080
3406	鵠	67F0	EA54	I5WW0080
3407	鵠	67F1	EA55	I5WX0080
3408	鵠	67F2	EA56	I5WY0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 9 (Page 30 of 31). Extended Kanji Set (2 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
3409	鵠	67F3	EA57	I5WZ0080
3410	鶴	67F4	FC49	I5X00080
3411	鶯	67F5	EA58	I5X10080
3412	鷗	67F6	EA59	I5X20080
3413	鵠	67F7	EA5A	I5X30080
3414	鷓	67F8	EA5B	I5X40080
3415	鵠	67F9	EA5C	I5X50080
3416	鵠	67FA	EA5D	I5X60080
3417	鶯	67FB	EA5E	I5X70080
3418	鶯	67FC	EA5F	I5X80080
3419	鵠	67FD	EA60	I5X90080
3420	鷓	67FE	FC4A	I5XA0080
3421	鶯	6841	EA61	I5XD0080
3422	鹵	6842	EA62	I5XE0080
3423	鹹	6843	EA63	I5XF0080
3424	鹽	6844	EA64	I5XG0080
3425	鹵	6845	EA65	I5XH0080
3426	塵	6846	EA66	I5XI0080
3427	麩	6847	EA67	I5XJ0080
3428	麩	6848	EA68	I5XK0080
3429	麩	6849	EA6A	I5XL0080
3430	麩	684A	EA6B	I5XM0080
3431	麩	684B	EA6C	I5XN0080
3432	麥	684C	EA6D	I5XO0080
3433	麩	684D	EA6F	I5XP0080
3434	麩	684E	EA70	I5XQ0080

Table 9 (Page 30 of 31). Extended Kanji Set (2 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
3435	麩	684F	EA71	I5XR0080
3436	塵	6850	9BF5	I5XS0080
3437	塵	6851	9F80	I5XT0080
3438	靡	6852	EA72	I5XU0080
3439	麩	6853	EA73	I5XV0080
3440	黏	6854	EA75	I5XW0080
3441	麩	6855	EA76	I5XX0080
3442	黑	6856	FC4B	I5XY0080
3443	黔	6857	EA77	I5XZ0080
3444	黜	6858	EA78	I5Y00080
3445	黜	6859	EA79	I5Y10080
3446	黜	685A	EA7A	I5Y20080
3447	黜	685B	EA7B	I5Y30080
3448	黜	685C	EA7C	I5Y40080
3449	黨	685D	EA7D	I5Y50080
3450	黯	685E	EA7E	I5Y60080
3451	黜	685F	EA80	I5Y70080
3452	黜	6860	EA81	I5Y80080
3453	黜	6861	EA82	I5Y90080
3454	黜	6862	EA83	I5YA0080
3455	黜	6863	EA84	I5YB0080
3456	黜	6864	EA85	I5YC0080
3457	黜	6865	EA86	I5YD0080
3458	黜	6866	EA87	I5YE0080
3459	黜	6867	EA88	I5YF0080
3460	鼓	6868	EA89	I5YG0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 9 (Page 31 of 31). Extended Kanji Set (2 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
3461	藜	6869	EA8A	I5YH0080
3462	兕	686A	EA8B	I5YI0080
3463	鼬	686B	EA8C	I5YJ0080
3464	鼯	686C	EA8D	I5YK0080
3465	齊	686D	EA8E	I5YL0080
3466	齎	686E	E6D8	I5YM0080
3467	齏	686F	E8EB	I5YN0080
3468	齒	6870	EA8F	I5YO0080
3469	齠	6871	EA90	I5YP0080
3470	齡	6872	EA91	I5YQ0080
3471	齢	6873	EA92	I5YR0080
3472	齣	6874	EA93	I5YS0080
3473	齤	6875	EA94	I5YT0080
3474	齥	6876	EA95	I5YU0080
3475	齦	6877	EA96	I5YV0080
3476	齧	6878	EA97	I5YW0080
3477	齨	6879	EA98	I5YX0080
3478	齩	687A	EA99	I5YY0080
3479	齪	687B	EA9A	I5YZ0080
3480	齫	687C	EA9B	I5Z00080
3481	龕	687D	EA9C	I5Z10080
3482	龎	687E	EA9D	I5Z20080
3483	龑	687F	EA9E	I5Z30080
3484	堯	6880	EA9F	I5Z40080
3485	禛	6881	EAA0	I5Z50080
3486	遙	6882	EAA1	I5Z60080

Table 9 (Page 31 of 31). Extended Kanji Set (2 of 2), DBCS-Host				
Line Number	Graphic	Host Code	PC Code	GCGID
3487	瑤	6883	EAA2	I5Z70080
3488	凜	6884	EAA3	I5Z80080
3489	熙	6885	EAA4	I5Z90080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

## 8.5 New Extended Non-Kanji Set

Table 10 (Page 1 of 40). New Extended Non-Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
1	☒	D641	----	SP300080
2	ı	D642	----	SP030080
3	☒	D643	----	SC010080
4	©	D644	----	SM520080
5		D645	----	SM210080
6	«	D646	----	SP170080
7	☒	D647	----	SP320080
8	®	D648	----	SM530080
9	—	D649	----	SD310080
10	²	D64A	----	ND021080
11	³	D64B	----	ND031080
12	µ	D64C	----	SM170080
13	•	D64D	----	SD630080
14	¸	D64E	----	SD410080
15	¹	D64F	----	ND011080
16	º	D650	----	SM200080
17	»	D651	----	SP180080
18	¼	D652	----	NF040080
19	½	D653	----	NF010080
20	¾	D654	----	NF050080
21	¿	D655	----	SP160080
22	À	D656	----	LA140080
23	Á	D657	----	LA120080
24	Â	D658	----	LA160080

Table 10 (Page 1 of 40). New Extended Non-Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
25	Ã	D659	----	LA200080
26	Ä	D65A	----	LA180080
27	Å	D65B	----	LA280080
28	Æ	D65C	----	LA520080
29	Ç	D65D	----	LC420080
30	È	D65E	----	LE140080
31	É	D65F	----	LE120080
32	Ê	D660	----	LE160080
33	Ë	D661	----	LE180080
34	Ì	D662	----	LI140080
35	Í	D663	----	LI120080
36	Î	D664	----	LI160080
37	Ï	D665	----	LI180080
38	Ð	D666	----	LD640080
39	Ñ	D667	----	LN200080
40	Ò	D668	----	LO140080
41	Ó	D669	----	LO120080
42	Ô	D66A	----	LO160080
43	Õ	D66B	----	LO200080
44	Ö	D66C	----	LO180080
45	Ø	D66D	----	LO620080
46	Û	D66E	----	LU140080
47	Ü	D66F	----	LU120080
48	Û	D670	----	LU160080
49	Ü	D671	----	LU180080
50	Ý	D672	----	LY120080




## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 10 (Page 2 of 40). New Extended Non-Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
51	Đ	D673	----	LT640080
52	ß	D674	----	LS610080
53	à	D675	----	LA130080
54	á	D676	----	LA110080
55	â	D677	----	LA150080
56	ã	D678	----	LA190080
57	ä	D679	----	LA170080
58	å	D67A	----	LA270080
59	æ	D67B	----	LA510080
60	ç	D67C	----	LC410080
61	è	D67D	----	LE130080
62	é	D67E	----	LE110080
63	ê	D67F	----	LE150080
64	ë	D680	----	LE170080
65	ì	D681	----	LI130080
66	í	D682	----	LI110080
67	î	D683	----	LI150080
68	ï	D684	----	LI170080
69	ð	D685	----	LD630080
70	ñ	D686	----	LN190080
71	ò	D687	----	LO130080
72	ó	D688	----	LO110080
73	ô	D689	----	LO150080
74	õ	D68A	----	LO190080
75	ö	D68B	----	LO170080
76	ø	D68C	----	LO610080

Table 10 (Page 2 of 40). New Extended Non-Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
77	ù	D68D	----	LU130080
78	ú	D68E	----	LU110080
79	û	D68F	----	LU150080
80	ü	D690	----	LU170080
81	ý	D691	----	LY110080
82	þ	D692	----	LT630080
83	ÿ	D693	----	LY170080
84	Ā	D6B8	----	LA320080
85	ā	D6B9	----	LA310080
86	Ă	D6BA	----	LA240080
87	ă	D6BB	----	LA230080
88	Ą	D6BC	----	LA440080
89	ą	D6BD	----	LA430080
90	Ć	D6BE	----	LC120080
91	ć	D6BF	----	LC110080
92	Ĉ	D6C0	----	LC160080
93	ĉ	D6C1	----	LC150080
94	Ċ	D6C2	----	LC300080
95	ċ	D6C3	----	LC290080
96	Č	D6C4	----	LC220080
97	č	D6C5	----	LC210080
98	Ď	D6C6	----	LD220080
99	ď	D6C7	----	LD210080
100	Ð	D6C8	----	LD600080
101	đ	D6C9	----	LD610080
102	Ē	D6CA	----	LE320080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 10 (Page 3 of 40). New Extended Non-Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
103	ē	D6CB	----	LE310080
104	Ě	D6CC	----	LE240080
105	ě	D6CD	----	LE230080
106	Ě	D6CE	----	LE300080
107	ě	D6CF	----	LE290080
108	Ě	D6D0	----	LE440080
109	ě	D6D1	----	LE430080
110	Ě	D6D2	----	LE220080
111	ě	D6D3	----	LE210080
112	Ě	D6D4	----	LG160080
113	ě	D6D5	----	LG150080
114	Ě	D6D6	----	LG240080
115	ě	D6D7	----	LG230080
116	Ě	D6D8	----	LG300080
117	ě	D6D9	----	LG290080
118	Ě	D6DA	----	LG420080
119	ě	D6DB	----	LG410080
120	Ě	D6DC	----	LH160080
121	ě	D6DD	----	LH150080
122	Ě	D6DE	----	LH620080
123	ě	D6DF	----	LH610080
124	Ě	D6E0	----	LI200080
125	ě	D6E1	----	LI190080
126	Ě	D6E2	----	LI320080
127	ě	D6E3	----	LI310080
128	Ě	D6E4	----	LI240080

Table 10 (Page 3 of 40). New Extended Non-Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
129	Ī	D6E5	----	LI230080
130	Ī	D6E6	----	LI440080
131	Ī	D6E7	----	LI430080
132	Ī	D6E8	----	LI300080
133	Ī	D6E9	----	LI610080
134	Ī	D6EA	----	LI520080
135	Ī	D6EB	----	LI510080
136	Ī	D6EC	----	LJ160080
137	Ī	D6ED	----	LJ150080
138	Ī	D6EE	----	LK420080
139	Ī	D6EF	----	LK410080
140	Ī	D6F0	----	LK610080
141	Ī	D6F1	----	LL120080
142	Ī	D6F2	----	LL110080
143	Ī	D6F3	----	LL420080
144	Ī	D6F4	----	LL410080
145	Ī	D6F5	----	LL220080
146	Ī	D6F6	----	LL210080
147	Ī	D6F7	----	LL640080
148	Ī	D6F8	----	LL630080
149	Ī	D6F9	----	LL620080
150	Ī	D6FA	----	LL610080
151	Ī	D6FB	----	LN120080
152	Ī	D6FC	----	LN110080
153	Ī	D6FD	----	LN420080
154	Ī	D6FE	----	LN410080





## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 10 (Page 4 of 40). New Extended Non-Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
155	Ñ	D741	----	LN220080
156	ñ	D742	----	LN210080
157	'n	D743	----	LN630080
158	Ɔ	D744	----	LN620080
159	ŋ	D745	----	LN610080
160	Ō	D746	----	LO320080
161	ō	D747	----	LO310080
162	Ŏ	D748	----	LO240080
163	ö	D749	----	LO230080
164	Ö	D74A	----	LO260080
165	ó	D74B	----	LO250080
166	Œ	D74C	----	LO520080
167	œ	D74D	----	LO510080
168	Ř	D74E	----	LR120080
169	ř	D74F	----	LR110080
170	Ŕ	D750	----	LR420080
171	ř	D751	----	LR410080
172	Ř	D752	----	LR220080
173	ř	D753	----	LR210080
174	Ś	D754	----	LS120080
175	ś	D755	----	LS110080
176	Ŝ	D756	----	LS160080
177	ŝ	D757	----	LS150080
178	Ş	D758	----	LS420080
179	ş	D759	----	LS410080
180	Š	D75A	----	LS220080

Table 10 (Page 4 of 40). New Extended Non-Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
181	Š	D75B	----	LS210080
182	Ţ	D75C	----	LT420080
183	ţ	D75D	----	LT410080
184	Ť	D75E	----	LT220080
185	ť	D75F	----	LT210080
186	Ʀ	D760	----	LT620080
187	ƣ	D761	----	LT610080
188	Ū	D762	----	LU200080
189	ū	D763	----	LU190080
190	Ū	D764	----	LU320080
191	ū	D765	----	LU310080
192	Ŭ	D766	----	LU240080
193	ŭ	D767	----	LU230080
194	Ů	D768	----	LU280080
195	ů	D769	----	LU270080
196	Ů	D76A	----	LU260080
197	ů	D76B	----	LU250080
198	Ű	D76C	----	LU440080
199	ű	D76D	----	LU430080
200	Ŵ	D76E	----	LW160080
201	ŵ	D76F	----	LW150080
202	Ŷ	D770	----	LY160080
203	ŷ	D771	----	LY150080
204	Ÿ	D772	----	LY180080
205	Ž	D773	----	LZ120080
206	ž	D774	----	LZ110080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 10 (Page 5 of 40). New Extended Non-Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
207	Ž	D775	----	LZ300080
208	ž	D776	----	LZ290080
209	Ž	D777	----	LZ220080
210	ž	D778	----	LZ210080
211	ƒ	D779	----	U000017F
212	ƒ	D77A	----	SC070080
213	≠	D77B	----	U00001C2
214	Ǻ	D77C	----	LA220080
215	ǻ	D77D	----	LA210080
216	İ	D77E	----	LI220080
217	ı	D77F	----	LI210080
218	Ö	D780	----	LO220080
219	ö	D781	----	LO210080
220	Ů	D782	----	LU220080
221	ů	D783	----	LU210080
222	Ů	D784	----	LU780080
223	ů	D785	----	LU770080
224	Ů	D786	----	LU740080
225	ů	D787	----	LU730080
226	Ů	D788	----	LU800080
227	ů	D789	----	LU790080
228	Ů	D78A	----	LU760080
229	ů	D78B	----	LU750080
230	ǧ	D78C	----	LG110080
231	Ǻ	D78D	----	U00001FA
232	ǻ	D78E	----	U00001FB

Table 10 (Page 5 of 40). New Extended Non-Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
233	Æ	D78F	----	U00001FC
234	æ	D790	----	U00001FD
235	Ø	D791	----	U00001FE
236	ø	D792	----	U00001FF
237	ƚ	D88C	----	U0000250
238	ɑ	D88D	----	LA010081
239	ɒ	D88E	----	U0000252
240	β	D88F	----	LB910080
241	ɔ	D890	----	U0000254
242	ç	D891	----	U0000255
243	ɖ	D892	----	U0000256
244	ɗ	D893	----	LD910080
245	ə	D894	----	U0000258
246	ɘ	D895	----	U0000259
247	ɚ	D896	----	U000025A
248	ɛ	D897	----	U000025B
249	ɜ	D898	----	U000025C
250	ɝ	D899	----	U000025D
251	ɞ	D89A	----	U000025E
252	ɟ	D89B	----	U000025F
253	ɠ	D89C	----	LG910080
254	ɨ	D89D	----	LG010081
255	ɩ	D89E	----	U0000262
256	ɰ	D89F	----	U0000263
257	ɱ	D8A0	----	U0000264
258	ɲ	D8A1	----	U0000265



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 10 (Page 6 of 40). New Extended Non-Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
259	𐄁	D8A2	----	LH910080
260	𐄂	D8A3	----	U0000267
261	𐄃	D8A4	----	U0000268
262	𐄄	D8A5	----	U0000269
263	𐄅	D8A6	----	U000026A
264	𐄆	D8A7	----	U000026B
265	𐄇	D8A8	----	U000026C
266	𐄈	D8A9	----	U000026D
267	𐄉	D8AA	----	U000026E
268	𐄊	D8AB	----	U000026F
269	𐄋	D8AC	----	U0000270
270	𐄌	D8AD	----	LM910080
271	𐄍	D8AE	----	U0000272
272	𐄎	D8AF	----	U0000273
273	𐄏	D8B0	----	U0000274
274	𐄐	D8B1	----	U0000275
275	𐄑	D8B2	----	U0000276
276	𐄒	D8B3	----	U0000277
277	𐄓	D8B4	----	U0000278
278	𐄔	D8B5	----	U0000279
279	𐄕	D8B6	----	U000027A
280	𐄖	D8B7	----	U000027B
281	𐄗	D8B8	----	U000027C
282	𐄘	D8B9	----	U000027D
283	𐄙	D8BA	----	U000027E
284	𐄚	D8BB	----	U000027F

Table 10 (Page 6 of 40). New Extended Non-Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
285	𐄛	D8BC	----	U0000280
286	𐄜	D8BD	----	U0000281
287	𐄝	D8BE	----	LS910080
288	𐄞	D8BF	----	U0000283
289	𐄟	D8C0	----	U0000284
290	𐄠	D8C1	----	U0000285
291	𐄡	D8C2	----	U0000286
292	𐄢	D8C3	----	U0000287
293	𐄣	D8C4	----	U0000288
294	𐄤	D8C5	----	U0000289
295	𐄥	D8C6	----	U000028A
296	𐄦	D8C7	----	LV910080
297	𐄧	D8C8	----	U000028C
298	𐄨	D8C9	----	U000028D
299	𐄩	D8CA	----	U000028E
300	𐄪	D8CB	----	U000028F
301	𐄫	D8CC	----	U0000290
302	𐄬	D8CD	----	U0000291
303	𐄭	D8CE	----	U0000292
304	𐄮	D8CF	----	U0000293
305	𐄯	D8D0	----	U0000294
306	𐄰	D8D1	----	U0000295
307	𐄱	D8D2	----	U0000296
308	𐄲	D8D3	----	U0000297
309	𐄳	D8D4	----	U0000298
310	𐄴	D8D5	----	U0000299



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 10 (Page 7 of 40). New Extended Non-Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
311	Ð	D8D6	----	U000029A
312	ƒ	D8D7	----	U000029B
313	H	D8D8	----	U000029C
314	ı	D8D9	----	U000029D
315	Ƶ	D8DA	----	U000029E
316	L	D8DB	----	U000029F
317	ƒ	D8DC	----	U00002A0
318	ƶ	D8DD	----	U00002A1
319	Ʒ	D8DE	----	U00002A2
320	dz	D8DF	----	U00002A3
321	dz	D8E0	----	U00002A4
322	dz	D8E1	----	U00002A5
323	ts	D8E2	----	U00002A6
324	tf	D8E3	----	U00002A7
325	te	D8E4	----	U00002A8
326	^	D8EC	----	SD150180
327	˘	D8ED	----	SD210080
328	'	D8EE	----	U00002C8
329	-	D8EF	----	SB420080
330	,	D8F0	----	U00002CC
331	.	D8F1	----	SD470080
332	:	D8F2	----	U00002D0
333	˙	D8F3	----	U00002D1
334	˚	D8F4	----	U00002D2
335	˛	D8F5	----	U00002D3
336	˜	D8F6	----	U00002D4

Table 10 (Page 7 of 40). New Extended Non-Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
337	˜	D8F7	----	U00002D5
338	+	D8F8	----	U00002D6
339	˘	D8F9	----	SD230080
340	•	D8FA	----	SD290080
341	◦	D8FB	----	SD270080
342	ˆ	D8FC	----	SD430080
343	˜	D8FD	----	SD190180
344	”	D8FE	----	SD250080
345	˘	D941	----	U00002DE
346	ı	D942	----	U00002E5
347	ı	D943	----	U00002E6
348	ı	D944	----	U00002E7
349	ı	D945	----	U00002E8
350	ı	D946	----	U00002E9
351	'	D97E	----	U0000374
352	,	D97F	----	U0000375
353	.	D980	----	U000037A
354	;	D981	----	U000037E
355	'	D982	----	SD110980
356	˙	D983	----	SD730080
357	'A	D984	----	GA120080
358	•	D985	----	SD630980
359	'E	D986	----	GE120080
360	'H	D987	----	GE720080
361	'I	D988	----	GI120080
362	'O	D989	----	GO120080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 10 (Page 8 of 40). New Extended Non-Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
363	Ƨ	D98A	----	GU120080
364	Ω	D98B	----	GO720080
365	Ǝ	D98C	----	GI730080
366	Ǝ	D98D	----	GI180080
367	Ǝ	D98E	----	GU180080
368	Ǝ	D98F	----	GA110080
369	Ǝ	D990	----	GE110080
370	Ǝ	D991	----	GE710080
371	Ǝ	D992	----	GI110080
372	Ǝ	D993	----	GU730080
373	Ǝ	D994	----	GS610080
374	Ǝ	D995	----	GI170080
375	Ǝ	D996	----	GU170080
376	Ǝ	D997	----	GO110080
377	Ǝ	D998	----	GU110080
378	Ǝ	D999	----	GO710080
379	Ǝ	D9DE	----	KD620080
380	Ǝ	D9DF	----	KG120080
381	Ǝ	D9E0	----	KE160080
382	Ǝ	D9E1	----	KZ160080
383	Ǝ	D9E2	----	KI120080
384	Ǝ	D9E3	----	KI180080
385	Ǝ	D9E4	----	KJ020080
386	Ǝ	D9E5	----	KL420080
387	Ǝ	D9E6	----	KN120080
388	Ǝ	D9E7	----	KC120080

Table 10 (Page 8 of 40). New Extended Non-Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
389	Ǝ	D9E8	----	KK120080
390	Ǝ	D9E9	----	KU240080
391	Ǝ	D9EA	----	KG220080
392	Ǝ	D9EB	----	KD610080
393	Ǝ	D9EC	----	KG110080
394	Ǝ	D9ED	----	KE150080
395	Ǝ	D9EE	----	KZ150080
396	Ǝ	D9EF	----	KI110080
397	Ǝ	D9F0	----	KI170080
398	Ǝ	D9F1	----	KJ010080
399	Ǝ	D9F2	----	KL410080
400	Ǝ	D9F3	----	KN110080
401	Ǝ	D9F4	----	KC110080
402	Ǝ	D9F5	----	KK110080
403	Ǝ	D9F6	----	KU230080
404	Ǝ	D9F7	----	KG210080
405	Ǝ	D9F8	----	U0000460
406	Ǝ	D9F9	----	U0000461
407	Ǝ	D9FA	----	U0000462
408	Ǝ	D9FB	----	U0000463
409	Ǝ	D9FC	----	U0000464
410	Ǝ	D9FD	----	U0000465
411	Ǝ	D9FE	----	U0000466
412	Ǝ	DA41	----	U0000467
413	Ǝ	DA42	----	U0000468
414	Ǝ	DA43	----	U0000469



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 10 (Page 9 of 40). New Extended Non-Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
415	𠬪	DA44	----	U000046A
416	𠬫	DA45	----	U000046B
417	𠬬	DA46	----	U000046C
418	𠬭	DA47	----	U000046D
419	𠬮	DA48	----	U000046E
420	𠬯	DA49	----	U000046F
421	Ψ	DA4A	----	U0000470
422	ψ	DA4B	----	U0000471
423	Θ	DA4C	----	U0000472
424	θ	DA4D	----	U0000473
425	V	DA4E	----	U0000474
426	v	DA4F	----	U0000475
427	Ŵ	DA50	----	U0000476
428	ŵ	DA51	----	U0000477
429	Oy	DA52	----	U0000478
430	oy	DA53	----	U0000479
431	⊙	DA54	----	U000047A
432	⊙	DA55	----	U000047B
433	⊙	DA56	----	U000047C
434	⊙	DA57	----	U000047D
435	⊙	DA58	----	U000047E
436	⊙	DA59	----	U000047F
437	Ϛ	DA5A	----	U0000480
438	ϛ	DA5B	----	U0000481
439	Ϝ	DA5C	----	U0000482
440	ϝ	DA5D	----	U0000483

Table 10 (Page 9 of 40). New Extended Non-Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
441	˘	DA5E	----	U0000484
442	˘	DA5F	----	U0000485
443	˘	DA60	----	U0000486
444	Γ	DA61	----	KG300080
445	γ	DA62	----	KG290080
446	Ƒ	DA63	----	U0000492
447	Ƒ	DA64	----	U0000493
448	Ɔ	DA65	----	U0000494
449	Ɔ	DA66	----	U0000495
450	Ж	DA67	----	U0000496
451	ж	DA68	----	U0000497
452	Ʒ	DA69	----	U0000498
453	Ʒ	DA6A	----	U0000499
454	Ƙ	DA6B	----	U000049A
455	Ƙ	DA6C	----	U000049B
456	Ƙ	DA6D	----	U000049C
457	Ƙ	DA6E	----	U000049D
458	Ƙ	DA6F	----	U000049E
459	ƙ	DA70	----	U000049F
460	Ƙ	DA71	----	U00004A0
461	ƙ	DA72	----	U00004A1
462	Ƙ	DA73	----	U00004A2
463	Ƙ	DA74	----	U00004A3
464	Ƙ	DA75	----	U00004A4
465	Ƙ	DA76	----	U00004A5
466	Ƙ	DA77	----	U00004A6



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 10 (Page 10 of 40). New Extended Non-Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
467	Ѓ	DA78	----	U00004A7
468	Ɔ	DA79	----	U00004A8
469	Ɔ	DA7A	----	U00004A9
470	Ɔ	DA7B	----	U00004AA
471	Ɔ	DA7C	----	U00004AB
472	Ɔ	DA7D	----	U00004AC
473	Ɔ	DA7E	----	U00004AD
474	Ɔ	DA7F	----	U00004AE
475	Ɔ	DA80	----	U00004AF
476	Ɔ	DA81	----	U00004B0
477	Ɔ	DA82	----	U00004B1
478	Ɔ	DA83	----	U00004B2
479	Ɔ	DA84	----	U00004B3
480	Ɔ	DA85	----	U00004B4
481	Ɔ	DA86	----	U00004B5
482	Ɔ	DA87	----	U00004B6
483	Ɔ	DA88	----	U00004B7
484	Ɔ	DA89	----	U00004B8
485	Ɔ	DA8A	----	U00004B9
486	Ɔ	DA8B	----	U00004BA
487	Ɔ	DA8C	----	U00004BB
488	Ɔ	DA8D	----	U00004BC
489	Ɔ	DA8E	----	U00004BD
490	Ɔ	DA8F	----	U00004BE
491	Ɔ	DA90	----	U00004BF
492	Ɔ	DA91	----	U00004C0

Table 10 (Page 10 of 40). New Extended Non-Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
493	Ɔ	DA92	----	U00004C1
494	Ɔ	DA93	----	U00004C2
495	Ɔ	DA94	----	U00004C3
496	Ɔ	DA95	----	U00004C4
497	Ɔ	DA96	----	U00004C7
498	Ɔ	DA97	----	U00004C8
499	Ɔ	DA98	----	U00004CB
500	Ɔ	DA99	----	U00004CC
501	Ɔ	DA9A	----	U00004D0
502	Ɔ	DA9B	----	U00004D1
503	Ɔ	DA9C	----	U00004D2
504	Ɔ	DA9D	----	U00004D3
505	Ɔ	DA9E	----	U00004D4
506	Ɔ	DA9F	----	U00004D5
507	Ɔ	DAA0	----	U00004D6
508	Ɔ	DAA1	----	U00004D7
509	Ɔ	DAA2	----	U00004D8
510	Ɔ	DAA3	----	U00004D9
511	Ɔ	DAA4	----	U00004DA
512	Ɔ	DAA5	----	U00004DB
513	Ɔ	DAA6	----	U00004DC
514	Ɔ	DAA7	----	U00004DD
515	Ɔ	DAA8	----	U00004DE
516	Ɔ	DAA9	----	U00004DF
517	Ɔ	DAAA	----	U00004E0
518	Ɔ	DAAB	----	U00004E1



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 10 (Page 11 of 40). New Extended Non-Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
519	Й	DAAC	----	U00004E2
520	й	DAAD	----	U00004E3
521	Ў	DAAE	----	U00004E4
522	ў	DAAF	----	U00004E5
523	Ö	DAB0	----	U00004E6
524	ö	DAB1	----	U00004E7
525	Θ	DAB2	----	U00004E8
526	θ	DAB3	----	U00004E9
527	Ө	DAB4	----	U00004EA
528	ө	DAB5	----	U00004EB
529	Ÿ	DAB6	----	U00004EE
530	ÿ	DAB7	----	U00004EF
531	ÿ̇	DAB8	----	U00004F0
532	ÿ̈	DAB9	----	U00004F1
533	ÿ̄	DABA	----	U00004F2
534	ÿ̆	DABB	----	U00004F3
535	č	DABC	----	U00004F4
536	č̇	DABD	----	U00004F5
537	Б̇	DABE	----	U00004F8
538	б̇	DABF	----	U00004F9
539	М̇	DADE	----	LM120080
540	м̇	DADF	----	LM110080
541	Ẁ	DAE0	----	LW140080
542	ẁ	DAE1	----	LW130080
543	Ẃ	DAE2	----	LW120080
544	ẃ	DAE3	----	LW110080

Table 10 (Page 11 of 40). New Extended Non-Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
545	Ẅ	DAE4	----	LW180080
546	ẅ	DAE5	----	LW179989
547	Ě	DAE6	----	U0001EBE
548	ě	DAE7	----	U0001EBF
549	Ě̇	DAE8	----	U0001EC0
550	ě̇	DAE9	----	U0001EC1
551	Ÿ̇	DAEA	----	LY140080
552	ÿ̇̇	DAEB	----	LY130080
553	ε̇	DC62	----	U0001F72
554		DDA4	----	U0002000
555		DDA5	----	U0002001
556		DDA6	----	U0002002
557		DDA7	----	U0002003
558		DDA8	----	U0002004
559		DDA9	----	U0002005
560		DDAA	----	U0002006
561		DDAB	----	SP310080
562		DDAC	----	U0002008
563		DDAD	----	U0002009
564		DDAE	----	U000200A
565		DDAF	----	SP010080
566		DDB0	----	SP530080
567		DDB1	----	SP540080
568		DDB2	----	SP550080
569		DDB3	----	SP560080
570	-	DDB4	----	U0002011





## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
571	—	DDB5	----	SF880080
572	—	DDB6	----	SS680080
573	—	DDB7	----	SM120080
574	==	DDB8	----	SM100080
575	,	DDB9	----	SP260080
576	‘	DDBA	----	U000201B
577	„	DDBB	----	SP230080
578	“	DDBC	----	U000201F
579	●	DDBD	----	SM570080
580	▶	DBBE	----	U0002023
581	•	DDBF	----	U0002024
582	.	DDC0	----	U0002027
583		DDC1	----	U0002028
584		DDC2	----	U0002029
585		DDC3	----	SP570080
586		DDC4	----	SP580080
587		DDC5	----	SP590080
588		DDC6	----	SP600080
589		DDC7	----	SP610080
590	‰	DDC8	----	U0002031
591	”	DDC9	----	U0002034
592	`	DDCA	----	SM800080
593	“	DDCB	----	U0002036
594	”	DDCC	----	U0002037
595	^	DDCD	----	SS390080
596	<	DDCE	----	SP270080

Line Number	Graphic	Host Code	PC Code	GCGID
597	>	DDCF	----	SP280080
598	!!	DDD0	----	SP330080
599	?	DDD1	----	U000203D
600	∪	DDD2	----	U000203F
601	∩	DDD3	----	U0002040
602	∧	DDD4	----	U0002041
603	**	DDD5	----	U0002042
604	-	DDD6	----	U0002043
605	/	DDD7	----	SP120081
606	{	DDD8	----	U0002045
607	}	DDD9	----	U0002046
608	0	DE47	----	ND101080
609	4	DE48	----	ND041080
610	5	DE49	----	ND051080
611	6	DE4A	----	ND061080
612	7	DE4B	----	ND071080
613	8	DE4C	----	ND081080
614	9	DE4D	----	ND091080
615	+	DE4E	----	SA011080
616	-	DE4F	----	SA001080
617	=	DE50	----	SA041080
618	(	DE51	----	SP061080
619	)	DE52	----	SP071080
620	∩	DE53	----	LN011080
621	0	DE54	----	ND102080
622	1	DE55	----	ND012080




## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 10 (Page 13 of 40). New Extended Non-Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
623	₂	DE56	----	ND022080
624	₃	DE57	----	ND032080
625	₄	DE58	----	ND042080
626	₅	DE59	----	ND052080
627	₆	DE5A	----	ND062080
628	₇	DE5B	----	ND072080
629	₈	DE5C	----	ND082080
630	₉	DE5D	----	ND092080
631	+	DE5E	----	SA012080
632	-	DE5F	----	SP102080
633	=	DE60	----	SA042080
634	(	DE61	----	SP062080
635	)	DE62	----	SP072080
636	¢	DE77	----	U00020A0
637	⌘	DE78	----	SC110080
638	Ⓒ	DE79	----	SC090080
639	₣	DE7A	----	U00020A3
640	£	DE7B	----	U00020A4
641	₤	DE7C	----	U00020A5
642	₧	DE7D	----	U00020A6
643	₨	DE7E	----	SC060080
644	₪	DE7F	----	U00020A8
645	₩	DE80	----	SC140080
646	₪	DE81	----	SC170080
647	¢/c	DEA7	----	SS650080
648	¢/s	DEA8	----	SS660080

Table 10 (Page 13 of 40). New Extended Non-Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
649	©	DEA9	----	SS520080
650	Ⓒ	DEAA	----	SV080080
651	‰	DEAB	----	SS640080
652	‰u	DEAC	----	U0002106
653	Ⓔ	DEAD	----	SS420080
654	Ⓕ	DEAE	----	U0002108
655	°F	DEAF	----	SM850080
656	g	DEB0	----	SS460080
657	ℋ	DEB1	----	SS490080
658	Ⓔ	DEB2	----	U000210C
659	Ⓕ	DEB3	----	U000210D
660	h	DEB4	----	U000210E
661	ℏ	DEB5	----	SS410080
662	ℑ	DEB6	----	SS500080
663	ℒ	DEB7	----	SS370080
664	ℓ	DEB8	----	SS480080
665	ℓ	DEB9	----	SM160080
666	ℓb	DEBA	----	U0002114
667	ℓN	DEBB	----	SS530080
668	ℓc	DEBC	----	U0002117
669	ℓd	DEBD	----	SS450080
670	ℓP	DEBE	----	SS550080
671	ℓQ	DEBF	----	SS690080
672	ℓR	DEC0	----	SS470080
673	ℓR	DEC1	----	SS380080
674	ℓR	DEC2	----	SS510080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 10 (Page 14 of 40). New Extended Non-Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
675	℞	DEC3	----	SM550080
676	℞̄	DEC4	----	U000211F
677	SM	DEC5	----	U0002120
678	TM	DEC6	----	SM540080
679	℥	DEC7	----	U0002123
680	ℤ	DEC8	----	SS560080
681	ℤ̄	DEC9	----	U0002125
682	Ω	DECA	----	SM180080
683	Ω̄	DECB	----	U0002127
684	℞̄	DECC	----	U0002128
685	℞̄	DECD	----	U0002129
686	K	DECE	----	U000212A
687	℞̄	DECF	----	U000212C
688	℞̄	DED0	----	U000212D
689	e	DED1	----	U000212E
690	e	DED2	----	U000212F
691	℞̄	DED3	----	U0002130
692	℞̄	DED4	----	U0002131
693	℞̄	DED5	----	U0002132
694	M	DED6	----	U0002133
695	o	DED7	----	U0002134
696	℞̄	DED8	----	U0002135
697	℞̄	DED9	----	U0002136
698	℞̄	DEDA	----	U0002137
699	℞̄	DEDB	----	U0002138
700	℞̄	DEF3	----	NF020080

Table 10 (Page 14 of 40). New Extended Non-Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
701	℞̄	DEF4	----	NF030080
702	℞̄	DEF5	----	NF060080
703	℞̄	DEF6	----	NF070080
704	℞̄	DEF7	----	NF080080
705	℞̄	DEF8	----	NF090080
706	℞̄	DEF9	----	NF100080
707	℞̄	DEFA	----	NF110080
708	℞̄	DEFB	----	NF180080
709	℞̄	DEFC	----	NF190080
710	℞̄	DEFD	----	NF200080
711	℞̄	DEFE	----	NF210080
712	℞̄	DF41	----	NF000080
713	XI	DF42	----	NR310080
714	XII	DF43	----	NR320080
715	L	DF44	----	NR900080
716	C	DF45	----	NR910080
717	D	DF46	----	NR920080
718	M	DF47	----	NR930080
719	xi	DF48	----	NR210080
720	xii	DF49	----	NR220080
721	l	DF4A	----	U000217C
722	c	DF4B	----	U000217D
723	d	DF4C	----	U000217E
724	m	DF4D	----	U000217F
725	⓪	DF4E	----	U0002180
726	ⓓ	DF4F	----	U0002181



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 10 (Page 15 of 40). New Extended Non-Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
727	Ⓢ	DF50	----	U0002182
728	↔	DF61	----	SM780080
729	↕	DF62	----	SM760080
730	↖	DF63	----	SM970080
731	↗	DF64	----	SM950080
732	↘	DF65	----	SM990080
733	↙	DF66	----	SM980080
734	↔←	DF67	----	U000219A
735	↔→	DF68	----	U000219B
736	↪	DF69	----	U000219C
737	↩	DF6A	----	U000219D
738	←	DF6B	----	U000219E
739	↑	DF6C	----	U000219F
740	→	DF6D	----	U00021A0
741	↓	DF6E	----	U00021A1
742	←	DF6F	----	U00021A2
743	↔	DF70	----	U00021A3
744	←	DF71	----	U00021A4
745	↑	DF72	----	U00021A5
746	↔	DF73	----	SM400080
747	↓	DF74	----	U00021A7
748	↕	DF75	----	SM770080
749	↔	DF76	----	U00021A9
750	↔	DF77	----	U00021AA
751	↔	DF78	----	U00021AB
752	↔	DF79	----	U00021AC

Table 10 (Page 15 of 40). New Extended Non-Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
753	↔	DF7A	----	U00021AD
754	↔	DF7B	----	U00021AE
755	↙	DF7C	----	U00021AF
756	↖	DF7D	----	U00021B0
757	↗	DF7E	----	U00021B1
758	↘	DF7F	----	U00021B2
759	↙	DF80	----	U00021B3
760	↓	DF81	----	U00021B4
761	↖	DF82	----	SM720080
762	↗	DF83	----	U00021B6
763	↘	DF84	----	U00021B7
764	↙	DF85	----	SS070080
765	↔	DF86	----	SS060080
766	↻	DF87	----	U00021BA
767	↻	DF88	----	U00021BB
768	←	DF89	----	SM380080
769	↖	DF8A	----	U00021BD
770	↑	DF8B	----	SM360080
771	↑	DF8C	----	SM370080
772	→	DF8D	----	SM390080
773	→	DF8E	----	U00021C1
774	↓	DF8F	----	U00021C2
775	↓	DF90	----	U00021C3
776	↔	DF91	----	U00021C4
777	↕	DF92	----	U00021C5
778	↔	DF93	----	U00021C6



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
779	⇐	DF94	----	U00021C7
780	⇑	DF95	----	U00021C8
781	⇒	DF96	----	U00021C9
782	⇓	DF97	----	U00021CA
783	⇔	DF98	----	U00021CB
784	⇕	DF99	----	U00021CC
785	⇖	DF9A	----	U00021CD
786	⇗	DF9B	----	U00021CE
787	⇘	DF9C	----	U00021CF
788	←	DF9D	----	SM430080
789	↑	DF9E	----	SM820080
790	↓	DF9F	----	SM830080
791	↕	DFA0	----	U00021D5
792	↖	DFA1	----	U00021D6
793	↗	DFA2	----	U00021D7
794	↘	DFA3	----	U00021D8
795	↙	DFA4	----	U00021D9
796	⇐	DFA5	----	U00021DA
797	⇒	DFA6	----	U00021DB
798	↔	DFA7	----	U00021DC
799	↔	DFA8	----	U00021DD
800	↓	DFA9	----	U00021DE
801	↑	DFAA	----	U00021DF
802	←	DFAB	----	U00021E0
803	↑	DFAC	----	U00021E1
804	→	DFAD	----	U00021E2

Line Number	Graphic	Host Code	PC Code	GCGID
805	↓	DFAE	----	U00021E3
806	←	DFAF	----	U00021E4
807	→	DFB0	----	U00021E5
808	⇐	DFB1	----	U00021E6
809	↑	DFB2	----	SM460080
810	⇐	DFB3	----	U00021E8
811	↓	DFB4	----	U00021E9
812	↑	DFB5	----	U00021EA
813	⌈	DFCB	----	U0002201
814	⌋	DFCC	----	SA220080
815	∅	DFCD	----	SA870080
816	△	DFCE	----	SL060080
817	€	DFCF	----	SA360081
818	€	DFD0	----	SL720080
819	⊕	DFD1	----	U000220C
820	⊖	DFD2	----	U000220D
821	■	DFD3	----	U000220E
822	Π	DFD4	----	SA810080
823	∏	DFD5	----	U0002210
824	Σ	DFD6	----	SS400080
825	〒	DFD7	----	SA170080
826	†	DFD8	----	U0002214
827	/	DFD9	----	U0002215
828	、	DFDA	----	U0002216
829	*	DFDB	----	SM040082
830	◦	DFDC	----	SL250080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
831	•	DFDD	----	SA790080
832	∇	DFDE	----	U000221B
833	∇	DFDF	----	U000221C
834	└	DFE0	----	SA420080
835	∟	DFE1	----	U0002221
836	∟	DFE2	----	SA350089
837		DFE3	----	U0002223
838	┆	DFE4	----	U0002224
839		DFE5	----	SA340080
840		DFE6	----	U0002226
841	∩	DFE7	----	U000222D
842	∫	DFE8	----	SA720080
843	∫	DFE9	----	U000222F
844	∫	DFEA	----	U0002230
845	∫	DFEB	----	U0002231
846	∫	DFEC	----	U0002232
847	∫	DFED	----	U0002233
848	:	DFEE	----	SS430080
849	::	DFEF	----	SA080080
850	÷	DFF0	----	U0002238
851	-:	DFF1	----	U0002239
852	∴	DFF2	----	U000223A
853	~	DFF3	----	U000223B
854	~	DFF4	----	SA160080
855	∞	DFF5	----	U000223E
856	∞	DFF6	----	SA300080

Line Number	Graphic	Host Code	PC Code	GCGID
857	∩	DFF7	----	U0002240
858	∩	DFF8	----	U0002241
859	∩	DFF9	----	U0002242
860	∩	DFFA	----	SA440080
861	∩	DFFB	----	U0002244
862	∩	DFFC	----	SA430080
863	∩	DFFD	----	U0002246
864	∩	DFFE	----	U0002247
865	≈	E041	----	SA700080
866	≈	E042	----	SA690080
867	≈	E043	----	U000224A
868	≈	E044	----	SA710080
869	≈	E045	----	U000224C
870	∩	E046	----	U000224D
871	∩	E047	----	U000224E
872	∩	E048	----	U000224F
873	∩	E049	----	U0002250
874	∩	E04A	----	U0002251
875	∩	E04B	----	U0002253
876	∩	E04C	----	U0002254
877	∩	E04D	----	U0002255
878	∩	E04E	----	U0002256
879	∩	E04F	----	U0002257
880	∩	E050	----	U0002258
881	∩	E051	----	U0002259
882	∩	E052	----	U000225A



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
883	≡	E053	----	U000225B
884	≡	E054	----	U000225C
885	≡	E055	----	U000225D
886	≡	E056	----	U000225E
887	≡	E057	----	U000225F
888	≡	E058	----	SA460080
889	≡	E059	----	U0002263
890	≡	E05A	----	SA520080
891	≡	E05B	----	SA530080
892	≡	E05C	----	U0002268
893	≡	E05D	----	U0002269
894	∩	E05E	----	SS610080
895	✱	E05F	----	U000226D
896	⋈	E060	----	SA090080
897	⋈	E061	----	SA100080
898	⋈	E062	----	U0002270
899	⋈	E063	----	U0002271
900	⋈	E064	----	SA760080
901	⋈	E065	----	SA770080
902	⋈	E066	----	U0002274
903	⋈	E067	----	U0002275
904	⋈	E068	----	U0002276
905	⋈	E069	----	SA200080
906	⋈	E06A	----	U0002278
907	⋈	E06B	----	U0002279
908	⋈	E06C	----	SA600080

Line Number	Graphic	Host Code	PC Code	GCGID
909	⋈	E06D	----	SA610080
910	⋈	E06E	----	SA630080
911	⋈	E06F	----	SA650080
912	⋈	E070	----	U000227E
913	⋈	E071	----	U000227F
914	⋈	E072	----	SA620080
915	⋈	E073	----	U0002281
916	⋈	E074	----	SA250080
917	⋈	E075	----	SA290080
918	⋈	E076	----	SA260080
919	⋈	E077	----	SA280080
920	⋈	E078	----	U000228A
921	⋈	E079	----	U000228B
922	⋈	E07A	----	U000228C
923	⋈	E07B	----	U000228D
924	⋈	E07C	----	U000228E
925	⋈	E07D	----	U000228F
926	⋈	E07E	----	U0002290
927	⋈	E07F	----	U0002291
928	⋈	E080	----	U0002292
929	⋈	E081	----	U0002293
930	⋈	E082	----	U0002294
931	⊕	E083	----	SA550080
932	⊖	E084	----	SL120080
933	⊗	E085	----	SA560080
934	⊘	E086	----	U0002298




## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
935	⊙	E087	----	SA590080
936	⊙	E088	----	U000229A
937	⊗	E089	----	U000229B
938	⊖	E08A	----	SA580080
939	⊖	E08B	----	U000229D
940	⊕	E08C	----	U000229E
941	⊕	E08D	----	U000229F
942	⊗	E08E	----	U00022A0
943	⊖	E08F	----	U00022A1
944	┌	E090	----	SL340080
945	┐	E091	----	SL350080
946	└	E092	----	SL220080
947	┘	E093	----	U00022A6
948	┌	E094	----	U00022A7
949	┐	E095	----	U00022A8
950	└	E096	----	U00022A9
951	┘	E097	----	U00022AA
952	┌	E098	----	U00022AB
953	┐	E099	----	U00022AC
954	└	E09A	----	U00022AD
955	┘	E09B	----	U00022AE
956	┌	E09C	----	U00022AF
957	┐	E09D	----	U00022B0
958	└	E09E	----	U00022B1
959	┘	E09F	----	U00022B2
960	┌	E0A0	----	U00022B3

Line Number	Graphic	Host Code	PC Code	GCGID
961	┐	E0A1	----	U00022B4
962	┘	E0A2	----	U00022B5
963	┌	E0A3	----	U00022B6
964	┐	E0A4	----	U00022B7
965	└	E0A5	----	U00022B8
966	┘	E0A6	----	U00022B9
967	┌	E0A7	----	U00022BA
968	┐	E0A8	----	U00022BB
969	└	E0A9	----	U00022BC
970	┘	E0AA	----	U00022BD
971	┌	E0AB	----	U00022BE
972	┐	E0AC	----	SA850080
973	└	E0AD	----	SA330080
974	┘	E0AE	----	SA320080
975	┌	E0AF	----	SA140080
976	┐	E0B0	----	SA130080
977	└	E0B1	----	U00022C4
978	┘	E0B2	----	SA790081
979	┌	E0B3	----	U00022C6
980	┐	E0B4	----	U00022C7
981	└	E0B5	----	U00022C8
982	┘	E0B6	----	U00022C9
983	┌	E0B7	----	U00022CA
984	┐	E0B8	----	U00022CB
985	└	E0B9	----	U00022CC
986	┘	E0BA	----	U00022CD





## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
987	∨	E0BB	----	U00022CE
988	∧	E0BC	----	U00022CF
989	⤵	E0BD	----	U00022D0
990	⤶	E0BE	----	U00022D1
991	⤷	E0BF	----	U00022D2
992	⤸	E0C0	----	U00022D3
993	↗	E0C1	----	U00022D4
994	↘	E0C2	----	U00022D5
995	↙	E0C3	----	U00022D6
996	↘	E0C4	----	U00022D7
997	↙	E0C5	----	U00022D8
998	↘	E0C6	----	U00022D9
999	↙	E0C7	----	U00022DA
1000	↘	E0C8	----	U00022DB
1001	↙	E0C9	----	SA520081
1002	↘	E0CA	----	SA530081
1003	↙	E0CB	----	U00022DE
1004	↘	E0CC	----	U00022DF
1005	⌘	E0CD	----	SA640080
1006	⌘	E0CE	----	U00022E1
1007	⌘	E0CF	----	U00022E2
1008	⌘	E0D0	----	U00022E3
1009	⌘	E0D1	----	U00022E4
1010	⌘	E0D2	----	U00022E5
1011	⌘	E0D3	----	U00022E6
1012	⌘	E0D4	----	U00022E7

Line Number	Graphic	Host Code	PC Code	GCGID
1013	⌘	E0D5	----	U00022E8
1014	⌘	E0D6	----	U00022E9
1015	⌘	E0D7	----	U00022EA
1016	⌘	E0D8	----	U00022EB
1017	⌘	E0D9	----	U00022EC
1018	⌘	E0DA	----	U00022ED
1019	⋮	E0DB	----	U00022EE
1020	⋯	E0DC	----	SV440080
1021	⋮	E0DD	----	U00022F0
1022	⋮	E0DE	----	U00022F1
1023	⌘	E0ED	----	SM790080
1024	⌘	E0EE	----	U0002305
1025	⌘	E0EF	----	U0002306
1026	⌘	E0F0	----	SM680080
1027	⌘	E0F1	----	SS300080
1028	⌘	E0F2	----	SS260080
1029	⌘	E0F3	----	SS270080
1030	⌘	E0F4	----	U000232C
1031	①	E270	----	NO010080
1032	②	E271	----	NO020080
1033	③	E272	----	NO030080
1034	④	E273	----	NO040080
1035	⑤	E274	----	NO050080
1036	⑥	E275	----	NO060080
1037	⑦	E276	----	NO070080
1038	⑧	E277	----	NO080080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 10 (Page 21 of 40). New Extended Non-Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
1039	㊟	E278	----	NO090080
1040	㊠	E279	----	NO100080
1041	㊡	E27A	----	NO110080
1042	㊢	E27B	----	NO120080
1043	㊣	E27C	----	NO130080
1044	㊤	E27D	----	NO140080
1045	㊥	E27E	----	NO150080
1046	㊦	E27F	----	NO160080
1047	㊧	E280	----	NO170080
1048	㊨	E281	----	NO180080
1049	㊩	E282	----	NO190080
1050	㊪	E283	----	NO200080
1051	(1)	E284	----	NO010081
1052	(2)	E285	----	NO020081
1053	(3)	E286	----	NO030081
1054	(4)	E287	----	NO040081
1055	(5)	E288	----	NO050081
1056	(6)	E289	----	NO060081
1057	(7)	E28A	----	NO070081
1058	(8)	E28B	----	NO080081
1059	(9)	E28C	----	NO090081
1060	(10)	E28D	----	NO100081
1061	(11)	E28E	----	NO110081
1062	(12)	E28F	----	NO120081
1063	(13)	E290	----	NO130081
1064	(14)	E291	----	NO140081

Table 10 (Page 21 of 40). New Extended Non-Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
1065	(15)	E292	----	NO150081
1066	(16)	E293	----	NO160081
1067	(17)	E294	----	NO170081
1068	(18)	E295	----	NO180081
1069	(19)	E296	----	NO190081
1070	(20)	E297	----	NO200081
1071	1.	E298	----	NO010082
1072	2.	E299	----	NO020082
1073	3.	E29A	----	NO030082
1074	4.	E29B	----	NO040082
1075	5.	E29C	----	NO050082
1076	6.	E29D	----	NO060082
1077	7.	E29E	----	NO070082
1078	8.	E29F	----	NO080082
1079	9.	E2A0	----	NO090082
1080	10.	E2A1	----	NO100082
1081	11.	E2A2	----	NO110082
1082	12.	E2A3	----	NO120082
1083	13.	E2A4	----	NO130082
1084	14.	E2A5	----	NO140082
1085	15.	E2A6	----	NO150082
1086	16.	E2A7	----	NO160082
1087	17.	E2A8	----	NO170082
1088	18.	E2A9	----	NO180082
1089	19.	E2AA	----	NO190082
1090	20.	E2AB	----	NO200082



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 10 (Page 22 of 40). New Extended Non-Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
1091	(a)	E2AC	----	U000249C
1092	(b)	E2AD	----	U000249D
1093	(c)	E2AE	----	U000249E
1094	(d)	E2AF	----	U000249F
1095	(e)	E2B0	----	U00024A0
1096	(f)	E2B1	----	U00024A1
1097	(g)	E2B2	----	U00024A2
1098	(h)	E2B3	----	U00024A3
1099	(i)	E2B4	----	U00024A4
1100	(j)	E2B5	----	U00024A5
1101	(k)	E2B6	----	U00024A6
1102	(l)	E2B7	----	U00024A7
1103	(m)	E2B8	----	U00024A8
1104	(n)	E2B9	----	U00024A9
1105	(o)	E2BA	----	U00024AA
1106	(p)	E2BB	----	U00024AB
1107	(q)	E2BC	----	U00024AC
1108	(r)	E2BD	----	U00024AD
1109	(s)	E2BE	----	U00024AE
1110	(t)	E2BF	----	U00024AF
1111	(u)	E2C0	----	U00024B0
1112	(v)	E2C1	----	U00024B1
1113	(w)	E2C2	----	U00024B2
1114	(x)	E2C3	----	U00024B3
1115	(y)	E2C4	----	U00024B4
1116	(z)	E2C5	----	U00024B5

Table 10 (Page 22 of 40). New Extended Non-Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
1117	Ⓐ	E2C6	----	U00024B6
1118	Ⓑ	E2C7	----	U00024B7
1119	Ⓒ	E2C8	----	U00024B8
1120	Ⓓ	E2C9	----	U00024B9
1121	Ⓔ	E2CA	----	U00024BA
1122	Ⓕ	E2CB	----	U00024BB
1123	Ⓖ	E2CC	----	U00024BC
1124	Ⓖ	E2CD	----	U00024BD
1125	Ⓖ	E2CE	----	U00024BE
1126	Ⓖ	E2CF	----	U00024BF
1127	Ⓚ	E2D0	----	U00024C0
1128	Ⓛ	E2D1	----	U00024C1
1129	Ⓜ	E2D2	----	U00024C2
1130	Ⓝ	E2D3	----	U00024C3
1131	Ⓞ	E2D4	----	U00024C4
1132	Ⓟ	E2D5	----	U00024C5
1133	Ⓠ	E2D6	----	U00024C6
1134	Ⓡ	E2D7	----	U00024C7
1135	Ⓢ	E2D8	----	U00024C8
1136	Ⓣ	E2D9	----	U00024C9
1137	Ⓤ	E2DA	----	U00024CA
1138	Ⓥ	E2DB	----	U00024CB
1139	Ⓦ	E2DC	----	U00024CC
1140	Ⓧ	E2DD	----	U00024CD
1141	Ⓨ	E2DE	----	U00024CE
1142	Ⓩ	E2DF	----	U00024CF



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 10 (Page 23 of 40). New Extended Non-Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
1143	Ⓐ	E2E0	----	U00024D0
1144	Ⓑ	E2E1	----	U00024D1
1145	Ⓒ	E2E2	----	U00024D2
1146	Ⓓ	E2E3	----	U00024D3
1147	Ⓔ	E2E4	----	U00024D4
1148	Ⓕ	E2E5	----	U00024D5
1149	Ⓖ	E2E6	----	U00024D6
1150	Ⓖ	E2E7	----	U00024D7
1151	Ⓖ	E2E8	----	U00024D8
1152	Ⓖ	E2E9	----	U00024D9
1153	Ⓚ	E2EA	----	U00024DA
1154	Ⓛ	E2EB	----	U00024DB
1155	Ⓜ	E2EC	----	U00024DC
1156	Ⓝ	E2ED	----	U00024DD
1157	Ⓞ	E2EE	----	U00024DE
1158	Ⓟ	E2EF	----	U00024DF
1159	Ⓠ	E2F0	----	U00024E0
1160	Ⓡ	E2F1	----	U00024E1
1161	Ⓢ	E2F2	----	U00024E2
1162	Ⓣ	E2F3	----	U00024E3
1163	Ⓤ	E2F4	----	U00024E4
1164	Ⓥ	E2F5	----	U00024E5
1165	Ⓦ	E2F6	----	U00024E6
1166	Ⓧ	E2F7	----	U00024E7
1167	Ⓨ	E2F8	----	U00024E8
1168	Ⓩ	E2F9	----	U00024E9

Table 10 (Page 23 of 40). New Extended Non-Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
1169	ⓐ	E2FA	----	U00024EA
1170	---	E352	----	SF940080
1171	---	E353	----	SF940081
1172	⋮	E354	----	SF960080
1173	⋮	E355	----	SF960081
1174	----	E356	----	SF950080
1175	----	E357	----	SF950081
1176	⋮	E358	----	SF970080
1177	⋮	E359	----	SF970081
1178	┌	E35A	----	SF010081
1179	┌	E35B	----	SF010083
1180	└	E35C	----	SF030081
1181	└	E35D	----	SF030083
1182	└	E35E	----	SF020081
1183	└	E35F	----	SF020083
1184	└	E360	----	SF040081
1185	└	E361	----	SF040083
1186	└	E362	----	SF080087
1187	└	E363	----	SF080088
1188	└	E364	----	SF080089
1189	└	E365	----	SF08008A
1190	└	E366	----	SF090087
1191	└	E367	----	SF090088
1192	└	E368	----	SF090089
1193	└	E369	----	SF09008A
1194	└	E36A	----	SF060087



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 10 (Page 24 of 40). New Extended Non-Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
1195	┐	E36B	----	SF060088
1196	┑	E36C	----	SF060089
1197	┒	E36D	----	SF06008A
1198	┓	E36E	----	SF070087
1199	└	E36F	----	SF070088
1200	┕	E370	----	SF070089
1201	┖	E371	----	SF07008A
1202	┗	E372	----	SF05008A
1203	┘	E373	----	SF05008B
1204	┙	E374	----	SF05008C
1205	┚	E375	----	SF05008D
1206	┛	E376	----	SF05008E
1207	├	E377	----	SF05008F
1208	┝	E378	----	SF05008G
1209	┞	E379	----	SF05008H
1210	┟	E37A	----	SF050087
1211	┠	E37B	----	SF050089
1212	┡	E37C	----	SF050086
1213	┢	E37D	----	SF050088
1214	--	E37E	----	SF890080
1215	--	E37F	----	U000254D
1216	∴	E380	----	U000254E
1217	∵	E381	----	U000254F
1218	═	E382	----	SF430080
1219	∥	E383	----	SF240080
1220	┌	E384	----	SF510080

Table 10 (Page 24 of 40). New Extended Non-Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
1221	┐	E385	----	SF520080
1222	┑	E386	----	SF390080
1223	┒	E387	----	SF220080
1224	┓	E388	----	SF210080
1225	└	E389	----	SF250080
1226	┕	E38A	----	SF500080
1227	┖	E38B	----	SF490080
1228	┗	E38C	----	SF380080
1229	┘	E38D	----	SF280080
1230	┙	E38E	----	SF270080
1231	┚	E38F	----	SF260080
1232	┛	E390	----	SF360080
1233	├	E391	----	SF370080
1234	┝	E392	----	SF420080
1235	┞	E393	----	SF190080
1236	┟	E394	----	SF200080
1237	┠	E395	----	SF230080
1238	┡	E396	----	SF470080
1239	┢	E397	----	SF480080
1240	┣	E398	----	SF410080
1241	┤	E399	----	SF450080
1242	┥	E39A	----	SF460080
1243	┦	E39B	----	SF400080
1244	┧	E39C	----	SF540080
1245	┨	E39D	----	SF530080
1246	┩	E39E	----	SF440080




## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 10 (Page 25 of 40). New Extended Non-Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
1247	㇀	E39F	----	SS160080
1248	㇁	E3A0	----	SS180080
1249	㇂	E3A1	----	SS190080
1250	㇃	E3A2	----	SS170080
1251	㇄	E3A3	----	SH020080
1252	㇅	E3A4	----	SH030080
1253	㇆	E3A5	----	SH040080
1254	㇇	E3A6	----	U0002574
1255	㇈	E3A7	----	U0002575
1256	㇉	E3A8	----	U0002576
1257	㇊	E3A9	----	U0002577
1258	㇋	E3AA	----	U0002578
1259	㇌	E3AB	----	U0002579
1260	㇍	E3AC	----	U000257A
1261	㇎	E3AD	----	U000257B
1262	㇏	E3AE	----	U000257C
1263	㇐	E3AF	----	U000257D
1264	㇑	E3B0	----	U000257E
1265	㇒	E3B1	----	U000257F
1266	■	E3B2	----	SF600080
1267	▬	E3B3	----	SF700081
1268	▬	E3B4	----	SF710081
1269	▬	E3B5	----	SF720081
1270	■	E3B6	----	SF570080
1271	■	E3B7	----	SF740081
1272	■	E3B8	----	SF750081

Table 10 (Page 25 of 40). New Extended Non-Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
1273	■	E3B9	----	SF760081
1274	■	E3BA	----	SF610080
1275	■	E3BB	----	SF830081
1276	■	E3BC	----	SF820081
1277	■	E3BD	----	SF810081
1278	■	E3BE	----	SF580080
1279	■	E3BF	----	SF790081
1280	■	E3C0	----	SF780081
1281	■	E3C1	----	SF770081
1282	■	E3C2	----	SF590080
1283	■	E3C3	----	SF140080
1284	■	E3C4	----	SF150080
1285	■	E3C5	----	SF160080
1286	▬	E3C6	----	SF670080
1287	■	E3C7	----	SF650080
1288	□	E3D2	----	U00025A2
1289	■	E3D3	----	U00025A3
1290	▬	E3D4	----	U00025A4
1291	▬	E3D5	----	U00025A5
1292	▬	E3D6	----	SV240080
1293	▬	E3D7	----	U00025A7
1294	▬	E3D8	----	U00025A8
1295	▬	E3D9	----	U00025A9
1296	■	E3DA	----	SV180080
1297	□	E3DB	----	SV190080
1298	■	E3DC	----	SM700080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
1299	□	E3DD	----	U00025AD
1300	■	E3DE	----	U00025AE
1301	▢	E3DF	----	SL360080
1302	▣	E3E0	----	U00025B0
1303	▤	E3E1	----	U00025B1
1304	▲	E3E2	----	U00025B4
1305	△	E3E3	----	U00025B5
1306	▶	E3E4	----	SM600081
1307	▷	E3E5	----	U00025B7
1308	▸	E3E6	----	U00025B8
1309	▹	E3E7	----	U00025B9
1310	►	E3E8	----	SM590080
1311	▻	E3E9	----	U00025BB
1312	▼	E3EA	----	U00025BE
1313	▽	E3EB	----	U00025BF
1314	▾	E3EC	----	U00025C0
1315	▿	E3ED	----	U00025C1
1316	◀	E3EE	----	U00025C2
1317	◁	E3EF	----	U00025C3
1318	◂	E3F0	----	SM630080
1319	◃	E3F1	----	U00025C5
1320	◄	E3F2	----	U00025C8
1321	◅	E3F3	----	U00025C9
1322	◆	E3F4	----	SL370080
1323	◇	E3F5	----	U00025CC
1324	◈	E3F6	----	U00025CD

Line Number	Graphic	Host Code	PC Code	GCGID
1325	◉	E3F7	----	U00025D0
1326	◊	E3F8	----	U00025D1
1327	◌	E3F9	----	U00025D2
1328	◍	E3FA	----	U00025D3
1329	◎	E3FB	----	U00025D4
1330	●	E3FC	----	U00025D5
1331	◐	E3FD	----	U00025D6
1332	◑	E3FE	----	U00025D7
1333	◒	E441	----	SM570081
1334	◓	E442	----	SM750082
1335	◔	E443	----	SS140081
1336	◕	E444	----	SS150081
1337	◖	E445	----	SS200080
1338	◗	E446	----	SS220080
1339	◘	E447	----	SS230080
1340	◙	E448	----	SS210080
1341	◚	E449	----	SS140080
1342	◛	E44A	----	SS150080
1343	◜	E44B	----	SF840080
1344	◝	E44C	----	SF850080
1345	◞	E44D	----	SF870080
1346	◟	E44E	----	SF860080
1347	◠	E44F	----	U00025E6
1348	◡	E450	----	U00025E7
1349	◢	E451	----	U00025E8
1350	◣	E452	----	U00025E9

IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

**Table 10 (Page 27 of 40).** New Extended Non-Kanji Set

Line Number	Graphic	Host Code	PC Code	GCGID
1351	▣	E453	----	U00025EA
1352	▢	E454	----	U00025EB
1353	△	E455	----	U00025EC
1354	▲	E456	----	U00025ED
1355	⚠	E457	----	U00025EE
1356	☀	E468	----	U0002600
1357	☘	E469	----	U0002601
1358	☂	E46A	----	U0002602
1359	☘	E46B	----	U0002603
1360	☞	E46C	----	U0002604
1361	☜	E46D	----	U0002607
1362	☞	E46E	----	U0002608
1363	☉	E46F	----	U0002609
1364	☎	E470	----	U000260A
1365	☪	E471	----	U000260B
1366	♂	E472	----	U000260C
1367	♀	E473	----	U000260D
1368	☎	E474	----	SS700081
1369	☎	E475	----	SS670081
1370	□	E476	----	U0002610
1371	☑	E477	----	U0002611
1372	☒	E478	----	U0002612
1373	✕	E479	----	SV270080
1374	☎	E47A	----	U000261A
1375	☎	E47B	----	U000261B
1376	☎	E47C	----	U000261C

**Table 10 (Page 27 of 40).** New Extended Non-Kanji Set

Line Number	Graphic	Host Code	PC Code	GCGID
1377	☞	E47D	----	U000261D
1378	☞	E47E	----	U000261E
1379	☞	E47F	----	U000261F
1380	☠	E480	----	U0002620
1381	⌘	E481	----	U0002621
1382	☢	E482	----	U0002622
1383	☣	E483	----	U0002623
1384	☞	E484	----	U0002624
1385	♀	E485	----	U0002625
1386	☞	E486	----	U0002626
1387	☞	E487	----	U0002627
1388	☞	E488	----	U0002628
1389	☞	E489	----	U0002629
1390	☾	E48A	----	U000262A
1391	☾	E48B	----	U000262B
1392	☾	E48C	----	U000262C
1393	☞	E48D	----	U000262D
1394	☞	E48E	----	U000262E
1395	☞	E48F	----	U000262F
1396	☰	E490	----	U0002630
1397	☰	E491	----	U0002631
1398	☰	E492	----	U0002632
1399	☰	E493	----	U0002633
1400	☰	E494	----	U0002634
1401	☰	E495	----	U0002635
1402	☰	E496	----	U0002636



IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

**Table 10 (Page 28 of 40).** New Extended Non-Kanji Set

Line Number	Graphic	Host Code	PC Code	GCGID
1403	☐	E497	----	U0002637
1404	☼	E498	----	U0002638
1405	☹	E499	----	U0002639
1406	☺	E49A	----	SS000080
1407	☻	E49B	----	SS010080
1408	☼	E49C	----	SM690080
1409	☾	E49D	----	U000263D
1410	☾	E49E	----	U000263E
1411	♀	E49F	----	U000263F
1412	♂	E4A0	----	U0002641
1413	♋	E4A1	----	U0002643
1414	♌	E4A2	----	U0002644
1415	♍	E4A3	----	U0002645
1416	♎	E4A4	----	U0002646
1417	♏	E4A5	----	U0002647
1418	♐	E4A6	----	U0002648
1419	♑	E4A7	----	U0002649
1420	♒	E4A8	----	U000264A
1421	♓	E4A9	----	U000264B
1422	♈	E4AA	----	U000264C
1423	♉	E4AB	----	U000264D
1424	♊	E4AC	----	U000264E
1425	♋	E4AD	----	U000264F
1426	♌	E4AE	----	U0002650
1427	♍	E4AF	----	U0002651
1428	♎	E4B0	----	U0002652

**Table 10 (Page 28 of 40).** New Extended Non-Kanji Set

Line Number	Graphic	Host Code	PC Code	GCGID
1429	♠	E4B1	----	U0002653
1430	♠	E4B2	----	U0002654
1431	♠	E4B3	----	U0002655
1432	♠	E4B4	----	U0002656
1433	♠	E4B5	----	U0002657
1434	♠	E4B6	----	U0002658
1435	♠	E4B7	----	U0002659
1436	♠	E4B8	----	U000265A
1437	♠	E4B9	----	U000265B
1438	♠	E4BA	----	U000265C
1439	♠	E4BB	----	U000265D
1440	♠	E4BC	----	U000265E
1441	♠	E4BD	----	U000265F
1442	♠	E4BE	----	SS050080
1443	♥	E4BF	----	U0002661
1444	♦	E4C0	----	U0002662
1445	♣	E4C1	----	SS040080
1446	♠	E4C2	----	U0002664
1447	♥	E4C3	----	SS020080
1448	♦	E4C4	----	SS030080
1449	♣	E4C5	----	U0002667
1450	♣	E4C6	----	U0002668
1451	♪	E4C7	----	U0002669
1452	♪	E4C8	----	U000266B
1453	♪	E4C9	----	SM910080
1454	♫	E4CA	----	U000266E



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 10 (Page 29 of 40). New Extended Non-Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
1455	✂	E5A3	----	U0002701
1456	✂	E5A4	----	U0002702
1457	✂	E5A5	----	U0002703
1458	✂	E5A6	----	U0002704
1459	⊙	E5A7	----	U0002706
1460	⊙	E5A8	----	U0002707
1461	✈	E5A9	----	U0002708
1462	✉	E5AA	----	U0002709
1463	✎	E5AB	----	U000270C
1464	✎	E5AC	----	U000270D
1465	✎	E5AD	----	U000270E
1466	✎	E5AE	----	U000270F
1467	✎	E5AF	----	U0002710
1468	✎	E5B0	----	U0002711
1469	✎	E5B1	----	U0002712
1470	✓	E5B2	----	SV010080
1471	✓	E5B3	----	U0002714
1472	✗	E5B4	----	U0002715
1473	✗	E5B5	----	U0002716
1474	✗	E5B6	----	U0002717
1475	✗	E5B7	----	U0002718
1476	✚	E5B8	----	U0002719
1477	✚	E5B9	----	SV030080
1478	✚	E5BA	----	U000271B
1479	✚	E5BB	----	U000271C
1480	✚	E5BC	----	U000271D

Table 10 (Page 29 of 40). New Extended Non-Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
1481	✚	E5BD	----	U000271E
1482	✚	E5BE	----	U000271F
1483	✚	E5BF	----	U0002720
1484	✚	E5C0	----	U0002721
1485	✚	E5C1	----	U0002722
1486	✚	E5C2	----	U0002723
1487	✚	E5C3	----	U0002724
1488	✚	E5C4	----	U0002725
1489	✚	E5C5	----	U0002726
1490	✚	E5C6	----	U0002727
1491	☆	E5C7	----	U0002729
1492	☆	E5C8	----	U000272A
1493	☆	E5C9	----	U000272B
1494	☆	E5CA	----	U000272C
1495	☆	E5CB	----	U000272D
1496	☆	E5CC	----	U000272E
1497	☆	E5CD	----	U000272F
1498	☆	E5CE	----	U0002730
1499	✳	E5CF	----	U0002731
1500	✳	E5D0	----	U0002732
1501	✳	E5D1	----	U0002733
1502	✳	E5D2	----	U0002734
1503	✳	E5D3	----	U0002735
1504	✳	E5D4	----	U0002736
1505	✳	E5D5	----	U0002737
1506	✳	E5D6	----	U0002738

IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

**Table 10 (Page 30 of 40).** New Extended Non-Kanji Set

Line Number	Graphic	Host Code	PC Code	GCGID
1507	✱	E5D7	----	U0002739
1508	✱	E5D8	----	U000273A
1509	✱	E5D9	----	U000273B
1510	✱	E5DA	----	U000273C
1511	✱	E5DB	----	U000273D
1512	✱	E5DC	----	U000273E
1513	✿	E5DD	----	U000273F
1514	✿	E5DE	----	U0002740
1515	✿	E5DF	----	U0002741
1516	✿	E5E0	----	U0002742
1517	✱	E5E1	----	U0002743
1518	✱	E5E2	----	U0002744
1519	✱	E5E3	----	U0002745
1520	✱	E5E4	----	U0002746
1521	✱	E5E5	----	U0002747
1522	✱	E5E6	----	U0002748
1523	✱	E5E7	----	U0002749
1524	✱	E5E8	----	U000274A
1525	✱	E5E9	----	U000274B
1526	○	E5EA	----	U000274D
1527	□	E5EB	----	U000274F
1528	□	E5EC	----	U0002750
1529	□	E5ED	----	U0002751
1530	□	E5EE	----	U0002752
1531	◆	E5EF	----	U0002756
1532		E5F0	----	U0002758

**Table 10 (Page 30 of 40).** New Extended Non-Kanji Set

Line Number	Graphic	Host Code	PC Code	GCGID
1533	┆	E5F1	----	U0002759
1534	┆	E5F2	----	U000275A
1535	♣	E5F3	----	U000275B
1536	♣	E5F4	----	U000275C
1537	♣	E5F5	----	U000275D
1538	♣	E5F6	----	U000275E
1539	♣	E5F7	----	U0002761
1540	♣	E5F8	----	U0002762
1541	♣	E5F9	----	U0002763
1542	♣	E5FA	----	U0002764
1543	♣	E5FB	----	U0002765
1544	♣	E5FC	----	U0002766
1545	♣	E5FD	----	U0002767
1546	①	E5FE	----	U0002776
1547	②	E641	----	U0002777
1548	③	E642	----	U0002778
1549	④	E643	----	U0002779
1550	⑤	E644	----	U000277A
1551	⑥	E645	----	U000277B
1552	⑦	E646	----	U000277C
1553	⑧	E647	----	U000277D
1554	⑨	E648	----	U000277E
1555	⑩	E649	----	U000277F
1556	①	E64A	----	U0002780
1557	②	E64B	----	U0002781
1558	③	E64C	----	U0002782




## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 10 (Page 31 of 40). New Extended Non-Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
1559	④	E64D	----	U0002783
1560	⑤	E64E	----	U0002784
1561	⑥	E64F	----	U0002785
1562	⑦	E650	----	U0002786
1563	⑧	E651	----	U0002787
1564	⑨	E652	----	U0002788
1565	⑩	E653	----	U0002789
1566	❶	E654	----	U000278A
1567	❷	E655	----	U000278B
1568	❸	E656	----	U000278C
1569	❹	E657	----	U000278D
1570	❺	E658	----	U000278E
1571	❻	E659	----	U000278F
1572	❼	E65A	----	U0002790
1573	❽	E65B	----	U0002791
1574	❾	E65C	----	U0002792
1575	❿	E65D	----	U0002793
1576	➔	E65E	----	U0002794
1577	↘	E65F	----	U0002798
1578	➔	E660	----	U0002799
1579	↗	E661	----	U000279A
1580	➤	E662	----	U000279B
1581	➔	E663	----	U000279C
1582	➔	E664	----	U000279D
1583	➔	E665	----	U000279E
1584	➔	E666	----	U000279F

Table 10 (Page 31 of 40). New Extended Non-Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
1585	➔	E667	----	U00027A0
1586	➔	E668	----	U00027A1
1587	➤	E669	----	U00027A2
1588	➤	E66A	----	U00027A3
1589	➤	E66B	----	U00027A4
1590	➔	E66C	----	U00027A5
1591	➔	E66D	----	U00027A6
1592	➔	E66E	----	U00027A7
1593	➔	E66F	----	U00027A8
1594	➔	E670	----	U00027A9
1595	➔	E671	----	U00027AA
1596	➔	E672	----	U00027AB
1597	➔	E673	----	U00027AC
1598	➔	E674	----	U00027AD
1599	➔	E675	----	U00027AE
1600	➔	E676	----	U00027AF
1601	➔	E677	----	U00027B1
1602	➔	E678	----	U00027B2
1603	➔	E679	----	U00027B3
1604	➔	E67A	----	U00027B4
1605	➔	E67B	----	U00027B5
1606	➔	E67C	----	U00027B6
1607	➔	E67D	----	U00027B7
1608	➔	E67E	----	U00027B8
1609	➔	E67F	----	U00027B9
1610	➔	E680	----	U00027BA



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
1611	↔	E681	----	U00027BB
1612	➔	E682	----	U00027BC
1613	➔	E683	----	U00027BD
1614	⇒	E684	----	U00027BE
1615	Ⓜ	E6A5	----	U0003004
1616	[	E6A6	----	U0003016
1617	]	E6A7	----	U0003017
1618	[	E6A8	----	U0003018
1619	]	E6A9	----	U0003019
1620	[	E6AA	----	U000301A
1621	]	E6AB	----	U000301B
1622	“	E6AC	----	SP210082
1623	”	E6AD	----	SP220081
1624	„	E6AE	----	SP230081
1625	Ⓜ	E6AF	----	U0003020
1626	〜	E6B0	----	U0003030
1627	く	E6B1	----	U0003031
1628	ぐ	E6B2	----	U0003032
1629	く	E6B3	----	U0003033
1630	ぐ	E6B4	----	U0003034
1631	く	E6B5	----	U0003035
1632	Ⓜ	E6B6	----	U0003036
1633	ㄨ	E6B7	----	U0003037
1634	う	E6CF	----	U0003094
1635	ヴ	E6D8	----	U00030F7
1636	ヰ	E6D9	----	U00030F8

Line Number	Graphic	Host Code	PC Code	GCGID
1637	ヱ	E6DA	----	U00030F9
1638	ヰ	E6DB	----	U00030FA
1639	(一)	E6DE	----	U0003220
1640	(二)	E6DF	----	U0003221
1641	(三)	E6E0	----	U0003222
1642	(四)	E6E1	----	U0003223
1643	(五)	E6E2	----	U0003224
1644	(六)	E6E3	----	U0003225
1645	(七)	E6E4	----	U0003226
1646	(八)	E6E5	----	U0003227
1647	(九)	E6E6	----	U0003228
1648	(十)	E6E7	----	U0003229
1649	(月)	E6E8	----	U000322A
1650	(火)	E6E9	----	U000322B
1651	(水)	E6EA	----	U000322C
1652	(木)	E6EB	----	U000322D
1653	(金)	E6EC	----	U000322E
1654	(土)	E6ED	----	U000322F
1655	(日)	E6EE	----	U0003230
1656	(有)	E6EF	----	U0003232
1657	(社)	E6F0	----	U0003233
1658	(名)	E6F1	----	U0003234
1659	(特)	E6F2	----	U0003235
1660	(財)	E6F3	----	U0003236
1661	(祝)	E6F4	----	U0003237
1662	(労)	E6F5	----	U0003238



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
1663	(代)	E6F6	----	U0003239
1664	(呼)	E6F7	----	U000323A
1665	(学)	E6F8	----	U000323B
1666	(監)	E6F9	----	U000323C
1667	(企)	E6FA	----	U000323D
1668	(資)	E6FB	----	U000323E
1669	(協)	E6FC	----	U000323F
1670	(祭)	E6FD	----	U0003240
1671	(休)	E6FE	----	U0003241
1672	(自)	E741	----	U0003242
1673	(至)	E742	----	U0003243
1674	㊦	E743	----	U0003280
1675	㊧	E744	----	U0003281
1676	㊨	E745	----	U0003282
1677	㊩	E746	----	U0003283
1678	㊪	E747	----	U0003284
1679	㊫	E748	----	U0003285
1680	㊬	E749	----	U0003286
1681	㊭	E74A	----	U0003287
1682	㊮	E74B	----	U0003288
1683	㊯	E74C	----	U0003289
1684	㊰	E74D	----	U000328A
1685	㊱	E74E	----	U000328B
1686	㊲	E74F	----	U000328C
1687	㊳	E750	----	U000328D
1688	㊴	E751	----	U000328E

Line Number	Graphic	Host Code	PC Code	GCGID
1689	㊵	E752	----	U000328F
1690	㊶	E753	----	U0003290
1691	㊷	E754	----	U0003291
1692	㊸	E755	----	U0003292
1693	㊹	E756	----	U0003293
1694	㊺	E757	----	U0003294
1695	㊻	E758	----	U0003295
1696	㊼	E759	----	U0003296
1697	㊽	E75A	----	U0003297
1698	㊾	E75B	----	U0003298
1699	㊿	E75C	----	U0003299
1700	㊀	E75D	----	U000329A
1701	㊁	E75E	----	U000329B
1702	㊂	E75F	----	U000329C
1703	㊃	E760	----	U000329D
1704	㊄	E761	----	U000329E
1705	㊅	E762	----	U000329F
1706	㊆	E763	----	U00032A0
1707	㊇	E764	----	U00032A1
1708	㊈	E765	----	U00032A2
1709	㊉	E766	----	SS780080
1710	㊊	E767	----	U00032A4
1711	㊋	E768	----	U00032A5
1712	㊌	E769	----	U00032A6
1713	㊍	E76A	----	U00032A7
1714	㊎	E76B	----	U00032A8

IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

**Table 10 (Page 34 of 40).** New Extended Non-Kanji Set

Line Number	Graphic	Host Code	PC Code	GCGID
1715	医	E76C	----	U00032A9
1716	宗	E76D	----	U00032AA
1717	学	E76E	----	U00032AB
1718	監	E76F	----	U00032AC
1719	企	E770	----	U00032AD
1720	資	E771	----	U00032AE
1721	協	E772	----	U00032AF
1722	夜	E773	----	U00032B0
1723	1月	E774	----	U00032C0
1724	2月	E775	----	U00032C1
1725	3月	E776	----	U00032C2
1726	4月	E777	----	U00032C3
1727	5月	E778	----	U00032C4
1728	6月	E779	----	U00032C5
1729	7月	E77A	----	U00032C6
1730	8月	E77B	----	U00032C7
1731	9月	E77C	----	U00032C8
1732	10月	E77D	----	U00032C9
1733	11月	E77E	----	U00032CA
1734	12月	E77F	----	U00032CB
1735	ア	E780	----	U00032D0
1736	イ	E781	----	U00032D1
1737	ウ	E782	----	U00032D2
1738	エ	E783	----	U00032D3
1739	オ	E784	----	U00032D4
1740	カ	E785	----	U00032D5

**Table 10 (Page 34 of 40).** New Extended Non-Kanji Set

Line Number	Graphic	Host Code	PC Code	GCGID
1741	キ	E786	----	U00032D6
1742	ク	E787	----	U00032D7
1743	コ	E788	----	U00032D8
1744	ケ	E789	----	U00032D9
1745	コ	E78A	----	U00032DA
1746	セ	E78B	----	U00032DB
1747	ソ	E78C	----	U00032DC
1748	シ	E78D	----	U00032DD
1749	ス	E78E	----	U00032DE
1750	タ	E78F	----	U00032DF
1751	チ	E790	----	U00032E0
1752	ツ	E791	----	U00032E1
1753	テ	E792	----	U00032E2
1754	ト	E793	----	U00032E3
1755	ト	E794	----	U00032E4
1756	ニ	E795	----	U00032E5
1757	ハ	E796	----	U00032E6
1758	ヒ	E797	----	U00032E7
1759	フ	E798	----	U00032E8
1760	ヘ	E799	----	U00032E9
1761	ベ	E79A	----	U00032EA
1762	フ	E79B	----	U00032EB
1763	ン	E79C	----	U00032EC
1764	ホ	E79D	----	U00032ED
1765	マ	E79E	----	U00032EE
1766	メ	E79F	----	U00032EF




## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 10 (Page 35 of 40). New Extended Non-Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
1767	㊦	E7A0	----	U00032F0
1768	㊧	E7A1	----	U00032F1
1769	㊨	E7A2	----	U00032F2
1770	㊩	E7A3	----	U00032F3
1771	㊪	E7A4	----	U00032F4
1772	㊫	E7A5	----	U00032F5
1773	㊬	E7A6	----	U00032F6
1774	㊭	E7A7	----	U00032F7
1775	㊮	E7A8	----	U00032F8
1776	㊯	E7A9	----	U00032F9
1777	㊰	E7AA	----	U00032FA
1778	㊱	E7AB	----	U00032FB
1779	㊲	E7AC	----	U00032FC
1780	㊳	E7AD	----	U00032FD
1781	㊴	E7AE	----	U00032FE
1782	𑄀	E861	----	U0003300
1783	𑄁	E862	----	U0003301
1784	𑄂	E863	----	U0003302
1785	𑄃	E864	----	U0003303
1786	𑄄	E865	----	U0003304
1787	𑄅	E866	----	U0003305
1788	𑄆	E867	----	U0003306
1789	𑄇	E868	----	U0003307
1790	𑄈	E869	----	U0003308
1791	𑄉	E86A	----	U0003309
1792	𑄊	E86B	----	U000330A

Table 10 (Page 35 of 40). New Extended Non-Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
1793	𑄋	E86C	----	U000330B
1794	𑄌	E86D	----	U000330C
1795	𑄍	E86E	----	U000330D
1796	𑄎	E86F	----	U000330E
1797	𑄏	E870	----	U000330F
1798	𑄐	E871	----	U0003310
1799	𑄑	E872	----	U0003311
1800	𑄒	E873	----	U0003312
1801	𑄓	E874	----	U0003313
1802	𑄔	E875	----	U0003314
1803	𑄕	E876	----	U0003315
1804	𑄖	E877	----	U0003316
1805	𑄗	E878	----	U0003317
1806	𑄘	E879	----	U0003318
1807	𑄙	E87A	----	U0003319
1808	𑄚	E87B	----	U000331A
1809	𑄛	E87C	----	U000331B
1810	𑄜	E87D	----	U000331C
1811	𑄝	E87E	----	U000331D
1812	𑄞	E87F	----	U000331E
1813	𑄟	E880	----	U000331F
1814	𑄠	E881	----	U0003320
1815	𑄡	E882	----	U0003321
1816	𑄢	E883	----	U0003322
1817	𑄣	E884	----	U0003323
1818	𑄤	E885	----	U0003324





## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
1819	シテ	E886	----	U0003325
1820	ルド	E887	----	U0003326
1821	ント	E888	----	U0003327
1822	ナ	E889	----	U0003328
1823	ト	E88A	----	U0003329
1824	ツ	E88B	----	U000332A
1825	キ	E88C	----	U000332B
1826	ツ	E88D	----	U000332C
1827	ル	E88E	----	U000332D
1828	ル	E88F	----	U000332E
1829	ル	E890	----	U000332F
1830	ユ	E891	----	U0003330
1831	ル	E892	----	U0003331
1832	ル	E893	----	U0003332
1833	ト	E894	----	U0003333
1834	ル	E895	----	U0003334
1835	ン	E896	----	U0003335
1836	ル	E897	----	U0003336
1837	ッ	E898	----	U0003337
1838	ヒ	E899	----	U0003338
1839	ツ	E89A	----	U0003339
1840	ス	E89B	----	U000333A
1841	ジ	E89C	----	U000333B
1842	ク	E89D	----	U000333C
1843	シ	E89E	----	U000333D
1844	ト	E89F	----	U000333E

Line Number	Graphic	Host Code	PC Code	GCGID
1845	ン	E8A0	----	U000333F
1846	ト	E8A1	----	U0003340
1847	ル	E8A2	----	U0003341
1848	ン	E8A3	----	U0003342
1849	召	E8A4	----	U0003343
1850	ル	E8A5	----	U0003344
1851	ハ	E8A6	----	U0003345
1852	ク	E8A7	----	U0003346
1853	ル	E8A8	----	U0003347
1854	ル	E8A9	----	U0003348
1855	リ	E8AA	----	U0003349
1856	ル	E8AB	----	U000334A
1857	ガ	E8AC	----	U000334B
1858	ル	E8AD	----	U000334C
1859	ル	E8AE	----	U000334D
1860	ル	E8AF	----	U000334E
1861	ル	E8B0	----	U000334F
1862	ン	E8B1	----	U0003350
1863	ル	E8B2	----	U0003351
1864	ラ	E8B3	----	U0003352
1865	ル	E8B4	----	U0003353
1866	ル	E8B5	----	U0003354
1867	ム	E8B6	----	U0003355
1868	ル	E8B7	----	U0003356
1869	ト	E8B8	----	U0003357
1870	0点	E8B9	----	U0003358



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 10 (Page 37 of 40). New Extended Non-Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
1871	1点	E8BA	----	U0003359
1872	2点	E8BB	----	U000335A
1873	3点	E8BC	----	U000335B
1874	4点	E8BD	----	U000335C
1875	5点	E8BE	----	U000335D
1876	6点	E8BF	----	U000335E
1877	7点	E8C0	----	U000335F
1878	8点	E8C1	----	U0003360
1879	9点	E8C2	----	U0003361
1880	10点	E8C3	----	U0003362
1881	11点	E8C4	----	U0003363
1882	12点	E8C5	----	U0003364
1883	13点	E8C6	----	U0003365
1884	14点	E8C7	----	U0003366
1885	15点	E8C8	----	U0003367
1886	16点	E8C9	----	U0003368
1887	17点	E8CA	----	U0003369
1888	18点	E8CB	----	U000336A
1889	19点	E8CC	----	U000336B
1890	20点	E8CD	----	U000336C
1891	21点	E8CE	----	U000336D
1892	22点	E8CF	----	U000336E
1893	23点	E8D0	----	U000336F
1894	24点	E8D1	----	U0003370
1895	hPa	E8D2	----	U0003371
1896	da	E8D3	----	U0003372

Table 10 (Page 37 of 40). New Extended Non-Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
1897	AU	E8D4	----	U0003373
1898	bar	E8D5	----	U0003374
1899	oV	E8D6	----	U0003375
1900	pC	E8D7	----	U0003376
1901	平成	E8D8	----	U000337B
1902	昭和	E8D9	----	U000337C
1903	大正	E8DA	----	U000337D
1904	明治	E8DB	----	U000337E
1905	癸丑	E8DC	----	U000337F
1906	pA	E8DD	----	U0003380
1907	nA	E8DE	----	U0003381
1908	μA	E8DF	----	U0003382
1909	mA	E8E0	----	U0003383
1910	kA	E8E1	----	U0003384
1911	KB	E8E2	----	U0003385
1912	MB	E8E3	----	U0003386
1913	GB	E8E4	----	U0003387
1914	cal	E8E5	----	U0003388
1915	kcal	E8E6	----	U0003389
1916	pF	E8E7	----	U000338A
1917	nF	E8E8	----	U000338B
1918	μF	E8E9	----	U000338C
1919	μg	E8EA	----	U000338D
1920	mg	E8EB	----	SS850080
1921	kg	E8EC	----	SS860080
1922	Hz	E8ED	----	U0003390




## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
1923	$\text{kHz}$	E8EE	----	U0003391
1924	$\text{MHz}$	E8EF	----	U0003392
1925	$\text{GHz}$	E8F0	----	U0003393
1926	$\text{THz}$	E8F1	----	U0003394
1927	$\mu\ell$	E8F2	----	U0003395
1928	$\text{m}\ell$	E8F3	----	U0003396
1929	$\text{d}\ell$	E8F4	----	U0003397
1930	$\text{k}\ell$	E8F5	----	U0003398
1931	$\text{fm}$	E8F6	----	U0003399
1932	$\text{nm}$	E8F7	----	U000339A
1933	$\mu\text{m}$	E8F8	----	U000339B
1934	$\text{mm}$	E8F9	----	SS810080
1935	$\text{cm}$	E8FA	----	SS820080
1936	$\text{km}$	E8FB	----	SS830080
1937	$\text{mm}^2$	E8FC	----	U000339F
1938	$\text{cm}^2$	E8FD	----	U00033A0
1939	$\text{m}^2$	E8FE	----	SS840080
1940	$\text{km}^2$	E941	----	U00033A2
1941	$\text{mm}^3$	E942	----	U00033A3
1942	$\text{cm}^3$	E943	----	U00033A4
1943	$\text{m}^3$	E944	----	U00033A5
1944	$\text{km}^3$	E945	----	U00033A6
1945	$\text{m}/\text{s}$	E946	----	U00033A7
1946	$\text{m}/\text{s}$	E947	----	U00033A8
1947	$\text{Pa}$	E948	----	U00033A9
1948	$\text{kPa}$	E949	----	U00033AA

Line Number	Graphic	Host Code	PC Code	GCGID
1949	$\text{MPa}$	E94A	----	U00033AB
1950	$\text{GPa}$	E94B	----	U00033AC
1951	$\text{rad}$	E94C	----	U00033AD
1952	$\text{rad}/\text{s}$	E94D	----	U00033AE
1953	$\text{rad}/\text{s}$	E94E	----	U00033AF
1954	$\text{ps}$	E94F	----	U00033B0
1955	$\text{ns}$	E950	----	U00033B1
1956	$\mu\text{s}$	E951	----	U00033B2
1957	$\text{ms}$	E952	----	U00033B3
1958	$\text{pV}$	E953	----	U00033B4
1959	$\text{nV}$	E954	----	U00033B5
1960	$\mu\text{V}$	E955	----	U00033B6
1961	$\text{mV}$	E956	----	U00033B7
1962	$\text{kV}$	E957	----	U00033B8
1963	$\text{MV}$	E958	----	U00033B9
1964	$\text{pW}$	E959	----	U00033BA
1965	$\text{nW}$	E95A	----	U00033BB
1966	$\mu\text{W}$	E95B	----	U00033BC
1967	$\text{mW}$	E95C	----	U00033BD
1968	$\text{kW}$	E95D	----	SS790080
1969	$\text{MW}$	E95E	----	U00033BF
1970	$\text{k}\Omega$	E95F	----	U00033C0
1971	$\text{M}\Omega$	E960	----	U00033C1
1972	$\text{a.m.}$	E961	----	U00033C2
1973	$\text{Bq}$	E962	----	U00033C3
1974	$\text{CC}$	E963	----	SS870080




## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 10 (Page 39 of 40). New Extended Non-Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
1975	cd	E964	----	U00033C5
1976	ckg	E965	----	U00033C6
1977	Co.	E966	----	U00033C7
1978	dB	E967	----	U00033C8
1979	Gy	E968	----	U00033C9
1980	ha	E969	----	U00033CA
1981	HP	E96A	----	U00033CB
1982	in	E96B	----	U00033CC
1983	KK	E96C	----	U00033CD
1984	KM	E96D	----	SS830081
1985	kt	E96E	----	U00033CF
1986	lm	E96F	----	U00033D0
1987	ln	E970	----	SS890080
1988	log	E971	----	SS880080
1989	lx	E972	----	U00033D3
1990	mb	E973	----	U00033D4
1991	mil	E974	----	SS800080
1992	mol	E975	----	U00033D6
1993	pH	E976	----	U00033D7
1994	pm.	E977	----	U00033D8
1995	PPM	E978	----	U00033D9
1996	PR	E979	----	U00033DA
1997	sr	E97A	----	U00033DB
1998	Sv	E97B	----	U00033DC
1999	Wb	E97C	----	U00033DD
2000	1H	E97D	----	U00033E0

Table 10 (Page 39 of 40). New Extended Non-Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
2001	2H	E97E	----	U00033E1
2002	3H	E97F	----	U00033E2
2003	4H	E980	----	U00033E3
2004	5H	E981	----	U00033E4
2005	6H	E982	----	U00033E5
2006	7H	E983	----	U00033E6
2007	8H	E984	----	U00033E7
2008	9H	E985	----	U00033E8
2009	10H	E986	----	U00033E9
2010	11H	E987	----	U00033EA
2011	12H	E988	----	U00033EB
2012	13H	E989	----	U00033EC
2013	14H	E98A	----	U00033ED
2014	15H	E98B	----	U00033EE
2015	16H	E98C	----	U00033EF
2016	17H	E98D	----	U00033F0
2017	18H	E98E	----	U00033F1
2018	19H	E98F	----	U00033F2
2019	20H	E990	----	U00033F3
2020	21H	E991	----	U00033F4
2021	22H	E992	----	U00033F5
2022	23H	E993	----	U00033F6
2023	24H	E994	----	U00033F7
2024	25H	E995	----	U00033F8
2025	26H	E996	----	U00033F9
2026	27H	E997	----	U00033FA



IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 10 (Page 40 of 40). New Extended Non-Kanji Set

Line Number	Graphic	Host Code	PC Code	GCGID
2027	28H	E998	----	U00033FB
2028	29H	E999	----	U00033FC
2029	30H	E99A	----	U00033FD
2030	31H	E99B	----	U00033FE
2031	fi	E9A3	----	LF530080
2032	fl	E9A4	----	LF550080
2033	—	E9F3	----	U000FF0D
2034	~	E9F4	----	U000FF5E
2035		E9F5	----	U000FFE4



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

## 8.6 New Extended Kanji Set

Line Number	Graphic	Host Code	PC Code	GCGID
1	𠄎	B841	----	IHS10080
2	𠄏	B842	----	IHS20080
3	𠄐	B843	----	IHS30080
4	𠄑	B844	----	IHS40080
5	𠄒	B845	----	IHS50080
6	𠄓	B846	----	IHS60080
7	𠄔	B847	----	IHS70080
8	𠄕	B848	----	IHS80080
9	𠄖	B849	----	IHS90080
10	𠄗	B84A	----	IHSA0080
11	𠄘	B84B	----	IHSB0080
12	𠄙	B84C	----	IHSC0080
13	𠄚	B84D	----	IHSD0080
14	𠄛	B84E	----	IHSE0080
15	𠄜	B84F	----	IHSF0080
16	𠄝	B850	----	IHSG0080
17	𠄞	B851	----	IHSH0080
18	𠄟	B852	----	IHSI0080
19	𠄠	B853	----	IHSJ0080
20	𠄡	B854	----	IHSK0080
21	𠄢	B855	----	IHSL0080
22	𠄣	B856	----	IHSM0080
23	𠄤	B857	----	IHSN0080
24	𠄥	B858	----	IHSO0080
25	𠄦	B859	----	IHSP0080

Line Number	Graphic	Host Code	PC Code	GCGID
26	𠄧	B85A	----	IHSQ0080
27	𠄨	B85B	----	IHSR0080
28	𠄩	B85C	----	IHSS0080
29	𠄪	B85D	----	IHST0080
30	𠄫	B85E	----	IHSU0080
31	𠄬	B85F	----	IHSV0080
32	𠄭	B860	----	IHSW0080
33	𠄮	B861	----	IHSX0080
34	𠄯	B862	----	IHSY0080
35	𠄰	B863	----	IHSZ0080
36	𠄱	B864	----	IHT00080
37	𠄲	B865	----	IHT10080
38	𠄳	B866	----	IHT20080
39	𠄴	B867	----	IHT30080
40	𠄵	B868	----	IHT40080
41	𠄶	B869	----	IHT50080
42	𠄷	B86A	----	IHT60080
43	𠄸	B86B	----	IHT70080
44	𠄹	B86C	----	IHT80080
45	𠄺	B86D	----	IHT90080
46	𠄻	B86E	----	IHTA0080
47	𠄼	B86F	----	IHTB0080
48	𠄽	B870	----	IHTC0080
49	𠄾	B871	----	IHTD0080
50	𠄿	B872	----	IHTE0080
51	𠅀	B873	----	IHTF0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 11 (Page 2 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
52	斫	B874	----	IHTG0080
53	佚	B875	----	IHTH0080
54	佞	B876	----	IHTI0080
55	众	B877	----	IHTJ0080
56	伙	B878	----	IHTK0080
57	倝	B879	----	IHTL0080
58	徐	B87A	----	IHTM0080
59	佺	B87B	----	IHTN0080
60	佃	B87C	----	IHTO0080
61	佃	B87D	----	IHTP0080
62	倅	B87E	----	IHTQ0080
63	佻	B87F	----	IHTR0080
64	侶	B880	----	IHTS0080
65	征	B881	----	IHTT0080
66	佈	B882	----	IHTU0080
67	佻	B883	----	IHTV0080
68	侶	B884	----	IHTW0080
69	佻	B885	----	IHTX0080
70	俠	B886	----	IHTY0080
71	佔	B887	----	IHTZ0080
72	佘	B888	----	IHU00080
73	佟	B889	----	IHU10080
74	你	B88A	----	IHU20080
75	佣	B88B	----	IHU30080
76	佃	B88C	----	IHU40080
77	佬	B88D	----	IHU50080

Table 11 (Page 2 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
78	佻	B88E	----	IHU60080
79	佻	B88F	----	IHU70080
80	佻	B890	----	IHU80080
81	佻	B891	----	IHU90080
82	佻	B892	----	IHUA0080
83	佻	B893	----	IHUB0080
84	佻	B894	----	IHUC0080
85	佻	B895	----	IHUD0080
86	佻	B896	----	IHUE0080
87	佻	B897	----	IHUF0080
88	佻	B898	----	IHUG0080
89	佻	B899	----	IHUH0080
90	佻	B89A	----	IHUI0080
91	佻	B89B	----	IHUJ0080
92	佻	B89C	----	IHUK0080
93	佻	B89D	----	IHUL0080
94	佻	B89E	----	IHUM0080
95	佻	B89F	----	IHUN0080
96	佻	B8A0	----	IHUO0080
97	佻	B8A1	----	IHUP0080
98	佻	B8A2	----	IHUQ0080
99	佻	B8A3	----	IHUR0080
100	佻	B8A4	----	IHUS0080
101	佻	B8A5	----	IHUT0080
102	佻	B8A6	----	IHUU0080
103	佻	B8A7	----	IHUV0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 11 (Page 3 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
104	俣	B8A8	----	IHUW0080
105	倅	B8A9	----	IHUX0080
106	倭	B8AA	----	IHUY0080
107	俣	B8AB	----	IHUZ0080
108	倅	B8AC	----	IHV00080
109	徐	B8AD	----	IHV10080
110	倅	B8AE	----	IHV20080
111	倅	B8AF	----	IHV30080
112	倅	B8B0	----	IHV40080
113	倅	B8B1	----	IHV50080
114	倅	B8B2	----	IHV60080
115	倅	B8B3	----	IHV70080
116	倅	B8B4	----	IHV80080
117	倅	B8B5	----	IHV90080
118	倅	B8B6	----	IHVA0080
119	倅	B8B7	----	IHVB0080
120	倅	B8B8	----	IHVC0080
121	倅	B8B9	----	IHVD0080
122	倅	B8BA	----	IHVE0080
123	倅	B8BB	----	IHVF0080
124	倅	B8BC	----	IHVG0080
125	倅	B8BD	----	IHVH0080
126	倅	B8BE	----	IHVI0080
127	倅	B8BF	----	IHVJ0080
128	倅	B8C0	----	IHVK0080
129	倅	B8C1	----	IHVL0080

Table 11 (Page 3 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
130	倅	B8C2	----	IHVM0080
131	倅	B8C3	----	IHVN0080
132	倅	B8C4	----	IHVO0080
133	倅	B8C5	----	IHVP0080
134	倅	B8C6	----	IHVQ0080
135	倅	B8C7	----	IHVR0080
136	倅	B8C8	----	IHVS0080
137	倅	B8C9	----	IHVT0080
138	倅	B8CA	----	IHVU0080
139	倅	B8CB	----	IHVV0080
140	倅	B8CC	----	IHVW0080
141	倅	B8CD	----	IHVX0080
142	倅	B8CE	----	IHVV0080
143	倅	B8CF	----	IHVZ0080
144	倅	B8D0	----	IHW00080
145	倅	B8D1	----	IHW10080
146	倅	B8D2	----	IHW20080
147	倅	B8D3	----	IHW30080
148	倅	B8D4	----	IHW40080
149	倅	B8D5	----	IHW50080
150	倅	B8D6	----	IHW60080
151	倅	B8D7	----	IHW70080
152	倅	B8D8	----	IHW80080
153	倅	B8D9	----	IHW90080
154	倅	B8DA	----	IHWA0080
155	倅	B8DB	----	IHWB0080





## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 11 (Page 4 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
156	倍	B8DC	----	IHWC0080
157	僂	B8DD	----	IHWD0080
158	倭	B8DE	----	IHWE0080
159	倂	B8DF	----	IHWF0080
160	倃	B8E0	----	IHWG0080
161	倄	B8E1	----	IHWH0080
162	倅	B8E2	----	IHWI0080
163	倆	B8E3	----	IHWJ0080
164	倇	B8E4	----	IHWK0080
165	倈	B8E5	----	IHWL0080
166	倉	B8E6	----	IHWM0080
167	倊	B8E7	----	IHWN0080
168	個	B8E8	----	IHWO0080
169	倌	B8E9	----	IHWP0080
170	倍	B8EA	----	IHWQ0080
171	倎	B8EB	----	IHWR0080
172	倏	B8EC	----	IHWS0080
173	候	B8ED	----	IHWT0080
174	倚	B8EE	----	IHWU0080
175	倍	B8EF	----	IHWV0080
176	倎	B8F0	----	IHWW0080
177	倏	B8F1	----	IHWX0080
178	們	B8F2	----	IHWY0080
179	倒	B8F3	----	IHWZ0080
180	倓	B8F4	----	IHX00080
181	倔	B8F5	----	IHX10080

Table 11 (Page 4 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
182	倕	B8F6	----	IHX20080
183	倔	B8F7	----	IHX30080
184	倖	B8F8	----	IHX40080
185	倗	B8F9	----	IHX50080
186	倘	B8FA	----	IHX60080
187	候	B8FB	----	IHX70080
188	倚	B8FC	----	IHX80080
189	倍	B8FD	----	IHX90080
190	倎	B8FE	----	IHXA0080
191	倏	B941	----	IHXD0080
192	們	B942	----	IHXE0080
193	倒	B943	----	IHXF0080
194	倓	B944	----	IHXG0080
195	倔	B945	----	IHXH0080
196	倖	B946	----	IHXI0080
197	倗	B947	----	IHXJ0080
198	倘	B948	----	IHXK0080
199	候	B949	----	IHXL0080
200	倚	B94A	----	IHXM0080
201	倍	B94B	----	IHXN0080
202	倎	B94C	----	IHXO0080
203	倏	B94D	----	IHXP0080
204	們	B94E	----	IHXQ0080
205	倒	B94F	----	IHXR0080
206	倓	B950	----	IHXS0080
207	倔	B951	----	IHXT0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 11 (Page 5 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
208	優	B952	----	IHXU0080
209	値	B953	----	IHXV0080
210	敬	B954	----	IHXW0080
211	儂	B955	----	IHXX0080
212	儉	B956	----	IHXY0080
213	儻	B957	----	IHXZ0080
214	傲	B958	----	IHY00080
215	儻	B959	----	IHY10080
216	儻	B95A	----	IHY20080
217	儻	B95B	----	IHY30080
218	儻	B95C	----	IHY40080
219	儻	B95D	----	IHY50080
220	儻	B95E	----	IHY60080
221	儻	B95F	----	IHY70080
222	儻	B960	----	IHY80080
223	儻	B961	----	IHY90080
224	儻	B962	----	IHYA0080
225	儻	B963	----	IHYB0080
226	儻	B964	----	IHYC0080
227	儻	B965	----	IHYD0080
228	儻	B966	----	IHYE0080
229	儻	B967	----	IHYF0080
230	儻	B968	----	IHYG0080
231	儻	B969	----	IHYH0080
232	儻	B96A	----	IHYI0080
233	儻	B96B	----	IHYJ0080

Table 11 (Page 5 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
234	儻	B96C	----	IHYK0080
235	儻	B96D	----	IHYL0080
236	儻	B96E	----	IHYM0080
237	儻	B96F	----	IHYN0080
238	儻	B970	----	IHYO0080
239	儻	B971	----	IHYQ0080
240	儻	B972	----	IHYR0080
241	儻	B973	----	IHYR0080
242	儻	B974	----	IHYS0080
243	儻	B975	----	IHYT0080
244	儻	B976	----	IHYU0080
245	儻	B977	----	IHYV0080
246	儻	B978	----	IHYW0080
247	儻	B979	----	IHYX0080
248	儻	B97A	----	IHYX0080
249	儻	B97B	----	IHYZ0080
250	儻	B97C	----	IHZ00080
251	儻	B97D	----	IHZ10080
252	儻	B97E	----	IHZ20080
253	儻	B97F	----	IHZ30080
254	儻	B980	----	IHZ40080
255	儻	B981	----	IHZ50080
256	儻	B982	----	IHZ60080
257	儻	B983	----	IHZ70080
258	儻	B984	----	IHZ80080
259	儻	B985	----	IHZ90080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 11 (Page 6 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
260	湊	B986	----	IHZA0080
261	滢	B987	----	IHZB0080
262	溧	B988	----	IHZC0080
263	溟	B989	----	IHZD0080
264	澌	B98A	----	IHZE0080
265	灑	B98B	----	IHZF0080
266	凵	B98C	----	IHZG0080
267	尻	B98D	----	IHZH0080
268	風	B98E	----	IHZI0080
269	颯	B98F	----	IHZJ0080
270	凳	B990	----	IHZK0080
271	憑	B991	----	IHZL0080
272	出	B992	----	IHZM0080
273	刁	B993	----	IHZN0080
274	凵	B994	----	IHZO0080
275	办	B995	----	IHZP0080
276	划	B996	----	IHZQ0080
277	刂	B997	----	IHZR0080
278	刖	B998	----	IHZS0080
279	刘	B999	----	IHZT0080
280	刳	B99A	----	IHZU0080
281	刨	B99B	----	IHZV0080
282	劫	B99C	----	IHZW0080
283	刳	B99D	----	IHZX0080
284	刳	B99E	----	IHZY0080
285	劫	B99F	----	IHZZ0080

Table 11 (Page 6 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
286	刳	B9A0	----	I1000080
287	剡	B9A1	----	I1010080
288	荆	B9A2	----	I1020080
289	剡	B9A3	----	I1030080
290	期	B9A4	----	I1040080
291	剡	B9A5	----	I1050080
292	剡	B9A6	----	I1060080
293	剡	B9A7	----	I1070080
294	剡	B9A8	----	I1080080
295	剡	B9A9	----	I1090080
296	剡	B9AA	----	I10A0080
297	剡	B9AB	----	I10B0080
298	剡	B9AC	----	I10C0080
299	剡	B9AD	----	I10D0080
300	剡	B9AE	----	I10E0080
301	剡	B9AF	----	I10F0080
302	剡	B9B0	----	I10G0080
303	剡	B9B1	----	I10H0080
304	剡	B9B2	----	I10I0080
305	剡	B9B3	----	I10J0080
306	剡	B9B4	----	I10K0080
307	剡	B9B5	----	I10L0080
308	剡	B9B6	----	I10M0080
309	剡	B9B7	----	I10N0080
310	剡	B9B8	----	I10O0080
311	剡	B9B9	----	I10P0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 11 (Page 7 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
312	𠂔	B9BA	----	II0Q0080
313	𠂕	B9BB	----	II0R0080
314	𠂖	B9BC	----	II0S0080
315	𠂗	B9BD	----	II0T0080
316	𠂘	B9BE	----	II0U0080
317	𠂙	B9BF	----	II0V0080
318	𠂚	B9C0	----	II0W0080
319	𠂛	B9C1	----	II0X0080
320	𠂜	B9C2	----	II0Y0080
321	𠂝	B9C3	----	II0Z0080
322	𠂞	B9C4	----	II100080
323	𠂟	B9C5	----	II110080
324	𠂠	B9C6	----	II120080
325	𠂡	B9C7	----	II130080
326	𠂢	B9C8	----	II140080
327	𠂣	B9C9	----	II150080
328	𠂤	B9CA	----	II160080
329	𠂥	B9CB	----	II170080
330	𠂦	B9CC	----	II180080
331	𠂧	B9CD	----	II190080
332	𠂨	B9CE	----	II1A0080
333	𠂩	B9CF	----	II1B0080
334	𠂪	B9D0	----	II1C0080
335	𠂫	B9D1	----	II1D0080
336	𠂬	B9D2	----	II1E0080
337	𠂭	B9D3	----	II1F0080

Table 11 (Page 7 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
338	𠂮	B9D4	----	II1G0080
339	𠂯	B9D5	----	II1H0080
340	𠂰	B9D6	----	II1I0080
341	𠂱	B9D7	----	II1J0080
342	𠂲	B9D8	----	II1K0080
343	𠂳	B9D9	----	II1L0080
344	𠂴	B9DA	----	II1M0080
345	𠂵	B9DB	----	II1N0080
346	𠂶	B9DC	----	II1O0080
347	𠂷	B9DD	----	II1P0080
348	𠂸	B9DE	----	II1Q0080
349	𠂹	B9DF	----	II1R0080
350	𠂺	B9E0	----	II1S0080
351	𠂻	B9E1	----	II1T0080
352	𠂼	B9E2	----	II1U0080
353	𠂽	B9E3	----	II1V0080
354	𠂾	B9E4	----	II1W0080
355	𠂿	B9E5	----	II1X0080
356	𠃀	B9E6	----	II1Y0080
357	𠃁	B9E7	----	II1Z0080
358	𠃂	B9E8	----	II200080
359	𠃃	B9E9	----	II210080
360	𠃄	B9EA	----	II220080
361	𠃅	B9EB	----	II230080
362	𠃆	B9EC	----	II240080
363	𠃇	B9ED	----	II250080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 11 (Page 8 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
364	厦	B9EE	----	I1260080
365	匾	B9EF	----	I1270080
366	卂	B9F0	----	I1280080
367	卂	B9F1	----	I1290080
368	卂	B9F2	----	I12A0080
369	卂	B9F3	----	I12B0080
370	卂	B9F4	----	I12C0080
371	卂	B9F5	----	I12D0080
372	卂	B9F6	----	I12E0080
373	卂	B9F7	----	I12F0080
374	卂	B9F8	----	I12G0080
375	卂	B9F9	----	I12H0080
376	卂	B9FA	----	I12I0080
377	卂	B9FB	----	I12J0080
378	卂	B9FC	----	I12K0080
379	卂	B9FD	----	I12L0080
380	卂	B9FE	----	I12M0080
381	底	BA41	----	I12P0080
382	屋	BA42	----	I12Q0080
383	厠	BA43	----	I12R0080
384	厠	BA44	----	I12S0080
385	厠	BA45	----	I12T0080
386	厠	BA46	----	I12U0080
387	厠	BA47	----	I12V0080
388	厠	BA48	----	I12W0080
389	厠	BA49	----	I12X0080

Table 11 (Page 8 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
390	厠	BA4A	----	I12Y0080
391	厠	BA4B	----	I12Z0080
392	厠	BA4C	----	I1300080
393	厠	BA4D	----	I1310080
394	厠	BA4E	----	I1320080
395	厠	BA4F	----	I1330080
396	厠	BA50	----	I1340080
397	厠	BA51	----	I1350080
398	厠	BA52	----	I1360080
399	厠	BA53	----	I1370080
400	厠	BA54	----	I1380080
401	厠	BA55	----	I1390080
402	厠	BA56	----	I13A0080
403	厠	BA57	----	I13B0080
404	厠	BA58	----	I13C0080
405	厠	BA59	----	I13D0080
406	厠	BA5A	----	I13E0080
407	厠	BA5B	----	I13F0080
408	厠	BA5C	----	I13G0080
409	厠	BA5D	----	I13H0080
410	厠	BA5E	----	I13I0080
411	厠	BA5F	----	I13J0080
412	厠	BA60	----	I13K0080
413	厠	BA61	----	I13L0080
414	厠	BA62	----	I13M0080
415	厠	BA63	----	I13N0080




## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 11 (Page 9 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
416	岐	BA64	----	I13O0080
417	昊	BA65	----	I13P0080
418	吵	BA66	----	I13Q0080
419	哏	BA67	----	I13R0080
420	聿	BA68	----	I13S0080
421	杏	BA69	----	I13T0080
422	呶	BA6A	----	I13U0080
423	哏	BA6B	----	I13V0080
424	伺	BA6C	----	I13W0080
425	呢	BA6D	----	I13X0080
426	哈	BA6E	----	I13Y0080
427	呦	BA6F	----	I13Z0080
428	哏	BA70	----	I1400080
429	哏	BA71	----	I1410080
430	咕	BA72	----	I1420080
431	哏	BA73	----	I1430080
432	哏	BA74	----	I1440080
433	响	BA75	----	I1450080
434	哏	BA76	----	I1460080
435	哏	BA77	----	I1470080
436	哏	BA78	----	I1480080
437	音	BA79	----	I1490080
438	哏	BA7A	----	I14A0080
439	映	BA7B	----	I14B0080
440	哈	BA7C	----	I14C0080
441	哏	BA7D	----	I14D0080

Table 11 (Page 9 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
442	咕	BA7E	----	I14E0080
443	咖	BA7F	----	I14F0080
444	哏	BA80	----	I14G0080
445	哏	BA81	----	I14H0080
446	哏	BA82	----	I14I0080
447	咧	BA83	----	I14J0080
448	咪	BA84	----	I14K0080
449	咕	BA85	----	I14L0080
450	哏	BA86	----	I14M0080
451	咱	BA87	----	I14N0080
452	哏	BA88	----	I14O0080
453	哏	BA89	----	I14P0080
454	哏	BA8A	----	I14Q0080
455	哏	BA8B	----	I14R0080
456	哏	BA8C	----	I14S0080
457	哏	BA8D	----	I14T0080
458	哏	BA8E	----	I14U0080
459	响	BA8F	----	I14V0080
460	哏	BA90	----	I14W0080
461	哏	BA91	----	I14X0080
462	哪	BA92	----	I14Y0080
463	响	BA93	----	I14Z0080
464	哏	BA94	----	I1500080
465	哏	BA95	----	I1510080
466	哏	BA96	----	I1520080
467	哏	BA97	----	I1530080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 11 (Page 10 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
468	嘖	BA98	----	I1540080
469	唁	BA99	----	I1550080
470	唵	BA9A	----	I1560080
471	呷	BA9B	----	I1570080
472	唉	BA9C	----	I1580080
473	唢	BA9D	----	I1590080
474	皖	BA9E	----	I15A0080
475	唢	BA9F	----	I15B0080
476	啁	BAA0	----	I15C0080
477	嗒	BAA1	----	I15D0080
478	唢	BAA2	----	I15E0080
479	唢	BAA3	----	I15F0080
480	唢	BAA4	----	I15G0080
481	啁	BAA5	----	I15H0080
482	唢	BAA6	----	I15I0080
483	唢	BAA7	----	I15J0080
484	唢	BAA8	----	I15K0080
485	唢	BAA9	----	I15L0080
486	啁	BAAA	----	I15M0080
487	唢	BAAB	----	I15N0080
488	啊	BAAC	----	I15O0080
489	啁	BAAD	----	I15P0080
490	啁	BAAE	----	I15Q0080
491	唢	BAAF	----	I15R0080
492	皖	BAB0	----	I15S0080
493	唢	BAB1	----	I15T0080

Table 11 (Page 10 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
494	唢	BAB2	----	I15U0080
495	唢	BAB3	----	I15V0080
496	啁	BAB4	----	I15W0080
497	啡	BAB5	----	I15X0080
498	啤	BAB6	----	I15Y0080
499	啦	BAB7	----	I15Z0080
500	嗒	BAB8	----	I1600080
501	啁	BAB9	----	I1610080
502	喂	BABA	----	I1620080
503	嗜	BABB	----	I1630080
504	啁	BABC	----	I1640080
505	啁	BABD	----	I1650080
506	啁	BABE	----	I1660080
507	嗜	BABF	----	I1670080
508	喂	BAC0	----	I1680080
509	喔	BAC1	----	I1690080
510	啁	BAC2	----	I16A0080
511	啁	BAC3	----	I16B0080
512	啁	BAC4	----	I16C0080
513	啁	BAC5	----	I16D0080
514	啁	BAC6	----	I16E0080
515	桌	BAC7	----	I16F0080
516	啁	BAC8	----	I16G0080
517	啁	BAC9	----	I16H0080
518	啁	BACA	----	I16I0080
519	啁	BACB	----	I16J0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 11 (Page 11 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
520	噲	BACC	----	I16K0080
521	噍	BACD	----	I16L0080
522	嗎	BACE	----	I16M0080
523	嗑	BACF	----	I16N0080
524	嗒	BAD0	----	I16O0080
525	嗒	BAD1	----	I16P0080
526	嗒	BAD2	----	I16Q0080
527	嗒	BAD3	----	I16R0080
528	嗒	BAD4	----	I16S0080
529	嗒	BAD5	----	I16T0080
530	嗒	BAD6	----	I16U0080
531	嗒	BAD7	----	I16V0080
532	嗒	BAD8	----	I16W0080
533	嗒	BAD9	----	I16X0080
534	嗒	BADA	----	I16Y0080
535	嗒	BADB	----	I16Z0080
536	嗒	BADC	----	I1700080
537	嗒	BADD	----	I1710080
538	嗒	BADE	----	I1720080
539	嗒	BADF	----	I1730080
540	嗒	BAE0	----	I1740080
541	嗒	BAE1	----	I1750080
542	嗒	BAE2	----	I1760080
543	嗒	BAE3	----	I1770080
544	嗒	BAE4	----	I1780080
545	嗒	BAE5	----	I1790080

Table 11 (Page 11 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
546	嘖	BAE6	----	I17A0080
547	嘖	BAE7	----	I17B0080
548	嘖	BAE8	----	I17C0080
549	嘖	BAE9	----	I17D0080
550	嘖	BAEA	----	I17E0080
551	嘖	BAEB	----	I17F0080
552	嘖	BAEC	----	I17G0080
553	嘖	BAED	----	I17H0080
554	嘖	BAEE	----	I17I0080
555	嘖	BAEF	----	I17J0080
556	嘖	BAF0	----	I17K0080
557	嘖	BAF1	----	I17L0080
558	嘖	BAF2	----	I17M0080
559	嘖	BAF3	----	I17N0080
560	嘖	BAF4	----	I17O0080
561	嘖	BAF5	----	I17P0080
562	嘖	BAF6	----	I17Q0080
563	嘖	BAF7	----	I17R0080
564	嘖	BAF8	----	I17S0080
565	嘖	BAF9	----	I17T0080
566	嘖	BAFA	----	I17U0080
567	嘖	BAFB	----	I17V0080
568	嘖	BAFC	----	I17W0080
569	嘖	BAFD	----	I17X0080
570	嘖	BAFE	----	I17Y0080
571	嘖	BB41	----	I1810080





## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
572	愛	BB42	----	I1820080
573	噯	BB43	----	I1830080
574	噲	BB44	----	I1840080
575	噳	BB45	----	I1850080
576	噴	BB46	----	I1860080
577	噵	BB47	----	I1870080
578	噶	BB48	----	I1880080
579	噷	BB49	----	I1890080
580	噸	BB4A	----	I18A0080
581	噹	BB4B	----	I18B0080
582	噺	BB4C	----	I18C0080
583	噻	BB4D	----	I18D0080
584	噼	BB4E	----	I18E0080
585	噽	BB4F	----	I18F0080
586	噾	BB50	----	I18G0080
587	噿	BB51	----	I18H0080
588	噻	BB52	----	I18I0080
589	噼	BB53	----	I18J0080
590	噽	BB54	----	I18K0080
591	噿	BB55	----	I18L0080
592	噻	BB56	----	I18M0080
593	噼	BB57	----	I18N0080
594	噽	BB58	----	I18O0080
595	噿	BB59	----	I18P0080
596	噻	BB5A	----	I18Q0080
597	噼	BB5B	----	I18R0080

Line Number	Graphic	Host Code	PC Code	GCGID
598	鞞	BB5C	----	I18S0080
599	囉	BB5D	----	I18T0080
600	囊	BB5E	----	I18U0080
601	噴	BB5F	----	I18V0080
602	嚟	BB60	----	I18W0080
603	囍	BB61	----	I18X0080
604	囍	BB62	----	I18Y0080
605	囑	BB63	----	I18Z0080
606	囑	BB64	----	I1900080
607	囑	BB65	----	I1910080
608	囑	BB66	----	I1920080
609	囑	BB67	----	I1930080
610	囑	BB68	----	I1940080
611	囑	BB69	----	I1950080
612	囑	BB6A	----	I1960080
613	囑	BB6B	----	I1970080
614	囑	BB6C	----	I1980080
615	囑	BB6D	----	I1990080
616	囑	BB6E	----	I19A0080
617	囑	BB6F	----	I19B0080
618	囑	BB70	----	I19C0080
619	囑	BB71	----	I19D0080
620	囑	BB72	----	I19E0080
621	囑	BB73	----	I19F0080
622	囑	BB74	----	I19G0080
623	囑	BB75	----	I19H0080




## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 11 (Page 13 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
624	圀	BB76	----	II9I0080
625	圖	BB77	----	II9J0080
626	團	BB78	----	II9K0080
627	團	BB79	----	II9L0080
628	圓	BB7A	----	II9M0080
629	圍	BB7B	----	II9N0080
630	圖	BB7C	----	II9O0080
631	圮	BB7D	----	II9P0080
632	圻	BB7E	----	II9Q0080
633	圪	BB7F	----	II9R0080
634	圫	BB80	----	II9S0080
635	圬	BB81	----	II9T0080
636	圯	BB82	----	II9U0080
637	圼	BB83	----	II9V0080
638	圽	BB84	----	II9W0080
639	圿	BB85	----	II9X0080
640	圻	BB86	----	II9Y0080
641	圳	BB87	----	II9Z0080
642	均	BB88	----	IIA00080
643	坳	BB89	----	IIA10080
644	坵	BB8A	----	IIA20080
645	坶	BB8B	----	IIA30080
646	坧	BB8C	----	IIA40080
647	坨	BB8D	----	IIA50080
648	坩	BB8E	----	IIA60080
649	坪	BB8F	----	IIA70080

Table 11 (Page 13 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
650	坫	BB90	----	IIA80080
651	坬	BB91	----	IIA90080
652	坭	BB92	----	IIAA0080
653	坯	BB93	----	IIAB0080
654	坰	BB94	----	IIAC0080
655	坱	BB95	----	IIAD0080
656	坲	BB96	----	IIAE0080
657	坳	BB97	----	IIAF0080
658	坴	BB98	----	IIAG0080
659	坵	BB99	----	IIAH0080
660	坶	BB9A	----	IIAI0080
661	坷	BB9B	----	IIAJ0080
662	坸	BB9C	----	IIAK0080
663	坹	BB9D	----	IIAL0080
664	坺	BB9E	----	IIAM0080
665	坻	BB9F	----	IIAN0080
666	坽	BBA0	----	IIAO0080
667	坿	BBA1	----	IIAP0080
668	坿	BBA2	----	IIAQ0080
669	埃	BBA3	----	IIAR0080
670	坿	BBA4	----	IIAS0080
671	坿	BBA5	----	IIAT0080
672	堃	BBA6	----	IIAU0080
673	堄	BBA7	----	IIAV0080
674	堅	BBA8	----	IIAW0080
675	堆	BBA9	----	IIAX0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 11 (Page 14 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
676	垚	BBAA	----	I IAY0080
677	堦	BBAB	----	I IAZ0080
678	堧	BBAC	----	I IB00080
679	堨	BBAD	----	I IB10080
680	堩	BBAE	----	I IB20080
681	堪	BBAF	----	I IB30080
682	垠	BBB0	----	I IB40080
683	垡	BBB1	----	I IB50080
684	垢	BBB2	----	I IB60080
685	垤	BBB3	----	I IB70080
686	垥	BBB4	----	I IB80080
687	垦	BBB5	----	I IB90080
688	垧	BBB6	----	I IBA0080
689	垨	BBB7	----	I IBB0080
690	垩	BBB8	----	I IBC0080
691	垪	BBB9	----	I IBD0080
692	垫	BBBA	----	I IBE0080
693	垭	BBBB	----	I IBF0080
694	垮	BBBC	----	I IBG0080
695	垯	BBBD	----	I IBH0080
696	垰	BBBE	----	I IBI0080
697	垱	BBBF	----	I IBJ0080
698	垲	BBC0	----	I IBK0080
699	垳	BBC1	----	I IBL0080
700	垴	BBC2	----	I IBM0080
701	垵	BBC3	----	I IBN0080

Table 11 (Page 14 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
702	垶	BBC4	----	I IBO0080
703	垷	BBC5	----	I IBP0080
704	垸	BBC6	----	I IBQ0080
705	垹	BBC7	----	I IBR0080
706	垺	BBC8	----	I IBS0080
707	垻	BBC9	----	I IBT0080
708	垼	BBCA	----	I IBU0080
709	垽	BBCB	----	I IBV0080
710	垿	BBCB	----	I IBW0080
711	垾	BBCD	----	I IBX0080
712	垿	BBCE	----	I IBY0080
713	垿	BBCF	----	I IBZ0080
714	垿	BBD0	----	I IC00080
715	垿	BBD1	----	I IC10080
716	垿	BBD2	----	I IC20080
717	垿	BBD3	----	I IC30080
718	垿	BBD4	----	I IC40080
719	垿	BBD5	----	I IC50080
720	垿	BBD6	----	I IC60080
721	垿	BBD7	----	I IC70080
722	垿	BBD8	----	I IC80080
723	垿	BBD9	----	I IC90080
724	垿	BBDA	----	I ICA0080
725	垿	BBDB	----	I ICB0080
726	垿	BBDC	----	I ICC0080
727	垿	BBDD	----	I ICD0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 11 (Page 15 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
728	墳	BBDE	----	IICE0080
729	墳	BBDF	----	IICF0080
730	埜	BBE0	----	IICG0080
731	塚	BBE1	----	IICH0080
732	堰	BBE2	----	IICI0080
733	埴	BBE3	----	IICJ0080
734	埴	BBE4	----	IICK0080
735	埴	BBE5	----	IICL0080
736	埴	BBE6	----	IICM0080
737	埴	BBE7	----	IICN0080
738	埴	BBE8	----	IICO0080
739	埴	BBE9	----	IICP0080
740	埴	BBEA	----	IICQ0080
741	埴	BBEB	----	IICR0080
742	埴	BBEC	----	IICS0080
743	埴	BBED	----	IICT0080
744	埴	BBEE	----	IICU0080
745	埴	BBEF	----	IICV0080
746	埴	BBF0	----	IICW0080
747	埴	BBF1	----	IICX0080
748	埴	BBF2	----	IICY0080
749	埴	BBF3	----	IICZ0080
750	埴	BBF4	----	IID00080
751	埴	BBF5	----	IID10080
752	埴	BBF6	----	IID20080
753	埴	BBF7	----	IID30080

Table 11 (Page 15 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
754	壑	BBF8	----	IID40080
755	壑	BBF9	----	IID50080
756	壑	BBFA	----	IID60080
757	壑	BBFB	----	IID70080
758	壑	BBFC	----	IID80080
759	壑	BBFD	----	IID90080
760	壑	BBFE	----	IIDA0080
761	壑	BC41	----	IIDD0080
762	壑	BC42	----	IIDE0080
763	壑	BC43	----	IIDF0080
764	壑	BC44	----	IIDG0080
765	壑	BC45	----	IIDH0080
766	壑	BC46	----	IIDI0080
767	壑	BC47	----	IIDJ0080
768	壑	BC48	----	IIDK0080
769	壑	BC49	----	IIDL0080
770	壑	BC4A	----	IIDM0080
771	壑	BC4B	----	IIDN0080
772	壑	BC4C	----	IIDO0080
773	壑	BC4D	----	IIDP0080
774	壑	BC4E	----	IIDQ0080
775	壑	BC4F	----	IIDR0080
776	壑	BC50	----	IIDS0080
777	壑	BC51	----	IIDT0080
778	壑	BC52	----	IIDU0080
779	壑	BC53	----	IIDV0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 11 (Page 16 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
780	夊	BC54	----	IIDW0080
781	夆	BC55	----	IIDX0080
782	备	BC56	----	IIDY0080
783	夈	BC57	----	IIDZ0080
784	夊	BC58	----	IIE00080
785	夆	BC59	----	IIE10080
786	备	BC5A	----	IIE20080
787	夈	BC5B	----	IIE30080
788	夊	BC5C	----	IIE40080
789	夆	BC5D	----	IIE50080
790	备	BC5E	----	IIE60080
791	夈	BC5F	----	IIE70080
792	夊	BC60	----	IIE80080
793	夆	BC61	----	IIE90080
794	备	BC62	----	IIEA0080
795	夈	BC63	----	IIEB0080
796	夊	BC64	----	IIEC0080
797	夆	BC65	----	IIED0080
798	备	BC66	----	IIEE0080
799	夈	BC67	----	IIEF0080
800	夊	BC68	----	IIEG0080
801	夆	BC69	----	IIEH0080
802	备	BC6A	----	IIEI0080
803	夈	BC6B	----	IIEJ0080
804	夊	BC6C	----	IIEK0080
805	夆	BC6D	----	IIEL0080

Table 11 (Page 16 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
806	夊	BC6E	----	IIEM0080
807	夆	BC6F	----	IIEO0080
808	备	BC70	----	IIE00080
809	夈	BC71	----	IIEP0080
810	夊	BC72	----	IIEQ0080
811	夆	BC73	----	IIER0080
812	备	BC74	----	IIES0080
813	夈	BC75	----	IJET0080
814	夊	BC76	----	IIEU0080
815	夆	BC77	----	IIEV0080
816	备	BC78	----	IIEW0080
817	夈	BC79	----	IIEX0080
818	夊	BC7A	----	IIEY0080
819	夆	BC7B	----	IIEZ0080
820	备	BC7C	----	IIF00080
821	夈	BC7D	----	IIF10080
822	夊	BC7E	----	IIF20080
823	夆	BC7F	----	IIF30080
824	备	BC80	----	IIF40080
825	夈	BC81	----	IIF50080
826	夊	BC82	----	IIF60080
827	夆	BC83	----	IIF70080
828	备	BC84	----	IIF80080
829	夈	BC85	----	IIF90080
830	夊	BC86	----	IIFA0080
831	夆	BC87	----	IIFB0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 11 (Page 17 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
832	姚	BC88	----	IIFC0080
833	姘	BC89	----	IIFD0080
834	姘	BC8A	----	IIFE0080
835	裂	BC8B	----	IIFF0080
836	娟	BC8C	----	IIFG0080
837	娥	BC8D	----	IIFH0080
838	姿	BC8E	----	IIFI0080
839	媪	BC8F	----	IIFJ0080
840	娥	BC90	----	IIFK0080
841	婳	BC91	----	IIFL0080
842	媿	BC92	----	IIFM0080
843	媿	BC93	----	IIFN0080
844	媿	BC94	----	IIFO0080
845	媿	BC95	----	IIFP0080
846	媿	BC96	----	IIFQ0080
847	媿	BC97	----	IIFR0080
848	媿	BC98	----	IIFS0080
849	媿	BC99	----	IIFT0080
850	媿	BC9A	----	IIFU0080
851	媿	BC9B	----	IIFV0080
852	媿	BC9C	----	IIFW0080
853	媿	BC9D	----	IIFX0080
854	媿	BC9E	----	IIFY0080
855	媿	BC9F	----	IIFZ0080
856	媿	BCA0	----	IIG00080
857	媿	BCA1	----	IIG10080

Table 11 (Page 17 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
858	媿	BCA2	----	IIG20080
859	媿	BCA3	----	IIG30080
860	媿	BCA4	----	IIG40080
861	媿	BCA5	----	IIG50080
862	媿	BCA6	----	IIG60080
863	媿	BCA7	----	IIG70080
864	媿	BCA8	----	IIG80080
865	媿	BCA9	----	IIG90080
866	媿	BCAA	----	IIGA0080
867	媿	BCAB	----	IIGB0080
868	媿	BCAC	----	IIGC0080
869	媿	BCAD	----	IIGD0080
870	媿	BCAE	----	IIGE0080
871	媿	BCAF	----	IIGF0080
872	媿	BCB0	----	IIGG0080
873	媿	BCB1	----	IIGH0080
874	媿	BCB2	----	IIGI0080
875	媿	BCB3	----	IIGJ0080
876	媿	BCB4	----	IIGK0080
877	媿	BCB5	----	IIGL0080
878	媿	BCB6	----	IIGM0080
879	媿	BCB7	----	IIGN0080
880	媿	BCB8	----	IIGO0080
881	媿	BCB9	----	IIGP0080
882	媿	BCBA	----	IIGQ0080
883	媿	BCBB	----	IIGR0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
884	媼	BCBC	----	IIGS0080
885	嫩	BCBD	----	IIGT0080
886	嬖	BCBE	----	IIGU0080
887	媿	BCBF	----	IIGV0080
888	嫒	BCC0	----	IIGW0080
889	嫖	BCC1	----	IIGX0080
890	嫖	BCC2	----	IIGY0080
891	嫖	BCC3	----	IIGZ0080
892	嫖	BCC4	----	IIH00080
893	嫖	BCC5	----	IIH10080
894	嫖	BCC6	----	IIH20080
895	嫖	BCC7	----	IIH30080
896	嫖	BCC8	----	IIH40080
897	嫖	BCC9	----	IIH50080
898	嫖	BCCA	----	IIH60080
899	嫖	BCCB	----	IIH70080
900	嫖	BCCC	----	IIH80080
901	嫖	BCCD	----	IIH90080
902	嫖	BCCE	----	IIGA0080
903	嫖	BCCF	----	IIHB0080
904	嫖	BCD0	----	IHC0080
905	嫖	BCD1	----	IHD0080
906	嫖	BCD2	----	IIE0080
907	嫖	BCD3	----	IIF0080
908	嫖	BCD4	----	IIG0080
909	嫖	BCD5	----	IHH0080

Line Number	Graphic	Host Code	PC Code	GCGID
910	嫖	BCD6	----	IHI0080
911	嫖	BCD7	----	IHJ0080
912	嫖	BCD8	----	IHK0080
913	嫖	BCD9	----	IHL0080
914	嫖	BCDA	----	IHM0080
915	嫖	BCDB	----	IHN0080
916	子	BCDC	----	IHO0080
917	志	BCDD	----	IHP0080
918	弄	BCDE	----	IHQ0080
919	孫	BCDF	----	IHR0080
920	擊	BCE0	----	IHS0080
921	擊	BCE1	----	IHT0080
922	擊	BCE2	----	IHU0080
923	攪	BCE3	----	IHV0080
924	擊	BCE4	----	IHW0080
925	宁	BCE5	----	IHX0080
926	宄	BCE6	----	IHY0080
927	宄	BCE7	----	IHZ0080
928	宄	BCE8	----	III00080
929	宄	BCE9	----	III10080
930	宄	BCEA	----	III20080
931	弃	BCEB	----	III30080
932	宄	BCEC	----	III40080
933	宄	BCED	----	III50080
934	宄	BCEE	----	III60080
935	宄	BCEF	----	III70080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 11 (Page 19 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
936	来	BCF0	----	III80080
937	歳	BCF1	----	III90080
938	窘	BCF2	----	IIIA0080
939	孝	BCF3	----	IIIB0080
940	袿	BCF4	----	IIIC0080
941	冢	BCF5	----	IIID0080
942	来	BCF6	----	IIIE0080
943	荒	BCF7	----	IIIF0080
944	寇	BCF8	----	IIIG0080
945	逮	BCF9	----	IIIH0080
946	盗	BCFA	----	IIII0080
947	寘	BCFB	----	IIIJ0080
948	寢	BCFC	----	IIIK0080
949	寤	BCFD	----	IIIL0080
950	廬	BCFE	----	IIIM0080
951	害	BD41	----	IIIP0080
952	婁	BD42	----	IIIQ0080
953	窩	BD43	----	IIIR0080
954	廩	BD44	----	IIIS0080
955	窺	BD45	----	IIIT0080
956	守	BD46	----	IIIU0080
957	討	BD47	----	IIIV0080
958	未	BD48	----	IIIW0080
959	尠	BD49	----	IIIX0080
960	允	BD4A	----	IIYY0080
961	匱	BD4B	----	IIIZ0080

Table 11 (Page 19 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
962	尫	BD4C	----	IIJ00080
963	尪	BD4D	----	IIJ10080
964	尫	BD4E	----	IIJ20080
965	尫	BD4F	----	IIJ30080
966	尫	BD50	----	IIJ40080
967	尫	BD51	----	IIJ50080
968	尫	BD52	----	IIJ60080
969	尫	BD53	----	IIJ70080
970	尫	BD54	----	IIJ80080
971	尫	BD55	----	IIJ90080
972	屨	BD56	----	IIJA0080
973	屨	BD57	----	IIJB0080
974	屨	BD58	----	IIJC0080
975	屨	BD59	----	IIJD0080
976	屨	BD5A	----	IIJE0080
977	屨	BD5B	----	IIJF0080
978	屨	BD5C	----	IIJG0080
979	屨	BD5D	----	IIJH0080
980	屨	BD5E	----	IIJI0080
981	屨	BD5F	----	IIJJ0080
982	屨	BD60	----	IIJK0080
983	屨	BD61	----	IIJL0080
984	屨	BD62	----	IIJM0080
985	屨	BD63	----	IIJN0080
986	屨	BD64	----	IIJO0080
987	屨	BD65	----	IIJP0080





## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 11 (Page 20 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
988	岳	BD66	----	IIJQ0080
989	岍	BD67	----	IIJR0080
990	岭	BD68	----	IJJS0080
991	崖	BD69	----	IIJT0080
992	峽	BD6A	----	IJJU0080
993	岨	BD6B	----	IJ JV0080
994	岍	BD6C	----	IJ JW0080
995	岍	BD6D	----	IJ JX0080
996	峴	BD6E	----	IJ JY0080
997	岍	BD6F	----	IJ JZ0080
998	岍	BD70	----	IJK00080
999	岍	BD71	----	IJK10080
1000	峴	BD72	----	IJK20080
1001	岍	BD73	----	IJK30080
1002	岍	BD74	----	IJK40080
1003	峴	BD75	----	IJK50080
1004	岍	BD76	----	IJK60080
1005	岍	BD77	----	IJK70080
1006	峴	BD78	----	IJK80080
1007	岍	BD79	----	IJK90080
1008	岍	BD7A	----	IJKA0080
1009	岍	BD7B	----	IJKB0080
1010	岍	BD7C	----	IJ KC0080
1011	岍	BD7D	----	IJ KD0080
1012	峴	BD7E	----	IJ KE0080
1013	岍	BD7F	----	IJ KF0080

Table 11 (Page 20 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
1014	嶺	BD80	----	IJ KG0080
1015	嶺	BD81	----	IJ KH0080
1016	嶺	BD82	----	IJ KI0080
1017	嶺	BD83	----	IJ KJ0080
1018	嶺	BD84	----	IJ KK0080
1019	嶺	BD85	----	IJ KL0080
1020	嶺	BD86	----	IJ KM0080
1021	嶺	BD87	----	IJ KN0080
1022	嶺	BD88	----	IJ KO0080
1023	嶺	BD89	----	IJ KP0080
1024	嶺	BD8A	----	IJ KQ0080
1025	嶺	BD8B	----	IJ KR0080
1026	嶺	BD8C	----	IJ KS0080
1027	嶺	BD8D	----	IJ KT0080
1028	嶺	BD8E	----	IJ KU0080
1029	嶺	BD8F	----	IJ KV0080
1030	嶺	BD90	----	IJ KW0080
1031	嶺	BD91	----	IJ KX0080
1032	嶺	BD92	----	IJ KY0080
1033	嶺	BD93	----	IJ KZ0080
1034	嶺	BD94	----	IJ L00080
1035	嶺	BD95	----	IJ L10080
1036	嶺	BD96	----	IJ L20080
1037	嶺	BD97	----	IJ L30080
1038	嶺	BD98	----	IJ L40080
1039	嶺	BD99	----	IJ L50080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 11 (Page 21 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
1040	嶺	BD9A	----	IIL60080
1041	嶺	BD9B	----	IIL70080
1042	嶺	BD9C	----	IIL80080
1043	嶺	BD9D	----	IIL90080
1044	嶺	BD9E	----	IILA0080
1045	嶺	BD9F	----	IILB0080
1046	嶺	BDA0	----	IILC0080
1047	嶺	BDA1	----	IILD0080
1048	嶺	BDA2	----	IILE0080
1049	嶺	BDA3	----	IILF0080
1050	嶺	BDA4	----	IILG0080
1051	嶺	BDA5	----	IILH0080
1052	嶺	BDA6	----	IILI0080
1053	嶺	BDA7	----	IILJ0080
1054	嶺	BDA8	----	IILK0080
1055	嶺	BDA9	----	IILL0080
1056	嶺	BDAA	----	IILM0080
1057	嶺	BDAB	----	IILN0080
1058	嶺	BDAC	----	IILO0080
1059	嶺	BDAD	----	IILP0080
1060	嶺	BDAE	----	IILQ0080
1061	嶺	BDAF	----	IILR0080
1062	嶺	BDB0	----	IILS0080
1063	嶺	BDB1	----	IILT0080
1064	嶺	BDB2	----	IILU0080
1065	嶺	BDB3	----	IILV0080

Table 11 (Page 21 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
1066	嶺	BDB4	----	IILW0080
1067	嶺	BDB5	----	IILX0080
1068	嶺	BDB6	----	IILY0080
1069	嶺	BDB7	----	IILZ0080
1070	嶺	BDB8	----	IIM00080
1071	嶺	BDB9	----	IIM10080
1072	嶺	BDBA	----	IIM20080
1073	嶺	BDBB	----	IIM30080
1074	嶺	BDBC	----	IIM40080
1075	嶺	BDBD	----	IIM50080
1076	嶺	BDBE	----	IIM60080
1077	嶺	BDBF	----	IIM70080
1078	嶺	BDC0	----	IIM80080
1079	嶺	BDC1	----	IIM90080
1080	嶺	BDC2	----	IIMA0080
1081	嶺	BDC3	----	IIMB0080
1082	嶺	BDC4	----	IIMC0080
1083	嶺	BDC5	----	IIMD0080
1084	嶺	BDC6	----	IIME0080
1085	嶺	BDC7	----	IIMF0080
1086	嶺	BDC8	----	IIMG0080
1087	嶺	BDC9	----	IIMH0080
1088	嶺	BDCA	----	IIMI0080
1089	嶺	BDCB	----	IIMJ0080
1090	嶺	BDCC	----	IIMK0080
1091	嶺	BDCD	----	IIML0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 11 (Page 22 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
1092	幪	BDCE	----	IIMM0080
1093	幫	BDCF	----	IIMN0080
1094	幪	BDD0	----	IIMO0080
1095	幪	BDD1	----	IIMP0080
1096	幪	BDD2	----	IIMQ0080
1097	幪	BDD3	----	IIMR0080
1098	庀	BDD4	----	IIMS0080
1099	庀	BDD5	----	IIMT0080
1100	庀	BDD6	----	IIMU0080
1101	庀	BDD7	----	IIMV0080
1102	庀	BDD8	----	IIMW0080
1103	庀	BDD9	----	IIMX0080
1104	庀	BDDA	----	IIMY0080
1105	庀	Bddb	----	IIMZ0080
1106	庀	BDDC	----	IIN00080
1107	庀	BDDD	----	IIN10080
1108	庀	BDDE	----	IIN20080
1109	庀	BDDF	----	IIN30080
1110	庀	BDE0	----	IIN40080
1111	庀	BDE1	----	IIN50080
1112	庀	BDE2	----	IIN60080
1113	庀	BDE3	----	IIN70080
1114	庀	BDE4	----	IIN80080
1115	庀	BDE5	----	IIN90080
1116	庀	BDE6	----	IINA0080
1117	庀	BDE7	----	IINB0080

Table 11 (Page 22 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
1118	廩	BDE8	----	IINC0080
1119	廩	BDE9	----	IIND0080
1120	廩	BDEA	----	IINE0080
1121	廩	BDEB	----	IINF0080
1122	廩	BDEC	----	IING0080
1123	廩	BDED	----	IINH0080
1124	廩	BDEE	----	IINI0080
1125	廩	BDEF	----	IINJ0080
1126	廩	BDF0	----	IINK0080
1127	廩	BDF1	----	IINL0080
1128	廩	BDF2	----	IINM0080
1129	廩	BDF3	----	IINN0080
1130	廩	BDF4	----	IINO0080
1131	廩	BDF5	----	IINP0080
1132	廩	BDF6	----	IINQ0080
1133	廩	BDF7	----	IINR0080
1134	廩	BDF8	----	IINS0080
1135	廩	BDF9	----	IINT0080
1136	廩	BDFa	----	IINU0080
1137	廩	BDFB	----	IINV0080
1138	廩	BDFC	----	IINW0080
1139	廩	BDFD	----	IINX0080
1140	廩	BDFE	----	IINY0080
1141	廩	BE41	----	IIO10080
1142	廩	BE42	----	IIO20080
1143	廩	BE43	----	IIO30080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 11 (Page 23 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
1144	穀	BE44	----	IIO40080
1145	疆	BE45	----	IIO50080
1146	彌	BE46	----	IIO60080
1147	曠	BE47	----	IIO70080
1148	厶	BE48	----	IIO80080
1149	彖	BE49	----	IIO90080
1150	彘	BE4A	----	IIOA0080
1151	彘	BE4B	----	IIOB0080
1152	護	BE4C	----	IIOC0080
1153	彘	BE4D	----	IIOD0080
1154	彤	BE4E	----	IIOE0080
1155	影	BE4F	----	IIOF0080
1156	影	BE50	----	IIOG0080
1157	彘	BE51	----	IIOH0080
1158	他	BE52	----	IIOI0080
1159	佢	BE53	----	IIOJ0080
1160	狂	BE54	----	IIOK0080
1161	低	BE55	----	IIOL0080
1162	佢	BE56	----	IIOM0080
1163	佢	BE57	----	IION0080
1164	佢	BE58	----	IIOO0080
1165	佢	BE59	----	IIO P0080
1166	佢	BE5A	----	IIOQ0080
1167	佢	BE5B	----	IIOR0080
1168	佢	BE5C	----	IIOS0080
1169	佢	BE5D	----	IIoT0080

Table 11 (Page 23 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
1170	健	BE5E	----	IIOU0080
1171	徧	BE5F	----	IIOV0080
1172	律	BE60	----	IIO W0080
1173	磅	BE61	----	IIOX0080
1174	徧	BE62	----	IIOY0080
1175	徧	BE63	----	IIOZ0080
1176	徧	BE64	----	IIP00080
1177	徧	BE65	----	IIP10080
1178	徧	BE66	----	IIP20080
1179	徧	BE67	----	IIP30080
1180	徧	BE68	----	IIP40080
1181	徧	BE69	----	IIP50080
1182	徧	BE6A	----	IIP60080
1183	徧	BE6B	----	IIP70080
1184	徧	BE6C	----	IIP80080
1185	徧	BE6D	----	IIP90080
1186	徧	BE6E	----	IIPA0080
1187	徧	BE6F	----	IIPB0080
1188	徧	BE70	----	IIPC0080
1189	徧	BE71	----	IIPD0080
1190	徧	BE72	----	IIPE0080
1191	徧	BE73	----	IIPF0080
1192	徧	BE74	----	IIPG0080
1193	徧	BE75	----	IIPH0080
1194	徧	BE76	----	IIP I0080
1195	徧	BE77	----	IIPJ0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 11 (Page 24 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
1196	低	BE78	----	IIPK0080
1197	伏	BE79	----	IIPL0080
1198	饨	BE7A	----	IIPM0080
1199	佗	BE7B	----	IIPN0080
1200	忒	BE7C	----	IIPO0080
1201	忒	BE7D	----	IIPP0080
1202	恒	BE7E	----	IIPQ0080
1203	怱	BE7F	----	IIPR0080
1204	作	BE80	----	IIPS0080
1205	恹	BE81	----	IIPT0080
1206	怔	BE82	----	IIPU0080
1207	怙	BE83	----	IIPV0080
1208	恚	BE84	----	IIPW0080
1209	怛	BE85	----	IIPX0080
1210	低	BE86	----	IIPY0080
1211	怱	BE87	----	IIPZ0080
1212	怱	BE88	----	IIQ00080
1213	怱	BE89	----	IIQ10080
1214	怱	BE8A	----	IIQ20080
1215	怱	BE8B	----	IIQ30080
1216	怱	BE8C	----	IIQ40080
1217	怱	BE8D	----	IIQ50080
1218	怱	BE8E	----	IIQ60080
1219	怱	BE8F	----	IIQ70080
1220	怱	BE90	----	IIQ80080
1221	怱	BE91	----	IIQ90080

Table 11 (Page 24 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
1222	恹	BE92	----	I IQA0080
1223	恹	BE93	----	I IQB0080
1224	恹	BE94	----	I IQC0080
1225	恹	BE95	----	I IQD0080
1226	恹	BE96	----	I IQE0080
1227	恹	BE97	----	I IQF0080
1228	恹	BE98	----	I IQG0080
1229	恹	BE99	----	I IQH0080
1230	恹	BE9A	----	I IQI0080
1231	恹	BE9B	----	I IQJ0080
1232	恹	BE9C	----	I IQK0080
1233	恹	BE9D	----	I IQL0080
1234	恹	BE9E	----	I IQM0080
1235	恹	BE9F	----	I IQN0080
1236	恹	BEA0	----	I IQO0080
1237	恹	BEA1	----	I IQP0080
1238	恹	BEA2	----	I IQQ0080
1239	恹	BEA3	----	I IQR0080
1240	恹	BEA4	----	I IQS0080
1241	恹	BEA5	----	I IQT0080
1242	恹	BEA6	----	I IQU0080
1243	恹	BEA7	----	I IQV0080
1244	恹	BEA8	----	I IQW0080
1245	恹	BEA9	----	I IQX0080
1246	恹	BEAA	----	I IQY0080
1247	恹	BEAB	----	I IQZ0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 11 (Page 25 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
1248	怡	BEAC	----	IIR00080
1249	怒	BEAD	----	IIR10080
1250	裸	BEAE	----	IIR20080
1251	恣	BEAF	----	IIR30080
1252	惊	BEB0	----	IIR40080
1253	惋	BEB1	----	IIR50080
1254	基	BEB2	----	IIR60080
1255	淋	BEB3	----	IIR70080
1256	悒	BEB4	----	IIR80080
1257	掇	BEB5	----	IIR90080
1258	惜	BEB6	----	IIRA0080
1259	愉	BEB7	----	IIRB0080
1260	恣	BEB8	----	IIRC0080
1261	慰	BEB9	----	IIRD0080
1262	慄	BEBA	----	IIRE0080
1263	惇	BEBC	----	IIRF0080
1264	偏	BEBC	----	IIRG0080
1265	惇	BEBC	----	IIRG0080
1265	惇	BEBC	----	IIRG0080
1265	惇	BEBC	----	IIRG0080
1266	慄	BEBC	----	IIRG0080
1267	惇	BEBC	----	IIRG0080
1268	惇	BEBC	----	IIRG0080
1269	惇	BEBC	----	IIRG0080
1270	惇	BEBC	----	IIRG0080
1271	惇	BEBC	----	IIRG0080
1272	惇	BEBC	----	IIRG0080
1273	惇	BEBC	----	IIRG0080

Table 11 (Page 25 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
1274	慄	BEC6	----	IIRQ0080
1275	慄	BEC7	----	IIRR0080
1276	慄	BEC8	----	IIRS0080
1277	慄	BEC9	----	IIRT0080
1278	慄	BECA	----	IIRU0080
1279	慄	BECB	----	IIRV0080
1280	慄	BECC	----	IIRW0080
1281	慄	BECD	----	IIRX0080
1282	慄	BECE	----	IIRY0080
1283	慄	BECF	----	IIRZ0080
1284	慄	BED0	----	IIS00080
1285	慄	BED1	----	IIS10080
1286	慄	BED2	----	IIS20080
1287	慄	BED3	----	IIS30080
1288	慄	BED4	----	IIS40080
1289	慄	BED5	----	IIS50080
1290	慄	BED6	----	IIS60080
1291	慄	BED7	----	IIS70080
1292	慄	BED8	----	IIS80080
1293	慄	BED9	----	IIS90080
1294	慄	BEDA	----	IISA0080
1295	慄	BEDB	----	IISB0080
1296	慄	BEDC	----	IISC0080
1297	慄	BEDD	----	IISD0080
1298	慄	BEDE	----	IISE0080
1299	慄	BEDF	----	IISF0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
1300	憇	BEE0	----	IISG0080
1301	德	BEE1	----	IISH0080
1302	憇	BEE2	----	IISI0080
1303	憇	BEE3	----	IISJ0080
1304	憤	BEE4	----	IISK0080
1305	憇	BEE5	----	IISL0080
1306	憇	BEE6	----	IISM0080
1307	憇	BEE7	----	IISN0080
1308	憇	BEE8	----	IISO0080
1309	慄	BEE9	----	IISP0080
1310	慄	BEEA	----	IISQ0080
1311	慄	BEEB	----	IISR0080
1312	憇	BEEC	----	IISS0080
1313	憇	BEED	----	IIST0080
1314	憇	BEEE	----	IISU0080
1315	憇	BEEF	----	IISV0080
1316	憇	BEF0	----	IISW0080
1317	憇	BEF1	----	IISX0080
1318	憇	BEF2	----	IISY0080
1319	憇	BEF3	----	IISZ0080
1320	懂	BEF4	----	IIT00080
1321	憇	BEF5	----	IIT10080
1322	憇	BEF6	----	IIT20080
1323	憇	BEF7	----	IIT30080
1324	憇	BEF8	----	IIT40080
1325	憇	BEF9	----	IIT50080

Line Number	Graphic	Host Code	PC Code	GCGID
1326	憇	BEFA	----	IIT60080
1327	憇	BEFB	----	IIT70080
1328	憇	BEFC	----	IIT80080
1329	憇	BEFD	----	IIT90080
1330	憇	BEFE	----	IITA0080
1331	憇	BF41	----	IITD0080
1332	憇	BF42	----	IITE0080
1333	憇	BF43	----	IITF0080
1334	憇	BF44	----	IITG0080
1335	憇	BF45	----	IITH0080
1336	憇	BF46	----	IITI0080
1337	憇	BF47	----	IITJ0080
1338	憇	BF48	----	IITK0080
1339	憇	BF49	----	IITL0080
1340	戕	BF4A	----	IITM0080
1341	戕	BF4B	----	IITN0080
1342	戕	BF4C	----	IITO0080
1343	戕	BF4D	----	IITP0080
1344	戕	BF4E	----	IITQ0080
1345	戕	BF4F	----	IITR0080
1346	戕	BF50	----	IITS0080
1347	戕	BF51	----	IITT0080
1348	戕	BF52	----	IITU0080
1349	戕	BF53	----	IITV0080
1350	戕	BF54	----	IITW0080
1351	戕	BF55	----	IITX0080




## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 11 (Page 27 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
1352	肩	BF56	----	IITY0080
1353	宸	BF57	----	IITZ0080
1354	扌	BF58	----	IIU00080
1355	扌	BF59	----	IIU10080
1356	扌	BF5A	----	IIU20080
1357	扌	BF5B	----	IIU30080
1358	扌	BF5C	----	IIU40080
1359	扌	BF5D	----	IIU50080
1360	扌	BF5E	----	IIU60080
1361	扌	BF5F	----	IIU70080
1362	扌	BF60	----	IIU80080
1363	扭	BF61	----	IIU90080
1364	扯	BF62	----	IiUA0080
1365	扳	BF63	----	IiUB0080
1366	抵	BF64	----	IiUC0080
1367	拖	BF65	----	IiUD0080
1368	拚	BF66	----	IiUE0080
1369	扞	BF67	----	IiUF0080
1370	扞	BF68	----	IiUG0080
1371	扞	BF69	----	IiUH0080
1372	扞	BF6A	----	IiUI0080
1373	扞	BF6B	----	IiUJ0080
1374	扞	BF6C	----	IiUK0080
1375	扞	BF6D	----	IiUL0080
1376	扞	BF6E	----	IiUM0080
1377	扞	BF6F	----	IiUN0080

Table 11 (Page 27 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
1378	扞	BF70	----	IiUO0080
1379	扞	BF71	----	IiUP0080
1380	扞	BF72	----	IiUQ0080
1381	扞	BF73	----	IiUR0080
1382	扞	BF74	----	IiUS0080
1383	扞	BF75	----	IiUT0080
1384	扞	BF76	----	IiUU0080
1385	扞	BF77	----	IiUV0080
1386	扞	BF78	----	IiUW0080
1387	扞	BF79	----	IiUX0080
1388	扞	BF7A	----	IiUY0080
1389	扞	BF7B	----	IiUZ0080
1390	扞	BF7C	----	IiV00080
1391	扞	BF7D	----	IiV10080
1392	扞	BF7E	----	IiV20080
1393	扞	BF7F	----	IiV30080
1394	扞	BF80	----	IiV40080
1395	扞	BF81	----	IiV50080
1396	扞	BF82	----	IiV60080
1397	扞	BF83	----	IiV70080
1398	扞	BF84	----	IiV80080
1399	扞	BF85	----	IiV90080
1400	扞	BF86	----	IiVA0080
1401	扞	BF87	----	IiVB0080
1402	扞	BF88	----	IiVC0080
1403	扞	BF89	----	IiVD0080





## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 11 (Page 28 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
1404	掬	BF8A	----	IIVE0080
1405	措	BF8B	----	IIVF0080
1406	搦	BF8C	----	IIVG0080
1407	搦	BF8D	----	IIVH0080
1408	搦	BF8E	----	IIVI0080
1409	搦	BF8F	----	IIVJ0080
1410	搦	BF90	----	IIVK0080
1411	搦	BF91	----	IIVL0080
1412	搦	BF92	----	IIVM0080
1413	搦	BF93	----	IIVN0080
1414	搦	BF94	----	IIVO0080
1415	搦	BF95	----	IIVP0080
1416	搦	BF96	----	IIVQ0080
1417	搦	BF97	----	IIVR0080
1418	搦	BF98	----	IIVS0080
1419	搦	BF99	----	IIVT0080
1420	搦	BF9A	----	IIVU0080
1421	搦	BF9B	----	IIVV0080
1422	搦	BF9C	----	IIVW0080
1423	搦	BF9D	----	IIVX0080
1424	搦	BF9E	----	IIVY0080
1425	搦	BF9F	----	IIVZ0080
1426	搦	BFA0	----	IIW00080
1427	搦	BFA1	----	IIW10080
1428	搦	BFA2	----	IIW20080
1429	搦	BFA3	----	IIW30080

Table 11 (Page 28 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
1430	搦	BFA4	----	IIW40080
1431	搦	BFA5	----	IIW50080
1432	搦	BFA6	----	IIW60080
1433	搦	BFA7	----	IIW70080
1434	搦	BFA8	----	IIW80080
1435	搦	BFA9	----	IIW90080
1436	搦	BFAA	----	IIWA0080
1437	搦	BFAB	----	IIWB0080
1438	搦	BFAC	----	IIWC0080
1439	搦	BFAD	----	IIWD0080
1440	搦	BFAE	----	IIWE0080
1441	搦	BFAF	----	IIWF0080
1442	搦	BFB0	----	IIWG0080
1443	搦	BFB1	----	IIWH0080
1444	搦	BFB2	----	IIWI0080
1445	搦	BFB3	----	IIWJ0080
1446	搦	BFB4	----	IIWK0080
1447	搦	BFB5	----	IIWL0080
1448	搦	BFB6	----	IIWM0080
1449	搦	BFB7	----	IIWN0080
1450	搦	BFB8	----	IIWO0080
1451	搦	BFB9	----	IIWP0080
1452	搦	BFBA	----	IIWQ0080
1453	搦	BFBB	----	IIWR0080
1454	搦	BFBC	----	IIWS0080
1455	搦	BFB D	----	IIWT0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 11 (Page 29 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
1456	揪	BFBE	----	IIWU0080
1457	揆	BFBF	----	IIVV0080
1458	揲	BFC0	----	IIVW0080
1459	揳	BFC1	----	IIVX0080
1460	揄	BFC2	----	IIVY0080
1461	揅	BFC3	----	IIVZ0080
1462	揄	BFC4	----	IIX00080
1463	揅	BFC5	----	IIX10080
1464	揄	BFC6	----	IIX20080
1465	揅	BFC7	----	IIX30080
1466	揄	BFC8	----	IIX40080
1467	揅	BFC9	----	IIX50080
1468	揄	BFCA	----	IIX60080
1469	揅	BFCB	----	IIX70080
1470	揄	BFCC	----	IIX80080
1471	揅	BFGD	----	IIX90080
1472	揄	BFCE	----	IIXA0080
1473	揅	BFCF	----	IIXB0080
1474	揄	BFD0	----	IIXC0080
1475	揅	BFD1	----	IIXD0080
1476	揄	BFD2	----	IIXE0080
1477	揅	BFD3	----	IIXF0080
1478	揄	BFD4	----	IIXG0080
1479	揅	BFD5	----	IIXH0080
1480	揄	BFD6	----	IIXI0080
1481	揅	BFD7	----	IIXJ0080

Table 11 (Page 29 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
1482	揅	BFD8	----	IIXK0080
1483	揄	BFD9	----	IIXL0080
1484	揅	BFDA	----	IIXM0080
1485	揄	BFDB	----	IIXN0080
1486	揅	BFDC	----	IIXO0080
1487	揄	BFDD	----	IIXP0080
1488	揅	BFDE	----	IIXQ0080
1489	揄	BDFD	----	IIXR0080
1490	揅	BFE0	----	IIXS0080
1491	揄	BFE1	----	IIXT0080
1492	揅	BFE2	----	IIXU0080
1493	揄	BFE3	----	IIXV0080
1494	揅	BFE4	----	IIXW0080
1495	揄	BFE5	----	IIXX0080
1496	揅	BFE6	----	IIXY0080
1497	揄	BFE7	----	IIXZ0080
1498	揅	BFE8	----	IYY00080
1499	揄	BFE9	----	IYY10080
1500	揅	BFEA	----	IYY20080
1501	揄	BFEB	----	IYY30080
1502	揅	BFEC	----	IYY40080
1503	揄	BFED	----	IYY50080
1504	揅	BFEE	----	IYY60080
1505	揄	BFEF	----	IYY70080
1506	揅	BFF0	----	IYY80080
1507	揄	BFF1	----	IYY90080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
1508	揮	BFF2	----	IIYA0080
1509	撻	BFF3	----	IIYB0080
1510	撫	BFF4	----	IIYC0080
1511	撻	BFF5	----	IIYD0080
1512	擻	BFF6	----	IIYE0080
1513	擻	BFF7	----	IIFY0080
1514	擻	BFF8	----	IYYG0080
1515	撻	BFF9	----	IYH0080
1516	擻	BFFA	----	IYI0080
1517	擻	BFFB	----	IYJ0080
1518	擻	BFFC	----	IYK0080
1519	擻	BFFD	----	IYLO080
1520	擻	BFFE	----	IYMO080
1521	擻	C041	----	IYP0080
1522	擻	C042	----	IYQ0080
1523	擻	C043	----	IYR0080
1524	擻	C044	----	IYS0080
1525	擻	C045	----	IYT0080
1526	擻	C046	----	IYU0080
1527	擻	C047	----	IYV0080
1528	擻	C048	----	IYW0080
1529	擻	C049	----	IYX0080
1530	擻	C04A	----	IYY0080
1531	擻	C04B	----	IYZ0080
1532	擻	C04C	----	IIZ0080
1533	擻	C04D	----	IIZ10080

Line Number	Graphic	Host Code	PC Code	GCGID
1534	擻	C04E	----	IIZ20080
1535	擻	C04F	----	IIZ30080
1536	擻	C050	----	IIZ40080
1537	擻	C051	----	IIZ50080
1538	擻	C052	----	IIZ60080
1539	擻	C053	----	IIZ70080
1540	擻	C054	----	IIZ80080
1541	擻	C055	----	IIZ90080
1542	擻	C056	----	IIZA0080
1543	擻	C057	----	IIZB0080
1544	擻	C058	----	IIZC0080
1545	擻	C059	----	IIZD0080
1546	擻	C05A	----	IIZE0080
1547	擻	C05B	----	IIZF0080
1548	擻	C05C	----	IIZG0080
1549	擻	C05D	----	IIZH0080
1550	擻	C05E	----	IIZI0080
1551	擻	C05F	----	IIZJ0080
1552	攴	C060	----	IIZK0080
1553	攴	C061	----	IIZL0080
1554	攴	C062	----	IIZM0080
1555	攴	C063	----	IIZN0080
1556	攴	C064	----	IIZO0080
1557	攴	C065	----	IIZP0080
1558	攴	C066	----	IIZQ0080
1559	攴	C067	----	IIZR0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 11 (Page 31 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
1560	倣	C068	----	IIZS0080
1561	敌	C069	----	IIZT0080
1562	敷	C06A	----	IIZU0080
1563	敷	C06B	----	IIZV0080
1564	敷	C06C	----	IIZW0080
1565	敷	C06D	----	IIZX0080
1566	敷	C06E	----	IIZY0080
1567	敷	C06F	----	IIZZ0080
1568	敷	C070	----	IJ000080
1569	敷	C071	----	IJ010080
1570	敷	C072	----	IJ020080
1571	敷	C073	----	IJ030080
1572	敷	C074	----	IJ040080
1573	敷	C075	----	IJ050080
1574	敷	C076	----	IJ060080
1575	敷	C077	----	IJ070080
1576	敷	C078	----	IJ080080
1577	敷	C079	----	IJ090080
1578	敷	C07A	----	IJ0A0080
1579	敷	C07B	----	IJ0B0080
1580	敷	C07C	----	IJ0C0080
1581	敷	C07D	----	IJ0D0080
1582	旃	C07E	----	IJ0E0080
1583	旃	C07F	----	IJ0F0080
1584	旃	C080	----	IJ0G0080
1585	旃	C081	----	IJ0H0080

Table 11 (Page 31 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
1586	旃	C082	----	IJ0I0080
1587	旃	C083	----	IJ0J0080
1588	旃	C084	----	IJ0K0080
1589	旃	C085	----	IJ0L0080
1590	旃	C086	----	IJ0M0080
1591	旃	C087	----	IJ0N0080
1592	旃	C088	----	IJ0O0080
1593	旃	C089	----	IJ0P0080
1594	旃	C08A	----	IJ0Q0080
1595	旃	C08B	----	IJ0R0080
1596	旃	C08C	----	IJ0S0080
1597	旃	C08D	----	IJ0T0080
1598	旃	C08E	----	IJ0U0080
1599	旃	C08F	----	IJ0V0080
1600	旃	C090	----	IJ0W0080
1601	旃	C091	----	IJ0X0080
1602	旃	C092	----	IJ0Y0080
1603	旃	C093	----	IJ0Z0080
1604	旃	C094	----	IJ100080
1605	旃	C095	----	IJ110080
1606	旃	C096	----	IJ120080
1607	旃	C097	----	IJ130080
1608	旃	C098	----	IJ140080
1609	旃	C099	----	IJ150080
1610	旃	C09A	----	IJ160080
1611	旃	C09B	----	IJ170080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 11 (Page 32 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
1612	昀	C09C	----	IJ180080
1613	昏	C09D	----	IJ190080
1614	昷	C09E	----	IJ1A0080
1615	昫	C09F	----	IJ1B0080
1616	昰	C0A0	----	IJ1C0080
1617	昬	C0A1	----	IJ1D0080
1618	昉	C0A2	----	IJ1E0080
1619	昈	C0A3	----	IJ1F0080
1620	昊	C0A4	----	IJ1G0080
1621	昋	C0A5	----	IJ1H0080
1622	昀	C0A6	----	IJ1I0080
1623	昉	C0A7	----	IJ1J0080
1624	昈	C0A8	----	IJ1K0080
1625	昊	C0A9	----	IJ1L0080
1626	昋	C0AA	----	IJ1M0080
1627	昷	C0AB	----	IJ1N0080
1628	昫	C0AC	----	IJ1O0080
1629	昬	C0AD	----	IJ1P0080
1630	昰	C0AE	----	IJ1Q0080
1631	昉	C0AF	----	IJ1R0080
1632	昊	C0B0	----	IJ1S0080
1633	昋	C0B1	----	IJ1T0080
1634	昷	C0B2	----	IJ1U0080
1635	昫	C0B3	----	IJ1V0080
1636	昬	C0B4	----	IJ1W0080
1637	昉	C0B5	----	IJ1X0080

Table 11 (Page 32 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
1638	昀	C0B6	----	IJ1Y0080
1639	昉	C0B7	----	IJ1Z0080
1640	昈	C0B8	----	IJ200080
1641	昊	C0B9	----	IJ210080
1642	昋	C0BA	----	IJ220080
1643	昷	C0BB	----	IJ230080
1644	昫	C0BC	----	IJ240080
1645	昬	C0BD	----	IJ250080
1646	昰	C0BE	----	IJ260080
1647	昉	C0BF	----	IJ270080
1648	昊	C0C0	----	IJ280080
1649	昋	C0C1	----	IJ290080
1650	昷	C0C2	----	IJ2A0080
1651	昫	C0C3	----	IJ2B0080
1652	昬	C0C4	----	IJ2C0080
1653	昰	C0C5	----	IJ2D0080
1654	昉	C0C6	----	IJ2E0080
1655	昊	C0C7	----	IJ2F0080
1656	昋	C0C8	----	IJ2G0080
1657	昷	C0C9	----	IJ2H0080
1658	昫	C0CA	----	IJ2I0080
1659	昬	C0CB	----	IJ2J0080
1660	昰	C0CC	----	IJ2K0080
1661	昉	C0CD	----	IJ2L0080
1662	昊	C0CE	----	IJ2M0080
1663	昋	C0CF	----	IJ2N0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 11 (Page 33 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
1664	曛	C0D0	----	IJ2O0080
1665	晨	C0D1	----	IJ2P0080
1666	曠	C0D2	----	IJ2Q0080
1667	轡	C0D3	----	IJ2R0080
1668	曬	C0D4	----	IJ2S0080
1669	曦	C0D5	----	IJ2T0080
1670	竭	C0D6	----	IJ2U0080
1671	皦	C0D7	----	IJ2V0080
1672	朧	C0D8	----	IJ2W0080
1673	朧	C0D9	----	IJ2X0080
1674	朧	C0DA	----	IJ2Y0080
1675	朧	C0DB	----	IJ2Z0080
1676	朧	C0DC	----	IJ300080
1677	杩	C0DD	----	IJ310080
1678	杩	C0DE	----	IJ320080
1679	杩	C0DF	----	IJ330080
1680	杩	C0E0	----	IJ340080
1681	杩	C0E1	----	IJ350080
1682	杩	C0E2	----	IJ360080
1683	杩	C0E3	----	IJ370080
1684	杩	C0E4	----	IJ380080
1685	杩	C0E5	----	IJ390080
1686	杩	C0E6	----	IJ3A0080
1687	杩	C0E7	----	IJ3B0080
1688	杩	C0E8	----	IJ3C0080
1689	杩	C0E9	----	IJ3D0080

Table 11 (Page 33 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
1690	杩	C0EA	----	IJ3E0080
1691	杩	C0EB	----	IJ3F0080
1692	杩	C0EC	----	IJ3G0080
1693	杩	C0ED	----	IJ3H0080
1694	杩	C0EE	----	IJ3I0080
1695	杩	C0EF	----	IJ3J0080
1696	杩	C0F0	----	IJ3K0080
1697	杩	C0F1	----	IJ3L0080
1698	杩	C0F2	----	IJ3M0080
1699	杩	C0F3	----	IJ3N0080
1700	杩	C0F4	----	IJ3O0080
1701	杩	C0F5	----	IJ3P0080
1702	杩	C0F6	----	IJ3Q0080
1703	杩	C0F7	----	IJ3R0080
1704	杩	C0F8	----	IJ3S0080
1705	杩	C0F9	----	IJ3T0080
1706	杩	C0FA	----	IJ3U0080
1707	杩	C0FB	----	IJ3V0080
1708	杩	C0FC	----	IJ3W0080
1709	杩	C0FD	----	IJ3X0080
1710	杩	C0FE	----	IJ3Y0080
1711	杩	C141	----	IJ410080
1712	杩	C142	----	IJ420080
1713	杩	C143	----	IJ430080
1714	杩	C144	----	IJ440080
1715	杩	C145	----	IJ450080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 11 (Page 34 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
1716	栎	C146	----	IJ460080
1717	柎	C147	----	IJ470080
1718	柰	C148	----	IJ480080
1719	秘	C149	----	IJ490080
1720	栲	C14A	----	IJ4A0080
1721	柷	C14B	----	IJ4B0080
1722	栳	C14C	----	IJ4C0080
1723	梨	C14D	----	IJ4D0080
1724	栳	C14E	----	IJ4E0080
1725	栳	C14F	----	IJ4F0080
1726	栳	C150	----	IJ4G0080
1727	栳	C151	----	IJ4H0080
1728	栳	C152	----	IJ4I0080
1729	栳	C153	----	IJ4J0080
1730	栳	C154	----	IJ4K0080
1731	栳	C155	----	IJ4L0080
1732	栳	C156	----	IJ4M0080
1733	栳	C157	----	IJ4N0080
1734	栳	C158	----	IJ4O0080
1735	栳	C159	----	IJ4P0080
1736	栳	C15A	----	IJ4Q0080
1737	栳	C15B	----	IJ4R0080
1738	栳	C15C	----	IJ4S0080
1739	栳	C15D	----	IJ4T0080
1740	栳	C15E	----	IJ4U0080
1741	栳	C15F	----	IJ4V0080

Table 11 (Page 34 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
1742	栳	C160	----	IJ4W0080
1743	栳	C161	----	IJ4X0080
1744	栳	C162	----	IJ4Y0080
1745	栳	C163	----	IJ4Z0080
1746	栳	C164	----	IJ500080
1747	栳	C165	----	IJ510080
1748	栳	C166	----	IJ520080
1749	栳	C167	----	IJ530080
1750	栳	C168	----	IJ540080
1751	栳	C169	----	IJ550080
1752	栳	C16A	----	IJ560080
1753	栳	C16B	----	IJ570080
1754	栳	C16C	----	IJ580080
1755	栳	C16D	----	IJ590080
1756	栳	C16E	----	IJ5A0080
1757	栳	C16F	----	IJ5B0080
1758	栳	C170	----	IJ5C0080
1759	栳	C171	----	IJ5D0080
1760	栳	C172	----	IJ5E0080
1761	栳	C173	----	IJ5F0080
1762	栳	C174	----	IJ5G0080
1763	栳	C175	----	IJ5H0080
1764	栳	C176	----	IJ5I0080
1765	栳	C177	----	IJ5J0080
1766	栳	C178	----	IJ5K0080
1767	栳	C179	----	IJ5L0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 11 (Page 35 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
1768	桐	C17A	----	IJ5M0080
1769	椴	C17B	----	IJ5N0080
1770	榊	C17C	----	IJ5O0080
1771	榎	C17D	----	IJ5P0080
1772	榦	C17E	----	IJ5Q0080
1773	榧	C17F	----	IJ5R0080
1774	榍	C180	----	IJ5S0080
1775	榎	C181	----	IJ5T0080
1776	榧	C182	----	IJ5U0080
1777	榧	C183	----	IJ5V0080
1778	榧	C184	----	IJ5W0080
1779	榧	C185	----	IJ5X0080
1780	榧	C186	----	IJ5Y0080
1781	榧	C187	----	IJ5Z0080
1782	榧	C188	----	IJ600080
1783	榧	C189	----	IJ610080
1784	榧	C18A	----	IJ620080
1785	榧	C18B	----	IJ630080
1786	榧	C18C	----	IJ640080
1787	榧	C18D	----	IJ650080
1788	榧	C18E	----	IJ660080
1789	榧	C18F	----	IJ670080
1790	榧	C190	----	IJ680080
1791	榧	C191	----	IJ690080
1792	榧	C192	----	IJ6A0080
1793	榧	C193	----	IJ6B0080

Table 11 (Page 35 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
1794	榧	C194	----	IJ6C0080
1795	榧	C195	----	IJ6D0080
1796	榧	C196	----	IJ6E0080
1797	榧	C197	----	IJ6F0080
1798	榧	C198	----	IJ6G0080
1799	榧	C199	----	IJ6H0080
1800	榧	C19A	----	IJ6I0080
1801	榧	C19B	----	IJ6J0080
1802	榧	C19C	----	IJ6K0080
1803	榧	C19D	----	IJ6L0080
1804	榧	C19E	----	IJ6M0080
1805	榧	C19F	----	IJ6N0080
1806	榧	C1A0	----	IJ6O0080
1807	榧	C1A1	----	IJ6P0080
1808	榧	C1A2	----	IJ6Q0080
1809	榧	C1A3	----	IJ6R0080
1810	榧	C1A4	----	IJ6S0080
1811	榧	C1A5	----	IJ6T0080
1812	榧	C1A6	----	IJ6U0080
1813	榧	C1A7	----	IJ6V0080
1814	榧	C1A8	----	IJ6W0080
1815	榧	C1A9	----	IJ6X0080
1816	榧	C1AA	----	IJ6Y0080
1817	榧	C1AB	----	IJ6Z0080
1818	榧	C1AC	----	IJ700080
1819	榧	C1AD	----	IJ710080





## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
1820	械	C1AE	----	IJ720080
1821	揉	C1AF	----	IJ730080
1822	檣	C1B0	----	IJ740080
1823	橋	C1B1	----	IJ750080
1824	楫	C1B2	----	IJ760080
1825	楫	C1B3	----	IJ770080
1826	櫛	C1B4	----	IJ780080
1827	穀	C1B5	----	IJ790080
1828	榛	C1B6	----	IJ7A0080
1829	梶	C1B7	----	IJ7B0080
1830	榦	C1B8	----	IJ7C0080
1831	榨	C1B9	----	IJ7D0080
1832	榘	C1BA	----	IJ7E0080
1833	榭	C1BB	----	IJ7F0080
1834	榭	C1BC	----	IJ7G0080
1835	權	C1BD	----	IJ7H0080
1836	榷	C1BE	----	IJ7I0080
1837	膝	C1BF	----	IJ7J0080
1838	榼	C1C0	----	IJ7K0080
1839	榻	C1C1	----	IJ7L0080
1840	榭	C1C2	----	IJ7M0080
1841	榧	C1C3	----	IJ7N0080
1842	榘	C1C4	----	IJ7O0080
1843	榭	C1C5	----	IJ7P0080
1844	榭	C1C6	----	IJ7Q0080
1845	榭	C1C7	----	IJ7R0080

Line Number	Graphic	Host Code	PC Code	GCGID
1846	權	C1C8	----	IJ7S0080
1847	標	C1C9	----	IJ7T0080
1848	槳	C1CA	----	IJ7U0080
1849	榭	C1CB	----	IJ7V0080
1850	榭	C1CC	----	IJ7W0080
1851	榭	C1CD	----	IJ7X0080
1852	榭	C1CE	----	IJ7Y0080
1853	榭	C1CF	----	IJ7Z0080
1854	榭	C1D0	----	IJ800080
1855	榭	C1D1	----	IJ810080
1856	榭	C1D2	----	IJ820080
1857	榭	C1D3	----	IJ830080
1858	榭	C1D4	----	IJ840080
1859	榭	C1D5	----	IJ850080
1860	榭	C1D6	----	IJ860080
1861	榭	C1D7	----	IJ870080
1862	榭	C1D8	----	IJ880080
1863	榭	C1D9	----	IJ890080
1864	榭	C1DA	----	IJ8A0080
1865	榭	C1DB	----	IJ8B0080
1866	榭	C1DC	----	IJ8C0080
1867	榭	C1DD	----	IJ8D0080
1868	榭	C1DE	----	IJ8E0080
1869	榭	C1DF	----	IJ8F0080
1870	榭	C1E0	----	IJ8G0080
1871	榭	C1E1	----	IJ8H0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 11 (Page 37 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
1872	橐	C1E2	----	IJ8I0080
1873	撩	C1E3	----	IJ8J0080
1874	標	C1E4	----	IJ8K0080
1875	樽	C1E5	----	IJ8L0080
1876	櫟	C1E6	----	IJ8M0080
1877	櫪	C1E7	----	IJ8N0080
1878	櫬	C1E8	----	IJ8O0080
1879	櫭	C1E9	----	IJ8P0080
1880	櫮	C1EA	----	IJ8Q0080
1881	櫳	C1EB	----	IJ8R0080
1882	櫬	C1EC	----	IJ8S0080
1883	櫭	C1ED	----	IJ8T0080
1884	櫮	C1EE	----	IJ8U0080
1885	櫳	C1EF	----	IJ8V0080
1886	櫬	C1F0	----	IJ8W0080
1887	櫭	C1F1	----	IJ8X0080
1888	櫮	C1F2	----	IJ8Y0080
1889	櫳	C1F3	----	IJ8Z0080
1890	櫬	C1F4	----	IJ900080
1891	櫭	C1F5	----	IJ910080
1892	櫮	C1F6	----	IJ920080
1893	櫳	C1F7	----	IJ930080
1894	櫬	C1F8	----	IJ940080
1895	櫭	C1F9	----	IJ950080
1896	櫮	C1FA	----	IJ960080
1897	櫳	C1FB	----	IJ970080

Table 11 (Page 37 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
1898	櫮	C1FC	----	IJ980080
1899	櫳	C1FD	----	IJ990080
1900	櫬	C1FE	----	IJ9A0080
1901	櫭	C241	----	IJ9D0080
1902	櫮	C242	----	IJ9E0080
1903	櫳	C243	----	IJ9F0080
1904	櫬	C244	----	IJ9G0080
1905	櫭	C245	----	IJ9H0080
1906	櫮	C246	----	IJ9I0080
1907	櫳	C247	----	IJ9J0080
1908	櫬	C248	----	IJ9K0080
1909	櫭	C249	----	IJ9L0080
1910	櫮	C24A	----	IJ9M0080
1911	櫳	C24B	----	IJ9N0080
1912	櫬	C24C	----	IJ9O0080
1913	櫭	C24D	----	IJ9P0080
1914	櫮	C24E	----	IJ9Q0080
1915	櫳	C24F	----	IJ9R0080
1916	櫬	C250	----	IJ9S0080
1917	櫭	C251	----	IJ9T0080
1918	櫮	C252	----	IJ9U0080
1919	櫳	C253	----	IJ9V0080
1920	櫬	C254	----	IJ9W0080
1921	櫭	C255	----	IJ9X0080
1922	櫮	C256	----	IJ9Y0080
1923	櫳	C257	----	IJ9Z0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
1924	櫛	C258	----	IJA00080
1925	櫛	C259	----	IJA10080
1926	櫛	C25A	----	IJA20080
1927	櫛	C25B	----	IJA30080
1928	櫛	C25C	----	IJA40080
1929	櫛	C25D	----	IJA50080
1930	欵	C25E	----	IJA60080
1931	欵	C25F	----	IJA70080
1932	欵	C260	----	IJA80080
1933	欵	C261	----	IJA90080
1934	欵	C262	----	IJAA0080
1935	欵	C263	----	IJAB0080
1936	欵	C264	----	IJAC0080
1937	欵	C265	----	IJAD0080
1938	欵	C266	----	IJAE0080
1939	欵	C267	----	IJAF0080
1940	欵	C268	----	IJAG0080
1941	欵	C269	----	IJAH0080
1942	敵	C26A	----	IJAI0080
1943	敵	C26B	----	IJAJ0080
1944	敵	C26C	----	IJAK0080
1945	敵	C26D	----	IJAL0080
1946	敵	C26E	----	IJAM0080
1947	岐	C26F	----	IJAN0080
1948	距	C270	----	IJAO0080
1949	處	C271	----	IJAP0080

Line Number	Graphic	Host Code	PC Code	GCGID
1950	澀	C272	----	IJAQ0080
1951	墳	C273	----	IJAR0080
1952	所	C274	----	IJAS0080
1953	所	C275	----	IJAT0080
1954	所	C276	----	IJAU0080
1955	所	C277	----	IJAV0080
1956	所	C278	----	IJAW0080
1957	所	C279	----	IJAX0080
1958	殞	C27A	----	IJAY0080
1959	殞	C27B	----	IJAZ0080
1960	殞	C27C	----	IJB00080
1961	殞	C27D	----	IJB10080
1962	殞	C27E	----	IJB20080
1963	殞	C27F	----	IJB30080
1964	殞	C280	----	IJB40080
1965	殞	C281	----	IJB50080
1966	殞	C282	----	IJB60080
1967	殞	C283	----	IJB70080
1968	殞	C284	----	IJB80080
1969	殞	C285	----	IJB90080
1970	殞	C286	----	IJBA0080
1971	殞	C287	----	IJBB0080
1972	殞	C288	----	IJBC0080
1973	殞	C289	----	IJBD0080
1974	殞	C28A	----	IJBE0080
1975	殞	C28B	----	IJBF0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 11 (Page 39 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
1976	氩	C28C	----	IJBG0080
1977	氩	C28D	----	IJBH0080
1978	氩	C28E	----	IJBI0080
1979	氩	C28F	----	IJBK0080
1980	氩	C290	----	IJBK0080
1981	氩	C291	----	IJBL0080
1982	氩	C292	----	IJBM0080
1983	氩	C293	----	IJBN0080
1984	氩	C294	----	IJBO0080
1985	氩	C295	----	IJBP0080
1986	氩	C296	----	IJBQ0080
1987	氩	C297	----	IJBR0080
1988	氩	C298	----	IJBS0080
1989	氩	C299	----	IJBT0080
1990	氩	C29A	----	IJBU0080
1991	氩	C29B	----	IJBV0080
1992	氩	C29C	----	IJBW0080
1993	氩	C29D	----	IJBX0080
1994	氩	C29E	----	IJBY0080
1995	氩	C29F	----	IJBZ0080
1996	氩	C2A0	----	IJC00080
1997	氩	C2A1	----	IJC10080
1998	氩	C2A2	----	IJC20080
1999	氩	C2A3	----	IJC30080
2000	氩	C2A4	----	IJC40080
2001	氩	C2A5	----	IJC50080

Table 11 (Page 39 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
2002	氩	C2A6	----	IJC60080
2003	氩	C2A7	----	IJC70080
2004	氩	C2A8	----	IJC80080
2005	氩	C2A9	----	IJC90080
2006	氩	C2AA	----	IJCA0080
2007	氩	C2AB	----	IJCB0080
2008	氩	C2AC	----	IJCC0080
2009	氩	C2AD	----	IJCD0080
2010	氩	C2AE	----	IJCE0080
2011	氩	C2AF	----	IJCF0080
2012	氩	C2B0	----	IJCG0080
2013	氩	C2B1	----	IJCH0080
2014	氩	C2B2	----	IJCI0080
2015	氩	C2B3	----	IJCJ0080
2016	氩	C2B4	----	IJCK0080
2017	氩	C2B5	----	IJCL0080
2018	氩	C2B6	----	IJCM0080
2019	氩	C2B7	----	IJCN0080
2020	氩	C2B8	----	IJCO0080
2021	氩	C2B9	----	IJCP0080
2022	氩	C2BA	----	IJCQ0080
2023	氩	C2BB	----	IJCR0080
2024	氩	C2BC	----	IJCS0080
2025	氩	C2BD	----	IJCT0080
2026	氩	C2BE	----	IJCU0080
2027	氩	C2BF	----	IJCV0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 11 (Page 40 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
2028	泚	C2C0	----	IJCW0080
2029	泐	C2C1	----	IJCX0080
2030	沟	C2C2	----	IJCY0080
2031	汜	C2C3	----	IJCZ0080
2032	淹	C2C4	----	IJD00080
2033	涉	C2C5	----	IJD10080
2034	洄	C2C6	----	IJD20080
2035	洑	C2C7	----	IJD30080
2036	洔	C2C8	----	IJD40080
2037	洕	C2C9	----	IJD50080
2038	洖	C2CA	----	IJD60080
2039	洗	C2CB	----	IJD70080
2040	洘	C2CC	----	IJD80080
2041	洙	C2CD	----	IJD90080
2042	洚	C2CE	----	IJDA0080
2043	洛	C2CF	----	IJDB0080
2044	洜	C2D0	----	IJDC0080
2045	洝	C2D1	----	IJDD0080
2046	洞	C2D2	----	IJDE0080
2047	洟	C2D3	----	IJDF0080
2048	洠	C2D4	----	IJDG0080
2049	洡	C2D5	----	IJDH0080
2050	洢	C2D6	----	IJDI0080
2051	洣	C2D7	----	IJDJ0080
2052	洤	C2D8	----	IJDK0080
2053	津	C2D9	----	IJDL0080

Table 11 (Page 40 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
2054	洦	C2DA	----	IJDM0080
2055	洧	C2DB	----	IJDN0080
2056	洨	C2DC	----	IJDO0080
2057	洩	C2DD	----	IJDP0080
2058	洪	C2DE	----	IJDQ0080
2059	洫	C2DF	----	IJDR0080
2060	洬	C2E0	----	IJDS0080
2061	洭	C2E1	----	IJDT0080
2062	洮	C2E2	----	IJDU0080
2063	洱	C2E3	----	IJDV0080
2064	洲	C2E4	----	IJDW0080
2065	洳	C2E5	----	IJDX0080
2066	洴	C2E6	----	IJDY0080
2067	洵	C2E7	----	IJZ0080
2068	洵	C2E8	----	IJE00080
2069	洶	C2E9	----	IJE10080
2070	洷	C2EA	----	IJE20080
2071	洸	C2EB	----	IJE30080
2072	洹	C2EC	----	IJE40080
2073	洺	C2ED	----	IJE50080
2074	活	C2EE	----	IJE60080
2075	洼	C2EF	----	IJE70080
2076	洽	C2F0	----	IJE80080
2077	派	C2F1	----	IJE90080
2078	洿	C2F2	----	IJEA0080
2079	洺	C2F3	----	IJEB0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 11 (Page 41 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
2080	澆	C2F4	----	IJEC0080
2081	涖	C2F5	----	IJED0080
2082	涑	C2F6	----	IJEE0080
2083	涒	C2F7	----	IJEF0080
2084	涓	C2F8	----	IJEG0080
2085	涔	C2F9	----	IJEH0080
2086	涖	C2FA	----	IJEI0080
2087	涘	C2FB	----	IJEJ0080
2088	涖	C2FC	----	IJEK0080
2089	涖	C2FD	----	IJEL0080
2090	涖	C2FE	----	IJEM0080
2091	涖	C341	----	IJEP0080
2092	涖	C342	----	IJEQ0080
2093	涖	C343	----	IJER0080
2094	涖	C344	----	IJES0080
2095	涖	C345	----	IJET0080
2096	涖	C346	----	IJEU0080
2097	涖	C347	----	IJEV0080
2098	涖	C348	----	IJEW0080
2099	涖	C349	----	IJEX0080
2100	涖	C34A	----	IJEY0080
2101	涖	C34B	----	IJEZ0080
2102	涖	C34C	----	IJF00080
2103	涖	C34D	----	IJF10080
2104	涖	C34E	----	IJF20080
2105	涖	C34F	----	IJF30080

Table 11 (Page 41 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
2106	涖	C350	----	IJF40080
2107	涖	C351	----	IJF50080
2108	涖	C352	----	IJF60080
2109	涖	C353	----	IJF70080
2110	涖	C354	----	IJF80080
2111	涖	C355	----	IJF90080
2112	涖	C356	----	IJFA0080
2113	涖	C357	----	IJFB0080
2114	涖	C358	----	IJFC0080
2115	涖	C359	----	IJFD0080
2116	涖	C35A	----	IJFE0080
2117	涖	C35B	----	IJFF0080
2118	涖	C35C	----	IJFG0080
2119	涖	C35D	----	IJFH0080
2120	涖	C35E	----	IJFI0080
2121	涖	C35F	----	IJFJ0080
2122	涖	C360	----	IJFK0080
2123	涖	C361	----	IJFL0080
2124	涖	C362	----	IJFM0080
2125	涖	C363	----	IJFN0080
2126	涖	C364	----	IJFO0080
2127	涖	C365	----	IJFP0080
2128	涖	C366	----	IJFQ0080
2129	涖	C367	----	IJFR0080
2130	涖	C368	----	IJFS0080
2131	涖	C369	----	IJFT0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
2132	漆	C36A	----	IJFU0080
2133	差	C36B	----	IJFV0080
2134	溧	C36C	----	IJFW0080
2135	漫	C36D	----	IJFX0080
2136	瀨	C36E	----	IJFY0080
2137	漆	C36F	----	IJFZ0080
2138	湏	C370	----	IJG00080
2139	湏	C371	----	IJG10080
2140	瀆	C372	----	IJG20080
2141	滌	C373	----	IJG30080
2142	滌	C374	----	IJG40080
2143	滌	C375	----	IJG50080
2144	滌	C376	----	IJG60080
2145	滌	C377	----	IJG70080
2146	滌	C378	----	IJG80080
2147	滌	C379	----	IJG90080
2148	滌	C37A	----	IJGA0080
2149	滌	C37B	----	IJGB0080
2150	滌	C37C	----	IJGC0080
2151	滌	C37D	----	IJGD0080
2152	滌	C37E	----	IJGE0080
2153	滌	C37F	----	IJGF0080
2154	滌	C380	----	IJGG0080
2155	滌	C381	----	IJGH0080
2156	滌	C382	----	IJGI0080
2157	滌	C383	----	IJGJ0080

Line Number	Graphic	Host Code	PC Code	GCGID
2158	滌	C384	----	IJGK0080
2159	滌	C385	----	IJGL0080
2160	滌	C386	----	IJGM0080
2161	滌	C387	----	IJGN0080
2162	滌	C388	----	IJGO0080
2163	滌	C389	----	IJGP0080
2164	滌	C38A	----	IJGQ0080
2165	滌	C38B	----	IJGR0080
2166	滌	C38C	----	IJGS0080
2167	滌	C38D	----	IJGT0080
2168	滌	C38E	----	IJGU0080
2169	滌	C38F	----	IJGV0080
2170	滌	C390	----	IJGW0080
2171	滌	C391	----	IJGX0080
2172	滌	C392	----	IJGY0080
2173	滌	C393	----	IJGZ0080
2174	滌	C394	----	IJH00080
2175	滌	C395	----	IJH10080
2176	滌	C396	----	IJH20080
2177	滌	C397	----	IJH30080
2178	滌	C398	----	IJH40080
2179	滌	C399	----	IJH50080
2180	滌	C39A	----	IJH60080
2181	滌	C39B	----	IJH70080
2182	滌	C39C	----	IJH80080
2183	滌	C39D	----	IJH90080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 11 (Page 43 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
2184	漬	C39E	----	IJHA0080
2185	滌	C39F	----	IJHB0080
2186	澗	C3A0	----	IJHC0080
2187	漕	C3A1	----	IJHD0080
2188	滸	C3A2	----	IJHE0080
2189	漚	C3A3	----	IJHF0080
2190	滑	C3A4	----	IJHG0080
2191	滒	C3A5	----	IJHH0080
2192	澗	C3A6	----	IJHI0080
2193	澗	C3A7	----	IJHJ0080
2194	滗	C3A8	----	IJHK0080
2195	滘	C3A9	----	IJHL0080
2196	滙	C3AA	----	IJHM0080
2197	澗	C3AB	----	IJHN0080
2198	澗	C3AC	----	IJHO0080
2199	澗	C3AD	----	IJHP0080
2200	澗	C3AE	----	IJHQ0080
2201	澗	C3AF	----	IJHR0080
2202	澗	C3B0	----	IJHS0080
2203	澗	C3B1	----	IJHT0080
2204	澗	C3B2	----	IJHU0080
2205	澗	C3B3	----	IJHV0080
2206	澗	C3B4	----	IJHW0080
2207	澗	C3B5	----	IJHX0080
2208	澗	C3B6	----	IJHY0080
2209	澗	C3B7	----	IJHZ0080

Table 11 (Page 43 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
2210	澗	C3B8	----	IJI00080
2211	澗	C3B9	----	IJI10080
2212	澗	C3BA	----	IJI20080
2213	澗	C3BB	----	IJI30080
2214	澗	C3BC	----	IJI40080
2215	澗	C3BD	----	IJI50080
2216	澗	C3BE	----	IJI60080
2217	澗	C3BF	----	IJI70080
2218	澗	C3C0	----	IJI80080
2219	澗	C3C1	----	IJI90080
2220	澗	C3C2	----	IJIA0080
2221	澗	C3C3	----	IJIB0080
2222	澗	C3C4	----	IJIC0080
2223	澗	C3C5	----	IJID0080
2224	澗	C3C6	----	IJIE0080
2225	澗	C3C7	----	IJIF0080
2226	澗	C3C8	----	IJIG0080
2227	澗	C3C9	----	IJIH0080
2228	澗	C3CA	----	IJII0080
2229	澗	C3CB	----	IJIJ0080
2230	澗	C3CC	----	IJIK0080
2231	澗	C3CD	----	IJIL0080
2232	澗	C3CE	----	IJIM0080
2233	澗	C3CF	----	IJIN0080
2234	澗	C3D0	----	IJIO0080
2235	澗	C3D1	----	IJIP0080





## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 11 (Page 44 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
2236	濯	C3D2	----	IJIQ0080
2237	澁	C3D3	----	IJIR0080
2238	澗	C3D4	----	IJIS0080
2239	澗	C3D5	----	IJIT0080
2240	澗	C3D6	----	IJIU0080
2241	澗	C3D7	----	IJIV0080
2242	澗	C3D8	----	IJIW0080
2243	澗	C3D9	----	IJIX0080
2244	澗	C3DA	----	IJIY0080
2245	澗	C3DB	----	IJIZ0080
2246	蠱	C3DC	----	IJJ00080
2247	灬	C3DD	----	IJJ10080
2248	炆	C3DE	----	IJJ20080
2249	灵	C3DF	----	IJJ30080
2250	灶	C3E0	----	IJJ40080
2251	灾	C3E1	----	IJJ50080
2252	炆	C3E2	----	IJJ60080
2253	炆	C3E3	----	IJJ70080
2254	炆	C3E4	----	IJJ80080
2255	炆	C3E5	----	IJJ90080
2256	炆	C3E6	----	IJJA0080
2257	炆	C3E7	----	IJJB0080
2258	炆	C3E8	----	IJJC0080
2259	炆	C3E9	----	IJJD0080
2260	炆	C3EA	----	IJJE0080
2261	炆	C3EB	----	IJFF0080

Table 11 (Page 44 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
2262	炆	C3EC	----	IJJG0080
2263	炆	C3ED	----	IJJH0080
2264	炆	C3EE	----	IJJI0080
2265	炆	C3EF	----	IJJJ0080
2266	炆	C3F0	----	IJJK0080
2267	炆	C3F1	----	IJJL0080
2268	炆	C3F2	----	IJJM0080
2269	炆	C3F3	----	IJJN0080
2270	炆	C3F4	----	IJJO0080
2271	炆	C3F5	----	IJJP0080
2272	炆	C3F6	----	IJJQ0080
2273	炆	C3F7	----	IJJR0080
2274	炆	C3F8	----	IJJS0080
2275	炆	C3F9	----	IJJT0080
2276	炆	C3FA	----	IJJU0080
2277	炆	C3FB	----	IJJV0080
2278	炆	C3FC	----	IJJW0080
2279	炆	C3FD	----	IJJX0080
2280	炆	C3FE	----	IJFY0080
2281	炆	C441	----	IJK10080
2282	炆	C442	----	IJK20080
2283	炆	C443	----	IJK30080
2284	炆	C444	----	IJK40080
2285	炆	C445	----	IJK50080
2286	炆	C446	----	IJK60080
2287	炆	C447	----	IJK70080




## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 11 (Page 45 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
2288	𤇀	C448	----	IJK80080
2289	𤇁	C449	----	IJK90080
2290	𤇂	C44A	----	IJKA0080
2291	𤇃	C44B	----	IJKB0080
2292	𤇄	C44C	----	IJKC0080
2293	𤇅	C44D	----	IJKD0080
2294	𤇆	C44E	----	IJKE0080
2295	𤇇	C44F	----	IJKF0080
2296	𤇈	C450	----	IJKG0080
2297	𤇉	C451	----	IJKH0080
2298	𤇊	C452	----	IJKI0080
2299	𤇋	C453	----	IJKJ0080
2300	𤇌	C454	----	IJKK0080
2301	𤇍	C455	----	IJKL0080
2302	𤇎	C456	----	IJKM0080
2303	𤇏	C457	----	IJKN0080
2304	𤇐	C458	----	IJKO0080
2305	𤇑	C459	----	IJKP0080
2306	𤇒	C45A	----	IJKQ0080
2307	𤇓	C45B	----	IJKR0080
2308	𤇔	C45C	----	IJKS0080
2309	𤇕	C45D	----	IJKT0080
2310	𤇖	C45E	----	IJKU0080
2311	𤇗	C45F	----	IJKV0080
2312	𤇘	C460	----	IJKW0080
2313	𤇙	C461	----	IJKX0080

Table 11 (Page 45 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
2314	𤇚	C462	----	IJKY0080
2315	𤇛	C463	----	IJKZ0080
2316	𤇜	C464	----	IJL00080
2317	𤇝	C465	----	IJL10080
2318	𤇞	C466	----	IJL20080
2319	𤇟	C467	----	IJL30080
2320	𤇠	C468	----	IJL40080
2321	𤇡	C469	----	IJL50080
2322	𤇢	C46A	----	IJL60080
2323	𤇣	C46B	----	IJL70080
2324	𤇤	C46C	----	IJL80080
2325	𤇥	C46D	----	IJL90080
2326	𤇦	C46E	----	IJLA0080
2327	𤇧	C46F	----	IJLB0080
2328	𤇨	C470	----	IJLC0080
2329	𤇩	C471	----	IJLD0080
2330	𤇪	C472	----	IJLE0080
2331	𤇫	C473	----	IJLF0080
2332	𤇬	C474	----	IJLG0080
2333	𤇭	C475	----	IJLH0080
2334	𤇮	C476	----	IJLI0080
2335	𤇯	C477	----	IJLJ0080
2336	𤇰	C478	----	IJLK0080
2337	𤇱	C479	----	IJLL0080
2338	𤇲	C47A	----	IJLM0080
2339	𤇳	C47B	----	IJLN0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 11 (Page 46 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
2340	爹	C47C	----	IJLO0080
2341	疴	C47D	----	IJLP0080
2342	牂	C47E	----	IJLQ0080
2343	牒	C47F	----	IJLR0080
2344	牖	C480	----	IJLS0080
2345	牚	C481	----	IJLT0080
2346	牛	C482	----	IJLU0080
2347	牝	C483	----	IJLV0080
2348	牑	C484	----	IJLW0080
2349	牒	C485	----	IJLX0080
2350	牓	C486	----	IJLY0080
2351	牓	C487	----	IJLZ0080
2352	牛	C488	----	IJM00080
2353	牝	C489	----	IJM10080
2354	牝	C48A	----	IJM20080
2355	牝	C48B	----	IJM30080
2356	牝	C48C	----	IJM40080
2357	牝	C48D	----	IJM50080
2358	犂	C48E	----	IJM60080
2359	牝	C48F	----	IJM70080
2360	犏	C490	----	IJM80080
2361	犏	C491	----	IJM90080
2362	犏	C492	----	IJMA0080
2363	犏	C493	----	IJMB0080
2364	犏	C494	----	IJMC0080
2365	犏	C495	----	IJMD0080

Table 11 (Page 46 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
2366	犏	C496	----	IJME0080
2367	犏	C497	----	IJMF0080
2368	犏	C498	----	IJMG0080
2369	犏	C499	----	IJMH0080
2370	犏	C49A	----	IJMI0080
2371	犏	C49B	----	IJMJ0080
2372	犏	C49C	----	IJMK0080
2373	犏	C49D	----	IJML0080
2374	犏	C49E	----	IJMM0080
2375	犏	C49F	----	IJMN0080
2376	犏	C4A0	----	IJMO0080
2377	犏	C4A1	----	IJMP0080
2378	犏	C4A2	----	IJMQ0080
2379	犏	C4A3	----	IJMR0080
2380	犏	C4A4	----	IJMS0080
2381	犏	C4A5	----	IJMT0080
2382	犏	C4A6	----	IJMU0080
2383	犏	C4A7	----	IJMV0080
2384	犏	C4A8	----	IJMW0080
2385	犏	C4A9	----	IJMX0080
2386	犏	C4AA	----	IJMY0080
2387	犏	C4AB	----	IJMZ0080
2388	犏	C4AC	----	IJN00080
2389	犏	C4AD	----	IJN10080
2390	犏	C4AE	----	IJN20080
2391	犏	C4AF	----	IJN30080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 11 (Page 47 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
2392	狒	C4B0	----	IJN40080
2393	狢	C4B1	----	IJN50080
2394	森	C4B2	----	IJN60080
2395	狢	C4B3	----	IJN70080
2396	猷	C4B4	----	IJN80080
2397	猯	C4B5	----	IJN90080
2398	猰	C4B6	----	IJNA0080
2399	猱	C4B7	----	IJNB0080
2400	猲	C4B8	----	IJNC0080
2401	猳	C4B9	----	IJND0080
2402	猴	C4BA	----	IJNE0080
2403	猵	C4BB	----	IJNF0080
2404	猶	C4BC	----	IJNG0080
2405	猷	C4BD	----	IJNH0080
2406	猫	C4BE	----	IJNI0080
2407	猬	C4BF	----	IJNJ0080
2408	猭	C4C0	----	IJNK0080
2409	猫	C4C1	----	IJNL0080
2410	猬	C4C2	----	IJNM0080
2411	猭	C4C3	----	IJNN0080
2412	献	C4C4	----	IJNO0080
2413	猩	C4C5	----	IJNP0080
2414	猪	C4C6	----	IJNQ0080
2415	猫	C4C7	----	IJNR0080
2416	猬	C4C8	----	IJNS0080
2417	猭	C4C9	----	IJNT0080

Table 11 (Page 47 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
2418	献	C4CA	----	IJNU0080
2419	猩	C4CB	----	IJNV0080
2420	猪	C4CC	----	IJNW0080
2421	猫	C4CD	----	IJNX0080
2422	猬	C4CE	----	IJNY0080
2423	猭	C4CF	----	IJNZ0080
2424	献	C4D0	----	IJO00080
2425	猩	C4D1	----	IJO10080
2426	猪	C4D2	----	IJO20080
2427	猫	C4D3	----	IJO30080
2428	猬	C4D4	----	IJO40080
2429	猭	C4D5	----	IJO50080
2430	献	C4D6	----	IJO60080
2431	猩	C4D7	----	IJO70080
2432	猪	C4D8	----	IJO80080
2433	猫	C4D9	----	IJO90080
2434	玅	C4DA	----	IJOA0080
2435	玆	C4DB	----	IJOB0080
2436	率	C4DC	----	IJOC0080
2437	玈	C4DD	----	IJOD0080
2438	玉	C4DE	----	IJOE0080
2439	玊	C4DF	----	IJOF0080
2440	王	C4E0	----	IJOG0080
2441	玌	C4E1	----	IJOH0080
2442	玍	C4E2	----	IJOI0080
2443	玎	C4E3	----	IJOJ0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 11 (Page 48 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
2444	玫	C4E4	----	IJOK0080
2445	玠	C4E5	----	IJOL0080
2446	玢	C4E6	----	IJOM0080
2447	玣	C4E7	----	IJON0080
2448	玤	C4E8	----	IJOO0080
2449	玥	C4E9	----	IJOP0080
2450	玧	C4EA	----	IJOQ0080
2451	玨	C4EB	----	IJOR0080
2452	玩	C4EC	----	IJOS0080
2453	玪	C4ED	----	IJOT0080
2454	玫	C4EE	----	IJOU0080
2455	玬	C4EF	----	IJOV0080
2456	玭	C4F0	----	IJOW0080
2457	玮	C4F1	----	IJOX0080
2458	环	C4F2	----	IJOY0080
2459	现	C4F3	----	IJOZ0080
2460	玱	C4F4	----	IJP00080
2461	玲	C4F5	----	IJP10080
2462	玳	C4F6	----	IJP20080
2463	玴	C4F7	----	IJP30080
2464	玵	C4F8	----	IJP40080
2465	玶	C4F9	----	IJP50080
2466	玷	C4FA	----	IJP60080
2467	玸	C4FB	----	IJP70080
2468	玹	C4FC	----	IJP80080
2469	玺	C4FD	----	IJP90080

Table 11 (Page 48 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
2470	玻	C4FE	----	IJPA0080
2471	玼	C541	----	IJPD0080
2472	玽	C542	----	IJPE0080
2473	玾	C543	----	IJPF0080
2474	玿	C544	----	IJPG0080
2475	玿	C545	----	IJPH0080
2476	玿	C546	----	IJPI0080
2477	玿	C547	----	IJPJ0080
2478	玿	C548	----	IJPK0080
2479	玿	C549	----	IJPL0080
2480	玿	C54A	----	IJPM0080
2481	玿	C54B	----	IJPN0080
2482	玿	C54C	----	IJPO0080
2483	玿	C54D	----	IJPP0080
2484	玿	C54E	----	IJPQ0080
2485	玿	C54F	----	IJPR0080
2486	玿	C550	----	IJPS0080
2487	玿	C551	----	IJPT0080
2488	玿	C552	----	IJPU0080
2489	玿	C553	----	IJPV0080
2490	玿	C554	----	IJPW0080
2491	玿	C555	----	IJPX0080
2492	玿	C556	----	IJPY0080
2493	玿	C557	----	IJPZ0080
2494	玿	C558	----	IJQ00080
2495	玿	C559	----	IJQ10080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 11 (Page 49 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
2496	璫	C55A	----	IJQ20080
2497	璋	C55B	----	IJQ30080
2498	璦	C55C	----	IJQ40080
2499	璪	C55D	----	IJQ50080
2500	璫	C55E	----	IJQ60080
2501	璥	C55F	----	IJQ70080
2502	璦	C560	----	IJQ80080
2503	璦	C561	----	IJQ90080
2504	璦	C562	----	IJQA0080
2505	璦	C563	----	IJQB0080
2506	璦	C564	----	IJQC0080
2507	璦	C565	----	IJQD0080
2508	璦	C566	----	IJQE0080
2509	璦	C567	----	IJQF0080
2510	璦	C568	----	IJQG0080
2511	璦	C569	----	IJQH0080
2512	璦	C56A	----	IJQI0080
2513	璦	C56B	----	IJQJ0080
2514	璦	C56C	----	IJQK0080
2515	璦	C56D	----	IJQL0080
2516	璦	C56E	----	IJQM0080
2517	璦	C56F	----	IJQN0080
2518	璦	C570	----	IJQO0080
2519	璦	C571	----	IJQP0080
2520	璦	C572	----	IJQQ0080
2521	璦	C573	----	IJQR0080

Table 11 (Page 49 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
2522	璦	C574	----	IJQS0080
2523	璦	C575	----	IJQT0080
2524	璦	C576	----	IJQU0080
2525	璦	C577	----	IJQV0080
2526	璦	C578	----	IJQW0080
2527	璦	C579	----	IJQX0080
2528	璦	C57A	----	IJQY0080
2529	璦	C57B	----	IJQZ0080
2530	璦	C57C	----	IJR00080
2531	璦	C57D	----	IJR10080
2532	璦	C57E	----	IJR20080
2533	璦	C57F	----	IJR30080
2534	璦	C580	----	IJR40080
2535	璦	C581	----	IJR50080
2536	璦	C582	----	IJR60080
2537	璦	C583	----	IJR70080
2538	璦	C584	----	IJR80080
2539	璦	C585	----	IJR90080
2540	璦	C586	----	IJRA0080
2541	璦	C587	----	IJRB0080
2542	璦	C588	----	IJRC0080
2543	璦	C589	----	IJRD0080
2544	璦	C58A	----	IJRE0080
2545	璦	C58B	----	IJRF0080
2546	璦	C58C	----	IJRG0080
2547	璦	C58D	----	IJRH0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 11 (Page 50 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
2548	飗	C58E	----	IJRI0080
2549	飏	C58F	----	IJRJ0080
2550	瓢	C590	----	IJRK0080
2551	瓠	C591	----	IJRL0080
2552	瓠	C592	----	IJRM0080
2553	瓮	C593	----	IJRN0080
2554	瓿	C594	----	IJRO0080
2555	瓿	C595	----	IJRP0080
2556	甌	C596	----	IJRQ0080
2557	甌	C597	----	IJRR0080
2558	甌	C598	----	IJRS0080
2559	甌	C599	----	IJRT0080
2560	甌	C59A	----	IJRU0080
2561	甌	C59B	----	IJRV0080
2562	甌	C59C	----	IJRW0080
2563	甌	C59D	----	IJRX0080
2564	甌	C59E	----	IJRY0080
2565	甌	C59F	----	IJRZ0080
2566	甌	C5A0	----	IJS00080
2567	甌	C5A1	----	IJS10080
2568	甌	C5A2	----	IJS20080
2569	甌	C5A3	----	IJS30080
2570	甌	C5A4	----	IJS40080
2571	甌	C5A5	----	IJS50080
2572	甌	C5A6	----	IJS60080
2573	甌	C5A7	----	IJS70080

Table 11 (Page 50 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
2574	甌	C5A8	----	IJS80080
2575	甌	C5A9	----	IJS90080
2576	甌	C5AA	----	IJSA0080
2577	甌	C5AB	----	IJSB0080
2578	甌	C5AC	----	IJSC0080
2579	甌	C5AD	----	IJSD0080
2580	甌	C5AE	----	IJSE0080
2581	甌	C5AF	----	IJSF0080
2582	甌	C5B0	----	IJSG0080
2583	甌	C5B1	----	IJSH0080
2584	甌	C5B2	----	IJSI0080
2585	甌	C5B3	----	IJSJ0080
2586	甌	C5B4	----	IJSK0080
2587	甌	C5B5	----	IJSL0080
2588	甌	C5B6	----	IJSM0080
2589	甌	C5B7	----	IJSN0080
2590	甌	C5B8	----	IJSO0080
2591	甌	C5B9	----	IJSP0080
2592	甌	C5BA	----	IJSQ0080
2593	甌	C5BB	----	IJSR0080
2594	甌	C5BC	----	IJSS0080
2595	甌	C5BD	----	IJST0080
2596	甌	C5BE	----	IJSU0080
2597	甌	C5BF	----	IJSV0080
2598	甌	C5C0	----	IJSW0080
2599	甌	C5C1	----	IJSX0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 11 (Page 51 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
2600	疥	C5C2	----	IJSY0080
2601	痰	C5C3	----	IJSZ0080
2602	疤	C5C4	----	IJT00080
2603	疔	C5C5	----	IJT10080
2604	疔	C5C6	----	IJT20080
2605	癩	C5C7	----	IJT30080
2606	疔	C5C8	----	IJT40080
2607	疔	C5C9	----	IJT50080
2608	疥	C5CA	----	IJT60080
2609	疤	C5CB	----	IJT70080
2610	疔	C5CC	----	IJT80080
2611	疥	C5CD	----	IJT90080
2612	瘡	C5CE	----	IJTA0080
2613	瘡	C5CF	----	IJTB0080
2614	瘡	C5D0	----	IJTC0080
2615	瘡	C5D1	----	IJTD0080
2616	瘡	C5D2	----	IJTE0080
2617	瘡	C5D3	----	IJTF0080
2618	瘡	C5D4	----	IJTG0080
2619	瘡	C5D5	----	IJTH0080
2620	瘡	C5D6	----	IJTI0080
2621	瘡	C5D7	----	IJTJ0080
2622	瘡	C5D8	----	IJTK0080
2623	瘡	C5D9	----	IJTL0080
2624	瘡	C5DA	----	IJTM0080
2625	瘡	C5DB	----	IJTN0080

Table 11 (Page 51 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
2626	瘡	C5DC	----	IJTO0080
2627	瘡	C5DD	----	IJTP0080
2628	瘡	C5DE	----	IJTQ0080
2629	瘡	C5DF	----	IJTR0080
2630	瘡	C5E0	----	IJTS0080
2631	瘡	C5E1	----	IJTT0080
2632	瘡	C5E2	----	IJTU0080
2633	瘡	C5E3	----	IJTV0080
2634	瘡	C5E4	----	IJTW0080
2635	瘡	C5E5	----	IJTX0080
2636	瘡	C5E6	----	IJTY0080
2637	瘡	C5E7	----	IJTZ0080
2638	瘡	C5E8	----	IJU00080
2639	瘡	C5E9	----	IJU10080
2640	瘡	C5EA	----	IJU20080
2641	瘡	C5EB	----	IJU30080
2642	瘡	C5EC	----	IJU40080
2643	瘡	C5ED	----	IJU50080
2644	瘡	C5EE	----	IJU60080
2645	瘡	C5EF	----	IJU70080
2646	瘡	C5F0	----	IJU80080
2647	瘡	C5F1	----	IJU90080
2648	瘡	C5F2	----	IJUA0080
2649	瘡	C5F3	----	IJUB0080
2650	瘡	C5F4	----	IJUC0080
2651	瘡	C5F5	----	IJUD0080





## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 11 (Page 52 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
2652	癩	C5F6	----	IJUE0080
2653	癩	C5F7	----	IJUF0080
2654	癩	C5F8	----	IJUG0080
2655	癩	C5F9	----	IJUH0080
2656	癩	C5FA	----	IJUI0080
2657	癩	C5FB	----	IJUJ0080
2658	癩	C5FC	----	IJUK0080
2659	癩	C5FD	----	IJUL0080
2660	癩	C5FE	----	IJUM0080
2661	癩	C641	----	IJUP0080
2662	癩	C642	----	IJUQ0080
2663	癩	C643	----	IJUR0080
2664	癩	C644	----	IJUS0080
2665	癩	C645	----	IJUT0080
2666	癩	C646	----	IJUU0080
2667	癩	C647	----	IJUV0080
2668	癩	C648	----	IJUW0080
2669	癩	C649	----	IJUX0080
2670	癩	C64A	----	IJUY0080
2671	癩	C64B	----	IJUZ0080
2672	癩	C64C	----	IJV00080
2673	阜	C64D	----	IJV10080
2674	肥	C64E	----	IJV20080
2675	昧	C64F	----	IJV30080
2676	昂	C650	----	IJV40080
2677	酌	C651	----	IJV50080

Table 11 (Page 52 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
2678	𪛗	C652	----	IJV60080
2679	𪛘	C653	----	IJV70080
2680	𪛙	C654	----	IJV80080
2681	𪛚	C655	----	IJV90080
2682	𪛛	C656	----	IJVA0080
2683	𪛜	C657	----	IJVB0080
2684	𪛝	C658	----	IJVC0080
2685	𪛞	C659	----	IJVD0080
2686	𪛟	C65A	----	IJVE0080
2687	𪛠	C65B	----	IJVF0080
2688	𪛡	C65C	----	IJVG0080
2689	𪛢	C65D	----	IJVH0080
2690	𪛣	C65E	----	IJVI0080
2691	𪛤	C65F	----	IJVJ0080
2692	𪛥	C660	----	IJVK0080
2693	𪛦	C661	----	IJVL0080
2694	𪛧	C662	----	IJVM0080
2695	𪛨	C663	----	IJVN0080
2696	𪛩	C664	----	IJVO0080
2697	𪛪	C665	----	IJVP0080
2698	𪛫	C666	----	IJVQ0080
2699	𪛬	C667	----	IJVR0080
2700	𪛭	C668	----	IJVS0080
2701	𪛮	C669	----	IJVT0080
2702	𪛯	C66A	----	IJVU0080
2703	𪛰	C66B	----	IJVV0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 11 (Page 53 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
2704	眅	C66C	----	IJVW0080
2705	眈	C66D	----	IJVX0080
2706	盼	C66E	----	IJVV0080
2707	明	C66F	----	IJVZ0080
2708	昉	C670	----	IJW00080
2709	眊	C671	----	IJW10080
2710	眊	C672	----	IJW20080
2711	眊	C673	----	IJW30080
2712	眾	C674	----	IJW40080
2713	眊	C675	----	IJW50080
2714	眊	C676	----	IJW60080
2715	眊	C677	----	IJW70080
2716	眊	C678	----	IJW80080
2717	眊	C679	----	IJW90080
2718	眊	C67A	----	IJWA0080
2719	眊	C67B	----	IJWB0080
2720	眊	C67C	----	IJWC0080
2721	眊	C67D	----	IJWD0080
2722	眊	C67E	----	IJWE0080
2723	眊	C67F	----	IJWF0080
2724	眊	C680	----	IJWG0080
2725	眊	C681	----	IJWH0080
2726	眊	C682	----	IJWI0080
2727	眊	C683	----	IJWJ0080
2728	眾	C684	----	IJWK0080
2729	眊	C685	----	IJWL0080

Table 11 (Page 53 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
2730	眊	C686	----	IJWM0080
2731	眊	C687	----	IJWN0080
2732	眊	C688	----	IJWO0080
2733	眊	C689	----	IJWP0080
2734	眊	C68A	----	IJWQ0080
2735	眊	C68B	----	IJWR0080
2736	眊	C68C	----	IJWS0080
2737	眊	C68D	----	IJWT0080
2738	眊	C68E	----	IJWU0080
2739	眊	C68F	----	IJWV0080
2740	眊	C690	----	IJWW0080
2741	眊	C691	----	IJWX0080
2742	眊	C692	----	IJWY0080
2743	眊	C693	----	IJWZ0080
2744	眊	C694	----	IJX00080
2745	眊	C695	----	IJX10080
2746	眊	C696	----	IJX20080
2747	眊	C697	----	IJX30080
2748	眊	C698	----	IJX40080
2749	眊	C699	----	IJX50080
2750	眊	C69A	----	IJX60080
2751	眊	C69B	----	IJX70080
2752	眊	C69C	----	IJX80080
2753	眊	C69D	----	IJX90080
2754	眊	C69E	----	IJXA0080
2755	眊	C69F	----	IJXB0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 11 (Page 54 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
2756	瞶	C6A0	----	IJXC0080
2757	瞶	C6A1	----	IJXD0080
2758	瞶	C6A2	----	IJXE0080
2759	瞶	C6A3	----	IJXF0080
2760	瞶	C6A4	----	IJXG0080
2761	瞶	C6A5	----	IJXH0080
2762	瞶	C6A6	----	IJXI0080
2763	瞶	C6A7	----	IJXJ0080
2764	瞶	C6A8	----	IJXK0080
2765	瞶	C6A9	----	IJXL0080
2766	瞶	C6AA	----	IJXM0080
2767	瞶	C6AB	----	IJXN0080
2768	瞶	C6AC	----	IJXO0080
2769	瞶	C6AD	----	IJXP0080
2770	瞶	C6AE	----	IJXQ0080
2771	瞶	C6AF	----	IJXR0080
2772	瞶	C6B0	----	IJXS0080
2773	瞶	C6B1	----	IJXT0080
2774	瞶	C6B2	----	IJXU0080
2775	瞶	C6B3	----	IJXV0080
2776	瞶	C6B4	----	IJXW0080
2777	瞶	C6B5	----	IJXX0080
2778	瞶	C6B6	----	IJXY0080
2779	瞶	C6B7	----	IJXZ0080
2780	瞶	C6B8	----	IJY00080
2781	瞶	C6B9	----	IJY10080

Table 11 (Page 54 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
2782	矧	C6BA	----	IJY20080
2783	矧	C6BB	----	IJY30080
2784	矧	C6BC	----	IJY40080
2785	矧	C6BD	----	IJY50080
2786	矧	C6BE	----	IJY60080
2787	矧	C6BF	----	IJY70080
2788	矧	C6C0	----	IJY80080
2789	矧	C6C1	----	IJY90080
2790	矧	C6C2	----	IJYA0080
2791	矧	C6C3	----	IJYB0080
2792	矧	C6C4	----	IJYC0080
2793	矧	C6C5	----	IJYD0080
2794	矧	C6C6	----	IJYE0080
2795	矧	C6C7	----	IJYF0080
2796	矧	C6C8	----	IJYG0080
2797	矧	C6C9	----	IJYH0080
2798	矧	C6CA	----	IJYI0080
2799	矧	C6CB	----	IJYJ0080
2800	矧	C6CC	----	IJYK0080
2801	矧	C6CD	----	IJYL0080
2802	矧	C6CE	----	IJYM0080
2803	矧	C6CF	----	IJYN0080
2804	矧	C6D0	----	IJYO0080
2805	矧	C6D1	----	IJYP0080
2806	矧	C6D2	----	IJYQ0080
2807	矧	C6D3	----	IJYR0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 11 (Page 55 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
2808	碇	C6D4	----	IJYS0080
2809	碇	C6D5	----	IJYT0080
2810	碇	C6D6	----	IJYU0080
2811	碇	C6D7	----	IJYV0080
2812	碇	C6D8	----	IJYW0080
2813	碇	C6D9	----	IJYX0080
2814	碇	C6DA	----	IJYY0080
2815	碇	C6DB	----	IJYZ0080
2816	碇	C6DC	----	IJZ00080
2817	碇	C6DD	----	IJZ10080
2818	碇	C6DE	----	IJZ20080
2819	碇	C6DF	----	IJZ30080
2820	碇	C6E0	----	IJZ40080
2821	碇	C6E1	----	IJZ50080
2822	碇	C6E2	----	IJZ60080
2823	碇	C6E3	----	IJZ70080
2824	碇	C6E4	----	IJZ80080
2825	碇	C6E5	----	IJZ90080
2826	碇	C6E6	----	IJZA0080
2827	碇	C6E7	----	IJZB0080
2828	碇	C6E8	----	IJZC0080
2829	碇	C6E9	----	IJZD0080
2830	碇	C6EA	----	IJZE0080
2831	碇	C6EB	----	IJZF0080
2832	碇	C6EC	----	IJZG0080
2833	碇	C6ED	----	IJZH0080

Table 11 (Page 55 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
2834	碇	C6EE	----	IJZI0080
2835	碇	C6EF	----	IJZJ0080
2836	碇	C6F0	----	IJZK0080
2837	碇	C6F1	----	IJZL0080
2838	碇	C6F2	----	IJZM0080
2839	碇	C6F3	----	IJZN0080
2840	碇	C6F4	----	IJZO0080
2841	碇	C6F5	----	IJZP0080
2842	碇	C6F6	----	IJZQ0080
2843	碇	C6F7	----	IJZR0080
2844	碇	C6F8	----	IJZS0080
2845	碇	C6F9	----	IJZT0080
2846	碇	C6FA	----	IJZU0080
2847	碇	C6FB	----	IJZV0080
2848	碇	C6FC	----	IJZW0080
2849	碇	C6FD	----	IJZX0080
2850	碇	C6FE	----	IJZY0080
2851	碇	C741	----	IK010080
2852	碇	C742	----	IK020080
2853	碇	C743	----	IK030080
2854	碇	C744	----	IK040080
2855	碇	C745	----	IK050080
2856	碇	C746	----	IK060080
2857	碇	C747	----	IK070080
2858	碇	C748	----	IK080080
2859	碇	C749	----	IK090080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 11 (Page 56 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
2860	礮	C74A	----	IK0A0080
2861	礮	C74B	----	IK0B0080
2862	礮	C74C	----	IK0C0080
2863	礮	C74D	----	IK0D0080
2864	礮	C74E	----	IK0E0080
2865	礮	C74F	----	IK0F0080
2866	礮	C750	----	IK0G0080
2867	礮	C751	----	IK0H0080
2868	礮	C752	----	IK0I0080
2869	礮	C753	----	IK0J0080
2870	礮	C754	----	IK0K0080
2871	礮	C755	----	IK0L0080
2872	礮	C756	----	IK0M0080
2873	礮	C757	----	IK0N0080
2874	礮	C758	----	IK0O0080
2875	礮	C759	----	IK0P0080
2876	礮	C75A	----	IK0Q0080
2877	礮	C75B	----	IK0R0080
2878	礮	C75C	----	IK0S0080
2879	礮	C75D	----	IK0T0080
2880	礮	C75E	----	IK0U0080
2881	礮	C75F	----	IK0V0080
2882	礮	C760	----	IK0W0080
2883	礮	C761	----	IK0X0080
2884	礮	C762	----	IK0Y0080
2885	礮	C763	----	IK0Z0080

Table 11 (Page 56 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
2886	祿	C764	----	IK100080
2887	祿	C765	----	IK110080
2888	祿	C766	----	IK120080
2889	祿	C767	----	IK130080
2890	祿	C768	----	IK140080
2891	祿	C769	----	IK150080
2892	祿	C76A	----	IK160080
2893	祿	C76B	----	IK170080
2894	祿	C76C	----	IK180080
2895	祿	C76D	----	IK190080
2896	祿	C76E	----	IK1A0080
2897	祿	C76F	----	IK1B0080
2898	祿	C770	----	IK1C0080
2899	祿	C771	----	IK1D0080
2900	祿	C772	----	IK1E0080
2901	祿	C773	----	IK1F0080
2902	祿	C774	----	IK1G0080
2903	祿	C775	----	IK1H0080
2904	祿	C776	----	IK1I0080
2905	祿	C777	----	IK1J0080
2906	祿	C778	----	IK1K0080
2907	祿	C779	----	IK1L0080
2908	祿	C77A	----	IK1M0080
2909	祿	C77B	----	IK1N0080
2910	祿	C77C	----	IK1O0080
2911	祿	C77D	----	IK1P0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 11 (Page 57 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
2912	肉	C77E	----	IK1Q0080
2913	离	C77F	----	IK1R0080
2914	秃	C780	----	IK1S0080
2915	籽	C781	----	IK1T0080
2916	秬	C782	----	IK1U0080
2917	秣	C783	----	IK1V0080
2918	季	C784	----	IK1W0080
2919	秣	C785	----	IK1X0080
2920	秣	C786	----	IK1Y0080
2921	秣	C787	----	IK1Z0080
2922	秣	C788	----	IK200080
2923	秣	C789	----	IK210080
2924	秣	C78A	----	IK220080
2925	秣	C78B	----	IK230080
2926	秣	C78C	----	IK240080
2927	秣	C78D	----	IK250080
2928	秣	C78E	----	IK260080
2929	秣	C78F	----	IK270080
2930	秣	C790	----	IK280080
2931	秣	C791	----	IK290080
2932	秣	C792	----	IK2A0080
2933	秣	C793	----	IK2B0080
2934	秣	C794	----	IK2C0080
2935	秣	C795	----	IK2D0080
2936	秣	C796	----	IK2E0080
2937	秣	C797	----	IK2F0080

Table 11 (Page 57 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
2938	稊	C798	----	IK2G0080
2939	稊	C799	----	IK2H0080
2940	稊	C79A	----	IK2I0080
2941	稊	C79B	----	IK2J0080
2942	稊	C79C	----	IK2K0080
2943	稊	C79D	----	IK2L0080
2944	稊	C79E	----	IK2M0080
2945	稊	C79F	----	IK2N0080
2946	福	C7A0	----	IK2O0080
2947	稽	C7A1	----	IK2P0080
2948	稷	C7A2	----	IK2Q0080
2949	稽	C7A3	----	IK2R0080
2950	稷	C7A4	----	IK2S0080
2951	稷	C7A5	----	IK2T0080
2952	稽	C7A6	----	IK2U0080
2953	稷	C7A7	----	IK2V0080
2954	稷	C7A8	----	IK2W0080
2955	稷	C7A9	----	IK2X0080
2956	稷	C7AA	----	IK2Y0080
2957	稷	C7AB	----	IK2Z0080
2958	稷	C7AC	----	IK300080
2959	穌	C7AD	----	IK310080
2960	稷	C7AE	----	IK320080
2961	穢	C7AF	----	IK330080
2962	穢	C7B0	----	IK340080
2963	穢	C7B1	----	IK350080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 11 (Page 58 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
2964	穧	C7B2	----	IK360080
2965	穧	C7B3	----	IK370080
2966	穧	C7B4	----	IK380080
2967	穧	C7B5	----	IK390080
2968	穧	C7B6	----	IK3A0080
2969	穧	C7B7	----	IK3B0080
2970	穧	C7B8	----	IK3C0080
2971	穧	C7B9	----	IK3D0080
2972	穧	C7BA	----	IK3E0080
2973	穧	C7BB	----	IK3F0080
2974	穧	C7BC	----	IK3G0080
2975	穧	C7BD	----	IK3H0080
2976	穧	C7BE	----	IK3I0080
2977	穧	C7BF	----	IK3J0080
2978	穧	C7C0	----	IK3K0080
2979	穧	C7C1	----	IK3L0080
2980	穧	C7C2	----	IK3M0080
2981	穧	C7C3	----	IK3N0080
2982	穧	C7C4	----	IK3O0080
2983	穧	C7C5	----	IK3P0080
2984	穧	C7C6	----	IK3Q0080
2985	穧	C7C7	----	IK3R0080
2986	穧	C7C8	----	IK3S0080
2987	穧	C7C9	----	IK3T0080
2988	穧	C7CA	----	IK3U0080
2989	穧	C7CB	----	IK3V0080

Table 11 (Page 58 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
2990	穧	C7CC	----	IK3W0080
2991	穧	C7CD	----	IK3X0080
2992	穧	C7CE	----	IK3Y0080
2993	穧	C7CF	----	IK3Z0080
2994	穧	C7D0	----	IK400080
2995	穧	C7D1	----	IK410080
2996	穧	C7D2	----	IK420080
2997	穧	C7D3	----	IK430080
2998	穧	C7D4	----	IK440080
2999	穧	C7D5	----	IK450080
3000	穧	C7D6	----	IK460080
3001	穧	C7D7	----	IK470080
3002	穧	C7D8	----	IK480080
3003	穧	C7D9	----	IK490080
3004	穧	C7DA	----	IK4A0080
3005	穧	C7DB	----	IK4B0080
3006	穧	C7DC	----	IK4C0080
3007	穧	C7DD	----	IK4D0080
3008	穧	C7DE	----	IK4E0080
3009	穧	C7DF	----	IK4F0080
3010	穧	C7E0	----	IK4G0080
3011	穧	C7E1	----	IK4H0080
3012	穧	C7E2	----	IK4I0080
3013	穧	C7E3	----	IK4J0080
3014	穧	C7E4	----	IK4K0080
3015	穧	C7E5	----	IK4L0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 11 (Page 59 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
3016	箒	C7E6	----	IK4M0080
3017	筍	C7E7	----	IK4N0080
3018	筍	C7E8	----	IK4O0080
3019	筮	C7E9	----	IK4P0080
3020	答	C7EA	----	IK4Q0080
3021	箏	C7EB	----	IK4R0080
3022	笛	C7EC	----	IK4S0080
3023	箒	C7ED	----	IK4T0080
3024	筵	C7EE	----	IK4U0080
3025	符	C7EF	----	IK4V0080
3026	筠	C7F0	----	IK4W0080
3027	篔	C7F1	----	IK4X0080
3028	筥	C7F2	----	IK4Y0080
3029	箎	C7F3	----	IK4Z0080
3030	篋	C7F4	----	IK500080
3031	箒	C7F5	----	IK510080
3032	筴	C7F6	----	IK520080
3033	箒	C7F7	----	IK530080
3034	箵	C7F8	----	IK540080
3035	篋	C7F9	----	IK550080
3036	箒	C7FA	----	IK560080
3037	箒	C7FB	----	IK570080
3038	篋	C7FC	----	IK580080
3039	箒	C7FD	----	IK590080
3040	箒	C7FE	----	IK5A0080
3041	箒	C841	----	IK5D0080

Table 11 (Page 59 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
3042	箒	C842	----	IK5E0080
3043	箒	C843	----	IK5F0080
3044	箒	C844	----	IK5G0080
3045	箒	C845	----	IK5H0080
3046	箒	C846	----	IK5I0080
3047	箒	C847	----	IK5J0080
3048	箒	C848	----	IK5K0080
3049	箒	C849	----	IK5L0080
3050	箒	C84A	----	IK5M0080
3051	箒	C84B	----	IK5N0080
3052	箒	C84C	----	IK5O0080
3053	箒	C84D	----	IK5P0080
3054	箒	C84E	----	IK5Q0080
3055	箒	C84F	----	IK5R0080
3056	箒	C850	----	IK5S0080
3057	箒	C851	----	IK5T0080
3058	箒	C852	----	IK5U0080
3059	箒	C853	----	IK5V0080
3060	箒	C854	----	IK5W0080
3061	箒	C855	----	IK5X0080
3062	箒	C856	----	IK5Y0080
3063	箒	C857	----	IK5Z0080
3064	箒	C858	----	IK600080
3065	箒	C859	----	IK610080
3066	箒	C85A	----	IK620080
3067	箒	C85B	----	IK630080





## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
3068	籩	C85C	----	IK640080
3069	籒	C85D	----	IK650080
3070	籑	C85E	----	IK660080
3071	籒	C85F	----	IK670080
3072	籒	C860	----	IK680080
3073	籒	C861	----	IK690080
3074	籒	C862	----	IK6A0080
3075	籒	C863	----	IK6B0080
3076	籒	C864	----	IK6C0080
3077	籒	C865	----	IK6D0080
3078	籒	C866	----	IK6E0080
3079	籒	C867	----	IK6F0080
3080	籒	C868	----	IK6G0080
3081	籒	C869	----	IK6H0080
3082	籒	C86A	----	IK6I0080
3083	籒	C86B	----	IK6J0080
3084	籒	C86C	----	IK6K0080
3085	籒	C86D	----	IK6L0080
3086	籒	C86E	----	IK6M0080
3087	籒	C86F	----	IK6N0080
3088	籒	C870	----	IK6O0080
3089	籒	C871	----	IK6P0080
3090	籒	C872	----	IK6Q0080
3091	籒	C873	----	IK6R0080
3092	籒	C874	----	IK6S0080
3093	籒	C875	----	IK6T0080

Line Number	Graphic	Host Code	PC Code	GCGID
3094	籒	C876	----	IK6U0080
3095	籒	C877	----	IK6V0080
3096	籒	C878	----	IK6W0080
3097	籒	C879	----	IK6X0080
3098	籒	C87A	----	IK6Y0080
3099	籒	C87B	----	IK6Z0080
3100	籒	C87C	----	IK700080
3101	籒	C87D	----	IK710080
3102	籒	C87E	----	IK720080
3103	籒	C87F	----	IK730080
3104	籒	C880	----	IK740080
3105	籒	C881	----	IK750080
3106	籒	C882	----	IK760080
3107	籒	C883	----	IK770080
3108	籒	C884	----	IK780080
3109	籒	C885	----	IK790080
3110	籒	C886	----	IK7A0080
3111	籒	C887	----	IK7B0080
3112	籒	C888	----	IK7C0080
3113	籒	C889	----	IK7D0080
3114	籒	C88A	----	IK7E0080
3115	籒	C88B	----	IK7F0080
3116	籒	C88C	----	IK7G0080
3117	籒	C88D	----	IK7H0080
3118	籒	C88E	----	IK7I0080
3119	籒	C88F	----	IK7J0080




## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 11 (Page 61 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
3120	籽	C890	----	IK7K0080
3121	炒	C891	----	IK7L0080
3122	杭	C892	----	IK7M0080
3123	糝	C893	----	IK7N0080
3124	粃	C894	----	IK7O0080
3125	糶	C895	----	IK7P0080
3126	糨	C896	----	IK7Q0080
3127	糝	C897	----	IK7R0080
3128	糞	C898	----	IK7S0080
3129	糞	C899	----	IK7T0080
3130	糞	C89A	----	IK7U0080
3131	糞	C89B	----	IK7V0080
3132	糞	C89C	----	IK7W0080
3133	糞	C89D	----	IK7X0080
3134	糞	C89E	----	IK7Y0080
3135	糞	C89F	----	IK7Z0080
3136	糞	C8A0	----	IK800080
3137	糞	C8A1	----	IK810080
3138	糞	C8A2	----	IK820080
3139	糞	C8A3	----	IK830080
3140	糞	C8A4	----	IK840080
3141	糞	C8A5	----	IK850080
3142	糞	C8A6	----	IK860080
3143	糞	C8A7	----	IK870080
3144	糞	C8A8	----	IK880080
3145	糞	C8A9	----	IK890080

Table 11 (Page 61 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
3146	糞	C8AA	----	IK8A0080
3147	糞	C8AB	----	IK8B0080
3148	糞	C8AC	----	IK8C0080
3149	糞	C8AD	----	IK8D0080
3150	糞	C8AE	----	IK8E0080
3151	糞	C8AF	----	IK8F0080
3152	糞	C8B0	----	IK8G0080
3153	糞	C8B1	----	IK8H0080
3154	糞	C8B2	----	IK8I0080
3155	糞	C8B3	----	IK8J0080
3156	糞	C8B4	----	IK8K0080
3157	糞	C8B5	----	IK8L0080
3158	糞	C8B6	----	IK8M0080
3159	糞	C8B7	----	IK8N0080
3160	糞	C8B8	----	IK8O0080
3161	糞	C8B9	----	IK8P0080
3162	糞	C8BA	----	IK8Q0080
3163	糞	C8BB	----	IK8R0080
3164	糞	C8BC	----	IK8S0080
3165	糞	C8BD	----	IK8T0080
3166	糞	C8BE	----	IK8U0080
3167	糞	C8BF	----	IK8V0080
3168	糞	C8C0	----	IK8W0080
3169	糞	C8C1	----	IK8X0080
3170	糞	C8C2	----	IK8Y0080
3171	糞	C8C3	----	IK8Z0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 11 (Page 62 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
3172	絶	C8C4	----	IK900080
3173	絢	C8C5	----	IK910080
3174	絳	C8C6	----	IK920080
3175	絛	C8C7	----	IK930080
3176	絛	C8C8	----	IK940080
3177	絛	C8C9	----	IK950080
3178	絛	C8CA	----	IK960080
3179	絛	C8CB	----	IK970080
3180	絛	C8CC	----	IK980080
3181	絛	C8CD	----	IK990080
3182	絛	C8CE	----	IK9A0080
3183	絛	C8CF	----	IK9B0080
3184	絛	C8D0	----	IK9C0080
3185	絛	C8D1	----	IK9D0080
3186	絛	C8D2	----	IK9E0080
3187	絛	C8D3	----	IK9F0080
3188	絛	C8D4	----	IK9G0080
3189	絛	C8D5	----	IK9H0080
3190	絛	C8D6	----	IK9I0080
3191	絛	C8D7	----	IK9J0080
3192	絛	C8D8	----	IK9K0080
3193	絛	C8D9	----	IK9L0080
3194	絛	C8DA	----	IK9M0080
3195	絛	C8DB	----	IK9N0080
3196	絛	C8DC	----	IK9O0080
3197	絛	C8DD	----	IK9P0080

Table 11 (Page 62 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
3198	網	C8DE	----	IK9Q0080
3199	網	C8DF	----	IK9R0080
3200	網	C8E0	----	IK9S0080
3201	網	C8E1	----	IK9T0080
3202	網	C8E2	----	IK9U0080
3203	綦	C8E3	----	IK9V0080
3204	綦	C8E4	----	IK9W0080
3205	綦	C8E5	----	IK9X0080
3206	綦	C8E6	----	IK9Y0080
3207	綦	C8E7	----	IK9Z0080
3208	綦	C8E8	----	IKA00080
3209	綦	C8E9	----	IKA10080
3210	綦	C8EA	----	IKA20080
3211	綦	C8EB	----	IKA30080
3212	綦	C8EC	----	IKA40080
3213	綦	C8ED	----	IKA50080
3214	綦	C8EE	----	IKA60080
3215	綦	C8EF	----	IKA70080
3216	綦	C8F0	----	IKA80080
3217	綦	C8F1	----	IKA90080
3218	綦	C8F2	----	IKAA0080
3219	綦	C8F3	----	IKAB0080
3220	綦	C8F4	----	IKAC0080
3221	綦	C8F5	----	IKAD0080
3222	綦	C8F6	----	IKAE0080
3223	綦	C8F7	----	IKAF0080




## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 11 (Page 63 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
3224	絹	C8F8	----	IKAG0080
3225	緞	C8F9	----	IKAH0080
3226	綾	C8FA	----	IKAI0080
3227	緞	C8FB	----	IKAJ0080
3228	緞	C8FC	----	IKAK0080
3229	絹	C8FD	----	IKAL0080
3230	緞	C8FE	----	IKAM0080
3231	紵	C941	----	IKAP0080
3232	紵	C942	----	IKAQ0080
3233	紵	C943	----	IKAR0080
3234	紵	C944	----	IKAS0080
3235	紵	C945	----	IKAT0080
3236	紵	C946	----	IKAU0080
3237	紵	C947	----	IKAV0080
3238	紵	C948	----	IKAW0080
3239	紵	C949	----	IKAX0080
3240	紵	C94A	----	IKAY0080
3241	紵	C94B	----	IKAZ0080
3242	紵	C94C	----	IKB00080
3243	紵	C94D	----	IKB10080
3244	紵	C94E	----	IKB20080
3245	紵	C94F	----	IKB30080
3246	紵	C950	----	IKB40080
3247	紵	C951	----	IKB50080
3248	紵	C952	----	IKB60080
3249	紵	C953	----	IKB70080

Table 11 (Page 63 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
3250	紵	C954	----	IKB80080
3251	紵	C955	----	IKB90080
3252	紵	C956	----	IKBA0080
3253	紵	C957	----	IKBB0080
3254	紵	C958	----	IKBC0080
3255	紵	C959	----	IKBD0080
3256	紵	C95A	----	IKBE0080
3257	紵	C95B	----	IKBF0080
3258	紵	C95C	----	IKBG0080
3259	紵	C95D	----	IKBH0080
3260	紵	C95E	----	IKBI0080
3261	紵	C95F	----	IKBJ0080
3262	紵	C960	----	IKBK0080
3263	紵	C961	----	IKBL0080
3264	紵	C962	----	IKBM0080
3265	紵	C963	----	IKBN0080
3266	紵	C964	----	IKBO0080
3267	紵	C965	----	IKBP0080
3268	紵	C966	----	IKBQ0080
3269	紵	C967	----	IKBR0080
3270	紵	C968	----	IKBS0080
3271	紵	C969	----	IKBT0080
3272	紵	C96A	----	IKBU0080
3273	紵	C96B	----	IKBV0080
3274	紵	C96C	----	IKBW0080
3275	紵	C96D	----	IKBX0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 11 (Page 64 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
3276	餅	C96E	----	IKBY0080
3277	鋸	C96F	----	IKBZ0080
3278	罄	C970	----	IKC00080
3279	罄	C971	----	IKC10080
3280	鑪	C972	----	IKC20080
3281	𠂔	C973	----	IKC30080
3282	𠂔	C974	----	IKC40080
3283	𠂔	C975	----	IKC50080
3284	𠂔	C976	----	IKC60080
3285	𠂔	C977	----	IKC70080
3286	𠂔	C978	----	IKC80080
3287	𠂔	C979	----	IKC90080
3288	𠂔	C97A	----	IKCA0080
3289	𠂔	C97B	----	IKCB0080
3290	𠂔	C97C	----	IKCC0080
3291	𠂔	C97D	----	IKCD0080
3292	𠂔	C97E	----	IKCE0080
3293	𠂔	C97F	----	IKCF0080
3294	𠂔	C980	----	IKCG0080
3295	𠂔	C981	----	IKCH0080
3296	𠂔	C982	----	IKCI0080
3297	𠂔	C983	----	IKCJ0080
3298	𠂔	C984	----	IKCK0080
3299	𠂔	C985	----	IKCL0080
3300	𠂔	C986	----	IKCM0080
3301	𠂔	C987	----	IKCN0080

Table 11 (Page 64 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
3302	殺	C988	----	IKCO0080
3303	羴	C989	----	IKCP0080
3304	羴	C98A	----	IKCQ0080
3305	羴	C98B	----	IKCR0080
3306	羴	C98C	----	IKCS0080
3307	羴	C98D	----	IKCT0080
3308	羴	C98E	----	IKCU0080
3309	羴	C98F	----	IKCV0080
3310	羴	C990	----	IKCW0080
3311	羴	C991	----	IKCX0080
3312	羴	C992	----	IKCY0080
3313	羴	C993	----	IKCZ0080
3314	羴	C994	----	IKD00080
3315	羴	C995	----	IKD10080
3316	羴	C996	----	IKD20080
3317	羴	C997	----	IKD30080
3318	羴	C998	----	IKD40080
3319	羴	C999	----	IKD50080
3320	羴	C99A	----	IKD60080
3321	羴	C99B	----	IKD70080
3322	羴	C99C	----	IKD80080
3323	羴	C99D	----	IKD90080
3324	羴	C99E	----	IKDA0080
3325	羴	C99F	----	IKDB0080
3326	羴	C9A0	----	IKDC0080
3327	羴	C9A1	----	IKDD0080




## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 11 (Page 65 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
3328	翹	C9A2	----	IKDE0080
3329	翹	C9A3	----	IKDF0080
3330	耇	C9A4	----	IKDG0080
3331	耇	C9A5	----	IKDH0080
3332	耇	C9A6	----	IKDI0080
3333	耍	C9A7	----	IKDJ0080
3334	奕	C9A8	----	IKDK0080
3335	彬	C9A9	----	IKDL0080
3336	崱	C9AA	----	IKDM0080
3337	剌	C9AB	----	IKDN0080
3338	籽	C9AC	----	IKDO0080
3339	秒	C9AD	----	IKDP0080
3340	粗	C9AE	----	IKDQ0080
3341	耒	C9AF	----	IKDR0080
3342	𪗇	C9B0	----	IKDS0080
3343	給	C9B1	----	IKDT0080
3344	藉	C9B2	----	IKDU0080
3345	耦	C9B3	----	IKDV0080
3346	耨	C9B4	----	IKDW0080
3347	耨	C9B5	----	IKDX0080
3348	耨	C9B6	----	IKDY0080
3349	𪗇	C9B7	----	IKDZ0080
3350	𪗇	C9B8	----	IKE00080
3351	耨	C9B9	----	IKE10080
3352	聆	C9BA	----	IKE20080
3353	聒	C9BB	----	IKE30080

Table 11 (Page 65 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
3354	聒	C9BC	----	IKE40080
3355	聒	C9BD	----	IKE50080
3356	聒	C9BE	----	IKE60080
3357	聒	C9BF	----	IKE70080
3358	聒	C9C0	----	IKE80080
3359	聒	C9C1	----	IKE90080
3360	聒	C9C2	----	IKEA0080
3361	聒	C9C3	----	IKEB0080
3362	聒	C9C4	----	IKEC0080
3363	聒	C9C5	----	IKED0080
3364	聒	C9C6	----	IKEE0080
3365	聒	C9C7	----	IKEF0080
3366	聒	C9C8	----	IKEG0080
3367	聒	C9C9	----	IKEH0080
3368	聒	C9CA	----	IKEI0080
3369	聒	C9CB	----	IKEJ0080
3370	聒	C9CC	----	IKEK0080
3371	聒	C9CD	----	IKEL0080
3372	聒	C9CE	----	IKEM0080
3373	聒	C9CF	----	IKEN0080
3374	聒	C9D0	----	IKEO0080
3375	聒	C9D1	----	IKEP0080
3376	聒	C9D2	----	IKEQ0080
3377	聒	C9D3	----	IKER0080
3378	聒	C9D4	----	IKES0080
3379	聒	C9D5	----	IKET0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 11 (Page 66 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
3380	脛	C9D6	----	IKEU0080
3381	脛	C9D7	----	IKEV0080
3382	脛	C9D8	----	IKEW0080
3383	脛	C9D9	----	IKEX0080
3384	脛	C9DA	----	IKEY0080
3385	脛	C9DB	----	IKEZ0080
3386	脛	C9DC	----	IKF00080
3387	脛	C9DD	----	IKF10080
3388	脛	C9DE	----	IKF20080
3389	脛	C9DF	----	IKF30080
3390	脛	C9E0	----	IKF40080
3391	脛	C9E1	----	IKF50080
3392	脛	C9E2	----	IKF60080
3393	脛	C9E3	----	IKF70080
3394	脛	C9E4	----	IKF80080
3395	脛	C9E5	----	IKF90080
3396	脛	C9E6	----	IKFA0080
3397	脛	C9E7	----	IKFB0080
3398	脛	C9E8	----	IKFC0080
3399	脛	C9E9	----	IKFD0080
3400	脛	C9EA	----	IKFE0080
3401	脛	C9EB	----	IKFF0080
3402	脛	C9EC	----	IKFG0080
3403	脛	C9ED	----	IKFH0080
3404	脛	C9EE	----	IKFI0080
3405	脛	C9EF	----	IKFJ0080

Table 11 (Page 66 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
3406	脛	C9F0	----	IKFK0080
3407	脛	C9F1	----	IKFL0080
3408	脛	C9F2	----	IKFM0080
3409	脛	C9F3	----	IKFN0080
3410	脛	C9F4	----	IKFO0080
3411	脛	C9F5	----	IKFP0080
3412	脛	C9F6	----	IKFQ0080
3413	脛	C9F7	----	IKFR0080
3414	脛	C9F8	----	IKFS0080
3415	脛	C9F9	----	IKFT0080
3416	脛	C9FA	----	IKFU0080
3417	脛	C9FB	----	IKFV0080
3418	脛	C9FC	----	IKFW0080
3419	脛	C9FD	----	IKFX0080
3420	脛	C9FE	----	IKFY0080
3421	脛	CA41	----	IKG10080
3422	脛	CA42	----	IKG20080
3423	脛	CA43	----	IKG30080
3424	脛	CA44	----	IKG40080
3425	脛	CA45	----	IKG50080
3426	脛	CA46	----	IKG60080
3427	脛	CA47	----	IKG70080
3428	脛	CA48	----	IKG80080
3429	脛	CA49	----	IKG90080
3430	脛	CA4A	----	IKGA0080
3431	脛	CA4B	----	IKGB0080




## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 11 (Page 67 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
3432	膿	CA4C	----	IKGC0080
3433	膿	CA4D	----	IKGD0080
3434	膿	CA4E	----	IKGE0080
3435	膿	CA4F	----	IKGF0080
3436	膿	CA50	----	IKGG0080
3437	膿	CA51	----	IKGH0080
3438	膿	CA52	----	IKGI0080
3439	膿	CA53	----	IKGJ0080
3440	膿	CA54	----	IKGK0080
3441	膿	CA55	----	IKGL0080
3442	膿	CA56	----	IKGM0080
3443	膿	CA57	----	IKGN0080
3444	膿	CA58	----	IKGO0080
3445	膿	CA59	----	IKGP0080
3446	膿	CA5A	----	IKGQ0080
3447	膿	CA5B	----	IKGR0080
3448	膿	CA5C	----	IKGS0080
3449	膿	CA5D	----	IKGT0080
3450	膿	CA5E	----	IKGU0080
3451	臬	CA5F	----	IKGV0080
3452	臬	CA60	----	IKGW0080
3453	臬	CA61	----	IKGX0080
3454	臬	CA62	----	IKGY0080
3455	臬	CA63	----	IKGZ0080
3456	莛	CA64	----	IKH00080
3457	莛	CA65	----	IKH10080

Table 11 (Page 67 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
3458	穢	CA66	----	IKH20080
3459	穢	CA67	----	IKH30080
3460	穢	CA68	----	IKH40080
3461	穢	CA69	----	IKH50080
3462	穢	CA6A	----	IKH60080
3463	穢	CA6B	----	IKH70080
3464	穢	CA6C	----	IKH80080
3465	穢	CA6D	----	IKH90080
3466	穢	CA6E	----	IKHA0080
3467	穢	CA6F	----	IKHB0080
3468	穢	CA70	----	IKHC0080
3469	舩	CA71	----	IKHD0080
3470	舩	CA72	----	IKHE0080
3471	舩	CA73	----	IKHF0080
3472	舩	CA74	----	IKHG0080
3473	舩	CA75	----	IKHH0080
3474	舩	CA76	----	IKHI0080
3475	舩	CA77	----	IKHJ0080
3476	舩	CA78	----	IKHK0080
3477	舩	CA79	----	IKHL0080
3478	舩	CA7A	----	IKHM0080
3479	舩	CA7B	----	IKHN0080
3480	舩	CA7C	----	IKHO0080
3481	舩	CA7D	----	IKHP0080
3482	舩	CA7E	----	IKHQ0080
3483	舩	CA7F	----	IKHR0080





## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 11 (Page 68 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
3484	艦	CA80	----	IKHS0080
3485	艦	CA81	----	IKHT0080
3486	艦	CA82	----	IKHU0080
3487	艦	CA83	----	IKHV0080
3488	艦	CA84	----	IKHW0080
3489	艫	CA85	----	IKHX0080
3490	芳	CA86	----	IKHY0080
3491	芫	CA87	----	IKHZ0080
3492	芳	CA88	----	IKI00080
3493	芳	CA89	----	IKI10080
3494	芫	CA8A	----	IKI20080
3495	芫	CA8B	----	IKI30080
3496	芫	CA8C	----	IKI40080
3497	芾	CA8D	----	IKI50080
3498	芊	CA8E	----	IKI60080
3499	芊	CA8F	----	IKI70080
3500	芎	CA90	----	IKI80080
3501	芎	CA91	----	IKI90080
3502	蒾	CA92	----	IKIA0080
3503	芙	CA93	----	IKIB0080
3504	蒾	CA94	----	IKIC0080
3505	蒾	CA95	----	IKID0080
3506	笋	CA96	----	IKIE0080
3507	茭	CA97	----	IKIF0080
3508	茭	CA98	----	IKIG0080
3509	茶	CA99	----	IKIH0080

Table 11 (Page 68 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
3510	茭	CA9A	----	IKII0080
3511	笋	CA9B	----	IKIJ0080
3512	茭	CA9C	----	IKIK0080
3513	茭	CA9D	----	IKIL0080
3514	茭	CA9E	----	IKIM0080
3515	茭	CA9F	----	IKIN0080
3516	茭	CAA0	----	IKIO0080
3517	茭	CAA1	----	IKIP0080
3518	茭	CAA2	----	IKIQ0080
3519	茭	CAA3	----	IKIR0080
3520	茭	CAA4	----	IKIS0080
3521	茭	CAA5	----	IKIT0080
3522	茭	CAA6	----	IKIU0080
3523	茭	CAA7	----	IKIV0080
3524	茭	CAA8	----	IKIW0080
3525	茭	CAA9	----	IKIX0080
3526	茭	CAA0	----	IKIY0080
3527	茭	CAAB	----	IKIZ0080
3528	茭	CAAC	----	IKJ00080
3529	茭	CAAD	----	IKJ10080
3530	茭	CAAE	----	IKJ20080
3531	茭	CAAF	----	IKJ30080
3532	茭	CAB0	----	IKJ40080
3533	茭	CAB1	----	IKJ50080
3534	茭	CAB2	----	IKJ60080
3535	茶	CAB3	----	IKJ70080




## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 11 (Page 69 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
3536	苔	CAB4	----	IKJ80080
3537	菰	CAB5	----	IKJ90080
3538	苾	CAB6	----	IKJA0080
3539	菰	CAB7	----	IKJB0080
3540	茛	CAB8	----	IKJC0080
3541	苳	CAB9	----	IKJD0080
3542	苳	CABA	----	IKJE0080
3543	苳	CABB	----	IKJF0080
3544	苳	CABC	----	IKJG0080
3545	苳	CABD	----	IKJH0080
3546	苳	CABE	----	IKJI0080
3547	苳	CABF	----	IKJJ0080
3548	苳	CAC0	----	IKJK0080
3549	苳	CAC1	----	IKJL0080
3550	苳	CAC2	----	IKJM0080
3551	苳	CAC3	----	IKJN0080
3552	苳	CAC4	----	IKJO0080
3553	苳	CAC5	----	IKJP0080
3554	苳	CAC6	----	IKJQ0080
3555	苳	CAC7	----	IKJR0080
3556	苳	CAC8	----	IKJS0080
3557	苳	CAC9	----	IKJT0080
3558	苳	CACA	----	IKJU0080
3559	苳	CACB	----	IKJV0080
3560	苳	CACC	----	IKJW0080
3561	苳	CACD	----	IKJX0080

Table 11 (Page 69 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
3562	苳	CACE	----	IKJY0080
3563	苳	CACF	----	IKJZ0080
3564	苳	CAD0	----	IKK00080
3565	苳	CAD1	----	IKK10080
3566	苳	CAD2	----	IKK20080
3567	苳	CAD3	----	IKK30080
3568	苳	CAD4	----	IKK40080
3569	苳	CAD5	----	IKK50080
3570	苳	CAD6	----	IKK60080
3571	苳	CAD7	----	IKK70080
3572	苳	CAD8	----	IKK80080
3573	苳	CAD9	----	IKK90080
3574	苳	CADA	----	IKKA0080
3575	苳	CADB	----	IKKB0080
3576	苳	CADC	----	IKKC0080
3577	苳	CADD	----	IKKD0080
3578	苳	CADE	----	IKKE0080
3579	苳	CADF	----	IKKF0080
3580	苳	CAE0	----	IKKG0080
3581	苳	CAE1	----	IKKH0080
3582	苳	CAE2	----	IKKI0080
3583	苳	CAE3	----	IKKJ0080
3584	苳	CAE4	----	IKKK0080
3585	苳	CAE5	----	IKKL0080
3586	苳	CAE6	----	IKKM0080
3587	苳	CAE7	----	IKKN0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 11 (Page 70 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
3588	莧	CAE8	----	IKKO0080
3589	葶	CAE9	----	IKKP0080
3590	菟	CAEA	----	IKKQ0080
3591	蒟	CAEB	----	IKKR0080
3592	莽	CAEC	----	IKKS0080
3593	蒻	CAED	----	IKKT0080
3594	菴	CAEE	----	IKKU0080
3595	菴	CAEF	----	IKKV0080
3596	蒨	CAF0	----	IKKW0080
3597	蒨	CAF1	----	IKKX0080
3598	蒨	CAF2	----	IKKY0080
3599	蒨	CAF3	----	IKKZ0080
3600	菰	CAF4	----	IKL00080
3601	蒨	CAF5	----	IKL10080
3602	蒨	CAF6	----	IKL20080
3603	蒨	CAF7	----	IKL30080
3604	蒨	CAF8	----	IKL40080
3605	蒨	CAF9	----	IKL50080
3606	蒨	CAFA	----	IKL60080
3607	蒨	CAFB	----	IKL70080
3608	蒨	CAFC	----	IKL80080
3609	蒨	CAFD	----	IKL90080
3610	蒨	CAFE	----	IKLA0080
3611	蒨	CB41	----	IKLD0080
3612	蒨	CB42	----	IKLE0080
3613	蒨	CB43	----	IKLF0080

Table 11 (Page 70 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
3614	蒨	CB44	----	IKLG0080
3615	蒨	CB45	----	IKLH0080
3616	蒨	CB46	----	IKLI0080
3617	蒨	CB47	----	IKLJ0080
3618	蒨	CB48	----	IKLK0080
3619	蒨	CB49	----	IKLL0080
3620	蒨	CB4A	----	IKLM0080
3621	蒨	CB4B	----	IKLN0080
3622	蒨	CB4C	----	IKLO0080
3623	蒨	CB4D	----	IKLP0080
3624	蒨	CB4E	----	IKLQ0080
3625	蒨	CB4F	----	IKLR0080
3626	蒨	CB50	----	IKLS0080
3627	蒨	CB51	----	IKLT0080
3628	蒨	CB52	----	IKLU0080
3629	蒨	CB53	----	IKLV0080
3630	蒨	CB54	----	IKLW0080
3631	蒨	CB55	----	IKLX0080
3632	蒨	CB56	----	IKLY0080
3633	蒨	CB57	----	IKLZ0080
3634	蒨	CB58	----	IKM00080
3635	蒨	CB59	----	IKM10080
3636	蒨	CB5A	----	IKM20080
3637	蒨	CB5B	----	IKM30080
3638	蒨	CB5C	----	IKM40080
3639	蒨	CB5D	----	IKM50080




## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 11 (Page 71 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
3640	菜	CB5E	----	IKM60080
3641	薺	CB5F	----	IKM70080
3642	蕘	CB60	----	IKM80080
3643	蓋	CB61	----	IKM90080
3644	蒞	CB62	----	IKMA0080
3645	萇	CB63	----	IKMB0080
3646	蒨	CB64	----	IKMC0080
3647	蒯	CB65	----	IKMD0080
3648	尊	CB66	----	IKME0080
3649	蒯	CB67	----	IKMF0080
3650	蒯	CB68	----	IKMG0080
3651	蒯	CB69	----	IKMH0080
3652	蒯	CB6A	----	IKMI0080
3653	蒯	CB6B	----	IKMJ0080
3654	蒯	CB6C	----	IKMK0080
3655	蒯	CB6D	----	IKML0080
3656	蒯	CB6E	----	IKMM0080
3657	蒯	CB6F	----	IKMN0080
3658	蒯	CB70	----	IKMO0080
3659	蒯	CB71	----	IKMP0080
3660	蒯	CB72	----	IKMQ0080
3661	蒯	CB73	----	IKMR0080
3662	蒯	CB74	----	IKMS0080
3663	蒯	CB75	----	IKMT0080
3664	蒯	CB76	----	IKMU0080
3665	蒯	CB77	----	IKMV0080

Table 11 (Page 71 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
3666	蒯	CB78	----	IKMW0080
3667	蒯	CB79	----	IKMX0080
3668	蒯	CB7A	----	IKMY0080
3669	蒯	CB7B	----	IKMZ0080
3670	蒯	CB7C	----	IKN00080
3671	蒯	CB7D	----	IKN10080
3672	蒯	CB7E	----	IKN20080
3673	蒯	CB7F	----	IKN30080
3674	蒯	CB80	----	IKN40080
3675	蒯	CB81	----	IKN50080
3676	蒯	CB82	----	IKN60080
3677	蒯	CB83	----	IKN70080
3678	蒯	CB84	----	IKN80080
3679	蒯	CB85	----	IKN90080
3680	蒯	CB86	----	IKNA0080
3681	蒯	CB87	----	IKNB0080
3682	蒯	CB88	----	IKNC0080
3683	蒯	CB89	----	IKND0080
3684	蒯	CB8A	----	IKNE0080
3685	蒯	CB8B	----	IKNF0080
3686	蒯	CB8C	----	IKNG0080
3687	蒯	CB8D	----	IKNH0080
3688	蒯	CB8E	----	IKNI0080
3689	蒯	CB8F	----	IKNJ0080
3690	蒯	CB90	----	IKNK0080
3691	蒯	CB91	----	IKNL0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
3692	葎	CB92	----	IKNM0080
3693	蓆	CB93	----	IKNN0080
3694	華	CB94	----	IKNO0080
3695	藺	CB95	----	IKNP0080
3696	賈	CB96	----	IKNQ0080
3697	藎	CB97	----	IKNR0080
3698	蕞	CB98	----	IKNS0080
3699	縉	CB99	----	IKNT0080
3700	蕞	CB9A	----	IKNU0080
3701	發	CB9B	----	IKNV0080
3702	藜	CB9C	----	IKNW0080
3703	賈	CB9D	----	IKNX0080
3704	蕞	CB9E	----	IKNY0080
3705	蕞	CB9F	----	IKNZ0080
3706	蔭	CBA0	----	IKO00080
3707	蔭	CBA1	----	IKO10080
3708	蔭	CBA2	----	IKO20080
3709	蔭	CBA3	----	IKO30080
3710	蔭	CBA4	----	IKO40080
3711	蔭	CBA5	----	IKO50080
3712	蔭	CBA6	----	IKO60080
3713	蔭	CBA7	----	IKO70080
3714	蔭	CBA8	----	IKO80080
3715	蔭	CBA9	----	IKO90080
3716	蔭	CBAA	----	IKOA0080
3717	蔭	CBAB	----	IKOB0080

Line Number	Graphic	Host Code	PC Code	GCGID
3718	蕞	CBAC	----	IKOC0080
3719	蕞	CBAD	----	IKOD0080
3720	蕞	CBAE	----	IKOE0080
3721	蕞	CBAF	----	IKOF0080
3722	蕞	CBB0	----	IKOG0080
3723	蕞	CBB1	----	IKOH0080
3724	蕞	CBB2	----	IKOI0080
3725	蕞	CBB3	----	IKOJ0080
3726	蕞	CBB4	----	IKOK0080
3727	蕞	CBB5	----	IKOL0080
3728	蕞	CBB6	----	IKOM0080
3729	蕞	CBB7	----	IKON0080
3730	蕞	CBB8	----	IKOO0080
3731	蕞	CBB9	----	IKOP0080
3732	蕞	CBBA	----	IKOQ0080
3733	蕞	CBBB	----	IKOR0080
3734	蕞	CBBC	----	IKOS0080
3735	蕞	CBBD	----	IKOT0080
3736	蕞	CBBE	----	IKOU0080
3737	蕞	CBBF	----	IKOV0080
3738	蕞	CBC0	----	IKOW0080
3739	蕞	CBC1	----	IKOX0080
3740	蕞	CBC2	----	IKOY0080
3741	蕞	CBC3	----	IKOZ0080
3742	蕞	CBC4	----	IKP00080
3743	蕞	CBC5	----	IKP10080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 11 (Page 73 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
3744	藟	CBC6	----	IKP20080
3745	靡	CBC7	----	IKP30080
3746	蔗	CBC8	----	IKP40080
3747	藟	CBC9	----	IKP50080
3748	藟	CBCA	----	IKP60080
3749	藜	CBCB	----	IKP70080
3750	藜	CBCC	----	IKP80080
3751	藜	CBCD	----	IKP90080
3752	藜	CBCE	----	IKPA0080
3753	藜	CBCF	----	IKPB0080
3754	藜	CBD0	----	IKPC0080
3755	藜	CBD1	----	IKPD0080
3756	藜	CBD2	----	IKPE0080
3757	藜	CBD3	----	IKPF0080
3758	藜	CBD4	----	IKPG0080
3759	藜	CBD5	----	IKPH0080
3760	藜	CBD6	----	IKPI0080
3761	藜	CBD7	----	IKPJ0080
3762	藜	CBD8	----	IKPK0080
3763	藜	CBD9	----	IKPL0080
3764	藜	CBDA	----	IKPM0080
3765	藜	CBDB	----	IKPN0080
3766	藜	CBDC	----	IKPO0080
3767	藜	CBDD	----	IKPP0080
3768	藜	CBDE	----	IKPQ0080
3769	藜	CBDF	----	IKPR0080

Table 11 (Page 73 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
3770	藜	CBE0	----	IKPS0080
3771	藜	CBE1	----	IKPT0080
3772	藜	CBE2	----	IKPU0080
3773	藜	CBE3	----	IKPV0080
3774	藜	CBE4	----	IKPW0080
3775	藜	CBE5	----	IKPX0080
3776	藜	CBE6	----	IKPY0080
3777	藜	CBE7	----	IKPZ0080
3778	藜	CBE8	----	IKQ00080
3779	藜	CBE9	----	IKQ10080
3780	藜	CBEA	----	IKQ20080
3781	藜	CBEB	----	IKQ30080
3782	藜	CBEC	----	IKQ40080
3783	藜	CBED	----	IKQ50080
3784	藜	CBEE	----	IKQ60080
3785	藜	CBEF	----	IKQ70080
3786	藜	CBF0	----	IKQ80080
3787	藜	CBF1	----	IKQ90080
3788	藜	CBF2	----	IKQA0080
3789	虬	CBF3	----	IKQB0080
3790	虬	CBF4	----	IKQC0080
3791	虬	CBF5	----	IKQD0080
3792	虬	CBF6	----	IKQE0080
3793	虬	CBF7	----	IKQF0080
3794	虬	CBF8	----	IKQG0080
3795	虬	CBF9	----	IKQH0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 11 (Page 74 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
3796	虬	CBFA	----	IKQI0080
3797	蛟	CBFB	----	IKQJ0080
3798	蛟	CBFC	----	IKQK0080
3799	蛟	CBFD	----	IKQL0080
3800	蛟	CBFE	----	IKQM0080
3801	蛟	CC41	----	IKQP0080
3802	蛟	CC42	----	IKQQ0080
3803	蛟	CC43	----	IKQR0080
3804	蛟	CC44	----	IKQS0080
3805	蛟	CC45	----	IKQT0080
3806	蛟	CC46	----	IKQU0080
3807	蛟	CC47	----	IKQV0080
3808	蛟	CC48	----	IKQW0080
3809	蛟	CC49	----	IKQX0080
3810	蛟	CC4A	----	IKQY0080
3811	蛟	CC4B	----	IKQZ0080
3812	蛟	CC4C	----	IKR00080
3813	蛟	CC4D	----	IKR10080
3814	蛟	CC4E	----	IKR20080
3815	蛟	CC4F	----	IKR30080
3816	蛟	CC50	----	IKR40080
3817	蛟	CC51	----	IKR50080
3818	蛟	CC52	----	IKR60080
3819	蛟	CC53	----	IKR70080
3820	蛟	CC54	----	IKR80080
3821	蛟	CC55	----	IKR90080

Table 11 (Page 74 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
3822	皇	CC56	----	IKRA0080
3823	皇	CC57	----	IKRB0080
3824	皇	CC58	----	IKRC0080
3825	皇	CC59	----	IKRD0080
3826	皇	CC5A	----	IKRE0080
3827	皇	CC5B	----	IKRF0080
3828	皇	CC5C	----	IKRG0080
3829	皇	CC5D	----	IKRH0080
3830	皇	CC5E	----	IKRI0080
3831	皇	CC5F	----	IKRJ0080
3832	皇	CC60	----	IKRK0080
3833	皇	CC61	----	IKRL0080
3834	皇	CC62	----	IKRM0080
3835	皇	CC63	----	IKRN0080
3836	皇	CC64	----	IKRO0080
3837	皇	CC65	----	IKRP0080
3838	皇	CC66	----	IKRQ0080
3839	皇	CC67	----	IKRR0080
3840	皇	CC68	----	IKRS0080
3841	皇	CC69	----	IKRT0080
3842	皇	CC6A	----	IKRU0080
3843	皇	CC6B	----	IKRV0080
3844	皇	CC6C	----	IKRW0080
3845	皇	CC6D	----	IKRX0080
3846	皇	CC6E	----	IKRY0080
3847	皇	CC6F	----	IKRZ0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 11 (Page 75 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
3848	蟀	CC70	----	IKS00080
3849	蟀	CC71	----	IKS10080
3850	蟀	CC72	----	IKS20080
3851	蟀	CC73	----	IKS30080
3852	蟀	CC74	----	IKS40080
3853	蟀	CC75	----	IKS50080
3854	蟀	CC76	----	IKS60080
3855	蟀	CC77	----	IKS70080
3856	蟀	CC78	----	IKS80080
3857	蟀	CC79	----	IKS90080
3858	蟀	CC7A	----	IKSA0080
3859	蟀	CC7B	----	IKSB0080
3860	蟀	CC7C	----	IKSC0080
3861	蟀	CC7D	----	IKSD0080
3862	蟀	CC7E	----	IKSE0080
3863	蟀	CC7F	----	IKSF0080
3864	蟀	CC80	----	IKSG0080
3865	蟀	CC81	----	IKSH0080
3866	蟀	CC82	----	IKSI0080
3867	蟀	CC83	----	IKSJ0080
3868	蟀	CC84	----	IKSK0080
3869	蟀	CC85	----	IKSL0080
3870	蟀	CC86	----	IKSM0080
3871	蟀	CC87	----	IKSN0080
3872	蟀	CC88	----	IKSO0080
3873	蟀	CC89	----	IKSP0080

Table 11 (Page 75 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
3874	蟀	CC8A	----	IKSQ0080
3875	蟀	CC8B	----	IKSR0080
3876	蟀	CC8C	----	IKSS0080
3877	蟀	CC8D	----	IKST0080
3878	蟀	CC8E	----	IKSU0080
3879	蟀	CC8F	----	IKSV0080
3880	蟀	CC90	----	IKSW0080
3881	蟀	CC91	----	IKSX0080
3882	蟀	CC92	----	IKSY0080
3883	蟀	CC93	----	IKSZ0080
3884	蟀	CC94	----	IKT00080
3885	蟀	CC95	----	IKT10080
3886	蟀	CC96	----	IKT20080
3887	蟀	CC97	----	IKT30080
3888	蟀	CC98	----	IKT40080
3889	蟀	CC99	----	IKT50080
3890	蟀	CC9A	----	IKT60080
3891	蟀	CC9B	----	IKT70080
3892	蟀	CC9C	----	IKT80080
3893	蟀	CC9D	----	IKT90080
3894	蟀	CC9E	----	IKTA0080
3895	蟀	CC9F	----	IKTB0080
3896	蟀	CCA0	----	IKTC0080
3897	蟀	CCA1	----	IKTD0080
3898	蟀	CCA2	----	IKTE0080
3899	蟀	CCA3	----	IKTF0080





## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
3900	蟻	CCA4	----	IKTG0080
3901	蜥	CCA5	----	IKTH0080
3902	蟻	CCA6	----	IKTI0080
3903	蟻	CCA7	----	IKTJ0080
3904	蟻	CCA8	----	IKTK0080
3905	蟻	CCA9	----	IKTL0080
3906	蟻	CCAA	----	IKTM0080
3907	蟻	CCAB	----	IKTN0080
3908	蟻	CCAC	----	IKTO0080
3909	蟻	CCAD	----	IKTP0080
3910	蟻	CCAE	----	IKTQ0080
3911	蟻	CCAF	----	IKTR0080
3912	蟻	CCB0	----	IKTS0080
3913	蟻	CCB1	----	IKTT0080
3914	蟻	CCB2	----	IKTU0080
3915	蟻	CCB3	----	IKTV0080
3916	蟻	CCB4	----	IKTW0080
3917	蟻	CCB5	----	IKTX0080
3918	蟻	CCB6	----	IKTY0080
3919	蟻	CCB7	----	IKTZ0080
3920	蟻	CCB8	----	IKU00080
3921	蟻	CCB9	----	IKU10080
3922	蟻	CCBA	----	IKU20080
3923	蟻	CCBB	----	IKU30080
3924	蟻	CCBC	----	IKU40080
3925	蟻	CCBD	----	IKU50080

Line Number	Graphic	Host Code	PC Code	GCGID
3926	蟻	CCBE	----	IKU60080
3927	蟻	CCBF	----	IKU70080
3928	蟻	CCC0	----	IKU80080
3929	蟻	CCC1	----	IKU90080
3930	蟻	CCC2	----	IKUA0080
3931	蟻	CCC3	----	IKUB0080
3932	蟻	CCC4	----	IKUC0080
3933	蟻	CCC5	----	IKUD0080
3934	蟻	CCC6	----	IKUE0080
3935	蟻	CCC7	----	IKUF0080
3936	蟻	CCC8	----	IKUG0080
3937	蟻	CCC9	----	IKUH0080
3938	蟻	CCCA	----	IKUI0080
3939	蟻	CCCB	----	IKUJ0080
3940	蟻	CCCC	----	IKUK0080
3941	蟻	CCCD	----	IKUL0080
3942	蟻	CCCE	----	IKUM0080
3943	蟻	CCCF	----	IKUN0080
3944	蟻	CCD0	----	IKUO0080
3945	蟻	CCD1	----	IKUP0080
3946	蟻	CCD2	----	IKUQ0080
3947	蟻	CCD3	----	IKUR0080
3948	蟻	CCD4	----	IKUS0080
3949	蟻	CCD5	----	IKUT0080
3950	蟻	CCD6	----	IKUU0080
3951	蟻	CCD7	----	IKUV0080




## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 11 (Page 77 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
3952	衞	CCD8	----	IKUW0080
3953	衞	CCD9	----	IKUX0080
3954	衞	CCDA	----	IKUY0080
3955	衞	CCDB	----	IKUZ0080
3956	衞	CCDC	----	IKV00080
3957	衞	CCDD	----	IKV10080
3958	衤	CCDE	----	IKV20080
3959	衤	CCDF	----	IKV30080
3960	袂	CCE0	----	IKV40080
3961	袂	CCE1	----	IKV50080
3962	袂	CCE2	----	IKV60080
3963	袂	CCE3	----	IKV70080
3964	袂	CCE4	----	IKV80080
3965	袂	CCE5	----	IKV90080
3966	袂	CCE6	----	IKVA0080
3967	袂	CCE7	----	IKVB0080
3968	袂	CCE8	----	IKVC0080
3969	袂	CCE9	----	IKVD0080
3970	袂	CCEA	----	IKVE0080
3971	袂	CCEB	----	IKVF0080
3972	袂	CCEC	----	IKVG0080
3973	袂	CCED	----	IKVH0080
3974	袂	CCEE	----	IKVI0080
3975	袂	CCEF	----	IKVJ0080
3976	袂	CCF0	----	IKVK0080
3977	袂	CCF1	----	IKVL0080

Table 11 (Page 77 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
3978	袂	CCF2	----	IKVM0080
3979	袂	CCF3	----	IKVN0080
3980	袂	CCF4	----	IKVO0080
3981	袂	CCF5	----	IKVP0080
3982	袂	CCF6	----	IKVQ0080
3983	袂	CCF7	----	IKVR0080
3984	袂	CCF8	----	IKVS0080
3985	袂	CCF9	----	IKVT0080
3986	袂	CCFA	----	IKVU0080
3987	袂	CCFB	----	IKVV0080
3988	袂	CCFC	----	IKVW0080
3989	袂	CCFD	----	IKVX0080
3990	袂	CCFE	----	IKVY0080
3991	袂	CD41	----	IKW10080
3992	袂	CD42	----	IKW20080
3993	袂	CD43	----	IKW30080
3994	袂	CD44	----	IKW40080
3995	袂	CD45	----	IKW50080
3996	袂	CD46	----	IKW60080
3997	袂	CD47	----	IKW70080
3998	袂	CD48	----	IKW80080
3999	袂	CD49	----	IKW90080
4000	袂	CD4A	----	IKWA0080
4001	袂	CD4B	----	IKWB0080
4002	袂	CD4C	----	IKWC0080
4003	袂	CD4D	----	IKWD0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 11 (Page 78 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
4004	襜	CD4E	----	IKWE0080
4005	褰	CD4F	----	IKWF0080
4006	褰	CD50	----	IKWG0080
4007	褲	CD51	----	IKWH0080
4008	褸	CD52	----	IKWI0080
4009	褹	CD53	----	IKWJ0080
4010	褻	CD54	----	IKWK0080
4011	標	CD55	----	IKWL0080
4012	褻	CD56	----	IKWM0080
4013	褻	CD57	----	IKWN0080
4014	褻	CD58	----	IKWO0080
4015	褻	CD59	----	IKWP0080
4016	褻	CD5A	----	IKWQ0080
4017	褻	CD5B	----	IKWR0080
4018	褻	CD5C	----	IKWS0080
4019	褻	CD5D	----	IKWT0080
4020	褻	CD5E	----	IKWU0080
4021	褻	CD5F	----	IKWV0080
4022	褻	CD60	----	IKWW0080
4023	褻	CD61	----	IKWX0080
4024	褻	CD62	----	IKWY0080
4025	褻	CD63	----	IKWZ0080
4026	褻	CD64	----	IKX00080
4027	褻	CD65	----	IKX10080
4028	褻	CD66	----	IKX20080
4029	褻	CD67	----	IKX30080

Table 11 (Page 78 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
4030	褻	CD68	----	IKX40080
4031	褻	CD69	----	IKX50080
4032	褻	CD6A	----	IKX60080
4033	褻	CD6B	----	IKX70080
4034	褻	CD6C	----	IKX80080
4035	褻	CD6D	----	IKX90080
4036	覓	CD6E	----	IKXA0080
4037	覓	CD6F	----	IKXB0080
4038	覓	CD70	----	IKXC0080
4039	覓	CD71	----	IKXD0080
4040	覓	CD72	----	IKXE0080
4041	覓	CD73	----	IKXF0080
4042	覓	CD74	----	IKXG0080
4043	覓	CD75	----	IKXH0080
4044	覓	CD76	----	IKXI0080
4045	覓	CD77	----	IKXJ0080
4046	覓	CD78	----	IKXK0080
4047	覓	CD79	----	IKXL0080
4048	覓	CD7A	----	IKXM0080
4049	覓	CD7B	----	IKXN0080
4050	覓	CD7C	----	IKXO0080
4051	觶	CD7D	----	IKXP0080
4052	觶	CD7E	----	IKXQ0080
4053	觶	CD7F	----	IKXR0080
4054	觶	CD80	----	IKXS0080
4055	觶	CD81	----	IKXT0080




## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 11 (Page 79 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
4056	鮠	CD82	----	IKXU0080
4057	鯨	CD83	----	IKXV0080
4058	鯨	CD84	----	IKXW0080
4059	鯨	CD85	----	IKXX0080
4060	鯨	CD86	----	IKXY0080
4061	鯨	CD87	----	IKXZ0080
4062	鯨	CD88	----	IKY00080
4063	鯨	CD89	----	IKY10080
4064	鯨	CD8A	----	IKY20080
4065	鯨	CD8B	----	IKY30080
4066	鯨	CD8C	----	IKY40080
4067	鯨	CD8D	----	IKY50080
4068	鯨	CD8E	----	IKY60080
4069	鯨	CD8F	----	IKY70080
4070	鯨	CD90	----	IKY80080
4071	鯨	CD91	----	IKY90080
4072	鯨	CD92	----	IKYA0080
4073	鯨	CD93	----	IKYB0080
4074	鯨	CD94	----	IKYC0080
4075	鯨	CD95	----	IKYD0080
4076	鯨	CD96	----	IKYE0080
4077	鯨	CD97	----	IKYF0080
4078	鯨	CD98	----	IKYG0080
4079	鯨	CD99	----	IKYH0080
4080	鯨	CD9A	----	IKYI0080
4081	鯨	CD9B	----	IKYJ0080

Table 11 (Page 79 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
4082	詢	CD9C	----	IKYK0080
4083	訾	CD9D	----	IKYL0080
4084	訾	CD9E	----	IKYM0080
4085	訾	CD9F	----	IKYN0080
4086	訾	CDA0	----	IKYO0080
4087	訾	CDA1	----	IKYP0080
4088	訾	CDA2	----	IKYQ0080
4089	訾	CDA3	----	IKYR0080
4090	訾	CDA4	----	IKYS0080
4091	訾	CDA5	----	IKYT0080
4092	訾	CDA6	----	IKYU0080
4093	訾	CDA7	----	IKYV0080
4094	訾	CDA8	----	IKYW0080
4095	訾	CDA9	----	IKYX0080
4096	訾	CDAA	----	IKYY0080
4097	訾	CDAB	----	IKYZ0080
4098	訾	CDAC	----	IKZ00080
4099	訾	CDAD	----	IKZ10080
4100	訾	CDAE	----	IKZ20080
4101	訾	CDAF	----	IKZ30080
4102	訾	CDB0	----	IKZ40080
4103	訾	CDB1	----	IKZ50080
4104	訾	CDB2	----	IKZ60080
4105	詢	CDB3	----	IKZ70080
4106	誼	CDB4	----	IKZ80080
4107	誼	CDB5	----	IKZ90080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 11 (Page 80 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
4108	諺	CDB6	----	IKZA0080
4109	誑	CDB7	----	IKZB0080
4110	認	CDB8	----	IKZC0080
4111	諛	CDB9	----	IKZD0080
4112	識	CDBA	----	IKZE0080
4113	諛	CDBB	----	IKZF0080
4114	諄	CDBC	----	IKZG0080
4115	諗	CDBD	----	IKZH0080
4116	誣	CDBE	----	IKZI0080
4117	諄	CDBF	----	IKZJ0080
4118	誑	CDC0	----	IKZK0080
4119	誑	CDC1	----	IKZL0080
4120	諄	CDC2	----	IKZM0080
4121	誣	CDC3	----	IKZN0080
4122	諄	CDC4	----	IKZO0080
4123	諄	CDC5	----	IKZP0080
4124	諄	CDC6	----	IKZQ0080
4125	諄	CDC7	----	IKZR0080
4126	諄	CDC8	----	IKZS0080
4127	諄	CDC9	----	IKZT0080
4128	諄	CDCA	----	IKZU0080
4129	諄	CDCB	----	IKZV0080
4130	諄	CDCC	----	IKZW0080
4131	諄	CDCD	----	IKZX0080
4132	諄	CDCE	----	IKZY0080
4133	諄	CDCF	----	IKZZ0080

Table 11 (Page 80 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
4134	諄	CDD0	----	IL000080
4135	諄	CDD1	----	IL010080
4136	諄	CDD2	----	IL020080
4137	諄	CDD3	----	IL030080
4138	諄	CDD4	----	IL040080
4139	諄	CDD5	----	IL050080
4140	諄	CDD6	----	IL060080
4141	諄	CDD7	----	IL070080
4142	諄	CDD8	----	IL080080
4143	諄	CDD9	----	IL090080
4144	諄	CDDA	----	IL0A0080
4145	諄	Cddb	----	IL0B0080
4146	諄	CDDC	----	IL0C0080
4147	諄	CDDD	----	IL0D0080
4148	諄	CDDE	----	IL0E0080
4149	諄	CDDF	----	IL0F0080
4150	諄	CDE0	----	IL0G0080
4151	諄	CDE1	----	IL0H0080
4152	諄	CDE2	----	IL0I0080
4153	諄	CDE3	----	IL0J0080
4154	諄	CDE4	----	IL0K0080
4155	諄	CDE5	----	IL0L0080
4156	諄	CDE6	----	IL0M0080
4157	諄	CDE7	----	IL0N0080
4158	諄	CDE8	----	IL0O0080
4159	諄	CDE9	----	IL0P0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 11 (Page 81 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
4160	磨	CDEA	----	IL0Q0080
4161	藩	CDEB	----	IL0R0080
4162	誤	CDEC	----	IL0S0080
4163	譙	CDED	----	IL0T0080
4164	譏	CDEE	----	IL0U0080
4165	諗	CDEF	----	IL0V0080
4166	譏	CDF0	----	IL0W0080
4167	譎	CDF1	----	IL0X0080
4168	譎	CDF2	----	IL0Y0080
4169	譎	CDF3	----	IL0Z0080
4170	讐	CDF4	----	IL100080
4171	讐	CDF5	----	IL110080
4172	讐	CDF6	----	IL120080
4173	讐	CDF7	----	IL130080
4174	讐	CDF8	----	IL140080
4175	讐	CDF9	----	IL150080
4176	讐	CDFA	----	IL160080
4177	讐	CDFB	----	IL170080
4178	讐	CDFC	----	IL180080
4179	讐	CDFD	----	IL190080
4180	讐	CDFE	----	IL1A0080
4181	讐	CE41	----	IL1D0080
4182	讐	CE42	----	IL1E0080
4183	裕	CE43	----	IL1F0080
4184	紘	CE44	----	IL1G0080
4185	紘	CE45	----	IL1H0080

Table 11 (Page 81 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
4186	涇	CE46	----	IL1I0080
4187	涇	CE47	----	IL1J0080
4188	涇	CE48	----	IL1K0080
4189	涇	CE49	----	IL1L0080
4190	涇	CE4A	----	IL1M0080
4191	涇	CE4B	----	IL1N0080
4192	涇	CE4C	----	IL1O0080
4193	涇	CE4D	----	IL1P0080
4194	涇	CE4E	----	IL1Q0080
4195	涇	CE4F	----	IL1R0080
4196	涇	CE50	----	IL1S0080
4197	涇	CE51	----	IL1T0080
4198	涇	CE52	----	IL1U0080
4199	涇	CE53	----	IL1V0080
4200	涇	CE54	----	IL1W0080
4201	涇	CE55	----	IL1X0080
4202	涇	CE56	----	IL1Y0080
4203	涇	CE57	----	IL1Z0080
4204	涇	CE58	----	IL200080
4205	涇	CE59	----	IL210080
4206	涇	CE5A	----	IL220080
4207	涇	CE5B	----	IL230080
4208	涇	CE5C	----	IL240080
4209	涇	CE5D	----	IL250080
4210	涇	CE5E	----	IL260080
4211	涇	CE5F	----	IL270080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
4212	猯	CE60	----	IL280080
4213	猱	CE61	----	IL290080
4214	猲	CE62	----	IL2A0080
4215	猳	CE63	----	IL2B0080
4216	猫	CE64	----	IL2C0080
4217	猫	CE65	----	IL2D0080
4218	猫	CE66	----	IL2E0080
4219	猯	CE67	----	IL2F0080
4220	猱	CE68	----	IL2G0080
4221	猲	CE69	----	IL2H0080
4222	猳	CE6A	----	IL2I0080
4223	猴	CE6B	----	IL2J0080
4224	猵	CE6C	----	IL2K0080
4225	猶	CE6D	----	IL2L0080
4226	猷	CE6E	----	IL2M0080
4227	猸	CE6F	----	IL2N0080
4228	猩	CE70	----	IL2O0080
4229	猪	CE71	----	IL2P0080
4230	猫	CE72	----	IL2Q0080
4231	猬	CE73	----	IL2R0080
4232	猭	CE74	----	IL2S0080
4233	献	CE75	----	IL2T0080
4234	猯	CE76	----	IL2U0080
4235	猰	CE77	----	IL2V0080
4236	猱	CE78	----	IL2W0080
4237	猲	CE79	----	IL2X0080

Line Number	Graphic	Host Code	PC Code	GCGID
4238	猳	CE7A	----	IL2Y0080
4239	猴	CE7B	----	IL2Z0080
4240	猵	CE7C	----	IL300080
4241	猶	CE7D	----	IL310080
4242	猷	CE7E	----	IL320080
4243	猸	CE7F	----	IL330080
4244	猩	CE80	----	IL340080
4245	猪	CE81	----	IL350080
4246	猫	CE82	----	IL360080
4247	猬	CE83	----	IL370080
4248	猭	CE84	----	IL380080
4249	献	CE85	----	IL390080
4250	猯	CE86	----	IL3A0080
4251	猰	CE87	----	IL3B0080
4252	猱	CE88	----	IL3C0080
4253	猲	CE89	----	IL3D0080
4254	猳	CE8A	----	IL3E0080
4255	猴	CE8B	----	IL3F0080
4256	猵	CE8C	----	IL3G0080
4257	猶	CE8D	----	IL3H0080
4258	猷	CE8E	----	IL3I0080
4259	猸	CE8F	----	IL3J0080
4260	猩	CE90	----	IL3K0080
4261	猪	CE91	----	IL3L0080
4262	猫	CE92	----	IL3M0080
4263	猬	CE93	----	IL3N0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 11 (Page 83 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
4264	趨	CE94	----	IL3O0080
4265	趨	CE95	----	IL3P0080
4266	趨	CE96	----	IL3Q0080
4267	跽	CE97	----	IL3R0080
4268	跽	CE98	----	IL3S0080
4269	跽	CE99	----	IL3T0080
4270	跽	CE9A	----	IL3U0080
4271	跽	CE9B	----	IL3V0080
4272	跽	CE9C	----	IL3W0080
4273	跽	CE9D	----	IL3X0080
4274	跽	CE9E	----	IL3Y0080
4275	跽	CE9F	----	IL3Z0080
4276	跽	CEA0	----	IL400080
4277	跽	CEA1	----	IL410080
4278	跽	CEA2	----	IL420080
4279	跑	CEA3	----	IL430080
4280	跑	CEA4	----	IL440080
4281	跽	CEA5	----	IL450080
4282	跽	CEA6	----	IL460080
4283	跽	CEA7	----	IL470080
4284	跽	CEA8	----	IL480080
4285	跽	CEA9	----	IL490080
4286	跽	CEAA	----	IL4A0080
4287	跽	CEAB	----	IL4B0080
4288	跽	CEAC	----	IL4C0080
4289	跽	CEAD	----	IL4D0080

Table 11 (Page 83 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
4290	跽	CEAE	----	IL4E0080
4291	跽	CEAF	----	IL4F0080
4292	跽	CEB0	----	IL4G0080
4293	跽	CEB1	----	IL4H0080
4294	跽	CEB2	----	IL4I0080
4295	跽	CEB3	----	IL4J0080
4296	跽	CEB4	----	IL4K0080
4297	跽	CEB5	----	IL4L0080
4298	跽	CEB6	----	IL4M0080
4299	跽	CEB7	----	IL4N0080
4300	跽	CEB8	----	IL4O0080
4301	跽	CEB9	----	IL4P0080
4302	跽	CEBA	----	IL4Q0080
4303	跽	CEBB	----	IL4R0080
4304	跽	CEBC	----	IL4S0080
4305	跽	CEBD	----	IL4T0080
4306	跽	CEBE	----	IL4U0080
4307	跽	CEBF	----	IL4V0080
4308	跽	CEC0	----	IL4W0080
4309	跽	CEC1	----	IL4X0080
4310	跽	CEC2	----	IL4Y0080
4311	跽	CEC3	----	IL4Z0080
4312	跽	CEC4	----	IL500080
4313	跽	CEC5	----	IL510080
4314	跽	CEC6	----	IL520080
4315	跽	CEC7	----	IL530080





## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
4316	蹋	CEC8	----	IL540080
4317	蹶	CEC9	----	IL550080
4318	蹟	CECA	----	IL560080
4319	蹠	CECB	----	IL570080
4320	蹠	CECC	----	IL580080
4321	蹠	CECD	----	IL590080
4322	蹠	CECE	----	IL5A0080
4323	蹠	CECF	----	IL5B0080
4324	蹠	CED0	----	IL5C0080
4325	蹠	CED1	----	IL5D0080
4326	蹠	CED2	----	IL5E0080
4327	蹠	CED3	----	IL5F0080
4328	蹠	CED4	----	IL5G0080
4329	蹠	CED5	----	IL5H0080
4330	蹠	CED6	----	IL5I0080
4331	蹠	CED7	----	IL5J0080
4332	蹠	CED8	----	IL5K0080
4333	蹠	CED9	----	IL5L0080
4334	蹠	CEDA	----	IL5M0080
4335	蹠	CEDB	----	IL5N0080
4336	蹠	CEDC	----	IL5O0080
4337	蹠	CEDD	----	IL5P0080
4338	蹠	CEDE	----	IL5Q0080
4339	蹠	CEDF	----	IL5R0080
4340	蹠	CEE0	----	IL5S0080
4341	蹠	CEE1	----	IL5T0080

Line Number	Graphic	Host Code	PC Code	GCGID
4342	蹠	CEE2	----	IL5U0080
4343	蹠	CEE3	----	IL5V0080
4344	蹠	CEE4	----	IL5W0080
4345	蹠	CEE5	----	IL5X0080
4346	蹠	CEE6	----	IL5Y0080
4347	蹠	CEE7	----	IL5Z0080
4348	蹠	CEE8	----	IL600080
4349	蹠	CEE9	----	IL610080
4350	蹠	CEEA	----	IL620080
4351	蹠	CEEB	----	IL630080
4352	蹠	CEEC	----	IL640080
4353	蹠	CEED	----	IL650080
4354	蹠	CEEE	----	IL660080
4355	蹠	CEEF	----	IL670080
4356	蹠	CEF0	----	IL680080
4357	蹠	CEF1	----	IL690080
4358	蹠	CEF2	----	IL6A0080
4359	蹠	CEF3	----	IL6B0080
4360	蹠	CEF4	----	IL6C0080
4361	蹠	CEF5	----	IL6D0080
4362	蹠	CEF6	----	IL6E0080
4363	蹠	CEF7	----	IL6F0080
4364	蹠	CEF8	----	IL6G0080
4365	蹠	CEF9	----	IL6H0080
4366	蹠	CEFA	----	IL6I0080
4367	蹠	CEFB	----	IL6J0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 11 (Page 85 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
4368	𨮑	CEFC	----	IL6K0080
4369	𨮒	CEFD	----	IL6L0080
4370	𨮓	CEFE	----	IL6M0080
4371	𨮔	CF41	----	IL6P0080
4372	𨮕	CF42	----	IL6Q0080
4373	𨮖	CF43	----	IL6R0080
4374	𨮗	CF44	----	IL6S0080
4375	𨮘	CF45	----	IL6T0080
4376	𨮙	CF46	----	IL6U0080
4377	𨮚	CF47	----	IL6V0080
4378	𨮛	CF48	----	IL6W0080
4379	𨮜	CF49	----	IL6X0080
4380	𨮝	CF4A	----	IL6Y0080
4381	𨮞	CF4B	----	IL6Z0080
4382	𨮟	CF4C	----	IL700080
4383	𨮠	CF4D	----	IL710080
4384	𨮡	CF4E	----	IL720080
4385	𨮢	CF4F	----	IL730080
4386	𨮣	CF50	----	IL740080
4387	𨮤	CF51	----	IL750080
4388	𨮥	CF52	----	IL760080
4389	𨮦	CF53	----	IL770080
4390	𨮧	CF54	----	IL780080
4391	𨮨	CF55	----	IL790080
4392	𨮩	CF56	----	IL7A0080
4393	𨮪	CF57	----	IL7B0080

Table 11 (Page 85 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
4394	𨮫	CF58	----	IL7C0080
4395	𨮬	CF59	----	IL7D0080
4396	𨮭	CF5A	----	IL7E0080
4397	𨮮	CF5B	----	IL7F0080
4398	𨮯	CF5C	----	IL7G0080
4399	𨮰	CF5D	----	IL7H0080
4400	𨮱	CF5E	----	IL7I0080
4401	𨮲	CF5F	----	IL7J0080
4402	𨮳	CF60	----	IL7K0080
4403	𨮴	CF61	----	IL7L0080
4404	𨮵	CF62	----	IL7M0080
4405	𨮶	CF63	----	IL7N0080
4406	𨮷	CF64	----	IL7O0080
4407	𨮸	CF65	----	IL7P0080
4408	𨮹	CF66	----	IL7Q0080
4409	𨮺	CF67	----	IL7R0080
4410	𨮻	CF68	----	IL7S0080
4411	𨮼	CF69	----	IL7T0080
4412	𨮽	CF6A	----	IL7U0080
4413	𨮾	CF6B	----	IL7V0080
4414	𨮿	CF6C	----	IL7W0080
4415	𨯀	CF6D	----	IL7X0080
4416	𨯁	CF6E	----	IL7Y0080
4417	𨯂	CF6F	----	IL7Z0080
4418	𨯃	CF70	----	IL800080
4419	𨯄	CF71	----	IL810080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
4420	迂	CF72	----	IL820080
4421	池	CF73	----	IL830080
4422	迺	CF74	----	IL840080
4423	迂	CF75	----	IL850080
4424	迺	CF76	----	IL860080
4425	运	CF77	----	IL870080
4426	迂	CF78	----	IL880080
4427	迂	CF79	----	IL890080
4428	迂	CF7A	----	IL8A0080
4429	迺	CF7B	----	IL8B0080
4430	迺	CF7C	----	IL8C0080
4431	迺	CF7D	----	IL8D0080
4432	迺	CF7E	----	IL8E0080
4433	迺	CF7F	----	IL8F0080
4434	迺	CF80	----	IL8G0080
4435	迺	CF81	----	IL8H0080
4436	迺	CF82	----	IL8I0080
4437	迺	CF83	----	IL8J0080
4438	迺	CF84	----	IL8K0080
4439	迺	CF85	----	IL8L0080
4440	迺	CF86	----	IL8M0080
4441	迺	CF87	----	IL8N0080
4442	迺	CF88	----	IL8O0080
4443	迺	CF89	----	IL8P0080
4444	迺	CF8A	----	IL8Q0080
4445	迺	CF8B	----	IL8R0080

Line Number	Graphic	Host Code	PC Code	GCGID
4446	迺	CF8C	----	IL8S0080
4447	迺	CF8D	----	IL8T0080
4448	迺	CF8E	----	IL8U0080
4449	迺	CF8F	----	IL8V0080
4450	迺	CF90	----	IL8W0080
4451	迺	CF91	----	IL8X0080
4452	迺	CF92	----	IL8Y0080
4453	迺	CF93	----	IL8Z0080
4454	迺	CF94	----	IL900080
4455	迺	CF95	----	IL910080
4456	迺	CF96	----	IL920080
4457	迺	CF97	----	IL930080
4458	迺	CF98	----	IL940080
4459	迺	CF99	----	IL950080
4460	迺	CF9A	----	IL960080
4461	迺	CF9B	----	IL970080
4462	迺	CF9C	----	IL980080
4463	迺	CF9D	----	IL990080
4464	迺	CF9E	----	IL9A0080
4465	迺	CF9F	----	IL9B0080
4466	迺	CFA0	----	IL9C0080
4467	迺	CFA1	----	IL9D0080
4468	迺	CFA2	----	IL9E0080
4469	迺	CFA3	----	IL9F0080
4470	迺	CFA4	----	IL9G0080
4471	迺	CFA5	----	IL9H0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 11 (Page 87 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
4472	邕	CFA6	----	IL9I0080
4473	邙	CFA7	----	IL9J0080
4474	邚	CFA8	----	IL9K0080
4475	邛	CFA9	----	IL9L0080
4476	邒	CFAA	----	IL9M0080
4477	邓	CFAB	----	IL9N0080
4478	邔	CFAC	----	IL9O0080
4479	邕	CFAD	----	IL9P0080
4480	邖	CFAE	----	IL9Q0080
4481	邗	CFAF	----	IL9R0080
4482	邘	CFB0	----	IL9S0080
4483	邙	CFB1	----	IL9T0080
4484	邚	CFB2	----	IL9U0080
4485	邛	CFB3	----	IL9V0080
4486	邒	CFB4	----	IL9W0080
4487	邓	CFB5	----	IL9X0080
4488	邔	CFB6	----	IL9Y0080
4489	邕	CFB7	----	IL9Z0080
4490	邖	CFB8	----	ILA00080
4491	邗	CFB9	----	ILA10080
4492	邘	CFBA	----	ILA20080
4493	邙	CFBB	----	ILA30080
4494	邚	CFBC	----	ILA40080
4495	邛	CFBD	----	ILA50080
4496	邒	CFBE	----	ILA60080
4497	邓	CFBF	----	ILA70080

Table 11 (Page 87 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
4498	邔	CFC0	----	ILA80080
4499	邕	CFC1	----	ILA90080
4500	邖	CFC2	----	ILAA0080
4501	邗	CFC3	----	ILAB0080
4502	邘	CFC4	----	ILAC0080
4503	邙	CFC5	----	ILAD0080
4504	邚	CFC6	----	ILAE0080
4505	邛	CFC7	----	ILAF0080
4506	邒	CFC8	----	ILAG0080
4507	邓	CFC9	----	ILAH0080
4508	邔	CFCA	----	ILAI0080
4509	邕	CFCB	----	ILAJ0080
4510	邖	CFCC	----	ILAK0080
4511	邗	CFCD	----	ILAL0080
4512	邘	CFCE	----	ILAM0080
4513	邙	CFCF	----	ILAN0080
4514	邚	CFD0	----	ILAO0080
4515	邛	CFD1	----	ILAP0080
4516	邒	CFD2	----	ILAQ0080
4517	邓	CFD3	----	ILAR0080
4518	邔	CFD4	----	ILAS0080
4519	邕	CFD5	----	ILAT0080
4520	邖	CFD6	----	ILAU0080
4521	邗	CFD7	----	ILAV0080
4522	邘	CFD8	----	ILAW0080
4523	邙	CFD9	----	ILAX0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
4524	鄂	CFDA	----	ILAY0080
4525	鄢	CFDB	----	ILAZ0080
4526	鄣	CFDC	----	ILB00080
4527	鄯	CFDD	----	ILB10080
4528	鄱	CFDE	----	ILB20080
4529	鄱	CFDF	----	ILB30080
4530	鄱	CFE0	----	ILB40080
4531	鄱	CFE1	----	ILB50080
4532	鄱	CFE2	----	ILB60080
4533	鄱	CFE3	----	ILB70080
4534	鄱	CFE4	----	ILB80080
4535	鄱	CFE5	----	ILB90080
4536	鄱	CFE6	----	ILBA0080
4537	鄱	CFE7	----	ILBB0080
4538	鄱	CFE8	----	ILBC0080
4539	鄱	CFE9	----	ILBD0080
4540	鄱	CFEA	----	ILBE0080
4541	鄱	CFEB	----	ILBF0080
4542	酏	CFEC	----	ILBG0080
4543	酏	CFED	----	ILBH0080
4544	酏	CFEE	----	ILBI0080
4545	酏	CFEF	----	ILBJ0080
4546	酏	CFF0	----	ILBK0080
4547	酏	CFF1	----	ILBL0080
4548	酏	CFF2	----	ILBM0080
4549	酏	CFF3	----	ILBN0080

Line Number	Graphic	Host Code	PC Code	GCGID
4550	酏	CFF4	----	ILBO0080
4551	酏	CFF5	----	ILBP0080
4552	酏	CFF6	----	ILBQ0080
4553	酏	CFF7	----	ILBR0080
4554	酏	CFF8	----	ILBS0080
4555	酏	CFF9	----	ILBT0080
4556	酏	CFFA	----	ILBU0080
4557	酏	CFFB	----	ILBV0080
4558	酏	CFFC	----	ILBW0080
4559	酏	CFFD	----	ILBX0080
4560	酏	CFFE	----	ILBY0080
4561	酏	D041	----	ILC10080
4562	酏	D042	----	ILC20080
4563	酏	D043	----	ILC30080
4564	酏	D044	----	ILC40080
4565	酏	D045	----	ILC50080
4566	酏	D046	----	ILC60080
4567	酏	D047	----	ILC70080
4568	酏	D048	----	ILC80080
4569	酏	D049	----	ILC90080
4570	酏	D04A	----	ILCA0080
4571	酏	D04B	----	ILCB0080
4572	酏	D04C	----	ILCC0080
4573	酏	D04D	----	ILCD0080
4574	酏	D04E	----	ILCE0080
4575	酏	D04F	----	ILCF0080




## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 11 (Page 89 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
4576	醜	D050	----	ILCG0080
4577	醜	D051	----	ILCH0080
4578	醜	D052	----	ILCI0080
4579	醜	D053	----	ILCJ0080
4580	醜	D054	----	ILCK0080
4581	醜	D055	----	ILCL0080
4582	醜	D056	----	ILCM0080
4583	醜	D057	----	ILCN0080
4584	醜	D058	----	ILCO0080
4585	醜	D059	----	ILCP0080
4586	釩	D05A	----	ILCQ0080
4587	釩	D05B	----	ILCR0080
4588	釩	D05C	----	ILCS0080
4589	釩	D05D	----	ILCT0080
4590	釩	D05E	----	ILCU0080
4591	釩	D05F	----	ILCV0080
4592	釩	D060	----	ILCW0080
4593	釩	D061	----	ILCX0080
4594	釩	D062	----	ILCY0080
4595	釩	D063	----	ILCZ0080
4596	釩	D064	----	ILD00080
4597	釩	D065	----	ILD10080
4598	釩	D066	----	ILD20080
4599	釩	D067	----	ILD30080
4600	釩	D068	----	ILD40080
4601	釩	D069	----	ILD50080

Table 11 (Page 89 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
4602	釩	D06A	----	ILD60080
4603	釩	D06B	----	ILD70080
4604	釩	D06C	----	ILD80080
4605	釩	D06D	----	ILD90080
4606	釩	D06E	----	ILDA0080
4607	釩	D06F	----	ILDB0080
4608	釩	D070	----	ILDC0080
4609	釩	D071	----	ILDD0080
4610	釩	D072	----	ILDE0080
4611	釩	D073	----	ILDF0080
4612	釩	D074	----	ILDG0080
4613	釩	D075	----	ILDH0080
4614	釩	D076	----	ILDI0080
4615	釩	D077	----	ILDJ0080
4616	釩	D078	----	ILDK0080
4617	釩	D079	----	ILDL0080
4618	釩	D07A	----	ILDM0080
4619	釩	D07B	----	ILDN0080
4620	釩	D07C	----	ILDO0080
4621	釩	D07D	----	ILDP0080
4622	釩	D07E	----	ILDQ0080
4623	釩	D07F	----	ILDR0080
4624	釩	D080	----	ILDS0080
4625	釩	D081	----	ILDT0080
4626	釩	D082	----	ILDU0080
4627	釩	D083	----	ILDV0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
4628	銼	D084	----	ILDW0080
4629	鋁	D085	----	ILDX0080
4630	鋇	D086	----	ILDY0080
4631	鉅	D087	----	ILDZ0080
4632	銻	D088	----	ILE00080
4633	鉳	D089	----	ILE10080
4634	鉴	D08A	----	ILE20080
4635	鉵	D08B	----	ILE30080
4636	鉶	D08C	----	ILE40080
4637	鉷	D08D	----	ILE50080
4638	鉸	D08E	----	ILE60080
4639	鉹	D08F	----	ILE70080
4640	鉺	D090	----	ILE80080
4641	鉻	D091	----	ILE90080
4642	銅	D092	----	ILEA0080
4643	銻	D093	----	ILEB0080
4644	銼	D094	----	ILEC0080
4645	銾	D095	----	ILED0080
4646	銿	D096	----	ILEE0080
4647	銿	D097	----	ILEF0080
4648	銿	D098	----	ILEG0080
4649	銿	D099	----	ILEH0080
4650	銿	D09A	----	ILEI0080
4651	銿	D09B	----	ILEJ0080
4652	銿	D09C	----	ILEK0080
4653	銿	D09D	----	ILEL0080

Line Number	Graphic	Host Code	PC Code	GCGID
4654	銿	D09E	----	ILEM0080
4655	銿	D09F	----	ILEN0080
4656	銿	D0A0	----	ILEO0080
4657	銿	D0A1	----	ILEP0080
4658	銿	D0A2	----	ILEQ0080
4659	銿	D0A3	----	ILER0080
4660	銿	D0A4	----	ILES0080
4661	銿	D0A5	----	ILET0080
4662	銿	D0A6	----	ILEU0080
4663	銿	D0A7	----	ILEV0080
4664	銿	D0A8	----	ILEW0080
4665	銿	D0A9	----	ILEX0080
4666	銿	D0AA	----	ILEY0080
4667	銿	D0AB	----	ILEZ0080
4668	銿	D0AC	----	ILF00080
4669	銿	D0AD	----	ILF10080
4670	銿	D0AE	----	ILF20080
4671	銿	D0AF	----	ILF30080
4672	銿	D0B0	----	ILF40080
4673	銿	D0B1	----	ILF50080
4674	銿	D0B2	----	ILF60080
4675	銿	D0B3	----	ILF70080
4676	銿	D0B4	----	ILF80080
4677	銿	D0B5	----	ILF90080
4678	銿	D0B6	----	ILFA0080
4679	銿	D0B7	----	ILFB0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 11 (Page 91 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
4680	鋌	D0B8	----	ILFC0080
4681	鋌	D0B9	----	ILFD0080
4682	鋳	D0BA	----	ILFE0080
4683	鋳	D0BB	----	ILFF0080
4684	鋳	D0BC	----	ILFG0080
4685	鋳	D0BD	----	ILFH0080
4686	鋳	D0BE	----	ILFI0080
4687	鋳	D0BF	----	ILFJ0080
4688	鋳	D0C0	----	ILFK0080
4689	鋳	D0C1	----	ILFL0080
4690	鋳	D0C2	----	ILFM0080
4691	鋳	D0C3	----	ILFN0080
4692	鋳	D0C4	----	ILFO0080
4693	鋳	D0C5	----	ILFP0080
4694	鋳	D0C6	----	ILFQ0080
4695	鋳	D0C7	----	ILFR0080
4696	鋳	D0C8	----	ILFS0080
4697	鋳	D0C9	----	ILFT0080
4698	鋳	D0CA	----	ILFU0080
4699	鋳	D0CB	----	ILFV0080
4700	鋳	D0CC	----	ILFW0080
4701	鋳	D0CD	----	ILFX0080
4702	鋳	D0CE	----	ILFY0080
4703	鋳	D0CF	----	ILFZ0080
4704	鋳	D0D0	----	ILG00080
4705	鋳	D0D1	----	ILG10080

Table 11 (Page 91 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
4706	鋳	D0D2	----	ILG20080
4707	鋳	D0D3	----	ILG30080
4708	鋳	D0D4	----	ILG40080
4709	鋳	D0D5	----	ILG50080
4710	鋳	D0D6	----	ILG60080
4711	鋳	D0D7	----	ILG70080
4712	鋳	D0D8	----	ILG80080
4713	鋳	D0D9	----	ILG90080
4714	鋳	D0DA	----	ILGA0080
4715	鋳	D0DB	----	ILGB0080
4716	鋳	D0DC	----	ILGC0080
4717	鋳	D0DD	----	ILGD0080
4718	鋳	D0DE	----	ILGE0080
4719	鋳	D0DF	----	ILGF0080
4720	鋳	D0E0	----	ILGG0080
4721	鋳	D0E1	----	ILGH0080
4722	鋳	D0E2	----	ILGI0080
4723	鋳	D0E3	----	ILGJ0080
4724	鋳	D0E4	----	ILGK0080
4725	鋳	D0E5	----	ILGL0080
4726	鋳	D0E6	----	ILGM0080
4727	鋳	D0E7	----	ILGN0080
4728	鋳	D0E8	----	ILGO0080
4729	鋳	D0E9	----	ILGP0080
4730	鋳	D0EA	----	ILGQ0080
4731	鋳	D0EB	----	ILGR0080





## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
4732	編	D0EC	----	ILGS0080
4733	鎚	D0ED	----	ILGT0080
4734	鋸	D0EE	----	ILGU0080
4735	鋸	D0EF	----	ILGV0080
4736	鋳	D0F0	----	ILGW0080
4737	鋳	D0F1	----	ILGX0080
4738	鋳	D0F2	----	ILGY0080
4739	鋳	D0F3	----	ILGZ0080
4740	鋳	D0F4	----	ILH00080
4741	鋳	D0F5	----	ILH10080
4742	鋳	D0F6	----	ILH20080
4743	鋳	D0F7	----	ILH30080
4744	鋳	D0F8	----	ILH40080
4745	鋳	D0F9	----	ILH50080
4746	鋳	D0FA	----	ILH60080
4747	鋳	D0FB	----	ILH70080
4748	鋳	D0FC	----	ILH80080
4749	鋳	D0FD	----	ILH90080
4750	鋳	D0FE	----	ILHA0080
4751	鋳	D141	----	ILHD0080
4752	鋳	D142	----	ILHE0080
4753	鋳	D143	----	ILHF0080
4754	鋳	D144	----	ILHG0080
4755	鋳	D145	----	ILHH0080
4756	鋳	D146	----	ILHI0080
4757	鋳	D147	----	ILHJ0080

Line Number	Graphic	Host Code	PC Code	GCGID
4758	鋳	D148	----	ILHK0080
4759	鋳	D149	----	ILHL0080
4760	鋳	D14A	----	ILHM0080
4761	鋳	D14B	----	ILHN0080
4762	鋳	D14C	----	ILHO0080
4763	鋳	D14D	----	ILHP0080
4764	鋳	D14E	----	ILHQ0080
4765	鋳	D14F	----	ILHR0080
4766	鋳	D150	----	ILHS0080
4767	鋳	D151	----	ILHT0080
4768	鋳	D152	----	ILHU0080
4769	鋳	D153	----	ILHV0080
4770	鋳	D154	----	ILHW0080
4771	鋳	D155	----	ILHX0080
4772	鋳	D156	----	ILHY0080
4773	鋳	D157	----	ILHZ0080
4774	鋳	D158	----	ILI00080
4775	鋳	D159	----	ILI10080
4776	鋳	D15A	----	ILI20080
4777	鋳	D15B	----	ILI30080
4778	鋳	D15C	----	ILI40080
4779	鋳	D15D	----	ILI50080
4780	鋳	D15E	----	ILI60080
4781	鋳	D15F	----	ILI70080
4782	鋳	D160	----	ILI80080
4783	鋳	D161	----	ILI90080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 11 (Page 93 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
4784	鏢	D162	----	ILIA0080
4785	鏢	D163	----	ILIB0080
4786	鏢	D164	----	ILIC0080
4787	鏢	D165	----	ILID0080
4788	鏢	D166	----	ILIE0080
4789	鏢	D167	----	ILIF0080
4790	鏢	D168	----	ILIG0080
4791	鏢	D169	----	ILIH0080
4792	鏢	D16A	----	ILII0080
4793	鏢	D16B	----	ILIJ0080
4794	鏢	D16C	----	ILIK0080
4795	鏢	D16D	----	ILIL0080
4796	鏢	D16E	----	ILIM0080
4797	鏢	D16F	----	ILIN0080
4798	鏢	D170	----	ILIO0080
4799	鏢	D171	----	ILIP0080
4800	鏢	D172	----	ILIQ0080
4801	鏢	D173	----	ILIR0080
4802	鏢	D174	----	ILIS0080
4803	鏢	D175	----	ILIT0080
4804	鏢	D176	----	ILIU0080
4805	鏢	D177	----	ILIV0080
4806	鏢	D178	----	ILIW0080
4807	鏢	D179	----	ILIX0080
4808	鏢	D17A	----	ILIY0080
4809	鏢	D17B	----	ILIZ0080

Table 11 (Page 93 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
4810	鏢	D17C	----	ILJ00080
4811	鏢	D17D	----	ILJ10080
4812	鏢	D17E	----	ILJ20080
4813	鏢	D17F	----	ILJ30080
4814	鏢	D180	----	ILJ40080
4815	鏢	D181	----	ILJ50080
4816	鏢	D182	----	ILJ60080
4817	鏢	D183	----	ILJ70080
4818	鏢	D184	----	ILJ80080
4819	鏢	D185	----	ILJ90080
4820	鏢	D186	----	ILJA0080
4821	鏢	D187	----	ILJB0080
4822	鏢	D188	----	ILJC0080
4823	鏢	D189	----	ILJD0080
4824	鏢	D18A	----	ILJE0080
4825	鏢	D18B	----	ILJF0080
4826	鏢	D18C	----	ILJG0080
4827	鏢	D18D	----	ILJH0080
4828	鏢	D18E	----	ILJI0080
4829	鏢	D18F	----	ILJJ0080
4830	鏢	D190	----	ILJK0080
4831	鏢	D191	----	ILJL0080
4832	鏢	D192	----	ILJM0080
4833	鏢	D193	----	ILJN0080
4834	鏢	D194	----	ILJO0080
4835	鏢	D195	----	ILJP0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 11 (Page 94 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
4836	閔	D196	----	ILJQ0080
4837	闊	D197	----	ILJR0080
4838	闌	D198	----	ILJS0080
4839	闔	D199	----	ILJT0080
4840	閔	D19A	----	ILJU0080
4841	闕	D19B	----	ILJV0080
4842	闌	D19C	----	ILJW0080
4843	闕	D19D	----	ILJX0080
4844	闔	D19E	----	ILJY0080
4845	闕	D19F	----	ILJZ0080
4846	闕	D1A0	----	ILK00080
4847	闕	D1A1	----	ILK10080
4848	闕	D1A2	----	ILK20080
4849	闕	D1A3	----	ILK30080
4850	闕	D1A4	----	ILK40080
4851	闕	D1A5	----	ILK50080
4852	闕	D1A6	----	ILK60080
4853	阝	D1A7	----	ILK70080
4854	阡	D1A8	----	ILK80080
4855	阢	D1A9	----	ILK90080
4856	阣	D1AA	----	ILKA0080
4857	阤	D1AB	----	ILKB0080
4858	阥	D1AC	----	ILKC0080
4859	阦	D1AD	----	ILKD0080
4860	阧	D1AE	----	ILKE0080
4861	阨	D1AF	----	ILKF0080

Table 11 (Page 94 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
4862	阩	D1B0	----	ILKG0080
4863	阪	D1B1	----	ILKH0080
4864	阫	D1B2	----	ILKI0080
4865	阬	D1B3	----	ILKJ0080
4866	阭	D1B4	----	ILKK0080
4867	阮	D1B5	----	ILKL0080
4868	阯	D1B6	----	ILKM0080
4869	阰	D1B7	----	ILKN0080
4870	阱	D1B8	----	ILKO0080
4871	防	D1B9	----	ILKP0080
4872	阳	D1BA	----	ILKQ0080
4873	阴	D1BB	----	ILKR0080
4874	阵	D1BC	----	ILKS0080
4875	阶	D1BD	----	ILKT0080
4876	阷	D1BE	----	ILKU0080
4877	阸	D1BF	----	ILKV0080
4878	阹	D1C0	----	ILKW0080
4879	阺	D1C1	----	ILKX0080
4880	阻	D1C2	----	ILKY0080
4881	阼	D1C3	----	ILKZ0080
4882	陰	D1C4	----	ILL00080
4883	陰	D1C5	----	ILL10080
4884	隄	D1C6	----	ILL20080
4885	隄	D1C7	----	ILL30080
4886	隄	D1C8	----	ILL40080
4887	隄	D1C9	----	ILL50080




## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 11 (Page 95 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
4888	墮	D1CA	----	ILL60080
4889	隙	D1CB	----	ILL70080
4890	墮	D1CC	----	ILL80080
4891	墮	D1CD	----	ILL90080
4892	隙	D1CE	----	ILLA0080
4893	隙	D1CF	----	ILLB0080
4894	隙	D1D0	----	ILLC0080
4895	隙	D1D1	----	ILLD0080
4896	隼	D1D2	----	ILLE0080
4897	隼	D1D3	----	ILLF0080
4898	隼	D1D4	----	ILLG0080
4899	隼	D1D5	----	ILLH0080
4900	隼	D1D6	----	ILLI0080
4901	隼	D1D7	----	ILLJ0080
4902	隼	D1D8	----	ILLK0080
4903	隼	D1D9	----	ILLL0080
4904	隼	D1DA	----	ILLM0080
4905	隼	D1DB	----	ILLN0080
4906	隼	D1DC	----	ILLO0080
4907	隼	D1DD	----	ILLP0080
4908	隼	D1DE	----	ILLQ0080
4909	隼	D1DF	----	ILLR0080
4910	隼	D1E0	----	ILLS0080
4911	隼	D1E1	----	ILLT0080
4912	隼	D1E2	----	ILLU0080
4913	隼	D1E3	----	ILLV0080

Table 11 (Page 95 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
4914	隼	D1E4	----	ILLW0080
4915	隼	D1E5	----	ILLX0080
4916	隼	D1E6	----	ILLY0080
4917	隼	D1E7	----	ILLZ0080
4918	隼	D1E8	----	ILM00080
4919	隼	D1E9	----	ILM10080
4920	隼	D1EA	----	ILM20080
4921	隼	D1EB	----	ILM30080
4922	隼	D1EC	----	ILM40080
4923	隼	D1ED	----	ILM50080
4924	隼	D1EE	----	ILM60080
4925	隼	D1EF	----	ILM70080
4926	隼	D1F0	----	ILM80080
4927	隼	D1F1	----	ILM90080
4928	隼	D1F2	----	ILMA0080
4929	隼	D1F3	----	ILMB0080
4930	隼	D1F4	----	ILMC0080
4931	隼	D1F5	----	ILMD0080
4932	隼	D1F6	----	ILME0080
4933	隼	D1F7	----	ILMF0080
4934	隼	D1F8	----	ILMG0080
4935	隼	D1F9	----	ILMH0080
4936	隼	D1FA	----	ILMI0080
4937	隼	D1FB	----	ILMJ0080
4938	隼	D1FC	----	ILMK0080
4939	隼	D1FD	----	ILML0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 11 (Page 96 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
4940	鞞	D1FE	----	ILMM0080
4941	鞞	D241	----	ILMP0080
4942	鞞	D242	----	ILMQ0080
4943	鞞	D243	----	ILMR0080
4944	鞞	D244	----	ILMS0080
4945	鞞	D245	----	ILMT0080
4946	鞞	D246	----	ILMU0080
4947	鞞	D247	----	ILMV0080
4948	鞞	D248	----	ILMW0080
4949	鞞	D249	----	ILMX0080
4950	鞞	D24A	----	ILMY0080
4951	鞞	D24B	----	ILMZ0080
4952	鞞	D24C	----	ILN00080
4953	鞞	D24D	----	ILN10080
4954	鞞	D24E	----	ILN20080
4955	鞞	D24F	----	ILN30080
4956	鞞	D250	----	ILN40080
4957	鞞	D251	----	ILN50080
4958	鞞	D252	----	ILN60080
4959	鞞	D253	----	ILN70080
4960	鞞	D254	----	ILN80080
4961	鞞	D255	----	ILN90080
4962	鞞	D256	----	ILNA0080
4963	鞞	D257	----	ILNB0080
4964	鞞	D258	----	ILNC0080
4965	鞞	D259	----	ILND0080

Table 11 (Page 96 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
4966	鞞	D25A	----	ILNE0080
4967	鞞	D25B	----	ILNF0080
4968	鞞	D25C	----	ILNG0080
4969	鞞	D25D	----	ILNH0080
4970	鞞	D25E	----	ILNI0080
4971	鞞	D25F	----	ILNJ0080
4972	鞞	D260	----	ILNK0080
4973	鞞	D261	----	ILNL0080
4974	鞞	D262	----	ILNM0080
4975	鞞	D263	----	ILNN0080
4976	鞞	D264	----	ILNO0080
4977	鞞	D265	----	ILNP0080
4978	鞞	D266	----	ILNQ0080
4979	鞞	D267	----	ILNR0080
4980	鞞	D268	----	ILNS0080
4981	鞞	D269	----	ILNT0080
4982	鞞	D26A	----	ILNU0080
4983	鞞	D26B	----	ILNV0080
4984	鞞	D26C	----	ILNW0080
4985	鞞	D26D	----	ILNX0080
4986	鞞	D26E	----	ILNY0080
4987	鞞	D26F	----	ILNZ0080
4988	鞞	D270	----	ILO00080
4989	鞞	D271	----	ILO10080
4990	鞞	D272	----	ILO20080
4991	鞞	D273	----	ILO30080




## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 11 (Page 97 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
4992	頤	D274	----	ILO40080
4993	頤	D275	----	ILO50080
4994	頤	D276	----	ILO60080
4995	頤	D277	----	ILO70080
4996	頤	D278	----	ILO80080
4997	頤	D279	----	ILO90080
4998	頤	D27A	----	ILOA0080
4999	頤	D27B	----	ILOB0080
5000	頤	D27C	----	ILOC0080
5001	頤	D27D	----	ILOD0080
5002	頤	D27E	----	ILOE0080
5003	頤	D27F	----	ILOF0080
5004	頤	D280	----	ILOG0080
5005	頤	D281	----	ILOH0080
5006	頤	D282	----	ILOI0080
5007	頤	D283	----	ILOJ0080
5008	頤	D284	----	ILOK0080
5009	頤	D285	----	ILOL0080
5010	頤	D286	----	ILOM0080
5011	頤	D287	----	ILON0080
5012	頤	D288	----	ILOO0080
5013	頤	D289	----	ILOP0080
5014	頤	D28A	----	ILOQ0080
5015	頤	D28B	----	ILOR0080
5016	頤	D28C	----	ILOS0080
5017	頤	D28D	----	ILOT0080

Table 11 (Page 97 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
5018	頤	D28E	----	ILOU0080
5019	頤	D28F	----	ILOV0080
5020	頤	D290	----	ILOW0080
5021	頤	D291	----	ILOX0080
5022	頤	D292	----	ILOY0080
5023	頤	D293	----	ILOZ0080
5024	頤	D294	----	ILP00080
5025	頤	D295	----	ILP10080
5026	頤	D296	----	ILP20080
5027	頤	D297	----	ILP30080
5028	頤	D298	----	ILP40080
5029	頤	D299	----	ILP50080
5030	頤	D29A	----	ILP60080
5031	頤	D29B	----	ILP70080
5032	頤	D29C	----	ILP80080
5033	頤	D29D	----	ILP90080
5034	頤	D29E	----	ILPA0080
5035	頤	D29F	----	ILPB0080
5036	飡	D2A0	----	ILPC0080
5037	飡	D2A1	----	ILPD0080
5038	飡	D2A2	----	ILPE0080
5039	飡	D2A3	----	ILPF0080
5040	飡	D2A4	----	ILPG0080
5041	飡	D2A5	----	ILPH0080
5042	飡	D2A6	----	ILPI0080
5043	飡	D2A7	----	ILPJ0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 11 (Page 98 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
5044	𩺰	D2A8	----	ILPK0080
5045	𩺱	D2A9	----	ILPL0080
5046	𩺲	D2AA	----	ILPM0080
5047	𩺳	D2AB	----	ILPN0080
5048	𩺴	D2AC	----	ILPO0080
5049	𩺵	D2AD	----	ILPP0080
5050	𩺶	D2AE	----	ILPQ0080
5051	𩺷	D2AF	----	ILPR0080
5052	𩺸	D2B0	----	ILPS0080
5053	𩺹	D2B1	----	ILPT0080
5054	𩺺	D2B2	----	ILPU0080
5055	𩺻	D2B3	----	ILPV0080
5056	𩺼	D2B4	----	ILPW0080
5057	𩺽	D2B5	----	ILPX0080
5058	𩺾	D2B6	----	ILPY0080
5059	𩺿	D2B7	----	ILPZ0080
5060	𩻀	D2B8	----	ILQ00080
5061	𩻁	D2B9	----	ILQ10080
5062	𩻂	D2BA	----	ILQ20080
5063	𩻃	D2BB	----	ILQ30080
5064	𩻄	D2BC	----	ILQ40080
5065	𩻅	D2BD	----	ILQ50080
5066	𩻆	D2BE	----	ILQ60080
5067	𩻇	D2BF	----	ILQ70080
5068	𩻈	D2C0	----	ILQ80080
5069	𩻉	D2C1	----	ILQ90080

Table 11 (Page 98 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
5070	𩻊	D2C2	----	ILQA0080
5071	𩻋	D2C3	----	ILQB0080
5072	𩻌	D2C4	----	ILQC0080
5073	𩻍	D2C5	----	ILQD0080
5074	𩻎	D2C6	----	ILQE0080
5075	𩻏	D2C7	----	ILQF0080
5076	𩻐	D2C8	----	ILQG0080
5077	𩻑	D2C9	----	ILQH0080
5078	𩻒	D2CA	----	ILQI0080
5079	𩻓	D2CB	----	ILQJ0080
5080	𩻔	D2CC	----	ILQK0080
5081	𩻕	D2CD	----	ILQL0080
5082	𩻖	D2CE	----	ILQM0080
5083	𩻗	D2CF	----	ILQN0080
5084	𩻘	D2D0	----	ILQO0080
5085	𩻙	D2D1	----	ILQP0080
5086	𩻚	D2D2	----	ILQQ0080
5087	𩻛	D2D3	----	ILQR0080
5088	𩻜	D2D4	----	ILQS0080
5089	𩻝	D2D5	----	ILQT0080
5090	𩻞	D2D6	----	ILQU0080
5091	𩻟	D2D7	----	ILQV0080
5092	𩻠	D2D8	----	ILQW0080
5093	𩻡	D2D9	----	ILQX0080
5094	𩻢	D2DA	----	ILQY0080
5095	𩻣	D2DB	----	ILQZ0080




## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 11 (Page 99 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
5096	駉	D2DC	----	ILR00080
5097	駊	D2DD	----	ILR10080
5098	駑	D2DE	----	ILR20080
5099	駑	D2DF	----	ILR30080
5100	駑	D2E0	----	ILR40080
5101	駑	D2E1	----	ILR50080
5102	駑	D2E2	----	ILR60080
5103	駑	D2E3	----	ILR70080
5104	駑	D2E4	----	ILR80080
5105	駑	D2E5	----	ILR90080
5106	駑	D2E6	----	ILRA0080
5107	駑	D2E7	----	ILRB0080
5108	駑	D2E8	----	ILRC0080
5109	駑	D2E9	----	ILRD0080
5110	駑	D2EA	----	ILRE0080
5111	駑	D2EB	----	ILRF0080
5112	駑	D2EC	----	ILRG0080
5113	駑	D2ED	----	ILRH0080
5114	駑	D2EE	----	ILRI0080
5115	駑	D2EF	----	ILRJ0080
5116	駑	D2F0	----	ILRK0080
5117	駑	D2F1	----	ILRL0080
5118	駑	D2F2	----	ILRM0080
5119	駑	D2F3	----	ILRN0080
5120	駑	D2F4	----	ILRO0080
5121	駑	D2F5	----	ILRP0080

Table 11 (Page 99 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
5122	駑	D2F6	----	ILRQ0080
5123	駑	D2F7	----	ILRR0080
5124	駑	D2F8	----	ILRS0080
5125	駑	D2F9	----	ILRT0080
5126	駑	D2FA	----	ILRU0080
5127	駑	D2FB	----	ILRV0080
5128	駑	D2FC	----	ILRW0080
5129	駑	D2FD	----	ILRX0080
5130	駑	D2FE	----	ILRY0080
5131	駑	D341	----	ILS10080
5132	駑	D342	----	ILS20080
5133	駑	D343	----	ILS30080
5134	駑	D344	----	ILS40080
5135	駑	D345	----	ILS50080
5136	駑	D346	----	ILS60080
5137	駑	D347	----	ILS70080
5138	駑	D348	----	ILS80080
5139	駑	D349	----	ILS90080
5140	駑	D34A	----	ILSA0080
5141	駑	D34B	----	ILSB0080
5142	駑	D34C	----	ILSC0080
5143	駑	D34D	----	ILSD0080
5144	駑	D34E	----	ILSE0080
5145	駑	D34F	----	ILSF0080
5146	駑	D350	----	ILSG0080
5147	駑	D351	----	ILSH0080





## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
5148	髀	D352	----	ILSI0080
5149	髑	D353	----	ILSJ0080
5150	髁	D354	----	ILSK0080
5151	髂	D355	----	ILSL0080
5152	髃	D356	----	ILSM0080
5153	髄	D357	----	ILSN0080
5154	髅	D358	----	ILSO0080
5155	髆	D359	----	ILSP0080
5156	髇	D35A	----	ILSQ0080
5157	髈	D35B	----	ILSR0080
5158	髉	D35C	----	ILSS0080
5159	髊	D35D	----	ILST0080
5160	髋	D35E	----	ILSU0080
5161	髌	D35F	----	ILSV0080
5162	髍	D360	----	ILSW0080
5163	髎	D361	----	ILSX0080
5164	髏	D362	----	ILSY0080
5165	髐	D363	----	ILSZ0080
5166	髑	D364	----	ILT00080
5167	髒	D365	----	ILT10080
5168	髓	D366	----	ILT20080
5169	體	D367	----	ILT30080
5170	髕	D368	----	ILT40080
5171	髖	D369	----	ILT50080
5172	髗	D36A	----	ILT60080
5173	高	D36B	----	ILT70080

Line Number	Graphic	Host Code	PC Code	GCGID
5174	髙	D36C	----	ILT80080
5175	髚	D36D	----	ILT90080
5176	髛	D36E	----	ILTA0080
5177	髜	D36F	----	ILTB0080
5178	髝	D370	----	ILTC0080
5179	髞	D371	----	ILTD0080
5180	髟	D372	----	ILTE0080
5181	髠	D373	----	ILTF0080
5182	髡	D374	----	ILTG0080
5183	髢	D375	----	ILTH0080
5184	髣	D376	----	ILTI0080
5185	髤	D377	----	ILTJ0080
5186	髥	D378	----	ILTK0080
5187	髦	D379	----	ILTL0080
5188	髧	D37A	----	ILTM0080
5189	髨	D37B	----	ILTN0080
5190	髩	D37C	----	ILTO0080
5191	髪	D37D	----	ILTP0080
5192	髫	D37E	----	ILTQ0080
5193	髬	D37F	----	ILTR0080
5194	髭	D380	----	ILTS0080
5195	髮	D381	----	ILTT0080
5196	髯	D382	----	ILTU0080
5197	髰	D383	----	ILTV0080
5198	髱	D384	----	ILTW0080
5199	髲	D385	----	ILTX0080




## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 11 (Page 101 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
5200	膚	D386	----	ILTY0080
5201	鬪	D387	----	ILTZ0080
5202	鬻	D388	----	ILU00080
5203	鬻	D389	----	ILU10080
5204	鬻	D38A	----	ILU20080
5205	鬻	D38B	----	ILU30080
5206	彪	D38C	----	ILU40080
5207	彪	D38D	----	ILU50080
5208	彪	D38E	----	ILU60080
5209	彪	D38F	----	ILU70080
5210	彪	D390	----	ILU80080
5211	彪	D391	----	ILU90080
5212	魏	D392	----	ILUA0080
5213	劬	D393	----	ILUB0080
5214	劬	D394	----	ILUC0080
5215	劬	D395	----	ILUD0080
5216	劬	D396	----	ILUE0080
5217	劬	D397	----	ILUF0080
5218	劬	D398	----	ILUG0080
5219	劬	D399	----	ILUH0080
5220	劬	D39A	----	ILUI0080
5221	劬	D39B	----	ILUJ0080
5222	劬	D39C	----	ILUK0080
5223	劬	D39D	----	ILUL0080
5224	劬	D39E	----	ILUM0080
5225	劬	D39F	----	ILUN0080

Table 11 (Page 101 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
5226	魷	D3A0	----	ILUO0080
5227	魷	D3A1	----	ILUP0080
5228	魷	D3A2	----	ILUQ0080
5229	魷	D3A3	----	ILUR0080
5230	魷	D3A4	----	ILUS0080
5231	魷	D3A5	----	ILUT0080
5232	魷	D3A6	----	ILUU0080
5233	魷	D3A7	----	ILUV0080
5234	魷	D3A8	----	ILUW0080
5235	魷	D3A9	----	ILUX0080
5236	魷	D3AA	----	ILUY0080
5237	魷	D3AB	----	ILUZ0080
5238	魷	D3AC	----	ILV00080
5239	魷	D3AD	----	ILV10080
5240	魷	D3AE	----	ILV20080
5241	魷	D3AF	----	ILV30080
5242	魷	D3B0	----	ILV40080
5243	魷	D3B1	----	ILV50080
5244	魷	D3B2	----	ILV60080
5245	魷	D3B3	----	ILV70080
5246	魷	D3B4	----	ILV80080
5247	魷	D3B5	----	ILV90080
5248	魷	D3B6	----	ILVA0080
5249	魷	D3B7	----	ILVB0080
5250	魷	D3B8	----	ILVC0080
5251	魷	D3B9	----	ILVD0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
5252	鰩	D3BA	----	ILVE0080
5253	鰪	D3BB	----	ILVF0080
5254	鰫	D3BC	----	ILVG0080
5255	鰬	D3BD	----	ILVH0080
5256	鰧	D3BE	----	ILVI0080
5257	鰨	D3BF	----	ILVJ0080
5258	鰩	D3C0	----	ILVK0080
5259	鰪	D3C1	----	ILVL0080
5260	鰫	D3C2	----	ILVM0080
5261	鰬	D3C3	----	ILVN0080
5262	鰧	D3C4	----	ILVO0080
5263	鰨	D3C5	----	ILVP0080
5264	鰩	D3C6	----	ILVQ0080
5265	鰪	D3C7	----	ILVR0080
5266	鰫	D3C8	----	ILVS0080
5267	鰬	D3C9	----	ILVT0080
5268	鰧	D3CA	----	ILVU0080
5269	鰨	D3CB	----	ILVV0080
5270	鰩	D3CC	----	ILVW0080
5271	鰪	D3CD	----	ILVX0080
5272	鰫	D3CE	----	ILVY0080
5273	鰬	D3CF	----	ILVZ0080
5274	鰧	D3D0	----	ILW00080
5275	鰨	D3D1	----	ILW10080
5276	鰩	D3D2	----	ILW20080
5277	鰪	D3D3	----	ILW30080

Line Number	Graphic	Host Code	PC Code	GCGID
5278	鰫	D3D4	----	ILW40080
5279	鰬	D3D5	----	ILW50080
5280	鰧	D3D6	----	ILW60080
5281	鰨	D3D7	----	ILW70080
5282	鰩	D3D8	----	ILW80080
5283	鰪	D3D9	----	ILW90080
5284	鰫	D3DA	----	ILWA0080
5285	鰬	D3DB	----	ILWB0080
5286	鰧	D3DC	----	ILWC0080
5287	鰨	D3DD	----	ILWD0080
5288	鰩	D3DE	----	ILWE0080
5289	鰪	D3DF	----	ILWF0080
5290	鰫	D3E0	----	ILWG0080
5291	鰬	D3E1	----	ILWH0080
5292	鰧	D3E2	----	ILWI0080
5293	鰨	D3E3	----	ILWJ0080
5294	鰩	D3E4	----	ILWK0080
5295	鰪	D3E5	----	ILWL0080
5296	鰫	D3E6	----	ILWM0080
5297	鰬	D3E7	----	ILWN0080
5298	鰧	D3E8	----	ILWO0080
5299	鰨	D3E9	----	ILWP0080
5300	鰩	D3EA	----	ILWQ0080
5301	鰪	D3EB	----	ILWR0080
5302	鰫	D3EC	----	ILWS0080
5303	鰬	D3ED	----	ILWT0080




## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 11 (Page 103 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
5304	鱒	D3EE	----	ILWU0080
5305	鱒	D3EF	----	ILWV0080
5306	鱒	D3F0	----	ILWW0080
5307	鱒	D3F1	----	ILWX0080
5308	鱒	D3F2	----	ILWY0080
5309	鱒	D3F3	----	ILWZ0080
5310	鱒	D3F4	----	ILX00080
5311	鱒	D3F5	----	ILX10080
5312	鱒	D3F6	----	ILX20080
5313	鱒	D3F7	----	ILX30080
5314	鱒	D3F8	----	ILX40080
5315	鱒	D3F9	----	ILX50080
5316	鱒	D3FA	----	ILX60080
5317	鱒	D3FB	----	ILX70080
5318	鱒	D3FC	----	ILX80080
5319	鱒	D3FD	----	ILX90080
5320	鱒	D3FE	----	ILXA0080
5321	鱒	D441	----	ILXD0080
5322	鱒	D442	----	ILXE0080
5323	鱒	D443	----	ILXF0080
5324	鱒	D444	----	ILXG0080
5325	鱒	D445	----	ILXH0080
5326	鱒	D446	----	ILXI0080
5327	鱒	D447	----	ILXJ0080
5328	鱒	D448	----	ILXK0080
5329	鱒	D449	----	ILXL0080

Table 11 (Page 103 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
5330	鵠	D44A	----	ILXM0080
5331	鵠	D44B	----	ILXN0080
5332	鵠	D44C	----	ILXO0080
5333	鵠	D44D	----	ILXP0080
5334	鵠	D44E	----	ILXQ0080
5335	鵠	D44F	----	ILXR0080
5336	鵠	D450	----	ILXS0080
5337	鵠	D451	----	ILXT0080
5338	鵠	D452	----	ILXU0080
5339	鵠	D453	----	ILXV0080
5340	鵠	D454	----	ILXW0080
5341	鵠	D455	----	ILXX0080
5342	鵠	D456	----	ILXY0080
5343	鵠	D457	----	ILXZ0080
5344	鵠	D458	----	ILY00080
5345	鵠	D459	----	ILY10080
5346	鵠	D45A	----	ILY20080
5347	鵠	D45B	----	ILY30080
5348	鵠	D45C	----	ILY40080
5349	鵠	D45D	----	ILY50080
5350	鵠	D45E	----	ILY60080
5351	鵠	D45F	----	ILY70080
5352	鵠	D460	----	ILY80080
5353	鵠	D461	----	ILY90080
5354	鵠	D462	----	ILYA0080
5355	鵠	D463	----	ILYB0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
5356	鵠	D464	----	ILYC0080
5357	鵡	D465	----	ILYD0080
5358	鵢	D466	----	ILYE0080
5359	鵣	D467	----	ILYF0080
5360	鵤	D468	----	ILYG0080
5361	鵶	D469	----	ILYH0080
5362	鵷	D46A	----	ILYI0080
5363	鵸	D46B	----	ILYJ0080
5364	鵹	D46C	----	ILYK0080
5365	鵺	D46D	----	ILYL0080
5366	鵻	D46E	----	ILYM0080
5367	鵼	D46F	----	ILYN0080
5368	鵽	D470	----	ILYO0080
5369	鵾	D471	----	ILYP0080
5370	鵿	D472	----	ILYQ0080
5371	鵽	D473	----	ILYR0080
5372	鵿	D474	----	ILYS0080
5373	鵾	D475	----	ILYT0080
5374	鵿	D476	----	ILYU0080
5375	鵾	D477	----	ILYV0080
5376	鵿	D478	----	ILYW0080
5377	鵾	D479	----	ILYX0080
5378	鵿	D47A	----	ILYY0080
5379	鵾	D47B	----	ILYZ0080
5380	鵿	D47C	----	ILZ00080
5381	鵿	D47D	----	ILZ10080

Line Number	Graphic	Host Code	PC Code	GCGID
5382	鵾	D47E	----	ILZ20080
5383	鵿	D47F	----	ILZ30080
5384	鵽	D480	----	ILZ40080
5385	鵿	D481	----	ILZ50080
5386	鵽	D482	----	ILZ60080
5387	鵿	D483	----	ILZ70080
5388	鵽	D484	----	ILZ80080
5389	鵿	D485	----	ILZ90080
5390	鵽	D486	----	ILZA0080
5391	鵿	D487	----	ILZB0080
5392	鵽	D488	----	ILZC0080
5393	鵿	D489	----	ILZD0080
5394	鵽	D48A	----	ILZE0080
5395	鵿	D48B	----	ILZF0080
5396	鵽	D48C	----	ILZG0080
5397	鵿	D48D	----	ILZH0080
5398	鵽	D48E	----	ILZI0080
5399	鵿	D48F	----	ILZJ0080
5400	鵽	D490	----	ILZK0080
5401	鵿	D491	----	ILZL0080
5402	鵽	D492	----	ILZM0080
5403	鵿	D493	----	ILZN0080
5404	鵽	D494	----	ILZO0080
5405	鵿	D495	----	ILZP0080
5406	鵽	D496	----	ILZQ0080
5407	鵿	D497	----	ILZR0080




## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 11 (Page 105 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
5408	鷗	D498	----	ILZS0080
5409	鵬	D499	----	ILZT0080
5410	鷲	D49A	----	ILZU0080
5411	鶴	D49B	----	ILZV0080
5412	鴛	D49C	----	ILZW0080
5413	鷺	D49D	----	ILZX0080
5414	鷗	D49E	----	ILZY0080
5415	鶴	D49F	----	ILZZ0080
5416	鵬	D4A0	----	IM000080
5417	鷲	D4A1	----	IM010080
5418	鷗	D4A2	----	IM020080
5419	鵺	D4A3	----	IM030080
5420	鷲	D4A4	----	IM040080
5421	鵺	D4A5	----	IM050080
5422	鵺	D4A6	----	IM060080
5423	鵺	D4A7	----	IM070080
5424	鵺	D4A8	----	IM080080
5425	鵺	D4A9	----	IM090080
5426	鵺	D4AA	----	IM0A0080
5427	鵺	D4AB	----	IM0B0080
5428	鵺	D4AC	----	IM0C0080
5429	鵺	D4AD	----	IM0D0080
5430	鵺	D4AE	----	IM0E0080
5431	鵺	D4AF	----	IM0F0080
5432	鵺	D4B0	----	IM0G0080
5433	鵺	D4B1	----	IM0H0080

Table 11 (Page 105 of 107). New Extended Kanji Set				
Line Number	Graphic	Host Code	PC Code	GCGID
5434	鵺	D4B2	----	IM0I0080
5435	鵺	D4B3	----	IM0J0080
5436	鵺	D4B4	----	IM0K0080
5437	鵺	D4B5	----	IM0L0080
5438	鵺	D4B6	----	IM0M0080
5439	鵺	D4B7	----	IM0N0080
5440	鵺	D4B8	----	IM0O0080
5441	鵺	D4B9	----	IM0P0080
5442	鵺	D4BA	----	IM0Q0080
5443	鵺	D4BB	----	IM0R0080
5444	鵺	D4BC	----	IM0S0080
5445	鵺	D4BD	----	IM0T0080
5446	鵺	D4BE	----	IM0U0080
5447	鵺	D4BF	----	IM0V0080
5448	鵺	D4C0	----	IM0W0080
5449	鵺	D4C1	----	IM0X0080
5450	鵺	D4C2	----	IM0Y0080
5451	鵺	D4C3	----	IM0Z0080
5452	鵺	D4C4	----	IM100080
5453	鵺	D4C5	----	IM110080
5454	鵺	D4C6	----	IM120080
5455	鵺	D4C7	----	IM130080
5456	鵺	D4C8	----	IM140080
5457	鵺	D4C9	----	IM150080
5458	鵺	D4CA	----	IM160080
5459	鵺	D4CB	----	IM170080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
5460	鼉	D4CC	----	IM180080
5461	鼐	D4CD	----	IM190080
5462	鼑	D4CE	----	IM1A0080
5463	鼒	D4CF	----	IM1B0080
5464	鼕	D4D0	----	IM1C0080
5465	鼖	D4D1	----	IM1D0080
5466	鼗	D4D2	----	IM1E0080
5467	鼙	D4D3	----	IM1F0080
5468	鼚	D4D4	----	IM1G0080
5469	鼛	D4D5	----	IM1H0080
5470	鼜	D4D6	----	IM1I0080
5471	鼝	D4D7	----	IM1J0080
5472	鼞	D4D8	----	IM1K0080
5473	鼡	D4D9	----	IM1L0080
5474	鼢	D4DA	----	IM1M0080
5475	鼣	D4DB	----	IM1N0080
5476	鼤	D4DC	----	IM1O0080
5477	鼥	D4DD	----	IM1P0080
5478	鼦	D4DE	----	IM1Q0080
5479	鼧	D4DF	----	IM1R0080
5480	鼨	D4E0	----	IM1S0080
5481	鼩	D4E1	----	IM1T0080
5482	鼪	D4E2	----	IM1U0080
5483	鼫	D4E3	----	IM1V0080
5484	鼬	D4E4	----	IM1W0080
5485	鼭	D4E5	----	IM1X0080

Line Number	Graphic	Host Code	PC Code	GCGID
5486	鼮	D4E6	----	IM1Y0080
5487	鼯	D4E7	----	IM1Z0080
5488	鼰	D4E8	----	IM200080
5489	鼱	D4E9	----	IM210080
5490	鼲	D4EA	----	IM220080
5491	鼳	D4EB	----	IM230080
5492	鼴	D4EC	----	IM240080
5493	鼵	D4ED	----	IM250080
5494	鼶	D4EE	----	IM260080
5495	鼷	D4EF	----	IM270080
5496	鼸	D4F0	----	IM280080
5497	鼹	D4F1	----	IM290080
5498	鼺	D4F2	----	IM2A0080
5499	鼻	D4F3	----	IM2B0080
5500	鼼	D4F4	----	IM2C0080
5501	鼽	D4F5	----	IM2D0080
5502	鼿	D4F6	----	IM2E0080
5503	鼿	D4F7	----	IM2F0080
5504	鼿	D4F8	----	IM2G0080
5505	鼿	D4F9	----	IM2H0080
5506	鼿	D4FA	----	IM2I0080
5507	鼿	D4FB	----	IM2J0080
5508	鼿	D4FC	----	IM2K0080
5509	鼿	D4FD	----	IM2L0080
5510	鼿	D4FE	----	IM2M0080
5511	鼿	D541	----	IM2P0080

**IBM Japanese Graphic Character Set, Kanji**

DBCS - Host and DBCS - PC

**Table 11 (Page 107 of 107).** New Extended Kanji Set

Line Number	Graphic	Host Code	PC Code	GCGID
5512	龐	D542	----	IM2Q0080
5513	龔	D543	----	IM2R0080
5514	龔	D544	----	IM2S0080
5515	龔	D545	----	IM2T0080
5516	龔	D546	----	IM2U0080
5517	龔	D547	----	IM2V0080
5518	龔	D548	----	IM2W0080
5519	龔	D549	----	IM2X0080
5520	龔	D54A	----	IM2Y0080
5521	龔	D54B	----	IM2Z0080
5522	龔	D54C	----	IM300080



**IBM Japanese Graphic Character Set, Kanji**

DBCS - Host and DBCS - PC

**9. DBCS-PC Specification**

**9.1 Format of DBCS-PC Specification Tables**

In this section, the specification of the Japanese *DBCS-PC coded graphic character sets* is provided by tables. The tables are formatted almost the same as those of *DBCS-Host* shown in Table 4 on page 11 except that column 3 'Host code' and column 4 'PC code' are reversed. Then Table 12 to Table 18 have *PC code points* in column 3 and *Host code points* in column 4.

**9.2 Non-Kanji Set**

**Table 12 (Page 1 of 11).** Non-Kanji Set, DBCS-PC

Line Number	Graphic	PC Code	Host Code	GCGID
1		8140	4040	SP010080
2	,	8141	4344	JQ730080
3	。	8142	4341	JQ700080
4	,	8143	426B	SP080080
5	.	8144	424B	SP110080
6	•	8145	4345	JQ740080
7	:	8146	427A	SP130080
8	;	8147	425E	SP140080
9	?	8148	426F	SP150080
10	!	8149	425A	SP020080
11	ˆ	814A	43BE	JX710080
12	◦	814B	43BF	JX720080
13	˘	814C	4450	SD110080
14	˙	814D	4279	SD130080
15	¨	814E	4460	SD170080
16	ˆ	814F	4470	SD150080
17	—	8150	42A1	SM150080
18	—	8151	426D	SP090080

**Table 12 (Page 1 of 11).** Non-Kanji Set, DBCS-PC

Line Number	Graphic	PC Code	Host Code	GCGID
19	\	8152	43DC	JQ750080
20	∞	8153	43DD	JQ760080
21	∫	8154	44DC	RQ750080
22	∫	8155	44DD	RQ760080
23	”	8156	445B	SV090081
24	⊕	8157	445C	SS760080
25	⊖	8158	445D	SS770080
26	⊗	8159	445E	SS720080
27	○	815A	445F	ND100087
28	—	815B	4358	JX700080
29	—	815C	444A	SM120080
30	-	815D	445A	SP320080
31	/	815E	4261	SP120080
32	\	815F	43E0	SM070080
33	~	8160	43A1	SD190080
34		8161	447C	SV370080
35		8162	424F	SM130080
36	...	8163	447F	SV440080
37	..	8164	447E	SV430080
38	‘	8165	4461	SP190080
39	’	8166	4471	SP200080
40	“	8167	4462	SP210080
41	”	8168	4472	SP220080
42	(	8169	424D	SP060080
43	)	816A	425D	SP070080
44	[	816B	4463	SP060081

IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

**Table 12 (Page 2 of 11).** Non-Kanji Set, DBCS-PC

Line Number	Graphic	PC Code	Host Code	GCGID
45	]	816C	4473	SP070081
46	[	816D	4444	SM060080
47	]	816E	4445	SM080080
48	{	816F	42C0	SM110080
49	}	8170	42D0	SM140080
50	<	8171	4464	SP060082
51	>	8172	4474	SP070082
52	《	8173	4465	SP060083
53	》	8174	4475	SP070083
54	┌	8175	4342	JQ710080
55	└	8176	4343	JQ720080
56	┐	8177	4442	JQ710081
57	┑	8178	4443	JQ720081
58	【	8179	4466	SP060084
59	】	817A	4476	SP070084
60	+	817B	424E	SA010080
61	—	817C	4260	SP100080
62	±	817D	444B	SA020080
63	×	817E	447A	SA070080
64	÷	8180	447B	SA060080
65	=	8181	427E	SA040080
66	≠	8182	444C	SA540080
67	<	8183	424C	SA030080
68	>	8184	426E	SA050080
69	≦	8185	4467	SA520082
70	≧	8186	4477	SA530082

**Table 12 (Page 2 of 11).** Non-Kanji Set, DBCS-PC

Line Number	Graphic	PC Code	Host Code	GCGID
71	∞	8187	444D	SA450080
72	∴	8188	4468	SA370080
73	♂	8189	4469	SM280080
74	♀	818A	4479	SM290080
75	°	818B	44ED	SM190080
76	´	818C	44EE	SM500080
77	¨	818D	44EF	SM510080
78	℃	818E	444E	SM440080
79	¥	818F	425B	SC050080
80	\$	8190	42E0	SC030080
81	¢	8191	434A	SC040080
82	£	8192	424A	SC020080
83	%	8193	426C	SM020080
84	#	8194	427B	SM010080
85	&	8195	4250	SM030080
86	*	8196	425C	SM040080
87	@	8197	427C	SM050080
88	§	8198	446A	SM240080
89	☆	8199	44E5	SS570080
90	★	819A	44E6	SS580080
91	○	819B	44E0	SM750080
92	●	819C	44E1	SM580080
93	◎	819D	44E4	SM810080
94	◇	819E	44E7	SA660080
95	◆	819F	44E8	SM610080
96	□	81A0	44E9	SM450080

IBM Japanese Graphic Character Set, Kanji


DBCS - Host and DBCS - PC

**Table 12 (Page 3 of 11).** Non-Kanji Set, DBCS-PC

Line Number	Graphic	PC Code	Host Code	GCGID
97	■	81A1	44EA	SM470080
98	△	81A2	44E2	SM730080
99	▲	81A3	44E3	SM600080
100	▽	81A4	44EB	SM740080
101	▼	81A5	44EC	SV040080
102	※	81A6	446B	SM040088
103	〒	81A7	446C	SS730080
104	→	81A8	44F0	SM310080
105	←	81A9	44F1	SM300080
106	↑	81AA	44F2	SM320080
107	↓	81AB	44F3	SM330080
108	＝	81AC	447D	SS750080
109	€	81B8	4364	SA670080
110	∋	81B9	4365	SA310080
111	⊆	81BA	4366	SA240080
112	⊇	81BB	4367	SA270080
113	⊂	81BC	4368	SA400080
114	⊃	81BD	4369	SA410080
115	∪	81BE	436A	SA390080
116	∩	81BF	436B	SA380080
117	∧	81C8	436C	SA330080
118	∨	81C9	436D	SA320080
119	⇒	81CB	436E	SM420080
120	⇔	81CC	436F	SM410080
121	∇	81CD	4370	SA210080
122	≡	81CE	4371	SA230080

**Table 12 (Page 3 of 11).** Non-Kanji Set, DBCS-PC

Line Number	Graphic	PC Code	Host Code	GCGID
123	∠	81DA	434B	SA350088
124	⊥	81DB	434C	SA780080
125	∩	81DC	434D	SV420080
126	∂	81DD	434E	SA490080
127	∇	81DE	434F	SL030080
128	≡	81DF	435B	SA480080
129	≐	81E0	435C	SA700081
130	≪	81E1	435D	SA730080
131	≫	81E2	435E	SA740080
132	√	81E3	435F	SA800080
133	∞	81E4	4360	SA830080
134	∞	81E5	4361	SA470080
135	∫	81E7	4362	SA510080
136	∫∫	81E8	4363	SA840080
137	Å	81F0	4372	SM220080
138	‰	81F1	4373	SM560080
139	♯	81F2	4374	SM880080
140	♭	81F3	4375	SM890080
141	♪	81F4	4376	SM930080
142	†	81F5	4377	SM340080
143	‡	81F6	4378	SM350080
144	¶	81F7	4379	SM250080
145	○	81FC	437A	SV220080
146	0	824F	42F0	ND100080
147	1	8250	42F1	ND010080
148	2	8251	42F2	ND020080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 12 (Page 4 of 11). Non-Kanji Set, DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
149	3	8252	42F3	ND030080
150	4	8253	42F4	ND040080
151	5	8254	42F5	ND050080
152	6	8255	42F6	ND060080
153	7	8256	42F7	ND070080
154	8	8257	42F8	ND080080
155	9	8258	42F9	ND090080
156	A	8260	42C1	LA020080
157	B	8261	42C2	LB020080
158	C	8262	42C3	LC020080
159	D	8263	42C4	LD020080
160	E	8264	42C5	LE020080
161	F	8265	42C6	LF020080
162	G	8266	42C7	LG020080
163	H	8267	42C8	LH020080
164	I	8268	42C9	LI020080
165	J	8269	42D1	LJ020080
166	K	826A	42D2	LK020080
167	L	826B	42D3	LL020080
168	M	826C	42D4	LM020080
169	N	826D	42D5	LN020080
170	O	826E	42D6	LO020080
171	P	826F	42D7	LP020080
172	Q	8270	42D8	LQ020080
173	R	8271	42D9	LR020080
174	S	8272	42E2	LS020080

Table 12 (Page 4 of 11). Non-Kanji Set, DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
175	T	8273	42E3	LT020080
176	U	8274	42E4	LU020080
177	V	8275	42E5	LV020080
178	W	8276	42E6	LW020080
179	X	8277	42E7	LX020080
180	Y	8278	42E8	LY020080
181	Z	8279	42E9	LZ020080
182	a	8281	4281	LA010080
183	b	8282	4282	LB010080
184	c	8283	4283	LC010080
185	d	8284	4284	LD010080
186	e	8285	4285	LE010080
187	f	8286	4286	LF010080
188	g	8287	4287	LG010080
189	h	8288	4288	LH010080
190	i	8289	4289	LI010080
191	j	828A	4291	LJ010080
192	k	828B	4292	LK010080
193	l	828C	4293	LL010080
194	m	828D	4294	LM010080
195	n	828E	4295	LN010080
196	o	828F	4296	LO010080
197	p	8290	4297	LP010080
198	q	8291	4298	LQ010080
199	r	8292	4299	LR010080
200	s	8293	42A2	LS010080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
201	t	8294	42A3	LT010080
202	u	8295	42A4	LU010080
203	v	8296	42A5	LV010080
204	w	8297	42A6	LW010080
205	x	8298	42A7	LX010080
206	y	8299	42A8	LY010080
207	z	829A	42A9	LZ010080
208	あ	829F	4447	RA010080
209	あ	82A0	4481	RA000080
210	い	82A1	4448	RI010080
211	い	82A2	4482	RI000080
212	う	82A3	4449	RU010080
213	う	82A4	4483	RU000080
214	え	82A5	4451	RE010080
215	え	82A6	4484	RE000080
216	お	82A7	4452	RO010080
217	お	82A8	4485	RO000080
218	か	82A9	4486	RK100080
219	が	82AA	44C0	RG100080
220	き	82AB	4487	RK200080
221	ぎ	82AC	44C1	RG200080
222	く	82AD	4488	RK300080
223	ぐ	82AE	44C2	RG300080
224	け	82AF	4489	RK400080
225	げ	82B0	44C3	RG400080
226	こ	82B1	448A	RK500080

Line Number	Graphic	PC Code	Host Code	GCGID
227	こ	82B2	44C4	RG500080
228	さ	82B3	448C	RS100080
229	ざ	82B4	44C5	RZ100080
230	し	82B5	448D	RS200080
231	じ	82B6	44C6	RZ200080
232	す	82B7	448E	RS300080
233	ず	82B8	44C7	RZ300080
234	せ	82B9	448F	RS400080
235	ぜ	82BA	44C8	RZ400080
236	そ	82BB	4490	RS500080
237	ぞ	82BC	44C9	RZ500080
238	た	82BD	4491	RT100080
239	だ	82BE	44CA	RD100080
240	ち	82BF	4492	RT200080
241	ぢ	82C0	44CB	RD200080
242	っ	82C1	4456	RT310080
243	っ	82C2	4493	RT300080
244	づ	82C3	44CC	RD300080
245	て	82C4	4494	RT400080
246	で	82C5	44CD	RD400080
247	と	82C6	4495	RT500080
248	ど	82C7	44CE	RD500080
249	な	82C8	4496	RN100080
250	に	82C9	4497	RN200080
251	ぬ	82CA	4498	RN300080
252	ね	82CB	4499	RN400080




## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 12 (Page 6 of 11). Non-Kanji Set, DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
253	の	82CC	449A	RN500080
254	は	82CD	449D	RH100080
255	ば	82CE	44CF	RB100080
256	ぱ	82CF	44D5	RP100080
257	ひ	82D0	449E	RH200080
258	び	82D1	44D0	RB200080
259	ぴ	82D2	44D6	RP200080
260	ふ	82D3	449F	RH300080
261	ぶ	82D4	44D1	RB300080
262	ぷ	82D5	44D7	RP300080
263	へ	82D6	44A2	RH400080
264	べ	82D7	44D2	RB400080
265	ぺ	82D8	44D8	RP400080
266	ほ	82D9	44A3	RH500080
267	ぼ	82DA	44D3	RB500080
268	ぽ	82DB	44D9	RP500080
269	ま	82DC	44A4	RM100080
270	み	82DD	44A5	RM200080
271	む	82DE	44A6	RM300080
272	め	82DF	44A7	RM400080
273	も	82E0	44A8	RM500080
274	ゃ	82E1	4453	RY110080
275	や	82E2	44A9	RY100080
276	ゆ	82E3	4454	RY310080
277	ゅ	82E4	44AA	RY300080
278	よ	82E5	4455	RY510080

Table 12 (Page 6 of 11). Non-Kanji Set, DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
279	よ	82E6	44AC	RY500080
280	ら	82E7	44AD	RR100080
281	り	82E8	44AE	RR200080
282	る	82E9	44AF	RR300080
283	れ	82EA	44BA	RR400080
284	ろ	82EB	44BB	RR500080
285	わ	82EC	4457	RW110080
286	わ	82ED	44BC	RW100080
287	ゐ	82EE	44DA	RW200080
288	ゑ	82EF	44DB	RW400080
289	を	82F0	4446	RW500080
290	ん	82F1	44BD	RN000080
291	ア	8340	4347	JA010080
292	ア	8341	4381	JA000080
293	イ	8342	4348	JI010080
294	イ	8343	4382	JI000080
295	ウ	8344	4349	JU010080
296	ウ	8345	4383	JU000080
297	エ	8346	4351	JE010080
298	エ	8347	4384	JE000080
299	オ	8348	4352	JO010080
300	オ	8349	4385	JO000080
301	カ	834A	4386	JK100080
302	ガ	834B	43C0	JG100080
303	キ	834C	4387	JK200080
304	ギ	834D	43C1	JG200080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 12 (Page 7 of 11). Non-Kanji Set, DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
305	ク	834E	4388	JK300080
306	グ	834F	43C2	JG300080
307	ケ	8350	4389	JK400080
308	ゲ	8351	43C3	JG400080
309	コ	8352	438A	JK500080
310	ゴ	8353	43C4	JG500080
311	サ	8354	438C	JS100080
312	ザ	8355	43C5	JZ100080
313	シ	8356	438D	JS200080
314	ジ	8357	43C6	JZ200080
315	ス	8358	438E	JS300080
316	ズ	8359	43C7	JZ300080
317	セ	835A	438F	JS400080
318	ゼ	835B	43C8	JZ400080
319	ソ	835C	4390	JS500080
320	ゾ	835D	43C9	JZ500080
321	タ	835E	4391	JT100080
322	ダ	835F	43CA	JD100080
323	チ	8360	4392	JT200080
324	ヂ	8361	43CB	JD200080
325	ッ	8362	4356	JT310080
326	ツ	8363	4393	JT300080
327	ヅ	8364	43CC	JD300080
328	テ	8365	4394	JT400080
329	デ	8366	43CD	JD400080
330	ト	8367	4395	JT500080

Table 12 (Page 7 of 11). Non-Kanji Set, DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
331	ド	8368	43CE	JD500080
332	ナ	8369	4396	JN100080
333	ニ	836A	4397	JN200080
334	ヌ	836B	4398	JN300080
335	ネ	836C	4399	JN400080
336	ノ	836D	439A	JN500080
337	ハ	836E	439D	JH100080
338	バ	836F	43CF	JB100080
339	パ	8370	43D5	JP100080
340	ヒ	8371	439E	JH200080
341	ビ	8372	43D0	JB200080
342	ピ	8373	43D6	JP200080
343	フ	8374	439F	JH300080
344	ブ	8375	43D1	JB300080
345	プ	8376	43D7	JP300080
346	ヘ	8377	43A2	JH400080
347	ベ	8378	43D2	JB400080
348	ペ	8379	43D8	JP400080
349	ホ	837A	43A3	JH500080
350	ボ	837B	43D3	JB500080
351	ポ	837C	43D9	JP500080
352	マ	837D	43A4	JM100080
353	ミ	837E	43A5	JM200080
354	ム	8380	43A6	JM300080
355	メ	8381	43A7	JM400080
356	モ	8382	43A8	JM500080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 12 (Page 8 of 11). Non-Kanji Set, DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
357	ヤ	8383	4353	JY110080
358	ヤ	8384	43A9	JY100080
359	ユ	8385	4354	JY310080
360	ユ	8386	43AA	JY300080
361	ヨ	8387	4355	JY510080
362	ヨ	8388	43AC	JY500080
363	ラ	8389	43AD	JR100080
364	リ	838A	43AE	JR200080
365	ル	838B	43AF	JR300080
366	レ	838C	43BA	JR400080
367	ロ	838D	43BB	JR500080
368	ワ	838E	4357	JW110080
369	ワ	838F	43BC	JW100080
370	ヰ	8390	43DA	JW200080
371	ヱ	8391	43DB	JW400080
372	ヲ	8392	4346	JW500080
373	ン	8393	43BD	JN000080
374	ヴ	8394	43D4	JV000080
375	カ	8395	4359	JK110080
376	ケ	8396	435A	JK410080
377	A	839F	4161	GA020080
378	B	83A0	4162	GB020080
379	Γ	83A1	4163	GG020080
380	Δ	83A2	4164	GD020080
381	E	83A3	4165	GE020080
382	Z	83A4	4166	GZ020080

Table 12 (Page 8 of 11). Non-Kanji Set, DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
383	H	83A5	4167	GE320080
384	Θ	83A6	4168	GT620080
385	I	83A7	4169	GI020080
386	K	83A8	416A	GK020080
387	Λ	83A9	416B	GL020080
388	M	83AA	416C	GM020080
389	N	83AB	416D	GN020080
390	Ξ	83AC	416E	GX020080
391	Ο	83AD	416F	GO020080
392	Π	83AE	4170	GP020080
393	P	83AF	4171	GR020080
394	Σ	83B0	4172	GS020080
395	T	83B1	4173	GT020080
396	Υ	83B2	4174	GU020080
397	Φ	83B3	4175	GF020080
398	X	83B4	4176	GH020080
399	Ψ	83B5	4177	GP620080
400	Ω	83B6	4178	GO320080
401	α	83BF	4141	GA010080
402	β	83C0	4142	GB010080
403	γ	83C1	4143	GG010080
404	δ	83C2	4144	GD010080
405	ε	83C3	4145	GE010080
406	ζ	83C4	4146	GZ010080
407	η	83C5	4147	GE310080
408	θ	83C6	4148	GT610082





## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 12 (Page 9 of 11). Non-Kanji Set, DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
409	ι	83C7	4149	GI010080
410	κ	83C8	414A	GK010080
411	λ	83C9	414B	GL010080
412	μ	83CA	414C	GM010080
413	ν	83CB	414D	GN010080
414	ξ	83CC	414E	GX010080
415	ο	83CD	414F	GO010080
416	π	83CE	4150	GP010080
417	ρ	83CF	4151	GR010080
418	σ	83D0	4152	GS010080
419	τ	83D1	4153	GT010080
420	υ	83D2	4154	GU010080
421	φ	83D3	4155	GF010081
422	χ	83D4	4156	GH010080
423	ψ	83D5	4157	GP610080
424	ω	83D6	4158	GO310080
425	Α	8440	41C0	KA020080
426	Β	8441	41C1	KB020080
427	Β	8442	41C2	KV020080
428	Γ	8443	41C3	KG020080
429	Δ	8444	41C4	KD020080
430	Ε	8445	41C5	KE020080
431	È	8446	41C6	KE180080
432	Ж	8447	41C7	KZ220080
433	З	8448	41C8	KZ020080
434	И	8449	41C9	KI020080

Table 12 (Page 9 of 11). Non-Kanji Set, DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
435	Ï	844A	41CA	KJ120080
436	К	844B	41CB	KK020080
437	Л	844C	41CC	KL020080
438	М	844D	41CD	KM020080
439	Н	844E	41CE	KN020080
440	О	844F	41CF	KO020080
441	Π	8450	41D0	KP020080
442	Ρ	8451	41D1	KR020080
443	С	8452	41D2	KS020080
444	Т	8453	41D3	KT020080
445	У	8454	41D4	KU020080
446	Ф	8455	41D5	KF020080
447	Х	8456	41D6	KH020080
448	Ц	8457	41D7	KC020080
449	Ч	8458	41D8	KC220080
450	Ш	8459	41D9	KS220080
451	Щ	845A	41DA	KS160080
452	Ъ	845B	41DB	KU220080
453	Ы	845C	41DC	KY020080
454	Ь	845D	41DD	KX120080
455	Э	845E	41DE	KE140080
456	Ю	845F	41DF	KU160080
457	Я	8460	41E0	KA160080
458	а	8470	4180	KA010080
459	б	8471	4181	KB010080
460	В	8472	4182	KV010080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 12 (Page 10 of 11). Non-Kanji Set, DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
461	Г	8473	4183	KG010080
462	Д	8474	4184	KD010080
463	е	8475	4185	KE010080
464	ё	8476	4186	KE170080
465	Ж	8477	4187	KZ210080
466	з	8478	4188	KZ010080
467	И	8479	4189	KI010080
468	Й	847A	418A	KJ110080
469	К	847B	418B	KK010080
470	Л	847C	418C	KL010080
471	М	847D	418D	KM010080
472	Н	847E	418E	KN010080
473	О	8480	418F	KO010080
474	П	8481	4190	KP010080
475	Р	8482	4191	KR010080
476	С	8483	4192	KS010080
477	Т	8484	4193	KT010080
478	У	8485	4194	KU010080
479	Ф	8486	4195	KF010080
480	Х	8487	4196	KH010080
481	Ц	8488	4197	KC010080
482	Ч	8489	4198	KC210080
483	Ш	848A	4199	KS210080
484	Щ	848B	419A	KS150080
485	Ъ	848C	419B	KU210080
486	Ы	848D	419C	KY010080

Table 12 (Page 10 of 11). Non-Kanji Set, DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
487	Ь	848E	419D	KX110080
488	Э	848F	419E	KE130080
489	Ю	8490	419F	KU150080
490	Я	8491	41A0	KA150080
491	—	849F	437C	SF100080
492		84A0	437D	SF110080
493	┌	84A1	437E	SF010080
494	┐	84A2	437F	SF030080
495	└	84A3	43B0	SF040080
496	┘	84A4	43B1	SF020080
497	├	84A5	43B2	SF080080
498	┤	84A6	43B3	SF060080
499	├	84A7	43B4	SF090080
500	└	84A8	43B5	SF070080
501	┘	84A9	43B6	SF050080
502	—	84AA	43B7	SF100082
503		84AB	43B8	SF110082
504	┌	84AC	43B9	SF010082
505	┐	84AD	43E1	SF030082
506	└	84AE	43E2	SF040082
507	┘	84AF	43E3	SF020082
508	├	84B0	43E4	SF080082
509	┤	84B1	43E5	SF060082
510	├	84B2	43E6	SF090082
511	└	84B3	43E7	SF070082
512	┘	84B4	43E8	SF050082



IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

**Table 12 (Page 11 of 11).** Non-Kanji Set, DBCS-PC

Line Number	Graphic	PC Code	Host Code	GCGID
513	┆	84B5	43E9	SF080083
514	┆	84B6	43EA	SF060083
515	┆	84B7	43EB	SF090083
516	┆	84B8	43EC	SF070083
517	┆	84B9	43ED	SF050083
518	┆	84BA	43EE	SF080084
519	┆	84BB	43EF	SF060084
520	┆	84BC	43F0	SF090084
521	┆	84BD	43F1	SF070084
522	┆	84BE	43F2	SF050084
523	┆	FA54	425F	SM660080
524	┆	FA5B	4478	SS540080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

## 9.3 Level 1 Kanji Set

Line Number	Graphic	PC Code	Host Code	GCGID
1	垂	889F	4867	I17R0080
2	唾	88A0	54D4	I32S0080
3	娃	88A1	557A	I35M0080
4	阿	88A2	46AE	I0Z20080
5	哀	88A3	4EF9	I27T0080
6	愛	88A4	45C6	I0UE0080
7	挨	88A5	4F81	I29T0080
8	始	88A6	5179	I2K90080
9	逢	88A7	4DCE	I21A0080
10	葵	88A8	50D9	I2HL0080
11	茜	88A9	50E2	I2HU0080
12	穉	88AA	509B	I2FV0080
13	惡	88AB	4965	I1D10080
14	握	88AC	4D60	I1Y80080
15	渥	88AD	4E43	I22R0080
16	旭	88AE	47EC	I1640080
17	葦	88AF	4E72	I2420080
18	芦	88B0	4ADD	I1LP0080
19	鯨	88B1	51F0	I2NK0080
20	梓	88B2	50DA	I2HM0080
21	庠	88B3	4782	I1360080
22	幹	88B4	5581	I35T0080
23	扱	88B5	4C69	I1T50080
24	宛	88B6	50AB	I2GB0080

Line Number	Graphic	PC Code	Host Code	GCGID
25	姐	88B7	549C	I3180080
26	虻	88B8	5144	I2IS0080
27	飴	88B9	5245	I2O50080
28	絢	88BA	4EF7	I27R0080
29	綾	88BB	49DC	I1GC0080
30	鮎	88BC	4F8E	I2A60080
31	或	88BD	4D7F	I1Z30080
32	粟	88BE	4BFB	I1RV0080
33	裕	88BF	5448	I2YW0080
34	安	88C0	45A8	I0TK0080
35	庵	88C1	4EEB	I27F0080
36	按	88C2	5489	I30P0080
37	暗	88C3	4BE2	I1R60080
38	案	88C4	48F1	I1BL0080
39	闇	88C5	5364	I2UC0080
40	鞍	88C6	504C	I2DO0080
41	杏	88C7	50D0	I2HC0080
42	以	88C8	46F6	I1120080
43	伊	88C9	45B2	I0TU0080
44	位	88CA	47C8	I1540080
45	依	88CB	4A9E	I1JY0080
46	偉	88CC	4DFB	I22J0080
47	囿	88CD	4AFA	I1MI0080
48	夷	88CE	5147	I2IV0080
49	委	88CF	484F	I1730080
50	威	88D0	4C65	I1T10080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 13 (Page 2 of 28). Level 1 Kanji Set (1 of 2), DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
51	尉	88D1	5189	I2KP0080
52	惟	88D2	4FE0	I2CG0080
53	意	88D3	4763	I12B0080
54	慰	88D4	4FAD	I2B10080
55	易	88D5	47E9	I1610080
56	椅	88D6	4FF7	I2D30080
57	為	88D7	49D7	I1G70080
58	畏	88D8	558F	I3670080
59	異	88D9	4AA9	I1K90080
60	移	88DA	4975	I1DH0080
61	維	88DB	4880	I18G0080
62	緯	88DC	4E9A	I2560080
63	胃	88DD	4DF6	I22E0080
64	萎	88DE	5482	I30I0080
65	衣	88DF	4AEA	I1M20080
66	謂	88E0	5573	I35F0080
67	遑	88E1	49BC	I1FG0080
68	遺	88E2	4CDA	I1WA0080
69	医	88E3	4A87	I1JB0080
70	井	88E4	456D	I0RX0080
71	亥	88E5	4F7F	I29R0080
72	域	88E6	48E9	I1BD0080
73	育	88E7	48AC	I19O0080
74	郁	88E8	49B3	I1F70080
75	磯	88E9	48AA	I19M0080
76	一	88EA	4541	I0QP0080

Table 13 (Page 2 of 28). Level 1 Kanji Set (1 of 2), DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
77	尅	88EB	4EB0	I25S0080
78	溢	88EC	5271	I2PD0080
79	逸	88ED	4AD6	I1LI0080
80	稻	88EE	476A	I12I0080
81	茨	88EF	474C	I11O0080
82	芋	88F0	519A	I2L60080
83	鱒	88F1	55C8	I37S0080
84	允	88F2	4C91	I1U90080
85	印	88F3	4799	I13T0080
86	咽	88F4	52B1	I2R50080
87	員	88F5	46CB	I0ZV0080
88	因	88F6	4A49	I1HL0080
89	姻	88F7	52B9	I2RD0080
90	引	88F8	46DA	I10A0080
91	飲	88F9	4BA3	I1PF0080
92	淫	88FA	554E	I34E0080
93	胤	88FB	4EE9	I27D0080
94	蔭	88FC	4E8B	I24R0080
95	院	8940	49D8	I1G80080
96	陰	8941	4CD2	I1W20080
97	隱	8942	4EAE	I25Q0080
98	韻	8943	5577	I35J0080
99	吋	8944	55BC	I37G0080
100	右	8945	485A	I17E0080
101	宇	8946	46D5	I1050080
102	烏	8947	5099	I2FT0080




## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 13 (Page 3 of 28). Level 1 Kanji Set (1 of 2), DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
103	羽	8948	478F	I13J0080
104	迂	8949	55DF	I38F0080
105	雨	894A	49DD	I1GD0080
106	卯	894B	4C82	I1TU0080
107	鵜	894C	4BE7	I1RB0080
108	窺	894D	559E	I36M0080
109	丑	894E	4DEC	I2240080
110	碓	894F	4FB1	I2B50080
111	白	8950	4A89	I1JD0080
112	渦	8951	51A0	I2LC0080
113	嘘	8952	50F3	I2IB0080
114	唄	8953	4CDB	I1WB0080
115	爵	8954	55F7	I3930080
116	蔚	8955	549A	I3160080
117	鰻	8956	54AB	I31N0080
118	姥	8957	5255	I2OL0080
119	厩	8958	5367	I2UF0080
120	浦	8959	466B	I0X70080
121	瓜	895A	4E64	I23O0080
122	閏	895B	545F	I2ZJ0080
123	樽	895C	529B	I2QJ0080
124	云	895D	499D	I1EL0080
125	運	895E	46AB	I0YZ0080
126	雲	895F	4ABC	I1KS0080
127	荏	8960	515F	I2JJ0080
128	餌	8961	50A7	I2G70080

Table 13 (Page 3 of 28). Level 1 Kanji Set (1 of 2), DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
129	叡	8962	5194	I2L00080
130	營	8963	48D3	I1AR0080
131	嬰	8964	55E8	I38O0080
132	影	8965	495E	I1CU0080
133	映	8966	47AC	I14C0080
134	曳	8967	4EBC	I2640080
135	榮	8968	45FA	I0VU0080
136	永	8969	45FB	I0VV0080
137	泳	896A	4F57	I28N0080
138	洩	896B	50B7	I2GN0080
139	瑛	896C	4F52	I28I0080
140	盈	896D	51B5	I2LX0080
141	穎	896E	5254	I2OK0080
142	顛	896F	5576	I35I0080
143	英	8970	45EE	I0VI0080
144	衛	8971	4780	I1340080
145	詠	8972	51C1	I2M90080
146	銳	8973	4D6F	I1YN0080
147	液	8974	4A45	I1HH0080
148	疫	8975	50CE	I2HA0080
149	益	8976	4774	I12S0080
150	駅	8977	49AC	I1F00080
151	悦	8978	4873	I1830080
152	謁	8979	54E5	I3390080
153	越	897A	46DF	I10F0080
154	閱	897B	5177	I2K70080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 13 (Page 4 of 28). Level 1 Kanji Set (1 of 2), DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
155	榎	897C	49EB	I1GR0080
156	厭	897D	53B7	I2WN0080
157	円	897E	4645	I0W50080
158	園	8980	47E1	I15T0080
159	堰	8981	50A4	I2G40080
160	奄	8982	52F2	I2SY0080
161	宴	8983	5078	I2EW0080
162	延	8984	47D0	I15C0080
163	怨	8985	54DE	I3320080
164	掩	8986	55D0	I3800080
165	援	8987	4AD5	I1LH0080
166	沿	8988	4E6F	I23Z0080
167	演	8989	49ED	I1GT0080
168	炎	898A	4DAD	I20D0080
169	焰	898B	53EE	I2Y60080
170	煙	898C	4BDD	I1R10080
171	燕	898D	5047	I2DJ0080
172	猿	898E	4C5A	I1SQ0080
173	縁	898F	4BAA	I1PM0080
174	艶	8990	4D54	I1XW0080
175	苑	8991	504B	I2DN0080
176	菌	8992	4CEC	I1WS0080
177	遠	8993	46E3	I10J0080
178	鉛	8994	49D4	I1G40080
179	鴛	8995	52C3	I2RN0080
180	塩	8996	4743	I11F0080

Table 13 (Page 4 of 28). Level 1 Kanji Set (1 of 2), DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
181	於	8997	4DA4	I2040080
182	汚	8998	4E82	I24I0080
183	甥	8999	55D7	I3870080
184	凹	899A	50E6	I2HY0080
185	央	899B	4792	I13M0080
186	奥	899C	46E5	I10L0080
187	往	899D	4CEA	I1WQ0080
188	応	899E	4895	I1910080
189	押	899F	49E1	I1GH0080
190	旺	89A0	4FA3	I2AR0080
191	横	89A1	45F2	I0VM0080
192	欧	89A2	4AA0	I1K00080
193	殴	89A3	5459	I2ZD0080
194	王	89A4	49B1	I1F50080
195	翁	89A5	4FFB	I2D70080
196	襖	89A6	546C	I2ZW0080
197	鶯	89A7	50E5	I2HX0080
198	鷗	89A8	5464	I2ZO0080
199	黄	89A9	4AC6	I1L20080
200	岡	89AA	4572	I0S20080
201	沖	89AB	47FD	I16L0080
202	荻	89AC	49E0	I1GG0080
203	億	89AD	454E	I0R20080
204	屋	89AE	45E9	I0VD0080
205	憶	89AF	4E6C	I23W0080
206	臆	89B0	5474	I3040080




## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 13 (Page 5 of 28). Level 1 Kanji Set (1 of 2), DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
207	桶	89B1	4E77	I2470080
208	牡	89B2	509A	I2FU0080
209	乙	89B3	4BBD	I1Q50080
210	俺	89B4	4E67	I23R0080
211	卸	89B5	4E79	I2490080
212	恩	89B6	4C81	I1TT0080
213	温	89B7	4950	I1CG0080
214	稔	89B8	50B8	I2GO0080
215	音	89B9	484D	I1710080
216	下	89BA	455F	I0RJ0080
217	化	89BB	4590	I0SW0080
218	仮	89BC	4D71	I1YP0080
219	何	89BD	4770	I12O0080
220	伽	89BE	5461	I2ZL0080
221	価	89BF	475A	I1220080
222	佳	89C0	4876	I1860080
223	加	89C1	459F	I0TB0080
224	可	89C2	47C6	I1520080
225	嘉	89C3	477E	I1320080
226	夏	89C4	497E	I1DQ0080
227	嫁	89C5	4E89	I24P0080
228	家	89C6	4686	I0XY0080
229	寡	89C7	52B8	I2RC0080
230	科	89C8	48ED	I1BH0080
231	暇	89C9	4F46	I2860080
232	果	89CA	47B9	I14P0080

Table 13 (Page 5 of 28). Level 1 Kanji Set (1 of 2), DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
233	架	89CB	4EE8	I27C0080
234	歌	89CC	46F7	I1130080
235	河	89CD	465A	I0WQ0080
236	火	89CE	4785	I1390080
237	珂	89CF	4C9A	I1UI0080
238	禍	89D0	5286	I2PY0080
239	禾	89D1	5463	I2ZN0080
240	稼	89D2	4DBE	I20U0080
241	箇	89D3	4F51	I28H0080
242	花	89D4	46D9	I1090080
243	苛	89D5	5377	I2UV0080
244	茄	89D6	547A	I30A0080
245	荷	89D7	4BA1	I1PD0080
246	華	89D8	4B6C	I1NW0080
247	菓	89D9	4C51	I1SH0080
248	蝦	89DA	51C3	I2MB0080
249	課	89DB	49D6	I1G60080
250	嘩	89DC	52CA	I2RU0080
251	貨	89DD	4AEB	I1M30080
252	迦	89DE	535D	I2U50080
253	過	89DF	488D	I18T0080
254	霞	89E0	4EE4	I2780080
255	蚊	89E1	4FAA	I2AY0080
256	俄	89E2	54C7	I32F0080
257	峨	89E3	4F9D	I2AL0080
258	我	89E4	49DE	I1GE0080





## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 13 (Page 6 of 28). Level 1 Kanji Set (1 of 2), DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
259	牙	89E5	53FC	I2YK0080
260	画	89E6	4677	I0XJ0080
261	臥	89E7	538A	I2VE0080
262	芽	89E8	4EBA	I2620080
263	蛾	89E9	5599	I36H0080
264	賀	89EA	4641	I0W10080
265	雅	89EB	4745	I11H0080
266	餓	89EC	554B	I34B0080
267	駕	89ED	53BE	I2WU0080
268	介	89EE	484B	I16Z0080
269	会	89EF	45BD	I0U50080
270	解	89F0	47B7	I14N0080
271	回	89F1	46A9	I0YX0080
272	塊	89F2	5053	I2DV0080
273	壞	89F3	4EC8	I26G0080
274	廻	89F4	4BAF	I1PR0080
275	快	89F5	4C60	I1SW0080
276	怪	89F6	4E71	I2410080
277	悔	89F7	5091	I2FL0080
278	恢	89F8	5594	I36C0080
279	懷	89F9	4EF2	I27M0080
280	戒	89FA	4DA0	I2000080
281	拐	89FB	53A2	I2W20080
282	改	89FC	488F	I18V0080
283	魁	8A40	52CB	I2RV0080
284	晦	8A41	556D	I3590080

Table 13 (Page 6 of 28). Level 1 Kanji Set (1 of 2), DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
285	械	8A42	4682	I0XU0080
286	海	8A43	45A7	I0TJ0080
287	灰	8A44	4AF5	I1MD0080
288	界	8A45	47AE	I14E0080
289	皆	8A46	4AB0	I1KG0080
290	繪	8A47	4AE4	I1LW0080
291	芥	8A48	4F7B	I29N0080
292	蟹	8A49	5090	I2FK0080
293	開	8A4A	46CD	I0ZX0080
294	階	8A4B	49A9	I1EX0080
295	貝	8A4C	49EA	I1GQ0080
296	凱	8A4D	51AC	I2LO0080
297	効	8A4E	556A	I3560080
298	外	8A4F	4694	I0YC0080
299	咳	8A50	53E9	I2Y10080
300	害	8A51	4968	I1D40080
301	崖	8A52	5074	I2ES0080
302	慨	8A53	528A	I2Q20080
303	概	8A54	4C42	I1S20080
304	涯	8A55	4F91	I2A90080
305	碍	8A56	5356	I2TY0080
306	蓋	8A57	4F6D	I2990080
307	街	8A58	4BA5	I1PH0080
308	該	8A59	4D8D	I1ZH0080
309	鎧	8A5A	546D	I2ZX0080
310	骸	8A5B	559C	I36K0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 13 (Page 7 of 28). Level 1 Kanji Set (1 of 2), DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
311	湮	8A5C	55CC	I37W0080
312	馨	8A5D	4B85	I1OL0080
313	蛙	8A5E	55BB	I37F0080
314	垣	8A5F	47CE	I15A0080
315	柿	8A60	4AC1	I1KX0080
316	蠣	8A61	5351	I2TT0080
317	鈎	8A62	538F	I2VJ0080
318	劃	8A63	55D6	I3860080
319	嚇	8A64	55D8	I3880080
320	各	8A65	47BA	I14Q0080
321	廓	8A66	54AD	I31P0080
322	扞	8A67	48E5	I1B90080
323	攪	8A68	527F	I2PR0080
324	格	8A69	47DE	I15Q0080
325	核	8A6A	4B9E	I1PA0080
326	殼	8A6B	50C0	I2GW0080
327	獲	8A6C	4D61	I1Y90080
328	確	8A6D	487A	I18A0080
329	穫	8A6E	4F5C	I28S0080
330	覺	8A6F	4A4C	I1HO0080
331	角	8A70	477D	I1310080
332	赫	8A71	53CC	I2X80080
333	較	8A72	4A5A	I1I20080
334	郭	8A73	5162	I2JM0080
335	閣	8A74	4AE9	I1M10080
336	隔	8A75	505A	I2E20080

Table 13 (Page 7 of 28). Level 1 Kanji Set (1 of 2), DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
337	革	8A76	4AA3	I1K30080
338	学	8A77	45BE	I0U60080
339	岳	8A78	4D46	I1X10080
340	樂	8A79	4761	I1290080
341	額	8A7A	47F1	I1690080
342	顎	8A7B	548E	I30U0080
343	掛	8A7C	4AE3	I1LV0080
344	笠	8A7D	47E0	I15S0080
345	檉	8A7E	4B6F	I1NZ0080
346	櫃	8A80	4FB2	I2B60080
347	梶	8A81	49AD	I1F10080
348	鰻	8A82	5571	I35D0080
349	瀉	8A83	46C2	I0ZM0080
350	割	8A84	47D6	I15I0080
351	喝	8A85	5475	I3050080
352	恰	8A86	5384	I2V80080
353	括	8A87	4FC5	I2BP0080
354	活	8A88	47B4	I14K0080
355	渴	8A89	5441	I2YP0080
356	滑	8A8A	4BA2	I1PE0080
357	葛	8A8B	48DF	I1B30080
358	褐	8A8C	545E	I2ZI0080
359	轄	8A8D	50FE	I2IM0080
360	且	8A8E	4F97	I2AF0080
361	鯉	8A8F	53D5	I2XH0080
362	叶	8A90	4F59	I28P0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 13 (Page 8 of 28). Level 1 Kanji Set (1 of 2), DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
363	椈	8A91	5163	I2JN0080
364	樺	8A92	4E69	I23T0080
365	鞆	8A93	5445	I2YT0080
366	株	8A94	4856	I17A0080
367	兜	8A95	51BE	I2M60080
368	竈	8A96	52F0	I2SW0080
369	蒲	8A97	49B2	I1F60080
370	釜	8A98	4ACC	I1L80080
371	鎌	8A99	4962	I1CY0080
372	囓	8A9A	547D	I30D0080
373	鴨	8A9B	4C54	I1SK0080
374	栢	8A9C	5242	I2O20080
375	茅	8A9D	4BD3	I1QR0080
376	萱	8A9E	4F7C	I29O0080
377	粥	8A9F	52AB	I2QZ0080
378	刈	8AA0	4B9B	I1P70080
379	苺	8AA1	4E5D	I23H0080
380	瓦	8AA2	49C2	I1FM0080
381	乾	8AA3	4970	I1DC0080
382	侃	8AA4	4F98	I2AG0080
383	冠	8AA5	4E7B	I24B0080
384	寒	8AA6	4B81	I1OH0080
385	刊	8AA7	4CD7	I1W70080
386	勘	8AA8	4B9A	I1P60080
387	勸	8AA9	4C7E	I1TQ0080
388	卷	8AAA	4893	I18Z0080

Table 13 (Page 8 of 28). Level 1 Kanji Set (1 of 2), DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
389	喚	8AAB	52B5	I2R90080
390	堪	8AAC	4FAC	I2B00080
391	姦	8AAD	55DE	I38E0080
392	完	8AAE	48C5	I1AD0080
393	官	8AAF	49A2	I1EQ0080
394	寬	8AB0	47F8	I16G0080
395	干	8AB1	4A6F	I1IN0080
396	幹	8AB2	48DA	I1AY0080
397	患	8AB3	4DEB	I2230080
398	感	8AB4	47F7	I16F0080
399	慣	8AB5	4DD3	I21F0080
400	憾	8AB6	51A5	I2LH0080
401	換	8AB7	49AA	I1EY0080
402	敢	8AB8	4FCF	I2BZ0080
403	柑	8AB9	4EC1	I2690080
404	桓	8ABA	536D	I2UL0080
405	棺	8ABB	55B6	I37A0080
406	款	8ABC	4EFB	I27V0080
407	歛	8ABD	4D4E	I1XQ0080
408	汗	8ABE	4EC4	I26C0080
409	漢	8ABF	4F58	I28O0080
410	澗	8AC0	54BA	I3220080
411	灌	8AC1	53EA	I2Y20080
412	環	8AC2	4AB9	I1KP0080
413	甘	8AC3	4B55	I1N90080
414	監	8AC4	49E3	I1GJ0080

IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

**Table 13 (Page 9 of 28).** Level 1 Kanji Set (1 of 2), DBCS-PC

Line Number	Graphic	PC Code	Host Code	GCGID
415	看	8AC5	4DA2	I2020080
416	竿	8AC6	5287	I2PZ0080
417	管	8AC7	46F2	I10Y0080
418	筒	8AC8	4BEC	I1RG0080
419	緩	8AC9	4CFC	I1X80080
420	缶	8ACA	5084	I2F80080
421	翰	8ACB	54B6	I31Y0080
422	肝	8ACC	4C8C	I1U40080
423	艦	8ACD	4C4A	I1SA0080
424	莞	8ACE	51EE	I2NI0080
425	觀	8ACF	487E	I18E0080
426	諫	8AD0	4E96	I2520080
427	貫	8AD1	49A1	I1EP0080
428	還	8AD2	4DA9	I2090080
429	鑑	8AD3	4E4E	I2320080
430	間	8AD4	45C1	I0U90080
431	閑	8AD5	4DD9	I21L0080
432	関	8AD6	45C5	I0UD0080
433	陷	8AD7	4FFE	I2DA0080
434	韓	8AD8	4E75	I2450080
435	館	8AD9	4862	I17M0080
436	館	8ADA	4CAA	I1UY0080
437	丸	8ADB	467A	I0XM0080
438	含	8ADC	49CB	I1FV0080
439	岸	8ADD	4748	I11K0080
440	巖	8ADE	49CF	I1FZ0080

**Table 13 (Page 9 of 28).** Level 1 Kanji Set (1 of 2), DBCS-PC

Line Number	Graphic	PC Code	Host Code	GCGID
441	玩	8ADF	4E4C	I2300080
442	癌	8AE0	5447	I2YV0080
443	眼	8AE1	49A5	I1ET0080
444	岩	8AE2	45BF	I0U70080
445	翫	8AE3	558B	I3630080
446	贗	8AE4	5584	I35W0080
447	雁	8AE5	51A4	I2LG0080
448	頑	8AE6	539D	I2VX0080
449	顔	8AE7	48B8	I1A00080
450	願	8AE8	4C57	I1SN0080
451	企	8AE9	47D2	I15E0080
452	伎	8AEA	4E9F	I25B0080
453	危	8AEB	4B91	I1OX0080
454	喜	8AEC	45D1	I0UP0080
455	器	8AED	45FC	I0VW0080
456	基	8AEE	46F1	I10X0080
457	奇	8AEF	4D69	I1YH0080
458	嬉	8AF0	4F8B	I2A30080
459	寄	8AF1	49DF	I1GF0080
460	岐	8AF2	474A	I11M0080
461	希	8AF3	4AB5	I1KL0080
462	幾	8AF4	4B57	I1NB0080
463	忌	8AF5	5097	I2FR0080
464	揮	8AF6	4BF2	I1RM0080
465	机	8AF7	4D96	I1ZQ0080
466	旗	8AF8	4DAB	I20B0080

IBM Japanese Graphic Character Set, Kanji


DBCS - Host and DBCS - PC

**Table 13 (Page 10 of 28).** Level 1 Kanji Set (1 of 2), DBCS-PC

Line Number	Graphic	PC Code	Host Code	GCGID
467	既	8AF9	4B77	I1O70080
468	期	8AFA	468B	I0Y30080
469	棋	8AFB	4EF1	I27L0080
470	棄	8AFC	4EB1	I25T0080
471	機	8B40	4579	I0S90080
472	帰	8B41	4982	I1DU0080
473	毅	8B42	4A5B	I1I30080
474	気	8B43	45B9	I0U10080
475	汽	8B44	494C	I1CC0080
476	畿	8B45	50D4	I2HG0080
477	祈	8B46	4ED8	I26W0080
478	季	8B47	4AEC	I1M40080
479	稀	8B48	5264	I2P00080
480	紀	8B49	46DB	I10B0080
481	徽	8B4A	55E0	I38G0080
482	規	8B4B	46FB	I1170080
483	記	8B4C	4794	I13O0080
484	貴	8B4D	487F	I18F0080
485	起	8B4E	48D0	I1AO0080
486	軌	8B4F	4DAA	I20A0080
487	輝	8B50	4787	I13B0080
488	飢	8B51	53CE	I2XA0080
489	騎	8B52	5058	I2E00080
490	鬼	8B53	4AC8	I1L40080
491	亀	8B54	47C0	I14W0080
492	偽	8B55	5059	I2E10080

**Table 13 (Page 10 of 28).** Level 1 Kanji Set (1 of 2), DBCS-PC

Line Number	Graphic	PC Code	Host Code	GCGID
493	儀	8B56	49CA	I1FU0080
494	妓	8B57	5395	I2VP0080
495	宜	8B58	4D8B	I1ZF0080
496	戲	8B59	4F92	I2AA0080
497	技	8B5A	48F7	I1BR0080
498	擬	8B5B	4FCD	I2BX0080
499	欺	8B5C	517D	I2KD0080
500	儀	8B5D	4FDC	I2CC0080
501	疑	8B5E	4CB4	I1V80080
502	祇	8B5F	5192	I2KY0080
503	義	8B60	4598	I0T40080
504	蟻	8B61	51C6	I2ME0080
505	誼	8B62	5265	I2P10080
506	議	8B63	4781	I1350080
507	掬	8B64	5541	I3410080
508	菊	8B65	46D7	I1070080
509	鞠	8B66	51ED	I2NH0080
510	吉	8B67	457E	I0SE0080
511	吃	8B68	55EA	I38Q0080
512	喫	8B69	4D6D	I1YL0080
513	桔	8B6A	534B	I2TN0080
514	橘	8B6B	4BC2	I1QA0080
515	詰	8B6C	4B5F	I1NJ0080
516	砧	8B6D	5248	I2O80080
517	杵	8B6E	4AA6	I1K60080
518	黍	8B6F	55AE	I3720080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
519	却	8B70	4AA4	I1K40080
520	客	8B71	4ADE	I1LQ0080
521	脚	8B72	4D5C	I1Y40080
522	虐	8B73	5260	I2OW0080
523	逆	8B74	4BFC	I1RW0080
524	丘	8B75	4D56	I1XY0080
525	久	8B76	458A	I0SQ0080
526	仇	8B77	5085	I2F90080
527	休	8B78	4A81	I1J50080
528	及	8B79	485C	I17G0080
529	吸	8B7A	4B98	I1P40080
530	宮	8B7B	4592	I0SY0080
531	弓	8B7C	4B63	I1NN0080
532	急	8B7D	47CC	I1580080
533	救	8B7E	4C5C	I1SS0080
534	朽	8B80	50F0	I2I80080
535	求	8B81	49A0	I1EO0080
536	汲	8B82	50C8	I2H40080
537	泣	8B83	4D4B	I1XN0080
538	灸	8B84	5473	I3030080
539	球	8B85	48DB	I1AZ0080
540	究	8B86	4986	I1DY0080
541	窮	8B87	50AA	I2GA0080
542	笈	8B88	51CF	I2MN0080
543	級	8B89	49F3	I1GZ0080
544	糾	8B8A	51FE	I2NY0080

Line Number	Graphic	PC Code	Host Code	GCGID
545	給	8B8B	4757	I11Z0080
546	旧	8B8C	4C7B	I1TN0080
547	牛	8B8D	4973	I1DF0080
548	去	8B8E	4ACA	I1L60080
549	居	8B8F	485E	I17I0080
550	巨	8B90	4A52	I1HU0080
551	拒	8B91	4F61	I28X0080
552	抛	8B92	4D77	I1YV0080
553	拳	8B93	4B82	I1OI0080
554	渠	8B94	527A	I2PM0080
555	虚	8B95	4F72	I29E0080
556	許	8B96	4A9A	I1JU0080
557	距	8B97	4DC2	I20Y0080
558	鋸	8B98	51E7	I2NB0080
559	漁	8B99	4B78	I1O80080
560	禦	8B9A	55AA	I36Y0080
561	魚	8B9B	48EE	I1BI0080
562	亨	8B9C	4BAC	I1PO0080
563	享	8B9D	4B73	I1O30080
564	京	8B9E	4575	I0S50080
565	供	8B9F	48BC	I1A40080
566	俠	8BA0	52EC	I2SS0080
567	僑	8BA1	55AD	I37I0080
568	兇	8BA2	555A	I34Q0080
569	競	8BA3	4971	I1DD0080
570	共	8BA4	47B3	I14J0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 13 (Page 12 of 28). Level 1 Kanji Set (1 of 2), DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
571	凶	8BA5	51EC	I2NG0080
572	協	8BA6	47D7	I15J0080
573	匡	8BA7	4D4D	I1XP0080
574	卿	8BA8	53E2	I2XU0080
575	叫	8BA9	4DD5	I21H0080
576	喬	8BAA	4C5F	I1SV0080
577	境	8BAB	4A95	I1JP0080
578	峽	8BAC	51B3	I2LV0080
579	強	8BAD	46D2	I1020080
580	疆	8BAE	5385	I2V90080
581	怯	8BAF	5542	I3420080
582	恐	8BB0	4BD5	I1QT0080
583	恭	8BB1	494E	I1CE0080
584	挾	8BB2	55B1	I3750080
585	教	8BB3	47A5	I1450080
586	橋	8BB4	4589	I0SP0080
587	況	8BB5	4A58	I1100080
588	狂	8BB6	4E5A	I23E0080
589	狹	8BB7	4C9E	I1UM0080
590	矯	8BB8	51BB	I2M30080
591	胸	8BB9	4BE3	I1R70080
592	脅	8BBA	5051	I2DT0080
593	興	8BBB	466A	I0X60080
594	蕎	8BBC	5565	I3510080
595	郷	8BBD	4995	I1ED0080
596	鏡	8BBE	4A8D	I1JH0080

Table 13 (Page 12 of 28). Level 1 Kanji Set (1 of 2), DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
597	響	8BBF	4A5C	I1140080
598	饗	8BC0	51D5	I2MT0080
599	驚	8BC1	4CD5	I1W50080
600	仰	8BC2	4DED	I2250080
601	凝	8BC3	4ED9	I26X0080
602	堯	8BC4	4E53	I2370080
603	曉	8BC5	4C83	I1TV0080
604	業	8BC6	456B	I0RV0080
605	局	8BC7	488B	I18R0080
606	曲	8BC8	49B6	I1FA0080
607	極	8BC9	49B7	I1FB0080
608	玉	8BCA	45FD	I0VX0080
609	桐	8BCB	49C0	I1FK0080
610	籽	8BCC	55E7	I38N0080
611	僅	8BCD	4FC9	I2BT0080
612	勤	8BCE	499F	I1EN0080
613	均	8BCF	49AE	I1F20080
614	巾	8BD0	4A7D	I1J10080
615	錦	8BD1	4B8E	I1OU0080
616	斤	8BD2	54CF	I32N0080
617	欣	8BD3	4B9D	I1P90080
618	欽	8BD4	4CF8	I1X40080
619	琴	8BD5	4CD8	I1W80080
620	禁	8BD6	4D75	I1YT0080
621	禽	8BD7	555D	I34T0080
622	筋	8BD8	4B8F	I1OV0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
623	緊	8BD9	4B97	I1P30080
624	芹	8BDA	4DD0	I21C0080
625	菌	8BDB	4C73	I1TF0080
626	衿	8BDC	4AA7	I1K70080
627	襟	8BDD	54AF	I31R0080
628	謹	8BDE	4D87	I1ZB0080
629	近	8BDF	4673	I0XF0080
630	金	8BE0	4586	I0SM0080
631	吟	8BE1	507A	I2EY0080
632	銀	8BE2	478C	I13G0080
633	九	8BE3	4549	I0QX0080
634	俱	8BE4	4F63	I28Z0080
635	句	8BE5	4C8B	I1U30080
636	区	8BE6	4554	I0R80080
637	狗	8BE7	5274	I2PG0080
638	玖	8BE8	4DE9	I2210080
639	矩	8BE9	4E4D	I2310080
640	苦	8BEA	4A5F	I1170080
641	軀	8BEB	5353	I2TV0080
642	驅	8BEC	4CFE	I1XA0080
643	駟	8BED	4F85	I29X0080
644	駒	8BEE	49FC	I1H80080
645	具	8BEF	47AF	I14F0080
646	愚	8BF0	52B2	I2R60080
647	虞	8BF1	5588	I3600080
648	喰	8BF2	4EB9	I2610080

Line Number	Graphic	PC Code	Host Code	GCGID
649	空	8BF3	478D	I13H0080
650	偶	8BF4	50C3	I2GZ0080
651	寓	8BF5	55F4	I3900080
652	遇	8BF6	49EC	I1GS0080
653	隅	8BF7	4BB9	I1Q10080
654	串	8BF8	4CB8	I1VC0080
655	櫛	8BF9	4DA6	I2060080
656	釧	8BFA	4BF0	I1RK0080
657	屑	8BFB	54B2	I31U0080
658	屈	8BFC	4D94	I1ZO0080
659	掘	8C40	4D44	I1XG0080
660	窟	8C41	50A6	I2G60080
661	杳	8C42	4FF8	I2D40080
662	靴	8C43	4DF1	I2290080
663	轡	8C44	52E1	I2SH0080
664	窪	8C45	4A65	I11D0080
665	熊	8C46	467F	I0XR0080
666	隈	8C47	4CE5	I1WL0080
667	朶	8C48	4E85	I24L0080
668	栗	8C49	479B	I13V0080
669	繰	8C4A	4B69	I1NT0080
670	桑	8C4B	4879	I1890080
671	鋏	8C4C	4F70	I29C0080
672	勲	8C4D	497A	I1DM0080
673	君	8C4E	47CF	I15B0080
674	薫	8C4F	4998	I1EG0080



IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

**Table 13 (Page 14 of 28).** Level 1 Kanji Set (1 of 2), DBCS-PC

Line Number	Graphic	PC Code	Host Code	GCGID
675	訓	8C50	4BC8	I1QG0080
676	群	8C51	47B1	I14H0080
677	軍	8C52	4897	I1930080
678	郡	8C53	499E	I1EM0080
679	卦	8C54	53DB	I2XN0080
680	袈	8C55	4F6A	I2960080
681	邗	8C56	53D2	I2XE0080
682	係	8C57	4851	I1750080
683	傾	8C58	4A43	I1HF0080
684	刑	8C59	4C52	I1SI0080
685	兄	8C5A	4BE8	I1RC0080
686	啓	8C5B	47E4	I15W0080
687	圭	8C5C	49E6	I1GM0080
688	珪	8C5D	4CB9	I1VD0080
689	型	8C5E	46E6	I10M0080
690	契	8C5F	4C64	I1T00080
691	形	8C60	4690	I0Y80080
692	徑	8C61	4E60	I23K0080
693	恵	8C62	4643	I0W30080
694	慶	8C63	48A8	I19K0080
695	慧	8C64	4EB6	I25Y0080
696	鰓	8C65	5175	I2K50080
697	掲	8C66	4DC1	I20X0080
698	携	8C67	4E49	I22X0080
699	敬	8C68	47B0	I14G0080
700	景	8C69	4993	I1EB0080

**Table 13 (Page 14 of 28).** Level 1 Kanji Set (1 of 2), DBCS-PC

Line Number	Graphic	PC Code	Host Code	GCGID
701	桂	8C6A	49AB	I1EZ0080
702	溪	8C6B	5198	I2L40080
703	畦	8C6C	51B4	I2LW0080
704	稽	8C6D	4FC7	I2BR0080
705	系	8C6E	48FA	I1BU0080
706	経	8C6F	4688	I0Y00080
707	継	8C70	4A4A	I1HM0080
708	繫	8C71	5373	I2UR0080
709	罫	8C72	55EF	I38V0080
710	莖	8C73	4EC9	I26H0080
711	荊	8C74	53B3	I2WJ0080
712	蚩	8C75	4DF9	I22H0080
713	計	8C76	45C9	I0UH0080
714	詣	8C77	54FB	I33V0080
715	警	8C78	4AD7	I1LJ0080
716	輕	8C79	48A6	I19I0080
717	頸	8C7A	50FB	I2IJ0080
718	鷄	8C7B	4D8E	I1ZI0080
719	芸	8C7C	4953	I1CJ0080
720	迎	8C7D	4BA9	I1PL0080
721	鯨	8C7E	4D78	I1YW0080
722	劇	8C80	49F0	I1GW0080
723	戟	8C81	54D9	I32X0080
724	擊	8C82	4A74	I1IS0080
725	激	8C83	4BD0	I1QO0080
726	隙	8C84	53C3	I2WZ0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 13 (Page 15 of 28). Level 1 Kanji Set (1 of 2), DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
727	桁	8C85	50D6	I2HI0080
728	傑	8C86	4FC3	I2BN0080
729	欠	8C87	4CB5	I1V90080
730	決	8C88	47A4	I1440080
731	潔	8C89	4AC2	I1KY0080
732	穴	8C8A	4B86	I1OM0080
733	結	8C8B	46BF	I0ZJ0080
734	血	8C8C	4B43	I1MR0080
735	訣	8C8D	54CC	I32K0080
736	月	8C8E	4561	I0RL0080
737	件	8C8F	48B2	I19U0080
738	儉	8C90	52FA	I2T60080
739	倦	8C91	52F1	I2SX0080
740	健	8C92	4681	I0XT0080
741	兼	8C93	48F4	I1BO0080
742	券	8C94	4B6B	I1NV0080
743	劍	8C95	4CD3	I1W30080
744	喧	8C96	4FD3	I2C30080
745	圜	8C97	4F49	I2890080
746	堅	8C98	4AE7	I1LZ0080
747	嫌	8C99	4EC3	I26B0080
748	建	8C9A	4666	I0X20080
749	憲	8C9B	47BE	I14U0080
750	懸	8C9C	4DC6	I2120080
751	拳	8C9D	508D	I2FH0080
752	捲	8C9E	5493	I30Z0080

Table 13 (Page 15 of 28). Level 1 Kanji Set (1 of 2), DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
753	檢	8C9F	486D	I17X0080
754	權	8CA0	48DC	I1B00080
755	牽	8CA1	548A	I30Q0080
756	犬	8CA2	4AC5	I1L10080
757	獻	8CA3	4F45	I2850080
758	研	8CA4	46D3	I1030080
759	硯	8CA5	5369	I2UH0080
760	絹	8CA6	49F6	I1H20080
761	県	8CA7	4552	I0R60080
762	肩	8CA8	4B79	I1O90080
763	見	8CA9	45BB	I0U30080
764	謙	8CAA	497C	I1DO0080
765	賢	8CAB	47E5	I15X0080
766	軒	8CAC	4E55	I2390080
767	遣	8CAD	4EC2	I26A0080
768	鍵	8CAE	4E45	I22T0080
769	陰	8CAF	4A6C	I11K0080
770	顯	8CB0	4AE5	I1LX0080
771	驗	8CB1	48B4	I19W0080
772	鹼	8CB2	4C7D	I1TP0080
773	元	8CB3	4695	I0YD0080
774	原	8CB4	4574	I0S40080
775	巖	8CB5	4C8E	I1U60080
776	幻	8CB6	50A2	I2G20080
777	弦	8CB7	4E42	I22Q0080
778	滅	8CB8	478A	I13E0080

IBM Japanese Graphic Character Set, Kanji


DBCS - Host and DBCS - PC

**Table 13 (Page 16 of 28).** Level 1 Kanji Set (1 of 2), DBCS-PC

Line Number	Graphic	PC Code	Host Code	GCGID
779	源	8CB9	47FC	I16K0080
780	玄	8CBA	4C6E	I1TA0080
781	現	8CBB	46B7	I0ZB0080
782	絃	8CBC	5563	I34Z0080
783	舷	8CBD	53AC	I2WC0080
784	言	8CBE	479A	I13U0080
785	諺	8CBF	55AB	I36Z0080
786	限	8CC0	48AD	I19P0080
787	乎	8CC1	54A5	I31H0080
788	個	8CC2	49FA	I1H60080
789	古	8CC3	45D4	I0US0080
790	呼	8CC4	4AF6	I1ME0080
791	固	8CC5	4A94	I1JO0080
792	姑	8CC6	53F2	I2YA0080
793	孤	8CC7	4EAF	I25R0080
794	己	8CC8	47AD	I14D0080
795	庫	8CC9	45F8	I0VS0080
796	弧	8CCA	536B	I2UJ0080
797	戸	8CCB	45CF	I0UN0080
798	故	8CCC	4AF7	I1MF0080
799	枯	8CCD	5061	I2E90080
800	湖	8CCE	4D52	I1XU0080
801	狐	8CCF	51DB	I2MZ0080
802	糊	8CD0	5471	I30I0080
803	袴	8CD1	4F5A	I28Q0080
804	股	8CD2	4CC5	I1VP0080

**Table 13 (Page 16 of 28).** Level 1 Kanji Set (1 of 2), DBCS-PC

Line Number	Graphic	PC Code	Host Code	GCGID
805	胡	8CD3	4D63	I1YB0080
806	菰	8CD4	516D	I2JX0080
807	虎	8CD5	4AAB	I1KB0080
808	誇	8CD6	4EB4	I25W0080
809	跨	8CD7	55CB	I37V0080
810	鈷	8CD8	55BF	I37J0080
811	雇	8CD9	4C4D	I1SD0080
812	顧	8CDA	4EEE	I27I0080
813	鼓	8CDB	4FAF	I2B30080
814	五	8CDC	4545	I0QT0080
815	互	8CDD	4B74	I1O40080
816	伍	8CDE	4D99	I1ZT0080
817	午	8CDF	45DF	I0V30080
818	呉	8CE0	4AEE	I1M60080
819	吾	8CE1	47F6	I16E0080
820	娛	8CE2	50B5	I2GL0080
821	後	8CE3	45E5	I0V90080
822	御	8CE4	4698	I0YG0080
823	悟	8CE5	4AB1	I1KH0080
824	梧	8CE6	52D3	I2S30080
825	檣	8CE7	55EE	I38U0080
826	瑚	8CE8	53F1	I2Y90080
827	碁	8CE9	4F4E	I28E0080
828	語	8CEA	48E7	I1BB0080
829	誤	8CEB	4D91	I1ZL0080
830	護	8CEC	49DB	I1GB0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 13 (Page 17 of 28). Level 1 Kanji Set (1 of 2), DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
831	酬	8CED	5170	I2K00080
832	乞	8CEE	4EB5	I25X0080
833	鯉	8CEF	4FC6	I2BQ0080
834	交	8CF0	478E	I13I0080
835	倭	8CF1	5462	I2ZM0080
836	侯	8CF2	53E3	I2XV0080
837	候	8CF3	4CAE	I1V20080
838	倅	8CF4	5343	I2TF0080
839	光	8CF5	459E	I0TA0080
840	公	8CF6	46BB	I0ZF0080
841	功	8CF7	4870	I1800080
842	効	8CF8	4978	I1DK0080
843	勾	8CF9	51E9	I2ND0080
844	厚	8CFA	4942	I1C20080
845	口	8CFB	4588	I0SO0080
846	向	8CFC	46A5	I0YT0080
847	后	8D40	51AF	I2LR0080
848	喉	8D41	5253	I2OJ0080
849	坑	8D42	4EF3	I27N0080
850	垢	8D43	5466	I2ZQ0080
851	好	8D44	469E	I0YM0080
852	孔	8D45	4BD9	I1QX0080
853	孝	8D46	45F4	I0VO0080
854	宏	8D47	46C8	I0ZS0080
855	工	8D48	456A	I0RU0080
856	巧	8D49	4CA3	I1UR0080

Table 13 (Page 17 of 28). Level 1 Kanji Set (1 of 2), DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
857	巷	8D4A	53CB	I2X70080
858	幸	8D4B	45A9	I0TL0080
859	広	8D4C	45B7	I0TZ0080
860	庚	8D4D	515A	I2JE0080
861	康	8D4E	469A	I0YI0080
862	弘	8D4F	45D3	I0UR0080
863	恒	8D50	47C7	I1530080
864	慌	8D51	538E	I2VI0080
865	抗	8D52	4A67	I1IF0080
866	拘	8D53	5045	I2DH0080
867	控	8D54	4CAC	I1V00080
868	攻	8D55	4BC5	I1QD0080
869	昂	8D56	4F9F	I2AN0080
870	晃	8D57	48B0	I19S0080
871	更	8D58	4A6D	I1IL0080
872	杭	8D59	508B	I2FF0080
873	校	8D5A	48BF	I1A70080
874	梗	8D5B	52CC	I2RW0080
875	構	8D5C	4796	I13Q0080
876	江	8D5D	45AD	I0TP0080
877	洪	8D5E	4FD4	I2C40080
878	浩	8D5F	46EB	I10R0080
879	港	8D60	48C6	I1AE0080
880	溝	8D61	4A4D	I1HP0080
881	甲	8D62	48A0	I19C0080
882	皇	8D63	4CBB	I1VF0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 13 (Page 18 of 28). Level 1 Kanji Set (1 of 2), DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
883	硬	8D64	4AEF	I1M70080
884	稿	8D65	4FD5	I2C50080
885	糠	8D66	514B	I2IZ0080
886	紅	8D67	4B67	I1NR0080
887	紘	8D68	4C78	I1TK0080
888	絞	8D69	506D	I2EL0080
889	綱	8D6A	48CB	I1AJ0080
890	耕	8D6B	499A	I1EI0080
891	考	8D6C	4760	I1280080
892	肯	8D6D	50EB	I2I30080
893	肱	8D6E	52D5	I2S50080
894	腔	8D6F	5247	I2O70080
895	膏	8D70	51D8	I2MW0080
896	航	8D71	489F	I19B0080
897	荒	8D72	46DC	I10C0080
898	行	8D73	45A4	I0TG0080
899	衡	8D74	4BED	I1RH0080
900	講	8D75	4A6E	I1IM0080
901	貢	8D76	4AF1	I1M90080
902	購	8D77	4E8F	I24V0080
903	郊	8D78	5052	I2DU0080
904	醇	8D79	4D86	I1ZA0080
905	鈇	8D7A	4863	I17N0080
906	礦	8D7B	51B9	I2M10080
907	鋼	8D7C	46A1	I0YP0080
908	閤	8D7D	549B	I3170080

Table 13 (Page 18 of 28). Level 1 Kanji Set (1 of 2), DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
909	降	8D7E	49E5	I1GL0080
910	項	8D80	4A97	I1JR0080
911	香	8D81	46BD	I0ZH0080
912	高	8D82	4571	I0S10080
913	鴻	8D83	4DD6	I21I0080
914	剛	8D84	49C7	I1FR0080
915	劫	8D85	54C6	I32E0080
916	号	8D86	48E2	I1B60080
917	合	8D87	45A0	I0TC0080
918	壕	8D88	55B9	I37D0080
919	拷	8D89	55B5	I3790080
920	濠	8D8A	5380	I2V40080
921	豪	8D8B	4C68	I1T40080
922	轟	8D8C	50A9	I2G90080
923	翹	8D8D	5261	I2OX0080
924	克	8D8E	479E	I13Y0080
925	刻	8D8F	4BF5	I1RP0080
926	告	8D90	4954	I1CK0080
927	国	8D91	458F	I0SV0080
928	穀	8D92	4E94	I2500080
929	酷	8D93	51EB	I2NF0080
930	鵠	8D94	50FD	I2IL0080
931	黒	8D95	4679	I0XL0080
932	獄	8D96	4E95	I2510080
933	漉	8D97	54D0	I32O0080
934	腰	8D98	4BA4	I1PG0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 13 (Page 19 of 28). Level 1 Kanji Set (1 of 2), DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
935	甌	8D99	5495	I3110080
936	忽	8D9A	5056	I2DY0080
937	惚	8D9B	549D	I3190080
938	骨	8D9C	4AA5	I1K50080
939	狛	8D9D	50DC	I2HO0080
940	込	8D9E	4841	I16P0080
941	此	8D9F	4D4C	I1XO0080
942	頃	8DA0	4946	I1C60080
943	今	8DA1	45E0	I0V40080
944	困	8DA2	4B44	I1MS0080
945	坤	8DA3	53A6	I2W60080
946	壑	8DA4	5488	I30O0080
947	婚	8DA5	4A77	I1IV0080
948	恨	8DA6	53B8	I2WO0080
949	懇	8DA7	4EA4	I25G0080
950	昏	8DA8	54E8	I33C0080
951	昆	8DA9	4FE7	I2CN0080
952	根	8DAA	4667	I0X30080
953	梱	8DAB	5359	I2U10080
954	混	8DAC	4B46	I1MU0080
955	痕	8DAD	53FD	I2YL0080
956	紺	8DAE	4CBD	I1VH0080
957	良	8DAF	55B4	I3780080
958	魂	8DB0	50A8	I2G80080
959	些	8DB1	55DC	I38C0080
960	佐	8DB2	4576	I0S60080

Table 13 (Page 19 of 28). Level 1 Kanji Set (1 of 2), DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
961	又	8DB3	50A5	I2G50080
962	唆	8DB4	51B8	I2M00080
963	嗟	8DB5	4ED3	I26R0080
964	左	8DB6	485B	I17F0080
965	差	8DB7	498B	I1E30080
966	查	8DB8	4773	I12R0080
967	沙	8DB9	4EAD	I25P0080
968	磋	8DBA	5188	I2KO0080
969	砂	8DBB	495B	I1CR0080
970	詐	8DBC	5176	I2K60080
971	鎖	8DBD	4D70	I1YO0080
972	娑	8DBE	4F8A	I2A20080
973	坐	8DBF	4E8D	I24T0080
974	座	8DC0	48B1	I19T0080
975	挫	8DC1	548F	I30V0080
976	債	8DC2	4B58	I1NC0080
977	催	8DC3	4C43	I1S30080
978	再	8DC4	48EB	I1BF0080
979	最	8DC5	46F5	I1110080
980	哉	8DC6	4A6B	I1IJ0080
981	塞	8DC7	53C1	I2WX0080
982	妻	8DC8	49A3	I1ER0080
983	宰	8DC9	4ED4	I26S0080
984	彩	8DCA	4DCD	I2190080
985	才	8DCB	49F1	I1GX0080
986	採	8DCC	4B4F	I1N30080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 13 (Page 20 of 28). Level 1 Kanji Set (1 of 2), DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
987	裁	8DCD	4DE0	I21S0080
988	歳	8DCE	48E4	I1B80080
989	济	8DCF	4769	I12H0080
990	災	8DD0	4CBC	I1VG0080
991	采	8DD1	53BF	I2WV0080
992	犀	8DD2	5354	I2TW0080
993	碎	8DD3	4CC3	I1VN0080
994	砦	8DD4	54B4	I31W0080
995	祭	8DD5	4C71	I1TD0080
996	斎	8DD6	47DB	I15N0080
997	細	8DD7	4768	I12G0080
998	菜	8DD8	4BA8	I1PK0080
999	裁	8DD9	49BD	I1FH0080
1000	載	8DDA	4D6E	I1YM0080
1001	際	8DDB	4797	I13R0080
1002	劑	8DDC	4766	I12E0080
1003	在	8DDD	47CD	I1590080
1004	材	8DDE	46BC	I0ZG0080
1005	罪	8DDF	4C4E	I1SE0080
1006	財	8DE0	49AF	I1F30080
1007	冴	8DE1	50C9	I2H50080
1008	坂	8DE2	45EC	I0VG0080
1009	阪	8DE3	4591	I0SX0080
1010	堺	8DE4	4A7C	I1J00080
1011	榊	8DE5	4B52	I1N60080
1012	肴	8DE6	5451	I2Z50080

Table 13 (Page 20 of 28). Level 1 Kanji Set (1 of 2), DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
1013	咲	8DE7	4CDE	I1WE0080
1014	崎	8DE8	457F	I0SF0080
1015	埼	8DE9	46A3	I0YR0080
1016	碯	8DEA	52D2	I2S20080
1017	鷺	8DEB	50AF	I2GF0080
1018	作	8DEC	4594	I0T00080
1019	削	8DED	4A90	I1JK0080
1020	咋	8DEE	4F50	I28G0080
1021	搾	8DEF	50A3	I2G30080
1022	昨	8DF0	48E8	I1BC0080
1023	朔	8DF1	4FA4	I2AS0080
1024	柵	8DF2	51F1	I2NL0080
1025	窄	8DF3	5499	I3150080
1026	策	8DF4	46C9	I0ZT0080
1027	索	8DF5	4CF4	I1X00080
1028	錯	8DF6	50B1	I2GH0080
1029	桜	8DF7	4771	I12P0080
1030	鮭	8DF8	5391	I2VL0080
1031	笹	8DF9	496E	I1DA0080
1032	匙	8DFA	5457	I2ZB0080
1033	冊	8DFB	4EA1	I25D0080
1034	刷	8DFC	48CF	I1AN0080
1035	察	8E40	4B93	I1OZ0080
1036	拶	8E41	4F9E	I2AM0080
1037	撮	8E42	4C77	I1TJ0080
1038	擦	8E43	4FD6	I2C60080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
1039	札	8E44	48F9	I1BT0080
1040	殺	8E45	49E9	I1GP0080
1041	薩	8E46	4CF1	I1WX0080
1042	雜	8E47	4A8A	I1JE0080
1043	阜	8E48	52A4	I2QS0080
1044	鯖	8E49	4FE4	I2CK0080
1045	捌	8E4A	557D	I35P0080
1046	鎔	8E4B	55D2	I3820080
1047	鮫	8E4C	4EB7	I25Z0080
1048	皿	8E4D	4DC7	I2130080
1049	晒	8E4E	54C3	I32B0080
1050	三	8E4F	4543	I0QR0080
1051	傘	8E50	509C	I2FW0080
1052	參	8E51	48D2	I1AQ0080
1053	山	8E52	4565	I0RP0080
1054	慘	8E53	506E	I2EM0080
1055	撒	8E54	53DE	I2XQ0080
1056	散	8E55	4AC9	I1L50080
1057	棧	8E56	51F3	I2NN0080
1058	燦	8E57	54CE	I32M0080
1059	珊	8E58	5399	I2VT0080
1060	産	8E59	45C0	I0U80080
1061	算	8E5A	4843	I16R0080
1062	纂	8E5B	55EB	I38R0080
1063	蚕	8E5C	4F5D	I28T0080
1064	讚	8E5D	516B	I2JV0080

Line Number	Graphic	PC Code	Host Code	GCGID
1065	贊	8E5E	4DEE	I2260080
1066	酸	8E5F	4899	I1950080
1067	餐	8E60	55B3	I3770080
1068	斬	8E61	4EFC	I27W0080
1069	暫	8E62	5093	I2FN0080
1070	殘	8E63	4992	I1EA0080
1071	仕	8E64	48B5	I19X0080
1072	仔	8E65	5465	I2ZP0080
1073	伺	8E66	508A	I2FE0080
1074	使	8E67	48B6	I19Y0080
1075	刺	8E68	4BC0	I1Q80080
1076	司	8E69	45F0	I0VK0080
1077	史	8E6A	47D9	I15L0080
1078	嗣	8E6B	4B5E	I1NI0080
1079	四	8E6C	4544	I0QS0080
1080	士	8E6D	467D	I0XP0080
1081	始	8E6E	4990	I1E80080
1082	姉	8E6F	4CC1	I1VL0080
1083	姿	8E70	4B42	I1MQ0080
1084	子	8E71	4564	I0RO0080
1085	屍	8E72	55BA	I37E0080
1086	市	8E73	4553	I0R70080
1087	師	8E74	4A44	I1HG0080
1088	志	8E75	4661	I0WX0080
1089	思	8E76	46AD	I0Z10080
1090	指	8E77	47B6	I14M0080



IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

**Table 13 (Page 22 of 28).** Level 1 Kanji Set (1 of 2), DBCS-PC

Line Number	Graphic	PC Code	Host Code	GCGID
1091	支	8E78	477B	I12Z0080
1092	孜	8E79	4FF2	I2CY0080
1093	斯	8E7A	4EA5	I25H0080
1094	施	8E7B	4888	I18O0080
1095	旨	8E7C	4D6A	I1YI0080
1096	枝	8E7D	4672	I0XE0080
1097	止	8E7E	48D8	I1AW0080
1098	死	8E80	4999	I1EH0080
1099	氏	8E81	488E	I18U0080
1100	獅	8E82	519F	I2LB0080
1101	祉	8E83	4FEB	I2CR0080
1102	私	8E84	46C3	I0ZN0080
1103	糸	8E85	46C7	I0ZR0080
1104	紙	8E86	4680	I0XS0080
1105	紫	8E87	4AF0	I1M80080
1106	肢	8E88	5382	I2V60080
1107	脂	8E89	4874	I1840080
1108	至	8E8A	4A48	I1HK0080
1109	視	8E8B	4A50	I1HS0080
1110	詞	8E8C	4E90	I24W0080
1111	詩	8E8D	4CB0	I1V40080
1112	試	8E8E	4948	I1C80080
1113	誌	8E8F	4B76	I1O60080
1114	諮	8E90	4F9C	I2AK0080
1115	資	8E91	4650	I0WG0080
1116	賜	8E92	4F94	I2AC0080

**Table 13 (Page 22 of 28).** Level 1 Kanji Set (1 of 2), DBCS-PC

Line Number	Graphic	PC Code	Host Code	GCGID
1117	雌	8E93	52B7	I2RB0080
1118	飼	8E94	4A8F	I1JJ0080
1119	齒	8E95	4A9F	I1JZ0080
1120	事	8E96	45CE	I0UM0080
1121	似	8E97	4BBC	I1Q40080
1122	侍	8E98	4FC2	I2BM0080
1123	児	8E99	469F	I0YN0080
1124	字	8E9A	48F2	I1BM0080
1125	寺	8E9B	46A0	I0YO0080
1126	慈	8E9C	4CBE	I1VI0080
1127	持	8E9D	46D8	I1080080
1128	時	8E9E	4651	I0WH0080
1129	次	8E9F	4597	I0T30080
1130	滋	8EA0	4857	I17B0080
1131	治	8EA1	4584	I0SK0080
1132	爾	8EA2	4C79	I1TL0080
1133	璽	8EA3	5249	I2O90080
1134	痔	8EA4	5182	I2KI0080
1135	磁	8EA5	4A62	I1IA0080
1136	示	8EA6	4853	I1770080
1137	而	8EA7	51E6	I2NA0080
1138	耳	8EA8	4CAB	I1UZ0080
1139	自	8EA9	45C3	I0UB0080
1140	蒔	8EAA	4FE3	I2CJ0080
1141	辞	8EAB	4D74	I1YS0080
1142	汐	8EAC	506A	I2EI0080

IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

**Table 13 (Page 23 of 28).** Level 1 Kanji Set (1 of 2), DBCS-PC

Line Number	Graphic	PC Code	Host Code	GCGID
1143	鹿	8EAD	4697	I0YF0080
1144	式	8EAE	468F	I0Y70080
1145	識	8EAF	4A75	I1IT0080
1146	鳴	8EB0	50BA	I2GQ0080
1147	竺	8EB1	545C	I2ZG0080
1148	軸	8EB2	4BA6	I1PI0080
1149	穴	8EB3	4C75	I1TH0080
1150	雫	8EB4	52A5	I2QT0080
1151	七	8EB5	4547	I0QV0080
1152	叱	8EB6	5042	I2DE0080
1153	執	8EB7	4D57	I1XZ0080
1154	失	8EB8	4941	I1C10080
1155	嫉	8EB9	53E0	I2XS0080
1156	室	8EBA	47B8	I14O0080
1157	悉	8EBB	5469	I2ZT0080
1158	湿	8EBC	4C90	I1U80080
1159	漆	8EBD	4DAE	I20E0080
1160	疾	8EBE	5142	I2IQ0080
1161	質	8EBF	46EC	I10S0080
1162	実	8EC0	45ED	I0VH0080
1163	蔀	8EC1	52BD	I2RH0080
1164	篠	8EC2	4875	I1850080
1165	悳	8EC3	54D2	I32Q0080
1166	柴	8EC4	47A7	I1470080
1167	芝	8EC5	4972	I1DE0080
1168	屢	8EC6	55C0	I37K0080

**Table 13 (Page 23 of 28).** Level 1 Kanji Set (1 of 2), DBCS-PC

Line Number	Graphic	PC Code	Host Code	GCGID
1169	藥	8EC7	5496	I3120080
1170	縞	8EC8	4F6B	I2970080
1171	舍	8EC9	4C58	I1SO0080
1172	写	8ECA	48C4	I1AC0080
1173	射	8ECB	498A	I1E20080
1174	捨	8ECC	4BB3	I1PV0080
1175	赦	8ECD	5151	I2J50080
1176	斜	8ECE	4BD1	I1QP0080
1177	煮	8ECF	4C4C	I1SC0080
1178	社	8ED0	4663	I0WZ0080
1179	紗	8ED1	4F47	I2870080
1180	者	8ED2	4670	I0XC0080
1181	謝	8ED3	4DBB	I20R0080
1182	車	8ED4	4653	I0WJ0080
1183	遮	8ED5	5458	I2ZC0080
1184	蛇	8ED6	4FEA	I2CQ0080
1185	邪	8ED7	4EB8	I2600080
1186	借	8ED8	4AD0	I1LC0080
1187	勺	8ED9	5470	I3000080
1188	尺	8EDA	4C6B	I1T70080
1189	杓	8EDB	54C1	I3290080
1190	灼	8EDC	546A	I2ZU0080
1191	爵	8EDD	53A9	I2W90080
1192	酌	8EDE	52BB	I2RF0080
1193	积	8EDF	4D79	I1YX0080
1194	錫	8EE0	5257	I2ON0080

IBM Japanese Graphic Character Set, Kanji


DBCS - Host and DBCS - PC

**Table 13 (Page 24 of 28).** Level 1 Kanji Set (1 of 2), DBCS-PC

Line Number	Graphic	PC Code	Host Code	GCGID
1195	若	8EE1	46D6	I1060080
1196	寂	8EE2	4FE9	I2CP0080
1197	弱	8EE3	4B6E	I1NY0080
1198	惹	8EE4	5472	I3020080
1199	主	8EE5	4762	I12A0080
1200	取	8EE6	46A6	I0YU0080
1201	守	8EE7	46F0	I10W0080
1202	手	8EE8	45CB	I0UJ0080
1203	朱	8EE9	4D42	I1XE0080
1204	殊	8EEA	4865	I17P0080
1205	狩	8EEB	4A7B	I1IZ0080
1206	珠	8EEC	4B99	I1P50080
1207	種	8EED	4692	I0YA0080
1208	腫	8EEE	51CE	I2MM0080
1209	趣	8EEF	4CED	I1WT0080
1210	酒	8EF0	4758	I1200080
1211	首	8EF1	49BE	I1FI0080
1212	儒	8EF2	546F	I2ZZ0080
1213	受	8EF3	484C	I1700080
1214	呪	8EF4	548D	I30T0080
1215	寿	8EF5	46B2	I0Z60080
1216	授	8EF6	4C61	I1SX0080
1217	樹	8EF7	46CF	I0ZZ0080
1218	綬	8EF8	51A3	I2LF0080
1219	需	8EF9	47FB	I16J0080
1220	囚	8EFA	5065	I2ED0080

**Table 13 (Page 24 of 28).** Level 1 Kanji Set (1 of 2), DBCS-PC

Line Number	Graphic	PC Code	Host Code	GCGID
1221	収	8EFB	4791	I13L0080
1222	周	8EFC	48A1	I19D0080
1223	宗	8F40	47DD	I15P0080
1224	就	8F41	4BEE	I1RI0080
1225	州	8F42	4741	I11D0080
1226	修	8F43	46DE	I10E0080
1227	愁	8F44	5282	I2PU0080
1228	拾	8F45	4DD7	I21J0080
1229	洲	8F46	4B72	I1O20080
1230	秀	8F47	45F1	I0VL0080
1231	秋	8F48	4658	I0WO0080
1232	終	8F49	49F4	I1H00080
1233	繡	8F4A	52DA	I2SA0080
1234	習	8F4B	4A69	I1IH0080
1235	臭	8F4C	4DB3	I20J0080
1236	舟	8F4D	4BB8	I1Q00080
1237	蒐	8F4E	4F93	I2AB0080
1238	衆	8F4F	4B88	I1OO0080
1239	襲	8F50	4DDF	I21R0080
1240	讐	8F51	53FE	I2YM0080
1241	蹴	8F52	52F6	I2T20080
1242	輯	8F53	55A6	I36U0080
1243	週	8F54	4AD3	I1LF0080
1244	酋	8F55	5548	I3480080
1245	酬	8F56	5149	I2IX0080
1246	集	8F57	47A0	I1400080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 13 (Page 25 of 28). Level 1 Kanji Set (1 of 2), DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
1247	醜	8F58	536F	I2UN0080
1248	什	8F59	53D9	I2XL0080
1249	住	8F5A	46E0	I10G0080
1250	充	8F5B	48C9	I1AH0080
1251	十	8F5C	454A	I0QY0080
1252	従	8F5D	48FB	I1BV0080
1253	戎	8F5E	517F	I2KF0080
1254	柔	8F5F	4DEA	I2220080
1255	汁	8F60	4D84	I1Z80080
1256	洩	8F61	4892	I18Y0080
1257	獸	8F62	4F65	I2910080
1258	縦	8F63	4E93	I24Z0080
1259	重	8F64	45A3	I0TF0080
1260	銃	8F65	4CE2	I1WI0080
1261	叔	8F66	4FA5	I2AT0080
1262	夙	8F67	54DD	I3310080
1263	宿	8F68	4882	I18I0080
1264	淑	8F69	4ABF	I1KV0080
1265	祝	8F6A	4CEB	I1WR0080
1266	縮	8F6B	49F7	I1H30080
1267	肅	8F6C	4FC8	I2BS0080
1268	塾	8F6D	5279	I2PL0080
1269	熟	8F6E	4EBF	I2670080
1270	出	8F6F	459B	I0T70080
1271	術	8F70	486C	I17W0080
1272	述	8F71	4A9C	I1JW0080

Table 13 (Page 25 of 28). Level 1 Kanji Set (1 of 2), DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
1273	俊	8F72	4660	I0WW0080
1274	峻	8F73	5072	I2EQ0080
1275	春	8F74	4662	I0WY0080
1276	瞬	8F75	4DB0	I20G0080
1277	竣	8F76	546B	I2ZV0080
1278	舜	8F77	4FB8	I2BC0080
1279	駿	8F78	4CC0	I1VK0080
1280	准	8F79	4F80	I29S0080
1281	循	8F7A	4EF5	I27P0080
1282	旬	8F7B	4D67	I1YF0080
1283	楯	8F7C	4FAE	I2B20080
1284	殉	8F7D	53A4	I2W40080
1285	淳	8F7E	4894	I1900080
1286	準	8F80	46CE	I0ZY0080
1287	潤	8F81	4AD2	I1LE0080
1288	盾	8F82	5082	I2F60080
1289	純	8F83	47A6	I1460080
1290	巡	8F84	4D47	I1XJ0080
1291	遵	8F85	526E	I2PA0080
1292	醇	8F86	51A9	I2LL0080
1293	順	8F87	47B2	I14I0080
1294	夙	8F88	48E6	I1BA0080
1295	初	8F89	474B	I11N0080
1296	所	8F8A	458C	I0SS0080
1297	暑	8F8B	4FBE	I2BI0080
1298	曙	8F8C	5152	I2J60080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 13 (Page 26 of 28). Level 1 Kanji Set (1 of 2), DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
1299	渚	8F8D	50E4	I2HW0080
1300	庶	8F8E	50C1	I2GX0080
1301	緒	8F8F	4A9B	I1JV0080
1302	署	8F90	4C99	I1UH0080
1303	書	8F91	479D	I13X0080
1304	薯	8F92	53F9	I2YH0080
1305	藹	8F93	55E2	I38I0080
1306	諸	8F94	47E2	I15U0080
1307	助	8F95	4671	I0XD0080
1308	叙	8F96	50F5	I2ID0080
1309	女	8F97	4699	I0YH0080
1310	序	8F98	4D4F	I1XR0080
1311	徐	8F99	50B3	I2GJ0080
1312	恕	8F9A	5298	I2QG0080
1313	鋤	8F9B	52C0	I2RK0080
1314	除	8F9C	496D	I1D90080
1315	傷	8F9D	4C5B	I1SR0080
1316	償	8F9E	4AA2	I1K20080
1317	勝	8F9F	45B5	I0TX0080
1318	匠	8FA0	4E6B	I23V0080
1319	升	8FA1	4E47	I22V0080
1320	召	8FA2	4F86	I29Y0080
1321	哨	8FA3	5568	I3540080
1322	商	8FA4	46BE	I0ZI0080
1323	唱	8FA5	4D43	I1XF0080
1324	嘗	8FA6	54EC	I33G0080

Table 13 (Page 26 of 28). Level 1 Kanji Set (1 of 2), DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
1325	獎	8FA7	4ECA	I26I0080
1326	妾	8FA8	53AF	I2WF0080
1327	娼	8FA9	5498	I3140080
1328	宵	8FAA	52EF	I2SV0080
1329	將	8FAB	4959	I1CP0080
1330	小	8FAC	455D	I0RH0080
1331	少	8FAD	484A	I16Y0080
1332	尚	8FAE	4871	I1810080
1333	庄	8FAF	4850	I1740080
1334	床	8FB0	4AED	I1M50080
1335	廠	8FB1	5562	I34Y0080
1336	彰	8FB2	4964	I1D00080
1337	承	8FB3	4C48	I1S80080
1338	抄	8FB4	4EC0	I2680080
1339	招	8FB5	4BFD	I1RX0080
1340	掌	8FB6	4EEC	I27G0080
1341	捷	8FB7	4D8F	I1ZJ0080
1342	昇	8FB8	46FE	I11A0080
1343	昌	8FB9	46D1	I1010080
1344	昭	8FBA	45B3	I0TV0080
1345	晶	8FBB	4AF8	I1MG0080
1346	松	8FBC	4578	I0S80080
1347	梢	8FBD	50AC	I2GC0080
1348	樟	8FBE	539B	I2VV0080
1349	樵	8FBF	5585	I35X0080
1350	沼	8FC0	46C6	I0ZQ0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
1351	消	8FC1	486B	I17V0080
1352	涉	8FC2	4AC0	I1KW0080
1353	湘	8FC3	5155	I2J90080
1354	燒	8FC4	4983	I1DV0080
1355	焦	8FC5	4DE6	I21Y0080
1356	照	8FC6	4742	I11E0080
1357	症	8FC7	4E4A	I22Y0080
1358	省	8FC8	4847	I16V0080
1359	硝	8FC9	4976	I1DI0080
1360	礁	8FCA	51B0	I2LS0080
1361	祥	8FCB	49F9	I1H50080
1362	称	8FCC	4BDF	I1R30080
1363	章	8FCD	476E	I12M0080
1364	笑	8FCE	49B5	I1F90080
1365	粧	8FCF	4BD4	I1QS0080
1366	紹	8FD0	4CE4	I1WK0080
1367	肖	8FD1	5267	I2P30080
1368	菖	8FD2	5180	I2KG0080
1369	蔣	8FD3	53F8	I2YG0080
1370	蕉	8FD4	53A8	I2W80080
1371	衝	8FD5	4DA5	I2050080
1372	裳	8FD6	4FA8	I2AW0080
1373	訟	8FD7	50EF	I2I70080
1374	証	8FD8	49BA	I1FE0080
1375	詔	8FD9	4F88	I2A00080
1376	詳	8FDA	4DE7	I21Z0080

Line Number	Graphic	PC Code	Host Code	GCGID
1377	象	8FDB	4994	I1EC0080
1378	賞	8FDC	4AAD	I1KD0080
1379	醬	8FDD	507F	I2F30080
1380	鉦	8FDE	4FB4	I2B80080
1381	鍾	8FDF	53BD	I2WT0080
1382	鐘	8FE0	4CC8	I1VS0080
1383	障	8FE1	4BF9	I1RT0080
1384	鞘	8FE2	52E7	I2SN0080
1385	上	8FE3	455E	I0RI0080
1386	丈	8FE4	49D3	I1G30080
1387	丞	8FE5	4F62	I28Y0080
1388	乘	8FE6	4947	I1C70080
1389	冗	8FE7	527E	I2PQ0080
1390	剩	8FE8	4D85	I1Z90080
1391	城	8FE9	45DB	I0UZ0080
1392	場	8FEA	45D9	I0UX0080
1393	壤	8FEB	5196	I2L20080
1394	嬢	8FEC	4DE4	I21W0080
1395	常	8FED	46EF	I10V0080
1396	情	8FEE	485F	I17J0080
1397	擾	8FEF	55F6	I3920080
1398	条	8FF0	475E	I1260080
1399	杖	8FF1	50F4	I2IC0080
1400	淨	8FF2	4CC9	I1VT0080
1401	状	8FF3	4852	I1760080
1402	疊	8FF4	4E54	I2380080

IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

**Table 13 (Page 28 of 28).** Level 1 Kanji Set (1 of 2), DBCS-PC

Line Number	Graphic	PC Code	Host Code	GCGID
1403	穰	8FF5	4E98	I2540080
1404	蒸	8FF6	4ABA	I1KQ0080
1405	讓	8FF7	4B7B	I1OB0080
1406	釀	8FF8	50C2	I2GY0080
1407	錠	8FF9	4E57	I23B0080
1408	囑	8FFA	50CA	I2H60080
1409	埴	8FFB	4F48	I2880080
1410	飾	8FFC	4957	I1CN0080

**Table 14 (Page 1 of 31).** Level 1 Kanji Set (2 of 2), DBCS-PC

Line Number	Graphic	PC Code	Host Code	GCGID
1411	拭	9040	4EE5	I2790080
1412	植	9041	47C5	I1510080
1413	殖	9042	4E73	I2430080
1414	燭	9043	54E6	I33A0080
1415	織	9044	489A	I1960080
1416	職	9045	48D7	I1AV0080
1417	色	9046	47C3	I14Z0080
1418	触	9047	4CD1	I1W10080
1419	食	9048	46B8	I0ZC0080
1420	蝕	9049	5347	I2TJ0080
1421	辱	904A	52E5	I2SL0080
1422	尻	904B	49CE	I1FY0080
1423	伸	904C	46F4	I1100080
1424	信	904D	45A5	I0TH0080
1425	侵	904E	4F8C	I2A40080
1426	唇	904F	4F76	I29I0080
1427	娠	9050	524C	I2OC0080
1428	寢	9051	4B59	I1ND0080
1429	審	9052	4987	I1DZ0080
1430	心	9053	46E7	I10N0080
1431	慎	9054	4A76	I1IU0080
1432	振	9055	48F6	I1BQ0080
1433	新	9056	4587	I0SN0080
1434	晋	9057	4BB2	I1PU0080
1435	森	9058	459D	I0T90080
1436	榛	9059	4D7E	I1Z20080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 14 (Page 2 of 31). Level 1 Kanji Set (2 of 2), DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
1437	浸	905A	4D41	I1XD0080
1438	深	905B	4777	I12V0080
1439	申	905C	4967	I1D30080
1440	疹	905D	54E1	I3350080
1441	真	905E	4642	I0W20080
1442	神	905F	45A1	I0TD0080
1443	秦	9060	4C8A	I1U20080
1444	紳	9061	4E59	I23D0080
1445	臣	9062	4A47	I1HJ0080
1446	芯	9063	4FE5	I2CL0080
1447	薪	9064	545A	I2ZE0080
1448	親	9065	4885	I18L0080
1449	診	9066	4D68	I1YG0080
1450	身	9067	479C	I13W0080
1451	辛	9068	4D5E	I1Y60080
1452	進	9069	4669	I0X50080
1453	針	906A	4988	I1E00080
1454	震	906B	4DDE	I21Q0080
1455	人	906C	4593	I0SZ0080
1456	仁	906D	4776	I12U0080
1457	刃	906E	4F44	I2840080
1458	塵	906F	4D89	I1ZD0080
1459	壬	9070	514F	I2J30080
1460	尋	9071	4D5F	I1Y70080
1461	甚	9072	4B66	I1NQ0080
1462	尽	9073	4FB9	I2BD0080

Table 14 (Page 2 of 31). Level 1 Kanji Set (2 of 2), DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
1463	腎	9074	52C4	I2RO0080
1464	訊	9075	50F2	I2IA0080
1465	迅	9076	5068	I2EG0080
1466	陣	9077	4C84	I1TW0080
1467	鞞	9078	52CE	I2RY0080
1468	筥	9079	52F4	I2T00080
1469	誡	907A	4BC1	I1Q90080
1470	須	907B	46B0	I0Z40080
1471	酢	907C	4BAE	I1PQ0080
1472	囟	907D	47C1	I14X0080
1473	厨	907E	5178	I2K80080
1474	逗	9080	4FB3	I2B70080
1475	吹	9081	49C4	I1FO0080
1476	垂	9082	4BC9	I1QH0080
1477	帥	9083	52AF	I2R30080
1478	推	9084	48D5	I1AT0080
1479	水	9085	459C	I0T80080
1480	炊	9086	4FCB	I2BV0080
1481	睡	9087	526C	I2P80080
1482	粹	9088	4FCC	I2BW0080
1483	翠	9089	4F69	I2950080
1484	衰	908A	4F54	I28K0080
1485	遂	908B	4CF7	I1X30080
1486	醉	908C	4E7C	I24C0080
1487	錐	908D	5390	I2VK0080
1488	錘	908E	54EF	I33J0080





## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 14 (Page 3 of 31). Level 1 Kanji Set (2 of 2), DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
1489	随	908F	4E76	I2460080
1490	瑞	9090	4B5B	I1NF0080
1491	髓	9091	52C5	I2RP0080
1492	崇	9092	4C7F	I1TR0080
1493	嵩	9093	509E	I2FY0080
1494	数	9094	46CC	I0ZW0080
1495	枢	9095	52D0	I2S00080
1496	趨	9096	5561	I34X0080
1497	雛	9097	51FB	I2NV0080
1498	据	9098	4ED6	I26U0080
1499	杉	9099	4668	I0X40080
1500	椛	909A	4FED	I2CT0080
1501	菅	909B	4753	I11V0080
1502	頗	909C	55E4	I38K0080
1503	雀	909D	4F64	I2900080
1504	裾	909E	4C8D	I1U50080
1505	澄	909F	4887	I18N0080
1506	摺	90A0	51EF	I2NJ0080
1507	寸	90A1	4B60	I1NK0080
1508	世	90A2	469B	I0YJ0080
1509	瀬	90A3	465B	I0WR0080
1510	畝	90A4	5086	I2FA0080
1511	是	90A5	4BBB	I1Q30080
1512	凄	90A6	52DC	I2SC0080
1513	制	90A7	46C4	I0ZO0080
1514	勢	90A8	47EE	I1660080

Table 14 (Page 3 of 31). Level 1 Kanji Set (2 of 2), DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
1515	姓	90A9	4FF1	I2CX0080
1516	征	90AA	4A61	I1190080
1517	性	90AB	466E	I0XA0080
1518	成	90AC	45BA	I0U20080
1519	政	90AD	45C7	I0UF0080
1520	整	90AE	477C	I1300080
1521	星	90AF	47A9	I1490080
1522	晴	90B0	4795	I13P0080
1523	棲	90B1	5375	I2UT0080
1524	栖	90B2	4DCC	I2180080
1525	正	90B3	4577	I0S70080
1526	清	90B4	4596	I0T20080
1527	牲	90B5	5158	I2JC0080
1528	生	90B6	4599	I0T50080
1529	盛	90B7	4844	I16S0080
1530	精	90B8	466C	I0X80080
1531	聖	90B9	4BB5	I1PX0080
1532	声	90BA	496C	I1D80080
1533	製	90BB	457B	I0SB0080
1534	西	90BC	4558	I0RC0080
1535	誠	90BD	46FD	I1190080
1536	誓	90BE	4FA0	I2AO0080
1537	請	90BF	4AE8	I1M00080
1538	逝	90C0	53B1	I2WH0080
1539	醒	90C1	5378	I2UW0080
1540	青	90C2	464C	I0WC0080




## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
1541	静	90C3	4644	I0W40080
1542	斉	90C4	468E	I0Y60080
1543	税	90C5	47C4	I1500080
1544	脆	90C6	55EC	I38S0080
1545	隻	90C7	4FDA	I2CA0080
1546	席	90C8	4B53	I1N70080
1547	惜	90C9	4ED7	I26V0080
1548	戚	90CA	5595	I36D0080
1549	斥	90CB	5141	I2IP0080
1550	昔	90CC	4C59	I1SP0080
1551	析	90CD	4AE2	I1LU0080
1552	石	90CE	4580	I0SG0080
1553	積	90CF	4891	I18X0080
1554	籍	90D0	4DFE	I22M0080
1555	績	90D1	4866	I17Q0080
1556	脊	90D2	535E	I2U60080
1557	責	90D3	4BD2	I1QQ0080
1558	赤	90D4	46F9	I1150080
1559	跡	90D5	4CCD	I1VX0080
1560	蹟	90D6	5368	I2UG0080
1561	碩	90D7	507D	I2F10080
1562	切	90D8	4765	I12D0080
1563	拙	90D9	525C	I2OS0080
1564	接	90DA	47A8	I1480080
1565	撰	90DB	4E8C	I24S0080
1566	折	90DC	498D	I1E50080

Line Number	Graphic	PC Code	Host Code	GCGID
1567	設	90DD	45E2	I0V60080
1568	窃	90DE	5169	I2JT0080
1569	節	90DF	47A1	I1410080
1570	説	90E0	4952	I1CI0080
1571	雪	90E1	49BB	I1FF0080
1572	絶	90E2	4AF3	I1MB0080
1573	舌	90E3	5094	I2FO0080
1574	蟬	90E4	53E8	I2Y00080
1575	仙	90E5	48A2	I19E0080
1576	先	90E6	47A2	I1420080
1577	千	90E7	454C	I0R00080
1578	占	90E8	49EE	I1GU0080
1579	宣	90E9	498F	I1E70080
1580	専	90EA	49FB	I1H70080
1581	尖	90EB	53C0	I2WW0080
1582	川	90EC	4567	I0RR0080
1583	戦	90ED	4764	I12C0080
1584	扇	90EE	4DCA	I2160080
1585	撰	90EF	5372	I2UQ0080
1586	栓	90F0	50E3	I2HV0080
1587	梅	90F1	55DA	I38A0080
1588	泉	90F2	46EE	I10U0080
1589	浅	90F3	468D	I0Y50080
1590	洗	90F4	4A4E	I1HQ0080
1591	染	90F5	489B	I1970080
1592	潜	90F6	4DC0	I20W0080




## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 14 (Page 5 of 31). Level 1 Kanji Set (2 of 2), DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
1593	煎	90F7	5490	I30W0080
1594	煽	90F8	5590	I3680080
1595	旋	90F9	4D7B	I1YZ0080
1596	穿	90FA	4E91	I24X0080
1597	箭	90FB	518D	I2KT0080
1598	線	90FC	4687	I0XZ0080
1599	織	9140	4868	I17S0080
1600	羨	9141	5596	I36E0080
1601	腺	9142	526F	I2PB0080
1602	舛	9143	4FC1	I2BL0080
1603	船	9144	467B	I0XN0080
1604	薦	9145	4FBF	I2BJ0080
1605	詮	9146	518E	I2KU0080
1606	賤	9147	5566	I3520080
1607	踐	9148	50D1	I2HD0080
1608	選	9149	485D	I17H0080
1609	遷	914A	535B	I2U30080
1610	錢	914B	4D48	I1XK0080
1611	銑	914C	4CAD	I1V10080
1612	閃	914D	519C	I2L80080
1613	鮮	914E	4CE9	I1WP0080
1614	前	914F	45AF	I0TR0080
1615	善	9150	46B3	I0Z70080
1616	漸	9151	4D73	I1YR0080
1617	然	9152	47EF	I1670080
1618	全	9153	46B1	I0Z50080

Table 14 (Page 5 of 31). Level 1 Kanji Set (2 of 2), DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
1619	禪	9154	4F87	I29Z0080
1620	繕	9155	51D4	I2MS0080
1621	膳	9156	5076	I2EU0080
1622	糲	9157	5160	I2JK0080
1623	噌	9158	5062	I2EA0080
1624	塑	9159	4EC6	I26E0080
1625	岨	915A	54B9	I3210080
1626	措	915B	4A60	I1180080
1627	曾	915C	5166	I2JQ0080
1628	曾	915D	495F	I1CV0080
1629	楚	915E	534C	I2TO0080
1630	狙	915F	4ECF	I26N0080
1631	疏	9160	55B0	I3740080
1632	疎	9161	5171	I2K10080
1633	礎	9162	4C9C	I1UK0080
1634	祖	9163	4CDC	I1WC0080
1635	租	9164	4D83	I1Z70080
1636	粗	9165	4D59	I1Y10080
1637	素	9166	479F	I13Z0080
1638	組	9167	46B9	I0ZD0080
1639	蘇	9168	4CBF	I1VJ0080
1640	訴	9169	4CDF	I1WF0080
1641	阻	916A	4FEF	I2CV0080
1642	遡	916B	544C	I2Z00080
1643	鼠	916C	50CB	I2H70080
1644	僧	916D	4E84	I24K0080




## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 14 (Page 6 of 31). Level 1 Kanji Set (2 of 2), DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
1645	創	916E	4BE1	I1R50080
1646	双	916F	4B71	I1O10080
1647	叢	9170	53F5	I2YD0080
1648	倉	9171	45D6	I0UU0080
1649	喪	9172	5168	I2JS0080
1650	壯	9173	4C9F	I1UN0080
1651	奏	9174	4C53	I1SJ0080
1652	爽	9175	52DD	I2SD0080
1653	宋	9176	524D	I2OD0080
1654	屑	9177	4A8E	I1JI0080
1655	匝	9178	51B7	I2LZ0080
1656	惣	9179	4B68	I1NS0080
1657	想	917A	48B3	I19V0080
1658	搜	917B	4DDD	I21P0080
1659	掃	917C	4DC3	I2OZ0080
1660	挿	917D	5555	I34L0080
1661	搔	917E	54A3	I31F0080
1662	操	9180	499B	I1EJ0080
1663	早	9181	46E9	I10P0080
1664	曹	9182	4ED2	I26Q0080
1665	巢	9183	4C67	I1T30080
1666	槍	9184	52DB	I2SB0080
1667	槽	9185	4DB7	I20N0080
1668	漕	9186	54A1	I31D0080
1669	燥	9187	4C66	I1T20080
1670	争	9188	4896	I1920080

Table 14 (Page 6 of 31). Level 1 Kanji Set (2 of 2), DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
1671	瘦	9189	54A4	I31G0080
1672	相	918A	4678	I0XK0080
1673	窓	918B	4BE9	I1RD0080
1674	糟	918C	518C	I2KS0080
1675	総	918D	4793	I13N0080
1676	綜	918E	5070	I2EO0080
1677	聡	918F	4B89	I1OP0080
1678	草	9190	4842	I16Q0080
1679	荘	9191	4B62	I1NM0080
1680	葬	9192	4F79	I29L0080
1681	蒼	9193	50B9	I2GP0080
1682	藻	9194	505F	I2E70080
1683	装	9195	4898	I1940080
1684	走	9196	4AAA	I1KA0080
1685	送	9197	4744	I11G0080
1686	遭	9198	5143	I2IR0080
1687	鎗	9199	5197	I2L30080
1688	霜	919A	4DE8	I2200080
1689	騷	919B	4DD2	I21E0080
1690	像	919C	4BBA	I1Q20080
1691	増	919D	464D	I0WD0080
1692	憎	919E	4F4A	I28A0080
1693	臓	919F	4DBD	I20T0080
1694	蔵	91A0	465E	I0WU0080
1695	贈	91A1	4C7C	I1TO0080
1696	造	91A2	45B8	I0U00080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 14 (Page 7 of 31). Level 1 Kanji Set (2 of 2), DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
1697	促	91A3	4A6A	I11I0080
1698	側	91A4	4943	I1C30080
1699	則	91A5	474D	I11P0080
1700	即	91A6	4B6D	I1NX0080
1701	息	91A7	4BB0	I1PS0080
1702	捉	91A8	53A0	I2W00080
1703	束	91A9	4B4B	I1MZ0080
1704	測	91AA	4945	I1C50080
1705	足	91AB	46FA	I1160080
1706	速	91AC	48CD	I1AL0080
1707	俗	91AD	4E97	I2530080
1708	属	91AE	476D	I12L0080
1709	賊	91AF	4FFD	I2D90080
1710	族	91B0	4ADC	I1LO0080
1711	続	91B1	47CB	I1570080
1712	卒	91B2	4AF2	I1MA0080
1713	袖	91B3	4A57	I1HZ0080
1714	其	91B4	4F67	I2930080
1715	揃	91B5	4EFD	I27X0080
1716	存	91B6	4A41	I1HD0080
1717	孫	91B7	4C5E	I1SU0080
1718	尊	91B8	4CEF	I1WV0080
1719	損	91B9	4BD8	I1QW0080
1720	村	91BA	4556	I0RA0080
1721	遜	91BB	5455	I2Z90080
1722	他	91BC	4755	I11X0080

Table 14 (Page 7 of 31). Level 1 Kanji Set (2 of 2), DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
1723	多	91BD	45FE	I0VY0080
1724	太	91BE	45AB	I0TN0080
1725	汰	91BF	50D2	I2HE0080
1726	訖	91C0	55E3	I38J0080
1727	唾	91C1	5478	I3080080
1728	墮	91C2	53B0	I2WG0080
1729	妥	91C3	4D9E	I1ZY0080
1730	惰	91C4	54B8	I3200080
1731	打	91C5	47EA	I1620080
1732	柁	91C6	55CD	I37X0080
1733	舵	91C7	54DB	I32Z0080
1734	橇	91C8	55C5	I37P0080
1735	陀	91C9	4FE8	I2CO0080
1736	駄	91CA	4DE5	I21X0080
1737	驎	91CB	53DA	I2XM0080
1738	体	91CC	4696	I0YE0080
1739	堆	91CD	5371	I2UP0080
1740	对	91CE	4656	I0WM0080
1741	耐	91CF	498E	I1E60080
1742	岱	91D0	5262	I2OY0080
1743	带	91D1	4960	I1CW0080
1744	待	91D2	48A3	I19F0080
1745	怠	91D3	5081	I2F50080
1746	態	91D4	48FD	I1BX0080
1747	戴	91D5	5092	I2FM0080
1748	替	91D6	4BC3	I1QB0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 14 (Page 8 of 31). Level 1 Kanji Set (2 of 2), DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
1749	泰	91D7	46F3	I10Z0080
1750	滯	91D8	4DA1	I2010080
1751	胎	91D9	5263	I2OZ0080
1752	腿	91DA	529A	I2QI0080
1753	苔	91DB	52D7	I2S70080
1754	袋	91DC	4A54	I1HW0080
1755	貸	91DD	4AF4	I1MC0080
1756	退	91DE	4B49	I1MX0080
1757	逮	91DF	4F77	I29J0080
1758	隊	91E0	4A93	I1JN0080
1759	黛	91E1	51DD	I2N10080
1760	鯛	91E2	50D8	I2HK0080
1761	代	91E3	459A	I0T60080
1762	台	91E4	4778	I12W0080
1763	大	91E5	455B	I0RF0080
1764	第	91E6	467E	I0XQ0080
1765	醜	91E7	516F	I2JZ0080
1766	題	91E8	47FE	I16M0080
1767	鷹	91E9	4B7A	I1OA0080
1768	滝	91EA	47A3	I1430080
1769	瀧	91EB	52AE	I2R20080
1770	卓	91EC	4996	I1EE0080
1771	啄	91ED	5383	I2V70080
1772	宅	91EE	486F	I17Z0080
1773	托	91EF	55D5	I3850080
1774	扱	91F0	4E7E	I24E0080

Table 14 (Page 8 of 31). Level 1 Kanji Set (2 of 2), DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
1775	拓	91F1	4BDB	I1QZ0080
1776	沢	91F2	4585	I0SL0080
1777	濯	91F3	4DD4	I21G0080
1778	琢	91F4	4E5C	I23G0080
1779	託	91F5	4AB6	I1KM0080
1780	鐸	91F6	5388	I2VC0080
1781	濁	91F7	50BE	I2GU0080
1782	諾	91F8	4FE1	I2CH0080
1783	茸	91F9	4DF7	I22F0080
1784	夙	91FA	558A	I3620080
1785	蛸	91FB	524E	I2OE0080
1786	只	91FC	4E41	I22P0080
1787	叩	9240	4F71	I29D0080
1788	但	9241	4EFE	I27Y0080
1789	達	9242	46A4	I0YS0080
1790	辰	9243	47DF	I15R0080
1791	奪	9244	4EBB	I2630080
1792	脱	9245	4AB4	I1KK0080
1793	翼	9246	4E46	I22U0080
1794	豎	9247	51C8	I2MG0080
1795	辿	9248	547E	I30E0080
1796	棚	9249	4BEF	I1RJ0080
1797	谷	924A	4581	I0SH0080
1798	狸	924B	52FE	I2TA0080
1799	鱈	924C	5560	I34W0080
1800	樽	924D	4BBE	I1Q60080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 14 (Page 9 of 31). Level 1 Kanji Set (2 of 2), DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
1801	誰	924E	4B83	I1OJ0080
1802	丹	924F	48AB	I19N0080
1803	単	9250	48E3	I1B70080
1804	嘆	9251	5063	I2EB0080
1805	坦	9252	51C4	I2MC0080
1806	担	9253	4AA1	I1K10080
1807	探	9254	4B7F	I1OF0080
1808	旦	9255	4D9D	I1ZX0080
1809	歎	9256	5487	I30N0080
1810	淡	9257	4CA5	I1UT0080
1811	湛	9258	53F3	I2YB0080
1812	炭	9259	4861	I17L0080
1813	短	925A	4A82	I1J60080
1814	端	925B	48EF	I1BJ0080
1815	箆	925C	54CA	I32I0080
1816	綻	925D	54A6	I31I0080
1817	耽	925E	55B8	I37C0080
1818	胆	925F	4E9B	I2570080
1819	蛋	9260	53D8	I2XK0080
1820	誕	9261	4FA2	I2AQ0080
1821	鍛	9262	48C7	I1AF0080
1822	団	9263	47F0	I1680080
1823	壇	9264	4E8E	I24U0080
1824	弾	9265	4AD4	I1LG0080
1825	断	9266	4989	I1E10080
1826	暖	9267	4D6C	I1YK0080

Table 14 (Page 9 of 31). Level 1 Kanji Set (2 of 2), DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
1827	檀	9268	4FF5	I2D10080
1828	段	9269	47ED	I1650080
1829	男	926A	457C	I0SC0080
1830	談	926B	4963	I1CZ0080
1831	値	926C	487D	I18D0080
1832	知	926D	45B0	I0TS0080
1833	地	926E	45C2	I0UA0080
1834	弛	926F	5597	I36F0080
1835	恥	9270	4ECE	I26M0080
1836	智	9271	46A8	I0YW0080
1837	池	9272	45E8	I0VC0080
1838	痴	9273	5089	I2FD0080
1839	稚	9274	4DCF	I21B0080
1840	置	9275	468C	I0Y40080
1841	致	9276	4C6A	I1T60080
1842	蜘	9277	54DC	I3300080
1843	遲	9278	4C6D	I1T90080
1844	馳	9279	52DF	I2SF0080
1845	築	927A	49A8	I1EW0080
1846	畜	927B	4D72	I1YQ0080
1847	竹	927C	45F5	I0VP0080
1848	筑	927D	4B45	I1MT0080
1849	蓄	927E	4C94	I1UC0080
1850	逐	9280	50BB	I2GR0080
1851	秩	9281	4D9F	I1ZZ0080
1852	窒	9282	4FB0	I2B40080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
1853	茶	9283	4977	I1DJ0080
1854	嫡	9284	5567	I3530080
1855	着	9285	47AA	I14A0080
1856	中	9286	455C	I0RG0080
1857	仲	9287	4869	I17T0080
1858	宙	9288	4D64	I1YC0080
1859	忠	9289	464F	I0WF0080
1860	抽	928A	4D53	I1XV0080
1861	昼	928B	4C98	I1UG0080
1862	柱	928C	4BEA	I1RE0080
1863	注	928D	4944	I1C40080
1864	虫	928E	4BCB	I1QJ0080
1865	衷	928F	52E9	I2SP0080
1866	註	9290	4F66	I2920080
1867	耐	9291	5591	I3690080
1868	鑄	9292	48C1	I1A90080
1869	駐	9293	4DF5	I22D0080
1870	樗	9294	538B	I2VF0080
1871	滌	9295	4FDE	I2CE0080
1872	猪	9296	49C5	I1FP0080
1873	苧	9297	54B0	I31S0080
1874	著	9298	4A59	I1110080
1875	貯	9299	4C62	I1SY0080
1876	丁	929A	4BCE	I1QM0080
1877	兆	929B	4DF3	I22B0080
1878	涸	929C	55F9	I3950080

Line Number	Graphic	PC Code	Host Code	GCGID
1879	喋	929D	5558	I34O0080
1880	寵	929E	5556	I34M0080
1881	帖	929F	51C7	I2MF0080
1882	帳	92A0	4DC5	I2110080
1883	庁	92A1	4B92	I1OY0080
1884	弔	92A2	51E5	I2N90080
1885	張	92A3	48BA	I1A20080
1886	彫	92A4	4E86	I24M0080
1887	徽	92A5	4C74	I1TG0080
1888	懲	92A6	5153	I2J70080
1889	挑	92A7	4FDB	I2CB0080
1890	暢	92A8	4CC7	I1VR0080
1891	朝	92A9	475C	I1240080
1892	潮	92AA	4C93	I1UB0080
1893	牒	92AB	55DD	I38D0080
1894	町	92AC	4555	I0R90080
1895	眺	92AD	4E5F	I23J0080
1896	聽	92AE	4DA8	I2080080
1897	脹	92AF	55E9	I38P0080
1898	腸	92B0	4DB6	I20M0080
1899	蝶	92B1	4E6E	I23Y0080
1900	調	92B2	4689	I0Y10080
1901	諜	92B3	5570	I35C0080
1902	超	92B4	4A78	I11W0080
1903	跳	92B5	50B4	I2GK0080
1904	銚	92B6	4E80	I24G0080





## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 14 (Page 11 of 31). Level 1 Kanji Set (2 of 2), DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
1905	長	92B7	4583	I0SJ0080
1906	頂	92B8	4D5B	I1Y30080
1907	鳥	92B9	4779	I12X0080
1908	勅	92BA	4EEF	I27J0080
1909	抄	92BB	5546	I3460080
1910	直	92BC	4674	I0XG0080
1911	朕	92BD	55F3	I38Z0080
1912	沈	92BE	4C8F	I1U70080
1913	珍	92BF	4D5D	I1Y50080
1914	賃	92C0	4B4D	I1N10080
1915	鎮	92C1	4C89	I1U10080
1916	陳	92C2	4E61	I23L0080
1917	津	92C3	45DC	I0V00080
1918	墜	92C4	5150	I2J40080
1919	椎	92C5	4BA0	I1PC0080
1920	槌	92C6	4EFA	I27U0080
1921	追	92C7	49D1	I1G10080
1922	鎚	92C8	54FE	I33Y0080
1923	痛	92C9	4C47	I1S70080
1924	通	92CA	45E3	I0V70080
1925	塚	92CB	4657	I0WN0080
1926	柁	92CC	52D1	I2S10080
1927	搦	92CD	54CD	I32L0080
1928	槻	92CE	4B5C	I1NG0080
1929	佃	92CF	4EDF	I2730080
1930	漬	92D0	4E8A	I24Q0080

Table 14 (Page 11 of 31). Level 1 Kanji Set (2 of 2), DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
1931	柘	92D1	4FD8	I2C80080
1932	辻	92D2	47F5	I16D0080
1933	蔦	92D3	4FA1	I2AP0080
1934	綴	92D4	4DC9	I2150080
1935	鏝	92D5	54AA	I31M0080
1936	椿	92D6	4CBA	I1VE0080
1937	漬	92D7	5446	I2YU0080
1938	坪	92D8	4949	I1C90080
1939	壺	92D9	5077	I2EV0080
1940	孀	92DA	52EA	I2SQ0080
1941	紬	92DB	5592	I36A0080
1942	爪	92DC	4C87	I1TZ0080
1943	吊	92DD	53D3	I2XF0080
1944	釣	92DE	4CE3	I1WJ0080
1945	鶴	92DF	477A	I12Y0080
1946	亭	92E0	4E52	I2360080
1947	低	92E1	48A4	I19G0080
1948	停	92E2	4E70	I2400080
1949	偵	92E3	4F95	I2AD0080
1950	剃	92E4	5379	I2UX0080
1951	貞	92E5	46B6	I0ZA0080
1952	呈	92E6	4F56	I28M0080
1953	堤	92E7	4B61	I1NL0080
1954	定	92E8	45E7	I0VB0080
1955	帝	92E9	489C	I1980080
1956	底	92EA	4B64	I1NO0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
1957	庭	92EB	48E0	I1B40080
1958	廷	92EC	505B	I2E30080
1959	弟	92ED	4C9B	I1UJ0080
1960	悌	92EE	4DE3	I21V0080
1961	抵	92EF	4B90	I1OW0080
1962	挺	92F0	5387	I2VB0080
1963	提	92F1	49B9	I1FD0080
1964	梯	92F2	51E4	I2N80080
1965	汀	92F3	534D	I2TP0080
1966	碇	92F4	5195	I2L10080
1967	禎	92F5	4BA7	I1PJ0080
1968	程	92F6	47F4	I16C0080
1969	締	92F7	4A80	I1J40080
1970	艇	92F8	4DFC	I22K0080
1971	訂	92F9	4FC4	I2BO0080
1972	諦	92FA	5246	I2O60080
1973	蹄	92FB	55A7	I36V0080
1974	逋	92FC	515E	I2JI0080
1975	邸	9340	4D81	I1Z50080
1976	鄭	9341	5154	I2J80080
1977	釘	9342	4FF4	I2D00080
1978	鼎	9343	51AA	I2LM0080
1979	泥	9344	4E56	I23A0080
1980	摘	9345	4DCB	I2170080
1981	擢	9346	5543	I3430080
1982	敵	9347	4BF3	I1RN0080

Line Number	Graphic	PC Code	Host Code	GCGID
1983	滴	9348	4FB7	I2BB0080
1984	的	9349	45EF	I0VJ0080
1985	笛	934A	4F41	I2810080
1986	適	934B	49CC	I1FW0080
1987	鎚	934C	5041	I2DD0080
1988	溺	934D	5497	I3130080
1989	哲	934E	4747	I11J0080
1990	徹	934F	48F8	I1BS0080
1991	撤	9350	4E7A	I24A0080
1992	轍	9351	54EE	I33I0080
1993	迭	9352	53DF	I2XR0080
1994	鉄	9353	45D7	I0UV0080
1995	典	9354	47C9	I1550080
1996	填	9355	4F5E	I28U0080
1997	天	9356	468A	I0Y20080
1998	展	9357	48DD	I1B10080
1999	店	9358	4854	I1780080
2000	添	9359	4A91	I1JL0080
2001	纏	935A	55FA	I3960080
2002	甜	935B	52A7	I2QV0080
2003	貼	935C	507B	I2EZ0080
2004	転	935D	4752	I11U0080
2005	顛	935E	55C1	I37L0080
2006	点	935F	4788	I13C0080
2007	伝	9360	48D9	I1AX0080
2008	殿	9361	4849	I16X0080




## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 14 (Page 13 of 31). Level 1 Kanji Set (2 of 2), DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
2009	澱	9362	5589	I3610080
2010	田	9363	4563	I0RN0080
2011	電	9364	4582	I0SI0080
2012	兎	9365	5050	I2DS0080
2013	吐	9366	4EB2	I25U0080
2014	堵	9367	54F6	I33Q0080
2015	塗	9368	486A	I17U0080
2016	妬	9369	537F	I2V30080
2017	屠	936A	53FB	I2YJ0080
2018	徒	936B	4C6C	I1T80080
2019	斗	936C	4E83	I24J0080
2020	杜	936D	525D	I2OT0080
2021	渡	936E	45D2	I0UQ0080
2022	登	936F	46E8	I10O0080
2023	菟	9370	53D4	I2XG0080
2024	賭	9371	52C1	I2RL0080
2025	途	9372	48F0	I1BK0080
2026	都	9373	454F	I0R30080
2027	鍍	9374	55D3	I3830080
2028	砥	9375	4D45	I1XH0080
2029	礪	9376	514C	I2J00080
2030	努	9377	4A64	I1IC0080
2031	度	9378	45DE	I0V20080
2032	土	9379	4684	I0XW0080
2033	奴	937A	4D90	I1ZK0080
2034	怒	937B	4CD6	I1W60080

Table 14 (Page 13 of 31). Level 1 Kanji Set (2 of 2), DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
2035	倒	937C	4B6A	I1NU0080
2036	党	937D	494B	I1CB0080
2037	冬	937E	4BDE	I1R20080
2038	凍	9380	4BE6	I1RA0080
2039	刀	9381	4C50	I1SG0080
2040	唐	9382	4BAB	I1PN0080
2041	塔	9383	4CCB	I1VV0080
2042	塘	9384	52F8	I2T40080
2043	套	9385	5583	I35V0080
2044	宕	9386	515C	I2JG0080
2045	島	9387	456F	I0RZ0080
2046	嶋	9388	47D1	I15D0080
2047	悼	9389	5145	I2IT0080
2048	投	938A	4751	I11T0080
2049	搭	938B	528F	I2Q70080
2050	東	938C	4557	I0RB0080
2051	桃	938D	4ADA	I1LM0080
2052	檣	938E	545D	I2ZH0080
2053	棟	938F	4EA9	I25L0080
2054	盜	9390	4D65	I1YD0080
2055	淘	9391	55E1	I38H0080
2056	湯	9392	48BD	I1A50080
2057	濤	9393	51D2	I2MQ0080
2058	灯	9394	4B65	I1NP0080
2059	燈	9395	4EF8	I27S0080
2060	当	9396	465F	I0WV0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 14 (Page 14 of 31). Level 1 Kanji Set (2 of 2), DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
2061	痘	9397	5549	I3490080
2062	禱	9398	5553	I34J0080
2063	等	9399	46A7	I0YV0080
2064	答	939A	49D0	I1G00080
2065	筒	939B	4B7C	I1OC0080
2066	糖	939C	4884	I18K0080
2067	統	939D	4881	I18H0080
2068	到	939E	4CDD	I1WD0080
2069	董	939F	5071	I2EP0080
2070	蕩	93A0	54F0	I33K0080
2071	藤	93A1	4568	I0RS0080
2072	討	93A2	49D2	I1G20080
2073	膳	93A3	4FE2	I2CI0080
2074	豆	93A4	4A99	I1JT0080
2075	踏	93A5	4D7C	I1Z00080
2076	逃	93A6	4C72	I1TE0080
2077	透	93A7	4BDA	I1QY0080
2078	鐙	93A8	52CF	I2RZ0080
2079	陶	93A9	4AB7	I1KN0080
2080	頭	93AA	47EB	I1630080
2081	騰	93AB	4E5E	I23I0080
2082	鬪	93AC	4BCC	I1QK0080
2083	働	93AD	48EC	I1BG0080
2084	動	93AE	45E4	I0V80080
2085	同	93AF	466D	I0X90080
2086	堂	93B0	497F	I1DR0080

Table 14 (Page 14 of 31). Level 1 Kanji Set (2 of 2), DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
2087	導	93B1	48AE	I19Q0080
2088	懂	93B2	53C2	I2WY0080
2089	撞	93B3	55DB	I38B0080
2090	洞	93B4	4D98	I1ZS0080
2091	瞳	93B5	4F9B	I2AJ0080
2092	童	93B6	4D50	I1XS0080
2093	胴	93B7	4EAB	I25N0080
2094	萄	93B8	54F7	I33R0080
2095	道	93B9	4550	I0R40080
2096	銅	93BA	48C0	I1A80080
2097	峠	93BB	4F96	I2AE0080
2098	鴿	93BC	51A1	I2LD0080
2099	匿	93BD	50F1	I2I90080
2100	得	93BE	47E8	I1600080
2101	徳	93BF	4654	I0WK0080
2102	澆	93C0	5550	I34G0080
2103	特	93C1	46A2	I0YQ0080
2104	督	93C2	4A73	I11R0080
2105	禿	93C3	53D0	I2XC0080
2106	篤	93C4	4AD8	I1LK0080
2107	毒	93C5	4C97	I1UF0080
2108	独	93C6	4ADB	I1LN0080
2109	読	93C7	4A4F	I1HR0080
2110	栃	93C8	47D3	I15F0080
2111	橡	93C9	55D4	I3840080
2112	凸	93CA	50CF	I2HB0080

IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

**Table 14 (Page 15 of 31).** Level 1 Kanji Set (2 of 2), DBCS-PC

Line Number	Graphic	PC Code	Host Code	GCGID
2113	突	93CB	4AFD	I1ML0080
2114	椴	93CC	54A7	I31J0080
2115	届	93CD	4DA7	I2070080
2116	鳶	93CE	54C4	I32C0080
2117	苦	93CF	4D5A	I1Y20080
2118	寅	93D0	4A84	I1J80080
2119	酉	93D1	4F73	I29F0080
2120	滯	93D2	535C	I2U40080
2121	噸	93D3	55F1	I38X0080
2122	屯	93D4	4FDD	I2CD0080
2123	惇	93D5	4E65	I23P0080
2124	敦	93D6	49F2	I1GY0080
2125	沌	93D7	5598	I36G0080
2126	豚	93D8	4CCF	I1VZ0080
2127	遁	93D9	54F8	I33S0080
2128	頓	93DA	517A	I2KA0080
2129	呑	93DB	50B0	I2GG0080
2130	曇	93DC	4C56	I1SM0080
2131	鈍	93DD	4E63	I23N0080
2132	奈	93DE	45E6	I0VA0080
2133	那	93DF	4846	I16U0080
2134	内	93E0	458E	I0SU0080
2135	乍	93E1	55A9	I36X0080
2136	凧	93E2	549E	I31A0080
2137	雍	93E3	51AD	I2LP0080
2138	謎	93E4	52F9	I2T50080

**Table 14 (Page 15 of 31).** Level 1 Kanji Set (2 of 2), DBCS-PC

Line Number	Graphic	PC Code	Host Code	GCGID
2139	灘	93E5	4B96	I1P20080
2140	捺	93E6	4FC0	I2BK0080
2141	鍋	93E7	4B48	I1MW0080
2142	櫓	93E8	4D93	I1ZN0080
2143	馴	93E9	50A1	I2G10080
2144	縄	93EA	4859	I17D0080
2145	睨	93EB	50DD	I2HP0080
2146	南	93EC	4559	I0RD0080
2147	楠	93ED	4ADF	I1LR0080
2148	軟	93EE	4CB1	I1V50080
2149	難	93EF	495A	I1CQ0080
2150	汝	93F0	555E	I34U0080
2151	二	93F1	4542	I0QQ0080
2152	尼	93F2	4A86	I1JA0080
2153	弍	93F3	50E1	I2HT0080
2154	邇	93F4	5186	I2KM0080
2155	匂	93F5	4ECB	I26J0080
2156	賑	93F6	539E	I2VY0080
2157	肉	93F7	4A42	I1HE0080
2158	虹	93F8	51B6	I2LY0080
2159	廿	93F9	51D9	I2MX0080
2160	日	93FA	4562	I0RM0080
2161	乳	93FB	4A98	I1JS0080
2162	入	93FC	4665	I0X10080
2163	如	9440	4BF8	I1RS0080
2164	尿	9441	4CC6	I1VQ0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
2165	菲	9442	4FDF	I2CF0080
2166	任	9443	4A55	I1HX0080
2167	妊	9444	5043	I2DF0080
2168	忍	9445	4BD7	I1QV0080
2169	認	9446	4A7E	I1J20080
2170	濡	9447	507E	I2F20080
2171	襦	9448	50FA	I2II0080
2172	衤	9449	4F89	I2A10080
2173	寧	944A	4FA9	I2AX0080
2174	葱	944B	544E	I2Z20080
2175	猫	944C	4FD0	I2C00080
2176	熱	944D	47D5	I15H0080
2177	年	944E	4560	I0RK0080
2178	念	944F	4AAE	I1KE0080
2179	捻	9450	54C0	I3280080
2180	撚	9451	5348	I2TK0080
2181	燃	9452	49D5	I1G50080
2182	粘	9453	4BF7	I1RR0080
2183	乃	9454	4B9F	I1PB0080
2184	廼	9455	5564	I3500080
2185	之	9456	45D8	I0UW0080
2186	埜	9457	4DF4	I22C0080
2187	囊	9458	5190	I2KW0080
2188	惱	9459	4BCD	I1QL0080
2189	濃	945A	4ACE	I1LA0080
2190	納	945B	49E2	I1GI0080

Line Number	Graphic	PC Code	Host Code	GCGID
2191	能	945C	474F	I11R0080
2192	腦	945D	4CB3	I1V70080
2193	膿	945E	535F	I2U70080
2194	農	945F	4845	I16T0080
2195	覲	9460	53EB	I2Y30080
2196	蚤	9461	55A2	I36Q0080
2197	巴	9462	4E7D	I24D0080
2198	把	9463	4EE3	I2770080
2199	播	9464	4E62	I23M0080
2200	霸	9465	4BFA	I1RU0080
2201	杷	9466	5280	I2PS0080
2202	波	9467	46CA	I0ZU0080
2203	派	9468	4A72	I11Q0080
2204	琶	9469	529F	I2QN0080
2205	破	946A	4ABE	I1KU0080
2206	婆	946B	4ECC	I26K0080
2207	罵	946C	5579	I35L0080
2208	芭	946D	5442	I2YQ0080
2209	馬	946E	4664	I0X00080
2210	俳	946F	4CE1	I1WH0080
2211	廢	9470	4BC7	I1QF0080
2212	拌	9471	4EE2	I2760080
2213	排	9472	4CFA	I1X60080
2214	敗	9473	4B8A	I1OQ0080
2215	杯	9474	4C63	I1SZ0080
2216	盃	9475	53BA	I2WQ0080

IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

**Table 14 (Page 17 of 31).** Level 1 Kanji Set (2 of 2), DBCS-PC

Line Number	Graphic	PC Code	Host Code	GCGID
2217	牌	9476	556F	I35B0080
2218	背	9477	4AB2	I1KI0080
2219	肺	9478	504E	I2DQ0080
2220	輩	9479	4EF4	I27O0080
2221	配	947A	47F3	I16B0080
2222	倍	947B	4AC4	I1L00080
2223	培	947C	4DAC	I20C0080
2224	媒	947D	4D80	I1Z40080
2225	梅	947E	4798	I13S0080
2226	媒	9480	52B3	I2R70080
2227	煤	9481	54EA	I33E0080
2228	狼	9482	54D6	I32U0080
2229	買	9483	4974	I1DG0080
2230	壳	9484	4775	I12T0080
2231	賠	9485	4F4F	I28F0080
2232	陪	9486	55C3	I37N0080
2233	這	9487	4FCA	I2BU0080
2234	蠅	9488	55BD	I37H0080
2235	秤	9489	508F	I2FJ0080
2236	矧	948A	55C9	I37T0080
2237	萩	948B	494A	I1CA0080
2238	伯	948C	49A6	I1EU0080
2239	剥	948D	5481	I30H0080
2240	博	948E	45F6	I0VQ0080
2241	拍	948F	4FBA	I2BE0080
2242	柏	9490	4980	I1DS0080

**Table 14 (Page 17 of 31).** Level 1 Kanji Set (2 of 2), DBCS-PC

Line Number	Graphic	PC Code	Host Code	GCGID
2243	泊	9491	4DB8	I20O0080
2244	白	9492	4659	I0WP0080
2245	箔	9493	4EE0	I2740080
2246	粕	9494	4C4B	I1SB0080
2247	舶	9495	4B87	I1ON0080
2248	薄	9496	4A92	I1JM0080
2249	迫	9497	49EF	I1GV0080
2250	曝	9498	52A6	I2QU0080
2251	漠	9499	508E	I2FI0080
2252	爆	949A	4AD9	I1LL0080
2253	縛	949B	52E6	I2SM0080
2254	莫	949C	54B3	I31V0080
2255	駁	949D	55E5	I38L0080
2256	麦	949E	4AE0	I1LS0080
2257	函	949F	4BB6	I1PY0080
2258	箱	94A0	4AFB	I1MJ0080
2259	裕	94A1	52BF	I2RJ0080
2260	箸	94A2	505C	I2E40080
2261	肇	94A3	4B41	I1MP0080
2262	筭	94A4	4D9B	I1ZV0080
2263	櫨	94A5	51C5	I2MD0080
2264	幡	94A6	48DE	I1B20080
2265	肌	94A7	4E50	I2340080
2266	畑	94A8	478B	I13F0080
2267	畠	94A9	49FE	I1HA0080
2268	八	94AA	4548	I0QW0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 14 (Page 18 of 31). Level 1 Kanji Set (2 of 2), DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
2269	鉢	94AB	4EA8	I25K0080
2270	澆	94AC	54FA	I33U0080
2271	癸	94AD	464B	I0WB0080
2272	醜	94AE	51FA	I2NU0080
2273	髮	94AF	4CF6	I1X20080
2274	伐	94B0	50F6	I2IE0080
2275	罰	94B1	4F82	I29U0080
2276	拔	94B2	4A85	I1J90080
2277	筏	94B3	52F5	I2T10080
2278	閥	94B4	5172	I2K20080
2279	鳩	94B5	4D95	I1ZP0080
2280	嘶	94B6	5582	I35U0080
2281	塙	94B7	4F6F	I29B0080
2282	蛤	94B8	55C2	I37M0080
2283	隼	94B9	4ED5	I26T0080
2284	伴	94BA	49C9	I1FT0080
2285	判	94BB	495C	I1CS0080
2286	半	94BC	4790	I13K0080
2287	反	94BD	47F9	I16H0080
2288	叛	94BE	55B2	I3760080
2289	帆	94BF	4F75	I29H0080
2290	搬	94C0	4DC8	I2140080
2291	斑	94C1	52E4	I2SK0080
2292	板	94C2	46B4	I0Z80080
2293	汜	94C3	556E	I35A0080
2294	汎	94C4	505E	I2E60080

Table 14 (Page 18 of 31). Level 1 Kanji Set (2 of 2), DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
2295	版	94C5	4ABD	I1KT0080
2296	犯	94C6	4CA7	I1UV0080
2297	班	94C7	5066	I2EE0080
2298	畔	94C8	4EDC	I2700080
2299	繁	94C9	4759	I1210080
2300	般	94CA	4956	I1CM0080
2301	藩	94CB	4FF6	I2D20080
2302	販	94CC	4A5D	I1I50080
2303	範	94CD	49E8	I1GO0080
2304	采	94CE	5346	I2TI0080
2305	煩	94CF	54A0	I31C0080
2306	頒	94D0	5557	I34N0080
2307	飯	94D1	46B5	I0Z90080
2308	挽	94D2	52A8	I2QW0080
2309	晚	94D3	4CB6	I1VA0080
2310	番	94D4	48B9	I1A10080
2311	盤	94D5	4890	I18W0080
2312	磬	94D6	4B9C	I1P80080
2313	蕃	94D7	52F7	I2T30080
2314	蛮	94D8	53A5	I2W50080
2315	匪	94D9	55ED	I38T0080
2316	卑	94DA	53AD	I2WD0080
2317	否	94DB	4C4F	I1SF0080
2318	妃	94DC	51A2	I2LE0080
2319	庇	94DD	558D	I3650080
2320	彼	94DE	4772	I12Q0080



IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

**Table 14 (Page 19 of 31).** Level 1 Kanji Set (2 of 2), DBCS-PC

Line Number	Graphic	PC Code	Host Code	GCGID
2321	悲	94DF	4C9D	I1UL0080
2322	扉	94E0	50AD	I2GD0080
2323	批	94E1	4C76	I1TI0080
2324	披	94E2	4FA6	I2AU0080
2325	斐	94E3	4B80	I1OG0080
2326	比	94E4	474E	I11Q0080
2327	泌	94E5	51FD	I2NX0080
2328	疲	94E6	4D97	I1ZR0080
2329	皮	94E7	49DA	I1GA0080
2330	碑	94E8	517B	I2KB0080
2331	秘	94E9	4C70	I1TC0080
2332	緋	94EA	537D	I2V10080
2333	罷	94EB	55A5	I36T0080
2334	肥	94EC	497B	I1DN0080
2335	被	94ED	4B8D	I1OT0080
2336	誹	94EE	55F2	I38Y0080
2337	費	94EF	46D0	I1000080
2338	避	94F0	4CC4	I1VO0080
2339	非	94F1	48E1	I1B50080
2340	飛	94F2	488A	I18Q0080
2341	樋	94F3	494F	I1CF0080
2342	簸	94F4	51AB	I2LN0080
2343	備	94F5	46AC	I0Z00080
2344	尾	94F6	45C8	I0UG0080
2345	微	94F7	4B5D	I1NH0080
2346	枇	94F8	525E	I2OU0080

**Table 14 (Page 19 of 31).** Level 1 Kanji Set (2 of 2), DBCS-PC

Line Number	Graphic	PC Code	Host Code	GCGID
2347	昆	94F9	53D7	I2XJ0080
2348	毳	94FA	52A3	I2QR0080
2349	眉	94FB	52BC	I2RG0080
2350	美	94FC	457D	I0SD0080
2351	鼻	9540	4CFD	I1X90080
2352	柶	9541	52D9	I2S90080
2353	稗	9542	5087	I2FB0080
2354	匹	9543	4FD1	I2C10080
2355	疋	9544	4EA0	I25C0080
2356	髭	9545	509D	I2FX0080
2357	彦	9546	45E1	I0V50080
2358	膝	9547	5060	I2E80080
2359	菱	9548	48CC	I1AK0080
2360	肘	9549	526A	I2P60080
2361	粥	954A	52E0	I2SG0080
2362	必	954B	47CA	I1560080
2363	畢	954C	559A	I36I0080
2364	筆	954D	4AC7	I1L30080
2365	逼	954E	55AC	I3700080
2366	檜	954F	4D55	I1XX0080
2367	姬	9550	4AB3	I1KJ0080
2368	媛	9551	4855	I1790080
2369	紐	9552	4FB5	I2B90080
2370	百	9553	454B	I0QZ0080
2371	謬	9554	55A1	I36P0080
2372	倭	9555	4DB1	I20H0080




## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
2373	彪	9556	5159	I2JD0080
2374	標	9557	4966	I1D20080
2375	氷	9558	4CA4	I1US0080
2376	漂	9559	4FBC	I2BG0080
2377	瓢	955A	5452	I2Z60080
2378	票	955B	4DBF	I20V0080
2379	表	955C	46C0	I0ZK0080
2380	評	955D	49FD	I1H90080
2381	豹	955E	5593	I36B0080
2382	廟	955F	55AF	I3730080
2383	描	9560	4BCF	I1QN0080
2384	病	9561	49BF	I1FJ0080
2385	秒	9562	4DBA	I20Q0080
2386	苗	9563	4AB8	I1KO0080
2387	錨	9564	53F0	I2Y80080
2388	鋌	9565	55BE	I37I0080
2389	蒜	9566	5259	I2OP0080
2390	蛭	9567	4E66	I23Q0080
2391	鰭	9568	546E	I2ZY0080
2392	品	9569	45D0	I0UO0080
2393	彬	956A	4E88	I24O0080
2394	斌	956B	519D	I2L90080
2395	浜	956C	45EA	I0VE0080
2396	瀕	956D	55D1	I3810080
2397	貧	956E	4DA3	I2030080
2398	賓	956F	50D7	I2HJ0080

Line Number	Graphic	PC Code	Host Code	GCGID
2399	頻	9570	53AB	I2WB0080
2400	敏	9571	4647	I0W70080
2401	瓶	9572	4CD4	I1W40080
2402	不	9573	46AF	I0Z30080
2403	付	9574	475D	I1250080
2404	埠	9575	517E	I2KE0080
2405	夫	9576	4573	I0S30080
2406	婦	9577	496F	I1DB0080
2407	富	9578	45AC	I0TO0080
2408	富	9579	4878	I1880080
2409	布	957A	476B	I12J0080
2410	府	957B	4551	I0R50080
2411	怖	957C	4EF0	I27K0080
2412	扶	957D	4D7A	I1YY0080
2413	敷	957E	4951	I1CH0080
2414	斧	9580	51C2	I2MA0080
2415	普	9581	49F8	I1H40080
2416	浮	9582	4A8C	I1JG0080
2417	父	9583	45CC	I0UK0080
2418	符	9584	4FD9	I2C90080
2419	腐	9585	4D62	I1YA0080
2420	膚	9586	5191	I2KX0080
2421	芙	9587	4EBD	I2650080
2422	譜	9588	4E4F	I2330080
2423	負	9589	49C8	I1FS0080
2424	賦	958A	4FA7	I2AV0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 14 (Page 21 of 31). Level 1 Kanji Set (2 of 2), DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
2425	赴	958B	50EE	I2I60080
2426	阜	958C	4786	I13A0080
2427	附	958D	4B8C	I10S0080
2428	侮	958E	53B9	I2WP0080
2429	撫	958F	51E1	I2N50080
2430	武	9590	45B1	I0TT0080
2431	舞	9591	4A63	I1IB0080
2432	葡	9592	5547	I3470080
2433	蕪	9593	51D3	I2MR0080
2434	部	9594	4595	I0T10080
2435	封	9595	4D76	I1YU0080
2436	楓	9596	5295	I2QD0080
2437	風	9597	47E7	I15Z0080
2438	葺	9598	50E0	I2HS0080
2439	落	9599	5491	I30X0080
2440	伏	959A	4A83	I1J70080
2441	副	959B	4B4E	I1N20080
2442	復	959C	4A70	I1IO0080
2443	幅	959D	4A5E	I1I60080
2444	服	959E	47D4	I15G0080
2445	福	959F	458B	I0SR0080
2446	腹	95A0	4CA0	I1UO0080
2447	複	95A1	4B51	I1N50080
2448	覆	95A2	4DF2	I22A0080
2449	淵	95A3	48EA	I1BE0080
2450	弗	95A4	54AC	I31O0080

Table 14 (Page 21 of 31). Level 1 Kanji Set (2 of 2), DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
2451	払	95A5	4981	I1DT0080
2452	沸	95A6	4EAA	I25M0080
2453	仏	95A7	4BE5	I1R90080
2454	物	95A8	4652	I0WI0080
2455	鮒	95A9	528D	I2Q50080
2456	分	95AA	45B4	I0TW0080
2457	吻	95AB	53E5	I2XX0080
2458	噴	95AC	4E6D	I23X0080
2459	墳	95AD	5289	I2Q10080
2460	憤	95AE	4FFC	I2D80080
2461	扮	95AF	54B7	I31Z0080
2462	焚	95B0	544F	I2Z30080
2463	奮	95B1	4EDD	I2710080
2464	粉	95B2	489E	I19A0080
2465	糞	95B3	5492	I30Y0080
2466	紛	95B4	4FF3	I2CZ0080
2467	雰	95B5	4F90	I2A80080
2468	文	95B6	45CA	I0UI0080
2469	聞	95B7	48BB	I1A30080
2470	丙	95B8	50C5	I2H10080
2471	併	95B9	4B94	I1P00080
2472	兵	95BA	4649	I0W90080
2473	塀	95BB	539F	I2VZ0080
2474	幣	95BC	4E7F	I24F0080
2475	平	95BD	458D	I0ST0080
2476	弊	95BE	50CD	I2H90080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 14 (Page 22 of 31). Level 1 Kanji Set (2 of 2), DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
2477	柄	95BF	4A7F	I1J30080
2478	並	95C0	487C	I18C0080
2479	蔽	95C1	54D1	I32P0080
2480	閉	95C2	4B7D	I1OD0080
2481	陛	95C3	5157	I2JB0080
2482	米	95C4	466F	I0XB0080
2483	頁	95C5	4CD9	I1W90080
2484	僻	95C6	5578	I35K0080
2485	壁	95C7	4B95	I1P10080
2486	癖	95C8	537E	I2V20080
2487	碧	95C9	4DF8	I22G0080
2488	別	95CA	46DD	I10D0080
2489	瞥	95CB	5572	I35E0080
2490	蔑	95CC	556C	I3580080
2491	篋	95CD	559B	I36J0080
2492	偏	95CE	5049	I2DL0080
2493	變	95CF	476F	I12N0080
2494	片	95D0	4767	I12F0080
2495	篇	95D1	4FB6	I2BA0080
2496	編	95D2	484E	I1720080
2497	辺	95D3	45D5	I0UT0080
2498	返	95D4	48D6	I1AU0080
2499	遍	95D5	505D	I2E50080
2500	便	95D6	4B4C	I1N00080
2501	勉	95D7	48CE	I1AM0080
2502	婉	95D8	549F	I31B0080

Table 14 (Page 22 of 31). Level 1 Kanji Set (2 of 2), DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
2503	弁	95D9	4B47	I1MV0080
2504	鞭	95DA	548B	I30R0080
2505	保	95DB	45AA	I0TM0080
2506	舗	95DC	4E5B	I23F0080
2507	舗	95DD	5363	I2UB0080
2508	圃	95DE	53CF	I2XB0080
2509	捕	95DF	4C41	I1S10080
2510	歩	95E0	47D8	I15K0080
2511	甫	95E1	4D58	I1Y00080
2512	補	95E2	496A	I1D60080
2513	輔	95E3	4A68	I11G0080
2514	穂	95E4	48D4	I1AS0080
2515	募	95E5	4AE1	I1LT0080
2516	墓	95E6	4EBE	I2660080
2517	慕	95E7	52E3	I2SJ0080
2518	戊	95E8	5161	I2JL0080
2519	暮	95E9	4AFE	I1MM0080
2520	母	95EA	4969	I1D50080
2521	簿	95EB	4F4C	I28C0080
2522	菩	95EC	516A	I2JU0080
2523	倣	95ED	5569	I3550080
2524	俸	95EE	50F9	I2IH0080
2525	包	95EF	4AA8	I1K80080
2526	呆	95F0	5073	I2ER0080
2527	報	95F1	49B8	I1FC0080
2528	奉	95F2	4DB2	I20I0080




## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 14 (Page 23 of 31). Level 1 Kanji Set (2 of 2), DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
2529	宝	95F3	494D	I1CD0080
2530	峰	95F4	48FE	I1BY0080
2531	峯	95F5	4AAC	I1KC0080
2532	崩	95F6	4F5F	I28V0080
2533	庖	95F7	554F	I34F0080
2534	抱	95F8	4C86	I1TY0080
2535	捧	95F9	5285	I2PX0080
2536	放	95FA	48AF	I19R0080
2537	方	95FB	45CD	I0UL0080
2538	朋	95FC	4BC4	I1QC0080
2539	法	9640	464A	I0WA0080
2540	泡	9641	4E87	I24N0080
2541	烹	9642	5587	I35Z0080
2542	砲	9643	4CC2	I1VM0080
2543	縫	9644	49E4	I1GK0080
2544	胞	9645	50B6	I2GM0080
2545	芳	9646	4683	I0XV0080
2546	萌	9647	50DB	I2HN0080
2547	蓬	9648	5088	I2FC0080
2548	蜂	9649	4ECD	I26L0080
2549	褒	964A	51BA	I2M20080
2550	訪	964B	4A71	I1IP0080
2551	豊	964C	4648	I0W80080
2552	邦	964D	46C5	I0ZP0080
2553	鋒	964E	5449	I2YX0080
2554	飽	964F	4D49	I1XL0080

Table 14 (Page 23 of 31). Level 1 Kanji Set (2 of 2), DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
2555	鳳	9650	4EA6	I25I0080
2556	鵬	9651	518A	I2KQ0080
2557	乏	9652	4F6C	I2980080
2558	亡	9653	4CCE	I1VY0080
2559	傍	9654	4EE7	I27B0080
2560	剖	9655	5199	I2L50080
2561	坊	9656	4C55	I1SL0080
2562	妨	9657	50EC	I2I40080
2563	帽	9658	4C85	I1TX0080
2564	忘	9659	4C45	I1S50080
2565	忙	965A	4EA3	I25F0080
2566	房	965B	47DC	I15O0080
2567	暴	965C	4CB2	I1V60080
2568	望	965D	47BB	I14R0080
2569	某	965E	504A	I2DM0080
2570	棒	965F	4B5A	I1NE0080
2571	冒	9660	4F8F	I2A70080
2572	紡	9661	4877	I1870080
2573	肪	9662	4CFB	I1X70080
2574	膨	9663	4EF6	I27Q0080
2575	謀	9664	4F4D	I28D0080
2576	貌	9665	5064	I2EC0080
2577	貿	9666	4872	I1820080
2578	銖	9667	5183	I2KJ0080
2579	防	9668	47BC	I14S0080
2580	吠	9669	53E1	I2XT0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 14 (Page 24 of 31). Level 1 Kanji Set (2 of 2), DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
2581	頰	966A	4EB3	I25V0080
2582	北	966B	455A	I0RE0080
2583	僕	966C	4ABB	I1KR0080
2584	卜	966D	51C0	I2M80080
2585	墨	966E	4AFC	I1MK0080
2586	撲	966F	4EC7	I26F0080
2587	朴	9670	4EA2	I25E0080
2588	牧	9671	487B	I18B0080
2589	睦	9672	4A96	I1JQ0080
2590	穆	9673	52BE	I2RI0080
2591	釦	9674	534A	I2TM0080
2592	勃	9675	54B1	I31T0080
2593	没	9676	5075	I2ET0080
2594	殆	9677	4F42	I2820080
2595	堀	9678	469D	I0YL0080
2596	幌	9679	496B	I1D70080
2597	奔	967A	5284	I2PW0080
2598	本	967B	4566	I0RQ0080
2599	翻	967C	51F6	I2NQ0080
2600	凡	967D	4DE1	I21T0080
2601	盆	967E	5057	I2DZ0080
2602	摩	9680	48D1	I1AP0080
2603	磨	9681	49B4	I1F80080
2604	魔	9682	4DE2	I21U0080
2605	麻	9683	48A7	I19J0080
2606	埋	9684	4EAC	I25O0080

Table 14 (Page 24 of 31). Level 1 Kanji Set (2 of 2), DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
2607	妹	9685	4BDC	I1R00080
2608	昧	9686	559D	I36L0080
2609	枚	9687	49D9	I1G90080
2610	每	9688	49F5	I1H10080
2611	哩	9689	55F0	I38W0080
2612	檳	968A	4DB9	I20P0080
2613	幕	968B	4CCA	I1VU0080
2614	膜	968C	4D8A	I1ZE0080
2615	枕	968D	4F78	I29K0080
2616	鮪	968E	55CE	I37Y0080
2617	枉	968F	5054	I2DW0080
2618	鱒	9690	53C6	I2X20080
2619	榊	9691	4D88	I1ZC0080
2620	亦	9692	4FFA	I2D60080
2621	俣	9693	4B4A	I1MY0080
2622	又	9694	48F5	I1BP0080
2623	抹	9695	51E0	I2N40080
2624	末	9696	4746	I11I0080
2625	沫	9697	53EC	I2Y40080
2626	迄	9698	49CD	I1FX0080
2627	儘	9699	5290	I2Q80080
2628	繭	969A	4D9A	I1ZU0080
2629	麿	969B	4EEA	I27E0080
2630	万	969C	454D	I0R10080
2631	慢	969D	4DDB	I21N0080
2632	満	969E	475B	I1230080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 14 (Page 25 of 31). Level 1 Kanji Set (2 of 2), DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
2633	漫	969F	4F6E	I29A0080
2634	蔓	96A0	557B	I35N0080
2635	味	96A1	477F	I1330080
2636	未	96A2	49C6	I1FQ0080
2637	魅	96A3	4DB4	I20K0080
2638	巳	96A4	4AE6	I1LY0080
2639	箕	96A5	4CCC	I1VW0080
2640	岬	96A6	50D5	I2HH0080
2641	密	96A7	4A56	I1HY0080
2642	蜜	96A8	53A1	I2W10080
2643	湊	96A9	4C88	I1U00080
2644	蓑	96AA	4F9A	I2AI0080
2645	稔	96AB	47FA	I16I0080
2646	脈	96AC	5079	I2EX0080
2647	妙	96AD	4A66	I1IE0080
2648	耗	96AE	53C9	I2X50080
2649	民	96AF	4756	I11Y0080
2650	眠	96B0	4E6A	I23U0080
2651	務	96B1	46ED	I10T0080
2652	夢	96B2	4B8B	I1OR0080
2653	無	96B3	475F	I1270080
2654	牟	96B4	4AAF	I1KF0080
2655	矛	96B5	50ED	I2I50080
2656	霧	96B6	4E48	I22W0080
2657	鷓	96B7	557E	I35Q0080
2658	棕	96B8	4DFD	I22L0080

Table 14 (Page 25 of 31). Level 1 Kanji Set (2 of 2), DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
2659	婿	96B9	5454	I2Z80080
2660	娘	96BA	4B54	I1N80080
2661	冥	96BB	5467	I2ZR0080
2662	名	96BC	45F3	I0VN0080
2663	命	96BD	49B0	I1F40080
2664	明	96BE	45A6	I0TI0080
2665	盟	96BF	4B84	I1OK0080
2666	迷	96C0	4E58	I23C0080
2667	銘	96C1	4DDC	I21O0080
2668	鳴	96C2	4B70	I1O00080
2669	姪	96C3	558C	I3640080
2670	牝	96C4	55B7	I37B0080
2671	滅	96C5	4EE6	I27A0080
2672	免	96C6	4B56	I1NA0080
2673	棉	96C7	55CA	I37U0080
2674	綿	96C8	489D	I1990080
2675	緬	96C9	556B	I3570080
2676	面	96CA	4691	I0Y90080
2677	麵	96CB	555F	I34V0080
2678	摸	96CC	55F5	I3910080
2679	模	96CD	4864	I17O0080
2680	茂	96CE	4646	I0W60080
2681	妄	96CF	554D	I34D0080
2682	孟	96D0	4F83	I29V0080
2683	毛	96D1	46E2	I10I0080
2684	猛	96D2	4A51	I1HT0080




## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
2685	盲	96D3	5080	I2F40080
2686	網	96D4	4A53	I1HV0080
2687	耗	96D5	4FEC	I2CS0080
2688	蒙	96D6	5095	I2FP0080
2689	儲	96D7	54BD	I3250080
2690	木	96D8	456C	I0RW0080
2691	黙	96D9	4DBC	I20S0080
2692	目	96DA	4675	I0XH0080
2693	柰	96DB	51A6	I2LI0080
2694	勿	96DC	5297	I2QF0080
2695	餅	96DD	50BF	I2GV0080
2696	尢	96DE	53AE	I2WE0080
2697	戾	96DF	4C44	I1S40080
2698	糌	96E0	4FF0	I2CW0080
2699	貰	96E1	4DEF	I2270080
2700	問	96E2	46E4	I10K0080
2701	悶	96E3	5554	I34K0080
2702	紋	96E4	4CF9	I1X50080
2703	門	96E5	46AA	I0YY0080
2704	匆	96E6	4F5B	I28R0080
2705	也	96E7	4749	I11L0080
2706	冶	96E8	5146	I2IU0080
2707	夜	96E9	48C8	I1AG0080
2708	爺	96EA	5096	I2FQ0080
2709	耶	96EB	4E99	I2550080
2710	野	96EC	4569	I0RT0080

Line Number	Graphic	PC Code	Host Code	GCGID
2711	弥	96ED	47E6	I15Y0080
2712	矢	96EE	46C1	I0ZL0080
2713	厄	96EF	5352	I2TU0080
2714	役	96F0	495D	I1CT0080
2715	約	96F1	47BD	I14T0080
2716	薬	96F2	46E1	I10H0080
2717	訳	96F3	4BAD	I1PP0080
2718	躍	96F4	4CA1	I1UP0080
2719	靖	96F5	48C3	I1AB0080
2720	柳	96F6	46EA	I10Q0080
2721	藪	96F7	4C95	I1UD0080
2722	鑪	96F8	5241	I2O10080
2723	愉	96F9	5098	I2FS0080
2724	愈	96FA	53C8	I2X40080
2725	油	96FB	465C	I0WS0080
2726	癒	96FC	53AA	I2WA0080
2727	諭	9740	4E9C	I2580080
2728	輸	9741	4693	I0YB0080
2729	唯	9742	4BE0	I1R40080
2730	佑	9743	4CE6	I1WM0080
2731	優	9744	47DA	I15M0080
2732	勇	9745	469C	I0YK0080
2733	友	9746	46D4	I1040080
2734	宥	9747	4F7A	I29M0080
2735	幽	9748	525F	I2OV0080
2736	悠	9749	4DD8	I21K0080





## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 14 (Page 27 of 31). Level 1 Kanji Set (2 of 2), DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
2737	憂	974A	507C	I2F00080
2738	揖	974B	4CF2	I1WY0080
2739	有	974C	4685	I0XX0080
2740	柚	974D	4EE1	I2750080
2741	湧	974E	4FBD	I2BH0080
2742	涌	974F	4F7D	I29P0080
2743	猶	9750	504F	I2DR0080
2744	猷	9751	53DD	I2XP0080
2745	由	9752	467C	I0XO0080
2746	祐	9753	488C	I18S0080
2747	裕	9754	46F8	I1140080
2748	誘	9755	4ACB	I1L70080
2749	遊	9756	4A8B	I1JF0080
2750	邑	9757	4C92	I1UA0080
2751	郵	9758	4CB7	I1VB0080
2752	雄	9759	4570	I0S00080
2753	融	975A	48C2	I1AA0080
2754	夕	975B	4AC3	I1KZ0080
2755	予	975C	47C2	I14Y0080
2756	余	975D	49C1	I1FL0080
2757	与	975E	4789	I13D0080
2758	誉	975F	4D8C	I1ZG0080
2759	輿	9760	506C	I2EK0080
2760	預	9761	4D4A	I1XM0080
2761	備	9762	54DA	I32Y0080
2762	幼	9763	4DAF	I20F0080

Table 14 (Page 27 of 31). Level 1 Kanji Set (2 of 2), DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
2763	妖	9764	53D1	I2XD0080
2764	容	9765	4889	I18P0080
2765	庸	9766	4C5D	I1ST0080
2766	揚	9767	4C46	I1S60080
2767	搖	9768	4F7E	I29Q0080
2768	擁	9769	514E	I2J20080
2769	曜	976A	4BFE	I1RY0080
2770	楊	976B	51D7	I2MV0080
2771	樣	976C	4848	I16W0080
2772	洋	976D	45DA	I0UY0080
2773	溶	976E	48BE	I1A60080
2774	熔	976F	529D	I2QL0080
2775	用	9770	45B6	I0TY0080
2776	窯	9771	49A7	I1EV0080
2777	羊	9772	4AD1	I1LD0080
2778	耀	9773	52A0	I2QO0080
2779	葉	9774	45F9	I0VT0080
2780	蓉	9775	5083	I2F70080
2781	要	9776	4655	I0WL0080
2782	謠	9777	4D7D	I1Z10080
2783	踊	9778	4CA8	I1UW0080
2784	遙	9779	52F3	I2SZ0080
2785	陽	977A	47BF	I14V0080
2786	養	977B	4979	I1DL0080
2787	慾	977C	53F4	I2YC0080
2788	抑	977D	4D66	I1YE0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
2789	欲	977E	4BF6	I1RQ0080
2790	沃	9780	55D9	I3890080
2791	浴	9781	4B7E	I1OE0080
2792	翌	9782	4D9C	I1ZW0080
2793	翼	9783	4DB5	I20L0080
2794	淀	9784	4A88	I1JC0080
2795	羅	9785	4DFA	I22I0080
2796	螺	9786	51D6	I2MU0080
2797	裸	9787	4F43	I2830080
2798	来	9788	4676	I0XI0080
2799	莱	9789	52C9	I2RT0080
2800	頼	978A	4A7A	I1IY0080
2801	雷	978B	4BD6	I1QU0080
2802	洛	978C	5450	I2Z40080
2803	絡	978D	4CE7	I1WN0080
2804	落	978E	47F2	I16A0080
2805	酪	978F	50BD	I2GT0080
2806	乱	9790	4BBF	I1Q70080
2807	卵	9791	4CF5	I1X10080
2808	嵐	9792	498C	I1E40080
2809	欄	9793	4EDE	I2720080
2810	濫	9794	55A3	I36R0080
2811	藍	9795	4EED	I27H0080
2812	蘭	9796	4CA6	I1UU0080
2813	覽	9797	4ED0	I26O0080
2814	利	9798	45BC	I0U40080

Line Number	Graphic	PC Code	Host Code	GCGID
2815	吏	9799	50C6	I2H20080
2816	履	979A	4CA2	I1UQ0080
2817	李	979B	4E51	I2350080
2818	梨	979C	4858	I17C0080
2819	理	979D	45EB	I0VF0080
2820	璃	979E	528C	I2Q40080
2821	痢	979F	5174	I2K40080
2822	裏	97A0	49A4	I1ES0080
2823	裡	97A1	544D	I2Z10080
2824	里	97A2	476C	I12K0080
2825	離	97A3	4997	I1EF0080
2826	陸	97A4	4961	I1CX0080
2827	律	97A5	4991	I1E90080
2828	率	97A6	4783	I1370080
2829	立	97A7	45DD	I0V10080
2830	葎	97A8	559F	I36N0080
2831	掠	97A9	55E6	I38M0080
2832	略	97AA	4CF0	I1WW0080
2833	劉	97AB	5185	I2KL0080
2834	流	97AC	46FC	I1180080
2835	溜	97AD	4DC4	I2100080
2836	琉	97AE	50F7	I2IF0080
2837	留	97AF	47AB	I14B0080
2838	硫	97B0	4984	I1DW0080
2839	粒	97B1	4CA9	I1UX0080
2840	隆	97B2	465D	I0WT0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 14 (Page 29 of 31). Level 1 Kanji Set (2 of 2), DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
2841	竜	97B3	49E7	I1GN0080
2842	龍	97B4	48CA	I1AI0080
2843	侶	97B5	557C	I35O0080
2844	慮	97B6	4C49	I1S90080
2845	旅	97B7	4ACF	I1LB0080
2846	虜	97B8	5250	I2OG0080
2847	了	97B9	4BB1	I1PT0080
2848	亮	97BA	499C	I1EK0080
2849	僚	97BB	4D82	I1Z60080
2850	両	97BC	4883	I18J0080
2851	凌	97BD	5344	I2TG0080
2852	寮	97BE	4C7A	I1TM0080
2853	料	97BF	464E	I0WE0080
2854	梁	97C0	4E44	I22S0080
2855	涼	97C1	4E74	I2440080
2856	猟	97C2	4E9D	I2590080
2857	療	97C3	4BB7	I1PZ0080
2858	瞭	97C4	527D	I2PP0080
2859	稜	97C5	5296	I2QE0080
2860	糧	97C6	4EC5	I26D0080
2861	良	97C7	45C4	I0UC0080
2862	諒	97C8	5181	I2KH0080
2863	遼	97C9	526B	I2P70080
2864	量	97CA	47B5	I14L0080
2865	陵	97CB	50C7	I2H30080
2866	領	97CC	4ACD	I1L90080

Table 14 (Page 29 of 31). Level 1 Kanji Set (2 of 2), DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
2867	力	97CD	45F7	I0VR0080
2868	緑	97CE	48A5	I19H0080
2869	倫	97CF	4D51	I1XT0080
2870	厘	97D0	4F55	I28L0080
2871	林	97D1	45A2	I0TE0080
2872	淋	97D2	52C7	I2RR0080
2873	燐	97D3	4A79	I1IX0080
2874	琳	97D4	5453	I2Z70080
2875	臨	97D5	4CD0	I1W00080
2876	輪	97D6	48B7	I19Z0080
2877	隣	97D7	4CE0	I1WG0080
2878	鱗	97D8	554C	I34C0080
2879	麟	97D9	519B	I2L70080
2880	璫	97DA	508C	I2FG0080
2881	壘	97DB	4BEB	I1RF0080
2882	涙	97DC	4DDA	I21M0080
2883	累	97DD	5148	I2IW0080
2884	類	97DE	46BA	I0ZE0080
2885	令	97DF	49C3	I1FN0080
2886	伶	97E0	544A	I2YY0080
2887	例	97E1	4A46	I1HI0080
2888	冷	97E2	48FC	I1BW0080
2889	励	97E3	4D92	I1ZM0080
2890	嶺	97E4	4CE8	I1W00080
2891	伶	97E5	509F	I2FZ0080
2892	玲	97E6	4AF9	I1MH0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 14 (Page 30 of 31). Level 1 Kanji Set (2 of 2), DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
2893	礼	97E7	4958	I1CO0080
2894	苓	97E8	5559	I34P0080
2895	鈴	97E9	45AE	I0TQ0080
2896	隸	97EA	5545	I3450080
2897	零	97EB	5069	I2EH0080
2898	靈	97EC	4F4B	I28B0080
2899	麗	97ED	4CF3	I1WZ0080
2900	齡	97EE	4C80	I1TS0080
2901	曆	97EF	50CC	I2H80080
2902	歷	97F0	4955	I1CL0080
2903	列	97F1	4BB4	I1PW0080
2904	劣	97F2	4E68	I23S0080
2905	烈	97F3	4DD1	I21D0080
2906	裂	97F4	4F60	I28W0080
2907	廉	97F5	4EDB	I26Z0080
2908	恋	97F6	4BCA	I1QI0080
2909	憐	97F7	555B	I34R0080
2910	漣	97F8	54E0	I3340080
2911	煉	97F9	4C6F	I1TB0080
2912	簾	97FA	5270	I2PC0080
2913	練	97FB	4860	I17K0080
2914	聯	97FC	53CA	I2X60080
2915	蓮	9840	4BF4	I1RO0080
2916	連	9841	4754	I11W0080
2917	鍊	9842	4FE6	I2CM0080
2918	呂	9843	4B50	I1N40080

Table 14 (Page 30 of 31). Level 1 Kanji Set (2 of 2), DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
2919	魯	9844	51F4	I2NO0080
2920	櫓	9845	5586	I35Y0080
2921	炉	9846	497D	I1DP0080
2922	賂	9847	55F8	I3940080
2923	路	9848	4784	I1380080
2924	露	9849	4BC6	I1QE0080
2925	勞	984A	48A9	I19L0080
2926	婁	984B	50F8	I21G0080
2927	廊	984C	4EA7	I25J0080
2928	弄	984D	54BF	I3270080
2929	朗	984E	486E	I17Y0080
2930	楼	984F	52BA	I2RE0080
2931	榔	9850	55C7	I37R0080
2932	浪	9851	4A9D	I1JX0080
2933	漏	9852	50C4	I2H00080
2934	牢	9853	55C4	I37O0080
2935	狼	9854	506F	I2EN0080
2936	籠	9855	4CEE	I1WU0080
2937	老	9856	4985	I1DX0080
2938	龔	9857	53E4	I2XW0080
2939	蠟	9858	52A1	I2QP0080
2940	郎	9859	456E	I0RY0080
2941	六	985A	4546	I0QU0080
2942	麓	985B	519E	I2LA0080
2943	禄	985C	50AE	I2GE0080
2944	肋	985D	557F	I35R0080

**IBM Japanese Graphic Character Set, Kanji**

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
2945	録	985E	4886	I18M0080
2946	論	985F	48F3	I1BN0080
2947	倭	9860	4FF9	I2D50080
2948	和	9861	457A	I0SA0080
2949	話	9862	4750	I11S0080
2950	歪	9863	558E	I3660080
2951	賄	9864	5067	I2EF0080
2952	脇	9865	47E3	I15V0080
2953	惑	9866	4E78	I2480080
2954	梓	9867	4FD2	I2C20080
2955	鷺	9868	4BF1	I1RL0080
2956	瓦	9869	50E8	I2I00080
2957	亘	986A	4BE4	I1R80080
2958	鰐	986B	5293	I2QB0080
2959	詫	986C	50D3	I2HF0080
2960	藁	986D	4FBB	I2BF0080
2961	蕨	986E	50DE	I2HQ0080
2962	椀	986F	5468	I2ZS0080
2963	湾	9870	4D6B	I1YJ0080
2964	碗	9871	545B	I2ZF0080
2965	腕	9872	4CAF	I1V30080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

## 9.4 Level 2 Kanji Set

Line Number	Graphic	PC Code	Host Code	GCGID
1	弌	989F	5641	I39D0080
2	𠄎	98A0	5642	I39E0080
3	丕	98A1	5643	I39F0080
4	个	98A2	5645	I39H0080
5	𠄎	98A3	5646	I39I0080
6	、	98A4	5647	I39J0080
7	井	98A5	54C8	I32G0080
8	丿	98A6	5648	I39K0080
9	乂	98A7	5649	I39L0080
10	乖	98A8	564A	I39M0080
11	乘	98A9	564B	I39N0080
12	亂	98AA	564D	I39P0080
13	丿	98AB	564E	I39Q0080
14	豫	98AC	5355	I2TX0080
15	𠄎	98AD	564F	I39R0080
16	舒	98AE	61DB	I50B0080
17	式	98AF	5651	I39T0080
18	于	98B0	5650	I39S0080
19	亞	98B1	5652	I39U0080
20	𠄎	98B2	5167	I2JR0080
21	一	98B3	5653	I39V0080
22	亢	98B4	5654	I39W0080
23	京	98B5	5655	I39X0080
24	毫	98B6	5656	I39Y0080

Line Number	Graphic	PC Code	Host Code	GCGID
25	亶	98B7	5657	I39Z0080
26	从	98B8	5658	I3A00080
27	仍	98B9	5659	I3A10080
28	仄	98BA	565A	I3A20080
29	仆	98BB	565B	I3A30080
30	𠄎	98BC	565C	I3A40080
31	仗	98BD	565E	I3A60080
32	仞	98BE	565F	I3A70080
33	𠄎	98BF	5660	I3A80080
34	仟	98C0	5661	I3A90080
35	价	98C1	5341	I2TD0080
36	伉	98C2	5663	I3AB0080
37	𠄎	98C3	5667	I3AF0080
38	估	98C4	5668	I3AG0080
39	佛	98C5	566F	I3AN0080
40	佝	98C6	5669	I3AH0080
41	佗	98C7	566B	I3AJ0080
42	𠄎	98C8	566C	I3AK0080
43	佶	98C9	51E2	I2N60080
44	侈	98CA	5672	I3AQ0080
45	侏	98CB	5673	I3AR0080
46	佗	98CC	5676	I3AU0080
47	佻	98CD	5677	I3AV0080
48	佩	98CE	5679	I3AX0080
49	佰	98CF	567A	I3AY0080
50	侑	98D0	4F8D	I2A50080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 15 (Page 2 of 28). Level 2 Kanji Set (1 of 2), DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
51	佯	98D1	567C	I3B00080
52	來	98D2	567D	I3B10080
53	侖	98D3	567E	I3B20080
54	俛	98D4	5675	I3AT0080
55	俛	98D5	567F	I3B30080
56	俟	98D6	53C4	I2X00080
57	俎	98D7	5680	I3B40080
58	俘	98D8	5681	I3B50080
59	俛	98D9	5682	I3B60080
60	俑	98DA	5683	I3B70080
61	俚	98DB	5684	I3B80080
62	俐	98DC	5685	I3B90080
63	倂	98DD	5687	I3BB0080
64	倂	98DE	5688	I3BC0080
65	倚	98DF	5689	I3BD0080
66	倨	98E0	568B	I3BF0080
67	倨	98E1	568C	I3BG0080
68	俛	98E2	568D	I3BH0080
69	倥	98E3	568E	I3BI0080
70	倥	98E4	568F	I3BJ0080
71	倥	98E5	5664	I3AC0080
72	倥	98E6	51F8	I2NS0080
73	倡	98E7	5690	I3BK0080
74	倩	98E8	5692	I3BM0080
75	倥	98E9	5693	I3BN0080
76	倥	98EA	5695	I3BP0080

Table 15 (Page 2 of 28). Level 2 Kanji Set (1 of 2), DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
77	俯	98EB	5696	I3BQ0080
78	們	98EC	5697	I3BR0080
79	倆	98ED	5699	I3BT0080
80	偃	98EE	569A	I3BU0080
81	假	98EF	569B	I3BV0080
82	會	98F0	56AC	I3CC0080
83	偕	98F1	569C	I3BW0080
84	偕	98F2	569D	I3BX0080
85	偈	98F3	569E	I3BY0080
86	做	98F4	569F	I3BZ0080
87	偕	98F5	56A0	I3C00080
88	偈	98F6	56A5	I3C50080
89	偈	98F7	56A6	I3C60080
90	傀	98F8	56A7	I3C70080
91	倣	98F9	56A9	I3C90080
92	傳	98FA	56AA	I3CA0080
93	偈	98FB	56AB	I3CB0080
94	傲	98FC	56AD	I3CD0080
95	僉	9940	56AE	I3CE0080
96	僉	9941	56AF	I3CF0080
97	傳	9942	56B0	I3CG0080
98	僉	9943	56B1	I3CH0080
99	僉	9944	52D4	I2S40080
100	僉	9945	56B3	I3CJ0080
101	僉	9946	56B4	I3CK0080
102	僉	9947	56B6	I3CM0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
103	替	9948	56B7	I3CN0080
104	撞	9949	56B8	I3CO0080
105	價	994A	56B9	I3CP0080
106	僵	994B	56BA	I3CQ0080
107	儉	994C	56BB	I3CR0080
108	儻	994D	56BC	I3CS0080
109	儂	994E	56BD	I3CT0080
110	儘	994F	56C1	I3CX0080
111	儕	9950	56BF	I3CV0080
112	儔	9951	56C0	I3CW0080
113	儕	9952	56BE	I3CU0080
114	儖	9953	56C2	I3CY0080
115	儗	9954	56C3	I3CZ0080
116	儘	9955	56C4	I3D00080
117	儚	9956	56C5	I3D10080
118	儛	9957	56C6	I3D20080
119	儿	9958	56C7	I3D30080
120	兀	9959	56C8	I3D40080
121	兒	995A	56CB	I3D70080
122	兌	995B	56CA	I3D60080
123	兔	995C	56CC	I3D80080
124	兢	995D	56CD	I3D90080
125	競	995E	605D	I4RH0080
126	兩	995F	56CF	I3DB0080
127	兪	9960	56D0	I3DC0080
128	兮	9961	56D1	I3DD0080

Line Number	Graphic	PC Code	Host Code	GCGID
129	冀	9962	56D2	I3DE0080
130	冂	9963	56D3	I3DF0080
131	冂	9964	56D4	I3DG0080
132	册	9965	56D5	I3DH0080
133	冉	9966	56D6	I3DI0080
134	冂	9967	56D7	I3DJ0080
135	冂	9968	56D8	I3DK0080
136	冂	9969	56D9	I3DL0080
137	冂	996A	56DA	I3DM0080
138	冂	996B	56DB	I3DN0080
139	冂	996C	56DD	I3DP0080
140	冂	996D	56DE	I3DQ0080
141	冂	996E	56DF	I3DR0080
142	冂	996F	56E0	I3DS0080
143	冂	9970	56E1	I3DT0080
144	冂	9971	56E2	I3DU0080
145	决	9972	56E3	I3DV0080
146	冂	9973	56E4	I3DW0080
147	冲	9974	56E5	I3DX0080
148	冰	9975	56E6	I3DY0080
149	况	9976	56E7	I3DZ0080
150	冽	9977	56E9	I3E10080
151	凇	9978	56EA	I3E20080
152	凉	9979	56EB	I3E30080
153	凇	997A	56EC	I3E40080
154	几	997B	56ED	I3E50080



IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

**Table 15 (Page 4 of 28).** Level 2 Kanji Set (1 of 2), DBCS-PC

Line Number	Graphic	PC Code	Host Code	GCGID
155	處	997C	62D1	I55D0080
156	凵	997D	56EE	I3E60080
157	凭	997E	56F0	I3E80080
158	凰	9980	56F1	I3E90080
159	凵	9981	56F2	I3EA0080
160	函	9982	56F3	I3EB0080
161	刃	9983	56F4	I3EC0080
162	刊	9984	56F5	I3ED0080
163	刌	9985	56F6	I3EE0080
164	刎	9986	54E3	I3370080
165	刑	9987	56F8	I3EG0080
166	刪	9988	56F9	I3EH0080
167	刮	9989	56FA	I3EI0080
168	劊	998A	56FB	I3EJ0080
169	刹	998B	56FC	I3EK0080
170	剞	998C	5741	I3EP0080
171	剝	998D	56FD	I3EL0080
172	剋	998E	56FE	I3EM0080
173	刺	998F	51AE	I2LQ0080
174	劓	9990	5742	I3EQ0080
175	剔	9991	5743	I3ER0080
176	剪	9992	5745	I3ET0080
177	剗	9993	5747	I3EV0080
178	剩	9994	5748	I3EW0080
179	劓	9995	5746	I3EU0080
180	劓	9996	5749	I3EX0080

**Table 15 (Page 4 of 28).** Level 2 Kanji Set (1 of 2), DBCS-PC

Line Number	Graphic	PC Code	Host Code	GCGID
181	剝	9997	574A	I3EY0080
182	劊	9998	574B	I3EZ0080
183	劊	9999	5580	I35S0080
184	劊	999A	574D	I3F10080
185	劊	999B	5744	I3ES0080
186	劈	999C	574C	I3F00080
187	劑	999D	574E	I3F20080
188	辨	999E	64EC	I5GS0080
189	辨	999F	64ED	I5GT0080
190	劓	99A0	5751	I3F50080
191	劓	99A1	5752	I3F60080
192	劓	99A2	5753	I3F70080
193	劓	99A3	5754	I3F80080
194	劓	99A4	5755	I3F90080
195	劓	99A5	5757	I3FB0080
196	劓	99A6	5392	I2VM0080
197	劓	99A7	5759	I3FD0080
198	劓	99A8	575A	I3FE0080
199	劓	99A9	575B	I3FF0080
200	劓	99AA	66DB	I5QZ0080
201	劓	99AB	575C	I3FG0080
202	劓	99AC	575D	I3FH0080
203	劓	99AD	575E	I3FI0080
204	劓	99AE	575F	I3FJ0080
205	劓	99AF	5760	I3FK0080
206	劓	99B0	5762	I3FM0080




## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 15 (Page 5 of 28). Level 2 Kanji Set (1 of 2), DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
207	匄	99B1	5764	I3FO0080
208	旬	99B2	5765	I3FP0080
209	匍	99B3	5766	I3FQ0080
210	匇	99B4	5767	I3FR0080
211	匈	99B5	5768	I3FS0080
212	匕	99B6	5769	I3FT0080
213	匊	99B7	576A	I3FU0080
214	匋	99B8	576C	I3FW0080
215	匌	99B9	576D	I3FX0080
216	匍	99BA	576E	I3FY0080
217	匎	99BB	576F	I3FZ0080
218	匏	99BC	5770	I3G00080
219	匑	99BD	5771	I3G10080
220	卅	99BE	5773	I3G30080
221	卅	99BF	5772	I3G20080
222	卅	99C0	5775	I3G50080
223	卌	99C1	5774	I3G40080
224	卌	99C2	5776	I3G60080
225	準	99C3	5777	I3G70080
226	卍	99C4	5779	I3G90080
227	卍	99C5	577A	I3GA0080
228	卍	99C6	577B	I3GB0080
229	卍	99C7	52C8	I2RS0080
230	卍	99C8	577E	I3GE0080
231	卷	99C9	577D	I3GD0080
232	厂	99CA	577F	I3GF0080

Table 15 (Page 5 of 28). Level 2 Kanji Set (1 of 2), DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
233	厖	99CB	5781	I3GH0080
234	厗	99CC	5782	I3GI0080
235	厦	99CD	5783	I3GJ0080
236	厥	99CE	5784	I3GK0080
237	廛	99CF	5785	I3GL0080
238	廛	99D0	5786	I3GM0080
239	厶	99D1	5788	I3GO0080
240	參	99D2	5789	I3GP0080
241	篡	99D3	578A	I3GQ0080
242	雙	99D4	6688	I5OO0080
243	叟	99D5	578C	I3GS0080
244	曼	99D6	578D	I3GT0080
245	變	99D7	578F	I3GV0080
246	叮	99D8	5790	I3GW0080
247	叨	99D9	5791	I3GX0080
248	叭	99DA	5792	I3GY0080
249	叭	99DB	5793	I3GZ0080
250	吁	99DC	5794	I3H00080
251	吶	99DD	5795	I3H10080
252	呀	99DE	5796	I3H20080
253	听	99DF	5797	I3H30080
254	吭	99E0	5798	I3H40080
255	吼	99E1	5799	I3H50080
256	吮	99E2	579A	I3H60080
257	呐	99E3	579B	I3H70080
258	吩	99E4	579C	I3H80080




## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 15 (Page 6 of 28). Level 2 Kanji Set (1 of 2), DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
259	吝	99E5	579D	I3H90080
260	呷	99E6	579E	I3HA0080
261	咏	99E7	579F	I3HB0080
262	呵	99E8	57A0	I3HC0080
263	咎	99E9	57A1	I3HD0080
264	咳	99EA	57A2	I3HE0080
265	呱	99EB	57A3	I3HF0080
266	呷	99EC	57A4	I3HG0080
267	皆	99ED	57A5	I3HH0080
268	咒	99EE	57A6	I3HI0080
269	呻	99EF	57A7	I3HJ0080
270	咀	99F0	57A8	I3HK0080
271	屺	99F1	57AA	I3HM0080
272	咄	99F2	57AB	I3HN0080
273	咐	99F3	57AC	I3HO0080
274	咆	99F4	57AD	I3HP0080
275	哇	99F5	57AF	I3HR0080
276	罅	99F6	57B2	I3HU0080
277	咸	99F7	57B3	I3HV0080
278	啞	99F8	57B4	I3HW0080
279	咬	99F9	57B5	I3HX0080
280	哄	99FA	57B6	I3HY0080
281	哈	99FB	57B8	I3I00080
282	咨	99FC	57B9	I3I10080
283	咫	9A40	57BA	I3I20080
284	晒	9A41	57BB	I3I30080

Table 15 (Page 6 of 28). Level 2 Kanji Set (1 of 2), DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
285	咤	9A42	57BC	I3I40080
286	啫	9A43	57BE	I3I60080
287	崙	9A44	57B0	I3HS0080
288	唳	9A45	57B7	I3HZ0080
289	哥	9A46	57BF	I3I70080
290	哦	9A47	57C1	I3I90080
291	唏	9A48	57C2	I3IA0080
292	唔	9A49	57C3	I3IB0080
293	哽	9A4A	57C4	I3IC0080
294	哮	9A4B	57C5	I3ID0080
295	哭	9A4C	57C6	I3IE0080
296	哺	9A4D	547C	I3OC0080
297	哧	9A4E	57C7	I3IF0080
298	啞	9A4F	57C8	I3IG0080
299	哇	9A50	57C9	I3IH0080
300	啣	9A51	57CA	I3II0080
301	啞	9A52	57CB	I3IJ0080
302	售	9A53	57CC	I3IK0080
303	啜	9A54	57CD	I3IL0080
304	啞	9A55	57CE	I3IM0080
305	啞	9A56	57CF	I3IN0080
306	啞	9A57	57D0	I3IO0080
307	唸	9A58	57D1	I3IP0080
308	唸	9A59	57D2	I3IQ0080
309	啞	9A5A	57D3	I3IR0080
310	喙	9A5B	57D4	I3IS0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 15 (Page 7 of 28). Level 2 Kanji Set (1 of 2), DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
311	喀	9A5C	57D5	I3IT0080
312	咯	9A5D	57B1	I3HT0080
313	喊	9A5E	57D6	I3IU0080
314	喟	9A5F	57D7	I3IV0080
315	啻	9A60	57D8	I3IW0080
316	啾	9A61	57D9	I3IX0080
317	喘	9A62	57DA	I3IY0080
318	啣	9A63	57DB	I3IZ0080
319	單	9A64	57DC	I3J00080
320	啼	9A65	57DD	I3J10080
321	喃	9A66	57DF	I3J30080
322	喻	9A67	57E0	I3J40080
323	喇	9A68	57E1	I3J50080
324	唳	9A69	57E2	I3J60080
325	鳴	9A6A	52A2	I2QQ0080
326	嗅	9A6B	57E3	I3J70080
327	嗟	9A6C	57E4	I3J80080
328	嗔	9A6D	57E5	I3J90080
329	嗜	9A6E	57E6	I3JA0080
330	噴	9A6F	57E7	I3JB0080
331	噴	9A70	57E8	I3JC0080
332	嘔	9A71	57EA	I3JE0080
333	嗽	9A72	57EB	I3JF0080
334	噴	9A73	57EC	I3JG0080
335	嗽	9A74	57ED	I3JH0080
336	嗽	9A75	57EE	I3JI0080

Table 15 (Page 7 of 28). Level 2 Kanji Set (1 of 2), DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
337	嘛	9A76	57EF	I3JJ0080
338	噍	9A77	57E9	I3JD0080
339	噎	9A78	57F0	I3JK0080
340	噤	9A79	57F1	I3JL0080
341	營	9A7A	57FB	I3JV0080
342	嘴	9A7B	547F	I30F0080
343	嘶	9A7C	57F2	I3JM0080
344	嘲	9A7D	57F3	I3JN0080
345	噓	9A7E	57F4	I3JO0080
346	噫	9A80	57F5	I3JP0080
347	噤	9A81	57F6	I3JQ0080
348	嘯	9A82	57F8	I3JS0080
349	噬	9A83	57F9	I3JT0080
350	噪	9A84	57FA	I3JU0080
351	嘯	9A85	57F7	I3JR0080
352	嘯	9A86	57FE	I3JY0080
353	嘯	9A87	5841	I3K10080
354	嘯	9A88	5842	I3K20080
355	噓	9A89	57FC	I3JW0080
356	噓	9A8A	57FD	I3JX0080
357	嘯	9A8B	5843	I3K30080
358	嚮	9A8C	5844	I3K40080
359	嚮	9A8D	5845	I3K50080
360	巖	9A8E	5846	I3K60080
361	巖	9A8F	5848	I3K80080
362	嚮	9A90	5849	I3K90080

IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

**Table 15 (Page 8 of 28).** Level 2 Kanji Set (1 of 2), DBCS-PC

Line Number	Graphic	PC Code	Host Code	GCGID
363	囁	9A91	584A	I3KA0080
364	囁	9A92	584B	I3KB0080
365	囁	9A93	584C	I3KC0080
366	囁	9A94	5847	I3K70080
367	囁	9A95	584D	I3KD0080
368	囁	9A96	584F	I3KF0080
369	囁	9A97	584E	I3KE0080
370	囁	9A98	5850	I3KG0080
371	囁	9A99	5851	I3KH0080
372	囁	9A9A	5852	I3KI0080
373	囁	9A9B	5266	I2P20080
374	囁	9A9C	5853	I3KJ0080
375	囁	9A9D	5854	I3KK0080
376	囁	9A9E	5855	I3KL0080
377	囁	9A9F	5856	I3KM0080
378	國	9AA0	51BD	I2M50080
379	國	9AA1	5857	I3KN0080
380	圓	9AA2	54E7	I33B0080
381	團	9AA3	5859	I3KP0080
382	圖	9AA4	585A	I3KQ0080
383	嗇	9AA5	5858	I3KO0080
384	園	9AA6	585B	I3KR0080
385	坎	9AA7	585C	I3KS0080
386	坏	9AA8	51D1	I2MP0080
387	址	9AA9	585D	I3KT0080
388	坎	9AAA	585E	I3KU0080

**Table 15 (Page 8 of 28).** Level 2 Kanji Set (1 of 2), DBCS-PC

Line Number	Graphic	PC Code	Host Code	GCGID
389	圻	9AAB	585F	I3KV0080
390	址	9AAC	5861	I3KX0080
391	坏	9AAD	5862	I3KY0080
392	坩	9AAE	5398	I2VS0080
393	垂	9AAF	5871	I3LD0080
394	垩	9AB0	5864	I3L00080
395	坡	9AB1	5865	I3L10080
396	坳	9AB2	5866	I3L20080
397	垵	9AB3	5867	I3L30080
398	垿	9AB4	5868	I3L40080
399	垾	9AB5	5869	I3L50080
400	圻	9AB6	586B	I3L70080
401	埕	9AB7	586A	I3L60080
402	埕	9AB8	586D	I3L90080
403	埕	9AB9	53CD	I2X90080
404	埃	9ABA	586E	I3LA0080
405	埕	9ABB	586F	I3LB0080
406	埔	9ABC	5872	I3LE0080
407	埕	9ABD	5874	I3LG0080
408	埕	9ABE	5875	I3LH0080
409	埕	9ABF	5878	I3LK0080
410	埕	9AC0	5876	I3LI0080
411	埕	9AC1	5879	I3LL0080
412	埕	9AC2	587A	I3LM0080
413	埕	9AC3	587B	I3LN0080
414	埕	9AC4	53A7	I2W70080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 15 (Page 9 of 28). Level 2 Kanji Set (1 of 2), DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
415	場	9AC5	5886	I3LY0080
416	堡	9AC6	587C	I3LO0080
417	塙	9AC7	587E	I3LQ0080
418	塋	9AC8	587D	I3LP0080
419	壑	9AC9	5883	I3LV0080
420	毀	9ACA	587F	I3LR0080
421	埒	9ACB	5881	I3LT0080
422	堰	9ACC	5880	I3LS0080
423	塹	9ACD	5884	I3LW0080
424	墅	9ACE	5885	I3LX0080
425	壩	9ACF	588D	I3M50080
426	墟	9AD0	5887	I3LZ0080
427	壘	9AD1	5888	I3M00080
428	塙	9AD2	588E	I3M60080
429	壤	9AD3	5895	I3MD0080
430	塙	9AD4	5552	I34I0080
431	壙	9AD5	5889	I3M10080
432	墮	9AD6	588B	I3M30080
433	壑	9AD7	588F	I3M70080
434	壓	9AD8	5890	I3M80080
435	壑	9AD9	5891	I3M90080
436	墟	9ADA	5892	I3MA0080
437	壙	9ADB	5893	I3MB0080
438	壘	9ADC	5894	I3MC0080
439	壘	9ADD	5899	I3MH0080
440	壘	9ADE	5896	I3ME0080

Table 15 (Page 9 of 28). Level 2 Kanji Set (1 of 2), DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
441	壤	9ADF	5898	I3MG0080
442	壘	9AE0	5897	I3MF0080
443	壯	9AE1	589A	I3MI0080
444	壺	9AE2	589B	I3MJ0080
445	壹	9AE3	589C	I3MK0080
446	壻	9AE4	589D	I3ML0080
447	壺	9AE5	589E	I3MM0080
448	壽	9AE6	5275	I2PH0080
449	久	9AE7	589F	I3MN0080
450	父	9AE8	58A0	I3MO0080
451	復	9AE9	58A2	I3MQ0080
452	彳	9AEA	58A3	I3MR0080
453	夢	9AEB	58A4	I3MS0080
454	夥	9AEC	58A5	I3MT0080
455	夊	9AED	58A6	I3MU0080
456	夭	9AEE	58A7	I3MV0080
457	夊	9AEF	58A8	I3MW0080
458	夸	9AF0	58A9	I3MX0080
459	夾	9AF1	58AA	I3MY0080
460	奇	9AF2	604E	I4R20080
461	奕	9AF3	58AB	I3MZ0080
462	奂	9AF4	58AC	I3N00080
463	奎	9AF5	518F	I2KV0080
464	奚	9AF6	58AE	I3N20080
465	奘	9AF7	58AF	I3N30080
466	奢	9AF8	58B3	I3N70080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 15 (Page 10 of 28). Level 2 Kanji Set (1 of 2), DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
467	眞	9AF9	58B4	I3N80080
468	奥	9AFA	58B5	I3N90080
469	獎	9AFB	58B6	I3NA0080
470	奩	9AFC	58B7	I3NB0080
471	奸	9B40	58B8	I3NC0080
472	灼	9B41	58B9	I3ND0080
473	妝	9B42	58BC	I3NG0080
474	佞	9B43	566D	I3AL0080
475	佞	9B44	5678	I3AW0080
476	妣	9B45	58BD	I3NH0080
477	姐	9B46	58BF	I3NJ0080
478	姆	9B47	58C1	I3NL0080
479	姨	9B48	58C2	I3NM0080
480	姜	9B49	5184	I2KK0080
481	妍	9B4A	58BA	I3NE0080
482	妊	9B4B	58C3	I3NN0080
483	姚	9B4C	58C4	I3NO0080
484	娥	9B4D	58C5	I3NP0080
485	娟	9B4E	58C6	I3NQ0080
486	娑	9B4F	58C7	I3NR0080
487	娜	9B50	58C8	I3NS0080
488	娉	9B51	58CA	I3NU0080
489	甥	9B52	58C9	I3NT0080
490	婀	9B53	58CB	I3NV0080
491	姪	9B54	58CC	I3NW0080
492	婉	9B55	58CD	I3NX0080

Table 15 (Page 10 of 28). Level 2 Kanji Set (1 of 2), DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
493	嫵	9B56	58CE	I3NY0080
494	娶	9B57	58CF	I3NZ0080
495	婢	9B58	58D0	I3O00080
496	嫠	9B59	58D1	I3O10080
497	媚	9B5A	58D2	I3O20080
498	媪	9B5B	58D3	I3O30080
499	媾	9B5C	58D4	I3O40080
500	嫻	9B5D	58D6	I3O60080
501	嫂	9B5E	58D7	I3O70080
502	媽	9B5F	58D8	I3O80080
503	媽	9B60	58D9	I3O90080
504	嫗	9B61	58DA	I3OA0080
505	嫦	9B62	58DB	I3OB0080
506	嫩	9B63	58DC	I3OC0080
507	嫖	9B64	58DD	I3OD0080
508	嫻	9B65	58DE	I3OE0080
509	嫻	9B66	58DF	I3OF0080
510	嬌	9B67	58E0	I3OG0080
511	嬋	9B68	58E1	I3OH0080
512	嬖	9B69	58E2	I3OI0080
513	嫻	9B6A	58E3	I3OJ0080
514	嫩	9B6B	58D5	I3O50080
515	嬪	9B6C	58E4	I3OK0080
516	嬪	9B6D	58E5	I3OL0080
517	嬪	9B6E	58E6	I3OM0080
518	嬪	9B6F	58E7	I3ON0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 15 (Page 11 of 28). Level 2 Kanji Set (1 of 2), DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
519	熾	9B70	58E8	I3OO0080
520	孀	9B71	58E9	I3OP0080
521	子	9B72	58EA	I3OQ0080
522	孕	9B73	58EB	I3OR0080
523	孚	9B74	5258	I2OO0080
524	孛	9B75	58EE	I3OU0080
525	孛	9B76	58EF	I3OV0080
526	孩	9B77	58F0	I3OW0080
527	孰	9B78	58F1	I3OX0080
528	孳	9B79	58F2	I3OY0080
529	孳	9B7A	58F3	I3OZ0080
530	學	9B7B	58F4	I3P00080
531	孳	9B7C	58ED	I3OT0080
532	孳	9B7D	58F5	I3P10080
533	宀	9B7E	58F6	I3P20080
534	它	9B80	58F7	I3P30080
535	宦	9B81	58F8	I3P40080
536	宸	9B82	58F9	I3P50080
537	寃	9B83	58FA	I3P60080
538	寇	9B84	58FB	I3P70080
539	霍	9B85	58FD	I3P90080
540	寔	9B86	5244	I2O40080
541	寐	9B87	5941	I3PD0080
542	寤	9B88	5945	I3PH0080
543	寘	9B89	51FC	I2NW0080
544	寢	9B8A	5946	I3PI0080

Table 15 (Page 11 of 28). Level 2 Kanji Set (1 of 2), DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
545	寘	9B8B	5943	I3PF0080
546	寥	9B8C	5947	I3PJ0080
547	寫	9B8D	5948	I3PK0080
548	寰	9B8E	5949	I3PL0080
549	寶	9B8F	594B	I3PN0080
550	寶	9B90	594A	I3PM0080
551	尅	9B91	594C	I3PO0080
552	將	9B92	594D	I3PP0080
553	專	9B93	594E	I3PQ0080
554	對	9B94	594F	I3PR0080
555	尔	9B95	5950	I3PS0080
556	尫	9B96	5952	I3PU0080
557	尫	9B97	5953	I3PV0080
558	尫	9B98	5954	I3PW0080
559	尸	9B99	5955	I3PX0080
560	尹	9B9A	515D	I2JH0080
561	屁	9B9B	5956	I3PY0080
562	屈	9B9C	5957	I3PZ0080
563	屎	9B9D	5958	I3Q00080
564	屮	9B9E	5959	I3Q10080
565	屮	9B9F	595A	I3Q20080
566	屮	9BA0	5443	I2YR0080
567	屮	9BA1	595B	I3Q30080
568	屮	9BA2	595C	I3Q40080
569	屮	9BA3	595D	I3Q50080
570	屮	9BA4	564C	I39O0080



IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

**Table 15 (Page 12 of 28).** Level 2 Kanji Set (1 of 2), DBCS-PC

Line Number	Graphic	PC Code	Host Code	GCGID
571	𡵁	9BA5	595E	I3Q60080
572	屹	9BA6	595F	I3Q70080
573	岌	9BA7	5960	I3Q80080
574	岑	9BA8	525A	I2OQ0080
575	岔	9BA9	5961	I3Q90080
576	岌	9BAA	58BB	I3NF0080
577	岫	9BAB	5963	I3QB0080
578	岷	9BAC	5964	I3QC0080
579	岫	9BAD	5965	I3QD0080
580	岫	9BAE	596A	I3QI0080
581	岷	9BAF	5966	I3QE0080
582	岫	9BB0	5969	I3QH0080
583	岫	9BB1	5962	I3QA0080
584	岫	9BB2	596B	I3QJ0080
585	岫	9BB3	596C	I3QK0080
586	岫	9BB4	596D	I3QL0080
587	岫	9BB5	596E	I3QM0080
588	岫	9BB6	596F	I3QN0080
589	岫	9BB7	5971	I3QP0080
590	岫	9BB8	598C	I3RG0080
591	岫	9BB9	5972	I3QQ0080
592	岫	9BBA	5973	I3QR0080
593	岫	9BBB	5974	I3QS0080
594	岫	9BBC	54F1	I33L0080
595	岫	9BBD	5981	I3R50080
596	岫	9BBE	5975	I3QT0080

**Table 15 (Page 12 of 28).** Level 2 Kanji Set (1 of 2), DBCS-PC

Line Number	Graphic	PC Code	Host Code	GCGID
597	岫	9BBF	5976	I3QU0080
598	岫	9BC0	5977	I3QV0080
599	岫	9BC1	514D	I2J10080
600	岫	9BC2	5979	I3QX0080
601	岫	9BC3	597A	I3QY0080
602	岫	9BC4	597B	I3QZ0080
603	岫	9BC5	597C	I3R00080
604	岫	9BC6	597D	I3R10080
605	岫	9BC7	597E	I3R20080
606	岫	9BC8	5982	I3R60080
607	岫	9BC9	5983	I3R70080
608	岫	9BCA	5985	I3R90080
609	岫	9BCB	5986	I3RA0080
610	岫	9BCC	5988	I3RC0080
611	岫	9BCD	5989	I3RD0080
612	岫	9BCE	598A	I3RE0080
613	岫	9BCF	598B	I3RF0080
614	岫	9BD0	598D	I3RH0080
615	岫	9BD1	598E	I3RI0080
616	岫	9BD2	5990	I3RK0080
617	岫	9BD3	5991	I3RL0080
618	岫	9BD4	4F84	I29W0080
619	岫	9BD5	598F	I3RJ0080
620	岫	9BD6	5992	I3RM0080
621	岫	9BD7	5994	I3RO0080
622	岫	9BD8	5996	I3RQ0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 15 (Page 13 of 28). Level 2 Kanji Set (1 of 2), DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
623	巍	9BD9	5281	I2PT0080
624	巔	9BDA	5998	I3RS0080
625	巒	9BDB	5999	I3RT0080
626	巖	9BDC	51DF	I2N30080
627	巛	9BDD	599A	I3RU0080
628	巫	9BDE	599B	I3RV0080
629	巳	9BDF	4A4B	I1HN0080
630	卮	9BE0	599C	I3RW0080
631	帀	9BE1	599D	I3RX0080
632	币	9BE2	599E	I3RY0080
633	市	9BE3	599F	I3RZ0080
634	布	9BE4	59A0	I3S00080
635	帄	9BE5	59A1	I3S10080
636	帅	9BE6	59A2	I3S20080
637	帷	9BE7	54BE	I3260080
638	幄	9BE8	59A3	I3S30080
639	幃	9BE9	59A4	I3S40080
640	幃	9BEA	59A5	I3S50080
641	幃	9BEB	59A7	I3S70080
642	幃	9BEC	59A8	I3S80080
643	幔	9BED	59A9	I3S90080
644	幃	9BEE	5483	I30J0080
645	幃	9BEF	59AA	I3SA0080
646	幣	9BF0	59AB	I3SB0080
647	幣	9BF1	59A6	I3S60080
648	卩	9BF2	59AC	I3SC0080

Table 15 (Page 13 of 28). Level 2 Kanji Set (1 of 2), DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
649	并	9BF3	59AD	I3SD0080
650	幃	9BF4	59AE	I3SE0080
651	麼	9BF5	6850	I5XS0080
652	广	9BF6	59AF	I3SF0080
653	庠	9BF7	59B0	I3SG0080
654	廁	9BF8	59B1	I3SH0080
655	廂	9BF9	59B2	I3SI0080
656	廈	9BFA	59B3	I3SJ0080
657	廡	9BFB	59B4	I3SK0080
658	廢	9BFC	59B5	I3SL0080
659	廖	9C40	536C	I2UK0080
660	廣	9C41	50E9	I2I10080
661	廤	9C42	59B6	I3SM0080
662	廚	9C43	59B7	I3SN0080
663	廥	9C44	59B8	I3SO0080
664	廢	9C45	59B9	I3SP0080
665	廧	9C46	59BA	I3SQ0080
666	廨	9C47	59BB	I3SR0080
667	廩	9C48	59BC	I3SS0080
668	廪	9C49	59BD	I3ST0080
669	廫	9C4A	59BF	I3SV0080
670	廳	9C4B	59C0	I3SW0080
671	廳	9C4C	59BE	I3SU0080
672	廬	9C4D	59C1	I3SX0080
673	廬	9C4E	52D6	I2S60080
674	卩	9C4F	544B	I2YZ0080

IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

**Table 15 (Page 14 of 28).** Level 2 Kanji Set (1 of 2), DBCS-PC

Line Number	Graphic	PC Code	Host Code	GCGID
675	弃	9C50	59C2	I3SY0080
676	犇	9C51	59C3	I3SZ0080
677	犇	9C52	59D6	I3TI0080
678	犇	9C53	59D5	I3TH0080
679	弋	9C54	59C4	I3T00080
680	弑	9C55	59C5	I3T10080
681	豆	9C56	59C6	I3T20080
682	弩	9C57	59C8	I3T40080
683	弭	9C58	59C9	I3T50080
684	弼	9C59	59CC	I3T80080
685	弼	9C5A	59CD	I3T90080
686	彈	9C5B	59CE	I3TA0080
687	彌	9C5C	59CF	I3TB0080
688	彎	9C5D	59D0	I3TC0080
689	弯	9C5E	59CA	I3T60080
690	亓	9C5F	59D1	I3TD0080
691	彖	9C60	59D2	I3TE0080
692	彗	9C61	59D3	I3TF0080
693	彙	9C62	59D4	I3TG0080
694	彡	9C63	59D7	I3TJ0080
695	彭	9C64	529C	I2QK0080
696	彳	9C65	59D9	I3TL0080
697	徬	9C66	59DA	I3TM0080
698	徃	9C67	59DB	I3TN0080
699	徂	9C68	59DC	I3TO0080
700	徇	9C69	59DD	I3TP0080

**Table 15 (Page 14 of 28).** Level 2 Kanji Set (1 of 2), DBCS-PC

Line Number	Graphic	PC Code	Host Code	GCGID
701	徊	9C6A	59DE	I3TQ0080
702	很	9C6B	59DF	I3TR0080
703	徑	9C6C	59E1	I3TT0080
704	徇	9C6D	59E0	I3TS0080
705	從	9C6E	59E3	I3TV0080
706	徙	9C6F	59E2	I3TU0080
707	徘	9C70	59E4	I3TW0080
708	徠	9C71	59E5	I3TX0080
709	徨	9C72	59E6	I3TY0080
710	徭	9C73	59E7	I3TZ0080
711	徼	9C74	59E9	I3U10080
712	付	9C75	59EA	I3U20080
713	忻	9C76	59EB	I3U30080
714	忤	9C77	59EC	I3U40080
715	忸	9C78	59ED	I3U50080
716	忱	9C79	59EE	I3U60080
717	忝	9C7A	59F0	I3U80080
718	慝	9C7B	5276	I2PI0080
719	忿	9C7C	59F2	I3UA0080
720	怡	9C7D	59F3	I3UB0080
721	恠	9C7E	5A43	I3UR0080
722	怙	9C80	59F4	I3UC0080
723	恂	9C81	59F5	I3UD0080
724	恠	9C82	59F6	I3UE0080
725	恠	9C83	59F7	I3UF0080
726	忽	9C84	59F8	I3UG0080




## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 15 (Page 15 of 28). Level 2 Kanji Set (1 of 2), DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
727	恒	9C85	59F9	I3UH0080
728	怕	9C86	59FA	I3UI0080
729	佛	9C87	59FB	I3UJ0080
730	怦	9C88	59FC	I3UK0080
731	快	9C89	59FD	I3UL0080
732	咏	9C8A	59FE	I3UM0080
733	恚	9C8B	5A41	I3UP0080
734	恚	9C8C	5A42	I3UQ0080
735	恪	9C8D	5A45	I3UT0080
736	恣	9C8E	5A46	I3UU0080
737	恂	9C8F	5A47	I3UV0080
738	協	9C90	5A48	I3UW0080
739	恆	9C91	5A49	I3UX0080
740	恍	9C92	5A4A	I3UY0080
741	恣	9C93	5A4B	I3UZ0080
742	恃	9C94	5A4C	I3V00080
743	恤	9C95	5A4D	I3V10080
744	恂	9C96	5256	I2OM0080
745	恬	9C97	5A4E	I3V20080
746	恫	9C98	5A4F	I3V30080
747	恚	9C99	5A50	I3V40080
748	恂	9C9A	5A52	I3V60080
749	悍	9C9B	5544	I3440080
750	惧	9C9C	554A	I34A0080
751	恂	9C9D	5A53	I3V70080
752	悚	9C9E	5A54	I3V80080

Table 15 (Page 15 of 28). Level 2 Kanji Set (1 of 2), DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
753	悄	9C9F	5A55	I3V90080
754	悛	9CA0	5A56	I3VA0080
755	悛	9CA1	5A58	I3VC0080
756	悛	9CA2	5A59	I3VD0080
757	悛	9CA3	5A5A	I3VE0080
758	悛	9CA4	5A5B	I3VF0080
759	悛	9CA5	5A5C	I3VG0080
760	惡	9CA6	5A5D	I3VH0080
761	悛	9CA7	5A5E	I3VI0080
762	惠	9CA8	5A60	I3VK0080
763	倦	9CA9	5A61	I3VL0080
764	悴	9CAA	53A3	I2W30080
765	悴	9CAB	59EF	I3U70080
766	悽	9CAC	5A62	I3VM0080
767	惆	9CAD	5A63	I3VN0080
768	悵	9CAE	5A64	I3VO0080
769	悵	9CAF	5A66	I3VQ0080
770	慍	9CB0	5A78	I3W80080
771	愕	9CB1	5A69	I3VT0080
772	愆	9CB2	5A6A	I3VU0080
773	惶	9CB3	5A6B	I3VV0080
774	愆	9CB4	5A6C	I3VW0080
775	愆	9CB5	5A6D	I3VX0080
776	喘	9CB6	5A6E	I3VY0080
777	惺	9CB7	5A6F	I3VZ0080
778	愆	9CB8	5A70	I3W00080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 15 (Page 16 of 28). Level 2 Kanji Set (1 of 2), DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
779	惚	9CB9	5A71	I3W10080
780	惻	9CBA	5A72	I3W20080
781	惱	9CBB	5A73	I3W30080
782	愍	9CBC	5A74	I3W40080
783	復	9CBD	5A75	I3W50080
784	駭	9CBE	5A77	I3W70080
785	愾	9CBF	5A7C	I3WC0080
786	慙	9CC0	5A7A	I3WA0080
787	愧	9CC1	5A7B	I3WB0080
788	慊	9CC2	5A7D	I3WD0080
789	愿	9CC3	51E3	I2N70080
790	愼	9CC4	5A7F	I3WF0080
791	愬	9CC5	5A80	I3WG0080
792	愴	9CC6	5A81	I3WH0080
793	博	9CC7	5A84	I3WK0080
794	遜	9CC8	5A85	I3WL0080
795	慄	9CC9	5A86	I3WM0080
796	慳	9CCA	5A87	I3WN0080
797	慫	9CCB	5A89	I3WP0080
798	慘	9CCC	5A8A	I3WQ0080
799	慴	9CCD	5A8B	I3WR0080
800	慵	9CCE	5A8C	I3WS0080
801	慶	9CCF	5A8D	I3WT0080
802	慷	9CD0	5A8E	I3WU0080
803	慸	9CD1	5A8F	I3WV0080
804	慹	9CD2	5A82	I3WI0080

Table 15 (Page 16 of 28). Level 2 Kanji Set (1 of 2), DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
805	慺	9CD3	5A90	I3WW0080
806	慻	9CD4	5A91	I3WX0080
807	慼	9CD5	5A83	I3WJ0080
808	慽	9CD6	5A92	I3WY0080
809	慿	9CD7	5A93	I3WZ0080
810	慿	9CD8	5A95	I3X10080
811	慿	9CD9	5A96	I3X20080
812	慿	9CDA	5A88	I3WO0080
813	慿	9CDB	5A97	I3X30080
814	慿	9CDC	5A98	I3X40080
815	慿	9CDD	55CF	I37Z0080
816	慿	9CDE	5A99	I3X50080
817	慿	9CDF	5A9A	I3X60080
818	慿	9CE0	5A9B	I3X70080
819	慿	9CE1	5A9C	I3X80080
820	慿	9CE2	5A9D	I3X90080
821	慿	9CE3	5A9E	I3XA0080
822	慿	9CE4	5A9F	I3XB0080
823	慿	9CE5	5AAA	I3XM0080
824	慿	9CE6	5AA0	I3XC0080
825	慿	9CE7	5AA1	I3XD0080
826	慿	9CE8	5AA2	I3XE0080
827	慿	9CE9	5AA3	I3XF0080
828	慿	9CEA	5AA4	I3XG0080
829	慿	9CEB	5AA5	I3XH0080
830	慿	9CEC	5AA6	I3XI0080

IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

**Table 15 (Page 17 of 28).** Level 2 Kanji Set (1 of 2), DBCS-PC

Line Number	Graphic	PC Code	Host Code	GCGID
831	儒	9CED	5AA7	I3XJ0080
832	瀧	9CEE	5AA8	I3XK0080
833	懶	9CEF	5AAB	I3XN0080
834	饑	9CF0	5AAD	I3XP0080
835	饑	9CF1	5AA9	I3XL0080
836	懿	9CF2	5AAE	I3XQ0080
837	權	9CF3	5AAC	I3XO0080
838	懼	9CF4	5AAF	I3XR0080
839	僭	9CF5	5AB0	I3XS0080
840	戀	9CF6	5AB1	I3XT0080
841	戈	9CF7	5AB2	I3XU0080
842	戊	9CF8	5AB3	I3XV0080
843	戊	9CF9	5AB4	I3XW0080
844	戊	9CFA	5460	I2ZK0080
845	戔	9CFB	5AB6	I3XY0080
846	戛	9CFC	5AB7	I3XZ0080
847	戛	9D40	5AB8	I3Y00080
848	戛	9D41	5AB9	I3Y10080
849	截	9D42	5ABA	I3Y20080
850	戮	9D43	5ABB	I3Y30080
851	戰	9D44	5ABC	I3Y40080
852	戲	9D45	5ABD	I3Y50080
853	戮	9D46	5ABE	I3Y60080
854	扁	9D47	5ABF	I3Y70080
855	扎	9D48	5AC0	I3Y80080
856	扞	9D49	5AC1	I3Y90080

**Table 15 (Page 17 of 28).** Level 2 Kanji Set (1 of 2), DBCS-PC

Line Number	Graphic	PC Code	Host Code	GCGID
857	扣	9D4A	5AC2	I3YA0080
858	扛	9D4B	5AC3	I3YB0080
859	扱	9D4C	5AC4	I3YC0080
860	扱	9D4D	5AC5	I3YD0080
861	扱	9D4E	5AC6	I3YE0080
862	扱	9D4F	5AC7	I3YF0080
863	扱	9D50	5AC8	I3YG0080
864	扱	9D51	5ACA	I3YI0080
865	扱	9D52	5AC9	I3YH0080
866	抓	9D53	5ACB	I3YJ0080
867	抖	9D54	5ACC	I3YK0080
868	拔	9D55	5AD7	I3YV0080
869	扞	9D56	5ACD	I3YL0080
870	杯	9D57	5ACE	I3YM0080
871	拗	9D58	5ACF	I3YN0080
872	拮	9D59	5AD0	I3YO0080
873	拮	9D5A	5AD1	I3YP0080
874	拮	9D5B	5AD2	I3YQ0080
875	拮	9D5C	5AE6	I3ZA0080
876	拮	9D5D	5AD4	I3YS0080
877	擔	9D5E	5B60	I40W0080
878	拮	9D5F	5AD5	I3YT0080
879	拜	9D60	5AD6	I3YU0080
880	拮	9D61	5345	I2TH0080
881	拮	9D62	5AD8	I3YW0080
882	拂	9D63	5AD9	I3YX0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 15 (Page 18 of 28). Level 2 Kanji Set (1 of 2), DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
883	拇	9D64	5ADB	I3YZ0080
884	拋	9D65	5ADC	I3Z00080
885	拉	9D66	5ADD	I3Z10080
886	拞	9D67	5ADE	I3Z20080
887	拞	9D68	5ADF	I3Z30080
888	拱	9D69	5AE0	I3Z40080
889	擗	9D6A	5AE1	I3Z50080
890	挂	9D6B	5AE2	I3Z60080
891	拑	9D6C	5AE3	I3Z70080
892	拯	9D6D	5AE4	I3Z80080
893	拑	9D6E	5AE5	I3Z90080
894	捐	9D6F	5AE7	I3ZB0080
895	挾	9D70	5AE9	I3ZD0080
896	捍	9D71	5AE8	I3ZC0080
897	搜	9D72	5B48	I4080080
898	捏	9D73	5AEA	I3ZE0080
899	掖	9D74	5AEB	I3ZF0080
900	拑	9D75	5AEC	I3ZG0080
901	掀	9D76	5AED	I3ZH0080
902	擗	9D77	5AEE	I3ZI0080
903	捶	9D78	5AEF	I3ZJ0080
904	掣	9D79	5AF0	I3ZK0080
905	掏	9D7A	5AF1	I3ZL0080
906	掉	9D7B	5AF2	I3ZM0080
907	掙	9D7C	5AF3	I3ZN0080
908	掙	9D7D	5AF6	I3ZQ0080

Table 15 (Page 18 of 28). Level 2 Kanji Set (1 of 2), DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
909	捫	9D7E	5AF4	I3ZO0080
910	捫	9D80	5AF5	I3ZP0080
911	掙	9D81	5AF7	I3ZR0080
912	搯	9D82	5AF8	I3ZS0080
913	揀	9D83	5AF9	I3ZT0080
914	揆	9D84	5AFA	I3ZU0080
915	搯	9D85	5AFC	I3ZW0080
916	揉	9D86	5AFD	I3ZX0080
917	插	9D87	5AFE	I3ZY0080
918	擗	9D88	5B41	I4010080
919	揆	9D89	5B42	I4020080
920	搖	9D8A	5B4C	I40C0080
921	拳	9D8B	5B43	I4030080
922	搯	9D8C	5B44	I4040080
923	搓	9D8D	5B45	I4050080
924	擗	9D8E	5B46	I4060080
925	搶	9D8F	5B47	I4070080
926	攝	9D90	5B71	I41D0080
927	搗	9D91	5B49	I4090080
928	搗	9D92	5B4A	I40A0080
929	搏	9D93	5B4B	I40B0080
930	摧	9D94	5B4E	I40E0080
931	摯	9D95	5B4F	I40F0080
932	搏	9D96	5B51	I40H0080
933	摯	9D97	5B4D	I40D0080
934	攪	9D98	5B52	I40I0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 15 (Page 19 of 28). Level 2 Kanji Set (1 of 2), DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
935	撕	9D99	5B55	I40L0080
936	撓	9D9A	5B57	I40N0080
937	撥	9D9B	5B58	I40O0080
938	撩	9D9C	5B59	I40P0080
939	撈	9D9D	5B5A	I40Q0080
940	撼	9D9E	5B5B	I40R0080
941	據	9D9F	5B5C	I40S0080
942	擒	9DA0	5B5D	I40T0080
943	擅	9DA1	5B5E	I40U0080
944	擇	9DA2	5B5F	I40V0080
945	撻	9DA3	5B56	I40M0080
946	擘	9DA4	5B61	I40X0080
947	搯	9DA5	5B62	I40Y0080
948	攔	9DA6	5B63	I40Z0080
949	舉	9DA7	5B64	I4100080
950	舉	9DA8	5778	I3G80080
951	擠	9DA9	5B65	I4110080
952	擡	9DAA	5B66	I4120080
953	抬	9DAB	5AD3	I3YR0080
954	擣	9DAC	5B67	I4130080
955	攢	9DAD	5B68	I4140080
956	攬	9DAE	5B76	I41I0080
957	擗	9DAF	5B6A	I4160080
958	擴	9DB0	5B69	I4150080
959	擲	9DB1	5B6B	I4170080
960	擺	9DB2	5B6C	I4180080

Table 15 (Page 19 of 28). Level 2 Kanji Set (1 of 2), DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
961	攀	9DB3	5B6D	I4190080
962	攪	9DB4	5B6E	I41A0080
963	攘	9DB5	5B6F	I41B0080
964	攜	9DB6	5B70	I41C0080
965	攢	9DB7	5B72	I41E0080
966	攤	9DB8	5B73	I41F0080
967	攀	9DB9	5B74	I41G0080
968	攪	9DBA	5B75	I41H0080
969	攴	9DBB	5B77	I41J0080
970	攴	9DBC	5B78	I41K0080
971	攴	9DBD	5B79	I41L0080
972	攴	9DBE	5B7A	I41M0080
973	攴	9DBF	5B7B	I41N0080
974	攴	9DC0	5B7C	I41O0080
975	攴	9DC1	5B7D	I41P0080
976	攴	9DC2	5B7F	I41R0080
977	敕	9DC3	5B82	I41U0080
978	敍	9DC4	5B80	I41S0080
979	敍	9DC5	5B81	I41T0080
980	敝	9DC6	51B1	I2LT0080
981	敝	9DC7	5B83	I41V0080
982	敝	9DC8	5B84	I41W0080
983	敝	9DC9	5B85	I41X0080
984	敝	9DCA	5B86	I41Y0080
985	斃	9DCB	5B87	I41Z0080
986	變	9DCC	5B88	I4200080





## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 15 (Page 20 of 28). Level 2 Kanji Set (1 of 2), DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
987	斛	9DCD	5B89	I4210080
988	斟	9DCE	5B8A	I4220080
989	斫	9DCF	5B8B	I4230080
990	斷	9DD0	5B8C	I4240080
991	旃	9DD1	5B8D	I4250080
992	旃	9DD2	5B8E	I4260080
993	旁	9DD3	5B8F	I4270080
994	旄	9DD4	5B90	I4280080
995	旌	9DD5	5B91	I4290080
996	旒	9DD6	5B92	I42A0080
997	旒	9DD7	5165	I2JP0080
998	旒	9DD8	5B93	I42B0080
999	无	9DD9	5B95	I42D0080
1000	无	9DDA	5B94	I42C0080
1001	旱	9DDB	5B96	I42E0080
1002	旱	9DDC	5B9A	I42I0080
1003	昊	9DDD	528E	I2Q60080
1004	昊	9DDE	5B9B	I42J0080
1005	昊	9DDF	5B9C	I42K0080
1006	杏	9DE0	5BE0	I44G0080
1007	昵	9DE1	5B9F	I42N0080
1008	昶	9DE2	5193	I2KZ0080
1009	昴	9DE3	5BA2	I42Q0080
1010	昴	9DE4	5BA3	I42R0080
1011	晏	9DE5	51EA	I2NE0080
1012	昞	9DE6	5BA5	I42T0080

Table 15 (Page 20 of 28). Level 2 Kanji Set (1 of 2), DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
1013	晉	9DE7	5BA6	I42U0080
1014	晁	9DE8	5251	I2OH0080
1015	晞	9DE9	5BA9	I42X0080
1016	晝	9DEA	5BAD	I4310080
1017	晤	9DEB	5BAA	I42Y0080
1018	皓	9DEC	50A0	I2G00080
1019	晨	9DED	51B2	I2LU0080
1020	晟	9DEE	4FCE	I2BY0080
1021	晷	9DEF	5BAC	I4300080
1022	晰	9DF0	5BB0	I4340080
1023	晷	9DF1	5BB1	I4350080
1024	暈	9DF2	5BB2	I4360080
1025	暎	9DF3	4FAB	I2AZ0080
1026	暉	9DF4	4ED1	I26P0080
1027	暄	9DF5	5BB3	I4370080
1028	暘	9DF6	5BB5	I4390080
1029	暝	9DF7	5BB7	I43B0080
1030	暨	9DF8	5BBA	I43E0080
1031	暹	9DF9	5243	I2O30080
1032	曉	9DFA	5BBC	I43G0080
1033	暎	9DFB	5BBD	I43H0080
1034	警	9DFC	5BBE	I43I0080
1035	曄	9E40	5BB9	I43D0080
1036	瞭	9E41	5BBF	I43J0080
1037	曖	9E42	5BC0	I43K0080
1038	曖	9E43	5BC1	I43L0080




## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 15 (Page 21 of 28). Level 2 Kanji Set (1 of 2), DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
1039	曠	9E44	51CC	I2MK0080
1040	曠	9E45	5B9E	I42M0080
1041	曠	9E46	5BC2	I43M0080
1042	曠	9E47	5BC3	I43N0080
1043	日	9E48	5BC4	I43O0080
1044	曳	9E49	5BC5	I43P0080
1045	曷	9E4A	5BC6	I43Q0080
1046	肫	9E4B	54FD	I33X0080
1047	肫	9E4C	5BCA	I43U0080
1048	肫	9E4D	5BCB	I43V0080
1049	曠	9E4E	5BCD	I43X0080
1050	肫	9E4F	5BCE	I43Y0080
1051	霸	9E50	5BCF	I43Z0080
1052	朮	9E51	5BD0	I4400080
1053	束	9E52	5BD1	I4410080
1054	朮	9E53	5BD2	I4420080
1055	朮	9E54	534F	I2TR0080
1056	朮	9E55	5BD4	I4440080
1057	朮	9E56	5BD3	I4430080
1058	朮	9E57	5BD5	I4450080
1059	朮	9E58	5BD6	I4460080
1060	朮	9E59	5480	I30G0080
1061	朮	9E5A	5BD7	I4470080
1062	朮	9E5B	5291	I2Q90080
1063	朮	9E5C	5BD9	I4490080
1064	朮	9E5D	5BDA	I44A0080

Table 15 (Page 21 of 28). Level 2 Kanji Set (1 of 2), DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
1065	杰	9E5E	5BDC	I44C0080
1066	杰	9E5F	5BDD	I44D0080
1067	杼	9E60	54DF	I3330080
1068	杪	9E61	5BDE	I44E0080
1069	粉	9E62	54F2	I33M0080
1070	枋	9E63	5BDF	I44F0080
1071	栢	9E64	5BE1	I44H0080
1072	枋	9E65	5BE2	I44I0080
1073	枋	9E66	5BDB	I44B0080
1074	枷	9E67	5BE4	I44K0080
1075	柯	9E68	5BE5	I44L0080
1076	枋	9E69	5BE6	I44M0080
1077	束	9E6A	5BE7	I44N0080
1078	枳	9E6B	54C9	I32H0080
1079	枳	9E6C	5BE8	I44O0080
1080	枸	9E6D	5BE9	I44P0080
1081	祖	9E6E	5BEB	I44R0080
1082	柞	9E6F	54F3	I33N0080
1083	柞	9E70	5BED	I44T0080
1084	柞	9E71	5BEE	I44U0080
1085	柞	9E72	5BEF	I44V0080
1086	枹	9E73	5BF2	I44Y0080
1087	柞	9E74	5BF1	I44X0080
1088	粒	9E75	5BF4	I4500080
1089	柞	9E76	5BEA	I44Q0080
1090	桧	9E77	5046	I2DI0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 15 (Page 22 of 28). Level 2 Kanji Set (1 of 2), DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
1091	栞	9E78	5BF5	I4510080
1092	框	9E79	5BF6	I4520080
1093	栩	9E7A	52DE	I2SE0080
1094	桀	9E7B	5BF8	I4540080
1095	栲	9E7C	5BF7	I4530080
1096	栲	9E7D	5BFA	I4560080
1097	桢	9E7E	5BFB	I4570080
1098	梳	9E80	5361	I2U90080
1099	栲	9E81	52E2	I2SI0080
1100	梓	9E82	5BFD	I4590080
1101	档	9E83	5BFC	I4580080
1102	桷	9E84	5C41	I45D0080
1103	榫	9E85	5C42	I45E0080
1104	梟	9E86	5C43	I45F0080
1105	楷	9E87	5C45	I45H0080
1106	梭	9E88	5C46	I45I0080
1107	榭	9E89	5C47	I45J0080
1108	條	9E8A	4E92	I24Y0080
1109	椰	9E8B	53BC	I2WS0080
1110	梃	9E8C	5C48	I45K0080
1111	栲	9E8D	5C49	I45L0080
1112	栢	9E8E	5C4A	I45M0080
1113	桴	9E8F	5C4B	I45N0080
1114	梵	9E90	5C4C	I45O0080
1115	栢	9E91	52C6	I2RQ0080
1116	栢	9E92	5C4D	I45P0080

Table 15 (Page 22 of 28). Level 2 Kanji Set (1 of 2), DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
1117	榑	9E93	5C4E	I45Q0080
1118	榑	9E94	5BFE	I45A0080
1119	榑	9E95	5C44	I45G0080
1120	榑	9E96	5C4F	I45R0080
1121	棊	9E97	5C50	I45S0080
1122	榑	9E98	5C51	I45T0080
1123	棘	9E99	5C52	I45U0080
1124	榑	9E9A	5C61	I4690080
1125	栲	9E9B	5C53	I45V0080
1126	榑	9E9C	5C54	I45W0080
1127	榑	9E9D	5C55	I45X0080
1128	榑	9E9E	5C56	I45Y0080
1129	榑	9E9F	5C57	I45Z0080
1130	棊	9EA0	5C58	I4600080
1131	棕	9EA1	5C59	I4610080
1132	棊	9EA2	5C69	I46H0080
1133	椒	9EA3	5C5A	I4620080
1134	棊	9EA4	5C5C	I4640080
1135	棊	9EA5	54C2	I32A0080
1136	棊	9EA6	5C5D	I4650080
1137	榑	9EA7	53FA	I2YI0080
1138	棊	9EA8	5494	I3100080
1139	棠	9EA9	5C5E	I4660080
1140	榑	9EAA	5C5B	I4630080
1141	榑	9EAB	5C65	I46D0080
1142	榑	9EAC	5C62	I46A0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
1143	柵	9EAD	5370	I2UO0080
1144	換	9EAE	5C64	I46C0080
1145	樹	9EAF	5C63	I46B0080
1146	楡	9EB0	5C60	I4680080
1147	楡	9EB1	5C67	I46F0080
1148	楷	9EB2	5C68	I46G0080
1149	糊	9EB3	54E2	I3360080
1150	楸	9EB4	5C6A	I46I0080
1151	楫	9EB5	54A2	I31E0080
1152	楔	9EB6	5C6B	I46J0080
1153	楝	9EB7	5C74	I46S0080
1154	楮	9EB8	53EF	I2Y70080
1155	榎	9EB9	52ED	I2ST0080
1156	栴	9EBA	5C6D	I46L0080
1157	橡	9EBB	5C6F	I46N0080
1158	楸	9EBC	5C70	I46O0080
1159	榔	9EBD	5C71	I46P0080
1160	楡	9EBE	527C	I2PO0080
1161	楞	9EBF	5C72	I46Q0080
1162	棟	9EC0	5C73	I46R0080
1163	檜	9EC1	5C75	I46T0080
1164	楨	9EC2	5C6C	I46K0080
1165	楡	9EC3	5C76	I46U0080
1166	榮	9EC4	514A	I2IY0080
1167	槐	9EC5	548C	I30S0080
1168	橙	9EC6	5C77	I46V0080

Line Number	Graphic	PC Code	Host Code	GCGID
1169	稿	9EC7	5C7A	I46Y0080
1170	楨	9EC8	5C7B	I46Z0080
1171	榑	9EC9	5C7C	I4700080
1172	槎	9ECA	5C7D	I4710080
1173	寨	9ECB	5C7E	I4720080
1174	槩	9ECC	5C7F	I4730080
1175	槁	9ECD	5C81	I4750080
1176	榻	9ECE	5C82	I4760080
1177	槃	9ECF	5C83	I4770080
1178	榧	9ED0	538D	I2VH0080
1179	榧	9ED1	5C88	I47C0080
1180	榑	9ED2	5476	I3060080
1181	榧	9ED3	5C84	I4780080
1182	榜	9ED4	5C85	I4790080
1183	榕	9ED5	5C86	I47A0080
1184	榴	9ED6	53B2	I2WI0080
1185	檣	9ED7	5C87	I47B0080
1186	榔	9ED8	5C89	I47D0080
1187	樂	9ED9	5C8A	I47E0080
1188	樛	9EDA	5C8B	I47F0080
1189	槿	9EDB	5C8C	I47G0080
1190	權	9EDC	5CC1	I48X0080
1191	榑	9EDD	5C8D	I47H0080
1192	榑	9EDE	5C8E	I47I0080
1193	槩	9EDF	5C8F	I47J0080
1194	縱	9EE0	53BB	I2WR0080

IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

**Table 15 (Page 24 of 28).** Level 2 Kanji Set (1 of 2), DBCS-PC

Line Number	Graphic	PC Code	Host Code	GCGID
1195	榎	9EE1	5C80	I4740080
1196	榎	9EE2	5C91	I47L0080
1197	榎	9EE3	5C92	I47M0080
1198	榎	9EE4	5C93	I47N0080
1199	榎	9EE5	5C94	I47O0080
1200	榎	9EE6	5C95	I47P0080
1201	榎	9EE7	5C97	I47R0080
1202	榎	9EE8	5CB7	I48N0080
1203	榎	9EE9	5C98	I47S0080
1204	榎	9EEA	5C99	I47T0080
1205	榎	9EEB	5C9C	I47W0080
1206	榎	9EEC	5C9D	I47X0080
1207	榎	9EED	5CA8	I4880080
1208	榎	9EEE	5C9F	I47Z0080
1209	榎	9EEF	5CA0	I4800080
1210	榎	9EF0	5CA1	I4810080
1211	榎	9EF1	5CA2	I4820080
1212	榎	9EF2	5CA3	I4830080
1213	榎	9EF3	5CA4	I4840080
1214	榎	9EF4	5CA5	I4850080
1215	榎	9EF5	5CA7	I4870080
1216	榎	9EF6	5C96	I47Q0080
1217	榎	9EF7	5CAA	I48A0080
1218	榎	9EF8	5CAB	I48B0080
1219	榎	9EF9	5C9E	I47Y0080
1220	榎	9EFA	5CAC	I48C0080

**Table 15 (Page 24 of 28).** Level 2 Kanji Set (1 of 2), DBCS-PC

Line Number	Graphic	PC Code	Host Code	GCGID
1221	榎	9EFB	5CAD	I48D0080
1222	榎	9EFC	5CAE	I48E0080
1223	榎	9F40	5CB0	I48G0080
1224	榎	9F41	5CBE	I48U0080
1225	榎	9F42	5CB3	I48J0080
1226	榎	9F43	528B	I2Q30080
1227	榎	9F44	5CB4	I48K0080
1228	榎	9F45	5CB5	I48L0080
1229	榎	9F46	5CB6	I48M0080
1230	榎	9F47	5CB1	I48H0080
1231	榎	9F48	5CB8	I48O0080
1232	榎	9F49	5CBA	I48Q0080
1233	榎	9F4A	5362	I2UA0080
1234	榎	9F4B	5CB2	I48I0080
1235	榎	9F4C	5CBB	I48R0080
1236	榎	9F4D	5CBF	I48V0080
1237	榎	9F4E	52EE	I2SU0080
1238	榎	9F4F	5CC0	I48W0080
1239	榎	9F50	5CBD	I48T0080
1240	榎	9F51	5CC2	I48Y0080
1241	榎	9F52	5CC3	I48Z0080
1242	榎	9F53	5CC4	I4900080
1243	榎	9F54	6786	I5TY0080
1244	榎	9F55	5CC5	I4910080
1245	榎	9F56	5CC6	I4920080
1246	榎	9F57	5CC7	I4930080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
1247	盜	9F58	5CC9	I4950080
1248	欵	9F59	5CC8	I4940080
1249	飲	9F5A	5CCA	I4960080
1250	歇	9F5B	5CCB	I4970080
1251	畎	9F5C	5CCC	I4980080
1252	歉	9F5D	5CCD	I4990080
1253	歐	9F5E	5CCE	I49A0080
1254	歛	9F5F	5CCF	I49B0080
1255	獻	9F60	5CD0	I49C0080
1256	斂	9F61	5CD1	I49D0080
1257	歟	9F62	5CD2	I49E0080
1258	歡	9F63	5CD3	I49F0080
1259	歸	9F64	5CD4	I49G0080
1260	歹	9F65	5CD5	I49H0080
1261	歿	9F66	5CD6	I49I0080
1262	殀	9F67	5CD7	I49J0080
1263	殄	9F68	5CD8	I49K0080
1264	殃	9F69	5CD9	I49L0080
1265	殍	9F6A	5CDA	I49M0080
1266	殘	9F6B	5CDB	I49N0080
1267	殍	9F6C	5CDC	I49O0080
1268	殍	9F6D	5CDD	I49P0080
1269	殍	9F6E	5CDE	I49Q0080
1270	殍	9F6F	5CDF	I49R0080
1271	殍	9F70	5CE0	I49S0080
1272	殍	9F71	5CE1	I49T0080

Line Number	Graphic	PC Code	Host Code	GCGID
1273	殍	9F72	5CE3	I49V0080
1274	殍	9F73	5CE2	I49U0080
1275	殍	9F74	5CE4	I49W0080
1276	殍	9F75	5CE5	I49X0080
1277	殍	9F76	5CE6	I49Y0080
1278	殍	9F77	5CE7	I49Z0080
1279	殍	9F78	5CE8	I4A00080
1280	殍	9F79	5CE9	I4A10080
1281	殍	9F7A	5CEB	I4A30080
1282	殍	9F7B	5CEC	I4A40080
1283	殍	9F7C	5CED	I4A50080
1284	殍	9F7D	5CEE	I4A60080
1285	殍	9F7E	5CEF	I4A70080
1286	磨	9F80	6851	I5XT0080
1287	氈	9F81	5CF0	I4A80080
1288	氓	9F82	5CF1	I4A90080
1289	气	9F83	5CF2	I4AA0080
1290	氛	9F84	5CF3	I4AB0080
1291	氫	9F85	5CF4	I4AC0080
1292	氣	9F86	5CF5	I4AD0080
1293	汞	9F87	5CF7	I4AF0080
1294	汕	9F88	5CF8	I4AG0080
1295	汩	9F89	5CFA	I4AI0080
1296	汪	9F8A	52B4	I2R80080
1297	沂	9F8B	5CFB	I4AJ0080
1298	洹	9F8C	5CFC	I4AK0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 15 (Page 26 of 28). Level 2 Kanji Set (1 of 2), DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
1299	沚	9F8D	5D41	I4AP0080
1300	沁	9F8E	5D42	I4AQ0080
1301	沛	9F8F	5D43	I4AR0080
1302	汾	9F90	5D44	I4AS0080
1303	汨	9F91	5D45	I4AT0080
1304	汜	9F92	5D46	I4AU0080
1305	沒	9F93	5D47	I4AV0080
1306	沐	9F94	5D48	I4AW0080
1307	泄	9F95	5D49	I4AX0080
1308	決	9F96	5D4A	I4AY0080
1309	泓	9F97	54D7	I32V0080
1310	沽	9F98	5D4B	I4AZ0080
1311	泗	9F99	55C6	I37Q0080
1312	泗	9F9A	5D4C	I4B00080
1313	泝	9F9B	5D4F	I4B30080
1314	沮	9F9C	5D4D	I4B10080
1315	沱	9F9D	5D50	I4B40080
1316	沽	9F9E	5D51	I4B50080
1317	泔	9F9F	5D52	I4B60080
1318	泛	9FA0	5D53	I4B70080
1319	泯	9FA1	5D54	I4B80080
1320	泮	9FA2	5D55	I4B90080
1321	汨	9FA3	5D56	I4BA0080
1322	漬	9FA4	5D57	I4BB0080
1323	衍	9FA5	6370	I5800080
1324	洵	9FA6	5D59	I4BD0080

Table 15 (Page 26 of 28). Level 2 Kanji Set (1 of 2), DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
1325	洫	9FA7	5D5A	I4BE0080
1326	洽	9FA8	5D5B	I4BF0080
1327	洸	9FA9	50BC	I2GS0080
1328	洙	9FAA	52B6	I2RA0080
1329	洵	9FAB	52AC	I2R00080
1330	洳	9FAC	5D5C	I4BG0080
1331	洒	9FAD	5D5D	I4BH0080
1332	洌	9FAE	5D5E	I4BI0080
1333	浣	9FAF	5D5F	I4BJ0080
1334	涓	9FB0	5D61	I4BL0080
1335	浚	9FB1	5D63	I4BN0080
1336	浚	9FB2	5D64	I4BO0080
1337	浹	9FB3	5D65	I4BP0080
1338	浙	9FB4	5D66	I4BQ0080
1339	涎	9FB5	5D67	I4BR0080
1340	涕	9FB6	5D68	I4BS0080
1341	涛	9FB7	5D69	I4BT0080
1342	涅	9FB8	5D6A	I4BU0080
1343	淹	9FB9	5D6C	I4BW0080
1344	洳	9FBA	5164	I2JO0080
1345	渊	9FBB	5D6D	I4BX0080
1346	涵	9FBC	5D6F	I4BZ0080
1347	淇	9FBD	5D71	I4C10080
1348	淦	9FBE	5D70	I4C00080
1349	涸	9FBF	5D73	I4C30080
1350	淆	9FC0	5D75	I4C50080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
1351	淬	9FC1	5D76	I4C60080
1352	淞	9FC2	5D77	I4C70080
1353	涸	9FC3	5D78	I4C80080
1354	淨	9FC4	5D79	I4C90080
1355	淒	9FC5	5D7B	I4CB0080
1356	浙	9FC6	5D7C	I4CC0080
1357	淺	9FC7	5D7D	I4CD0080
1358	淙	9FC8	5D7E	I4CE0080
1359	淤	9FC9	5D81	I4CH0080
1360	漑	9FCA	5D82	I4CI0080
1361	淪	9FCB	5D83	I4CJ0080
1362	淮	9FCC	5D84	I4CK0080
1363	渭	9FCD	5D85	I4CL0080
1364	湮	9FCE	5D86	I4CM0080
1365	澆	9FCF	5D6E	I4BY0080
1366	渙	9FD0	5D87	I4CN0080
1367	浚	9FD1	5D88	I4CO0080
1368	湟	9FD2	5D89	I4CP0080
1369	渾	9FD3	5D8B	I4CR0080
1370	渣	9FD4	5D8C	I4CS0080
1371	湫	9FD5	5D8D	I4CT0080
1372	渫	9FD6	5D8F	I4CV0080
1373	潦	9FD7	5D90	I4CW0080
1374	湍	9FD8	5D91	I4CX0080
1375	淳	9FD9	5D92	I4CY0080
1376	滌	9FDA	5D94	I4D00080

Line Number	Graphic	PC Code	Host Code	GCGID
1377	渺	9FDB	5D96	I4D20080
1378	灑	9FDC	5D97	I4D30080
1379	渤	9FDD	5D98	I4D40080
1380	滿	9FDE	5DB4	I4DW0080
1381	滄	9FDF	5D99	I4D50080
1382	游	9FE0	5D9A	I4D60080
1383	澗	9FE1	5D9B	I4D70080
1384	溪	9FE2	5D9C	I4D80080
1385	溘	9FE3	5D9D	I4D90080
1386	滉	9FE4	52A9	I2QX0080
1387	溷	9FE5	5D9E	I4DA0080
1388	滓	9FE6	524A	I2OA0080
1389	溽	9FE7	5D9F	I4DB0080
1390	溯	9FE8	5DA0	I4DC0080
1391	滄	9FE9	5DA1	I4DD0080
1392	澗	9FEA	5DA2	I4DE0080
1393	滔	9FEB	5DA3	I4DF0080
1394	滕	9FEC	5DA4	I4DG0080
1395	漭	9FED	5DA5	I4DH0080
1396	溥	9FEE	5376	I2UU0080
1397	滂	9FEF	5DA7	I4DJ0080
1398	溟	9FF0	5DA8	I4DK0080
1399	潁	9FF1	5DA9	I4DL0080
1400	漑	9FF2	5575	I35H0080
1401	灌	9FF3	5DAA	I4DM0080
1402	滄	9FF4	5DAB	I4DN0080



IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

**Table 15 (Page 28 of 28).** Level 2 Kanji Set (1 of 2), DBCS-PC

Line Number	Graphic	PC Code	Host Code	GCGID
1403	澁	9FF5	5DAC	I4DO0080
1404	滾	9FF6	5DAD	I4DP0080
1405	漿	9FF7	5DAE	I4DQ0080
1406	滲	9FF8	5DAF	I4DR0080
1407	漱	9FF9	5DB0	I4DS0080
1408	滯	9FFA	5DB1	I4DT0080
1409	漲	9FFB	5DB2	I4DU0080
1410	滌	9FFC	5DB3	I4DV0080

**Table 16 (Page 1 of 39).** Level 2 Kanji Set (2 of 2), DBCS-PC

Line Number	Graphic	PC Code	Host Code	GCGID
1411	漾	E040	5DB5	I4DX0080
1412	漓	E041	5DB6	I4DY0080
1413	滷	E042	5DB7	I4DZ0080
1414	澆	E043	5DB8	I4E00080
1415	滌	E044	5DB9	I4E10080
1416	濟	E045	5DBA	I4E20080
1417	澁	E046	55A0	I36O0080
1418	澀	E047	5DBB	I4E30080
1419	澇	E048	5DBC	I4E40080
1420	潛	E049	5DBD	I4E50080
1421	潛	E04A	5DE2	I4F60080
1422	潭	E04B	5DBE	I4E60080
1423	澍	E04C	5DC0	I4E80080
1424	潼	E04D	5DC2	I4EA0080
1425	潘	E04E	5DC3	I4EB0080
1426	澎	E04F	5DC5	I4ED0080
1427	滙	E050	5DC6	I4EE0080
1428	濂	E051	5DCF	I4EN0080
1429	潦	E052	5DC7	I4EF0080
1430	澳	E053	5DC8	I4EG0080
1431	澣	E054	5DC9	I4EH0080
1432	澡	E055	5DCB	I4EJ0080
1433	澤	E056	4E4B	I22Z0080
1434	澹	E057	5DCC	I4EK0080
1435	瀆	E058	5DC4	I4EC0080
1436	滌	E059	5DCE	I4EM0080




## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
1437	濟	E05A	5DD0	I4EO0080
1438	濕	E05B	5DD1	I4EP0080
1439	濬	E05C	5DD2	I4EQ0080
1440	灑	E05D	5DD4	I4ES0080
1441	濘	E05E	5DD3	I4ER0080
1442	濱	E05F	5055	I2DX0080
1443	濮	E060	5DD6	I4EU0080
1444	濛	E061	5DCD	I4EL0080
1445	瀉	E062	5DD9	I4EX0080
1446	瀦	E063	5DDA	I4EY0080
1447	濺	E064	5DDB	I4EZ0080
1448	瀑	E065	5DDC	I4F00080
1449	瀟	E066	5DDD	I4F10080
1450	瀏	E067	5DDE	I4F20080
1451	瀘	E068	5187	I2KN0080
1452	瀛	E069	5DDF	I4F30080
1453	瀚	E06A	5DE0	I4F40080
1454	瀦	E06B	5DBF	I4E70080
1455	瀝	E06C	52B0	I2R40080
1456	瀘	E06D	5DE4	I4F80080
1457	瀟	E06E	5DE1	I4F50080
1458	灑	E06F	5DE5	I4F90080
1459	灑	E070	5DE6	I4FA0080
1460	灑	E071	5DE7	I4FB0080
1461	灑	E072	5DE8	I4FC0080
1462	灣	E073	5DE9	I4FD0080

Line Number	Graphic	PC Code	Host Code	GCGID
1463	炙	E074	5DEB	I4FF0080
1464	炒	E075	4FEE	I2CU0080
1465	炯	E076	5DEC	I4FG0080
1466	炯	E077	5DF7	I4FR0080
1467	炬	E078	5DEE	I4FI0080
1468	炸	E079	5DEF	I4FJ0080
1469	炳	E07A	52CD	I2RX0080
1470	炮	E07B	5DF0	I4FK0080
1471	烟	E07C	5DF1	I4FL0080
1472	炆	E07D	5DF2	I4FM0080
1473	蒸	E07E	538C	I2VG0080
1474	烙	E080	5DF3	I4FN0080
1475	焉	E081	5DF4	I4FO0080
1476	烽	E082	5DF8	I4FS0080
1477	焜	E083	5DF9	I4FT0080
1478	焙	E084	5DFA	I4FU0080
1479	煥	E085	5357	I2TZ0080
1480	熙	E086	4F68	I2940080
1481	熙	E087	5E45	I4G50080
1482	煦	E088	5DFE	I4FY0080
1483	煢	E089	5E41	I4G10080
1484	煌	E08A	5E42	I4G20080
1485	煖	E08B	5E43	I4G30080
1486	煬	E08C	5E44	I4G40080
1487	熏	E08D	5E46	I4G60080
1488	燻	E08E	5E57	I4GN0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 16 (Page 3 of 39). Level 2 Kanji Set (2 of 2), DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
1489	熄	E08F	5E47	I4G70080
1490	煩	E090	5E48	I4G80080
1491	熨	E091	54BB	I3230080
1492	熬	E092	5E4A	I4GA0080
1493	爛	E093	5E52	I4GI0080
1494	烹	E094	5E4C	I4GC0080
1495	熾	E095	5E4D	I4GD0080
1496	燒	E096	5E4E	I4GE0080
1497	燉	E097	5E50	I4GG0080
1498	燔	E098	5E51	I4GH0080
1499	燎	E099	5E53	I4GJ0080
1500	燠	E09A	5E55	I4GL0080
1501	燂	E09B	5E56	I4GM0080
1502	燄	E09C	5E4F	I4GF0080
1503	燅	E09D	5E54	I4GK0080
1504	燆	E09E	5E58	I4GO0080
1505	燇	E09F	5E59	I4GP0080
1506	燈	E0A0	5E5B	I4GR0080
1507	燉	E0A1	5E5C	I4GS0080
1508	爐	E0A2	5E5D	I4GT0080
1509	爛	E0A3	537C	I2V00080
1510	爨	E0A4	5E5E	I4GU0080
1511	爭	E0A5	5E5F	I4GV0080
1512	爬	E0A6	5E60	I4GW0080
1513	爰	E0A7	5E61	I4GX0080
1514	爲	E0A8	5E62	I4GY0080

Table 16 (Page 3 of 39). Level 2 Kanji Set (2 of 2), DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
1515	爰	E0A9	5E63	I4GZ0080
1516	爰	E0AA	5E64	I4H00080
1517	爰	E0AB	5E65	I4H10080
1518	爰	E0AC	5E66	I4H20080
1519	爰	E0AD	5E67	I4H30080
1520	爰	E0AE	5E68	I4H40080
1521	爰	E0AF	5E69	I4H50080
1522	爰	E0B0	5E6A	I4H60080
1523	爰	E0B1	5E6B	I4H70080
1524	犂	E0B2	5E6E	I4HA0080
1525	犂	E0B3	5E6C	I4H80080
1526	犂	E0B4	5E6D	I4H90080
1527	犂	E0B5	5E6F	I4HB0080
1528	犂	E0B6	5E70	I4HC0080
1529	犂	E0B7	5E71	I4HD0080
1530	犂	E0B8	5E72	I4HE0080
1531	犂	E0B9	5E79	I4HL0080
1532	犂	E0BA	5E74	I4HG0080
1533	犂	E0BB	5E76	I4HI0080
1534	犂	E0BC	5E77	I4HJ0080
1535	犂	E0BD	5E78	I4HK0080
1536	犂	E0BE	5E7A	I4HM0080
1537	犂	E0BF	5E7B	I4HN0080
1538	犂	E0C0	5E7C	I4HO0080
1539	犂	E0C1	5E7D	I4HP0080
1540	犂	E0C2	5E7E	I4HQ0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 16 (Page 4 of 39). Level 2 Kanji Set (2 of 2), DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
1541	狹	E0C3	5E7F	I4HR0080
1542	狷	E0C4	5E80	I4HS0080
1543	倏	E0C5	56A1	I3C10080
1544	猗	E0C6	5E81	I4HT0080
1545	猯	E0C7	5E82	I4HU0080
1546	猜	E0C8	5E83	I4HV0080
1547	狙	E0C9	5E84	I4HW0080
1548	猝	E0CA	5E85	I4HX0080
1549	猴	E0CB	5E87	I4HZ0080
1550	狨	E0CC	5E89	I4I10080
1551	猩	E0CD	5E88	I4I00080
1552	猥	E0CE	5E8B	I4I30080
1553	狨	E0CF	5E8C	I4I40080
1554	獒	E0D0	5E8E	I4I60080
1555	獠	E0D1	5E8D	I4I50080
1556	默	E0D2	5E90	I4I80080
1557	獬	E0D3	5E8F	I4I70080
1558	獺	E0D4	5E91	I4I90080
1559	獨	E0D5	5E92	I4IA0080
1560	獯	E0D6	5E93	I4IB0080
1561	獸	E0D7	5E95	I4ID0080
1562	獺	E0D8	5E96	I4IE0080
1563	獻	E0D9	5E97	I4IF0080
1564	獺	E0DA	51CB	I2MJ0080
1565	珈	E0DB	5E98	I4IG0080
1566	玳	E0DC	5E9A	I4II0080

Table 16 (Page 4 of 39). Level 2 Kanji Set (2 of 2), DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
1567	玢	E0DD	5E9B	I4IJ0080
1568	玻	E0DE	5E9C	I4IK0080
1569	珀	E0DF	5E9D	I4IL0080
1570	珥	E0E0	5EA0	I4IO0080
1571	珮	E0E1	5EA3	I4IR0080
1572	珞	E0E2	5EA5	I4IT0080
1573	璠	E0E3	5EC2	I4JM0080
1574	琅	E0E4	5EA9	I4IX0080
1575	瑯	E0E5	5EBE	I4JI0080
1576	琥	E0E6	5EAC	I4J00080
1577	瑤	E0E7	5EA6	I4IU0080
1578	琲	E0E8	5EAF	I4J30080
1579	瑛	E0E9	5EB0	I4J40080
1580	瑕	E0EA	5EB1	I4J50080
1581	瑣	E0EB	5EB2	I4J60080
1582	瑟	E0EC	5EB3	I4J70080
1583	璫	E0ED	5EB4	I4J80080
1584	瑁	E0EE	5EB5	I4J90080
1585	瑜	E0EF	5EB6	I4JA0080
1586	瑩	E0F0	5EB7	I4JB0080
1587	瑰	E0F1	5EB8	I4JC0080
1588	瑣	E0F2	5EB9	I4JD0080
1589	瑪	E0F3	5EBA	I4JE0080
1590	瑤	E0F4	5EBB	I4JF0080
1591	瑾	E0F5	5EBF	I4JJ0080
1592	璋	E0F6	504D	I2DP0080

IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

**Table 16 (Page 5 of 39).** Level 2 Kanji Set (2 of 2), DBCS-PC

Line Number	Graphic	PC Code	Host Code	GCGID
1593	璞	E0F7	5EC1	I4JL0080
1594	璧	E0F8	5EC3	I4JN0080
1595	瓊	E0F9	5EC4	I4JO0080
1596	瓏	E0FA	5EC5	I4JP0080
1597	瓔	E0FB	5EC6	I4JQ0080
1598	琰	E0FC	5EA4	I4IS0080
1599	瓠	E140	5EC7	I4JR0080
1600	瓣	E141	5EC8	I4JS0080
1601	趾	E142	5EC9	I4JT0080
1602	趾	E143	5ECA	I4JU0080
1603	瓮	E144	5ECB	I4JV0080
1604	甌	E145	5ECD	I4JX0080
1605	甌	E146	5ECC	I4JW0080
1606	甌	E147	5ECE	I4JY0080
1607	甌	E148	5ED0	I4K00080
1608	甌	E149	5ECF	I4JZ0080
1609	甌	E14A	5ED2	I4K20080
1610	甌	E14B	5ED3	I4K30080
1611	甌	E14C	5ED4	I4K40080
1612	甌	E14D	5ED6	I4K60080
1613	甌	E14E	5ED7	I4K70080
1614	甌	E14F	5ED5	I4K50080
1615	甌	E150	53E6	I2XY0080
1616	甌	E151	5ED8	I4K80080
1617	甌	E152	5ED9	I4K90080
1618	甌	E153	5EDA	I4KA0080

**Table 16 (Page 5 of 39).** Level 2 Kanji Set (2 of 2), DBCS-PC

Line Number	Graphic	PC Code	Host Code	GCGID
1619	甌	E154	5EDB	I4KB0080
1620	甌	E155	5EDC	I4KC0080
1621	甌	E156	5EDD	I4KD0080
1622	甌	E157	5EDE	I4KE0080
1623	甌	E158	5EDF	I4KF0080
1624	甌	E159	5EE0	I4KG0080
1625	甌	E15A	5EE2	I4KI0080
1626	甌	E15B	5EE1	I4KH0080
1627	甌	E15C	5EE3	I4KJ0080
1628	甌	E15D	52FD	I2T90080
1629	甌	E15E	5EE4	I4KK0080
1630	甌	E15F	5EE5	I4KL0080
1631	甌	E160	5EE6	I4KM0080
1632	甌	E161	5EE9	I4KP0080
1633	甌	E162	5EEA	I4KQ0080
1634	甌	E163	5EEB	I4KR0080
1635	甌	E164	5EED	I4KT0080
1636	甌	E165	5EEE	I4KU0080
1637	甌	E166	5EE8	I4KO0080
1638	甌	E167	5EEF	I4KV0080
1639	甌	E168	5EF0	I4KW0080
1640	甌	E169	5EEC	I4KS0080
1641	甌	E16A	5EF1	I4KX0080
1642	甌	E16B	5EF2	I4KY0080
1643	甌	E16C	5EF3	I4KZ0080
1644	甌	E16D	5EF4	I4L00080

IBM Japanese Graphic Character Set, Kanji


DBCS - Host and DBCS - PC

**Table 16 (Page 6 of 39).** Level 2 Kanji Set (2 of 2), DBCS-PC

Line Number	Graphic	PC Code	Host Code	GCGID
1645	疥	E16E	5EF5	I4L10080
1646	痂	E16F	5EF6	I4L20080
1647	疖	E170	5EF7	I4L30080
1648	疔	E171	5EF8	I4L40080
1649	疵	E172	5EF9	I4L50080
1650	疽	E173	5EFA	I4L60080
1651	疽	E174	5EFB	I4L70080
1652	疼	E175	5EFC	I4L80080
1653	疱	E176	5EFD	I4L90080
1654	痍	E177	5EFE	I4LA0080
1655	痊	E178	5F41	I4LD0080
1656	痒	E179	5F42	I4LE0080
1657	瘰	E17A	5F43	I4LF0080
1658	痣	E17B	5F44	I4LG0080
1659	痞	E17C	5F45	I4LH0080
1660	痲	E17D	5F46	I4LI0080
1661	痿	E17E	5F47	I4LJ0080
1662	痲	E180	5F48	I4LK0080
1663	痒	E181	5F49	I4LL0080
1664	痲	E182	5F4A	I4LM0080
1665	痺	E183	5F4B	I4LN0080
1666	痲	E184	5F4C	I4LO0080
1667	痲	E185	5F4D	I4LP0080
1668	瘋	E186	5F4E	I4LQ0080
1669	瘍	E187	524F	I2OF0080
1670	瘡	E188	5F4F	I4LR0080

**Table 16 (Page 6 of 39).** Level 2 Kanji Set (2 of 2), DBCS-PC

Line Number	Graphic	PC Code	Host Code	GCGID
1671	瘰	E189	5F50	I4LS0080
1672	瘰	E18A	5F51	I4LT0080
1673	瘰	E18B	5F52	I4LU0080
1674	瘰	E18C	5F53	I4LV0080
1675	癩	E18D	5F54	I4LW0080
1676	瘤	E18E	5F55	I4LX0080
1677	瘰	E18F	5F56	I4LY0080
1678	瘰	E190	5F57	I4LZ0080
1679	瘰	E191	5F58	I4M00080
1680	癩	E192	5F59	I4M10080
1681	癩	E193	5F5A	I4M20080
1682	癩	E194	5F5C	I4M40080
1683	癩	E195	5F5D	I4M50080
1684	癩	E196	5F5B	I4M30080
1685	癩	E197	5F5E	I4M60080
1686	癩	E198	5F5F	I4M70080
1687	癩	E199	5F60	I4M80080
1688	癩	E19A	5F61	I4M90080
1689	癩	E19B	5F63	I4MB0080
1690	癩	E19C	5F62	I4MA0080
1691	癩	E19D	5F64	I4MC0080
1692	癩	E19E	5F65	I4MD0080
1693	癩	E19F	5F66	I4ME0080
1694	癩	E1A0	5F67	I4MF0080
1695	癩	E1A1	539A	I2VU0080
1696	癩	E1A2	5F68	I4MG0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 16 (Page 7 of 39). Level 2 Kanji Set (2 of 2), DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
1697	皂	E1A3	5F6A	I4MI0080
1698	皀	E1A4	5F6B	I4MJ0080
1699	皁	E1A5	5F6C	I4MK0080
1700	皃	E1A6	5F6D	I4ML0080
1701	的	E1A7	5299	I2QH0080
1702	皅	E1A8	5396	I2VQ0080
1703	皆	E1A9	4E81	I24H0080
1704	皇	E1AA	5F6E	I4MM0080
1705	皈	E1AB	5F6F	I4MN0080
1706	皉	E1AC	5F74	I4MS0080
1707	皊	E1AD	5F75	I4MT0080
1708	皋	E1AE	5F76	I4MU0080
1709	皌	E1AF	5F77	I4MV0080
1710	皍	E1B0	5F78	I4MW0080
1711	盂	E1B1	5F79	I4MX0080
1712	盍	E1B2	5F7B	I4MZ0080
1713	盞	E1B3	5F7C	I4N00080
1714	盞	E1B4	5F7D	I4N10080
1715	盞	E1B5	5F7E	I4N20080
1716	盞	E1B6	5F7F	I4N30080
1717	盞	E1B7	5F80	I4N40080
1718	盞	E1B8	53F7	I2YF0080
1719	盞	E1B9	5F81	I4N50080
1720	盞	E1BA	5F82	I4N60080
1721	盞	E1BB	5F83	I4N70080
1722	盞	E1BC	5F84	I4N80080

Table 16 (Page 7 of 39). Level 2 Kanji Set (2 of 2), DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
1723	眇	E1BD	5F85	I4N90080
1724	眇	E1BE	5F86	I4NA0080
1725	眇	E1BF	5F88	I4NC0080
1726	眇	E1C0	5F87	I4NB0080
1727	眞	E1C1	51CA	I2MI0080
1728	眇	E1C2	5F89	I4ND0080
1729	眇	E1C3	5F8A	I4NE0080
1730	眇	E1C4	5F8B	I4NF0080
1731	眇	E1C5	5F8C	I4NG0080
1732	眇	E1C6	5F8D	I4NH0080
1733	眇	E1C7	5F8F	I4NJ0080
1734	眇	E1C8	5F90	I4NK0080
1735	眇	E1C9	5F91	I4NL0080
1736	眇	E1CA	5F92	I4NM0080
1737	睛	E1CB	5F93	I4NN0080
1738	睥	E1CC	5F94	I4NO0080
1739	睿	E1CD	5F95	I4NP0080
1740	宰	E1CE	5F96	I4NQ0080
1741	睹	E1CF	5F97	I4NR0080
1742	睛	E1D0	5F98	I4NS0080
1743	瞋	E1D1	5F99	I4NT0080
1744	瞋	E1D2	5F9A	I4NU0080
1745	瞋	E1D3	5F9B	I4NV0080
1746	瞋	E1D4	5F9C	I4NW0080
1747	瞰	E1D5	5F9D	I4NX0080
1748	瞋	E1D6	5F9E	I4NY0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 16 (Page 8 of 39). Level 2 Kanji Set (2 of 2), DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
1749	曖	E1D7	5F9F	I4NZ0080
1750	霍	E1D8	5FA0	I4O00080
1751	臉	E1D9	5FA1	I4O10080
1752	瞽	E1DA	5FA2	I4O20080
1753	瞻	E1DB	5FA3	I4O30080
1754	矇	E1DC	5FA4	I4O40080
1755	矐	E1DD	5FA5	I4O50080
1756	轟	E1DE	5350	I2TS0080
1757	矚	E1DF	5FA6	I4O60080
1758	矜	E1E0	5FA7	I4O70080
1759	矣	E1E1	5FA8	I4O80080
1760	矮	E1E2	5FA9	I4O90080
1761	矸	E1E3	5FAB	I4OB0080
1762	砌	E1E4	5FAC	I4OC0080
1763	砒	E1E5	5FAD	I4OD0080
1764	砑	E1E6	5FAF	I4OF0080
1765	祖	E1E7	5FB0	I4OG0080
1766	砺	E1E8	50DF	I2HR0080
1767	珪	E1E9	5FB1	I4OH0080
1768	碎	E1EA	5FB5	I4OL0080
1769	砒	E1EB	5FB4	I4OK0080
1770	磬	E1EC	5FB7	I4ON0080
1771	礪	E1ED	5FB9	I4OP0080
1772	碓	E1EE	5FB8	I4OO0080
1773	礫	E1EF	5FBA	I4OQ0080
1774	礧	E1F0	5FBB	I4OR0080

Table 16 (Page 8 of 39). Level 2 Kanji Set (2 of 2), DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
1775	磧	E1F1	5FBC	I4OS0080
1776	礧	E1F2	5FBD	I4OT0080
1777	礨	E1F3	5FBE	I4OU0080
1778	礩	E1F4	5FBF	I4OV0080
1779	礪	E1F5	5FC0	I4OW0080
1780	礫	E1F6	5FC1	I4OX0080
1781	礭	E1F7	5FC2	I4OY0080
1782	礮	E1F8	5FC3	I4OZ0080
1783	礯	E1F9	5FC4	I4P00080
1784	示	E1FA	5FC5	I4P10080
1785	礻	E1FB	5FC6	I4P20080
1786	礽	E1FC	5FC7	I4P30080
1787	礿	E240	5FC8	I4P40080
1788	礿	E241	5FC9	I4P50080
1789	礿	E242	5FCA	I4P60080
1790	礿	E243	5FCB	I4P70080
1791	礿	E244	5FCC	I4P80080
1792	礿	E245	4DF0	I2280080
1793	礿	E246	5FCD	I4P90080
1794	礿	E247	5FCE	I4PA0080
1795	礿	E248	5FCF	I4PB0080
1796	礿	E249	5FD0	I4PC0080
1797	礿	E24A	5FD3	I4PF0080
1798	礿	E24B	5FD4	I4PG0080
1799	礿	E24C	5365	I2UD0080
1800	崇	E24D	5FD6	I4PI0080





## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 16 (Page 9 of 39). Level 2 Kanji Set (2 of 2), DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
1801	祚	E24E	5FD7	I4PJ0080
1802	祕	E24F	5FD8	I4PK0080
1803	祓	E250	555C	I34S0080
1804	祺	E251	52D8	I2S80080
1805	祿	E252	5FDA	I4PM0080
1806	禊	E253	5FDB	I4PN0080
1807	禳	E254	5FDE	I4PQ0080
1808	禔	E255	4FD7	I2C70080
1809	齋	E256	51F5	I2NP0080
1810	禪	E257	5FE0	I4PS0080
1811	禮	E258	54F5	I33P0080
1812	禳	E259	5FE1	I4PT0080
1813	禹	E25A	536A	I2UI0080
1814	禺	E25B	5FE2	I4PU0080
1815	秉	E25C	5FE3	I4PV0080
1816	秕	E25D	5FE4	I4PW0080
1817	秈	E25E	5FE5	I4PX0080
1818	秬	E25F	5FE6	I4PY0080
1819	秣	E260	54B5	I31X0080
1820	秣	E261	5FE7	I4PZ0080
1821	稈	E262	5FE8	I4Q00080
1822	稍	E263	5FE9	I4Q10080
1823	稭	E264	5FEA	I4Q20080
1824	植	E265	5FEB	I4Q30080
1825	稠	E266	5366	I2UE0080
1826	稟	E267	5FEC	I4Q40080

Table 16 (Page 9 of 39). Level 2 Kanji Set (2 of 2), DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
1827	稟	E268	50E7	I2HZ0080
1828	稱	E269	5FED	I4Q50080
1829	稻	E26A	5FF0	I4Q80080
1830	稟	E26B	5FEE	I4Q60080
1831	稷	E26C	5FEF	I4Q70080
1832	稔	E26D	5FF1	I4Q90080
1833	穗	E26E	5FF2	I4QA0080
1834	穉	E26F	5FF3	I4QB0080
1835	穉	E270	5FF5	I4QD0080
1836	穢	E271	5FF4	I4QC0080
1837	穉	E272	5FF6	I4QE0080
1838	穉	E273	5FF7	I4QF0080
1839	穉	E274	5FF8	I4QG0080
1840	穹	E275	5FF9	I4QH0080
1841	穽	E276	5FFA	I4QI0080
1842	窈	E277	5FFB	I4QJ0080
1843	窗	E278	6041	I4QP0080
1844	窈	E279	5FFC	I4QK0080
1845	窈	E27A	5FFD	I4QL0080
1846	窈	E27B	5FFE	I4QM0080
1847	窈	E27C	6042	I4QQ0080
1848	窈	E27D	6046	I4QU0080
1849	窈	E27E	6043	I4QR0080
1850	窈	E280	6044	I4QS0080
1851	窈	E281	6048	I4QW0080
1852	窈	E282	6049	I4QX0080

IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

**Table 16 (Page 10 of 39).** Level 2 Kanji Set (2 of 2), DBCS-PC

Line Number	Graphic	PC Code	Host Code	GCGID
1853	籩	E283	6047	I4QV0080
1854	籬	E284	6045	I4QT0080
1855	賣	E285	604A	I4QY0080
1856	竊	E286	604B	I4QZ0080
1857	站	E287	604C	I4R00080
1858	竝	E288	604D	I4R10080
1859	站	E289	6050	I4R40080
1860	竈	E28A	6051	I4R50080
1861	站	E28B	6052	I4R60080
1862	竝	E28C	6053	I4R70080
1863	竝	E28D	6054	I4R80080
1864	竈	E28E	6055	I4R90080
1865	竈	E28F	6056	I4RA0080
1866	竈	E290	6057	I4RB0080
1867	竈	E291	605B	I4RF0080
1868	竈	E292	605C	I4RG0080
1869	竈	E293	605E	I4RI0080
1870	笏	E294	605F	I4RJ0080
1871	笏	E295	6061	I4RL0080
1872	笏	E296	6062	I4RM0080
1873	笏	E297	6063	I4RN0080
1874	笏	E298	53E7	I2XZ0080
1875	笏	E299	6065	I4RP0080
1876	笏	E29A	6066	I4RQ0080
1877	笏	E29B	6067	I4RR0080
1878	笏	E29C	6068	I4RS0080

**Table 16 (Page 10 of 39).** Level 2 Kanji Set (2 of 2), DBCS-PC

Line Number	Graphic	PC Code	Host Code	GCGID
1879	笑	E29D	6064	I4RO0080
1880	筩	E29E	6069	I4RT0080
1881	筩	E29F	606F	I4RZ0080
1882	筩	E2A0	54D5	I32T0080
1883	筩	E2A1	606A	I4RU0080
1884	筩	E2A2	6060	I4RK0080
1885	筩	E2A3	606B	I4RV0080
1886	筩	E2A4	606C	I4RW0080
1887	筩	E2A5	606E	I4RY0080
1888	筩	E2A6	5484	I30K0080
1889	筩	E2A7	6070	I4S00080
1890	筩	E2A8	5048	I2DK0080
1891	筩	E2A9	6071	I4S10080
1892	筩	E2AA	6072	I4S20080
1893	筩	E2AB	534E	I2TQ0080
1894	筩	E2AC	6073	I4S30080
1895	筩	E2AD	6074	I4S40080
1896	筩	E2AE	6075	I4S50080
1897	筩	E2AF	6076	I4S60080
1898	筩	E2B0	6077	I4S70080
1899	筩	E2B1	6078	I4S80080
1900	筩	E2B2	6079	I4S90080
1901	筩	E2B3	55A4	I36S0080
1902	筩	E2B4	607A	I4SA0080
1903	筩	E2B5	607B	I4SB0080
1904	筩	E2B6	606D	I4RX0080

IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

**Table 16 (Page 11 of 39).** Level 2 Kanji Set (2 of 2), DBCS-PC

Line Number	Graphic	PC Code	Host Code	GCGID
1905	箬	E2B7	607C	I4SC0080
1906	篋	E2B8	607E	I4SE0080
1907	篋	E2B9	51E8	I2NC0080
1908	篋	E2BA	607F	I4SF0080
1909	箬	E2BB	607D	I4SD0080
1910	箬	E2BC	6080	I4SG0080
1911	箬	E2BD	6081	I4SH0080
1912	箬	E2BE	6083	I4SJ0080
1913	箬	E2BF	6084	I4SK0080
1914	箬	E2C0	4F53	I28J0080
1915	箬	E2C1	6088	I4SO0080
1916	箬	E2C2	6085	I4SL0080
1917	箬	E2C3	6087	I4SN0080
1918	箬	E2C4	5444	I2YS0080
1919	箬	E2C5	6089	I4SP0080
1920	箬	E2C6	608B	I4SR0080
1921	箬	E2C7	608A	I4SQ0080
1922	箬	E2C8	608C	I4SS0080
1923	箬	E2C9	6086	I4SM0080
1924	箬	E2CA	517C	I2KC0080
1925	箬	E2CB	608D	I4ST0080
1926	箬	E2CC	608E	I4SU0080
1927	箬	E2CD	608F	I4SV0080
1928	箬	E2CE	6090	I4SW0080
1929	箬	E2CF	6091	I4SX0080
1930	箬	E2D0	6092	I4SY0080

**Table 16 (Page 11 of 39).** Level 2 Kanji Set (2 of 2), DBCS-PC

Line Number	Graphic	PC Code	Host Code	GCGID
1931	箬	E2D1	6093	I4SZ0080
1932	箬	E2D2	6094	I4T00080
1933	箬	E2D3	6095	I4T10080
1934	箬	E2D4	6097	I4T30080
1935	箬	E2D5	6098	I4T40080
1936	箬	E2D6	4F99	I2AH0080
1937	箬	E2D7	51F2	I2NM0080
1938	箬	E2D8	6096	I4T20080
1939	箬	E2D9	609A	I4T60080
1940	箬	E2DA	609B	I4T70080
1941	箬	E2DB	609C	I4T80080
1942	箬	E2DC	52AA	I2QY0080
1943	箬	E2DD	6099	I4T50080
1944	箬	E2DE	609D	I4T90080
1945	箬	E2DF	609E	I4TA0080
1946	料	E2E0	609F	I4TB0080
1947	料	E2E1	60A0	I4TC0080
1948	料	E2E2	60A1	I4TD0080
1949	粵	E2E3	60A2	I4TE0080
1950	料	E2E4	60A6	I4TI0080
1951	粵	E2E5	60A3	I4TF0080
1952	料	E2E6	60A4	I4TG0080
1953	料	E2E7	60A5	I4TH0080
1954	料	E2E8	60A7	I4TJ0080
1955	粵	E2E9	60A8	I4TK0080
1956	粵	E2EA	60A9	I4TL0080




## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 16 (Page 12 of 39). Level 2 Kanji Set (2 of 2), DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
1957	梁	E2EB	60AA	I4TM0080
1958	粮	E2EC	60AB	I4TN0080
1959	粹	E2ED	60AC	I4TO0080
1960	粽	E2EE	60AE	I4TQ0080
1961	糝	E2EF	51BC	I2M40080
1962	糝	E2F0	60AF	I4TR0080
1963	糝	E2F1	60B0	I4TS0080
1964	糝	E2F2	60B3	I4TV0080
1965	糝	E2F3	60B1	I4TT0080
1966	糜	E2F4	60B4	I4TW0080
1967	糝	E2F5	60B2	I4TU0080
1968	糝	E2F6	6788	I5U00080
1969	糝	E2F7	60B5	I4TX0080
1970	糝	E2F8	60B6	I4TY0080
1971	糝	E2F9	60B7	I4TZ0080
1972	糝	E2FA	60B8	I4U00080
1973	糝	E2FB	52C2	I2RM0080
1974	紵	E2FC	60B9	I4U10080
1975	紵	E340	60BA	I4U20080
1976	紵	E341	60BB	I4U30080
1977	紵	E342	60BC	I4U40080
1978	紵	E343	60BD	I4U50080
1979	紵	E344	60BE	I4U60080
1980	紵	E345	60BF	I4U70080
1981	紵	E346	60C0	I4U80080
1982	紵	E347	60C1	I4U90080

Table 16 (Page 12 of 39). Level 2 Kanji Set (2 of 2), DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
1983	紵	E348	60C2	I4UA0080
1984	紵	E349	60C3	I4UB0080
1985	紵	E34A	60C5	I4UD0080
1986	紵	E34B	60C7	I4UF0080
1987	紵	E34C	60C8	I4UG0080
1988	紵	E34D	60C9	I4UH0080
1989	絲	E34E	5268	I2P40080
1990	絨	E34F	60CA	I4UI0080
1991	絮	E350	60CB	I4UJ0080
1992	縵	E351	60CC	I4UK0080
1993	縵	E352	60CD	I4UL0080
1994	經	E353	60CE	I4UM0080
1995	綉	E354	60CF	I4UN0080
1996	條	E355	60D0	I4UO0080
1997	綉	E356	5374	I2US0080
1998	紵	E357	54ED	I33H0080
1999	紵	E358	54EB	I33F0080
2000	綺	E359	54D3	I32R0080
2001	縵	E35A	60D1	I4UP0080
2002	縵	E35B	60D2	I4UQ0080
2003	縵	E35C	60D3	I4UR0080
2004	縵	E35D	60D5	I4UT0080
2005	綽	E35E	60D6	I4UU0080
2006	綫	E35F	60D7	I4UV0080
2007	總	E360	60F3	I4VN0080
2008	綢	E361	60D8	I4UW0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 16 (Page 13 of 39). Level 2 Kanji Set (2 of 2), DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
2009	絢	E362	60D9	I4UX0080
2010	絛	E363	60E8	I4VC0080
2011	綸	E364	60DB	I4UZ0080
2012	綎	E365	60DC	I4V00080
2013	綏	E366	60DD	I4V10080
2014	絨	E367	60DF	I4V30080
2015	緝	E368	60E0	I4V40080
2016	縹	E369	60E2	I4V60080
2017	緞	E36A	60E3	I4V70080
2018	緻	E36B	60E4	I4V80080
2019	緲	E36C	60E6	I4VA0080
2020	緳	E36D	60E7	I4VB0080
2021	絨	E36E	60E9	I4VD0080
2022	綈	E36F	60EA	I4VE0080
2023	縣	E370	55A8	I36W0080
2024	緯	E371	60EB	I4VF0080
2025	縵	E372	60EC	I4VG0080
2026	縱	E373	60F2	I4VM0080
2027	縵	E374	60ED	I4VH0080
2028	縵	E375	60EE	I4VI0080
2029	縵	E376	60E5	I4V90080
2030	縵	E377	5BCC	I43W0080
2031	縵	E378	60F0	I4VK0080
2032	縵	E379	60F1	I4VL0080
2033	縵	E37A	60F5	I4VP0080
2034	縵	E37B	60F4	I4VO0080

Table 16 (Page 13 of 39). Level 2 Kanji Set (2 of 2), DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
2035	縵	E37C	60F6	I4VQ0080
2036	縵	E37D	60F7	I4VR0080
2037	縵	E37E	60F8	I4VS0080
2038	縵	E380	60F9	I4VT0080
2039	縵	E381	60EF	I4VJ0080
2040	縵	E382	6142	I4W20080
2041	縵	E383	60FA	I4VU0080
2042	縵	E384	60FB	I4VV0080
2043	縵	E385	60FC	I4VW0080
2044	縵	E386	60FE	I4VY0080
2045	縵	E387	6141	I4W10080
2046	縵	E388	6143	I4W30080
2047	縵	E389	6144	I4W40080
2048	縵	E38A	6145	I4W50080
2049	縵	E38B	6146	I4W60080
2050	縵	E38C	6147	I4W70080
2051	縵	E38D	614B	I4WB0080
2052	縵	E38E	60DE	I4V20080
2053	縵	E38F	6148	I4W80080
2054	縵	E390	6149	I4W90080
2055	縵	E391	614A	I4WA0080
2056	縵	E392	5278	I2PK0080
2057	縵	E393	614C	I4WC0080
2058	縵	E394	614E	I4WE0080
2059	縵	E395	614F	I4WF0080
2060	縵	E396	5273	I2PF0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
2061	纓	E397	6150	I4WG0080
2062	纒	E398	6151	I4WH0080
2063	織	E399	6152	I4WI0080
2064	織	E39A	614D	I4WD0080
2065	纛	E39B	6153	I4WJ0080
2066	纜	E39C	539C	I2VW0080
2067	缸	E39D	6154	I4WK0080
2068	缺	E39E	6155	I4WL0080
2069	罇	E39F	6156	I4WM0080
2070	罍	E3A0	6158	I4WO0080
2071	壘	E3A1	54CB	I32J0080
2072	罍	E3A2	6159	I4WP0080
2073	罐	E3A3	516E	I2JY0080
2074	网	E3A4	615A	I4WQ0080
2075	罕	E3A5	615B	I4WR0080
2076	罔	E3A6	615C	I4WS0080
2077	罍	E3A7	615D	I4WT0080
2078	罍	E3A8	615E	I4WU0080
2079	罍	E3A9	615F	I4WV0080
2080	罍	E3AA	6160	I4WW0080
2081	罍	E3AB	6162	I4WY0080
2082	罍	E3AC	6161	I4WX0080
2083	罍	E3AD	6163	I4WZ0080
2084	罍	E3AE	6164	I4X00080
2085	罍	E3AF	6165	I4X10080
2086	罍	E3B0	6166	I4X20080

Line Number	Graphic	PC Code	Host Code	GCGID
2087	羈	E3B1	6168	I4X40080
2088	羈	E3B2	6167	I4X30080
2089	羈	E3B3	6169	I4X50080
2090	羈	E3B4	616A	I4X60080
2091	羈	E3B5	616B	I4X70080
2092	羈	E3B6	616C	I4X80080
2093	羈	E3B7	616D	I4X90080
2094	羈	E3B8	616F	I4XB0080
2095	羈	E3B9	6170	I4XC0080
2096	羈	E3BA	6172	I4XE0080
2097	羈	E3BB	6173	I4XF0080
2098	羈	E3BC	6171	I4XD0080
2099	羈	E3BD	6174	I4XG0080
2100	羈	E3BE	6175	I4XH0080
2101	羈	E3BF	6176	I4XI0080
2102	羈	E3C0	6178	I4XK0080
2103	羈	E3C1	6179	I4XL0080
2104	羈	E3C2	617A	I4XM0080
2105	羈	E3C3	617B	I4XN0080
2106	羈	E3C4	54F9	I33T0080
2107	羈	E3C5	617C	I4XO0080
2108	羈	E3C6	617D	I4XP0080
2109	羈	E3C7	617E	I4XQ0080
2110	羈	E3C8	617F	I4XR0080
2111	羈	E3C9	6180	I4XS0080
2112	羈	E3CA	66DA	I5QY0080

IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

**Table 16 (Page 15 of 39).** Level 2 Kanji Set (2 of 2), DBCS-PC

Line Number	Graphic	PC Code	Host Code	GCGID
2113	耆	E3CB	53DC	I2XO0080
2114	耄	E3CC	6181	I4XT0080
2115	耋	E3CD	6182	I4XU0080
2116	耒	E3CE	6183	I4XV0080
2117	耘	E3CF	54E4	I3380080
2118	耙	E3D0	6184	I4XW0080
2119	耜	E3D1	6185	I4XX0080
2120	耒	E3D2	6186	I4XY0080
2121	耨	E3D3	6187	I4XZ0080
2122	耿	E3D4	6188	I4Y00080
2123	耻	E3D5	6189	I4Y10080
2124	聊	E3D6	618A	I4Y20080
2125	聆	E3D7	618B	I4Y30080
2126	聒	E3D8	618C	I4Y40080
2127	聒	E3D9	618D	I4Y50080
2128	聚	E3DA	5479	I3090080
2129	聒	E3DB	618E	I4Y60080
2130	聒	E3DC	618F	I4Y70080
2131	聒	E3DD	6190	I4Y80080
2132	聒	E3DE	6191	I4Y90080
2133	聒	E3DF	6192	I4YA0080
2134	聒	E3E0	6193	I4YB0080
2135	聒	E3E1	6194	I4YC0080
2136	聒	E3E2	6195	I4YD0080
2137	聒	E3E3	6196	I4YE0080
2138	聒	E3E4	6197	I4YF0080

**Table 16 (Page 15 of 39).** Level 2 Kanji Set (2 of 2), DBCS-PC

Line Number	Graphic	PC Code	Host Code	GCGID
2139	肆	E3E5	6198	I4YG0080
2140	肆	E3E6	53B6	I2WM0080
2141	肅	E3E7	6199	I4YH0080
2142	肱	E3E8	5292	I2QA0080
2143	肱	E3E9	619A	I4YI0080
2144	肱	E3EA	619B	I4YJ0080
2145	肱	E3EB	619C	I4YK0080
2146	肱	E3EC	619D	I4YL0080
2147	肱	E3ED	619E	I4YM0080
2148	肱	E3EE	619F	I4YN0080
2149	胥	E3EF	61A0	I4YO0080
2150	胥	E3F0	61A1	I4YP0080
2151	胥	E3F1	61A2	I4YQ0080
2152	胥	E3F2	61A3	I4YR0080
2153	胥	E3F3	61A4	I4YS0080
2154	胥	E3F4	5288	I2Q00080
2155	脉	E3F5	61A5	I4YT0080
2156	胥	E3F6	61A6	I4YU0080
2157	胥	E3F7	61A7	I4YV0080
2158	胥	E3F8	61A8	I4YW0080
2159	脩	E3F9	4C96	I1UE0080
2160	脩	E3FA	61A9	I4YX0080
2161	脯	E3FB	61AA	I4YY0080
2162	腋	E3FC	61AB	I4YZ0080
2163	隋	E440	6673	I5O30080
2164	腴	E441	61AC	I4Z00080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
2165	脾	E442	61AD	I4Z10080
2166	腓	E443	61AE	I4Z20080
2167	腑	E444	61AF	I4Z30080
2168	胼	E445	61B0	I4Z40080
2169	臄	E446	61B1	I4Z50080
2170	腮	E447	61B2	I4Z60080
2171	腥	E448	61B3	I4Z70080
2172	腦	E449	61B5	I4Z90080
2173	腴	E44A	61B6	I4ZA0080
2174	膾	E44B	61B7	I4ZB0080
2175	膈	E44C	61B8	I4ZC0080
2176	膊	E44D	61B9	I4ZD0080
2177	膀	E44E	61BA	I4ZE0080
2178	膂	E44F	61BB	I4ZF0080
2179	膠	E450	61BC	I4ZG0080
2180	臑	E451	61BD	I4ZH0080
2181	膊	E452	61C1	I4ZL0080
2182	膾	E453	61BE	I4ZI0080
2183	膾	E454	61B4	I4Z80080
2184	膾	E455	61BF	I4ZJ0080
2185	臑	E456	61C2	I4ZM0080
2186	膾	E457	61C4	I4ZO0080
2187	膾	E458	61C0	I4ZK0080
2188	膾	E459	61C6	I4ZQ0080
2189	臑	E45A	61C3	I4ZN0080
2190	膾	E45B	61C7	I4ZR0080

Line Number	Graphic	PC Code	Host Code	GCGID
2191	腎	E45C	61C8	I4ZS0080
2192	臂	E45D	61C9	I4ZT0080
2193	膺	E45E	61CA	I4ZU0080
2194	臉	E45F	61CB	I4ZV0080
2195	臍	E460	61CC	I4ZW0080
2196	臍	E461	61CD	I4ZX0080
2197	臍	E462	61CF	I4ZZ0080
2198	臍	E463	61CE	I4ZY0080
2199	臍	E464	61C5	I4ZP0080
2200	臍	E465	61D0	I5000080
2201	臍	E466	61D1	I5010080
2202	臍	E467	61D2	I5020080
2203	臍	E468	5173	I2K30080
2204	臺	E469	61D3	I5030080
2205	臻	E46A	61D4	I5040080
2206	臍	E46B	61D5	I5050080
2207	臍	E46C	61D6	I5060080
2208	春	E46D	61D7	I5070080
2209	臍	E46E	61D8	I5080080
2210	與	E46F	5358	I2U00080
2211	舊	E470	62BA	I54Q0080
2212	舍	E471	61D9	I5090080
2213	舐	E472	61DA	I50A0080
2214	舖	E473	61DC	I50C0080
2215	舩	E474	61DD	I50D0080
2216	舩	E475	61DE	I50E0080





## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 16 (Page 17 of 39). Level 2 Kanji Set (2 of 2), DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
2217	舸	E476	61E0	I50G0080
2218	舩	E477	61E1	I50H0080
2219	舥	E478	61E2	I50I0080
2220	舦	E479	61E3	I50J0080
2221	舧	E47A	54AE	I31Q0080
2222	舨	E47B	61E5	I50L0080
2223	舩	E47C	61E4	I50K0080
2224	航	E47D	61E6	I50M0080
2225	舫	E47E	61E7	I50N0080
2226	舫	E480	61E8	I50O0080
2227	舫	E481	61E9	I50P0080
2228	舫	E482	61EA	I50Q0080
2229	舫	E483	61EB	I50R0080
2230	舫	E484	61DF	I50F0080
2231	艱	E485	61EC	I50S0080
2232	艷	E486	61ED	I50T0080
2233	艸	E487	53C5	I2X10080
2234	艾	E488	61EE	I50U0080
2235	芍	E489	61EF	I50V0080
2236	芒	E48A	61F0	I50W0080
2237	芫	E48B	61F1	I50X0080
2238	芟	E48C	61F2	I50Y0080
2239	芻	E48D	61F3	I50Z0080
2240	芬	E48E	61F4	I5100080
2241	苈	E48F	61F5	I5110080
2242	苈	E490	61F6	I5120080

Table 16 (Page 17 of 39). Level 2 Kanji Set (2 of 2), DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
2243	苟	E491	61F7	I5130080
2244	苒	E492	61F9	I5150080
2245	苴	E493	61FA	I5160080
2246	苳	E494	61FB	I5170080
2247	苳	E495	6244	I51G0080
2248	苳	E496	6260	I5280080
2249	范	E497	61FC	I5180080
2250	苳	E498	61FD	I5190080
2251	苳	E499	61FE	I51A0080
2252	苞	E49A	6241	I51D0080
2253	苳	E49B	6242	I51E0080
2254	苳	E49C	6243	I51F0080
2255	莱	E49D	6245	I51H0080
2256	苳	E49E	6246	I51I0080
2257	茵	E49F	6247	I51J0080
2258	苳	E4A0	6249	I51L0080
2259	苳	E4A1	624A	I51M0080
2260	苳	E4A2	547B	I30B0080
2261	菜	E4A3	624B	I51N0080
2262	苟	E4A4	624C	I51O0080
2263	茹	E4A5	624D	I51P0080
2264	荐	E4A6	624E	I51Q0080
2265	苳	E4A7	624F	I51R0080
2266	茯	E4A8	6250	I51S0080
2267	茫	E4A9	6251	I51T0080
2268	茗	E4AA	53F6	I2YE0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 16 (Page 18 of 39). Level 2 Kanji Set (2 of 2), DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
2269	荔	E4AB	6252	I51U0080
2270	莅	E4AC	6262	I52A0080
2271	蕤	E4AD	6253	I51V0080
2272	莪	E4AE	6254	I51W0080
2273	荅	E4AF	6255	I51X0080
2274	莢	E4B0	6256	I51Y0080
2275	莖	E4B1	6257	I51Z0080
2276	莫	E4B2	6258	I5200080
2277	莎	E4B3	6259	I5210080
2278	苜	E4B4	5486	I30M0080
2279	莊	E4B5	625C	I5240080
2280	荼	E4B6	625D	I5250080
2281	菟	E4B7	625E	I5260080
2282	荳	E4B8	625F	I5270080
2283	葱	E4B9	625A	I5220080
2284	莠	E4BA	6261	I5290080
2285	莉	E4BB	6263	I52B0080
2286	莨	E4BC	6264	I52C0080
2287	菴	E4BD	6265	I52D0080
2288	萱	E4BE	6266	I52E0080
2289	董	E4BF	54E9	I33D0080
2290	崑	E4C0	6268	I52G0080
2291	菽	E4C1	626A	I52I0080
2292	萃	E4C2	626B	I52J0080
2293	菘	E4C3	626C	I52K0080
2294	萋	E4C4	626D	I52L0080

Table 16 (Page 18 of 39). Level 2 Kanji Set (2 of 2), DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
2295	菁	E4C5	626E	I52M0080
2296	蒂	E4C6	6269	I52H0080
2297	萇	E4C7	626F	I52N0080
2298	菠	E4C8	6270	I52O0080
2299	菲	E4C9	6271	I52P0080
2300	萍	E4CA	6272	I52Q0080
2301	菹	E4CB	54D8	I32W0080
2302	蒨	E4CC	6273	I52R0080
2303	莽	E4CD	6275	I52T0080
2304	萸	E4CE	6284	I5380080
2305	菱	E4CF	629D	I53X0080
2306	蒜	E4D0	6276	I52U0080
2307	蒻	E4D1	516C	I2JW0080
2308	蒯	E4D2	6277	I52V0080
2309	萼	E4D3	6279	I52X0080
2310	萼	E4D4	629F	I53Z0080
2311	蒺	E4D5	627A	I52Y0080
2312	葷	E4D6	627B	I52Z0080
2313	葫	E4D7	627C	I5300080
2314	藜	E4D8	6290	I53K0080
2315	蒨	E4D9	627F	I5330080
2316	蒂	E4DA	6280	I5340080
2317	葩	E4DB	6281	I5350080
2318	葆	E4DC	6282	I5360080
2319	萬	E4DD	4B75	I1O50080
2320	葯	E4DE	6283	I5370080

IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

**Table 16 (Page 19 of 39).** Level 2 Kanji Set (2 of 2), DBCS-PC

Line Number	Graphic	PC Code	Host Code	GCGID
2321	菴	E4DF	627D	I5310080
2322	蒿	E4E0	6285	I5390080
2323	蒨	E4E1	6286	I53A0080
2324	葢	E4E2	6278	I52W0080
2325	蒹	E4E3	6287	I53B0080
2326	蒿	E4E4	6288	I53C0080
2327	蒟	E4E5	6289	I53D0080
2328	蒹	E4E6	6294	I53O0080
2329	蓍	E4E7	628B	I53F0080
2330	蒨	E4E8	628C	I53G0080
2331	蓐	E4E9	628D	I53H0080
2332	蓐	E4EA	628E	I53I0080
2333	蓐	E4EB	628F	I53J0080
2334	蓐	E4EC	6291	I53L0080
2335	蓐	E4ED	6292	I53M0080
2336	蒟	E4EE	6293	I53N0080
2337	蔡	E4EF	54A8	I31K0080
2338	蓐	E4F0	6295	I53P0080
2339	蓐	E4F1	6296	I53Q0080
2340	蔗	E4F2	6297	I53R0080
2341	蓐	E4F3	6298	I53S0080
2342	蔬	E4F4	6299	I53T0080
2343	蒺	E4F5	629A	I53U0080
2344	蓐	E4F6	629B	I53V0080
2345	蓐	E4F7	629C	I53W0080
2346	蓐	E4F8	518B	I2KR0080

**Table 16 (Page 19 of 39).** Level 2 Kanji Set (2 of 2), DBCS-PC

Line Number	Graphic	PC Code	Host Code	GCGID
2347	蕨	E4F9	62A0	I5400080
2348	蕨	E4FA	62A2	I5420080
2349	蕨	E4FB	62A3	I5430080
2350	蕨	E4FC	62A4	I5440080
2351	蕨	E540	62A5	I5450080
2352	蕨	E541	62A6	I5460080
2353	蕨	E542	62A7	I5470080
2354	蕨	E543	62A9	I5490080
2355	蕨	E544	62AA	I54A0080
2356	蕨	E545	62AB	I54B0080
2357	蕨	E546	62AC	I54C0080
2358	蕨	E547	62AD	I54D0080
2359	蕨	E548	62AE	I54E0080
2360	蕨	E549	62AF	I54F0080
2361	蕨	E54A	62B0	I54G0080
2362	蕨	E54B	62B1	I54H0080
2363	蕨	E54C	62B2	I54I0080
2364	蕨	E54D	62B3	I54J0080
2365	蕨	E54E	62B4	I54K0080
2366	蕨	E54F	62B5	I54L0080
2367	蕨	E550	62B6	I54M0080
2368	蕨	E551	62B7	I54N0080
2369	蕨	E552	62B8	I54O0080
2370	蕨	E553	62BC	I54S0080
2371	蕨	E554	62BD	I54T0080
2372	蕨	E555	62BE	I54U0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
2373	臺	E556	62BF	I54V0080
2374	藐	E557	62C0	I54W0080
2375	藕	E558	62C1	I54X0080
2376	藝	E559	62C2	I54Y0080
2377	藥	E55A	62C3	I54Z0080
2378	藜	E55B	62C4	I5500080
2379	藹	E55C	62C5	I5510080
2380	蘊	E55D	62C6	I5520080
2381	蘓	E55E	62C7	I5530080
2382	蘋	E55F	62C8	I5540080
2383	蘋	E560	62C9	I5550080
2384	蔞	E561	53ED	I2Y50080
2385	蘆	E562	4EDA	I26Y0080
2386	龍	E563	62CA	I5560080
2387	蘚	E564	62CB	I5570080
2388	蘘	E565	62CC	I5580080
2389	蘿	E566	62CD	I5590080
2390	虍	E567	62CF	I55B0080
2391	帛	E568	62D0	I55C0080
2392	虔	E569	52FB	I2T70080
2393	號	E56A	62D2	I55E0080
2394	虧	E56B	62D3	I55F0080
2395	虱	E56C	62D4	I55G0080
2396	蚶	E56D	62D5	I55H0080
2397	蚣	E56E	62D6	I55I0080
2398	蚩	E56F	62D7	I55J0080

Line Number	Graphic	PC Code	Host Code	GCGID
2399	蚪	E570	62D9	I55L0080
2400	蚎	E571	62D8	I55K0080
2401	蚌	E572	62DA	I55M0080
2402	蚶	E573	62DB	I55N0080
2403	蚯	E574	62DC	I55O0080
2404	蛄	E575	62DD	I55P0080
2405	蛆	E576	62DE	I55Q0080
2406	蚰	E577	62DF	I55R0080
2407	蛉	E578	62E0	I55S0080
2408	蛎	E579	62E1	I55T0080
2409	蛸	E57A	62E3	I55V0080
2410	蛔	E57B	62E4	I55W0080
2411	蛞	E57C	62E5	I55X0080
2412	蛩	E57D	62E6	I55Y0080
2413	蝥	E57E	62E7	I55Z0080
2414	蛟	E580	62E8	I5600080
2415	蛛	E581	62E9	I5610080
2416	蛭	E582	4F74	I29G0080
2417	蛻	E583	62EA	I5620080
2418	蜆	E584	62EB	I5630080
2419	蜈	E585	62EC	I5640080
2420	蜀	E586	62ED	I5650080
2421	蟹	E587	62EE	I5660080
2422	蛻	E588	62EF	I5670080
2423	蟹	E589	62F0	I5680080
2424	蜂	E58A	62F1	I5690080

IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

**Table 16 (Page 21 of 39).** Level 2 Kanji Set (2 of 2), DBCS-PC

Line Number	Graphic	PC Code	Host Code	GCGID
2425	蝻	E58B	62F2	I56A0080
2426	蛹	E58C	62F3	I56B0080
2427	蛴	E58D	62F4	I56C0080
2428	蛴	E58E	62F5	I56D0080
2429	蛴	E58F	62F6	I56E0080
2430	蛴	E590	526D	I2P90080
2431	蛴	E591	62F7	I56F0080
2432	蛴	E592	62F8	I56G0080
2433	蛴	E593	62F9	I56H0080
2434	蛴	E594	62FA	I56I0080
2435	蛴	E595	6346	I56J0080
2436	蛴	E596	62FB	I56K0080
2437	蛴	E597	62FC	I56L0080
2438	蛴	E598	62FD	I56M0080
2439	蛴	E599	62FE	I56N0080
2440	蛴	E59A	6341	I56O0080
2441	蛴	E59B	6342	I56P0080
2442	蛴	E59C	6343	I56Q0080
2443	蛴	E59D	6347	I56R0080
2444	蛴	E59E	6348	I56S0080
2445	蛴	E59F	6349	I56T0080
2446	蛴	E5A0	634A	I56U0080
2447	蛴	E5A1	6345	I56V0080
2448	蛴	E5A2	634B	I56W0080
2449	蛴	E5A3	634C	I56X0080
2450	蛴	E5A4	634E	I56Y0080

**Table 16 (Page 21 of 39).** Level 2 Kanji Set (2 of 2), DBCS-PC

Line Number	Graphic	PC Code	Host Code	GCGID
2451	蛴	E5A5	6344	I56Z0080
2452	蛴	E5A6	634F	I5700080
2453	蛴	E5A7	6350	I5710080
2454	蛴	E5A8	6351	I5720080
2455	蛴	E5A9	6352	I5730080
2456	蛴	E5AA	6353	I5740080
2457	蛴	E5AB	6354	I5750080
2458	蛴	E5AC	6355	I5760080
2459	蛴	E5AD	6356	I5770080
2460	蛴	E5AE	6357	I5780080
2461	蛴	E5AF	54F4	I3300080
2462	蛴	E5B0	634D	I5790080
2463	蛴	E5B1	6359	I57A0080
2464	蛴	E5B2	635A	I57B0080
2465	蛴	E5B3	635B	I57C0080
2466	蛴	E5B4	635C	I57D0080
2467	蛴	E5B5	635F	I57E0080
2468	蛴	E5B6	6361	I57F0080
2469	蛴	E5B7	6362	I57G0080
2470	蛴	E5B8	6363	I57H0080
2471	蛴	E5B9	6364	I57I0080
2472	蛴	E5BA	635D	I57J0080
2473	蛴	E5BB	6358	I57K0080
2474	蛴	E5BC	6365	I57L0080
2475	蛴	E5BD	6360	I57M0080
2476	蛴	E5BE	6366	I57N0080

IBM Japanese Graphic Character Set, Kanji


DBCS - Host and DBCS - PC

**Table 16 (Page 22 of 39).** Level 2 Kanji Set (2 of 2), DBCS-PC

Line Number	Graphic	PC Code	Host Code	GCGID
2477	蠶	E5BF	6367	I57R0080
2478	蠶	E5C0	6368	I57S0080
2479	蠶	E5C1	636A	I57U0080
2480	蠶	E5C2	636B	I57V0080
2481	蠶	E5C3	636C	I57W0080
2482	蠶	E5C4	6369	I57T0080
2483	蠶	E5C5	636D	I57X0080
2484	衄	E5C6	636F	I57Z0080
2485	衄	E5C7	636E	I57Y0080
2486	衞	E5C8	6371	I58I0080
2487	衞	E5C9	6372	I5820080
2488	衞	E5CA	6373	I5830080
2489	衞	E5CB	6374	I5840080
2490	衫	E5CC	6375	I5850080
2491	袁	E5CD	6376	I5860080
2492	衾	E5CE	6377	I5870080
2493	衾	E5CF	637C	I58C0080
2494	衲	E5D0	6378	I5880080
2495	衲	E5D1	6379	I5890080
2496	衲	E5D2	6385	I58L0080
2497	衲	E5D3	637A	I58A0080
2498	袂	E5D4	637B	I58B0080
2499	袷	E5D5	637D	I58D0080
2500	袒	E5D6	637E	I58E0080
2501	衲	E5D7	637F	I58F0080
2502	衲	E5D8	6380	I58G0080

**Table 16 (Page 22 of 39).** Level 2 Kanji Set (2 of 2), DBCS-PC

Line Number	Graphic	PC Code	Host Code	GCGID
2503	衲	E5D9	6381	I58H0080
2504	袍	E5DA	6382	I58I0080
2505	裘	E5DB	6383	I58J0080
2506	裘	E5DC	54C5	I32D0080
2507	袷	E5DD	6384	I58K0080
2508	袷	E5DE	6386	I58M0080
2509	袷	E5DF	6387	I58N0080
2510	衲	E5E0	6388	I58O0080
2511	衲	E5E1	6389	I58P0080
2512	裘	E5E2	638A	I58Q0080
2513	裙	E5E3	638B	I58R0080
2514	裝	E5E4	638C	I58S0080
2515	裹	E5E5	638D	I58T0080
2516	褂	E5E6	638E	I58U0080
2517	褌	E5E7	638F	I58V0080
2518	褌	E5E8	5349	I2TL0080
2519	褌	E5E9	6391	I58X0080
2520	褌	E5EA	6392	I58Y0080
2521	褌	E5EB	6393	I58Z0080
2522	褌	E5EC	6394	I5900080
2523	褌	E5ED	6397	I5930080
2524	褌	E5EE	6398	I5940080
2525	褌	E5EF	639F	I59B0080
2526	褌	E5F0	6399	I5950080
2527	褌	E5F1	639A	I5960080
2528	褌	E5F2	6395	I5910080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 16 (Page 23 of 39). Level 2 Kanji Set (2 of 2), DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
2529	褌	E5F3	639B	I5970080
2530	襪	E5F4	639C	I5980080
2531	褌	E5F5	506B	I2EJ0080
2532	褌	E5F6	639D	I5990080
2533	褶	E5F7	639E	I59A0080
2534	褌	E5F8	63A0	I59C0080
2535	褌	E5F9	63A2	I59E0080
2536	褌	E5FA	6396	I5920080
2537	褌	E5FB	63A3	I59F0080
2538	褌	E5FC	63A4	I59G0080
2539	褌	E640	63A5	I59H0080
2540	褌	E641	63A7	I59J0080
2541	褌	E642	63A8	I59K0080
2542	襪	E643	63A6	I59I0080
2543	襪	E644	63A9	I59L0080
2544	襪	E645	63AA	I59M0080
2545	襪	E646	63AB	I59N0080
2546	襪	E647	63AC	I59O0080
2547	襪	E648	63AD	I59P0080
2548	襪	E649	63AE	I59Q0080
2549	襪	E64A	63AF	I59R0080
2550	覓	E64B	63B0	I59S0080
2551	覓	E64C	63B1	I59T0080
2552	覓	E64D	63B2	I59U0080
2553	覓	E64E	63B3	I59V0080
2554	覓	E64F	63B4	I59W0080

Table 16 (Page 23 of 39). Level 2 Kanji Set (2 of 2), DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
2555	覓	E650	63B5	I59X0080
2556	覓	E651	63B6	I59Y0080
2557	覓	E652	63B7	I59Z0080
2558	覓	E653	63B8	I5A00080
2559	覓	E654	63BA	I5A20080
2560	覓	E655	63B9	I5A10080
2561	覓	E656	63BB	I5A30080
2562	觚	E657	63BC	I5A40080
2563	觚	E658	5360	I2U80080
2564	觚	E659	63BD	I5A50080
2565	觚	E65A	63BE	I5A60080
2566	觚	E65B	63BF	I5A70080
2567	觚	E65C	63C0	I5A80080
2568	訃	E65D	63C1	I5A90080
2569	訃	E65E	63C2	I5AA0080
2570	訃	E65F	63C3	I5AB0080
2571	訃	E660	63C4	I5AC0080
2572	訃	E661	63C6	I5AE0080
2573	訃	E662	63C7	I5AF0080
2574	訃	E663	63C8	I5AG0080
2575	訃	E664	63C9	I5AH0080
2576	訃	E665	63CA	I5AI0080
2577	訃	E666	63CC	I5AK0080
2578	訃	E667	63CD	I5AL0080
2579	訃	E668	63CE	I5AM0080
2580	訃	E669	63CF	I5AN0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 16 (Page 24 of 39). Level 2 Kanji Set (2 of 2), DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
2581	誼	E66A	63D0	I5AO0080
2582	詭	E66B	63D1	I5AP0080
2583	詬	E66C	63D2	I5AQ0080
2584	詢	E66D	63D3	I5AR0080
2585	誅	E66E	63D5	I5AT0080
2586	詭	E66F	63D6	I5AU0080
2587	誅	E670	63D7	I5AV0080
2588	誨	E671	63D8	I5AW0080
2589	誠	E672	63D9	I5AX0080
2590	誑	E673	63DA	I5AY0080
2591	誥	E674	63DB	I5AZ0080
2592	誦	E675	63DC	I5B00080
2593	誦	E676	63DD	I5B10080
2594	誣	E677	63DE	I5B20080
2595	諄	E678	50B2	I2GI0080
2596	諍	E679	63E2	I5B60080
2597	諂	E67A	63E3	I5B70080
2598	諛	E67B	63E4	I5B80080
2599	諫	E67C	63E0	I5B40080
2600	諳	E67D	63E5	I5B90080
2601	諧	E67E	63E6	I5BA0080
2602	諤	E680	63E7	I5BB0080
2603	諱	E681	63E8	I5BC0080
2604	諛	E682	63E9	I5BD0080
2605	誼	E683	63EA	I5BE0080
2606	諱	E684	63EB	I5BF0080

Table 16 (Page 24 of 39). Level 2 Kanji Set (2 of 2), DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
2607	諷	E685	63F0	I5BK0080
2608	諷	E686	63F1	I5BL0080
2609	諛	E687	63F2	I5BM0080
2610	諤	E688	63F3	I5BN0080
2611	睿	E689	63F4	I5BO0080
2612	諛	E68A	63F5	I5BP0080
2613	諛	E68B	63EC	I5BG0080
2614	謾	E68C	63F6	I5BQ0080
2615	謾	E68D	63F7	I5BR0080
2616	謗	E68E	63F8	I5BS0080
2617	謠	E68F	63F9	I5BT0080
2618	謳	E690	63FA	I5BU0080
2619	鞠	E691	63FC	I5BW0080
2620	警	E692	63FD	I5BX0080
2621	謫	E693	63FE	I5BY0080
2622	謾	E694	6441	I5C10080
2623	謨	E695	5381	I2V50080
2624	譁	E696	63FB	I5BV0080
2625	譌	E697	6442	I5C20080
2626	譏	E698	6443	I5C30080
2627	譎	E699	6444	I5C40080
2628	證	E69A	6446	I5C60080
2629	譖	E69B	6447	I5C70080
2630	譖	E69C	6448	I5C80080
2631	譚	E69D	6449	I5C90080
2632	譚	E69E	644B	I5CB0080



IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

**Table 16 (Page 25 of 39).** Level 2 Kanji Set (2 of 2), DBCS-PC

Line Number	Graphic	PC Code	Host Code	GCGID
2633	譟	E69F	644C	I5CC0080
2634	譬	E6A0	644D	I5CD0080
2635	譚	E6A1	644E	I5CE0080
2636	譚	E6A2	644A	I5CA0080
2637	譽	E6A3	644F	I5CF0080
2638	讀	E6A4	6451	I5CH0080
2639	讌	E6A5	6452	I5CI0080
2640	讎	E6A6	6453	I5CJ0080
2641	讒	E6A7	6455	I5CL0080
2642	讓	E6A8	6456	I5CM0080
2643	讖	E6A9	6457	I5CN0080
2644	讜	E6AA	6454	I5CK0080
2645	讚	E6AB	6458	I5CO0080
2646	訶	E6AC	6459	I5CP0080
2647	豁	E6AD	645A	I5CQ0080
2648	谿	E6AE	645B	I5CR0080
2649	豈	E6AF	645C	I5CS0080
2650	豨	E6B0	645D	I5CT0080
2651	豨	E6B1	645E	I5CU0080
2652	豨	E6B2	645F	I5CV0080
2653	豨	E6B3	6460	I5CW0080
2654	豨	E6B4	6461	I5CX0080
2655	豨	E6B5	6462	I5CY0080
2656	豨	E6B6	6463	I5CZ0080
2657	豨	E6B7	6464	I5D00080
2658	豨	E6B8	6466	I5D20080

**Table 16 (Page 25 of 39).** Level 2 Kanji Set (2 of 2), DBCS-PC

Line Number	Graphic	PC Code	Host Code	GCGID
2659	豨	E6B9	6467	I5D30080
2660	豨	E6BA	6468	I5D40080
2661	豨	E6BB	6469	I5D50080
2662	豨	E6BC	646A	I5D60080
2663	豨	E6BD	646B	I5D70080
2664	豨	E6BE	646D	I5D90080
2665	豨	E6BF	6465	I5D10080
2666	豨	E6C0	646C	I5D80080
2667	賤	E6C1	646E	I5DA0080
2668	賸	E6C2	646F	I5DB0080
2669	貪	E6C3	6470	I5DC0080
2670	賸	E6C4	6472	I5DE0080
2671	賸	E6C5	6473	I5DF0080
2672	貳	E6C6	6474	I5DG0080
2673	貳	E6C7	6471	I5DD0080
2674	貳	E6C8	6476	I5DI0080
2675	賈	E6C9	6477	I5DJ0080
2676	賈	E6CA	6475	I5DH0080
2677	賤	E6CB	6478	I5DK0080
2678	賈	E6CC	647A	I5DM0080
2679	賈	E6CD	647B	I5DN0080
2680	賈	E6CE	647E	I5DQ0080
2681	賺	E6CF	647F	I5DR0080
2682	賻	E6D0	6480	I5DS0080
2683	賸	E6D1	535A	I2U20080
2684	賸	E6D2	5574	I35G0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 16 (Page 26 of 39). Level 2 Kanji Set (2 of 2), DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
2685	贊	E6D3	6482	I5DU0080
2686	贊	E6D4	6481	I5DT0080
2687	羸	E6D5	6483	I5DV0080
2688	贍	E6D6	6484	I5DW0080
2689	贍	E6D7	6486	I5DY0080
2690	齎	E6D8	686E	I5YM0080
2691	贓	E6D9	6487	I5DZ0080
2692	贓	E6DA	6479	I5DL0080
2693	聶	E6DB	6488	I5E00080
2694	贖	E6DC	6489	I5E10080
2695	赧	E6DD	648A	I5E20080
2696	赧	E6DE	648B	I5E30080
2697	赳	E6DF	648C	I5E40080
2698	赳	E6E0	51C9	I2MH0080
2699	趁	E6E1	648F	I5E70080
2700	趙	E6E2	51DE	I2N20080
2701	跂	E6E3	6490	I5E80080
2702	趾	E6E4	6491	I5E90080
2703	跌	E6E5	6492	I5EA0080
2704	跏	E6E6	6493	I5EB0080
2705	跏	E6E7	6494	I5EC0080
2706	跖	E6E8	6495	I5ED0080
2707	跌	E6E9	6496	I5EE0080
2708	跛	E6EA	6497	I5EF0080
2709	跋	E6EB	6498	I5EG0080
2710	跪	E6EC	6499	I5EH0080

Table 16 (Page 26 of 39). Level 2 Kanji Set (2 of 2), DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
2711	蹙	E6ED	649A	I5EI0080
2712	跟	E6EE	649B	I5EJ0080
2713	跣	E6EF	649C	I5EK0080
2714	跣	E6F0	649D	I5EL0080
2715	踈	E6F1	649E	I5EM0080
2716	踈	E6F2	64A0	I5EO0080
2717	踈	E6F3	649F	I5EN0080
2718	蹠	E6F4	64A1	I5EP0080
2719	踞	E6F5	64A2	I5EQ0080
2720	踐	E6F6	64A3	I5ER0080
2721	踳	E6F7	64A4	I5ES0080
2722	蹂	E6F8	64A5	I5ET0080
2723	踵	E6F9	64A6	I5EU0080
2724	踰	E6FA	64A7	I5EV0080
2725	踴	E6FB	64A8	I5EW0080
2726	蹊	E6FC	64A9	I5EX0080
2727	蹇	E740	64AA	I5EY0080
2728	蹉	E741	64AB	I5EZ0080
2729	蹠	E742	64AC	I5F00080
2730	躋	E743	64AD	I5F10080
2731	躋	E744	64AE	I5F20080
2732	蹙	E745	64AF	I5F30080
2733	蹤	E746	64B0	I5F40080
2734	蹠	E747	64B1	I5F50080
2735	踪	E748	50FC	I2IK0080
2736	躡	E749	64B3	I5F70080

IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

**Table 16 (Page 27 of 39).** Level 2 Kanji Set (2 of 2), DBCS-PC

Line Number	Graphic	PC Code	Host Code	GCGID
2737	躡	E74A	64B2	I5F60080
2738	蹶	E74B	64B4	I5F80080
2739	躡	E74C	64B5	I5F90080
2740	蹶	E74D	64B7	I5FB0080
2741	躡	E74E	64B8	I5FC0080
2742	蹶	E74F	64B6	I5FA0080
2743	躡	E750	64B9	I5FD0080
2744	躡	E751	64BA	I5FE0080
2745	躡	E752	64BB	I5FF0080
2746	躡	E753	64BC	I5FG0080
2747	躡	E754	64BD	I5FH0080
2748	躡	E755	64BE	I5FI0080
2749	躡	E756	64BF	I5FJ0080
2750	躡	E757	64C0	I5FK0080
2751	躡	E758	64C2	I5FM0080
2752	躡	E759	64C1	I5FL0080
2753	躬	E75A	5044	I2DG0080
2754	躡	E75B	537A	I2UY0080
2755	躡	E75C	64C5	I5FP0080
2756	躡	E75D	64C3	I5FN0080
2757	躡	E75E	64C4	I5FO0080
2758	躡	E75F	64C6	I5FQ0080
2759	躡	E760	64C7	I5FR0080
2760	軋	E761	64C8	I5FS0080
2761	軋	E762	64CA	I5FU0080
2762	軋	E763	64CB	I5FV0080

**Table 16 (Page 27 of 39).** Level 2 Kanji Set (2 of 2), DBCS-PC

Line Number	Graphic	PC Code	Host Code	GCGID
2763	軋	E764	64CC	I5FW0080
2764	軋	E765	64CD	I5FX0080
2765	軋	E766	64CE	I5FY0080
2766	軋	E767	64CF	I5FZ0080
2767	軋	E768	64D0	I5G00080
2768	軋	E769	64D2	I5G20080
2769	軋	E76A	64D3	I5G30080
2770	軋	E76B	64D4	I5G40080
2771	軋	E76C	64D7	I5G70080
2772	軋	E76D	64D5	I5G50080
2773	軋	E76E	64D6	I5G60080
2774	軋	E76F	64D8	I5G80080
2775	輻	E770	515B	I2JF0080
2776	輻	E771	64D1	I5G10080
2777	輻	E772	64D9	I5G90080
2778	輻	E773	64DA	I5GA0080
2779	輻	E774	64DB	I5GB0080
2780	輻	E775	64DC	I5GC0080
2781	輻	E776	64DD	I5GD0080
2782	輻	E777	64DE	I5GE0080
2783	輻	E778	64DF	I5GF0080
2784	輻	E779	64E2	I5GI0080
2785	輻	E77A	64E0	I5GG0080
2786	輻	E77B	64E1	I5GH0080
2787	輻	E77C	64E3	I5GJ0080
2788	輻	E77D	64E4	I5GK0080




## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
2789	轡	E77E	64E5	I5GL0080
2790	轢	E780	64E6	I5GM0080
2791	轣	E781	64E7	I5GN0080
2792	轤	E782	64E8	I5GO0080
2793	辜	E783	64E9	I5GP0080
2794	辟	E784	64EA	I5GQ0080
2795	辣	E785	64EB	I5GR0080
2796	辭	E786	64EE	I5GU0080
2797	辯	E787	64EF	I5GV0080
2798	辵	E788	64F0	I5GW0080
2799	迎	E789	64F2	I5GY0080
2800	迥	E78A	64F3	I5GZ0080
2801	迢	E78B	64F4	I5H00080
2802	迪	E78C	4E9E	I25A0080
2803	邈	E78D	64F5	I5H10080
2804	迓	E78E	64F6	I5H20080
2805	迕	E78F	64F7	I5H30080
2806	迖	E790	64F8	I5H40080
2807	迹	E791	64F9	I5H50080
2808	迕	E792	54A9	I31L0080
2809	逑	E793	64FB	I5H70080
2810	逕	E794	64FC	I5H80080
2811	逖	E795	64FE	I5HA0080
2812	逕	E796	6541	I5HD0080
2813	逕	E797	6542	I5HE0080
2814	逕	E798	6543	I5HF0080

Line Number	Graphic	PC Code	Host Code	GCGID
2815	逕	E799	6544	I5HG0080
2816	逕	E79A	6545	I5HH0080
2817	逕	E79B	6546	I5HI0080
2818	逕	E79C	5485	I30L0080
2819	逕	E79D	6547	I5HJ0080
2820	逕	E79E	64FA	I5H60080
2821	逕	E79F	6548	I5HK0080
2822	逕	E7A0	654A	I5HM0080
2823	逕	E7A1	654B	I5HN0080
2824	逕	E7A2	654C	I5HO0080
2825	逕	E7A3	64FD	I5H90080
2826	逕	E7A4	654D	I5HP0080
2827	逕	E7A5	654E	I5HQ0080
2828	逕	E7A6	654F	I5HR0080
2829	逕	E7A7	6550	I5HS0080
2830	逕	E7A8	6551	I5HT0080
2831	逕	E7A9	6552	I5HU0080
2832	逕	E7AA	6554	I5HW0080
2833	逕	E7AB	6555	I5HX0080
2834	隨	E7AC	6556	I5HY0080
2835	遲	E7AD	6557	I5HZ0080
2836	遲	E7AE	6558	I5I00080
2837	遲	E7AF	6559	I5I10080
2838	邁	E7B0	537B	I2UZ0080
2839	邁	E7B1	655B	I5I30080
2840	邊	E7B2	50EA	I2I20080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 16 (Page 29 of 39). Level 2 Kanji Set (2 of 2), DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
2841	邊	E7B3	655A	I5I20080
2842	邏	E7B4	655C	I5I40080
2843	邨	E7B5	51A8	I2LK0080
2844	邯	E7B6	655E	I5I60080
2845	邱	E7B7	655F	I5I70080
2846	邵	E7B8	6560	I5I80080
2847	郢	E7B9	6561	I5I90080
2848	郤	E7BA	6562	I5IA0080
2849	扈	E7BB	655D	I5I50080
2850	郇	E7BC	6563	I5IB0080
2851	鄂	E7BD	6565	I5ID0080
2852	鄒	E7BE	6568	I5IG0080
2853	鄙	E7BF	6569	I5IH0080
2854	鄆	E7C0	656A	I5II0080
2855	鄰	E7C1	656C	I5IK0080
2856	酏	E7C2	656D	I5IL0080
2857	酖	E7C3	656E	I5IM0080
2858	醜	E7C4	656F	I5IN0080
2859	酣	E7C5	6570	I5IO0080
2860	酥	E7C6	6571	I5IP0080
2861	醑	E7C7	6572	I5IQ0080
2862	醕	E7C8	6573	I5IR0080
2863	醒	E7C9	6574	I5IS0080
2864	醋	E7CA	6575	I5IT0080
2865	醉	E7CB	6576	I5IU0080
2866	醢	E7CC	6577	I5IV0080

Table 16 (Page 29 of 39). Level 2 Kanji Set (2 of 2), DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
2867	醜	E7CD	6578	I5IW0080
2868	醫	E7CE	6579	I5IX0080
2869	醜	E7CF	657A	I5IY0080
2870	醜	E7D0	657B	I5IZ0080
2871	醜	E7D1	657C	I5J00080
2872	醜	E7D2	657D	I5J10080
2873	醜	E7D3	657E	I5J20080
2874	醜	E7D4	657F	I5J30080
2875	醜	E7D5	6580	I5J40080
2876	糶	E7D6	5252	I2OI0080
2877	釋	E7D7	6581	I5J50080
2878	釐	E7D8	6582	I5J60080
2879	釒	E7D9	6587	I5JB0080
2880	釒	E7DA	6588	I5JC0080
2881	釒	E7DB	6589	I5JD0080
2882	釒	E7DC	6584	I5J80080
2883	釒	E7DD	51D0	I2MO0080
2884	釒	E7DE	658B	I5JF0080
2885	鉈	E7DF	658E	I5JI0080
2886	鈞	E7E0	6591	I5JL0080
2887	鉅	E7E1	6592	I5JM0080
2888	鈔	E7E2	6594	I5JO0080
2889	鉅	E7E3	6596	I5JQ0080
2890	鈕	E7E4	6597	I5JR0080
2891	鉅	E7E5	5269	I2P50080
2892	鉅	E7E6	5393	I2VN0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 16 (Page 30 of 39). Level 2 Kanji Set (2 of 2), DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
2893	鉗	E7E7	6599	I5JT0080
2894	鉅	E7E8	659A	I5JU0080
2895	鉉	E7E9	659C	I5JW0080
2896	鉤	E7EA	659D	I5JX0080
2897	鉈	E7EB	65A0	I5K00080
2898	鉉	E7EC	65B1	I5KH0080
2899	鈿	E7ED	65A4	I5K40080
2900	鉆	E7EE	65A7	I5K70080
2901	鈇	E7EF	65A2	I5K20080
2902	銜	E7F0	65AA	I5KA0080
2903	銖	E7F1	65AE	I5KE0080
2904	銗	E7F2	65AF	I5KF0080
2905	銘	E7F3	65B0	I5KG0080
2906	鉚	E7F4	65A9	I5K90080
2907	銙	E7F5	65B3	I5KJ0080
2908	銚	E7F6	65BA	I5KQ0080
2909	銛	E7F7	65BB	I5KR0080
2910	銜	E7F8	65B2	I5KI0080
2911	銙	E7F9	65C0	I5KW0080
2912	銚	E7FA	65C2	I5KY0080
2913	銛	E7FB	65C4	I5L00080
2914	銜	E7FC	5283	I2PV0080
2915	銙	E840	65C7	I5L30080
2916	銚	E841	65CA	I5L60080
2917	銛	E842	65CB	I5L70080
2918	銜	E843	65CD	I5L90080

Table 16 (Page 30 of 39). Level 2 Kanji Set (2 of 2), DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
2919	銜	E844	65BE	I5KU0080
2920	銙	E845	65BF	I5KV0080
2921	銚	E846	65CF	I5LB0080
2922	銛	E847	52AD	I2R10080
2923	銜	E848	65D1	I5LD0080
2924	銙	E849	65D2	I5LE0080
2925	銚	E84A	65D3	I5LF0080
2926	銛	E84B	65D4	I5LG0080
2927	銜	E84C	65D7	I5LJ0080
2928	銙	E84D	536E	I2UM0080
2929	銚	E84E	65D9	I5LL0080
2930	銛	E84F	65DA	I5LM0080
2931	銜	E850	65D6	I5LI0080
2932	銙	E851	65DC	I5LO0080
2933	銚	E852	65DE	I5LQ0080
2934	銛	E853	65DF	I5LR0080
2935	銜	E854	65E0	I5LS0080
2936	銙	E855	65E1	I5LT0080
2937	銚	E856	65E2	I5LU0080
2938	銛	E857	65E3	I5LV0080
2939	銜	E858	65E5	I5LX0080
2940	銙	E859	65DB	I5LN0080
2941	銚	E85A	65E6	I5LY0080
2942	銛	E85B	65E7	I5LZ0080
2943	銜	E85C	65E9	I5M10080
2944	銙	E85D	65EA	I5M20080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 16 (Page 31 of 39). Level 2 Kanji Set (2 of 2), DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
2945	鏡	E85E	65EC	I5M40080
2946	鑄	E85F	65ED	I5M50080
2947	鏢	E860	51CD	I2ML0080
2948	鑲	E861	65EE	I5M60080
2949	鑄	E862	65EF	I5M70080
2950	鐵	E863	5156	I2JA0080
2951	鐵	E864	65EB	I5M30080
2952	鎢	E865	65F1	I5M90080
2953	鏤	E866	65F2	I5MA0080
2954	鑿	E867	65F3	I5MB0080
2955	鑄	E868	65F5	I5MD0080
2956	鑛	E869	65F7	I5MF0080
2957	鑲	E86A	65F9	I5MH0080
2958	鑪	E86B	65FA	I5MI0080
2959	鐵	E86C	65FB	I5MJ0080
2960	鑪	E86D	65FC	I5MK0080
2961	鈔	E86E	6598	I5JS0080
2962	鑪	E86F	65FE	I5MM0080
2963	鑪	E870	65FD	I5ML0080
2964	鑪	E871	6641	I5MP0080
2965	鑪	E872	6643	I5MR0080
2966	鑪	E873	65F8	I5MG0080
2967	鑪	E874	6644	I5MS0080
2968	鑪	E875	6645	I5MT0080
2969	鑪	E876	6646	I5MU0080
2970	鑪	E877	6642	I5MQ0080

Table 16 (Page 31 of 39). Level 2 Kanji Set (2 of 2), DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
2971	門	E878	6647	I5MV0080
2972	問	E879	6648	I5MW0080
2973	問	E87A	6649	I5MX0080
2974	問	E87B	664B	I5MZ0080
2975	問	E87C	664C	I5N00080
2976	問	E87D	664D	I5N10080
2977	問	E87E	664E	I5N20080
2978	問	E880	664F	I5N30080
2979	問	E881	6650	I5N40080
2980	問	E882	6651	I5N50080
2981	問	E883	6652	I5N60080
2982	問	E884	6653	I5N70080
2983	問	E885	6654	I5N80080
2984	問	E886	6655	I5N90080
2985	問	E887	6656	I5NA0080
2986	問	E888	6657	I5NB0080
2987	問	E889	6658	I5NC0080
2988	問	E88A	6659	I5ND0080
2989	問	E88B	665A	I5NE0080
2990	問	E88C	665B	I5NF0080
2991	問	E88D	665C	I5NG0080
2992	問	E88E	665D	I5NH0080
2993	問	E88F	665E	I5NI0080
2994	問	E890	665F	I5NJ0080
2995	問	E891	6660	I5NK0080
2996	問	E892	6661	I5NL0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 16 (Page 32 of 39). Level 2 Kanji Set (2 of 2), DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
2997	關	E893	6662	I5NM0080
2998	阡	E894	6663	I5NN0080
2999	阨	E895	6664	I5NO0080
3000	阮	E896	6665	I5NP0080
3001	阯	E897	6666	I5NQ0080
3002	陂	E898	6667	I5NR0080
3003	陌	E899	6669	I5NT0080
3004	隋	E89A	6668	I5NS0080
3005	陋	E89B	666A	I5NU0080
3006	陷	E89C	666F	I5NZ0080
3007	陝	E89D	666B	I5NV0080
3008	陞	E89E	5272	I2PE0080
3009	陝	E89F	666C	I5NW0080
3010	陟	E8A0	666D	I5NX0080
3011	隄	E8A1	666E	I5NY0080
3012	陞	E8A2	6670	I5O00080
3013	陬	E8A3	6671	I5O10080
3014	隍	E8A4	6672	I5O20080
3015	隘	E8A5	6675	I5O50080
3016	隕	E8A6	6676	I5O60080
3017	隗	E8A7	6677	I5O70080
3018	險	E8A8	667B	I5OB0080
3019	隧	E8A9	667A	I5OA0080
3020	隱	E8AA	667C	I5OC0080
3021	隲	E8AB	667D	I5OD0080
3022	隰	E8AC	667E	I5OE0080

Table 16 (Page 32 of 39). Level 2 Kanji Set (2 of 2), DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
3023	隴	E8AD	6680	I5OG0080
3024	隸	E8AE	6681	I5OH0080
3025	隸	E8AF	6682	I5OI0080
3026	隹	E8B0	6683	I5OJ0080
3027	睢	E8B1	6684	I5OK0080
3028	雋	E8B2	6685	I5OL0080
3029	雉	E8B3	5477	I3070080
3030	雍	E8B4	525B	I2OR0080
3031	襍	E8B5	63A1	I59D0080
3032	雜	E8B6	6687	I5ON0080
3033	霍	E8B7	668E	I5OU0080
3034	雕	E8B8	6686	I5OM0080
3035	霍	E8B9	6689	I5OP0080
3036	霄	E8BA	668A	I5OQ0080
3037	霆	E8BB	668B	I5OR0080
3038	霈	E8BC	668C	I5OS0080
3039	霓	E8BD	668F	I5OV0080
3040	霎	E8BE	6690	I5OW0080
3041	霑	E8BF	6691	I5OX0080
3042	霏	E8C0	6692	I5OY0080
3043	霖	E8C1	6693	I5OZ0080
3044	霰	E8C2	668D	I5OT0080
3045	霽	E8C3	6694	I5P00080
3046	霽	E8C4	6695	I5P10080
3047	霰	E8C5	6696	I5P20080
3048	霹	E8C6	6698	I5P40080





## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 16 (Page 33 of 39). Level 2 Kanji Set (2 of 2), DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
3049	霽	E8C7	669A	I5P60080
3050	霾	E8C8	669B	I5P70080
3051	靄	E8C9	669D	I5P90080
3052	靄	E8CA	669C	I5P80080
3053	靈	E8CB	669F	I5PB0080
3054	靈	E8CC	66A0	I5PC0080
3055	靄	E8CD	66A1	I5PD0080
3056	靜	E8CE	66A6	I5PI0080
3057	靠	E8CF	66A7	I5PJ0080
3058	砲	E8D0	66A8	I5PK0080
3059	靄	E8D1	66A9	I5PL0080
3060	靄	E8D2	66AA	I5PM0080
3061	勒	E8D3	53D6	I2XI0080
3062	鞞	E8D4	53B5	I2WL0080
3063	鞞	E8D5	66AB	I5PN0080
3064	鞞	E8D6	66AC	I5PO0080
3065	鞞	E8D7	66AD	I5PP0080
3066	鞞	E8D8	66AE	I5PQ0080
3067	鞞	E8D9	66AF	I5PR0080
3068	鞞	E8DA	66B0	I5PS0080
3069	鞞	E8DB	5277	I2PJ0080
3070	鞋	E8DC	66B1	I5PT0080
3071	鞞	E8DD	66B2	I5PU0080
3072	鞞	E8DE	66B3	I5PV0080
3073	鞞	E8DF	66B4	I5PW0080
3074	鞞	E8E0	66B5	I5PX0080

Table 16 (Page 33 of 39). Level 2 Kanji Set (2 of 2), DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
3075	鞞	E8E1	66B6	I5PY0080
3076	鞞	E8E2	66B7	I5PZ0080
3077	鞞	E8E3	66B8	I5Q00080
3078	鞞	E8E4	66B9	I5Q10080
3079	鞞	E8E5	66BA	I5Q20080
3080	鞞	E8E6	66BB	I5Q30080
3081	鞞	E8E7	66BC	I5Q40080
3082	韋	E8E8	66BD	I5Q50080
3083	鞞	E8E9	66BE	I5Q60080
3084	韋	E8EA	66BF	I5Q70080
3085	韋	E8EB	686F	I5YN0080
3086	韋	E8EC	66C0	I5Q80080
3087	竟	E8ED	66C1	I5Q90080
3088	韶	E8EE	52FC	I2T80080
3089	韻	E8EF	66C2	I5QA0080
3090	頤	E8F0	66C3	I5QB0080
3091	頤	E8F1	5456	I2ZA0080
3092	頤	E8F2	66C4	I5QC0080
3093	頤	E8F3	66C5	I5QD0080
3094	頤	E8F4	66C6	I5QE0080
3095	頤	E8F5	66C7	I5QF0080
3096	頤	E8F6	66C8	I5QG0080
3097	頤	E8F7	51DC	I2N00080
3098	頤	E8F8	66C9	I5QH0080
3099	頤	E8F9	66CA	I5QI0080
3100	頤	E8FA	66CD	I5QL0080

IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

**Table 16 (Page 34 of 39).** Level 2 Kanji Set (2 of 2), DBCS-PC

Line Number	Graphic	PC Code	Host Code	GCGID
3101	顯	E8FB	66CE	I5QM0080
3102	響	E8FC	66CF	I5QN0080
3103	顛	E940	66D0	I5QO0080
3104	顛	E941	66D1	I5QP0080
3105	顛	E942	66D2	I5QQ0080
3106	颯	E943	66D3	I5QR0080
3107	颯	E944	66D4	I5QS0080
3108	颯	E945	66D5	I5QT0080
3109	颯	E946	66D6	I5QU0080
3110	颯	E947	66D7	I5QV0080
3111	颯	E948	66D8	I5QW0080
3112	颯	E949	66D9	I5QX0080
3113	鮎	E94A	66DC	I5R00080
3114	鮎	E94B	66DE	I5R20080
3115	鮎	E94C	66E0	I5R40080
3116	鮎	E94D	54BC	I3240080
3117	鮎	E94E	66E2	I5R60080
3118	鮎	E94F	66E3	I5R70080
3119	餘	E950	66E4	I5R80080
3120	鮎	E951	66E7	I5RB0080
3121	鮎	E952	66E1	I5R50080
3122	餞	E953	66E8	I5RC0080
3123	餞	E954	66E9	I5RD0080
3124	餅	E955	66EA	I5RE0080
3125	餽	E956	66EB	I5RF0080
3126	饗	E957	66EC	I5RG0080

**Table 16 (Page 34 of 39).** Level 2 Kanji Set (2 of 2), DBCS-PC

Line Number	Graphic	PC Code	Host Code	GCGID
3127	餽	E958	66ED	I5RH0080
3128	餽	E959	66EE	I5RI0080
3129	饜	E95A	66EF	I5RJ0080
3130	饜	E95B	66F0	I5RK0080
3131	饜	E95C	66F1	I5RL0080
3132	饜	E95D	66F2	I5RM0080
3133	饜	E95E	66F3	I5RN0080
3134	饜	E95F	66F4	I5RO0080
3135	饜	E960	52E8	I2SO0080
3136	饜	E961	66F5	I5RP0080
3137	饜	E962	66F6	I5RQ0080
3138	馗	E963	66F7	I5RR0080
3139	馗	E964	66F8	I5RS0080
3140	馗	E965	66FA	I5RU0080
3141	馗	E966	66FB	I5RV0080
3142	馗	E967	66FC	I5RW0080
3143	馗	E968	66FD	I5RX0080
3144	馗	E969	66FE	I5RY0080
3145	馗	E96A	6741	I5S10080
3146	馗	E96B	6742	I5S20080
3147	馗	E96C	6743	I5S30080
3148	馗	E96D	6744	I5S40080
3149	馗	E96E	6745	I5S50080
3150	馗	E96F	6746	I5S60080
3151	馗	E970	6748	I5S80080
3152	馗	E971	6749	I5S90080

IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

**Table 16 (Page 35 of 39).** Level 2 Kanji Set (2 of 2), DBCS-PC

Line Number	Graphic	PC Code	Host Code	GCGID
3153	駢	E972	674A	I5SA0080
3154	駢	E973	674B	I5SB0080
3155	駢	E974	674C	I5SC0080
3156	駢	E975	674D	I5SD0080
3157	駢	E976	674E	I5SE0080
3158	駢	E977	6747	I5S70080
3159	駢	E978	674F	I5SF0080
3160	騫	E979	6750	I5SG0080
3161	騫	E97A	6751	I5SH0080
3162	騫	E97B	6753	I5SJ0080
3163	騫	E97C	6754	I5SK0080
3164	騫	E97D	6752	I5SI0080
3165	騫	E97E	6755	I5SL0080
3166	騫	E980	6756	I5SM0080
3167	騫	E981	6757	I5SN0080
3168	騫	E982	6758	I5SO0080
3169	騫	E983	675A	I5SQ0080
3170	驗	E984	675B	I5SR0080
3171	騫	E985	675C	I5SS0080
3172	騫	E986	675D	I5ST0080
3173	騫	E987	675F	I5SV0080
3174	騫	E988	6760	I5SW0080
3175	騫	E989	675E	I5SU0080
3176	騫	E98A	6762	I5SY0080
3177	騫	E98B	6761	I5SX0080
3178	駢	E98C	6763	I5SZ0080

**Table 16 (Page 35 of 39).** Level 2 Kanji Set (2 of 2), DBCS-PC

Line Number	Graphic	PC Code	Host Code	GCGID
3179	髻	E98D	6764	I5T00080
3180	髻	E98E	6765	I5T10080
3181	髻	E98F	6766	I5T20080
3182	髻	E990	6767	I5T30080
3183	髻	E991	676A	I5T60080
3184	髻	E992	6768	I5T40080
3185	髻	E993	6769	I5T50080
3186	髻	E994	676D	I5T90080
3187	髻	E995	676E	I5TA0080
3188	髻	E996	676F	I5TB0080
3189	髻	E997	6770	I5TC0080
3190	髻	E998	6771	I5TD0080
3191	髻	E999	6772	I5TE0080
3192	髻	E99A	6773	I5TF0080
3193	髻	E99B	6774	I5TG0080
3194	髻	E99C	6775	I5TH0080
3195	髻	E99D	6776	I5TI0080
3196	髻	E99E	6777	I5TJ0080
3197	髻	E99F	6778	I5TK0080
3198	髻	E9A0	6779	I5TL0080
3199	髻	E9A1	677A	I5TM0080
3200	髻	E9A2	677B	I5TN0080
3201	髻	E9A3	677C	I5TO0080
3202	髻	E9A4	677D	I5TP0080
3203	髻	E9A5	677E	I5TQ0080
3204	髻	E9A6	677F	I5TR0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
3205	鬧	E9A7	6780	I5TS0080
3206	鬧	E9A8	6781	I5TT0080
3207	鬧	E9A9	6782	I5TU0080
3208	鬧	E9AA	6783	I5TV0080
3209	鬧	E9AB	6784	I5TW0080
3210	鬯	E9AC	6785	I5TX0080
3211	鬯	E9AD	6787	I5TZ0080
3212	魄	E9AE	6789	I5U10080
3213	魑	E9AF	678A	I5U20080
3214	魏	E9B0	5389	I2VD0080
3215	魍	E9B1	678B	I5U30080
3216	魎	E9B2	678C	I5U40080
3217	魑	E9B3	678D	I5U50080
3218	魍	E9B4	678E	I5U60080
3219	魎	E9B5	6790	I5U80080
3220	魑	E9B6	6792	I5UA0080
3221	魍	E9B7	6794	I5UC0080
3222	魎	E9B8	6795	I5UD0080
3223	魑	E9B9	6796	I5UE0080
3224	魍	E9BA	6797	I5UF0080
3225	魎	E9BB	6798	I5UG0080
3226	魑	E9BC	6799	I5UH0080
3227	魍	E9BD	679A	I5UI0080
3228	魎	E9BE	679C	I5UK0080
3229	魑	E9BF	679D	I5UL0080
3230	魍	E9C0	679E	I5UM0080

Line Number	Graphic	PC Code	Host Code	GCGID
3231	鮪	E9C1	67A0	I5UO0080
3232	鮪	E9C2	67A1	I5UP0080
3233	鮪	E9C3	67A2	I5UQ0080
3234	鮪	E9C4	67A3	I5UR0080
3235	鮪	E9C5	67A4	I5US0080
3236	鮪	E9C6	67A5	I5UT0080
3237	鮪	E9C7	67A6	I5UU0080
3238	鮪	E9C8	67A7	I5UV0080
3239	鮪	E9C9	67A8	I5UW0080
3240	鮪	E9CA	67A9	I5UX0080
3241	鮪	E9CB	67AA	I5UY0080
3242	鮪	E9CC	67AC	I5V00080
3243	鮪	E9CD	67AB	I5UZ0080
3244	鮪	E9CE	5551	I34H0080
3245	鮪	E9CF	67AF	I5V30080
3246	鮪	E9D0	67B0	I5V40080
3247	鮪	E9D1	67B2	I5V60080
3248	鮪	E9D2	67B3	I5V70080
3249	鮪	E9D3	67B4	I5V80080
3250	鮪	E9D4	67B5	I5V90080
3251	鮪	E9D5	67B6	I5VA0080
3252	鮪	E9D6	67B7	I5VB0080
3253	鮪	E9D7	67B8	I5VC0080
3254	鮪	E9D8	67AD	I5V10080
3255	鮪	E9D9	67B9	I5VD0080
3256	鮪	E9DA	67AE	I5V20080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
3257	鰈	E9DB	67BA	I5VE0080
3258	鰈	E9DC	67BB	I5VF0080
3259	鰈	E9DD	67BC	I5VG0080
3260	鰈	E9DE	67BD	I5VH0080
3261	鰈	E9DF	67BE	I5VI0080
3262	鰈	E9E0	67BF	I5VJ0080
3263	鰈	E9E1	67C0	I5VK0080
3264	鰈	E9E2	67C1	I5VL0080
3265	鰈	E9E3	67C2	I5VM0080
3266	鰈	E9E4	67C3	I5VN0080
3267	鰈	E9E5	67C4	I5VO0080
3268	鰈	E9E6	67C5	I5VP0080
3269	鰈	E9E7	67C6	I5VQ0080
3270	鳧	E9E8	67C8	I5VS0080
3271	鳧	E9E9	67C9	I5VT0080
3272	鵞	E9EA	67CA	I5VU0080
3273	鵞	E9EB	67CB	I5VV0080
3274	鴈	E9EC	54FC	I33W0080
3275	鴈	E9ED	67C7	I5VR0080
3276	鵞	E9EE	67CC	I5VW0080
3277	鵞	E9EF	67CD	I5VX0080
3278	鵞	E9F0	67CE	I5VY0080
3279	鵞	E9F1	67CF	I5VZ0080
3280	鵞	E9F2	67D0	I5W00080
3281	鵞	E9F3	67D1	I5W10080
3282	鵞	E9F4	67D2	I5W20080

Line Number	Graphic	PC Code	Host Code	GCGID
3283	鵞	E9F5	67D7	I5W70080
3284	鵞	E9F6	67D3	I5W30080
3285	鵞	E9F7	67D4	I5W40080
3286	鵞	E9F8	67D5	I5W50080
3287	鵞	E9F9	67D6	I5W60080
3288	鵞	E9FA	67D8	I5W80080
3289	鵞	E9FB	67D9	I5W90080
3290	鵞	E9FC	67DA	I5WA0080
3291	鵞	EA40	67DB	I5WB0080
3292	鵞	EA41	67DC	I5WC0080
3293	鵞	EA42	67E0	I5WG0080
3294	鵞	EA43	67DE	I5WE0080
3295	鵞	EA44	67DF	I5WF0080
3296	鵞	EA45	67DD	I5WD0080
3297	鵞	EA46	67E1	I5WH0080
3298	鵞	EA47	5342	I2TE0080
3299	鵞	EA48	67E3	I5WJ0080
3300	鵞	EA49	67EA	I5WQ0080
3301	鵞	EA4A	67E5	I5WL0080
3302	鵞	EA4B	67E6	I5WM0080
3303	鵞	EA4C	67E7	I5WN0080
3304	鵞	EA4D	67E8	I5WO0080
3305	鵞	EA4E	67E9	I5WP0080
3306	鵞	EA4F	67EB	I5WR0080
3307	鵞	EA50	67EC	I5WS0080
3308	鵞	EA51	67ED	I5WT0080




## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 16 (Page 38 of 39). Level 2 Kanji Set (2 of 2), DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
3309	鶺鴒	EA52	67EE	I5WU0080
3310	鶺鴒	EA53	67EF	I5WV0080
3311	鶺鴒	EA54	67F0	I5WW0080
3312	鶺鴒	EA55	67F1	I5WX0080
3313	鶺鴒	EA56	67F2	I5WY0080
3314	鶺鴒	EA57	67F3	I5WZ0080
3315	鶺鴒	EA58	67F5	I5X10080
3316	鶺鴒	EA59	67F6	I5X20080
3317	鶺鴒	EA5A	67F7	I5X30080
3318	鶺鴒	EA5B	67F8	I5X40080
3319	鶺鴒	EA5C	67F9	I5X50080
3320	鶺鴒	EA5D	67FA	I5X60080
3321	鶺鴒	EA5E	67FB	I5X70080
3322	鶺鴒	EA5F	67FC	I5X80080
3323	鶺鴒	EA60	67FD	I5X90080
3324	鶺鴒	EA61	6841	I5XD0080
3325	鹵	EA62	6842	I5XE0080
3326	鹹	EA63	6843	I5XF0080
3327	鹽	EA64	6844	I5XG0080
3328	麩	EA65	6845	I5XH0080
3329	塵	EA66	6846	I5XI0080
3330	麩	EA67	6847	I5XJ0080
3331	麩	EA68	6848	I5XK0080
3332	麩	EA69	51F9	I2NT0080
3333	麩	EA6A	6849	I5XL0080
3334	麩	EA6B	684A	I5XM0080

Table 16 (Page 38 of 39). Level 2 Kanji Set (2 of 2), DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
3335	麩	EA6C	684B	I5XN0080
3336	麥	EA6D	684C	I5XO0080
3337	麩	EA6E	53B4	I2WK0080
3338	麩	EA6F	684D	I5XP0080
3339	麩	EA70	684E	I5XQ0080
3340	麩	EA71	684F	I5XR0080
3341	靡	EA72	6852	I5XU0080
3342	麩	EA73	6853	I5XV0080
3343	黎	EA74	51A7	I2LJ0080
3344	黏	EA75	6854	I5XW0080
3345	麩	EA76	6855	I5XX0080
3346	黔	EA77	6857	I5XZ0080
3347	黜	EA78	6858	I5Y00080
3348	黜	EA79	6859	I5Y10080
3349	黜	EA7A	685A	I5Y20080
3350	黜	EA7B	685B	I5Y30080
3351	黜	EA7C	685C	I5Y40080
3352	黨	EA7D	685D	I5Y50080
3353	黜	EA7E	685E	I5Y60080
3354	黜	EA80	685F	I5Y70080
3355	黜	EA81	6860	I5Y80080
3356	黜	EA82	6861	I5Y90080
3357	黜	EA83	6862	I5YA0080
3358	黜	EA84	6863	I5YB0080
3359	黜	EA85	6864	I5YC0080
3360	黜	EA86	6865	I5YD0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 16 (Page 39 of 39). Level 2 Kanji Set (2 of 2), DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
3361	鼈	EA87	6866	I5YE0080
3362	籠	EA88	6867	I5YF0080
3363	鼓	EA89	6868	I5YG0080
3364	蓼	EA8A	6869	I5YH0080
3365	羊	EA8B	686A	I5YI0080
3366	馳	EA8C	686B	I5YJ0080
3367	軒	EA8D	686C	I5YK0080
3368	齊	EA8E	686D	I5YL0080
3369	齒	EA8F	6870	I5YO0080
3370	齸	EA90	6871	I5YP0080
3371	齶	EA91	6872	I5YQ0080
3372	齷	EA92	6873	I5YR0080
3373	齸	EA93	6874	I5YS0080
3374	齶	EA94	6875	I5YT0080
3375	齷	EA95	6876	I5YU0080
3376	齸	EA96	6877	I5YV0080
3377	齶	EA97	6878	I5YW0080
3378	齷	EA98	6879	I5YX0080
3379	齸	EA99	687A	I5YY0080
3380	齶	EA9A	687B	I5YZ0080
3381	齷	EA9B	687C	I5Z00080
3382	龕	EA9C	687D	I5Z10080
3383	龜	EA9D	687E	I5Z20080
3384	龕	EA9E	687F	I5Z30080
3385	堯	EA9F	6880	I5Z40080
3386	禎	EAA0	6881	I5Z50080

Table 16 (Page 39 of 39). Level 2 Kanji Set (2 of 2), DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
3387	遙	EAA1	6882	I5Z60080
3388	瑶	EAA2	6883	I5Z70080
3389	凜	EAA3	6884	I5Z80080
3390	熙	EAA4	6885	I5Z90080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

## 9.5 IBM-Selected Non-Kanji Set

Table 17. IBM-Selected Non-Kanji Set, DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
1	i	FA40	41B1	NR010080
2	ii	FA41	41B2	NR020080
3	iii	FA42	41B3	NR030080
4	iv	FA43	41B4	NR040080
5	v	FA44	41B5	NR050080
6	vi	FA45	41B6	NR060080
7	vii	FA46	41B7	NR070080
8	viii	FA47	41B8	NR080080
9	ix	FA48	41B9	NR090080
10	x	FA49	41BA	NR100080
11	I	FA4A	41F1	NR110080
12	II	FA4B	41F2	NR120080
13	III	FA4C	41F3	NR130080
14	IV	FA4D	41F4	NR140080
15	V	FA4E	41F5	NR150080
16	VI	FA4F	41F6	NR160080
17	VII	FA50	41F7	NR170080
18	VIII	FA51	41F8	NR180080
19	IX	FA52	41F9	NR190080
20	X	FA53	41FA	NR200080
21		FA55	426A	SM650080
22	'	FA56	427D	SP050080
23	"	FA57	427F	SP040080
24	(株)	FA58	446D	SS740080
25	N <sup>o</sup>	FA59	446E	SM000080

Table 17. IBM-Selected Non-Kanji Set, DBCS-PC				
Line Number	Graphic	PC Code	Host Code	GCGID
26	TEL	FA5A	446F	SS710080





## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

## 9.6 IBM-Selected Kanji Set

Line Number	Graphic	PC Code	Host Code	GCGID
1	續	FA5C	51BF	I2M70080
2	襲	FA5D	51DA	I2MY0080
3	鏢	FA5E	51F7	I2NR0080
4	銈	FA5F	524B	I2OB0080
5	醜	FA60	527B	I2PN0080
6	倍	FA61	5294	I2QC0080
7	炤	FA62	529E	I2QM0080
8	昱	FA63	52EB	I2SR0080
9	精	FA64	5386	I2VA0080
10	銀	FA65	5394	I2VO0080
11	昇	FA66	5397	I2VR0080
12	擲	FA67	53C7	I2X30080
13	丨	FA68	5644	I39G0080
14	仡	FA69	565D	I3A50080
15	任	FA6A	5662	I3AA0080
16	佶	FA6B	5665	I3AD0080
17	仔	FA6C	5666	I3AE0080
18	但	FA6D	566A	I3AI0080
19	佖	FA6E	566E	I3AM0080
20	佞	FA6F	5670	I3AO0080
21	佻	FA70	5671	I3AP0080
22	佻	FA71	5674	I3AS0080
23	侻	FA72	567B	I3AZ0080
24	佻	FA73	5686	I3BA0080

Line Number	Graphic	PC Code	Host Code	GCGID
25	僕	FA74	568A	I3BE0080
26	僂	FA75	5691	I3BL0080
27	僂	FA76	5694	I3BO0080
28	僂	FA77	5698	I3BS0080
29	僂	FA78	56A2	I3C20080
30	僂	FA79	56A3	I3C30080
31	僂	FA7A	56A4	I3C40080
32	僂	FA7B	56A8	I3C80080
33	僂	FA7C	56B2	I3CI0080
34	僂	FA7D	56B5	I3CL0080
35	兂	FA7E	56C9	I3D50080
36	癩	FA80	56CE	I3DA0080
37	亘	FA81	56DC	I3DO0080
38	洽	FA82	56E8	I3E00080
39	夙	FA83	56EF	I3E70080
40	夙	FA84	56F7	I3EF0080
41	夙	FA85	574F	I3F30080
42	夙	FA86	5750	I3F40080
43	勅	FA87	5756	I3FA0080
44	勅	FA88	5758	I3FC0080
45	勻	FA89	5761	I3FL0080
46	匆	FA8A	5763	I3FN0080
47	匡	FA8B	576B	I3FV0080
48	邵	FA8C	577C	I3GC0080
49	匡	FA8D	5780	I3GG0080
50	屬	FA8E	5787	I3GN0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
51	規	FA8F	578B	I3GR0080
52	夔	FA90	578E	I3GU0080
53	咤	FA91	57A9	I3HL0080
54	味	FA92	57AE	I3HQ0080
55	咩	FA93	57BD	I3I50080
56	寄	FA94	57C0	I3I80080
57	喆	FA95	57DE	I3J20080
58	垩	FA96	5860	I3KW0080
59	坦	FA97	5863	I3KZ0080
60	垧	FA98	586C	I3L80080
61	垠	FA99	5870	I3LC0080
62	垧	FA9A	5873	I3LF0080
63	垧	FA9B	5877	I3LJ0080
64	塚	FA9C	5882	I3LU0080
65	增	FA9D	588A	I3M20080
66	壙	FA9E	588C	I3M40080
67	夔	FA9F	58A1	I3MP0080
68	麥	FAA0	58AD	I3N10080
69	翁	FAA1	58B0	I3N40080
70	裔	FAA2	58B1	I3N50080
71	翁	FAA3	58B2	I3N60080
72	好	FAA4	58BE	I3NI0080
73	妹	FAA5	58C0	I3NK0080
74	存	FAA6	58EC	I3OS0080
75	窠	FAA7	58FC	I3P80080
76	甯	FAA8	58FE	I3PA0080

Line Number	Graphic	PC Code	Host Code	GCGID
77	眞	FAA9	5942	I3PE0080
78	寬	FAAA	5944	I3PG0080
79	寮	FAAB	5951	I3PT0080
80	豈	FAAC	5967	I3QF0080
81	岑	FAAD	5968	I3QG0080
82	嶷	FAAE	5970	I3QO0080
83	崧	FAAF	5978	I3QW0080
84	崑	FAB0	597F	I3R30080
85	嶠	FAB1	5980	I3R40080
86	嶺	FAB2	5984	I3R80080
87	嶗	FAB3	5987	I3RB0080
88	嶸	FAB4	5993	I3RN0080
89	嶹	FAB5	5995	I3RP0080
90	嶺	FAB6	5997	I3RR0080
91	𡵓	FAB7	59C7	I3T30080
92	𡵔	FAB8	59CB	I3T70080
93	𡵕	FAB9	59D8	I3TK0080
94	德	FABA	59E8	I3U00080
95	恣	FABB	59F1	I3U90080
96	愬	FABC	5A44	I3US0080
97	悅	FABD	5A51	I3V50080
98	愬	FABE	5A57	I3VB0080
99	愬	FABF	5A5F	I3VJ0080
100	愬	FAC0	5A65	I3VP0080
101	愬	FAC1	5A67	I3VR0080
102	愬	FAC2	5A68	I3VS0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
103	儻	FAC3	5A76	I3W60080
104	愷	FAC4	5A79	I3W90080
105	愧	FAC5	5A7E	I3WE0080
106	僖	FAC6	5A94	I3X00080
107	或	FAC7	5AB5	I3XX0080
108	柄	FAC8	5ADA	I3YY0080
109	捷	FAC9	5AFB	I3ZV0080
110	摠	FACA	5B50	I40G0080
111	搵	FACB	5B53	I40J0080
112	擎	FACC	5B54	I40K0080
113	教	FACD	5B7E	I41Q0080
114	昀	FACE	5B97	I42F0080
115	昕	FACF	5B98	I42G0080
116	昂	FAD0	5B99	I42H0080
117	昉	FAD1	5B9D	I42L0080
118	昴	FAD2	5BA0	I42O0080
119	昞	FAD3	5BA1	I42P0080
120	昞	FAD4	5BA4	I42S0080
121	睭	FAD5	5BA7	I42V0080
122	睭	FAD6	5BA8	I42W0080
123	睭	FAD7	5BAB	I42Z0080
124	晴	FAD8	5BAE	I4320080
125	皙	FAD9	5BAF	I4330080
126	晡	FADA	5BB4	I4380080
127	晡	FADB	5BB6	I43A0080
128	障	FADC	5BB8	I43C0080

Line Number	Graphic	PC Code	Host Code	GCGID
129	晡	FADD	5BBB	I43F0080
130	晡	FADE	5BC7	I43R0080
131	晡	FADF	5BC8	I43S0080
132	朗	FAE0	5BC9	I43T0080
133	杓	FAE1	5BD8	I4480080
134	柅	FAE2	5BE3	I44J0080
135	棄	FAE3	5BEC	I44S0080
136	被	FAE4	5BF0	I44W0080
137	柳	FAE5	5BF3	I44Z0080
138	桃	FAE6	5BF9	I4550080
139	梲	FAE7	5C5F	I4670080
140	梲	FAE8	5C66	I46E0080
141	楨	FAE9	5C6E	I46M0080
142	榉	FAEA	5C78	I46W0080
143	榑	FAEB	5C79	I46X0080
144	榴	FAEC	5C90	I47K0080
145	檣	FAED	5C9A	I47U0080
146	橫	FAEE	5C9B	I47V0080
147	舞	FAEF	5CA6	I4860080
148	櫛	FAF0	5CA9	I4890080
149	櫛	FAF1	5CAF	I48F0080
150	櫛	FAF2	5CB9	I48P0080
151	櫛	FAF3	5CBC	I48S0080
152	漈	FAF4	5CEA	I4A20080
153	汜	FAF5	5CF6	I4AE0080
154	汜	FAF6	5CF9	I4AH0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Table 18 (Page 4 of 7). IBM-Selected Kanji Set, DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
155	沆	FAF7	5CFD	I4AL0080
156	沇	FAF8	5CFE	I4AM0080
157	沈	FAF9	5D4E	I4B20080
158	洄	FAFA	5D58	I4BC0080
159	涇	FAFB	5D60	I4BK0080
160	涪	FAFC	5D62	I4BM0080
161	洩	FB40	5D6B	I4BV0080
162	涿	FB41	5D72	I4C20080
163	溟	FB42	5D74	I4C40080
164	清	FB43	5D7A	I4CA0080
165	澆	FB44	5D7F	I4CF0080
166	淼	FB45	5D80	I4CG0080
167	洵	FB46	5D8A	I4CQ0080
168	湜	FB47	5D8E	I4CU0080
169	滌	FB48	5D93	I4CZ0080
170	渼	FB49	5D95	I4D10080
171	澗	FB4A	5DA6	I4DI0080
172	澈	FB4B	5DC1	I4E90080
173	漸	FB4C	5DCA	I4EI0080
174	瀆	FB4D	5DD5	I4ET0080
175	滢	FB4E	5DD7	I4EV0080
176	瀆	FB4F	5DD8	I4EW0080
177	瀨	FB50	5DE3	I4F70080
178	炅	FB51	5DEA	I4FE0080
179	炫	FB52	5DED	I4FH0080
180	燠	FB53	5DF5	I4FP0080

Table 18 (Page 4 of 7). IBM-Selected Kanji Set, DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
181	焜	FB54	5DF6	I4FQ0080
182	焠	FB55	5DFB	I4FV0080
183	無	FB56	5DFC	I4FW0080
184	焢	FB57	5DFD	I4FX0080
185	焣	FB58	5E49	I4G90080
186	焤	FB59	5E4B	I4GB0080
187	焥	FB5A	5E5A	I4GQ0080
188	狃	FB5B	5E73	I4HF0080
189	狃	FB5C	5E75	I4HH0080
190	狃	FB5D	5E86	I4HY0080
191	猪	FB5E	5E8A	I4I20080
192	獾	FB5F	5E94	I4IC0080
193	玃	FB60	5E99	I4IH0080
194	珉	FB61	5E9E	I4IM0080
195	珖	FB62	5E9F	I4IN0080
196	玃	FB63	5EA1	I4IP0080
197	琿	FB64	5EA2	I4IQ0080
198	琿	FB65	5EA7	I4IV0080
199	琿	FB66	5EA8	I4IW0080
200	琦	FB67	5EAA	I4IY0080
201	琪	FB68	5EAB	I4IZ0080
202	琿	FB69	5EAD	I4J10080
203	琿	FB6A	5EAE	I4J20080
204	琿	FB6B	5EBC	I4JG0080
205	璉	FB6C	5EBD	I4JH0080
206	璉	FB6D	5EC0	I4JK0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
207	瓶	FB6E	5ED1	I4K10080
208	峻	FB6F	5EE7	I4KN0080
209	皂	FB70	5F69	I4MH0080
210	皚	FB71	5F70	I4MO0080
211	皞	FB72	5F71	I4MP0080
212	皠	FB73	5F72	I4MQ0080
213	皡	FB74	5F73	I4MR0080
214	益	FB75	5F7A	I4MY0080
215	睭	FB76	5F8E	I4NI0080
216	劭	FB77	5FAA	I4OA0080
217	砒	FB78	5FAE	I4OE0080
218	砑	FB79	5FB2	I4OI0080
219	砒	FB7A	5FB3	I4OJ0080
220	砑	FB7B	5FB6	I4OM0080
221	礪	FB7C	5FD1	I4PD0080
222	礼	FB7D	5FD2	I4PE0080
223	神	FB7E	5FD5	I4PH0080
224	祥	FB80	5FD9	I4PL0080
225	禔	FB81	5FDC	I4PO0080
226	福	FB82	5FDD	I4PP0080
227	禛	FB83	5FDF	I4PR0080
228	竝	FB84	604F	I4R30080
229	靖	FB85	6058	I4RC0080
230	靖	FB86	6059	I4RD0080
231	蟬	FB87	605A	I4RE0080
232	卷	FB88	6082	I4SI0080

Line Number	Graphic	PC Code	Host Code	GCGID
233	精	FB89	60AD	I4TP0080
234	紉	FB8A	60C4	I4UC0080
235	絜	FB8B	60C6	I4UE0080
236	絳	FB8C	60D4	I4US0080
237	綠	FB8D	60DA	I4UY0080
238	緒	FB8E	60E1	I4V50080
239	繪	FB8F	60FD	I4VX0080
240	罇	FB90	6157	I4WN0080
241	羨	FB91	616E	I4XA0080
242	羽	FB92	6177	I4XJ0080
243	茁	FB93	61F8	I5140080
244	芋	FB94	6248	I51K0080
245	蒧	FB95	625B	I5230080
246	菇	FB96	6267	I52F0080
247	蕞	FB97	6274	I52S0080
248	藁	FB98	627E	I5320080
249	蒹	FB99	628A	I53E0080
250	蕓	FB9A	629E	I53Y0080
251	蕙	FB9B	62A1	I5410080
252	董	FB9C	62A8	I5480080
253	蒹	FB9D	62B9	I54P0080
254	蕙	FB9E	62BB	I54R0080
255	蕓	FB9F	62CE	I55A0080
256	蚌	FBA0	62E2	I55U0080
257	蟻	FBA1	635E	I57I0080
258	褰	FBA2	6390	I58W0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
259	認	FBA3	63C5	I5AD0080
260	諄	FBA4	63CB	I5AJ0080
261	詹	FBA5	63D4	I5AS0080
262	誦	FBA6	63DF	I5B30080
263	閻	FBA7	63E1	I5B50080
264	諛	FBA8	63ED	I5BH0080
265	諸	FBA9	63EE	I5BI0080
266	謹	FBAA	63EF	I5BJ0080
267	諛	FBAB	6445	I5C50080
268	諛	FBAC	6450	I5CG0080
269	賄	FBAD	647C	I5DO0080
270	賴	FBAE	647D	I5DP0080
271	賢	FBAF	6485	I5DX0080
272	赶	FBB0	648D	I5E50080
273	赳	FBB1	648E	I5E60080
274	軋	FBB2	64C9	I5FT0080
275	返	FBB3	64F1	I5GX0080
276	逸	FBB4	6549	I5HL0080
277	遑	FBB5	6553	I5HV0080
278	郎	FBB6	6564	I5IC0080
279	都	FBB7	6566	I5IE0080
280	郷	FBB8	6567	I5IF0080
281	鄧	FBB9	656B	I5IJ0080
282	鈎	FBBA	6583	I5J70080
283	釧	FBBB	6585	I5J90080
284	釵	FBBC	6586	I5JA0080

Line Number	Graphic	PC Code	Host Code	GCGID
285	釭	FBBD	658A	I5JE0080
286	釮	FBBE	658C	I5JG0080
287	釯	FBBF	658D	I5JH0080
288	釰	FBC0	658F	I5JJ0080
289	釱	FBC1	6590	I5JK0080
290	釲	FBC2	6593	I5JN0080
291	釳	FBC3	6595	I5JP0080
292	釴	FBC4	659B	I5JV0080
293	鉀	FBC5	659E	I5JY0080
294	鉁	FBC6	659F	I5JZ0080
295	鉂	FBC7	65A1	I5K10080
296	鉃	FBC8	65A3	I5K30080
297	鉄	FBC9	65A5	I5K50080
298	鉅	FBCA	65A6	I5K60080
299	鉆	FBCB	65A8	I5K80080
300	鉇	FBCD	65AB	I5KB0080
301	鉈	FBCD	65AC	I5KC0080
302	鉉	FBCE	65AD	I5KD0080
303	鉊	FBCF	65B4	I5KK0080
304	鉋	FBD0	65B5	I5KL0080
305	鉌	FBD1	65B6	I5KM0080
306	鉍	FBD2	65B7	I5KN0080
307	鉎	FBD3	65B8	I5KO0080
308	鉏	FBD4	65B9	I5KP0080
309	鉑	FBD5	65BC	I5KS0080
310	鉒	FBD6	65BD	I5KT0080



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
311	鎔	FBD7	65C1	I5KX0080
312	鎔	FBD8	65C3	I5KZ0080
313	鑿	FBD9	65C5	I5L10080
314	鋅	FBDA	65C6	I5L20080
315	鋇	FBDB	65C8	I5L40080
316	鎬	FBDC	65C9	I5L50080
317	鎇	FBDD	65CC	I5L80080
318	鋈	FBDE	65CE	I5LA0080
319	鋈	FBDF	65D0	I5LC0080
320	鋇	FBE0	65D5	I5LH0080
321	鋈	FBE1	65D8	I5LK0080
322	鋈	FBE2	65DD	I5LP0080
323	鎔	FBE3	65E4	I5LW0080
324	鎔	FBE4	65E8	I5M00080
325	鋈	FBE5	65F0	I5M80080
326	鎔	FBE6	65F4	I5MC0080
327	鎔	FBE7	65F6	I5ME0080
328	閨	FBE8	664A	I5MY0080
329	隆	FBE9	6674	I5O40080
330	隴	FBEA	6678	I5O80080
331	隴	FBEB	6679	I5O90080
332	隴	FBEC	667F	I5OF0080
333	露	FBED	6697	I5P30080
334	露	FBEE	6699	I5P50080
335	露	FBEF	669E	I5PA0080
336	露	FBF0	66A2	I5PE0080

Line Number	Graphic	PC Code	Host Code	GCGID
337	露	FBF1	66A3	I5PF0080
338	青	FBF2	66A4	I5PG0080
339	晴	FBF3	66A5	I5PH0080
340	顛	FBF4	66CB	I5QJ0080
341	顛	FBF5	66CC	I5QK0080
342	飯	FBF6	66DD	I5R10080
343	飼	FBF7	66DF	I5R30080
344	餵	FBF8	66E5	I5R90080
345	館	FBF9	66E6	I5RA0080
346	醇	FBFA	66F9	I5RT0080
347	麟	FBFB	6759	I5SP0080
348	高	FBFC	676B	I5T70080
349	駢	FC40	676C	I5T80080
350	紛	FC41	678F	I5U70080
351	鈺	FC42	6791	I5U90080
352	鮭	FC43	6793	I5UB0080
353	鮭	FC44	679B	I5UJ0080
354	鮫	FC45	679F	I5UN0080
355	鰻	FC46	67B1	I5V50080
356	鵬	FC47	67E2	I5WI0080
357	鵠	FC48	67E4	I5WK0080
358	鶴	FC49	67F4	I5X00080
359	鷓	FC4A	67FE	I5XA0080
360	黑	FC4B	6856	I5XY0080

---

**IBM Japanese Graphic Character Set, Kanji**DBCS - Host and DBCS - PC

---

**Supplementary Information****10. Definition of Terms**

The following terms are defined for the purposes of this document.

**10.1 Product**

A hardware or software unit that is individually packaged, that is marketable, and to which a type number/program number or equivalence has been assigned.

**10.2 Graphic Character**

A graphic symbol character, such as a numeric, alphabetic, special or Kanji.

**10.3 User Definable Character**

A *graphic character* whose graphic shape is definable by users.

**10.4 Universal Multiple-Octet Coded Character Set (UCS)**

A *graphic character* set defined in ISO/IEC 10646-1

**10.5 Graphic Character Global Identifier (GCGID)**

An up to eight-character identifier assigned to each *graphic character*. See C-H 3-3220-055.

**10.6 Graphic Character UCS Identifier (GCUID)**

An eight-character identifier assigned to each *graphic character* that is defined based on UCS specification. For the character corresponding to UCS-2 character, it takes the form 'U000xxxx' (xxxx: UCS-2 code point). See C-H 3-3220-055.

**10.7 Graphic Character Set**

A set of *graphic characters*, treated as an entity.

**10.8 Byte**

A unit of string consisting of 8 bits.

**10.9 Graphic Character Set Global Identifier (GCSGID)**

A 5-digit decimal identifier assigned to a *graphic character set*. See C-H 3-3220-050.

**10.10 Code**

A system of bit-patterns to which specific graphic or control meanings have been assigned.

**10.11 Code Point**

One of the bit-patterns specified by a *code*.

**10.12 Code Page**

A specification of *code points* for each *graphic character* in a set, or in a collection of *graphic character sets*. Within a given *code page*, a *code point* can have only one specific meaning.

**10.13 Registered Code Page**

A *code page* that has been registered and assigned a *CPGID*.

**10.14 Unrestricted Code Page**

A *registered code page* that has been approved by all affected operating units, and has been placed in the category of "unrestricted".

**10.15 Code Page Global Identifier (CPGID)**

A 5-digit decimal identifier assigned to a *code page*. See C-H 3-3220-050.

**10.16 Coded Graphic Character**

A *graphic character* with its assigned *code point*.

**10.17 Coded Graphic Character Set**

A set of *graphic characters* with their assigned *code points*.

**10.18 Registered Coded Graphic Character Set**

A *coded graphic character set*, whose *graphic character set* and *code page* have both been registered.

**10.19 Coded Graphic Character Set Global Identifier (CGCSGID)**

A 10-digit decimal identifier consisting of the concatenation of a *graphic character set global identifier (GCSGID)* and a *code page global identifier (CPGID)*. The *CGCSGID* is also represented as the concatenation of the hexadecimal representations of the *GCSGID* and *CPGID*. See C-H 3-3220-050.



## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

### 10.20 EBCDIC

Abbreviation of Extended BCD Interchange Code which is defined in C-S 3-3220-002, *EBCDIC*.

### 10.21 PC Code

A single-byte code page which is primarily used in the personal computer environment. *PC Code* is based on ISO 646.

### 10.22 SBCS

Abbreviation of *Single-Byte Character Set*. *Single-Byte Character Set* is a *graphic character set* in which each character is represented by one *byte*.

### 10.23 DBCS

Abbreviation of a *Double-Byte Character Set*. It is a *graphic character set* in which each character is represented by two *bytes*. See C-S 3-3220-102 for detail.

### 10.24 DBCS-Host

A *DBCS code page* which is mainly used in conjunction with *EBCDIC*.

### 10.25 DBCS-PC

A *DBCS code page* which is mainly used in conjunction with *PC code*.

**10.25.1 Ward.** A section of a *Double-Byte Character Set* where the first bytes of all of the *code points* belonging to it are the same. A *ward* has a unique numerical value which represents the first *byte* of the *code point* belonging to that *ward*.

## 11. History of JIS Coded Character Set Standards

### 11.1 JIS C 6226-1978

JIS X 0208, *Code of the Japanese Graphic Character Set for Information Interchange* was originally defined in 1978 as JIS C 6226-1978, in which a total of 6,802 coded graphic characters, namely 2,965 First Level Kanji characters, 3,384 Second Level Kanji characters and 453 non-Kanji characters, was defined based on the JIS 7-bits code scheme.

### 11.2 JIS X 0208-1983

In 1983, JIS C 6226-1978 was amended. Items of JIS C 6226 amendment in 1983 are the following:

- Code point exchange between First Level and Second Level Kanji characters, 22 pairs (44 characters)
- Graphic pattern changes, 244 characters
- Addition of characters, 75 characters

As a result, JIS C 6226-1983 defined total 6,877 characters, 2,965 First Level Kanji characters, 3,388 Second Level Kanji characters and 524 non-Kanji characters.

This standard was later re-numbered from JIS C 6226-1983 to JIS X 0208-1983.

### 11.3 JIS X 0208-1990

In 1990, JIS X 0208-1983 was amended, and 2 characters were added to the Second Level Kanji Set. It was corresponding to the expansion of "Kanji Characters for Personal Names" (Jinmeiyō Kanji) in 1990, which had been controlled by the order of the Ministry of Justice.

As a result, JIS X 0208-1990 defines total 6,879 characters, 2,965 First Level Kanji characters, 3,390 Second Level Kanji characters and 524 non-Kanji characters.

### 11.4 JIS X 0208-1997

In 1997, JIS X 0208-1990 was amended with character set unchanged. It defined an authority of each character based on source information. And both S-JIS and ISO-2022-JP were defined as an amendment.

### 11.5 JIS X 0212-1990

In 1990, JIS X 0212-1990 defined total 6,067 characters as a supplementary character set of JIS X 0208, 5,801 Kanji characters ordered by radical then total number of (remaining) strokes, and all 5,801 Kanji characters are unique when compared to those in JIS X 0208-1990. The remaining 266 characters are categorized as non-Kanji characters.

### 11.6 JIS X 0221-1995

This standard is the Japanese translation of ISO 10646-1:1993. JIS X 0221-1995 defines subsets that are applicable for Japanese use (Japanese Sub-repertoires).

## IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

### 12. Difference From the Former Specification

#### 12.1 Difference From the revision 89-08 to revision 92-11

**12.1.1 Addition of 2 characters.** 2 characters have been added in this specification, so that the IBM Japanese Graphic Character Set becomes a superset of JIS X 0208-1997. The 2 characters are allocated as follows:

Graphic	Host Code	PC Code	GCGID
凜	6884	EAA3	I5Z80080
熙	6885	EAA4	I5Z90080

**12.1.2 Correction of GCGIDs.** The error of GCGIDs for 2 characters was corrected as follows:

Graphic	Host Code	PC Code	former GCGID	correct GCGID
—	4260	817C	SA000080	SP100080
-	445A	815D	SP100080	SP320080

**12.1.3 Changes of Graphic Images.** The Japanese government order defined specific graphic images for 2229 most-frequent use characters (called as "SEIREI" characters). The graphic images of 14 characters in the specification tables (Table 6, Table 7, Table 8, Table 13, Table 14 and Table 16) are changed so that they become completely in conformance with those of the SEIREI characters.

12 of them are the new SEIREI characters by the expansion of "Kanji Characters for Personal Names" described in 11.3; 2 of them have been overlooked in the previous specification.

Code points and graphic images of the 14 SEIREI characters are as follows: 12 of them are the new SEIREI characters by the expansion of "Kanji Characters for Personal Names" described in 11.3; 2 of them have been overlooked in the previous specification.

Code points and graphic images of the 14 SEIREI characters are as follows:

Host Code	PC Code	former Graphic	new Graphic
508D	8C9D	拳	拳
53BF	8DD1	采	采
5152	8F8C	曙	曙
51DD	91E1	黛	黛
5383	91ED	啄	啄
4E46	9246	巽	巽
53C2	93B2	懂	懂
52D9	9541	柁	柁
4855	9551	媛	媛
518A	9651	鵬	鵬
52A0	9773	耀	耀
5E5B	E0A0	耀	耀
52E9	928F	衷	衷
4D9A	969A	繭	繭

#### 12.2 Difference From the revision 92-11 to revision 99-03

##### 12.2.1 Extension of DBCS-Host (CPGID 00300)

- DBCS-Host (CPGID 00300) is extended to contain 12,237 Kanji characters defined in both JIS X 0208-1997 and JIS X 0212-1990, and 2,585 non-Kanji characters including euro currency sign character with no change of current Host code assignment.

This is a superset of characters supported on Microsoft Windows Japanese Unicode Subset. It supports the following character sets:

- Both Kanji and non-Kanji characters defined in JIS X 0208 and JIS X 0212
- 1,913 NON-IDEOGRAPHICS SUPPLEMENT defined in JIS X 0221
- IBM Selected Characters
- NEC Selected Characters

**IBM Japanese Graphic Character Set, Kanji**

DBCS - Host and DBCS - PC

(Refer to Table 19 on page 447.)

- 103 Japanese unique non-Kanji characters enhanced by Microsoft
- 31 non-Kanji subset characters including euro currency sign proposed by JIS X 0213
- 3 non-Kanji characters from Halfwidth and Fullwidth Forms in JIS X 0221  
(Refer to Table 20 on page 448.)

**Table 19 (Page 1 of 2).** 61 NEC Selected Characters

Graphic	DBCS-PC (New JIS Sequence)	Host Code	GCGID
①	8740	E270	NO010080
②	8741	E271	NO020080
③	8742	E272	NO030080
④	8743	E273	NO040080
⑤	8744	E274	NO050080
⑥	8745	E275	NO060080
⑦	8746	E276	NO070080
⑧	8747	E277	NO080080
⑨	8748	E278	NO090080
⑩	8749	E279	NO100080
⑪	874A	E27A	NO110080
⑫	874B	E27B	NO120080
⑬	874C	E27C	NO130080
⑭	874D	E27D	NO140080
⑮	874E	E27E	NO150080
⑯	874F	E27F	NO160080
⑰	8750	E280	NO170080
⑱	8751	E281	NO180080
⑲	8752	E282	NO190080
⑳	8753	E283	NO200080
ㇷ	875F	E8AA	U0003349
ㇸ	8760	E875	U0003314
ㇹ	8761	E883	U0003322
ㇺ	8762	E8AE	U000334D
ㇻ	8763	E879	U0003318

IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

ント	8764	E888	U0003327
ルア	8765	E864	U0003303
ルカ	8766	E897	U0003336
ルキ	8767	E8B2	U0003351
ルコ	8768	E8B8	U0003357
ルケ	8769	E86E	U000330D
ルド	876A	E887	U0003326
ルセ	876B	E884	U0003323
ルテ	876C	E88C	U000332B
ルネ	876D	E8AB	U000334A
ルヘ	876E	E89C	U000333B
mm	876F	E8F9	SS810080
cm	8770	E8FA	SS820080
km	8771	E8FB	SS830080
mg	8772	E8EB	SS850080
kg	8773	E8EC	SS860080
cc	8774	E963	SS870080
m <sup>2</sup>	8775	E8FE	SS840080
穢	877E	E8D8	U000337B
〃	8780	E6AC	SP210082
〃	8781	E6AE	SP230081
KK	8783	E96C	U00033CD
㊤	8785	E767	U00032A4
㊦	8786	E768	U00032A5
㊧	8787	E769	U00032A6
㊨	8788	E76A	U00032A7
㊩	8789	E76B	U00032A8
㊪	878B	E6EF	U0003232

(代)	878C	E6F6	U0003239
明治	878D	E8DB	U000337E
大正	878E	E8DA	U000337D
昭和	878F	E8D9	U000337C
φ	8793	DFE8	SA720080
Σ	8794	DFD6	SS400080
└	8798	DFE0	SA420080
└	8799	E0AC	SA850080

**Table 20.** 3 non-Kanji characters from Halfwidth and Fullwidth Forms in JIS X 0221

Graphic	Host Code	PC Code	GCGID
—	E9F3	----	U000FF0D
~	E9F4	----	U000FF5E
！	E9F5	----	U000FFE4

**13. Graphic Character Representation**  
 This standard does not define actual glyph image. "Heisei" characters are used as sample font images on documentation. Although the same graphic images of the previous edition (1992-11) are used for the different code points on this edition (1999-03), there is no any relationship between them. The sample graphic images are shown in the Table 21 on page 449:

IBM Japanese Graphic Character Set, Kanji

DBCS - Host and DBCS - PC

**Table 21.** Sample Heisei Graphic Images

Host Code	former Graphic	new Graphic	Host Code	Graphic
52EC	俠	俠	B8B4	俠
54D4	啞	啞	BAB3	啞
547D	嚙	嚙	BB4C	嚙
5190	囊	囊	BB5E	囊
4F5E	填	填	BBDE	填
55C0	屢	屢	BD57	屢
54A3	搔	搔	BFC8	搔
54CD	攔	攔	BFD8	攔
5B72	攢	攢	C05C	攢
54FA	潑	潑	C395	潑
5550	瀆	澆	C3C6	瀆
53EE	焰	焰	C446	焰
54A4	瘦	瘦	C5EF	瘦
5553	禱	禱	C77C	禱
52DA	繡	繡	C958	繡
5373	繫	繫	C95B	繫
52C9	萊	莱	CAFC	萊
53F8	蔣	蔣	CB86	蔣
52A1	蠟	蠟	CCC5	蠟
5353	軀	軀	CEEF	軀
507F	醬	醬	D04B	醬
51FA	醞	醞	D04F	醞
4EB3	頰	頰	D27F	頰
55C1	顛	顛	D28C	顛
5464	鷗	鷗	D489	鷗
4C7D	齷	齷	D4A4	齷

5261	麴	麴	D4B8	麴
555F	麵	麵	D4B9	麵

This specification does not restrict the style of font design. However, it is recommended that the font design of *graphic characters* for *products* follow the graphic representation in this document as close as possible to avoid confusion in identification of *graphic characters*. On questions about the font design to be implemented, the Standards Project Authority for DBCS (SIRS 029) may be consulted.



© Copyright IBM Corp. 1999

International Business Machines Corporation  
IBM Standards Program  
Old Orchard Road  
Armonk, New York 10504, USA