




---

**IBM Simplified Chinese Graphic Character Set**

DBCS-Host and DBCS-PC

---



**Corporate Specification**

**C-H 3-3220-130**

© Copyright IBM Corp. 1993, 2001

**1993-11**

---

**IBM Simplified Chinese Graphic Character Set**

DBCS-Host and DBCS-PC

---



IBM Simplified Chinese Graphic Character Set


DBCS-Host and DBCS-PC

Contents

Introduction 1
1. Scope 1
1.1 Abstract 1
1.2 Objective 1
1.3 Application 1
1.4 Effective Date 1
2. Document Administration 1
2.1 Originating Area and Responsibility 1
2.2 Authorization 1
2.3 Compliance 1
2.4 Property Statement 1
3. Related Documents 1
3.1 Superseded Documents 1
3.2 Referenced External Documents 2
3.3 Referenced IBM Documents 2
3.4 Copyright Permission 2
Requirements 2
4. External Standards 2
4.1 PRC National Standard GB 2312-80 2
4.2 Relationship of IBM Standard with GB 2312-80 3
4.2.1 Character Coverage 3
4.2.2 Character Sequence 3
4.2.3 Code Scheme 3
5. Specification of Character Repertoire 4
5.1 Identification of Graphic Characters 4
5.2 Algorithm of GCGID 4
6. Character Sets and Code Pages 4
6.1 Registration of GCSGID and CPGID 4
6.2 Structure of CH-S DBCS-Host 7
6.3 Structure of CH-S DBCS-PC 8
7. Code Translation Correspondence between DBCS-Host and DBCS-PC 9
7.1 Code Translation Correspondence of Non-Chinese Characters 9
7.2 Code Translation Correspondence of Chinese Characters 9
7.3 Code Translation Correspondence of UDC 9
8. DBCS-Host Specification 10
8.1 Format of DBCS-Host Specification 10
8.2 Non-Chinese Character Set 11
8.3 Level 1 Chinese Character Set (1 of 2) 25
8.4 Level 1 Chinese Character Set (2 of 2) 63
8.5 Level 2 Chinese Character Set (1 of 2) 98
8.6 Level 2 Chinese Character Set (2 of 2) 136
9. DBCS-PC Specification 156
9.1 Format of DBCS-PC Specification 156
9.2 Non-Chinese Character Set 156
9.3 Level 1 Chinese Character Set, DBCS - PC 169
9.4 Level 2 Chinese Character Set, DBCS - PC 169
9.5 IBM Selected Character Set 169
Supplementary Information 170
10. Definition of Terms 170
10.1 Byte 170
10.2 Code 170
10.3 Code Page 170
10.4 Code Page Global Identifier (CPGID) 170
10.5 Code Point 170
10.6 Coded Graphic Character 170
10.7 Coded Graphic Character Set 170
10.8 Coded Graphic Character Set Global Identifier (CGCSGID) 170
10.9 DBCS 170
10.10 DBCS-Host 170
10.11 DBCS-PC 170
10.12 EBCDIC 170
10.13 Graphic Character 170
10.14 Graphic Character Global Identifier (GCGID) 170
10.15 Graphic Character Set 170
10.16 Graphic Character Set Global Identifier (GCSGID) 170
10.17 PC Code 170
10.18 Product 170
10.19 Registered Code Page 170
10.20 Registered Coded Graphic Character Set 170
10.21 Restricted Code Page 171
10.22 SBSCS 171
10.23 Unrestricted Code Page 171
10.24 User Definable Character (UDC) 171
10.25 Ward 171
11. Graphic Character Representation 171

Tables

1. Registration of GCSGID and CPGID for the IBM CH-S Graphic Character Set 5
2. Structure of Simplified Chinese DBCS-Host 7
3. Structure of Simplified Chinese DBCS-PC 8
4. Chinese Character Correspondence 9
5. UDC Correspondence 10
6. Format of DBCS-Host Specification Tables 10
7. Non-Chinese Character Set, DBCS - Host 11
8. Level 1 Chinese Character Set (1 of 2), DBCS - Host 25
9. Level 1 Chinese Character Set (2 of 2), DBCS - Host 63
10. Level 2 Chinese Character Set (1 of 2), DBCS - Host 98
11. Level 2 Chinese Character Set (2 of 2), DBCS - Host 136
12. Non-Chinese Character Set, DBCS - PC 156
13. IBM Selected Character Set, DBCS - PC 169



---

**IBM Simplified Chinese Graphic Character Set**

DBCS-Host and DBCS-PC

---

This page is left blank intentionally.



# IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC

## Introduction

### 1. Scope

#### 1.1 Abstract

This document is a registry of the IBM Simplified Chinese *Graphic Character Set*, in which the following are set forth:

- Repertoire of the IBM Simplified Chinese *Graphic Character Set* is specified.
- Each *graphic character* of the repertoire is identified by a *Graphic Character Global Identifier (GCGID)*.
- Eight *graphic character sets*, which are the full set and the subsets of the repertoire, are specified and identified by *Graphic Character Set Global Identifiers (GCSGIDs)*.
- Two *code pages: DBCS-Host* and *DBCS-PC* for the *graphic character sets* are specified and identified by *Code Page Global Identifiers (CPGIDs)*.
- *Code translation correspondence between DBCS-Host and DBCS-PC* is specified.

#### 1.2 Objective

Terms in italics (except in headings) are defined in the Supplementary Information section. "Simplified Chinese" will be abbreviated to "CH-S" hereinafter. X'nn' or X'nnnn' represents a hexadecimal notation.

The objectives of this document are:

- 1) To make available to all developers supporting CH-S the specification of the IBM CH-S *graphic character sets* and *code pages*.
- 2) To ensure consistent implementation of the IBM CH-S *DBCS graphic character sets* and *code pages*.
- 3) To ensure consistent implementation of the *code translation correspondence between DBCS-Host and DBCS-PC*.

**Note:** This document is one of a set of documents defined in C-S 3-3220-019, *Coded Character Sets Implementation*. The reader should be familiar with the requirements specified in C-S 3-3220-019 which describe the relationship of

the documents. Note also that the requirements for compliance with this specification are described in C-S 3-3220-019.

#### 1.3 Application

This specification is applicable to all IBM *products* which implement the IBM CH-S *Graphic Character Set, DBCS-Host* and *DBCS-PC*, specified in this specification and which are announced or released to production (whichever occurs first) after date of publication.

#### 1.4 Effective Date

This document takes effect with its publication.

## 2. Document Administration

### 2.1 Originating Area and Responsibility

This document is maintained by the Standards Project Authority (SPA) for SIRS 029, (*Double-Byte Character Set (DBCS)*), location code 93K, Yamato.

### 2.2 Authorization

Publication of this document was approved by the Standards Authorities of the affected operating units.

### 2.3 Compliance

Compliance with the requirements of this document is recommended unless it is called out as a requirement in a standard or equivalent document. It then assumes the same compliance requirements as that document.

### 2.4 Property Statement

This document is the property of IBM. Its use outside IBM is authorized only for responding to a request for quotation or for the performance of work for IBM. All supplier/vendor questions must be referred to the IBM purchasing department.

## 3. Related Documents

### 3.1 Superseded Documents

C-H 3-3220-130 dated 1992-11

**Note:** Changes in this edition are indicated by the character "|" (vertical line) in the revision column.

**IBM Simplified Chinese Graphic Character Set**

DBCS-Host and DBCS-PC

**3.2 Referenced External Documents****GB 1988-89**

*PRC National Standard, 7-Bit Coded Character Set for Information Processing and Interchange*

**GB 2312-80**

*PRC National Standard, Code of Chinese Graphic Character Set for Information Interchange, Primary Set*

**ISO 646**

*ISO Standard for 7-bit Coded Character Set for Information Interchange*

**3.3 Referenced IBM Documents****C-S 3-3220-002**

*Extended BCD Interchange Code, EBCDIC*

**C-S 3-3220-019**

*Coded Character Sets, Implementation*

**C-H 3-3220-050**

*Registry, Graphic Character Sets and Code Pages, Online Database*

**C-H 3-3220-055**

*Graphic Character Identification System, Graphic Character Global Identifier (GCGID) Structure*

**C-S 3-3220-102**

*Double-Byte Character Set (DBCS), Terminology and Code Scheme*

**3.4 Copyright Permission**

Not applicable.

**Requirements****4. External Standards****4.1 PRC National Standard GB 2312-80**

GB 2312-80, *PRC National Standard, Code of Chinese Graphic Character Set for Information Interchange, Primary Set*, published in March 1981, specifies a primary set of *graphic characters* with their binary-coded representation for Chinese information interchange. It applies to Chinese information interchange between the general information-processing systems, communication systems, and so on. It contains 682 non-Chinese characters and 6,763 Chinese characters, 7,445 *graphic characters* in total.

The non-Chinese characters include general characters, ordinal numbers, numerical characters, Latin alphabet, Japanese Kana, Greek alphabet, Russian alphabet, Chinese phonetic symbols and Chinese phonetic-annotated letters.

The Chinese characters are divided into 2 levels. 3,755 of them are included in Level 1 and 3,008 in Level 2, 6,763 Chinese characters in total.

The Chinese characters in Level 1 are arranged in the order of Chinese phonetic letters, which have a standardized ordering. Homonyms are arranged according to the following stroke order: horizontal stroke, vertical stroke, stroke down to left, dot, and twist. For the characters with the same first-stroke, the second stroke is used to determine the order. The rest may be deduced in the same way.

The Chinese characters in Level 2 are arranged according to the radicals. The radicals adopted are basically similar to those in the ordinary Chinese Dictionaries, with only minor variations. The order of radicals and the characters with the same radicals are arranged according to the stroke-count. Characters of the same stroke-count are arranged according to the following stroke order: horizontal stroke, vertical stroke, stroke down to left, dot, and twist. For the characters with the same first-stroke, the second stroke is used to determine the order. The rest may be deduced in the same way.

# IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC


## 4.2 Relationship of IBM Standard with GB 2312-80

**4.2.1 Character Coverage.** The IBM CH-S *Graphic Character Set* is a superset of the PRC National Standard GB 2312-80.

**4.2.2 Character Sequence.** On the *code pages* defined in this specification, the character sequence of Level 1 and Level 2 Chinese characters in both *DBCS-PC* and *DBCS-Host* is identical to that of the PRC National Standard GB 2312-80. On *DBCS-PC*, the sequence of the non-Chinese characters is also identical to that of GB 2312-80.

**4.2.3 Code Scheme.** The *code* scheme of *DBCS-Host* is defined in C-S 3-3220-102; it is different from that of GB 2312-80. As to *DBCS-PC*, the *code* scheme is basically designed based on GB 2312-80 by setting the most significant bit to on for the first and the second bytes of the character. *User Definable Character* area and IBM selected character set are placed on top of the shifted GB 2312-80 *code* scheme.

Figure 1 shows the relationship between *DBCS-PC* and GB 2312-80.



Note: Shaded area shows the part of the DBCS-PC which code points are shifted from those defined in GB 2312-80.

**Figure 1.** Relationship of DBCS-PC with GB 2312-80 (Overview)



## IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC

### 5. Specification of Character Repertoire

#### 5.1 Identification of Graphic Characters

This document specifies the repertoire of the IBM CH-S *Graphic Character Set*. Each *graphic character* of the repertoire is identified by a unique *Graphic Character Global Identifier (GCGID)*.

In CH-S *graphic character sets*, *GCGIDs* for Chinese characters take the form 'Ezzz0080', and those for *user definable characters* take the form 'Xzzz0080', following the specification of C-H 3-3220-055. *GCGIDs* of non-Chinese *graphic characters* refer to those registered in C-H 3-3220-055.

#### 5.2 Algorithm of GCGID

The *zzz* value for 'Ezzz0080' and 'Xzzz0080' is calculated by the following algorithm:

- 1) Assign virtual *code points* starting with the first *code point* of *EBCDIC* code range sequentially to the *graphic character set* of the proper collating.
- 2) Convert both *bytes* of the *code* from hexadecimal to decimal.
- 3) Subtract 64 from both numbers.
- 4) Multiply the high-order number by 192 and add the low-order number to the result.
- 5) Convert the resulting number to a base 36 number, where the values from 0 through 35 are 0 through 9, followed by A through Z. (The conversion algorithm is essentially the same as would be used to convert from decimal to hexadecimal.) The

resulting value will be a three digit value. For CH-S, it must be between 19C (for *code point* X'48A0') and 9HA (for *code point* X'7FFE').

### 6. Character Sets and Code Pages

#### 6.1 Registration of GCSGID and CPGID

This specification registers the full set and the subsets of the IBM CH-S *Graphic Character Set*, *DBCS-Host* and *DBCS-PC*, and identifies them by *Graphic Character Set Global Identifiers (GCSGIDs)*.

It also specifies relevant *code pages* for those registered *graphic character sets*: *DBCS-Host* and *DBCS-PC*, and identifies them by *Code Page Global Identifiers (CPGIDs)*.

Table 1 on page 5 specifies the *GCSGIDs* and *CPGIDs* of the registered coded *graphic character sets* of CH-S.

The registration category “U” means “Unrestricted,” which implies that *graphic character sets* and *code pages* in this category have potential broad implementation in information processing *products*.

The registration category “R” means “Restricted,” which implies that *graphic character sets* and *code pages* in this category are limited to the particular environment for which they are registered.

**Note:** See C-H 3-3220-050 for the detail of registration categories of *graphic character sets* and *code pages*.



**IBM Simplified Chinese Graphic Character Set**

DBCS-Host and DBCS-PC

<b>Table 1 (Page 1 of 2).</b> Registration of GCSGID and CPGID for the IBM CH-S Graphic Character Set					
CGCSGID GCSGID CPGID	Name	Set Size	Reference in Table 2 on page 7 and Table 3 on page 8	Category of Regis- tration	
00937 00837	Simplified Chinese DBCS-Host Wards 40 to 6C and 76 to 7F	9,356	Area 1, 2, 3, 4, 6 of Table 2	U	
01020 00837	Simplified Chinese DBCS-Host without UDCs Wards 40 to 6C	7,476	Area 1, 2, 3, 4 of Table 2	U	
01021 00837	Simplified Chinese DBCS-Host, Non- Chinese and Level 1 Chinese Wards 40 to 5C	4,468	Area 1, 2, 3 of Table 2	U	
01022 00837	Simplified Chinese DBCS-Host, Non- Chinese Wards 40 to 47	713	Area 1, 2 of Table 2	U	
01023 00837	Simplified Chinese DBCS-Host, Level 1 Chinese Wards 48 to 5C	3,755	Area 3 of Table 2	U	
01024 00837	Simplified Chinese DBCS-Host, Level 2 Chinese Wards 5C to 6C	3,008	Area 4 of Table 2	U	
01025 00837	Simplified Chinese DBCS-Host UDCs Wards 76 to 7F	1,880	Area 6 of Table 2	U	
01080 00837	Simplified Chinese DBCS-Host, equivalent to GB 2312-80 (excluding IBM selected and UDC)	7,445	N/A	U	
00937 01380	Simplified Chinese DBCS-PC Wards 8C to A9 and B0 to F7	9,356	Area 1, 2, 3, 5, 6 of Table 3	U	
01020 01380	Simplified Chinese DBCS-PC without UDCs Wards 8C, A1 to A9 and B0 to F7	7,476	Area 1, 3, 5, 6 of Table 3	U	
01021 01380	Simplified Chinese DBCS-PC, Non-Chinese and Level 1 Chinese Wards 8C, A1 to A9 and B0 to D7	4,468	Area 1, 3, 5 of Table 3	U	
01022 01380	Simplified Chinese DBCS-PC, Non- Chinese Wards 8C, and A1 to A9	713	Area 1, 3 of Table 3	U	
01023 01380	Simplified Chinese DBCS-PC, Level 1 Chinese Wards B0 to D7	3,755	Area 5 of Table 3	U	
01024 01380	Simplified Chinese DBCS-PC, Level 2 Chinese Wards D8 to F7	3,008	Area 6 of Table 3	U	
01025 01380	Simplified Chinese DBCS-PC UDCs Wards 8D to A0	1,880	Area 2 of Table 3	U	
01080 01380	Simplified Chinese DBCS-PC, equiv- alent to GB 2312-80 (excluding IBM selected and UDC)	7,445	Area 3, 5, 6 of Table 3	U	

**IBM Simplified Chinese Graphic Character Set**

DBCS-Host and DBCS-PC

**Table 1 (Page 2 of 2).** Registration of GCSGID and CPGID for the IBM CH-S Graphic Character Set

CGCSGID GCSGID CPGID	Name	Set Size	Reference in Table 2 on page 7 and Table 3 on page 8	Category of Regis- tration
00937 00928	Simplified Chinese DBCS-PC Wards 81 to AC and F0 to FA	9,356	N/A	R
01020 00928	Simplified Chinese DBCS-PC without UDCs Wards 81 to AC and FA	7,476	N/A	R
01021 00928	Simplified Chinese DBCS-PC, Non-Chinese and Level 1 Chinese Wards 81 to 9C and FA	4,468	N/A	R
01022 00928	Simplified Chinese DBCS-PC, Non- Chinese Wards 81 to 87 and FA	713	N/A	R
01023 00928	Simplified Chinese DBCS-PC, Level 1 Chinese Wards 88 to 9C	3,755	N/A	R
01024 00928	Simplified Chinese DBCS-PC, Level 2 Chinese Wards 9C to AC	3,008	N/A	R
01025 00928	Simplified Chinese DBCS-PC UDCs Wards F0 to F9	1,880	N/A	R

**Note:** The information on CPGIDs 00837 and 01380 and the associated GCSGIDs is described in this version of C-H 3-3220-130. The information on CPGID 00928 and the associated GCSGIDs is described in C-H 3-3220-130, 1992-11. A request can be directed to SPA for SIRS 029, MBCS at YMTVM2, in order to obtain the documents.

**IBM Simplified Chinese Graphic Character Set**

DBCS-Host and DBCS-PC

**6.2 Structure of CH-S DBCS-Host**

The *coded graphic character set* of the CH-S DBCS-Host is structured as shown in Table 2.

The specification of the *DBCS-Host coded graphic character set* is shown in Table 7 on page 11 to Table 11 on page 136.

Area	Wards in Hex	Content	Number of Characters
1	40	Unassignable (except for SPACE in 4040) (Table 7 on page 11)	1
2	41 to 47	Non-Chinese Character Set (Table 7 on page 11) <ul style="list-style-type: none"> <li>• Latin Alphabet</li> <li>• Greek</li> <li>• Russian</li> <li>• Japanese Katakana/Hiragana</li> <li>• Numeric</li> <li>• Special Symbols</li> </ul>	712
3	48 to 5C*	Level 1 Chinese Character Set (Table 8 on page 25, Table 9 on page 63)	3,755
4	5C* to 6C	Level 2 Chinese Character Set (Table 10 on page 98, Table 11 on page 136)	3,008
5	6D to 75	Reserved for Future Assignment	
6	76 to 7F	User Definable Character Area	1,880**
7	80 to FE	Reserved for Future Assignments	
<b>Notes:</b>			
* A part of the <i>ward</i> is used for this character set area.			
** The maximum number of <i>user definable characters</i> is 1,880.			

**IBM Simplified Chinese Graphic Character Set**

DBCS-Host and DBCS-PC

**6.3 Structure of CH-S DBCS-PC**

The *coded graphic character set* of the CH-S DBCS-PC is structured as shown in Table 3.

The specification of the *DBCS-PC coded graphic character set* is shown in Table 12 on page 156 for non-Chinese character set and Table 13 on page 169 for IBM selected character set; and for Chinese character sets, refer to the tables of *DBCS-Host* specification.

**Table 3.** Structure of Simplified Chinese DBCS-PC

Area	Wards	Content	Number of Characters
1	8C*	IBM Selected Characters Set (Table 13 on page 169)	31
2	8D to A0	User Definable Character Area	1,880**
3	A1 to A9	Non-Chinese Character Set (Table 12 on page 156) <ul style="list-style-type: none"> <li>• Space</li> <li>• Latin Alphabet</li> <li>• Greek</li> <li>• Russian</li> <li>• Japanese Katakana/Hiragana</li> <li>• Numeric</li> <li>• Special Symbols</li> </ul>	682
4	AA to AF	Reserved for Future Assignment	
5	B0 to D7	Level 1 Chinese Character Set (Table 8 on page 25, Table 9 on page 63)	3,755
6	D8 to F7	Level 2 Chinese Character Set (Table 10 on page 98, Table 11 on page 136)	3,008
7	F8 to FE	Reserved for Future Assignments	

**Notes:**

\* A part of the *ward* is used for this character set area.

\*\* The maximum number of *user definable characters* is 1,880.

**IBM Simplified Chinese Graphic Character Set**

DBCS-Host and DBCS-PC

**7. Code Translation Correspondence between DBCS-Host and DBCS-PC**

The *code* translation correspondence between *DBCS-Host* and *DBCS-PC* is defined in this specification.

**7.1 Code Translation Correspondence of Non-Chinese Characters**

The *code* translation correspondence for non-Chinese characters is table dependent.

Table 7 on page 11 defines *DBCS-PC code points* for translation from *DBCS-Host code points*, and Table 12 on page 156 and Table 13 on page 169 define *DBCS-Host code points* for translation from *DBCS-PC code points*.

**7.2 Code Translation Correspondence of Chinese Characters**

The *code* translation correspondence of Chinese characters is logically given from the *code point* of the source in both translation from *DBCS-Host* to *DBCS-PC* and from *DBCS-PC* to *DBCS-Host*.

- The second half of the first *ward* of *DBCS-Host* Chinese characters (from X'48A0' to X'48FE') is mapped to the first *ward* of the *DBCS-PC* Chinese characters (from X'B0A1' to X'B0FE'). The first half of the second *ward* of *DBCS-Host* Chinese characters (from X'4941' to X'499F') is mapped to the second *ward* of the *DBCS-PC* Chinese characters (from X'B1A1' to X'B1FE'). The *ward* mapping continues, sequentially.

Each *DBCS-Host ward* can accommodate twice as many *DBCS code points* as each *DBCS-PC ward*. Table 4 illustrates the relationship between *DBCS-Host wards* and *DBCS-PC wards*.

- In each *DBCS-Host* and *DBCS-PC ward*, the characters are sequentially mapped except the *code points* which have X'80' or X'FE' for the second *bytes* are unassigned as *DBCS-Host* Chinese Characters.

Table 8 on page 25, Table 9 on page 63, Table 10 on page 98, and Table 11 on page 136 define the *code* translation correspondence of Chinese characters for each *code point*.

**Table 4.** Chinese Character Correspondence

DBCS-PC (Hex)	DBCS-Host (Hex)	
B0A1 to B0FE (1st PC ward)	N/A	48A0 to 48FE (1st Host ward, 2nd half)
B1A1 to B1FE (2nd PC ward)	4941 to 499F (2nd Host ward, 1st half)	49A0 to 49FE (2nd Host ward, 2nd half)
B2A1 to B2FE (3rd PC ward)	4A41 to 4A9F (3rd Host ward, 1st half)	4AA0 to 4AFE (3rd Host ward, 2nd half)
...	...	...
...	6C41 to 6C9F (Last Host ward, 1st half)	N/A
...	N/A	N/A
F7A1 to F7FE (Last PC ward)	N/A	N/A

**7.3 Code Translation Correspondence of UDC**

For *User Definable Characters*, the default *code* correspondence between *DBCS-Host* and *DBCS-PC* is logically given in the same way as for the Chinese characters described in Section 7.2.

- The first half of the first *ward* of the *DBCS-Host User Definable Characters* (from X'7641' to X'769F') is mapped to the first *ward* of the *DBCS-PC User Definable Characters* (from X'8DA0' to X'8DFE'). The second half of the first *ward* of the *DBCS-Host User Definable Characters* (from X'76A0' to X'76FE') is mapped to the second *ward* of the *DBCS-PC User Definable Characters* (from X'8EA1' to X'8EFE'). The *ward* mapping continues, sequentially.

Each *DBCS-Host ward* for *User Definable Character* area can accommodate twice as many *DBCS code points* as each *DBCS-PC ward*. Table 5 on page 10 illustrates the relationship between *DBCS-Host wards* and *DBCS-PC wards*.

**IBM Simplified Chinese Graphic Character Set**

DBCS-Host and DBCS-PC

- In each *DBCS-Host* and *DBCS-PC* ward, the characters are sequentially mapped except the *code points* which have X'80' or X'FE' for the second bytes are unassigned as *DBCS-Host User Definable Characters*.

**8. DBCS-Host Specification****8.1 Format of DBCS-Host Specification**

In this section, the specification of the CH-S *DBCS-Host coded graphic character sets* is provided by tables. They are formatted as illustrated in Table 6.

**Table 5.** UDC Correspondence

DBCS-PC (Hex)	DBCS-Host (Hex)	
	8DA1 to 8DFE (1st PC ward)	7641 to 769F (1st Host ward, 1st half)
8EA1 to 8EFE (2nd PC ward)	7741 to 779F (2nd Host ward, 1st half)	77A0 to 77FE (2nd Host ward, 2nd half)
8FA1 to 8FFE (3rd PC ward)	7841 to 789F (3rd Host ward, 1st half)	78A0 to 78FE (3rd Host ward, 2nd half)
...	...	...
...	7F41 to 7F9F (Last Host ward, 1st half)	7FA0 to 7FFE (Last Host ward, 2nd half)
...	N/A	N/A
A0A1 to A0FE (Last PC ward)	N/A	N/A

**Table 6.** Format of DBCS-Host Specification Tables

Column				
1	2	3	4	5
Line No. (Decimal)	Graphic	Host Code (Hex)	PC Code (Hex)	GCGID
XXXX	X	XXXX	XXXX	XXXXXXXX

**Note:** Line number in column 1 is the serial number of the listed *graphic characters* in each *graphic character set* area for legibility.

**IBM Simplified Chinese Graphic Character Set**

DBCS-Host and DBCS-PC

**8.2 Non-Chinese Character Set**

Line Number	Graphic	Host Code	PC Code	GCGID
1		4040	A1A1	SP010080
2	α	4141	A6C1	GA010080
3	β	4142	A6C2	GB010080
4	γ	4143	A6C3	GG010080
5	δ	4144	A6C4	GD010080
6	ε	4145	A6C5	GE010080
7	ζ	4146	A6C6	GZ010080
8	η	4147	A6C7	GE310080
9	θ	4148	A6C8	GT610082
10	ι	4149	A6C9	GI010080
11	κ	414A	A6CA	GK010080
12	λ	414B	A6CB	GL010080
13	μ	414C	A6CC	GM010080
14	ν	414D	A6CD	GN010080
15	ξ	414E	A6CE	GX010080
16	ο	414F	A6CF	GO010080
17	π	4150	A6D0	GP010080
18	ρ	4151	A6D1	GR010080
19	σ	4152	A6D2	GS010080
20	τ	4153	A6D3	GT010080
21	υ	4154	A6D4	GU010080
22	φ	4155	A6D5	GF010081
23	χ	4156	A6D6	GH010080
24	ψ	4157	A6D7	GP610080
25	ω	4158	A6D8	GO310080
26	Α	4161	A6A1	GA020080

Line Number	Graphic	Host Code	PC Code	GCGID
27	Β	4162	A6A2	GB020080
28	Γ	4163	A6A3	GG020080
29	Δ	4164	A6A4	GD020080
30	Ε	4165	A6A5	GE020080
31	Ζ	4166	A6A6	GZ020080
32	Η	4167	A6A7	GE320080
33	Θ	4168	A6A8	GT620080
34	Ι	4169	A6A9	GI020080
35	Κ	416A	A6AA	GK020080
36	Λ	416B	A6AB	GL020080
37	Μ	416C	A6AC	GM020080
38	Ν	416D	A6AD	GN020080
39	Ξ	416E	A6AE	GX020080
40	Ο	416F	A6AF	GO020080
41	Π	4170	A6B0	GP020080
42	Ρ	4171	A6B1	GR020080
43	Σ	4172	A6B2	GS020080
44	Τ	4173	A6B3	GT020080
45	Υ	4174	A6B4	GU020080
46	Φ	4175	A6B5	GF020080
47	Χ	4176	A6B6	GH020080
48	Ψ	4177	A6B7	GP620080
49	Ω	4178	A6B8	GO320080
50	α	4180	A7D1	KA010080
51	β	4181	A7D2	KB010080
52	Β	4182	A7D3	KV010080
53	Γ	4183	A7D4	KG010080



## IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC

Table 7 (Page 2 of 14). Non-Chinese Character Set, DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
54	Д	4184	A7D5	KD010080
55	е	4185	A7D6	KE010080
56	ё	4186	A7D7	KE170080
57	ж	4187	A7D8	KZ210080
58	з	4188	A7D9	KZ010080
59	И	4189	A7DA	KI010080
60	й	418A	A7DB	KJ110080
61	к	418B	A7DC	KK010080
62	л	418C	A7DD	KL010080
63	м	418D	A7DE	KM010080
64	н	418E	A7DF	KN010080
65	о	418F	A7E0	KO010080
66	п	4190	A7E1	KP010080
67	р	4191	A7E2	KR010080
68	с	4192	A7E3	KS010080
69	т	4193	A7E4	KT010080
70	у	4194	A7E5	KU010080
71	ф	4195	A7E6	KF010080
72	х	4196	A7E7	KH010080
73	ц	4197	A7E8	KC010080
74	ч	4198	A7E9	KC210080
75	ш	4199	A7EA	KS210080
76	щ	419A	A7EB	KS150080
77	ъ	419B	A7EC	KU210080
78	ы	419C	A7ED	KY010080
79	ь	419D	A7EE	KX110080
80	э	419E	A7EF	KE130080

Table 7 (Page 2 of 14). Non-Chinese Character Set, DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
81	ю	419F	A7F0	KU150080
82	я	41A0	A7F1	KA150080
83	i	41B1	8CE0	NR010080
84	ii	41B2	8CE1	NR020080
85	iii	41B3	8CE2	NR030080
86	iv	41B4	8CE3	NR040080
87	v	41B5	8CE4	NR050080
88	vi	41B6	8CE5	NR060080
89	vii	41B7	8CE6	NR070080
90	viii	41B8	8CE7	NR080080
91	ix	41B9	8CE8	NR090080
92	x	41BA	8CE9	NR100080
93	А	41C0	A7A1	KA020080
94	Б	41C1	A7A2	KB020080
95	В	41C2	A7A3	KV020080
96	Г	41C3	A7A4	KG020080
97	Д	41C4	A7A5	KD020080
98	Е	41C5	A7A6	KE020080
99	Ё	41C6	A7A7	KE180080
100	Ж	41C7	A7A8	KZ220080
101	З	41C8	A7A9	KZ020080
102	И	41C9	A7AA	KI020080
103	Й	41CA	A7AB	KJ120080
104	К	41CB	A7AC	KK020080
105	Л	41CC	A7AD	KL020080
106	М	41CD	A7AE	KM020080
107	Н	41CE	A7AF	KN020080





## IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC

Table 7 (Page 3 of 14). Non-Chinese Character Set, DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
108	○	41CF	A7B0	KO020080
109	Π	41D0	A7B1	KP020080
110	ρ	41D1	A7B2	KR020080
111	Ϸ	41D2	A7B3	KS020080
112	τ	41D3	A7B4	KT020080
113	υ	41D4	A7B5	KU020080
114	ϕ	41D5	A7B6	KF020080
115	χ	41D6	A7B7	KH020080
116	Ϸ	41D7	A7B8	KC020080
117	ϸ	41D8	A7B9	KC220080
118	Ϲ	41D9	A7BA	KS220080
119	Ϻ	41DA	A7BB	KS160080
120	ϻ	41DB	A7BC	KU220080
121	ϼ	41DC	A7BD	KY020080
122	Ͻ	41DD	A7BE	KX120080
123	Ͽ	41DE	A7BF	KE140080
124	Ͽ	41DF	A7C0	KU160080
125	Ͽ	41E0	A7C1	KA160080
126	I	41F1	A2F1	NR110080
127	II	41F2	A2F2	NR120080
128	III	41F3	A2F3	NR130080
129	IV	41F4	A2F4	NR140080
130	V	41F5	A2F5	NR150080
131	VI	41F6	A2F6	NR160080
132	VII	41F7	A2F7	NR170080
133	VIII	41F8	A2F8	NR180080
134	IX	41F9	A2F9	NR190080

Table 7 (Page 3 of 14). Non-Chinese Character Set, DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
135	X	41FA	A2FA	NR200080
136	XI	41FB	A2FB	NR310080
137	XII	41FC	A2FC	NR320080
138	£	424A	A1EA	SC020080
139	•	424B	A3AE	SP110080
140	<	424C	A3BC	SA030080
141	(	424D	A3A8	SP060080
142	+	424E	A3AB	SA010080
143		424F	A3FC	SM130080
144	&	4250	A3A6	SM030080
145	!	425A	A3A1	SP020080
146	¥	425B	A3A4	SC120080
147	*	425C	A3AA	SM040080
148	)	425D	A3A9	SP070080
149	;	425E	A3BB	SP140080
150	⌋	425F	8CEA	SM660080
151	—	4260	A3AD	SP100080
152	/	4261	A3AF	SP120080
153	¡	426A	8CEB	SM650080
154	,	426B	A3AC	SP080080
155	%	426C	A3A5	SM020080
156	—	426D	A3DF	SP090080
157	>	426E	A3BE	SA050080
158	?	426F	A3BF	SP150080
159	`	4279	A3E0	SD130080
160	:	427A	A3BA	SP130080
161	#	427B	A3A3	SM010080



## IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC

Table 7 (Page 4 of 14). Non-Chinese Character Set,  
DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
162	@	427C	A3C0	SM050080
163	•	427D	8CEC	SP050080
164	=	427E	A3BD	SA040080
165	"	427F	A3A2	SP040080
166	a	4281	A3E1	LA010080
167	b	4282	A3E2	LB010080
168	c	4283	A3E3	LC010080
169	d	4284	A3E4	LD010080
170	e	4285	A3E5	LE010080
171	f	4286	A3E6	LF010080
172	g	4287	A3E7	LG010080
173	h	4288	A3E8	LH010080
174	i	4289	A3E9	LI010080
175	j	4291	A3EA	LJ010080
176	k	4292	A3EB	LK010080
177	l	4293	A3EC	LL010080
178	m	4294	A3ED	LM010080
179	n	4295	A3EE	LN010080
180	o	4296	A3EF	LO010080
181	p	4297	A3F0	LP010080
182	q	4298	A3F1	LQ010080
183	r	4299	A3F2	LR010080
184	—	42A1	A3FE	SM150080
185	s	42A2	A3F3	LS010080
186	t	42A3	A3F4	LT010080
187	u	42A4	A3F5	LU010080
188	v	42A5	A3F6	LV010080

Table 7 (Page 4 of 14). Non-Chinese Character Set,  
DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
189	w	42A6	A3F7	LW010080
190	x	42A7	A3F8	LX010080
191	y	42A8	A3F9	LY010080
192	z	42A9	A3FA	LZ010080
193	{	42C0	A3FB	SM110080
194	A	42C1	A3C1	LA020080
195	B	42C2	A3C2	LB020080
196	C	42C3	A3C3	LC020080
197	D	42C4	A3C4	LD020080
198	E	42C5	A3C5	LE020080
199	F	42C6	A3C6	LF020080
200	G	42C7	A3C7	LG020080
201	H	42C8	A3C8	LH020080
202	I	42C9	A3C9	LI020080
203	}	42D0	A3FD	SM140080
204	J	42D1	A3CA	LJ020080
205	K	42D2	A3CB	LK020080
206	L	42D3	A3CC	LL020080
207	M	42D4	A3CD	LM020080
208	N	42D5	A3CE	LN020080
209	O	42D6	A3CF	LO020080
210	P	42D7	A3D0	LP020080
211	Q	42D8	A3D1	LQ020080
212	R	42D9	A3D2	LR020080
213	\$	42E0	A1E7	SC030080
214	S	42E2	A3D3	LS020080
215	T	42E3	A3D4	LT020080



## IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC

Line Number	Graphic	Host Code	PC Code	GCGID
216	U	42E4	A3D5	LU020080
217	V	42E5	A3D6	LV020080
218	W	42E6	A3D7	LW020080
219	X	42E7	A3D8	LX020080
220	Y	42E8	A3D9	LY020080
221	Z	42E9	A3DA	LZ020080
222	0	42F0	A3B0	ND100080
223	1	42F1	A3B1	ND010080
224	2	42F2	A3B2	ND020080
225	3	42F3	A3B3	ND030080
226	4	42F4	A3B4	ND040080
227	5	42F5	A3B5	ND050080
228	6	42F6	A3B6	ND060080
229	7	42F7	A3B7	ND070080
230	8	42F8	A3B8	ND080080
231	9	42F9	A3B9	ND090080
232	。	4341	A1A3	JQ700080
233	「	4342	A1B8	JQ710080
234	」	4343	A1B9	JQ720080
235	、	4344	A1A2	JQ730080
236	•	4345	A1A4	JQ740080
237	ヲ	4346	A5F2	JW500080
238	ア	4347	A5A1	JA010080
239	イ	4348	A5A3	JI010080
240	ウ	4349	A5A5	JU010080
241	ヅ	434A	A1E9	SC040080
242	エ	4351	A5A7	JE010080

Line Number	Graphic	Host Code	PC Code	GCGID
243	オ	4352	A5A9	JO010080
244	ヤ	4353	A5E3	JY110080
245	ユ	4354	A5E5	JY310080
246	ヨ	4355	A5E7	JY510080
247	ツ	4356	A5C3	JT310080
248	ワ	4357	A5EE	JW110080
249	一	4358	8CED	JX700080
250	カ	4359	A5F5	JK110080
251	ケ	435A	A5F6	JK410080
252	ヅ	435B	8CEE	SC050080
253	ア	4381	A5A2	JA000080
254	イ	4382	A5A4	JI000080
255	ウ	4383	A5A6	JU000080
256	エ	4384	A5A8	JE000080
257	オ	4385	A5AA	JO000080
258	カ	4386	A5AB	JK100080
259	キ	4387	A5AD	JK200080
260	ク	4388	A5AF	JK300080
261	ケ	4389	A5B1	JK400080
262	コ	438A	A5B3	JK500080
263	サ	438C	A5B5	JS100080
264	シ	438D	A5B7	JS200080
265	ス	438E	A5B9	JS300080
266	セ	438F	A5BB	JS400080
267	ソ	4390	A5BD	JS500080
268	タ	4391	A5BF	JT100080
269	チ	4392	A5C1	JT200080



## IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC

Line Number	Graphic	Host Code	PC Code	GCGID
270	ツ	4393	A5C4	JT300080
271	テ	4394	A5C6	JT400080
272	ト	4395	A5C8	JT500080
273	ナ	4396	A5CA	JN100080
274	ニ	4397	A5CB	JN200080
275	ヌ	4398	A5CC	JN300080
276	ネ	4399	A5CD	JN400080
277	ノ	439A	A5CE	JN500080
278	ハ	439D	A5CF	JH100080
279	ヒ	439E	A5D2	JH200080
280	フ	439F	A5D5	JH300080
281	〜	43A1	A1AB	SD190080
282	ヘ	43A2	A5D8	JH400080
283	ホ	43A3	A5DB	JH500080
284	マ	43A4	A5DE	JM100080
285	ミ	43A5	A5DF	JM200080
286	ム	43A6	A5E0	JM300080
287	メ	43A7	A5E1	JM400080
288	モ	43A8	A5E2	JM500080
289	ヤ	43A9	A5E4	JY100080
290	ユ	43AA	A5E6	JY300080
291	ヨ	43AC	A5E8	JY500080
292	ラ	43AD	A5E9	JR100080
293	リ	43AE	A5EA	JR200080
294	ル	43AF	A5EB	JR300080
295	レ	43BA	A5EC	JR400080
296	ロ	43BB	A5ED	JR500080

Line Number	Graphic	Host Code	PC Code	GCGID
297	ワ	43BC	A5EF	JW100080
298	ン	43BD	A5F3	JN000080
299	ゝ	43BE	8CEF	JX710080
300	゜	43BF	8CF0	JX720080
301	ガ	43C0	A5AC	JG100080
302	ギ	43C1	A5AE	JG200080
303	グ	43C2	A5B0	JG300080
304	ゲ	43C3	A5B2	JG400080
305	ゴ	43C4	A5B4	JG500080
306	ザ	43C5	A5B6	JZ100080
307	ジ	43C6	A5B8	JZ200080
308	ズ	43C7	A5BA	JZ300080
309	ゼ	43C8	A5BC	JZ400080
310	ゾ	43C9	A5BE	JZ500080
311	ダ	43CA	A5C0	JD100080
312	ヂ	43CB	A5C2	JD200080
313	ヅ	43CC	A5C5	JD300080
314	ヂ	43CD	A5C7	JD400080
315	ド	43CE	A5C9	JD500080
316	バ	43CF	A5D0	JB100080
317	ビ	43D0	A5D3	JB200080
318	ブ	43D1	A5D6	JB300080
319	ベ	43D2	A5D9	JB400080
320	ボ	43D3	A5DC	JB500080
321	ヴ	43D4	A5F4	JV000080
322	パ	43D5	A5D1	JP100080
323	ピ	43D6	A5D4	JP200080



## IBM Simplified Chinese Graphic Character Set


DBCS-Host and DBCS-PC

Table 7 (Page 7 of 14). Non-Chinese Character Set, DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
324	ア	43D7	A5D7	JP300080
325	ペ	43D8	A5DA	JP400080
326	ポ	43D9	A5DD	JP500080
327	ヰ	43DA	A5F0	JW200080
328	ヱ	43DB	A5F1	JW400080
329	ㄨ	43DC	8CF1	JQ750080
330	ㄨ	43DD	8CF2	JQ760080
331	ㄨ	43E0	A3DC	SM070080
332	『	4442	A1BA	JQ710081
333	』	4443	A1BB	JQ720081
334	[	4444	A3DB	SM060080
335	]	4445	A3DD	SM080080
336	を	4446	A4F2	RW500080
337	あ	4447	A4A1	RA010080
338	い	4448	A4A3	RI010080
339	う	4449	A4A5	RU010080
340	一	444A	A1AA	SM120080
341	士	444B	A1C0	SA020080
342	≠	444C	A1D9	SA540080
343	∞	444D	A1DE	SA450080
344	℃	444E	A1E6	SM440080
345	′	4450	A3A7	SD110080
346	え	4451	A4A7	RE010080
347	お	4452	A4A9	RO010080
348	や	4453	A4E3	RY110080
349	ゆ	4454	A4E5	RY310080
350	よ	4455	A4E7	RY510080

Table 7 (Page 7 of 14). Non-Chinese Character Set, DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
351	つ	4456	A4C3	RT310080
352	わ	4457	A4EE	RW110080
353	—	445A	8CF3	SP320080
354	//	445B	A1A8	SV090081
355	仝	445C	8CF4	SS760080
356	々	445D	A1A9	SS770080
357	↗	445E	8CF5	SS720080
358	○	445F	8CF6	ND100087
359	”	4460	A1A7	SD170080
360	‘	4461	A1AE	SP190080
361	“	4462	A1B0	SP210080
362	{	4463	A1B2	SP060081
363	<	4464	A1B4	SP060082
364	《	4465	A1B6	SP060083
365	【	4466	A1BE	SP060084
366	≤	4467	A1DC	SA520081
367	∴	4468	A1E0	SA370080
368	↑	4469	A1E1	SM280080
369	§	446A	A1EC	SM240080
370	※	446B	A1F9	SM040088
371	〒	446C	8CF7	SS730080
372	株	446D	8CF8	SS740080
373	№	446E	A1ED	SM000080
374	TEL	446F	8CF9	SS710080
375	^	4470	A3DE	SD150080
376	’	4471	A1AF	SP200080
377	”	4472	A1B1	SP220080



## IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC

Line Number	Graphic	Host Code	PC Code	GCGID
378	)	4473	A1B3	SP070081
379	>	4474	A1B5	SP070082
380	》	4475	A1B7	SP070083
381	】	4476	A1BF	SP070084
382	≥	4477	A1DD	SA530081
383	∴	4478	A1DF	SS540080
384	♀	4479	A1E2	SM290080
385	×	447A	A1C1	SA070080
386	÷	447B	A1C2	SA060080
387	∥	447C	A1AC	SV370080
388	=	447D	A1FE	SS750080
389	∴	447E	8CFA	SV430080
390	∴	447F	A1AD	SV440080
391	あ	4481	A4A2	RA000080
392	い	4482	A4A4	RI000080
393	う	4483	A4A6	RU000080
394	え	4484	A4A8	RE000080
395	お	4485	A4AA	RO000080
396	か	4486	A4AB	RK100080
397	き	4487	A4AD	RK200080
398	く	4488	A4AF	RK300080
399	け	4489	A4B1	RK400080
400	こ	448A	A4B3	RK500080
401	さ	448C	A4B5	RS100080
402	し	448D	A4B7	RS200080
403	す	448E	A4B9	RS300080
404	せ	448F	A4BB	RS400080

Line Number	Graphic	Host Code	PC Code	GCGID
405	そ	4490	A4BD	RS500080
406	た	4491	A4BF	RT100080
407	ち	4492	A4C1	RT200080
408	つ	4493	A4C4	RT300080
409	て	4494	A4C6	RT400080
410	と	4495	A4C8	RT500080
411	な	4496	A4CA	RN100080
412	に	4497	A4CB	RN200080
413	ぬ	4498	A4CC	RN300080
414	ね	4499	A4CD	RN400080
415	の	449A	A4CE	RN500080
416	は	449D	A4CF	RH100080
417	ひ	449E	A4D2	RH200080
418	ふ	449F	A4D5	RH300080
419	へ	44A2	A4D8	RH400080
420	ほ	44A3	A4DB	RH500080
421	ま	44A4	A4DE	RM100080
422	み	44A5	A4DF	RM200080
423	む	44A6	A4E0	RM300080
424	め	44A7	A4E1	RM400080
425	も	44A8	A4E2	RM500080
426	や	44A9	A4E4	RY100080
427	ゆ	44AA	A4E6	RY300080
428	よ	44AC	A4E8	RY500080
429	ら	44AD	A4E9	RR100080
430	り	44AE	A4EA	RR200080
431	る	44AF	A4EB	RR300080

**IBM Simplified Chinese Graphic Character Set**


DBCS-Host and DBCS-PC

**Table 7 (Page 9 of 14).** Non-Chinese Character Set, DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
432	れ	44BA	A4EC	RR400080
433	ろ	44BB	A4ED	RR500080
434	わ	44BC	A4EF	RW100080
435	ん	44BD	A4F3	RN000080
436	が	44C0	A4AC	RG100080
437	ぎ	44C1	A4AE	RG200080
438	ぐ	44C2	A4B0	RG300080
439	げ	44C3	A4B2	RG400080
440	ご	44C4	A4B4	RG500080
441	ざ	44C5	A4B6	RZ100080
442	じ	44C6	A4B8	RZ200080
443	ず	44C7	A4BA	RZ300080
444	ぜ	44C8	A4BC	RZ400080
445	ぞ	44C9	A4BE	RZ500080
446	だ	44CA	A4C0	RD100080
447	ぢ	44CB	A4C2	RD200080
448	づ	44CC	A4C5	RD300080
449	で	44CD	A4C7	RD400080
450	ど	44CE	A4C9	RD500080
451	ば	44CF	A4D0	RB100080
452	び	44D0	A4D3	RB200080
453	ぶ	44D1	A4D6	RB300080
454	べ	44D2	A4D9	RB400080
455	ぼ	44D3	A4DC	RB500080
456	ぱ	44D5	A4D1	RP100080
457	ぴ	44D6	A4D4	RP200080
458	ぷ	44D7	A4D7	RP300080

**Table 7 (Page 9 of 14).** Non-Chinese Character Set, DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
459	ぺ	44D8	A4DA	RP400080
460	ぽ	44D9	A4DD	RP500080
461	ゐ	44DA	A4F0	RW200080
462	ゑ	44DB	A4F1	RW400080
463	ゝ	44DC	8CFB	RQ750080
464	ゞ	44DD	8CFC	RQ760080
465	○	44E0	A1F0	SM750080
466	●	44E1	A1F1	SM580080
467	△	44E2	A1F7	SM730080
468	▲	44E3	A1F8	SM600080
469	◎	44E4	A1F2	SM810080
470	☆	44E5	A1EE	SS570080
471	★	44E6	A1EF	SS580080
472	◇	44E7	A1F3	SA660080
473	◆	44E8	A1F4	SM610080
474	□	44E9	A1F5	SM450080
475	■	44EA	A1F6	SM470080
476	▽	44EB	8CFD	SM740080
477	▼	44EC	8CFE	SV040080
478	°	44ED	A1E3	SM190080
479	'	44EE	A1E4	SM500080
480	”	44EF	A1E5	SM510080
481	→	44F0	A1FA	SM310080
482	←	44F1	A1FB	SM300080
483	↑	44F2	A1FC	SM320080
484	↓	44F3	A1FD	SM330080
485	-	4545	A1A5	SD310080



## IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC

Table 7 (Page 10 of 14). Non-Chinese Character Set, DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
486	√	4546	A1A6	SD210080
487	⌈	455B	A1BC	SP060086
488	⌋	455C	A1BD	SP070086
489	:	4562	A1C3	SL830080
490	∧	4563	A1C4	SA330080
491	∨	4564	A1C5	SA320080
492	∑	4565	A1C6	SS400080
493	∏	4566	A1C7	SA810080
494	∪	4567	A1C8	SA390080
495	∩	4568	A1C9	SA380080
496	€	4569	A1CA	SA670080
497	::	456A	A1CB	SA080080
498	✓	456B	A1CC	SA800080
499	⊥	456C	A1CD	SA780080
500	//	456D	A1CE	SA340080
501	∠	456E	A1CF	SA350088
502	∪	456F	A1D0	SV420080
503	⊙	4570	A1D1	SA590080
504	∫	4571	A1D2	SA510080
505	ℳ	4572	A1D3	SA720080
506	≡	4573	A1D4	SA480080
507	℔	4574	A1D5	SA430080
508	≈	4575	A1D6	SA700080
509	∫	4576	A1D7	SA830080
510	∫	4577	A1D8	SA470080
511	∫	4579	A1DA	SA090080

Table 7 (Page 10 of 14). Non-Chinese Character Set, DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
512	∫	457A	A1DB	SA100080
513	⊙	4588	A1E8	SC010080
514	‰	458B	A1EB	SM560080
515	1.	45B1	A2B1	NO010082
516	2.	45B2	A2B2	NO020082
517	3.	45B3	A2B3	NO030082
518	4.	45B4	A2B4	NO040082
519	5.	45B5	A2B5	NO050082
520	6.	45B6	A2B6	NO060082
521	7.	45B7	A2B7	NO070082
522	8.	45B8	A2B8	NO080082
523	9.	45B9	A2B9	NO090082
524	10.	45BA	A2BA	NO100082
525	11.	45BB	A2BB	NO110082
526	12.	45BC	A2BC	NO120082
527	13.	45BD	A2BD	NO130082
528	14.	45BE	A2BE	NO140082
529	15.	45BF	A2BF	NO150082
530	16.	45C0	A2C0	NO160082
531	17.	45C1	A2C1	NO170082
532	18.	45C2	A2C2	NO180082
533	19.	45C3	A2C3	NO190082
534	20.	45C4	A2C4	NO200082
535	(1)	45C5	A2C5	NO010081
536	(2)	45C6	A2C6	NO020081
537	(3)	45C7	A2C7	NO030081





## IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC

Line Number	Graphic	Host Code	PC Code	GCGID
538	(4)	45C8	A2C8	NO040081
539	(5)	45C9	A2C9	NO050081
540	(6)	45CA	A2CA	NO060081
541	(7)	45CB	A2CB	NO070081
542	(8)	45CC	A2CC	NO080081
543	(9)	45CD	A2CD	NO090081
544	(10)	45CE	A2CE	NO100081
545	(11)	45CF	A2CF	NO110081
546	(12)	45D0	A2D0	NO120081
547	(13)	45D1	A2D1	NO130081
548	(14)	45D2	A2D2	NO140081
549	(15)	45D3	A2D3	NO150081
550	(16)	45D4	A2D4	NO160081
551	(17)	45D5	A2D5	NO170081
552	(18)	45D6	A2D6	NO180081
553	(19)	45D7	A2D7	NO190081
554	(20)	45D8	A2D8	NO200081
555	①	45E1	A2D9	NO010080
556	②	45E2	A2DA	NO020080
557	③	45E3	A2DB	NO030080
558	④	45E4	A2DC	NO040080
559	⑤	45E5	A2DD	NO050080
560	⑥	45E6	A2DE	NO060080
561	⑦	45E7	A2DF	NO070080
562	⑧	45E8	A2E0	NO080080
563	⑨	45E9	A2E1	NO090080

Line Number	Graphic	Host Code	PC Code	GCGID
564	⑩	45EA	A2E2	NO100080
565	(一)	45F1	A2E5	NO010083
566	(二)	45F2	A2E6	NO020083
567	(三)	45F3	A2E7	NO030083
568	(四)	45F4	A2E8	NO040083
569	(五)	45F5	A2E9	NO050083
570	(六)	45F6	A2EA	NO060083
571	(七)	45F7	A2EB	NO070083
572	(八)	45F8	A2EC	NO080083
573	(九)	45F9	A2ED	NO090083
574	(十)	45FA	A2EE	NO100083
575	ā	4641	A8A1	LA310080
576	ǎ	4642	A8A2	LA110080
577	ǎ	4643	A8A3	LA210080
578	à	4644	A8A4	LA130080
579	ē	4645	A8A5	LE310080
580	é	4646	A8A6	LE110080
581	ě	4647	A8A7	LE210080
582	è	4648	A8A8	LE130080
583	ī	4649	A8A9	LI310080
584	í	464A	A8AA	LI110080
585	ǐ	464B	A8AB	LI210080
586	ì	464C	A8AC	LI130080
587	ō	464D	A8AD	LO310080
588	ó	464E	A8AE	LO110080
589	ǒ	464F	A8AF	LO210080



## IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC

Line Number	Graphic	Host Code	PC Code	GCGID
590	ò	4650	A8B0	LO130080
591	ū	4651	A8B1	LU310080
592	ú	4652	A8B2	LU110080
593	ǔ	4653	A8B3	LU210080
594	ù	4654	A8B4	LU130080
595	ü	4655	A8B5	LU770080
596	ǖ	4656	A8B6	LU730080
597	ǘ	4657	A8B7	LU790080
598	ǚ	4658	A8B8	LU750080
599	ü	4659	A8B9	LU170080
600	ê	465A	A8BA	LE150080
601	ㄅ	4665	A8C5	SB060080
602	ㄆ	4666	A8C6	SB290080
603	ㄇ	4667	A8C7	SB250080
604	ㄏ	4668	A8C8	SB160080
605	ㄏ	4669	A8C9	SB090080
606	ㄏ	466A	A8CA	SB340080
607	ㄏ	466B	A8CB	SB260080
608	ㄏ	466C	A8CC	SB240080
609	ㄏ	466D	A8CD	SB170080
610	ㄏ	466E	A8CE	SB230080
611	ㄏ	466F	A8CF	SB180080
612	ㄏ	4670	A8D0	SB220080
613	ㄏ	4671	A8D1	SB070080
614	ㄏ	4672	A8D2	SB330080
615	ㄏ	4673	A8D3	SB210080

Line Number	Graphic	Host Code	PC Code	GCGID
616	ㄏ	4674	A8D4	SB080080
617	ㄏ	4675	A8D5	SB320080
618	ㄏ	4676	A8D6	SB300080
619	ㄏ	4677	A8D7	SB350080
620	ㄏ	4678	A8D8	SB360080
621	ㄏ	4679	A8D9	SB310080
622	ㄏ	467A	A8DA	SB010080
623	ㄏ	467B	A8DB	SB270080
624	ㄏ	467C	A8DC	SB100080
625	ㄏ	467D	A8DD	SB110080
626	ㄏ	467E	A8DE	SB020080
627	ㄏ	467F	A8DF	SB120080
628	ㄏ	4680	A8E0	SB050080
629	ㄏ	4681	A8E1	SB280080
630	ㄏ	4682	A8E2	SB030080
631	ㄏ	4683	A8E3	SB130080
632	ㄏ	4684	A8E4	SB040080
633	ㄏ	4685	A8E5	SB140080
634	ㄏ	4686	A8E6	SB150080
635	ㄏ	4687	A8E7	SB190081
636	ㄏ	4688	A8E8	SB370080
637	ㄏ	4689	A8E9	SB200080
638	ㄏ	46A4	A9A4	SF100080
639	ㄏ	46A5	A9A5	SF100082
640	ㄏ	46A6	A9A6	SF110080
641	ㄏ	46A7	A9A7	SF110082



## IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC

Line Number	Graphic	Host Code	PC Code	GCGID
642	---	46A8	A9A8	SF940080
643	---	46A9	A9A9	SF940081
644	⋮	46AA	A9AA	SF960080
645	⋮	46AB	A9AB	SF960081
646	----	46AC	A9AC	SF950080
647	----	46AD	A9AD	SF950081
648	⋮	46AE	A9AE	SF970080
649	⋮	46AF	A9AF	SF970081
650	┌	46B0	A9B0	SF010080
651	┌	46B1	A9B1	SF010081
652	┌	46B2	A9B2	SF010083
653	┌	46B3	A9B3	SF010082
654	┐	46B4	A9B4	SF030080
655	┐	46B5	A9B5	SF030081
656	┐	46B6	A9B6	SF030083
657	┐	46B7	A9B7	SF030082
658	└	46B8	A9B8	SF020080
659	└	46B9	A9B9	SF020081
660	└	46BA	A9BA	SF020083
661	└	46BB	A9BB	SF020082
662	┘	46BC	A9BC	SF040080
663	┘	46BD	A9BD	SF040081
664	┘	46BE	A9BE	SF040083
665	┘	46BF	A9BF	SF040082
666	└	46C0	A9C0	SF080080
667	└	46C1	A9C1	SF080084


Line Number	Graphic	Host Code	PC Code	GCGID
668	└	46C2	A9C2	SF080087
669	└	46C3	A9C3	SF080088
670	└	46C4	A9C4	SF080083
671	└	46C5	A9C5	SF080089
672	└	46C6	A9C6	SF08008A
673	└	46C7	A9C7	SF080082
674	┘	46C8	A9C8	SF090080
675	┘	46C9	A9C9	SF090084
676	┘	46CA	A9CA	SF090087
677	┘	46CB	A9CB	SF090088
678	┘	46CC	A9CC	SF090083
679	┘	46CD	A9CD	SF090089
680	┘	46CE	A9CE	SF09008A
681	┘	46CF	A9CF	SF090082
682	┐	46D0	A9D0	SF060080
683	┐	46D1	A9D1	SF060087
684	┐	46D2	A9D2	SF060088
685	┐	46D3	A9D3	SF060083
686	┐	46D4	A9D4	SF060084
687	┐	46D5	A9D5	SF060089
688	┐	46D6	A9D6	SF06008A
689	┐	46D7	A9D7	SF060082
690	└	46D8	A9D8	SF070080
691	└	46D9	A9D9	SF070087
692	└	46DA	A9DA	SF070088
693	└	46DB	A9DB	SF070083

**IBM Simplified Chinese Graphic Character Set**

DBCS-Host and DBCS-PC

**Table 7 (Page 14 of 14).** Non-Chinese Character Set,  
DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
694	⊥	46DC	A9DC	SF070084
695	⊥	46DD	A9DD	SF070089
696	⊥	46DE	A9DE	SF07008A
697	⊥	46DF	A9DF	SF070082
698	⊕	46E0	A9E0	SF050080
699	⊕	46E1	A9E1	SF05008A
700	⊕	46E2	A9E2	SF05008B
701	⊕	46E3	A9E3	SF050083
702	⊕	46E4	A9E4	SF05008C
703	⊕	46E5	A9E5	SF05008D
704	⊕	46E6	A9E6	SF050084
705	⊕	46E7	A9E7	SF05008E
706	⊕	46E8	A9E8	SF05008F
707	⊕	46E9	A9E9	SF05008G
708	⊕	46EA	A9EA	SF05008H
709	⊕	46EB	A9EB	SF050087
710	⊕	46EC	A9EC	SF050089
711	⊕	46ED	A9ED	SF050086
712	⊕	46EE	A9EE	SF050088
713	⊕	46EF	A9EF	SF050082




## IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC

## 8.3 Level 1 Chinese Character Set (1 of 2)

Line Number	Graphic	Host Code	PC Code	GCGID
1	啊	48A0	B0A1	E19C0080
2	阿	48A1	B0A2	E19D0080
3	埃	48A2	B0A3	E19E0080
4	挨	48A3	B0A4	E19F0080
5	哎	48A4	B0A5	E19G0080
6	唉	48A5	B0A6	E19H0080
7	哀	48A6	B0A7	E19I0080
8	皑	48A7	B0A8	E19J0080
9	癌	48A8	B0A9	E19K0080
10	蔼	48A9	B0AA	E19L0080
11	矮	48AA	B0AB	E19M0080
12	艾	48AB	B0AC	E19N0080
13	碍	48AC	B0AD	E19O0080
14	爱	48AD	B0AE	E19P0080
15	隘	48AE	B0AF	E19Q0080
16	鞍	48AF	B0B0	E19R0080
17	氨	48B0	B0B1	E19S0080
18	安	48B1	B0B2	E19T0080
19	俺	48B2	B0B3	E19U0080
20	按	48B3	B0B4	E19V0080
21	暗	48B4	B0B5	E19W0080
22	岸	48B5	B0B6	E19X0080
23	胺	48B6	B0B7	E19Y0080
24	案	48B7	B0B8	E19Z0080

Line Number	Graphic	Host Code	PC Code	GCGID
25	肮	48B8	B0B9	E1A00080
26	昂	48B9	B0BA	E1A10080
27	盎	48BA	B0BB	E1A20080
28	凹	48BB	B0BC	E1A30080
29	敖	48BC	B0BD	E1A40080
30	熬	48BD	B0BE	E1A50080
31	翱	48BE	B0BF	E1A60080
32	袄	48BF	B0C0	E1A70080
33	傲	48C0	B0C1	E1A80080
34	奥	48C1	B0C2	E1A90080
35	懊	48C2	B0C3	E1AA0080
36	澳	48C3	B0C4	E1AB0080
37	芭	48C4	B0C5	E1AC0080
38	捌	48C5	B0C6	E1AD0080
39	扒	48C6	B0C7	E1AE0080
40	叭	48C7	B0C8	E1AF0080
41	吧	48C8	B0C9	E1AG0080
42	笆	48C9	B0CA	E1AH0080
43	八	48CA	B0CB	E1AI0080
44	疤	48CB	B0CC	E1AJ0080
45	巴	48CC	B0CD	E1AK0080
46	拔	48CD	B0CE	E1AL0080
47	跋	48CE	B0CF	E1AM0080
48	靶	48CF	B0D0	E1AN0080
49	把	48D0	B0D1	E1AO0080
50	耙	48D1	B0D2	E1AP0080



## IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC

Table 8 (Page 2 of 38). Level 1 Chinese Character Set (1 of 2), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
51	坝	48D2	B0D3	E1AQ0080
52	霸	48D3	B0D4	E1AR0080
53	罢	48D4	B0D5	E1AS0080
54	爸	48D5	B0D6	E1AT0080
55	白	48D6	B0D7	E1AU0080
56	柏	48D7	B0D8	E1AV0080
57	百	48D8	B0D9	E1AW0080
58	摆	48D9	B0DA	E1AX0080
59	佰	48DA	B0DB	E1AY0080
60	败	48DB	B0DC	E1AZ0080
61	拜	48DC	B0DD	E1B00080
62	稗	48DD	B0DE	E1B10080
63	斑	48DE	B0DF	E1B20080
64	班	48DF	B0E0	E1B30080
65	搬	48E0	B0E1	E1B40080
66	扳	48E1	B0E2	E1B50080
67	般	48E2	B0E3	E1B60080
68	颁	48E3	B0E4	E1B70080
69	板	48E4	B0E5	E1B80080
70	版	48E5	B0E6	E1B90080
71	扮	48E6	B0E7	E1BA0080
72	拌	48E7	B0E8	E1BB0080
73	伴	48E8	B0E9	E1BC0080
74	瓣	48E9	B0EA	E1BD0080
75	半	48EA	B0EB	E1BE0080
76	办	48EB	B0EC	E1BF0080

Table 8 (Page 2 of 38). Level 1 Chinese Character Set (1 of 2), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
77	绊	48EC	B0ED	E1BG0080
78	邦	48ED	B0EE	E1BH0080
79	帮	48EE	B0EF	E1BI0080
80	梆	48EF	B0F0	E1BJ0080
81	榜	48F0	B0F1	E1BK0080
82	膀	48F1	B0F2	E1BL0080
83	绑	48F2	B0F3	E1BM0080
84	棒	48F3	B0F4	E1BN0080
85	磅	48F4	B0F5	E1BO0080
86	蚌	48F5	B0F6	E1BP0080
87	镑	48F6	B0F7	E1BQ0080
88	傍	48F7	B0F8	E1BR0080
89	谤	48F8	B0F9	E1BS0080
90	苞	48F9	B0FA	E1BT0080
91	胞	48FA	B0FB	E1BU0080
92	包	48FB	B0FC	E1BV0080
93	褒	48FC	B0FD	E1BW0080
94	剥	48FD	B0FE	E1BX0080
95	薄	4941	B1A1	E1C10080
96	雹	4942	B1A2	E1C20080
97	保	4943	B1A3	E1C30080
98	堡	4944	B1A4	E1C40080
99	饱	4945	B1A5	E1C50080
100	宝	4946	B1A6	E1C60080
101	抱	4947	B1A7	E1C70080
102	报	4948	B1A8	E1C80080



## IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC

Table 8 (Page 3 of 38). Level 1 Chinese Character Set (1 of 2), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
103	暴	4949	B1A9	E1C90080
104	豹	494A	B1AA	E1CA0080
105	鲍	494B	B1AB	E1CB0080
106	爆	494C	B1AC	E1CC0080
107	杯	494D	B1AD	E1CD0080
108	碑	494E	B1AE	E1CE0080
109	悲	494F	B1AF	E1CF0080
110	卑	4950	B1B0	E1CG0080
111	北	4951	B1B1	E1CH0080
112	辈	4952	B1B2	E1CI0080
113	背	4953	B1B3	E1CJ0080
114	贝	4954	B1B4	E1CK0080
115	钡	4955	B1B5	E1CL0080
116	倍	4956	B1B6	E1CM0080
117	狈	4957	B1B7	E1CN0080
118	备	4958	B1B8	E1CO0080
119	惫	4959	B1B9	E1CP0080
120	焙	495A	B1BA	E1CQ0080
121	被	495B	B1BB	E1CR0080
122	奔	495C	B1BC	E1CS0080
123	苯	495D	B1BD	E1CT0080
124	本	495E	B1BE	E1CU0080
125	笨	495F	B1BF	E1CV0080
126	崩	4960	B1C0	E1CW0080
127	绷	4961	B1C1	E1CX0080
128	甬	4962	B1C2	E1CY0080

Table 8 (Page 3 of 38). Level 1 Chinese Character Set (1 of 2), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
129	泵	4963	B1C3	E1CZ0080
130	蹦	4964	B1C4	E1D00080
131	迸	4965	B1C5	E1D10080
132	逼	4966	B1C6	E1D20080
133	鼻	4967	B1C7	E1D30080
134	比	4968	B1C8	E1D40080
135	鄙	4969	B1C9	E1D50080
136	笔	496A	B1CA	E1D60080
137	彼	496B	B1CB	E1D70080
138	碧	496C	B1CC	E1D80080
139	蓖	496D	B1CD	E1D90080
140	蔽	496E	B1CE	E1DA0080
141	毕	496F	B1CF	E1DB0080
142	毙	4970	B1D0	E1DC0080
143	恣	4971	B1D1	E1DD0080
144	币	4972	B1D2	E1DE0080
145	庇	4973	B1D3	E1DF0080
146	痹	4974	B1D4	E1DG0080
147	闭	4975	B1D5	E1DH0080
148	敝	4976	B1D6	E1DI0080
149	弊	4977	B1D7	E1DJ0080
150	必	4978	B1D8	E1DK0080
151	辟	4979	B1D9	E1DL0080
152	壁	497A	B1DA	E1DM0080
153	臂	497B	B1DB	E1DN0080
154	避	497C	B1DC	E1DO0080



## IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC

Table 8 (Page 4 of 38). Level 1 Chinese Character Set (1 of 2), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
155	陞	497D	B1DD	E1DP0080
156	鞭	497E	B1DE	E1DQ0080
157	边	497F	B1DF	E1DR0080
158	编	4981	B1E0	E1DT0080
159	眨	4982	B1E1	E1DU0080
160	扁	4983	B1E2	E1DV0080
161	便	4984	B1E3	E1DW0080
162	变	4985	B1E4	E1DX0080
163	卞	4986	B1E5	E1DY0080
164	辨	4987	B1E6	E1DZ0080
165	辩	4988	B1E7	E1E00080
166	辮	4989	B1E8	E1E10080
167	遍	498A	B1E9	E1E20080
168	标	498B	B1EA	E1E30080
169	彪	498C	B1EB	E1E40080
170	膘	498D	B1EC	E1E50080
171	表	498E	B1ED	E1E60080
172	鳖	498F	B1EE	E1E70080
173	憋	4990	B1EF	E1E80080
174	别	4991	B1F0	E1E90080
175	瘰	4992	B1F1	E1EA0080
176	彬	4993	B1F2	E1EB0080
177	斌	4994	B1F3	E1EC0080
178	濒	4995	B1F4	E1ED0080
179	滨	4996	B1F5	E1EE0080
180	宾	4997	B1F6	E1EF0080

Table 8 (Page 4 of 38). Level 1 Chinese Character Set (1 of 2), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
181	揆	4998	B1F7	E1EG0080
182	兵	4999	B1F8	E1EH0080
183	冰	499A	B1F9	E1EI0080
184	柄	499B	B1FA	E1EJ0080
185	丙	499C	B1FB	E1EK0080
186	秉	499D	B1FC	E1EL0080
187	饼	499E	B1FD	E1EM0080
188	炳	499F	B1FE	E1EN0080
189	病	49A0	B2A1	E1EO0080
190	并	49A1	B2A2	E1EP0080
191	玻	49A2	B2A3	E1EQ0080
192	菠	49A3	B2A4	E1ER0080
193	播	49A4	B2A5	E1ES0080
194	拔	49A5	B2A6	E1ET0080
195	钵	49A6	B2A7	E1EU0080
196	波	49A7	B2A8	E1EV0080
197	博	49A8	B2A9	E1EW0080
198	勃	49A9	B2AA	E1EX0080
199	搏	49AA	B2AB	E1EY0080
200	铂	49AB	B2AC	E1EZ0080
201	箔	49AC	B2AD	E1F00080
202	伯	49AD	B2AE	E1F10080
203	帛	49AE	B2AF	E1F20080
204	舶	49AF	B2B0	E1F30080
205	脖	49B0	B2B1	E1F40080
206	膊	49B1	B2B2	E1F50080





## IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC

Line Number	Graphic	Host Code	PC Code	GCGID
207	渤	49B2	B2B3	E1F60080
208	泊	49B3	B2B4	E1F70080
209	驳	49B4	B2B5	E1F80080
210	捕	49B5	B2B6	E1F90080
211	卜	49B6	B2B7	E1FA0080
212	哺	49B7	B2B8	E1FB0080
213	补	49B8	B2B9	E1FC0080
214	埠	49B9	B2BA	E1FD0080
215	不	49BA	B2BB	E1FE0080
216	布	49BB	B2BC	E1FF0080
217	步	49BC	B2BD	E1FG0080
218	簿	49BD	B2BE	E1FH0080
219	部	49BE	B2BF	E1FI0080
220	怖	49BF	B2C0	E1FJ0080
221	擦	49C0	B2C1	E1FK0080
222	猜	49C1	B2C2	E1FL0080
223	裁	49C2	B2C3	E1FM0080
224	材	49C3	B2C4	E1FN0080
225	才	49C4	B2C5	E1FO0080
226	财	49C5	B2C6	E1FP0080
227	睬	49C6	B2C7	E1FQ0080
228	踩	49C7	B2C8	E1FR0080
229	采	49C8	B2C9	E1FS0080
230	彩	49C9	B2CA	E1FT0080
231	菜	49CA	B2CB	E1FU0080
232	蔡	49CB	B2CC	E1FV0080

Line Number	Graphic	Host Code	PC Code	GCGID
233	餐	49CC	B2CD	E1FW0080
234	参	49CD	B2CE	E1FX0080
235	蚕	49CE	B2CF	E1FY0080
236	残	49CF	B2D0	E1FZ0080
237	惭	49D0	B2D1	E1G00080
238	惨	49D1	B2D2	E1G10080
239	灿	49D2	B2D3	E1G20080
240	苍	49D3	B2D4	E1G30080
241	舱	49D4	B2D5	E1G40080
242	仓	49D5	B2D6	E1G50080
243	沧	49D6	B2D7	E1G60080
244	藏	49D7	B2D8	E1G70080
245	操	49D8	B2D9	E1G80080
246	糙	49D9	B2DA	E1G90080
247	槽	49DA	B2DB	E1GA0080
248	曹	49DB	B2DC	E1GB0080
249	草	49DC	B2DD	E1GC0080
250	厕	49DD	B2DE	E1GD0080
251	策	49DE	B2DF	E1GE0080
252	侧	49DF	B2E0	E1GF0080
253	册	49E0	B2E1	E1GG0080
254	测	49E1	B2E2	E1GH0080
255	层	49E2	B2E3	E1GI0080
256	蹭	49E3	B2E4	E1GJ0080
257	插	49E4	B2E5	E1GK0080
258	叉	49E5	B2E6	E1GL0080



## IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC

Table 8 (Page 6 of 38). Level 1 Chinese Character Set (1 of 2), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
259	荏	49E6	B2E7	E1GM0080
260	茶	49E7	B2E8	E1GN0080
261	查	49E8	B2E9	E1GO0080
262	碴	49E9	B2EA	E1GP0080
263	捺	49EA	B2EB	E1GQ0080
264	察	49EB	B2EC	E1GR0080
265	岔	49EC	B2ED	E1GS0080
266	差	49ED	B2EE	E1GT0080
267	诧	49EE	B2EF	E1GU0080
268	拆	49EF	B2F0	E1GV0080
269	柴	49F0	B2F1	E1GW0080
270	豺	49F1	B2F2	E1GX0080
271	撵	49F2	B2F3	E1GY0080
272	掺	49F3	B2F4	E1GZ0080
273	蝉	49F4	B2F5	E1H00080
274	馋	49F5	B2F6	E1H10080
275	涣	49F6	B2F7	E1H20080
276	缠	49F7	B2F8	E1H30080
277	铲	49F8	B2F9	E1H40080
278	产	49F9	B2FA	E1H50080
279	阐	49FA	B2FB	E1H60080
280	颤	49FB	B2FC	E1H70080
281	昌	49FC	B2FD	E1H80080
282	猖	49FD	B2FE	E1H90080
283	场	4A41	B3A1	E1HD0080
284	尝	4A42	B3A2	E1HE0080

Table 8 (Page 6 of 38). Level 1 Chinese Character Set (1 of 2), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
285	常	4A43	B3A3	E1HF0080
286	长	4A44	B3A4	E1HG0080
287	偿	4A45	B3A5	E1HH0080
288	肠	4A46	B3A6	E1HI0080
289	厂	4A47	B3A7	E1HJ0080
290	敞	4A48	B3A8	E1HK0080
291	畅	4A49	B3A9	E1HL0080
292	唱	4A4A	B3AA	E1HM0080
293	倡	4A4B	B3AB	E1HN0080
294	超	4A4C	B3AC	E1HO0080
295	抄	4A4D	B3AD	E1HP0080
296	钞	4A4E	B3AE	E1HQ0080
297	朝	4A4F	B3AF	E1HR0080
298	嘲	4A50	B3B0	E1HS0080
299	潮	4A51	B3B1	E1HT0080
300	巢	4A52	B3B2	E1HU0080
301	吵	4A53	B3B3	E1HV0080
302	炒	4A54	B3B4	E1HW0080
303	车	4A55	B3B5	E1HX0080
304	扯	4A56	B3B6	E1HY0080
305	撤	4A57	B3B7	E1HZ0080
306	掣	4A58	B3B8	E1I00080
307	彻	4A59	B3B9	E1I10080
308	澈	4A5A	B3BA	E1I20080
309	郴	4A5B	B3BB	E1I30080
310	臣	4A5C	B3BC	E1I40080



## IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC

Line Number	Graphic	Host Code	PC Code	GCGID
311	辰	4A5D	B3BD	E1I50080
312	尘	4A5E	B3BE	E1I60080
313	晨	4A5F	B3BF	E1I70080
314	忱	4A60	B3C0	E1I80080
315	沉	4A61	B3C1	E1I90080
316	陈	4A62	B3C2	E1IA0080
317	趁	4A63	B3C3	E1IB0080
318	衬	4A64	B3C4	E1IC0080
319	撑	4A65	B3C5	E1ID0080
320	称	4A66	B3C6	E1IE0080
321	城	4A67	B3C7	E1IF0080
322	橙	4A68	B3C8	E1IG0080
323	成	4A69	B3C9	E1IH0080
324	呈	4A6A	B3CA	E1II0080
325	乘	4A6B	B3CB	E1IJ0080
326	程	4A6C	B3CC	E1IK0080
327	惩	4A6D	B3CD	E1IL0080
328	澄	4A6E	B3CE	E1IM0080
329	诚	4A6F	B3CF	E1IN0080
330	承	4A70	B3D0	E1IO0080
331	逞	4A71	B3D1	E1IP0080
332	骋	4A72	B3D2	E1IQ0080
333	秤	4A73	B3D3	E1IR0080
334	吃	4A74	B3D4	E1IS0080
335	痴	4A75	B3D5	E1IT0080
336	持	4A76	B3D6	E1IU0080

Line Number	Graphic	Host Code	PC Code	GCGID
337	匙	4A77	B3D7	E1IV0080
338	池	4A78	B3D8	E1IW0080
339	迟	4A79	B3D9	E1IX0080
340	弛	4A7A	B3DA	E1IY0080
341	驰	4A7B	B3DB	E1IZ0080
342	耻	4A7C	B3DC	E1J00080
343	齿	4A7D	B3DD	E1J10080
344	侈	4A7E	B3DE	E1J20080
345	尺	4A7F	B3DF	E1J30080
346	赤	4A81	B3E0	E1J50080
347	翅	4A82	B3E1	E1J60080
348	斥	4A83	B3E2	E1J70080
349	炽	4A84	B3E3	E1J80080
350	充	4A85	B3E4	E1J90080
351	冲	4A86	B3E5	E1JA0080
352	虫	4A87	B3E6	E1JB0080
353	崇	4A88	B3E7	E1JC0080
354	宠	4A89	B3E8	E1JD0080
355	抽	4A8A	B3E9	E1JE0080
356	酬	4A8B	B3EA	E1JF0080
357	畴	4A8C	B3EB	E1JG0080
358	踌	4A8D	B3EC	E1JH0080
359	稠	4A8E	B3ED	E1JI0080
360	愁	4A8F	B3EE	E1JJ0080
361	筹	4A90	B3EF	E1JK0080
362	仇	4A91	B3F0	E1JL0080



## IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC

Table 8 (Page 8 of 38). Level 1 Chinese Character Set (1 of 2), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
363	绸	4A92	B3F1	E1JM0080
364	瞅	4A93	B3F2	E1JN0080
365	丑	4A94	B3F3	E1JO0080
366	臭	4A95	B3F4	E1JP0080
367	初	4A96	B3F5	E1JQ0080
368	出	4A97	B3F6	E1JR0080
369	橱	4A98	B3F7	E1JS0080
370	厨	4A99	B3F8	E1JT0080
371	蹿	4A9A	B3F9	E1JU0080
372	锄	4A9B	B3FA	E1JV0080
373	雏	4A9C	B3FB	E1JW0080
374	滁	4A9D	B3FC	E1JX0080
375	除	4A9E	B3FD	E1JY0080
376	楚	4A9F	B3FE	E1JZ0080
377	础	4AA0	B4A1	E1K00080
378	储	4AA1	B4A2	E1K10080
379	矗	4AA2	B4A3	E1K20080
380	搐	4AA3	B4A4	E1K30080
381	触	4AA4	B4A5	E1K40080
382	处	4AA5	B4A6	E1K50080
383	揣	4AA6	B4A7	E1K60080
384	川	4AA7	B4A8	E1K70080
385	穿	4AA8	B4A9	E1K80080
386	椽	4AA9	B4AA	E1K90080
387	传	4AAA	B4AB	E1KA0080
388	船	4AAB	B4AC	E1KB0080

Table 8 (Page 8 of 38). Level 1 Chinese Character Set (1 of 2), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
389	喘	4AAC	B4AD	E1KC0080
390	串	4AAD	B4AE	E1KD0080
391	疮	4AAE	B4AF	E1KE0080
392	窗	4AAF	B4B0	E1KF0080
393	幢	4AB0	B4B1	E1KG0080
394	床	4AB1	B4B2	E1KH0080
395	闯	4AB2	B4B3	E1KI0080
396	创	4AB3	B4B4	E1KJ0080
397	吹	4AB4	B4B5	E1KK0080
398	炊	4AB5	B4B6	E1KL0080
399	捶	4AB6	B4B7	E1KM0080
400	锤	4AB7	B4B8	E1KN0080
401	垂	4AB8	B4B9	E1KO0080
402	春	4AB9	B4BA	E1KP0080
403	椿	4ABA	B4BB	E1KQ0080
404	醇	4ABB	B4BC	E1KR0080
405	唇	4ABC	B4BD	E1KS0080
406	淳	4ABD	B4BE	E1KT0080
407	纯	4ABE	B4BF	E1KU0080
408	蠢	4ABF	B4C0	E1KV0080
409	戳	4AC0	B4C1	E1KW0080
410	绰	4AC1	B4C2	E1KX0080
411	疵	4AC2	B4C3	E1KY0080
412	茨	4AC3	B4C4	E1KZ0080
413	磁	4AC4	B4C5	E1L00080
414	雌	4AC5	B4C6	E1L10080



## IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC

Line Number	Graphic	Host Code	PC Code	GCGID
415	辞	4AC6	B4C7	E1L20080
416	慈	4AC7	B4C8	E1L30080
417	瓷	4AC8	B4C9	E1L40080
418	词	4AC9	B4CA	E1L50080
419	此	4ACA	B4CB	E1L60080
420	刺	4ACB	B4CC	E1L70080
421	赐	4ACC	B4CD	E1L80080
422	次	4ACD	B4CE	E1L90080
423	聪	4ACE	B4CF	E1LA0080
424	葱	4ACF	B4D0	E1LB0080
425	囱	4AD0	B4D1	E1LC0080
426	匆	4AD1	B4D2	E1LD0080
427	从	4AD2	B4D3	E1LE0080
428	丛	4AD3	B4D4	E1LF0080
429	凑	4AD4	B4D5	E1LG0080
430	粗	4AD5	B4D6	E1LH0080
431	醋	4AD6	B4D7	E1LI0080
432	簇	4AD7	B4D8	E1LJ0080
433	促	4AD8	B4D9	E1LK0080
434	蹕	4AD9	B4DA	E1LL0080
435	篡	4ADA	B4DB	E1LM0080
436	窜	4ADB	B4DC	E1LN0080
437	摧	4ADC	B4DD	E1LO0080
438	崔	4ADD	B4DE	E1LP0080
439	催	4ADE	B4DF	E1LQ0080
440	脆	4ADF	B4E0	E1LR0080

Line Number	Graphic	Host Code	PC Code	GCGID
441	瘁	4AE0	B4E1	E1LS0080
442	粹	4AE1	B4E2	E1LT0080
443	淬	4AE2	B4E3	E1LU0080
444	翠	4AE3	B4E4	E1LV0080
445	村	4AE4	B4E5	E1LW0080
446	存	4AE5	B4E6	E1LX0080
447	寸	4AE6	B4E7	E1LY0080
448	磋	4AE7	B4E8	E1LZ0080
449	撮	4AE8	B4E9	E1M00080
450	搓	4AE9	B4EA	E1M10080
451	措	4AEA	B4EB	E1M20080
452	挫	4AEB	B4EC	E1M30080
453	错	4AEC	B4ED	E1M40080
454	搭	4AED	B4EE	E1M50080
455	达	4AEE	B4EF	E1M60080
456	答	4AEF	B4F0	E1M70080
457	瘩	4AF0	B4F1	E1M80080
458	打	4AF1	B4F2	E1M90080
459	大	4AF2	B4F3	E1MA0080
460	呆	4AF3	B4F4	E1MB0080
461	歹	4AF4	B4F5	E1MC0080
462	傣	4AF5	B4F6	E1MD0080
463	戴	4AF6	B4F7	E1ME0080
464	带	4AF7	B4F8	E1MF0080
465	殆	4AF8	B4F9	E1MG0080
466	代	4AF9	B4FA	E1MH0080



## IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC

Table 8 (Page 10 of 38). Level 1 Chinese Character Set (1 of 2), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
467	贷	4AFA	B4FB	E1MI0080
468	袋	4AFB	B4FC	E1MJ0080
469	待	4AFC	B4FD	E1MK0080
470	逮	4AFD	B4FE	E1ML0080
471	怠	4B41	B5A1	E1MP0080
472	耽	4B42	B5A2	E1MQ0080
473	担	4B43	B5A3	E1MR0080
474	丹	4B44	B5A4	E1MS0080
475	单	4B45	B5A5	E1MT0080
476	郸	4B46	B5A6	E1MU0080
477	掸	4B47	B5A7	E1MV0080
478	胆	4B48	B5A8	E1MW0080
479	旦	4B49	B5A9	E1MX0080
480	氮	4B4A	B5AA	E1MY0080
481	但	4B4B	B5AB	E1MZ0080
482	惮	4B4C	B5AC	E1N00080
483	淡	4B4D	B5AD	E1N10080
484	诞	4B4E	B5AE	E1N20080
485	弹	4B4F	B5AF	E1N30080
486	蛋	4B50	B5B0	E1N40080
487	当	4B51	B5B1	E1N50080
488	挡	4B52	B5B2	E1N60080
489	党	4B53	B5B3	E1N70080
490	荡	4B54	B5B4	E1N80080
491	档	4B55	B5B5	E1N90080
492	刀	4B56	B5B6	E1NA0080

Table 8 (Page 10 of 38). Level 1 Chinese Character Set (1 of 2), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
493	捣	4B57	B5B7	E1NB0080
494	蹈	4B58	B5B8	E1NC0080
495	倒	4B59	B5B9	E1ND0080
496	岛	4B5A	B5BA	E1NE0080
497	祷	4B5B	B5BB	E1NF0080
498	导	4B5C	B5BC	E1NG0080
499	到	4B5D	B5BD	E1NH0080
500	稻	4B5E	B5BE	E1NI0080
501	悼	4B5F	B5BF	E1NJ0080
502	道	4B60	B5C0	E1NK0080
503	盗	4B61	B5C1	E1NL0080
504	德	4B62	B5C2	E1NM0080
505	得	4B63	B5C3	E1NN0080
506	的	4B64	B5C4	E1NO0080
507	蹬	4B65	B5C5	E1NP0080
508	灯	4B66	B5C6	E1NQ0080
509	登	4B67	B5C7	E1NR0080
510	等	4B68	B5C8	E1NS0080
511	瞪	4B69	B5C9	E1NT0080
512	凳	4B6A	B5CA	E1NU0080
513	邓	4B6B	B5CB	E1NV0080
514	堤	4B6C	B5CC	E1NW0080
515	低	4B6D	B5CD	E1NX0080
516	滴	4B6E	B5CE	E1NY0080
517	迪	4B6F	B5CF	E1NZ0080
518	敌	4B70	B5D0	E1O00080




## IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC

Table 8 (Page 11 of 38). Level 1 Chinese Character Set (1 of 2), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
519	笛	4B71	B5D1	E1O10080
520	狄	4B72	B5D2	E1O20080
521	滌	4B73	B5D3	E1O30080
522	翟	4B74	B5D4	E1O40080
523	嫡	4B75	B5D5	E1O50080
524	抵	4B76	B5D6	E1O60080
525	底	4B77	B5D7	E1O70080
526	地	4B78	B5D8	E1O80080
527	蒂	4B79	B5D9	E1O90080
528	第	4B7A	B5DA	E1OA0080
529	帝	4B7B	B5DB	E1OB0080
530	弟	4B7C	B5DC	E1OC0080
531	递	4B7D	B5DD	E1OD0080
532	締	4B7E	B5DE	E1OE0080
533	颠	4B7F	B5DF	E1OF0080
534	掂	4B81	B5E0	E1OH0080
535	滇	4B82	B5E1	E1OI0080
536	碘	4B83	B5E2	E1OJ0080
537	点	4B84	B5E3	E1OK0080
538	典	4B85	B5E4	E1OL0080
539	靛	4B86	B5E5	E1OM0080
540	垫	4B87	B5E6	E1ON0080
541	电	4B88	B5E7	E1OO0080
542	佃	4B89	B5E8	E1OP0080
543	甸	4B8A	B5E9	E1OQ0080
544	店	4B8B	B5EA	E1OR0080

Table 8 (Page 11 of 38). Level 1 Chinese Character Set (1 of 2), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
545	悒	4B8C	B5EB	E1OS0080
546	奠	4B8D	B5EC	E1OT0080
547	淀	4B8E	B5ED	E1OU0080
548	殿	4B8F	B5EE	E1OV0080
549	礅	4B90	B5EF	E1OW0080
550	刁	4B91	B5F0	E1OX0080
551	雕	4B92	B5F1	E1OY0080
552	凋	4B93	B5F2	E1OZ0080
553	刁	4B94	B5F3	E1P00080
554	掉	4B95	B5F4	E1P10080
555	吊	4B96	B5F5	E1P20080
556	钓	4B97	B5F6	E1P30080
557	调	4B98	B5F7	E1P40080
558	跌	4B99	B5F8	E1P50080
559	爹	4B9A	B5F9	E1P60080
560	碟	4B9B	B5FA	E1P70080
561	蝶	4B9C	B5FB	E1P80080
562	迭	4B9D	B5FC	E1P90080
563	谍	4B9E	B5FD	E1PA0080
564	叠	4B9F	B5FE	E1PB0080
565	丁	4BA0	B6A1	E1PC0080
566	盯	4BA1	B6A2	E1PD0080
567	叮	4BA2	B6A3	E1PE0080
568	钉	4BA3	B6A4	E1PF0080
569	顶	4BA4	B6A5	E1PG0080
570	鼎	4BA5	B6A6	E1PH0080



## IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC

Table 8 (Page 12 of 38). Level 1 Chinese Character Set (1 of 2), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
571	锭	4BA6	B6A7	E1PI0080
572	定	4BA7	B6A8	E1PJ0080
573	订	4BA8	B6A9	E1PK0080
574	丢	4BA9	B6AA	E1PL0080
575	东	4BAA	B6AB	E1PM0080
576	冬	4BAB	B6AC	E1PN0080
577	董	4BAC	B6AD	E1PO0080
578	懂	4BAD	B6AE	E1PP0080
579	动	4BAE	B6AF	E1PQ0080
580	栋	4BAF	B6B0	E1PR0080
581	侗	4BB0	B6B1	E1PS0080
582	恫	4BB1	B6B2	E1PT0080
583	冻	4BB2	B6B3	E1PU0080
584	洞	4BB3	B6B4	E1PV0080
585	兜	4BB4	B6B5	E1PW0080
586	抖	4BB5	B6B6	E1PX0080
587	斗	4BB6	B6B7	E1PY0080
588	陡	4BB7	B6B8	E1PZ0080
589	豆	4BB8	B6B9	E1Q00080
590	逗	4BB9	B6BA	E1Q10080
591	痘	4BBA	B6BB	E1Q20080
592	都	4BBB	B6BC	E1Q30080
593	督	4BBC	B6BD	E1Q40080
594	毒	4BBD	B6BE	E1Q50080
595	犊	4BBE	B6BF	E1Q60080
596	独	4BBF	B6C0	E1Q70080

Table 8 (Page 12 of 38). Level 1 Chinese Character Set (1 of 2), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
597	读	4BC0	B6C1	E1Q80080
598	堵	4BC1	B6C2	E1Q90080
599	睹	4BC2	B6C3	E1QA0080
600	赌	4BC3	B6C4	E1QB0080
601	杜	4BC4	B6C5	E1QC0080
602	镀	4BC5	B6C6	E1QD0080
603	肚	4BC6	B6C7	E1QE0080
604	度	4BC7	B6C8	E1QF0080
605	渡	4BC8	B6C9	E1QG0080
606	妒	4BC9	B6CA	E1QH0080
607	端	4BCA	B6CB	E1QI0080
608	短	4BCB	B6CC	E1QJ0080
609	锻	4BCC	B6CD	E1QK0080
610	段	4BCD	B6CE	E1QL0080
611	断	4BCE	B6CF	E1QM0080
612	缎	4BCF	B6D0	E1QN0080
613	堆	4BD0	B6D1	E1QO0080
614	兑	4BD1	B6D2	E1QP0080
615	队	4BD2	B6D3	E1QQ0080
616	对	4BD3	B6D4	E1QR0080
617	墩	4BD4	B6D5	E1QS0080
618	吨	4BD5	B6D6	E1QT0080
619	蹲	4BD6	B6D7	E1QU0080
620	敦	4BD7	B6D8	E1QV0080
621	顿	4BD8	B6D9	E1QW0080
622	囤	4BD9	B6DA	E1QX0080






## IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC

Table 8 (Page 13 of 38). Level 1 Chinese Character Set (1 of 2), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
623	钝	4BDA	B6DB	E1QY0080
624	盾	4BDB	B6DC	E1QZ0080
625	遁	4BDC	B6DD	E1R00080
626	掇	4BDD	B6DE	E1R10080
627	哆	4BDE	B6DF	E1R20080
628	多	4BDF	B6E0	E1R30080
629	夺	4BE0	B6E1	E1R40080
630	焱	4BE1	B6E2	E1R50080
631	躲	4BE2	B6E3	E1R60080
632	朵	4BE3	B6E4	E1R70080
633	蹂	4BE4	B6E5	E1R80080
634	舵	4BE5	B6E6	E1R90080
635	刹	4BE6	B6E7	E1RA0080
636	惰	4BE7	B6E8	E1RB0080
637	堕	4BE8	B6E9	E1RC0080
638	蛾	4BE9	B6EA	E1RD0080
639	峨	4BEA	B6EB	E1RE0080
640	鹅	4BEB	B6EC	E1RF0080
641	俄	4BEC	B6ED	E1RG0080
642	额	4BED	B6EE	E1RH0080
643	讹	4BEE	B6EF	E1RI0080
644	娥	4BEF	B6F0	E1RJ0080
645	恶	4BF0	B6F1	E1RK0080
646	厄	4BF1	B6F2	E1RL0080
647	扼	4BF2	B6F3	E1RM0080
648	遏	4BF3	B6F4	E1RN0080

Table 8 (Page 13 of 38). Level 1 Chinese Character Set (1 of 2), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
649	鄂	4BF4	B6F5	E1RO0080
650	饿	4BF5	B6F6	E1RP0080
651	恩	4BF6	B6F7	E1RQ0080
652	而	4BF7	B6F8	E1RR0080
653	儿	4BF8	B6F9	E1RS0080
654	耳	4BF9	B6FA	E1RT0080
655	尔	4BFA	B6FB	E1RU0080
656	饵	4BFB	B6FC	E1RV0080
657	洱	4BFC	B6FD	E1RW0080
658	二	4bfd	B6FE	E1RX0080
659	贰	4C41	B7A1	E1S10080
660	发	4C42	B7A2	E1S20080
661	罚	4C43	B7A3	E1S30080
662	筏	4C44	B7A4	E1S40080
663	伐	4C45	B7A5	E1S50080
664	乏	4C46	B7A6	E1S60080
665	阀	4C47	B7A7	E1S70080
666	法	4C48	B7A8	E1S80080
667	珐	4C49	B7A9	E1S90080
668	藩	4C4A	B7AA	E1SA0080
669	帆	4C4B	B7AB	E1SB0080
670	番	4C4C	B7AC	E1SC0080
671	翻	4C4D	B7AD	E1SD0080
672	樊	4C4E	B7AE	E1SE0080
673	矾	4C4F	B7AF	E1SF0080
674	钒	4C50	B7B0	E1SG0080



## IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC

Table 8 (Page 14 of 38). Level 1 Chinese Character Set (1 of 2), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
675	繁	4C51	B7B1	E1SH0080
676	凡	4C52	B7B2	E1SI0080
677	烦	4C53	B7B3	E1SJ0080
678	反	4C54	B7B4	E1SK0080
679	返	4C55	B7B5	E1SL0080
680	范	4C56	B7B6	E1SM0080
681	贩	4C57	B7B7	E1SN0080
682	犯	4C58	B7B8	E1SO0080
683	饭	4C59	B7B9	E1SP0080
684	泛	4C5A	B7BA	E1SQ0080
685	坊	4C5B	B7BB	E1SR0080
686	芳	4C5C	B7BC	E1SS0080
687	方	4C5D	B7BD	E1ST0080
688	肪	4C5E	B7BE	E1SU0080
689	房	4C5F	B7BF	E1SV0080
690	防	4C60	B7C0	E1SW0080
691	妨	4C61	B7C1	E1SX0080
692	仿	4C62	B7C2	E1SY0080
693	访	4C63	B7C3	E1SZ0080
694	纺	4C64	B7C4	E1T00080
695	放	4C65	B7C5	E1T10080
696	菲	4C66	B7C6	E1T20080
697	非	4C67	B7C7	E1T30080
698	啡	4C68	B7C8	E1T40080
699	飞	4C69	B7C9	E1T50080
700	肥	4C6A	B7CA	E1T60080

Table 8 (Page 14 of 38). Level 1 Chinese Character Set (1 of 2), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
701	匪	4C6B	B7CB	E1T70080
702	诽	4C6C	B7CC	E1T80080
703	吠	4C6D	B7CD	E1T90080
704	肺	4C6E	B7CE	E1TA0080
705	废	4C6F	B7CF	E1TB0080
706	沸	4C70	B7D0	E1TC0080
707	费	4C71	B7D1	E1TD0080
708	芬	4C72	B7D2	E1TE0080
709	酚	4C73	B7D3	E1TF0080
710	吩	4C74	B7D4	E1TG0080
711	氛	4C75	B7D5	E1TH0080
712	分	4C76	B7D6	E1TI0080
713	纷	4C77	B7D7	E1TJ0080
714	坟	4C78	B7D8	E1TK0080
715	焚	4C79	B7D9	E1TL0080
716	汾	4C7A	B7DA	E1TM0080
717	粉	4C7B	B7DB	E1TN0080
718	奋	4C7C	B7DC	E1TO0080
719	份	4C7D	B7DD	E1TP0080
720	忿	4C7E	B7DE	E1TQ0080
721	愤	4C7F	B7DF	E1TR0080
722	粪	4C81	B7E0	E1TT0080
723	丰	4C82	B7E1	E1TU0080
724	封	4C83	B7E2	E1TV0080
725	枫	4C84	B7E3	E1TW0080
726	蜂	4C85	B7E4	E1TX0080



## IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC

Table 8 (Page 15 of 38). Level 1 Chinese Character Set (1 of 2), DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
727	峰	4C86	B7E5	E1TY0080
728	锋	4C87	B7E6	E1TZ0080
729	风	4C88	B7E7	E1U00080
730	疯	4C89	B7E8	E1U10080
731	烽	4C8A	B7E9	E1U20080
732	逢	4C8B	B7EA	E1U30080
733	冯	4C8C	B7EB	E1U40080
734	缝	4C8D	B7EC	E1U50080
735	讽	4C8E	B7ED	E1U60080
736	奉	4C8F	B7EE	E1U70080
737	凤	4C90	B7EF	E1U80080
738	佛	4C91	B7F0	E1U90080
739	否	4C92	B7F1	E1UA0080
740	夫	4C93	B7F2	E1UB0080
741	敷	4C94	B7F3	E1UC0080
742	肤	4C95	B7F4	E1UD0080
743	孵	4C96	B7F5	E1UE0080
744	扶	4C97	B7F6	E1UF0080
745	拂	4C98	B7F7	E1UG0080
746	辐	4C99	B7F8	E1UH0080
747	幅	4C9A	B7F9	E1UI0080
748	氟	4C9B	B7FA	E1UJ0080
749	符	4C9C	B7FB	E1UK0080
750	伏	4C9D	B7FC	E1UL0080
751	俘	4C9E	B7FD	E1UM0080
752	服	4C9F	B7FE	E1UN0080

Table 8 (Page 15 of 38). Level 1 Chinese Character Set (1 of 2), DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
753	浮	4CA0	B8A1	E1UO0080
754	涪	4CA1	B8A2	E1UP0080
755	福	4CA2	B8A3	E1UQ0080
756	袱	4CA3	B8A4	E1UR0080
757	弗	4CA4	B8A5	E1US0080
758	甫	4CA5	B8A6	E1UT0080
759	抚	4CA6	B8A7	E1UU0080
760	辅	4CA7	B8A8	E1UV0080
761	俯	4CA8	B8A9	E1UW0080
762	釜	4CA9	B8AA	E1UX0080
763	斧	4CAA	B8AB	E1UY0080
764	脯	4CAB	B8AC	E1UZ0080
765	腑	4CAC	B8AD	E1V00080
766	府	4CAD	B8AE	E1V10080
767	腐	4CAE	B8AF	E1V20080
768	赴	4CAF	B8B0	E1V30080
769	副	4CB0	B8B1	E1V40080
770	覆	4CB1	B8B2	E1V50080
771	赋	4CB2	B8B3	E1V60080
772	复	4CB3	B8B4	E1V70080
773	傅	4CB4	B8B5	E1V80080
774	付	4CB5	B8B6	E1V90080
775	阜	4CB6	B8B7	E1VA0080
776	父	4CB7	B8B8	E1VB0080
777	腹	4CB8	B8B9	E1VC0080
778	负	4CB9	B8BA	E1VD0080



## IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC

Table 8 (Page 16 of 38). Level 1 Chinese Character Set (1 of 2), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
779	富	4CBA	B8BB	E1VE0080
780	讠	4CBB	B8BC	E1VF0080
781	附	4CBC	B8BD	E1VG0080
782	妇	4CBD	B8BE	E1VH0080
783	缚	4CBE	B8BF	E1VI0080
784	咐	4CBF	B8C0	E1VJ0080
785	噶	4CC0	B8C1	E1VK0080
786	嘎	4CC1	B8C2	E1VL0080
787	该	4CC2	B8C3	E1VM0080
788	改	4CC3	B8C4	E1VN0080
789	概	4CC4	B8C5	E1VO0080
790	钙	4CC5	B8C6	E1VP0080
791	盖	4CC6	B8C7	E1VQ0080
792	溉	4CC7	B8C8	E1VR0080
793	干	4CC8	B8C9	E1VS0080
794	甘	4CC9	B8CA	E1VT0080
795	杆	4CCA	B8CB	E1VU0080
796	柑	4CCB	B8CC	E1VV0080
797	竿	4CCC	B8CD	E1VW0080
798	肝	4CCD	B8CE	E1VX0080
799	赶	4CCE	B8CF	E1VY0080
800	感	4CCF	B8D0	E1VZ0080
801	秆	4CD0	B8D1	E1W00080
802	敢	4CD1	B8D2	E1W10080
803	赣	4CD2	B8D3	E1W20080
804	冈	4CD3	B8D4	E1W30080

Table 8 (Page 16 of 38). Level 1 Chinese Character Set (1 of 2), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
805	刚	4CD4	B8D5	E1W40080
806	钢	4CD5	B8D6	E1W50080
807	缸	4CD6	B8D7	E1W60080
808	肛	4CD7	B8D8	E1W70080
809	纲	4CD8	B8D9	E1W80080
810	岗	4CD9	B8DA	E1W90080
811	港	4CDA	B8DB	E1WA0080
812	杠	4CDB	B8DC	E1WB0080
813	篙	4CDC	B8DD	E1WC0080
814	皋	4CDD	B8DE	E1WD0080
815	高	4CDE	B8DF	E1WE0080
816	膏	4CDF	B8E0	E1WF0080
817	羔	4CE0	B8E1	E1WG0080
818	糕	4CE1	B8E2	E1WH0080
819	搞	4CE2	B8E3	E1WI0080
820	搞	4CE3	B8E4	E1WJ0080
821	稿	4CE4	B8E5	E1WK0080
822	告	4CE5	B8E6	E1WL0080
823	哥	4CE6	B8E7	E1WM0080
824	歌	4CE7	B8E8	E1WN0080
825	搁	4CE8	B8E9	E1WO0080
826	戈	4CE9	B8EA	E1WP0080
827	鸽	4CEA	B8EB	E1WQ0080
828	胳	4CEB	B8EC	E1WR0080
829	疙	4CEC	B8ED	E1WS0080
830	割	4CED	B8EE	E1WT0080



## IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC

Line Number	Graphic	Host Code	PC Code	GCGID
831	革	4CEE	B8EF	E1WU0080
832	葛	4CEF	B8F0	E1WV0080
833	格	4CF0	B8F1	E1WW0080
834	蛤	4CF1	B8F2	E1WX0080
835	阁	4CF2	B8F3	E1WY0080
836	隔	4CF3	B8F4	E1WZ0080
837	铬	4CF4	B8F5	E1X00080
838	个	4CF5	B8F6	E1X10080
839	各	4CF6	B8F7	E1X20080
840	给	4CF7	B8F8	E1X30080
841	根	4CF8	B8F9	E1X40080
842	跟	4CF9	B8FA	E1X50080
843	耕	4CFA	B8FB	E1X60080
844	更	4CFB	B8FC	E1X70080
845	庚	4CFC	B8FD	E1X80080
846	羹	4CFD	B8FE	E1X90080
847	埂	4D41	B9A1	E1XD0080
848	耿	4D42	B9A2	E1XE0080
849	梗	4D43	B9A3	E1XF0080
850	工	4D44	B9A4	E1XG0080
851	攻	4D45	B9A5	E1XH0080
852	功	4D46	B9A6	E1XI0080
853	恭	4D47	B9A7	E1XJ0080
854	龚	4D48	B9A8	E1XK0080
855	供	4D49	B9A9	E1XL0080
856	躬	4D4A	B9AA	E1XM0080

Line Number	Graphic	Host Code	PC Code	GCGID
857	公	4D4B	B9AB	E1XN0080
858	宫	4D4C	B9AC	E1XO0080
859	弓	4D4D	B9AD	E1XP0080
860	巩	4D4E	B9AE	E1XQ0080
861	汞	4D4F	B9AF	E1XR0080
862	拱	4D50	B9B0	E1XS0080
863	贡	4D51	B9B1	E1XT0080
864	共	4D52	B9B2	E1XU0080
865	钩	4D53	B9B3	E1XV0080
866	勾	4D54	B9B4	E1XW0080
867	沟	4D55	B9B5	E1XX0080
868	苟	4D56	B9B6	E1XY0080
869	狗	4D57	B9B7	E1XZ0080
870	垢	4D58	B9B8	E1Y00080
871	构	4D59	B9B9	E1Y10080
872	购	4D5A	B9BA	E1Y20080
873	够	4D5B	B9BB	E1Y30080
874	辜	4D5C	B9BC	E1Y40080
875	菇	4D5D	B9BD	E1Y50080
876	咕	4D5E	B9BE	E1Y60080
877	箍	4D5F	B9BF	E1Y70080
878	估	4D60	B9C0	E1Y80080
879	沽	4D61	B9C1	E1Y90080
880	孤	4D62	B9C2	E1YA0080
881	姑	4D63	B9C3	E1YB0080
882	鼓	4D64	B9C4	E1YC0080



## IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC

Table 8 (Page 18 of 38). Level 1 Chinese Character Set (1 of 2), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
883	古	4D65	B9C5	E1YD0080
884	盍	4D66	B9C6	E1YE0080
885	骨	4D67	B9C7	E1YF0080
886	谷	4D68	B9C8	E1YG0080
887	股	4D69	B9C9	E1YH0080
888	故	4D6A	B9CA	E1YI0080
889	顾	4D6B	B9CB	E1YJ0080
890	固	4D6C	B9CC	E1YK0080
891	雇	4D6D	B9CD	E1YL0080
892	刮	4D6E	B9CE	E1YM0080
893	瓜	4D6F	B9CF	E1YN0080
894	刚	4D70	B9D0	E1YO0080
895	寡	4D71	B9D1	E1YP0080
896	挂	4D72	B9D2	E1YQ0080
897	褂	4D73	B9D3	E1YR0080
898	乖	4D74	B9D4	E1YS0080
899	拐	4D75	B9D5	E1YT0080
900	怪	4D76	B9D6	E1YU0080
901	棺	4D77	B9D7	E1YV0080
902	关	4D78	B9D8	E1YW0080
903	官	4D79	B9D9	E1YX0080
904	冠	4D7A	B9DA	E1YY0080
905	观	4D7B	B9DB	E1YZ0080
906	管	4D7C	B9DC	E1Z00080
907	馆	4D7D	B9DD	E1Z10080
908	罐	4D7E	B9DE	E1Z20080

Table 8 (Page 18 of 38). Level 1 Chinese Character Set (1 of 2), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
909	惯	4D7F	B9DF	E1Z30080
910	灌	4D81	B9E0	E1Z50080
911	贯	4D82	B9E1	E1Z60080
912	光	4D83	B9E2	E1Z70080
913	广	4D84	B9E3	E1Z80080
914	逛	4D85	B9E4	E1Z90080
915	瑰	4D86	B9E5	E1ZA0080
916	规	4D87	B9E6	E1ZB0080
917	圭	4D88	B9E7	E1ZC0080
918	硅	4D89	B9E8	E1ZD0080
919	归	4D8A	B9E9	E1ZE0080
920	龟	4D8B	B9EA	E1ZF0080
921	闺	4D8C	B9EB	E1ZG0080
922	轨	4D8D	B9EC	E1ZH0080
923	鬼	4D8E	B9ED	E1ZI0080
924	诡	4D8F	B9EE	E1ZJ0080
925	癸	4D90	B9EF	E1ZK0080
926	桂	4D91	B9F0	E1ZL0080
927	柜	4D92	B9F1	E1ZM0080
928	跪	4D93	B9F2	E1ZN0080
929	贵	4D94	B9F3	E1ZO0080
930	刽	4D95	B9F4	E1ZP0080
931	辊	4D96	B9F5	E1ZQ0080
932	滚	4D97	B9F6	E1ZR0080
933	棍	4D98	B9F7	E1ZS0080
934	锅	4D99	B9F8	E1ZT0080



## IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC

Table 8 (Page 19 of 38). Level 1 Chinese Character Set (1 of 2), DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
935	郭	4D9A	B9F9	E1ZU0080
936	国	4D9B	B9FA	E1ZV0080
937	果	4D9C	B9FB	E1ZW0080
938	衰	4D9D	B9FC	E1ZX0080
939	过	4D9E	B9FD	E1ZY0080
940	哈	4D9F	B9FE	E1ZZ0080
941	骸	4DA0	BAA1	E2000080
942	孩	4DA1	BAA2	E2010080
943	海	4DA2	BAA3	E2020080
944	氦	4DA3	BAA4	E2030080
945	亥	4DA4	BAA5	E2040080
946	害	4DA5	BAA6	E2050080
947	骇	4DA6	BAA7	E2060080
948	酣	4DA7	BAA8	E2070080
949	憨	4DA8	BAA9	E2080080
950	邯	4DA9	BAAA	E2090080
951	韩	4DAA	BAAB	E20A0080
952	含	4DAB	BAAC	E20B0080
953	涵	4DAC	BAAD	E20C0080
954	寒	4DAD	BAAE	E20D0080
955	函	4DAE	BAAF	E20E0080
956	喊	4DAF	BAB0	E20F0080
957	罕	4DB0	BAB1	E20G0080
958	翰	4DB1	BAB2	E20H0080
959	撼	4DB2	BAB3	E20I0080
960	捍	4DB3	BAB4	E20J0080

Table 8 (Page 19 of 38). Level 1 Chinese Character Set (1 of 2), DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
961	旱	4DB4	BAB5	E20K0080
962	憾	4DB5	BAB6	E20L0080
963	悍	4DB6	BAB7	E20M0080
964	焊	4DB7	BAB8	E20N0080
965	汗	4DB8	BAB9	E20O0080
966	汉	4DB9	BABA	E20P0080
967	夯	4DBA	BABB	E20Q0080
968	杭	4DBB	BABC	E20R0080
969	航	4DBC	BABD	E20S0080
970	壕	4DBD	BABE	E20T0080
971	壕	4DBE	BABF	E20U0080
972	豪	4DBF	BAC0	E20V0080
973	毫	4DC0	BAC1	E20W0080
974	郝	4DC1	BAC2	E20X0080
975	好	4DC2	BAC3	E20Y0080
976	耗	4DC3	BAC4	E20Z0080
977	号	4DC4	BAC5	E2100080
978	浩	4DC5	BAC6	E2110080
979	呵	4DC6	BAC7	E2120080
980	喝	4DC7	BAC8	E2130080
981	荷	4DC8	BAC9	E2140080
982	荷	4DC9	BACA	E2150080
983	核	4DCA	BACB	E2160080
984	禾	4DCB	BACC	E2170080
985	和	4DCC	BACD	E2180080
986	何	4DCD	BACE	E2190080



## IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC

Table 8 (Page 20 of 38). Level 1 Chinese Character Set (1 of 2), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
987	合	4DCE	BACF	E21A0080
988	盒	4DCF	BAD0	E21B0080
989	貉	4DD0	BAD1	E21C0080
990	阍	4DD1	BAD2	E21D0080
991	河	4DD2	BAD3	E21E0080
992	涸	4DD3	BAD4	E21F0080
993	赫	4DD4	BAD5	E21G0080
994	褐	4DD5	BAD6	E21H0080
995	鹤	4DD6	BAD7	E21I0080
996	贺	4DD7	BAD8	E21J0080
997	嘿	4DD8	BAD9	E21K0080
998	黑	4DD9	BADA	E21L0080
999	痕	4DDA	BADB	E21M0080
1000	很	4DDB	BADC	E21N0080
1001	狠	4DDC	BADD	E21O0080
1002	恨	4DDD	BADE	E21P0080
1003	哼	4DDE	BADF	E21Q0080
1004	亨	4DDF	BAE0	E21R0080
1005	横	4DE0	BAE1	E21S0080
1006	衡	4DE1	BAE2	E21T0080
1007	恒	4DE2	BAE3	E21U0080
1008	轰	4DE3	BAE4	E21V0080
1009	哄	4DE4	BAE5	E21W0080
1010	烘	4DE5	BAE6	E21X0080
1011	虹	4DE6	BAE7	E21Y0080
1012	鸿	4DE7	BAE8	E21Z0080

Table 8 (Page 20 of 38). Level 1 Chinese Character Set (1 of 2), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1013	洪	4DE8	BAE9	E2200080
1014	宏	4DE9	BAEA	E2210080
1015	弘	4DEA	BAEB	E2220080
1016	红	4DEB	BAEC	E2230080
1017	喉	4DEC	BAED	E2240080
1018	侯	4DED	BAEE	E2250080
1019	猴	4DEE	BAEF	E2260080
1020	吼	4DEF	BAF0	E2270080
1021	厚	4DF0	BAF1	E2280080
1022	候	4DF1	BAF2	E2290080
1023	后	4DF2	BAF3	E22A0080
1024	呼	4DF3	BAF4	E22B0080
1025	乎	4DF4	BAF5	E22C0080
1026	忽	4DF5	BAF6	E22D0080
1027	瑚	4DF6	BAF7	E22E0080
1028	壶	4DF7	BAF8	E22F0080
1029	葫	4DF8	BAF9	E22G0080
1030	胡	4DF9	BAFA	E22H0080
1031	蝴	4DFA	BAFB	E22I0080
1032	狐	4DFB	BAFC	E22J0080
1033	糊	4DFC	BAFD	E22K0080
1034	湖	4DFD	BAFE	E22L0080
1035	弧	4E41	BBA1	E22P0080
1036	虎	4E42	BBA2	E22Q0080
1037	唬	4E43	BBA3	E22R0080
1038	护	4E44	BBA4	E22S0080





## IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC

Table 8 (Page 21 of 38). Level 1 Chinese Character Set (1 of 2), DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
1039	互	4E45	BBA5	E22T0080
1040	沪	4E46	BBA6	E22U0080
1041	户	4E47	BBA7	E22V0080
1042	花	4E48	BBA8	E22W0080
1043	哗	4E49	BBA9	E22X0080
1044	华	4E4A	BBAA	E22Y0080
1045	猾	4E4B	BBAB	E22Z0080
1046	滑	4E4C	BBAC	E2300080
1047	画	4E4D	BBAD	E2310080
1048	划	4E4E	BBAE	E2320080
1049	化	4E4F	BBAF	E2330080
1050	话	4E50	BBB0	E2340080
1051	槐	4E51	BBB1	E2350080
1052	徊	4E52	BBB2	E2360080
1053	怀	4E53	BBB3	E2370080
1054	淮	4E54	BBB4	E2380080
1055	坏	4E55	BBB5	E2390080
1056	欢	4E56	BBB6	E23A0080
1057	环	4E57	BBB7	E23B0080
1058	桓	4E58	BBB8	E23C0080
1059	还	4E59	BBB9	E23D0080
1060	缓	4E5A	BBBA	E23E0080
1061	换	4E5B	BBBB	E23F0080
1062	患	4E5C	BBBC	E23G0080
1063	唤	4E5D	BBBD	E23H0080
1064	痪	4E5E	BBBE	E23I0080

Table 8 (Page 21 of 38). Level 1 Chinese Character Set (1 of 2), DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
1065	豢	4E5F	BBBF	E23J0080
1066	焕	4E60	BBC0	E23K0080
1067	涣	4E61	BBC1	E23L0080
1068	宦	4E62	BBC2	E23M0080
1069	幻	4E63	BBC3	E23N0080
1070	荒	4E64	BBC4	E23O0080
1071	慌	4E65	BBC5	E23P0080
1072	黄	4E66	BBC6	E23Q0080
1073	磺	4E67	BBC7	E23R0080
1074	蝗	4E68	BBC8	E23S0080
1075	簧	4E69	BBC9	E23T0080
1076	皇	4E6A	BBCA	E23U0080
1077	凰	4E6B	BBCB	E23V0080
1078	惶	4E6C	BBCC	E23W0080
1079	煌	4E6D	BBCD	E23X0080
1080	晃	4E6E	BBCE	E23Y0080
1081	幌	4E6F	BBCF	E23Z0080
1082	恍	4E70	BBD0	E2400080
1083	谎	4E71	BBD1	E2410080
1084	灰	4E72	BBD2	E2420080
1085	挥	4E73	BBD3	E2430080
1086	辉	4E74	BBD4	E2440080
1087	徽	4E75	BBD5	E2450080
1088	恢	4E76	BBD6	E2460080
1089	蛔	4E77	BBD7	E2470080
1090	回	4E78	BBD8	E2480080



## IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC

Table 8 (Page 22 of 38). Level 1 Chinese Character Set (1 of 2), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1091	毁	4E79	BBD9	E2490080
1092	悔	4E7A	BBDA	E24A0080
1093	慧	4E7B	BBDB	E24B0080
1094	卉	4E7C	BBDC	E24C0080
1095	惠	4E7D	BBDD	E24D0080
1096	晦	4E7E	BBDE	E24E0080
1097	贿	4E7F	BBDF	E24F0080
1098	秽	4E81	BBE0	E24H0080
1099	会	4E82	BBE1	E24I0080
1100	烩	4E83	BBE2	E24J0080
1101	汇	4E84	BBE3	E24K0080
1102	讳	4E85	BBE4	E24L0080
1103	悔	4E86	BBE5	E24M0080
1104	绘	4E87	BBE6	E24N0080
1105	荤	4E88	BBE7	E24O0080
1106	昏	4E89	BBE8	E24P0080
1107	婚	4E8A	BBE9	E24Q0080
1108	魂	4E8B	BBEA	E24R0080
1109	浑	4E8C	BBEB	E24S0080
1110	混	4E8D	BBEC	E24T0080
1111	豁	4E8E	BBED	E24U0080
1112	活	4E8F	BBEE	E24V0080
1113	伙	4E90	BBEF	E24W0080
1114	火	4E91	BBF0	E24X0080
1115	获	4E92	BBF1	E24Y0080
1116	或	4E93	BBF2	E24Z0080

Table 8 (Page 22 of 38). Level 1 Chinese Character Set (1 of 2), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1117	惑	4E94	BBF3	E2500080
1118	霍	4E95	BBF4	E2510080
1119	货	4E96	BBF5	E2520080
1120	祸	4E97	BBF6	E2530080
1121	击	4E98	BBF7	E2540080
1122	圾	4E99	BBF8	E2550080
1123	基	4E9A	BBF9	E2560080
1124	机	4E9B	BBFA	E2570080
1125	畸	4E9C	BBFB	E2580080
1126	稽	4E9D	BBFC	E2590080
1127	积	4E9E	BBFD	E25A0080
1128	箕	4E9F	BBFE	E25B0080
1129	肌	4EA0	BCA1	E25C0080
1130	饥	4EA1	BCA2	E25D0080
1131	迹	4EA2	BCA3	E25E0080
1132	激	4EA3	BCA4	E25F0080
1133	讥	4EA4	BCA5	E25G0080
1134	鸡	4EA5	BCA6	E25H0080
1135	姬	4EA6	BCA7	E25I0080
1136	绩	4EA7	BCA8	E25J0080
1137	缉	4EA8	BCA9	E25K0080
1138	吉	4EA9	BCAA	E25L0080
1139	极	4EAA	BCAB	E25M0080
1140	棘	4EAB	BCAC	E25N0080
1141	辑	4EAC	BCAD	E25O0080
1142	籍	4EAD	BCAE	E25P0080



## IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC

Table 8 (Page 23 of 38). Level 1 Chinese Character Set (1 of 2), DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
1143	集	4EAE	BCAF	E25Q0080
1144	及	4EAF	BCB0	E25R0080
1145	急	4EB0	BCB1	E25S0080
1146	疾	4EB1	BCB2	E25T0080
1147	汲	4EB2	BCB3	E25U0080
1148	即	4EB3	BCB4	E25V0080
1149	嫉	4EB4	BCB5	E25W0080
1150	级	4EB5	BCB6	E25X0080
1151	挤	4EB6	BCB7	E25Y0080
1152	几	4EB7	BCB8	E25Z0080
1153	脊	4EB8	BCB9	E2600080
1154	己	4EB9	BCBA	E2610080
1155	蓟	4EBA	BCBB	E2620080
1156	技	4EBB	BCBC	E2630080
1157	冀	4EBC	BCBD	E2640080
1158	季	4EBD	BCBE	E2650080
1159	伎	4EBE	BCBF	E2660080
1160	祭	4EBF	BCC0	E2670080
1161	剂	4EC0	BCC1	E2680080
1162	悸	4EC1	BCC2	E2690080
1163	济	4EC2	BCC3	E26A0080
1164	寄	4EC3	BCC4	E26B0080
1165	寂	4EC4	BCC5	E26C0080
1166	计	4EC5	BCC6	E26D0080
1167	记	4EC6	BCC7	E26E0080
1168	既	4EC7	BCC8	E26F0080

Table 8 (Page 23 of 38). Level 1 Chinese Character Set (1 of 2), DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
1169	忌	4EC8	BCC9	E26G0080
1170	际	4EC9	BCCA	E26H0080
1171	妓	4ECA	BCCB	E26I0080
1172	继	4ECB	BCCC	E26J0080
1173	纪	4ECC	BCCD	E26K0080
1174	嘉	4ECD	BCCE	E26L0080
1175	枷	4ECE	BCCF	E26M0080
1176	夹	4ECF	BCD0	E26N0080
1177	佳	4ED0	BCD1	E26O0080
1178	家	4ED1	BCD2	E26P0080
1179	加	4ED2	BCD3	E26Q0080
1180	荚	4ED3	BCD4	E26R0080
1181	颊	4ED4	BCD5	E26S0080
1182	贾	4ED5	BCD6	E26T0080
1183	甲	4ED6	BCD7	E26U0080
1184	钾	4ED7	BCD8	E26V0080
1185	假	4ED8	BCD9	E26W0080
1186	稼	4ED9	BCDA	E26X0080
1187	价	4EDA	BCDB	E26Y0080
1188	架	4EDB	BCDC	E26Z0080
1189	驾	4EDC	BCDD	E2700080
1190	嫁	4EDD	BCDE	E2710080
1191	歼	4EDE	BCDF	E2720080
1192	监	4EDF	BCE0	E2730080
1193	坚	4EE0	BCE1	E2740080
1194	尖	4EE1	BCE2	E2750080



## IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC

Table 8 (Page 24 of 38). Level 1 Chinese Character Set (1 of 2), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1195	笈	4EE2	BCE3	E2760080
1196	间	4EE3	BCE4	E2770080
1197	煎	4EE4	BCE5	E2780080
1198	兼	4EE5	BCE6	E2790080
1199	肩	4EE6	BCE7	E27A0080
1200	艰	4EE7	BCE8	E27B0080
1201	奸	4EE8	BCE9	E27C0080
1202	緘	4EE9	BCEA	E27D0080
1203	茧	4EEA	BCEB	E27E0080
1204	检	4EEB	BCEC	E27F0080
1205	柬	4EEC	BCED	E27G0080
1206	碱	4EED	BCEE	E27H0080
1207	硷	4EEE	BCEF	E27I0080
1208	拣	4EEF	BCF0	E27J0080
1209	捡	4EF0	BCF1	E27K0080
1210	简	4EF1	BCF2	E27L0080
1211	俭	4EF2	BCF3	E27M0080
1212	剪	4EF3	BCF4	E27N0080
1213	减	4EF4	BCF5	E27O0080
1214	荐	4EF5	BCF6	E27P0080
1215	槛	4EF6	BCF7	E27Q0080
1216	鉴	4EF7	BCF8	E27R0080
1217	践	4EF8	BCF9	E27S0080
1218	贱	4EF9	BCFA	E27T0080
1219	见	4EFA	BCFB	E27U0080
1220	键	4EFB	BCFC	E27V0080

Table 8 (Page 24 of 38). Level 1 Chinese Character Set (1 of 2), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1221	箭	4EFC	BCFD	E27W0080
1222	件	4EFD	BCFE	E27X0080
1223	健	4F41	BDA1	E2810080
1224	舰	4F42	BDA2	E2820080
1225	剑	4F43	BDA3	E2830080
1226	钱	4F44	BDA4	E2840080
1227	渐	4F45	BDA5	E2850080
1228	溅	4F46	BDA6	E2860080
1229	涧	4F47	BDA7	E2870080
1230	建	4F48	BDA8	E2880080
1231	僵	4F49	BDA9	E2890080
1232	姜	4F4A	BDAA	E28A0080
1233	将	4F4B	BDAB	E28B0080
1234	浆	4F4C	BDAC	E28C0080
1235	江	4F4D	BDAD	E28D0080
1236	疆	4F4E	BDAE	E28E0080
1237	蒋	4F4F	BDAF	E28F0080
1238	浆	4F50	BDB0	E28G0080
1239	奖	4F51	BDB1	E28H0080
1240	讲	4F52	BDB2	E28I0080
1241	匠	4F53	BDB3	E28J0080
1242	酱	4F54	BDB4	E28K0080
1243	降	4F55	BDB5	E28L0080
1244	蕉	4F56	BDB6	E28M0080
1245	椒	4F57	BDB7	E28N0080
1246	礁	4F58	BDB8	E28O0080



## IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC

Table 8 (Page 25 of 38). Level 1 Chinese Character Set (1 of 2), DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
1247	焦	4F59	BDB9	E28P0080
1248	胶	4F5A	BDBA	E28Q0080
1249	交	4F5B	BDBB	E28R0080
1250	郊	4F5C	BDBC	E28S0080
1251	浇	4F5D	BDBD	E28T0080
1252	骄	4F5E	BDBE	E28U0080
1253	娇	4F5F	BDBF	E28V0080
1254	嚼	4F60	BDC0	E28W0080
1255	搅	4F61	BDC1	E28X0080
1256	较	4F62	BDC2	E28Y0080
1257	矫	4F63	BDC3	E28Z0080
1258	饶	4F64	BDC4	E2900080
1259	脚	4F65	BDC5	E2910080
1260	狡	4F66	BDC6	E2920080
1261	角	4F67	BDC7	E2930080
1262	饺	4F68	BDC8	E2940080
1263	缴	4F69	BDC9	E2950080
1264	绞	4F6A	BDCA	E2960080
1265	剿	4F6B	BDCB	E2970080
1266	教	4F6C	BDCC	E2980080
1267	酵	4F6D	BDCD	E2990080
1268	轿	4F6E	BDCE	E29A0080
1269	较	4F6F	BDCF	E29B0080
1270	叫	4F70	BDD0	E29C0080
1271	窖	4F71	BDD1	E29D0080
1272	揭	4F72	BDD2	E29E0080

Table 8 (Page 25 of 38). Level 1 Chinese Character Set (1 of 2), DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
1273	接	4F73	BDD3	E29F0080
1274	皆	4F74	BDD4	E29G0080
1275	秸	4F75	BDD5	E29H0080
1276	街	4F76	BDD6	E29I0080
1277	阶	4F77	BDD7	E29J0080
1278	截	4F78	BDD8	E29K0080
1279	劫	4F79	BDD9	E29L0080
1280	节	4F7A	BDDA	E29M0080
1281	桔	4F7B	Bddb	E29N0080
1282	杰	4F7C	BDDC	E29O0080
1283	捷	4F7D	BDDD	E29P0080
1284	睫	4F7E	BDDE	E29Q0080
1285	竭	4F7F	BDDF	E29R0080
1286	洁	4F81	BDE0	E29T0080
1287	结	4F82	BDE1	E29U0080
1288	解	4F83	BDE2	E29V0080
1289	姐	4F84	BDE3	E29W0080
1290	戒	4F85	BDE4	E29X0080
1291	藉	4F86	BDE5	E29Y0080
1292	芥	4F87	BDE6	E29Z0080
1293	界	4F88	BDE7	E2A00080
1294	借	4F89	BDE8	E2A10080
1295	介	4F8A	BDE9	E2A20080
1296	疥	4F8B	BDEA	E2A30080
1297	诫	4F8C	BDEB	E2A40080
1298	届	4F8D	BDEC	E2A50080



## IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC

Table 8 (Page 26 of 38). Level 1 Chinese Character Set (1 of 2), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1299	巾	4F8E	BDED	E2A60080
1300	筋	4F8F	BDEE	E2A70080
1301	斤	4F90	BDEF	E2A80080
1302	金	4F91	BDF0	E2A90080
1303	今	4F92	BDF1	E2AA0080
1304	津	4F93	BDF2	E2AB0080
1305	襟	4F94	BDF3	E2AC0080
1306	紧	4F95	BDF4	E2AD0080
1307	锦	4F96	BDF5	E2AE0080
1308	仅	4F97	BDF6	E2AF0080
1309	谨	4F98	BDF7	E2AG0080
1310	进	4F99	BDF8	E2AH0080
1311	靳	4F9A	BDF9	E2AI0080
1312	晋	4F9B	BDF A	E2AJ0080
1313	禁	4F9C	BDFB	E2AK0080
1314	近	4F9D	BDFC	E2AL0080
1315	焮	4F9E	BDFD	E2AM0080
1316	浸	4F9F	BDFE	E2AN0080
1317	尽	4FA0	BEA1	E2AO0080
1318	劲	4FA1	BEA2	E2AP0080
1319	荆	4FA2	BEA3	E2AQ0080
1320	兢	4FA3	BEA4	E2AR0080
1321	茎	4FA4	BEA5	E2AS0080
1322	睛	4FA5	BEA6	E2AT0080
1323	晶	4FA6	BEA7	E2AU0080
1324	鲸	4FA7	BEA8	E2AV0080

Table 8 (Page 26 of 38). Level 1 Chinese Character Set (1 of 2), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1325	京	4FA8	BEA9	E2AW0080
1326	惊	4FA9	BEAA	E2AX0080
1327	精	4FAA	BEAB	E2AY0080
1328	粳	4FAB	BEAC	E2AZ0080
1329	经	4FAC	BEAD	E2B00080
1330	井	4FAD	BEAE	E2B10080
1331	警	4FAE	BEAF	E2B20080
1332	景	4FAF	BEB0	E2B30080
1333	颈	4FB0	BEB1	E2B40080
1334	静	4FB1	BEB2	E2B50080
1335	境	4FB2	BEB3	E2B60080
1336	敬	4FB3	BEB4	E2B70080
1337	镜	4FB4	BEB5	E2B80080
1338	径	4FB5	BEB6	E2B90080
1339	痉	4FB6	BEB7	E2BA0080
1340	靖	4FB7	BEB8	E2BB0080
1341	竟	4FB8	BEB9	E2BC0080
1342	竞	4FB9	BEBA	E2BD0080
1343	净	4FBA	BEBB	E2BE0080
1344	炯	4FBB	BEBC	E2BF0080
1345	窘	4FBC	BEBD	E2BG0080
1346	揪	4FBD	BEBE	E2BH0080
1347	究	4FBE	BEBF	E2BI0080
1348	纠	4FBF	BEC0	E2BJ0080
1349	玖	4FC0	BEC1	E2BK0080
1350	韭	4FC1	BEC2	E2BL0080



## IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC

Table 8 (Page 27 of 38). Level 1 Chinese Character Set (1 of 2), DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
1351	久	4FC2	BEC3	E2BM0080
1352	灸	4FC3	BEC4	E2BN0080
1353	九	4FC4	BEC5	E2BO0080
1354	酒	4FC5	BEC6	E2BP0080
1355	厩	4FC6	BEC7	E2BQ0080
1356	救	4FC7	BEC8	E2BR0080
1357	旧	4FC8	BEC9	E2BS0080
1358	臼	4FC9	BECA	E2BT0080
1359	舅	4FCA	BECB	E2BU0080
1360	咎	4FCB	BECC	E2BV0080
1361	就	4FCC	BECD	E2BW0080
1362	疚	4FCD	BECE	E2BX0080
1363	鞠	4FCE	BECF	E2BY0080
1364	拘	4FCF	BED0	E2BZ0080
1365	狙	4FD0	BED1	E2C00080
1366	疽	4FD1	BED2	E2C10080
1367	居	4FD2	BED3	E2C20080
1368	驹	4FD3	BED4	E2C30080
1369	菊	4FD4	BED5	E2C40080
1370	局	4FD5	BED6	E2C50080
1371	咀	4FD6	BED7	E2C60080
1372	矩	4FD7	BED8	E2C70080
1373	举	4FD8	BED9	E2C80080
1374	沮	4FD9	BEDA	E2C90080
1375	聚	4FDA	BEDB	E2CA0080
1376	拒	4FDB	BEDC	E2CB0080

Table 8 (Page 27 of 38). Level 1 Chinese Character Set (1 of 2), DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
1377	据	4FDC	BEDD	E2CC0080
1378	巨	4FDD	BEDE	E2CD0080
1379	具	4FDE	BEDF	E2CE0080
1380	距	4FDF	BEE0	E2CF0080
1381	踞	4FE0	BEE1	E2CG0080
1382	锯	4FE1	BEE2	E2CH0080
1383	俱	4FE2	BEE3	E2CI0080
1384	句	4FE3	BEE4	E2CJ0080
1385	惧	4FE4	BEE5	E2CK0080
1386	炬	4FE5	BEE6	E2CL0080
1387	剧	4FE6	BEE7	E2CM0080
1388	捐	4FE7	BEE8	E2CN0080
1389	鹃	4FE8	BEE9	E2CO0080
1390	娟	4FE9	BEEA	E2CP0080
1391	倦	4FEA	BEEB	E2CQ0080
1392	眷	4FEB	BEEC	E2CR0080
1393	卷	4FEC	BEEF	E2CS0080
1394	绢	4FED	BEEE	E2CT0080
1395	掀	4FEE	BEEF	E2CU0080
1396	攫	4FEF	BEF0	E2CV0080
1397	抉	4FF0	BEF1	E2CW0080
1398	掘	4FF1	BEF2	E2CX0080
1399	倔	4FF2	BEF3	E2CY0080
1400	爵	4FF3	BEF4	E2CZ0080
1401	觉	4FF4	BEF5	E2D00080
1402	决	4FF5	BEF6	E2D10080



## IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC

Table 8 (Page 28 of 38). Level 1 Chinese Character Set (1 of 2), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1403	诀	4FF6	BEF7	E2D20080
1404	绝	4FF7	BEF8	E2D30080
1405	均	4FF8	BEF9	E2D40080
1406	菌	4FF9	BEFA	E2D50080
1407	钧	4FFA	BEFB	E2D60080
1408	军	4FFB	BEFC	E2D70080
1409	君	4FFC	BEFD	E2D80080
1410	峻	4FFD	BEFE	E2D90080
1411	俊	5041	BFA1	E2DD0080
1412	竣	5042	BFA2	E2DE0080
1413	浚	5043	BFA3	E2DF0080
1414	郡	5044	BFA4	E2DG0080
1415	骏	5045	BFA5	E2DH0080
1416	喀	5046	BFA6	E2DI0080
1417	咖	5047	BFA7	E2DJ0080
1418	卡	5048	BFA8	E2DK0080
1419	咯	5049	BFA9	E2DL0080
1420	开	504A	BFAA	E2DM0080
1421	揩	504B	BFAB	E2DN0080
1422	楷	504C	BFAC	E2DO0080
1423	凯	504D	BFAD	E2DP0080
1424	慨	504E	BFAE	E2DQ0080
1425	刊	504F	BFAF	E2DR0080
1426	堪	5050	BFB0	E2DS0080
1427	勘	5051	BFB1	E2DT0080
1428	坎	5052	BFB2	E2DU0080

Table 8 (Page 28 of 38). Level 1 Chinese Character Set (1 of 2), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1429	砍	5053	BFB3	E2DV0080
1430	看	5054	BFB4	E2DW0080
1431	康	5055	BFB5	E2DX0080
1432	慷	5056	BFB6	E2DY0080
1433	糠	5057	BFB7	E2DZ0080
1434	扛	5058	BFB8	E2E00080
1435	抗	5059	BFB9	E2E10080
1436	亢	505A	BFBA	E2E20080
1437	炕	505B	BFBB	E2E30080
1438	考	505C	BFBC	E2E40080
1439	拷	505D	BFBD	E2E50080
1440	烤	505E	BFBE	E2E60080
1441	靠	505F	BFBF	E2E70080
1442	珂	5060	BFC0	E2E80080
1443	苛	5061	BFC1	E2E90080
1444	柯	5062	BFC2	E2EA0080
1445	棵	5063	BFC3	E2EB0080
1446	磕	5064	BFC4	E2EC0080
1447	颗	5065	BFC5	E2ED0080
1448	科	5066	BFC6	E2EE0080
1449	壳	5067	BFC7	E2EF0080
1450	咳	5068	BFC8	E2EG0080
1451	可	5069	BFC9	E2EH0080
1452	渴	506A	BFCA	E2EI0080
1453	克	506B	BFCB	E2EJ0080
1454	刻	506C	BFCC	E2EK0080





## IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC

Line Number	Graphic	Host Code	PC Code	GCGID
1455	客	506D	BFCD	E2EL0080
1456	课	506E	BFCE	E2EM0080
1457	肯	506F	BFCF	E2EN0080
1458	啃	5070	BFD0	E2EO0080
1459	垦	5071	BFD1	E2EP0080
1460	恳	5072	BFD2	E2EQ0080
1461	坑	5073	BFD3	E2ER0080
1462	吭	5074	BFD4	E2ES0080
1463	空	5075	BFD5	E2ET0080
1464	恐	5076	BFD6	E2EU0080
1465	孔	5077	BFD7	E2EV0080
1466	控	5078	BFD8	E2EW0080
1467	抠	5079	BFD9	E2EX0080
1468	口	507A	BFDA	E2EY0080
1469	扣	507B	BFDB	E2EZ0080
1470	寇	507C	BFDC	E2F00080
1471	枯	507D	BFDD	E2F10080
1472	哭	507E	BFDE	E2F20080
1473	窟	507F	BDFD	E2F30080
1474	苦	5081	BFE0	E2F50080
1475	酷	5082	BFE1	E2F60080
1476	库	5083	BFE2	E2F70080
1477	裤	5084	BFE3	E2F80080
1478	夸	5085	BFE4	E2F90080
1479	垮	5086	BFE5	E2FA0080
1480	垮	5087	BFE6	E2FB0080

Line Number	Graphic	Host Code	PC Code	GCGID
1481	跨	5088	BFE7	E2FC0080
1482	胯	5089	BFE8	E2FD0080
1483	块	508A	BFE9	E2FE0080
1484	筷	508B	BFEA	E2FF0080
1485	俭	508C	BFEB	E2FG0080
1486	快	508D	BFEC	E2FH0080
1487	宽	508E	BFED	E2FI0080
1488	款	508F	BFEF	E2FJ0080
1489	匡	5090	BFEF	E2FK0080
1490	筐	5091	BFF0	E2FL0080
1491	狂	5092	BFF1	E2FM0080
1492	框	5093	BFF2	E2FN0080
1493	矿	5094	BFF3	E2FO0080
1494	眶	5095	BFF4	E2FP0080
1495	旷	5096	BFF5	E2FQ0080
1496	况	5097	BFF6	E2FR0080
1497	亏	5098	BFF7	E2FS0080
1498	盔	5099	BFF8	E2FT0080
1499	岿	509A	BFF9	E2FU0080
1500	窥	509B	BFFA	E2FV0080
1501	葵	509C	BFFB	E2FW0080
1502	奎	509D	BFFC	E2FX0080
1503	魁	509E	BFFD	E2FY0080
1504	傀	509F	BFFE	E2FZ0080
1505	馈	50A0	C0A1	E2G00080
1506	愧	50A1	C0A2	E2G10080



## IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC

Table 8 (Page 30 of 38). Level 1 Chinese Character Set (1 of 2), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1507	溃	50A2	C0A3	E2G20080
1508	坤	50A3	C0A4	E2G30080
1509	昆	50A4	C0A5	E2G40080
1510	捆	50A5	C0A6	E2G50080
1511	困	50A6	C0A7	E2G60080
1512	括	50A7	C0A8	E2G70080
1513	扩	50A8	C0A9	E2G80080
1514	廓	50A9	C0AA	E2G90080
1515	阔	50AA	C0AB	E2GA0080
1516	垃	50AB	C0AC	E2GB0080
1517	拉	50AC	C0AD	E2GC0080
1518	喇	50AD	C0AE	E2GD0080
1519	蜡	50AE	C0AF	E2GE0080
1520	腊	50AF	C0B0	E2GF0080
1521	辣	50B0	C0B1	E2GG0080
1522	啦	50B1	C0B2	E2GH0080
1523	莱	50B2	C0B3	E2GI0080
1524	来	50B3	C0B4	E2GJ0080
1525	赖	50B4	C0B5	E2GK0080
1526	蓝	50B5	C0B6	E2GL0080
1527	婪	50B6	C0B7	E2GM0080
1528	栏	50B7	C0B8	E2GN0080
1529	拦	50B8	C0B9	E2GO0080
1530	篮	50B9	C0BA	E2GP0080
1531	阑	50BA	C0BB	E2GQ0080
1532	兰	50BB	C0BC	E2GR0080

Table 8 (Page 30 of 38). Level 1 Chinese Character Set (1 of 2), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1533	澜	50BC	C0BD	E2GS0080
1534	斓	50BD	C0BE	E2GT0080
1535	揽	50BE	C0BF	E2GU0080
1536	览	50BF	C0C0	E2GV0080
1537	懒	50C0	C0C1	E2GW0080
1538	缆	50C1	C0C2	E2GX0080
1539	烂	50C2	C0C3	E2GY0080
1540	滥	50C3	C0C4	E2GZ0080
1541	琅	50C4	C0C5	E2H00080
1542	榔	50C5	C0C6	E2H10080
1543	狼	50C6	C0C7	E2H20080
1544	廊	50C7	C0C8	E2H30080
1545	郎	50C8	C0C9	E2H40080
1546	朗	50C9	C0CA	E2H50080
1547	浪	50CA	C0CB	E2H60080
1548	捞	50CB	C0CC	E2H70080
1549	劳	50CC	C0CD	E2H80080
1550	牢	50CD	C0CE	E2H90080
1551	老	50CE	C0CF	E2HA0080
1552	佬	50CF	C0D0	E2HB0080
1553	姥	50D0	C0D1	E2HC0080
1554	酪	50D1	C0D2	E2HD0080
1555	烙	50D2	C0D3	E2HE0080
1556	涝	50D3	C0D4	E2HF0080
1557	勒	50D4	C0D5	E2HG0080
1558	乐	50D5	C0D6	E2HH0080



## IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC

Table 8 (Page 31 of 38). Level 1 Chinese Character Set (1 of 2), DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
1559	雷	50D6	C0D7	E2HI0080
1560	镭	50D7	C0D8	E2HJ0080
1561	蕾	50D8	C0D9	E2HK0080
1562	磊	50D9	C0DA	E2HL0080
1563	累	50DA	C0DB	E2HM0080
1564	儡	50DB	C0DC	E2HN0080
1565	垒	50DC	C0DD	E2HO0080
1566	擂	50DD	C0DE	E2HP0080
1567	肋	50DE	C0DF	E2HQ0080
1568	类	50DF	C0E0	E2HR0080
1569	泪	50E0	C0E1	E2HS0080
1570	棱	50E1	C0E2	E2HT0080
1571	楞	50E2	C0E3	E2HU0080
1572	冷	50E3	C0E4	E2HV0080
1573	厘	50E4	C0E5	E2HW0080
1574	梨	50E5	C0E6	E2HX0080
1575	犁	50E6	C0E7	E2HY0080
1576	黎	50E7	C0E8	E2HZ0080
1577	篱	50E8	C0E9	E2I00080
1578	狸	50E9	C0EA	E2I10080
1579	离	50EA	C0EB	E2I20080
1580	漓	50EB	C0EC	E2I30080
1581	理	50EC	C0ED	E2I40080
1582	李	50ED	C0EE	E2I50080
1583	里	50EE	C0EF	E2I60080
1584	鲤	50EF	C0F0	E2I70080

Table 8 (Page 31 of 38). Level 1 Chinese Character Set (1 of 2), DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
1585	礼	50F0	C0F1	E2I80080
1586	莉	50F1	C0F2	E2I90080
1587	荔	50F2	C0F3	E2IA0080
1588	吏	50F3	C0F4	E2IB0080
1589	栗	50F4	C0F5	E2IC0080
1590	丽	50F5	C0F6	E2ID0080
1591	厉	50F6	C0F7	E2IE0080
1592	励	50F7	C0F8	E2IF0080
1593	砾	50F8	C0F9	E2IG0080
1594	历	50F9	C0FA	E2IH0080
1595	利	50FA	C0FB	E2II0080
1596	傥	50FB	C0FC	E2IJ0080
1597	例	50FC	C0FD	E2IK0080
1598	俐	50FD	C0FE	E2IL0080
1599	痢	5141	C1A1	E2IP0080
1600	立	5142	C1A2	E2IQ0080
1601	粒	5143	C1A3	E2IR0080
1602	沥	5144	C1A4	E2IS0080
1603	隶	5145	C1A5	E2IT0080
1604	力	5146	C1A6	E2IU0080
1605	璃	5147	C1A7	E2IV0080
1606	哩	5148	C1A8	E2IW0080
1607	俩	5149	C1A9	E2IX0080
1608	联	514A	C1AA	E2IY0080
1609	莲	514B	C1AB	E2IZ0080
1610	连	514C	C1AC	E2J00080



## IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC

Table 8 (Page 32 of 38). Level 1 Chinese Character Set (1 of 2), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1611	镰	514D	C1AD	E2J10080
1612	廉	514E	C1AE	E2J20080
1613	怜	514F	C1AF	E2J30080
1614	涟	5150	C1B0	E2J40080
1615	帘	5151	C1B1	E2J50080
1616	敛	5152	C1B2	E2J60080
1617	脸	5153	C1B3	E2J70080
1618	链	5154	C1B4	E2J80080
1619	恋	5155	C1B5	E2J90080
1620	炼	5156	C1B6	E2JA0080
1621	练	5157	C1B7	E2JB0080
1622	粮	5158	C1B8	E2JC0080
1623	凉	5159	C1B9	E2JD0080
1624	梁	515A	C1BA	E2JE0080
1625	梁	515B	C1BB	E2JF0080
1626	良	515C	C1BC	E2JG0080
1627	两	515D	C1BD	E2JH0080
1628	辆	515E	C1BE	E2JI0080
1629	量	515F	C1BF	E2JJ0080
1630	晾	5160	C1C0	E2JK0080
1631	亮	5161	C1C1	E2JL0080
1632	谅	5162	C1C2	E2JM0080
1633	撩	5163	C1C3	E2JN0080
1634	聊	5164	C1C4	E2JO0080
1635	僚	5165	C1C5	E2JP0080
1636	疗	5166	C1C6	E2JQ0080

Table 8 (Page 32 of 38). Level 1 Chinese Character Set (1 of 2), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1637	燎	5167	C1C7	E2JR0080
1638	寥	5168	C1C8	E2JS0080
1639	辽	5169	C1C9	E2JT0080
1640	潦	516A	C1CA	E2JU0080
1641	了	516B	C1CB	E2JV0080
1642	撈	516C	C1CC	E2JW0080
1643	镣	516D	C1CD	E2JX0080
1644	廖	516E	C1CE	E2JY0080
1645	料	516F	C1CF	E2JZ0080
1646	列	5170	C1D0	E2K00080
1647	裂	5171	C1D1	E2K10080
1648	烈	5172	C1D2	E2K20080
1649	劣	5173	C1D3	E2K30080
1650	猎	5174	C1D4	E2K40080
1651	琳	5175	C1D5	E2K50080
1652	林	5176	C1D6	E2K60080
1653	磷	5177	C1D7	E2K70080
1654	霖	5178	C1D8	E2K80080
1655	临	5179	C1D9	E2K90080
1656	邻	517A	C1DA	E2KA0080
1657	鳞	517B	C1DB	E2KB0080
1658	淋	517C	C1DC	E2KC0080
1659	凜	517D	C1DD	E2KD0080
1660	赁	517E	C1DE	E2KE0080
1661	吝	517F	C1DF	E2KF0080
1662	拎	5181	C1E0	E2KH0080



## IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC

Table 8 (Page 33 of 38). Level 1 Chinese Character Set (1 of 2), DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
1663	玲	5182	C1E1	E2KI0080
1664	菱	5183	C1E2	E2KJ0080
1665	零	5184	C1E3	E2KK0080
1666	齡	5185	C1E4	E2KL0080
1667	铃	5186	C1E5	E2KM0080
1668	伶	5187	C1E6	E2KN0080
1669	羚	5188	C1E7	E2KO0080
1670	凌	5189	C1E8	E2KP0080
1671	灵	518A	C1E9	E2KQ0080
1672	陵	518B	C1EA	E2KR0080
1673	岭	518C	C1EB	E2KS0080
1674	领	518D	C1EC	E2KT0080
1675	另	518E	C1ED	E2KU0080
1676	令	518F	C1EE	E2KV0080
1677	溜	5190	C1EF	E2KW0080
1678	琉	5191	C1F0	E2KX0080
1679	榴	5192	C1F1	E2KY0080
1680	硫	5193	C1F2	E2KZ0080
1681	馏	5194	C1F3	E2L00080
1682	留	5195	C1F4	E2L10080
1683	刘	5196	C1F5	E2L20080
1684	瘤	5197	C1F6	E2L30080
1685	流	5198	C1F7	E2L40080
1686	柳	5199	C1F8	E2L50080
1687	六	519A	C1F9	E2L60080
1688	龙	519B	C1FA	E2L70080

Table 8 (Page 33 of 38). Level 1 Chinese Character Set (1 of 2), DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
1689	鞞	519C	C1FB	E2L80080
1690	咙	519D	C1FC	E2L90080
1691	笼	519E	C1FD	E2LA0080
1692	窿	519F	C1FE	E2LB0080
1693	隆	51A0	C2A1	E2LC0080
1694	垄	51A1	C2A2	E2LD0080
1695	拢	51A2	C2A3	E2LE0080
1696	陇	51A3	C2A4	E2LF0080
1697	楼	51A4	C2A5	E2LG0080
1698	娄	51A5	C2A6	E2LH0080
1699	搂	51A6	C2A7	E2LI0080
1700	篓	51A7	C2A8	E2LJ0080
1701	漏	51A8	C2A9	E2LK0080
1702	陋	51A9	C2AA	E2LL0080
1703	芦	51AA	C2AB	E2LM0080
1704	卢	51AB	C2AC	E2LN0080
1705	颅	51AC	C2AD	E2LO0080
1706	庐	51AD	C2AE	E2LP0080
1707	炉	51AE	C2AF	E2LQ0080
1708	虏	51AF	C2B0	E2LR0080
1709	卤	51B0	C2B1	E2LS0080
1710	虏	51B1	C2B2	E2LT0080
1711	鲁	51B2	C2B3	E2LU0080
1712	麓	51B3	C2B4	E2LV0080
1713	碌	51B4	C2B5	E2LW0080
1714	露	51B5	C2B6	E2LX0080



## IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC

Table 8 (Page 34 of 38). Level 1 Chinese Character Set (1 of 2), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1715	路	51B6	C2B7	E2LY0080
1716	赂	51B7	C2B8	E2LZ0080
1717	鹿	51B8	C2B9	E2M00080
1718	潞	51B9	C2BA	E2M10080
1719	禄	51BA	C2BB	E2M20080
1720	录	51BB	C2BC	E2M30080
1721	陆	51BC	C2BD	E2M40080
1722	戮	51BD	C2BE	E2M50080
1723	驴	51BE	C2BF	E2M60080
1724	吕	51BF	C2C0	E2M70080
1725	铝	51C0	C2C1	E2M80080
1726	侣	51C1	C2C2	E2M90080
1727	旅	51C2	C2C3	E2MA0080
1728	履	51C3	C2C4	E2MB0080
1729	屡	51C4	C2C5	E2MC0080
1730	缕	51C5	C2C6	E2MD0080
1731	虑	51C6	C2C7	E2ME0080
1732	氯	51C7	C2C8	E2MF0080
1733	律	51C8	C2C9	E2MG0080
1734	率	51C9	C2CA	E2MH0080
1735	滤	51CA	C2CB	E2MI0080
1736	绿	51CB	C2CC	E2MJ0080
1737	峦	51CC	C2CD	E2MK0080
1738	挛	51CD	C2CE	E2ML0080
1739	孪	51CE	C2CF	E2MM0080
1740	滦	51CF	C2D0	E2MN0080

Table 8 (Page 34 of 38). Level 1 Chinese Character Set (1 of 2), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1741	卵	51D0	C2D1	E2MO0080
1742	乱	51D1	C2D2	E2MP0080
1743	掠	51D2	C2D3	E2MQ0080
1744	赂	51D3	C2D4	E2MR0080
1745	抡	51D4	C2D5	E2MS0080
1746	轮	51D5	C2D6	E2MT0080
1747	伦	51D6	C2D7	E2MU0080
1748	仑	51D7	C2D8	E2MV0080
1749	沦	51D8	C2D9	E2MW0080
1750	纶	51D9	C2DA	E2MX0080
1751	论	51DA	C2DB	E2MY0080
1752	萝	51DB	C2DC	E2MZ0080
1753	螺	51DC	C2DD	E2N00080
1754	罗	51DD	C2DE	E2N10080
1755	逻	51DE	C2DF	E2N20080
1756	锣	51DF	C2E0	E2N30080
1757	箩	51E0	C2E1	E2N40080
1758	骡	51E1	C2E2	E2N50080
1759	裸	51E2	C2E3	E2N60080
1760	落	51E3	C2E4	E2N70080
1761	洛	51E4	C2E5	E2N80080
1762	骆	51E5	C2E6	E2N90080
1763	络	51E6	C2E7	E2NA0080
1764	妈	51E7	C2E8	E2NB0080
1765	麻	51E8	C2E9	E2NC0080
1766	玛	51E9	C2EA	E2ND0080



## IBM Simplified Chinese Graphic Character Set


DBCS-Host and DBCS-PC

Table 8 (Page 35 of 38). Level 1 Chinese Character Set (1 of 2), DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
1767	码	51EA	C2EB	E2NE0080
1768	蚂	51EB	C2EC	E2NF0080
1769	马	51EC	C2ED	E2NG0080
1770	骂	51ED	C2EE	E2NH0080
1771	嘛	51EE	C2EF	E2NI0080
1772	吗	51EF	C2F0	E2NJ0080
1773	埋	51F0	C2F1	E2NK0080
1774	买	51F1	C2F2	E2NL0080
1775	麦	51F2	C2F3	E2NM0080
1776	卖	51F3	C2F4	E2NN0080
1777	迈	51F4	C2F5	E2NO0080
1778	脉	51F5	C2F6	E2NP0080
1779	瞒	51F6	C2F7	E2NQ0080
1780	馒	51F7	C2F8	E2NR0080
1781	蛮	51F8	C2F9	E2NS0080
1782	满	51F9	C2FA	E2NT0080
1783	蔓	51FA	C2FB	E2NU0080
1784	曼	51FB	C2FC	E2NV0080
1785	慢	51FC	C2FD	E2NW0080
1786	漫	51FD	C2FE	E2NX0080
1787	谩	5241	C3A1	E2O10080
1788	芒	5242	C3A2	E2O20080
1789	茫	5243	C3A3	E2O30080
1790	盲	5244	C3A4	E2O40080
1791	氓	5245	C3A5	E2O50080
1792	忙	5246	C3A6	E2O60080

Table 8 (Page 35 of 38). Level 1 Chinese Character Set (1 of 2), DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
1793	莽	5247	C3A7	E2O70080
1794	猫	5248	C3A8	E2O80080
1795	茅	5249	C3A9	E2O90080
1796	锚	524A	C3AA	E2OA0080
1797	毛	524B	C3AB	E2OB0080
1798	矛	524C	C3AC	E2OC0080
1799	柳	524D	C3AD	E2OD0080
1800	卯	524E	C3AE	E2OE0080
1801	茂	524F	C3AF	E2OF0080
1802	冒	5250	C3B0	E2OG0080
1803	帽	5251	C3B1	E2OH0080
1804	貌	5252	C3B2	E2OI0080
1805	贸	5253	C3B3	E2OJ0080
1806	么	5254	C3B4	E2OK0080
1807	玫	5255	C3B5	E2OL0080
1808	枚	5256	C3B6	E2OM0080
1809	梅	5257	C3B7	E2ON0080
1810	酶	5258	C3B8	E2OO0080
1811	霉	5259	C3B9	E2OP0080
1812	煤	525A	C3BA	E2OQ0080
1813	没	525B	C3BB	E2OR0080
1814	眉	525C	C3BC	E2OS0080
1815	媒	525D	C3BD	E2OT0080
1816	镁	525E	C3BE	E2OU0080
1817	每	525F	C3BF	E2OV0080
1818	美	5260	C3C0	E2OW0080



## IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC

Table 8 (Page 36 of 38). Level 1 Chinese Character Set (1 of 2), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1819	昧	5261	C3C1	E2OX0080
1820	寐	5262	C3C2	E2OY0080
1821	妹	5263	C3C3	E2OZ0080
1822	媚	5264	C3C4	E2P00080
1823	门	5265	C3C5	E2P10080
1824	闷	5266	C3C6	E2P20080
1825	们	5267	C3C7	E2P30080
1826	萌	5268	C3C8	E2P40080
1827	蒙	5269	C3C9	E2P50080
1828	檬	526A	C3CA	E2P60080
1829	盟	526B	C3CB	E2P70080
1830	锰	526C	C3CC	E2P80080
1831	猛	526D	C3CD	E2P90080
1832	梦	526E	C3CE	E2PA0080
1833	孟	526F	C3CF	E2PB0080
1834	眯	5270	C3D0	E2PC0080
1835	醚	5271	C3D1	E2PD0080
1836	靡	5272	C3D2	E2PE0080
1837	糜	5273	C3D3	E2PF0080
1838	迷	5274	C3D4	E2PG0080
1839	谜	5275	C3D5	E2PH0080
1840	弥	5276	C3D6	E2PI0080
1841	米	5277	C3D7	E2PJ0080
1842	秘	5278	C3D8	E2PK0080
1843	觅	5279	C3D9	E2PL0080
1844	泌	527A	C3DA	E2PM0080

Table 8 (Page 36 of 38). Level 1 Chinese Character Set (1 of 2), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1845	蜜	527B	C3DB	E2PN0080
1846	密	527C	C3DC	E2PO0080
1847	幂	527D	C3DD	E2PP0080
1848	棉	527E	C3DE	E2PQ0080
1849	眠	527F	C3DF	E2PR0080
1850	绵	5281	C3E0	E2PT0080
1851	冕	5282	C3E1	E2PU0080
1852	免	5283	C3E2	E2PV0080
1853	勉	5284	C3E3	E2PW0080
1854	娩	5285	C3E4	E2PX0080
1855	缅	5286	C3E5	E2PY0080
1856	面	5287	C3E6	E2PZ0080
1857	苗	5288	C3E7	E2Q00080
1858	描	5289	C3E8	E2Q10080
1859	瞄	528A	C3E9	E2Q20080
1860	藐	528B	C3EA	E2Q30080
1861	秒	528C	C3EB	E2Q40080
1862	渺	528D	C3EC	E2Q50080
1863	庙	528E	C3ED	E2Q60080
1864	妙	528F	C3EE	E2Q70080
1865	蔑	5290	C3EF	E2Q80080
1866	灭	5291	C3F0	E2Q90080
1867	民	5292	C3F1	E2QA0080
1868	抿	5293	C3F2	E2QB0080
1869	皿	5294	C3F3	E2QC0080
1870	敏	5295	C3F4	E2QD0080





## IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC

Table 8 (Page 37 of 38). Level 1 Chinese Character Set (1 of 2), DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
1871	悯	5296	C3F5	E2QE0080
1872	闽	5297	C3F6	E2QF0080
1873	明	5298	C3F7	E2QG0080
1874	螟	5299	C3F8	E2QH0080
1875	鸣	529A	C3F9	E2QI0080
1876	铭	529B	C3FA	E2QJ0080
1877	名	529C	C3FB	E2QK0080
1878	命	529D	C3FC	E2QL0080
1879	谬	529E	C3FD	E2QM0080
1880	摸	529F	C3FE	E2QN0080
1881	摹	52A0	C4A1	E2QO0080
1882	蘑	52A1	C4A2	E2QP0080
1883	模	52A2	C4A3	E2QQ0080
1884	膜	52A3	C4A4	E2QR0080
1885	磨	52A4	C4A5	E2QS0080
1886	摩	52A5	C4A6	E2QT0080
1887	魔	52A6	C4A7	E2QU0080
1888	抹	52A7	C4A8	E2QV0080
1889	末	52A8	C4A9	E2QW0080
1890	莫	52A9	C4AA	E2QX0080
1891	墨	52AA	C4AB	E2QY0080
1892	默	52AB	C4AC	E2QZ0080
1893	沫	52AC	C4AD	E2R00080
1894	漠	52AD	C4AE	E2R10080
1895	寞	52AE	C4AF	E2R20080
1896	陌	52AF	C4B0	E2R30080

Table 8 (Page 37 of 38). Level 1 Chinese Character Set (1 of 2), DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
1897	谋	52B0	C4B1	E2R40080
1898	牟	52B1	C4B2	E2R50080
1899	某	52B2	C4B3	E2R60080
1900	拇	52B3	C4B4	E2R70080
1901	牡	52B4	C4B5	E2R80080
1902	亩	52B5	C4B6	E2R90080
1903	姆	52B6	C4B7	E2RA0080
1904	母	52B7	C4B8	E2RB0080
1905	墓	52B8	C4B9	E2RC0080
1906	暮	52B9	C4BA	E2RD0080
1907	幕	52BA	C4BB	E2RE0080
1908	募	52BB	C4BC	E2RF0080
1909	慕	52BC	C4BD	E2RG0080
1910	木	52BD	C4BE	E2RH0080
1911	目	52BE	C4BF	E2RI0080
1912	睦	52BF	C4C0	E2RJ0080
1913	牧	52C0	C4C1	E2RK0080
1914	穆	52C1	C4C2	E2RL0080
1915	拿	52C2	C4C3	E2RM0080
1916	哪	52C3	C4C4	E2RN0080
1917	呐	52C4	C4C5	E2RO0080
1918	钠	52C5	C4C6	E2RP0080
1919	那	52C6	C4C7	E2RQ0080
1920	娜	52C7	C4C8	E2RR0080
1921	纳	52C8	C4C9	E2RS0080
1922	氛	52C9	C4CA	E2RT0080



## IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC

Table 8 (Page 38 of 38). Level 1 Chinese Character Set (1 of 2), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1923	乃	52CA	C4CB	E2RU0080
1924	奶	52CB	C4CC	E2RV0080
1925	耐	52CC	C4CD	E2RW0080
1926	奈	52CD	C4CE	E2RX0080
1927	南	52CE	C4CF	E2RY0080
1928	男	52CF	C4D0	E2RZ0080
1929	难	52D0	C4D1	E2S00080
1930	囊	52D1	C4D2	E2S10080
1931	挠	52D2	C4D3	E2S20080
1932	脑	52D3	C4D4	E2S30080
1933	恼	52D4	C4D5	E2S40080
1934	闹	52D5	C4D6	E2S50080
1935	淖	52D6	C4D7	E2S60080
1936	呢	52D7	C4D8	E2S70080
1937	馁	52D8	C4D9	E2S80080
1938	内	52D9	C4DA	E2S90080
1939	嫩	52DA	C4DB	E2SA0080
1940	能	52DB	C4DC	E2SB0080
1941	妮	52DC	C4DD	E2SC0080
1942	霓	52DD	C4DE	E2SD0080
1943	倪	52DE	C4DF	E2SE0080
1944	泥	52DF	C4E0	E2SF0080
1945	尼	52E0	C4E1	E2SG0080
1946	拟	52E1	C4E2	E2SH0080
1947	你	52E2	C4E3	E2SI0080
1948	匿	52E3	C4E4	E2SJ0080

Table 8 (Page 38 of 38). Level 1 Chinese Character Set (1 of 2), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1949	膩	52E4	C4E5	E2SK0080
1950	逆	52E5	C4E6	E2SL0080
1951	溺	52E6	C4E7	E2SM0080
1952	薦	52E7	C4E8	E2SN0080
1953	拈	52E8	C4E9	E2SO0080
1954	年	52E9	C4EA	E2SP0080
1955	碾	52EA	C4EB	E2SQ0080
1956	撵	52EB	C4EC	E2SR0080
1957	捻	52EC	C4ED	E2SS0080
1958	念	52ED	C4EE	E2ST0080
1959	娘	52EE	C4EF	E2SU0080
1960	酿	52EF	C4F0	E2SV0080
1961	鸟	52F0	C4F1	E2SW0080
1962	尿	52F1	C4F2	E2SX0080
1963	捏	52F2	C4F3	E2SY0080
1964	聂	52F3	C4F4	E2SZ0080
1965	孽	52F4	C4F5	E2T00080
1966	啮	52F5	C4F6	E2T10080
1967	镊	52F6	C4F7	E2T20080
1968	镍	52F7	C4F8	E2T30080
1969	涅	52F8	C4F9	E2T40080
1970	您	52F9	C4FA	E2T50080
1971	柠	52FA	C4FB	E2T60080
1972	狞	52FB	C4FC	E2T70080
1973	凝	52FC	C4FD	E2T80080
1974	宁	52FD	C4FE	E2T90080



## IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC

## 8.4 Level 1 Chinese Character Set (2 of 2)

Line Number	Graphic	Host Code	PC Code	GCGID
1975	拧	5341	C5A1	E2TD0080
1976	泞	5342	C5A2	E2TE0080
1977	牛	5343	C5A3	E2TF0080
1978	扭	5344	C5A4	E2TG0080
1979	钮	5345	C5A5	E2TH0080
1980	纽	5346	C5A6	E2TI0080
1981	脓	5347	C5A7	E2TJ0080
1982	浓	5348	C5A8	E2TK0080
1983	农	5349	C5A9	E2TL0080
1984	弄	534A	C5AA	E2TM0080
1985	奴	534B	C5AB	E2TN0080
1986	努	534C	C5AC	E2TO0080
1987	怒	534D	C5AD	E2TP0080
1988	女	534E	C5AE	E2TQ0080
1989	暖	534F	C5AF	E2TR0080
1990	虐	5350	C5B0	E2TS0080
1991	疟	5351	C5B1	E2TT0080
1992	挪	5352	C5B2	E2TU0080
1993	懦	5353	C5B3	E2TV0080
1994	糯	5354	C5B4	E2TW0080
1995	诺	5355	C5B5	E2TX0080
1996	哦	5356	C5B6	E2TY0080
1997	欧	5357	C5B7	E2TZ0080
1998	鸥	5358	C5B8	E2U00080

Line Number	Graphic	Host Code	PC Code	GCGID
1999	殴	5359	C5B9	E2U10080
2000	藕	535A	C5BA	E2U20080
2001	呕	535B	C5BB	E2U30080
2002	偶	535C	C5BC	E2U40080
2003	沔	535D	C5BD	E2U50080
2004	啣	535E	C5BE	E2U60080
2005	趴	535F	C5BF	E2U70080
2006	爬	5360	C5C0	E2U80080
2007	帕	5361	C5C1	E2U90080
2008	怕	5362	C5C2	E2UA0080
2009	琶	5363	C5C3	E2UB0080
2010	拍	5364	C5C4	E2UC0080
2011	排	5365	C5C5	E2UD0080
2012	牌	5366	C5C6	E2UE0080
2013	徘	5367	C5C7	E2UF0080
2014	湃	5368	C5C8	E2UG0080
2015	派	5369	C5C9	E2UH0080
2016	攀	536A	C5CA	E2UI0080
2017	潘	536B	C5CB	E2UJ0080
2018	盘	536C	C5CC	E2UK0080
2019	磐	536D	C5CD	E2UL0080
2020	盼	536E	C5CE	E2UM0080
2021	畔	536F	C5CF	E2UN0080
2022	判	5370	C5D0	E2UO0080
2023	叛	5371	C5D1	E2UP0080
2024	乓	5372	C5D2	E2UQ0080



## IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC

Table 9 (Page 2 of 35). Level 1 Chinese Character Set (2 of 2), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
2025	庞	5373	C5D3	E2UR0080
2026	旁	5374	C5D4	E2US0080
2027	榜	5375	C5D5	E2UT0080
2028	胖	5376	C5D6	E2UU0080
2029	抛	5377	C5D7	E2UV0080
2030	咆	5378	C5D8	E2UW0080
2031	刨	5379	C5D9	E2UX0080
2032	炮	537A	C5DA	E2UY0080
2033	袍	537B	C5DB	E2UZ0080
2034	跑	537C	C5DC	E2V00080
2035	泡	537D	C5DD	E2V10080
2036	呸	537E	C5DE	E2V20080
2037	胚	537F	C5DF	E2V30080
2038	培	5381	C5E0	E2V50080
2039	裴	5382	C5E1	E2V60080
2040	赔	5383	C5E2	E2V70080
2041	陪	5384	C5E3	E2V80080
2042	配	5385	C5E4	E2V90080
2043	佩	5386	C5E5	E2VA0080
2044	沛	5387	C5E6	E2VB0080
2045	喷	5388	C5E7	E2VC0080
2046	盆	5389	C5E8	E2VD0080
2047	砵	538A	C5E9	E2VE0080
2048	抨	538B	C5EA	E2VF0080
2049	烹	538C	C5EB	E2VG0080
2050	澎	538D	C5EC	E2VH0080

Table 9 (Page 2 of 35). Level 1 Chinese Character Set (2 of 2), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
2051	彭	538E	C5ED	E2VI0080
2052	蓬	538F	C5EE	E2VJ0080
2053	棚	5390	C5EF	E2VK0080
2054	硼	5391	C5F0	E2VL0080
2055	篷	5392	C5F1	E2VM0080
2056	膨	5393	C5F2	E2VN0080
2057	朋	5394	C5F3	E2VO0080
2058	鹏	5395	C5F4	E2VP0080
2059	捧	5396	C5F5	E2VQ0080
2060	碰	5397	C5F6	E2VR0080
2061	坯	5398	C5F7	E2VS0080
2062	砒	5399	C5F8	E2VT0080
2063	霹	539A	C5F9	E2VU0080
2064	批	539B	C5FA	E2VV0080
2065	披	539C	C5FB	E2VW0080
2066	劈	539D	C5FC	E2VX0080
2067	毳	539E	C5FD	E2VY0080
2068	毗	539F	C5FE	E2VZ0080
2069	啤	53A0	C6A1	E2W00080
2070	脾	53A1	C6A2	E2W10080
2071	疲	53A2	C6A3	E2W20080
2072	皮	53A3	C6A4	E2W30080
2073	匹	53A4	C6A5	E2W40080
2074	痞	53A5	C6A6	E2W50080
2075	僻	53A6	C6A7	E2W60080
2076	屁	53A7	C6A8	E2W70080




## IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC

Line Number	Graphic	Host Code	PC Code	GCGID
2077	譬	53A8	C6A9	E2W80080
2078	篇	53A9	C6AA	E2W90080
2079	偏	53AA	C6AB	E2WA0080
2080	片	53AB	C6AC	E2WB0080
2081	骗	53AC	C6AD	E2WC0080
2082	飘	53AD	C6AE	E2WD0080
2083	漂	53AE	C6AF	E2WE0080
2084	瓢	53AF	C6B0	E2WF0080
2085	票	53B0	C6B1	E2WG0080
2086	撇	53B1	C6B2	E2WH0080
2087	譬	53B2	C6B3	E2WI0080
2088	拼	53B3	C6B4	E2WJ0080
2089	频	53B4	C6B5	E2WK0080
2090	贫	53B5	C6B6	E2WL0080
2091	品	53B6	C6B7	E2WM0080
2092	聘	53B7	C6B8	E2WN0080
2093	乒	53B8	C6B9	E2WO0080
2094	坪	53B9	C6BA	E2WP0080
2095	苹	53BA	C6BB	E2WQ0080
2096	萍	53BB	C6BC	E2WR0080
2097	平	53BC	C6BD	E2WS0080
2098	凭	53BD	C6BE	E2WT0080
2099	瓶	53BE	C6BF	E2WU0080
2100	评	53BF	C6C0	E2WV0080
2101	屏	53C0	C6C1	E2WW0080
2102	坡	53C1	C6C2	E2WX0080

Line Number	Graphic	Host Code	PC Code	GCGID
2103	泼	53C2	C6C3	E2WY0080
2104	颇	53C3	C6C4	E2WZ0080
2105	婆	53C4	C6C5	E2X00080
2106	破	53C5	C6C6	E2X10080
2107	魄	53C6	C6C7	E2X20080
2108	迫	53C7	C6C8	E2X30080
2109	粕	53C8	C6C9	E2X40080
2110	剖	53C9	C6CA	E2X50080
2111	扑	53CA	C6CB	E2X60080
2112	铺	53CB	C6CC	E2X70080
2113	仆	53CC	C6CD	E2X80080
2114	莆	53CD	C6CE	E2X90080
2115	葡	53CE	C6CF	E2XA0080
2116	菩	53CF	C6D0	E2XB0080
2117	蒲	53D0	C6D1	E2XC0080
2118	埔	53D1	C6D2	E2XD0080
2119	朴	53D2	C6D3	E2XE0080
2120	圃	53D3	C6D4	E2XF0080
2121	普	53D4	C6D5	E2XG0080
2122	浦	53D5	C6D6	E2XH0080
2123	谱	53D6	C6D7	E2XI0080
2124	曝	53D7	C6D8	E2XJ0080
2125	瀑	53D8	C6D9	E2XK0080
2126	期	53D9	C6DA	E2XL0080
2127	欺	53DA	C6DB	E2XM0080
2128	栖	53DB	C6DC	E2XN0080



## IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC

Table 9 (Page 4 of 35). Level 1 Chinese Character Set (2 of 2), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
2129	戚	53DC	C6DD	E2XO0080
2130	妻	53DD	C6DE	E2XP0080
2131	七	53DE	C6DF	E2XQ0080
2132	凄	53DF	C6E0	E2XR0080
2133	漆	53E0	C6E1	E2XS0080
2134	柒	53E1	C6E2	E2XT0080
2135	沏	53E2	C6E3	E2XU0080
2136	其	53E3	C6E4	E2XV0080
2137	棋	53E4	C6E5	E2XW0080
2138	奇	53E5	C6E6	E2XX0080
2139	歧	53E6	C6E7	E2XY0080
2140	畦	53E7	C6E8	E2XZ0080
2141	崎	53E8	C6E9	E2Y00080
2142	脐	53E9	C6EA	E2Y10080
2143	齐	53EA	C6EB	E2Y20080
2144	旗	53EB	C6EC	E2Y30080
2145	祈	53EC	C6ED	E2Y40080
2146	祁	53ED	C6EE	E2Y50080
2147	骑	53EE	C6EF	E2Y60080
2148	起	53EF	C6F0	E2Y70080
2149	岂	53F0	C6F1	E2Y80080
2150	乞	53F1	C6F2	E2Y90080
2151	企	53F2	C6F3	E2YA0080
2152	启	53F3	C6F4	E2YB0080
2153	契	53F4	C6F5	E2YC0080
2154	砌	53F5	C6F6	E2YD0080

Table 9 (Page 4 of 35). Level 1 Chinese Character Set (2 of 2), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
2155	器	53F6	C6F7	E2YE0080
2156	气	53F7	C6F8	E2YF0080
2157	迄	53F8	C6F9	E2YG0080
2158	弃	53F9	C6FA	E2YH0080
2159	汽	53FA	C6FB	E2YI0080
2160	泣	53FB	C6FC	E2YJ0080
2161	讫	53FC	C6FD	E2YK0080
2162	招	53FD	C6FE	E2YL0080
2163	恰	5441	C7A1	E2YP0080
2164	洽	5442	C7A2	E2YQ0080
2165	牵	5443	C7A3	E2YR0080
2166	扞	5444	C7A4	E2YS0080
2167	钎	5445	C7A5	E2YT0080
2168	铅	5446	C7A6	E2YU0080
2169	千	5447	C7A7	E2YV0080
2170	迁	5448	C7A8	E2YW0080
2171	签	5449	C7A9	E2YX0080
2172	仟	544A	C7AA	E2YY0080
2173	谦	544B	C7AB	E2YZ0080
2174	乾	544C	C7AC	E2Z00080
2175	黔	544D	C7AD	E2Z10080
2176	钱	544E	C7AE	E2Z20080
2177	钳	544F	C7AF	E2Z30080
2178	前	5450	C7B0	E2Z40080
2179	潜	5451	C7B1	E2Z50080
2180	遣	5452	C7B2	E2Z60080




## IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC

Line Number	Graphic	Host Code	PC Code	GCGID
2181	浅	5453	C7B3	E2Z70080
2182	遣	5454	C7B4	E2Z80080
2183	堑	5455	C7B5	E2Z90080
2184	嵌	5456	C7B6	E2ZA0080
2185	欠	5457	C7B7	E2ZB0080
2186	歉	5458	C7B8	E2ZC0080
2187	枪	5459	C7B9	E2ZD0080
2188	呛	545A	C7BA	E2ZE0080
2189	腔	545B	C7BB	E2ZF0080
2190	羌	545C	C7BC	E2ZG0080
2191	墙	545D	C7BD	E2ZH0080
2192	蓄	545E	C7BE	E2ZI0080
2193	强	545F	C7BF	E2ZJ0080
2194	抢	5460	C7C0	E2ZK0080
2195	橇	5461	C7C1	E2ZL0080
2196	锹	5462	C7C2	E2ZM0080
2197	敲	5463	C7C3	E2ZN0080
2198	悄	5464	C7C4	E2ZO0080
2199	桥	5465	C7C5	E2ZP0080
2200	瞧	5466	C7C6	E2ZQ0080
2201	乔	5467	C7C7	E2ZR0080
2202	侨	5468	C7C8	E2ZS0080
2203	巧	5469	C7C9	E2ZT0080
2204	鞘	546A	C7CA	E2ZU0080
2205	撬	546B	C7CB	E2ZV0080
2206	翘	546C	C7CC	E2ZW0080

Line Number	Graphic	Host Code	PC Code	GCGID
2207	峭	546D	C7CD	E2ZX0080
2208	俏	546E	C7CE	E2ZY0080
2209	窍	546F	C7CF	E2ZZ0080
2210	切	5470	C7D0	E3000080
2211	茄	5471	C7D1	E3010080
2212	且	5472	C7D2	E3020080
2213	怯	5473	C7D3	E3030080
2214	窃	5474	C7D4	E3040080
2215	钦	5475	C7D5	E3050080
2216	侵	5476	C7D6	E3060080
2217	亲	5477	C7D7	E3070080
2218	秦	5478	C7D8	E3080080
2219	琴	5479	C7D9	E3090080
2220	勤	547A	C7DA	E30A0080
2221	芹	547B	C7DB	E30B0080
2222	擒	547C	C7DC	E30C0080
2223	禽	547D	C7DD	E30D0080
2224	寝	547E	C7DE	E30E0080
2225	沁	547F	C7DF	E30F0080
2226	青	5481	C7E0	E30H0080
2227	轻	5482	C7E1	E30I0080
2228	氢	5483	C7E2	E30J0080
2229	倾	5484	C7E3	E30K0080
2230	卿	5485	C7E4	E30L0080
2231	清	5486	C7E5	E30M0080
2232	擎	5487	C7E6	E30N0080



## IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC

Table 9 (Page 6 of 35). Level 1 Chinese Character Set (2 of 2), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
2233	晴	5488	C7E7	E30O0080
2234	氰	5489	C7E8	E30P0080
2235	情	548A	C7E9	E30Q0080
2236	顷	548B	C7EA	E30R0080
2237	请	548C	C7EB	E30S0080
2238	庆	548D	C7EC	E30T0080
2239	琼	548E	C7ED	E30U0080
2240	穷	548F	C7EE	E30V0080
2241	秋	5490	C7EF	E30W0080
2242	丘	5491	C7F0	E30X0080
2243	邱	5492	C7F1	E30Y0080
2244	球	5493	C7F2	E30Z0080
2245	求	5494	C7F3	E3100080
2246	囚	5495	C7F4	E3110080
2247	酋	5496	C7F5	E3120080
2248	泓	5497	C7F6	E3130080
2249	趋	5498	C7F7	E3140080
2250	区	5499	C7F8	E3150080
2251	蛆	549A	C7F9	E3160080
2252	曲	549B	C7FA	E3170080
2253	躯	549C	C7FB	E3180080
2254	屈	549D	C7FC	E3190080
2255	驱	549E	C7FD	E31A0080
2256	渠	549F	C7FE	E31B0080
2257	取	54A0	C8A1	E31C0080
2258	娶	54A1	C8A2	E31D0080

Table 9 (Page 6 of 35). Level 1 Chinese Character Set (2 of 2), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
2259	龇	54A2	C8A3	E31E0080
2260	趣	54A3	C8A4	E31F0080
2261	去	54A4	C8A5	E31G0080
2262	圉	54A5	C8A6	E31H0080
2263	颧	54A6	C8A7	E31I0080
2264	杈	54A7	C8A8	E31J0080
2265	醛	54A8	C8A9	E31K0080
2266	泉	54A9	C8AA	E31L0080
2267	全	54AA	C8AB	E31M0080
2268	痊	54AB	C8AC	E31N0080
2269	拳	54AC	C8AD	E31O0080
2270	犬	54AD	C8AE	E31P0080
2271	券	54AE	C8AF	E31Q0080
2272	劝	54AF	C8B0	E31R0080
2273	缺	54B0	C8B1	E31S0080
2274	焯	54B1	C8B2	E31T0080
2275	癩	54B2	C8B3	E31U0080
2276	却	54B3	C8B4	E31V0080
2277	鹊	54B4	C8B5	E31W0080
2278	榷	54B5	C8B6	E31X0080
2279	确	54B6	C8B7	E31Y0080
2280	雀	54B7	C8B8	E31Z0080
2281	裙	54B8	C8B9	E3200080
2282	群	54B9	C8BA	E3210080
2283	然	54BA	C8BB	E3220080
2284	燃	54BB	C8BC	E3230080





## IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC

Line Number	Graphic	Host Code	PC Code	GCGID
2285	冉	54BC	C8BD	E3240080
2286	染	54BD	C8BE	E3250080
2287	瓢	54BE	C8BF	E3260080
2288	壤	54BF	C8C0	E3270080
2289	攘	54C0	C8C1	E3280080
2290	嚷	54C1	C8C2	E3290080
2291	让	54C2	C8C3	E32A0080
2292	饶	54C3	C8C4	E32B0080
2293	扰	54C4	C8C5	E32C0080
2294	绕	54C5	C8C6	E32D0080
2295	惹	54C6	C8C7	E32E0080
2296	热	54C7	C8C8	E32F0080
2297	壬	54C8	C8C9	E32G0080
2298	仁	54C9	C8CA	E32H0080
2299	人	54CA	C8CB	E32I0080
2300	忍	54CB	C8CC	E32J0080
2301	韧	54CC	C8CD	E32K0080
2302	任	54CD	C8CE	E32L0080
2303	认	54CE	C8CF	E32M0080
2304	刃	54CF	C8D0	E32N0080
2305	妊	54D0	C8D1	E32O0080
2306	纫	54D1	C8D2	E32P0080
2307	扔	54D2	C8D3	E32Q0080
2308	仍	54D3	C8D4	E32R0080
2309	日	54D4	C8D5	E32S0080
2310	戎	54D5	C8D6	E32T0080

Line Number	Graphic	Host Code	PC Code	GCGID
2311	茸	54D6	C8D7	E32U0080
2312	蓉	54D7	C8D8	E32V0080
2313	荣	54D8	C8D9	E32W0080
2314	融	54D9	C8DA	E32X0080
2315	熔	54DA	C8DB	E32Y0080
2316	溶	54DB	C8DC	E32Z0080
2317	容	54DC	C8DD	E3300080
2318	绒	54DD	C8DE	E3310080
2319	冗	54DE	C8DF	E3320080
2320	揉	54DF	C8E0	E3330080
2321	柔	54E0	C8E1	E3340080
2322	肉	54E1	C8E2	E3350080
2323	茹	54E2	C8E3	E3360080
2324	蠕	54E3	C8E4	E3370080
2325	儒	54E4	C8E5	E3380080
2326	孺	54E5	C8E6	E3390080
2327	如	54E6	C8E7	E33A0080
2328	辱	54E7	C8E8	E33B0080
2329	乳	54E8	C8E9	E33C0080
2330	汝	54E9	C8EA	E33D0080
2331	入	54EA	C8EB	E33E0080
2332	褥	54EB	C8EC	E33F0080
2333	软	54EC	C8ED	E33G0080
2334	阮	54ED	C8EE	E33H0080
2335	蕊	54EE	C8EF	E33I0080
2336	瑞	54EF	C8F0	E33J0080



## IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC

Table 9 (Page 8 of 35). Level 1 Chinese Character Set (2 of 2), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
2337	锐	54F0	C8F1	E33K0080
2338	闰	54F1	C8F2	E33L0080
2339	润	54F2	C8F3	E33M0080
2340	若	54F3	C8F4	E33N0080
2341	弱	54F4	C8F5	E33O0080
2342	撒	54F5	C8F6	E33P0080
2343	洒	54F6	C8F7	E33Q0080
2344	萨	54F7	C8F8	E33R0080
2345	腮	54F8	C8F9	E33S0080
2346	鳃	54F9	C8FA	E33T0080
2347	塞	54FA	C8FB	E33U0080
2348	赛	54FB	C8FC	E33V0080
2349	三	54FC	C8FD	E33W0080
2350	叁	54FD	C8FE	E33X0080
2351	伞	5541	C9A1	E3410080
2352	散	5542	C9A2	E3420080
2353	桑	5543	C9A3	E3430080
2354	嗓	5544	C9A4	E3440080
2355	丧	5545	C9A5	E3450080
2356	搔	5546	C9A6	E3460080
2357	骚	5547	C9A7	E3470080
2358	扫	5548	C9A8	E3480080
2359	嫂	5549	C9A9	E3490080
2360	瑟	554A	C9AA	E34A0080
2361	色	554B	C9AB	E34B0080
2362	涩	554C	C9AC	E34C0080

Table 9 (Page 8 of 35). Level 1 Chinese Character Set (2 of 2), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
2363	森	554D	C9AD	E34D0080
2364	僧	554E	C9AE	E34E0080
2365	莎	554F	C9AF	E34F0080
2366	砂	5550	C9B0	E34G0080
2367	杀	5551	C9B1	E34H0080
2368	刹	5552	C9B2	E34I0080
2369	沙	5553	C9B3	E34J0080
2370	纱	5554	C9B4	E34K0080
2371	傻	5555	C9B5	E34L0080
2372	啥	5556	C9B6	E34M0080
2373	煞	5557	C9B7	E34N0080
2374	筛	5558	C9B8	E34O0080
2375	晒	5559	C9B9	E34P0080
2376	珊	555A	C9BA	E34Q0080
2377	苦	555B	C9BB	E34R0080
2378	杉	555C	C9BC	E34S0080
2379	山	555D	C9BD	E34T0080
2380	删	555E	C9BE	E34U0080
2381	煽	555F	C9BF	E34V0080
2382	衫	5560	C9C0	E34W0080
2383	闪	5561	C9C1	E34X0080
2384	陕	5562	C9C2	E34Y0080
2385	擅	5563	C9C3	E34Z0080
2386	赡	5564	C9C4	E3500080
2387	膳	5565	C9C5	E3510080
2388	善	5566	C9C6	E3520080



## IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC

Line Number	Graphic	Host Code	PC Code	GCGID
2389	汕	5567	C9C7	E3530080
2390	扇	5568	C9C8	E3540080
2391	缮	5569	C9C9	E3550080
2392	摘	556A	C9CA	E3560080
2393	伤	556B	C9CB	E3570080
2394	商	556C	C9CC	E3580080
2395	赏	556D	C9CD	E3590080
2396	晌	556E	C9CE	E35A0080
2397	上	556F	C9CF	E35B0080
2398	尚	5570	C9D0	E35C0080
2399	裳	5571	C9D1	E35D0080
2400	梢	5572	C9D2	E35E0080
2401	捎	5573	C9D3	E35F0080
2402	稍	5574	C9D4	E35G0080
2403	烧	5575	C9D5	E35H0080
2404	芍	5576	C9D6	E35I0080
2405	勺	5577	C9D7	E35J0080
2406	韶	5578	C9D8	E35K0080
2407	少	5579	C9D9	E35L0080
2408	哨	557A	C9DA	E35M0080
2409	邵	557B	C9DB	E35N0080
2410	绍	557C	C9DC	E35O0080
2411	奢	557D	C9DD	E35P0080
2412	赊	557E	C9DE	E35Q0080
2413	蛇	557F	C9DF	E35R0080
2414	舌	5581	C9E0	E35T0080

Line Number	Graphic	Host Code	PC Code	GCGID
2415	舍	5582	C9E1	E35U0080
2416	赦	5583	C9E2	E35V0080
2417	摄	5584	C9E3	E35W0080
2418	射	5585	C9E4	E35X0080
2419	慑	5586	C9E5	E35Y0080
2420	涉	5587	C9E6	E35Z0080
2421	社	5588	C9E7	E3600080
2422	设	5589	C9E8	E3610080
2423	砷	558A	C9E9	E3620080
2424	申	558B	C9EA	E3630080
2425	呻	558C	C9EB	E3640080
2426	伸	558D	C9EC	E3650080
2427	身	558E	C9ED	E3660080
2428	深	558F	C9EE	E3670080
2429	娠	5590	C9EF	E3680080
2430	绅	5591	C9F0	E3690080
2431	神	5592	C9F1	E36A0080
2432	沈	5593	C9F2	E36B0080
2433	审	5594	C9F3	E36C0080
2434	婶	5595	C9F4	E36D0080
2435	甚	5596	C9F5	E36E0080
2436	肾	5597	C9F6	E36F0080
2437	慎	5598	C9F7	E36G0080
2438	渗	5599	C9F8	E36H0080
2439	声	559A	C9F9	E36I0080
2440	生	559B	C9FA	E36J0080



## IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC

Table 9 (Page 10 of 35). Level 1 Chinese Character Set (2 of 2), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
2441	甥	559C	C9FB	E36K0080
2442	牲	559D	C9FC	E36L0080
2443	升	559E	C9FD	E36M0080
2444	绳	559F	C9FE	E36N0080
2445	省	55A0	CAA1	E36O0080
2446	盛	55A1	CAA2	E36P0080
2447	剩	55A2	CAA3	E36Q0080
2448	胜	55A3	CAA4	E36R0080
2449	圣	55A4	CAA5	E36S0080
2450	师	55A5	CAA6	E36T0080
2451	失	55A6	CAA7	E36U0080
2452	狮	55A7	CAA8	E36V0080
2453	施	55A8	CAA9	E36W0080
2454	湿	55A9	CAAA	E36X0080
2455	诗	55AA	CAAB	E36Y0080
2456	尸	55AB	CAAC	E36Z0080
2457	虱	55AC	CAAD	E3700080
2458	十	55AD	CAAE	E3710080
2459	石	55AE	CAAF	E3720080
2460	拾	55AF	CAB0	E3730080
2461	时	55B0	CAB1	E3740080
2462	什	55B1	CAB2	E3750080
2463	食	55B2	CAB3	E3760080
2464	蚀	55B3	CAB4	E3770080
2465	实	55B4	CAB5	E3780080
2466	识	55B5	CAB6	E3790080

Table 9 (Page 10 of 35). Level 1 Chinese Character Set (2 of 2), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
2467	史	55B6	CAB7	E37A0080
2468	矢	55B7	CAB8	E37B0080
2469	使	55B8	CAB9	E37C0080
2470	屎	55B9	CABA	E37D0080
2471	驶	55BA	CABB	E37E0080
2472	始	55BB	CABC	E37F0080
2473	式	55BC	CABD	E37G0080
2474	示	55BD	CABE	E37H0080
2475	士	55BE	CABF	E37I0080
2476	世	55BF	CAC0	E37J0080
2477	柿	55C0	CAC1	E37K0080
2478	事	55C1	CAC2	E37L0080
2479	拭	55C2	CAC3	E37M0080
2480	誓	55C3	CAC4	E37N0080
2481	逝	55C4	CAC5	E37O0080
2482	势	55C5	CAC6	E37P0080
2483	是	55C6	CAC7	E37Q0080
2484	嗜	55C7	CAC8	E37R0080
2485	噬	55C8	CAC9	E37S0080
2486	适	55C9	CACA	E37T0080
2487	仕	55CA	CACB	E37U0080
2488	侍	55CB	CACC	E37V0080
2489	释	55CC	CACD	E37W0080
2490	饰	55CD	CACE	E37X0080
2491	氏	55CE	CACF	E37Y0080
2492	市	55CF	CAD0	E37Z0080



## IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC

Line Number	Graphic	Host Code	PC Code	GCGID
2493	恃	55D0	CAD1	E3800080
2494	室	55D1	CAD2	E3810080
2495	视	55D2	CAD3	E3820080
2496	试	55D3	CAD4	E3830080
2497	收	55D4	CAD5	E3840080
2498	手	55D5	CAD6	E3850080
2499	首	55D6	CAD7	E3860080
2500	守	55D7	CAD8	E3870080
2501	寿	55D8	CAD9	E3880080
2502	授	55D9	CADA	E3890080
2503	售	55DA	CADB	E38A0080
2504	受	55DB	CADC	E38B0080
2505	瘦	55DC	CADD	E38C0080
2506	兽	55DD	CADE	E38D0080
2507	蔬	55DE	CADF	E38E0080
2508	枢	55DF	CAE0	E38F0080
2509	梳	55E0	CAE1	E38G0080
2510	殊	55E1	CAE2	E38H0080
2511	抒	55E2	CAE3	E38I0080
2512	输	55E3	CAE4	E38J0080
2513	叔	55E4	CAE5	E38K0080
2514	舒	55E5	CAE6	E38L0080
2515	淑	55E6	CAE7	E38M0080
2516	疏	55E7	CAE8	E38N0080
2517	书	55E8	CAE9	E38O0080
2518	赎	55E9	CAEA	E38P0080

Line Number	Graphic	Host Code	PC Code	GCGID
2519	孰	55EA	CAEB	E38Q0080
2520	熟	55EB	CAEC	E38R0080
2521	薯	55EC	CAED	E38S0080
2522	暑	55ED	CAEE	E38T0080
2523	曙	55EE	CAEF	E38U0080
2524	署	55EF	CAF0	E38V0080
2525	蜀	55F0	CAF1	E38W0080
2526	黍	55F1	CAF2	E38X0080
2527	鼠	55F2	CAF3	E38Y0080
2528	属	55F3	CAF4	E38Z0080
2529	术	55F4	CAF5	E3900080
2530	述	55F5	CAF6	E3910080
2531	树	55F6	CAF7	E3920080
2532	束	55F7	CAF8	E3930080
2533	戍	55F8	CAF9	E3940080
2534	竖	55F9	CAFA	E3950080
2535	墅	55FA	CAFB	E3960080
2536	庶	55FB	CAFC	E3970080
2537	数	55FC	CAFD	E3980080
2538	漱	55FD	CAFE	E3990080
2539	恕	5641	CBA1	E39D0080
2540	刷	5642	CBA2	E39E0080
2541	耍	5643	CBA3	E39F0080
2542	摔	5644	CBA4	E39G0080
2543	衰	5645	CBA5	E39H0080
2544	甩	5646	CBA6	E39I0080



## IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC

Table 9 (Page 12 of 35). Level 1 Chinese Character Set (2 of 2), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
2545	帅	5647	CBA7	E39J0080
2546	栓	5648	CBA8	E39K0080
2547	拴	5649	CBA9	E39L0080
2548	霜	564A	CBAA	E39M0080
2549	双	564B	CBAB	E39N0080
2550	爽	564C	CBAC	E39O0080
2551	谁	564D	CBAD	E39P0080
2552	水	564E	CBAE	E39Q0080
2553	睡	564F	CBAF	E39R0080
2554	税	5650	CBB0	E39S0080
2555	吮	5651	CBB1	E39T0080
2556	瞬	5652	CBB2	E39U0080
2557	顺	5653	CBB3	E39V0080
2558	舜	5654	CBB4	E39W0080
2559	说	5655	CBB5	E39X0080
2560	硕	5656	CBB6	E39Y0080
2561	朔	5657	CBB7	E39Z0080
2562	烁	5658	CBB8	E3A00080
2563	斯	5659	CBB9	E3A10080
2564	撕	565A	CBBA	E3A20080
2565	嘶	565B	CBBB	E3A30080
2566	思	565C	CBBC	E3A40080
2567	私	565D	CBBD	E3A50080
2568	司	565E	CBBE	E3A60080
2569	丝	565F	CBBF	E3A70080
2570	死	5660	CBC0	E3A80080

Table 9 (Page 12 of 35). Level 1 Chinese Character Set (2 of 2), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
2571	肆	5661	CBC1	E3A90080
2572	寺	5662	CBC2	E3AA0080
2573	嗣	5663	CBC3	E3AB0080
2574	四	5664	CBC4	E3AC0080
2575	伺	5665	CBC5	E3AD0080
2576	似	5666	CBC6	E3AE0080
2577	饲	5667	CBC7	E3AF0080
2578	巳	5668	CBC8	E3AG0080
2579	松	5669	CBC9	E3AH0080
2580	耸	566A	CBCA	E3AI0080
2581	忞	566B	CBCB	E3AJ0080
2582	颂	566C	CBCC	E3AK0080
2583	送	566D	CBCD	E3AL0080
2584	宋	566E	CBCE	E3AM0080
2585	讼	566F	CBCF	E3AN0080
2586	诵	5670	CBD0	E3AO0080
2587	搜	5671	CBD1	E3AP0080
2588	艘	5672	CBD2	E3AQ0080
2589	擞	5673	CBD3	E3AR0080
2590	嗽	5674	CBD4	E3AS0080
2591	苏	5675	CBD5	E3AT0080
2592	酥	5676	CBD6	E3AU0080
2593	俗	5677	CBD7	E3AV0080
2594	素	5678	CBD8	E3AW0080
2595	速	5679	CBD9	E3AX0080
2596	粟	567A	CBDA	E3AY0080



## IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC

Line Number	Graphic	Host Code	PC Code	GCGID
2597	儻	567B	CBDB	E3AZ0080
2598	塑	567C	CBDC	E3B00080
2599	溯	567D	CBDD	E3B10080
2600	宿	567E	CBDE	E3B20080
2601	诉	567F	CBDF	E3B30080
2602	肃	5681	CBE0	E3B50080
2603	酸	5682	CBE1	E3B60080
2604	蒜	5683	CBE2	E3B70080
2605	算	5684	CBE3	E3B80080
2606	虽	5685	CBE4	E3B90080
2607	隋	5686	CBE5	E3BA0080
2608	随	5687	CBE6	E3BB0080
2609	绥	5688	CBE7	E3BC0080
2610	髓	5689	CBE8	E3BD0080
2611	碎	568A	CBE9	E3BE0080
2612	岁	568B	CBEA	E3BF0080
2613	穗	568C	CBEB	E3BG0080
2614	遂	568D	CBEC	E3BH0080
2615	隧	568E	CBED	E3BI0080
2616	崇	568F	CBEE	E3BJ0080
2617	孙	5690	CBEF	E3BK0080
2618	损	5691	CBF0	E3BL0080
2619	笋	5692	CBF1	E3BM0080
2620	蓑	5693	CBF2	E3BN0080
2621	梭	5694	CBF3	E3BO0080
2622	唆	5695	CBF4	E3BP0080

Line Number	Graphic	Host Code	PC Code	GCGID
2623	缩	5696	CBF5	E3BQ0080
2624	琐	5697	CBF6	E3BR0080
2625	索	5698	CBF7	E3BS0080
2626	锁	5699	CBF8	E3BT0080
2627	所	569A	CBF9	E3BU0080
2628	塌	569B	CBFA	E3BV0080
2629	他	569C	CBFB	E3BW0080
2630	它	569D	CBFC	E3BX0080
2631	她	569E	CBFD	E3BY0080
2632	塔	569F	CBFE	E3BZ0080
2633	獭	56A0	CCA1	E3C00080
2634	挞	56A1	CCA2	E3C10080
2635	蹋	56A2	CCA3	E3C20080
2636	踏	56A3	CCA4	E3C30080
2637	胎	56A4	CCA5	E3C40080
2638	苔	56A5	CCA6	E3C50080
2639	抬	56A6	CCA7	E3C60080
2640	台	56A7	CCA8	E3C70080
2641	泰	56A8	CCA9	E3C80080
2642	酖	56A9	CCAA	E3C90080
2643	太	56AA	CCAB	E3CA0080
2644	恣	56AB	CCAC	E3CB0080
2645	汰	56AC	CCAD	E3CC0080
2646	坍	56AD	CCAE	E3CD0080
2647	摊	56AE	CCAF	E3CE0080
2648	贪	56AF	CCB0	E3CF0080



## IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC

Table 9 (Page 14 of 35). Level 1 Chinese Character Set (2 of 2), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
2649	瘫	56B0	CCB1	E3CG0080
2650	滩	56B1	CCB2	E3CH0080
2651	坛	56B2	CCB3	E3CI0080
2652	檀	56B3	CCB4	E3CJ0080
2653	痰	56B4	CCB5	E3CK0080
2654	潭	56B5	CCB6	E3CL0080
2655	谭	56B6	CCB7	E3CM0080
2656	谈	56B7	CCB8	E3CN0080
2657	坦	56B8	CCB9	E3CO0080
2658	毯	56B9	CCBA	E3CP0080
2659	袒	56BA	CCBB	E3CQ0080
2660	碳	56BB	CCBC	E3CR0080
2661	探	56BC	CCBD	E3CS0080
2662	叹	56BD	CCBE	E3CT0080
2663	炭	56BE	CCBF	E3CU0080
2664	汤	56BF	CCC0	E3CV0080
2665	塘	56C0	CCC1	E3CW0080
2666	搪	56C1	CCC2	E3CX0080
2667	堂	56C2	CCC3	E3CY0080
2668	棠	56C3	CCC4	E3CZ0080
2669	膛	56C4	CCC5	E3D00080
2670	唐	56C5	CCC6	E3D10080
2671	糖	56C6	CCC7	E3D20080
2672	倘	56C7	CCC8	E3D30080
2673	躺	56C8	CCC9	E3D40080
2674	淌	56C9	CCCA	E3D50080

Table 9 (Page 14 of 35). Level 1 Chinese Character Set (2 of 2), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
2675	趟	56CA	CCCB	E3D60080
2676	烫	56CB	CCCC	E3D70080
2677	掏	56CC	CCCD	E3D80080
2678	涛	56CD	CCCE	E3D90080
2679	滔	56CE	CCCF	E3DA0080
2680	绦	56CF	CCD0	E3DB0080
2681	荀	56D0	CCD1	E3DC0080
2682	桃	56D1	CCD2	E3DD0080
2683	逃	56D2	CCD3	E3DE0080
2684	淘	56D3	CCD4	E3DF0080
2685	陶	56D4	CCD5	E3DG0080
2686	讨	56D5	CCD6	E3DH0080
2687	套	56D6	CCD7	E3DI0080
2688	特	56D7	CCD8	E3DJ0080
2689	藤	56D8	CCD9	E3DK0080
2690	腾	56D9	CCDA	E3DL0080
2691	疼	56DA	CCDB	E3DM0080
2692	誉	56DB	CCDC	E3DN0080
2693	梯	56DC	CCDD	E3DO0080
2694	剔	56DD	CCDE	E3DP0080
2695	踢	56DE	CCDF	E3DQ0080
2696	锒	56DF	CCE0	E3DR0080
2697	提	56E0	CCE1	E3DS0080
2698	题	56E1	CCE2	E3DT0080
2699	蹄	56E2	CCE3	E3DU0080
2700	啼	56E3	CCE4	E3DV0080





## IBM Simplified Chinese Graphic Character Set


DBCS-Host and DBCS-PC

Table 9 (Page 15 of 35). Level 1 Chinese Character Set (2 of 2), DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
2701	体	56E4	CCE5	E3DW0080
2702	替	56E5	CCE6	E3DX0080
2703	嚏	56E6	CCE7	E3DY0080
2704	惕	56E7	CCE8	E3DZ0080
2705	涕	56E8	CCE9	E3E00080
2706	荆	56E9	CCEA	E3E10080
2707	屈	56EA	CCEB	E3E20080
2708	天	56EB	CCEC	E3E30080
2709	添	56EC	CCED	E3E40080
2710	填	56ED	CCEE	E3E50080
2711	田	56EE	CCEF	E3E60080
2712	甜	56EF	CCF0	E3E70080
2713	恬	56F0	CCF1	E3E80080
2714	舔	56F1	CCF2	E3E90080
2715	腆	56F2	CCF3	E3EA0080
2716	挑	56F3	CCF4	E3EB0080
2717	条	56F4	CCF5	E3EC0080
2718	迢	56F5	CCF6	E3ED0080
2719	眺	56F6	CCF7	E3EE0080
2720	跳	56F7	CCF8	E3EF0080
2721	贴	56F8	CCF9	E3EG0080
2722	铁	56F9	CCFA	E3EH0080
2723	帖	56FA	CCFB	E3EI0080
2724	厅	56FB	CCFC	E3EJ0080
2725	听	56FC	CCFD	E3EK0080
2726	炅	56FD	CCFE	E3EL0080

Table 9 (Page 15 of 35). Level 1 Chinese Character Set (2 of 2), DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
2727	汀	5741	CDA1	E3EP0080
2728	廷	5742	CDA2	E3EQ0080
2729	停	5743	CDA3	E3ER0080
2730	亭	5744	CDA4	E3ES0080
2731	庭	5745	CDA5	E3ET0080
2732	挺	5746	CDA6	E3EU0080
2733	艇	5747	CDA7	E3EV0080
2734	通	5748	CDA8	E3EW0080
2735	桐	5749	CDA9	E3EX0080
2736	酮	574A	CDAA	E3EY0080
2737	瞳	574B	CDAB	E3EZ0080
2738	同	574C	CDAC	E3F00080
2739	铜	574D	CDAD	E3F10080
2740	彤	574E	CDAE	E3F20080
2741	童	574F	CDAF	E3F30080
2742	桶	5750	CDB0	E3F40080
2743	捅	5751	CDB1	E3F50080
2744	筒	5752	CDB2	E3F60080
2745	统	5753	CDB3	E3F70080
2746	痛	5754	CDB4	E3F80080
2747	偷	5755	CDB5	E3F90080
2748	投	5756	CDB6	E3FA0080
2749	头	5757	CDB7	E3FB0080
2750	透	5758	CDB8	E3FC0080
2751	凸	5759	CDB9	E3FD0080
2752	秃	575A	CDBA	E3FE0080




## IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC

Table 9 (Page 16 of 35). Level 1 Chinese Character Set (2 of 2), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
2753	突	575B	CDBB	E3FF0080
2754	图	575C	CDBC	E3FG0080
2755	徒	575D	CDBD	E3FH0080
2756	途	575E	CDBE	E3FI0080
2757	涂	575F	CDBF	E3FJ0080
2758	屠	5760	CDC0	E3FK0080
2759	土	5761	CDC1	E3FL0080
2760	吐	5762	CDC2	E3FM0080
2761	兔	5763	CDC3	E3FN0080
2762	湍	5764	CDC4	E3FO0080
2763	团	5765	CDC5	E3FP0080
2764	推	5766	CDC6	E3FQ0080
2765	颓	5767	CDC7	E3FR0080
2766	腿	5768	CDC8	E3FS0080
2767	蜕	5769	CDC9	E3FT0080
2768	褪	576A	CDCA	E3FU0080
2769	退	576B	CDCB	E3FV0080
2770	吞	576C	CDCC	E3FW0080
2771	屯	576D	CDCD	E3FX0080
2772	臀	576E	CDCE	E3FY0080
2773	拖	576F	CDCF	E3FZ0080
2774	托	5770	CDD0	E3G00080
2775	脱	5771	CDD1	E3G10080
2776	鸵	5772	CDD2	E3G20080
2777	陀	5773	CDD3	E3G30080
2778	驮	5774	CDD4	E3G40080

Table 9 (Page 16 of 35). Level 1 Chinese Character Set (2 of 2), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
2779	驼	5775	CDD5	E3G50080
2780	橢	5776	CDD6	E3G60080
2781	妥	5777	CDD7	E3G70080
2782	拓	5778	CDD8	E3G80080
2783	唾	5779	CDD9	E3G90080
2784	挖	577A	CDDA	E3GA0080
2785	哇	577B	CDDB	E3GB0080
2786	蛙	577C	CDDC	E3GC0080
2787	洼	577D	CDDD	E3GD0080
2788	娃	577E	CDDE	E3GE0080
2789	瓦	577F	CDDF	E3GF0080
2790	袜	5781	CDE0	E3GH0080
2791	歪	5782	CDE1	E3GI0080
2792	外	5783	CDE2	E3GJ0080
2793	腕	5784	CDE3	E3GK0080
2794	弯	5785	CDE4	E3GL0080
2795	湾	5786	CDE5	E3GM0080
2796	玩	5787	CDE6	E3GN0080
2797	顽	5788	CDE7	E3GO0080
2798	丸	5789	CDE8	E3GP0080
2799	烷	578A	CDE9	E3GQ0080
2800	完	578B	CDEA	E3GR0080
2801	碗	578C	CDEB	E3GS0080
2802	挽	578D	CDEC	E3GT0080
2803	晚	578E	CDED	E3GU0080
2804	皖	578F	CDEE	E3GV0080



## IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC

Table 9 (Page 17 of 35). Level 1 Chinese Character Set (2 of 2), DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
2805	惋	5790	CDEF	E3GW0080
2806	宛	5791	CDF0	E3GX0080
2807	婉	5792	CDF1	E3GY0080
2808	万	5793	CDF2	E3GZ0080
2809	腕	5794	CDF3	E3H00080
2810	汪	5795	CDF4	E3H10080
2811	王	5796	CDF5	E3H20080
2812	亡	5797	CDF6	E3H30080
2813	枉	5798	CDF7	E3H40080
2814	网	5799	CDF8	E3H50080
2815	往	579A	CDF9	E3H60080
2816	旺	579B	CDFA	E3H70080
2817	望	579C	CDFB	E3H80080
2818	忘	579D	CDFC	E3H90080
2819	妄	579E	CDFD	E3HA0080
2820	威	579F	CDFE	E3HB0080
2821	巍	57A0	CEA1	E3HC0080
2822	微	57A1	CEA2	E3HD0080
2823	危	57A2	CEA3	E3HE0080
2824	韦	57A3	CEA4	E3HF0080
2825	违	57A4	CEA5	E3HG0080
2826	桅	57A5	CEA6	E3HH0080
2827	围	57A6	CEA7	E3HI0080
2828	唯	57A7	CEA8	E3HJ0080
2829	惟	57A8	CEA9	E3HK0080
2830	为	57A9	CEAA	E3HL0080

Table 9 (Page 17 of 35). Level 1 Chinese Character Set (2 of 2), DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
2831	潍	57AA	CEAB	E3HM0080
2832	维	57AB	CEAC	E3HN0080
2833	苇	57AC	CEAD	E3HO0080
2834	萎	57AD	CEAE	E3HP0080
2835	委	57AE	CEAF	E3HQ0080
2836	伟	57AF	CEB0	E3HR0080
2837	伪	57B0	CEB1	E3HS0080
2838	尾	57B1	CEB2	E3HT0080
2839	纬	57B2	CEB3	E3HU0080
2840	未	57B3	CEB4	E3HV0080
2841	蔚	57B4	CEB5	E3HW0080
2842	味	57B5	CEB6	E3HX0080
2843	畏	57B6	CEB7	E3HY0080
2844	胃	57B7	CEB8	E3HZ0080
2845	喂	57B8	CEB9	E3I00080
2846	魏	57B9	CEBA	E3I10080
2847	位	57BA	CEBB	E3I20080
2848	渭	57BB	CEBC	E3I30080
2849	谓	57BC	CEBD	E3I40080
2850	尉	57BD	CEBE	E3I50080
2851	慰	57BE	CEBF	E3I60080
2852	卫	57BF	CEC0	E3I70080
2853	瘟	57C0	CEC1	E3I80080
2854	温	57C1	CEC2	E3I90080
2855	蚊	57C2	CEC3	E3IA0080
2856	文	57C3	CEC4	E3IB0080



## IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC

Table 9 (Page 18 of 35). Level 1 Chinese Character Set (2 of 2), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
2857	闻	57C4	CEC5	E3IC0080
2858	纹	57C5	CEC6	E3ID0080
2859	吻	57C6	CEC7	E3IE0080
2860	稳	57C7	CEC8	E3IF0080
2861	紊	57C8	CEC9	E3IG0080
2862	问	57C9	CECA	E3IH0080
2863	喻	57CA	CECB	E3II0080
2864	翁	57CB	CECC	E3IJ0080
2865	瓮	57CC	CECD	E3IK0080
2866	挝	57CD	CECE	E3IL0080
2867	蜗	57CE	CECF	E3IM0080
2868	涡	57CF	CED0	E3IN0080
2869	窝	57D0	CED1	E3IO0080
2870	我	57D1	CED2	E3IP0080
2871	斡	57D2	CED3	E3IQ0080
2872	卧	57D3	CED4	E3IR0080
2873	握	57D4	CED5	E3IS0080
2874	沃	57D5	CED6	E3IT0080
2875	巫	57D6	CED7	E3IU0080
2876	呜	57D7	CED8	E3IV0080
2877	鸩	57D8	CED9	E3IW0080
2878	乌	57D9	CEDA	E3IX0080
2879	污	57DA	CEDB	E3IY0080
2880	诬	57DB	CEDC	E3IZ0080
2881	屋	57DC	CEDD	E3J00080
2882	无	57DD	CEDE	E3J10080

Table 9 (Page 18 of 35). Level 1 Chinese Character Set (2 of 2), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
2883	芜	57DE	CEDF	E3J20080
2884	梧	57DF	CEE0	E3J30080
2885	吾	57E0	CEE1	E3J40080
2886	吴	57E1	CEE2	E3J50080
2887	毋	57E2	CEE3	E3J60080
2888	武	57E3	CEE4	E3J70080
2889	五	57E4	CEE5	E3J80080
2890	捂	57E5	CEE6	E3J90080
2891	午	57E6	CEE7	E3JA0080
2892	舞	57E7	CEE8	E3JB0080
2893	伍	57E8	CEE9	E3JC0080
2894	侮	57E9	CEEA	E3JD0080
2895	坞	57EA	CEEB	E3JE0080
2896	戊	57EB	CEEC	E3JF0080
2897	雾	57EC	CEED	E3JG0080
2898	晤	57ED	CEEE	E3JH0080
2899	物	57EE	CEEF	E3JI0080
2900	勿	57EF	CEF0	E3JJ0080
2901	务	57F0	CEF1	E3JK0080
2902	悟	57F1	CEF2	E3JL0080
2903	误	57F2	CEF3	E3JM0080
2904	昔	57F3	CEF4	E3JN0080
2905	熙	57F4	CEF5	E3JO0080
2906	析	57F5	CEF6	E3JP0080
2907	西	57F6	CEF7	E3JQ0080
2908	晒	57F7	CEF8	E3JR0080



## IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC

Table 9 (Page 19 of 35). Level 1 Chinese Character Set (2 of 2), DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
2909	矽	57F8	CEF9	E3JS0080
2910	晰	57F9	CEFA	E3JT0080
2911	嘻	57FA	CEFB	E3JU0080
2912	吸	57FB	CEFC	E3JV0080
2913	锡	57FC	CEFD	E3JW0080
2914	牺	57FD	CEFE	E3JX0080
2915	稀	5841	CFA1	E3K10080
2916	息	5842	CFA2	E3K20080
2917	希	5843	CFA3	E3K30080
2918	悉	5844	CFA4	E3K40080
2919	膝	5845	CFA5	E3K50080
2920	夕	5846	CFA6	E3K60080
2921	惜	5847	CFA7	E3K70080
2922	熄	5848	CFA8	E3K80080
2923	烯	5849	CFA9	E3K90080
2924	溪	584A	CFAA	E3KA0080
2925	汐	584B	CFAB	E3KB0080
2926	犀	584C	CFAC	E3KC0080
2927	檄	584D	CFAD	E3KD0080
2928	袭	584E	CFAE	E3KE0080
2929	席	584F	CFAF	E3KF0080
2930	习	5850	CFB0	E3KG0080
2931	媳	5851	CFB1	E3KH0080
2932	喜	5852	CFB2	E3KI0080
2933	铣	5853	CFB3	E3KJ0080
2934	洗	5854	CFB4	E3KK0080

Table 9 (Page 19 of 35). Level 1 Chinese Character Set (2 of 2), DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
2935	系	5855	CFB5	E3KL0080
2936	隙	5856	CFB6	E3KM0080
2937	戏	5857	CFB7	E3KN0080
2938	细	5858	CFB8	E3KO0080
2939	瞎	5859	CFB9	E3KP0080
2940	虾	585A	CFBA	E3KQ0080
2941	匣	585B	CFBB	E3KR0080
2942	霞	585C	CFBC	E3KS0080
2943	辖	585D	CFBD	E3KT0080
2944	暇	585E	CFBE	E3KU0080
2945	峡	585F	CFBF	E3KV0080
2946	侠	5860	CFC0	E3KW0080
2947	狭	5861	CFC1	E3KX0080
2948	下	5862	CFC2	E3KY0080
2949	厦	5863	CFC3	E3KZ0080
2950	夏	5864	CFC4	E3L00080
2951	吓	5865	CFC5	E3L10080
2952	掀	5866	CFC6	E3L20080
2953	锨	5867	CFC7	E3L30080
2954	先	5868	CFC8	E3L40080
2955	仙	5869	CFC9	E3L50080
2956	鲜	586A	CFCA	E3L60080
2957	纤	586B	CFCB	E3L70080
2958	咸	586C	CFCC	E3L80080
2959	贤	586D	CFCD	E3L90080
2960	衔	586E	CFCE	E3LA0080



## IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC

Table 9 (Page 20 of 35). Level 1 Chinese Character Set (2 of 2), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
2961	舷	586F	CFCF	E3LB0080
2962	闲	5870	CFD0	E3LC0080
2963	涎	5871	CFD1	E3LD0080
2964	弦	5872	CFD2	E3LE0080
2965	嫌	5873	CFD3	E3LF0080
2966	显	5874	CFD4	E3LG0080
2967	险	5875	CFD5	E3LH0080
2968	现	5876	CFD6	E3LI0080
2969	献	5877	CFD7	E3LJ0080
2970	县	5878	CFD8	E3LK0080
2971	腺	5879	CFD9	E3LL0080
2972	馅	587A	CFDA	E3LM0080
2973	羨	587B	CFDB	E3LN0080
2974	宪	587C	CFDC	E3LO0080
2975	陷	587D	CFDD	E3LP0080
2976	限	587E	CFDE	E3LQ0080
2977	线	587F	CFDF	E3LR0080
2978	相	5881	CFE0	E3LT0080
2979	厢	5882	CFE1	E3LU0080
2980	镶	5883	CFE2	E3LV0080
2981	香	5884	CFE3	E3LW0080
2982	箱	5885	CFE4	E3LX0080
2983	襄	5886	CFE5	E3LY0080
2984	湘	5887	CFE6	E3LZ0080
2985	乡	5888	CFE7	E3M00080
2986	翔	5889	CFE8	E3M10080

Table 9 (Page 20 of 35). Level 1 Chinese Character Set (2 of 2), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
2987	祥	588A	CFE9	E3M20080
2988	详	588B	CFEA	E3M30080
2989	想	588C	CFEB	E3M40080
2990	响	588D	CFEC	E3M50080
2991	享	588E	CFED	E3M60080
2992	项	588F	CFEE	E3M70080
2993	巷	5890	CFEF	E3M80080
2994	橡	5891	CFF0	E3M90080
2995	像	5892	CFF1	E3MA0080
2996	向	5893	CFF2	E3MB0080
2997	象	5894	CFF3	E3MC0080
2998	萧	5895	CFF4	E3MD0080
2999	硝	5896	CFF5	E3ME0080
3000	霄	5897	CFF6	E3MF0080
3001	削	5898	CFF7	E3MG0080
3002	哮	5899	CFF8	E3MH0080
3003	嚣	589A	CFF9	E3MI0080
3004	销	589B	CFFA	E3MJ0080
3005	消	589C	CFFB	E3MK0080
3006	宵	589D	CFFC	E3ML0080
3007	淆	589E	CFFD	E3MM0080
3008	晓	589F	CFFE	E3MN0080
3009	小	58A0	D0A1	E3MO0080
3010	孝	58A1	D0A2	E3MP0080
3011	校	58A2	D0A3	E3MQ0080
3012	肖	58A3	D0A4	E3MR0080



## IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC

Table 9 (Page 21 of 35). Level 1 Chinese Character Set (2 of 2), DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
3013	啸	58A4	D0A5	E3MS0080
3014	笑	58A5	D0A6	E3MT0080
3015	效	58A6	D0A7	E3MU0080
3016	楔	58A7	D0A8	E3MV0080
3017	些	58A8	D0A9	E3MW0080
3018	歇	58A9	D0AA	E3MX0080
3019	蝎	58AA	D0AB	E3MY0080
3020	鞋	58AB	D0AC	E3MZ0080
3021	协	58AC	D0AD	E3N00080
3022	挟	58AD	D0AE	E3N10080
3023	携	58AE	D0AF	E3N20080
3024	邪	58AF	D0B0	E3N30080
3025	斜	58B0	D0B1	E3N40080
3026	胁	58B1	D0B2	E3N50080
3027	谐	58B2	D0B3	E3N60080
3028	写	58B3	D0B4	E3N70080
3029	械	58B4	D0B5	E3N80080
3030	卸	58B5	D0B6	E3N90080
3031	蟹	58B6	D0B7	E3NA0080
3032	懈	58B7	D0B8	E3NB0080
3033	泄	58B8	D0B9	E3NC0080
3034	泻	58B9	D0BA	E3ND0080
3035	谢	58BA	D0BB	E3NE0080
3036	屑	58BB	D0BC	E3NF0080
3037	薪	58BC	D0BD	E3NG0080
3038	芯	58BD	D0BE	E3NH0080

Table 9 (Page 21 of 35). Level 1 Chinese Character Set (2 of 2), DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
3039	锌	58BE	D0BF	E3NI0080
3040	欣	58BF	D0C0	E3NJ0080
3041	辛	58C0	D0C1	E3NK0080
3042	新	58C1	D0C2	E3NL0080
3043	忻	58C2	D0C3	E3NM0080
3044	心	58C3	D0C4	E3NN0080
3045	信	58C4	D0C5	E3NO0080
3046	衅	58C5	D0C6	E3NP0080
3047	星	58C6	D0C7	E3NQ0080
3048	腥	58C7	D0C8	E3NR0080
3049	猩	58C8	D0C9	E3NS0080
3050	惺	58C9	D0CA	E3NT0080
3051	兴	58CA	D0CB	E3NU0080
3052	刑	58CB	D0CC	E3NV0080
3053	型	58CC	D0CD	E3NW0080
3054	形	58CD	D0CE	E3NX0080
3055	邢	58CE	D0CF	E3NY0080
3056	行	58CF	D0D0	E3NZ0080
3057	醒	58D0	D0D1	E3O00080
3058	幸	58D1	D0D2	E3O10080
3059	杏	58D2	D0D3	E3O20080
3060	性	58D3	D0D4	E3O30080
3061	姓	58D4	D0D5	E3O40080
3062	兄	58D5	D0D6	E3O50080
3063	凶	58D6	D0D7	E3O60080
3064	胸	58D7	D0D8	E3O70080



## IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC

Table 9 (Page 22 of 35). Level 1 Chinese Character Set (2 of 2), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
3065	匈	58D8	D0D9	E3O80080
3066	汹	58D9	D0DA	E3O90080
3067	雄	58DA	D0DB	E3OA0080
3068	熊	58DB	D0DC	E3OB0080
3069	休	58DC	D0DD	E3OC0080
3070	修	58DD	D0DE	E3OD0080
3071	羞	58DE	D0DF	E3OE0080
3072	朽	58DF	D0E0	E3OF0080
3073	嗅	58E0	D0E1	E3OG0080
3074	锈	58E1	D0E2	E3OH0080
3075	秀	58E2	D0E3	E3OI0080
3076	袖	58E3	D0E4	E3OJ0080
3077	绣	58E4	D0E5	E3OK0080
3078	墟	58E5	D0E6	E3OL0080
3079	戊	58E6	D0E7	E3OM0080
3080	需	58E7	D0E8	E3ON0080
3081	虚	58E8	D0E9	E3OO0080
3082	嘘	58E9	D0EA	E3OP0080
3083	须	58EA	D0EB	E3OQ0080
3084	徐	58EB	D0EC	E3OR0080
3085	许	58EC	D0ED	E3OS0080
3086	蓄	58ED	D0EE	E3OT0080
3087	酗	58EE	D0EF	E3OU0080
3088	叙	58EF	D0F0	E3OV0080
3089	旭	58F0	D0F1	E3OW0080
3090	序	58F1	D0F2	E3OX0080

Table 9 (Page 22 of 35). Level 1 Chinese Character Set (2 of 2), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
3091	畜	58F2	D0F3	E3OY0080
3092	恤	58F3	D0F4	E3OZ0080
3093	絮	58F4	D0F5	E3P00080
3094	婿	58F5	D0F6	E3P10080
3095	绪	58F6	D0F7	E3P20080
3096	续	58F7	D0F8	E3P30080
3097	轩	58F8	D0F9	E3P40080
3098	喧	58F9	D0FA	E3P50080
3099	宣	58FA	D0FB	E3P60080
3100	悬	58FB	D0FC	E3P70080
3101	旋	58FC	D0FD	E3P80080
3102	玄	58FD	D0FE	E3P90080
3103	选	5941	D1A1	E3PD0080
3104	癣	5942	D1A2	E3PE0080
3105	眩	5943	D1A3	E3PF0080
3106	绚	5944	D1A4	E3PG0080
3107	靴	5945	D1A5	E3PH0080
3108	薛	5946	D1A6	E3PI0080
3109	学	5947	D1A7	E3PJ0080
3110	穴	5948	D1A8	E3PK0080
3111	雪	5949	D1A9	E3PL0080
3112	血	594A	D1AA	E3PM0080
3113	勋	594B	D1AB	E3PN0080
3114	熏	594C	D1AC	E3PO0080
3115	循	594D	D1AD	E3PP0080
3116	旬	594E	D1AE	E3PQ0080





## IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC

Table 9 (Page 23 of 35). Level 1 Chinese Character Set (2 of 2), DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
3117	询	594F	D1AF	E3PR0080
3118	寻	5950	D1B0	E3PS0080
3119	驯	5951	D1B1	E3PT0080
3120	巡	5952	D1B2	E3PU0080
3121	殉	5953	D1B3	E3PV0080
3122	汛	5954	D1B4	E3PW0080
3123	训	5955	D1B5	E3PX0080
3124	讯	5956	D1B6	E3PY0080
3125	逊	5957	D1B7	E3PZ0080
3126	迅	5958	D1B8	E3Q00080
3127	压	5959	D1B9	E3Q10080
3128	押	595A	D1BA	E3Q20080
3129	鸦	595B	D1BB	E3Q30080
3130	鸭	595C	D1BC	E3Q40080
3131	呀	595D	D1BD	E3Q50080
3132	丫	595E	D1BE	E3Q60080
3133	芽	595F	D1BF	E3Q70080
3134	牙	5960	D1C0	E3Q80080
3135	蚜	5961	D1C1	E3Q90080
3136	崖	5962	D1C2	E3QA0080
3137	衙	5963	D1C3	E3QB0080
3138	涯	5964	D1C4	E3QC0080
3139	雅	5965	D1C5	E3QD0080
3140	哑	5966	D1C6	E3QE0080
3141	亚	5967	D1C7	E3QF0080
3142	讶	5968	D1C8	E3QG0080

Table 9 (Page 23 of 35). Level 1 Chinese Character Set (2 of 2), DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
3143	焉	5969	D1C9	E3QH0080
3144	咽	596A	D1CA	E3QI0080
3145	阉	596B	D1CB	E3QJ0080
3146	烟	596C	D1CC	E3QK0080
3147	淹	596D	D1CD	E3QL0080
3148	盐	596E	D1CE	E3QM0080
3149	严	596F	D1CF	E3QN0080
3150	研	5970	D1D0	E3QO0080
3151	蜒	5971	D1D1	E3QP0080
3152	岩	5972	D1D2	E3QQ0080
3153	延	5973	D1D3	E3QR0080
3154	言	5974	D1D4	E3QS0080
3155	颜	5975	D1D5	E3QT0080
3156	阎	5976	D1D6	E3QU0080
3157	炎	5977	D1D7	E3QV0080
3158	沿	5978	D1D8	E3QW0080
3159	奄	5979	D1D9	E3QX0080
3160	掩	597A	D1DA	E3QY0080
3161	眼	597B	D1DB	E3QZ0080
3162	衍	597C	D1DC	E3R00080
3163	演	597D	D1DD	E3R10080
3164	艳	597E	D1DE	E3R20080
3165	堰	597F	D1DF	E3R30080
3166	燕	5981	D1E0	E3R50080
3167	厌	5982	D1E1	E3R60080
3168	砚	5983	D1E2	E3R70080



## IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC

Table 9 (Page 24 of 35). Level 1 Chinese Character Set (2 of 2), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
3169	雁	5984	D1E3	E3R80080
3170	唁	5985	D1E4	E3R90080
3171	彦	5986	D1E5	E3RA0080
3172	焰	5987	D1E6	E3RB0080
3173	宴	5988	D1E7	E3RC0080
3174	谚	5989	D1E8	E3RD0080
3175	验	598A	D1E9	E3RE0080
3176	殃	598B	D1EA	E3RF0080
3177	央	598C	D1EB	E3RG0080
3178	鸯	598D	D1EC	E3RH0080
3179	秧	598E	D1ED	E3RI0080
3180	杨	598F	D1EE	E3RJ0080
3181	扬	5990	D1EF	E3RK0080
3182	佯	5991	D1F0	E3RL0080
3183	疡	5992	D1F1	E3RM0080
3184	羊	5993	D1F2	E3RN0080
3185	洋	5994	D1F3	E3RO0080
3186	阳	5995	D1F4	E3RP0080
3187	氧	5996	D1F5	E3RQ0080
3188	仰	5997	D1F6	E3RR0080
3189	痒	5998	D1F7	E3RS0080
3190	养	5999	D1F8	E3RT0080
3191	样	599A	D1F9	E3RU0080
3192	漾	599B	D1FA	E3RV0080
3193	邀	599C	D1FB	E3RW0080
3194	腰	599D	D1FC	E3RX0080

Table 9 (Page 24 of 35). Level 1 Chinese Character Set (2 of 2), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
3195	妖	599E	D1FD	E3RY0080
3196	瑶	599F	D1FE	E3RZ0080
3197	摇	59A0	D2A1	E3S00080
3198	尧	59A1	D2A2	E3S10080
3199	遥	59A2	D2A3	E3S20080
3200	窑	59A3	D2A4	E3S30080
3201	谣	59A4	D2A5	E3S40080
3202	姚	59A5	D2A6	E3S50080
3203	咬	59A6	D2A7	E3S60080
3204	舀	59A7	D2A8	E3S70080
3205	药	59A8	D2A9	E3S80080
3206	要	59A9	D2AA	E3S90080
3207	耀	59AA	D2AB	E3SA0080
3208	椰	59AB	D2AC	E3SB0080
3209	噎	59AC	D2AD	E3SC0080
3210	耶	59AD	D2AE	E3SD0080
3211	爷	59AE	D2AF	E3SE0080
3212	野	59AF	D2B0	E3SF0080
3213	冶	59B0	D2B1	E3SG0080
3214	也	59B1	D2B2	E3SH0080
3215	页	59B2	D2B3	E3SI0080
3216	掖	59B3	D2B4	E3SJ0080
3217	业	59B4	D2B5	E3SK0080
3218	叶	59B5	D2B6	E3SL0080
3219	曳	59B6	D2B7	E3SM0080
3220	腋	59B7	D2B8	E3SN0080



## IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC

Table 9 (Page 25 of 35). Level 1 Chinese Character Set (2 of 2), DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
3221	夜	59B8	D2B9	E3SO0080
3222	液	59B9	D2BA	E3SP0080
3223	一	59BA	D2BB	E3SQ0080
3224	壹	59BB	D2BC	E3SR0080
3225	医	59BC	D2BD	E3SS0080
3226	揖	59BD	D2BE	E3ST0080
3227	铍	59BE	D2BF	E3SU0080
3228	依	59BF	D2C0	E3SV0080
3229	伊	59C0	D2C1	E3SW0080
3230	衣	59C1	D2C2	E3SX0080
3231	颐	59C2	D2C3	E3SY0080
3232	夷	59C3	D2C4	E3SZ0080
3233	遗	59C4	D2C5	E3T00080
3234	移	59C5	D2C6	E3T10080
3235	仪	59C6	D2C7	E3T20080
3236	胰	59C7	D2C8	E3T30080
3237	疑	59C8	D2C9	E3T40080
3238	沂	59C9	D2CA	E3T50080
3239	宜	59CA	D2CB	E3T60080
3240	姨	59CB	D2CC	E3T70080
3241	彝	59CC	D2CD	E3T80080
3242	椅	59CD	D2CE	E3T90080
3243	蚁	59CE	D2CF	E3TA0080
3244	倚	59CF	D2D0	E3TB0080
3245	已	59D0	D2D1	E3TC0080
3246	乙	59D1	D2D2	E3TD0080

Table 9 (Page 25 of 35). Level 1 Chinese Character Set (2 of 2), DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
3247	矣	59D2	D2D3	E3TE0080
3248	以	59D3	D2D4	E3TF0080
3249	艺	59D4	D2D5	E3TG0080
3250	抑	59D5	D2D6	E3TH0080
3251	易	59D6	D2D7	E3TI0080
3252	邑	59D7	D2D8	E3TJ0080
3253	屹	59D8	D2D9	E3TK0080
3254	亿	59D9	D2DA	E3TL0080
3255	役	59DA	D2DB	E3TM0080
3256	臆	59DB	D2DC	E3TN0080
3257	逸	59DC	D2DD	E3TO0080
3258	肄	59DD	D2DE	E3TP0080
3259	疫	59DE	D2DF	E3TQ0080
3260	亦	59DF	D2E0	E3TR0080
3261	裔	59E0	D2E1	E3TS0080
3262	意	59E1	D2E2	E3TT0080
3263	毅	59E2	D2E3	E3TU0080
3264	忆	59E3	D2E4	E3TV0080
3265	义	59E4	D2E5	E3TW0080
3266	益	59E5	D2E6	E3TX0080
3267	溢	59E6	D2E7	E3TY0080
3268	诣	59E7	D2E8	E3TZ0080
3269	议	59E8	D2E9	E3U00080
3270	谊	59E9	D2EA	E3U10080
3271	译	59EA	D2EB	E3U20080
3272	异	59EB	D2EC	E3U30080



## IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC

Table 9 (Page 26 of 35). Level 1 Chinese Character Set (2 of 2), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
3273	翼	59EC	D2ED	E3U40080
3274	翌	59ED	D2EE	E3U50080
3275	绎	59EE	D2EF	E3U60080
3276	茵	59EF	D2F0	E3U70080
3277	荫	59F0	D2F1	E3U80080
3278	因	59F1	D2F2	E3U90080
3279	殷	59F2	D2F3	E3UA0080
3280	音	59F3	D2F4	E3UB0080
3281	阴	59F4	D2F5	E3UC0080
3282	姻	59F5	D2F6	E3UD0080
3283	吟	59F6	D2F7	E3UE0080
3284	银	59F7	D2F8	E3UF0080
3285	淫	59F8	D2F9	E3UG0080
3286	寅	59F9	D2FA	E3UH0080
3287	饮	59FA	D2FB	E3UI0080
3288	尹	59FB	D2FC	E3UJ0080
3289	引	59FC	D2FD	E3UK0080
3290	隐	59FD	D2FE	E3UL0080
3291	印	5A41	D3A1	E3UP0080
3292	英	5A42	D3A2	E3UQ0080
3293	樱	5A43	D3A3	E3UR0080
3294	婴	5A44	D3A4	E3US0080
3295	鹰	5A45	D3A5	E3UT0080
3296	应	5A46	D3A6	E3UU0080
3297	纓	5A47	D3A7	E3UV0080
3298	莹	5A48	D3A8	E3UW0080

Table 9 (Page 26 of 35). Level 1 Chinese Character Set (2 of 2), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
3299	萤	5A49	D3A9	E3UX0080
3300	营	5A4A	D3AA	E3UY0080
3301	荧	5A4B	D3AB	E3UZ0080
3302	蝇	5A4C	D3AC	E3V00080
3303	迎	5A4D	D3AD	E3V10080
3304	赢	5A4E	D3AE	E3V20080
3305	盈	5A4F	D3AF	E3V30080
3306	影	5A50	D3B0	E3V40080
3307	颖	5A51	D3B1	E3V50080
3308	硬	5A52	D3B2	E3V60080
3309	映	5A53	D3B3	E3V70080
3310	哟	5A54	D3B4	E3V80080
3311	拥	5A55	D3B5	E3V90080
3312	佣	5A56	D3B6	E3VA0080
3313	臃	5A57	D3B7	E3VB0080
3314	痛	5A58	D3B8	E3VC0080
3315	庸	5A59	D3B9	E3VD0080
3316	雍	5A5A	D3BA	E3VE0080
3317	踊	5A5B	D3BB	E3VF0080
3318	蛹	5A5C	D3BC	E3VG0080
3319	咏	5A5D	D3BD	E3VH0080
3320	泳	5A5E	D3BE	E3VI0080
3321	涌	5A5F	D3BF	E3VJ0080
3322	永	5A60	D3C0	E3VK0080
3323	愚	5A61	D3C1	E3VL0080
3324	勇	5A62	D3C2	E3VM0080



## IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC

Table 9 (Page 27 of 35). Level 1 Chinese Character Set (2 of 2), DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
3325	用	5A63	D3C3	E3VN0080
3326	幽	5A64	D3C4	E3VO0080
3327	优	5A65	D3C5	E3VP0080
3328	悠	5A66	D3C6	E3VQ0080
3329	忧	5A67	D3C7	E3VR0080
3330	尤	5A68	D3C8	E3VS0080
3331	由	5A69	D3C9	E3VT0080
3332	邮	5A6A	D3CA	E3VU0080
3333	铀	5A6B	D3CB	E3VV0080
3334	犹	5A6C	D3CC	E3VW0080
3335	油	5A6D	D3CD	E3VX0080
3336	游	5A6E	D3CE	E3VY0080
3337	酉	5A6F	D3CF	E3VZ0080
3338	有	5A70	D3D0	E3W00080
3339	友	5A71	D3D1	E3W10080
3340	右	5A72	D3D2	E3W20080
3341	佑	5A73	D3D3	E3W30080
3342	釉	5A74	D3D4	E3W40080
3343	诱	5A75	D3D5	E3W50080
3344	又	5A76	D3D6	E3W60080
3345	幼	5A77	D3D7	E3W70080
3346	迂	5A78	D3D8	E3W80080
3347	淤	5A79	D3D9	E3W90080
3348	于	5A7A	D3DA	E3WA0080
3349	盂	5A7B	D3DB	E3WB0080
3350	榆	5A7C	D3DC	E3WC0080

Table 9 (Page 27 of 35). Level 1 Chinese Character Set (2 of 2), DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
3351	虞	5A7D	D3DD	E3WD0080
3352	愚	5A7E	D3DE	E3WE0080
3353	舆	5A7F	D3DF	E3WF0080
3354	余	5A81	D3E0	E3WH0080
3355	俞	5A82	D3E1	E3WI0080
3356	逾	5A83	D3E2	E3WJ0080
3357	鱼	5A84	D3E3	E3WK0080
3358	愉	5A85	D3E4	E3WL0080
3359	渝	5A86	D3E5	E3WM0080
3360	渔	5A87	D3E6	E3WN0080
3361	隅	5A88	D3E7	E3WO0080
3362	予	5A89	D3E8	E3WP0080
3363	娱	5A8A	D3E9	E3WQ0080
3364	雨	5A8B	D3EA	E3WR0080
3365	与	5A8C	D3EB	E3WS0080
3366	屿	5A8D	D3EC	E3WT0080
3367	禹	5A8E	D3ED	E3WU0080
3368	宇	5A8F	D3EE	E3WV0080
3369	语	5A90	D3EF	E3WW0080
3370	羽	5A91	D3F0	E3WX0080
3371	玉	5A92	D3F1	E3WY0080
3372	域	5A93	D3F2	E3WZ0080
3373	芋	5A94	D3F3	E3X00080
3374	郁	5A95	D3F4	E3X10080
3375	吁	5A96	D3F5	E3X20080
3376	遇	5A97	D3F6	E3X30080



## IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC

Table 9 (Page 28 of 35). Level 1 Chinese Character Set (2 of 2), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
3377	喻	5A98	D3F7	E3X40080
3378	峪	5A99	D3F8	E3X50080
3379	御	5A9A	D3F9	E3X60080
3380	愈	5A9B	D3FA	E3X70080
3381	欲	5A9C	D3FB	E3X80080
3382	狱	5A9D	D3FC	E3X90080
3383	育	5A9E	D3FD	E3XA0080
3384	誉	5A9F	D3FE	E3XB0080
3385	浴	5AA0	D4A1	E3XC0080
3386	寓	5AA1	D4A2	E3XD0080
3387	裕	5AA2	D4A3	E3XE0080
3388	预	5AA3	D4A4	E3XF0080
3389	豫	5AA4	D4A5	E3XG0080
3390	馭	5AA5	D4A6	E3XH0080
3391	驾	5AA6	D4A7	E3XI0080
3392	渊	5AA7	D4A8	E3XJ0080
3393	冤	5AA8	D4A9	E3XK0080
3394	元	5AA9	D4AA	E3XL0080
3395	垣	5AAA	D4AB	E3XM0080
3396	袁	5AAB	D4AC	E3XN0080
3397	原	5AAC	D4AD	E3XO0080
3398	援	5AAD	D4AE	E3XP0080
3399	辕	5AAE	D4AF	E3XQ0080
3400	园	5AAF	D4B0	E3XR0080
3401	员	5AB0	D4B1	E3XS0080
3402	圆	5AB1	D4B2	E3XT0080

Table 9 (Page 28 of 35). Level 1 Chinese Character Set (2 of 2), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
3403	猿	5AB2	D4B3	E3XU0080
3404	源	5AB3	D4B4	E3XV0080
3405	缘	5AB4	D4B5	E3XW0080
3406	远	5AB5	D4B6	E3XX0080
3407	苑	5AB6	D4B7	E3XY0080
3408	愿	5AB7	D4B8	E3XZ0080
3409	怨	5AB8	D4B9	E3Y00080
3410	院	5AB9	D4BA	E3Y10080
3411	曰	5ABA	D4BB	E3Y20080
3412	约	5ABB	D4BC	E3Y30080
3413	越	5ABC	D4BD	E3Y40080
3414	跃	5ABD	D4BE	E3Y50080
3415	钥	5ABE	D4BF	E3Y60080
3416	岳	5ABF	D4C0	E3Y70080
3417	粤	5AC0	D4C1	E3Y80080
3418	月	5AC1	D4C2	E3Y90080
3419	悦	5AC2	D4C3	E3YA0080
3420	阅	5AC3	D4C4	E3YB0080
3421	耘	5AC4	D4C5	E3YC0080
3422	云	5AC5	D4C6	E3YD0080
3423	郢	5AC6	D4C7	E3YE0080
3424	匀	5AC7	D4C8	E3YF0080
3425	陨	5AC8	D4C9	E3YG0080
3426	允	5AC9	D4CA	E3YH0080
3427	运	5ACA	D4CB	E3YI0080
3428	蕴	5ACB	D4CC	E3YJ0080



## IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC

Line Number	Graphic	Host Code	PC Code	GCGID
3429	酝	5ACC	D4CD	E3YK0080
3430	晕	5ACD	D4CE	E3YL0080
3431	韵	5ACE	D4CF	E3YM0080
3432	孕	5ACF	D4D0	E3YN0080
3433	匝	5AD0	D4D1	E3YO0080
3434	砸	5AD1	D4D2	E3YP0080
3435	杂	5AD2	D4D3	E3YQ0080
3436	栽	5AD3	D4D4	E3YR0080
3437	哉	5AD4	D4D5	E3YS0080
3438	灾	5AD5	D4D6	E3YT0080
3439	宰	5AD6	D4D7	E3YU0080
3440	载	5AD7	D4D8	E3YV0080
3441	再	5AD8	D4D9	E3YW0080
3442	在	5AD9	D4DA	E3YX0080
3443	咱	5ADA	D4DB	E3YY0080
3444	攒	5ADB	D4DC	E3YZ0080
3445	暂	5ADC	D4DD	E3Z00080
3446	赞	5ADD	D4DE	E3Z10080
3447	赃	5ADE	D4DF	E3Z20080
3448	脏	5ADF	D4E0	E3Z30080
3449	葬	5AE0	D4E1	E3Z40080
3450	遭	5AE1	D4E2	E3Z50080
3451	糟	5AE2	D4E3	E3Z60080
3452	凿	5AE3	D4E4	E3Z70080
3453	藻	5AE4	D4E5	E3Z80080
3454	枣	5AE5	D4E6	E3Z90080

Line Number	Graphic	Host Code	PC Code	GCGID
3455	早	5AE6	D4E7	E3ZA0080
3456	澡	5AE7	D4E8	E3ZB0080
3457	蚤	5AE8	D4E9	E3ZC0080
3458	躁	5AE9	D4EA	E3ZD0080
3459	噪	5AEA	D4EB	E3ZE0080
3460	造	5AEB	D4EC	E3ZF0080
3461	皂	5AEC	D4ED	E3ZG0080
3462	灶	5AED	D4EE	E3ZH0080
3463	燥	5AEE	D4EF	E3ZI0080
3464	责	5AEF	D4F0	E3ZJ0080
3465	择	5AF0	D4F1	E3ZK0080
3466	则	5AF1	D4F2	E3ZL0080
3467	泽	5AF2	D4F3	E3ZM0080
3468	贼	5AF3	D4F4	E3ZN0080
3469	怎	5AF4	D4F5	E3ZO0080
3470	增	5AF5	D4F6	E3ZP0080
3471	憎	5AF6	D4F7	E3ZQ0080
3472	曾	5AF7	D4F8	E3ZR0080
3473	赠	5AF8	D4F9	E3ZS0080
3474	扎	5AF9	D4FA	E3ZT0080
3475	渣	5AFA	D4FB	E3ZU0080
3476	渣	5AFB	D4FC	E3ZV0080
3477	札	5AFC	D4FD	E3ZW0080
3478	轧	5AFD	D4FE	E3ZX0080
3479	铡	5B41	D5A1	E4010080
3480	闸	5B42	D5A2	E4020080



## IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC

Table 9 (Page 30 of 35). Level 1 Chinese Character Set (2 of 2), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
3481	眨	5B43	D5A3	E4030080
3482	栅	5B44	D5A4	E4040080
3483	榨	5B45	D5A5	E4050080
3484	咋	5B46	D5A6	E4060080
3485	乍	5B47	D5A7	E4070080
3486	炸	5B48	D5A8	E4080080
3487	诈	5B49	D5A9	E4090080
3488	摘	5B4A	D5AA	E40A0080
3489	斋	5B4B	D5AB	E40B0080
3490	宅	5B4C	D5AC	E40C0080
3491	窄	5B4D	D5AD	E40D0080
3492	债	5B4E	D5AE	E40E0080
3493	寨	5B4F	D5AF	E40F0080
3494	瞻	5B50	D5B0	E40G0080
3495	毡	5B51	D5B1	E40H0080
3496	詹	5B52	D5B2	E40I0080
3497	粘	5B53	D5B3	E40J0080
3498	沾	5B54	D5B4	E40K0080
3499	盍	5B55	D5B5	E40L0080
3500	斩	5B56	D5B6	E40M0080
3501	辗	5B57	D5B7	E40N0080
3502	崭	5B58	D5B8	E40O0080
3503	展	5B59	D5B9	E40P0080
3504	蘸	5B5A	D5BA	E40Q0080
3505	栈	5B5B	D5BB	E40R0080
3506	占	5B5C	D5BC	E40S0080

Table 9 (Page 30 of 35). Level 1 Chinese Character Set (2 of 2), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
3507	战	5B5D	D5BD	E40T0080
3508	站	5B5E	D5BE	E40U0080
3509	湛	5B5F	D5BF	E40V0080
3510	绽	5B60	D5C0	E40W0080
3511	樟	5B61	D5C1	E40X0080
3512	章	5B62	D5C2	E40Y0080
3513	彰	5B63	D5C3	E40Z0080
3514	漳	5B64	D5C4	E4100080
3515	张	5B65	D5C5	E4110080
3516	掌	5B66	D5C6	E4120080
3517	涨	5B67	D5C7	E4130080
3518	杖	5B68	D5C8	E4140080
3519	丈	5B69	D5C9	E4150080
3520	帐	5B6A	D5CA	E4160080
3521	账	5B6B	D5CB	E4170080
3522	仗	5B6C	D5CC	E4180080
3523	胀	5B6D	D5CD	E4190080
3524	瘡	5B6E	D5CE	E41A0080
3525	障	5B6F	D5CF	E41B0080
3526	招	5B70	D5D0	E41C0080
3527	昭	5B71	D5D1	E41D0080
3528	找	5B72	D5D2	E41E0080
3529	沼	5B73	D5D3	E41F0080
3530	赵	5B74	D5D4	E41G0080
3531	照	5B75	D5D5	E41H0080
3532	罩	5B76	D5D6	E41I0080





## IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC

Table 9 (Page 31 of 35). Level 1 Chinese Character Set (2 of 2), DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
3533	兆	5B77	D5D7	E41J0080
3534	肇	5B78	D5D8	E41K0080
3535	召	5B79	D5D9	E41L0080
3536	遮	5B7A	D5DA	E41M0080
3537	折	5B7B	D5DB	E41N0080
3538	哲	5B7C	D5DC	E41O0080
3539	蛰	5B7D	D5DD	E41P0080
3540	辙	5B7E	D5DE	E41Q0080
3541	者	5B7F	D5DF	E41R0080
3542	锗	5B81	D5E0	E41T0080
3543	蔗	5B82	D5E1	E41U0080
3544	这	5B83	D5E2	E41V0080
3545	浙	5B84	D5E3	E41W0080
3546	珍	5B85	D5E4	E41X0080
3547	斟	5B86	D5E5	E41Y0080
3548	真	5B87	D5E6	E41Z0080
3549	甄	5B88	D5E7	E4200080
3550	砧	5B89	D5E8	E4210080
3551	臻	5B8A	D5E9	E4220080
3552	贞	5B8B	D5EA	E4230080
3553	针	5B8C	D5EB	E4240080
3554	侦	5B8D	D5EC	E4250080
3555	枕	5B8E	D5ED	E4260080
3556	疹	5B8F	D5EE	E4270080
3557	诊	5B90	D5EF	E4280080
3558	震	5B91	D5F0	E4290080

Table 9 (Page 31 of 35). Level 1 Chinese Character Set (2 of 2), DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
3559	振	5B92	D5F1	E42A0080
3560	镇	5B93	D5F2	E42B0080
3561	阵	5B94	D5F3	E42C0080
3562	蒸	5B95	D5F4	E42D0080
3563	挣	5B96	D5F5	E42E0080
3564	睁	5B97	D5F6	E42F0080
3565	征	5B98	D5F7	E42G0080
3566	狰	5B99	D5F8	E42H0080
3567	争	5B9A	D5F9	E42I0080
3568	怔	5B9B	D5FA	E42J0080
3569	整	5B9C	D5FB	E42K0080
3570	拯	5B9D	D5FC	E42L0080
3571	正	5B9E	D5FD	E42M0080
3572	政	5B9F	D5FE	E42N0080
3573	帧	5BA0	D6A1	E42O0080
3574	症	5BA1	D6A2	E42P0080
3575	郑	5BA2	D6A3	E42Q0080
3576	证	5BA3	D6A4	E42R0080
3577	芝	5BA4	D6A5	E42S0080
3578	枝	5BA5	D6A6	E42T0080
3579	支	5BA6	D6A7	E42U0080
3580	歧	5BA7	D6A8	E42V0080
3581	蜘	5BA8	D6A9	E42W0080
3582	知	5BA9	D6AA	E42X0080
3583	肢	5BAA	D6AB	E42Y0080
3584	脂	5BAB	D6AC	E42Z0080



## IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC

Table 9 (Page 32 of 35). Level 1 Chinese Character Set (2 of 2), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
3585	汁	5BAC	D6AD	E4300080
3586	之	5BAD	D6AE	E4310080
3587	织	5BAE	D6AF	E4320080
3588	职	5BAF	D6B0	E4330080
3589	直	5BB0	D6B1	E4340080
3590	植	5BB1	D6B2	E4350080
3591	殖	5BB2	D6B3	E4360080
3592	执	5BB3	D6B4	E4370080
3593	值	5BB4	D6B5	E4380080
3594	侄	5BB5	D6B6	E4390080
3595	址	5BB6	D6B7	E43A0080
3596	指	5BB7	D6B8	E43B0080
3597	止	5BB8	D6B9	E43C0080
3598	趾	5BB9	D6BA	E43D0080
3599	只	5BBA	D6BB	E43E0080
3600	旨	5BBB	D6BC	E43F0080
3601	纸	5BBC	D6BD	E43G0080
3602	志	5BBD	D6BE	E43H0080
3603	挚	5BBE	D6BF	E43I0080
3604	掷	5BBF	D6C0	E43J0080
3605	至	5BC0	D6C1	E43K0080
3606	致	5BC1	D6C2	E43L0080
3607	置	5BC2	D6C3	E43M0080
3608	帜	5BC3	D6C4	E43N0080
3609	峙	5BC4	D6C5	E43O0080
3610	制	5BC5	D6C6	E43P0080

Table 9 (Page 32 of 35). Level 1 Chinese Character Set (2 of 2), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
3611	智	5BC6	D6C7	E43Q0080
3612	秩	5BC7	D6C8	E43R0080
3613	稚	5BC8	D6C9	E43S0080
3614	质	5BC9	D6CA	E43T0080
3615	炙	5BCA	D6CB	E43U0080
3616	痔	5BCB	D6CC	E43V0080
3617	滞	5BCC	D6CD	E43W0080
3618	治	5BCD	D6CE	E43X0080
3619	窒	5BCE	D6CF	E43Y0080
3620	中	5BCF	D6D0	E43Z0080
3621	盅	5BD0	D6D1	E4400080
3622	忠	5BD1	D6D2	E4410080
3623	钟	5BD2	D6D3	E4420080
3624	衷	5BD3	D6D4	E4430080
3625	终	5BD4	D6D5	E4440080
3626	种	5BD5	D6D6	E4450080
3627	肿	5BD6	D6D7	E4460080
3628	重	5BD7	D6D8	E4470080
3629	仲	5BD8	D6D9	E4480080
3630	众	5BD9	D6DA	E4490080
3631	舟	5BDA	D6DB	E44A0080
3632	周	5BDB	D6DC	E44B0080
3633	州	5BDC	D6DD	E44C0080
3634	洲	5BDD	D6DE	E44D0080
3635	诒	5BDE	D6DF	E44E0080
3636	粥	5BDF	D6E0	E44F0080



## IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC

Table 9 (Page 33 of 35). Level 1 Chinese Character Set (2 of 2), DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
3637	轴	5BE0	D6E1	E44G0080
3638	肘	5BE1	D6E2	E44H0080
3639	帚	5BE2	D6E3	E44I0080
3640	咒	5BE3	D6E4	E44J0080
3641	皱	5BE4	D6E5	E44K0080
3642	宙	5BE5	D6E6	E44L0080
3643	昼	5BE6	D6E7	E44M0080
3644	骤	5BE7	D6E8	E44N0080
3645	珠	5BE8	D6E9	E44O0080
3646	株	5BE9	D6EA	E44P0080
3647	蛛	5BEA	D6EB	E44Q0080
3648	朱	5BEB	D6EC	E44R0080
3649	猪	5BEC	D6ED	E44S0080
3650	诸	5BED	D6EE	E44T0080
3651	诛	5BEE	D6EF	E44U0080
3652	逐	5BEF	D6F0	E44V0080
3653	竹	5BF0	D6F1	E44W0080
3654	烛	5BF1	D6F2	E44X0080
3655	煮	5BF2	D6F3	E44Y0080
3656	拄	5BF3	D6F4	E44Z0080
3657	瞩	5BF4	D6F5	E4500080
3658	嘱	5BF5	D6F6	E4510080
3659	主	5BF6	D6F7	E4520080
3660	著	5BF7	D6F8	E4530080
3661	柱	5BF8	D6F9	E4540080
3662	助	5BF9	D6FA	E4550080

Table 9 (Page 33 of 35). Level 1 Chinese Character Set (2 of 2), DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
3663	蛀	5BFA	D6FB	E4560080
3664	贮	5BFB	D6FC	E4570080
3665	铸	5BFC	D6FD	E4580080
3666	筑	5BFD	D6FE	E4590080
3667	住	5C41	D7A1	E45D0080
3668	注	5C42	D7A2	E45E0080
3669	祝	5C43	D7A3	E45F0080
3670	驻	5C44	D7A4	E45G0080
3671	抓	5C45	D7A5	E45H0080
3672	爪	5C46	D7A6	E45I0080
3673	拽	5C47	D7A7	E45J0080
3674	专	5C48	D7A8	E45K0080
3675	砖	5C49	D7A9	E45L0080
3676	转	5C4A	D7AA	E45M0080
3677	撰	5C4B	D7AB	E45N0080
3678	赚	5C4C	D7AC	E45O0080
3679	篆	5C4D	D7AD	E45P0080
3680	桩	5C4E	D7AE	E45Q0080
3681	庄	5C4F	D7AF	E45R0080
3682	装	5C50	D7B0	E45S0080
3683	妆	5C51	D7B1	E45T0080
3684	撞	5C52	D7B2	E45U0080
3685	壮	5C53	D7B3	E45V0080
3686	状	5C54	D7B4	E45W0080
3687	椎	5C55	D7B5	E45X0080
3688	锥	5C56	D7B6	E45Y0080



## IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC

Table 9 (Page 34 of 35). Level 1 Chinese Character Set (2 of 2), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
3689	追	5C57	D7B7	E45Z0080
3690	赘	5C58	D7B8	E4600080
3691	坠	5C59	D7B9	E4610080
3692	缀	5C5A	D7BA	E4620080
3693	淳	5C5B	D7BB	E4630080
3694	准	5C5C	D7BC	E4640080
3695	捉	5C5D	D7BD	E4650080
3696	拙	5C5E	D7BE	E4660080
3697	卓	5C5F	D7BF	E4670080
3698	桌	5C60	D7C0	E4680080
3699	琢	5C61	D7C1	E4690080
3700	茁	5C62	D7C2	E46A0080
3701	酌	5C63	D7C3	E46B0080
3702	啄	5C64	D7C4	E46C0080
3703	着	5C65	D7C5	E46D0080
3704	灼	5C66	D7C6	E46E0080
3705	浊	5C67	D7C7	E46F0080
3706	兹	5C68	D7C8	E46G0080
3707	咨	5C69	D7C9	E46H0080
3708	资	5C6A	D7CA	E46I0080
3709	姿	5C6B	D7CB	E46J0080
3710	滋	5C6C	D7CC	E46K0080
3711	淄	5C6D	D7CD	E46L0080
3712	孜	5C6E	D7CE	E46M0080
3713	紫	5C6F	D7CF	E46N0080
3714	仔	5C70	D7D0	E46O0080


Table 9 (Page 34 of 35). Level 1 Chinese Character Set (2 of 2), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
3715	籽	5C71	D7D1	E46P0080
3716	滓	5C72	D7D2	E46Q0080
3717	子	5C73	D7D3	E46R0080
3718	自	5C74	D7D4	E46S0080
3719	渍	5C75	D7D5	E46T0080
3720	字	5C76	D7D6	E46U0080
3721	髻	5C77	D7D7	E46V0080
3722	棕	5C78	D7D8	E46W0080
3723	踪	5C79	D7D9	E46X0080
3724	宗	5C7A	D7DA	E46Y0080
3725	综	5C7B	D7DB	E46Z0080
3726	总	5C7C	D7DC	E4700080
3727	纵	5C7D	D7DD	E4710080
3728	邹	5C7E	D7DE	E4720080
3729	走	5C7F	D7DF	E4730080
3730	奏	5C81	D7E0	E4750080
3731	揍	5C82	D7E1	E4760080
3732	租	5C83	D7E2	E4770080
3733	足	5C84	D7E3	E4780080
3734	卒	5C85	D7E4	E4790080
3735	族	5C86	D7E5	E47A0080
3736	祖	5C87	D7E6	E47B0080
3737	诅	5C88	D7E7	E47C0080
3738	阻	5C89	D7E8	E47D0080
3739	组	5C8A	D7E9	E47E0080
3740	钻	5C8B	D7EA	E47F0080

**IBM Simplified Chinese Graphic Character Set**

DBCS-Host and DBCS-PC

**Table 9 (Page 35 of 35).** Level 1 Chinese Character Set (2 of 2), DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
3741	纂	5C8C	D7EB	E47G0080
3742	嘴	5C8D	D7EC	E47H0080
3743	醉	5C8E	D7ED	E47I0080
3744	最	5C8F	D7EE	E47J0080
3745	罪	5C90	D7EF	E47K0080
3746	尊	5C91	D7F0	E47L0080
3747	遵	5C92	D7F1	E47M0080
3748	昨	5C93	D7F2	E47N0080
3749	左	5C94	D7F3	E47O0080
3750	佐	5C95	D7F4	E47P0080
3751	柞	5C96	D7F5	E47Q0080
3752	做	5C97	D7F6	E47R0080
3753	作	5C98	D7F7	E47S0080
3754	坐	5C99	D7F8	E47T0080
3755	座	5C9A	D7F9	E47U0080



## IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC

## 8.5 Level 2 Chinese Character Set (1 of 2)

Line Number	Graphic	Host Code	PC Code	GCGID
1	亍	5CA0	D8A1	E4800080
2	丌	5CA1	D8A2	E4810080
3	兀	5CA2	D8A3	E4820080
4	丂	5CA3	D8A4	E4830080
5	廿	5CA4	D8A5	E4840080
6	卅	5CA5	D8A6	E4850080
7	丕	5CA6	D8A7	E4860080
8	亘	5CA7	D8A8	E4870080
9	丞	5CA8	D8A9	E4880080
10	鬲	5CA9	D8AA	E4890080
11	彝	5CAA	D8AB	E48A0080
12	疆	5CAB	D8AC	E48B0080
13	丨	5CAC	D8AD	E48C0080
14	禺	5CAD	D8AE	E48D0080
15	丿	5CAE	D8AF	E48E0080
16	匕	5CAF	D8B0	E48F0080
17	乇	5CB0	D8B1	E48G0080
18	夭	5CB1	D8B2	E48H0080
19	爻	5CB2	D8B3	E48I0080
20	卮	5CB3	D8B4	E48J0080
21	氏	5CB4	D8B5	E48K0080
22	囟	5CB5	D8B6	E48L0080
23	胤	5CB6	D8B7	E48M0080
24	馗	5CB7	D8B8	E48N0080

Line Number	Graphic	Host Code	PC Code	GCGID
25	毓	5CB8	D8B9	E48O0080
26	宰	5CB9	D8BA	E48P0080
27	馐	5CBA	D8BB	E48Q0080
28	、	5CBB	D8BC	E48R0080
29	亟	5CBC	D8BD	E48S0080
30	聃	5CBD	D8BE	E48T0080
31	乚	5CBE	D8BF	E48U0080
32	乜	5CBF	D8C0	E48V0080
33	亍	5CC0	D8C1	E48W0080
34	𠂇	5CC1	D8C2	E48X0080
35	孛	5CC2	D8C3	E48Y0080
36	音	5CC3	D8C4	E48Z0080
37	嘏	5CC4	D8C5	E4900080
38	仄	5CC5	D8C6	E4910080
39	庠	5CC6	D8C7	E4920080
40	厝	5CC7	D8C8	E4930080
41	厝	5CC8	D8C9	E4940080
42	厥	5CC9	D8CA	E4950080
43	厥	5CCA	D8CB	E4960080
44	厝	5CCB	D8CC	E4970080
45	厝	5CCC	D8CD	E4980080
46	匚	5CCD	D8CE	E4990080
47	匚	5CCE	D8CF	E49A0080
48	甌	5CCF	D8D0	E49B0080
49	匱	5CD0	D8D1	E49C0080
50	匱	5CD1	D8D2	E49D0080



## IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC

Line Number	Graphic	Host Code	PC Code	GCGID
51	贖	5CD2	D8D3	E49E0080
52	卦	5CD3	D8D4	E49F0080
53	卣	5CD4	D8D5	E49G0080
54	卩	5CD5	D8D6	E49H0080
55	刈	5CD6	D8D7	E49I0080
56	刎	5CD7	D8D8	E49J0080
57	剝	5CD8	D8D9	E49K0080
58	剝	5CD9	D8DA	E49L0080
59	剝	5CDA	D8DB	E49M0080
60	剝	5CDB	D8DC	E49N0080
61	剝	5CDC	D8DD	E49O0080
62	剝	5CDD	D8DE	E49P0080
63	剝	5CDE	D8DF	E49Q0080
64	剝	5CDF	D8E0	E49R0080
65	蒯	5CE0	D8E1	E49S0080
66	剝	5CE1	D8E2	E49T0080
67	剝	5CE2	D8E3	E49U0080
68	剝	5CE3	D8E4	E49V0080
69	剝	5CE4	D8E5	E49W0080
70	剝	5CE5	D8E6	E49X0080
71	冂	5CE6	D8E7	E49Y0080
72	罔	5CE7	D8E8	E49Z0080
73	亻	5CE8	D8E9	E4A00080
74	亻	5CE9	D8EA	E4A10080
75	仇	5CEA	D8EB	E4A20080
76	仿	5CEB	D8EC	E4A30080

Line Number	Graphic	Host Code	PC Code	GCGID
77	仨	5CEC	D8ED	E4A40080
78	仈	5CED	D8EE	E4A50080
79	仉	5CEE	D8EF	E4A60080
80	今	5CEF	D8F0	E4A70080
81	佤	5CF0	D8F1	E4A80080
82	佉	5CF1	D8F2	E4A90080
83	佢	5CF2	D8F3	E4AA0080
84	佤	5CF3	D8F4	E4AB0080
85	佘	5CF4	D8F5	E4AC0080
86	佞	5CF5	D8F6	E4AD0080
87	佇	5CF6	D8F7	E4AE0080
88	佈	5CF7	D8F8	E4AF0080
89	佉	5CF8	D8F9	E4AG0080
90	体	5CF9	D8FA	E4AH0080
91	佔	5CFA	D8FB	E4AI0080
92	何	5CFB	D8FC	E4AJ0080
93	佖	5CFC	D8FD	E4AK0080
94	佗	5CFD	D8FE	E4AL0080
95	佟	5D41	D9A1	E4AP0080
96	佗	5D42	D9A2	E4AQ0080
97	佘	5D43	D9A3	E4AR0080
98	伽	5D44	D9A4	E4AS0080
99	佖	5D45	D9A5	E4AT0080
100	佗	5D46	D9A6	E4AU0080
101	侑	5D47	D9A7	E4AV0080
102	侑	5D48	D9A8	E4AW0080



## IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC

Table 10 (Page 3 of 38). Level 2 Chinese Character Set (1 of 2), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
103	侃	5D49	D9A9	E4AX0080
104	侏	5D4A	D9AA	E4AY0080
105	侗	5D4B	D9AB	E4AZ0080
106	佻	5D4C	D9AC	E4B00080
107	侏	5D4D	D9AD	E4B10080
108	佼	5D4E	D9AE	E4B20080
109	侏	5D4F	D9AF	E4B30080
110	侏	5D50	D9B0	E4B40080
111	侏	5D51	D9B1	E4B50080
112	侏	5D52	D9B2	E4B60080
113	侏	5D53	D9B3	E4B70080
114	侏	5D54	D9B4	E4B80080
115	侏	5D55	D9B5	E4B90080
116	侏	5D56	D9B6	E4BA0080
117	侏	5D57	D9B7	E4BB0080
118	侏	5D58	D9B8	E4BC0080
119	侏	5D59	D9B9	E4BD0080
120	侏	5D5A	D9BA	E4BE0080
121	侏	5D5B	D9BB	E4BF0080
122	侏	5D5C	D9BC	E4BG0080
123	侏	5D5D	D9BD	E4BH0080
124	侏	5D5E	D9BE	E4BI0080
125	侏	5D5F	D9BF	E4BJ0080
126	侏	5D60	D9C0	E4BK0080
127	侏	5D61	D9C1	E4BL0080
128	侏	5D62	D9C2	E4BM0080

Table 10 (Page 3 of 38). Level 2 Chinese Character Set (1 of 2), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
129	侏	5D63	D9C3	E4BN0080
130	侏	5D64	D9C4	E4BO0080
131	侏	5D65	D9C5	E4BP0080
132	侏	5D66	D9C6	E4BQ0080
133	侏	5D67	D9C7	E4BR0080
134	侏	5D68	D9C8	E4BS0080
135	侏	5D69	D9C9	E4BT0080
136	侏	5D6A	D9CA	E4BU0080
137	侏	5D6B	D9CB	E4BV0080
138	侏	5D6C	D9CC	E4BW0080
139	侏	5D6D	D9CD	E4BX0080
140	侏	5D6E	D9CE	E4BY0080
141	侏	5D6F	D9CF	E4BZ0080
142	侏	5D70	D9D0	E4C00080
143	侏	5D71	D9D1	E4C10080
144	侏	5D72	D9D2	E4C20080
145	侏	5D73	D9D3	E4C30080
146	侏	5D74	D9D4	E4C40080
147	侏	5D75	D9D5	E4C50080
148	侏	5D76	D9D6	E4C60080
149	侏	5D77	D9D7	E4C70080
150	侏	5D78	D9D8	E4C80080
151	侏	5D79	D9D9	E4C90080
152	侏	5D7A	D9DA	E4CA0080
153	侏	5D7B	D9DB	E4CB0080
154	侏	5D7C	D9DC	E4CC0080





## IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC

Line Number	Graphic	Host Code	PC Code	GCGID
155	金	5D7D	D9DD	E4CD0080
156	俎	5D7E	D9DE	E4CE0080
157	龠	5D7F	D9DF	E4CF0080
158	余	5D81	D9E0	E4CH0080
159	余	5D82	D9E1	E4CI0080
160	兮	5D83	D9E2	E4CJ0080
161	巽	5D84	D9E3	E4CK0080
162	龠	5D85	D9E4	E4CL0080
163	馘	5D86	D9E5	E4CM0080
164	鞞	5D87	D9E6	E4CN0080
165	夔	5D88	D9E7	E4CO0080
166	勺	5D89	D9E8	E4CP0080
167	匍	5D8A	D9E9	E4CQ0080
168	匍	5D8B	D9EA	E4CR0080
169	匍	5D8C	D9EB	E4CS0080
170	皃	5D8D	D9EC	E4CT0080
171	夙	5D8E	D9ED	E4CU0080
172	兕	5D8F	D9EE	E4CV0080
173	一	5D90	D9EF	E4CW0080
174	兖	5D91	D9F0	E4CX0080
175	毫	5D92	D9F1	E4CY0080
176	袞	5D93	D9F2	E4CZ0080
177	袞	5D94	D9F3	E4D00080
178	袞	5D95	D9F4	E4D10080
179	裔	5D96	D9F5	E4D20080
180	衷	5D97	D9F6	E4D30080

Line Number	Graphic	Host Code	PC Code	GCGID
181	稟	5D98	D9F7	E4D40080
182	羸	5D99	D9F8	E4D50080
183	羸	5D9A	D9F9	E4D60080
184	羸	5D9B	D9FA	E4D70080
185	彳	5D9C	D9FB	E4D80080
186	洹	5D9D	D9FC	E4D90080
187	冽	5D9E	D9FD	E4DA0080
188	冼	5D9F	D9FE	E4DB0080
189	淞	5DA0	DAA1	E4DC0080
190	一	5DA1	DAA2	E4DD0080
191	冢	5DA2	DAA3	E4DE0080
192	冥	5DA3	DAA4	E4DF0080
193	讠	5DA4	DAA5	E4DG0080
194	讠	5DA5	DAA6	E4DH0080
195	讠	5DA6	DAA7	E4DI0080
196	讠	5DA7	DAA8	E4DJ0080
197	讠	5DA8	DAA9	E4DK0080
198	讠	5DA9	DAAA	E4DL0080
199	讠	5DAA	DAAB	E4DM0080
200	诘	5DAB	DAAC	E4DN0080
201	诘	5DAC	DAAD	E4DO0080
202	诘	5DAD	DAAE	E4DP0080
203	诏	5DAE	DAAF	E4DQ0080
204	诘	5DAF	DAB0	E4DR0080
205	诘	5DB0	DAB1	E4DS0080
206	诘	5DB1	DAB2	E4DT0080



## IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC

Table 10 (Page 5 of 38). Level 2 Chinese Character Set (1 of 2), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
207	诤	5DB2	DAB3	E4DU0080
208	诤	5DB3	DAB4	E4DV0080
209	诤	5DB4	DAB5	E4DW0080
210	诤	5DB5	DAB6	E4DX0080
211	诤	5DB6	DAB7	E4DY0080
212	诤	5DB7	DAB8	E4DZ0080
213	诤	5DB8	DAB9	E4E00080
214	诤	5DB9	DABA	E4E10080
215	诤	5DBA	DABB	E4E20080
216	诤	5DBB	DABC	E4E30080
217	诤	5DBC	DABD	E4E40080
218	诤	5DBD	DABE	E4E50080
219	诤	5DBE	DABF	E4E60080
220	诤	5DBF	DAC0	E4E70080
221	诤	5DC0	DAC1	E4E80080
222	诤	5DC1	DAC2	E4E90080
223	诤	5DC2	DAC3	E4EA0080
224	诤	5DC3	DAC4	E4EB0080
225	诤	5DC4	DAC5	E4EC0080
226	诤	5DC5	DAC6	E4ED0080
227	诤	5DC6	DAC7	E4EE0080
228	诤	5DC7	DAC8	E4EF0080
229	诤	5DC8	DAC9	E4EG0080
230	诤	5DC9	DACA	E4EH0080
231	诤	5DCA	DACB	E4EI0080
232	诤	5DCB	DACC	E4EJ0080

Table 10 (Page 5 of 38). Level 2 Chinese Character Set (1 of 2), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
233	谗	5DCC	DACD	E4EK0080
234	谗	5DCD	DACE	E4EL0080
235	谗	5DCE	DACF	E4EM0080
236	谗	5DCF	DAD0	E4EN0080
237	谗	5DD0	DAD1	E4EO0080
238	谗	5DD1	DAD2	E4EP0080
239	谗	5DD2	DAD3	E4EQ0080
240	谗	5DD3	DAD4	E4ER0080
241	谗	5DD4	DAD5	E4ES0080
242	谗	5DD5	DAD6	E4ET0080
243	谗	5DD6	DAD7	E4EU0080
244	谗	5DD7	DAD8	E4EV0080
245	谗	5DD8	DAD9	E4EW0080
246	谗	5DD9	DADA	E4EX0080
247	谗	5DDA	DADB	E4EY0080
248	谗	5ddb	DADC	E4EZ0080
249	谗	5DDC	DADD	E4F00080
250	谗	5DDD	DADE	E4F10080
251	谗	5DDE	DADF	E4F20080
252	𠄎	5DDF	DAE0	E4F30080
253	𠄎	5DE0	DAE1	E4F40080
254	𠄎	5DE1	DAE2	E4F50080
255	𠄎	5DE2	DAE3	E4F60080
256	𠄎	5DE3	DAE4	E4F70080
257	𠄎	5DE4	DAE5	E4F80080
258	𠄎	5DE5	DAE6	E4F90080




## IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC

Table 10 (Page 6 of 38). Level 2 Chinese Character Set (1 of 2), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
259	阝	5DE6	DAE7	E4FA0080
260	阡	5DE7	DAE8	E4FB0080
261	陂	5DE8	DAE9	E4FC0080
262	陉	5DE9	DAEA	E4FD0080
263	咳	5DEA	DAEB	E4FE0080
264	陟	5DEB	DAEC	E4FF0080
265	陞	5DEC	DAED	E4FG0080
266	陞	5DED	DAEE	E4FH0080
267	陞	5DEE	DAEF	E4FI0080
268	陞	5DEF	DAF0	E4FJ0080
269	陞	5DF0	DAF1	E4FK0080
270	陞	5DF1	DAF2	E4FL0080
271	陞	5DF2	DAF3	E4FM0080
272	陞	5DF3	DAF4	E4FN0080
273	邗	5DF4	DAF5	E4FO0080
274	邗	5DF5	DAF6	E4FP0080
275	邗	5DF6	DAF7	E4FQ0080
276	邗	5DF7	DAF8	E4FR0080
277	邗	5DF8	DAF9	E4FS0080
278	邗	5DF9	DAFA	E4FT0080
279	邗	5DFA	DAFB	E4FU0080
280	邗	5DFB	DAFC	E4FV0080
281	邗	5DFC	DAFD	E4FW0080
282	邗	5DFD	DAFE	E4FX0080
283	邗	5E41	DBA1	E4G10080
284	邗	5E42	DBA2	E4G20080

Table 10 (Page 6 of 38). Level 2 Chinese Character Set (1 of 2), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
285	邗	5E43	DBA3	E4G30080
286	邗	5E44	DBA4	E4G40080
287	邗	5E45	DBA5	E4G50080
288	邗	5E46	DBA6	E4G60080
289	邗	5E47	DBA7	E4G70080
290	邗	5E48	DBA8	E4G80080
291	邗	5E49	DBA9	E4G90080
292	邗	5E4A	DBAA	E4GA0080
293	邗	5E4B	DBAB	E4GB0080
294	邗	5E4C	DBAC	E4GC0080
295	邗	5E4D	DBAD	E4GD0080
296	邗	5E4E	DBAE	E4GE0080
297	邗	5E4F	DBAF	E4GF0080
298	邗	5E50	DBB0	E4GG0080
299	邗	5E51	DBB1	E4GH0080
300	邗	5E52	DBB2	E4GI0080
301	邗	5E53	DBB3	E4GJ0080
302	邗	5E54	DBB4	E4GK0080
303	邗	5E55	DBB5	E4GL0080
304	邗	5E56	DBB6	E4GM0080
305	邗	5E57	DBB7	E4GN0080
306	邗	5E58	DBB8	E4GO0080
307	邗	5E59	DBB9	E4GP0080
308	邗	5E5A	DBBA	E4GQ0080
309	邗	5E5B	DBBB	E4GR0080
310	邗	5E5C	DBBC	E4GS0080



## IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC

Table 10 (Page 7 of 38). Level 2 Chinese Character Set (1 of 2), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
311	劬	5E5D	DBBD	E4GT0080
312	劬	5E5E	DBBE	E4GU0080
313	劬	5E5F	DBBF	E4GV0080
314	劬	5E60	DBC0	E4GW0080
315	劬	5E61	DBC1	E4GX0080
316	劬	5E62	DBC2	E4GY0080
317	劬	5E63	DBC3	E4GZ0080
318	劬	5E64	DBC4	E4H00080
319	叟	5E65	DBC5	E4H10080
320	變	5E66	DBC6	E4H20080
321	鬻	5E67	DBC7	E4H30080
322	爻	5E68	DBC8	E4H40080
323	凵	5E69	DBC9	E4H50080
324	凵	5E6A	DBCA	E4H60080
325	鬯	5E6B	DBCB	E4H70080
326	厶	5E6C	DBCC	E4H80080
327	弁	5E6D	DBCD	E4H90080
328	畚	5E6E	DBCE	E4HA0080
329	疏	5E6F	DBCF	E4HB0080
330	全	5E70	DBD0	E4HC0080
331	垩	5E71	DBD1	E4HD0080
332	垩	5E72	DBD2	E4HE0080
333	塾	5E73	DBD3	E4HF0080
334	壑	5E74	DBD4	E4HG0080
335	壑	5E75	DBD5	E4HH0080
336	壑	5E76	DBD6	E4HI0080

Table 10 (Page 7 of 38). Level 2 Chinese Character Set (1 of 2), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
337	圩	5E77	DBD7	E4HJ0080
338	圩	5E78	DBD8	E4HK0080
339	圪	5E79	DBD9	E4HL0080
340	圳	5E7A	DBDA	E4HM0080
341	圪	5E7B	DBDB	E4HN0080
342	圪	5E7C	DBDC	E4HO0080
343	圪	5E7D	DBDD	E4HP0080
344	圪	5E7E	DBDE	E4HQ0080
345	圪	5E7F	DBDF	E4HR0080
346	坂	5E81	DBE0	E4HT0080
347	坩	5E82	DBE1	E4HU0080
348	坩	5E83	DBE2	E4HV0080
349	坩	5E84	DBE3	E4HW0080
350	坩	5E85	DBE4	E4HX0080
351	坩	5E86	DBE5	E4HY0080
352	坩	5E87	DBE6	E4HZ0080
353	坩	5E88	DBE7	E4I00080
354	坩	5E89	DBE8	E4I10080
355	坩	5E8A	DBE9	E4I20080
356	坩	5E8B	DBEA	E4I30080
357	坩	5E8C	DBEB	E4I40080
358	坩	5E8D	DBEC	E4I50080
359	坩	5E8E	DBED	E4I60080
360	坩	5E8F	DBEE	E4I70080
361	坩	5E90	DBEF	E4I80080
362	坩	5E91	DBF0	E4I90080



## IBM Simplified Chinese Graphic Character Set


DBCS-Host and DBCS-PC

Table 10 (Page 8 of 38). Level 2 Chinese Character Set (1 of 2), DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
363	塄	5E92	DBF1	E4IA0080
364	垓	5E93	DBF2	E4IB0080
365	垠	5E94	DBF3	E4IC0080
366	垠	5E95	DBF4	E4ID0080
367	垠	5E96	DBF5	E4IE0080
368	垠	5E97	DBF6	E4IF0080
369	垠	5E98	DBF7	E4IG0080
370	垠	5E99	DBF8	E4IH0080
371	垠	5E9A	DBF9	E4II0080
372	埴	5E9B	DBFA	E4IJ0080
373	埴	5E9C	DBFB	E4IK0080
374	埴	5E9D	DBFC	E4IL0080
375	埴	5E9E	DBFD	E4IM0080
376	埴	5E9F	DBFE	E4IN0080
377	埴	5EA0	DCA1	E4IO0080
378	埴	5EA1	DCA2	E4IP0080
379	埴	5EA2	DCA3	E4IQ0080
380	埴	5EA3	DCA4	E4IR0080
381	埴	5EA4	DCA5	E4IS0080
382	埴	5EA5	DCA6	E4IT0080
383	埴	5EA6	DCA7	E4IU0080
384	埴	5EA7	DCA8	E4IV0080
385	埴	5EA8	DCA9	E4IW0080
386	埴	5EA9	DCAA	E4IX0080
387	埴	5EAA	DCAB	E4IY0080
388	埴	5EAB	DCAC	E4IZ0080

Table 10 (Page 8 of 38). Level 2 Chinese Character Set (1 of 2), DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
389	壙	5EAC	DCAD	E4J00080
390	壙	5EAD	DCAE	E4J10080
391	壙	5EAE	DCAF	E4J20080
392	壙	5EAF	DCB0	E4J30080
393	壙	5EB0	DCB1	E4J40080
394	壙	5EB1	DCB2	E4J50080
395	壙	5EB2	DCB3	E4J60080
396	壙	5EB3	DCB4	E4J70080
397	壙	5EB4	DCB5	E4J80080
398	壙	5EB5	DCB6	E4J90080
399	壙	5EB6	DCB7	E4JA0080
400	壙	5EB7	DCB8	E4JB0080
401	壙	5EB8	DCB9	E4JC0080
402	壙	5EB9	DCBA	E4JD0080
403	壙	5EBA	DCBB	E4JE0080
404	壙	5EBB	DCBC	E4JF0080
405	壙	5EBC	DCBD	E4JG0080
406	壙	5EBD	DCBE	E4JH0080
407	壙	5EBE	DCBF	E4JI0080
408	壙	5EBF	DCC0	E4JJ0080
409	壙	5EC0	DCC1	E4JK0080
410	壙	5EC1	DCC2	E4JL0080
411	壙	5EC2	DCC3	E4JM0080
412	壙	5EC3	DCC4	E4JN0080
413	壙	5EC4	DCC5	E4JO0080
414	壙	5EC5	DCC6	E4JP0080



## IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC

Table 10 (Page 9 of 38). Level 2 Chinese Character Set (1 of 2), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
415	芮	5EC6	DCC7	E4JQ0080
416	菀	5EC7	DCC8	E4JR0080
417	菘	5EC8	DCC9	E4JS0080
418	苁	5EC9	DCCA	E4JT0080
419	苈	5ECA	DCCB	E4JU0080
420	苊	5ECB	DCCC	E4JV0080
421	苋	5ECC	DCCD	E4JW0080
422	苌	5ECD	DCCE	E4JX0080
423	苈	5ECE	DCCF	E4JY0080
424	苊	5ECF	DCD0	E4JZ0080
425	苎	5ED0	DCD1	E4K00080
426	苐	5ED1	DCD2	E4K10080
427	苑	5ED2	DCD3	E4K20080
428	苒	5ED3	DCD4	E4K30080
429	苓	5ED4	DCD5	E4K40080
430	苔	5ED5	DCD6	E4K50080
431	苕	5ED6	DCD7	E4K60080
432	苕	5ED7	DCD8	E4K70080
433	苕	5ED8	DCD9	E4K80080
434	苕	5ED9	DCDA	E4K90080
435	苕	5EDA	DCDB	E4KA0080
436	苕	5EDB	DCDC	E4KB0080
437	苕	5EDC	DCDD	E4KC0080
438	苕	5EDD	DCDE	E4KD0080
439	苕	5EDE	DCDF	E4KE0080
440	苕	5EDF	DCE0	E4KF0080

Table 10 (Page 9 of 38). Level 2 Chinese Character Set (1 of 2), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
441	苕	5EE0	DCE1	E4KG0080
442	苕	5EE1	DCE2	E4KH0080
443	苕	5EE2	DCE3	E4KI0080
444	苕	5EE3	DCE4	E4KJ0080
445	苕	5EE4	DCE5	E4KK0080
446	苕	5EE5	DCE6	E4KL0080
447	苕	5EE6	DCE7	E4KM0080
448	苕	5EE7	DCE8	E4KN0080
449	苕	5EE8	DCE9	E4KO0080
450	苕	5EE9	DCEA	E4KP0080
451	苕	5EEA	DCEB	E4KQ0080
452	苕	5EEB	DCEC	E4KR0080
453	苕	5EEC	DCED	E4KS0080
454	苕	5EED	DCEE	E4KT0080
455	苕	5EEE	DCEF	E4KU0080
456	苕	5EEF	DCF0	E4KV0080
457	苕	5EF0	DCF1	E4KW0080
458	苕	5EF1	DCF2	E4KX0080
459	苕	5EF2	DCF3	E4KY0080
460	苕	5EF3	DCF4	E4KZ0080
461	苕	5EF4	DCF5	E4L00080
462	苕	5EF5	DCF6	E4L10080
463	苕	5EF6	DCF7	E4L20080
464	苕	5EF7	DCF8	E4L30080
465	苕	5EF8	DCF9	E4L40080
466	苕	5EF9	DCFA	E4L50080



## IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC

Table 10 (Page 10 of 38). Level 2 Chinese Character Set (1 of 2), DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
467	茺	5EFA	DCFB	E4L60080
468	茳	5EFB	DCFC	E4L70080
469	葶	5EFC	DCFD	E4L80080
470	葶	5EFD	DCFE	E4L90080
471	葶	5F41	DDA1	E4LD0080
472	葶	5F42	DDA2	E4LE0080
473	葶	5F43	DDA3	E4LF0080
474	葶	5F44	DDA4	E4LG0080
475	葶	5F45	DDA5	E4LH0080
476	葶	5F46	DDA6	E4LI0080
477	葶	5F47	DDA7	E4LJ0080
478	葶	5F48	DDA8	E4LK0080
479	葶	5F49	DDA9	E4LL0080
480	葶	5F4A	DDAA	E4LM0080
481	葶	5F4B	DDAB	E4LN0080
482	葶	5F4C	DDAC	E4LO0080
483	葶	5F4D	DDAD	E4LP0080
484	葶	5F4E	DDAE	E4LQ0080
485	葶	5F4F	DDAF	E4LR0080
486	葶	5F50	DDB0	E4LS0080
487	葶	5F51	DDB1	E4LT0080
488	葶	5F52	DDB2	E4LU0080
489	葶	5F53	DDB3	E4LV0080
490	葶	5F54	DDB4	E4LW0080
491	葶	5F55	DDB5	E4LX0080
492	葶	5F56	DDB6	E4LY0080

Table 10 (Page 10 of 38). Level 2 Chinese Character Set (1 of 2), DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
493	葶	5F57	DDB7	E4LZ0080
494	葶	5F58	DDB8	E4M00080
495	葶	5F59	DDB9	E4M10080
496	葶	5F5A	DDBA	E4M20080
497	葶	5F5B	DDBB	E4M30080
498	葶	5F5C	DDBC	E4M40080
499	葶	5F5D	DDBD	E4M50080
500	葶	5F5E	DDBE	E4M60080
501	葶	5F5F	DDBF	E4M70080
502	葶	5F60	DDC0	E4M80080
503	葶	5F61	DDC1	E4M90080
504	葶	5F62	DDC2	E4MA0080
505	葶	5F63	DDC3	E4MB0080
506	葶	5F64	DDC4	E4MC0080
507	葶	5F65	DDC5	E4MD0080
508	葶	5F66	DDC6	E4ME0080
509	葶	5F67	DDC7	E4MF0080
510	葶	5F68	DDC8	E4MG0080
511	葶	5F69	DDC9	E4MH0080
512	葶	5F6A	DDCA	E4MI0080
513	葶	5F6B	DDCB	E4MJ0080
514	葶	5F6C	DDCC	E4MK0080
515	葶	5F6D	DDCD	E4ML0080
516	葶	5F6E	DDCE	E4MM0080
517	葶	5F6F	DDCF	E4MN0080
518	葶	5F70	DDD0	E4MO0080




## IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC

Table 10 (Page 11 of 38). Level 2 Chinese Character Set (1 of 2), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
519	菅	5F71	DDD1	E4MP0080
520	菴	5F72	DDD2	E4MQ0080
521	藜	5F73	DDD3	E4MR0080
522	菰	5F74	DDD4	E4MS0080
523	菡	5F75	DDD5	E4MT0080
524	藜	5F76	DDD6	E4MU0080
525	葑	5F77	DDD7	E4MV0080
526	葎	5F78	DDD8	E4MW0080
527	菴	5F79	DDD9	E4MX0080
528	葎	5F7A	DDDA	E4MY0080
529	葎	5F7B	DDDB	E4MZ0080
530	葎	5F7C	DDDC	E4N00080
531	葎	5F7D	DDDD	E4N10080
532	葎	5F7E	DDDE	E4N20080
533	葎	5F7F	DDDF	E4N30080
534	葎	5F81	DDE0	E4N50080
535	葎	5F82	DDE1	E4N60080
536	葎	5F83	DDE2	E4N70080
537	葎	5F84	DDE3	E4N80080
538	葎	5F85	DDE4	E4N90080
539	葎	5F86	DDE5	E4NA0080
540	葎	5F87	DDE6	E4NB0080
541	葎	5F88	DDE7	E4NC0080
542	葎	5F89	DDE8	E4ND0080
543	葎	5F8A	DDE9	E4NE0080
544	葎	5F8B	DDEA	E4NF0080

Table 10 (Page 11 of 38). Level 2 Chinese Character Set (1 of 2), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
545	葎	5F8C	DDEB	E4NG0080
546	葎	5F8D	DDEC	E4NH0080
547	葎	5F8E	DDED	E4NI0080
548	葎	5F8F	DDEE	E4NJ0080
549	葎	5F90	DDEF	E4NK0080
550	葎	5F91	DDF0	E4NL0080
551	葎	5F92	DDF1	E4NM0080
552	葎	5F93	DDF2	E4NN0080
553	葎	5F94	DDF3	E4NO0080
554	葎	5F95	DDF4	E4NP0080
555	葎	5F96	DDF5	E4NQ0080
556	葎	5F97	DDF6	E4NR0080
557	葎	5F98	DDF7	E4NS0080
558	葎	5F99	DDF8	E4NT0080
559	葎	5F9A	DDF9	E4NU0080
560	葎	5F9B	DDFA	E4NV0080
561	葎	5F9C	DDFB	E4NW0080
562	葎	5F9D	DDFC	E4NX0080
563	葎	5F9E	DDFD	E4NY0080
564	葎	5F9F	DDFE	E4NZ0080
565	葎	5FA0	DEA1	E4O00080
566	葎	5FA1	DEA2	E4O10080
567	葎	5FA2	DEA3	E4O20080
568	葎	5FA3	DEA4	E4O30080
569	葎	5FA4	DEA5	E4O40080
570	葎	5FA5	DEA6	E4O50080





## IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC

Table 10 (Page 12 of 38). Level 2 Chinese Character Set (1 of 2), DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
571	蕨	5FA6	DEA7	E4O60080
572	蕤	5FA7	DEA8	E4O70080
573	蕞	5FA8	DEA9	E4O80080
574	蕧	5FA9	DEAA	E4O90080
575	蕮	5FAA	DEAB	E4OA0080
576	蕯	5FAB	DEAC	E4OB0080
577	蕰	5FAC	DEAD	E4OC0080
578	蕱	5FAD	DEAE	E4OD0080
579	蕲	5FAE	DEAF	E4OE0080
580	蕲	5FAF	DEB0	E4OF0080
581	蕲	5FB0	DEB1	E4OG0080
582	蕲	5FB1	DEB2	E4OH0080
583	蕲	5FB2	DEB3	E4OI0080
584	蕲	5FB3	DEB4	E4OJ0080
585	蕲	5FB4	DEB5	E4OK0080
586	蕲	5FB5	DEB6	E4OL0080
587	蕲	5FB6	DEB7	E4OM0080
588	蕲	5FB7	DEB8	E4ON0080
589	蕲	5FB8	DEB9	E4OO0080
590	蕲	5FB9	DEBA	E4OP0080
591	蕲	5FBA	DEBB	E4OQ0080
592	蕲	5FBB	DEBC	E4OR0080
593	蕲	5FBC	DEBD	E4OS0080
594	蕲	5FBD	DEBE	E4OT0080
595	蕲	5FBE	DEBF	E4OU0080
596	蕲	5FBF	DEC0	E4OV0080

Table 10 (Page 12 of 38). Level 2 Chinese Character Set (1 of 2), DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
597	蕲	5FC0	DEC1	E4OW0080
598	蕲	5FC1	DEC2	E4OX0080
599	蕲	5FC2	DEC3	E4OY0080
600	蕲	5FC3	DEC4	E4OZ0080
601	蕲	5FC4	DEC5	E4P00080
602	蕲	5FC5	DEC6	E4P10080
603	蕲	5FC6	DEC7	E4P20080
604	蕲	5FC7	DEC8	E4P30080
605	蕲	5FC8	DEC9	E4P40080
606	蕲	5FC9	DECA	E4P50080
607	蕲	5FCA	DECB	E4P60080
608	蕲	5FCB	DECC	E4P70080
609	蕲	5FCC	DECD	E4P80080
610	蕲	5FCD	DECE	E4P90080
611	蕲	5FCE	DECF	E4PA0080
612	蕲	5FCF	DED0	E4PB0080
613	蕲	5FD0	DED1	E4PC0080
614	蕲	5FD1	DED2	E4PD0080
615	蕲	5FD2	DED3	E4PE0080
616	蕲	5FD3	DED4	E4PF0080
617	蕲	5FD4	DED5	E4PG0080
618	蕲	5FD5	DED6	E4PH0080
619	蕲	5FD6	DED7	E4PI0080
620	蕲	5FD7	DED8	E4PJ0080
621	蕲	5FD8	DED9	E4PK0080
622	蕲	5FD9	DEDA	E4PL0080



## IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC

Table 10 (Page 13 of 38). Level 2 Chinese Character Set (1 of 2), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
623	捋	5FDA	DEDB	E4PM0080
624	捋	5FDB	DEDC	E4PN0080
625	捺	5FDC	DEDD	E4PO0080
626	挪	5FDD	DEDE	E4PP0080
627	捋	5FDE	DEDF	E4PQ0080
628	捺	5FDF	DEE0	E4PR0080
629	捋	5FE0	DEE1	E4PS0080
630	捋	5FE1	DEE2	E4PT0080
631	捋	5FE2	DEE3	E4PU0080
632	捋	5FE3	DEE4	E4PV0080
633	捋	5FE4	DEE5	E4PW0080
634	捋	5FE5	DEE6	E4PX0080
635	捋	5FE6	DEE7	E4PY0080
636	捋	5FE7	DEE8	E4PZ0080
637	捋	5FE8	DEE9	E4Q00080
638	捺	5FE9	DEEA	E4Q10080
639	捋	5FEA	DEEB	E4Q20080
640	捺	5FEB	DEEC	E4Q30080
641	捋	5FEC	DEED	E4Q40080
642	捋	5FED	DEEE	E4Q50080
643	捺	5FEE	DEEF	E4Q60080
644	捋	5FEF	DEF0	E4Q70080
645	捺	5FF0	DEF1	E4Q80080
646	捺	5FF1	DEF2	E4Q90080
647	捋	5FF2	DEF3	E4QA0080
648	捋	5FF3	DEF4	E4QB0080

Table 10 (Page 13 of 38). Level 2 Chinese Character Set (1 of 2), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
649	捋	5FF4	DEF5	E4QC0080
650	捺	5FF5	DEF6	E4QD0080
651	捋	5FF6	DEF7	E4QE0080
652	捋	5FF7	DEF8	E4QF0080
653	捋	5FF8	DEF9	E4QG0080
654	捺	5FF9	DEFA	E4QH0080
655	捋	5FFA	DEFB	E4QI0080
656	捋	5FFB	DEFC	E4QJ0080
657	捋	5FFC	DEFD	E4QK0080
658	捺	5FFD	DEFE	E4QL0080
659	捋	6041	DFA1	E4QP0080
660	捺	6042	DFA2	E4QQ0080
661	捋	6043	DFA3	E4QR0080
662	捋	6044	DFA4	E4QS0080
663	捋	6045	DFA5	E4QT0080
664	捺	6046	DFA6	E4QU0080
665	捋	6047	DFA7	E4QV0080
666	捺	6048	DFA8	E4QW0080
667	捋	6049	DFA9	E4QX0080
668	捺	604A	DFAA	E4QY0080
669	捋	604B	DFAB	E4QZ0080
670	捺	604C	DFAC	E4R00080
671	捋	604D	DFAD	E4R10080
672	弋	604E	DFAE	E4R20080
673	弋	604F	DFAF	E4R30080
674	弋	6050	DFB0	E4R40080



## IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC

Table 10 (Page 14 of 38). Level 2 Chinese Character Set (1 of 2), DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
675	弑	6051	DFB1	E4R50080
676	仆	6052	DFB2	E4R60080
677	叱	6053	DFB3	E4R70080
678	吼	6054	DFB4	E4R80080
679	叩	6055	DFB5	E4R90080
680	叨	6056	DFB6	E4RA0080
681	叻	6057	DFB7	E4RB0080
682	吒	6058	DFB8	E4RC0080
683	吡	6059	DFB9	E4RD0080
684	吆	605A	DFBA	E4RE0080
685	吠	605B	DFBB	E4RF0080
686	哧	605C	DFBC	E4RG0080
687	呖	605D	DFBD	E4RH0080
688	吠	605E	DFBE	E4RI0080
689	哧	605F	DFBF	E4RJ0080
690	哞	6060	DFC0	E4RK0080
691	哞	6061	DFC1	E4RL0080
692	哞	6062	DFC2	E4RM0080
693	哞	6063	DFC3	E4RN0080
694	哞	6064	DFC4	E4RO0080
695	哞	6065	DFC5	E4RP0080
696	哞	6066	DFC6	E4RQ0080
697	哞	6067	DFC7	E4RR0080
698	哞	6068	DFC8	E4RS0080
699	哞	6069	DFC9	E4RT0080
700	哞	606A	DFCA	E4RU0080

Table 10 (Page 14 of 38). Level 2 Chinese Character Set (1 of 2), DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
701	咚	606B	DFCB	E4RV0080
702	哼	606C	DFCC	E4RW0080
703	咄	606D	DFCD	E4RX0080
704	叻	606E	DFCE	E4RY0080
705	叻	606F	DFCF	E4RZ0080
706	咄	6070	DFD0	E4S00080
707	哞	6071	DFD1	E4S10080
708	哞	6072	DFD2	E4S20080
709	哞	6073	DFD3	E4S30080
710	哞	6074	DFD4	E4S40080
711	哞	6075	DFD5	E4S50080
712	哞	6076	DFD6	E4S60080
713	哞	6077	DFD7	E4S70080
714	哞	6078	DFD8	E4S80080
715	哞	6079	DFD9	E4S90080
716	哞	607A	DFDA	E4SA0080
717	哞	607B	DFDB	E4SB0080
718	哞	607C	DFDC	E4SC0080
719	哞	607D	DFDD	E4SD0080
720	哞	607E	DFDE	E4SE0080
721	哞	607F	DFDF	E4SF0080
722	哞	6081	DFE0	E4SH0080
723	哞	6082	DFE1	E4SI0080
724	哞	6083	DFE2	E4SJ0080
725	哞	6084	DFE3	E4SK0080
726	哞	6085	DFE4	E4SL0080




## IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC

Table 10 (Page 15 of 38). Level 2 Chinese Character Set (1 of 2), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
727	咤	6086	DFE5	E4SM0080
728	嗽	6087	DFE6	E4SN0080
729	眼	6088	DFE7	E4SO0080
730	啐	6089	DFE8	E4SP0080
731	唛	608A	DFE9	E4SQ0080
732	哧	608B	DFEA	E4SR0080
733	唠	608C	DFEB	E4SS0080
734	哽	608D	DFEC	E4ST0080
735	唔	608E	DFED	E4SU0080
736	晰	608F	DFEE	E4SV0080
737	喷	6090	DFEF	E4SW0080
738	咣	6091	DFF0	E4SX0080
739	唏	6092	DFF1	E4SY0080
740	唑	6093	DFF2	E4SZ0080
741	唧	6094	DFF3	E4T00080
742	嗒	6095	DFF4	E4T10080
743	喷	6096	DFF5	E4T20080
744	啱	6097	DFF6	E4T30080
745	喵	6098	DFF7	E4T40080
746	唛	6099	DFF8	E4T50080
747	唛	609A	DFF9	E4T60080
748	啱	609B	DFFA	E4T70080
749	啱	609C	DFFB	E4T80080
750	唛	609D	DFFC	E4T90080
751	啐	609E	DFFD	E4TA0080
752	唛	609F	DFFE	E4TB0080

Table 10 (Page 15 of 38). Level 2 Chinese Character Set (1 of 2), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
753	嗜	60A0	E0A1	E4TC0080
754	啖	60A1	E0A2	E4TD0080
755	啖	60A2	E0A3	E4TE0080
756	啖	60A3	E0A4	E4TF0080
757	啖	60A4	E0A5	E4TG0080
758	啖	60A5	E0A6	E4TH0080
759	啖	60A6	E0A7	E4TI0080
760	啖	60A7	E0A8	E4TJ0080
761	啖	60A8	E0A9	E4TK0080
762	啖	60A9	E0AA	E4TL0080
763	啖	60AA	E0AB	E4TM0080
764	啖	60AB	E0AC	E4TN0080
765	啖	60AC	E0AD	E4TO0080
766	啖	60AD	E0AE	E4TP0080
767	啖	60AE	E0AF	E4TQ0080
768	啖	60AF	E0B0	E4TR0080
769	啖	60B0	E0B1	E4TS0080
770	啖	60B1	E0B2	E4TT0080
771	啖	60B2	E0B3	E4TU0080
772	啖	60B3	E0B4	E4TV0080
773	啖	60B4	E0B5	E4TW0080
774	啖	60B5	E0B6	E4TX0080
775	啖	60B6	E0B7	E4TY0080
776	啖	60B7	E0B8	E4TZ0080
777	啖	60B8	E0B9	E4U00080
778	啖	60B9	E0BA	E4U10080



## IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC

Table 10 (Page 16 of 38). Level 2 Chinese Character Set (1 of 2), DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
779	嗽	60BA	E0BB	E4U20080
780	嗪	60BB	E0BC	E4U30080
781	啉	60BC	E0BD	E4U40080
782	嗒	60BD	E0BE	E4U50080
783	嗒	60BE	E0BF	E4U60080
784	嗒	60BF	E0C0	E4U70080
785	嗒	60C0	E0C1	E4U80080
786	嗒	60C1	E0C2	E4U90080
787	嗒	60C2	E0C3	E4UA0080
788	嗒	60C3	E0C4	E4UB0080
789	嗒	60C4	E0C5	E4UC0080
790	嗒	60C5	E0C6	E4UD0080
791	嗒	60C6	E0C7	E4UE0080
792	嗒	60C7	E0C8	E4UF0080
793	嗒	60C8	E0C9	E4UG0080
794	嗒	60C9	E0CA	E4UH0080
795	嗒	60CA	E0CB	E4UI0080
796	嗒	60CB	E0CC	E4UJ0080
797	嗒	60CC	E0CD	E4UK0080
798	嗒	60CD	E0CE	E4UL0080
799	嗒	60CE	E0CF	E4UM0080
800	嗒	60CF	E0D0	E4UN0080
801	嗒	60D0	E0D1	E4UO0080
802	嗒	60D1	E0D2	E4UP0080
803	嗒	60D2	E0D3	E4UQ0080
804	嗒	60D3	E0D4	E4UR0080

Table 10 (Page 16 of 38). Level 2 Chinese Character Set (1 of 2), DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
805	嗒	60D4	E0D5	E4US0080
806	嗒	60D5	E0D6	E4UT0080
807	嗒	60D6	E0D7	E4UU0080
808	嗒	60D7	E0D8	E4UV0080
809	嗒	60D8	E0D9	E4UW0080
810	嗒	60D9	E0DA	E4UX0080
811	嗒	60DA	E0DB	E4UY0080
812	嗒	60DB	E0DC	E4UZ0080
813	嗒	60DC	E0DD	E4V00080
814	嗒	60DD	E0DE	E4V10080
815	嗒	60DE	E0DF	E4V20080
816	嗒	60DF	E0E0	E4V30080
817	嗒	60E0	E0E1	E4V40080
818	嗒	60E1	E0E2	E4V50080
819	嗒	60E2	E0E3	E4V60080
820	嗒	60E3	E0E4	E4V70080
821	嗒	60E4	E0E5	E4V80080
822	嗒	60E5	E0E6	E4V90080
823	嗒	60E6	E0E7	E4VA0080
824	嗒	60E7	E0E8	E4VB0080
825	嗒	60E8	E0E9	E4VC0080
826	嗒	60E9	E0EA	E4VD0080
827	嗒	60EA	E0EB	E4VE0080
828	嗒	60EB	E0EC	E4VF0080
829	□	60EC	E0ED	E4VG0080
830	𠄎	60ED	E0EE	E4VH0080



## IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC

Table 10 (Page 17 of 38). Level 2 Chinese Character Set (1 of 2), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
831	𠄎	60EE	E0EF	E4VI0080
832	𠄏	60EF	E0F0	E4VJ0080
833	𠄐	60F0	E0F1	E4VK0080
834	𠄑	60F1	E0F2	E4VL0080
835	𠄒	60F2	E0F3	E4VM0080
836	𠄓	60F3	E0F4	E4VN0080
837	𠄔	60F4	E0F5	E4VO0080
838	𠄕	60F5	E0F6	E4VP0080
839	𠄖	60F6	E0F7	E4VQ0080
840	𠄗	60F7	E0F8	E4VR0080
841	𠄘	60F8	E0F9	E4VS0080
842	𠄙	60F9	E0FA	E4VT0080
843	𠄚	60FA	E0FB	E4VU0080
844	𠄛	60FB	E0FC	E4VV0080
845	𠄜	60FC	E0FD	E4VW0080
846	𠄝	60FD	E0FE	E4VX0080
847	𠄞	6141	E1A1	E4W10080
848	𠄟	6142	E1A2	E4W20080
849	𠄠	6143	E1A3	E4W30080
850	𠄡	6144	E1A4	E4W40080
851	𠄢	6145	E1A5	E4W50080
852	𠄣	6146	E1A6	E4W60080
853	𠄤	6147	E1A7	E4W70080
854	𠄥	6148	E1A8	E4W80080
855	𠄦	6149	E1A9	E4W90080
856	𠄧	614A	E1AA	E4WA0080

Table 10 (Page 17 of 38). Level 2 Chinese Character Set (1 of 2), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
857	𠄨	614B	E1AB	E4WB0080
858	𠄩	614C	E1AC	E4WC0080
859	𠄪	614D	E1AD	E4WD0080
860	𠄫	614E	E1AE	E4WE0080
861	𠄬	614F	E1AF	E4WF0080
862	𠄭	6150	E1B0	E4WG0080
863	𠄮	6151	E1B1	E4WH0080
864	𠄯	6152	E1B2	E4WI0080
865	𠄰	6153	E1B3	E4WJ0080
866	𠄱	6154	E1B4	E4WK0080
867	𠄲	6155	E1B5	E4WL0080
868	𠄳	6156	E1B6	E4WM0080
869	𠄴	6157	E1B7	E4WN0080
870	𠄵	6158	E1B8	E4WO0080
871	𠄶	6159	E1B9	E4WP0080
872	𠄷	615A	E1BA	E4WQ0080
873	𠄸	615B	E1BB	E4WR0080
874	𠄹	615C	E1BC	E4WS0080
875	𠄺	615D	E1BD	E4WT0080
876	𠄻	615E	E1BE	E4WU0080
877	𠄼	615F	E1BF	E4WV0080
878	𠄽	6160	E1C0	E4WW0080
879	𠄾	6161	E1C1	E4WX0080
880	𠄿	6162	E1C2	E4WY0080
881	𠅀	6163	E1C3	E4WZ0080
882	𠅁	6164	E1C4	E4X00080



## IBM Simplified Chinese Graphic Character Set


DBCS-Host and DBCS-PC

Table 10 (Page 18 of 38). Level 2 Chinese Character Set (1 of 2), DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
883	峭	6165	E1C5	E4X10080
884	崞	6166	E1C6	E4X20080
885	崞	6167	E1C7	E4X30080
886	崞	6168	E1C8	E4X40080
887	崞	6169	E1C9	E4X50080
888	崞	616A	E1CA	E4X60080
889	崞	616B	E1CB	E4X70080
890	崞	616C	E1CC	E4X80080
891	崞	616D	E1CD	E4X90080
892	崞	616E	E1CE	E4XA0080
893	崞	616F	E1CF	E4XB0080
894	崞	6170	E1D0	E4XC0080
895	崞	6171	E1D1	E4XD0080
896	崞	6172	E1D2	E4XE0080
897	崞	6173	E1D3	E4XF0080
898	崞	6174	E1D4	E4XG0080
899	崞	6175	E1D5	E4XH0080
900	崞	6176	E1D6	E4XI0080
901	崞	6177	E1D7	E4XJ0080
902	崞	6178	E1D8	E4XK0080
903	崞	6179	E1D9	E4XL0080
904	崞	617A	E1DA	E4XM0080
905	崞	617B	E1DB	E4XN0080
906	𠂇	617C	E1DC	E4XO0080
907	𠂇	617D	E1DD	E4XP0080
908	𠂇	617E	E1DE	E4XQ0080

Table 10 (Page 18 of 38). Level 2 Chinese Character Set (1 of 2), DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
909	徇	617F	E1DF	E4XR0080
910	徇	6181	E1E0	E4XT0080
911	徇	6182	E1E1	E4XU0080
912	徇	6183	E1E2	E4XV0080
913	徇	6184	E1E3	E4XW0080
914	徇	6185	E1E4	E4XX0080
915	徇	6186	E1E5	E4XY0080
916	徇	6187	E1E6	E4XZ0080
917	徇	6188	E1E7	E4Y00080
918	徇	6189	E1E8	E4Y10080
919	徇	618A	E1E9	E4Y20080
920	徇	618B	E1EA	E4Y30080
921	徇	618C	E1EB	E4Y40080
922	徇	618D	E1EC	E4Y50080
923	徇	618E	E1ED	E4Y60080
924	徇	618F	E1EE	E4Y70080
925	徇	6190	E1EF	E4Y80080
926	徇	6191	E1F0	E4Y90080
927	徇	6192	E1F1	E4YA0080
928	徇	6193	E1F2	E4YB0080
929	徇	6194	E1F3	E4YC0080
930	徇	6195	E1F4	E4YD0080
931	徇	6196	E1F5	E4YE0080
932	徇	6197	E1F6	E4YF0080
933	徇	6198	E1F7	E4YG0080
934	徇	6199	E1F8	E4YH0080



## IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC

Table 10 (Page 19 of 38). Level 2 Chinese Character Set (1 of 2), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
935	狴	619A	E1F9	E4YI0080
936	狵	619B	E1FA	E4YJ0080
937	狶	619C	E1FB	E4YK0080
938	狷	619D	E1FC	E4YL0080
939	狸	619E	E1FD	E4YM0080
940	狨	619F	E1FE	E4YN0080
941	狩	61A0	E2A1	E4YO0080
942	狪	61A1	E2A2	E4YP0080
943	狫	61A2	E2A3	E4YQ0080
944	独	61A3	E2A4	E4YR0080
945	狭	61A4	E2A5	E4YS0080
946	狮	61A5	E2A6	E4YT0080
947	狯	61A6	E2A7	E4YU0080
948	狰	61A7	E2A8	E4YV0080
949	狱	61A8	E2A9	E4YW0080
950	狲	61A9	E2AA	E4YX0080
951	狳	61AA	E2AB	E4YY0080
952	狴	61AB	E2AC	E4YZ0080
953	狵	61AC	E2AD	E4Z00080
954	狶	61AD	E2AE	E4Z10080
955	狷	61AE	E2AF	E4Z20080
956	狸	61AF	E2B0	E4Z30080
957	狨	61B0	E2B1	E4Z40080
958	狩	61B1	E2B2	E4Z50080
959	狪	61B2	E2B3	E4Z60080
960	狫	61B3	E2B4	E4Z70080

Table 10 (Page 19 of 38). Level 2 Chinese Character Set (1 of 2), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
961	獾	61B4	E2B5	E4Z80080
962	狺	61B5	E2B6	E4Z90080
963	狻	61B6	E2B7	E4ZA0080
964	狼	61B7	E2B8	E4ZB0080
965	狽	61B8	E2B9	E4ZC0080
966	狾	61B9	E2BA	E4ZD0080
967	狿	61BA	E2BB	E4ZE0080
968	饠	61BB	E2BC	E4ZF0080
969	饨	61BC	E2BD	E4ZG0080
970	饡	61BD	E2BE	E4ZH0080
971	饪	61BE	E2BF	E4ZI0080
972	饣	61BF	E2C0	E4ZJ0080
973	饣	61C0	E2C1	E4ZK0080
974	饣	61C1	E2C2	E4ZL0080
975	饣	61C2	E2C3	E4ZM0080
976	饣	61C3	E2C4	E4ZN0080
977	饣	61C4	E2C5	E4ZO0080
978	饣	61C5	E2C6	E4ZP0080
979	饣	61C6	E2C7	E4ZQ0080
980	饣	61C7	E2C8	E4ZR0080
981	饣	61C8	E2C9	E4ZS0080
982	饣	61C9	E2CA	E4ZT0080
983	饣	61CA	E2CB	E4ZU0080
984	饣	61CB	E2CC	E4ZV0080
985	饣	61CC	E2CD	E4ZW0080
986	饣	61CD	E2CE	E4ZX0080





## IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC

Line Number	Graphic	Host Code	PC Code	GCGID
987	庀	61CE	E2CF	E4ZY0080
988	庑	61CF	E2D0	E4ZZ0080
989	庑	61D0	E2D1	E5000080
990	庑	61D1	E2D2	E5010080
991	庑	61D2	E2D3	E5020080
992	庑	61D3	E2D4	E5030080
993	庑	61D4	E2D5	E5040080
994	庑	61D5	E2D6	E5050080
995	庑	61D6	E2D7	E5060080
996	庑	61D7	E2D8	E5070080
997	庑	61D8	E2D9	E5080080
998	庑	61D9	E2DA	E5090080
999	庑	61DA	E2DB	E50A0080
1000	庑	61DB	E2DC	E50B0080
1001	庑	61DC	E2DD	E50C0080
1002	庑	61DD	E2DE	E50D0080
1003	庑	61DE	E2DF	E50E0080
1004	庑	61DF	E2E0	E50F0080
1005	庑	61E0	E2E1	E50G0080
1006	庑	61E1	E2E2	E50H0080
1007	庑	61E2	E2E3	E50I0080
1008	庑	61E3	E2E4	E50J0080
1009	庑	61E4	E2E5	E50K0080
1010	庑	61E5	E2E6	E50L0080
1011	庑	61E6	E2E7	E50M0080
1012	庑	61E7	E2E8	E50N0080

Line Number	Graphic	Host Code	PC Code	GCGID
1013	恹	61E8	E2E9	E50O0080
1014	恹	61E9	E2EA	E50P0080
1015	恹	61EA	E2EB	E50Q0080
1016	恹	61EB	E2EC	E50R0080
1017	恹	61EC	E2ED	E50S0080
1018	恹	61ED	E2EE	E50T0080
1019	恹	61EE	E2EF	E50U0080
1020	恹	61EF	E2F0	E50V0080
1021	恹	61F0	E2F1	E50W0080
1022	恹	61F1	E2F2	E50X0080
1023	恹	61F2	E2F3	E50Y0080
1024	恹	61F3	E2F4	E50Z0080
1025	恹	61F4	E2F5	E5100080
1026	恹	61F5	E2F6	E5110080
1027	恹	61F6	E2F7	E5120080
1028	恹	61F7	E2F8	E5130080
1029	恹	61F8	E2F9	E5140080
1030	恹	61F9	E2FA	E5150080
1031	恹	61FA	E2FB	E5160080
1032	恹	61FB	E2FC	E5170080
1033	恹	61FC	E2FD	E5180080
1034	恹	61FD	E2FE	E5190080
1035	恹	6241	E3A1	E51D0080
1036	恹	6242	E3A2	E51E0080
1037	恹	6243	E3A3	E51F0080
1038	恹	6244	E3A4	E51G0080



## IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC

Table 10 (Page 21 of 38). Level 2 Chinese Character Set (1 of 2), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1039	慳	6245	E3A5	E51H0080
1040	慳	6246	E3A6	E51I0080
1041	慳	6247	E3A7	E51J0080
1042	慳	6248	E3A8	E51K0080
1043	悌	6249	E3A9	E51L0080
1044	悌	624A	E3AA	E51M0080
1045	悌	624B	E3AB	E51N0080
1046	悌	624C	E3AC	E51O0080
1047	悌	624D	E3AD	E51P0080
1048	悌	624E	E3AE	E51Q0080
1049	悌	624F	E3AF	E51R0080
1050	悌	6250	E3B0	E51S0080
1051	悌	6251	E3B1	E51T0080
1052	悌	6252	E3B2	E51U0080
1053	悌	6253	E3B3	E51V0080
1054	悌	6254	E3B4	E51W0080
1055	悌	6255	E3B5	E51X0080
1056	悌	6256	E3B6	E51Y0080
1057	悌	6257	E3B7	E51Z0080
1058	悌	6258	E3B8	E5200080
1059	悌	6259	E3B9	E5210080
1060	悌	625A	E3BA	E5220080
1061	悌	625B	E3BB	E5230080
1062	悌	625C	E3BC	E5240080
1063	悌	625D	E3BD	E5250080
1064	悌	625E	E3BE	E5260080

Table 10 (Page 21 of 38). Level 2 Chinese Character Set (1 of 2), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1065	慳	625F	E3BF	E5270080
1066	慳	6260	E3C0	E5280080
1067	慳	6261	E3C1	E5290080
1068	慳	6262	E3C2	E52A0080
1069	慳	6263	E3C3	E52B0080
1070	慳	6264	E3C4	E52C0080
1071	慳	6265	E3C5	E52D0080
1072	慳	6266	E3C6	E52E0080
1073	慳	6267	E3C7	E52F0080
1074	慳	6268	E3C8	E52G0080
1075	慳	6269	E3C9	E52H0080
1076	慳	626A	E3CA	E52I0080
1077	慳	626B	E3CB	E52J0080
1078	慳	626C	E3CC	E52K0080
1079	慳	626D	E3CD	E52L0080
1080	慳	626E	E3CE	E52M0080
1081	慳	626F	E3CF	E52N0080
1082	慳	6270	E3D0	E52O0080
1083	慳	6271	E3D1	E52P0080
1084	慳	6272	E3D2	E52Q0080
1085	慳	6273	E3D3	E52R0080
1086	慳	6274	E3D4	E52S0080
1087	慳	6275	E3D5	E52T0080
1088	慳	6276	E3D6	E52U0080
1089	慳	6277	E3D7	E52V0080
1090	慳	6278	E3D8	E52W0080



## IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC

Table 10 (Page 22 of 38). Level 2 Chinese Character Set (1 of 2), DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
1091	夤	6279	E3D9	E52X0080
1092	夤	627A	E3DA	E52Y0080
1093	夤	627B	E3DB	E52Z0080
1094	斗	627C	E3DC	E5300080
1095	夤	627D	E3DD	E5310080
1096	戕	627E	E3DE	E5320080
1097	彳	627F	E3DF	E5330080
1098	汜	6281	E3E0	E5350080
1099	汜	6282	E3E1	E5360080
1100	汜	6283	E3E2	E5370080
1101	泮	6284	E3E3	E5380080
1102	沅	6285	E3E4	E5390080
1103	沐	6286	E3E5	E53A0080
1104	沔	6287	E3E6	E53B0080
1105	沌	6288	E3E7	E53C0080
1106	汨	6289	E3E8	E53D0080
1107	汨	628A	E3E9	E53E0080
1108	汨	628B	E3EA	E53F0080
1109	汶	628C	E3EB	E53G0080
1110	沆	628D	E3EC	E53H0080
1111	沔	628E	E3ED	E53I0080
1112	泐	628F	E3EE	E53J0080
1113	泔	6290	E3EF	E53K0080
1114	沐	6291	E3F0	E53L0080
1115	泔	6292	E3F1	E53M0080
1116	泸	6293	E3F2	E53N0080

Table 10 (Page 22 of 38). Level 2 Chinese Character Set (1 of 2), DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
1117	泐	6294	E3F3	E53O0080
1118	泗	6295	E3F4	E53P0080
1119	沔	6296	E3F5	E53Q0080
1120	泐	6297	E3F6	E53R0080
1121	泐	6298	E3F7	E53S0080
1122	泐	6299	E3F8	E53T0080
1123	泐	629A	E3F9	E53U0080
1124	泐	629B	E3FA	E53V0080
1125	沔	629C	E3FB	E53W0080
1126	泐	629D	E3FC	E53X0080
1127	泐	629E	E3FD	E53Y0080
1128	泾	629F	E3FE	E53Z0080
1129	洄	62A0	E4A1	E5400080
1130	洄	62A1	E4A2	E5410080
1131	洄	62A2	E4A3	E5420080
1132	洄	62A3	E4A4	E5430080
1133	洄	62A4	E4A5	E5440080
1134	洄	62A5	E4A6	E5450080
1135	洄	62A6	E4A7	E5460080
1136	洄	62A7	E4A8	E5470080
1137	洄	62A8	E4A9	E5480080
1138	洄	62A9	E4AA	E5490080
1139	洄	62AA	E4AB	E54A0080
1140	洄	62AB	E4AC	E54B0080
1141	洄	62AC	E4AD	E54C0080
1142	洄	62AD	E4AE	E54D0080



## IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC

Table 10 (Page 23 of 38). Level 2 Chinese Character Set (1 of 2), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1143	浏	62AE	E4AF	E54E0080
1144	浒	62AF	E4B0	E54F0080
1145	浔	62B0	E4B1	E54G0080
1146	洳	62B1	E4B2	E54H0080
1147	涑	62B2	E4B3	E54I0080
1148	浯	62B3	E4B4	E54J0080
1149	涑	62B4	E4B5	E54K0080
1150	漕	62B5	E4B6	E54L0080
1151	浞	62B6	E4B7	E54M0080
1152	涓	62B7	E4B8	E54N0080
1153	涇	62B8	E4B9	E54O0080
1154	浜	62B9	E4BA	E54P0080
1155	浹	62BA	E4BB	E54Q0080
1156	浼	62BB	E4BC	E54R0080
1157	浍	62BC	E4BD	E54S0080
1158	渚	62BD	E4BE	E54T0080
1159	淇	62BE	E4BF	E54U0080
1160	浙	62BF	E4C0	E54V0080
1161	淞	62C0	E4C1	E54W0080
1162	渎	62C1	E4C2	E54X0080
1163	涿	62C2	E4C3	E54Y0080
1164	涿	62C3	E4C4	E54Z0080
1165	澗	62C4	E4C5	E5500080
1166	淦	62C5	E4C6	E5510080
1167	淝	62C6	E4C7	E5520080
1168	淙	62C7	E4C8	E5530080

Table 10 (Page 23 of 38). Level 2 Chinese Character Set (1 of 2), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1169	涿	62C8	E4C9	E5540080
1170	涓	62C9	E4CA	E5550080
1171	涑	62CA	E4CB	E5560080
1172	涑	62CB	E4CC	E5570080
1173	涑	62CC	E4CD	E5580080
1174	涑	62CD	E4CE	E5590080
1175	涑	62CE	E4CF	E55A0080
1176	涑	62CF	E4D0	E55B0080
1177	涑	62D0	E4D1	E55C0080
1178	涑	62D1	E4D2	E55D0080
1179	涑	62D2	E4D3	E55E0080
1180	涑	62D3	E4D4	E55F0080
1181	涑	62D4	E4D5	E55G0080
1182	涑	62D5	E4D6	E55H0080
1183	涑	62D6	E4D7	E55I0080
1184	涑	62D7	E4D8	E55J0080
1185	涑	62D8	E4D9	E55K0080
1186	涑	62D9	E4DA	E55L0080
1187	涑	62DA	E4DB	E55M0080
1188	涑	62DB	E4DC	E55N0080
1189	涑	62DC	E4DD	E55O0080
1190	涑	62DD	E4DE	E55P0080
1191	涑	62DE	E4DF	E55Q0080
1192	涑	62DF	E4E0	E55R0080
1193	涑	62E0	E4E1	E55S0080
1194	涑	62E1	E4E2	E55T0080



## IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC

Line Number	Graphic	Host Code	PC Code	GCGID
1195	溷	62E2	E4E3	E55U0080
1196	滗	62E3	E4E4	E55V0080
1197	溘	62E4	E4E5	E55W0080
1198	溚	62E5	E4E6	E55X0080
1199	溛	62E6	E4E7	E55Y0080
1200	溜	62E7	E4E8	E55Z0080
1201	溞	62E8	E4E9	E5600080
1202	溟	62E9	E4EA	E5610080
1203	溠	62EA	E4EB	E5620080
1204	溡	62EB	E4EC	E5630080
1205	溢	62EC	E4ED	E5640080
1206	溣	62ED	E4EE	E5650080
1207	溤	62EE	E4EF	E5660080
1208	溥	62EF	E4F0	E5670080
1209	溦	62F0	E4F1	E5680080
1210	溧	62F1	E4F2	E5690080
1211	溭	62F2	E4F3	E56A0080
1212	溮	62F3	E4F4	E56B0080
1213	溯	62F4	E4F5	E56C0080
1214	溰	62F5	E4F6	E56D0080
1215	溱	62F6	E4F7	E56E0080
1216	溲	62F7	E4F8	E56F0080
1217	溳	62F8	E4F9	E56G0080
1218	溴	62F9	E4FA	E56H0080
1219	溵	62FA	E4FB	E56I0080
1220	溶	62FB	E4FC	E56J0080

Line Number	Graphic	Host Code	PC Code	GCGID
1221	溷	62FC	E4FD	E56K0080
1222	溙	62FD	E4FE	E56L0080
1223	溚	6341	E5A1	E56P0080
1224	溛	6342	E5A2	E56Q0080
1225	溜	6343	E5A3	E56R0080
1226	溞	6344	E5A4	E56S0080
1227	溟	6345	E5A5	E56T0080
1228	溠	6346	E5A6	E56U0080
1229	溡	6347	E5A7	E56V0080
1230	溢	6348	E5A8	E56W0080
1231	溣	6349	E5A9	E56X0080
1232	溤	634A	E5AA	E56Y0080
1233	溥	634B	E5AB	E56Z0080
1234	溦	634C	E5AC	E5700080
1235	溧	634D	E5AD	E5710080
1236	溭	634E	E5AE	E5720080
1237	溮	634F	E5AF	E5730080
1238	溯	6350	E5B0	E5740080
1239	溰	6351	E5B1	E5750080
1240	宀	6352	E5B2	E5760080
1241	宀	6353	E5B3	E5770080
1242	宀	6354	E5B4	E5780080
1243	宀	6355	E5B5	E5790080
1244	宀	6356	E5B6	E57A0080
1245	宀	6357	E5B7	E57B0080
1246	宀	6358	E5B8	E57C0080



## IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC

Table 10 (Page 25 of 38). Level 2 Chinese Character Set (1 of 2), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1247	筹	6359	E5B9	E57D0080
1248	褫	635A	E5BA	E57E0080
1249	瘠	635B	E5BB	E57F0080
1250	寮	635C	E5BC	E57G0080
1251	褰	635D	E5BD	E57H0080
1252	褰	635E	E5BE	E57I0080
1253	蹇	635F	E5BF	E57J0080
1254	蹇	6360	E5C0	E57K0080
1255	迓	6361	E5C1	E57L0080
1256	迓	6362	E5C2	E57M0080
1257	迓	6363	E5C3	E57N0080
1258	迓	6364	E5C4	E57O0080
1259	迓	6365	E5C5	E57P0080
1260	迓	6366	E5C6	E57Q0080
1261	迓	6367	E5C7	E57R0080
1262	迓	6368	E5C8	E57S0080
1263	迓	6369	E5C9	E57T0080
1264	迓	636A	E5CA	E57U0080
1265	迓	636B	E5CB	E57V0080
1266	迓	636C	E5CC	E57W0080
1267	迓	636D	E5CD	E57X0080
1268	迓	636E	E5CE	E57Y0080
1269	迓	636F	E5CF	E57Z0080
1270	迓	6370	E5D0	E5800080
1271	迓	6371	E5D1	E5810080
1272	迓	6372	E5D2	E5820080

Table 10 (Page 25 of 38). Level 2 Chinese Character Set (1 of 2), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1273	逖	6373	E5D3	E5830080
1274	逖	6374	E5D4	E5840080
1275	逖	6375	E5D5	E5850080
1276	逖	6376	E5D6	E5860080
1277	逖	6377	E5D7	E5870080
1278	逖	6378	E5D8	E5880080
1279	逖	6379	E5D9	E5890080
1280	逖	637A	E5DA	E58A0080
1281	逖	637B	E5DB	E58B0080
1282	逖	637C	E5DC	E58C0080
1283	逖	637D	E5DD	E58D0080
1284	逖	637E	E5DE	E58E0080
1285	逖	637F	E5DF	E58F0080
1286	逖	6381	E5E0	E58H0080
1287	逖	6382	E5E1	E58I0080
1288	逖	6383	E5E2	E58J0080
1289	逖	6384	E5E3	E58K0080
1290	逖	6385	E5E4	E58L0080
1291	逖	6386	E5E5	E58M0080
1292	逖	6387	E5E6	E58N0080
1293	逖	6388	E5E7	E58O0080
1294	逖	6389	E5E8	E58P0080
1295	逖	638A	E5E9	E58Q0080
1296	逖	638B	E5EA	E58R0080
1297	逖	638C	E5EB	E58S0080
1298	逖	638D	E5EC	E58T0080



## IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC

Line Number	Graphic	Host Code	PC Code	GCGID
1299	扇	638E	E5ED	E58U0080
1300	孱	638F	E5EE	E58V0080
1301	屣	6390	E5EF	E58W0080
1302	屨	6391	E5F0	E58X0080
1303	屣	6392	E5F1	E58Y0080
1304	𨾏	6393	E5F2	E58Z0080
1305	駑	6394	E5F3	E5900080
1306	弭	6395	E5F4	E5910080
1307	艷	6396	E5F5	E5920080
1308	弼	6397	E5F6	E5930080
1309	鸞	6398	E5F7	E5940080
1310	屮	6399	E5F8	E5950080
1311	灼	639A	E5F9	E5960080
1312	妃	639B	E5FA	E5970080
1313	妍	639C	E5FB	E5980080
1314	妩	639D	E5FC	E5990080
1315	姬	639E	E5FD	E59A0080
1316	妣	639F	E5FE	E59B0080
1317	姈	63A0	E6A1	E59C0080
1318	姊	63A1	E6A2	E59D0080
1319	妨	63A2	E6A3	E59E0080
1320	姐	63A3	E6A4	E59F0080
1321	妤	63A4	E6A5	E59G0080
1322	姒	63A5	E6A6	E59H0080
1323	姐	63A6	E6A7	E59I0080
1324	妯	63A7	E6A8	E59J0080

Line Number	Graphic	Host Code	PC Code	GCGID
1325	姍	63A8	E6A9	E59K0080
1326	妾	63A9	E6AA	E59L0080
1327	姪	63AA	E6AB	E59M0080
1328	姘	63AB	E6AC	E59N0080
1329	姝	63AC	E6AD	E59O0080
1330	妾	63AD	E6AE	E59P0080
1331	姣	63AE	E6AF	E59Q0080
1332	姘	63AF	E6B0	E59R0080
1333	姘	63B0	E6B1	E59S0080
1334	姘	63B1	E6B2	E59T0080
1335	娉	63B2	E6B3	E59U0080
1336	媪	63B3	E6B4	E59V0080
1337	媪	63B4	E6B5	E59W0080
1338	娉	63B5	E6B6	E59X0080
1339	娉	63B6	E6B7	E59Y0080
1340	媪	63B7	E6B8	E59Z0080
1341	媪	63B8	E6B9	E5A00080
1342	媪	63B9	E6BA	E5A10080
1343	媪	63BA	E6BB	E5A20080
1344	媪	63BB	E6BC	E5A30080
1345	媪	63BC	E6BD	E5A40080
1346	媪	63BD	E6BE	E5A50080
1347	媪	63BE	E6BF	E5A60080
1348	媪	63BF	E6C0	E5A70080
1349	媪	63C0	E6C1	E5A80080
1350	媪	63C1	E6C2	E5A90080



## IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC

Table 10 (Page 27 of 38). Level 2 Chinese Character Set (1 of 2), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1351	婷	63C2	E6C3	E5AA0080
1352	婺	63C3	E6C4	E5AB0080
1353	媵	63C4	E6C5	E5AC0080
1354	嫫	63C5	E6C6	E5AD0080
1355	媿	63C6	E6C7	E5AE0080
1356	媛	63C7	E6C8	E5AF0080
1357	嫔	63C8	E6C9	E5AG0080
1358	媼	63C9	E6CA	E5AH0080
1359	嫠	63CA	E6CB	E5AI0080
1360	媯	63CB	E6CC	E5AJ0080
1361	媾	63CC	E6CD	E5AK0080
1362	嫖	63CD	E6CE	E5AL0080
1363	媮	63CE	E6CF	E5AM0080
1364	嫒	63CF	E6D0	E5AN0080
1365	嫜	63D0	E6D1	E5AO0080
1366	媾	63D1	E6D2	E5AP0080
1367	媼	63D2	E6D3	E5AQ0080
1368	媿	63D3	E6D4	E5AR0080
1369	媾	63D4	E6D5	E5AS0080
1370	媿	63D5	E6D6	E5AT0080
1371	媿	63D6	E6D7	E5AU0080
1372	尒	63D7	E6D8	E5AV0080
1373	叅	63D8	E6D9	E5AW0080
1374	孚	63D9	E6DA	E5AX0080
1375	孛	63DA	E6DB	E5AY0080
1376	孛	63DB	E6DC	E5AZ0080

Table 10 (Page 27 of 38). Level 2 Chinese Character Set (1 of 2), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1377	孛	63DC	E6DD	E5B00080
1378	孛	63DD	E6DE	E5B10080
1379	孛	63DE	E6DF	E5B20080
1380	孛	63DF	E6E0	E5B30080
1381	孛	63E0	E6E1	E5B40080
1382	孛	63E1	E6E2	E5B50080
1383	孛	63E2	E6E3	E5B60080
1384	孛	63E3	E6E4	E5B70080
1385	孛	63E4	E6E5	E5B80080
1386	孛	63E5	E6E6	E5B90080
1387	孛	63E6	E6E7	E5BA0080
1388	孛	63E7	E6E8	E5BB0080
1389	孛	63E8	E6E9	E5BC0080
1390	孛	63E9	E6EA	E5BD0080
1391	孛	63EA	E6EB	E5BE0080
1392	孛	63EB	E6EC	E5BF0080
1393	孛	63EC	E6ED	E5BG0080
1394	孛	63ED	E6EE	E5BH0080
1395	孛	63EE	E6EF	E5BI0080
1396	孛	63EF	E6F0	E5BJ0080
1397	孛	63F0	E6F1	E5BK0080
1398	孛	63F1	E6F2	E5BL0080
1399	孛	63F2	E6F3	E5BM0080
1400	孛	63F3	E6F4	E5BN0080
1401	孛	63F4	E6F5	E5BO0080
1402	孛	63F5	E6F6	E5BP0080





## IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC

Line Number	Graphic	Host Code	PC Code	GCGID
1403	骥	63F6	E6F7	E5BQ0080
1404	骧	63F7	E6F8	E5BR0080
1405	纡	63F8	E6F9	E5BS0080
1406	纟	63F9	E6FA	E5BT0080
1407	纣	63FA	E6FB	E5BU0080
1408	纇	63FB	E6FC	E5BV0080
1409	纈	63FC	E6FD	E5BW0080
1410	纉	63FD	E6FE	E5BX0080
1411	纊	6441	E7A1	E5C10080
1412	纋	6442	E7A2	E5C20080
1413	續	6443	E7A3	E5C30080
1414	纍	6444	E7A4	E5C40080
1415	纍	6445	E7A5	E5C50080
1416	纎	6446	E7A6	E5C60080
1417	纏	6447	E7A7	E5C70080
1418	纐	6448	E7A8	E5C80080
1419	纑	6449	E7A9	E5C90080
1420	纒	644A	E7AA	E5CA0080
1421	纓	644B	E7AB	E5CB0080
1422	纔	644C	E7AC	E5CC0080
1423	纕	644D	E7AD	E5CD0080
1424	纙	644E	E7AE	E5CE0080
1425	纚	644F	E7AF	E5CF0080
1426	纛	6450	E7B0	E5CG0080
1427	纞	6451	E7B1	E5CH0080
1428	纟	6452	E7B2	E5CI0080

Line Number	Graphic	Host Code	PC Code	GCGID
1429	纞	6453	E7B3	E5CJ0080
1430	纟	6454	E7B4	E5CK0080
1431	纟	6455	E7B5	E5CL0080
1432	纟	6456	E7B6	E5CM0080
1433	纟	6457	E7B7	E5CN0080
1434	纟	6458	E7B8	E5CO0080
1435	纟	6459	E7B9	E5CP0080
1436	纟	645A	E7BA	E5CQ0080
1437	纟	645B	E7BB	E5CR0080
1438	纟	645C	E7BC	E5CS0080
1439	纟	645D	E7BD	E5CT0080
1440	纟	645E	E7BE	E5CU0080
1441	纟	645F	E7BF	E5CV0080
1442	纟	6460	E7C0	E5CW0080
1443	纟	6461	E7C1	E5CX0080
1444	纟	6462	E7C2	E5CY0080
1445	纟	6463	E7C3	E5CZ0080
1446	纟	6464	E7C4	E5D00080
1447	纟	6465	E7C5	E5D10080
1448	纟	6466	E7C6	E5D20080
1449	纟	6467	E7C7	E5D30080
1450	纟	6468	E7C8	E5D40080
1451	纟	6469	E7C9	E5D50080
1452	纟	646A	E7CA	E5D60080
1453	纟	646B	E7CB	E5D70080
1454	纟	646C	E7CC	E5D80080



## IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC

Table 10 (Page 29 of 38). Level 2 Chinese Character Set (1 of 2), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1455	缤	646D	E7CD	E5D90080
1456	缥	646E	E7CE	E5DA0080
1457	纒	646F	E7CF	E5DB0080
1458	縲	6470	E7D0	E5DC0080
1459	縻	6471	E7D1	E5DD0080
1460	縻	6472	E7D2	E5DE0080
1461	纒	6473	E7D3	E5DF0080
1462	縲	6474	E7D4	E5DG0080
1463	纒	6475	E7D5	E5DH0080
1464	纒	6476	E7D6	E5DI0080
1465	纒	6477	E7D7	E5DJ0080
1466	纒	6478	E7D8	E5DK0080
1467	纒	6479	E7D9	E5DL0080
1468	纒	647A	E7DA	E5DM0080
1469	么	647B	E7DB	E5DN0080
1470	畿	647C	E7DC	E5DO0080
1471	ㄩ	647D	E7DD	E5DP0080
1472	甾	647E	E7DE	E5DQ0080
1473	邕	647F	E7DF	E5DR0080
1474	玎	6481	E7E0	E5DT0080
1475	玑	6482	E7E1	E5DU0080
1476	玮	6483	E7E2	E5DV0080
1477	玢	6484	E7E3	E5DW0080
1478	玟	6485	E7E4	E5DX0080
1479	珏	6486	E7E5	E5DY0080
1480	珂	6487	E7E6	E5DZ0080

Table 10 (Page 29 of 38). Level 2 Chinese Character Set (1 of 2), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1481	琬	6488	E7E7	E5E00080
1482	玷	6489	E7E8	E5E10080
1483	玳	648A	E7E9	E5E20080
1484	珀	648B	E7EA	E5E30080
1485	珉	648C	E7EB	E5E40080
1486	珈	648D	E7EC	E5E50080
1487	珥	648E	E7ED	E5E60080
1488	珙	648F	E7EE	E5E70080
1489	珏	6490	E7EF	E5E80080
1490	琊	6491	E7F0	E5E90080
1491	珩	6492	E7F1	E5EA0080
1492	珧	6493	E7F2	E5EB0080
1493	珞	6494	E7F3	E5EC0080
1494	玺	6495	E7F4	E5ED0080
1495	琿	6496	E7F5	E5EE0080
1496	琿	6497	E7F6	E5EF0080
1497	琪	6498	E7F7	E5EG0080
1498	璞	6499	E7F8	E5EH0080
1499	琦	649A	E7F9	E5EI0080
1500	琥	649B	E7FA	E5EJ0080
1501	琨	649C	E7FB	E5EK0080
1502	琰	649D	E7FC	E5EL0080
1503	琮	649E	E7FD	E5EM0080
1504	琬	649F	E7FE	E5EN0080
1505	琛	64A0	E8A1	E5EO0080
1506	琚	64A1	E8A2	E5EP0080



## IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC

Table 10 (Page 30 of 38). Level 2 Chinese Character Set (1 of 2), DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
1507	瑁	64A2	E8A3	E5EQ0080
1508	瑜	64A3	E8A4	E5ER0080
1509	璦	64A4	E8A5	E5ES0080
1510	瑕	64A5	E8A6	E5ET0080
1511	璫	64A6	E8A7	E5EU0080
1512	璨	64A7	E8A8	E5EV0080
1513	璩	64A8	E8A9	E5EW0080
1514	璪	64A9	E8AA	E5EX0080
1515	璫	64AA	E8AB	E5EY0080
1516	璥	64AB	E8AC	E5EZ0080
1517	璦	64AC	E8AD	E5F00080
1518	璨	64AD	E8AE	E5F10080
1519	璩	64AE	E8AF	E5F20080
1520	璋	64AF	E8B0	E5F30080
1521	璞	64B0	E8B1	E5F40080
1522	璫	64B1	E8B2	E5F50080
1523	璥	64B2	E8B3	E5F60080
1524	璩	64B3	E8B4	E5F70080
1525	璪	64B4	E8B5	E5F80080
1526	璥	64B5	E8B6	E5F90080
1527	璩	64B6	E8B7	E5FA0080
1528	璫	64B7	E8B8	E5FB0080
1529	璥	64B8	E8B9	E5FC0080
1530	璩	64B9	E8BA	E5FD0080
1531	杌	64BA	E8BB	E5FE0080
1532	杓	64BB	E8BC	E5FF0080

Table 10 (Page 30 of 38). Level 2 Chinese Character Set (1 of 2), DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
1533	杞	64BC	E8BD	E5FG0080
1534	杈	64BD	E8BE	E5FH0080
1535	杓	64BE	E8BF	E5FI0080
1536	枋	64BF	E8C0	E5FJ0080
1537	枇	64C0	E8C1	E5FK0080
1538	杪	64C1	E8C2	E5FL0080
1539	杳	64C2	E8C3	E5FM0080
1540	柎	64C3	E8C4	E5FN0080
1541	柍	64C4	E8C5	E5FO0080
1542	柎	64C5	E8C6	E5FP0080
1543	柎	64C6	E8C7	E5FQ0080
1544	柎	64C7	E8C8	E5FR0080
1545	柎	64C8	E8C9	E5FS0080
1546	枋	64C9	E8CA	E5FT0080
1547	杷	64CA	E8CB	E5FU0080
1548	杼	64CB	E8CC	E5FV0080
1549	柎	64CC	E8CD	E5FW0080
1550	栉	64CD	E8CE	E5FX0080
1551	柎	64CE	E8CF	E5FY0080
1552	栊	64CF	E8D0	E5FZ0080
1553	柎	64D0	E8D1	E5G00080
1554	枰	64D1	E8D2	E5G10080
1555	栌	64D2	E8D3	E5G20080
1556	柎	64D3	E8D4	E5G30080
1557	柎	64D4	E8D5	E5G40080
1558	柚	64D5	E8D6	E5G50080



## IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC

Table 10 (Page 31 of 38). Level 2 Chinese Character Set (1 of 2), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1559	枳	64D6	E8D7	E5G60080
1560	柝	64D7	E8D8	E5G70080
1561	梃	64D8	E8D9	E5G80080
1562	柃	64D9	E8DA	E5G90080
1563	枸	64DA	E8DB	E5GA0080
1564	柢	64DB	E8DC	E5GB0080
1565	栎	64DC	E8DD	E5GC0080
1566	柁	64DD	E8DE	E5GD0080
1567	桤	64DE	E8DF	E5GE0080
1568	栲	64DF	E8E0	E5GF0080
1569	栳	64E0	E8E1	E5GG0080
1570	桲	64E1	E8E2	E5GH0080
1571	桫	64E2	E8E3	E5GI0080
1572	桬	64E3	E8E4	E5GJ0080
1573	桧	64E4	E8E5	E5GK0080
1574	桬	64E5	E8E6	E5GL0080
1575	桯	64E6	E8E7	E5GM0080
1576	桸	64E7	E8E8	E5GN0080
1577	栝	64E8	E8E9	E5GO0080
1578	栎	64E9	E8EA	E5GP0080
1579	栎	64EA	E8EB	E5GQ0080
1580	栎	64EB	E8EC	E5GR0080
1581	桧	64EC	E8ED	E5GS0080
1582	桧	64ED	E8EE	E5GT0080
1583	桧	64EE	E8EF	E5GU0080
1584	桧	64EF	E8F0	E5GV0080

Table 10 (Page 31 of 38). Level 2 Chinese Character Set (1 of 2), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1585	桧	64F0	E8F1	E5GW0080
1586	桧	64F1	E8F2	E5GX0080
1587	桧	64F2	E8F3	E5GY0080
1588	桧	64F3	E8F4	E5GZ0080
1589	桧	64F4	E8F5	E5H00080
1590	桧	64F5	E8F6	E5H10080
1591	桧	64F6	E8F7	E5H20080
1592	桧	64F7	E8F8	E5H30080
1593	桧	64F8	E8F9	E5H40080
1594	桧	64F9	E8FA	E5H50080
1595	桧	64FA	E8FB	E5H60080
1596	桧	64FB	E8FC	E5H70080
1597	桧	64FC	E8FD	E5H80080
1598	桧	64FD	E8FE	E5H90080
1599	桧	6541	E9A1	E5HD0080
1600	桧	6542	E9A2	E5HE0080
1601	桧	6543	E9A3	E5HF0080
1602	桧	6544	E9A4	E5HG0080
1603	桧	6545	E9A5	E5HH0080
1604	桧	6546	E9A6	E5HI0080
1605	桧	6547	E9A7	E5HJ0080
1606	桧	6548	E9A8	E5HK0080
1607	桧	6549	E9A9	E5HL0080
1608	桧	654A	E9AA	E5HM0080
1609	桧	654B	E9AB	E5HN0080
1610	桧	654C	E9AC	E5HO0080



## IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC

Line Number	Graphic	Host Code	PC Code	GCGID
1611	榄	654D	E9AD	E5HP0080
1612	楫	654E	E9AE	E5HQ0080
1613	楫	654F	E9AF	E5HR0080
1614	槩	6550	E9B0	E5HS0080
1615	楸	6551	E9B1	E5HT0080
1616	楸	6552	E9B2	E5HU0080
1617	槌	6553	E9B3	E5HV0080
1618	椽	6554	E9B4	E5HW0080
1619	桐	6555	E9B5	E5HX0080
1620	槎	6556	E9B6	E5HY0080
1621	梓	6557	E9B7	E5HZ0080
1622	楦	6558	E9B8	E5I00080
1623	楣	6559	E9B9	E5I10080
1624	楹	655A	E9BA	E5I20080
1625	榛	655B	E9BB	E5I30080
1626	榧	655C	E9BC	E5I40080
1627	榻	655D	E9BD	E5I50080
1628	榫	655E	E9BE	E5I60080
1629	榭	655F	E9BF	E5I70080
1630	榫	6560	E9C0	E5I80080
1631	榥	6561	E9C1	E5I90080
1632	槁	6562	E9C2	E5IA0080
1633	榧	6563	E9C3	E5IB0080
1634	榧	6564	E9C4	E5IC0080
1635	榕	6565	E9C5	E5ID0080
1636	楮	6566	E9C6	E5IE0080

Line Number	Graphic	Host Code	PC Code	GCGID
1637	榧	6567	E9C7	E5IF0080
1638	榧	6568	E9C8	E5IG0080
1639	榧	6569	E9C9	E5IH0080
1640	榧	656A	E9CA	E5II0080
1641	榧	656B	E9CB	E5IJ0080
1642	榧	656C	E9CC	E5IK0080
1643	榧	656D	E9CD	E5IL0080
1644	榧	656E	E9CE	E5IM0080
1645	榧	656F	E9CF	E5IN0080
1646	榧	6570	E9D0	E5IO0080
1647	榧	6571	E9D1	E5IP0080
1648	榧	6572	E9D2	E5IQ0080
1649	榧	6573	E9D3	E5IR0080
1650	榧	6574	E9D4	E5IS0080
1651	榧	6575	E9D5	E5IT0080
1652	榧	6576	E9D6	E5IU0080
1653	榧	6577	E9D7	E5IV0080
1654	榧	6578	E9D8	E5IW0080
1655	榧	6579	E9D9	E5IX0080
1656	榧	657A	E9DA	E5IY0080
1657	榧	657B	E9DB	E5IZ0080
1658	榧	657C	E9DC	E5J00080
1659	榧	657D	E9DD	E5J10080
1660	榧	657E	E9DE	E5J20080
1661	榧	657F	E9DF	E5J30080
1662	榧	6581	E9E0	E5J50080



## IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC

Table 10 (Page 33 of 38). Level 2 Chinese Character Set (1 of 2), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1663	葵	6582	E9E1	E5J60080
1664	歿	6583	E9E2	E5J70080
1665	殂	6584	E9E3	E5J80080
1666	殤	6585	E9E4	E5J90080
1667	殄	6586	E9E5	E5JA0080
1668	殒	6587	E9E6	E5JB0080
1669	殒	6588	E9E7	E5JC0080
1670	殍	6589	E9E8	E5JD0080
1671	殍	658A	E9E9	E5JE0080
1672	殍	658B	E9EA	E5JF0080
1673	殍	658C	E9EB	E5JG0080
1674	殍	658D	E9EC	E5JH0080
1675	轲	658E	E9ED	E5JI0080
1676	轲	658F	E9EE	E5JJ0080
1677	轲	6590	E9EF	E5JK0080
1678	轲	6591	E9F0	E5JL0080
1679	轲	6592	E9F1	E5JM0080
1680	轲	6593	E9F2	E5JN0080
1681	轲	6594	E9F3	E5JO0080
1682	轲	6595	E9F4	E5JP0080
1683	轲	6596	E9F5	E5JQ0080
1684	轲	6597	E9F6	E5JR0080
1685	轲	6598	E9F7	E5JS0080
1686	轲	6599	E9F8	E5JT0080
1687	轲	659A	E9F9	E5JU0080
1688	轲	659B	E9FA	E5JV0080

Table 10 (Page 33 of 38). Level 2 Chinese Character Set (1 of 2), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1689	轲	659C	E9FB	E5JW0080
1690	輒	659D	E9FC	E5JX0080
1691	輓	659E	E9FD	E5JY0080
1692	輓	659F	E9FE	E5JZ0080
1693	輓	65A0	EAA1	E5K00080
1694	輓	65A1	EAA2	E5K10080
1695	輓	65A2	EAA3	E5K20080
1696	輓	65A3	EAA4	E5K30080
1697	輓	65A4	EAA5	E5K40080
1698	輓	65A5	EAA6	E5K50080
1699	輓	65A6	EAA7	E5K60080
1700	輓	65A7	EAA8	E5K70080
1701	輓	65A8	EAA9	E5K80080
1702	輓	65A9	EAAA	E5K90080
1703	輓	65AA	EAA B	E5KA0080
1704	輓	65AB	EAA C	E5KB0080
1705	輓	65AC	EAA D	E5KC0080
1706	輓	65AD	EAA E	E5KD0080
1707	輓	65AE	EAA F	E5KE0080
1708	輓	65AF	EAB0	E5KF0080
1709	輓	65B0	EAB1	E5KG0080
1710	輓	65B1	EAB2	E5KH0080
1711	輓	65B2	EAB3	E5KI0080
1712	輓	65B3	EAB4	E5KJ0080
1713	輓	65B4	EAB5	E5KK0080
1714	輓	65B5	EAB6	E5KL0080



## IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC

Line Number	Graphic	Host Code	PC Code	GCGID
1715	支	65B6	EAB7	E5KM0080
1716	沓	65B7	EAB8	E5KN0080
1717	晃	65B8	EAB9	E5KO0080
1718	盱	65B9	EABA	E5KP0080
1719	昊	65BA	EABB	E5KQ0080
1720	晁	65BB	EABC	E5KR0080
1721	杲	65BC	EABD	E5KS0080
1722	昃	65BD	EABE	E5KT0080
1723	昕	65BE	EABF	E5KU0080
1724	昀	65BF	EAC0	E5KV0080
1725	炅	65C0	EAC1	E5KW0080
1726	曷	65C1	EAC2	E5KX0080
1727	咎	65C2	EAC3	E5KY0080
1728	昴	65C3	EAC4	E5KZ0080
1729	昱	65C4	EAC5	E5L00080
1730	昶	65C5	EAC6	E5L10080
1731	昵	65C6	EAC7	E5L20080
1732	晷	65C7	EAC8	E5L30080
1733	晟	65C8	EAC9	E5L40080
1734	晔	65C9	EACA	E5L50080
1735	晷	65CA	EACB	E5L60080
1736	晏	65CB	EACC	E5L70080
1737	暉	65CC	EACD	E5L80080
1738	晡	65CD	EACE	E5L90080
1739	晗	65CE	EACF	E5LA0080
1740	晷	65CF	EAD0	E5LB0080

Line Number	Graphic	Host Code	PC Code	GCGID
1741	暄	65D0	EAD1	E5LC0080
1742	睽	65D1	EAD2	E5LD0080
1743	暖	65D2	EAD3	E5LE0080
1744	暝	65D3	EAD4	E5LF0080
1745	暎	65D4	EAD5	E5LG0080
1746	曛	65D5	EAD6	E5LH0080
1747	曜	65D6	EAD7	E5LI0080
1748	曦	65D7	EAD8	E5LJ0080
1749	曩	65D8	EAD9	E5LK0080
1750	贲	65D9	EADA	E5LL0080
1751	贲	65DA	EADB	E5LM0080
1752	贲	65DB	EADC	E5LN0080
1753	贲	65DC	EADD	E5LO0080
1754	贲	65DD	EADE	E5LP0080
1755	贲	65DE	EADF	E5LQ0080
1756	赅	65DF	EAE0	E5LR0080
1757	赅	65E0	EAE1	E5LS0080
1758	赅	65E1	EAE2	E5LT0080
1759	赅	65E2	EAE3	E5LU0080
1760	赅	65E3	EAE4	E5LV0080
1761	赅	65E4	EAE5	E5LW0080
1762	赅	65E5	EAE6	E5LX0080
1763	赅	65E6	EAE7	E5LY0080
1764	赅	65E7	EAE8	E5LZ0080
1765	赅	65E8	EAE9	E5M00080
1766	赅	65E9	EAEA	E5M10080



## IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC

Table 10 (Page 35 of 38). Level 2 Chinese Character Set (1 of 2), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1767	覷	65EA	EAEB	E5M20080
1768	覸	65EB	EAEC	E5M30080
1769	覹	65EC	EAED	E5M40080
1770	覺	65ED	EAEE	E5M50080
1771	覻	65EE	EAEF	E5M60080
1772	犖	65EF	EAFO	E5M70080
1773	犗	65F0	EAF1	E5M80080
1774	牝	65F1	EAF2	E5M90080
1775	牑	65F2	EAF3	E5MA0080
1776	牒	65F3	EAF4	E5MB0080
1777	牒	65F4	EAF5	E5MC0080
1778	牒	65F5	EAF6	E5MD0080
1779	犒	65F6	EAF7	E5ME0080
1780	犒	65F7	EAF8	E5MF0080
1781	犒	65F8	EAF9	E5MG0080
1782	犒	65F9	EAFA	E5MH0080
1783	犒	65FA	EAFB	E5MI0080
1784	犒	65FB	E AFC	E5MJ0080
1785	犒	65FC	EAFD	E5MK0080
1786	犒	65FD	EAFE	E5ML0080
1787	犒	6641	EBA1	E5MP0080
1788	犒	6642	EBA2	E5MQ0080
1789	犒	6643	EBA3	E5MR0080
1790	犒	6644	EBA4	E5MS0080
1791	犒	6645	EBA5	E5MT0080
1792	犒	6646	EBA6	E5MU0080

Table 10 (Page 35 of 38). Level 2 Chinese Character Set (1 of 2), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1793	犒	6647	EBA7	E5MV0080
1794	犒	6648	EBA8	E5MW0080
1795	犒	6649	EBA9	E5MX0080
1796	犒	664A	EBAA	E5MY0080
1797	犒	664B	EBAB	E5MZ0080
1798	犒	664C	EBAC	E5N00080
1799	犒	664D	EBAD	E5N10080
1800	犒	664E	EBAE	E5N20080
1801	犒	664F	EBAF	E5N30080
1802	犒	6650	EBB0	E5N40080
1803	犒	6651	EBB1	E5N50080
1804	犒	6652	EBB2	E5N60080
1805	犒	6653	EBB3	E5N70080
1806	犒	6654	EBB4	E5N80080
1807	犒	6655	EBB5	E5N90080
1808	犒	6656	EBB6	E5NA0080
1809	犒	6657	EBB7	E5NB0080
1810	犒	6658	EBB8	E5NC0080
1811	犒	6659	EBB9	E5ND0080
1812	犒	665A	EBBA	E5NE0080
1813	犒	665B	EBBB	E5NF0080
1814	犒	665C	EBBC	E5NG0080
1815	犒	665D	EBBD	E5NH0080
1816	犒	665E	EBBE	E5NI0080
1817	犒	665F	EBBF	E5NJ0080
1818	犒	6660	EBC0	E5NK0080






## IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC

Line Number	Graphic	Host Code	PC Code	GCGID
1819	育	6661	EBC1	E5NL0080
1820	肼	6662	EBC2	E5NM0080
1821	肫	6663	EBC3	E5NN0080
1822	肼	6664	EBC4	E5NO0080
1823	肱	6665	EBC5	E5NP0080
1824	肫	6666	EBC6	E5NQ0080
1825	肼	6667	EBC7	E5NR0080
1826	肱	6668	EBC8	E5NS0080
1827	肫	6669	EBC9	E5NT0080
1828	肼	666A	EBCA	E5NU0080
1829	肱	666B	EBCB	E5NV0080
1830	肼	666C	EBCB	E5NW0080
1831	肼	666D	EBCD	E5NX0080
1832	肼	666E	EBCE	E5NY0080
1833	肼	666F	EBCF	E5NZ0080
1834	肼	6670	EBD0	E5O00080
1835	肼	6671	EBD1	E5O10080
1836	肼	6672	EBD2	E5O20080
1837	肼	6673	EBD3	E5O30080
1838	肼	6674	EBD4	E5O40080
1839	肼	6675	EBD5	E5O50080
1840	肼	6676	EBD6	E5O60080
1841	肼	6677	EBD7	E5O70080
1842	肼	6678	EBD8	E5O80080
1843	肼	6679	EBD9	E5O90080
1844	肼	667A	EBDA	E5OA0080

Line Number	Graphic	Host Code	PC Code	GCGID
1845	肼	667B	EBDB	E5OB0080
1846	肼	667C	EBDC	E5OC0080
1847	肼	667D	EBDD	E5OD0080
1848	肼	667E	EBDE	E5OE0080
1849	肼	667F	EBDF	E5OF0080
1850	肼	6681	EBE0	E5OH0080
1851	肼	6682	EBE1	E5OI0080
1852	肼	6683	EBE2	E5OJ0080
1853	肼	6684	EBE3	E5OK0080
1854	肼	6685	EBE4	E5OL0080
1855	肼	6686	EBE5	E5OM0080
1856	肼	6687	EBE6	E5ON0080
1857	肼	6688	EBE7	E5OO0080
1858	肼	6689	EBE8	E5OP0080
1859	肼	668A	EBE9	E5OQ0080
1860	肼	668B	EBEA	E5OR0080
1861	肼	668C	EBEB	E5OS0080
1862	肼	668D	EBEC	E5OT0080
1863	肼	668E	EBED	E5OU0080
1864	肼	668F	EBEE	E5OV0080
1865	肼	6690	EBEF	E5OW0080
1866	肼	6691	EBF0	E5OX0080
1867	肼	6692	EBF1	E5OY0080
1868	肼	6693	EBF2	E5OZ0080
1869	肼	6694	EBF3	E5P00080
1870	肼	6695	EBF4	E5P10080




## IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC

Table 10 (Page 37 of 38). Level 2 Chinese Character Set (1 of 2), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1871	膈	6696	EBF5	E5P20080
1872	膻	6697	EBF6	E5P30080
1873	腩	6698	EBF7	E5P40080
1874	滕	6699	EBF8	E5P50080
1875	膾	669A	EBF9	E5P60080
1876	膾	669B	EBFA	E5P70080
1877	臄	669C	EBFB	E5P80080
1878	臄	669D	EBFC	E5P90080
1879	臄	669E	EBFD	E5PA0080
1880	臄	669F	EBFE	E5PB0080
1881	臄	66A0	ECA1	E5PC0080
1882	臄	66A1	ECA2	E5PD0080
1883	欵	66A2	ECA3	E5PE0080
1884	欵	66A3	ECA4	E5PF0080
1885	欵	66A4	ECA5	E5PG0080
1886	欵	66A5	ECA6	E5PH0080
1887	欵	66A6	ECA7	E5PI0080
1888	欵	66A7	ECA8	E5PJ0080
1889	飏	66A8	ECA9	E5PK0080
1890	飏	66A9	ECAA	E5PL0080
1891	飏	66AA	ECAB	E5PM0080
1892	飏	66AB	ECAC	E5PN0080
1893	飏	66AC	ECAD	E5PO0080
1894	飏	66AD	ECAE	E5PP0080
1895	爠	66AE	ECAF	E5PQ0080
1896	爠	66AF	ECB0	E5PR0080

Table 10 (Page 37 of 38). Level 2 Chinese Character Set (1 of 2), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1897	穀	66B0	ECB1	E5PS0080
1898	穀	66B1	ECB2	E5PT0080
1899	斐	66B2	ECB3	E5PU0080
1900	齏	66B3	ECB4	E5PV0080
1901	瀾	66B4	ECB5	E5PW0080
1902	於	66B5	ECB6	E5PX0080
1903	旆	66B6	ECB7	E5PY0080
1904	旆	66B7	ECB8	E5PZ0080
1905	旆	66B8	ECB9	E5Q00080
1906	旆	66B9	ECBA	E5Q10080
1907	旆	66BA	ECBB	E5Q20080
1908	旆	66BB	ECBC	E5Q30080
1909	旆	66BC	ECBD	E5Q40080
1910	炆	66BD	ECBE	E5Q50080
1911	炜	66BE	ECBF	E5Q60080
1912	炖	66BF	ECC0	E5Q70080
1913	炆	66C0	ECC1	E5Q80080
1914	炆	66C1	ECC2	E5Q90080
1915	炆	66C2	ECC3	E5QA0080
1916	炆	66C3	ECC4	E5QB0080
1917	炫	66C4	ECC5	E5QC0080
1918	灸	66C5	ECC6	E5QD0080
1919	焯	66C6	ECC7	E5QE0080
1920	焯	66C7	ECC8	E5QF0080
1921	焯	66C8	ECC9	E5QG0080
1922	焯	66C9	ECCA	E5QH0080



## IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC

Table 10 (Page 38 of 38). Level 2 Chinese Character Set (1 of 2), DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
1923	炯	66CA	ECCB	E5QI0080
1924	焯	66CB	ECCC	E5QJ0080
1925	焱	66CC	ECCD	E5QK0080
1926	焜	66CD	ECCE	E5QL0080
1927	煜	66CE	ECCF	E5QM0080
1928	煨	66CF	ECD0	E5QN0080
1929	煅	66D0	ECD1	E5QO0080
1930	煲	66D1	ECD2	E5QP0080
1931	煊	66D2	ECD3	E5QQ0080
1932	煊	66D3	ECD4	E5QR0080
1933	煊	66D4	ECD5	E5QS0080
1934	熇	66D5	ECD6	E5QT0080
1935	熇	66D6	ECD7	E5QU0080
1936	熇	66D7	ECD8	E5QV0080
1937	熇	66D8	ECD9	E5QW0080
1938	熠	66D9	ECDA	E5QX0080
1939	煨	66DA	ECDB	E5QY0080
1940	燔	66DB	ECDC	E5QZ0080
1941	燧	66DC	ECDD	E5R00080
1942	燹	66DD	ECDE	E5R10080
1943	燹	66DE	ECDF	E5R20080
1944	爨	66DF	ECE0	E5R30080
1945	𤇀	66E0	ECE1	E5R40080
1946	煮	66E1	ECE2	E5R50080
1947	煦	66E2	ECE3	E5R60080
1948	烹	66E3	ECE4	E5R70080

Table 10 (Page 38 of 38). Level 2 Chinese Character Set (1 of 2), DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
1949	戾	66E4	ECE5	E5R80080
1950	戾	66E5	ECE6	E5R90080
1951	戾	66E6	ECE7	E5RA0080
1952	戾	66E7	ECE8	E5RB0080
1953	扉	66E8	ECE9	E5RC0080
1954	𠂆	66E9	ECEA	E5RD0080
1955	祀	66EA	ECEB	E5RE0080
1956	祆	66EB	ECEC	E5RF0080
1957	祉	66EC	ECED	E5RG0080
1958	祛	66ED	ECEE	E5RH0080
1959	祛	66EE	ECEF	E5RI0080
1960	袂	66EF	ECF0	E5RJ0080
1961	袂	66F0	ECF1	E5RK0080
1962	祢	66F1	ECF2	E5RL0080
1963	祗	66F2	ECF3	E5RM0080
1964	祠	66F3	ECF4	E5RN0080
1965	祯	66F4	ECF5	E5RO0080
1966	祧	66F5	ECF6	E5RP0080
1967	祺	66F6	ECF7	E5RQ0080
1968	禫	66F7	ECF8	E5RR0080
1969	禊	66F8	ECF9	E5RS0080
1970	禳	66F9	ECFA	E5RT0080
1971	禳	66FA	ECFB	E5RU0080
1972	禳	66FB	ECFC	E5RV0080
1973	恣	66FC	ECFD	E5RW0080
1974	恣	66FD	ECFE	E5RX0080



## IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC

## 8.6 Level 2 Chinese Character Set (2 of 2)

Line Number	Graphic	Host Code	PC Code	GCGID
1975	忒	6741	EDA1	E5S10080
1976	悊	6742	EDA2	E5S20080
1977	恚	6743	EDA3	E5S30080
1978	恣	6744	EDA4	E5S40080
1979	恚	6745	EDA5	E5S50080
1980	恚	6746	EDA6	E5S60080
1981	恣	6747	EDA7	E5S70080
1982	恚	6748	EDA8	E5S80080
1983	恣	6749	EDA9	E5S90080
1984	恣	674A	EDAA	E5SA0080
1985	恣	674B	EDAB	E5SB0080
1986	恣	674C	EDAC	E5SC0080
1987	恣	674D	EDAD	E5SD0080
1988	恣	674E	EDAE	E5SE0080
1989	恣	674F	EDAF	E5SF0080
1990	恣	6750	EDB0	E5SG0080
1991	聿	6751	EDB1	E5SH0080
1992	聿	6752	EDB2	E5SI0080
1993	聿	6753	EDB3	E5SJ0080
1994	聿	6754	EDB4	E5SK0080
1995	聿	6755	EDB5	E5SL0080
1996	聿	6756	EDB6	E5SM0080
1997	聿	6757	EDB7	E5SN0080
1998	聿	6758	EDB8	E5SO0080

Line Number	Graphic	Host Code	PC Code	GCGID
1999	砵	6759	EDB9	E5SP0080
2000	砵	675A	EDBA	E5SQ0080
2001	砵	675B	EDBB	E5SR0080
2002	砵	675C	EDBC	E5SS0080
2003	砵	675D	EDBD	E5ST0080
2004	砵	675E	EDBE	E5SU0080
2005	砵	675F	EDBF	E5SV0080
2006	砵	6760	EDC0	E5SW0080
2007	砵	6761	EDC1	E5SX0080
2008	砵	6762	EDC2	E5SY0080
2009	砵	6763	EDC3	E5SZ0080
2010	砵	6764	EDC4	E5T00080
2011	砵	6765	EDC5	E5T10080
2012	砵	6766	EDC6	E5T20080
2013	砵	6767	EDC7	E5T30080
2014	砵	6768	EDC8	E5T40080
2015	砵	6769	EDC9	E5T50080
2016	砵	676A	EDCA	E5T60080
2017	砵	676B	EDCB	E5T70080
2018	砵	676C	EDCC	E5T80080
2019	砵	676D	EDCD	E5T90080
2020	砵	676E	EDCE	E5TA0080
2021	砵	676F	EDCF	E5TB0080
2022	砵	6770	EDD0	E5TC0080
2023	砵	6771	EDD1	E5TD0080
2024	砵	6772	EDD2	E5TE0080



## IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC

Line Number	Graphic	Host Code	PC Code	GCGID
2025	磳	6773	EDD3	E5TF0080
2026	碓	6774	EDD4	E5TG0080
2027	碓	6775	EDD5	E5TH0080
2028	碓	6776	EDD6	E5TI0080
2029	磳	6777	EDD7	E5TJ0080
2030	磳	6778	EDD8	E5TK0080
2031	碓	6779	EDD9	E5TL0080
2032	碓	677A	EDDA	E5TM0080
2033	碓	677B	EDDB	E5TN0080
2034	碓	677C	EDDC	E5TO0080
2035	磳	677D	EDDD	E5TP0080
2036	碓	677E	EDDE	E5TQ0080
2037	磳	677F	EDDF	E5TR0080
2038	磳	6781	EDE0	E5TT0080
2039	磳	6782	EDE1	E5TU0080
2040	碓	6783	EDE2	E5TV0080
2041	碓	6784	EDE3	E5TW0080
2042	碓	6785	EDE4	E5TX0080
2043	磳	6786	EDE5	E5TY0080
2044	磳	6787	EDE6	E5TZ0080
2045	磳	6788	EDE7	E5U00080
2046	碓	6789	EDE8	E5U10080
2047	碓	678A	EDE9	E5U20080
2048	碓	678B	EDEA	E5U30080
2049	碓	678C	EDEB	E5U40080
2050	碓	678D	EDEC	E5U50080

Line Number	Graphic	Host Code	PC Code	GCGID
2051	眄	678E	EDED	E5U60080
2052	眄	678F	EDEE	E5U70080
2053	眄	6790	EDEF	E5U80080
2054	眄	6791	EDF0	E5U90080
2055	眄	6792	EDF1	E5UA0080
2056	眄	6793	EDF2	E5UB0080
2057	眄	6794	EDF3	E5UC0080
2058	眄	6795	EDF4	E5UD0080
2059	眄	6796	EDF5	E5UE0080
2060	眄	6797	EDF6	E5UF0080
2061	眄	6798	EDF7	E5UG0080
2062	眄	6799	EDF8	E5UH0080
2063	眄	679A	EDF9	E5UI0080
2064	眄	679B	EDFA	E5UJ0080
2065	眄	679C	EDFB	E5UK0080
2066	眄	679D	EDFC	E5UL0080
2067	眄	679E	EDFD	E5UM0080
2068	眄	679F	EDFE	E5UN0080
2069	眄	67A0	EEA1	E5UO0080
2070	眄	67A1	EEA2	E5UP0080
2071	眄	67A2	EEA3	E5UQ0080
2072	眄	67A3	EEA4	E5UR0080
2073	眄	67A4	EEA5	E5US0080
2074	眄	67A5	EEA6	E5UT0080
2075	眄	67A6	EEA7	E5UU0080
2076	眄	67A7	EEA8	E5UV0080




## IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC

Table 11 (Page 3 of 20). Level 2 Chinese Character Set (2 of 2), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
2077	瞟	67A8	EEA9	E5UW0080
2078	瞠	67A9	EEAA	E5UX0080
2079	瞰	67AA	EEAB	E5UY0080
2080	瞵	67AB	EEAC	E5UZ0080
2081	瞶	67AC	EEAD	E5V00080
2082	町	67AD	EEAE	E5V10080
2083	畀	67AE	EEAF	E5V20080
2084	吠	67AF	EEB0	E5V30080
2085	吠	67B0	EEB1	E5V40080
2086	吠	67B1	EEB2	E5V50080
2087	眵	67B2	EEB3	E5V60080
2088	畚	67B3	EEB4	E5V70080
2089	畹	67B4	EEB5	E5V80080
2090	瞳	67B5	EEB6	E5V90080
2091	罟	67B6	EEB7	E5VA0080
2092	罟	67B7	EEB8	E5VB0080
2093	罟	67B8	EEB9	E5VC0080
2094	罟	67B9	EEBA	E5VD0080
2095	罟	67BA	EEBB	E5VE0080
2096	罟	67BB	EEBC	E5VF0080
2097	罟	67BC	EEBD	E5VG0080
2098	罟	67BD	EEBE	E5VH0080
2099	罟	67BE	EEBF	E5VI0080
2100	罟	67BF	EEC0	E5VJ0080
2101	盍	67C0	EEC1	E5VK0080
2102	盥	67C1	EEC2	E5VL0080

Table 11 (Page 3 of 20). Level 2 Chinese Character Set (2 of 2), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
2103	罟	67C2	EEC3	E5VM0080
2104	罟	67C3	EEC4	E5VN0080
2105	钊	67C4	EEC5	E5VO0080
2106	钊	67C5	EEC6	E5VP0080
2107	钊	67C6	EEC7	E5VQ0080
2108	钊	67C7	EEC8	E5VR0080
2109	钊	67C8	EEC9	E5VS0080
2110	钊	67C9	EECA	E5VT0080
2111	钊	67CA	EECB	E5VU0080
2112	钊	67CB	EECC	E5VV0080
2113	钊	67CC	EECD	E5VW0080
2114	钊	67CD	EECE	E5VX0080
2115	钊	67CE	EECF	E5VY0080
2116	钊	67CF	EED0	E5VZ0080
2117	钊	67D0	EED1	E5W00080
2118	钊	67D1	EED2	E5W10080
2119	钊	67D2	EED3	E5W20080
2120	钊	67D3	EED4	E5W30080
2121	钊	67D4	EED5	E5W40080
2122	钊	67D5	EED6	E5W50080
2123	钊	67D6	EED7	E5W60080
2124	钊	67D7	EED8	E5W70080
2125	钊	67D8	EED9	E5W80080
2126	钊	67D9	EEDA	E5W90080
2127	钊	67DA	EEDB	E5WA0080
2128	钊	67DB	EEDC	E5WB0080



## IBM Simplified Chinese Graphic Character Set


DBCS-Host and DBCS-PC

Table 11 (Page 4 of 20). Level 2 Chinese Character Set (2 of 2), DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
2129	钶	67DC	EEDD	E5WC0080
2130	钷	67DD	EEDE	E5WD0080
2131	钷	67DE	EEDF	E5WE0080
2132	钹	67DF	EEE0	E5WF0080
2133	钺	67E0	EEE1	E5WG0080
2134	钼	67E1	EEE2	E5WH0080
2135	钽	67E2	EEE3	E5WI0080
2136	钿	67E3	EEE4	E5WJ0080
2137	铀	67E4	EEE5	E5WK0080
2138	铈	67E5	EEE6	E5WL0080
2139	铉	67E6	EEE7	E5WM0080
2140	铊	67E7	EEE8	E5WN0080
2141	铋	67E8	EEE9	E5WO0080
2142	铌	67E9	EEEE	E5WP0080
2143	铍	67EA	EEEE	E5WQ0080
2144	铯	67EB	EEEC	E5WR0080
2145	铊	67EC	EEED	E5WS0080
2146	铋	67ED	EEEE	E5WT0080
2147	铌	67EE	EEEF	E5WU0080
2148	铍	67EF	EEF0	E5WV0080
2149	铉	67F0	EEF1	E5WW0080
2150	铊	67F1	EEF2	E5WX0080
2151	铋	67F2	EEF3	E5WY0080
2152	铌	67F3	EEF4	E5WZ0080
2153	铍	67F4	EEF5	E5X00080
2154	铉	67F5	EEF6	E5X10080

Table 11 (Page 4 of 20). Level 2 Chinese Character Set (2 of 2), DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
2155	铋	67F6	EEF7	E5X20080
2156	铊	67F7	EEF8	E5X30080
2157	铋	67F8	EEF9	E5X40080
2158	铉	67F9	EEFA	E5X50080
2159	铊	67FA	EEFB	E5X60080
2160	铋	67FB	EEFC	E5X70080
2161	铉	67FC	EEFD	E5X80080
2162	铊	67FD	EEFE	E5X90080
2163	铋	6841	EFA1	E5XD0080
2164	铉	6842	EFA2	E5XE0080
2165	铊	6843	EFA3	E5XF0080
2166	铋	6844	EFA4	E5XG0080
2167	铉	6845	EFA5	E5XH0080
2168	铊	6846	EFA6	E5XI0080
2169	铋	6847	EFA7	E5XJ0080
2170	铉	6848	EFA8	E5XK0080
2171	铊	6849	EFA9	E5XL0080
2172	铋	684A	EFAA	E5XM0080
2173	铉	684B	EFAB	E5XN0080
2174	铊	684C	EFAC	E5XO0080
2175	铋	684D	EFAD	E5XP0080
2176	铉	684E	EFAE	E5XQ0080
2177	铊	684F	EFAF	E5XR0080
2178	铋	6850	EFB0	E5XS0080
2179	铉	6851	EFB1	E5XT0080
2180	铊	6852	EFB2	E5XU0080



## IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC

Table 11 (Page 5 of 20). Level 2 Chinese Character Set (2 of 2), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
2181	铕	6853	EFB3	E5XV0080
2182	铈	6854	EFB4	E5XW0080
2183	铉	6855	EFB5	E5XX0080
2184	铊	6856	EFB6	E5XY0080
2185	铋	6857	EFB7	E5XZ0080
2186	铋	6858	EFB8	E5Y00080
2187	铋	6859	EFB9	E5Y10080
2188	铋	685A	EFBA	E5Y20080
2189	铋	685B	EFBB	E5Y30080
2190	铋	685C	EFBC	E5Y40080
2191	铋	685D	EFBD	E5Y50080
2192	铋	685E	EFBE	E5Y60080
2193	铋	685F	EFBF	E5Y70080
2194	铋	6860	EFC0	E5Y80080
2195	铋	6861	EFC1	E5Y90080
2196	铋	6862	EFC2	E5YA0080
2197	铋	6863	EFC3	E5YB0080
2198	铋	6864	EFC4	E5YC0080
2199	铋	6865	EFC5	E5YD0080
2200	铋	6866	EFC6	E5YE0080
2201	铋	6867	EFC7	E5YF0080
2202	铋	6868	EFC8	E5YG0080
2203	铋	6869	EFC9	E5YH0080
2204	铋	686A	EFCA	E5YI0080
2205	铋	686B	EFGB	E5YJ0080
2206	铋	686C	EFCC	E5YK0080

Table 11 (Page 5 of 20). Level 2 Chinese Character Set (2 of 2), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
2207	铋	686D	EFGD	E5YL0080
2208	铋	686E	EFCE	E5YM0080
2209	铋	686F	EFCF	E5YN0080
2210	铋	6870	EFD0	E5YO0080
2211	铋	6871	EFD1	E5YP0080
2212	铋	6872	EFD2	E5YQ0080
2213	铋	6873	EFD3	E5YR0080
2214	铋	6874	EFD4	E5YS0080
2215	铋	6875	EFD5	E5YT0080
2216	铋	6876	EFD6	E5YU0080
2217	铋	6877	EFD7	E5YV0080
2218	铋	6878	EFD8	E5YW0080
2219	铋	6879	EFD9	E5YX0080
2220	铋	687A	EFDA	E5YY0080
2221	铋	687B	EFDDB	E5YZ0080
2222	铋	687C	EFDCC	E5Z00080
2223	铋	687D	EFDDE	E5Z10080
2224	铋	687E	EFDDE	E5Z20080
2225	铋	687F	EFDDE	E5Z30080
2226	铋	6881	EFE0	E5Z50080
2227	铋	6882	EFE1	E5Z60080
2228	铋	6883	EFE2	E5Z70080
2229	铋	6884	EFE3	E5Z80080
2230	铋	6885	EFE4	E5Z90080
2231	铋	6886	EFE5	E5ZA0080
2232	铋	6887	EFE6	E5ZB0080





## IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC

Table 11 (Page 6 of 20). Level 2 Chinese Character Set (2 of 2), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
2233	镞	6888	EFE7	E5ZC0080
2234	镞	6889	EFE8	E5ZD0080
2235	镞	688A	EFE9	E5ZE0080
2236	镞	688B	EFEA	E5ZF0080
2237	镞	688C	EFEB	E5ZG0080
2238	镞	688D	EFEC	E5ZH0080
2239	镞	688E	EFED	E5ZI0080
2240	镞	688F	EFEE	E5ZJ0080
2241	镞	6890	EFEF	E5ZK0080
2242	镞	6891	EFF0	E5ZL0080
2243	镞	6892	EFF1	E5ZM0080
2244	矧	6893	EFF2	E5ZN0080
2245	矧	6894	EFF3	E5ZO0080
2246	雉	6895	EFF4	E5ZP0080
2247	秕	6896	EFF5	E5ZQ0080
2248	秭	6897	EFF6	E5ZR0080
2249	秭	6898	EFF7	E5ZS0080
2250	秭	6899	EFF8	E5ZT0080
2251	秭	689A	EFF9	E5ZU0080
2252	秭	689B	EFFA	E5ZV0080
2253	秭	689C	EFFB	E5ZW0080
2254	秭	689D	EFFC	E5ZX0080
2255	稞	689E	EFFD	E5ZY0080
2256	稔	689F	EF FE	E5ZZ0080
2257	稔	68A0	F0A1	E6000080
2258	稔	68A1	F0A2	E6010080

Table 11 (Page 6 of 20). Level 2 Chinese Character Set (2 of 2), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
2259	穉	68A2	F0A3	E6020080
2260	黏	68A3	F0A4	E6030080
2261	馥	68A4	F0A5	E6040080
2262	穰	68A5	F0A6	E6050080
2263	皈	68A6	F0A7	E6060080
2264	皎	68A7	F0A8	E6070080
2265	皓	68A8	F0A9	E6080080
2266	皙	68A9	F0AA	E6090080
2267	皤	68AA	F0AB	E60A0080
2268	皦	68AB	F0AC	E60B0080
2269	瓠	68AC	F0AD	E60C0080
2270	甬	68AD	F0AE	E60D0080
2271	鸪	68AE	F0AF	E60E0080
2272	鸬	68AF	F0B0	E60F0080
2273	鸬	68B0	F0B1	E60G0080
2274	鸬	68B1	F0B2	E60H0080
2275	鸬	68B2	F0B3	E60I0080
2276	鸬	68B3	F0B4	E60J0080
2277	鸬	68B4	F0B5	E60K0080
2278	鸬	68B5	F0B6	E60L0080
2279	鸬	68B6	F0B7	E60M0080
2280	鸬	68B7	F0B8	E60N0080
2281	鸬	68B8	F0B9	E60O0080
2282	鸬	68B9	F0BA	E60P0080
2283	鸬	68BA	F0BB	E60Q0080
2284	鸬	68BB	F0BC	E60R0080



## IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC

Table 11 (Page 7 of 20). Level 2 Chinese Character Set (2 of 2), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
2285	鸾	68BC	F0BD	E60S0080
2286	鸫	68BD	F0BE	E60T0080
2287	鹂	68BE	F0BF	E60U0080
2288	鸪	68BF	F0C0	E60V0080
2289	鸨	68C0	F0C1	E60W0080
2290	鹞	68C1	F0C2	E60X0080
2291	鸱	68C2	F0C3	E60Y0080
2292	鸬	68C3	F0C4	E60Z0080
2293	鸩	68C4	F0C5	E6100080
2294	鸱	68C5	F0C6	E6110080
2295	鸮	68C6	F0C7	E6120080
2296	鸺	68C7	F0C8	E6130080
2297	鸺	68C8	F0C9	E6140080
2298	鸺	68C9	F0CA	E6150080
2299	鸺	68CA	F0CB	E6160080
2300	鸺	68CB	F0CC	E6170080
2301	鸺	68CC	F0CD	E6180080
2302	鸺	68CD	F0CE	E6190080
2303	鸺	68CE	F0CF	E61A0080
2304	鸺	68CF	F0D0	E61B0080
2305	鸺	68D0	F0D1	E61C0080
2306	鸺	68D1	F0D2	E61D0080
2307	鸺	68D2	F0D3	E61E0080
2308	鸺	68D3	F0D4	E61F0080
2309	鸺	68D4	F0D5	E61G0080
2310	鸺	68D5	F0D6	E61H0080

Table 11 (Page 7 of 20). Level 2 Chinese Character Set (2 of 2), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
2311	鸺	68D6	F0D7	E61I0080
2312	鸺	68D7	F0D8	E61J0080
2313	鸺	68D8	F0D9	E61K0080
2314	鸺	68D9	F0DA	E61L0080
2315	鸺	68DA	F0DB	E61M0080
2316	鸺	68DB	F0DC	E61N0080
2317	鸺	68DC	F0DD	E61O0080
2318	鸺	68DD	F0DE	E61P0080
2319	鸺	68DE	F0DF	E61Q0080
2320	鸺	68DF	F0E0	E61R0080
2321	鸺	68E0	F0E1	E61S0080
2322	鸺	68E1	F0E2	E61T0080
2323	鸺	68E2	F0E3	E61U0080
2324	鸺	68E3	F0E4	E61V0080
2325	鸺	68E4	F0E5	E61W0080
2326	鸺	68E5	F0E6	E61X0080
2327	鸺	68E6	F0E7	E61Y0080
2328	鸺	68E7	F0E8	E61Z0080
2329	鸺	68E8	F0E9	E6200080
2330	鸺	68E9	F0EA	E6210080
2331	鸺	68EA	F0EB	E6220080
2332	鸺	68EB	F0EC	E6230080
2333	鸺	68EC	F0ED	E6240080
2334	鸺	68ED	F0EE	E6250080
2335	鸺	68EE	F0EF	E6260080
2336	鸺	68EF	F0F0	E6270080



## IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC

Table 11 (Page 8 of 20). Level 2 Chinese Character Set (2 of 2), DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
2337	痂	68F0	F0F1	E6280080
2338	痂	68F1	F0F2	E6290080
2339	痂	68F2	F0F3	E62A0080
2340	痂	68F3	F0F4	E62B0080
2341	痂	68F4	F0F5	E62C0080
2342	痂	68F5	F0F6	E62D0080
2343	痂	68F6	F0F7	E62E0080
2344	痂	68F7	F0F8	E62F0080
2345	痂	68F8	F0F9	E62G0080
2346	痂	68F9	F0FA	E62H0080
2347	痂	68FA	F0FB	E62I0080
2348	痂	68FB	F0FC	E62J0080
2349	痂	68FC	F0FD	E62K0080
2350	痂	68FD	F0FE	E62L0080
2351	痂	6941	F1A1	E62P0080
2352	痂	6942	F1A2	E62Q0080
2353	痂	6943	F1A3	E62R0080
2354	痂	6944	F1A4	E62S0080
2355	痂	6945	F1A5	E62T0080
2356	痂	6946	F1A6	E62U0080
2357	痂	6947	F1A7	E62V0080
2358	痂	6948	F1A8	E62W0080
2359	痂	6949	F1A9	E62X0080
2360	痂	694A	F1AA	E62Y0080
2361	痂	694B	F1AB	E62Z0080
2362	痂	694C	F1AC	E6300080

Table 11 (Page 8 of 20). Level 2 Chinese Character Set (2 of 2), DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
2363	痂	694D	F1AD	E6310080
2364	痂	694E	F1AE	E6320080
2365	痂	694F	F1AF	E6330080
2366	痂	6950	F1B0	E6340080
2367	痂	6951	F1B1	E6350080
2368	痂	6952	F1B2	E6360080
2369	痂	6953	F1B3	E6370080
2370	痂	6954	F1B4	E6380080
2371	痂	6955	F1B5	E6390080
2372	痂	6956	F1B6	E63A0080
2373	痂	6957	F1B7	E63B0080
2374	痂	6958	F1B8	E63C0080
2375	痂	6959	F1B9	E63D0080
2376	痂	695A	F1BA	E63E0080
2377	痂	695B	F1BB	E63F0080
2378	痂	695C	F1BC	E63G0080
2379	痂	695D	F1BD	E63H0080
2380	痂	695E	F1BE	E63I0080
2381	痂	695F	F1BF	E63J0080
2382	痂	6960	F1C0	E63K0080
2383	痂	6961	F1C1	E63L0080
2384	痂	6962	F1C2	E63M0080
2385	痂	6963	F1C3	E63N0080
2386	痂	6964	F1C4	E63O0080
2387	痂	6965	F1C5	E63P0080
2388	痂	6966	F1C6	E63Q0080



## IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC

Table 11 (Page 9 of 20). Level 2 Chinese Character Set (2 of 2), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
2389	袂	6967	F1C7	E63R0080
2390	袷	6968	F1C8	E63S0080
2391	袷	6969	F1C9	E63T0080
2392	袷	696A	F1CA	E63U0080
2393	袷	696B	F1CB	E63V0080
2394	袷	696C	F1CC	E63W0080
2395	袷	696D	F1CD	E63X0080
2396	袷	696E	F1CE	E63Y0080
2397	袷	696F	F1CF	E63Z0080
2398	袷	6970	F1D0	E6400080
2399	袷	6971	F1D1	E6410080
2400	袷	6972	F1D2	E6420080
2401	袷	6973	F1D3	E6430080
2402	袷	6974	F1D4	E6440080
2403	袷	6975	F1D5	E6450080
2404	袷	6976	F1D6	E6460080
2405	袷	6977	F1D7	E6470080
2406	袷	6978	F1D8	E6480080
2407	袷	6979	F1D9	E6490080
2408	袷	697A	F1DA	E64A0080
2409	袷	697B	F1DB	E64B0080
2410	袷	697C	F1DC	E64C0080
2411	袷	697D	F1DD	E64D0080
2412	袷	697E	F1DE	E64E0080
2413	袷	697F	F1DF	E64F0080
2414	袷	6981	F1E0	E64H0080

Table 11 (Page 9 of 20). Level 2 Chinese Character Set (2 of 2), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
2415	襁	6982	F1E1	E64I0080
2416	襁	6983	F1E2	E64J0080
2417	襁	6984	F1E3	E64K0080
2418	襁	6985	F1E4	E64L0080
2419	襁	6986	F1E5	E64M0080
2420	襁	6987	F1E6	E64N0080
2421	襁	6988	F1E7	E64O0080
2422	襁	6989	F1E8	E64P0080
2423	襁	698A	F1E9	E64Q0080
2424	襁	698B	F1EA	E64R0080
2425	襁	698C	F1EB	E64S0080
2426	襁	698D	F1EC	E64T0080
2427	襁	698E	F1ED	E64U0080
2428	襁	698F	F1EE	E64V0080
2429	襁	6990	F1EF	E64W0080
2430	襁	6991	F1F0	E64X0080
2431	襁	6992	F1F1	E64Y0080
2432	襁	6993	F1F2	E64Z0080
2433	襁	6994	F1F3	E6500080
2434	襁	6995	F1F4	E6510080
2435	襁	6996	F1F5	E6520080
2436	襁	6997	F1F6	E6530080
2437	襁	6998	F1F7	E6540080
2438	襁	6999	F1F8	E6550080
2439	襁	699A	F1F9	E6560080
2440	襁	699B	F1FA	E6570080



## IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC

Line Number	Graphic	Host Code	PC Code	GCGID
2441	覃	699C	F1FB	E6580080
2442	预	699D	F1FC	E6590080
2443	颀	699E	F1FD	E65A0080
2444	颀	699F	F1FE	E65B0080
2445	颀	69A0	F2A1	E65C0080
2446	颀	69A1	F2A2	E65D0080
2447	颀	69A2	F2A3	E65E0080
2448	颀	69A3	F2A4	E65F0080
2449	颀	69A4	F2A5	E65G0080
2450	颀	69A5	F2A6	E65H0080
2451	颀	69A6	F2A7	E65I0080
2452	颀	69A7	F2A8	E65J0080
2453	颀	69A8	F2A9	E65K0080
2454	颀	69A9	F2AA	E65L0080
2455	颀	69AA	F2AB	E65M0080
2456	颀	69AB	F2AC	E65N0080
2457	颀	69AC	F2AD	E65O0080
2458	虍	69AD	F2AE	E65P0080
2459	虍	69AE	F2AF	E65Q0080
2460	虬	69AF	F2B0	E65R0080
2461	虬	69B0	F2B1	E65S0080
2462	虬	69B1	F2B2	E65T0080
2463	虬	69B2	F2B3	E65U0080
2464	虬	69B3	F2B4	E65V0080
2465	虬	69B4	F2B5	E65W0080
2466	虬	69B5	F2B6	E65X0080

Line Number	Graphic	Host Code	PC Code	GCGID
2467	虬	69B6	F2B7	E65Y0080
2468	虬	69B7	F2B8	E65Z0080
2469	虬	69B8	F2B9	E6600080
2470	虬	69B9	F2BA	E6610080
2471	虬	69BA	F2BB	E6620080
2472	虬	69BB	F2BC	E6630080
2473	虬	69BC	F2BD	E6640080
2474	虬	69BD	F2BE	E6650080
2475	虬	69BE	F2BF	E6660080
2476	虬	69BF	F2C0	E6670080
2477	虬	69C0	F2C1	E6680080
2478	虬	69C1	F2C2	E6690080
2479	虬	69C2	F2C3	E66A0080
2480	虬	69C3	F2C4	E66B0080
2481	虬	69C4	F2C5	E66C0080
2482	虬	69C5	F2C6	E66D0080
2483	虬	69C6	F2C7	E66E0080
2484	虬	69C7	F2C8	E66F0080
2485	虬	69C8	F2C9	E66G0080
2486	虬	69C9	F2CA	E66H0080
2487	虬	69CA	F2CB	E66I0080
2488	虬	69CB	F2CC	E66J0080
2489	虬	69CC	F2CD	E66K0080
2490	虬	69CD	F2CE	E66L0080
2491	虬	69CE	F2CF	E66M0080
2492	虬	69CF	F2D0	E66N0080




## IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC

Table 11 (Page 11 of 20). Level 2 Chinese Character Set (2 of 2), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
2493	蜓	69D0	F2D1	E66O0080
2494	蛞	69D1	F2D2	E66P0080
2495	蛞	69D2	F2D3	E66Q0080
2496	蛟	69D3	F2D4	E66R0080
2497	蚌	69D4	F2D5	E66S0080
2498	蚌	69D5	F2D6	E66T0080
2499	蜃	69D6	F2D7	E66U0080
2500	蜃	69D7	F2D8	E66V0080
2501	蛸	69D8	F2D9	E66W0080
2502	蜈	69D9	F2DA	E66X0080
2503	蛸	69DA	F2DB	E66Y0080
2504	蛸	69DB	F2DC	E66Z0080
2505	蛸	69DC	F2DD	E6700080
2506	蛸	69DD	F2DE	E6710080
2507	蜻	69DE	F2DF	E6720080
2508	蜻	69DF	F2E0	E6730080
2509	蜥	69E0	F2E1	E6740080
2510	蜥	69E1	F2E2	E6750080
2511	蜚	69E2	F2E3	E6760080
2512	螺	69E3	F2E4	E6770080
2513	蝮	69E4	F2E5	E6780080
2514	蜴	69E5	F2E6	E6790080
2515	蜥	69E6	F2E7	E67A0080
2516	蝮	69E7	F2E8	E67B0080
2517	蝮	69E8	F2E9	E67C0080
2518	蝮	69E9	F2EA	E67D0080

Table 11 (Page 11 of 20). Level 2 Chinese Character Set (2 of 2), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
2519	螂	69EA	F2EB	E67E0080
2520	蝮	69EB	F2EC	E67F0080
2521	蝮	69EC	F2ED	E67G0080
2522	蝮	69ED	F2EE	E67H0080
2523	蝮	69EE	F2EF	E67I0080
2524	蝠	69EF	F2F0	E67J0080
2525	蝮	69F0	F2F1	E67K0080
2526	蝮	69F1	F2F2	E67L0080
2527	蝮	69F2	F2F3	E67M0080
2528	蝮	69F3	F2F4	E67N0080
2529	蝮	69F4	F2F5	E67O0080
2530	蝮	69F5	F2F6	E67P0080
2531	蝮	69F6	F2F7	E67Q0080
2532	蝮	69F7	F2F8	E67R0080
2533	蝮	69F8	F2F9	E67S0080
2534	蝮	69F9	F2FA	E67T0080
2535	蝮	69FA	F2FB	E67U0080
2536	蝮	69FB	F2FC	E67V0080
2537	蝮	69FC	F2FD	E67W0080
2538	蝮	69FD	F2FE	E67X0080
2539	蝮	6A41	F3A1	E6810080
2540	蝮	6A42	F3A2	E6820080
2541	蝮	6A43	F3A3	E6830080
2542	蝮	6A44	F3A4	E6840080
2543	蝮	6A45	F3A5	E6850080
2544	蝮	6A46	F3A6	E6860080



## IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC

Table 11 (Page 12 of 20). Level 2 Chinese Character Set (2 of 2), DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
2545	螫	6A47	F3A7	E6870080
2546	蟻	6A48	F3A8	E6880080
2547	螯	6A49	F3A9	E6890080
2548	螵	6A4A	F3AA	E68A0080
2549	螳	6A4B	F3AB	E68B0080
2550	蟋	6A4C	F3AC	E68C0080
2551	螻	6A4D	F3AD	E68D0080
2552	螽	6A4E	F3AE	E68E0080
2553	蟑	6A4F	F3AF	E68F0080
2554	蟀	6A50	F3B0	E68G0080
2555	蝻	6A51	F3B1	E68H0080
2556	蚱	6A52	F3B2	E68I0080
2557	螳	6A53	F3B3	E68J0080
2558	蟠	6A54	F3B4	E68K0080
2559	螳	6A55	F3B5	E68L0080
2560	螻	6A56	F3B6	E68M0080
2561	螻	6A57	F3B7	E68N0080
2562	蟾	6A58	F3B8	E68O0080
2563	蟻	6A59	F3B9	E68P0080
2564	螻	6A5A	F3BA	E68Q0080
2565	蝻	6A5B	F3BB	E68R0080
2566	蝻	6A5C	F3BC	E68S0080
2567	螻	6A5D	F3BD	E68T0080
2568	缶	6A5E	F3BE	E68U0080
2569	罍	6A5F	F3BF	E68V0080
2570	罄	6A60	F3C0	E68W0080

Table 11 (Page 12 of 20). Level 2 Chinese Character Set (2 of 2), DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
2571	罍	6A61	F3C1	E68X0080
2572	舐	6A62	F3C2	E68Y0080
2573	竺	6A63	F3C3	E68Z0080
2574	竽	6A64	F3C4	E6900080
2575	笈	6A65	F3C5	E6910080
2576	笊	6A66	F3C6	E6920080
2577	笊	6A67	F3C7	E6930080
2578	笊	6A68	F3C8	E6940080
2579	笊	6A69	F3C9	E6950080
2580	笊	6A6A	F3CA	E6960080
2581	笊	6A6B	F3CB	E6970080
2582	笊	6A6C	F3CC	E6980080
2583	笊	6A6D	F3CD	E6990080
2584	笊	6A6E	F3CE	E69A0080
2585	笊	6A6F	F3CF	E69B0080
2586	笊	6A70	F3D0	E69C0080
2587	笊	6A71	F3D1	E69D0080
2588	笊	6A72	F3D2	E69E0080
2589	笊	6A73	F3D3	E69F0080
2590	笊	6A74	F3D4	E69G0080
2591	笊	6A75	F3D5	E69H0080
2592	笊	6A76	F3D6	E69I0080
2593	笊	6A77	F3D7	E69J0080
2594	笊	6A78	F3D8	E69K0080
2595	笊	6A79	F3D9	E69L0080
2596	笊	6A7A	F3DA	E69M0080



## IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC

Table 11 (Page 13 of 20). Level 2 Chinese Character Set (2 of 2), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
2597	筵	6A7B	F3DB	E69N0080
2598	筌	6A7C	F3DC	E69O0080
2599	箏	6A7D	F3DD	E69P0080
2600	筠	6A7E	F3DE	E69Q0080
2601	筮	6A7F	F3DF	E69R0080
2602	篁	6A81	F3E0	E69T0080
2603	箬	6A82	F3E1	E69U0080
2604	箬	6A83	F3E2	E69V0080
2605	筱	6A84	F3E3	E69W0080
2606	箬	6A85	F3E4	E69X0080
2607	箬	6A86	F3E5	E69Y0080
2608	篋	6A87	F3E6	E69Z0080
2609	箸	6A88	F3E7	E6A00080
2610	箬	6A89	F3E8	E6A10080
2611	箬	6A8A	F3E9	E6A20080
2612	箬	6A8B	F3EA	E6A30080
2613	算	6A8C	F3EB	E6A40080
2614	箬	6A8D	F3EC	E6A50080
2615	箬	6A8E	F3ED	E6A60080
2616	箬	6A8F	F3EE	E6A70080
2617	箬	6A90	F3EF	E6A80080
2618	箬	6A91	F3F0	E6A90080
2619	箬	6A92	F3F1	E6AA0080
2620	篁	6A93	F3F2	E6AB0080
2621	篋	6A94	F3F3	E6AC0080
2622	箬	6A95	F3F4	E6AD0080

Table 11 (Page 13 of 20). Level 2 Chinese Character Set (2 of 2), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
2623	篋	6A96	F3F5	E6AE0080
2624	箬	6A97	F3F6	E6AF0080
2625	篋	6A98	F3F7	E6AG0080
2626	箬	6A99	F3F8	E6AH0080
2627	箬	6A9A	F3F9	E6AI0080
2628	箬	6A9B	F3FA	E6AJ0080
2629	箬	6A9C	F3FB	E6AK0080
2630	篋	6A9D	F3FC	E6AL0080
2631	箬	6A9E	F3FD	E6AM0080
2632	篋	6A9F	F3FE	E6AN0080
2633	箬	6AA0	F4A1	E6AO0080
2634	箬	6AA1	F4A2	E6AP0080
2635	箬	6AA2	F4A3	E6AQ0080
2636	箬	6AA3	F4A4	E6AR0080
2637	箬	6AA4	F4A5	E6AS0080
2638	箬	6AA5	F4A6	E6AT0080
2639	舆	6AA6	F4A7	E6AU0080
2640	舁	6AA7	F4A8	E6AV0080
2641	舂	6AA8	F4A9	E6AW0080
2642	舄	6AA9	F4AA	E6AX0080
2643	舄	6AAA	F4AB	E6AY0080
2644	舄	6AAB	F4AC	E6AZ0080
2645	舄	6AAC	F4AD	E6B00080
2646	舄	6AAD	F4AE	E6B10080
2647	舄	6AAE	F4AF	E6B20080
2648	舄	6AAF	F4B0	E6B30080





## IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC

Table 11 (Page 14 of 20). Level 2 Chinese Character Set (2 of 2), DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
2649	舡	6AB0	F4B1	E6B40080
2650	舢	6AB1	F4B2	E6B50080
2651	舣	6AB2	F4B3	E6B60080
2652	舤	6AB3	F4B4	E6B70080
2653	舥	6AB4	F4B5	E6B80080
2654	舦	6AB5	F4B6	E6B90080
2655	舧	6AB6	F4B7	E6BA0080
2656	舨	6AB7	F4B8	E6BB0080
2657	舩	6AB8	F4B9	E6BC0080
2658	航	6AB9	F4BA	E6BD0080
2659	舫	6ABA	F4BB	E6BE0080
2660	舧	6ABB	F4BC	E6BF0080
2661	舨	6ABC	F4BD	E6BG0080
2662	舩	6ABD	F4BE	E6BH0080
2663	航	6ABE	F4BF	E6BI0080
2664	舫	6ABF	F4C0	E6BJ0080
2665	舧	6AC0	F4C1	E6BK0080
2666	舨	6AC1	F4C2	E6BL0080
2667	舩	6AC2	F4C3	E6BM0080
2668	航	6AC3	F4C4	E6BN0080
2669	舫	6AC4	F4C5	E6BO0080
2670	舧	6AC5	F4C6	E6BP0080
2671	舨	6AC6	F4C7	E6BQ0080
2672	舩	6AC7	F4C8	E6BR0080
2673	航	6AC8	F4C9	E6BS0080
2674	舫	6AC9	F4CA	E6BT0080

Table 11 (Page 14 of 20). Level 2 Chinese Character Set (2 of 2), DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
2675	舫	6ACA	F4CB	E6BU0080
2676	舧	6ACB	F4CC	E6BV0080
2677	舨	6ACC	F4CD	E6BW0080
2678	舩	6ACD	F4CE	E6BX0080
2679	航	6ACE	F4CF	E6BY0080
2680	舫	6ACF	F4D0	E6BZ0080
2681	舧	6AD0	F4D1	E6C00080
2682	舨	6AD1	F4D2	E6C10080
2683	舩	6AD2	F4D3	E6C20080
2684	航	6AD3	F4D4	E6C30080
2685	舫	6AD4	F4D5	E6C40080
2686	舧	6AD5	F4D6	E6C50080
2687	舨	6AD6	F4D7	E6C60080
2688	舩	6AD7	F4D8	E6C70080
2689	航	6AD8	F4D9	E6C80080
2690	舫	6AD9	F4DA	E6C90080
2691	舧	6ADA	F4DB	E6CA0080
2692	舨	6ADB	F4DC	E6CB0080
2693	舩	6ADC	F4DD	E6CC0080
2694	航	6ADD	F4DE	E6CD0080
2695	舫	6ADE	F4DF	E6CE0080
2696	舧	6ADF	F4E0	E6CF0080
2697	舨	6AE0	F4E1	E6CG0080
2698	舩	6AE1	F4E2	E6CH0080
2699	航	6AE2	F4E3	E6CI0080
2700	舫	6AE3	F4E4	E6CJ0080



## IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC

Table 11 (Page 15 of 20). Level 2 Chinese Character Set (2 of 2), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
2701	翦	6AE4	F4E5	E6CK0080
2702	翩	6AE5	F4E6	E6CL0080
2703	翩	6AE6	F4E7	E6CM0080
2704	翳	6AE7	F4E8	E6CN0080
2705	糸	6AE8	F4E9	E6CO0080
2706	紮	6AE9	F4EA	E6CP0080
2707	綦	6AEA	F4EB	E6CQ0080
2708	紫	6AEB	F4EC	E6CR0080
2709	繇	6AEC	F4ED	E6CS0080
2710	轟	6AED	F4EE	E6CT0080
2711	麸	6AEE	F4EF	E6CU0080
2712	麴	6AEF	F4F0	E6CV0080
2713	赳	6AF0	F4F1	E6CW0080
2714	赳	6AF1	F4F2	E6CX0080
2715	趯	6AF2	F4F3	E6CY0080
2716	趯	6AF3	F4F4	E6CZ0080
2717	趯	6AF4	F4F5	E6D00080
2718	赧	6AF5	F4F6	E6D10080
2719	赧	6AF6	F4F7	E6D20080
2720	豈	6AF7	F4F8	E6D30080
2721	豈	6AF8	F4F9	E6D40080
2722	酃	6AF9	F4FA	E6D50080
2723	酃	6AFA	F4FB	E6D60080
2724	酃	6AFB	F4FC	E6D70080
2725	醅	6AFC	F4FD	E6D80080
2726	醅	6AFD	F4FE	E6D90080

Table 11 (Page 15 of 20). Level 2 Chinese Character Set (2 of 2), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
2727	酢	6B41	F5A1	E6DD0080
2728	醅	6B42	F5A2	E6DE0080
2729	醅	6B43	F5A3	E6DF0080
2730	醅	6B44	F5A4	E6DG0080
2731	醅	6B45	F5A5	E6DH0080
2732	醅	6B46	F5A6	E6DI0080
2733	醅	6B47	F5A7	E6DJ0080
2734	醅	6B48	F5A8	E6DK0080
2735	醅	6B49	F5A9	E6DL0080
2736	醅	6B4A	F5AA	E6DM0080
2737	醅	6B4B	F5AB	E6DN0080
2738	醅	6B4C	F5AC	E6DO0080
2739	醅	6B4D	F5AD	E6DP0080
2740	醅	6B4E	F5AE	E6DQ0080
2741	醅	6B4F	F5AF	E6DR0080
2742	醅	6B50	F5B0	E6DS0080
2743	醅	6B51	F5B1	E6DT0080
2744	醅	6B52	F5B2	E6DU0080
2745	醅	6B53	F5B3	E6DV0080
2746	醅	6B54	F5B4	E6DW0080
2747	醅	6B55	F5B5	E6DX0080
2748	醅	6B56	F5B6	E6DY0080
2749	醅	6B57	F5B7	E6DZ0080
2750	醅	6B58	F5B8	E6E00080
2751	豕	6B59	F5B9	E6E10080
2752	豕	6B5A	F5BA	E6E20080




## IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC

Line Number	Graphic	Host Code	PC Code	GCGID
2753	趸	6B5B	F5BB	E6E30080
2754	登	6B5C	F5BC	E6E40080
2755	趸	6B5D	F5BD	E6E50080
2756	蹙	6B5E	F5BE	E6E60080
2757	蹙	6B5F	F5BF	E6E70080
2758	趺	6B60	F5C0	E6E80080
2759	趺	6B61	F5C1	E6E90080
2760	趺	6B62	F5C2	E6EA0080
2761	跌	6B63	F5C3	E6EB0080
2762	踰	6B64	F5C4	E6EC0080
2763	踰	6B65	F5C5	E6ED0080
2764	跗	6B66	F5C6	E6EE0080
2765	跗	6B67	F5C7	E6EF0080
2766	蹠	6B68	F5C8	E6EG0080
2767	蹠	6B69	F5C9	E6EH0080
2768	跏	6B6A	F5CA	E6EI0080
2769	跛	6B6B	F5CB	E6EJ0080
2770	跎	6B6C	F5CC	E6EK0080
2771	跎	6B6D	F5CD	E6EL0080
2772	蹠	6B6E	F5CE	E6EM0080
2773	蹠	6B6F	F5CF	E6EN0080
2774	跣	6B70	F5D0	E6EO0080
2775	跣	6B71	F5D1	E6EP0080
2776	躋	6B72	F5D2	E6EQ0080
2777	躋	6B73	F5D3	E6ER0080
2778	踉	6B74	F5D4	E6ES0080

Line Number	Graphic	Host Code	PC Code	GCGID
2779	蹠	6B75	F5D5	E6ET0080
2780	蹠	6B76	F5D6	E6EU0080
2781	蹠	6B77	F5D7	E6EV0080
2782	踮	6B78	F5D8	E6EW0080
2783	蹠	6B79	F5D9	E6EX0080
2784	蹠	6B7A	F5DA	E6EY0080
2785	蹠	6B7B	F5DB	E6EZ0080
2786	躅	6B7C	F5DC	E6F00080
2787	躅	6B7D	F5DD	E6F10080
2788	蹠	6B7E	F5DE	E6F20080
2789	蹠	6B7F	F5DF	E6F30080
2790	踵	6B81	F5E0	E6F50080
2791	躅	6B82	F5E1	E6F60080
2792	躅	6B83	F5E2	E6F70080
2793	蹠	6B84	F5E3	E6F80080
2794	躅	6B85	F5E4	E6F90080
2795	蹠	6B86	F5E5	E6FA0080
2796	躅	6B87	F5E6	E6FB0080
2797	躅	6B88	F5E7	E6FC0080
2798	蹠	6B89	F5E8	E6FD0080
2799	蹠	6B8A	F5E9	E6FE0080
2800	蹠	6B8B	F5EA	E6FF0080
2801	蹠	6B8C	F5EB	E6FG0080
2802	躅	6B8D	F5EC	E6FH0080
2803	蹠	6B8E	F5ED	E6FI0080
2804	躅	6B8F	F5EE	E6FJ0080



## IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC

Table 11 (Page 17 of 20). Level 2 Chinese Character Set (2 of 2), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
2805	躡	6B90	F5EF	E6FK0080
2806	躡	6B91	F5F0	E6FL0080
2807	躡	6B92	F5F1	E6FM0080
2808	躡	6B93	F5F2	E6FN0080
2809	躡	6B94	F5F3	E6FO0080
2810	豸	6B95	F5F4	E6FP0080
2811	豸	6B96	F5F5	E6FQ0080
2812	豸	6B97	F5F6	E6FR0080
2813	豸	6B98	F5F7	E6FS0080
2814	豸	6B99	F5F8	E6FT0080
2815	豸	6B9A	F5F9	E6FU0080
2816	豸	6B9B	F5FA	E6FV0080
2817	豸	6B9C	F5FB	E6FW0080
2818	豸	6B9D	F5FC	E6FX0080
2819	豸	6B9E	F5FD	E6FY0080
2820	豸	6B9F	F5FE	E6FZ0080
2821	豸	6BA0	F6A1	E6G00080
2822	豸	6BA1	F6A2	E6G10080
2823	豸	6BA2	F6A3	E6G20080
2824	豸	6BA3	F6A4	E6G30080
2825	豸	6BA4	F6A5	E6G40080
2826	豸	6BA5	F6A6	E6G50080
2827	豸	6BA6	F6A7	E6G60080
2828	豸	6BA7	F6A8	E6G70080
2829	豸	6BA8	F6A9	E6G80080
2830	豸	6BA9	F6AA	E6G90080

Table 11 (Page 17 of 20). Level 2 Chinese Character Set (2 of 2), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
2831	霽	6BAA	F6AB	E6GA0080
2832	霽	6BAB	F6AC	E6GB0080
2833	霽	6BAC	F6AD	E6GC0080
2834	霽	6BAD	F6AE	E6GD0080
2835	霽	6BAE	F6AF	E6GE0080
2836	霽	6BAF	F6B0	E6GF0080
2837	霽	6BB0	F6B1	E6GG0080
2838	霽	6BB1	F6B2	E6GH0080
2839	虬	6BB2	F6B3	E6GI0080
2840	虬	6BB3	F6B4	E6GJ0080
2841	虬	6BB4	F6B5	E6GK0080
2842	虬	6BB5	F6B6	E6GL0080
2843	虬	6BB6	F6B7	E6GM0080
2844	虬	6BB7	F6B8	E6GN0080
2845	虬	6BB8	F6B9	E6GO0080
2846	虬	6BB9	F6BA	E6GP0080
2847	虬	6BBA	F6BB	E6GQ0080
2848	虬	6BBB	F6BC	E6GR0080
2849	虬	6BBC	F6BD	E6GS0080
2850	虬	6BBD	F6BE	E6GT0080
2851	隹	6BBE	F6BF	E6GU0080
2852	隹	6BBF	F6C0	E6GV0080
2853	隹	6BC0	F6C1	E6GW0080
2854	隹	6BC1	F6C2	E6GX0080
2855	隹	6BC2	F6C3	E6GY0080
2856	隹	6BC3	F6C4	E6GZ0080



## IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC

Table 11 (Page 18 of 20). Level 2 Chinese Character Set (2 of 2), DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
2857	鲑	6BC4	F6C5	E6H00080
2858	鲚	6BC5	F6C6	E6H10080
2859	鲛	6BC6	F6C7	E6H20080
2860	鲋	6BC7	F6C8	E6H30080
2861	鲇	6BC8	F6C9	E6H40080
2862	鲈	6BC9	F6CA	E6H50080
2863	鲉	6BCA	F6CB	E6H60080
2864	鲊	6BCB	F6CC	E6H70080
2865	鲋	6BCC	F6CD	E6H80080
2866	鲇	6BCD	F6CE	E6H90080
2867	鲈	6BCE	F6CF	E6HA0080
2868	鲉	6BCF	F6D0	E6HB0080
2869	鲊	6BD0	F6D1	E6HC0080
2870	鲋	6BD1	F6D2	E6HD0080
2871	鲇	6BD2	F6D3	E6HE0080
2872	鲈	6BD3	F6D4	E6HF0080
2873	鲉	6BD4	F6D5	E6HG0080
2874	鲊	6BD5	F6D6	E6HH0080
2875	鲋	6BD6	F6D7	E6HI0080
2876	鲇	6BD7	F6D8	E6HJ0080
2877	鲈	6BD8	F6D9	E6HK0080
2878	鲉	6BD9	F6DA	E6HL0080
2879	鲊	6BDA	F6DB	E6HM0080
2880	鲋	6BDB	F6DC	E6HN0080
2881	鲇	6BDC	F6DD	E6HO0080
2882	鲈	6BDD	F6DE	E6HP0080

Table 11 (Page 18 of 20). Level 2 Chinese Character Set (2 of 2), DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
2883	鲉	6BDE	F6DF	E6HQ0080
2884	鲊	6BDF	F6E0	E6HR0080
2885	鲋	6BE0	F6E1	E6HS0080
2886	鲇	6BE1	F6E2	E6HT0080
2887	鲈	6BE2	F6E3	E6HU0080
2888	鲉	6BE3	F6E4	E6HV0080
2889	鲊	6BE4	F6E5	E6HW0080
2890	鲋	6BE5	F6E6	E6HX0080
2891	鲇	6BE6	F6E7	E6HY0080
2892	鲈	6BE7	F6E8	E6HZ0080
2893	鲉	6BE8	F6E9	E6I00080
2894	鲊	6BE9	F6EA	E6I10080
2895	鲋	6BEA	F6EB	E6I20080
2896	鲇	6BEB	F6EC	E6I30080
2897	鲈	6BEC	F6ED	E6I40080
2898	鲉	6BED	F6EE	E6I50080
2899	鲊	6BEE	F6EF	E6I60080
2900	鲋	6BEF	F6F0	E6I70080
2901	鲇	6BF0	F6F1	E6I80080
2902	鲈	6BF1	F6F2	E6I90080
2903	鲉	6BF2	F6F3	E6IA0080
2904	鲊	6BF3	F6F4	E6IB0080
2905	鲋	6BF4	F6F5	E6IC0080
2906	鲇	6BF5	F6F6	E6ID0080
2907	鲈	6BF6	F6F7	E6IE0080
2908	鲉	6BF7	F6F8	E6IF0080



## IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC

Table 11 (Page 19 of 20). Level 2 Chinese Character Set (2 of 2), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
2909	鰐	6BF8	F6F9	E6IG0080
2910	鰵	6BF9	F6FA	E6IH0080
2911	鰼	6BFA	F6FB	E6II0080
2912	鯉	6BFB	F6FC	E6IJ0080
2913	鯪	6BFC	F6FD	E6IK0080
2914	鱖	6BFD	F6FE	E6IL0080
2915	鳌	6C41	F7A1	E6IP0080
2916	鳍	6C42	F7A2	E6IQ0080
2917	鲟	6C43	F7A3	E6IR0080
2918	鳐	6C44	F7A4	E6IS0080
2919	鳊	6C45	F7A5	E6IT0080
2920	鲃	6C46	F7A6	E6IU0080
2921	鳊	6C47	F7A7	E6IV0080
2922	鳊	6C48	F7A8	E6IW0080
2923	鳊	6C49	F7A9	E6IX0080
2924	鳌	6C4A	F7AA	E6IY0080
2925	鳊	6C4B	F7AB	E6IZ0080
2926	鳊	6C4C	F7AC	E6J00080
2927	鳊	6C4D	F7AD	E6J10080
2928	鳊	6C4E	F7AE	E6J20080
2929	鳊	6C4F	F7AF	E6J30080
2930	鞞	6C50	F7B0	E6J40080
2931	鞞	6C51	F7B1	E6J50080
2932	鞞	6C52	F7B2	E6J60080
2933	鞞	6C53	F7B3	E6J70080
2934	鞞	6C54	F7B4	E6J80080

Table 11 (Page 19 of 20). Level 2 Chinese Character Set (2 of 2), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
2935	鞞	6C55	F7B5	E6J90080
2936	鞞	6C56	F7B6	E6JA0080
2937	鞞	6C57	F7B7	E6JB0080
2938	鞞	6C58	F7B8	E6JC0080
2939	鞞	6C59	F7B9	E6JD0080
2940	鞞	6C5A	F7BA	E6JE0080
2941	鞞	6C5B	F7BB	E6JF0080
2942	鞞	6C5C	F7BC	E6JG0080
2943	鞞	6C5D	F7BD	E6JH0080
2944	鞞	6C5E	F7BE	E6JI0080
2945	鞞	6C5F	F7BF	E6JJ0080
2946	鞞	6C60	F7C0	E6JK0080
2947	鞞	6C61	F7C1	E6JL0080
2948	鞞	6C62	F7C2	E6JM0080
2949	鞞	6C63	F7C3	E6JN0080
2950	鞞	6C64	F7C4	E6JO0080
2951	鞞	6C65	F7C5	E6JP0080
2952	鞞	6C66	F7C6	E6JQ0080
2953	鞞	6C67	F7C7	E6JR0080
2954	鞞	6C68	F7C8	E6JS0080
2955	鞞	6C69	F7C9	E6JT0080
2956	鞞	6C6A	F7CA	E6JU0080
2957	鞞	6C6B	F7CB	E6JV0080
2958	鞞	6C6C	F7CC	E6JW0080
2959	鞞	6C6D	F7CD	E6JX0080
2960	鞞	6C6E	F7CE	E6JY0080



## IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC

Table 11 (Page 20 of 20). Level 2 Chinese Character Set (2 of 2), DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
2961	飧	6C6F	F7CF	E6JZ0080
2962	饜	6C70	F7D0	E6K00080
2963	饗	6C71	F7D1	E6K10080
2964	饗	6C72	F7D2	E6K20080
2965	饗	6C73	F7D3	E6K30080
2966	髟	6C74	F7D4	E6K40080
2967	髟	6C75	F7D5	E6K50080
2968	髟	6C76	F7D6	E6K60080
2969	髟	6C77	F7D7	E6K70080
2970	髟	6C78	F7D8	E6K80080
2971	髟	6C79	F7D9	E6K90080
2972	髟	6C7A	F7DA	E6KA0080
2973	髟	6C7B	F7DB	E6KB0080
2974	髟	6C7C	F7DC	E6KC0080
2975	髟	6C7D	F7DD	E6KD0080
2976	髟	6C7E	F7DE	E6KE0080
2977	髟	6C7F	F7DF	E6KF0080
2978	鬣	6C81	F7E0	E6KH0080
2979	麼	6C82	F7E1	E6KI0080
2980	麼	6C83	F7E2	E6KJ0080
2981	麼	6C84	F7E3	E6KK0080
2982	麁	6C85	F7E4	E6KL0080
2983	麁	6C86	F7E5	E6KM0080
2984	麁	6C87	F7E6	E6KN0080
2985	麁	6C88	F7E7	E6KO0080
2986	麒	6C89	F7E8	E6KP0080

Table 11 (Page 20 of 20). Level 2 Chinese Character Set (2 of 2), DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
2987	麁	6C8A	F7E9	E6KQ0080
2988	麁	6C8B	F7EA	E6KR0080
2989	麟	6C8C	F7EB	E6KS0080
2990	黨	6C8D	F7EC	E6KT0080
2991	黜	6C8E	F7ED	E6KU0080
2992	黜	6C8F	F7EE	E6KV0080
2993	黠	6C90	F7EF	E6KW0080
2994	黠	6C91	F7F0	E6KX0080
2995	駿	6C92	F7F1	E6KY0080
2996	駿	6C93	F7F2	E6KZ0080
2997	鯨	6C94	F7F3	E6L00080
2998	鯨	6C95	F7F4	E6L10080
2999	鯨	6C96	F7F5	E6L20080
3000	黯	6C97	F7F6	E6L30080
3001	黼	6C98	F7F7	E6L40080
3002	黼	6C99	F7F8	E6L50080
3003	黼	6C9A	F7F9	E6L60080
3004	黼	6C9B	F7FA	E6L70080
3005	黼	6C9C	F7FB	E6L80080
3006	黼	6C9D	F7FC	E6L90080
3007	黼	6C9E	F7FD	E6LA0080
3008	黼	6C9F	F7FE	E6LB0080

**IBM Simplified Chinese Graphic Character Set**

DBCS-Host and DBCS-PC

**9. DBCS-PC Specification****9.1 Format of DBCS-PC Specification**

In this section, the specifications of the CH-S DBCS-PC non-Chinese character set and IBM selected character set are provided by tables.

The tables are formatted almost the same as those of DBCS-Host shown in Table 6 on page 10 except that column 3 'Host code' and column 4 'PC code' are reversed. Table 12 on page 156 and Table 13 on page 169, therefore, have DBCS-PC code points in the third column and DBCS-Host code points in the fourth column.

**9.2 Non-Chinese Character Set**

Line Number	Graphic	PC Code	Host Code	GCGID
1		A1A1	4040	SP010080
2	,	A1A2	4344	JQ730080
3	。	A1A3	4341	JQ700080
4	•	A1A4	4345	JQ740080
5	-	A1A5	4545	SD310080
6	∨	A1A6	4546	SD210080
7	∞	A1A7	4460	SD170080
8	//	A1A8	445B	SV090081
9	々	A1A9	445D	SS770080
10	—	A1AA	444A	SM120080
11	～	A1AB	43A1	SD190080
12		A1AC	447C	SV370080
13	…	A1AD	447F	SV440080
14	‘	A1AE	4461	SP190080
15	’	A1AF	4471	SP200080
16	“	A1B0	4462	SP210080
17	”	A1B1	4472	SP220080

**Table 12 (Page 1 of 13).** Non-Chinese Character Set, DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
18	{	A1B2	4463	SP060081
19	}	A1B3	4473	SP070081
20	<	A1B4	4464	SP060082
21	>	A1B5	4474	SP070082
22	《	A1B6	4465	SP060083
23	》	A1B7	4475	SP070083
24	┌	A1B8	4342	JQ710080
25	└	A1B9	4343	JQ720080
26	┐	A1BA	4442	JQ710081
27	┑	A1BB	4443	JQ720081
28	[	A1BC	455B	SP060086
29	]	A1BD	455C	SP070086
30	【	A1BE	4466	SP060084
31	】	A1BF	4476	SP070084
32	±	A1C0	444B	SA020080
33	×	A1C1	447A	SA070080
34	÷	A1C2	447B	SA060080
35	:	A1C3	4562	SL830080
36	∧	A1C4	4563	SA330080
37	∨	A1C5	4564	SA320080
38	Σ	A1C6	4565	SS400080
39	Π	A1C7	4566	SA810080
40	∪	A1C8	4567	SA390080
41	∩	A1C9	4568	SA380080
42	€	A1CA	4569	SA670080
43	::	A1CB	456A	SA080080



**IBM Simplified Chinese Graphic Character Set**

DBCS-Host and DBCS-PC

**Table 12 (Page 2 of 13).** Non-Chinese Character Set, DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
44	✓	A1CC	456B	SA800080
45	⊥	A1CD	456C	SA780080
46	//	A1CE	456D	SA340080
47	∠	A1CF	456E	SA350088
48	∩	A1D0	456F	SV420080
49	⊙	A1D1	4570	SA590080
50	∫	A1D2	4571	SA510080
51	ℳ	A1D3	4572	SA720080
52	≡	A1D4	4573	SA480080
53	∥	A1D5	4574	SA430080
54	≈	A1D6	4575	SA700080
55	∫	A1D7	4576	SA830080
56	∞	A1D8	4577	SA470080
57	≠	A1D9	444C	SA540080
58	∕	A1DA	4579	SA090080
59	∕	A1DB	457A	SA100080
60	∕	A1DC	4467	SA520081
61	∕	A1DD	4477	SA530081
62	∞	A1DE	444D	SA450080
63	∴	A1DF	4478	SS540080
64	∴	A1E0	4468	SA370080
65	♂	A1E1	4469	SM280080
66	♀	A1E2	4479	SM290080
67	°	A1E3	44ED	SM190080
68	'	A1E4	44EE	SM500080
69	”	A1E5	44EF	SM510080

**Table 12 (Page 2 of 13).** Non-Chinese Character Set, DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
70	℃	A1E6	444E	SM440080
71	\$	A1E7	42E0	SC030080
72	⊙	A1E8	4588	SC010080
73	∅	A1E9	434A	SC040080
74	£	A1EA	424A	SC020080
75	‰	A1EB	458B	SM560080
76	§	A1EC	446A	SM240080
77	№	A1ED	446E	SM000080
78	☆	A1EE	44E5	SS570080
79	★	A1EF	44E6	SS580080
80	○	A1F0	44E0	SM750080
81	●	A1F1	44E1	SM580080
82	◎	A1F2	44E4	SM810080
83	◇	A1F3	44E7	SA660080
84	◆	A1F4	44E8	SM610080
85	□	A1F5	44E9	SM450080
86	■	A1F6	44EA	SM470080
87	△	A1F7	44E2	SM730080
88	▲	A1F8	44E3	SM600080
89	※	A1F9	446B	SM040088
90	→	A1FA	44F0	SM310080
91	←	A1FB	44F1	SM300080
92	↑	A1FC	44F2	SM320080
93	↓	A1FD	44F3	SM330080
94	＝	A1FE	447D	SS750080
95	1.	A2B1	45B1	NO010082
96	2.	A2B2	45B2	NO020082



## IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC

Line Number	Graphic	PC Code	Host Code	GCGID
97	3.	A2B3	45B3	NO030082
98	4.	A2B4	45B4	NO040082
99	5.	A2B5	45B5	NO050082
100	6.	A2B6	45B6	NO060082
101	7.	A2B7	45B7	NO070082
102	8.	A2B8	45B8	NO080082
103	9.	A2B9	45B9	NO090082
104	10.	A2BA	45BA	NO100082
105	11.	A2BB	45BB	NO110082
106	12.	A2BC	45BC	NO120082
107	13.	A2BD	45BD	NO130082
108	14.	A2BE	45BE	NO140082
109	15.	A2BF	45BF	NO150082
110	16.	A2C0	45C0	NO160082
111	17.	A2C1	45C1	NO170082
112	18.	A2C2	45C2	NO180082
113	19.	A2C3	45C3	NO190082
114	20.	A2C4	45C4	NO200082
115	(1)	A2C5	45C5	NO010081
116	(2)	A2C6	45C6	NO020081
117	(3)	A2C7	45C7	NO030081
118	(4)	A2C8	45C8	NO040081
119	(5)	A2C9	45C9	NO050081
120	(6)	A2CA	45CA	NO060081
121	(7)	A2CB	45CB	NO070081
122	(8)	A2CC	45CC	NO080081

Line Number	Graphic	PC Code	Host Code	GCGID
123	(9)	A2CD	45CD	NO090081
124	(10)	A2CE	45CE	NO100081
125	(11)	A2CF	45CF	NO110081
126	(12)	A2D0	45D0	NO120081
127	(13)	A2D1	45D1	NO130081
128	(14)	A2D2	45D2	NO140081
129	(15)	A2D3	45D3	NO150081
130	(16)	A2D4	45D4	NO160081
131	(17)	A2D5	45D5	NO170081
132	(18)	A2D6	45D6	NO180081
133	(19)	A2D7	45D7	NO190081
134	(20)	A2D8	45D8	NO200081
135	①	A2D9	45E1	NO010080
136	②	A2DA	45E2	NO020080
137	③	A2DB	45E3	NO030080
138	④	A2DC	45E4	NO040080
139	⑤	A2DD	45E5	NO050080
140	⑥	A2DE	45E6	NO060080
141	⑦	A2DF	45E7	NO070080
142	⑧	A2E0	45E8	NO080080
143	⑨	A2E1	45E9	NO090080
144	⑩	A2E2	45EA	NO100080
145	(-)	A2E5	45F1	NO010083
146	(=)	A2E6	45F2	NO020083
147	(≡)	A2E7	45F3	NO030083
148	(四)	A2E8	45F4	NO040083




## IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC

Line Number	Graphic	PC Code	Host Code	GCGID
149	(五)	A2E9	45F5	NO050083
150	(六)	A2EA	45F6	NO060083
151	(七)	A2EB	45F7	NO070083
152	(八)	A2EC	45F8	NO080083
153	(九)	A2ED	45F9	NO090083
154	(十)	A2EE	45FA	NO100083
155	I	A2F1	41F1	NR110080
156	II	A2F2	41F2	NR120080
157	III	A2F3	41F3	NR130080
158	IV	A2F4	41F4	NR140080
159	V	A2F5	41F5	NR150080
160	VI	A2F6	41F6	NR160080
161	VII	A2F7	41F7	NR170080
162	VIII	A2F8	41F8	NR180080
163	IX	A2F9	41F9	NR190080
164	X	A2FA	41FA	NR200080
165	XI	A2FB	41FB	NR310080
166	XII	A2FC	41FC	NR320080
167	!	A3A1	425A	SP020080
168	"	A3A2	427F	SP040080
169	#	A3A3	427B	SM010080
170	¥	A3A4	425B	SC120080
171	%	A3A5	426C	SM020080
172	&	A3A6	4250	SM030080
173	'	A3A7	4450	SD110080
174	(	A3A8	424D	SP060080
175	)	A3A9	425D	SP070080

Line Number	Graphic	PC Code	Host Code	GCGID
176	*	A3AA	425C	SM040080
177	+	A3AB	424E	SA010080
178	,	A3AC	426B	SP080080
179	—	A3AD	4260	SP100080
180	.	A3AE	424B	SP110080
181	/	A3AF	4261	SP120080
182	0	A3B0	42F0	ND100080
183	1	A3B1	42F1	ND010080
184	2	A3B2	42F2	ND020080
185	3	A3B3	42F3	ND030080
186	4	A3B4	42F4	ND040080
187	5	A3B5	42F5	ND050080
188	6	A3B6	42F6	ND060080
189	7	A3B7	42F7	ND070080
190	8	A3B8	42F8	ND080080
191	9	A3B9	42F9	ND090080
192	:	A3BA	427A	SP130080
193	;	A3BB	425E	SP140080
194	<	A3BC	424C	SA030080
195	=	A3BD	427E	SA040080
196	>	A3BE	426E	SA050080
197	?	A3BF	426F	SP150080
198	@	A3C0	427C	SM050080
199	A	A3C1	42C1	LA020080
200	B	A3C2	42C2	LB020080
201	C	A3C3	42C3	LC020080
202	D	A3C4	42C4	LD020080



## IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC

Line Number	Graphic	PC Code	Host Code	GCGID
203	E	A3C5	42C5	LE020080
204	F	A3C6	42C6	LF020080
205	G	A3C7	42C7	LG020080
206	H	A3C8	42C8	LH020080
207	I	A3C9	42C9	LI020080
208	J	A3CA	42D1	LJ020080
209	K	A3CB	42D2	LK020080
210	L	A3CC	42D3	LL020080
211	M	A3CD	42D4	LM020080
212	N	A3CE	42D5	LN020080
213	O	A3CF	42D6	LO020080
214	P	A3D0	42D7	LP020080
215	Q	A3D1	42D8	LQ020080
216	R	A3D2	42D9	LR020080
217	S	A3D3	42E2	LS020080
218	T	A3D4	42E3	LT020080
219	U	A3D5	42E4	LU020080
220	V	A3D6	42E5	LV020080
221	W	A3D7	42E6	LW020080
222	X	A3D8	42E7	LX020080
223	Y	A3D9	42E8	LY020080
224	Z	A3DA	42E9	LZ020080
225	[	A3DB	4444	SM060080
226	\	A3DC	43E0	SM070080
227	]	A3DD	4445	SM080080
228	^	A3DE	4470	SD150080
229	_	A3DF	426D	SP090080

Line Number	Graphic	PC Code	Host Code	GCGID
230	`	A3E0	4279	SD130080
231	a	A3E1	4281	LA010080
232	b	A3E2	4282	LB010080
233	c	A3E3	4283	LC010080
234	d	A3E4	4284	LD010080
235	e	A3E5	4285	LE010080
236	f	A3E6	4286	LF010080
237	g	A3E7	4287	LG010080
238	h	A3E8	4288	LH010080
239	i	A3E9	4289	LI010080
240	j	A3EA	4291	LJ010080
241	k	A3EB	4292	LK010080
242	l	A3EC	4293	LL010080
243	m	A3ED	4294	LM010080
244	n	A3EE	4295	LN010080
245	o	A3EF	4296	LO010080
246	p	A3F0	4297	LP010080
247	q	A3F1	4298	LQ010080
248	r	A3F2	4299	LR010080
249	s	A3F3	42A2	LS010080
250	t	A3F4	42A3	LT010080
251	u	A3F5	42A4	LU010080
252	v	A3F6	42A5	LV010080
253	w	A3F7	42A6	LW010080
254	x	A3F8	42A7	LX010080
255	y	A3F9	42A8	LY010080
256	z	A3FA	42A9	LZ010080



## IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC

Line Number	Graphic	PC Code	Host Code	GCGID
257	{	A3FB	42C0	SM110080
258		A3FC	424F	SM130080
259	}	A3FD	42D0	SM140080
260	—	A3FE	42A1	SM150080
261	あ	A4A1	4447	RA010080
262	ぁ	A4A2	4481	RA000080
263	い	A4A3	4448	RI010080
264	ぃ	A4A4	4482	RI000080
265	う	A4A5	4449	RU010080
266	ぅ	A4A6	4483	RU000080
267	え	A4A7	4451	RE010080
268	ぇ	A4A8	4484	RE000080
269	お	A4A9	4452	RO010080
270	ぉ	A4AA	4485	RO000080
271	か	A4AB	4486	RK100080
272	が	A4AC	44C0	RG100080
273	き	A4AD	4487	RK200080
274	ぎ	A4AE	44C1	RG200080
275	く	A4AF	4488	RK300080
276	ぐ	A4B0	44C2	RG300080
277	け	A4B1	4489	RK400080
278	げ	A4B2	44C3	RG400080
279	こ	A4B3	448A	RK500080
280	ご	A4B4	44C4	RG500080
281	さ	A4B5	448C	RS100080
282	ざ	A4B6	44C5	RZ100080
283	し	A4B7	448D	RS200080

Line Number	Graphic	PC Code	Host Code	GCGID
284	じ	A4B8	44C6	RZ200080
285	す	A4B9	448E	RS300080
286	ず	A4BA	44C7	RZ300080
287	せ	A4BB	448F	RS400080
288	ぜ	A4BC	44C8	RZ400080
289	そ	A4BD	4490	RS500080
290	ぞ	A4BE	44C9	RZ500080
291	た	A4BF	4491	RT100080
292	だ	A4C0	44CA	RD100080
293	ち	A4C1	4492	RT200080
294	ぢ	A4C2	44CB	RD200080
295	っ	A4C3	4456	RT310080
296	っ	A4C4	4493	RT300080
297	づ	A4C5	44CC	RD300080
298	て	A4C6	4494	RT400080
299	で	A4C7	44CD	RD400080
300	と	A4C8	4495	RT500080
301	ど	A4C9	44CE	RD500080
302	な	A4CA	4496	RN100080
303	に	A4CB	4497	RN200080
304	ぬ	A4CC	4498	RN300080
305	ね	A4CD	4499	RN400080
306	の	A4CE	449A	RN500080
307	は	A4CF	449D	RH100080
308	ば	A4D0	44CF	RB100080
309	ぱ	A4D1	44D5	RP100080
310	ひ	A4D2	449E	RH200080



## IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC

Line Number	Graphic	PC Code	Host Code	GCGID
311	び	A4D3	44D0	RB200080
312	び	A4D4	44D6	RP200080
313	ふ	A4D5	449F	RH300080
314	ぶ	A4D6	44D1	RB300080
315	ぶ	A4D7	44D7	RP300080
316	へ	A4D8	44A2	RH400080
317	べ	A4D9	44D2	RB400080
318	べ	A4DA	44D8	RP400080
319	ほ	A4DB	44A3	RH500080
320	ぼ	A4DC	44D3	RB500080
321	ぼ	A4DD	44D9	RP500080
322	ま	A4DE	44A4	RM100080
323	み	A4DF	44A5	RM200080
324	む	A4E0	44A6	RM300080
325	め	A4E1	44A7	RM400080
326	も	A4E2	44A8	RM500080
327	や	A4E3	4453	RY110080
328	や	A4E4	44A9	RY100080
329	ゆ	A4E5	4454	RY310080
330	ゆ	A4E6	44AA	RY300080
331	よ	A4E7	4455	RY510080
332	よ	A4E8	44AC	RY500080
333	ら	A4E9	44AD	RR100080
334	り	A4EA	44AE	RR200080
335	る	A4EB	44AF	RR300080
336	れ	A4EC	44BA	RR400080
337	ろ	A4ED	44BB	RR500080

Line Number	Graphic	PC Code	Host Code	GCGID
338	わ	A4EE	4457	RW110080
339	わ	A4EF	44BC	RW100080
340	ゐ	A4F0	44DA	RW200080
341	ゑ	A4F1	44DB	RW400080
342	を	A4F2	4446	RW500080
343	ん	A4F3	44BD	RN000080
344	ア	A5A1	4347	JA010080
345	ア	A5A2	4381	JA000080
346	イ	A5A3	4348	JI010080
347	イ	A5A4	4382	JI000080
348	ウ	A5A5	4349	JU010080
349	ウ	A5A6	4383	JU000080
350	エ	A5A7	4351	JE010080
351	エ	A5A8	4384	JE000080
352	オ	A5A9	4352	JO010080
353	オ	A5AA	4385	JO000080
354	カ	A5AB	4386	JK100080
355	ガ	A5AC	43C0	JG100080
356	キ	A5AD	4387	JK200080
357	ギ	A5AE	43C1	JG200080
358	ク	A5AF	4388	JK300080
359	グ	A5B0	43C2	JG300080
360	ケ	A5B1	4389	JK400080
361	ゲ	A5B2	43C3	JG400080
362	コ	A5B3	438A	JK500080
363	ゴ	A5B4	43C4	JG500080
364	サ	A5B5	438C	JS100080



## IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC

Line Number	Graphic	PC Code	Host Code	GCGID
365	ザ	A5B6	43C5	JZ100080
366	シ	A5B7	438D	JS200080
367	ジ	A5B8	43C6	JZ200080
368	ス	A5B9	438E	JS300080
369	ズ	A5BA	43C7	JZ300080
370	セ	A5BB	438F	JS400080
371	ゼ	A5BC	43C8	JZ400080
372	ソ	A5BD	4390	JS500080
373	ゾ	A5BE	43C9	JZ500080
374	タ	A5BF	4391	JT100080
375	ダ	A5C0	43CA	JD100080
376	チ	A5C1	4392	JT200080
377	ヂ	A5C2	43CB	JD200080
378	ツ	A5C3	4356	JT310080
379	ヅ	A5C4	4393	JT300080
380	ヅ	A5C5	43CC	JD300080
381	テ	A5C6	4394	JT400080
382	デ	A5C7	43CD	JD400080
383	ト	A5C8	4395	JT500080
384	ド	A5C9	43CE	JD500080
385	ナ	A5CA	4396	JN100080
386	ニ	A5CB	4397	JN200080
387	ヌ	A5CC	4398	JN300080
388	ネ	A5CD	4399	JN400080
389	ノ	A5CE	439A	JN500080
390	ハ	A5CF	439D	JH100080
391	バ	A5D0	43CF	JB100080

Line Number	Graphic	PC Code	Host Code	GCGID
392	パ	A5D1	43D5	JP100080
393	ヒ	A5D2	439E	JH200080
394	ビ	A5D3	43D0	JB200080
395	ピ	A5D4	43D6	JP200080
396	フ	A5D5	439F	JH300080
397	ブ	A5D6	43D1	JB300080
398	プ	A5D7	43D7	JP300080
399	ヘ	A5D8	43A2	JH400080
400	ベ	A5D9	43D2	JB400080
401	ペ	A5DA	43D8	JP400080
402	ホ	A5DB	43A3	JH500080
403	ボ	A5DC	43D3	JB500080
404	ポ	A5DD	43D9	JP500080
405	マ	A5DE	43A4	JM100080
406	ミ	A5DF	43A5	JM200080
407	ム	A5E0	43A6	JM300080
408	メ	A5E1	43A7	JM400080
409	モ	A5E2	43A8	JM500080
410	ヤ	A5E3	4353	JY110080
411	ャ	A5E4	43A9	JY100080
412	ユ	A5E5	4354	JY310080
413	ュ	A5E6	43AA	JY300080
414	ヨ	A5E7	4355	JY510080
415	ョ	A5E8	43AC	JY500080
416	ラ	A5E9	43AD	JR100080
417	リ	A5EA	43AE	JR200080
418	ル	A5EB	43AF	JR300080



## IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC

Line Number	Graphic	PC Code	Host Code	GCGID
419	レ	A5EC	43BA	JR400080
420	ロ	A5ED	43BB	JR500080
421	ワ	A5EE	4357	JW110080
422	ヰ	A5EF	43BC	JW100080
423	ヱ	A5F0	43DA	JW200080
424	ヲ	A5F1	43DB	JW400080
425	ン	A5F2	4346	JW500080
426	ン	A5F3	43BD	JN000080
427	ヴ	A5F4	43D4	JV000080
428	カ	A5F5	4359	JK110080
429	ケ	A5F6	435A	JK410080
430	A	A6A1	4161	GA020080
431	B	A6A2	4162	GB020080
432	Γ	A6A3	4163	GG020080
433	Δ	A6A4	4164	GD020080
434	E	A6A5	4165	GE020080
435	Z	A6A6	4166	GZ020080
436	H	A6A7	4167	GE320080
437	Θ	A6A8	4168	GT620080
438	I	A6A9	4169	GI020080
439	K	A6AA	416A	GK020080
440	Λ	A6AB	416B	GL020080
441	M	A6AC	416C	GM020080
442	N	A6AD	416D	GN020080
443	Ξ	A6AE	416E	GX020080
444	O	A6AF	416F	GO020080
445	Π	A6B0	4170	GP020080

Line Number	Graphic	PC Code	Host Code	GCGID
446	P	A6B1	4171	GR020080
447	Σ	A6B2	4172	GS020080
448	T	A6B3	4173	GT020080
449	Υ	A6B4	4174	GU020080
450	Φ	A6B5	4175	GF020080
451	X	A6B6	4176	GH020080
452	Ψ	A6B7	4177	GP620080
453	Ω	A6B8	4178	GO320080
454	α	A6C1	4141	GA010080
455	β	A6C2	4142	GB010080
456	γ	A6C3	4143	GG010080
457	δ	A6C4	4144	GD010080
458	ε	A6C5	4145	GE010080
459	ζ	A6C6	4146	GZ010080
460	η	A6C7	4147	GE310080
461	θ	A6C8	4148	GT610082
462	ι	A6C9	4149	GI010080
463	κ	A6CA	414A	GK010080
464	λ	A6CB	414B	GL010080
465	μ	A6CC	414C	GM010080
466	ν	A6CD	414D	GN010080
467	ξ	A6CE	414E	GX010080
468	ο	A6CF	414F	GO010080
469	π	A6D0	4150	GP010080
470	ρ	A6D1	4151	GR010080
471	σ	A6D2	4152	GS010080
472	τ	A6D3	4153	GT010080





## IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC

Table 12 (Page 10 of 13). Non-Chinese Character Set, DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
473	υ	A6D4	4154	GU010080
474	φ	A6D5	4155	GF010081
475	χ	A6D6	4156	GH010080
476	ψ	A6D7	4157	GP610080
477	ω	A6D8	4158	GO310080
478	Α	A7A1	41C0	KA020080
479	Β	A7A2	41C1	KB020080
480	Β	A7A3	41C2	KV020080
481	Γ	A7A4	41C3	KG020080
482	Δ	A7A5	41C4	KD020080
483	Ε	A7A6	41C5	KE020080
484	Ε̇	A7A7	41C6	KE180080
485	Ζ	A7A8	41C7	KZ220080
486	Ζ	A7A9	41C8	KZ020080
487	Η	A7AA	41C9	KI020080
488	Θ	A7AB	41CA	KJ120080
489	Κ	A7AC	41CB	KK020080
490	Λ	A7AD	41CC	KL020080
491	Μ	A7AE	41CD	KM020080
492	Η	A7AF	41CE	KN020080
493	Ο	A7B0	41CF	KO020080
494	Π	A7B1	41D0	KP020080
495	Ρ	A7B2	41D1	KR020080
496	Σ	A7B3	41D2	KS020080
497	Τ	A7B4	41D3	KT020080
498	Υ	A7B5	41D4	KU020080
499	Φ	A7B6	41D5	KF020080

Table 12 (Page 10 of 13). Non-Chinese Character Set, DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
500	Χ	A7B7	41D6	KH020080
501	Ц	A7B8	41D7	KC020080
502	Ч	A7B9	41D8	KC220080
503	Ш	A7BA	41D9	KS220080
504	Щ	A7BB	41DA	KS160080
505	Ъ	A7BC	41DB	KU220080
506	Ы	A7BD	41DC	KY020080
507	Ь	A7BE	41DD	KX120080
508	Э	A7BF	41DE	KE140080
509	Ю	A7C0	41DF	KU160080
510	Я	A7C1	41E0	KA160080
511	а	A7D1	4180	KA010080
512	б	A7D2	4181	KB010080
513	в	A7D3	4182	KV010080
514	г	A7D4	4183	KG010080
515	д	A7D5	4184	KD010080
516	е	A7D6	4185	KE010080
517	ё	A7D7	4186	KE170080
518	ж	A7D8	4187	KZ210080
519	з	A7D9	4188	KZ010080
520	и	A7DA	4189	KI010080
521	й	A7DB	418A	KJ110080
522	к	A7DC	418B	KK010080
523	л	A7DD	418C	KL010080
524	м	A7DE	418D	KM010080
525	н	A7DF	418E	KN010080
526	о	A7E0	418F	KO010080



## IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC

Line Number	Graphic	PC Code	Host Code	GCGID
527	Π	A7E1	4190	KP010080
528	ρ	A7E2	4191	KR010080
529	Ϸ	A7E3	4192	KS010080
530	Τ	A7E4	4193	KT010080
531	ϣ	A7E5	4194	KU010080
532	ϕ	A7E6	4195	KF010080
533	Χ	A7E7	4196	KH010080
534	Ц	A7E8	4197	KC010080
535	ϥ	A7E9	4198	KC210080
536	Ш	A7EA	4199	KS210080
537	Щ	A7EB	419A	KS150080
538	Ъ	A7EC	419B	KU210080
539	Ы	A7ED	419C	KY010080
540	Ь	A7EE	419D	KX110080
541	Э	A7EF	419E	KE130080
542	Ю	A7F0	419F	KU150080
543	Я	A7F1	41A0	KA150080
544	ā	A8A1	4641	LA310080
545	á	A8A2	4642	LA110080
546	ǎ	A8A3	4643	LA210080
547	â	A8A4	4644	LA130080
548	ē	A8A5	4645	LE310080
549	é	A8A6	4646	LE110080
550	ě	A8A7	4647	LE210080
551	è	A8A8	4648	LE130080
552	ī	A8A9	4649	LI310080
553	í	A8AA	464A	LI110080

Line Number	Graphic	PC Code	Host Code	GCGID
554	ÿ	A8AB	464B	LI210080
555	ÿ̇	A8AC	464C	LI130080
556	ō	A8AD	464D	LO310080
557	ó	A8AE	464E	LO110080
558	ö	A8AF	464F	LO210080
559	õ	A8B0	4650	LO130080
560	ū	A8B1	4651	LU310080
561	ú	A8B2	4652	LU110080
562	ǔ	A8B3	4653	LU210080
563	ù	A8B4	4654	LU130080
564	ū̇	A8B5	4655	LU770080
565	ǖ	A8B6	4656	LU730080
566	ǘ	A8B7	4657	LU790080
567	ǚ	A8B8	4658	LU750080
568	ü	A8B9	4659	LU170080
569	ê	A8BA	465A	LE150080
570	ㄣ	A8C5	4665	SB060080
571	ㄤ	A8C6	4666	SB290080
572	ㄨ	A8C7	4667	SB250080
573	ㄩ	A8C8	4668	SB160080
574	ㄉ	A8C9	4669	SB090080
575	ㄊ	A8CA	466A	SB340080
576	ㄋ	A8CB	466B	SB260080
577	ㄌ	A8CC	466C	SB240080
578	ㄍ	A8CD	466D	SB170080
579	ㄎ	A8CE	466E	SB230080



## IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC

Table 12 (Page 12 of 13). Non-Chinese Character Set, DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
580	厂	A8CF	466F	SB180080
581	乚	A8D0	4670	SB220080
582	<	A8D1	4671	SB070080
583	丌	A8D2	4672	SB330080
584	乚	A8D3	4673	SB210080
585	彳	A8D4	4674	SB080080
586	尸	A8D5	4675	SB320080
587	匚	A8D6	4676	SB300080
588	冫	A8D7	4677	SB350080
589	ㄣ	A8D8	4678	SB360080
590	厶	A8D9	4679	SB310080
591	丫	A8DA	467A	SB010080
592	ㄥ	A8DB	467B	SB270080
593	ㄥ	A8DC	467C	SB100080
594	ㄥ	A8DD	467D	SB110080
595	ㄥ	A8DE	467E	SB020080
596	ㄥ	A8DF	467F	SB120080
597	ㄥ	A8E0	4680	SB050080
598	ㄥ	A8E1	4681	SB280080
599	ㄥ	A8E2	4682	SB030080
600	ㄥ	A8E3	4683	SB130080
601	ㄥ	A8E4	4684	SB040080
602	ㄥ	A8E5	4685	SB140080
603	ㄥ	A8E6	4686	SB150080
604	丨	A8E7	4687	SB190081
605	ㄥ	A8E8	4688	SB370080

Table 12 (Page 12 of 13). Non-Chinese Character Set, DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
606	ㄥ	A8E9	4689	SB200080
607	—	A9A4	46A4	SF100080
608	—	A9A5	46A5	SF100082
609	丨	A9A6	46A6	SF110080
610	丨	A9A7	46A7	SF110082
611	---	A9A8	46A8	SF940080
612	---	A9A9	46A9	SF940081
613	⋮	A9AA	46AA	SF960080
614	⋮	A9AB	46AB	SF960081
615	----	A9AC	46AC	SF950080
616	----	A9AD	46AD	SF950081
617	⋮	A9AE	46AE	SF970080
618	⋮	A9AF	46AF	SF970081
619	┌	A9B0	46B0	SF010080
620	┌	A9B1	46B1	SF010081
621	┌	A9B2	46B2	SF010083
622	┌	A9B3	46B3	SF010082
623	┐	A9B4	46B4	SF030080
624	┐	A9B5	46B5	SF030081
625	┐	A9B6	46B6	SF030083
626	┐	A9B7	46B7	SF030082
627	└	A9B8	46B8	SF020080
628	└	A9B9	46B9	SF020081
629	└	A9BA	46BA	SF020083
630	└	A9BB	46BB	SF020082
631	┘	A9BC	46BC	SF040080



## IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC

Table 12 (Page 13 of 13). Non-Chinese Character Set, DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
632	┘	A9BD	46BD	SF040081
633	┘	A9BE	46BE	SF040083
634	┘	A9BF	46BF	SF040082
635	┘	A9C0	46C0	SF080080
636	┘	A9C1	46C1	SF080084
637	┘	A9C2	46C2	SF080087
638	┘	A9C3	46C3	SF080088
639	┘	A9C4	46C4	SF080083
640	┘	A9C5	46C5	SF080089
641	┘	A9C6	46C6	SF08008A
642	┘	A9C7	46C7	SF080082
643	┘	A9C8	46C8	SF090080
644	┘	A9C9	46C9	SF090084
645	┘	A9CA	46CA	SF090087
646	┘	A9CB	46CB	SF090088
647	┘	A9CC	46CC	SF090083
648	┘	A9CD	46CD	SF090089
649	┘	A9CE	46CE	SF09008A
650	┘	A9CF	46CF	SF090082
651	┘	A9D0	46D0	SF060080
652	┘	A9D1	46D1	SF060087
653	┘	A9D2	46D2	SF060088
654	┘	A9D3	46D3	SF060083
655	┘	A9D4	46D4	SF060084
656	┘	A9D5	46D5	SF060089
657	┘	A9D6	46D6	SF06008A

Table 12 (Page 13 of 13). Non-Chinese Character Set, DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
658	┘	A9D7	46D7	SF060082
659	┘	A9D8	46D8	SF070080
660	┘	A9D9	46D9	SF070087
661	┘	A9DA	46DA	SF070088
662	┘	A9DB	46DB	SF070083
663	┘	A9DC	46DC	SF070084
664	┘	A9DD	46DD	SF070089
665	┘	A9DE	46DE	SF07008A
666	┘	A9DF	46DF	SF070082
667	┘	A9E0	46E0	SF050080
668	┘	A9E1	46E1	SF05008A
669	┘	A9E2	46E2	SF05008B
670	┘	A9E3	46E3	SF050083
671	┘	A9E4	46E4	SF05008C
672	┘	A9E5	46E5	SF05008D
673	┘	A9E6	46E6	SF050084
674	┘	A9E7	46E7	SF05008E
675	┘	A9E8	46E8	SF05008F
676	┘	A9E9	46E9	SF05008G
677	┘	A9EA	46EA	SF05008H
678	┘	A9EB	46EB	SF050087
679	┘	A9EC	46EC	SF050089
680	┘	A9ED	46ED	SF050086
681	┘	A9EE	46EE	SF050088
682	┘	A9EF	46EF	SF050082

**IBM Simplified Chinese Graphic Character Set**

DBCS-Host and DBCS-PC

**9.3 Level 1 Chinese Character Set, DBCS - PC**

Refer to Table 8 on page 25 and Table 9 on page 63.

**9.4 Level 2 Chinese Character Set, DBCS - PC**

Refer to Table 10 on page 98 and Table 11 on page 136.

**9.5 IBM Selected Character Set**

Table 13. IBM Selected Character Set, DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
1	i	8CE0	41B1	NR010080
2	ii	8CE1	41B2	NR020080
3	iii	8CE2	41B3	NR030080
4	iv	8CE3	41B4	NR040080
5	v	8CE4	41B5	NR050080
6	vi	8CE5	41B6	NR060080
7	vii	8CE6	41B7	NR070080
8	viii	8CE7	41B8	NR080080
9	ix	8CE8	41B9	NR090080
10	x	8CE9	41BA	NR100080
11	┐	8CEA	425F	SM660080
12	┆	8CEB	426A	SM650080
13	◊	8CEC	427D	SP050080
14	一	8CED	4358	JX700080
15	¥	8CEE	435B	SC050080
16	◊	8CEF	43BE	JX710080
17	◊	8CF0	43BF	JX720080
18	∖	8CF1	43DC	JQ750080
19	∕	8CF2	43DD	JQ760080
20	—	8CF3	445A	SP320080
21	全	8CF4	445C	SS760080
22	↗	8CF5	445E	SS720080

**Table 13.** IBM Selected Character Set, DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
23	○	8CF6	445F	ND100087
24	〒	8CF7	446C	SS730080
25	株	8CF8	446D	SS740080
26	TEL	8CF9	446F	SS710080
27	••	8CFA	447E	SV430080
28	›	8CFB	44DC	RQ750080
29	›	8CFC	44DD	RQ760080
30	▽	8CFD	44EB	SM740080
31	▼	8CFE	44EC	SV040080



---

## IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC

---

### Supplementary Information

#### 10. Definition of Terms

The following terms are defined for the purposes of this document.

##### 10.1 Byte

A unit of string consisting of 8 bits.

##### 10.2 Code

A system of bit-patterns to which specific graphic or control meanings have been assigned.

##### 10.3 Code Page

A specification of *code points* for each *graphic character* in a set, or in a collection of *graphic character sets*. Within a given *code page*, a *code point* can have only one specific meaning.

##### 10.4 Code Page Global Identifier (CPGID)

A 5-digit decimal identifier assigned to a *code page*. See C-H 3-3220-050.

##### 10.5 Code Point

One of the bit-patterns specified by a *code*.

##### 10.6 Coded Graphic Character

A *graphic character* with its assigned *code point*.

##### 10.7 Coded Graphic Character Set

A set of *graphic characters* with their assigned *code points*.

##### 10.8 Coded Graphic Character Set Global Identifier (CGCSGID)

A 10-digit decimal identifier consisting of the concatenation of a *graphic character set global identifier (GCSGID)* and a *code page global identifier (CPGID)*. The *CGCSGID* is also represented as the concatenation of the hexadecimal representation of the *GCSGID* and *CPGID*. See C-H 3-3220-050.

##### 10.9 DBCS

Abbreviation of *Double-Byte Character Set*. It is a *graphic character set* in which each character is represented by two *bytes*. See C-S 3-3220-102 for details.

##### 10.10 DBCS-Host

A *DBCS code page* which is mainly used in conjunction with *EBCDIC*.

##### 10.11 DBCS-PC

A *DBCS code page* which is mainly used in conjunction with *PC code*.

##### 10.12 EBCDIC

Abbreviation of *Extended BCD Interchange Code* which is defined in C-S 3-3220-002, *EBCDIC*.

##### 10.13 Graphic Character

A graphic symbol character, such as a numeric, alphabetic, special or Chinese.

##### 10.14 Graphic Character Global Identifier (GCGID)

An up to eight-character identifier assigned to each *graphic character*. See C-H 3-3220-055.

##### 10.15 Graphic Character Set

A set of *graphic characters*, treated as an entity.

##### 10.16 Graphic Character Set Global Identifier (GCSGID)

A 5-digit decimal identifier assigned to a *graphic character set*. See C-H 3-3220-050.

##### 10.17 PC Code

A *single-byte code page* which is primarily used in the personal computer environment. *PC Code* is based on ISO 646.

##### 10.18 Product

A hardware or software unit that is individually packaged, that is marketable, and to which a type number/program number or equivalence has been assigned.

##### 10.19 Registered Code Page

A *code page* that has been registered and assigned a *CPGID*.

##### 10.20 Registered Coded Graphic Character Set

A *coded graphic character set*, whose *graphic character set* and *code page* have both been registered.

---

## IBM Simplified Chinese Graphic Character Set

DBCS-Host and DBCS-PC

---

### 10.21 *Restricted Code Page*

A *registered code page* that has not been approved by all operating units, or that is obsolete, and that has been placed in the category of “restricted.”

### 10.22 *SBCS*

Abbreviation of *Single-Byte Character Set*. *Single-Byte Character Set* is a *graphic character set* in which each character is represented by one *byte*.

### 10.23 *Unrestricted Code Page*

A *registered code page* that has been approved by all affected operating units, and has been placed in the category of “unrestricted.”

### 10.24 *User Definable Character (UDC)*

A *graphic character* whose graphic shape is definable by users.


### 10.25 *Ward*

A section of a *Double-Byte Character Set* where the first *bytes* of all of the *code points* belonging to it are the same. A *ward* has a unique numerical value which represents the first *byte* of the *code point* belonging to that *ward*.

## 11. Graphic Character Representation

Although character graphics are inserted as sample graphics of the *coded graphic characters* in the specification tables of Table 7 to Table 13, a *graphic character* is independent of actual size or shape in which it may appear.

This specification does not restrict the style of font design. However, it is recommended that the font design of *graphic characters* for *products* follow the *graphic character* representation in this document as close as possible to avoid confusion in identification of *graphic characters*. On questions about the font design to be implemented, the Standards Project Authority for *DBCS* (SIRS 029) may be consulted.



© Copyright IBM Corp. 1993, 2001

International Business Machines Corporation  
IBM Standards Program  
Old Orchard Road  
Armonk, New York 10504, USA







DVCF value 4 .....	(none)
DVCF value 5 .....	(none)
DVCF value 6 .....	(none)
DVCF value 7 .....	(none)
DVCF value 8 .....	(none)
DVCF value 9 .....	(none)
Explode .....	NO
Figure list on new page .....	NO
Figure/table number separation .....	YES
Folio-by-chapter .....	NO
Head 0 body text .....	(none)
Head 1 body text .....	(none)
Head 1 appendix text .....	Appendix
Hyphenation .....	YES
Justification .....	YES
Language .....	ENGL
Keyboard .....	395
Layout .....	2
Leader dots .....	YES
Master index .....	(none)
Partial TOC (maximum level) .....	4
Partial TOC (new page after) .....	INLINE
Print example id's .....	NO
Print cross reference page numbers .....	YES
Process value .....	(none)
Punctuation move characters .....	,
Read cross-reference file .....	(none)
Running heading/footing rule .....	NONE
Show index entries .....	NO
Table of Contents (maximum level) .....	5
Table list on new page .....	NO
Title page (draft) alignment .....	RIGHT
Write cross-reference file .....	(none)

<b>Imbed Trace</b>
--------------------

Page 5	CUSCFI01
Page 7	CUSCFI02
Page 8	CUSCFI03
Page 11	CUSCFI04
Page 25	CUSCFI05
Page 63	CUSCFI06
Page 98	CUSCFI07
Page 136	CUSCFI08
Page 156	CUSCFI09
Page 169	CUSCFI10