



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

**IBM Traditional Chinese Graphic Character Set**

DBCS - Host and DBCS - PC

Contents

Introduction	1	8.7 Secondary Chinese Set (3 of 4)	223
1. Scope	1	8.8 Secondary Chinese Set (4 of 4)	267
1.1 Abstract	1	8.9 DBCS-PC Specification	285
1.2 Objective	1	8.10 Non-Chinese Set	286
1.3 Application	1	8.11 Primary Chinese Set (1 of 3)	306
1.4 Effective Date	1	8.12 Primary Chinese Set (2 of 3)	350
2. Document Administration	1	8.13 Primary Chinese Set (3 of 3)	394
2.1 Originating Area and Responsibility	1	8.14 Secondary Chinese Set (1 of 4)	412
2.2 Authorization	1	8.15 Secondary Chinese Set (2 of 4)	456
2.3 Compliance	1	8.16 Secondary Chinese Set (3 of 4)	500
2.4 Property Statement	1	8.17 Secondary Chinese Set (4 of 4)	544
3. Related Documents	1	Supplementary Information	562
3.1 Superseded Documents	1	9. Definition of Terms	562
3.2 Referenced External Documents	1	9.1 Product	562
3.3 Referenced IBM Documents	2	9.2 Graphic Character	562
3.4 Copyright Permission	2	9.3 Graphic Character Global Identifier (GCGID)	562
Requirements	2	9.4 Graphic Character Set	562
4. External Standards	2	9.5 Registered Graphic Character Set	562
4.1 Republic of China's SICGCC	2	9.6 Unrestricted Graphic Character Set	562
4.2 Relationship of the 1986 Standard with the 1983 Defacto Standard	2	9.7 Restricted Graphic Character Set	562
4.3 Relationship of the IBM Traditional Chinese Character Set with SICGCC	2	9.8 Graphic Character Set Global Identifier (GCSGID)	562
4.3.1 Character Coverage	2	9.9 Code	562
4.3.2 Sequence of Arrangement	3	9.9.1 Single-Byte Code	562
4.3.2.1 Symbols	3	9.9.2 Double-Byte Code	562
4.3.2.2 Primary Chinese Characters	3	9.10 Code Point	562
4.3.2.3 Secondary Chinese Characters	3	9.11 Coded Character	562
4.3.3 Code Scheme	3	9.12 Coded Character Set	562
4.3.4 Patterns	3	9.13 Code Page	562
4.3.4.1 Symbols	3	9.14 Registered Code Page	562
4.3.4.2 Chinese Characters	3	9.15 Unrestricted Code Page	562
4.4 Euro Sign	3	9.16 Restricted Code Page	562
5. Specification of Character Repertoire	3	9.17 Code Page Global Identifier (CPGID)	562
5.1 Identification of Graphic Characters	3	9.18 Coded Graphic Character	562
5.2 Algorithm of GCGID	3	9.19 Coded Graphic Character Set	562
6. Character Sets and Code Page	3	9.20 Registered Coded Graphic Character Set	563
6.1 Registration of GCSGID and CPGID	3	9.21 Registered Code Page Translation Correspondences	563
6.2 Structure of the DBCS-Host Code	6	9.22 Coded Graphic Character Set Global Identifier (CGCSGID)	563
6.3 Structure of the DBCS-PC Code	7	9.23 EBCDIC	563
7. Code Translation Correspondences, Host-PC	8	9.24 PC Code	563
8. DBCS-Host Specification	8	9.25 DBCS	563
8.1 Non-Chinese Set	9	9.25.1 DBCS-Host	563
8.2 Primary Chinese Set (1 of 3)	29	9.25.2 DBCS-PC	563
8.3 Primary Chinese Set (2 of 3)	73	9.25.3 Ward	563
8.4 Primary Chinese Set (3 of 3)	117	10. Difference from the Former Specification	563
8.5 Secondary Chinese Set (1 of 4)	135	10.1 From C-H 3-3220-126 1989-08 to the revision 1992-01	563
8.6 Secondary Chinese Set (2 of 4)	179	10.1.1 Abstract	563
		10.1.2 Character Coverage	563
		10.1.3 User Defined Character (UDC) Area	563
		10.2 From the APTO-TAIWAN-001 document to C-H 3-3220-126 1992-01	563
		10.2.1 Abstract	563
		10.2.2 Character Coverage and Sequence Arrangement	563
		10.2.2.1 Symbols	563
		10.2.2.2 Primary Chinese Characters	564
		10.2.2.3 Secondary Chinese Characters	564
		10.2.3 Character Patterns	564



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

10.2.4 User Defined Character (UDC) Area 564

10.3 From C-H 3-3220-126 1992-01 to the revision 1999-04 564

11. Graphic Character Sets and Representations 564

Tables

1. Registration of GCSGID and CPGID for the IBM CH-T Graphic Character Set	4	12. Secondary CH-T (4/4), DBCS - Host	267
2. DBCS-Host Code Structure	6	13. Format of DBCS-PC Code Tables	285
3. DBCS-PC Code Structure	7	14. Non-Chinese Set, DBCS - PC	286
4. Format of DBCS-Host Code Tables	8	15. Primary CH-T (1/3), DBCS - PC	306
5. Non-Chinese Set, DBCS - Host	9	16. Primary CH-T (2/3), DBCS - PC	350
6. Primary CH-T (1/3), DBCS - Host	29	17. Primary CH-T (3/3), DBCS - PC	394
7. Primary CH-T (2/3), DBCS - Host	73	18. Secondary CH-T (1/4), DBCS - PC	412
8. Primary CH-T (3/3), DBCS - Host	117	19. Secondary CH-T (2/4), DBCS - PC	456
9. Secondary CH-T (1/4), DBCS - Host	135	20. Secondary CH-T (3/4), DBCS - PC	500
10. Secondary CH-T (2/4), DBCS - Host	179	21. Secondary CH-T (4/4), DBCS - PC	544
11. Secondary CH-T (3/4), DBCS - Host	223	22. Range of Change for UDC Area	564



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Introduction

1. Scope

1.1 Abstract

This document is a registry of the IBM Traditional Chinese *Graphic Character Set*, and the related code pages.

Note: "Traditional Chinese" will be abbreviated to "CH-T" hereinafter.

1.2 Objective

The objectives of this document are:

- 1) to specify a repertoire of the IBM CH-T *Graphic Character Set*
- 2) to specify two kinds of *code pages*, DBCS-Host and *DBCS-PC*, where each *graphic character* of the IBM CH-T *Graphic Character Set* is assigned a *code point*
- 3) to assign required *GCSGIDs* and *CPGIDs*
- 4) to specify code translation correspondences between *DBCS-Host* and *DBCS-PC*

Note: Terms in italics (except headings) are defined in the Supplementary Information section.

1.3 Application

This specification is applicable to all IBM products which implement the IBM CH-T *Graphic Character Set* specified in this specification and which are announced or released to production (whichever occurs first) after date of publication.

Implementation of the *coded graphic character sets* in this specification is defined in C-S 3-3220-019.

1.4 Effective Date

This document takes effect with its publication.

2. Document Administration

2.1 Originating Area and Responsibility

| This document is maintained by the Standards Project Authority (SPA) for:

| **SIRS Code:** 029 (Double-Byte Character Set)

| **Location Code:** 93K (Yamato)

| **Division:** AP

| **SCRL Group:** None

| **Page Count:** 564

2.2 Authorization

Publication of this document was approved by the Standards Authorities of the affected operating units.

2.3 Compliance

Compliance with the requirements of this document is recommended unless it is called out as a requirement in a standard or equivalent document. It then assumes the same compliance requirements as that document.

2.4 Property Statement

This document is the property of IBM. Its use outside IBM is authorized only for responding to a request for quotation or for the performance of work for IBM. All supplier/vendor questions must be referred to the IBM purchasing department.

3. Related Documents

3.1 Superseded Documents

| C-H 3-3220-126 dated 1992-01.

| **Note:** Changes in this edition are indicated by the character "|" (vertical bar) in the revision column.

3.2 Referenced External Documents

ISO 646


Information technology - ISO Standard for 7-Bit coded character set for information interchange

ISO 2022

Information processing - ISO Standard for 7-bit and 8-bit coded characters sets - code extension techniques

CNS-11643

Republic of China's Standard Interchange Code for Generally-used Chinese Characters, published jointly by National Science Council of Executive Yuan, Ministry of Education, Standards Bureau of Ministry of Economic Affairs, and EDP Center of the Directorate General of Budget, Accounting, and Statistics, in March 1986.

**IBM Traditional Chinese Graphic Character Set**

DBCS - Host and DBCS - PC

3.3 Referenced IBM Documents**C-S 3-3220-002***Extended BCD Interchange Code (EBCDIC)***C-S 3-3220-019***Coded Character Sets, Implementation***C-H 3-3220-024***IBM Japanese Graphic Character Set, Kanji***C-H 3-3220-050***REGISTRY, Graphic Character Sets and Code Pages***C-H 3-3220-055***Graphic Character Identification System***C-S 3-3220-102***Double-Byte Character Set (DBCS)***C-H 3-3220-131***IBM Traditional Chinese Graphic Character Set for IBM BIG-5 Code***APTO-TAIWAN-001***IBM Traditional Chinese Graphic Character Set, A/PTO Divisional document dated February 1985***3.4 Copyright Permission**

Not applicable.

Requirements**4. External Standards**

ROC SICGCC defines Code of the Chinese Graphic Character Set for Information Interchange. The IBM CH-T Graphic Character Set specified in this document contains all of the graphic characters which are defined in ROC SICGCC.

4.1 Republic of China's SICGCC

SICGCC (Standard Interchange Code for Generally-used Chinese Characters) for the Republic of China was announced in March 1986. The objective of the standard is to act as the Chinese information interchange interface between different Chinese character sets that are provided for and used by computer/telecommunication vendors.

The SICGCC contains 684 symbols, and 13051 Chinese characters. SICGCC conforms to ISO 646 and ISO 2022 coding for information interchange. The SICGCC is mapped to a theoretical possible number of 16 planes. Each *code point* in a plane is represented by two bytes, with the valid range being X'21' thru X'7E' for each byte. The maximum number of *code points* in a plane is 8836.

The Chinese characters are assigned into the first and second planes. The first plane contains symbols and frequently used primary Chinese characters, arranged in total stroke sequence. The second plane contains

less frequently used secondary Chinese characters, arranged in a total stroke sequence.

The User Defined Character Area is assigned to planes 12 through 16.

Planes 3 through 11 are reserved for future assignments.

4.2 Relationship of the 1986 Standard with the 1983 Defacto Standard

The defacto standard announced in October 1983 was intended for a trial or test period of two years, after which the formal standard would be announced. The formal standard was announced in March 1986. However, it was not announced as a modification to the defacto standard. No comparison to the defacto standard was made in the announcement and publications. It is the first formally recognized standard.

In actual comparison, there are few differences with regard to numbers and patterns of characters, and there are a lot of differences with regard to internal code structure. The APTO-TAIWAN-001 document was based on the 1983 Defacto Standard.

4.3 Relationship of the IBM Traditional Chinese Character Set with SICGCC

4.3.1 Character Coverage. The IBM CH-T *Graphic Character set* is a superset of the SICGCC.

IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

4.3.2 Sequence of Arrangement

4.3.2.1 Symbols. Symbols are sequenced logically within each category whenever possible (that is, for Greek, Alphabet, Numerics, etc.). No attempt was made to sequence the categories according to SICGCC, because some IBM CH-T Symbols already follow the IBM Japanese Symbols sequence. (See C-H 3-3220-024 *IBM Japanese Graphic Character Set, Kanji*).

4.3.2.2 Primary Chinese Characters. These characters are sequenced generally by total stroke, but there are several characters that are different from SICGCC. SICGCC has the correct total stroke sequence, but we cannot follow the SICGCC sequence because it will cause *code point* changes for many of the characters.

4.3.2.3 Secondary Chinese Characters. These characters are treated the same as the Primary Chinese characters.

4.3.3 Code Scheme. The IBM CH-T *graphic character set* does not follow the SICGCC because SICGCC states that its code points are for interchange purposes, and code scheme of SICGCC follows ISO 2022, while IBM CH-T *graphic character set* has two different code schemes:

- DBCS-Host
- DBCS-PC

4.3.4 Patterns

4.3.4.1 Symbols. Patterns conform to C-H 3-3220-055.

4.3.4.2 Chinese Characters. There are no major differences between the published (36×36 dot matrix) SICGCC patterns and the IBM CH-T patterns. Note, however, the dot matrix SICGCC patterns are intended for use as reference and not as standard.

4.4 Euro Sign

The Euro, the single European currency, has been introduced on the first of January 1999. The IBM CH-T DBCS-Host supports this currency.

5. Specification of Character Repertoire

5.1 Identification of Graphic Characters

This document specifies the repertoire of the CH-T *graphic character set* for *DBCS-Host* and *DBCS-PC*. Each *graphic character* of the repertoire is identified by a unique *Graphic Character Global Identifier (GCGID)*.

In the CH-T *graphic character set*, *GCGIDs* take the form 'Tzzz0080'; those for *user definable characters* take the form 'Xzzz0080', which follows the specification of C-H 3-3220-055. *GCGIDs* of non-Chinese *graphic characters* refer to those registered in C-H 3-3220-055.

5.2 Algorithm of GCGID

The zzz value for 'Tzzz0080' and 'Xzzz0080' is calculated by the following algorithm:

- 1) Assign virtual *code points* starting with the first *code point* of *EBCDIC code range* sequentially to the *graphic character set* of the proper collating.
- 2) Convert both *bytes* of the *code point* from hexadecimal to decimal.
- 3) Subtract 64 from both numbers.
- 4) Multiply the high-order number by 192 and add the low-order number to the result.
- 5) Convert the resulting number to a base 36 number, where the values from 0 through 35 are 0 through 9, followed by A through Z. (The conversion algorithm is essentially the same as would be used to convert from decimal to hexadecimal.) The resulting value will be a three digit value. For CH-T, it must be between 1S1 (for *code point* X'4C41' corresponded on *DBCS-Host*) and C3R (for *code point* X'91C7' corresponded on *DBCS-Host*).

6. Character Sets and Code Page

6.1 Registration of GCSGID and CPGID

This specification registers the maximum set and the subsets of the repertoire of the IBM CH-T *Graphic Character Set* for *DBCS-Host* and *DBCS-PC* and identifies them by *Graphic Character Set Global Identifiers (GCSGIDs)*.

**IBM Traditional Chinese Graphic Character Set**

DBCS - Host and DBCS - PC

It also specifies a relevant *code pages* for those *registered graphic character sets*; *DBCS-Host* and *DBCS-PC*, and identifies them by a *Code Page Global Identifier (CPGID)*.

Table 1 specifies the *GCSGIDs* and the *CPGID* of the *registered coded graphic character sets* for the IBM CH-T *Graphic Character Set* for *DBCS-Host* and *DBCS-PC*.


The registration category “R” means “Restricted,” which implies that *graphic character sets* and *code*

pages in this category are limited to the particular environment for which they are registered.

The registration category “U” means “Unrestricted,” which implies that *graphic character sets* and *code pages* in this category have potential broad implementation in information processing *products*.

Note: See C-H 3-3220-050 for the detail of registration categories of *graphic character sets* and *code pages*.

Table 1 (Page 1 of 2). Registration of GCSGID and CPGID for the IBM CH-T Graphic Character Set				
CGCSGID GCSGID CPGID	Name	Set Size	Reference Table No.	Category of Registration
65535 00835	DBCS-Host including 6204 UDCs Wards 40 to 91 and C2 to E2	20265	Table 5 on page 9, Table 6 on page 29, Table 7 on page 73, Table 8 on page 117, Table 9 on page 135, Table 10 on page 179, Table 11 on page 223 and Table 12 on page 267	U
00935 00835	DBCS-Host including 6204 UDCs excluding Euro sign Wards 40 to 91 and C2 to E2	20264	Table 5 on page 9(*), Table 6 on page 29, Table 7 on page 73, Table 8 on page 117, Table 9 on page 135, Table 10 on page 179, Table 11 on page 223 and Table 12 on page 267	U
02074 00835	DBCS-Host excluding UDCs Wards 40 to 91	14061	Table 5 on page 9, Table 6 on page 29, Table 7 on page 73, Table 8 on page 117, Table 9 on page 135, Table 10 on page 179, Table 11 on page 223 and Table 12 on page 267	U
01030 00835	DBCS-Host excluding UDCs excluding Euro sign Wards 40 to 91	14060	Table 5 on page 9(*), Table 6 on page 29, Table 7 on page 73, Table 8 on page 117, Table 9 on page 135, Table 10 on page 179, Table 11 on page 223 and Table 12 on page 267	U
01031 00835	DBCS-Host, Non-Chinese and Primary Chinese sets excluding Euro sign Wards 40 to 68	6406	Table 5 on page 9(*), Table 6 on page 29, Table 7 on page 73 and Table 8 on page 117	U
01032 00835	DBCS-Host, Non-Chinese Set excluding Euro sign Wards 40 to 4B	1004	Table 5 on page 9(*)	U

**IBM Traditional Chinese Graphic Character Set**

DBCS - Host and DBCS - PC

Table 1 (Page 2 of 2). Registration of GCSGID and CPGID for the IBM CH-T Graphic Character Set				
CGCSGID GCSGID CPGID	Name	Set Size	Reference Table No.	Category of Registration
01033 00835	DBCS-Host, Primary Chinese Set Wards 4C to 68	5402	Table 6 on page 29, Table 7 on page 73 and Table 8 on page 117	U
01034 00835	DBCS-Host, Secondary Chinese Set Wards 69 to 91	7654	Table 9 on page 135, Table 10 on page 179, Table 11 on page 223 and Table 12 on page 267	U
01035 00835	DBCS-Host, 6204 UDCs Wards C2 to E2	6204		U
00935 00927	DBCS-PC including 6204 UDCs Wards 81 to D1 and DB to FB	20264	Table 14 on page 286, Table 15 on page 306, Table 16 on page 350, Table 17 on page 394, Table 18 on page 412, Table 19 on page 456, Table 20 on page 500 and Table 21 on page 544	R
01030 00927	DBCS-PC excluding UDCs Wards 81 to D1	14060	Table 14 on page 286, Table 15 on page 306, Table 16 on page 350, Table 17 on page 394, Table 18 on page 412, Table 19 on page 456, Table 20 on page 500 and Table 21 on page 544	R
01031 00927	DBCS-PC, Non-Chinese and Primary Chinese Sets Wards 81 to A8	6406	Table 14 on page 286, Table 15 on page 306, Table 16 on page 350 and Table 17 on page 394	R
01032 00927	DBCS-PC, Non-Chinese Set Wards 81 to 8B	1004	Table 14 on page 286	R
01033 00927	DBCS-PC, Primary Chinese Set Wards 8C to A8	5402	Table 15 on page 306, Table 16 on page 350 and Table 17 on page 394	R
01034 00927	DBCS-PC, Secondary Chinese Set Wards A9 to D1	7654	Table 18 on page 412, Table 19 on page 456, Table 20 on page 500 and Table 21 on page 544	R
01035 00927	DBCS-PC, 6204 UDCs Wards DB to FB	6204		R
Note: (*) except Euro currency sign				

**IBM Traditional Chinese Graphic Character Set**

DBCS - Host and DBCS - PC

6.2 Structure of the DBCS-Host Code

The *DBCS-Host Code* of the IBM CH-T Graphic Character Set is structured as shown in Table 2.

Table 2. DBCS-Host Code Structure		
Wards	Content	No. of Char.
40	Unassignable (except for SPACE in 4040) (See Table 5 on page 9)	1
41 to 49	Non-Chinese Set (See Table 5 on page 9) <ul style="list-style-type: none"> • Greek, Russian, Roman Numeric (Ward 41) • Alphanumeric and Related Symbols (Ward 42) • Katakana, Hiragana and Special (Ward 43-44) Symbols • Chinese numerals, Phonetic Symbols (Ward 45) • Chinese Punctuation, Formating Symbols, and Special Symbols (Ward 46-47) • Euro Sign (Ward 47) • Chinese Radicals (Ward 48-49) 	1004
4A to 4B	Reserved for Future IBM Assignments	
4C to 68	Primary Chinese Characters Set (See Table 6 on page 29, Table 7 on page 73 and Table 8 on page 117)	5402
69 to 91	Secondary Chinese Characters Set (See Table 9 on page 135, Table 10 on page 179, Table 11 on page 223 and Table 12 on page 267)	7654
92 to C1	Reserved for Future IBM Assignments	
C2 to E2	User-Definable Characters Area	6204*
E3 to FE	Reserved for Future IBM Assignments	
Note: * The Maximum number of user-definable characters		




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

6.3 Structure of the DBCS-PC Code

The DBCS-PC Code of the IBM CH-T Graphic Character Set is structured as shown in Table 3.

Table 3. DBCS-PC Code Structure		
Wards	Content	Number of Characters
81 to 8B	Non-Chinese Set (See Table 14 on page 286) <ul style="list-style-type: none"> • Greek, Russian, Roman Numeric • Alphanumeric and Related Symbols • Katakana, Hiragana and Special Symbols • Chinese numerals, Phonetic Symbols, Chinese Punctuation, Formating symbols, and Special Symbols • Chinese Radicals 	1005
8C to A8	Primary Chinese Characters Set (See Table 15 on page 306, Table 16 on page 350 and Table 17 on page 394)	5402
A9 to D1	Secondary Chinese Characters Set (See Table 18 on page 412, Table 19 on page 456, Table 20 on page 500 and Table 21 on page 544)	7654
D2 to DA	Reserved for Future IBM Assignments	
DB to FB	User-Definable Characters area	6204*
FC	Reserved for Future IBM Assignments	
Note: * The maximum number of user-definable characters		



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

7. Code Translation Correspondences, Host-PC

Table 5 on page 9 to Table 12 on page 267 define the corresponding *DBCS-PC codes* for translation from the *DBCS-Host codes* in terms of the CH-T Graphic Character Set. Table 5 on page 9 to Table 12 on page 267 define the corresponding *DBCS-Host codes* for translation from the *DBCS-PC codes* in terms of the CH-T Graphic Character Set. Euro sign X'47A2' on the *DBCS-Host Code* is substituted on the *DBCS-PC Code*.

The code translation correspondense between the *DBCS-Host Code* and the IBM BIG-5 *code* is defined in C-H 3-3220-131.

8. DBCS-Host Specification

Table 5 on page 9 to Table 12 on page 267 provide the graphic representations and their *IBM DBCS-Host codes* of the IBM CH-T Graphic Character Set. They are formatted as illustrated in Table 4. Line numbers are serial numbers of listed *graphic characters* by subsets of *graphic characters* for the purpose of easy reference only. They include the corresponding *DBCS-PC codes*.

Table 4. Format of DBCS-Host Code Tables

Column				
1	2	3	4	5
Line No.	Graphic	Host Code	PC Code	GCGID
XXXX	X	XXXX	XXXX	XXXXXXXX

**IBM Traditional Chinese Graphic Character Set**

DBCS - Host and DBCS - PC

8.1 Non-Chinese Set

Line Number	Graphic	Host Code	PC Code	GCGID
1		4040	8140	SP010080
2	α	4141	83BF	GA010080
3	β	4142	83C0	GB010080
4	γ	4143	83C1	GG010080
5	δ	4144	83C2	GD010080
6	ϵ	4145	83C3	GE010080
7	ζ	4146	83C4	GZ010080
8	η	4147	83C5	GE310080
9	θ	4148	83C6	GT610082
10	ι	4149	83C7	GI010080
11	κ	414A	83C8	GK010080
12	λ	414B	83C9	GL010080
13	μ	414C	83CA	GM010080
14	ν	414D	83CB	GN010080
15	ξ	414E	83CC	GX010080
16	\omicron	414F	83CD	GO010080
17	π	4150	83CE	GP010080
18	ρ	4151	83CF	GR010080
19	σ	4152	83D0	GS010080
20	τ	4153	83D1	GT010080
21	υ	4154	83D2	GU010080
22	ϕ	4155	83D3	GF010081
23	χ	4156	83D4	GH010080
24	ϕ	4157	83D5	GP610080

Line Number	Graphic	Host Code	PC Code	GCGID
25	ω	4158	83D6	GO310080
26	A	4161	839F	GA020080
27	B	4162	83A0	GB020080
28	Γ	4163	83A1	GG020080
29	Δ	4164	83A2	GD020080
30	E	4165	83A3	GE020080
31	Z	4166	83A4	GZ020080
32	H	4167	83A5	GE320080
33	Θ	4168	83A6	GT620080
34	I	4169	83A7	GI020080
35	K	416A	83A8	GK020080
36	Λ	416B	83A9	GL020080
37	M	416C	83AA	GM020080
38	N	416D	83AB	GN020080
39	Ξ	416E	83AC	GX020080
40	O	416F	83AD	GO020080
41	Π	4170	83AE	GP020080
42	P	4171	83AF	GR020080
43	Σ	4172	83B0	GS020080
44	T	4173	83B1	GT020080
45	Υ	4174	83B2	GU020080
46	Φ	4175	83B3	GF020080
47	X	4176	83B4	GH020080
48	Ψ	4177	83B5	GP620080
49	Ω	4178	83B6	GO320080
50	a	4180	8470	KA010080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 5 (Page 2 of 20). Non-Chinese Set, DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
51	б	4181	8471	KB010080
52	в	4182	8472	KV010080
53	г	4183	8473	KG010080
54	д	4184	8474	KD010080
55	е	4185	8475	KE010080
56	ё	4186	8476	KE170080
57	ж	4187	8477	KZ210080
58	з	4188	8478	KZ010080
59	и	4189	8479	KI010080
60	й	418A	847A	KJ110080
61	к	418B	847B	KK010080
62	л	418C	847C	KL010080
63	м	418D	847D	KM010080
64	н	418E	847E	KN010080
65	о	418F	8480	KO010080
66	п	4190	8481	KP010080
67	р	4191	8482	KR010080
68	с	4192	8483	KS010080
69	т	4193	8484	KT010080
70	у	4194	8485	KU010080
71	ф	4195	8486	KF010080
72	х	4196	8487	KH010080
73	ц	4197	8488	KC010080
74	ч	4198	8489	KC210080
75	ш	4199	848A	KS210080
76	щ	419A	848B	KS150080

Table 5 (Page 2 of 20). Non-Chinese Set, DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
77	ъ	419B	848C	KU210080
78	ы	419C	848D	KY010080
79	ь	419D	848E	KX110080
80	э	419E	848F	KE130080
81	ю	419F	8490	KU150080
82	я	41A0	8491	KA150080
83	i	41B1	8B51	NR010080
84	ii	41B2	8B52	NR020080
85	iii	41B3	8B53	NR030080
86	iv	41B4	8B54	NR040080
87	v	41B5	8B55	NR050080
88	vi	41B6	8B56	NR060080
89	vii	41B7	8B57	NR070080
90	viii	41B8	8B58	NR080080
91	ix	41B9	8B59	NR090080
92	x	41BA	8B5A	NR100080
93	A	41C0	8440	KA020080
94	Б	41C1	8441	KB020080
95	В	41C2	8442	KV020080
96	Г	41C3	8443	KG020080
97	Д	41C4	8444	KD020080
98	Е	41C5	8445	KE020080
99	Ё	41C6	8446	KE180080
100	Ж	41C7	8447	KZ220080
101	З	41C8	8448	KZ020080
102	И	41C9	8449	KI020080

**IBM Traditional Chinese Graphic Character Set**

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
103	Й	41CA	844A	KJ120080
104	К	41CB	844B	KK020080
105	Л	41CC	844C	KL020080
106	М	41CD	844D	KM020080
107	Н	41CE	844E	KN020080
108	О	41CF	844F	KO020080
109	П	41D0	8450	KP020080
110	Р	41D1	8451	KR020080
111	С	41D2	8452	KS020080
112	Т	41D3	8453	KT020080
113	У	41D4	8454	KU020080
114	Ф	41D5	8455	KF020080
115	Х	41D6	8456	KH020080
116	Ц	41D7	8457	KC020080
117	Ч	41D8	8458	KC220080
118	Ш	41D9	8459	KS220080
119	Щ	41DA	845A	KS160080
120	Ъ	41DB	845B	KU220080
121	Ы	41DC	845C	KY020080
122	Ь	41DD	845D	KX120080
123	Э	41DE	845E	KE140080
124	Ю	41DF	845F	KU160080
125	Я	41E0	8460	KA160080
126	I	41F1	8B41	NR110080
127	II	41F2	8B42	NR120080
128	III	41F3	8B43	NR130080

Line Number	Graphic	Host Code	PC Code	GCGID
129	IV	41F4	8B44	NR140080
130	V	41F5	8B45	NR150080
131	VI	41F6	8B46	NR160080
132	VII	41F7	8B47	NR170080
133	VIII	41F8	8B48	NR180080
134	IX	41F9	8B49	NR190080
135	X	41FA	8B4A	NR200080
136	£	424A	8192	SC020080
137	.	424B	8144	SP110080
138	<	424C	8183	SA030080
139	(424D	8169	SP060080
140	+	424E	817B	SA010080
141		424F	8162	SM130080
142	&	4250	8195	SM030080
143	!	425A	8149	SP020080
144	¥	425B	818F	SC050080
145	※	425C	8196	SM040080
146)	425D	816A	SP070080
147	;	425E	8147	SP140080
148	¬	425F	8B5B	SM660080 ev01.
149	—	4260	817C	SP100080
150	/	4261	815E	SP120080
151	¡	426A	8B5C	SM650080
152	,	426B	8143	SP080080
153	%	426C	8193	SM020080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 5 (Page 4 of 20). Non-Chinese Set, DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
154	—	426D	8151	SP090080
155	>	426E	8184	SA050080
156	?	426F	8148	SP150080
157	`	4279	814D	SD130080
158	:	427A	8146	SP130080
159	#	427B	8194	SM010080
160	@	427C	8197	SM050080
161	'	427D	8B5D	SP050080
162	=	427E	8181	SA040080
163	"	427F	8B5E	SP040080
164	a	4281	8281	LA010080
165	b	4282	8282	LB010080
166	c	4283	8283	LC010080
167	d	4284	8284	LD010080
168	e	4285	8285	LE010080
169	f	4286	8286	LF010080
170	g	4287	8287	LG010080
171	h	4288	8288	LH010080
172	i	4289	8289	LI010080
173	j	4291	828A	LJ010080
174	k	4292	828B	LK010080
175	l	4293	828C	LL010080
176	m	4294	828D	LM010080
177	n	4295	828E	LN010080
178	o	4296	828F	LO010080
179	p	4297	8290	LP010080

Table 5 (Page 4 of 20). Non-Chinese Set, DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
180	q	4298	8291	LQ010080
181	r	4299	8292	LR010080
182	—	42A1	8150	SM150080
183	s	42A2	8293	LS010080
184	t	42A3	8294	LT010080
185	u	42A4	8295	LU010080
186	v	42A5	8296	LV010080
187	w	42A6	8297	LW010080
188	x	42A7	8298	LX010080
189	y	42A8	8299	LY010080
190	z	42A9	829A	LZ010080
191	{	42C0	816F	SM110080
192	A	42C1	8260	LA020080
193	B	42C2	8261	LB020080
194	C	42C3	8262	LC020080
195	D	42C4	8263	LD020080
196	E	42C5	8264	LE020080
197	F	42C6	8265	LF020080
198	G	42C7	8266	LG020080
199	H	42C8	8267	LH020080
200	I	42C9	8268	LI020080
201	}	42D0	8170	SM140080
202	J	42D1	8269	LJ020080
203	K	42D2	826A	LK020080
204	L	42D3	826B	LL020080
205	M	42D4	826C	LM020080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
206	N	42D5	826D	LN020080
207	O	42D6	826E	LO020080
208	P	42D7	826F	LP020080
209	Q	42D8	8270	LQ020080
210	R	42D9	8271	LR020080
211	\$	42E0	8190	SC030080
212	S	42E2	8272	LS020080
213	T	42E3	8273	LT020080
214	U	42E4	8274	LU020080
215	V	42E5	8275	LV020080
216	W	42E6	8276	LW020080
217	X	42E7	8277	LX020080
218	Y	42E8	8278	LY020080
219	Z	42E9	8279	LZ020080
220	0	42F0	824F	ND100080
221	1	42F1	8250	ND010080
222	2	42F2	8251	ND020080
223	3	42F3	8252	ND030080
224	4	42F4	8253	ND040080
225	5	42F5	8254	ND050080
226	6	42F6	8255	ND060080
227	7	42F7	8256	ND070080
228	8	42F8	8257	ND080080
229	9	42F9	8258	ND090080
230	。	4341	8142	JQ700080
231	┌	4342	8175	JQ710080

Line Number	Graphic	Host Code	PC Code	GCGID
232	┘	4343	8176	JQ720080
233	、	4344	8141	JQ730080
234	•	4345	8145	JQ740080
235	フ	4346	8392	JW500080
236	ア	4347	8340	JA010080
237	イ	4348	8342	JI010080
238	ウ	4349	8344	JU010080
239	¢	434A	8191	SC040080
240	ㄣ	434D	81DC	SV420080
241	ㄨ	434E	81DD	SA490080
242	▽	434F	81DE	SL030080
243	エ	4351	8346	JE010080
244	オ	4352	8348	JO010080
245	ヤ	4353	8383	JY110080
246	ユ	4354	8385	JY310080
247	ヨ	4355	8387	JY510080
248	ツ	4356	8362	JT310080
249	ワ	4357	838E	JW110080
250	一	4358	815B	JX700080
251	カ	4359	8395	JK110080
252	ケ	435A	8396	JK410080
253	≪	435D	81E1	SA730080
254	≫	435E	81E2	SA740080
255	ㄨ	4360	81E4	SA830080
256	ㄨ	4361	81E5	SA470080
257	ㄨ	4363	81E8	SA840080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 5 (Page 6 of 20). Non-Chinese Set, DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
258	€	4364	81B8	SA670080
259	≡	4365	81B9	SA310080
260	⊆	4366	81BA	SA240080
261	⊇	4367	81BB	SA270080
262	⊂	4368	81BC	SA400080
263	⊃	4369	81BD	SA410080
264	∧	436C	81C8	SA330080
265	∨	436D	81C9	SA320080
266	⇒	436E	81CB	SM420080
267	⇔	436F	81CC	SM410080
268	∇	4370	81CD	SA210080
269	∃	4371	81CE	SA230080
270	Å	4372	81F0	SM220080
271	‰	4373	81F1	SM560080
272	#	4374	81F2	SM880080
273	ℓ	4375	81F3	SM890080
274	♪	4376	81F4	SM930080
275	†	4377	81F5	SM340080
276	‡	4378	81F6	SM350080
277	¶	4379	81F7	SM250080
278	○	437A	81FC	SV220080
279	ア	4381	8341	JA000080
280	イ	4382	8343	JI000080
281	ウ	4383	8345	JU000080
282	エ	4384	8347	JE000080
283	オ	4385	8349	JO000080

Table 5 (Page 6 of 20). Non-Chinese Set, DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
284	カ	4386	834A	JK100080
285	キ	4387	834C	JK200080
286	ク	4388	834E	JK300080
287	ケ	4389	8350	JK400080
288	コ	438A	8352	JK500080
289	サ	438C	8354	JS100080
290	シ	438D	8356	JS200080
291	ス	438E	8358	JS300080
292	セ	438F	835A	JS400080
293	ソ	4390	835C	JS500080
294	タ	4391	835E	JT100080
295	チ	4392	8360	JT200080
296	ツ	4393	8363	JT300080
297	テ	4394	8365	JT400080
298	ト	4395	8367	JT500080
299	ナ	4396	8369	JN100080
300	ニ	4397	836A	JN200080
301	ヌ	4398	836B	JN300080
302	ネ	4399	836C	JN400080
303	ノ	439A	836D	JN500080
304	ハ	439D	836E	JH100080
305	ヒ	439E	8371	JH200080
306	フ	439F	8374	JH300080
307	〜	43A1	8160	SD190080
308	ヘ	43A2	8377	JH400080
309	ホ	43A3	837A	JH500080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
310	マ	43A4	837D	JM100080
311	ミ	43A5	837E	JM200080
312	ム	43A6	8380	JM300080
313	メ	43A7	8381	JM400080
314	モ	43A8	8382	JM500080
315	ヤ	43A9	8384	JY100080
316	ユ	43AA	8386	JY300080
317	ヨ	43AC	8388	JY500080
318	ラ	43AD	8389	JR100080
319	リ	43AE	838A	JR200080
320	ル	43AF	838B	JR300080
321	ー	43B7	84AA	SF100082
322	丨	43B8	84AB	SF110082
323	┌	43B9	84AC	SF010082
324	レ	43BA	838C	JR400080
325	ロ	43BB	838D	JR500080
326	ワ	43BC	838F	JW100080
327	ン	43BD	8393	JN000080
328	ゝ	43BE	814A	JX710080
329	◦	43BF	814B	JX720080
330	ガ	43C0	834B	JG100080
331	ギ	43C1	834D	JG200080
332	グ	43C2	834F	JG300080
333	ゲ	43C3	8351	JG400080
334	ゴ	43C4	8353	JG500080
335	ザ	43C5	8355	JZ100080

Line Number	Graphic	Host Code	PC Code	GCGID
336	ジ	43C6	8357	JZ200080
337	ズ	43C7	8359	JZ300080
338	ゼ	43C8	835B	JZ400080
339	ゾ	43C9	835D	JZ500080
340	ダ	43CA	835F	JD100080
341	ヂ	43CB	8361	JD200080
342	ヅ	43CC	8364	JD300080
343	ヂ	43CD	8366	JD400080
344	ド	43CE	8368	JD500080
345	バ	43CF	836F	JB100080
346	ビ	43D0	8372	JB200080
347	ブ	43D1	8375	JB300080
348	ベ	43D2	8378	JB400080
349	ボ	43D3	837B	JB500080
350	ヴ	43D4	8394	JV000080
351	パ	43D5	8370	JP100080
352	ピ	43D6	8373	JP200080
353	プ	43D7	8376	JP300080
354	ペ	43D8	8379	JP400080
355	ポ	43D9	837C	JP500080
356	キ	43DA	8390	JW200080
357	ク	43DB	8391	JW400080
358	ヽ	43DC	8152	JQ750080
359	ヅ	43DD	8153	JQ760080
360	ㄨ	43E0	815F	SM070080
361	ㄣ	43E1	84AD	SF030082



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
362	┘	43E2	84AE	SF040082
363	┙	43E3	84AF	SF020082
364	┚	43E4	84B0	SF080082
365	┛	43E5	84B1	SF060082
366	├	43E6	84B2	SF090082
367	┝	43E7	84B3	SF070082
368	┞	43E8	84B4	SF050082
369	┟	43E9	84B5	SF080083
370	┠	43EA	84B6	SF060083
371	┡	43EB	84B7	SF090083
372	┢	43EC	84B8	SF070083
373	┣	43ED	84B9	SF050083
374	┤	43EE	84BA	SF080084
375	┥	43EF	84BB	SF060084
376	┦	43F0	84BC	SF090084
377	┧	43F1	84BD	SF070084
378	┨	43F2	84BE	SF050084
379	┩	4442	8177	JQ710081
380	┪	4443	8178	JQ720081
381	[4444	816D	SM060080
382]	4445	816E	SM080080
383	を	4446	82F0	RW500080
384	あ	4447	829F	RA010080
385	い	4448	82A1	RI010080
386	う	4449	82A3	RU010080
387	—	444A	815C	SM120080

Line Number	Graphic	Host Code	PC Code	GCGID
388	±	444B	817D	SA020080
389	≠	444C	8182	SA540080
390	∞	444D	8187	SA450080
391	°C	444E	818E	SM440080
392	'	4450	814C	SD110080
393	え	4451	82A5	RE010080
394	お	4452	82A7	RO010080
395	や	4453	82E1	RY110080
396	ゆ	4454	82E3	RY310080
397	よ	4455	82E5	RY510080
398	つ	4456	82C1	RT310080
399	わ	4457	82EC	RW110080 ev01.
400	—	445A	815D	SP320080
401	〃	445B	8156	SV090081
402	企	445C	8157	SS760080
403	々	445D	8158	SS770080
404	↗	445E	8159	SS720080
405	○	445F	815A	ND100087
406	∴	4460	814E	SD170080
407	‘	4461	8165	SP190080
408	“	4462	8167	SP210080
409	〔	4463	816B	SP060081
410	<	4464	8171	SP060082
411	«	4465	8173	SP060083
412	【	4466	8179	SP060084



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
413	≦	4467	8185	SA520082
414	∴	4468	8188	SA370080
415	♂	4469	8189	SM280080
416	§	446A	8198	SM240080
417	※	446B	81A6	SM040088
418	〒	446C	81A7	SS730080
419	株	446D	8B5F	SS740080
420	No.	446E	8B60	SM000080
421	TEL	446F	8B61	SS710080
422	^	4470	814F	SD150080
423	'	4471	8166	SP200080
424	”	4472	8168	SP220080
425]	4473	816C	SP070081
426	>	4474	8172	SP070082
427	»	4475	8174	SP070083
428	】	4476	817A	SP070084
429	≧	4477	8186	SA530082
430	∵	4478	8AD7	SS540080
431	♀	4479	818A	SM290080
432	×	447A	817E	SA070080
433	÷	447B	8180	SA060080
434		447C	8161	SV370080
435	=	447D	81AC	SS750080
436	∴	447E	8164	SV430080
437	∴	447F	8163	SV440080
438	あ	4481	82A0	RA000080

Line Number	Graphic	Host Code	PC Code	GCGID
439	い	4482	82A2	RI000080
440	う	4483	82A4	RU000080
441	え	4484	82A6	RE000080
442	お	4485	82A8	RO000080
443	か	4486	82A9	RK100080
444	き	4487	82AB	RK200080
445	く	4488	82AD	RK300080
446	け	4489	82AF	RK400080
447	こ	448A	82B1	RK500080
448	さ	448C	82B3	RS100080
449	し	448D	82B5	RS200080
450	す	448E	82B7	RS300080
451	せ	448F	82B9	RS400080
452	そ	4490	82BB	RS500080
453	た	4491	82BD	RT100080
454	ち	4492	82BF	RT200080
455	つ	4493	82C2	RT300080
456	て	4494	82C4	RT400080
457	と	4495	82C6	RT500080
458	な	4496	82C8	RN100080
459	に	4497	82C9	RN200080
460	ぬ	4498	82CA	RN300080
461	ね	4499	82CB	RN400080
462	の	449A	82CC	RN500080
463	は	449D	82CD	RH100080
464	ひ	449E	82D0	RH200080

IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 5 (Page 10 of 20). Non-Chinese Set, DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
465	ふ	449F	82D3	RH300080
466	へ	44A2	82D6	RH400080
467	ほ	44A3	82D9	RH500080
468	ま	44A4	82DC	RM100080
469	み	44A5	82DD	RM200080
470	む	44A6	82DE	RM300080
471	め	44A7	82DF	RM400080
472	も	44A8	82E0	RM500080
473	や	44A9	82E2	RY100080
474	ゆ	44AA	82E4	RY300080
475	よ	44AC	82E6	RY500080
476	ら	44AD	82E7	RR100080
477	り	44AE	82E8	RR200080
478	る	44AF	82E9	RR300080
479	れ	44BA	82EA	RR400080
480	ろ	44BB	82EB	RR500080
481	わ	44BC	82ED	RW100080
482	ん	44BD	82F1	RN000080
483	が	44C0	82AA	RG100080
484	ぎ	44C1	82AC	RG200080
485	ぐ	44C2	82AE	RG300080
486	げ	44C3	82B0	RG400080
487	ご	44C4	82B2	RG500080
488	ざ	44C5	82B4	RZ100080
489	じ	44C6	82B6	RZ200080
490	ず	44C7	82B8	RZ300080

Table 5 (Page 10 of 20). Non-Chinese Set, DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
491	ぜ	44C8	82BA	RZ400080
492	ぞ	44C9	82BC	RZ500080
493	だ	44CA	82BE	RD100080
494	ぢ	44CB	82C0	RD200080
495	づ	44CC	82C3	RD300080
496	で	44CD	82C5	RD400080
497	ど	44CE	82C7	RD500080
498	ば	44CF	82CE	RB100080
499	び	44D0	82D1	RB200080
500	ぶ	44D1	82D4	RB300080
501	べ	44D2	82D7	RB400080
502	ぼ	44D3	82DA	RB500080
503	ば	44D5	82CF	RP100080
504	び	44D6	82D2	RP200080
505	ぶ	44D7	82D5	RP300080
506	べ	44D8	82D8	RP400080
507	ぼ	44D9	82DB	RP500080
508	る	44DA	82EE	RW200080
509	ゑ	44DB	82EF	RW400080
510	ゝ	44DC	8154	RQ750080
511	ゞ	44DD	8155	RQ760080
512	○	44E0	819B	SM750080
513	●	44E1	819C	SM580080
514	△	44E2	81A2	SM730080
515	▲	44E3	81A3	SM600080
516	◎	44E4	819D	SM810080

IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 5 (Page 11 of 20). Non-Chinese Set, DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
517	☆	44E5	8199	SS570080
518	★	44E6	819A	SS580080
519	◇	44E7	819E	SA660080
520	◆	44E8	819F	SM610080
521	□	44E9	81A0	SM450080
522	■	44EA	81A1	SM470080
523	▽	44EB	81A4	SM740080
524	▼	44EC	81A5	SV040080
525	°	44ED	818B	SM190080
526	'	44EE	818C	SM500080
527	"	44EF	818D	SM510080
528	→	44F0	81A8	SM310080
529	←	44F1	81A9	SM300080
530	↑	44F2	81AA	SM320080
531	↓	44F3	81AB	SM330080
532		4541	8940	NC010080
533		4542	8941	NC020080
534		4543	8942	NC030080
535	×	4544	8943	NC040080
536	℘	4545	8944	NC050080
537	±	4546	8945	NC060080
538	≃	4547	8946	NC070080
539	≡	4548	8947	NC080080
540	ㄨ	4549	8948	NC090080
541	十	454A	8949	NC100080
542	卅	454B	894A	NC200080

Table 5 (Page 11 of 20). Non-Chinese Set, DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
543	卅	454C	894B	NC300080
544		4551	8950	SB420080
545	/	4552	8951	SB380080
546	✓	4553	8952	SB390080
547	\	4554	8953	SB400080
548	•	4555	8954	SB410080
549	ㄣ	4556	8955	SB060080
550	ㄨ	4557	8956	SB290080
551	冂	4558	8957	SB250080
552	匚	4559	8958	SB160080
553	ㄣ	455A	8959	SB090080
554	ㄨ	455B	895A	SB340080
555	ㄣ	455C	895B	SB260080
556	ㄣ	455D	895C	SB240080
557	《	455E	895D	SB170080
558	ㄣ	455F	895E	SB230080
559	厶	4560	895F	SB180080
560	ㄣ	4561	8960	SB220080
561	ㄣ	4562	8961	SB070080
562	ㄣ	4563	8962	SB330080
563	ㄣ	4564	8963	SB210080
564	ㄣ	4565	8964	SB080080
565	冂	4566	8965	SB320080
566	匚	4567	8966	SB300080
567	冂	4568	8967	SB350080
568	ㄣ	4569	8968	SB360080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 5 (Page 12 of 20). Non-Chinese Set, DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
569	厶	456A	8969	SB310080
570	丫	456B	896A	SB010080
571	丷	456C	896B	SB270080
572	ㄥ	456D	896C	SB100080
573	卩	456E	896D	SB110080
574	𠂇	456F	896E	SB020080
575	ㄨ	4570	896F	SB120080
576	ㄩ	4571	8970	SB050080
577	ㄨ	4572	8971	SB280080
578	ㄩ	4573	8972	SB030080
579	ㄨ	4574	8973	SB130080
580	ㄩ	4575	8974	SB040080
581	厶	4576	8975	SB140080
582	厶	4577	8976	SB150080
583	—	4578	8977	SB190080
584	ㄨ	4579	8978	SB370080
585	ㄩ	457A	8979	SB200080
586	①	4641	8A40	NO010080
587	②	4642	8A41	NO020080
588	③	4643	8A42	NO030080
589	④	4644	8A43	NO040080
590	⑤	4645	8A44	NO050080
591	⑥	4646	8A45	NO060080
592	⑦	4647	8A46	NO070080
593	⑧	4648	8A47	NO080080
594	⑨	4649	8A48	NO090080

Table 5 (Page 12 of 20). Non-Chinese Set, DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
595	⑩	464A	8A49	NO100080
596	⑪	4651	8A50	NO010081
597	⑫	4652	8A51	NO020081
598	⑬	4653	8A52	NO030081
599	⑭	4654	8A53	NO040081
600	⑮	4655	8A54	NO050081
601	⑯	4656	8A55	NO060081
602	⑰	4657	8A56	NO070081
603	⑱	4658	8A57	NO080081
604	⑲	4659	8A58	NO090081
605	⑳	465A	8A59	NO100081
606	—	4660	8A5F	SF700081
607	—	4661	8A60	SF710081
608	—	4662	8A61	SF720081
609	—	4663	8A62	SF730081
610	—	4664	8A63	SF740081
611	—	4665	8A64	SF750081
612	—	4666	8A65	SF760081
613	—	4667	8A66	SF610080
614		4668	8A67	SF770081
615		4669	8A68	SF780081
616		466A	8A69	SF790081
617		466B	8A6A	SF800081
618	■	466C	8A6B	SF810081
619	■	466D	8A6C	SF820081
620	■	466E	8A6D	SF830081

IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 5 (Page 13 of 20). Non-Chinese Set, DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
621	+	466F	8A6E	SF050080
622	⊥	4670	8A6F	SF070080
623	⊥	4671	8A70	SF060080
624	⊥	4672	8A71	SF090080
625	⊥	4673	8A72	SF080080
626	—	4674	8A73	SF670080
627	—	4675	8A74	SF100080
628		4676	8A75	SF110080
629		4677	8A76	SF650080
630	┌	4678	8A77	SF010080
631	┐	4679	8A78	SF030080
632	└	467A	8A79	SF020080
633	┘	467B	8A7A	SF040080
634	⌒	467C	8A7B	SS160080
635	⌓	467D	8A7C	SS180080
636	⌔	467E	8A7D	SS170080
637	⌕	467F	8A7E	SS190080
638	≡	4681	8A80	SF430080
639	≡	4682	8A81	SF360080
640	≡	4683	8A82	SF540080
641	≡	4684	8A83	SF190080
642	▲	4685	8A84	SF840080
643	▲	4686	8A85	SF850080
644	▲	4687	8A86	SF860080
645	▲	4688	8A87	SF870080
646	/	4689	8A88	SH020080

Table 5 (Page 13 of 20). Non-Chinese Set, DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
647	\	468A	8A89	SH030080
648	×	468B	8A8A	SH040080
649	└	46A0	8A9F	SP360080
650	└	46A1	8AA0	SP370080
651	└	46A2	8AA1	SP360081
652	└	46A3	8AA2	SP370081
653	└	46A4	8AA3	SP240084
654	└	46A5	8AA4	SP250084
655		46A7	8AA6	SV070080 ev01.
656		46A8	8AA7	SV580080
657	-	46A9	8AA8	SV590080
658	}	46AA	8AA9	SV560080
659	~	46AB	8AAA	SV570080
660	⌒	46AC	8AAB	SP240080
661	⌓	46AD	8AAC	SP250080
662	⌔	46AE	8AAD	SP340080
663	⌕	46AF	8AAE	SP350080
664	└	46B0	8AAF	SP240081
665	└	46B1	8AB0	SP250081
666	⌒	46B2	8AB1	SP240083
667	⌓	46B3	8AB2	SP250083
668	^	46B4	8AB3	SP240082
669	∨	46B5	8AB4	SP250082 ev01.
670		46B6	8AB5	SV530080
671	—	46B7	8AB6	SV540080 ev01.

IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 5 (Page 14 of 20). Non-Chinese Set, DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
672	※	46B8	8AB7	SM040089
673	ㄥ	46B9	8AB8	SV090089
674	Ⓢ	46BA	8AB9	SS780080
675	⌘	46BB	8ABA	SS640080 ev01.
676	∶	46BC	8ABB	SV450080
677	∩	46BD	8ABC	SV460080
678	---	46BE	8ABD	SV470080
679	---	46BF	8ABE	SV490080
680	---	46C0	8ABF	SV120080
681	---	46C1	8AC0	SV480080
682	∩	46C2	8AC1	SV500080
683	∩	46C3	8AC2	SV510080 ev01.
684	⌘	46C4	8AC3	SM04008A
685	√	46C5	8AC4	SA800080
686	≡	46C6	8AC5	SA700081
687	≡	46C7	8AC6	SA480080
688	∩	46C8	8AC7	SA380080
689	U	46C9	8AC8	SA390080
690	⊥	46CA	8AC9	SA780080
691	∠	46CB	8ACA	SA350088
692	└	46CC	8ACB	SA420080
693	∠	46CD	8ACC	SA850080
694	log	46CE	8ACD	SS880080
695	ln	46CF	8ACE	SS890080
696	∫	46D0	8ACF	SA510080

Table 5 (Page 14 of 20). Non-Chinese Set, DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
697	ϕ	46D1	8AD0	SA720080
698	⊕	46D2	8AD1	SA550080
699	⊙	46D3	8AD2	SA590080
700	↖	46D4	8AD3	SM970080
701	↗	46D5	8AD4	SM950080
702	↙	46D6	8AD5	SM980080
703	↘	46D7	8AD6	SM990080
704	/	46DA	8AD9	SP120081
705	°F	46DB	8ADA	SM850080
706	mil	46DC	8ADB	SS800080
707	mm	46DD	8ADC	SS810080
708	cm	46DE	8ADD	SS820080
709	km	46DF	8ADE	SS830080
710	KM	46E0	8ADF	SS830081
711	m ²	46E1	8AE0	SS840080
712	mg	46E2	8AE1	SS850080
713	kg	46E3	8AE2	SS860080
714	cc	46E4	8AE3	SS870080
715	·	46E5	8AE4	SD630080
716	“	46E9	8AE8	SP210081
717	”	46EA	8AE9	SP220081
718	↑	46EE	8AED	SM460080
719	↖	46EF	8AEE	SS070080
720	↔	46F0	8AEF	SS060080
721	尪	46F1	8AF0	SS900084
722	尫	46F2	8AF1	SS860084



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 5 (Page 15 of 20). Non-Chinese Set, DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
723	𧈧	46F3	8AF2	SS850084
724	𧈨	46F4	8AF3	SS910084
725	𧈩	46F5	8AF4	SS920084
726	𧈪	46F6	8AF5	SS930084
727	𧈫	46F7	8AF6	SS940084
728	𧈬	46F8	8AF7	SS790084
729	糳	46F9	8AF8	SS810084 ev01.
730	:	4741	8640	SV550080
731	,	4742	8641	SP081080
732	,	4743	8642	SP081084
733	.	4744	8643	SP111080
734	;	4745	8644	SP141080
735	:	4746	8645	SP131080
736	?	4747	8646	SP151080
737	!	4748	8647	SP021080
738		4749	8648	SM131080
739	-	474A	8649	SV251080
740	(474B	864A	SP061080
741)	474C	864B	SP071080
742	{	474D	864C	SM111080
743	}	474E	864D	SM141080
744	[474F	864E	SP061081
745]	4750	864F	SP071081
746	—	4751	8650	SM620081
747	—	4752	8651	SP090081

Table 5 (Page 15 of 20). Non-Chinese Set, DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
748	#	4753	8652	SM011080
749	&	4754	8653	SM031080
750	+	4755	8654	SA011080
751	-	4756	8655	SA001080
752	<	4757	8656	SA031080
753	>	4758	8657	SA051080
754	=	4759	8658	SA041080
755	\	475A	8659	SM071080
756	\$	475B	865A	SC031080
757	%	475C	865B	SM021080
758	@	475D	865C	SM051080
759	NULL	4781	8680	SE010080
760	TC ₁ (𧈧)	4782	8681	SE020080
761	TC ₂ (𧈨)	4783	8682	SE030080
762	TC ₃ (𧈩)	4784	8683	SE040080
763	TC ₄ (𧈪)	4785	8684	SE050080
764	TC ₅ (𧈫)	4786	8685	SE060080
765	TC ₆ (𧈬)	4787	8686	SE070080
766	BELL	4788	8687	SE080080
767	FE ₀ (𧈭)	4789	8688	SE090080
768	FE ₁ (𧈮)	478A	8689	SE100080
769	FE ₂ (𧈯)	478B	868A	SE110080
770	FE ₃ (𧈰)	478C	868B	SE120080
771	FE ₄ (𧈱)	478D	868C	SE130080
772	FE ₅ (𧈲)	478E	868D	SE140080
773	SO	478F	868E	SE150080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 5 (Page 16 of 20). Non-Chinese Set, DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
774	SI	4790	868F	SE160080
775	TC ₁ (S)	4791	8690	SE170080
776	DC ₁	4792	8691	SE180080
777	DC ₂	4793	8692	SE190080
778	DC ₃	4794	8693	SE200080
779	DC ₄	4795	8694	SE210080
780	TC ₂ (A)	4796	8695	SE220080
781	TC ₃ (B)	4797	8696	SE230080
782	TC ₄ (C)	4798	8697	SE240080
783	CAN	4799	8698	SE250080
784	EM	479A	8699	SE260080
785	SUB	479B	869A	SE270080
786	ESC	479C	869B	SE280080
787	IS ₁	479D	869C	SE290080
788	IS ₂	479E	869D	SE300080
789	IS ₃	479F	869E	SE310080
790	IS ₄	47A0	869F	SE320080
791	DEL	47A1	86A0	SE330080
792	€	47A2		SC200080
793	一	4841	8740	T16P0080
794	丨	4842	8741	T16Q0080
795	、	4843	8742	T16R0080
796	丿	4844	8743	T16S0080
797	乙	4845	8744	T16T0080
798	丿	4846	8745	T16U0080
799	二	4847	8746	T16V0080

Table 5 (Page 16 of 20). Non-Chinese Set, DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
800	一	4848	8747	T16W0080
801	人	4849	8748	T16X0080
802	儿	484A	8749	T16Y0080
803	入	484B	874A	T16Z0080
804	八	484C	874B	T1700080
805	冂	484D	874C	T1710080
806	冂	484E	874D	T1720080
807	彳	484F	874E	T1730080
808	几	4850	874F	T1740080
809	凵	4851	8750	T1750080
810	刀	4852	8751	T1760080
811	力	4853	8752	T1770080
812	勹	4854	8753	T1780080
813	匕	4855	8754	T1790080
814	匚	4856	8755	T17A0080
815	匚	4857	8756	T17B0080
816	十	4858	8757	T17C0080
817	卜	4859	8758	T17D0080
818	冂	485A	8759	T17E0080
819	厂	485B	875A	T17F0080
820	厶	485C	875B	T17G0080
821	又	485D	875C	T17H0080
822	口	485E	875D	T17I0080
823	口	485F	875E	T17J0080
824	土	4860	875F	T17K0080
825	士	4861	8760	T17L0080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 5 (Page 17 of 20). Non-Chinese Set, DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
826	文	4862	8761	T17M0080
827	夕	4863	8762	T17N0080
828	大	4864	8763	T17O0080
829	女	4865	8764	T17P0080
830	子	4866	8765	T17Q0080
831	彳	4867	8766	T17R0080
832	寸	4868	8767	T17S0080
833	小	4869	8768	T17T0080
834	尢	486A	8769	T17U0080
835	尸	486B	876A	T17V0080
836	中	486C	876B	T17W0080
837	山	486D	876C	T17X0080
838	彡	486E	876D	T17Y0080
839	工	486F	876E	T17Z0080
840	己	4870	876F	T1800080
841	巾	4871	8770	T1810080
842	干	4872	8771	T1820080
843	彡	4873	8772	T1830080
844	广	4874	8773	T1840080
845	廴	4875	8774	T1850080
846	井	4876	8775	T1860080
847	弋	4877	8776	T1870080
848	弓	4878	8777	T1880080
849	彡	4879	8778	T1890080
850	彡	487A	8779	T18A0080
851	彳	487B	877A	T18B0080

Table 5 (Page 17 of 20). Non-Chinese Set, DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
852	心	487C	877B	T18C0080
853	戈	487D	877C	T18D0080
854	户	487E	877D	T18E0080
855	手	487F	877E	T18F0080
856	支	4881	8780	T18H0080
857	支	4882	8781	T18I0080
858	文	4883	8782	T18J0080
859	斗	4884	8783	T18K0080
860	斤	4885	8784	T18L0080
861	方	4886	8785	T18M0080
862	无	4887	8786	T18N0080
863	日	4888	8787	T18O0080
864	日	4889	8788	T18P0080
865	月	488A	8789	T18Q0080
866	木	488B	878A	T18R0080
867	欠	488C	878B	T18S0080
868	止	488D	878C	T18T0080
869	夕	488E	878D	T18U0080
870	殳	488F	878E	T18V0080
871	毋	4890	878F	T18W0080
872	比	4891	8790	T18X0080
873	毛	4892	8791	T18Y0080
874	氏	4893	8792	T18Z0080
875	气	4894	8793	T1900080
876	水	4895	8794	T1910080
877	火	4896	8795	T1920080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 5 (Page 18 of 20). Non-Chinese Set, DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
878	爪	4897	8796	T1930080
879	父	4898	8797	T1940080
880	爻	4899	8798	T1950080
881	月	489A	8799	T1960080
882	片	489B	879A	T1970080
883	牙	489C	879B	T1980080
884	牛	489D	879C	T1990080
885	犬	489E	879D	T19A0080
886	玄	489F	879E	T19B0080
887	玉	48A0	879F	T19C0080
888	瓜	48A1	87A0	T19D0080
889	瓦	48A2	87A1	T19E0080
890	甘	48A3	87A2	T19F0080
891	生	48A4	87A3	T19G0080
892	用	48A5	87A4	T19H0080
893	田	48A6	87A5	T19I0080
894	疋	48A7	87A6	T19J0080
895	疒	48A8	87A7	T19K0080
896	夂	48A9	87A8	T19L0080
897	白	48AA	87A9	T19M0080
898	皮	48AB	87AA	T19N0080
899	皿	48AC	87AB	T19O0080
900	目	48AD	87AC	T19P0080
901	矛	48AE	87AD	T19Q0080
902	矢	48AF	87AE	T19R0080
903	石	48B0	87AF	T19S0080

Table 5 (Page 18 of 20). Non-Chinese Set, DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
904	示	48B1	87B0	T19T0080
905	肉	48B2	87B1	T19U0080
906	禾	48B3	87B2	T19V0080
907	穴	48B4	87B3	T19W0080
908	立	48B5	87B4	T19X0080
909	竹	48B6	87B5	T19Y0080
910	米	48B7	87B6	T19Z0080
911	糸	48B8	87B7	T1A00080
912	缶	48B9	87B8	T1A10080
913	网	48BA	87B9	T1A20080
914	羊	48BB	87BA	T1A30080
915	羽	48BC	87BB	T1A40080
916	老	48BD	87BC	T1A50080
917	而	48BE	87BD	T1A60080
918	耒	48BF	87BE	T1A70080
919	耳	48C0	87BF	T1A80080
920	聿	48C1	87C0	T1A90080
921	肉	48C2	87C1	T1AA0080
922	臣	48C3	87C2	T1AB0080
923	自	48C4	87C3	T1AC0080
924	至	48C5	87C4	T1AD0080
925	臼	48C6	87C5	T1AE0080
926	舌	48C7	87C6	T1AF0080
927	舛	48C8	87C7	T1AG0080
928	舟	48C9	87C8	T1AH0080
929	艮	48CA	87C9	T1AI0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 5 (Page 19 of 20). Non-Chinese Set, DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
930	色	48CB	87CA	T1AJ0080
931	艸	48CC	87CB	T1AK0080
932	虍	48CD	87CC	T1AL0080
933	虫	48CE	87CD	T1AM0080
934	血	48CF	87CE	T1AN0080
935	行	48D0	87CF	T1AO0080
936	衣	48D1	87D0	T1AP0080
937	冫	48D2	87D1	T1AQ0080
938	見	48D3	87D2	T1AR0080
939	角	48D4	87D3	T1AS0080
940	言	48D5	87D4	T1AT0080
941	谷	48D6	87D5	T1AU0080
942	豆	48D7	87D6	T1AV0080
943	豕	48D8	87D7	T1AW0080
944	豸	48D9	87D8	T1AX0080
945	貝	48DA	87D9	T1AY0080
946	赤	48DB	87DA	T1AZ0080
947	走	48DC	87DB	T1B00080
948	足	48DD	87DC	T1B10080
949	身	48DE	87DD	T1B20080
950	車	48DF	87DE	T1B30080
951	辛	48E0	87DF	T1B40080
952	辰	48E1	87E0	T1B50080
953	辵	48E2	87E1	T1B60080
954	邑	48E3	87E2	T1B70080
955	酉	48E4	87E3	T1B80080

Table 5 (Page 19 of 20). Non-Chinese Set, DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
956	采	48E5	87E4	T1B90080
957	里	48E6	87E5	T1BA0080
958	金	48E7	87E6	T1BB0080
959	長	48E8	87E7	T1BC0080
960	門	48E9	87E8	T1BD0080
961	阜	48EA	87E9	T1BE0080
962	隶	48EB	87EA	T1BF0080
963	隹	48EC	87EB	T1BG0080
964	雨	48ED	87EC	T1BH0080
965	青	48EE	87ED	T1BI0080
966	非	48EF	87EE	T1BJ0080
967	面	48F0	87EF	T1BK0080
968	革	48F1	87F0	T1BL0080
969	韋	48F2	87F1	T1BM0080
970	韭	48F3	87F2	T1BN0080
971	音	48F4	87F3	T1BO0080
972	頁	48F5	87F4	T1BP0080
973	風	48F6	87F5	T1BQ0080
974	飛	48F7	87F6	T1BR0080
975	食	48F8	87F7	T1BS0080
976	首	48F9	87F8	T1BT0080
977	香	48FA	87F9	T1BU0080
978	馬	48FB	87FA	T1BV0080
979	骨	48FC	87FB	T1BW0080
980	高	48FD	87FC	T1BX0080
981	髟	4941	8840	T1C10080

**IBM Traditional Chinese Graphic Character Set**

DBCS - Host and DBCS - PC

Table 5 (Page 20 of 20). Non-Chinese Set, DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
982	鬥	4942	8841	T1C20080
983	鬯	4943	8842	T1C30080
984	鬲	4944	8843	T1C40080
985	鬼	4945	8844	T1C50080
986	魚	4946	8845	T1C60080
987	鳥	4947	8846	T1C70080
988	鹵	4948	8847	T1C80080
989	鹿	4949	8848	T1C90080
990	麥	494A	8849	T1CA0080
991	麻	494B	884A	T1CB0080
992	黃	494C	884B	T1CC0080
993	黍	494D	884C	T1CD0080
994	黑	494E	884D	T1CE0080
995	耨	494F	884E	T1CF0080
996	𠂔	4950	884F	T1CG0080
997	鼎	4951	8850	T1CH0080
998	鼓	4952	8851	T1CI0080
999	鼠	4953	8852	T1CJ0080
1000	鼻	4954	8853	T1CK0080
1001	齊	4955	8854	T1CL0080
1002	齒	4956	8855	T1CM0080
1003	龍	4957	8856	T1CN0080
1004	龜	4958	8857	T1CO0080
1005	龠	4959	8858	T1CP0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

8.2 Primary Chinese Set (1 of 3)

Line Number	Graphic	Host Code	PC Code	GCGID
1	一	4C41	8C40	T1S10080
2	乙	4C42	8C41	T1S20080
3	丁	4C43	8C42	T1S30080
4	七	4C44	8C43	T1S40080
5	乃	4C45	8C44	T1S50080
6	九	4C46	8C45	T1S60080
7	了	4C47	8C46	T1S70080
8	二	4C48	8C47	T1S80080
9	人	4C49	8C48	T1S90080
10	儿	4C4A	8C49	T1SA0080
11	入	4C4B	8C4A	T1SB0080
12	八	4C4C	8C4B	T1SC0080
13	几	4C4D	8C4C	T1SD0080
14	刀	4C4E	8C4D	T1SE0080
15	刁	4C4F	8C4E	T1SF0080
16	力	4C50	8C4F	T1SG0080
17	匕	4C51	8C50	T1SH0080
18	十	4C52	8C51	T1SI0080
19	卜	4C53	8C52	T1SJ0080
20	又	4C54	8C53	T1SK0080
21	三	4C55	8C54	T1SL0080
22	下	4C56	8C55	T1SM0080
23	丈	4C57	8C56	T1SN0080
24	上	4C58	8C57	T1SO0080

Line Number	Graphic	Host Code	PC Code	GCGID
25	丫	4C59	8C58	T1SP0080
26	丸	4C5A	8C59	T1SQ0080
27	凡	4C5B	8C5A	T1SR0080
28	久	4C5C	8C5B	T1SS0080
29	么	4C5D	8C5C	T1ST0080
30	也	4C5E	8C5D	T1SU0080
31	乞	4C5F	8C5E	T1SV0080
32	于	4C60	8C5F	T1SW0080
33	亡	4C61	8C60	T1SX0080
34	兀	4C62	8C61	T1SY0080
35	刃	4C63	8C62	T1SZ0080
36	勺	4C64	8C63	T1T00080
37	千	4C65	8C64	T1T10080
38	叉	4C66	8C65	T1T20080
39	口	4C67	8C66	T1T30080
40	土	4C68	8C67	T1T40080
41	士	4C69	8C68	T1T50080
42	夕	4C6A	8C69	T1T60080
43	大	4C6B	8C6A	T1T70080
44	女	4C6C	8C6B	T1T80080
45	子	4C6D	8C6C	T1T90080
46	孑	4C6E	8C6D	T1TA0080
47	孑	4C6F	8C6E	T1TB0080
48	寸	4C70	8C6F	T1TC0080
49	小	4C71	8C70	T1TD0080
50	尢	4C72	8C71	T1TE0080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 6 (Page 2 of 44). Primary CH-T (1/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
51	尸	4C73	8C72	T1TF0080
52	山	4C74	8C73	T1TG0080
53	川	4C75	8C74	T1TH0080
54	工	4C76	8C75	T1TI0080
55	己	4C77	8C76	T1TJ0080
56	巳	4C78	8C77	T1TK0080
57	巳	4C79	8C78	T1TL0080
58	巾	4C7A	8C79	T1TM0080
59	干	4C7B	8C7A	T1TN0080
60	井	4C7C	8C7B	T1TO0080
61	弋	4C7D	8C7C	T1TP0080
62	弓	4C7E	8C7D	T1TQ0080
63	才	4C7F	8C7E	T1TR0080
64	丑	4C81	8C80	T1TT0080
65	丐	4C82	8C81	T1TU0080
66	丕	4C83	8C82	T1TV0080
67	中	4C84	8C83	T1TW0080
68	丰	4C85	8C84	T1TX0080
69	丹	4C86	8C85	T1TY0080
70	之	4C87	8C86	T1TZ0080
71	尹	4C88	8C87	T1U00080
72	予	4C89	8C88	T1U10080
73	云	4C8A	8C89	T1U20080
74	井	4C8B	8C8A	T1U30080
75	互	4C8C	8C8B	T1U40080
76	五	4C8D	8C8C	T1U50080

Table 6 (Page 2 of 44). Primary CH-T (1/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
77	亢	4C8E	8C8D	T1U60080
78	仁	4C8F	8C8E	T1U70080
79	什	4C90	8C8F	T1U80080
80	竹	4C91	8C90	T1U90080
81	仆	4C92	8C91	T1UA0080
82	仇	4C93	8C92	T1UB0080
83	仍	4C94	8C93	T1UC0080
84	今	4C95	8C94	T1UD0080
85	介	4C96	8C95	T1UE0080
86	仄	4C97	8C96	T1UF0080
87	元	4C98	8C97	T1UG0080
88	允	4C99	8C98	T1UH0080
89	内	4C9A	8C99	T1UI0080
90	六	4C9B	8C9A	T1UJ0080
91	兮	4C9C	8C9B	T1UK0080
92	公	4C9D	8C9C	T1UL0080
93	冗	4C9E	8C9D	T1UM0080
94	凶	4C9F	8C9E	T1UN0080
95	分	4CA0	8C9F	T1UO0080
96	切	4CA1	8CA0	T1UP0080
97	刈	4CA2	8CA1	T1UQ0080
98	匀	4CA3	8CA2	T1UR0080
99	勾	4CA4	8CA3	T1US0080
100	勿	4CA5	8CA4	T1UT0080
101	化	4CA6	8CA5	T1UU0080
102	匹	4CA7	8CA6	T1UV0080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
103	午	4CA8	8CA7	T1UW0080
104	升	4CA9	8CA8	T1UX0080
105	卅	4CAA	8CA9	T1UY0080
106	卞	4CAB	8CAA	T1UZ0080
107	卮	4CAC	8CAB	T1V00080
108	友	4CAD	8CAC	T1V10080
109	及	4CAE	8CAD	T1V20080
110	反	4CAF	8CAE	T1V30080
111	壬	4CB0	8CAF	T1V40080
112	天	4CB1	8CB0	T1V50080
113	夫	4CB2	8CB1	T1V60080
114	太	4CB3	8CB2	T1V70080
115	夭	4CB4	8CB3	T1V80080
116	孔	4CB5	8CB4	T1V90080
117	少	4CB6	8CB5	T1VA0080
118	尢	4CB7	8CB6	T1VB0080
119	尺	4CB8	8CB7	T1VC0080
120	屯	4CB9	8CB8	T1VD0080
121	巴	4CBA	8CB9	T1VE0080
122	幻	4CBB	8CBA	T1VF0080
123	廿	4CBC	8CBB	T1VG0080
124	弔	4CBD	8CBC	T1VH0080
125	引	4CBE	8CBD	T1VI0080
126	心	4CBF	8CBE	T1VJ0080
127	戈	4CC0	8CBF	T1VK0080
128	戶	4CC1	8CC0	T1VL0080

Line Number	Graphic	Host Code	PC Code	GCGID
129	手	4CC2	8CC1	T1VM0080
130	扎	4CC3	8CC2	T1VN0080
131	支	4CC4	8CC3	T1VO0080
132	文	4CC5	8CC4	T1VP0080
133	斗	4CC6	8CC5	T1VQ0080
134	斤	4CC7	8CC6	T1VR0080
135	方	4CC8	8CC7	T1VS0080
136	日	4CC9	8CC8	T1VT0080
137	曰	4CCA	8CC9	T1VU0080
138	月	4CCB	8CCA	T1VV0080
139	木	4CCC	8CCB	T1VW0080
140	欠	4CCD	8CCC	T1VX0080
141	止	4CCE	8CCD	T1VY0080
142	歹	4CCF	8CCE	T1VZ0080
143	毋	4CD0	8CCF	T1W00080
144	比	4CD1	8CD0	T1W10080
145	毛	4CD2	8CD1	T1W20080
146	氏	4CD3	8CD2	T1W30080
147	水	4CD4	8CD3	T1W40080
148	火	4CD5	8CD4	T1W50080
149	爪	4CD6	8CD5	T1W60080
150	父	4CD7	8CD6	T1W70080
151	爻	4CD8	8CD7	T1W80080
152	片	4CD9	8CD8	T1W90080
153	牙	4CDA	8CD9	T1WA0080
154	牛	4CDB	8CDA	T1WB0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 6 (Page 4 of 44). Primary CH-T (1/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
155	犬	4CDC	8CDB	T1WC0080
156	王	4CDD	8CDC	T1WD0080
157	丙	4CDE	8CDD	T1WE0080
158	世	4CDF	8CDE	T1WF0080
159	丕	4CE0	8CDF	T1WG0080
160	且	4CE1	8CE0	T1WH0080
161	丘	4CE2	8CE1	T1WI0080
162	主	4CE3	8CE2	T1WJ0080
163	乍	4CE4	8CE3	T1WK0080
164	乏	4CE5	8CE4	T1WL0080
165	乎	4CE6	8CE5	T1WM0080
166	以	4CE7	8CE6	T1WN0080
167	付	4CE8	8CE7	T1WO0080
168	仔	4CE9	8CE8	T1WP0080
169	仕	4CEA	8CE9	T1WQ0080
170	他	4CEB	8CEA	T1WR0080
171	仗	4CEC	8CEB	T1WS0080
172	代	4CED	8CEC	T1WT0080
173	令	4CEE	8CED	T1WU0080
174	仙	4CEF	8CEE	T1WV0080
175	仞	4CF0	8CEF	T1WW0080
176	充	4CF1	8CF0	T1WX0080
177	兄	4CF2	8CF1	T1WY0080
178	冉	4CF3	8CF2	T1WZ0080
179	册	4CF4	8CF3	T1X00080
180	冬	4CF5	8CF4	T1X10080

Table 6 (Page 4 of 44). Primary CH-T (1/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
181	凹	4CF6	8CF5	T1X20080
182	出	4CF7	8CF6	T1X30080
183	凸	4CF8	8CF7	T1X40080
184	刊	4CF9	8CF8	T1X50080
185	加	4CFA	8CF9	T1X60080
186	功	4CFB	8CFA	T1X70080
187	包	4CFC	8CFB	T1X80080
188	匆	4CFD	8CFC	T1X90080
189	北	4D41	8D40	T1XD0080
190	匝	4D42	8D41	T1XE0080
191	仟	4D43	8D42	T1XF0080
192	半	4D44	8D43	T1XG0080
193	卉	4D45	8D44	T1XH0080
194	卡	4D46	8D45	T1XI0080
195	占	4D47	8D46	T1XJ0080
196	卯	4D48	8D47	T1XK0080
197	卮	4D49	8D48	T1XL0080
198	去	4D4A	8D49	T1XM0080
199	可	4D4B	8D4A	T1XN0080
200	古	4D4C	8D4B	T1XO0080
201	右	4D4D	8D4C	T1XP0080
202	召	4D4E	8D4D	T1XQ0080
203	叮	4D4F	8D4E	T1XR0080
204	叩	4D50	8D4F	T1XS0080
205	叨	4D51	8D50	T1XT0080
206	呀	4D52	8D51	T1XU0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 6 (Page 5 of 44). Primary CH-T (1/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
207	司	4D53	8D52	T1XV0080
208	叵	4D54	8D53	T1XW0080
209	叫	4D55	8D54	T1XX0080
210	另	4D56	8D55	T1XY0080
211	只	4D57	8D56	T1XZ0080
212	史	4D58	8D57	T1Y00080
213	叱	4D59	8D58	T1Y10080
214	台	4D5A	8D59	T1Y20080
215	旬	4D5B	8D5A	T1Y30080
216	叭	4D5C	8D5B	T1Y40080
217	叻	4D5D	8D5C	T1Y50080
218	四	4D5E	8D5D	T1Y60080
219	囚	4D5F	8D5E	T1Y70080
220	外	4D60	8D5F	T1Y80080
221	央	4D61	8D60	T1Y90080
222	失	4D62	8D61	T1YA0080
223	奴	4D63	8D62	T1YB0080
224	奶	4D64	8D63	T1YC0080
225	孕	4D65	8D64	T1YD0080
226	它	4D66	8D65	T1YE0080
227	尼	4D67	8D66	T1YF0080
228	巨	4D68	8D67	T1YG0080
229	巧	4D69	8D68	T1YH0080
230	左	4D6A	8D69	T1YI0080
231	市	4D6B	8D6A	T1YJ0080
232	布	4D6C	8D6B	T1YK0080

Table 6 (Page 5 of 44). Primary CH-T (1/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
233	平	4D6D	8D6C	T1YL0080
234	幼	4D6E	8D6D	T1YM0080
235	弁	4D6F	8D6E	T1YN0080
236	弘	4D70	8D6F	T1YO0080
237	弗	4D71	8D70	T1YP0080
238	必	4D72	8D71	T1YQ0080
239	戊	4D73	8D72	T1YR0080
240	打	4D74	8D73	T1YS0080
241	扔	4D75	8D74	T1YT0080
242	扒	4D76	8D75	T1YU0080
243	扑	4D77	8D76	T1YV0080
244	斥	4D78	8D77	T1YW0080
245	旦	4D79	8D78	T1YX0080
246	朮	4D7A	8D79	T1YY0080
247	本	4D7B	8D7A	T1YZ0080
248	未	4D7C	8D7B	T1Z00080
249	末	4D7D	8D7C	T1Z10080
250	札	4D7E	8D7D	T1Z20080
251	正	4D7F	8D7E	T1Z30080
252	母	4D81	8D80	T1Z50080
253	民	4D82	8D81	T1Z60080
254	氏	4D83	8D82	T1Z70080
255	永	4D84	8D83	T1Z80080
256	汁	4D85	8D84	T1Z90080
257	汀	4D86	8D85	T1ZA0080
258	汜	4D87	8D86	T1ZB0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 6 (Page 6 of 44). Primary CH-T (1/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
259	犯	4D88	8D87	T1ZC0080
260	亥	4D89	8D88	T1ZD0080
261	玉	4D8A	8D89	T1ZE0080
262	瓜	4D8B	8D8A	T1ZF0080
263	瓦	4D8C	8D8B	T1ZG0080
264	甘	4D8D	8D8C	T1ZH0080
265	生	4D8E	8D8D	T1ZI0080
266	用	4D8F	8D8E	T1ZJ0080
267	甩	4D90	8D8F	T1ZK0080
268	田	4D91	8D90	T1ZL0080
269	由	4D92	8D91	T1ZM0080
270	甲	4D93	8D92	T1ZN0080
271	申	4D94	8D93	T1ZO0080
272	疋	4D95	8D94	T1ZP0080
273	白	4D96	8D95	T1ZQ0080
274	皮	4D97	8D96	T1ZR0080
275	皿	4D98	8D97	T1ZS0080
276	目	4D99	8D98	T1ZT0080
277	矛	4D9A	8D99	T1ZU0080
278	矢	4D9B	8D9A	T1ZV0080
279	石	4D9C	8D9B	T1ZW0080
280	示	4D9D	8D9C	T1ZX0080
281	禾	4D9E	8D9D	T1ZY0080
282	穴	4D9F	8D9E	T1ZZ0080
283	立	4DA0	8D9F	T2000080
284	丞	4DA1	8DA0	T2010080

Table 6 (Page 6 of 44). Primary CH-T (1/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
285	丢	4DA2	8DA1	T2020080
286	乒	4DA3	8DA2	T2030080
287	乓	4DA4	8DA3	T2040080
288	乚	4DA5	8DA4	T2050080
289	互	4DA6	8DA5	T2060080
290	交	4DA7	8DA6	T2070080
291	亦	4DA8	8DA7	T2080080
292	亥	4DA9	8DA8	T2090080
293	仿	4DAA	8DA9	T20A0080
294	伉	4DAB	8DAA	T20B0080
295	伙	4DAC	8DAB	T20C0080
296	伊	4DAD	8DAC	T20D0080
297	伙	4DAE	8DAD	T20E0080
298	伍	4DAF	8DAE	T20F0080
299	伐	4DB0	8DAF	T20G0080
300	休	4DB1	8DB0	T20H0080
301	伏	4DB2	8DB1	T20I0080
302	仲	4DB3	8DB2	T20J0080
303	件	4DB4	8DB3	T20K0080
304	任	4DB5	8DB4	T20L0080
305	仰	4DB6	8DB5	T20M0080
306	仉	4DB7	8DB6	T20N0080
307	份	4DB8	8DB7	T20O0080
308	企	4DB9	8DB8	T20P0080
309	佞	4DBA	8DB9	T20Q0080
310	光	4DBB	8DBA	T20R0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
311	兇	4DBC	8DBB	T20S0080
312	兆	4DBD	8DBC	T20T0080
313	先	4DBE	8DBD	T20U0080
314	全	4DBF	8DBE	T20V0080
315	共	4DC0	8DBF	T20W0080
316	再	4DC1	8DC0	T20X0080
317	冰	4DC2	8DC1	T20Y0080
318	列	4DC3	8DC2	T20Z0080
319	刑	4DC4	8DC3	T2100080
320	划	4DC5	8DC4	T2110080
321	刎	4DC6	8DC5	T2120080
322	刖	4DC7	8DC6	T2130080
323	劣	4DC8	8DC7	T2140080
324	匈	4DC9	8DC8	T2150080
325	匡	4DCA	8DC9	T2160080
326	匠	4DCB	8DCA	T2170080
327	印	4DCC	8DCB	T2180080
328	危	4DCD	8DCC	T2190080
329	吉	4DCE	8DCD	T21A0080
330	吏	4DCF	8DCE	T21B0080
331	同	4DD0	8DCF	T21C0080
332	吊	4DD1	8DD0	T21D0080
333	吐	4DD2	8DD1	T21E0080
334	吁	4DD3	8DD2	T21F0080
335	吋	4DD4	8DD3	T21G0080
336	各	4DD5	8DD4	T21H0080

Line Number	Graphic	Host Code	PC Code	GCGID
337	向	4DD6	8DD5	T21I0080
338	名	4DD7	8DD6	T21J0080
339	合	4DD8	8DD7	T21K0080
340	吃	4DD9	8DD8	T21L0080
341	后	4DDA	8DD9	T21M0080
342	叻	4ddb	8DDA	T21N0080
343	吒	4DDC	8ddb	T21O0080
344	因	4DDD	8DDC	T21P0080
345	回	4DDE	8DDD	T21Q0080
346	圉	4DDF	8DDE	T21R0080
347	圳	4DE0	8DDF	T21S0080
348	地	4DE1	8DE0	T21T0080
349	在	4DE2	8DE1	T21U0080
350	圭	4DE3	8DE2	T21V0080
351	圉	4DE4	8DE3	T21W0080
352	圉	4DE5	8DE4	T21X0080
353	圩	4DE6	8DE5	T21Y0080
354	夙	4DE7	8DE6	T21Z0080
355	多	4DE8	8DE7	T2200080
356	夷	4DE9	8DE8	T2210080
357	夸	4DEA	8DE9	T2220080
358	妄	4DEB	8DEA	T2230080
359	奸	4DEC	8DEB	T2240080
360	妃	4DED	8DEC	T2250080
361	好	4DEE	8DED	T2260080
362	她	4DEF	8DEE	T2270080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 6 (Page 8 of 44). Primary CH-T (1/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
363	如	4DF0	8DEF	T2280080
364	妁	4DF1	8DF0	T2290080
365	字	4DF2	8DF1	T22A0080
366	存	4DF3	8DF2	T22B0080
367	宇	4DF4	8DF3	T22C0080
368	守	4DF5	8DF4	T22D0080
369	宅	4DF6	8DF5	T22E0080
370	安	4DF7	8DF6	T22F0080
371	寺	4DF8	8DF7	T22G0080
372	尖	4DF9	8DF8	T22H0080
373	屹	4DFA	8DF9	T22I0080
374	州	4DFB	8DFA	T22J0080
375	帆	4DFC	8DFB	T22K0080
376	并	4DFD	8DFC	T22L0080
377	年	4E41	8E40	T22P0080
378	式	4E42	8E41	T22Q0080
379	弛	4E43	8E42	T22R0080
380	忙	4E44	8E43	T22S0080
381	付	4E45	8E44	T22T0080
382	戎	4E46	8E45	T22U0080
383	戍	4E47	8E46	T22V0080
384	戍	4E48	8E47	T22W0080
385	成	4E49	8E48	T22X0080
386	扣	4E4A	8E49	T22Y0080
387	扛	4E4B	8E4A	T22Z0080
388	托	4E4C	8E4B	T2300080

Table 6 (Page 8 of 44). Primary CH-T (1/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
389	收	4E4D	8E4C	T2310080
390	早	4E4E	8E4D	T2320080
391	旨	4E4F	8E4E	T2330080
392	旬	4E50	8E4F	T2340080
393	旭	4E51	8E50	T2350080
394	曲	4E52	8E51	T2360080
395	曳	4E53	8E52	T2370080
396	有	4E54	8E53	T2380080
397	朽	4E55	8E54	T2390080
398	朴	4E56	8E55	T23A0080
399	朱	4E57	8E56	T23B0080
400	朵	4E58	8E57	T23C0080
401	次	4E59	8E58	T23D0080
402	此	4E5A	8E59	T23E0080
403	死	4E5B	8E5A	T23F0080
404	氛	4E5C	8E5B	T23G0080
405	汝	4E5D	8E5C	T23H0080
406	汗	4E5E	8E5D	T23I0080
407	汙	4E5F	8E5E	T23J0080
408	江	4E60	8E5F	T23K0080
409	池	4E61	8E60	T23L0080
410	汐	4E62	8E61	T23M0080
411	汕	4E63	8E62	T23N0080
412	污	4E64	8E63	T23O0080
413	汛	4E65	8E64	T23P0080
414	洑	4E66	8E65	T23Q0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
415	汎	4E67	8E66	T23R0080
416	灰	4E68	8E67	T23S0080
417	牟	4E69	8E68	T23T0080
418	牝	4E6A	8E69	T23U0080
419	百	4E6B	8E6A	T23V0080
420	竹	4E6C	8E6B	T23W0080
421	米	4E6D	8E6C	T23X0080
422	糸	4E6E	8E6D	T23Y0080
423	缶	4E6F	8E6E	T23Z0080
424	羊	4E70	8E6F	T2400080
425	羽	4E71	8E70	T2410080
426	老	4E72	8E71	T2420080
427	考	4E73	8E72	T2430080
428	而	4E74	8E73	T2440080
429	耒	4E75	8E74	T2450080
430	耳	4E76	8E75	T2460080
431	聿	4E77	8E76	T2470080
432	肉	4E78	8E77	T2480080
433	肋	4E79	8E78	T2490080
434	肌	4E7A	8E79	T24A0080
435	臣	4E7B	8E7A	T24B0080
436	自	4E7C	8E7B	T24C0080
437	至	4E7D	8E7C	T24D0080
438	白	4E7E	8E7D	T24E0080
439	舌	4E7F	8E7E	T24F0080
440	舛	4E81	8E80	T24H0080

Line Number	Graphic	Host Code	PC Code	GCGID
441	舟	4E82	8E81	T24I0080
442	艮	4E83	8E82	T24J0080
443	色	4E84	8E83	T24K0080
444	艾	4E85	8E84	T24L0080
445	虫	4E86	8E85	T24M0080
446	血	4E87	8E86	T24N0080
447	行	4E88	8E87	T24O0080
448	衣	4E89	8E88	T24P0080
449	西	4E8A	8E89	T24Q0080
450	阡	4E8B	8E8A	T24R0080
451	串	4E8C	8E8B	T24S0080
452	亨	4E8D	8E8C	T24T0080
453	位	4E8E	8E8D	T24U0080
454	住	4E8F	8E8E	T24V0080
455	宀	4E90	8E8F	T24W0080
456	佗	4E91	8E90	T24X0080
457	佞	4E92	8E91	T24Y0080
458	伴	4E93	8E92	T24Z0080
459	佛	4E94	8E93	T2500080
460	何	4E95	8E94	T2510080
461	估	4E96	8E95	T2520080
462	佐	4E97	8E96	T2530080
463	佑	4E98	8E97	T2540080
464	伽	4E99	8E98	T2550080
465	伺	4E9A	8E99	T2560080
466	伸	4E9B	8E9A	T2570080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 6 (Page 10 of 44). Primary CH-T (1/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
467	佃	4E9C	8E9B	T2580080
468	佔	4E9D	8E9C	T2590080
469	似	4E9E	8E9D	T25A0080
470	但	4E9F	8E9E	T25B0080
471	佣	4EA0	8E9F	T25C0080
472	作	4EA1	8EA0	T25D0080
473	你	4EA2	8EA1	T25E0080
474	伯	4EA3	8EA2	T25F0080
475	低	4EA4	8EA3	T25G0080
476	伶	4EA5	8EA4	T25H0080
477	余	4EA6	8EA5	T25I0080
478	佻	4EA7	8EA6	T25J0080
479	佈	4EA8	8EA7	T25K0080
480	佚	4EA9	8EA8	T25L0080
481	兌	4EAA	8EA9	T25M0080
482	克	4EAB	8EAA	T25N0080
483	免	4EAC	8EAB	T25O0080
484	兵	4EAD	8EAC	T25P0080
485	冶	4EAE	8EAD	T25Q0080
486	冷	4EAF	8EAE	T25R0080
487	別	4EB0	8EAF	T25S0080
488	判	4EB1	8EB0	T25T0080
489	利	4EB2	8EB1	T25U0080
490	刪	4EB3	8EB2	T25V0080
491	剗	4EB4	8EB3	T25W0080
492	劫	4EB5	8EB4	T25X0080

Table 6 (Page 10 of 44). Primary CH-T (1/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
493	助	4EB6	8EB5	T25Y0080
494	努	4EB7	8EB6	T25Z0080
495	劬	4EB8	8EB7	T2600080
496	匣	4EB9	8EB8	T2610080
497	卽	4EBA	8EB9	T2620080
498	卵	4EBB	8EBA	T2630080
499	吝	4EBC	8EBB	T2640080
500	吭	4EBD	8EBC	T2650080
501	吞	4EBE	8EBD	T2660080
502	吾	4EBF	8EBE	T2670080
503	否	4EC0	8EBF	T2680080
504	呎	4EC1	8EC0	T2690080
505	吧	4EC2	8EC1	T26A0080
506	呆	4EC3	8EC2	T26B0080
507	呢	4EC4	8EC3	T26C0080
508	吳	4EC5	8EC4	T26D0080
509	呈	4EC6	8EC5	T26E0080
510	呂	4EC7	8EC6	T26F0080
511	君	4EC8	8EC7	T26G0080
512	吩	4EC9	8EC8	T26H0080
513	告	4ECA	8EC9	T26I0080
514	吹	4ECB	8ECA	T26J0080
515	吻	4ECC	8ECB	T26K0080
516	吸	4ECD	8ECC	T26L0080
517	吮	4ECE	8ECD	T26M0080
518	吵	4ECF	8ECE	T26N0080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 6 (Page 11 of 44). Primary CH-T (1/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
519	呐	4ED0	8ECF	T26O0080
520	吠	4ED1	8ED0	T26P0080
521	吼	4ED2	8ED1	T26Q0080
522	呀	4ED3	8ED2	T26R0080
523	吱	4ED4	8ED3	T26S0080
524	含	4ED5	8ED4	T26T0080
525	吟	4ED6	8ED5	T26U0080
526	听	4ED7	8ED6	T26V0080
527	囟	4ED8	8ED7	T26W0080
528	困	4ED9	8ED8	T26X0080
529	囿	4EDA	8ED9	T26Y0080
530	囫	4EDB	8EDA	T26Z0080
531	坊	4EDC	8EDB	T2700080
532	坑	4EDD	8EDC	T2710080
533	址	4EDE	8EDD	T2720080
534	坍	4EDF	8EDE	T2730080
535	均	4EE0	8EDF	T2740080
536	坎	4EE1	8EE0	T2750080
537	圾	4EE2	8EE1	T2760080
538	坐	4EE3	8EE2	T2770080
539	坏	4EE4	8EE3	T2780080
540	圻	4EE5	8EE4	T2790080
541	壯	4EE6	8EE5	T27A0080
542	夾	4EE7	8EE6	T27B0080
543	妝	4EE8	8EE7	T27C0080
544	妒	4EE9	8EE8	T27D0080

Table 6 (Page 11 of 44). Primary CH-T (1/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
545	妨	4EEA	8EE9	T27E0080
546	妞	4EEB	8EEA	T27F0080
547	妣	4EEC	8EEB	T27G0080
548	妙	4EED	8EEC	T27H0080
549	妖	4EEE	8EED	T27I0080
550	妍	4EEF	8EEE	T27J0080
551	姪	4EF0	8EEF	T27K0080
552	妓	4EF1	8EF0	T27L0080
553	妊	4EF2	8EF1	T27M0080
554	妥	4EF3	8EF2	T27N0080
555	孝	4EF4	8EF3	T27O0080
556	孜	4EF5	8EF4	T27P0080
557	孚	4EF6	8EF5	T27Q0080
558	孛	4EF7	8EF6	T27R0080
559	完	4EF8	8EF7	T27S0080
560	宋	4EF9	8EF8	T27T0080
561	宏	4EFA	8EF9	T27U0080
562	尫	4EFB	8EFA	T27V0080
563	局	4EFC	8EFB	T27W0080
564	屁	4EFD	8EFC	T27X0080
565	尿	4F41	8F40	T2810080
566	尾	4F42	8F41	T2820080
567	岐	4F43	8F42	T2830080
568	岑	4F44	8F43	T2840080
569	岔	4F45	8F44	T2850080
570	炭	4F46	8F45	T2860080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 6 (Page 12 of 44). Primary CH-T (1/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
571	巫	4F47	8F46	T2870080
572	希	4F48	8F47	T2880080
573	序	4F49	8F48	T2890080
574	庇	4F4A	8F49	T28A0080
575	床	4F4B	8F4A	T28B0080
576	廷	4F4C	8F4B	T28C0080
577	弄	4F4D	8F4C	T28D0080
578	弟	4F4E	8F4D	T28E0080
579	彤	4F4F	8F4E	T28F0080
580	形	4F50	8F4F	T28G0080
581	彷彿	4F51	8F50	T28H0080
582	役	4F52	8F51	T28I0080
583	忘	4F53	8F52	T28J0080
584	忌	4F54	8F53	T28K0080
585	志	4F55	8F54	T28L0080
586	忍	4F56	8F55	T28M0080
587	忱	4F57	8F56	T28N0080
588	快	4F58	8F57	T28O0080
589	忸	4F59	8F58	T28P0080
590	忪	4F5A	8F59	T28Q0080
591	戒	4F5B	8F5A	T28R0080
592	我	4F5C	8F5B	T28S0080
593	抄	4F5D	8F5C	T28T0080
594	抗	4F5E	8F5D	T28U0080
595	抖	4F5F	8F5E	T28V0080
596	技	4F60	8F5F	T28W0080

Table 6 (Page 12 of 44). Primary CH-T (1/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
597	扶	4F61	8F60	T28X0080
598	抉	4F62	8F61	T28Y0080
599	扭	4F63	8F62	T28Z0080
600	把	4F64	8F63	T2900080
601	扼	4F65	8F64	T2910080
602	找	4F66	8F65	T2920080
603	批	4F67	8F66	T2930080
604	扳	4F68	8F67	T2940080
605	杼	4F69	8F68	T2950080
606	扯	4F6A	8F69	T2960080
607	折	4F6B	8F6A	T2970080
608	扮	4F6C	8F6B	T2980080
609	投	4F6D	8F6C	T2990080
610	抓	4F6E	8F6D	T29A0080
611	抑	4F6F	8F6E	T29B0080
612	技	4F70	8F6F	T29C0080
613	改	4F71	8F70	T29D0080
614	攻	4F72	8F71	T29E0080
615	攸	4F73	8F72	T29F0080
616	旱	4F74	8F73	T29G0080
617	更	4F75	8F74	T29H0080
618	束	4F76	8F75	T29I0080
619	李	4F77	8F76	T29J0080
620	杏	4F78	8F77	T29K0080
621	材	4F79	8F78	T29L0080
622	村	4F7A	8F79	T29M0080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 6 (Page 13 of 44). Primary CH-T (1/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
623	杜	4F7B	8F7A	T29N0080
624	杖	4F7C	8F7B	T29O0080
625	杞	4F7D	8F7C	T29P0080
626	杉	4F7E	8F7D	T29Q0080
627	杆	4F7F	8F7E	T29R0080
628	杠	4F81	8F80	T29T0080
629	杓	4F82	8F81	T29U0080
630	杗	4F83	8F82	T29V0080
631	步	4F84	8F83	T29W0080
632	每	4F85	8F84	T29X0080
633	求	4F86	8F85	T29Y0080
634	汞	4F87	8F86	T29Z0080
635	沙	4F88	8F87	T2A00080
636	沁	4F89	8F88	T2A10080
637	沈	4F8A	8F89	T2A20080
638	沉	4F8B	8F8A	T2A30080
639	沅	4F8C	8F8B	T2A40080
640	沛	4F8D	8F8C	T2A50080
641	汪	4F8E	8F8D	T2A60080
642	决	4F8F	8F8E	T2A70080
643	沐	4F90	8F8F	T2A80080
644	汰	4F91	8F90	T2A90080
645	沌	4F92	8F91	T2AA0080
646	汨	4F93	8F92	T2AB0080
647	冲	4F94	8F93	T2AC0080
648	没	4F95	8F94	T2AD0080

Table 6 (Page 13 of 44). Primary CH-T (1/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
649	汽	4F96	8F95	T2AE0080
650	沃	4F97	8F96	T2AF0080
651	汲	4F98	8F97	T2AG0080
652	汾	4F99	8F98	T2AH0080
653	汴	4F9A	8F99	T2AI0080
654	沆	4F9B	8F9A	T2AJ0080
655	汶	4F9C	8F9B	T2AK0080
656	洹	4F9D	8F9C	T2AL0080
657	沔	4F9E	8F9D	T2AM0080
658	泚	4F9F	8F9E	T2AN0080
659	沂	4FA0	8F9F	T2AO0080
660	灶	4FA1	8FA0	T2AP0080
661	灼	4FA2	8FA1	T2AQ0080
662	灾	4FA3	8FA2	T2AR0080
663	灸	4FA4	8FA3	T2AS0080
664	牢	4FA5	8FA4	T2AT0080
665	牡	4FA6	8FA5	T2AU0080
666	牝	4FA7	8FA6	T2AV0080
667	狄	4FA8	8FA7	T2AW0080
668	狂	4FA9	8FA8	T2AX0080
669	玖	4FAA	8FA9	T2AY0080
670	甬	4FAB	8FAA	T2AZ0080
671	甫	4FAC	8FAB	T2B00080
672	男	4FAD	8FAC	T2B10080
673	甸	4FAE	8FAD	T2B20080
674	皂	4FAF	8FAE	T2B30080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 6 (Page 14 of 44). Primary CH-T (1/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
675	叮	4FB0	8FAF	T2B40080
676	矣	4FB1	8FB0	T2B50080
677	私	4FB2	8FB1	T2B60080
678	秀	4FB3	8FB2	T2B70080
679	秃	4FB4	8FB3	T2B80080
680	究	4FB5	8FB4	T2B90080
681	系	4FB6	8FB5	T2BA0080
682	罕	4FB7	8FB6	T2BB0080
683	肖	4FB8	8FB7	T2BC0080
684	育	4FB9	8FB8	T2BD0080
685	肝	4FBA	8FB9	T2BE0080
686	肘	4FBB	8FBA	T2BF0080
687	肛	4FBC	8FBB	T2BG0080
688	肚	4FBD	8FBC	T2BH0080
689	育	4FBE	8FBD	T2BI0080
690	良	4FBF	8FBE	T2BJ0080
691	芒	4FC0	8FBF	T2BK0080
692	芋	4FC1	8FC0	T2BL0080
693	芍	4FC2	8FC1	T2BM0080
694	見	4FC3	8FC2	T2BN0080
695	角	4FC4	8FC3	T2BO0080
696	言	4FC5	8FC4	T2BP0080
697	谷	4FC6	8FC5	T2BQ0080
698	豆	4FC7	8FC6	T2BR0080
699	豕	4FC8	8FC7	T2BS0080
700	貝	4FC9	8FC8	T2BT0080

Table 6 (Page 14 of 44). Primary CH-T (1/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
701	赤	4FCA	8FC9	T2BU0080
702	走	4FCB	8FCA	T2BV0080
703	足	4FCC	8FCB	T2BW0080
704	身	4FCD	8FCC	T2BX0080
705	車	4FCE	8FCD	T2BY0080
706	辛	4FCF	8FCE	T2BZ0080
707	辰	4FD0	8FCF	T2C00080
708	迂	4FD1	8FD0	T2C10080
709	迤	4FD2	8FD1	T2C20080
710	迅	4FD3	8FD2	T2C30080
711	迄	4FD4	8FD3	T2C40080
712	巡	4FD5	8FD4	T2C50080
713	邑	4FD6	8FD5	T2C60080
714	邢	4FD7	8FD6	T2C70080
715	邪	4FD8	8FD7	T2C80080
716	邦	4FD9	8FD8	T2C90080
717	那	4FDA	8FD9	T2CA0080
718	酉	4FDB	8FDA	T2CB0080
719	采	4FDC	8FDB	T2CC0080
720	里	4FDD	8FDC	T2CD0080
721	防	4FDE	8FDD	T2CE0080
722	阮	4FDF	8FDE	T2CF0080
723	阱	4FE0	8FDF	T2CG0080
724	阪	4FE1	8FE0	T2CH0080
725	阮	4FE2	8FE1	T2CI0080
726	並	4FE3	8FE2	T2CJ0080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 6 (Page 15 of 44). Primary CH-T (1/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
727	乖	4FE4	8FE3	T2CK0080
728	乳	4FE5	8FE4	T2CL0080
729	事	4FE6	8FE5	T2CM0080
730	些	4FE7	8FE6	T2CN0080
731	亞	4FE8	8FE7	T2CO0080
732	享	4FE9	8FE8	T2CP0080
733	京	4FEA	8FE9	T2CQ0080
734	佯	4FEB	8FEA	T2CR0080
735	依	4FEC	8FEB	T2CS0080
736	侍	4FED	8FEC	T2CT0080
737	佳	4FEE	8FED	T2CU0080
738	使	4FEF	8FEE	T2CV0080
739	佬	4FF0	8FEF	T2CW0080
740	供	4FF1	8FF0	T2CX0080
741	例	4FF2	8FF1	T2CY0080
742	來	4FF3	8FF2	T2CZ0080
743	侃	4FF4	8FF3	T2D00080
744	佰	4FF5	8FF4	T2D10080
745	併	4FF6	8FF5	T2D20080
746	侈	4FF7	8FF6	T2D30080
747	佩	4FF8	8FF7	T2D40080
748	佻	4FF9	8FF8	T2D50080
749	侖	4FFA	8FF9	T2D60080
750	份	4FFB	8FFA	T2D70080
751	侏	4FFC	8FFB	T2D80080
752	侑	4FFD	8FFC	T2D90080

Table 6 (Page 15 of 44). Primary CH-T (1/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
753	侏	5041	9040	T2DD0080
754	兔	5042	9041	T2DE0080
755	兒	5043	9042	T2DF0080
756	兕	5044	9043	T2DG0080
757	兩	5045	9044	T2DH0080
758	具	5046	9045	T2DI0080
759	其	5047	9046	T2DJ0080
760	典	5048	9047	T2DK0080
761	冽	5049	9048	T2DL0080
762	函	504A	9049	T2DM0080
763	刻	504B	904A	T2DN0080
764	券	504C	904B	T2DO0080
765	刷	504D	904C	T2DP0080
766	刺	504E	904D	T2DQ0080
767	到	504F	904E	T2DR0080
768	刮	5050	904F	T2DS0080
769	制	5051	9050	T2DT0080
770	剝	5052	9051	T2DU0080
771	劾	5053	9052	T2DV0080
772	劬	5054	9053	T2DW0080
773	卒	5055	9054	T2DX0080
774	協	5056	9055	T2DY0080
775	卓	5057	9056	T2DZ0080
776	卑	5058	9057	T2E00080
777	卦	5059	9058	T2E10080
778	卷	505A	9059	T2E20080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 6 (Page 16 of 44). Primary CH-T (1/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
779	卸	505B	905A	T2E30080
780	卸	505C	905B	T2E40080
781	取	505D	905C	T2E50080
782	叔	505E	905D	T2E60080
783	受	505F	905E	T2E70080
784	味	5060	905F	T2E80080
785	呵	5061	9060	T2E90080
786	咖	5062	9061	T2EA0080
787	呖	5063	9062	T2EB0080
788	咕	5064	9063	T2EC0080
789	咀	5065	9064	T2ED0080
790	呻	5066	9065	T2EE0080
791	呷	5067	9066	T2EF0080
792	咄	5068	9067	T2EG0080
793	咒	5069	9068	T2EH0080
794	咆	506A	9069	T2EI0080
795	呼	506B	906A	T2EJ0080
796	咐	506C	906B	T2EK0080
797	呱	506D	906C	T2EL0080
798	嘞	506E	906D	T2EM0080
799	和	506F	906E	T2EN0080
800	咚	5070	906F	T2EO0080
801	呢	5071	9070	T2EP0080
802	周	5072	9071	T2EQ0080
803	咋	5073	9072	T2ER0080
804	命	5074	9073	T2ES0080

Table 6 (Page 16 of 44). Primary CH-T (1/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
805	咎	5075	9074	T2ET0080
806	固	5076	9075	T2EU0080
807	垃	5077	9076	T2EV0080
808	圪	5078	9077	T2EW0080
809	坪	5079	9078	T2EX0080
810	坩	507A	9079	T2EY0080
811	坡	507B	907A	T2EZ0080
812	坦	507C	907B	T2F00080
813	坤	507D	907C	T2F10080
814	坼	507E	907D	T2F20080
815	夜	507F	907E	T2F30080
816	奉	5081	9080	T2F50080
817	奇	5082	9081	T2F60080
818	奈	5083	9082	T2F70080
819	奄	5084	9083	T2F80080
820	奔	5085	9084	T2F90080
821	妾	5086	9085	T2FA0080
822	妻	5087	9086	T2FB0080
823	委	5088	9087	T2FC0080
824	妹	5089	9088	T2FD0080
825	妮	508A	9089	T2FE0080
826	姑	508B	908A	T2FF0080
827	姆	508C	908B	T2FG0080
828	姐	508D	908C	T2FH0080
829	姍	508E	908D	T2FI0080
830	始	508F	908E	T2FJ0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 6 (Page 17 of 44). Primary CH-T (1/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
831	姓	5090	908F	T2FK0080
832	姊	5091	9090	T2FL0080
833	妯	5092	9091	T2FM0080
834	妳	5093	9092	T2FN0080
835	姒	5094	9093	T2FO0080
836	姘	5095	9094	T2FP0080
837	孟	5096	9095	T2FQ0080
838	孤	5097	9096	T2FR0080
839	季	5098	9097	T2FS0080
840	宗	5099	9098	T2FT0080
841	定	509A	9099	T2FU0080
842	官	509B	909A	T2FV0080
843	宜	509C	909B	T2FW0080
844	宙	509D	909C	T2FX0080
845	宛	509E	909D	T2FY0080
846	尚	509F	909E	T2FZ0080
847	屈	50A0	909F	T2G00080
848	居	50A1	90A0	T2G10080
849	屆	50A2	90A1	T2G20080
850	岷	50A3	90A2	T2G30080
851	岡	50A4	90A3	T2G40080
852	岸	50A5	90A4	T2G50080
853	岩	50A6	90A5	T2G60080
854	岫	50A7	90A6	T2G70080
855	岱	50A8	90A7	T2G80080
856	岳	50A9	90A8	T2G90080

Table 6 (Page 17 of 44). Primary CH-T (1/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
857	帘	50AA	90A9	T2GA0080
858	帚	50AB	90AA	T2GB0080
859	帖	50AC	90AB	T2GC0080
860	帕	50AD	90AC	T2GD0080
861	帛	50AE	90AD	T2GE0080
862	帑	50AF	90AE	T2GF0080
863	幸	50B0	90AF	T2GG0080
864	庚	50B1	90B0	T2GH0080
865	店	50B2	90B1	T2GI0080
866	府	50B3	90B2	T2GJ0080
867	底	50B4	90B3	T2GK0080
868	庖	50B5	90B4	T2GL0080
869	延	50B6	90B5	T2GM0080
870	弦	50B7	90B6	T2GN0080
871	弧	50B8	90B7	T2GO0080
872	弩	50B9	90B8	T2GP0080
873	往	50BA	90B9	T2GQ0080
874	征	50BB	90BA	T2GR0080
875	佛	50BC	90BB	T2GS0080
876	彼	50BD	90BC	T2GT0080
877	忝	50BE	90BD	T2GU0080
878	忠	50BF	90BE	T2GV0080
879	忽	50C0	90BF	T2GW0080
880	念	50C1	90C0	T2GX0080
881	忿	50C2	90C1	T2GY0080
882	快	50C3	90C2	T2GZ0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 6 (Page 18 of 44). Primary CH-T (1/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
883	怔	50C4	90C3	T2H00080
884	怯	50C5	90C4	T2H10080
885	怵	50C6	90C5	T2H20080
886	怖	50C7	90C6	T2H30080
887	怪	50C8	90C7	T2H40080
888	怕	50C9	90C8	T2H50080
889	怡	50CA	90C9	T2H60080
890	性	50CB	90CA	T2H70080
891	惘	50CC	90CB	T2H80080
892	佛	50CD	90CC	T2H90080
893	怛	50CE	90CD	T2HA0080
894	或	50CF	90CE	T2HB0080
895	戕	50D0	90CF	T2HC0080
896	房	50D1	90D0	T2HD0080
897	戾	50D2	90D1	T2HE0080
898	所	50D3	90D2	T2HF0080
899	承	50D4	90D3	T2HG0080
900	拉	50D5	90D4	T2HH0080
901	拌	50D6	90D5	T2HI0080
902	拄	50D7	90D6	T2HJ0080
903	扞	50D8	90D7	T2HK0080
904	拂	50D9	90D8	T2HL0080
905	抹	50DA	90D9	T2HM0080
906	拒	50DB	90DA	T2HN0080
907	招	50DC	90DB	T2HO0080
908	披	50DD	90DC	T2HP0080

Table 6 (Page 18 of 44). Primary CH-T (1/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
909	拓	50DE	90DD	T2HQ0080
910	拔	50DF	90DE	T2HR0080
911	抛	50E0	90DF	T2HS0080
912	拈	50E1	90E0	T2HT0080
913	抨	50E2	90E1	T2HU0080
914	抽	50E3	90E2	T2HV0080
915	押	50E4	90E3	T2HW0080
916	拐	50E5	90E4	T2HX0080
917	拙	50E6	90E5	T2HY0080
918	搨	50E7	90E6	T2HZ0080
919	拍	50E8	90E7	T2I00080
920	抵	50E9	90E8	T2I10080
921	拚	50EA	90E9	T2I20080
922	抱	50EB	90EA	T2I30080
923	拘	50EC	90EB	T2I40080
924	拖	50ED	90EC	T2I50080
925	拗	50EE	90ED	T2I60080
926	拆	50EF	90EE	T2I70080
927	抬	50F0	90EF	T2I80080
928	拎	50F1	90F0	T2I90080
929	放	50F2	90F1	T2IA0080
930	斧	50F3	90F2	T2IB0080
931	於	50F4	90F3	T2IC0080
932	旺	50F5	90F4	T2ID0080
933	昔	50F6	90F5	T2IE0080
934	易	50F7	90F6	T2IF0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 6 (Page 19 of 44). Primary CH-T (1/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
935	昌	50F8	90F7	T2IG0080
936	昆	50F9	90F8	T2IH0080
937	昂	50FA	90F9	T2II0080
938	明	50FB	90FA	T2IJ0080
939	昀	50FC	90FB	T2IK0080
940	昏	50FD	90FC	T2IL0080
941	昕	5141	9140	T2IP0080
942	昊	5142	9141	T2IQ0080
943	昇	5143	9142	T2IR0080
944	服	5144	9143	T2IS0080
945	朋	5145	9144	T2IT0080
946	杭	5146	9145	T2IU0080
947	枋	5147	9146	T2IV0080
948	枕	5148	9147	T2IW0080
949	東	5149	9148	T2IX0080
950	果	514A	9149	T2IY0080
951	杏	514B	914A	T2IZ0080
952	杷	514C	914B	T2J00080
953	枇	514D	914C	T2J10080
954	枝	514E	914D	T2J20080
955	林	514F	914E	T2J30080
956	杯	5150	914F	T2J40080
957	杰	5151	9150	T2J50080
958	板	5152	9151	T2J60080
959	枉	5153	9152	T2J70080
960	松	5154	9153	T2J80080

Table 6 (Page 19 of 44). Primary CH-T (1/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
961	析	5155	9154	T2J90080
962	杵	5156	9155	T2JA0080
963	枚	5157	9156	T2JB0080
964	料	5158	9157	T2JC0080
965	杼	5159	9158	T2JD0080
966	杪	515A	9159	T2JE0080
967	杲	515B	915A	T2JF0080
968	欣	515C	915B	T2JG0080
969	武	515D	915C	T2JH0080
970	歧	515E	915D	T2JI0080
971	歿	515F	915E	T2JJ0080
972	岷	5160	915F	T2JK0080
973	氛	5161	9160	T2JL0080
974	泣	5162	9161	T2JM0080
975	注	5163	9162	T2JN0080
976	泳	5164	9163	T2JO0080
977	沱	5165	9164	T2JP0080
978	泌	5166	9165	T2JQ0080
979	泥	5167	9166	T2JR0080
980	河	5168	9167	T2JS0080
981	沽	5169	9168	T2JT0080
982	沾	516A	9169	T2JU0080
983	沼	516B	916A	T2JV0080
984	波	516C	916B	T2JW0080
985	沫	516D	916C	T2JX0080
986	法	516E	916D	T2JY0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 6 (Page 20 of 44). Primary CH-T (1/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
987	泓	516F	916E	T2JZ0080
988	沸	5170	916F	T2K00080
989	泄	5171	9170	T2K10080
990	油	5172	9171	T2K20080
991	況	5173	9172	T2K30080
992	沮	5174	9173	T2K40080
993	泗	5175	9174	T2K50080
994	涸	5176	9175	T2K60080
995	泱	5177	9176	T2K70080
996	沿	5178	9177	T2K80080
997	治	5179	9178	T2K90080
998	泡	517A	9179	T2KA0080
999	泛	517B	917A	T2KB0080
1000	泊	517C	917B	T2KC0080
1001	沫	517D	917C	T2KD0080
1002	泯	517E	917D	T2KE0080
1003	氐	517F	917E	T2KF0080
1004	柳	5181	9180	T2KH0080
1005	冷	5182	9181	T2KI0080
1006	炕	5183	9182	T2KJ0080
1007	炎	5184	9183	T2KK0080
1008	炒	5185	9184	T2KL0080
1009	炊	5186	9185	T2KM0080
1010	炙	5187	9186	T2KN0080
1011	爬	5188	9187	T2KO0080
1012	爭	5189	9188	T2KP0080

Table 6 (Page 20 of 44). Primary CH-T (1/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1013	爸	518A	9189	T2KQ0080
1014	版	518B	918A	T2KR0080
1015	牧	518C	918B	T2KS0080
1016	物	518D	918C	T2KT0080
1017	狀	518E	918D	T2KU0080
1018	狎	518F	918E	T2KV0080
1019	狙	5190	918F	T2KW0080
1020	狗	5191	9190	T2KX0080
1021	狐	5192	9191	T2KY0080
1022	玩	5193	9192	T2KZ0080
1023	玨	5194	9193	T2L00080
1024	玫	5195	9194	T2L10080
1025	玫	5196	9195	T2L20080
1026	玥	5197	9196	T2L30080
1027	刪	5198	9197	T2L40080
1028	疝	5199	9198	T2L50080
1029	瘡	519A	9199	T2L60080
1030	疚	519B	919A	T2L70080
1031	的	519C	919B	T2L80080
1032	盂	519D	919C	T2L90080
1033	盲	519E	919D	T2LA0080
1034	直	519F	919E	T2LB0080
1035	知	51A0	919F	T2LC0080
1036	矽	51A1	91A0	T2LD0080
1037	社	51A2	91A1	T2LE0080
1038	祀	51A3	91A2	T2LF0080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 6 (Page 21 of 44). Primary CH-T (1/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1039	祢	51A4	91A3	T2LG0080
1040	秉	51A5	91A4	T2LH0080
1041	袖	51A6	91A5	T2LI0080
1042	空	51A7	91A6	T2LJ0080
1043	穹	51A8	91A7	T2LK0080
1044	竺	51A9	91A8	T2LL0080
1045	糾	51AA	91A9	T2LM0080
1046	罔	51AB	91AA	T2LN0080
1047	羌	51AC	91AB	T2LO0080
1048	𠂔	51AD	91AC	T2LP0080
1049	者	51AE	91AD	T2LQ0080
1050	肺	51AF	91AE	T2LR0080
1051	肥	51B0	91AF	T2LS0080
1052	肢	51B1	91B0	T2LT0080
1053	肱	51B2	91B1	T2LU0080
1054	股	51B3	91B2	T2LV0080
1055	肱	51B4	91B3	T2LW0080
1056	肩	51B5	91B4	T2LX0080
1057	肴	51B6	91B5	T2LY0080
1058	肪	51B7	91B6	T2LZ0080
1059	肯	51B8	91B7	T2M00080
1060	臥	51B9	91B8	T2M10080
1061	與	51BA	91B9	T2M20080
1062	舍	51BB	91BA	T2M30080
1063	芳	51BC	91BB	T2M40080
1064	芝	51BD	91BC	T2M50080

Table 6 (Page 21 of 44). Primary CH-T (1/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1065	芙	51BE	91BD	T2M60080
1066	芭	51BF	91BE	T2M70080
1067	芽	51C0	91BF	T2M80080
1068	芟	51C1	91C0	T2M90080
1069	芹	51C2	91C1	T2MA0080
1070	花	51C3	91C2	T2MB0080
1071	芬	51C4	91C3	T2MC0080
1072	芥	51C5	91C4	T2MD0080
1073	芯	51C6	91C5	T2ME0080
1074	芸	51C7	91C6	T2MF0080
1075	芥	51C8	91C7	T2MG0080
1076	芟	51C9	91C8	T2MH0080
1077	芾	51CA	91C9	T2MI0080
1078	芷	51CB	91CA	T2MJ0080
1079	虎	51CC	91CB	T2MK0080
1080	虱	51CD	91CC	T2ML0080
1081	初	51CE	91CD	T2MM0080
1082	表	51CF	91CE	T2MN0080
1083	軋	51D0	91CF	T2MO0080
1084	迎	51D1	91D0	T2MP0080
1085	返	51D2	91D1	T2MQ0080
1086	近	51D3	91D2	T2MR0080
1087	邵	51D4	91D3	T2MS0080
1088	邱	51D5	91D4	T2MT0080
1089	邱	51D6	91D5	T2MU0080
1090	邨	51D7	91D6	T2MV0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 6 (Page 22 of 44). Primary CH-T (1/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1091	采	51D8	91D7	T2MW0080
1092	金	51D9	91D8	T2MX0080
1093	長	51DA	91D9	T2MY0080
1094	門	51DB	91DA	T2MZ0080
1095	阜	51DC	91DB	T2N00080
1096	陀	51DD	91DC	T2N10080
1097	阿	51DE	91DD	T2N20080
1098	阻	51DF	91DE	T2N30080
1099	附	51E0	91DF	T2N40080
1100	陂	51E1	91E0	T2N50080
1101	隹	51E2	91E1	T2N60080
1102	雨	51E3	91E2	T2N70080
1103	青	51E4	91E3	T2N80080
1104	非	51E5	91E4	T2N90080
1105	亟	51E6	91E5	T2NA0080
1106	亭	51E7	91E6	T2NB0080
1107	亮	51E8	91E7	T2NC0080
1108	信	51E9	91E8	T2ND0080
1109	侵	51EA	91E9	T2NE0080
1110	侯	51EB	91EA	T2NF0080
1111	便	51EC	91EB	T2NG0080
1112	俠	51ED	91EC	T2NH0080
1113	俑	51EE	91ED	T2NI0080
1114	俏	51EF	91EE	T2NJ0080
1115	保	51F0	91EF	T2NK0080
1116	促	51F1	91F0	T2NL0080

Table 6 (Page 22 of 44). Primary CH-T (1/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1117	侶	51F2	91F1	T2NM0080
1118	俘	51F3	91F2	T2NN0080
1119	俟	51F4	91F3	T2NO0080
1120	俊	51F5	91F4	T2NP0080
1121	俗	51F6	91F5	T2NQ0080
1122	侮	51F7	91F6	T2NR0080
1123	俐	51F8	91F7	T2NS0080
1124	俄	51F9	91F8	T2NT0080
1125	係	51FA	91F9	T2NU0080
1126	俚	51FB	91FA	T2NV0080
1127	俎	51FC	91FB	T2NW0080
1128	兪	51FD	91FC	T2NX0080
1129	侷	5241	9240	T2O10080
1130	兗	5242	9241	T2O20080
1131	冒	5243	9242	T2O30080
1132	冑	5244	9243	T2O40080
1133	冠	5245	9244	T2O50080
1134	剝	5246	9245	T2O60080
1135	剝	5247	9246	T2O70080
1136	削	5248	9247	T2O80080
1137	前	5249	9248	T2O90080
1138	刺	524A	9249	T2OA0080
1139	剋	524B	924A	T2OB0080
1140	則	524C	924B	T2OC0080
1141	勇	524D	924C	T2OD0080
1142	勉	524E	924D	T2OE0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 6 (Page 23 of 44). Primary CH-T (1/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1143	勃	524F	924E	T2OF0080
1144	勁	5250	924F	T2OG0080
1145	匍	5251	9250	T2OH0080
1146	南	5252	9251	T2OI0080
1147	卻	5253	9252	T2OJ0080
1148	厚	5254	9253	T2OK0080
1149	叛	5255	9254	T2OL0080
1150	咬	5256	9255	T2OM0080
1151	哀	5257	9256	T2ON0080
1152	咨	5258	9257	T2OO0080
1153	咬	5259	9258	T2OP0080
1154	哉	525A	9259	T2OQ0080
1155	威	525B	925A	T2OR0080
1156	噴	525C	925B	T2OS0080
1157	咳	525D	925C	T2OT0080
1158	哇	525E	925D	T2OU0080
1159	晒	525F	925E	T2OV0080
1160	咽	5260	925F	T2OW0080
1161	咪	5261	9260	T2OX0080
1162	品	5262	9261	T2OY0080
1163	哄	5263	9262	T2OZ0080
1164	哈	5264	9263	T2P00080
1165	咯	5265	9264	T2P10080
1166	腮	5266	9265	T2P20080
1167	咱	5267	9266	T2P30080
1168	咻	5268	9267	T2P40080

Table 6 (Page 23 of 44). Primary CH-T (1/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1169	咩	5269	9268	T2P50080
1170	咧	526A	9269	T2P60080
1171	咿	526B	926A	T2P70080
1172	囿	526C	926B	T2P80080
1173	垂	526D	926C	T2P90080
1174	型	526E	926D	T2PA0080
1175	垠	526F	926E	T2PB0080
1176	垣	5270	926F	T2PC0080
1177	垢	5271	9270	T2PD0080
1178	城	5272	9271	T2PE0080
1179	垮	5273	9272	T2PF0080
1180	垓	5274	9273	T2PG0080
1181	奕	5275	9274	T2PH0080
1182	契	5276	9275	T2PI0080
1183	奏	5277	9276	T2PJ0080
1184	奎	5278	9277	T2PK0080
1185	奂	5279	9278	T2PL0080
1186	姜	527A	9279	T2PM0080
1187	妍	527B	927A	T2PN0080
1188	姿	527C	927B	T2PO0080
1189	姣	527D	927C	T2PP0080
1190	姨	527E	927D	T2PQ0080
1191	娃	527F	927E	T2PR0080
1192	姥	5281	9280	T2PT0080
1193	姪	5282	9281	T2PU0080
1194	姚	5283	9282	T2PV0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 6 (Page 24 of 44). Primary CH-T (1/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1195	姦	5284	9283	T2PW0080
1196	威	5285	9284	T2PX0080
1197	姻	5286	9285	T2PY0080
1198	孩	5287	9286	T2PZ0080
1199	宣	5288	9287	T2Q00080
1200	宦	5289	9288	T2Q10080
1201	室	528A	9289	T2Q20080
1202	客	528B	928A	T2Q30080
1203	宥	528C	928B	T2Q40080
1204	封	528D	928C	T2Q50080
1205	屎	528E	928D	T2Q60080
1206	屏	528F	928E	T2Q70080
1207	屍	5290	928F	T2Q80080
1208	屋	5291	9290	T2Q90080
1209	峙	5292	9291	T2QA0080
1210	峒	5293	9292	T2QB0080
1211	巷	5294	9293	T2QC0080
1212	帝	5295	9294	T2QD0080
1213	帥	5296	9295	T2QE0080
1214	帝	5297	9296	T2QF0080
1215	幽	5298	9297	T2QG0080
1216	庠	5299	9298	T2QH0080
1217	度	529A	9299	T2QI0080
1218	建	529B	929A	T2QJ0080
1219	弈	529C	929B	T2QK0080
1220	弭	529D	929C	T2QL0080

Table 6 (Page 24 of 44). Primary CH-T (1/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1221	彥	529E	929D	T2QM0080
1222	很	529F	929E	T2QN0080
1223	待	52A0	929F	T2QO0080
1224	徊	52A1	92A0	T2QP0080
1225	律	52A2	92A1	T2QQ0080
1226	徇	52A3	92A2	T2QR0080
1227	後	52A4	92A3	T2QS0080
1228	祥	52A5	92A4	T2QT0080
1229	怒	52A6	92A5	T2QU0080
1230	思	52A7	92A6	T2QV0080
1231	怠	52A8	92A7	T2QW0080
1232	急	52A9	92A8	T2QX0080
1233	怎	52AA	92A9	T2QY0080
1234	怨	52AB	92AA	T2QZ0080
1235	恍	52AC	92AB	T2R00080
1236	恰	52AD	92AC	T2R10080
1237	恨	52AE	92AD	T2R20080
1238	恢	52AF	92AE	T2R30080
1239	恆	52B0	92AF	T2R40080
1240	恃	52B1	92B0	T2R50080
1241	恬	52B2	92B1	T2R60080
1242	恫	52B3	92B2	T2R70080
1243	恪	52B4	92B3	T2R80080
1244	恤	52B5	92B4	T2R90080
1245	扁	52B6	92B5	T2RA0080
1246	拜	52B7	92B6	T2RB0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
1247	挖	52B8	92B7	T2RC0080
1248	按	52B9	92B8	T2RD0080
1249	拼	52BA	92B9	T2RE0080
1250	拭	52BB	92BA	T2RF0080
1251	持	52BC	92BB	T2RG0080
1252	拮	52BD	92BC	T2RH0080
1253	拽	52BE	92BD	T2RI0080
1254	指	52BF	92BE	T2RJ0080
1255	拱	52C0	92BF	T2RK0080
1256	拷	52C1	92C0	T2RL0080
1257	拯	52C2	92C1	T2RM0080
1258	括	52C3	92C2	T2RN0080
1259	拾	52C4	92C3	T2RO0080
1260	拴	52C5	92C4	T2RP0080
1261	挑	52C6	92C5	T2RQ0080
1262	挂	52C7	92C6	T2RR0080
1263	政	52C8	92C7	T2RS0080
1264	故	52C9	92C8	T2RT0080
1265	斫	52CA	92C9	T2RU0080
1266	施	52CB	92CA	T2RV0080
1267	既	52CC	92CB	T2RW0080
1268	春	52CD	92CC	T2RX0080
1269	昭	52CE	92CD	T2RY0080
1270	映	52CF	92CE	T2RZ0080
1271	昧	52D0	92CF	T2S00080
1272	是	52D1	92D0	T2S10080

Line Number	Graphic	Host Code	PC Code	GCGID
1273	星	52D2	92D1	T2S20080
1274	昨	52D3	92D2	T2S30080
1275	昱	52D4	92D3	T2S40080
1276	昞	52D5	92D4	T2S50080
1277	曷	52D6	92D5	T2S60080
1278	柿	52D7	92D6	T2S70080
1279	染	52D8	92D7	T2S80080
1280	柱	52D9	92D8	T2S90080
1281	柔	52DA	92D9	T2SA0080
1282	某	52DB	92DA	T2SB0080
1283	束	52DC	92DB	T2SC0080
1284	架	52DD	92DC	T2SD0080
1285	枯	52DE	92DD	T2SE0080
1286	柵	52DF	92DE	T2SF0080
1287	柩	52E0	92DF	T2SG0080
1288	柯	52E1	92E0	T2SH0080
1289	柄	52E2	92E1	T2SI0080
1290	柑	52E3	92E2	T2SJ0080
1291	楞	52E4	92E3	T2SK0080
1292	柚	52E5	92E4	T2SL0080
1293	查	52E6	92E5	T2SM0080
1294	枸	52E7	92E6	T2SN0080
1295	柏	52E8	92E7	T2SO0080
1296	柞	52E9	92E8	T2SP0080
1297	柳	52EA	92E9	T2SQ0080
1298	桤	52EB	92EA	T2SR0080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 6 (Page 26 of 44). Primary CH-T (1/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1299	柺	52EC	92EB	T2SS0080
1300	柢	52ED	92EC	T2ST0080
1301	柝	52EE	92ED	T2SU0080
1302	柴	52EF	92EE	T2SV0080
1303	歪	52F0	92EF	T2SW0080
1304	殃	52F1	92F0	T2SX0080
1305	殆	52F2	92F1	T2SY0080
1306	段	52F3	92F2	T2SZ0080
1307	毒	52F4	92F3	T2T00080
1308	毗	52F5	92F4	T2T10080
1309	氟	52F6	92F5	T2T20080
1310	泉	52F7	92F6	T2T30080
1311	洋	52F8	92F7	T2T40080
1312	洲	52F9	92F8	T2T50080
1313	洪	52FA	92F9	T2T60080
1314	流	52FB	92FA	T2T70080
1315	津	52FC	92FB	T2T80080
1316	洌	52FD	92FC	T2T90080
1317	洱	5341	9340	T2TD0080
1318	洞	5342	9341	T2TE0080
1319	洗	5343	9342	T2TF0080
1320	活	5344	9343	T2TG0080
1321	洽	5345	9344	T2TH0080
1322	派	5346	9345	T2TI0080
1323	淘	5347	9346	T2TJ0080
1324	洛	5348	9347	T2TK0080

Table 6 (Page 26 of 44). Primary CH-T (1/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1325	泵	5349	9348	T2TL0080
1326	洄	534A	9349	T2TM0080
1327	涪	534B	934A	T2TN0080
1328	洸	534C	934B	T2TO0080
1329	洩	534D	934C	T2TP0080
1330	洮	534E	934D	T2TQ0080
1331	洵	534F	934E	T2TR0080
1332	泊	5350	934F	T2TS0080
1333	洫	5351	9350	T2TT0080
1334	炫	5352	9351	T2TU0080
1335	為	5353	9352	T2TV0080
1336	炳	5354	9353	T2TW0080
1337	炬	5355	9354	T2TX0080
1338	炯	5356	9355	T2TY0080
1339	炭	5357	9356	T2TZ0080
1340	炸	5358	9357	T2U00080
1341	炮	5359	9358	T2U10080
1342	炤	535A	9359	T2U20080
1343	爰	535B	935A	T2U30080
1344	牲	535C	935B	T2U40080
1345	牯	535D	935C	T2U50080
1346	牴	535E	935D	T2U60080
1347	狩	535F	935E	T2U70080
1348	狠	5360	935F	T2U80080
1349	狡	5361	9360	T2U90080
1350	玷	5362	9361	T2UA0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 6 (Page 27 of 44). Primary CH-T (1/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1351	珊	5363	9362	T2UB0080
1352	玻	5364	9363	T2UC0080
1353	玲	5365	9364	T2UD0080
1354	珍	5366	9365	T2UE0080
1355	珀	5367	9366	T2UF0080
1356	玳	5368	9367	T2UG0080
1357	甚	5369	9368	T2UH0080
1358	甬	536A	9369	T2UI0080
1359	畏	536B	936A	T2UJ0080
1360	界	536C	936B	T2UK0080
1361	畎	536D	936C	T2UL0080
1362	畝	536E	936D	T2UM0080
1363	疫	536F	936E	T2UN0080
1364	疤	5370	936F	T2UO0080
1365	疥	5371	9370	T2UP0080
1366	痰	5372	9371	T2UQ0080
1367	疣	5373	9372	T2UR0080
1368	癸	5374	9373	T2US0080
1369	皆	5375	9374	T2UT0080
1370	皇	5376	9375	T2UU0080
1371	皈	5377	9376	T2UV0080
1372	盈	5378	9377	T2UW0080
1373	盆	5379	9378	T2UX0080
1374	盃	537A	9379	T2UY0080
1375	盅	537B	937A	T2UZ0080
1376	省	537C	937B	T2V00080

Table 6 (Page 27 of 44). Primary CH-T (1/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1377	盹	537D	937C	T2V10080
1378	相	537E	937D	T2V20080
1379	眉	537F	937E	T2V30080
1380	看	5381	9380	T2V50080
1381	盾	5382	9381	T2V60080
1382	盼	5383	9382	T2V70080
1383	眇	5384	9383	T2V80080
1384	矜	5385	9384	T2V90080
1385	砂	5386	9385	T2VA0080
1386	研	5387	9386	T2VB0080
1387	砌	5388	9387	T2VC0080
1388	砍	5389	9388	T2VD0080
1389	袄	538A	9389	T2VE0080
1390	祉	538B	938A	T2VF0080
1391	祈	538C	938B	T2VG0080
1392	祇	538D	938C	T2VH0080
1393	禹	538E	938D	T2VI0080
1394	禺	538F	938E	T2VJ0080
1395	科	5390	938F	T2VK0080
1396	秒	5391	9390	T2VL0080
1397	秋	5392	9391	T2VM0080
1398	穿	5393	9392	T2VN0080
1399	突	5394	9393	T2VO0080
1400	竿	5395	9394	T2VP0080
1401	笋	5396	9395	T2VQ0080
1402	籽	5397	9396	T2VR0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 6 (Page 28 of 44). Primary CH-T (1/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1403	紂	5398	9397	T2VS0080
1404	紅	5399	9398	T2VT0080
1405	紀	539A	9399	T2VU0080
1406	紉	539B	939A	T2VV0080
1407	紘	539C	939B	T2VW0080
1408	約	539D	939C	T2VX0080
1409	紕	539E	939D	T2VY0080
1410	缸	539F	939E	T2VZ0080
1411	美	53A0	939F	T2W00080
1412	羿	53A1	93A0	T2W10080
1413	耄	53A2	93A1	T2W20080
1414	耐	53A3	93A2	T2W30080
1415	耍	53A4	93A3	T2W40080
1416	崑	53A5	93A4	T2W50080
1417	耶	53A6	93A5	T2W60080
1418	胖	53A7	93A6	T2W70080
1419	胥	53A8	93A7	T2W80080
1420	胚	53A9	93A8	T2W90080
1421	胃	53AA	93A9	T2WA0080
1422	胄	53AB	93AA	T2WB0080
1423	背	53AC	93AB	T2WC0080
1424	胡	53AD	93AC	T2WD0080
1425	胛	53AE	93AD	T2WE0080
1426	胎	53AF	93AE	T2WF0080
1427	胞	53B0	93AF	T2WG0080
1428	胤	53B1	93B0	T2WH0080

Table 6 (Page 28 of 44). Primary CH-T (1/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1429	胝	53B2	93B1	T2WI0080
1430	致	53B3	93B2	T2WJ0080
1431	舢	53B4	93B3	T2WK0080
1432	苧	53B5	93B4	T2WL0080
1433	范	53B6	93B5	T2WM0080
1434	茅	53B7	93B6	T2WN0080
1435	苣	53B8	93B7	T2WO0080
1436	苛	53B9	93B8	T2WP0080
1437	苦	53BA	93B9	T2WQ0080
1438	茄	53BB	93BA	T2WR0080
1439	若	53BC	93BB	T2WS0080
1440	茂	53BD	93BC	T2WT0080
1441	茱	53BE	93BD	T2WU0080
1442	苜	53BF	93BE	T2WV0080
1443	苗	53C0	93BF	T2WW0080
1444	英	53C1	93C0	T2WX0080
1445	茁	53C2	93C1	T2WY0080
1446	苜	53C3	93C2	T2WZ0080
1447	苔	53C4	93C3	T2X00080
1448	苑	53C5	93C4	T2X10080
1449	苞	53C6	93C5	T2X20080
1450	苓	53C7	93C6	T2X30080
1451	苟	53C8	93C7	T2X40080
1452	苯	53C9	93C8	T2X50080
1453	茆	53CA	93C9	T2X60080
1454	虐	53CB	93CA	T2X70080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 6 (Page 29 of 44). Primary CH-T (1/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1455	虹	53CC	93CB	T2X80080
1456	虻	53CD	93CC	T2X90080
1457	虺	53CE	93CD	T2XA0080
1458	衍	53CF	93CE	T2XB0080
1459	衫	53D0	93CF	T2XC0080
1460	要	53D1	93D0	T2XD0080
1461	勛	53D2	93D1	T2XE0080
1462	計	53D3	93D2	T2XF0080
1463	訂	53D4	93D3	T2XG0080
1464	訃	53D5	93D4	T2XH0080
1465	貞	53D6	93D5	T2XI0080
1466	負	53D7	93D6	T2XJ0080
1467	赴	53D8	93D7	T2XK0080
1468	赳	53D9	93D8	T2XL0080
1469	趺	53DA	93D9	T2XM0080
1470	軍	53DB	93DA	T2XN0080
1471	軌	53DC	93DB	T2XO0080
1472	述	53DD	93DC	T2XP0080
1473	迦	53DE	93DD	T2XQ0080
1474	迢	53DF	93DE	T2XR0080
1475	迪	53E0	93DF	T2XS0080
1476	迴	53E1	93E0	T2XT0080
1477	迭	53E2	93E1	T2XU0080
1478	迫	53E3	93E2	T2XV0080
1479	迤	53E4	93E3	T2XW0080
1480	迨	53E5	93E4	T2XX0080

Table 6 (Page 29 of 44). Primary CH-T (1/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1481	郊	53E6	93E5	T2XY0080
1482	郎	53E7	93E6	T2XZ0080
1483	郁	53E8	93E7	T2Y00080
1484	郤	53E9	93E8	T2Y10080
1485	曾	53EA	93E9	T2Y20080
1486	酌	53EB	93EA	T2Y30080
1487	重	53EC	93EB	T2Y40080
1488	冂	53ED	93EC	T2Y50080
1489	限	53EE	93ED	T2Y60080
1490	陋	53EF	93EE	T2Y70080
1491	陌	53F0	93EF	T2Y80080
1492	降	53F1	93F0	T2Y90080
1493	面	53F2	93F1	T2YA0080
1494	革	53F3	93F2	T2YB0080
1495	韋	53F4	93F3	T2YC0080
1496	韭	53F5	93F4	T2YD0080
1497	音	53F6	93F5	T2YE0080
1498	頁	53F7	93F6	T2YF0080
1499	風	53F8	93F7	T2YG0080
1500	飛	53F9	93F8	T2YH0080
1501	食	53FA	93F9	T2YI0080
1502	首	53FB	93FA	T2YJ0080
1503	香	53FC	93FB	T2YK0080
1504	乘	53FD	93FC	T2YL0080
1505	毫	5441	9440	T2YP0080
1506	倌	5442	9441	T2YQ0080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 6 (Page 30 of 44). Primary CH-T (1/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1507	倍	5443	9442	T2YR0080
1508	傲	5444	9443	T2YS0080
1509	俯	5445	9444	T2YT0080
1510	倦	5446	9445	T2YU0080
1511	控	5447	9446	T2YV0080
1512	棒	5448	9447	T2YW0080
1513	倩	5449	9448	T2YX0080
1514	倅	544A	9449	T2YY0080
1515	倆	544B	944A	T2YZ0080
1516	值	544C	944B	T2Z00080
1517	借	544D	944C	T2Z10080
1518	倚	544E	944D	T2Z20080
1519	倒	544F	944E	T2Z30080
1520	們	5450	944F	T2Z40080
1521	俺	5451	9450	T2Z50080
1522	俵	5452	9451	T2Z60080
1523	偏	5453	9452	T2Z70080
1524	倨	5454	9453	T2Z80080
1525	俱	5455	9454	T2Z90080
1526	倡	5456	9455	T2ZA0080
1527	個	5457	9456	T2ZB0080
1528	候	5458	9457	T2ZC0080
1529	倘	5459	9458	T2ZD0080
1530	排	545A	9459	T2ZE0080
1531	修	545B	945A	T2ZF0080
1532	倭	545C	945B	T2ZG0080

Table 6 (Page 30 of 44). Primary CH-T (1/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1533	倪	545D	945C	T2ZH0080
1534	俾	545E	945D	T2ZI0080
1535	倫	545F	945E	T2ZJ0080
1536	倉	5460	945F	T2ZK0080
1537	兼	5461	9460	T2ZL0080
1538	冤	5462	9461	T2ZM0080
1539	冥	5463	9462	T2ZN0080
1540	冢	5464	9463	T2ZO0080
1541	凍	5465	9464	T2ZP0080
1542	凌	5466	9465	T2ZQ0080
1543	准	5467	9466	T2ZR0080
1544	凋	5468	9467	T2ZS0080
1545	剖	5469	9468	T2ZT0080
1546	剋	546A	9469	T2ZU0080
1547	剔	546B	946A	T2ZV0080
1548	剛	546C	946B	T2ZW0080
1549	剝	546D	946C	T2ZX0080
1550	匪	546E	946D	T2ZY0080
1551	卿	546F	946E	T2ZZ0080
1552	原	5470	946F	T3000080
1553	厝	5471	9470	T3010080
1554	叟	5472	9471	T3020080
1555	哨	5473	9472	T3030080
1556	唐	5474	9473	T3040080
1557	唁	5475	9474	T3050080
1558	嗜	5476	9475	T3060080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 6 (Page 31 of 44). Primary CH-T (1/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1559	哼	5477	9476	T3070080
1560	哥	5478	9477	T3080080
1561	哲	5479	9478	T3090080
1562	峻	547A	9479	T30A0080
1563	哺	547B	947A	T30B0080
1564	唔	547C	947B	T30C0080
1565	哩	547D	947C	T30D0080
1566	哭	547E	947D	T30E0080
1567	員	547F	947E	T30F0080
1568	唉	5481	9480	T30H0080
1569	哮	5482	9481	T30I0080
1570	哪	5483	9482	T30J0080
1571	哦	5484	9483	T30K0080
1572	唧	5485	9484	T30L0080
1573	唇	5486	9485	T30M0080
1574	哽	5487	9486	T30N0080
1575	唏	5488	9487	T30O0080
1576	圃	5489	9488	T30P0080
1577	圉	548A	9489	T30Q0080
1578	壞	548B	948A	T30R0080
1579	埔	548C	948B	T30S0080
1580	埋	548D	948C	T30T0080
1581	埃	548E	948D	T30U0080
1582	堉	548F	948E	T30V0080
1583	夏	5490	948F	T30W0080
1584	套	5491	9490	T30X0080

Table 6 (Page 31 of 44). Primary CH-T (1/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1585	奘	5492	9491	T30Y0080
1586	奚	5493	9492	T30Z0080
1587	娑	5494	9493	T3100080
1588	娘	5495	9494	T3110080
1589	娜	5496	9495	T3120080
1590	娟	5497	9496	T3130080
1591	娛	5498	9497	T3140080
1592	媿	5499	9498	T3150080
1593	姬	549A	9499	T3160080
1594	娠	549B	949A	T3170080
1595	娣	549C	949B	T3180080
1596	媿	549D	949C	T3190080
1597	娥	549E	949D	T31A0080
1598	媿	549F	949E	T31B0080
1599	媿	54A0	949F	T31C0080
1600	孫	54A1	94A0	T31D0080
1601	媿	54A2	94A1	T31E0080
1602	宰	54A3	94A2	T31F0080
1603	害	54A4	94A3	T31G0080
1604	家	54A5	94A4	T31H0080
1605	宴	54A6	94A5	T31I0080
1606	宮	54A7	94A6	T31J0080
1607	宵	54A8	94A7	T31K0080
1608	容	54A9	94A8	T31L0080
1609	宸	54AA	94A9	T31M0080
1610	射	54AB	94AA	T31N0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 6 (Page 32 of 44). Primary CH-T (1/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1611	屑	54AC	94AB	T31O0080
1612	展	54AD	94AC	T31P0080
1613	屐	54AE	94AD	T31Q0080
1614	峭	54AF	94AE	T31R0080
1615	峽	54B0	94AF	T31S0080
1616	峻	54B1	94B0	T31T0080
1617	峪	54B2	94B1	T31U0080
1618	峨	54B3	94B2	T31V0080
1619	峰	54B4	94B3	T31W0080
1620	島	54B5	94B4	T31X0080
1621	坎	54B6	94B5	T31Y0080
1622	峴	54B7	94B6	T31Z0080
1623	差	54B8	94B7	T3200080
1624	席	54B9	94B8	T3210080
1625	師	54BA	94B9	T3220080
1626	庫	54BB	94BA	T3230080
1627	庭	54BC	94BB	T3240080
1628	座	54BD	94BC	T3250080
1629	弱	54BE	94BD	T3260080
1630	徒	54BF	94BE	T3270080
1631	徑	54C0	94BF	T3280080
1632	徐	54C1	94C0	T3290080
1633	恙	54C2	94C1	T32A0080
1634	恣	54C3	94C2	T32B0080
1635	恥	54C4	94C3	T32C0080
1636	恐	54C5	94C4	T32D0080

Table 6 (Page 32 of 44). Primary CH-T (1/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1637	恕	54C6	94C5	T32E0080
1638	恭	54C7	94C6	T32F0080
1639	恩	54C8	94C7	T32G0080
1640	息	54C9	94C8	T32H0080
1641	悄	54CA	94C9	T32I0080
1642	悟	54CB	94CA	T32J0080
1643	悚	54CC	94CB	T32K0080
1644	悍	54CD	94CC	T32L0080
1645	悔	54CE	94CD	T32M0080
1646	悌	54CF	94CE	T32N0080
1647	悅	54D0	94CF	T32O0080
1648	悖	54D1	94D0	T32P0080
1649	扇	54D2	94D1	T32Q0080
1650	拳	54D3	94D2	T32R0080
1651	挈	54D4	94D3	T32S0080
1652	拿	54D5	94D4	T32T0080
1653	捎	54D6	94D5	T32U0080
1654	挾	54D7	94D6	T32V0080
1655	振	54D8	94D7	T32W0080
1656	捕	54D9	94D8	T32X0080
1657	拑	54DA	94D9	T32Y0080
1658	搨	54DB	94DA	T32Z0080
1659	捏	54DC	94DB	T3300080
1660	捉	54DD	94DC	T3310080
1661	挺	54DE	94DD	T3320080
1662	捐	54DF	94DE	T3330080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 6 (Page 33 of 44). Primary CH-T (1/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1663	挽	54E0	94DF	T3340080
1664	挪	54E1	94E0	T3350080
1665	挫	54E2	94E1	T3360080
1666	挨	54E3	94E2	T3370080
1667	捍	54E4	94E3	T3380080
1668	捌	54E5	94E4	T3390080
1669	效	54E6	94E5	T33A0080
1670	糲	54E7	94E6	T33B0080
1671	料	54E8	94E7	T33C0080
1672	旁	54E9	94E8	T33D0080
1673	旅	54EA	94E9	T33E0080
1674	時	54EB	94EA	T33F0080
1675	晉	54EC	94EB	T33G0080
1676	晏	54ED	94EC	T33H0080
1677	晃	54EE	94ED	T33I0080
1678	晒	54EF	94EE	T33J0080
1679	晌	54F0	94EF	T33K0080
1680	暄	54F1	94F0	T33L0080
1681	晁	54F2	94F1	T33M0080
1682	書	54F3	94F2	T33N0080
1683	朔	54F4	94F3	T33O0080
1684	朕	54F5	94F4	T33P0080
1685	朗	54F6	94F5	T33Q0080
1686	校	54F7	94F6	T33R0080
1687	核	54F8	94F7	T33S0080
1688	案	54F9	94F8	T33T0080

Table 6 (Page 33 of 44). Primary CH-T (1/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1689	框	54FA	94F9	T33U0080
1690	桓	54FB	94FA	T33V0080
1691	根	54FC	94FB	T33W0080
1692	桂	54FD	94FC	T33X0080
1693	桔	5541	9540	T3410080
1694	栩	5542	9541	T3420080
1695	梳	5543	9542	T3430080
1696	栗	5544	9543	T3440080
1697	桌	5545	9544	T3450080
1698	桑	5546	9545	T3460080
1699	栽	5547	9546	T3470080
1700	柴	5548	9547	T3480080
1701	桐	5549	9548	T3490080
1702	桀	554A	9549	T34A0080
1703	格	554B	954A	T34B0080
1704	桃	554C	954B	T34C0080
1705	株	554D	954C	T34D0080
1706	桅	554E	954D	T34E0080
1707	栓	554F	954E	T34F0080
1708	移	5550	954F	T34G0080
1709	桁	5551	9550	T34H0080
1710	殊	5552	9551	T34I0080
1711	殉	5553	9552	T34J0080
1712	殷	5554	9553	T34K0080
1713	氣	5555	9554	T34L0080
1714	氧	5556	9555	T34M0080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 6 (Page 34 of 44). Primary CH-T (1/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1715	氫	5557	9556	T34N0080
1716	氦	5558	9557	T34O0080
1717	氫	5559	9558	T34P0080
1718	泰	555A	9559	T34Q0080
1719	浪	555B	955A	T34R0080
1720	涕	555C	955B	T34S0080
1721	消	555D	955C	T34T0080
1722	涇	555E	955D	T34U0080
1723	浦	555F	955E	T34V0080
1724	浸	5560	955F	T34W0080
1725	海	5561	9560	T34X0080
1726	浙	5562	9561	T34Y0080
1727	涓	5563	9562	T34Z0080
1728	湮	5564	9563	T3500080
1729	涉	5565	9564	T3510080
1730	浮	5566	9565	T3520080
1731	浚	5567	9566	T3530080
1732	浴	5568	9567	T3540080
1733	浩	5569	9568	T3550080
1734	涌	556A	9569	T3560080
1735	忍	556B	956A	T3570080
1736	浹	556C	956B	T3580080
1737	湮	556D	956C	T3590080
1738	浥	556E	956D	T35A0080
1739	洿	556F	956E	T35B0080
1740	焯	5570	956F	T35C0080

Table 6 (Page 34 of 44). Primary CH-T (1/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1741	烘	5571	9570	T35D0080
1742	烤	5572	9571	T35E0080
1743	烙	5573	9572	T35F0080
1744	烈	5574	9573	T35G0080
1745	烏	5575	9574	T35H0080
1746	爹	5576	9575	T35I0080
1747	特	5577	9576	T35J0080
1748	狼	5578	9577	T35K0080
1749	狹	5579	9578	T35L0080
1750	猥	557A	9579	T35M0080
1751	狸	557B	957A	T35N0080
1752	狷	557C	957B	T35O0080
1753	兹	557D	957C	T35P0080
1754	班	557E	957D	T35Q0080
1755	琉	557F	957E	T35R0080
1756	珮	5581	9580	T35T0080
1757	珠	5582	9581	T35U0080
1758	珪	5583	9582	T35V0080
1759	珞	5584	9583	T35W0080
1760	畔	5585	9584	T35X0080
1761	畝	5586	9585	T35Y0080
1762	畜	5587	9586	T35Z0080
1763	畚	5588	9587	T3600080
1764	留	5589	9588	T3610080
1765	疾	558A	9589	T3620080
1766	病	558B	958A	T3630080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 6 (Page 35 of 44). Primary CH-T (1/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1767	症	558C	958B	T3640080
1768	疲	558D	958C	T3650080
1769	瘡	558E	958D	T3660080
1770	疽	558F	958E	T3670080
1771	疼	5590	958F	T3680080
1772	疹	5591	9590	T3690080
1773	痂	5592	9591	T36A0080
1774	疽	5593	9592	T36B0080
1775	皁	5594	9593	T36C0080
1776	炮	5595	9594	T36D0080
1777	益	5596	9595	T36E0080
1778	盍	5597	9596	T36F0080
1779	盍	5598	9597	T36G0080
1780	眩	5599	9598	T36H0080
1781	真	559A	9599	T36I0080
1782	眠	559B	959A	T36J0080
1783	眨	559C	959B	T36K0080
1784	矩	559D	959C	T36L0080
1785	碎	559E	959D	T36M0080
1786	砧	559F	959E	T36N0080
1787	砸	55A0	959F	T36O0080
1788	砧	55A1	95A0	T36P0080
1789	破	55A2	95A1	T36Q0080
1790	砷	55A3	95A2	T36R0080
1791	砥	55A4	95A3	T36S0080
1792	砭	55A5	95A4	T36T0080

Table 6 (Page 35 of 44). Primary CH-T (1/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1793	祖	55A6	95A5	T36U0080
1794	砑	55A7	95A6	T36V0080
1795	砲	55A8	95A7	T36W0080
1796	祕	55A9	95A8	T36X0080
1797	祐	55AA	95A9	T36Y0080
1798	祠	55AB	95AA	T36Z0080
1799	崇	55AC	95AB	T3700080
1800	祖	55AD	95AC	T3710080
1801	神	55AE	95AD	T3720080
1802	祝	55AF	95AE	T3730080
1803	祗	55B0	95AF	T3740080
1804	祚	55B1	95B0	T3750080
1805	秤	55B2	95B1	T3760080
1806	秣	55B3	95B2	T3770080
1807	秧	55B4	95B3	T3780080
1808	租	55B5	95B4	T3790080
1809	秦	55B6	95B5	T37A0080
1810	秩	55B7	95B6	T37B0080
1811	秘	55B8	95B7	T37C0080
1812	窄	55B9	95B8	T37D0080
1813	窈	55BA	95B9	T37E0080
1814	站	55BB	95BA	T37F0080
1815	筓	55BC	95BB	T37G0080
1816	笑	55BD	95BC	T37H0080
1817	粉	55BE	95BD	T37I0080
1818	紡	55BF	95BE	T37J0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 6 (Page 36 of 44). Primary CH-T (1/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1819	紗	55C0	95BF	T37K0080
1820	紋	55C1	95C0	T37L0080
1821	紊	55C2	95C1	T37M0080
1822	素	55C3	95C2	T37N0080
1823	索	55C4	95C3	T37O0080
1824	純	55C5	95C4	T37P0080
1825	紐	55C6	95C5	T37Q0080
1826	紕	55C7	95C6	T37R0080
1827	級	55C8	95C7	T37S0080
1828	紘	55C9	95C8	T37T0080
1829	納	55CA	95C9	T37U0080
1830	紙	55CB	95CA	T37V0080
1831	紛	55CC	95CB	T37W0080
1832	缺	55CD	95CC	T37X0080
1833	罟	55CE	95CD	T37Y0080
1834	羔	55CF	95CE	T37Z0080
1835	翹	55D0	95CF	T3800080
1836	翁	55D1	95D0	T3810080
1837	耆	55D2	95D1	T3820080
1838	耘	55D3	95D2	T3830080
1839	耕	55D4	95D3	T3840080
1840	耙	55D5	95D4	T3850080
1841	耗	55D6	95D5	T3860080
1842	耽	55D7	95D6	T3870080
1843	耿	55D8	95D7	T3880080
1844	胱	55D9	95D8	T3890080

Table 6 (Page 36 of 44). Primary CH-T (1/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1845	脂	55DA	95D9	T38A0080
1846	胰	55DB	95DA	T38B0080
1847	脅	55DC	95DB	T38C0080
1848	咽	55DD	95DC	T38D0080
1849	胴	55DE	95DD	T38E0080
1850	脆	55DF	95DE	T38F0080
1851	胸	55E0	95DF	T38G0080
1852	脗	55E1	95E0	T38H0080
1853	脈	55E2	95E1	T38I0080
1854	能	55E3	95E2	T38J0080
1855	脊	55E4	95E3	T38K0080
1856	胼	55E5	95E4	T38L0080
1857	胯	55E6	95E5	T38M0080
1858	臭	55E7	95E6	T38N0080
1859	臬	55E8	95E7	T38O0080
1860	筭	55E9	95E8	T38P0080
1861	舐	55EA	95E9	T38Q0080
1862	航	55EB	95EA	T38R0080
1863	舫	55EC	95EB	T38S0080
1864	舩	55ED	95EC	T38T0080
1865	般	55EE	95ED	T38U0080
1866	芻	55EF	95EE	T38V0080
1867	茫	55F0	95EF	T38W0080
1868	荒	55F1	95F0	T38X0080
1869	荔	55F2	95F1	T38Y0080
1870	荊	55F3	95F2	T38Z0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
1871	葺	55F4	95F3	T3900080
1872	荐	55F5	95F4	T3910080
1873	草	55F6	95F5	T3920080
1874	茵	55F7	95F6	T3930080
1875	茴	55F8	95F7	T3940080
1876	茺	55F9	95F8	T3950080
1877	茲	55FA	95F9	T3960080
1878	茹	55FB	95FA	T3970080
1879	荼	55FC	95FB	T3980080
1880	茗	55FD	95FC	T3990080
1881	荀	5641	9640	T39D0080
1882	茺	5642	9641	T39E0080
1883	茨	5643	9642	T39F0080
1884	荃	5644	9643	T39G0080
1885	虔	5645	9644	T39H0080
1886	蚊	5646	9645	T39I0080
1887	蚪	5647	9646	T39J0080
1888	蚪	5648	9647	T39K0080
1889	蚤	5649	9648	T39L0080
1890	蚩	564A	9649	T39M0080
1891	蚌	564B	964A	T39N0080
1892	蚣	564C	964B	T39O0080
1893	蚶	564D	964C	T39P0080
1894	衰	564E	964D	T39Q0080
1895	衷	564F	964E	T39R0080
1896	袁	5650	964F	T39S0080

Line Number	Graphic	Host Code	PC Code	GCGID
1897	袂	5651	9650	T39T0080
1898	衿	5652	9651	T39U0080
1899	衾	5653	9652	T39V0080
1900	記	5654	9653	T39W0080
1901	訐	5655	9654	T39X0080
1902	討	5656	9655	T39Y0080
1903	訶	5657	9656	T39Z0080
1904	訕	5658	9657	T3A00080
1905	訊	5659	9658	T3A10080
1906	託	565A	9659	T3A20080
1907	訓	565B	965A	T3A30080
1908	訖	565C	965B	T3A40080
1909	訐	565D	965C	T3A50080
1910	訑	565E	965D	T3A60080
1911	豈	565F	965E	T3A70080
1912	豸	5660	965F	T3A80080
1913	豹	5661	9660	T3A90080
1914	財	5662	9661	T3AA0080
1915	貢	5663	9662	T3AB0080
1916	起	5664	9663	T3AC0080
1917	躬	5665	9664	T3AD0080
1918	軒	5666	9665	T3AE0080
1919	軻	5667	9666	T3AF0080
1920	軋	5668	9667	T3AG0080
1921	辱	5669	9668	T3AH0080
1922	送	566A	9669	T3AI0080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 6 (Page 38 of 44). Primary CH-T (1/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1923	逆	566B	966A	T3AJ0080
1924	迷	566C	966B	T3AK0080
1925	退	566D	966C	T3AL0080
1926	迺	566E	966D	T3AM0080
1927	迴	566F	966E	T3AN0080
1928	逃	5670	966F	T3AO0080
1929	追	5671	9670	T3AP0080
1930	逅	5672	9671	T3AQ0080
1931	进	5673	9672	T3AR0080
1932	邕	5674	9673	T3AS0080
1933	郡	5675	9674	T3AT0080
1934	郝	5676	9675	T3AU0080
1935	郢	5677	9676	T3AV0080
1936	酒	5678	9677	T3AW0080
1937	配	5679	9678	T3AX0080
1938	酌	567A	9679	T3AY0080
1939	釘	567B	967A	T3AZ0080
1940	針	567C	967B	T3B00080
1941	釧	567D	967C	T3B10080
1942	釜	567E	967D	T3B20080
1943	針	567F	967E	T3B30080
1944	閃	5681	9680	T3B50080
1945	院	5682	9681	T3B60080
1946	陣	5683	9682	T3B70080
1947	陡	5684	9683	T3B80080
1948	陞	5685	9684	T3B90080

Table 6 (Page 38 of 44). Primary CH-T (1/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1949	陝	5686	9685	T3BA0080
1950	除	5687	9686	T3BB0080
1951	陘	5688	9687	T3BC0080
1952	陞	5689	9688	T3BD0080
1953	隻	568A	9689	T3BE0080
1954	飢	568B	968A	T3BF0080
1955	馬	568C	968B	T3BG0080
1956	骨	568D	968C	T3BH0080
1957	高	568E	968D	T3BI0080
1958	鬥	568F	968E	T3BJ0080
1959	鬲	5690	968F	T3BK0080
1960	鬼	5691	9690	T3BL0080
1961	乾	5692	9691	T3BM0080
1962	僭	5693	9692	T3BN0080
1963	偽	5694	9693	T3BO0080
1964	停	5695	9694	T3BP0080
1965	假	5696	9695	T3BQ0080
1966	偃	5697	9696	T3BR0080
1967	倭	5698	9697	T3BS0080
1968	做	5699	9698	T3BT0080
1969	偉	569A	9699	T3BU0080
1970	健	569B	969A	T3BV0080
1971	偶	569C	969B	T3BW0080
1972	俁	569D	969C	T3BX0080
1973	偕	569E	969D	T3BY0080
1974	偵	569F	969E	T3BZ0080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 6 (Page 39 of 44). Primary CH-T (1/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1975	側	56A0	969F	T3C00080
1976	儉	56A1	96A0	T3C10080
1977	偏	56A2	96A1	T3C20080
1978	倏	56A3	96A2	T3C30080
1979	倏	56A4	96A3	T3C40080
1980	徇	56A5	96A4	T3C50080
1981	兜	56A6	96A5	T3C60080
1982	冕	56A7	96A6	T3C70080
1983	凰	56A8	96A7	T3C80080
1984	剪	56A9	96A8	T3C90080
1985	副	56AA	96A9	T3CA0080
1986	勒	56AB	96AA	T3CB0080
1987	務	56AC	96AB	T3CC0080
1988	勘	56AD	96AC	T3CD0080
1989	動	56AE	96AD	T3CE0080
1990	匐	56AF	96AE	T3CF0080
1991	匏	56B0	96AF	T3CG0080
1992	匙	56B1	96B0	T3CH0080
1993	匿	56B2	96B1	T3CI0080
1994	區	56B3	96B2	T3CJ0080
1995	區	56B4	96B3	T3CK0080
1996	參	56B5	96B4	T3CL0080
1997	曼	56B6	96B5	T3CM0080
1998	商	56B7	96B6	T3CN0080
1999	啪	56B8	96B7	T3CO0080
2000	啦	56B9	96B8	T3CP0080

Table 6 (Page 39 of 44). Primary CH-T (1/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
2001	啄	56BA	96B9	T3CQ0080
2002	啞	56BB	96BA	T3CR0080
2003	啡	56BC	96BB	T3CS0080
2004	哨	56BD	96BC	T3CT0080
2005	啊	56BE	96BD	T3CU0080
2006	唱	56BF	96BE	T3CV0080
2007	啖	56C0	96BF	T3CW0080
2008	問	56C1	96C0	T3CX0080
2009	啣	56C2	96C1	T3CY0080
2010	唯	56C3	96C2	T3CZ0080
2011	啤	56C4	96C3	T3D00080
2012	唸	56C5	96C4	T3D10080
2013	售	56C6	96C5	T3D20080
2014	噉	56C7	96C6	T3D30080
2015	唬	56C8	96C7	T3D40080
2016	啣	56C9	96C8	T3D50080
2017	唳	56CA	96C9	T3D60080
2018	啣	56CB	96CA	T3D70080
2019	陷	56CC	96CB	T3D80080
2020	圈	56CD	96CC	T3D90080
2021	國	56CE	96CD	T3DA0080
2022	圍	56CF	96CE	T3DB0080
2023	域	56D0	96CF	T3DC0080
2024	堅	56D1	96D0	T3DD0080
2025	聖	56D2	96D1	T3DE0080
2026	堆	56D3	96D2	T3DF0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 6 (Page 40 of 44). Primary CH-T (1/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
2027	埠	56D4	96D3	T3DG0080
2028	埠	56D5	96D4	T3DH0080
2029	基	56D6	96D5	T3DI0080
2030	堂	56D7	96D6	T3DJ0080
2031	堵	56D8	96D7	T3DK0080
2032	執	56D9	96D8	T3DL0080
2033	培	56DA	96D9	T3DM0080
2034	狗	56DB	96DA	T3DN0080
2035	奢	56DC	96DB	T3DO0080
2036	娶	56DD	96DC	T3DP0080
2037	婁	56DE	96DD	T3DQ0080
2038	婉	56DF	96DE	T3DR0080
2039	婦	56E0	96DF	T3DS0080
2040	婪	56E1	96E0	T3DT0080
2041	婀	56E2	96E1	T3DU0080
2042	娼	56E3	96E2	T3DV0080
2043	婢	56E4	96E3	T3DW0080
2044	婚	56E5	96E4	T3DX0080
2045	婆	56E6	96E5	T3DY0080
2046	孃	56E7	96E6	T3DZ0080
2047	孰	56E8	96E7	T3E00080
2048	寇	56E9	96E8	T3E10080
2049	寅	56EA	96E9	T3E20080
2050	寄	56EB	96EA	T3E30080
2051	寂	56EC	96EB	T3E40080
2052	宿	56ED	96EC	T3E50080

Table 6 (Page 40 of 44). Primary CH-T (1/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
2053	密	56EE	96ED	T3E60080
2054	尉	56EF	96EE	T3E70080
2055	專	56F0	96EF	T3E80080
2056	將	56F1	96F0	T3E90080
2057	屠	56F2	96F1	T3EA0080
2058	屨	56F3	96F2	T3EB0080
2059	扉	56F4	96F3	T3EC0080
2060	崇	56F5	96F4	T3ED0080
2061	崆	56F6	96F5	T3EE0080
2062	崎	56F7	96F6	T3EF0080
2063	嶇	56F8	96F7	T3EG0080
2064	崖	56F9	96F8	T3EH0080
2065	崢	56FA	96F9	T3EI0080
2066	崑	56FB	96FA	T3EJ0080
2067	崩	56FC	96FB	T3EK0080
2068	崔	56FD	96FC	T3EL0080
2069	崙	5741	9740	T3EP0080
2070	崘	5742	9741	T3EQ0080
2071	崚	5743	9742	T3ER0080
2072	崗	5744	9743	T3ES0080
2073	巢	5745	9744	T3ET0080
2074	常	5746	9745	T3EU0080
2075	帶	5747	9746	T3EV0080
2076	帳	5748	9747	T3EW0080
2077	帷	5749	9748	T3EX0080
2078	康	574A	9749	T3EY0080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 6 (Page 41 of 44). Primary CH-T (1/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
2079	庸	574B	974A	T3EZ0080
2080	庶	574C	974B	T3F00080
2081	庵	574D	974C	T3F10080
2082	庾	574E	974D	T3F20080
2083	張	574F	974E	T3F30080
2084	強	5750	974F	T3F40080
2085	彗	5751	9750	T3F50080
2086	彬	5752	9751	T3F60080
2087	彩	5753	9752	T3F70080
2088	彫	5754	9753	T3F80080
2089	得	5755	9754	T3F90080
2090	徙	5756	9755	T3FA0080
2091	從	5757	9756	T3FB0080
2092	徘	5758	9757	T3FC0080
2093	御	5759	9758	T3FD0080
2094	徠	575A	9759	T3FE0080
2095	徇	575B	975A	T3FF0080
2096	患	575C	975B	T3FG0080
2097	患	575D	975C	T3FH0080
2098	悉	575E	975D	T3FI0080
2099	悠	575F	975E	T3FJ0080
2100	您	5760	975F	T3FK0080
2101	惋	5761	9760	T3FL0080
2102	悴	5762	9761	T3FM0080
2103	悒	5763	9762	T3FN0080
2104	悽	5764	9763	T3FO0080

Table 6 (Page 41 of 44). Primary CH-T (1/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
2105	情	5765	9764	T3FP0080
2106	悻	5766	9765	T3FQ0080
2107	悵	5767	9766	T3FR0080
2108	惜	5768	9767	T3FS0080
2109	悼	5769	9768	T3FT0080
2110	惘	576A	9769	T3FU0080
2111	惕	576B	976A	T3FV0080
2112	惆	576C	976B	T3FW0080
2113	惟	576D	976C	T3FX0080
2114	悸	576E	976D	T3FY0080
2115	惚	576F	976E	T3FZ0080
2116	惇	5770	976F	T3G00080
2117	戚	5771	9770	T3G10080
2118	夏	5772	9771	T3G20080
2119	扈	5773	9772	T3G30080
2120	掠	5774	9773	T3G40080
2121	控	5775	9774	T3G50080
2122	捲	5776	9775	T3G60080
2123	掖	5777	9776	T3G70080
2124	探	5778	9777	T3G80080
2125	接	5779	9778	T3G90080
2126	捷	577A	9779	T3GA0080
2127	捧	577B	977A	T3GB0080
2128	掘	577C	977B	T3GC0080
2129	措	577D	977C	T3GD0080
2130	捱	577E	977D	T3GE0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 6 (Page 42 of 44). Primary CH-T (1/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
2131	掩	577F	977E	T3GF0080
2132	掉	5781	9780	T3GH0080
2133	掃	5782	9781	T3GI0080
2134	掛	5783	9782	T3GJ0080
2135	捫	5784	9783	T3GK0080
2136	推	5785	9784	T3GL0080
2137	掄	5786	9785	T3GM0080
2138	授	5787	9786	T3GN0080
2139	掙	5788	9787	T3GO0080
2140	採	5789	9788	T3GP0080
2141	掬	578A	9789	T3GQ0080
2142	排	578B	978A	T3GR0080
2143	掏	578C	978B	T3GS0080
2144	掀	578D	978C	T3GT0080
2145	捻	578E	978D	T3GU0080
2146	捩	578F	978E	T3GV0080
2147	捨	5790	978F	T3GW0080
2148	捺	5791	9790	T3GX0080
2149	敝	5792	9791	T3GY0080
2150	敖	5793	9792	T3GZ0080
2151	救	5794	9793	T3H00080
2152	教	5795	9794	T3H10080
2153	敗	5796	9795	T3H20080
2154	啟	5797	9796	T3H30080
2155	敏	5798	9797	T3H40080
2156	敘	5799	9798	T3H50080

Table 6 (Page 42 of 44). Primary CH-T (1/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
2157	敕	579A	9799	T3H60080
2158	敵	579B	979A	T3H70080
2159	斜	579C	979B	T3H80080
2160	斛	579D	979C	T3H90080
2161	斬	579E	979D	T3HA0080
2162	族	579F	979E	T3HB0080
2163	旋	57A0	979F	T3HC0080
2164	旌	57A1	97A0	T3HD0080
2165	旄	57A2	97A1	T3HE0080
2166	晝	57A3	97A2	T3HF0080
2167	晚	57A4	97A3	T3HG0080
2168	晤	57A5	97A4	T3HH0080
2169	晨	57A6	97A5	T3HI0080
2170	晦	57A7	97A6	T3HJ0080
2171	晞	57A8	97A7	T3HK0080
2172	曹	57A9	97A8	T3HL0080
2173	勗	57AA	97A9	T3HM0080
2174	望	57AB	97AA	T3HN0080
2175	梁	57AC	97AB	T3HO0080
2176	梯	57AD	97AC	T3HP0080
2177	梢	57AE	97AD	T3HQ0080
2178	梓	57AF	97AE	T3HR0080
2179	梵	57B0	97AF	T3HS0080
2180	桿	57B1	97B0	T3HT0080
2181	桶	57B2	97B1	T3HU0080
2182	梱	57B3	97B2	T3HV0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 6 (Page 43 of 44). Primary CH-T (1/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
2183	梧	57B4	97B3	T3HW0080
2184	梗	57B5	97B4	T3HX0080
2185	械	57B6	97B5	T3HY0080
2186	挺	57B7	97B6	T3HZ0080
2187	棄	57B8	97B7	T3I00080
2188	梭	57B9	97B8	T3I10080
2189	梆	57BA	97B9	T3I20080
2190	梅	57BB	97BA	T3I30080
2191	梔	57BC	97BB	T3I40080
2192	條	57BD	97BC	T3I50080
2193	梨	57BE	97BD	T3I60080
2194	臬	57BF	97BE	T3I70080
2195	梔	57C0	97BF	T3I80080
2196	椽	57C1	97C0	T3I90080
2197	欲	57C2	97C1	T3IA0080
2198	殺	57C3	97C2	T3IB0080
2199	毫	57C4	97C3	T3IC0080
2200	毳	57C5	97C4	T3ID0080
2201	氫	57C6	97C5	T3IE0080
2202	涎	57C7	97C6	T3IF0080
2203	涼	57C8	97C7	T3IG0080
2204	淳	57C9	97C8	T3IH0080
2205	淙	57CA	97C9	T3II0080
2206	液	57CB	97CA	T3IJ0080
2207	淡	57CC	97CB	T3IK0080
2208	滄	57CD	97CC	T3IL0080

Table 6 (Page 43 of 44). Primary CH-T (1/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
2209	淤	57CE	97CD	T3IM0080
2210	添	57CF	97CE	T3IN0080
2211	淺	57D0	97CF	T3IO0080
2212	清	57D1	97D0	T3IP0080
2213	淇	57D2	97D1	T3IQ0080
2214	淋	57D3	97D2	T3IR0080
2215	涯	57D4	97D3	T3IS0080
2216	淑	57D5	97D4	T3IT0080
2217	澗	57D6	97D5	T3IU0080
2218	淞	57D7	97D6	T3IV0080
2219	淹	57D8	97D7	T3IW0080
2220	涸	57D9	97D8	T3IX0080
2221	混	57DA	97D9	T3IY0080
2222	淵	57DB	97DA	T3IZ0080
2223	浙	57DC	97DB	T3J00080
2224	淒	57DD	97DC	T3J10080
2225	渚	57DE	97DD	T3J20080
2226	涵	57DF	97DE	T3J30080
2227	淚	57E0	97DF	T3J40080
2228	淫	57E1	97E0	T3J50080
2229	淘	57E2	97E1	T3J60080
2230	淪	57E3	97E2	T3J70080
2231	深	57E4	97E3	T3J80080
2232	淮	57E5	97E4	T3J90080
2233	淨	57E6	97E5	T3JA0080
2234	滄	57E7	97E6	T3JB0080

**IBM Traditional Chinese Graphic Character Set**

DBCS - Host and DBCS - PC

Table 6 (Page 44 of 44). Primary CH-T (1/3), DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
2235	溜	57E8	97E7	T3JC0080
2236	涪	57E9	97E8	T3JD0080
2237	淬	57EA	97E9	T3JE0080
2238	涿	57EB	97EA	T3JF0080
2239	淦	57EC	97EB	T3JG0080
2240	烹	57ED	97EC	T3JH0080
2241	焉	57EE	97ED	T3JI0080
2242	焯	57EF	97EE	T3JJ0080
2243	烽	57F0	97EF	T3JK0080
2244	烯	57F1	97F0	T3JL0080
2245	爽	57F2	97F1	T3JM0080
2246	牽	57F3	97F2	T3JN0080
2247	犁	57F4	97F3	T3JO0080
2248	猜	57F5	97F4	T3JP0080
2249	猛	57F6	97F5	T3JQ0080
2250	猖	57F7	97F6	T3JR0080
2251	獐	57F8	97F7	T3JS0080
2252	猙	57F9	97F8	T3JT0080
2253	率	57FA	97F9	T3JU0080
2254	琅	57FB	97FA	T3JV0080
2255	琊	57FC	97FB	T3JW0080
2256	球	57FD	97FC	T3JX0080

**IBM Traditional Chinese Graphic Character Set**

DBCS - Host and DBCS - PC

8.3 Primary Chinese Set (2 of 3)

Line Number	Graphic	Host Code	PC Code	GCGID
1	理	5841	9840	T3K10080
2	現	5842	9841	T3K20080
3	琺	5843	9842	T3K30080
4	瓠	5844	9843	T3K40080
5	瓶	5845	9844	T3K50080
6	瓷	5846	9845	T3K60080
7	甜	5847	9846	T3K70080
8	產	5848	9847	T3K80080
9	略	5849	9848	T3K90080
10	畦	584A	9849	T3KA0080
11	畢	584B	984A	T3KB0080
12	異	584C	984B	T3KC0080
13	疏	584D	984C	T3KD0080
14	痔	584E	984D	T3KE0080
15	痕	584F	984E	T3KF0080
16	疵	5850	984F	T3KG0080
17	瘡	5851	9850	T3KH0080
18	瘻	5852	9851	T3KI0080
19	咬	5853	9852	T3KJ0080
20	盃	5854	9853	T3KK0080
21	盒	5855	9854	T3KL0080
22	盛	5856	9855	T3KM0080
23	眷	5857	9856	T3KN0080
24	眾	5858	9857	T3KO0080

Line Number	Graphic	Host Code	PC Code	GCGID
25	眼	5859	9858	T3KP0080
26	睚	585A	9859	T3KQ0080
27	眸	585B	985A	T3KR0080
28	眺	585C	985B	T3KS0080
29	硫	585D	985C	T3KT0080
30	硃	585E	985D	T3KU0080
31	礪	585F	985E	T3KV0080
32	祥	5860	985F	T3KW0080
33	票	5861	9860	T3KX0080
34	祭	5862	9861	T3KY0080
35	移	5863	9862	T3KZ0080
36	窻	5864	9863	T3L00080
37	窳	5865	9864	T3L10080
38	笠	5866	9865	T3L20080
39	笨	5867	9866	T3L30080
40	笛	5868	9867	T3L40080
41	第	5869	9868	T3L50080
42	符	586A	9869	T3L60080
43	笙	586B	986A	T3L70080
44	簪	586C	986B	T3L80080
45	竿	586D	986C	T3L90080
46	粒	586E	986D	T3LA0080
47	粗	586F	986E	T3LB0080
48	粕	5870	986F	T3LC0080
49	絆	5871	9870	T3LD0080
50	絃	5872	9871	T3LE0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
51	統	5873	9872	T3LF0080
52	紮	5874	9873	T3LG0080
53	紹	5875	9874	T3LH0080
54	紉	5876	9875	T3LI0080
55	紕	5877	9876	T3LJ0080
56	細	5878	9877	T3LK0080
57	紳	5879	9878	T3LL0080
58	組	587A	9879	T3LM0080
59	累	587B	987A	T3LN0080
60	終	587C	987B	T3LO0080
61	紕	587D	987C	T3LP0080
62	紕	587E	987D	T3LQ0080
63	紕	587F	987E	T3LR0080
64	羞	5881	9880	T3LT0080
65	矜	5882	9881	T3LU0080
66	翌	5883	9882	T3LV0080
67	翎	5884	9883	T3LW0080
68	習	5885	9884	T3LX0080
69	耜	5886	9885	T3LY0080
70	聊	5887	9886	T3LZ0080
71	聆	5888	9887	T3M00080
72	脯	5889	9888	T3M10080
73	脬	588A	9889	T3M20080
74	脣	588B	988A	T3M30080
75	脫	588C	988B	T3M40080
76	脣	588D	988C	T3M50080

Line Number	Graphic	Host Code	PC Code	GCGID
77	脰	588E	988D	T3M60080
78	脰	588F	988E	T3M70080
79	春	5890	988F	T3M80080
80	舵	5891	9890	T3M90080
81	舷	5892	9891	T3MA0080
82	舶	5893	9892	T3MB0080
83	船	5894	9893	T3MC0080
84	莎	5895	9894	T3MD0080
85	莞	5896	9895	T3ME0080
86	莘	5897	9896	T3MF0080
87	苧	5898	9897	T3MG0080
88	莢	5899	9898	T3MH0080
89	莖	589A	9899	T3MI0080
90	莽	589B	989A	T3MJ0080
91	莫	589C	989B	T3MK0080
92	苜	589D	989C	T3ML0080
93	莊	589E	989D	T3MM0080
94	莓	589F	989E	T3MN0080
95	莉	58A0	989F	T3MO0080
96	莠	58A1	98A0	T3MP0080
97	荷	58A2	98A1	T3MQ0080
98	荻	58A3	98A2	T3MR0080
99	茶	58A4	98A3	T3MS0080
100	莆	58A5	98A4	T3MT0080
101	莧	58A6	98A5	T3MU0080
102	處	58A7	98A6	T3MV0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
103	彪	58A8	98A7	T3MW0080
104	蛇	58A9	98A8	T3MX0080
105	蛙	58AA	98A9	T3MY0080
106	蚶	58AB	98AA	T3MZ0080
107	蛄	58AC	98AB	T3N00080
108	蚶	58AD	98AC	T3N10080
109	蛆	58AE	98AD	T3N20080
110	蛋	58AF	98AE	T3N30080
111	蚱	58B0	98AF	T3N40080
112	蚯	58B1	98B0	T3N50080
113	蛉	58B2	98B1	T3N60080
114	術	58B3	98B2	T3N70080
115	袞	58B4	98B3	T3N80080
116	袞	58B5	98B4	T3N90080
117	被	58B6	98B5	T3NA0080
118	袒	58B7	98B6	T3NB0080
119	袖	58B8	98B7	T3NC0080
120	袍	58B9	98B8	T3ND0080
121	袋	58BA	98B9	T3NE0080
122	覓	58BB	98BA	T3NF0080
123	規	58BC	98BB	T3NG0080
124	訪	58BD	98BC	T3NH0080
125	訝	58BE	98BD	T3NI0080
126	訣	58BF	98BE	T3NJ0080
127	訥	58C0	98BF	T3NK0080
128	許	58C1	98C0	T3NL0080

Line Number	Graphic	Host Code	PC Code	GCGID
129	設	58C2	98C1	T3NM0080
130	訟	58C3	98C2	T3NN0080
131	訛	58C4	98C3	T3NO0080
132	訢	58C5	98C4	T3NP0080
133	鼓	58C6	98C5	T3NQ0080
134	豚	58C7	98C6	T3NR0080
135	販	58C8	98C7	T3NS0080
136	責	58C9	98C8	T3NT0080
137	貫	58CA	98C9	T3NU0080
138	貨	58CB	98CA	T3NV0080
139	貪	58CC	98CB	T3NW0080
140	貧	58CD	98CC	T3NX0080
141	赧	58CE	98CD	T3NY0080
142	赦	58CF	98CE	T3NZ0080
143	趾	58D0	98CF	T3O00080
144	跌	58D1	98D0	T3O10080
145	輓	58D2	98D1	T3O20080
146	軟	58D3	98D2	T3O30080
147	這	58D4	98D3	T3O40080
148	逍	58D5	98D4	T3O50080
149	通	58D6	98D5	T3O60080
150	逗	58D7	98D6	T3O70080
151	連	58D8	98D7	T3O80080
152	速	58D9	98D8	T3O90080
153	逝	58DA	98D9	T3OA0080
154	逐	58DB	98DA	T3OB0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
155	逕	58DC	98DB	T3OC0080
156	逞	58DD	98DC	T3OD0080
157	造	58DE	98DD	T3OE0080
158	透	58DF	98DE	T3OF0080
159	逢	58E0	98DF	T3OG0080
160	逃	58E1	98E0	T3OH0080
161	逛	58E2	98E1	T3OI0080
162	途	58E3	98E2	T3OJ0080
163	部	58E4	98E3	T3OK0080
164	郭	58E5	98E4	T3OL0080
165	都	58E6	98E5	T3OM0080
166	酬	58E7	98E6	T3ON0080
167	野	58E8	98E7	T3OO0080
168	釵	58E9	98E8	T3OP0080
169	釳	58EA	98E9	T3OQ0080
170	鈞	58EB	98EA	T3OR0080
171	釧	58EC	98EB	T3OS0080
172	釹	58ED	98EC	T3OT0080
173	釩	58EE	98ED	T3OU0080
174	閉	58EF	98EE	T3OV0080
175	陪	58F0	98EF	T3OW0080
176	陵	58F1	98F0	T3OX0080
177	陳	58F2	98F1	T3OY0080
178	陸	58F3	98F2	T3OZ0080
179	陰	58F4	98F3	T3P00080
180	陣	58F5	98F4	T3P10080

Line Number	Graphic	Host Code	PC Code	GCGID
181	陶	58F6	98F5	T3P20080
182	陷	58F7	98F6	T3P30080
183	陬	58F8	98F7	T3P40080
184	雀	58F9	98F8	T3P50080
185	雪	58FA	98F9	T3P60080
186	零	58FB	98FA	T3P70080
187	章	58FC	98FB	T3P80080
188	竟	58FD	98FC	T3P90080
189	頂	5941	9940	T3PD0080
190	頃	5942	9941	T3PE0080
191	魚	5943	9942	T3PF0080
192	鳥	5944	9943	T3PG0080
193	鹵	5945	9944	T3PH0080
194	鹿	5946	9945	T3PI0080
195	麥	5947	9946	T3PJ0080
196	麻	5948	9947	T3PK0080
197	傢	5949	9948	T3PL0080
198	傍	594A	9949	T3PM0080
199	傅	594B	994A	T3PN0080
200	備	594C	994B	T3PO0080
201	傑	594D	994C	T3PP0080
202	傀	594E	994D	T3PQ0080
203	愴	594F	994E	T3PR0080
204	傘	5950	994F	T3PS0080
205	傲	5951	9950	T3PT0080
206	最	5952	9951	T3PU0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 7 (Page 5 of 44). Primary CH-T (2/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
207	凱	5953	9952	T3PV0080
208	割	5954	9953	T3PW0080
209	剴	5955	9954	T3PX0080
210	創	5956	9955	T3PY0080
211	剩	5957	9956	T3PZ0080
212	勞	5958	9957	T3Q00080
213	勝	5959	9958	T3Q10080
214	勛	595A	9959	T3Q20080
215	博	595B	995A	T3Q30080
216	厥	595C	995B	T3Q40080
217	畜	595D	995C	T3Q50080
218	喀	595E	995D	T3Q60080
219	暄	595F	995E	T3Q70080
220	啼	5960	995F	T3Q80080
221	喊	5961	9960	T3Q90080
222	喝	5962	9961	T3QA0080
223	喘	5963	9962	T3QB0080
224	喂	5964	9963	T3QC0080
225	喜	5965	9964	T3QD0080
226	喪	5966	9965	T3QE0080
227	喔	5967	9966	T3QF0080
228	喇	5968	9967	T3QG0080
229	喋	5969	9968	T3QH0080
230	喃	596A	9969	T3QI0080
231	喳	596B	996A	T3QJ0080
232	單	596C	996B	T3QK0080

Table 7 (Page 5 of 44). Primary CH-T (2/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
233	喟	596D	996C	T3QL0080
234	唾	596E	996D	T3QM0080
235	啲	596F	996E	T3QN0080
236	喚	5970	996F	T3QO0080
237	喻	5971	9970	T3QP0080
238	喬	5972	9971	T3QQ0080
239	喱	5973	9972	T3QR0080
240	啾	5974	9973	T3QS0080
241	喉	5975	9974	T3QT0080
242	喫	5976	9975	T3QU0080
243	喙	5977	9976	T3QV0080
244	圍	5978	9977	T3QW0080
245	堯	5979	9978	T3QX0080
246	堪	597A	9979	T3QY0080
247	場	597B	997A	T3QZ0080
248	堤	597C	997B	T3R00080
249	堰	597D	997C	T3R10080
250	報	597E	997D	T3R20080
251	堡	597F	997E	T3R30080
252	塙	5981	9980	T3R50080
253	堠	5982	9981	T3R60080
254	壹	5983	9982	T3R70080
255	壺	5984	9983	T3R80080
256	奠	5985	9984	T3R90080
257	婷	5986	9985	T3RA0080
258	媚	5987	9986	T3RB0080



IBM Traditional Chinese Graphic Character Set


DBCS - Host and DBCS - PC

Table 7 (Page 6 of 44). Primary CH-T (2/3), DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
259	婿	5988	9987	T3RC0080
260	媒	5989	9988	T3RD0080
261	媛	598A	9989	T3RE0080
262	媯	598B	998A	T3RF0080
263	孳	598C	998B	T3RG0080
264	孱	598D	998C	T3RH0080
265	寒	598E	998D	T3RI0080
266	富	598F	998E	T3RJ0080
267	寓	5990	998F	T3RK0080
268	寐	5991	9990	T3RL0080
269	尊	5992	9991	T3RM0080
270	尋	5993	9992	T3RN0080
271	就	5994	9993	T3RO0080
272	嵌	5995	9994	T3RP0080
273	嵐	5996	9995	T3RQ0080
274	歲	5997	9996	T3RR0080
275	嵇	5998	9997	T3RS0080
276	巽	5999	9998	T3RT0080
277	幅	599A	9999	T3RU0080
278	帽	599B	999A	T3RV0080
279	幘	599C	999B	T3RW0080
280	幃	599D	999C	T3RX0080
281	幾	599E	999D	T3RY0080
282	廊	599F	999E	T3RZ0080
283	廁	59A0	999F	T3S00080
284	廂	59A1	99A0	T3S10080

Table 7 (Page 6 of 44). Primary CH-T (2/3), DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
285	廢	59A2	99A1	T3S20080
286	粥	59A3	99A2	T3S30080
287	彭	59A4	99A3	T3S40080
288	復	59A5	99A4	T3S50080
289	循	59A6	99A5	T3S60080
290	徨	59A7	99A6	T3S70080
291	惑	59A8	99A7	T3S80080
292	惡	59A9	99A8	T3S90080
293	悲	59AA	99A9	T3SA0080
294	悶	59AB	99AA	T3SB0080
295	惠	59AC	99AB	T3SC0080
296	愜	59AD	99AC	T3SD0080
297	愣	59AE	99AD	T3SE0080
298	惺	59AF	99AE	T3SF0080
299	愕	59B0	99AF	T3SG0080
300	惰	59B1	99B0	T3SH0080
301	惻	59B2	99B1	T3SI0080
302	喘	59B3	99B2	T3SJ0080
303	慨	59B4	99B3	T3SK0080
304	惱	59B5	99B4	T3SL0080
305	復	59B6	99B5	T3SM0080
306	惶	59B7	99B6	T3SN0080
307	愉	59B8	99B7	T3SO0080
308	愀	59B9	99B8	T3SP0080
309	悒	59BA	99B9	T3SQ0080
310	載	59BB	99BA	T3SR0080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 7 (Page 7 of 44). Primary CH-T (2/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
311	扉	59BC	99BB	T3SS0080
312	掣	59BD	99BC	T3ST0080
313	掌	59BE	99BD	T3SU0080
314	描	59BF	99BE	T3SV0080
315	揀	59C0	99BF	T3SW0080
316	措	59C1	99C0	T3SX0080
317	揉	59C2	99C1	T3SY0080
318	揆	59C3	99C2	T3SZ0080
319	揆	59C4	99C3	T3T00080
320	插	59C5	99C4	T3T10080
321	揣	59C6	99C5	T3T20080
322	提	59C7	99C6	T3T30080
323	握	59C8	99C7	T3T40080
324	捐	59C9	99C8	T3T50080
325	揭	59CA	99C9	T3T60080
326	揮	59CB	99CA	T3T70080
327	捶	59CC	99CB	T3T80080
328	援	59CD	99CC	T3T90080
329	揪	59CE	99CD	T3TA0080
330	換	59CF	99CE	T3TB0080
331	擢	59D0	99CF	T3TC0080
332	揚	59D1	99D0	T3TD0080
333	措	59D2	99D1	T3TE0080
334	敞	59D3	99D2	T3TF0080
335	敦	59D4	99D3	T3TG0080
336	敢	59D5	99D4	T3TH0080

Table 7 (Page 7 of 44). Primary CH-T (2/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
337	散	59D6	99D5	T3TI0080
338	斑	59D7	99D6	T3TJ0080
339	斐	59D8	99D7	T3TK0080
340	斯	59D9	99D8	T3TL0080
341	普	59DA	99D9	T3TM0080
342	晰	59DB	99DA	T3TN0080
343	晴	59DC	99DB	T3TO0080
344	晶	59DD	99DC	T3TP0080
345	景	59DE	99DD	T3TQ0080
346	暑	59DF	99DE	T3TR0080
347	智	59E0	99DF	T3TS0080
348	晾	59E1	99E0	T3TT0080
349	晷	59E2	99E1	T3TU0080
350	曾	59E3	99E2	T3TV0080
351	替	59E4	99E3	T3TW0080
352	期	59E5	99E4	T3TX0080
353	朝	59E6	99E5	T3TY0080
354	棺	59E7	99E6	T3TZ0080
355	棕	59E8	99E7	T3U00080
356	棠	59E9	99E8	T3U10080
357	棘	59EA	99E9	T3U20080
358	棗	59EB	99EA	T3U30080
359	椅	59EC	99EB	T3U40080
360	棟	59ED	99EC	T3U50080
361	棵	59EE	99ED	T3U60080
362	森	59EF	99EE	T3U70080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
363	棧	59F0	99EF	T3U80080
364	棹	59F1	99F0	T3U90080
365	棒	59F2	99F1	T3UA0080
366	棲	59F3	99F2	T3UB0080
367	棣	59F4	99F3	T3UC0080
368	棋	59F5	99F4	T3UD0080
369	棍	59F6	99F5	T3UE0080
370	植	59F7	99F6	T3UF0080
371	椒	59F8	99F7	T3UG0080
372	椎	59F9	99F8	T3UH0080
373	棉	59FA	99F9	T3UI0080
374	棚	59FB	99FA	T3UJ0080
375	楮	59FC	99FB	T3UK0080
376	桑	59FD	99FC	T3UL0080
377	款	5A41	9A40	T3UP0080
378	欺	5A42	9A41	T3UQ0080
379	欽	5A43	9A42	T3UR0080
380	殘	5A44	9A43	T3US0080
381	殖	5A45	9A44	T3UT0080
382	殼	5A46	9A45	T3UU0080
383	毯	5A47	9A46	T3UV0080
384	氮	5A48	9A47	T3UW0080
385	氣	5A49	9A48	T3UX0080
386	氫	5A4A	9A49	T3UY0080
387	港	5A4B	9A4A	T3UZ0080
388	游	5A4C	9A4B	T3V00080

Line Number	Graphic	Host Code	PC Code	GCGID
389	湔	5A4D	9A4C	T3V10080
390	渡	5A4E	9A4D	T3V20080
391	渲	5A4F	9A4E	T3V30080
392	湧	5A50	9A4F	T3V40080
393	湊	5A51	9A50	T3V50080
394	渠	5A52	9A51	T3V60080
395	渥	5A53	9A52	T3V70080
396	渣	5A54	9A53	T3V80080
397	減	5A55	9A54	T3V90080
398	湛	5A56	9A55	T3VA0080
399	湘	5A57	9A56	T3VB0080
400	渤	5A58	9A57	T3VC0080
401	湖	5A59	9A58	T3VD0080
402	湮	5A5A	9A59	T3VE0080
403	渭	5A5B	9A5A	T3VF0080
404	渦	5A5C	9A5B	T3VG0080
405	湯	5A5D	9A5C	T3VH0080
406	渴	5A5E	9A5D	T3VI0080
407	湍	5A5F	9A5E	T3VJ0080
408	渺	5A60	9A5F	T3VK0080
409	測	5A61	9A60	T3VL0080
410	湃	5A62	9A61	T3VM0080
411	渝	5A63	9A62	T3VN0080
412	渾	5A64	9A63	T3VO0080
413	滋	5A65	9A64	T3VP0080
414	漑	5A66	9A65	T3VQ0080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 7 (Page 9 of 44). Primary CH-T (2/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
415	渙	5A67	9A66	T3VR0080
416	涵	5A68	9A67	T3VS0080
417	潛	5A69	9A68	T3VT0080
418	湄	5A6A	9A69	T3VU0080
419	浚	5A6B	9A6A	T3VV0080
420	漣	5A6C	9A6B	T3VW0080
421	湟	5A6D	9A6C	T3VX0080
422	焙	5A6E	9A6D	T3VY0080
423	焚	5A6F	9A6E	T3VZ0080
424	焦	5A70	9A6F	T3W00080
425	焰	5A71	9A70	T3W10080
426	無	5A72	9A71	T3W20080
427	然	5A73	9A72	T3W30080
428	煮	5A74	9A73	T3W40080
429	焜	5A75	9A74	T3W50080
430	牌	5A76	9A75	T3W60080
431	犄	5A77	9A76	T3W70080
432	犀	5A78	9A77	T3W80080
433	猶	5A79	9A78	T3W90080
434	猥	5A7A	9A79	T3WA0080
435	猴	5A7B	9A7A	T3WB0080
436	猩	5A7C	9A7B	T3WC0080
437	珙	5A7D	9A7C	T3WD0080
438	琪	5A7E	9A7D	T3WE0080
439	琳	5A7F	9A7E	T3WF0080
440	琢	5A81	9A80	T3WH0080

Table 7 (Page 9 of 44). Primary CH-T (2/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
441	琥	5A82	9A81	T3WI0080
442	毳	5A83	9A82	T3WJ0080
443	琶	5A84	9A83	T3WK0080
444	琴	5A85	9A84	T3WL0080
445	琯	5A86	9A85	T3WM0080
446	琛	5A87	9A86	T3WN0080
447	琦	5A88	9A87	T3WO0080
448	琨	5A89	9A88	T3WP0080
449	甥	5A8A	9A89	T3WQ0080
450	甦	5A8B	9A8A	T3WR0080
451	畫	5A8C	9A8B	T3WS0080
452	番	5A8D	9A8C	T3WT0080
453	痢	5A8E	9A8D	T3WU0080
454	痛	5A8F	9A8E	T3WV0080
455	痣	5A90	9A8F	T3WW0080
456	瘥	5A91	9A90	T3WX0080
457	痘	5A92	9A91	T3WY0080
458	痞	5A93	9A92	T3WZ0080
459	痠	5A94	9A93	T3X00080
460	登	5A95	9A94	T3X10080
461	發	5A96	9A95	T3X20080
462	皖	5A97	9A96	T3X30080
463	皓	5A98	9A97	T3X40080
464	皴	5A99	9A98	T3X50080
465	盜	5A9A	9A99	T3X60080
466	瞋	5A9B	9A9A	T3X70080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 7 (Page 10 of 44). Primary CH-T (2/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
467	短	5A9C	9A9B	T3X80080
468	硝	5A9D	9A9C	T3X90080
469	硬	5A9E	9A9D	T3XA0080
470	硯	5A9F	9A9E	T3XB0080
471	稍	5AA0	9A9F	T3XC0080
472	稈	5AA1	9AA0	T3XD0080
473	程	5AA2	9AA1	T3XE0080
474	稅	5AA3	9AA2	T3XF0080
475	稀	5AA4	9AA3	T3XG0080
476	睿	5AA5	9AA4	T3XH0080
477	窗	5AA6	9AA5	T3XI0080
478	睿	5AA7	9AA6	T3XJ0080
479	童	5AA8	9AA7	T3XK0080
480	竣	5AA9	9AA8	T3XL0080
481	等	5AAA	9AA9	T3XM0080
482	策	5AAB	9AAA	T3XN0080
483	筆	5AAC	9AAB	T3XO0080
484	筐	5AAD	9AAC	T3XP0080
485	筒	5AAE	9AAD	T3XQ0080
486	答	5AAF	9AAE	T3XR0080
487	筍	5AB0	9AAF	T3XS0080
488	筋	5AB1	9AB0	T3XT0080
489	筏	5AB2	9AB1	T3XU0080
490	筑	5AB3	9AB2	T3XV0080
491	粟	5AB4	9AB3	T3XW0080
492	粥	5AB5	9AB4	T3XX0080

Table 7 (Page 10 of 44). Primary CH-T (2/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
493	絞	5AB6	9AB5	T3XY0080
494	結	5AB7	9AB6	T3XZ0080
495	絨	5AB8	9AB7	T3Y00080
496	絕	5AB9	9AB8	T3Y10080
497	紫	5ABA	9AB9	T3Y20080
498	絮	5ABB	9ABA	T3Y30080
499	絲	5ABC	9ABB	T3Y40080
500	絡	5ABD	9ABC	T3Y50080
501	給	5ABE	9ABD	T3Y60080
502	絢	5ABF	9ABE	T3Y70080
503	經	5AC0	9ABF	T3Y80080
504	絳	5AC1	9AC0	T3Y90080
505	善	5AC2	9AC1	T3YA0080
506	翔	5AC3	9AC2	T3YB0080
507	翕	5AC4	9AC3	T3YC0080
508	耄	5AC5	9AC4	T3YD0080
509	聒	5AC6	9AC5	T3YE0080
510	肅	5AC7	9AC6	T3YF0080
511	腕	5AC8	9AC7	T3YG0080
512	腔	5AC9	9AC8	T3YH0080
513	腋	5ACA	9AC9	T3YI0080
514	腑	5ACB	9ACA	T3YJ0080
515	腎	5ACC	9ACB	T3YK0080
516	脹	5ACD	9ACC	T3YL0080
517	腆	5ACE	9ACD	T3YM0080
518	脾	5ACF	9ACE	T3YN0080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 7 (Page 11 of 44). Primary CH-T (2/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
519	臄	5AD0	9ACF	T3YO0080
520	腓	5AD1	9AD0	T3YP0080
521	腴	5AD2	9AD1	T3YQ0080
522	舒	5AD3	9AD2	T3YR0080
523	舜	5AD4	9AD3	T3YS0080
524	菩	5AD5	9AD4	T3YT0080
525	萃	5AD6	9AD5	T3YU0080
526	菸	5AD7	9AD6	T3YV0080
527	萍	5AD8	9AD7	T3YW0080
528	菠	5AD9	9AD8	T3YX0080
529	菅	5ADA	9AD9	T3YY0080
530	萋	5ADB	9ADA	T3YZ0080
531	菁	5ADC	9ADB	T3Z00080
532	華	5ADD	9ADC	T3Z10080
533	菱	5ADE	9ADD	T3Z20080
534	菴	5ADF	9ADE	T3Z30080
535	著	5AE0	9ADF	T3Z40080
536	萊	5AE1	9AE0	T3Z50080
537	菰	5AE2	9AE1	T3Z60080
538	萌	5AE3	9AE2	T3Z70080
539	菌	5AE4	9AE3	T3Z80080
540	菽	5AE5	9AE4	T3Z90080
541	菲	5AE6	9AE5	T3ZA0080
542	菊	5AE7	9AE6	T3ZB0080
543	萸	5AE8	9AE7	T3ZC0080
544	萎	5AE9	9AE8	T3ZD0080

Table 7 (Page 11 of 44). Primary CH-T (2/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
545	葡	5AEA	9AE9	T3ZE0080
546	萊	5AEB	9AEA	T3ZF0080
547	萇	5AEC	9AEB	T3ZG0080
548	蕨	5AED	9AEC	T3ZH0080
549	菟	5AEE	9AED	T3ZI0080
550	虛	5AEF	9AEE	T3ZJ0080
551	蛟	5AF0	9AEF	T3ZK0080
552	蛙	5AF1	9AF0	T3ZL0080
553	蛭	5AF2	9AF1	T3ZM0080
554	蛔	5AF3	9AF2	T3ZN0080
555	蛛	5AF4	9AF3	T3ZO0080
556	蛤	5AF5	9AF4	T3ZP0080
557	蚰	5AF6	9AF5	T3ZQ0080
558	蛞	5AF7	9AF6	T3ZR0080
559	街	5AF8	9AF7	T3ZS0080
560	裁	5AF9	9AF8	T3ZT0080
561	裂	5AFA	9AF9	T3ZU0080
562	袂	5AFB	9AFA	T3ZV0080
563	覃	5AFC	9AFB	T3ZW0080
564	視	5AFD	9AFC	T3ZX0080
565	註	5B41	9B40	T4010080
566	詠	5B42	9B41	T4020080
567	評	5B43	9B42	T4030080
568	詞	5B44	9B43	T4040080
569	証	5B45	9B44	T4050080
570	詰	5B46	9B45	T4060080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 7 (Page 12 of 44). Primary CH-T (2/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
571	詔	5B47	9B46	T4070080
572	詛	5B48	9B47	T4080080
573	詐	5B49	9B48	T4090080
574	詆	5B4A	9B49	T40A0080
575	訴	5B4B	9B4A	T40B0080
576	診	5B4C	9B4B	T40C0080
577	訶	5B4D	9B4C	T40D0080
578	諛	5B4E	9B4D	T40E0080
579	象	5B4F	9B4E	T40F0080
580	貂	5B50	9B4F	T40G0080
581	貯	5B51	9B50	T40H0080
582	貼	5B52	9B51	T40I0080
583	貳	5B53	9B52	T40J0080
584	貽	5B54	9B53	T40K0080
585	賁	5B55	9B54	T40L0080
586	費	5B56	9B55	T40M0080
587	賀	5B57	9B56	T40N0080
588	貴	5B58	9B57	T40O0080
589	買	5B59	9B58	T40P0080
590	貶	5B5A	9B59	T40Q0080
591	賈	5B5B	9B5A	T40R0080
592	貸	5B5C	9B5B	T40S0080
593	越	5B5D	9B5C	T40T0080
594	超	5B5E	9B5D	T40U0080
595	趁	5B5F	9B5E	T40V0080
596	跔	5B60	9B5F	T40W0080

Table 7 (Page 12 of 44). Primary CH-T (2/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
597	距	5B61	9B60	T40X0080
598	跋	5B62	9B61	T40Y0080
599	跚	5B63	9B62	T40Z0080
600	跑	5B64	9B63	T4100080
601	跌	5B65	9B64	T4110080
602	跛	5B66	9B65	T4120080
603	跣	5B67	9B66	T4130080
604	軻	5B68	9B67	T4140080
605	軸	5B69	9B68	T4150080
606	軼	5B6A	9B69	T4160080
607	辜	5B6B	9B6A	T4170080
608	逮	5B6C	9B6B	T4180080
609	達	5B6D	9B6C	T4190080
610	週	5B6E	9B6D	T41A0080
611	逸	5B6F	9B6E	T41B0080
612	進	5B70	9B6F	T41C0080
613	透	5B71	9B70	T41D0080
614	鄂	5B72	9B71	T41E0080
615	郵	5B73	9B72	T41F0080
616	鄉	5B74	9B73	T41G0080
617	鄆	5B75	9B74	T41H0080
618	酣	5B76	9B75	T41I0080
619	酥	5B77	9B76	T41J0080
620	量	5B78	9B77	T41K0080
621	鈔	5B79	9B78	T41L0080
622	鈕	5B7A	9B79	T41M0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 7 (Page 13 of 44). Primary CH-T (2/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
623	鈣	5B7B	9B7A	T41N0080
624	鈉	5B7C	9B7B	T41O0080
625	鈞	5B7D	9B7C	T41P0080
626	鈍	5B7E	9B7D	T41Q0080
627	鈐	5B7F	9B7E	T41R0080
628	鈇	5B81	9B80	T41T0080
629	鈈	5B82	9B81	T41U0080
630	閔	5B83	9B82	T41V0080
631	閏	5B84	9B83	T41W0080
632	開	5B85	9B84	T41X0080
633	閑	5B86	9B85	T41Y0080
634	間	5B87	9B86	T41Z0080
635	閒	5B88	9B87	T4200080
636	閎	5B89	9B88	T4210080
637	隊	5B8A	9B89	T4220080
638	階	5B8B	9B8A	T4230080
639	隋	5B8C	9B8B	T4240080
640	陽	5B8D	9B8C	T4250080
641	隅	5B8E	9B8D	T4260080
642	隆	5B8F	9B8E	T4270080
643	隍	5B90	9B8F	T4280080
644	陞	5B91	9B90	T4290080
645	隄	5B92	9B91	T42A0080
646	雁	5B93	9B92	T42B0080
647	雅	5B94	9B93	T42C0080
648	雄	5B95	9B94	T42D0080

Table 7 (Page 13 of 44). Primary CH-T (2/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
649	集	5B96	9B95	T42E0080
650	雇	5B97	9B96	T42F0080
651	雯	5B98	9B97	T42G0080
652	雲	5B99	9B98	T42H0080
653	韌	5B9A	9B99	T42I0080
654	項	5B9B	9B9A	T42J0080
655	順	5B9C	9B9B	T42K0080
656	須	5B9D	9B9C	T42L0080
657	飧	5B9E	9B9D	T42M0080
658	飪	5B9F	9B9E	T42N0080
659	飯	5BA0	9B9F	T42O0080
660	飽	5BA1	9BA0	T42P0080
661	飲	5BA2	9BA1	T42Q0080
662	飭	5BA3	9BA2	T42R0080
663	馮	5BA4	9BA3	T42S0080
664	馭	5BA5	9BA4	T42T0080
665	黃	5BA6	9BA5	T42U0080
666	黍	5BA7	9BA6	T42V0080
667	黑	5BA8	9BA7	T42W0080
668	亂	5BA9	9BA8	T42X0080
669	備	5BAA	9BA9	T42Y0080
670	債	5BAB	9BAA	T42Z0080
671	傲	5BAC	9BAB	T4300080
672	傳	5BAD	9BAC	T4310080
673	僅	5BAE	9BAD	T4320080
674	傾	5BAF	9BAE	T4330080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 7 (Page 14 of 44). Primary CH-T (2/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
675	催	5BB0	9BAF	T4340080
676	傷	5BB1	9BB0	T4350080
677	傻	5BB2	9BB1	T4360080
678	億	5BB3	9BB2	T4370080
679	嚮	5BB4	9BB3	T4380080
680	剿	5BB5	9BB4	T4390080
681	剷	5BB6	9BB5	T43A0080
682	剽	5BB7	9BB6	T43B0080
683	募	5BB8	9BB7	T43C0080
684	勩	5BB9	9BB8	T43D0080
685	勤	5BBA	9BB9	T43E0080
686	勢	5BBB	9BBA	T43F0080
687	勦	5BBC	9BBB	T43G0080
688	匯	5BBD	9BBC	T43H0080
689	嗟	5BBE	9BBD	T43I0080
690	嗨	5BBF	9BBE	T43J0080
691	噪	5BC0	9BBF	T43K0080
692	噤	5BC1	9BC0	T43L0080
693	嗎	5BC2	9BC1	T43M0080
694	嗜	5BC3	9BC2	T43N0080
695	嗇	5BC4	9BC3	T43O0080
696	嗑	5BC5	9BC4	T43P0080
697	嗣	5BC6	9BC5	T43Q0080
698	嗑	5BC7	9BC6	T43R0080
699	噁	5BC8	9BC7	T43S0080
700	嗚	5BC9	9BC8	T43T0080

Table 7 (Page 14 of 44). Primary CH-T (2/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
701	噲	5BCA	9BC9	T43U0080
702	嗅	5BCB	9BCA	T43V0080
703	噲	5BCC	9BCB	T43W0080
704	嗒	5BCD	9BCC	T43X0080
705	噤	5BCE	9BCD	T43Y0080
706	園	5BCF	9BCE	T43Z0080
707	圓	5BD0	9BCF	T4400080
708	塞	5BD1	9BD0	T4410080
709	塑	5BD2	9BD1	T4420080
710	塘	5BD3	9BD2	T4430080
711	塗	5BD4	9BD3	T4440080
712	塚	5BD5	9BD4	T4450080
713	塔	5BD6	9BD5	T4460080
714	墳	5BD7	9BD6	T4470080
715	塌	5BD8	9BD7	T4480080
716	塹	5BD9	9BD8	T4490080
717	塊	5BDA	9BD9	T44A0080
718	塢	5BDB	9BDA	T44B0080
719	塢	5BDC	9BDB	T44C0080
720	塹	5BDD	9BDC	T44D0080
721	奧	5BDE	9BDD	T44E0080
722	嫁	5BDF	9BDE	T44F0080
723	嫉	5BE0	9BDF	T44G0080
724	嫌	5BE1	9BE0	T44H0080
725	媾	5BE2	9BE1	T44I0080
726	媽	5BE3	9BE2	T44J0080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 7 (Page 15 of 44). Primary CH-T (2/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
727	媪	5BE4	9BE3	T44K0080
728	媳	5BE5	9BE4	T44L0080
729	嫂	5BE6	9BE5	T44M0080
730	媼	5BE7	9BE6	T44N0080
731	嵩	5BE8	9BE7	T44O0080
732	嗟	5BE9	9BE8	T44P0080
733	幌	5BEA	9BE9	T44Q0080
734	幹	5BEB	9BEA	T44R0080
735	廉	5BEC	9BEB	T44S0080
736	廈	5BED	9BEC	T44T0080
737	絨	5BEE	9BED	T44U0080
738	彙	5BEF	9BEE	T44V0080
739	徬	5BF0	9BEF	T44W0080
740	微	5BF1	9BF0	T44X0080
741	愚	5BF2	9BF1	T44Y0080
742	意	5BF3	9BF2	T44Z0080
743	慈	5BF4	9BF3	T4500080
744	感	5BF5	9BF4	T4510080
745	想	5BF6	9BF5	T4520080
746	愛	5BF7	9BF6	T4530080
747	惹	5BF8	9BF7	T4540080
748	愁	5BF9	9BF8	T4550080
749	愈	5BFA	9BF9	T4560080
750	慎	5BFB	9BFA	T4570080
751	慌	5BFC	9BFB	T4580080
752	慄	5BFD	9BFC	T4590080

Table 7 (Page 15 of 44). Primary CH-T (2/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
753	慍	5C41	9C40	T45D0080
754	愾	5C42	9C41	T45E0080
755	愴	5C43	9C42	T45F0080
756	愧	5C44	9C43	T45G0080
757	愍	5C45	9C44	T45H0080
758	愆	5C46	9C45	T45I0080
759	愷	5C47	9C46	T45J0080
760	戲	5C48	9C47	T45K0080
761	戢	5C49	9C48	T45L0080
762	搓	5C4A	9C49	T45M0080
763	搾	5C4B	9C4A	T45N0080
764	搞	5C4C	9C4B	T45O0080
765	搪	5C4D	9C4C	T45P0080
766	搭	5C4E	9C4D	T45Q0080
767	搽	5C4F	9C4E	T45R0080
768	搬	5C50	9C4F	T45S0080
769	搏	5C51	9C50	T45T0080
770	搜	5C52	9C51	T45U0080
771	搔	5C53	9C52	T45V0080
772	損	5C54	9C53	T45W0080
773	搶	5C55	9C54	T45X0080
774	搖	5C56	9C55	T45Y0080
775	搗	5C57	9C56	T45Z0080
776	搆	5C58	9C57	T4600080
777	敬	5C59	9C58	T4610080
778	斟	5C5A	9C59	T4620080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 7 (Page 16 of 44). Primary CH-T (2/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
779	新	5C5B	9C5A	T4630080
780	暗	5C5C	9C5B	T4640080
781	暉	5C5D	9C5C	T4650080
782	暇	5C5E	9C5D	T4660080
783	暈	5C5F	9C5E	T4670080
784	暖	5C60	9C5F	T4680080
785	暄	5C61	9C60	T4690080
786	暘	5C62	9C61	T46A0080
787	暘	5C63	9C62	T46B0080
788	會	5C64	9C63	T46C0080
789	榔	5C65	9C64	T46D0080
790	業	5C66	9C65	T46E0080
791	楚	5C67	9C66	T46F0080
792	楷	5C68	9C67	T46G0080
793	楠	5C69	9C68	T46H0080
794	楔	5C6A	9C69	T46I0080
795	極	5C6B	9C6A	T46J0080
796	椰	5C6C	9C6B	T46K0080
797	概	5C6D	9C6C	T46L0080
798	楊	5C6E	9C6D	T46M0080
799	楨	5C6F	9C6E	T46N0080
800	楫	5C70	9C6F	T46O0080
801	楞	5C71	9C70	T46P0080
802	楓	5C72	9C71	T46Q0080
803	楹	5C73	9C72	T46R0080
804	榆	5C74	9C73	T46S0080

Table 7 (Page 16 of 44). Primary CH-T (2/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
805	棟	5C75	9C74	T46T0080
806	楣	5C76	9C75	T46U0080
807	榭	5C77	9C76	T46V0080
808	歇	5C78	9C77	T46W0080
809	歲	5C79	9C78	T46X0080
810	毀	5C7A	9C79	T46Y0080
811	殿	5C7B	9C7A	T46Z0080
812	毓	5C7C	9C7B	T4700080
813	璉	5C7D	9C7C	T4710080
814	溢	5C7E	9C7D	T4720080
815	溯	5C7F	9C7E	T4730080
816	滓	5C81	9C80	T4750080
817	溶	5C82	9C81	T4760080
818	滂	5C83	9C82	T4770080
819	源	5C84	9C83	T4780080
820	溝	5C85	9C84	T4790080
821	滇	5C86	9C85	T47A0080
822	滅	5C87	9C86	T47B0080
823	溥	5C88	9C87	T47C0080
824	溘	5C89	9C88	T47D0080
825	溼	5C8A	9C89	T47E0080
826	溺	5C8B	9C8A	T47F0080
827	温	5C8C	9C8B	T47G0080
828	滑	5C8D	9C8C	T47H0080
829	準	5C8E	9C8D	T47I0080
830	溜	5C8F	9C8E	T47J0080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 7 (Page 17 of 44). Primary CH-T (2/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
831	滄	5C90	9C8F	T47K0080
832	滔	5C91	9C90	T47L0080
833	溪	5C92	9C91	T47M0080
834	溧	5C93	9C92	T47N0080
835	溴	5C94	9C93	T47O0080
836	煎	5C95	9C94	T47P0080
837	煙	5C96	9C95	T47Q0080
838	煩	5C97	9C96	T47R0080
839	煤	5C98	9C97	T47S0080
840	煉	5C99	9C98	T47T0080
841	照	5C9A	9C99	T47U0080
842	煜	5C9B	9C9A	T47V0080
843	煬	5C9C	9C9B	T47W0080
844	煦	5C9D	9C9C	T47X0080
845	煌	5C9E	9C9D	T47Y0080
846	煥	5C9F	9C9E	T47Z0080
847	煞	5CA0	9C9F	T4800080
848	煨	5CA1	9CA0	T4810080
849	煨	5CA2	9CA1	T4820080
850	煖	5CA3	9CA2	T4830080
851	爺	5CA4	9CA3	T4840080
852	牒	5CA5	9CA4	T4850080
853	猷	5CA6	9CA5	T4860080
854	獅	5CA7	9CA6	T4870080
855	猿	5CA8	9CA7	T4880080
856	狷	5CA9	9CA8	T4890080

Table 7 (Page 17 of 44). Primary CH-T (2/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
857	瑯	5CAA	9CA9	T48A0080
858	瑚	5CAB	9CAA	T48B0080
859	瑕	5CAC	9CAB	T48C0080
860	瑟	5CAD	9CAC	T48D0080
861	瑞	5CAE	9CAD	T48E0080
862	瑁	5CAF	9CAE	T48F0080
863	瑋	5CB0	9CAF	T48G0080
864	璫	5CB1	9CB0	T48H0080
865	瑛	5CB2	9CB1	T48I0080
866	瑜	5CB3	9CB2	T48J0080
867	嘗	5CB4	9CB3	T48K0080
868	畸	5CB5	9CB4	T48L0080
869	痧	5CB6	9CB5	T48M0080
870	痰	5CB7	9CB6	T48N0080
871	瘁	5CB8	9CB7	T48O0080
872	痲	5CB9	9CB8	T48P0080
873	痲	5CBA	9CB9	T48Q0080
874	痺	5CBB	9CBA	T48R0080
875	痿	5CBC	9CBB	T48S0080
876	痲	5CBD	9CBC	T48T0080
877	痲	5CBE	9CBD	T48U0080
878	盞	5CBF	9CBE	T48V0080
879	盟	5CC0	9CBF	T48W0080
880	睛	5CC1	9CC0	T48X0080
881	睫	5CC2	9CC1	T48Y0080
882	睦	5CC3	9CC2	T48Z0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 7 (Page 18 of 44). Primary CH-T (2/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
883	瞭	5CC4	9CC3	T4900080
884	督	5CC5	9CC4	T4910080
885	睹	5CC6	9CC5	T4920080
886	翠	5CC7	9CC6	T4930080
887	睬	5CC8	9CC7	T4940080
888	睜	5CC9	9CC8	T4950080
889	睥	5CCA	9CC9	T4960080
890	睨	5CCB	9CCA	T4970080
891	睚	5CCC	9CCB	T4980080
892	矮	5CCD	9CCC	T4990080
893	碎	5CCE	9CCD	T49A0080
894	碰	5CCF	9CCE	T49B0080
895	碗	5CD0	9CCF	T49C0080
896	碘	5CD1	9CD0	T49D0080
897	碌	5CD2	9CD1	T49E0080
898	碯	5CD3	9CD2	T49F0080
899	礪	5CD4	9CD3	T49G0080
900	碑	5CD5	9CD4	T49H0080
901	碓	5CD6	9CD5	T49I0080
902	磴	5CD7	9CD6	T49J0080
903	祺	5CD8	9CD7	T49K0080
904	祿	5CD9	9CD8	T49L0080
905	禁	5CDA	9CD9	T49M0080
906	萬	5CDB	9CDA	T49N0080
907	禽	5CDC	9CDB	T49O0080
908	稜	5CDD	9CDC	T49P0080

Table 7 (Page 18 of 44). Primary CH-T (2/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
909	稚	5CDE	9CDD	T49Q0080
910	稠	5CDF	9CDE	T49R0080
911	稔	5CE0	9CDF	T49S0080
912	稟	5CE1	9CE0	T49T0080
913	稞	5CE2	9CE1	T49U0080
914	窟	5CE3	9CE2	T49V0080
915	窠	5CE4	9CE3	T49W0080
916	篾	5CE5	9CE4	T49X0080
917	節	5CE6	9CE5	T49Y0080
918	筠	5CE7	9CE6	T49Z0080
919	筮	5CE8	9CE7	T4A00080
920	筧	5CE9	9CE8	T4A10080
921	梁	5CEA	9CE9	T4A20080
922	粳	5CEB	9CEA	T4A30080
923	粵	5CEC	9CEB	T4A40080
924	經	5CED	9CEC	T4A50080
925	絹	5CEE	9CED	T4A60080
926	網	5CEF	9CEE	T4A70080
927	綁	5CF0	9CEF	T4A80080
928	綏	5CF1	9CF0	T4A90080
929	條	5CF2	9CF1	T4AA0080
930	置	5CF3	9CF2	T4AB0080
931	罩	5CF4	9CF3	T4AC0080
932	罪	5CF5	9CF4	T4AD0080
933	署	5CF6	9CF5	T4AE0080
934	義	5CF7	9CF6	T4AF0080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 7 (Page 19 of 44). Primary CH-T (2/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
935	羨	5CF8	9CF7	T4AG0080
936	群	5CF9	9CF8	T4AH0080
937	聖	5CFA	9CF9	T4AI0080
938	聘	5CFB	9CFA	T4AJ0080
939	肆	5CFC	9CFB	T4AK0080
940	肆	5CFD	9CFC	T4AL0080
941	臄	5D41	9D40	T4AP0080
942	腰	5D42	9D41	T4AQ0080
943	腸	5D43	9D42	T4AR0080
944	腥	5D44	9D43	T4AS0080
945	腮	5D45	9D44	T4AT0080
946	腳	5D46	9D45	T4AU0080
947	腫	5D47	9D46	T4AV0080
948	腹	5D48	9D47	T4AW0080
949	腺	5D49	9D48	T4AX0080
950	腦	5D4A	9D49	T4AY0080
951	舅	5D4B	9D4A	T4AZ0080
952	艇	5D4C	9D4B	T4B00080
953	蒂	5D4D	9D4C	T4B10080
954	葦	5D4E	9D4D	T4B20080
955	落	5D4F	9D4E	T4B30080
956	萱	5D50	9D4F	T4B40080
957	葵	5D51	9D50	T4B50080
958	葦	5D52	9D51	T4B60080
959	葫	5D53	9D52	T4B70080
960	葉	5D54	9D53	T4B80080

Table 7 (Page 19 of 44). Primary CH-T (2/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
961	葬	5D55	9D54	T4B90080
962	葛	5D56	9D55	T4BA0080
963	萼	5D57	9D56	T4BB0080
964	萼	5D58	9D57	T4BC0080
965	葡	5D59	9D58	T4BD0080
966	董	5D5A	9D59	T4BE0080
967	葩	5D5B	9D5A	T4BF0080
968	葭	5D5C	9D5B	T4BG0080
969	葆	5D5D	9D5C	T4BH0080
970	虞	5D5E	9D5D	T4BI0080
971	虞	5D5F	9D5E	T4BJ0080
972	號	5D60	9D5F	T4BK0080
973	蛹	5D61	9D60	T4BL0080
974	蜓	5D62	9D61	T4BM0080
975	蜈	5D63	9D62	T4BN0080
976	蜚	5D64	9D63	T4BO0080
977	蜀	5D65	9D64	T4BP0080
978	蛾	5D66	9D65	T4BQ0080
979	蛻	5D67	9D66	T4BR0080
980	蜂	5D68	9D67	T4BS0080
981	蜃	5D69	9D68	T4BT0080
982	蜆	5D6A	9D69	T4BU0080
983	蜊	5D6B	9D6A	T4BV0080
984	衙	5D6C	9D6B	T4BW0080
985	裴	5D6D	9D6C	T4BX0080
986	裔	5D6E	9D6D	T4BY0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 7 (Page 20 of 44). Primary CH-T (2/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
987	裙	5D6F	9D6E	T4BZ0080
988	補	5D70	9D6F	T4C00080
989	裘	5D71	9D70	T4C10080
990	裝	5D72	9D71	T4C20080
991	裡	5D73	9D72	T4C30080
992	裊	5D74	9D73	T4C40080
993	裕	5D75	9D74	T4C50080
994	裒	5D76	9D75	T4C60080
995	覘	5D77	9D76	T4C70080
996	解	5D78	9D77	T4C80080
997	詫	5D79	9D78	T4C90080
998	該	5D7A	9D79	T4CA0080
999	詳	5D7B	9D7A	T4CB0080
1000	試	5D7C	9D7B	T4CC0080
1001	詩	5D7D	9D7C	T4CD0080
1002	詰	5D7E	9D7D	T4CE0080
1003	誇	5D7F	9D7E	T4CF0080
1004	談	5D81	9D80	T4CH0080
1005	詣	5D82	9D81	T4CI0080
1006	誠	5D83	9D82	T4CJ0080
1007	話	5D84	9D83	T4CK0080
1008	誅	5D85	9D84	T4CL0080
1009	詭	5D86	9D85	T4CM0080
1010	詢	5D87	9D86	T4CN0080
1011	詮	5D88	9D87	T4CO0080
1012	詬	5D89	9D88	T4CP0080

Table 7 (Page 20 of 44). Primary CH-T (2/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1013	詹	5D8A	9D89	T4CQ0080
1014	諮	5D8B	9D8A	T4CR0080
1015	訾	5D8C	9D8B	T4CS0080
1016	設	5D8D	9D8C	T4CT0080
1017	豢	5D8E	9D8D	T4CU0080
1018	貂	5D8F	9D8E	T4CV0080
1019	貉	5D90	9D8F	T4CW0080
1020	賊	5D91	9D90	T4CX0080
1021	資	5D92	9D91	T4CY0080
1022	賈	5D93	9D92	T4CZ0080
1023	賄	5D94	9D93	T4D00080
1024	賁	5D95	9D94	T4D10080
1025	賃	5D96	9D95	T4D20080
1026	賂	5D97	9D96	T4D30080
1027	賅	5D98	9D97	T4D40080
1028	跡	5D99	9D98	T4D50080
1029	跟	5D9A	9D99	T4D60080
1030	跨	5D9B	9D9A	T4D70080
1031	路	5D9C	9D9B	T4D80080
1032	跳	5D9D	9D9C	T4D90080
1033	蹂	5D9E	9D9D	T4DA0080
1034	跪	5D9F	9D9E	T4DB0080
1035	跤	5DA0	9D9F	T4DC0080
1036	踈	5DA1	9DA0	T4DD0080
1037	躑	5DA2	9DA1	T4DE0080
1038	較	5DA3	9DA2	T4DF0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 7 (Page 21 of 44). Primary CH-T (2/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1039	載	5DA4	9DA3	T4DG0080
1040	軾	5DA5	9DA4	T4DH0080
1041	輕	5DA6	9DA5	T4DI0080
1042	辟	5DA7	9DA6	T4DJ0080
1043	農	5DA8	9DA7	T4DK0080
1044	運	5DA9	9DA8	T4DL0080
1045	遊	5DAA	9DA9	T4DM0080
1046	道	5DAB	9DAA	T4DN0080
1047	遂	5DAC	9DAB	T4DO0080
1048	達	5DAD	9DAC	T4DP0080
1049	逼	5DAE	9DAD	T4DQ0080
1050	違	5DAF	9DAE	T4DR0080
1051	遐	5DB0	9DAF	T4DS0080
1052	遇	5DB1	9DB0	T4DT0080
1053	遏	5DB2	9DB1	T4DU0080
1054	過	5DB3	9DB2	T4DV0080
1055	遍	5DB4	9DB3	T4DW0080
1056	遑	5DB5	9DB4	T4DX0080
1057	逾	5DB6	9DB5	T4DY0080
1058	遁	5DB7	9DB6	T4DZ0080
1059	鄒	5DB8	9DB7	T4E00080
1060	郇	5DB9	9DB8	T4E10080
1061	酬	5DBA	9DB9	T4E20080
1062	酪	5DBB	9DBA	T4E30080
1063	酪	5DBC	9DBB	T4E40080
1064	釉	5DBD	9DBC	T4E50080

Table 7 (Page 21 of 44). Primary CH-T (2/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1065	鈷	5DBE	9DBD	T4E60080
1066	鉗	5DBF	9DBE	T4E70080
1067	鉞	5DC0	9DBF	T4E80080
1068	鉞	5DC1	9DC0	T4E90080
1069	鉀	5DC2	9DC1	T4EA0080
1070	鈾	5DC3	9DC2	T4EB0080
1071	鉛	5DC4	9DC3	T4EC0080
1072	鈹	5DC5	9DC4	T4ED0080
1073	鈷	5DC6	9DC5	T4EE0080
1074	鉑	5DC7	9DC6	T4EF0080
1075	鈐	5DC8	9DC7	T4EG0080
1076	鉉	5DC9	9DC8	T4EH0080
1077	鈷	5DCA	9DC9	T4EI0080
1078	鉅	5DCB	9DCA	T4EJ0080
1079	鉞	5DCC	9DCB	T4EK0080
1080	鈿	5DCD	9DCC	T4EL0080
1081	鉈	5DCE	9DCD	T4EM0080
1082	閘	5DCF	9DCE	T4EN0080
1083	隘	5DD0	9DCF	T4EO0080
1084	隔	5DD1	9DD0	T4EP0080
1085	隕	5DD2	9DD1	T4EQ0080
1086	雍	5DD3	9DD2	T4ER0080
1087	雋	5DD4	9DD3	T4ES0080
1088	雉	5DD5	9DD4	T4ET0080
1089	雉	5DD6	9DD5	T4EU0080
1090	雷	5DD7	9DD6	T4EV0080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 7 (Page 22 of 44). Primary CH-T (2/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1091	電	5DD8	9DD7	T4EW0080
1092	電	5DD9	9DD8	T4EX0080
1093	零	5DDA	9DD9	T4EY0080
1094	靖	5ddb	9DDA	T4EZ0080
1095	靴	5DDC	9ddb	T4F00080
1096	靶	5DDD	9DDC	T4F10080
1097	預	5DDE	9DDD	T4F20080
1098	頑	5DDF	9DDE	T4F30080
1099	頓	5DE0	9DDF	T4F40080
1100	瑣	5DE1	9DE0	T4F50080
1101	頒	5DE2	9DE1	T4F60080
1102	頌	5DE3	9DE2	T4F70080
1103	飼	5DE4	9DE3	T4F80080
1104	飴	5DE5	9DE4	T4F90080
1105	飽	5DE6	9DE5	T4FA0080
1106	飾	5DE7	9DE6	T4FB0080
1107	馳	5DE8	9DE7	T4FC0080
1108	馱	5DE9	9DE8	T4FD0080
1109	馴	5DEA	9DE9	T4FE0080
1110	髡	5DEB	9DEA	T4FF0080
1111	鳩	5DEC	9DEB	T4FG0080
1112	甕	5DED	9DEC	T4FH0080
1113	鼎	5DEE	9DED	T4FI0080
1114	鼓	5DEF	9DEE	T4FJ0080
1115	鼠	5DF0	9DEF	T4FK0080
1116	僧	5DF1	9DF0	T4FL0080

Table 7 (Page 22 of 44). Primary CH-T (2/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1117	僮	5DF2	9DF1	T4FM0080
1118	僥	5DF3	9DF2	T4FN0080
1119	僖	5DF4	9DF3	T4FO0080
1120	僣	5DF5	9DF4	T4FP0080
1121	僚	5DF6	9DF5	T4FQ0080
1122	僕	5DF7	9DF6	T4FR0080
1123	像	5DF8	9DF7	T4FS0080
1124	僑	5DF9	9DF8	T4FT0080
1125	僱	5DFA	9DF9	T4FU0080
1126	僕	5DFB	9DFA	T4FV0080
1127	僩	5DFC	9DFB	T4FW0080
1128	兢	5DFD	9DFC	T4FX0080
1129	凳	5E41	9E40	T4G10080
1130	割	5E42	9E41	T4G20080
1131	劓	5E43	9E42	T4G30080
1132	匱	5E44	9E43	T4G40080
1133	厭	5E45	9E44	T4G50080
1134	嗾	5E46	9E45	T4G60080
1135	喃	5E47	9E46	T4G70080
1136	嘛	5E48	9E47	T4G80080
1137	嘗	5E49	9E48	T4G90080
1138	嗽	5E4A	9E49	T4GA0080
1139	嘔	5E4B	9E4A	T4GB0080
1140	嘆	5E4C	9E4B	T4GC0080
1141	嘉	5E4D	9E4C	T4GD0080
1142	嘍	5E4E	9E4D	T4GE0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
1143	嘎	5E4F	9E4E	T4GF0080
1144	噉	5E50	9E4F	T4GG0080
1145	嘖	5E51	9E50	T4GH0080
1146	啣	5E52	9E51	T4GI0080
1147	嘈	5E53	9E52	T4GJ0080
1148	嚶	5E54	9E53	T4GK0080
1149	嘒	5E55	9E54	T4GL0080
1150	團	5E56	9E55	T4GM0080
1151	圖	5E57	9E56	T4GN0080
1152	塵	5E58	9E57	T4GO0080
1153	塾	5E59	9E58	T4GP0080
1154	境	5E5A	9E59	T4GQ0080
1155	墓	5E5B	9E5A	T4GR0080
1156	塾	5E5C	9E5B	T4GS0080
1157	塹	5E5D	9E5C	T4GT0080
1158	墅	5E5E	9E5D	T4GU0080
1159	塹	5E5F	9E5E	T4GV0080
1160	壽	5E60	9E5F	T4GW0080
1161	夥	5E61	9E60	T4GX0080
1162	夢	5E62	9E61	T4GY0080
1163	夤	5E63	9E62	T4GZ0080
1164	奪	5E64	9E63	T4H00080
1165	奩	5E65	9E64	T4H10080
1166	嫡	5E66	9E65	T4H20080
1167	嫦	5E67	9E66	T4H30080
1168	嫩	5E68	9E67	T4H40080

Line Number	Graphic	Host Code	PC Code	GCGID
1169	嫗	5E69	9E68	T4H50080
1170	嫗	5E6A	9E69	T4H60080
1171	嫗	5E6B	9E6A	T4H70080
1172	嫗	5E6C	9E6B	T4H80080
1173	嫗	5E6D	9E6C	T4H90080
1174	寔	5E6E	9E6D	T4HA0080
1175	寔	5E6F	9E6E	T4HB0080
1176	寡	5E70	9E6F	T4HC0080
1177	寥	5E71	9E70	T4HD0080
1178	寔	5E72	9E71	T4HE0080
1179	寨	5E73	9E72	T4HF0080
1180	寢	5E74	9E73	T4HG0080
1181	寢	5E75	9E74	T4HH0080
1182	察	5E76	9E75	T4HI0080
1183	對	5E77	9E76	T4HJ0080
1184	屢	5E78	9E77	T4HK0080
1185	嶄	5E79	9E78	T4HL0080
1186	嶄	5E7A	9E79	T4HM0080
1187	幃	5E7B	9E7A	T4HN0080
1188	幣	5E7C	9E7B	T4HO0080
1189	幕	5E7D	9E7C	T4HP0080
1190	幃	5E7E	9E7D	T4HQ0080
1191	幔	5E7F	9E7E	T4HR0080
1192	廓	5E81	9E80	T4HT0080
1193	廖	5E82	9E81	T4HU0080
1194	弊	5E83	9E82	T4HV0080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 7 (Page 24 of 44). Primary CH-T (2/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1195	鸞	5E84	9E83	T4HW0080
1196	彰	5E85	9E84	T4HX0080
1197	徹	5E86	9E85	T4HY0080
1198	慇	5E87	9E86	T4HZ0080
1199	愿	5E88	9E87	T4I00080
1200	態	5E89	9E88	T4I10080
1201	慷	5E8A	9E89	T4I20080
1202	慢	5E8B	9E8A	T4I30080
1203	慣	5E8C	9E8B	T4I40080
1204	慟	5E8D	9E8C	T4I50080
1205	慚	5E8E	9E8D	T4I60080
1206	慘	5E8F	9E8E	T4I70080
1207	慵	5E90	9E8F	T4I80080
1208	截	5E91	9E90	T4I90080
1209	撇	5E92	9E91	T4IA0080
1210	摘	5E93	9E92	T4IB0080
1211	摔	5E94	9E93	T4IC0080
1212	撤	5E95	9E94	T4ID0080
1213	摸	5E96	9E95	T4IE0080
1214	摟	5E97	9E96	T4IF0080
1215	摺	5E98	9E97	T4IG0080
1216	摑	5E99	9E98	T4IH0080
1217	摧	5E9A	9E99	T4II0080
1218	搴	5E9B	9E9A	T4IJ0080
1219	摠	5E9C	9E9B	T4IK0080
1220	摻	5E9D	9E9C	T4IL0080

Table 7 (Page 24 of 44). Primary CH-T (2/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1221	敲	5E9E	9E9D	T4IM0080
1222	斡	5E9F	9E9E	T4IN0080
1223	旗	5EA0	9E9F	T4IO0080
1224	旂	5EA1	9EA0	T4IP0080
1225	暢	5EA2	9EA1	T4IQ0080
1226	暨	5EA3	9EA2	T4IR0080
1227	暝	5EA4	9EA3	T4IS0080
1228	榜	5EA5	9EA4	T4IT0080
1229	榨	5EA6	9EA5	T4IU0080
1230	榕	5EA7	9EA6	T4IV0080
1231	槁	5EA8	9EA7	T4IW0080
1232	榮	5EA9	9EA8	T4IX0080
1233	槓	5EAA	9EA9	T4IY0080
1234	構	5EAB	9EAA	T4IZ0080
1235	榛	5EAC	9EAB	T4J00080
1236	榷	5EAD	9EAC	T4J10080
1237	榻	5EAE	9EAD	T4J20080
1238	榘	5EAF	9EAE	T4J30080
1239	榴	5EB0	9EAF	T4J40080
1240	槐	5EB1	9EB0	T4J50080
1241	槍	5EB2	9EB1	T4J60080
1242	榭	5EB3	9EB2	T4J70080
1243	槌	5EB4	9EB3	T4J80080
1244	榦	5EB5	9EB4	T4J90080
1245	槃	5EB6	9EB5	T4JA0080
1246	搖	5EB7	9EB6	T4JB0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 7 (Page 25 of 44). Primary CH-T (2/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1247	歉	5EB8	9EB7	T4JC0080
1248	歌	5EB9	9EB8	T4JD0080
1249	氳	5EBA	9EB9	T4JE0080
1250	漳	5EBB	9EBA	T4JF0080
1251	演	5EBC	9EBB	T4JG0080
1252	滾	5EBD	9EBC	T4JH0080
1253	滴	5EBE	9EBD	T4JI0080
1254	滴	5EBF	9EBE	T4JJ0080
1255	漩	5EC0	9EBF	T4JK0080
1256	漾	5EC1	9EC0	T4JL0080
1257	漠	5EC2	9EC1	T4JM0080
1258	漬	5EC3	9EC2	T4JN0080
1259	漏	5EC4	9EC3	T4JO0080
1260	漂	5EC5	9EC4	T4JP0080
1261	漢	5EC6	9EC5	T4JQ0080
1262	滿	5EC7	9EC6	T4JR0080
1263	滯	5EC8	9EC7	T4JS0080
1264	漆	5EC9	9EC8	T4JT0080
1265	漱	5ECA	9EC9	T4JU0080
1266	漸	5ECB	9ECA	T4JV0080
1267	漲	5ECC	9ECB	T4JW0080
1268	漣	5ECD	9ECC	T4JX0080
1269	漕	5ECE	9ECD	T4JY0080
1270	漫	5ECF	9ECE	T4JZ0080
1271	瀑	5ED0	9ECF	T4K00080
1272	澈	5ED1	9ED0	T4K10080

Table 7 (Page 25 of 44). Primary CH-T (2/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1273	漪	5ED2	9ED1	T4K20080
1274	滄	5ED3	9ED2	T4K30080
1275	漁	5ED4	9ED3	T4K40080
1276	滲	5ED5	9ED4	T4K50080
1277	滌	5ED6	9ED5	T4K60080
1278	滷	5ED7	9ED6	T4K70080
1279	熔	5ED8	9ED7	T4K80080
1280	熙	5ED9	9ED8	T4K90080
1281	煽	5EDA	9ED9	T4KA0080
1282	熊	5EDB	9EDA	T4KB0080
1283	熄	5EDC	9EDB	T4KC0080
1284	熒	5EDD	9EDC	T4KD0080
1285	爾	5EDE	9EDD	T4KE0080
1286	犒	5EDF	9EDE	T4KF0080
1287	犖	5EE0	9EDF	T4KG0080
1288	獄	5EE1	9EE0	T4KH0080
1289	獐	5EE2	9EE1	T4KI0080
1290	瑤	5EE3	9EE2	T4KJ0080
1291	瑣	5EE4	9EE3	T4KK0080
1292	瑪	5EE5	9EE4	T4KL0080
1293	瑰	5EE6	9EE5	T4KM0080
1294	瑋	5EE7	9EE6	T4KN0080
1295	甄	5EE8	9EE7	T4KO0080
1296	疑	5EE9	9EE8	T4KP0080
1297	瘡	5EEA	9EE9	T4KQ0080
1298	瘍	5EEB	9EEA	T4KR0080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 7 (Page 26 of 44). Primary CH-T (2/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1299	瘋	5EEC	9EEB	T4KS0080
1300	癩	5EED	9EEC	T4KT0080
1301	癩	5EEE	9EED	T4KU0080
1302	盡	5EEF	9EEE	T4KV0080
1303	監	5EF0	9EEF	T4KW0080
1304	瞄	5EF1	9EF0	T4KX0080
1305	瞞	5EF2	9EF1	T4KY0080
1306	睿	5EF3	9EF2	T4KZ0080
1307	睡	5EF4	9EF3	T4L00080
1308	磁	5EF5	9EF4	T4L10080
1309	碟	5EF6	9EF5	T4L20080
1310	碧	5EF7	9EF6	T4L30080
1311	碳	5EF8	9EF7	T4L40080
1312	碩	5EF9	9EF8	T4L50080
1313	碣	5EFA	9EF9	T4L60080
1314	禎	5EFB	9EFA	T4L70080
1315	福	5EFC	9EFB	T4L80080
1316	禍	5EFD	9EFC	T4L90080
1317	種	5F41	9F40	T4LD0080
1318	稱	5F42	9F41	T4LE0080
1319	窪	5F43	9F42	T4LF0080
1320	窩	5F44	9F43	T4LG0080
1321	竭	5F45	9F44	T4LH0080
1322	端	5F46	9F45	T4LI0080
1323	管	5F47	9F46	T4LJ0080
1324	箕	5F48	9F47	T4LK0080

Table 7 (Page 26 of 44). Primary CH-T (2/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1325	箋	5F49	9F48	T4LL0080
1326	筵	5F4A	9F49	T4LM0080
1327	算	5F4B	9F4A	T4LN0080
1328	箝	5F4C	9F4B	T4LO0080
1329	箔	5F4D	9F4C	T4LP0080
1330	箏	5F4E	9F4D	T4LQ0080
1331	箬	5F4F	9F4E	T4LR0080
1332	箇	5F50	9F4F	T4LS0080
1333	箪	5F51	9F50	T4LT0080
1334	粹	5F52	9F51	T4LU0080
1335	粽	5F53	9F52	T4LV0080
1336	精	5F54	9F53	T4LW0080
1337	綻	5F55	9F54	T4LX0080
1338	綰	5F56	9F55	T4LY0080
1339	綜	5F57	9F56	T4LZ0080
1340	綽	5F58	9F57	T4M00080
1341	綾	5F59	9F58	T4M10080
1342	綠	5F5A	9F59	T4M20080
1343	緊	5F5B	9F5A	T4M30080
1344	綴	5F5C	9F5B	T4M40080
1345	網	5F5D	9F5C	T4M50080
1346	網	5F5E	9F5D	T4M60080
1347	綺	5F5F	9F5E	T4M70080
1348	綢	5F60	9F5F	T4M80080
1349	綿	5F61	9F60	T4M90080
1350	綵	5F62	9F61	T4MA0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 7 (Page 27 of 44). Primary CH-T (2/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1351	綸	5F63	9F62	T4MB0080
1352	維	5F64	9F63	T4MC0080
1353	緒	5F65	9F64	T4MD0080
1354	緇	5F66	9F65	T4ME0080
1355	綬	5F67	9F66	T4MF0080
1356	罰	5F68	9F67	T4MG0080
1357	翠	5F69	9F68	T4MH0080
1358	翡	5F6A	9F69	T4MI0080
1359	翟	5F6B	9F6A	T4MJ0080
1360	聞	5F6C	9F6B	T4MK0080
1361	聚	5F6D	9F6C	T4ML0080
1362	肇	5F6E	9F6D	T4MM0080
1363	腐	5F6F	9F6E	T4MN0080
1364	勝	5F70	9F6F	T4MO0080
1365	膏	5F71	9F70	T4MP0080
1366	膈	5F72	9F71	T4MQ0080
1367	膊	5F73	9F72	T4MR0080
1368	腿	5F74	9F73	T4MS0080
1369	簪	5F75	9F74	T4MT0080
1370	臧	5F76	9F75	T4MU0080
1371	臺	5F77	9F76	T4MV0080
1372	與	5F78	9F77	T4MW0080
1373	舔	5F79	9F78	T4MX0080
1374	舞	5F7A	9F79	T4MY0080
1375	鯁	5F7B	9F7A	T4MZ0080
1376	蓉	5F7C	9F7B	T4N00080

Table 7 (Page 27 of 44). Primary CH-T (2/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1377	蒿	5F7D	9F7C	T4N10080
1378	蓆	5F7E	9F7D	T4N20080
1379	蓄	5F7F	9F7E	T4N30080
1380	蒙	5F81	9F80	T4N50080
1381	蒞	5F82	9F81	T4N60080
1382	蒲	5F83	9F82	T4N70080
1383	蒜	5F84	9F83	T4N80080
1384	蓋	5F85	9F84	T4N90080
1385	蒸	5F86	9F85	T4NA0080
1386	蓀	5F87	9F86	T4NB0080
1387	蓆	5F88	9F87	T4NC0080
1388	蒐	5F89	9F88	T4ND0080
1389	蒼	5F8A	9F89	T4NE0080
1390	蓑	5F8B	9F8A	T4NF0080
1391	蓊	5F8C	9F8B	T4NG0080
1392	蜿	5F8D	9F8C	T4NH0080
1393	蜜	5F8E	9F8D	T4NI0080
1394	蜻	5F8F	9F8E	T4NJ0080
1395	蝻	5F90	9F8F	T4NK0080
1396	蜥	5F91	9F90	T4NL0080
1397	蜴	5F92	9F91	T4NM0080
1398	蚰	5F93	9F92	T4NN0080
1399	蝕	5F94	9F93	T4NO0080
1400	蝻	5F95	9F94	T4NP0080
1401	蝻	5F96	9F95	T4NQ0080
1402	裳	5F97	9F96	T4NR0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 7 (Page 28 of 44). Primary CH-T (2/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1403	褂	5F98	9F97	T4NS0080
1404	裴	5F99	9F98	T4NT0080
1405	褰	5F9A	9F99	T4NU0080
1406	裸	5F9B	9F9A	T4NV0080
1407	製	5F9C	9F9B	T4NW0080
1408	裨	5F9D	9F9C	T4NX0080
1409	褚	5F9E	9F9D	T4NY0080
1410	裯	5F9F	9F9E	T4NZ0080
1411	誦	5FA0	9F9F	T4O00080
1412	誌	5FA1	9FA0	T4O10080
1413	語	5FA2	9FA1	T4O20080
1414	誣	5FA3	9FA2	T4O30080
1415	認	5FA4	9FA3	T4O40080
1416	誠	5FA5	9FA4	T4O50080
1417	誓	5FA6	9FA5	T4O60080
1418	誤	5FA7	9FA6	T4O70080
1419	說	5FA8	9FA7	T4O80080
1420	誥	5FA9	9FA8	T4O90080
1421	誨	5FAA	9FA9	T4OA0080
1422	誘	5FAB	9FAA	T4OB0080
1423	誑	5FAC	9FAB	T4OC0080
1424	誚	5FAD	9FAC	T4OD0080
1425	誦	5FAE	9FAD	T4OE0080
1426	豪	5FAF	9FAE	T4OF0080
1427	狸	5FB0	9FAF	T4OG0080
1428	貌	5FB1	9FB0	T4OH0080

Table 7 (Page 28 of 44). Primary CH-T (2/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1429	寶	5FB2	9FB1	T4OI0080
1430	賑	5FB3	9FB2	T4OJ0080
1431	賒	5FB4	9FB3	T4OK0080
1432	赫	5FB5	9FB4	T4OL0080
1433	趙	5FB6	9FB5	T4OM0080
1434	趕	5FB7	9FB6	T4ON0080
1435	跼	5FB8	9FB7	T4OO0080
1436	輔	5FB9	9FB8	T4OP0080
1437	輒	5FBA	9FB9	T4OQ0080
1438	輕	5FBB	9FBA	T4OR0080
1439	輓	5FBC	9FBB	T4OS0080
1440	辣	5FBD	9FBC	T4OT0080
1441	遠	5FBE	9FBD	T4OU0080
1442	邁	5FBF	9FBE	T4OV0080
1443	遜	5FC0	9FBF	T4OW0080
1444	遣	5FC1	9FC0	T4OX0080
1445	遙	5FC2	9FC1	T4OY0080
1446	遞	5FC3	9FC2	T4OZ0080
1447	邇	5FC4	9FC3	T4P00080
1448	逕	5FC5	9FC4	T4P10080
1449	遛	5FC6	9FC5	T4P20080
1450	鄙	5FC7	9FC6	T4P30080
1451	鄺	5FC8	9FC7	T4P40080
1452	鄞	5FC9	9FC8	T4P50080
1453	醇	5FCA	9FC9	T4P60080
1454	酸	5FCB	9FCA	T4P70080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 7 (Page 29 of 44). Primary CH-T (2/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1455	酷	5FCC	9FCB	T4P80080
1456	醑	5FCD	9FCC	T4P90080
1457	鉸	5FCE	9FCD	T4PA0080
1458	銀	5FCF	9FCE	T4PB0080
1459	銅	5FD0	9FCF	T4PC0080
1460	銘	5FD1	9FD0	T4PD0080
1461	銖	5FD2	9FD1	T4PE0080
1462	銘	5FD3	9FD2	T4PF0080
1463	銓	5FD4	9FD3	T4PG0080
1464	銜	5FD5	9FD4	T4PH0080
1465	鉸	5FD6	9FD5	T4PI0080
1466	鉸	5FD7	9FD6	T4PJ0080
1467	銑	5FD8	9FD7	T4PK0080
1468	閔	5FD9	9FD8	T4PL0080
1469	閔	5FDA	9FD9	T4PM0080
1470	閔	5FDB	9FDA	T4PN0080
1471	閔	5FDC	9FDB	T4PO0080
1472	閔	5FDD	9FDC	T4PP0080
1473	閔	5FDE	9FDD	T4PQ0080
1474	隙	5FDF	9FDE	T4PR0080
1475	障	5FE0	9FDF	T4PS0080
1476	際	5FE1	9FE0	T4PT0080
1477	雌	5FE2	9FE1	T4PU0080
1478	雒	5FE3	9FE2	T4PV0080
1479	需	5FE4	9FE3	T4PW0080
1480	鞞	5FE5	9FE4	T4PX0080

Table 7 (Page 29 of 44). Primary CH-T (2/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1481	鞞	5FE6	9FE5	T4PY0080
1482	韶	5FE7	9FE6	T4PZ0080
1483	頗	5FE8	9FE7	T4Q00080
1484	領	5FE9	9FE8	T4Q10080
1485	颯	5FEA	9FE9	T4Q20080
1486	颯	5FEB	9FEA	T4Q30080
1487	餃	5FEC	9FEB	T4Q40080
1488	餅	5FED	9FEC	T4Q50080
1489	餌	5FEE	9FED	T4Q60080
1490	餉	5FEF	9FEE	T4Q70080
1491	駁	5FF0	9FEF	T4Q80080
1492	骹	5FF1	9FF0	T4Q90080
1493	骹	5FF2	9FF1	T4QA0080
1494	髦	5FF3	9FF2	T4QB0080
1495	魁	5FF4	9FF3	T4QC0080
1496	魂	5FF5	9FF4	T4QD0080
1497	鳴	5FF6	9FF5	T4QE0080
1498	鳶	5FF7	9FF6	T4QF0080
1499	鳳	5FF8	9FF7	T4QG0080
1500	麼	5FF9	9FF8	T4QH0080
1501	鼻	5FFA	9FF9	T4QI0080
1502	齊	5FFB	9FFA	T4QJ0080
1503	億	5FFC	9FFB	T4QK0080
1504	儀	5FFD	9FFC	T4QL0080
1505	僻	6041	A040	T4QP0080
1506	僵	6042	A041	T4QQ0080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 7 (Page 30 of 44). Primary CH-T (2/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1507	價	6043	A042	T4QR0080
1508	儂	6044	A043	T4QS0080
1509	儉	6045	A044	T4QT0080
1510	儉	6046	A045	T4QU0080
1511	儋	6047	A046	T4QV0080
1512	凜	6048	A047	T4QW0080
1513	劇	6049	A048	T4QX0080
1514	勞	604A	A049	T4QY0080
1515	劉	604B	A04A	T4QZ0080
1516	劍	604C	A04B	T4R00080
1517	劊	604D	A04C	T4R10080
1518	認	604E	A04D	T4R20080
1519	厲	604F	A04E	T4R30080
1520	嘮	6050	A04F	T4R40080
1521	嘻	6051	A050	T4R50080
1522	噤	6052	A051	T4R60080
1523	嘲	6053	A052	T4R70080
1524	嘿	6054	A053	T4R80080
1525	嘴	6055	A054	T4R90080
1526	嘩	6056	A055	T4RA0080
1527	噓	6057	A056	T4RB0080
1528	噎	6058	A057	T4RC0080
1529	嘆	6059	A058	T4RD0080
1530	噴	605A	A059	T4RE0080
1531	嘶	605B	A05A	T4RF0080
1532	嘯	605C	A05B	T4RG0080

Table 7 (Page 30 of 44). Primary CH-T (2/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1533	噤	605D	A05C	T4RH0080
1534	墀	605E	A05D	T4RI0080
1535	墟	605F	A05E	T4RJ0080
1536	增	6060	A05F	T4RK0080
1537	墳	6061	A060	T4RL0080
1538	墜	6062	A061	T4RM0080
1539	墮	6063	A062	T4RN0080
1540	墩	6064	A063	T4RO0080
1541	墀	6065	A064	T4RP0080
1542	爽	6066	A065	T4RQ0080
1543	嬉	6067	A066	T4RR0080
1544	嫻	6068	A067	T4RS0080
1545	嬋	6069	A068	T4RT0080
1546	嫵	606A	A069	T4RU0080
1547	嬌	606B	A06A	T4RV0080
1548	嬈	606C	A06B	T4RW0080
1549	寮	606D	A06C	T4RX0080
1550	寬	606E	A06D	T4RY0080
1551	審	606F	A06E	T4RZ0080
1552	寫	6070	A06F	T4S00080
1553	層	6071	A070	T4S10080
1554	履	6072	A071	T4S20080
1555	澄	6073	A072	T4S30080
1556	嶽	6074	A073	T4S40080
1557	幢	6075	A074	T4S50080
1558	幟	6076	A075	T4S60080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 7 (Page 31 of 44). Primary CH-T (2/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1559	幡	6077	A076	T4S70080
1560	廢	6078	A077	T4S80080
1561	廚	6079	A078	T4S90080
1562	廟	607A	A079	T4SA0080
1563	廡	607B	A07A	T4SB0080
1564	廣	607C	A07B	T4SC0080
1565	廠	607D	A07C	T4SD0080
1566	彈	607E	A07D	T4SE0080
1567	影	607F	A07E	T4SF0080
1568	德	6081	A080	T4SH0080
1569	徵	6082	A081	T4SI0080
1570	慶	6083	A082	T4SJ0080
1571	慧	6084	A083	T4SK0080
1572	慮	6085	A084	T4SL0080
1573	慝	6086	A085	T4SM0080
1574	慕	6087	A086	T4SN0080
1575	憂	6088	A087	T4SO0080
1576	感	6089	A088	T4SP0080
1577	慰	608A	A089	T4SQ0080
1578	慫	608B	A08A	T4SR0080
1579	慫	608C	A08B	T4SS0080
1580	懂	608D	A08C	T4ST0080
1581	憐	608E	A08D	T4SU0080
1582	憫	608F	A08E	T4SV0080
1583	憎	6090	A08F	T4SW0080
1584	憬	6091	A090	T4SX0080

Table 7 (Page 31 of 44). Primary CH-T (2/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1585	憚	6092	A091	T4SY0080
1586	憤	6093	A092	T4SZ0080
1587	憔悴	6094	A093	T4T00080
1588	憮	6095	A094	T4T10080
1589	戮	6096	A095	T4T20080
1590	摩	6097	A096	T4T30080
1591	摯	6098	A097	T4T40080
1592	墓	6099	A098	T4T50080
1593	撞	609A	A099	T4T60080
1594	撲	609B	A09A	T4T70080
1595	撈	609C	A09B	T4T80080
1596	撐	609D	A09C	T4T90080
1597	撰	609E	A09D	T4TA0080
1598	撥	609F	A09E	T4TB0080
1599	撓	60A0	A09F	T4TC0080
1600	撕	60A1	A0A0	T4TD0080
1601	撩	60A2	A0A1	T4TE0080
1602	撤	60A3	A0A2	T4TF0080
1603	撮	60A4	A0A3	T4TG0080
1604	播	60A5	A0A4	T4TH0080
1605	撫	60A6	A0A5	T4TI0080
1606	撚	60A7	A0A6	T4TJ0080
1607	撻	60A8	A0A7	T4TK0080
1608	撻	60A9	A0A8	T4TL0080
1609	撻	60AA	A0A9	T4TM0080
1610	嶽	60AB	A0AA	T4TN0080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 7 (Page 32 of 44). Primary CH-T (2/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1611	敵	60AC	A0AB	T4TO0080
1612	敷	60AD	A0AC	T4TP0080
1613	數	60AE	A0AD	T4TQ0080
1614	暮	60AF	A0AE	T4TR0080
1615	暫	60B0	A0AF	T4TS0080
1616	暴	60B1	A0B0	T4TT0080
1617	暱	60B2	A0B1	T4TU0080
1618	樣	60B3	A0B2	T4TV0080
1619	樟	60B4	A0B3	T4TW0080
1620	榔	60B5	A0B4	T4TX0080
1621	椿	60B6	A0B5	T4TY0080
1622	樞	60B7	A0B6	T4TZ0080
1623	標	60B8	A0B7	T4U00080
1624	槽	60B9	A0B8	T4U10080
1625	模	60BA	A0B9	T4U20080
1626	樓	60BB	A0BA	T4U30080
1627	樊	60BC	A0BB	T4U40080
1628	槳	60BD	A0BC	T4U50080
1629	樂	60BE	A0BD	T4U60080
1630	樅	60BF	A0BE	T4U70080
1631	械	60C0	A0BF	T4U80080
1632	樑	60C1	A0C0	T4U90080
1633	歐	60C2	A0C1	T4UA0080
1634	歎	60C3	A0C2	T4UB0080
1635	殤	60C4	A0C3	T4UC0080
1636	毅	60C5	A0C4	T4UD0080

Table 7 (Page 32 of 44). Primary CH-T (2/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1637	毆	60C6	A0C5	T4UE0080
1638	漿	60C7	A0C6	T4UF0080
1639	潼	60C8	A0C7	T4UG0080
1640	澄	60C9	A0C8	T4UH0080
1641	潑	60CA	A0C9	T4UI0080
1642	潦	60CB	A0CA	T4UJ0080
1643	潔	60CC	A0CB	T4UK0080
1644	澆	60CD	A0CC	T4UL0080
1645	潭	60CE	A0CD	T4UM0080
1646	潛	60CF	A0CE	T4UN0080
1647	潛	60D0	A0CF	T4UO0080
1648	潮	60D1	A0D0	T4UP0080
1649	澎	60D2	A0D1	T4UQ0080
1650	潺	60D3	A0D2	T4UR0080
1651	潰	60D4	A0D3	T4US0080
1652	潤	60D5	A0D4	T4UT0080
1653	潤	60D6	A0D5	T4UU0080
1654	潘	60D7	A0D6	T4UV0080
1655	滕	60D8	A0D7	T4UW0080
1656	潯	60D9	A0D8	T4UX0080
1657	潩	60DA	A0D9	T4UY0080
1658	滂	60DB	A0DA	T4UZ0080
1659	熟	60DC	A0DB	T4V00080
1660	熬	60DD	A0DC	T4V10080
1661	熱	60DE	A0DD	T4V20080
1662	熨	60DF	A0DE	T4V30080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 7 (Page 33 of 44). Primary CH-T (2/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1663	牖	60E0	A0DF	T4V40080
1664	犛	60E1	A0E0	T4V50080
1665	獎	60E2	A0E1	T4V60080
1666	獬	60E3	A0E2	T4V70080
1667	瑩	60E4	A0E3	T4V80080
1668	璋	60E5	A0E4	T4V90080
1669	璃	60E6	A0E5	T4VA0080
1670	瑾	60E7	A0E6	T4VB0080
1671	瑾	60E8	A0E7	T4VC0080
1672	畿	60E9	A0E8	T4VD0080
1673	瘠	60EA	A0E9	T4VE0080
1674	瘠	60EB	A0EA	T4VF0080
1675	瘟	60EC	A0EB	T4VG0080
1676	瘤	60ED	A0EC	T4VH0080
1677	瘦	60EE	A0ED	T4VI0080
1678	瘡	60EF	A0EE	T4VJ0080
1679	癩	60F0	A0EF	T4VK0080
1680	皚	60F1	A0F0	T4VL0080
1681	皴	60F2	A0F1	T4VM0080
1682	盤	60F3	A0F2	T4VN0080
1683	瞎	60F4	A0F3	T4VO0080
1684	眯	60F5	A0F4	T4VP0080
1685	瞞	60F6	A0F5	T4VQ0080
1686	瞋	60F7	A0F6	T4VR0080
1687	瞋	60F8	A0F7	T4VS0080
1688	磋	60F9	A0F8	T4VT0080

Table 7 (Page 33 of 44). Primary CH-T (2/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1689	磅	60FA	A0F9	T4VU0080
1690	確	60FB	A0FA	T4VV0080
1691	磊	60FC	A0FB	T4VW0080
1692	礪	60FD	A0FC	T4VX0080
1693	磻	6141	A140	T4W10080
1694	碼	6142	A141	T4W20080
1695	磬	6143	A142	T4W30080
1696	稿	6144	A143	T4W40080
1697	稼	6145	A144	T4W50080
1698	穀	6146	A145	T4W60080
1699	稽	6147	A146	T4W70080
1700	稷	6148	A147	T4W80080
1701	稻	6149	A148	T4W90080
1702	窰	614A	A149	T4WA0080
1703	窮	614B	A14A	T4WB0080
1704	箭	614C	A14B	T4WC0080
1705	箱	614D	A14C	T4WD0080
1706	範	614E	A14D	T4WE0080
1707	箴	614F	A14E	T4WF0080
1708	篆	6150	A14F	T4WG0080
1709	篇	6151	A150	T4WH0080
1710	篁	6152	A151	T4WI0080
1711	篁	6153	A152	T4WJ0080
1712	篋	6154	A153	T4WK0080
1713	糊	6155	A154	T4WL0080
1714	締	6156	A155	T4WM0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 7 (Page 34 of 44). Primary CH-T (2/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1715	練	6157	A156	T4WN0080
1716	緯	6158	A157	T4WO0080
1717	緻	6159	A158	T4WP0080
1718	緘	615A	A159	T4WQ0080
1719	緬	615B	A15A	T4WR0080
1720	緝	615C	A15B	T4WS0080
1721	編	615D	A15C	T4WT0080
1722	緣	615E	A15D	T4WU0080
1723	線	615F	A15E	T4WV0080
1724	緞	6160	A15F	T4WW0080
1725	緩	6161	A160	T4WX0080
1726	絳	6162	A161	T4WY0080
1727	緯	6163	A162	T4WZ0080
1728	縹	6164	A163	T4X00080
1729	緹	6165	A164	T4X10080
1730	罵	6166	A165	T4X20080
1731	罷	6167	A166	T4X30080
1732	羯	6168	A167	T4X40080
1733	翩	6169	A168	T4X50080
1734	耦	616A	A169	T4X60080
1735	臄	616B	A16A	T4X70080
1736	膜	616C	A16B	T4X80080
1737	膝	616D	A16C	T4X90080
1738	膠	616E	A16D	T4XA0080
1739	膚	616F	A16E	T4XB0080
1740	臛	6170	A16F	T4XC0080

Table 7 (Page 34 of 44). Primary CH-T (2/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1741	蔗	6171	A170	T4XD0080
1742	蔽	6172	A171	T4XE0080
1743	蔚	6173	A172	T4XF0080
1744	蓮	6174	A173	T4XG0080
1745	蔬	6175	A174	T4XH0080
1746	蔭	6176	A175	T4XI0080
1747	蔓	6177	A176	T4XJ0080
1748	蔑	6178	A177	T4XK0080
1749	蔣	6179	A178	T4XL0080
1750	蔡	617A	A179	T4XM0080
1751	蔔	617B	A17A	T4XN0080
1752	蓬	617C	A17B	T4XO0080
1753	蔥	617D	A17C	T4XP0080
1754	稽	617E	A17D	T4XQ0080
1755	菱	617F	A17E	T4XR0080
1756	螂	6181	A180	T4XT0080
1757	蝴	6182	A181	T4XU0080
1758	蝶	6183	A182	T4XV0080
1759	蝠	6184	A183	T4XW0080
1760	蝦	6185	A184	T4XX0080
1761	蝸	6186	A185	T4XY0080
1762	蝨	6187	A186	T4XZ0080
1763	蝙	6188	A187	T4Y00080
1764	蝗	6189	A188	T4Y10080
1765	蚪	618A	A189	T4Y20080
1766	蝻	618B	A18A	T4Y30080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 7 (Page 35 of 44). Primary CH-T (2/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1767	衛	618C	A18B	T4Y40080
1768	衝	618D	A18C	T4Y50080
1769	褐	618E	A18D	T4Y60080
1770	複	618F	A18E	T4Y70080
1771	褒	6190	A18F	T4Y80080
1772	襍	6191	A190	T4Y90080
1773	褸	6192	A191	T4YA0080
1774	褸	6193	A192	T4YB0080
1775	誼	6194	A193	T4YC0080
1776	諒	6195	A194	T4YD0080
1777	談	6196	A195	T4YE0080
1778	諄	6197	A196	T4YF0080
1779	誕	6198	A197	T4YG0080
1780	請	6199	A198	T4YH0080
1781	諸	619A	A199	T4YI0080
1782	課	619B	A19A	T4YJ0080
1783	諉	619C	A19B	T4YK0080
1784	詔	619D	A19C	T4YL0080
1785	調	619E	A19D	T4YM0080
1786	誰	619F	A19E	T4YN0080
1787	論	61A0	A19F	T4YO0080
1788	諍	61A1	A1A0	T4YP0080
1789	諍	61A2	A1A1	T4YQ0080
1790	誹	61A3	A1A2	T4YR0080
1791	諛	61A4	A1A3	T4YS0080
1792	腕	61A5	A1A4	T4YT0080

Table 7 (Page 35 of 44). Primary CH-T (2/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1793	豎	61A6	A1A5	T4YU0080
1794	豬	61A7	A1A6	T4YV0080
1795	賠	61A8	A1A7	T4YW0080
1796	賞	61A9	A1A8	T4YX0080
1797	賦	61AA	A1A9	T4YY0080
1798	賤	61AB	A1AA	T4YZ0080
1799	賤	61AC	A1AB	T4Z00080
1800	賭	61AD	A1AC	T4Z10080
1801	賢	61AE	A1AD	T4Z20080
1802	賣	61AF	A1AE	T4Z30080
1803	賜	61B0	A1AF	T4Z40080
1804	質	61B1	A1B0	T4Z50080
1805	賡	61B2	A1B1	T4Z60080
1806	赅	61B3	A1B2	T4Z70080
1807	赅	61B4	A1B3	T4Z80080
1808	趣	61B5	A1B4	T4Z90080
1809	踰	61B6	A1B5	T4ZA0080
1810	踐	61B7	A1B6	T4ZB0080
1811	蹀	61B8	A1B7	T4ZC0080
1812	踢	61B9	A1B8	T4ZD0080
1813	踏	61BA	A1B9	T4ZE0080
1814	踩	61BB	A1BA	T4ZF0080
1815	踮	61BC	A1BB	T4ZG0080
1816	蹣	61BD	A1BC	T4ZH0080
1817	踞	61BE	A1BD	T4ZI0080
1818	躺	61BF	A1BE	T4ZJ0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 7 (Page 36 of 44). Primary CH-T (2/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1819	輝	61C0	A1BF	T4ZK0080
1820	輛	61C1	A1C0	T4ZL0080
1821	輟	61C2	A1C1	T4ZM0080
1822	輩	61C3	A1C2	T4ZN0080
1823	輦	61C4	A1C3	T4ZO0080
1824	輪	61C5	A1C4	T4ZP0080
1825	輜	61C6	A1C5	T4ZQ0080
1826	輞	61C7	A1C6	T4ZR0080
1827	輗	61C8	A1C7	T4ZS0080
1828	適	61C9	A1C8	T4ZT0080
1829	遮	61CA	A1C9	T4ZU0080
1830	遨	61CB	A1CA	T4ZV0080
1831	遭	61CC	A1CB	T4ZW0080
1832	遷	61CD	A1CC	T4ZX0080
1833	鄰	61CE	A1CD	T4ZY0080
1834	鄭	61CF	A1CE	T4ZZ0080
1835	鄧	61D0	A1CF	T5000080
1836	鄱	61D1	A1D0	T5010080
1837	醇	61D2	A1D1	T5020080
1838	醉	61D3	A1D2	T5030080
1839	醋	61D4	A1D3	T5040080
1840	醴	61D5	A1D4	T5050080
1841	鋅	61D6	A1D5	T5060080
1842	銻	61D7	A1D6	T5070080
1843	銷	61D8	A1D7	T5080080
1844	鋪	61D9	A1D8	T5090080

Table 7 (Page 36 of 44). Primary CH-T (2/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1845	銇	61DA	A1D9	T50A0080
1846	鋤	61DB	A1DA	T50B0080
1847	鋁	61DC	A1DB	T50C0080
1848	銳	61DD	A1DC	T50D0080
1849	銼	61DE	A1DD	T50E0080
1850	鋒	61DF	A1DE	T50F0080
1851	鋸	61E0	A1DF	T50G0080
1852	鋳	61E1	A1E0	T50H0080
1853	鋅	61E2	A1E1	T50I0080
1854	閭	61E3	A1E2	T50J0080
1855	閱	61E4	A1E3	T50K0080
1856	霄	61E5	A1E4	T50L0080
1857	霆	61E6	A1E5	T50M0080
1858	震	61E7	A1E6	T50N0080
1859	霉	61E8	A1E7	T50O0080
1860	靠	61E9	A1E8	T50P0080
1861	鞍	61EA	A1E9	T50Q0080
1862	鞋	61EB	A1EA	T50R0080
1863	鞏	61EC	A1EB	T50S0080
1864	頤	61ED	A1EC	T50T0080
1865	頰	61EE	A1ED	T50U0080
1866	頤	61EF	A1EE	T50V0080
1867	颯	61F0	A1EF	T50W0080
1868	養	61F1	A1F0	T50X0080
1869	餓	61F2	A1F1	T50Y0080
1870	餛	61F3	A1F2	T50Z0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 7 (Page 37 of 44). Primary CH-T (2/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1871	餘	61F4	A1F3	T5100080
1872	駝	61F5	A1F4	T5110080
1873	駐	61F6	A1F5	T5120080
1874	駟	61F7	A1F6	T5130080
1875	駛	61F8	A1F7	T5140080
1876	駑	61F9	A1F8	T5150080
1877	駕	61FA	A1F9	T5160080
1878	駒	61FB	A1FA	T5170080
1879	駙	61FC	A1FB	T5180080
1880	骷	61FD	A1FC	T5190080
1881	髮	6241	A240	T51D0080
1882	髻	6242	A241	T51E0080
1883	鬪	6243	A242	T51F0080
1884	魅	6244	A243	T51G0080
1885	魄	6245	A244	T51H0080
1886	魃	6246	A245	T51I0080
1887	魯	6247	A246	T51J0080
1888	鳩	6248	A247	T51K0080
1889	鴉	6249	A248	T51L0080
1890	缺	624A	A249	T51M0080
1891	麩	624B	A24A	T51N0080
1892	麼	624C	A24B	T51O0080
1893	黎	624D	A24C	T51P0080
1894	墨	624E	A24D	T51Q0080
1895	齒	624F	A24E	T51R0080
1896	儒	6250	A24F	T51S0080

Table 7 (Page 37 of 44). Primary CH-T (2/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1897	儘	6251	A250	T51T0080
1898	儔	6252	A251	T51U0080
1899	儻	6253	A252	T51V0080
1900	儻	6254	A253	T51W0080
1901	冀	6255	A254	T51X0080
1902	冪	6256	A255	T51Y0080
1903	凝	6257	A256	T51Z0080
1904	劑	6258	A257	T5200080
1905	劑	6259	A258	T5210080
1906	勳	625A	A259	T5220080
1907	噲	625B	A25A	T5230080
1908	噫	625C	A25B	T5240080
1909	噓	625D	A25C	T5250080
1910	噓	625E	A25D	T5260080
1911	噤	625F	A25E	T5270080
1912	噸	6260	A25F	T5280080
1913	噪	6261	A260	T5290080
1914	噐	6262	A261	T52A0080
1915	噤	6263	A262	T52B0080
1916	噤	6264	A263	T52C0080
1917	噤	6265	A264	T52D0080
1918	噤	6266	A265	T52E0080
1919	噤	6267	A266	T52F0080
1920	噤	6268	A267	T52G0080
1921	噤	6269	A268	T52H0080
1922	墾	626A	A269	T52I0080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 7 (Page 38 of 44). Primary CH-T (2/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1923	壇	626B	A26A	T52J0080
1924	壅	626C	A26B	T52K0080
1925	奮	626D	A26C	T52L0080
1926	媯	626E	A26D	T52M0080
1927	羸	626F	A26E	T52N0080
1928	學	6270	A26F	T52O0080
1929	寰	6271	A270	T52P0080
1930	導	6272	A271	T52Q0080
1931	疆	6273	A272	T52R0080
1932	憲	6274	A273	T52S0080
1933	憑	6275	A274	T52T0080
1934	憩	6276	A275	T52U0080
1935	憊	6277	A276	T52V0080
1936	懍	6278	A277	T52W0080
1937	憶	6279	A278	T52X0080
1938	憾	627A	A279	T52Y0080
1939	懊	627B	A27A	T52Z0080
1940	懈	627C	A27B	T5300080
1941	戰	627D	A27C	T5310080
1942	擅	627E	A27D	T5320080
1943	擁	627F	A27E	T5330080
1944	擋	6281	A280	T5350080
1945	撻	6282	A281	T5360080
1946	撼	6283	A282	T5370080
1947	據	6284	A283	T5380080
1948	擄	6285	A284	T5390080

Table 7 (Page 38 of 44). Primary CH-T (2/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1949	擇	6286	A285	T53A0080
1950	播	6287	A286	T53B0080
1951	操	6288	A287	T53C0080
1952	撿	6289	A288	T53D0080
1953	擒	628A	A289	T53E0080
1954	擔	628B	A28A	T53F0080
1955	搥	628C	A28B	T53G0080
1956	整	628D	A28C	T53H0080
1957	曆	628E	A28D	T53I0080
1958	曉	628F	A28E	T53J0080
1959	暹	6290	A28F	T53K0080
1960	曄	6291	A290	T53L0080
1961	曇	6292	A291	T53M0080
1962	瞭	6293	A292	T53N0080
1963	樽	6294	A293	T53O0080
1964	樸	6295	A294	T53P0080
1965	樺	6296	A295	T53Q0080
1966	橙	6297	A296	T53R0080
1967	橫	6298	A297	T53S0080
1968	橘	6299	A298	T53T0080
1969	樹	629A	A299	T53U0080
1970	橄	629B	A29A	T53V0080
1971	橢	629C	A29B	T53W0080
1972	橡	629D	A29C	T53X0080
1973	橋	629E	A29D	T53Y0080
1974	橈	629F	A29E	T53Z0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 7 (Page 39 of 44). Primary CH-T (2/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1975	樵	62A0	A29F	T5400080
1976	機	62A1	A2A0	T5410080
1977	橈	62A2	A2A1	T5420080
1978	欸	62A3	A2A2	T5430080
1979	歷	62A4	A2A3	T5440080
1980	斃	62A5	A2A4	T5450080
1981	濂	62A6	A2A5	T5460080
1982	澱	62A7	A2A6	T5470080
1983	澡	62A8	A2A7	T5480080
1984	濃	62A9	A2A8	T5490080
1985	澤	62AA	A2A9	T54A0080
1986	濁	62AB	A2AA	T54B0080
1987	澧	62AC	A2AB	T54C0080
1988	澳	62AD	A2AC	T54D0080
1989	激	62AE	A2AD	T54E0080
1990	澹	62AF	A2AE	T54F0080
1991	澶	62B0	A2AF	T54G0080
1992	瀕	62B1	A2B0	T54H0080
1993	澠	62B2	A2B1	T54I0080
1994	澗	62B3	A2B2	T54J0080
1995	熾	62B4	A2B3	T54K0080
1996	燉	62B5	A2B4	T54L0080
1997	燐	62B6	A2B5	T54M0080
1998	燒	62B7	A2B6	T54N0080
1999	燈	62B8	A2B7	T54O0080
2000	燕	62B9	A2B8	T54P0080

Table 7 (Page 39 of 44). Primary CH-T (2/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
2001	烹	62BA	A2B9	T54Q0080
2002	療	62BB	A2BA	T54R0080
2003	燙	62BC	A2BB	T54S0080
2004	燜	62BD	A2BC	T54T0080
2005	燃	62BE	A2BD	T54U0080
2006	燄	62BF	A2BE	T54V0080
2007	獨	62C0	A2BF	T54W0080
2008	璜	62C1	A2C0	T54X0080
2009	璣	62C2	A2C1	T54Y0080
2010	璘	62C3	A2C2	T54Z0080
2011	璒	62C4	A2C3	T5500080
2012	璞	62C5	A2C4	T5510080
2013	瓢	62C6	A2C5	T5520080
2014	甌	62C7	A2C6	T5530080
2015	甍	62C8	A2C7	T5540080
2016	瘴	62C9	A2C8	T5550080
2017	癩	62CA	A2C9	T5560080
2018	癩	62CB	A2CA	T5570080
2019	盧	62CC	A2CB	T5580080
2020	盥	62CD	A2CC	T5590080
2021	瞠	62CE	A2CD	T55A0080
2022	瞞	62CF	A2CE	T55B0080
2023	瞞	62D0	A2CF	T55C0080
2024	瞥	62D1	A2D0	T55D0080
2025	磨	62D2	A2D1	T55E0080
2026	磚	62D3	A2D2	T55F0080

IBM Traditional Chinese Graphic Character Set


DBCS - Host and DBCS - PC

Table 7 (Page 40 of 44). Primary CH-T (2/3), DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
2027	磬	62D4	A2D3	T55G0080
2028	磧	62D5	A2D4	T55H0080
2029	禦	62D6	A2D5	T55I0080
2030	積	62D7	A2D6	T55J0080
2031	穎	62D8	A2D7	T55K0080
2032	穆	62D9	A2D8	T55L0080
2033	穌	62DA	A2D9	T55M0080
2034	穆	62DB	A2DA	T55N0080
2035	窺	62DC	A2DB	T55O0080
2036	笛	62DD	A2DC	T55P0080
2037	簞	62DE	A2DD	T55Q0080
2038	築	62DF	A2DE	T55R0080
2039	篤	62E0	A2DF	T55S0080
2040	筭	62E1	A2E0	T55T0080
2041	篡	62E2	A2E1	T55U0080
2042	篩	62E3	A2E2	T55V0080
2043	篋	62E4	A2E3	T55W0080
2044	糕	62E5	A2E4	T55X0080
2045	糖	62E6	A2E5	T55Y0080
2046	縊	62E7	A2E6	T55Z0080
2047	縑	62E8	A2E7	T5600080
2048	縈	62E9	A2E8	T5610080
2049	縛	62EA	A2E9	T5620080
2050	縣	62EB	A2EA	T5630080
2051	縞	62EC	A2EB	T5640080
2052	縝	62ED	A2EC	T5650080

Table 7 (Page 40 of 44). Primary CH-T (2/3), DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
2053	縊	62EE	A2ED	T5660080
2054	縑	62EF	A2EE	T5670080
2055	罹	62F0	A2EF	T5680080
2056	羲	62F1	A2F0	T5690080
2057	翰	62F2	A2F1	T56A0080
2058	翹	62F3	A2F2	T56B0080
2059	翹	62F4	A2F3	T56C0080
2060	榭	62F5	A2F4	T56D0080
2061	膳	62F6	A2F5	T56E0080
2062	膩	62F7	A2F6	T56F0080
2063	膨	62F8	A2F7	T56G0080
2064	臻	62F9	A2F8	T56H0080
2065	興	62FA	A2F9	T56I0080
2066	艘	62FB	A2FA	T56J0080
2067	艙	62FC	A2FB	T56K0080
2068	蕊	62FD	A2FC	T56L0080
2069	蕙	6341	A340	T56P0080
2070	葦	6342	A341	T56Q0080
2071	蕨	6343	A342	T56R0080
2072	蕩	6344	A343	T56S0080
2073	蕃	6345	A344	T56T0080
2074	蕉	6346	A345	T56U0080
2075	蕭	6347	A346	T56V0080
2076	蕪	6348	A347	T56W0080
2077	葭	6349	A348	T56X0080
2078	螃	634A	A349	T56Y0080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 7 (Page 41 of 44). Primary CH-T (2/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
2079	螟	634B	A34A	T56Z0080
2080	螞	634C	A34B	T5700080
2081	螢	634D	A34C	T5710080
2082	融	634E	A34D	T5720080
2083	衡	634F	A34E	T5730080
2084	褪	6350	A34F	T5740080
2085	褲	6351	A350	T5750080
2086	褥	6352	A351	T5760080
2087	褸	6353	A352	T5770080
2088	褙	6354	A353	T5780080
2089	親	6355	A354	T5790080
2090	覩	6356	A355	T57A0080
2091	諦	6357	A356	T57B0080
2092	諺	6358	A357	T57C0080
2093	諫	6359	A358	T57D0080
2094	諱	635A	A359	T57E0080
2095	謀	635B	A35A	T57F0080
2096	謀	635C	A35B	T57G0080
2097	諧	635D	A35C	T57H0080
2098	諮	635E	A35D	T57I0080
2099	諾	635F	A35E	T57J0080
2100	謁	6360	A35F	T57K0080
2101	謂	6361	A360	T57L0080
2102	諷	6362	A361	T57M0080
2103	諭	6363	A362	T57N0080
2104	語	6364	A363	T57O0080

Table 7 (Page 41 of 44). Primary CH-T (2/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
2105	謔	6365	A364	T57P0080
2106	諷	6366	A365	T57Q0080
2107	豫	6367	A366	T57R0080
2108	獬	6368	A367	T57S0080
2109	貓	6369	A368	T57T0080
2110	賴	636A	A369	T57U0080
2111	蹄	636B	A36A	T57V0080
2112	躑	636C	A36B	T57W0080
2113	躑	636D	A36C	T57X0080
2114	蹂	636E	A36D	T57Y0080
2115	踹	636F	A36E	T57Z0080
2116	踵	6370	A36F	T5800080
2117	輻	6371	A370	T5810080
2118	輞	6372	A371	T5820080
2119	輸	6373	A372	T5830080
2120	輳	6374	A373	T5840080
2121	辦	6375	A374	T5850080
2122	辦	6376	A375	T5860080
2123	遵	6377	A376	T5870080
2124	遴	6378	A377	T5880080
2125	選	6379	A378	T5890080
2126	遲	637A	A379	T58A0080
2127	遼	637B	A37A	T58B0080
2128	遺	637C	A37B	T58C0080
2129	鄴	637D	A37C	T58D0080
2130	醒	637E	A37D	T58E0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 7 (Page 42 of 44). Primary CH-T (2/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
2131	錠	637F	A37E	T58F0080
2132	錶	6381	A380	T58H0080
2133	鋸	6382	A381	T58I0080
2134	錳	6383	A382	T58J0080
2135	錯	6384	A383	T58K0080
2136	錢	6385	A384	T58L0080
2137	鋼	6386	A385	T58M0080
2138	錫	6387	A386	T58N0080
2139	錄	6388	A387	T58O0080
2140	錚	6389	A388	T58P0080
2141	錐	638A	A389	T58Q0080
2142	錦	638B	A38A	T58R0080
2143	錡	638C	A38B	T58S0080
2144	錕	638D	A38C	T58T0080
2145	錮	638E	A38D	T58U0080
2146	鎰	638F	A38E	T58V0080
2147	閻	6390	A38F	T58W0080
2148	隧	6391	A390	T58X0080
2149	隨	6392	A391	T58Y0080
2150	險	6393	A392	T58Z0080
2151	雕	6394	A393	T5900080
2152	霎	6395	A394	T5910080
2153	霑	6396	A395	T5920080
2154	霖	6397	A396	T5930080
2155	霍	6398	A397	T5940080
2156	霓	6399	A398	T5950080

Table 7 (Page 42 of 44). Primary CH-T (2/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
2157	霏	639A	A399	T5960080
2158	靛	639B	A39A	T5970080
2159	靜	639C	A39B	T5980080
2160	靦	639D	A39C	T5990080
2161	鞞	639E	A39D	T59A0080
2162	頰	639F	A39E	T59B0080
2163	頤	63A0	A39F	T59C0080
2164	頰	63A1	A3A0	T59D0080
2165	頷	63A2	A3A1	T59E0080
2166	頭	63A3	A3A2	T59F0080
2167	頰	63A4	A3A3	T59G0080
2168	頤	63A5	A3A4	T59H0080
2169	餐	63A6	A3A5	T59I0080
2170	館	63A7	A3A6	T59J0080
2171	餞	63A8	A3A7	T59K0080
2172	餽	63A9	A3A8	T59L0080
2173	餽	63AA	A3A9	T59M0080
2174	餽	63AB	A3AA	T59N0080
2175	駭	63AC	A3AB	T59O0080
2176	駢	63AD	A3AC	T59P0080
2177	駱	63AE	A3AD	T59Q0080
2178	骸	63AF	A3AE	T59R0080
2179	骼	63B0	A3AF	T59S0080
2180	髻	63B1	A3B0	T59T0080
2181	髭	63B2	A3B1	T59U0080
2182	鬩	63B3	A3B2	T59V0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 7 (Page 43 of 44). Primary CH-T (2/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
2183	鮑	63B4	A3B3	T59W0080
2184	鮑	63B5	A3B4	T59X0080
2185	鵠	63B6	A3B5	T59Y0080
2186	鴛	63B7	A3B6	T59Z0080
2187	鴨	63B8	A3B7	T5A00080
2188	鵠	63B9	A3B8	T5A10080
2189	鴛	63BA	A3B9	T5A20080
2190	默	63BB	A3BA	T5A30080
2191	黔	63BC	A3BB	T5A40080
2192	龍	63BD	A3BC	T5A50080
2193	龜	63BE	A3BD	T5A60080
2194	優	63BF	A3BE	T5A70080
2195	償	63C0	A3BF	T5A80080
2196	備	63C1	A3C0	T5A90080
2197	儲	63C2	A3C1	T5AA0080
2198	勵	63C3	A3C2	T5AB0080
2199	噓	63C4	A3C3	T5AC0080
2200	噤	63C5	A3C4	T5AD0080
2201	噤	63C6	A3C5	T5AE0080
2202	噤	63C7	A3C6	T5AF0080
2203	嚇	63C8	A3C7	T5AG0080
2204	噓	63C9	A3C8	T5AH0080
2205	壕	63CA	A3C9	T5AI0080
2206	壓	63CB	A3CA	T5AJ0080
2207	壑	63CC	A3CB	T5AK0080
2208	墟	63CD	A3CC	T5AL0080

Table 7 (Page 43 of 44). Primary CH-T (2/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
2209	嬰	63CE	A3CD	T5AM0080
2210	嬪	63CF	A3CE	T5AN0080
2211	嬪	63D0	A3CF	T5AO0080
2212	孺	63D1	A3D0	T5AP0080
2213	檣	63D2	A3D1	T5AQ0080
2214	屨	63D3	A3D2	T5AR0080
2215	嶼	63D4	A3D3	T5AS0080
2216	嶺	63D5	A3D4	T5AT0080
2217	嶽	63D6	A3D5	T5AU0080
2218	嶽	63D7	A3D6	T5AV0080
2219	幫	63D8	A3D7	T5AW0080
2220	彌	63D9	A3D8	T5AX0080
2221	徽	63DA	A3D9	T5AY0080
2222	應	63DB	A3DA	T5AZ0080
2223	懂	63DC	A3DB	T5B00080
2224	懇	63DD	A3DC	T5B10080
2225	儒	63DE	A3DD	T5B20080
2226	懋	63DF	A3DE	T5B30080
2227	戲	63E0	A3DF	T5B40080
2228	戴	63E1	A3E0	T5B50080
2229	擎	63E2	A3E1	T5B60080
2230	擊	63E3	A3E2	T5B70080
2231	擘	63E4	A3E3	T5B80080
2232	擠	63E5	A3E4	T5B90080
2233	擰	63E6	A3E5	T5BA0080
2234	擦	63E7	A3E6	T5BB0080

**IBM Traditional Chinese Graphic Character Set**

DBCS - Host and DBCS - PC

Table 7 (Page 44 of 44). Primary CH-T (2/3), DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
2235	擬	63E8	A3E7	T5BC0080
2236	攔	63E9	A3E8	T5BD0080
2237	擢	63EA	A3E9	T5BE0080
2238	獲	63EB	A3EA	T5BF0080
2239	斂	63EC	A3EB	T5BG0080
2240	斃	63ED	A3EC	T5BH0080
2241	曙	63EE	A3ED	T5BI0080
2242	曖	63EF	A3EE	T5BJ0080
2243	檀	63F0	A3EF	T5BK0080
2244	檔	63F1	A3F0	T5BL0080
2245	檄	63F2	A3F1	T5BM0080
2246	檢	63F3	A3F2	T5BN0080
2247	檜	63F4	A3F3	T5BO0080
2248	櫛	63F5	A3F4	T5BP0080
2249	檣	63F6	A3F5	T5BQ0080
2250	櫟	63F7	A3F6	T5BR0080
2251	櫟	63F8	A3F7	T5BS0080
2252	檐	63F9	A3F8	T5BT0080
2253	櫟	63FA	A3F9	T5BU0080
2254	獸	63FB	A3FA	T5BV0080
2255	殮	63FC	A3FB	T5BW0080
2256	寔	63FD	A3FC	T5BX0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

8.4 Primary Chinese Set (3 of 3)

Line Number	Graphic	Host Code	PC Code	GCGID
1	氈	6441	A440	T5C10080
2	滯	6442	A441	T5C20080
3	濱	6443	A442	T5C30080
4	濟	6444	A443	T5C40080
5	濠	6445	A444	T5C50080
6	濛	6446	A445	T5C60080
7	濤	6447	A446	T5C70080
8	濫	6448	A447	T5C80080
9	濯	6449	A448	T5C90080
10	澀	644A	A449	T5CA0080
11	溶	644B	A44A	T5CB0080
12	滯	644C	A44B	T5CC0080
13	濩	644D	A44C	T5CD0080
14	濕	644E	A44D	T5CE0080
15	濮	644F	A44E	T5CF0080
16	滌	6450	A44F	T5CG0080
17	燧	6451	A450	T5CH0080
18	營	6452	A451	T5CI0080
19	燮	6453	A452	T5CJ0080
20	燦	6454	A453	T5CK0080
21	燥	6455	A454	T5CL0080
22	燭	6456	A455	T5CM0080
23	燬	6457	A456	T5CN0080
24	燿	6458	A457	T5CO0080

Line Number	Graphic	Host Code	PC Code	GCGID
25	燠	6459	A458	T5CP0080
26	爵	645A	A459	T5CQ0080
27	牆	645B	A45A	T5CR0080
28	獐	645C	A45B	T5CS0080
29	獲	645D	A45C	T5CT0080
30	璩	645E	A45D	T5CU0080
31	環	645F	A45E	T5CV0080
32	瓊	6460	A45F	T5CW0080
33	璨	6461	A460	T5CX0080
34	癆	6462	A461	T5CY0080
35	療	6463	A462	T5CZ0080
36	癌	6464	A463	T5D00080
37	盪	6465	A464	T5D10080
38	瞳	6466	A465	T5D20080
39	瞪	6467	A466	T5D30080
40	瞰	6468	A467	T5D40080
41	瞬	6469	A468	T5D50080
42	瞧	646A	A469	T5D60080
43	瞭	646B	A46A	T5D70080
44	矯	646C	A46B	T5D80080
45	磷	646D	A46C	T5D90080
46	磧	646E	A46D	T5DA0080
47	磴	646F	A46E	T5DB0080
48	磯	6470	A46F	T5DC0080
49	礁	6471	A470	T5DD0080
50	禧	6472	A471	T5DE0080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
51	禪	6473	A472	T5DF0080
52	穗	6474	A473	T5DG0080
53	窿	6475	A474	T5DH0080
54	簇	6476	A475	T5DI0080
55	簞	6477	A476	T5DJ0080
56	篋	6478	A477	T5DK0080
57	篷	6479	A478	T5DL0080
58	簌	647A	A479	T5DM0080
59	篠	647B	A47A	T5DN0080
60	糠	647C	A47B	T5DO0080
61	糜	647D	A47C	T5DP0080
62	糞	647E	A47D	T5DQ0080
63	糝	647F	A47E	T5DR0080
64	糟	6481	A480	T5DT0080
65	糙	6482	A481	T5DU0080
66	糝	6483	A482	T5DV0080
67	縮	6484	A483	T5DW0080
68	績	6485	A484	T5DX0080
69	繆	6486	A485	T5DY0080
70	縷	6487	A486	T5DZ0080
71	縲	6488	A487	T5E00080
72	縲	6489	A488	T5E10080
73	縫	648A	A489	T5E20080
74	總	648B	A48A	T5E30080
75	縱	648C	A48B	T5E40080
76	縲	648D	A48C	T5E50080

Line Number	Graphic	Host Code	PC Code	GCGID
77	繁	648E	A48D	T5E60080
78	縵	648F	A48E	T5E70080
79	縲	6490	A48F	T5E80080
80	縲	6491	A490	T5E90080
81	縲	6492	A491	T5EA0080
82	縲	6493	A492	T5EB0080
83	縲	6494	A493	T5EC0080
84	罄	6495	A494	T5ED0080
85	翳	6496	A495	T5EE0080
86	翼	6497	A496	T5EF0080
87	罄	6498	A497	T5EG0080
88	聲	6499	A498	T5EH0080
89	聰	649A	A499	T5EI0080
90	聯	649B	A49A	T5EJ0080
91	聳	649C	A49B	T5EK0080
92	臆	649D	A49C	T5EL0080
93	臃	649E	A49D	T5EM0080
94	膺	649F	A49E	T5EN0080
95	臂	64A0	A49F	T5EO0080
96	臂	64A1	A4A0	T5EP0080
97	臙	64A2	A4A1	T5EQ0080
98	臙	64A3	A4A2	T5ER0080
99	臉	64A4	A4A3	T5ES0080
100	膾	64A5	A4A4	T5ET0080
101	臨	64A6	A4A5	T5EU0080
102	舉	64A7	A4A6	T5EV0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 8 (Page 3 of 18). Primary CH-T (3/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
103	艱	64A8	A4A7	T5EW0080
104	薪	64A9	A4A8	T5EX0080
105	薄	64AA	A4A9	T5EY0080
106	蕾	64AB	A4AA	T5EZ0080
107	薜	64AC	A4AB	T5F00080
108	薑	64AD	A4AC	T5F10080
109	蕎	64AE	A4AD	T5F20080
110	薯	64AF	A4AE	T5F30080
111	薛	64B0	A4AF	T5F40080
112	薇	64B1	A4B0	T5F50080
113	蕘	64B2	A4B1	T5F60080
114	薊	64B3	A4B2	T5F70080
115	虧	64B4	A4B3	T5F80080
116	蟀	64B5	A4B4	T5F90080
117	蟑	64B6	A4B5	T5FA0080
118	螳	64B7	A4B6	T5FB0080
119	蟒	64B8	A4B7	T5FC0080
120	蝟	64B9	A4B8	T5FD0080
121	螫	64BA	A4B9	T5FE0080
122	蝮	64BB	A4BA	T5FF0080
123	螺	64BC	A4BB	T5FG0080
124	蝸	64BD	A4BC	T5FH0080
125	蟋	64BE	A4BD	T5FI0080
126	藝	64BF	A4BE	T5FJ0080
127	褶	64C0	A4BF	T5FK0080
128	裏	64C1	A4C0	T5FL0080

Table 8 (Page 3 of 18). Primary CH-T (3/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
129	樓	64C2	A4C1	T5FM0080
130	褻	64C3	A4C2	T5FN0080
131	覬	64C4	A4C3	T5FO0080
132	謎	64C5	A4C4	T5FP0080
133	謗	64C6	A4C5	T5FQ0080
134	謙	64C7	A4C6	T5FR0080
135	講	64C8	A4C7	T5FS0080
136	謊	64C9	A4C8	T5FT0080
137	謠	64CA	A4C9	T5FU0080
138	謝	64CB	A4CA	T5FV0080
139	膳	64CC	A4CB	T5FW0080
140	謚	64CD	A4CC	T5FX0080
141	裕	64CE	A4CD	T5FY0080
142	谿	64CF	A4CE	T5FZ0080
143	幽	64D0	A4CF	T5G00080
144	賺	64D1	A4D0	T5G10080
145	賽	64D2	A4D1	T5G20080
146	購	64D3	A4D2	T5G30080
147	賸	64D4	A4D3	T5G40080
148	賻	64D5	A4D4	T5G50080
149	趨	64D6	A4D5	T5G60080
150	蹉	64D7	A4D6	T5G70080
151	蹋	64D8	A4D7	T5G80080
152	蹈	64D9	A4D8	T5G90080
153	蹊	64DA	A4D9	T5GA0080
154	轄	64DB	A4DA	T5GB0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 8 (Page 4 of 18). Primary CH-T (3/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
155	輓	64DC	A4DB	T5GC0080
156	轂	64DD	A4DC	T5GD0080
157	輓	64DE	A4DD	T5GE0080
158	輿	64DF	A4DE	T5GF0080
159	避	64E0	A4DF	T5GG0080
160	遽	64E1	A4E0	T5GH0080
161	還	64E2	A4E1	T5GI0080
162	邁	64E3	A4E2	T5GJ0080
163	避	64E4	A4E3	T5GK0080
164	邀	64E5	A4E4	T5GL0080
165	鄴	64E6	A4E5	T5GM0080
166	醴	64E7	A4E6	T5GN0080
167	醴	64E8	A4E7	T5GO0080
168	醜	64E9	A4E8	T5GP0080
169	鍍	64EA	A4E9	T5GQ0080
170	鎂	64EB	A4EA	T5GR0080
171	錯	64EC	A4EB	T5GS0080
172	鍵	64ED	A4EC	T5GT0080
173	鍊	64EE	A4ED	T5GU0080
174	鏗	64EF	A4EE	T5GV0080
175	鍋	64F0	A4EF	T5GW0080
176	錘	64F1	A4F0	T5GX0080
177	鍾	64F2	A4F1	T5GY0080
178	鍬	64F3	A4F2	T5GZ0080
179	鍛	64F4	A4F3	T5H00080
180	鏗	64F5	A4F4	T5H10080

Table 8 (Page 4 of 18). Primary CH-T (3/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
181	錫	64F6	A4F5	T5H20080
182	鏢	64F7	A4F6	T5H30080
183	闕	64F8	A4F7	T5H40080
184	闕	64F9	A4F8	T5H50080
185	闕	64FA	A4F9	T5H60080
186	闕	64FB	A4FA	T5H70080
187	闕	64FC	A4FB	T5H80080
188	隱	64FD	A4FC	T5H90080
189	隸	6541	A540	T5HD0080
190	雖	6542	A541	T5HE0080
191	霜	6543	A542	T5HF0080
192	霞	6544	A543	T5HG0080
193	鞠	6545	A544	T5HH0080
194	韓	6546	A545	T5HI0080
195	穎	6547	A546	T5HJ0080
196	颶	6548	A547	T5HK0080
197	餵	6549	A548	T5HL0080
198	騁	654A	A549	T5HM0080
199	駿	654B	A54A	T5HN0080
200	鮮	654C	A54B	T5HO0080
201	鮫	654D	A54C	T5HP0080
202	鮪	654E	A54D	T5HQ0080
203	鮭	654F	A54E	T5HR0080
204	鴻	6550	A54F	T5HS0080
205	鴿	6551	A550	T5HT0080
206	麩	6552	A551	T5HU0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 8 (Page 5 of 18). Primary CH-T (3/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
207	黏	6553	A552	T5HV0080
208	點	6554	A553	T5HW0080
209	黜	6555	A554	T5HX0080
210	黝	6556	A555	T5HY0080
211	黛	6557	A556	T5HZ0080
212	軒	6558	A557	T5I00080
213	齋	6559	A558	T5I10080
214	叢	655A	A559	T5I20080
215	嚕	655B	A55A	T5I30080
216	嚮	655C	A55B	T5I40080
217	壙	655D	A55C	T5I50080
218	壘	655E	A55D	T5I60080
219	嬪	655F	A55E	T5I70080
220	彛	6560	A55F	T5I80080
221	懣	6561	A560	T5I90080
222	戳	6562	A561	T5IA0080
223	擴	6563	A562	T5IB0080
224	擲	6564	A563	T5IC0080
225	擾	6565	A564	T5ID0080
226	擡	6566	A565	T5IE0080
227	擺	6567	A566	T5IF0080
228	擻	6568	A567	T5IG0080
229	擷	6569	A568	T5IH0080
230	斷	656A	A569	T5II0080
231	曜	656B	A56A	T5IJ0080
232	矇	656C	A56B	T5IK0080

Table 8 (Page 5 of 18). Primary CH-T (3/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
233	櫝	656D	A56C	T5IL0080
234	櫞	656E	A56D	T5IM0080
235	櫃	656F	A56E	T5IN0080
236	檻	6570	A56F	T5IO0080
237	檸	6571	A570	T5IP0080
238	櫛	6572	A571	T5IQ0080
239	櫛	6573	A572	T5IR0080
240	檯	6574	A573	T5IS0080
241	歟	6575	A574	T5IT0080
242	歸	6576	A575	T5IU0080
243	殞	6577	A576	T5IV0080
244	瀉	6578	A577	T5IW0080
245	潘	6579	A578	T5IX0080
246	濾	657A	A579	T5IY0080
247	瀆	657B	A57A	T5IZ0080
248	濺	657C	A57B	T5J00080
249	瀑	657D	A57C	T5J10080
250	瀏	657E	A57D	T5J20080
251	燠	657F	A57E	T5J30080
252	燼	6581	A580	T5J50080
253	燾	6582	A581	T5J60080
254	燹	6583	A582	T5J70080
255	獮	6584	A583	T5J80080
256	獵	6585	A584	T5J90080
257	壁	6586	A585	T5JA0080
258	璿	6587	A586	T5JB0080

IBM Traditional Chinese Graphic Character Set


DBCS - Host and DBCS - PC

Table 8 (Page 6 of 18). Primary CH-T (3/3), DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
259	糞	6588	A587	T5JC0080
260	癖	6589	A588	T5JD0080
261	癘	658A	A589	T5JE0080
262	癩	658B	A58A	T5JF0080
263	替	658C	A58B	T5JG0080
264	瞿	658D	A58C	T5JH0080
265	瞻	658E	A58D	T5JI0080
266	臉	658F	A58E	T5JJ0080
267	礎	6590	A58F	T5JK0080
268	禮	6591	A590	T5JL0080
269	穡	6592	A591	T5JM0080
270	穢	6593	A592	T5JN0080
271	穠	6594	A593	T5JO0080
272	竄	6595	A594	T5JP0080
273	竅	6596	A595	T5JQ0080
274	簫	6597	A596	T5JR0080
275	簧	6598	A597	T5JS0080
276	簪	6599	A598	T5JT0080
277	箏	659A	A599	T5JU0080
278	篔	659B	A59A	T5JV0080
279	簡	659C	A59B	T5JW0080
280	糧	659D	A59C	T5JX0080
281	織	659E	A59D	T5JY0080
282	繕	659F	A59E	T5JZ0080
283	繞	65A0	A59F	T5K00080
284	繚	65A1	A5A0	T5K10080

Table 8 (Page 6 of 18). Primary CH-T (3/3), DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
285	繡	65A2	A5A1	T5K20080
286	繒	65A3	A5A2	T5K30080
287	繙	65A4	A5A3	T5K40080
288	繢	65A5	A5A4	T5K50080
289	翹	65A6	A5A5	T5K60080
290	翻	65A7	A5A6	T5K70080
291	職	65A8	A5A7	T5K80080
292	聶	65A9	A5A8	T5K90080
293	臍	65AA	A5A9	T5KA0080
294	臏	65AB	A5AA	T5KB0080
295	舊	65AC	A5AB	T5KC0080
296	藏	65AD	A5AC	T5KD0080
297	薩	65AE	A5AD	T5KE0080
298	藍	65AF	A5AE	T5KF0080
299	藐	65B0	A5AF	T5KG0080
300	藉	65B1	A5B0	T5KH0080
301	薰	65B2	A5B1	T5KI0080
302	齊	65B3	A5B2	T5KJ0080
303	臺	65B4	A5B3	T5KK0080
304	薦	65B5	A5B4	T5KL0080
305	蟻	65B6	A5B5	T5KM0080
306	蟬	65B7	A5B6	T5KN0080
307	蟲	65B8	A5B7	T5KO0080
308	蟠	65B9	A5B8	T5KP0080
309	覆	65BA	A5B9	T5KQ0080
310	覲	65BB	A5BA	T5KR0080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 8 (Page 7 of 18). Primary CH-T (3/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
311	鵠	65BC	A5BB	T5KS0080
312	謨	65BD	A5BC	T5KT0080
313	謹	65BE	A5BD	T5KU0080
314	謬	65BF	A5BE	T5KV0080
315	謫	65C0	A5BF	T5KW0080
316	豐	65C1	A5C0	T5KX0080
317	贅	65C2	A5C1	T5KY0080
318	蹙	65C3	A5C2	T5KZ0080
319	蹠	65C4	A5C3	T5L00080
320	蹠	65C5	A5C4	T5L10080
321	蹤	65C6	A5C5	T5L20080
322	蹟	65C7	A5C6	T5L30080
323	蹕	65C8	A5C7	T5L40080
324	軀	65C9	A5C8	T5L50080
325	轉	65CA	A5C9	T5L60080
326	轍	65CB	A5CA	T5L70080
327	邏	65CC	A5CB	T5L80080
328	遼	65CD	A5CC	T5L90080
329	邈	65CE	A5CD	T5LA0080
330	醫	65CF	A5CE	T5LB0080
331	醬	65D0	A5CF	T5LC0080
332	釐	65D1	A5D0	T5LD0080
333	鎔	65D2	A5D1	T5LE0080
334	鎊	65D3	A5D2	T5LF0080
335	鎖	65D4	A5D3	T5LG0080
336	鎬	65D5	A5D4	T5LH0080

Table 8 (Page 7 of 18). Primary CH-T (3/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
337	鎳	65D6	A5D5	T5LI0080
338	鎭	65D7	A5D6	T5LJ0080
339	鎬	65D8	A5D7	T5LK0080
340	鎰	65D9	A5D8	T5LL0080
341	鎊	65DA	A5D9	T5LM0080
342	鎚	65DB	A5DA	T5LN0080
343	鎗	65DC	A5DB	T5LO0080
344	闔	65DD	A5DC	T5LP0080
345	闔	65DE	A5DD	T5LQ0080
346	闔	65DF	A5DE	T5LR0080
347	闕	65E0	A5DF	T5LS0080
348	離	65E1	A5E0	T5LT0080
349	雜	65E2	A5E1	T5LU0080
350	雙	65E3	A5E2	T5LV0080
351	雛	65E4	A5E3	T5LW0080
352	雞	65E5	A5E4	T5LX0080
353	霽	65E6	A5E5	T5LY0080
354	鞣	65E7	A5E6	T5LZ0080
355	鞦	65E8	A5E7	T5M00080
356	鞭	65E9	A5E8	T5M10080
357	隴	65EA	A5E9	T5M20080
358	額	65EB	A5EA	T5M30080
359	顏	65EC	A5EB	T5M40080
360	題	65ED	A5EC	T5M50080
361	顎	65EE	A5ED	T5M60080
362	顛	65EF	A5EE	T5M70080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 8 (Page 8 of 18). Primary CH-T (3/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
363	颺	65F0	A5EF	T5M80080
364	餹	65F1	A5F0	T5M90080
365	餽	65F2	A5F1	T5MA0080
366	餽	65F3	A5F2	T5MB0080
367	饗	65F4	A5F3	T5MC0080
368	馥	65F5	A5F4	T5MD0080
369	騎	65F6	A5F5	T5ME0080
370	髀	65F7	A5F6	T5MF0080
371	髻	65F8	A5F7	T5MG0080
372	髥	65F9	A5F8	T5MH0080
373	魏	65FA	A5F9	T5MI0080
374	颯	65FB	A5FA	T5MJ0080
375	颯	65FC	A5FB	T5MK0080
376	鯊	65FD	A5FC	T5ML0080
377	鯉	6641	A640	T5MP0080
378	鯽	6642	A641	T5MQ0080
379	鯨	6643	A642	T5MR0080
380	鯨	6644	A643	T5MS0080
381	鵠	6645	A644	T5MT0080
382	鵠	6646	A645	T5MU0080
383	鵠	6647	A646	T5MV0080
384	鵠	6648	A647	T5MW0080
385	鵠	6649	A648	T5MX0080
386	鵠	664A	A649	T5MY0080
387	鵠	664B	A64A	T5MZ0080
388	噉	664C	A64B	T5N00080

Table 8 (Page 8 of 18). Primary CH-T (3/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
389	壞	664D	A64C	T5N10080
390	壘	664E	A64D	T5N20080
391	壘	664F	A64E	T5N30080
392	寵	6650	A64F	T5N40080
393	龐	6651	A650	T5N50080
394	廬	6652	A651	T5N60080
395	懲	6653	A652	T5N70080
396	懷	6654	A653	T5N80080
397	懶	6655	A654	T5N90080
398	憎	6656	A655	T5NA0080
399	攀	6657	A656	T5NB0080
400	攏	6658	A657	T5NC0080
401	曠	6659	A658	T5ND0080
402	曝	665A	A659	T5NE0080
403	櫛	665B	A65A	T5NF0080
404	櫛	665C	A65B	T5NG0080
405	櫛	665D	A65C	T5NH0080
406	櫛	665E	A65D	T5NI0080
407	瀛	665F	A65E	T5NJ0080
408	瀟	6660	A65F	T5NK0080
409	瀟	6661	A660	T5NL0080
410	瀚	6662	A661	T5NM0080
411	瀝	6663	A662	T5NN0080
412	瀨	6664	A663	T5NO0080
413	瀟	6665	A664	T5NP0080
414	爆	6666	A665	T5NQ0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 8 (Page 9 of 18). Primary CH-T (3/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
415	爍	6667	A666	T5NR0080
416	膾	6668	A667	T5NS0080
417	犢	6669	A668	T5NT0080
418	獸	666A	A669	T5NU0080
419	獺	666B	A66A	T5NV0080
420	璽	666C	A66B	T5NW0080
421	瓊	666D	A66C	T5NX0080
422	瓣	666E	A66D	T5NY0080
423	疇	666F	A66E	T5NZ0080
424	疆	6670	A66F	T5O00080
425	瘍	6671	A670	T5O10080
426	癡	6672	A671	T5O20080
427	矇	6673	A672	T5O30080
428	礙	6674	A673	T5O40080
429	禱	6675	A674	T5O50080
430	穫	6676	A675	T5O60080
431	穩	6677	A676	T5O70080
432	簾	6678	A677	T5O80080
433	簿	6679	A678	T5O90080
434	簸	667A	A679	T5OA0080
435	簽	667B	A67A	T5OB0080
436	簪	667C	A67B	T5OC0080
437	籓	667D	A67C	T5OD0080
438	繫	667E	A67D	T5OE0080
439	繭	667F	A67E	T5OF0080
440	繹	6681	A680	T5OH0080

Table 8 (Page 9 of 18). Primary CH-T (3/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
441	繩	6682	A681	T5OI0080
442	繪	6683	A682	T5OJ0080
443	羅	6684	A683	T5OK0080
444	繖	6685	A684	T5OL0080
445	羶	6686	A685	T5OM0080
446	葵	6687	A686	T5ON0080
447	羸	6688	A687	T5OO0080
448	臘	6689	A688	T5OP0080
449	藩	668A	A689	T5OQ0080
450	藝	668B	A68A	T5OR0080
451	藪	668C	A68B	T5OS0080
452	藕	668D	A68C	T5OT0080
453	藤	668E	A68D	T5OU0080
454	藥	668F	A68E	T5OV0080
455	藹	6690	A68F	T5OW0080
456	蟻	6691	A690	T5OX0080
457	蠅	6692	A691	T5OY0080
458	蠍	6693	A692	T5OZ0080
459	蟹	6694	A693	T5P00080
460	蟾	6695	A694	T5P10080
461	襠	6696	A695	T5P20080
462	襟	6697	A696	T5P30080
463	襖	6698	A697	T5P40080
464	襜	6699	A698	T5P50080
465	譁	669A	A699	T5P60080
466	譜	669B	A69A	T5P70080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 8 (Page 10 of 18). Primary CH-T (3/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
467	識	669C	A69B	T5P80080
468	證	669D	A69C	T5P90080
469	譚	669E	A69D	T5PA0080
470	譎	669F	A69E	T5PB0080
471	譏	66A0	A69F	T5PC0080
472	誼	66A1	A6A0	T5PD0080
473	譙	66A2	A6A1	T5PE0080
474	贈	66A3	A6A2	T5PF0080
475	贊	66A4	A6A3	T5PG0080
476	蹠	66A5	A6A4	T5PH0080
477	蹲	66A6	A6A5	T5PI0080
478	蹠	66A7	A6A6	T5PJ0080
479	蹠	66A8	A6A7	T5PK0080
480	蹠	66A9	A6A8	T5PL0080
481	蹠	66AA	A6A9	T5PM0080
482	蹠	66AB	A6AA	T5PN0080
483	蹠	66AC	A6AB	T5PO0080
484	輻	66AD	A6AC	T5PP0080
485	辭	66AE	A6AD	T5PQ0080
486	邊	66AF	A6AE	T5PR0080
487	邐	66B0	A6AF	T5PS0080
488	醜	66B1	A6B0	T5PT0080
489	醜	66B2	A6B1	T5PU0080
490	鏡	66B3	A6B2	T5PV0080
491	鏞	66B4	A6B3	T5PW0080
492	鏞	66B5	A6B4	T5PX0080

Table 8 (Page 10 of 18). Primary CH-T (3/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
493	鏞	66B6	A6B5	T5PY0080
494	鏞	66B7	A6B6	T5PZ0080
495	鏞	66B8	A6B7	T5Q00080
496	鏞	66B9	A6B8	T5Q10080
497	鏞	66BA	A6B9	T5Q20080
498	鏞	66BB	A6BA	T5Q30080
499	鏞	66BC	A6BB	T5Q40080
500	鏞	66BD	A6BC	T5Q50080
501	鏞	66BE	A6BD	T5Q60080
502	鏞	66BF	A6BE	T5Q70080
503	鏞	66C0	A6BF	T5Q80080
504	關	66C1	A6C0	T5Q90080
505	隴	66C2	A6C1	T5QA0080
506	難	66C3	A6C2	T5QB0080
507	漚	66C4	A6C3	T5QC0080
508	霧	66C5	A6C4	T5QD0080
509	靡	66C6	A6C5	T5QE0080
510	韜	66C7	A6C6	T5QF0080
511	韻	66C8	A6C7	T5QG0080
512	類	66C9	A6C8	T5QH0080
513	願	66CA	A6C9	T5QI0080
514	顛	66CB	A6CA	T5QJ0080
515	颶	66CC	A6CB	T5QK0080
516	饅	66CD	A6CC	T5QL0080
517	饅	66CE	A6CD	T5QM0080
518	鶩	66CF	A6CE	T5QN0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 8 (Page 11 of 18). Primary CH-T (3/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
519	騙	66D0	A6CF	T5QO0080
520	鬚	66D1	A6D0	T5QP0080
521	鯨	66D2	A6D1	T5QQ0080
522	鯧	66D3	A6D2	T5QR0080
523	鯖	66D4	A6D3	T5QS0080
524	鯛	66D5	A6D4	T5QT0080
525	鶉	66D6	A6D5	T5QU0080
526	鴿	66D7	A6D6	T5QV0080
527	鵲	66D8	A6D7	T5QW0080
528	鵠	66D9	A6D8	T5QX0080
529	鵬	66DA	A6D9	T5QY0080
530	麒	66DB	A6DA	T5QZ0080
531	麗	66DC	A6DB	T5R00080
532	麓	66DD	A6DC	T5R10080
533	麴	66DE	A6DD	T5R20080
534	勸	66DF	A6DE	T5R30080
535	囑	66E0	A6DF	T5R40080
536	囑	66E1	A6E0	T5R50080
537	嚶	66E2	A6E1	T5R60080
538	嚴	66E3	A6E2	T5R70080
539	嚼	66E4	A6E3	T5R80080
540	壤	66E5	A6E4	T5R90080
541	孀	66E6	A6E5	T5RA0080
542	孀	66E7	A6E6	T5RB0080
543	孽	66E8	A6E7	T5RC0080
544	寶	66E9	A6E8	T5RD0080

Table 8 (Page 11 of 18). Primary CH-T (3/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
545	嶼	66EA	A6E9	T5RE0080
546	懸	66EB	A6EA	T5RF0080
547	饑	66EC	A6EB	T5RG0080
548	攘	66ED	A6EC	T5RH0080
549	攔	66EE	A6ED	T5RI0080
550	攙	66EF	A6EE	T5RJ0080
551	曦	66F0	A6EF	T5RK0080
552	隴	66F1	A6F0	T5RL0080
553	櫛	66F2	A6F1	T5RM0080
554	瀾	66F3	A6F2	T5RN0080
555	瀾	66F4	A6F3	T5RO0080
556	澱	66F5	A6F4	T5RP0080
557	爐	66F6	A6F5	T5RQ0080
558	獻	66F7	A6F6	T5RR0080
559	瓏	66F8	A6F7	T5RS0080
560	癢	66F9	A6F8	T5RT0080
561	癥	66FA	A6F9	T5RU0080
562	礦	66FB	A6FA	T5RV0080
563	礪	66FC	A6FB	T5RW0080
564	礮	66FD	A6FC	T5RX0080
565	礫	6741	A740	T5S10080
566	寶	6742	A741	T5S20080
567	競	6743	A742	T5S30080
568	籌	6744	A743	T5S40080
569	籃	6745	A744	T5S50080
570	籍	6746	A745	T5S60080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 8 (Page 12 of 18). Primary CH-T (3/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
571	糯	6747	A746	T5S70080
572	糲	6748	A747	T5S80080
573	辦	6749	A748	T5S90080
574	繽	674A	A749	T5SA0080
575	繼	674B	A74A	T5SB0080
576	纂	674C	A74B	T5SC0080
577	罌	674D	A74C	T5SD0080
578	耀	674E	A74D	T5SE0080
579	臚	674F	A74E	T5SF0080
580	艦	6750	A74F	T5SG0080
581	藻	6751	A750	T5SH0080
582	藹	6752	A751	T5SI0080
583	蓆	6753	A752	T5SJ0080
584	藺	6754	A753	T5SK0080
585	蘆	6755	A754	T5SL0080
586	蘋	6756	A755	T5SM0080
587	蘇	6757	A756	T5SN0080
588	蘊	6758	A757	T5SO0080
589	蠟	6759	A758	T5SP0080
590	蠕	675A	A759	T5SQ0080
591	檻	675B	A75A	T5SR0080
592	覺	675C	A75B	T5SS0080
593	觸	675D	A75C	T5ST0080
594	議	675E	A75D	T5SU0080
595	譬	675F	A75E	T5SV0080
596	警	6760	A75F	T5SW0080

Table 8 (Page 12 of 18). Primary CH-T (3/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
597	譯	6761	A760	T5SX0080
598	譟	6762	A761	T5SY0080
599	譖	6763	A762	T5SZ0080
600	贏	6764	A763	T5T00080
601	瞻	6765	A764	T5T10080
602	躔	6766	A765	T5T20080
603	躑	6767	A766	T5T30080
604	躑	6768	A767	T5T40080
605	躑	6769	A768	T5T50080
606	醴	676A	A769	T5T60080
607	釋	676B	A76A	T5T70080
608	鐘	676C	A76B	T5T80080
609	鏡	676D	A76C	T5T90080
610	鏞	676E	A76D	T5TA0080
611	闡	676F	A76E	T5TB0080
612	霰	6770	A76F	T5TC0080
613	飄	6771	A770	T5TD0080
614	饒	6772	A771	T5TE0080
615	饑	6773	A772	T5TF0080
616	馨	6774	A773	T5TG0080
617	騫	6775	A774	T5TH0080
618	騰	6776	A775	T5TI0080
619	騷	6777	A776	T5TJ0080
620	駟	6778	A777	T5TK0080
621	鯁	6779	A778	T5TL0080
622	鯁	677A	A779	T5TM0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 8 (Page 13 of 18). Primary CH-T (3/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
623	鹹	677B	A77A	T5TN0080
624	麵	677C	A77B	T5TO0080
625	黨	677D	A77C	T5TP0080
626	鯧	677E	A77D	T5TQ0080
627	齟	677F	A77E	T5TR0080
628	齣	6781	A780	T5TT0080
629	齡	6782	A781	T5TU0080
630	儷	6783	A782	T5TV0080
631	儷	6784	A783	T5TW0080
632	囁	6785	A784	T5TX0080
633	囁	6786	A785	T5TY0080
634	崑	6787	A786	T5TZ0080
635	夔	6788	A787	T5U00080
636	屬	6789	A788	T5U10080
637	窺	678A	A789	T5U20080
638	懼	678B	A78A	T5U30080
639	囑	678C	A78B	T5U40080
640	搨	678D	A78C	T5U50080
641	搨	678E	A78D	T5U60080
642	爛	678F	A78E	T5U70080
643	曩	6790	A78F	T5U80080
644	櫻	6791	A790	T5U90080
645	欄	6792	A791	T5UA0080
646	櫺	6793	A792	T5UB0080
647	穢	6794	A793	T5UC0080
648	灌	6795	A794	T5UD0080

Table 8 (Page 13 of 18). Primary CH-T (3/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
649	爛	6796	A795	T5UE0080
650	犧	6797	A796	T5UF0080
651	瓊	6798	A797	T5UG0080
652	瓊	6799	A798	T5UH0080
653	癩	679A	A799	T5UI0080
654	矚	679B	A79A	T5UJ0080
655	籐	679C	A79B	T5UK0080
656	纏	679D	A79C	T5UL0080
657	續	679E	A79D	T5UM0080
658	屨	679F	A79E	T5UN0080
659	藁	67A0	A79F	T5UO0080
660	蘭	67A1	A7A0	T5UP0080
661	藪	67A2	A7A1	T5UQ0080
662	蠟	67A3	A7A2	T5UR0080
663	蠹	67A4	A7A3	T5US0080
664	蠹	67A5	A7A4	T5UT0080
665	蠟	67A6	A7A5	T5UU0080
666	襪	67A7	A7A6	T5UV0080
667	襪	67A8	A7A7	T5UW0080
668	覽	67A9	A7A8	T5UX0080
669	謹	67AA	A7A9	T5UY0080
670	護	67AB	A7AA	T5UZ0080
671	譽	67AC	A7AB	T5V00080
672	臧	67AD	A7AC	T5V10080
673	躡	67AE	A7AD	T5V20080
674	躍	67AF	A7AE	T5V30080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 8 (Page 14 of 18). Primary CH-T (3/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
675	躋	67B0	A7AF	T5V40080
676	轟	67B1	A7B0	T5V50080
677	辯	67B2	A7B1	T5V60080
678	醺	67B3	A7B2	T5V70080
679	鏟	67B4	A7B3	T5V80080
680	鑼	67B5	A7B4	T5V90080
681	鐵	67B6	A7B5	T5VA0080
682	錯	67B7	A7B6	T5VB0080
683	鐸	67B8	A7B7	T5VC0080
684	鐳	67B9	A7B8	T5VD0080
685	鎬	67BA	A7B9	T5VE0080
686	關	67BB	A7BA	T5VF0080
687	霸	67BC	A7BB	T5VG0080
688	霹	67BD	A7BC	T5VH0080
689	露	67BE	A7BD	T5VI0080
690	響	67BF	A7BE	T5VJ0080
691	顧	67C0	A7BF	T5VK0080
692	頰	67C1	A7C0	T5VL0080
693	饗	67C2	A7C1	T5VM0080
694	驅	67C3	A7C2	T5VN0080
695	驃	67C4	A7C3	T5VO0080
696	焉	67C5	A7C4	T5VP0080
697	騾	67C6	A7C5	T5VQ0080
698	馱	67C7	A7C6	T5VR0080
699	魔	67C8	A7C7	T5VS0080
700	魘	67C9	A7C8	T5VT0080

Table 8 (Page 14 of 18). Primary CH-T (3/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
701	鱒	67CA	A7C9	T5VU0080
702	鰈	67CB	A7CA	T5VV0080
703	鶯	67CC	A7CB	T5VW0080
704	鶴	67CD	A7CC	T5VX0080
705	鶴	67CE	A7CD	T5VY0080
706	鴉	67CF	A7CE	T5VZ0080
707	麝	67D0	A7CF	T5W00080
708	黯	67D1	A7D0	T5W10080
709	擘	67D2	A7D1	T5W20080
710	齟	67D3	A7D2	T5W30080
711	齷	67D4	A7D3	T5W40080
712	齧	67D5	A7D4	T5W50080
713	儼	67D6	A7D5	T5W60080
714	儻	67D7	A7D6	T5W70080
715	嚙	67D8	A7D7	T5W80080
716	囊	67D9	A7D8	T5W90080
717	囉	67DA	A7D9	T5WA0080
718	學	67DB	A7DA	T5WB0080
719	巔	67DC	A7DB	T5WC0080
720	辮	67DD	A7DC	T5WD0080
721	彎	67DE	A7DD	T5WE0080
722	懿	67DF	A7DE	T5WF0080
723	攤	67E0	A7DF	T5WG0080
724	權	67E1	A7E0	T5WH0080
725	歡	67E2	A7E1	T5WI0080
726	灑	67E3	A7E2	T5WJ0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 8 (Page 15 of 18). Primary CH-T (3/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
727	灘	67E4	A7E3	T5WK0080
728	獾	67E5	A7E4	T5WL0080
729	瓢	67E6	A7E5	T5WM0080
730	疊	67E7	A7E6	T5WN0080
731	癩	67E8	A7E7	T5WO0080
732	癬	67E9	A7E8	T5WP0080
733	襪	67EA	A7E9	T5WQ0080
734	籠	67EB	A7EA	T5WR0080
735	籟	67EC	A7EB	T5WS0080
736	聾	67ED	A7EC	T5WT0080
737	聽	67EE	A7ED	T5WU0080
738	臍	67EF	A7EE	T5WV0080
739	襲	67F0	A7EF	T5WW0080
740	襯	67F1	A7F0	T5WX0080
741	艘	67F2	A7F1	T5WY0080
742	讀	67F3	A7F2	T5WZ0080
743	贖	67F4	A7F3	T5X00080
744	贗	67F5	A7F4	T5X10080
745	躑	67F6	A7F5	T5X20080
746	躡	67F7	A7F6	T5X30080
747	轡	67F8	A7F7	T5X40080
748	鄺	67F9	A7F8	T5X50080
749	鑄	67FA	A7F9	T5X60080
750	鑑	67FB	A7FA	T5X70080
751	鑿	67FC	A7FB	T5X80080
752	霽	67FD	A7FC	T5X90080

Table 8 (Page 15 of 18). Primary CH-T (3/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
753	霾	6841	A840	T5XD0080
754	韃	6842	A841	T5XE0080
755	韃	6843	A842	T5XF0080
756	顛	6844	A843	T5XG0080
757	驤	6845	A844	T5XH0080
758	驕	6846	A845	T5XI0080
759	驍	6847	A846	T5XJ0080
760	驕	6848	A847	T5XK0080
761	鬚	6849	A848	T5XL0080
762	鰲	684A	A849	T5XM0080
763	鯁	684B	A84A	T5XN0080
764	鰲	684C	A84B	T5XO0080
765	鰻	684D	A84C	T5XP0080
766	鷓	684E	A84D	T5XQ0080
767	鷗	684F	A84E	T5XR0080
768	鷓	6850	A84F	T5XS0080
769	鷓	6851	A850	T5XT0080
770	鷓	6852	A851	T5XU0080
771	鷓	6853	A852	T5XV0080
772	鷓	6854	A853	T5XW0080
773	鷓	6855	A854	T5XX0080
774	鷓	6856	A855	T5XY0080
775	鷓	6857	A856	T5XZ0080
776	攪	6858	A857	T5Y00080
777	攪	6859	A858	T5Y10080
778	曬	685A	A859	T5Y20080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 8 (Page 16 of 18). Primary CH-T (3/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
779	櫪	685B	A85A	T5Y30080
780	瓊	685C	A85B	T5Y40080
781	竊	685D	A85C	T5Y50080
782	籤	685E	A85D	T5Y60080
783	籟	685F	A85E	T5Y70080
784	籥	6860	A85F	T5Y80080
785	纓	6861	A860	T5Y90080
786	織	6862	A861	T5YA0080
787	纒	6863	A862	T5YB0080
788	膾	6864	A863	T5YC0080
789	煎	6865	A864	T5YD0080
790	蘿	6866	A865	T5YE0080
791	蠱	6867	A866	T5YF0080
792	變	6868	A867	T5YG0080
793	還	6869	A868	T5YH0080
794	邏	686A	A869	T5YI0080
795	鑢	686B	A86A	T5YJ0080
796	鑠	686C	A86B	T5YK0080
797	鑠	686D	A86C	T5YL0080
798	鑿	686E	A86D	T5YM0080
799	顯	686F	A86E	T5YN0080
800	鑿	6870	A86F	T5YO0080
801	驚	6871	A870	T5YP0080
802	驛	6872	A871	T5YQ0080
803	驗	6873	A872	T5YR0080
804	龔	6874	A873	T5YS0080

Table 8 (Page 16 of 18). Primary CH-T (3/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
805	體	6875	A874	T5YT0080
806	鬪	6876	A875	T5YU0080
807	鱗	6877	A876	T5YV0080
808	鱗	6878	A877	T5YW0080
809	鰓	6879	A878	T5YX0080
810	鰓	687A	A879	T5YY0080
811	鱗	687B	A87A	T5YZ0080
812	徽	687C	A87B	T5Z00080
813	囑	687D	A87C	T5Z10080
814	壩	687E	A87D	T5Z20080
815	攪	687F	A87E	T5Z30080
816	灑	6881	A880	T5Z50080
817	癱	6882	A881	T5Z60080
818	癩	6883	A882	T5Z70080
819	轟	6884	A883	T5Z80080
820	罐	6885	A884	T5Z90080
821	羈	6886	A885	T5ZA0080
822	蠶	6887	A886	T5ZB0080
823	蠹	6888	A887	T5ZC0080
824	衢	6889	A888	T5ZD0080
825	讓	688A	A889	T5ZE0080
826	讒	688B	A88A	T5ZF0080
827	讖	688C	A88B	T5ZG0080
828	艷	688D	A88C	T5ZH0080
829	贛	688E	A88D	T5ZI0080
830	釀	688F	A88E	T5ZJ0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 8 (Page 17 of 18). Primary CH-T (3/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
831	鑪	6890	A88F	T5ZK0080
832	震	6891	A890	T5ZL0080
833	靈	6892	A891	T5ZM0080
834	靄	6893	A892	T5ZN0080
835	韃	6894	A893	T5ZO0080
836	鞏	6895	A894	T5ZP0080
837	驟	6896	A895	T5ZQ0080
838	髮	6897	A896	T5ZR0080
839	魔	6898	A897	T5ZS0080
840	疊	6899	A898	T5ZT0080
841	鷹	689A	A899	T5ZU0080
842	鷲	689B	A89A	T5ZV0080
843	鹼	689C	A89B	T5ZW0080
844	鹽	689D	A89C	T5ZX0080
845	龕	689E	A89D	T5ZY0080
846	齷	689F	A89E	T5ZZ0080
847	齶	68A0	A89F	T6000080
848	廳	68A1	A8A0	T6010080
849	欖	68A2	A8A1	T6020080
850	灣	68A3	A8A2	T6030080
851	籬	68A4	A8A3	T6040080
852	籬	68A5	A8A4	T6050080
853	蠻	68A6	A8A5	T6060080
854	觀	68A7	A8A6	T6070080
855	躡	68A8	A8A7	T6080080
856	豐	68A9	A8A8	T6090080

Table 8 (Page 17 of 18). Primary CH-T (3/3), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
857	鑲	68AA	A8A9	T60A0080
858	鑰	68AB	A8AA	T60B0080
859	顛	68AC	A8AB	T60C0080
860	饒	68AD	A8AC	T60D0080
861	競	68AE	A8AD	T60E0080
862	蠶	68AF	A8AE	T60F0080
863	豐	68B0	A8AF	T60G0080
864	灤	68B1	A8B0	T60H0080
865	矚	68B2	A8B1	T60I0080
866	讚	68B3	A8B2	T60J0080
867	鑄	68B4	A8B3	T60K0080
868	鞣	68B5	A8B4	T60L0080
869	驢	68B6	A8B5	T60M0080
870	驥	68B7	A8B6	T60N0080
871	纜	68B8	A8B7	T60O0080
872	讜	68B9	A8B8	T60P0080
873	躡	68BA	A8B9	T60Q0080
874	醜	68BB	A8BA	T60R0080
875	鑽	68BC	A8BB	T60S0080
876	鑾	68BD	A8BC	T60T0080
877	鑼	68BE	A8BD	T60U0080
878	鍾	68BF	A8BE	T60V0080
879	鑪	68C0	A8BF	T60W0080
880	贖	68C1	A8C0	T60X0080
881	豔	68C2	A8C1	T60Y0080
882	鑿	68C3	A8C2	T60Z0080

**IBM Traditional Chinese Graphic Character Set**

DBCS - Host and DBCS - PC

Table 8 (Page 18 of 18). Primary CH-T (3/3), DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
883	鸚	68C4	A8C3	T6100080
884	鸞	68C5	A8C4	T6110080
885	驪	68C6	A8C5	T6120080
886	鸞	68C7	A8C6	T6130080
887	鸞	68C8	A8C7	T6140080
888	鸞	68C9	A8C8	T6150080
889	鸞	68CA	A8C9	T6160080
890	撐	68CB	A8CA	T6170080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

8.5 Secondary Chinese Set (1 of 4)

Line Number	Graphic	Host Code	PC Code	GCGID
1	乂	6941	A940	T62P0080
2	乚	6942	A941	T62Q0080
3	凵	6943	A942	T62R0080
4	匸	6944	A943	T62S0080
5	厂	6945	A944	T62T0080
6	万	6946	A945	T62U0080
7	冫	6947	A946	T62V0080
8	乇	6948	A947	T62W0080
9	亍	6949	A948	T62X0080
10	凵	694A	A949	T62Y0080
11	兀	694B	A94A	T62Z0080
12	中	694C	A94B	T6300080
13	彳	694D	A94C	T6310080
14	弓	694E	A94D	T6320080
15	宀	694F	A94E	T6330080
16	与	6950	A94F	T6340080
17	乇	6951	A950	T6350080
18	亍	6952	A951	T6360080
19	叻	6953	A952	T6370080
20	仇	6954	A953	T6380080
21	佩	6955	A954	T6390080
22	宀	6956	A955	T63A0080
23	知	6957	A956	T63B0080
24	印	6958	A957	T63C0080

Line Number	Graphic	Host Code	PC Code	GCGID
25	公	6959	A958	T63D0080
26	圪	695A	A959	T63E0080
27	兔	695B	A95A	T63F0080
28	夫	695C	A95B	T63G0080
29	心	695D	A95C	T63H0080
30	市	695E	A95D	T63I0080
31	无	695F	A95E	T63J0080
32	父	6960	A95F	T63K0080
33	母	6961	A960	T63L0080
34	气	6962	A961	T63M0080
35	月	6963	A962	T63N0080
36	卯	6964	A963	T63O0080
37	井	6965	A964	T63P0080
38	仁	6966	A965	T63Q0080
39	仁	6967	A966	T63R0080
40	仕	6968	A967	T63S0080
41	仈	6969	A968	T63T0080
42	全	696A	A969	T63U0080
43	仝	696B	A96A	T63V0080
44	刂	696C	A96B	T63W0080
45	匪	696D	A96C	T63X0080
46	册	696E	A96D	T63Y0080
47	玗	696F	A96E	T63Z0080
48	圣	6970	A96F	T6400080
49	夂	6971	A970	T6410080
50	秀	6972	A971	T6420080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 9 (Page 2 of 44). Secondary CH-T (1/4), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
51	宁	6973	A972	T6430080
52	兗	6974	A973	T6440080
53	余	6975	A974	T6450080
54	屍	6976	A975	T6460080
55	芳	6977	A976	T6470080
56	奋	6978	A977	T6480080
57	町	6979	A978	T6490080
58	庀	697A	A979	T64A0080
59	仄	697B	A97A	T64B0080
60	忉	697C	A97B	T64C0080
61	戍	697D	A97C	T64D0080
62	扌	697E	A97D	T64E0080
63	气	697F	A97E	T64F0080
64	丞	6981	A980	T64H0080
65	汎	6982	A981	T64I0080
66	洑	6983	A982	T64J0080
67	洑	6984	A983	T64K0080
68	友	6985	A984	T64L0080
69	犏	6986	A985	T64M0080
70	王	6987	A986	T64N0080
71	冎	6988	A987	T64O0080
72	肥	6989	A988	T64P0080
73	防	698A	A989	T64Q0080
74	伎	698B	A98A	T64R0080
75	优	698C	A98B	T64S0080
76	伋	698D	A98C	T64T0080

Table 9 (Page 2 of 44). Secondary CH-T (1/4), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
77	仵	698E	A98D	T64U0080
78	伋	698F	A98E	T64V0080
79	仵	6990	A98F	T64W0080
80	伋	6991	A990	T64X0080
81	价	6992	A991	T64Y0080
82	伋	6993	A992	T64Z0080
83	伋	6994	A993	T6500080
84	侏	6995	A994	T6510080
85	侏	6996	A995	T6520080
86	侏	6997	A996	T6530080
87	侏	6998	A997	T6540080
88	侏	6999	A998	T6550080
89	侏	699A	A999	T6560080
90	侏	699B	A99A	T6570080
91	洑	699C	A99B	T6580080
92	洑	699D	A99C	T6590080
93	洑	699E	A99D	T65A0080
94	洑	699F	A99E	T65B0080
95	侏	69A0	A99F	T65C0080
96	洑	69A1	A9A0	T65D0080
97	洑	69A2	A9A1	T65E0080
98	洑	69A3	A9A2	T65F0080
99	洑	69A4	A9A3	T65G0080
100	呼	69A5	A9A4	T65H0080
101	洑	69A6	A9A5	T65I0080
102	洑	69A7	A9A6	T65J0080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
103	圮	69A8	A9A7	T65K0080
104	圯	69A9	A9A8	T65L0080
105	均	69AA	A9A9	T65M0080
106	乔	69AB	A9AA	T65N0080
107	改	69AC	A9AB	T65O0080
108	妣	69AD	A9AC	T65P0080
109	虹	69AE	A9AD	T65Q0080
110	姁	69AF	A9AE	T65R0080
111	妣	69B0	A9AF	T65S0080
112	姁	69B1	A9B0	T65T0080
113	妣	69B2	A9B1	T65U0080
114	孖	69B3	A9B2	T65V0080
115	彖	69B4	A9B3	T65W0080
116	尪	69B5	A9B4	T65X0080
117	岍	69B6	A9B5	T65Y0080
118	岍	69B7	A9B6	T65Z0080
119	岍	69B8	A9B7	T6600080
120	岍	69B9	A9B8	T6610080
121	荒	69BA	A9B9	T6620080
122	开	69BB	A9BA	T6630080
123	庄	69BC	A9BB	T6640080
124	异	69BD	A9BC	T6650080
125	弔	69BE	A9BD	T6660080
126	纆	69BF	A9BE	T6670080
127	忼	69C0	A9BF	T6680080
128	忼	69C1	A9C0	T6690080

Line Number	Graphic	Host Code	PC Code	GCGID
129	忼	69C2	A9C1	T66A0080
130	忼	69C3	A9C2	T66B0080
131	忼	69C4	A9C3	T66C0080
132	忼	69C5	A9C4	T66D0080
133	忼	69C6	A9C5	T66E0080
134	忼	69C7	A9C6	T66F0080
135	忼	69C8	A9C7	T66G0080
136	忼	69C9	A9C8	T66H0080
137	忼	69CA	A9C9	T66I0080
138	忼	69CB	A9CA	T66J0080
139	忼	69CC	A9CB	T66K0080
140	晃	69CD	A9CC	T66L0080
141	昏	69CE	A9CD	T66M0080
142	杓	69CF	A9CE	T66N0080
143	杓	69D0	A9CF	T66O0080
144	杓	69D1	A9D0	T66P0080
145	杓	69D2	A9D1	T66Q0080
146	机	69D3	A9D2	T66R0080
147	束	69D4	A9D3	T66S0080
148	杓	69D5	A9D4	T66T0080
149	杓	69D6	A9D5	T66U0080
150	杓	69D7	A9D6	T66V0080
151	余	69D8	A9D7	T66W0080
152	汇	69D9	A9D8	T66X0080
153	汜	69DA	A9D9	T66Y0080
154	汰	69DB	A9DA	T66Z0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 9 (Page 4 of 44). Secondary CH-T (1/4), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
155	洩	69DC	A9DB	T6700080
156	汔	69DD	A9DC	T6710080
157	洵	69DE	A9DD	T6720080
158	洵	69DF	A9DE	T6730080
159	炆	69E0	A9DF	T6740080
160	勃	69E1	A9E0	T6750080
161	犴	69E2	A9E1	T6760080
162	犴	69E3	A9E2	T6770080
163	玎	69E4	A9E3	T6780080
164	甬	69E5	A9E4	T6790080
165	虬	69E6	A9E5	T67A0080
166	窆	69E7	A9E6	T67B0080
167	网	69E8	A9E7	T67C0080
168	艸	69E9	A9E8	T67D0080
169	苧	69EA	A9E9	T67E0080
170	苧	69EB	A9EA	T67F0080
171	苧	69EC	A9EB	T67G0080
172	苧	69ED	A9EC	T67H0080
173	虍	69EE	A9ED	T67I0080
174	𠂇	69EF	A9EE	T67J0080
175	邨	69F0	A9EF	T67K0080
176	邨	69F1	A9F0	T67L0080
177	邨	69F2	A9F1	T67M0080
178	邨	69F3	A9F2	T67N0080
179	邨	69F4	A9F3	T67O0080
180	阢	69F5	A9F4	T67P0080

Table 9 (Page 4 of 44). Secondary CH-T (1/4), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
181	阢	69F6	A9F5	T67Q0080
182	阢	69F7	A9F6	T67R0080
183	阢	69F8	A9F7	T67S0080
184	佻	69F9	A9F8	T67T0080
185	倅	69FA	A9F9	T67U0080
186	倅	69FB	A9FA	T67V0080
187	倅	69FC	A9FB	T67W0080
188	倅	69FD	A9FC	T67X0080
189	佻	6A41	AA40	T6810080
190	倅	6A42	AA41	T6820080
191	倅	6A43	AA42	T6830080
192	倅	6A44	AA43	T6840080
193	倅	6A45	AA44	T6850080
194	倅	6A46	AA45	T6860080
195	佻	6A47	AA46	T6870080
196	倅	6A48	AA47	T6880080
197	倅	6A49	AA48	T6890080
198	倅	6A4A	AA49	T68A0080
199	倅	6A4B	AA4A	T68B0080
200	倅	6A4C	AA4B	T68C0080
201	倅	6A4D	AA4C	T68D0080
202	倅	6A4E	AA4D	T68E0080
203	倅	6A4F	AA4E	T68F0080
204	倅	6A50	AA4F	T68G0080
205	倅	6A51	AA50	T68H0080
206	倅	6A52	AA51	T68I0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
207	匉	6A53	AA52	T68J0080
208	卣	6A54	AA53	T68K0080
209	郤	6A55	AA54	T68L0080
210	底	6A56	AA55	T68M0080
211	厓	6A57	AA56	T68N0080
212	𠂇	6A58	AA57	T68O0080
213	映	6A59	AA58	T68P0080
214	吡	6A5A	AA59	T68Q0080
215	𠂈	6A5B	AA5A	T68R0080
216	𠂉	6A5C	AA5B	T68S0080
217	𠂊	6A5D	AA5C	T68T0080
218	𠂋	6A5E	AA5D	T68U0080
219	𠂌	6A5F	AA5E	T68V0080
220	𠂍	6A60	AA5F	T68W0080
221	𠂎	6A61	AA60	T68X0080
222	𠂏	6A62	AA61	T68Y0080
223	𠂐	6A63	AA62	T68Z0080
224	吨	6A64	AA63	T6900080
225	𠂑	6A65	AA64	T6910080
226	𠂒	6A66	AA65	T6920080
227	𠂓	6A67	AA66	T6930080
228	𠂔	6A68	AA67	T6940080
229	园	6A69	AA68	T6950080
230	坻	6A6A	AA69	T6960080
231	坵	6A6B	AA6A	T6970080
232	坶	6A6C	AA6B	T6980080

Line Number	Graphic	Host Code	PC Code	GCGID
233	坧	6A6D	AA6C	T6990080
234	坨	6A6E	AA6D	T69A0080
235	坩	6A6F	AA6E	T69B0080
236	坪	6A70	AA6F	T69C0080
237	𠂕	6A71	AA70	T69D0080
238	𠂖	6A72	AA71	T69E0080
239	𠂗	6A73	AA72	T69F0080
240	𠂘	6A74	AA73	T69G0080
241	𠂙	6A75	AA74	T69H0080
242	𠂚	6A76	AA75	T69I0080
243	𠂛	6A77	AA76	T69J0080
244	𠂜	6A78	AA77	T69K0080
245	𠂝	6A79	AA78	T69L0080
246	𠂞	6A7A	AA79	T69M0080
247	𠂟	6A7B	AA7A	T69N0080
248	突	6A7C	AA7B	T69O0080
249	宅	6A7D	AA7C	T69P0080
250	𠂠	6A7E	AA7D	T69Q0080
251	𠂡	6A7F	AA7E	T69R0080
252	𠂢	6A81	AA80	T69T0080
253	𠂣	6A82	AA81	T69U0080
254	𠂤	6A83	AA82	T69V0080
255	𠂥	6A84	AA83	T69W0080
256	𠂦	6A85	AA84	T69X0080
257	𠂧	6A86	AA85	T69Y0080
258	𠂨	6A87	AA86	T69Z0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 9 (Page 6 of 44). Secondary CH-T (1/4), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
259	岷	6A88	AA87	T6A00080
260	岫	6A89	AA88	T6A10080
261	岍	6A8A	AA89	T6A20080
262	垩	6A8B	AA8A	T6A30080
263	吧	6A8C	AA8B	T6A40080
264	忱	6A8D	AA8C	T6A50080
265	度	6A8E	AA8D	T6A60080
266	庀	6A8F	AA8E	T6A70080
267	庖	6A90	AA8F	T6A80080
268	庖	6A91	AA90	T6A90080
269	庖	6A92	AA91	T6AA0080
270	弁	6A93	AA92	T6AB0080
271	肥	6A94	AA93	T6AC0080
272	徂	6A95	AA94	T6AD0080
273	徂	6A96	AA95	T6AE0080
274	忒	6A97	AA96	T6AF0080
275	忒	6A98	AA97	T6AG0080
276	志	6A99	AA98	T6AH0080
277	忒	6A9A	AA99	T6AI0080
278	忒	6A9B	AA9A	T6AJ0080
279	忒	6A9C	AA9B	T6AK0080
280	忒	6A9D	AA9C	T6AL0080
281	忒	6A9E	AA9D	T6AM0080
282	忒	6A9F	AA9E	T6AN0080
283	忒	6AA0	AA9F	T6AO0080
284	忒	6AA1	AAA0	T6AP0080

Table 9 (Page 6 of 44). Secondary CH-T (1/4), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
285	忒	6AA2	AAA1	T6AQ0080
286	忒	6AA3	AAA2	T6AR0080
287	忒	6AA4	AAA3	T6AS0080
288	忒	6AA5	AAA4	T6AT0080
289	忒	6AA6	AAA5	T6AU0080
290	忒	6AA7	AAA6	T6AV0080
291	忒	6AA8	AAA7	T6AW0080
292	忒	6AA9	AAA8	T6AX0080
293	忒	6AAA	AAA9	T6AY0080
294	忒	6AAB	AAAA	T6AZ0080
295	忒	6AAC	AAAB	T6B00080
296	忒	6AAD	AAAC	T6B10080
297	忒	6AAE	AAAD	T6B20080
298	忒	6AAF	AAAE	T6B30080
299	忒	6AB0	AAAF	T6B40080
300	忒	6AB1	AAB0	T6B50080
301	忒	6AB2	AAB1	T6B60080
302	忒	6AB3	AAB2	T6B70080
303	忒	6AB4	AAB3	T6B80080
304	忒	6AB5	AAB4	T6B90080
305	忒	6AB6	AAB5	T6BA0080
306	忒	6AB7	AAB6	T6BB0080
307	忒	6AB8	AAB7	T6BC0080
308	忒	6AB9	AAB8	T6BD0080
309	忒	6ABA	AAB9	T6BE0080
310	忒	6ABB	AABA	T6BF0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 9 (Page 7 of 44). Secondary CH-T (1/4), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
311	昊	6ABC	AABB	T6BG0080
312	昂	6ABD	AABC	T6BH0080
313	杆	6ABE	AABD	T6BI0080
314	朽	6ABF	AABE	T6BJ0080
315	杙	6AC0	AABF	T6BK0080
316	杖	6AC1	AAC0	T6BL0080
317	杙	6AC2	AAC1	T6BM0080
318	椶	6AC3	AAC2	T6BN0080
319	杙	6AC4	AAC3	T6BO0080
320	杼	6AC5	AAC4	T6BP0080
321	柅	6AC6	AAC5	T6BQ0080
322	杙	6AC7	AAC6	T6BR0080
323	毒	6AC8	AAC7	T6BS0080
324	氫	6AC9	AAC8	T6BT0080
325	氫	6ACA	AAC9	T6BU0080
326	汴	6ACB	AACA	T6BV0080
327	汴	6ACC	AACB	T6BW0080
328	汴	6ACD	AACC	T6BX0080
329	汴	6ACE	AACD	T6BY0080
330	沈	6ACF	AACE	T6BZ0080
331	沔	6AD0	AACF	T6C00080
332	沈	6AD1	AAD0	T6C10080
333	沔	6AD2	AAD1	T6C20080
334	汨	6AD3	AAD2	T6C30080
335	沔	6AD4	AAD3	T6C40080
336	汨	6AD5	AAD4	T6C50080

Table 9 (Page 7 of 44). Secondary CH-T (1/4), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
337	沔	6AD6	AAD5	T6C60080
338	沔	6AD7	AAD6	T6C70080
339	沔	6AD8	AAD7	T6C80080
340	沔	6AD9	AAD8	T6C90080
341	沔	6ADA	AAD9	T6CA0080
342	沔	6ADB	AADA	T6CB0080
343	沔	6ADC	AADB	T6CC0080
344	沔	6ADD	AADC	T6CD0080
345	沔	6ADE	AADD	T6CE0080
346	沔	6ADF	AADE	T6CF0080
347	沔	6AE0	AADF	T6CG0080
348	沔	6AE1	AAE0	T6CH0080
349	沔	6AE2	AAE1	T6CI0080
350	沔	6AE3	AAE2	T6CJ0080
351	沔	6AE4	AAE3	T6CK0080
352	沔	6AE5	AAE4	T6CL0080
353	沔	6AE6	AAE5	T6CM0080
354	沔	6AE7	AAE6	T6CN0080
355	沔	6AE8	AAE7	T6CO0080
356	沔	6AE9	AAE8	T6CP0080
357	沔	6AEA	AAE9	T6CQ0080
358	沔	6AEB	AAEA	T6CR0080
359	沔	6AEC	AAEB	T6CS0080
360	沔	6AED	AAEC	T6CT0080
361	沔	6AEE	AAED	T6CU0080
362	沔	6AEF	AAEE	T6CV0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 9 (Page 8 of 44). Secondary CH-T (1/4), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
363	疔	6AF0	AAEF	T6CW0080
364	阜	6AF1	AAF0	T6CX0080
365	衤	6AF2	AAF1	T6CY0080
366	聃	6AF3	AAF2	T6CZ0080
367	肋	6AF4	AAF3	T6D00080
368	肩	6AF5	AAF4	T6D10080
369	肱	6AF6	AAF5	T6D20080
370	肌	6AF7	AAF6	T6D30080
371	彤	6AF8	AAF7	T6D40080
372	芈	6AF9	AAF8	T6D50080
373	莖	6AFA	AAF9	T6D60080
374	芎	6AFB	AAFA	T6D70080
375	芎	6AFC	AAFB	T6D80080
376	芎	6AFD	AAFC	T6D90080
377	苧	6B41	AB40	T6DD0080
378	芊	6B42	AB41	T6DE0080
379	芄	6B43	AB42	T6DF0080
380	芫	6B44	AB43	T6DG0080
381	豸	6B45	AB44	T6DH0080
382	邛	6B46	AB45	T6DI0080
383	邛	6B47	AB46	T6DJ0080
384	邛	6B48	AB47	T6DK0080
385	邛	6B49	AB48	T6DL0080
386	邛	6B4A	AB49	T6DM0080
387	邛	6B4B	AB4A	T6DN0080
388	邛	6B4C	AB4B	T6DO0080

Table 9 (Page 8 of 44). Secondary CH-T (1/4), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
389	邛	6B4D	AB4C	T6DP0080
390	阝	6B4E	AB4D	T6DQ0080
391	阝	6B4F	AB4E	T6DR0080
392	阝	6B50	AB4F	T6DS0080
393	阝	6B51	AB50	T6DT0080
394	聃	6B52	AB51	T6DU0080
395	侏	6B53	AB52	T6DV0080
396	佼	6B54	AB53	T6DW0080
397	佻	6B55	AB54	T6DX0080
398	飲	6B56	AB55	T6DY0080
399	側	6B57	AB56	T6DZ0080
400	儻	6B58	AB57	T6E00080
401	佶	6B59	AB58	T6E10080
402	佻	6B5A	AB59	T6E20080
403	侏	6B5B	AB5A	T6E30080
404	侄	6B5C	AB5B	T6E40080
405	偃	6B5D	AB5C	T6E50080
406	傒	6B5E	AB5D	T6E60080
407	侗	6B5F	AB5E	T6E70080
408	徊	6B60	AB5F	T6E80080
409	徇	6B61	AB60	T6E90080
410	儉	6B62	AB61	T6EA0080
411	僦	6B63	AB62	T6EB0080
412	恬	6B64	AB63	T6EC0080
413	恤	6B65	AB64	T6ED0080
414	儻	6B66	AB65	T6EE0080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 9 (Page 9 of 44). Secondary CH-T (1/4), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
415	侩	6B67	AB66	T6EF0080
416	伽	6B68	AB67	T6EG0080
417	倭	6B69	AB68	T6EH0080
418	侏	6B6A	AB69	T6EI0080
419	侑	6B6B	AB6A	T6EJ0080
420	恪	6B6C	AB6B	T6EK0080
421	恰	6B6D	AB6C	T6EL0080
422	冢	6B6E	AB6D	T6EM0080
423	洗	6B6F	AB6E	T6EN0080
424	洽	6B70	AB6F	T6EO0080
425	刎	6B71	AB70	T6EP0080
426	卦	6B72	AB71	T6EQ0080
427	剗	6B73	AB72	T6ER0080
428	劓	6B74	AB73	T6ES0080
429	捌	6B75	AB74	T6ET0080
430	劫	6B76	AB75	T6EU0080
431	刳	6B77	AB76	T6EV0080
432	甸	6B78	AB77	T6EW0080
433	匱	6B79	AB78	T6EX0080
434	屈	6B7A	AB79	T6EY0080
435	屋	6B7B	AB7A	T6EZ0080
436	叻	6B7C	AB7B	T6F00080
437	呿	6B7D	AB7C	T6F10080
438	咁	6B7E	AB7D	T6F20080
439	啱	6B7F	AB7E	T6F30080
440	啞	6B81	AB80	T6F50080

Table 9 (Page 9 of 44). Secondary CH-T (1/4), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
441	啡	6B82	AB81	T6F60080
442	咕	6B83	AB82	T6F70080
443	吗	6B84	AB83	T6F80080
444	咁	6B85	AB84	T6F90080
445	啡	6B86	AB85	T6FA0080
446	呷	6B87	AB86	T6FB0080
447	响	6B88	AB87	T6FC0080
448	呦	6B89	AB88	T6FD0080
449	哈	6B8A	AB89	T6FE0080
450	呼	6B8B	AB8A	T6FF0080
451	眠	6B8C	AB8B	T6FG0080
452	哏	6B8D	AB8C	T6FH0080
453	哏	6B8E	AB8D	T6FI0080
454	哏	6B8F	AB8E	T6FJ0080
455	哏	6B90	AB8F	T6FK0080
456	呤	6B91	AB90	T6FL0080
457	困	6B92	AB91	T6FM0080
458	圉	6B93	AB92	T6FN0080
459	圉	6B94	AB93	T6FO0080
460	埤	6B95	AB94	T6FP0080
461	坭	6B96	AB95	T6FQ0080
462	坩	6B97	AB96	T6FR0080
463	坩	6B98	AB97	T6FS0080
464	坩	6B99	AB98	T6FT0080
465	坩	6B9A	AB99	T6FU0080
466	埤	6B9B	AB9A	T6FV0080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 9 (Page 10 of 44). Secondary CH-T (1/4), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
467	坵	6B9C	AB9B	T6FW0080
468	坻	6B9D	AB9C	T6FX0080
469	坳	6B9E	AB9D	T6FY0080
470	壑	6B9F	AB9E	T6FZ0080
471	垸	6BA0	AB9F	T6G00080
472	垠	6BA1	ABA0	T6G10080
473	垌	6BA2	ABA1	T6G20080
474	夔	6BA3	ABA2	T6G30080
475	夆	6BA4	ABA3	T6G40080
476	姪	6BA5	ABA4	T6G50080
477	妹	6BA6	ABA5	T6G60080
478	姘	6BA7	ABA6	T6G70080
479	姨	6BA8	ABA7	T6G80080
480	姐	6BA9	ABA8	T6G90080
481	媪	6BAA	ABA9	T6GA0080
482	媧	6BAB	ABAA	T6GB0080
483	姘	6BAC	ABAB	T6GC0080
484	姘	6BAD	ABAC	T6GD0080
485	姘	6BAE	ABAD	T6GE0080
486	姘	6BAF	ABAE	T6GF0080
487	媪	6BB0	ABAF	T6GG0080
488	媪	6BB1	ABB0	T6GH0080
489	媪	6BB2	ABB1	T6GI0080
490	媪	6BB3	ABB2	T6GJ0080
491	媪	6BB4	ABB3	T6GK0080
492	媪	6BB5	ABB4	T6GL0080

Table 9 (Page 10 of 44). Secondary CH-T (1/4), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
493	洵	6BB6	ABB5	T6GM0080
494	洵	6BB7	ABB6	T6GN0080
495	洵	6BB8	ABB7	T6GO0080
496	宕	6BB9	ABB8	T6GP0080
497	戾	6BBA	ABB9	T6GQ0080
498	届	6BBB	ABBA	T6GR0080
499	岷	6BBC	ABBB	T6GS0080
500	岷	6BBD	ABBC	T6GT0080
501	岷	6BBE	ABBD	T6GU0080
502	岷	6BBF	ABBE	T6GV0080
503	岷	6BC0	ABBF	T6GW0080
504	岷	6BC1	ABC0	T6GX0080
505	岷	6BC2	ABC1	T6GY0080
506	岷	6BC3	ABC2	T6GZ0080
507	岷	6BC4	ABC3	T6H00080
508	岷	6BC5	ABC4	T6H10080
509	岷	6BC6	ABC5	T6H20080
510	岷	6BC7	ABC6	T6H30080
511	岷	6BC8	ABC7	T6H40080
512	岷	6BC9	ABC8	T6H50080
513	岷	6BCA	ABC9	T6H60080
514	岷	6BCB	ABCA	T6H70080
515	岷	6BCC	ABCB	T6H80080
516	岷	6BCD	ABCC	T6H90080
517	岷	6BCE	ABCD	T6HA0080
518	岷	6BCF	ABCE	T6HB0080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
519	帙	6BD0	ABCF	T6HC0080
520	韶	6BD1	ABD0	T6HD0080
521	𨔵	6BD2	ABD1	T6HE0080
522	𨔶	6BD3	ABD2	T6HF0080
523	𨔷	6BD4	ABD3	T6HG0080
524	𨔸	6BD5	ABD4	T6HH0080
525	𨔹	6BD6	ABD5	T6HI0080
526	𨔺	6BD7	ABD6	T6HJ0080
527	𨔻	6BD8	ABD7	T6HK0080
528	𨔼	6BD9	ABD8	T6HL0080
529	𨔽	6BDA	ABD9	T6HM0080
530	𨔾	6BDB	ABDA	T6HN0080
531	𨔿	6BDC	ABDB	T6HO0080
532	𨕀	6BDD	ABDC	T6HP0080
533	𨕁	6BDE	ABDD	T6HQ0080
534	𨕂	6BDF	ABDE	T6HR0080
535	𨕃	6BE0	ABDF	T6HS0080
536	𨕄	6BE1	ABE0	T6HT0080
537	𨕅	6BE2	ABE1	T6HU0080
538	𨕆	6BE3	ABE2	T6HV0080
539	𨕇	6BE4	ABE3	T6HW0080
540	𨕈	6BE5	ABE4	T6HX0080
541	𨕉	6BE6	ABE5	T6HY0080
542	𨕊	6BE7	ABE6	T6HZ0080
543	𨕋	6BE8	ABE7	T6I00080
544	𨕌	6BE9	ABE8	T6I10080

Line Number	Graphic	Host Code	PC Code	GCGID
545	𨕍	6BEA	ABE9	T6I20080
546	𨕎	6BEB	ABEA	T6I30080
547	𨕏	6BEC	ABEB	T6I40080
548	𨕐	6BED	ABEC	T6I50080
549	𨕑	6BEE	ABED	T6I60080
550	𨕒	6BEF	ABEE	T6I70080
551	𨕓	6BF0	ABEF	T6I80080
552	𨕔	6BF1	ABF0	T6I90080
553	𨕕	6BF2	ABF1	T6IA0080
554	𨕖	6BF3	ABF2	T6IB0080
555	𨕗	6BF4	ABF3	T6IC0080
556	𨕘	6BF5	ABF4	T6ID0080
557	𨕙	6BF6	ABF5	T6IE0080
558	𨕚	6BF7	ABF6	T6IF0080
559	𨕛	6BF8	ABF7	T6IG0080
560	𨕜	6BF9	ABF8	T6IH0080
561	𨕝	6BFA	ABF9	T6II0080
562	𨕞	6BFB	ABFA	T6IJ0080
563	𨕟	6BFC	ABFB	T6IK0080
564	𨕠	6BFD	ABFC	T6IL0080
565	𨕡	6C41	AC40	T6IP0080
566	𨕢	6C42	AC41	T6IQ0080
567	𨕣	6C43	AC42	T6IR0080
568	𨕤	6C44	AC43	T6IS0080
569	𨕥	6C45	AC44	T6IT0080
570	𨕦	6C46	AC45	T6IU0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
571	叒	6C47	AC46	T6IV0080
572	叕	6C48	AC47	T6IW0080
573	取	6C49	AC48	T6IX0080
574	受	6C4A	AC49	T6IY0080
575	变	6C4B	AC4A	T6IZ0080
576	叙	6C4C	AC4B	T6J00080
577	叚	6C4D	AC4C	T6J10080
578	叚	6C4E	AC4D	T6J20080
579	叚	6C4F	AC4E	T6J30080
580	叚	6C50	AC4F	T6J40080
581	叚	6C51	AC50	T6J50080
582	叚	6C52	AC51	T6J60080
583	叚	6C53	AC52	T6J70080
584	朊	6C54	AC53	T6J80080
585	朊	6C55	AC54	T6J90080
586	朊	6C56	AC55	T6JA0080
587	朊	6C57	AC56	T6JB0080
588	朊	6C58	AC57	T6JC0080
589	朊	6C59	AC58	T6JD0080
590	朊	6C5A	AC59	T6JE0080
591	朊	6C5B	AC5A	T6JF0080
592	朊	6C5C	AC5B	T6JG0080
593	朊	6C5D	AC5C	T6JH0080
594	朊	6C5E	AC5D	T6JI0080
595	朊	6C5F	AC5E	T6JJ0080
596	朊	6C60	AC5F	T6JK0080

Line Number	Graphic	Host Code	PC Code	GCGID
597	朊	6C61	AC60	T6JL0080
598	朊	6C62	AC61	T6JM0080
599	朊	6C63	AC62	T6JN0080
600	朊	6C64	AC63	T6JO0080
601	朊	6C65	AC64	T6JP0080
602	朊	6C66	AC65	T6JQ0080
603	朊	6C67	AC66	T6JR0080
604	朊	6C68	AC67	T6JS0080
605	朊	6C69	AC68	T6JT0080
606	朊	6C6A	AC69	T6JU0080
607	朊	6C6B	AC6A	T6JV0080
608	朊	6C6C	AC6B	T6JW0080
609	朊	6C6D	AC6C	T6JX0080
610	朊	6C6E	AC6D	T6JY0080
611	朊	6C6F	AC6E	T6JZ0080
612	朊	6C70	AC6F	T6K00080
613	朊	6C71	AC70	T6K10080
614	朊	6C72	AC71	T6K20080
615	朊	6C73	AC72	T6K30080
616	朊	6C74	AC73	T6K40080
617	朊	6C75	AC74	T6K50080
618	朊	6C76	AC75	T6K60080
619	朊	6C77	AC76	T6K70080
620	朊	6C78	AC77	T6K80080
621	朊	6C79	AC78	T6K90080
622	朊	6C7A	AC79	T6KA0080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
623	洄	6C7B	AC7A	T6KB0080
624	涸	6C7C	AC7B	T6KC0080
625	洵	6C7D	AC7C	T6KD0080
626	洑	6C7E	AC7D	T6KE0080
627	洒	6C7F	AC7E	T6KF0080
628	洓	6C81	AC80	T6KH0080
629	洕	6C82	AC81	T6KI0080
630	洖	6C83	AC82	T6KJ0080
631	洗	6C84	AC83	T6KK0080
632	洘	6C85	AC84	T6KL0080
633	洙	6C86	AC85	T6KM0080
634	洚	6C87	AC86	T6KN0080
635	洛	6C88	AC87	T6KO0080
636	洜	6C89	AC88	T6KP0080
637	洝	6C8A	AC89	T6KQ0080
638	洞	6C8B	AC8A	T6KR0080
639	洟	6C8C	AC8B	T6KS0080
640	洠	6C8D	AC8C	T6KT0080
641	洡	6C8E	AC8D	T6KU0080
642	洢	6C8F	AC8E	T6KV0080
643	洣	6C90	AC8F	T6KW0080
644	洤	6C91	AC90	T6KX0080
645	津	6C92	AC91	T6KY0080
646	洦	6C93	AC92	T6KZ0080
647	洧	6C94	AC93	T6L00080
648	洨	6C95	AC94	T6L10080

Line Number	Graphic	Host Code	PC Code	GCGID
649	洩	6C96	AC95	T6L20080
650	洪	6C97	AC96	T6L30080
651	洫	6C98	AC97	T6L40080
652	洬	6C99	AC98	T6L50080
653	洭	6C9A	AC99	T6L60080
654	洭	6C9B	AC9A	T6L70080
655	洮	6C9C	AC9B	T6L80080
656	洰	6C9D	AC9C	T6L90080
657	洱	6C9E	AC9D	T6LA0080
658	洲	6C9F	AC9E	T6LB0080
659	洳	6CA0	AC9F	T6LC0080
660	洴	6CA1	ACA0	T6LD0080
661	洵	6CA2	ACA1	T6LE0080
662	洵	6CA3	ACA2	T6LF0080
663	洵	6CA4	ACA3	T6LG0080
664	洵	6CA5	ACA4	T6LH0080
665	洵	6CA6	ACA5	T6LI0080
666	洵	6CA7	ACA6	T6LJ0080
667	洵	6CA8	ACA7	T6LK0080
668	洵	6CA9	ACA8	T6LL0080
669	洵	6CAA	ACA9	T6LM0080
670	洵	6CAB	ACAA	T6LN0080
671	洵	6CAC	ACAB	T6LO0080
672	洵	6CAD	ACAC	T6LP0080
673	洵	6CAE	ACAD	T6LQ0080
674	洵	6CAF	ACAE	T6LR0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 9 (Page 14 of 44). Secondary CH-T (1/4), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
675	廔	6CB0	ACAF	T6LS0080
676	瓠	6CB1	ACB0	T6LT0080
677	甞	6CB2	ACB1	T6LU0080
678	畀	6CB3	ACB2	T6LV0080
679	畹	6CB4	ACB3	T6LW0080
680	畹	6CB5	ACB4	T6LX0080
681	疔	6CB6	ACB5	T6LY0080
682	疔	6CB7	ACB6	T6LZ0080
683	眈	6CB8	ACB7	T6M00080
684	盱	6CB9	ACB8	T6M10080
685	盱	6CBA	ACB9	T6M20080
686	眈	6CBB	ACBA	T6M30080
687	矸	6CBC	ACBB	T6M40080
688	矸	6CBD	ACBC	T6M50080
689	矸	6CBE	ACBD	T6M60080
690	矸	6CBF	ACBE	T6M70080
691	砵	6CC0	ACBF	T6M80080
692	砵	6CC1	ACC0	T6M90080
693	襍	6CC2	ACC1	T6MA0080
694	襍	6CC3	ACC2	T6MB0080
695	秣	6CC4	ACC3	T6MC0080
696	麥	6CC5	ACC4	T6MD0080
697	孛	6CC6	ACC5	T6ME0080
698	笏	6CC7	ACC6	T6MF0080
699	糝	6CC8	ACC7	T6MG0080
700	糝	6CC9	ACC8	T6MH0080

Table 9 (Page 14 of 44). Secondary CH-T (1/4), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
701	訂	6CCA	ACC9	T6MI0080
702	禽	6CCB	ACCA	T6MJ0080
703	航	6CCC	ACCB	T6MK0080
704	胗	6CCD	ACCC	T6ML0080
705	胗	6CCE	ACCD	T6MM0080
706	胗	6CCF	ACCE	T6MN0080
707	腩	6CD0	ACCF	T6MO0080
708	舩	6CD1	ACD0	T6MP0080
709	艾	6CD2	ACD1	T6MQ0080
710	荒	6CD3	ACD2	T6MR0080
711	荒	6CD4	ACD3	T6MS0080
712	芑	6CD5	ACD4	T6MT0080
713	芑	6CD6	ACD5	T6MU0080
714	笋	6CD7	ACD6	T6MV0080
715	莢	6CD8	ACD7	T6MW0080
716	笋	6CD9	ACD8	T6MX0080
717	莨	6CDA	ACD9	T6MY0080
718	莨	6CDB	ACDA	T6MZ0080
719	莨	6CDC	ACDB	T6N00080
720	莢	6CDD	ACDC	T6N10080
721	莨	6CDE	ACDD	T6N20080
722	莢	6CDF	ACDE	T6N30080
723	莢	6CE0	ACDF	T6N40080
724	芩	6CE1	ACE0	T6N50080
725	莢	6CE2	ACE1	T6N60080
726	芩	6CE3	ACE2	T6N70080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
727	菱	6CE4	ACE3	T6N80080
728	苕	6CE5	ACE4	T6N90080
729	苕	6CE6	ACE5	T6NA0080
730	虻	6CE7	ACE6	T6NB0080
731	虻	6CE8	ACE7	T6NC0080
732	虻	6CE9	ACE8	T6ND0080
733	虻	6CEA	ACE9	T6NE0080
734	豕	6CEB	ACEA	T6NF0080
735	迳	6CEC	ACEB	T6NG0080
736	迳	6CED	ACEC	T6NH0080
737	迳	6CEE	ACED	T6NI0080
738	迳	6CEF	ACEE	T6NJ0080
739	达	6CF0	ACEF	T6NK0080
740	连	6CF1	ACF0	T6NL0080
741	迳	6CF2	ACF1	T6NM0080
742	邲	6CF3	ACF2	T6NN0080
743	邲	6CF4	ACF3	T6NO0080
744	邲	6CF5	ACF4	T6NP0080
745	邲	6CF6	ACF5	T6NQ0080
746	邲	6CF7	ACF6	T6NR0080
747	陆	6CF8	ACF7	T6NS0080
748	陆	6CF9	ACF8	T6NT0080
749	阡	6CFA	ACF9	T6NU0080
750	阡	6CFB	ACFA	T6NV0080
751	阡	6CFC	ACFB	T6NW0080
752	徕	6CFD	ACFC	T6NX0080

Line Number	Graphic	Host Code	PC Code	GCGID
753	俅	6D41	AD40	T6O10080
754	俅	6D42	AD41	T6O20080
755	俅	6D43	AD42	T6O30080
756	俅	6D44	AD43	T6O40080
757	俅	6D45	AD44	T6O50080
758	俅	6D46	AD45	T6O60080
759	俅	6D47	AD46	T6O70080
760	俅	6D48	AD47	T6O80080
761	俅	6D49	AD48	T6O90080
762	俅	6D4A	AD49	T6OA0080
763	俅	6D4B	AD4A	T6OB0080
764	俅	6D4C	AD4B	T6OC0080
765	俅	6D4D	AD4C	T6OD0080
766	俅	6D4E	AD4D	T6OE0080
767	俅	6D4F	AD4E	T6OF0080
768	俅	6D50	AD4F	T6OG0080
769	俅	6D51	AD50	T6OH0080
770	俅	6D52	AD51	T6OI0080
771	剡	6D53	AD52	T6OJ0080
772	剡	6D54	AD53	T6OK0080
773	剡	6D55	AD54	T6OL0080
774	剡	6D56	AD55	T6OM0080
775	剡	6D57	AD56	T6ON0080
776	剡	6D58	AD57	T6OO0080
777	庠	6D59	AD58	T6OP0080
778	庠	6D5A	AD59	T6OQ0080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 9 (Page 16 of 44). Secondary CH-T (1/4), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
779	庫	6D5B	AD5A	T6OR0080
780	厘	6D5C	AD5B	T6OS0080
781	暄	6D5D	AD5C	T6OT0080
782	岍	6D5E	AD5D	T6OU0080
783	喏	6D5F	AD5E	T6OV0080
784	唾	6D60	AD5F	T6OW0080
785	喂	6D61	AD60	T6OX0080
786	响	6D62	AD61	T6OY0080
787	苟	6D63	AD62	T6OZ0080
788	吡	6D64	AD63	T6P00080
789	咪	6D65	AD64	T6P10080
790	哞	6D66	AD65	T6P20080
791	哧	6D67	AD66	T6P30080
792	响	6D68	AD67	T6P40080
793	哆	6D69	AD68	T6P50080
794	聃	6D6A	AD69	T6P60080
795	皆	6D6B	AD6A	T6P70080
796	高	6D6C	AD6B	T6P80080
797	号	6D6D	AD6C	T6P90080
798	佬	6D6E	AD6D	T6PA0080
799	毗	6D6F	AD6E	T6PB0080
800	哞	6D70	AD6F	T6PC0080
801	响	6D71	AD70	T6PD0080
802	垝	6D72	AD71	T6PE0080
803	垞	6D73	AD72	T6PF0080
804	垟	6D74	AD73	T6PG0080

Table 9 (Page 16 of 44). Secondary CH-T (1/4), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
805	垠	6D75	AD74	T6PH0080
806	垡	6D76	AD75	T6PI0080
807	垢	6D77	AD76	T6PJ0080
808	垣	6D78	AD77	T6PK0080
809	垤	6D79	AD78	T6PL0080
810	垥	6D7A	AD79	T6PM0080
811	垦	6D7B	AD7A	T6PN0080
812	垧	6D7C	AD7B	T6PO0080
813	垨	6D7D	AD7C	T6PP0080
814	垩	6D7E	AD7D	T6PQ0080
815	垪	6D7F	AD7E	T6PR0080
816	垫	6D81	AD80	T6PT0080
817	垬	6D82	AD81	T6PU0080
818	复	6D83	AD82	T6PV0080
819	参	6D84	AD83	T6PW0080
820	媪	6D85	AD84	T6PX0080
821	媾	6D86	AD85	T6PY0080
822	媿	6D87	AD86	T6PZ0080
823	媾	6D88	AD87	T6Q00080
824	媿	6D89	AD88	T6Q10080
825	姝	6D8A	AD89	T6Q20080
826	姝	6D8B	AD8A	T6Q30080
827	媿	6D8C	AD8B	T6Q40080
828	媿	6D8D	AD8C	T6Q50080
829	始	6D8E	AD8D	T6Q60080
830	媿	6D8F	AD8E	T6Q70080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 9 (Page 17 of 44). Secondary CH-T (1/4), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
831	媿	6D90	AD8F	T6Q80080
832	媿	6D91	AD90	T6Q90080
833	媿	6D92	AD91	T6QA0080
834	媿	6D93	AD92	T6QB0080
835	媿	6D94	AD93	T6QC0080
836	媿	6D95	AD94	T6QD0080
837	媿	6D96	AD95	T6QE0080
838	媿	6D97	AD96	T6QF0080
839	媿	6D98	AD97	T6QG0080
840	媿	6D99	AD98	T6QH0080
841	媿	6D9A	AD99	T6QI0080
842	媿	6D9B	AD9A	T6QJ0080
843	媿	6D9C	AD9B	T6QK0080
844	媿	6D9D	AD9C	T6QL0080
845	媿	6D9E	AD9D	T6QM0080
846	媿	6D9F	AD9E	T6QN0080
847	媿	6DA0	AD9F	T6QO0080
848	媿	6DA1	ADA0	T6QP0080
849	媿	6DA2	ADA1	T6QQ0080
850	媿	6DA3	ADA2	T6QR0080
851	媿	6DA4	ADA3	T6QS0080
852	媿	6DA5	ADA4	T6QT0080
853	媿	6DA6	ADA5	T6QU0080
854	媿	6DA7	ADA6	T6QV0080
855	媿	6DA8	ADA7	T6QW0080
856	媿	6DA9	ADA8	T6QX0080

Table 9 (Page 17 of 44). Secondary CH-T (1/4), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
857	嶺	6DAA	ADA9	T6QY0080
858	嶺	6DAB	ADAA	T6QZ0080
859	嶺	6DAC	ADAB	T6R00080
860	嶺	6DAD	ADAC	T6R10080
861	嶺	6DAE	ADAD	T6R20080
862	嶺	6DAF	ADAE	T6R30080
863	嶺	6DB0	ADAF	T6R40080
864	嶺	6DB1	ADB0	T6R50080
865	嶺	6DB2	ADB1	T6R60080
866	嶺	6DB3	ADB2	T6R70080
867	嶺	6DB4	ADB3	T6R80080
868	嶺	6DB5	ADB4	T6R90080
869	嶺	6DB6	ADB5	T6RA0080
870	嶺	6DB7	ADB6	T6RB0080
871	嶺	6DB8	ADB7	T6RC0080
872	嶺	6DB9	ADB8	T6RD0080
873	嶺	6DBA	ADB9	T6RE0080
874	嶺	6DBB	ADBA	T6RF0080
875	嶺	6DBC	ADBB	T6RG0080
876	嶺	6DBD	ADBC	T6RH0080
877	嶺	6DBE	ADBD	T6RI0080
878	嶺	6DBF	ADBE	T6RJ0080
879	嶺	6DC0	ADBF	T6RK0080
880	嶺	6DC1	ADC0	T6RL0080
881	嶺	6DC2	ADC1	T6RM0080
882	嶺	6DC3	ADC2	T6RN0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
883	悞	6DC4	ADC3	T6RO0080
884	悞	6DC5	ADC4	T6RP0080
885	悞	6DC6	ADC5	T6RQ0080
886	悞	6DC7	ADC6	T6RR0080
887	悞	6DC8	ADC7	T6RS0080
888	悞	6DC9	ADC8	T6RT0080
889	悞	6DCA	ADC9	T6RU0080
890	悞	6DCB	ADCA	T6RV0080
891	悞	6DCC	ADCB	T6RW0080
892	悞	6DCD	ADCC	T6RX0080
893	悞	6DCE	ADCD	T6RY0080
894	悞	6DCF	ADCE	T6RZ0080
895	悞	6DD0	ADCF	T6S00080
896	悞	6DD1	ADD0	T6S10080
897	悞	6DD2	ADD1	T6S20080
898	悞	6DD3	ADD2	T6S30080
899	悞	6DD4	ADD3	T6S40080
900	拏	6DD5	ADD4	T6S50080
901	拏	6DD6	ADD5	T6S60080
902	拏	6DD7	ADD6	T6S70080
903	拏	6DD8	ADD7	T6S80080
904	拏	6DD9	ADD8	T6S90080
905	拏	6DDA	ADD9	T6SA0080
906	拏	6ddb	ADDA	T6SB0080
907	拏	6DDC	ADDB	T6SC0080
908	拏	6DDD	ADDC	T6SD0080

Line Number	Graphic	Host Code	PC Code	GCGID
909	拏	6DDE	ADDD	T6SE0080
910	拏	6DDF	ADDE	T6SF0080
911	拏	6DE0	ADDF	T6SG0080
912	拏	6DE1	ADE0	T6SH0080
913	拏	6DE2	ADE1	T6SI0080
914	拏	6DE3	ADE2	T6SJ0080
915	拏	6DE4	ADE3	T6SK0080
916	拏	6DE5	ADE4	T6SL0080
917	拏	6DE6	ADE5	T6SM0080
918	拏	6DE7	ADE6	T6SN0080
919	拏	6DE8	ADE7	T6SO0080
920	拏	6DE9	ADE8	T6SP0080
921	拏	6DEA	ADE9	T6SQ0080
922	拏	6DEB	ADEA	T6SR0080
923	拏	6DEC	ADEB	T6SS0080
924	拏	6DED	ADEC	T6ST0080
925	拏	6DEE	ADED	T6SU0080
926	拏	6DEF	ADEE	T6SV0080
927	拏	6DF0	ADEF	T6SW0080
928	拏	6DF1	ADF0	T6SX0080
929	拏	6DF2	ADF1	T6SY0080
930	拏	6DF3	ADF2	T6SZ0080
931	拏	6DF4	ADF3	T6T00080
932	拏	6DF5	ADF4	T6T10080
933	拏	6DF6	ADF5	T6T20080
934	拏	6DF7	ADF6	T6T30080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
935	咏	6DF8	ADF7	T6T40080
936	昂	6DF9	ADF8	T6T50080
937	肱	6DFA	ADF9	T6T60080
938	胸	6DFB	ADFA	T6T70080
939	柁	6DFC	ADFB	T6T80080
940	秘	6DFD	ADFC	T6T90080
941	桦	6E41	AE40	T6TD0080
942	株	6E42	AE41	T6TE0080
943	柜	6E43	AE42	T6TF0080
944	榎	6E44	AE43	T6TG0080
945	桤	6E45	AE44	T6TH0080
946	栢	6E46	AE45	T6TI0080
947	被	6E47	AE46	T6TJ0080
948	枷	6E48	AE47	T6TK0080
949	柅	6E49	AE48	T6TL0080
950	拂	6E4A	AE49	T6TM0080
951	柂	6E4B	AE4A	T6TN0080
952	栲	6E4C	AE4B	T6TO0080
953	栝	6E4D	AE4C	T6TP0080
954	枳	6E4E	AE4D	T6TQ0080
955	枳	6E4F	AE4E	T6TR0080
956	祝	6E50	AE4F	T6TS0080
957	栖	6E51	AE50	T6TT0080
958	柚	6E52	AE51	T6TU0080
959	秩	6E53	AE52	T6TV0080
960	掩	6E54	AE53	T6TW0080

Line Number	Graphic	Host Code	PC Code	GCGID
961	枹	6E55	AE54	T6TX0080
962	柎	6E56	AE55	T6TY0080
963	栝	6E57	AE56	T6TZ0080
964	柁	6E58	AE57	T6U00080
965	柁	6E59	AE58	T6U10080
966	栢	6E5A	AE59	T6U20080
967	栢	6E5B	AE5A	T6U30080
968	栢	6E5C	AE5B	T6U40080
969	栢	6E5D	AE5C	T6U50080
970	栢	6E5E	AE5D	T6U60080
971	栢	6E5F	AE5E	T6U70080
972	栢	6E60	AE5F	T6U80080
973	栢	6E61	AE60	T6U90080
974	栢	6E62	AE61	T6UA0080
975	栢	6E63	AE62	T6UB0080
976	栢	6E64	AE63	T6UC0080
977	栢	6E65	AE64	T6UD0080
978	栢	6E66	AE65	T6UE0080
979	栢	6E67	AE66	T6UF0080
980	栢	6E68	AE67	T6UG0080
981	栢	6E69	AE68	T6UH0080
982	栢	6E6A	AE69	T6UI0080
983	栢	6E6B	AE6A	T6UJ0080
984	栢	6E6C	AE6B	T6UK0080
985	栢	6E6D	AE6C	T6UL0080
986	栢	6E6E	AE6D	T6UM0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
987	氩	6E6F	AE6E	T6UN0080
988	洩	6E70	AE6F	T6UO0080
989	洩	6E71	AE70	T6UP0080
990	洩	6E72	AE71	T6UQ0080
991	洩	6E73	AE72	T6UR0080
992	洩	6E74	AE73	T6US0080
993	洩	6E75	AE74	T6UT0080
994	洩	6E76	AE75	T6UU0080
995	洩	6E77	AE76	T6UV0080
996	洩	6E78	AE77	T6UW0080
997	洩	6E79	AE78	T6UX0080
998	洩	6E7A	AE79	T6UY0080
999	洩	6E7B	AE7A	T6UZ0080
1000	洩	6E7C	AE7B	T6V00080
1001	洩	6E7D	AE7C	T6V10080
1002	洩	6E7E	AE7D	T6V20080
1003	洩	6E7F	AE7E	T6V30080
1004	洩	6E81	AE80	T6V50080
1005	洩	6E82	AE81	T6V60080
1006	洩	6E83	AE82	T6V70080
1007	洩	6E84	AE83	T6V80080
1008	洩	6E85	AE84	T6V90080
1009	洩	6E86	AE85	T6VA0080
1010	洩	6E87	AE86	T6VB0080
1011	洩	6E88	AE87	T6VC0080
1012	洩	6E89	AE88	T6VD0080

Line Number	Graphic	Host Code	PC Code	GCGID
1013	洩	6E8A	AE89	T6VE0080
1014	洩	6E8B	AE8A	T6VF0080
1015	洩	6E8C	AE8B	T6VG0080
1016	洩	6E8D	AE8C	T6VH0080
1017	洩	6E8E	AE8D	T6VI0080
1018	洩	6E8F	AE8E	T6VJ0080
1019	洩	6E90	AE8F	T6VK0080
1020	洩	6E91	AE90	T6VL0080
1021	洩	6E92	AE91	T6VM0080
1022	洩	6E93	AE92	T6VN0080
1023	洩	6E94	AE93	T6VO0080
1024	洩	6E95	AE94	T6VP0080
1025	洩	6E96	AE95	T6VQ0080
1026	洩	6E97	AE96	T6VR0080
1027	洩	6E98	AE97	T6VS0080
1028	洩	6E99	AE98	T6VT0080
1029	洩	6E9A	AE99	T6VU0080
1030	洩	6E9B	AE9A	T6VV0080
1031	洩	6E9C	AE9B	T6VW0080
1032	洩	6E9D	AE9C	T6VX0080
1033	洩	6E9E	AE9D	T6VY0080
1034	洩	6E9F	AE9E	T6VZ0080
1035	洩	6EA0	AE9F	T6W00080
1036	洩	6EA1	AEA0	T6W10080
1037	洩	6EA2	AEA1	T6W20080
1038	洩	6EA3	AEA2	T6W30080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
1039	狃	6EA4	AEA3	T6W40080
1040	狃	6EA5	AEA4	T6W50080
1041	狃	6EA6	AEA5	T6W60080
1042	狃	6EA7	AEA6	T6W70080
1043	玅	6EA8	AEA7	T6W80080
1044	玅	6EA9	AEA8	T6W90080
1045	珂	6EAA	AEA9	T6WA0080
1046	珈	6EAB	AEAA	T6WB0080
1047	坤	6EAC	AEAB	T6WC0080
1048	玆	6EAD	AEAC	T6WD0080
1049	玆	6EAE	AEAD	T6WE0080
1050	玆	6EAF	AEAE	T6WF0080
1051	玆	6EB0	AEAF	T6WG0080
1052	玆	6EB1	AEB0	T6WH0080
1053	玆	6EB2	AEB1	T6WI0080
1054	玆	6EB3	AEB2	T6WJ0080
1055	玆	6EB4	AEB3	T6WK0080
1056	玆	6EB5	AEB4	T6WL0080
1057	玆	6EB6	AEB5	T6WM0080
1058	玆	6EB7	AEB6	T6WN0080
1059	玆	6EB8	AEB7	T6WO0080
1060	玆	6EB9	AEB8	T6WP0080
1061	玆	6EBA	AEB9	T6WQ0080
1062	玆	6EBB	AEBA	T6WR0080
1063	玆	6EBC	AEBB	T6WS0080
1064	玆	6EBD	AEBC	T6WT0080

Line Number	Graphic	Host Code	PC Code	GCGID
1065	玆	6EBE	AEBD	T6WU0080
1066	玆	6EBF	AEBE	T6WV0080
1067	玆	6EC0	AEBF	T6WW0080
1068	玆	6EC1	AEC0	T6WX0080
1069	玆	6EC2	AEC1	T6WY0080
1070	玆	6EC3	AEC2	T6WZ0080
1071	玆	6EC4	AEC3	T6X00080
1072	玆	6EC5	AEC4	T6X10080
1073	玆	6EC6	AEC5	T6X20080
1074	玆	6EC7	AEC6	T6X30080
1075	玆	6EC8	AEC7	T6X40080
1076	玆	6EC9	AEC8	T6X50080
1077	玆	6ECA	AEC9	T6X60080
1078	玆	6ECB	AECA	T6X70080
1079	玆	6ECC	AECB	T6X80080
1080	玆	6ECD	AECC	T6X90080
1081	玆	6ECE	AECD	T6XA0080
1082	玆	6ECF	AECE	T6XB0080
1083	玆	6ED0	AECF	T6XC0080
1084	玆	6ED1	AED0	T6XD0080
1085	玆	6ED2	AED1	T6XE0080
1086	玆	6ED3	AED2	T6XF0080
1087	玆	6ED4	AED3	T6XG0080
1088	玆	6ED5	AED4	T6XH0080
1089	玆	6ED6	AED5	T6XI0080
1090	玆	6ED7	AED6	T6XJ0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
1091	稊	6ED8	AED7	T6XK0080
1092	祆	6ED9	AED8	T6XL0080
1093	袺	6EDA	AED9	T6XM0080
1094	穢	6EDB	AEDA	T6XN0080
1095	种	6EDC	AEDB	T6XO0080
1096	秣	6EDD	AEDC	T6XP0080
1097	秣	6EDE	AEDD	T6XQ0080
1098	粉	6EDF	AEDE	T6XR0080
1099	窰	6EE0	AEDF	T6XS0080
1100	突	6EE1	AEE0	T6XT0080
1101	竝	6EE2	AEE1	T6XU0080
1102	筩	6EE3	AEE2	T6XV0080
1103	筩	6EE4	AEE3	T6XW0080
1104	糗	6EE5	AEE4	T6XX0080
1105	糗	6EE6	AEE5	T6XY0080
1106	糗	6EE7	AEE6	T6XZ0080
1107	糗	6EE8	AEE7	T6Y00080
1108	糗	6EE9	AEE8	T6Y10080
1109	糗	6EEA	AEE9	T6Y20080
1110	糗	6EEB	AEEA	T6Y30080
1111	糗	6EEC	AEEB	T6Y40080
1112	糗	6EED	AEEC	T6Y50080
1113	糗	6EEE	AEED	T6Y60080
1114	糗	6EEF	AEEE	T6Y70080
1115	牽	6EF0	AEEF	T6Y80080
1116	犴	6EF1	AEF0	T6Y90080

Line Number	Graphic	Host Code	PC Code	GCGID
1117	耆	6EF2	AEF1	T6YA0080
1118	奕	6EF3	AEF2	T6YB0080
1119	衫	6EF4	AEF3	T6YC0080
1120	紆	6EF5	AEF4	T6YD0080
1121	耆	6EF6	AEF5	T6YE0080
1122	肱	6EF7	AEF6	T6YF0080
1123	肱	6EF8	AEF7	T6YG0080
1124	肱	6EF9	AEF8	T6YH0080
1125	肱	6EFA	AEF9	T6YI0080
1126	肱	6EFB	AEFA	T6YJ0080
1127	肱	6EFC	AEFB	T6YK0080
1128	肱	6EFD	AEFC	T6YL0080
1129	肤	6F41	AF40	T6YP0080
1130	脍	6F42	AF41	T6YQ0080
1131	胙	6F43	AF42	T6YR0080
1132	胙	6F44	AF43	T6YS0080
1133	胸	6F45	AF44	T6YT0080
1134	肘	6F46	AF45	T6YU0080
1135	胎	6F47	AF46	T6YV0080
1136	肺	6F48	AF47	T6YW0080
1137	胗	6F49	AF48	T6YX0080
1138	肤	6F4A	AF49	T6YY0080
1139	胍	6F4B	AF4A	T6YZ0080
1140	番	6F4C	AF4B	T6Z00080
1141	缸	6F4D	AF4C	T6Z10080
1142	崑	6F4E	AF4D	T6Z20080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
1143	苙	6F4F	AF4E	T6Z30080
1144	苖	6F50	AF4F	T6Z40080
1145	萃	6F51	AF50	T6Z50080
1146	茷	6F52	AF51	T6Z60080
1147	苧	6F53	AF52	T6Z70080
1148	苧	6F54	AF53	T6Z80080
1149	苧	6F55	AF54	T6Z90080
1150	茈	6F56	AF55	T6ZA0080
1151	苧	6F57	AF56	T6ZB0080
1152	苧	6F58	AF57	T6ZC0080
1153	苧	6F59	AF58	T6ZD0080
1154	苧	6F5A	AF59	T6ZE0080
1155	苧	6F5B	AF5A	T6ZF0080
1156	苧	6F5C	AF5B	T6ZG0080
1157	苧	6F5D	AF5C	T6ZH0080
1158	苧	6F5E	AF5D	T6ZI0080
1159	苧	6F5F	AF5E	T6ZJ0080
1160	茶	6F60	AF5F	T6ZK0080
1161	苧	6F61	AF60	T6ZL0080
1162	苧	6F62	AF61	T6ZM0080
1163	苧	6F63	AF62	T6ZN0080
1164	苧	6F64	AF63	T6ZO0080
1165	苧	6F65	AF64	T6ZP0080
1166	苧	6F66	AF65	T6ZQ0080
1167	苧	6F67	AF66	T6ZR0080
1168	苧	6F68	AF67	T6ZS0080

Line Number	Graphic	Host Code	PC Code	GCGID
1169	蚘	6F69	AF68	T6ZT0080
1170	蚘	6F6A	AF69	T6ZU0080
1171	蚘	6F6B	AF6A	T6ZV0080
1172	蚘	6F6C	AF6B	T6ZW0080
1173	蚘	6F6D	AF6C	T6ZX0080
1174	蚘	6F6E	AF6D	T6ZY0080
1175	蚘	6F6F	AF6E	T6ZZ0080
1176	蚘	6F70	AF6F	T7000080
1177	蚘	6F71	AF70	T7010080
1178	蚘	6F72	AF71	T7020080
1179	蚘	6F73	AF72	T7030080
1180	蚘	6F74	AF73	T7040080
1181	蚘	6F75	AF74	T7050080
1182	蚘	6F76	AF75	T7060080
1183	蚘	6F77	AF76	T7070080
1184	蚘	6F78	AF77	T7080080
1185	蚘	6F79	AF78	T7090080
1186	蚘	6F7A	AF79	T70A0080
1187	蚘	6F7B	AF7A	T70B0080
1188	蚘	6F7C	AF7B	T70C0080
1189	蚘	6F7D	AF7C	T70D0080
1190	蚘	6F7E	AF7D	T70E0080
1191	蚘	6F7F	AF7E	T70F0080
1192	蚘	6F81	AF80	T70H0080
1193	蚘	6F82	AF81	T70I0080
1194	蚘	6F83	AF82	T70J0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 9 (Page 24 of 44). Secondary CH-T (1/4), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1195	釗	6F84	AF83	T70K0080
1196	陔	6F85	AF84	T70L0080
1197	隋	6F86	AF85	T70M0080
1198	隰	6F87	AF86	T70N0080
1199	隳	6F88	AF87	T70O0080
1200	陟	6F89	AF88	T70P0080
1201	陟	6F8A	AF89	T70Q0080
1202	倮	6F8B	AF8A	T70R0080
1203	倮	6F8C	AF8B	T70S0080
1204	倮	6F8D	AF8C	T70T0080
1205	倮	6F8E	AF8D	T70U0080
1206	倮	6F8F	AF8E	T70V0080
1207	倮	6F90	AF8F	T70W0080
1208	倮	6F91	AF90	T70X0080
1209	倮	6F92	AF91	T70Y0080
1210	倮	6F93	AF92	T70Z0080
1211	倮	6F94	AF93	T7100080
1212	倮	6F95	AF94	T7110080
1213	倮	6F96	AF95	T7120080
1214	倮	6F97	AF96	T7130080
1215	倮	6F98	AF97	T7140080
1216	倮	6F99	AF98	T7150080
1217	倮	6F9A	AF99	T7160080
1218	倮	6F9B	AF9A	T7170080
1219	倮	6F9C	AF9B	T7180080
1220	倮	6F9D	AF9C	T7190080

Table 9 (Page 24 of 44). Secondary CH-T (1/4), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1221	倮	6F9E	AF9D	T71A0080
1222	倮	6F9F	AF9E	T71B0080
1223	倮	6FA0	AF9F	T71C0080
1224	倮	6FA1	AFA0	T71D0080
1225	倮	6FA2	AFA1	T71E0080
1226	倮	6FA3	AFA2	T71F0080
1227	倮	6FA4	AFA3	T71G0080
1228	倮	6FA5	AFA4	T71H0080
1229	倮	6FA6	AFA5	T71I0080
1230	倮	6FA7	AFA6	T71J0080
1231	倮	6FA8	AFA7	T71K0080
1232	倮	6FA9	AFA8	T71L0080
1233	倮	6FAA	AFA9	T71M0080
1234	倮	6FAB	AFAA	T71N0080
1235	倮	6FAC	AFAB	T71O0080
1236	倮	6FAD	AFAC	T71P0080
1237	倮	6FAE	AFAD	T71Q0080
1238	倮	6FAF	AFAE	T71R0080
1239	倮	6FB0	AFAF	T71S0080
1240	倮	6FB1	AFB0	T71T0080
1241	倮	6FB2	AFB1	T71U0080
1242	倮	6FB3	AFB2	T71V0080
1243	倮	6FB4	AFB3	T71W0080
1244	倮	6FB5	AFB4	T71X0080
1245	倮	6FB6	AFB5	T71Y0080
1246	倮	6FB7	AFB6	T71Z0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
1247	嘸	6FB8	AFB7	T7200080
1248	嘍	6FB9	AFB8	T7210080
1249	嘍	6FBA	AFB9	T7220080
1250	嘍	6FBB	AFBA	T7230080
1251	嘍	6FBC	AFBB	T7240080
1252	嘍	6FBD	AFBC	T7250080
1253	嘍	6FBE	AFBD	T7260080
1254	嘍	6FBF	AFBE	T7270080
1255	嘍	6FC0	AFBF	T7280080
1256	嘍	6FC1	AFC0	T7290080
1257	嘍	6FC2	AFC1	T72A0080
1258	嘍	6FC3	AFC2	T72B0080
1259	嘍	6FC4	AFC3	T72C0080
1260	嘍	6FC5	AFC4	T72D0080
1261	嘍	6FC6	AFC5	T72E0080
1262	嘍	6FC7	AFC6	T72F0080
1263	嘍	6FC8	AFC7	T72G0080
1264	嘍	6FC9	AFC8	T72H0080
1265	嘍	6FCA	AFC9	T72I0080
1266	嘍	6FCB	AFCA	T72J0080
1267	嘍	6FCC	AFCB	T72K0080
1268	嘍	6FCD	AFCC	T72L0080
1269	嘍	6FCE	AFCD	T72M0080
1270	嘍	6FCF	AFCE	T72N0080
1271	嘍	6FD0	AFCF	T72O0080
1272	嘍	6FD1	AFD0	T72P0080

Line Number	Graphic	Host Code	PC Code	GCGID
1273	嘍	6FD2	AFD1	T72Q0080
1274	嘍	6FD3	AFD2	T72R0080
1275	嘍	6FD4	AFD3	T72S0080
1276	嘍	6FD5	AFD4	T72T0080
1277	嘍	6FD6	AFD5	T72U0080
1278	嘍	6FD7	AFD6	T72V0080
1279	嘍	6FD8	AFD7	T72W0080
1280	嘍	6FD9	AFD8	T72X0080
1281	嘍	6FDA	AFD9	T72Y0080
1282	嘍	6FDB	AFDA	T72Z0080
1283	嘍	6FDC	AFDB	T7300080
1284	嘍	6FDD	AFDC	T7310080
1285	嘍	6FDE	AFDD	T7320080
1286	嘍	6FDF	AFDE	T7330080
1287	嘍	6FE0	AFDF	T7340080
1288	嘍	6FE1	AFE0	T7350080
1289	嘍	6FE2	AFE1	T7360080
1290	嘍	6FE3	AFE2	T7370080
1291	嘍	6FE4	AFE3	T7380080
1292	嘍	6FE5	AFE4	T7390080
1293	嘍	6FE6	AFE5	T73A0080
1294	嘍	6FE7	AFE6	T73B0080
1295	嘍	6FE8	AFE7	T73C0080
1296	嘍	6FE9	AFE8	T73D0080
1297	嘍	6FEA	AFE9	T73E0080
1298	嘍	6FEB	AFEA	T73F0080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
1299	犀	6FEC	AFEB	T73G0080
1300	隄	6FED	AFEC	T73H0080
1301	岫	6FEE	AFED	T73I0080
1302	崕	6FEF	AFEE	T73J0080
1303	崕	6FF0	AFEF	T73K0080
1304	狃	6FF1	AFF0	T73L0080
1305	峯	6FF2	AFF1	T73M0080
1306	崕	6FF3	AFF2	T73N0080
1307	崕	6FF4	AFF3	T73O0080
1308	崕	6FF5	AFF4	T73P0080
1309	崕	6FF6	AFF5	T73Q0080
1310	崕	6FF7	AFF6	T73R0080
1311	崕	6FF8	AFF7	T73S0080
1312	崕	6FF9	AFF8	T73T0080
1313	崕	6FFA	AFF9	T73U0080
1314	崕	6FFB	AFFA	T73V0080
1315	崕	6FFC	AFFB	T73W0080
1316	崕	6FFD	AFFC	T73X0080
1317	愬	7041	B040	T7410080
1318	愬	7042	B041	T7420080
1319	愬	7043	B042	T7430080
1320	愬	7044	B043	T7440080
1321	愬	7045	B044	T7450080
1322	愬	7046	B045	T7460080
1323	愬	7047	B046	T7470080
1324	愬	7048	B047	T7480080

Line Number	Graphic	Host Code	PC Code	GCGID
1325	愬	7049	B048	T7490080
1326	愬	704A	B049	T74A0080
1327	愬	704B	B04A	T74B0080
1328	愬	704C	B04B	T74C0080
1329	愬	704D	B04C	T74D0080
1330	愬	704E	B04D	T74E0080
1331	愬	704F	B04E	T74F0080
1332	愬	7050	B04F	T74G0080
1333	愬	7051	B050	T74H0080
1334	愬	7052	B051	T74I0080
1335	愬	7053	B052	T74J0080
1336	愬	7054	B053	T74K0080
1337	愬	7055	B054	T74L0080
1338	愬	7056	B055	T74M0080
1339	愬	7057	B056	T74N0080
1340	愬	7058	B057	T74O0080
1341	愬	7059	B058	T74P0080
1342	愬	705A	B059	T74Q0080
1343	愬	705B	B05A	T74R0080
1344	愬	705C	B05B	T74S0080
1345	愬	705D	B05C	T74T0080
1346	愬	705E	B05D	T74U0080
1347	愬	705F	B05E	T74V0080
1348	愬	7060	B05F	T74W0080
1349	愬	7061	B060	T74X0080
1350	愬	7062	B061	T74Y0080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 9 (Page 27 of 44). Secondary CH-T (1/4), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1351	梅	7063	B062	T74Z0080
1352	掇	7064	B063	T7500080
1353	摘	7065	B064	T7510080
1354	掉	7066	B065	T7520080
1355	摸	7067	B066	T7530080
1356	捺	7068	B067	T7540080
1357	控	7069	B068	T7550080
1358	捏	706A	B069	T7560080
1359	摸	706B	B06A	T7570080
1360	搵	706C	B06B	T7580080
1361	抄	706D	B06C	T7590080
1362	摔	706E	B06D	T75A0080
1363	捺	706F	B06E	T75B0080
1364	捺	7070	B06F	T75C0080
1365	敲	7071	B070	T75D0080
1366	旃	7072	B071	T75E0080
1367	旃	7073	B072	T75F0080
1368	旄	7074	B073	T75G0080
1369	旂	7075	B074	T75H0080
1370	睦	7076	B075	T75I0080
1371	晟	7077	B076	T75J0080
1372	睦	7078	B077	T75K0080
1373	曷	7079	B078	T75L0080
1374	脑	707A	B079	T75M0080
1375	眺	707B	B07A	T75N0080
1376	楸	707C	B07B	T75O0080

Table 9 (Page 27 of 44). Secondary CH-T (1/4), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1377	棧	707D	B07C	T75P0080
1378	桉	707E	B07D	T75Q0080
1379	栲	707F	B07E	T75R0080
1380	栲	7081	B080	T75T0080
1381	栲	7082	B081	T75U0080
1382	栲	7083	B082	T75V0080
1383	栲	7084	B083	T75W0080
1384	栖	7085	B084	T75X0080
1385	栲	7086	B085	T75Y0080
1386	棟	7087	B086	T75Z0080
1387	榭	7088	B087	T7600080
1388	楸	7089	B088	T7610080
1389	榭	708A	B089	T7620080
1390	栲	708B	B08A	T7630080
1391	栲	708C	B08B	T7640080
1392	栲	708D	B08C	T7650080
1393	栲	708E	B08D	T7660080
1394	栲	708F	B08E	T7670080
1395	栲	7090	B08F	T7680080
1396	梨	7091	B090	T7690080
1397	柵	7092	B091	T76A0080
1398	欸	7093	B092	T76B0080
1399	楫	7094	B093	T76C0080
1400	栲	7095	B094	T76D0080
1401	栲	7096	B095	T76E0080
1402	漆	7097	B096	T76F0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 9 (Page 28 of 44). Secondary CH-T (1/4), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1403	隼	7098	B097	T76G0080
1404	欸	7099	B098	T76H0080
1405	欸	709A	B099	T76I0080
1406	歐	709B	B09A	T76J0080
1407	飲	709C	B09B	T76K0080
1408	飲	709D	B09C	T76L0080
1409	峙	709E	B09D	T76M0080
1410	殫	709F	B09E	T76N0080
1411	殫	70A0	B09F	T76O0080
1412	眊	70A1	B0A0	T76P0080
1413	毳	70A2	B0A1	T76Q0080
1414	毳	70A3	B0A2	T76R0080
1415	鞑	70A4	B0A3	T76S0080
1416	毳	70A5	B0A4	T76T0080
1417	毳	70A6	B0A5	T76U0080
1418	氫	70A7	B0A6	T76V0080
1419	泚	70A8	B0A7	T76W0080
1420	浣	70A9	B0A8	T76X0080
1421	浣	70AA	B0A9	T76Y0080
1422	泚	70AB	B0AA	T76Z0080
1423	漚	70AC	B0AB	T7700080
1424	渚	70AD	B0AC	T7710080
1425	渚	70AE	B0AD	T7720080
1426	渚	70AF	B0AE	T7730080
1427	渚	70B0	B0AF	T7740080
1428	漚	70B1	B0B0	T7750080

Table 9 (Page 28 of 44). Secondary CH-T (1/4), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1429	渚	70B2	B0B1	T7760080
1430	渚	70B3	B0B2	T7770080
1431	渚	70B4	B0B3	T7780080
1432	渚	70B5	B0B4	T7790080
1433	渚	70B6	B0B5	T77A0080
1434	渚	70B7	B0B6	T77B0080
1435	渚	70B8	B0B7	T77C0080
1436	渚	70B9	B0B8	T77D0080
1437	渚	70BA	B0B9	T77E0080
1438	渚	70BB	B0BA	T77F0080
1439	渚	70BC	B0BB	T77G0080
1440	渚	70BD	B0BC	T77H0080
1441	渚	70BE	B0BD	T77I0080
1442	渚	70BF	B0BE	T77J0080
1443	渚	70C0	B0BF	T77K0080
1444	渚	70C1	B0C0	T77L0080
1445	渚	70C2	B0C1	T77M0080
1446	渚	70C3	B0C2	T77N0080
1447	渚	70C4	B0C3	T77O0080
1448	渚	70C5	B0C4	T77P0080
1449	渚	70C6	B0C5	T77Q0080
1450	渚	70C7	B0C6	T77R0080
1451	渚	70C8	B0C7	T77S0080
1452	渚	70C9	B0C8	T77T0080
1453	渚	70CA	B0C9	T77U0080
1454	渚	70CB	B0CA	T77V0080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 9 (Page 29 of 44). Secondary CH-T (1/4), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1455	灑	70CC	B0CB	T77W0080
1456	烜	70CD	B0CC	T77X0080
1457	焯	70CE	B0CD	T77Y0080
1458	焯	70CF	B0CE	T77Z0080
1459	烝	70D0	B0CF	T7800080
1460	烝	70D1	B0D0	T7810080
1461	魚	70D2	B0D1	T7820080
1462	焯	70D3	B0D2	T7830080
1463	焯	70D4	B0D3	T7840080
1464	焯	70D5	B0D4	T7850080
1465	焯	70D6	B0D5	T7860080
1466	焯	70D7	B0D6	T7870080
1467	焯	70D8	B0D7	T7880080
1468	焯	70D9	B0D8	T7890080
1469	焯	70DA	B0D9	T78A0080
1470	焯	70DB	B0DA	T78B0080
1471	焯	70DC	B0DB	T78C0080
1472	焯	70DD	B0DC	T78D0080
1473	焯	70DE	B0DD	T78E0080
1474	焯	70DF	B0DE	T78F0080
1475	焯	70E0	B0DF	T78G0080
1476	焯	70E1	B0E0	T78H0080
1477	焯	70E2	B0E1	T78I0080
1478	焯	70E3	B0E2	T78J0080
1479	焯	70E4	B0E3	T78K0080
1480	焯	70E5	B0E4	T78L0080

Table 9 (Page 29 of 44). Secondary CH-T (1/4), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1481	玃	70E6	B0E5	T78M0080
1482	玃	70E7	B0E6	T78N0080
1483	玃	70E8	B0E7	T78O0080
1484	玃	70E9	B0E8	T78P0080
1485	玃	70EA	B0E9	T78Q0080
1486	玃	70EB	B0EA	T78R0080
1487	玃	70EC	B0EB	T78S0080
1488	玃	70ED	B0EC	T78T0080
1489	玃	70EE	B0ED	T78U0080
1490	玃	70EF	B0EE	T78V0080
1491	玃	70F0	B0EF	T78W0080
1492	玃	70F1	B0F0	T78X0080
1493	玃	70F2	B0F1	T78Y0080
1494	玃	70F3	B0F2	T78Z0080
1495	玃	70F4	B0F3	T7900080
1496	玃	70F5	B0F4	T7910080
1497	玃	70F6	B0F5	T7920080
1498	玃	70F7	B0F6	T7930080
1499	玃	70F8	B0F7	T7940080
1500	玃	70F9	B0F8	T7950080
1501	玃	70FA	B0F9	T7960080
1502	玃	70FB	B0FA	T7970080
1503	玃	70FC	B0FB	T7980080
1504	玃	70FD	B0FC	T7990080
1505	玃	7141	B140	T79D0080
1506	玃	7142	B141	T79E0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 9 (Page 30 of 44). Secondary CH-T (1/4), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1507	甌	7143	B142	T79F0080
1508	蛙	7144	B143	T79G0080
1509	畛	7145	B144	T79H0080
1510	曼	7146	B145	T79I0080
1511	疰	7147	B146	T79J0080
1512	疴	7148	B147	T79K0080
1513	痲	7149	B148	T79L0080
1514	疥	714A	B149	T79M0080
1515	痾	714B	B14A	T79N0080
1516	癩	714C	B14B	T79O0080
1517	瘡	714D	B14C	T79P0080
1518	疔	714E	B14D	T79Q0080
1519	命	714F	B14E	T79R0080
1520	盍	7150	B14F	T79S0080
1521	睜	7151	B150	T79T0080
1522	昧	7152	B151	T79U0080
1523	眊	7153	B152	T79V0080
1524	賊	7154	B153	T79W0080
1525	呻	7155	B154	T79X0080
1526	眈	7156	B155	T79Y0080
1527	眊	7157	B156	T79Z0080
1528	眊	7158	B157	T7A00080
1529	眊	7159	B158	T7A10080
1530	眊	715A	B159	T7A20080
1531	眊	715B	B15A	T7A30080
1532	昭	715C	B15B	T7A40080

Table 9 (Page 30 of 44). Secondary CH-T (1/4), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1533	碇	715D	B15C	T7A50080
1534	碇	715E	B15D	T7A60080
1535	碇	715F	B15E	T7A70080
1536	碇	7160	B15F	T7A80080
1537	碇	7161	B160	T7A90080
1538	碇	7162	B161	T7AA0080
1539	碇	7163	B162	T7AB0080
1540	碇	7164	B163	T7AC0080
1541	碇	7165	B164	T7AD0080
1542	碇	7166	B165	T7AE0080
1543	碇	7167	B166	T7AF0080
1544	碇	7168	B167	T7AG0080
1545	碇	7169	B168	T7AH0080
1546	碇	716A	B169	T7AI0080
1547	碇	716B	B16A	T7AJ0080
1548	碇	716C	B16B	T7AK0080
1549	碇	716D	B16C	T7AL0080
1550	碇	716E	B16D	T7AM0080
1551	碇	716F	B16E	T7AN0080
1552	碇	7170	B16F	T7AO0080
1553	碇	7171	B170	T7AP0080
1554	碇	7172	B171	T7AQ0080
1555	碇	7173	B172	T7AR0080
1556	碇	7174	B173	T7AS0080
1557	碇	7175	B174	T7AT0080
1558	碇	7176	B175	T7AU0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
1559	糗	7177	B176	T7AV0080
1560	柚	7178	B177	T7AW0080
1561	稭	7179	B178	T7AX0080
1562	窰	717A	B179	T7AY0080
1563	窰	717B	B17A	T7AZ0080
1564	窰	717C	B17B	T7B00080
1565	窰	717D	B17C	T7B10080
1566	窰	717E	B17D	T7B20080
1567	窰	717F	B17E	T7B30080
1568	窰	7181	B180	T7B50080
1569	窰	7182	B181	T7B60080
1570	笱	7183	B182	T7B70080
1571	笱	7184	B183	T7B80080
1572	笱	7185	B184	T7B90080
1573	笱	7186	B185	T7BA0080
1574	笱	7187	B186	T7BB0080
1575	笱	7188	B187	T7BC0080
1576	笱	7189	B188	T7BD0080
1577	笱	718A	B189	T7BE0080
1578	笱	718B	B18A	T7BF0080
1579	笱	718C	B18B	T7BG0080
1580	笱	718D	B18C	T7BH0080
1581	粃	718E	B18D	T7BI0080
1582	粃	718F	B18E	T7BJ0080
1583	粃	7190	B18F	T7BK0080
1584	粃	7191	B190	T7BL0080

Line Number	Graphic	Host Code	PC Code	GCGID
1585	粃	7192	B191	T7BM0080
1586	粃	7193	B192	T7BN0080
1587	粃	7194	B193	T7BO0080
1588	粃	7195	B194	T7BP0080
1589	粃	7196	B195	T7BQ0080
1590	粃	7197	B196	T7BR0080
1591	粃	7198	B197	T7BS0080
1592	粃	7199	B198	T7BT0080
1593	粃	719A	B199	T7BU0080
1594	粃	719B	B19A	T7BV0080
1595	粃	719C	B19B	T7BW0080
1596	粃	719D	B19C	T7BX0080
1597	粃	719E	B19D	T7BY0080
1598	罍	719F	B19E	T7BZ0080
1599	罍	71A0	B19F	T7C00080
1600	罍	71A1	B1A0	T7C10080
1601	罍	71A2	B1A1	T7C20080
1602	罍	71A3	B1A2	T7C30080
1603	罍	71A4	B1A3	T7C40080
1604	罍	71A5	B1A4	T7C50080
1605	罍	71A6	B1A5	T7C60080
1606	翊	71A7	B1A6	T7C70080
1607	翊	71A8	B1A7	T7C80080
1608	翊	71A9	B1A8	T7C90080
1609	粃	71AA	B1A9	T7CA0080
1610	粃	71AB	B1AA	T7CB0080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 9 (Page 32 of 44). Secondary CH-T (1/4), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1611	聆	71AC	B1AB	T7CC0080
1612	腋	71AD	B1AC	T7CD0080
1613	骸	71AE	B1AD	T7CE0080
1614	膈	71AF	B1AE	T7CF0080
1615	脛	71B0	B1AF	T7CG0080
1616	腓	71B1	B1B0	T7CH0080
1617	脗	71B2	B1B1	T7CI0080
1618	脊	71B3	B1B2	T7CJ0080
1619	鼻	71B4	B1B3	T7CK0080
1620	舛	71B5	B1B4	T7CL0080
1621	舩	71B6	B1B5	T7CM0080
1622	苙	71B7	B1B6	T7CN0080
1623	菱	71B8	B1B7	T7CO0080
1624	菱	71B9	B1B8	T7CP0080
1625	菱	71BA	B1B9	T7CQ0080
1626	菱	71BB	B1BA	T7CR0080
1627	菱	71BC	B1BB	T7CS0080
1628	菱	71BD	B1BC	T7CT0080
1629	菀	71BE	B1BD	T7CU0080
1630	荳	71BF	B1BE	T7CV0080
1631	菴	71C0	B1BF	T7CW0080
1632	茜	71C1	B1C0	T7CX0080
1633	荊	71C2	B1C1	T7CY0080
1634	荇	71C3	B1C2	T7CZ0080
1635	荳	71C4	B1C3	T7D00080
1636	莨	71C5	B1C4	T7D10080

Table 9 (Page 32 of 44). Secondary CH-T (1/4), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1637	莨	71C6	B1C5	T7D20080
1638	莨	71C7	B1C6	T7D30080
1639	莨	71C8	B1C7	T7D40080
1640	莨	71C9	B1C8	T7D50080
1641	荇	71CA	B1C9	T7D60080
1642	荇	71CB	B1CA	T7D70080
1643	荇	71CC	B1CB	T7D80080
1644	荇	71CD	B1CC	T7D90080
1645	荇	71CE	B1CD	T7DA0080
1646	荇	71CF	B1CE	T7DB0080
1647	荇	71D0	B1CF	T7DC0080
1648	荇	71D1	B1D0	T7DD0080
1649	荇	71D2	B1D1	T7DE0080
1650	荇	71D3	B1D2	T7DF0080
1651	荇	71D4	B1D3	T7DG0080
1652	荇	71D5	B1D4	T7DH0080
1653	荇	71D6	B1D5	T7DI0080
1654	荇	71D7	B1D6	T7DJ0080
1655	荇	71D8	B1D7	T7DK0080
1656	荇	71D9	B1D8	T7DL0080
1657	荇	71DA	B1D9	T7DM0080
1658	荇	71DB	B1DA	T7DN0080
1659	荇	71DC	B1DB	T7DO0080
1660	荇	71DD	B1DC	T7DP0080
1661	荇	71DE	B1DD	T7DQ0080
1662	荇	71DF	B1DE	T7DR0080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 9 (Page 33 of 44). Secondary CH-T (1/4), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1663	蛛	71E0	B1DF	T7DS0080
1664	𧈧	71E1	B1E0	T7DT0080
1665	𧈨	71E2	B1E1	T7DU0080
1666	𧈩	71E3	B1E2	T7DV0080
1667	𧈪	71E4	B1E3	T7DW0080
1668	𧈫	71E5	B1E4	T7DX0080
1669	𧈬	71E6	B1E5	T7DY0080
1670	𧈭	71E7	B1E6	T7DZ0080
1671	𧈮	71E8	B1E7	T7E00080
1672	𧈯	71E9	B1E8	T7E10080
1673	𧈰	71EA	B1E9	T7E20080
1674	𧈱	71EB	B1EA	T7E30080
1675	𧈲	71EC	B1EB	T7E40080
1676	𧈳	71ED	B1EC	T7E50080
1677	𧈴	71EE	B1ED	T7E60080
1678	𧈵	71EF	B1EE	T7E70080
1679	𧈶	71F0	B1EF	T7E80080
1680	𧈷	71F1	B1F0	T7E90080
1681	𧈸	71F2	B1F1	T7EA0080
1682	𧈹	71F3	B1F2	T7EB0080
1683	𧈺	71F4	B1F3	T7EC0080
1684	𧈻	71F5	B1F4	T7ED0080
1685	𧈼	71F6	B1F5	T7EE0080
1686	𧈽	71F7	B1F6	T7EF0080
1687	𧈾	71F8	B1F7	T7EG0080
1688	𧈿	71F9	B1F8	T7EH0080

Table 9 (Page 33 of 44). Secondary CH-T (1/4), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1689	𧉀	71FA	B1F9	T7EI0080
1690	𧉁	71FB	B1FA	T7EJ0080
1691	𧉂	71FC	B1FB	T7EK0080
1692	𧉃	71FD	B1FC	T7EL0080
1693	𧉄	7241	B240	T7EP0080
1694	𧉅	7242	B241	T7EQ0080
1695	𧉆	7243	B242	T7ER0080
1696	𧉇	7244	B243	T7ES0080
1697	𧉈	7245	B244	T7ET0080
1698	𧉉	7246	B245	T7EU0080
1699	𧉊	7247	B246	T7EV0080
1700	𧉋	7248	B247	T7EW0080
1701	𧉌	7249	B248	T7EX0080
1702	𧉍	724A	B249	T7EY0080
1703	𧉎	724B	B24A	T7EZ0080
1704	𧉏	724C	B24B	T7F00080
1705	𧉐	724D	B24C	T7F10080
1706	𧉑	724E	B24D	T7F20080
1707	𧉒	724F	B24E	T7F30080
1708	𧉓	7250	B24F	T7F40080
1709	𧉔	7251	B250	T7F50080
1710	𧉕	7252	B251	T7F60080
1711	𧉖	7253	B252	T7F70080
1712	𧉗	7254	B253	T7F80080
1713	𧉘	7255	B254	T7F90080
1714	𧉙	7256	B255	T7FA0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 9 (Page 34 of 44). Secondary CH-T (1/4), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1715	鄧	7257	B256	T7FB0080
1716	鄭	7258	B257	T7FC0080
1717	鄘	7259	B258	T7FD0080
1718	郢	725A	B259	T7FE0080
1719	郭	725B	B25A	T7FF0080
1720	邲	725C	B25B	T7FG0080
1721	郟	725D	B25C	T7FH0080
1722	郢	725E	B25D	T7FI0080
1723	郢	725F	B25E	T7FJ0080
1724	郢	7260	B25F	T7FK0080
1725	郢	7261	B260	T7FL0080
1726	郢	7262	B261	T7FM0080
1727	酈	7263	B262	T7FN0080
1728	酈	7264	B263	T7FO0080
1729	酈	7265	B264	T7FP0080
1730	釘	7266	B265	T7FQ0080
1731	釘	7267	B266	T7FR0080
1732	鈇	7268	B267	T7FS0080
1733	陝	7269	B268	T7FT0080
1734	陟	726A	B269	T7FU0080
1735	隼	726B	B26A	T7FV0080
1736	釘	726C	B26B	T7FW0080
1737	彭	726D	B26C	T7FX0080
1738	鬯	726E	B26D	T7FY0080
1739	糺	726F	B26E	T7FZ0080
1740	楔	7270	B26F	T7G00080

Table 9 (Page 34 of 44). Secondary CH-T (1/4), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1741	偪	7271	B270	T7G10080
1742	偪	7272	B271	T7G20080
1743	僕	7273	B272	T7G30080
1744	僕	7274	B273	T7G40080
1745	偪	7275	B274	T7G50080
1746	偪	7276	B275	T7G60080
1747	偪	7277	B276	T7G70080
1748	偪	7278	B277	T7G80080
1749	偪	7279	B278	T7G90080
1750	偪	727A	B279	T7GA0080
1751	偪	727B	B27A	T7GB0080
1752	偪	727C	B27B	T7GC0080
1753	偪	727D	B27C	T7GD0080
1754	偪	727E	B27D	T7GE0080
1755	偪	727F	B27E	T7GF0080
1756	偪	7281	B280	T7GH0080
1757	偪	7282	B281	T7GI0080
1758	偪	7283	B282	T7GJ0080
1759	偪	7284	B283	T7GK0080
1760	偪	7285	B284	T7GL0080
1761	偪	7286	B285	T7GM0080
1762	偪	7287	B286	T7GN0080
1763	僕	7288	B287	T7GO0080
1764	僕	7289	B288	T7GP0080
1765	僕	728A	B289	T7GQ0080
1766	僕	728B	B28A	T7GR0080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 9 (Page 35 of 44). Secondary CH-T (1/4), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1767	儷	728C	B28B	T7GS0080
1768	漻	728D	B28C	T7GT0080
1769	劇	728E	B28D	T7GU0080
1770	劇	728F	B28E	T7GV0080
1771	劇	7290	B28F	T7GW0080
1772	劇	7291	B290	T7GX0080
1773	勸	7292	B291	T7GY0080
1774	勸	7293	B292	T7GZ0080
1775	匱	7294	B293	T7H00080
1776	厓	7295	B294	T7H10080
1777	嗽	7296	B295	T7H20080
1778	啞	7297	B296	T7H30080
1779	啞	7298	B297	T7H40080
1780	啞	7299	B298	T7H50080
1781	啞	729A	B299	T7H60080
1782	啞	729B	B29A	T7H70080
1783	啞	729C	B29B	T7H80080
1784	啞	729D	B29C	T7H90080
1785	啞	729E	B29D	T7HA0080
1786	啞	729F	B29E	T7HB0080
1787	啞	72A0	B29F	T7HC0080
1788	啞	72A1	B2A0	T7HD0080
1789	啞	72A2	B2A1	T7HE0080
1790	啞	72A3	B2A2	T7HF0080
1791	啞	72A4	B2A3	T7HG0080
1792	啞	72A5	B2A4	T7HH0080

Table 9 (Page 35 of 44). Secondary CH-T (1/4), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1793	哈	72A6	B2A5	T7HI0080
1794	哈	72A7	B2A6	T7HJ0080
1795	哈	72A8	B2A7	T7HK0080
1796	哈	72A9	B2A8	T7HL0080
1797	哈	72AA	B2A9	T7HM0080
1798	哈	72AB	B2AA	T7HN0080
1799	哈	72AC	B2AB	T7HO0080
1800	哈	72AD	B2AC	T7HP0080
1801	哈	72AE	B2AD	T7HQ0080
1802	哈	72AF	B2AE	T7HR0080
1803	哈	72B0	B2AF	T7HS0080
1804	哈	72B1	B2B0	T7HT0080
1805	哈	72B2	B2B1	T7HU0080
1806	哈	72B3	B2B2	T7HV0080
1807	哈	72B4	B2B3	T7HW0080
1808	哈	72B5	B2B4	T7HX0080
1809	哈	72B6	B2B5	T7HY0080
1810	哈	72B7	B2B6	T7HZ0080
1811	哈	72B8	B2B7	T7I00080
1812	哈	72B9	B2B8	T7I10080
1813	哈	72BA	B2B9	T7I20080
1814	哈	72BB	B2BA	T7I30080
1815	哈	72BC	B2BB	T7I40080
1816	哈	72BD	B2BC	T7I50080
1817	哈	72BE	B2BD	T7I60080
1818	哈	72BF	B2BE	T7I70080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 9 (Page 36 of 44). Secondary CH-T (1/4), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1819	粹	72C0	B2BF	T7I80080
1820	捧	72C1	B2C0	T7I90080
1821	靖	72C2	B2C1	T7IA0080
1822	堦	72C3	B2C2	T7IB0080
1823	堦	72C4	B2C3	T7IC0080
1824	堦	72C5	B2C4	T7ID0080
1825	琦	72C6	B2C5	T7IE0080
1826	堦	72C7	B2C6	T7IF0080
1827	埧	72C8	B2C7	T7IG0080
1828	埧	72C9	B2C8	T7IH0080
1829	埧	72CA	B2C9	T7II0080
1830	埧	72CB	B2CA	T7IJ0080
1831	埧	72CC	B2CB	T7IK0080
1832	埧	72CD	B2CC	T7IL0080
1833	埧	72CE	B2CD	T7IM0080
1834	埧	72CF	B2CE	T7IN0080
1835	斐	72D0	B2CF	T7IO0080
1836	媼	72D1	B2D0	T7IP0080
1837	媼	72D2	B2D1	T7IQ0080
1838	媼	72D3	B2D2	T7IR0080
1839	媼	72D4	B2D3	T7IS0080
1840	媼	72D5	B2D4	T7IT0080
1841	媼	72D6	B2D5	T7IU0080
1842	媼	72D7	B2D6	T7IV0080
1843	媼	72D8	B2D7	T7IW0080
1844	媼	72D9	B2D8	T7IX0080

Table 9 (Page 36 of 44). Secondary CH-T (1/4), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1845	媼	72DA	B2D9	T7IY0080
1846	媼	72DB	B2DA	T7IZ0080
1847	媼	72DC	B2DB	T7J00080
1848	媼	72DD	B2DC	T7J10080
1849	媼	72DE	B2DD	T7J20080
1850	媼	72DF	B2DE	T7J30080
1851	媼	72E0	B2DF	T7J40080
1852	媼	72E1	B2E0	T7J50080
1853	媼	72E2	B2E1	T7J60080
1854	媼	72E3	B2E2	T7J70080
1855	媼	72E4	B2E3	T7J80080
1856	媼	72E5	B2E4	T7J90080
1857	媼	72E6	B2E5	T7JA0080
1858	媼	72E7	B2E6	T7JB0080
1859	媼	72E8	B2E7	T7JC0080
1860	媼	72E9	B2E8	T7JD0080
1861	媼	72EA	B2E9	T7JE0080
1862	媼	72EB	B2EA	T7JF0080
1863	媼	72EC	B2EB	T7JG0080
1864	媼	72ED	B2EC	T7JH0080
1865	媼	72EE	B2ED	T7JI0080
1866	媼	72EF	B2EE	T7JJ0080
1867	媼	72F0	B2EF	T7JK0080
1868	媼	72F1	B2F0	T7JL0080
1869	媼	72F2	B2F1	T7JM0080
1870	媼	72F3	B2F2	T7JN0080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 9 (Page 37 of 44). Secondary CH-T (1/4), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1871	寔	72F4	B2F3	T7JO0080
1872	案	72F5	B2F4	T7JP0080
1873	厨	72F6	B2F5	T7JQ0080
1874	崞	72F7	B2F6	T7JR0080
1875	崱	72F8	B2F7	T7JS0080
1876	崲	72F9	B2F8	T7JT0080
1877	崳	72FA	B2F9	T7JU0080
1878	崴	72FB	B2FA	T7JV0080
1879	崵	72FC	B2FB	T7JW0080
1880	崶	72FD	B2FC	T7JX0080
1881	崷	7341	B340	T7K10080
1882	崸	7342	B341	T7K20080
1883	崹	7343	B342	T7K30080
1884	崺	7344	B343	T7K40080
1885	崻	7345	B344	T7K50080
1886	崼	7346	B345	T7K60080
1887	崽	7347	B346	T7K70080
1888	崾	7348	B347	T7K80080
1889	崿	7349	B348	T7K90080
1890	嶀	734A	B349	T7KA0080
1891	嶁	734B	B34A	T7KB0080
1892	嶂	734C	B34B	T7KC0080
1893	嶃	734D	B34C	T7KD0080
1894	嶄	734E	B34D	T7KE0080
1895	嶅	734F	B34E	T7KF0080
1896	嶆	7350	B34F	T7KG0080

Table 9 (Page 37 of 44). Secondary CH-T (1/4), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1897	嶇	7351	B350	T7KH0080
1898	嶈	7352	B351	T7KI0080
1899	嶉	7353	B352	T7KJ0080
1900	嶊	7354	B353	T7KK0080
1901	嶋	7355	B354	T7KL0080
1902	嶌	7356	B355	T7KM0080
1903	嶍	7357	B356	T7KN0080
1904	嶎	7358	B357	T7KO0080
1905	嶏	7359	B358	T7KP0080
1906	嶐	735A	B359	T7KQ0080
1907	嶑	735B	B35A	T7KR0080
1908	嶒	735C	B35B	T7KS0080
1909	嶓	735D	B35C	T7KT0080
1910	嶔	735E	B35D	T7KU0080
1911	嶕	735F	B35E	T7KV0080
1912	嶖	7360	B35F	T7KW0080
1913	嶗	7361	B360	T7KX0080
1914	嶘	7362	B361	T7KY0080
1915	嶙	7363	B362	T7KZ0080
1916	嶚	7364	B363	T7L00080
1917	嶛	7365	B364	T7L10080
1918	嶜	7366	B365	T7L20080
1919	嶝	7367	B366	T7L30080
1920	嶞	7368	B367	T7L40080
1921	嶟	7369	B368	T7L50080
1922	嶠	736A	B369	T7L60080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 9 (Page 38 of 44). Secondary CH-T (1/4), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1923	攀	736B	B36A	T7L70080
1924	挽	736C	B36B	T7L80080
1925	掇	736D	B36C	T7L90080
1926	拈	736E	B36D	T7LA0080
1927	揅	736F	B36E	T7LB0080
1928	揅	7370	B36F	T7LC0080
1929	揅	7371	B370	T7LD0080
1930	揅	7372	B371	T7LE0080
1931	揅	7373	B372	T7LF0080
1932	揅	7374	B373	T7LG0080
1933	揅	7375	B374	T7LH0080
1934	揅	7376	B375	T7LI0080
1935	揅	7377	B376	T7LJ0080
1936	揅	7378	B377	T7LK0080
1937	揅	7379	B378	T7LL0080
1938	据	737A	B379	T7LM0080
1939	揅	737B	B37A	T7LN0080
1940	揅	737C	B37B	T7LO0080
1941	揅	737D	B37C	T7LP0080
1942	揅	737E	B37D	T7LQ0080
1943	揅	737F	B37E	T7LR0080
1944	揅	7381	B380	T7LT0080
1945	揅	7382	B381	T7LU0080
1946	揅	7383	B382	T7LV0080
1947	揅	7384	B383	T7LW0080
1948	揅	7385	B384	T7LX0080

Table 9 (Page 38 of 44). Secondary CH-T (1/4), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1949	揅	7386	B385	T7LY0080
1950	揅	7387	B386	T7LZ0080
1951	揅	7388	B387	T7M00080
1952	揅	7389	B388	T7M10080
1953	揅	738A	B389	T7M20080
1954	揅	738B	B38A	T7M30080
1955	揅	738C	B38B	T7M40080
1956	揅	738D	B38C	T7M50080
1957	揅	738E	B38D	T7M60080
1958	揅	738F	B38E	T7M70080
1959	揅	7390	B38F	T7M80080
1960	揅	7391	B390	T7M90080
1961	揅	7392	B391	T7MA0080
1962	揅	7393	B392	T7MB0080
1963	揅	7394	B393	T7MC0080
1964	揅	7395	B394	T7MD0080
1965	揅	7396	B395	T7ME0080
1966	揅	7397	B396	T7MF0080
1967	揅	7398	B397	T7MG0080
1968	揅	7399	B398	T7MH0080
1969	揅	739A	B399	T7MI0080
1970	揅	739B	B39A	T7MJ0080
1971	揅	739C	B39B	T7MK0080
1972	揅	739D	B39C	T7ML0080
1973	揅	739E	B39D	T7MM0080
1974	揅	739F	B39E	T7MN0080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 9 (Page 39 of 44). Secondary CH-T (1/4), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1975	裡	73A0	B39F	T7MO0080
1976	梭	73A1	B3A0	T7MP0080
1977	桴	73A2	B3A1	T7MQ0080
1978	稅	73A3	B3A2	T7MR0080
1979	楷	73A4	B3A3	T7MS0080
1980	桷	73A5	B3A4	T7MT0080
1981	檣	73A6	B3A5	T7MU0080
1982	棗	73A7	B3A6	T7MV0080
1983	杪	73A8	B3A7	T7MW0080
1984	杼	73A9	B3A8	T7MX0080
1985	椴	73AA	B3A9	T7MY0080
1986	棟	73AB	B3AA	T7MZ0080
1987	檉	73AC	B3AB	T7N00080
1988	裙	73AD	B3AC	T7N10080
1989	榘	73AE	B3AD	T7N20080
1990	榭	73AF	B3AE	T7N30080
1991	相	73B0	B3AF	T7N40080
1992	栲	73B1	B3B0	T7N50080
1993	栳	73B2	B3B1	T7N60080
1994	楞	73B3	B3B2	T7N70080
1995	稀	73B4	B3B3	T7N80080
1996	榨	73B5	B3B4	T7N90080
1997	櫟	73B6	B3B5	T7NA0080
1998	椋	73B7	B3B6	T7NB0080
1999	槲	73B8	B3B7	T7NC0080
2000	奎	73B9	B3B8	T7ND0080

Table 9 (Page 39 of 44). Secondary CH-T (1/4), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
2001	欸	73BA	B3B9	T7NE0080
2002	獻	73BB	B3BA	T7NF0080
2003	秋	73BC	B3BB	T7NG0080
2004	欸	73BD	B3BC	T7NH0080
2005	斃	73BE	B3BD	T7NI0080
2006	殊	73BF	B3BE	T7NJ0080
2007	殍	73C0	B3BF	T7NK0080
2008	殃	73C1	B3C0	T7NL0080
2009	殛	73C2	B3C1	T7NM0080
2010	氫	73C3	B3C2	T7NN0080
2011	淀	73C4	B3C3	T7NO0080
2012	滄	73C5	B3C4	T7NP0080
2013	澗	73C6	B3C5	T7NQ0080
2014	漣	73C7	B3C6	T7NR0080
2015	澁	73C8	B3C7	T7NS0080
2016	滓	73C9	B3C8	T7NT0080
2017	淩	73CA	B3C9	T7NU0080
2018	減	73CB	B3CA	T7NV0080
2019	凍	73CC	B3CB	T7NW0080
2020	涑	73CD	B3CC	T7NX0080
2021	渣	73CE	B3CD	T7NY0080
2022	澆	73CF	B3CE	T7NZ0080
2023	滌	73D0	B3CF	T7O00080
2024	滌	73D1	B3D0	T7O10080
2025	澗	73D2	B3D1	T7O20080
2026	淖	73D3	B3D2	T7O30080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 9 (Page 40 of 44). Secondary CH-T (1/4), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
2027	渚	73D4	B3D3	T7O40080
2028	淥	73D5	B3D4	T7O50080
2029	泐	73D6	B3D5	T7O60080
2030	淝	73D7	B3D6	T7O70080
2031	淞	73D8	B3D7	T7O80080
2032	淙	73D9	B3D8	T7O90080
2033	滔	73DA	B3D9	T7OA0080
2034	潛	73DB	B3DA	T7OB0080
2035	淪	73DC	B3DB	T7OC0080
2036	淪	73DD	B3DC	T7OD0080
2037	淪	73DE	B3DD	T7OE0080
2038	淪	73DF	B3DE	T7OF0080
2039	淪	73E0	B3DF	T7OG0080
2040	淪	73E1	B3E0	T7OH0080
2041	淪	73E2	B3E1	T7OI0080
2042	淪	73E3	B3E2	T7OJ0080
2043	淪	73E4	B3E3	T7OK0080
2044	淪	73E5	B3E4	T7OL0080
2045	淪	73E6	B3E5	T7OM0080
2046	淪	73E7	B3E6	T7ON0080
2047	淪	73E8	B3E7	T7OO0080
2048	淪	73E9	B3E8	T7OP0080
2049	淪	73EA	B3E9	T7OQ0080
2050	淪	73EB	B3EA	T7OR0080
2051	淪	73EC	B3EB	T7OS0080
2052	淪	73ED	B3EC	T7OT0080

Table 9 (Page 40 of 44). Secondary CH-T (1/4), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
2053	焗	73EE	B3ED	T7OU0080
2054	煙	73EF	B3EE	T7OV0080
2055	煨	73F0	B3EF	T7OW0080
2056	焗	73F1	B3F0	T7OX0080
2057	焗	73F2	B3F1	T7OY0080
2058	焗	73F3	B3F2	T7OZ0080
2059	焗	73F4	B3F3	T7P00080
2060	焗	73F5	B3F4	T7P10080
2061	焗	73F6	B3F5	T7P20080
2062	焗	73F7	B3F6	T7P30080
2063	焗	73F8	B3F7	T7P40080
2064	焗	73F9	B3F8	T7P50080
2065	焗	73FA	B3F9	T7P60080
2066	焗	73FB	B3FA	T7P70080
2067	焗	73FC	B3FB	T7P80080
2068	焗	73FD	B3FC	T7P90080
2069	焗	7441	B440	T7PD0080
2070	焗	7442	B441	T7PE0080
2071	焗	7443	B442	T7PF0080
2072	焗	7444	B443	T7PG0080
2073	焗	7445	B444	T7PH0080
2074	焗	7446	B445	T7PI0080
2075	焗	7447	B446	T7PJ0080
2076	焗	7448	B447	T7PK0080
2077	焗	7449	B448	T7PL0080
2078	焗	744A	B449	T7PM0080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 9 (Page 41 of 44). Secondary CH-T (1/4), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
2079	猯	744B	B44A	T7PN0080
2080	獐	744C	B44B	T7PO0080
2081	獍	744D	B44C	T7PP0080
2082	獬	744E	B44D	T7PQ0080
2083	獭	744F	B44E	T7PR0080
2084	玃	7450	B44F	T7PS0080
2085	瑋	7451	B450	T7PT0080
2086	瑛	7452	B451	T7PU0080
2087	瑛	7453	B452	T7PV0080
2088	瑛	7454	B453	T7PW0080
2089	玦	7455	B454	T7PX0080
2090	玦	7456	B455	T7PY0080
2091	琇	7457	B456	T7PZ0080
2092	琇	7458	B457	T7Q00080
2093	琇	7459	B458	T7Q10080
2094	琇	745A	B459	T7Q20080
2095	琇	745B	B45A	T7Q30080
2096	琇	745C	B45B	T7Q40080
2097	琇	745D	B45C	T7Q50080
2098	琇	745E	B45D	T7Q60080
2099	琇	745F	B45E	T7Q70080
2100	時	7460	B45F	T7Q80080
2101	畜	7461	B460	T7Q90080
2102	痃	7462	B461	T7QA0080
2103	痒	7463	B462	T7QB0080
2104	痄	7464	B463	T7QC0080

Table 9 (Page 41 of 44). Secondary CH-T (1/4), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
2105	痄	7465	B464	T7QD0080
2106	痄	7466	B465	T7QE0080
2107	痄	7467	B466	T7QF0080
2108	痄	7468	B467	T7QG0080
2109	餅	7469	B468	T7QH0080
2110	醜	746A	B469	T7QI0080
2111	盪	746B	B46A	T7QJ0080
2112	睽	746C	B46B	T7QK0080
2113	眯	746D	B46C	T7QL0080
2114	眭	746E	B46D	T7QM0080
2115	瞷	746F	B46E	T7QN0080
2116	眭	7470	B46F	T7QO0080
2117	眭	7471	B470	T7QP0080
2118	眭	7472	B471	T7QQ0080
2119	眭	7473	B472	T7QR0080
2120	眭	7474	B473	T7QS0080
2121	眭	7475	B474	T7QT0080
2122	眭	7476	B475	T7QU0080
2123	眭	7477	B476	T7QV0080
2124	眭	7478	B477	T7QW0080
2125	眭	7479	B478	T7QX0080
2126	硯	747A	B479	T7QY0080
2127	硯	747B	B47A	T7QZ0080
2128	硯	747C	B47B	T7R00080
2129	硯	747D	B47C	T7R10080
2130	硯	747E	B47D	T7R20080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
2131	碇	747F	B47E	T7R30080
2132	棚	7481	B480	T7R50080
2133	桃	7482	B481	T7R60080
2134	株	7483	B482	T7R70080
2135	桅	7484	B483	T7R80080
2136	柞	7485	B484	T7R90080
2137	裕	7486	B485	T7RA0080
2138	柴	7487	B486	T7RB0080
2139	离	7488	B487	T7RC0080
2140	稗	7489	B488	T7RD0080
2141	秸	748A	B489	T7RE0080
2142	案	748B	B48A	T7RF0080
2143	程	748C	B48B	T7RG0080
2144	穿	748D	B48C	T7RH0080
2145	窠	748E	B48D	T7RI0080
2146	窠	748F	B48E	T7RJ0080
2147	范	7490	B48F	T7RK0080
2148	筇	7491	B490	T7RL0080
2149	筇	7492	B491	T7RM0080
2150	筇	7493	B492	T7RN0080
2151	筇	7494	B493	T7RO0080
2152	筇	7495	B494	T7RP0080
2153	筇	7496	B495	T7RQ0080
2154	筇	7497	B496	T7RR0080
2155	筇	7498	B497	T7RS0080
2156	筇	7499	B498	T7RT0080

Line Number	Graphic	Host Code	PC Code	GCGID
2157	箇	749A	B499	T7RU0080
2158	筇	749B	B49A	T7RV0080
2159	筇	749C	B49B	T7RW0080
2160	筇	749D	B49C	T7RX0080
2161	筇	749E	B49D	T7RY0080
2162	筇	749F	B49E	T7RZ0080
2163	箇	74A0	B49F	T7S00080
2164	筇	74A1	B4A0	T7S10080
2165	筇	74A2	B4A1	T7S20080
2166	糗	74A3	B4A2	T7S30080
2167	粘	74A4	B4A3	T7S40080
2168	糗	74A5	B4A4	T7S50080
2169	糗	74A6	B4A5	T7S60080
2170	紵	74A7	B4A6	T7S70080
2171	紵	74A8	B4A7	T7S80080
2172	紵	74A9	B4A8	T7S90080
2173	紵	74AA	B4A9	T7SA0080
2174	紺	74AB	B4AA	T7SB0080
2175	綱	74AC	B4AB	T7SC0080
2176	紵	74AD	B4AC	T7SD0080
2177	紵	74AE	B4AD	T7SE0080
2178	紵	74AF	B4AE	T7SF0080
2179	紵	74B0	B4AF	T7SG0080
2180	紵	74B1	B4B0	T7SH0080
2181	紵	74B2	B4B1	T7SI0080
2182	紵	74B3	B4B2	T7SJ0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
2183	紕	74B4	B4B3	T7SK0080
2184	紕	74B5	B4B4	T7SL0080
2185	罍	74B6	B4B5	T7SM0080
2186	羸	74B7	B4B6	T7SN0080
2187	紕	74B8	B4B7	T7SO0080
2188	羸	74B9	B4B8	T7SP0080
2189	羸	74BA	B4B9	T7SQ0080
2190	翊	74BB	B4BA	T7SR0080
2191	翊	74BC	B4BB	T7SS0080
2192	翊	74BD	B4BC	T7ST0080
2193	翊	74BE	B4BD	T7SU0080
2194	翊	74BF	B4BE	T7SV0080
2195	翊	74C0	B4BF	T7SW0080
2196	翊	74C1	B4C0	T7SX0080
2197	翊	74C2	B4C1	T7SY0080
2198	翊	74C3	B4C2	T7SZ0080
2199	翊	74C4	B4C3	T7T00080
2200	翊	74C5	B4C4	T7T10080
2201	翊	74C6	B4C5	T7T20080
2202	翊	74C7	B4C6	T7T30080
2203	翊	74C8	B4C7	T7T40080
2204	腕	74C9	B4C8	T7T50080
2205	腕	74CA	B4C9	T7T60080
2206	腕	74CB	B4CA	T7T70080
2207	脛	74CC	B4CB	T7T80080
2208	脛	74CD	B4CC	T7T90080

Line Number	Graphic	Host Code	PC Code	GCGID
2209	脛	74CE	B4CD	T7TA0080
2210	脛	74CF	B4CE	T7TB0080
2211	脛	74D0	B4CF	T7TC0080
2212	脛	74D1	B4D0	T7TD0080
2213	脛	74D2	B4D1	T7TE0080
2214	脛	74D3	B4D2	T7TF0080
2215	脛	74D4	B4D3	T7TG0080
2216	脛	74D5	B4D4	T7TH0080
2217	脛	74D6	B4D5	T7TI0080
2218	脛	74D7	B4D6	T7TJ0080
2219	脛	74D8	B4D7	T7TK0080
2220	脛	74D9	B4D8	T7TL0080
2221	脛	74DA	B4D9	T7TM0080
2222	脛	74DB	B4DA	T7TN0080
2223	脛	74DC	B4DB	T7TO0080
2224	脛	74DD	B4DC	T7TP0080
2225	脛	74DE	B4DD	T7TQ0080
2226	脛	74DF	B4DE	T7TR0080
2227	脛	74E0	B4DF	T7TS0080
2228	脛	74E1	B4E0	T7TT0080
2229	脛	74E2	B4E1	T7TU0080
2230	脛	74E3	B4E2	T7TV0080
2231	脛	74E4	B4E3	T7TW0080
2232	脛	74E5	B4E4	T7TX0080
2233	脛	74E6	B4E5	T7TY0080
2234	脛	74E7	B4E6	T7TZ0080

**IBM Traditional Chinese Graphic Character Set**

DBCS - Host and DBCS - PC

Table 9 (Page 44 of 44). Secondary CH-T (1/4),
DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
2235	蕓	74E8	B4E7	T7U00080
2236	葱	74E9	B4E8	T7U10080
2237	薑	74EA	B4E9	T7U20080
2238	芋	74EB	B4EA	T7U30080
2239	葵	74EC	B4EB	T7U40080
2240	菴	74ED	B4EC	T7U50080
2241	菴	74EE	B4ED	T7U60080
2242	菴	74EF	B4EE	T7U70080
2243	菴	74F0	B4EF	T7U80080
2244	菴	74F1	B4F0	T7U90080
2245	菴	74F2	B4F1	T7UA0080
2246	菴	74F3	B4F2	T7UB0080
2247	菴	74F4	B4F3	T7UC0080
2248	菴	74F5	B4F4	T7UD0080
2249	菴	74F6	B4F5	T7UE0080
2250	菴	74F7	B4F6	T7UF0080
2251	菴	74F8	B4F7	T7UG0080
2252	菴	74F9	B4F8	T7UH0080
2253	菴	74FA	B4F9	T7UI0080
2254	菴	74FB	B4FA	T7UJ0080
2255	菴	74FC	B4FB	T7UK0080
2256	菴	74FD	B4FC	T7UL0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

8.6 Secondary Chinese Set (2 of 4)

Line Number	Graphic	Host Code	PC Code	GCGID
1	蕤	7541	B540	T7UP0080
2	慮	7542	B541	T7UQ0080
3	瘡	7543	B542	T7UR0080
4	炫	7544	B543	T7US0080
5	鉅	7545	B544	T7UT0080
6	蛟	7546	B545	T7UU0080
7	蛎	7547	B546	T7UV0080
8	蛄	7548	B547	T7UW0080
9	蚰	7549	B548	T7UX0080
10	蚰	754A	B549	T7UY0080
11	蛛	754B	B54A	T7UZ0080
12	蚶	754C	B54B	T7V00080
13	蚶	754D	B54C	T7V10080
14	蚶	754E	B54D	T7V20080
15	蚶	754F	B54E	T7V30080
16	蚶	7550	B54F	T7V40080
17	蚶	7551	B550	T7V50080
18	蚶	7552	B551	T7V60080
19	蚶	7553	B552	T7V70080
20	蚶	7554	B553	T7V80080
21	蚶	7555	B554	T7V90080
22	蚶	7556	B555	T7VA0080
23	蚶	7557	B556	T7VB0080
24	蚶	7558	B557	T7VC0080

Line Number	Graphic	Host Code	PC Code	GCGID
25	袷	7559	B558	T7VD0080
26	袷	755A	B559	T7VE0080
27	袷	755B	B55A	T7VF0080
28	袷	755C	B55B	T7VG0080
29	袷	755D	B55C	T7VH0080
30	袷	755E	B55D	T7VI0080
31	袷	755F	B55E	T7VJ0080
32	袷	7560	B55F	T7VK0080
33	袷	7561	B560	T7VL0080
34	袷	7562	B561	T7VM0080
35	袷	7563	B562	T7VN0080
36	袷	7564	B563	T7VO0080
37	袷	7565	B564	T7VP0080
38	袷	7566	B565	T7VQ0080
39	袷	7567	B566	T7VR0080
40	袷	7568	B567	T7VS0080
41	袷	7569	B568	T7VT0080
42	袷	756A	B569	T7VU0080
43	袷	756B	B56A	T7VV0080
44	袷	756C	B56B	T7VW0080
45	袷	756D	B56C	T7VX0080
46	袷	756E	B56D	T7VY0080
47	袷	756F	B56E	T7VZ0080
48	袷	7570	B56F	T7W00080
49	袷	7571	B570	T7W10080
50	袷	7572	B571	T7W20080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
51	飭	7573	B572	T7W30080
52	飭	7574	B573	T7W40080
53	𧇗	7575	B574	T7W50080
54	𧇘	7576	B575	T7W60080
55	𧇙	7577	B576	T7W70080
56	𧇚	7578	B577	T7W80080
57	𧇛	7579	B578	T7W90080
58	𧇜	757A	B579	T7WA0080
59	𧇝	757B	B57A	T7WB0080
60	𧇞	757C	B57B	T7WC0080
61	𧇟	757D	B57C	T7WD0080
62	𧇠	757E	B57D	T7WE0080
63	𧇡	757F	B57E	T7WF0080
64	𧇢	7581	B580	T7WH0080
65	𧇣	7582	B581	T7WI0080
66	𧇤	7583	B582	T7WJ0080
67	𧇥	7584	B583	T7WK0080
68	𧇦	7585	B584	T7WL0080
69	𧇧	7586	B585	T7WM0080
70	𧇨	7587	B586	T7WN0080
71	𧇩	7588	B587	T7WO0080
72	逋	7589	B588	T7WP0080
73	逌	758A	B589	T7WQ0080
74	逍	758B	B58A	T7WR0080
75	逎	758C	B58B	T7WS0080
76	透	758D	B58C	T7WT0080

Line Number	Graphic	Host Code	PC Code	GCGID
77	邲	758E	B58D	T7WU0080
78	邳	758F	B58E	T7WV0080
79	邴	7590	B58F	T7WW0080
80	邵	7591	B590	T7WX0080
81	邶	7592	B591	T7WY0080
82	邰	7593	B592	T7WZ0080
83	邳	7594	B593	T7X00080
84	邲	7595	B594	T7X10080
85	邱	7596	B595	T7X20080
86	邳	7597	B596	T7X30080
87	酖	7598	B597	T7X40080
88	酞	7599	B598	T7X50080
89	酞	759A	B599	T7X60080
90	𧇑	759B	B59A	T7X70080
91	𧇒	759C	B59B	T7X80080
92	𧇓	759D	B59C	T7X90080
93	𧇔	759E	B59D	T7XA0080
94	𧇕	759F	B59E	T7XB0080
95	𧇖	75A0	B59F	T7XC0080
96	𧇗	75A1	B5A0	T7XD0080
97	𧇘	75A2	B5A1	T7XE0080
98	𧇙	75A3	B5A2	T7XF0080
99	𧇚	75A4	B5A3	T7XG0080
100	𧇛	75A5	B5A4	T7XH0080
101	𧇜	75A6	B5A5	T7XI0080
102	𧇝	75A7	B5A6	T7XJ0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
103	鈔	75A8	B5A7	T7XK0080
104	馱	75A9	B5A8	T7XL0080
105	閩	75AA	B5A9	T7XM0080
106	閨	75AB	B5AA	T7XN0080
107	階	75AC	B5AB	T7XO0080
108	階	75AD	B5AC	T7XP0080
109	排	75AE	B5AD	T7XQ0080
110	陶	75AF	B5AE	T7XR0080
111	輪	75B0	B5AF	T7XS0080
112	雄	75B1	B5B0	T7XT0080
113	軒	75B2	B5B1	T7XU0080
114	頰	75B3	B5B2	T7XV0080
115	飪	75B4	B5B3	T7XW0080
116	馮	75B5	B5B4	T7XX0080
117	俗	75B6	B5B5	T7XY0080
118	催	75B7	B5B6	T7XZ0080
119	儉	75B8	B5B7	T7Y00080
120	傒	75B9	B5B8	T7Y10080
121	備	75BA	B5B9	T7Y20080
122	倭	75BB	B5BA	T7Y30080
123	倭	75BC	B5BB	T7Y40080
124	僞	75BD	B5BC	T7Y50080
125	儼	75BE	B5BD	T7Y60080
126	僞	75BF	B5BE	T7Y70080
127	傑	75C0	B5BF	T7Y80080
128	僛	75C1	B5C0	T7Y90080

Line Number	Graphic	Host Code	PC Code	GCGID
129	倭	75C2	B5C1	T7YA0080
130	僞	75C3	B5C2	T7YB0080
131	僞	75C4	B5C3	T7YC0080
132	僞	75C5	B5C4	T7YD0080
133	滄	75C6	B5C5	T7YE0080
134	智	75C7	B5C6	T7YF0080
135	躬	75C8	B5C7	T7YG0080
136	麻	75C9	B5C8	T7YH0080
137	厦	75CA	B5C9	T7YI0080
138	嗜	75CB	B5CA	T7YJ0080
139	曉	75CC	B5CB	T7YK0080
140	曠	75CD	B5CC	T7YL0080
141	嘖	75CE	B5CD	T7YM0080
142	啞	75CF	B5CE	T7YN0080
143	噏	75D0	B5CF	T7YQ0080
144	唾	75D1	B5D0	T7YP0080
145	嚔	75D2	B5D1	T7YQ0080
146	嗜	75D3	B5D2	T7YR0080
147	啞	75D4	B5D3	T7YS0080
148	啞	75D5	B5D4	T7YT0080
149	噁	75D6	B5D5	T7YU0080
150	噁	75D7	B5D6	T7YV0080
151	嗜	75D8	B5D7	T7YW0080
152	噁	75D9	B5D8	T7YX0080
153	噁	75DA	B5D9	T7YY0080
154	噁	75DB	B5DA	T7YZ0080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
155	昂	75DC	B5DB	T7Z00080
156	噉	75DD	B5DC	T7Z10080
157	哏	75DE	B5DD	T7Z20080
158	嗒	75DF	B5DE	T7Z30080
159	囁	75E0	B5DF	T7Z40080
160	圖	75E1	B5E0	T7Z50080
161	塹	75E2	B5E1	T7Z60080
162	塹	75E3	B5E2	T7Z70080
163	堙	75E4	B5E3	T7Z80080
164	堞	75E5	B5E4	T7Z90080
165	堦	75E6	B5E5	T7ZA0080
166	堧	75E7	B5E6	T7ZB0080
167	堨	75E8	B5E7	T7ZC0080
168	堩	75E9	B5E8	T7ZD0080
169	堪	75EA	B5E9	T7ZE0080
170	堽	75EB	B5EA	T7ZF0080
171	堿	75EC	B5EB	T7ZG0080
172	堻	75ED	B5EC	T7ZH0080
173	堼	75EE	B5ED	T7ZI0080
174	堽	75EF	B5EE	T7ZJ0080
175	堿	75F0	B5EF	T7ZK0080
176	堻	75F1	B5F0	T7ZL0080
177	堿	75F2	B5F1	T7ZM0080
178	堻	75F3	B5F2	T7ZN0080
179	堻	75F4	B5F3	T7ZO0080
180	堻	75F5	B5F4	T7ZP0080

Line Number	Graphic	Host Code	PC Code	GCGID
181	漣	75F6	B5F5	T7ZQ0080
182	冪	75F7	B5F6	T7ZR0080
183	媯	75F8	B5F7	T7ZS0080
184	媮	75F9	B5F8	T7ZT0080
185	媾	75FA	B5F9	T7ZU0080
186	媿	75FB	B5FA	T7ZV0080
187	媾	75FC	B5FB	T7ZW0080
188	媿	75FD	B5FC	T7ZX0080
189	媿	7641	B640	T8010080
190	媿	7642	B641	T8020080
191	媿	7643	B642	T8030080
192	媿	7644	B643	T8040080
193	媿	7645	B644	T8050080
194	媿	7646	B645	T8060080
195	媿	7647	B646	T8070080
196	媿	7648	B647	T8080080
197	媿	7649	B648	T8090080
198	媿	764A	B649	T80A0080
199	媿	764B	B64A	T80B0080
200	媿	764C	B64B	T80C0080
201	媿	764D	B64C	T80D0080
202	媿	764E	B64D	T80E0080
203	媿	764F	B64E	T80F0080
204	媿	7650	B64F	T80G0080
205	媿	7651	B650	T80H0080
206	媿	7652	B651	T80I0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 10 (Page 5 of 44). Secondary CH-T (2/4), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
207	端	7653	B652	T80J0080
208	煌	7654	B653	T80K0080
209	嫫	7655	B654	T80L0080
210	寫	7656	B655	T80M0080
211	密	7657	B656	T80N0080
212	憲	7658	B657	T80O0080
213	寔	7659	B658	T80P0080
214	寔	765A	B659	T80Q0080
215	寔	765B	B65A	T80R0080
216	病	765C	B65B	T80S0080
217	討	765D	B65C	T80T0080
218	燿	765E	B65D	T80U0080
219	燿	765F	B65E	T80V0080
220	嶠	7660	B65F	T80W0080
221	嶠	7661	B660	T80X0080
222	嶠	7662	B661	T80Y0080
223	嶠	7663	B662	T80Z0080
224	嶠	7664	B663	T8100080
225	嶠	7665	B664	T8110080
226	嶠	7666	B665	T8120080
227	嶠	7667	B666	T8130080
228	嶠	7668	B667	T8140080
229	嶠	7669	B668	T8150080
230	嶠	766A	B669	T8160080
231	嶠	766B	B66A	T8170080
232	嶠	766C	B66B	T8180080

Table 10 (Page 5 of 44). Secondary CH-T (2/4), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
233	嶠	766D	B66C	T8190080
234	嶠	766E	B66D	T81A0080
235	嶠	766F	B66E	T81B0080
236	嶠	7670	B66F	T81C0080
237	嶠	7671	B670	T81D0080
238	嶠	7672	B671	T81E0080
239	嶠	7673	B672	T81F0080
240	嶠	7674	B673	T81G0080
241	嶠	7675	B674	T81H0080
242	嶠	7676	B675	T81I0080
243	嶠	7677	B676	T81J0080
244	嶠	7678	B677	T81K0080
245	嶠	7679	B678	T81L0080
246	嶠	767A	B679	T81M0080
247	嶠	767B	B67A	T81N0080
248	嶠	767C	B67B	T81O0080
249	嶠	767D	B67C	T81P0080
250	嶠	767E	B67D	T81Q0080
251	嶠	767F	B67E	T81R0080
252	嶠	7681	B680	T81T0080
253	嶠	7682	B681	T81U0080
254	嶠	7683	B682	T81V0080
255	嶠	7684	B683	T81W0080
256	嶠	7685	B684	T81X0080
257	嶠	7686	B685	T81Y0080
258	嶠	7687	B686	T81Z0080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
259	堪	7688	B687	T8200080
260	憚	7689	B688	T8210080
261	懞	768A	B689	T8220080
262	揚	768B	B68A	T8230080
263	惇	768C	B68B	T8240080
264	憚	768D	B68C	T8250080
265	懞	768E	B68D	T8260080
266	愬	768F	B68E	T8270080
267	愬	7690	B68F	T8280080
268	愬	7691	B690	T8290080
269	愬	7692	B691	T82A0080
270	愬	7693	B692	T82B0080
271	愬	7694	B693	T82C0080
272	愬	7695	B694	T82D0080
273	愬	7696	B695	T82E0080
274	屢	7697	B696	T82F0080
275	擊	7698	B697	T82G0080
276	弄	7699	B698	T82H0080
277	拚	769A	B699	T82I0080
278	揼	769B	B69A	T82J0080
279	揼	769C	B69B	T82K0080
280	揼	769D	B69C	T82L0080
281	揼	769E	B69D	T82M0080
282	揼	769F	B69E	T82N0080
283	揼	76A0	B69F	T82O0080
284	揼	76A1	B6A0	T82P0080

Line Number	Graphic	Host Code	PC Code	GCGID
285	搨	76A2	B6A1	T82Q0080
286	搨	76A3	B6A2	T82R0080
287	搨	76A4	B6A3	T82S0080
288	搨	76A5	B6A4	T82T0080
289	搨	76A6	B6A5	T82U0080
290	搨	76A7	B6A6	T82V0080
291	搨	76A8	B6A7	T82W0080
292	搨	76A9	B6A8	T82X0080
293	搨	76AA	B6A9	T82Y0080
294	搨	76AB	B6AA	T82Z0080
295	揼	76AC	B6AB	T8300080
296	揼	76AD	B6AC	T8310080
297	揼	76AE	B6AD	T8320080
298	揼	76AF	B6AE	T8330080
299	揼	76B0	B6AF	T8340080
300	揼	76B1	B6B0	T8350080
301	揼	76B2	B6B1	T8360080
302	揼	76B3	B6B2	T8370080
303	揼	76B4	B6B3	T8380080
304	揼	76B5	B6B4	T8390080
305	揼	76B6	B6B5	T83A0080
306	揼	76B7	B6B6	T83B0080
307	敲	76B8	B6B7	T83C0080
308	敲	76B9	B6B8	T83D0080
309	敲	76BA	B6B9	T83E0080
310	敲	76BB	B6BA	T83F0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 10 (Page 7 of 44). Secondary CH-T (2/4), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
311	斂	76BC	B6BB	T83G0080
312	斂	76BD	B6BC	T83H0080
313	斂	76BE	B6BD	T83I0080
314	斌	76BF	B6BE	T83J0080
315	斂	76C0	B6BF	T83K0080
316	斂	76C1	B6C0	T83L0080
317	斂	76C2	B6C1	T83M0080
318	旄	76C3	B6C2	T83N0080
319	旄	76C4	B6C3	T83O0080
320	斂	76C5	B6C4	T83P0080
321	斂	76C6	B6C5	T83Q0080
322	斂	76C7	B6C6	T83R0080
323	旄	76C8	B6C7	T83S0080
324	斂	76C9	B6C8	T83T0080
325	斂	76CA	B6C9	T83U0080
326	斂	76CB	B6CA	T83V0080
327	斂	76CC	B6CB	T83W0080
328	斂	76CD	B6CC	T83X0080
329	斂	76CE	B6CD	T83Y0080
330	檉	76CF	B6CE	T83Z0080
331	檉	76D0	B6CF	T8400080
332	檉	76D1	B6D0	T8410080
333	檉	76D2	B6D1	T8420080
334	檉	76D3	B6D2	T8430080
335	檉	76D4	B6D3	T8440080
336	檉	76D5	B6D4	T8450080

Table 10 (Page 7 of 44). Secondary CH-T (2/4), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
337	檉	76D6	B6D5	T8460080
338	檉	76D7	B6D6	T8470080
339	檉	76D8	B6D7	T8480080
340	檉	76D9	B6D8	T8490080
341	檉	76DA	B6D9	T84A0080
342	檉	76DB	B6DA	T84B0080
343	檉	76DC	B6DB	T84C0080
344	檉	76DD	B6DC	T84D0080
345	檉	76DE	B6DD	T84E0080
346	檉	76DF	B6DE	T84F0080
347	檉	76E0	B6DF	T84G0080
348	檉	76E1	B6E0	T84H0080
349	檉	76E2	B6E1	T84I0080
350	檉	76E3	B6E2	T84J0080
351	檉	76E4	B6E3	T84K0080
352	檉	76E5	B6E4	T84L0080
353	檉	76E6	B6E5	T84M0080
354	檉	76E7	B6E6	T84N0080
355	檉	76E8	B6E7	T84O0080
356	檉	76E9	B6E8	T84P0080
357	檉	76EA	B6E9	T84Q0080
358	檉	76EB	B6EA	T84R0080
359	檉	76EC	B6EB	T84S0080
360	檉	76ED	B6EC	T84T0080
361	檉	76EE	B6ED	T84U0080
362	檉	76EF	B6EE	T84V0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
363	椗	76F0	B6EF	T84W0080
364	椛	76F1	B6F0	T84X0080
365	椛	76F2	B6F1	T84Y0080
366	椛	76F3	B6F2	T84Z0080
367	椛	76F4	B6F3	T8500080
368	椛	76F5	B6F4	T8510080
369	椛	76F6	B6F5	T8520080
370	椛	76F7	B6F6	T8530080
371	椛	76F8	B6F7	T8540080
372	椛	76F9	B6F8	T8550080
373	椛	76FA	B6F9	T8560080
374	椛	76FB	B6FA	T8570080
375	椛	76FC	B6FB	T8580080
376	椛	76FD	B6FC	T8590080
377	歃	7741	B740	T85D0080
378	歃	7742	B741	T85E0080
379	歃	7743	B742	T85F0080
380	歃	7744	B743	T85G0080
381	歃	7745	B744	T85H0080
382	殄	7746	B745	T85I0080
383	殄	7747	B746	T85J0080
384	殄	7748	B747	T85K0080
385	殄	7749	B748	T85L0080
386	殄	774A	B749	T85M0080
387	殄	774B	B74A	T85N0080
388	殄	774C	B74B	T85O0080

Line Number	Graphic	Host Code	PC Code	GCGID
389	甯	774D	B74C	T85P0080
390	甯	774E	B74D	T85Q0080
391	甯	774F	B74E	T85R0080
392	甯	7750	B74F	T85S0080
393	甯	7751	B750	T85T0080
394	甯	7752	B751	T85U0080
395	甯	7753	B752	T85V0080
396	甯	7754	B753	T85W0080
397	甯	7755	B754	T85X0080
398	甯	7756	B755	T85Y0080
399	甯	7757	B756	T85Z0080
400	灑	7758	B757	T8600080
401	灑	7759	B758	T8610080
402	灑	775A	B759	T8620080
403	灑	775B	B75A	T8630080
404	灑	775C	B75B	T8640080
405	灑	775D	B75C	T8650080
406	灑	775E	B75D	T8660080
407	灑	775F	B75E	T8670080
408	灑	7760	B75F	T8680080
409	灑	7761	B760	T8690080
410	灑	7762	B761	T86A0080
411	灑	7763	B762	T86B0080
412	灑	7764	B763	T86C0080
413	灑	7765	B764	T86D0080
414	灑	7766	B765	T86E0080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 10 (Page 9 of 44). Secondary CH-T (2/4), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
415	湜	7767	B766	T86F0080
416	湮	7768	B767	T86G0080
417	湮	7769	B768	T86H0080
418	湮	776A	B769	T86I0080
419	湮	776B	B76A	T86J0080
420	湮	776C	B76B	T86K0080
421	湮	776D	B76C	T86L0080
422	湮	776E	B76D	T86M0080
423	湮	776F	B76E	T86N0080
424	湮	7770	B76F	T86O0080
425	湮	7771	B770	T86P0080
426	湮	7772	B771	T86Q0080
427	湮	7773	B772	T86R0080
428	湮	7774	B773	T86S0080
429	湮	7775	B774	T86T0080
430	湮	7776	B775	T86U0080
431	湮	7777	B776	T86V0080
432	湮	7778	B777	T86W0080
433	湮	7779	B778	T86X0080
434	湮	777A	B779	T86Y0080
435	湮	777B	B77A	T86Z0080
436	湮	777C	B77B	T8700080
437	湮	777D	B77C	T8710080
438	焯	777E	B77D	T8720080
439	焯	777F	B77E	T8730080
440	焯	7781	B780	T8750080

Table 10 (Page 9 of 44). Secondary CH-T (2/4), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
441	焯	7782	B781	T8760080
442	焯	7783	B782	T8770080
443	焯	7784	B783	T8780080
444	焯	7785	B784	T8790080
445	焯	7786	B785	T87A0080
446	焯	7787	B786	T87B0080
447	焯	7788	B787	T87C0080
448	焯	7789	B788	T87D0080
449	焯	778A	B789	T87E0080
450	焯	778B	B78A	T87F0080
451	焯	778C	B78B	T87G0080
452	焯	778D	B78C	T87H0080
453	焯	778E	B78D	T87I0080
454	焯	778F	B78E	T87J0080
455	焯	7790	B78F	T87K0080
456	焯	7791	B790	T87L0080
457	焯	7792	B791	T87M0080
458	焯	7793	B792	T87N0080
459	焯	7794	B793	T87O0080
460	焯	7795	B794	T87P0080
461	焯	7796	B795	T87Q0080
462	焯	7797	B796	T87R0080
463	焯	7798	B797	T87S0080
464	焯	7799	B798	T87T0080
465	焯	779A	B799	T87U0080
466	焯	779B	B79A	T87V0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
467	猿	779C	B79B	T87W0080
468	獾	779D	B79C	T87X0080
469	獾	779E	B79D	T87Y0080
470	獾	779F	B79E	T87Z0080
471	猷	77A0	B79F	T8800080
472	琮	77A1	B7A0	T8810080
473	琬	77A2	B7A1	T8820080
474	琰	77A3	B7A2	T8830080
475	琫	77A4	B7A3	T8840080
476	琮	77A5	B7A4	T8850080
477	琤	77A6	B7A5	T8860080
478	琦	77A7	B7A6	T8870080
479	琧	77A8	B7A7	T8880080
480	琨	77A9	B7A8	T8890080
481	琬	77AA	B7A9	T88A0080
482	琰	77AB	B7AA	T88B0080
483	琫	77AC	B7AB	T88C0080
484	琮	77AD	B7AC	T88D0080
485	琤	77AE	B7AD	T88E0080
486	琦	77AF	B7AE	T88F0080
487	琧	77B0	B7AF	T88G0080
488	甯	77B1	B7B0	T88H0080
489	峻	77B2	B7B1	T88I0080
490	畚	77B3	B7B2	T88J0080
491	痧	77B4	B7B3	T88K0080
492	瘳	77B5	B7B4	T88L0080

Line Number	Graphic	Host Code	PC Code	GCGID
493	痛	77B6	B7B5	T88M0080
494	瘳	77B7	B7B6	T88N0080
495	瘳	77B8	B7B7	T88O0080
496	瘳	77B9	B7B8	T88P0080
497	瘳	77BA	B7B9	T88Q0080
498	瘳	77BB	B7BA	T88R0080
499	甯	77BC	B7BB	T88S0080
500	餓	77BD	B7BC	T88T0080
501	盞	77BE	B7BD	T88U0080
502	睨	77BF	B7BE	T88V0080
503	睇	77C0	B7BF	T88W0080
504	眇	77C1	B7C0	T88X0080
505	睨	77C2	B7C1	T88Y0080
506	睥	77C3	B7C2	T88Z0080
507	眇	77C4	B7C3	T8900080
508	睇	77C5	B7C4	T8910080
509	眇	77C6	B7C5	T8920080
510	晚	77C7	B7C6	T8930080
511	齋	77C8	B7C7	T8940080
512	矧	77C9	B7C8	T8950080
513	礪	77CA	B7C9	T8960080
514	礪	77CB	B7CA	T8970080
515	礪	77CC	B7CB	T8980080
516	礪	77CD	B7CC	T8990080
517	礪	77CE	B7CD	T89A0080
518	礪	77CF	B7CE	T89B0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
519	礮	77D0	B7CF	T89C0080
520	确	77D1	B7D0	T89D0080
521	礳	77D2	B7D1	T89E0080
522	碧	77D3	B7D2	T89F0080
523	碑	77D4	B7D3	T89G0080
524	碣	77D5	B7D4	T89H0080
525	礵	77D6	B7D5	T89I0080
526	礶	77D7	B7D6	T89J0080
527	礷	77D8	B7D7	T89K0080
528	礸	77D9	B7D8	T89L0080
529	礹	77DA	B7D9	T89M0080
530	示	77DB	B7DA	T89N0080
531	礻	77DC	B7DB	T89O0080
532	礽	77DD	B7DC	T89P0080
533	礿	77DE	B7DD	T89Q0080
534	礿	77DF	B7DE	T89R0080
535	礿	77E0	B7DF	T89S0080
536	竦	77E1	B7E0	T89T0080
537	竧	77E2	B7E1	T89U0080
538	筊	77E3	B7E2	T89V0080
539	筊	77E4	B7E3	T89W0080
540	筊	77E5	B7E4	T89X0080
541	筊	77E6	B7E5	T89Y0080
542	筊	77E7	B7E6	T89Z0080
543	筊	77E8	B7E7	T8A00080
544	筊	77E9	B7E8	T8A10080

Line Number	Graphic	Host Code	PC Code	GCGID
545	筊	77EA	B7E9	T8A20080
546	筊	77EB	B7EA	T8A30080
547	筊	77EC	B7EB	T8A40080
548	筊	77ED	B7EC	T8A50080
549	筊	77EE	B7ED	T8A60080
550	筊	77EF	B7EE	T8A70080
551	筊	77F0	B7EF	T8A80080
552	筊	77F1	B7F0	T8A90080
553	筊	77F2	B7F1	T8AA0080
554	筊	77F3	B7F2	T8AB0080
555	筊	77F4	B7F3	T8AC0080
556	筊	77F5	B7F4	T8AD0080
557	筊	77F6	B7F5	T8AE0080
558	筊	77F7	B7F6	T8AF0080
559	筊	77F8	B7F7	T8AG0080
560	筊	77F9	B7F8	T8AH0080
561	筊	77FA	B7F9	T8AI0080
562	筊	77FB	B7FA	T8AJ0080
563	筊	77FC	B7FB	T8AK0080
564	筊	77FD	B7FC	T8AL0080
565	筊	7841	B840	T8AP0080
566	筊	7842	B841	T8AQ0080
567	筊	7843	B842	T8AR0080
568	筊	7844	B843	T8AS0080
569	筊	7845	B844	T8AT0080
570	筊	7846	B845	T8AU0080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
571	孛	7847	B846	T8AV0080
572	羸	7848	B847	T8AW0080
573	羸	7849	B848	T8AX0080
574	羨	784A	B849	T8AY0080
575	翱	784B	B84A	T8AZ0080
576	聃	784C	B84B	T8B00080
577	聃	784D	B84C	T8B10080
578	聃	784E	B84D	T8B20080
579	聃	784F	B84E	T8B30080
580	聃	7850	B84F	T8B40080
581	聃	7851	B850	T8B50080
582	聃	7852	B851	T8B60080
583	聃	7853	B852	T8B70080
584	聃	7854	B853	T8B80080
585	聃	7855	B854	T8B90080
586	聃	7856	B855	T8BA0080
587	聃	7857	B856	T8BB0080
588	聃	7858	B857	T8BC0080
589	聃	7859	B858	T8BD0080
590	聃	785A	B859	T8BE0080
591	聃	785B	B85A	T8BF0080
592	聃	785C	B85B	T8BG0080
593	聃	785D	B85C	T8BH0080
594	聃	785E	B85D	T8BI0080
595	聃	785F	B85E	T8BJ0080
596	聃	7860	B85F	T8BK0080

Line Number	Graphic	Host Code	PC Code	GCGID
597	聃	7861	B860	T8BL0080
598	聃	7862	B861	T8BM0080
599	聃	7863	B862	T8BN0080
600	聃	7864	B863	T8BO0080
601	聃	7865	B864	T8BP0080
602	聃	7866	B865	T8BQ0080
603	聃	7867	B866	T8BR0080
604	聃	7868	B867	T8BS0080
605	聃	7869	B868	T8BT0080
606	聃	786A	B869	T8BU0080
607	聃	786B	B86A	T8BV0080
608	聃	786C	B86B	T8BW0080
609	聃	786D	B86C	T8BX0080
610	聃	786E	B86D	T8BY0080
611	聃	786F	B86E	T8BZ0080
612	聃	7870	B86F	T8C00080
613	聃	7871	B870	T8C10080
614	聃	7872	B871	T8C20080
615	聃	7873	B872	T8C30080
616	聃	7874	B873	T8C40080
617	聃	7875	B874	T8C50080
618	聃	7876	B875	T8C60080
619	聃	7877	B876	T8C70080
620	聃	7878	B877	T8C80080
621	聃	7879	B878	T8C90080
622	聃	787A	B879	T8CA0080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 10 (Page 13 of 44). Secondary CH-T (2/4), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
623	莧	787B	B87A	T8CB0080
624	苣	787C	B87B	T8CC0080
625	蔞	787D	B87C	T8CD0080
626	蓁	787E	B87D	T8CE0080
627	艸	787F	B87E	T8CF0080
628	苜	7881	B880	T8CH0080
629	苎	7882	B881	T8CI0080
630	萑	7883	B882	T8CJ0080
631	葶	7884	B883	T8CK0080
632	蒨	7885	B884	T8CL0080
633	葶	7886	B885	T8CM0080
634	葶	7887	B886	T8CN0080
635	葶	7888	B887	T8CO0080
636	菇	7889	B888	T8CP0080
637	蓄	788A	B889	T8CQ0080
638	荇	788B	B88A	T8CR0080
639	荇	788C	B88B	T8CS0080
640	荇	788D	B88C	T8CT0080
641	荇	788E	B88D	T8CU0080
642	蕨	788F	B88E	T8CV0080
643	蕨	7890	B88F	T8CW0080
644	蒜	7891	B890	T8CX0080
645	菰	7892	B891	T8CY0080
646	菰	7893	B892	T8CZ0080
647	蕈	7894	B893	T8D00080
648	蕈	7895	B894	T8D10080

Table 10 (Page 13 of 44). Secondary CH-T (2/4), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
649	蕈	7896	B895	T8D20080
650	蚌	7897	B896	T8D30080
651	蚌	7898	B897	T8D40080
652	蚌	7899	B898	T8D50080
653	戴	789A	B899	T8D60080
654	蚌	789B	B89A	T8D70080
655	蛎	789C	B89B	T8D80080
656	蛎	789D	B89C	T8D90080
657	蛎	789E	B89D	T8DA0080
658	蛎	789F	B89E	T8DB0080
659	蚌	78A0	B89F	T8DC0080
660	蛎	78A1	B8A0	T8DD0080
661	蛎	78A2	B8A1	T8DE0080
662	皇	78A3	B8A2	T8DF0080
663	蛎	78A4	B8A3	T8DG0080
664	蚌	78A5	B8A4	T8DH0080
665	蚌	78A6	B8A5	T8DI0080
666	蚌	78A7	B8A6	T8DJ0080
667	蚌	78A8	B8A7	T8DK0080
668	蚌	78A9	B8A8	T8DL0080
669	蚌	78AA	B8A9	T8DM0080
670	蚌	78AB	B8AA	T8DN0080
671	蚌	78AC	B8AB	T8DO0080
672	蚌	78AD	B8AC	T8DP0080
673	蚌	78AE	B8AD	T8DQ0080
674	蚌	78AF	B8AE	T8DR0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
675	裕	78B0	B8AF	T8DS0080
676	裕	78B1	B8B0	T8DT0080
677	柳	78B2	B8B1	T8DU0080
678	袤	78B3	B8B2	T8DV0080
679	裘	78B4	B8B3	T8DW0080
680	根	78B5	B8B4	T8DX0080
681	焜	78B6	B8B5	T8DY0080
682	焜	78B7	B8B6	T8DZ0080
683	覘	78B8	B8B7	T8E00080
684	觥	78B9	B8B8	T8E10080
685	觥	78BA	B8B9	T8E20080
686	觥	78BB	B8BA	T8E30080
687	詎	78BC	B8BB	T8E40080
688	詘	78BD	B8BC	T8E50080
689	誑	78BE	B8BD	T8E60080
690	諛	78BF	B8BE	T8E70080
691	詘	78C0	B8BF	T8E80080
692	訶	78C1	B8C0	T8E90080
693	詘	78C2	B8C1	T8EA0080
694	詖	78C3	B8C2	T8EB0080
695	諗	78C4	B8C3	T8EC0080
696	詒	78C5	B8C4	T8ED0080
697	詈	78C6	B8C5	T8EE0080
698	詒	78C7	B8C6	T8EF0080
699	諗	78C8	B8C7	T8EG0080
700	詒	78C9	B8C8	T8EH0080

Line Number	Graphic	Host Code	PC Code	GCGID
701	讷	78CA	B8C9	T8EI0080
702	貌	78CB	B8CA	T8EJ0080
703	貌	78CC	B8CB	T8EK0080
704	黜	78CD	B8CC	T8EL0080
705	貶	78CE	B8CD	T8EM0080
706	貶	78CF	B8CE	T8EN0080
707	贲	78D0	B8CF	T8EO0080
708	跄	78D1	B8D0	T8EP0080
709	齋	78D2	B8D1	T8EQ0080
710	趄	78D3	B8D2	T8ER0080
711	趄	78D4	B8D3	T8ES0080
712	趄	78D5	B8D4	T8ET0080
713	跚	78D6	B8D5	T8EU0080
714	跚	78D7	B8D6	T8EV0080
715	跚	78D8	B8D7	T8EW0080
716	跚	78D9	B8D8	T8EX0080
717	跚	78DA	B8D9	T8EY0080
718	踞	78DB	B8DA	T8EZ0080
719	踞	78DC	B8DB	T8F00080
720	踞	78DD	B8DC	T8F10080
721	踞	78DE	B8DD	T8F20080
722	踞	78DF	B8DE	T8F30080
723	踞	78E0	B8DF	T8F40080
724	踞	78E1	B8E0	T8F50080
725	輶	78E2	B8E1	T8F60080
726	輶	78E3	B8E2	T8F70080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 10 (Page 15 of 44). Secondary CH-T (2/4), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
727	軫	78E4	B8E3	T8F80080
728	軛	78E5	B8E4	T8F90080
729	軛	78E6	B8E5	T8FA0080
730	軛	78E7	B8E6	T8FB0080
731	軛	78E8	B8E7	T8FC0080
732	軛	78E9	B8E8	T8FD0080
733	軛	78EA	B8E9	T8FE0080
734	軛	78EB	B8EA	T8FF0080
735	軛	78EC	B8EB	T8FG0080
736	軛	78ED	B8EC	T8FH0080
737	軛	78EE	B8ED	T8FI0080
738	軛	78EF	B8EE	T8FJ0080
739	軛	78F0	B8EF	T8FK0080
740	軛	78F1	B8F0	T8FL0080
741	逴	78F2	B8F1	T8FM0080
742	逴	78F3	B8F2	T8FN0080
743	逴	78F4	B8F3	T8FO0080
744	鄴	78F5	B8F4	T8FP0080
745	鄴	78F6	B8F5	T8FQ0080
746	鄴	78F7	B8F6	T8FR0080
747	鄴	78F8	B8F7	T8FS0080
748	鄴	78F9	B8F8	T8FT0080
749	鄴	78FA	B8F9	T8FU0080
750	鄴	78FB	B8FA	T8FV0080
751	鄴	78FC	B8FB	T8FW0080
752	鄴	78FD	B8FC	T8FX0080

Table 10 (Page 15 of 44). Secondary CH-T (2/4), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
753	鄴	7941	B940	T8G10080
754	鄴	7942	B941	T8G20080
755	鄴	7943	B942	T8G30080
756	鄴	7944	B943	T8G40080
757	鄴	7945	B944	T8G50080
758	鄴	7946	B945	T8G60080
759	鄴	7947	B946	T8G70080
760	鄴	7948	B947	T8G80080
761	鄴	7949	B948	T8G90080
762	鈇	794A	B949	T8GA0080
763	鈇	794B	B94A	T8GB0080
764	鈇	794C	B94B	T8GC0080
765	鈇	794D	B94C	T8GD0080
766	鈇	794E	B94D	T8GE0080
767	鈇	794F	B94E	T8GF0080
768	鈇	7950	B94F	T8GG0080
769	鈇	7951	B950	T8GH0080
770	鈇	7952	B951	T8GI0080
771	鈇	7953	B952	T8GJ0080
772	鈇	7954	B953	T8GK0080
773	鈇	7955	B954	T8GL0080
774	鈇	7956	B955	T8GM0080
775	鈇	7957	B956	T8GN0080
776	鈇	7958	B957	T8GO0080
777	鈇	7959	B958	T8GP0080
778	鈇	795A	B959	T8GQ0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
779	鉨	795B	B95A	T8GR0080
780	鉅	795C	B95B	T8GS0080
781	鉦	795D	B95C	T8GT0080
782	鉰	795E	B95D	T8GU0080
783	鉱	795F	B95E	T8GV0080
784	銈	7960	B95F	T8GW0080
785	開	7961	B960	T8GX0080
786	閱	7962	B961	T8GY0080
787	閤	7963	B962	T8GZ0080
788	臧	7964	B963	T8H00080
789	陝	7965	B964	T8H10080
790	隈	7966	B965	T8H20080
791	隍	7967	B966	T8H30080
792	隄	7968	B967	T8H40080
793	陞	7969	B968	T8H50080
794	雒	796A	B969	T8H60080
795	菑	796B	B96A	T8H70080
796	雅	796C	B96B	T8H80080
797	秀	796D	B96C	T8H90080
798	零	796E	B96D	T8HA0080
799	軒	796F	B96E	T8HB0080
800	軌	7970	B96F	T8HC0080
801	鞫	7971	B970	T8HD0080
802	預	7972	B971	T8HE0080
803	颯	7973	B972	T8HF0080
804	飶	7974	B973	T8HG0080

Line Number	Graphic	Host Code	PC Code	GCGID
805	飶	7975	B974	T8HH0080
806	飶	7976	B975	T8HI0080
807	飶	7977	B976	T8HJ0080
808	飶	7978	B977	T8HK0080
809	亶	7979	B978	T8HL0080
810	倅	797A	B979	T8HM0080
811	僞	797B	B97A	T8HN0080
812	僞	797C	B97B	T8HO0080
813	僞	797D	B97C	T8HP0080
814	僞	797E	B97D	T8HQ0080
815	僞	797F	B97E	T8HR0080
816	僞	7981	B980	T8HT0080
817	僞	7982	B981	T8HU0080
818	僞	7983	B982	T8HV0080
819	僞	7984	B983	T8HW0080
820	僞	7985	B984	T8HX0080
821	僞	7986	B985	T8HY0080
822	僞	7987	B986	T8HZ0080
823	僞	7988	B987	T8I00080
824	僞	7989	B988	T8I10080
825	僞	798A	B989	T8I20080
826	僞	798B	B98A	T8I30080
827	僞	798C	B98B	T8I40080
828	僞	798D	B98C	T8I50080
829	僞	798E	B98D	T8I60080
830	僞	798F	B98E	T8I70080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 10 (Page 17 of 44). Secondary CH-T (2/4), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
831	藟	7990	B98F	T8I80080
832	噶	7991	B990	T8I90080
833	噤	7992	B991	T8IA0080
834	噤	7993	B992	T8IB0080
835	嗜	7994	B993	T8IC0080
836	嗜	7995	B994	T8ID0080
837	噴	7996	B995	T8IE0080
838	噤	7997	B996	T8IF0080
839	噤	7998	B997	T8IG0080
840	噤	7999	B998	T8IH0080
841	噤	799A	B999	T8II0080
842	噤	799B	B99A	T8IJ0080
843	噤	799C	B99B	T8IK0080
844	噤	799D	B99C	T8IL0080
845	噤	799E	B99D	T8IM0080
846	噤	799F	B99E	T8IN0080
847	噤	79A0	B99F	T8IO0080
848	噤	79A1	B9A0	T8IP0080
849	噤	79A2	B9A1	T8IQ0080
850	噤	79A3	B9A2	T8IR0080
851	噤	79A4	B9A3	T8IS0080
852	噤	79A5	B9A4	T8IT0080
853	噤	79A6	B9A5	T8IU0080
854	噤	79A7	B9A6	T8IV0080
855	噤	79A8	B9A7	T8IW0080
856	噤	79A9	B9A8	T8IX0080

Table 10 (Page 17 of 44). Secondary CH-T (2/4), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
857	噤	79AA	B9A9	T8IY0080
858	噤	79AB	B9AA	T8IZ0080
859	噤	79AC	B9AB	T8J00080
860	噤	79AD	B9AC	T8J10080
861	噤	79AE	B9AD	T8J20080
862	噤	79AF	B9AE	T8J30080
863	噤	79B0	B9AF	T8J40080
864	噤	79B1	B9B0	T8J50080
865	噤	79B2	B9B1	T8J60080
866	噤	79B3	B9B2	T8J70080
867	噤	79B4	B9B3	T8J80080
868	噤	79B5	B9B4	T8J90080
869	噤	79B6	B9B5	T8JA0080
870	噤	79B7	B9B6	T8JB0080
871	噤	79B8	B9B7	T8JC0080
872	噤	79B9	B9B8	T8JD0080
873	噤	79BA	B9B9	T8JE0080
874	噤	79BB	B9BA	T8JF0080
875	噤	79BC	B9BB	T8JG0080
876	噤	79BD	B9BC	T8JH0080
877	噤	79BE	B9BD	T8JI0080
878	噤	79BF	B9BE	T8JJ0080
879	噤	79C0	B9BF	T8JK0080
880	噤	79C1	B9C0	T8JL0080
881	噤	79C2	B9C1	T8JM0080
882	噤	79C3	B9C2	T8JN0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
883	嫫	79C4	B9C3	T8JO0080
884	嫫	79C5	B9C4	T8JP0080
885	嫫	79C6	B9C5	T8JQ0080
886	嫫	79C7	B9C6	T8JR0080
887	嫫	79C8	B9C7	T8JS0080
888	嫫	79C9	B9C8	T8JT0080
889	嫫	79CA	B9C9	T8JU0080
890	嫫	79CB	B9CA	T8JV0080
891	嫫	79CC	B9CB	T8JW0080
892	嫫	79CD	B9CC	T8JX0080
893	嫫	79CE	B9CD	T8JY0080
894	嫫	79CF	B9CE	T8JZ0080
895	嫫	79D0	B9CF	T8K00080
896	嫫	79D1	B9D0	T8K10080
897	嫫	79D2	B9D1	T8K20080
898	嫫	79D3	B9D2	T8K30080
899	嫫	79D4	B9D3	T8K40080
900	嫫	79D5	B9D4	T8K50080
901	嫫	79D6	B9D5	T8K60080
902	嫫	79D7	B9D6	T8K70080
903	嫫	79D8	B9D7	T8K80080
904	嫫	79D9	B9D8	T8K90080
905	嫫	79DA	B9D9	T8KA0080
906	嫫	79DB	B9DA	T8KB0080
907	嫫	79DC	B9DB	T8KC0080
908	嫫	79DD	B9DC	T8KD0080

Line Number	Graphic	Host Code	PC Code	GCGID
909	嫫	79DE	B9DD	T8KE0080
910	嫫	79DF	B9DE	T8KF0080
911	嫫	79E0	B9DF	T8KG0080
912	嫫	79E1	B9E0	T8KH0080
913	嫫	79E2	B9E1	T8KI0080
914	嫫	79E3	B9E2	T8KJ0080
915	嫫	79E4	B9E3	T8KK0080
916	嫫	79E5	B9E4	T8KL0080
917	嫫	79E6	B9E5	T8KM0080
918	嫫	79E7	B9E6	T8KN0080
919	嫫	79E8	B9E7	T8KO0080
920	嫫	79E9	B9E8	T8KP0080
921	嫫	79EA	B9E9	T8KQ0080
922	嫫	79EB	B9EA	T8KR0080
923	嫫	79EC	B9EB	T8KS0080
924	嫫	79ED	B9EC	T8KT0080
925	嫫	79EE	B9ED	T8KU0080
926	嫫	79EF	B9EE	T8KV0080
927	嫫	79F0	B9EF	T8KW0080
928	嫫	79F1	B9F0	T8KX0080
929	嫫	79F2	B9F1	T8KY0080
930	嫫	79F3	B9F2	T8KZ0080
931	嫫	79F4	B9F3	T8L00080
932	嫫	79F5	B9F4	T8L10080
933	嫫	79F6	B9F5	T8L20080
934	嫫	79F7	B9F6	T8L30080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 10 (Page 19 of 44). Secondary CH-T (2/4), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
935	戩	79F8	B9F7	T8L40080
936	戩	79F9	B9F8	T8L50080
937	戩	79FA	B9F9	T8L60080
938	戩	79FB	B9FA	T8L70080
939	戩	79FC	B9FB	T8L80080
940	掣	79FD	B9FC	T8L90080
941	掣	7A41	BA40	T8LD0080
942	掣	7A42	BA41	T8LE0080
943	搯	7A43	BA42	T8LF0080
944	搯	7A44	BA43	T8LG0080
945	搯	7A45	BA44	T8LH0080
946	搯	7A46	BA45	T8LI0080
947	搯	7A47	BA46	T8LJ0080
948	搯	7A48	BA47	T8LK0080
949	搯	7A49	BA48	T8LL0080
950	搯	7A4A	BA49	T8LM0080
951	搯	7A4B	BA4A	T8LN0080
952	搯	7A4C	BA4B	T8LO0080
953	搯	7A4D	BA4C	T8LP0080
954	搯	7A4E	BA4D	T8LQ0080
955	搯	7A4F	BA4E	T8LR0080
956	搯	7A50	BA4F	T8LS0080
957	搯	7A51	BA50	T8LT0080
958	搯	7A52	BA51	T8LU0080
959	搯	7A53	BA52	T8LV0080
960	搯	7A54	BA53	T8LW0080

Table 10 (Page 19 of 44). Secondary CH-T (2/4), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
961	搯	7A55	BA54	T8LX0080
962	搯	7A56	BA55	T8LY0080
963	搯	7A57	BA56	T8LZ0080
964	搯	7A58	BA57	T8M00080
965	搯	7A59	BA58	T8M10080
966	搯	7A5A	BA59	T8M20080
967	搯	7A5B	BA5A	T8M30080
968	搯	7A5C	BA5B	T8M40080
969	搯	7A5D	BA5C	T8M50080
970	搯	7A5E	BA5D	T8M60080
971	搯	7A5F	BA5E	T8M70080
972	搯	7A60	BA5F	T8M80080
973	搯	7A61	BA60	T8M90080
974	搯	7A62	BA61	T8MA0080
975	搯	7A63	BA62	T8MB0080
976	搯	7A64	BA63	T8MC0080
977	搯	7A65	BA64	T8MD0080
978	搯	7A66	BA65	T8ME0080
979	搯	7A67	BA66	T8MF0080
980	搯	7A68	BA67	T8MG0080
981	搯	7A69	BA68	T8MH0080
982	搯	7A6A	BA69	T8MI0080
983	搯	7A6B	BA6A	T8MJ0080
984	搯	7A6C	BA6B	T8MK0080
985	搯	7A6D	BA6C	T8ML0080
986	搯	7A6E	BA6D	T8MM0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
987	膜	7A6F	BA6E	T8MN0080
988	檀	7A70	BA6F	T8MO0080
989	檸	7A71	BA70	T8MP0080
990	橈	7A72	BA71	T8MQ0080
991	樺	7A73	BA72	T8MR0080
992	檜	7A74	BA73	T8MS0080
993	榿	7A75	BA74	T8MT0080
994	椿	7A76	BA75	T8MU0080
995	福	7A77	BA76	T8MV0080
996	櫟	7A78	BA77	T8MW0080
997	榿	7A79	BA78	T8MX0080
998	楂	7A7A	BA79	T8MY0080
999	榿	7A7B	BA7A	T8MZ0080
1000	楸	7A7C	BA7B	T8N00080
1001	榿	7A7D	BA7C	T8N10080
1002	榿	7A7E	BA7D	T8N20080
1003	榿	7A7F	BA7E	T8N30080
1004	榿	7A81	BA80	T8N50080
1005	楬	7A82	BA81	T8N60080
1006	榿	7A83	BA82	T8N70080
1007	榿	7A84	BA83	T8N80080
1008	榿	7A85	BA84	T8N90080
1009	榿	7A86	BA85	T8NA0080
1010	榿	7A87	BA86	T8NB0080
1011	榿	7A88	BA87	T8NC0080
1012	榿	7A89	BA88	T8ND0080

Line Number	Graphic	Host Code	PC Code	GCGID
1013	榿	7A8A	BA89	T8NE0080
1014	榿	7A8B	BA8A	T8NF0080
1015	榿	7A8C	BA8B	T8NG0080
1016	榿	7A8D	BA8C	T8NH0080
1017	榿	7A8E	BA8D	T8NI0080
1018	榿	7A8F	BA8E	T8NJ0080
1019	榿	7A90	BA8F	T8NK0080
1020	榿	7A91	BA90	T8NL0080
1021	榿	7A92	BA91	T8NM0080
1022	榿	7A93	BA92	T8NN0080
1023	榿	7A94	BA93	T8NO0080
1024	榿	7A95	BA94	T8NP0080
1025	榿	7A96	BA95	T8NQ0080
1026	榿	7A97	BA96	T8NR0080
1027	榿	7A98	BA97	T8NS0080
1028	榿	7A99	BA98	T8NT0080
1029	榿	7A9A	BA99	T8NU0080
1030	榿	7A9B	BA9A	T8NV0080
1031	榿	7A9C	BA9B	T8NW0080
1032	歆	7A9D	BA9C	T8NX0080
1033	歆	7A9E	BA9D	T8NY0080
1034	歆	7A9F	BA9E	T8NZ0080
1035	歆	7AA0	BA9F	T8O00080
1036	歆	7AA1	BAA0	T8O10080
1037	歆	7AA2	BAA1	T8O20080
1038	殫	7AA3	BAA2	T8O30080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 10 (Page 21 of 44). Secondary CH-T (2/4), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1039	殼	7AA4	BAA3	T8O40080
1040	鼸	7AA5	BAA4	T8O50080
1041	鼹	7AA6	BAA5	T8O60080
1042	鼯	7AA7	BAA6	T8O70080
1043	鼯	7AA8	BAA7	T8O80080
1044	鼯	7AA9	BAA8	T8O90080
1045	滾	7AAA	BAA9	T8OA0080
1046	滾	7AAB	BAAA	T8OB0080
1047	瀉	7AAC	BAAB	T8OC0080
1048	瀆	7AAD	BAAC	T8OD0080
1049	瀆	7AAE	BAAD	T8OE0080
1050	溟	7AAF	BAAE	T8OF0080
1051	瀦	7AB0	BAAF	T8OG0080
1052	漑	7AB1	BAB0	T8OH0080
1053	漑	7AB2	BAB1	T8OI0080
1054	漑	7AB3	BAB2	T8OJ0080
1055	漑	7AB4	BAB3	T8OK0080
1056	漑	7AB5	BAB4	T8OL0080
1057	漑	7AB6	BAB5	T8OM0080
1058	漑	7AB7	BAB6	T8ON0080
1059	漑	7AB8	BAB7	T8OO0080
1060	漑	7AB9	BAB8	T8OP0080
1061	漑	7ABA	BAB9	T8OQ0080
1062	漑	7ABB	BABA	T8OR0080
1063	漑	7ABC	BABB	T8OS0080
1064	漑	7ABD	BABC	T8OT0080

Table 10 (Page 21 of 44). Secondary CH-T (2/4), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1065	漑	7ABE	BABD	T8OU0080
1066	漑	7ABF	BABE	T8OV0080
1067	漑	7AC0	BABF	T8OW0080
1068	漑	7AC1	BAC0	T8OX0080
1069	漑	7AC2	BAC1	T8OY0080
1070	漑	7AC3	BAC2	T8OZ0080
1071	漑	7AC4	BAC3	T8P00080
1072	漑	7AC5	BAC4	T8P10080
1073	漑	7AC6	BAC5	T8P20080
1074	漑	7AC7	BAC6	T8P30080
1075	漑	7AC8	BAC7	T8P40080
1076	漑	7AC9	BAC8	T8P50080
1077	漑	7ACA	BAC9	T8P60080
1078	漑	7ACB	BACA	T8P70080
1079	漑	7ACC	BACB	T8P80080
1080	漑	7ACD	BACC	T8P90080
1081	漑	7ACE	BACD	T8PA0080
1082	漑	7ACF	BACE	T8PB0080
1083	漑	7AD0	BACF	T8PC0080
1084	漑	7AD1	BAD0	T8PD0080
1085	漑	7AD2	BAD1	T8PE0080
1086	漑	7AD3	BAD2	T8PF0080
1087	漑	7AD4	BAD3	T8PG0080
1088	漑	7AD5	BAD4	T8PH0080
1089	漑	7AD6	BAD5	T8PI0080
1090	漑	7AD7	BAD6	T8PJ0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 10 (Page 22 of 44). Secondary CH-T (2/4), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1091	媚	7AD8	BAD7	T8PK0080
1092	癸	7AD9	BAD8	T8PL0080
1093	褒	7ADA	BAD9	T8PM0080
1094	煊	7ADB	BADA	T8PN0080
1095	燭	7ADC	BADB	T8PO0080
1096	燿	7ADD	BADC	T8PP0080
1097	燁	7ADE	BADD	T8PQ0080
1098	煇	7ADF	BADE	T8PR0080
1099	燿	7AE0	BADF	T8PS0080
1100	燿	7AE1	BAE0	T8PT0080
1101	煇	7AE2	BAE1	T8PU0080
1102	煇	7AE3	BAE2	T8PV0080
1103	煇	7AE4	BAE3	T8PW0080
1104	煇	7AE5	BAE4	T8PX0080
1105	燿	7AE6	BAE5	T8PY0080
1106	燿	7AE7	BAE6	T8PZ0080
1107	煇	7AE8	BAE7	T8Q00080
1108	煇	7AE9	BAE8	T8Q10080
1109	煇	7AEA	BAE9	T8Q20080
1110	煇	7AEB	BAEA	T8Q30080
1111	煇	7AEC	BAEB	T8Q40080
1112	煇	7AED	BAEC	T8Q50080
1113	煇	7AEE	BAED	T8Q60080
1114	煇	7AEF	BAEE	T8Q70080
1115	獠	7AF0	BAEF	T8Q80080
1116	獠	7AF1	BAF0	T8Q90080

Table 10 (Page 22 of 44). Secondary CH-T (2/4), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1117	獠	7AF2	BAF1	T8QA0080
1118	獠	7AF3	BAF2	T8QB0080
1119	獠	7AF4	BAF3	T8QC0080
1120	獠	7AF5	BAF4	T8QD0080
1121	獠	7AF6	BAF5	T8QE0080
1122	獠	7AF7	BAF6	T8QF0080
1123	獠	7AF8	BAF7	T8QG0080
1124	獠	7AF9	BAF8	T8QH0080
1125	獠	7AFA	BAF9	T8QI0080
1126	獠	7AFB	BAFA	T8QJ0080
1127	獠	7AFC	BAFB	T8QK0080
1128	獠	7AFD	BAFC	T8QL0080
1129	獠	7B41	BB40	T8QP0080
1130	獠	7B42	BB41	T8QQ0080
1131	獠	7B43	BB42	T8QR0080
1132	獠	7B44	BB43	T8QS0080
1133	獠	7B45	BB44	T8QT0080
1134	獠	7B46	BB45	T8QU0080
1135	獠	7B47	BB46	T8QV0080
1136	獠	7B48	BB47	T8QW0080
1137	獠	7B49	BB48	T8QX0080
1138	獠	7B4A	BB49	T8QY0080
1139	獠	7B4B	BB4A	T8QZ0080
1140	獠	7B4C	BB4B	T8R00080
1141	獠	7B4D	BB4C	T8R10080
1142	獠	7B4E	BB4D	T8R20080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 10 (Page 23 of 44). Secondary CH-T (2/4), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1143	瘡	7B4F	BB4E	T8R30080
1144	瘡	7B50	BB4F	T8R40080
1145	瘡	7B51	BB50	T8R50080
1146	瘡	7B52	BB51	T8R60080
1147	痲	7B53	BB52	T8R70080
1148	痲	7B54	BB53	T8R80080
1149	瘡	7B55	BB54	T8R90080
1150	癩	7B56	BB55	T8RA0080
1151	癩	7B57	BB56	T8RB0080
1152	瘡	7B58	BB57	T8RC0080
1153	癩	7B59	BB58	T8RD0080
1154	癩	7B5A	BB59	T8RE0080
1155	瘡	7B5B	BB5A	T8RF0080
1156	瘡	7B5C	BB5B	T8RG0080
1157	瘡	7B5D	BB5C	T8RH0080
1158	瘡	7B5E	BB5D	T8RI0080
1159	瘡	7B5F	BB5E	T8RJ0080
1160	睨	7B60	BB5F	T8RK0080
1161	睨	7B61	BB60	T8RL0080
1162	睨	7B62	BB61	T8RM0080
1163	睨	7B63	BB62	T8RN0080
1164	睨	7B64	BB63	T8RO0080
1165	睨	7B65	BB64	T8RP0080
1166	睨	7B66	BB65	T8RQ0080
1167	睨	7B67	BB66	T8RR0080
1168	睨	7B68	BB67	T8RS0080

Table 10 (Page 23 of 44). Secondary CH-T (2/4), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1169	睨	7B69	BB68	T8RT0080
1170	睨	7B6A	BB69	T8RU0080
1171	睨	7B6B	BB6A	T8RV0080
1172	碇	7B6C	BB6B	T8RW0080
1173	碇	7B6D	BB6C	T8RX0080
1174	碇	7B6E	BB6D	T8RY0080
1175	碇	7B6F	BB6E	T8RZ0080
1176	礪	7B70	BB6F	T8S00080
1177	礪	7B71	BB70	T8S10080
1178	礪	7B72	BB71	T8S20080
1179	礪	7B73	BB72	T8S30080
1180	礪	7B74	BB73	T8S40080
1181	礪	7B75	BB74	T8S50080
1182	礪	7B76	BB75	T8S60080
1183	礪	7B77	BB76	T8S70080
1184	礪	7B78	BB77	T8S80080
1185	礪	7B79	BB78	T8S90080
1186	礪	7B7A	BB79	T8SA0080
1187	礪	7B7B	BB7A	T8SB0080
1188	礪	7B7C	BB7B	T8SC0080
1189	礪	7B7D	BB7C	T8SD0080
1190	礪	7B7E	BB7D	T8SE0080
1191	礪	7B7F	BB7E	T8SF0080
1192	礪	7B81	BB80	T8SH0080
1193	礪	7B82	BB81	T8SI0080
1194	礪	7B83	BB82	T8SJ0080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
1195	稗	7B84	BB83	T8SK0080
1196	稇	7B85	BB84	T8SL0080
1197	穢	7B86	BB85	T8SM0080
1198	稽	7B87	BB86	T8SN0080
1199	糶	7B88	BB87	T8SO0080
1200	綸	7B89	BB88	T8SP0080
1201	窳	7B8A	BB89	T8SQ0080
1202	窳	7B8B	BB8A	T8SR0080
1203	窳	7B8C	BB8B	T8SS0080
1204	諍	7B8D	BB8C	T8ST0080
1205	筦	7B8E	BB8D	T8SU0080
1206	筧	7B8F	BB8E	T8SV0080
1207	筭	7B90	BB8F	T8SW0080
1208	筵	7B91	BB90	T8SX0080
1209	筵	7B92	BB91	T8SY0080
1210	筵	7B93	BB92	T8SZ0080
1211	筵	7B94	BB93	T8T00080
1212	筵	7B95	BB94	T8T10080
1213	筱	7B96	BB95	T8T20080
1214	箨	7B97	BB96	T8T30080
1215	箨	7B98	BB97	T8T40080
1216	箨	7B99	BB98	T8T50080
1217	箨	7B9A	BB99	T8T60080
1218	箨	7B9B	BB9A	T8T70080
1219	粲	7B9C	BB9B	T8T80080
1220	糗	7B9D	BB9C	T8T90080

Line Number	Graphic	Host Code	PC Code	GCGID
1221	糗	7B9E	BB9D	T8TA0080
1222	縑	7B9F	BB9E	T8TB0080
1223	縑	7BA0	BB9F	T8TC0080
1224	練	7BA1	BBA0	T8TD0080
1225	縑	7BA2	BBA1	T8TE0080
1226	縑	7BA3	BBA2	T8TF0080
1227	縑	7BA4	BBA3	T8TG0080
1228	縑	7BA5	BBA4	T8TH0080
1229	縑	7BA6	BBA5	T8TI0080
1230	繞	7BA7	BBA6	T8TJ0080
1231	綃	7BA8	BBA7	T8TK0080
1232	縑	7BA9	BBA8	T8TL0080
1233	綃	7BAA	BBA9	T8TM0080
1234	縑	7BAB	BBAA	T8TN0080
1235	繞	7BAC	BBAB	T8TO0080
1236	縑	7BAD	BBAC	T8TP0080
1237	縑	7BAE	BBAD	T8TQ0080
1238	罨	7BAF	BBAE	T8TR0080
1239	罨	7BB0	BBAF	T8TS0080
1240	罨	7BB1	BBB0	T8TT0080
1241	罨	7BB2	BBB1	T8TU0080
1242	罨	7BB3	BBB2	T8TV0080
1243	羴	7BB4	BBB3	T8TW0080
1244	羴	7BB5	BBB4	T8TX0080
1245	羴	7BB6	BBB5	T8TY0080
1246	羴	7BB7	BBB6	T8TZ0080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 10 (Page 25 of 44). Secondary CH-T (2/4), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1247	𪗇	7BB8	BBB7	T8U00080
1248	𪗈	7BB9	BBB8	T8U10080
1249	𪗉	7BBA	BBB9	T8U20080
1250	𪗊	7BBB	BBBA	T8U30080
1251	𪗋	7BBC	BBBB	T8U40080
1252	𪗌	7BBD	BBBC	T8U50080
1253	𪗍	7BBE	BBBD	T8U60080
1254	𪗎	7BBF	BBBE	T8U70080
1255	𪗏	7BC0	BBBF	T8U80080
1256	𪗐	7BC1	BBC0	T8U90080
1257	𪗑	7BC2	BBC1	T8UA0080
1258	𪗒	7BC3	BBC2	T8UB0080
1259	𪗓	7BC4	BBC3	T8UC0080
1260	𪗔	7BC5	BBC4	T8UD0080
1261	𪗕	7BC6	BBC5	T8UE0080
1262	𪗖	7BC7	BBC6	T8UF0080
1263	𪗗	7BC8	BBC7	T8UG0080
1264	𪗘	7BC9	BBC8	T8UH0080
1265	𪗙	7BCA	BBC9	T8UI0080
1266	𪗚	7BCB	BBCA	T8UJ0080
1267	𪗛	7BCC	BBCB	T8UK0080
1268	𪗜	7BCD	BBCC	T8UL0080
1269	𪗝	7BCE	BBCD	T8UM0080
1270	𪗞	7BCF	BBCE	T8UN0080
1271	𪗟	7BD0	BBCF	T8UO0080
1272	𪗠	7BD1	BBD0	T8UP0080

Table 10 (Page 25 of 44). Secondary CH-T (2/4), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1273	𪗡	7BD2	BBD1	T8UQ0080
1274	𪗢	7BD3	BBD2	T8UR0080
1275	𪗣	7BD4	BBD3	T8US0080
1276	𪗤	7BD5	BBD4	T8UT0080
1277	𪗥	7BD6	BBD5	T8UU0080
1278	𪗦	7BD7	BBD6	T8UV0080
1279	𪗧	7BD8	BBD7	T8UW0080
1280	𪗨	7BD9	BBD8	T8UX0080
1281	𪗩	7BDA	BBD9	T8UY0080
1282	𪗪	7BDB	BBDA	T8UZ0080
1283	𪗫	7BDC	BBDB	T8V00080
1284	𪗬	7BDD	BBDC	T8V10080
1285	𪗭	7BDE	BBDD	T8V20080
1286	𪗮	7BDF	BBDE	T8V30080
1287	𪗯	7BE0	BBDF	T8V40080
1288	𪗰	7BE1	BBE0	T8V50080
1289	𪗱	7BE2	BBE1	T8V60080
1290	𪗲	7BE3	BBE2	T8V70080
1291	𪗳	7BE4	BBE3	T8V80080
1292	𪗴	7BE5	BBE4	T8V90080
1293	𪗵	7BE6	BBE5	T8VA0080
1294	𪗶	7BE7	BBE6	T8VB0080
1295	𪗷	7BE8	BBE7	T8VC0080
1296	𪗸	7BE9	BBE8	T8VD0080
1297	𪗹	7BEA	BBE9	T8VE0080
1298	𪗺	7BEB	BBEA	T8VF0080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
1299	菹	7BEC	BBEB	T8VG0080
1300	菻	7BED	BBEC	T8VH0080
1301	菿	7BEE	BBED	T8VI0080
1302	蒍	7BEF	BBEE	T8VJ0080
1303	蒆	7BF0	BBEF	T8VK0080
1304	蒇	7BF1	BBF0	T8VL0080
1305	蒈	7BF2	BBF1	T8VM0080
1306	蒉	7BF3	BBF2	T8VN0080
1307	蒊	7BF4	BBF3	T8VO0080
1308	蒋	7BF5	BBF4	T8VP0080
1309	蒌	7BF6	BBF5	T8VQ0080
1310	蒍	7BF7	BBF6	T8VR0080
1311	蒎	7BF8	BBF7	T8VS0080
1312	蒏	7BF9	BBF8	T8VT0080
1313	蒐	7BFA	BBF9	T8VU0080
1314	蒑	7BFB	BBFA	T8VV0080
1315	蒒	7BFC	BBFB	T8VW0080
1316	蒓	7bfd	BBFC	T8VX0080
1317	菀	7C41	BC40	T8W10080
1318	菁	7C42	BC41	T8W20080
1319	菂	7C43	BC42	T8W30080
1320	菃	7C44	BC43	T8W40080
1321	菄	7C45	BC44	T8W50080
1322	菅	7C46	BC45	T8W60080
1323	菆	7C47	BC46	T8W70080
1324	菇	7C48	BC47	T8W80080

Line Number	Graphic	Host Code	PC Code	GCGID
1325	菈	7C49	BC48	T8W90080
1326	菉	7C4A	BC49	T8WA0080
1327	菍	7C4B	BC4A	T8WB0080
1328	菎	7C4C	BC4B	T8WC0080
1329	菏	7C4D	BC4C	T8WD0080
1330	菐	7C4E	BC4D	T8WE0080
1331	菑	7C4F	BC4E	T8WF0080
1332	菒	7C50	BC4F	T8WG0080
1333	菓	7C51	BC50	T8WH0080
1334	菔	7C52	BC51	T8WI0080
1335	菕	7C53	BC52	T8WJ0080
1336	菖	7C54	BC53	T8WK0080
1337	菘	7C55	BC54	T8WL0080
1338	菙	7C56	BC55	T8WM0080
1339	菚	7C57	BC56	T8WN0080
1340	菛	7C58	BC57	T8WO0080
1341	菜	7C59	BC58	T8WP0080
1342	菝	7C5A	BC59	T8WQ0080
1343	菞	7C5B	BC5A	T8WR0080
1344	菟	7C5C	BC5B	T8WS0080
1345	菠	7C5D	BC5C	T8WT0080
1346	菡	7C5E	BC5D	T8WU0080
1347	菩	7C5F	BC5E	T8WV0080
1348	菮	7C60	BC5F	T8WW0080
1349	華	7C61	BC60	T8WX0080
1350	菰	7C62	BC61	T8WY0080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 10 (Page 27 of 44). Secondary CH-T (2/4), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1351	勳	7C63	BC62	T8WZ0080
1352	鯤	7C64	BC63	T8X00080
1353	鮭	7C65	BC64	T8X10080
1354	鮫	7C66	BC65	T8X20080
1355	鮪	7C67	BC66	T8X30080
1356	鮓	7C68	BC67	T8X40080
1357	養	7C69	BC68	T8X50080
1358	習	7C6A	BC69	T8X60080
1359	觜	7C6B	BC6A	T8X70080
1360	觸	7C6C	BC6B	T8X80080
1361	詡	7C6D	BC6C	T8X90080
1362	誑	7C6E	BC6D	T8XA0080
1363	誑	7C6F	BC6E	T8XB0080
1364	詡	7C70	BC6F	T8XC0080
1365	詡	7C71	BC70	T8XD0080
1366	詡	7C72	BC71	T8XE0080
1367	詡	7C73	BC72	T8XF0080
1368	誑	7C74	BC73	T8XG0080
1369	誑	7C75	BC74	T8XH0080
1370	諺	7C76	BC75	T8XI0080
1371	誑	7C77	BC76	T8XJ0080
1372	誑	7C78	BC77	T8XK0080
1373	詔	7C79	BC78	T8XL0080
1374	誑	7C7A	BC79	T8XM0080
1375	登	7C7B	BC7A	T8XN0080
1376	豐	7C7C	BC7B	T8XO0080

Table 10 (Page 27 of 44). Secondary CH-T (2/4), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1377	豺	7C7D	BC7C	T8XP0080
1378	豺	7C7E	BC7D	T8XQ0080
1379	虞	7C7F	BC7E	T8XR0080
1380	豺	7C81	BC80	T8XT0080
1381	豺	7C82	BC81	T8XU0080
1382	豺	7C83	BC82	T8XV0080
1383	豸	7C84	BC83	T8XW0080
1384	豺	7C85	BC84	T8XX0080
1385	豺	7C86	BC85	T8XY0080
1386	越	7C87	BC86	T8XZ0080
1387	越	7C88	BC87	T8Y00080
1388	越	7C89	BC88	T8Y10080
1389	越	7C8A	BC89	T8Y20080
1390	越	7C8B	BC8A	T8Y30080
1391	越	7C8C	BC8B	T8Y40080
1392	越	7C8D	BC8C	T8Y50080
1393	越	7C8E	BC8D	T8Y60080
1394	越	7C8F	BC8E	T8Y70080
1395	跄	7C90	BC8F	T8Y80080
1396	跄	7C91	BC90	T8Y90080
1397	跄	7C92	BC91	T8YA0080
1398	跄	7C93	BC92	T8YB0080
1399	跄	7C94	BC93	T8YC0080
1400	跄	7C95	BC94	T8YD0080
1401	跄	7C96	BC95	T8YE0080
1402	跄	7C97	BC96	T8YF0080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
1403	踳	7C98	BC97	T8YG0080
1404	踳	7C99	BC98	T8YH0080
1405	踳	7C9A	BC99	T8YI0080
1406	踳	7C9B	BC9A	T8YJ0080
1407	踳	7C9C	BC9B	T8YK0080
1408	輅	7C9D	BC9C	T8YL0080
1409	輅	7C9E	BC9D	T8YM0080
1410	輅	7C9F	BC9E	T8YN0080
1411	輅	7CA0	BC9F	T8YO0080
1412	輅	7CA1	BCA0	T8YP0080
1413	輅	7CA2	BCA1	T8YQ0080
1414	輅	7CA3	BCA2	T8YR0080
1415	輅	7CA4	BCA3	T8YS0080
1416	輅	7CA5	BCA4	T8YT0080
1417	輅	7CA6	BCA5	T8YU0080
1418	輅	7CA7	BCA6	T8YV0080
1419	輅	7CA8	BCA7	T8YW0080
1420	輅	7CA9	BCA8	T8YX0080
1421	輅	7CAA	BCA9	T8YY0080
1422	鄆	7CAB	BCAA	T8YZ0080
1423	鄆	7CAC	BCAB	T8Z00080
1424	鄆	7CAD	BCAC	T8Z10080
1425	鄆	7CAE	BCAD	T8Z20080
1426	鄆	7CAF	BCAE	T8Z30080
1427	鄆	7CB0	BCAF	T8Z40080
1428	鄆	7CB1	BCB0	T8Z50080

Line Number	Graphic	Host Code	PC Code	GCGID
1429	鄆	7CB2	BCB1	T8Z60080
1430	鄆	7CB3	BCB2	T8Z70080
1431	鄆	7CB4	BCB3	T8Z80080
1432	鄆	7CB5	BCB4	T8Z90080
1433	鄆	7CB6	BCB5	T8ZA0080
1434	鄆	7CB7	BCB6	T8ZB0080
1435	鄆	7CB8	BCB7	T8ZC0080
1436	鄆	7CB9	BCB8	T8ZD0080
1437	鄆	7CBA	BCB9	T8ZE0080
1438	鄆	7CBB	BCBA	T8ZF0080
1439	鄆	7CBC	BCBB	T8ZG0080
1440	鄆	7CBD	BCBC	T8ZH0080
1441	鄆	7CBE	BCBD	T8ZI0080
1442	鄆	7CBF	BCBE	T8ZJ0080
1443	鄆	7CC0	BCBF	T8ZK0080
1444	鄆	7CC1	BCC0	T8ZL0080
1445	鄆	7CC2	BCC1	T8ZM0080
1446	鄆	7CC3	BCC2	T8ZN0080
1447	鄆	7CC4	BCC3	T8ZO0080
1448	鄆	7CC5	BCC4	T8ZP0080
1449	鄆	7CC6	BCC5	T8ZQ0080
1450	鄆	7CC7	BCC6	T8ZR0080
1451	鄆	7CC8	BCC7	T8ZS0080
1452	鄆	7CC9	BCC8	T8ZT0080
1453	鄆	7CCA	BCC9	T8ZU0080
1454	鄆	7CCB	BCCA	T8ZV0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
1455	鈇	7CCC	BCCB	T8ZW0080
1456	鈈	7CCD	BCCC	T8ZX0080
1457	鈉	7CCE	BCCD	T8ZY0080
1458	鈊	7CCF	BCCE	T8ZZ0080
1459	鈋	7CD0	BCCF	T9000080
1460	鈌	7CD1	BCD0	T9010080
1461	鈍	7CD2	BCD1	T9020080
1462	鈎	7CD3	BCD2	T9030080
1463	鈏	7CD4	BCD3	T9040080
1464	鈐	7CD5	BCD4	T9050080
1465	鈑	7CD6	BCD5	T9060080
1466	鈒	7CD7	BCD6	T9070080
1467	鈓	7CD8	BCD7	T9080080
1468	鈔	7CD9	BCD8	T9090080
1469	鈕	7CDA	BCD9	T90A0080
1470	鈖	7CDB	BCDA	T90B0080
1471	鈗	7CDC	BCDB	T90C0080
1472	鈘	7CDD	BCDC	T90D0080
1473	鈙	7CDE	BCDD	T90E0080
1474	鈚	7CDF	BCDE	T90F0080
1475	鈛	7CE0	BCDF	T90G0080
1476	鈜	7CE1	BCE0	T90H0080
1477	鈝	7CE2	BCE1	T90I0080
1478	鈞	7CE3	BCE2	T90J0080
1479	鈠	7CE4	BCE3	T90K0080
1480	鈡	7CE5	BCE4	T90L0080

Line Number	Graphic	Host Code	PC Code	GCGID
1481	頰	7CE6	BCE5	T90M0080
1482	頤	7CE7	BCE6	T90N0080
1483	颯	7CE8	BCE7	T90O0080
1484	飮	7CE9	BCE8	T90P0080
1485	飭	7CEA	BCE9	T90Q0080
1486	馭	7CEB	BCEA	T90R0080
1487	馱	7CEC	BCEB	T90S0080
1488	馱	7CED	BCEC	T90T0080
1489	鼻	7CEE	BCED	T90U0080
1490	馱	7CEF	BCEE	T90V0080
1491	馱	7CF0	BCEF	T90W0080
1492	馱	7CF1	BCF0	T90X0080
1493	馱	7CF2	BCF1	T90Y0080
1494	馱	7CF3	BCF2	T90Z0080
1495	馱	7CF4	BCF3	T9100080
1496	馱	7CF5	BCF4	T9110080
1497	馱	7CF6	BCF5	T9120080
1498	馱	7CF7	BCF6	T9130080
1499	馱	7CF8	BCF7	T9140080
1500	馱	7CF9	BCF8	T9150080
1501	馱	7CFA	BCF9	T9160080
1502	馱	7CFB	BCFA	T9170080
1503	馱	7CFC	BCFB	T9180080
1504	馱	7CFD	BCFC	T9190080
1505	僇	7D41	BD40	T91D0080
1506	僇	7D42	BD41	T91E0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 10 (Page 30 of 44). Secondary CH-T (2/4), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1507	價	7D43	BD42	T91F0080
1508	樵	7D44	BD43	T91G0080
1509	熒	7D45	BD44	T91H0080
1510	隣	7D46	BD45	T91I0080
1511	僭	7D47	BD46	T91J0080
1512	僭	7D48	BD47	T91K0080
1513	漸	7D49	BD48	T91L0080
1514	劓	7D4A	BD49	T91M0080
1515	劓	7D4B	BD4A	T91N0080
1516	勸	7D4C	BD4B	T91O0080
1517	勸	7D4D	BD4C	T91P0080
1518	墮	7D4E	BD4D	T91Q0080
1519	唇	7D4F	BD4E	T91R0080
1520	嚙	7D50	BD4F	T91S0080
1521	嘯	7D51	BD50	T91T0080
1522	嘯	7D52	BD51	T91U0080
1523	嗜	7D53	BD52	T91V0080
1524	嗅	7D54	BD53	T91W0080
1525	嘏	7D55	BD54	T91X0080
1526	嘑	7D56	BD55	T91Y0080
1527	噉	7D57	BD56	T91Z0080
1528	嚙	7D58	BD57	T9200080
1529	𠵼	7D59	BD58	T9210080
1530	嚙	7D5A	BD59	T9220080
1531	𠵼	7D5B	BD5A	T9230080
1532	嚙	7D5C	BD5B	T9240080

Table 10 (Page 30 of 44). Secondary CH-T (2/4), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1533	嚙	7D5D	BD5C	T9250080
1534	嚙	7D5E	BD5D	T9260080
1535	墮	7D5F	BD5E	T9270080
1536	墮	7D60	BD5F	T9280080
1537	墮	7D61	BD60	T9290080
1538	墮	7D62	BD61	T92A0080
1539	墮	7D63	BD62	T92B0080
1540	墮	7D64	BD63	T92C0080
1541	墮	7D65	BD64	T92D0080
1542	墮	7D66	BD65	T92E0080
1543	墮	7D67	BD66	T92F0080
1544	墮	7D68	BD67	T92G0080
1545	墮	7D69	BD68	T92H0080
1546	墮	7D6A	BD69	T92I0080
1547	墮	7D6B	BD6A	T92J0080
1548	墮	7D6C	BD6B	T92K0080
1549	墮	7D6D	BD6C	T92L0080
1550	墮	7D6E	BD6D	T92M0080
1551	墮	7D6F	BD6E	T92N0080
1552	墮	7D70	BD6F	T92O0080
1553	墮	7D71	BD70	T92P0080
1554	墮	7D72	BD71	T92Q0080
1555	墮	7D73	BD72	T92R0080
1556	墮	7D74	BD73	T92S0080
1557	墮	7D75	BD74	T92T0080
1558	墮	7D76	BD75	T92U0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
1559	嫵	7D77	BD76	T92V0080
1560	嫪	7D78	BD77	T92W0080
1561	嫫	7D79	BD78	T92X0080
1562	嫬	7D7A	BD79	T92Y0080
1563	嫭	7D7B	BD7A	T92Z0080
1564	嫈	7D7C	BD7B	T9300080
1565	嫉	7D7D	BD7C	T9310080
1566	嫊	7D7E	BD7D	T9320080
1567	嫍	7D7F	BD7E	T9330080
1568	嫎	7D81	BD80	T9350080
1569	嫏	7D82	BD81	T9360080
1570	嫐	7D83	BD82	T9370080
1571	嫑	7D84	BD83	T9380080
1572	嫒	7D85	BD84	T9390080
1573	嫓	7D86	BD85	T93A0080
1574	嫔	7D87	BD86	T93B0080
1575	嫕	7D88	BD87	T93C0080
1576	嫖	7D89	BD88	T93D0080
1577	嫗	7D8A	BD89	T93E0080
1578	嫘	7D8B	BD8A	T93F0080
1579	嫙	7D8C	BD8B	T93G0080
1580	嫚	7D8D	BD8C	T93H0080
1581	嫛	7D8E	BD8D	T93I0080
1582	嫜	7D8F	BD8E	T93J0080
1583	嫝	7D90	BD8F	T93K0080
1584	嫞	7D91	BD90	T93L0080

Line Number	Graphic	Host Code	PC Code	GCGID
1585	摧	7D92	BD91	T93M0080
1586	催	7D93	BD92	T93N0080
1587	摧	7D94	BD93	T93O0080
1588	摧	7D95	BD94	T93P0080
1589	摧	7D96	BD95	T93Q0080
1590	摧	7D97	BD96	T93R0080
1591	摧	7D98	BD97	T93S0080
1592	摧	7D99	BD98	T93T0080
1593	摧	7D9A	BD99	T93U0080
1594	摧	7D9B	BD9A	T93V0080
1595	摧	7D9C	BD9B	T93W0080
1596	摧	7D9D	BD9C	T93X0080
1597	摧	7D9E	BD9D	T93Y0080
1598	摧	7D9F	BD9E	T93Z0080
1599	摧	7DA0	BD9F	T9400080
1600	摧	7DA1	BDA0	T9410080
1601	摧	7DA2	BDA1	T9420080
1602	摧	7DA3	BDA2	T9430080
1603	摧	7DA4	BDA3	T9440080
1604	摧	7DA5	BDA4	T9450080
1605	摧	7DA6	BDA5	T9460080
1606	摧	7DA7	BDA6	T9470080
1607	摧	7DA8	BDA7	T9480080
1608	摧	7DA9	BDA8	T9490080
1609	摧	7DAA	BDA9	T94A0080
1610	摧	7DAB	BDAA	T94B0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
1611	恩	7DAC	BDAB	T94C0080
1612	樟	7DAD	BDAC	T94D0080
1613	博	7DAE	BDAD	T94E0080
1614	慳	7DAF	BDAE	T94F0080
1615	槽	7DB0	BDAF	T94G0080
1616	慄	7DB1	BDB0	T94H0080
1617	懽	7DB2	BDB1	T94I0080
1618	懂	7DB3	BDB2	T94J0080
1619	嚮	7DB4	BDB3	T94K0080
1620	懽	7DB5	BDB4	T94L0080
1621	懽	7DB6	BDB5	T94M0080
1622	懽	7DB7	BDB6	T94N0080
1623	懽	7DB8	BDB7	T94O0080
1624	懽	7DB9	BDB8	T94P0080
1625	懽	7DBA	BDB9	T94Q0080
1626	懽	7DBB	BDBA	T94R0080
1627	懽	7DBC	BDBB	T94S0080
1628	懽	7DBD	BDBC	T94T0080
1629	戩	7DBE	BDBD	T94U0080
1630	戩	7DBF	BDBE	T94V0080
1631	戩	7DC0	BDBF	T94W0080
1632	擘	7DC1	BDC0	T94X0080
1633	搯	7DC2	BDC1	T94Y0080
1634	搯	7DC3	BDC2	T94Z0080
1635	搯	7DC4	BDC3	T9500080
1636	搯	7DC5	BDC4	T9510080

Line Number	Graphic	Host Code	PC Code	GCGID
1637	搯	7DC6	BDC5	T9520080
1638	搯	7DC7	BDC6	T9530080
1639	搯	7DC8	BDC7	T9540080
1640	搯	7DC9	BDC8	T9550080
1641	搯	7DCA	BDC9	T9560080
1642	搯	7DCB	BDCA	T9570080
1643	搯	7DCC	BDCB	T9580080
1644	搯	7DCD	BDCC	T9590080
1645	搯	7DCE	BDCD	T95A0080
1646	搯	7DCF	BDCE	T95B0080
1647	搯	7DD0	BDCF	T95C0080
1648	搯	7DD1	BDD0	T95D0080
1649	搯	7DD2	BDD1	T95E0080
1650	搯	7DD3	BDD2	T95F0080
1651	搯	7DD4	BDD3	T95G0080
1652	搯	7DD5	BDD4	T95H0080
1653	搯	7DD6	BDD5	T95I0080
1654	搯	7DD7	BDD6	T95J0080
1655	搯	7DD8	BDD7	T95K0080
1656	搯	7DD9	BDD8	T95L0080
1657	搯	7DDA	BDD9	T95M0080
1658	搯	7DDB	BDDA	T95N0080
1659	搯	7DDC	Bddb	T95O0080
1660	搯	7DDD	BDDC	T95P0080
1661	搯	7DDE	BDDD	T95Q0080
1662	搯	7DDF	BDDE	T95R0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 10 (Page 33 of 44). Secondary CH-T (2/4), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1663	暄	7DE0	BDDF	T95S0080
1664	竭	7DE1	BDE0	T95T0080
1665	曠	7DE2	BDE1	T95U0080
1666	聖	7DE3	BDE2	T95V0080
1667	榦	7DE4	BDE3	T95W0080
1668	榘	7DE5	BDE4	T95X0080
1669	榖	7DE6	BDE5	T95Y0080
1670	榧	7DE7	BDE6	T95Z0080
1671	榘	7DE8	BDE7	T9600080
1672	榖	7DE9	BDE8	T9610080
1673	榘	7DEA	BDE9	T9620080
1674	榖	7DEB	BDEA	T9630080
1675	榘	7DEC	BDEB	T9640080
1676	榖	7DED	BDEC	T9650080
1677	榘	7DEE	BDED	T9660080
1678	榖	7DEF	BDEE	T9670080
1679	榘	7DF0	BDEF	T9680080
1680	榖	7DF1	BDF0	T9690080
1681	榘	7DF2	BDF1	T96A0080
1682	榖	7DF3	BDF2	T96B0080
1683	榘	7DF4	BDF3	T96C0080
1684	榖	7DF5	BDF4	T96D0080
1685	榘	7DF6	BDF5	T96E0080
1686	榖	7DF7	BDF6	T96F0080
1687	榘	7DF8	BDF7	T96G0080
1688	榖	7DF9	BDF8	T96H0080

Table 10 (Page 33 of 44). Secondary CH-T (2/4), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1689	榖	7DFA	BDF9	T96I0080
1690	榘	7DFB	BDF0	T96J0080
1691	榖	7DFC	BDFB	T96K0080
1692	榘	7DFD	BDFC	T96L0080
1693	榖	7E41	BE40	T96P0080
1694	榘	7E42	BE41	T96Q0080
1695	榖	7E43	BE42	T96R0080
1696	榘	7E44	BE43	T96S0080
1697	榖	7E45	BE44	T96T0080
1698	榘	7E46	BE45	T96U0080
1699	榖	7E47	BE46	T96V0080
1700	榘	7E48	BE47	T96W0080
1701	榖	7E49	BE48	T96X0080
1702	榘	7E4A	BE49	T96Y0080
1703	榖	7E4B	BE4A	T96Z0080
1704	榘	7E4C	BE4B	T9700080
1705	榖	7E4D	BE4C	T9710080
1706	榘	7E4E	BE4D	T9720080
1707	榖	7E4F	BE4E	T9730080
1708	殞	7E50	BE4F	T9740080
1709	殞	7E51	BE50	T9750080
1710	殞	7E52	BE51	T9760080
1711	殞	7E53	BE52	T9770080
1712	殞	7E54	BE53	T9780080
1713	殞	7E55	BE54	T9790080
1714	殞	7E56	BE55	T97A0080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
1715	漚	7E57	BE56	T97B0080
1716	漛	7E58	BE57	T97C0080
1717	漜	7E59	BE58	T97D0080
1718	漝	7E5A	BE59	T97E0080
1719	漞	7E5B	BE5A	T97F0080
1720	漟	7E5C	BE5B	T97G0080
1721	漠	7E5D	BE5C	T97H0080
1722	漡	7E5E	BE5D	T97I0080
1723	漢	7E5F	BE5E	T97J0080
1724	漣	7E60	BE5F	T97K0080
1725	漤	7E61	BE60	T97L0080
1726	漦	7E62	BE61	T97M0080
1727	漧	7E63	BE62	T97N0080
1728	漨	7E64	BE63	T97O0080
1729	漩	7E65	BE64	T97P0080
1730	漪	7E66	BE65	T97Q0080
1731	漫	7E67	BE66	T97R0080
1732	漬	7E68	BE67	T97S0080
1733	漭	7E69	BE68	T97T0080
1734	漮	7E6A	BE69	T97U0080
1735	漯	7E6B	BE6A	T97V0080
1736	漰	7E6C	BE6B	T97W0080
1737	漱	7E6D	BE6C	T97X0080
1738	漲	7E6E	BE6D	T97Y0080
1739	漳	7E6F	BE6E	T97Z0080
1740	漴	7E70	BE6F	T9800080

Line Number	Graphic	Host Code	PC Code	GCGID
1741	漵	7E71	BE70	T9810080
1742	漶	7E72	BE71	T9820080
1743	漷	7E73	BE72	T9830080
1744	漸	7E74	BE73	T9840080
1745	漹	7E75	BE74	T9850080
1746	漺	7E76	BE75	T9860080
1747	漻	7E77	BE76	T9870080
1748	漼	7E78	BE77	T9880080
1749	漽	7E79	BE78	T9890080
1750	漾	7E7A	BE79	T98A0080
1751	漿	7E7B	BE7A	T98B0080
1752	漻	7E7C	BE7B	T98C0080
1753	漼	7E7D	BE7C	T98D0080
1754	漽	7E7E	BE7D	T98E0080
1755	漾	7E7F	BE7E	T98F0080
1756	漿	7E81	BE80	T98H0080
1757	漻	7E82	BE81	T98I0080
1758	漼	7E83	BE82	T98J0080
1759	漽	7E84	BE83	T98K0080
1760	漾	7E85	BE84	T98L0080
1761	漿	7E86	BE85	T98M0080
1762	漻	7E87	BE86	T98N0080
1763	漼	7E88	BE87	T98O0080
1764	漽	7E89	BE88	T98P0080
1765	漾	7E8A	BE89	T98Q0080
1766	漿	7E8B	BE8A	T98R0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 10 (Page 35 of 44). Secondary CH-T (2/4), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1767	燐	7E8C	BE8B	T98S0080
1768	燐	7E8D	BE8C	T98T0080
1769	燐	7E8E	BE8D	T98U0080
1770	燐	7E8F	BE8E	T98V0080
1771	燐	7E90	BE8F	T98W0080
1772	燐	7E91	BE90	T98X0080
1773	燐	7E92	BE91	T98Y0080
1774	燐	7E93	BE92	T98Z0080
1775	燐	7E94	BE93	T9900080
1776	燐	7E95	BE94	T9910080
1777	燐	7E96	BE95	T9920080
1778	燐	7E97	BE96	T9930080
1779	燐	7E98	BE97	T9940080
1780	燐	7E99	BE98	T9950080
1781	燐	7E9A	BE99	T9960080
1782	燐	7E9B	BE9A	T9970080
1783	燐	7E9C	BE9B	T9980080
1784	燐	7E9D	BE9C	T9990080
1785	燐	7E9E	BE9D	T99A0080
1786	燐	7E9F	BE9E	T99B0080
1787	燐	7EA0	BE9F	T99C0080
1788	燐	7EA1	BEA0	T99D0080
1789	燐	7EA2	BEA1	T99E0080
1790	燐	7EA3	BEA2	T99F0080
1791	燐	7EA4	BEA3	T99G0080
1792	燐	7EA5	BEA4	T99H0080

Table 10 (Page 35 of 44). Secondary CH-T (2/4), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1793	瘰	7EA6	BEA5	T99I0080
1794	瘰	7EA7	BEA6	T99J0080
1795	瘰	7EA8	BEA7	T99K0080
1796	瘰	7EA9	BEA8	T99L0080
1797	瘰	7EAA	BEA9	T99M0080
1798	瘰	7EAB	BEAA	T99N0080
1799	瘰	7EAC	BEAB	T99O0080
1800	瘰	7EAD	BEAC	T99P0080
1801	瘰	7EAE	BEAD	T99Q0080
1802	瘰	7EAF	BEAE	T99R0080
1803	瘰	7EB0	BEAF	T99S0080
1804	瘰	7EB1	BEB0	T99T0080
1805	瘰	7EB2	BEB1	T99U0080
1806	瘰	7EB3	BEB2	T99V0080
1807	瘰	7EB4	BEB3	T99W0080
1808	瘰	7EB5	BEB4	T99X0080
1809	瘰	7EB6	BEB5	T99Y0080
1810	瘰	7EB7	BEB6	T99Z0080
1811	瘰	7EB8	BEB7	T9A00080
1812	瘰	7EB9	BEB8	T9A10080
1813	瘰	7EBA	BEB9	T9A20080
1814	瘰	7EBB	BEBA	T9A30080
1815	瘰	7EBC	BEBB	T9A40080
1816	瘰	7EBD	BEBC	T9A50080
1817	瘰	7EBE	BEBD	T9A60080
1818	瘰	7EBF	BEBE	T9A70080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
1819	礮	7EC0	BEBF	T9A80080
1820	禱	7EC1	BEC0	T9A90080
1821	禳	7EC2	BEC1	T9AA0080
1822	禔	7EC3	BEC2	T9AB0080
1823	禕	7EC4	BEC3	T9AC0080
1824	禖	7EC5	BEC4	T9AD0080
1825	禗	7EC6	BEC5	T9AE0080
1826	禘	7EC7	BEC6	T9AF0080
1827	禙	7EC8	BEC7	T9AG0080
1828	禚	7EC9	BEC8	T9AH0080
1829	禛	7ECA	BEC9	T9AI0080
1830	禜	7ECB	BECA	T9AJ0080
1831	禝	7ECC	BECB	T9AK0080
1832	禞	7ECD	BECC	T9AL0080
1833	禟	7ECE	BECD	T9AM0080
1834	禠	7ECF	BECE	T9AN0080
1835	禡	7ED0	BECF	T9AO0080
1836	禢	7ED1	BED0	T9AP0080
1837	禣	7ED2	BED1	T9AQ0080
1838	禤	7ED3	BED2	T9AR0080
1839	禥	7ED4	BED3	T9AS0080
1840	禦	7ED5	BED4	T9AT0080
1841	禧	7ED6	BED5	T9AU0080
1842	禨	7ED7	BED6	T9AV0080
1843	禩	7ED8	BED7	T9AW0080
1844	禪	7ED9	BED8	T9AX0080

Line Number	Graphic	Host Code	PC Code	GCGID
1845	箒	7EDA	BED9	T9AY0080
1846	箓	7EDB	BEDA	T9AZ0080
1847	箔	7EDC	BEDB	T9B00080
1848	箕	7EDD	BEDC	T9B10080
1849	箖	7EDE	BEDD	T9B20080
1850	算	7EDF	BEDE	T9B30080
1851	箘	7EE0	BEDF	T9B40080
1852	箙	7EE1	BEE0	T9B50080
1853	箚	7EE2	BEE1	T9B60080
1854	箛	7EE3	BEE2	T9B70080
1855	箜	7EE4	BEE3	T9B80080
1856	箝	7EE5	BEE4	T9B90080
1857	箞	7EE6	BEE5	T9BA0080
1858	箟	7EE7	BEE6	T9BB0080
1859	箞	7EE8	BEE7	T9BC0080
1860	箟	7EE9	BEE8	T9BD0080
1861	箟	7EEA	BEE9	T9BE0080
1862	箟	7EEB	BEEA	T9BF0080
1863	箟	7EEC	BEEB	T9BG0080
1864	箟	7EED	BEEC	T9BH0080
1865	箟	7EEE	BEED	T9BI0080
1866	箟	7EEF	BEEE	T9BJ0080
1867	箟	7EF0	BEEF	T9BK0080
1868	緇	7EF1	BEF0	T9BL0080
1869	緌	7EF2	BEF1	T9BM0080
1870	緎	7EF3	BEF2	T9BN0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 10 (Page 37 of 44). Secondary CH-T (2/4), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1871	緹	7EF4	BEF3	T9BO0080
1872	緹	7EF5	BEF4	T9BP0080
1873	緹	7EF6	BEF5	T9BQ0080
1874	緹	7EF7	BEF6	T9BR0080
1875	緹	7EF8	BEF7	T9BS0080
1876	緹	7EF9	BEF8	T9BT0080
1877	緹	7EFA	BEF9	T9BU0080
1878	緹	7EFB	BEFA	T9BV0080
1879	緹	7EFC	BEFB	T9BW0080
1880	綦	7EFD	BEFC	T9BX0080
1881	綦	7F41	BF40	T9C10080
1882	綦	7F42	BF41	T9C20080
1883	綦	7F43	BF42	T9C30080
1884	綦	7F44	BF43	T9C40080
1885	綦	7F45	BF44	T9C50080
1886	綦	7F46	BF45	T9C60080
1887	綦	7F47	BF46	T9C70080
1888	綦	7F48	BF47	T9C80080
1889	綦	7F49	BF48	T9C90080
1890	綦	7F4A	BF49	T9CA0080
1891	綦	7F4B	BF4A	T9CB0080
1892	綦	7F4C	BF4B	T9CC0080
1893	綦	7F4D	BF4C	T9CD0080
1894	綦	7F4E	BF4D	T9CE0080
1895	綦	7F4F	BF4E	T9CF0080
1896	綦	7F50	BF4F	T9CG0080

Table 10 (Page 37 of 44). Secondary CH-T (2/4), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1897	臄	7F51	BF50	T9CH0080
1898	臄	7F52	BF51	T9CI0080
1899	臄	7F53	BF52	T9CJ0080
1900	臄	7F54	BF53	T9CK0080
1901	臄	7F55	BF54	T9CL0080
1902	臄	7F56	BF55	T9CM0080
1903	臄	7F57	BF56	T9CN0080
1904	臄	7F58	BF57	T9CO0080
1905	臄	7F59	BF58	T9CP0080
1906	臄	7F5A	BF59	T9CQ0080
1907	臄	7F5B	BF5A	T9CR0080
1908	臄	7F5C	BF5B	T9CS0080
1909	臄	7F5D	BF5C	T9CT0080
1910	臄	7F5E	BF5D	T9CU0080
1911	臄	7F5F	BF5E	T9CV0080
1912	臄	7F60	BF5F	T9CW0080
1913	臄	7F61	BF60	T9CX0080
1914	臄	7F62	BF61	T9CY0080
1915	臄	7F63	BF62	T9CZ0080
1916	臄	7F64	BF63	T9D00080
1917	臄	7F65	BF64	T9D10080
1918	臄	7F66	BF65	T9D20080
1919	臄	7F67	BF66	T9D30080
1920	臄	7F68	BF67	T9D40080
1921	臄	7F69	BF68	T9D50080
1922	臄	7F6A	BF69	T9D60080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
1923	蒔	7F6B	BF6A	T9D70080
1924	葶	7F6C	BF6B	T9D80080
1925	菱	7F6D	BF6C	T9D90080
1926	藪	7F6E	BF6D	T9DA0080
1927	蒨	7F6F	BF6E	T9DB0080
1928	蒯	7F70	BF6F	T9DC0080
1929	蒨	7F71	BF70	T9DD0080
1930	蕈	7F72	BF71	T9DE0080
1931	蕈	7F73	BF72	T9DF0080
1932	蒨	7F74	BF73	T9DG0080
1933	蒨	7F75	BF74	T9DH0080
1934	蕈	7F76	BF75	T9DI0080
1935	蕈	7F77	BF76	T9DJ0080
1936	蕈	7F78	BF77	T9DK0080
1937	蕈	7F79	BF78	T9DL0080
1938	蕈	7F7A	BF79	T9DM0080
1939	蕈	7F7B	BF7A	T9DN0080
1940	蕈	7F7C	BF7B	T9DO0080
1941	蕈	7F7D	BF7C	T9DP0080
1942	蕈	7F7E	BF7D	T9DQ0080
1943	蕈	7F7F	BF7E	T9DR0080
1944	蕈	7F81	BF80	T9DT0080
1945	蕈	7F82	BF81	T9DU0080
1946	蕈	7F83	BF82	T9DV0080
1947	蕈	7F84	BF83	T9DW0080
1948	蕈	7F85	BF84	T9DX0080

Line Number	Graphic	Host Code	PC Code	GCGID
1949	蝓	7F86	BF85	T9DY0080
1950	蝓	7F87	BF86	T9DZ0080
1951	蝓	7F88	BF87	T9E00080
1952	蝓	7F89	BF88	T9E10080
1953	蝓	7F8A	BF89	T9E20080
1954	蝓	7F8B	BF8A	T9E30080
1955	蝓	7F8C	BF8B	T9E40080
1956	蝓	7F8D	BF8C	T9E50080
1957	蝓	7F8E	BF8D	T9E60080
1958	蝓	7F8F	BF8E	T9E70080
1959	蝓	7F90	BF8F	T9E80080
1960	蝓	7F91	BF90	T9E90080
1961	蝓	7F92	BF91	T9EA0080
1962	蝓	7F93	BF92	T9EB0080
1963	蝓	7F94	BF93	T9EC0080
1964	蝓	7F95	BF94	T9ED0080
1965	蝓	7F96	BF95	T9EE0080
1966	蝓	7F97	BF96	T9EF0080
1967	蝓	7F98	BF97	T9EG0080
1968	蝓	7F99	BF98	T9EH0080
1969	蝓	7F9A	BF99	T9EI0080
1970	蝓	7F9B	BF9A	T9EJ0080
1971	蝓	7F9C	BF9B	T9EK0080
1972	蝓	7F9D	BF9C	T9EL0080
1973	蝓	7F9E	BF9D	T9EM0080
1974	蝓	7F9F	BF9E	T9EN0080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 10 (Page 39 of 44). Secondary CH-T (2/4), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1975	襜	7FA0	BF9F	T9EO0080
1976	裱	7FA1	BFA0	T9EP0080
1977	裊	7FA2	BFA1	T9EQ0080
1978	襜	7FA3	BFA2	T9ER0080
1979	裾	7FA4	BFA3	T9ES0080
1980	裾	7FA5	BFA4	T9ET0080
1981	裾	7FA6	BFA5	T9EU0080
1982	裾	7FA7	BFA6	T9EV0080
1983	裾	7FA8	BFA7	T9EW0080
1984	裾	7FA9	BFA8	T9EX0080
1985	裾	7FAA	BFA9	T9EY0080
1986	裾	7FAB	BFAA	T9EZ0080
1987	覘	7FAC	BFAB	T9F00080
1988	覘	7FAD	BFAC	T9F10080
1989	覘	7FAE	BFAD	T9F20080
1990	覘	7FAF	BFAE	T9F30080
1991	鯨	7FB0	BFAF	T9F40080
1992	鯨	7FB1	BFB0	T9F50080
1993	鯨	7FB2	BFB1	T9F60080
1994	鯨	7FB3	BFB2	T9F70080
1995	鯨	7FB4	BFB3	T9F80080
1996	鯨	7FB5	BFB4	T9F90080
1997	鯨	7FB6	BFB5	T9FA0080
1998	鯨	7FB7	BFB6	T9FB0080
1999	鯨	7FB8	BFB7	T9FC0080
2000	鯨	7FB9	BFB8	T9FD0080

Table 10 (Page 39 of 44). Secondary CH-T (2/4), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
2001	豨	7FBA	BFB9	T9FE0080
2002	豨	7FBB	BFBA	T9FF0080
2003	豨	7FBC	BFBB	T9FG0080
2004	豨	7FBD	BFBC	T9FH0080
2005	豨	7FBE	BFBD	T9FI0080
2006	豨	7FBF	BFBE	T9FJ0080
2007	豨	7FC0	BFBF	T9FK0080
2008	豨	7FC1	BFC0	T9FL0080
2009	豨	7FC2	BFC1	T9FM0080
2010	豨	7FC3	BFC2	T9FN0080
2011	豨	7FC4	BFC3	T9FO0080
2012	豨	7FC5	BFC4	T9FP0080
2013	豨	7FC6	BFC5	T9FQ0080
2014	豨	7FC7	BFC6	T9FR0080
2015	豨	7FC8	BFC7	T9FS0080
2016	豨	7FC9	BFC8	T9FT0080
2017	豨	7FCA	BFC9	T9FU0080
2018	豨	7FCB	BFCA	T9FV0080
2019	豨	7FCC	BFCB	T9FW0080
2020	豨	7FCD	BFCC	T9FX0080
2021	豨	7FCE	BFCD	T9FY0080
2022	豨	7FCF	BFCE	T9FZ0080
2023	豨	7FD0	BFCF	T9G00080
2024	豨	7FD1	BFD0	T9G10080
2025	豨	7FD2	BFD1	T9G20080
2026	豨	7FD3	BFD2	T9G30080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
2027	鄴	7FD4	BFD3	T9G40080
2028	鄆	7FD5	BFD4	T9G50080
2029	鄧	7FD6	BFD5	T9G60080
2030	鄭	7FD7	BFD6	T9G70080
2031	鄭	7FD8	BFD7	T9G80080
2032	鄒	7FD9	BFD8	T9G90080
2033	鄴	7FDA	BFD9	T9GA0080
2034	醜	7FDB	BFDA	T9GB0080
2035	醜	7FDC	BFDB	T9GC0080
2036	醜	7FDD	BFDC	T9GD0080
2037	醜	7FDE	BFDD	T9GE0080
2038	銖	7FDF	BFDE	T9GF0080
2039	銖	7FE0	BFDF	T9GG0080
2040	銖	7FE1	BFE0	T9GH0080
2041	銖	7FE2	BFE1	T9GI0080
2042	銖	7FE3	BFE2	T9GJ0080
2043	銖	7FE4	BFE3	T9GK0080
2044	銖	7FE5	BFE4	T9GL0080
2045	銖	7FE6	BFE5	T9GM0080
2046	銖	7FE7	BFE6	T9GN0080
2047	銖	7FE8	BFE7	T9GO0080
2048	銖	7FE9	BFE8	T9GP0080
2049	銖	7FEA	BFE9	T9GQ0080
2050	銖	7FEB	BFEA	T9GR0080
2051	銖	7FEC	BFEB	T9GS0080
2052	銖	7FED	BFEC	T9GT0080

Line Number	Graphic	Host Code	PC Code	GCGID
2053	銖	7FEE	BFED	T9GU0080
2054	銖	7FEF	BFEE	T9GV0080
2055	銖	7FF0	BFEF	T9GW0080
2056	銖	7FF1	BFF0	T9GX0080
2057	銖	7FF2	BFF1	T9GY0080
2058	銖	7FF3	BFF2	T9GZ0080
2059	銖	7FF4	BFF3	T9H00080
2060	銖	7FF5	BFF4	T9H10080
2061	銖	7FF6	BFF5	T9H20080
2062	銖	7FF7	BFF6	T9H30080
2063	銖	7FF8	BFF7	T9H40080
2064	銖	7FF9	BFF8	T9H50080
2065	銖	7FFA	BFF9	T9H60080
2066	銖	7FFB	BFFA	T9H70080
2067	銖	7FFC	BFFB	T9H80080
2068	銖	7FFD	BFFC	T9H90080
2069	銖	8041	C040	T9HD0080
2070	銖	8042	C041	T9HE0080
2071	銖	8043	C042	T9HF0080
2072	銖	8044	C043	T9HG0080
2073	銖	8045	C044	T9HH0080
2074	銖	8046	C045	T9HI0080
2075	銖	8047	C046	T9HJ0080
2076	銖	8048	C047	T9HK0080
2077	銖	8049	C048	T9HL0080
2078	銖	804A	C049	T9HM0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 10 (Page 41 of 44). Secondary CH-T (2/4), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
2079	鞞	804B	C04A	T9HN0080
2080	鞞	804C	C04B	T9HO0080
2081	鞞	804D	C04C	T9HP0080
2082	鞞	804E	C04D	T9HQ0080
2083	鞞	804F	C04E	T9HR0080
2084	鞞	8050	C04F	T9HS0080
2085	鞞	8051	C050	T9HT0080
2086	鞞	8052	C051	T9HU0080
2087	鞞	8053	C052	T9HV0080
2088	鞞	8054	C053	T9HW0080
2089	鞞	8055	C054	T9HX0080
2090	鞞	8056	C055	T9HY0080
2091	鞞	8057	C056	T9HZ0080
2092	鞞	8058	C057	T9I00080
2093	鞞	8059	C058	T9I10080
2094	鞞	805A	C059	T9I20080
2095	鞞	805B	C05A	T9I30080
2096	鞞	805C	C05B	T9I40080
2097	鞞	805D	C05C	T9I50080
2098	鞞	805E	C05D	T9I60080
2099	鞞	805F	C05E	T9I70080
2100	鞞	8060	C05F	T9I80080
2101	鞞	8061	C060	T9I90080
2102	鞞	8062	C061	T9IA0080
2103	鞞	8063	C062	T9IB0080
2104	鞞	8064	C063	T9IC0080

Table 10 (Page 41 of 44). Secondary CH-T (2/4), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
2105	鞞	8065	C064	T9ID0080
2106	鞞	8066	C065	T9IE0080
2107	鞞	8067	C066	T9IF0080
2108	鞞	8068	C067	T9IG0080
2109	鞞	8069	C068	T9IH0080
2110	鞞	806A	C069	T9II0080
2111	鞞	806B	C06A	T9IJ0080
2112	鞞	806C	C06B	T9IK0080
2113	鞞	806D	C06C	T9IL0080
2114	鞞	806E	C06D	T9IM0080
2115	鞞	806F	C06E	T9IN0080
2116	鞞	8070	C06F	T9IO0080
2117	鞞	8071	C070	T9IP0080
2118	鞞	8072	C071	T9IQ0080
2119	鞞	8073	C072	T9IR0080
2120	鞞	8074	C073	T9IS0080
2121	鞞	8075	C074	T9IT0080
2122	鞞	8076	C075	T9IU0080
2123	鞞	8077	C076	T9IV0080
2124	鞞	8078	C077	T9IW0080
2125	鞞	8079	C078	T9IX0080
2126	鞞	807A	C079	T9IY0080
2127	鞞	807B	C07A	T9IZ0080
2128	鞞	807C	C07B	T9J00080
2129	鞞	807D	C07C	T9J10080
2130	鞞	807E	C07D	T9J20080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 10 (Page 42 of 44). Secondary CH-T (2/4), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
2131	勸	807F	C07E	T9J30080
2132	嘸	8081	C080	T9J50080
2133	噶	8082	C081	T9J60080
2134	噲	8083	C082	T9J70080
2135	噍	8084	C083	T9J80080
2136	噋	8085	C084	T9J90080
2137	噌	8086	C085	T9JA0080
2138	噎	8087	C086	T9JB0080
2139	噏	8088	C087	T9JC0080
2140	噐	8089	C088	T9JD0080
2141	噑	808A	C089	T9JE0080
2142	噒	808B	C08A	T9JF0080
2143	噓	808C	C08B	T9JG0080
2144	噔	808D	C08C	T9JH0080
2145	噕	808E	C08D	T9JI0080
2146	噖	808F	C08E	T9JJ0080
2147	噗	8090	C08F	T9JK0080
2148	噘	8091	C090	T9JL0080
2149	噙	8092	C091	T9JM0080
2150	噚	8093	C092	T9JN0080
2151	噛	8094	C093	T9JO0080
2152	噜	8095	C094	T9JP0080
2153	噝	8096	C095	T9JQ0080
2154	噞	8097	C096	T9JR0080
2155	噟	8098	C097	T9JS0080
2156	噠	8099	C098	T9JT0080

Table 10 (Page 42 of 44). Secondary CH-T (2/4), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
2157	墜	809A	C099	T9JU0080
2158	墮	809B	C09A	T9JV0080
2159	墜	809C	C09B	T9JW0080
2160	墜	809D	C09C	T9JX0080
2161	墜	809E	C09D	T9JY0080
2162	墜	809F	C09E	T9JZ0080
2163	墜	80A0	C09F	T9K00080
2164	墜	80A1	C0A0	T9K10080
2165	墜	80A2	C0A1	T9K20080
2166	墜	80A3	C0A2	T9K30080
2167	墜	80A4	C0A3	T9K40080
2168	墜	80A5	C0A4	T9K50080
2169	墜	80A6	C0A5	T9K60080
2170	墜	80A7	C0A6	T9K70080
2171	墜	80A8	C0A7	T9K80080
2172	墜	80A9	C0A8	T9K90080
2173	墜	80AA	C0A9	T9KA0080
2174	墜	80AB	C0AA	T9KB0080
2175	墜	80AC	C0AB	T9KC0080
2176	嶗	80AD	C0AC	T9KD0080
2177	嶗	80AE	C0AD	T9KE0080
2178	嶗	80AF	C0AE	T9KF0080
2179	嶗	80B0	C0AF	T9KG0080
2180	嶗	80B1	C0B0	T9KH0080
2181	嶗	80B2	C0B1	T9KI0080
2182	嶗	80B3	C0B2	T9KJ0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 10 (Page 43 of 44). Secondary CH-T (2/4), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
2183	巒	80B4	C0B3	T9KK0080
2184	巖	80B5	C0B4	T9KL0080
2185	嶺	80B6	C0B5	T9KM0080
2186	嶺	80B7	C0B6	T9KN0080
2187	嶺	80B8	C0B7	T9KO0080
2188	嶺	80B9	C0B8	T9KP0080
2189	嶺	80BA	C0B9	T9KQ0080
2190	嶺	80BB	C0BA	T9KR0080
2191	嶺	80BC	C0BB	T9KS0080
2192	嶺	80BD	C0BC	T9KT0080
2193	嶺	80BE	C0BD	T9KU0080
2194	嶺	80BF	C0BE	T9KV0080
2195	嶺	80C0	C0BF	T9KW0080
2196	嶺	80C1	C0C0	T9KX0080
2197	嶺	80C2	C0C1	T9KY0080
2198	嶺	80C3	C0C2	T9KZ0080
2199	嶺	80C4	C0C3	T9L00080
2200	嶺	80C5	C0C4	T9L10080
2201	嶺	80C6	C0C5	T9L20080
2202	嶺	80C7	C0C6	T9L30080
2203	嶺	80C8	C0C7	T9L40080
2204	嶺	80C9	C0C8	T9L50080
2205	嶺	80CA	C0C9	T9L60080
2206	嶺	80CB	C0CA	T9L70080
2207	嶺	80CC	C0CB	T9L80080
2208	嶺	80CD	C0CC	T9L90080

Table 10 (Page 43 of 44). Secondary CH-T (2/4), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
2209	嶺	80CE	C0CD	T9LA0080
2210	嶺	80CF	C0CE	T9LB0080
2211	嶺	80D0	C0CF	T9LC0080
2212	嶺	80D1	C0D0	T9LD0080
2213	嶺	80D2	C0D1	T9LE0080
2214	嶺	80D3	C0D2	T9LF0080
2215	嶺	80D4	C0D3	T9LG0080
2216	嶺	80D5	C0D4	T9LH0080
2217	嶺	80D6	C0D5	T9LI0080
2218	嶺	80D7	C0D6	T9LJ0080
2219	嶺	80D8	C0D7	T9LK0080
2220	嶺	80D9	C0D8	T9LL0080
2221	嶺	80DA	C0D9	T9LM0080
2222	嶺	80DB	C0DA	T9LN0080
2223	嶺	80DC	C0DB	T9LO0080
2224	嶺	80DD	C0DC	T9LP0080
2225	嶺	80DE	C0DD	T9LQ0080
2226	嶺	80DF	C0DE	T9LR0080
2227	嶺	80E0	C0DF	T9LS0080
2228	嶺	80E1	C0E0	T9LT0080
2229	嶺	80E2	C0E1	T9LU0080
2230	嶺	80E3	C0E2	T9LV0080
2231	嶺	80E4	C0E3	T9LW0080
2232	嶺	80E5	C0E4	T9LX0080
2233	嶺	80E6	C0E5	T9LY0080
2234	嶺	80E7	C0E6	T9LZ0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 10 (Page 44 of 44). Secondary CH-T (2/4),
DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
2235	愛	80E8	C0E7	T9M00080
2236	斲	80E9	C0E8	T9M10080
2237	斲	80EA	C0E9	T9M20080
2238	曠	80EB	C0EA	T9M30080
2239	矚	80EC	C0EB	T9M40080
2240	際	80ED	C0EC	T9M50080
2241	矚	80EE	C0ED	T9M60080
2242	矚	80EF	C0EE	T9M70080
2243	矚	80F0	C0EF	T9M80080
2244	曠	80F1	C0F0	T9M90080
2245	檣	80F2	C0F1	T9MA0080
2246	檣	80F3	C0F2	T9MB0080
2247	檣	80F4	C0F3	T9MC0080
2248	檣	80F5	C0F4	T9MD0080
2249	檣	80F6	C0F5	T9ME0080
2250	檣	80F7	C0F6	T9MF0080
2251	檣	80F8	C0F7	T9MG0080
2252	檣	80F9	C0F8	T9MH0080
2253	檣	80FA	C0F9	T9MI0080
2254	檣	80FB	C0FA	T9MJ0080
2255	檣	80FC	C0FB	T9MK0080
2256	檣	80FD	C0FC	T9ML0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

8.7 Secondary Chinese Set (3 of 4)

Line Number	Graphic	Host Code	PC Code	GCGID
1	穆	8141	C140	T9MP0080
2	榼	8142	C141	T9MQ0080
3	榎	8143	C142	T9MR0080
4	榧	8144	C143	T9MS0080
5	榧	8145	C144	T9MT0080
6	榧	8146	C145	T9MU0080
7	榧	8147	C146	T9MV0080
8	榧	8148	C147	T9MW0080
9	榧	8149	C148	T9MX0080
10	榧	814A	C149	T9MY0080
11	榧	814B	C14A	T9MZ0080
12	榧	814C	C14B	T9N00080
13	榧	814D	C14C	T9N10080
14	榧	814E	C14D	T9N20080
15	榧	814F	C14E	T9N30080
16	榧	8150	C14F	T9N40080
17	榧	8151	C150	T9N50080
18	榧	8152	C151	T9N60080
19	榧	8153	C152	T9N70080
20	榧	8154	C153	T9N80080
21	榧	8155	C154	T9N90080
22	榧	8156	C155	T9NA0080
23	榧	8157	C156	T9NB0080
24	榧	8158	C157	T9NC0080

Line Number	Graphic	Host Code	PC Code	GCGID
25	榧	8159	C158	T9ND0080
26	榧	815A	C159	T9NE0080
27	榧	815B	C15A	T9NF0080
28	榧	815C	C15B	T9NG0080
29	榧	815D	C15C	T9NH0080
30	榧	815E	C15D	T9NI0080
31	榧	815F	C15E	T9NJ0080
32	榧	8160	C15F	T9NK0080
33	榧	8161	C160	T9NL0080
34	榧	8162	C161	T9NM0080
35	榧	8163	C162	T9NN0080
36	榧	8164	C163	T9NO0080
37	榧	8165	C164	T9NP0080
38	榧	8166	C165	T9NQ0080
39	榧	8167	C166	T9NR0080
40	榧	8168	C167	T9NS0080
41	榧	8169	C168	T9NT0080
42	榧	816A	C169	T9NU0080
43	榧	816B	C16A	T9NV0080
44	榧	816C	C16B	T9NW0080
45	榧	816D	C16C	T9NX0080
46	榧	816E	C16D	T9NY0080
47	榧	816F	C16E	T9NZ0080
48	榧	8170	C16F	T9O00080
49	榧	8171	C170	T9O10080
50	榧	8172	C171	T9O20080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
51	潭	8173	C172	T9O30080
52	澗	8174	C173	T9O40080
53	澗	8175	C174	T9O50080
54	澗	8176	C175	T9O60080
55	澗	8177	C176	T9O70080
56	澗	8178	C177	T9O80080
57	澗	8179	C178	T9O90080
58	澗	817A	C179	T9OA0080
59	澗	817B	C17A	T9OB0080
60	澗	817C	C17B	T9OC0080
61	澗	817D	C17C	T9OD0080
62	澗	817E	C17D	T9OE0080
63	澗	817F	C17E	T9OF0080
64	澗	8181	C180	T9OH0080
65	澗	8182	C181	T9OI0080
66	澗	8183	C182	T9OJ0080
67	澗	8184	C183	T9OK0080
68	澗	8185	C184	T9OL0080
69	澗	8186	C185	T9OM0080
70	澗	8187	C186	T9ON0080
71	澗	8188	C187	T9OO0080
72	澗	8189	C188	T9OP0080
73	澗	818A	C189	T9OQ0080
74	澗	818B	C18A	T9OR0080
75	澗	818C	C18B	T9OS0080
76	澗	818D	C18C	T9OT0080

Line Number	Graphic	Host Code	PC Code	GCGID
77	燻	818E	C18D	T9OU0080
78	燻	818F	C18E	T9OV0080
79	燻	8190	C18F	T9OW0080
80	燻	8191	C190	T9OX0080
81	燻	8192	C191	T9OY0080
82	燻	8193	C192	T9OZ0080
83	燻	8194	C193	T9P00080
84	燻	8195	C194	T9P10080
85	燻	8196	C195	T9P20080
86	燻	8197	C196	T9P30080
87	燻	8198	C197	T9P40080
88	燻	8199	C198	T9P50080
89	燻	819A	C199	T9P60080
90	燻	819B	C19A	T9P70080
91	燻	819C	C19B	T9P80080
92	燻	819D	C19C	T9P90080
93	燻	819E	C19D	T9PA0080
94	燻	819F	C19E	T9PB0080
95	燻	81A0	C19F	T9PC0080
96	燻	81A1	C1A0	T9PD0080
97	燻	81A2	C1A1	T9PE0080
98	燻	81A3	C1A2	T9PF0080
99	燻	81A4	C1A3	T9PG0080
100	燻	81A5	C1A4	T9PH0080
101	燻	81A6	C1A5	T9PI0080
102	燻	81A7	C1A6	T9PJ0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 11 (Page 3 of 44). Secondary CH-T (3/4), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
103	獮	81A8	C1A7	T9PK0080
104	獯	81A9	C1A8	T9PL0080
105	獼	81AA	C1A9	T9PM0080
106	璠	81AB	C1AA	T9PN0080
107	璡	81AC	C1AB	T9PO0080
108	璢	81AD	C1AC	T9PP0080
109	璣	81AE	C1AD	T9PQ0080
110	璤	81AF	C1AE	T9PR0080
111	璥	81B0	C1AF	T9PS0080
112	璦	81B1	C1B0	T9PT0080
113	璢	81B2	C1B1	T9PU0080
114	璣	81B3	C1B2	T9PV0080
115	璤	81B4	C1B3	T9PW0080
116	璥	81B5	C1B4	T9PX0080
117	璦	81B6	C1B5	T9PY0080
118	璢	81B7	C1B6	T9PZ0080
119	璣	81B8	C1B7	T9Q00080
120	璤	81B9	C1B8	T9Q10080
121	璥	81BA	C1B9	T9Q20080
122	璦	81BB	C1BA	T9Q30080
123	璢	81BC	C1BB	T9Q40080
124	璣	81BD	C1BC	T9Q50080
125	璤	81BE	C1BD	T9Q60080
126	璥	81BF	C1BE	T9Q70080
127	璦	81C0	C1BF	T9Q80080
128	璢	81C1	C1C0	T9Q90080

Table 11 (Page 3 of 44). Secondary CH-T (3/4), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
129	璣	81C2	C1C1	T9QA0080
130	璤	81C3	C1C2	T9QB0080
131	璥	81C4	C1C3	T9QC0080
132	璦	81C5	C1C4	T9QD0080
133	璢	81C6	C1C5	T9QE0080
134	璣	81C7	C1C6	T9QF0080
135	璤	81C8	C1C7	T9QG0080
136	璥	81C9	C1C8	T9QH0080
137	璦	81CA	C1C9	T9QI0080
138	璢	81CB	C1CA	T9QJ0080
139	璣	81CC	C1CB	T9QK0080
140	璤	81CD	C1CC	T9QL0080
141	璥	81CE	C1CD	T9QM0080
142	璦	81CF	C1CE	T9QN0080
143	璢	81D0	C1CF	T9QO0080
144	璣	81D1	C1D0	T9QP0080
145	璤	81D2	C1D1	T9QQ0080
146	璥	81D3	C1D2	T9QR0080
147	璦	81D4	C1D3	T9QS0080
148	璢	81D5	C1D4	T9QT0080
149	璣	81D6	C1D5	T9QU0080
150	璤	81D7	C1D6	T9QV0080
151	璥	81D8	C1D7	T9QW0080
152	璦	81D9	C1D8	T9QX0080
153	璢	81DA	C1D9	T9QY0080
154	璣	81DB	C1DA	T9QZ0080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
155	竊	81DC	C1DB	T9R00080
156	竇	81DD	C1DC	T9R10080
157	竄	81DE	C1DD	T9R20080
158	箴	81DF	C1DE	T9R30080
159	篋	81E0	C1DF	T9R40080
160	箭	81E1	C1E0	T9R50080
161	箬	81E2	C1E1	T9R60080
162	箬	81E3	C1E2	T9R70080
163	箬	81E4	C1E3	T9R80080
164	箬	81E5	C1E4	T9R90080
165	箬	81E6	C1E5	T9RA0080
166	箬	81E7	C1E6	T9RB0080
167	糝	81E8	C1E7	T9RC0080
168	糞	81E9	C1E8	T9RD0080
169	糞	81EA	C1E9	T9RE0080
170	糞	81EB	C1EA	T9RF0080
171	糞	81EC	C1EB	T9RG0080
172	糞	81ED	C1EC	T9RH0080
173	糞	81EE	C1ED	T9RI0080
174	糞	81EF	C1EE	T9RJ0080
175	糞	81F0	C1EF	T9RK0080
176	糞	81F1	C1F0	T9RL0080
177	糞	81F2	C1F1	T9RM0080
178	糞	81F3	C1F2	T9RN0080
179	糞	81F4	C1F3	T9RO0080
180	糞	81F5	C1F4	T9RP0080

Line Number	Graphic	Host Code	PC Code	GCGID
181	緜	81F6	C1F5	T9RQ0080
182	緜	81F7	C1F6	T9RR0080
183	緜	81F8	C1F7	T9RS0080
184	緜	81F9	C1F8	T9RT0080
185	緜	81FA	C1F9	T9RU0080
186	緜	81FB	C1FA	T9RV0080
187	緜	81FC	C1FB	T9RW0080
188	緜	81FD	C1FC	T9RX0080
189	緜	8241	C240	T9S10080
190	翫	8242	C241	T9S20080
191	翫	8243	C242	T9S30080
192	翫	8244	C243	T9S40080
193	翫	8245	C244	T9S50080
194	翫	8246	C245	T9S60080
195	翫	8247	C246	T9S70080
196	翫	8248	C247	T9S80080
197	翫	8249	C248	T9S90080
198	膊	824A	C249	T9SA0080
199	膊	824B	C24A	T9SB0080
200	膊	824C	C24B	T9SC0080
201	膊	824D	C24C	T9SD0080
202	膊	824E	C24D	T9SE0080
203	膊	824F	C24E	T9SF0080
204	舖	8250	C24F	T9SG0080
205	舖	8251	C250	T9SH0080
206	舖	8252	C251	T9SI0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
207	艗	8253	C252	T9SJ0080
208	艘	8254	C253	T9SK0080
209	艘	8255	C254	T9SL0080
210	編	8256	C255	T9SM0080
211	罄	8257	C256	T9SN0080
212	寇	8258	C257	T9SO0080
213	蓄	8259	C258	T9SP0080
214	韻	825A	C259	T9SQ0080
215	蕒	825B	C25A	T9SR0080
216	藪	825C	C25B	T9SS0080
217	裝	825D	C25C	T9ST0080
218	麓	825E	C25D	T9SU0080
219	族	825F	C25E	T9SV0080
220	焯	8260	C25F	T9SW0080
221	藎	8261	C260	T9SX0080
222	藪	8262	C261	T9SY0080
223	執	8263	C262	T9SZ0080
224	薦	8264	C263	T9T00080
225	藪	8265	C264	T9T10080
226	藪	8266	C265	T9T20080
227	藪	8267	C266	T9T30080
228	藪	8268	C267	T9T40080
229	藪	8269	C268	T9T50080
230	藪	826A	C269	T9T60080
231	藪	826B	C26A	T9T70080
232	藪	826C	C26B	T9T80080

Line Number	Graphic	Host Code	PC Code	GCGID
233	藪	826D	C26C	T9T90080
234	藪	826E	C26D	T9TA0080
235	藪	826F	C26E	T9TB0080
236	藪	8270	C26F	T9TC0080
237	藪	8271	C270	T9TD0080
238	藪	8272	C271	T9TE0080
239	藪	8273	C272	T9TF0080
240	藪	8274	C273	T9TG0080
241	藪	8275	C274	T9TH0080
242	藪	8276	C275	T9TI0080
243	藪	8277	C276	T9TJ0080
244	藪	8278	C277	T9TK0080
245	藪	8279	C278	T9TL0080
246	藪	827A	C279	T9TM0080
247	藪	827B	C27A	T9TN0080
248	藪	827C	C27B	T9TO0080
249	藪	827D	C27C	T9TP0080
250	藪	827E	C27D	T9TQ0080
251	藪	827F	C27E	T9TR0080
252	藪	8281	C280	T9TT0080
253	藪	8282	C281	T9TU0080
254	藪	8283	C282	T9TV0080
255	藪	8284	C283	T9TW0080
256	藪	8285	C284	T9TX0080
257	藪	8286	C285	T9TY0080
258	藪	8287	C286	T9TZ0080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
259	蕪	8288	C287	T9U00080
260	蕪	8289	C288	T9U10080
261	蕪	828A	C289	T9U20080
262	蕪	828B	C28A	T9U30080
263	蕪	828C	C28B	T9U40080
264	蕪	828D	C28C	T9U50080
265	蕪	828E	C28D	T9U60080
266	蕪	828F	C28E	T9U70080
267	蕪	8290	C28F	T9U80080
268	蕪	8291	C290	T9U90080
269	蕪	8292	C291	T9UA0080
270	蕪	8293	C292	T9UB0080
271	蕪	8294	C293	T9UC0080
272	蕪	8295	C294	T9UD0080
273	蕪	8296	C295	T9UE0080
274	蕪	8297	C296	T9UF0080
275	蕪	8298	C297	T9UG0080
276	蕪	8299	C298	T9UH0080
277	蕪	829A	C299	T9UI0080
278	蕪	829B	C29A	T9UJ0080
279	蕪	829C	C29B	T9UK0080
280	蕪	829D	C29C	T9UL0080
281	蕪	829E	C29D	T9UM0080
282	蕪	829F	C29E	T9UN0080
283	蕪	82A0	C29F	T9UO0080
284	蕪	82A1	C2A0	T9UP0080

Line Number	Graphic	Host Code	PC Code	GCGID
285	蝮	82A2	C2A1	T9UQ0080
286	蝮	82A3	C2A2	T9UR0080
287	蝮	82A4	C2A3	T9US0080
288	蝮	82A5	C2A4	T9UT0080
289	蝮	82A6	C2A5	T9UU0080
290	蝮	82A7	C2A6	T9UV0080
291	蝮	82A8	C2A7	T9UW0080
292	蝮	82A9	C2A8	T9UX0080
293	蝮	82AA	C2A9	T9UY0080
294	蝮	82AB	C2AA	T9UZ0080
295	蝮	82AC	C2AB	T9V00080
296	蝮	82AD	C2AC	T9V10080
297	福	82AE	C2AD	T9V20080
298	襪	82AF	C2AE	T9V30080
299	襪	82B0	C2AF	T9V40080
300	褱	82B1	C2B0	T9V50080
301	褱	82B2	C2B1	T9V60080
302	褱	82B3	C2B2	T9V70080
303	褱	82B4	C2B3	T9V80080
304	褱	82B5	C2B4	T9V90080
305	褱	82B6	C2B5	T9VA0080
306	褱	82B7	C2B6	T9VB0080
307	規	82B8	C2B7	T9VC0080
308	規	82B9	C2B8	T9VD0080
309	規	82BA	C2B9	T9VE0080
310	觥	82BB	C2BA	T9VF0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
311	儲	82BC	C2BB	T9VG0080
312	鯨	82BD	C2BC	T9VH0080
313	諷	82BE	C2BD	T9VI0080
314	謀	82BF	C2BE	T9VJ0080
315	誑	82C0	C2BF	T9VK0080
316	諷	82C1	C2C0	T9VL0080
317	諷	82C2	C2C1	T9VM0080
318	諷	82C3	C2C2	T9VN0080
319	諷	82C4	C2C3	T9VO0080
320	諷	82C5	C2C4	T9VP0080
321	諷	82C6	C2C5	T9VQ0080
322	閻	82C7	C2C6	T9VR0080
323	諱	82C8	C2C7	T9VS0080
324	蒼	82C9	C2C8	T9VT0080
325	諫	82CA	C2C9	T9VU0080
326	諫	82CB	C2CA	T9VV0080
327	諫	82CC	C2CB	T9VW0080
328	說	82CD	C2CC	T9VX0080
329	諳	82CE	C2CD	T9VY0080
330	筮	82CF	C2CE	T9VZ0080
331	碑	82D0	C2CF	T9W00080
332	碑	82D1	C2D0	T9W10080
333	碑	82D2	C2D1	T9W20080
334	賈	82D3	C2D2	T9W30080
335	賈	82D4	C2D3	T9W40080
336	賈	82D5	C2D4	T9W50080

Line Number	Graphic	Host Code	PC Code	GCGID
337	賈	82D6	C2D5	T9W60080
338	賈	82D7	C2D6	T9W70080
339	賈	82D8	C2D7	T9W80080
340	賈	82D9	C2D8	T9W90080
341	趨	82DA	C2D9	T9WA0080
342	趨	82DB	C2DA	T9WB0080
343	趨	82DC	C2DB	T9WC0080
344	踭	82DD	C2DC	T9WD0080
345	踭	82DE	C2DD	T9WE0080
346	踭	82DF	C2DE	T9WF0080
347	踭	82E0	C2DF	T9WG0080
348	踭	82E1	C2E0	T9WH0080
349	踭	82E2	C2E1	T9WI0080
350	踭	82E3	C2E2	T9WJ0080
351	踭	82E4	C2E3	T9WK0080
352	踭	82E5	C2E4	T9WL0080
353	踭	82E6	C2E5	T9WM0080
354	踭	82E7	C2E6	T9WN0080
355	踭	82E8	C2E7	T9WO0080
356	踭	82E9	C2E8	T9WP0080
357	踭	82EA	C2E9	T9WQ0080
358	踭	82EB	C2EA	T9WR0080
359	踭	82EC	C2EB	T9WS0080
360	踭	82ED	C2EC	T9WT0080
361	踭	82EE	C2ED	T9WU0080
362	踭	82EF	C2EE	T9WV0080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 11 (Page 8 of 44). Secondary CH-T (3/4), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
363	鯨	82F0	C2EF	T9WW0080
364	鯨	82F1	C2F0	T9WX0080
365	鯨	82F2	C2F1	T9WY0080
366	鯨	82F3	C2F2	T9WZ0080
367	鯨	82F4	C2F3	T9X00080
368	鯨	82F5	C2F4	T9X10080
369	鯨	82F6	C2F5	T9X20080
370	鯨	82F7	C2F6	T9X30080
371	鯨	82F8	C2F7	T9X40080
372	鯨	82F9	C2F8	T9X50080
373	鯨	82FA	C2F9	T9X60080
374	鯨	82FB	C2FA	T9X70080
375	鯨	82FC	C2FB	T9X80080
376	鯨	82FD	C2FC	T9X90080
377	鄴	8341	C340	T9XD0080
378	鄴	8342	C341	T9XE0080
379	鄴	8343	C342	T9XF0080
380	鄴	8344	C343	T9XG0080
381	鄴	8345	C344	T9XH0080
382	鄴	8346	C345	T9XI0080
383	醜	8347	C346	T9XJ0080
384	醜	8348	C347	T9XK0080
385	醜	8349	C348	T9XL0080
386	醜	834A	C349	T9XM0080
387	醜	834B	C34A	T9XN0080
388	醜	834C	C34B	T9XO0080

Table 11 (Page 8 of 44). Secondary CH-T (3/4), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
389	醜	834D	C34C	T9XP0080
390	鋹	834E	C34D	T9XQ0080
391	鋹	834F	C34E	T9XR0080
392	鋹	8350	C34F	T9XS0080
393	鋹	8351	C350	T9XT0080
394	鋹	8352	C351	T9XU0080
395	鋹	8353	C352	T9XV0080
396	鋹	8354	C353	T9XW0080
397	鋹	8355	C354	T9XX0080
398	鋹	8356	C355	T9XY0080
399	鋹	8357	C356	T9XZ0080
400	鋹	8358	C357	T9Y00080
401	鋹	8359	C358	T9Y10080
402	鋹	835A	C359	T9Y20080
403	鋹	835B	C35A	T9Y30080
404	鋹	835C	C35B	T9Y40080
405	鋹	835D	C35C	T9Y50080
406	鋹	835E	C35D	T9Y60080
407	鋹	835F	C35E	T9Y70080
408	鋹	8360	C35F	T9Y80080
409	鋹	8361	C360	T9Y90080
410	鋹	8362	C361	T9YA0080
411	鋹	8363	C362	T9YB0080
412	鋹	8364	C363	T9YC0080
413	鋹	8365	C364	T9YD0080
414	鋹	8366	C365	T9YE0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
415	鏗	8367	C366	T9YF0080
416	鏡	8368	C367	T9YG0080
417	鍍	8369	C368	T9YH0080
418	鋼	836A	C369	T9YI0080
419	鎢	836B	C36A	T9YJ0080
420	鎗	836C	C36B	T9YK0080
421	鎗	836D	C36C	T9YL0080
422	鎗	836E	C36D	T9YM0080
423	鎗	836F	C36E	T9YN0080
424	閩	8370	C36F	T9YO0080
425	閩	8371	C370	T9YP0080
426	閩	8372	C371	T9YQ0080
427	閩	8373	C372	T9YR0080
428	隕	8374	C373	T9YS0080
429	曉	8375	C374	T9YT0080
430	雜	8376	C375	T9YU0080
431	雪	8377	C376	T9YV0080
432	霏	8378	C377	T9YW0080
433	霖	8379	C378	T9YX0080
434	靚	837A	C379	T9YY0080
435	靚	837B	C37A	T9YZ0080
436	靚	837C	C37B	T9Z00080
437	靚	837D	C37C	T9Z10080
438	靚	837E	C37D	T9Z20080
439	靚	837F	C37E	T9Z30080
440	頰	8381	C380	T9Z50080

Line Number	Graphic	Host Code	PC Code	GCGID
441	頰	8382	C381	T9Z60080
442	頰	8383	C382	T9Z70080
443	頰	8384	C383	T9Z80080
444	頰	8385	C384	T9Z90080
445	頰	8386	C385	T9ZA0080
446	頰	8387	C386	T9ZB0080
447	頰	8388	C387	T9ZC0080
448	剛	8389	C388	T9ZD0080
449	養	838A	C389	T9ZE0080
450	養	838B	C38A	T9ZF0080
451	養	838C	C38B	T9ZG0080
452	舖	838D	C38C	T9ZH0080
453	飽	838E	C38D	T9ZI0080
454	餽	838F	C38E	T9ZJ0080
455	餽	8390	C38F	T9ZK0080
456	駟	8391	C390	T9ZL0080
457	駟	8392	C391	T9ZM0080
458	駟	8393	C392	T9ZN0080
459	駟	8394	C393	T9ZO0080
460	駟	8395	C394	T9ZP0080
461	駟	8396	C395	T9ZQ0080
462	駟	8397	C396	T9ZR0080
463	駟	8398	C397	T9ZS0080
464	駟	8399	C398	T9ZT0080
465	駟	839A	C399	T9ZU0080
466	駟	839B	C39A	T9ZV0080

IBM Traditional Chinese Graphic Character Set


DBCS - Host and DBCS - PC

Table 11 (Page 10 of 44). Secondary CH-T (3/4), DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
467	鴛	839C	C39B	T9ZW0080
468	鵝	839D	C39C	T9ZX0080
469	鵞	839E	C39D	T9ZY0080
470	鵟	839F	C39E	T9ZZ0080
471	鬃	83A0	C39F	TA000080
472	鬣	83A1	C3A0	TA010080
473	鬃	83A2	C3A1	TA020080
474	鬃	83A3	C3A2	TA030080
475	鬃	83A4	C3A3	TA040080
476	魴	83A5	C3A4	TA050080
477	魴	83A6	C3A5	TA060080
478	魴	83A7	C3A6	TA070080
479	魴	83A8	C3A7	TA080080
480	魴	83A9	C3A8	TA090080
481	魴	83AA	C3A9	TA0A0080
482	魴	83AB	C3AA	TA0B0080
483	魴	83AC	C3AB	TA0C0080
484	魴	83AD	C3AC	TA0D0080
485	魴	83AE	C3AD	TA0E0080
486	鴉	83AF	C3AE	TA0F0080
487	鴉	83B0	C3AF	TA0G0080
488	鴉	83B1	C3B0	TA0H0080
489	鴉	83B2	C3B1	TA0I0080
490	鴉	83B3	C3B2	TA0J0080
491	鴉	83B4	C3B3	TA0K0080
492	鴉	83B5	C3B4	TA0L0080

Table 11 (Page 10 of 44). Secondary CH-T (3/4), DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
493	鴉	83B6	C3B5	TA0M0080
494	鴉	83B7	C3B6	TA0N0080
495	鴉	83B8	C3B7	TA0O0080
496	鴉	83B9	C3B8	TA0P0080
497	鴉	83BA	C3B9	TA0Q0080
498	鴉	83BB	C3BA	TA0R0080
499	鴉	83BC	C3BB	TA0S0080
500	鴉	83BD	C3BC	TA0T0080
501	鴉	83BE	C3BD	TA0U0080
502	鴉	83BF	C3BE	TA0V0080
503	鴉	83C0	C3BF	TA0W0080
504	鴉	83C1	C3C0	TA0X0080
505	鴉	83C2	C3C1	TA0Y0080
506	鴉	83C3	C3C2	TA0Z0080
507	鴉	83C4	C3C3	TA100080
508	鴉	83C5	C3C4	TA110080
509	鴉	83C6	C3C5	TA120080
510	鴉	83C7	C3C6	TA130080
511	鴉	83C8	C3C7	TA140080
512	鴉	83C9	C3C8	TA150080
513	鴉	83CA	C3C9	TA160080
514	鴉	83CB	C3CA	TA170080
515	鴉	83CC	C3CB	TA180080
516	鴉	83CD	C3CC	TA190080
517	鴉	83CE	C3CD	TA1A0080
518	鴉	83CF	C3CE	TA1B0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
519	噉	83D0	C3CF	TA1C0080
520	園	83D1	C3D0	TA1D0080
521	園	83D2	C3D1	TA1E0080
522	塩	83D3	C3D2	TA1F0080
523	澗	83D4	C3D3	TA1G0080
524	據	83D5	C3D4	TA1H0080
525	澤	83D6	C3D5	TA1I0080
526	塢	83D7	C3D6	TA1J0080
527	壘	83D8	C3D7	TA1K0080
528	壘	83D9	C3D8	TA1L0080
529	壘	83DA	C3D9	TA1M0080
530	嬪	83DB	C3DA	TA1N0080
531	嬪	83DC	C3DB	TA1O0080
532	嬪	83DD	C3DC	TA1P0080
533	嬪	83DE	C3DD	TA1Q0080
534	嬪	83DF	C3DE	TA1R0080
535	嬪	83E0	C3DF	TA1S0080
536	嬪	83E1	C3E0	TA1T0080
537	嬪	83E2	C3E1	TA1U0080
538	嬪	83E3	C3E2	TA1V0080
539	嬪	83E4	C3E3	TA1W0080
540	嬪	83E5	C3E4	TA1X0080
541	嬪	83E6	C3E5	TA1Y0080
542	窩	83E7	C3E6	TA1Z0080
543	嶼	83E8	C3E7	TA200080
544	嶼	83E9	C3E8	TA210080

Line Number	Graphic	Host Code	PC Code	GCGID
545	嶼	83EA	C3E9	TA220080
546	嶼	83EB	C3EA	TA230080
547	嶼	83EC	C3EB	TA240080
548	嶼	83ED	C3EC	TA250080
549	嶼	83EE	C3ED	TA260080
550	嶼	83EF	C3EE	TA270080
551	嶼	83F0	C3EF	TA280080
552	嶼	83F1	C3F0	TA290080
553	嶼	83F2	C3F1	TA2A0080
554	嶼	83F3	C3F2	TA2B0080
555	嶼	83F4	C3F3	TA2C0080
556	嶼	83F5	C3F4	TA2D0080
557	嶼	83F6	C3F5	TA2E0080
558	嶼	83F7	C3F6	TA2F0080
559	嶼	83F8	C3F7	TA2G0080
560	嶼	83F9	C3F8	TA2H0080
561	嶼	83FA	C3F9	TA2I0080
562	嶼	83FB	C3FA	TA2J0080
563	嶼	83FC	C3FB	TA2K0080
564	嶼	83FD	C3FC	TA2L0080
565	張	8441	C440	TA2P0080
566	徹	8442	C441	TA2Q0080
567	慙	8443	C442	TA2R0080
568	慙	8444	C443	TA2S0080
569	慙	8445	C444	TA2T0080
570	慙	8446	C445	TA2U0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
571	悞	8447	C446	TA2V0080
572	燥	8448	C447	TA2W0080
573	悞	8449	C448	TA2X0080
574	悞	844A	C449	TA2Y0080
575	愴	844B	C44A	TA2Z0080
576	傲	844C	C44B	TA300080
577	儉	844D	C44C	TA310080
578	剽	844E	C44D	TA320080
579	擗	844F	C44E	TA330080
580	搗	8450	C44F	TA340080
581	搗	8451	C450	TA350080
582	擗	8452	C451	TA360080
583	擗	8453	C452	TA370080
584	擗	8454	C453	TA380080
585	擊	8455	C454	TA390080
586	擗	8456	C455	TA3A0080
587	擗	8457	C456	TA3B0080
588	擗	8458	C457	TA3C0080
589	換	8459	C458	TA3D0080
590	燈	845A	C459	TA3E0080
591	敵	845B	C45A	TA3F0080
592	鼓	845C	C45B	TA3G0080
593	斟	845D	C45C	TA3H0080
594	瞳	845E	C45D	TA3I0080
595	嗽	845F	C45E	TA3J0080
596	噤	8460	C45F	TA3K0080

Line Number	Graphic	Host Code	PC Code	GCGID
597	噴	8461	C460	TA3L0080
598	暉	8462	C461	TA3M0080
599	暉	8463	C462	TA3N0080
600	隣	8464	C463	TA3O0080
601	曠	8465	C464	TA3P0080
602	暉	8466	C465	TA3Q0080
603	墜	8467	C466	TA3R0080
604	腫	8468	C467	TA3S0080
605	穢	8469	C468	TA3T0080
606	撞	846A	C469	TA3U0080
607	隣	846B	C46A	TA3V0080
608	檜	846C	C46B	TA3W0080
609	槭	846D	C46C	TA3X0080
610	積	846E	C46D	TA3Y0080
611	越	846F	C46E	TA3Z0080
612	禪	8470	C46F	TA400080
613	樟	8471	C470	TA410080
614	穢	8472	C471	TA420080
615	檫	8473	C472	TA430080
616	樟	8474	C473	TA440080
617	樺	8475	C474	TA450080
618	櫛	8476	C475	TA460080
619	櫛	8477	C476	TA470080
620	櫛	8478	C477	TA480080
621	櫛	8479	C478	TA490080
622	櫛	847A	C479	TA4A0080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 11 (Page 13 of 44). Secondary CH-T (3/4), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
623	榮	847B	C47A	TA4B0080
624	藁	847C	C47B	TA4C0080
625	檣	847D	C47C	TA4D0080
626	檄	847E	C47D	TA4E0080
627	檟	847F	C47E	TA4F0080
628	檠	8481	C480	TA4H0080
629	檡	8482	C481	TA4I0080
630	檢	8483	C482	TA4J0080
631	檣	8484	C483	TA4K0080
632	檤	8485	C484	TA4L0080
633	檥	8486	C485	TA4M0080
634	檦	8487	C486	TA4N0080
635	檧	8488	C487	TA4O0080
636	檨	8489	C488	TA4P0080
637	欵	848A	C489	TA4Q0080
638	獻	848B	C48A	TA4R0080
639	歆	848C	C48B	TA4S0080
640	歙	848D	C48C	TA4T0080
641	瘧	848E	C48D	TA4U0080
642	殫	848F	C48E	TA4V0080
643	鰾	8490	C48F	TA4W0080
644	穀	8491	C490	TA4X0080
645	駝	8492	C491	TA4Y0080
646	駝	8493	C492	TA4Z0080
647	漚	8494	C493	TA500080
648	漚	8495	C494	TA510080

Table 11 (Page 13 of 44). Secondary CH-T (3/4), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
649	漚	8496	C495	TA520080
650	漚	8497	C496	TA530080
651	漚	8498	C497	TA540080
652	漚	8499	C498	TA550080
653	漚	849A	C499	TA560080
654	漚	849B	C49A	TA570080
655	漚	849C	C49B	TA580080
656	漚	849D	C49C	TA590080
657	漚	849E	C49D	TA5A0080
658	漚	849F	C49E	TA5B0080
659	漚	84A0	C49F	TA5C0080
660	漚	84A1	C4A0	TA5D0080
661	漚	84A2	C4A1	TA5E0080
662	漚	84A3	C4A2	TA5F0080
663	漚	84A4	C4A3	TA5G0080
664	漚	84A5	C4A4	TA5H0080
665	漚	84A6	C4A5	TA5I0080
666	漚	84A7	C4A6	TA5J0080
667	漚	84A8	C4A7	TA5K0080
668	漚	84A9	C4A8	TA5L0080
669	漚	84AA	C4A9	TA5M0080
670	漚	84AB	C4AA	TA5N0080
671	漚	84AC	C4AB	TA5O0080
672	漚	84AD	C4AC	TA5P0080
673	漚	84AE	C4AD	TA5Q0080
674	漚	84AF	C4AE	TA5R0080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
675	灑	84B0	C4AF	TA5S0080
676	滄	84B1	C4B0	TA5T0080
677	撥	84B2	C4B1	TA5U0080
678	燂	84B3	C4B2	TA5V0080
679	熨	84B4	C4B3	TA5W0080
680	燂	84B5	C4B4	TA5X0080
681	燂	84B6	C4B5	TA5Y0080
682	燂	84B7	C4B6	TA5Z0080
683	燂	84B8	C4B7	TA600080
684	燂	84B9	C4B8	TA610080
685	燂	84BA	C4B9	TA620080
686	燂	84BB	C4BA	TA630080
687	燂	84BC	C4BB	TA640080
688	燂	84BD	C4BC	TA650080
689	燂	84BE	C4BD	TA660080
690	燂	84BF	C4BE	TA670080
691	燂	84C0	C4BF	TA680080
692	燂	84C1	C4C0	TA690080
693	燂	84C2	C4C1	TA6A0080
694	燂	84C3	C4C2	TA6B0080
695	燂	84C4	C4C3	TA6C0080
696	燂	84C5	C4C4	TA6D0080
697	燂	84C6	C4C5	TA6E0080
698	燂	84C7	C4C6	TA6F0080
699	燂	84C8	C4C7	TA6G0080
700	燂	84C9	C4C8	TA6H0080

Line Number	Graphic	Host Code	PC Code	GCGID
701	獺	84CA	C4C9	TA6I0080
702	獺	84CB	C4CA	TA6J0080
703	獺	84CC	C4CB	TA6K0080
704	獺	84CD	C4CC	TA6L0080
705	獺	84CE	C4CD	TA6M0080
706	獺	84CF	C4CE	TA6N0080
707	獺	84D0	C4CF	TA6O0080
708	獺	84D1	C4D0	TA6P0080
709	獺	84D2	C4D1	TA6Q0080
710	獺	84D3	C4D2	TA6R0080
711	獺	84D4	C4D3	TA6S0080
712	獺	84D5	C4D4	TA6T0080
713	獺	84D6	C4D5	TA6U0080
714	獺	84D7	C4D6	TA6V0080
715	獺	84D8	C4D7	TA6W0080
716	獺	84D9	C4D8	TA6X0080
717	獺	84DA	C4D9	TA6Y0080
718	獺	84DB	C4DA	TA6Z0080
719	獺	84DC	C4DB	TA700080
720	獺	84DD	C4DC	TA710080
721	獺	84DE	C4DD	TA720080
722	獺	84DF	C4DE	TA730080
723	獺	84E0	C4DF	TA740080
724	獺	84E1	C4E0	TA750080
725	獺	84E2	C4E1	TA760080
726	獺	84E3	C4E2	TA770080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 11 (Page 15 of 44). Secondary CH-T (3/4), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
727	瞶	84E4	C4E3	TA780080
728	瞶	84E5	C4E4	TA790080
729	瞶	84E6	C4E5	TA7A0080
730	瞶	84E7	C4E6	TA7B0080
731	瞶	84E8	C4E7	TA7C0080
732	瞶	84E9	C4E8	TA7D0080
733	瞶	84EA	C4E9	TA7E0080
734	瞶	84EB	C4EA	TA7F0080
735	瞶	84EC	C4EB	TA7G0080
736	瞶	84ED	C4EC	TA7H0080
737	瞶	84EE	C4ED	TA7I0080
738	瞶	84EF	C4EE	TA7J0080
739	瞶	84F0	C4EF	TA7K0080
740	瞶	84F1	C4F0	TA7L0080
741	瞶	84F2	C4F1	TA7M0080
742	瞶	84F3	C4F2	TA7N0080
743	瞶	84F4	C4F3	TA7O0080
744	瞶	84F5	C4F4	TA7P0080
745	瞶	84F6	C4F5	TA7Q0080
746	瞶	84F7	C4F6	TA7R0080
747	瞶	84F8	C4F7	TA7S0080
748	瞶	84F9	C4F8	TA7T0080
749	瞶	84FA	C4F9	TA7U0080
750	瞶	84FB	C4FA	TA7V0080
751	瞶	84FC	C4FB	TA7W0080
752	瞶	84FD	C4FC	TA7X0080

Table 11 (Page 15 of 44). Secondary CH-T (3/4), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
753	窳	8541	C540	TA810080
754	窳	8542	C541	TA820080
755	窳	8543	C542	TA830080
756	窳	8544	C543	TA840080
757	窳	8545	C544	TA850080
758	窳	8546	C545	TA860080
759	窳	8547	C546	TA870080
760	窳	8548	C547	TA880080
761	窳	8549	C548	TA890080
762	窳	854A	C549	TA8A0080
763	窳	854B	C54A	TA8B0080
764	窳	854C	C54B	TA8C0080
765	窳	854D	C54C	TA8D0080
766	窳	854E	C54D	TA8E0080
767	窳	854F	C54E	TA8F0080
768	窳	8550	C54F	TA8G0080
769	窳	8551	C550	TA8H0080
770	窳	8552	C551	TA8I0080
771	窳	8553	C552	TA8J0080
772	窳	8554	C553	TA8K0080
773	窳	8555	C554	TA8L0080
774	窳	8556	C555	TA8M0080
775	窳	8557	C556	TA8N0080
776	窳	8558	C557	TA8O0080
777	窳	8559	C558	TA8P0080
778	窳	855A	C559	TA8Q0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
779	縲	855B	C55A	TA8R0080
780	縲	855C	C55B	TA8S0080
781	縲	855D	C55C	TA8T0080
782	縲	855E	C55D	TA8U0080
783	縲	855F	C55E	TA8V0080
784	縲	8560	C55F	TA8W0080
785	縲	8561	C560	TA8X0080
786	縲	8562	C561	TA8Y0080
787	縲	8563	C562	TA8Z0080
788	縲	8564	C563	TA900080
789	縲	8565	C564	TA910080
790	縲	8566	C565	TA920080
791	縲	8567	C566	TA930080
792	縲	8568	C567	TA940080
793	縲	8569	C568	TA950080
794	縲	856A	C569	TA960080
795	縲	856B	C56A	TA970080
796	縲	856C	C56B	TA980080
797	縲	856D	C56C	TA990080
798	縲	856E	C56D	TA9A0080
799	縲	856F	C56E	TA9B0080
800	縲	8570	C56F	TA9C0080
801	縲	8571	C570	TA9D0080
802	縲	8572	C571	TA9E0080
803	縲	8573	C572	TA9F0080
804	縲	8574	C573	TA9G0080

Line Number	Graphic	Host Code	PC Code	GCGID
805	縲	8575	C574	TA9H0080
806	縲	8576	C575	TA9I0080
807	縲	8577	C576	TA9J0080
808	縲	8578	C577	TA9K0080
809	縲	8579	C578	TA9L0080
810	縲	857A	C579	TA9M0080
811	縲	857B	C57A	TA9N0080
812	縲	857C	C57B	TA9O0080
813	縲	857D	C57C	TA9P0080
814	縲	857E	C57D	TA9Q0080
815	縲	857F	C57E	TA9R0080
816	縲	8581	C580	TA9T0080
817	縲	8582	C581	TA9U0080
818	縲	8583	C582	TA9V0080
819	縲	8584	C583	TA9W0080
820	縲	8585	C584	TA9X0080
821	縲	8586	C585	TA9Y0080
822	縲	8587	C586	TA9Z0080
823	縲	8588	C587	TAA00080
824	縲	8589	C588	TAA10080
825	縲	858A	C589	TAA20080
826	縲	858B	C58A	TAA30080
827	縲	858C	C58B	TAA40080
828	縲	858D	C58C	TAA50080
829	縲	858E	C58D	TAA60080
830	縲	858F	C58E	TAA70080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 11 (Page 17 of 44). Secondary CH-T (3/4), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
831	蕒	8590	C58F	TAA80080
832	藹	8591	C590	TAA90080
833	藺	8592	C591	TAAA0080
834	藎	8593	C592	TAAB0080
835	藐	8594	C593	TAAC0080
836	藑	8595	C594	TAAD0080
837	藒	8596	C595	TAAE0080
838	藓	8597	C596	TAAF0080
839	藔	8598	C597	TAAG0080
840	藕	8599	C598	TAAH0080
841	藖	859A	C599	TAAI0080
842	藗	859B	C59A	TAAJ0080
843	藘	859C	C59B	TAAK0080
844	藙	859D	C59C	TAAL0080
845	藚	859E	C59D	TAAM0080
846	藛	859F	C59E	TAAN0080
847	藜	85A0	C59F	TAAO0080
848	藜	85A1	C5A0	TAAP0080
849	藜	85A2	C5A1	TAAQ0080
850	藜	85A3	C5A2	TAAR0080
851	藜	85A4	C5A3	TAAS0080
852	藜	85A5	C5A4	TAAT0080
853	藜	85A6	C5A5	TAAU0080
854	藜	85A7	C5A6	TAAV0080
855	藜	85A8	C5A7	TAAW0080
856	藜	85A9	C5A8	TAA X0080

Table 11 (Page 17 of 44). Secondary CH-T (3/4), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
857	藜	85AA	C5A9	TAA Y0080
858	藜	85AB	C5AA	TAA Z0080
859	藜	85AC	C5AB	TAB00080
860	藜	85AD	C5AC	TAB10080
861	藜	85AE	C5AD	TAB20080
862	藜	85AF	C5AE	TAB30080
863	藜	85B0	C5AF	TAB40080
864	藜	85B1	C5B0	TAB50080
865	藜	85B2	C5B1	TAB60080
866	藜	85B3	C5B2	TAB70080
867	藜	85B4	C5B3	TAB80080
868	藜	85B5	C5B4	TAB90080
869	藜	85B6	C5B5	TABA0080
870	藜	85B7	C5B6	TABB0080
871	藜	85B8	C5B7	TABC0080
872	藜	85B9	C5B8	TABD0080
873	藜	85BA	C5B9	TABE0080
874	藜	85BB	C5BA	TABF0080
875	藜	85BC	C5BB	TABG0080
876	藜	85BD	C5BC	TABH0080
877	藜	85BE	C5BD	TABI0080
878	藜	85BF	C5BE	TABJ0080
879	藜	85C0	C5BF	TABK0080
880	藜	85C1	C5C0	TABL0080
881	藜	85C2	C5C1	TABM0080
882	藜	85C3	C5C2	TABN0080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
883	襲	85C4	C5C3	TABO0080
884	榕	85C5	C5C4	TABP0080
885	襦	85C6	C5C5	TABQ0080
886	襖	85C7	C5C6	TABR0080
887	褐	85C8	C5C7	TABS0080
888	霄	85C9	C5C8	TABT0080
889	誼	85CA	C5C9	TABU0080
890	譚	85CB	C5CA	TABV0080
891	諄	85CC	C5CB	TABW0080
892	誠	85CD	C5CC	TABX0080
893	誦	85CE	C5CD	TABY0080
894	誦	85CF	C5CE	TABZ0080
895	諱	85D0	C5CF	TAC00080
896	諤	85D1	C5D0	TAC10080
897	諛	85D2	C5D1	TAC20080
898	認	85D3	C5D2	TAC30080
899	謹	85D4	C5D3	TAC40080
900	論	85D5	C5D4	TAC50080
901	諡	85D6	C5D5	TAC60080
902	誦	85D7	C5D6	TAC70080
903	誦	85D8	C5D7	TAC80080
904	誦	85D9	C5D8	TAC90080
905	誼	85DA	C5D9	TACA0080
906	緝	85DB	C5DA	TACB0080
907	緝	85DC	C5DB	TACC0080
908	緝	85DD	C5DC	TACD0080

Line Number	Graphic	Host Code	PC Code	GCGID
909	贈	85DE	C5DD	TACE0080
910	賈	85DF	C5DE	TACF0080
911	暉	85E0	C5DF	TACG0080
912	賭	85E1	C5E0	TACH0080
913	賊	85E2	C5E1	TACI0080
914	賴	85E3	C5E2	TACJ0080
915	賴	85E4	C5E3	TACK0080
916	趨	85E5	C5E4	TACL0080
917	趨	85E6	C5E5	TACM0080
918	躋	85E7	C5E6	TACN0080
919	躋	85E8	C5E7	TACO0080
920	躋	85E9	C5E8	TACP0080
921	躋	85EA	C5E9	TACQ0080
922	躋	85EB	C5EA	TACR0080
923	躋	85EC	C5EB	TACS0080
924	躋	85ED	C5EC	TACT0080
925	躋	85EE	C5ED	TACU0080
926	躋	85EF	C5EE	TACV0080
927	躋	85F0	C5EF	TACW0080
928	躋	85F1	C5F0	TACX0080
929	躋	85F2	C5F1	TACY0080
930	躋	85F3	C5F2	TACZ0080
931	躋	85F4	C5F3	TAD00080
932	躋	85F5	C5F4	TAD10080
933	躋	85F6	C5F5	TAD20080
934	躋	85F7	C5F6	TAD30080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 11 (Page 19 of 44). Secondary CH-T (3/4), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
935	鞣	85F8	C5F7	TAD40080
936	鞣	85F9	C5F8	TAD50080
937	遼	85FA	C5F9	TAD60080
938	遼	85FB	C5FA	TAD70080
939	遼	85FC	C5FB	TAD80080
940	遼	85FD	C5FC	TAD90080
941	鎔	8641	C640	TADD0080
942	鄺	8642	C641	TADE0080
943	鄺	8643	C642	TADF0080
944	鄺	8644	C643	TADG0080
945	醯	8645	C644	TADH0080
946	醐	8646	C645	TADI0080
947	醞	8647	C646	TADJ0080
948	醞	8648	C647	TADK0080
949	醋	8649	C648	TADL0080
950	鎰	864A	C649	TADM0080
951	鎰	864B	C64A	TADN0080
952	鎰	864C	C64B	TADO0080
953	鎰	864D	C64C	TADP0080
954	鎰	864E	C64D	TADQ0080
955	鎰	864F	C64E	TADR0080
956	鎰	8650	C64F	TADS0080
957	鎰	8651	C650	TADT0080
958	鎰	8652	C651	TADU0080
959	鎰	8653	C652	TADV0080
960	鎰	8654	C653	TADW0080

Table 11 (Page 19 of 44). Secondary CH-T (3/4), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
961	鋼	8655	C654	TADX0080
962	鏢	8656	C655	TADY0080
963	鋼	8657	C656	TADZ0080
964	鋼	8658	C657	TAE00080
965	鎳	8659	C658	TAE10080
966	鎳	865A	C659	TAE20080
967	鎳	865B	C65A	TAE30080
968	鎳	865C	C65B	TAE40080
969	鎳	865D	C65C	TAE50080
970	鎳	865E	C65D	TAE60080
971	鎳	865F	C65E	TAE70080
972	銀	8660	C65F	TAE80080
973	銀	8661	C660	TAE90080
974	鎳	8662	C661	TAEA0080
975	鎳	8663	C662	TAEB0080
976	鎳	8664	C663	TAEC0080
977	鎳	8665	C664	TAED0080
978	鎳	8666	C665	TAEE0080
979	鎳	8667	C666	TAEF0080
980	鎳	8668	C667	TAEG0080
981	鎳	8669	C668	TAEH0080
982	鎳	866A	C669	TAEI0080
983	鎳	866B	C66A	TAEJ0080
984	鎳	866C	C66B	TAEK0080
985	鎳	866D	C66C	TAEL0080
986	鎳	866E	C66D	TAEM0080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 11 (Page 20 of 44). Secondary CH-T (3/4), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
987	鎗	866F	C66E	TAEN0080
988	鑿	8670	C66F	TAE00080
989	鑿	8671	C670	TAEP0080
990	闕	8672	C671	TAEQ0080
991	闕	8673	C672	TAER0080
992	闕	8674	C673	TAES0080
993	闕	8675	C674	TAET0080
994	闕	8676	C675	TAEU0080
995	闕	8677	C676	TAEV0080
996	闕	8678	C677	TAEW0080
997	闕	8679	C678	TAEX0080
998	闕	867A	C679	TAEY0080
999	闕	867B	C67A	TAEZ0080
1000	雥	867C	C67B	TAF00080
1001	雥	867D	C67C	TAF10080
1002	雥	867E	C67D	TAF20080
1003	雥	867F	C67E	TAF30080
1004	鞞	8681	C680	TAF50080
1005	鞞	8682	C681	TAF60080
1006	鞞	8683	C682	TAF70080
1007	鞞	8684	C683	TAF80080
1008	鞞	8685	C684	TAF90080
1009	鞞	8686	C685	TAF00080
1010	鞞	8687	C686	TAFB0080
1011	鞞	8688	C687	T AFC0080
1012	鞞	8689	C688	TAFD0080

Table 11 (Page 20 of 44). Secondary CH-T (3/4), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1013	餓	868A	C689	TAFE0080
1014	餓	868B	C68A	TAFF0080
1015	餓	868C	C68B	TAFG0080
1016	餓	868D	C68C	TAFH0080
1017	駁	868E	C68D	TAFI0080
1018	駁	868F	C68E	TAFJ0080
1019	駁	8690	C68F	TAFK0080
1020	駁	8691	C690	T AFL0080
1021	駁	8692	C691	TAFM0080
1022	駁	8693	C692	TAFN0080
1023	駁	8694	C693	TAF00080
1024	駁	8695	C694	TAFP0080
1025	駁	8696	C695	TAFQ0080
1026	駁	8697	C696	TAFR0080
1027	駁	8698	C697	TAFS0080
1028	駁	8699	C698	TAFT0080
1029	駁	869A	C699	TAFU0080
1030	駁	869B	C69A	TAFV0080
1031	駁	869C	C69B	TAFW0080
1032	駁	869D	C69C	TAFX0080
1033	駁	869E	C69D	TAFY0080
1034	駁	869F	C69E	TAFZ0080
1035	鮫	86A0	C69F	TAG00080
1036	鮫	86A1	C6A0	TAG10080
1037	鮫	86A2	C6A1	TAG20080
1038	鮫	86A3	C6A2	TAG30080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 11 (Page 21 of 44). Secondary CH-T (3/4), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1039	鯉	86A4	C6A3	TAG40080
1040	鯉	86A5	C6A4	TAG50080
1041	鯉	86A6	C6A5	TAG60080
1042	鯉	86A7	C6A6	TAG70080
1043	鯉	86A8	C6A7	TAG80080
1044	鯉	86A9	C6A8	TAG90080
1045	鯉	86AA	C6A9	TAGA0080
1046	鯉	86AB	C6AA	TAGB0080
1047	鯉	86AC	C6AB	TAGC0080
1048	鯉	86AD	C6AC	TAGD0080
1049	鯉	86AE	C6AD	TAGE0080
1050	鯉	86AF	C6AE	TAGF0080
1051	鯉	86B0	C6AF	TAGG0080
1052	鯉	86B1	C6B0	TAGH0080
1053	鯉	86B2	C6B1	TAGI0080
1054	鯉	86B3	C6B2	TAGJ0080
1055	鯉	86B4	C6B3	TAGK0080
1056	鯉	86B5	C6B4	TAGL0080
1057	鯉	86B6	C6B5	TAGM0080
1058	鯉	86B7	C6B6	TAGN0080
1059	鯉	86B8	C6B7	TAGO0080
1060	鯉	86B9	C6B8	TAGP0080
1061	塵	86BA	C6B9	TAGQ0080
1062	塵	86BB	C6BA	TAGR0080
1063	塵	86BC	C6BB	TAGS0080
1064	麩	86BD	C6BC	TAGT0080

Table 11 (Page 21 of 44). Secondary CH-T (3/4), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1065	麩	86BE	C6BD	TAGU0080
1066	麩	86BF	C6BE	TAGV0080
1067	麩	86C0	C6BF	TAGW0080
1068	麩	86C1	C6C0	TAGX0080
1069	麩	86C2	C6C1	TAGY0080
1070	麩	86C3	C6C2	TAGZ0080
1071	儻	86C4	C6C3	TAH00080
1072	儻	86C5	C6C4	TAH10080
1073	儻	86C6	C6C5	TAH20080
1074	儻	86C7	C6C6	TAH30080
1075	儻	86C8	C6C7	TAH40080
1076	儻	86C9	C6C8	TAH50080
1077	勳	86CA	C6C9	TAH60080
1078	嚙	86CB	C6CA	TAH70080
1079	嚙	86CC	C6CB	TAH80080
1080	嚙	86CD	C6CC	TAH90080
1081	嚙	86CE	C6CD	TAHA0080
1082	嚙	86CF	C6CE	TAHB0080
1083	嚙	86D0	C6CF	TAHC0080
1084	嚙	86D1	C6D0	TAHD0080
1085	嚙	86D2	C6D1	TAHE0080
1086	嚙	86D3	C6D2	TAHF0080
1087	嚙	86D4	C6D3	TAHG0080
1088	嚙	86D5	C6D4	TAHH0080
1089	嚙	86D6	C6D5	TAHI0080
1090	嚙	86D7	C6D6	TAHJ0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
1091	嗑	86D8	C6D7	TAHK0080
1092	嫻	86D9	C6D8	TAHL0080
1093	擢	86DA	C6D9	TAHM0080
1094	擗	86DB	C6DA	TAHN0080
1095	擗	86DC	C6DB	TAHO0080
1096	擗	86DD	C6DC	TAHP0080
1097	擗	86DE	C6DD	TAHQ0080
1098	擗	86DF	C6DE	TAHR0080
1099	擗	86E0	C6DF	TAHS0080
1100	擗	86E1	C6E0	TAHT0080
1101	擗	86E2	C6E1	TAHU0080
1102	擗	86E3	C6E2	TAHV0080
1103	擗	86E4	C6E3	TAHW0080
1104	擗	86E5	C6E4	TAHX0080
1105	擗	86E6	C6E5	TAHY0080
1106	擗	86E7	C6E6	TAHZ0080
1107	擗	86E8	C6E7	TAI00080
1108	擗	86E9	C6E8	TAI10080
1109	擗	86EA	C6E9	TAI20080
1110	擗	86EB	C6EA	TAI30080
1111	擗	86EC	C6EB	TAI40080
1112	擗	86ED	C6EC	TAI50080
1113	擗	86EE	C6ED	TAI60080
1114	擗	86EF	C6EE	TAI70080
1115	擗	86F0	C6EF	TAI80080
1116	擗	86F1	C6F0	TAI90080

Line Number	Graphic	Host Code	PC Code	GCGID
1117	擗	86F2	C6F1	TAIA0080
1118	擗	86F3	C6F2	TAIB0080
1119	擗	86F4	C6F3	TAIC0080
1120	擗	86F5	C6F4	TAID0080
1121	擗	86F6	C6F5	TAIE0080
1122	擗	86F7	C6F6	TAIF0080
1123	擗	86F8	C6F7	TAIG0080
1124	擗	86F9	C6F8	TAIH0080
1125	擗	86FA	C6F9	TAII0080
1126	擗	86FB	C6FA	TAIJ0080
1127	擗	86FC	C6FB	TAIK0080
1128	擗	86FD	C6FC	TAIL0080
1129	擗	8741	C740	TAIP0080
1130	擗	8742	C741	TAIQ0080
1131	擗	8743	C742	TAIR0080
1132	擗	8744	C743	TAIS0080
1133	擗	8745	C744	TAIT0080
1134	擗	8746	C745	TAIU0080
1135	擗	8747	C746	TAIV0080
1136	擗	8748	C747	TAIW0080
1137	擗	8749	C748	TAIX0080
1138	擗	874A	C749	TAIY0080
1139	擗	874B	C74A	TAIZ0080
1140	擗	874C	C74B	TAJ00080
1141	擗	874D	C74C	TAJ10080
1142	擗	874E	C74D	TAJ20080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 11 (Page 23 of 44). Secondary CH-T (3/4), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1143	樣	874F	C74E	TAJ30080
1144	槿	8750	C74F	TAJ40080
1145	榑	8751	C750	TAJ50080
1146	榑	8752	C751	TAJ60080
1147	榑	8753	C752	TAJ70080
1148	榑	8754	C753	TAJ80080
1149	榑	8755	C754	TAJ90080
1150	榑	8756	C755	TAJA0080
1151	釐	8757	C756	TAJB0080
1152	斂	8758	C757	TAJC0080
1153	彊	8759	C758	TAJD0080
1154	斂	875A	C759	TAJE0080
1155	釐	875B	C75A	TAJF0080
1156	釐	875C	C75B	TAJG0080
1157	潑	875D	C75C	TAJH0080
1158	灑	875E	C75D	TAJI0080
1159	灑	875F	C75E	TAJJ0080
1160	灑	8760	C75F	TAJK0080
1161	灑	8761	C760	TAJL0080
1162	灑	8762	C761	TAJM0080
1163	灑	8763	C762	TAJN0080
1164	灑	8764	C763	TAJO0080
1165	灑	8765	C764	TAJP0080
1166	灑	8766	C765	TAJQ0080
1167	灑	8767	C766	TAJR0080
1168	灑	8768	C767	TAJS0080

Table 11 (Page 23 of 44). Secondary CH-T (3/4), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1169	燁	8769	C768	TAJT0080
1170	燁	876A	C769	TAJU0080
1171	燁	876B	C76A	TAJV0080
1172	燁	876C	C76B	TAJW0080
1173	燁	876D	C76C	TAJX0080
1174	燁	876E	C76D	TAJY0080
1175	燁	876F	C76E	TAJZ0080
1176	獯	8770	C76F	TAK00080
1177	獯	8771	C770	TAK10080
1178	獯	8772	C771	TAK20080
1179	灑	8773	C772	TAK30080
1180	璿	8774	C773	TAK40080
1181	璿	8775	C774	TAK50080
1182	璿	8776	C775	TAK60080
1183	璿	8777	C776	TAK70080
1184	璿	8778	C777	TAK80080
1185	璿	8779	C778	TAK90080
1186	璿	877A	C779	TAKA0080
1187	璿	877B	C77A	TAKB0080
1188	璿	877C	C77B	TAKC0080
1189	璿	877D	C77C	TAKD0080
1190	璿	877E	C77D	TAKE0080
1191	璿	877F	C77E	TAKF0080
1192	璿	8781	C780	TAKH0080
1193	癩	8782	C781	TAKI0080
1194	癩	8783	C782	TAKJ0080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 11 (Page 24 of 44). Secondary CH-T (3/4), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1195	瘡	8784	C783	TAKK0080
1196	癩	8785	C784	TAKL0080
1197	皚	8786	C785	TAKM0080
1198	皚	8787	C786	TAKN0080
1199	皚	8788	C787	TAKO0080
1200	皚	8789	C788	TAKP0080
1201	皚	878A	C789	TAKQ0080
1202	皚	878B	C78A	TAKR0080
1203	皚	878C	C78B	TAKS0080
1204	皚	878D	C78C	TAKT0080
1205	皚	878E	C78D	TAKU0080
1206	皚	878F	C78E	TAKV0080
1207	皚	8790	C78F	TAKW0080
1208	皚	8791	C790	TAKX0080
1209	皚	8792	C791	TAKY0080
1210	皚	8793	C792	TAKZ0080
1211	皚	8794	C793	TAL00080
1212	皚	8795	C794	TAL10080
1213	皚	8796	C795	TAL20080
1214	皚	8797	C796	TAL30080
1215	皚	8798	C797	TAL40080
1216	皚	8799	C798	TAL50080
1217	皚	879A	C799	TAL60080
1218	皚	879B	C79A	TAL70080
1219	皚	879C	C79B	TAL80080
1220	皚	879D	C79C	TAL90080

Table 11 (Page 24 of 44). Secondary CH-T (3/4), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1221	篋	879E	C79D	TALA0080
1222	篋	879F	C79E	TALB0080
1223	篋	87A0	C79F	TALC0080
1224	篋	87A1	C7A0	TALD0080
1225	篋	87A2	C7A1	TALE0080
1226	篋	87A3	C7A2	TALF0080
1227	篋	87A4	C7A3	TALG0080
1228	篋	87A5	C7A4	TALH0080
1229	篋	87A6	C7A5	TALI0080
1230	篋	87A7	C7A6	TALJ0080
1231	篋	87A8	C7A7	TALK0080
1232	篋	87A9	C7A8	TALL0080
1233	篋	87AA	C7A9	TALM0080
1234	篋	87AB	C7AA	TALN0080
1235	篋	87AC	C7AB	TALO0080
1236	篋	87AD	C7AC	TALP0080
1237	篋	87AE	C7AD	TALQ0080
1238	篋	87AF	C7AE	TALR0080
1239	篋	87B0	C7AF	TALS0080
1240	篋	87B1	C7B0	TALT0080
1241	篋	87B2	C7B1	TALU0080
1242	篋	87B3	C7B2	TALV0080
1243	篋	87B4	C7B3	TALW0080
1244	篋	87B5	C7B4	TALX0080
1245	篋	87B6	C7B5	TALY0080
1246	篋	87B7	C7B6	TALZ0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
1247	藨	87B8	C7B7	TAM00080
1248	藨	87B9	C7B8	TAM10080
1249	藨	87BA	C7B9	TAM20080
1250	藨	87BB	C7BA	TAM30080
1251	縞	87BC	C7BB	TAM40080
1252	縞	87BD	C7BC	TAM50080
1253	縞	87BE	C7BD	TAM60080
1254	縞	87BF	C7BE	TAM70080
1255	縞	87C0	C7BF	TAM80080
1256	縞	87C1	C7C0	TAM90080
1257	縞	87C2	C7C1	TAMA0080
1258	縞	87C3	C7C2	TAMB0080
1259	縞	87C4	C7C3	TAMC0080
1260	縞	87C5	C7C4	TAMD0080
1261	縞	87C6	C7C5	TAME0080
1262	縞	87C7	C7C6	TAMF0080
1263	縞	87C8	C7C7	TAMG0080
1264	縞	87C9	C7C8	TAMH0080
1265	縞	87CA	C7C9	TAMI0080
1266	縞	87CB	C7CA	TAMJ0080
1267	縞	87CC	C7CB	TAMK0080
1268	縞	87CD	C7CC	TAML0080
1269	置	87CE	C7CD	TAMM0080
1270	置	87CF	C7CE	TAMN0080
1271	厨	87D0	C7CF	TAMO0080
1272	厨	87D1	C7D0	TAMP0080

Line Number	Graphic	Host Code	PC Code	GCGID
1273	縞	87D2	C7D1	TAMQ0080
1274	縞	87D3	C7D2	TAMR0080
1275	縞	87D4	C7D3	TAMS0080
1276	縞	87D5	C7D4	TAMT0080
1277	縞	87D6	C7D5	TAMU0080
1278	縞	87D7	C7D6	TAMV0080
1279	縞	87D8	C7D7	TAMW0080
1280	縞	87D9	C7D8	TAMX0080
1281	縞	87DA	C7D9	TAMY0080
1282	縞	87DB	C7DA	TAMZ0080
1283	縞	87DC	C7DB	TAN00080
1284	縞	87DD	C7DC	TAN10080
1285	縞	87DE	C7DD	TAN20080
1286	縞	87DF	C7DE	TAN30080
1287	縞	87E0	C7DF	TAN40080
1288	縞	87E1	C7E0	TAN50080
1289	縞	87E2	C7E1	TAN60080
1290	縞	87E3	C7E2	TAN70080
1291	縞	87E4	C7E3	TAN80080
1292	縞	87E5	C7E4	TAN90080
1293	縞	87E6	C7E5	TANA0080
1294	縞	87E7	C7E6	TANB0080
1295	縞	87E8	C7E7	TANC0080
1296	縞	87E9	C7E8	TAND0080
1297	縞	87EA	C7E9	TANE0080
1298	縞	87EB	C7EA	TANF0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
1299	蕻	87EC	C7EB	TANG0080
1300	蕻	87ED	C7EC	TANH0080
1301	蕻	87EE	C7ED	TANI0080
1302	蕻	87EF	C7EE	TANJ0080
1303	蕻	87F0	C7EF	TANK0080
1304	蕻	87F1	C7F0	TANL0080
1305	蕻	87F2	C7F1	TANM0080
1306	蕻	87F3	C7F2	TANN0080
1307	蕻	87F4	C7F3	TANO0080
1308	蕻	87F5	C7F4	TANP0080
1309	蕻	87F6	C7F5	TANQ0080
1310	蕻	87F7	C7F6	TANR0080
1311	蕻	87F8	C7F7	TANS0080
1312	蕻	87F9	C7F8	TANT0080
1313	蕻	87FA	C7F9	TANU0080
1314	蕻	87FB	C7FA	TANV0080
1315	蕻	87FC	C7FB	TANW0080
1316	蕻	87FD	C7FC	TANX0080
1317	蕻	8841	C840	TAO10080
1318	蕻	8842	C841	TAO20080
1319	蕻	8843	C842	TAO30080
1320	蕻	8844	C843	TAO40080
1321	蕻	8845	C844	TAO50080
1322	蕻	8846	C845	TAO60080
1323	蕻	8847	C846	TAO70080
1324	蕻	8848	C847	TAO80080

Line Number	Graphic	Host Code	PC Code	GCGID
1325	蠟	8849	C848	TAO90080
1326	蠟	884A	C849	TAOA0080
1327	蠟	884B	C84A	TAOB0080
1328	蠟	884C	C84B	TAOC0080
1329	蠟	884D	C84C	TAOD0080
1330	蠟	884E	C84D	TAOE0080
1331	蠟	884F	C84E	TAOF0080
1332	蠟	8850	C84F	TAOG0080
1333	蠟	8851	C850	TAOH0080
1334	蠟	8852	C851	TAOI0080
1335	蠟	8853	C852	TAOJ0080
1336	蠟	8854	C853	TAOK0080
1337	蠟	8855	C854	TAOL0080
1338	蠟	8856	C855	TAOM0080
1339	蠟	8857	C856	TAON0080
1340	蠟	8858	C857	TAOO0080
1341	蠟	8859	C858	TAOP0080
1342	蠟	885A	C859	TAOQ0080
1343	蠟	885B	C85A	TAOR0080
1344	蠟	885C	C85B	TAOS0080
1345	蠟	885D	C85C	TAOT0080
1346	蠟	885E	C85D	TAOU0080
1347	蠟	885F	C85E	TAOV0080
1348	蠟	8860	C85F	TAOW0080
1349	蠟	8861	C860	TAOX0080
1350	蠟	8862	C861	TAOY0080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 11 (Page 27 of 44). Secondary CH-T (3/4), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1351	襴	8863	C862	TAOZ0080
1352	襪	8864	C863	TAP00080
1353	襪	8865	C864	TAP10080
1354	襪	8866	C865	TAP20080
1355	覲	8867	C866	TAP30080
1356	覲	8868	C867	TAP40080
1357	覲	8869	C868	TAP50080
1358	譚	886A	C869	TAP60080
1359	譚	886B	C86A	TAP70080
1360	譚	886C	C86B	TAP80080
1361	譚	886D	C86C	TAP90080
1362	譚	886E	C86D	TAPA0080
1363	譚	886F	C86E	TAPB0080
1364	譚	8870	C86F	TAPC0080
1365	譚	8871	C870	TAPD0080
1366	譚	8872	C871	TAPE0080
1367	譚	8873	C872	TAPF0080
1368	譚	8874	C873	TAPG0080
1369	譚	8875	C874	TAPH0080
1370	譚	8876	C875	TAPI0080
1371	譚	8877	C876	TAPJ0080
1372	譚	8878	C877	TAPK0080
1373	譚	8879	C878	TAPL0080
1374	譚	887A	C879	TAPM0080
1375	譚	887B	C87A	TAPN0080
1376	譚	887C	C87B	TAPO0080

Table 11 (Page 27 of 44). Secondary CH-T (3/4), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1377	躡	887D	C87C	TAPP0080
1378	躡	887E	C87D	TAPQ0080
1379	躡	887F	C87E	TAPR0080
1380	躡	8881	C880	TAPT0080
1381	躡	8882	C881	TAPU0080
1382	躡	8883	C882	TAPV0080
1383	躡	8884	C883	TAPW0080
1384	躡	8885	C884	TAPX0080
1385	躡	8886	C885	TAPY0080
1386	躡	8887	C886	TAPZ0080
1387	躡	8888	C887	TAQ00080
1388	躡	8889	C888	TAQ10080
1389	躡	888A	C889	TAQ20080
1390	躡	888B	C88A	TAQ30080
1391	躡	888C	C88B	TAQ40080
1392	躡	888D	C88C	TAQ50080
1393	躡	888E	C88D	TAQ60080
1394	躡	888F	C88E	TAQ70080
1395	躡	8890	C88F	TAQ80080
1396	躡	8891	C890	TAQ90080
1397	躡	8892	C891	TAQA0080
1398	躡	8893	C892	TAQB0080
1399	躡	8894	C893	TAQC0080
1400	躡	8895	C894	TAQD0080
1401	躡	8896	C895	TAQE0080
1402	躡	8897	C896	TAQF0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 11 (Page 28 of 44). Secondary CH-T (3/4), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1403	𨮒	8898	C897	TAQG0080
1404	𨮓	8899	C898	TAQH0080
1405	𨮔	889A	C899	TAQI0080
1406	𨮕	889B	C89A	TAQJ0080
1407	𨮖	889C	C89B	TAQK0080
1408	𨮗	889D	C89C	TAQL0080
1409	𨮘	889E	C89D	TAQM0080
1410	𨮙	889F	C89E	TAQN0080
1411	𨮚	88A0	C89F	TAQO0080
1412	𨮛	88A1	C8A0	TAQP0080
1413	𨮜	88A2	C8A1	TAQQ0080
1414	𨮝	88A3	C8A2	TAQR0080
1415	𨮞	88A4	C8A3	TAQS0080
1416	𨮟	88A5	C8A4	TAQT0080
1417	𨮠	88A6	C8A5	TAQU0080
1418	𨮡	88A7	C8A6	TAQV0080
1419	𨮢	88A8	C8A7	TAQW0080
1420	𨮣	88A9	C8A8	TAQX0080
1421	𨮤	88AA	C8A9	TAQY0080
1422	𨮥	88AB	C8AA	TAQZ0080
1423	𨮦	88AC	C8AB	TAR00080
1424	𨮧	88AD	C8AC	TAR10080
1425	𨮨	88AE	C8AD	TAR20080
1426	𨮩	88AF	C8AE	TAR30080
1427	𨮪	88B0	C8AF	TAR40080
1428	𨮫	88B1	C8B0	TAR50080

Table 11 (Page 28 of 44). Secondary CH-T (3/4), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1429	𨮬	88B2	C8B1	TAR60080
1430	𨮭	88B3	C8B2	TAR70080
1431	𨮮	88B4	C8B3	TAR80080
1432	𨮯	88B5	C8B4	TAR90080
1433	𨮰	88B6	C8B5	TARA0080
1434	𨮱	88B7	C8B6	TARB0080
1435	𨮲	88B8	C8B7	TARC0080
1436	𨮳	88B9	C8B8	TARD0080
1437	𨮴	88BA	C8B9	TARE0080
1438	𨮵	88BB	C8BA	TARF0080
1439	𨮶	88BC	C8BB	TARG0080
1440	𨮷	88BD	C8BC	TARH0080
1441	𨮸	88BE	C8BD	TARI0080
1442	𨮹	88BF	C8BE	TARJ0080
1443	𨮺	88C0	C8BF	TARK0080
1444	𨮻	88C1	C8C0	TARL0080
1445	𨮼	88C2	C8C1	TARM0080
1446	𨮽	88C3	C8C2	TARN0080
1447	𨮾	88C4	C8C3	TARO0080
1448	𨮿	88C5	C8C4	TARP0080
1449	𨯀	88C6	C8C5	TARQ0080
1450	𨯁	88C7	C8C6	TARR0080
1451	𨯂	88C8	C8C7	TARS0080
1452	𨯃	88C9	C8C8	TART0080
1453	𨯄	88CA	C8C9	TARU0080
1454	𨯅	88CB	C8CA	TARV0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 11 (Page 29 of 44). Secondary CH-T (3/4), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1455	鞞	88CC	C8CB	TARW0080
1456	鞞	88CD	C8CC	TARX0080
1457	鞞	88CE	C8CD	TARY0080
1458	鞞	88CF	C8CE	TARZ0080
1459	鐵	88D0	C8CF	TAS00080
1460	頤	88D1	C8D0	TAS10080
1461	頤	88D2	C8D1	TAS20080
1462	頤	88D3	C8D2	TAS30080
1463	頤	88D4	C8D3	TAS40080
1464	頤	88D5	C8D4	TAS50080
1465	頤	88D6	C8D5	TAS60080
1466	頤	88D7	C8D6	TAS70080
1467	頤	88D8	C8D7	TAS80080
1468	頤	88D9	C8D8	TAS90080
1469	頤	88DA	C8D9	TASA0080
1470	頤	88DB	C8DA	TASB0080
1471	頤	88DC	C8DB	TASC0080
1472	頤	88DD	C8DC	TASD0080
1473	頤	88DE	C8DD	TASE0080
1474	頤	88DF	C8DE	TASF0080
1475	頤	88E0	C8DF	TASG0080
1476	頤	88E1	C8E0	TASH0080
1477	頤	88E2	C8E1	TASI0080
1478	頤	88E3	C8E2	TASJ0080
1479	駢	88E4	C8E3	TASK0080
1480	駢	88E5	C8E4	TASL0080

Table 11 (Page 29 of 44). Secondary CH-T (3/4), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1481	駢	88E6	C8E5	TASM0080
1482	駢	88E7	C8E6	TASN0080
1483	駢	88E8	C8E7	TASO0080
1484	駢	88E9	C8E8	TASP0080
1485	駢	88EA	C8E9	TASQ0080
1486	駢	88EB	C8EA	TASR0080
1487	駢	88EC	C8EB	TASS0080
1488	駢	88ED	C8EC	TAST0080
1489	駢	88EE	C8ED	TASU0080
1490	駢	88EF	C8EE	TASV0080
1491	駢	88F0	C8EF	TASW0080
1492	駢	88F1	C8F0	TASX0080
1493	駢	88F2	C8F1	TASY0080
1494	駢	88F3	C8F2	TASZ0080
1495	駢	88F4	C8F3	TAT00080
1496	駢	88F5	C8F4	TAT10080
1497	駢	88F6	C8F5	TAT20080
1498	駢	88F7	C8F6	TAT30080
1499	駢	88F8	C8F7	TAT40080
1500	駢	88F9	C8F8	TAT50080
1501	駢	88FA	C8F9	TAT60080
1502	駢	88FB	C8FA	TAT70080
1503	駢	88FC	C8FB	TAT80080
1504	駢	88FD	C8FC	TAT90080
1505	紫	8941	C940	TATD0080
1506	紫	8942	C941	TATE0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 11 (Page 30 of 44). Secondary CH-T (3/4), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1507	鯨	8943	C942	TATF0080
1508	鯨	8944	C943	TATG0080
1509	鵠	8945	C944	TATH0080
1510	鵠	8946	C945	TATI0080
1511	鵠	8947	C946	TATJ0080
1512	鵠	8948	C947	TATK0080
1513	鵠	8949	C948	TATL0080
1514	鵠	894A	C949	TATM0080
1515	鵠	894B	C94A	TATN0080
1516	鵠	894C	C94B	TATO0080
1517	鵠	894D	C94C	TATP0080
1518	鵠	894E	C94D	TATQ0080
1519	鵠	894F	C94E	TATR0080
1520	鵠	8950	C94F	TATS0080
1521	鵠	8951	C950	TATT0080
1522	鵠	8952	C951	TATU0080
1523	鵠	8953	C952	TATV0080
1524	鵠	8954	C953	TATW0080
1525	鵠	8955	C954	TATX0080
1526	鵠	8956	C955	TATY0080
1527	鵠	8957	C956	TATZ0080
1528	鵠	8958	C957	TAU00080
1529	鵠	8959	C958	TAU10080
1530	鵠	895A	C959	TAU20080
1531	鵠	895B	C95A	TAU30080
1532	鵠	895C	C95B	TAU40080

Table 11 (Page 30 of 44). Secondary CH-T (3/4), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1533	鵠	895D	C95C	TAU50080
1534	鵠	895E	C95D	TAU60080
1535	鵠	895F	C95E	TAU70080
1536	鵠	8960	C95F	TAU80080
1537	鵠	8961	C960	TAU90080
1538	鵠	8962	C961	TAUA0080
1539	鵠	8963	C962	TAUB0080
1540	鵠	8964	C963	TAUC0080
1541	鵠	8965	C964	TAUD0080
1542	鵠	8966	C965	TAUE0080
1543	鵠	8967	C966	TAUF0080
1544	鵠	8968	C967	TAUG0080
1545	鵠	8969	C968	TAUH0080
1546	鵠	896A	C969	TAUI0080
1547	鵠	896B	C96A	TAUJ0080
1548	鵠	896C	C96B	TAUK0080
1549	鵠	896D	C96C	TAUL0080
1550	鵠	896E	C96D	TAUM0080
1551	鵠	896F	C96E	TAUN0080
1552	鵠	8970	C96F	TAUO0080
1553	鵠	8971	C970	TAUP0080
1554	鵠	8972	C971	TAUQ0080
1555	鵠	8973	C972	TAUR0080
1556	鵠	8974	C973	TAUS0080
1557	鵠	8975	C974	TAUT0080
1558	鵠	8976	C975	TAUU0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 11 (Page 31 of 44). Secondary CH-T (3/4), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1559	慢	8977	C976	TAUV0080
1560	憊	8978	C977	TAUW0080
1561	爆	8979	C978	TAUX0080
1562	憫	897A	C979	TAUY0080
1563	憎	897B	C97A	TAUZ0080
1564	鎊	897C	C97B	TAV00080
1565	憐	897D	C97C	TAV10080
1566	撻	897E	C97D	TAV20080
1567	撻	897F	C97E	TAV30080
1568	擲	8981	C980	TAV50080
1569	擲	8982	C981	TAV60080
1570	擲	8983	C982	TAV70080
1571	擲	8984	C983	TAV80080
1572	擲	8985	C984	TAV90080
1573	缺	8986	C985	TAVA0080
1574	旛	8987	C986	TAVB0080
1575	曠	8988	C987	TAVC0080
1576	曠	8989	C988	TAVD0080
1577	曠	898A	C989	TAVE0080
1578	檣	898B	C98A	TAVF0080
1579	檣	898C	C98B	TAVG0080
1580	檣	898D	C98C	TAVH0080
1581	檣	898E	C98D	TAVI0080
1582	檣	898F	C98E	TAVJ0080
1583	檣	8990	C98F	TAVK0080
1584	檣	8991	C990	TAVL0080

Table 11 (Page 31 of 44). Secondary CH-T (3/4), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1585	桶	8992	C991	TAVM0080
1586	桶	8993	C992	TAVN0080
1587	桶	8994	C993	TAVO0080
1588	桶	8995	C994	TAVP0080
1589	歎	8996	C995	TAVQ0080
1590	豎	8997	C996	TAVR0080
1591	豎	8998	C997	TAVS0080
1592	澆	8999	C998	TAVT0080
1593	灑	899A	C999	TAVU0080
1594	灑	899B	C99A	TAVV0080
1595	澆	899C	C99B	TAVW0080
1596	澆	899D	C99C	TAVX0080
1597	灑	899E	C99D	TAVY0080
1598	灑	899F	C99E	TAVZ0080
1599	灑	89A0	C99F	TAW00080
1600	灑	89A1	C9A0	TAW10080
1601	灑	89A2	C9A1	TAW20080
1602	灑	89A3	C9A2	TAW30080
1603	灑	89A4	C9A3	TAW40080
1604	灑	89A5	C9A4	TAW50080
1605	灑	89A6	C9A5	TAW60080
1606	灑	89A7	C9A6	TAW70080
1607	灑	89A8	C9A7	TAW80080
1608	灑	89A9	C9A8	TAW90080
1609	灑	89AA	C9A9	TAWA0080
1610	灑	89AB	C9AA	TAWB0080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 11 (Page 32 of 44). Secondary CH-T (3/4), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1611	獲	89AC	C9AB	TAWC0080
1612	璜	89AD	C9AC	TAWD0080
1613	璠	89AE	C9AD	TAWE0080
1614	璡	89AF	C9AE	TAWF0080
1615	璣	89B0	C9AF	TAWG0080
1616	璤	89B1	C9B0	TAWH0080
1617	璥	89B2	C9B1	TAWI0080
1618	璦	89B3	C9B2	TAWJ0080
1619	璢	89B4	C9B3	TAWK0080
1620	璣	89B5	C9B4	TAWL0080
1621	璤	89B6	C9B5	TAWM0080
1622	璥	89B7	C9B6	TAWN0080
1623	璦	89B8	C9B7	TAWO0080
1624	璢	89B9	C9B8	TAWP0080
1625	璣	89BA	C9B9	TAWQ0080
1626	璤	89BB	C9BA	TAWR0080
1627	璥	89BC	C9BB	TAWS0080
1628	璦	89BD	C9BC	TAWT0080
1629	璢	89BE	C9BD	TAWU0080
1630	璣	89BF	C9BE	TAWV0080
1631	璤	89C0	C9BF	TAWW0080
1632	璥	89C1	C9C0	TAWX0080
1633	璦	89C2	C9C1	TAWY0080
1634	璢	89C3	C9C2	TAWZ0080
1635	璣	89C4	C9C3	TAX00080
1636	璤	89C5	C9C4	TAX10080

Table 11 (Page 32 of 44). Secondary CH-T (3/4), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1637	璦	89C6	C9C5	TAX20080
1638	璢	89C7	C9C6	TAX30080
1639	璣	89C8	C9C7	TAX40080
1640	璤	89C9	C9C8	TAX50080
1641	璥	89CA	C9C9	TAX60080
1642	璦	89CB	C9CA	TAX70080
1643	璢	89CC	C9CB	TAX80080
1644	璣	89CD	C9CC	TAX90080
1645	璤	89CE	C9CD	TAXA0080
1646	璥	89CF	C9CE	TAXB0080
1647	璦	89D0	C9CF	TAXC0080
1648	璢	89D1	C9D0	TAXD0080
1649	璣	89D2	C9D1	TAXE0080
1650	璤	89D3	C9D2	TAXF0080
1651	璥	89D4	C9D3	TAXG0080
1652	璦	89D5	C9D4	TAXH0080
1653	璢	89D6	C9D5	TAXI0080
1654	璣	89D7	C9D6	TAXJ0080
1655	璤	89D8	C9D7	TAXK0080
1656	璥	89D9	C9D8	TAXL0080
1657	璦	89DA	C9D9	TAXM0080
1658	璢	89DB	C9DA	TAXN0080
1659	璣	89DC	C9DB	TAXO0080
1660	璤	89DD	C9DC	TAXP0080
1661	璥	89DE	C9DD	TAXQ0080
1662	璦	89DF	C9DE	TAXR0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 11 (Page 33 of 44). Secondary CH-T (3/4), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1663	縹	89E0	C9DF	TAXS0080
1664	縹	89E1	C9E0	TAXT0080
1665	縹	89E2	C9E1	TAXU0080
1666	縹	89E3	C9E2	TAXV0080
1667	縹	89E4	C9E3	TAXW0080
1668	縹	89E5	C9E4	TAXX0080
1669	縹	89E6	C9E5	TAXY0080
1670	縹	89E7	C9E6	TAXZ0080
1671	縹	89E8	C9E7	TAY00080
1672	縹	89E9	C9E8	TAY10080
1673	縹	89EA	C9E9	TAY20080
1674	縹	89EB	C9EA	TAY30080
1675	縹	89EC	C9EB	TAY40080
1676	縹	89ED	C9EC	TAY50080
1677	縹	89EE	C9ED	TAY60080
1678	縹	89EF	C9EE	TAY70080
1679	縹	89F0	C9EF	TAY80080
1680	縹	89F1	C9F0	TAY90080
1681	縹	89F2	C9F1	TAYA0080
1682	縹	89F3	C9F2	TAYB0080
1683	縹	89F4	C9F3	TAYC0080
1684	縹	89F5	C9F4	TAYD0080
1685	縹	89F6	C9F5	TAYE0080
1686	縹	89F7	C9F6	TAYF0080
1687	縹	89F8	C9F7	TAYG0080
1688	縹	89F9	C9F8	TAYH0080

Table 11 (Page 33 of 44). Secondary CH-T (3/4), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1689	縹	89FA	C9F9	TAYI0080
1690	縹	89FB	C9FA	TAYJ0080
1691	縹	89FC	C9FB	TAYK0080
1692	縹	89FD	C9FC	TAYL0080
1693	縹	8A41	CA40	TAYP0080
1694	縹	8A42	CA41	TAYQ0080
1695	縹	8A43	CA42	TAYR0080
1696	縹	8A44	CA43	TAYS0080
1697	縹	8A45	CA44	TAYT0080
1698	縹	8A46	CA45	TAYU0080
1699	縹	8A47	CA46	TAYV0080
1700	縹	8A48	CA47	TAYW0080
1701	縹	8A49	CA48	TAYX0080
1702	縹	8A4A	CA49	TAYY0080
1703	縹	8A4B	CA4A	TAYZ0080
1704	縹	8A4C	CA4B	TAZ00080
1705	縹	8A4D	CA4C	TAZ10080
1706	縹	8A4E	CA4D	TAZ20080
1707	縹	8A4F	CA4E	TAZ30080
1708	縹	8A50	CA4F	TAZ40080
1709	縹	8A51	CA50	TAZ50080
1710	縹	8A52	CA51	TAZ60080
1711	縹	8A53	CA52	TAZ70080
1712	縹	8A54	CA53	TAZ80080
1713	縹	8A55	CA54	TAZ90080
1714	縹	8A56	CA55	TAZA0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 11 (Page 34 of 44). Secondary CH-T (3/4), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1715	蟻	8A57	CA56	TAZB0080
1716	蟻	8A58	CA57	TAZC0080
1717	缺	8A59	CA58	TAZD0080
1718	畫	8A5A	CA59	TAZE0080
1719	蟻	8A5B	CA5A	TAZF0080
1720	蠻	8A5C	CA5B	TAZG0080
1721	蜚	8A5D	CA5C	TAZH0080
1722	歷	8A5E	CA5D	TAZI0080
1723	螺	8A5F	CA5E	TAZJ0080
1724	禿	8A60	CA5F	TAZK0080
1725	禿	8A61	CA60	TAZL0080
1726	禿	8A62	CA61	TAZM0080
1727	禿	8A63	CA62	TAZN0080
1728	禿	8A64	CA63	TAZO0080
1729	禿	8A65	CA64	TAZP0080
1730	禿	8A66	CA65	TAZQ0080
1731	禿	8A67	CA66	TAZR0080
1732	謫	8A68	CA67	TAZS0080
1733	謫	8A69	CA68	TAZT0080
1734	謬	8A6A	CA69	TAZU0080
1735	謬	8A6B	CA6A	TAZV0080
1736	謬	8A6C	CA6B	TAZW0080
1737	謬	8A6D	CA6C	TAZX0080
1738	謬	8A6E	CA6D	TAZY0080
1739	謬	8A6F	CA6E	TAZZ0080
1740	謬	8A70	CA6F	TB000080

Table 11 (Page 34 of 44). Secondary CH-T (3/4), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1741	謬	8A71	CA70	TB010080
1742	謬	8A72	CA71	TB020080
1743	謬	8A73	CA72	TB030080
1744	謬	8A74	CA73	TB040080
1745	謬	8A75	CA74	TB050080
1746	謬	8A76	CA75	TB060080
1747	謬	8A77	CA76	TB070080
1748	謬	8A78	CA77	TB080080
1749	謬	8A79	CA78	TB090080
1750	謬	8A7A	CA79	TB0A0080
1751	謬	8A7B	CA7A	TB0B0080
1752	謬	8A7C	CA7B	TB0C0080
1753	謬	8A7D	CA7C	TB0D0080
1754	謬	8A7E	CA7D	TB0E0080
1755	謬	8A7F	CA7E	TB0F0080
1756	謬	8A81	CA80	TB0H0080
1757	謬	8A82	CA81	TB0I0080
1758	謬	8A83	CA82	TB0J0080
1759	謬	8A84	CA83	TB0K0080
1760	謬	8A85	CA84	TB0L0080
1761	謬	8A86	CA85	TB0M0080
1762	謬	8A87	CA86	TB0N0080
1763	謬	8A88	CA87	TB0O0080
1764	謬	8A89	CA88	TB0P0080
1765	謬	8A8A	CA89	TB0Q0080
1766	謬	8A8B	CA8A	TB0R0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 11 (Page 35 of 44). Secondary CH-T (3/4), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1767	躑	8A8C	CA8B	TB0S0080
1768	躑	8A8D	CA8C	TB0T0080
1769	躑	8A8E	CA8D	TB0U0080
1770	躑	8A8F	CA8E	TB0V0080
1771	躑	8A90	CA8F	TB0W0080
1772	躑	8A91	CA90	TB0X0080
1773	躑	8A92	CA91	TB0Y0080
1774	躑	8A93	CA92	TB0Z0080
1775	躑	8A94	CA93	TB100080
1776	躑	8A95	CA94	TB110080
1777	躑	8A96	CA95	TB120080
1778	躑	8A97	CA96	TB130080
1779	躑	8A98	CA97	TB140080
1780	躑	8A99	CA98	TB150080
1781	躑	8A9A	CA99	TB160080
1782	躑	8A9B	CA9A	TB170080
1783	躑	8A9C	CA9B	TB180080
1784	躑	8A9D	CA9C	TB190080
1785	躑	8A9E	CA9D	TB1A0080
1786	躑	8A9F	CA9E	TB1B0080
1787	躑	8AA0	CA9F	TB1C0080
1788	躑	8AA1	CAA0	TB1D0080
1789	躑	8AA2	CAA1	TB1E0080
1790	躑	8AA3	CAA2	TB1F0080
1791	躑	8AA4	CAA3	TB1G0080
1792	躑	8AA5	CAA4	TB1H0080

Table 11 (Page 35 of 44). Secondary CH-T (3/4), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1793	鍇	8AA6	CAA5	TB1I0080
1794	鍇	8AA7	CAA6	TB1J0080
1795	鍇	8AA8	CAA7	TB1K0080
1796	鍇	8AA9	CAA8	TB1L0080
1797	鍇	8AAA	CAA9	TB1M0080
1798	鍇	8AAB	CAA9	TB1N0080
1799	鍇	8AAC	CAAB	TB1O0080
1800	鍇	8AAD	CAAC	TB1P0080
1801	鍇	8AAE	CAAD	TB1Q0080
1802	鍇	8AAF	CAAE	TB1R0080
1803	鍇	8AB0	CAAF	TB1S0080
1804	鍇	8AB1	CAB0	TB1T0080
1805	鍇	8AB2	CAB1	TB1U0080
1806	鍇	8AB3	CAB2	TB1V0080
1807	鍇	8AB4	CAB3	TB1W0080
1808	鍇	8AB5	CAB4	TB1X0080
1809	鍇	8AB6	CAB5	TB1Y0080
1810	鍇	8AB7	CAB6	TB1Z0080
1811	鍇	8AB8	CAB7	TB200080
1812	鍇	8AB9	CAB8	TB210080
1813	關	8ABA	CAB9	TB220080
1814	關	8ABB	CABA	TB230080
1815	關	8ABC	CABB	TB240080
1816	關	8ABD	CABC	TB250080
1817	關	8ABE	CABD	TB260080
1818	關	8ABF	CABE	TB270080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
1819	嵩	8AC0	CABF	TB280080
1820	嵩	8AC1	CAC0	TB290080
1821	腹	8AC2	CAC1	TB2A0080
1822	離	8AC3	CAC2	TB2B0080
1823	賞	8AC4	CAC3	TB2C0080
1824	羸	8AC5	CAC4	TB2D0080
1825	霎	8AC6	CAC5	TB2E0080
1826	鞣	8AC7	CAC6	TB2F0080
1827	鞣	8AC8	CAC7	TB2G0080
1828	鞣	8AC9	CAC8	TB2H0080
1829	鞣	8ACA	CAC9	TB2I0080
1830	羣	8ACB	CACA	TB2J0080
1831	羣	8ACC	CACB	TB2K0080
1832	鞣	8ACD	CACC	TB2L0080
1833	鞣	8ACE	CACD	TB2M0080
1834	鞣	8ACF	CACE	TB2N0080
1835	鞣	8AD0	CACF	TB2O0080
1836	鞣	8AD1	CAD0	TB2P0080
1837	鞣	8AD2	CAD1	TB2Q0080
1838	鞣	8AD3	CAD2	TB2R0080
1839	鞣	8AD4	CAD3	TB2S0080
1840	鞣	8AD5	CAD4	TB2T0080
1841	鞣	8AD6	CAD5	TB2U0080
1842	鞣	8AD7	CAD6	TB2V0080
1843	鞣	8AD8	CAD7	TB2W0080
1844	鞣	8AD9	CAD8	TB2X0080

Line Number	Graphic	Host Code	PC Code	GCGID
1845	餽	8ADA	CAD9	TB2Y0080
1846	騏	8ADB	CADA	TB2Z0080
1847	騏	8ADC	CADB	TB300080
1848	騏	8ADD	CADC	TB310080
1849	騏	8ADE	CADD	TB320080
1850	騏	8ADF	CADE	TB330080
1851	騏	8AE0	CADF	TB340080
1852	騏	8AE1	CAE0	TB350080
1853	騏	8AE2	CAE1	TB360080
1854	騏	8AE3	CAE2	TB370080
1855	騏	8AE4	CAE3	TB380080
1856	騏	8AE5	CAE4	TB390080
1857	騏	8AE6	CAE5	TB3A0080
1858	騏	8AE7	CAE6	TB3B0080
1859	騏	8AE8	CAE7	TB3C0080
1860	騏	8AE9	CAE8	TB3D0080
1861	閱	8AEA	CAE9	TB3E0080
1862	騏	8AEB	CAEA	TB3F0080
1863	騏	8AEC	CAEB	TB3G0080
1864	騏	8AED	CAEC	TB3H0080
1865	騏	8AEE	CAED	TB3I0080
1866	鯨	8AEF	CAEE	TB3J0080
1867	鯨	8AF0	CAEF	TB3K0080
1868	鯨	8AF1	CAF0	TB3L0080
1869	鯨	8AF2	CAF1	TB3M0080
1870	鯨	8AF3	CAF2	TB3N0080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 11 (Page 37 of 44). Secondary CH-T (3/4), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1871	銳	8AF4	CAF3	TB3O0080
1872	鯨	8AF5	CAF4	TB3P0080
1873	鯨	8AF6	CAF5	TB3Q0080
1874	鯨	8AF7	CAF6	TB3R0080
1875	鯨	8AF8	CAF7	TB3S0080
1876	鯨	8AF9	CAF8	TB3T0080
1877	鯨	8AFA	CAF9	TB3U0080
1878	鵝	8AFB	CAFA	TB3V0080
1879	鵝	8AFC	CAFB	TB3W0080
1880	鵝	8AFD	CAFC	TB3X0080
1881	鵝	8B41	CB40	TB410080
1882	鵝	8B42	CB41	TB420080
1883	鵝	8B43	CB42	TB430080
1884	鵝	8B44	CB43	TB440080
1885	鵝	8B45	CB44	TB450080
1886	鵝	8B46	CB45	TB460080
1887	鵝	8B47	CB46	TB470080
1888	鵝	8B48	CB47	TB480080
1889	鵝	8B49	CB48	TB490080
1890	鵝	8B4A	CB49	TB4A0080
1891	鵝	8B4B	CB4A	TB4B0080
1892	鵝	8B4C	CB4B	TB4C0080
1893	麩	8B4D	CB4C	TB4D0080
1894	麩	8B4E	CB4D	TB4E0080
1895	麩	8B4F	CB4E	TB4F0080
1896	麩	8B50	CB4F	TB4G0080

Table 11 (Page 37 of 44). Secondary CH-T (3/4), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1897	麩	8B51	CB50	TB4H0080
1898	麩	8B52	CB51	TB4I0080
1899	麩	8B53	CB52	TB4J0080
1900	麩	8B54	CB53	TB4K0080
1901	麩	8B55	CB54	TB4L0080
1902	麩	8B56	CB55	TB4M0080
1903	麩	8B57	CB56	TB4N0080
1904	麩	8B58	CB57	TB4O0080
1905	麩	8B59	CB58	TB4P0080
1906	麩	8B5A	CB59	TB4Q0080
1907	麩	8B5B	CB5A	TB4R0080
1908	麩	8B5C	CB5B	TB4S0080
1909	麩	8B5D	CB5C	TB4T0080
1910	麩	8B5E	CB5D	TB4U0080
1911	麩	8B5F	CB5E	TB4V0080
1912	麩	8B60	CB5F	TB4W0080
1913	麩	8B61	CB60	TB4X0080
1914	麩	8B62	CB61	TB4Y0080
1915	麩	8B63	CB62	TB4Z0080
1916	麩	8B64	CB63	TB500080
1917	麩	8B65	CB64	TB510080
1918	麩	8B66	CB65	TB520080
1919	麩	8B67	CB66	TB530080
1920	麩	8B68	CB67	TB540080
1921	麩	8B69	CB68	TB550080
1922	麩	8B6A	CB69	TB560080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
1923	嫵	8B6B	CB6A	TB570080
1924	龍	8B6C	CB6B	TB580080
1925	幘	8B6D	CB6C	TB590080
1926	徧	8B6E	CB6D	TB5A0080
1927	幘	8B6F	CB6E	TB5B0080
1928	摠	8B70	CB6F	TB5C0080
1929	揆	8B71	CB70	TB5D0080
1930	擯	8B72	CB71	TB5E0080
1931	擯	8B73	CB72	TB5F0080
1932	擯	8B74	CB73	TB5G0080
1933	擯	8B75	CB74	TB5H0080
1934	聲	8B76	CB75	TB5I0080
1935	擯	8B77	CB76	TB5J0080
1936	旌	8B78	CB77	TB5K0080
1937	曠	8B79	CB78	TB5L0080
1938	檣	8B7A	CB79	TB5M0080
1939	檣	8B7B	CB7A	TB5N0080
1940	檣	8B7C	CB7B	TB5O0080
1941	檣	8B7D	CB7C	TB5P0080
1942	檣	8B7E	CB7D	TB5Q0080
1943	檣	8B7F	CB7E	TB5R0080
1944	檣	8B81	CB80	TB5T0080
1945	檣	8B82	CB81	TB5U0080
1946	檣	8B83	CB82	TB5V0080
1947	檣	8B84	CB83	TB5W0080
1948	檣	8B85	CB84	TB5X0080

Line Number	Graphic	Host Code	PC Code	GCGID
1949	檣	8B86	CB85	TB5Y0080
1950	檣	8B87	CB86	TB5Z0080
1951	獸	8B88	CB87	TB600080
1952	殞	8B89	CB88	TB610080
1953	魯	8B8A	CB89	TB620080
1954	瀕	8B8B	CB8A	TB630080
1955	瀕	8B8C	CB8B	TB640080
1956	瀕	8B8D	CB8C	TB650080
1957	瀕	8B8E	CB8D	TB660080
1958	瀕	8B8F	CB8E	TB670080
1959	瀕	8B90	CB8F	TB680080
1960	瀕	8B91	CB90	TB690080
1961	瀕	8B92	CB91	TB6A0080
1962	瀕	8B93	CB92	TB6B0080
1963	瀕	8B94	CB93	TB6C0080
1964	瀕	8B95	CB94	TB6D0080
1965	瀕	8B96	CB95	TB6E0080
1966	鑿	8B97	CB96	TB6F0080
1967	爨	8B98	CB97	TB6G0080
1968	爨	8B99	CB98	TB6H0080
1969	爨	8B9A	CB99	TB6I0080
1970	爨	8B9B	CB9A	TB6J0080
1971	煙	8B9C	CB9B	TB6K0080
1972	攪	8B9D	CB9C	TB6L0080
1973	攪	8B9E	CB9D	TB6M0080
1974	攪	8B9F	CB9E	TB6N0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 11 (Page 39 of 44). Secondary CH-T (3/4), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
1975	犛	8BA0	CB9F	TB6O0080
1976	犛	8BA1	CBA0	TB6P0080
1977	犛	8BA2	CBA1	TB6Q0080
1978	犛	8BA3	CBA2	TB6R0080
1979	犛	8BA4	CBA3	TB6S0080
1980	犛	8BA5	CBA4	TB6T0080
1981	犛	8BA6	CBA5	TB6U0080
1982	濟	8BA7	CBA6	TB6V0080
1983	曠	8BA8	CBA7	TB6W0080
1984	睺	8BA9	CBA8	TB6X0080
1985	曠	8BAA	CBA9	TB6Y0080
1986	窳	8BAB	CBAA	TB6Z0080
1987	礪	8BAC	CBAB	TB700080
1988	礪	8BAD	CBAC	TB710080
1989	礪	8BAE	CBAD	TB720080
1990	礪	8BAF	CBAE	TB730080
1991	礪	8BB0	CBAF	TB740080
1992	礪	8BB1	CBB0	TB750080
1993	礪	8BB2	CBB1	TB760080
1994	礪	8BB3	CBB2	TB770080
1995	礪	8BB4	CBB3	TB780080
1996	礪	8BB5	CBB4	TB790080
1997	籊	8BB6	CBB5	TB7A0080
1998	籊	8BB7	CBB6	TB7B0080
1999	籊	8BB8	CBB7	TB7C0080
2000	籊	8BB9	CBB8	TB7D0080

Table 11 (Page 39 of 44). Secondary CH-T (3/4), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
2001	糴	8BBA	CBB9	TB7E0080
2002	糴	8BBB	CBBA	TB7F0080
2003	總	8BBC	CBBB	TB7G0080
2004	總	8BBD	CBBC	TB7H0080
2005	總	8BBE	CBBD	TB7I0080
2006	總	8BBF	CBBE	TB7J0080
2007	總	8BC0	CBBF	TB7K0080
2008	總	8BC1	CBC0	TB7L0080
2009	總	8BC2	CBC1	TB7M0080
2010	總	8BC3	CBC2	TB7N0080
2011	總	8BC4	CBC3	TB7O0080
2012	總	8BC5	CBC4	TB7P0080
2013	總	8BC6	CBC5	TB7Q0080
2014	總	8BC7	CBC6	TB7R0080
2015	總	8BC8	CBC7	TB7S0080
2016	總	8BC9	CBC8	TB7T0080
2017	總	8BCA	CBC9	TB7U0080
2018	總	8BCB	CBCA	TB7V0080
2019	總	8BCC	CBCB	TB7W0080
2020	總	8BCD	CBCC	TB7X0080
2021	總	8BCE	CBCD	TB7Y0080
2022	總	8BCF	CBCE	TB7Z0080
2023	總	8BD0	CBCF	TB800080
2024	總	8BD1	CBD0	TB810080
2025	總	8BD2	CBD1	TB820080
2026	總	8BD3	CBD2	TB830080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
2027	蕪	8BD4	CBD3	TB840080
2028	蕪	8BD5	CBD4	TB850080
2029	蕪	8BD6	CBD5	TB860080
2030	蕪	8BD7	CBD6	TB870080
2031	蕪	8BD8	CBD7	TB880080
2032	蕪	8BD9	CBD8	TB890080
2033	蕪	8BDA	CBD9	TB8A0080
2034	蕪	8BDB	CBDA	TB8B0080
2035	蕪	8BDC	CBDB	TB8C0080
2036	蕪	8BDD	CBDC	TB8D0080
2037	蕪	8BDE	CBDD	TB8E0080
2038	蕪	8BDF	CBDE	TB8F0080
2039	蕪	8BE0	CBDF	TB8G0080
2040	蕪	8BE1	CBE0	TB8H0080
2041	蕪	8BE2	CBE1	TB8I0080
2042	蕪	8BE3	CBE2	TB8J0080
2043	蕪	8BE4	CBE3	TB8K0080
2044	蕪	8BE5	CBE4	TB8L0080
2045	蕪	8BE6	CBE5	TB8M0080
2046	蕪	8BE7	CBE6	TB8N0080
2047	蕪	8BE8	CBE7	TB8O0080
2048	蕪	8BE9	CBE8	TB8P0080
2049	蕪	8BEA	CBE9	TB8Q0080
2050	蕪	8BEB	CBEA	TB8R0080
2051	蕪	8BEC	CBEB	TB8S0080
2052	蕪	8BED	CBEC	TB8T0080

Line Number	Graphic	Host Code	PC Code	GCGID
2053	蟬	8BEE	CBED	TB8U0080
2054	蟬	8BEF	CBEE	TB8V0080
2055	蟬	8BF0	CBEF	TB8W0080
2056	蟬	8BF1	CBF0	TB8X0080
2057	蟬	8BF2	CBF1	TB8Y0080
2058	蟬	8BF3	CBF2	TB8Z0080
2059	蟬	8BF4	CBF3	TB900080
2060	蟬	8BF5	CBF4	TB910080
2061	蟬	8BF6	CBF5	TB920080
2062	蟬	8BF7	CBF6	TB930080
2063	蟬	8BF8	CBF7	TB940080
2064	蟬	8BF9	CBF8	TB950080
2065	蟬	8BFA	CBF9	TB960080
2066	蟬	8BFB	CBFA	TB970080
2067	蟬	8BFC	CBFB	TB980080
2068	蟬	8BFD	CBFC	TB990080
2069	蟬	8C41	CC40	TB9D0080
2070	蟬	8C42	CC41	TB9E0080
2071	蟬	8C43	CC42	TB9F0080
2072	蟬	8C44	CC43	TB9G0080
2073	蟬	8C45	CC44	TB9H0080
2074	蟬	8C46	CC45	TB9I0080
2075	蟬	8C47	CC46	TB9J0080
2076	蟬	8C48	CC47	TB9K0080
2077	蟬	8C49	CC48	TB9L0080
2078	蟬	8C4A	CC49	TB9M0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 11 (Page 41 of 44). Secondary CH-T (3/4), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
2079	譖	8C4B	CC4A	TB9N0080
2080	譖	8C4C	CC4B	TB9O0080
2081	譖	8C4D	CC4C	TB9P0080
2082	譖	8C4E	CC4D	TB9Q0080
2083	譖	8C4F	CC4E	TB9R0080
2084	譖	8C50	CC4F	TB9S0080
2085	譖	8C51	CC50	TB9T0080
2086	譖	8C52	CC51	TB9U0080
2087	譖	8C53	CC52	TB9V0080
2088	譖	8C54	CC53	TB9W0080
2089	譖	8C55	CC54	TB9X0080
2090	譖	8C56	CC55	TB9Y0080
2091	譖	8C57	CC56	TB9Z0080
2092	譖	8C58	CC57	TBA00080
2093	譖	8C59	CC58	TBA10080
2094	譖	8C5A	CC59	TBA20080
2095	譖	8C5B	CC5A	TBA30080
2096	譖	8C5C	CC5B	TBA40080
2097	譖	8C5D	CC5C	TBA50080
2098	譖	8C5E	CC5D	TBA60080
2099	譖	8C5F	CC5E	TBA70080
2100	譖	8C60	CC5F	TBA80080
2101	譖	8C61	CC60	TBA90080
2102	譖	8C62	CC61	TBAA0080
2103	譖	8C63	CC62	TBAB0080
2104	譖	8C64	CC63	TBAC0080

Table 11 (Page 41 of 44). Secondary CH-T (3/4), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
2105	譖	8C65	CC64	TBAD0080
2106	譖	8C66	CC65	TBAE0080
2107	譖	8C67	CC66	TBAF0080
2108	譖	8C68	CC67	TBAG0080
2109	譖	8C69	CC68	TBAH0080
2110	譖	8C6A	CC69	TBAI0080
2111	譖	8C6B	CC6A	TBAJ0080
2112	譖	8C6C	CC6B	TBAK0080
2113	譖	8C6D	CC6C	TBAL0080
2114	譖	8C6E	CC6D	TBAM0080
2115	譖	8C6F	CC6E	TBAN0080
2116	譖	8C70	CC6F	TBAO0080
2117	譖	8C71	CC70	TBAP0080
2118	譖	8C72	CC71	TBAQ0080
2119	譖	8C73	CC72	TBAR0080
2120	譖	8C74	CC73	TBAS0080
2121	譖	8C75	CC74	TBAT0080
2122	譖	8C76	CC75	TBAU0080
2123	譖	8C77	CC76	TBAV0080
2124	譖	8C78	CC77	TBAW0080
2125	譖	8C79	CC78	TBAX0080
2126	譖	8C7A	CC79	TBAY0080
2127	譖	8C7B	CC7A	TBAZ0080
2128	譖	8C7C	CC7B	TBB00080
2129	譖	8C7D	CC7C	TBB10080
2130	譖	8C7E	CC7D	TBB20080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
2131	鑷	8C7F	CC7E	TBB30080
2132	鑄	8C81	CC80	TBB50080
2133	鐳	8C82	CC81	TBB60080
2134	鎬	8C83	CC82	TBB70080
2135	鑄	8C84	CC83	TBB80080
2136	鑿	8C85	CC84	TBB90080
2137	鑿	8C86	CC85	TBBA0080
2138	闕	8C87	CC86	TBBB0080
2139	闔	8C88	CC87	TBBC0080
2140	鑿	8C89	CC88	TBBD0080
2141	霽	8C8A	CC89	TBBE0080
2142	霽	8C8B	CC8A	TBBF0080
2143	霽	8C8C	CC8B	TBBG0080
2144	霽	8C8D	CC8C	TBBH0080
2145	霽	8C8E	CC8D	TBBI0080
2146	霽	8C8F	CC8E	TBBJ0080
2147	霽	8C90	CC8F	TBBK0080
2148	鞏	8C91	CC90	TBBL0080
2149	鞏	8C92	CC91	TBBM0080
2150	鞏	8C93	CC92	TBBN0080
2151	鞏	8C94	CC93	TBBO0080
2152	鞏	8C95	CC94	TBBP0080
2153	鞏	8C96	CC95	TBBQ0080
2154	鞏	8C97	CC96	TBBR0080
2155	鞏	8C98	CC97	TBBS0080
2156	鞏	8C99	CC98	TBBT0080

Line Number	Graphic	Host Code	PC Code	GCGID
2157	鞏	8C9A	CC99	TBBU0080
2158	鞏	8C9B	CC9A	TBBV0080
2159	鞏	8C9C	CC9B	TBBW0080
2160	鞏	8C9D	CC9C	TBBX0080
2161	鞏	8C9E	CC9D	TBBY0080
2162	鞏	8C9F	CC9E	TBBZ0080
2163	鞏	8CA0	CC9F	TBC00080
2164	鞏	8CA1	CCA0	TBC10080
2165	鞏	8CA2	CCA1	TBC20080
2166	鞏	8CA3	CCA2	TBC30080
2167	鞏	8CA4	CCA3	TBC40080
2168	鞏	8CA5	CCA4	TBC50080
2169	鞏	8CA6	CCA5	TBC60080
2170	鞏	8CA7	CCA6	TBC70080
2171	鞏	8CA8	CCA7	TBC80080
2172	鞏	8CA9	CCA8	TBC90080
2173	鞏	8CAA	CCA9	TBCA0080
2174	鞏	8CAB	CCAA	TBCB0080
2175	鞏	8CAC	CCAB	TBCC0080
2176	鞏	8CAD	CCAC	TBCD0080
2177	鞏	8CAE	CCAD	TBCE0080
2178	鞏	8CAF	CCAE	TBCF0080
2179	鞏	8CB0	CCAF	TBCG0080
2180	鞏	8CB1	CCB0	TBCH0080
2181	鞏	8CB2	CCB1	TBCI0080
2182	鞏	8CB3	CCB2	TBCJ0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
2183	鰓	8CB4	CCB3	TBCK0080
2184	鰓	8CB5	CCB4	TBCL0080
2185	鰓	8CB6	CCB5	TBCM0080
2186	鰓	8CB7	CCB6	TBCN0080
2187	鰓	8CB8	CCB7	TBCO0080
2188	鰓	8CB9	CCB8	TBCP0080
2189	鰓	8CBA	CCB9	TBCQ0080
2190	鰓	8CBB	CCBA	TBCR0080
2191	鰓	8CBC	CCBB	TBCS0080
2192	鰓	8CBD	CCBC	TBCT0080
2193	鰓	8CBE	CCBD	TBCU0080
2194	鰓	8CBF	CCBE	TBCV0080
2195	鰓	8CC0	CCBF	TBCW0080
2196	鰓	8CC1	CCC0	TBCX0080
2197	鰓	8CC2	CCC1	TBCY0080
2198	鰓	8CC3	CCC2	TBCZ0080
2199	鰓	8CC4	CCC3	TBD00080
2200	鰓	8CC5	CCC4	TBD10080
2201	鰓	8CC6	CCC5	TBD20080
2202	鰓	8CC7	CCC6	TBD30080
2203	鰓	8CC8	CCC7	TBD40080
2204	鰓	8CC9	CCC8	TBD50080
2205	鰓	8CCA	CCC9	TBD60080
2206	鰓	8CCB	CCCA	TBD70080
2207	鰓	8CCC	CCCB	TBD80080
2208	鰓	8CCD	CCCC	TBD90080

Line Number	Graphic	Host Code	PC Code	GCGID
2209	鰓	8CCE	CCCD	TBDA0080
2210	鰓	8CCF	CCCE	TBDB0080
2211	鰓	8CD0	CCCF	TBDC0080
2212	鰓	8CD1	CCD0	TBDD0080
2213	鰓	8CD2	CCD1	TBDE0080
2214	鰓	8CD3	CCD2	TBDF0080
2215	鰓	8CD4	CCD3	TBDG0080
2216	鰓	8CD5	CCD4	TBDH0080
2217	鰓	8CD6	CCD5	TBDI0080
2218	鰓	8CD7	CCD6	TBDJ0080
2219	鰓	8CD8	CCD7	TBDK0080
2220	鰓	8CD9	CCD8	TBDL0080
2221	鰓	8CDA	CCD9	TBDM0080
2222	鰓	8CDB	CCDA	TBDN0080
2223	鰓	8CDC	CCDB	TBDO0080
2224	鰓	8CDD	CCDC	TBDP0080
2225	鰓	8CDE	CCDD	TBDQ0080
2226	鰓	8CDF	CCDE	TBDR0080
2227	鰓	8CE0	CCDF	TBDS0080
2228	鰓	8CE1	CCE0	TBDT0080
2229	鰓	8CE2	CCE1	TBDU0080
2230	鰓	8CE3	CCE2	TBDV0080
2231	鰓	8CE4	CCE3	TBDW0080
2232	鰓	8CE5	CCE4	TBDX0080
2233	鰓	8CE6	CCE5	TBDY0080
2234	鰓	8CE7	CCE6	TBDZ0080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 11 (Page 44 of 44). Secondary CH-T (3/4),
DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
2235	齧	8CE8	CCE7	TBE00080
2236	齧	8CE9	CCE8	TBE10080
2237	齧	8CEA	CCE9	TBE20080
2238	𪗇	8CEB	CCEA	TBE30080
2239	𪗈	8CEC	CCEB	TBE40080
2240	𪗉	8CED	CCEC	TBE50080
2241	𪗊	8CEE	CCED	TBE60080
2242	𪗋	8CEF	CCEE	TBE70080
2243	𪗌	8CF0	CCEF	TBE80080
2244	𪗍	8CF1	CCF0	TBE90080
2245	𪗎	8CF2	CCF1	TBEA0080
2246	𪗏	8CF3	CCF2	TBEB0080
2247	𪗐	8CF4	CCF3	TBEC0080
2248	𪗑	8CF5	CCF4	TBED0080
2249	𪗒	8CF6	CCF5	TBEE0080
2250	𪗓	8CF7	CCF6	TBEF0080
2251	𪗔	8CF8	CCF7	TBEG0080
2252	𪗕	8CF9	CCF8	TBEH0080
2253	𪗖	8CFA	CCF9	TBEI0080
2254	𪗗	8CFB	CCFA	TBEJ0080
2255	𪗘	8CFC	CCFB	TBEK0080
2256	𪗙	8CFD	CCFC	TBEL0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

8.8 Secondary Chinese Set (4 of 4)

Line Number	Graphic	Host Code	PC Code	GCGID
1	曠	8D41	CD40	TBEP0080
2	曠	8D42	CD41	TBEQ0080
3	櫛	8D43	CD42	TBER0080
4	櫛	8D44	CD43	TBES0080
5	櫛	8D45	CD44	TBET0080
6	櫛	8D46	CD45	TBEU0080
7	櫛	8D47	CD46	TBEV0080
8	櫛	8D48	CD47	TBEW0080
9	櫛	8D49	CD48	TBEX0080
10	櫛	8D4A	CD49	TBEY0080
11	曠	8D4B	CD4A	TBEZ0080
12	灑	8D4C	CD4B	TBF00080
13	灑	8D4D	CD4C	TBF10080
14	灑	8D4E	CD4D	TBF20080
15	灑	8D4F	CD4E	TBF30080
16	灑	8D50	CD4F	TBF40080
17	灑	8D51	CD50	TBF50080
18	灑	8D52	CD51	TBF60080
19	灑	8D53	CD52	TBF70080
20	灑	8D54	CD53	TBF80080
21	灑	8D55	CD54	TBF90080
22	灑	8D56	CD55	TBFA0080
23	灑	8D57	CD56	TBFB0080
24	灑	8D58	CD57	TBFC0080

Line Number	Graphic	Host Code	PC Code	GCGID
25	灑	8D59	CD58	TBFD0080
26	灑	8D5A	CD59	TBFE0080
27	灑	8D5B	CD5A	TBFF0080
28	灑	8D5C	CD5B	TBFG0080
29	灑	8D5D	CD5C	TBFH0080
30	灑	8D5E	CD5D	TBFI0080
31	灑	8D5F	CD5E	TBFJ0080
32	灑	8D60	CD5F	TBFK0080
33	灑	8D61	CD60	TBFL0080
34	灑	8D62	CD61	TBFM0080
35	灑	8D63	CD62	TBFN0080
36	灑	8D64	CD63	TBFO0080
37	灑	8D65	CD64	TBFP0080
38	灑	8D66	CD65	TBFQ0080
39	灑	8D67	CD66	TBFR0080
40	灑	8D68	CD67	TBFS0080
41	灑	8D69	CD68	TBFT0080
42	灑	8D6A	CD69	TBFU0080
43	灑	8D6B	CD6A	TBFV0080
44	灑	8D6C	CD6B	TBFW0080
45	灑	8D6D	CD6C	TBFX0080
46	灑	8D6E	CD6D	TBFY0080
47	灑	8D6F	CD6E	TBFZ0080
48	灑	8D70	CD6F	TBG00080
49	灑	8D71	CD70	TBG10080
50	灑	8D72	CD71	TBG20080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
51	鞞	8D73	CD72	TBG30080
52	筵	8D74	CD73	TBG40080
53	籩	8D75	CD74	TBG50080
54	籟	8D76	CD75	TBG60080
55	籟	8D77	CD76	TBG70080
56	籟	8D78	CD77	TBG80080
57	籟	8D79	CD78	TBG90080
58	繡	8D7A	CD79	TBGA0080
59	繡	8D7B	CD7A	TBGB0080
60	繡	8D7C	CD7B	TBGC0080
61	繡	8D7D	CD7C	TBGD0080
62	繡	8D7E	CD7D	TBGE0080
63	繡	8D7F	CD7E	TBGF0080
64	擘	8D81	CD80	TBGH0080
65	臞	8D82	CD81	TBGI0080
66	臞	8D83	CD82	TBGJ0080
67	臞	8D84	CD83	TBGK0080
68	臞	8D85	CD84	TBGL0080
69	臞	8D86	CD85	TBGM0080
70	龍	8D87	CD86	TBGN0080
71	藿	8D88	CD87	TBGO0080
72	藿	8D89	CD88	TBGP0080
73	藿	8D8A	CD89	TBQG0080
74	藿	8D8B	CD8A	TBGR0080
75	藿	8D8C	CD8B	TBGS0080
76	藿	8D8D	CD8C	TBGT0080

Line Number	Graphic	Host Code	PC Code	GCGID
77	蘄	8D8E	CD8D	TBGU0080
78	蘄	8D8F	CD8E	TBGV0080
79	蘄	8D90	CD8F	TBGW0080
80	蘄	8D91	CD90	TBGX0080
81	蘄	8D92	CD91	TBGY0080
82	蘄	8D93	CD92	TBGZ0080
83	躋	8D94	CD93	TBH00080
84	躋	8D95	CD94	TBH10080
85	躋	8D96	CD95	TBH20080
86	躋	8D97	CD96	TBH30080
87	躋	8D98	CD97	TBH40080
88	躋	8D99	CD98	TBH50080
89	躋	8D9A	CD99	TBH60080
90	躋	8D9B	CD9A	TBH70080
91	躋	8D9C	CD9B	TBH80080
92	躋	8D9D	CD9C	TBH90080
93	躋	8D9E	CD9D	TBHA0080
94	躋	8D9F	CD9E	TBHB0080
95	躋	8DA0	CD9F	TBHC0080
96	躋	8DA1	CDA0	TBHD0080
97	躋	8DA2	CDA1	TBHE0080
98	躋	8DA3	CDA2	TBHF0080
99	躋	8DA4	CDA3	TBHG0080
100	躋	8DA5	CDA4	TBHH0080
101	躋	8DA6	CDA5	TBHI0080
102	躋	8DA7	CDA6	TBHJ0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
103	覺	8DA8	CDA7	TBHK0080
104	轆	8DA9	CDA8	TBHL0080
105	轆	8DAA	CDA9	TBHM0080
106	轆	8DAB	CDA9	TBHN0080
107	轆	8DAC	CDAB	TBHO0080
108	轆	8DAD	CDAC	TBHP0080
109	轆	8DAE	CDAD	TBHQ0080
110	運	8DAF	CDAE	TBHR0080
111	鄴	8DB0	CDAF	TBHS0080
112	鄴	8DB1	CDB0	TBHT0080
113	醜	8DB2	CDB1	TBHU0080
114	醜	8DB3	CDB2	TBHV0080
115	醜	8DB4	CDB3	TBHW0080
116	醜	8DB5	CDB4	TBHX0080
117	錫	8DB6	CDB5	TBHY0080
118	鍬	8DB7	CDB6	TBHZ0080
119	鑄	8DB8	CDB7	TBI00080
120	錯	8DB9	CDB8	TBI10080
121	鐫	8DBA	CDB9	TBI20080
122	鐫	8DBB	CDBA	TBI30080
123	鑲	8DBC	CDBB	TBI40080
124	鑲	8DBD	CDBC	TBI50080
125	鑲	8DBE	CDBD	TBI60080
126	錯	8DBF	CDBE	TBI70080
127	鐙	8DC0	CDBF	TBI80080
128	鑄	8DC1	CDC0	TBI90080

Line Number	Graphic	Host Code	PC Code	GCGID
129	鑄	8DC2	CDC1	TBIA0080
130	鑄	8DC3	CDC2	TBIB0080
131	鑄	8DC4	CDC3	TBIC0080
132	鑄	8DC5	CDC4	TBID0080
133	鑄	8DC6	CDC5	TBIE0080
134	鑄	8DC7	CDC6	TBIF0080
135	鑄	8DC8	CDC7	TBIG0080
136	鑄	8DC9	CDC8	TBIH0080
137	鑄	8DCA	CDC9	TBII0080
138	鑄	8DCB	CDCA	TBIJ0080
139	鑄	8DCC	CDCB	TBIK0080
140	鑄	8DCD	CDCC	TBIL0080
141	鑄	8DCE	CDCD	TBIM0080
142	鑄	8DCF	CDCE	TBIN0080
143	鑄	8DD0	CDCF	TBIO0080
144	鑄	8DD1	CDD0	TBIP0080
145	鑄	8DD2	CDD1	TBIQ0080
146	鑄	8DD3	CDD2	TBIR0080
147	鑄	8DD4	CDD3	TBIS0080
148	鑄	8DD5	CDD4	TBIT0080
149	鑄	8DD6	CDD5	TBIU0080
150	鑄	8DD7	CDD6	TBIV0080
151	鑄	8DD8	CDD7	TBIW0080
152	鑄	8DD9	CDD8	TBIX0080
153	鑄	8DDA	CDD9	TBIY0080
154	鑄	8ddb	CDDA	TBIZ0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
155	類	8DDC	CDDB	TBJ00080
156	顛	8DDD	CDDC	TBJ10080
157	顛	8DDE	CDDD	TBJ20080
158	類	8DDF	CDDE	TBJ30080
159	飄	8DE0	CDDF	TBJ40080
160	颯	8DE1	CDE0	TBJ50080
161	饅	8DE2	CDE1	TBJ60080
162	館	8DE3	CDE2	TBJ70080
163	饋	8DE4	CDE3	TBJ80080
164	饌	8DE5	CDE4	TBJ90080
165	饋	8DE6	CDE5	TBJA0080
166	饌	8DE7	CDE6	TBJB0080
167	驍	8DE8	CDE7	TBJC0080
168	駿	8DE9	CDE8	TBJD0080
169	驥	8DEA	CDE9	TBJE0080
170	驥	8DEB	CDEA	TBJF0080
171	駿	8DEC	CDEB	TBJG0080
172	驍	8DED	CDEC	TBJH0080
173	驍	8DEE	CDED	TBJI0080
174	驍	8DEF	CDEE	TBJJ0080
175	驍	8DF0	CDEF	TBJK0080
176	鶯	8DF1	CDF0	TBJL0080
177	鶯	8DF2	CDF1	TBJM0080
178	鶯	8DF3	CDF2	TBJN0080
179	鶯	8DF4	CDF3	TBJO0080
180	鶯	8DF5	CDF4	TBJP0080

Line Number	Graphic	Host Code	PC Code	GCGID
181	鶯	8DF6	CDF5	TBJQ0080
182	鶯	8DF7	CDF6	TBJR0080
183	鶯	8DF8	CDF7	TBJS0080
184	鶯	8DF9	CDF8	TBJT0080
185	鶯	8DFA	CDF9	TBJU0080
186	鶯	8DFB	CDFA	TBJV0080
187	鶯	8DFC	CDFB	TBJW0080
188	鶯	8DFD	CDFC	TBJX0080
189	鶯	8E41	CE40	TBK10080
190	鶯	8E42	CE41	TBK20080
191	鶯	8E43	CE42	TBK30080
192	鶯	8E44	CE43	TBK40080
193	鶯	8E45	CE44	TBK50080
194	鶯	8E46	CE45	TBK60080
195	鶯	8E47	CE46	TBK70080
196	鶯	8E48	CE47	TBK80080
197	鶯	8E49	CE48	TBK90080
198	鶯	8E4A	CE49	TBKA0080
199	鶯	8E4B	CE4A	TBKB0080
200	鶯	8E4C	CE4B	TBKC0080
201	鶯	8E4D	CE4C	TBKD0080
202	鶯	8E4E	CE4D	TBKE0080
203	鶯	8E4F	CE4E	TBKF0080
204	鶯	8E50	CE4F	TBKG0080
205	鶯	8E51	CE50	TBKH0080
206	鶯	8E52	CE51	TBKI0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
207	鵓	8E53	CE52	TBKJ0080
208	鵓	8E54	CE53	TBKK0080
209	鵓	8E55	CE54	TBKL0080
210	鵓	8E56	CE55	TBKM0080
211	鵓	8E57	CE56	TBKN0080
212	鵓	8E58	CE57	TBKO0080
213	鵓	8E59	CE58	TBKP0080
214	鵓	8E5A	CE59	TBKQ0080
215	鵓	8E5B	CE5A	TBKR0080
216	鵓	8E5C	CE5B	TBKS0080
217	鵓	8E5D	CE5C	TBKT0080
218	鵓	8E5E	CE5D	TBKU0080
219	鵓	8E5F	CE5E	TBKV0080
220	鵓	8E60	CE5F	TBKW0080
221	鵓	8E61	CE60	TBKX0080
222	鵓	8E62	CE61	TBKY0080
223	鵓	8E63	CE62	TBKZ0080
224	鵓	8E64	CE63	TBL00080
225	鵓	8E65	CE64	TBL10080
226	鵓	8E66	CE65	TBL20080
227	鵓	8E67	CE66	TBL30080
228	鵓	8E68	CE67	TBL40080
229	鵓	8E69	CE68	TBL50080
230	鵓	8E6A	CE69	TBL60080
231	鵓	8E6B	CE6A	TBL70080
232	鵓	8E6C	CE6B	TBL80080

Line Number	Graphic	Host Code	PC Code	GCGID
233	鵓	8E6D	CE6C	TBL90080
234	鵓	8E6E	CE6D	TBLA0080
235	鵓	8E6F	CE6E	TBLB0080
236	鵓	8E70	CE6F	TBLC0080
237	鵓	8E71	CE70	TBLD0080
238	鵓	8E72	CE71	TBLE0080
239	鵓	8E73	CE72	TBLF0080
240	鵓	8E74	CE73	TBLG0080
241	鵓	8E75	CE74	TBLH0080
242	鵓	8E76	CE75	TBLI0080
243	鵓	8E77	CE76	TBLJ0080
244	鵓	8E78	CE77	TBLK0080
245	鵓	8E79	CE78	TBLL0080
246	鵓	8E7A	CE79	TBLM0080
247	鵓	8E7B	CE7A	TBLN0080
248	鵓	8E7C	CE7B	TBLO0080
249	鵓	8E7D	CE7C	TBLP0080
250	鵓	8E7E	CE7D	TBLQ0080
251	鵓	8E7F	CE7E	TBLR0080
252	鵓	8E81	CE80	TBLT0080
253	鵓	8E82	CE81	TBLU0080
254	鵓	8E83	CE82	TBLV0080
255	鵓	8E84	CE83	TBLW0080
256	鵓	8E85	CE84	TBLX0080
257	鵓	8E86	CE85	TBLY0080
258	鵓	8E87	CE86	TBLZ0080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 12 (Page 6 of 18). Secondary CH-T (4/4), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
259	漚	8E88	CE87	TBM00080
260	漚	8E89	CE88	TBM10080
261	漚	8E8A	CE89	TBM20080
262	漚	8E8B	CE8A	TBM30080
263	漚	8E8C	CE8B	TBM40080
264	漚	8E8D	CE8C	TBM50080
265	漚	8E8E	CE8D	TBM60080
266	漚	8E8F	CE8E	TBM70080
267	漚	8E90	CE8F	TBM80080
268	漚	8E91	CE90	TBM90080
269	漚	8E92	CE91	TBMA0080
270	漚	8E93	CE92	TBMB0080
271	漚	8E94	CE93	TBMC0080
272	漚	8E95	CE94	TBMD0080
273	漚	8E96	CE95	TBME0080
274	漚	8E97	CE96	TBMF0080
275	漚	8E98	CE97	TBMG0080
276	漚	8E99	CE98	TBMH0080
277	漚	8E9A	CE99	TBMI0080
278	漚	8E9B	CE9A	TBMJ0080
279	漚	8E9C	CE9B	TBMK0080
280	漚	8E9D	CE9C	TBML0080
281	漚	8E9E	CE9D	TBMM0080
282	漚	8E9F	CE9E	TBMN0080
283	漚	8EA0	CE9F	TBMO0080
284	漚	8EA1	CEA0	TBMP0080

Table 12 (Page 6 of 18). Secondary CH-T (4/4), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
285	漚	8EA2	CEA1	TBMQ0080
286	漚	8EA3	CEA2	TBMR0080
287	漚	8EA4	CEA3	TBMS0080
288	漚	8EA5	CEA4	TBMT0080
289	漚	8EA6	CEA5	TBMU0080
290	漚	8EA7	CEA6	TBMV0080
291	漚	8EA8	CEA7	TBMW0080
292	漚	8EA9	CEA8	TBMX0080
293	漚	8EAA	CEA9	TBMY0080
294	漚	8EAB	CEAA	TBMZ0080
295	漚	8EAC	CEAB	TBN00080
296	漚	8EAD	CEAC	TBN10080
297	漚	8EAE	CEAD	TBN20080
298	漚	8EAF	CEAE	TBN30080
299	漚	8EB0	CEAF	TBN40080
300	漚	8EB1	CEB0	TBN50080
301	漚	8EB2	CEB1	TBN60080
302	漚	8EB3	CEB2	TBN70080
303	漚	8EB4	CEB3	TBN80080
304	漚	8EB5	CEB4	TBN90080
305	漚	8EB6	CEB5	TBNA0080
306	漚	8EB7	CEB6	TBNB0080
307	漚	8EB8	CEB7	TBNC0080
308	漚	8EB9	CEB8	TBND0080
309	漚	8EBA	CEB9	TBNE0080
310	漚	8EBB	CEBA	TBNF0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
311	讓	8EBC	CEBB	TBNG0080
312	讓	8EBD	CEBC	TBNH0080
313	讓	8EBE	CEBD	TBNI0080
314	讓	8EBF	CEBE	TBNJ0080
315	譽	8EC0	CEBF	TBNK0080
316	臚	8EC1	CEC0	TBNL0080
317	臚	8EC2	CEC1	TBNM0080
318	臚	8EC3	CEC2	TBNN0080
319	臚	8EC4	CEC3	TBNO0080
320	臚	8EC5	CEC4	TBNP0080
321	輻	8EC6	CEC5	TBNQ0080
322	輻	8EC7	CEC6	TBNR0080
323	舉	8EC8	CEC7	TBNS0080
324	鄂	8EC9	CEC8	TBNT0080
325	鄴	8ECA	CEC9	TBNU0080
326	鄴	8ECB	CECA	TBNV0080
327	醜	8ECC	CECB	TBNW0080
328	鏡	8ECD	CECC	TBNX0080
329	鑲	8ECE	CECD	TBNY0080
330	鑲	8ECF	CECE	TBNZ0080
331	鏟	8ED0	CECF	TBO00080
332	鏟	8ED1	CED0	TBO10080
333	鏟	8ED2	CED1	TBO20080
334	鏟	8ED3	CED2	TBO30080
335	鏟	8ED4	CED3	TBO40080
336	鏟	8ED5	CED4	TBO50080

Line Number	Graphic	Host Code	PC Code	GCGID
337	鏟	8ED6	CED5	TBO60080
338	鏟	8ED7	CED6	TBO70080
339	鏟	8ED8	CED7	TBO80080
340	鏟	8ED9	CED8	TBO90080
341	闌	8EDA	CED9	TBOA0080
342	闌	8EDB	CEDA	TBOB0080
343	闌	8EDC	CEDB	TBOC0080
344	霰	8EDD	CEDC	TBOD0080
345	霰	8EDE	CEDD	TBOE0080
346	讎	8EDF	CEDE	TBOF0080
347	讎	8EE0	CEDF	TBOG0080
348	頰	8EE1	CEE0	TBOH0080
349	頰	8EE2	CEE1	TBOI0080
350	颯	8EE3	CEE2	TBOJ0080
351	颯	8EE4	CEE3	TBOK0080
352	館	8EE5	CEE4	TBOL0080
353	饑	8EE6	CEE5	TBOM0080
354	驢	8EE7	CEE6	TBON0080
355	驢	8EE8	CEE7	TBOO0080
356	驛	8EE9	CEE8	TBOP0080
357	驄	8EEA	CEE9	TBOQ0080
358	驂	8EEB	CEEA	TBOR0080
359	鰲	8EEC	CEEB	TBOS0080
360	鰲	8EED	CEEC	TBOT0080
361	驛	8EEE	CEED	TBOU0080
362	餽	8EEF	CEEE	TBOV0080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
363	髮	8EF0	CEEF	TBOW0080
364	鬚	8EF1	CEF0	TBOX0080
365	鬢	8EF2	CEF1	TBOY0080
366	鬃	8EF3	CEF2	TBOZ0080
367	鬍	8EF4	CEF3	TBP00080
368	髭	8EF5	CEF4	TBP10080
369	髻	8EF6	CEF5	TBP20080
370	髻	8EF7	CEF6	TBP30080
371	髻	8EF8	CEF7	TBP40080
372	髻	8EF9	CEF8	TBP50080
373	髻	8EFA	CEF9	TBP60080
374	髻	8EFB	CEFA	TBP70080
375	髻	8EFC	CEFB	TBP80080
376	髻	8EFD	CEFC	TBP90080
377	髻	8F41	CF40	TBPD0080
378	髻	8F42	CF41	TBPE0080
379	髻	8F43	CF42	TBPF0080
380	髻	8F44	CF43	TBPG0080
381	髻	8F45	CF44	TBPH0080
382	髻	8F46	CF45	TBPI0080
383	髻	8F47	CF46	TBPJ0080
384	髻	8F48	CF47	TBPK0080
385	髻	8F49	CF48	TBPL0080
386	髻	8F4A	CF49	TBPM0080
387	髻	8F4B	CF4A	TBPN0080
388	髻	8F4C	CF4B	TBPO0080

Line Number	Graphic	Host Code	PC Code	GCGID
389	鷓	8F4D	CF4C	TBPP0080
390	鷓	8F4E	CF4D	TBPQ0080
391	鷓	8F4F	CF4E	TBPR0080
392	鷓	8F50	CF4F	TBPS0080
393	鷓	8F51	CF50	TBPT0080
394	鷓	8F52	CF51	TBPU0080
395	鷓	8F53	CF52	TBPV0080
396	鷓	8F54	CF53	TBPW0080
397	鷓	8F55	CF54	TBPX0080
398	鷓	8F56	CF55	TBPY0080
399	鷓	8F57	CF56	TBPZ0080
400	鷓	8F58	CF57	TBQ00080
401	鷓	8F59	CF58	TBQ10080
402	鷓	8F5A	CF59	TBQ20080
403	鷓	8F5B	CF5A	TBQ30080
404	鷓	8F5C	CF5B	TBQ40080
405	鷓	8F5D	CF5C	TBQ50080
406	鷓	8F5E	CF5D	TBQ60080
407	鷓	8F5F	CF5E	TBQ70080
408	鷓	8F60	CF5F	TBQ80080
409	鷓	8F61	CF60	TBQ90080
410	鷓	8F62	CF61	TBQA0080
411	鷓	8F63	CF62	TBQB0080
412	鷓	8F64	CF63	TBQC0080
413	鷓	8F65	CF64	TBQD0080
414	鷓	8F66	CF65	TBQE0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
415	囋	8F67	CF66	TBQF0080
416	𨇗	8F68	CF67	TBQG0080
417	𨇘	8F69	CF68	TBQH0080
418	𨇙	8F6A	CF69	TBQI0080
419	𨇚	8F6B	CF6A	TBQJ0080
420	𨇛	8F6C	CF6B	TBQK0080
421	𨇜	8F6D	CF6C	TBQL0080
422	𨇝	8F6E	CF6D	TBQM0080
423	𨇞	8F6F	CF6E	TBQN0080
424	𨇟	8F70	CF6F	TBQO0080
425	𨇠	8F71	CF70	TBQP0080
426	𨇡	8F72	CF71	TBQQ0080
427	𨇢	8F73	CF72	TBQR0080
428	𨇣	8F74	CF73	TBQS0080
429	𨇤	8F75	CF74	TBQT0080
430	𨇥	8F76	CF75	TBQU0080
431	𨇦	8F77	CF76	TBQV0080
432	𨇧	8F78	CF77	TBQW0080
433	𨇨	8F79	CF78	TBQX0080
434	𨇩	8F7A	CF79	TBQY0080
435	𨇪	8F7B	CF7A	TBQZ0080
436	𨇫	8F7C	CF7B	TBR00080
437	𨇬	8F7D	CF7C	TBR10080
438	𨇭	8F7E	CF7D	TBR20080
439	𨇮	8F7F	CF7E	TBR30080
440	𨇯	8F81	CF80	TBR50080

Line Number	Graphic	Host Code	PC Code	GCGID
441	𨇰	8F82	CF81	TBR60080
442	𨇱	8F83	CF82	TBR70080
443	𨇲	8F84	CF83	TBR80080
444	𨇳	8F85	CF84	TBR90080
445	𨇴	8F86	CF85	TBRA0080
446	𨇵	8F87	CF86	TBRB0080
447	𨇶	8F88	CF87	TBRC0080
448	𨇷	8F89	CF88	TBRD0080
449	𨇸	8F8A	CF89	TBRE0080
450	𨇹	8F8B	CF8A	TBRF0080
451	𨇺	8F8C	CF8B	TBRG0080
452	𨇻	8F8D	CF8C	TBRH0080
453	𨇼	8F8E	CF8D	TBRI0080
454	𨇽	8F8F	CF8E	TBRJ0080
455	𨇾	8F90	CF8F	TBRK0080
456	𨇿	8F91	CF90	TBRL0080
457	𨇿	8F92	CF91	TBRM0080
458	𨇿	8F93	CF92	TBRN0080
459	𨇿	8F94	CF93	TBRO0080
460	𨇿	8F95	CF94	TBRP0080
461	𨇿	8F96	CF95	TBRQ0080
462	𨇿	8F97	CF96	TBRR0080
463	𨇿	8F98	CF97	TBRS0080
464	𨇿	8F99	CF98	TBRT0080
465	𨇿	8F9A	CF99	TBRU0080
466	𨇿	8F9B	CF9A	TBRV0080

IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 12 (Page 10 of 18). Secondary CH-T (4/4), DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
467	蕤	8F9C	CF9B	TBRW0080
468	蠟	8F9D	CF9C	TBRX0080
469	蠟	8F9E	CF9D	TBRY0080
470	蠟	8F9F	CF9E	TBRZ0080
471	蠟	8FA0	CF9F	TBS00080
472	蠟	8FA1	CFA0	TBS10080
473	蠟	8FA2	CFA1	TBS20080
474	覲	8FA3	CFA2	TBS30080
475	覲	8FA4	CFA3	TBS40080
476	覲	8FA5	CFA4	TBS50080
477	覲	8FA6	CFA5	TBS60080
478	覲	8FA7	CFA6	TBS70080
479	覲	8FA8	CFA7	TBS80080
480	覲	8FA9	CFA8	TBS90080
481	譚	8FAA	CFA9	TBSA0080
482	譚	8FAB	CFAA	TBSB0080
483	譚	8FAC	CFAB	TBSC0080
484	躡	8FAD	CFAC	TBSD0080
485	躡	8FAE	CFAD	TBSE0080
486	躡	8FAF	CFAE	TBSF0080
487	躡	8FB0	CFAF	TBSG0080
488	躡	8FB1	CFB0	TBSH0080
489	躡	8FB2	CFB1	TBSI0080
490	躡	8FB3	CFB2	TBSJ0080
491	躡	8FB4	CFB3	TBSK0080
492	躡	8FB5	CFB4	TBSL0080

Table 12 (Page 10 of 18). Secondary CH-T (4/4), DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
493	鄮	8FB6	CFB5	TBSM0080
494	鄮	8FB7	CFB6	TBSN0080
495	鄮	8FB8	CFB7	TBSO0080
496	鄮	8FB9	CFB8	TBSP0080
497	鄮	8FBA	CFB9	TBSQ0080
498	鄮	8FBB	CFBA	TBSR0080
499	鄮	8FBC	CFBB	TBSS0080
500	鄮	8FBD	CFBC	TBST0080
501	鄮	8FBE	CFBD	TBSU0080
502	鄮	8FBF	CFBE	TBSV0080
503	鄮	8FC0	CFBF	TBSW0080
504	鄮	8FC1	CFC0	TBSX0080
505	鄮	8FC2	CFC1	TBSY0080
506	鄮	8FC3	CFC2	TBSZ0080
507	鄮	8FC4	CFC3	TBT00080
508	鄮	8FC5	CFC4	TBT10080
509	鄮	8FC6	CFC5	TBT20080
510	鄮	8FC7	CFC6	TBT30080
511	鄮	8FC8	CFC7	TBT40080
512	鄮	8FC9	CFC8	TBT50080
513	鄮	8FCA	CFC9	TBT60080
514	鄮	8FCB	CFCA	TBT70080
515	鄮	8FCC	CFCB	TBT80080
516	鄮	8FCD	CFCC	TBT90080
517	鄮	8FCE	CFCD	TBTA0080
518	鄮	8FCF	CFCE	TBTB0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
519	驛	8FD0	CFCF	TBTC0080
520	驍	8FD1	CFD0	TBTD0080
521	驍	8FD2	CFD1	TBTE0080
522	驍	8FD3	CFD2	TBTF0080
523	驍	8FD4	CFD3	TBTG0080
524	驍	8FD5	CFD4	TBTH0080
525	驍	8FD6	CFD5	TBTI0080
526	驍	8FD7	CFD6	TBTJ0080
527	驍	8FD8	CFD7	TBTK0080
528	驍	8FD9	CFD8	TBTL0080
529	驍	8FDA	CFD9	TBTM0080
530	驍	8FDB	CFDA	TBTN0080
531	驍	8FDC	CFDB	TBTO0080
532	驍	8FDD	CFDC	TBTP0080
533	驍	8FDE	CFDD	TBTQ0080
534	驍	8FDF	CFDE	TBTR0080
535	驍	8FE0	CFDF	TBTS0080
536	驍	8FE1	CFE0	TBTT0080
537	驍	8FE2	CFE1	TBTU0080
538	驍	8FE3	CFE2	TBTV0080
539	驍	8FE4	CFE3	TBTW0080
540	驍	8FE5	CFE4	TBTX0080
541	驍	8FE6	CFE5	TBTY0080
542	驍	8FE7	CFE6	TBTZ0080
543	驍	8FE8	CFE7	TBU00080
544	驍	8FE9	CFE8	TBU10080

Line Number	Graphic	Host Code	PC Code	GCGID
545	驍	8FEA	CFE9	TBU20080
546	驍	8FEB	CFEA	TBU30080
547	驍	8FEC	CFEB	TBU40080
548	驍	8FED	CFEC	TBU50080
549	驍	8FEE	CFED	TBU60080
550	驍	8FEF	CFEE	TBU70080
551	驍	8FF0	CFEF	TBU80080
552	驍	8FF1	CFF0	TBU90080
553	驍	8FF2	CFF1	TBUA0080
554	驍	8FF3	CFF2	TBUB0080
555	驍	8FF4	CFF3	TBUC0080
556	驍	8FF5	CFF4	TBUD0080
557	驍	8FF6	CFF5	TBUE0080
558	驍	8FF7	CFF6	TBUF0080
559	驍	8FF8	CFF7	TBUG0080
560	驍	8FF9	CFF8	TBUH0080
561	驍	8FFA	CFF9	TBUI0080
562	驍	8FFB	CFFA	TBUJ0080
563	驍	8FFC	CFFB	TBUK0080
564	驍	8FFD	CFFC	TBUL0080
565	驍	9041	D040	TBUP0080
566	驍	9042	D041	TBUQ0080
567	驍	9043	D042	TBUR0080
568	驍	9044	D043	TBUS0080
569	驍	9045	D044	TBUT0080
570	驍	9046	D045	TBUU0080

IBM Traditional Chinese Graphic Character Set


DBCS - Host and DBCS - PC

Table 12 (Page 12 of 18). Secondary CH-T (4/4), DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
571	巘	9047	D046	TBUV0080
572	廬	9048	D047	TBUW0080
573	攢	9049	D048	TBUX0080
574	懋	904A	D049	TBUY0080
575	懋	904B	D04A	TBUZ0080
576	懋	904C	D04B	TBV00080
577	攢	904D	D04C	TBV10080
578	攢	904E	D04D	TBV20080
579	壺	904F	D04E	TBV30080
580	魯	9050	D04F	TBV40080
581	攢	9051	D050	TBV50080
582	樂	9052	D051	TBV60080
583	權	9053	D052	TBV70080
584	壑	9054	D053	TBV80080
585	澗	9055	D054	TBV90080
586	澗	9056	D055	TBVA0080
587	廩	9057	D056	TBVB0080
588	獮	9058	D057	TBVC0080
589	獮	9059	D058	TBVD0080
590	獮	905A	D059	TBVE0080
591	癰	905B	D05A	TBVF0080
592	瞞	905C	D05B	TBVG0080
593	籩	905D	D05C	TBVH0080
594	籩	905E	D05D	TBVI0080
595	纒	905F	D05E	TBVJ0080
596	纒	9060	D05F	TBVK0080

Table 12 (Page 12 of 18). Secondary CH-T (4/4), DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
597	藪	9061	D060	TBVL0080
598	藪	9062	D061	TBVM0080
599	藪	9063	D062	TBVN0080
600	藪	9064	D063	TBVO0080
601	藪	9065	D064	TBVP0080
602	藪	9066	D065	TBVQ0080
603	藪	9067	D066	TBVR0080
604	藪	9068	D067	TBVS0080
605	藪	9069	D068	TBVT0080
606	藪	906A	D069	TBVU0080
607	藪	906B	D06A	TBVV0080
608	藪	906C	D06B	TBVW0080
609	藪	906D	D06C	TBVX0080
610	藪	906E	D06D	TBVI0080
611	藪	906F	D06E	TBVZ0080
612	藪	9070	D06F	TBW00080
613	藪	9071	D070	TBW10080
614	藪	9072	D071	TBW20080
615	藪	9073	D072	TBW30080
616	藪	9074	D073	TBW40080
617	藪	9075	D074	TBW50080
618	藪	9076	D075	TBW60080
619	藪	9077	D076	TBW70080
620	藪	9078	D077	TBW80080
621	藪	9079	D078	TBW90080
622	藪	907A	D079	TBWA0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
623	鑽	907B	D07A	TBWB0080
624	鑽	907C	D07B	TBWC0080
625	鑽	907D	D07C	TBWD0080
626	鑽	907E	D07D	TBWE0080
627	鑽	907F	D07E	TBWF0080
628	鑽	9081	D080	TBWH0080
629	鑽	9082	D081	TBWI0080
630	鑽	9083	D082	TBWJ0080
631	鑽	9084	D083	TBWK0080
632	鑽	9085	D084	TBWL0080
633	鑽	9086	D085	TBWM0080
634	鑽	9087	D086	TBWN0080
635	鑽	9088	D087	TBWO0080
636	鑽	9089	D088	TBWP0080
637	鑽	908A	D089	TBWQ0080
638	鑽	908B	D08A	TBWR0080
639	鑽	908C	D08B	TBWS0080
640	鑽	908D	D08C	TBWT0080
641	鑽	908E	D08D	TBWU0080
642	鑽	908F	D08E	TB WV0080
643	鑽	9090	D08F	TBWW0080
644	鑽	9091	D090	TBWX0080
645	鑽	9092	D091	TB WY0080
646	鑽	9093	D092	TB WZ0080
647	鑽	9094	D093	TB X00080
648	鑽	9095	D094	TB X10080

Line Number	Graphic	Host Code	PC Code	GCGID
649	鵲	9096	D095	TBX20080
650	鵲	9097	D096	TBX30080
651	鵲	9098	D097	TBX40080
652	鵲	9099	D098	TBX50080
653	鵲	909A	D099	TBX60080
654	鵲	909B	D09A	TBX70080
655	鵲	909C	D09B	TBX80080
656	鵲	909D	D09C	TBX90080
657	鵲	909E	D09D	TBXA0080
658	鵲	909F	D09E	TB XB0080
659	鵲	90A0	D09F	TB XC0080
660	鵲	90A1	D0A0	TB XD0080
661	鵲	90A2	D0A1	TB XE0080
662	鵲	90A3	D0A2	TB XF0080
663	鵲	90A4	D0A3	TB XG0080
664	鵲	90A5	D0A4	TB XH0080
665	鵲	90A6	D0A5	TB XI0080
666	鵲	90A7	D0A6	TB XJ0080
667	鵲	90A8	D0A7	TB XK0080
668	鵲	90A9	D0A8	TB XL0080
669	鵲	90AA	D0A9	TB XM0080
670	鵲	90AB	D0AA	TB XN0080
671	鵲	90AC	D0AB	TB XO0080
672	鵲	90AD	D0AC	TB XP0080
673	鵲	90AE	D0AD	TB XQ0080
674	鵲	90AF	D0AE	TB XR0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
675	𪗇	90B0	D0AF	TBXS0080
676	𪗈	90B1	D0B0	TBXT0080
677	𪗉	90B2	D0B1	TBXU0080
678	𪗊	90B3	D0B2	TBXV0080
679	𪗋	90B4	D0B3	TBXW0080
680	𪗌	90B5	D0B4	TBXX0080
681	𪗍	90B6	D0B5	TBXY0080
682	𪗎	90B7	D0B6	TBXZ0080
683	𪗏	90B8	D0B7	TBY00080
684	𪗐	90B9	D0B8	TBY10080
685	𪗑	90BA	D0B9	TBY20080
686	𪗒	90BB	D0BA	TBY30080
687	𪗓	90BC	D0BB	TBY40080
688	𪗔	90BD	D0BC	TBY50080
689	𪗕	90BE	D0BD	TBY60080
690	𪗖	90BF	D0BE	TBY70080
691	𪗗	90C0	D0BF	TBY80080
692	𪗘	90C1	D0C0	TBY90080
693	𪗙	90C2	D0C1	TBYA0080
694	𪗚	90C3	D0C2	TBYB0080
695	𪗛	90C4	D0C3	TBYC0080
696	𪗜	90C5	D0C4	TBYD0080
697	𪗝	90C6	D0C5	TBYE0080
698	𪗞	90C7	D0C6	TBYF0080
699	𪗟	90C8	D0C7	TBYG0080
700	𪗠	90C9	D0C8	TBYH0080

Line Number	Graphic	Host Code	PC Code	GCGID
701	𪗡	90CA	D0C9	TBYI0080
702	𪗢	90CB	D0CA	TBYJ0080
703	𪗣	90CC	D0CB	TBYK0080
704	𪗤	90CD	D0CC	TBYL0080
705	𪗥	90CE	D0CD	TBYM0080
706	𪗦	90CF	D0CE	TBYN0080
707	𪗧	90D0	D0CF	TBYO0080
708	𪗨	90D1	D0D0	TBYP0080
709	𪗩	90D2	D0D1	TBYQ0080
710	𪗪	90D3	D0D2	TBYR0080
711	𪗫	90D4	D0D3	TBYS0080
712	𪗬	90D5	D0D4	TBYT0080
713	𪗭	90D6	D0D5	TBYU0080
714	𪗮	90D7	D0D6	TBYV0080
715	𪗯	90D8	D0D7	TBYW0080
716	𪗰	90D9	D0D8	TBYX0080
717	𪗱	90DA	D0D9	TBYY0080
718	𪗲	90DB	D0DA	TBYZ0080
719	𪗳	90DC	D0DB	TBZ00080
720	𪗴	90DD	D0DC	TBZ10080
721	𪗵	90DE	D0DD	TBZ20080
722	𪗶	90DF	D0DE	TBZ30080
723	𪗷	90E0	D0DF	TBZ40080
724	𪗸	90E1	D0E0	TBZ50080
725	𪗹	90E2	D0E1	TBZ60080
726	𪗺	90E3	D0E2	TBZ70080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
727	鰻	90E4	D0E3	TBZ80080
728	鱸	90E5	D0E4	TBZ90080
729	鱧	90E6	D0E5	TBZA0080
730	鯉	90E7	D0E6	TBZB0080
731	鯪	90E8	D0E7	TBZC0080
732	鯬	90E9	D0E8	TBZD0080
733	鮪	90EA	D0E9	TBZE0080
734	鰵	90EB	D0EA	TBZF0080
735	鰵	90EC	D0EB	TBZG0080
736	鰵	90ED	D0EC	TBZH0080
737	鰵	90EE	D0ED	TBZI0080
738	鰵	90EF	D0EE	TBZJ0080
739	鰵	90F0	D0EF	TBZK0080
740	鰵	90F1	D0F0	TBZL0080
741	鰵	90F2	D0F1	TBZM0080
742	鰵	90F3	D0F2	TBZN0080
743	鰵	90F4	D0F3	TBZO0080
744	鰵	90F5	D0F4	TBZP0080
745	鰵	90F6	D0F5	TBZQ0080
746	鰵	90F7	D0F6	TBZR0080
747	鰵	90F8	D0F7	TBZS0080
748	鰵	90F9	D0F8	TBZT0080
749	鰵	90FA	D0F9	TBZU0080
750	鰵	90FB	D0FA	TBZV0080
751	鰵	90FC	D0FB	TBZW0080
752	鰵	90FD	D0FC	TBZX0080

Line Number	Graphic	Host Code	PC Code	GCGID
753	鰵	9141	D140	TC010080
754	鰵	9142	D141	TC020080
755	鰵	9143	D142	TC030080
756	鰵	9144	D143	TC040080
757	鰵	9145	D144	TC050080
758	鰵	9146	D145	TC060080
759	鰵	9147	D146	TC070080
760	鰵	9148	D147	TC080080
761	鰵	9149	D148	TC090080
762	鰵	914A	D149	TC0A0080
763	鰵	914B	D14A	TC0B0080
764	鰵	914C	D14B	TC0C0080
765	鰵	914D	D14C	TC0D0080
766	鰵	914E	D14D	TC0E0080
767	鰵	914F	D14E	TC0F0080
768	鰵	9150	D14F	TC0G0080
769	鰵	9151	D150	TC0H0080
770	鰵	9152	D151	TC0I0080
771	鰵	9153	D152	TC0J0080
772	鰵	9154	D153	TC0K0080
773	鰵	9155	D154	TC0L0080
774	鰵	9156	D155	TC0M0080
775	鰵	9157	D156	TC0N0080
776	鰵	9158	D157	TC0O0080
777	鰵	9159	D158	TC0P0080
778	鰵	915A	D159	TC0Q0080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	Host Code	PC Code	GCGID
779	襴	915B	D15A	TC0R0080
780	襴	915C	D15B	TC0S0080
781	襴	915D	D15C	TC0T0080
782	譚	915E	D15D	TC0U0080
783	譚	915F	D15E	TC0V0080
784	譚	9160	D15F	TC0W0080
785	躡	9161	D160	TC0X0080
786	躡	9162	D161	TC0Y0080
787	躡	9163	D162	TC0Z0080
788	鏞	9164	D163	TC100080
789	鐵	9165	D164	TC110080
790	鐵	9166	D165	TC120080
791	鐵	9167	D166	TC130080
792	鐵	9168	D167	TC140080
793	鐵	9169	D168	TC150080
794	鐵	916A	D169	TC160080
795	鐵	916B	D16A	TC170080
796	鐵	916C	D16B	TC180080
797	鐵	916D	D16C	TC190080
798	鐵	916E	D16D	TC1A0080
799	鐵	916F	D16E	TC1B0080
800	鐵	9170	D16F	TC1C0080
801	鐵	9171	D170	TC1D0080
802	鐵	9172	D171	TC1E0080
803	鐵	9173	D172	TC1F0080
804	鐵	9174	D173	TC1G0080

Line Number	Graphic	Host Code	PC Code	GCGID
805	鐵	9175	D174	TC1H0080
806	鐵	9176	D175	TC1I0080
807	鐵	9177	D176	TC1J0080
808	鐵	9178	D177	TC1K0080
809	鐵	9179	D178	TC1L0080
810	鐵	917A	D179	TC1M0080
811	鐵	917B	D17A	TC1N0080
812	鐵	917C	D17B	TC1O0080
813	鐵	917D	D17C	TC1P0080
814	鐵	917E	D17D	TC1Q0080
815	鐵	917F	D17E	TC1R0080
816	鐵	9181	D180	TC1T0080
817	鐵	9182	D181	TC1U0080
818	鐵	9183	D182	TC1V0080
819	鐵	9184	D183	TC1W0080
820	鐵	9185	D184	TC1X0080
821	鐵	9186	D185	TC1Y0080
822	鐵	9187	D186	TC1Z0080
823	鐵	9188	D187	TC200080
824	鐵	9189	D188	TC210080
825	鐵	918A	D189	TC220080
826	鐵	918B	D18A	TC230080
827	鐵	918C	D18B	TC240080
828	鐵	918D	D18C	TC250080
829	鐵	918E	D18D	TC260080
830	鐵	918F	D18E	TC270080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 12 (Page 17 of 18). Secondary CH-T (4/4), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
831	罍	9190	D18F	TC280080
832	罍	9191	D190	TC290080
833	罍	9192	D191	TC2A0080
834	罍	9193	D192	TC2B0080
835	罍	9194	D193	TC2C0080
836	罍	9195	D194	TC2D0080
837	罍	9196	D195	TC2E0080
838	罍	9197	D196	TC2F0080
839	罍	9198	D197	TC2G0080
840	罍	9199	D198	TC2H0080
841	罍	919A	D199	TC2I0080
842	罍	919B	D19A	TC2J0080
843	罍	919C	D19B	TC2K0080
844	罍	919D	D19C	TC2L0080
845	罍	919E	D19D	TC2M0080
846	罍	919F	D19E	TC2N0080
847	罍	91A0	D19F	TC2O0080
848	罍	91A1	D1A0	TC2P0080
849	罍	91A2	D1A1	TC2Q0080
850	罍	91A3	D1A2	TC2R0080
851	罍	91A4	D1A3	TC2S0080
852	罍	91A5	D1A4	TC2T0080
853	罍	91A6	D1A5	TC2U0080
854	罍	91A7	D1A6	TC2V0080
855	罍	91A8	D1A7	TC2W0080
856	罍	91A9	D1A8	TC2X0080

Table 12 (Page 17 of 18). Secondary CH-T (4/4), DBCS - Host				
Line Number	Graphic	Host Code	PC Code	GCGID
857	罍	91AA	D1A9	TC2Y0080
858	罍	91AB	D1AA	TC2Z0080
859	罍	91AC	D1AB	TC300080
860	罍	91AD	D1AC	TC310080
861	罍	91AE	D1AD	TC320080
862	罍	91AF	D1AE	TC330080
863	罍	91B0	D1AF	TC340080
864	罍	91B1	D1B0	TC350080
865	罍	91B2	D1B1	TC360080
866	罍	91B3	D1B2	TC370080
867	罍	91B4	D1B3	TC380080
868	罍	91B5	D1B4	TC390080
869	罍	91B6	D1B5	TC3A0080
870	罍	91B7	D1B6	TC3B0080
871	罍	91B8	D1B7	TC3C0080
872	罍	91B9	D1B8	TC3D0080
873	罍	91BA	D1B9	TC3E0080
874	罍	91BB	D1BA	TC3F0080
875	罍	91BC	D1BB	TC3G0080
876	罍	91BD	D1BC	TC3H0080
877	罍	91BE	D1BD	TC3I0080
878	罍	91BF	D1BE	TC3J0080
879	罍	91C0	D1BF	TC3K0080
880	罍	91C1	D1C0	TC3L0080
881	罍	91C2	D1C1	TC3M0080
882	罍	91C3	D1C2	TC3N0080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 12 (Page 18 of 18). Secondary CH-T (4/4),
DBCS - Host

Line Number	Graphic	Host Code	PC Code	GCGID
883	𪛗	91C4	D1C3	TC3O0080
884	𪛘	91C5	D1C4	TC3P0080
885	𪛙	91C6	D1C5	TC3Q0080
886	𪛚	91C7	D1C6	TC3R0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

8.9 DBCS-PC Specification

Table 14 on page 286 to Table 21 on page 544 provide the graphic representations and their IBM *DBCS-PC codes* of the IBM CH-T Graphic Character Set. They are formatted as illustrated in Table 13. Line numbers are serial numbers of listed *graphic characters* by subsets of graphic characters for the purpose of easy reference only. They include the corresponding *DBCS-Host codes*.

Table 13. Format of DBCS-PC Code Tables

Column				
1	2	3	4	5
Line No.	Graphic	PC Code	Host Code	GCGID
XXXX	X	XXXX	XXXX	XXXXXXXX



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

8.10 Non-Chinese Set

Line Number	Graphic	PC Code	Host Code	GCGID
1		8140	4040	SP010080
2	,	8141	4344	JQ730080
3	o	8142	4341	JQ700080
4	,	8143	426B	SP080080
5	.	8144	424B	SP110080
6	•	8145	4345	JQ740080
7	:	8146	427A	SP130080
8	;	8147	425E	SP140080
9	?	8148	426F	SP150080
10	!	8149	425A	SP020080
11	”	814A	43BE	JX710080
12	°	814B	43BF	JX720080
13	’	814C	4450	SD110080
14	`	814D	4279	SD130080
15	”	814E	4460	SD170080
16	^	814F	4470	SD150080
17	—	8150	42A1	SM150080
18	—	8151	426D	SP090080
19	、	8152	43DC	JQ750080
20	、	8153	43DD	JQ760080
21	、	8154	44DC	RQ750080
22	、	8155	44DD	RQ760080
23	、	8156	445B	SV090081
24	全	8157	445C	SS760080

Line Number	Graphic	PC Code	Host Code	GCGID
25	々	8158	445D	SS770080
26	々	8159	445E	SS720080
27	○	815A	445F	ND100087
28	—	815B	4358	JX700080
29	—	815C	444A	SM120080
30	—	815D	445A	SP320080
31	/	815E	4261	SP120080
32	\	815F	43E0	SM070080
33	~	8160	43A1	SD190080
34		8161	447C	SV370080
35		8162	424F	SM130080
36	...	8163	447F	SV440080
37	..	8164	447E	SV430080
38	‘	8165	4461	SP190080
39	’	8166	4471	SP200080
40	“	8167	4462	SP210080
41	”	8168	4472	SP220080
42	(8169	424D	SP060080
43)	816A	425D	SP070080
44	{	816B	4463	SP060081
45	}	816C	4473	SP070081
46	[816D	4444	SM060080
47]	816E	4445	SM080080
48	{	816F	42C0	SM110080
49	}	8170	42D0	SM140080
50	<	8171	4464	SP060082



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
51	>	8172	4474	SP070082
52	⏪	8173	4465	SP060083
53	⏩	8174	4475	SP070083
54	┌	8175	4342	JQ710080
55	└	8176	4343	JQ720080
56	┐	8177	4442	JQ710081
57	┘	8178	4443	JQ720081
58	【	8179	4466	SP060084
59	】	817A	4476	SP070084
60	+	817B	424E	SA010080
61	—	817C	4260	SP100080
62	±	817D	444B	SA020080
63	×	817E	447A	SA070080
64	÷	8180	447B	SA060080
65	=	8181	427E	SA040080
66	≠	8182	444C	SA540080
67	<	8183	424C	SA030080
68	>	8184	426E	SA050080
69	≦	8185	4467	SA520082
70	≧	8186	4477	SA530082
71	∞	8187	444D	SA450080
72	∴	8188	4468	SA370080
73	♂	8189	4469	SM280080
74	♀	818A	4479	SM290080
75	°	818B	44ED	SM190080
76	'	818C	44EE	SM500080

Line Number	Graphic	PC Code	Host Code	GCGID
77	"	818D	44EF	SM510080
78	°C	818E	444E	SM440080
79	¥	818F	425B	SC050080
80	\$	8190	42E0	SC030080
81	¢	8191	434A	SC040080
82	£	8192	424A	SC020080
83	%	8193	426C	SM020080
84	#	8194	427B	SM010080
85	&	8195	4250	SM030080
86	*	8196	425C	SM040080
87	@	8197	427C	SM050080
88	§	8198	446A	SM240080
89	☆	8199	44E5	SS570080
90	★	819A	44E6	SS580080
91	○	819B	44E0	SM750080
92	●	819C	44E1	SM580080
93	◎	819D	44E4	SM810080
94	◇	819E	44E7	SA660080
95	◆	819F	44E8	SM610080
96	□	81A0	44E9	SM450080
97	■	81A1	44EA	SM470080
98	△	81A2	44E2	SM730080
99	▲	81A3	44E3	SM600080
100	▽	81A4	44EB	SM740080
101	▼	81A5	44EC	SV040080
102	※	81A6	446B	SM040088



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
103	〒	81A7	446C	SS730080
104	→	81A8	44F0	SM310080
105	←	81A9	44F1	SM300080
106	↑	81AA	44F2	SM320080
107	↓	81AB	44F3	SM330080
108	=	81AC	447D	SS750080
109	€	81B8	4364	SA670080
110	∋	81B9	4365	SA310080
111	⊆	81BA	4366	SA240080
112	⊇	81BB	4367	SA270080
113	⊂	81BC	4368	SA400080
114	⊃	81BD	4369	SA410080
115	∧	81C8	436C	SA330080
116	∨	81C9	436D	SA320080
117	⇒	81CB	436E	SM420080
118	⇔	81CC	436F	SM410080
119	∇	81CD	4370	SA210080
120	∃	81CE	4371	SA230080
121	∩	81DC	434D	SV420080
122	∅	81DD	434E	SA490080
123	∇	81DE	434F	SL030080
124	⌠	81E1	435D	SA730080
125	⌡	81E2	435E	SA740080
126	∫	81E4	4360	SA830080
127	∞	81E5	4361	SA470080
128	∫	81E8	4363	SA840080

Line Number	Graphic	PC Code	Host Code	GCGID
129	À	81F0	4372	SM220080
130	‰	81F1	4373	SM560080
131	#	81F2	4374	SM880080
132	ℓ	81F3	4375	SM890080
133	♪	81F4	4376	SM930080
134	†	81F5	4377	SM340080
135	‡	81F6	4378	SM350080
136	¶	81F7	4379	SM250080
137	○	81FC	437A	SV220080
138	0	824F	42F0	ND100080
139	1	8250	42F1	ND010080
140	2	8251	42F2	ND020080
141	3	8252	42F3	ND030080
142	4	8253	42F4	ND040080
143	5	8254	42F5	ND050080
144	6	8255	42F6	ND060080
145	7	8256	42F7	ND070080
146	8	8257	42F8	ND080080
147	9	8258	42F9	ND090080
148	A	8260	42C1	LA020080
149	B	8261	42C2	LB020080
150	C	8262	42C3	LC020080
151	D	8263	42C4	LD020080
152	E	8264	42C5	LE020080
153	F	8265	42C6	LF020080
154	G	8266	42C7	LG020080

**IBM Traditional Chinese Graphic Character Set**

DBCS - Host and DBCS - PC

Table 14 (Page 4 of 20). Non-Chinese Set, DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
155	H	8267	42C8	LH020080
156	I	8268	42C9	LI020080
157	J	8269	42D1	LJ020080
158	K	826A	42D2	LK020080
159	L	826B	42D3	LL020080
160	M	826C	42D4	LM020080
161	N	826D	42D5	LN020080
162	O	826E	42D6	LO020080
163	P	826F	42D7	LP020080
164	Q	8270	42D8	LQ020080
165	R	8271	42D9	LR020080
166	S	8272	42E2	LS020080
167	T	8273	42E3	LT020080
168	U	8274	42E4	LU020080
169	V	8275	42E5	LV020080
170	W	8276	42E6	LW020080
171	X	8277	42E7	LX020080
172	Y	8278	42E8	LY020080
173	Z	8279	42E9	LZ020080
174	a	8281	4281	LA010080
175	b	8282	4282	LB010080
176	c	8283	4283	LC010080
177	d	8284	4284	LD010080
178	e	8285	4285	LE010080
179	f	8286	4286	LF010080
180	g	8287	4287	LG010080

Table 14 (Page 4 of 20). Non-Chinese Set, DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
181	h	8288	4288	LH010080
182	i	8289	4289	LI010080
183	j	828A	4291	LJ010080
184	k	828B	4292	LK010080
185	l	828C	4293	LL010080
186	m	828D	4294	LM010080
187	n	828E	4295	LN010080
188	o	828F	4296	LO010080
189	p	8290	4297	LP010080
190	q	8291	4298	LQ010080
191	r	8292	4299	LR010080
192	s	8293	42A2	LS010080
193	t	8294	42A3	LT010080
194	u	8295	42A4	LU010080
195	v	8296	42A5	LV010080
196	w	8297	42A6	LW010080
197	x	8298	42A7	LX010080
198	y	8299	42A8	LY010080
199	z	829A	42A9	LZ010080
200	あ	829F	4447	RA010080
201	ぁ	82A0	4481	RA000080
202	い	82A1	4448	RI010080
203	ぃ	82A2	4482	RI000080
204	う	82A3	4449	RU010080
205	ぅ	82A4	4483	RU000080
206	え	82A5	4451	RE010080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
207	え	82A6	4484	RE000080
208	お	82A7	4452	RO010080
209	お	82A8	4485	RO000080
210	か	82A9	4486	RK100080
211	が	82AA	44C0	RG100080
212	き	82AB	4487	RK200080
213	ぎ	82AC	44C1	RG200080
214	く	82AD	4488	RK300080
215	ぐ	82AE	44C2	RG300080
216	け	82AF	4489	RK400080
217	げ	82B0	44C3	RG400080
218	こ	82B1	448A	RK500080
219	ご	82B2	44C4	RG500080
220	さ	82B3	448C	RS100080
221	ざ	82B4	44C5	RZ100080
222	し	82B5	448D	RS200080
223	じ	82B6	44C6	RZ200080
224	す	82B7	448E	RS300080
225	ず	82B8	44C7	RZ300080
226	せ	82B9	448F	RS400080
227	ぜ	82BA	44C8	RZ400080
228	そ	82BB	4490	RS500080
229	ぞ	82BC	44C9	RZ500080
230	た	82BD	4491	RT100080
231	だ	82BE	44CA	RD100080
232	ち	82BF	4492	RT200080

Line Number	Graphic	PC Code	Host Code	GCGID
233	ぢ	82C0	44CB	RD200080
234	っ	82C1	4456	RT310080
235	っ	82C2	4493	RT300080
236	づ	82C3	44CC	RD300080
237	て	82C4	4494	RT400080
238	で	82C5	44CD	RD400080
239	と	82C6	4495	RT500080
240	ど	82C7	44CE	RD500080
241	な	82C8	4496	RN100080
242	に	82C9	4497	RN200080
243	ぬ	82CA	4498	RN300080
244	ね	82CB	4499	RN400080
245	の	82CC	449A	RN500080
246	は	82CD	449D	RH100080
247	ば	82CE	44CF	RB100080
248	ば	82CF	44D5	RP100080
249	ひ	82D0	449E	RH200080
250	び	82D1	44D0	RB200080
251	び	82D2	44D6	RP200080
252	ふ	82D3	449F	RH300080
253	ぶ	82D4	44D1	RB300080
254	ぶ	82D5	44D7	RP300080
255	へ	82D6	44A2	RH400080
256	べ	82D7	44D2	RB400080
257	べ	82D8	44D8	RP400080
258	ほ	82D9	44A3	RH500080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
259	ぼ	82DA	44D3	RB500080
260	ぽ	82DB	44D9	RP500080
261	ま	82DC	44A4	RM100080
262	み	82DD	44A5	RM200080
263	む	82DE	44A6	RM300080
264	め	82DF	44A7	RM400080
265	も	82E0	44A8	RM500080
266	や	82E1	4453	RY110080
267	ゃ	82E2	44A9	RY100080
268	ゆ	82E3	4454	RY310080
269	ゅ	82E4	44AA	RY300080
270	よ	82E5	4455	RY510080
271	よ	82E6	44AC	RY500080
272	ら	82E7	44AD	RR100080
273	り	82E8	44AE	RR200080
274	る	82E9	44AF	RR300080
275	れ	82EA	44BA	RR400080
276	ろ	82EB	44BB	RR500080
277	わ	82EC	4457	RW110080
278	わ	82ED	44BC	RW100080
279	ゐ	82EE	44DA	RW200080
280	ゑ	82EF	44DB	RW400080
281	を	82F0	4446	RW500080
282	ん	82F1	44BD	RN000080
283	ア	8340	4347	JA010080
284	ア	8341	4381	JA000080

Line Number	Graphic	PC Code	Host Code	GCGID
285	イ	8342	4348	Jl010080
286	イ	8343	4382	Jl000080
287	ウ	8344	4349	JU010080
288	ウ	8345	4383	JU000080
289	エ	8346	4351	JE010080
290	エ	8347	4384	JE000080
291	オ	8348	4352	JO010080
292	オ	8349	4385	JO000080
293	カ	834A	4386	JK100080
294	ガ	834B	43C0	JG100080
295	キ	834C	4387	JK200080
296	ギ	834D	43C1	JG200080
297	ク	834E	4388	JK300080
298	グ	834F	43C2	JG300080
299	ケ	8350	4389	JK400080
300	ゲ	8351	43C3	JG400080
301	コ	8352	438A	JK500080
302	ゴ	8353	43C4	JG500080
303	サ	8354	438C	JS100080
304	ザ	8355	43C5	JZ100080
305	シ	8356	438D	JS200080
306	ジ	8357	43C6	JZ200080
307	ス	8358	438E	JS300080
308	ズ	8359	43C7	JZ300080
309	セ	835A	438F	JS400080
310	ゼ	835B	43C8	JZ400080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
311	ソ	835C	4390	JS500080
312	ゾ	835D	43C9	JZ500080
313	タ	835E	4391	JT100080
314	ダ	835F	43CA	JD100080
315	チ	8360	4392	JT200080
316	ヂ	8361	43CB	JD200080
317	ッ	8362	4356	JT310080
318	ツ	8363	4393	JT300080
319	ヅ	8364	43CC	JD300080
320	テ	8365	4394	JT400080
321	デ	8366	43CD	JD400080
322	ト	8367	4395	JT500080
323	ド	8368	43CE	JD500080
324	ナ	8369	4396	JN100080
325	ニ	836A	4397	JN200080
326	ヌ	836B	4398	JN300080
327	ネ	836C	4399	JN400080
328	ノ	836D	439A	JN500080
329	ハ	836E	439D	JH100080
330	バ	836F	43CF	JB100080
331	パ	8370	43D5	JP100080
332	ヒ	8371	439E	JH200080
333	ピ	8372	43D0	JB200080
334	ピ	8373	43D6	JP200080
335	フ	8374	439F	JH300080
336	ブ	8375	43D1	JB300080

Line Number	Graphic	PC Code	Host Code	GCGID
337	ブ	8376	43D7	JP300080
338	ヘ	8377	43A2	JH400080
339	ベ	8378	43D2	JB400080
340	ペ	8379	43D8	JP400080
341	ホ	837A	43A3	JH500080
342	ボ	837B	43D3	JB500080
343	ポ	837C	43D9	JP500080
344	マ	837D	43A4	JM100080
345	ミ	837E	43A5	JM200080
346	ム	8380	43A6	JM300080
347	メ	8381	43A7	JM400080
348	モ	8382	43A8	JM500080
349	ヤ	8383	4353	JY110080
350	ヤ	8384	43A9	JY100080
351	ユ	8385	4354	JY310080
352	ユ	8386	43AA	JY300080
353	ヨ	8387	4355	JY510080
354	ヨ	8388	43AC	JY500080
355	ラ	8389	43AD	JR100080
356	リ	838A	43AE	JR200080
357	ル	838B	43AF	JR300080
358	レ	838C	43BA	JR400080
359	ロ	838D	43BB	JR500080
360	ワ	838E	4357	JW110080
361	ワ	838F	43BC	JW100080
362	キ	8390	43DA	JW200080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
363	エ	8391	43DB	JW400080
364	ヲ	8392	4346	JW500080
365	ン	8393	43BD	JN000080
366	ヴ	8394	43D4	JV000080
367	カ	8395	4359	JK110080
368	ケ	8396	435A	JK410080
369	A	839F	4161	GA020080
370	B	83A0	4162	GB020080
371	Γ	83A1	4163	GG020080
372	Δ	83A2	4164	GD020080
373	E	83A3	4165	GE020080
374	Z	83A4	4166	GZ020080
375	H	83A5	4167	GE320080
376	Θ	83A6	4168	GT620080
377	I	83A7	4169	GI020080
378	K	83A8	416A	GK020080
379	Λ	83A9	416B	GL020080
380	M	83AA	416C	GM020080
381	N	83AB	416D	GN020080
382	Ξ	83AC	416E	GX020080
383	O	83AD	416F	GO020080
384	Π	83AE	4170	GP020080
385	P	83AF	4171	GR020080
386	Σ	83B0	4172	GS020080
387	T	83B1	4173	GT020080
388	Υ	83B2	4174	GU020080

Line Number	Graphic	PC Code	Host Code	GCGID
389	Φ	83B3	4175	GF020080
390	X	83B4	4176	GH020080
391	Ψ	83B5	4177	GP620080
392	Ω	83B6	4178	GO320080
393	α	83BF	4141	GA010080
394	β	83C0	4142	GB010080
395	γ	83C1	4143	GG010080
396	δ	83C2	4144	GD010080
397	ε	83C3	4145	GE010080
398	ζ	83C4	4146	GZ010080
399	η	83C5	4147	GE310080
400	θ	83C6	4148	GT610082
401	ι	83C7	4149	GI010080
402	κ	83C8	414A	GK010080
403	λ	83C9	414B	GL010080
404	μ	83CA	414C	GM010080
405	ν	83CB	414D	GN010080
406	ξ	83CC	414E	GX010080
407	ο	83CD	414F	GO010080
408	π	83CE	4150	GP010080
409	ρ	83CF	4151	GR010080
410	σ	83D0	4152	GS010080
411	τ	83D1	4153	GT010080
412	υ	83D2	4154	GU010080
413	φ	83D3	4155	GF010081
414	χ	83D4	4156	GH010080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 14 (Page 9 of 20). Non-Chinese Set, DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
415	φ	83D5	4157	GP610080
416	ω	83D6	4158	GO310080
417	Α	8440	41C0	KA020080
418	Β	8441	41C1	KB020080
419	Β	8442	41C2	KV020080
420	Γ	8443	41C3	KG020080
421	Δ	8444	41C4	KD020080
422	Ε	8445	41C5	KE020080
423	Ε̇	8446	41C6	KE180080
424	Ζ	8447	41C7	KZ220080
425	Ζ	8448	41C8	KZ020080
426	Η	8449	41C9	KI020080
427	Ψ	844A	41CA	KJ120080
428	Κ	844B	41CB	KK020080
429	Λ	844C	41CC	KL020080
430	Μ	844D	41CD	KM020080
431	Η	844E	41CE	KN020080
432	Ο	844F	41CF	KO020080
433	Π	8450	41D0	KP020080
434	Ρ	8451	41D1	KR020080
435	Σ	8452	41D2	KS020080
436	Τ	8453	41D3	KT020080
437	Υ	8454	41D4	KU020080
438	Φ	8455	41D5	KF020080
439	Χ	8456	41D6	KH020080
440	Ψ	8457	41D7	KC020080

Table 14 (Page 9 of 20). Non-Chinese Set, DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
441	Ц	8458	41D8	KC220080
442	Ш	8459	41D9	KS220080
443	Щ	845A	41DA	KS160080
444	Ъ	845B	41DB	KU220080
445	Ы	845C	41DC	KY020080
446	Ь	845D	41DD	KX120080
447	Э	845E	41DE	KE140080
448	Ю	845F	41DF	KU160080
449	Я	8460	41E0	KA160080
450	а	8470	4180	KA010080
451	б	8471	4181	KB010080
452	в	8472	4182	KV010080
453	г	8473	4183	KG010080
454	д	8474	4184	KD010080
455	е	8475	4185	KE010080
456	ё	8476	4186	KE170080
457	ж	8477	4187	KZ210080
458	з	8478	4188	KZ010080
459	и	8479	4189	KI010080
460	й	847A	418A	KJ110080
461	к	847B	418B	KK010080
462	л	847C	418C	KL010080
463	м	847D	418D	KM010080
464	н	847E	418E	KN010080
465	о	8480	418F	KO010080
466	п	8481	4190	KP010080

**IBM Traditional Chinese Graphic Character Set**

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
467	р	8482	4191	KR010080
468	с	8483	4192	KS010080
469	т	8484	4193	KT010080
470	у	8485	4194	KU010080
471	ф	8486	4195	KF010080
472	х	8487	4196	KH010080
473	ц	8488	4197	KC010080
474	ч	8489	4198	KC210080
475	ш	848A	4199	KS210080
476	щ	848B	419A	KS150080
477	ъ	848C	419B	KU210080
478	ы	848D	419C	KY010080
479	ь	848E	419D	KX110080
480	э	848F	419E	KE130080
481	ю	8490	419F	KU150080
482	я	8491	41A0	KA150080
483	—	84AA	43B7	SF100082
484		84AB	43B8	SF110082
485	┌	84AC	43B9	SF010082
486	└	84AD	43E1	SF030082
487	┘	84AE	43E2	SF040082
488	┙	84AF	43E3	SF020082
489	┐	84B0	43E4	SF080082
490	┑	84B1	43E5	SF060082
491	┓	84B2	43E6	SF090082
492	┕	84B3	43E7	SF070082

Line Number	Graphic	PC Code	Host Code	GCGID
493	┗	84B4	43E8	SF050082
494	┛	84B5	43E9	SF080083
495	┝	84B6	43EA	SF060083
496	┟	84B7	43EB	SF090083
497	┡	84B8	43EC	SF070083
498	┣	84B9	43ED	SF050083
499	┤	84BA	43EE	SF080084
500	┥	84BB	43EF	SF060084
501	┦	84BC	43F0	SF090084
502	┧	84BD	43F1	SF070084
503	┨	84BE	43F2	SF050084
504	:	8640	4741	SV550080
505	,	8641	4742	SP081080
506	,	8642	4743	SP081084
507	.	8643	4744	SP111080
508	;	8644	4745	SP141080
509	:	8645	4746	SP131080
510	?	8646	4747	SP151080
511	!	8647	4748	SP021080
512		8648	4749	SM131080
513	-	8649	474A	SV251080
514	(864A	474B	SP061080
515)	864B	474C	SP071080
516	{	864C	474D	SM111080
517	}	864D	474E	SM141080
518	[864E	474F	SP061081




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
519)	864F	4750	SP071081
520	—	8650	4751	SM620081
521	—	8651	4752	SP090081
522	#	8652	4753	SM011080
523	&	8653	4754	SM031080
524	+	8654	4755	SA011080
525	-	8655	4756	SA001080
526	<	8656	4757	SA031080
527	>	8657	4758	SA051080
528	=	8658	4759	SA041080
529	\	8659	475A	SM071080
530	\$	865A	475B	SC031080
531	%	865B	475C	SM021080
532	@	865C	475D	SM051080
533	NULL	8680	4781	SE010080
534	TC ₁ (60H)	8681	4782	SE020080
535	TC ₂ (67H)	8682	4783	SE030080
536	TC ₃ (67H)	8683	4784	SE040080
537	TC ₄ (67H)	8684	4785	SE050080
538	TC ₅ (67H)	8685	4786	SE060080
539	TC ₆ (67H)	8686	4787	SE070080
540	BELL	8687	4788	SE080080
541	FE ₀ (68H)	8688	4789	SE090080
542	FE ₁ (67H)	8689	478A	SE100080
543	FE ₂ (67H)	868A	478B	SE110080
544	FE ₃ (67H)	868B	478C	SE120080

Line Number	Graphic	PC Code	Host Code	GCGID
545	FE ₄ (67H)	868C	478D	SE130080
546	FE ₅ (68H)	868D	478E	SE140080
547	SO	868E	478F	SE150080
548	SI	868F	4790	SE160080
549	TC ₇ (67H)	8690	4791	SE170080
550	DC ₁	8691	4792	SE180080
551	DC ₂	8692	4793	SE190080
552	DC ₃	8693	4794	SE200080
553	DC ₄	8694	4795	SE210080
554	TC ₈ (67H)	8695	4796	SE220080
555	TC ₉ (67H)	8696	4797	SE230080
556	TC ₁₀ (67H)	8697	4798	SE240080
557	CAN	8698	4799	SE250080
558	EM	8699	479A	SE260080
559	SUB	869A	479B	SE270080
560	ESC	869B	479C	SE280080
561	IS ₁ (68H)	869C	479D	SE290080
562	IS ₂ (68H)	869D	479E	SE300080
563	IS ₃ (68H)	869E	479F	SE310080
564	IS ₄ (68H)	869F	47A0	SE320080
565	DEL	86A0	47A1	SE330080
566	—	8740	4841	T16P0080
567		8741	4842	T16Q0080
568	`	8742	4843	T16R0080
569	˘	8743	4844	T16S0080
570	乙	8744	4845	T16T0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
571	丿	8745	4846	T16U0080
572	二	8746	4847	T16V0080
573	一	8747	4848	T16W0080
574	人	8748	4849	T16X0080
575	儿	8749	484A	T16Y0080
576	入	874A	484B	T16Z0080
577	八	874B	484C	T1700080
578	冂	874C	484D	T1710080
579	冃	874D	484E	T1720080
580	冂	874E	484F	T1730080
581	几	874F	4850	T1740080
582	凵	8750	4851	T1750080
583	刀	8751	4852	T1760080
584	力	8752	4853	T1770080
585	勹	8753	4854	T1780080
586	匕	8754	4855	T1790080
587	匚	8755	4856	T17A0080
588	匚	8756	4857	T17B0080
589	十	8757	4858	T17C0080
590	卜	8758	4859	T17D0080
591	冂	8759	485A	T17E0080
592	厂	875A	485B	T17F0080
593	厶	875B	485C	T17G0080
594	又	875C	485D	T17H0080
595	口	875D	485E	T17I0080
596	凵	875E	485F	T17J0080

Line Number	Graphic	PC Code	Host Code	GCGID
597	土	875F	4860	T17K0080
598	士	8760	4861	T17L0080
599	攴	8761	4862	T17M0080
600	夕	8762	4863	T17N0080
601	大	8763	4864	T17O0080
602	女	8764	4865	T17P0080
603	子	8765	4866	T17Q0080
604	彳	8766	4867	T17R0080
605	寸	8767	4868	T17S0080
606	小	8768	4869	T17T0080
607	尢	8769	486A	T17U0080
608	尸	876A	486B	T17V0080
609	屮	876B	486C	T17W0080
610	山	876C	486D	T17X0080
611	巛	876D	486E	T17Y0080
612	工	876E	486F	T17Z0080
613	己	876F	4870	T1800080
614	巾	8770	4871	T1810080
615	干	8771	4872	T1820080
616	彡	8772	4873	T1830080
617	厂	8773	4874	T1840080
618	廴	8774	4875	T1850080
619	井	8775	4876	T1860080
620	弋	8776	4877	T1870080
621	弓	8777	4878	T1880080
622	彡	8778	4879	T1890080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
623	彡	8779	487A	T18A0080
624	彳	877A	487B	T18B0080
625	心	877B	487C	T18C0080
626	戈	877C	487D	T18D0080
627	戶	877D	487E	T18E0080
628	手	877E	487F	T18F0080
629	支	8780	4881	T18H0080
630	攴	8781	4882	T18I0080
631	文	8782	4883	T18J0080
632	斗	8783	4884	T18K0080
633	斤	8784	4885	T18L0080
634	方	8785	4886	T18M0080
635	无	8786	4887	T18N0080
636	日	8787	4888	T18O0080
637	曰	8788	4889	T18P0080
638	月	8789	488A	T18Q0080
639	木	878A	488B	T18R0080
640	欠	878B	488C	T18S0080
641	止	878C	488D	T18T0080
642	歹	878D	488E	T18U0080
643	殳	878E	488F	T18V0080
644	毋	878F	4890	T18W0080
645	比	8790	4891	T18X0080
646	毛	8791	4892	T18Y0080
647	氏	8792	4893	T18Z0080
648	气	8793	4894	T1900080

Line Number	Graphic	PC Code	Host Code	GCGID
649	水	8794	4895	T1910080
650	火	8795	4896	T1920080
651	爪	8796	4897	T1930080
652	父	8797	4898	T1940080
653	爻	8798	4899	T1950080
654	片	8799	489A	T1960080
655	𠂆	879A	489B	T1970080
656	牙	879B	489C	T1980080
657	牛	879C	489D	T1990080
658	犬	879D	489E	T19A0080
659	玄	879E	489F	T19B0080
660	玉	879F	48A0	T19C0080
661	瓜	87A0	48A1	T19D0080
662	瓦	87A1	48A2	T19E0080
663	甘	87A2	48A3	T19F0080
664	生	87A3	48A4	T19G0080
665	用	87A4	48A5	T19H0080
666	田	87A5	48A6	T19I0080
667	疋	87A6	48A7	T19J0080
668	疒	87A7	48A8	T19K0080
669	𠂇	87A8	48A9	T19L0080
670	白	87A9	48AA	T19M0080
671	皮	87AA	48AB	T19N0080
672	皿	87AB	48AC	T19O0080
673	目	87AC	48AD	T19P0080
674	矛	87AD	48AE	T19Q0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 14 (Page 14 of 20). Non-Chinese Set, DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
675	矢	87AE	48AF	T19R0080
676	石	87AF	48B0	T19S0080
677	示	87B0	48B1	T19T0080
678	肉	87B1	48B2	T19U0080
679	禾	87B2	48B3	T19V0080
680	穴	87B3	48B4	T19W0080
681	立	87B4	48B5	T19X0080
682	竹	87B5	48B6	T19Y0080
683	米	87B6	48B7	T19Z0080
684	糸	87B7	48B8	T1A00080
685	缶	87B8	48B9	T1A10080
686	网	87B9	48BA	T1A20080
687	羊	87BA	48BB	T1A30080
688	羽	87BB	48BC	T1A40080
689	老	87BC	48BD	T1A50080
690	而	87BD	48BE	T1A60080
691	耒	87BE	48BF	T1A70080
692	耳	87BF	48C0	T1A80080
693	聿	87C0	48C1	T1A90080
694	肉	87C1	48C2	T1AA0080
695	臣	87C2	48C3	T1AB0080
696	自	87C3	48C4	T1AC0080
697	至	87C4	48C5	T1AD0080
698	白	87C5	48C6	T1AE0080
699	舌	87C6	48C7	T1AF0080
700	舛	87C7	48C8	T1AG0080

Table 14 (Page 14 of 20). Non-Chinese Set, DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
701	舟	87C8	48C9	T1AH0080
702	艮	87C9	48CA	T1AI0080
703	色	87CA	48CB	T1AJ0080
704	艸	87CB	48CC	T1AK0080
705	虍	87CC	48CD	T1AL0080
706	虫	87CD	48CE	T1AM0080
707	血	87CE	48CF	T1AN0080
708	行	87CF	48D0	T1AO0080
709	衣	87D0	48D1	T1AP0080
710	冫	87D1	48D2	T1AQ0080
711	見	87D2	48D3	T1AR0080
712	角	87D3	48D4	T1AS0080
713	言	87D4	48D5	T1AT0080
714	谷	87D5	48D6	T1AU0080
715	豆	87D6	48D7	T1AV0080
716	豕	87D7	48D8	T1AW0080
717	豸	87D8	48D9	T1AX0080
718	貝	87D9	48DA	T1AY0080
719	赤	87DA	48DB	T1AZ0080
720	走	87DB	48DC	T1B00080
721	足	87DC	48DD	T1B10080
722	身	87DD	48DE	T1B20080
723	車	87DE	48DF	T1B30080
724	辛	87DF	48E0	T1B40080
725	辰	87E0	48E1	T1B50080
726	辵	87E1	48E2	T1B60080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 14 (Page 15 of 20). Non-Chinese Set, DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
727	邑	87E2	48E3	T1B70080
728	酉	87E3	48E4	T1B80080
729	采	87E4	48E5	T1B90080
730	里	87E5	48E6	T1BA0080
731	金	87E6	48E7	T1BB0080
732	長	87E7	48E8	T1BC0080
733	門	87E8	48E9	T1BD0080
734	阜	87E9	48EA	T1BE0080
735	隶	87EA	48EB	T1BF0080
736	隹	87EB	48EC	T1BG0080
737	雨	87EC	48ED	T1BH0080
738	青	87ED	48EE	T1BI0080
739	非	87EE	48EF	T1BJ0080
740	面	87EF	48F0	T1BK0080
741	革	87F0	48F1	T1BL0080
742	韋	87F1	48F2	T1BM0080
743	韭	87F2	48F3	T1BN0080
744	音	87F3	48F4	T1BO0080
745	頁	87F4	48F5	T1BP0080
746	風	87F5	48F6	T1BQ0080
747	飛	87F6	48F7	T1BR0080
748	食	87F7	48F8	T1BS0080
749	首	87F8	48F9	T1BT0080
750	香	87F9	48FA	T1BU0080
751	馬	87FA	48FB	T1BV0080
752	骨	87FB	48FC	T1BW0080

Table 14 (Page 15 of 20). Non-Chinese Set, DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
753	高	87FC	48FD	T1BX0080
754	髟	8840	4941	T1C10080
755	鬥	8841	4942	T1C20080
756	鬯	8842	4943	T1C30080
757	鬲	8843	4944	T1C40080
758	鬼	8844	4945	T1C50080
759	魚	8845	4946	T1C60080
760	鳥	8846	4947	T1C70080
761	鹵	8847	4948	T1C80080
762	鹿	8848	4949	T1C90080
763	麥	8849	494A	T1CA0080
764	麻	884A	494B	T1CB0080
765	黃	884B	494C	T1CC0080
766	黍	884C	494D	T1CD0080
767	黑	884D	494E	T1CE0080
768	禿	884E	494F	T1CF0080
769	睪	884F	4950	T1CG0080
770	鼎	8850	4951	T1CH0080
771	鼓	8851	4952	T1CI0080
772	鼠	8852	4953	T1CJ0080
773	鼻	8853	4954	T1CK0080
774	齊	8854	4955	T1CL0080
775	齒	8855	4956	T1CM0080
776	龍	8856	4957	T1CN0080
777	龜	8857	4958	T1CO0080
778	龠	8858	4959	T1CP0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 14 (Page 16 of 20). Non-Chinese Set, DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
779		8940	4541	NC010080
780		8941	4542	NC020080
781		8942	4543	NC030080
782	ㄨ	8943	4544	NC040080
783	ㄩ	8944	4545	NC050080
784	ㄊ	8945	4546	NC060080
785	ㄎ	8946	4547	NC070080
786	ㄏ	8947	4548	NC080080
787	ㄨ	8948	4549	NC090080
788	十	8949	454A	NC100080
789	卅	894A	454B	NC200080
790	卅	894B	454C	NC300080
791		8950	4551	SB420080
792	/	8951	4552	SB380080
793	✓	8952	4553	SB390080
794	\	8953	4554	SB400080
795	•	8954	4555	SB410080
796	ㄣ	8955	4556	SB060080
797	ㄨ	8956	4557	SB290080
798	冂	8957	4558	SB250080
799	匚	8958	4559	SB160080
800	ㄣ	8959	455A	SB090080
801	ㄣ	895A	455B	SB340080
802	ㄣ	895B	455C	SB260080
803	ㄣ	895C	455D	SB240080
804	《	895D	455E	SB170080

Table 14 (Page 16 of 20). Non-Chinese Set, DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
805	ㄣ	895E	455F	SB230080
806	ㄣ	895F	4560	SB180080
807	ㄣ	8960	4561	SB220080
808	ㄣ	8961	4562	SB070080
809	ㄣ	8962	4563	SB330080
810	ㄣ	8963	4564	SB210080
811	ㄣ	8964	4565	SB080080
812	ㄣ	8965	4566	SB320080
813	ㄣ	8966	4567	SB300080
814	ㄣ	8967	4568	SB350080
815	ㄣ	8968	4569	SB360080
816	ㄣ	8969	456A	SB310080
817	ㄣ	896A	456B	SB010080
818	ㄣ	896B	456C	SB270080
819	ㄣ	896C	456D	SB100080
820	ㄣ	896D	456E	SB110080
821	ㄣ	896E	456F	SB020080
822	ㄣ	896F	4570	SB120080
823	ㄣ	8970	4571	SB050080
824	ㄣ	8971	4572	SB280080
825	ㄣ	8972	4573	SB030080
826	ㄣ	8973	4574	SB130080
827	ㄣ	8974	4575	SB040080
828	ㄣ	8975	4576	SB140080
829	ㄣ	8976	4577	SB150080
830	—	8977	4578	SB190080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
831	X	8978	4579	SB370080
832		8979	457A	SB200080
833	①	8A40	4641	NO010080
834	②	8A41	4642	NO020080
835	③	8A42	4643	NO030080
836	④	8A43	4644	NO040080
837	⑤	8A44	4645	NO050080
838	⑥	8A45	4646	NO060080
839	⑦	8A46	4647	NO070080
840	⑧	8A47	4648	NO080080
841	⑨	8A48	4649	NO090080
842	⑩	8A49	464A	NO100080
843	(1)	8A50	4651	NO010081
844	(2)	8A51	4652	NO020081
845	(3)	8A52	4653	NO030081
846	(4)	8A53	4654	NO040081
847	(5)	8A54	4655	NO050081
848	(6)	8A55	4656	NO060081
849	(7)	8A56	4657	NO070081
850	(8)	8A57	4658	NO080081
851	(9)	8A58	4659	NO090081
852	(10)	8A59	465A	NO100081
853	—	8A5F	4660	SF700081
854	—	8A60	4661	SF710081
855	■	8A61	4662	SF720081
856	■	8A62	4663	SF730081

Line Number	Graphic	PC Code	Host Code	GCGID
857	■	8A63	4664	SF740081
858	■	8A64	4665	SF750081
859	■	8A65	4666	SF760081
860	■	8A66	4667	SF610080
861		8A67	4668	SF770081
862		8A68	4669	SF780081
863		8A69	466A	SF790081
864		8A6A	466B	SF800081
865	■	8A6B	466C	SF810081
866	■	8A6C	466D	SF820081
867	■	8A6D	466E	SF830081
868	+	8A6E	466F	SF050080
869	⊥	8A6F	4670	SF070080
870	⊥	8A70	4671	SF060080
871	⊥	8A71	4672	SF090080
872	⊥	8A72	4673	SF080080
873	—	8A73	4674	SF670080
874	—	8A74	4675	SF100080
875		8A75	4676	SF110080
876		8A76	4677	SF650080
877	┌	8A77	4678	SF010080
878	┐	8A78	4679	SF030080
879	└	8A79	467A	SF020080
880	┘	8A7A	467B	SF040080
881	↷	8A7B	467C	SS160080
882	↶	8A7C	467D	SS180080

IBM Traditional Chinese Graphic Character Set


DBCS - Host and DBCS - PC

Table 14 (Page 18 of 20). Non-Chinese Set, DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
883	ㄨ	8A7D	467E	SS170080
884	ㄩ	8A7E	467F	SS190080
885	＝	8A80	4681	SF430080
886	ㄲ	8A81	4682	SF360080
887	≠	8A82	4683	SF540080
888	ㄱ	8A83	4684	SF190080
889	▲	8A84	4685	SF840080
890	▴	8A85	4686	SF850080
891	▾	8A86	4687	SF860080
892	▵	8A87	4688	SF870080
893	／	8A88	4689	SH020080
894	＼	8A89	468A	SH030080
895	×	8A8A	468B	SH040080
896	┌	8A9F	46A0	SP360080
897	└	8AA0	46A1	SP370080
898	┐	8AA1	46A2	SP360081
899	┘	8AA2	46A3	SP370081
900	┌	8AA3	46A4	SP240084
901	└	8AA4	46A5	SP250084
902	┆	8AA6	46A7	SV070080
903	┆	8AA7	46A8	SV580080
904	—	8AA8	46A9	SV590080
905	∶	8AA9	46AA	SV560080
906	ㄿ	8AAA	46AB	SV570080
907	ㄾ	8AAB	46AC	SP240080
908	ㄿ	8AAC	46AD	SP250080

Table 14 (Page 18 of 20). Non-Chinese Set, DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
909	ㄿ	8AAD	46AE	SP340080
910	ㄿ	8AAE	46AF	SP350080
911	ㄿ	8AAF	46B0	SP240081
912	ㄿ	8AB0	46B1	SP250081
913	ㄿ	8AB1	46B2	SP240083
914	ㄿ	8AB2	46B3	SP250083
915	ㄿ	8AB3	46B4	SP240082
916	ㄿ	8AB4	46B5	SP250082
917	┆	8AB5	46B6	SV530080
918	—	8AB6	46B7	SV540080
919	✖	8AB7	46B8	SM040089
920	ㄿ	8AB8	46B9	SV090089
921	Ⓢ	8AB9	46BA	SS780080
922	ㄿ	8ABA	46BB	SS640080
923	∶	8ABB	46BC	SV450080
924	ㄿ	8ABC	46BD	SV460080
925	---	8ABD	46BE	SV470080
926	---	8ABE	46BF	SV490080
927	---	8ABF	46C0	SV120080
928	---	8AC0	46C1	SV480080
929	ㄿ	8AC1	46C2	SV500080
930	ㄿ	8AC2	46C3	SV510080
931	✖	8AC3	46C4	SM04008A
932	√	8AC4	46C5	SA800080
933	≡	8AC5	46C6	SA700081
934	≡	8AC6	46C7	SA480080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
935	∩	8AC7	46C8	SA380080
936	∪	8AC8	46C9	SA390080
937	⊥	8AC9	46CA	SA780080
938	∠	8ACA	46CB	SA350088
939	└	8ACB	46CC	SA420080
940	└┘	8ACC	46CD	SA850080
941	log	8ACD	46CE	SS880080
942	ln	8ACE	46CF	SS890080
943	∫	8ACF	46D0	SA510080
944	ϕ	8AD0	46D1	SA720080
945	⊕	8AD1	46D2	SA550080
946	⊙	8AD2	46D3	SA590080
947	↖	8AD3	46D4	SM970080
948	↗	8AD4	46D5	SM950080
949	↙	8AD5	46D6	SM980080
950	↘	8AD6	46D7	SM990080
951	∴	8AD7	4478	SS540080
952	/	8AD9	46DA	SP120081
953	°F	8ADA	46DB	SM850080
954	mil	8ADB	46DC	SS800080
955	mm	8ADC	46DD	SS810080
956	cm	8ADD	46DE	SS820080
957	km	8ADE	46DF	SS830080
958	KM	8ADF	46E0	SS830081
959	m ²	8AE0	46E1	SS840080
960	mg	8AE1	46E2	SS850080

Line Number	Graphic	PC Code	Host Code	GCGID
961	kg	8AE2	46E3	SS860080
962	cc	8AE3	46E4	SS870080
963	·	8AE4	46E5	SD630080
964	“	8AE8	46E9	SP210081
965	”	8AE9	46EA	SP220081
966	↕	8AED	46EE	SM460080
967	↔	8AEE	46EF	SS070080
968	↔	8AEF	46F0	SS060080
969	尪	8AF0	46F1	SS900084
970	尫	8AF1	46F2	SS860084
971	尮	8AF2	46F3	SS850084
972	尯	8AF3	46F4	SS910084
973	尰	8AF4	46F5	SS920084
974	就	8AF5	46F6	SS930084
975	𠂇	8AF6	46F7	SS940084
976	𠂈	8AF7	46F8	SS790084
977	糲	8AF8	46F9	SS810084
978	I	8B41	41F1	NR110080
979	II	8B42	41F2	NR120080
980	III	8B43	41F3	NR130080
981	IV	8B44	41F4	NR140080
982	V	8B45	41F5	NR150080
983	VI	8B46	41F6	NR160080
984	VII	8B47	41F7	NR170080
985	VIII	8B48	41F8	NR180080
986	IX	8B49	41F9	NR190080

**IBM Traditional Chinese Graphic Character Set**

DBCS - Host and DBCS - PC

Table 14 (Page 20 of 20). Non-Chinese Set, DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
987	X	8B4A	41FA	NR200080
988	i	8B51	41B1	NR010080
989	ii	8B52	41B2	NR020080
990	iii	8B53	41B3	NR030080
991	iv	8B54	41B4	NR040080
992	v	8B55	41B5	NR050080
993	vi	8B56	41B6	NR060080
994	vii	8B57	41B7	NR070080
995	viii	8B58	41B8	NR080080
996	ix	8B59	41B9	NR090080
997	X	8B5A	41BA	NR100080
998	┐	8B5B	425F	SM660080
999	┌	8B5C	426A	SM650080
1000	ˆ	8B5D	427D	SP050080
1001	"	8B5E	427F	SP040080
1002	(株)	8B5F	446D	SS740080
1003	No.	8B60	446E	SM000080
1004	TEL	8B61	446F	SS710080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

8.11 Primary Chinese Set (1 of 3)

Line Number	Graphic	PC Code	Host Code	GCGID
1	一	8C40	4C41	T1S10080
2	乙	8C41	4C42	T1S20080
3	丁	8C42	4C43	T1S30080
4	七	8C43	4C44	T1S40080
5	乃	8C44	4C45	T1S50080
6	九	8C45	4C46	T1S60080
7	了	8C46	4C47	T1S70080
8	二	8C47	4C48	T1S80080
9	人	8C48	4C49	T1S90080
10	儿	8C49	4C4A	T1SA0080
11	入	8C4A	4C4B	T1SB0080
12	八	8C4B	4C4C	T1SC0080
13	几	8C4C	4C4D	T1SD0080
14	刀	8C4D	4C4E	T1SE0080
15	刁	8C4E	4C4F	T1SF0080
16	力	8C4F	4C50	T1SG0080
17	匕	8C50	4C51	T1SH0080
18	十	8C51	4C52	T1SI0080
19	卜	8C52	4C53	T1SJ0080
20	又	8C53	4C54	T1SK0080
21	三	8C54	4C55	T1SL0080
22	下	8C55	4C56	T1SM0080
23	丈	8C56	4C57	T1SN0080
24	上	8C57	4C58	T1SO0080

Line Number	Graphic	PC Code	Host Code	GCGID
25	丫	8C58	4C59	T1SP0080
26	丸	8C59	4C5A	T1SQ0080
27	凡	8C5A	4C5B	T1SR0080
28	久	8C5B	4C5C	T1SS0080
29	么	8C5C	4C5D	T1ST0080
30	也	8C5D	4C5E	T1SU0080
31	乞	8C5E	4C5F	T1SV0080
32	于	8C5F	4C60	T1SW0080
33	亡	8C60	4C61	T1SX0080
34	兀	8C61	4C62	T1SY0080
35	刃	8C62	4C63	T1SZ0080
36	勺	8C63	4C64	T1T00080
37	千	8C64	4C65	T1T10080
38	叉	8C65	4C66	T1T20080
39	口	8C66	4C67	T1T30080
40	土	8C67	4C68	T1T40080
41	士	8C68	4C69	T1T50080
42	夕	8C69	4C6A	T1T60080
43	大	8C6A	4C6B	T1T70080
44	女	8C6B	4C6C	T1T80080
45	子	8C6C	4C6D	T1T90080
46	孑	8C6D	4C6E	T1TA0080
47	孓	8C6E	4C6F	T1TB0080
48	寸	8C6F	4C70	T1TC0080
49	小	8C70	4C71	T1TD0080
50	尢	8C71	4C72	T1TE0080

**IBM Traditional Chinese Graphic Character Set**

DBCS - Host and DBCS - PC

Table 15 (Page 2 of 44). Primary CH-T (1/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
51	尸	8C72	4C73	T1TF0080
52	山	8C73	4C74	T1TG0080
53	川	8C74	4C75	T1TH0080
54	工	8C75	4C76	T1TI0080
55	己	8C76	4C77	T1TJ0080
56	巳	8C77	4C78	T1TK0080
57	巳	8C78	4C79	T1TL0080
58	巾	8C79	4C7A	T1TM0080
59	干	8C7A	4C7B	T1TN0080
60	井	8C7B	4C7C	T1TO0080
61	弋	8C7C	4C7D	T1TP0080
62	弓	8C7D	4C7E	T1TQ0080
63	才	8C7E	4C7F	T1TR0080
64	丑	8C80	4C81	T1TT0080
65	丐	8C81	4C82	T1TU0080
66	丕	8C82	4C83	T1TV0080
67	中	8C83	4C84	T1TW0080
68	丰	8C84	4C85	T1TX0080
69	丹	8C85	4C86	T1TY0080
70	之	8C86	4C87	T1TZ0080
71	尹	8C87	4C88	T1U00080
72	予	8C88	4C89	T1U10080
73	云	8C89	4C8A	T1U20080
74	井	8C8A	4C8B	T1U30080
75	互	8C8B	4C8C	T1U40080
76	五	8C8C	4C8D	T1U50080

Table 15 (Page 2 of 44). Primary CH-T (1/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
77	亢	8C8D	4C8E	T1U60080
78	仁	8C8E	4C8F	T1U70080
79	什	8C8F	4C90	T1U80080
80	竹	8C90	4C91	T1U90080
81	仆	8C91	4C92	T1UA0080
82	仇	8C92	4C93	T1UB0080
83	仍	8C93	4C94	T1UC0080
84	今	8C94	4C95	T1UD0080
85	介	8C95	4C96	T1UE0080
86	仄	8C96	4C97	T1UF0080
87	元	8C97	4C98	T1UG0080
88	允	8C98	4C99	T1UH0080
89	内	8C99	4C9A	T1UI0080
90	六	8C9A	4C9B	T1UJ0080
91	兮	8C9B	4C9C	T1UK0080
92	公	8C9C	4C9D	T1UL0080
93	冗	8C9D	4C9E	T1UM0080
94	凶	8C9E	4C9F	T1UN0080
95	分	8C9F	4CA0	T1UO0080
96	切	8CA0	4CA1	T1UP0080
97	刈	8CA1	4CA2	T1UQ0080
98	匀	8CA2	4CA3	T1UR0080
99	勾	8CA3	4CA4	T1US0080
100	勿	8CA4	4CA5	T1UT0080
101	化	8CA5	4CA6	T1UU0080
102	匹	8CA6	4CA7	T1UV0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 15 (Page 3 of 44). Primary CH-T (1/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
103	午	8CA7	4CA8	T1UW0080
104	升	8CA8	4CA9	T1UX0080
105	卅	8CA9	4CAA	T1UY0080
106	卞	8CAA	4CAB	T1UZ0080
107	卮	8CAB	4CAC	T1V00080
108	友	8CAC	4CAD	T1V10080
109	及	8CAD	4CAE	T1V20080
110	反	8CAE	4CAF	T1V30080
111	壬	8CAF	4CB0	T1V40080
112	天	8CB0	4CB1	T1V50080
113	夫	8CB1	4CB2	T1V60080
114	太	8CB2	4CB3	T1V70080
115	夭	8CB3	4CB4	T1V80080
116	孔	8CB4	4CB5	T1V90080
117	少	8CB5	4CB6	T1VA0080
118	尢	8CB6	4CB7	T1VB0080
119	尺	8CB7	4CB8	T1VC0080
120	屯	8CB8	4CB9	T1VD0080
121	巴	8CB9	4CBA	T1VE0080
122	幻	8CBA	4CBB	T1VF0080
123	廿	8CBB	4CBC	T1VG0080
124	弔	8CBC	4CBD	T1VH0080
125	引	8CBD	4CBE	T1VI0080
126	心	8CBE	4CBF	T1VJ0080
127	戈	8CBF	4CC0	T1VK0080
128	戸	8CC0	4CC1	T1VL0080

Table 15 (Page 3 of 44). Primary CH-T (1/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
129	手	8CC1	4CC2	T1VM0080
130	扎	8CC2	4CC3	T1VN0080
131	支	8CC3	4CC4	T1VO0080
132	文	8CC4	4CC5	T1VP0080
133	斗	8CC5	4CC6	T1VQ0080
134	斤	8CC6	4CC7	T1VR0080
135	方	8CC7	4CC8	T1VS0080
136	日	8CC8	4CC9	T1VT0080
137	曰	8CC9	4CCA	T1VU0080
138	月	8CCA	4CCB	T1VV0080
139	木	8CCB	4CCC	T1VW0080
140	欠	8CCC	4CCD	T1VX0080
141	止	8CCD	4CCE	T1VY0080
142	歹	8CCE	4CCF	T1VZ0080
143	毋	8CCF	4CD0	T1W00080
144	比	8CD0	4CD1	T1W10080
145	毛	8CD1	4CD2	T1W20080
146	氏	8CD2	4CD3	T1W30080
147	水	8CD3	4CD4	T1W40080
148	火	8CD4	4CD5	T1W50080
149	爪	8CD5	4CD6	T1W60080
150	父	8CD6	4CD7	T1W70080
151	爻	8CD7	4CD8	T1W80080
152	片	8CD8	4CD9	T1W90080
153	牙	8CD9	4CDA	T1WA0080
154	牛	8CDA	4CDB	T1WB0080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 15 (Page 4 of 44). Primary CH-T (1/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
155	犬	8CDB	4CDC	T1WC0080
156	王	8CDC	4CDD	T1WD0080
157	丙	8CDD	4CDE	T1WE0080
158	世	8CDE	4CDF	T1WF0080
159	丕	8CDF	4CE0	T1WG0080
160	且	8CE0	4CE1	T1WH0080
161	丘	8CE1	4CE2	T1WI0080
162	主	8CE2	4CE3	T1WJ0080
163	乍	8CE3	4CE4	T1WK0080
164	乏	8CE4	4CE5	T1WL0080
165	乎	8CE5	4CE6	T1WM0080
166	以	8CE6	4CE7	T1WN0080
167	付	8CE7	4CE8	T1WO0080
168	仔	8CE8	4CE9	T1WP0080
169	仕	8CE9	4CEA	T1WQ0080
170	他	8CEA	4CEB	T1WR0080
171	仗	8CEB	4CEC	T1WS0080
172	代	8CEC	4CED	T1WT0080
173	令	8CED	4CEE	T1WU0080
174	仙	8CEE	4CEF	T1WV0080
175	仞	8CEF	4CF0	T1WW0080
176	充	8CF0	4CF1	T1WX0080
177	兄	8CF1	4CF2	T1WY0080
178	冉	8CF2	4CF3	T1WZ0080
179	册	8CF3	4CF4	T1X00080
180	冬	8CF4	4CF5	T1X10080

Table 15 (Page 4 of 44). Primary CH-T (1/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
181	凹	8CF5	4CF6	T1X20080
182	出	8CF6	4CF7	T1X30080
183	凸	8CF7	4CF8	T1X40080
184	刊	8CF8	4CF9	T1X50080
185	加	8CF9	4CFA	T1X60080
186	功	8CFA	4CFB	T1X70080
187	包	8CFB	4CFC	T1X80080
188	匆	8CFC	4CFD	T1X90080
189	北	8D40	4D41	T1XD0080
190	匝	8D41	4D42	T1XE0080
191	仟	8D42	4D43	T1XF0080
192	半	8D43	4D44	T1XG0080
193	卉	8D44	4D45	T1XH0080
194	卡	8D45	4D46	T1XI0080
195	占	8D46	4D47	T1XJ0080
196	卯	8D47	4D48	T1XK0080
197	卮	8D48	4D49	T1XL0080
198	去	8D49	4D4A	T1XM0080
199	可	8D4A	4D4B	T1XN0080
200	古	8D4B	4D4C	T1XO0080
201	右	8D4C	4D4D	T1XP0080
202	召	8D4D	4D4E	T1XQ0080
203	叮	8D4E	4D4F	T1XR0080
204	叩	8D4F	4D50	T1XS0080
205	叨	8D50	4D51	T1XT0080
206	呀	8D51	4D52	T1XU0080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 15 (Page 5 of 44). Primary CH-T (1/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
207	司	8D52	4D53	T1XV0080
208	叵	8D53	4D54	T1XW0080
209	叫	8D54	4D55	T1XX0080
210	另	8D55	4D56	T1XY0080
211	只	8D56	4D57	T1XZ0080
212	史	8D57	4D58	T1Y00080
213	叱	8D58	4D59	T1Y10080
214	台	8D59	4D5A	T1Y20080
215	旬	8D5A	4D5B	T1Y30080
216	叭	8D5B	4D5C	T1Y40080
217	叻	8D5C	4D5D	T1Y50080
218	四	8D5D	4D5E	T1Y60080
219	囚	8D5E	4D5F	T1Y70080
220	外	8D5F	4D60	T1Y80080
221	央	8D60	4D61	T1Y90080
222	失	8D61	4D62	T1YA0080
223	奴	8D62	4D63	T1YB0080
224	奶	8D63	4D64	T1YC0080
225	孕	8D64	4D65	T1YD0080
226	它	8D65	4D66	T1YE0080
227	尼	8D66	4D67	T1YF0080
228	巨	8D67	4D68	T1YG0080
229	巧	8D68	4D69	T1YH0080
230	左	8D69	4D6A	T1YI0080
231	市	8D6A	4D6B	T1YJ0080
232	布	8D6B	4D6C	T1YK0080

Table 15 (Page 5 of 44). Primary CH-T (1/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
233	平	8D6C	4D6D	T1YL0080
234	幼	8D6D	4D6E	T1YM0080
235	弁	8D6E	4D6F	T1YN0080
236	弘	8D6F	4D70	T1YO0080
237	弗	8D70	4D71	T1YP0080
238	必	8D71	4D72	T1YQ0080
239	戊	8D72	4D73	T1YR0080
240	打	8D73	4D74	T1YS0080
241	扔	8D74	4D75	T1YT0080
242	扒	8D75	4D76	T1YU0080
243	扑	8D76	4D77	T1YV0080
244	斥	8D77	4D78	T1YW0080
245	旦	8D78	4D79	T1YX0080
246	朮	8D79	4D7A	T1YY0080
247	本	8D7A	4D7B	T1YZ0080
248	未	8D7B	4D7C	T1Z00080
249	末	8D7C	4D7D	T1Z10080
250	札	8D7D	4D7E	T1Z20080
251	正	8D7E	4D7F	T1Z30080
252	母	8D80	4D81	T1Z50080
253	民	8D81	4D82	T1Z60080
254	氏	8D82	4D83	T1Z70080
255	永	8D83	4D84	T1Z80080
256	汁	8D84	4D85	T1Z90080
257	汀	8D85	4D86	T1ZA0080
258	汜	8D86	4D87	T1ZB0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 15 (Page 6 of 44). Primary CH-T (1/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
259	犯	8D87	4D88	T1ZC0080
260	亥	8D88	4D89	T1ZD0080
261	玉	8D89	4D8A	T1ZE0080
262	瓜	8D8A	4D8B	T1ZF0080
263	瓦	8D8B	4D8C	T1ZG0080
264	甘	8D8C	4D8D	T1ZH0080
265	生	8D8D	4D8E	T1ZI0080
266	用	8D8E	4D8F	T1ZJ0080
267	甩	8D8F	4D90	T1ZK0080
268	田	8D90	4D91	T1ZL0080
269	由	8D91	4D92	T1ZM0080
270	甲	8D92	4D93	T1ZN0080
271	申	8D93	4D94	T1ZO0080
272	疋	8D94	4D95	T1ZP0080
273	白	8D95	4D96	T1ZQ0080
274	皮	8D96	4D97	T1ZR0080
275	皿	8D97	4D98	T1ZS0080
276	目	8D98	4D99	T1ZT0080
277	矛	8D99	4D9A	T1ZU0080
278	矢	8D9A	4D9B	T1ZV0080
279	石	8D9B	4D9C	T1ZW0080
280	示	8D9C	4D9D	T1ZX0080
281	禾	8D9D	4D9E	T1ZY0080
282	穴	8D9E	4D9F	T1ZZ0080
283	立	8D9F	4DA0	T2000080
284	丞	8DA0	4DA1	T2010080

Table 15 (Page 6 of 44). Primary CH-T (1/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
285	丢	8DA1	4DA2	T2020080
286	乒	8DA2	4DA3	T2030080
287	乓	8DA3	4DA4	T2040080
288	乩	8DA4	4DA5	T2050080
289	互	8DA5	4DA6	T2060080
290	交	8DA6	4DA7	T2070080
291	亦	8DA7	4DA8	T2080080
292	亥	8DA8	4DA9	T2090080
293	仿	8DA9	4DAA	T20A0080
294	伉	8DAA	4DAB	T20B0080
295	伙	8DAB	4DAC	T20C0080
296	伊	8DAC	4DAD	T20D0080
297	伙	8DAD	4DAE	T20E0080
298	伍	8DAE	4DAF	T20F0080
299	伐	8DAF	4DB0	T20G0080
300	休	8DB0	4DB1	T20H0080
301	伏	8DB1	4DB2	T20I0080
302	仲	8DB2	4DB3	T20J0080
303	件	8DB3	4DB4	T20K0080
304	任	8DB4	4DB5	T20L0080
305	仰	8DB5	4DB6	T20M0080
306	仉	8DB6	4DB7	T20N0080
307	份	8DB7	4DB8	T20O0080
308	企	8DB8	4DB9	T20P0080
309	佞	8DB9	4DBA	T20Q0080
310	光	8DBA	4DBB	T20R0080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 15 (Page 7 of 44). Primary CH-T (1/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
311	兇	8DBB	4DBC	T20S0080
312	兆	8DBC	4DBD	T20T0080
313	先	8DBD	4DBE	T20U0080
314	全	8DBE	4DBF	T20V0080
315	共	8DBF	4DC0	T20W0080
316	再	8DC0	4DC1	T20X0080
317	冰	8DC1	4DC2	T20Y0080
318	列	8DC2	4DC3	T20Z0080
319	刑	8DC3	4DC4	T2100080
320	划	8DC4	4DC5	T2110080
321	刎	8DC5	4DC6	T2120080
322	刖	8DC6	4DC7	T2130080
323	劣	8DC7	4DC8	T2140080
324	匈	8DC8	4DC9	T2150080
325	匡	8DC9	4DCA	T2160080
326	匠	8DCA	4DCB	T2170080
327	印	8DCB	4DCC	T2180080
328	危	8DCC	4DCD	T2190080
329	吉	8DCD	4DCE	T21A0080
330	吏	8DCE	4DCF	T21B0080
331	同	8DCF	4DD0	T21C0080
332	吊	8DD0	4DD1	T21D0080
333	吐	8DD1	4DD2	T21E0080
334	吁	8DD2	4DD3	T21F0080
335	吋	8DD3	4DD4	T21G0080
336	各	8DD4	4DD5	T21H0080


Table 15 (Page 7 of 44). Primary CH-T (1/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
337	向	8DD5	4DD6	T21I0080
338	名	8DD6	4DD7	T21J0080
339	合	8DD7	4DD8	T21K0080
340	吃	8DD8	4DD9	T21L0080
341	后	8DD9	4DDA	T21M0080
342	叻	8DDA	4ddb	T21N0080
343	吒	8ddb	4DDC	T21O0080
344	因	8DDC	4DDD	T21P0080
345	回	8DDD	4DDE	T21Q0080
346	圉	8DDE	4DDF	T21R0080
347	圳	8DDF	4DE0	T21S0080
348	地	8DE0	4DE1	T21T0080
349	在	8DE1	4DE2	T21U0080
350	圭	8DE2	4DE3	T21V0080
351	坊	8DE3	4DE4	T21W0080
352	圮	8DE4	4DE5	T21X0080
353	圩	8DE5	4DE6	T21Y0080
354	夙	8DE6	4DE7	T21Z0080
355	多	8DE7	4DE8	T2200080
356	夷	8DE8	4DE9	T2210080
357	夸	8DE9	4DEA	T2220080
358	妄	8DEA	4DEB	T2230080
359	奸	8DEB	4DEC	T2240080
360	妃	8DEC	4DED	T2250080
361	好	8DED	4DEE	T2260080
362	她	8DEE	4DEF	T2270080

**IBM Traditional Chinese Graphic Character Set**

DBCS - Host and DBCS - PC

Table 15 (Page 8 of 44). Primary CH-T (1/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
363	如	8DEF	4DF0	T2280080
364	妁	8DF0	4DF1	T2290080
365	字	8DF1	4DF2	T22A0080
366	存	8DF2	4DF3	T22B0080
367	宇	8DF3	4DF4	T22C0080
368	守	8DF4	4DF5	T22D0080
369	宅	8DF5	4DF6	T22E0080
370	安	8DF6	4DF7	T22F0080
371	寺	8DF7	4DF8	T22G0080
372	尖	8DF8	4DF9	T22H0080
373	屹	8DF9	4DFA	T22I0080
374	州	8DFA	4DFB	T22J0080
375	帆	8DFB	4DFC	T22K0080
376	并	8DFC	4DFD	T22L0080
377	年	8E40	4E41	T22P0080
378	式	8E41	4E42	T22Q0080
379	弛	8E42	4E43	T22R0080
380	忙	8E43	4E44	T22S0080
381	付	8E44	4E45	T22T0080
382	戎	8E45	4E46	T22U0080
383	戍	8E46	4E47	T22V0080
384	戌	8E47	4E48	T22W0080
385	成	8E48	4E49	T22X0080
386	扣	8E49	4E4A	T22Y0080
387	扛	8E4A	4E4B	T22Z0080
388	托	8E4B	4E4C	T2300080

Table 15 (Page 8 of 44). Primary CH-T (1/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
389	收	8E4C	4E4D	T2310080
390	早	8E4D	4E4E	T2320080
391	旨	8E4E	4E4F	T2330080
392	旬	8E4F	4E50	T2340080
393	旭	8E50	4E51	T2350080
394	曲	8E51	4E52	T2360080
395	曳	8E52	4E53	T2370080
396	有	8E53	4E54	T2380080
397	朽	8E54	4E55	T2390080
398	朴	8E55	4E56	T23A0080
399	朱	8E56	4E57	T23B0080
400	朵	8E57	4E58	T23C0080
401	次	8E58	4E59	T23D0080
402	此	8E59	4E5A	T23E0080
403	死	8E5A	4E5B	T23F0080
404	氛	8E5B	4E5C	T23G0080
405	汝	8E5C	4E5D	T23H0080
406	汗	8E5D	4E5E	T23I0080
407	汙	8E5E	4E5F	T23J0080
408	江	8E5F	4E60	T23K0080
409	池	8E60	4E61	T23L0080
410	汐	8E61	4E62	T23M0080
411	汕	8E62	4E63	T23N0080
412	污	8E63	4E64	T23O0080
413	汛	8E64	4E65	T23P0080
414	洑	8E65	4E66	T23Q0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 15 (Page 9 of 44). Primary CH-T (1/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
415	汎	8E66	4E67	T23R0080
416	灰	8E67	4E68	T23S0080
417	牟	8E68	4E69	T23T0080
418	牝	8E69	4E6A	T23U0080
419	百	8E6A	4E6B	T23V0080
420	竹	8E6B	4E6C	T23W0080
421	米	8E6C	4E6D	T23X0080
422	糸	8E6D	4E6E	T23Y0080
423	缶	8E6E	4E6F	T23Z0080
424	羊	8E6F	4E70	T2400080
425	羽	8E70	4E71	T2410080
426	老	8E71	4E72	T2420080
427	考	8E72	4E73	T2430080
428	而	8E73	4E74	T2440080
429	耒	8E74	4E75	T2450080
430	耳	8E75	4E76	T2460080
431	聿	8E76	4E77	T2470080
432	肉	8E77	4E78	T2480080
433	肋	8E78	4E79	T2490080
434	肌	8E79	4E7A	T24A0080
435	臣	8E7A	4E7B	T24B0080
436	自	8E7B	4E7C	T24C0080
437	至	8E7C	4E7D	T24D0080
438	白	8E7D	4E7E	T24E0080
439	舌	8E7E	4E7F	T24F0080
440	舛	8E80	4E81	T24H0080

Table 15 (Page 9 of 44). Primary CH-T (1/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
441	舟	8E81	4E82	T24I0080
442	艮	8E82	4E83	T24J0080
443	色	8E83	4E84	T24K0080
444	艾	8E84	4E85	T24L0080
445	虫	8E85	4E86	T24M0080
446	血	8E86	4E87	T24N0080
447	行	8E87	4E88	T24O0080
448	衣	8E88	4E89	T24P0080
449	西	8E89	4E8A	T24Q0080
450	阡	8E8A	4E8B	T24R0080
451	串	8E8B	4E8C	T24S0080
452	亨	8E8C	4E8D	T24T0080
453	位	8E8D	4E8E	T24U0080
454	住	8E8E	4E8F	T24V0080
455	佇	8E8F	4E90	T24W0080
456	佗	8E90	4E91	T24X0080
457	佞	8E91	4E92	T24Y0080
458	伴	8E92	4E93	T24Z0080
459	佛	8E93	4E94	T2500080
460	何	8E94	4E95	T2510080
461	估	8E95	4E96	T2520080
462	佐	8E96	4E97	T2530080
463	佑	8E97	4E98	T2540080
464	伽	8E98	4E99	T2550080
465	伺	8E99	4E9A	T2560080
466	伸	8E9A	4E9B	T2570080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 15 (Page 10 of 44). Primary CH-T (1/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
467	佃	8E9B	4E9C	T2580080
468	佔	8E9C	4E9D	T2590080
469	似	8E9D	4E9E	T25A0080
470	但	8E9E	4E9F	T25B0080
471	佣	8E9F	4EA0	T25C0080
472	作	8EA0	4EA1	T25D0080
473	你	8EA1	4EA2	T25E0080
474	伯	8EA2	4EA3	T25F0080
475	低	8EA3	4EA4	T25G0080
476	伶	8EA4	4EA5	T25H0080
477	余	8EA5	4EA6	T25I0080
478	佻	8EA6	4EA7	T25J0080
479	佈	8EA7	4EA8	T25K0080
480	佚	8EA8	4EA9	T25L0080
481	兌	8EA9	4EAA	T25M0080
482	克	8EAA	4EAB	T25N0080
483	免	8EAB	4EAC	T25O0080
484	兵	8EAC	4EAD	T25P0080
485	冶	8EAD	4EAE	T25Q0080
486	冷	8EAE	4EAF	T25R0080
487	別	8EAF	4EB0	T25S0080
488	判	8EB0	4EB1	T25T0080
489	利	8EB1	4EB2	T25U0080
490	刪	8EB2	4EB3	T25V0080
491	剗	8EB3	4EB4	T25W0080
492	劫	8EB4	4EB5	T25X0080

Table 15 (Page 10 of 44). Primary CH-T (1/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
493	助	8EB5	4EB6	T25Y0080
494	努	8EB6	4EB7	T25Z0080
495	劬	8EB7	4EB8	T2600080
496	匡	8EB8	4EB9	T2610080
497	卽	8EB9	4EBA	T2620080
498	卵	8EBA	4EBB	T2630080
499	吝	8EBB	4EBC	T2640080
500	吭	8EBC	4EBD	T2650080
501	吞	8EBD	4EBE	T2660080
502	吾	8EBE	4EBF	T2670080
503	否	8EBF	4EC0	T2680080
504	呎	8EC0	4EC1	T2690080
505	吧	8EC1	4EC2	T26A0080
506	呆	8EC2	4EC3	T26B0080
507	呢	8EC3	4EC4	T26C0080
508	吳	8EC4	4EC5	T26D0080
509	呈	8EC5	4EC6	T26E0080
510	呂	8EC6	4EC7	T26F0080
511	君	8EC7	4EC8	T26G0080
512	吩	8EC8	4EC9	T26H0080
513	告	8EC9	4ECA	T26I0080
514	吹	8ECA	4ECB	T26J0080
515	吻	8ECB	4ECC	T26K0080
516	吸	8ECC	4ECD	T26L0080
517	吮	8ECD	4ECE	T26M0080
518	吵	8ECE	4ECF	T26N0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 15 (Page 11 of 44). Primary CH-T (1/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
519	呐	8ECF	4ED0	T26O0080
520	吠	8ED0	4ED1	T26P0080
521	吼	8ED1	4ED2	T26Q0080
522	呀	8ED2	4ED3	T26R0080
523	吱	8ED3	4ED4	T26S0080
524	含	8ED4	4ED5	T26T0080
525	吟	8ED5	4ED6	T26U0080
526	听	8ED6	4ED7	T26V0080
527	囟	8ED7	4ED8	T26W0080
528	困	8ED8	4ED9	T26X0080
529	囿	8ED9	4EDA	T26Y0080
530	囫	8EDA	4EDB	T26Z0080
531	坊	8EDB	4EDC	T2700080
532	坑	8EDC	4EDD	T2710080
533	址	8EDD	4EDE	T2720080
534	坍	8EDE	4EDF	T2730080
535	均	8EDF	4EE0	T2740080
536	坎	8EE0	4EE1	T2750080
537	圾	8EE1	4EE2	T2760080
538	坐	8EE2	4EE3	T2770080
539	坏	8EE3	4EE4	T2780080
540	圻	8EE4	4EE5	T2790080
541	壯	8EE5	4EE6	T27A0080
542	夾	8EE6	4EE7	T27B0080
543	妝	8EE7	4EE8	T27C0080
544	妒	8EE8	4EE9	T27D0080

Table 15 (Page 11 of 44). Primary CH-T (1/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
545	妨	8EE9	4EEA	T27E0080
546	妞	8EEA	4EEB	T27F0080
547	妣	8EEB	4EEC	T27G0080
548	妙	8EEC	4EED	T27H0080
549	妖	8EED	4EEE	T27I0080
550	妍	8EEE	4EEF	T27J0080
551	姪	8EEF	4EF0	T27K0080
552	妓	8EF0	4EF1	T27L0080
553	妊	8EF1	4EF2	T27M0080
554	妥	8EF2	4EF3	T27N0080
555	孝	8EF3	4EF4	T27O0080
556	孜	8EF4	4EF5	T27P0080
557	孚	8EF5	4EF6	T27Q0080
558	孛	8EF6	4EF7	T27R0080
559	完	8EF7	4EF8	T27S0080
560	宋	8EF8	4EF9	T27T0080
561	宏	8EF9	4EFA	T27U0080
562	尫	8EFA	4EFB	T27V0080
563	局	8EFB	4EFC	T27W0080
564	屁	8EFC	4EFD	T27X0080
565	尿	8F40	4F41	T2810080
566	尾	8F41	4F42	T2820080
567	岐	8F42	4F43	T2830080
568	岑	8F43	4F44	T2840080
569	岔	8F44	4F45	T2850080
570	炭	8F45	4F46	T2860080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
571	巫	8F46	4F47	T2870080
572	希	8F47	4F48	T2880080
573	序	8F48	4F49	T2890080
574	庇	8F49	4F4A	T28A0080
575	床	8F4A	4F4B	T28B0080
576	廷	8F4B	4F4C	T28C0080
577	弄	8F4C	4F4D	T28D0080
578	弟	8F4D	4F4E	T28E0080
579	彤	8F4E	4F4F	T28F0080
580	形	8F4F	4F50	T28G0080
581	彷彿	8F50	4F51	T28H0080
582	役	8F51	4F52	T28I0080
583	忘	8F52	4F53	T28J0080
584	忌	8F53	4F54	T28K0080
585	志	8F54	4F55	T28L0080
586	忍	8F55	4F56	T28M0080
587	忱	8F56	4F57	T28N0080
588	快	8F57	4F58	T28O0080
589	忸	8F58	4F59	T28P0080
590	忪	8F59	4F5A	T28Q0080
591	戒	8F5A	4F5B	T28R0080
592	我	8F5B	4F5C	T28S0080
593	抄	8F5C	4F5D	T28T0080
594	抗	8F5D	4F5E	T28U0080
595	抖	8F5E	4F5F	T28V0080
596	技	8F5F	4F60	T28W0080

Line Number	Graphic	PC Code	Host Code	GCGID
597	扶	8F60	4F61	T28X0080
598	抉	8F61	4F62	T28Y0080
599	扭	8F62	4F63	T28Z0080
600	把	8F63	4F64	T2900080
601	扼	8F64	4F65	T2910080
602	找	8F65	4F66	T2920080
603	批	8F66	4F67	T2930080
604	扳	8F67	4F68	T2940080
605	杼	8F68	4F69	T2950080
606	扯	8F69	4F6A	T2960080
607	折	8F6A	4F6B	T2970080
608	扮	8F6B	4F6C	T2980080
609	投	8F6C	4F6D	T2990080
610	抓	8F6D	4F6E	T29A0080
611	抑	8F6E	4F6F	T29B0080
612	技	8F6F	4F70	T29C0080
613	改	8F70	4F71	T29D0080
614	攻	8F71	4F72	T29E0080
615	攸	8F72	4F73	T29F0080
616	旱	8F73	4F74	T29G0080
617	更	8F74	4F75	T29H0080
618	束	8F75	4F76	T29I0080
619	李	8F76	4F77	T29J0080
620	杏	8F77	4F78	T29K0080
621	材	8F78	4F79	T29L0080
622	村	8F79	4F7A	T29M0080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 15 (Page 13 of 44). Primary CH-T (1/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
623	杜	8F7A	4F7B	T29N0080
624	杖	8F7B	4F7C	T29O0080
625	杞	8F7C	4F7D	T29P0080
626	杉	8F7D	4F7E	T29Q0080
627	杆	8F7E	4F7F	T29R0080
628	杠	8F80	4F81	T29T0080
629	杓	8F81	4F82	T29U0080
630	茱	8F82	4F83	T29V0080
631	步	8F83	4F84	T29W0080
632	每	8F84	4F85	T29X0080
633	求	8F85	4F86	T29Y0080
634	汞	8F86	4F87	T29Z0080
635	沙	8F87	4F88	T2A00080
636	沁	8F88	4F89	T2A10080
637	沈	8F89	4F8A	T2A20080
638	沉	8F8A	4F8B	T2A30080
639	沅	8F8B	4F8C	T2A40080
640	沛	8F8C	4F8D	T2A50080
641	汪	8F8D	4F8E	T2A60080
642	决	8F8E	4F8F	T2A70080
643	沐	8F8F	4F90	T2A80080
644	汰	8F90	4F91	T2A90080
645	沌	8F91	4F92	T2AA0080
646	汨	8F92	4F93	T2AB0080
647	冲	8F93	4F94	T2AC0080
648	没	8F94	4F95	T2AD0080

Table 15 (Page 13 of 44). Primary CH-T (1/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
649	汽	8F95	4F96	T2AE0080
650	沃	8F96	4F97	T2AF0080
651	汲	8F97	4F98	T2AG0080
652	汾	8F98	4F99	T2AH0080
653	汴	8F99	4F9A	T2AI0080
654	沆	8F9A	4F9B	T2AJ0080
655	汶	8F9B	4F9C	T2AK0080
656	洹	8F9C	4F9D	T2AL0080
657	沔	8F9D	4F9E	T2AM0080
658	泚	8F9E	4F9F	T2AN0080
659	沂	8F9F	4FA0	T2AO0080
660	灶	8FA0	4FA1	T2AP0080
661	灼	8FA1	4FA2	T2AQ0080
662	灾	8FA2	4FA3	T2AR0080
663	灸	8FA3	4FA4	T2AS0080
664	牢	8FA4	4FA5	T2AT0080
665	牡	8FA5	4FA6	T2AU0080
666	牝	8FA6	4FA7	T2AV0080
667	狄	8FA7	4FA8	T2AW0080
668	狂	8FA8	4FA9	T2AX0080
669	玖	8FA9	4FAA	T2AY0080
670	甬	8FAA	4FAB	T2AZ0080
671	甫	8FAB	4FAC	T2B00080
672	男	8FAC	4FAD	T2B10080
673	甸	8FAD	4FAE	T2B20080
674	皂	8FAE	4FAF	T2B30080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 15 (Page 14 of 44). Primary CH-T (1/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
675	叮	8FAF	4FB0	T2B40080
676	矣	8FB0	4FB1	T2B50080
677	私	8FB1	4FB2	T2B60080
678	秀	8FB2	4FB3	T2B70080
679	秃	8FB3	4FB4	T2B80080
680	究	8FB4	4FB5	T2B90080
681	系	8FB5	4FB6	T2BA0080
682	罕	8FB6	4FB7	T2BB0080
683	肖	8FB7	4FB8	T2BC0080
684	育	8FB8	4FB9	T2BD0080
685	肝	8FB9	4FBA	T2BE0080
686	肘	8FBA	4FBB	T2BF0080
687	肛	8FBB	4FBC	T2BG0080
688	肚	8FBC	4FBD	T2BH0080
689	育	8FBD	4FBE	T2BI0080
690	良	8FBE	4FBF	T2BJ0080
691	芒	8FBF	4FC0	T2BK0080
692	芋	8FC0	4FC1	T2BL0080
693	芍	8FC1	4FC2	T2BM0080
694	見	8FC2	4FC3	T2BN0080
695	角	8FC3	4FC4	T2BO0080
696	言	8FC4	4FC5	T2BP0080
697	谷	8FC5	4FC6	T2BQ0080
698	豆	8FC6	4FC7	T2BR0080
699	豕	8FC7	4FC8	T2BS0080
700	貝	8FC8	4FC9	T2BT0080

Table 15 (Page 14 of 44). Primary CH-T (1/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
701	赤	8FC9	4FCA	T2BU0080
702	走	8FCA	4FCB	T2BV0080
703	足	8FCB	4FCC	T2BW0080
704	身	8FCC	4FCD	T2BX0080
705	車	8FCD	4FCE	T2BY0080
706	辛	8FCE	4FCF	T2BZ0080
707	辰	8FCF	4FD0	T2C00080
708	迂	8FD0	4FD1	T2C10080
709	迤	8FD1	4FD2	T2C20080
710	迅	8FD2	4FD3	T2C30080
711	迄	8FD3	4FD4	T2C40080
712	巡	8FD4	4FD5	T2C50080
713	邑	8FD5	4FD6	T2C60080
714	邢	8FD6	4FD7	T2C70080
715	邪	8FD7	4FD8	T2C80080
716	邦	8FD8	4FD9	T2C90080
717	那	8FD9	4FDA	T2CA0080
718	酉	8FDA	4FDB	T2CB0080
719	采	8FDB	4FDC	T2CC0080
720	里	8FDC	4FDD	T2CD0080
721	防	8FDD	4FDE	T2CE0080
722	阮	8FDE	4FDF	T2CF0080
723	阱	8FDF	4FE0	T2CG0080
724	阪	8FE0	4FE1	T2CH0080
725	阮	8FE1	4FE2	T2CI0080
726	並	8FE2	4FE3	T2CJ0080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 15 (Page 15 of 44). Primary CH-T (1/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
727	乖	8FE3	4FE4	T2CK0080
728	乳	8FE4	4FE5	T2CL0080
729	事	8FE5	4FE6	T2CM0080
730	些	8FE6	4FE7	T2CN0080
731	亞	8FE7	4FE8	T2CO0080
732	享	8FE8	4FE9	T2CP0080
733	京	8FE9	4FEA	T2CQ0080
734	佯	8FEA	4FEB	T2CR0080
735	依	8FEB	4FEC	T2CS0080
736	侍	8FEC	4FED	T2CT0080
737	佳	8FED	4FEE	T2CU0080
738	使	8FEE	4FEF	T2CV0080
739	佬	8FEF	4FF0	T2CW0080
740	供	8FF0	4FF1	T2CX0080
741	例	8FF1	4FF2	T2CY0080
742	來	8FF2	4FF3	T2CZ0080
743	侃	8FF3	4FF4	T2D00080
744	佰	8FF4	4FF5	T2D10080
745	併	8FF5	4FF6	T2D20080
746	侈	8FF6	4FF7	T2D30080
747	佩	8FF7	4FF8	T2D40080
748	桃	8FF8	4FF9	T2D50080
749	侖	8FF9	4FFA	T2D60080
750	份	8FFA	4FFB	T2D70080
751	侏	8FFB	4FFC	T2D80080
752	侑	8FFC	4FFD	T2D90080

Table 15 (Page 15 of 44). Primary CH-T (1/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
753	佺	9040	5041	T2DD0080
754	兔	9041	5042	T2DE0080
755	兒	9042	5043	T2DF0080
756	兕	9043	5044	T2DG0080
757	兩	9044	5045	T2DH0080
758	具	9045	5046	T2DI0080
759	其	9046	5047	T2DJ0080
760	典	9047	5048	T2DK0080
761	冽	9048	5049	T2DL0080
762	函	9049	504A	T2DM0080
763	刻	904A	504B	T2DN0080
764	券	904B	504C	T2DO0080
765	刷	904C	504D	T2DP0080
766	刺	904D	504E	T2DQ0080
767	到	904E	504F	T2DR0080
768	刮	904F	5050	T2DS0080
769	制	9050	5051	T2DT0080
770	剝	9051	5052	T2DU0080
771	劾	9052	5053	T2DV0080
772	劬	9053	5054	T2DW0080
773	卒	9054	5055	T2DX0080
774	協	9055	5056	T2DY0080
775	卓	9056	5057	T2DZ0080
776	卑	9057	5058	T2E00080
777	卦	9058	5059	T2E10080
778	卷	9059	505A	T2E20080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 15 (Page 16 of 44). Primary CH-T (1/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
779	卸	905A	505B	T2E30080
780	卸	905B	505C	T2E40080
781	取	905C	505D	T2E50080
782	叔	905D	505E	T2E60080
783	受	905E	505F	T2E70080
784	味	905F	5060	T2E80080
785	呵	9060	5061	T2E90080
786	咖	9061	5062	T2EA0080
787	呖	9062	5063	T2EB0080
788	咕	9063	5064	T2EC0080
789	咀	9064	5065	T2ED0080
790	呻	9065	5066	T2EE0080
791	呷	9066	5067	T2EF0080
792	咄	9067	5068	T2EG0080
793	咒	9068	5069	T2EH0080
794	咆	9069	506A	T2EI0080
795	呼	906A	506B	T2EJ0080
796	咐	906B	506C	T2EK0080
797	呱	906C	506D	T2EL0080
798	呶	906D	506E	T2EM0080
799	和	906E	506F	T2EN0080
800	喀	906F	5070	T2EO0080
801	呢	9070	5071	T2EP0080
802	周	9071	5072	T2EQ0080
803	咋	9072	5073	T2ER0080
804	命	9073	5074	T2ES0080

Table 15 (Page 16 of 44). Primary CH-T (1/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
805	咎	9074	5075	T2ET0080
806	固	9075	5076	T2EU0080
807	垃	9076	5077	T2EV0080
808	圪	9077	5078	T2EW0080
809	坪	9078	5079	T2EX0080
810	坩	9079	507A	T2EY0080
811	坡	907A	507B	T2EZ0080
812	坦	907B	507C	T2F00080
813	坤	907C	507D	T2F10080
814	坼	907D	507E	T2F20080
815	夜	907E	507F	T2F30080
816	奉	9080	5081	T2F50080
817	奇	9081	5082	T2F60080
818	奈	9082	5083	T2F70080
819	奄	9083	5084	T2F80080
820	奔	9084	5085	T2F90080
821	妾	9085	5086	T2FA0080
822	妻	9086	5087	T2FB0080
823	委	9087	5088	T2FC0080
824	妹	9088	5089	T2FD0080
825	妮	9089	508A	T2FE0080
826	姑	908A	508B	T2FF0080
827	姆	908B	508C	T2FG0080
828	姐	908C	508D	T2FH0080
829	姍	908D	508E	T2FI0080
830	始	908E	508F	T2FJ0080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 15 (Page 17 of 44). Primary CH-T (1/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
831	姓	908F	5090	T2FK0080
832	姊	9090	5091	T2FL0080
833	妯	9091	5092	T2FM0080
834	妳	9092	5093	T2FN0080
835	姒	9093	5094	T2FO0080
836	姘	9094	5095	T2FP0080
837	孟	9095	5096	T2FQ0080
838	孤	9096	5097	T2FR0080
839	季	9097	5098	T2FS0080
840	宗	9098	5099	T2FT0080
841	定	9099	509A	T2FU0080
842	官	909A	509B	T2FV0080
843	宜	909B	509C	T2FW0080
844	宙	909C	509D	T2FX0080
845	宛	909D	509E	T2FY0080
846	尚	909E	509F	T2FZ0080
847	屈	909F	50A0	T2G00080
848	居	90A0	50A1	T2G10080
849	屆	90A1	50A2	T2G20080
850	岷	90A2	50A3	T2G30080
851	岡	90A3	50A4	T2G40080
852	岸	90A4	50A5	T2G50080
853	岩	90A5	50A6	T2G60080
854	岫	90A6	50A7	T2G70080
855	岱	90A7	50A8	T2G80080
856	岳	90A8	50A9	T2G90080

Table 15 (Page 17 of 44). Primary CH-T (1/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
857	帘	90A9	50AA	T2GA0080
858	帚	90AA	50AB	T2GB0080
859	帖	90AB	50AC	T2GC0080
860	帕	90AC	50AD	T2GD0080
861	帛	90AD	50AE	T2GE0080
862	帑	90AE	50AF	T2GF0080
863	幸	90AF	50B0	T2GG0080
864	庚	90B0	50B1	T2GH0080
865	店	90B1	50B2	T2GI0080
866	府	90B2	50B3	T2GJ0080
867	底	90B3	50B4	T2GK0080
868	庖	90B4	50B5	T2GL0080
869	延	90B5	50B6	T2GM0080
870	弦	90B6	50B7	T2GN0080
871	弧	90B7	50B8	T2GO0080
872	弩	90B8	50B9	T2GP0080
873	往	90B9	50BA	T2GQ0080
874	征	90BA	50BB	T2GR0080
875	佛	90BB	50BC	T2GS0080
876	彼	90BC	50BD	T2GT0080
877	忝	90BD	50BE	T2GU0080
878	忠	90BE	50BF	T2GV0080
879	忽	90BF	50C0	T2GW0080
880	念	90C0	50C1	T2GX0080
881	忿	90C1	50C2	T2GY0080
882	快	90C2	50C3	T2GZ0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 15 (Page 18 of 44). Primary CH-T (1/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
883	怔	90C3	50C4	T2H00080
884	怯	90C4	50C5	T2H10080
885	惝	90C5	50C6	T2H20080
886	怖	90C6	50C7	T2H30080
887	怪	90C7	50C8	T2H40080
888	怕	90C8	50C9	T2H50080
889	怡	90C9	50CA	T2H60080
890	性	90CA	50CB	T2H70080
891	怩	90CB	50CC	T2H80080
892	怫	90CC	50CD	T2H90080
893	怛	90CD	50CE	T2HA0080
894	或	90CE	50CF	T2HB0080
895	戕	90CF	50D0	T2HC0080
896	房	90D0	50D1	T2HD0080
897	戾	90D1	50D2	T2HE0080
898	所	90D2	50D3	T2HF0080
899	承	90D3	50D4	T2HG0080
900	拉	90D4	50D5	T2HH0080
901	拌	90D5	50D6	T2HI0080
902	拄	90D6	50D7	T2HJ0080
903	扞	90D7	50D8	T2HK0080
904	拂	90D8	50D9	T2HL0080
905	抹	90D9	50DA	T2HM0080
906	拒	90DA	50DB	T2HN0080
907	招	90DB	50DC	T2HO0080
908	披	90DC	50DD	T2HP0080

Table 15 (Page 18 of 44). Primary CH-T (1/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
909	拓	90DD	50DE	T2HQ0080
910	拔	90DE	50DF	T2HR0080
911	抛	90DF	50E0	T2HS0080
912	拈	90E0	50E1	T2HT0080
913	抨	90E1	50E2	T2HU0080
914	抽	90E2	50E3	T2HV0080
915	押	90E3	50E4	T2HW0080
916	拐	90E4	50E5	T2HX0080
917	拙	90E5	50E6	T2HY0080
918	搨	90E6	50E7	T2HZ0080
919	拍	90E7	50E8	T2I00080
920	抵	90E8	50E9	T2I10080
921	拚	90E9	50EA	T2I20080
922	抱	90EA	50EB	T2I30080
923	拘	90EB	50EC	T2I40080
924	掩	90EC	50ED	T2I50080
925	拗	90ED	50EE	T2I60080
926	拆	90EE	50EF	T2I70080
927	抬	90EF	50F0	T2I80080
928	拎	90F0	50F1	T2I90080
929	放	90F1	50F2	T2IA0080
930	斧	90F2	50F3	T2IB0080
931	於	90F3	50F4	T2IC0080
932	旺	90F4	50F5	T2ID0080
933	昔	90F5	50F6	T2IE0080
934	易	90F6	50F7	T2IF0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 15 (Page 19 of 44). Primary CH-T (1/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
935	昌	90F7	50F8	T2IG0080
936	昆	90F8	50F9	T2IH0080
937	昂	90F9	50FA	T2II0080
938	明	90FA	50FB	T2IJ0080
939	昀	90FB	50FC	T2IK0080
940	昏	90FC	50FD	T2IL0080
941	昕	9140	5141	T2IP0080
942	昊	9141	5142	T2IQ0080
943	昇	9142	5143	T2IR0080
944	服	9143	5144	T2IS0080
945	朋	9144	5145	T2IT0080
946	杭	9145	5146	T2IU0080
947	枋	9146	5147	T2IV0080
948	枕	9147	5148	T2IW0080
949	東	9148	5149	T2IX0080
950	果	9149	514A	T2IY0080
951	杏	914A	514B	T2IZ0080
952	杷	914B	514C	T2J00080
953	枇	914C	514D	T2J10080
954	枝	914D	514E	T2J20080
955	林	914E	514F	T2J30080
956	杯	914F	5150	T2J40080
957	杰	9150	5151	T2J50080
958	板	9151	5152	T2J60080
959	枉	9152	5153	T2J70080
960	松	9153	5154	T2J80080

Table 15 (Page 19 of 44). Primary CH-T (1/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
961	析	9154	5155	T2J90080
962	杵	9155	5156	T2JA0080
963	枚	9156	5157	T2JB0080
964	料	9157	5158	T2JC0080
965	杼	9158	5159	T2JD0080
966	杪	9159	515A	T2JE0080
967	杲	915A	515B	T2JF0080
968	欣	915B	515C	T2JG0080
969	武	915C	515D	T2JH0080
970	歧	915D	515E	T2JI0080
971	歿	915E	515F	T2JJ0080
972	岷	915F	5160	T2JK0080
973	氛	9160	5161	T2JL0080
974	泣	9161	5162	T2JM0080
975	注	9162	5163	T2JN0080
976	泳	9163	5164	T2JO0080
977	沱	9164	5165	T2JP0080
978	泌	9165	5166	T2JQ0080
979	泥	9166	5167	T2JR0080
980	河	9167	5168	T2JS0080
981	沽	9168	5169	T2JT0080
982	沾	9169	516A	T2JU0080
983	沼	916A	516B	T2JV0080
984	波	916B	516C	T2JW0080
985	沫	916C	516D	T2JX0080
986	法	916D	516E	T2JY0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 15 (Page 20 of 44). Primary CH-T (1/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
987	泓	916E	516F	T2JZ0080
988	沸	916F	5170	T2K00080
989	泄	9170	5171	T2K10080
990	油	9171	5172	T2K20080
991	況	9172	5173	T2K30080
992	沮	9173	5174	T2K40080
993	泗	9174	5175	T2K50080
994	涸	9175	5176	T2K60080
995	洑	9176	5177	T2K70080
996	沿	9177	5178	T2K80080
997	治	9178	5179	T2K90080
998	泡	9179	517A	T2KA0080
999	泛	917A	517B	T2KB0080
1000	泊	917B	517C	T2KC0080
1001	沫	917C	517D	T2KD0080
1002	泯	917D	517E	T2KE0080
1003	氾	917E	517F	T2KF0080
1004	柳	9180	5181	T2KH0080
1005	冷	9181	5182	T2KI0080
1006	炕	9182	5183	T2KJ0080
1007	炎	9183	5184	T2KK0080
1008	炒	9184	5185	T2KL0080
1009	炊	9185	5186	T2KM0080
1010	炙	9186	5187	T2KN0080
1011	爬	9187	5188	T2KO0080
1012	爭	9188	5189	T2KP0080

Table 15 (Page 20 of 44). Primary CH-T (1/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
1013	爸	9189	518A	T2KQ0080
1014	版	918A	518B	T2KR0080
1015	牧	918B	518C	T2KS0080
1016	物	918C	518D	T2KT0080
1017	狀	918D	518E	T2KU0080
1018	狎	918E	518F	T2KV0080
1019	狙	918F	5190	T2KW0080
1020	狗	9190	5191	T2KX0080
1021	狐	9191	5192	T2KY0080
1022	玩	9192	5193	T2KZ0080
1023	玨	9193	5194	T2L00080
1024	玫	9194	5195	T2L10080
1025	玫	9195	5196	T2L20080
1026	玥	9196	5197	T2L30080
1027	刪	9197	5198	T2L40080
1028	疝	9198	5199	T2L50080
1029	瘡	9199	519A	T2L60080
1030	疚	919A	519B	T2L70080
1031	的	919B	519C	T2L80080
1032	盂	919C	519D	T2L90080
1033	盲	919D	519E	T2LA0080
1034	直	919E	519F	T2LB0080
1035	知	919F	51A0	T2LC0080
1036	矽	91A0	51A1	T2LD0080
1037	社	91A1	51A2	T2LE0080
1038	祀	91A2	51A3	T2LF0080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 15 (Page 21 of 44). Primary CH-T (1/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
1039	祢	91A3	51A4	T2LG0080
1040	秉	91A4	51A5	T2LH0080
1041	杻	91A5	51A6	T2LI0080
1042	空	91A6	51A7	T2LJ0080
1043	穹	91A7	51A8	T2LK0080
1044	竺	91A8	51A9	T2LL0080
1045	糾	91A9	51AA	T2LM0080
1046	罔	91AA	51AB	T2LN0080
1047	羌	91AB	51AC	T2LO0080
1048	𠂔	91AC	51AD	T2LP0080
1049	者	91AD	51AE	T2LQ0080
1050	肺	91AE	51AF	T2LR0080
1051	肥	91AF	51B0	T2LS0080
1052	肢	91B0	51B1	T2LT0080
1053	肱	91B1	51B2	T2LU0080
1054	股	91B2	51B3	T2LV0080
1055	肱	91B3	51B4	T2LW0080
1056	肩	91B4	51B5	T2LX0080
1057	肴	91B5	51B6	T2LY0080
1058	肪	91B6	51B7	T2LZ0080
1059	肯	91B7	51B8	T2M00080
1060	臥	91B8	51B9	T2M10080
1061	輿	91B9	51BA	T2M20080
1062	舍	91BA	51BB	T2M30080
1063	芳	91BB	51BC	T2M40080
1064	芝	91BC	51BD	T2M50080

Table 15 (Page 21 of 44). Primary CH-T (1/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
1065	芙	91BD	51BE	T2M60080
1066	芭	91BE	51BF	T2M70080
1067	芽	91BF	51C0	T2M80080
1068	芟	91C0	51C1	T2M90080
1069	芹	91C1	51C2	T2MA0080
1070	花	91C2	51C3	T2MB0080
1071	芬	91C3	51C4	T2MC0080
1072	芥	91C4	51C5	T2MD0080
1073	芯	91C5	51C6	T2ME0080
1074	芸	91C6	51C7	T2MF0080
1075	芥	91C7	51C8	T2MG0080
1076	芟	91C8	51C9	T2MH0080
1077	芾	91C9	51CA	T2MI0080
1078	芷	91CA	51CB	T2MJ0080
1079	虎	91CB	51CC	T2MK0080
1080	虱	91CC	51CD	T2ML0080
1081	初	91CD	51CE	T2MM0080
1082	表	91CE	51CF	T2MN0080
1083	輶	91CF	51D0	T2MO0080
1084	迎	91D0	51D1	T2MP0080
1085	返	91D1	51D2	T2MQ0080
1086	近	91D2	51D3	T2MR0080
1087	邵	91D3	51D4	T2MS0080
1088	邸	91D4	51D5	T2MT0080
1089	邱	91D5	51D6	T2MU0080
1090	邨	91D6	51D7	T2MV0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
1091	采	91D7	51D8	T2MW0080
1092	金	91D8	51D9	T2MX0080
1093	長	91D9	51DA	T2MY0080
1094	門	91DA	51DB	T2MZ0080
1095	阜	91DB	51DC	T2N00080
1096	陀	91DC	51DD	T2N10080
1097	阿	91DD	51DE	T2N20080
1098	阻	91DE	51DF	T2N30080
1099	附	91DF	51E0	T2N40080
1100	陂	91E0	51E1	T2N50080
1101	隹	91E1	51E2	T2N60080
1102	雨	91E2	51E3	T2N70080
1103	青	91E3	51E4	T2N80080
1104	非	91E4	51E5	T2N90080
1105	亟	91E5	51E6	T2NA0080
1106	亭	91E6	51E7	T2NB0080
1107	亮	91E7	51E8	T2NC0080
1108	信	91E8	51E9	T2ND0080
1109	侵	91E9	51EA	T2NE0080
1110	侯	91EA	51EB	T2NF0080
1111	便	91EB	51EC	T2NG0080
1112	俠	91EC	51ED	T2NH0080
1113	俑	91ED	51EE	T2NI0080
1114	俏	91EE	51EF	T2NJ0080
1115	保	91EF	51F0	T2NK0080
1116	促	91F0	51F1	T2NL0080

Line Number	Graphic	PC Code	Host Code	GCGID
1117	侶	91F1	51F2	T2NM0080
1118	俘	91F2	51F3	T2NN0080
1119	俟	91F3	51F4	T2NO0080
1120	俊	91F4	51F5	T2NP0080
1121	俗	91F5	51F6	T2NQ0080
1122	侮	91F6	51F7	T2NR0080
1123	俐	91F7	51F8	T2NS0080
1124	俄	91F8	51F9	T2NT0080
1125	係	91F9	51FA	T2NU0080
1126	俚	91FA	51FB	T2NV0080
1127	俎	91FB	51FC	T2NW0080
1128	兪	91FC	51FD	T2NX0080
1129	侷	9240	5241	T2O10080
1130	兗	9241	5242	T2O20080
1131	冒	9242	5243	T2O30080
1132	冑	9243	5244	T2O40080
1133	冠	9244	5245	T2O50080
1134	剎	9245	5246	T2O60080
1135	剝	9246	5247	T2O70080
1136	削	9247	5248	T2O80080
1137	前	9248	5249	T2O90080
1138	刺	9249	524A	T2OA0080
1139	剋	924A	524B	T2OB0080
1140	則	924B	524C	T2OC0080
1141	勇	924C	524D	T2OD0080
1142	勉	924D	524E	T2OE0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
1143	勃	924E	524F	T2OF0080
1144	勁	924F	5250	T2OG0080
1145	匍	9250	5251	T2OH0080
1146	南	9251	5252	T2OI0080
1147	卻	9252	5253	T2OJ0080
1148	厚	9253	5254	T2OK0080
1149	叛	9254	5255	T2OL0080
1150	咬	9255	5256	T2OM0080
1151	哀	9256	5257	T2ON0080
1152	咨	9257	5258	T2OO0080
1153	哎	9258	5259	T2OP0080
1154	哉	9259	525A	T2OQ0080
1155	咸	925A	525B	T2OR0080
1156	噴	925B	525C	T2OS0080
1157	咳	925C	525D	T2OT0080
1158	哇	925D	525E	T2OU0080
1159	晒	925E	525F	T2OV0080
1160	咽	925F	5260	T2OW0080
1161	咪	9260	5261	T2OX0080
1162	品	9261	5262	T2OY0080
1163	哄	9262	5263	T2OZ0080
1164	哈	9263	5264	T2P00080
1165	咯	9264	5265	T2P10080
1166	咫	9265	5266	T2P20080
1167	咱	9266	5267	T2P30080
1168	咻	9267	5268	T2P40080

Line Number	Graphic	PC Code	Host Code	GCGID
1169	咿	9268	5269	T2P50080
1170	咧	9269	526A	T2P60080
1171	咿	926A	526B	T2P70080
1172	囿	926B	526C	T2P80080
1173	垂	926C	526D	T2P90080
1174	型	926D	526E	T2PA0080
1175	垠	926E	526F	T2PB0080
1176	垣	926F	5270	T2PC0080
1177	垢	9270	5271	T2PD0080
1178	城	9271	5272	T2PE0080
1179	垮	9272	5273	T2PF0080
1180	垓	9273	5274	T2PG0080
1181	奕	9274	5275	T2PH0080
1182	契	9275	5276	T2PI0080
1183	奏	9276	5277	T2PJ0080
1184	奎	9277	5278	T2PK0080
1185	奂	9278	5279	T2PL0080
1186	姜	9279	527A	T2PM0080
1187	妍	927A	527B	T2PN0080
1188	姿	927B	527C	T2PO0080
1189	姣	927C	527D	T2PP0080
1190	姨	927D	527E	T2PQ0080
1191	娃	927E	527F	T2PR0080
1192	姥	9280	5281	T2PT0080
1193	姪	9281	5282	T2PU0080
1194	姚	9282	5283	T2PV0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 15 (Page 24 of 44). Primary CH-T (1/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
1195	姦	9283	5284	T2PW0080
1196	威	9284	5285	T2PX0080
1197	姻	9285	5286	T2PY0080
1198	孩	9286	5287	T2PZ0080
1199	宣	9287	5288	T2Q00080
1200	宦	9288	5289	T2Q10080
1201	室	9289	528A	T2Q20080
1202	客	928A	528B	T2Q30080
1203	宥	928B	528C	T2Q40080
1204	封	928C	528D	T2Q50080
1205	屎	928D	528E	T2Q60080
1206	屏	928E	528F	T2Q70080
1207	屍	928F	5290	T2Q80080
1208	屋	9290	5291	T2Q90080
1209	峙	9291	5292	T2QA0080
1210	峒	9292	5293	T2QB0080
1211	巷	9293	5294	T2QC0080
1212	帝	9294	5295	T2QD0080
1213	帥	9295	5296	T2QE0080
1214	帝	9296	5297	T2QF0080
1215	幽	9297	5298	T2QG0080
1216	庠	9298	5299	T2QH0080
1217	度	9299	529A	T2QI0080
1218	建	929A	529B	T2QJ0080
1219	弈	929B	529C	T2QK0080
1220	弭	929C	529D	T2QL0080

Table 15 (Page 24 of 44). Primary CH-T (1/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
1221	彥	929D	529E	T2QM0080
1222	很	929E	529F	T2QN0080
1223	待	929F	52A0	T2QO0080
1224	徊	92A0	52A1	T2QP0080
1225	律	92A1	52A2	T2QQ0080
1226	徇	92A2	52A3	T2QR0080
1227	後	92A3	52A4	T2QS0080
1228	祥	92A4	52A5	T2QT0080
1229	怒	92A5	52A6	T2QU0080
1230	思	92A6	52A7	T2QV0080
1231	怠	92A7	52A8	T2QW0080
1232	急	92A8	52A9	T2QX0080
1233	怎	92A9	52AA	T2QY0080
1234	怨	92AA	52AB	T2QZ0080
1235	恍	92AB	52AC	T2R00080
1236	恰	92AC	52AD	T2R10080
1237	恨	92AD	52AE	T2R20080
1238	恢	92AE	52AF	T2R30080
1239	恆	92AF	52B0	T2R40080
1240	恃	92B0	52B1	T2R50080
1241	恬	92B1	52B2	T2R60080
1242	恫	92B2	52B3	T2R70080
1243	恪	92B3	52B4	T2R80080
1244	恤	92B4	52B5	T2R90080
1245	扁	92B5	52B6	T2RA0080
1246	拜	92B6	52B7	T2RB0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 15 (Page 25 of 44). Primary CH-T (1/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
1247	挖	92B7	52B8	T2RC0080
1248	按	92B8	52B9	T2RD0080
1249	拼	92B9	52BA	T2RE0080
1250	拭	92BA	52BB	T2RF0080
1251	持	92BB	52BC	T2RG0080
1252	拮	92BC	52BD	T2RH0080
1253	拽	92BD	52BE	T2RI0080
1254	指	92BE	52BF	T2RJ0080
1255	拱	92BF	52C0	T2RK0080
1256	拷	92C0	52C1	T2RL0080
1257	拯	92C1	52C2	T2RM0080
1258	括	92C2	52C3	T2RN0080
1259	拾	92C3	52C4	T2RO0080
1260	拴	92C4	52C5	T2RP0080
1261	挑	92C5	52C6	T2RQ0080
1262	挂	92C6	52C7	T2RR0080
1263	政	92C7	52C8	T2RS0080
1264	故	92C8	52C9	T2RT0080
1265	斫	92C9	52CA	T2RU0080
1266	施	92CA	52CB	T2RV0080
1267	既	92CB	52CC	T2RW0080
1268	春	92CC	52CD	T2RX0080
1269	昭	92CD	52CE	T2RY0080
1270	映	92CE	52CF	T2RZ0080
1271	昧	92CF	52D0	T2S00080
1272	是	92D0	52D1	T2S10080

Table 15 (Page 25 of 44). Primary CH-T (1/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
1273	星	92D1	52D2	T2S20080
1274	昨	92D2	52D3	T2S30080
1275	昱	92D3	52D4	T2S40080
1276	昞	92D4	52D5	T2S50080
1277	曷	92D5	52D6	T2S60080
1278	柿	92D6	52D7	T2S70080
1279	染	92D7	52D8	T2S80080
1280	柱	92D8	52D9	T2S90080
1281	柔	92D9	52DA	T2SA0080
1282	某	92DA	52DB	T2SB0080
1283	柬	92DB	52DC	T2SC0080
1284	架	92DC	52DD	T2SD0080
1285	枯	92DD	52DE	T2SE0080
1286	柵	92DE	52DF	T2SF0080
1287	柩	92DF	52E0	T2SG0080
1288	柯	92E0	52E1	T2SH0080
1289	柄	92E1	52E2	T2SI0080
1290	柑	92E2	52E3	T2SJ0080
1291	枋	92E3	52E4	T2SK0080
1292	柚	92E4	52E5	T2SL0080
1293	查	92E5	52E6	T2SM0080
1294	枸	92E6	52E7	T2SN0080
1295	柏	92E7	52E8	T2SO0080
1296	柞	92E8	52E9	T2SP0080
1297	柳	92E9	52EA	T2SQ0080
1298	枰	92EA	52EB	T2SR0080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 15 (Page 26 of 44). Primary CH-T (1/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
1299	柺	92EB	52EC	T2SS0080
1300	柢	92EC	52ED	T2ST0080
1301	柝	92ED	52EE	T2SU0080
1302	柴	92EE	52EF	T2SV0080
1303	歪	92EF	52F0	T2SW0080
1304	殃	92F0	52F1	T2SX0080
1305	殆	92F1	52F2	T2SY0080
1306	段	92F2	52F3	T2SZ0080
1307	毒	92F3	52F4	T2T00080
1308	毗	92F4	52F5	T2T10080
1309	氟	92F5	52F6	T2T20080
1310	泉	92F6	52F7	T2T30080
1311	洋	92F7	52F8	T2T40080
1312	洲	92F8	52F9	T2T50080
1313	洪	92F9	52FA	T2T60080
1314	流	92FA	52FB	T2T70080
1315	津	92FB	52FC	T2T80080
1316	洌	92FC	52FD	T2T90080
1317	洱	9340	5341	T2TD0080
1318	洞	9341	5342	T2TE0080
1319	洗	9342	5343	T2TF0080
1320	活	9343	5344	T2TG0080
1321	洽	9344	5345	T2TH0080
1322	派	9345	5346	T2TI0080
1323	淘	9346	5347	T2TJ0080
1324	洛	9347	5348	T2TK0080

Table 15 (Page 26 of 44). Primary CH-T (1/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
1325	泵	9348	5349	T2TL0080
1326	洄	9349	534A	T2TM0080
1327	洧	934A	534B	T2TN0080
1328	洸	934B	534C	T2TO0080
1329	洩	934C	534D	T2TP0080
1330	洮	934D	534E	T2TQ0080
1331	洵	934E	534F	T2TR0080
1332	泊	934F	5350	T2TS0080
1333	洫	9350	5351	T2TT0080
1334	炫	9351	5352	T2TU0080
1335	為	9352	5353	T2TV0080
1336	炳	9353	5354	T2TW0080
1337	炬	9354	5355	T2TX0080
1338	炯	9355	5356	T2TY0080
1339	炭	9356	5357	T2TZ0080
1340	炸	9357	5358	T2U00080
1341	炮	9358	5359	T2U10080
1342	炤	9359	535A	T2U20080
1343	爰	935A	535B	T2U30080
1344	牲	935B	535C	T2U40080
1345	犊	935C	535D	T2U50080
1346	牴	935D	535E	T2U60080
1347	狩	935E	535F	T2U70080
1348	狼	935F	5360	T2U80080
1349	狡	9360	5361	T2U90080
1350	玷	9361	5362	T2UA0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 15 (Page 27 of 44). Primary CH-T (1/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
1351	珊	9362	5363	T2UB0080
1352	玻	9363	5364	T2UC0080
1353	玲	9364	5365	T2UD0080
1354	珍	9365	5366	T2UE0080
1355	珀	9366	5367	T2UF0080
1356	玳	9367	5368	T2UG0080
1357	甚	9368	5369	T2UH0080
1358	甬	9369	536A	T2UI0080
1359	畏	936A	536B	T2UJ0080
1360	界	936B	536C	T2UK0080
1361	畎	936C	536D	T2UL0080
1362	畝	936D	536E	T2UM0080
1363	疫	936E	536F	T2UN0080
1364	疤	936F	5370	T2UO0080
1365	疥	9370	5371	T2UP0080
1366	痰	9371	5372	T2UQ0080
1367	疣	9372	5373	T2UR0080
1368	癸	9373	5374	T2US0080
1369	皆	9374	5375	T2UT0080
1370	皇	9375	5376	T2UU0080
1371	皈	9376	5377	T2UV0080
1372	盈	9377	5378	T2UW0080
1373	盆	9378	5379	T2UX0080
1374	盃	9379	537A	T2UY0080
1375	盅	937A	537B	T2UZ0080
1376	省	937B	537C	T2V00080

Table 15 (Page 27 of 44). Primary CH-T (1/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
1377	盹	937C	537D	T2V10080
1378	相	937D	537E	T2V20080
1379	眉	937E	537F	T2V30080
1380	看	9380	5381	T2V50080
1381	盾	9381	5382	T2V60080
1382	盼	9382	5383	T2V70080
1383	眇	9383	5384	T2V80080
1384	矜	9384	5385	T2V90080
1385	砂	9385	5386	T2VA0080
1386	研	9386	5387	T2VB0080
1387	砌	9387	5388	T2VC0080
1388	砍	9388	5389	T2VD0080
1389	袄	9389	538A	T2VE0080
1390	祉	938A	538B	T2VF0080
1391	祈	938B	538C	T2VG0080
1392	祇	938C	538D	T2VH0080
1393	禹	938D	538E	T2VI0080
1394	禺	938E	538F	T2VJ0080
1395	科	938F	5390	T2VK0080
1396	秒	9390	5391	T2VL0080
1397	秋	9391	5392	T2VM0080
1398	穿	9392	5393	T2VN0080
1399	突	9393	5394	T2VO0080
1400	竿	9394	5395	T2VP0080
1401	竿	9395	5396	T2VQ0080
1402	籽	9396	5397	T2VR0080

IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 15 (Page 28 of 44). Primary CH-T (1/3), DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
1403	紂	9397	5398	T2VS0080
1404	紅	9398	5399	T2VT0080
1405	紀	9399	539A	T2VU0080
1406	紉	939A	539B	T2VV0080
1407	紘	939B	539C	T2VW0080
1408	約	939C	539D	T2VX0080
1409	紕	939D	539E	T2VY0080
1410	缸	939E	539F	T2VZ0080
1411	美	939F	53A0	T2W00080
1412	羿	93A0	53A1	T2W10080
1413	耄	93A1	53A2	T2W20080
1414	耐	93A2	53A3	T2W30080
1415	耍	93A3	53A4	T2W40080
1416	崙	93A4	53A5	T2W50080
1417	耶	93A5	53A6	T2W60080
1418	胖	93A6	53A7	T2W70080
1419	胥	93A7	53A8	T2W80080
1420	胚	93A8	53A9	T2W90080
1421	胃	93A9	53AA	T2WA0080
1422	胄	93AA	53AB	T2WB0080
1423	背	93AB	53AC	T2WC0080
1424	胡	93AC	53AD	T2WD0080
1425	胛	93AD	53AE	T2WE0080
1426	胎	93AE	53AF	T2WF0080
1427	胞	93AF	53B0	T2WG0080
1428	胤	93B0	53B1	T2WH0080

Table 15 (Page 28 of 44). Primary CH-T (1/3), DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
1429	胝	93B1	53B2	T2WI0080
1430	致	93B2	53B3	T2WJ0080
1431	舢	93B3	53B4	T2WK0080
1432	苧	93B4	53B5	T2WL0080
1433	范	93B5	53B6	T2WM0080
1434	茅	93B6	53B7	T2WN0080
1435	苣	93B7	53B8	T2WO0080
1436	苧	93B8	53B9	T2WP0080
1437	苧	93B9	53BA	T2WQ0080
1438	茄	93BA	53BB	T2WR0080
1439	若	93BB	53BC	T2WS0080
1440	茂	93BC	53BD	T2WT0080
1441	茱	93BD	53BE	T2WU0080
1442	苳	93BE	53BF	T2WV0080
1443	苗	93BF	53C0	T2WW0080
1444	英	93C0	53C1	T2WX0080
1445	茁	93C1	53C2	T2WY0080
1446	苳	93C2	53C3	T2WZ0080
1447	苔	93C3	53C4	T2X00080
1448	苑	93C4	53C5	T2X10080
1449	苞	93C5	53C6	T2X20080
1450	苓	93C6	53C7	T2X30080
1451	苟	93C7	53C8	T2X40080
1452	苳	93C8	53C9	T2X50080
1453	茆	93C9	53CA	T2X60080
1454	虐	93CA	53CB	T2X70080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 15 (Page 29 of 44). Primary CH-T (1/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
1455	虹	93CB	53CC	T2X80080
1456	虻	93CC	53CD	T2X90080
1457	虺	93CD	53CE	T2XA0080
1458	衍	93CE	53CF	T2XB0080
1459	衫	93CF	53D0	T2XC0080
1460	要	93D0	53D1	T2XD0080
1461	觔	93D1	53D2	T2XE0080
1462	計	93D2	53D3	T2XF0080
1463	訂	93D3	53D4	T2XG0080
1464	訃	93D4	53D5	T2XH0080
1465	貞	93D5	53D6	T2XI0080
1466	負	93D6	53D7	T2XJ0080
1467	赴	93D7	53D8	T2XK0080
1468	赳	93D8	53D9	T2XL0080
1469	跣	93D9	53DA	T2XM0080
1470	軍	93DA	53DB	T2XN0080
1471	軌	93DB	53DC	T2XO0080
1472	述	93DC	53DD	T2XP0080
1473	迦	93DD	53DE	T2XQ0080
1474	迢	93DE	53DF	T2XR0080
1475	迪	93DF	53E0	T2XS0080
1476	迴	93E0	53E1	T2XT0080
1477	迭	93E1	53E2	T2XU0080
1478	迫	93E2	53E3	T2XV0080
1479	迳	93E3	53E4	T2XW0080
1480	迨	93E4	53E5	T2XX0080

Table 15 (Page 29 of 44). Primary CH-T (1/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
1481	郊	93E5	53E6	T2XY0080
1482	郎	93E6	53E7	T2XZ0080
1483	郁	93E7	53E8	T2Y00080
1484	郤	93E8	53E9	T2Y10080
1485	曾	93E9	53EA	T2Y20080
1486	酌	93EA	53EB	T2Y30080
1487	重	93EB	53EC	T2Y40080
1488	閂	93EC	53ED	T2Y50080
1489	限	93ED	53EE	T2Y60080
1490	陋	93EE	53EF	T2Y70080
1491	陌	93EF	53F0	T2Y80080
1492	降	93F0	53F1	T2Y90080
1493	面	93F1	53F2	T2YA0080
1494	革	93F2	53F3	T2YB0080
1495	韋	93F3	53F4	T2YC0080
1496	韭	93F4	53F5	T2YD0080
1497	音	93F5	53F6	T2YE0080
1498	頁	93F6	53F7	T2YF0080
1499	風	93F7	53F8	T2YG0080
1500	飛	93F8	53F9	T2YH0080
1501	食	93F9	53FA	T2YI0080
1502	首	93FA	53FB	T2YJ0080
1503	香	93FB	53FC	T2YK0080
1504	乘	93FC	53FD	T2YL0080
1505	毫	9440	5441	T2YP0080
1506	信	9441	5442	T2YQ0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 15 (Page 30 of 44). Primary CH-T (1/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
1507	倍	9442	5443	T2YR0080
1508	傲	9443	5444	T2YS0080
1509	俯	9444	5445	T2YT0080
1510	倦	9445	5446	T2YU0080
1511	控	9446	5447	T2YV0080
1512	捧	9447	5448	T2YW0080
1513	倩	9448	5449	T2YX0080
1514	倅	9449	544A	T2YY0080
1515	倆	944A	544B	T2YZ0080
1516	值	944B	544C	T2Z00080
1517	借	944C	544D	T2Z10080
1518	倚	944D	544E	T2Z20080
1519	倒	944E	544F	T2Z30080
1520	們	944F	5450	T2Z40080
1521	俺	9450	5451	T2Z50080
1522	俵	9451	5452	T2Z60080
1523	偏	9452	5453	T2Z70080
1524	倨	9453	5454	T2Z80080
1525	俱	9454	5455	T2Z90080
1526	倡	9455	5456	T2ZA0080
1527	個	9456	5457	T2ZB0080
1528	候	9457	5458	T2ZC0080
1529	倘	9458	5459	T2ZD0080
1530	俳	9459	545A	T2ZE0080
1531	修	945A	545B	T2ZF0080
1532	倭	945B	545C	T2ZG0080

Table 15 (Page 30 of 44). Primary CH-T (1/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
1533	倪	945C	545D	T2ZH0080
1534	俾	945D	545E	T2ZI0080
1535	倫	945E	545F	T2ZJ0080
1536	倉	945F	5460	T2ZK0080
1537	兼	9460	5461	T2ZL0080
1538	冤	9461	5462	T2ZM0080
1539	冥	9462	5463	T2ZN0080
1540	冢	9463	5464	T2ZO0080
1541	凍	9464	5465	T2ZP0080
1542	凌	9465	5466	T2ZQ0080
1543	准	9466	5467	T2ZR0080
1544	凋	9467	5468	T2ZS0080
1545	剖	9468	5469	T2ZT0080
1546	剋	9469	546A	T2ZU0080
1547	剔	946A	546B	T2ZV0080
1548	剛	946B	546C	T2ZW0080
1549	剝	946C	546D	T2ZX0080
1550	匪	946D	546E	T2ZY0080
1551	卿	946E	546F	T2ZZ0080
1552	原	946F	5470	T3000080
1553	厝	9470	5471	T3010080
1554	叟	9471	5472	T3020080
1555	哨	9472	5473	T3030080
1556	唐	9473	5474	T3040080
1557	唁	9474	5475	T3050080
1558	嗜	9475	5476	T3060080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 15 (Page 31 of 44). Primary CH-T (1/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
1559	哼	9476	5477	T3070080
1560	哥	9477	5478	T3080080
1561	哲	9478	5479	T3090080
1562	峻	9479	547A	T30A0080
1563	哺	947A	547B	T30B0080
1564	唔	947B	547C	T30C0080
1565	哩	947C	547D	T30D0080
1566	哭	947D	547E	T30E0080
1567	員	947E	547F	T30F0080
1568	唉	9480	5481	T30H0080
1569	哮	9481	5482	T30I0080
1570	哪	9482	5483	T30J0080
1571	哦	9483	5484	T30K0080
1572	唧	9484	5485	T30L0080
1573	唇	9485	5486	T30M0080
1574	哽	9486	5487	T30N0080
1575	唏	9487	5488	T30O0080
1576	圃	9488	5489	T30P0080
1577	圉	9489	548A	T30Q0080
1578	壞	948A	548B	T30R0080
1579	埔	948B	548C	T30S0080
1580	埋	948C	548D	T30T0080
1581	埃	948D	548E	T30U0080
1582	埕	948E	548F	T30V0080
1583	夏	948F	5490	T30W0080
1584	套	9490	5491	T30X0080

Table 15 (Page 31 of 44). Primary CH-T (1/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
1585	奘	9491	5492	T30Y0080
1586	奚	9492	5493	T30Z0080
1587	娑	9493	5494	T3100080
1588	娘	9494	5495	T3110080
1589	娜	9495	5496	T3120080
1590	娟	9496	5497	T3130080
1591	娛	9497	5498	T3140080
1592	媿	9498	5499	T3150080
1593	姬	9499	549A	T3160080
1594	娠	949A	549B	T3170080
1595	娣	949B	549C	T3180080
1596	媿	949C	549D	T3190080
1597	娥	949D	549E	T31A0080
1598	媿	949E	549F	T31B0080
1599	媿	949F	54A0	T31C0080
1600	孫	94A0	54A1	T31D0080
1601	尉	94A1	54A2	T31E0080
1602	宰	94A2	54A3	T31F0080
1603	害	94A3	54A4	T31G0080
1604	家	94A4	54A5	T31H0080
1605	宴	94A5	54A6	T31I0080
1606	宮	94A6	54A7	T31J0080
1607	宵	94A7	54A8	T31K0080
1608	容	94A8	54A9	T31L0080
1609	宸	94A9	54AA	T31M0080
1610	射	94AA	54AB	T31N0080

IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 15 (Page 32 of 44). Primary CH-T (1/3), DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
1611	屑	94AB	54AC	T31O0080
1612	展	94AC	54AD	T31P0080
1613	屐	94AD	54AE	T31Q0080
1614	峭	94AE	54AF	T31R0080
1615	峽	94AF	54B0	T31S0080
1616	峻	94B0	54B1	T31T0080
1617	峪	94B1	54B2	T31U0080
1618	峨	94B2	54B3	T31V0080
1619	峰	94B3	54B4	T31W0080
1620	島	94B4	54B5	T31X0080
1621	坎	94B5	54B6	T31Y0080
1622	峴	94B6	54B7	T31Z0080
1623	差	94B7	54B8	T3200080
1624	席	94B8	54B9	T3210080
1625	師	94B9	54BA	T3220080
1626	庫	94BA	54BB	T3230080
1627	庭	94BB	54BC	T3240080
1628	座	94BC	54BD	T3250080
1629	弱	94BD	54BE	T3260080
1630	徒	94BE	54BF	T3270080
1631	徑	94BF	54C0	T3280080
1632	徐	94C0	54C1	T3290080
1633	恙	94C1	54C2	T32A0080
1634	恣	94C2	54C3	T32B0080
1635	恥	94C3	54C4	T32C0080
1636	恐	94C4	54C5	T32D0080

Table 15 (Page 32 of 44). Primary CH-T (1/3), DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
1637	恕	94C5	54C6	T32E0080
1638	恭	94C6	54C7	T32F0080
1639	恩	94C7	54C8	T32G0080
1640	息	94C8	54C9	T32H0080
1641	悄	94C9	54CA	T32I0080
1642	悟	94CA	54CB	T32J0080
1643	悚	94CB	54CC	T32K0080
1644	悍	94CC	54CD	T32L0080
1645	悔	94CD	54CE	T32M0080
1646	悌	94CE	54CF	T32N0080
1647	悅	94CF	54D0	T32O0080
1648	悖	94D0	54D1	T32P0080
1649	扇	94D1	54D2	T32Q0080
1650	拳	94D2	54D3	T32R0080
1651	挈	94D3	54D4	T32S0080
1652	拿	94D4	54D5	T32T0080
1653	捎	94D5	54D6	T32U0080
1654	挾	94D6	54D7	T32V0080
1655	振	94D7	54D8	T32W0080
1656	捕	94D8	54D9	T32X0080
1657	拑	94D9	54DA	T32Y0080
1658	搥	94DA	54DB	T32Z0080
1659	捏	94DB	54DC	T3300080
1660	捉	94DC	54DD	T3310080
1661	挺	94DD	54DE	T3320080
1662	捐	94DE	54DF	T3330080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 15 (Page 33 of 44). Primary CH-T (1/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
1663	挽	94DF	54E0	T3340080
1664	挪	94E0	54E1	T3350080
1665	挫	94E1	54E2	T3360080
1666	挨	94E2	54E3	T3370080
1667	捍	94E3	54E4	T3380080
1668	捌	94E4	54E5	T3390080
1669	效	94E5	54E6	T33A0080
1670	敕	94E6	54E7	T33B0080
1671	料	94E7	54E8	T33C0080
1672	旁	94E8	54E9	T33D0080
1673	旅	94E9	54EA	T33E0080
1674	時	94EA	54EB	T33F0080
1675	晉	94EB	54EC	T33G0080
1676	晏	94EC	54ED	T33H0080
1677	晃	94ED	54EE	T33I0080
1678	晒	94EE	54EF	T33J0080
1679	晌	94EF	54F0	T33K0080
1680	晷	94F0	54F1	T33L0080
1681	晷	94F1	54F2	T33M0080
1682	書	94F2	54F3	T33N0080
1683	朔	94F3	54F4	T33O0080
1684	朕	94F4	54F5	T33P0080
1685	朗	94F5	54F6	T33Q0080
1686	校	94F6	54F7	T33R0080
1687	核	94F7	54F8	T33S0080
1688	案	94F8	54F9	T33T0080

Table 15 (Page 33 of 44). Primary CH-T (1/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
1689	框	94F9	54FA	T33U0080
1690	桓	94FA	54FB	T33V0080
1691	根	94FB	54FC	T33W0080
1692	桂	94FC	54FD	T33X0080
1693	桔	9540	5541	T3410080
1694	栩	9541	5542	T3420080
1695	梳	9542	5543	T3430080
1696	栗	9543	5544	T3440080
1697	桌	9544	5545	T3450080
1698	桑	9545	5546	T3460080
1699	栽	9546	5547	T3470080
1700	柴	9547	5548	T3480080
1701	桐	9548	5549	T3490080
1702	桀	9549	554A	T34A0080
1703	格	954A	554B	T34B0080
1704	桃	954B	554C	T34C0080
1705	株	954C	554D	T34D0080
1706	桅	954D	554E	T34E0080
1707	栓	954E	554F	T34F0080
1708	移	954F	5550	T34G0080
1709	桁	9550	5551	T34H0080
1710	殊	9551	5552	T34I0080
1711	殉	9552	5553	T34J0080
1712	殷	9553	5554	T34K0080
1713	氣	9554	5555	T34L0080
1714	氧	9555	5556	T34M0080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 15 (Page 34 of 44). Primary CH-T (1/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
1715	氩	9556	5557	T34N0080
1716	氮	9557	5558	T34O0080
1717	氙	9558	5559	T34P0080
1718	泰	9559	555A	T34Q0080
1719	浪	955A	555B	T34R0080
1720	涕	955B	555C	T34S0080
1721	消	955C	555D	T34T0080
1722	涇	955D	555E	T34U0080
1723	浦	955E	555F	T34V0080
1724	浸	955F	5560	T34W0080
1725	海	9560	5561	T34X0080
1726	浙	9561	5562	T34Y0080
1727	涓	9562	5563	T34Z0080
1728	湮	9563	5564	T3500080
1729	涉	9564	5565	T3510080
1730	浮	9565	5566	T3520080
1731	浚	9566	5567	T3530080
1732	浴	9567	5568	T3540080
1733	浩	9568	5569	T3550080
1734	涌	9569	556A	T3560080
1735	忍	956A	556B	T3570080
1736	浹	956B	556C	T3580080
1737	湮	956C	556D	T3590080
1738	浥	956D	556E	T35A0080
1739	洩	956E	556F	T35B0080
1740	焯	956F	5570	T35C0080

Table 15 (Page 34 of 44). Primary CH-T (1/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
1741	烘	9570	5571	T35D0080
1742	烤	9571	5572	T35E0080
1743	烙	9572	5573	T35F0080
1744	烈	9573	5574	T35G0080
1745	烏	9574	5575	T35H0080
1746	爹	9575	5576	T35I0080
1747	特	9576	5577	T35J0080
1748	狼	9577	5578	T35K0080
1749	狹	9578	5579	T35L0080
1750	狽	9579	557A	T35M0080
1751	狸	957A	557B	T35N0080
1752	狽	957B	557C	T35O0080
1753	兹	957C	557D	T35P0080
1754	班	957D	557E	T35Q0080
1755	琉	957E	557F	T35R0080
1756	珮	9580	5581	T35T0080
1757	珠	9581	5582	T35U0080
1758	珪	9582	5583	T35V0080
1759	珞	9583	5584	T35W0080
1760	畔	9584	5585	T35X0080
1761	畝	9585	5586	T35Y0080
1762	畜	9586	5587	T35Z0080
1763	畚	9587	5588	T3600080
1764	留	9588	5589	T3610080
1765	疾	9589	558A	T3620080
1766	病	958A	558B	T3630080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 15 (Page 35 of 44). Primary CH-T (1/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
1767	症	958B	558C	T3640080
1768	痲	958C	558D	T3650080
1769	瘡	958D	558E	T3660080
1770	疽	958E	558F	T3670080
1771	疹	958F	5590	T3680080
1772	疹	9590	5591	T3690080
1773	痲	9591	5592	T36A0080
1774	疽	9592	5593	T36B0080
1775	皰	9593	5594	T36C0080
1776	皰	9594	5595	T36D0080
1777	益	9595	5596	T36E0080
1778	盞	9596	5597	T36F0080
1779	盞	9597	5598	T36G0080
1780	眩	9598	5599	T36H0080
1781	真	9599	559A	T36I0080
1782	眠	959A	559B	T36J0080
1783	眨	959B	559C	T36K0080
1784	矩	959C	559D	T36L0080
1785	碎	959D	559E	T36M0080
1786	砧	959E	559F	T36N0080
1787	砸	959F	55A0	T36O0080
1788	砧	95A0	55A1	T36P0080
1789	破	95A1	55A2	T36Q0080
1790	砷	95A2	55A3	T36R0080
1791	砒	95A3	55A4	T36S0080
1792	砒	95A4	55A5	T36T0080

Table 15 (Page 35 of 44). Primary CH-T (1/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
1793	租	95A5	55A6	T36U0080
1794	砑	95A6	55A7	T36V0080
1795	砲	95A7	55A8	T36W0080
1796	祕	95A8	55A9	T36X0080
1797	祐	95A9	55AA	T36Y0080
1798	祠	95AA	55AB	T36Z0080
1799	崇	95AB	55AC	T3700080
1800	祖	95AC	55AD	T3710080
1801	神	95AD	55AE	T3720080
1802	祝	95AE	55AF	T3730080
1803	祗	95AF	55B0	T3740080
1804	祚	95B0	55B1	T3750080
1805	秤	95B1	55B2	T3760080
1806	秣	95B2	55B3	T3770080
1807	秧	95B3	55B4	T3780080
1808	租	95B4	55B5	T3790080
1809	秦	95B5	55B6	T37A0080
1810	秩	95B6	55B7	T37B0080
1811	秘	95B7	55B8	T37C0080
1812	窄	95B8	55B9	T37D0080
1813	竊	95B9	55BA	T37E0080
1814	站	95BA	55BB	T37F0080
1815	筓	95BB	55BC	T37G0080
1816	笑	95BC	55BD	T37H0080
1817	粉	95BD	55BE	T37I0080
1818	紡	95BE	55BF	T37J0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
1819	紗	95BF	55C0	T37K0080
1820	紋	95C0	55C1	T37L0080
1821	素	95C1	55C2	T37M0080
1822	素	95C2	55C3	T37N0080
1823	索	95C3	55C4	T37O0080
1824	純	95C4	55C5	T37P0080
1825	紐	95C5	55C6	T37Q0080
1826	紕	95C6	55C7	T37R0080
1827	級	95C7	55C8	T37S0080
1828	紘	95C8	55C9	T37T0080
1829	納	95C9	55CA	T37U0080
1830	紙	95CA	55CB	T37V0080
1831	紛	95CB	55CC	T37W0080
1832	缺	95CC	55CD	T37X0080
1833	罟	95CD	55CE	T37Y0080
1834	羔	95CE	55CF	T37Z0080
1835	翅	95CF	55D0	T3800080
1836	翁	95D0	55D1	T3810080
1837	耆	95D1	55D2	T3820080
1838	耘	95D2	55D3	T3830080
1839	耕	95D3	55D4	T3840080
1840	耙	95D4	55D5	T3850080
1841	耗	95D5	55D6	T3860080
1842	耽	95D6	55D7	T3870080
1843	耿	95D7	55D8	T3880080
1844	胱	95D8	55D9	T3890080

Line Number	Graphic	PC Code	Host Code	GCGID
1845	脂	95D9	55DA	T38A0080
1846	胰	95DA	55DB	T38B0080
1847	脅	95DB	55DC	T38C0080
1848	脛	95DC	55DD	T38D0080
1849	脬	95DD	55DE	T38E0080
1850	脆	95DE	55DF	T38F0080
1851	胸	95DF	55E0	T38G0080
1852	脗	95E0	55E1	T38H0080
1853	脈	95E1	55E2	T38I0080
1854	能	95E2	55E3	T38J0080
1855	脊	95E3	55E4	T38K0080
1856	胼	95E4	55E5	T38L0080
1857	胯	95E5	55E6	T38M0080
1858	臭	95E6	55E7	T38N0080
1859	臬	95E7	55E8	T38O0080
1860	筭	95E8	55E9	T38P0080
1861	舐	95E9	55EA	T38Q0080
1862	航	95EA	55EB	T38R0080
1863	舫	95EB	55EC	T38S0080
1864	舩	95EC	55ED	T38T0080
1865	般	95ED	55EE	T38U0080
1866	芻	95EE	55EF	T38V0080
1867	茫	95EF	55F0	T38W0080
1868	荒	95F0	55F1	T38X0080
1869	荔	95F1	55F2	T38Y0080
1870	荊	95F2	55F3	T38Z0080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
1871	葺	95F3	55F4	T3900080
1872	荐	95F4	55F5	T3910080
1873	草	95F5	55F6	T3920080
1874	茵	95F6	55F7	T3930080
1875	茴	95F7	55F8	T3940080
1876	茝	95F8	55F9	T3950080
1877	茲	95F9	55FA	T3960080
1878	茹	95FA	55FB	T3970080
1879	茶	95FB	55FC	T3980080
1880	茗	95FC	55FD	T3990080
1881	荀	9640	5641	T39D0080
1882	茱	9641	5642	T39E0080
1883	茨	9642	5643	T39F0080
1884	荃	9643	5644	T39G0080
1885	虔	9644	5645	T39H0080
1886	蚊	9645	5646	T39I0080
1887	蚪	9646	5647	T39J0080
1888	蚪	9647	5648	T39K0080
1889	蚤	9648	5649	T39L0080
1890	蚩	9649	564A	T39M0080
1891	蚌	964A	564B	T39N0080
1892	蚣	964B	564C	T39O0080
1893	蚻	964C	564D	T39P0080
1894	衰	964D	564E	T39Q0080
1895	衷	964E	564F	T39R0080
1896	袁	964F	5650	T39S0080

Line Number	Graphic	PC Code	Host Code	GCGID
1897	袂	9650	5651	T39T0080
1898	衿	9651	5652	T39U0080
1899	祇	9652	5653	T39V0080
1900	記	9653	5654	T39W0080
1901	訐	9654	5655	T39X0080
1902	討	9655	5656	T39Y0080
1903	訶	9656	5657	T39Z0080
1904	訕	9657	5658	T3A00080
1905	訊	9658	5659	T3A10080
1906	託	9659	565A	T3A20080
1907	訓	965A	565B	T3A30080
1908	訖	965B	565C	T3A40080
1909	訐	965C	565D	T3A50080
1910	訑	965D	565E	T3A60080
1911	豈	965E	565F	T3A70080
1912	豸	965F	5660	T3A80080
1913	豹	9660	5661	T3A90080
1914	財	9661	5662	T3AA0080
1915	貢	9662	5663	T3AB0080
1916	起	9663	5664	T3AC0080
1917	躬	9664	5665	T3AD0080
1918	軒	9665	5666	T3AE0080
1919	軻	9666	5667	T3AF0080
1920	軛	9667	5668	T3AG0080
1921	辱	9668	5669	T3AH0080
1922	送	9669	566A	T3AI0080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 15 (Page 38 of 44). Primary CH-T (1/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
1923	逆	966A	566B	T3AJ0080
1924	迷	966B	566C	T3AK0080
1925	退	966C	566D	T3AL0080
1926	迺	966D	566E	T3AM0080
1927	迴	966E	566F	T3AN0080
1928	逃	966F	5670	T3AO0080
1929	追	9670	5671	T3AP0080
1930	逅	9671	5672	T3AQ0080
1931	进	9672	5673	T3AR0080
1932	邕	9673	5674	T3AS0080
1933	郡	9674	5675	T3AT0080
1934	郝	9675	5676	T3AU0080
1935	郢	9676	5677	T3AV0080
1936	酒	9677	5678	T3AW0080
1937	配	9678	5679	T3AX0080
1938	酌	9679	567A	T3AY0080
1939	釘	967A	567B	T3AZ0080
1940	針	967B	567C	T3B00080
1941	釧	967C	567D	T3B10080
1942	釜	967D	567E	T3B20080
1943	釧	967E	567F	T3B30080
1944	閃	9680	5681	T3B50080
1945	院	9681	5682	T3B60080
1946	陣	9682	5683	T3B70080
1947	陡	9683	5684	T3B80080
1948	陞	9684	5685	T3B90080

Table 15 (Page 38 of 44). Primary CH-T (1/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
1949	陝	9685	5686	T3BA0080
1950	除	9686	5687	T3BB0080
1951	陘	9687	5688	T3BC0080
1952	陞	9688	5689	T3BD0080
1953	隻	9689	568A	T3BE0080
1954	飢	968A	568B	T3BF0080
1955	馬	968B	568C	T3BG0080
1956	骨	968C	568D	T3BH0080
1957	高	968D	568E	T3BI0080
1958	鬥	968E	568F	T3BJ0080
1959	鬲	968F	5690	T3BK0080
1960	鬼	9690	5691	T3BL0080
1961	乾	9691	5692	T3BM0080
1962	僭	9692	5693	T3BN0080
1963	偽	9693	5694	T3BO0080
1964	停	9694	5695	T3BP0080
1965	假	9695	5696	T3BQ0080
1966	偃	9696	5697	T3BR0080
1967	倭	9697	5698	T3BS0080
1968	做	9698	5699	T3BT0080
1969	偉	9699	569A	T3BU0080
1970	健	969A	569B	T3BV0080
1971	偶	969B	569C	T3BW0080
1972	俥	969C	569D	T3BX0080
1973	偕	969D	569E	T3BY0080
1974	偵	969E	569F	T3BZ0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 15 (Page 39 of 44). Primary CH-T (1/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
1975	側	969F	56A0	T3C00080
1976	儉	96A0	56A1	T3C10080
1977	偏	96A1	56A2	T3C20080
1978	倏	96A2	56A3	T3C30080
1979	儗	96A3	56A4	T3C40080
1980	徇	96A4	56A5	T3C50080
1981	兜	96A5	56A6	T3C60080
1982	冕	96A6	56A7	T3C70080
1983	凰	96A7	56A8	T3C80080
1984	剪	96A8	56A9	T3C90080
1985	副	96A9	56AA	T3CA0080
1986	勒	96AA	56AB	T3CB0080
1987	務	96AB	56AC	T3CC0080
1988	勘	96AC	56AD	T3CD0080
1989	動	96AD	56AE	T3CE0080
1990	匐	96AE	56AF	T3CF0080
1991	匏	96AF	56B0	T3CG0080
1992	匙	96B0	56B1	T3CH0080
1993	匿	96B1	56B2	T3CI0080
1994	區	96B2	56B3	T3CJ0080
1995	區	96B3	56B4	T3CK0080
1996	參	96B4	56B5	T3CL0080
1997	曼	96B5	56B6	T3CM0080
1998	商	96B6	56B7	T3CN0080
1999	啪	96B7	56B8	T3CO0080
2000	啦	96B8	56B9	T3CP0080

Table 15 (Page 39 of 44). Primary CH-T (1/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
2001	啄	96B9	56BA	T3CQ0080
2002	啞	96BA	56BB	T3CR0080
2003	啡	96BB	56BC	T3CS0080
2004	哨	96BC	56BD	T3CT0080
2005	啊	96BD	56BE	T3CU0080
2006	唱	96BE	56BF	T3CV0080
2007	啖	96BF	56C0	T3CW0080
2008	問	96C0	56C1	T3CX0080
2009	啣	96C1	56C2	T3CY0080
2010	唯	96C2	56C3	T3CZ0080
2011	啤	96C3	56C4	T3D00080
2012	唸	96C4	56C5	T3D10080
2013	售	96C5	56C6	T3D20080
2014	噉	96C6	56C7	T3D30080
2015	唬	96C7	56C8	T3D40080
2016	啣	96C8	56C9	T3D50080
2017	唳	96C9	56CA	T3D60080
2018	啣	96CA	56CB	T3D70080
2019	陷	96CB	56CC	T3D80080
2020	圈	96CC	56CD	T3D90080
2021	國	96CD	56CE	T3DA0080
2022	圍	96CE	56CF	T3DB0080
2023	域	96CF	56D0	T3DC0080
2024	堅	96D0	56D1	T3DD0080
2025	堊	96D1	56D2	T3DE0080
2026	堆	96D2	56D3	T3DF0080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 15 (Page 40 of 44). Primary CH-T (1/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
2027	埠	96D3	56D4	T3DG0080
2028	埠	96D4	56D5	T3DH0080
2029	基	96D5	56D6	T3DI0080
2030	堂	96D6	56D7	T3DJ0080
2031	堵	96D7	56D8	T3DK0080
2032	執	96D8	56D9	T3DL0080
2033	培	96D9	56DA	T3DM0080
2034	狗	96DA	56DB	T3DN0080
2035	奢	96DB	56DC	T3DO0080
2036	娶	96DC	56DD	T3DP0080
2037	婁	96DD	56DE	T3DQ0080
2038	婉	96DE	56DF	T3DR0080
2039	婦	96DF	56E0	T3DS0080
2040	婪	96E0	56E1	T3DT0080
2041	媧	96E1	56E2	T3DU0080
2042	娼	96E2	56E3	T3DV0080
2043	婢	96E3	56E4	T3DW0080
2044	婚	96E4	56E5	T3DX0080
2045	婆	96E5	56E6	T3DY0080
2046	媵	96E6	56E7	T3DZ0080
2047	孰	96E7	56E8	T3E00080
2048	寇	96E8	56E9	T3E10080
2049	寅	96E9	56EA	T3E20080
2050	寄	96EA	56EB	T3E30080
2051	寂	96EB	56EC	T3E40080
2052	宿	96EC	56ED	T3E50080

Table 15 (Page 40 of 44). Primary CH-T (1/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
2053	密	96ED	56EE	T3E60080
2054	尉	96EE	56EF	T3E70080
2055	專	96EF	56F0	T3E80080
2056	將	96F0	56F1	T3E90080
2057	屠	96F1	56F2	T3EA0080
2058	屨	96F2	56F3	T3EB0080
2059	扉	96F3	56F4	T3EC0080
2060	崇	96F4	56F5	T3ED0080
2061	崆	96F5	56F6	T3EE0080
2062	崎	96F6	56F7	T3EF0080
2063	嶇	96F7	56F8	T3EG0080
2064	崖	96F8	56F9	T3EH0080
2065	崢	96F9	56FA	T3EI0080
2066	崑	96FA	56FB	T3EJ0080
2067	崩	96FB	56FC	T3EK0080
2068	崔	96FC	56FD	T3EL0080
2069	崙	9740	5741	T3EP0080
2070	崘	9741	5742	T3EQ0080
2071	崚	9742	5743	T3ER0080
2072	崗	9743	5744	T3ES0080
2073	巢	9744	5745	T3ET0080
2074	常	9745	5746	T3EU0080
2075	帶	9746	5747	T3EV0080
2076	帳	9747	5748	T3EW0080
2077	帷	9748	5749	T3EX0080
2078	康	9749	574A	T3EY0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 15 (Page 41 of 44). Primary CH-T (1/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
2079	庸	974A	574B	T3EZ0080
2080	庶	974B	574C	T3F00080
2081	庵	974C	574D	T3F10080
2082	庾	974D	574E	T3F20080
2083	張	974E	574F	T3F30080
2084	強	974F	5750	T3F40080
2085	彗	9750	5751	T3F50080
2086	彬	9751	5752	T3F60080
2087	彩	9752	5753	T3F70080
2088	彫	9753	5754	T3F80080
2089	得	9754	5755	T3F90080
2090	徙	9755	5756	T3FA0080
2091	從	9756	5757	T3FB0080
2092	徘	9757	5758	T3FC0080
2093	御	9758	5759	T3FD0080
2094	徠	9759	575A	T3FE0080
2095	徇	975A	575B	T3FF0080
2096	愆	975B	575C	T3FG0080
2097	患	975C	575D	T3FH0080
2098	悉	975D	575E	T3FI0080
2099	悠	975E	575F	T3FJ0080
2100	您	975F	5760	T3FK0080
2101	惋	9760	5761	T3FL0080
2102	悴	9761	5762	T3FM0080
2103	悒	9762	5763	T3FN0080
2104	懷	9763	5764	T3FO0080

Table 15 (Page 41 of 44). Primary CH-T (1/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
2105	情	9764	5765	T3FP0080
2106	悻	9765	5766	T3FQ0080
2107	悵	9766	5767	T3FR0080
2108	惜	9767	5768	T3FS0080
2109	悼	9768	5769	T3FT0080
2110	惘	9769	576A	T3FU0080
2111	惕	976A	576B	T3FV0080
2112	惆	976B	576C	T3FW0080
2113	惟	976C	576D	T3FX0080
2114	悸	976D	576E	T3FY0080
2115	惚	976E	576F	T3FZ0080
2116	惇	976F	5770	T3G00080
2117	戚	9770	5771	T3G10080
2118	戛	9771	5772	T3G20080
2119	扈	9772	5773	T3G30080
2120	掠	9773	5774	T3G40080
2121	控	9774	5775	T3G50080
2122	捲	9775	5776	T3G60080
2123	掖	9776	5777	T3G70080
2124	探	9777	5778	T3G80080
2125	接	9778	5779	T3G90080
2126	捷	9779	577A	T3GA0080
2127	捧	977A	577B	T3GB0080
2128	掘	977B	577C	T3GC0080
2129	措	977C	577D	T3GD0080
2130	捱	977D	577E	T3GE0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
2131	掩	977E	577F	T3GF0080
2132	掉	9780	5781	T3GH0080
2133	掃	9781	5782	T3GI0080
2134	掛	9782	5783	T3GJ0080
2135	捫	9783	5784	T3GK0080
2136	推	9784	5785	T3GL0080
2137	掄	9785	5786	T3GM0080
2138	授	9786	5787	T3GN0080
2139	掙	9787	5788	T3GO0080
2140	採	9788	5789	T3GP0080
2141	掬	9789	578A	T3GQ0080
2142	排	978A	578B	T3GR0080
2143	掬	978B	578C	T3GS0080
2144	掀	978C	578D	T3GT0080
2145	捻	978D	578E	T3GU0080
2146	捩	978E	578F	T3GV0080
2147	捨	978F	5790	T3GW0080
2148	捺	9790	5791	T3GX0080
2149	敞	9791	5792	T3GY0080
2150	敖	9792	5793	T3GZ0080
2151	救	9793	5794	T3H00080
2152	教	9794	5795	T3H10080
2153	敗	9795	5796	T3H20080
2154	啟	9796	5797	T3H30080
2155	敏	9797	5798	T3H40080
2156	敘	9798	5799	T3H50080

Line Number	Graphic	PC Code	Host Code	GCGID
2157	敕	9799	579A	T3H60080
2158	敵	979A	579B	T3H70080
2159	斜	979B	579C	T3H80080
2160	斛	979C	579D	T3H90080
2161	斬	979D	579E	T3HA0080
2162	族	979E	579F	T3HB0080
2163	旋	979F	57A0	T3HC0080
2164	旌	97A0	57A1	T3HD0080
2165	旒	97A1	57A2	T3HE0080
2166	晝	97A2	57A3	T3HF0080
2167	晚	97A3	57A4	T3HG0080
2168	晤	97A4	57A5	T3HH0080
2169	晨	97A5	57A6	T3HI0080
2170	晦	97A6	57A7	T3HJ0080
2171	晞	97A7	57A8	T3HK0080
2172	曹	97A8	57A9	T3HL0080
2173	勗	97A9	57AA	T3HM0080
2174	望	97AA	57AB	T3HN0080
2175	梁	97AB	57AC	T3HO0080
2176	梯	97AC	57AD	T3HP0080
2177	梢	97AD	57AE	T3HQ0080
2178	梓	97AE	57AF	T3HR0080
2179	梵	97AF	57B0	T3HS0080
2180	桿	97B0	57B1	T3HT0080
2181	桶	97B1	57B2	T3HU0080
2182	梱	97B2	57B3	T3HV0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC


Table 15 (Page 43 of 44). Primary CH-T (1/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
2183	梧	97B3	57B4	T3HW0080
2184	梗	97B4	57B5	T3HX0080
2185	械	97B5	57B6	T3HY0080
2186	挺	97B6	57B7	T3HZ0080
2187	棄	97B7	57B8	T3I00080
2188	梭	97B8	57B9	T3I10080
2189	梆	97B9	57BA	T3I20080
2190	梅	97BA	57BB	T3I30080
2191	梔	97BB	57BC	T3I40080
2192	條	97BC	57BD	T3I50080
2193	梨	97BD	57BE	T3I60080
2194	臬	97BE	57BF	T3I70080
2195	梔	97BF	57C0	T3I80080
2196	椽	97C0	57C1	T3I90080
2197	欲	97C1	57C2	T3IA0080
2198	殺	97C2	57C3	T3IB0080
2199	毫	97C3	57C4	T3IC0080
2200	毳	97C4	57C5	T3ID0080
2201	氫	97C5	57C6	T3IE0080
2202	涎	97C6	57C7	T3IF0080
2203	涼	97C7	57C8	T3IG0080
2204	淳	97C8	57C9	T3IH0080
2205	淙	97C9	57CA	T3II0080
2206	液	97CA	57CB	T3IJ0080
2207	淡	97CB	57CC	T3IK0080
2208	洵	97CC	57CD	T3IL0080

Table 15 (Page 43 of 44). Primary CH-T (1/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
2209	淤	97CD	57CE	T3IM0080
2210	添	97CE	57CF	T3IN0080
2211	淺	97CF	57D0	T3IO0080
2212	清	97D0	57D1	T3IP0080
2213	淇	97D1	57D2	T3IQ0080
2214	淋	97D2	57D3	T3IR0080
2215	涯	97D3	57D4	T3IS0080
2216	淑	97D4	57D5	T3IT0080
2217	澗	97D5	57D6	T3IU0080
2218	淞	97D6	57D7	T3IV0080
2219	淹	97D7	57D8	T3IW0080
2220	涸	97D8	57D9	T3IX0080
2221	混	97D9	57DA	T3IY0080
2222	淵	97DA	57DB	T3IZ0080
2223	淅	97DB	57DC	T3J00080
2224	淒	97DC	57DD	T3J10080
2225	渚	97DD	57DE	T3J20080
2226	涵	97DE	57DF	T3J30080
2227	淚	97DF	57E0	T3J40080
2228	淫	97E0	57E1	T3J50080
2229	淘	97E1	57E2	T3J60080
2230	淪	97E2	57E3	T3J70080
2231	深	97E3	57E4	T3J80080
2232	淮	97E4	57E5	T3J90080
2233	淨	97E5	57E6	T3JA0080
2234	滄	97E6	57E7	T3JB0080

**IBM Traditional Chinese Graphic Character Set**

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
2235	溜	97E7	57E8	T3JC0080
2236	涪	97E8	57E9	T3JD0080
2237	淬	97E9	57EA	T3JE0080
2238	涿	97EA	57EB	T3JF0080
2239	淦	97EB	57EC	T3JG0080
2240	烹	97EC	57ED	T3JH0080
2241	焉	97ED	57EE	T3JI0080
2242	焊	97EE	57EF	T3JJ0080
2243	烽	97EF	57F0	T3JK0080
2244	烯	97F0	57F1	T3JL0080
2245	爽	97F1	57F2	T3JM0080
2246	牽	97F2	57F3	T3JN0080
2247	犁	97F3	57F4	T3JO0080
2248	猜	97F4	57F5	T3JP0080
2249	猛	97F5	57F6	T3JQ0080
2250	猖	97F6	57F7	T3JR0080
2251	獐	97F7	57F8	T3JS0080
2252	猙	97F8	57F9	T3JT0080
2253	率	97F9	57FA	T3JU0080
2254	琅	97FA	57FB	T3JV0080
2255	琊	97FB	57FC	T3JW0080
2256	球	97FC	57FD	T3JX0080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

8.12 Primary Chinese Set (2 of 3)

Line Number	Graphic	PC Code	Host Code	GCGID
1	理	9840	5841	T3K10080
2	現	9841	5842	T3K20080
3	琺	9842	5843	T3K30080
4	瓠	9843	5844	T3K40080
5	瓶	9844	5845	T3K50080
6	瓷	9845	5846	T3K60080
7	甜	9846	5847	T3K70080
8	產	9847	5848	T3K80080
9	略	9848	5849	T3K90080
10	畦	9849	584A	T3KA0080
11	畢	984A	584B	T3KB0080
12	異	984B	584C	T3KC0080
13	疏	984C	584D	T3KD0080
14	痔	984D	584E	T3KE0080
15	痕	984E	584F	T3KF0080
16	疵	984F	5850	T3KG0080
17	瘡	9850	5851	T3KH0080
18	瘻	9851	5852	T3KI0080
19	咬	9852	5853	T3KJ0080
20	盔	9853	5854	T3KK0080
21	盒	9854	5855	T3KL0080
22	盛	9855	5856	T3KM0080
23	眷	9856	5857	T3KN0080
24	眾	9857	5858	T3KO0080

Line Number	Graphic	PC Code	Host Code	GCGID
25	眼	9858	5859	T3KP0080
26	睚	9859	585A	T3KQ0080
27	眸	985A	585B	T3KR0080
28	眺	985B	585C	T3KS0080
29	硫	985C	585D	T3KT0080
30	硃	985D	585E	T3KU0080
31	礪	985E	585F	T3KV0080
32	祥	985F	5860	T3KW0080
33	票	9860	5861	T3KX0080
34	祭	9861	5862	T3KY0080
35	移	9862	5863	T3KZ0080
36	窻	9863	5864	T3L00080
37	窳	9864	5865	T3L10080
38	笠	9865	5866	T3L20080
39	笨	9866	5867	T3L30080
40	笛	9867	5868	T3L40080
41	第	9868	5869	T3L50080
42	符	9869	586A	T3L60080
43	笙	986A	586B	T3L70080
44	笞	986B	586C	T3L80080
45	竿	986C	586D	T3L90080
46	粒	986D	586E	T3LA0080
47	粗	986E	586F	T3LB0080
48	粕	986F	5870	T3LC0080
49	絆	9870	5871	T3LD0080
50	絃	9871	5872	T3LE0080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 16 (Page 2 of 44). Primary CH-T (2/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
51	統	9872	5873	T3LF0080
52	紮	9873	5874	T3LG0080
53	紹	9874	5875	T3LH0080
54	紉	9875	5876	T3LI0080
55	紕	9876	5877	T3LJ0080
56	細	9877	5878	T3LK0080
57	紳	9878	5879	T3LL0080
58	組	9879	587A	T3LM0080
59	累	987A	587B	T3LN0080
60	終	987B	587C	T3LO0080
61	紕	987C	587D	T3LP0080
62	紕	987D	587E	T3LQ0080
63	紕	987E	587F	T3LR0080
64	羞	9880	5881	T3LT0080
65	矜	9881	5882	T3LU0080
66	翌	9882	5883	T3LV0080
67	翎	9883	5884	T3LW0080
68	習	9884	5885	T3LX0080
69	耜	9885	5886	T3LY0080
70	聊	9886	5887	T3LZ0080
71	聆	9887	5888	T3M00080
72	脯	9888	5889	T3M10080
73	脬	9889	588A	T3M20080
74	脣	988A	588B	T3M30080
75	脫	988B	588C	T3M40080
76	脣	988C	588D	T3M50080

Table 16 (Page 2 of 44). Primary CH-T (2/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
77	脛	988D	588E	T3M60080
78	脛	988E	588F	T3M70080
79	春	988F	5890	T3M80080
80	舵	9890	5891	T3M90080
81	舷	9891	5892	T3MA0080
82	舶	9892	5893	T3MB0080
83	船	9893	5894	T3MC0080
84	莎	9894	5895	T3MD0080
85	莞	9895	5896	T3ME0080
86	莘	9896	5897	T3MF0080
87	葶	9897	5898	T3MG0080
88	蕪	9898	5899	T3MH0080
89	莖	9899	589A	T3MI0080
90	莽	989A	589B	T3MJ0080
91	莫	989B	589C	T3MK0080
92	莒	989C	589D	T3ML0080
93	莊	989D	589E	T3MM0080
94	莓	989E	589F	T3MN0080
95	莉	989F	58A0	T3MO0080
96	莠	98A0	58A1	T3MP0080
97	荷	98A1	58A2	T3MQ0080
98	荻	98A2	58A3	T3MR0080
99	茶	98A3	58A4	T3MS0080
100	莆	98A4	58A5	T3MT0080
101	莧	98A5	58A6	T3MU0080
102	處	98A6	58A7	T3MV0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 16 (Page 3 of 44). Primary CH-T (2/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
103	彪	98A7	58A8	T3MW0080
104	蛇	98A8	58A9	T3MX0080
105	蛙	98A9	58AA	T3MY0080
106	蚶	98AA	58AB	T3MZ0080
107	蛄	98AB	58AC	T3N00080
108	蚵	98AC	58AD	T3N10080
109	蛆	98AD	58AE	T3N20080
110	蚤	98AE	58AF	T3N30080
111	蚱	98AF	58B0	T3N40080
112	蚯	98B0	58B1	T3N50080
113	蛉	98B1	58B2	T3N60080
114	術	98B2	58B3	T3N70080
115	袞	98B3	58B4	T3N80080
116	袞	98B4	58B5	T3N90080
117	被	98B5	58B6	T3NA0080
118	袒	98B6	58B7	T3NB0080
119	袖	98B7	58B8	T3NC0080
120	袍	98B8	58B9	T3ND0080
121	袋	98B9	58BA	T3NE0080
122	覓	98BA	58BB	T3NF0080
123	規	98BB	58BC	T3NG0080
124	訪	98BC	58BD	T3NH0080
125	訝	98BD	58BE	T3NI0080
126	訣	98BE	58BF	T3NJ0080
127	訥	98BF	58C0	T3NK0080
128	許	98C0	58C1	T3NL0080

Table 16 (Page 3 of 44). Primary CH-T (2/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
129	設	98C1	58C2	T3NM0080
130	訟	98C2	58C3	T3NN0080
131	訛	98C3	58C4	T3NO0080
132	訢	98C4	58C5	T3NP0080
133	鼓	98C5	58C6	T3NQ0080
134	豚	98C6	58C7	T3NR0080
135	販	98C7	58C8	T3NS0080
136	責	98C8	58C9	T3NT0080
137	貫	98C9	58CA	T3NU0080
138	貨	98CA	58CB	T3NV0080
139	貪	98CB	58CC	T3NW0080
140	貧	98CC	58CD	T3NX0080
141	赧	98CD	58CE	T3NY0080
142	赦	98CE	58CF	T3NZ0080
143	趾	98CF	58D0	T3O00080
144	跌	98D0	58D1	T3O10080
145	輓	98D1	58D2	T3O20080
146	軟	98D2	58D3	T3O30080
147	這	98D3	58D4	T3O40080
148	逍	98D4	58D5	T3O50080
149	通	98D5	58D6	T3O60080
150	逗	98D6	58D7	T3O70080
151	連	98D7	58D8	T3O80080
152	速	98D8	58D9	T3O90080
153	逝	98D9	58DA	T3OA0080
154	逐	98DA	58DB	T3OB0080

IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 16 (Page 4 of 44). Primary CH-T (2/3), DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
155	逕	98DB	58DC	T3OC0080
156	逞	98DC	58DD	T3OD0080
157	造	98DD	58DE	T3OE0080
158	透	98DE	58DF	T3OF0080
159	逢	98DF	58E0	T3OG0080
160	逃	98E0	58E1	T3OH0080
161	逛	98E1	58E2	T3OI0080
162	途	98E2	58E3	T3OJ0080
163	部	98E3	58E4	T3OK0080
164	郭	98E4	58E5	T3OL0080
165	都	98E5	58E6	T3OM0080
166	酗	98E6	58E7	T3ON0080
167	野	98E7	58E8	T3OO0080
168	釵	98E8	58E9	T3OP0080
169	釳	98E9	58EA	T3OQ0080
170	鈞	98EA	58EB	T3OR0080
171	釧	98EB	58EC	T3OS0080
172	釭	98EC	58ED	T3OT0080
173	釩	98ED	58EE	T3OU0080
174	閉	98EE	58EF	T3OV0080
175	陪	98EF	58F0	T3OW0080
176	陵	98F0	58F1	T3OX0080
177	陳	98F1	58F2	T3OY0080
178	陸	98F2	58F3	T3OZ0080
179	陰	98F3	58F4	T3P00080
180	陴	98F4	58F5	T3P10080

Table 16 (Page 4 of 44). Primary CH-T (2/3), DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
181	陶	98F5	58F6	T3P20080
182	陷	98F6	58F7	T3P30080
183	陬	98F7	58F8	T3P40080
184	雀	98F8	58F9	T3P50080
185	雪	98F9	58FA	T3P60080
186	零	98FA	58FB	T3P70080
187	章	98FB	58FC	T3P80080
188	竟	98FC	58FD	T3P90080
189	頂	9940	5941	T3PD0080
190	頃	9941	5942	T3PE0080
191	魚	9942	5943	T3PF0080
192	鳥	9943	5944	T3PG0080
193	鹵	9944	5945	T3PH0080
194	鹿	9945	5946	T3PI0080
195	麥	9946	5947	T3PJ0080
196	麻	9947	5948	T3PK0080
197	傢	9948	5949	T3PL0080
198	傍	9949	594A	T3PM0080
199	傅	994A	594B	T3PN0080
200	備	994B	594C	T3PO0080
201	傑	994C	594D	T3PP0080
202	傀	994D	594E	T3PQ0080
203	愴	994E	594F	T3PR0080
204	傘	994F	5950	T3PS0080
205	傲	9950	5951	T3PT0080
206	最	9951	5952	T3PU0080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
207	凱	9952	5953	T3PV0080
208	割	9953	5954	T3PW0080
209	剗	9954	5955	T3PX0080
210	創	9955	5956	T3PY0080
211	剩	9956	5957	T3PZ0080
212	勞	9957	5958	T3Q00080
213	勝	9958	5959	T3Q10080
214	勛	9959	595A	T3Q20080
215	博	995A	595B	T3Q30080
216	厥	995B	595C	T3Q40080
217	畜	995C	595D	T3Q50080
218	喀	995D	595E	T3Q60080
219	暄	995E	595F	T3Q70080
220	啼	995F	5960	T3Q80080
221	喊	9960	5961	T3Q90080
222	喝	9961	5962	T3QA0080
223	喘	9962	5963	T3QB0080
224	喂	9963	5964	T3QC0080
225	喜	9964	5965	T3QD0080
226	喪	9965	5966	T3QE0080
227	喔	9966	5967	T3QF0080
228	喇	9967	5968	T3QG0080
229	喋	9968	5969	T3QH0080
230	喃	9969	596A	T3QI0080
231	喳	996A	596B	T3QJ0080
232	單	996B	596C	T3QK0080

Line Number	Graphic	PC Code	Host Code	GCGID
233	喟	996C	596D	T3QL0080
234	唾	996D	596E	T3QM0080
235	啲	996E	596F	T3QN0080
236	喚	996F	5970	T3QO0080
237	喻	9970	5971	T3QP0080
238	喬	9971	5972	T3QQ0080
239	喱	9972	5973	T3QR0080
240	啾	9973	5974	T3QS0080
241	喉	9974	5975	T3QT0080
242	喫	9975	5976	T3QU0080
243	喙	9976	5977	T3QV0080
244	圍	9977	5978	T3QW0080
245	堯	9978	5979	T3QX0080
246	堪	9979	597A	T3QY0080
247	場	997A	597B	T3QZ0080
248	堤	997B	597C	T3R00080
249	堰	997C	597D	T3R10080
250	報	997D	597E	T3R20080
251	堡	997E	597F	T3R30080
252	塢	9980	5981	T3R50080
253	堠	9981	5982	T3R60080
254	壹	9982	5983	T3R70080
255	壺	9983	5984	T3R80080
256	奠	9984	5985	T3R90080
257	婷	9985	5986	T3RA0080
258	媚	9986	5987	T3RB0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 16 (Page 6 of 44). Primary CH-T (2/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
259	婿	9987	5988	T3RC0080
260	媒	9988	5989	T3RD0080
261	媛	9989	598A	T3RE0080
262	媯	998A	598B	T3RF0080
263	孽	998B	598C	T3RG0080
264	孱	998C	598D	T3RH0080
265	寒	998D	598E	T3RI0080
266	富	998E	598F	T3RJ0080
267	寓	998F	5990	T3RK0080
268	寐	9990	5991	T3RL0080
269	尊	9991	5992	T3RM0080
270	尋	9992	5993	T3RN0080
271	就	9993	5994	T3RO0080
272	嵌	9994	5995	T3RP0080
273	嵐	9995	5996	T3RQ0080
274	歲	9996	5997	T3RR0080
275	嵇	9997	5998	T3RS0080
276	巽	9998	5999	T3RT0080
277	幅	9999	599A	T3RU0080
278	帽	999A	599B	T3RV0080
279	幘	999B	599C	T3RW0080
280	幃	999C	599D	T3RX0080
281	幾	999D	599E	T3RY0080
282	廊	999E	599F	T3RZ0080
283	廁	999F	59A0	T3S00080
284	廂	99A0	59A1	T3S10080

Table 16 (Page 6 of 44). Primary CH-T (2/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
285	廢	99A1	59A2	T3S20080
286	粥	99A2	59A3	T3S30080
287	彭	99A3	59A4	T3S40080
288	復	99A4	59A5	T3S50080
289	循	99A5	59A6	T3S60080
290	徨	99A6	59A7	T3S70080
291	惑	99A7	59A8	T3S80080
292	惡	99A8	59A9	T3S90080
293	悲	99A9	59AA	T3SA0080
294	悶	99AA	59AB	T3SB0080
295	惠	99AB	59AC	T3SC0080
296	愜	99AC	59AD	T3SD0080
297	愣	99AD	59AE	T3SE0080
298	惺	99AE	59AF	T3SF0080
299	愕	99AF	59B0	T3SG0080
300	惰	99B0	59B1	T3SH0080
301	惻	99B1	59B2	T3SI0080
302	惴	99B2	59B3	T3SJ0080
303	慨	99B3	59B4	T3SK0080
304	惱	99B4	59B5	T3SL0080
305	復	99B5	59B6	T3SM0080
306	惶	99B6	59B7	T3SN0080
307	愉	99B7	59B8	T3SO0080
308	愀	99B8	59B9	T3SP0080
309	悒	99B9	59BA	T3SQ0080
310	載	99BA	59BB	T3SR0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 16 (Page 7 of 44). Primary CH-T (2/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
311	扉	99BB	59BC	T3SS0080
312	掣	99BC	59BD	T3ST0080
313	掌	99BD	59BE	T3SU0080
314	描	99BE	59BF	T3SV0080
315	揀	99BF	59C0	T3SW0080
316	措	99C0	59C1	T3SX0080
317	揉	99C1	59C2	T3SY0080
318	揆	99C2	59C3	T3SZ0080
319	揆	99C3	59C4	T3T00080
320	插	99C4	59C5	T3T10080
321	揣	99C5	59C6	T3T20080
322	提	99C6	59C7	T3T30080
323	握	99C7	59C8	T3T40080
324	捐	99C8	59C9	T3T50080
325	揭	99C9	59CA	T3T60080
326	揮	99CA	59CB	T3T70080
327	捶	99CB	59CC	T3T80080
328	援	99CC	59CD	T3T90080
329	揪	99CD	59CE	T3TA0080
330	換	99CE	59CF	T3TB0080
331	擢	99CF	59D0	T3TC0080
332	揚	99D0	59D1	T3TD0080
333	措	99D1	59D2	T3TE0080
334	敵	99D2	59D3	T3TF0080
335	敦	99D3	59D4	T3TG0080
336	敢	99D4	59D5	T3TH0080

Table 16 (Page 7 of 44). Primary CH-T (2/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
337	散	99D5	59D6	T3TI0080
338	斑	99D6	59D7	T3TJ0080
339	斐	99D7	59D8	T3TK0080
340	斯	99D8	59D9	T3TL0080
341	普	99D9	59DA	T3TM0080
342	晰	99DA	59DB	T3TN0080
343	晴	99DB	59DC	T3TO0080
344	晶	99DC	59DD	T3TP0080
345	景	99DD	59DE	T3TQ0080
346	暑	99DE	59DF	T3TR0080
347	智	99DF	59E0	T3TS0080
348	瞭	99E0	59E1	T3TT0080
349	晷	99E1	59E2	T3TU0080
350	曾	99E2	59E3	T3TV0080
351	替	99E3	59E4	T3TW0080
352	期	99E4	59E5	T3TX0080
353	朝	99E5	59E6	T3TY0080
354	棺	99E6	59E7	T3TZ0080
355	棕	99E7	59E8	T3U00080
356	棠	99E8	59E9	T3U10080
357	棘	99E9	59EA	T3U20080
358	棗	99EA	59EB	T3U30080
359	椅	99EB	59EC	T3U40080
360	棟	99EC	59ED	T3U50080
361	棵	99ED	59EE	T3U60080
362	森	99EE	59EF	T3U70080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 16 (Page 8 of 44). Primary CH-T (2/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
363	棧	99EF	59F0	T3U80080
364	棹	99F0	59F1	T3U90080
365	棒	99F1	59F2	T3UA0080
366	棲	99F2	59F3	T3UB0080
367	棣	99F3	59F4	T3UC0080
368	棋	99F4	59F5	T3UD0080
369	棍	99F5	59F6	T3UE0080
370	植	99F6	59F7	T3UF0080
371	椒	99F7	59F8	T3UG0080
372	椎	99F8	59F9	T3UH0080
373	棉	99F9	59FA	T3UI0080
374	棚	99FA	59FB	T3UJ0080
375	楮	99FB	59FC	T3UK0080
376	桑	99FC	59FD	T3UL0080
377	款	9A40	5A41	T3UP0080
378	欺	9A41	5A42	T3UQ0080
379	欽	9A42	5A43	T3UR0080
380	殘	9A43	5A44	T3US0080
381	殖	9A44	5A45	T3UT0080
382	殼	9A45	5A46	T3UU0080
383	毯	9A46	5A47	T3UV0080
384	氦	9A47	5A48	T3UW0080
385	氣	9A48	5A49	T3UX0080
386	氫	9A49	5A4A	T3UY0080
387	港	9A4A	5A4B	T3UZ0080
388	游	9A4B	5A4C	T3V00080

Table 16 (Page 8 of 44). Primary CH-T (2/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
389	湔	9A4C	5A4D	T3V10080
390	渡	9A4D	5A4E	T3V20080
391	渲	9A4E	5A4F	T3V30080
392	湧	9A4F	5A50	T3V40080
393	湊	9A50	5A51	T3V50080
394	渠	9A51	5A52	T3V60080
395	渥	9A52	5A53	T3V70080
396	渣	9A53	5A54	T3V80080
397	減	9A54	5A55	T3V90080
398	湛	9A55	5A56	T3VA0080
399	湘	9A56	5A57	T3VB0080
400	渤	9A57	5A58	T3VC0080
401	湖	9A58	5A59	T3VD0080
402	湮	9A59	5A5A	T3VE0080
403	渭	9A5A	5A5B	T3VF0080
404	渦	9A5B	5A5C	T3VG0080
405	湯	9A5C	5A5D	T3VH0080
406	渴	9A5D	5A5E	T3VI0080
407	湍	9A5E	5A5F	T3VJ0080
408	渺	9A5F	5A60	T3VK0080
409	測	9A60	5A61	T3VL0080
410	湃	9A61	5A62	T3VM0080
411	渝	9A62	5A63	T3VN0080
412	渾	9A63	5A64	T3VO0080
413	滋	9A64	5A65	T3VP0080
414	漑	9A65	5A66	T3VQ0080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 16 (Page 9 of 44). Primary CH-T (2/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
415	渙	9A66	5A67	T3VR0080
416	涵	9A67	5A68	T3VS0080
417	潛	9A68	5A69	T3VT0080
418	涓	9A69	5A6A	T3VU0080
419	浚	9A6A	5A6B	T3VV0080
420	漣	9A6B	5A6C	T3VW0080
421	湟	9A6C	5A6D	T3VX0080
422	煨	9A6D	5A6E	T3VY0080
423	焚	9A6E	5A6F	T3VZ0080
424	焦	9A6F	5A70	T3W00080
425	焰	9A70	5A71	T3W10080
426	無	9A71	5A72	T3W20080
427	然	9A72	5A73	T3W30080
428	煮	9A73	5A74	T3W40080
429	焜	9A74	5A75	T3W50080
430	牌	9A75	5A76	T3W60080
431	犄	9A76	5A77	T3W70080
432	犀	9A77	5A78	T3W80080
433	猶	9A78	5A79	T3W90080
434	猥	9A79	5A7A	T3WA0080
435	猴	9A7A	5A7B	T3WB0080
436	猩	9A7B	5A7C	T3WC0080
437	珞	9A7C	5A7D	T3WD0080
438	琪	9A7D	5A7E	T3WE0080
439	琳	9A7E	5A7F	T3WF0080
440	琢	9A80	5A81	T3WH0080

Table 16 (Page 9 of 44). Primary CH-T (2/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
441	琥	9A81	5A82	T3WI0080
442	琵	9A82	5A83	T3WJ0080
443	琶	9A83	5A84	T3WK0080
444	琴	9A84	5A85	T3WL0080
445	琯	9A85	5A86	T3WM0080
446	琛	9A86	5A87	T3WN0080
447	琦	9A87	5A88	T3WO0080
448	琨	9A88	5A89	T3WP0080
449	甥	9A89	5A8A	T3WQ0080
450	甦	9A8A	5A8B	T3WR0080
451	畫	9A8B	5A8C	T3WS0080
452	番	9A8C	5A8D	T3WT0080
453	痢	9A8D	5A8E	T3WU0080
454	痛	9A8E	5A8F	T3WV0080
455	痣	9A8F	5A90	T3WW0080
456	瘥	9A90	5A91	T3WX0080
457	痘	9A91	5A92	T3WY0080
458	痞	9A92	5A93	T3WZ0080
459	痠	9A93	5A94	T3X00080
460	登	9A94	5A95	T3X10080
461	發	9A95	5A96	T3X20080
462	皖	9A96	5A97	T3X30080
463	皓	9A97	5A98	T3X40080
464	皴	9A98	5A99	T3X50080
465	盜	9A99	5A9A	T3X60080
466	睏	9A9A	5A9B	T3X70080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 16 (Page 10 of 44). Primary CH-T (2/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
467	短	9A9B	5A9C	T3X80080
468	硝	9A9C	5A9D	T3X90080
469	硬	9A9D	5A9E	T3XA0080
470	硯	9A9E	5A9F	T3XB0080
471	稍	9A9F	5AA0	T3XC0080
472	稈	9AA0	5AA1	T3XD0080
473	程	9AA1	5AA2	T3XE0080
474	稅	9AA2	5AA3	T3XF0080
475	稀	9AA3	5AA4	T3XG0080
476	窖	9AA4	5AA5	T3XH0080
477	窗	9AA5	5AA6	T3XI0080
478	窖	9AA6	5AA7	T3XJ0080
479	童	9AA7	5AA8	T3XK0080
480	竣	9AA8	5AA9	T3XL0080
481	等	9AA9	5AAA	T3XM0080
482	策	9AAA	5AAB	T3XN0080
483	筆	9AAB	5AAC	T3XO0080
484	筐	9AAC	5AAD	T3XP0080
485	筒	9AAD	5AAE	T3XQ0080
486	答	9AAE	5AAF	T3XR0080
487	筍	9AAF	5AB0	T3XS0080
488	筋	9AB0	5AB1	T3XT0080
489	筏	9AB1	5AB2	T3XU0080
490	筑	9AB2	5AB3	T3XV0080
491	粟	9AB3	5AB4	T3XW0080
492	粥	9AB4	5AB5	T3XX0080

Table 16 (Page 10 of 44). Primary CH-T (2/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
493	絞	9AB5	5AB6	T3XY0080
494	結	9AB6	5AB7	T3XZ0080
495	絨	9AB7	5AB8	T3Y00080
496	絕	9AB8	5AB9	T3Y10080
497	紫	9AB9	5ABA	T3Y20080
498	絮	9ABA	5ABB	T3Y30080
499	絲	9ABB	5ABC	T3Y40080
500	絡	9ABC	5ABD	T3Y50080
501	給	9ABD	5ABE	T3Y60080
502	絢	9ABE	5ABF	T3Y70080
503	經	9ABF	5AC0	T3Y80080
504	絳	9AC0	5AC1	T3Y90080
505	善	9AC1	5AC2	T3YA0080
506	翔	9AC2	5AC3	T3YB0080
507	翕	9AC3	5AC4	T3YC0080
508	耄	9AC4	5AC5	T3YD0080
509	聒	9AC5	5AC6	T3YE0080
510	肅	9AC6	5AC7	T3YF0080
511	腕	9AC7	5AC8	T3YG0080
512	腔	9AC8	5AC9	T3YH0080
513	腋	9AC9	5ACA	T3YI0080
514	腑	9ACA	5ACB	T3YJ0080
515	腎	9ACB	5ACC	T3YK0080
516	脹	9ACC	5ACD	T3YL0080
517	腆	9ACD	5ACE	T3YM0080
518	脾	9ACE	5ACF	T3YN0080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 16 (Page 11 of 44). Primary CH-T (2/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
519	臄	9ACF	5AD0	T3YO0080
520	腓	9AD0	5AD1	T3YP0080
521	腴	9AD1	5AD2	T3YQ0080
522	舒	9AD2	5AD3	T3YR0080
523	舜	9AD3	5AD4	T3YS0080
524	菩	9AD4	5AD5	T3YT0080
525	萃	9AD5	5AD6	T3YU0080
526	菸	9AD6	5AD7	T3YV0080
527	萍	9AD7	5AD8	T3YW0080
528	菠	9AD8	5AD9	T3YX0080
529	菅	9AD9	5ADA	T3YY0080
530	萋	9ADA	5ADB	T3YZ0080
531	菁	9ADB	5ADC	T3Z00080
532	華	9ADC	5ADD	T3Z10080
533	菱	9ADD	5ADE	T3Z20080
534	菴	9ADE	5ADF	T3Z30080
535	著	9ADF	5AE0	T3Z40080
536	萊	9AE0	5AE1	T3Z50080
537	菰	9AE1	5AE2	T3Z60080
538	萌	9AE2	5AE3	T3Z70080
539	菌	9AE3	5AE4	T3Z80080
540	菽	9AE4	5AE5	T3Z90080
541	菲	9AE5	5AE6	T3ZA0080
542	菊	9AE6	5AE7	T3ZB0080
543	莢	9AE7	5AE8	T3ZC0080
544	萎	9AE8	5AE9	T3ZD0080

Table 16 (Page 11 of 44). Primary CH-T (2/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
545	葡	9AE9	5AEA	T3ZE0080
546	菜	9AEA	5AEB	T3ZF0080
547	萇	9AEB	5AEC	T3ZG0080
548	蕨	9AEC	5AED	T3ZH0080
549	菟	9AED	5AEE	T3ZI0080
550	虛	9AEE	5AEF	T3ZJ0080
551	蛟	9AEF	5AF0	T3ZK0080
552	蛙	9AF0	5AF1	T3ZL0080
553	蛭	9AF1	5AF2	T3ZM0080
554	蛔	9AF2	5AF3	T3ZN0080
555	蛛	9AF3	5AF4	T3ZO0080
556	蛤	9AF4	5AF5	T3ZP0080
557	蚰	9AF5	5AF6	T3ZQ0080
558	蛞	9AF6	5AF7	T3ZR0080
559	街	9AF7	5AF8	T3ZS0080
560	裁	9AF8	5AF9	T3ZT0080
561	裂	9AF9	5AFA	T3ZU0080
562	裯	9AFA	5AFB	T3ZV0080
563	覃	9AFB	5AFC	T3ZW0080
564	視	9AFC	5AFD	T3ZX0080
565	註	9B40	5B41	T4010080
566	詠	9B41	5B42	T4020080
567	評	9B42	5B43	T4030080
568	詞	9B43	5B44	T4040080
569	証	9B44	5B45	T4050080
570	詰	9B45	5B46	T4060080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 16 (Page 12 of 44). Primary CH-T (2/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
571	詔	9B46	5B47	T4070080
572	詛	9B47	5B48	T4080080
573	詐	9B48	5B49	T4090080
574	詆	9B49	5B4A	T40A0080
575	訴	9B4A	5B4B	T40B0080
576	診	9B4B	5B4C	T40C0080
577	訶	9B4C	5B4D	T40D0080
578	諛	9B4D	5B4E	T40E0080
579	象	9B4E	5B4F	T40F0080
580	貂	9B4F	5B50	T40G0080
581	貯	9B50	5B51	T40H0080
582	貼	9B51	5B52	T40I0080
583	貳	9B52	5B53	T40J0080
584	貽	9B53	5B54	T40K0080
585	賁	9B54	5B55	T40L0080
586	費	9B55	5B56	T40M0080
587	賀	9B56	5B57	T40N0080
588	貴	9B57	5B58	T40O0080
589	買	9B58	5B59	T40P0080
590	貶	9B59	5B5A	T40Q0080
591	貿	9B5A	5B5B	T40R0080
592	貸	9B5B	5B5C	T40S0080
593	越	9B5C	5B5D	T40T0080
594	超	9B5D	5B5E	T40U0080
595	趁	9B5E	5B5F	T40V0080
596	跹	9B5F	5B60	T40W0080

Table 16 (Page 12 of 44). Primary CH-T (2/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
597	距	9B60	5B61	T40X0080
598	跋	9B61	5B62	T40Y0080
599	跚	9B62	5B63	T40Z0080
600	跑	9B63	5B64	T4100080
601	跌	9B64	5B65	T4110080
602	跛	9B65	5B66	T4120080
603	跣	9B66	5B67	T4130080
604	軻	9B67	5B68	T4140080
605	軸	9B68	5B69	T4150080
606	軼	9B69	5B6A	T4160080
607	辜	9B6A	5B6B	T4170080
608	逮	9B6B	5B6C	T4180080
609	達	9B6C	5B6D	T4190080
610	週	9B6D	5B6E	T41A0080
611	逸	9B6E	5B6F	T41B0080
612	進	9B6F	5B70	T41C0080
613	透	9B70	5B71	T41D0080
614	鄂	9B71	5B72	T41E0080
615	郵	9B72	5B73	T41F0080
616	鄉	9B73	5B74	T41G0080
617	鄺	9B74	5B75	T41H0080
618	酣	9B75	5B76	T41I0080
619	酥	9B76	5B77	T41J0080
620	量	9B77	5B78	T41K0080
621	鈔	9B78	5B79	T41L0080
622	鈕	9B79	5B7A	T41M0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
623	鈣	9B7A	5B7B	T41N0080
624	鈉	9B7B	5B7C	T41O0080
625	鈞	9B7C	5B7D	T41P0080
626	鈍	9B7D	5B7E	T41Q0080
627	鈐	9B7E	5B7F	T41R0080
628	銑	9B80	5B81	T41T0080
629	鋌	9B81	5B82	T41U0080
630	閔	9B82	5B83	T41V0080
631	閏	9B83	5B84	T41W0080
632	開	9B84	5B85	T41X0080
633	閑	9B85	5B86	T41Y0080
634	間	9B86	5B87	T41Z0080
635	閒	9B87	5B88	T4200080
636	閔	9B88	5B89	T4210080
637	隊	9B89	5B8A	T4220080
638	階	9B8A	5B8B	T4230080
639	隋	9B8B	5B8C	T4240080
640	陽	9B8C	5B8D	T4250080
641	隅	9B8D	5B8E	T4260080
642	隆	9B8E	5B8F	T4270080
643	隍	9B8F	5B90	T4280080
644	陞	9B90	5B91	T4290080
645	隄	9B91	5B92	T42A0080
646	雁	9B92	5B93	T42B0080
647	雅	9B93	5B94	T42C0080
648	雄	9B94	5B95	T42D0080

Line Number	Graphic	PC Code	Host Code	GCGID
649	集	9B95	5B96	T42E0080
650	雇	9B96	5B97	T42F0080
651	雯	9B97	5B98	T42G0080
652	雲	9B98	5B99	T42H0080
653	韌	9B99	5B9A	T42I0080
654	項	9B9A	5B9B	T42J0080
655	順	9B9B	5B9C	T42K0080
656	須	9B9C	5B9D	T42L0080
657	飧	9B9D	5B9E	T42M0080
658	飪	9B9E	5B9F	T42N0080
659	飯	9B9F	5BA0	T42O0080
660	餛	9BA0	5BA1	T42P0080
661	飲	9BA1	5BA2	T42Q0080
662	飭	9BA2	5BA3	T42R0080
663	馮	9BA3	5BA4	T42S0080
664	馭	9BA4	5BA5	T42T0080
665	黃	9BA5	5BA6	T42U0080
666	黍	9BA6	5BA7	T42V0080
667	黑	9BA7	5BA8	T42W0080
668	亂	9BA8	5BA9	T42X0080
669	備	9BA9	5BAA	T42Y0080
670	債	9BAA	5BAB	T42Z0080
671	傲	9BAB	5BAC	T4300080
672	傳	9BAC	5BAD	T4310080
673	僅	9BAD	5BAE	T4320080
674	傾	9BAE	5BAF	T4330080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 16 (Page 14 of 44). Primary CH-T (2/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
675	催	9BAF	5BB0	T4340080
676	傷	9BB0	5BB1	T4350080
677	傻	9BB1	5BB2	T4360080
678	億	9BB2	5BB3	T4370080
679	嚟	9BB3	5BB4	T4380080
680	剿	9BB4	5BB5	T4390080
681	剷	9BB5	5BB6	T43A0080
682	剽	9BB6	5BB7	T43B0080
683	募	9BB7	5BB8	T43C0080
684	勤	9BB8	5BB9	T43D0080
685	勤	9BB9	5BBA	T43E0080
686	勢	9BBA	5BBB	T43F0080
687	勛	9BBB	5BBC	T43G0080
688	匯	9BBC	5BBD	T43H0080
689	嗟	9BBD	5BBE	T43I0080
690	嗨	9BBE	5BBF	T43J0080
691	噤	9BBF	5BC0	T43K0080
692	噤	9BC0	5BC1	T43L0080
693	嗎	9BC1	5BC2	T43M0080
694	嗜	9BC2	5BC3	T43N0080
695	嗇	9BC3	5BC4	T43O0080
696	嗑	9BC4	5BC5	T43P0080
697	嗣	9BC5	5BC6	T43Q0080
698	嗤	9BC6	5BC7	T43R0080
699	噁	9BC7	5BC8	T43S0080
700	嗚	9BC8	5BC9	T43T0080

Table 16 (Page 14 of 44). Primary CH-T (2/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
701	噏	9BC9	5BCA	T43U0080
702	嗅	9BCA	5BCB	T43V0080
703	噏	9BCB	5BCC	T43W0080
704	嗒	9BCC	5BCD	T43X0080
705	噤	9BCD	5BCE	T43Y0080
706	園	9BCE	5BCF	T43Z0080
707	圓	9BCF	5BD0	T4400080
708	塞	9BD0	5BD1	T4410080
709	塑	9BD1	5BD2	T4420080
710	塘	9BD2	5BD3	T4430080
711	塗	9BD3	5BD4	T4440080
712	塚	9BD4	5BD5	T4450080
713	塔	9BD5	5BD6	T4460080
714	墳	9BD6	5BD7	T4470080
715	塌	9BD7	5BD8	T4480080
716	塹	9BD8	5BD9	T4490080
717	塊	9BD9	5BDA	T44A0080
718	塢	9BDA	5BDB	T44B0080
719	塢	9BDB	5BDC	T44C0080
720	塹	9BDC	5BDD	T44D0080
721	奧	9BDD	5BDE	T44E0080
722	嫁	9BDE	5BDF	T44F0080
723	嫉	9BDF	5BE0	T44G0080
724	嫌	9BE0	5BE1	T44H0080
725	媾	9BE1	5BE2	T44I0080
726	媽	9BE2	5BE3	T44J0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 16 (Page 15 of 44). Primary CH-T (2/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
727	媪	9BE3	5BE4	T44K0080
728	媯	9BE4	5BE5	T44L0080
729	媱	9BE5	5BE6	T44M0080
730	媾	9BE6	5BE7	T44N0080
731	嵩	9BE7	5BE8	T44O0080
732	嗟	9BE8	5BE9	T44P0080
733	幌	9BE9	5BEA	T44Q0080
734	幹	9BEA	5BEB	T44R0080
735	廉	9BEB	5BEC	T44S0080
736	廈	9BEC	5BED	T44T0080
737	絨	9BED	5BEE	T44U0080
738	彙	9BEE	5BEF	T44V0080
739	傍	9BEF	5BF0	T44W0080
740	微	9BF0	5BF1	T44X0080
741	愚	9BF1	5BF2	T44Y0080
742	意	9BF2	5BF3	T44Z0080
743	慈	9BF3	5BF4	T4500080
744	感	9BF4	5BF5	T4510080
745	想	9BF5	5BF6	T4520080
746	愛	9BF6	5BF7	T4530080
747	惹	9BF7	5BF8	T4540080
748	愁	9BF8	5BF9	T4550080
749	愈	9BF9	5BFA	T4560080
750	慎	9BFA	5BFB	T4570080
751	慌	9BFB	5BFC	T4580080
752	慄	9BFC	5BFD	T4590080

Table 16 (Page 15 of 44). Primary CH-T (2/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
753	慍	9C40	5C41	T45D0080
754	愾	9C41	5C42	T45E0080
755	愴	9C42	5C43	T45F0080
756	愧	9C43	5C44	T45G0080
757	愍	9C44	5C45	T45H0080
758	愆	9C45	5C46	T45I0080
759	愷	9C46	5C47	T45J0080
760	戲	9C47	5C48	T45K0080
761	戢	9C48	5C49	T45L0080
762	搓	9C49	5C4A	T45M0080
763	搾	9C4A	5C4B	T45N0080
764	搞	9C4B	5C4C	T45O0080
765	搪	9C4C	5C4D	T45P0080
766	搭	9C4D	5C4E	T45Q0080
767	搽	9C4E	5C4F	T45R0080
768	搬	9C4F	5C50	T45S0080
769	搏	9C50	5C51	T45T0080
770	搜	9C51	5C52	T45U0080
771	搔	9C52	5C53	T45V0080
772	損	9C53	5C54	T45W0080
773	搶	9C54	5C55	T45X0080
774	搖	9C55	5C56	T45Y0080
775	搗	9C56	5C57	T45Z0080
776	搆	9C57	5C58	T4600080
777	敬	9C58	5C59	T4610080
778	斟	9C59	5C5A	T4620080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 16 (Page 16 of 44). Primary CH-T (2/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
779	新	9C5A	5C5B	T4630080
780	暗	9C5B	5C5C	T4640080
781	暉	9C5C	5C5D	T4650080
782	暇	9C5D	5C5E	T4660080
783	暈	9C5E	5C5F	T4670080
784	暖	9C5F	5C60	T4680080
785	暄	9C60	5C61	T4690080
786	暘	9C61	5C62	T46A0080
787	暘	9C62	5C63	T46B0080
788	會	9C63	5C64	T46C0080
789	榔	9C64	5C65	T46D0080
790	業	9C65	5C66	T46E0080
791	楚	9C66	5C67	T46F0080
792	楷	9C67	5C68	T46G0080
793	楠	9C68	5C69	T46H0080
794	楔	9C69	5C6A	T46I0080
795	極	9C6A	5C6B	T46J0080
796	椰	9C6B	5C6C	T46K0080
797	概	9C6C	5C6D	T46L0080
798	楊	9C6D	5C6E	T46M0080
799	楨	9C6E	5C6F	T46N0080
800	楫	9C6F	5C70	T46O0080
801	楞	9C70	5C71	T46P0080
802	楓	9C71	5C72	T46Q0080
803	楹	9C72	5C73	T46R0080
804	榆	9C73	5C74	T46S0080

Table 16 (Page 16 of 44). Primary CH-T (2/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
805	棟	9C74	5C75	T46T0080
806	楣	9C75	5C76	T46U0080
807	榭	9C76	5C77	T46V0080
808	歇	9C77	5C78	T46W0080
809	歲	9C78	5C79	T46X0080
810	毀	9C79	5C7A	T46Y0080
811	殿	9C7A	5C7B	T46Z0080
812	毓	9C7B	5C7C	T4700080
813	璉	9C7C	5C7D	T4710080
814	溢	9C7D	5C7E	T4720080
815	溯	9C7E	5C7F	T4730080
816	滓	9C80	5C81	T4750080
817	溶	9C81	5C82	T4760080
818	滂	9C82	5C83	T4770080
819	源	9C83	5C84	T4780080
820	溝	9C84	5C85	T4790080
821	溘	9C85	5C86	T47A0080
822	滅	9C86	5C87	T47B0080
823	溥	9C87	5C88	T47C0080
824	溘	9C88	5C89	T47D0080
825	溼	9C89	5C8A	T47E0080
826	溺	9C8A	5C8B	T47F0080
827	温	9C8B	5C8C	T47G0080
828	滑	9C8C	5C8D	T47H0080
829	準	9C8D	5C8E	T47I0080
830	溜	9C8E	5C8F	T47J0080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 16 (Page 17 of 44). Primary CH-T (2/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
831	滄	9C8F	5C90	T47K0080
832	滔	9C90	5C91	T47L0080
833	溪	9C91	5C92	T47M0080
834	溧	9C92	5C93	T47N0080
835	溲	9C93	5C94	T47O0080
836	煎	9C94	5C95	T47P0080
837	煙	9C95	5C96	T47Q0080
838	煩	9C96	5C97	T47R0080
839	煤	9C97	5C98	T47S0080
840	煉	9C98	5C99	T47T0080
841	照	9C99	5C9A	T47U0080
842	煜	9C9A	5C9B	T47V0080
843	煬	9C9B	5C9C	T47W0080
844	煦	9C9C	5C9D	T47X0080
845	煌	9C9D	5C9E	T47Y0080
846	煥	9C9E	5C9F	T47Z0080
847	煊	9C9F	5CA0	T4800080
848	煨	9CA0	5CA1	T4810080
849	煨	9CA1	5CA2	T4820080
850	煖	9CA2	5CA3	T4830080
851	爺	9CA3	5CA4	T4840080
852	牒	9CA4	5CA5	T4850080
853	猷	9CA5	5CA6	T4860080
854	獅	9CA6	5CA7	T4870080
855	猿	9CA7	5CA8	T4880080
856	狷	9CA8	5CA9	T4890080

Table 16 (Page 17 of 44). Primary CH-T (2/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
857	瑯	9CA9	5CAA	T48A0080
858	瑚	9CAA	5CAB	T48B0080
859	瑕	9CAB	5CAC	T48C0080
860	瑟	9CAC	5CAD	T48D0080
861	瑞	9CAD	5CAE	T48E0080
862	瑁	9CAE	5CAF	T48F0080
863	瑋	9CAF	5CB0	T48G0080
864	璫	9CB0	5CB1	T48H0080
865	瑛	9CB1	5CB2	T48I0080
866	瑜	9CB2	5CB3	T48J0080
867	當	9CB3	5CB4	T48K0080
868	畸	9CB4	5CB5	T48L0080
869	痧	9CB5	5CB6	T48M0080
870	痰	9CB6	5CB7	T48N0080
871	瘁	9CB7	5CB8	T48O0080
872	痲	9CB8	5CB9	T48P0080
873	痲	9CB9	5CBA	T48Q0080
874	痺	9CBA	5CBB	T48R0080
875	痿	9CBB	5CBC	T48S0080
876	痴	9CBC	5CBD	T48T0080
877	痲	9CBD	5CBE	T48U0080
878	盞	9CBE	5CBF	T48V0080
879	盟	9CBF	5CC0	T48W0080
880	睛	9CC0	5CC1	T48X0080
881	睫	9CC1	5CC2	T48Y0080
882	睦	9CC2	5CC3	T48Z0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 16 (Page 18 of 44). Primary CH-T (2/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
883	瞭	9CC3	5CC4	T4900080
884	督	9CC4	5CC5	T4910080
885	睹	9CC5	5CC6	T4920080
886	翠	9CC6	5CC7	T4930080
887	睬	9CC7	5CC8	T4940080
888	睜	9CC8	5CC9	T4950080
889	睥	9CC9	5CCA	T4960080
890	睨	9CCA	5CCB	T4970080
891	睚	9CCB	5CCC	T4980080
892	矮	9CCC	5CCD	T4990080
893	碎	9CCD	5CCE	T49A0080
894	碰	9CCE	5CCF	T49B0080
895	碗	9CCF	5CD0	T49C0080
896	碘	9CD0	5CD1	T49D0080
897	碌	9CD1	5CD2	T49E0080
898	碣	9CD2	5CD3	T49F0080
899	礪	9CD3	5CD4	T49G0080
900	碑	9CD4	5CD5	T49H0080
901	碓	9CD5	5CD6	T49I0080
902	磴	9CD6	5CD7	T49J0080
903	祺	9CD7	5CD8	T49K0080
904	祿	9CD8	5CD9	T49L0080
905	禁	9CD9	5CDA	T49M0080
906	萬	9CDA	5CDB	T49N0080
907	禽	9CDB	5CDC	T49O0080
908	稜	9CDC	5CDD	T49P0080

Table 16 (Page 18 of 44). Primary CH-T (2/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
909	稚	9CDD	5CDE	T49Q0080
910	稠	9CDE	5CDF	T49R0080
911	稔	9CDF	5CE0	T49S0080
912	稟	9CE0	5CE1	T49T0080
913	稞	9CE1	5CE2	T49U0080
914	窟	9CE2	5CE3	T49V0080
915	窠	9CE3	5CE4	T49W0080
916	篾	9CE4	5CE5	T49X0080
917	節	9CE5	5CE6	T49Y0080
918	筠	9CE6	5CE7	T49Z0080
919	筮	9CE7	5CE8	T4A00080
920	筧	9CE8	5CE9	T4A10080
921	梁	9CE9	5CEA	T4A20080
922	粳	9CEA	5CEB	T4A30080
923	粵	9CEB	5CEC	T4A40080
924	經	9CEC	5CED	T4A50080
925	絹	9CED	5CEE	T4A60080
926	網	9CEE	5CEF	T4A70080
927	綁	9CEF	5CF0	T4A80080
928	綏	9CF0	5CF1	T4A90080
929	條	9CF1	5CF2	T4AA0080
930	置	9CF2	5CF3	T4AB0080
931	罩	9CF3	5CF4	T4AC0080
932	罪	9CF4	5CF5	T4AD0080
933	署	9CF5	5CF6	T4AE0080
934	義	9CF6	5CF7	T4AF0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 16 (Page 19 of 44). Primary CH-T (2/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
935	羨	9CF7	5CF8	T4AG0080
936	群	9CF8	5CF9	T4AH0080
937	聖	9CF9	5CFA	T4AI0080
938	聘	9CFA	5CFB	T4AJ0080
939	肆	9CFB	5CFC	T4AK0080
940	肆	9CFC	5CFD	T4AL0080
941	臄	9D40	5D41	T4AP0080
942	腰	9D41	5D42	T4AQ0080
943	腸	9D42	5D43	T4AR0080
944	腥	9D43	5D44	T4AS0080
945	腮	9D44	5D45	T4AT0080
946	腳	9D45	5D46	T4AU0080
947	腫	9D46	5D47	T4AV0080
948	腹	9D47	5D48	T4AW0080
949	腺	9D48	5D49	T4AX0080
950	腦	9D49	5D4A	T4AY0080
951	舅	9D4A	5D4B	T4AZ0080
952	艇	9D4B	5D4C	T4B00080
953	蒂	9D4C	5D4D	T4B10080
954	葦	9D4D	5D4E	T4B20080
955	落	9D4E	5D4F	T4B30080
956	萱	9D4F	5D50	T4B40080
957	葵	9D50	5D51	T4B50080
958	葦	9D51	5D52	T4B60080
959	葫	9D52	5D53	T4B70080
960	葉	9D53	5D54	T4B80080

Table 16 (Page 19 of 44). Primary CH-T (2/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
961	葬	9D54	5D55	T4B90080
962	葛	9D55	5D56	T4BA0080
963	萼	9D56	5D57	T4BB0080
964	萼	9D57	5D58	T4BC0080
965	葡	9D58	5D59	T4BD0080
966	董	9D59	5D5A	T4BE0080
967	葩	9D5A	5D5B	T4BF0080
968	葭	9D5B	5D5C	T4BG0080
969	葆	9D5C	5D5D	T4BH0080
970	虞	9D5D	5D5E	T4BI0080
971	虞	9D5E	5D5F	T4BJ0080
972	號	9D5F	5D60	T4BK0080
973	蛹	9D60	5D61	T4BL0080
974	蜓	9D61	5D62	T4BM0080
975	蜈	9D62	5D63	T4BN0080
976	蜚	9D63	5D64	T4BO0080
977	蜀	9D64	5D65	T4BP0080
978	蛾	9D65	5D66	T4BQ0080
979	蛻	9D66	5D67	T4BR0080
980	蜂	9D67	5D68	T4BS0080
981	蜃	9D68	5D69	T4BT0080
982	蜆	9D69	5D6A	T4BU0080
983	蜊	9D6A	5D6B	T4BV0080
984	衙	9D6B	5D6C	T4BW0080
985	裴	9D6C	5D6D	T4BX0080
986	裔	9D6D	5D6E	T4BY0080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 16 (Page 20 of 44). Primary CH-T (2/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
987	裙	9D6E	5D6F	T4BZ0080
988	補	9D6F	5D70	T4C00080
989	裘	9D70	5D71	T4C10080
990	裝	9D71	5D72	T4C20080
991	裡	9D72	5D73	T4C30080
992	裊	9D73	5D74	T4C40080
993	裕	9D74	5D75	T4C50080
994	裒	9D75	5D76	T4C60080
995	覘	9D76	5D77	T4C70080
996	解	9D77	5D78	T4C80080
997	訛	9D78	5D79	T4C90080
998	該	9D79	5D7A	T4CA0080
999	詳	9D7A	5D7B	T4CB0080
1000	試	9D7B	5D7C	T4CC0080
1001	詩	9D7C	5D7D	T4CD0080
1002	詰	9D7D	5D7E	T4CE0080
1003	誇	9D7E	5D7F	T4CF0080
1004	談	9D80	5D81	T4CH0080
1005	詣	9D81	5D82	T4CI0080
1006	誠	9D82	5D83	T4CJ0080
1007	話	9D83	5D84	T4CK0080
1008	誅	9D84	5D85	T4CL0080
1009	詭	9D85	5D86	T4CM0080
1010	詢	9D86	5D87	T4CN0080
1011	詮	9D87	5D88	T4CO0080
1012	詬	9D88	5D89	T4CP0080

Table 16 (Page 20 of 44). Primary CH-T (2/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
1013	詹	9D89	5D8A	T4CQ0080
1014	諮	9D8A	5D8B	T4CR0080
1015	訾	9D8B	5D8C	T4CS0080
1016	設	9D8C	5D8D	T4CT0080
1017	豢	9D8D	5D8E	T4CU0080
1018	貊	9D8E	5D8F	T4CV0080
1019	貉	9D8F	5D90	T4CW0080
1020	賊	9D90	5D91	T4CX0080
1021	資	9D91	5D92	T4CY0080
1022	賈	9D92	5D93	T4CZ0080
1023	賄	9D93	5D94	T4D00080
1024	賁	9D94	5D95	T4D10080
1025	賃	9D95	5D96	T4D20080
1026	賂	9D96	5D97	T4D30080
1027	賅	9D97	5D98	T4D40080
1028	跡	9D98	5D99	T4D50080
1029	跟	9D99	5D9A	T4D60080
1030	跨	9D9A	5D9B	T4D70080
1031	路	9D9B	5D9C	T4D80080
1032	跳	9D9C	5D9D	T4D90080
1033	蹂	9D9D	5D9E	T4DA0080
1034	跪	9D9E	5D9F	T4DB0080
1035	跤	9D9F	5DA0	T4DC0080
1036	踈	9DA0	5DA1	T4DD0080
1037	躡	9DA1	5DA2	T4DE0080
1038	較	9DA2	5DA3	T4DF0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
1039	載	9DA3	5DA4	T4DG0080
1040	軾	9DA4	5DA5	T4DH0080
1041	輕	9DA5	5DA6	T4DI0080
1042	辟	9DA6	5DA7	T4DJ0080
1043	農	9DA7	5DA8	T4DK0080
1044	運	9DA8	5DA9	T4DL0080
1045	遊	9DA9	5DAA	T4DM0080
1046	道	9DAA	5DAB	T4DN0080
1047	遂	9DAB	5DAC	T4DO0080
1048	達	9DAC	5DAD	T4DP0080
1049	逼	9DAD	5DAE	T4DQ0080
1050	違	9DAE	5DAF	T4DR0080
1051	遐	9DAF	5DB0	T4DS0080
1052	遇	9DB0	5DB1	T4DT0080
1053	遏	9DB1	5DB2	T4DU0080
1054	過	9DB2	5DB3	T4DV0080
1055	遍	9DB3	5DB4	T4DW0080
1056	遑	9DB4	5DB5	T4DX0080
1057	逾	9DB5	5DB6	T4DY0080
1058	遁	9DB6	5DB7	T4DZ0080
1059	鄒	9DB7	5DB8	T4E00080
1060	鄙	9DB8	5DB9	T4E10080
1061	酬	9DB9	5DBA	T4E20080
1062	酪	9DBA	5DBB	T4E30080
1063	酪	9DBB	5DBC	T4E40080
1064	釉	9DBC	5DBD	T4E50080

Line Number	Graphic	PC Code	Host Code	GCGID
1065	鈷	9DBD	5DBE	T4E60080
1066	鉗	9DBE	5DBF	T4E70080
1067	鉞	9DBF	5DC0	T4E80080
1068	飾	9DC0	5DC1	T4E90080
1069	鉀	9DC1	5DC2	T4EA0080
1070	鈾	9DC2	5DC3	T4EB0080
1071	鉛	9DC3	5DC4	T4EC0080
1072	鈹	9DC4	5DC5	T4ED0080
1073	鈷	9DC5	5DC6	T4EE0080
1074	鉑	9DC6	5DC7	T4EF0080
1075	鈴	9DC7	5DC8	T4EG0080
1076	鉉	9DC8	5DC9	T4EH0080
1077	鈹	9DC9	5DCA	T4EI0080
1078	鉅	9DCA	5DCB	T4EJ0080
1079	鉞	9DCB	5DCC	T4EK0080
1080	鈿	9DCC	5DCD	T4EL0080
1081	鉈	9DCD	5DCE	T4EM0080
1082	閘	9DCE	5DCF	T4EN0080
1083	隘	9DCF	5DD0	T4EO0080
1084	隔	9DD0	5DD1	T4EP0080
1085	隕	9DD1	5DD2	T4EQ0080
1086	雍	9DD2	5DD3	T4ER0080
1087	雋	9DD3	5DD4	T4ES0080
1088	雉	9DD4	5DD5	T4ET0080
1089	雥	9DD5	5DD6	T4EU0080
1090	雷	9DD6	5DD7	T4EV0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 16 (Page 22 of 44). Primary CH-T (2/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
1091	電	9DD7	5DD8	T4EW0080
1092	電	9DD8	5DD9	T4EX0080
1093	零	9DD9	5DDA	T4EY0080
1094	靖	9DDA	5DDB	T4EZ0080
1095	靴	9DDB	5DDC	T4F00080
1096	靶	9DDC	5DDD	T4F10080
1097	預	9DDD	5DDE	T4F20080
1098	頑	9DDE	5DDF	T4F30080
1099	頓	9DDF	5DE0	T4F40080
1100	瑣	9DE0	5DE1	T4F50080
1101	頒	9DE1	5DE2	T4F60080
1102	頌	9DE2	5DE3	T4F70080
1103	飼	9DE3	5DE4	T4F80080
1104	飴	9DE4	5DE5	T4F90080
1105	飽	9DE5	5DE6	T4FA0080
1106	飾	9DE6	5DE7	T4FB0080
1107	馳	9DE7	5DE8	T4FC0080
1108	馱	9DE8	5DE9	T4FD0080
1109	馴	9DE9	5DEA	T4FE0080
1110	髡	9DEA	5DEB	T4FF0080
1111	鳩	9DEB	5DEC	T4FG0080
1112	甕	9DEC	5DED	T4FH0080
1113	鼎	9DED	5DEE	T4FI0080
1114	鼓	9DEE	5DEF	T4FJ0080
1115	鼠	9DEF	5DF0	T4FK0080
1116	僧	9DF0	5DF1	T4FL0080

Table 16 (Page 22 of 44). Primary CH-T (2/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
1117	僮	9DF1	5DF2	T4FM0080
1118	僂	9DF2	5DF3	T4FN0080
1119	僖	9DF3	5DF4	T4FO0080
1120	僣	9DF4	5DF5	T4FP0080
1121	僚	9DF5	5DF6	T4FQ0080
1122	僕	9DF6	5DF7	T4FR0080
1123	像	9DF7	5DF8	T4FS0080
1124	僑	9DF8	5DF9	T4FT0080
1125	僱	9DF9	5DFA	T4FU0080
1126	僕	9DFA	5DFB	T4FV0080
1127	僩	9DFB	5DFC	T4FW0080
1128	競	9DFC	5DFD	T4FX0080
1129	凳	9E40	5E41	T4G10080
1130	劃	9E41	5E42	T4G20080
1131	劓	9E42	5E43	T4G30080
1132	匱	9E43	5E44	T4G40080
1133	厭	9E44	5E45	T4G50080
1134	嗾	9E45	5E46	T4G60080
1135	喃	9E46	5E47	T4G70080
1136	嘛	9E47	5E48	T4G80080
1137	嘗	9E48	5E49	T4G90080
1138	嗽	9E49	5E4A	T4GA0080
1139	嘔	9E4A	5E4B	T4GB0080
1140	嘆	9E4B	5E4C	T4GC0080
1141	嘉	9E4C	5E4D	T4GD0080
1142	嘍	9E4D	5E4E	T4GE0080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 16 (Page 23 of 44). Primary CH-T (2/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
1143	嘎	9E4E	5E4F	T4GF0080
1144	噉	9E4F	5E50	T4GG0080
1145	嘖	9E50	5E51	T4GH0080
1146	啣	9E51	5E52	T4GI0080
1147	嘈	9E52	5E53	T4GJ0080
1148	嚶	9E53	5E54	T4GK0080
1149	嘒	9E54	5E55	T4GL0080
1150	團	9E55	5E56	T4GM0080
1151	圖	9E56	5E57	T4GN0080
1152	塵	9E57	5E58	T4GO0080
1153	塾	9E58	5E59	T4GP0080
1154	境	9E59	5E5A	T4GQ0080
1155	墓	9E5A	5E5B	T4GR0080
1156	塾	9E5B	5E5C	T4GS0080
1157	塹	9E5C	5E5D	T4GT0080
1158	墅	9E5D	5E5E	T4GU0080
1159	塹	9E5E	5E5F	T4GV0080
1160	壽	9E5F	5E60	T4GW0080
1161	夥	9E60	5E61	T4GX0080
1162	夢	9E61	5E62	T4GY0080
1163	夤	9E62	5E63	T4GZ0080
1164	奪	9E63	5E64	T4H00080
1165	奩	9E64	5E65	T4H10080
1166	嫡	9E65	5E66	T4H20080
1167	嫦	9E66	5E67	T4H30080
1168	嫩	9E67	5E68	T4H40080

Table 16 (Page 23 of 44). Primary CH-T (2/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
1169	嫗	9E68	5E69	T4H50080
1170	嫗	9E69	5E6A	T4H60080
1171	嫗	9E6A	5E6B	T4H70080
1172	嫗	9E6B	5E6C	T4H80080
1173	嫗	9E6C	5E6D	T4H90080
1174	寘	9E6D	5E6E	T4HA0080
1175	寘	9E6E	5E6F	T4HB0080
1176	寘	9E6F	5E70	T4HC0080
1177	寘	9E70	5E71	T4HD0080
1178	寘	9E71	5E72	T4HE0080
1179	寘	9E72	5E73	T4HF0080
1180	寘	9E73	5E74	T4HG0080
1181	寘	9E74	5E75	T4HH0080
1182	察	9E75	5E76	T4HI0080
1183	對	9E76	5E77	T4HJ0080
1184	屢	9E77	5E78	T4HK0080
1185	嶄	9E78	5E79	T4HL0080
1186	嶄	9E79	5E7A	T4HM0080
1187	幃	9E7A	5E7B	T4HN0080
1188	幣	9E7B	5E7C	T4HO0080
1189	幕	9E7C	5E7D	T4HP0080
1190	幃	9E7D	5E7E	T4HQ0080
1191	幔	9E7E	5E7F	T4HR0080
1192	廓	9E80	5E81	T4HT0080
1193	廖	9E81	5E82	T4HU0080
1194	弊	9E82	5E83	T4HV0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 16 (Page 24 of 44). Primary CH-T (2/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
1195	鸞	9E83	5E84	T4HW0080
1196	彰	9E84	5E85	T4HX0080
1197	徹	9E85	5E86	T4HY0080
1198	慇	9E86	5E87	T4HZ0080
1199	愿	9E87	5E88	T4I00080
1200	態	9E88	5E89	T4I10080
1201	慷	9E89	5E8A	T4I20080
1202	慢	9E8A	5E8B	T4I30080
1203	慣	9E8B	5E8C	T4I40080
1204	慟	9E8C	5E8D	T4I50080
1205	慚	9E8D	5E8E	T4I60080
1206	慘	9E8E	5E8F	T4I70080
1207	慵	9E8F	5E90	T4I80080
1208	截	9E90	5E91	T4I90080
1209	撇	9E91	5E92	T4IA0080
1210	摘	9E92	5E93	T4IB0080
1211	摔	9E93	5E94	T4IC0080
1212	撤	9E94	5E95	T4ID0080
1213	摸	9E95	5E96	T4IE0080
1214	摟	9E96	5E97	T4IF0080
1215	摺	9E97	5E98	T4IG0080
1216	摑	9E98	5E99	T4IH0080
1217	摧	9E99	5E9A	T4II0080
1218	搴	9E9A	5E9B	T4IJ0080
1219	摠	9E9B	5E9C	T4IK0080
1220	摻	9E9C	5E9D	T4IL0080

Table 16 (Page 24 of 44). Primary CH-T (2/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
1221	敲	9E9D	5E9E	T4IM0080
1222	斡	9E9E	5E9F	T4IN0080
1223	旗	9E9F	5EA0	T4IO0080
1224	旂	9EA0	5EA1	T4IP0080
1225	暢	9EA1	5EA2	T4IQ0080
1226	暨	9EA2	5EA3	T4IR0080
1227	暝	9EA3	5EA4	T4IS0080
1228	榜	9EA4	5EA5	T4IT0080
1229	榨	9EA5	5EA6	T4IU0080
1230	榕	9EA6	5EA7	T4IV0080
1231	槁	9EA7	5EA8	T4IW0080
1232	榮	9EA8	5EA9	T4IX0080
1233	槓	9EA9	5EAA	T4IY0080
1234	構	9EAA	5EAB	T4IZ0080
1235	榛	9EAB	5EAC	T4J00080
1236	榷	9EAC	5EAD	T4J10080
1237	榻	9EAD	5EAE	T4J20080
1238	榘	9EAE	5EAF	T4J30080
1239	榴	9EAF	5EB0	T4J40080
1240	槐	9EB0	5EB1	T4J50080
1241	槍	9EB1	5EB2	T4J60080
1242	榭	9EB2	5EB3	T4J70080
1243	槌	9EB3	5EB4	T4J80080
1244	榦	9EB4	5EB5	T4J90080
1245	槃	9EB5	5EB6	T4JA0080
1246	搖	9EB6	5EB7	T4JB0080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 16 (Page 25 of 44). Primary CH-T (2/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
1247	歉	9EB7	5EB8	T4JC0080
1248	歌	9EB8	5EB9	T4JD0080
1249	氳	9EB9	5EBA	T4JE0080
1250	漳	9EBA	5EBB	T4JF0080
1251	演	9EBB	5EBC	T4JG0080
1252	滾	9EBC	5EBD	T4JH0080
1253	漓	9EBD	5EBE	T4JI0080
1254	滴	9EBE	5EBF	T4JJ0080
1255	漩	9EBF	5EC0	T4JK0080
1256	漾	9EC0	5EC1	T4JL0080
1257	漠	9EC1	5EC2	T4JM0080
1258	漬	9EC2	5EC3	T4JN0080
1259	漏	9EC3	5EC4	T4JO0080
1260	漂	9EC4	5EC5	T4JP0080
1261	漢	9EC5	5EC6	T4JQ0080
1262	滿	9EC6	5EC7	T4JR0080
1263	滯	9EC7	5EC8	T4JS0080
1264	漆	9EC8	5EC9	T4JT0080
1265	漱	9EC9	5ECA	T4JU0080
1266	漸	9ECA	5ECB	T4JV0080
1267	漲	9ECB	5ECC	T4JW0080
1268	漣	9ECC	5ECD	T4JX0080
1269	漕	9ECD	5ECE	T4JY0080
1270	漫	9ECE	5ECF	T4JZ0080
1271	瀑	9ECF	5ED0	T4K00080
1272	澈	9ED0	5ED1	T4K10080

Table 16 (Page 25 of 44). Primary CH-T (2/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
1273	漪	9ED1	5ED2	T4K20080
1274	滄	9ED2	5ED3	T4K30080
1275	漁	9ED3	5ED4	T4K40080
1276	滲	9ED4	5ED5	T4K50080
1277	滌	9ED5	5ED6	T4K60080
1278	滷	9ED6	5ED7	T4K70080
1279	熔	9ED7	5ED8	T4K80080
1280	熙	9ED8	5ED9	T4K90080
1281	煽	9ED9	5EDA	T4KA0080
1282	熊	9EDA	5EDB	T4KB0080
1283	熄	9EDB	5EDC	T4KC0080
1284	熒	9EDC	5EDD	T4KD0080
1285	爾	9EDD	5EDE	T4KE0080
1286	犒	9EDE	5EDF	T4KF0080
1287	犖	9EDF	5EE0	T4KG0080
1288	獄	9EE0	5EE1	T4KH0080
1289	獐	9EE1	5EE2	T4KI0080
1290	瑤	9EE2	5EE3	T4KJ0080
1291	瑣	9EE3	5EE4	T4KK0080
1292	瑪	9EE4	5EE5	T4KL0080
1293	瑰	9EE5	5EE6	T4KM0080
1294	瑋	9EE6	5EE7	T4KN0080
1295	甄	9EE7	5EE8	T4KO0080
1296	疑	9EE8	5EE9	T4KP0080
1297	瘡	9EE9	5EEA	T4KQ0080
1298	瘍	9EEA	5EEB	T4KR0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 16 (Page 26 of 44). Primary CH-T (2/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
1299	瘋	9EEB	5EEC	T4KS0080
1300	癩	9EEC	5EED	T4KT0080
1301	癩	9EED	5EEE	T4KU0080
1302	盡	9EEE	5EEF	T4KV0080
1303	監	9EEF	5EF0	T4KW0080
1304	瞄	9EF0	5EF1	T4KX0080
1305	瞞	9EF1	5EF2	T4KY0080
1306	睿	9EF2	5EF3	T4KZ0080
1307	睡	9EF3	5EF4	T4L00080
1308	磁	9EF4	5EF5	T4L10080
1309	碟	9EF5	5EF6	T4L20080
1310	碧	9EF6	5EF7	T4L30080
1311	碳	9EF7	5EF8	T4L40080
1312	碩	9EF8	5EF9	T4L50080
1313	碣	9EF9	5EFA	T4L60080
1314	禎	9EFA	5EFB	T4L70080
1315	福	9EFB	5EFC	T4L80080
1316	禍	9EFC	5EFD	T4L90080
1317	種	9F40	5F41	T4LD0080
1318	稱	9F41	5F42	T4LE0080
1319	窪	9F42	5F43	T4LF0080
1320	窩	9F43	5F44	T4LG0080
1321	竭	9F44	5F45	T4LH0080
1322	端	9F45	5F46	T4LI0080
1323	管	9F46	5F47	T4LJ0080
1324	箕	9F47	5F48	T4LK0080

Table 16 (Page 26 of 44). Primary CH-T (2/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
1325	箋	9F48	5F49	T4LL0080
1326	筵	9F49	5F4A	T4LM0080
1327	算	9F4A	5F4B	T4LN0080
1328	箝	9F4B	5F4C	T4LO0080
1329	箔	9F4C	5F4D	T4LP0080
1330	箏	9F4D	5F4E	T4LQ0080
1331	箬	9F4E	5F4F	T4LR0080
1332	箇	9F4F	5F50	T4LS0080
1333	箎	9F50	5F51	T4LT0080
1334	粹	9F51	5F52	T4LU0080
1335	粽	9F52	5F53	T4LV0080
1336	精	9F53	5F54	T4LW0080
1337	綻	9F54	5F55	T4LX0080
1338	綰	9F55	5F56	T4LY0080
1339	綜	9F56	5F57	T4LZ0080
1340	綽	9F57	5F58	T4M00080
1341	綾	9F58	5F59	T4M10080
1342	綠	9F59	5F5A	T4M20080
1343	緊	9F5A	5F5B	T4M30080
1344	綴	9F5B	5F5C	T4M40080
1345	網	9F5C	5F5D	T4M50080
1346	網	9F5D	5F5E	T4M60080
1347	綺	9F5E	5F5F	T4M70080
1348	綢	9F5F	5F60	T4M80080
1349	綿	9F60	5F61	T4M90080
1350	綵	9F61	5F62	T4MA0080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 16 (Page 27 of 44). Primary CH-T (2/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
1351	綸	9F62	5F63	T4MB0080
1352	維	9F63	5F64	T4MC0080
1353	緒	9F64	5F65	T4MD0080
1354	緇	9F65	5F66	T4ME0080
1355	綬	9F66	5F67	T4MF0080
1356	罰	9F67	5F68	T4MG0080
1357	翠	9F68	5F69	T4MH0080
1358	翡	9F69	5F6A	T4MI0080
1359	翟	9F6A	5F6B	T4MJ0080
1360	聞	9F6B	5F6C	T4MK0080
1361	聚	9F6C	5F6D	T4ML0080
1362	肇	9F6D	5F6E	T4MM0080
1363	腐	9F6E	5F6F	T4MN0080
1364	膀	9F6F	5F70	T4MO0080
1365	膏	9F70	5F71	T4MP0080
1366	膈	9F71	5F72	T4MQ0080
1367	膊	9F72	5F73	T4MR0080
1368	腿	9F73	5F74	T4MS0080
1369	膂	9F74	5F75	T4MT0080
1370	臧	9F75	5F76	T4MU0080
1371	臺	9F76	5F77	T4MV0080
1372	與	9F77	5F78	T4MW0080
1373	舔	9F78	5F79	T4MX0080
1374	舞	9F79	5F7A	T4MY0080
1375	髒	9F7A	5F7B	T4MZ0080
1376	蓉	9F7B	5F7C	T4N00080

Table 16 (Page 27 of 44). Primary CH-T (2/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
1377	蒿	9F7C	5F7D	T4N10080
1378	蓆	9F7D	5F7E	T4N20080
1379	蓄	9F7E	5F7F	T4N30080
1380	蒙	9F80	5F81	T4N50080
1381	蒞	9F81	5F82	T4N60080
1382	蒲	9F82	5F83	T4N70080
1383	蒜	9F83	5F84	T4N80080
1384	蓋	9F84	5F85	T4N90080
1385	蒸	9F85	5F86	T4NA0080
1386	蓀	9F86	5F87	T4NB0080
1387	蓆	9F87	5F88	T4NC0080
1388	菟	9F88	5F89	T4ND0080
1389	蒼	9F89	5F8A	T4NE0080
1390	叢	9F8A	5F8B	T4NF0080
1391	蕪	9F8B	5F8C	T4NG0080
1392	蜿	9F8C	5F8D	T4NH0080
1393	蜜	9F8D	5F8E	T4NI0080
1394	蜻	9F8E	5F8F	T4NJ0080
1395	蝻	9F8F	5F90	T4NK0080
1396	蜥	9F90	5F91	T4NL0080
1397	蜴	9F91	5F92	T4NM0080
1398	蜘蛛	9F92	5F93	T4NN0080
1399	蝕	9F93	5F94	T4NO0080
1400	蝻	9F94	5F95	T4NP0080
1401	蝟	9F95	5F96	T4NQ0080
1402	裳	9F96	5F97	T4NR0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 16 (Page 28 of 44). Primary CH-T (2/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
1403	褂	9F97	5F98	T4NS0080
1404	裴	9F98	5F99	T4NT0080
1405	褰	9F99	5F9A	T4NU0080
1406	裸	9F9A	5F9B	T4NV0080
1407	製	9F9B	5F9C	T4NW0080
1408	裨	9F9C	5F9D	T4NX0080
1409	褚	9F9D	5F9E	T4NY0080
1410	裯	9F9E	5F9F	T4NZ0080
1411	誦	9F9F	5FA0	T4O00080
1412	誌	9FA0	5FA1	T4O10080
1413	語	9FA1	5FA2	T4O20080
1414	誣	9FA2	5FA3	T4O30080
1415	認	9FA3	5FA4	T4O40080
1416	誠	9FA4	5FA5	T4O50080
1417	誓	9FA5	5FA6	T4O60080
1418	誤	9FA6	5FA7	T4O70080
1419	說	9FA7	5FA8	T4O80080
1420	誥	9FA8	5FA9	T4O90080
1421	誨	9FA9	5FAA	T4OA0080
1422	誘	9FAA	5FAB	T4OB0080
1423	誑	9FAB	5FAC	T4OC0080
1424	誚	9FAC	5FAD	T4OD0080
1425	誦	9FAD	5FAE	T4OE0080
1426	豪	9FAE	5FAF	T4OF0080
1427	狸	9FAF	5FB0	T4OG0080
1428	貌	9FB0	5FB1	T4OH0080

Table 16 (Page 28 of 44). Primary CH-T (2/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
1429	寶	9FB1	5FB2	T4OI0080
1430	賑	9FB2	5FB3	T4OJ0080
1431	賒	9FB3	5FB4	T4OK0080
1432	赫	9FB4	5FB5	T4OL0080
1433	趙	9FB5	5FB6	T4OM0080
1434	趕	9FB6	5FB7	T4ON0080
1435	跼	9FB7	5FB8	T4OO0080
1436	輔	9FB8	5FB9	T4OP0080
1437	輒	9FB9	5FBA	T4OQ0080
1438	輕	9FBA	5FBB	T4OR0080
1439	輓	9FBB	5FBC	T4OS0080
1440	辣	9FBC	5FBD	T4OT0080
1441	遠	9FBD	5FBE	T4OU0080
1442	邁	9FBE	5FBF	T4OV0080
1443	遜	9FBF	5FC0	T4OW0080
1444	遣	9FC0	5FC1	T4OX0080
1445	遙	9FC1	5FC2	T4OY0080
1446	遞	9FC2	5FC3	T4OZ0080
1447	邇	9FC3	5FC4	T4P00080
1448	逕	9FC4	5FC5	T4P10080
1449	遛	9FC5	5FC6	T4P20080
1450	鄙	9FC6	5FC7	T4P30080
1451	鄺	9FC7	5FC8	T4P40080
1452	鄞	9FC8	5FC9	T4P50080
1453	醇	9FC9	5FCA	T4P60080
1454	酸	9FCA	5FCB	T4P70080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 16 (Page 29 of 44). Primary CH-T (2/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
1455	酷	9FCB	5FCC	T4P80080
1456	醅	9FCC	5FCD	T4P90080
1457	鉸	9FCD	5FCE	T4PA0080
1458	銀	9FCE	5FCF	T4PB0080
1459	銅	9FCF	5FD0	T4PC0080
1460	銘	9FD0	5FD1	T4PD0080
1461	銖	9FD1	5FD2	T4PE0080
1462	銘	9FD2	5FD3	T4PF0080
1463	銓	9FD3	5FD4	T4PG0080
1464	銜	9FD4	5FD5	T4PH0080
1465	鉸	9FD5	5FD6	T4PI0080
1466	鉸	9FD6	5FD7	T4PJ0080
1467	銑	9FD7	5FD8	T4PK0080
1468	閏	9FD8	5FD9	T4PL0080
1469	閏	9FD9	5FDA	T4PM0080
1470	閏	9FDA	5FDB	T4PN0080
1471	閏	9FDB	5FDC	T4PO0080
1472	閏	9FDC	5FDD	T4PP0080
1473	閏	9FDD	5FDE	T4PQ0080
1474	際	9FDE	5FDF	T4PR0080
1475	障	9FDF	5FE0	T4PS0080
1476	際	9FE0	5FE1	T4PT0080
1477	雌	9FE1	5FE2	T4PU0080
1478	雒	9FE2	5FE3	T4PV0080
1479	需	9FE3	5FE4	T4PW0080
1480	韜	9FE4	5FE5	T4PX0080

Table 16 (Page 29 of 44). Primary CH-T (2/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
1481	鞅	9FE5	5FE6	T4PY0080
1482	韶	9FE6	5FE7	T4PZ0080
1483	頗	9FE7	5FE8	T4Q00080
1484	頌	9FE8	5FE9	T4Q10080
1485	颯	9FE9	5FEA	T4Q20080
1486	颯	9FEA	5FEB	T4Q30080
1487	餃	9FEB	5FEC	T4Q40080
1488	餅	9FEC	5FED	T4Q50080
1489	餌	9FED	5FEE	T4Q60080
1490	餉	9FEE	5FEF	T4Q70080
1491	駁	9FEF	5FF0	T4Q80080
1492	骹	9FF0	5FF1	T4Q90080
1493	骹	9FF1	5FF2	T4QA0080
1494	髻	9FF2	5FF3	T4QB0080
1495	魁	9FF3	5FF4	T4QC0080
1496	魂	9FF4	5FF5	T4QD0080
1497	鳴	9FF5	5FF6	T4QE0080
1498	鳶	9FF6	5FF7	T4QF0080
1499	鳳	9FF7	5FF8	T4QG0080
1500	麼	9FF8	5FF9	T4QH0080
1501	鼻	9FF9	5FFA	T4QI0080
1502	齊	9FFA	5FFB	T4QJ0080
1503	億	9FFB	5FFC	T4QK0080
1504	儀	9FFC	5FFD	T4QL0080
1505	僻	A040	6041	T4QP0080
1506	僵	A041	6042	T4QQ0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 16 (Page 30 of 44). Primary CH-T (2/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
1507	價	A042	6043	T4QR0080
1508	儂	A043	6044	T4QS0080
1509	儉	A044	6045	T4QT0080
1510	儉	A045	6046	T4QU0080
1511	儉	A046	6047	T4QV0080
1512	凜	A047	6048	T4QW0080
1513	劇	A048	6049	T4QX0080
1514	勞	A049	604A	T4QY0080
1515	劉	A04A	604B	T4QZ0080
1516	劍	A04B	604C	T4R00080
1517	劊	A04C	604D	T4R10080
1518	認	A04D	604E	T4R20080
1519	厲	A04E	604F	T4R30080
1520	嘮	A04F	6050	T4R40080
1521	嘻	A050	6051	T4R50080
1522	嘹	A051	6052	T4R60080
1523	嘲	A052	6053	T4R70080
1524	嘿	A053	6054	T4R80080
1525	嘴	A054	6055	T4R90080
1526	擘	A055	6056	T4RA0080
1527	噓	A056	6057	T4RB0080
1528	噎	A057	6058	T4RC0080
1529	嘖	A058	6059	T4RD0080
1530	噴	A059	605A	T4RE0080
1531	嘶	A05A	605B	T4RF0080
1532	嘯	A05B	605C	T4RG0080

Table 16 (Page 30 of 44). Primary CH-T (2/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
1533	噤	A05C	605D	T4RH0080
1534	墀	A05D	605E	T4RI0080
1535	墟	A05E	605F	T4RJ0080
1536	增	A05F	6060	T4RK0080
1537	墳	A060	6061	T4RL0080
1538	墜	A061	6062	T4RM0080
1539	墮	A062	6063	T4RN0080
1540	墩	A063	6064	T4RO0080
1541	墀	A064	6065	T4RP0080
1542	爽	A065	6066	T4RQ0080
1543	嬉	A066	6067	T4RR0080
1544	嫻	A067	6068	T4RS0080
1545	嬋	A068	6069	T4RT0080
1546	嫵	A069	606A	T4RU0080
1547	嬌	A06A	606B	T4RV0080
1548	嬈	A06B	606C	T4RW0080
1549	寮	A06C	606D	T4RX0080
1550	寬	A06D	606E	T4RY0080
1551	審	A06E	606F	T4RZ0080
1552	寫	A06F	6070	T4S00080
1553	層	A070	6071	T4S10080
1554	履	A071	6072	T4S20080
1555	嶝	A072	6073	T4S30080
1556	嶽	A073	6074	T4S40080
1557	幢	A074	6075	T4S50080
1558	幟	A075	6076	T4S60080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 16 (Page 31 of 44). Primary CH-T (2/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
1559	幡	A076	6077	T4S70080
1560	廢	A077	6078	T4S80080
1561	廚	A078	6079	T4S90080
1562	廟	A079	607A	T4SA0080
1563	廡	A07A	607B	T4SB0080
1564	廣	A07B	607C	T4SC0080
1565	廠	A07C	607D	T4SD0080
1566	彈	A07D	607E	T4SE0080
1567	影	A07E	607F	T4SF0080
1568	德	A080	6081	T4SH0080
1569	徵	A081	6082	T4SI0080
1570	慶	A082	6083	T4SJ0080
1571	慧	A083	6084	T4SK0080
1572	慮	A084	6085	T4SL0080
1573	慝	A085	6086	T4SM0080
1574	慕	A086	6087	T4SN0080
1575	憂	A087	6088	T4SO0080
1576	惑	A088	6089	T4SP0080
1577	慰	A089	608A	T4SQ0080
1578	慫	A08A	608B	T4SR0080
1579	慫	A08B	608C	T4SS0080
1580	懂	A08C	608D	T4ST0080
1581	憐	A08D	608E	T4SU0080
1582	憫	A08E	608F	T4SV0080
1583	憎	A08F	6090	T4SW0080
1584	憬	A090	6091	T4SX0080

Table 16 (Page 31 of 44). Primary CH-T (2/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
1585	憚	A091	6092	T4SY0080
1586	憤	A092	6093	T4SZ0080
1587	憔悴	A093	6094	T4T00080
1588	憮	A094	6095	T4T10080
1589	戮	A095	6096	T4T20080
1590	摩	A096	6097	T4T30080
1591	摯	A097	6098	T4T40080
1592	墓	A098	6099	T4T50080
1593	撞	A099	609A	T4T60080
1594	撲	A09A	609B	T4T70080
1595	撈	A09B	609C	T4T80080
1596	撐	A09C	609D	T4T90080
1597	撰	A09D	609E	T4TA0080
1598	撥	A09E	609F	T4TB0080
1599	撓	A09F	60A0	T4TC0080
1600	撕	A0A0	60A1	T4TD0080
1601	撩	A0A1	60A2	T4TE0080
1602	撤	A0A2	60A3	T4TF0080
1603	撮	A0A3	60A4	T4TG0080
1604	播	A0A4	60A5	T4TH0080
1605	撫	A0A5	60A6	T4TI0080
1606	撚	A0A6	60A7	T4TJ0080
1607	撻	A0A7	60A8	T4TK0080
1608	撻	A0A8	60A9	T4TL0080
1609	撻	A0A9	60AA	T4TM0080
1610	嶽	A0AA	60AB	T4TN0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 16 (Page 32 of 44). Primary CH-T (2/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
1611	敵	A0AB	60AC	T4TO0080
1612	敷	A0AC	60AD	T4TP0080
1613	數	A0AD	60AE	T4TQ0080
1614	暮	A0AE	60AF	T4TR0080
1615	暫	A0AF	60B0	T4TS0080
1616	暴	A0B0	60B1	T4TT0080
1617	暱	A0B1	60B2	T4TU0080
1618	樣	A0B2	60B3	T4TV0080
1619	樟	A0B3	60B4	T4TW0080
1620	榔	A0B4	60B5	T4TX0080
1621	椿	A0B5	60B6	T4TY0080
1622	樞	A0B6	60B7	T4TZ0080
1623	標	A0B7	60B8	T4U00080
1624	槽	A0B8	60B9	T4U10080
1625	模	A0B9	60BA	T4U20080
1626	樓	A0BA	60BB	T4U30080
1627	樊	A0BB	60BC	T4U40080
1628	漿	A0BC	60BD	T4U50080
1629	樂	A0BD	60BE	T4U60080
1630	樅	A0BE	60BF	T4U70080
1631	械	A0BF	60C0	T4U80080
1632	樑	A0C0	60C1	T4U90080
1633	歐	A0C1	60C2	T4UA0080
1634	歎	A0C2	60C3	T4UB0080
1635	殤	A0C3	60C4	T4UC0080
1636	毅	A0C4	60C5	T4UD0080

Table 16 (Page 32 of 44). Primary CH-T (2/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
1637	毆	A0C5	60C6	T4UE0080
1638	漿	A0C6	60C7	T4UF0080
1639	潼	A0C7	60C8	T4UG0080
1640	澄	A0C8	60C9	T4UH0080
1641	潑	A0C9	60CA	T4UI0080
1642	潦	A0CA	60CB	T4UJ0080
1643	潔	A0CB	60CC	T4UK0080
1644	澆	A0CC	60CD	T4UL0080
1645	潭	A0CD	60CE	T4UM0080
1646	潛	A0CE	60CF	T4UN0080
1647	潛	A0CF	60D0	T4UO0080
1648	潮	A0D0	60D1	T4UP0080
1649	澎	A0D1	60D2	T4UQ0080
1650	潺	A0D2	60D3	T4UR0080
1651	潰	A0D3	60D4	T4US0080
1652	潤	A0D4	60D5	T4UT0080
1653	潤	A0D5	60D6	T4UU0080
1654	潘	A0D6	60D7	T4UV0080
1655	滕	A0D7	60D8	T4UW0080
1656	潯	A0D8	60D9	T4UX0080
1657	潩	A0D9	60DA	T4UY0080
1658	瀉	A0DA	60DB	T4UZ0080
1659	熟	A0DB	60DC	T4V00080
1660	熬	A0DC	60DD	T4V10080
1661	熱	A0DD	60DE	T4V20080
1662	熨	A0DE	60DF	T4V30080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
1663	牖	A0DF	60E0	T4V40080
1664	犛	A0E0	60E1	T4V50080
1665	獎	A0E1	60E2	T4V60080
1666	獬	A0E2	60E3	T4V70080
1667	瑩	A0E3	60E4	T4V80080
1668	璋	A0E4	60E5	T4V90080
1669	璃	A0E5	60E6	T4VA0080
1670	瑾	A0E6	60E7	T4VB0080
1671	瑾	A0E7	60E8	T4VC0080
1672	畿	A0E8	60E9	T4VD0080
1673	瘠	A0E9	60EA	T4VE0080
1674	瘠	A0EA	60EB	T4VF0080
1675	瘟	A0EB	60EC	T4VG0080
1676	瘤	A0EC	60ED	T4VH0080
1677	瘦	A0ED	60EE	T4VI0080
1678	瘡	A0EE	60EF	T4VJ0080
1679	癩	A0EF	60F0	T4VK0080
1680	皚	A0F0	60F1	T4VL0080
1681	皴	A0F1	60F2	T4VM0080
1682	盤	A0F2	60F3	T4VN0080
1683	瞎	A0F3	60F4	T4VO0080
1684	瞇	A0F4	60F5	T4VP0080
1685	瞞	A0F5	60F6	T4VQ0080
1686	瞞	A0F6	60F7	T4VR0080
1687	瞞	A0F7	60F8	T4VS0080
1688	磋	A0F8	60F9	T4VT0080

Line Number	Graphic	PC Code	Host Code	GCGID
1689	磅	A0F9	60FA	T4VU0080
1690	確	A0FA	60FB	T4VV0080
1691	磊	A0FB	60FC	T4VW0080
1692	礪	A0FC	60FD	T4VX0080
1693	磻	A140	6141	T4W10080
1694	碼	A141	6142	T4W20080
1695	磬	A142	6143	T4W30080
1696	稿	A143	6144	T4W40080
1697	稼	A144	6145	T4W50080
1698	穀	A145	6146	T4W60080
1699	稽	A146	6147	T4W70080
1700	稷	A147	6148	T4W80080
1701	稻	A148	6149	T4W90080
1702	窰	A149	614A	T4WA0080
1703	窮	A14A	614B	T4WB0080
1704	箭	A14B	614C	T4WC0080
1705	箱	A14C	614D	T4WD0080
1706	範	A14D	614E	T4WE0080
1707	箴	A14E	614F	T4WF0080
1708	篆	A14F	6150	T4WG0080
1709	篇	A150	6151	T4WH0080
1710	篁	A151	6152	T4WI0080
1711	篁	A152	6153	T4WJ0080
1712	篔	A153	6154	T4WK0080
1713	糊	A154	6155	T4WL0080
1714	締	A155	6156	T4WM0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 16 (Page 34 of 44). Primary CH-T (2/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
1715	練	A156	6157	T4WN0080
1716	緯	A157	6158	T4WO0080
1717	緻	A158	6159	T4WP0080
1718	緘	A159	615A	T4WQ0080
1719	緬	A15A	615B	T4WR0080
1720	緝	A15B	615C	T4WS0080
1721	編	A15C	615D	T4WT0080
1722	緣	A15D	615E	T4WU0080
1723	線	A15E	615F	T4WV0080
1724	緞	A15F	6160	T4WW0080
1725	緩	A160	6161	T4WX0080
1726	絳	A161	6162	T4WY0080
1727	緯	A162	6163	T4WZ0080
1728	縹	A163	6164	T4X00080
1729	緹	A164	6165	T4X10080
1730	罵	A165	6166	T4X20080
1731	罷	A166	6167	T4X30080
1732	羯	A167	6168	T4X40080
1733	翩	A168	6169	T4X50080
1734	耦	A169	616A	T4X60080
1735	臄	A16A	616B	T4X70080
1736	膜	A16B	616C	T4X80080
1737	膝	A16C	616D	T4X90080
1738	膠	A16D	616E	T4XA0080
1739	膚	A16E	616F	T4XB0080
1740	臛	A16F	6170	T4XC0080

Table 16 (Page 34 of 44). Primary CH-T (2/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
1741	蔗	A170	6171	T4XD0080
1742	蔽	A171	6172	T4XE0080
1743	蔚	A172	6173	T4XF0080
1744	蓮	A173	6174	T4XG0080
1745	蔬	A174	6175	T4XH0080
1746	蔭	A175	6176	T4XI0080
1747	蔓	A176	6177	T4XJ0080
1748	蔑	A177	6178	T4XK0080
1749	蔣	A178	6179	T4XL0080
1750	蔡	A179	617A	T4XM0080
1751	蔔	A17A	617B	T4XN0080
1752	蓬	A17B	617C	T4XO0080
1753	蔥	A17C	617D	T4XP0080
1754	稽	A17D	617E	T4XQ0080
1755	菱	A17E	617F	T4XR0080
1756	螂	A180	6181	T4XT0080
1757	蝴	A181	6182	T4XU0080
1758	蝶	A182	6183	T4XV0080
1759	蝠	A183	6184	T4XW0080
1760	蝦	A184	6185	T4XX0080
1761	蝸	A185	6186	T4XY0080
1762	蝨	A186	6187	T4XZ0080
1763	蝙	A187	6188	T4Y00080
1764	蝗	A188	6189	T4Y10080
1765	蚪	A189	618A	T4Y20080
1766	蟪	A18A	618B	T4Y30080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 16 (Page 35 of 44). Primary CH-T (2/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
1767	衛	A18B	618C	T4Y40080
1768	衝	A18C	618D	T4Y50080
1769	褐	A18D	618E	T4Y60080
1770	複	A18E	618F	T4Y70080
1771	褒	A18F	6190	T4Y80080
1772	褌	A190	6191	T4Y90080
1773	褌	A191	6192	T4YA0080
1774	褌	A192	6193	T4YB0080
1775	誼	A193	6194	T4YC0080
1776	諒	A194	6195	T4YD0080
1777	談	A195	6196	T4YE0080
1778	諄	A196	6197	T4YF0080
1779	誕	A197	6198	T4YG0080
1780	請	A198	6199	T4YH0080
1781	諸	A199	619A	T4YI0080
1782	課	A19A	619B	T4YJ0080
1783	諉	A19B	619C	T4YK0080
1784	詔	A19C	619D	T4YL0080
1785	調	A19D	619E	T4YM0080
1786	誰	A19E	619F	T4YN0080
1787	論	A19F	61A0	T4YO0080
1788	諍	A1A0	61A1	T4YP0080
1789	諍	A1A1	61A2	T4YQ0080
1790	誹	A1A2	61A3	T4YR0080
1791	諛	A1A3	61A4	T4YS0080
1792	腕	A1A4	61A5	T4YT0080

Table 16 (Page 35 of 44). Primary CH-T (2/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
1793	豎	A1A5	61A6	T4YU0080
1794	豬	A1A6	61A7	T4YV0080
1795	賠	A1A7	61A8	T4YW0080
1796	賞	A1A8	61A9	T4YX0080
1797	賦	A1A9	61AA	T4YY0080
1798	賤	A1AA	61AB	T4YZ0080
1799	賤	A1AB	61AC	T4Z00080
1800	賭	A1AC	61AD	T4Z10080
1801	賢	A1AD	61AE	T4Z20080
1802	賣	A1AE	61AF	T4Z30080
1803	賜	A1AF	61B0	T4Z40080
1804	質	A1B0	61B1	T4Z50080
1805	賡	A1B1	61B2	T4Z60080
1806	赭	A1B2	61B3	T4Z70080
1807	趙	A1B3	61B4	T4Z80080
1808	趣	A1B4	61B5	T4Z90080
1809	踴	A1B5	61B6	T4ZA0080
1810	踐	A1B6	61B7	T4ZB0080
1811	蹀	A1B7	61B8	T4ZC0080
1812	踢	A1B8	61B9	T4ZD0080
1813	踏	A1B9	61BA	T4ZE0080
1814	蹀	A1BA	61BB	T4ZF0080
1815	踮	A1BB	61BC	T4ZG0080
1816	蹀	A1BC	61BD	T4ZH0080
1817	踞	A1BD	61BE	T4ZI0080
1818	躺	A1BE	61BF	T4ZJ0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 16 (Page 36 of 44). Primary CH-T (2/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
1819	輝	A1BF	61C0	T4ZK0080
1820	輛	A1C0	61C1	T4ZL0080
1821	輟	A1C1	61C2	T4ZM0080
1822	輩	A1C2	61C3	T4ZN0080
1823	輦	A1C3	61C4	T4ZO0080
1824	輪	A1C4	61C5	T4ZP0080
1825	輜	A1C5	61C6	T4ZQ0080
1826	輞	A1C6	61C7	T4ZR0080
1827	輗	A1C7	61C8	T4ZS0080
1828	適	A1C8	61C9	T4ZT0080
1829	遮	A1C9	61CA	T4ZU0080
1830	遨	A1CA	61CB	T4ZV0080
1831	遭	A1CB	61CC	T4ZW0080
1832	遷	A1CC	61CD	T4ZX0080
1833	鄰	A1CD	61CE	T4ZY0080
1834	鄭	A1CE	61CF	T4ZZ0080
1835	鄧	A1CF	61D0	T5000080
1836	鄱	A1D0	61D1	T5010080
1837	醇	A1D1	61D2	T5020080
1838	醉	A1D2	61D3	T5030080
1839	醋	A1D3	61D4	T5040080
1840	醴	A1D4	61D5	T5050080
1841	鉉	A1D5	61D6	T5060080
1842	銻	A1D6	61D7	T5070080
1843	銷	A1D7	61D8	T5080080
1844	鋪	A1D8	61D9	T5090080

Table 16 (Page 36 of 44). Primary CH-T (2/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
1845	銇	A1D9	61DA	T50A0080
1846	鋤	A1DA	61DB	T50B0080
1847	鋁	A1DB	61DC	T50C0080
1848	銳	A1DC	61DD	T50D0080
1849	銼	A1DD	61DE	T50E0080
1850	鋒	A1DE	61DF	T50F0080
1851	鋇	A1DF	61E0	T50G0080
1852	鋳	A1E0	61E1	T50H0080
1853	鋅	A1E1	61E2	T50I0080
1854	閻	A1E2	61E3	T50J0080
1855	閱	A1E3	61E4	T50K0080
1856	霄	A1E4	61E5	T50L0080
1857	霆	A1E5	61E6	T50M0080
1858	震	A1E6	61E7	T50N0080
1859	霉	A1E7	61E8	T50O0080
1860	靠	A1E8	61E9	T50P0080
1861	鞍	A1E9	61EA	T50Q0080
1862	鞋	A1EA	61EB	T50R0080
1863	鞏	A1EB	61EC	T50S0080
1864	頡	A1EC	61ED	T50T0080
1865	頰	A1ED	61EE	T50U0080
1866	頷	A1EE	61EF	T50V0080
1867	颯	A1EF	61F0	T50W0080
1868	養	A1F0	61F1	T50X0080
1869	餓	A1F1	61F2	T50Y0080
1870	餛	A1F2	61F3	T50Z0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 16 (Page 37 of 44). Primary CH-T (2/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
1871	餘	A1F3	61F4	T5100080
1872	駝	A1F4	61F5	T5110080
1873	駐	A1F5	61F6	T5120080
1874	駟	A1F6	61F7	T5130080
1875	駛	A1F7	61F8	T5140080
1876	駑	A1F8	61F9	T5150080
1877	駕	A1F9	61FA	T5160080
1878	駒	A1FA	61FB	T5170080
1879	駙	A1FB	61FC	T5180080
1880	骷	A1FC	61FD	T5190080
1881	髮	A240	6241	T51D0080
1882	髻	A241	6242	T51E0080
1883	鬪	A242	6243	T51F0080
1884	魅	A243	6244	T51G0080
1885	魄	A244	6245	T51H0080
1886	魷	A245	6246	T51I0080
1887	魯	A246	6247	T51J0080
1888	鳩	A247	6248	T51K0080
1889	鴉	A248	6249	T51L0080
1890	缺	A249	624A	T51M0080
1891	麩	A24A	624B	T51N0080
1892	磨	A24B	624C	T51O0080
1893	黎	A24C	624D	T51P0080
1894	墨	A24D	624E	T51Q0080
1895	齒	A24E	624F	T51R0080
1896	儒	A24F	6250	T51S0080

Table 16 (Page 37 of 44). Primary CH-T (2/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
1897	儘	A250	6251	T51T0080
1898	儔	A251	6252	T51U0080
1899	儻	A252	6253	T51V0080
1900	儕	A253	6254	T51W0080
1901	冀	A254	6255	T51X0080
1902	冪	A255	6256	T51Y0080
1903	凝	A256	6257	T51Z0080
1904	劑	A257	6258	T5200080
1905	劑	A258	6259	T5210080
1906	勳	A259	625A	T5220080
1907	噲	A25A	625B	T5230080
1908	噫	A25B	625C	T5240080
1909	噲	A25C	625D	T5250080
1910	噫	A25D	625E	T5260080
1911	噫	A25E	625F	T5270080
1912	噫	A25F	6260	T5280080
1913	噫	A260	6261	T5290080
1914	噫	A261	6262	T52A0080
1915	噫	A262	6263	T52B0080
1916	噫	A263	6264	T52C0080
1917	噫	A264	6265	T52D0080
1918	噫	A265	6266	T52E0080
1919	噫	A266	6267	T52F0080
1920	噫	A267	6268	T52G0080
1921	噫	A268	6269	T52H0080
1922	噫	A269	626A	T52I0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 16 (Page 38 of 44). Primary CH-T (2/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
1923	壇	A26A	626B	T52J0080
1924	壅	A26B	626C	T52K0080
1925	奮	A26C	626D	T52L0080
1926	媯	A26D	626E	T52M0080
1927	羸	A26E	626F	T52N0080
1928	學	A26F	6270	T52O0080
1929	寰	A270	6271	T52P0080
1930	導	A271	6272	T52Q0080
1931	疆	A272	6273	T52R0080
1932	憲	A273	6274	T52S0080
1933	憑	A274	6275	T52T0080
1934	憩	A275	6276	T52U0080
1935	憊	A276	6277	T52V0080
1936	懍	A277	6278	T52W0080
1937	憶	A278	6279	T52X0080
1938	憾	A279	627A	T52Y0080
1939	懊	A27A	627B	T52Z0080
1940	懈	A27B	627C	T5300080
1941	戰	A27C	627D	T5310080
1942	擅	A27D	627E	T5320080
1943	擁	A27E	627F	T5330080
1944	擋	A280	6281	T5350080
1945	撻	A281	6282	T5360080
1946	撼	A282	6283	T5370080
1947	據	A283	6284	T5380080
1948	擄	A284	6285	T5390080

Table 16 (Page 38 of 44). Primary CH-T (2/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
1949	擇	A285	6286	T53A0080
1950	播	A286	6287	T53B0080
1951	操	A287	6288	T53C0080
1952	撿	A288	6289	T53D0080
1953	擒	A289	628A	T53E0080
1954	擔	A28A	628B	T53F0080
1955	搥	A28B	628C	T53G0080
1956	整	A28C	628D	T53H0080
1957	曆	A28D	628E	T53I0080
1958	曉	A28E	628F	T53J0080
1959	遲	A28F	6290	T53K0080
1960	曄	A290	6291	T53L0080
1961	曇	A291	6292	T53M0080
1962	瞭	A292	6293	T53N0080
1963	樽	A293	6294	T53O0080
1964	樸	A294	6295	T53P0080
1965	樺	A295	6296	T53Q0080
1966	橙	A296	6297	T53R0080
1967	橫	A297	6298	T53S0080
1968	橘	A298	6299	T53T0080
1969	樹	A299	629A	T53U0080
1970	橄	A29A	629B	T53V0080
1971	橢	A29B	629C	T53W0080
1972	橡	A29C	629D	T53X0080
1973	橋	A29D	629E	T53Y0080
1974	橈	A29E	629F	T53Z0080

IBM Traditional Chinese Graphic Character Set


DBCS - Host and DBCS - PC

Table 16 (Page 39 of 44). Primary CH-T (2/3), DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
1975	樵	A29F	62A0	T5400080
1976	機	A2A0	62A1	T5410080
1977	橈	A2A1	62A2	T5420080
1978	欸	A2A2	62A3	T5430080
1979	歷	A2A3	62A4	T5440080
1980	斃	A2A4	62A5	T5450080
1981	濂	A2A5	62A6	T5460080
1982	澱	A2A6	62A7	T5470080
1983	澡	A2A7	62A8	T5480080
1984	濃	A2A8	62A9	T5490080
1985	澤	A2A9	62AA	T54A0080
1986	濁	A2AA	62AB	T54B0080
1987	澧	A2AB	62AC	T54C0080
1988	澳	A2AC	62AD	T54D0080
1989	激	A2AD	62AE	T54E0080
1990	澹	A2AE	62AF	T54F0080
1991	澶	A2AF	62B0	T54G0080
1992	瀕	A2B0	62B1	T54H0080
1993	澠	A2B1	62B2	T54I0080
1994	澗	A2B2	62B3	T54J0080
1995	熾	A2B3	62B4	T54K0080
1996	燉	A2B4	62B5	T54L0080
1997	燐	A2B5	62B6	T54M0080
1998	燒	A2B6	62B7	T54N0080
1999	燈	A2B7	62B8	T54O0080
2000	燕	A2B8	62B9	T54P0080

Table 16 (Page 39 of 44). Primary CH-T (2/3), DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
2001	烹	A2B9	62BA	T54Q0080
2002	療	A2BA	62BB	T54R0080
2003	燙	A2BB	62BC	T54S0080
2004	燜	A2BC	62BD	T54T0080
2005	燃	A2BD	62BE	T54U0080
2006	燄	A2BE	62BF	T54V0080
2007	獨	A2BF	62C0	T54W0080
2008	璜	A2C0	62C1	T54X0080
2009	璣	A2C1	62C2	T54Y0080
2010	璘	A2C2	62C3	T54Z0080
2011	璒	A2C3	62C4	T5500080
2012	璞	A2C4	62C5	T5510080
2013	瓢	A2C5	62C6	T5520080
2014	甌	A2C6	62C7	T5530080
2015	甍	A2C7	62C8	T5540080
2016	瘴	A2C8	62C9	T5550080
2017	癩	A2C9	62CA	T5560080
2018	癩	A2CA	62CB	T5570080
2019	盧	A2CB	62CC	T5580080
2020	盥	A2CC	62CD	T5590080
2021	瞠	A2CD	62CE	T55A0080
2022	瞞	A2CE	62CF	T55B0080
2023	瞞	A2CF	62D0	T55C0080
2024	瞥	A2D0	62D1	T55D0080
2025	磨	A2D1	62D2	T55E0080
2026	磚	A2D2	62D3	T55F0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
2027	磬	A2D3	62D4	T55G0080
2028	積	A2D4	62D5	T55H0080
2029	禦	A2D5	62D6	T55I0080
2030	積	A2D6	62D7	T55J0080
2031	穎	A2D7	62D8	T55K0080
2032	穆	A2D8	62D9	T55L0080
2033	穌	A2D9	62DA	T55M0080
2034	穆	A2DA	62DB	T55N0080
2035	窺	A2DB	62DC	T55O0080
2036	笛	A2DC	62DD	T55P0080
2037	篋	A2DD	62DE	T55Q0080
2038	築	A2DE	62DF	T55R0080
2039	篤	A2DF	62E0	T55S0080
2040	筭	A2E0	62E1	T55T0080
2041	篡	A2E1	62E2	T55U0080
2042	篩	A2E2	62E3	T55V0080
2043	篋	A2E3	62E4	T55W0080
2044	糕	A2E4	62E5	T55X0080
2045	糖	A2E5	62E6	T55Y0080
2046	縊	A2E6	62E7	T55Z0080
2047	縑	A2E7	62E8	T5600080
2048	縈	A2E8	62E9	T5610080
2049	縛	A2E9	62EA	T5620080
2050	縣	A2EA	62EB	T5630080
2051	縞	A2EB	62EC	T5640080
2052	縊	A2EC	62ED	T5650080

Line Number	Graphic	PC Code	Host Code	GCGID
2053	縊	A2ED	62EE	T5660080
2054	縑	A2EE	62EF	T5670080
2055	罹	A2EF	62F0	T5680080
2056	義	A2F0	62F1	T5690080
2057	翰	A2F1	62F2	T56A0080
2058	翹	A2F2	62F3	T56B0080
2059	翹	A2F3	62F4	T56C0080
2060	榭	A2F4	62F5	T56D0080
2061	膳	A2F5	62F6	T56E0080
2062	膩	A2F6	62F7	T56F0080
2063	膨	A2F7	62F8	T56G0080
2064	臻	A2F8	62F9	T56H0080
2065	興	A2F9	62FA	T56I0080
2066	艘	A2FA	62FB	T56J0080
2067	艙	A2FB	62FC	T56K0080
2068	蕊	A2FC	62FD	T56L0080
2069	蕙	A340	6341	T56P0080
2070	葦	A341	6342	T56Q0080
2071	蕨	A342	6343	T56R0080
2072	蕩	A343	6344	T56S0080
2073	蕃	A344	6345	T56T0080
2074	蕉	A345	6346	T56U0080
2075	蕭	A346	6347	T56V0080
2076	蕪	A347	6348	T56W0080
2077	葭	A348	6349	T56X0080
2078	螃	A349	634A	T56Y0080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 16 (Page 41 of 44). Primary CH-T (2/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
2079	螟	A34A	634B	T56Z0080
2080	螞	A34B	634C	T5700080
2081	螢	A34C	634D	T5710080
2082	融	A34D	634E	T5720080
2083	衡	A34E	634F	T5730080
2084	褪	A34F	6350	T5740080
2085	褲	A350	6351	T5750080
2086	褥	A351	6352	T5760080
2087	襪	A352	6353	T5770080
2088	裕	A353	6354	T5780080
2089	親	A354	6355	T5790080
2090	覲	A355	6356	T57A0080
2091	諦	A356	6357	T57B0080
2092	諺	A357	6358	T57C0080
2093	諫	A358	6359	T57D0080
2094	諱	A359	635A	T57E0080
2095	謀	A35A	635B	T57F0080
2096	謀	A35B	635C	T57G0080
2097	諧	A35C	635D	T57H0080
2098	諮	A35D	635E	T57I0080
2099	諾	A35E	635F	T57J0080
2100	謁	A35F	6360	T57K0080
2101	謂	A360	6361	T57L0080
2102	諷	A361	6362	T57M0080
2103	論	A362	6363	T57N0080
2104	語	A363	6364	T57O0080

Table 16 (Page 41 of 44). Primary CH-T (2/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
2105	謔	A364	6365	T57P0080
2106	諷	A365	6366	T57Q0080
2107	豫	A366	6367	T57R0080
2108	猓	A367	6368	T57S0080
2109	貓	A368	6369	T57T0080
2110	賴	A369	636A	T57U0080
2111	蹄	A36A	636B	T57V0080
2112	躑	A36B	636C	T57W0080
2113	躑	A36C	636D	T57X0080
2114	蹂	A36D	636E	T57Y0080
2115	踹	A36E	636F	T57Z0080
2116	踵	A36F	6370	T5800080
2117	輻	A370	6371	T5810080
2118	輯	A371	6372	T5820080
2119	輸	A372	6373	T5830080
2120	輳	A373	6374	T5840080
2121	辦	A374	6375	T5850080
2122	辦	A375	6376	T5860080
2123	遵	A376	6377	T5870080
2124	遴	A377	6378	T5880080
2125	選	A378	6379	T5890080
2126	遲	A379	637A	T58A0080
2127	遼	A37A	637B	T58B0080
2128	遺	A37B	637C	T58C0080
2129	鄴	A37C	637D	T58D0080
2130	醒	A37D	637E	T58E0080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 16 (Page 42 of 44). Primary CH-T (2/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
2131	錠	A37E	637F	T58F0080
2132	錶	A380	6381	T58H0080
2133	鋸	A381	6382	T58I0080
2134	錳	A382	6383	T58J0080
2135	錯	A383	6384	T58K0080
2136	錢	A384	6385	T58L0080
2137	鋼	A385	6386	T58M0080
2138	錫	A386	6387	T58N0080
2139	錄	A387	6388	T58O0080
2140	錚	A388	6389	T58P0080
2141	錐	A389	638A	T58Q0080
2142	錦	A38A	638B	T58R0080
2143	錡	A38B	638C	T58S0080
2144	錕	A38C	638D	T58T0080
2145	錮	A38D	638E	T58U0080
2146	鎰	A38E	638F	T58V0080
2147	閻	A38F	6390	T58W0080
2148	隧	A390	6391	T58X0080
2149	隨	A391	6392	T58Y0080
2150	險	A392	6393	T58Z0080
2151	雕	A393	6394	T5900080
2152	霎	A394	6395	T5910080
2153	霑	A395	6396	T5920080
2154	霖	A396	6397	T5930080
2155	霍	A397	6398	T5940080
2156	霓	A398	6399	T5950080

Table 16 (Page 42 of 44). Primary CH-T (2/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
2157	霏	A399	639A	T5960080
2158	靛	A39A	639B	T5970080
2159	靜	A39B	639C	T5980080
2160	靦	A39C	639D	T5990080
2161	鞞	A39D	639E	T59A0080
2162	頰	A39E	639F	T59B0080
2163	頤	A39F	63A0	T59C0080
2164	頻	A3A0	63A1	T59D0080
2165	頷	A3A1	63A2	T59E0080
2166	頭	A3A2	63A3	T59F0080
2167	頰	A3A3	63A4	T59G0080
2168	頤	A3A4	63A5	T59H0080
2169	餐	A3A5	63A6	T59I0080
2170	館	A3A6	63A7	T59J0080
2171	餞	A3A7	63A8	T59K0080
2172	餽	A3A8	63A9	T59L0080
2173	餽	A3A9	63AA	T59M0080
2174	餽	A3AA	63AB	T59N0080
2175	駭	A3AB	63AC	T59O0080
2176	駢	A3AC	63AD	T59P0080
2177	駱	A3AD	63AE	T59Q0080
2178	骸	A3AE	63AF	T59R0080
2179	骼	A3AF	63B0	T59S0080
2180	髻	A3B0	63B1	T59T0080
2181	髭	A3B1	63B2	T59U0080
2182	鬩	A3B2	63B3	T59V0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 16 (Page 43 of 44). Primary CH-T (2/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
2183	鮑	A3B3	63B4	T59W0080
2184	鮑	A3B4	63B5	T59X0080
2185	鵠	A3B5	63B6	T59Y0080
2186	鴛	A3B6	63B7	T59Z0080
2187	鴨	A3B7	63B8	T5A00080
2188	鵠	A3B8	63B9	T5A10080
2189	鴛	A3B9	63BA	T5A20080
2190	默	A3BA	63BB	T5A30080
2191	黔	A3BB	63BC	T5A40080
2192	龍	A3BC	63BD	T5A50080
2193	龜	A3BD	63BE	T5A60080
2194	優	A3BE	63BF	T5A70080
2195	償	A3BF	63C0	T5A80080
2196	備	A3C0	63C1	T5A90080
2197	儲	A3C1	63C2	T5AA0080
2198	勵	A3C2	63C3	T5AB0080
2199	噓	A3C3	63C4	T5AC0080
2200	噤	A3C4	63C5	T5AD0080
2201	噤	A3C5	63C6	T5AE0080
2202	噤	A3C6	63C7	T5AF0080
2203	嚇	A3C7	63C8	T5AG0080
2204	噓	A3C8	63C9	T5AH0080
2205	壕	A3C9	63CA	T5AI0080
2206	壓	A3CA	63CB	T5AJ0080
2207	壑	A3CB	63CC	T5AK0080
2208	墟	A3CC	63CD	T5AL0080

Table 16 (Page 43 of 44). Primary CH-T (2/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
2209	嬰	A3CD	63CE	T5AM0080
2210	孀	A3CE	63CF	T5AN0080
2211	孀	A3CF	63D0	T5AO0080
2212	孺	A3D0	63D1	T5AP0080
2213	樵	A3D1	63D2	T5AQ0080
2214	屨	A3D2	63D3	T5AR0080
2215	嶼	A3D3	63D4	T5AS0080
2216	嶺	A3D4	63D5	T5AT0080
2217	嶽	A3D5	63D6	T5AU0080
2218	嶽	A3D6	63D7	T5AV0080
2219	幫	A3D7	63D8	T5AW0080
2220	彌	A3D8	63D9	T5AX0080
2221	徽	A3D9	63DA	T5AY0080
2222	應	A3DA	63DB	T5AZ0080
2223	懂	A3DB	63DC	T5B00080
2224	懇	A3DC	63DD	T5B10080
2225	儒	A3DD	63DE	T5B20080
2226	懋	A3DE	63DF	T5B30080
2227	戲	A3DF	63E0	T5B40080
2228	戴	A3E0	63E1	T5B50080
2229	擎	A3E1	63E2	T5B60080
2230	擊	A3E2	63E3	T5B70080
2231	擘	A3E3	63E4	T5B80080
2232	擠	A3E4	63E5	T5B90080
2233	擰	A3E5	63E6	T5BA0080
2234	擦	A3E6	63E7	T5BB0080

**IBM Traditional Chinese Graphic Character Set**

DBCS - Host and DBCS - PC

Table 16 (Page 44 of 44). Primary CH-T (2/3), DBCS
- PC

Line Number	Graphic	PC Code	Host Code	GCGID
2235	擬	A3E7	63E8	T5BC0080
2236	攔	A3E8	63E9	T5BD0080
2237	擢	A3E9	63EA	T5BE0080
2238	獲	A3EA	63EB	T5BF0080
2239	斂	A3EB	63EC	T5BG0080
2240	斃	A3EC	63ED	T5BH0080
2241	曙	A3ED	63EE	T5BI0080
2242	曖	A3EE	63EF	T5BJ0080
2243	檀	A3EF	63F0	T5BK0080
2244	檔	A3F0	63F1	T5BL0080
2245	檄	A3F1	63F2	T5BM0080
2246	檢	A3F2	63F3	T5BN0080
2247	檜	A3F3	63F4	T5BO0080
2248	櫛	A3F4	63F5	T5BP0080
2249	檣	A3F5	63F6	T5BQ0080
2250	櫟	A3F6	63F7	T5BR0080
2251	檠	A3F7	63F8	T5BS0080
2252	檐	A3F8	63F9	T5BT0080
2253	檠	A3F9	63FA	T5BU0080
2254	獸	A3FA	63FB	T5BV0080
2255	殮	A3FB	63FC	T5BW0080
2256	斃	A3FC	63FD	T5BX0080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

8.13 Primary Chinese Set (3 of 3)

Line Number	Graphic	PC Code	Host Code	GCGID
1	氈	A440	6441	T5C10080
2	滯	A441	6442	T5C20080
3	濱	A442	6443	T5C30080
4	濟	A443	6444	T5C40080
5	濠	A444	6445	T5C50080
6	濛	A445	6446	T5C60080
7	濤	A446	6447	T5C70080
8	濫	A447	6448	T5C80080
9	濯	A448	6449	T5C90080
10	澀	A449	644A	T5CA0080
11	溶	A44A	644B	T5CB0080
12	滯	A44B	644C	T5CC0080
13	濩	A44C	644D	T5CD0080
14	濕	A44D	644E	T5CE0080
15	濮	A44E	644F	T5CF0080
16	滌	A44F	6450	T5CG0080
17	燧	A450	6451	T5CH0080
18	營	A451	6452	T5CI0080
19	燮	A452	6453	T5CJ0080
20	燦	A453	6454	T5CK0080
21	燥	A454	6455	T5CL0080
22	燭	A455	6456	T5CM0080
23	燬	A456	6457	T5CN0080
24	燿	A457	6458	T5CO0080

Line Number	Graphic	PC Code	Host Code	GCGID
25	燠	A458	6459	T5CP0080
26	燮	A459	645A	T5CQ0080
27	牆	A45A	645B	T5CR0080
28	獰	A45B	645C	T5CS0080
29	獲	A45C	645D	T5CT0080
30	璩	A45D	645E	T5CU0080
31	環	A45E	645F	T5CV0080
32	瓊	A45F	6460	T5CW0080
33	璨	A460	6461	T5CX0080
34	癆	A461	6462	T5CY0080
35	療	A462	6463	T5CZ0080
36	癌	A463	6464	T5D00080
37	盪	A464	6465	T5D10080
38	瞳	A465	6466	T5D20080
39	瞪	A466	6467	T5D30080
40	瞰	A467	6468	T5D40080
41	瞬	A468	6469	T5D50080
42	瞧	A469	646A	T5D60080
43	瞭	A46A	646B	T5D70080
44	矯	A46B	646C	T5D80080
45	磷	A46C	646D	T5D90080
46	磧	A46D	646E	T5DA0080
47	磴	A46E	646F	T5DB0080
48	磯	A46F	6470	T5DC0080
49	礁	A470	6471	T5DD0080
50	禧	A471	6472	T5DE0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 17 (Page 2 of 18). Primary CH-T (3/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
51	禪	A472	6473	T5DF0080
52	穗	A473	6474	T5DG0080
53	窪	A474	6475	T5DH0080
54	簇	A475	6476	T5DI0080
55	簞	A476	6477	T5DJ0080
56	篋	A477	6478	T5DK0080
57	篷	A478	6479	T5DL0080
58	簌	A479	647A	T5DM0080
59	篠	A47A	647B	T5DN0080
60	糠	A47B	647C	T5DO0080
61	糜	A47C	647D	T5DP0080
62	糞	A47D	647E	T5DQ0080
63	糝	A47E	647F	T5DR0080
64	糟	A480	6481	T5DT0080
65	糙	A481	6482	T5DU0080
66	糝	A482	6483	T5DV0080
67	縮	A483	6484	T5DW0080
68	績	A484	6485	T5DX0080
69	繆	A485	6486	T5DY0080
70	縷	A486	6487	T5DZ0080
71	縲	A487	6488	T5E00080
72	縲	A488	6489	T5E10080
73	縫	A489	648A	T5E20080
74	總	A48A	648B	T5E30080
75	縱	A48B	648C	T5E40080
76	縲	A48C	648D	T5E50080

Table 17 (Page 2 of 18). Primary CH-T (3/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
77	繁	A48D	648E	T5E60080
78	縵	A48E	648F	T5E70080
79	縲	A48F	6490	T5E80080
80	縲	A490	6491	T5E90080
81	縲	A491	6492	T5EA0080
82	縲	A492	6493	T5EB0080
83	縲	A493	6494	T5EC0080
84	罄	A494	6495	T5ED0080
85	翳	A495	6496	T5EE0080
86	翼	A496	6497	T5EF0080
87	聳	A497	6498	T5EG0080
88	聲	A498	6499	T5EH0080
89	聰	A499	649A	T5EI0080
90	聯	A49A	649B	T5EJ0080
91	聳	A49B	649C	T5EK0080
92	臆	A49C	649D	T5EL0080
93	臃	A49D	649E	T5EM0080
94	膺	A49E	649F	T5EN0080
95	臂	A49F	64A0	T5EO0080
96	臂	A4A0	64A1	T5EP0080
97	臙	A4A1	64A2	T5EQ0080
98	臙	A4A2	64A3	T5ER0080
99	臉	A4A3	64A4	T5ES0080
100	膾	A4A4	64A5	T5ET0080
101	臨	A4A5	64A6	T5EU0080
102	舉	A4A6	64A7	T5EV0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
103	艱	A4A7	64A8	T5EW0080
104	薪	A4A8	64A9	T5EX0080
105	薄	A4A9	64AA	T5EY0080
106	蕾	A4AA	64AB	T5EZ0080
107	薜	A4AB	64AC	T5F00080
108	薑	A4AC	64AD	T5F10080
109	蕎	A4AD	64AE	T5F20080
110	薯	A4AE	64AF	T5F30080
111	薛	A4AF	64B0	T5F40080
112	薇	A4B0	64B1	T5F50080
113	莞	A4B1	64B2	T5F60080
114	薊	A4B2	64B3	T5F70080
115	虧	A4B3	64B4	T5F80080
116	蟀	A4B4	64B5	T5F90080
117	蟑	A4B5	64B6	T5FA0080
118	螳	A4B6	64B7	T5FB0080
119	蟒	A4B7	64B8	T5FC0080
120	蝟	A4B8	64B9	T5FD0080
121	螫	A4B9	64BA	T5FE0080
122	蝮	A4BA	64BB	T5FF0080
123	螺	A4BB	64BC	T5FG0080
124	蝸	A4BC	64BD	T5FH0080
125	蟋	A4BD	64BE	T5FI0080
126	藝	A4BE	64BF	T5FJ0080
127	褶	A4BF	64C0	T5FK0080
128	裏	A4C0	64C1	T5FL0080

Line Number	Graphic	PC Code	Host Code	GCGID
129	樓	A4C1	64C2	T5FM0080
130	製	A4C2	64C3	T5FN0080
131	覬	A4C3	64C4	T5FO0080
132	謎	A4C4	64C5	T5FP0080
133	謗	A4C5	64C6	T5FQ0080
134	謙	A4C6	64C7	T5FR0080
135	講	A4C7	64C8	T5FS0080
136	謊	A4C8	64C9	T5FT0080
137	謠	A4C9	64CA	T5FU0080
138	謝	A4CA	64CB	T5FV0080
139	膳	A4CB	64CC	T5FW0080
140	謚	A4CC	64CD	T5FX0080
141	裕	A4CD	64CE	T5FY0080
142	谿	A4CE	64CF	T5FZ0080
143	幽	A4CF	64D0	T5G00080
144	賺	A4D0	64D1	T5G10080
145	賽	A4D1	64D2	T5G20080
146	購	A4D2	64D3	T5G30080
147	贖	A4D3	64D4	T5G40080
148	賻	A4D4	64D5	T5G50080
149	趨	A4D5	64D6	T5G60080
150	蹉	A4D6	64D7	T5G70080
151	蹋	A4D7	64D8	T5G80080
152	蹈	A4D8	64D9	T5G90080
153	蹊	A4D9	64DA	T5GA0080
154	轉	A4DA	64DB	T5GB0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 17 (Page 4 of 18). Primary CH-T (3/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
155	輓	A4DB	64DC	T5GC0080
156	轂	A4DC	64DD	T5GD0080
157	輓	A4DD	64DE	T5GE0080
158	輿	A4DE	64DF	T5GF0080
159	避	A4DF	64E0	T5GG0080
160	遽	A4E0	64E1	T5GH0080
161	還	A4E1	64E2	T5GI0080
162	邁	A4E2	64E3	T5GJ0080
163	邂	A4E3	64E4	T5GK0080
164	邀	A4E4	64E5	T5GL0080
165	鄴	A4E5	64E6	T5GM0080
166	醴	A4E6	64E7	T5GN0080
167	醴	A4E7	64E8	T5GO0080
168	醜	A4E8	64E9	T5GP0080
169	鍍	A4E9	64EA	T5GQ0080
170	鎂	A4EA	64EB	T5GR0080
171	錯	A4EB	64EC	T5GS0080
172	鍵	A4EC	64ED	T5GT0080
173	鍊	A4ED	64EE	T5GU0080
174	鏤	A4EE	64EF	T5GV0080
175	鍋	A4EF	64F0	T5GW0080
176	錘	A4F0	64F1	T5GX0080
177	鍾	A4F1	64F2	T5GY0080
178	鍬	A4F2	64F3	T5GZ0080
179	鍛	A4F3	64F4	T5H00080
180	鍍	A4F4	64F5	T5H10080

Table 17 (Page 4 of 18). Primary CH-T (3/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
181	錫	A4F5	64F6	T5H20080
182	鏢	A4F6	64F7	T5H30080
183	闕	A4F7	64F8	T5H40080
184	闕	A4F8	64F9	T5H50080
185	闕	A4F9	64FA	T5H60080
186	闕	A4FA	64FB	T5H70080
187	闕	A4FB	64FC	T5H80080
188	隱	A4FC	64FD	T5H90080
189	隸	A540	6541	T5HD0080
190	雖	A541	6542	T5HE0080
191	霜	A542	6543	T5HF0080
192	霞	A543	6544	T5HG0080
193	鞠	A544	6545	T5HH0080
194	韓	A545	6546	T5HI0080
195	穎	A546	6547	T5HJ0080
196	颶	A547	6548	T5HK0080
197	餵	A548	6549	T5HL0080
198	騁	A549	654A	T5HM0080
199	駿	A54A	654B	T5HN0080
200	鮮	A54B	654C	T5HO0080
201	鮫	A54C	654D	T5HP0080
202	鮪	A54D	654E	T5HQ0080
203	鮭	A54E	654F	T5HR0080
204	鴻	A54F	6550	T5HS0080
205	鴿	A550	6551	T5HT0080
206	麋	A551	6552	T5HU0080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
207	黏	A552	6553	T5HV0080
208	點	A553	6554	T5HW0080
209	黜	A554	6555	T5HX0080
210	黝	A555	6556	T5HY0080
211	黛	A556	6557	T5HZ0080
212	𧈧	A557	6558	T5I00080
213	齋	A558	6559	T5I10080
214	叢	A559	655A	T5I20080
215	嚙	A55A	655B	T5I30080
216	嚮	A55B	655C	T5I40080
217	壙	A55C	655D	T5I50080
218	壘	A55D	655E	T5I60080
219	嬪	A55E	655F	T5I70080
220	彘	A55F	6560	T5I80080
221	懣	A560	6561	T5I90080
222	戳	A561	6562	T5IA0080
223	擴	A562	6563	T5IB0080
224	擲	A563	6564	T5IC0080
225	擾	A564	6565	T5ID0080
226	撞	A565	6566	T5IE0080
227	擺	A566	6567	T5IF0080
228	擻	A567	6568	T5IG0080
229	擷	A568	6569	T5IH0080
230	斷	A569	656A	T5II0080
231	曜	A56A	656B	T5IJ0080
232	朦	A56B	656C	T5IK0080

Line Number	Graphic	PC Code	Host Code	GCGID
233	櫜	A56C	656D	T5IL0080
234	櫟	A56D	656E	T5IM0080
235	櫃	A56E	656F	T5IN0080
236	檻	A56F	6570	T5IO0080
237	樽	A570	6571	T5IP0080
238	櫨	A571	6572	T5IQ0080
239	檣	A572	6573	T5IR0080
240	檯	A573	6574	T5IS0080
241	歟	A574	6575	T5IT0080
242	歸	A575	6576	T5IU0080
243	殞	A576	6577	T5IV0080
244	瀉	A577	6578	T5IW0080
245	瀋	A578	6579	T5IX0080
246	濾	A579	657A	T5IY0080
247	瀆	A57A	657B	T5IZ0080
248	濺	A57B	657C	T5J00080
249	瀑	A57C	657D	T5J10080
250	瀏	A57D	657E	T5J20080
251	燠	A57E	657F	T5J30080
252	燼	A580	6581	T5J50080
253	燾	A581	6582	T5J60080
254	燹	A582	6583	T5J70080
255	獮	A583	6584	T5J80080
256	獵	A584	6585	T5J90080
257	壁	A585	6586	T5JA0080
258	璿	A586	6587	T5JB0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
259	糞	A587	6588	T5JC0080
260	癖	A588	6589	T5JD0080
261	癘	A589	658A	T5JE0080
262	癩	A58A	658B	T5JF0080
263	瞽	A58B	658C	T5JG0080
264	瞿	A58C	658D	T5JH0080
265	瞻	A58D	658E	T5JI0080
266	臉	A58E	658F	T5JJ0080
267	礎	A58F	6590	T5JK0080
268	禮	A590	6591	T5JL0080
269	穡	A591	6592	T5JM0080
270	穢	A592	6593	T5JN0080
271	穠	A593	6594	T5JO0080
272	竄	A594	6595	T5JP0080
273	竅	A595	6596	T5JQ0080
274	簫	A596	6597	T5JR0080
275	簣	A597	6598	T5JS0080
276	簪	A598	6599	T5JT0080
277	箏	A599	659A	T5JU0080
278	篋	A59A	659B	T5JV0080
279	簡	A59B	659C	T5JW0080
280	糧	A59C	659D	T5JX0080
281	織	A59D	659E	T5JY0080
282	繕	A59E	659F	T5JZ0080
283	繞	A59F	65A0	T5K00080
284	繚	A5A0	65A1	T5K10080

Line Number	Graphic	PC Code	Host Code	GCGID
285	繡	A5A1	65A2	T5K20080
286	繒	A5A2	65A3	T5K30080
287	繻	A5A3	65A4	T5K40080
288	繻	A5A4	65A5	T5K50080
289	翹	A5A5	65A6	T5K60080
290	翻	A5A6	65A7	T5K70080
291	職	A5A7	65A8	T5K80080
292	聶	A5A8	65A9	T5K90080
293	臍	A5A9	65AA	T5KA0080
294	臙	A5AA	65AB	T5KB0080
295	舊	A5AB	65AC	T5KC0080
296	藏	A5AC	65AD	T5KD0080
297	薩	A5AD	65AE	T5KE0080
298	藍	A5AE	65AF	T5KF0080
299	藐	A5AF	65B0	T5KG0080
300	藉	A5B0	65B1	T5KH0080
301	薰	A5B1	65B2	T5KI0080
302	薺	A5B2	65B3	T5KJ0080
303	臺	A5B3	65B4	T5KK0080
304	薦	A5B4	65B5	T5KL0080
305	蟻	A5B5	65B6	T5KM0080
306	蟬	A5B6	65B7	T5KN0080
307	蟲	A5B7	65B8	T5KO0080
308	蟠	A5B8	65B9	T5KP0080
309	覆	A5B9	65BA	T5KQ0080
310	覲	A5BA	65BB	T5KR0080

IBM Traditional Chinese Graphic Character Set


DBCS - Host and DBCS - PC

Table 17 (Page 7 of 18). Primary CH-T (3/3), DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
311	鵠	A5BB	65BC	T5KS0080
312	謨	A5BC	65BD	T5KT0080
313	謹	A5BD	65BE	T5KU0080
314	謬	A5BE	65BF	T5KV0080
315	謫	A5BF	65C0	T5KW0080
316	豐	A5C0	65C1	T5KX0080
317	贅	A5C1	65C2	T5KY0080
318	蹙	A5C2	65C3	T5KZ0080
319	蹠	A5C3	65C4	T5L00080
320	蹠	A5C4	65C5	T5L10080
321	蹤	A5C5	65C6	T5L20080
322	蹟	A5C6	65C7	T5L30080
323	蹕	A5C7	65C8	T5L40080
324	軀	A5C8	65C9	T5L50080
325	轉	A5C9	65CA	T5L60080
326	輓	A5CA	65CB	T5L70080
327	邏	A5CB	65CC	T5L80080
328	邃	A5CC	65CD	T5L90080
329	邈	A5CD	65CE	T5LA0080
330	醫	A5CE	65CF	T5LB0080
331	醬	A5CF	65D0	T5LC0080
332	釐	A5D0	65D1	T5LD0080
333	鎔	A5D1	65D2	T5LE0080
334	鎊	A5D2	65D3	T5LF0080
335	鎖	A5D3	65D4	T5LG0080
336	鎬	A5D4	65D5	T5LH0080

Table 17 (Page 7 of 18). Primary CH-T (3/3), DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
337	鎳	A5D5	65D6	T5LI0080
338	鎭	A5D6	65D7	T5LJ0080
339	鎬	A5D7	65D8	T5LK0080
340	鎰	A5D8	65D9	T5LL0080
341	鎛	A5D9	65DA	T5LM0080
342	鎚	A5DA	65DB	T5LN0080
343	鎗	A5DB	65DC	T5LO0080
344	闔	A5DC	65DD	T5LP0080
345	闔	A5DD	65DE	T5LQ0080
346	闔	A5DE	65DF	T5LR0080
347	闕	A5DF	65E0	T5LS0080
348	離	A5E0	65E1	T5LT0080
349	雜	A5E1	65E2	T5LU0080
350	雙	A5E2	65E3	T5LV0080
351	雛	A5E3	65E4	T5LW0080
352	雞	A5E4	65E5	T5LX0080
353	霽	A5E5	65E6	T5LY0080
354	鞣	A5E6	65E7	T5LZ0080
355	鞦	A5E7	65E8	T5M00080
356	鞭	A5E8	65E9	T5M10080
357	隴	A5E9	65EA	T5M20080
358	額	A5EA	65EB	T5M30080
359	顏	A5EB	65EC	T5M40080
360	題	A5EC	65ED	T5M50080
361	顎	A5ED	65EE	T5M60080
362	顛	A5EE	65EF	T5M70080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
363	颺	A5EF	65F0	T5M80080
364	餹	A5F0	65F1	T5M90080
365	餽	A5F1	65F2	T5MA0080
366	餽	A5F2	65F3	T5MB0080
367	饗	A5F3	65F4	T5MC0080
368	馥	A5F4	65F5	T5MD0080
369	騎	A5F5	65F6	T5ME0080
370	馱	A5F6	65F7	T5MF0080
371	鬃	A5F7	65F8	T5MG0080
372	鬚	A5F8	65F9	T5MH0080
373	魏	A5F9	65FA	T5MI0080
374	颯	A5FA	65FB	T5MJ0080
375	颯	A5FB	65FC	T5MK0080
376	鯊	A5FC	65FD	T5ML0080
377	鯉	A640	6641	T5MP0080
378	鯽	A641	6642	T5MQ0080
379	儵	A642	6643	T5MR0080
380	鯨	A643	6644	T5MS0080
381	鵠	A644	6645	T5MT0080
382	鵞	A645	6646	T5MU0080
383	鵠	A646	6647	T5MV0080
384	點	A647	6648	T5MW0080
385	鰲	A648	6649	T5MX0080
386	鰲	A649	664A	T5MY0080
387	儻	A64A	664B	T5MZ0080
388	噉	A64B	664C	T5N00080

Line Number	Graphic	PC Code	Host Code	GCGID
389	壞	A64C	664D	T5N10080
390	壘	A64D	664E	T5N20080
391	壘	A64E	664F	T5N30080
392	寵	A64F	6650	T5N40080
393	龐	A650	6651	T5N50080
394	廬	A651	6652	T5N60080
395	懲	A652	6653	T5N70080
396	懷	A653	6654	T5N80080
397	懶	A654	6655	T5N90080
398	憎	A655	6656	T5NA0080
399	攀	A656	6657	T5NB0080
400	攏	A657	6658	T5NC0080
401	曠	A658	6659	T5ND0080
402	曝	A659	665A	T5NE0080
403	櫥	A65A	665B	T5NF0080
404	櫥	A65B	665C	T5NG0080
405	欄	A65C	665D	T5NH0080
406	槽	A65D	665E	T5NI0080
407	瀛	A65E	665F	T5NJ0080
408	瀟	A65F	6660	T5NK0080
409	灑	A660	6661	T5NL0080
410	瀚	A661	6662	T5NM0080
411	瀝	A662	6663	T5NN0080
412	瀕	A663	6664	T5NO0080
413	瀟	A664	6665	T5NP0080
414	爆	A665	6666	T5NQ0080

IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 17 (Page 9 of 18). Primary CH-T (3/3), DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
415	爍	A666	6667	T5NR0080
416	膾	A667	6668	T5NS0080
417	犢	A668	6669	T5NT0080
418	獸	A669	666A	T5NU0080
419	獺	A66A	666B	T5NV0080
420	璽	A66B	666C	T5NW0080
421	瓊	A66C	666D	T5NX0080
422	瓣	A66D	666E	T5NY0080
423	疇	A66E	666F	T5NZ0080
424	疆	A66F	6670	T5O00080
425	瘍	A670	6671	T5O10080
426	癡	A671	6672	T5O20080
427	矇	A672	6673	T5O30080
428	礙	A673	6674	T5O40080
429	禱	A674	6675	T5O50080
430	穫	A675	6676	T5O60080
431	穩	A676	6677	T5O70080
432	簾	A677	6678	T5O80080
433	簿	A678	6679	T5O90080
434	簸	A679	667A	T5OA0080
435	簽	A67A	667B	T5OB0080
436	簪	A67B	667C	T5OC0080
437	籛	A67C	667D	T5OD0080
438	繫	A67D	667E	T5OE0080
439	繭	A67E	667F	T5OF0080
440	繹	A680	6681	T5OH0080

Table 17 (Page 9 of 18). Primary CH-T (3/3), DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
441	繩	A681	6682	T5OI0080
442	繪	A682	6683	T5OJ0080
443	羅	A683	6684	T5OK0080
444	繖	A684	6685	T5OL0080
445	羶	A685	6686	T5OM0080
446	葵	A686	6687	T5ON0080
447	羸	A687	6688	T5OO0080
448	臘	A688	6689	T5OP0080
449	藩	A689	668A	T5OQ0080
450	藝	A68A	668B	T5OR0080
451	藪	A68B	668C	T5OS0080
452	藕	A68C	668D	T5OT0080
453	藤	A68D	668E	T5OU0080
454	藥	A68E	668F	T5OV0080
455	藹	A68F	6690	T5OW0080
456	蟻	A690	6691	T5OX0080
457	蠅	A691	6692	T5OY0080
458	蠍	A692	6693	T5OZ0080
459	蟹	A693	6694	T5P00080
460	蟾	A694	6695	T5P10080
461	襠	A695	6696	T5P20080
462	襟	A696	6697	T5P30080
463	襖	A697	6698	T5P40080
464	襜	A698	6699	T5P50080
465	諱	A699	669A	T5P60080
466	譜	A69A	669B	T5P70080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 17 (Page 10 of 18). Primary CH-T (3/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
467	識	A69B	669C	T5P80080
468	證	A69C	669D	T5P90080
469	譚	A69D	669E	T5PA0080
470	譎	A69E	669F	T5PB0080
471	譏	A69F	66A0	T5PC0080
472	諱	A6A0	66A1	T5PD0080
473	譙	A6A1	66A2	T5PE0080
474	贈	A6A2	66A3	T5PF0080
475	贊	A6A3	66A4	T5PG0080
476	蹀	A6A4	66A5	T5PH0080
477	蹲	A6A5	66A6	T5PI0080
478	蹣	A6A6	66A7	T5PJ0080
479	蹠	A6A7	66A8	T5PK0080
480	蹠	A6A8	66A9	T5PL0080
481	蹠	A6A9	66AA	T5PM0080
482	蹠	A6AA	66AB	T5PN0080
483	麟	A6AB	66AC	T5PO0080
484	輻	A6AC	66AD	T5PP0080
485	辭	A6AD	66AE	T5PQ0080
486	邊	A6AE	66AF	T5PR0080
487	邐	A6AF	66B0	T5PS0080
488	醜	A6B0	66B1	T5PT0080
489	醜	A6B1	66B2	T5PU0080
490	鏡	A6B2	66B3	T5PV0080
491	鏞	A6B3	66B4	T5PW0080
492	鏞	A6B4	66B5	T5PX0080

Table 17 (Page 10 of 18). Primary CH-T (3/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
493	鏞	A6B5	66B6	T5PY0080
494	鏞	A6B6	66B7	T5PZ0080
495	鏞	A6B7	66B8	T5Q00080
496	鏞	A6B8	66B9	T5Q10080
497	鏞	A6B9	66BA	T5Q20080
498	鏞	A6BA	66BB	T5Q30080
499	鏞	A6BB	66BC	T5Q40080
500	鏞	A6BC	66BD	T5Q50080
501	鏞	A6BD	66BE	T5Q60080
502	鏞	A6BE	66BF	T5Q70080
503	鏞	A6BF	66C0	T5Q80080
504	關	A6C0	66C1	T5Q90080
505	隴	A6C1	66C2	T5QA0080
506	難	A6C2	66C3	T5QB0080
507	漚	A6C3	66C4	T5QC0080
508	霧	A6C4	66C5	T5QD0080
509	靡	A6C5	66C6	T5QE0080
510	輶	A6C6	66C7	T5QF0080
511	韻	A6C7	66C8	T5QG0080
512	類	A6C8	66C9	T5QH0080
513	願	A6C9	66CA	T5QI0080
514	顛	A6CA	66CB	T5QJ0080
515	颶	A6CB	66CC	T5QK0080
516	饅	A6CC	66CD	T5QL0080
517	饅	A6CD	66CE	T5QM0080
518	鶩	A6CE	66CF	T5QN0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
519	騙	A6CF	66D0	T5QO0080
520	鬚	A6D0	66D1	T5QP0080
521	鯨	A6D1	66D2	T5QQ0080
522	鯧	A6D2	66D3	T5QR0080
523	鯖	A6D3	66D4	T5QS0080
524	鯛	A6D4	66D5	T5QT0080
525	鶉	A6D5	66D6	T5QU0080
526	鷓	A6D6	66D7	T5QV0080
527	鵲	A6D7	66D8	T5QW0080
528	鵠	A6D8	66D9	T5QX0080
529	鵬	A6D9	66DA	T5QY0080
530	麒	A6DA	66DB	T5QZ0080
531	麗	A6DB	66DC	T5R00080
532	麓	A6DC	66DD	T5R10080
533	麴	A6DD	66DE	T5R20080
534	勸	A6DE	66DF	T5R30080
535	囑	A6DF	66E0	T5R40080
536	囑	A6E0	66E1	T5R50080
537	嚶	A6E1	66E2	T5R60080
538	巖	A6E2	66E3	T5R70080
539	嶠	A6E3	66E4	T5R80080
540	壤	A6E4	66E5	T5R90080
541	孀	A6E5	66E6	T5RA0080
542	孃	A6E6	66E7	T5RB0080
543	孽	A6E7	66E8	T5RC0080
544	寶	A6E8	66E9	T5RD0080

Line Number	Graphic	PC Code	Host Code	GCGID
545	嶮	A6E9	66EA	T5RE0080
546	懸	A6EA	66EB	T5RF0080
547	饑	A6EB	66EC	T5RG0080
548	攘	A6EC	66ED	T5RH0080
549	攔	A6ED	66EE	T5RI0080
550	攙	A6EE	66EF	T5RJ0080
551	曦	A6EF	66F0	T5RK0080
552	隴	A6F0	66F1	T5RL0080
553	櫛	A6F1	66F2	T5RM0080
554	瀾	A6F2	66F3	T5RN0080
555	灑	A6F3	66F4	T5RO0080
556	漱	A6F4	66F5	T5RP0080
557	爐	A6F5	66F6	T5RQ0080
558	獻	A6F6	66F7	T5RR0080
559	瓏	A6F7	66F8	T5RS0080
560	癢	A6F8	66F9	T5RT0080
561	癩	A6F9	66FA	T5RU0080
562	礦	A6FA	66FB	T5RV0080
563	礪	A6FB	66FC	T5RW0080
564	礮	A6FC	66FD	T5RX0080
565	礫	A740	6741	T5S10080
566	寶	A741	6742	T5S20080
567	競	A742	6743	T5S30080
568	籌	A743	6744	T5S40080
569	籃	A744	6745	T5S50080
570	籍	A745	6746	T5S60080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 17 (Page 12 of 18). Primary CH-T (3/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
571	糯	A746	6747	T5S70080
572	糰	A747	6748	T5S80080
573	辦	A748	6749	T5S90080
574	繽	A749	674A	T5SA0080
575	繼	A74A	674B	T5SB0080
576	纂	A74B	674C	T5SC0080
577	罌	A74C	674D	T5SD0080
578	耀	A74D	674E	T5SE0080
579	臚	A74E	674F	T5SF0080
580	艦	A74F	6750	T5SG0080
581	藻	A750	6751	T5SH0080
582	藹	A751	6752	T5SI0080
583	薈	A752	6753	T5SJ0080
584	藺	A753	6754	T5SK0080
585	蘆	A754	6755	T5SL0080
586	蘋	A755	6756	T5SM0080
587	蘇	A756	6757	T5SN0080
588	蘊	A757	6758	T5SO0080
589	蠟	A758	6759	T5SP0080
590	蠕	A759	675A	T5SQ0080
591	檻	A75A	675B	T5SR0080
592	覺	A75B	675C	T5SS0080
593	觸	A75C	675D	T5ST0080
594	議	A75D	675E	T5SU0080
595	譬	A75E	675F	T5SV0080
596	警	A75F	6760	T5SW0080

Table 17 (Page 12 of 18). Primary CH-T (3/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
597	譯	A760	6761	T5SX0080
598	譟	A761	6762	T5SY0080
599	譖	A762	6763	T5SZ0080
600	羸	A763	6764	T5T00080
601	瞻	A764	6765	T5T10080
602	躄	A765	6766	T5T20080
603	躁	A766	6767	T5T30080
604	躅	A767	6768	T5T40080
605	躄	A768	6769	T5T50080
606	醴	A769	676A	T5T60080
607	釋	A76A	676B	T5T70080
608	鐘	A76B	676C	T5T80080
609	鏡	A76C	676D	T5T90080
610	鏞	A76D	676E	T5TA0080
611	闡	A76E	676F	T5TB0080
612	霰	A76F	6770	T5TC0080
613	飄	A770	6771	T5TD0080
614	饒	A771	6772	T5TE0080
615	饑	A772	6773	T5TF0080
616	馨	A773	6774	T5TG0080
617	騫	A774	6775	T5TH0080
618	騰	A775	6776	T5TI0080
619	騷	A776	6777	T5TJ0080
620	駟	A777	6778	T5TK0080
621	鰓	A778	6779	T5TL0080
622	鰓	A779	677A	T5TM0080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
623	鹹	A77A	677B	T5TN0080
624	麵	A77B	677C	T5TO0080
625	黨	A77C	677D	T5TP0080
626	鯧	A77D	677E	T5TQ0080
627	齟	A77E	677F	T5TR0080
628	齣	A780	6781	T5TT0080
629	齡	A781	6782	T5TU0080
630	儷	A782	6783	T5TV0080
631	儷	A783	6784	T5TW0080
632	囁	A784	6785	T5TX0080
633	囁	A785	6786	T5TY0080
634	豈	A786	6787	T5TZ0080
635	夔	A787	6788	T5U00080
636	屬	A788	6789	T5U10080
637	窺	A789	678A	T5U20080
638	懼	A78A	678B	T5U30080
639	懽	A78B	678C	T5U40080
640	搨	A78C	678D	T5U50080
641	搨	A78D	678E	T5U60080
642	爛	A78E	678F	T5U70080
643	曩	A78F	6790	T5U80080
644	櫻	A790	6791	T5U90080
645	欄	A791	6792	T5UA0080
646	櫺	A792	6793	T5UB0080
647	殲	A793	6794	T5UC0080
648	灌	A794	6795	T5UD0080

Line Number	Graphic	PC Code	Host Code	GCGID
649	爛	A795	6796	T5UE0080
650	犧	A796	6797	T5UF0080
651	瓌	A797	6798	T5UG0080
652	瓌	A798	6799	T5UH0080
653	癩	A799	679A	T5UI0080
654	隴	A79A	679B	T5UJ0080
655	籐	A79B	679C	T5UK0080
656	纏	A79C	679D	T5UL0080
657	續	A79D	679E	T5UM0080
658	屨	A79E	679F	T5UN0080
659	藁	A79F	67A0	T5UO0080
660	蘭	A7A0	67A1	T5UP0080
661	藪	A7A1	67A2	T5UQ0080
662	蠟	A7A2	67A3	T5UR0080
663	蠹	A7A3	67A4	T5US0080
664	蠹	A7A4	67A5	T5UT0080
665	蠟	A7A5	67A6	T5UU0080
666	襪	A7A6	67A7	T5UV0080
667	襪	A7A7	67A8	T5UW0080
668	覽	A7A8	67A9	T5UX0080
669	謹	A7A9	67AA	T5UY0080
670	護	A7AA	67AB	T5UZ0080
671	譽	A7AB	67AC	T5V00080
672	臧	A7AC	67AD	T5V10080
673	躡	A7AD	67AE	T5V20080
674	躍	A7AE	67AF	T5V30080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 17 (Page 14 of 18). Primary CH-T (3/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
675	躋	A7AF	67B0	T5V40080
676	轟	A7B0	67B1	T5V50080
677	辯	A7B1	67B2	T5V60080
678	醺	A7B2	67B3	T5V70080
679	鏟	A7B3	67B4	T5V80080
680	鑷	A7B4	67B5	T5V90080
681	鐵	A7B5	67B6	T5VA0080
682	錯	A7B6	67B7	T5VB0080
683	鐸	A7B7	67B8	T5VC0080
684	鋤	A7B8	67B9	T5VD0080
685	鎬	A7B9	67BA	T5VE0080
686	闢	A7BA	67BB	T5VF0080
687	霸	A7BB	67BC	T5VG0080
688	霹	A7BC	67BD	T5VH0080
689	露	A7BD	67BE	T5VI0080
690	響	A7BE	67BF	T5VJ0080
691	顧	A7BF	67C0	T5VK0080
692	頰	A7C0	67C1	T5VL0080
693	饗	A7C1	67C2	T5VM0080
694	驅	A7C2	67C3	T5VN0080
695	驃	A7C3	67C4	T5VO0080
696	焉	A7C4	67C5	T5VP0080
697	騾	A7C5	67C6	T5VQ0080
698	馱	A7C6	67C7	T5VR0080
699	魔	A7C7	67C8	T5VS0080
700	魘	A7C8	67C9	T5VT0080

Table 17 (Page 14 of 18). Primary CH-T (3/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
701	鱗	A7C9	67CA	T5VU0080
702	鰓	A7CA	67CB	T5VV0080
703	鶯	A7CB	67CC	T5VW0080
704	鶴	A7CC	67CD	T5VX0080
705	鶴	A7CD	67CE	T5VY0080
706	鴉	A7CE	67CF	T5VZ0080
707	麝	A7CF	67D0	T5W00080
708	黯	A7D0	67D1	T5W10080
709	擘	A7D1	67D2	T5W20080
710	齟	A7D2	67D3	T5W30080
711	齷	A7D3	67D4	T5W40080
712	齧	A7D4	67D5	T5W50080
713	儼	A7D5	67D6	T5W60080
714	儻	A7D6	67D7	T5W70080
715	嚙	A7D7	67D8	T5W80080
716	囊	A7D8	67D9	T5W90080
717	囉	A7D9	67DA	T5WA0080
718	學	A7DA	67DB	T5WB0080
719	巔	A7DB	67DC	T5WC0080
720	辮	A7DC	67DD	T5WD0080
721	彎	A7DD	67DE	T5WE0080
722	懿	A7DE	67DF	T5WF0080
723	攤	A7DF	67E0	T5WG0080
724	權	A7E0	67E1	T5WH0080
725	歡	A7E1	67E2	T5WI0080
726	灑	A7E2	67E3	T5WJ0080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
727	灘	A7E3	67E4	T5WK0080
728	獾	A7E4	67E5	T5WL0080
729	瓢	A7E5	67E6	T5WM0080
730	疊	A7E6	67E7	T5WN0080
731	癮	A7E7	67E8	T5WO0080
732	癬	A7E8	67E9	T5WP0080
733	襪	A7E9	67EA	T5WQ0080
734	籠	A7EA	67EB	T5WR0080
735	籟	A7EB	67EC	T5WS0080
736	聾	A7EC	67ED	T5WT0080
737	聽	A7ED	67EE	T5WU0080
738	臧	A7EE	67EF	T5WV0080
739	襲	A7EF	67F0	T5WW0080
740	襯	A7F0	67F1	T5WX0080
741	簾	A7F1	67F2	T5WY0080
742	讀	A7F2	67F3	T5WZ0080
743	贖	A7F3	67F4	T5X00080
744	贗	A7F4	67F5	T5X10080
745	躑	A7F5	67F6	T5X20080
746	躑	A7F6	67F7	T5X30080
747	轡	A7F7	67F8	T5X40080
748	鄺	A7F8	67F9	T5X50080
749	鑄	A7F9	67FA	T5X60080
750	鑑	A7FA	67FB	T5X70080
751	鑿	A7FB	67FC	T5X80080
752	霽	A7FC	67FD	T5X90080

Line Number	Graphic	PC Code	Host Code	GCGID
753	霾	A840	6841	T5XD0080
754	鞞	A841	6842	T5XE0080
755	鞞	A842	6843	T5XF0080
756	顛	A843	6844	T5XG0080
757	驤	A844	6845	T5XH0080
758	驕	A845	6846	T5XI0080
759	驍	A846	6847	T5XJ0080
760	髒	A847	6848	T5XK0080
761	鬚	A848	6849	T5XL0080
762	鰲	A849	684A	T5XM0080
763	鯁	A84A	684B	T5XN0080
764	鰲	A84B	684C	T5XO0080
765	鰻	A84C	684D	T5XP0080
766	鷓	A84D	684E	T5XQ0080
767	鷓	A84E	684F	T5XR0080
768	鷓	A84F	6850	T5XS0080
769	鷓	A850	6851	T5XT0080
770	鷓	A851	6852	T5XU0080
771	鷓	A852	6853	T5XV0080
772	鷓	A853	6854	T5XW0080
773	鷓	A854	6855	T5XX0080
774	鷓	A855	6856	T5XY0080
775	鷓	A856	6857	T5XZ0080
776	攪	A857	6858	T5Y00080
777	攪	A858	6859	T5Y10080
778	曬	A859	685A	T5Y20080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 17 (Page 16 of 18). Primary CH-T (3/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
779	櫪	A85A	685B	T5Y30080
780	璿	A85B	685C	T5Y40080
781	竊	A85C	685D	T5Y50080
782	籤	A85D	685E	T5Y60080
783	籟	A85E	685F	T5Y70080
784	簫	A85F	6860	T5Y80080
785	纓	A860	6861	T5Y90080
786	織	A861	6862	T5YA0080
787	纒	A862	6863	T5YB0080
788	膾	A863	6864	T5YC0080
789	煎	A864	6865	T5YD0080
790	蘿	A865	6866	T5YE0080
791	蠱	A866	6867	T5YF0080
792	變	A867	6868	T5YG0080
793	還	A868	6869	T5YH0080
794	邏	A869	686A	T5YI0080
795	鏢	A86A	686B	T5YJ0080
796	鑠	A86B	686C	T5YK0080
797	錄	A86C	686D	T5YL0080
798	醫	A86D	686E	T5YM0080
799	顯	A86E	686F	T5YN0080
800	壓	A86F	6870	T5YO0080
801	驚	A870	6871	T5YP0080
802	驛	A871	6872	T5YQ0080
803	驗	A872	6873	T5YR0080
804	髓	A873	6874	T5YS0080

Table 17 (Page 16 of 18). Primary CH-T (3/3), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
805	體	A874	6875	T5YT0080
806	鬪	A875	6876	T5YU0080
807	鱗	A876	6877	T5YV0080
808	鱗	A877	6878	T5YW0080
809	鰓	A878	6879	T5YX0080
810	鱉	A879	687A	T5YY0080
811	麟	A87A	687B	T5YZ0080
812	徽	A87B	687C	T5Z00080
813	囑	A87C	687D	T5Z10080
814	壩	A87D	687E	T5Z20080
815	攬	A87E	687F	T5Z30080
816	灑	A880	6881	T5Z50080
817	癱	A881	6882	T5Z60080
818	癩	A882	6883	T5Z70080
819	晶	A883	6884	T5Z80080
820	罐	A884	6885	T5Z90080
821	羈	A885	6886	T5ZA0080
822	蠶	A886	6887	T5ZB0080
823	蠹	A887	6888	T5ZC0080
824	衢	A888	6889	T5ZD0080
825	讓	A889	688A	T5ZE0080
826	讒	A88A	688B	T5ZF0080
827	讖	A88B	688C	T5ZG0080
828	艷	A88C	688D	T5ZH0080
829	贛	A88D	688E	T5ZI0080
830	釀	A88E	688F	T5ZJ0080

IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 17 (Page 17 of 18). Primary CH-T (3/3), DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
831	鑪	A88F	6890	T5ZK0080
832	震	A890	6891	T5ZL0080
833	靈	A891	6892	T5ZM0080
834	靄	A892	6893	T5ZN0080
835	韃	A893	6894	T5ZO0080
836	鞏	A894	6895	T5ZP0080
837	驟	A895	6896	T5ZQ0080
838	髮	A896	6897	T5ZR0080
839	魔	A897	6898	T5ZS0080
840	疊	A898	6899	T5ZT0080
841	鷹	A899	689A	T5ZU0080
842	鷺	A89A	689B	T5ZV0080
843	鹼	A89B	689C	T5ZW0080
844	鹽	A89C	689D	T5ZX0080
845	鼈	A89D	689E	T5ZY0080
846	齷	A89E	689F	T5ZZ0080
847	齶	A89F	68A0	T6000080
848	廳	A8A0	68A1	T6010080
849	欖	A8A1	68A2	T6020080
850	灣	A8A2	68A3	T6030080
851	籬	A8A3	68A4	T6040080
852	籬	A8A4	68A5	T6050080
853	蠻	A8A5	68A6	T6060080
854	觀	A8A6	68A7	T6070080
855	躡	A8A7	68A8	T6080080
856	覺	A8A8	68A9	T6090080

Table 17 (Page 17 of 18). Primary CH-T (3/3), DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
857	鑲	A8A9	68AA	T60A0080
858	鑰	A8AA	68AB	T60B0080
859	顛	A8AB	68AC	T60C0080
860	饒	A8AC	68AD	T60D0080
861	競	A8AD	68AE	T60E0080
862	蠶	A8AE	68AF	T60F0080
863	鬢	A8AF	68B0	T60G0080
864	灤	A8B0	68B1	T60H0080
865	矚	A8B1	68B2	T60I0080
866	讚	A8B2	68B3	T60J0080
867	鑛	A8B3	68B4	T60K0080
868	鞣	A8B4	68B5	T60L0080
869	驢	A8B5	68B6	T60M0080
870	驥	A8B6	68B7	T60N0080
871	纜	A8B7	68B8	T60O0080
872	讜	A8B8	68B9	T60P0080
873	躡	A8B9	68BA	T60Q0080
874	醜	A8BA	68BB	T60R0080
875	鑽	A8BB	68BC	T60S0080
876	鑾	A8BC	68BD	T60T0080
877	鑼	A8BD	68BE	T60U0080
878	鍾	A8BE	68BF	T60V0080
879	鑪	A8BF	68C0	T60W0080
880	贖	A8C0	68C1	T60X0080
881	豔	A8C1	68C2	T60Y0080
882	鑿	A8C2	68C3	T60Z0080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 17 (Page 18 of 18). Primary CH-T (3/3), DBCS
- PC

Line Number	Graphic	PC Code	Host Code	GCGID
883	鸚	A8C3	68C4	T6100080
884	鸞	A8C4	68C5	T6110080
885	驪	A8C5	68C6	T6120080
886	鸞	A8C6	68C7	T6130080
887	鶴	A8C7	68C8	T6140080
888	鸞	A8C8	68C9	T6150080
889	籟	A8C9	68CA	T6160080
890	撐	A8CA	68CB	T6170080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

8.14 Secondary Chinese Set (1 of 4)

Line Number	Graphic	PC Code	Host Code	GCGID
1	乂	A940	6941	T62P0080
2	乚	A941	6942	T62Q0080
3	凵	A942	6943	T62R0080
4	匸	A943	6944	T62S0080
5	厂	A944	6945	T62T0080
6	万	A945	6946	T62U0080
7	冫	A946	6947	T62V0080
8	乇	A947	6948	T62W0080
9	亍	A948	6949	T62X0080
10	凵	A949	694A	T62Y0080
11	兀	A94A	694B	T62Z0080
12	中	A94B	694C	T6300080
13	彳	A94C	694D	T6310080
14	𠂇	A94D	694E	T6320080
15	攴	A94E	694F	T6330080
16	与	A94F	6950	T6340080
17	乚	A950	6951	T6350080
18	亍	A951	6952	T6360080
19	𠂇	A952	6953	T6370080
20	𠂇	A953	6954	T6380080
21	𠂇	A954	6955	T6390080
22	宀	A955	6956	T63A0080
23	知	A956	6957	T63B0080
24	印	A957	6958	T63C0080

Line Number	Graphic	PC Code	Host Code	GCGID
25	公	A958	6959	T63D0080
26	圪	A959	695A	T63E0080
27	𠂇	A95A	695B	T63F0080
28	夫	A95B	695C	T63G0080
29	心	A95C	695D	T63H0080
30	市	A95D	695E	T63I0080
31	无	A95E	695F	T63J0080
32	𠂇	A95F	6960	T63K0080
33	母	A960	6961	T63L0080
34	气	A961	6962	T63M0080
35	月	A962	6963	T63N0080
36	𠂇	A963	6964	T63O0080
37	井	A964	6965	T63P0080
38	仁	A965	6966	T63Q0080
39	𠂇	A966	6967	T63R0080
40	仕	A967	6968	T63S0080
41	𠂇	A968	6969	T63T0080
42	全	A969	696A	T63U0080
43	𠂇	A96A	696B	T63V0080
44	𠂇	A96B	696C	T63W0080
45	𠂇	A96C	696D	T63X0080
46	册	A96D	696E	T63Y0080
47	𠂇	A96E	696F	T63Z0080
48	圣	A96F	6970	T6400080
49	𠂇	A970	6971	T6410080
50	𠂇	A971	6972	T6420080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
51	宁	A972	6973	T6430080
52	充	A973	6974	T6440080
53	余	A974	6975	T6450080
54	尻	A975	6976	T6460080
55	劣	A976	6977	T6470080
56	缶	A977	6978	T6480080
57	町	A978	6979	T6490080
58	庀	A979	697A	T64A0080
59	庖	A97A	697B	T64B0080
60	切	A97B	697C	T64C0080
61	戌	A97C	697D	T64D0080
62	劫	A97D	697E	T64E0080
63	气	A97E	697F	T64F0080
64	承	A980	6981	T64H0080
65	汎	A981	6982	T64I0080
66	洑	A982	6983	T64J0080
67	洑	A983	6984	T64K0080
68	友	A984	6985	T64L0080
69	犰	A985	6986	T64M0080
70	王	A986	6987	T64N0080
71	冎	A987	6988	T64O0080
72	肥	A988	6989	T64P0080
73	防	A989	698A	T64Q0080
74	伎	A98A	698B	T64R0080
75	优	A98B	698C	T64S0080
76	伋	A98C	698D	T64T0080

Line Number	Graphic	PC Code	Host Code	GCGID
77	件	A98D	698E	T64U0080
78	伋	A98E	698F	T64V0080
79	伋	A98F	6990	T64W0080
80	伋	A990	6991	T64X0080
81	价	A991	6992	T64Y0080
82	伋	A992	6993	T64Z0080
83	伋	A993	6994	T6500080
84	侑	A994	6995	T6510080
85	侑	A995	6996	T6520080
86	侑	A996	6997	T6530080
87	侑	A997	6998	T6540080
88	侑	A998	6999	T6550080
89	侑	A999	699A	T6560080
90	侑	A99A	699B	T6570080
91	洑	A99B	699C	T6580080
92	洑	A99C	699D	T6590080
93	洑	A99D	699E	T65A0080
94	洑	A99E	699F	T65B0080
95	侑	A99F	69A0	T65C0080
96	洑	A9A0	69A1	T65D0080
97	洑	A9A1	69A2	T65E0080
98	洑	A9A2	69A3	T65F0080
99	洑	A9A3	69A4	T65G0080
100	呼	A9A4	69A5	T65H0080
101	洑	A9A5	69A6	T65I0080
102	洑	A9A6	69A7	T65J0080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
103	圮	A9A7	69A8	T65K0080
104	圮	A9A8	69A9	T65L0080
105	均	A9A9	69AA	T65M0080
106	乔	A9AA	69AB	T65N0080
107	改	A9AB	69AC	T65O0080
108	妣	A9AC	69AD	T65P0080
109	虹	A9AD	69AE	T65Q0080
110	媧	A9AE	69AF	T65R0080
111	妯	A9AF	69B0	T65S0080
112	姦	A9B0	69B1	T65T0080
113	妣	A9B1	69B2	T65U0080
114	孖	A9B2	69B3	T65V0080
115	朶	A9B3	69B4	T65W0080
116	朶	A9B4	69B5	T65X0080
117	岍	A9B5	69B6	T65Y0080
118	岍	A9B6	69B7	T65Z0080
119	岍	A9B7	69B8	T6600080
120	岍	A9B8	69B9	T6610080
121	荒	A9B9	69BA	T6620080
122	开	A9BA	69BB	T6630080
123	庄	A9BB	69BC	T6640080
124	异	A9BC	69BD	T6650080
125	弔	A9BD	69BE	T6660080
126	杓	A9BE	69BF	T6670080
127	忼	A9BF	69C0	T6680080
128	忼	A9C0	69C1	T6690080

Line Number	Graphic	PC Code	Host Code	GCGID
129	忼	A9C1	69C2	T66A0080
130	拏	A9C2	69C3	T66B0080
131	扌	A9C3	69C4	T66C0080
132	扌	A9C4	69C5	T66D0080
133	扌	A9C5	69C6	T66E0080
134	扌	A9C6	69C7	T66F0080
135	扌	A9C7	69C8	T66G0080
136	扌	A9C8	69C9	T66H0080
137	扌	A9C9	69CA	T66I0080
138	扌	A9CA	69CB	T66J0080
139	扌	A9CB	69CC	T66K0080
140	晃	A9CC	69CD	T66L0080
141	昏	A9CD	69CE	T66M0080
142	杓	A9CE	69CF	T66N0080
143	杓	A9CF	69D0	T66O0080
144	杓	A9D0	69D1	T66P0080
145	杓	A9D1	69D2	T66Q0080
146	机	A9D2	69D3	T66R0080
147	束	A9D3	69D4	T66S0080
148	杓	A9D4	69D5	T66T0080
149	杓	A9D5	69D6	T66U0080
150	杓	A9D6	69D7	T66V0080
151	余	A9D7	69D8	T66W0080
152	汜	A9D8	69D9	T66X0080
153	汜	A9D9	69DA	T66Y0080
154	汰	A9DA	69DB	T66Z0080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 18 (Page 4 of 44). Secondary CH-T (1/4), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
155	洩	A9DB	69DC	T6700080
156	汔	A9DC	69DD	T6710080
157	洵	A9DD	69DE	T6720080
158	洵	A9DE	69DF	T6730080
159	洵	A9DF	69E0	T6740080
160	洵	A9E0	69E1	T6750080
161	洵	A9E1	69E2	T6760080
162	洵	A9E2	69E3	T6770080
163	洵	A9E3	69E4	T6780080
164	洵	A9E4	69E5	T6790080
165	洵	A9E5	69E6	T67A0080
166	洵	A9E6	69E7	T67B0080
167	洵	A9E7	69E8	T67C0080
168	洵	A9E8	69E9	T67D0080
169	洵	A9E9	69EA	T67E0080
170	洵	A9EA	69EB	T67F0080
171	洵	A9EB	69EC	T67G0080
172	洵	A9EC	69ED	T67H0080
173	洵	A9ED	69EE	T67I0080
174	洵	A9EE	69EF	T67J0080
175	洵	A9EF	69F0	T67K0080
176	洵	A9F0	69F1	T67L0080
177	洵	A9F1	69F2	T67M0080
178	洵	A9F2	69F3	T67N0080
179	洵	A9F3	69F4	T67O0080
180	洵	A9F4	69F5	T67P0080

Table 18 (Page 4 of 44). Secondary CH-T (1/4), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
181	阢	A9F5	69F6	T67Q0080
182	阢	A9F6	69F7	T67R0080
183	阢	A9F7	69F8	T67S0080
184	阢	A9F8	69F9	T67T0080
185	阢	A9F9	69FA	T67U0080
186	阢	A9FA	69FB	T67V0080
187	阢	A9FB	69FC	T67W0080
188	阢	A9FC	69FD	T67X0080
189	阢	AA40	6A41	T6810080
190	阢	AA41	6A42	T6820080
191	阢	AA42	6A43	T6830080
192	阢	AA43	6A44	T6840080
193	阢	AA44	6A45	T6850080
194	阢	AA45	6A46	T6860080
195	阢	AA46	6A47	T6870080
196	阢	AA47	6A48	T6880080
197	阢	AA48	6A49	T6890080
198	阢	AA49	6A4A	T68A0080
199	阢	AA4A	6A4B	T68B0080
200	阢	AA4B	6A4C	T68C0080
201	阢	AA4C	6A4D	T68D0080
202	阢	AA4D	6A4E	T68E0080
203	阢	AA4E	6A4F	T68F0080
204	阢	AA4F	6A50	T68G0080
205	阢	AA50	6A51	T68H0080
206	阢	AA51	6A52	T68I0080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 18 (Page 5 of 44). Secondary CH-T (1/4), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
207	匍	AA52	6A53	T68J0080
208	卣	AA53	6A54	T68K0080
209	郤	AA54	6A55	T68L0080
210	底	AA55	6A56	T68M0080
211	厓	AA56	6A57	T68N0080
212	𠵽	AA57	6A58	T68O0080
213	映	AA58	6A59	T68P0080
214	吡	AA59	6A5A	T68Q0080
215	𠵿	AA5A	6A5B	T68R0080
216	咬	AA5B	6A5C	T68S0080
217	吹	AA5C	6A5D	T68T0080
218	𠵾	AA5D	6A5E	T68U0080
219	𠵿	AA5E	6A5F	T68V0080
220	𠵿	AA5F	6A60	T68W0080
221	𠵿	AA60	6A61	T68X0080
222	𠵿	AA61	6A62	T68Y0080
223	𠵿	AA62	6A63	T68Z0080
224	吨	AA63	6A64	T6900080
225	𠵿	AA64	6A65	T6910080
226	𠵿	AA65	6A66	T6920080
227	𠵿	AA66	6A67	T6930080
228	𠵿	AA67	6A68	T6940080
229	园	AA68	6A69	T6950080
230	坻	AA69	6A6A	T6960080
231	坵	AA6A	6A6B	T6970080
232	坶	AA6B	6A6C	T6980080

Table 18 (Page 5 of 44). Secondary CH-T (1/4), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
233	坵	AA6C	6A6D	T6990080
234	坶	AA6D	6A6E	T69A0080
235	坷	AA6E	6A6F	T69B0080
236	坸	AA6F	6A70	T69C0080
237	𠵿	AA70	6A71	T69D0080
238	𠵿	AA71	6A72	T69E0080
239	𠵿	AA72	6A73	T69F0080
240	𠵿	AA73	6A74	T69G0080
241	𠵿	AA74	6A75	T69H0080
242	𠵿	AA75	6A76	T69I0080
243	𠵿	AA76	6A77	T69J0080
244	𠵿	AA77	6A78	T69K0080
245	𠵿	AA78	6A79	T69L0080
246	𠵿	AA79	6A7A	T69M0080
247	𠵿	AA7A	6A7B	T69N0080
248	𠵿	AA7B	6A7C	T69O0080
249	𠵿	AA7C	6A7D	T69P0080
250	𠵿	AA7D	6A7E	T69Q0080
251	𠵿	AA7E	6A7F	T69R0080
252	𠵿	AA80	6A81	T69T0080
253	𠵿	AA81	6A82	T69U0080
254	𠵿	AA82	6A83	T69V0080
255	𠵿	AA83	6A84	T69W0080
256	𠵿	AA84	6A85	T69X0080
257	𠵿	AA85	6A86	T69Y0080
258	𠵿	AA86	6A87	T69Z0080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 18 (Page 6 of 44). Secondary CH-T (1/4), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
259	岷	AA87	6A88	T6A00080
260	岫	AA88	6A89	T6A10080
261	岍	AA89	6A8A	T6A20080
262	垓	AA8A	6A8B	T6A30080
263	杷	AA8B	6A8C	T6A40080
264	忱	AA8C	6A8D	T6A50080
265	度	AA8D	6A8E	T6A60080
266	庀	AA8E	6A8F	T6A70080
267	庖	AA8F	6A90	T6A80080
268	庖	AA90	6A91	T6A90080
269	庖	AA91	6A92	T6AA0080
270	弁	AA92	6A93	T6AB0080
271	肥	AA93	6A94	T6AC0080
272	徂	AA94	6A95	T6AD0080
273	徂	AA95	6A96	T6AE0080
274	忒	AA96	6A97	T6AF0080
275	忒	AA97	6A98	T6AG0080
276	志	AA98	6A99	T6AH0080
277	忒	AA99	6A9A	T6AI0080
278	忒	AA9A	6A9B	T6AJ0080
279	忒	AA9B	6A9C	T6AK0080
280	忒	AA9C	6A9D	T6AL0080
281	忒	AA9D	6A9E	T6AM0080
282	忒	AA9E	6A9F	T6AN0080
283	忒	AA9F	6AA0	T6AO0080
284	忒	AAA0	6AA1	T6AP0080

Table 18 (Page 6 of 44). Secondary CH-T (1/4), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
285	忒	AAA1	6AA2	T6AQ0080
286	忒	AAA2	6AA3	T6AR0080
287	忒	AAA3	6AA4	T6AS0080
288	忒	AAA4	6AA5	T6AT0080
289	忒	AAA5	6AA6	T6AU0080
290	忒	AAA6	6AA7	T6AV0080
291	忒	AAA7	6AA8	T6AW0080
292	忒	AAA8	6AA9	T6AX0080
293	忒	AAA9	6AAA	T6AY0080
294	忒	AAAA	6AAB	T6AZ0080
295	忒	AAAB	6AAC	T6B00080
296	忒	AAAC	6AAD	T6B10080
297	忒	AAAD	6AAE	T6B20080
298	忒	AAAE	6AAF	T6B30080
299	忒	AAAF	6AB0	T6B40080
300	忒	AAB0	6AB1	T6B50080
301	忒	AAB1	6AB2	T6B60080
302	忒	AAB2	6AB3	T6B70080
303	忒	AAB3	6AB4	T6B80080
304	忒	AAB4	6AB5	T6B90080
305	忒	AAB5	6AB6	T6BA0080
306	忒	AAB6	6AB7	T6BB0080
307	忒	AAB7	6AB8	T6BC0080
308	忒	AAB8	6AB9	T6BD0080
309	忒	AAB9	6ABA	T6BE0080
310	忒	AABA	6ABB	T6BF0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
311	昊	AABB	6ABC	T6BG0080
312	岳	AABC	6ABD	T6BH0080
313	杆	AABD	6ABE	T6BI0080
314	朽	AABE	6ABF	T6BJ0080
315	杙	AABF	6AC0	T6BK0080
316	杖	AAC0	6AC1	T6BL0080
317	杙	AAC1	6AC2	T6BM0080
318	椶	AAC2	6AC3	T6BN0080
319	杙	AAC3	6AC4	T6BO0080
320	杼	AAC4	6AC5	T6BP0080
321	柅	AAC5	6AC6	T6BQ0080
322	杙	AAC6	6AC7	T6BR0080
323	毒	AAC7	6AC8	T6BS0080
324	氫	AAC8	6AC9	T6BT0080
325	氫	AAC9	6ACA	T6BU0080
326	沝	AACA	6ACB	T6BV0080
327	汧	AACB	6ACC	T6BW0080
328	汧	AACC	6ACD	T6BX0080
329	汧	AACD	6ACE	T6BY0080
330	沈	AACE	6ACF	T6BZ0080
331	沕	AACF	6AD0	T6C00080
332	沈	AAD0	6AD1	T6C10080
333	沕	AAD1	6AD2	T6C20080
334	汨	AAD2	6AD3	T6C30080
335	汨	AAD3	6AD4	T6C40080
336	汨	AAD4	6AD5	T6C50080

Line Number	Graphic	PC Code	Host Code	GCGID
337	沕	AAD5	6AD6	T6C60080
338	沕	AAD6	6AD7	T6C70080
339	沕	AAD7	6AD8	T6C80080
340	沕	AAD8	6AD9	T6C90080
341	沕	AAD9	6ADA	T6CA0080
342	沕	AADA	6ADB	T6CB0080
343	沕	AADB	6ADC	T6CC0080
344	沕	AADC	6ADD	T6CD0080
345	沕	AADD	6ADE	T6CE0080
346	沕	AADE	6ADF	T6CF0080
347	沕	AADF	6AE0	T6CG0080
348	沕	AAE0	6AE1	T6CH0080
349	沕	AAE1	6AE2	T6CI0080
350	沕	AAE2	6AE3	T6CJ0080
351	沕	AAE3	6AE4	T6CK0080
352	沕	AAE4	6AE5	T6CL0080
353	沕	AAE5	6AE6	T6CM0080
354	沕	AAE6	6AE7	T6CN0080
355	沕	AAE7	6AE8	T6CO0080
356	沕	AAE8	6AE9	T6CP0080
357	沕	AAE9	6AEA	T6CQ0080
358	沕	AAEA	6AEB	T6CR0080
359	沕	AAEB	6AEC	T6CS0080
360	沕	AAEC	6AED	T6CT0080
361	沕	AAED	6AEE	T6CU0080
362	沕	AAEE	6AEF	T6CV0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
363	疤	AAEF	6AF0	T6CW0080
364	阜	AAF0	6AF1	T6CX0080
365	衤	AAF1	6AF2	T6CY0080
366	聃	AAF2	6AF3	T6CZ0080
367	册	AAF3	6AF4	T6D00080
368	肩	AAF4	6AF5	T6D10080
369	肱	AAF5	6AF6	T6D20080
370	肤	AAF6	6AF7	T6D30080
371	彤	AAF7	6AF8	T6D40080
372	芑	AAF8	6AF9	T6D50080
373	苙	AAF9	6AFA	T6D60080
374	芎	AAFA	6AFB	T6D70080
375	芏	AAFB	6AFC	T6D80080
376	芑	AAFC	6AFD	T6D90080
377	苧	AB40	6B41	T6DD0080
378	苧	AB41	6B42	T6DE0080
379	苧	AB42	6B43	T6DF0080
380	苧	AB43	6B44	T6DG0080
381	豸	AB44	6B45	T6DH0080
382	迨	AB45	6B46	T6DI0080
383	迨	AB46	6B47	T6DJ0080
384	邗	AB47	6B48	T6DK0080
385	邗	AB48	6B49	T6DL0080
386	邗	AB49	6B4A	T6DM0080
387	邗	AB4A	6B4B	T6DN0080
388	邗	AB4B	6B4C	T6DO0080

Line Number	Graphic	PC Code	Host Code	GCGID
389	邗	AB4C	6B4D	T6DP0080
390	阝	AB4D	6B4E	T6DQ0080
391	阝	AB4E	6B4F	T6DR0080
392	阝	AB4F	6B50	T6DS0080
393	阝	AB50	6B51	T6DT0080
394	聃	AB51	6B52	T6DU0080
395	侏	AB52	6B53	T6DV0080
396	佼	AB53	6B54	T6DW0080
397	佻	AB54	6B55	T6DX0080
398	佻	AB55	6B56	T6DY0080
399	侗	AB56	6B57	T6DZ0080
400	侗	AB57	6B58	T6E00080
401	佶	AB58	6B59	T6E10080
402	佶	AB59	6B5A	T6E20080
403	侗	AB5A	6B5B	T6E30080
404	侗	AB5B	6B5C	T6E40080
405	侗	AB5C	6B5D	T6E50080
406	侗	AB5D	6B5E	T6E60080
407	侗	AB5E	6B5F	T6E70080
408	侗	AB5F	6B60	T6E80080
409	侗	AB60	6B61	T6E90080
410	侗	AB61	6B62	T6EA0080
411	侗	AB62	6B63	T6EB0080
412	佻	AB63	6B64	T6EC0080
413	佻	AB64	6B65	T6ED0080
414	侗	AB65	6B66	T6EE0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 18 (Page 9 of 44). Secondary CH-T (1/4), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
415	倅	AB66	6B67	T6EF0080
416	伽	AB67	6B68	T6EG0080
417	倭	AB68	6B69	T6EH0080
418	侏	AB69	6B6A	T6EI0080
419	侏	AB6A	6B6B	T6EJ0080
420	侏	AB6B	6B6C	T6EK0080
421	侏	AB6C	6B6D	T6EL0080
422	冢	AB6D	6B6E	T6EM0080
423	洗	AB6E	6B6F	T6EN0080
424	冷	AB6F	6B70	T6EO0080
425	刂	AB70	6B71	T6EP0080
426	刂	AB71	6B72	T6EQ0080
427	刂	AB72	6B73	T6ER0080
428	刂	AB73	6B74	T6ES0080
429	刂	AB74	6B75	T6ET0080
430	刂	AB75	6B76	T6EU0080
431	刂	AB76	6B77	T6EV0080
432	刂	AB77	6B78	T6EW0080
433	刂	AB78	6B79	T6EX0080
434	屈	AB79	6B7A	T6EY0080
435	屋	AB7A	6B7B	T6EZ0080
436	叻	AB7B	6B7C	T6F00080
437	呖	AB7C	6B7D	T6F10080
438	咁	AB7D	6B7E	T6F20080
439	咁	AB7E	6B7F	T6F30080
440	啞	AB80	6B81	T6F50080

Table 18 (Page 9 of 44). Secondary CH-T (1/4), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
441	嘸	AB81	6B82	T6F60080
442	咕	AB82	6B83	T6F70080
443	吗	AB83	6B84	T6F80080
444	咀	AB84	6B85	T6F90080
445	啤	AB85	6B86	T6FA0080
446	呷	AB86	6B87	T6FB0080
447	啣	AB87	6B88	T6FC0080
448	啣	AB88	6B89	T6FD0080
449	啣	AB89	6B8A	T6FE0080
450	啤	AB8A	6B8B	T6FF0080
451	眠	AB8B	6B8C	T6FG0080
452	啤	AB8C	6B8D	T6FH0080
453	啤	AB8D	6B8E	T6FI0080
454	啤	AB8E	6B8F	T6FJ0080
455	啤	AB8F	6B90	T6FK0080
456	啤	AB90	6B91	T6FL0080
457	困	AB91	6B92	T6FM0080
458	困	AB92	6B93	T6FN0080
459	坏	AB93	6B94	T6FO0080
460	埤	AB94	6B95	T6FP0080
461	埤	AB95	6B96	T6FQ0080
462	埤	AB96	6B97	T6FR0080
463	埤	AB97	6B98	T6FS0080
464	埤	AB98	6B99	T6FT0080
465	埤	AB99	6B9A	T6FU0080
466	埤	AB9A	6B9B	T6FV0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
467	坵	AB9B	6B9C	T6FW0080
468	坻	AB9C	6B9D	T6FX0080
469	坳	AB9D	6B9E	T6FY0080
470	壑	AB9E	6B9F	T6FZ0080
471	垸	AB9F	6BA0	T6G00080
472	垠	ABA0	6BA1	T6G10080
473	垡	ABA1	6BA2	T6G20080
474	垢	ABA2	6BA3	T6G30080
475	垣	ABA3	6BA4	T6G40080
476	娃	ABA4	6BA5	T6G50080
477	妹	ABA5	6BA6	T6G60080
478	姁	ABA6	6BA7	T6G70080
479	媂	ABA7	6BA8	T6G80080
480	姐	ABA8	6BA9	T6G90080
481	媄	ABA9	6BAA	T6GA0080
482	媆	ABAA	6BAB	T6GB0080
483	媈	ABAB	6BAC	T6GC0080
484	媊	ABAC	6BAD	T6GD0080
485	媋	ABAD	6BAE	T6GE0080
486	媌	ABAE	6BAF	T6GF0080
487	媍	ABAF	6BB0	T6GG0080
488	媎	ABB0	6BB1	T6GH0080
489	媏	ABB1	6BB2	T6GI0080
490	媐	ABB2	6BB3	T6GJ0080
491	媑	ABB3	6BB4	T6GK0080
492	媒	ABB4	6BB5	T6GL0080

Line Number	Graphic	PC Code	Host Code	GCGID
493	徇	ABB5	6BB6	T6GM0080
494	徂	ABB6	6BB7	T6GN0080
495	徃	ABB7	6BB8	T6GO0080
496	宕	ABB8	6BB9	T6GP0080
497	戾	ABB9	6BBA	T6GQ0080
498	届	ABBA	6BBB	T6GR0080
499	岢	ABBB	6BBC	T6GS0080
500	岣	ABBC	6BBD	T6GT0080
501	岤	ABBD	6BBE	T6GU0080
502	岥	ABBE	6BBF	T6GV0080
503	岦	ABBF	6BC0	T6GW0080
504	岧	ABC0	6BC1	T6GX0080
505	岨	ABC1	6BC2	T6GY0080
506	岩	ABC2	6BC3	T6GZ0080
507	岪	ABC3	6BC4	T6H00080
508	岫	ABC4	6BC5	T6H10080
509	岬	ABC5	6BC6	T6H20080
510	岫	ABC6	6BC7	T6H30080
511	岮	ABC7	6BC8	T6H40080
512	岯	ABC8	6BC9	T6H50080
513	岰	ABC9	6BCA	T6H60080
514	岱	ABCA	6BCB	T6H70080
515	岲	ABCB	6BCC	T6H80080
516	岳	ABCC	6BCD	T6H90080
517	岴	ABCD	6BCE	T6HA0080
518	岵	ABCE	6BCF	T6HB0080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
519	帙	ABCF	6BD0	T6HC0080
520	韶	ABD0	6BD1	T6HD0080
521	𦉑	ABD1	6BD2	T6HE0080
522	𦉒	ABD2	6BD3	T6HF0080
523	𦉓	ABD3	6BD4	T6HG0080
524	𦉔	ABD4	6BD5	T6HH0080
525	𦉕	ABD5	6BD6	T6HI0080
526	𦉖	ABD6	6BD7	T6HJ0080
527	𦉗	ABD7	6BD8	T6HK0080
528	𦉘	ABD8	6BD9	T6HL0080
529	𦉙	ABD9	6BDA	T6HM0080
530	𦉚	ABDA	6BDB	T6HN0080
531	𦉛	ABDB	6BDC	T6HO0080
532	𦉜	ABDC	6BDD	T6HP0080
533	𦉝	ABDD	6BDE	T6HQ0080
534	𦉞	ABDE	6BDF	T6HR0080
535	𦉟	ABDF	6BE0	T6HS0080
536	𦉠	ABE0	6BE1	T6HT0080
537	𦉡	ABE1	6BE2	T6HU0080
538	𦉢	ABE2	6BE3	T6HV0080
539	𦉣	ABE3	6BE4	T6HW0080
540	𦉤	ABE4	6BE5	T6HX0080
541	𦉥	ABE5	6BE6	T6HY0080
542	𦉦	ABE6	6BE7	T6HZ0080
543	𦉧	ABE7	6BE8	T6I00080
544	𦉨	ABE8	6BE9	T6I10080

Line Number	Graphic	PC Code	Host Code	GCGID
545	𦉩	ABE9	6BEA	T6I20080
546	𦉪	ABEA	6BEB	T6I30080
547	𦉫	ABEB	6BEC	T6I40080
548	𦉬	ABEC	6BED	T6I50080
549	𦉭	ABED	6BEE	T6I60080
550	𦉮	ABEE	6BEF	T6I70080
551	𦉯	ABEF	6BF0	T6I80080
552	𦉰	ABF0	6BF1	T6I90080
553	𦉱	ABF1	6BF2	T6IA0080
554	𦉲	ABF2	6BF3	T6IB0080
555	𦉳	ABF3	6BF4	T6IC0080
556	𦉴	ABF4	6BF5	T6ID0080
557	𦉵	ABF5	6BF6	T6IE0080
558	𦉶	ABF6	6BF7	T6IF0080
559	𦉷	ABF7	6BF8	T6IG0080
560	𦉸	ABF8	6BF9	T6IH0080
561	𦉹	ABF9	6BFA	T6II0080
562	𦉺	ABFA	6BFB	T6IJ0080
563	𦉻	ABFB	6BFC	T6IK0080
564	𦉼	ABFC	6BFD	T6IL0080
565	𦉽	AC40	6C41	T6IP0080
566	𦉾	AC41	6C42	T6IQ0080
567	𦉿	AC42	6C43	T6IR0080
568	𦊀	AC43	6C44	T6IS0080
569	𦊁	AC44	6C45	T6IT0080
570	𦊂	AC45	6C46	T6IU0080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 18 (Page 12 of 44). Secondary CH-T (1/4), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
571	眈	AC46	6C47	T6IV0080
572	眨	AC47	6C48	T6IW0080
573	吻	AC48	6C49	T6IX0080
574	眈	AC49	6C4A	T6IY0080
575	旻	AC4A	6C4B	T6IZ0080
576	昃	AC4B	6C4C	T6J00080
577	香	AC4C	6C4D	T6J10080
578	昃	AC4D	6C4E	T6J20080
579	吸	AC4E	6C4F	T6J30080
580	眈	AC4F	6C50	T6J40080
581	眈	AC50	6C51	T6J50080
582	盼	AC51	6C52	T6J60080
583	眈	AC52	6C53	T6J70080
584	眈	AC53	6C54	T6J80080
585	眈	AC54	6C55	T6J90080
586	眈	AC55	6C56	T6JA0080
587	眈	AC56	6C57	T6JB0080
588	眈	AC57	6C58	T6JC0080
589	眈	AC58	6C59	T6JD0080
590	眈	AC59	6C5A	T6JE0080
591	眈	AC5A	6C5B	T6JF0080
592	眈	AC5B	6C5C	T6JG0080
593	眈	AC5C	6C5D	T6JH0080
594	眈	AC5D	6C5E	T6JI0080
595	眈	AC5E	6C5F	T6JJ0080
596	眈	AC5F	6C60	T6JK0080

Table 18 (Page 12 of 44). Secondary CH-T (1/4), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
597	眈	AC60	6C61	T6JL0080
598	眈	AC61	6C62	T6JM0080
599	眈	AC62	6C63	T6JN0080
600	眈	AC63	6C64	T6JO0080
601	眈	AC64	6C65	T6JP0080
602	眈	AC65	6C66	T6JQ0080
603	眈	AC66	6C67	T6JR0080
604	眈	AC67	6C68	T6JS0080
605	眈	AC68	6C69	T6JT0080
606	眈	AC69	6C6A	T6JU0080
607	眈	AC6A	6C6B	T6JV0080
608	眈	AC6B	6C6C	T6JW0080
609	眈	AC6C	6C6D	T6JX0080
610	眈	AC6D	6C6E	T6JY0080
611	眈	AC6E	6C6F	T6JZ0080
612	眈	AC6F	6C70	T6K00080
613	眈	AC70	6C71	T6K10080
614	眈	AC71	6C72	T6K20080
615	眈	AC72	6C73	T6K30080
616	眈	AC73	6C74	T6K40080
617	眈	AC74	6C75	T6K50080
618	眈	AC75	6C76	T6K60080
619	眈	AC76	6C77	T6K70080
620	眈	AC77	6C78	T6K80080
621	眈	AC78	6C79	T6K90080
622	眈	AC79	6C7A	T6KA0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
623	洄	AC7A	6C7B	T6KB0080
624	涸	AC7B	6C7C	T6KC0080
625	洵	AC7C	6C7D	T6KD0080
626	洑	AC7D	6C7E	T6KE0080
627	洒	AC7E	6C7F	T6KF0080
628	洓	AC80	6C81	T6KH0080
629	洕	AC81	6C82	T6KI0080
630	洖	AC82	6C83	T6KJ0080
631	洗	AC83	6C84	T6KK0080
632	洘	AC84	6C85	T6KL0080
633	洙	AC85	6C86	T6KM0080
634	洚	AC86	6C87	T6KN0080
635	洛	AC87	6C88	T6KO0080
636	洜	AC88	6C89	T6KP0080
637	洝	AC89	6C8A	T6KQ0080
638	洞	AC8A	6C8B	T6KR0080
639	洟	AC8B	6C8C	T6KS0080
640	洠	AC8C	6C8D	T6KT0080
641	洡	AC8D	6C8E	T6KU0080
642	洢	AC8E	6C8F	T6KV0080
643	洣	AC8F	6C90	T6KW0080
644	洤	AC90	6C91	T6KX0080
645	津	AC91	6C92	T6KY0080
646	洦	AC92	6C93	T6KZ0080
647	洧	AC93	6C94	T6L00080
648	洨	AC94	6C95	T6L10080

Line Number	Graphic	PC Code	Host Code	GCGID
649	洩	AC95	6C96	T6L20080
650	洪	AC96	6C97	T6L30080
651	洫	AC97	6C98	T6L40080
652	洬	AC98	6C99	T6L50080
653	洭	AC99	6C9A	T6L60080
654	洭	AC9A	6C9B	T6L70080
655	洮	AC9B	6C9C	T6L80080
656	洱	AC9C	6C9D	T6L90080
657	洲	AC9D	6C9E	T6LA0080
658	洳	AC9E	6C9F	T6LB0080
659	洴	AC9F	6CA0	T6LC0080
660	洵	ACA0	6CA1	T6LD0080
661	洵	ACA1	6CA2	T6LE0080
662	洱	ACA2	6CA3	T6LF0080
663	洲	ACA3	6CA4	T6LG0080
664	洳	ACA4	6CA5	T6LH0080
665	洴	ACA5	6CA6	T6LI0080
666	洵	ACA6	6CA7	T6LJ0080
667	洱	ACA7	6CA8	T6LK0080
668	洲	ACA8	6CA9	T6LL0080
669	洳	ACA9	6CAA	T6LM0080
670	洴	ACAA	6CAB	T6LN0080
671	洵	ACAB	6CAC	T6LO0080
672	洱	ACAC	6CAD	T6LP0080
673	洲	ACAD	6CAE	T6LQ0080
674	洳	ACAE	6CAF	T6LR0080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
675	廔	ACAF	6CB0	T6LS0080
676	瓠	ACB0	6CB1	T6LT0080
677	甞	ACB1	6CB2	T6LU0080
678	畀	ACB2	6CB3	T6LV0080
679	畹	ACB3	6CB4	T6LW0080
680	畹	ACB4	6CB5	T6LX0080
681	疝	ACB5	6CB6	T6LY0080
682	疝	ACB6	6CB7	T6LZ0080
683	眈	ACB7	6CB8	T6M00080
684	盱	ACB8	6CB9	T6M10080
685	盱	ACB9	6CBA	T6M20080
686	眈	ACBA	6CBB	T6M30080
687	矸	ACBB	6CBC	T6M40080
688	矸	ACBC	6CBD	T6M50080
689	矸	ACBD	6CBE	T6M60080
690	矸	ACBE	6CBF	T6M70080
691	矸	ACBF	6CC0	T6M80080
692	矸	ACC0	6CC1	T6M90080
693	襍	ACC1	6CC2	T6MA0080
694	襍	ACC2	6CC3	T6MB0080
695	襍	ACC3	6CC4	T6MC0080
696	襍	ACC4	6CC5	T6MD0080
697	孛	ACC5	6CC6	T6ME0080
698	孛	ACC6	6CC7	T6MF0080
699	料	ACC7	6CC8	T6MG0080
700	紉	ACC8	6CC9	T6MH0080

Line Number	Graphic	PC Code	Host Code	GCGID
701	盯	ACC9	6CCA	T6MI0080
702	禽	ACCA	6CCB	T6MJ0080
703	航	ACCB	6CCC	T6MK0080
704	胗	ACCC	6CCD	T6ML0080
705	胗	ACCD	6CCE	T6MM0080
706	胗	ACCE	6CCF	T6MN0080
707	腩	ACCF	6CD0	T6MO0080
708	舫	ACD0	6CD1	T6MP0080
709	芟	ACD1	6CD2	T6MQ0080
710	芟	ACD2	6CD3	T6MR0080
711	芟	ACD3	6CD4	T6MS0080
712	芟	ACD4	6CD5	T6MT0080
713	芟	ACD5	6CD6	T6MU0080
714	笋	ACD6	6CD7	T6MV0080
715	莢	ACD7	6CD8	T6MW0080
716	笋	ACD8	6CD9	T6MX0080
717	莢	ACD9	6CDA	T6MY0080
718	莢	ACDA	6CDB	T6MZ0080
719	莢	ACDB	6CDC	T6N00080
720	莢	ACDC	6CDD	T6N10080
721	莢	ACDD	6CDE	T6N20080
722	莢	ACDE	6CDF	T6N30080
723	莢	ACDF	6CE0	T6N40080
724	莢	ACE0	6CE1	T6N50080
725	莢	ACE1	6CE2	T6N60080
726	莢	ACE2	6CE3	T6N70080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
727	菱	ACE3	6CE4	T6N80080
728	芍	ACE4	6CE5	T6N90080
729	苕	ACE5	6CE6	T6NA0080
730	虹	ACE6	6CE7	T6NB0080
731	蚪	ACE7	6CE8	T6NC0080
732	蚰	ACE8	6CE9	T6ND0080
733	虬	ACE9	6CEA	T6NE0080
734	豕	ACEA	6CEB	T6NF0080
735	迓	ACEB	6CEC	T6NG0080
736	迕	ACEC	6CED	T6NH0080
737	迖	ACED	6CEE	T6NI0080
738	迗	ACEE	6CEF	T6NJ0080
739	逖	ACEF	6CF0	T6NK0080
740	迕	ACF0	6CF1	T6NL0080
741	迖	ACF1	6CF2	T6NM0080
742	邲	ACF2	6CF3	T6NN0080
743	邳	ACF3	6CF4	T6NO0080
744	邴	ACF4	6CF5	T6NP0080
745	邶	ACF5	6CF6	T6NQ0080
746	邰	ACF6	6CF7	T6NR0080
747	陆	ACF7	6CF8	T6NS0080
748	陆	ACF8	6CF9	T6NT0080
749	阼	ACF9	6CFA	T6NU0080
750	阽	ACFA	6CFB	T6NV0080
751	阼	ACFB	6CFC	T6NW0080
752	徕	ACFC	6CFD	T6NX0080

Line Number	Graphic	PC Code	Host Code	GCGID
753	倅	AD40	6D41	T6O10080
754	倅	AD41	6D42	T6O20080
755	倅	AD42	6D43	T6O30080
756	倅	AD43	6D44	T6O40080
757	倅	AD44	6D45	T6O50080
758	倅	AD45	6D46	T6O60080
759	倅	AD46	6D47	T6O70080
760	倅	AD47	6D48	T6O80080
761	倅	AD48	6D49	T6O90080
762	倅	AD49	6D4A	T6OA0080
763	倅	AD4A	6D4B	T6OB0080
764	倅	AD4B	6D4C	T6OC0080
765	倅	AD4C	6D4D	T6OD0080
766	倅	AD4D	6D4E	T6OE0080
767	倅	AD4E	6D4F	T6OF0080
768	倅	AD4F	6D50	T6OG0080
769	倅	AD50	6D51	T6OH0080
770	倅	AD51	6D52	T6OI0080
771	剡	AD52	6D53	T6OJ0080
772	剡	AD53	6D54	T6OK0080
773	剡	AD54	6D55	T6OL0080
774	剡	AD55	6D56	T6OM0080
775	剡	AD56	6D57	T6ON0080
776	剡	AD57	6D58	T6OO0080
777	倅	AD58	6D59	T6OP0080
778	倅	AD59	6D5A	T6OQ0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 18 (Page 16 of 44). Secondary CH-T (1/4), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
779	庫	AD5A	6D5B	T6OR0080
780	厘	AD5B	6D5C	T6OS0080
781	暄	AD5C	6D5D	T6OT0080
782	岍	AD5D	6D5E	T6OU0080
783	喏	AD5E	6D5F	T6OV0080
784	唾	AD5F	6D60	T6OW0080
785	喂	AD60	6D61	T6OX0080
786	响	AD61	6D62	T6OY0080
787	苟	AD62	6D63	T6OZ0080
788	吡	AD63	6D64	T6P00080
789	咪	AD64	6D65	T6P10080
790	哞	AD65	6D66	T6P20080
791	哧	AD66	6D67	T6P30080
792	响	AD67	6D68	T6P40080
793	哆	AD68	6D69	T6P50080
794	聃	AD69	6D6A	T6P60080
795	皆	AD6A	6D6B	T6P70080
796	高	AD6B	6D6C	T6P80080
797	号	AD6C	6D6D	T6P90080
798	佬	AD6D	6D6E	T6PA0080
799	毗	AD6E	6D6F	T6PB0080
800	哞	AD6F	6D70	T6PC0080
801	响	AD70	6D71	T6PD0080
802	垓	AD71	6D72	T6PE0080
803	垓	AD72	6D73	T6PF0080
804	垓	AD73	6D74	T6PG0080

Table 18 (Page 16 of 44). Secondary CH-T (1/4), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
805	垓	AD74	6D75	T6PH0080
806	垓	AD75	6D76	T6PI0080
807	垓	AD76	6D77	T6PJ0080
808	垓	AD77	6D78	T6PK0080
809	垓	AD78	6D79	T6PL0080
810	垓	AD79	6D7A	T6PM0080
811	垓	AD7A	6D7B	T6PN0080
812	垓	AD7B	6D7C	T6PO0080
813	垓	AD7C	6D7D	T6PP0080
814	垓	AD7D	6D7E	T6PQ0080
815	垓	AD7E	6D7F	T6PR0080
816	垓	AD80	6D81	T6PT0080
817	垓	AD81	6D82	T6PU0080
818	复	AD82	6D83	T6PV0080
819	彡	AD83	6D84	T6PW0080
820	姪	AD84	6D85	T6PX0080
821	姪	AD85	6D86	T6PY0080
822	姪	AD86	6D87	T6PZ0080
823	娥	AD87	6D88	T6Q00080
824	姪	AD88	6D89	T6Q10080
825	姪	AD89	6D8A	T6Q20080
826	姪	AD8A	6D8B	T6Q30080
827	姪	AD8B	6D8C	T6Q40080
828	姪	AD8C	6D8D	T6Q50080
829	始	AD8D	6D8E	T6Q60080
830	姪	AD8E	6D8F	T6Q70080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 18 (Page 17 of 44). Secondary CH-T (1/4), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
831	媿	AD8F	6D90	T6Q80080
832	媿	AD90	6D91	T6Q90080
833	媿	AD91	6D92	T6QA0080
834	媿	AD92	6D93	T6QB0080
835	媿	AD93	6D94	T6QC0080
836	媿	AD94	6D95	T6QD0080
837	媿	AD95	6D96	T6QE0080
838	媿	AD96	6D97	T6QF0080
839	媿	AD97	6D98	T6QG0080
840	媿	AD98	6D99	T6QH0080
841	窕	AD99	6D9A	T6QI0080
842	媿	AD9A	6D9B	T6QJ0080
843	媿	AD9B	6D9C	T6QK0080
844	媿	AD9C	6D9D	T6QL0080
845	媿	AD9D	6D9E	T6QM0080
846	媿	AD9E	6D9F	T6QN0080
847	媿	AD9F	6DA0	T6QO0080
848	窕	ADA0	6DA1	T6QP0080
849	窕	ADA1	6DA2	T6QQ0080
850	窕	ADA2	6DA3	T6QR0080
851	窕	ADA3	6DA4	T6QS0080
852	窕	ADA4	6DA5	T6QT0080
853	窕	ADA5	6DA6	T6QU0080
854	窕	ADA6	6DA7	T6QV0080
855	窕	ADA7	6DA8	T6QW0080
856	窕	ADA8	6DA9	T6QX0080

Table 18 (Page 17 of 44). Secondary CH-T (1/4), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
857	峒	ADA9	6DAA	T6QY0080
858	峒	ADAA	6DAB	T6QZ0080
859	峒	ADAB	6DAC	T6R00080
860	峒	ADAC	6DAD	T6R10080
861	峒	ADAD	6DAE	T6R20080
862	峒	ADAE	6DAF	T6R30080
863	峒	ADAF	6DB0	T6R40080
864	峒	ADB0	6DB1	T6R50080
865	峒	ADB1	6DB2	T6R60080
866	峒	ADB2	6DB3	T6R70080
867	峒	ADB3	6DB4	T6R80080
868	峒	ADB4	6DB5	T6R90080
869	峒	ADB5	6DB6	T6RA0080
870	峒	ADB6	6DB7	T6RB0080
871	峒	ADB7	6DB8	T6RC0080
872	峒	ADB8	6DB9	T6RD0080
873	峒	ADB9	6DBA	T6RE0080
874	峒	ADBA	6DBB	T6RF0080
875	峒	ADBB	6DBC	T6RG0080
876	峒	ADBC	6DBD	T6RH0080
877	峒	ADBD	6DBE	T6RI0080
878	峒	ADBE	6DBF	T6RJ0080
879	峒	ADBF	6DC0	T6RK0080
880	峒	ADC0	6DC1	T6RL0080
881	峒	ADC1	6DC2	T6RM0080
882	峒	ADC2	6DC3	T6RN0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
883	悞	ADC3	6DC4	T6RO0080
884	悞	ADC4	6DC5	T6RP0080
885	悞	ADC5	6DC6	T6RQ0080
886	悞	ADC6	6DC7	T6RR0080
887	悞	ADC7	6DC8	T6RS0080
888	悞	ADC8	6DC9	T6RT0080
889	悞	ADC9	6DCA	T6RU0080
890	悞	ADCA	6DCB	T6RV0080
891	悞	ADCB	6DCC	T6RW0080
892	悞	ADCC	6DCD	T6RX0080
893	悞	ADCD	6DCE	T6RY0080
894	悞	ADCE	6DCF	T6RZ0080
895	悞	ADCF	6DD0	T6S00080
896	悞	ADD0	6DD1	T6S10080
897	悞	ADD1	6DD2	T6S20080
898	悞	ADD2	6DD3	T6S30080
899	悞	ADD3	6DD4	T6S40080
900	拏	ADD4	6DD5	T6S50080
901	拏	ADD5	6DD6	T6S60080
902	拏	ADD6	6DD7	T6S70080
903	拏	ADD7	6DD8	T6S80080
904	拏	ADD8	6DD9	T6S90080
905	拏	ADD9	6DDA	T6SA0080
906	拏	ADDA	6DDB	T6SB0080
907	拏	ADDB	6DDC	T6SC0080
908	拏	ADDC	6DDD	T6SD0080

Line Number	Graphic	PC Code	Host Code	GCGID
909	拏	ADDD	6DDE	T6SE0080
910	拏	ADDE	6DDF	T6SF0080
911	拏	ADDF	6DE0	T6SG0080
912	拏	ADE0	6DE1	T6SH0080
913	拏	ADE1	6DE2	T6SI0080
914	拏	ADE2	6DE3	T6SJ0080
915	拏	ADE3	6DE4	T6SK0080
916	拏	ADE4	6DE5	T6SL0080
917	拏	ADE5	6DE6	T6SM0080
918	拏	ADE6	6DE7	T6SN0080
919	拏	ADE7	6DE8	T6SO0080
920	拏	ADE8	6DE9	T6SP0080
921	拏	ADE9	6DEA	T6SQ0080
922	拏	ADEA	6DEB	T6SR0080
923	拏	ADEB	6DEC	T6SS0080
924	拏	ADEC	6DED	T6ST0080
925	拏	ADED	6DEE	T6SU0080
926	拏	ADEE	6DEF	T6SV0080
927	拏	ADEF	6DF0	T6SW0080
928	拏	ADF0	6DF1	T6SX0080
929	拏	ADF1	6DF2	T6SY0080
930	拏	ADF2	6DF3	T6SZ0080
931	拏	ADF3	6DF4	T6T00080
932	拏	ADF4	6DF5	T6T10080
933	拏	ADF5	6DF6	T6T20080
934	拏	ADF6	6DF7	T6T30080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
935	咏	ADF7	6DF8	T6T40080
936	昂	ADF8	6DF9	T6T50080
937	肱	ADF9	6DFA	T6T60080
938	胸	ADFA	6DFB	T6T70080
939	柁	ADFB	6DFC	T6T80080
940	秘	ADFC	6DFD	T6T90080
941	桦	AE40	6E41	T6TD0080
942	株	AE41	6E42	T6TE0080
943	柜	AE42	6E43	T6TF0080
944	榎	AE43	6E44	T6TG0080
945	桤	AE44	6E45	T6TH0080
946	栎	AE45	6E46	T6TI0080
947	被	AE46	6E47	T6TJ0080
948	枷	AE47	6E48	T6TK0080
949	柅	AE48	6E49	T6TL0080
950	拂	AE49	6E4A	T6TM0080
951	粗	AE4A	6E4B	T6TN0080
952	栻	AE4B	6E4C	T6TO0080
953	栲	AE4C	6E4D	T6TP0080
954	枳	AE4D	6E4E	T6TQ0080
955	枳	AE4E	6E4F	T6TR0080
956	祝	AE4F	6E50	T6TS0080
957	栖	AE50	6E51	T6TT0080
958	柚	AE51	6E52	T6TU0080
959	秩	AE52	6E53	T6TV0080
960	掩	AE53	6E54	T6TW0080

Line Number	Graphic	PC Code	Host Code	GCGID
961	枹	AE54	6E55	T6TX0080
962	柎	AE55	6E56	T6TY0080
963	椈	AE56	6E57	T6TZ0080
964	柁	AE57	6E58	T6U00080
965	柁	AE58	6E59	T6U10080
966	椈	AE59	6E5A	T6U20080
967	椈	AE5A	6E5B	T6U30080
968	椈	AE5B	6E5C	T6U40080
969	椈	AE5C	6E5D	T6U50080
970	椈	AE5D	6E5E	T6U60080
971	椈	AE5E	6E5F	T6U70080
972	椈	AE5F	6E60	T6U80080
973	椈	AE60	6E61	T6U90080
974	椈	AE61	6E62	T6UA0080
975	椈	AE62	6E63	T6UB0080
976	椈	AE63	6E64	T6UC0080
977	椈	AE64	6E65	T6UD0080
978	椈	AE65	6E66	T6UE0080
979	椈	AE66	6E67	T6UF0080
980	椈	AE67	6E68	T6UG0080
981	椈	AE68	6E69	T6UH0080
982	椈	AE69	6E6A	T6UI0080
983	椈	AE6A	6E6B	T6UJ0080
984	椈	AE6B	6E6C	T6UK0080
985	椈	AE6C	6E6D	T6UL0080
986	椈	AE6D	6E6E	T6UM0080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 18 (Page 20 of 44). Secondary CH-T (1/4), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
987	氦	AE6E	6E6F	T6UN0080
988	洩	AE6F	6E70	T6UO0080
989	洩	AE70	6E71	T6UP0080
990	洩	AE71	6E72	T6UQ0080
991	洩	AE72	6E73	T6UR0080
992	洩	AE73	6E74	T6US0080
993	洩	AE74	6E75	T6UT0080
994	洩	AE75	6E76	T6UU0080
995	洩	AE76	6E77	T6UV0080
996	洩	AE77	6E78	T6UW0080
997	洩	AE78	6E79	T6UX0080
998	洩	AE79	6E7A	T6UY0080
999	洩	AE7A	6E7B	T6UZ0080
1000	洩	AE7B	6E7C	T6V00080
1001	洩	AE7C	6E7D	T6V10080
1002	洩	AE7D	6E7E	T6V20080
1003	洩	AE7E	6E7F	T6V30080
1004	洩	AE80	6E81	T6V50080
1005	洩	AE81	6E82	T6V60080
1006	洩	AE82	6E83	T6V70080
1007	洩	AE83	6E84	T6V80080
1008	洩	AE84	6E85	T6V90080
1009	洩	AE85	6E86	T6VA0080
1010	洩	AE86	6E87	T6VB0080
1011	洩	AE87	6E88	T6VC0080
1012	洩	AE88	6E89	T6VD0080

Table 18 (Page 20 of 44). Secondary CH-T (1/4), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
1013	洩	AE89	6E8A	T6VE0080
1014	洩	AE8A	6E8B	T6VF0080
1015	洩	AE8B	6E8C	T6VG0080
1016	洩	AE8C	6E8D	T6VH0080
1017	洩	AE8D	6E8E	T6VI0080
1018	洩	AE8E	6E8F	T6VJ0080
1019	洩	AE8F	6E90	T6VK0080
1020	洩	AE90	6E91	T6VL0080
1021	洩	AE91	6E92	T6VM0080
1022	洩	AE92	6E93	T6VN0080
1023	洩	AE93	6E94	T6VO0080
1024	洩	AE94	6E95	T6VP0080
1025	洩	AE95	6E96	T6VQ0080
1026	洩	AE96	6E97	T6VR0080
1027	洩	AE97	6E98	T6VS0080
1028	洩	AE98	6E99	T6VT0080
1029	洩	AE99	6E9A	T6VU0080
1030	洩	AE9A	6E9B	T6VV0080
1031	洩	AE9B	6E9C	T6VW0080
1032	洩	AE9C	6E9D	T6VX0080
1033	洩	AE9D	6E9E	T6VY0080
1034	洩	AE9E	6E9F	T6VZ0080
1035	洩	AE9F	6EA0	T6W00080
1036	洩	AEA0	6EA1	T6W10080
1037	洩	AEA1	6EA2	T6W20080
1038	洩	AEA2	6EA3	T6W30080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 18 (Page 21 of 44). Secondary CH-T (1/4), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
1039	狃	AEA3	6EA4	T6W40080
1040	狃	AEA4	6EA5	T6W50080
1041	狃	AEA5	6EA6	T6W60080
1042	狃	AEA6	6EA7	T6W70080
1043	玅	AEA7	6EA8	T6W80080
1044	玅	AEA8	6EA9	T6W90080
1045	珂	AEA9	6EAA	T6WA0080
1046	珈	AEAA	6EAB	T6WB0080
1047	坤	AEAB	6EAC	T6WC0080
1048	玆	AEAC	6EAD	T6WD0080
1049	玆	AEAD	6EAE	T6WE0080
1050	玆	AEAE	6EAF	T6WF0080
1051	玆	AEAF	6EB0	T6WG0080
1052	玆	AEB0	6EB1	T6WH0080
1053	玆	AEB1	6EB2	T6WI0080
1054	玆	AEB2	6EB3	T6WJ0080
1055	玆	AEB3	6EB4	T6WK0080
1056	玆	AEB4	6EB5	T6WL0080
1057	玆	AEB5	6EB6	T6WM0080
1058	玆	AEB6	6EB7	T6WN0080
1059	玆	AEB7	6EB8	T6WO0080
1060	玆	AEB8	6EB9	T6WP0080
1061	玆	AEB9	6EBA	T6WQ0080
1062	玆	AEBA	6EBB	T6WR0080
1063	玆	AEBB	6EBC	T6WS0080
1064	玆	AEBC	6EBD	T6WT0080

Table 18 (Page 21 of 44). Secondary CH-T (1/4), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
1065	玆	AEBD	6EBE	T6WU0080
1066	玆	AEBE	6EBF	T6WV0080
1067	玆	AEBF	6EC0	T6WW0080
1068	玆	AEC0	6EC1	T6WX0080
1069	玆	AEC1	6EC2	T6WY0080
1070	玆	AEC2	6EC3	T6WZ0080
1071	眇	AEC3	6EC4	T6X00080
1072	眇	AEC4	6EC5	T6X10080
1073	眇	AEC5	6EC6	T6X20080
1074	眇	AEC6	6EC7	T6X30080
1075	眇	AEC7	6EC8	T6X40080
1076	眇	AEC8	6EC9	T6X50080
1077	矧	AEC9	6ECA	T6X60080
1078	矧	AECA	6ECB	T6X70080
1079	矧	AECB	6ECC	T6X80080
1080	矧	AECC	6ECD	T6X90080
1081	矧	AECD	6ECE	T6XA0080
1082	矧	AECE	6ECF	T6XB0080
1083	矧	AECF	6ED0	T6XC0080
1084	矧	AED0	6ED1	T6XD0080
1085	矧	AED1	6ED2	T6XE0080
1086	矧	AED2	6ED3	T6XF0080
1087	矧	AED3	6ED4	T6XG0080
1088	矧	AED4	6ED5	T6XH0080
1089	矧	AED5	6ED6	T6XI0080
1090	矧	AED6	6ED7	T6XJ0080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
1091	投	AED7	6ED8	T6XK0080
1092	祆	AED8	6ED9	T6XL0080
1093	袢	AED9	6EDA	T6XM0080
1094	秕	AEDA	6EDB	T6XN0080
1095	种	AEDB	6EDC	T6XO0080
1096	秣	AEDC	6EDD	T6XP0080
1097	秣	AEDD	6EDE	T6XQ0080
1098	粉	AEDE	6EDF	T6XR0080
1099	窰	AEDF	6EE0	T6XS0080
1100	突	AEE0	6EE1	T6XT0080
1101	竝	AEE1	6EE2	T6XU0080
1102	筩	AEE2	6EE3	T6XV0080
1103	筩	AEE3	6EE4	T6XW0080
1104	粇	AEE4	6EE5	T6XX0080
1105	粇	AEE5	6EE6	T6XY0080
1106	糲	AEE6	6EE7	T6XZ0080
1107	糲	AEE7	6EE8	T6Y00080
1108	糲	AEE8	6EE9	T6Y10080
1109	糲	AEE9	6EEA	T6Y20080
1110	糲	AEEA	6EEB	T6Y30080
1111	糲	AEEB	6EEC	T6Y40080
1112	糲	AEEC	6EED	T6Y50080
1113	罊	AEED	6EEE	T6Y60080
1114	罊	AEEE	6EEF	T6Y70080
1115	牽	AEEF	6EF0	T6Y80080
1116	犴	AEF0	6EF1	T6Y90080

Line Number	Graphic	PC Code	Host Code	GCGID
1117	耆	AEF1	6EF2	T6YA0080
1118	奘	AEF2	6EF3	T6YB0080
1119	衫	AEF3	6EF4	T6YC0080
1120	籽	AEF4	6EF5	T6YD0080
1121	耆	AEF5	6EF6	T6YE0080
1122	肱	AEF6	6EF7	T6YF0080
1123	肱	AEF7	6EF8	T6YG0080
1124	肱	AEF8	6EF9	T6YH0080
1125	肱	AEF9	6EFA	T6YI0080
1126	肱	AEFA	6EFB	T6YJ0080
1127	肱	AEFB	6EFC	T6YK0080
1128	肱	AEFC	6EFD	T6YL0080
1129	肤	AF40	6F41	T6YP0080
1130	肤	AF41	6F42	T6YQ0080
1131	胙	AF42	6F43	T6YR0080
1132	胙	AF43	6F44	T6YS0080
1133	胸	AF44	6F45	T6YT0080
1134	肘	AF45	6F46	T6YU0080
1135	胎	AF46	6F47	T6YV0080
1136	肺	AF47	6F48	T6YW0080
1137	胗	AF48	6F49	T6YX0080
1138	肤	AF49	6F4A	T6YY0080
1139	胍	AF4A	6F4B	T6YZ0080
1140	番	AF4B	6F4C	T6Z00080
1141	缸	AF4C	6F4D	T6Z10080
1142	崑	AF4D	6F4E	T6Z20080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
1143	苙	AF4E	6F4F	T6Z30080
1144	苖	AF4F	6F50	T6Z40080
1145	萃	AF50	6F51	T6Z50080
1146	苈	AF51	6F52	T6Z60080
1147	苉	AF52	6F53	T6Z70080
1148	苊	AF53	6F54	T6Z80080
1149	苋	AF54	6F55	T6Z90080
1150	苌	AF55	6F56	T6ZA0080
1151	苍	AF56	6F57	T6ZB0080
1152	苎	AF57	6F58	T6ZC0080
1153	苏	AF58	6F59	T6ZD0080
1154	苐	AF59	6F5A	T6ZE0080
1155	苑	AF5A	6F5B	T6ZF0080
1156	苒	AF5B	6F5C	T6ZG0080
1157	苓	AF5C	6F5D	T6ZH0080
1158	苔	AF5D	6F5E	T6ZI0080
1159	苕	AF5E	6F5F	T6ZJ0080
1160	茶	AF5F	6F60	T6ZK0080
1161	苕	AF60	6F61	T6ZL0080
1162	苕	AF61	6F62	T6ZM0080
1163	苕	AF62	6F63	T6ZN0080
1164	苕	AF63	6F64	T6ZO0080
1165	苕	AF64	6F65	T6ZP0080
1166	苕	AF65	6F66	T6ZQ0080
1167	苕	AF66	6F67	T6ZR0080
1168	苕	AF67	6F68	T6ZS0080

Line Number	Graphic	PC Code	Host Code	GCGID
1169	蚘	AF68	6F69	T6ZT0080
1170	蚙	AF69	6F6A	T6ZU0080
1171	蚛	AF6A	6F6B	T6ZV0080
1172	蚜	AF6B	6F6C	T6ZW0080
1173	蚝	AF6C	6F6D	T6ZX0080
1174	蚞	AF6D	6F6E	T6ZY0080
1175	蚘	AF6E	6F6F	T6ZZ0080
1176	蚙	AF6F	6F70	T7000080
1177	蚛	AF70	6F71	T7010080
1178	蚜	AF71	6F72	T7020080
1179	蚝	AF72	6F73	T7030080
1180	蚞	AF73	6F74	T7040080
1181	蚘	AF74	6F75	T7050080
1182	蚙	AF75	6F76	T7060080
1183	蚛	AF76	6F77	T7070080
1184	蚜	AF77	6F78	T7080080
1185	蚝	AF78	6F79	T7090080
1186	蚞	AF79	6F7A	T70A0080
1187	蚘	AF7A	6F7B	T70B0080
1188	蚙	AF7B	6F7C	T70C0080
1189	蚛	AF7C	6F7D	T70D0080
1190	蚜	AF7D	6F7E	T70E0080
1191	蚝	AF7E	6F7F	T70F0080
1192	蚞	AF80	6F81	T70H0080
1193	蚘	AF81	6F82	T70I0080
1194	蚙	AF82	6F83	T70J0080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
1195	釵	AF83	6F84	T70K0080
1196	陔	AF84	6F85	T70L0080
1197	隋	AF85	6F86	T70M0080
1198	隰	AF86	6F87	T70N0080
1199	跨	AF87	6F88	T70O0080
1200	陟	AF88	6F89	T70P0080
1201	陟	AF89	6F8A	T70Q0080
1202	凉	AF8A	6F8B	T70R0080
1203	倅	AF8B	6F8C	T70S0080
1204	碗	AF8C	6F8D	T70T0080
1205	倓	AF8D	6F8E	T70U0080
1206	倓	AF8E	6F8F	T70V0080
1207	倓	AF8F	6F90	T70W0080
1208	倓	AF90	6F91	T70X0080
1209	倓	AF91	6F92	T70Y0080
1210	倓	AF92	6F93	T70Z0080
1211	倓	AF93	6F94	T7100080
1212	倓	AF94	6F95	T7110080
1213	倓	AF95	6F96	T7120080
1214	倓	AF96	6F97	T7130080
1215	倓	AF97	6F98	T7140080
1216	倓	AF98	6F99	T7150080
1217	倓	AF99	6F9A	T7160080
1218	倓	AF9A	6F9B	T7170080
1219	倓	AF9B	6F9C	T7180080
1220	倓	AF9C	6F9D	T7190080

Line Number	Graphic	PC Code	Host Code	GCGID
1221	倓	AF9D	6F9E	T71A0080
1222	倓	AF9E	6F9F	T71B0080
1223	倓	AF9F	6FA0	T71C0080
1224	倓	AFA0	6FA1	T71D0080
1225	倓	AFA1	6FA2	T71E0080
1226	倓	AFA2	6FA3	T71F0080
1227	倓	AFA3	6FA4	T71G0080
1228	倓	AFA4	6FA5	T71H0080
1229	倓	AFA5	6FA6	T71I0080
1230	倓	AFA6	6FA7	T71J0080
1231	倓	AFA7	6FA8	T71K0080
1232	倓	AFA8	6FA9	T71L0080
1233	倓	AFA9	6FAA	T71M0080
1234	倓	AFAA	6FAB	T71N0080
1235	倓	AFAB	6FAC	T71O0080
1236	倓	AFAC	6FAD	T71P0080
1237	倓	AFAD	6FAE	T71Q0080
1238	倓	AFAE	6FAF	T71R0080
1239	倓	AFAF	6FB0	T71S0080
1240	倓	AFB0	6FB1	T71T0080
1241	倓	AFB1	6FB2	T71U0080
1242	倓	AFB2	6FB3	T71V0080
1243	倓	AFB3	6FB4	T71W0080
1244	倓	AFB4	6FB5	T71X0080
1245	倓	AFB5	6FB6	T71Y0080
1246	倓	AFB6	6FB7	T71Z0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
1247	晰	AFB7	6FB8	T7200080
1248	嘯	AFB8	6FB9	T7210080
1249	嘜	AFB9	6FBA	T7220080
1250	嘞	AFBA	6FBB	T7230080
1251	嘞	AFBB	6FBC	T7240080
1252	嘞	AFBC	6FBD	T7250080
1253	嘞	AFBD	6FBE	T7260080
1254	啞	AFBE	6FBF	T7270080
1255	啞	AFBF	6FC0	T7280080
1256	啞	AFC0	6FC1	T7290080
1257	啞	AFC1	6FC2	T72A0080
1258	啞	AFC2	6FC3	T72B0080
1259	啞	AFC3	6FC4	T72C0080
1260	啞	AFC4	6FC5	T72D0080
1261	啞	AFC5	6FC6	T72E0080
1262	啞	AFC6	6FC7	T72F0080
1263	啞	AFC7	6FC8	T72G0080
1264	啞	AFC8	6FC9	T72H0080
1265	啞	AFC9	6FCA	T72I0080
1266	啞	AFCA	6FCB	T72J0080
1267	啞	AFCB	6FCC	T72K0080
1268	啞	AFCC	6FCD	T72L0080
1269	啞	AFCD	6FCE	T72M0080
1270	啞	AFCE	6FCF	T72N0080
1271	啞	AFCF	6FD0	T72O0080
1272	啞	AFD0	6FD1	T72P0080

Line Number	Graphic	PC Code	Host Code	GCGID
1273	啞	AFD1	6FD2	T72Q0080
1274	啞	AFD2	6FD3	T72R0080
1275	啞	AFD3	6FD4	T72S0080
1276	啞	AFD4	6FD5	T72T0080
1277	啞	AFD5	6FD6	T72U0080
1278	啞	AFD6	6FD7	T72V0080
1279	啞	AFD7	6FD8	T72W0080
1280	啞	AFD8	6FD9	T72X0080
1281	啞	AFD9	6FDA	T72Y0080
1282	啞	AFDA	6FDB	T72Z0080
1283	啞	AFDB	6FDC	T7300080
1284	啞	AFDC	6FDD	T7310080
1285	啞	AFDD	6FDE	T7320080
1286	啞	AFDE	6FDF	T7330080
1287	啞	AFDF	6FE0	T7340080
1288	啞	AFE0	6FE1	T7350080
1289	啞	AFE1	6FE2	T7360080
1290	啞	AFE2	6FE3	T7370080
1291	啞	AFE3	6FE4	T7380080
1292	啞	AFE4	6FE5	T7390080
1293	啞	AFE5	6FE6	T73A0080
1294	啞	AFE6	6FE7	T73B0080
1295	啞	AFE7	6FE8	T73C0080
1296	啞	AFE8	6FE9	T73D0080
1297	啞	AFE9	6FEA	T73E0080
1298	啞	AFEA	6FEB	T73F0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
1299	犀	AFEB	6FEC	T73G0080
1300	隄	AFEC	6FED	T73H0080
1301	岫	AFED	6FEE	T73I0080
1302	崕	AFEE	6FEF	T73J0080
1303	崕	AFEF	6FF0	T73K0080
1304	狃	AFF0	6FF1	T73L0080
1305	峯	AFF1	6FF2	T73M0080
1306	崕	AFF2	6FF3	T73N0080
1307	崕	AFF3	6FF4	T73O0080
1308	崕	AFF4	6FF5	T73P0080
1309	崕	AFF5	6FF6	T73Q0080
1310	崕	AFF6	6FF7	T73R0080
1311	崕	AFF7	6FF8	T73S0080
1312	崕	AFF8	6FF9	T73T0080
1313	崕	AFF9	6FFA	T73U0080
1314	崕	AFFA	6FFB	T73V0080
1315	崕	AFFB	6FFC	T73W0080
1316	崕	AFFC	6FFD	T73X0080
1317	悃	B040	7041	T7410080
1318	悃	B041	7042	T7420080
1319	悃	B042	7043	T7430080
1320	悃	B043	7044	T7440080
1321	悃	B044	7045	T7450080
1322	悃	B045	7046	T7460080
1323	悃	B046	7047	T7470080
1324	悃	B047	7048	T7480080

Line Number	Graphic	PC Code	Host Code	GCGID
1325	悃	B048	7049	T7490080
1326	悃	B049	704A	T74A0080
1327	悃	B04A	704B	T74B0080
1328	悃	B04B	704C	T74C0080
1329	悃	B04C	704D	T74D0080
1330	悃	B04D	704E	T74E0080
1331	悃	B04E	704F	T74F0080
1332	悃	B04F	7050	T74G0080
1333	悃	B050	7051	T74H0080
1334	悃	B051	7052	T74I0080
1335	悃	B052	7053	T74J0080
1336	悃	B053	7054	T74K0080
1337	悃	B054	7055	T74L0080
1338	悃	B055	7056	T74M0080
1339	悃	B056	7057	T74N0080
1340	悃	B057	7058	T74O0080
1341	悃	B058	7059	T74P0080
1342	悃	B059	705A	T74Q0080
1343	悃	B05A	705B	T74R0080
1344	悃	B05B	705C	T74S0080
1345	悃	B05C	705D	T74T0080
1346	悃	B05D	705E	T74U0080
1347	悃	B05E	705F	T74V0080
1348	悃	B05F	7060	T74W0080
1349	悃	B060	7061	T74X0080
1350	悃	B061	7062	T74Y0080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
1351	梅	B062	7063	T74Z0080
1352	掇	B063	7064	T7500080
1353	摘	B064	7065	T7510080
1354	掉	B065	7066	T7520080
1355	摸	B066	7067	T7530080
1356	捺	B067	7068	T7540080
1357	捏	B068	7069	T7550080
1358	捏	B069	706A	T7560080
1359	摸	B06A	706B	T7570080
1360	摸	B06B	706C	T7580080
1361	拂	B06C	706D	T7590080
1362	摔	B06D	706E	T75A0080
1363	捺	B06E	706F	T75B0080
1364	捺	B06F	7070	T75C0080
1365	敲	B070	7071	T75D0080
1366	旃	B071	7072	T75E0080
1367	旃	B072	7073	T75F0080
1368	旄	B073	7074	T75G0080
1369	旂	B074	7075	T75H0080
1370	睦	B075	7076	T75I0080
1371	晟	B076	7077	T75J0080
1372	睦	B077	7078	T75K0080
1373	曷	B078	7079	T75L0080
1374	膈	B079	707A	T75M0080
1375	眺	B07A	707B	T75N0080
1376	楨	B07B	707C	T75O0080

Line Number	Graphic	PC Code	Host Code	GCGID
1377	棧	B07C	707D	T75P0080
1378	椏	B07D	707E	T75Q0080
1379	栲	B07E	707F	T75R0080
1380	栳	B080	7081	T75T0080
1381	栴	B081	7082	T75U0080
1382	栳	B082	7083	T75V0080
1383	栴	B083	7084	T75W0080
1384	栖	B084	7085	T75X0080
1385	栢	B085	7086	T75Y0080
1386	棟	B086	7087	T75Z0080
1387	榭	B087	7088	T7600080
1388	楸	B088	7089	T7610080
1389	榭	B089	708A	T7620080
1390	栳	B08A	708B	T7630080
1391	榉	B08B	708C	T7640080
1392	桃	B08C	708D	T7650080
1393	梅	B08D	708E	T7660080
1394	栝	B08E	708F	T7670080
1395	栲	B08F	7090	T7680080
1396	梨	B090	7091	T7690080
1397	栲	B091	7092	T76A0080
1398	欸	B092	7093	T76B0080
1399	楫	B093	7094	T76C0080
1400	栲	B094	7095	T76D0080
1401	栳	B095	7096	T76E0080
1402	漆	B096	7097	T76F0080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 18 (Page 28 of 44). Secondary CH-T (1/4), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
1403	隼	B097	7098	T76G0080
1404	欸	B098	7099	T76H0080
1405	欸	B099	709A	T76I0080
1406	歐	B09A	709B	T76J0080
1407	飲	B09B	709C	T76K0080
1408	飲	B09C	709D	T76L0080
1409	峙	B09D	709E	T76M0080
1410	肄	B09E	709F	T76N0080
1411	殍	B09F	70A0	T76O0080
1412	眊	B0A0	70A1	T76P0080
1413	筵	B0A1	70A2	T76Q0080
1414	毯	B0A2	70A3	T76R0080
1415	翟	B0A3	70A4	T76S0080
1416	毳	B0A4	70A5	T76T0080
1417	毳	B0A5	70A6	T76U0080
1418	氫	B0A6	70A7	T76V0080
1419	沖	B0A7	70A8	T76W0080
1420	浣	B0A8	70A9	T76X0080
1421	浹	B0A9	70AA	T76Y0080
1422	滓	B0AA	70AB	T76Z0080
1423	漚	B0AB	70AC	T7700080
1424	滄	B0AC	70AD	T7710080
1425	渚	B0AD	70AE	T7720080
1426	渥	B0AE	70AF	T7730080
1427	洄	B0AF	70B0	T7740080
1428	漚	B0B0	70B1	T7750080

Table 18 (Page 28 of 44). Secondary CH-T (1/4), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
1429	渚	B0B1	70B2	T7760080
1430	渚	B0B2	70B3	T7770080
1431	渚	B0B3	70B4	T7780080
1432	渚	B0B4	70B5	T7790080
1433	渚	B0B5	70B6	T77A0080
1434	渚	B0B6	70B7	T77B0080
1435	渚	B0B7	70B8	T77C0080
1436	渚	B0B8	70B9	T77D0080
1437	渚	B0B9	70BA	T77E0080
1438	渚	B0BA	70BB	T77F0080
1439	渚	B0BB	70BC	T77G0080
1440	渚	B0BC	70BD	T77H0080
1441	渚	B0BD	70BE	T77I0080
1442	渚	B0BE	70BF	T77J0080
1443	渚	B0BF	70C0	T77K0080
1444	渚	B0C0	70C1	T77L0080
1445	渚	B0C1	70C2	T77M0080
1446	渚	B0C2	70C3	T77N0080
1447	渚	B0C3	70C4	T77O0080
1448	渚	B0C4	70C5	T77P0080
1449	渚	B0C5	70C6	T77Q0080
1450	渚	B0C6	70C7	T77R0080
1451	渚	B0C7	70C8	T77S0080
1452	渚	B0C8	70C9	T77T0080
1453	渚	B0C9	70CA	T77U0080
1454	渚	B0CA	70CB	T77V0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
1455	灏	B0CB	70CC	T77W0080
1456	烜	B0CC	70CD	T77X0080
1457	焯	B0CD	70CE	T77Y0080
1458	焯	B0CE	70CF	T77Z0080
1459	烝	B0CF	70D0	T7800080
1460	焯	B0D0	70D1	T7810080
1461	焯	B0D1	70D2	T7820080
1462	焯	B0D2	70D3	T7830080
1463	焯	B0D3	70D4	T7840080
1464	焯	B0D4	70D5	T7850080
1465	焯	B0D5	70D6	T7860080
1466	焯	B0D6	70D7	T7870080
1467	焯	B0D7	70D8	T7880080
1468	焯	B0D8	70D9	T7890080
1469	焯	B0D9	70DA	T78A0080
1470	焯	B0DA	70DB	T78B0080
1471	焯	B0DB	70DC	T78C0080
1472	焯	B0DC	70DD	T78D0080
1473	焯	B0DD	70DE	T78E0080
1474	焯	B0DE	70DF	T78F0080
1475	焯	B0DF	70E0	T78G0080
1476	焯	B0E0	70E1	T78H0080
1477	焯	B0E1	70E2	T78I0080
1478	焯	B0E2	70E3	T78J0080
1479	焯	B0E3	70E4	T78K0080
1480	焯	B0E4	70E5	T78L0080

Line Number	Graphic	PC Code	Host Code	GCGID
1481	玃	B0E5	70E6	T78M0080
1482	玃	B0E6	70E7	T78N0080
1483	玃	B0E7	70E8	T78O0080
1484	玃	B0E8	70E9	T78P0080
1485	玃	B0E9	70EA	T78Q0080
1486	玃	B0EA	70EB	T78R0080
1487	玃	B0EB	70EC	T78S0080
1488	玃	B0EC	70ED	T78T0080
1489	玃	B0ED	70EE	T78U0080
1490	玃	B0EE	70EF	T78V0080
1491	玃	B0EF	70F0	T78W0080
1492	玃	B0F0	70F1	T78X0080
1493	玃	B0F1	70F2	T78Y0080
1494	玃	B0F2	70F3	T78Z0080
1495	玃	B0F3	70F4	T7900080
1496	玃	B0F4	70F5	T7910080
1497	玃	B0F5	70F6	T7920080
1498	玃	B0F6	70F7	T7930080
1499	玃	B0F7	70F8	T7940080
1500	玃	B0F8	70F9	T7950080
1501	玃	B0F9	70FA	T7960080
1502	玃	B0FA	70FB	T7970080
1503	玃	B0FB	70FC	T7980080
1504	玃	B0FC	70FD	T7990080
1505	玃	B140	7141	T79D0080
1506	玃	B141	7142	T79E0080

**IBM Traditional Chinese Graphic Character Set**

DBCS - Host and DBCS - PC

Table 18 (Page 30 of 44). Secondary CH-T (1/4), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
1507	甌	B142	7143	T79F0080
1508	甌	B143	7144	T79G0080
1509	畛	B144	7145	T79H0080
1510	畛	B145	7146	T79I0080
1511	疰	B146	7147	T79J0080
1512	疰	B147	7148	T79K0080
1513	疰	B148	7149	T79L0080
1514	疰	B149	714A	T79M0080
1515	疰	B14A	714B	T79N0080
1516	疰	B14B	714C	T79O0080
1517	疰	B14C	714D	T79P0080
1518	疰	B14D	714E	T79Q0080
1519	疰	B14E	714F	T79R0080
1520	疰	B14F	7150	T79S0080
1521	疰	B150	7151	T79T0080
1522	疰	B151	7152	T79U0080
1523	疰	B152	7153	T79V0080
1524	疰	B153	7154	T79W0080
1525	疰	B154	7155	T79X0080
1526	疰	B155	7156	T79Y0080
1527	疰	B156	7157	T79Z0080
1528	疰	B157	7158	T7A00080
1529	疰	B158	7159	T7A10080
1530	疰	B159	715A	T7A20080
1531	疰	B15A	715B	T7A30080
1532	疰	B15B	715C	T7A40080

Table 18 (Page 30 of 44). Secondary CH-T (1/4), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
1533	疰	B15C	715D	T7A50080
1534	疰	B15D	715E	T7A60080
1535	疰	B15E	715F	T7A70080
1536	疰	B15F	7160	T7A80080
1537	疰	B160	7161	T7A90080
1538	疰	B161	7162	T7AA0080
1539	疰	B162	7163	T7AB0080
1540	疰	B163	7164	T7AC0080
1541	疰	B164	7165	T7AD0080
1542	疰	B165	7166	T7AE0080
1543	疰	B166	7167	T7AF0080
1544	疰	B167	7168	T7AG0080
1545	疰	B168	7169	T7AH0080
1546	疰	B169	716A	T7AI0080
1547	疰	B16A	716B	T7AJ0080
1548	疰	B16B	716C	T7AK0080
1549	疰	B16C	716D	T7AL0080
1550	疰	B16D	716E	T7AM0080
1551	疰	B16E	716F	T7AN0080
1552	疰	B16F	7170	T7AO0080
1553	疰	B170	7171	T7AP0080
1554	疰	B171	7172	T7AQ0080
1555	疰	B172	7173	T7AR0080
1556	疰	B173	7174	T7AS0080
1557	疰	B174	7175	T7AT0080
1558	疰	B175	7176	T7AU0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
1559	秕	B176	7177	T7AV0080
1560	柚	B177	7178	T7AW0080
1561	稈	B178	7179	T7AX0080
1562	窆	B179	717A	T7AY0080
1563	窳	B17A	717B	T7AZ0080
1564	窶	B17B	717C	T7B00080
1565	窷	B17C	717D	T7B10080
1566	窸	B17D	717E	T7B20080
1567	窹	B17E	717F	T7B30080
1568	窺	B180	7181	T7B50080
1569	窬	B181	7182	T7B60080
1570	筊	B182	7183	T7B70080
1571	筴	B183	7184	T7B80080
1572	筵	B184	7185	T7B90080
1573	筥	B185	7186	T7BA0080
1574	筦	B186	7187	T7BB0080
1575	筧	B187	7188	T7BC0080
1576	筨	B188	7189	T7BD0080
1577	筩	B189	718A	T7BE0080
1578	筪	B18A	718B	T7BF0080
1579	筫	B18B	718C	T7BG0080
1580	籠	B18C	718D	T7BH0080
1581	粃	B18D	718E	T7BI0080
1582	粦	B18E	718F	T7BJ0080
1583	糒	B18F	7190	T7BK0080
1584	糒	B190	7191	T7BL0080

Line Number	Graphic	PC Code	Host Code	GCGID
1585	粦	B191	7192	T7BM0080
1586	糒	B192	7193	T7BN0080
1587	糒	B193	7194	T7BO0080
1588	糒	B194	7195	T7BP0080
1589	糒	B195	7196	T7BQ0080
1590	糒	B196	7197	T7BR0080
1591	糒	B197	7198	T7BS0080
1592	糒	B198	7199	T7BT0080
1593	糒	B199	719A	T7BU0080
1594	糒	B19A	719B	T7BV0080
1595	糒	B19B	719C	T7BW0080
1596	糒	B19C	719D	T7BX0080
1597	糒	B19D	719E	T7BY0080
1598	罍	B19E	719F	T7BZ0080
1599	罍	B19F	71A0	T7C00080
1600	罍	B1A0	71A1	T7C10080
1601	罍	B1A1	71A2	T7C20080
1602	罍	B1A2	71A3	T7C30080
1603	罍	B1A3	71A4	T7C40080
1604	鞅	B1A4	71A5	T7C50080
1605	鞅	B1A5	71A6	T7C60080
1606	翊	B1A6	71A7	T7C70080
1607	糒	B1A7	71A8	T7C80080
1608	翀	B1A8	71A9	T7C90080
1609	粦	B1A9	71AA	T7CA0080
1610	聒	B1AA	71AB	T7CB0080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
1611	聆	B1AB	71AC	T7CC0080
1612	腋	B1AC	71AD	T7CD0080
1613	肱	B1AD	71AE	T7CE0080
1614	肱	B1AE	71AF	T7CF0080
1615	脛	B1AF	71B0	T7CG0080
1616	腓	B1B0	71B1	T7CH0080
1617	脗	B1B1	71B2	T7CI0080
1618	脘	B1B2	71B3	T7CJ0080
1619	鼻	B1B3	71B4	T7CK0080
1620	舛	B1B4	71B5	T7CL0080
1621	舛	B1B5	71B6	T7CM0080
1622	舛	B1B6	71B7	T7CN0080
1623	菱	B1B7	71B8	T7CO0080
1624	菱	B1B8	71B9	T7CP0080
1625	菱	B1B9	71BA	T7CQ0080
1626	菱	B1BA	71BB	T7CR0080
1627	菱	B1BB	71BC	T7CS0080
1628	菱	B1BC	71BD	T7CT0080
1629	菀	B1BD	71BE	T7CU0080
1630	菀	B1BE	71BF	T7CV0080
1631	菀	B1BF	71C0	T7CW0080
1632	菀	B1C0	71C1	T7CX0080
1633	菀	B1C1	71C2	T7CY0080
1634	菀	B1C2	71C3	T7CZ0080
1635	菀	B1C3	71C4	T7D00080
1636	菀	B1C4	71C5	T7D10080

Line Number	Graphic	PC Code	Host Code	GCGID
1637	菀	B1C5	71C6	T7D20080
1638	菀	B1C6	71C7	T7D30080
1639	菀	B1C7	71C8	T7D40080
1640	菀	B1C8	71C9	T7D50080
1641	菀	B1C9	71CA	T7D60080
1642	菀	B1CA	71CB	T7D70080
1643	菀	B1CB	71CC	T7D80080
1644	菀	B1CC	71CD	T7D90080
1645	菀	B1CD	71CE	T7DA0080
1646	菀	B1CE	71CF	T7DB0080
1647	菀	B1CF	71D0	T7DC0080
1648	菀	B1D0	71D1	T7DD0080
1649	菀	B1D1	71D2	T7DE0080
1650	菀	B1D2	71D3	T7DF0080
1651	菀	B1D3	71D4	T7DG0080
1652	菀	B1D4	71D5	T7DH0080
1653	菀	B1D5	71D6	T7DI0080
1654	菀	B1D6	71D7	T7DJ0080
1655	菀	B1D7	71D8	T7DK0080
1656	菀	B1D8	71D9	T7DL0080
1657	菀	B1D9	71DA	T7DM0080
1658	菀	B1DA	71DB	T7DN0080
1659	菀	B1DB	71DC	T7DO0080
1660	菀	B1DC	71DD	T7DP0080
1661	菀	B1DD	71DE	T7DQ0080
1662	菀	B1DE	71DF	T7DR0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
1663	蛛	B1DF	71E0	T7DS0080
1664	虱	B1E0	71E1	T7DT0080
1665	蚋	B1E1	71E2	T7DU0080
1666	虻	B1E2	71E3	T7DV0080
1667	蚋	B1E3	71E4	T7DW0080
1668	蚋	B1E4	71E5	T7DX0080
1669	蚋	B1E5	71E6	T7DY0080
1670	蚊	B1E6	71E7	T7DZ0080
1671	蚋	B1E7	71E8	T7E00080
1672	蚋	B1E8	71E9	T7E10080
1673	蚋	B1E9	71EA	T7E20080
1674	蚕	B1EA	71EB	T7E30080
1675	虻	B1EB	71EC	T7E40080
1676	虻	B1EC	71ED	T7E50080
1677	虻	B1ED	71EE	T7E60080
1678	蚋	B1EE	71EF	T7E70080
1679	蚋	B1EF	71F0	T7E80080
1680	蚋	B1F0	71F1	T7E90080
1681	蚋	B1F1	71F2	T7EA0080
1682	袂	B1F2	71F3	T7EB0080
1683	袂	B1F3	71F4	T7EC0080
1684	袂	B1F4	71F5	T7ED0080
1685	衲	B1F5	71F6	T7EE0080
1686	衲	B1F6	71F7	T7EF0080
1687	袂	B1F7	71F8	T7EG0080
1688	衲	B1F8	71F9	T7EH0080

Line Number	Graphic	PC Code	Host Code	GCGID
1689	粉	B1F9	71FA	T7EI0080
1690	袂	B1FA	71FB	T7EJ0080
1691	袂	B1FB	71FC	T7EK0080
1692	枕	B1FC	71FD	T7EL0080
1693	枝	B240	7241	T7EP0080
1694	詗	B241	7242	T7EQ0080
1695	豉	B242	7243	T7ER0080
1696	豉	B243	7244	T7ES0080
1697	豉	B244	7245	T7ET0080
1698	馳	B245	7246	T7EU0080
1699	豉	B246	7247	T7EV0080
1700	赶	B247	7248	T7EW0080
1701	趟	B248	7249	T7EX0080
1702	趵	B249	724A	T7EY0080
1703	踮	B24A	724B	T7EZ0080
1704	趸	B24B	724C	T7F00080
1705	鞅	B24C	724D	T7F10080
1706	帆	B24D	724E	T7F20080
1707	遛	B24E	724F	T7F30080
1708	週	B24F	7250	T7F40080
1709	适	B250	7251	T7F50080
1710	迥	B251	7252	T7F60080
1711	逄	B252	7253	T7F70080
1712	逢	B253	7254	T7F80080
1713	造	B254	7255	T7F90080
1714	造	B255	7256	T7FA0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 18 (Page 34 of 44). Secondary CH-T (1/4), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
1715	邙	B256	7257	T7FB0080
1716	鄆	B257	7258	T7FC0080
1717	邨	B258	7259	T7FD0080
1718	邳	B259	725A	T7FE0080
1719	邴	B25A	725B	T7FF0080
1720	邶	B25B	725C	T7FG0080
1721	邰	B25C	725D	T7FH0080
1722	邲	B25D	725E	T7FI0080
1723	邳	B25E	725F	T7FJ0080
1724	邴	B25F	7260	T7FK0080
1725	邶	B260	7261	T7FL0080
1726	邰	B261	7262	T7FM0080
1727	邲	B262	7263	T7FN0080
1728	邳	B263	7264	T7FO0080
1729	邴	B264	7265	T7FP0080
1730	邶	B265	7266	T7FQ0080
1731	邰	B266	7267	T7FR0080
1732	邲	B267	7268	T7FS0080
1733	陝	B268	7269	T7FT0080
1734	陟	B269	726A	T7FU0080
1735	隼	B26A	726B	T7FV0080
1736	釘	B26B	726C	T7FW0080
1737	彭	B26C	726D	T7FX0080
1738	邕	B26D	726E	T7FY0080
1739	糺	B26E	726F	T7FZ0080
1740	楔	B26F	7270	T7G00080

Table 18 (Page 34 of 44). Secondary CH-T (1/4), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
1741	偈	B270	7271	T7G10080
1742	偊	B271	7272	T7G20080
1743	僕	B272	7273	T7G30080
1744	偃	B273	7274	T7G40080
1745	偖	B274	7275	T7G50080
1746	偗	B275	7276	T7G60080
1747	偘	B276	7277	T7G70080
1748	偙	B277	7278	T7G80080
1749	做	B278	7279	T7G90080
1750	偛	B279	727A	T7GA0080
1751	停	B27A	727B	T7GB0080
1752	偝	B27B	727C	T7GC0080
1753	偞	B27C	727D	T7GD0080
1754	偟	B27D	727E	T7GE0080
1755	偠	B27E	727F	T7GF0080
1756	偡	B280	7281	T7GH0080
1757	偣	B281	7282	T7GI0080
1758	偤	B282	7283	T7GJ0080
1759	健	B283	7284	T7GK0080
1760	偦	B284	7285	T7GL0080
1761	偧	B285	7286	T7GM0080
1762	偨	B286	7287	T7GN0080
1763	僕	B287	7288	T7GO0080
1764	偫	B288	7289	T7GP0080
1765	偬	B289	728A	T7GQ0080
1766	偭	B28A	728B	T7GR0080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
1767	儷	B28B	728C	T7GS0080
1768	漻	B28C	728D	T7GT0080
1769	劇	B28D	728E	T7GU0080
1770	劇	B28E	728F	T7GV0080
1771	崱	B28F	7290	T7GW0080
1772	副	B290	7291	T7GX0080
1773	勛	B291	7292	T7GY0080
1774	勛	B292	7293	T7GZ0080
1775	匱	B293	7294	T7H00080
1776	厓	B294	7295	T7H10080
1777	嗽	B295	7296	T7H20080
1778	啞	B296	7297	T7H30080
1779	唛	B297	7298	T7H40080
1780	啍	B298	7299	T7H50080
1781	啐	B299	729A	T7H60080
1782	啞	B29A	729B	T7H70080
1783	啞	B29B	729C	T7H80080
1784	隄	B29C	729D	T7H90080
1785	喃	B29D	729E	T7HA0080
1786	喑	B29E	729F	T7HB0080
1787	唵	B29F	72A0	T7HC0080
1788	喇	B2A0	72A1	T7HD0080
1789	囁	B2A1	72A2	T7HE0080
1790	啍	B2A2	72A3	T7HF0080
1791	啞	B2A3	72A4	T7HG0080
1792	吮	B2A4	72A5	T7HH0080

Line Number	Graphic	PC Code	Host Code	GCGID
1793	啥	B2A5	72A6	T7HI0080
1794	辖	B2A6	72A7	T7HJ0080
1795	嗽	B2A7	72A8	T7HK0080
1796	啐	B2A8	72A9	T7HL0080
1797	嗶	B2A9	72AA	T7HM0080
1798	唻	B2AA	72AB	T7HN0080
1799	啞	B2AB	72AC	T7HO0080
1800	啞	B2AC	72AD	T7HP0080
1801	匱	B2AD	72AE	T7HQ0080
1802	圃	B2AE	72AF	T7HR0080
1803	埠	B2AF	72B0	T7HS0080
1804	塚	B2B0	72B1	T7HT0080
1805	墟	B2B1	72B2	T7HU0080
1806	執	B2B2	72B3	T7HV0080
1807	埜	B2B3	72B4	T7HW0080
1808	埜	B2B4	72B5	T7HX0080
1809	堀	B2B5	72B6	T7HY0080
1810	隸	B2B6	72B7	T7HZ0080
1811	埽	B2B7	72B8	T7I00080
1812	埽	B2B8	72B9	T7I10080
1813	埽	B2B9	72BA	T7I20080
1814	埽	B2BA	72BB	T7I30080
1815	埽	B2BB	72BC	T7I40080
1816	埽	B2BC	72BD	T7I50080
1817	堇	B2BD	72BE	T7I60080
1818	埽	B2BE	72BF	T7I70080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
1819	粹	B2BF	72C0	T7I80080
1820	捧	B2C0	72C1	T7I90080
1821	靖	B2C1	72C2	T7IA0080
1822	堦	B2C2	72C3	T7IB0080
1823	堦	B2C3	72C4	T7IC0080
1824	堦	B2C4	72C5	T7ID0080
1825	琦	B2C5	72C6	T7IE0080
1826	堦	B2C6	72C7	T7IF0080
1827	埧	B2C7	72C8	T7IG0080
1828	埧	B2C8	72C9	T7IH0080
1829	埧	B2C9	72CA	T7II0080
1830	埧	B2CA	72CB	T7IJ0080
1831	埧	B2CB	72CC	T7IK0080
1832	埧	B2CC	72CD	T7IL0080
1833	埧	B2CD	72CE	T7IM0080
1834	埧	B2CE	72CF	T7IN0080
1835	斐	B2CF	72D0	T7IO0080
1836	媼	B2D0	72D1	T7IP0080
1837	媼	B2D1	72D2	T7IQ0080
1838	媼	B2D2	72D3	T7IR0080
1839	媼	B2D3	72D4	T7IS0080
1840	媼	B2D4	72D5	T7IT0080
1841	媼	B2D5	72D6	T7IU0080
1842	媼	B2D6	72D7	T7IV0080
1843	媼	B2D7	72D8	T7IW0080
1844	媼	B2D8	72D9	T7IX0080

Line Number	Graphic	PC Code	Host Code	GCGID
1845	媼	B2D9	72DA	T7IY0080
1846	媼	B2DA	72DB	T7IZ0080
1847	媼	B2DB	72DC	T7J00080
1848	媼	B2DC	72DD	T7J10080
1849	媼	B2DD	72DE	T7J20080
1850	媼	B2DE	72DF	T7J30080
1851	媼	B2DF	72E0	T7J40080
1852	媼	B2E0	72E1	T7J50080
1853	媼	B2E1	72E2	T7J60080
1854	媼	B2E2	72E3	T7J70080
1855	媼	B2E3	72E4	T7J80080
1856	媼	B2E4	72E5	T7J90080
1857	媼	B2E5	72E6	T7JA0080
1858	媼	B2E6	72E7	T7JB0080
1859	媼	B2E7	72E8	T7JC0080
1860	媼	B2E8	72E9	T7JD0080
1861	媼	B2E9	72EA	T7JE0080
1862	媼	B2EA	72EB	T7JF0080
1863	媼	B2EB	72EC	T7JG0080
1864	媼	B2EC	72ED	T7JH0080
1865	媼	B2ED	72EE	T7JI0080
1866	媼	B2EE	72EF	T7JJ0080
1867	媼	B2EF	72F0	T7JK0080
1868	媼	B2F0	72F1	T7JL0080
1869	媼	B2F1	72F2	T7JM0080
1870	媼	B2F2	72F3	T7JN0080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
1871	寔	B2F3	72F4	T7JO0080
1872	案	B2F4	72F5	T7JP0080
1873	厨	B2F5	72F6	T7JQ0080
1874	崞	B2F6	72F7	T7JR0080
1875	崱	B2F7	72F8	T7JS0080
1876	崲	B2F8	72F9	T7JT0080
1877	崳	B2F9	72FA	T7JU0080
1878	崴	B2FA	72FB	T7JV0080
1879	崵	B2FB	72FC	T7JW0080
1880	崶	B2FC	72FD	T7JX0080
1881	崷	B340	7341	T7K10080
1882	崸	B341	7342	T7K20080
1883	崹	B342	7343	T7K30080
1884	崺	B343	7344	T7K40080
1885	崻	B344	7345	T7K50080
1886	崼	B345	7346	T7K60080
1887	崽	B346	7347	T7K70080
1888	崾	B347	7348	T7K80080
1889	崿	B348	7349	T7K90080
1890	嶀	B349	734A	T7KA0080
1891	嶁	B34A	734B	T7KB0080
1892	嶂	B34B	734C	T7KC0080
1893	嶃	B34C	734D	T7KD0080
1894	嶄	B34D	734E	T7KE0080
1895	嶅	B34E	734F	T7KF0080
1896	嶆	B34F	7350	T7KG0080

Line Number	Graphic	PC Code	Host Code	GCGID
1897	嶇	B350	7351	T7KH0080
1898	嶈	B351	7352	T7KI0080
1899	嶉	B352	7353	T7KJ0080
1900	嶊	B353	7354	T7KK0080
1901	嶋	B354	7355	T7KL0080
1902	嶌	B355	7356	T7KM0080
1903	嶍	B356	7357	T7KN0080
1904	嶎	B357	7358	T7KO0080
1905	嶏	B358	7359	T7KP0080
1906	嶐	B359	735A	T7KQ0080
1907	嶑	B35A	735B	T7KR0080
1908	嶒	B35B	735C	T7KS0080
1909	嶓	B35C	735D	T7KT0080
1910	嶔	B35D	735E	T7KU0080
1911	嶕	B35E	735F	T7KV0080
1912	嶖	B35F	7360	T7KW0080
1913	嶗	B360	7361	T7KX0080
1914	嶘	B361	7362	T7KY0080
1915	嶙	B362	7363	T7KZ0080
1916	嶚	B363	7364	T7L00080
1917	嶛	B364	7365	T7L10080
1918	嶜	B365	7366	T7L20080
1919	嶝	B366	7367	T7L30080
1920	嶞	B367	7368	T7L40080
1921	嶟	B368	7369	T7L50080
1922	嶠	B369	736A	T7L60080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 18 (Page 38 of 44). Secondary CH-T (1/4), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
1923	攀	B36A	736B	T7L70080
1924	挽	B36B	736C	T7L80080
1925	掬	B36C	736D	T7L90080
1926	拈	B36D	736E	T7LA0080
1927	揅	B36E	736F	T7LB0080
1928	揅	B36F	7370	T7LC0080
1929	揅	B370	7371	T7LD0080
1930	揅	B371	7372	T7LE0080
1931	揅	B372	7373	T7LF0080
1932	揅	B373	7374	T7LG0080
1933	揅	B374	7375	T7LH0080
1934	揅	B375	7376	T7LI0080
1935	揅	B376	7377	T7LJ0080
1936	揅	B377	7378	T7LK0080
1937	揅	B378	7379	T7LL0080
1938	据	B379	737A	T7LM0080
1939	揅	B37A	737B	T7LN0080
1940	揅	B37B	737C	T7LO0080
1941	揅	B37C	737D	T7LP0080
1942	揅	B37D	737E	T7LQ0080
1943	揅	B37E	737F	T7LR0080
1944	揅	B380	7381	T7LT0080
1945	揅	B381	7382	T7LU0080
1946	揅	B382	7383	T7LV0080
1947	揅	B383	7384	T7LW0080
1948	揅	B384	7385	T7LX0080

Table 18 (Page 38 of 44). Secondary CH-T (1/4), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
1949	揅	B385	7386	T7LY0080
1950	揅	B386	7387	T7LZ0080
1951	揅	B387	7388	T7M00080
1952	揅	B388	7389	T7M10080
1953	揅	B389	738A	T7M20080
1954	揅	B38A	738B	T7M30080
1955	揅	B38B	738C	T7M40080
1956	揅	B38C	738D	T7M50080
1957	揅	B38D	738E	T7M60080
1958	揅	B38E	738F	T7M70080
1959	揅	B38F	7390	T7M80080
1960	揅	B390	7391	T7M90080
1961	揅	B391	7392	T7MA0080
1962	揅	B392	7393	T7MB0080
1963	揅	B393	7394	T7MC0080
1964	揅	B394	7395	T7MD0080
1965	揅	B395	7396	T7ME0080
1966	揅	B396	7397	T7MF0080
1967	揅	B397	7398	T7MG0080
1968	揅	B398	7399	T7MH0080
1969	揅	B399	739A	T7MI0080
1970	揅	B39A	739B	T7MJ0080
1971	揅	B39B	739C	T7MK0080
1972	揅	B39C	739D	T7ML0080
1973	揅	B39D	739E	T7MM0080
1974	揅	B39E	739F	T7MN0080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
1975	裡	B39F	73A0	T7MO0080
1976	裡	B3A0	73A1	T7MP0080
1977	裡	B3A1	73A2	T7MQ0080
1978	裡	B3A2	73A3	T7MR0080
1979	裡	B3A3	73A4	T7MS0080
1980	裡	B3A4	73A5	T7MT0080
1981	裡	B3A5	73A6	T7MU0080
1982	裡	B3A6	73A7	T7MV0080
1983	裡	B3A7	73A8	T7MW0080
1984	裡	B3A8	73A9	T7MX0080
1985	裡	B3A9	73AA	T7MY0080
1986	裡	B3AA	73AB	T7MZ0080
1987	裡	B3AB	73AC	T7N00080
1988	裡	B3AC	73AD	T7N10080
1989	裡	B3AD	73AE	T7N20080
1990	裡	B3AE	73AF	T7N30080
1991	裡	B3AF	73B0	T7N40080
1992	裡	B3B0	73B1	T7N50080
1993	裡	B3B1	73B2	T7N60080
1994	裡	B3B2	73B3	T7N70080
1995	裡	B3B3	73B4	T7N80080
1996	裡	B3B4	73B5	T7N90080
1997	裡	B3B5	73B6	T7NA0080
1998	裡	B3B6	73B7	T7NB0080
1999	裡	B3B7	73B8	T7NC0080
2000	裡	B3B8	73B9	T7ND0080

Line Number	Graphic	PC Code	Host Code	GCGID
2001	欸	B3B9	73BA	T7NE0080
2002	欸	B3BA	73BB	T7NF0080
2003	欸	B3BB	73BC	T7NG0080
2004	欸	B3BC	73BD	T7NH0080
2005	欸	B3BD	73BE	T7NI0080
2006	欸	B3BE	73BF	T7NJ0080
2007	欸	B3BF	73C0	T7NK0080
2008	欸	B3C0	73C1	T7NL0080
2009	欸	B3C1	73C2	T7NM0080
2010	欸	B3C2	73C3	T7NN0080
2011	欸	B3C3	73C4	T7NO0080
2012	欸	B3C4	73C5	T7NP0080
2013	欸	B3C5	73C6	T7NQ0080
2014	欸	B3C6	73C7	T7NR0080
2015	欸	B3C7	73C8	T7NS0080
2016	欸	B3C8	73C9	T7NT0080
2017	欸	B3C9	73CA	T7NU0080
2018	欸	B3CA	73CB	T7NV0080
2019	欸	B3CB	73CC	T7NW0080
2020	欸	B3CC	73CD	T7NX0080
2021	欸	B3CD	73CE	T7NY0080
2022	欸	B3CE	73CF	T7NZ0080
2023	欸	B3CF	73D0	T7O00080
2024	欸	B3D0	73D1	T7O10080
2025	欸	B3D1	73D2	T7O20080
2026	欸	B3D2	73D3	T7O30080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
2027	渚	B3D3	73D4	T7O40080
2028	渚	B3D4	73D5	T7O50080
2029	渚	B3D5	73D6	T7O60080
2030	渚	B3D6	73D7	T7O70080
2031	渚	B3D7	73D8	T7O80080
2032	渚	B3D8	73D9	T7O90080
2033	渚	B3D9	73DA	T7OA0080
2034	渚	B3DA	73DB	T7OB0080
2035	渚	B3DB	73DC	T7OC0080
2036	渚	B3DC	73DD	T7OD0080
2037	渚	B3DD	73DE	T7OE0080
2038	渚	B3DE	73DF	T7OF0080
2039	渚	B3DF	73E0	T7OG0080
2040	渚	B3E0	73E1	T7OH0080
2041	渚	B3E1	73E2	T7OI0080
2042	渚	B3E2	73E3	T7OJ0080
2043	渚	B3E3	73E4	T7OK0080
2044	渚	B3E4	73E5	T7OL0080
2045	渚	B3E5	73E6	T7OM0080
2046	渚	B3E6	73E7	T7ON0080
2047	渚	B3E7	73E8	T7OO0080
2048	渚	B3E8	73E9	T7OP0080
2049	渚	B3E9	73EA	T7OQ0080
2050	渚	B3EA	73EB	T7OR0080
2051	渚	B3EB	73EC	T7OS0080
2052	渚	B3EC	73ED	T7OT0080

Line Number	Graphic	PC Code	Host Code	GCGID
2053	焗	B3ED	73EE	T7OU0080
2054	焗	B3EE	73EF	T7OV0080
2055	焗	B3EF	73F0	T7OW0080
2056	焗	B3F0	73F1	T7OX0080
2057	焗	B3F1	73F2	T7OY0080
2058	焗	B3F2	73F3	T7OZ0080
2059	焗	B3F3	73F4	T7P00080
2060	焗	B3F4	73F5	T7P10080
2061	焗	B3F5	73F6	T7P20080
2062	焗	B3F6	73F7	T7P30080
2063	焗	B3F7	73F8	T7P40080
2064	焗	B3F8	73F9	T7P50080
2065	焗	B3F9	73FA	T7P60080
2066	焗	B3FA	73FB	T7P70080
2067	焗	B3FB	73FC	T7P80080
2068	焗	B3FC	73FD	T7P90080
2069	焗	B440	7441	T7PD0080
2070	焗	B441	7442	T7PE0080
2071	焗	B442	7443	T7PF0080
2072	焗	B443	7444	T7PG0080
2073	焗	B444	7445	T7PH0080
2074	焗	B445	7446	T7PI0080
2075	焗	B446	7447	T7PJ0080
2076	焗	B447	7448	T7PK0080
2077	焗	B448	7449	T7PL0080
2078	焗	B449	744A	T7PM0080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
2079	猯	B44A	744B	T7PN0080
2080	獐	B44B	744C	T7PO0080
2081	獍	B44C	744D	T7PP0080
2082	獬	B44D	744E	T7PQ0080
2083	狝	B44E	744F	T7PR0080
2084	玃	B44F	7450	T7PS0080
2085	瑋	B450	7451	T7PT0080
2086	瑛	B451	7452	T7PU0080
2087	瑛	B452	7453	T7PV0080
2088	瑛	B453	7454	T7PW0080
2089	瑛	B454	7455	T7PX0080
2090	玓	B455	7456	T7PY0080
2091	琇	B456	7457	T7PZ0080
2092	琇	B457	7458	T7Q00080
2093	琇	B458	7459	T7Q10080
2094	琇	B459	745A	T7Q20080
2095	琇	B45A	745B	T7Q30080
2096	琇	B45B	745C	T7Q40080
2097	琇	B45C	745D	T7Q50080
2098	琇	B45D	745E	T7Q60080
2099	琇	B45E	745F	T7Q70080
2100	時	B45F	7460	T7Q80080
2101	畜	B460	7461	T7Q90080
2102	痲	B461	7462	T7QA0080
2103	痒	B462	7463	T7QB0080
2104	痲	B463	7464	T7QC0080

Line Number	Graphic	PC Code	Host Code	GCGID
2105	痲	B464	7465	T7QD0080
2106	痲	B465	7466	T7QE0080
2107	痲	B466	7467	T7QF0080
2108	痲	B467	7468	T7QG0080
2109	餅	B468	7469	T7QH0080
2110	醜	B469	746A	T7QI0080
2111	盪	B46A	746B	T7QJ0080
2112	睽	B46B	746C	T7QK0080
2113	眯	B46C	746D	T7QL0080
2114	眭	B46D	746E	T7QM0080
2115	瞷	B46E	746F	T7QN0080
2116	眭	B46F	7470	T7QO0080
2117	眭	B470	7471	T7QP0080
2118	眭	B471	7472	T7QQ0080
2119	眭	B472	7473	T7QR0080
2120	眭	B473	7474	T7QS0080
2121	眭	B474	7475	T7QT0080
2122	眭	B475	7476	T7QU0080
2123	硃	B476	7477	T7QV0080
2124	硃	B477	7478	T7QW0080
2125	硃	B478	7479	T7QX0080
2126	硃	B479	747A	T7QY0080
2127	硃	B47A	747B	T7QZ0080
2128	硃	B47B	747C	T7R00080
2129	硃	B47C	747D	T7R10080
2130	硃	B47D	747E	T7R20080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
2131	碇	B47E	747F	T7R30080
2132	棚	B480	7481	T7R50080
2133	桃	B481	7482	T7R60080
2134	株	B482	7483	T7R70080
2135	桅	B483	7484	T7R80080
2136	椏	B484	7485	T7R90080
2137	裕	B485	7486	T7RA0080
2138	柴	B486	7487	T7RB0080
2139	离	B487	7488	T7RC0080
2140	稔	B488	7489	T7RD0080
2141	秸	B489	748A	T7RE0080
2142	窠	B48A	748B	T7RF0080
2143	稭	B48B	748C	T7RG0080
2144	穿	B48C	748D	T7RH0080
2145	窠	B48D	748E	T7RI0080
2146	窠	B48E	748F	T7RJ0080
2147	范	B48F	7490	T7RK0080
2148	筇	B490	7491	T7RL0080
2149	筇	B491	7492	T7RM0080
2150	筇	B492	7493	T7RN0080
2151	筇	B493	7494	T7RO0080
2152	筇	B494	7495	T7RP0080
2153	筇	B495	7496	T7RQ0080
2154	筇	B496	7497	T7RR0080
2155	筇	B497	7498	T7RS0080
2156	筇	B498	7499	T7RT0080

Line Number	Graphic	PC Code	Host Code	GCGID
2157	箇	B499	749A	T7RU0080
2158	筇	B49A	749B	T7RV0080
2159	筇	B49B	749C	T7RW0080
2160	筇	B49C	749D	T7RX0080
2161	筇	B49D	749E	T7RY0080
2162	筇	B49E	749F	T7RZ0080
2163	箇	B49F	74A0	T7S00080
2164	筇	B4A0	74A1	T7S10080
2165	筇	B4A1	74A2	T7S20080
2166	糗	B4A2	74A3	T7S30080
2167	粘	B4A3	74A4	T7S40080
2168	糗	B4A4	74A5	T7S50080
2169	糗	B4A5	74A6	T7S60080
2170	紵	B4A6	74A7	T7S70080
2171	紵	B4A7	74A8	T7S80080
2172	紵	B4A8	74A9	T7S90080
2173	紵	B4A9	74AA	T7SA0080
2174	紺	B4AA	74AB	T7SB0080
2175	綱	B4AB	74AC	T7SC0080
2176	紵	B4AC	74AD	T7SD0080
2177	紵	B4AD	74AE	T7SE0080
2178	紵	B4AE	74AF	T7SF0080
2179	紵	B4AF	74B0	T7SG0080
2180	紵	B4B0	74B1	T7SH0080
2181	紵	B4B1	74B2	T7SI0080
2182	紵	B4B2	74B3	T7SJ0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC


Line Number	Graphic	PC Code	Host Code	GCGID
2183	紕	B4B3	74B4	T7SK0080
2184	紕	B4B4	74B5	T7SL0080
2185	罍	B4B5	74B6	T7SM0080
2186	羨	B4B6	74B7	T7SN0080
2187	紕	B4B7	74B8	T7SO0080
2188	羝	B4B8	74B9	T7SP0080
2189	蕘	B4B9	74BA	T7SQ0080
2190	翊	B4BA	74BB	T7SR0080
2191	穉	B4BB	74BC	T7SS0080
2192	穉	B4BC	74BD	T7ST0080
2193	穉	B4BD	74BE	T7SU0080
2194	獬	B4BE	74BF	T7SV0080
2195	斐	B4BF	74C0	T7SW0080
2196	斐	B4C0	74C1	T7SX0080
2197	榭	B4C1	74C2	T7SY0080
2198	榭	B4C2	74C3	T7SZ0080
2199	紕	B4C3	74C4	T7T00080
2200	紕	B4C4	74C5	T7T10080
2201	聑	B4C5	74C6	T7T20080
2202	聑	B4C6	74C7	T7T30080
2203	聑	B4C7	74C8	T7T40080
2204	腕	B4C8	74C9	T7T50080
2205	腴	B4C9	74CA	T7T60080
2206	腴	B4CA	74CB	T7T70080
2207	脛	B4CB	74CC	T7T80080
2208	脛	B4CC	74CD	T7T90080

Line Number	Graphic	PC Code	Host Code	GCGID
2209	脛	B4CD	74CE	T7TA0080
2210	脛	B4CE	74CF	T7TB0080
2211	脛	B4CF	74D0	T7TC0080
2212	脛	B4D0	74D1	T7TD0080
2213	脛	B4D1	74D2	T7TE0080
2214	脛	B4D2	74D3	T7TF0080
2215	脛	B4D3	74D4	T7TG0080
2216	脛	B4D4	74D5	T7TH0080
2217	脛	B4D5	74D6	T7TI0080
2218	脛	B4D6	74D7	T7TJ0080
2219	脛	B4D7	74D8	T7TK0080
2220	脛	B4D8	74D9	T7TL0080
2221	脛	B4D9	74DA	T7TM0080
2222	脛	B4DA	74DB	T7TN0080
2223	脛	B4DB	74DC	T7TO0080
2224	脛	B4DC	74DD	T7TP0080
2225	脛	B4DD	74DE	T7TQ0080
2226	脛	B4DE	74DF	T7TR0080
2227	脛	B4DF	74E0	T7TS0080
2228	脛	B4E0	74E1	T7TT0080
2229	脛	B4E1	74E2	T7TU0080
2230	脛	B4E2	74E3	T7TV0080
2231	脛	B4E3	74E4	T7TW0080
2232	脛	B4E4	74E5	T7TX0080
2233	脛	B4E5	74E6	T7TY0080
2234	脛	B4E6	74E7	T7TZ0080

**IBM Traditional Chinese Graphic Character Set**

DBCS - Host and DBCS - PC

Table 18 (Page 44 of 44). Secondary CH-T (1/4), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
2235	蕓	B4E7	74E8	T7U00080
2236	葱	B4E8	74E9	T7U10080
2237	薑	B4E9	74EA	T7U20080
2238	芋	B4EA	74EB	T7U30080
2239	菱	B4EB	74EC	T7U40080
2240	菴	B4EC	74ED	T7U50080
2241	菴	B4ED	74EE	T7U60080
2242	莖	B4EE	74EF	T7U70080
2243	莖	B4EF	74F0	T7U80080
2244	莖	B4F0	74F1	T7U90080
2245	菴	B4F1	74F2	T7UA0080
2246	菱	B4F2	74F3	T7UB0080
2247	莖	B4F3	74F4	T7UC0080
2248	莖	B4F4	74F5	T7UD0080
2249	莖	B4F5	74F6	T7UE0080
2250	菴	B4F6	74F7	T7UF0080
2251	莖	B4F7	74F8	T7UG0080
2252	莖	B4F8	74F9	T7UH0080
2253	莖	B4F9	74FA	T7UI0080
2254	莖	B4FA	74FB	T7UJ0080
2255	莖	B4FB	74FC	T7UK0080
2256	莖	B4FC	74FD	T7UL0080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

8.15 Secondary Chinese Set (2 of 4)

Line Number	Graphic	PC Code	Host Code	GCGID
1	蕤	B540	7541	T7UP0080
2	處	B541	7542	T7UQ0080
3	庠	B542	7543	T7UR0080
4	玆	B543	7544	T7US0080
5	鉅	B544	7545	T7UT0080
6	蛟	B545	7546	T7UU0080
7	蛎	B546	7547	T7UV0080
8	蛄	B547	7548	T7UW0080
9	蚰	B548	7549	T7UX0080
10	蚰	B549	754A	T7UY0080
11	蛛	B54A	754B	T7UZ0080
12	蚶	B54B	754C	T7V00080
13	蚶	B54C	754D	T7V10080
14	蚶	B54D	754E	T7V20080
15	蚶	B54E	754F	T7V30080
16	蚶	B54F	7550	T7V40080
17	蚶	B550	7551	T7V50080
18	蚶	B551	7552	T7V60080
19	蚶	B552	7553	T7V70080
20	蚶	B553	7554	T7V80080
21	蚶	B554	7555	T7V90080
22	蚶	B555	7556	T7VA0080
23	蚶	B556	7557	T7VB0080
24	蚶	B557	7558	T7VC0080

Line Number	Graphic	PC Code	Host Code	GCGID
25	玆	B558	7559	T7VD0080
26	玆	B559	755A	T7VE0080
27	玆	B55A	755B	T7VF0080
28	玆	B55B	755C	T7VG0080
29	玆	B55C	755D	T7VH0080
30	玆	B55D	755E	T7VI0080
31	玆	B55E	755F	T7VJ0080
32	玆	B55F	7560	T7VK0080
33	玆	B560	7561	T7VL0080
34	玆	B561	7562	T7VM0080
35	玆	B562	7563	T7VN0080
36	玆	B563	7564	T7VO0080
37	玆	B564	7565	T7VP0080
38	玆	B565	7566	T7VQ0080
39	玆	B566	7567	T7VR0080
40	玆	B567	7568	T7VS0080
41	玆	B568	7569	T7VT0080
42	玆	B569	756A	T7VU0080
43	玆	B56A	756B	T7VV0080
44	玆	B56B	756C	T7VW0080
45	玆	B56C	756D	T7VX0080
46	玆	B56D	756E	T7VY0080
47	玆	B56E	756F	T7VZ0080
48	玆	B56F	7570	T7W00080
49	玆	B570	7571	T7W10080
50	玆	B571	7572	T7W20080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
51	飢	B572	7573	T7W30080
52	飢	B573	7574	T7W40080
53	𪗇	B574	7575	T7W50080
54	𪗈	B575	7576	T7W60080
55	𪗉	B576	7577	T7W70080
56	𪗊	B577	7578	T7W80080
57	𪗋	B578	7579	T7W90080
58	𪗌	B579	757A	T7WA0080
59	𪗍	B57A	757B	T7WB0080
60	𪗎	B57B	757C	T7WC0080
61	𪗏	B57C	757D	T7WD0080
62	𪗐	B57D	757E	T7WE0080
63	𪗑	B57E	757F	T7WF0080
64	𪗒	B580	7581	T7WH0080
65	𪗓	B581	7582	T7WI0080
66	𪗔	B582	7583	T7WJ0080
67	𪗕	B583	7584	T7WK0080
68	𪗖	B584	7585	T7WL0080
69	𪗗	B585	7586	T7WM0080
70	𪗘	B586	7587	T7WN0080
71	𪗙	B587	7588	T7WO0080
72	𪗚	B588	7589	T7WP0080
73	𪗛	B589	758A	T7WQ0080
74	𪗜	B58A	758B	T7WR0080
75	𪗝	B58B	758C	T7WS0080
76	𪗞	B58C	758D	T7WT0080

Line Number	Graphic	PC Code	Host Code	GCGID
77	𪗟	B58D	758E	T7WU0080
78	𪗠	B58E	758F	T7WV0080
79	𪗡	B58F	7590	T7WW0080
80	𪗢	B590	7591	T7WX0080
81	𪗣	B591	7592	T7WY0080
82	𪗤	B592	7593	T7WZ0080
83	𪗥	B593	7594	T7X00080
84	𪗦	B594	7595	T7X10080
85	𪗧	B595	7596	T7X20080
86	𪗨	B596	7597	T7X30080
87	𪗩	B597	7598	T7X40080
88	𪗪	B598	7599	T7X50080
89	𪗫	B599	759A	T7X60080
90	𪗬	B59A	759B	T7X70080
91	𪗭	B59B	759C	T7X80080
92	𪗮	B59C	759D	T7X90080
93	𪗯	B59D	759E	T7XA0080
94	𪗰	B59E	759F	T7XB0080
95	𪗱	B59F	75A0	T7XC0080
96	𪗲	B5A0	75A1	T7XD0080
97	𪗳	B5A1	75A2	T7XE0080
98	𪗴	B5A2	75A3	T7XF0080
99	𪗵	B5A3	75A4	T7XG0080
100	𪗶	B5A4	75A5	T7XH0080
101	𪗷	B5A5	75A6	T7XI0080
102	𪗸	B5A6	75A7	T7XJ0080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
103	鈔	B5A7	75A8	T7XK0080
104	馱	B5A8	75A9	T7XL0080
105	閩	B5A9	75AA	T7XM0080
106	閩	B5AA	75AB	T7XN0080
107	階	B5AB	75AC	T7XO0080
108	階	B5AC	75AD	T7XP0080
109	排	B5AD	75AE	T7XQ0080
110	隴	B5AE	75AF	T7XR0080
111	隴	B5AF	75B0	T7XS0080
112	雄	B5B0	75B1	T7XT0080
113	韋	B5B1	75B2	T7XU0080
114	頡	B5B2	75B3	T7XV0080
115	飪	B5B3	75B4	T7XW0080
116	馮	B5B4	75B5	T7XX0080
117	俗	B5B5	75B6	T7XY0080
118	催	B5B6	75B7	T7XZ0080
119	儉	B5B7	75B8	T7Y00080
120	傒	B5B8	75B9	T7Y10080
121	備	B5B9	75BA	T7Y20080
122	倭	B5BA	75BB	T7Y30080
123	倭	B5BB	75BC	T7Y40080
124	馮	B5BC	75BD	T7Y50080
125	慎	B5BD	75BE	T7Y60080
126	偏	B5BE	75BF	T7Y70080
127	傑	B5BF	75C0	T7Y80080
128	搖	B5C0	75C1	T7Y90080

Line Number	Graphic	PC Code	Host Code	GCGID
129	倭	B5C1	75C2	T7YA0080
130	僑	B5C2	75C3	T7YB0080
131	借	B5C3	75C4	T7YC0080
132	僑	B5C4	75C5	T7YD0080
133	滄	B5C5	75C6	T7YE0080
134	智	B5C6	75C7	T7YF0080
135	舅	B5C7	75C8	T7YG0080
136	麻	B5C8	75C9	T7YH0080
137	厦	B5C9	75CA	T7YI0080
138	暗	B5CA	75CB	T7YJ0080
139	曉	B5CB	75CC	T7YK0080
140	曠	B5CC	75CD	T7YL0080
141	嘖	B5CD	75CE	T7YM0080
142	啞	B5CE	75CF	T7YN0080
143	噏	B5CF	75D0	T7YO0080
144	唾	B5D0	75D1	T7YP0080
145	噁	B5D1	75D2	T7YQ0080
146	嗜	B5D2	75D3	T7YR0080
147	啞	B5D3	75D4	T7YS0080
148	啞	B5D4	75D5	T7YT0080
149	噁	B5D5	75D6	T7YU0080
150	噁	B5D6	75D7	T7YV0080
151	嚙	B5D7	75D8	T7YW0080
152	嚙	B5D8	75D9	T7YX0080
153	嚙	B5D9	75DA	T7YY0080
154	嚙	B5DA	75DB	T7YZ0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 19 (Page 4 of 44). Secondary CH-T (2/4), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
155	昂	B5DB	75DC	T7Z00080
156	噉	B5DC	75DD	T7Z10080
157	哏	B5DD	75DE	T7Z20080
158	噱	B5DE	75DF	T7Z30080
159	囁	B5DF	75E0	T7Z40080
160	圖	B5E0	75E1	T7Z50080
161	塢	B5E1	75E2	T7Z60080
162	埕	B5E2	75E3	T7Z70080
163	堙	B5E3	75E4	T7Z80080
164	堞	B5E4	75E5	T7Z90080
165	堠	B5E5	75E6	T7ZA0080
166	堡	B5E6	75E7	T7ZB0080
167	堢	B5E7	75E8	T7ZC0080
168	堣	B5E8	75E9	T7ZD0080
169	堤	B5E9	75EA	T7ZE0080
170	堥	B5EA	75EB	T7ZF0080
171	堧	B5EB	75EC	T7ZG0080
172	堨	B5EC	75ED	T7ZH0080
173	堩	B5ED	75EE	T7ZI0080
174	堪	B5EE	75EF	T7ZJ0080
175	堽	B5EF	75F0	T7ZK0080
176	堿	B5F0	75F1	T7ZL0080
177	堻	B5F1	75F2	T7ZM0080
178	堼	B5F2	75F3	T7ZN0080
179	堽	B5F3	75F4	T7ZO0080
180	堿	B5F4	75F5	T7ZP0080

Table 19 (Page 4 of 44). Secondary CH-T (2/4), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
181	漣	B5F5	75F6	T7ZQ0080
182	冪	B5F6	75F7	T7ZR0080
183	媯	B5F7	75F8	T7ZS0080
184	媠	B5F8	75F9	T7ZT0080
185	媡	B5F9	75FA	T7ZU0080
186	媢	B5FA	75FB	T7ZV0080
187	媣	B5FB	75FC	T7ZW0080
188	媤	B5FC	75FD	T7ZX0080
189	媥	B640	7641	T8010080
190	媖	B641	7642	T8020080
191	媗	B642	7643	T8030080
192	媘	B643	7644	T8040080
193	媙	B644	7645	T8050080
194	媚	B645	7646	T8060080
195	媛	B646	7647	T8070080
196	媜	B647	7648	T8080080
197	媝	B648	7649	T8090080
198	媞	B649	764A	T80A0080
199	媟	B64A	764B	T80B0080
200	媠	B64B	764C	T80C0080
201	媡	B64C	764D	T80D0080
202	媢	B64D	764E	T80E0080
203	媣	B64E	764F	T80F0080
204	媤	B64F	7650	T80G0080
205	媥	B650	7651	T80H0080
206	媖	B651	7652	T80I0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
207	端	B652	7653	T80J0080
208	媿	B653	7654	T80K0080
209	嫫	B654	7655	T80L0080
210	寫	B655	7656	T80M0080
211	密	B656	7657	T80N0080
212	憲	B657	7658	T80O0080
213	寔	B658	7659	T80P0080
214	寔	B659	765A	T80Q0080
215	寔	B65A	765B	T80R0080
216	寔	B65B	765C	T80S0080
217	討	B65C	765D	T80T0080
218	種	B65D	765E	T80U0080
219	嶠	B65E	765F	T80V0080
220	嶠	B65F	7660	T80W0080
221	嶠	B660	7661	T80X0080
222	嶠	B661	7662	T80Y0080
223	嶠	B662	7663	T80Z0080
224	嶠	B663	7664	T8100080
225	嶠	B664	7665	T8110080
226	嶠	B665	7666	T8120080
227	嶠	B666	7667	T8130080
228	嶠	B667	7668	T8140080
229	嶠	B668	7669	T8150080
230	嶠	B669	766A	T8160080
231	嶠	B66A	766B	T8170080
232	嶠	B66B	766C	T8180080

Line Number	Graphic	PC Code	Host Code	GCGID
233	嶠	B66C	766D	T8190080
234	嶠	B66D	766E	T81A0080
235	嶠	B66E	766F	T81B0080
236	嶠	B66F	7670	T81C0080
237	嶠	B670	7671	T81D0080
238	嶠	B671	7672	T81E0080
239	嶠	B672	7673	T81F0080
240	嶠	B673	7674	T81G0080
241	嶠	B674	7675	T81H0080
242	嶠	B675	7676	T81I0080
243	嶠	B676	7677	T81J0080
244	嶠	B677	7678	T81K0080
245	嶠	B678	7679	T81L0080
246	嶠	B679	767A	T81M0080
247	嶠	B67A	767B	T81N0080
248	嶠	B67B	767C	T81O0080
249	嶠	B67C	767D	T81P0080
250	嶠	B67D	767E	T81Q0080
251	嶠	B67E	767F	T81R0080
252	嶠	B680	7681	T81T0080
253	嶠	B681	7682	T81U0080
254	嶠	B682	7683	T81V0080
255	嶠	B683	7684	T81W0080
256	嶠	B684	7685	T81X0080
257	嶠	B685	7686	T81Y0080
258	嶠	B686	7687	T81Z0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
259	堪	B687	7688	T8200080
260	憚	B688	7689	T8210080
261	懞	B689	768A	T8220080
262	揚	B68A	768B	T8230080
263	惇	B68B	768C	T8240080
264	憚	B68C	768D	T8250080
265	懞	B68D	768E	T8260080
266	愬	B68E	768F	T8270080
267	愬	B68F	7690	T8280080
268	愬	B690	7691	T8290080
269	愬	B691	7692	T82A0080
270	愬	B692	7693	T82B0080
271	愬	B693	7694	T82C0080
272	愬	B694	7695	T82D0080
273	愬	B695	7696	T82E0080
274	屨	B696	7697	T82F0080
275	擊	B697	7698	T82G0080
276	弄	B698	7699	T82H0080
277	拏	B699	769A	T82I0080
278	揅	B69A	769B	T82J0080
279	揅	B69B	769C	T82K0080
280	揅	B69C	769D	T82L0080
281	揅	B69D	769E	T82M0080
282	揅	B69E	769F	T82N0080
283	揅	B69F	76A0	T82O0080
284	揅	B6A0	76A1	T82P0080

Line Number	Graphic	PC Code	Host Code	GCGID
285	搥	B6A1	76A2	T82Q0080
286	搥	B6A2	76A3	T82R0080
287	搥	B6A3	76A4	T82S0080
288	搥	B6A4	76A5	T82T0080
289	搥	B6A5	76A6	T82U0080
290	搥	B6A6	76A7	T82V0080
291	搥	B6A7	76A8	T82W0080
292	搥	B6A8	76A9	T82X0080
293	搥	B6A9	76AA	T82Y0080
294	搥	B6AA	76AB	T82Z0080
295	揅	B6AB	76AC	T8300080
296	揅	B6AC	76AD	T8310080
297	揅	B6AD	76AE	T8320080
298	揅	B6AE	76AF	T8330080
299	揅	B6AF	76B0	T8340080
300	揅	B6B0	76B1	T8350080
301	揅	B6B1	76B2	T8360080
302	揅	B6B2	76B3	T8370080
303	揅	B6B3	76B4	T8380080
304	揅	B6B4	76B5	T8390080
305	揅	B6B5	76B6	T83A0080
306	揅	B6B6	76B7	T83B0080
307	敲	B6B7	76B8	T83C0080
308	敲	B6B8	76B9	T83D0080
309	敲	B6B9	76BA	T83E0080
310	敲	B6BA	76BB	T83F0080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
311	斂	B6BB	76BC	T83G0080
312	斂	B6BC	76BD	T83H0080
313	斂	B6BD	76BE	T83I0080
314	斌	B6BE	76BF	T83J0080
315	斂	B6BF	76C0	T83K0080
316	斂	B6C0	76C1	T83L0080
317	斂	B6C1	76C2	T83M0080
318	旒	B6C2	76C3	T83N0080
319	旒	B6C3	76C4	T83O0080
320	斂	B6C4	76C5	T83P0080
321	斂	B6C5	76C6	T83Q0080
322	斂	B6C6	76C7	T83R0080
323	旒	B6C7	76C8	T83S0080
324	斂	B6C8	76C9	T83T0080
325	斂	B6C9	76CA	T83U0080
326	斂	B6CA	76CB	T83V0080
327	斂	B6CB	76CC	T83W0080
328	斂	B6CC	76CD	T83X0080
329	斂	B6CD	76CE	T83Y0080
330	椏	B6CE	76CF	T83Z0080
331	椏	B6CF	76D0	T8400080
332	椏	B6D0	76D1	T8410080
333	椏	B6D1	76D2	T8420080
334	椏	B6D2	76D3	T8430080
335	椏	B6D3	76D4	T8440080
336	椏	B6D4	76D5	T8450080

Line Number	Graphic	PC Code	Host Code	GCGID
337	椏	B6D5	76D6	T8460080
338	椏	B6D6	76D7	T8470080
339	椏	B6D7	76D8	T8480080
340	椏	B6D8	76D9	T8490080
341	椏	B6D9	76DA	T84A0080
342	椏	B6DA	76DB	T84B0080
343	椏	B6DB	76DC	T84C0080
344	椏	B6DC	76DD	T84D0080
345	椏	B6DD	76DE	T84E0080
346	椏	B6DE	76DF	T84F0080
347	椏	B6DF	76E0	T84G0080
348	椏	B6E0	76E1	T84H0080
349	椏	B6E1	76E2	T84I0080
350	椏	B6E2	76E3	T84J0080
351	椏	B6E3	76E4	T84K0080
352	椏	B6E4	76E5	T84L0080
353	椏	B6E5	76E6	T84M0080
354	椏	B6E6	76E7	T84N0080
355	椏	B6E7	76E8	T84O0080
356	椏	B6E8	76E9	T84P0080
357	椏	B6E9	76EA	T84Q0080
358	椏	B6EA	76EB	T84R0080
359	椏	B6EB	76EC	T84S0080
360	椏	B6EC	76ED	T84T0080
361	椏	B6ED	76EE	T84U0080
362	椏	B6EE	76EF	T84V0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 19 (Page 8 of 44). Secondary CH-T (2/4), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
363	椗	B6EF	76F0	T84W0080
364	椛	B6F0	76F1	T84X0080
365	椛	B6F1	76F2	T84Y0080
366	椛	B6F2	76F3	T84Z0080
367	椛	B6F3	76F4	T8500080
368	椛	B6F4	76F5	T8510080
369	椛	B6F5	76F6	T8520080
370	椛	B6F6	76F7	T8530080
371	椛	B6F7	76F8	T8540080
372	椛	B6F8	76F9	T8550080
373	椛	B6F9	76FA	T8560080
374	椛	B6FA	76FB	T8570080
375	椛	B6FB	76FC	T8580080
376	椛	B6FC	76FD	T8590080
377	歃	B740	7741	T85D0080
378	歃	B741	7742	T85E0080
379	歃	B742	7743	T85F0080
380	歃	B743	7744	T85G0080
381	歃	B744	7745	T85H0080
382	殄	B745	7746	T85I0080
383	殄	B746	7747	T85J0080
384	殄	B747	7748	T85K0080
385	殄	B748	7749	T85L0080
386	殄	B749	774A	T85M0080
387	殄	B74A	774B	T85N0080
388	殄	B74B	774C	T85O0080

Table 19 (Page 8 of 44). Secondary CH-T (2/4), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
389	𣎵	B74C	774D	T85P0080
390	𣎵	B74D	774E	T85Q0080
391	𣎵	B74E	774F	T85R0080
392	𣎵	B74F	7750	T85S0080
393	𣎵	B750	7751	T85T0080
394	𣎵	B751	7752	T85U0080
395	𣎵	B752	7753	T85V0080
396	𣎵	B753	7754	T85W0080
397	𣎵	B754	7755	T85X0080
398	𣎵	B755	7756	T85Y0080
399	𣎵	B756	7757	T85Z0080
400	𣎵	B757	7758	T8600080
401	𣎵	B758	7759	T8610080
402	𣎵	B759	775A	T8620080
403	𣎵	B75A	775B	T8630080
404	𣎵	B75B	775C	T8640080
405	𣎵	B75C	775D	T8650080
406	𣎵	B75D	775E	T8660080
407	𣎵	B75E	775F	T8670080
408	𣎵	B75F	7760	T8680080
409	𣎵	B760	7761	T8690080
410	𣎵	B761	7762	T86A0080
411	𣎵	B762	7763	T86B0080
412	𣎵	B763	7764	T86C0080
413	𣎵	B764	7765	T86D0080
414	𣎵	B765	7766	T86E0080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 19 (Page 9 of 44). Secondary CH-T (2/4), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
415	湜	B766	7767	T86F0080
416	湮	B767	7768	T86G0080
417	湮	B768	7769	T86H0080
418	湮	B769	776A	T86I0080
419	湮	B76A	776B	T86J0080
420	湮	B76B	776C	T86K0080
421	湮	B76C	776D	T86L0080
422	湮	B76D	776E	T86M0080
423	湮	B76E	776F	T86N0080
424	湮	B76F	7770	T86O0080
425	湮	B770	7771	T86P0080
426	湮	B771	7772	T86Q0080
427	湮	B772	7773	T86R0080
428	湮	B773	7774	T86S0080
429	湮	B774	7775	T86T0080
430	湮	B775	7776	T86U0080
431	湮	B776	7777	T86V0080
432	湮	B777	7778	T86W0080
433	湮	B778	7779	T86X0080
434	湮	B779	777A	T86Y0080
435	湮	B77A	777B	T86Z0080
436	湮	B77B	777C	T8700080
437	湮	B77C	777D	T8710080
438	湮	B77D	777E	T8720080
439	湮	B77E	777F	T8730080
440	湮	B780	7781	T8750080

Table 19 (Page 9 of 44). Secondary CH-T (2/4), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
441	燧	B781	7782	T8760080
442	燧	B782	7783	T8770080
443	燧	B783	7784	T8780080
444	燧	B784	7785	T8790080
445	燧	B785	7786	T87A0080
446	燧	B786	7787	T87B0080
447	燧	B787	7788	T87C0080
448	燧	B788	7789	T87D0080
449	燧	B789	778A	T87E0080
450	燧	B78A	778B	T87F0080
451	燧	B78B	778C	T87G0080
452	燧	B78C	778D	T87H0080
453	燧	B78D	778E	T87I0080
454	燧	B78E	778F	T87J0080
455	燧	B78F	7790	T87K0080
456	燧	B790	7791	T87L0080
457	燧	B791	7792	T87M0080
458	燧	B792	7793	T87N0080
459	燧	B793	7794	T87O0080
460	燧	B794	7795	T87P0080
461	燧	B795	7796	T87Q0080
462	燧	B796	7797	T87R0080
463	燧	B797	7798	T87S0080
464	燧	B798	7799	T87T0080
465	燧	B799	779A	T87U0080
466	燧	B79A	779B	T87V0080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
467	獠	B79B	779C	T87W0080
468	獠	B79C	779D	T87X0080
469	獠	B79D	779E	T87Y0080
470	獠	B79E	779F	T87Z0080
471	獠	B79F	77A0	T8800080
472	琮	B7A0	77A1	T8810080
473	琬	B7A1	77A2	T8820080
474	琰	B7A2	77A3	T8830080
475	琫	B7A3	77A4	T8840080
476	琬	B7A4	77A5	T8850080
477	琭	B7A5	77A6	T8860080
478	琮	B7A6	77A7	T8870080
479	琬	B7A7	77A8	T8880080
480	琭	B7A8	77A9	T8890080
481	琫	B7A9	77AA	T88A0080
482	琬	B7AA	77AB	T88B0080
483	琭	B7AB	77AC	T88C0080
484	琫	B7AC	77AD	T88D0080
485	琬	B7AD	77AE	T88E0080
486	琭	B7AE	77AF	T88F0080
487	琫	B7AF	77B0	T88G0080
488	甯	B7B0	77B1	T88H0080
489	峻	B7B1	77B2	T88I0080
490	畚	B7B2	77B3	T88J0080
491	痧	B7B3	77B4	T88K0080
492	瘳	B7B4	77B5	T88L0080

Line Number	Graphic	PC Code	Host Code	GCGID
493	痛	B7B5	77B6	T88M0080
494	瘳	B7B6	77B7	T88N0080
495	瘳	B7B7	77B8	T88O0080
496	瘳	B7B8	77B9	T88P0080
497	瘳	B7B9	77BA	T88Q0080
498	瘳	B7BA	77BB	T88R0080
499	甬	B7BB	77BC	T88S0080
500	餓	B7BC	77BD	T88T0080
501	盞	B7BD	77BE	T88U0080
502	睨	B7BE	77BF	T88V0080
503	睇	B7BF	77C0	T88W0080
504	眇	B7C0	77C1	T88X0080
505	眈	B7C1	77C2	T88Y0080
506	睥	B7C2	77C3	T88Z0080
507	眈	B7C3	77C4	T8900080
508	睇	B7C4	77C5	T8910080
509	眈	B7C5	77C6	T8920080
510	晚	B7C6	77C7	T8930080
511	瞞	B7C7	77C8	T8940080
512	矧	B7C8	77C9	T8950080
513	硠	B7C9	77CA	T8960080
514	硠	B7CA	77CB	T8970080
515	硠	B7CB	77CC	T8980080
516	硠	B7CC	77CD	T8990080
517	硠	B7CD	77CE	T89A0080
518	硠	B7CE	77CF	T89B0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
519	礮	B7CF	77D0	T89C0080
520	礮	B7D0	77D1	T89D0080
521	礮	B7D1	77D2	T89E0080
522	礮	B7D2	77D3	T89F0080
523	礮	B7D3	77D4	T89G0080
524	礮	B7D4	77D5	T89H0080
525	礮	B7D5	77D6	T89I0080
526	礮	B7D6	77D7	T89J0080
527	礮	B7D7	77D8	T89K0080
528	礮	B7D8	77D9	T89L0080
529	礮	B7D9	77DA	T89M0080
530	礮	B7DA	77DB	T89N0080
531	礮	B7DB	77DC	T89O0080
532	礮	B7DC	77DD	T89P0080
533	礮	B7DD	77DE	T89Q0080
534	礮	B7DE	77DF	T89R0080
535	礮	B7DF	77E0	T89S0080
536	礮	B7E0	77E1	T89T0080
537	礮	B7E1	77E2	T89U0080
538	礮	B7E2	77E3	T89V0080
539	礮	B7E3	77E4	T89W0080
540	礮	B7E4	77E5	T89X0080
541	礮	B7E5	77E6	T89Y0080
542	礮	B7E6	77E7	T89Z0080
543	礮	B7E7	77E8	T8A00080
544	礮	B7E8	77E9	T8A10080

Line Number	Graphic	PC Code	Host Code	GCGID
545	籜	B7E9	77EA	T8A20080
546	籜	B7EA	77EB	T8A30080
547	籜	B7EB	77EC	T8A40080
548	籜	B7EC	77ED	T8A50080
549	籜	B7ED	77EE	T8A60080
550	籜	B7EE	77EF	T8A70080
551	籜	B7EF	77F0	T8A80080
552	籜	B7F0	77F1	T8A90080
553	籜	B7F1	77F2	T8AA0080
554	籜	B7F2	77F3	T8AB0080
555	籜	B7F3	77F4	T8AC0080
556	籜	B7F4	77F5	T8AD0080
557	籜	B7F5	77F6	T8AE0080
558	籜	B7F6	77F7	T8AF0080
559	籜	B7F7	77F8	T8AG0080
560	籜	B7F8	77F9	T8AH0080
561	籜	B7F9	77FA	T8AI0080
562	籜	B7FA	77FB	T8AJ0080
563	籜	B7FB	77FC	T8AK0080
564	籜	B7FC	77FD	T8AL0080
565	籜	B840	7841	T8AP0080
566	籜	B841	7842	T8AQ0080
567	籜	B842	7843	T8AR0080
568	籜	B843	7844	T8AS0080
569	籜	B844	7845	T8AT0080
570	籜	B845	7846	T8AU0080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
571	孛	B846	7847	T8AV0080
572	羸	B847	7848	T8AW0080
573	羸	B848	7849	T8AX0080
574	羨	B849	784A	T8AY0080
575	翎	B84A	784B	T8AZ0080
576	聃	B84B	784C	T8B00080
577	聃	B84C	784D	T8B10080
578	聃	B84D	784E	T8B20080
579	聃	B84E	784F	T8B30080
580	聃	B84F	7850	T8B40080
581	聃	B850	7851	T8B50080
582	聃	B851	7852	T8B60080
583	聃	B852	7853	T8B70080
584	聃	B853	7854	T8B80080
585	聃	B854	7855	T8B90080
586	聃	B855	7856	T8BA0080
587	聃	B856	7857	T8BB0080
588	聃	B857	7858	T8BC0080
589	聃	B858	7859	T8BD0080
590	聃	B859	785A	T8BE0080
591	聃	B85A	785B	T8BF0080
592	聃	B85B	785C	T8BG0080
593	聃	B85C	785D	T8BH0080
594	聃	B85D	785E	T8BI0080
595	聃	B85E	785F	T8BJ0080
596	聃	B85F	7860	T8BK0080

Line Number	Graphic	PC Code	Host Code	GCGID
597	聃	B860	7861	T8BL0080
598	聃	B861	7862	T8BM0080
599	聃	B862	7863	T8BN0080
600	聃	B863	7864	T8BO0080
601	聃	B864	7865	T8BP0080
602	聃	B865	7866	T8BQ0080
603	聃	B866	7867	T8BR0080
604	聃	B867	7868	T8BS0080
605	聃	B868	7869	T8BT0080
606	聃	B869	786A	T8BU0080
607	聃	B86A	786B	T8BV0080
608	聃	B86B	786C	T8BW0080
609	聃	B86C	786D	T8BX0080
610	聃	B86D	786E	T8BY0080
611	聃	B86E	786F	T8BZ0080
612	聃	B86F	7870	T8C00080
613	聃	B870	7871	T8C10080
614	聃	B871	7872	T8C20080
615	聃	B872	7873	T8C30080
616	聃	B873	7874	T8C40080
617	聃	B874	7875	T8C50080
618	聃	B875	7876	T8C60080
619	聃	B876	7877	T8C70080
620	聃	B877	7878	T8C80080
621	聃	B878	7879	T8C90080
622	聃	B879	787A	T8CA0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
623	莧	B87A	787B	T8CB0080
624	菖	B87B	787C	T8CC0080
625	蔞	B87C	787D	T8CD0080
626	菘	B87D	787E	T8CE0080
627	艸	B87E	787F	T8CF0080
628	苜	B880	7881	T8CH0080
629	苎	B881	7882	T8CI0080
630	萑	B882	7883	T8CJ0080
631	葦	B883	7884	T8CK0080
632	蒨	B884	7885	T8CL0080
633	葢	B885	7886	T8CM0080
634	葦	B886	7887	T8CN0080
635	葦	B887	7888	T8CO0080
636	菇	B888	7889	T8CP0080
637	蓄	B889	788A	T8CQ0080
638	蓍	B88A	788B	T8CR0080
639	萱	B88B	788C	T8CS0080
640	蒞	B88C	788D	T8CT0080
641	蒞	B88D	788E	T8CU0080
642	蒨	B88E	788F	T8CV0080
643	菓	B88F	7890	T8CW0080
644	蒜	B890	7891	T8CX0080
645	菰	B891	7892	T8CY0080
646	菴	B892	7893	T8CZ0080
647	蓴	B893	7894	T8D00080
648	蒨	B894	7895	T8D10080

Line Number	Graphic	PC Code	Host Code	GCGID
649	菘	B895	7896	T8D20080
650	蚌	B896	7897	T8D30080
651	蚌	B897	7898	T8D40080
652	蚌	B898	7899	T8D50080
653	戴	B899	789A	T8D60080
654	蚌	B89A	789B	T8D70080
655	蛎	B89B	789C	T8D80080
656	蛎	B89C	789D	T8D90080
657	蛎	B89D	789E	T8DA0080
658	蛎	B89E	789F	T8DB0080
659	蛎	B89F	78A0	T8DC0080
660	蛎	B8A0	78A1	T8DD0080
661	蛎	B8A1	78A2	T8DE0080
662	皇	B8A2	78A3	T8DF0080
663	蛎	B8A3	78A4	T8DG0080
664	蛎	B8A4	78A5	T8DH0080
665	蛎	B8A5	78A6	T8DI0080
666	術	B8A6	78A7	T8DJ0080
667	術	B8A7	78A8	T8DK0080
668	袷	B8A8	78A9	T8DL0080
669	梳	B8A9	78AA	T8DM0080
670	裱	B8AA	78AB	T8DN0080
671	裱	B8AB	78AC	T8DO0080
672	裱	B8AC	78AD	T8DP0080
673	株	B8AD	78AE	T8DQ0080
674	絳	B8AE	78AF	T8DR0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
675	裕	B8AF	78B0	T8DS0080
676	裕	B8B0	78B1	T8DT0080
677	褻	B8B1	78B2	T8DU0080
678	褻	B8B2	78B3	T8DV0080
679	褻	B8B3	78B4	T8DW0080
680	根	B8B4	78B5	T8DX0080
681	覘	B8B5	78B6	T8DY0080
682	覘	B8B6	78B7	T8DZ0080
683	覘	B8B7	78B8	T8E00080
684	觥	B8B8	78B9	T8E10080
685	觥	B8B9	78BA	T8E20080
686	觥	B8BA	78BB	T8E30080
687	詎	B8BB	78BC	T8E40080
688	詎	B8BC	78BD	T8E50080
689	誡	B8BD	78BE	T8E60080
690	誡	B8BE	78BF	T8E70080
691	詰	B8BF	78C0	T8E80080
692	訶	B8C0	78C1	T8E90080
693	詘	B8C1	78C2	T8EA0080
694	誅	B8C2	78C3	T8EB0080
695	諗	B8C3	78C4	T8EC0080
696	詒	B8C4	78C5	T8ED0080
697	訾	B8C5	78C6	T8EE0080
698	訖	B8C6	78C7	T8EF0080
699	諄	B8C7	78C8	T8EG0080
700	詁	B8C8	78C9	T8EH0080

Line Number	Graphic	PC Code	Host Code	GCGID
701	讷	B8C9	78CA	T8EI0080
702	貌	B8CA	78CB	T8EJ0080
703	貌	B8CB	78CC	T8EK0080
704	黜	B8CC	78CD	T8EL0080
705	貶	B8CD	78CE	T8EM0080
706	貶	B8CE	78CF	T8EN0080
707	賞	B8CF	78D0	T8EO0080
708	賍	B8D0	78D1	T8EP0080
709	賍	B8D1	78D2	T8EQ0080
710	赳	B8D2	78D3	T8ER0080
711	赳	B8D3	78D4	T8ES0080
712	赳	B8D4	78D5	T8ET0080
713	躄	B8D5	78D6	T8EU0080
714	躄	B8D6	78D7	T8EV0080
715	跼	B8D7	78D8	T8EW0080
716	躄	B8D8	78D9	T8EX0080
717	跬	B8D9	78DA	T8EY0080
718	踞	B8DA	78DB	T8EZ0080
719	踞	B8DB	78DC	T8F00080
720	跬	B8DC	78DD	T8F10080
721	踞	B8DD	78DE	T8F20080
722	踰	B8DE	78DF	T8F30080
723	踰	B8DF	78E0	T8F40080
724	踰	B8E0	78E1	T8F50080
725	輶	B8E1	78E2	T8F60080
726	輶	B8E2	78E3	T8F70080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
727	軫	B8E3	78E4	T8F80080
728	軛	B8E4	78E5	T8F90080
729	軛	B8E5	78E6	T8FA0080
730	軛	B8E6	78E7	T8FB0080
731	軛	B8E7	78E8	T8FC0080
732	軛	B8E8	78E9	T8FD0080
733	軛	B8E9	78EA	T8FE0080
734	軛	B8EA	78EB	T8FF0080
735	軛	B8EB	78EC	T8FG0080
736	軛	B8EC	78ED	T8FH0080
737	軛	B8ED	78EE	T8FI0080
738	軛	B8EE	78EF	T8FJ0080
739	軛	B8EF	78F0	T8FK0080
740	軛	B8F0	78F1	T8FL0080
741	軛	B8F1	78F2	T8FM0080
742	軛	B8F2	78F3	T8FN0080
743	軛	B8F3	78F4	T8FO0080
744	軛	B8F4	78F5	T8FP0080
745	軛	B8F5	78F6	T8FQ0080
746	軛	B8F6	78F7	T8FR0080
747	軛	B8F7	78F8	T8FS0080
748	軛	B8F8	78F9	T8FT0080
749	軛	B8F9	78FA	T8FU0080
750	軛	B8FA	78FB	T8FV0080
751	軛	B8FB	78FC	T8FW0080
752	軛	B8FC	78FD	T8FX0080

Line Number	Graphic	PC Code	Host Code	GCGID
753	都	B940	7941	T8G10080
754	都	B941	7942	T8G20080
755	都	B942	7943	T8G30080
756	都	B943	7944	T8G40080
757	都	B944	7945	T8G50080
758	都	B945	7946	T8G60080
759	都	B946	7947	T8G70080
760	都	B947	7948	T8G80080
761	都	B948	7949	T8G90080
762	都	B949	794A	T8GA0080
763	都	B94A	794B	T8GB0080
764	都	B94B	794C	T8GC0080
765	都	B94C	794D	T8GD0080
766	都	B94D	794E	T8GE0080
767	都	B94E	794F	T8GF0080
768	都	B94F	7950	T8GG0080
769	都	B950	7951	T8GH0080
770	都	B951	7952	T8GI0080
771	都	B952	7953	T8GJ0080
772	都	B953	7954	T8GK0080
773	都	B954	7955	T8GL0080
774	都	B955	7956	T8GM0080
775	都	B956	7957	T8GN0080
776	都	B957	7958	T8GO0080
777	都	B958	7959	T8GP0080
778	都	B959	795A	T8GQ0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 19 (Page 16 of 44). Secondary CH-T (2/4), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
779	鉨	B95A	795B	T8GR0080
780	鉅	B95B	795C	T8GS0080
781	鉦	B95C	795D	T8GT0080
782	鉰	B95D	795E	T8GU0080
783	鈔	B95E	795F	T8GV0080
784	鈺	B95F	7960	T8GW0080
785	開	B960	7961	T8GX0080
786	閱	B961	7962	T8GY0080
787	閤	B962	7963	T8GZ0080
788	臧	B963	7964	T8H00080
789	陝	B964	7965	T8H10080
790	隈	B965	7966	T8H20080
791	隍	B966	7967	T8H30080
792	隄	B967	7968	T8H40080
793	陞	B968	7969	T8H50080
794	雒	B969	796A	T8H60080
795	菑	B96A	796B	T8H70080
796	雅	B96B	796C	T8H80080
797	雋	B96C	796D	T8H90080
798	雋	B96D	796E	T8HA0080
799	軒	B96E	796F	T8HB0080
800	軌	B96F	7970	T8HC0080
801	鞫	B970	7971	T8HD0080
802	預	B971	7972	T8HE0080
803	颯	B972	7973	T8HF0080
804	飶	B973	7974	T8HG0080

Table 19 (Page 16 of 44). Secondary CH-T (2/4), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
805	飶	B974	7975	T8HH0080
806	飶	B975	7976	T8HI0080
807	飶	B976	7977	T8HJ0080
808	飶	B977	7978	T8HK0080
809	宣	B978	7979	T8HL0080
810	倬	B979	797A	T8HM0080
811	僞	B97A	797B	T8HN0080
812	僞	B97B	797C	T8HO0080
813	僞	B97C	797D	T8HP0080
814	僞	B97D	797E	T8HQ0080
815	僞	B97E	797F	T8HR0080
816	僞	B980	7981	T8HT0080
817	僞	B981	7982	T8HU0080
818	僞	B982	7983	T8HV0080
819	僞	B983	7984	T8HW0080
820	僞	B984	7985	T8HX0080
821	僞	B985	7986	T8HY0080
822	僞	B986	7987	T8HZ0080
823	僞	B987	7988	T8I00080
824	僞	B988	7989	T8I10080
825	僞	B989	798A	T8I20080
826	僞	B98A	798B	T8I30080
827	僞	B98B	798C	T8I40080
828	僞	B98C	798D	T8I50080
829	僞	B98D	798E	T8I60080
830	僞	B98E	798F	T8I70080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
831	𪗇	B98F	7990	T8I80080
832	𪗈	B990	7991	T8I90080
833	𪗉	B991	7992	T8IA0080
834	𪗊	B992	7993	T8IB0080
835	𪗋	B993	7994	T8IC0080
836	𪗌	B994	7995	T8ID0080
837	𪗍	B995	7996	T8IE0080
838	𪗎	B996	7997	T8IF0080
839	𪗏	B997	7998	T8IG0080
840	𪗐	B998	7999	T8IH0080
841	𪗑	B999	799A	T8II0080
842	𪗒	B99A	799B	T8IJ0080
843	𪗓	B99B	799C	T8IK0080
844	𪗔	B99C	799D	T8IL0080
845	𪗕	B99D	799E	T8IM0080
846	𪗖	B99E	799F	T8IN0080
847	𪗗	B99F	79A0	T8IO0080
848	𪗘	B9A0	79A1	T8IP0080
849	𪗙	B9A1	79A2	T8IQ0080
850	𪗚	B9A2	79A3	T8IR0080
851	𪗛	B9A3	79A4	T8IS0080
852	𪗜	B9A4	79A5	T8IT0080
853	𪗝	B9A5	79A6	T8IU0080
854	𪗞	B9A6	79A7	T8IV0080
855	𪗟	B9A7	79A8	T8IW0080
856	𪗠	B9A8	79A9	T8IX0080

Line Number	Graphic	PC Code	Host Code	GCGID
857	𪗡	B9A9	79AA	T8IY0080
858	𪗢	B9AA	79AB	T8IZ0080
859	𪗣	B9AB	79AC	T8J00080
860	𪗤	B9AC	79AD	T8J10080
861	𪗥	B9AD	79AE	T8J20080
862	𪗦	B9AE	79AF	T8J30080
863	𪗧	B9AF	79B0	T8J40080
864	𪗨	B9B0	79B1	T8J50080
865	𪗩	B9B1	79B2	T8J60080
866	𪗪	B9B2	79B3	T8J70080
867	𪗫	B9B3	79B4	T8J80080
868	𪗬	B9B4	79B5	T8J90080
869	𪗭	B9B5	79B6	T8JA0080
870	𪗮	B9B6	79B7	T8JB0080
871	𪗯	B9B7	79B8	T8JC0080
872	𪗰	B9B8	79B9	T8JD0080
873	𪗱	B9B9	79BA	T8JE0080
874	𪗲	B9BA	79BB	T8JF0080
875	𪗳	B9BB	79BC	T8JG0080
876	𪗴	B9BC	79BD	T8JH0080
877	𪗵	B9BD	79BE	T8JI0080
878	𪗶	B9BE	79BF	T8JJ0080
879	𪗷	B9BF	79C0	T8JK0080
880	𪗸	B9C0	79C1	T8JL0080
881	𪗹	B9C1	79C2	T8JM0080
882	𪗺	B9C2	79C3	T8JN0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
883	嫫	B9C3	79C4	T8JO0080
884	嫭	B9C4	79C5	T8JP0080
885	嫈	B9C5	79C6	T8JQ0080
886	嫉	B9C6	79C7	T8JR0080
887	嫊	B9C7	79C8	T8JS0080
888	嫍	B9C8	79C9	T8JT0080
889	嫎	B9C9	79CA	T8JU0080
890	嫏	B9CA	79CB	T8JV0080
891	嫐	B9CB	79CC	T8JW0080
892	嫑	B9CC	79CD	T8JX0080
893	嫒	B9CD	79CE	T8JY0080
894	嫓	B9CE	79CF	T8JZ0080
895	嫔	B9CF	79D0	T8K00080
896	嫕	B9D0	79D1	T8K10080
897	嫖	B9D1	79D2	T8K20080
898	嫗	B9D2	79D3	T8K30080
899	嫘	B9D3	79D4	T8K40080
900	嫙	B9D4	79D5	T8K50080
901	嫚	B9D5	79D6	T8K60080
902	嫛	B9D6	79D7	T8K70080
903	嫜	B9D7	79D8	T8K80080
904	嫝	B9D8	79D9	T8K90080
905	嫞	B9D9	79DA	T8KA0080
906	嫟	B9DA	79DB	T8KB0080
907	嫠	B9DB	79DC	T8KC0080
908	嫡	B9DC	79DD	T8KD0080

Line Number	Graphic	PC Code	Host Code	GCGID
909	嫛	B9DD	79DE	T8KE0080
910	嫞	B9DE	79DF	T8KF0080
911	嫟	B9DF	79E0	T8KG0080
912	嫠	B9E0	79E1	T8KH0080
913	嫡	B9E1	79E2	T8KI0080
914	嫢	B9E2	79E3	T8KJ0080
915	嫣	B9E3	79E4	T8KK0080
916	嫤	B9E4	79E5	T8KL0080
917	嫥	B9E5	79E6	T8KM0080
918	嫦	B9E6	79E7	T8KN0080
919	嫧	B9E7	79E8	T8KO0080
920	嫨	B9E8	79E9	T8KP0080
921	嫩	B9E9	79EA	T8KQ0080
922	嫪	B9EA	79EB	T8KR0080
923	嫫	B9EB	79EC	T8KS0080
924	嫬	B9EC	79ED	T8KT0080
925	嫭	B9ED	79EE	T8KU0080
926	嫘	B9EE	79EF	T8KV0080
927	嫙	B9EF	79F0	T8KW0080
928	嫚	B9F0	79F1	T8KX0080
929	嫛	B9F1	79F2	T8KY0080
930	嫞	B9F2	79F3	T8KZ0080
931	嫟	B9F3	79F4	T8L00080
932	嫠	B9F4	79F5	T8L10080
933	嫡	B9F5	79F6	T8L20080
934	嫢	B9F6	79F7	T8L30080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
935	戠	B9F7	79F8	T8L40080
936	戡	B9F8	79F9	T8L50080
937	戢	B9F9	79FA	T8L60080
938	戣	B9FA	79FB	T8L70080
939	戤	B9FB	79FC	T8L80080
940	拏	B9FC	79FD	T8L90080
941	掣	BA40	7A41	T8LD0080
942	拏	BA41	7A42	T8LE0080
943	搯	BA42	7A43	T8LF0080
944	撈	BA43	7A44	T8LG0080
945	搯	BA44	7A45	T8LH0080
946	搯	BA45	7A46	T8LI0080
947	搯	BA46	7A47	T8LJ0080
948	搯	BA47	7A48	T8LK0080
949	搯	BA48	7A49	T8LL0080
950	搯	BA49	7A4A	T8LM0080
951	搯	BA4A	7A4B	T8LN0080
952	搯	BA4B	7A4C	T8LO0080
953	搯	BA4C	7A4D	T8LP0080
954	搯	BA4D	7A4E	T8LQ0080
955	搯	BA4E	7A4F	T8LR0080
956	搯	BA4F	7A50	T8LS0080
957	搯	BA50	7A51	T8LT0080
958	搯	BA51	7A52	T8LU0080
959	搯	BA52	7A53	T8LV0080
960	搯	BA53	7A54	T8LW0080

Line Number	Graphic	PC Code	Host Code	GCGID
961	搯	BA54	7A55	T8LX0080
962	搯	BA55	7A56	T8LY0080
963	搯	BA56	7A57	T8LZ0080
964	搯	BA57	7A58	T8M00080
965	搯	BA58	7A59	T8M10080
966	搯	BA59	7A5A	T8M20080
967	搯	BA5A	7A5B	T8M30080
968	搯	BA5B	7A5C	T8M40080
969	搯	BA5C	7A5D	T8M50080
970	搯	BA5D	7A5E	T8M60080
971	搯	BA5E	7A5F	T8M70080
972	搯	BA5F	7A60	T8M80080
973	搯	BA60	7A61	T8M90080
974	搯	BA61	7A62	T8MA0080
975	搯	BA62	7A63	T8MB0080
976	搯	BA63	7A64	T8MC0080
977	搯	BA64	7A65	T8MD0080
978	搯	BA65	7A66	T8ME0080
979	搯	BA66	7A67	T8MF0080
980	搯	BA67	7A68	T8MG0080
981	搯	BA68	7A69	T8MH0080
982	搯	BA69	7A6A	T8MI0080
983	搯	BA6A	7A6B	T8MJ0080
984	搯	BA6B	7A6C	T8MK0080
985	搯	BA6C	7A6D	T8ML0080
986	搯	BA6D	7A6E	T8MM0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
987	膜	BA6E	7A6F	T8MN0080
988	檀	BA6F	7A70	T8MO0080
989	檸	BA70	7A71	T8MP0080
990	櫛	BA71	7A72	T8MQ0080
991	樺	BA72	7A73	T8MR0080
992	檜	BA73	7A74	T8MS0080
993	榿	BA74	7A75	T8MT0080
994	椿	BA75	7A76	T8MU0080
995	福	BA76	7A77	T8MV0080
996	櫟	BA77	7A78	T8MW0080
997	榧	BA78	7A79	T8MX0080
998	楂	BA79	7A7A	T8MY0080
999	榿	BA7A	7A7B	T8MZ0080
1000	楸	BA7B	7A7C	T8N00080
1001	榑	BA7C	7A7D	T8N10080
1002	榑	BA7D	7A7E	T8N20080
1003	榑	BA7E	7A7F	T8N30080
1004	榑	BA80	7A81	T8N50080
1005	楮	BA81	7A82	T8N60080
1006	榑	BA82	7A83	T8N70080
1007	榑	BA83	7A84	T8N80080
1008	榑	BA84	7A85	T8N90080
1009	榑	BA85	7A86	T8NA0080
1010	榑	BA86	7A87	T8NB0080
1011	榑	BA87	7A88	T8NC0080
1012	榑	BA88	7A89	T8ND0080

Line Number	Graphic	PC Code	Host Code	GCGID
1013	楸	BA89	7A8A	T8NE0080
1014	楸	BA8A	7A8B	T8NF0080
1015	楸	BA8B	7A8C	T8NG0080
1016	楸	BA8C	7A8D	T8NH0080
1017	楸	BA8D	7A8E	T8NI0080
1018	楸	BA8E	7A8F	T8NJ0080
1019	楸	BA8F	7A90	T8NK0080
1020	楸	BA90	7A91	T8NL0080
1021	楸	BA91	7A92	T8NM0080
1022	楸	BA92	7A93	T8NN0080
1023	楸	BA93	7A94	T8NO0080
1024	楸	BA94	7A95	T8NP0080
1025	楸	BA95	7A96	T8NQ0080
1026	楸	BA96	7A97	T8NR0080
1027	楸	BA97	7A98	T8NS0080
1028	楸	BA98	7A99	T8NT0080
1029	楸	BA99	7A9A	T8NU0080
1030	楸	BA9A	7A9B	T8NV0080
1031	楸	BA9B	7A9C	T8NW0080
1032	楸	BA9C	7A9D	T8NX0080
1033	楸	BA9D	7A9E	T8NY0080
1034	楸	BA9E	7A9F	T8NZ0080
1035	楸	BA9F	7AA0	T8O00080
1036	楸	BAA0	7AA1	T8O10080
1037	楸	BAA1	7AA2	T8O20080
1038	楸	BAA2	7AA3	T8O30080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
1039	殼	BAA3	7AA4	T8O40080
1040	髒	BAA4	7AA5	T8O50080
1041	髒	BAA5	7AA6	T8O60080
1042	髒	BAA6	7AA7	T8O70080
1043	髒	BAA7	7AA8	T8O80080
1044	髒	BAA8	7AA9	T8O90080
1045	滾	BAA9	7AAA	T8OA0080
1046	滾	BAAA	7AAB	T8OB0080
1047	滾	BAAB	7AAC	T8OC0080
1048	澆	BAAC	7AAD	T8OD0080
1049	澆	BAAD	7AAE	T8OE0080
1050	溟	BAAE	7AAF	T8OF0080
1051	漣	BAAF	7AB0	T8OG0080
1052	漣	BAB0	7AB1	T8OH0080
1053	漣	BAB1	7AB2	T8OI0080
1054	漣	BAB2	7AB3	T8OJ0080
1055	漣	BAB3	7AB4	T8OK0080
1056	漣	BAB4	7AB5	T8OL0080
1057	漣	BAB5	7AB6	T8OM0080
1058	漣	BAB6	7AB7	T8ON0080
1059	漣	BAB7	7AB8	T8OO0080
1060	漣	BAB8	7AB9	T8OP0080
1061	漣	BAB9	7ABA	T8OQ0080
1062	漣	BABA	7ABB	T8OR0080
1063	漣	BABB	7ABC	T8OS0080
1064	漣	BABC	7ABD	T8OT0080

Line Number	Graphic	PC Code	Host Code	GCGID
1065	灑	BABD	7ABE	T8OU0080
1066	灑	BABE	7ABF	T8OV0080
1067	灑	BABF	7AC0	T8OW0080
1068	灑	BAC0	7AC1	T8OX0080
1069	灑	BAC1	7AC2	T8OY0080
1070	灑	BAC2	7AC3	T8OZ0080
1071	灑	BAC3	7AC4	T8P00080
1072	灑	BAC4	7AC5	T8P10080
1073	灑	BAC5	7AC6	T8P20080
1074	灑	BAC6	7AC7	T8P30080
1075	灑	BAC7	7AC8	T8P40080
1076	灑	BAC8	7AC9	T8P50080
1077	灑	BAC9	7ACA	T8P60080
1078	灑	BACA	7ACB	T8P70080
1079	灑	BACB	7ACC	T8P80080
1080	灑	BACC	7ACD	T8P90080
1081	灑	BACD	7ACE	T8PA0080
1082	灑	BACE	7ACF	T8PB0080
1083	灑	BACF	7AD0	T8PC0080
1084	灑	BAD0	7AD1	T8PD0080
1085	灑	BAD1	7AD2	T8PE0080
1086	灑	BAD2	7AD3	T8PF0080
1087	灑	BAD3	7AD4	T8PG0080
1088	灑	BAD4	7AD5	T8PH0080
1089	灑	BAD5	7AD6	T8PI0080
1090	灑	BAD6	7AD7	T8PJ0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 19 (Page 22 of 44). Secondary CH-T (2/4), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
1091	媚	BAD7	7AD8	T8PK0080
1092	癸	BAD8	7AD9	T8PL0080
1093	褒	BAD9	7ADA	T8PM0080
1094	焗	BADA	7ADB	T8PN0080
1095	焯	BADB	7ADC	T8PO0080
1096	焅	BADC	7ADD	T8PP0080
1097	焆	BADD	7ADE	T8PQ0080
1098	焇	BADE	7ADF	T8PR0080
1099	焈	BADF	7AE0	T8PS0080
1100	焉	BAE0	7AE1	T8PT0080
1101	焊	BAE1	7AE2	T8PU0080
1102	焋	BAE2	7AE3	T8PV0080
1103	焌	BAE3	7AE4	T8PW0080
1104	焍	BAE4	7AE5	T8PX0080
1105	焎	BAE5	7AE6	T8PY0080
1106	焏	BAE6	7AE7	T8PZ0080
1107	煨	BAE7	7AE8	T8Q00080
1108	煊	BAE8	7AE9	T8Q10080
1109	煃	BAE9	7AEA	T8Q20080
1110	煄	BAEA	7AEB	T8Q30080
1111	煅	BAEB	7AEC	T8Q40080
1112	煆	BAEC	7AED	T8Q50080
1113	煇	BAED	7AEE	T8Q60080
1114	煈	BAEE	7AEF	T8Q70080
1115	猴	BAEF	7AF0	T8Q80080
1116	孫	BAF0	7AF1	T8Q90080

Table 19 (Page 22 of 44). Secondary CH-T (2/4), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
1117	猯	BAF1	7AF2	T8QA0080
1118	猷	BAF2	7AF3	T8QB0080
1119	猥	BAF3	7AF4	T8QC0080
1120	獠	BAF4	7AF5	T8QD0080
1121	瑄	BAF5	7AF6	T8QE0080
1122	瑛	BAF6	7AF7	T8QF0080
1123	瑛	BAF7	7AF8	T8QG0080
1124	瑛	BAF8	7AF9	T8QH0080
1125	瑛	BAF9	7AFA	T8QI0080
1126	瑛	BAFA	7AFB	T8QJ0080
1127	瑛	BAFB	7AFC	T8QK0080
1128	瑛	BAFC	7AFD	T8QL0080
1129	璦	BB40	7B41	T8QP0080
1130	璦	BB41	7B42	T8QQ0080
1131	璦	BB42	7B43	T8QR0080
1132	璦	BB43	7B44	T8QS0080
1133	璦	BB44	7B45	T8QT0080
1134	璦	BB45	7B46	T8QU0080
1135	璦	BB46	7B47	T8QV0080
1136	璦	BB47	7B48	T8QW0080
1137	璦	BB48	7B49	T8QX0080
1138	璦	BB49	7B4A	T8QY0080
1139	璦	BB4A	7B4B	T8QZ0080
1140	畹	BB4B	7B4C	T8R00080
1141	畹	BB4C	7B4D	T8R10080
1142	替	BB4D	7B4E	T8R20080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
1143	瘡	BB4E	7B4F	T8R30080
1144	瘡	BB4F	7B50	T8R40080
1145	瘡	BB50	7B51	T8R50080
1146	瘡	BB51	7B52	T8R60080
1147	痲	BB52	7B53	T8R70080
1148	痲	BB53	7B54	T8R80080
1149	瘡	BB54	7B55	T8R90080
1150	瘡	BB55	7B56	T8RA0080
1151	瘡	BB56	7B57	T8RB0080
1152	瘡	BB57	7B58	T8RC0080
1153	瘡	BB58	7B59	T8RD0080
1154	瘡	BB59	7B5A	T8RE0080
1155	瘡	BB5A	7B5B	T8RF0080
1156	瘡	BB5B	7B5C	T8RG0080
1157	瘡	BB5C	7B5D	T8RH0080
1158	瘡	BB5D	7B5E	T8RI0080
1159	瘡	BB5E	7B5F	T8RJ0080
1160	腕	BB5F	7B60	T8RK0080
1161	睽	BB60	7B61	T8RL0080
1162	睽	BB61	7B62	T8RM0080
1163	睽	BB62	7B63	T8RN0080
1164	睽	BB63	7B64	T8RO0080
1165	睽	BB64	7B65	T8RP0080
1166	睽	BB65	7B66	T8RQ0080
1167	睽	BB66	7B67	T8RR0080
1168	睽	BB67	7B68	T8RS0080

Line Number	Graphic	PC Code	Host Code	GCGID
1169	睽	BB68	7B69	T8RT0080
1170	睽	BB69	7B6A	T8RU0080
1171	睽	BB6A	7B6B	T8RV0080
1172	睽	BB6B	7B6C	T8RW0080
1173	睽	BB6C	7B6D	T8RX0080
1174	睽	BB6D	7B6E	T8RY0080
1175	睽	BB6E	7B6F	T8RZ0080
1176	睽	BB6F	7B70	T8S00080
1177	睽	BB70	7B71	T8S10080
1178	睽	BB71	7B72	T8S20080
1179	睽	BB72	7B73	T8S30080
1180	睽	BB73	7B74	T8S40080
1181	睽	BB74	7B75	T8S50080
1182	睽	BB75	7B76	T8S60080
1183	睽	BB76	7B77	T8S70080
1184	睽	BB77	7B78	T8S80080
1185	睽	BB78	7B79	T8S90080
1186	睽	BB79	7B7A	T8SA0080
1187	睽	BB7A	7B7B	T8SB0080
1188	睽	BB7B	7B7C	T8SC0080
1189	睽	BB7C	7B7D	T8SD0080
1190	睽	BB7D	7B7E	T8SE0080
1191	睽	BB7E	7B7F	T8SF0080
1192	睽	BB80	7B81	T8SH0080
1193	睽	BB81	7B82	T8SI0080
1194	睽	BB82	7B83	T8SJ0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
1195	稗	BB83	7B84	T8SK0080
1196	稊	BB84	7B85	T8SL0080
1197	穢	BB85	7B86	T8SM0080
1198	稽	BB86	7B87	T8SN0080
1199	糶	BB87	7B88	T8SO0080
1200	綸	BB88	7B89	T8SP0080
1201	窳	BB89	7B8A	T8SQ0080
1202	窳	BB8A	7B8B	T8SR0080
1203	窳	BB8B	7B8C	T8SS0080
1204	淨	BB8C	7B8D	T8ST0080
1205	筦	BB8D	7B8E	T8SU0080
1206	筧	BB8E	7B8F	T8SV0080
1207	筭	BB8F	7B90	T8SW0080
1208	筭	BB90	7B91	T8SX0080
1209	筭	BB91	7B92	T8SY0080
1210	筭	BB92	7B93	T8SZ0080
1211	筭	BB93	7B94	T8T00080
1212	筭	BB94	7B95	T8T10080
1213	筱	BB95	7B96	T8T20080
1214	箨	BB96	7B97	T8T30080
1215	箨	BB97	7B98	T8T40080
1216	箨	BB98	7B99	T8T50080
1217	箨	BB99	7B9A	T8T60080
1218	籟	BB9A	7B9B	T8T70080
1219	籟	BB9B	7B9C	T8T80080
1220	糗	BB9C	7B9D	T8T90080

Line Number	Graphic	PC Code	Host Code	GCGID
1221	糗	BB9D	7B9E	T8TA0080
1222	縑	BB9E	7B9F	T8TB0080
1223	縑	BB9F	7BA0	T8TC0080
1224	練	BBA0	7BA1	T8TD0080
1225	縑	BBA1	7BA2	T8TE0080
1226	縑	BBA2	7BA3	T8TF0080
1227	縑	BBA3	7BA4	T8TG0080
1228	縑	BBA4	7BA5	T8TH0080
1229	縑	BBA5	7BA6	T8TI0080
1230	縑	BBA6	7BA7	T8TJ0080
1231	縑	BBA7	7BA8	T8TK0080
1232	縑	BBA8	7BA9	T8TL0080
1233	縑	BBA9	7BAA	T8TM0080
1234	縑	BBAA	7BAB	T8TN0080
1235	縑	BBAB	7BAC	T8TO0080
1236	縑	BBAC	7BAD	T8TP0080
1237	縑	BBAD	7BAE	T8TQ0080
1238	罨	BBAE	7BAF	T8TR0080
1239	罨	BBAF	7BB0	T8TS0080
1240	罨	BBB0	7BB1	T8TT0080
1241	罨	BBB1	7BB2	T8TU0080
1242	罨	BBB2	7BB3	T8TV0080
1243	罨	BBB3	7BB4	T8TW0080
1244	罨	BBB4	7BB5	T8TX0080
1245	罨	BBB5	7BB6	T8TY0080
1246	罨	BBB6	7BB7	T8TZ0080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
1247	癸	BBB7	7BB8	T8U00080
1248	勑	BBB8	7BB9	T8U10080
1249	臈	BBB9	7BBA	T8U20080
1250	臍	BBBA	7BBB	T8U30080
1251	臍	BBBB	7BBC	T8U40080
1252	臍	BBBC	7BBD	T8U50080
1253	臍	BBBD	7BBE	T8U60080
1254	臍	BBBE	7BBF	T8U70080
1255	臍	BBBF	7BC0	T8U80080
1256	臍	BBC0	7BC1	T8U90080
1257	臍	BBC1	7BC2	T8UA0080
1258	臍	BBC2	7BC3	T8UB0080
1259	臍	BBC3	7BC4	T8UC0080
1260	臍	BBC4	7BC5	T8UD0080
1261	臍	BBC5	7BC6	T8UE0080
1262	臍	BBC6	7BC7	T8UF0080
1263	臍	BBC7	7BC8	T8UG0080
1264	臍	BBC8	7BC9	T8UH0080
1265	臍	BBC9	7BCA	T8UI0080
1266	臍	BBCA	7BCB	T8UJ0080
1267	臍	BBCB	7BCC	T8UK0080
1268	臍	BBCC	7BCD	T8UL0080
1269	臍	BBCD	7BCE	T8UM0080
1270	臍	BBCE	7BCF	T8UN0080
1271	臍	BBCF	7BD0	T8UO0080
1272	癸	BBD0	7BD1	T8UP0080

Line Number	Graphic	PC Code	Host Code	GCGID
1273	葶	BBD1	7BD2	T8UQ0080
1274	施	BBD2	7BD3	T8UR0080
1275	蕾	BBD3	7BD4	T8US0080
1276	蔞	BBD4	7BD5	T8UT0080
1277	蔞	BBD5	7BD6	T8UU0080
1278	蔞	BBD6	7BD7	T8UV0080
1279	蔞	BBD7	7BD8	T8UW0080
1280	蔞	BBD8	7BD9	T8UX0080
1281	蔞	BBD9	7BDA	T8UY0080
1282	蔞	BBDA	7BDB	T8UZ0080
1283	蔞	BBDB	7BDC	T8V00080
1284	蔞	BBDC	7BDD	T8V10080
1285	蔞	BBDD	7BDE	T8V20080
1286	蔞	BBDE	7BDF	T8V30080
1287	蔞	BBDF	7BE0	T8V40080
1288	蔞	BBE0	7BE1	T8V50080
1289	蔞	BBE1	7BE2	T8V60080
1290	蔞	BBE2	7BE3	T8V70080
1291	蔞	BBE3	7BE4	T8V80080
1292	蔞	BBE4	7BE5	T8V90080
1293	蔞	BBE5	7BE6	T8VA0080
1294	蔞	BBE6	7BE7	T8VB0080
1295	蔞	BBE7	7BE8	T8VC0080
1296	蔞	BBE8	7BE9	T8VD0080
1297	蔞	BBE9	7BEA	T8VE0080
1298	蔞	BBEA	7BEB	T8VF0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
1299	焯	BBEB	7BEC	T8VG0080
1300	焮	BBEC	7BED	T8VH0080
1301	焯	BBED	7BEE	T8VI0080
1302	焮	BBEE	7BEF	T8VJ0080
1303	焯	BBEF	7BF0	T8VK0080
1304	焮	BBF0	7BF1	T8VL0080
1305	焯	BBF1	7BF2	T8VM0080
1306	焮	BBF2	7BF3	T8VN0080
1307	焯	BBF3	7BF4	T8VO0080
1308	焮	BBF4	7BF5	T8VP0080
1309	焯	BBF5	7BF6	T8VQ0080
1310	焮	BBF6	7BF7	T8VR0080
1311	焯	BBF7	7BF8	T8VS0080
1312	焮	BBF8	7BF9	T8VT0080
1313	焯	BBF9	7BFA	T8VU0080
1314	焮	BBFA	7BFB	T8VV0080
1315	焯	BBFB	7BFC	T8VW0080
1316	焮	BBFC	7BFD	T8VX0080
1317	焯	BC40	7C41	T8W10080
1318	焮	BC41	7C42	T8W20080
1319	焯	BC42	7C43	T8W30080
1320	焮	BC43	7C44	T8W40080
1321	焯	BC44	7C45	T8W50080
1322	焮	BC45	7C46	T8W60080
1323	焯	BC46	7C47	T8W70080
1324	焮	BC47	7C48	T8W80080

Line Number	Graphic	PC Code	Host Code	GCGID
1325	焮	BC48	7C49	T8W90080
1326	焯	BC49	7C4A	T8WA0080
1327	焮	BC4A	7C4B	T8WB0080
1328	焯	BC4B	7C4C	T8WC0080
1329	焮	BC4C	7C4D	T8WD0080
1330	焯	BC4D	7C4E	T8WE0080
1331	焮	BC4E	7C4F	T8WF0080
1332	焯	BC4F	7C50	T8WG0080
1333	焮	BC50	7C51	T8WH0080
1334	焯	BC51	7C52	T8WI0080
1335	焮	BC52	7C53	T8WJ0080
1336	焯	BC53	7C54	T8WK0080
1337	焮	BC54	7C55	T8WL0080
1338	焯	BC55	7C56	T8WM0080
1339	焮	BC56	7C57	T8WN0080
1340	焯	BC57	7C58	T8WO0080
1341	焮	BC58	7C59	T8WP0080
1342	焯	BC59	7C5A	T8WQ0080
1343	焮	BC5A	7C5B	T8WR0080
1344	焯	BC5B	7C5C	T8WS0080
1345	焮	BC5C	7C5D	T8WT0080
1346	焯	BC5D	7C5E	T8WU0080
1347	焮	BC5E	7C5F	T8WV0080
1348	焯	BC5F	7C60	T8WW0080
1349	焮	BC60	7C61	T8WX0080
1350	焯	BC61	7C62	T8WY0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 19 (Page 27 of 44). Secondary CH-T (2/4), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
1351	勳	BC62	7C63	T8WZ0080
1352	鯤	BC63	7C64	T8X00080
1353	鮭	BC64	7C65	T8X10080
1354	鮐	BC65	7C66	T8X20080
1355	鮓	BC66	7C67	T8X30080
1356	鮔	BC67	7C68	T8X40080
1357	養	BC68	7C69	T8X50080
1358	習	BC69	7C6A	T8X60080
1359	觜	BC6A	7C6B	T8X70080
1360	觸	BC6B	7C6C	T8X80080
1361	誦	BC6C	7C6D	T8X90080
1362	誼	BC6D	7C6E	T8XA0080
1363	誼	BC6E	7C6F	T8XB0080
1364	詡	BC6F	7C70	T8XC0080
1365	詈	BC70	7C71	T8XD0080
1366	詡	BC71	7C72	T8XE0080
1367	詵	BC72	7C73	T8XF0080
1368	誅	BC73	7C74	T8XG0080
1369	誅	BC74	7C75	T8XH0080
1370	諺	BC75	7C76	T8XI0080
1371	誼	BC76	7C77	T8XJ0080
1372	誼	BC77	7C78	T8XK0080
1373	詔	BC78	7C79	T8XL0080
1374	誼	BC79	7C7A	T8XM0080
1375	登	BC7A	7C7B	T8XN0080
1376	豐	BC7B	7C7C	T8XO0080

Table 19 (Page 27 of 44). Secondary CH-T (2/4), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
1377	豺	BC7C	7C7D	T8XP0080
1378	豺	BC7D	7C7E	T8XQ0080
1379	虞	BC7E	7C7F	T8XR0080
1380	豺	BC80	7C81	T8XT0080
1381	豺	BC81	7C82	T8XU0080
1382	豺	BC82	7C83	T8XV0080
1383	豸	BC83	7C84	T8XW0080
1384	豺	BC84	7C85	T8XX0080
1385	豺	BC85	7C86	T8XY0080
1386	越	BC86	7C87	T8XZ0080
1387	越	BC87	7C88	T8Y00080
1388	越	BC88	7C89	T8Y10080
1389	越	BC89	7C8A	T8Y20080
1390	越	BC8A	7C8B	T8Y30080
1391	越	BC8B	7C8C	T8Y40080
1392	越	BC8C	7C8D	T8Y50080
1393	越	BC8D	7C8E	T8Y60080
1394	越	BC8E	7C8F	T8Y70080
1395	跄	BC8F	7C90	T8Y80080
1396	跄	BC90	7C91	T8Y90080
1397	跄	BC91	7C92	T8YA0080
1398	跄	BC92	7C93	T8YB0080
1399	跄	BC93	7C94	T8YC0080
1400	跄	BC94	7C95	T8YD0080
1401	跄	BC95	7C96	T8YE0080
1402	跄	BC96	7C97	T8YF0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 19 (Page 28 of 44). Secondary CH-T (2/4), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
1403	踳	BC97	7C98	T8YG0080
1404	踴	BC98	7C99	T8YH0080
1405	踰	BC99	7C9A	T8YI0080
1406	踰	BC9A	7C9B	T8YJ0080
1407	踰	BC9B	7C9C	T8YK0080
1408	輅	BC9C	7C9D	T8YL0080
1409	輅	BC9D	7C9E	T8YM0080
1410	輅	BC9E	7C9F	T8YN0080
1411	輅	BC9F	7CA0	T8YO0080
1412	輅	BCA0	7CA1	T8YP0080
1413	輅	BCA1	7CA2	T8YQ0080
1414	輅	BCA2	7CA3	T8YR0080
1415	輅	BCA3	7CA4	T8YS0080
1416	輅	BCA4	7CA5	T8YT0080
1417	適	BCA5	7CA6	T8YU0080
1418	適	BCA6	7CA7	T8YV0080
1419	適	BCA7	7CA8	T8YW0080
1420	適	BCA8	7CA9	T8YX0080
1421	適	BCA9	7CAA	T8YY0080
1422	鄱	BCAA	7CAB	T8YZ0080
1423	鄱	BCAB	7CAC	T8Z00080
1424	鄱	BCAC	7CAD	T8Z10080
1425	鄱	BCAD	7CAE	T8Z20080
1426	鄱	BCAE	7CAF	T8Z30080
1427	鄱	BCAF	7CB0	T8Z40080
1428	鄱	BCB0	7CB1	T8Z50080

Table 19 (Page 28 of 44). Secondary CH-T (2/4), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
1429	鄱	BCB1	7CB2	T8Z60080
1430	鄱	BCB2	7CB3	T8Z70080
1431	鄱	BCB3	7CB4	T8Z80080
1432	鄱	BCB4	7CB5	T8Z90080
1433	鄱	BCB5	7CB6	T8ZA0080
1434	鄱	BCB6	7CB7	T8ZB0080
1435	鄱	BCB7	7CB8	T8ZC0080
1436	鄱	BCB8	7CB9	T8ZD0080
1437	鄱	BCB9	7CBA	T8ZE0080
1438	鄱	BCBA	7CBB	T8ZF0080
1439	鄱	BCBB	7CBC	T8ZG0080
1440	鄱	BCBC	7CBD	T8ZH0080
1441	鄱	BCBD	7CBE	T8ZI0080
1442	鄱	BCBE	7CBF	T8ZJ0080
1443	鄱	BCBF	7CC0	T8ZK0080
1444	鄱	BCC0	7CC1	T8ZL0080
1445	鄱	BCC1	7CC2	T8ZM0080
1446	鄱	BCC2	7CC3	T8ZN0080
1447	鄱	BCC3	7CC4	T8ZO0080
1448	鄱	BCC4	7CC5	T8ZP0080
1449	鄱	BCC5	7CC6	T8ZQ0080
1450	鄱	BCC6	7CC7	T8ZR0080
1451	鄱	BCC7	7CC8	T8ZS0080
1452	鄱	BCC8	7CC9	T8ZT0080
1453	鄱	BCC9	7CCA	T8ZU0080
1454	鄱	BCCA	7CCB	T8ZV0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
1455	鈇	BCCB	7CCC	T8ZW0080
1456	鈈	BCCC	7CCD	T8ZX0080
1457	鈉	BCCD	7CCE	T8ZY0080
1458	鈊	BCCE	7CCF	T8ZZ0080
1459	鈋	BCCF	7CD0	T9000080
1460	鈌	BCD0	7CD1	T9010080
1461	鈍	BCD1	7CD2	T9020080
1462	鈎	BCD2	7CD3	T9030080
1463	鈈	BCD3	7CD4	T9040080
1464	鈉	BCD4	7CD5	T9050080
1465	鈊	BCD5	7CD6	T9060080
1466	鈋	BCD6	7CD7	T9070080
1467	鈌	BCD7	7CD8	T9080080
1468	鈍	BCD8	7CD9	T9090080
1469	鈎	BCD9	7CDA	T90A0080
1470	鈈	BCDA	7CDB	T90B0080
1471	鈉	BCDB	7CDC	T90C0080
1472	鈊	BCDC	7CDD	T90D0080
1473	鈋	BCDD	7CDE	T90E0080
1474	鈌	BCDE	7CDF	T90F0080
1475	鈍	BCDF	7CE0	T90G0080
1476	鈎	BCE0	7CE1	T90H0080
1477	鈈	BCE1	7CE2	T90I0080
1478	鈉	BCE2	7CE3	T90J0080
1479	鈊	BCE3	7CE4	T90K0080
1480	鈋	BCE4	7CE5	T90L0080

Line Number	Graphic	PC Code	Host Code	GCGID
1481	頰	BCE5	7CE6	T90M0080
1482	頤	BCE6	7CE7	T90N0080
1483	颯	BCE7	7CE8	T90O0080
1484	飶	BCE8	7CE9	T90P0080
1485	飭	BCE9	7CEA	T90Q0080
1486	馭	BCEA	7CEB	T90R0080
1487	馱	BCEB	7CEC	T90S0080
1488	馱	BCEC	7CED	T90T0080
1489	鼻	BCED	7CEE	T90U0080
1490	馱	BCEE	7CEF	T90V0080
1491	馱	BCEF	7CF0	T90W0080
1492	馱	BCF0	7CF1	T90X0080
1493	馱	BCF1	7CF2	T90Y0080
1494	馱	BCF2	7CF3	T90Z0080
1495	馱	BCF3	7CF4	T9100080
1496	馱	BCF4	7CF5	T9110080
1497	馱	BCF5	7CF6	T9120080
1498	馱	BCF6	7CF7	T9130080
1499	馱	BCF7	7CF8	T9140080
1500	馱	BCF8	7CF9	T9150080
1501	馱	BCF9	7CFA	T9160080
1502	馱	BCFA	7CFB	T9170080
1503	馱	BCFB	7CFC	T9180080
1504	馱	BCFC	7CFD	T9190080
1505	僇	BD40	7D41	T91D0080
1506	僇	BD41	7D42	T91E0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 19 (Page 30 of 44). Secondary CH-T (2/4), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
1507	價	BD42	7D43	T91F0080
1508	雋	BD43	7D44	T91G0080
1509	熒	BD44	7D45	T91H0080
1510	磷	BD45	7D46	T91I0080
1511	僭	BD46	7D47	T91J0080
1512	僭	BD47	7D48	T91K0080
1513	漸	BD48	7D49	T91L0080
1514	劓	BD49	7D4A	T91M0080
1515	劓	BD4A	7D4B	T91N0080
1516	勤	BD4B	7D4C	T91O0080
1517	勤	BD4C	7D4D	T91P0080
1518	罍	BD4D	7D4E	T91Q0080
1519	唇	BD4E	7D4F	T91R0080
1520	噤	BD4F	7D50	T91S0080
1521	噤	BD50	7D51	T91T0080
1522	噤	BD51	7D52	T91U0080
1523	噤	BD52	7D53	T91V0080
1524	噤	BD53	7D54	T91W0080
1525	噤	BD54	7D55	T91X0080
1526	噤	BD55	7D56	T91Y0080
1527	噤	BD56	7D57	T91Z0080
1528	噤	BD57	7D58	T9200080
1529	噤	BD58	7D59	T9210080
1530	噤	BD59	7D5A	T9220080
1531	噤	BD5A	7D5B	T9230080
1532	噤	BD5B	7D5C	T9240080

Table 19 (Page 30 of 44). Secondary CH-T (2/4), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
1533	噤	BD5C	7D5D	T9250080
1534	噤	BD5D	7D5E	T9260080
1535	噤	BD5E	7D5F	T9270080
1536	噤	BD5F	7D60	T9280080
1537	噤	BD60	7D61	T9290080
1538	噤	BD61	7D62	T92A0080
1539	噤	BD62	7D63	T92B0080
1540	噤	BD63	7D64	T92C0080
1541	噤	BD64	7D65	T92D0080
1542	噤	BD65	7D66	T92E0080
1543	噤	BD66	7D67	T92F0080
1544	噤	BD67	7D68	T92G0080
1545	噤	BD68	7D69	T92H0080
1546	噤	BD69	7D6A	T92I0080
1547	噤	BD6A	7D6B	T92J0080
1548	噤	BD6B	7D6C	T92K0080
1549	噤	BD6C	7D6D	T92L0080
1550	噤	BD6D	7D6E	T92M0080
1551	噤	BD6E	7D6F	T92N0080
1552	噤	BD6F	7D70	T92O0080
1553	噤	BD70	7D71	T92P0080
1554	噤	BD71	7D72	T92Q0080
1555	噤	BD72	7D73	T92R0080
1556	噤	BD73	7D74	T92S0080
1557	噤	BD74	7D75	T92T0080
1558	噤	BD75	7D76	T92U0080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
1559	嫵	BD76	7D77	T92V0080
1560	嫪	BD77	7D78	T92W0080
1561	嫫	BD78	7D79	T92X0080
1562	嫬	BD79	7D7A	T92Y0080
1563	嫭	BD7A	7D7B	T92Z0080
1564	嫈	BD7B	7D7C	T9300080
1565	嫉	BD7C	7D7D	T9310080
1566	嫊	BD7D	7D7E	T9320080
1567	嫍	BD7E	7D7F	T9330080
1568	嫎	BD80	7D81	T9350080
1569	嫏	BD81	7D82	T9360080
1570	嫐	BD82	7D83	T9370080
1571	嫑	BD83	7D84	T9380080
1572	嫒	BD84	7D85	T9390080
1573	嫓	BD85	7D86	T93A0080
1574	嫔	BD86	7D87	T93B0080
1575	嫕	BD87	7D88	T93C0080
1576	嫖	BD88	7D89	T93D0080
1577	嫗	BD89	7D8A	T93E0080
1578	嶂	BD8A	7D8B	T93F0080
1579	嶃	BD8B	7D8C	T93G0080
1580	嶄	BD8C	7D8D	T93H0080
1581	嶅	BD8D	7D8E	T93I0080
1582	嶆	BD8E	7D8F	T93J0080
1583	嶇	BD8F	7D90	T93K0080
1584	嶈	BD90	7D91	T93L0080

Line Number	Graphic	PC Code	Host Code	GCGID
1585	摧	BD91	7D92	T93M0080
1586	催	BD92	7D93	T93N0080
1587	嶊	BD93	7D94	T93O0080
1588	嶋	BD94	7D95	T93P0080
1589	嶌	BD95	7D96	T93Q0080
1590	嶍	BD96	7D97	T93R0080
1591	嶎	BD97	7D98	T93S0080
1592	嶏	BD98	7D99	T93T0080
1593	嶐	BD99	7D9A	T93U0080
1594	嶑	BD9A	7D9B	T93V0080
1595	嶒	BD9B	7D9C	T93W0080
1596	嶓	BD9C	7D9D	T93X0080
1597	嶔	BD9D	7D9E	T93Y0080
1598	嶕	BD9E	7D9F	T93Z0080
1599	嶖	BD9F	7DA0	T9400080
1600	嶗	BDA0	7DA1	T9410080
1601	嶘	BDA1	7DA2	T9420080
1602	嶙	BDA2	7DA3	T9430080
1603	嶚	BDA3	7DA4	T9440080
1604	嶜	BDA4	7DA5	T9450080
1605	嶝	BDA5	7DA6	T9460080
1606	嶞	BDA6	7DA7	T9470080
1607	嶟	BDA7	7DA8	T9480080
1608	嶠	BDA8	7DA9	T9490080
1609	嶡	BDA9	7DAA	T94A0080
1610	嶢	BDAA	7DAB	T94B0080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 19 (Page 32 of 44). Secondary CH-T (2/4), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
1611	恩	BDAB	7DAC	T94C0080
1612	樟	BDAC	7DAD	T94D0080
1613	博	BDAD	7DAE	T94E0080
1614	慳	BDAE	7DAF	T94F0080
1615	槽	BDAF	7DB0	T94G0080
1616	慄	BDB0	7DB1	T94H0080
1617	慄	BDB1	7DB2	T94I0080
1618	懂	BDB2	7DB3	T94J0080
1619	嚮	BDB3	7DB4	T94K0080
1620	慄	BDB4	7DB5	T94L0080
1621	慄	BDB5	7DB6	T94M0080
1622	慄	BDB6	7DB7	T94N0080
1623	慄	BDB7	7DB8	T94O0080
1624	慄	BDB8	7DB9	T94P0080
1625	慄	BDB9	7DBA	T94Q0080
1626	慄	BDBA	7DBB	T94R0080
1627	慄	BDBB	7DBC	T94S0080
1628	慄	BDBC	7DBD	T94T0080
1629	戩	BDBD	7DBE	T94U0080
1630	戩	BDBE	7DBF	T94V0080
1631	戩	BDBF	7DC0	T94W0080
1632	擧	BDC0	7DC1	T94X0080
1633	擧	BDC1	7DC2	T94Y0080
1634	擧	BDC2	7DC3	T94Z0080
1635	擧	BDC3	7DC4	T9500080
1636	擧	BDC4	7DC5	T9510080

Table 19 (Page 32 of 44). Secondary CH-T (2/4), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
1637	擧	BDC5	7DC6	T9520080
1638	擧	BDC6	7DC7	T9530080
1639	擧	BDC7	7DC8	T9540080
1640	擧	BDC8	7DC9	T9550080
1641	擧	BDC9	7DCA	T9560080
1642	擧	BDCA	7DCB	T9570080
1643	擧	BDCB	7DCC	T9580080
1644	擧	BDCC	7DCD	T9590080
1645	擧	BDCD	7DCE	T95A0080
1646	擧	BDCE	7DCF	T95B0080
1647	擧	BDCF	7DD0	T95C0080
1648	擧	BDD0	7DD1	T95D0080
1649	擧	BDD1	7DD2	T95E0080
1650	擧	BDD2	7DD3	T95F0080
1651	擧	BDD3	7DD4	T95G0080
1652	擧	BDD4	7DD5	T95H0080
1653	擧	BDD5	7DD6	T95I0080
1654	擧	BDD6	7DD7	T95J0080
1655	擧	BDD7	7DD8	T95K0080
1656	擧	BDD8	7DD9	T95L0080
1657	擧	BDD9	7DDA	T95M0080
1658	擧	BDDA	7DDB	T95N0080
1659	擧	Bddb	7DDC	T95O0080
1660	擧	BDDC	7DDD	T95P0080
1661	擧	BDDD	7DDE	T95Q0080
1662	擧	BDDE	7DDF	T95R0080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
1663	暄	BDDF	7DE0	T95S0080
1664	竭	BDE0	7DE1	T95T0080
1665	曠	BDE1	7DE2	T95U0080
1666	聖	BDE2	7DE3	T95V0080
1667	椋	BDE3	7DE4	T95W0080
1668	槽	BDE4	7DE5	T95X0080
1669	楨	BDE5	7DE6	T95Y0080
1670	榭	BDE6	7DE7	T95Z0080
1671	槎	BDE7	7DE8	T9600080
1672	穀	BDE8	7DE9	T9610080
1673	楮	BDE9	7DEA	T9620080
1674	榘	BDEA	7DEB	T9630080
1675	榑	BDEB	7DEC	T9640080
1676	榑	BDEC	7DED	T9650080
1677	楮	BDED	7DEE	T9660080
1678	榑	BDEE	7DEF	T9670080
1679	榑	BDEF	7DF0	T9680080
1680	榑	BDF0	7DF1	T9690080
1681	榑	BDF1	7DF2	T96A0080
1682	榑	BDF2	7DF3	T96B0080
1683	榑	BDF3	7DF4	T96C0080
1684	榑	BDF4	7DF5	T96D0080
1685	榑	BDF5	7DF6	T96E0080
1686	榑	BDF6	7DF7	T96F0080
1687	榑	BDF7	7DF8	T96G0080
1688	榑	BDF8	7DF9	T96H0080

Line Number	Graphic	PC Code	Host Code	GCGID
1689	榑	BDF9	7DFA	T96I0080
1690	榑	BDFA	7DFB	T96J0080
1691	榑	BDFB	7DFC	T96K0080
1692	榑	BDFC	7DFD	T96L0080
1693	榑	BE40	7E41	T96P0080
1694	榑	BE41	7E42	T96Q0080
1695	榑	BE42	7E43	T96R0080
1696	榑	BE43	7E44	T96S0080
1697	榑	BE44	7E45	T96T0080
1698	榑	BE45	7E46	T96U0080
1699	榑	BE46	7E47	T96V0080
1700	榑	BE47	7E48	T96W0080
1701	榑	BE48	7E49	T96X0080
1702	榑	BE49	7E4A	T96Y0080
1703	榑	BE4A	7E4B	T96Z0080
1704	榑	BE4B	7E4C	T9700080
1705	榑	BE4C	7E4D	T9710080
1706	榑	BE4D	7E4E	T9720080
1707	榑	BE4E	7E4F	T9730080
1708	殞	BE4F	7E50	T9740080
1709	殞	BE50	7E51	T9750080
1710	殞	BE51	7E52	T9760080
1711	殞	BE52	7E53	T9770080
1712	殞	BE53	7E54	T9780080
1713	殞	BE54	7E55	T9790080
1714	殞	BE55	7E56	T97A0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
1715	漚	BE56	7E57	T97B0080
1716	漚	BE57	7E58	T97C0080
1717	漚	BE58	7E59	T97D0080
1718	漚	BE59	7E5A	T97E0080
1719	漚	BE5A	7E5B	T97F0080
1720	漚	BE5B	7E5C	T97G0080
1721	漚	BE5C	7E5D	T97H0080
1722	漚	BE5D	7E5E	T97I0080
1723	漚	BE5E	7E5F	T97J0080
1724	漚	BE5F	7E60	T97K0080
1725	漚	BE60	7E61	T97L0080
1726	漚	BE61	7E62	T97M0080
1727	漚	BE62	7E63	T97N0080
1728	漚	BE63	7E64	T97O0080
1729	漚	BE64	7E65	T97P0080
1730	漚	BE65	7E66	T97Q0080
1731	漚	BE66	7E67	T97R0080
1732	漚	BE67	7E68	T97S0080
1733	漚	BE68	7E69	T97T0080
1734	漚	BE69	7E6A	T97U0080
1735	漚	BE6A	7E6B	T97V0080
1736	漚	BE6B	7E6C	T97W0080
1737	漚	BE6C	7E6D	T97X0080
1738	漚	BE6D	7E6E	T97Y0080
1739	漚	BE6E	7E6F	T97Z0080
1740	漚	BE6F	7E70	T9800080

Line Number	Graphic	PC Code	Host Code	GCGID
1741	漚	BE70	7E71	T9810080
1742	漚	BE71	7E72	T9820080
1743	漚	BE72	7E73	T9830080
1744	漚	BE73	7E74	T9840080
1745	漚	BE74	7E75	T9850080
1746	漚	BE75	7E76	T9860080
1747	漚	BE76	7E77	T9870080
1748	漚	BE77	7E78	T9880080
1749	漚	BE78	7E79	T9890080
1750	漚	BE79	7E7A	T98A0080
1751	漚	BE7A	7E7B	T98B0080
1752	漚	BE7B	7E7C	T98C0080
1753	漚	BE7C	7E7D	T98D0080
1754	漚	BE7D	7E7E	T98E0080
1755	漚	BE7E	7E7F	T98F0080
1756	漚	BE80	7E81	T98H0080
1757	漚	BE81	7E82	T98I0080
1758	漚	BE82	7E83	T98J0080
1759	漚	BE83	7E84	T98K0080
1760	漚	BE84	7E85	T98L0080
1761	漚	BE85	7E86	T98M0080
1762	漚	BE86	7E87	T98N0080
1763	漚	BE87	7E88	T98O0080
1764	漚	BE88	7E89	T98P0080
1765	漚	BE89	7E8A	T98Q0080
1766	漚	BE8A	7E8B	T98R0080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
1767	燐	BE8B	7E8C	T98S0080
1768	燐	BE8C	7E8D	T98T0080
1769	燐	BE8D	7E8E	T98U0080
1770	膀	BE8E	7E8F	T98V0080
1771	摑	BE8F	7E90	T98W0080
1772	備	BE90	7E91	T98X0080
1773	嚮	BE91	7E92	T98Y0080
1774	猷	BE92	7E93	T98Z0080
1775	獍	BE93	7E94	T9900080
1776	獬	BE94	7E95	T9910080
1777	獭	BE95	7E96	T9920080
1778	瑤	BE96	7E97	T9930080
1779	瑳	BE97	7E98	T9940080
1780	瑱	BE98	7E99	T9950080
1781	瑳	BE99	7E9A	T9960080
1782	瑳	BE9A	7E9B	T9970080
1783	瑳	BE9B	7E9C	T9980080
1784	瑳	BE9C	7E9D	T9990080
1785	甄	BE9D	7E9E	T99A0080
1786	颯	BE9E	7E9F	T99B0080
1787	颯	BE9F	7EA0	T99C0080
1788	腫	BEA0	7EA1	T99D0080
1789	寔	BEA1	7EA2	T99E0080
1790	瘡	BEA2	7EA3	T99F0080
1791	瘰	BEA3	7EA4	T99G0080
1792	癩	BEA4	7EA5	T99H0080

Line Number	Graphic	PC Code	Host Code	GCGID
1793	癩	BEA5	7EA6	T99I0080
1794	癩	BEA6	7EA7	T99J0080
1795	癩	BEA7	7EA8	T99K0080
1796	癩	BEA8	7EA9	T99L0080
1797	鞞	BEA9	7EAA	T99M0080
1798	眼	BEAA	7EAB	T99N0080
1799	眼	BEAB	7EAC	T99O0080
1800	瞅	BEAC	7EAD	T99P0080
1801	馘	BEAD	7EAE	T99Q0080
1802	踰	BEAE	7EAF	T99R0080
1803	警	BEAF	7EB0	T99S0080
1804	警	BEB0	7EB1	T99T0080
1805	舉	BEB1	7EB2	T99U0080
1806	睚	BEB2	7EB3	T99V0080
1807	碎	BEB3	7EB4	T99W0080
1808	礎	BEB4	7EB5	T99X0080
1809	礎	BEB5	7EB6	T99Y0080
1810	礪	BEB6	7EB7	T99Z0080
1811	礪	BEB7	7EB8	T9A00080
1812	礪	BEB8	7EB9	T9A10080
1813	礪	BEB9	7EBA	T9A20080
1814	礪	BEBA	7EBB	T9A30080
1815	礪	BEBB	7EBC	T9A40080
1816	礪	BEBC	7EBD	T9A50080
1817	礪	BEBD	7EBE	T9A60080
1818	礪	BEBE	7EBF	T9A70080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
1819	礮	BEBF	7EC0	T9A80080
1820	禘	BEC0	7EC1	T9A90080
1821	禡	BEC1	7EC2	T9AA0080
1822	禋	BEC2	7EC3	T9AB0080
1823	禛	BEC3	7EC4	T9AC0080
1824	禜	BEC4	7EC5	T9AD0080
1825	禝	BEC5	7EC6	T9AE0080
1826	禞	BEC6	7EC7	T9AF0080
1827	禟	BEC7	7EC8	T9AG0080
1828	禠	BEC8	7EC9	T9AH0080
1829	禡	BEC9	7ECA	T9AI0080
1830	禢	BECA	7ECB	T9AJ0080
1831	禣	BECB	7ECC	T9AK0080
1832	禤	BECC	7ECD	T9AL0080
1833	禥	BECD	7ECE	T9AM0080
1834	禦	BECE	7ECF	T9AN0080
1835	禧	BECF	7ED0	T9AO0080
1836	禨	BED0	7ED1	T9AP0080
1837	窳	BED1	7ED2	T9AQ0080
1838	窴	BED2	7ED3	T9AR0080
1839	窵	BED3	7ED4	T9AS0080
1840	窶	BED4	7ED5	T9AT0080
1841	窷	BED5	7ED6	T9AU0080
1842	窸	BED6	7ED7	T9AV0080
1843	窹	BED7	7ED8	T9AW0080
1844	窺	BED8	7ED9	T9AX0080

Line Number	Graphic	PC Code	Host Code	GCGID
1845	筭	BED9	7EDA	T9AY0080
1846	筭	BEDA	7EDB	T9AZ0080
1847	筭	BEDB	7EDC	T9B00080
1848	筭	BEDC	7EDD	T9B10080
1849	筭	BEDD	7EDE	T9B20080
1850	筭	BEDE	7EDF	T9B30080
1851	筭	BEDF	7EE0	T9B40080
1852	筭	BEE0	7EE1	T9B50080
1853	筭	BEE1	7EE2	T9B60080
1854	筭	BEE2	7EE3	T9B70080
1855	筭	BEE3	7EE4	T9B80080
1856	筭	BEE4	7EE5	T9B90080
1857	糲	BEE5	7EE6	T9BA0080
1858	糲	BEE6	7EE7	T9BB0080
1859	糲	BEE7	7EE8	T9BC0080
1860	糲	BEE8	7EE9	T9BD0080
1861	糲	BEE9	7EEA	T9BE0080
1862	糲	BEEA	7EEB	T9BF0080
1863	糲	BEEB	7EEC	T9BG0080
1864	糲	BEEC	7EED	T9BH0080
1865	糲	BEED	7EEE	T9BI0080
1866	糲	BEEE	7EEF	T9BJ0080
1867	糲	BEEF	7EF0	T9BK0080
1868	糲	BEF0	7EF1	T9BL0080
1869	糲	BEF1	7EF2	T9BM0080
1870	糲	BEF2	7EF3	T9BN0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
1871	緹	BEF3	7EF4	T9BO0080
1872	緹	BEF4	7EF5	T9BP0080
1873	緹	BEF5	7EF6	T9BQ0080
1874	緹	BEF6	7EF7	T9BR0080
1875	緹	BEF7	7EF8	T9BS0080
1876	緹	BEF8	7EF9	T9BT0080
1877	緹	BEF9	7EFA	T9BU0080
1878	緹	BEFA	7EFB	T9BV0080
1879	緹	BEFB	7EFC	T9BW0080
1880	綦	BEFC	7EFD	T9BX0080
1881	綦	BF40	7F41	T9C10080
1882	綦	BF41	7F42	T9C20080
1883	綦	BF42	7F43	T9C30080
1884	綦	BF43	7F44	T9C40080
1885	綦	BF44	7F45	T9C50080
1886	綦	BF45	7F46	T9C60080
1887	綦	BF46	7F47	T9C70080
1888	綦	BF47	7F48	T9C80080
1889	綦	BF48	7F49	T9C90080
1890	綦	BF49	7F4A	T9CA0080
1891	綦	BF4A	7F4B	T9CB0080
1892	綦	BF4B	7F4C	T9CC0080
1893	綦	BF4C	7F4D	T9CD0080
1894	綦	BF4D	7F4E	T9CE0080
1895	綦	BF4E	7F4F	T9CF0080
1896	綦	BF4F	7F50	T9CG0080

Line Number	Graphic	PC Code	Host Code	GCGID
1897	臚	BF50	7F51	T9CH0080
1898	臚	BF51	7F52	T9CI0080
1899	臚	BF52	7F53	T9CJ0080
1900	臚	BF53	7F54	T9CK0080
1901	臚	BF54	7F55	T9CL0080
1902	臚	BF55	7F56	T9CM0080
1903	臚	BF56	7F57	T9CN0080
1904	臚	BF57	7F58	T9CO0080
1905	臚	BF58	7F59	T9CP0080
1906	臚	BF59	7F5A	T9CQ0080
1907	臚	BF5A	7F5B	T9CR0080
1908	臚	BF5B	7F5C	T9CS0080
1909	臚	BF5C	7F5D	T9CT0080
1910	臚	BF5D	7F5E	T9CU0080
1911	臚	BF5E	7F5F	T9CV0080
1912	臚	BF5F	7F60	T9CW0080
1913	臚	BF60	7F61	T9CX0080
1914	臚	BF61	7F62	T9CY0080
1915	臚	BF62	7F63	T9CZ0080
1916	臚	BF63	7F64	T9D00080
1917	臚	BF64	7F65	T9D10080
1918	臚	BF65	7F66	T9D20080
1919	臚	BF66	7F67	T9D30080
1920	臚	BF67	7F68	T9D40080
1921	臚	BF68	7F69	T9D50080
1922	臚	BF69	7F6A	T9D60080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 19 (Page 38 of 44). Secondary CH-T (2/4), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
1923	蒔	BF6A	7F6B	T9D70080
1924	葶	BF6B	7F6C	T9D80080
1925	菱	BF6C	7F6D	T9D90080
1926	藪	BF6D	7F6E	T9DA0080
1927	蒹	BF6E	7F6F	T9DB0080
1928	蒯	BF6F	7F70	T9DC0080
1929	蒨	BF70	7F71	T9DD0080
1930	蔞	BF71	7F72	T9DE0080
1931	羣	BF72	7F73	T9DF0080
1932	蒨	BF73	7F74	T9DG0080
1933	藎	BF74	7F75	T9DH0080
1934	蒨	BF75	7F76	T9DI0080
1935	蒨	BF76	7F77	T9DJ0080
1936	蒨	BF77	7F78	T9DK0080
1937	蒨	BF78	7F79	T9DL0080
1938	蒨	BF79	7F7A	T9DM0080
1939	蒨	BF7A	7F7B	T9DN0080
1940	蒨	BF7B	7F7C	T9DO0080
1941	虞	BF7C	7F7D	T9DP0080
1942	蒨	BF7D	7F7E	T9DQ0080
1943	蛭	BF7E	7F7F	T9DR0080
1944	蛭	BF80	7F81	T9DT0080
1945	蛭	BF81	7F82	T9DU0080
1946	蛭	BF82	7F83	T9DV0080
1947	蛭	BF83	7F84	T9DW0080
1948	蛭	BF84	7F85	T9DX0080

Table 19 (Page 38 of 44). Secondary CH-T (2/4), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
1949	蛭	BF85	7F86	T9DY0080
1950	蛭	BF86	7F87	T9DZ0080
1951	蛭	BF87	7F88	T9E00080
1952	蛭	BF88	7F89	T9E10080
1953	蛭	BF89	7F8A	T9E20080
1954	蛭	BF8A	7F8B	T9E30080
1955	蛭	BF8B	7F8C	T9E40080
1956	蛭	BF8C	7F8D	T9E50080
1957	蛭	BF8D	7F8E	T9E60080
1958	蛭	BF8E	7F8F	T9E70080
1959	蛭	BF8F	7F90	T9E80080
1960	蛭	BF90	7F91	T9E90080
1961	蛭	BF91	7F92	T9EA0080
1962	蛭	BF92	7F93	T9EB0080
1963	蛭	BF93	7F94	T9EC0080
1964	蛭	BF94	7F95	T9ED0080
1965	蛭	BF95	7F96	T9EE0080
1966	蛭	BF96	7F97	T9EF0080
1967	蛭	BF97	7F98	T9EG0080
1968	蛭	BF98	7F99	T9EH0080
1969	蛭	BF99	7F9A	T9EI0080
1970	蛭	BF9A	7F9B	T9EJ0080
1971	蛭	BF9B	7F9C	T9EK0080
1972	蛭	BF9C	7F9D	T9EL0080
1973	蛭	BF9D	7F9E	T9EM0080
1974	蛭	BF9E	7F9F	T9EN0080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
1975	襜	BF9F	7FA0	T9EO0080
1976	裱	BFA0	7FA1	T9EP0080
1977	襦	BFA1	7FA2	T9EQ0080
1978	襜	BFA2	7FA3	T9ER0080
1979	裾	BFA3	7FA4	T9ES0080
1980	褙	BFA4	7FA5	T9ET0080
1981	褙	BFA5	7FA6	T9EU0080
1982	褙	BFA6	7FA7	T9EV0080
1983	褙	BFA7	7FA8	T9EW0080
1984	褙	BFA8	7FA9	T9EX0080
1985	褙	BFA9	7FAA	T9EY0080
1986	褙	BFAA	7FAB	T9EZ0080
1987	覘	BFAB	7FAC	T9F00080
1988	覘	BFAC	7FAD	T9F10080
1989	覘	BFAD	7FAE	T9F20080
1990	覘	BFAE	7FAF	T9F30080
1991	觥	BFAF	7FB0	T9F40080
1992	觥	BFB0	7FB1	T9F50080
1993	觥	BFB1	7FB2	T9F60080
1994	誼	BFB2	7FB3	T9F70080
1995	誼	BFB3	7FB4	T9F80080
1996	誼	BFB4	7FB5	T9F90080
1997	諛	BFB5	7FB6	T9FA0080
1998	諛	BFB6	7FB7	T9FB0080
1999	諛	BFB7	7FB8	T9FC0080
2000	諛	BFB8	7FB9	T9FD0080

Line Number	Graphic	PC Code	Host Code	GCGID
2001	豨	BFB9	7FBA	T9FE0080
2002	豨	BFBA	7FBB	T9FF0080
2003	豨	BFBB	7FBC	T9FG0080
2004	豨	BFBC	7FBD	T9FH0080
2005	豨	BFBD	7FBE	T9FI0080
2006	豨	BFBE	7FBF	T9FJ0080
2007	豨	BFBF	7FC0	T9FK0080
2008	豨	BFC0	7FC1	T9FL0080
2009	豨	BFC1	7FC2	T9FM0080
2010	豨	BFC2	7FC3	T9FN0080
2011	豨	BFC3	7FC4	T9FO0080
2012	豨	BFC4	7FC5	T9FP0080
2013	豨	BFC5	7FC6	T9FQ0080
2014	豨	BFC6	7FC7	T9FR0080
2015	豨	BFC7	7FC8	T9FS0080
2016	豨	BFC8	7FC9	T9FT0080
2017	豨	BFC9	7FCA	T9FU0080
2018	豨	BFCA	7FCB	T9FV0080
2019	豨	BFCB	7FCC	T9FW0080
2020	豨	BFCC	7FCD	T9FX0080
2021	豨	BFCD	7FCE	T9FY0080
2022	豨	BFCE	7FCF	T9FZ0080
2023	豨	BFCF	7FD0	T9G00080
2024	豨	BFD0	7FD1	T9G10080
2025	豨	BFD1	7FD2	T9G20080
2026	豨	BFD2	7FD3	T9G30080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
2027	鄴	BFD3	7FD4	T9G40080
2028	鄆	BFD4	7FD5	T9G50080
2029	鄧	BFD5	7FD6	T9G60080
2030	鄭	BFD6	7FD7	T9G70080
2031	鄭	BFD7	7FD8	T9G80080
2032	鄒	BFD8	7FD9	T9G90080
2033	鄒	BFD9	7FDA	T9GA0080
2034	醜	BFDA	7FDB	T9GB0080
2035	醜	BFDB	7FDC	T9GC0080
2036	醜	BFDC	7FDD	T9GD0080
2037	醜	BFDD	7FDE	T9GE0080
2038	鈹	BFDE	7FDF	T9GF0080
2039	鈹	BDFE	7FE0	T9GG0080
2040	鈹	BFE0	7FE1	T9GH0080
2041	鈹	BFE1	7FE2	T9GI0080
2042	鈹	BFE2	7FE3	T9GJ0080
2043	鈹	BFE3	7FE4	T9GK0080
2044	鈹	BFE4	7FE5	T9GL0080
2045	鈹	BFE5	7FE6	T9GM0080
2046	鈹	BFE6	7FE7	T9GN0080
2047	鈹	BFE7	7FE8	T9GO0080
2048	鈹	BFE8	7FE9	T9GP0080
2049	鈹	BFE9	7FEA	T9GQ0080
2050	鈹	BFEA	7FEB	T9GR0080
2051	鈹	BFEB	7FEC	T9GS0080
2052	鈹	BFEC	7FED	T9GT0080

Line Number	Graphic	PC Code	Host Code	GCGID
2053	鈹	BFED	7FEE	T9GU0080
2054	鈹	BFEE	7FEF	T9GV0080
2055	鈹	BFEF	7FF0	T9GW0080
2056	鈹	BFF0	7FF1	T9GX0080
2057	鈹	BFF1	7FF2	T9GY0080
2058	鈹	BFF2	7FF3	T9GZ0080
2059	鈹	BFF3	7FF4	T9H00080
2060	鈹	BFF4	7FF5	T9H10080
2061	鈹	BFF5	7FF6	T9H20080
2062	鈹	BFF6	7FF7	T9H30080
2063	鈹	BFF7	7FF8	T9H40080
2064	鈹	BFF8	7FF9	T9H50080
2065	鈹	BFF9	7FFA	T9H60080
2066	鈹	BFFA	7FFB	T9H70080
2067	鈹	BFFB	7FFC	T9H80080
2068	鈹	BFFC	7FFD	T9H90080
2069	鈹	C040	8041	T9HD0080
2070	鈹	C041	8042	T9HE0080
2071	鈹	C042	8043	T9HF0080
2072	鈹	C043	8044	T9HG0080
2073	鈹	C044	8045	T9HH0080
2074	鈹	C045	8046	T9HI0080
2075	鈹	C046	8047	T9HJ0080
2076	鈹	C047	8048	T9HK0080
2077	鈹	C048	8049	T9HL0080
2078	鈹	C049	804A	T9HM0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
2079	鞞	C04A	804B	T9HN0080
2080	鞞	C04B	804C	T9HO0080
2081	鞞	C04C	804D	T9HP0080
2082	鞞	C04D	804E	T9HQ0080
2083	鞞	C04E	804F	T9HR0080
2084	鞞	C04F	8050	T9HS0080
2085	鞞	C050	8051	T9HT0080
2086	鞞	C051	8052	T9HU0080
2087	鞞	C052	8053	T9HV0080
2088	鞞	C053	8054	T9HW0080
2089	鞞	C054	8055	T9HX0080
2090	鞞	C055	8056	T9HY0080
2091	鞞	C056	8057	T9HZ0080
2092	鞞	C057	8058	T9I00080
2093	鞞	C058	8059	T9I10080
2094	鞞	C059	805A	T9I20080
2095	鞞	C05A	805B	T9I30080
2096	鞞	C05B	805C	T9I40080
2097	鞞	C05C	805D	T9I50080
2098	鞞	C05D	805E	T9I60080
2099	鞞	C05E	805F	T9I70080
2100	鞞	C05F	8060	T9I80080
2101	鞞	C060	8061	T9I90080
2102	鞞	C061	8062	T9IA0080
2103	鞞	C062	8063	T9IB0080
2104	鞞	C063	8064	T9IC0080

Line Number	Graphic	PC Code	Host Code	GCGID
2105	鞞	C064	8065	T9ID0080
2106	鞞	C065	8066	T9IE0080
2107	鞞	C066	8067	T9IF0080
2108	鞞	C067	8068	T9IG0080
2109	鞞	C068	8069	T9IH0080
2110	鞞	C069	806A	T9II0080
2111	鞞	C06A	806B	T9IJ0080
2112	鞞	C06B	806C	T9IK0080
2113	鞞	C06C	806D	T9IL0080
2114	鞞	C06D	806E	T9IM0080
2115	鞞	C06E	806F	T9IN0080
2116	鞞	C06F	8070	T9IO0080
2117	鞞	C070	8071	T9IP0080
2118	鞞	C071	8072	T9IQ0080
2119	鞞	C072	8073	T9IR0080
2120	鞞	C073	8074	T9IS0080
2121	鞞	C074	8075	T9IT0080
2122	鞞	C075	8076	T9IU0080
2123	鞞	C076	8077	T9IV0080
2124	鞞	C077	8078	T9IW0080
2125	鞞	C078	8079	T9IX0080
2126	鞞	C079	807A	T9IY0080
2127	鞞	C07A	807B	T9IZ0080
2128	鞞	C07B	807C	T9J00080
2129	鞞	C07C	807D	T9J10080
2130	鞞	C07D	807E	T9J20080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
2131	勸	C07E	807F	T9J30080
2132	噉	C080	8081	T9J50080
2133	噲	C081	8082	T9J60080
2134	噍	C082	8083	T9J70080
2135	噋	C083	8084	T9J80080
2136	噌	C084	8085	T9J90080
2137	噎	C085	8086	T9JA0080
2138	噏	C086	8087	T9JB0080
2139	噑	C087	8088	T9JC0080
2140	噒	C088	8089	T9JD0080
2141	噓	C089	808A	T9JE0080
2142	噔	C08A	808B	T9JF0080
2143	噕	C08B	808C	T9JG0080
2144	噖	C08C	808D	T9JH0080
2145	噗	C08D	808E	T9JI0080
2146	噘	C08E	808F	T9JJ0080
2147	噙	C08F	8090	T9JK0080
2148	噚	C090	8091	T9JL0080
2149	噛	C091	8092	T9JM0080
2150	噜	C092	8093	T9JN0080
2151	噝	C093	8094	T9JO0080
2152	噞	C094	8095	T9JP0080
2153	噟	C095	8096	T9JQ0080
2154	噠	C096	8097	T9JR0080
2155	噡	C097	8098	T9JS0080
2156	噣	C098	8099	T9JT0080

Line Number	Graphic	PC Code	Host Code	GCGID
2157	噤	C099	809A	T9JU0080
2158	噥	C09A	809B	T9JV0080
2159	噦	C09B	809C	T9JW0080
2160	噧	C09C	809D	T9JX0080
2161	器	C09D	809E	T9JY0080
2162	噩	C09E	809F	T9JZ0080
2163	噪	C09F	80A0	T9K00080
2164	噫	C0A0	80A1	T9K10080
2165	噶	C0A1	80A2	T9K20080
2166	噧	C0A2	80A3	T9K30080
2167	器	C0A3	80A4	T9K40080
2168	噩	C0A4	80A5	T9K50080
2169	噪	C0A5	80A6	T9K60080
2170	噫	C0A6	80A7	T9K70080
2171	噫	C0A7	80A8	T9K80080
2172	噬	C0A8	80A9	T9K90080
2173	噭	C0A9	80AA	T9KA0080
2174	噫	C0AA	80AB	T9KB0080
2175	噬	C0AB	80AC	T9KC0080
2176	噭	C0AC	80AD	T9KD0080
2177	噎	C0AD	80AE	T9KE0080
2178	噏	C0AE	80AF	T9KF0080
2179	噑	C0AF	80B0	T9KG0080
2180	噒	C0B0	80B1	T9KH0080
2181	噓	C0B1	80B2	T9KI0080
2182	噔	C0B2	80B3	T9KJ0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
2183	巒	C0B3	80B4	T9KK0080
2184	巖	C0B4	80B5	T9KL0080
2185	嶺	C0B5	80B6	T9KM0080
2186	隕	C0B6	80B7	T9KN0080
2187	嶺	C0B7	80B8	T9KO0080
2188	嶺	C0B8	80B9	T9KP0080
2189	嶺	C0B9	80BA	T9KQ0080
2190	嶺	C0BA	80BB	T9KR0080
2191	嶺	C0BB	80BC	T9KS0080
2192	嶺	C0BC	80BD	T9KT0080
2193	嶺	C0BD	80BE	T9KU0080
2194	嶺	C0BE	80BF	T9KV0080
2195	嶺	C0BF	80C0	T9KW0080
2196	嶺	C0C0	80C1	T9KX0080
2197	嶺	C0C1	80C2	T9KY0080
2198	嶺	C0C2	80C3	T9KZ0080
2199	嶺	C0C3	80C4	T9L00080
2200	嶺	C0C4	80C5	T9L10080
2201	嶺	C0C5	80C6	T9L20080
2202	嶺	C0C6	80C7	T9L30080
2203	嶺	C0C7	80C8	T9L40080
2204	嶺	C0C8	80C9	T9L50080
2205	嶺	C0C9	80CA	T9L60080
2206	嶺	C0CA	80CB	T9L70080
2207	嶺	C0CB	80CC	T9L80080
2208	嶺	C0CC	80CD	T9L90080

Line Number	Graphic	PC Code	Host Code	GCGID
2209	嶺	C0CD	80CE	T9LA0080
2210	嶺	C0CE	80CF	T9LB0080
2211	嶺	C0CF	80D0	T9LC0080
2212	嶺	C0D0	80D1	T9LD0080
2213	嶺	C0D1	80D2	T9LE0080
2214	嶺	C0D2	80D3	T9LF0080
2215	嶺	C0D3	80D4	T9LG0080
2216	嶺	C0D4	80D5	T9LH0080
2217	嶺	C0D5	80D6	T9LI0080
2218	嶺	C0D6	80D7	T9LJ0080
2219	嶺	C0D7	80D8	T9LK0080
2220	嶺	C0D8	80D9	T9LL0080
2221	嶺	C0D9	80DA	T9LM0080
2222	嶺	C0DA	80DB	T9LN0080
2223	嶺	C0DB	80DC	T9LO0080
2224	嶺	C0DC	80DD	T9LP0080
2225	嶺	C0DD	80DE	T9LQ0080
2226	嶺	C0DE	80DF	T9LR0080
2227	嶺	C0DF	80E0	T9LS0080
2228	嶺	C0E0	80E1	T9LT0080
2229	嶺	C0E1	80E2	T9LU0080
2230	嶺	C0E2	80E3	T9LV0080
2231	嶺	C0E3	80E4	T9LW0080
2232	嶺	C0E4	80E5	T9LX0080
2233	嶺	C0E5	80E6	T9LY0080
2234	嶺	C0E6	80E7	T9LZ0080

**IBM Traditional Chinese Graphic Character Set**

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
2235	爰	C0E7	80E8	T9M00080
2236	斲	C0E8	80E9	T9M10080
2237	斲	C0E9	80EA	T9M20080
2238	曠	C0EA	80EB	T9M30080
2239	矚	C0EB	80EC	T9M40080
2240	矚	C0EC	80ED	T9M50080
2241	矚	C0ED	80EE	T9M60080
2242	矚	C0EE	80EF	T9M70080
2243	矚	C0EF	80F0	T9M80080
2244	矚	C0F0	80F1	T9M90080
2245	檣	C0F1	80F2	T9MA0080
2246	檣	C0F2	80F3	T9MB0080
2247	檣	C0F3	80F4	T9MC0080
2248	檣	C0F4	80F5	T9MD0080
2249	檣	C0F5	80F6	T9ME0080
2250	檣	C0F6	80F7	T9MF0080
2251	檣	C0F7	80F8	T9MG0080
2252	檣	C0F8	80F9	T9MH0080
2253	檣	C0F9	80FA	T9MI0080
2254	檣	C0FA	80FB	T9MJ0080
2255	檣	C0FB	80FC	T9MK0080
2256	檣	C0FC	80FD	T9ML0080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

8.16 Secondary Chinese Set (3 of 4)

Line Number	Graphic	PC Code	Host Code	GCGID
1	穆	C140	8141	T9MP0080
2	檀	C141	8142	T9MQ0080
3	椴	C142	8143	T9MR0080
4	椴	C143	8144	T9MS0080
5	榭	C144	8145	T9MT0080
6	穆	C145	8146	T9MU0080
7	櫟	C146	8147	T9MV0080
8	梨	C147	8148	T9MW0080
9	梨	C148	8149	T9MX0080
10	榼	C149	814A	T9MY0080
11	椴	C14A	814B	T9MZ0080
12	楠	C14B	814C	T9N00080
13	椴	C14C	814D	T9N10080
14	楨	C14D	814E	T9N20080
15	渠	C14E	814F	T9N30080
16	樽	C14F	8150	T9N40080
17	榿	C150	8151	T9N50080
18	櫟	C151	8152	T9N60080
19	檜	C152	8153	T9N70080
20	檜	C153	8154	T9N80080
21	標	C154	8155	T9N90080
22	榭	C155	8156	T9NA0080
23	檜	C156	8157	T9NB0080
24	檜	C157	8158	T9NC0080

Line Number	Graphic	PC Code	Host Code	GCGID
25	榭	C158	8159	T9ND0080
26	榭	C159	815A	T9NE0080
27	歟	C15A	815B	T9NF0080
28	殞	C15B	815C	T9NG0080
29	殞	C15C	815D	T9NH0080
30	殞	C15D	815E	T9NI0080
31	殞	C15E	815F	T9NJ0080
32	殞	C15F	8160	T9NK0080
33	麩	C160	8161	T9NL0080
34	麩	C161	8162	T9NM0080
35	釐	C162	8163	T9NN0080
36	穎	C163	8164	T9NO0080
37	釐	C164	8165	T9NP0080
38	潏	C165	8166	T9NQ0080
39	潏	C166	8167	T9NR0080
40	潏	C167	8168	T9NS0080
41	潏	C168	8169	T9NT0080
42	澗	C169	816A	T9NU0080
43	澗	C16A	816B	T9NV0080
44	澗	C16B	816C	T9NW0080
45	澗	C16C	816D	T9NX0080
46	澗	C16D	816E	T9NY0080
47	澗	C16E	816F	T9NZ0080
48	瀟	C16F	8170	T9O00080
49	瀾	C170	8171	T9O10080
50	瀾	C171	8172	T9O20080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
51	潭	C172	8173	T9O30080
52	澗	C173	8174	T9O40080
53	澗	C174	8175	T9O50080
54	澗	C175	8176	T9O60080
55	澗	C176	8177	T9O70080
56	澗	C177	8178	T9O80080
57	澗	C178	8179	T9O90080
58	澗	C179	817A	T9OA0080
59	澗	C17A	817B	T9OB0080
60	澗	C17B	817C	T9OC0080
61	澗	C17C	817D	T9OD0080
62	澗	C17D	817E	T9OE0080
63	澗	C17E	817F	T9OF0080
64	澗	C180	8181	T9OH0080
65	澗	C181	8182	T9OI0080
66	澗	C182	8183	T9OJ0080
67	澗	C183	8184	T9OK0080
68	澗	C184	8185	T9OL0080
69	澗	C185	8186	T9OM0080
70	澗	C186	8187	T9ON0080
71	澗	C187	8188	T9OO0080
72	澗	C188	8189	T9OP0080
73	澗	C189	818A	T9OQ0080
74	澗	C18A	818B	T9OR0080
75	澗	C18B	818C	T9OS0080
76	澗	C18C	818D	T9OT0080

Line Number	Graphic	PC Code	Host Code	GCGID
77	燻	C18D	818E	T9OU0080
78	燻	C18E	818F	T9OV0080
79	燻	C18F	8190	T9OW0080
80	燻	C190	8191	T9OX0080
81	燻	C191	8192	T9OY0080
82	燻	C192	8193	T9OZ0080
83	燻	C193	8194	T9P00080
84	燻	C194	8195	T9P10080
85	燻	C195	8196	T9P20080
86	燻	C196	8197	T9P30080
87	燻	C197	8198	T9P40080
88	燻	C198	8199	T9P50080
89	燻	C199	819A	T9P60080
90	燻	C19A	819B	T9P70080
91	燻	C19B	819C	T9P80080
92	燻	C19C	819D	T9P90080
93	燻	C19D	819E	T9PA0080
94	燻	C19E	819F	T9PB0080
95	燻	C19F	81A0	T9PC0080
96	燻	C1A0	81A1	T9PD0080
97	燻	C1A1	81A2	T9PE0080
98	燻	C1A2	81A3	T9PF0080
99	燻	C1A3	81A4	T9PG0080
100	燻	C1A4	81A5	T9PH0080
101	燻	C1A5	81A6	T9PI0080
102	燻	C1A6	81A7	T9PJ0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
103	獮	C1A7	81A8	T9PK0080
104	獯	C1A8	81A9	T9PL0080
105	獼	C1A9	81AA	T9PM0080
106	璠	C1AA	81AB	T9PN0080
107	璡	C1AB	81AC	T9PO0080
108	璢	C1AC	81AD	T9PP0080
109	璣	C1AD	81AE	T9PQ0080
110	璤	C1AE	81AF	T9PR0080
111	璥	C1AF	81B0	T9PS0080
112	璦	C1B0	81B1	T9PT0080
113	璢	C1B1	81B2	T9PU0080
114	璣	C1B2	81B3	T9PV0080
115	璤	C1B3	81B4	T9PW0080
116	璥	C1B4	81B5	T9PX0080
117	璦	C1B5	81B6	T9PY0080
118	璢	C1B6	81B7	T9PZ0080
119	璣	C1B7	81B8	T9Q00080
120	璤	C1B8	81B9	T9Q10080
121	璥	C1B9	81BA	T9Q20080
122	璦	C1BA	81BB	T9Q30080
123	璢	C1BB	81BC	T9Q40080
124	璣	C1BC	81BD	T9Q50080
125	璤	C1BD	81BE	T9Q60080
126	璥	C1BE	81BF	T9Q70080
127	璦	C1BF	81C0	T9Q80080
128	璢	C1C0	81C1	T9Q90080

Line Number	Graphic	PC Code	Host Code	GCGID
129	璣	C1C1	81C2	T9QA0080
130	璤	C1C2	81C3	T9QB0080
131	璥	C1C3	81C4	T9QC0080
132	璦	C1C4	81C5	T9QD0080
133	璢	C1C5	81C6	T9QE0080
134	璣	C1C6	81C7	T9QF0080
135	璤	C1C7	81C8	T9QG0080
136	璥	C1C8	81C9	T9QH0080
137	璦	C1C9	81CA	T9QI0080
138	璢	C1CA	81CB	T9QJ0080
139	璣	C1CB	81CC	T9QK0080
140	璤	C1CC	81CD	T9QL0080
141	璥	C1CD	81CE	T9QM0080
142	璦	C1CE	81CF	T9QN0080
143	璢	C1CF	81D0	T9QO0080
144	璣	C1D0	81D1	T9QP0080
145	璤	C1D1	81D2	T9QQ0080
146	璥	C1D2	81D3	T9QR0080
147	璦	C1D3	81D4	T9QS0080
148	璢	C1D4	81D5	T9QT0080
149	璣	C1D5	81D6	T9QU0080
150	璤	C1D6	81D7	T9QV0080
151	璥	C1D7	81D8	T9QW0080
152	璦	C1D8	81D9	T9QX0080
153	璢	C1D9	81DA	T9QY0080
154	璣	C1DA	81DB	T9QZ0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
155	竊	C1DB	81DC	T9R00080
156	竇	C1DC	81DD	T9R10080
157	竄	C1DD	81DE	T9R20080
158	箴	C1DE	81DF	T9R30080
159	篋	C1DF	81E0	T9R40080
160	箭	C1E0	81E1	T9R50080
161	箬	C1E1	81E2	T9R60080
162	箬	C1E2	81E3	T9R70080
163	篋	C1E3	81E4	T9R80080
164	箬	C1E4	81E5	T9R90080
165	篋	C1E5	81E6	T9RA0080
166	箬	C1E6	81E7	T9RB0080
167	糅	C1E7	81E8	T9RC0080
168	糅	C1E8	81E9	T9RD0080
169	糅	C1E9	81EA	T9RE0080
170	糅	C1EA	81EB	T9RF0080
171	糅	C1EB	81EC	T9RG0080
172	糅	C1EC	81ED	T9RH0080
173	糅	C1ED	81EE	T9RI0080
174	糅	C1EE	81EF	T9RJ0080
175	糅	C1EF	81F0	T9RK0080
176	糅	C1F0	81F1	T9RL0080
177	糅	C1F1	81F2	T9RM0080
178	糅	C1F2	81F3	T9RN0080
179	糅	C1F3	81F4	T9RO0080
180	糅	C1F4	81F5	T9RP0080

Line Number	Graphic	PC Code	Host Code	GCGID
181	緜	C1F5	81F6	T9RQ0080
182	緜	C1F6	81F7	T9RR0080
183	緜	C1F7	81F8	T9RS0080
184	緜	C1F8	81F9	T9RT0080
185	緜	C1F9	81FA	T9RU0080
186	緜	C1FA	81FB	T9RV0080
187	緜	C1FB	81FC	T9RW0080
188	緜	C1FC	81FD	T9RX0080
189	糅	C240	8241	T9S10080
190	糅	C241	8242	T9S20080
191	糅	C242	8243	T9S30080
192	糅	C243	8244	T9S40080
193	糅	C244	8245	T9S50080
194	糅	C245	8246	T9S60080
195	糅	C246	8247	T9S70080
196	糅	C247	8248	T9S80080
197	糅	C248	8249	T9S90080
198	糅	C249	824A	T9SA0080
199	糅	C24A	824B	T9SB0080
200	糅	C24B	824C	T9SC0080
201	糅	C24C	824D	T9SD0080
202	糅	C24D	824E	T9SE0080
203	糅	C24E	824F	T9SF0080
204	糅	C24F	8250	T9SG0080
205	糅	C250	8251	T9SH0080
206	糅	C251	8252	T9SI0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
207	艗	C252	8253	T9SJ0080
208	艘	C253	8254	T9SK0080
209	艘	C254	8255	T9SL0080
210	編	C255	8256	T9SM0080
211	罄	C256	8257	T9SN0080
212	寇	C257	8258	T9SO0080
213	蒺	C258	8259	T9SP0080
214	蒨	C259	825A	T9SQ0080
215	蒨	C25A	825B	T9SR0080
216	蒨	C25B	825C	T9SS0080
217	蒨	C25C	825D	T9ST0080
218	蒨	C25D	825E	T9SU0080
219	蒨	C25E	825F	T9SV0080
220	蒨	C25F	8260	T9SW0080
221	蒨	C260	8261	T9SX0080
222	蒨	C261	8262	T9SY0080
223	蒨	C262	8263	T9SZ0080
224	蒨	C263	8264	T9T00080
225	蒨	C264	8265	T9T10080
226	蒨	C265	8266	T9T20080
227	蒨	C266	8267	T9T30080
228	蒨	C267	8268	T9T40080
229	蒨	C268	8269	T9T50080
230	蒨	C269	826A	T9T60080
231	蒨	C26A	826B	T9T70080
232	蒨	C26B	826C	T9T80080

Line Number	Graphic	PC Code	Host Code	GCGID
233	蒨	C26C	826D	T9T90080
234	蒨	C26D	826E	T9TA0080
235	蒨	C26E	826F	T9TB0080
236	蒨	C26F	8270	T9TC0080
237	蒨	C270	8271	T9TD0080
238	蒨	C271	8272	T9TE0080
239	蒨	C272	8273	T9TF0080
240	蒨	C273	8274	T9TG0080
241	蒨	C274	8275	T9TH0080
242	蒨	C275	8276	T9TI0080
243	蒨	C276	8277	T9TJ0080
244	蒨	C277	8278	T9TK0080
245	蒨	C278	8279	T9TL0080
246	蒨	C279	827A	T9TM0080
247	蒨	C27A	827B	T9TN0080
248	蒨	C27B	827C	T9TO0080
249	蒨	C27C	827D	T9TP0080
250	蒨	C27D	827E	T9TQ0080
251	蒨	C27E	827F	T9TR0080
252	蒨	C280	8281	T9TT0080
253	蒨	C281	8282	T9TU0080
254	蒨	C282	8283	T9TV0080
255	蒨	C283	8284	T9TW0080
256	蒨	C284	8285	T9TX0080
257	蒨	C285	8286	T9TY0080
258	蒨	C286	8287	T9TZ0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 20 (Page 6 of 44). Secondary CH-T (3/4), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
259	蔗	C287	8288	T9U00080
260	蔗	C288	8289	T9U10080
261	虢	C289	828A	T9U20080
262	蝮	C28A	828B	T9U30080
263	蝮	C28B	828C	T9U40080
264	蝮	C28C	828D	T9U50080
265	蝮	C28D	828E	T9U60080
266	蝮	C28E	828F	T9U70080
267	蝮	C28F	8290	T9U80080
268	蝮	C290	8291	T9U90080
269	蝮	C291	8292	T9UA0080
270	蝮	C292	8293	T9UB0080
271	蝮	C293	8294	T9UC0080
272	蝮	C294	8295	T9UD0080
273	蝮	C295	8296	T9UE0080
274	蝮	C296	8297	T9UF0080
275	蝮	C297	8298	T9UG0080
276	蝮	C298	8299	T9UH0080
277	蝮	C299	829A	T9UI0080
278	蝮	C29A	829B	T9UJ0080
279	蝮	C29B	829C	T9UK0080
280	蝮	C29C	829D	T9UL0080
281	蝮	C29D	829E	T9UM0080
282	蝮	C29E	829F	T9UN0080
283	蝮	C29F	82A0	T9UO0080
284	蝮	C2A0	82A1	T9UP0080

Table 20 (Page 6 of 44). Secondary CH-T (3/4), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
285	蝮	C2A1	82A2	T9UQ0080
286	蝮	C2A2	82A3	T9UR0080
287	蝮	C2A3	82A4	T9US0080
288	蝮	C2A4	82A5	T9UT0080
289	蝮	C2A5	82A6	T9UU0080
290	蝮	C2A6	82A7	T9UV0080
291	蝮	C2A7	82A8	T9UW0080
292	蝮	C2A8	82A9	T9UX0080
293	蝮	C2A9	82AA	T9UY0080
294	蝮	C2AA	82AB	T9UZ0080
295	褌	C2AB	82AC	T9V00080
296	褌	C2AC	82AD	T9V10080
297	褌	C2AD	82AE	T9V20080
298	褌	C2AE	82AF	T9V30080
299	褌	C2AF	82B0	T9V40080
300	褌	C2B0	82B1	T9V50080
301	褌	C2B1	82B2	T9V60080
302	褌	C2B2	82B3	T9V70080
303	褌	C2B3	82B4	T9V80080
304	褌	C2B4	82B5	T9V90080
305	褌	C2B5	82B6	T9VA0080
306	褌	C2B6	82B7	T9VB0080
307	褌	C2B7	82B8	T9VC0080
308	褌	C2B8	82B9	T9VD0080
309	褌	C2B9	82BA	T9VE0080
310	褌	C2BA	82BB	T9VF0080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
311	齧	C2BB	82BC	T9VG0080
312	鯨	C2BC	82BD	T9VH0080
313	誨	C2BD	82BE	T9VI0080
314	謨	C2BE	82BF	T9VJ0080
315	誑	C2BF	82C0	T9VK0080
316	譏	C2C0	82C1	T9VL0080
317	詠	C2C1	82C2	T9VM0080
318	諷	C2C2	82C3	T9VN0080
319	諛	C2C3	82C4	T9VO0080
320	諳	C2C4	82C5	T9VP0080
321	諗	C2C5	82C6	T9VQ0080
322	聞	C2C6	82C7	T9VR0080
323	諱	C2C7	82C8	T9VS0080
324	謔	C2C8	82C9	T9VT0080
325	諫	C2C9	82CA	T9VU0080
326	誦	C2CA	82CB	T9VV0080
327	諫	C2CB	82CC	T9VW0080
328	說	C2CC	82CD	T9VX0080
329	諳	C2CD	82CE	T9VY0080
330	誑	C2CE	82CF	T9VZ0080
331	諱	C2CF	82D0	T9W00080
332	諱	C2D0	82D1	T9W10080
333	諱	C2D1	82D2	T9W20080
334	諱	C2D2	82D3	T9W30080
335	諱	C2D3	82D4	T9W40080
336	諱	C2D4	82D5	T9W50080

Line Number	Graphic	PC Code	Host Code	GCGID
337	賈	C2D5	82D6	T9W60080
338	賈	C2D6	82D7	T9W70080
339	賈	C2D7	82D8	T9W80080
340	賈	C2D8	82D9	T9W90080
341	趨	C2D9	82DA	T9WA0080
342	趨	C2DA	82DB	T9WB0080
343	趨	C2DB	82DC	T9WC0080
344	踰	C2DC	82DD	T9WD0080
345	踰	C2DD	82DE	T9WE0080
346	踰	C2DE	82DF	T9WF0080
347	踰	C2DF	82E0	T9WG0080
348	踰	C2E0	82E1	T9WH0080
349	踰	C2E1	82E2	T9WI0080
350	踰	C2E2	82E3	T9WJ0080
351	踰	C2E3	82E4	T9WK0080
352	踰	C2E4	82E5	T9WL0080
353	踰	C2E5	82E6	T9WM0080
354	踰	C2E6	82E7	T9WN0080
355	踰	C2E7	82E8	T9WO0080
356	踰	C2E8	82E9	T9WP0080
357	踰	C2E9	82EA	T9WQ0080
358	踰	C2EA	82EB	T9WR0080
359	踰	C2EB	82EC	T9WS0080
360	踰	C2EC	82ED	T9WT0080
361	踰	C2ED	82EE	T9WU0080
362	踰	C2EE	82EF	T9WV0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
363	鯨	C2EF	82F0	T9WW0080
364	鯨	C2F0	82F1	T9WX0080
365	鯨	C2F1	82F2	T9WY0080
366	鯨	C2F2	82F3	T9WZ0080
367	鯨	C2F3	82F4	T9X00080
368	鯨	C2F4	82F5	T9X10080
369	鯨	C2F5	82F6	T9X20080
370	鯨	C2F6	82F7	T9X30080
371	鯨	C2F7	82F8	T9X40080
372	鯨	C2F8	82F9	T9X50080
373	鯨	C2F9	82FA	T9X60080
374	鯨	C2FA	82FB	T9X70080
375	鯨	C2FB	82FC	T9X80080
376	鯨	C2FC	82FD	T9X90080
377	鄮	C340	8341	T9XD0080
378	鄮	C341	8342	T9XE0080
379	鄮	C342	8343	T9XF0080
380	鄮	C343	8344	T9XG0080
381	鄮	C344	8345	T9XH0080
382	鄮	C345	8346	T9XI0080
383	醅	C346	8347	T9XJ0080
384	醅	C347	8348	T9XK0080
385	醅	C348	8349	T9XL0080
386	醅	C349	834A	T9XM0080
387	醅	C34A	834B	T9XN0080
388	醅	C34B	834C	T9XO0080

Line Number	Graphic	PC Code	Host Code	GCGID
389	醅	C34C	834D	T9XP0080
390	鋹	C34D	834E	T9XQ0080
391	鋹	C34E	834F	T9XR0080
392	鋹	C34F	8350	T9XS0080
393	鋹	C350	8351	T9XT0080
394	鋹	C351	8352	T9XU0080
395	鋹	C352	8353	T9XV0080
396	鋹	C353	8354	T9XW0080
397	鋹	C354	8355	T9XX0080
398	鋹	C355	8356	T9XY0080
399	鋹	C356	8357	T9XZ0080
400	鋹	C357	8358	T9Y00080
401	鋹	C358	8359	T9Y10080
402	鋹	C359	835A	T9Y20080
403	鋹	C35A	835B	T9Y30080
404	鋹	C35B	835C	T9Y40080
405	鋹	C35C	835D	T9Y50080
406	鋹	C35D	835E	T9Y60080
407	鋹	C35E	835F	T9Y70080
408	鋹	C35F	8360	T9Y80080
409	鋹	C360	8361	T9Y90080
410	鋹	C361	8362	T9YA0080
411	鋹	C362	8363	T9YB0080
412	鋹	C363	8364	T9YC0080
413	鋹	C364	8365	T9YD0080
414	鋹	C365	8366	T9YE0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
415	鏗	C366	8367	T9YF0080
416	鏡	C367	8368	T9YG0080
417	鍍	C368	8369	T9YH0080
418	鋼	C369	836A	T9YI0080
419	鎬	C36A	836B	T9YJ0080
420	鎗	C36B	836C	T9YK0080
421	鎗	C36C	836D	T9YL0080
422	鎗	C36D	836E	T9YM0080
423	鎗	C36E	836F	T9YN0080
424	閩	C36F	8370	T9YO0080
425	閩	C370	8371	T9YP0080
426	閩	C371	8372	T9YQ0080
427	閩	C372	8373	T9YR0080
428	隕	C373	8374	T9YS0080
429	隕	C374	8375	T9YT0080
430	雜	C375	8376	T9YU0080
431	雪	C376	8377	T9YV0080
432	霽	C377	8378	T9YW0080
433	霖	C378	8379	T9YX0080
434	靚	C379	837A	T9YY0080
435	靚	C37A	837B	T9YZ0080
436	靚	C37B	837C	T9Z00080
437	靚	C37C	837D	T9Z10080
438	靚	C37D	837E	T9Z20080
439	靚	C37E	837F	T9Z30080
440	頰	C380	8381	T9Z50080

Line Number	Graphic	PC Code	Host Code	GCGID
441	頰	C381	8382	T9Z60080
442	頰	C382	8383	T9Z70080
443	頰	C383	8384	T9Z80080
444	頰	C384	8385	T9Z90080
445	頰	C385	8386	T9ZA0080
446	頰	C386	8387	T9ZB0080
447	頰	C387	8388	T9ZC0080
448	頰	C388	8389	T9ZD0080
449	頰	C389	838A	T9ZE0080
450	頰	C38A	838B	T9ZF0080
451	頰	C38B	838C	T9ZG0080
452	頰	C38C	838D	T9ZH0080
453	頰	C38D	838E	T9ZI0080
454	頰	C38E	838F	T9ZJ0080
455	頰	C38F	8390	T9ZK0080
456	頰	C390	8391	T9ZL0080
457	頰	C391	8392	T9ZM0080
458	頰	C392	8393	T9ZN0080
459	頰	C393	8394	T9ZO0080
460	頰	C394	8395	T9ZP0080
461	頰	C395	8396	T9ZQ0080
462	頰	C396	8397	T9ZR0080
463	頰	C397	8398	T9ZS0080
464	頰	C398	8399	T9ZT0080
465	頰	C399	839A	T9ZU0080
466	頰	C39A	839B	T9ZV0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
467	鴛	C39B	839C	T9ZW0080
468	鵝	C39C	839D	T9ZX0080
469	鵞	C39D	839E	T9ZY0080
470	髻	C39E	839F	T9ZZ0080
471	髻	C39F	83A0	TA000080
472	髮	C3A0	83A1	TA010080
473	髮	C3A1	83A2	TA020080
474	鬣	C3A2	83A3	TA030080
475	鬣	C3A3	83A4	TA040080
476	魴	C3A4	83A5	TA050080
477	魴	C3A5	83A6	TA060080
478	魷	C3A6	83A7	TA070080
479	魷	C3A7	83A8	TA080080
480	魷	C3A8	83A9	TA090080
481	魷	C3A9	83AA	TA0A0080
482	魷	C3AA	83AB	TA0B0080
483	魷	C3AB	83AC	TA0C0080
484	魷	C3AC	83AD	TA0D0080
485	魷	C3AD	83AE	TA0E0080
486	鴉	C3AE	83AF	TA0F0080
487	鴉	C3AF	83B0	TA0G0080
488	鴉	C3B0	83B1	TA0H0080
489	鴉	C3B1	83B2	TA0I0080
490	鴉	C3B2	83B3	TA0J0080
491	鴉	C3B3	83B4	TA0K0080
492	鴉	C3B4	83B5	TA0L0080

Line Number	Graphic	PC Code	Host Code	GCGID
493	鴉	C3B5	83B6	TA0M0080
494	鴉	C3B6	83B7	TA0N0080
495	鴈	C3B7	83B8	TA0O0080
496	鴈	C3B8	83B9	TA0P0080
497	鳴	C3B9	83BA	TA0Q0080
498	麤	C3BA	83BB	TA0R0080
499	默	C3BB	83BC	TA0S0080
500	鼎	C3BC	83BD	TA0T0080
501	聳	C3BD	83BE	TA0U0080
502	俸	C3BE	83BF	TA0V0080
503	儻	C3BF	83C0	TA0W0080
504	儻	C3C0	83C1	TA0X0080
505	儻	C3C1	83C2	TA0Y0080
506	儻	C3C2	83C3	TA0Z0080
507	濶	C3C3	83C4	TA100080
508	匱	C3C4	83C5	TA110080
509	叡	C3C5	83C6	TA120080
510	隴	C3C6	83C7	TA130080
511	噠	C3C7	83C8	TA140080
512	噠	C3C8	83C9	TA150080
513	噠	C3C9	83CA	TA160080
514	噠	C3CA	83CB	TA170080
515	噠	C3CB	83CC	TA180080
516	噠	C3CC	83CD	TA190080
517	噠	C3CD	83CE	TA1A0080
518	噠	C3CE	83CF	TA1B0080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
519	嗽	C3CF	83D0	TA1C0080
520	園	C3D0	83D1	TA1D0080
521	園	C3D1	83D2	TA1E0080
522	壞	C3D2	83D3	TA1F0080
523	嗽	C3D3	83D4	TA1G0080
524	壞	C3D4	83D5	TA1H0080
525	壞	C3D5	83D6	TA1I0080
526	壞	C3D6	83D7	TA1J0080
527	壘	C3D7	83D8	TA1K0080
528	壘	C3D8	83D9	TA1L0080
529	壘	C3D9	83DA	TA1M0080
530	嬪	C3DA	83DB	TA1N0080
531	嬪	C3DB	83DC	TA1O0080
532	嬪	C3DC	83DD	TA1P0080
533	嬪	C3DD	83DE	TA1Q0080
534	嬪	C3DE	83DF	TA1R0080
535	嬪	C3DF	83E0	TA1S0080
536	嬪	C3E0	83E1	TA1T0080
537	嬪	C3E1	83E2	TA1U0080
538	嬪	C3E2	83E3	TA1V0080
539	嬪	C3E3	83E4	TA1W0080
540	嬪	C3E4	83E5	TA1X0080
541	嬪	C3E5	83E6	TA1Y0080
542	窩	C3E6	83E7	TA1Z0080
543	嶼	C3E7	83E8	TA200080
544	嶼	C3E8	83E9	TA210080

Line Number	Graphic	PC Code	Host Code	GCGID
545	嶼	C3E9	83EA	TA220080
546	嶼	C3EA	83EB	TA230080
547	嶼	C3EB	83EC	TA240080
548	嶼	C3EC	83ED	TA250080
549	嶼	C3ED	83EE	TA260080
550	嶼	C3EE	83EF	TA270080
551	嶼	C3EF	83F0	TA280080
552	嶼	C3F0	83F1	TA290080
553	嶼	C3F1	83F2	TA2A0080
554	嶼	C3F2	83F3	TA2B0080
555	嶼	C3F3	83F4	TA2C0080
556	嶼	C3F4	83F5	TA2D0080
557	嶼	C3F5	83F6	TA2E0080
558	嶼	C3F6	83F7	TA2F0080
559	嶼	C3F7	83F8	TA2G0080
560	嶼	C3F8	83F9	TA2H0080
561	嶼	C3F9	83FA	TA2I0080
562	嶼	C3FA	83FB	TA2J0080
563	嶼	C3FB	83FC	TA2K0080
564	嶼	C3FC	83FD	TA2L0080
565	環	C440	8441	TA2P0080
566	微	C441	8442	TA2Q0080
567	微	C442	8443	TA2R0080
568	微	C443	8444	TA2S0080
569	微	C444	8445	TA2T0080
570	微	C445	8446	TA2U0080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 20 (Page 12 of 44). Secondary CH-T (3/4), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
571	憫	C446	8447	TA2V0080
572	燥	C447	8448	TA2W0080
573	憫	C448	8449	TA2X0080
574	憫	C449	844A	TA2Y0080
575	憫	C44A	844B	TA2Z0080
576	憫	C44B	844C	TA300080
577	憫	C44C	844D	TA310080
578	憫	C44D	844E	TA320080
579	憫	C44E	844F	TA330080
580	憫	C44F	8450	TA340080
581	憫	C450	8451	TA350080
582	憫	C451	8452	TA360080
583	憫	C452	8453	TA370080
584	憫	C453	8454	TA380080
585	擊	C454	8455	TA390080
586	攪	C455	8456	TA3A0080
587	攪	C456	8457	TA3B0080
588	擲	C457	8458	TA3C0080
589	換	C458	8459	TA3D0080
590	燈	C459	845A	TA3E0080
591	敵	C45A	845B	TA3F0080
592	敵	C45B	845C	TA3G0080
593	敵	C45C	845D	TA3H0080
594	瞳	C45D	845E	TA3I0080
595	噉	C45E	845F	TA3J0080
596	噉	C45F	8460	TA3K0080

Table 20 (Page 12 of 44). Secondary CH-T (3/4), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
597	曠	C460	8461	TA3L0080
598	曠	C461	8462	TA3M0080
599	曠	C462	8463	TA3N0080
600	曠	C463	8464	TA3O0080
601	曠	C464	8465	TA3P0080
602	曠	C465	8466	TA3Q0080
603	曠	C466	8467	TA3R0080
604	曠	C467	8468	TA3S0080
605	曠	C468	8469	TA3T0080
606	曠	C469	846A	TA3U0080
607	曠	C46A	846B	TA3V0080
608	曠	C46B	846C	TA3W0080
609	曠	C46C	846D	TA3X0080
610	曠	C46D	846E	TA3Y0080
611	曠	C46E	846F	TA3Z0080
612	曠	C46F	8470	TA400080
613	曠	C470	8471	TA410080
614	曠	C471	8472	TA420080
615	曠	C472	8473	TA430080
616	曠	C473	8474	TA440080
617	曠	C474	8475	TA450080
618	曠	C475	8476	TA460080
619	曠	C476	8477	TA470080
620	曠	C477	8478	TA480080
621	曠	C478	8479	TA490080
622	曠	C479	847A	TA4A0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
623	榮	C47A	847B	TA4B0080
624	藁	C47B	847C	TA4C0080
625	檣	C47C	847D	TA4D0080
626	檄	C47D	847E	TA4E0080
627	榜	C47E	847F	TA4F0080
628	檠	C480	8481	TA4H0080
629	檚	C481	8482	TA4I0080
630	檛	C482	8483	TA4J0080
631	檜	C483	8484	TA4K0080
632	檟	C484	8485	TA4L0080
633	檠	C485	8486	TA4M0080
634	檡	C486	8487	TA4N0080
635	檢	C487	8488	TA4O0080
636	檣	C488	8489	TA4P0080
637	欵	C489	848A	TA4Q0080
638	獻	C48A	848B	TA4R0080
639	獻	C48B	848C	TA4S0080
640	殲	C48C	848D	TA4T0080
641	殲	C48D	848E	TA4U0080
642	殲	C48E	848F	TA4V0080
643	殲	C48F	8490	TA4W0080
644	殲	C490	8491	TA4X0080
645	殲	C491	8492	TA4Y0080
646	殲	C492	8493	TA4Z0080
647	殲	C493	8494	TA500080
648	灑	C494	8495	TA510080

Line Number	Graphic	PC Code	Host Code	GCGID
649	灑	C495	8496	TA520080
650	灑	C496	8497	TA530080
651	灑	C497	8498	TA540080
652	灑	C498	8499	TA550080
653	灑	C499	849A	TA560080
654	灑	C49A	849B	TA570080
655	灑	C49B	849C	TA580080
656	灑	C49C	849D	TA590080
657	灑	C49D	849E	TA5A0080
658	灑	C49E	849F	TA5B0080
659	灑	C49F	84A0	TA5C0080
660	灑	C4A0	84A1	TA5D0080
661	灑	C4A1	84A2	TA5E0080
662	灑	C4A2	84A3	TA5F0080
663	灑	C4A3	84A4	TA5G0080
664	灑	C4A4	84A5	TA5H0080
665	灑	C4A5	84A6	TA5I0080
666	灑	C4A6	84A7	TA5J0080
667	灑	C4A7	84A8	TA5K0080
668	灑	C4A8	84A9	TA5L0080
669	灑	C4A9	84AA	TA5M0080
670	灑	C4AA	84AB	TA5N0080
671	灑	C4AB	84AC	TA5O0080
672	灑	C4AC	84AD	TA5P0080
673	灑	C4AD	84AE	TA5Q0080
674	灑	C4AE	84AF	TA5R0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 20 (Page 14 of 44). Secondary CH-T (3/4), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
675	灤	C4AF	84B0	TA5S0080
676	滄	C4B0	84B1	TA5T0080
677	獠	C4B1	84B2	TA5U0080
678	燂	C4B2	84B3	TA5V0080
679	熯	C4B3	84B4	TA5W0080
680	燼	C4B4	84B5	TA5X0080
681	燻	C4B5	84B6	TA5Y0080
682	燼	C4B6	84B7	TA5Z0080
683	燻	C4B7	84B8	TA600080
684	燻	C4B8	84B9	TA610080
685	燻	C4B9	84BA	TA620080
686	燻	C4BA	84BB	TA630080
687	燻	C4BB	84BC	TA640080
688	燻	C4BC	84BD	TA650080
689	燻	C4BD	84BE	TA660080
690	燻	C4BE	84BF	TA670080
691	燻	C4BF	84C0	TA680080
692	燻	C4C0	84C1	TA690080
693	燻	C4C1	84C2	TA6A0080
694	燻	C4C2	84C3	TA6B0080
695	燻	C4C3	84C4	TA6C0080
696	燻	C4C4	84C5	TA6D0080
697	燻	C4C5	84C6	TA6E0080
698	燻	C4C6	84C7	TA6F0080
699	燻	C4C7	84C8	TA6G0080
700	燻	C4C8	84C9	TA6H0080

Table 20 (Page 14 of 44). Secondary CH-T (3/4), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
701	獠	C4C9	84CA	TA6I0080
702	獠	C4CA	84CB	TA6J0080
703	獠	C4CB	84CC	TA6K0080
704	獠	C4CC	84CD	TA6L0080
705	獠	C4CD	84CE	TA6M0080
706	獠	C4CE	84CF	TA6N0080
707	獠	C4CF	84D0	TA6O0080
708	獠	C4D0	84D1	TA6P0080
709	獠	C4D1	84D2	TA6Q0080
710	獠	C4D2	84D3	TA6R0080
711	獠	C4D3	84D4	TA6S0080
712	獠	C4D4	84D5	TA6T0080
713	獠	C4D5	84D6	TA6U0080
714	獠	C4D6	84D7	TA6V0080
715	獠	C4D7	84D8	TA6W0080
716	獠	C4D8	84D9	TA6X0080
717	獠	C4D9	84DA	TA6Y0080
718	獠	C4DA	84DB	TA6Z0080
719	獠	C4DB	84DC	TA700080
720	獠	C4DC	84DD	TA710080
721	獠	C4DD	84DE	TA720080
722	獠	C4DE	84DF	TA730080
723	獠	C4DF	84E0	TA740080
724	獠	C4E0	84E1	TA750080
725	獠	C4E1	84E2	TA760080
726	獠	C4E2	84E3	TA770080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
727	瞶	C4E3	84E4	TA780080
728	瞷	C4E4	84E5	TA790080
729	瞸	C4E5	84E6	TA7A0080
730	瞹	C4E6	84E7	TA7B0080
731	瞺	C4E7	84E8	TA7C0080
732	瞻	C4E8	84E9	TA7D0080
733	瞼	C4E9	84EA	TA7E0080
734	瞽	C4EA	84EB	TA7F0080
735	瞾	C4EB	84EC	TA7G0080
736	瞿	C4EC	84ED	TA7H0080
737	瞿	C4ED	84EE	TA7I0080
738	瞿	C4EE	84EF	TA7J0080
739	瞿	C4EF	84F0	TA7K0080
740	瞿	C4F0	84F1	TA7L0080
741	瞿	C4F1	84F2	TA7M0080
742	瞿	C4F2	84F3	TA7N0080
743	瞿	C4F3	84F4	TA7O0080
744	瞿	C4F4	84F5	TA7P0080
745	瞿	C4F5	84F6	TA7Q0080
746	瞿	C4F6	84F7	TA7R0080
747	瞿	C4F7	84F8	TA7S0080
748	瞿	C4F8	84F9	TA7T0080
749	瞿	C4F9	84FA	TA7U0080
750	瞿	C4FA	84FB	TA7V0080
751	瞿	C4FB	84FC	TA7W0080
752	瞿	C4FC	84FD	TA7X0080

Line Number	Graphic	PC Code	Host Code	GCGID
753	窳	C540	8541	TA810080
754	窵	C541	8542	TA820080
755	窶	C542	8543	TA830080
756	窷	C543	8544	TA840080
757	窸	C544	8545	TA850080
758	窹	C545	8546	TA860080
759	窺	C546	8547	TA870080
760	窻	C547	8548	TA880080
761	窼	C548	8549	TA890080
762	窽	C549	854A	TA8A0080
763	窾	C54A	854B	TA8B0080
764	窿	C54B	854C	TA8C0080
765	窎	C54C	854D	TA8D0080
766	窏	C54D	854E	TA8E0080
767	窐	C54E	854F	TA8F0080
768	窑	C54F	8550	TA8G0080
769	窒	C550	8551	TA8H0080
770	窓	C551	8552	TA8I0080
771	窔	C552	8553	TA8J0080
772	窕	C553	8554	TA8K0080
773	窖	C554	8555	TA8L0080
774	窘	C555	8556	TA8M0080
775	窙	C556	8557	TA8N0080
776	窚	C557	8558	TA8O0080
777	窛	C558	8559	TA8P0080
778	窜	C559	855A	TA8Q0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
779	縲	C55A	855B	TA8R0080
780	縲	C55B	855C	TA8S0080
781	縲	C55C	855D	TA8T0080
782	縲	C55D	855E	TA8U0080
783	縲	C55E	855F	TA8V0080
784	縲	C55F	8560	TA8W0080
785	縲	C560	8561	TA8X0080
786	縲	C561	8562	TA8Y0080
787	縲	C562	8563	TA8Z0080
788	縲	C563	8564	TA900080
789	縲	C564	8565	TA910080
790	縲	C565	8566	TA920080
791	縲	C566	8567	TA930080
792	縲	C567	8568	TA940080
793	縲	C568	8569	TA950080
794	縲	C569	856A	TA960080
795	縲	C56A	856B	TA970080
796	縲	C56B	856C	TA980080
797	縲	C56C	856D	TA990080
798	縲	C56D	856E	TA9A0080
799	縲	C56E	856F	TA9B0080
800	縲	C56F	8570	TA9C0080
801	縲	C570	8571	TA9D0080
802	縲	C571	8572	TA9E0080
803	縲	C572	8573	TA9F0080
804	縲	C573	8574	TA9G0080

Line Number	Graphic	PC Code	Host Code	GCGID
805	縲	C574	8575	TA9H0080
806	縲	C575	8576	TA9I0080
807	縲	C576	8577	TA9J0080
808	縲	C577	8578	TA9K0080
809	縲	C578	8579	TA9L0080
810	縲	C579	857A	TA9M0080
811	縲	C57A	857B	TA9N0080
812	縲	C57B	857C	TA9O0080
813	縲	C57C	857D	TA9P0080
814	縲	C57D	857E	TA9Q0080
815	縲	C57E	857F	TA9R0080
816	縲	C580	8581	TA9T0080
817	縲	C581	8582	TA9U0080
818	縲	C582	8583	TA9V0080
819	縲	C583	8584	TA9W0080
820	縲	C584	8585	TA9X0080
821	縲	C585	8586	TA9Y0080
822	縲	C586	8587	TA9Z0080
823	縲	C587	8588	TAA00080
824	縲	C588	8589	TAA10080
825	縲	C589	858A	TAA20080
826	縲	C58A	858B	TAA30080
827	縲	C58B	858C	TAA40080
828	縲	C58C	858D	TAA50080
829	縲	C58D	858E	TAA60080
830	縲	C58E	858F	TAA70080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
831	蕒	C58F	8590	TAA80080
832	藺	C590	8591	TAA90080
833	藎	C591	8592	TAAA0080
834	藏	C592	8593	TAAB0080
835	藐	C593	8594	TAAC0080
836	藑	C594	8595	TAAD0080
837	藒	C595	8596	TAAE0080
838	藓	C596	8597	TAAF0080
839	藔	C597	8598	TAAG0080
840	藕	C598	8599	TAAH0080
841	藖	C599	859A	TAAI0080
842	藗	C59A	859B	TAAJ0080
843	藘	C59B	859C	TAAK0080
844	藙	C59C	859D	TAAL0080
845	藚	C59D	859E	TAAM0080
846	藛	C59E	859F	TAAN0080
847	藜	C59F	85A0	TAAO0080
848	藜	C5A0	85A1	TAAP0080
849	藞	C5A1	85A2	TAAQ0080
850	藟	C5A2	85A3	TAAR0080
851	藠	C5A3	85A4	TAAS0080
852	藡	C5A4	85A5	TAAT0080
853	藢	C5A5	85A6	TAAU0080
854	藣	C5A6	85A7	TAAV0080
855	藤	C5A7	85A8	TAAW0080
856	藥	C5A8	85A9	TAAZ0080

Line Number	Graphic	PC Code	Host Code	GCGID
857	藦	C5A9	85AA	TAAZ0080
858	藧	C5AA	85AB	TAAZ0080
859	藨	C5AB	85AC	TAB00080
860	藩	C5AC	85AD	TAB10080
861	藪	C5AD	85AE	TAB20080
862	藫	C5AE	85AF	TAB30080
863	藬	C5AF	85B0	TAB40080
864	藭	C5B0	85B1	TAB50080
865	藮	C5B1	85B2	TAB60080
866	藯	C5B2	85B3	TAB70080
867	藰	C5B3	85B4	TAB80080
868	藱	C5B4	85B5	TAB90080
869	藲	C5B5	85B6	TABA0080
870	藳	C5B6	85B7	TABB0080
871	藴	C5B7	85B8	TABC0080
872	藵	C5B8	85B9	TABD0080
873	藶	C5B9	85BA	TABE0080
874	藷	C5BA	85BB	TABF0080
875	藸	C5BB	85BC	TABG0080
876	藹	C5BC	85BD	TABH0080
877	藺	C5BD	85BE	TABI0080
878	藻	C5BE	85BF	TABJ0080
879	藼	C5BF	85C0	TABK0080
880	藽	C5C0	85C1	TABL0080
881	藾	C5C1	85C2	TABM0080
882	藿	C5C2	85C3	TABN0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 20 (Page 18 of 44). Secondary CH-T (3/4), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
883	襞	C5C3	85C4	TABO0080
884	裕	C5C4	85C5	TABP0080
885	襦	C5C5	85C6	TABQ0080
886	襌	C5C6	85C7	TABR0080
887	褐	C5C7	85C8	TABS0080
888	褳	C5C8	85C9	TABT0080
889	誼	C5C9	85CA	TABU0080
890	譚	C5CA	85CB	TABV0080
891	誼	C5CB	85CC	TABW0080
892	誠	C5CC	85CD	TABX0080
893	誦	C5CD	85CE	TABY0080
894	誦	C5CE	85CF	TABZ0080
895	譚	C5CF	85D0	TAC00080
896	譚	C5D0	85D1	TAC10080
897	譚	C5D1	85D2	TAC20080
898	譚	C5D2	85D3	TAC30080
899	譚	C5D3	85D4	TAC40080
900	譚	C5D4	85D5	TAC50080
901	譚	C5D5	85D6	TAC60080
902	譚	C5D6	85D7	TAC70080
903	譚	C5D7	85D8	TAC80080
904	譚	C5D8	85D9	TAC90080
905	譚	C5D9	85DA	TACA0080
906	獯	C5DA	85DB	TACB0080
907	獯	C5DB	85DC	TAC00080
908	獯	C5DC	85DD	TACD0080

Table 20 (Page 18 of 44). Secondary CH-T (3/4), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
909	贈	C5DD	85DE	TACE0080
910	賈	C5DE	85DF	TACF0080
911	暉	C5DF	85E0	TACG0080
912	賭	C5E0	85E1	TACH0080
913	賊	C5E1	85E2	TACI0080
914	賴	C5E2	85E3	TACJ0080
915	賴	C5E3	85E4	TACK0080
916	趨	C5E4	85E5	TACL0080
917	趨	C5E5	85E6	TACM0080
918	躋	C5E6	85E7	TACN0080
919	躋	C5E7	85E8	TACO0080
920	躋	C5E8	85E9	TACP0080
921	躋	C5E9	85EA	TACQ0080
922	躋	C5EA	85EB	TACR0080
923	躋	C5EB	85EC	TACS0080
924	躋	C5EC	85ED	TACT0080
925	躋	C5ED	85EE	TACU0080
926	躋	C5EE	85EF	TACV0080
927	躋	C5EF	85F0	TACW0080
928	躋	C5F0	85F1	TACX0080
929	躋	C5F1	85F2	TACY0080
930	躋	C5F2	85F3	TACZ0080
931	輜	C5F3	85F4	TAD00080
932	輜	C5F4	85F5	TAD10080
933	輜	C5F5	85F6	TAD20080
934	輜	C5F6	85F7	TAD30080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
935	鞣	C5F7	85F8	TAD40080
936	鞣	C5F8	85F9	TAD50080
937	遼	C5F9	85FA	TAD60080
938	遼	C5FA	85FB	TAD70080
939	遼	C5FB	85FC	TAD80080
940	遼	C5FC	85FD	TAD90080
941	鐮	C640	8641	TADD0080
942	郟	C641	8642	TADE0080
943	郟	C642	8643	TADF0080
944	郟	C643	8644	TADG0080
945	醯	C644	8645	TADH0080
946	醐	C645	8646	TADI0080
947	醞	C646	8647	TADJ0080
948	醞	C647	8648	TADK0080
949	醋	C648	8649	TADL0080
950	鎰	C649	864A	TADM0080
951	鎰	C64A	864B	TADN0080
952	鎰	C64B	864C	TADO0080
953	鎰	C64C	864D	TADP0080
954	鎰	C64D	864E	TADQ0080
955	鎰	C64E	864F	TADR0080
956	鎰	C64F	8650	TADS0080
957	鎰	C650	8651	TADT0080
958	鎰	C651	8652	TADU0080
959	鎰	C652	8653	TADV0080
960	鎰	C653	8654	TADW0080

Line Number	Graphic	PC Code	Host Code	GCGID
961	鋼	C654	8655	TADX0080
962	鏢	C655	8656	TADY0080
963	鋼	C656	8657	TADZ0080
964	鋼	C657	8658	TAE00080
965	鎰	C658	8659	TAE10080
966	鎰	C659	865A	TAE20080
967	鎰	C65A	865B	TAE30080
968	鎰	C65B	865C	TAE40080
969	鎰	C65C	865D	TAE50080
970	鎰	C65D	865E	TAE60080
971	鎰	C65E	865F	TAE70080
972	鎰	C65F	8660	TAE80080
973	鎰	C660	8661	TAE90080
974	鎰	C661	8662	TAEA0080
975	鎰	C662	8663	TAEB0080
976	鎰	C663	8664	TAEC0080
977	鎰	C664	8665	TAED0080
978	鎰	C665	8666	TAEF0080
979	鎰	C666	8667	TAEF0080
980	鎰	C667	8668	TAEG0080
981	鎰	C668	8669	TAEH0080
982	鎰	C669	866A	TAEI0080
983	鎰	C66A	866B	TAEJ0080
984	鎰	C66B	866C	TAEK0080
985	鎰	C66C	866D	TAEL0080
986	鎰	C66D	866E	TAEM0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 20 (Page 20 of 44). Secondary CH-T (3/4), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
987	鎗	C66E	866F	TAEN0080
988	鑿	C66F	8670	TAE00080
989	鑿	C670	8671	TAEP0080
990	闕	C671	8672	TAEQ0080
991	闕	C672	8673	TAER0080
992	闕	C673	8674	TAES0080
993	闕	C674	8675	TAET0080
994	闕	C675	8676	TAEU0080
995	闕	C676	8677	TAEV0080
996	闕	C677	8678	TAEW0080
997	闕	C678	8679	TAEX0080
998	闕	C679	867A	TAEY0080
999	闕	C67A	867B	TAEZ0080
1000	雥	C67B	867C	TAF00080
1001	雥	C67C	867D	TAF10080
1002	雥	C67D	867E	TAF20080
1003	雥	C67E	867F	TAF30080
1004	鞞	C680	8681	TAF50080
1005	鞞	C681	8682	TAF60080
1006	鞞	C682	8683	TAF70080
1007	鞞	C683	8684	TAF80080
1008	鞞	C684	8685	TAF90080
1009	頽	C685	8686	TAF00080
1010	頽	C686	8687	TAFB0080
1011	頽	C687	8688	TAF00080
1012	餒	C688	8689	TAFD0080

Table 20 (Page 20 of 44). Secondary CH-T (3/4), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
1013	餓	C689	868A	TAFE0080
1014	餓	C68A	868B	TAFF0080
1015	餓	C68B	868C	TAFG0080
1016	餓	C68C	868D	TAFH0080
1017	駁	C68D	868E	TAFI0080
1018	駁	C68E	868F	TAFJ0080
1019	駁	C68F	8690	TAFK0080
1020	駁	C690	8691	T AFL0080
1021	駁	C691	8692	TAFM0080
1022	駁	C692	8693	TAFN0080
1023	駁	C693	8694	TAF00080
1024	駁	C694	8695	TAFP0080
1025	駁	C695	8696	TAFQ0080
1026	駁	C696	8697	TAFR0080
1027	駁	C697	8698	TAFS0080
1028	駁	C698	8699	TAF00080
1029	駁	C699	869A	TAFU0080
1030	駁	C69A	869B	TAFV0080
1031	駁	C69B	869C	TAFW0080
1032	駁	C69C	869D	TAFX0080
1033	駁	C69D	869E	TAFY0080
1034	駁	C69E	869F	TAFZ0080
1035	鮫	C69F	86A0	TAG00080
1036	鮫	C6A0	86A1	TAG10080
1037	鮫	C6A1	86A2	TAG20080
1038	鮫	C6A2	86A3	TAG30080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
1039	鯉	C6A3	86A4	TAG40080
1040	鯽	C6A4	86A5	TAG50080
1041	鯛	C6A5	86A6	TAG60080
1042	鮪	C6A6	86A7	TAG70080
1043	鮓	C6A7	86A8	TAG80080
1044	鮐	C6A8	86A9	TAG90080
1045	鮑	C6A9	86AA	TAGA0080
1046	鮓	C6AA	86AB	TAGB0080
1047	鮓	C6AB	86AC	TAGC0080
1048	鮓	C6AC	86AD	TAGD0080
1049	鮓	C6AD	86AE	TAGE0080
1050	鵠	C6AE	86AF	TAGF0080
1051	鵡	C6AF	86B0	TAGG0080
1052	鵢	C6B0	86B1	TAGH0080
1053	鵣	C6B1	86B2	TAGI0080
1054	鵤	C6B2	86B3	TAGJ0080
1055	鵶	C6B3	86B4	TAGK0080
1056	鵷	C6B4	86B5	TAGL0080
1057	鵸	C6B5	86B6	TAGM0080
1058	鵹	C6B6	86B7	TAGN0080
1059	鵺	C6B7	86B8	TAGO0080
1060	鵻	C6B8	86B9	TAGP0080
1061	塵	C6B9	86BA	TAGQ0080
1062	塵	C6BA	86BB	TAGR0080
1063	塵	C6BB	86BC	TAGS0080
1064	麩	C6BC	86BD	TAGT0080

Line Number	Graphic	PC Code	Host Code	GCGID
1065	麩	C6BD	86BE	TAGU0080
1066	麩	C6BE	86BF	TAGV0080
1067	麩	C6BF	86C0	TAGW0080
1068	麩	C6C0	86C1	TAGX0080
1069	麩	C6C1	86C2	TAGY0080
1070	麩	C6C2	86C3	TAGZ0080
1071	儻	C6C3	86C4	TAH00080
1072	儻	C6C4	86C5	TAH10080
1073	儻	C6C5	86C6	TAH20080
1074	儻	C6C6	86C7	TAH30080
1075	儻	C6C7	86C8	TAH40080
1076	儻	C6C8	86C9	TAH50080
1077	勳	C6C9	86CA	TAH60080
1078	嚟	C6CA	86CB	TAH70080
1079	嚟	C6CB	86CC	TAH80080
1080	嚟	C6CC	86CD	TAH90080
1081	嚟	C6CD	86CE	TAHA0080
1082	嚟	C6CE	86CF	TAHB0080
1083	嚟	C6CF	86D0	TAHC0080
1084	嚟	C6D0	86D1	TAHD0080
1085	嚟	C6D1	86D2	TAHE0080
1086	嚟	C6D2	86D3	TAHF0080
1087	嚟	C6D3	86D4	TAHG0080
1088	嚟	C6D4	86D5	TAHH0080
1089	嚟	C6D5	86D6	TAHI0080
1090	嚟	C6D6	86D7	TAHJ0080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
1091	盪	C6D7	86D8	TAHK0080
1092	嫻	C6D8	86D9	TAHL0080
1093	擢	C6D9	86DA	TAHM0080
1094	擗	C6DA	86DB	TAHN0080
1095	擗	C6DB	86DC	TAHO0080
1096	擗	C6DC	86DD	TAHP0080
1097	擗	C6DD	86DE	TAHQ0080
1098	擗	C6DE	86DF	TAHR0080
1099	擗	C6DF	86E0	TAHS0080
1100	嬰	C6E0	86E1	TAHT0080
1101	盪	C6E1	86E2	TAHU0080
1102	窠	C6E2	86E3	TAHV0080
1103	窠	C6E3	86E4	TAHW0080
1104	窠	C6E4	86E5	TAHX0080
1105	幃	C6E5	86E6	TAHY0080
1106	幃	C6E6	86E7	TAHZ0080
1107	微	C6E7	86E8	TAI00080
1108	徇	C6E8	86E9	TAI10080
1109	慙	C6E9	86EA	TAI20080
1110	慙	C6EA	86EB	TAI30080
1111	慙	C6EB	86EC	TAI40080
1112	悻	C6EC	86ED	TAI50080
1113	悻	C6ED	86EE	TAI60080
1114	悻	C6EE	86EF	TAI70080
1115	悻	C6EF	86F0	TAI80080
1116	悻	C6F0	86F1	TAI90080

Line Number	Graphic	PC Code	Host Code	GCGID
1117	懔	C6F1	86F2	TAIA0080
1118	擯	C6F2	86F3	TAIB0080
1119	擗	C6F3	86F4	TAIC0080
1120	擗	C6F4	86F5	TAID0080
1121	擗	C6F5	86F6	TAIE0080
1122	擗	C6F6	86F7	TAIF0080
1123	擗	C6F7	86F8	TAIG0080
1124	擗	C6F8	86F9	TAIH0080
1125	擗	C6F9	86FA	TAII0080
1126	擗	C6FA	86FB	TAIJ0080
1127	擗	C6FB	86FC	TAIK0080
1128	擗	C6FC	86FD	TAIL0080
1129	惝	C740	8741	TAIP0080
1130	惝	C741	8742	TAIQ0080
1131	惝	C742	8743	TAIR0080
1132	惝	C743	8744	TAIS0080
1133	惝	C744	8745	TAIT0080
1134	惝	C745	8746	TAIU0080
1135	惝	C746	8747	TAIV0080
1136	惝	C747	8748	TAIW0080
1137	惝	C748	8749	TAIX0080
1138	惝	C749	874A	TAIY0080
1139	惝	C74A	874B	TAIZ0080
1140	惝	C74B	874C	TAJ00080
1141	惝	C74C	874D	TAJ10080
1142	惝	C74D	874E	TAJ20080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 20 (Page 23 of 44). Secondary CH-T (3/4), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
1143	樣	C74E	874F	TAJ30080
1144	槿	C74F	8750	TAJ40080
1145	櫛	C750	8751	TAJ50080
1146	櫛	C751	8752	TAJ60080
1147	櫛	C752	8753	TAJ70080
1148	櫛	C753	8754	TAJ80080
1149	櫛	C754	8755	TAJ90080
1150	櫛	C755	8756	TAJA0080
1151	櫛	C756	8757	TAJB0080
1152	斂	C757	8758	TAJC0080
1153	彊	C758	8759	TAJD0080
1154	斂	C759	875A	TAJE0080
1155	斂	C75A	875B	TAJF0080
1156	斂	C75B	875C	TAJG0080
1157	斂	C75C	875D	TAJH0080
1158	灑	C75D	875E	TAJI0080
1159	灑	C75E	875F	TAJJ0080
1160	灑	C75F	8760	TAJK0080
1161	灑	C760	8761	TAJL0080
1162	灑	C761	8762	TAJM0080
1163	灑	C762	8763	TAJN0080
1164	灑	C763	8764	TAJO0080
1165	灑	C764	8765	TAJP0080
1166	灑	C765	8766	TAJQ0080
1167	灑	C766	8767	TAJR0080
1168	灑	C767	8768	TAJS0080

Table 20 (Page 23 of 44). Secondary CH-T (3/4), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
1169	燂	C768	8769	TAJT0080
1170	燂	C769	876A	TAJU0080
1171	燂	C76A	876B	TAJV0080
1172	燂	C76B	876C	TAJW0080
1173	燂	C76C	876D	TAJX0080
1174	燂	C76D	876E	TAJY0080
1175	燂	C76E	876F	TAJZ0080
1176	獯	C76F	8770	TAK00080
1177	獯	C770	8771	TAK10080
1178	獯	C771	8772	TAK20080
1179	灑	C772	8773	TAK30080
1180	灑	C773	8774	TAK40080
1181	灑	C774	8775	TAK50080
1182	灑	C775	8776	TAK60080
1183	灑	C776	8777	TAK70080
1184	灑	C777	8778	TAK80080
1185	灑	C778	8779	TAK90080
1186	灑	C779	877A	TAKA0080
1187	灑	C77A	877B	TAKB0080
1188	灑	C77B	877C	TAKC0080
1189	灑	C77C	877D	TAKD0080
1190	灑	C77D	877E	TAKE0080
1191	灑	C77E	877F	TAKF0080
1192	灑	C780	8781	TAKH0080
1193	灑	C781	8782	TAKI0080
1194	灑	C782	8783	TAKJ0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
1195	瘡	C783	8784	TAKK0080
1196	癩	C784	8785	TAKL0080
1197	皚	C785	8786	TAKM0080
1198	皚	C786	8787	TAKN0080
1199	皚	C787	8788	TAKO0080
1200	皚	C788	8789	TAKP0080
1201	皚	C789	878A	TAKQ0080
1202	皚	C78A	878B	TAKR0080
1203	皚	C78B	878C	TAKS0080
1204	皚	C78C	878D	TAKT0080
1205	皚	C78D	878E	TAKU0080
1206	皚	C78E	878F	TAKV0080
1207	皚	C78F	8790	TAKW0080
1208	皚	C790	8791	TAKX0080
1209	皚	C791	8792	TAKY0080
1210	皚	C792	8793	TAKZ0080
1211	皚	C793	8794	TAL00080
1212	皚	C794	8795	TAL10080
1213	皚	C795	8796	TAL20080
1214	皚	C796	8797	TAL30080
1215	皚	C797	8798	TAL40080
1216	皚	C798	8799	TAL50080
1217	皚	C799	879A	TAL60080
1218	皚	C79A	879B	TAL70080
1219	皚	C79B	879C	TAL80080
1220	皚	C79C	879D	TAL90080

Line Number	Graphic	PC Code	Host Code	GCGID
1221	皚	C79D	879E	TALA0080
1222	皚	C79E	879F	TALB0080
1223	皚	C79F	87A0	TALC0080
1224	皚	C7A0	87A1	TALD0080
1225	皚	C7A1	87A2	TALE0080
1226	皚	C7A2	87A3	TALF0080
1227	皚	C7A3	87A4	TALG0080
1228	皚	C7A4	87A5	TALH0080
1229	皚	C7A5	87A6	TALI0080
1230	皚	C7A6	87A7	TALJ0080
1231	皚	C7A7	87A8	TALK0080
1232	皚	C7A8	87A9	TALL0080
1233	皚	C7A9	87AA	TALM0080
1234	皚	C7AA	87AB	TALN0080
1235	皚	C7AB	87AC	TALO0080
1236	皚	C7AC	87AD	TALP0080
1237	皚	C7AD	87AE	TALQ0080
1238	皚	C7AE	87AF	TALR0080
1239	皚	C7AF	87B0	TALS0080
1240	皚	C7B0	87B1	TALT0080
1241	皚	C7B1	87B2	TALU0080
1242	皚	C7B2	87B3	TALV0080
1243	皚	C7B3	87B4	TALW0080
1244	皚	C7B4	87B5	TALX0080
1245	皚	C7B5	87B6	TALY0080
1246	皚	C7B6	87B7	TALZ0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
1247	藨	C7B7	87B8	TAM00080
1248	藨	C7B8	87B9	TAM10080
1249	藨	C7B9	87BA	TAM20080
1250	藨	C7BA	87BB	TAM30080
1251	藨	C7BB	87BC	TAM40080
1252	藨	C7BC	87BD	TAM50080
1253	藨	C7BD	87BE	TAM60080
1254	藨	C7BE	87BF	TAM70080
1255	藨	C7BF	87C0	TAM80080
1256	藨	C7C0	87C1	TAM90080
1257	藨	C7C1	87C2	TAMA0080
1258	藨	C7C2	87C3	TAMB0080
1259	藨	C7C3	87C4	TAMC0080
1260	藨	C7C4	87C5	TAMD0080
1261	藨	C7C5	87C6	TAME0080
1262	藨	C7C6	87C7	TAMF0080
1263	藨	C7C7	87C8	TAMG0080
1264	藨	C7C8	87C9	TAMH0080
1265	藨	C7C9	87CA	TAMI0080
1266	藨	C7CA	87CB	TAMJ0080
1267	藨	C7CB	87CC	TAMK0080
1268	藨	C7CC	87CD	TAML0080
1269	藨	C7CD	87CE	TAMM0080
1270	藨	C7CE	87CF	TAMN0080
1271	藨	C7CF	87D0	TAMO0080
1272	藨	C7D0	87D1	TAMP0080

Line Number	Graphic	PC Code	Host Code	GCGID
1273	藨	C7D1	87D2	TAMQ0080
1274	藨	C7D2	87D3	TAMR0080
1275	藨	C7D3	87D4	TAMS0080
1276	藨	C7D4	87D5	TAMT0080
1277	藨	C7D5	87D6	TAMU0080
1278	藨	C7D6	87D7	TAMV0080
1279	藨	C7D7	87D8	TAMW0080
1280	藨	C7D8	87D9	TAMX0080
1281	藨	C7D9	87DA	TAMY0080
1282	藨	C7DA	87DB	TAMZ0080
1283	藨	C7DB	87DC	TAN00080
1284	藨	C7DC	87DD	TAN10080
1285	藨	C7DD	87DE	TAN20080
1286	藨	C7DE	87DF	TAN30080
1287	藨	C7DF	87E0	TAN40080
1288	藨	C7E0	87E1	TAN50080
1289	藨	C7E1	87E2	TAN60080
1290	藨	C7E2	87E3	TAN70080
1291	藨	C7E3	87E4	TAN80080
1292	藨	C7E4	87E5	TAN90080
1293	藨	C7E5	87E6	TANA0080
1294	藨	C7E6	87E7	TANB0080
1295	藨	C7E7	87E8	TANC0080
1296	藨	C7E8	87E9	TAND0080
1297	藨	C7E9	87EA	TANE0080
1298	藨	C7EA	87EB	TANF0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 20 (Page 26 of 44). Secondary CH-T (3/4), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
1299	蕻	C7EB	87EC	TANG0080
1300	蕻	C7EC	87ED	TANH0080
1301	蕻	C7ED	87EE	TANI0080
1302	蕻	C7EE	87EF	TANJ0080
1303	蕻	C7EF	87F0	TANK0080
1304	蕻	C7F0	87F1	TANL0080
1305	蕻	C7F1	87F2	TANM0080
1306	蕻	C7F2	87F3	TANN0080
1307	蕻	C7F3	87F4	TANO0080
1308	蕻	C7F4	87F5	TANP0080
1309	蕻	C7F5	87F6	TANQ0080
1310	蕻	C7F6	87F7	TANR0080
1311	蕻	C7F7	87F8	TANS0080
1312	蕻	C7F8	87F9	TANT0080
1313	蕻	C7F9	87FA	TANU0080
1314	蕻	C7FA	87FB	TANV0080
1315	蕻	C7FB	87FC	TANW0080
1316	蕻	C7FC	87FD	TANX0080
1317	蕻	C840	8841	TAO10080
1318	蕻	C841	8842	TAO20080
1319	蕻	C842	8843	TAO30080
1320	蕻	C843	8844	TAO40080
1321	蕻	C844	8845	TAO50080
1322	蕻	C845	8846	TAO60080
1323	蕻	C846	8847	TAO70080
1324	蕻	C847	8848	TAO80080

Table 20 (Page 26 of 44). Secondary CH-T (3/4), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
1325	蠟	C848	8849	TAO90080
1326	蠟	C849	884A	TAOA0080
1327	蠟	C84A	884B	TAOB0080
1328	蠟	C84B	884C	TAOC0080
1329	蠟	C84C	884D	TAOD0080
1330	蠟	C84D	884E	TAOE0080
1331	蠟	C84E	884F	TAOF0080
1332	蠟	C84F	8850	TAOG0080
1333	蠟	C850	8851	TAOH0080
1334	蠟	C851	8852	TAOI0080
1335	蠟	C852	8853	TAOJ0080
1336	蠟	C853	8854	TAOK0080
1337	蠟	C854	8855	TAOL0080
1338	蠟	C855	8856	TAOM0080
1339	蠟	C856	8857	TAON0080
1340	蠟	C857	8858	TAOO0080
1341	蠟	C858	8859	TAOP0080
1342	蠟	C859	885A	TAOQ0080
1343	蠟	C85A	885B	TAOR0080
1344	蠟	C85B	885C	TAOS0080
1345	蠟	C85C	885D	TAOT0080
1346	蠟	C85D	885E	TAOU0080
1347	蠟	C85E	885F	TAOV0080
1348	蠟	C85F	8860	TAOW0080
1349	蠟	C860	8861	TAOX0080
1350	蠟	C861	8862	TAOY0080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
1351	襴	C862	8863	TAOZ0080
1352	襤	C863	8864	TAP00080
1353	襦	C864	8865	TAP10080
1354	襦	C865	8866	TAP20080
1355	覲	C866	8867	TAP30080
1356	覲	C867	8868	TAP40080
1357	覲	C868	8869	TAP50080
1358	襦	C869	886A	TAP60080
1359	覲	C86A	886B	TAP70080
1360	諱	C86B	886C	TAP80080
1361	諱	C86C	886D	TAP90080
1362	諱	C86D	886E	TAPA0080
1363	諱	C86E	886F	TAPB0080
1364	諱	C86F	8870	TAPC0080
1365	諱	C870	8871	TAPD0080
1366	諱	C871	8872	TAPE0080
1367	諱	C872	8873	TAPF0080
1368	諱	C873	8874	TAPG0080
1369	諱	C874	8875	TAPH0080
1370	謬	C875	8876	TAPI0080
1371	謬	C876	8877	TAPJ0080
1372	謬	C877	8878	TAPK0080
1373	謬	C878	8879	TAPL0080
1374	謬	C879	887A	TAPM0080
1375	謬	C87A	887B	TAPN0080
1376	謬	C87B	887C	TAPO0080

Line Number	Graphic	PC Code	Host Code	GCGID
1377	躡	C87C	887D	TAPP0080
1378	躡	C87D	887E	TAPQ0080
1379	躡	C87E	887F	TAPR0080
1380	躡	C880	8881	TAPT0080
1381	躡	C881	8882	TAPU0080
1382	躡	C882	8883	TAPV0080
1383	躡	C883	8884	TAPW0080
1384	躡	C884	8885	TAPX0080
1385	躡	C885	8886	TAPY0080
1386	躡	C886	8887	TAPZ0080
1387	躡	C887	8888	TAQ00080
1388	躡	C888	8889	TAQ10080
1389	躡	C889	888A	TAQ20080
1390	躡	C88A	888B	TAQ30080
1391	蹇	C88B	888C	TAQ40080
1392	蹇	C88C	888D	TAQ50080
1393	蹇	C88D	888E	TAQ60080
1394	蹇	C88E	888F	TAQ70080
1395	蹇	C88F	8890	TAQ80080
1396	蹇	C890	8891	TAQ90080
1397	蹇	C891	8892	TAQA0080
1398	蹇	C892	8893	TAQB0080
1399	蹇	C893	8894	TAQC0080
1400	蹇	C894	8895	TAQD0080
1401	蹇	C895	8896	TAQE0080
1402	蹇	C896	8897	TAQF0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 20 (Page 28 of 44). Secondary CH-T (3/4), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
1403	嗟	C897	8898	TAQG0080
1404	醯	C898	8899	TAQH0080
1405	磁	C899	889A	TAQI0080
1406	鍼	C89A	889B	TAQJ0080
1407	鐮	C89B	889C	TAQK0080
1408	鍤	C89C	889D	TAQL0080
1409	鍤	C89D	889E	TAQM0080
1410	錯	C89E	889F	TAQN0080
1411	鉞	C89F	88A0	TAQO0080
1412	鋤	C8A0	88A1	TAQP0080
1413	鍛	C8A1	88A2	TAQQ0080
1414	鋸	C8A2	88A3	TAQR0080
1415	鋸	C8A3	88A4	TAQS0080
1416	鍍	C8A4	88A5	TAQT0080
1417	鍍	C8A5	88A6	TAQU0080
1418	鍍	C8A6	88A7	TAQV0080
1419	鍍	C8A7	88A8	TAQW0080
1420	鑿	C8A8	88A9	TAQX0080
1421	鑿	C8A9	88AA	TAQY0080
1422	鑿	C8AA	88AB	TAQZ0080
1423	鎚	C8AB	88AC	TAR00080
1424	鎚	C8AC	88AD	TAR10080
1425	鎚	C8AD	88AE	TAR20080
1426	鎚	C8AE	88AF	TAR30080
1427	鎚	C8AF	88B0	TAR40080
1428	鎚	C8B0	88B1	TAR50080

Table 20 (Page 28 of 44). Secondary CH-T (3/4), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
1429	鍤	C8B1	88B2	TAR60080
1430	鍤	C8B2	88B3	TAR70080
1431	鍤	C8B3	88B4	TAR80080
1432	鍤	C8B4	88B5	TAR90080
1433	鍤	C8B5	88B6	TARA0080
1434	鍤	C8B6	88B7	TARB0080
1435	鍤	C8B7	88B8	TARC0080
1436	鍤	C8B8	88B9	TARD0080
1437	鑿	C8B9	88BA	TARE0080
1438	閻	C8BA	88BB	TARF0080
1439	閻	C8BB	88BC	TARG0080
1440	閻	C8BC	88BD	TARH0080
1441	閻	C8BD	88BE	TARI0080
1442	閻	C8BE	88BF	TARJ0080
1443	糶	C8BF	88C0	TARK0080
1444	濟	C8C0	88C1	TARL0080
1445	隰	C8C1	88C2	TARM0080
1446	隰	C8C2	88C3	TARN0080
1447	霽	C8C3	88C4	TARO0080
1448	霽	C8C4	88C5	TARP0080
1449	霽	C8C5	88C6	TARQ0080
1450	霽	C8C6	88C7	TARR0080
1451	霽	C8C7	88C8	TARS0080
1452	鞞	C8C8	88C9	TART0080
1453	鞞	C8C9	88CA	TARU0080
1454	鞞	C8CA	88CB	TARV0080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
1455	鞞	C8CB	88CC	TARW0080
1456	鞞	C8CC	88CD	TARX0080
1457	鞞	C8CD	88CE	TARY0080
1458	鞞	C8CE	88CF	TARZ0080
1459	鞞	C8CF	88D0	TAS00080
1460	鞞	C8D0	88D1	TAS10080
1461	鞞	C8D1	88D2	TAS20080
1462	鞞	C8D2	88D3	TAS30080
1463	鞞	C8D3	88D4	TAS40080
1464	鞞	C8D4	88D5	TAS50080
1465	鞞	C8D5	88D6	TAS60080
1466	鞞	C8D6	88D7	TAS70080
1467	鞞	C8D7	88D8	TAS80080
1468	鞞	C8D8	88D9	TAS90080
1469	鞞	C8D9	88DA	TASA0080
1470	鞞	C8DA	88DB	TASB0080
1471	鞞	C8DB	88DC	TASC0080
1472	鞞	C8DC	88DD	TASD0080
1473	鞞	C8DD	88DE	TASE0080
1474	鞞	C8DE	88DF	TASF0080
1475	鞞	C8DF	88E0	TASG0080
1476	鞞	C8E0	88E1	TASH0080
1477	鞞	C8E1	88E2	TASI0080
1478	鞞	C8E2	88E3	TASJ0080
1479	鞞	C8E3	88E4	TASK0080
1480	鞞	C8E4	88E5	TASL0080

Line Number	Graphic	PC Code	Host Code	GCGID
1481	駮	C8E5	88E6	TASM0080
1482	駮	C8E6	88E7	TASN0080
1483	駮	C8E7	88E8	TASO0080
1484	駮	C8E8	88E9	TASP0080
1485	駮	C8E9	88EA	TASQ0080
1486	駮	C8EA	88EB	TASR0080
1487	駮	C8EB	88EC	TASS0080
1488	駮	C8EC	88ED	TAST0080
1489	駮	C8ED	88EE	TASU0080
1490	駮	C8EE	88EF	TASV0080
1491	駮	C8EF	88F0	TASW0080
1492	駮	C8F0	88F1	TASX0080
1493	駮	C8F1	88F2	TASY0080
1494	駮	C8F2	88F3	TASZ0080
1495	駮	C8F3	88F4	TAT00080
1496	駮	C8F4	88F5	TAT10080
1497	駮	C8F5	88F6	TAT20080
1498	駮	C8F6	88F7	TAT30080
1499	駮	C8F7	88F8	TAT40080
1500	駮	C8F8	88F9	TAT50080
1501	駮	C8F9	88FA	TAT60080
1502	駮	C8FA	88FB	TAT70080
1503	駮	C8FB	88FC	TAT80080
1504	駮	C8FC	88FD	TAT90080
1505	駮	C940	8941	TATD0080
1506	駮	C941	8942	TATE0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
1507	鮓	C942	8943	TATF0080
1508	鮓	C943	8944	TATG0080
1509	鵠	C944	8945	TATH0080
1510	鵠	C945	8946	TATI0080
1511	鵠	C946	8947	TATJ0080
1512	鵠	C947	8948	TATK0080
1513	鵠	C948	8949	TATL0080
1514	鵠	C949	894A	TATM0080
1515	鵠	C94A	894B	TATN0080
1516	鵠	C94B	894C	TATO0080
1517	鵠	C94C	894D	TATP0080
1518	鵠	C94D	894E	TATQ0080
1519	鵠	C94E	894F	TATR0080
1520	鵠	C94F	8950	TATS0080
1521	鵠	C950	8951	TATT0080
1522	鵠	C951	8952	TATU0080
1523	鵠	C952	8953	TATV0080
1524	鵠	C953	8954	TATW0080
1525	鵠	C954	8955	TATX0080
1526	鵠	C955	8956	TATY0080
1527	鵠	C956	8957	TATZ0080
1528	鵠	C957	8958	TAU00080
1529	鵠	C958	8959	TAU10080
1530	鵠	C959	895A	TAU20080
1531	鵠	C95A	895B	TAU30080
1532	鵠	C95B	895C	TAU40080

Line Number	Graphic	PC Code	Host Code	GCGID
1533	鵠	C95C	895D	TAU50080
1534	鵠	C95D	895E	TAU60080
1535	鵠	C95E	895F	TAU70080
1536	鵠	C95F	8960	TAU80080
1537	鵠	C960	8961	TAU90080
1538	鵠	C961	8962	TAUA0080
1539	鵠	C962	8963	TAUB0080
1540	鵠	C963	8964	TAUC0080
1541	鵠	C964	8965	TAUD0080
1542	鵠	C965	8966	TAUE0080
1543	鵠	C966	8967	TAUF0080
1544	鵠	C967	8968	TAUG0080
1545	鵠	C968	8969	TAUH0080
1546	鵠	C969	896A	TAUI0080
1547	鵠	C96A	896B	TAUJ0080
1548	鵠	C96B	896C	TAUK0080
1549	鵠	C96C	896D	TAUL0080
1550	鵠	C96D	896E	TAUM0080
1551	鵠	C96E	896F	TAUN0080
1552	鵠	C96F	8970	TAUO0080
1553	鵠	C970	8971	TAUP0080
1554	鵠	C971	8972	TAUQ0080
1555	鵠	C972	8973	TAUR0080
1556	鵠	C973	8974	TAUS0080
1557	鵠	C974	8975	TAUT0080
1558	鵠	C975	8976	TAUU0080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
1559	慢	C976	8977	TAUV0080
1560	慢	C977	8978	TAUW0080
1561	爆	C978	8979	TAUX0080
1562	慢	C979	897A	TAUY0080
1563	慢	C97A	897B	TAUZ0080
1564	鎚	C97B	897C	TAV00080
1565	慢	C97C	897D	TAV10080
1566	撻	C97D	897E	TAV20080
1567	撻	C97E	897F	TAV30080
1568	撻	C980	8981	TAV50080
1569	撻	C981	8982	TAV60080
1570	撻	C982	8983	TAV70080
1571	撻	C983	8984	TAV80080
1572	撻	C984	8985	TAV90080
1573	缺	C985	8986	TAVA0080
1574	旛	C986	8987	TAVB0080
1575	蒙	C987	8988	TAVC0080
1576	曠	C988	8989	TAVD0080
1577	曠	C989	898A	TAVE0080
1578	檣	C98A	898B	TAVF0080
1579	檣	C98B	898C	TAVG0080
1580	檣	C98C	898D	TAVH0080
1581	檣	C98D	898E	TAVI0080
1582	檣	C98E	898F	TAVJ0080
1583	檣	C98F	8990	TAVK0080
1584	檣	C990	8991	TAVL0080

Line Number	Graphic	PC Code	Host Code	GCGID
1585	桶	C991	8992	TAVM0080
1586	桶	C992	8993	TAVN0080
1587	桶	C993	8994	TAVO0080
1588	桶	C994	8995	TAVP0080
1589	歎	C995	8996	TAVQ0080
1590	豎	C996	8997	TAVR0080
1591	氈	C997	8998	TAVS0080
1592	漚	C998	8999	TAVT0080
1593	漚	C999	899A	TAVU0080
1594	漚	C99A	899B	TAVV0080
1595	漚	C99B	899C	TAVW0080
1596	漚	C99C	899D	TAVX0080
1597	漚	C99D	899E	TAVY0080
1598	漚	C99E	899F	TAVZ0080
1599	漚	C99F	89A0	TAW00080
1600	漫	C9A0	89A1	TAW10080
1601	漚	C9A1	89A2	TAW20080
1602	漚	C9A2	89A3	TAW30080
1603	漚	C9A3	89A4	TAW40080
1604	漚	C9A4	89A5	TAW50080
1605	漚	C9A5	89A6	TAW60080
1606	漚	C9A6	89A7	TAW70080
1607	耀	C9A7	89A8	TAW80080
1608	燹	C9A8	89A9	TAW90080
1609	燹	C9A9	89AA	TAWA0080
1610	燹	C9AA	89AB	TAWB0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
1611	獲	C9AB	89AC	TAWC0080
1612	濱	C9AC	89AD	TAWD0080
1613	璫	C9AD	89AE	TAWE0080
1614	璵	C9AE	89AF	TAWF0080
1615	璶	C9AF	89B0	TAWG0080
1616	璷	C9B0	89B1	TAWH0080
1617	璸	C9B1	89B2	TAWI0080
1618	璹	C9B2	89B3	TAWJ0080
1619	璺	C9B3	89B4	TAWK0080
1620	璻	C9B4	89B5	TAWL0080
1621	璼	C9B5	89B6	TAWM0080
1622	璽	C9B6	89B7	TAWN0080
1623	璿	C9B7	89B8	TAWO0080
1624	璾	C9B8	89B9	TAWP0080
1625	璿	C9B9	89BA	TAWQ0080
1626	璿	C9BA	89BB	TAWR0080
1627	璿	C9BB	89BC	TAWS0080
1628	璿	C9BC	89BD	TAWT0080
1629	璿	C9BD	89BE	TAWU0080
1630	璿	C9BE	89BF	TAWV0080
1631	璿	C9BF	89C0	TAWW0080
1632	璿	C9C0	89C1	TAWX0080
1633	璿	C9C1	89C2	TAWY0080
1634	璿	C9C2	89C3	TAWZ0080
1635	璿	C9C3	89C4	TAX00080
1636	璿	C9C4	89C5	TAX10080

Line Number	Graphic	PC Code	Host Code	GCGID
1637	璿	C9C5	89C6	TAX20080
1638	璿	C9C6	89C7	TAX30080
1639	璿	C9C7	89C8	TAX40080
1640	璿	C9C8	89C9	TAX50080
1641	璿	C9C9	89CA	TAX60080
1642	璿	C9CA	89CB	TAX70080
1643	璿	C9CB	89CC	TAX80080
1644	璿	C9CC	89CD	TAX90080
1645	璿	C9CD	89CE	TAXA0080
1646	璿	C9CE	89CF	TAXB0080
1647	璿	C9CF	89D0	TAXC0080
1648	璿	C9D0	89D1	TAXD0080
1649	璿	C9D1	89D2	TAXE0080
1650	璿	C9D2	89D3	TAXF0080
1651	璿	C9D3	89D4	TAXG0080
1652	璿	C9D4	89D5	TAXH0080
1653	璿	C9D5	89D6	TAXI0080
1654	璿	C9D6	89D7	TAXJ0080
1655	璿	C9D7	89D8	TAXK0080
1656	璿	C9D8	89D9	TAXL0080
1657	璿	C9D9	89DA	TAXM0080
1658	璿	C9DA	89DB	TAXN0080
1659	璿	C9DB	89DC	TAXO0080
1660	璿	C9DC	89DD	TAXP0080
1661	璿	C9DD	89DE	TAXQ0080
1662	璿	C9DE	89DF	TAXR0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
1663	縹	C9DF	89E0	TAXS0080
1664	縹	C9E0	89E1	TAXT0080
1665	縹	C9E1	89E2	TAXU0080
1666	縹	C9E2	89E3	TAXV0080
1667	縹	C9E3	89E4	TAXW0080
1668	縹	C9E4	89E5	TAXX0080
1669	縹	C9E5	89E6	TAXY0080
1670	縹	C9E6	89E7	TAXZ0080
1671	縹	C9E7	89E8	TAY00080
1672	縹	C9E8	89E9	TAY10080
1673	縹	C9E9	89EA	TAY20080
1674	縹	C9EA	89EB	TAY30080
1675	縹	C9EB	89EC	TAY40080
1676	縹	C9EC	89ED	TAY50080
1677	縹	C9ED	89EE	TAY60080
1678	縹	C9EE	89EF	TAY70080
1679	縹	C9EF	89F0	TAY80080
1680	縹	C9F0	89F1	TAY90080
1681	縹	C9F1	89F2	TAYA0080
1682	縹	C9F2	89F3	TAYB0080
1683	縹	C9F3	89F4	TAYC0080
1684	縹	C9F4	89F5	TAYD0080
1685	縹	C9F5	89F6	TAYE0080
1686	縹	C9F6	89F7	TAYF0080
1687	縹	C9F7	89F8	TAYG0080
1688	縹	C9F8	89F9	TAYH0080

Line Number	Graphic	PC Code	Host Code	GCGID
1689	縹	C9F9	89FA	TAYI0080
1690	縹	C9FA	89FB	TAYJ0080
1691	縹	C9FB	89FC	TAYK0080
1692	縹	C9FC	89FD	TAYL0080
1693	縹	CA40	8A41	TAYP0080
1694	縹	CA41	8A42	TAYQ0080
1695	縹	CA42	8A43	TAYR0080
1696	縹	CA43	8A44	TAYS0080
1697	縹	CA44	8A45	TAYT0080
1698	縹	CA45	8A46	TAYU0080
1699	縹	CA46	8A47	TAYV0080
1700	縹	CA47	8A48	TAYW0080
1701	縹	CA48	8A49	TAYX0080
1702	縹	CA49	8A4A	TAYY0080
1703	縹	CA4A	8A4B	TAYZ0080
1704	縹	CA4B	8A4C	TAZ00080
1705	縹	CA4C	8A4D	TAZ10080
1706	縹	CA4D	8A4E	TAZ20080
1707	縹	CA4E	8A4F	TAZ30080
1708	縹	CA4F	8A50	TAZ40080
1709	縹	CA50	8A51	TAZ50080
1710	縹	CA51	8A52	TAZ60080
1711	縹	CA52	8A53	TAZ70080
1712	縹	CA53	8A54	TAZ80080
1713	縹	CA54	8A55	TAZ90080
1714	縹	CA55	8A56	TAZA0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 20 (Page 34 of 44). Secondary CH-T (3/4), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
1715	蟻	CA56	8A57	TAZB0080
1716	蟻	CA57	8A58	TAZC0080
1717	缺	CA58	8A59	TAZD0080
1718	畫	CA59	8A5A	TAZE0080
1719	蟻	CA5A	8A5B	TAZF0080
1720	蠻	CA5B	8A5C	TAZG0080
1721	蜚	CA5C	8A5D	TAZH0080
1722	歷	CA5D	8A5E	TAZI0080
1723	蝶	CA5E	8A5F	TAZJ0080
1724	禿	CA5F	8A60	TAZK0080
1725	禿	CA60	8A61	TAZL0080
1726	禿	CA61	8A62	TAZM0080
1727	禿	CA62	8A63	TAZN0080
1728	禿	CA63	8A64	TAZO0080
1729	禿	CA64	8A65	TAZP0080
1730	禿	CA65	8A66	TAZQ0080
1731	禿	CA66	8A67	TAZR0080
1732	謫	CA67	8A68	TAZS0080
1733	謫	CA68	8A69	TAZT0080
1734	謫	CA69	8A6A	TAZU0080
1735	謫	CA6A	8A6B	TAZV0080
1736	謫	CA6B	8A6C	TAZW0080
1737	謫	CA6C	8A6D	TAZX0080
1738	謫	CA6D	8A6E	TAZY0080
1739	謫	CA6E	8A6F	TAZZ0080
1740	謫	CA6F	8A70	TB000080

Table 20 (Page 34 of 44). Secondary CH-T (3/4), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
1741	謾	CA70	8A71	TB010080
1742	謾	CA71	8A72	TB020080
1743	謾	CA72	8A73	TB030080
1744	謾	CA73	8A74	TB040080
1745	謾	CA74	8A75	TB050080
1746	謾	CA75	8A76	TB060080
1747	謾	CA76	8A77	TB070080
1748	謾	CA77	8A78	TB080080
1749	謾	CA78	8A79	TB090080
1750	謾	CA79	8A7A	TB0A0080
1751	謾	CA7A	8A7B	TB0B0080
1752	謾	CA7B	8A7C	TB0C0080
1753	謾	CA7C	8A7D	TB0D0080
1754	謾	CA7D	8A7E	TB0E0080
1755	謾	CA7E	8A7F	TB0F0080
1756	謾	CA80	8A81	TB0H0080
1757	謾	CA81	8A82	TB0I0080
1758	謾	CA82	8A83	TB0J0080
1759	謾	CA83	8A84	TB0K0080
1760	謾	CA84	8A85	TB0L0080
1761	謾	CA85	8A86	TB0M0080
1762	謾	CA86	8A87	TB0N0080
1763	謾	CA87	8A88	TB0O0080
1764	謾	CA88	8A89	TB0P0080
1765	謾	CA89	8A8A	TB0Q0080
1766	謾	CA8A	8A8B	TB0R0080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
1767	躑	CA8B	8A8C	TB0S0080
1768	躑	CA8C	8A8D	TB0T0080
1769	躑	CA8D	8A8E	TB0U0080
1770	躑	CA8E	8A8F	TB0V0080
1771	躑	CA8F	8A90	TB0W0080
1772	躑	CA90	8A91	TB0X0080
1773	躑	CA91	8A92	TB0Y0080
1774	躑	CA92	8A93	TB0Z0080
1775	躑	CA93	8A94	TB100080
1776	躑	CA94	8A95	TB110080
1777	躑	CA95	8A96	TB120080
1778	躑	CA96	8A97	TB130080
1779	躑	CA97	8A98	TB140080
1780	躑	CA98	8A99	TB150080
1781	躑	CA99	8A9A	TB160080
1782	躑	CA9A	8A9B	TB170080
1783	躑	CA9B	8A9C	TB180080
1784	躑	CA9C	8A9D	TB190080
1785	躑	CA9D	8A9E	TB1A0080
1786	躑	CA9E	8A9F	TB1B0080
1787	躑	CA9F	8AA0	TB1C0080
1788	躑	CAA0	8AA1	TB1D0080
1789	躑	CAA1	8AA2	TB1E0080
1790	躑	CAA2	8AA3	TB1F0080
1791	躑	CAA3	8AA4	TB1G0080
1792	躑	CAA4	8AA5	TB1H0080

Line Number	Graphic	PC Code	Host Code	GCGID
1793	鍇	CAA5	8AA6	TB1I0080
1794	鍇	CAA6	8AA7	TB1J0080
1795	鍇	CAA7	8AA8	TB1K0080
1796	鍇	CAA8	8AA9	TB1L0080
1797	鍇	CAA9	8AAA	TB1M0080
1798	鍇	CAA	8AAB	TB1N0080
1799	鍇	CAAB	8AAC	TB1O0080
1800	鍇	CAAC	8AAD	TB1P0080
1801	鍇	CAAD	8AAE	TB1Q0080
1802	鍇	CAAE	8AAF	TB1R0080
1803	鍇	CAAF	8AB0	TB1S0080
1804	鍇	CAB0	8AB1	TB1T0080
1805	鍇	CAB1	8AB2	TB1U0080
1806	鍇	CAB2	8AB3	TB1V0080
1807	鍇	CAB3	8AB4	TB1W0080
1808	鍇	CAB4	8AB5	TB1X0080
1809	鍇	CAB5	8AB6	TB1Y0080
1810	鍇	CAB6	8AB7	TB1Z0080
1811	鍇	CAB7	8AB8	TB200080
1812	鍇	CAB8	8AB9	TB210080
1813	關	CAB9	8ABA	TB220080
1814	關	CABA	8ABB	TB230080
1815	關	CABB	8ABC	TB240080
1816	關	CABC	8ABD	TB250080
1817	關	CABD	8ABE	TB260080
1818	關	CABE	8ABF	TB270080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
1819	嵩	CABF	8AC0	TB280080
1820	嵩	CAC0	8AC1	TB290080
1821	癩	CAC1	8AC2	TB2A0080
1822	離	CAC2	8AC3	TB2B0080
1823	賞	CAC3	8AC4	TB2C0080
1824	羸	CAC4	8AC5	TB2D0080
1825	零	CAC5	8AC6	TB2E0080
1826	鞣	CAC6	8AC7	TB2F0080
1827	鞣	CAC7	8AC8	TB2G0080
1828	鞣	CAC8	8AC9	TB2H0080
1829	鞣	CAC9	8ACA	TB2I0080
1830	羣	CACA	8ACB	TB2J0080
1831	壑	CACB	8ACC	TB2K0080
1832	鞣	CACC	8ACD	TB2L0080
1833	鞣	CACD	8ACE	TB2M0080
1834	鞣	CACE	8ACF	TB2N0080
1835	鞣	CACF	8AD0	TB2O0080
1836	鞣	CAD0	8AD1	TB2P0080
1837	鞣	CAD1	8AD2	TB2Q0080
1838	鞣	CAD2	8AD3	TB2R0080
1839	鞣	CAD3	8AD4	TB2S0080
1840	鞣	CAD4	8AD5	TB2T0080
1841	鞣	CAD5	8AD6	TB2U0080
1842	鞣	CAD6	8AD7	TB2V0080
1843	鞣	CAD7	8AD8	TB2W0080
1844	鞣	CAD8	8AD9	TB2X0080

Line Number	Graphic	PC Code	Host Code	GCGID
1845	餽	CAD9	8ADA	TB2Y0080
1846	騏	CADA	8ADB	TB2Z0080
1847	騏	CADB	8ADC	TB300080
1848	騏	CADC	8ADD	TB310080
1849	騏	CADD	8ADE	TB320080
1850	騏	CADE	8ADF	TB330080
1851	駢	CADF	8AE0	TB340080
1852	駢	CAE0	8AE1	TB350080
1853	駢	CAE1	8AE2	TB360080
1854	駢	CAE2	8AE3	TB370080
1855	駢	CAE3	8AE4	TB380080
1856	駢	CAE4	8AE5	TB390080
1857	駢	CAE5	8AE6	TB3A0080
1858	駢	CAE6	8AE7	TB3B0080
1859	駢	CAE7	8AE8	TB3C0080
1860	駢	CAE8	8AE9	TB3D0080
1861	閱	CAE9	8AEA	TB3E0080
1862	騫	CAEA	8AEB	TB3F0080
1863	魘	CAEB	8AEC	TB3G0080
1864	魘	CAEC	8AED	TB3H0080
1865	魘	CAED	8AEE	TB3I0080
1866	魘	CAEE	8AEF	TB3J0080
1867	鮪	CAEF	8AF0	TB3K0080
1868	鮪	CAF0	8AF1	TB3L0080
1869	鮪	CAF1	8AF2	TB3M0080
1870	鯁	CAF2	8AF3	TB3N0080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
1871	銳	CAF3	8AF4	TB3O0080
1872	鯨	CAF4	8AF5	TB3P0080
1873	鯨	CAF5	8AF6	TB3Q0080
1874	鯨	CAF6	8AF7	TB3R0080
1875	鯨	CAF7	8AF8	TB3S0080
1876	鯨	CAF8	8AF9	TB3T0080
1877	鯨	CAF9	8AFA	TB3U0080
1878	鵝	CAFA	8AFB	TB3V0080
1879	鵝	CAFB	8AFC	TB3W0080
1880	鵝	CAFC	8AFD	TB3X0080
1881	鵝	CB40	8B41	TB410080
1882	鵝	CB41	8B42	TB420080
1883	鵝	CB42	8B43	TB430080
1884	鵝	CB43	8B44	TB440080
1885	鵝	CB44	8B45	TB450080
1886	鵝	CB45	8B46	TB460080
1887	鵝	CB46	8B47	TB470080
1888	鵝	CB47	8B48	TB480080
1889	鵝	CB48	8B49	TB490080
1890	鵝	CB49	8B4A	TB4A0080
1891	鵝	CB4A	8B4B	TB4B0080
1892	鵝	CB4B	8B4C	TB4C0080
1893	麤	CB4C	8B4D	TB4D0080
1894	麤	CB4D	8B4E	TB4E0080
1895	黓	CB4E	8B4F	TB4F0080
1896	黓	CB4F	8B50	TB4G0080

Line Number	Graphic	PC Code	Host Code	GCGID
1897	龔	CB50	8B51	TB4H0080
1898	龔	CB51	8B52	TB4I0080
1899	龔	CB52	8B53	TB4J0080
1900	龔	CB53	8B54	TB4K0080
1901	龔	CB54	8B55	TB4L0080
1902	龔	CB55	8B56	TB4M0080
1903	龔	CB56	8B57	TB4N0080
1904	齋	CB57	8B58	TB4O0080
1905	齋	CB58	8B59	TB4P0080
1906	懷	CB59	8B5A	TB4Q0080
1907	條	CB5A	8B5B	TB4R0080
1908	劓	CB5B	8B5C	TB4S0080
1909	勳	CB5C	8B5D	TB4T0080
1910	腎	CB5D	8B5E	TB4U0080
1911	噉	CB5E	8B5F	TB4V0080
1912	話	CB5F	8B60	TB4W0080
1913	囉	CB60	8B61	TB4X0080
1914	噓	CB61	8B62	TB4Y0080
1915	嚮	CB62	8B63	TB4Z0080
1916	嘖	CB63	8B64	TB500080
1917	墟	CB64	8B65	TB510080
1918	墟	CB65	8B66	TB520080
1919	壩	CB66	8B67	TB530080
1920	嬰	CB67	8B68	TB540080
1921	嫖	CB68	8B69	TB550080
1922	嫖	CB69	8B6A	TB560080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 20 (Page 38 of 44). Secondary CH-T (3/4), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
1923	嫵	CB6A	8B6B	TB570080
1924	龍	CB6B	8B6C	TB580080
1925	幘	CB6C	8B6D	TB590080
1926	徧	CB6D	8B6E	TB5A0080
1927	幘	CB6E	8B6F	TB5B0080
1928	摠	CB6F	8B70	TB5C0080
1929	揆	CB70	8B71	TB5D0080
1930	擷	CB71	8B72	TB5E0080
1931	擷	CB72	8B73	TB5F0080
1932	擷	CB73	8B74	TB5G0080
1933	擷	CB74	8B75	TB5H0080
1934	擷	CB75	8B76	TB5I0080
1935	擷	CB76	8B77	TB5J0080
1936	擷	CB77	8B78	TB5K0080
1937	曠	CB78	8B79	TB5L0080
1938	檣	CB79	8B7A	TB5M0080
1939	檣	CB7A	8B7B	TB5N0080
1940	檣	CB7B	8B7C	TB5O0080
1941	檣	CB7C	8B7D	TB5P0080
1942	檣	CB7D	8B7E	TB5Q0080
1943	檣	CB7E	8B7F	TB5R0080
1944	檣	CB80	8B81	TB5T0080
1945	檣	CB81	8B82	TB5U0080
1946	檣	CB82	8B83	TB5V0080
1947	檣	CB83	8B84	TB5W0080
1948	檣	CB84	8B85	TB5X0080

Table 20 (Page 38 of 44). Secondary CH-T (3/4), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
1949	檣	CB85	8B86	TB5Y0080
1950	檣	CB86	8B87	TB5Z0080
1951	檣	CB87	8B88	TB600080
1952	檣	CB88	8B89	TB610080
1953	檣	CB89	8B8A	TB620080
1954	檣	CB8A	8B8B	TB630080
1955	檣	CB8B	8B8C	TB640080
1956	檣	CB8C	8B8D	TB650080
1957	檣	CB8D	8B8E	TB660080
1958	檣	CB8E	8B8F	TB670080
1959	檣	CB8F	8B90	TB680080
1960	檣	CB90	8B91	TB690080
1961	檣	CB91	8B92	TB6A0080
1962	檣	CB92	8B93	TB6B0080
1963	檣	CB93	8B94	TB6C0080
1964	檣	CB94	8B95	TB6D0080
1965	檣	CB95	8B96	TB6E0080
1966	檣	CB96	8B97	TB6F0080
1967	檣	CB97	8B98	TB6G0080
1968	檣	CB98	8B99	TB6H0080
1969	檣	CB99	8B9A	TB6I0080
1970	檣	CB9A	8B9B	TB6J0080
1971	檣	CB9B	8B9C	TB6K0080
1972	檣	CB9C	8B9D	TB6L0080
1973	檣	CB9D	8B9E	TB6M0080
1974	檣	CB9E	8B9F	TB6N0080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
1975	犮	CB9F	8BA0	TB6O0080
1976	犮	CBA0	8BA1	TB6P0080
1977	犮	CBA1	8BA2	TB6Q0080
1978	犮	CBA2	8BA3	TB6R0080
1979	犮	CBA3	8BA4	TB6S0080
1980	犮	CBA4	8BA5	TB6T0080
1981	犮	CBA5	8BA6	TB6U0080
1982	犮	CBA6	8BA7	TB6V0080
1983	犮	CBA7	8BA8	TB6W0080
1984	犮	CBA8	8BA9	TB6X0080
1985	犮	CBA9	8BAA	TB6Y0080
1986	犮	CBAA	8BAB	TB6Z0080
1987	犮	CBAB	8BAC	TB700080
1988	犮	CBAC	8BAD	TB710080
1989	犮	CBAD	8BAE	TB720080
1990	犮	CBAE	8BAF	TB730080
1991	犮	CBAF	8BB0	TB740080
1992	犮	CBB0	8BB1	TB750080
1993	犮	CBB1	8BB2	TB760080
1994	犮	CBB2	8BB3	TB770080
1995	犮	CBB3	8BB4	TB780080
1996	犮	CBB4	8BB5	TB790080
1997	犮	CBB5	8BB6	TB7A0080
1998	犮	CBB6	8BB7	TB7B0080
1999	犮	CBB7	8BB8	TB7C0080
2000	犮	CBB8	8BB9	TB7D0080

Line Number	Graphic	PC Code	Host Code	GCGID
2001	犮	CBB9	8BBA	TB7E0080
2002	犮	CBBA	8BBB	TB7F0080
2003	犮	CBBB	8BBC	TB7G0080
2004	犮	CBBC	8BBD	TB7H0080
2005	犮	CBBD	8BBE	TB7I0080
2006	犮	CBBE	8BBF	TB7J0080
2007	犮	CBBF	8BC0	TB7K0080
2008	犮	CBC0	8BC1	TB7L0080
2009	犮	CBC1	8BC2	TB7M0080
2010	犮	CBC2	8BC3	TB7N0080
2011	犮	CBC3	8BC4	TB7O0080
2012	犮	CBC4	8BC5	TB7P0080
2013	犮	CBC5	8BC6	TB7Q0080
2014	犮	CBC6	8BC7	TB7R0080
2015	犮	CBC7	8BC8	TB7S0080
2016	犮	CBC8	8BC9	TB7T0080
2017	犮	CBC9	8BCA	TB7U0080
2018	犮	CBCA	8BCB	TB7V0080
2019	犮	CBCB	8BCC	TB7W0080
2020	犮	CBCC	8BCD	TB7X0080
2021	犮	CBCD	8BCE	TB7Y0080
2022	犮	CBCE	8BCF	TB7Z0080
2023	犮	CBCF	8BD0	TB800080
2024	犮	CBD0	8BD1	TB810080
2025	犮	CBD1	8BD2	TB820080
2026	犮	CBD2	8BD3	TB830080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 20 (Page 40 of 44). Secondary CH-T (3/4), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
2027	蕪	CBD3	8BD4	TB840080
2028	蕪	CBD4	8BD5	TB850080
2029	蕪	CBD5	8BD6	TB860080
2030	蕪	CBD6	8BD7	TB870080
2031	蕪	CBD7	8BD8	TB880080
2032	蕪	CBD8	8BD9	TB890080
2033	蕪	CBD9	8BDA	TB8A0080
2034	蕪	CBDA	8BDB	TB8B0080
2035	蕪	CBDB	8BDC	TB8C0080
2036	蕪	CBDC	8BDD	TB8D0080
2037	蕪	CBDD	8BDE	TB8E0080
2038	蕪	CBDE	8BDF	TB8F0080
2039	蕪	CBDF	8BE0	TB8G0080
2040	蕪	CBE0	8BE1	TB8H0080
2041	蕪	CBE1	8BE2	TB8I0080
2042	蕪	CBE2	8BE3	TB8J0080
2043	蕪	CBE3	8BE4	TB8K0080
2044	蕪	CBE4	8BE5	TB8L0080
2045	蕪	CBE5	8BE6	TB8M0080
2046	蕪	CBE6	8BE7	TB8N0080
2047	蕪	CBE7	8BE8	TB8O0080
2048	蕪	CBE8	8BE9	TB8P0080
2049	蕪	CBE9	8BEA	TB8Q0080
2050	蕪	CBEA	8BEB	TB8R0080
2051	蕪	CBEB	8BEC	TB8S0080
2052	蕪	CBEC	8BED	TB8T0080

Table 20 (Page 40 of 44). Secondary CH-T (3/4), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
2053	蟬	CBED	8BEE	TB8U0080
2054	蟬	CBEE	8BEF	TB8V0080
2055	蟬	CBEF	8BF0	TB8W0080
2056	蟬	CBF0	8BF1	TB8X0080
2057	蟬	CBF1	8BF2	TB8Y0080
2058	蟬	CBF2	8BF3	TB8Z0080
2059	蟬	CBF3	8BF4	TB900080
2060	蟬	CBF4	8BF5	TB910080
2061	蟬	CBF5	8BF6	TB920080
2062	蟬	CBF6	8BF7	TB930080
2063	蟬	CBF7	8BF8	TB940080
2064	蟬	CBF8	8BF9	TB950080
2065	蟬	CBF9	8BFA	TB960080
2066	蟬	CBFA	8BFB	TB970080
2067	蟬	CBFB	8BFC	TB980080
2068	蟬	CBFC	8BFD	TB990080
2069	蟬	CC40	8C41	TB9D0080
2070	蟬	CC41	8C42	TB9E0080
2071	蟬	CC42	8C43	TB9F0080
2072	蟬	CC43	8C44	TB9G0080
2073	蟬	CC44	8C45	TB9H0080
2074	蟬	CC45	8C46	TB9I0080
2075	蟬	CC46	8C47	TB9J0080
2076	蟬	CC47	8C48	TB9K0080
2077	蟬	CC48	8C49	TB9L0080
2078	蟬	CC49	8C4A	TB9M0080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
2079	譚	CC4A	8C4B	TB9N0080
2080	譚	CC4B	8C4C	TB9O0080
2081	譚	CC4C	8C4D	TB9P0080
2082	譚	CC4D	8C4E	TB9Q0080
2083	譚	CC4E	8C4F	TB9R0080
2084	譚	CC4F	8C50	TB9S0080
2085	譚	CC50	8C51	TB9T0080
2086	譚	CC51	8C52	TB9U0080
2087	譚	CC52	8C53	TB9V0080
2088	譚	CC53	8C54	TB9W0080
2089	譚	CC54	8C55	TB9X0080
2090	譚	CC55	8C56	TB9Y0080
2091	譚	CC56	8C57	TB9Z0080
2092	譚	CC57	8C58	TBA00080
2093	譚	CC58	8C59	TBA10080
2094	譚	CC59	8C5A	TBA20080
2095	譚	CC5A	8C5B	TBA30080
2096	譚	CC5B	8C5C	TBA40080
2097	譚	CC5C	8C5D	TBA50080
2098	譚	CC5D	8C5E	TBA60080
2099	譚	CC5E	8C5F	TBA70080
2100	譚	CC5F	8C60	TBA80080
2101	譚	CC60	8C61	TBA90080
2102	譚	CC61	8C62	TBAA0080
2103	譚	CC62	8C63	TBAB0080
2104	譚	CC63	8C64	TBAC0080

Line Number	Graphic	PC Code	Host Code	GCGID
2105	譚	CC64	8C65	TBAD0080
2106	譚	CC65	8C66	TBAE0080
2107	譚	CC66	8C67	TBAF0080
2108	譚	CC67	8C68	TBAG0080
2109	譚	CC68	8C69	TBAH0080
2110	譚	CC69	8C6A	TBAI0080
2111	譚	CC6A	8C6B	TBAJ0080
2112	譚	CC6B	8C6C	TBAK0080
2113	譚	CC6C	8C6D	TBAL0080
2114	譚	CC6D	8C6E	TBAM0080
2115	譚	CC6E	8C6F	TBAN0080
2116	譚	CC6F	8C70	TBAO0080
2117	譚	CC70	8C71	TBAP0080
2118	譚	CC71	8C72	TBAQ0080
2119	譚	CC72	8C73	TBAR0080
2120	譚	CC73	8C74	TBAS0080
2121	譚	CC74	8C75	TBAT0080
2122	譚	CC75	8C76	TBAU0080
2123	譚	CC76	8C77	TBAV0080
2124	譚	CC77	8C78	TBAW0080
2125	譚	CC78	8C79	TBAX0080
2126	譚	CC79	8C7A	TBAY0080
2127	譚	CC7A	8C7B	TBAZ0080
2128	譚	CC7B	8C7C	TBB00080
2129	譚	CC7C	8C7D	TBB10080
2130	譚	CC7D	8C7E	TBB20080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
2131	鑷	CC7E	8C7F	TBB30080
2132	鑄	CC80	8C81	TBB50080
2133	鑷	CC81	8C82	TBB60080
2134	鑷	CC82	8C83	TBB70080
2135	鑷	CC83	8C84	TBB80080
2136	鑷	CC84	8C85	TBB90080
2137	鑷	CC85	8C86	TBBA0080
2138	鑷	CC86	8C87	TBBB0080
2139	鑷	CC87	8C88	TBBC0080
2140	鑷	CC88	8C89	TBBD0080
2141	鑷	CC89	8C8A	TBBE0080
2142	鑷	CC8A	8C8B	TBBF0080
2143	鑷	CC8B	8C8C	TBBG0080
2144	鑷	CC8C	8C8D	TBBH0080
2145	鑷	CC8D	8C8E	TBBI0080
2146	鑷	CC8E	8C8F	TBBJ0080
2147	鑷	CC8F	8C90	TBBK0080
2148	鑷	CC90	8C91	TBBL0080
2149	鑷	CC91	8C92	TBBM0080
2150	鑷	CC92	8C93	TBBN0080
2151	鑷	CC93	8C94	TBBO0080
2152	鑷	CC94	8C95	TBBP0080
2153	鑷	CC95	8C96	TBBQ0080
2154	鑷	CC96	8C97	TBBR0080
2155	鑷	CC97	8C98	TBBS0080
2156	鑷	CC98	8C99	TBBT0080

Line Number	Graphic	PC Code	Host Code	GCGID
2157	颯	CC99	8C9A	TBBU0080
2158	颯	CC9A	8C9B	TBBV0080
2159	颯	CC9B	8C9C	TBBW0080
2160	颯	CC9C	8C9D	TBBX0080
2161	颯	CC9D	8C9E	TBBY0080
2162	颯	CC9E	8C9F	TBBZ0080
2163	颯	CC9F	8CA0	TBC00080
2164	颯	CCA0	8CA1	TBC10080
2165	颯	CCA1	8CA2	TBC20080
2166	颯	CCA2	8CA3	TBC30080
2167	颯	CCA3	8CA4	TBC40080
2168	颯	CCA4	8CA5	TBC50080
2169	颯	CCA5	8CA6	TBC60080
2170	颯	CCA6	8CA7	TBC70080
2171	颯	CCA7	8CA8	TBC80080
2172	颯	CCA8	8CA9	TBC90080
2173	颯	CCA9	8CAA	TBCA0080
2174	颯	CCAA	8CAB	TBCB0080
2175	颯	CCAB	8CAC	TBCC0080
2176	颯	CCAC	8CAD	TBCD0080
2177	颯	CCAD	8CAE	TBCE0080
2178	颯	CCAE	8CAF	TBCF0080
2179	颯	CCAF	8CB0	TBCG0080
2180	颯	CCB0	8CB1	TBCH0080
2181	颯	CCB1	8CB2	TBCI0080
2182	颯	CCB2	8CB3	TBCJ0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
2183	鰓	CCB3	8CB4	TBCK0080
2184	鯪	CCB4	8CB5	TBCL0080
2185	鰺	CCB5	8CB6	TBCM0080
2186	鯷	CCB6	8CB7	TBCN0080
2187	鯳	CCB7	8CB8	TBCO0080
2188	鯶	CCB8	8CB9	TBCP0080
2189	鯷	CCB9	8CBA	TBCQ0080
2190	鯹	CCBA	8CBB	TBCR0080
2191	鯺	CCBB	8CBC	TBCS0080
2192	鯻	CCBC	8CBD	TBCT0080
2193	鯼	CCBD	8CBE	TBCU0080
2194	鯽	CCBE	8CBF	TBCV0080
2195	鯾	CCBF	8CC0	TBCW0080
2196	鯿	CCC0	8CC1	TBCX0080
2197	鮀	CCC1	8CC2	TBCY0080
2198	鮁	CCC2	8CC3	TBCZ0080
2199	鮃	CCC3	8CC4	TBD00080
2200	鮄	CCC4	8CC5	TBD10080
2201	鮅	CCC5	8CC6	TBD20080
2202	鮆	CCC6	8CC7	TBD30080
2203	鮇	CCC7	8CC8	TBD40080
2204	鮈	CCC8	8CC9	TBD50080
2205	鮉	CCC9	8CCA	TBD60080
2206	鮊	CCCA	8CCB	TBD70080
2207	鮋	CCCB	8CCC	TBD80080
2208	鮌	CCCC	8CCD	TBD90080

Line Number	Graphic	PC Code	Host Code	GCGID
2209	鵀	CCCD	8CCE	TBDA0080
2210	鵁	CCCE	8CCF	TBDB0080
2211	鵂	CCCF	8CD0	TBDC0080
2212	鵃	CCD0	8CD1	TBDD0080
2213	鵄	CCD1	8CD2	TBDE0080
2214	鵅	CCD2	8CD3	TBDF0080
2215	鵆	CCD3	8CD4	TBDG0080
2216	鵇	CCD4	8CD5	TBDH0080
2217	鵈	CCD5	8CD6	TBDI0080
2218	鵉	CCD6	8CD7	TBDJ0080
2219	鵊	CCD7	8CD8	TBDK0080
2220	鵋	CCD8	8CD9	TBDL0080
2221	鵌	CCD9	8CDA	TBDM0080
2222	鵍	CCDA	8CDB	TBDN0080
2223	鵍	CCDB	8CDC	TBDO0080
2224	鵎	CCDC	8CDD	TBDP0080
2225	鵏	CCDD	8CDE	TBDQ0080
2226	鵐	CCDE	8CDF	TBDR0080
2227	鵎	CCDF	8CE0	TBDS0080
2228	鵏	CCE0	8CE1	TBDT0080
2229	鵐	CCE1	8CE2	TBDU0080
2230	鵏	CCE2	8CE3	TBDV0080
2231	鵏	CCE3	8CE4	TBDW0080
2232	鵏	CCE4	8CE5	TBDX0080
2233	鵏	CCE5	8CE6	TBDY0080
2234	鵏	CCE6	8CE7	TBDZ0080

**IBM Traditional Chinese Graphic Character Set**

DBCS - Host and DBCS - PC

Table 20 (Page 44 of 44). Secondary CH-T (3/4), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
2235	齧	CCE7	8CE8	TBE00080
2236	齧	CCE8	8CE9	TBE10080
2237	齧	CCE9	8CEA	TBE20080
2238	𪗇	CCEA	8CEB	TBE30080
2239	𪗈	CCEB	8CEC	TBE40080
2240	𪗉	CCEC	8CED	TBE50080
2241	𪗊	CCED	8CEE	TBE60080
2242	𪗋	CCEE	8CEF	TBE70080
2243	𪗌	CCEF	8CF0	TBE80080
2244	𪗍	CCF0	8CF1	TBE90080
2245	𪗎	CCF1	8CF2	TBEA0080
2246	𪗏	CCF2	8CF3	TBEB0080
2247	𪗐	CCF3	8CF4	TBEC0080
2248	𪗑	CCF4	8CF5	TBED0080
2249	𪗒	CCF5	8CF6	TBEE0080
2250	𪗓	CCF6	8CF7	TBEF0080
2251	𪗔	CCF7	8CF8	TBEG0080
2252	𪗕	CCF8	8CF9	TBEH0080
2253	𪗖	CCF9	8CFA	TBEI0080
2254	𪗗	CCFA	8CFB	TBEJ0080
2255	𪗘	CCFB	8CFC	TBEK0080
2256	𪗙	CCFC	8CFD	TBEL0080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

8.17 Secondary Chinese Set (4 of 4)

Line Number	Graphic	PC Code	Host Code	GCGID
1	曠	CD40	8D41	TBEP0080
2	曠	CD41	8D42	TBEQ0080
3	櫛	CD42	8D43	TBER0080
4	櫛	CD43	8D44	TBES0080
5	櫛	CD44	8D45	TBET0080
6	櫛	CD45	8D46	TBEU0080
7	櫛	CD46	8D47	TBEV0080
8	櫛	CD47	8D48	TBEW0080
9	櫛	CD48	8D49	TBEX0080
10	櫛	CD49	8D4A	TBEY0080
11	曠	CD4A	8D4B	TBEZ0080
12	曠	CD4B	8D4C	TBF00080
13	曠	CD4C	8D4D	TBF10080
14	曠	CD4D	8D4E	TBF20080
15	曠	CD4E	8D4F	TBF30080
16	曠	CD4F	8D50	TBF40080
17	曠	CD50	8D51	TBF50080
18	曠	CD51	8D52	TBF60080
19	曠	CD52	8D53	TBF70080
20	曠	CD53	8D54	TBF80080
21	曠	CD54	8D55	TBF90080
22	曠	CD55	8D56	TBFA0080
23	曠	CD56	8D57	TBFB0080
24	曠	CD57	8D58	TBFC0080

Line Number	Graphic	PC Code	Host Code	GCGID
25	灑	CD58	8D59	TBFD0080
26	灑	CD59	8D5A	TBFE0080
27	灑	CD5A	8D5B	TBFF0080
28	灑	CD5B	8D5C	TBFG0080
29	灑	CD5C	8D5D	TBFH0080
30	灑	CD5D	8D5E	TBFI0080
31	灑	CD5E	8D5F	TBFJ0080
32	灑	CD5F	8D60	TBFK0080
33	灑	CD60	8D61	TBFL0080
34	灑	CD61	8D62	TBFM0080
35	灑	CD62	8D63	TBFN0080
36	曠	CD63	8D64	TBFO0080
37	曠	CD64	8D65	TBFP0080
38	曠	CD65	8D66	TBFQ0080
39	曠	CD66	8D67	TBFR0080
40	灑	CD67	8D68	TBFS0080
41	灑	CD68	8D69	TBFT0080
42	灑	CD69	8D6A	TBFU0080
43	灑	CD6A	8D6B	TBFV0080
44	灑	CD6B	8D6C	TBFW0080
45	灑	CD6C	8D6D	TBFX0080
46	灑	CD6D	8D6E	TBFY0080
47	灑	CD6E	8D6F	TBFZ0080
48	灑	CD6F	8D70	TBG00080
49	灑	CD70	8D71	TBG10080
50	灑	CD71	8D72	TBG20080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
51	鞞	CD72	8D73	TBG30080
52	筵	CD73	8D74	TBG40080
53	籩	CD74	8D75	TBG50080
54	籊	CD75	8D76	TBG60080
55	籒	CD76	8D77	TBG70080
56	籏	CD77	8D78	TBG80080
57	籑	CD78	8D79	TBG90080
58	縐	CD79	8D7A	TBGA0080
59	縑	CD7A	8D7B	TBGB0080
60	縒	CD7B	8D7C	TBGC0080
61	縔	CD7C	8D7D	TBGD0080
62	縕	CD7D	8D7E	TBGE0080
63	縖	CD7E	8D7F	TBGF0080
64	聰	CD80	8D81	TBGH0080
65	臞	CD81	8D82	TBGI0080
66	臚	CD82	8D83	TBGJ0080
67	豐	CD83	8D84	TBGK0080
68	儼	CD84	8D85	TBGL0080
69	躋	CD85	8D86	TBGM0080
70	龍	CD86	8D87	TBGN0080
71	霍	CD87	8D88	TBGO0080
72	藟	CD88	8D89	TBGP0080
73	賴	CD89	8D8A	TBGQ0080
74	藟	CD8A	8D8B	TBGR0080
75	揮	CD8B	8D8C	TBGS0080
76	廢	CD8C	8D8D	TBGT0080

Line Number	Graphic	PC Code	Host Code	GCGID
77	蕪	CD8D	8D8E	TBGU0080
78	蕹	CD8E	8D8F	TBGV0080
79	蕺	CD8F	8D90	TBGW0080
80	蕻	CD90	8D91	TBGX0080
81	蕮	CD91	8D92	TBGY0080
82	蠃	CD92	8D93	TBGZ0080
83	蟻	CD93	8D94	TBH00080
84	蝶	CD94	8D95	TBH10080
85	蠟	CD95	8D96	TBH20080
86	蠓	CD96	8D97	TBH30080
87	蠖	CD97	8D98	TBH40080
88	禱	CD98	8D99	TBH50080
89	禱	CD99	8D9A	TBH60080
90	臚	CD9A	8D9B	TBH70080
91	譽	CD9B	8D9C	TBH80080
92	譚	CD9C	8D9D	TBH90080
93	諶	CD9D	8D9E	TBHA0080
94	譚	CD9E	8D9F	TBHB0080
95	譚	CD9F	8DA0	TBHC0080
96	諗	CDA0	8DA1	TBHD0080
97	警	CDA1	8DA2	TBHE0080
98	諫	CDA2	8DA3	TBHF0080
99	諫	CDA3	8DA4	TBHG0080
100	趨	CDA4	8DA5	TBHH0080
101	跡	CDA5	8DA6	TBHI0080
102	蹶	CDA6	8DA7	TBHJ0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
103	覺	CDA7	8DA8	TBHK0080
104	轄	CDA8	8DA9	TBHL0080
105	轄	CDA9	8DAA	TBHM0080
106	轄	CDAA	8DAB	TBHN0080
107	轄	CDAB	8DAC	TBHO0080
108	轄	CDAC	8DAD	TBHP0080
109	轄	CDAD	8DAE	TBHQ0080
110	轄	CDAE	8DAF	TBHR0080
111	鄴	CDAF	8DB0	TBHS0080
112	鄴	CDB0	8DB1	TBHT0080
113	醜	CDB1	8DB2	TBHU0080
114	醜	CDB2	8DB3	TBHV0080
115	醜	CDB3	8DB4	TBHW0080
116	醜	CDB4	8DB5	TBHX0080
117	錫	CDB5	8DB6	TBHY0080
118	鍬	CDB6	8DB7	TBHZ0080
119	鍬	CDB7	8DB8	TBI00080
120	鍬	CDB8	8DB9	TBI10080
121	鍬	CDB9	8DBA	TBI20080
122	鍬	CDBA	8DBB	TBI30080
123	鍬	CDBB	8DBC	TBI40080
124	鍬	CDBC	8DBD	TBI50080
125	鍬	CDBD	8DBE	TBI60080
126	鍬	CDBE	8DBF	TBI70080
127	鍬	CDBF	8DC0	TBI80080
128	鍬	CDC0	8DC1	TBI90080

Line Number	Graphic	PC Code	Host Code	GCGID
129	鍬	CDC1	8DC2	TBIA0080
130	鍬	CDC2	8DC3	TBIB0080
131	鍬	CDC3	8DC4	TBIC0080
132	鍬	CDC4	8DC5	TBID0080
133	鍬	CDC5	8DC6	TBIE0080
134	鍬	CDC6	8DC7	TBIF0080
135	鍬	CDC7	8DC8	TBIG0080
136	鍬	CDC8	8DC9	TBIH0080
137	鍬	CDC9	8DCA	TBII0080
138	鍬	CDCA	8DCB	TBIJ0080
139	鍬	CDCB	8DCC	TBIK0080
140	鍬	CDCC	8DCD	TBIL0080
141	鍬	CDCD	8DCE	TBIM0080
142	鍬	CDCE	8DCF	TBIN0080
143	鍬	CDCF	8DD0	TBIO0080
144	鍬	CDD0	8DD1	TBIP0080
145	鍬	CDD1	8DD2	TBIQ0080
146	闕	CDD2	8DD3	TBIR0080
147	闕	CDD3	8DD4	TBIS0080
148	闕	CDD4	8DD5	TBIT0080
149	霽	CDD5	8DD6	TBIU0080
150	霽	CDD6	8DD7	TBIV0080
151	霽	CDD7	8DD8	TBIW0080
152	霽	CDD8	8DD9	TBIX0080
153	館	CDD9	8DDA	TBIY0080
154	警	CDDA	8ddb	TBIZ0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 21 (Page 4 of 18). Secondary CH-T (4/4), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
155	類	CDDB	8DDC	TBJ00080
156	顛	CDDC	8DDD	TBJ10080
157	顛	CDDD	8DDE	TBJ20080
158	顛	CDDE	8DDF	TBJ30080
159	顛	CDDF	8DE0	TBJ40080
160	颯	CDE0	8DE1	TBJ50080
161	鯨	CDE1	8DE2	TBJ60080
162	鯨	CDE2	8DE3	TBJ70080
163	鯨	CDE3	8DE4	TBJ80080
164	鯨	CDE4	8DE5	TBJ90080
165	鯨	CDE5	8DE6	TBJA0080
166	鯨	CDE6	8DE7	TBJB0080
167	鯨	CDE7	8DE8	TBJC0080
168	鯨	CDE8	8DE9	TBJD0080
169	鯨	CDE9	8DEA	TBJE0080
170	鯨	CDEA	8DEB	TBJF0080
171	鯨	CDEB	8DEC	TBJG0080
172	鯨	CDEC	8DED	TBJH0080
173	鯨	CDED	8DEE	TBJI0080
174	鯨	CDEE	8DEF	TBJJ0080
175	鯨	CDEF	8DF0	TBJK0080
176	鯨	CDF0	8DF1	TBJL0080
177	鯨	CDF1	8DF2	TBJM0080
178	鯨	CDF2	8DF3	TBJN0080
179	鯨	CDF3	8DF4	TBJO0080
180	鯨	CDF4	8DF5	TBJP0080

Table 21 (Page 4 of 18). Secondary CH-T (4/4), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
181	鯨	CDF5	8DF6	TBJQ0080
182	鯨	CDF6	8DF7	TBJR0080
183	鯨	CDF7	8DF8	TBJS0080
184	鯨	CDF8	8DF9	TBJT0080
185	鯨	CDF9	8DFA	TBJU0080
186	鯨	CDFA	8DFB	TBJV0080
187	鯨	CDFB	8DFC	TBJW0080
188	鯨	CDFC	8DFD	TBJX0080
189	鯨	CE40	8E41	TBK10080
190	鯨	CE41	8E42	TBK20080
191	鯨	CE42	8E43	TBK30080
192	鯨	CE43	8E44	TBK40080
193	鯨	CE44	8E45	TBK50080
194	鯨	CE45	8E46	TBK60080
195	鯨	CE46	8E47	TBK70080
196	鯨	CE47	8E48	TBK80080
197	鯨	CE48	8E49	TBK90080
198	鯨	CE49	8E4A	TBKA0080
199	鯨	CE4A	8E4B	TBKB0080
200	鯨	CE4B	8E4C	TBKC0080
201	鯨	CE4C	8E4D	TBKD0080
202	鯨	CE4D	8E4E	TBKE0080
203	鯨	CE4E	8E4F	TBKF0080
204	鯨	CE4F	8E50	TBKG0080
205	鯨	CE50	8E51	TBKH0080
206	鯨	CE51	8E52	TBKI0080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
207	鵓	CE52	8E53	TBKJ0080
208	鵓	CE53	8E54	TBKK0080
209	鵓	CE54	8E55	TBKL0080
210	鵓	CE55	8E56	TBKM0080
211	鵓	CE56	8E57	TBKN0080
212	鵓	CE57	8E58	TBKO0080
213	鵓	CE58	8E59	TBKP0080
214	鵓	CE59	8E5A	TBKQ0080
215	鵓	CE5A	8E5B	TBKR0080
216	鵓	CE5B	8E5C	TBKS0080
217	鵓	CE5C	8E5D	TBKT0080
218	鵓	CE5D	8E5E	TBKU0080
219	鵓	CE5E	8E5F	TBKV0080
220	鵓	CE5F	8E60	TBKW0080
221	鵓	CE60	8E61	TBKX0080
222	鵓	CE61	8E62	TBKY0080
223	鵓	CE62	8E63	TBKZ0080
224	鵓	CE63	8E64	TBL00080
225	鵓	CE64	8E65	TBL10080
226	鵓	CE65	8E66	TBL20080
227	鵓	CE66	8E67	TBL30080
228	鵓	CE67	8E68	TBL40080
229	鵓	CE68	8E69	TBL50080
230	鵓	CE69	8E6A	TBL60080
231	鵓	CE6A	8E6B	TBL70080
232	鵓	CE6B	8E6C	TBL80080

Line Number	Graphic	PC Code	Host Code	GCGID
233	鵓	CE6C	8E6D	TBL90080
234	鵓	CE6D	8E6E	TBLA0080
235	鵓	CE6E	8E6F	TBLB0080
236	鵓	CE6F	8E70	TBLC0080
237	鵓	CE70	8E71	TBLD0080
238	鵓	CE71	8E72	TBLE0080
239	鵓	CE72	8E73	TBLF0080
240	鵓	CE73	8E74	TBLG0080
241	鵓	CE74	8E75	TBLH0080
242	鵓	CE75	8E76	TBLI0080
243	鵓	CE76	8E77	TBLJ0080
244	鵓	CE77	8E78	TBLK0080
245	鵓	CE78	8E79	TBLL0080
246	鵓	CE79	8E7A	TBLM0080
247	鵓	CE7A	8E7B	TBLN0080
248	鵓	CE7B	8E7C	TBLO0080
249	鵓	CE7C	8E7D	TBLP0080
250	鵓	CE7D	8E7E	TBLQ0080
251	鵓	CE7E	8E7F	TBLR0080
252	鵓	CE80	8E81	TBLT0080
253	鵓	CE81	8E82	TBLU0080
254	鵓	CE82	8E83	TBLV0080
255	鵓	CE83	8E84	TBLW0080
256	鵓	CE84	8E85	TBLX0080
257	鵓	CE85	8E86	TBLY0080
258	鵓	CE86	8E87	TBLZ0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 21 (Page 6 of 18). Secondary CH-T (4/4), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
259	漚	CE87	8E88	TBM00080
260	漚	CE88	8E89	TBM10080
261	漚	CE89	8E8A	TBM20080
262	漚	CE8A	8E8B	TBM30080
263	漚	CE8B	8E8C	TBM40080
264	漚	CE8C	8E8D	TBM50080
265	漚	CE8D	8E8E	TBM60080
266	漚	CE8E	8E8F	TBM70080
267	漚	CE8F	8E90	TBM80080
268	漚	CE90	8E91	TBM90080
269	漚	CE91	8E92	TBMA0080
270	漚	CE92	8E93	TBMB0080
271	漚	CE93	8E94	TBMC0080
272	漚	CE94	8E95	TBMD0080
273	漚	CE95	8E96	TBME0080
274	漚	CE96	8E97	TBMF0080
275	漚	CE97	8E98	TBMG0080
276	漚	CE98	8E99	TBMH0080
277	漚	CE99	8E9A	TBMI0080
278	漚	CE9A	8E9B	TBMJ0080
279	漚	CE9B	8E9C	TBMK0080
280	漚	CE9C	8E9D	TBML0080
281	漚	CE9D	8E9E	TBMM0080
282	漚	CE9E	8E9F	TBMN0080
283	漚	CE9F	8EA0	TBMO0080
284	漚	CEA0	8EA1	TBMP0080

Table 21 (Page 6 of 18). Secondary CH-T (4/4), DBCS - PC				
Line Number	Graphic	PC Code	Host Code	GCGID
285	漚	CEA1	8EA2	TBMQ0080
286	漚	CEA2	8EA3	TBMR0080
287	漚	CEA3	8EA4	TBMS0080
288	漚	CEA4	8EA5	TBMT0080
289	漚	CEA5	8EA6	TBMU0080
290	漚	CEA6	8EA7	TBMV0080
291	漚	CEA7	8EA8	TBMW0080
292	漚	CEA8	8EA9	TBMX0080
293	漚	CEA9	8EAA	TBMY0080
294	漚	CEAA	8EAB	TBMZ0080
295	漚	CEAB	8EAC	TBN00080
296	漚	CEAC	8EAD	TBN10080
297	漚	CEAD	8EAE	TBN20080
298	漚	CEAE	8EAF	TBN30080
299	漚	CEAF	8EB0	TBN40080
300	漚	CEB0	8EB1	TBN50080
301	漚	CEB1	8EB2	TBN60080
302	漚	CEB2	8EB3	TBN70080
303	漚	CEB3	8EB4	TBN80080
304	漚	CEB4	8EB5	TBN90080
305	漚	CEB5	8EB6	TBNA0080
306	漚	CEB6	8EB7	TBNB0080
307	漚	CEB7	8EB8	TBNC0080
308	漚	CEB8	8EB9	TBND0080
309	漚	CEB9	8EBA	TBNE0080
310	漚	CEBA	8EBB	TBNF0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
311	讓	CEBB	8EBC	TBNG0080
312	請	CEBC	8EBD	TBNH0080
313	讓	CEBD	8EBE	TBNI0080
314	讓	CEBE	8EBF	TBNJ0080
315	聖	CEBF	8EC0	TBNK0080
316	臚	CEC0	8EC1	TBNL0080
317	鼻	CEC1	8EC2	TBNM0080
318	趨	CEC2	8EC3	TBNN0080
319	躡	CEC3	8EC4	TBNO0080
320	躡	CEC4	8EC5	TBNP0080
321	輻	CEC5	8EC6	TBNQ0080
322	輻	CEC6	8EC7	TBNR0080
323	舉	CEC7	8EC8	TBNS0080
324	鄂	CEC8	8EC9	TBNT0080
325	鄴	CEC9	8ECA	TBNU0080
326	鄴	CECA	8ECB	TBNV0080
327	醜	CECB	8ECC	TBNW0080
328	鏡	CECC	8ECD	TBNX0080
329	鑲	CECD	8ECE	TBNY0080
330	鑲	CECE	8ECF	TBNZ0080
331	鏟	CECF	8ED0	TBO00080
332	鏟	CED0	8ED1	TBO10080
333	鏟	CED1	8ED2	TBO20080
334	鏟	CED2	8ED3	TBO30080
335	鏟	CED3	8ED4	TBO40080
336	鏟	CED4	8ED5	TBO50080

Line Number	Graphic	PC Code	Host Code	GCGID
337	鏟	CED5	8ED6	TBO60080
338	鏟	CED6	8ED7	TBO70080
339	鏟	CED7	8ED8	TBO80080
340	鏟	CED8	8ED9	TBO90080
341	闌	CED9	8EDA	TBOA0080
342	闌	CEDA	8EDB	TBOB0080
343	闌	CEDB	8EDC	TBOC0080
344	霰	CEDC	8EDD	TBOD0080
345	霰	CEDD	8EDE	TBOE0080
346	戰	CEDE	8EDF	TBOF0080
347	鞞	CEDF	8EE0	TBOG0080
348	頰	CEE0	8EE1	TBOH0080
349	頰	CEE1	8EE2	TBOI0080
350	颯	CEE2	8EE3	TBOJ0080
351	颯	CEE3	8EE4	TBOK0080
352	館	CEE4	8EE5	TBOL0080
353	饑	CEE5	8EE6	TBOM0080
354	驢	CEE6	8EE7	TBON0080
355	驢	CEE7	8EE8	TBOO0080
356	驛	CEE8	8EE9	TBOP0080
357	驄	CEE9	8EEA	TBOQ0080
358	驂	CEEA	8EEB	TBOR0080
359	鰲	CEEB	8EEC	TBOS0080
360	鰲	CEEC	8EED	TBOT0080
361	驛	CEED	8EEE	TBOU0080
362	餅	CEEE	8EEF	TBOV0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
363	鬢	CEEF	8EF0	TBOW0080
364	鬚	CEF0	8EF1	TBOX0080
365	鬣	CEF1	8EF2	TBOY0080
366	鬚	CEF2	8EF3	TBOZ0080
367	鬚	CEF3	8EF4	TBP00080
368	鬚	CEF4	8EF5	TBP10080
369	鬚	CEF5	8EF6	TBP20080
370	鬚	CEF6	8EF7	TBP30080
371	鬚	CEF7	8EF8	TBP40080
372	鬚	CEF8	8EF9	TBP50080
373	鬚	CEF9	8EFA	TBP60080
374	鬚	CEFA	8EFB	TBP70080
375	鬚	CEFB	8EFC	TBP80080
376	鬚	CEFC	8EFD	TBP90080
377	鬚	CF40	8F41	TBPD0080
378	鬚	CF41	8F42	TBPE0080
379	鬚	CF42	8F43	TBPF0080
380	鬚	CF43	8F44	TBPG0080
381	鬚	CF44	8F45	TBPH0080
382	鬚	CF45	8F46	TBPI0080
383	鬚	CF46	8F47	TBPJ0080
384	鬚	CF47	8F48	TBPK0080
385	鬚	CF48	8F49	TBPL0080
386	鬚	CF49	8F4A	TBPM0080
387	鬚	CF4A	8F4B	TBPN0080
388	鬚	CF4B	8F4C	TBPO0080

Line Number	Graphic	PC Code	Host Code	GCGID
389	鸚	CF4C	8F4D	TBPP0080
390	鸚	CF4D	8F4E	TBPQ0080
391	鸚	CF4E	8F4F	TBPR0080
392	鸚	CF4F	8F50	TBPS0080
393	鸚	CF50	8F51	TBPT0080
394	鸚	CF51	8F52	TBPU0080
395	鸚	CF52	8F53	TBPV0080
396	鸚	CF53	8F54	TBPW0080
397	鸚	CF54	8F55	TBPX0080
398	鸚	CF55	8F56	TBPY0080
399	鸚	CF56	8F57	TBPZ0080
400	鸚	CF57	8F58	TBQ00080
401	鸚	CF58	8F59	TBQ10080
402	鸚	CF59	8F5A	TBQ20080
403	鸚	CF5A	8F5B	TBQ30080
404	鸚	CF5B	8F5C	TBQ40080
405	鸚	CF5C	8F5D	TBQ50080
406	鸚	CF5D	8F5E	TBQ60080
407	鸚	CF5E	8F5F	TBQ70080
408	鸚	CF5F	8F60	TBQ80080
409	鸚	CF60	8F61	TBQ90080
410	鸚	CF61	8F62	TBQA0080
411	鸚	CF62	8F63	TBQB0080
412	鸚	CF63	8F64	TBQC0080
413	鸚	CF64	8F65	TBQD0080
414	鸚	CF65	8F66	TBQE0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
415	囁	CF66	8F67	TBQF0080
416	𨔵	CF67	8F68	TBQG0080
417	𨔶	CF68	8F69	TBQH0080
418	𨔷	CF69	8F6A	TBQI0080
419	𨔸	CF6A	8F6B	TBQJ0080
420	𨔹	CF6B	8F6C	TBQK0080
421	𨔺	CF6C	8F6D	TBQL0080
422	𨔻	CF6D	8F6E	TBQM0080
423	𨔼	CF6E	8F6F	TBQN0080
424	𨔽	CF6F	8F70	TBQO0080
425	𨔾	CF70	8F71	TBQP0080
426	𨔿	CF71	8F72	TBQQ0080
427	𨕀	CF72	8F73	TBQR0080
428	𨕁	CF73	8F74	TBQS0080
429	𨕂	CF74	8F75	TBQT0080
430	𨕃	CF75	8F76	TBQU0080
431	𨕄	CF76	8F77	TBQV0080
432	𨕅	CF77	8F78	TBQW0080
433	𨕆	CF78	8F79	TBQX0080
434	𨕇	CF79	8F7A	TBQY0080
435	𨕈	CF7A	8F7B	TBQZ0080
436	𨕉	CF7B	8F7C	TBR00080
437	𨕊	CF7C	8F7D	TBR10080
438	𨕋	CF7D	8F7E	TBR20080
439	𨕌	CF7E	8F7F	TBR30080
440	𨕍	CF80	8F81	TBR50080

Line Number	Graphic	PC Code	Host Code	GCGID
441	𨕎	CF81	8F82	TBR60080
442	𨕏	CF82	8F83	TBR70080
443	𨕐	CF83	8F84	TBR80080
444	𨕑	CF84	8F85	TBR90080
445	𨕒	CF85	8F86	TBRA0080
446	𨕓	CF86	8F87	TBRB0080
447	𨕔	CF87	8F88	TBRC0080
448	𨕕	CF88	8F89	TBRD0080
449	𨕖	CF89	8F8A	TBRE0080
450	𨕗	CF8A	8F8B	TBRF0080
451	𨕘	CF8B	8F8C	TBRG0080
452	𨕙	CF8C	8F8D	TBRH0080
453	𨕚	CF8D	8F8E	TBRI0080
454	𨕛	CF8E	8F8F	TBRJ0080
455	𨕜	CF8F	8F90	TBRK0080
456	𨕝	CF90	8F91	TBRL0080
457	𨕞	CF91	8F92	TBRM0080
458	𨕟	CF92	8F93	TBRN0080
459	𨕠	CF93	8F94	TBRO0080
460	𨕡	CF94	8F95	TBRP0080
461	𨕢	CF95	8F96	TBRQ0080
462	𨕣	CF96	8F97	TBRR0080
463	𨕤	CF97	8F98	TBRS0080
464	𨕥	CF98	8F99	TBRT0080
465	𨕦	CF99	8F9A	TBRU0080
466	𨕧	CF9A	8F9B	TBRV0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
467	蕤	CF9B	8F9C	TBRW0080
468	蠟	CF9C	8F9D	TBRX0080
469	蠟	CF9D	8F9E	TBRY0080
470	蠟	CF9E	8F9F	TBRZ0080
471	蠟	CF9F	8FA0	TBS00080
472	蠟	CFA0	8FA1	TBS10080
473	蠟	CFA1	8FA2	TBS20080
474	覲	CFA2	8FA3	TBS30080
475	覲	CFA3	8FA4	TBS40080
476	覲	CFA4	8FA5	TBS50080
477	覲	CFA5	8FA6	TBS60080
478	覲	CFA6	8FA7	TBS70080
479	覲	CFA7	8FA8	TBS80080
480	覲	CFA8	8FA9	TBS90080
481	諡	CFA9	8FAA	TBSA0080
482	諡	CFAA	8FAB	TBSB0080
483	諡	CFAB	8FAC	TBSC0080
484	躡	CFAC	8FAD	TBSD0080
485	躡	CFAD	8FAE	TBSE0080
486	躡	CFAE	8FAF	TBSF0080
487	躡	CFAF	8FB0	TBSG0080
488	躡	CFB0	8FB1	TBSH0080
489	躡	CFB1	8FB2	TBSI0080
490	躡	CFB2	8FB3	TBSJ0080
491	躡	CFB3	8FB4	TBSK0080
492	躡	CFB4	8FB5	TBSL0080

Line Number	Graphic	PC Code	Host Code	GCGID
493	鄮	CFB5	8FB6	TBSM0080
494	鄮	CFB6	8FB7	TBSN0080
495	鄮	CFB7	8FB8	TBSO0080
496	鄮	CFB8	8FB9	TBSP0080
497	鄮	CFB9	8FBA	TBSQ0080
498	鄮	CFBA	8FBB	TBSR0080
499	鄮	CFBB	8FBC	TBSS0080
500	鄮	CFBC	8FBD	TBST0080
501	鄮	CFBD	8FBE	TBSU0080
502	鄮	CFBE	8FBF	TBSV0080
503	鄮	CFBF	8FC0	TBSW0080
504	鄮	CFC0	8FC1	TBSX0080
505	鄮	CFC1	8FC2	TBSY0080
506	鄮	CFC2	8FC3	TBSZ0080
507	鄮	CFC3	8FC4	TBT00080
508	鄮	CFC4	8FC5	TBT10080
509	鄮	CFC5	8FC6	TBT20080
510	鄮	CFC6	8FC7	TBT30080
511	鄮	CFC7	8FC8	TBT40080
512	鄮	CFC8	8FC9	TBT50080
513	鄮	CFC9	8FCA	TBT60080
514	鄮	CFCA	8FCB	TBT70080
515	鄮	CFCB	8FCC	TBT80080
516	鄮	CFCC	8FCD	TBT90080
517	鄮	CFCD	8FCE	TBTA0080
518	鄮	CFCE	8FCF	TBTB0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
519	驪	CFCF	8FD0	TBTC0080
520	騷	CFD0	8FD1	TBTD0080
521	騫	CFD1	8FD2	TBTE0080
522	騫	CFD2	8FD3	TBTF0080
523	騫	CFD3	8FD4	TBTG0080
524	騫	CFD4	8FD5	TBTH0080
525	騫	CFD5	8FD6	TBTI0080
526	騫	CFD6	8FD7	TBTJ0080
527	鯨	CFD7	8FD8	TBTK0080
528	鯨	CFD8	8FD9	TBTL0080
529	鯨	CFD9	8FDA	TBTM0080
530	鯨	CFDA	8FDB	TBTN0080
531	鯨	CFDB	8FDC	TBTO0080
532	鯨	CFDC	8FDD	TBTP0080
533	鯨	CFDD	8FDE	TBTQ0080
534	鯨	CFDE	8FDF	TBTR0080
535	鯨	CFDF	8FE0	TBTS0080
536	鯨	CFE0	8FE1	TBTT0080
537	鯨	CFE1	8FE2	TBTU0080
538	鯨	CFE2	8FE3	TBTV0080
539	鯨	CFE3	8FE4	TBTW0080
540	鯨	CFE4	8FE5	TBTX0080
541	鯨	CFE5	8FE6	TBTY0080
542	鯨	CFE6	8FE7	TBTZ0080
543	鯨	CFE7	8FE8	TBU00080
544	鯨	CFE8	8FE9	TBU10080

Line Number	Graphic	PC Code	Host Code	GCGID
545	鵠	CFE9	8FEA	TBU20080
546	鵠	CFEA	8FEB	TBU30080
547	鵠	CFEB	8FEC	TBU40080
548	鵠	CFEC	8FED	TBU50080
549	鵠	CFED	8FEE	TBU60080
550	鵠	CFEE	8FEF	TBU70080
551	鵠	CFEF	8FF0	TBU80080
552	鵠	CFF0	8FF1	TBU90080
553	鵠	CFF1	8FF2	TBUA0080
554	鵠	CFF2	8FF3	TBUB0080
555	鵠	CFF3	8FF4	TBUC0080
556	鵠	CFF4	8FF5	TBUD0080
557	鵠	CFF5	8FF6	TBUE0080
558	鵠	CFF6	8FF7	TBUF0080
559	鵠	CFF7	8FF8	TBUG0080
560	鵠	CFF8	8FF9	TBUH0080
561	鵠	CFF9	8FFA	TBUI0080
562	鵠	CFFA	8FFB	TBUJ0080
563	鵠	CFFB	8FFC	TBUK0080
564	鵠	CFFC	8FFD	TBUL0080
565	鵠	D040	9041	TBUP0080
566	鵠	D041	9042	TBUQ0080
567	鵠	D042	9043	TBUR0080
568	鵠	D043	9044	TBUS0080
569	鵠	D044	9045	TBUT0080
570	鵠	D045	9046	TBUU0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
571	嶽	D046	9047	TBUV0080
572	廬	D047	9048	TBUW0080
573	瓊	D048	9049	TBUX0080
574	懋	D049	904A	TBUY0080
575	懋	D04A	904B	TBUZ0080
576	懋	D04B	904C	TBV00080
577	撫	D04C	904D	TBV10080
578	撫	D04D	904E	TBV20080
579	壺	D04E	904F	TBV30080
580	魯	D04F	9050	TBV40080
581	攢	D050	9051	TBV50080
582	樂	D051	9052	TBV60080
583	權	D052	9053	TBV70080
584	馨	D053	9054	TBV80080
585	灑	D054	9055	TBV90080
586	灑	D055	9056	TBVA0080
587	廩	D056	9057	TBVB0080
588	獫	D057	9058	TBVC0080
589	獫	D058	9059	TBVD0080
590	獲	D059	905A	TBVE0080
591	癰	D05A	905B	TBVF0080
592	瞞	D05B	905C	TBVG0080
593	籩	D05C	905D	TBVH0080
594	籩	D05D	905E	TBVI0080
595	纒	D05E	905F	TBVJ0080
596	纒	D05F	9060	TBVK0080

Line Number	Graphic	PC Code	Host Code	GCGID
597	離	D060	9061	TBVL0080
598	壘	D061	9062	TBVM0080
599	襪	D062	9063	TBVN0080
600	靡	D063	9064	TBVO0080
601	頹	D064	9065	TBVP0080
602	藝	D065	9066	TBVQ0080
603	瑤	D066	9067	TBVR0080
604	蠟	D067	9068	TBVS0080
605	蠟	D068	9069	TBVT0080
606	蠟	D069	906A	TBVU0080
607	蠟	D06A	906B	TBVV0080
608	襪	D06B	906C	TBVW0080
609	欄	D06C	906D	TBVX0080
610	襪	D06D	906E	TBVI0080
611	離	D06E	906F	TBVZ0080
612	燕	D06F	9070	TBW00080
613	讎	D070	9071	TBW10080
614	警	D071	9072	TBW20080
615	讒	D072	9073	TBW30080
616	籠	D073	9074	TBW40080
617	贊	D074	9075	TBW50080
618	躑	D075	9076	TBW60080
619	轆	D076	9077	TBW70080
620	輓	D077	9078	TBW80080
621	醜	D078	9079	TBW90080
622	鑢	D079	907A	TBWA0080




IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
623	鑽	D07A	907B	TBWB0080
624	罐	D07B	907C	TBWC0080
625	鏢	D07C	907D	TBWD0080
626	鐵	D07D	907E	TBWE0080
627	轉	D07E	907F	TBWF0080
628	鞣	D080	9081	TBWH0080
629	護	D081	9082	TBWI0080
630	職	D082	9083	TBWJ0080
631	贖	D083	9084	TBWK0080
632	鬣	D084	9085	TBWL0080
633	鬢	D085	9086	TBWM0080
634	鬚	D086	9087	TBWN0080
635	鱒	D087	9088	TBWO0080
636	鱒	D088	9089	TBWP0080
637	鱒	D089	908A	TBWQ0080
638	鱒	D08A	908B	TBWR0080
639	鱒	D08B	908C	TBWS0080
640	鱒	D08C	908D	TBWT0080
641	鱒	D08D	908E	TBWU0080
642	鱒	D08E	908F	TB WV0080
643	鱒	D08F	9090	TBWW0080
644	鱒	D090	9091	TBWX0080
645	鱒	D091	9092	TB WY0080
646	鵠	D092	9093	TB WZ0080
647	鵠	D093	9094	TB X00080
648	鵠	D094	9095	TB X10080

Line Number	Graphic	PC Code	Host Code	GCGID
649	鵠	D095	9096	TB X20080
650	鵠	D096	9097	TB X30080
651	鵠	D097	9098	TB X40080
652	鵠	D098	9099	TB X50080
653	鵠	D099	909A	TB X60080
654	鵠	D09A	909B	TB X70080
655	鵠	D09B	909C	TB X80080
656	鵠	D09C	909D	TB X90080
657	鵠	D09D	909E	TB XA0080
658	鵠	D09E	909F	TB XB0080
659	鵠	D09F	90A0	TB XC0080
660	鵠	D0A0	90A1	TB XD0080
661	鵠	D0A1	90A2	TB XE0080
662	鵠	D0A2	90A3	TB XF0080
663	鵠	D0A3	90A4	TB XG0080
664	鵠	D0A4	90A5	TB XH0080
665	鵠	D0A5	90A6	TB XI0080
666	鵠	D0A6	90A7	TB XJ0080
667	鵠	D0A7	90A8	TB XK0080
668	鵠	D0A8	90A9	TB XL0080
669	鵠	D0A9	90AA	TB XM0080
670	鵠	D0AA	90AB	TB XN0080
671	鵠	D0AB	90AC	TB XO0080
672	鵠	D0AC	90AD	TB XP0080
673	鵠	D0AD	90AE	TB XQ0080
674	鵠	D0AE	90AF	TB XR0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
675	鰓	D0AF	90B0	TBXS0080
676	齧	D0B0	90B1	TBXT0080
677	齧	D0B1	90B2	TBXU0080
678	齧	D0B2	90B3	TBXV0080
679	齧	D0B3	90B4	TBXW0080
680	齧	D0B4	90B5	TBXX0080
681	齧	D0B5	90B6	TBXY0080
682	齧	D0B6	90B7	TBXZ0080
683	齧	D0B7	90B8	TBY00080
684	齧	D0B8	90B9	TBY10080
685	齧	D0B9	90BA	TBY20080
686	齧	D0BA	90BB	TBY30080
687	齧	D0BB	90BC	TBY40080
688	齧	D0BC	90BD	TBY50080
689	齧	D0BD	90BE	TBY60080
690	齧	D0BE	90BF	TBY70080
691	齧	D0BF	90C0	TBY80080
692	齧	D0C0	90C1	TBY90080
693	齧	D0C1	90C2	TBYA0080
694	齧	D0C2	90C3	TBYB0080
695	齧	D0C3	90C4	TBYC0080
696	齧	D0C4	90C5	TBYD0080
697	齧	D0C5	90C6	TBYE0080
698	齧	D0C6	90C7	TBYF0080
699	齧	D0C7	90C8	TBYG0080
700	齧	D0C8	90C9	TBYH0080

Line Number	Graphic	PC Code	Host Code	GCGID
701	齧	D0C9	90CA	TBYI0080
702	齧	D0CA	90CB	TBYJ0080
703	齧	D0CB	90CC	TBYK0080
704	齧	D0CC	90CD	TBYL0080
705	齧	D0CD	90CE	TBYM0080
706	齧	D0CE	90CF	TBYN0080
707	齧	D0CF	90D0	TBYO0080
708	齧	D0D0	90D1	TBYP0080
709	齧	D0D1	90D2	TBYQ0080
710	齧	D0D2	90D3	TBYR0080
711	齧	D0D3	90D4	TBYS0080
712	齧	D0D4	90D5	TBYT0080
713	齧	D0D5	90D6	TBYU0080
714	齧	D0D6	90D7	TBYV0080
715	齧	D0D7	90D8	TBYW0080
716	齧	D0D8	90D9	TBYX0080
717	齧	D0D9	90DA	TBYY0080
718	齧	D0DA	90DB	TBYZ0080
719	齧	D0DB	90DC	TBZ00080
720	齧	D0DC	90DD	TBZ10080
721	齧	D0DD	90DE	TBZ20080
722	齧	D0DE	90DF	TBZ30080
723	齧	D0DF	90E0	TBZ40080
724	齧	D0E0	90E1	TBZ50080
725	齧	D0E1	90E2	TBZ60080
726	齧	D0E2	90E3	TBZ70080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
727	灑	D0E3	90E4	TBZ80080
728	鱸	D0E4	90E5	TBZ90080
729	鱧	D0E5	90E6	TBZA0080
730	鯉	D0E6	90E7	TBZB0080
731	鯪	D0E7	90E8	TBZC0080
732	鯽	D0E8	90E9	TBZD0080
733	鱈	D0E9	90EA	TBZE0080
734	鱉	D0EA	90EB	TBZF0080
735	鵝	D0EB	90EC	TBZG0080
736	鵝	D0EC	90ED	TBZH0080
737	鵝	D0ED	90EE	TBZI0080
738	鵝	D0EE	90EF	TBZJ0080
739	鵝	D0EF	90F0	TBZK0080
740	鵝	D0F0	90F1	TBZL0080
741	鵝	D0F1	90F2	TBZM0080
742	鵝	D0F2	90F3	TBZN0080
743	鵝	D0F3	90F4	TBZO0080
744	鵝	D0F4	90F5	TBZP0080
745	鵝	D0F5	90F6	TBZQ0080
746	鵝	D0F6	90F7	TBZR0080
747	鵝	D0F7	90F8	TBZS0080
748	鵝	D0F8	90F9	TBZT0080
749	鵝	D0F9	90FA	TBZU0080
750	鵝	D0FA	90FB	TBZV0080
751	鵝	D0FB	90FC	TBZW0080
752	鵝	D0FC	90FD	TBZX0080

Line Number	Graphic	PC Code	Host Code	GCGID
753	攪	D140	9141	TC010080
754	斲	D141	9142	TC020080
755	櫛	D142	9143	TC030080
756	櫛	D143	9144	TC040080
757	櫛	D144	9145	TC050080
758	櫛	D145	9146	TC060080
759	灑	D146	9147	TC070080
760	灑	D147	9148	TC080080
761	灑	D148	9149	TC090080
762	灑	D149	914A	TC0A0080
763	灑	D14A	914B	TC0B0080
764	灑	D14B	914C	TC0C0080
765	灑	D14C	914D	TC0D0080
766	灑	D14D	914E	TC0E0080
767	灑	D14E	914F	TC0F0080
768	灑	D14F	9150	TC0G0080
769	灑	D150	9151	TC0H0080
770	灑	D151	9152	TC0I0080
771	灑	D152	9153	TC0J0080
772	灑	D153	9154	TC0K0080
773	灑	D154	9155	TC0L0080
774	灑	D155	9156	TC0M0080
775	灑	D156	9157	TC0N0080
776	灑	D157	9158	TC0O0080
777	灑	D158	9159	TC0P0080
778	灑	D159	915A	TC0Q0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
779	襉	D15A	915B	TC0R0080
780	襍	D15B	915C	TC0S0080
781	襛	D15C	915D	TC0T0080
782	誦	D15D	915E	TC0U0080
783	謹	D15E	915F	TC0V0080
784	躡	D15F	9160	TC0W0080
785	躑	D160	9161	TC0X0080
786	躒	D161	9162	TC0Y0080
787	躓	D162	9163	TC0Z0080
788	鏞	D163	9164	TC100080
789	鐵	D164	9165	TC110080
790	鏡	D165	9166	TC120080
791	鑿	D166	9167	TC130080
792	鑿	D167	9168	TC140080
793	鑿	D168	9169	TC150080
794	鑿	D169	916A	TC160080
795	鑿	D16A	916B	TC170080
796	鑿	D16B	916C	TC180080
797	鑿	D16C	916D	TC190080
798	鸛	D16D	916E	TC1A0080
799	鸛	D16E	916F	TC1B0080
800	鸛	D16F	9170	TC1C0080
801	鸛	D170	9171	TC1D0080
802	鸛	D171	9172	TC1E0080
803	鸛	D172	9173	TC1F0080
804	鸛	D173	9174	TC1G0080

Line Number	Graphic	PC Code	Host Code	GCGID
805	鸛	D174	9175	TC1H0080
806	鸛	D175	9176	TC1I0080
807	鸛	D176	9177	TC1J0080
808	鸛	D177	9178	TC1K0080
809	鸛	D178	9179	TC1L0080
810	鸛	D179	917A	TC1M0080
811	鸛	D17A	917B	TC1N0080
812	鸛	D17B	917C	TC1O0080
813	鸛	D17C	917D	TC1P0080
814	鸛	D17D	917E	TC1Q0080
815	鸛	D17E	917F	TC1R0080
816	鸛	D180	9181	TC1T0080
817	鸛	D181	9182	TC1U0080
818	鸛	D182	9183	TC1V0080
819	鸛	D183	9184	TC1W0080
820	鸛	D184	9185	TC1X0080
821	鸛	D185	9186	TC1Y0080
822	鸛	D186	9187	TC1Z0080
823	鸛	D187	9188	TC200080
824	鸛	D188	9189	TC210080
825	鸛	D189	918A	TC220080
826	鸛	D18A	918B	TC230080
827	鸛	D18B	918C	TC240080
828	鸛	D18C	918D	TC250080
829	鸛	D18D	918E	TC260080
830	鸛	D18E	918F	TC270080

IBM Traditional Chinese Graphic Character Set


DBCS - Host and DBCS - PC

Table 21 (Page 17 of 18). Secondary CH-T (4/4), DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
831	罍	D18F	9190	TC280080
832	罍	D190	9191	TC290080
833	罍	D191	9192	TC2A0080
834	罍	D192	9193	TC2B0080
835	罍	D193	9194	TC2C0080
836	罍	D194	9195	TC2D0080
837	罍	D195	9196	TC2E0080
838	罍	D196	9197	TC2F0080
839	罍	D197	9198	TC2G0080
840	罍	D198	9199	TC2H0080
841	罍	D199	919A	TC2I0080
842	罍	D19A	919B	TC2J0080
843	罍	D19B	919C	TC2K0080
844	罍	D19C	919D	TC2L0080
845	罍	D19D	919E	TC2M0080
846	罍	D19E	919F	TC2N0080
847	罍	D19F	91A0	TC2O0080
848	罍	D1A0	91A1	TC2P0080
849	罍	D1A1	91A2	TC2Q0080
850	罍	D1A2	91A3	TC2R0080
851	罍	D1A3	91A4	TC2S0080
852	罍	D1A4	91A5	TC2T0080
853	罍	D1A5	91A6	TC2U0080
854	罍	D1A6	91A7	TC2V0080
855	罍	D1A7	91A8	TC2W0080
856	罍	D1A8	91A9	TC2X0080

Table 21 (Page 17 of 18). Secondary CH-T (4/4), DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
857	罍	D1A9	91AA	TC2Y0080
858	罍	D1AA	91AB	TC2Z0080
859	罍	D1AB	91AC	TC300080
860	罍	D1AC	91AD	TC310080
861	罍	D1AD	91AE	TC320080
862	罍	D1AE	91AF	TC330080
863	罍	D1AF	91B0	TC340080
864	罍	D1B0	91B1	TC350080
865	罍	D1B1	91B2	TC360080
866	罍	D1B2	91B3	TC370080
867	罍	D1B3	91B4	TC380080
868	罍	D1B4	91B5	TC390080
869	罍	D1B5	91B6	TC3A0080
870	罍	D1B6	91B7	TC3B0080
871	罍	D1B7	91B8	TC3C0080
872	罍	D1B8	91B9	TC3D0080
873	罍	D1B9	91BA	TC3E0080
874	罍	D1BA	91BB	TC3F0080
875	罍	D1BB	91BC	TC3G0080
876	罍	D1BC	91BD	TC3H0080
877	罍	D1BD	91BE	TC3I0080
878	罍	D1BE	91BF	TC3J0080
879	罍	D1BF	91C0	TC3K0080
880	罍	D1C0	91C1	TC3L0080
881	罍	D1C1	91C2	TC3M0080
882	罍	D1C2	91C3	TC3N0080



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Table 21 (Page 18 of 18). Secondary CH-T (4/4), DBCS - PC

Line Number	Graphic	PC Code	Host Code	GCGID
883	𪛗	D1C3	91C4	TC3O0080
884	𪛘	D1C4	91C5	TC3P0080
885	𪛙	D1C5	91C6	TC3Q0080
886	𪛚	D1C6	91C7	TC3R0080

IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

Supplementary Information

9. Definition of Terms

The following terms are defined for the purposes of this document.

9.1 Product

A hardware or software unit that is individually packaged, that is marketable, and to which a type number/program number or equivalence has been assigned.

9.2 Graphic Character

A graphic symbol, such as a numeric, alphabetic, special or Chinese character.

9.3 Graphic Character Global Identifier (GCGID)

An up to eight-character identifier assigned to each *graphic character*. See C-H 3-3220-055.

9.4 Graphic Character Set

A set of *graphic characters*, treated as an entity.

9.5 Registered Graphic Character Set

A *graphic character set* that has been registered and assigned a *GCSGID*.

9.6 Unrestricted Graphic Character Set

A registered *graphic character set* that has been approved by all operating units, and has been placed in the category of “*unrestricted*”.

9.7 Restricted Graphic Character Set

A registered *graphic character set* that has not been approved by all operating units, and has been placed in the category of “*restricted*”.

9.8 Graphic Character Set Global Identifier (GCSGID)

A 5-digit decimal identifier assigned to a *graphic character set*. The range of *GCSGID* values is 00001 to 65534 (hex X'0001' to X'FFFE'). See C-H 3-3220-050.

9.9 Code

A system of bit-patterns to which specific graphic or control meanings have been assigned.

9.9.1 Single-Byte Code. A system of 8-bit patterns.

9.9.2 Double-Byte Code. A system of 16-bit patterns.

9.10 Code Point

One of the bit-patterns specified by a *code*.

9.11 Coded Character

A control or *graphic characters* with an assigned *code point*.

9.12 Coded Character Set

A set of control and/or *graphic characters* with their assigned *code points*.

9.13 Code Page

A specification of *code points* for each *graphic character* in a set, or in a collection of *graphic character sets*. Within a given *code page*, a *code point* can have only one specific meaning.

9.14 Registered Code Page

A *code page* that has been registered and assigned a *CPGID*.

9.15 Unrestricted Code Page

A *registered code page* that has been approved by all affected operating units, and has been placed in the category of “*unrestricted*”.

9.16 Restricted Code Page

A *registered code page* that has not been approved by all operating units, and that has been placed in the category of “*restricted*”.

9.17 Code Page Global Identifier (CPGID)

A 5-digit decimal identifier assigned to a *code page*. The range of *CPGID* values is 00001 to 65534 (hex X'0001' to X'FFFE'). See C-H 3-3220-050.

9.18 Coded Graphic Character

A *graphic character* with its assigned *code point*.

9.19 Coded Graphic Character Set

A set of *graphic characters* with their assigned *code points*.

IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

9.20 Registered Coded Graphic Character Set

A coded graphic character set, whose graphic character set and code page have both been registered.

9.21 Registered Code Page Translation Correspondences

The bit-patterns used to translate code points on one code page to another code page.

9.22 Coded Graphic Character Set Global Identifier (CGCSGID)

A 10-digit decimal identifier consisting of the concatenation of a graphic character set global identifier (GCSGID) and a code page global identifier (CPGID). The CGCSGID is also represented as the concatenation of the hexadecimal representations of the GCSGID and CPGID. See C-H 3-3220-050.

9.23 EBCDIC

Extended BCD Interchange Code which is defined in Corporate Standard C-S 3-3220-002 EBCDIC.

9.24 PC Code

A system of 8-bit patterns which is primarily used in the personal computer environment, where the codes based on ISO 646 (like ASCII) are usually used.

9.25 DBCS

Abbreviation of a Double-Byte Character Set. It is a double-byte graphic character set in which each character is represented by two bytes or 16 bits. See C-S 3-3220-102 for detailed explanation.

9.25.1 DBCS-Host. A DBCS which is mainly used in conjunction with the EBCDIC.

9.25.2 DBCS-PC. A DBCS which is mainly used in conjunction with the PC code.

9.25.3 Ward. A section of a Double-Byte Character Set where the first byte of all of the codes belonging to it are the same. A Ward has a unique number of which represents the first byte of the code belonging to that Ward.

10. Difference from the Former Specification

10.1 From C-H 3-3220-126 1989-08 to the revision 1992-01

10.1.1 Abstract. The claim of the 1989-08 standard to be superset of both SICGCC and the APTO-TAIWAN-001 document was found to be incorrect for a few characters. The following summarizes the changes to the 1989-08 standard to amend these errors:

10.1.2 Character Coverage. The total number of characters is increased by 9 from 14051 to 14060, where symbols are increased by 4 from 1000 to 1004, and Chinese characters are increased by 5 from 13051 to 13056. No characters are deleted. 4 characters have their patterns modified, but their GCGIDs are not changed.

10.1.3 User Defined Character (UDC) Area. There is no change to this item.

10.2 From the APTO-TAIWAN-001 document to C-H 3-3220-126 1992-01

10.2.1 Abstract. The APTO-TAIWAN-001 document (see section 3.3 on page 2) follows the ROC Defacto Standard of 1983. C-H 3-3220-126 dated 1989-08 contained errors (corrected in this standard), with the result that the users continued working with the APTO-TAIWAN-001 document. This standard is a superset of the APTO-TAIWAN-001 document. Therefore, it is necessary to describe here the changes from the APTO-TAIWAN-001 document to this Standard.

10.2.2 Character Coverage and Sequence Arrangement. The total number of characters is increased from 13728 to 14060 in 1992, and additional one (total 14061 characters) in 1999; where symbols are increased from 675 to 1004 in 1992, also additional one (total 1005 symbols) in 1999; and Chinese characters are increased from 13053 to 13056. No characters are deleted.

Sequence arrangement for previously existing characters are maintained, thus no changes to code points are made. New characters are inserted into previously undefined code points, without regard to previous sequence arrangement.

10.2.2.1 Symbols. 213 Chinese radicals, 66 symbols and 1 Euro sign are added. 50 symbols adopted from IBM Japanese set are added.



IBM Traditional Chinese Graphic Character Set

DBCS - Host and DBCS - PC

10.2.2.2 Primary Chinese Characters. One character is added. The total number Primary Chinese Characters is increased to 5402.

10.2.2.3 Secondary Chinese Characters. Two characters are added. The total number of Secondary Chinese Characters is increased from 7652 to 7654.

10.2.3 Character Patterns. 116 Chinese characters have been modified to conform to SICGCC.

10.2.4 User Defined Character (UDC) Area

Table 22. Range of Change for UDC Area		
	From	To
Host Wards	"D0" to "DD"	"C2" to "E2"
PC Wards	"E9" to "F6"	"DB" to "FB"

1) Range of the Change

The UDC area is expanded from 14 wards (2632 characters) to 33 wards (6204 characters) (See Table 22).

2) Compatibility

No *code point* change to existing User Defined Character is needed.


PC-HOST conversion is done with one block shift factor as before. The block shift factor for the old ranges is maintained.

10.3 From C-H 3-3220-126 1992-01 to the revision 1999-04

This specification adds Euro sign.

11. Graphic Character Sets and Representations

Graphic character sets that are defined in this document are sets of graphic shapes, to each of which is assigned a graphic meaning and a specific code, independent of actual size or shape in which it may appear. The font design for graphic symbols for products must follow the graphic representations in this document as close as possible to avoid the confusion in identification of graphic characters. However, it does not restrict the style of the font design. Questions about the font design to be implemented should be referred to the Standards Project Authority for DBCS (SIRS 029) for decision.



© Copyright IBM Corp. 1999

International Business Machines Corporation
IBM Standards Program
Old Orchard Road
Armonk, New York 10504, USA

Table Definitions

<u>id</u>	<u>File</u>	<u>Page</u>	<u>References</u>
GID	33220126 SCRIPT	4	4
BODY	33220126 SCRIPT	8	8, 8
TOP	33220126 SCRIPT	8	8
HOST	33220126 SCRIPT	8	8, 9, 29, 73, 117, 135, 179, 223, 267, 286, 306, 350, 394, 412, 456, 500, 544
HOSTHD	33220126 SCRIPT	8	9, 29, 73, 117, 135, 179, 223, 267, 286, 306, 350, 394, 412, 456, 500, 544
BODYPC	33220126 SCRIPT	285	285, 285
TOPPC	33220126 SCRIPT	285	285
BODY1	33220126 SCRIPT	564	564

Headings

<u>id</u>	<u>File</u>	<u>Page</u>	<u>References</u>
IBMDOC	33220126 SCRIPT	2	3.3, Referenced IBM Documents 563
SUPP	33220126 SCRIPT	562	8.17, Secondary Chinese Set (4 of 4)
TERMS	33220126 SCRIPT	562	9, Definition of Terms
CHG89	33220126 SCRIPT	563	10.1, From C-H 3-3220-126 1989-08 to the revision 1992-01
CHG85	33220126 SCRIPT	563	10.2, From the APTO-TAIWAN-001 document to C-H 3-3220-126 1992-01
CHG99	33220126 SCRIPT	564	10.3, From C-H 3-3220-126 1992-01 to the revision 1999-04

Revisions

<u>id</u>	<u>File</u>	<u>Page</u>	<u>References</u>
REV02	33220126 SCRIPT	i	1, 1, 1, 1, 2, 2, 3, 3, 4, 4, 4, 4, 4, 4, 4, 4, 4, 4, 4, 4, 4, 4, 4, 4, 4, 4, 4, 5, 5, 5, 5, 5, 5, 5, 5, 5, 5, 5, 5, 5, 5, 5, 5, 5, 5, 6, 6, 6, 6, 8, 8, 8, 8, 24, 24, 564, 564
REV01	?	?	?
R	?	?	?
			4, 4, 12, 17, 22, 22, 22, 23, 23, 24, 287, 287, 288, 288, 296, 296, 304, 304, 304, 304, 304, 304, 304, 304, 304, 304, 304
			12, 17, 22, 22, 22, 23, 23, 24

Tables

<u>id</u>	<u>File</u>	<u>Page</u>	<u>References</u>
CGCSGID	33220126 SCRIPT	4	1 4
STRUCTH	33220126 SCRIPT	6	2 6
STRUCTP	33220126 SCRIPT	7	3 7
FORMHO	33220126 SCRIPT	8	4 8
NOCHHO	33220126 SCRIPT	9	5

				4, 4, 4, 4, 4, 6, 6, 8, 8, 8
PRCHHO1	33220126 SCRIPT	29	6	
				4, 4, 4, 4, 4, 5, 6
PRCHHO2	33220126 SCRIPT	73	7	
				4, 4, 4, 4, 4, 5, 6
PRCHHO3	33220126 SCRIPT	117	8	
				4, 4, 4, 4, 4, 5, 6
SECHHO1	33220126 SCRIPT	135	9	
				4, 4, 4, 4, 5, 6
SECHHO2	33220126 SCRIPT	179	10	
				4, 4, 4, 4, 5, 6
SECHHO3	33220126 SCRIPT	223	11	
				4, 4, 4, 4, 5, 6
SECHHO4	33220126 SCRIPT	267	12	
				4, 4, 4, 4, 5, 6, 8, 8, 8
FORMPC	33220126 SCRIPT	285	13	
				285
NOCHPC	33220126 SCRIPT	286	14	
				5, 5, 5, 5, 7, 285
PRCHPC1	33220126 SCRIPT	306	15	
				5, 5, 5, 5, 7
PRCHPC2	33220126 SCRIPT	350	16	
				5, 5, 5, 5, 7
PRCHPC3	33220126 SCRIPT	394	17	
				5, 5, 5, 5, 7
SECHPC1	33220126 SCRIPT	412	18	
				5, 5, 5, 7
SECHPC2	33220126 SCRIPT	456	19	
				5, 5, 5, 7
SECHPC3	33220126 SCRIPT	500	20	
				5, 5, 5, 7
SECHPC4	33220126 SCRIPT	544	21	
				5, 5, 5, 7, 285
UDA	33220126 SCRIPT	564	22	
				564

Processing Options

Runtime values:

```

Document fileid ..... 33220126 SCRIPT
Document type ..... STDDOC
Document style ..... IBMS1PL
Profile ..... EDFPRF40
Service Level ..... 0009
SCRIPT/VS Release ..... 4.0.0
Date ..... 99.04.28
Time ..... 10:51:09
Device ..... 3820A
Number of Passes ..... 3
Index ..... YES
SYSVAR A ..... NO
SYSVAR D ..... YES
SYSVAR S ..... OFFSET
SYSVAR X ..... YES
    
```

Formatting values used:

```

Annotation ..... NO
Cross reference listing ..... YES
Cross reference head prefix only ..... YES
Dialog ..... LABEL
Duplex ..... YES
DVCF conditions file ..... (none)
DVCF value 1 ..... (none)
DVCF value 2 ..... (none)
DVCF value 3 ..... (none)
    
```


DVCF value 4	(none)
DVCF value 5	(none)
DVCF value 6	(none)
DVCF value 7	(none)
DVCF value 8	(none)
DVCF value 9	(none)
Explode	NO
Figure list on new page	NO
Figure/table number separation	YES
Folio-by-chapter	NO
Head 0 body text	(none)
Head 1 body text	(none)
Head 1 appendix text	Appendix
Hyphenation	YES
Justification	YES
Language	ENGL
Keyboard	395
Layout	OFF
Leader dots	YES
Master index	(none)
Partial TOC (maximum level)	4
Partial TOC (new page after)	INLINE
Print example id's	NO
Print cross reference page numbers	YES
Process value	(none)
Punctuation move characters	,
Read cross-reference file	(none)
Running heading/footing rule	NONE
Show index entries	NO
Table of Contents (maximum level)	5
Table list on new page	NO
Title page (draft) alignment	RIGHT
Write cross-reference file	(none)

Imbed Trace

Page 9	CUSCFE10
Page 29	CUSCFE11
Page 73	CUSCFE12
Page 117	CUSCFE13
Page 135	CUSCFE14
Page 179	CUSCFE15
Page 223	CUSCFE16
Page 267	CUSCFE17
Page 286	CUSCFE40
Page 306	CUSCFE41
Page 350	CUSCFE42
Page 394	CUSCFE43
Page 412	CUSCFE44
Page 456	CUSCFE45
Page 500	CUSCFE46
Page 544	CUSCFE47