

**Deliver output at the speed of e-business with
IBM's new family of workgroup printers.**



Introducing a new line of cost-effective business printers: the IBM Infoprint 1000 family.

IBM® Infoprint® 1000 printers offer a wide variety of print speeds and features to serve everyone from small businesses to workgroups in large companies. This full line of printers offers exceptional value with unique functionality, advanced features, broad expansion capabilities and seamless connectivity — all at attractive prices. From 20 to 45 pages per minute, IBM's new family of workgroup printers can meet the printing requirements of your business.

Versatile and expandable

The Infoprint 1000 family supports a variety of media types and sizes such as envelopes, transparencies and A3-size paper. Increased input and output options, including finishing devices that staple and hole-punch, add versatility to your printing. Modular paper handling capabilities are easily expandable, providing printing flexibility to enhance productivity.

Networking options for seamless connectivity

Today's workgroups need fast, reliable connectivity and the ability to print images from the Web. With the Infoprint 1000 family's network-ready Ethernet and standard parallel/USB interfaces, easy host connections and high-speed communications are a given. The ImageQuick Card (standard on Internet models) supports direct PDF and image printing from the Web. Remote printer configuration, management and monitoring software help reduce network administration costs.

Outstanding value

The Infoprint 1000 family offers a range of speeds and configurations to help meet your workgroup's requirements. With five print speeds, a variety of configuration options, cost-efficient supplies, and flexible paper handling features, these printers can be tailored to your needs and budget. Excellent print quality, fast first page print times and reliable software management tools mean these printers can start enhancing your workgroup's productivity right away.



IBM Infoprint 1000 Printers at a glance

For expanded specifications visit: ibm.com/printers/wpghome



Infoprint 1120



Infoprint 1125



Infoprint 1130



Infoprint 1140



Infoprint 1145

	Infoprint 1120	Infoprint 1125	Infoprint 1130	Infoprint 1140	Infoprint 1145
Maximum speed					
pages per minute (ppm)	20 ppm	25 ppm	30 ppm	40 ppm	45 ppm
Technology	Monochrome laser	Monochrome laser	Monochrome laser	Monochrome laser	A3 Monochrome laser
Maximum monthly usage¹	100,000 pages	120,000 pages	150,000 pages	200,000 pages	250,000 pages
Processor	200 MHz	250 MHz	300 MHz	350 MHz	350 MHz
Print Resolution	300, 600, 1200 dpi	300, 600, 1200 dpi	300, 600, 1200 dpi	300, 600, 1200 dpi	300, 600, 1200 dpi
Memory (std/max)	8/264 MB	16/272 MB	16/384 MB	16/384 MB	32/384 MB
Options	Hard Drive/Flash	Hard Drive/Flash	Hard Drive/Flash	Hard Drive/Flash	Hard Drive/Flash
Paper input capacity (std/max)	350/3,850 pages	600/4,100 pages	600/4,100 pages	1,100/4,100 pages	1,035/3,535 pages
Paper output capacity (std/max)	250 pages	250 pages	500/3,000 pages	500/3,000 pages	500/3,550 pages
Duplex	Option	Option	Option	Option	Option
PC-interfaces (standard)	USB/Parallel	USB/Parallel	USB/Parallel	USB/Parallel	USB/Parallel

Printer attachments

Standard	USB port, bidirectional parallel port One internal solutions port—1120/1125; two internal solutions ports—1130/1140/1145
Optional	Ethernet 10/100BaseTX (Internal and External), Ethernet 10/100BaseTX/10Base2 (External), Ethernet 10BaseT/2 (Internal), Token-Ring (Internal and External), USB/Parallel 1284-C Interface Card, Coax/Twinax Adapter for SCS, Tri-Port Adapter with RS-232/422 Serial, LocalTalk and IR (infrared) Adapter ports

Media Sizes

Standard	Letter, legal, A4, A5, JIS B5, executive, folio, statement and custom sizes from 5.5" x 8.27" to 8.5" x 14"	Letter, legal, A4, A5, JIS B5, executive, folio, statement and custom sizes from 5.5" x 8.27" to 8.5" x 14"	Letter, legal, A4, A5, JIS B5, executive, folio, statement and custom sizes from 5.5" x 8.27" to 8.5" x 14"	Letter, legal, A4, A5, JIS B5, executive, folio, statement and custom sizes from 5.5" x 8.27" to 8.5" x 14"	Letter, legal, A3, A4, A5, JIS B4, B5, executive, statement, folio, universal, envelopes
Expanded Custom Sizes	2.75" x 5" to 8.5" x 14"	2.75" x 5" to 8.5" x 14"	2.75" x 5" to 8.5" x 14"	2.75" x 5" to 8.5" x 14"	

Media	—Types	Plain paper, bond, envelopes, card stock, transparencies, labels	Plain paper, bond, envelopes, card stock, transparencies, labels	Plain paper, bond, envelopes, card stock, transparencies, labels	Plain paper, bond, envelopes, card stock, transparencies, labels	Plain paper, bond, envelopes, card stock, transparencies, labels
	—Weight	16 lb to 47 lb	16 lb to 47 lb	16 lb to 47 lb	16 lb to 47 lb	16 lb to 90 lb

Network Environment	Microsoft® Windows® 2000, Me, 98, 95, NT® 4.0 or higher; UNIX, Linux and Mac OS	Microsoft Windows 2000, Me, 98, 95, NT 4.0 or higher; UNIX, Linux and Mac OS	Microsoft Windows 2000, Me, 98, 95, NT 4.0 or higher; UNIX, Linux and Mac OS	Microsoft Windows 2000, Me, 98, 95, NT 4.0 or higher; UNIX, Linux and Mac OS	Microsoft Windows 2000, Me, 98, 95, NT 4.0 or higher; UNIX, Linux and Mac OS
----------------------------	---	--	--	--	--

IBM Infoprint 1000 Printers at a glance

For expanded specifications visit: ibm.com/printers/wpghome



Infoprint 1120

Infoprint 1125

Infoprint 1130

Infoprint 1140

Infoprint 1145

	Infoprint 1120	Infoprint 1125	Infoprint 1130	Infoprint 1140	Infoprint 1145
Physical Characteristics (WxDxH)	15.7" x 20.2"x13.4"	16.5" x 20.2"x 14.9"	16.5" x 20.2"x15.9"	16.5" x 20.2"x21.2"	35.5" x 22" x 19"
Environmental Characteristics	—51 dBA —30 dBA (idle)	—51 dBA —30 dBA (idle)	—51 dBA —30 dBA (idle)	—55 dBA —31 dBA (idle)	—54 dBA —33 dBA (idle)
Toner Yield²(std/high yield)	7,500/20,000 Toner Cartridge	7,500/20,000 Toner Cartridge	10,000/30,000 Toner Cartridge	10,000/30,000 Toner Cartridge	30,000 Toner Cartridge
First Page Out Time	< 9 sec	< 9 sec	10 sec	10 sec	4 sec (Ready) 7 sec (Standby)

¹IBM does not recommend printing this monthly maximum on a consistent basis.

² Assumes 5% toner coverage per page.



©International Business Machines Corporation 2001

IBM Printing Systems

Dept. HT7/00H
P.O. Box 1900
Boulder, Colorado 80301-9191

Printed in the United States of America
06-01
All Rights Reserved

For more information on IBM Infoprint solutions,
contact your local IBM representative or call
(800) 358-6661, option 3.

The following are trademarks or registered trademarks
of IBM Corporation in the United States and/or
other countries: Advanced Function Presentation,
AFP, AIX, the e-business logo, IBM and Infoprint.

Microsoft, Windows, and Windows NT are
registered trademarks of Microsoft Corporation.

Other company, product and service names
may be trademarks or service marks of others.

References in this publication to IBM products or
services do not imply that IBM intends to make
them available in all countries in which IBM operates.

This publication is for general guidance only.
Product configurations in photographs may contain
separately priced options.

Visit the IBM Printing Systems Web site at
ibm.com/printers

The IBM home page can be found on the Internet
at ibm.com

Printed on an IBM Infoprint® Color System
Full-Color Digital Printer.