

III. *A Catalogue of Fifty Plants from Chelsea Garden, presented to the Royal Society for the Year 1723, by the Company of Apothecaries of London, pursuant to the Direction of Sir Hans Sloane, Bart. President of the College of Physicians.*

51. **A** *Butilon Carolinianum, reptans, Alceæ foliis, gibbo flore.*
52. *Ambrosia, maritima, Artemisiæ foliis inodoris, elatior.* H. L. Bat.
53. *Alysson Veronicaæ folio.* T. Inst. 217  
*Bursa Pastoris major loculo oblongo.* C. B. prod.
54. *Aster peregrinus, Cisti folio non crenato, flore magno, luteo.* Pluk. Phyt. T. 16. f. 2.
55. *Aster montanus, Salicis glabro folio.* C. B. 266
56. *Bidens Indica, Hieracii folio, caule alato.*  
T. Inst. 462.
57. *Blitum monospermum, Indicum, aculeatum,*  
Brey. prod. 18.
58. *Blitum quod Amaranthus Græcus, sylvestris, angustifolius.* T. Cor. 17.
59. *Calcitrapoides pumila, supina, tenuifolia, calyce turbinato.* D. Vaillant. Act. Ac. Par.
60. *Cassia decaphylla, Orobi Pannonici foliis mucronatis.*
61. *Cataria major Vulgaris.* T. Inst. 202.
62. — *angustifolia minor.* Ib.
63. — *quæ Nepeta Pannonica major & elatior.*  
H. Ox. 3. 415.  
64. — *Hif-*

64. *Cataria Hispanica, Betonica folio angustiori, flore albo.* T. Inst. 202.
65. — *Lusitanica, erecta, Betonica folio, tuberosa radice.* T. Inst.
66. — *quæ Horminum Spicatum, Lavendula flore & odore.* Boccon. rar. 48.
67. — *Orientalis, Teucrij folio, Lavendula odore, Verticillis florum crassissimis.* T. Cor. 13.
68. *Chrysanthemum tenuifolium, flore bullato aureo.* Barrel. Ic. 450.
69. — *flore luteo, aphylo minore.* Barrel. Icon. 452
70. *Cirsium humile, ramosum, foliis integris.*
71. *Helianthemum Anglicum, vulgari simile, flore stellato.*
72. — *ampliore folio, flore roseo.* D. Sherard.
73. — *Halimi folio, angustiore, acuto. An Cistus Halimi folio, 2.* Clus. Hist. 71.
74. *Hieracium Pyrenaicum Blattariæ folio, minus hirsutum.* Schol. Bot.
75. — *Castorei odore nostras. Hieracium Cichorei, vel potius Stæbes folio, hirsutum.* Raij Cat. Cantab.
76. *Lychnis Or. longifolia, nervosa, flore purpurascente.* T. Cor. 24.
77. *Malva Sinensis, annua, erecta flore minimo. Kit-sait se dicta.*
78. — *Lusitanica, annua, flore parvo striato.*
79. — *Sylvestris, foliis sinuatis minoribus, flosculis minimis, Anglica.* Boerh. Ind. 2. 268.
80. — *Or. erecta, major, flore vix conspicuo.* D. Sherard.
81. — *Erectior, flore magno, suave rubente.* T. Cor. 2.
82. *Malva.*

82. *Malva Syriaca*, *Ela Haur taunal diēta*. *Malva*  
*Cretica*, *annua*, *altissima*, *flore parvo*, *ad alas*  
*umbellato*. T. Cor. Ib.
83. *Mimosa Jamaicensis* Zanon. Hist. 149.
84. *Rhagadiolus alter*. Cæsalp. 511.
85. ——— *Lampsanæ foliis*. T: Cor. 36.
86. *Salvia Or. Absinthium redolens*, *foliis pinnatis*,  
*flore carneo*, *elatior*. D. Sherard.
87. *Scabiosa annua*, *Centauroides fistulosa*. H. Cath.
88. ——— *Altissima*, *annua*, *foliis Agrimonie nonnihil*  
*similibus* H. L. B. 539.
89. *Stachys Cretica*. C. B. 236.
90. ——— *foliis sub verticillis latioribus*, *acumina-*  
*tis*, *flore majore*.
91. *Stachys major Germanica*. C. B. 236.
92. ——— *Folio obscure virente*, *flore ferrugineo*.  
H. Ox. 3. 382.
93. ——— *Salviæ folio*, *flore luteo*. D. Jussieu.
94. ——— *Elatior flore flavescente punctato*.
95. *Vicia Craccæ majori Germanicæ similis*, *per*  
*omnia minor Anglica*.
96. *Vicia supina*, *latissimo folio*, *non serrato*. T. Inst.  
397.
97. ——— ——— *Serrato*. Ib.
98. *Sylvestris*, *incana*, *major*, ♂ *præcox*, *Parisien-*  
*sis*, *flore suave rubente*. T. Inst. 397.
99. ——— *Sylvatica maxima*. Phyt. Britan. 129.
- *Multiflora maxima*. Raj. Syn. 189.
100. ——— *Multiflora*, *Cassubica*, *frutescens*, *Lentis*  
*siliqua*. Breyn. Prod. 52.