

FFT (6A)

- Complex Phase Factors
- DFT Symmetry
- DFT Matrix

Copyright (c) 2009 Young W. Lim.

Permission is granted to copy, distribute and/or modify this document under the terms of the GNU Free Documentation License, Version 1.2 or any later version published by the Free Software Foundation; with no Invariant Sections, no Front-Cover Texts, and no Back-Cover Texts. A copy of the license is included in the section entitled "GNU Free Documentation License".

Please send corrections (or suggestions) to youngwlim@hotmail.com.

This document was produced by using OpenOffice and Octave.

DFT

Discrete Fourier Transform

$$X[k] = \sum_{n=0}^{N-1} x[n] e^{-j(2\pi/N)kn} \quad \longleftrightarrow \quad x[n] = \frac{1}{N} \sum_{k=0}^{N-1} X[k] e^{+j(2\pi/N)kn}$$

$$W_N \triangleq e^{-j(2\pi/N)}$$


$$W_N^{nk} \triangleq e^{-j(2\pi/N)nk}$$

$$X[k] = \sum_{n=0}^{N-1} x[n] W_N^{kn} \quad \longleftrightarrow \quad x[n] = \frac{1}{N} \sum_{k=0}^{N-1} X[k] W_N^{-kn}$$

Complex Phase Factor (1)

$$W_4^k = e^{-j\left(\frac{2\pi}{4}\right)k}$$


$$W_4^{-k} = e^{+j\left(\frac{2\pi}{4}\right)k}$$



$$W_4^1 = W_4^{-3}$$

$$W_4^2 = W_4^{-2}$$

$$W_4^3 = W_4^{-1}$$




$$W_N^{k-N} = W_N^k$$

Complex Phase Factor (2)

$$W_8^k = e^{-j\left(\frac{2\pi}{8}\right)k}$$

$$W_8^{-k} = e^{+j\left(\frac{2\pi}{8}\right)k}$$



$$W_8^1 = W_8^{-7}$$

$$W_8^2 = W_8^{-6}$$


$$W_8^3 = W_8^{-5}$$

$$W_8^4 = W_8^{-4}$$

$$W_8^5 = W_8^{-3}$$

$$W_8^6 = W_8^{-2}$$

$$W_8^7 = W_8^{-1}$$



$$W_N^{k+N} = W_N^k$$

Complex Phase Factor (3)

$$W_N^k = e^{-j\left(\frac{2\pi}{N}\right)k}$$

$$W_N^{-k} = e^{+j\left(\frac{2\pi}{N}\right)k}$$

$$W_N^{k-N} = W_N^k$$

$$W_N^{k+N} = W_N^k$$

$$W_N^{k-N} = e^{-j\left(\frac{2\pi}{N}\right)(k-N)}$$

$$W_N^{k+N} = e^{-j\left(\frac{2\pi}{N}\right)(k+N)}$$

$$\frac{W_N^{k-N}}{W_N^k} = \frac{e^{-j\left(\frac{2\pi}{N}\right)(k-N)}}{e^{-j\left(\frac{2\pi}{N}\right)k}} = e^{j2\pi} = 1$$

$$\frac{W_N^{k+N}}{W_N^k} = \frac{e^{-j\left(\frac{2\pi}{N}\right)(k+N)}}{e^{-j\left(\frac{2\pi}{N}\right)k}} = e^{-j2\pi} = 1$$

$$W_N^{kN} = 1$$

$$W_N^{-kN} = 1$$

$$W_N^{kN} = e^{-j\left(\frac{2\pi}{N}\right)kN} = e^{-j2\pi k} = 1$$

$$W_N^{-kN} = e^{+j\left(\frac{2\pi}{N}\right)kN} = e^{+j2\pi k} = 1$$

DFT Symmetry

$$X^*[k] = X[N-k]$$

$$\begin{aligned} X^*[k] &= \sum_{n=0}^{N-1} x[n] W_N^{-kn} \\ &= \sum_{n=0}^{N-1} x[n] W_N^{nN} W_N^{-kn} \\ &= \sum_{n=0}^{N-1} x[n] W_N^{n(N-k)} \\ &= X[N-k] \end{aligned}$$

$$X[k] = \sum_{n=0}^{N-1} x[n] W_N^{kn}$$

$$W_N^{nN} = 1$$

$$W_N^{k-N} = W_N^k$$

N=4 DFT

$$X[k] = \sum_{n=0}^3 x[n] W_4^{kn}$$

$$\begin{bmatrix} X[0] \\ X[1] \\ X[2] \\ X[3] \end{bmatrix} = \begin{bmatrix} W_4^0 & W_4^0 & W_4^0 & W_4^0 \\ W_4^0 & W_4^1 & W_4^2 & W_4^3 \\ W_4^0 & W_4^2 & W_4^4 & W_4^6 \\ W_4^0 & W_4^3 & W_4^6 & W_4^9 \end{bmatrix} \begin{bmatrix} x[0] \\ x[1] \\ x[2] \\ x[3] \end{bmatrix}$$

N=8 DFT

$$X[k] = \sum_{n=0}^7 W_8^{kn} x[n] \quad W_8^{kn} = e^{-j\left(\frac{2\pi}{8}\right)kn}$$

$$\begin{bmatrix} X[0] \\ X[1] \\ X[2] \\ X[3] \\ X[4] \\ X[5] \\ X[6] \\ X[7] \end{bmatrix} = \begin{bmatrix} W_8^0 & W_8^0 & W_8^0 & W_8^0 & W_8^0 & W_8^0 & W_8^0 & W_8^0 \\ W_8^0 & W_8^1 & W_8^2 & W_8^3 & W_8^4 & W_8^5 & W_8^6 & W_8^7 \\ W_8^0 & W_8^2 & W_8^4 & W_8^6 & W_8^8 & W_8^{10} & W_8^{12} & W_8^{14} \\ W_8^0 & W_8^3 & W_8^6 & W_8^9 & W_8^{12} & W_8^{15} & W_8^{18} & W_8^{21} \\ W_8^0 & W_8^4 & W_8^8 & W_8^{12} & W_8^{16} & W_8^{20} & W_8^{24} & W_8^{28} \\ W_8^0 & W_8^5 & W_8^{10} & W_8^{15} & W_8^{20} & W_8^{25} & W_8^{30} & W_8^{35} \\ W_8^0 & W_8^6 & W_8^{12} & W_8^{18} & W_8^{24} & W_8^{30} & W_8^{36} & W_8^{42} \\ W_8^0 & W_8^7 & W_8^{14} & W_8^{21} & W_8^{28} & W_8^{35} & W_8^{42} & W_8^{49} \end{bmatrix} \begin{bmatrix} x[0] \\ x[1] \\ x[2] \\ x[3] \\ x[4] \\ x[5] \\ x[6] \\ x[7] \end{bmatrix}$$

N=8 DFT Matrix (1)

$n \cdot k \bmod 8$

$N = 8$

$$W_N^{nk} =$$

$$e^{-j(2\pi/N)nk}$$

$$\frac{W_N^{k \pm N}}{W_N^k} = \frac{e^{-j(\frac{2\pi}{N})(k \pm N)}}{e^{-j(\frac{2\pi}{N})k}} = e^{\mp j2\pi} = 1$$

$k \backslash n$	0	1	2	3	4	5	6	7
0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0
1	0 0	-1 -1	-2 -2	-3 -3	-4 -4	-5 -5	-6 -6	-7 -7
2	0 0	-2 -2	-4 -4	-6 -6	-8 0	-10 -2	-12 -4	-14 -6
3	0 0	-3 -3	-6 -6	-9 -1	-12 -4	-15 -7	-18 -2	-21 -5
4	0 0	-4 -4	-8 0	-12 -4	-16 0	-20 -4	-24 0	-28 -4
5	0 0	-5 -5	-10 -2	-15 -7	-20 -4	-25 -1	-30 -6	-35 -3
6	0 0	-6 -6	-12 -4	-18 -2	-24 0	-30 -6	-36 -4	-42 -2
7	0 0	-7 -7	-14 -6	-21 -5	-28 -4	-35 -3	-42 -2	-49 -1

N=8 DFT Matrix (2)

$n \cdot k \text{ mod } 8$

$N = 8$

$$W_N^{nk} = e^{-j(2\pi/N)nk}$$

$$\begin{aligned} \frac{W_N^{k \pm N}}{W_N^k} &= \frac{e^{-j(\frac{2\pi}{N})(k \pm N)}}{e^{-j(\frac{2\pi}{N})k}} \\ &= e^{\mp j2\pi} = 1 \end{aligned}$$


	n=0	n=1	n=2	n=3	n=4	n=5	n=6	n=7
k=0	0	0	0	0	0	0	0	0
k=1	0	-1	-2	-3	-4	-5	-6	-7
k=2	0	-2	-4	-6	0	-2	-4	-6
k=3	0	-3	-6	-1	-4	-7	-2	-5
k=4	0	-4	0	-4	0	-4	0	-4
k=5	0	-5	-2	-7	-4	-1	-6	-3
k=6	0	-6	-4	-2	0	-6	-4	-2
k=7	0	-7	-6	-5	-4	-3	-2	-1

N=8 DFT Matrix (3)


$$X[k] = \sum_{n=0}^7 W_8^{kn} x[n] \quad W_8^{kn} = e^{-j\left(\frac{2\pi}{8}\right)kn}$$

$$\begin{bmatrix} X[0] \\ X[1] \\ X[2] \\ X[3] \\ X[4] \\ X[5] \\ X[6] \\ X[7] \end{bmatrix} = \begin{bmatrix} e^{-j\frac{\pi}{4}\cdot 0} & e^{-j\frac{\pi}{4}\cdot 0} & e^{-j\frac{\pi}{4}\cdot 0} & e^{-j\frac{\pi}{4}\cdot 0} & e^{-j\frac{\pi}{4}\cdot 0} & e^{-j\frac{\pi}{4}\cdot 0} & e^{-j\frac{\pi}{4}\cdot 0} & e^{-j\frac{\pi}{4}\cdot 0} \\ e^{-j\frac{\pi}{4}\cdot 0} & e^{-j\frac{\pi}{4}\cdot 1} & e^{-j\frac{\pi}{4}\cdot 2} & e^{-j\frac{\pi}{4}\cdot 3} & e^{-j\frac{\pi}{4}\cdot 4} & e^{-j\frac{\pi}{4}\cdot 5} & e^{-j\frac{\pi}{4}\cdot 6} & e^{-j\frac{\pi}{4}\cdot 7} \\ e^{-j\frac{\pi}{4}\cdot 0} & e^{-j\frac{\pi}{4}\cdot 2} & e^{-j\frac{\pi}{4}\cdot 4} & e^{-j\frac{\pi}{4}\cdot 6} & e^{-j\frac{\pi}{4}\cdot 0} & e^{-j\frac{\pi}{4}\cdot 2} & e^{-j\frac{\pi}{4}\cdot 4} & e^{-j\frac{\pi}{4}\cdot 6} \\ e^{-j\frac{\pi}{4}\cdot 0} & e^{-j\frac{\pi}{4}\cdot 3} & e^{-j\frac{\pi}{4}\cdot 6} & e^{-j\frac{\pi}{4}\cdot 1} & e^{-j\frac{\pi}{4}\cdot 4} & e^{-j\frac{\pi}{4}\cdot 7} & e^{-j\frac{\pi}{4}\cdot 2} & e^{-j\frac{\pi}{4}\cdot 5} \\ e^{-j\frac{\pi}{4}\cdot 0} & e^{-j\frac{\pi}{4}\cdot 4} & e^{-j\frac{\pi}{4}\cdot 0} & e^{-j\frac{\pi}{4}\cdot 4} & e^{-j\frac{\pi}{4}\cdot 0} & e^{-j\frac{\pi}{4}\cdot 4} & e^{-j\frac{\pi}{4}\cdot 0} & e^{-j\frac{\pi}{4}\cdot 4} \\ e^{-j\frac{\pi}{4}\cdot 0} & e^{-j\frac{\pi}{4}\cdot 5} & e^{-j\frac{\pi}{4}\cdot 2} & e^{-j\frac{\pi}{4}\cdot 7} & e^{-j\frac{\pi}{4}\cdot 4} & e^{-j\frac{\pi}{4}\cdot 1} & e^{-j\frac{\pi}{4}\cdot 6} & e^{-j\frac{\pi}{4}\cdot 3} \\ e^{-j\frac{\pi}{4}\cdot 0} & e^{-j\frac{\pi}{4}\cdot 6} & e^{-j\frac{\pi}{4}\cdot 4} & e^{-j\frac{\pi}{4}\cdot 2} & e^{-j\frac{\pi}{4}\cdot 0} & e^{-j\frac{\pi}{4}\cdot 6} & e^{-j\frac{\pi}{4}\cdot 4} & e^{-j\frac{\pi}{4}\cdot 2} \\ e^{-j\frac{\pi}{4}\cdot 0} & e^{-j\frac{\pi}{4}\cdot 7} & e^{-j\frac{\pi}{4}\cdot 6} & e^{-j\frac{\pi}{4}\cdot 5} & e^{-j\frac{\pi}{4}\cdot 4} & e^{-j\frac{\pi}{4}\cdot 3} & e^{-j\frac{\pi}{4}\cdot 2} & e^{-j\frac{\pi}{4}\cdot 1} \end{bmatrix} \begin{bmatrix} x[0] \\ x[1] \\ x[2] \\ x[3] \\ x[4] \\ x[5] \\ x[6] \\ x[7] \end{bmatrix}$$

N=8 DFT Complex Factors (1)



N=8 DFT Complex Factors (2)



N=8 DFT Matrix (4)

$$W_8^{kn} = e^{-j\left(\frac{2\pi}{8}\right)kn} = \cos\left(\frac{\pi}{4}\cdot k\cdot n\right) - j \sin\left(\frac{\pi}{4}\cdot k\cdot n\right)$$


$\cos(\pi/4)\cdot 0$ $-j \sin(\pi/4)\cdot 0$	$\cos(\pi/4)\cdot 0$ $-j \sin(\pi/4)\cdot 0$	$\cos(\pi/4)\cdot 0$ $-j \sin(\pi/4)\cdot 0$	$\cos(\pi/4)\cdot 0$ $-j \sin(\pi/4)\cdot 0$	$\cos(\pi/4)\cdot 0$ $-j \sin(\pi/4)\cdot 0$	$\cos(\pi/4)\cdot 0$ $-j \sin(\pi/4)\cdot 0$	$\cos(\pi/4)\cdot 0$ $-j \sin(\pi/4)\cdot 0$	$\cos(\pi/4)\cdot 0$ $-j \sin(\pi/4)\cdot 0$
$\cos(\pi/4)\cdot 0$ $-j \sin(\pi/4)\cdot 0$	$\cos(\pi/4)\cdot 1$ $-j \sin(\pi/4)\cdot 1$	$\cos(\pi/4)\cdot 2$ $-j \sin(\pi/4)\cdot 2$	$\cos(\pi/4)\cdot 3$ $-j \sin(\pi/4)\cdot 3$	$\cos(\pi/4)\cdot 4$ $-j \sin(\pi/4)\cdot 4$	$\cos(\pi/4)\cdot 5$ $-j \sin(\pi/4)\cdot 5$	$\cos(\pi/4)\cdot 6$ $-j \sin(\pi/4)\cdot 6$	$\cos(\pi/4)\cdot 7$ $-j \sin(\pi/4)\cdot 7$
$\cos(\pi/4)\cdot 0$ $-j \sin(\pi/4)\cdot 0$	$\cos(\pi/4)\cdot 2$ $-j \sin(\pi/4)\cdot 2$	$\cos(\pi/4)\cdot 4$ $-j \sin(\pi/4)\cdot 4$	$\cos(\pi/4)\cdot 6$ $-j \sin(\pi/4)\cdot 6$	$\cos(\pi/4)\cdot 0$ $-j \sin(\pi/4)\cdot 0$	$\cos(\pi/4)\cdot 2$ $-j \sin(\pi/4)\cdot 2$	$\cos(\pi/4)\cdot 4$ $-j \sin(\pi/4)\cdot 4$	$\cos(\pi/4)\cdot 6$ $-j \sin(\pi/4)\cdot 6$
$\cos(\pi/4)\cdot 0$ $-j \sin(\pi/4)\cdot 0$	$\cos(\pi/4)\cdot 3$ $-j \sin(\pi/4)\cdot 3$	$\cos(\pi/4)\cdot 6$ $-j \sin(\pi/4)\cdot 6$	$\cos(\pi/4)\cdot 1$ $-j \sin(\pi/4)\cdot 1$	$\cos(\pi/4)\cdot 4$ $-j \sin(\pi/4)\cdot 4$	$\cos(\pi/4)\cdot 7$ $-j \sin(\pi/4)\cdot 7$	$\cos(\pi/4)\cdot 2$ $-j \sin(\pi/4)\cdot 2$	$\cos(\pi/4)\cdot 5$ $-j \sin(\pi/4)\cdot 5$
$\cos(\pi/4)\cdot 0$ $-j \sin(\pi/4)\cdot 0$	$\cos(\pi/4)\cdot 4$ $-j \sin(\pi/4)\cdot 4$	$\cos(\pi/4)\cdot 0$ $-j \sin(\pi/4)\cdot 0$	$\cos(\pi/4)\cdot 4$ $-j \sin(\pi/4)\cdot 4$	$\cos(\pi/4)\cdot 0$ $-j \sin(\pi/4)\cdot 0$	$\cos(\pi/4)\cdot 4$ $-j \sin(\pi/4)\cdot 4$	$\cos(\pi/4)\cdot 0$ $-j \sin(\pi/4)\cdot 0$	$\cos(\pi/4)\cdot 4$ $-j \sin(\pi/4)\cdot 4$
$\cos(\pi/4)\cdot 0$ $-j \sin(\pi/4)\cdot 0$	$\cos(\pi/4)\cdot 5$ $-j \sin(\pi/4)\cdot 5$	$\cos(\pi/4)\cdot 2$ $-j \sin(\pi/4)\cdot 2$	$\cos(\pi/4)\cdot 7$ $-j \sin(\pi/4)\cdot 7$	$\cos(\pi/4)\cdot 4$ $-j \sin(\pi/4)\cdot 4$	$\cos(\pi/4)\cdot 1$ $-j \sin(\pi/4)\cdot 1$	$\cos(\pi/4)\cdot 6$ $-j \sin(\pi/4)\cdot 6$	$\cos(\pi/4)\cdot 3$ $-j \sin(\pi/4)\cdot 3$
$\cos(\pi/4)\cdot 0$ $-j \sin(\pi/4)\cdot 0$	$\cos(\pi/4)\cdot 6$ $-j \sin(\pi/4)\cdot 6$	$\cos(\pi/4)\cdot 4$ $-j \sin(\pi/4)\cdot 4$	$\cos(\pi/4)\cdot 2$ $-j \sin(\pi/4)\cdot 2$	$\cos(\pi/4)\cdot 0$ $-j \sin(\pi/4)\cdot 0$	$\cos(\pi/4)\cdot 6$ $-j \sin(\pi/4)\cdot 6$	$\cos(\pi/4)\cdot 4$ $-j \sin(\pi/4)\cdot 4$	$\cos(\pi/4)\cdot 2$ $-j \sin(\pi/4)\cdot 2$
$\cos(\pi/4)\cdot 0$ $-j \sin(\pi/4)\cdot 0$	$\cos(\pi/4)\cdot 7$ $-j \sin(\pi/4)\cdot 7$	$\cos(\pi/4)\cdot 6$ $-j \sin(\pi/4)\cdot 6$	$\cos(\pi/4)\cdot 5$ $-j \sin(\pi/4)\cdot 5$	$\cos(\pi/4)\cdot 4$ $-j \sin(\pi/4)\cdot 4$	$\cos(\pi/4)\cdot 3$ $-j \sin(\pi/4)\cdot 3$	$\cos(\pi/4)\cdot 2$ $-j \sin(\pi/4)\cdot 2$	$\cos(\pi/4)\cdot 1$ $-j \sin(\pi/4)\cdot 1$

N=8 DFT Matrix (5)


$$W_8^{kn} = e^{-j\left(\frac{2\pi}{8}\right)kn} = \cos\left(\frac{\pi}{4} \cdot k \cdot n\right) - j \sin\left(\frac{\pi}{4} \cdot k \cdot n\right)$$

0	0	0	0	0	0	0	0
0	$+\frac{1}{\sqrt{2}} - j\frac{1}{\sqrt{2}}$	$-j$	$-\frac{1}{\sqrt{2}} - j\frac{1}{\sqrt{2}}$	-1	$-\frac{1}{\sqrt{2}} + j\frac{1}{\sqrt{2}}$	$+j$	$+\frac{1}{\sqrt{2}} + j\frac{1}{\sqrt{2}}$
0	$-j$	-1	$+j$	0	$-j$	-1	$+j$
0	$-\frac{1}{\sqrt{2}} - j\frac{1}{\sqrt{2}}$	$+j$	$+\frac{1}{\sqrt{2}} - j\frac{1}{\sqrt{2}}$	-1	$+\frac{1}{\sqrt{2}} + j\frac{1}{\sqrt{2}}$	$-j$	$-\frac{1}{\sqrt{2}} + j\frac{1}{\sqrt{2}}$
0	-1	0	-1	0	-1	0	-1
0	$-\frac{1}{\sqrt{2}} + j\frac{1}{\sqrt{2}}$	$-j$	$+\frac{1}{\sqrt{2}} + j\frac{1}{\sqrt{2}}$	-1	$+\frac{1}{\sqrt{2}} - j\frac{1}{\sqrt{2}}$	$+j$	$-\frac{1}{\sqrt{2}} - j\frac{1}{\sqrt{2}}$
0	$+j$	-1	$-j$	0	$+j$	-1	$-j$
0	$+\frac{1}{\sqrt{2}} + j\frac{1}{\sqrt{2}}$	$+j$	$-\frac{1}{\sqrt{2}} + j\frac{1}{\sqrt{2}}$	-1	$-\frac{1}{\sqrt{2}} - j\frac{1}{\sqrt{2}}$	$-j$	$+\frac{1}{\sqrt{2}} - j\frac{1}{\sqrt{2}}$


N=8 DFT Real Factors - (1)




N=8 DFT Real Factors - (2)



N=8 DFT Imaginary Factors - (1)



N=8 DFT Imaginary Factors - (2)



N=8 IDFT

$$x[n] = \frac{1}{N} \sum_{k=0}^7 W_8^{-kn} X[k] \quad W_8^{-kn} = e^{+j\left(\frac{2\pi}{8}\right)kn}$$

$$\begin{bmatrix} x[0] \\ x[1] \\ x[2] \\ x[3] \\ x[4] \\ x[5] \\ x[6] \\ x[7] \end{bmatrix} = \frac{1}{N} \begin{bmatrix} W_8^0 & W_8^0 & W_8^0 & W_8^0 & W_8^0 & W_8^0 & W_8^0 & W_8^0 \\ W_8^0 & W_8^{-1} & W_8^{-2} & W_8^{-3} & W_8^{-4} & W_8^{-5} & W_8^{-6} & W_8^{-7} \\ W_8^0 & W_8^{-2} & W_8^{-4} & W_8^{-6} & W_8^{-8} & W_8^{-10} & W_8^{-12} & W_8^{-14} \\ W_8^0 & W_8^{-3} & W_8^{-6} & W_8^{-9} & W_8^{-12} & W_8^{-15} & W_8^{-18} & W_8^{-21} \\ W_8^0 & W_8^{-4} & W_8^{-8} & W_8^{-12} & W_8^{-16} & W_8^{-20} & W_8^{-24} & W_8^{-28} \\ W_8^0 & W_8^{-5} & W_8^{-10} & W_8^{-15} & W_8^{-20} & W_8^{-25} & W_8^{-30} & W_8^{-35} \\ W_8^0 & W_8^{-6} & W_8^{-12} & W_8^{-18} & W_8^{-24} & W_8^{-30} & W_8^{-36} & W_8^{-42} \\ W_8^0 & W_8^{-7} & W_8^{-14} & W_8^{-21} & W_8^{-28} & W_8^{-35} & W_8^{-42} & W_8^{-49} \end{bmatrix} \begin{bmatrix} X[0] \\ X[1] \\ X[2] \\ X[3] \\ X[4] \\ X[5] \\ X[6] \\ X[7] \end{bmatrix}$$

N=8 IDFT Matrix (1)

$n \cdot k \bmod 8$

$N = 8$

$$W_N^{nk} =$$

$$e^{-j(2\pi/N)nk}$$

$$\frac{W_N^{k \pm N}}{W_N^k} = \frac{e^{-j(\frac{2\pi}{N})(k \pm N)}}{e^{-j(\frac{2\pi}{N})k}} = e^{\mp j2\pi} = 1$$

$n \backslash k$	0	1	2	3	4	5	6	7
0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0
1	0 0	1 1	2 2	3 3	4 4	5 5	6 6	7 7
2	0 0	2 2	4 4	6 6	8 0	10 2	12 4	14 6
3	0 0	3 3	6 6	9 1	12 4	15 7	18 2	21 5
4	0 0	4 4	8 0	12 4	16 0	20 4	24 0	28 4
5	0 0	5 5	10 2	15 7	20 4	25 1	30 6	35 3
6	0 0	6 6	12 4	18 2	24 0	30 6	36 4	42 2
7	0 0	7 7	14 6	21 5	28 4	35 3	42 2	49 1

N=8 IDFT Matrix (2)

$n \cdot k \bmod 8$

N = 8

$$W_N^{nk} = e^{-j(2\pi/N)nk}$$

$$\begin{aligned} \frac{W_N^{k \pm N}}{W_N^k} &= \frac{e^{-j(\frac{2\pi}{N})(k \pm N)}}{e^{-j(\frac{2\pi}{N})k}} \\ &= e^{\mp j2\pi} = 1 \end{aligned}$$


	k=0	k=1	k=2	k=3	k=4	k=5	k=6	k=7
n=0	0	0	0	0	0	0	0	0
n=1	0	+1	+2	+3	+4	+5	+6	+7
n=2	0	+2	+4	+6	0	+2	+4	+6
n=3	0	+3	+6	+1	+4	+7	+2	+5
n=4	0	+4	0	+4	0	+4	0	+4
n=5	0	+5	+2	+7	+4	+1	+6	+3
n=6	0	+6	+4	+2	0	+6	+4	+2
n=7	0	+7	+6	+5	+4	+3	+2	+1

N=8 IDFT Matrix (3)

$$x[n] = \frac{1}{N} \sum_{k=0}^7 W_8^{-kn} X[k] \quad W_8^{-kn} = e^{+j\left(\frac{2\pi}{8}\right)kn}$$


$$\begin{bmatrix} x[0] \\ x[1] \\ x[2] \\ x[3] \\ x[4] \\ x[5] \\ x[6] \\ x[7] \end{bmatrix} = \begin{bmatrix} e^{+j\frac{\pi}{4}\cdot 0} & e^{+j\frac{\pi}{4}\cdot 0} & e^{+j\frac{\pi}{4}\cdot 0} & e^{+j\frac{\pi}{4}\cdot 0} & e^{+j\frac{\pi}{4}\cdot 0} & e^{+j\frac{\pi}{4}\cdot 0} & e^{+j\frac{\pi}{4}\cdot 0} & e^{+j\frac{\pi}{4}\cdot 0} \\ e^{+j\frac{\pi}{4}\cdot 0} & e^{+j\frac{\pi}{4}\cdot 1} & e^{+j\frac{\pi}{4}\cdot 2} & e^{+j\frac{\pi}{4}\cdot 3} & e^{+j\frac{\pi}{4}\cdot 4} & e^{+j\frac{\pi}{4}\cdot 5} & e^{+j\frac{\pi}{4}\cdot 6} & e^{+j\frac{\pi}{4}\cdot 7} \\ e^{+j\frac{\pi}{4}\cdot 0} & e^{+j\frac{\pi}{4}\cdot 2} & e^{+j\frac{\pi}{4}\cdot 4} & e^{+j\frac{\pi}{4}\cdot 6} & e^{+j\frac{\pi}{4}\cdot 0} & e^{+j\frac{\pi}{4}\cdot 2} & e^{+j\frac{\pi}{4}\cdot 4} & e^{+j\frac{\pi}{4}\cdot 6} \\ e^{+j\frac{\pi}{4}\cdot 0} & e^{+j\frac{\pi}{4}\cdot 3} & e^{+j\frac{\pi}{4}\cdot 6} & e^{+j\frac{\pi}{4}\cdot 1} & e^{+j\frac{\pi}{4}\cdot 4} & e^{+j\frac{\pi}{4}\cdot 7} & e^{+j\frac{\pi}{4}\cdot 2} & e^{+j\frac{\pi}{4}\cdot 5} \\ e^{+j\frac{\pi}{4}\cdot 0} & e^{+j\frac{\pi}{4}\cdot 4} & e^{+j\frac{\pi}{4}\cdot 0} & e^{+j\frac{\pi}{4}\cdot 4} & e^{+j\frac{\pi}{4}\cdot 0} & e^{+j\frac{\pi}{4}\cdot 4} & e^{+j\frac{\pi}{4}\cdot 0} & e^{+j\frac{\pi}{4}\cdot 4} \\ e^{+j\frac{\pi}{4}\cdot 0} & e^{+j\frac{\pi}{4}\cdot 5} & e^{+j\frac{\pi}{4}\cdot 2} & e^{+j\frac{\pi}{4}\cdot 7} & e^{+j\frac{\pi}{4}\cdot 4} & e^{+j\frac{\pi}{4}\cdot 1} & e^{+j\frac{\pi}{4}\cdot 6} & e^{+j\frac{\pi}{4}\cdot 3} \\ e^{+j\frac{\pi}{4}\cdot 0} & e^{+j\frac{\pi}{4}\cdot 6} & e^{+j\frac{\pi}{4}\cdot 4} & e^{+j\frac{\pi}{4}\cdot 2} & e^{+j\frac{\pi}{4}\cdot 0} & e^{+j\frac{\pi}{4}\cdot 6} & e^{+j\frac{\pi}{4}\cdot 4} & e^{+j\frac{\pi}{4}\cdot 2} \\ e^{+j\frac{\pi}{4}\cdot 0} & e^{+j\frac{\pi}{4}\cdot 7} & e^{+j\frac{\pi}{4}\cdot 6} & e^{+j\frac{\pi}{4}\cdot 5} & e^{+j\frac{\pi}{4}\cdot 4} & e^{+j\frac{\pi}{4}\cdot 3} & e^{+j\frac{\pi}{4}\cdot 2} & e^{+j\frac{\pi}{4}\cdot 1} \end{bmatrix} \begin{bmatrix} \frac{X[0]}{N} \\ \frac{X[1]}{N} \\ \frac{X[2]}{N} \\ \frac{X[3]}{N} \\ \frac{X[4]}{N} \\ \frac{X[5]}{N} \\ \frac{X[6]}{N} \\ \frac{X[7]}{N} \end{bmatrix}$$

N=8 IDFT Complex Factors (1)



N=8 IDFT Complex Factors (2)

k=0 k=1 k=2 k=3 k=4 k=5 k=6 k=7



N=8 IDFT Matrix (4)

$$W_8^{-kn} = e^{+j\left(\frac{2\pi}{8}\right)kn} = \cos\left(\frac{\pi}{4} \cdot k \cdot n\right) + j \sin\left(\frac{\pi}{4} \cdot k \cdot n\right)$$


$\cos(\pi/4) \cdot 0$ $+j \sin(\pi/4) \cdot 0$	$\cos(\pi/4) \cdot 0$ $+j \sin(\pi/4) \cdot 0$	$\cos(\pi/4) \cdot 0$ $+j \sin(\pi/4) \cdot 0$	$\cos(\pi/4) \cdot 0$ $+j \sin(\pi/4) \cdot 0$	$\cos(\pi/4) \cdot 0$ $+j \sin(\pi/4) \cdot 0$	$\cos(\pi/4) \cdot 0$ $+j \sin(\pi/4) \cdot 0$	$\cos(\pi/4) \cdot 0$ $+j \sin(\pi/4) \cdot 0$	$\cos(\pi/4) \cdot 0$ $+j \sin(\pi/4) \cdot 0$
$\cos(\pi/4) \cdot 0$ $+j \sin(\pi/4) \cdot 0$	$\cos(\pi/4) \cdot 1$ $+j \sin(\pi/4) \cdot 1$	$\cos(\pi/4) \cdot 2$ $+j \sin(\pi/4) \cdot 2$	$\cos(\pi/4) \cdot 3$ $+j \sin(\pi/4) \cdot 3$	$\cos(\pi/4) \cdot 4$ $+j \sin(\pi/4) \cdot 4$	$\cos(\pi/4) \cdot 5$ $+j \sin(\pi/4) \cdot 5$	$\cos(\pi/4) \cdot 6$ $+j \sin(\pi/4) \cdot 6$	$\cos(\pi/4) \cdot 7$ $+j \sin(\pi/4) \cdot 7$
$\cos(\pi/4) \cdot 0$ $+j \sin(\pi/4) \cdot 0$	$\cos(\pi/4) \cdot 2$ $+j \sin(\pi/4) \cdot 2$	$\cos(\pi/4) \cdot 4$ $+j \sin(\pi/4) \cdot 4$	$\cos(\pi/4) \cdot 6$ $+j \sin(\pi/4) \cdot 6$	$\cos(\pi/4) \cdot 0$ $+j \sin(\pi/4) \cdot 0$	$\cos(\pi/4) \cdot 2$ $+j \sin(\pi/4) \cdot 2$	$\cos(\pi/4) \cdot 4$ $+j \sin(\pi/4) \cdot 4$	$\cos(\pi/4) \cdot 6$ $+j \sin(\pi/4) \cdot 6$
$\cos(\pi/4) \cdot 0$ $+j \sin(\pi/4) \cdot 0$	$\cos(\pi/4) \cdot 3$ $+j \sin(\pi/4) \cdot 3$	$\cos(\pi/4) \cdot 6$ $+j \sin(\pi/4) \cdot 6$	$\cos(\pi/4) \cdot 1$ $+j \sin(\pi/4) \cdot 1$	$\cos(\pi/4) \cdot 4$ $+j \sin(\pi/4) \cdot 4$	$\cos(\pi/4) \cdot 7$ $+j \sin(\pi/4) \cdot 7$	$\cos(\pi/4) \cdot 2$ $+j \sin(\pi/4) \cdot 2$	$\cos(\pi/4) \cdot 5$ $+j \sin(\pi/4) \cdot 5$
$\cos(\pi/4) \cdot 0$ $+j \sin(\pi/4) \cdot 0$	$\cos(\pi/4) \cdot 4$ $+j \sin(\pi/4) \cdot 4$	$\cos(\pi/4) \cdot 0$ $+j \sin(\pi/4) \cdot 0$	$\cos(\pi/4) \cdot 4$ $+j \sin(\pi/4) \cdot 4$	$\cos(\pi/4) \cdot 0$ $+j \sin(\pi/4) \cdot 0$	$\cos(\pi/4) \cdot 4$ $+j \sin(\pi/4) \cdot 4$	$\cos(\pi/4) \cdot 0$ $+j \sin(\pi/4) \cdot 0$	$\cos(\pi/4) \cdot 4$ $+j \sin(\pi/4) \cdot 4$
$\cos(\pi/4) \cdot 0$ $+j \sin(\pi/4) \cdot 0$	$\cos(\pi/4) \cdot 5$ $+j \sin(\pi/4) \cdot 5$	$\cos(\pi/4) \cdot 2$ $+j \sin(\pi/4) \cdot 2$	$\cos(\pi/4) \cdot 7$ $+j \sin(\pi/4) \cdot 7$	$\cos(\pi/4) \cdot 4$ $+j \sin(\pi/4) \cdot 4$	$\cos(\pi/4) \cdot 1$ $+j \sin(\pi/4) \cdot 1$	$\cos(\pi/4) \cdot 6$ $+j \sin(\pi/4) \cdot 6$	$\cos(\pi/4) \cdot 3$ $+j \sin(\pi/4) \cdot 3$
$\cos(\pi/4) \cdot 0$ $+j \sin(\pi/4) \cdot 0$	$\cos(\pi/4) \cdot 6$ $+j \sin(\pi/4) \cdot 6$	$\cos(\pi/4) \cdot 4$ $+j \sin(\pi/4) \cdot 4$	$\cos(\pi/4) \cdot 2$ $+j \sin(\pi/4) \cdot 2$	$\cos(\pi/4) \cdot 0$ $+j \sin(\pi/4) \cdot 0$	$\cos(\pi/4) \cdot 6$ $+j \sin(\pi/4) \cdot 6$	$\cos(\pi/4) \cdot 4$ $+j \sin(\pi/4) \cdot 4$	$\cos(\pi/4) \cdot 2$ $+j \sin(\pi/4) \cdot 2$
$\cos(\pi/4) \cdot 0$ $+j \sin(\pi/4) \cdot 0$	$\cos(\pi/4) \cdot 7$ $+j \sin(\pi/4) \cdot 7$	$\cos(\pi/4) \cdot 6$ $+j \sin(\pi/4) \cdot 6$	$\cos(\pi/4) \cdot 5$ $+j \sin(\pi/4) \cdot 5$	$\cos(\pi/4) \cdot 4$ $+j \sin(\pi/4) \cdot 4$	$\cos(\pi/4) \cdot 3$ $+j \sin(\pi/4) \cdot 3$	$\cos(\pi/4) \cdot 2$ $+j \sin(\pi/4) \cdot 2$	$\cos(\pi/4) \cdot 1$ $+j \sin(\pi/4) \cdot 1$

N=8 IDFT Matrix (5)


$$W_8^{-kn} = e^{+j\left(\frac{2\pi}{8}\right)kn} = \cos\left(\frac{\pi}{4} \cdot k \cdot n\right) + j \sin\left(\frac{\pi}{4} \cdot k \cdot n\right)$$

0	0	0	0	0	0	0	0
0	$+\frac{1}{\sqrt{2}} + j\frac{1}{\sqrt{2}}$	$+j$	$-\frac{1}{\sqrt{2}} + j\frac{1}{\sqrt{2}}$	-1	$-\frac{1}{\sqrt{2}} - j\frac{1}{\sqrt{2}}$	-j	$+\frac{1}{\sqrt{2}} - j\frac{1}{\sqrt{2}}$
0	$+j$	-1	-j	0	$+j$	-1	-j
0	$-\frac{1}{\sqrt{2}} + j\frac{1}{\sqrt{2}}$	-j	$+\frac{1}{\sqrt{2}} + j\frac{1}{\sqrt{2}}$	-1	$+\frac{1}{\sqrt{2}} - j\frac{1}{\sqrt{2}}$	+j	$-\frac{1}{\sqrt{2}} - j\frac{1}{\sqrt{2}}$
0	-1	0	-1	0	-1	0	-1
0	$-\frac{1}{\sqrt{2}} - j\frac{1}{\sqrt{2}}$	$+j$	$+\frac{1}{\sqrt{2}} - j\frac{1}{\sqrt{2}}$	-1	$+\frac{1}{\sqrt{2}} + j\frac{1}{\sqrt{2}}$	-j	$-\frac{1}{\sqrt{2}} + j\frac{1}{\sqrt{2}}$
0	-j	-1	+j	0	-j	-1	+j
0	$+\frac{1}{\sqrt{2}} - j\frac{1}{\sqrt{2}}$	-j	$-\frac{1}{\sqrt{2}} - j\frac{1}{\sqrt{2}}$	-1	$-\frac{1}{\sqrt{2}} + j\frac{1}{\sqrt{2}}$	+j	$+\frac{1}{\sqrt{2}} + j\frac{1}{\sqrt{2}}$


N=8 IDFT Real Factors - (1)




N=8 IDFT Real Factors - (2)



N=8 IDFT Imaginary Factors - (1)



N=8 IDFT Imaginary Factors - (2)



N=8 DFT & IDFT Matrix (1)

	0	1	2	3	4	5	6	7
0	$e^{-j\frac{\pi}{4}\cdot 0}$	$e^{-j\frac{\pi}{4}\cdot 0}$	$e^{-j\frac{\pi}{4}\cdot 0}$	$e^{-j\frac{\pi}{4}\cdot 0}$	$e^{-j\frac{\pi}{4}\cdot 0}$	$e^{-j\frac{\pi}{4}\cdot 0}$	$e^{-j\frac{\pi}{4}\cdot 0}$	$e^{-j\frac{\pi}{4}\cdot 0}$
	$e^{+j\frac{\pi}{4}\cdot 0}$	$e^{+j\frac{\pi}{4}\cdot 0}$	$e^{+j\frac{\pi}{4}\cdot 0}$	$e^{+j\frac{\pi}{4}\cdot 0}$	$e^{+j\frac{\pi}{4}\cdot 0}$	$e^{+j\frac{\pi}{4}\cdot 0}$	$e^{+j\frac{\pi}{4}\cdot 0}$	$e^{+j\frac{\pi}{4}\cdot 0}$
1	$e^{-j\frac{\pi}{4}\cdot 0}$	$e^{-j\frac{\pi}{4}\cdot 1}$	$e^{-j\frac{\pi}{4}\cdot 2}$	$e^{-j\frac{\pi}{4}\cdot 3}$	$e^{-j\frac{\pi}{4}\cdot 4}$	$e^{-j\frac{\pi}{4}\cdot 5}$	$e^{-j\frac{\pi}{4}\cdot 6}$	$e^{-j\frac{\pi}{4}\cdot 7}$
	$e^{+j\frac{\pi}{4}\cdot 0}$	$e^{+j\frac{\pi}{4}\cdot 1}$	$e^{+j\frac{\pi}{4}\cdot 2}$	$e^{+j\frac{\pi}{4}\cdot 3}$	$e^{+j\frac{\pi}{4}\cdot 4}$	$e^{+j\frac{\pi}{4}\cdot 5}$	$e^{+j\frac{\pi}{4}\cdot 6}$	$e^{+j\frac{\pi}{4}\cdot 7}$
2	$e^{-j\frac{\pi}{4}\cdot 0}$	$e^{-j\frac{\pi}{4}\cdot 2}$	$e^{-j\frac{\pi}{4}\cdot 4}$	$e^{-j\frac{\pi}{4}\cdot 6}$	$e^{-j\frac{\pi}{4}\cdot 0}$	$e^{-j\frac{\pi}{4}\cdot 2}$	$e^{-j\frac{\pi}{4}\cdot 4}$	$e^{-j\frac{\pi}{4}\cdot 6}$
	$e^{+j\frac{\pi}{4}\cdot 0}$	$e^{+j\frac{\pi}{4}\cdot 2}$	$e^{+j\frac{\pi}{4}\cdot 4}$	$e^{+j\frac{\pi}{4}\cdot 6}$	$e^{+j\frac{\pi}{4}\cdot 0}$	$e^{+j\frac{\pi}{4}\cdot 2}$	$e^{+j\frac{\pi}{4}\cdot 4}$	$e^{+j\frac{\pi}{4}\cdot 6}$
3	$e^{-j\frac{\pi}{4}\cdot 0}$	$e^{-j\frac{\pi}{4}\cdot 3}$	$e^{-j\frac{\pi}{4}\cdot 6}$	$e^{-j\frac{\pi}{4}\cdot 1}$	$e^{-j\frac{\pi}{4}\cdot 4}$	$e^{-j\frac{\pi}{4}\cdot 7}$	$e^{-j\frac{\pi}{4}\cdot 2}$	$e^{-j\frac{\pi}{4}\cdot 5}$
	$e^{+j\frac{\pi}{4}\cdot 0}$	$e^{+j\frac{\pi}{4}\cdot 3}$	$e^{+j\frac{\pi}{4}\cdot 6}$	$e^{+j\frac{\pi}{4}\cdot 1}$	$e^{+j\frac{\pi}{4}\cdot 4}$	$e^{+j\frac{\pi}{4}\cdot 7}$	$e^{+j\frac{\pi}{4}\cdot 2}$	$e^{+j\frac{\pi}{4}\cdot 5}$

N=8 DFT & IDFT Matrix (2)

	0	1	2	3	4	5	6	7
4	$e^{-j\frac{\pi}{4}\cdot 0}$	$e^{-j\frac{\pi}{4}\cdot 4}$	$e^{-j\frac{\pi}{4}\cdot 0}$	$e^{-j\frac{\pi}{4}\cdot 4}$	$e^{-j\frac{\pi}{4}\cdot 0}$	$e^{-j\frac{\pi}{4}\cdot 4}$	$e^{-j\frac{\pi}{4}\cdot 0}$	$e^{-j\frac{\pi}{4}\cdot 4}$
	$e^{+j\frac{\pi}{4}\cdot 0}$	$e^{+j\frac{\pi}{4}\cdot 4}$	$e^{+j\frac{\pi}{4}\cdot 0}$	$e^{+j\frac{\pi}{4}\cdot 4}$	$e^{+j\frac{\pi}{4}\cdot 0}$	$e^{+j\frac{\pi}{4}\cdot 4}$	$e^{+j\frac{\pi}{4}\cdot 0}$	$e^{+j\frac{\pi}{4}\cdot 4}$
5	$e^{-j\frac{\pi}{4}\cdot 0}$	$e^{-j\frac{\pi}{4}\cdot 5}$	$e^{-j\frac{\pi}{4}\cdot 2}$	$e^{-j\frac{\pi}{4}\cdot 7}$	$e^{-j\frac{\pi}{4}\cdot 4}$	$e^{-j\frac{\pi}{4}\cdot 1}$	$e^{-j\frac{\pi}{4}\cdot 6}$	$e^{-j\frac{\pi}{4}\cdot 3}$
	$e^{+j\frac{\pi}{4}\cdot 0}$	$e^{+j\frac{\pi}{4}\cdot 5}$	$e^{+j\frac{\pi}{4}\cdot 2}$	$e^{+j\frac{\pi}{4}\cdot 7}$	$e^{+j\frac{\pi}{4}\cdot 4}$	$e^{+j\frac{\pi}{4}\cdot 1}$	$e^{+j\frac{\pi}{4}\cdot 6}$	$e^{+j\frac{\pi}{4}\cdot 3}$
6	$e^{-j\frac{\pi}{4}\cdot 0}$	$e^{-j\frac{\pi}{4}\cdot 6}$	$e^{-j\frac{\pi}{4}\cdot 4}$	$e^{-j\frac{\pi}{4}\cdot 2}$	$e^{-j\frac{\pi}{4}\cdot 0}$	$e^{-j\frac{\pi}{4}\cdot 6}$	$e^{-j\frac{\pi}{4}\cdot 4}$	$e^{-j\frac{\pi}{4}\cdot 2}$
	$e^{+j\frac{\pi}{4}\cdot 0}$	$e^{+j\frac{\pi}{4}\cdot 6}$	$e^{+j\frac{\pi}{4}\cdot 4}$	$e^{+j\frac{\pi}{4}\cdot 2}$	$e^{+j\frac{\pi}{4}\cdot 0}$	$e^{+j\frac{\pi}{4}\cdot 6}$	$e^{+j\frac{\pi}{4}\cdot 4}$	$e^{+j\frac{\pi}{4}\cdot 2}$
7	$e^{-j\frac{\pi}{4}\cdot 0}$	$e^{-j\frac{\pi}{4}\cdot 7}$	$e^{-j\frac{\pi}{4}\cdot 6}$	$e^{-j\frac{\pi}{4}\cdot 5}$	$e^{-j\frac{\pi}{4}\cdot 4}$	$e^{-j\frac{\pi}{4}\cdot 3}$	$e^{-j\frac{\pi}{4}\cdot 2}$	$e^{-j\frac{\pi}{4}\cdot 1}$
	$e^{+j\frac{\pi}{4}\cdot 0}$	$e^{+j\frac{\pi}{4}\cdot 7}$	$e^{+j\frac{\pi}{4}\cdot 6}$	$e^{+j\frac{\pi}{4}\cdot 5}$	$e^{+j\frac{\pi}{4}\cdot 4}$	$e^{+j\frac{\pi}{4}\cdot 3}$	$e^{+j\frac{\pi}{4}\cdot 2}$	$e^{+j\frac{\pi}{4}\cdot 1}$

References

[1] <http://en.wikipedia.org/>

[2] J.H. McClellan, et al., Signal Processing First, Pearson Prentice Hall, 2003