

# Introduction (2A)

---

Copyright (c) 2009 Young W. Lim.

Permission is granted to copy, distribute and/or modify this document under the terms of the GNU Free Documentation License, Version 1.2 or any later version published by the Free Software Foundation; with no Invariant Sections, no Front-Cover Texts, and no Back-Cover Texts. A copy of the license is included in the section entitled "GNU Free Documentation License".

Please send corrections (or suggestions) to [youngwlim@hotmail.com](mailto:youngwlim@hotmail.com).

This document was produced by using OpenOffice.

# Calculating the Mean of n Numbers

*The mean of **n** numbers*

$$m = \frac{\sum_{i=1}^n x_i}{n}$$



$$m = \frac{\sum_{i=1}^{10} x_i}{n} = \frac{(x_1 + x_2 + x_3 + x_4 + x_5 + x_6 + x_7 + x_8 + x_9 + x_{10})}{10}$$

# Array and Memory

```
int x[10];
```

**x** holds *address*  
to **10** consecutive **int** variables

10 int variables




# Array Example

```
int x[10];
```

**x** holds address  
to **10** consecutive **int** variables

10 int variables

<code>x[0] = 80;</code>	80	<code>*(x+0) = 80;</code>
<code>x[1] = 90;</code>	90	<code>*(x+1) = 90;</code>
<code>x[2] = 40;</code>	40	<code>*(x+2) = 40;</code>
<code>x[3] = 30;</code>	30	<code>*(x+3) = 30;</code>
<code>x[4] = 70;</code>	70	<code>*(x+4) = 70;</code>
<code>x[5] = 25;</code>	25	<code>*(x+5) = 25;</code>
<code>x[6] = 55;</code>	55	<code>*(x+6) = 55;</code>
<code>x[7] = 85;</code>	85	<code>*(x+7) = 85;</code>
<code>x[8] = 95;</code>	95	<code>*(x+8) = 95;</code>
<code>x[9] = 99;</code>	99	<code>*(x+9) = 99;</code>



## References

- [1] Essential C, Nick Parlante
- [2] Efficient C Programming, Mark A. Weiss
- [3] C A Reference Manual, Samuel P. Harbison & Guy L. Steele Jr.
- [4] C Language Express, I. K. Chun