
PowerPC 405EP Embedded Processor Schematic





AMCC reserves the right to make changes to its products, its datasheets, or related documentation, without notice and warrants its products solely pursuant to its terms and conditions of sale, only to substantially comply with the latest available datasheet. Please consult AMCC's Term and Conditions of Sale for its warranties and other terms, conditions and limitations. AMCC may discontinue any semiconductor product or service without notice, and advises its customers to obtain the latest version of relevant information to verify, before placing orders, that the information is current. AMCC does not assume any liability arising out of the application or use of any product or circuit described herein, neither does it convey any license under its patent rights nor the rights of others. AMCC reserves the right to ship devices of higher grade in place of those of lower grade.


AMCC SEMICONDUCTOR PRODUCTS ARE NOT DESIGNED, INTENDED, AUTHORIZED, OR WARRANTED TO BE SUITABLE FOR USE IN LIFE-SUPPORT APPLICATIONS, DEVICES OR SYSTEMS OR OTHER CRITICAL APPLICATIONS.


AMCC is a registered Trademark of Applied Micro Circuits Corporation. Copyright © 2004 Applied Micro Circuits Corporation.


































CU.		O DATE EC NO. STATE IS OF 27 SDRAM SOURCE RESISTORS DRESIGN: 40SEP EVALUATION BOARD DRAMING: 38P1861. SCH.1.1.12
en	15 24.59 15 15 15 15 15 15 15	SEQ SEG SEG
4	U35. ABS: R276. 1: 4000: 4500: U35. ABS: R268. 1: 4000: 4500 U35. AC4: R59. 1: 4000: 4500: U35. AC4: R66. 1: 4000: 4500 U35. AC4: R59. 1: 4000: 4500: U35. AC4: R65. 1: 4000: 4500 U35. AB3: R274. 1: 4000: 4500: U35. AB3: R265. 1: 4000: 4500 U35. AB3: R274. 1: 4000: 4500: U35. AB3: R265. 1: 4000: 4500 U35. AB: R272. 1: 4000: 4500: U35. AB: R265. 1: 4000: 4500 U35. W2: R272. 1: 4000: 4500: U35. W2: R264. 1: 4000: 4500 U35. W2: R272. 1: 4000: 4500: U35. W2: R264. 1: 4000: 4500 U35. U4: R62. 1: 4000: 4500: U35. W2: R264. 1: 4000: 4500 U35. V4: R62. 1: 4000: 4500: U35. V4: R72. 1: 4000: 4500 U35. R272. 1: 4000: 4500: U35. R2: R263. 1: 4000: 4500 U35. R272. R271. 1: 4000: 4500: U35. R2: R262. 1: 4000: 4500 U35. R2 R272. 1: 4000: 4500: U35. R2: R262. 1: 4000: 4500 U35. R2: R272. 1: 4000: 4500: U35. R2: R74. 1: 4000: 4500 U35. R2: R269. 1: 4000: 4500: U35. R2: R74. 1: 4000: 4500	
LO	24.89 (2.4.89 (3.4.	
2-	1171) TRY G_DRITAC318) U35. AB12: R293. 1: 4008: 4508: U35. AB12: R285. 1: 4008: 4508 U35. AA12: R77. 1: 4008: 4508: U35. AA12: R85. 1: 4008: 4508 U35. AA11: R78. 1: 4008: 4508: U35. AA11: R86. 1: 4008: 4508 U35. AA11: R79. 1: 4008: 4508: U35. AA11: R86. 1: 4008: 4508 U35. AA11: R79. 1: 4008: 4508: U35. AA11: R87. 1: 4008: 4508 U35. AA18: R79. 1: 4008: 4508: U35. AA18: R87. 1: 4008: 4508 U35. AA18: R89. 1: 4008: 4508: U35. AA18: R87. 1: 4008: 4508 U35. AB5: R88. 1: 4008: 4508: U35. AB5: R89. 1: 4008: 4508 U35. AB6: R287. 1: 4008: 4508: U35. AB6: R279. 1: 4008: 4508 U35. AB6: R287. 1: 4008: 4508: U35. AB6: R279. 1: 4008: 4508 U35. AB6: R287. 1: 4008: 4508: U35. AB6: R279. 1: 4008: 4508 U35. AA6: R286. 1: 4008: 4508: U35. AR6: R280. 1: 4008: 4508 U35. AA6: R286. 1: 4008: 4508: U35. AR6: R280. 1: 4008: 4508 U35. AA6: R286. 1: 4008: 4508: U35. AR6: R279. 1: 4008: 4508 U35. AA6: R286. 1: 4008: 4508: U35. AR6: R279. 1: 4008: 4508 U35. AR6: R286. 1: 4008: 4508: U35. AR6: R279. 1: 4008: 4508 U35. AR6: R286. 1: 4008: 4508: U35. AR6: R279. 1: 4008: 4508 U35. AR6: R286. 1: 4008: 4508: U35. AR6: R279. 1: 4008: 4508 U35. AR6: R286. 1: 4008: 4508: U35. AR6: R279. 1: 4008: 4508 U35. AR6: R286. 1: 4008: 4508: U35. AR6: R279. 1: 4008: 4508 U35. AR6: R286. 1: 4008: 4508: U35. AR6: R279. 1: 4008: 4508 U35. AR6: R286. 1: 4008: 4508: U35. AR6: R280. 1: 4008: 4508 U35. AR6: R286. 1: 4008: 4508: U35. AR6: R280. 1: 4008: 4508	
ω		Φ





























	1861
4	PART NO. 38P1861 SHEET 24 OF CROSS REFERENCE
	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
N	
	SEO DATE OF THE PROPERTY OF TH
	I. REVI B. B. B
m	### ### ##############################
4	
	C 8675 1501¢
	P. CLUS P. CLU
	1985 1777 1986 1986 1987 1986 1986 1986 1986 1
	P-CLK2 P-CLK4 P-CLK6 P-
	dealign *** dealign *** 1.155. 1.150. 1.15
	for the entire 1967-6 196
	Cross-features for the entire design *** 306, 926, 926, 926, 926, 926, 926, 926, 92
	### 51 gra Gross 9U-RESET 9U-

DATA PART NO. 38P1861 CROSS REFERENCE EVALUATION E D'S H Š DATE ESTISTON 17C2
RESISTON 17C2
RESISTON 17C2
RESISTON 17C2
RESISTON 17C2
RESISTON 17C3
RESISTON 17C4
RE TITLE: 38P1861 REV1
Thu Sep 26 10:21:01 26
DESIGNER: VL-DB-WH
CHECKED: R173 R173 R173 R173 R183 R183 R183 R193 R193 R193 R193 R193 R193 15709 11C5
15709 1222
15709 1222
15709 1222
15709 1222
15709 1222
15709 1222
15709 1222
15709 1222
15709 1222
15709 1222
15709 1222
15709 1222
15709 1222
15709 1222
15709 1222
15709 1222
157109 1222
157109 1222
157109 1222
157109 1222
157109 1222
157109 1222
157109 1222
157109 1222
157109 1222
157109 1222
157109 1222
157109 1222
157109 1222
157109 1222
157109 1222
157109 1222
157109 1222
157109 1222
157109 1222
157109 1222
157109 1222
157109 1222
157109 1222
157109 1222
157109 1222
157109 1222
157109 1222
157109 1222
157109 1222
157109 1222
157109 1222
157109 1222
157109 1222
157109 1222
157109 1222
157109 1222
157109 1222
157109 1222
157109 1222
157109 1222
157109 1222
157109 1222
157109 1222
157109 1222
157109 1222
157109 1222
157109 1222
157109 1222
1571109 1222
1571109 1222
1571109 1222
1571109 1222
1571109 1222
1571109 1222
1571109 1222
1571109 1222
1571109 1222
1571109 1222
1571109 1222
1571109 1222
1571109 1222
1571109 1222
1571109 1222
1571109 1222
1571109 1222
1571109 1222
1571109 1222
1571109 1222
1571109 1222
1571109 1222
1571109 1222
1571109 1222
1571109 1222
1571109 1222
1571109 1222
1571109 1222
1571109 1222
1571109 1222
1571109 1222
1571109 1222
1571109 1222
1571109 1222
1571109 1222
1571109 1222
1571109 1222
1571109 1222
1571109 1222
1571109 1222
1571109 1222
1571109 1222
1571109 1222
1571109 1222
1571109 1222
1571109 1222
1571109 1222
1571109 1222
1571109 1222
1571109 1222
1571109 1222
1571109 1222
1571109 1222
1571109 1222
1571109 1222
1571109 1222
1571109 1222
1571109 1222
1571109 1222
1571109 1222
1571109 1222
1571109 1222
1571109 1222
1571109 1222
1571109 1222
1571109 1222
1571109 1222
1571109 1222
1571109 1222
1571109 1222
1571109 1222
1571109 1222
1571109 1222
1571109 1222
1571109 1222
1571109 1222
1571109 1222
1571109 1222
1571109 1222
1571109 1222
1571109 1222
1571109 1222
1571109 1222
1571109 1222
1571109 1222
1571109 1222
1571109 1222
1571109 1222
1571109 1222
1571109 1222
1571109 1222
1571109 1222
1571109 1222
1571109 1222
1571109 1222
1571109 1222
1571109 1222
1571109 1222
1571109 1 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 design O Part Cross-Reference for | 1999 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176 | 176

0-A

ı					EC NO. SIMO
					SEO DATE
2.5 E E E	2085 23 28 28 28 28 28 28 28 28 28 28 28	2005 2005 2005 2005 2005 2005 2005 2005			
	Universet at the Table 2005 Universet 201 4ct 2005 2005 Universet 201 4ct 20	U.99 PYC966. 949 995 2005 2005 2005 2005 2005 2005 2005			
	□ □ □ ∪ ∪ ∪ ∪ ∪ ∪ ∪ ∪ ∪ ∪ ∪ ∪ ∪ ∪ ∪ ∪ ∪	, , , , , , , , , , , , , , , , , , ,	א משמ משמ ממא משמע ממע מ	חיים אי אי איי	4
RESISTOR RESISTOR RESISTOR RESISTOR RESISTOR	RESISTON RES	6 10 10 10 10 10 10 10 10 10 10 10 10 10	1988 19 10 10 10 10 10 10 10	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	555555555555555555555555555555555555555
PAGE 2015/10/2016/2016/2016/2016/2016/2016/2016/2	A425 RE215170A	THE		41 4241 41 4241 41 6241 41	7 17988 TP 17918 TP 1
RESISTOR 1188 RASS RESISTOR RE	A425 RE215170A	THE	17928 17 17928 17028 17028 17028 17028 17028 170	41 4241 41 4241 41 6241 41	7 17988 TP 17918 TP 1

