

# **IBM Information Server on Cloud**

## Table of Contents

1.	IBM Information Server on Cloud Data Quality .....	3
2.	IBM Information Governance Catalog on Cloud.....	4
3.	IBM DataStage on Cloud Premium .....	5
4.	IBM DataStage on Cloud with High Availability .....	6
5.	IBM DataStage on Cloud – Available only for renewals.....	7
6.	IBM DataStage on Cloud Small Dev/Test .....	7
7.	IBM Information Server on Cloud Enterprise Edition Premium .....	8
8.	IBM Information Server on Cloud Enterprise Edition with High Availability.....	9
9.	IBM Information Server on Cloud Enterprise Edition -- Available only for renewals .....	10
10.	IBM Information Server on Cloud Enterprise Edition Dev/Test.....	11

## 1. IBM Information Server on Cloud Data Quality

Machine Name	Small	Medium	Large
Engine Tier	Virtual server with 4 x 2.0 GHz Xeon cores (or equivalent), 16 GB RAM, 600 GB storage, 1 Gbps public and private network uplinks	Virtual server with 8 x 2.0 GHz Xeon cores (or equivalent), 32 GB RAM, 1.1 TB storage, 1 Gbps public and private network uplinks,	Bare Metal server with 12 x 2.4 GHz Xeon cores (or equivalent), 64 GB RAM, 1.7 TB storage RAID Level 1, 1 Gbps public and private network uplinks
Repository and Service Tier	Virtual server with 4 x 2.0 GHz Xeon cores (or equivalent), 16 GB RAM, 600 GB storage, 1 Gbps public and private network uplinks	Virtual server with 8 x 2.0 GHz Xeon cores (or equivalent), 32 GB RAM, 1.1 TB storage, 1 Gbps public and private network uplinks	Bare Metal server with 8 x 2.0 GHz Xeon cores (or equivalent), 32 GB RAM, 960 GB storage RAID Level 1, 1 Gbps public and private network uplinks
Enterprise Search Node (Provided from Information Server 11.7 onwards)	Virtual Server with 8 x 2.0 GHz Xeon cores(or equivalent), 32 GB RAM, 600 GB storage, 1 Gbps public and private network uplinks	Virtual Server with 16 x 2.0 GHz Xeon cores(or equivalent), 64 GB RAM, 1.1 TB storage, 1 Gbps public and private network uplinks	Bare Metal server with 12x 2.0 GHz Xeon cores (or equivalent), 64 GB RAM, 960 GB storage RAID Level 1, 1 Gbps public and private network uplinks
Cognos Server(Optional)	Virtual server with 4 x 2.0 GHz Xeon cores (or equivalent), 16 GB RAM, 600 GB storage, 1 Gbps public and private network uplinks	Virtual server with 4 x 2.0 GHz Xeon cores (or equivalent), 16 GB RAM, 600 GB storage, 1 Gbps public and private network uplinks	Bare Metal server with 8 x 2.0 GHz Xeon cores (or equivalent), 32 GB RAM, 960 GB storage RAID Level 1, 1 Gbps public and private network uplinks
Client	Virtual public server with 2 x 2.0 GHz Xeon Cores (or equivalent), 16 GB RAM, First Disk 100 GB, Second Disk 100 GB, 1 Gbps Public and Private Network Uplinks	Virtual public server with 2 x 2.0 GHz Xeon Cores (or equivalent), 16 GB RAM, First Disk 100 GB, Second Disk 100 GB, 1 Gbps Public and Private Network Uplinks	Virtual public server with 2 x 2.0 GHz Xeon Cores (or equivalent), 16 GB RAM, First Disk 100 GB, Second Disk 100 GB, 1 Gbps Public and Private Network Uplinks
Number of Client Machines	1	3	5

## 2. IBM Information Governance Catalog on Cloud

Machine Name	Small	Medium	Large
Server Machine	Virtual server with 4 x 2.0 GHz Xeon cores (or equivalent), 12 GB RAM, 200 GB storage, 1 Gbps public and private network uplinks	Virtual server with 8 x 2.0 GHz Xeon cores (or equivalent), 16 GB RAM, 600 GB storage, 1 Gbps public and private network uplinks	Bare Metal server with 12 x 2.4 GHz Xeon cores (or equivalent), 64 GB RAM, 960 GB storage RAID Level 1, 1 Gbps public and private network uplinks
Enterprise Search Node (Provided from Information Server 11.7 onwards)	Virtual Server with 8 x 2.0 GHz Xeon cores(or equivalent), 32 GB RAM, 600 GB storage, 1 Gbps public and private network uplinks	Virtual Server with 16 x 2.0 GHz Xeon cores(or equivalent), 64 GB RAM, 1.1 TB storage, 1 Gbps public and private network uplinks	Bare Metal server with 12x 2.0 GHz Xeon cores (or equivalent), 64 GB RAM, 960 GB storage RAID Level 1, 1 Gbps public and private network uplinks
Client Machine	Virtual public server with 2 x 2.0 GHz Xeon Cores (or equivalent), 16 GB RAM, First Disk 100 GB, Second Disk 100 GB, 1 Gbps Public and Private Network Uplinks	Virtual public server with 2 x 2.0 GHz Xeon Cores (or equivalent), 16 GB RAM, First Disk 100 GB, Second Disk 100 GB, 1 Gbps Public and Private Network Uplinks	Virtual public server with 2 x 2.0 GHz Xeon Cores (or equivalent), 16 GB RAM, First Disk 100 GB, Second Disk 100 GB, 1 Gbps Public and Private Network Uplinks
Number of Client Machines	1	1	1

### 3. IBM DataStage on Cloud Premium

Machine Name	Small	Medium	Large
DataStage Server	Virtual private server with 4 x 2.0 GHz Xeon Cores (or equivalent), 16 GB RAM, First Disk 100 GB, Second Disk 500 GB, 1 Gbps Public and Private Network Uplinks	Virtual private server with 8 x 2.0 GHz Xeon Cores (or equivalent), 32 GB RAM, First Disk 100 GB, Second Disk 1 TB, 1 Gbps Public and Private Network Uplinks	Bare Metal Server with 12 x 2.0 GHz Xeon Cores (or equivalent), 64 GB RAM, First Disk 960 GB storage, 1 Gbps redundant Public and Private Network Uplinks
Backup Server	Virtual private server with 8 x 2.0 GHz Xeon Cores (or equivalent), 64 GB RAM, First disk 100 GB, Second disk 1 TB Performance (4000 IOPS), 3TB SAN, 1 Gbps Public and Private Network Uplinks	Virtual private server with 8 x 2.0 GHz Xeon Cores (or equivalent), 64 GB RAM, First disk 100 GB, Second disk 1 TB Performance (6000 IOPS), 4TB SAN, 1 Gbps Public and Private Network Uplinks	Bare Metal Server with 12 x 2.4 GHz Xeon Cores (or equivalent), 128 GB RAM, 4 x 1.7 TB SSD + RAID Controller, RAID 5, Effective Disk Size – 5.1 TB, 8TB SATA, 1 Gbps redundant Public and Private Network Uplinks
Client	Virtual public server with 2 x 2.0 GHz Xeon Cores (or equivalent), 16 GB RAM, First Disk 100 GB, Second Disk 100 GB, 1 Gbps Public and Private Network Uplinks	Virtual public server with 2 x 2.0 GHz Xeon Cores (or equivalent), 16 GB RAM, First Disk 100 GB, Second Disk 100 GB, 1 Gbps Public and Private Network Uplinks`	Virtual public server with 2 x 2.0 GHz Xeon Cores (or equivalent), 16 GB RAM, First Disk 100 GB, Second Disk 100 GB, 1 Gbps Public and Private Network Uplinks`
Number of client machines	1	3	5

#### 4. IBM DataStage on Cloud with High Availability

Machine Name	Small	Medium	Large
DataStage Server Active	Virtual private server with 4 x 2.0 GHz Xeon Cores (or equivalent), 16 GB RAM, First Disk 100 GB, Second Disk 500 GB, 1 Gbps Public and Private Network Uplinks	Virtual private server with 8 x 2.0 GHz Xeon Cores (or equivalent), 32 GB RAM, First Disk 100 GB, Second Disk 1 TB, 1 Gbps Public and Private Network Uplinks	Bare Metal server with 12 x 2.0 GHz Xeon Cores (or equivalent), 64 GB RAM, 960 GB SSD, 1 Gbps Redundant Public and Private Network Uplinks
DataStage Server Passive	Virtual private server with 4 x 2.0 GHz Xeon Cores (or equivalent), 16 GB RAM, First Disk 100 GB, Second Disk 500 GB, 1 Gbps Public and Private Network Uplinks	Virtual private server with 8 x 2.0 GHz Xeon Cores (or equivalent), 32 GB RAM, First Disk 100 GB, Second Disk 1 TB, 1 Gbps Public and Private Network Uplinks	Bare Metal server with 12 x 2.0 GHz Xeon Cores (or equivalent), 64 GB RAM, 960 GB SSD, 1 Gbps Redundant Public and Private Network Uplinks
Shared Storage	500 GB Endurance storage	1 TB Endurance storage	960 GB Endurance Storage
Backup Server	Virtual private server with 8 x 2.0 GHz Xeon Cores (or equivalent), 64 GB RAM, First disk 100 GB, Second disk 1 TB Performance (4000 IOPS), 3TB SAN, 1 Gbps Public and Private Network Uplinks	Virtual private server with 8 x 2.0 GHz Xeon Cores (or equivalent), 64 GB RAM, First disk 100 GB, Second disk 1 TB Performance (6000 IOPS), 4TB SAN, 1 Gbps Public and Private Network Uplinks	Bare Metal Server with 12 x 2.4 GHz Xeon Cores (or equivalent), 128 GB RAM, 4 x 1.7 TB SSD + RAID Controller, RAID 5, Effective Disk Size – 5.1 TB, 8TB SATA, 1 Gbps redundant Public and Private Network Uplinks
Client	Virtual public server with 2 x 2.0 GHz Xeon Cores (or equivalent), 16 GB RAM, First Disk 100 GB, Second Disk 100 GB, 1 Gbps Public and Private Network Uplinks	Virtual public server with 2 x 2.0 GHz Xeon Cores (or equivalent), 16 GB RAM, First Disk 100 GB, Second Disk 100 GB, 1 Gbps Public and Private Network Uplinks	Virtual public server with 2 x 2.0 GHz Xeon Cores (or equivalent), 16 GB RAM, First Disk 100 GB, Second Disk 100 GB, 1 Gbps Public and Private Network Uplinks
Number of client machines	1	3	5

## 5. IBM DataStage on Cloud – Available only for renewals

Machine Name	Small	Medium	Large
DataStage Server	Virtual private server with 4 x 2.0 GHz Xeon Cores (or equivalent), 16 GB RAM, First Disk 100 GB, Second Disk 500 GB, 1 Gbps Public and Private Network Uplinks	Virtual private server with 8 x 2.0 GHz Xeon Cores (or equivalent), 32 GB RAM, First Disk 100 GB, Second Disk 1 TB storage, 1 Gbps Public and Private Network Uplinks	Bare Metal server with 12 x 2.4 GHz Xeon Cores (or equivalent), 64 GB RAM, 960 GB Storage, 1 Gbps Public and Private Network Uplinks
Client	Virtual public server with 2 x 2.0 GHz Xeon Cores (or equivalent), 16 GB RAM, First Disk 100 GB, Second Disk 100 GB, 1 Gbps Public and Private Network Uplinks	Virtual public server with 2 x 2.0 GHz Xeon Cores (or equivalent), 16 GB RAM, First Disk 100 GB, Second Disk 100 GB, 1 Gbps Public and Private Network Uplinks	Virtual public server with 2 x 2.0 GHz Xeon Cores (or equivalent), 16 GB RAM, First Disk 100 GB, Second Disk 100 GB, 1 Gbps Public and Private Network Uplinks
Number of client machines	1	3	5

## 6. IBM DataStage on Cloud Small Dev/Test

**Note: These offerings can be used for development and testing type of requirements.**

Machine	Small	Medium
DataStage Server	Virtual private server with 4 x 2.0 GHz Xeon Cores (or equivalent), 16 GB RAM, First Disk 100 GB, Second Disk 500 GB, 1 Gbps Public and Private Network Uplinks	Virtual private server with 8 x 2.0 GHz Xeon Cores (or equivalent), 32 GB RAM, 1.1 TB Storage, 1 Gbps Public and Private Network Uplinks
Client	Virtual public server with 2 x 2.0 GHz Xeon Cores (or equivalent), 16 GB RAM, First Disk 100 GB, Second Disk 100 GB, 1 Gbps Public and Private Network Uplinks	Virtual public server with 2 x 2.0 GHz Xeon Cores (or equivalent), 16 GB RAM, First Disk 100 GB, Second Disk 100 GB, 1 Gbps Public and Private Network Uplinks
Number of client machines	1	3

Terms of usage	Clients are entitled for two node DataStage APT configuration files only	Clients are entitled for multi node DataStage APT configuration files only
----------------	--	--

## 7. IBM Information Server on Cloud Enterprise Edition Premium

Machine	Small	Medium	Large
Engine Tier Server	Virtual private server with 4 x 2.0 GHz Xeon Cores (or equivalent), 16 GB RAM, First Disk 100 GB, Second Disk 500 GB, 1 Gbps Public and Private Network Uplinks	Virtual private server with 8 x 2.0 GHz Xeon Cores (or equivalent), 32 GB RAM, First Disk 100 GB, Second Disk 1 TB, 1 Gbps Public and Private Network Uplinks	Bare Metal Server with 12 x 2.0 GHz Xeon Cores (or equivalent), 64 GB RAM, 1.7 TB storage, 1 Gbps redundant Public and Private Network Uplinks
Repository and Service Tier	Virtual private server with 4 x 2.0 GHz Xeon Cores (or equivalent), 16 GB RAM, First Disk 100 GB, Second Disk 500 GB, 1 Gbps Public and Private Network Uplinks	Virtual private server with 8 x 2.0 GHz Xeon Cores (or equivalent), 32 GB RAM, First Disk 100 GB, Second Disk 1 TB, 1 Gbps Public and Private Network Uplinks	Bare Metal Server with 8 x 2.0 GHz Xeon Cores (or equivalent), 32 GB RAM, 960 GB storage, 1 Gbps redundant Public and Private Network Uplinks
Enterprise Search Node (Provided from Information Server 11.7 onwards)	Virtual Server with 8 x 2.0 GHz Xeon cores(or equivalent), 32 GB RAM, 600 GB storage, 1 Gbps public and private network uplinks	Virtual Server with 16 x 2.0 GHz Xeon cores(or equivalent), 64 GB RAM, 1.1 TB storage, 1 Gbps public and private network uplinks	Bare Metal server with 12x 2.0 GHz Xeon cores (or equivalent), 64 GB RAM, 960 GB storage RAID Level 1, 1 Gbps public and private network uplinks
Backup Server	Virtual private server with 8 x 2.0 GHz Xeon Cores (or equivalent), 64 GB RAM, First disk 100 GB, Second disk 1 TB Performance (4000 IOPS), 4TB SAN, 1 Gbps Public and Private Network Uplinks	Virtual private server with 8 x 2.0 GHz Xeon Cores (or equivalent), 64 GB RAM, First disk 100 GB, Second disk 1 TB Performance (6000 IOPS), 5TB SAN, 1 Gbps Public and Private Network Uplinks	Bare Metal Server with 12 x 2.4 GHz Xeon Cores (or equivalent), 128 GB RAM, 4 x 1.7 TB SSD + RAID Controller, RAID 5, Effective Disk Size – 5.1 TB, 8TB SATA, 1 Gbps redundant Public and Private Network Uplinks
Client	Virtual public server with 2 x 2.0 GHz Xeon Cores (or equivalent), 16 GB RAM, First Disk 100 GB, Second Disk 100 GB, 1 Gbps Public and Private Network Uplinks	Virtual public server with 2 x 2.0 GHz Xeon Cores (or equivalent), 16 GB RAM, First Disk 100 GB, Second Disk 100 GB, 1 Gbps	Virtual public server with 2 x 2.0 GHz Xeon Cores (or equivalent), 16 GB RAM, First Disk 100 GB, Second Disk 100 GB, 1 Gbps Public and Private Network Uplinks



		Public and Private Network Uplinks	
Number of client machines	1	3	5

## 8. IBM Information Server on Cloud Enterprise Edition with High Availability

Machine	Small	Medium	Large
Engine Tier Active	Virtual private server with 4 x 2.0 GHz Xeon Cores (or equivalent), 16 GB RAM, First Disk 100 GB, Second Disk 500 endurance storage GB, 1 Gbps Public and Private Network Uplinks	Virtual private server with 8 x 2.0 GHz Xeon Cores (or equivalent), 32 GB RAM, First Disk 100 GB, Second Disk 1 TB, 1 Gbps Public and Private Network Uplinks	Bare Metal server with 12 x 2.0 GHz Xeon Cores (or equivalent), 64 GB RAM, 1.7 GB SSD, 1 Gbps Redundant Public and Private Network Uplinks
Engine Tier Passive	Virtual private server with 4 x 2.0 GHz Xeon Cores (or equivalent), 16 GB RAM, First Disk 100 GB, Second Disk 500 GB, 1 Gbps Public and Private Network Uplinks	Virtual private server with 8 x 2.0 GHz Xeon Cores (or equivalent), 32 GB RAM, First Disk 100 GB, Second Disk 1 TB, 1 Gbps Public and Private Network Uplinks	Bare Metal server with 12 x 2.0 GHz Xeon Cores (or equivalent), 64 GB RAM, 1.7 GB SSD, 1 Gbps Redundant Public and Private Network Uplinks
Shared Storage	500 GB Endurance Storage	1000 GB Endurance Storage	960 GB Endurance Storage
Repository and Services Tier Active	Virtual private server with 4 x 2.0 GHz Xeon Cores (or equivalent), 16 GB RAM, First Disk 100 GB, Second Disk 500 GB, 1 Gbps Public and Private Network Uplinks	Virtual private server with 8 x 2.0 GHz Xeon Cores (or equivalent), 32 GB RAM, First Disk 100 GB, Second Disk 1TB, 1 Gbps Public and Private Network Uplinks	Bare Metal server with 8 x 2.0 GHz Xeon Cores (or equivalent), 32 GB RAM, 960 GB storage, 1 Gbps Redundant Public and Private Network Uplinks
Repository and Services Tier Passive	Virtual private server with 4 x 2.0 GHz Xeon Cores (or equivalent), 16 GB RAM, First Disk 100 GB, Second Disk 500 GB, 1 Gbps Public and Private Network Uplinks	Virtual private server with 8 x 2.0 GHz Xeon Cores (or equivalent), 32 GB RAM, First Disk 100 GB, Second Disk 1TB, 1 Gbps Public and Private Network Uplinks	Bare Metal server with 8 x 2.0 GHz Xeon Cores (or equivalent), 32 GB RAM, 960 GB storage, 1 Gbps Redundant Public and Private Network Uplinks
Enterprise Search Node (Provided from Information Server 11.7 onwards)	Virtual Server with 8 x 2.0 GHz Xeon cores(or equivalent), 32 GB RAM, 600 GB storage, 1 Gbps public and private network uplinks	Virtual Server with 16 x 2.0 GHz Xeon cores(or equivalent), 64 GB RAM, 1.1 TB storage, 1 Gbps public and private network uplinks	Bare Metal server with 12x 2.0 GHz Xeon cores (or equivalent), 64 GB RAM, 960 GB storage RAID Level 1, 1 Gbps public and private network uplinks
Backup Server	Virtual private server with 8 x 2.0 GHz Xeon Cores (or equivalent), 64 GB RAM, First disk 100 GB, Second	Virtual private server with 8 x 2.0 GHz Xeon Cores (or equivalent), 64 GB RAM, First disk 100 GB	Bare Metal server with 12 x 2.4 GHz Xeon Cores(or equivalent), 128 GB RAM, 4 x 1.7 TB SSD + RAID Controller,

	disk 1 TB Performance (4000 IOPS), 4 TB SAN, 1 Gbps Public and Private Network Uplinks	SAN, Second disk 1 TB Performance Storage(6000 IOPS), 5TB SAN	RAID 5, Effective Disk Size – 5.1 TB, 8TB SATA
Client	Virtual public server with 2 x 2.0 GHz Xeon Cores (or equivalent), 16 GB RAM, First Disk 100 GB, Second Disk 100 GB, 1 Gbps Public and Private Network Uplinks`	Virtual public server with 2 x 2.0 GHz Xeon Cores (or equivalent), 16 GB RAM, First Disk 100 GB, Second Disk 100 GB, 1 Gbps Public and Private Network Uplinks`	Virtual public server with 2 x 2.0 GHz Xeon Cores (or equivalent), 16 GB RAM, First Disk 100 GB, Second Disk 100 GB, 1 Gbps Public and Private Network Uplinks`
Number of client machines	1	3	5

## 9. IBM Information Server on Cloud Enterprise Edition -- Available only for renewals

Machine	Small	Medium	Large
Engine Tier Server	Virtual server with 4 x 2.0 GHz Xeon cores (or equivalent), 16 GB RAM, 600 GB storage, 1 Gbps public and private network uplinks, and two concurrent users	Virtual server with 8 x 2.0 GHz Xeon cores (or equivalent), 32 GB RAM, 1.1 TB storage, 1 Gbps public and private network uplinks, and five concurrent users	Bare Metal server with 12 x 2.4 GHz Xeon cores (or equivalent), 64 GB RAM, 1.7 TB storage RAID Level 1, 1 Gbps public and private network uplinks, and ten concurrent users
Repository and Services Tier Server	Virtual server with 4 x 2.0 GHz Xeon cores (or equivalent), 16 GB RAM, 600 GB storage, 1 Gbps public and private network uplinks, and two concurrent users	Virtual server with 8 x 2.0 GHz Xeon cores (or equivalent), 32 GB RAM, 1.1 TB storage, 1 Gbps public and private network uplinks, and five concurrent users	Bare Metal server with 8 x 2.0 GHz Xeon cores (or equivalent), 32 GB RAM, 960 GB storage RAID Level 1, 1 Gbps public and private network uplinks, and ten concurrent users
Enterprise Search Node (Provided from Information Server 11.7 onwards)	Virtual Server with 8 x 2.0 GHz Xeon cores(or equivalent), 32 GB RAM, 600 GB storage, 1 Gbps public and private network uplinks	Virtual Server with 16 x 2.0 GHz Xeon cores(or equivalent), 64 GB RAM, 1.1 TB storage, 1 Gbps public and private network uplinks	Bare Metal server with 12x 2.0 GHz Xeon cores (or equivalent), 64 GB RAM, 960 GB storage RAID Level 1, 1 Gbps public and private network uplinks
Business Process Manager / Cognos system (optional)	Virtual server with 4 x 2.0 GHz Xeon cores (or equivalent), 16 GB RAM, 600 GB storage, 1 Gbps public and private network uplinks	Virtual server with 4 x 2.0 GHz Xeon cores (or equivalent), 16 GB RAM, 600 GB storage, 1 Gbps public and private network uplinks	Bare Metal server with 8 x 2.0 GHz Xeon cores (or equivalent), 32 GB RAM, 960 GB storage RAID Level 1, 1 Gbps public and private network uplinks
Client	Virtual public server with 2 x 2.0 GHz Xeon Cores (or equivalent), 16 GB RAM, First Disk 100 GB, Second Disk 100	Virtual public server with 2 x 2.0 GHz Xeon Cores (or equivalent), 16 GB RAM, First Disk 100 GB, Second Disk 100 GB, 1 Gbps Public	Virtual public server with 2 x 2.0 GHz Xeon Cores (or equivalent), 16 GB RAM, First Disk 100 GB, Second Disk 100 GB, 1 Gbps Public and Private Network Uplinks

	GB, 1 Gbps Public and Private Network Uplinks	and Private Network Uplinks	
Number of client machines	1	3	5

## 10. IBM Information Server on Cloud Enterprise Edition Dev/Test

**Note: These offerings can be used for development and testing type of requirements.**

Machine	Small	Medium
Engine Tier Server	Virtual server with 4 x 2.0 GHz Xeon cores (or equivalent), 16 GB RAM, 600 GB storage, 1 Gbps public and private network uplinks, and two concurrent users	Virtual server with 8 x 2.0 GHz Xeon cores (or equivalent), 32 GB RAM, 1.1 TB storage, 1 Gbps public and private network uplinks, and five concurrent users
Repository and Services Tier	Virtual server with 4 x 2.0 GHz Xeon cores (or equivalent), 16 GB RAM, 600 GB storage, 1 Gbps public and private network uplinks, and two concurrent users	Virtual server with 8 x 2.0 GHz Xeon cores (or equivalent), 32 GB RAM, 1.1 TB storage, 1 Gbps public and private network uplinks, and five concurrent users
Enterprise Search Node (Provided from Information Server 11.7 onwards)	Virtual Server with 8 x 2.0 GHz Xeon cores (or equivalent), 32 GB RAM, 600 GB storage, 1 Gbps public and private network uplinks	Virtual Server with 16 x 2.0 GHz Xeon cores (or equivalent), 64 GB RAM, 1.1 TB storage, 1 Gbps public and private network uplinks
Business Process Manager/Cognos System (Optional)	Virtual server with 4 x 2.0 GHz Xeon cores (or equivalent), 16 GB RAM, 600 GB storage, 1 Gbps public and private network uplinks	Virtual server with 4 x 2.0 GHz Xeon cores (or equivalent), 16 GB RAM, 600 GB storage, 1 Gbps public and private network uplinks
Client	Virtual public server with 2 x 2.0 GHz Xeon Cores (or equivalent), 16 GB RAM, First Disk 100 GB, Second Disk 100 GB, 1 Gbps Public and Private Network Uplinks	Virtual public server with 2 x 2.0 GHz Xeon Cores (or equivalent), 16 GB RAM, First Disk 100 GB, Second Disk 100 GB, 1 Gbps Public and Private Network Uplinks
Number of client machines	1	3