

略語

AC	: Alternating Current
AGA	: Automatic Gap Adjustment
AIO	: Auxiliary Input Output
ALT	: Alternate
ASF	: Automatic Sheet Feeder (自動給紙機構)
ASM	: Assembly
BAT	: Basic Assurance Test
BOF	: Bottom Of Form
CG	: Character Generator
CN	: Connector
CPI	: Characters Per Inch
CPS	: Characters Per Second
CSR	: Customer Service Representative
DC	: Direct Current
DID	: Document Insertion Device
DOD	: Document On Demand
EC	: Engineering Change
EOF	: End Of Form
FF	: Form Feed
FRU	: Field Replaceable Unit
GND	: Ground
IRT	: Initial Reset
LPI	: Lines Per Inch
MAP	: Maintenance Analysis Procedures
MIB	: Management Information Base
MPP	: Maximum Print Position
NVRAM	: Non-Volatile RAM
OP	: Operator Panel
PM	: Preventive Maintenance
POR	: Power On Reset
POST	: Power On Self-Test
PTDP	: Position Detect Pulse
REQ	: Request
RMR	: Receive Machine Ready
ROM	: Read Only Memory
TOF	: Top Of Form



InfoPrint Solutions Company

インフォプリント・ソリューションズ・ジャパン株式会社

〒104-8222 東京都中央区銀座8-13-1