



**IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC**

Contents	6.1 REGISTRATION OF GCSGID AND CPGID..... 6
	6.2 JAPANESE DBCS-EUC JIS X 0208 SET..... 6
	6.3 JAPANESE DBCS-EUC JIS X 0212 SET..... 7
1. SCOPE 4	7. CODE TRANSLATION CORRESPONDENCE 7
1.1 ABSTRACT 4	7.1 CODE CORRESPONDENCE OF NON-KANJI/KANJI SETS 7
1.2 OBJECTIVE..... 4	
1.3 APPLICATION 4	8. FORMAT OF JAPANESE EUC SPECIFICATION 7
1.4 EFFECTIVE DATE 4	
2. DOCUMENT ADMINISTRATION..... 4	9. JIS X 0208 SET (G1 OF JAPANESE EUC) 8
2.1 ORIGINATING AREA AND RESPONSIBILITY 4	9.1 JIS NON-KANJI SET 8
2.2 AUTHORIZATION 4	9.2 JIS FIRST LEVEL KANJI SET..... 18
2.3 COMPLIANCE..... 4	9.3 JIS SECOND LEVEL KANJI SET 73
3. RELATED DOCUMENTS 4	9.4 NEC SELECTED CHARACTERS..... 136
3.1 SUPERSEDED DOCUMENTS 4	9.5 USER DEFINABLE CHARACTERS 138
3.2 REFERENCED EXTERNAL DOCUMENTS..... 4	10. JIS X 0212 SET (G3 OF JAPANESE EUC) 156
3.3 REFERENCED IBM DOCUMENTS 5	10.1 JIS X 0212 NON-KANJI SET 156
3.4 COPYRIGHT PERMISSION 5	10.2 JIS X0212 KANJI SET..... 157
4. EXTERNAL STANDARDS 5	10.3 IBM-SELECTED NON-KANJI SET 163
4.1 THE JAPANESE INDUSTRIAL STANDARDS (JIS)..... 5	10.4 IBM-SELECTED KANJI SET 164
4.2 RELATION OF IBM AND JIS CHARACTER SET 5	10.5 USER DEFINABLE CHARACTERS 166
4.2.1 Character Coverage 5	11. DEFINITION OF TERMS..... 184
4.2.2 Code Scheme..... 5	
4.3 RELATION WITH OTHER STANDARDS..... 5	11.1 PRODUCT 184
5. SPECIFICATION OF CHARACTER REPERTOIRE 6	11.2 GRAPHIC CHARACTER 184
5.1 IDENTIFICATION OF GRAPHIC CHARACTERS 6	11.3 USER DEFINABLE CHARACTER 184
6. CHARACTER SETS AND CODE PAGES..... 6	11.4 GRAPHIC CHARACTER GLOBAL IDENTIFIER (GCGID) 184
	11.5 GRAPHIC CHARACTER SET 184



IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

11.6 BYTE 184
11.7 GRAPHIC CHARACTER SET GLOBAL IDENTIFIER (GCSGID)..... 184
11.8 CODE 184
11.9 CODE POINT 184
11.10 CODE PAGE..... 184
11.11 REGISTERED CODE PAGE 184
11.12 UNRESTRICTED CODE PAGE..... 184
11.13 CODE PAGE GLOBAL IDENTIFIER (CPGID)..... 184
11.14 CODED GRAPHIC CHARACTER..... 184
11.15 CODED GRAPHIC CHARACTER SET 184
11.16 REGISTERED CODED GRAPHIC CHARACTER SET 184
11.17 CODED GRAPHIC CHARACTER SET GLOBAL IDENTIFIER (CGCSGID)..... 184
11.18 SBCS 184
11.18.1 EBCDIC 184
11.18.2 PC Code..... 184
11.19 DBCS 184
11.19.1 DBCS-Host..... 184
11.19.2 DBCS-PC 185
11.19.3 DBCS-EUC 185
11.20 WARD 185
11.21 UNIX..... 185
12. EUC ENCODING SCHEME 185
12.1 DEFINITION 185
12.2 JAPANESE ENVIRONMENT 185
12.2.1 Common Japanese EUC..... 185
12.2.2 IBM Japanese EUC 186
13. HISTORY OF JIS X 0208 186
13.1 JIS C 6226-1978 186
13.2 JIS X 0208-1983 186
13.3 JIS X 0208-1990..... 186
14. HISTORY OF JIS X 0201 186
14.1 JIS X 0201-1976..... 186
15. HISTORY OF JIS X 0212 186
15.1 JIS X 0212-1990..... 186
16. DIFFERENCE FROM THE REVISION 93-03 TO THIS REVISION 186
16.1 ADDITION OF 83 CHARACTERS 186
16.2 "DBCS-PC" 186
17. GRAPHIC CHARACTER REPRESENTATION 187
Tables
Table 1 Registration of GCSGID and CPGID for the IBM Japanese Graphic Character Set..... 6
Table 2 Structure of DBCS-EUC JIS X 0208 Set (G1 set)..... 6
Table 3 Structure of DBCS-EUC JIS X 0212 Set (G3 set)..... 7
Table 4 Format of code corresponding table..... 7
Table 5 JIS Non-Kanji Set 8
Table 6 JIS First Level Kanji Set 18
Table 7 JIS Second Level Kanji Set..... 73
Table 8 NEC Selected Non-Kanji Set..... 136
Table 9 User Definable Characters 138
Table 10 JIS X 0212 Non-Kanji Set..... 156
Table 11 JIS X0212 Kanji Set..... 157
Table 12 IBM Selected Non-Kanji Set 163
Table 13 IBM Selected Kanji Set..... 164



**IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC**

Table 14	User Definable Characters	166
Table 15	Structure of EUC encoding framework.	185
Table 16	Common Japanese EUC (AJEC).....	186
Table 17	IBM Japanese EUC.....	186



**IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC**

Introduction

1. Scope

1.1 Abstract

This document is a registry of the IBM Japanese *Graphic Character Set* for *EUC*, in which the following are set forth:

- the repertoire of the IBM Japanese *Graphic Character Sets* for *EUC* is specified.
- each *graphic character* of the repertoire is identified by a *Graphic Character Global Identifier* (GCGID).
- seven *graphic character sets*, which are the subsets of the repertoire are specified and identified by *Graphic Character Set Global IDs* (GCSGID).
- two code pages, Japanese *DBCS-EUC* JIS X 0208 Set and *DBCS-EUC* JIS X 0212 Set for the *graphic character sets* are specified and identified by *Code Page Global IDs* (CPGID).
- code translation correspondence between Japanese *DBCS-EUC* JIS X 0208 Set or JIS X 0212 Set and the related *code pages* are specified.

1.2 Objective

The objectives of this document are:

- 1) to make available to all developers supporting Japanese the specification of the Japanese *graphic character sets* and *code pages*.
- 2) to ensure consistent implementation of the Japanese *Graphic Character Sets* and *code pages* and code correspondence between Japanese *DBCS-EUC* JIS X 0208 Set or Japanese *DBCS-EUC* JIS X 0212 Set and other related code pages for *EUC*

Note: This document is one of a set of documents defined in C-S 3-3220-019, *Coded Character Sets Implementation*. The reader should be familiar with the requirements specified in C-S 3-3220-019 which describe the relationship of the documents. Note also that the requirements for compliance with this specification are described in C-S 3-3220-019.

This document does not specify Japanese *DBCS-Host* and *DBCS-PC*. They are specified in C-H 3-3220-024 and C-H 3-3220-133.

Terms in italics (except in heading) are defined in the Supplementary Information section of this document.

X'nn' or X'nnnn' represents a hexadecimal notation.

1.3 Application

This specification is applicable to all IBM products which implement the IBM Japanese *Graphic Character Set* specified in this specification and which are announced or released to production (whichever occurs first) after date of publication.

1.4 Effective Date

This document takes effect with its publication.

2. Document Administration

2.1 Originating Area and Responsibility

This document is maintained by the Standards Project Authority (SPA) for SIRS 029, (Double-Byte Character Set (DBCS)), location code 93K, Yamato.

2.2 Authorization

Publication of this document was approved by the Standards Authorities of the affected operating units.

2.3 Compliance

This document establishes the format and typography required for all IBM standards documents. It describes Compliance with the requirements of this document is recommended unless it is called out as a requirement in a standard or equivalent document. It then assumes the same compliance requirements as that document.

3. Related Documents

3.1 Superseded Documents

C-H 3-3220-127 dated 1993-03.

Note: For changes from the previous edition, see Section 16 "Difference from the revision 93-03 to this revision."

3.2 Referenced External Documents

ISO 646

ISO 7-bit coded character set for information interchange.



IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

ISO 8859

ISO Standard for 8-bit single-byte Coded Graphic Character Sets

acters, and 63 Katakana characters based on the JIS 7-bit and JIS 8-bit code scheme.

ISO 2022

ISO Standard for ISO 7-bit and 8-bit Coded Character Sets - Code extension techniques

JIS X 0202-1991, *ISO 7-bit and 8-bit coded character sets - Code extension techniques*, defines code extension techniques which are applicable to JIS X 0201, JIS X 0208 and JIS X 0212.

JIS X 0201

Code for Information Interchange

JIS X 0208-1990, *Code of the Japanese graphic character set for information interchange*, defines total of 6,879 characters: 2,965 First Level Kanji characters, 3,390 Second Level Kanji characters, and 524 non-Kanji characters based on the JIS 7-bit code scheme.

JIS X 0202

Information processing - ISO 7-bit and 8-bit Coded Character Sets - Code extension techniques

JIS X 0212-1991, *Code of the supplementary Japanese graphic character set for Information Interchange*, defines total 6,067 characters: 5,801 Kanji characters and 266 non-Kanji characters based on the JIS 7-bit code scheme.

JIS X 0208

Code of the Japanese graphic character set for information interchange

JIS X 0212

Code of the supplementary Japanese graphic character set for information interchange

4.2 Relation of IBM and JIS Character Set**4.2.1 Character Coverage**

The IBM Japanese *Graphic Character Sets* for *EUC* consist of JIS X 0201-1976, JIS X 0208-1990, and JIS X 0212-1991. IBM unique extension and User Definable Characters are mapped in unassigned code area of JIS standards above.

3.3 Referenced IBM Documents**C-S 3-3220-002**

Extended BCD Interchange Code (EBCDIC)

C-S 3-3220-019

Coded Character Sets, Implementation

C-H 3-3220-024

Japanese Graphic Character Set, Kanji

C-H 3-3220-050

REGISTRY, Graphic Character Sets and Code Pages

C-H 3-3220-055

Graphic Character Identification System

C-S 3-3220-102

Double-Byte Character Set (DBCS)

4.2.1.1 IBM selected characters

For compatibility with other IBM Japanese *coded character sets*, IBM has assigned 5 *SBCS* and 106 *DBCS* characters besides JIS standard *character sets* into unassigned code points of JIS X 0201 or JIS X 0212.

4.2.1.2 User Definable Characters

For the convenience of users, IBM has assigned 1,880 (same number as Japanese *DBCS-PC*) User Definable Characters into unassigned code points of JIS X 0208 and JIS X 0212.

4.2.2 Code Scheme

The code scheme for the IBM Japanese of *EUC* is an instance of JIS X 0202.

3.4 Copyright Permission

Not applicable.

4.3 Relation with other standards

This document specifies *code pages* and *character sets*, in compliance with the common Japanese *EUC* (AJEC) which was agreed among Open Software Foundation, UNIX International, and UNIX System Laboratories Pacific in 1991.

Requirements**4. External Standards****4.1 The Japanese Industrial Standards (JIS)**

JIS X 0201-1976, *Code for Information Interchange*, defines total 162 *coded graphic characters*, 94 Roman char-



IBM Japanese Graphic Character Set for Extended UNIX Code (EUC) DBCS - EUC

5. Specification of Character Repertoire

5.1 Identification of Graphic Characters

This document specifies the repertoire of the Japanese *graphic character sets* for *DBCS-EUC*. Each *graphic character* of the repertoire is identified by a unique *Graphic Character Global ID (GCGID)*.

6. Character Sets and Code Pages

6.1 Registration of GCSGID and CPGID

This specification registers subsets of the IBM Japanese *Graphic Character Set* and identifies them by *Graphic Character Set Global Identifier (GCSGID)*.

It also specifies relevant *code pages* for those *registered graphic character set*: *DBCS-EUC JIS X 0208 Set*, *DBCS-EUC JIS X 0212 Set* and identifies them by *Code Page Global Identifier (CPGID)*.

Table 1 specifies the *GCSGIDs* and *CPGIDs* of the *registered coded graphic character sets* of Japanese.

The registration category "U" means "Unrestricted", which implies that *graphic character sets* and *code pages* in this category have potential broad implementation in information processing *products*.

Note: See C-H 3-3220-050 for the detail of registration categories of *graphic character sets* and *code pages*.

Table 1 Registration of GCSGID and CPGID for the IBM Japanese Graphic Character Set

CGCSGID GCSGID CPGID	Name	Character Set Size	Number of code points in code page	Category of Registration
65535 00952	DBCS-EUC JIS X 0208 Set including 83 NEC selected chars and 940 UDCs	7,902 (Minimum)	8,836	U
02096 00952	DBCS-EUC JIS X 0208 Set including 83 NEC selected chars and 940 UDCs	7,902	8,836	U
01058 00952	DBCS-EUC JIS X 0208 Set including 940 UDCs	7,819	8,836	U
01061 00952	DBCS-EUC JIS X 0208 Set	6,879	8,836	U
01059 00953	DBCS-EUC JIS X 0212 Set including IBM selected and 940 UDCs	7,113	8,836	U
01062 00953	DBCS-EUC JIS X 0212 Set	6,067	8,836	U
01060 00953	DBCS-EUC, IBM selected including 940 UDCs	1,326	8,836	U

Note: Code pages 00952 and 00953 are defined as 7-bit code pages. With the use of EUC or ISO encoding scheme, the most significant bit of each code point on the code pages may be ignored.

6.2 Japanese DBCS-EUC JIS X 0208 Set

The *coded graphic character set* of the Japanese *DBCS-EUC JIS X 0208 Set* is structured as shown in Table 2.

Table 2 Structure of DBCS-EUC JIS X 0208 Set (G1 set)

Wards in Hex	Content	Number of Characters
A1 to A8	Non-Kanji Set • Space	524

Table 2 Structure of DBCS-EUC JIS X 0208 Set (G1 set)

Wards in Hex	Content	Number of Characters
	<ul style="list-style-type: none"> • Greek, Russian, Roman Numeric • Alphanumeric and Related Symbols • Katakana, Hiragana and Special Symbols 	



IBM Japanese Graphic Character Set for Extended UNIX Code (EUC) DBCS - EUC

Table 2 Structure of DBCS-EUC JIS X 0208 Set (G1 set)

Wards in Hex	Content	Number of Characters
AD	NEC Selected Characters	83
B0 to CF	First Level Kanji Sets	2,965
D0 to F4	Second Level Kanji Set	3,390
F5 to FE	User Definable Character Area	940 *
A9 to AF	Reserved for Future IBM Assignments	
Note: * The maximum number of user definable characters.		

The specification of the Japanese *DBCS-EUC* JIS X 0208 Set is shown in Table 5 to Table 9.

6.3 Japanese DBCS-EUC JIS X 0212 Set

The coded graphic character set of the Japanese *DBCS-EUC* JIS X 0212 Set is structured as shown in Table 3.

Table 3 Structure of DBCS-EUC JIS X 0212 Set (G3 set)

Wards in Hex	Content	Number of Characters
A1 to AA	JIS Supplementary Non-Kanji Set	1 (266)
B0 to ED	JIS Supplementary Kanji	279 (5,801)
F3	IBM Selected Non-Kanji Set	25
F4	IBM Selected Kanji Set	81
F5 to FE	User Definable Character Area	940 *
AB to AF EE to F2	Reserved for Future IBM Assignments	
Note: * The maximum number of user definable characters. Numbers enclosed by () are for character set 01059.		

The specification of the Japanese *DBCS-EUC* JIS X 0212 Set is shown in Table 10 to Table 14.

Table 4 Format of code corresponding table

Graphic	EUC Code (Hex)	PC Code (Hex)	Host Code (Hex)	JIS Code (Hex)	GCGID
X	XXXX	XXXX	XXXX	XXXX	XXXXXXXXXX

7. Code Translation Correspondence

The following code translation correspondences are defined in this specification:

- *DBCS-EUC* JIS X 0208 Set to *DBCS-PC*
- *DBCS-EUC* JIS X 0212 Set to *DBCS-PC*
- *DBCS-EUC* JIS X 0208 Set to *DBCS-Host*
- *DBCS-EUC* JIS X 0212 Set to *DBCS-Host*
- *DBCS-EUC* JIS X 0208 Set to JIS X 0208
- *DBCS-EUC* JIS X 0212 Set to JIS X 0212

IBM selected characters, most of NEC selected characters and User Definable Characters have an empty entry for the JIS code column in tables as they are not defined in JIS X 0208 or JIS X 0212. There are two methods for the code translation from *EUC* to JIS X 0208 and JIS X 0212:

- To map them into the reserved area in JIS, by ignoring the most significant bit of each code point.
- To substitute them.

7.1 Code Correspondence of Non-Kanji/Kanji Sets

In the code correspondence of Non-Kanji and Kanji Sets between Japanese *EUC* and *DBCS-Host*, logical conversion is not applicable, therefore all the code translation correspondence is shown in Table 5 to Table 14.

In the code correspondence of Non-Kanji and Kanji Sets between Japanese *EUC* and *DBCS-PC*, logical conversion is applicable. All the code translation correspondence is shown in Table 5 to Table 14.

8. Format of Japanese EUC Specification

In this section, the specification of the Japanese *EUC coded graphic character sets* is provided by tables. They are formatted as illustrated in Table 4.



IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

9. JIS X 0208 Set (G1 of Japanese EUC)

9.1 JIS Non-Kanji Set

Graphic	EUC code	PC code	Host code	JIS code	GCGID
	A1A1	8140	4040	2121	SP010080
、	A1A2	8141	4344	2122	JQ730080
。	A1A3	8142	4341	2123	JQ700080
、	A1A4	8143	426B	2124	SP080080
、	A1A5	8144	424B	2125	SP110080
・	A1A6	8145	4345	2126	JQ740080
:	A1A7	8146	427A	2127	SP130080
;	A1A8	8147	425E	2128	SP140080
?	A1A9	8148	426F	2129	SP150080
!	A1AA	8149	425A	212A	SP020080
ゝ	A1AB	814A	43BE	212B	JX710080
。	A1AC	814B	43BF	212C	JX720080
ゝ	A1AD	814C	4450	212D	SD110080
、	A1AE	814D	4279	212E	SD130080
..	A1AF	814E	4460	212F	SD170080
^	A1B0	814F	4470	2130	SD150080
—	A1B1	8150	42A1	2131	SM150080
—	A1B2	8151	426D	2132	SP090080
、	A1B3	8152	43DC	2133	JQ750080
ゝ	A1B4	8153	43DD	2134	JQ760080
ゝ	A1B5	8154	44DC	2135	RQ750080
ゝ	A1B6	8155	44DD	2136	RQ760080
//	A1B7	8156	445B	2137	SV090081
全	A1B8	8157	445C	2138	SS760080
々	A1B9	8158	445D	2139	SS770080

Graphic	EUC code	PC code	Host code	JIS code	GCGID
↗	A1BA	8159	445E	213A	SS720080
○	A1BB	815A	445F	213B	ND100087
—	A1BC	815B	4358	213C	JX700080
—	A1BD	815C	444A	213D	SM120080
-	A1BE	815D	445A	213E	SP320080
/	A1BF	815E	4261	213F	SP120080
、	A1C0	815F	43E0	2140	SM070080
~	A1C1	8160	43A1	2141	SD190080
//	A1C2	8161	447C	2142	SV370080
	A1C3	8162	424F	2143	SM130080
...	A1C4	8163	447F	2144	SV440080
..	A1C5	8164	447E	2145	SV430080
‘	A1C6	8165	4461	2146	SP190080
’	A1C7	8166	4471	2147	SP200080
“	A1C8	8167	4462	2148	SP210080
”	A1C9	8168	4472	2149	SP220080
(A1CA	8169	424D	214A	SP060080
)	A1CB	816A	425D	214B	SP070080
{	A1CC	816B	4463	214C	SP060081
}	A1CD	816C	4473	214D	SP070081
[A1CE	816D	4444	214E	SM060080
]	A1CF	816E	4445	214F	SM080080
{	A1D0	816F	42C0	2150	SM110080
}	A1D1	8170	42D0	2151	SM140080
<	A1D2	8171	4464	2152	SP060082



IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Table 5 JIS Non-Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
>	A1D3	8172	4474	2153	SP070082
<<	A1D4	8173	4465	2154	SP060083
>>	A1D5	8174	4475	2155	SP070083
┌	A1D6	8175	4342	2156	JQ710080
┐	A1D7	8176	4343	2157	JQ720080
└	A1D8	8177	4442	2158	JQ710081
┘	A1D9	8178	4443	2159	JQ720081
[A1DA	8179	4466	215A	SP060084
]	A1DB	817A	4476	215B	SP070084
+	A1DC	817B	424E	215C	SA010080
-	A1DD	817C	4260	215D	SP100080
±	A1DE	817D	444B	215E	SA020080
×	A1DF	817E	447A	215F	SA070080
÷	A1E0	8180	447B	2160	SA060080
=	A1E1	8181	427E	2161	SA040080
≠	A1E2	8182	444C	2162	SA540080
<	A1E3	8183	424C	2163	SA030080
>	A1E4	8184	426E	2164	SA050080
≦	A1E5	8185	4467	2165	SA520082
≧	A1E6	8186	4477	2166	SA530082
∞	A1E7	8187	444D	2167	SA450080
∴	A1E8	8188	4468	2168	SA370080
♂	A1E9	8189	4469	2169	SM280080
♀	A1EA	818A	4479	216A	SM290080
°	A1EB	818B	44ED	216B	SM190080
'	A1EC	818C	44EE	216C	SM500080
"	A1ED	818D	44EF	216D	SM510080

Table 5 JIS Non-Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
°C	A1EE	818E	444E	216E	SM440080
¥	A1EF	818F	425B	216F	SC050080
\$	A1F0	8190	42E0	2170	SC030080
¢	A1F1	8191	434A	2171	SC040080
£	A1F2	8192	424A	2172	SC020080
%	A1F3	8193	426C	2173	SM020080
#	A1F4	8194	427B	2174	SM010080
&	A1F5	8195	4250	2175	SM030080
*	A1F6	8196	425C	2176	SM040080
@	A1F7	8197	427C	2177	SM050080
§	A1F8	8198	446A	2178	SM240080
☆	A1F9	8199	44E5	2179	SS570080
★	A1FA	819A	44E6	217A	SS580080
○	A1FB	819B	44E0	217B	SM750080
●	A1FC	819C	44E1	217C	SM580080
◎	A1FD	819D	44E4	217D	SM810080
◇	A1FE	819E	44E7	217E	SA660080
◆	A2A1	819F	44E8	2221	SM610080
□	A2A2	81A0	44E9	2222	SM450080
■	A2A3	81A1	44EA	2223	SM470080
△	A2A4	81A2	44E2	2224	SM730080
▲	A2A5	81A3	44E3	2225	SM600080
▽	A2A6	81A4	44EB	2226	SM740080
▼	A2A7	81A5	44EC	2227	SV040080
※	A2A8	81A6	446B	2228	SM040088
〒	A2A9	81A7	446C	2229	SS730080
→	A2AA	81A8	44F0	222A	SM310080


IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Table 5 JIS Non-Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
←	A2AB	81A9	44F1	222B	SM300080
↑	A2AC	81AA	44F2	222C	SM320080
↓	A2AD	81AB	44F3	222D	SM330080
=	A2AE	81AC	447D	222E	SS750080
∈	A2BA	81B8	4364	223A	SA670080
∋	A2BB	81B9	4365	223B	SA310080
⊆	A2BC	81BA	4366	223C	SA240080
⊇	A2BD	81BB	4367	223D	SA270080
⊂	A2BE	81BC	4368	223E	SA400080
⊃	A2BF	81BD	4369	223F	SA410080
∪	A2C0	81BE	436A	2240	SA390080
∩	A2C1	81BF	436B	2241	SA380080
∧	A2CA	81C8	436C	224A	SA330080
∨	A2CB	81C9	436D	224B	SA320080
¬	A2CC	81CA	425F	224C	SM660080
⇒	A2CD	81CB	436E	224D	SM420080
⇔	A2CE	81CC	436F	224E	SM410080
∀	A2CF	81CD	4370	224F	SA210080
∃	A2D0	81CE	4371	2250	SA230080
∠	A2DC	81DA	434B	225C	SA350088
⊥	A2DD	81DB	434C	225D	SA780080
⌒	A2DE	81DC	434D	225E	SV420080
∂	A2DF	81DD	434E	225F	SA490080
∇	A2E0	81DE	434F	2260	SL030080
≡	A2E1	81DF	435B	2261	SA480080
≐	A2E2	81E0	435C	2262	SA700081
≪	A2E3	81E1	435D	2263	SA730080

Table 5 JIS Non-Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
≫	A2E4	81E2	435E	2264	SA740080
√	A2E5	81E3	435F	2265	SA800080
∞	A2E6	81E4	4360	2266	SA830080
∞	A2E7	81E5	4361	2267	SA470080
∴	A2E8	81E6	4478	2268	SS540080
∫	A2E9	81E7	4362	2269	SA510080
∫∫	A2EA	81E8	4363	226A	SA840080
Å	A2F2	81F0	4372	2272	SM220080
‰	A2F3	81F1	4373	2273	SM560080
#	A2F4	81F2	4374	2274	SM880080
ℬ	A2F5	81F3	4375	2275	SM890080
♪	A2F6	81F4	4376	2276	SM930080
†	A2F7	81F5	4377	2277	SM340080
‡	A2F8	81F6	4378	2278	SM350080
¶	A2F9	81F7	4379	2279	SM250080
○	A2FE	81FC	437A	227E	SV220080
0	A3B0	824F	42F0	2330	ND100080
1	A3B1	8250	42F1	2331	ND010080
2	A3B2	8251	42F2	2332	ND020080
3	A3B3	8252	42F3	2333	ND030080
4	A3B4	8253	42F4	2334	ND040080
5	A3B5	8254	42F5	2335	ND050080
6	A3B6	8255	42F6	2336	ND060080
7	A3B7	8256	42F7	2337	ND070080
8	A3B8	8257	42F8	2338	ND080080
9	A3B9	8258	42F9	2339	ND090080
A	A3C1	8260	42C1	2341	LA020080


IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Table 5 JIS Non-Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
B	A3C2	8261	42C2	2342	LB020080
C	A3C3	8262	42C3	2343	LC020080
D	A3C4	8263	42C4	2344	LD020080
E	A3C5	8264	42C5	2345	LE020080
F	A3C6	8265	42C6	2346	LF020080
G	A3C7	8266	42C7	2347	LG020080
H	A3C8	8267	42C8	2348	LH020080
I	A3C9	8268	42C9	2349	LI020080
J	A3CA	8269	42D1	234A	LJ020080
K	A3CB	826A	42D2	234B	LK020080
L	A3CC	826B	42D3	234C	LL020080
M	A3CD	826C	42D4	234D	LM020080
N	A3CE	826D	42D5	234E	LN020080
O	A3CF	826E	42D6	234F	LO020080
P	A3D0	826F	42D7	2350	LP020080
Q	A3D1	8270	42D8	2351	LQ020080
R	A3D2	8271	42D9	2352	LR020080
S	A3D3	8272	42E2	2353	LS020080
T	A3D4	8273	42E3	2354	LT020080
U	A3D5	8274	42E4	2355	LU020080
V	A3D6	8275	42E5	2356	LV020080
W	A3D7	8276	42E6	2357	LW020080
X	A3D8	8277	42E7	2358	LX020080
Y	A3D9	8278	42E8	2359	LY020080
Z	A3DA	8279	42E9	235A	LZ020080
a	A3E1	8281	4281	2361	LA010080
b	A3E2	8282	4282	2362	LB010080

Table 5 JIS Non-Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
c	A3E3	8283	4283	2363	LC010080
d	A3E4	8284	4284	2364	LD010080
e	A3E5	8285	4285	2365	LE010080
f	A3E6	8286	4286	2366	LF010080
g	A3E7	8287	4287	2367	LG010080
h	A3E8	8288	4288	2368	LH010080
i	A3E9	8289	4289	2369	LI010080
j	A3EA	828A	4291	236A	LJ010080
k	A3EB	828B	4292	236B	LK010080
l	A3EC	828C	4293	236C	LL010080
m	A3ED	828D	4294	236D	LM010080
n	A3EE	828E	4295	236E	LN010080
o	A3EF	828F	4296	236F	LO010080
p	A3F0	8290	4297	2370	LP010080
q	A3F1	8291	4298	2371	LQ010080
r	A3F2	8292	4299	2372	LR010080
s	A3F3	8293	42A2	2373	LS010080
t	A3F4	8294	42A3	2374	LT010080
u	A3F5	8295	42A4	2375	LU010080
v	A3F6	8296	42A5	2376	LV010080
w	A3F7	8297	42A6	2377	LW010080
x	A3F8	8298	42A7	2378	LX010080
y	A3F9	8299	42A8	2379	LY010080
z	A3FA	829A	42A9	237A	LZ010080
あ	A4A1	829F	4447	2421	RA010080
ぁ	A4A2	82A0	4481	2422	RA000080
い	A4A3	82A1	4448	2423	RI010080


IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Graphic	EUC code	PC code	Host code	JIS code	GCGID
い	A4A4	82A2	4482	2424	RI000080
う	A4A5	82A3	4449	2425	RU010080
う	A4A6	82A4	4483	2426	RU000080
え	A4A7	82A5	4451	2427	RE010080
え	A4A8	82A6	4484	2428	RE000080
お	A4A9	82A7	4452	2429	RO010080
お	A4AA	82A8	4485	242A	RO000080
か	A4AB	82A9	4486	242B	RK100080
が	A4AC	82AA	44C0	242C	RG100080
き	A4AD	82AB	4487	242D	RK200080
ぎ	A4AE	82AC	44C1	242E	RG200080
く	A4AF	82AD	4488	242F	RK300080
ぐ	A4B0	82AE	44C2	2430	RG300080
け	A4B1	82AF	4489	2431	RK400080
げ	A4B2	82B0	44C3	2432	RG400080
こ	A4B3	82B1	448A	2433	RK500080
ご	A4B4	82B2	44C4	2434	RG500080
さ	A4B5	82B3	448C	2435	RS100080
ざ	A4B6	82B4	44C5	2436	RZ100080
し	A4B7	82B5	448D	2437	RS200080
じ	A4B8	82B6	44C6	2438	RZ200080
す	A4B9	82B7	448E	2439	RS300080
ず	A4BA	82B8	44C7	243A	RZ300080
せ	A4BB	82B9	448F	243B	RS400080
ぜ	A4BC	82BA	44C8	243C	RZ400080
そ	A4BD	82BB	4490	243D	RS500080
ぞ	A4BE	82BC	44C9	243E	RZ500080

Graphic	EUC code	PC code	Host code	JIS code	GCGID
た	A4BF	82BD	4491	243F	RT100080
だ	A4C0	82BE	44CA	2440	RD100080
ち	A4C1	82BF	4492	2441	RT200080
ぢ	A4C2	82C0	44CB	2442	RD200080
っ	A4C3	82C1	4456	2443	RT310080
っ	A4C4	82C2	4493	2444	RT300080
づ	A4C5	82C3	44CC	2445	RD300080
て	A4C6	82C4	4494	2446	RT400080
で	A4C7	82C5	44CD	2447	RD400080
と	A4C8	82C6	4495	2448	RT500080
ど	A4C9	82C7	44CE	2449	RD500080
な	A4CA	82C8	4496	244A	RN100080
に	A4CB	82C9	4497	244B	RN200080
ぬ	A4CC	82CA	4498	244C	RN300080
ね	A4CD	82CB	4499	244D	RN400080
の	A4CE	82CC	449A	244E	RN500080
は	A4CF	82CD	449D	244F	RH100080
ば	A4D0	82CE	44CF	2450	RB100080
ぱ	A4D1	82CF	44D5	2451	RP100080
ひ	A4D2	82D0	449E	2452	RH200080
び	A4D3	82D1	44D0	2453	RB200080
ぴ	A4D4	82D2	44D6	2454	RP200080
ふ	A4D5	82D3	449F	2455	RH300080
ぶ	A4D6	82D4	44D1	2456	RB300080
ぷ	A4D7	82D5	44D7	2457	RP300080
へ	A4D8	82D6	44A2	2458	RH400080
べ	A4D9	82D7	44D2	2459	RB400080


IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Graphic	EUC code	PC code	Host code	JIS code	GCGID
ぺ	A4DA	82D8	44D8	245A	RP400080
ほ	A4DB	82D9	44A3	245B	RH500080
ぼ	A4DC	82DA	44D3	245C	RB500080
ぽ	A4DD	82DB	44D9	245D	RP500080
ま	A4DE	82DC	44A4	245E	RM100080
み	A4DF	82DD	44A5	245F	RM200080
む	A4E0	82DE	44A6	2460	RM300080
め	A4E1	82DF	44A7	2461	RM400080
も	A4E2	82E0	44A8	2462	RM500080
や	A4E3	82E1	4453	2463	RY110080
ゃ	A4E4	82E2	44A9	2464	RY100080
ゆ	A4E5	82E3	4454	2465	RY310080
ゅ	A4E6	82E4	44AA	2466	RY300080
よ	A4E7	82E5	4455	2467	RY510080
ょ	A4E8	82E6	44AC	2468	RY500080
ら	A4E9	82E7	44AD	2469	RR100080
り	A4EA	82E8	44AE	246A	RR200080
る	A4EB	82E9	44AF	246B	RR300080
れ	A4EC	82EA	44BA	246C	RR400080
ろ	A4ED	82EB	44BB	246D	RR500080
わ	A4EE	82EC	4457	246E	RW110080
わ	A4EF	82ED	44BC	246F	RW100080
ゐ	A4F0	82EE	44DA	2470	RW200080
ゑ	A4F1	82EF	44DB	2471	RW400080
を	A4F2	82F0	4446	2472	RW500080
ん	A4F3	82F1	44BD	2473	RN000080
ア	A5A1	8340	4347	2521	JA010080

Graphic	EUC code	PC code	Host code	JIS code	GCGID
ア	A5A2	8341	4381	2522	JA000080
イ	A5A3	8342	4348	2523	JI010080
イ	A5A4	8343	4382	2524	JI000080
ウ	A5A5	8344	4349	2525	JU010080
ウ	A5A6	8345	4383	2526	JU000080
エ	A5A7	8346	4351	2527	JE010080
エ	A5A8	8347	4384	2528	JE000080
オ	A5A9	8348	4352	2529	JO010080
オ	A5AA	8349	4385	252A	JO000080
カ	A5AB	834A	4386	252B	JK100080
ガ	A5AC	834B	43C0	252C	JG100080
キ	A5AD	834C	4387	252D	JK200080
ギ	A5AE	834D	43C1	252E	JG200080
ク	A5AF	834E	4388	252F	JK300080
グ	A5B0	834F	43C2	2530	JG300080
ケ	A5B1	8350	4389	2531	JK400080
ゲ	A5B2	8351	43C3	2532	JG400080
コ	A5B3	8352	438A	2533	JK500080
ゴ	A5B4	8353	43C4	2534	JG500080
サ	A5B5	8354	438C	2535	JS100080
ザ	A5B6	8355	43C5	2536	JZ100080
シ	A5B7	8356	438D	2537	JS200080
ジ	A5B8	8357	43C6	2538	JZ200080
ス	A5B9	8358	438E	2539	JS300080
ズ	A5BA	8359	43C7	253A	JZ300080
セ	A5BB	835A	438F	253B	JS400080
ゼ	A5BC	835B	43C8	253C	JZ400080


IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Table 5 JIS Non-Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
ソ	A5BD	835C	4390	253D	JS500080
ゾ	A5BE	835D	43C9	253E	JZ500080
タ	A5BF	835E	4391	253F	JT100080
ダ	A5C0	835F	43CA	2540	JD100080
チ	A5C1	8360	4392	2541	JT200080
ヂ	A5C2	8361	43CB	2542	JD200080
ツ	A5C3	8362	4356	2543	JT310080
ヅ	A5C4	8363	4393	2544	JT300080
ヅ	A5C5	8364	43CC	2545	JD300080
テ	A5C6	8365	4394	2546	JT400080
デ	A5C7	8366	43CD	2547	JD400080
ト	A5C8	8367	4395	2548	JT500080
ド	A5C9	8368	43CE	2549	JD500080
ナ	A5CA	8369	4396	254A	JN100080
ニ	A5CB	836A	4397	254B	JN200080
ヌ	A5CC	836B	4398	254C	JN300080
ネ	A5CD	836C	4399	254D	JN400080
ノ	A5CE	836D	439A	254E	JN500080
ハ	A5CF	836E	439D	254F	JH100080
バ	A5D0	836F	43CF	2550	JB100080
パ	A5D1	8370	43D5	2551	JP100080
ヒ	A5D2	8371	439E	2552	JH200080
ビ	A5D3	8372	43D0	2553	JB200080
ピ	A5D4	8373	43D6	2554	JP200080
フ	A5D5	8374	439F	2555	JH300080
ブ	A5D6	8375	43D1	2556	JB300080
プ	A5D7	8376	43D7	2557	JP300080

Table 5 JIS Non-Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
ヘ	A5D8	8377	43A2	2558	JH400080
ベ	A5D9	8378	43D2	2559	JB400080
ペ	A5DA	8379	43D8	255A	JP400080
ホ	A5DB	837A	43A3	255B	JH500080
ボ	A5DC	837B	43D3	255C	JB500080
ポ	A5DD	837C	43D9	255D	JP500080
マ	A5DE	837D	43A4	255E	JM100080
ミ	A5DF	837E	43A5	255F	JM200080
ム	A5E0	8380	43A6	2560	JM300080
メ	A5E1	8381	43A7	2561	JM400080
モ	A5E2	8382	43A8	2562	JM500080
ヤ	A5E3	8383	4353	2563	JY110080
ャ	A5E4	8384	43A9	2564	JY100080
ユ	A5E5	8385	4354	2565	JY310080
ュ	A5E6	8386	43AA	2566	JY300080
ヨ	A5E7	8387	4355	2567	JY510080
ョ	A5E8	8388	43AC	2568	JY500080
ラ	A5E9	8389	43AD	2569	JR100080
リ	A5EA	838A	43AE	256A	JR200080
ル	A5EB	838B	43AF	256B	JR300080
レ	A5EC	838C	43BA	256C	JR400080
ロ	A5ED	838D	43BB	256D	JR500080
ワ	A5EE	838E	4357	256E	JW110080
ヰ	A5EF	838F	43BC	256F	JW100080
ヱ	A5F0	8390	43DA	2570	JW200080
ヲ	A5F1	8391	43DB	2571	JW400080
ヲ	A5F2	8392	4346	2572	JW500080


IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Table 5 JIS Non-Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
ン	A5F3	8393	43BD	2573	JN000080
ヴ	A5F4	8394	43D4	2574	JV000080
カ	A5F5	8395	4359	2575	JK110080
ケ	A5F6	8396	435A	2576	JK410080
A	A6A1	839F	4161	2621	GA020080
B	A6A2	83A0	4162	2622	GB020080
Γ	A6A3	83A1	4163	2623	GG020080
Δ	A6A4	83A2	4164	2624	GD020080
E	A6A5	83A3	4165	2625	GE020080
Z	A6A6	83A4	4166	2626	GZ020080
H	A6A7	83A5	4167	2627	GE320080
Θ	A6A8	83A6	4168	2628	GT620080
I	A6A9	83A7	4169	2629	GI020080
K	A6AA	83A8	416A	262A	GK020080
Λ	A6AB	83A9	416B	262B	GL020080
M	A6AC	83AA	416C	262C	GM020080
N	A6AD	83AB	416D	262D	GN020080
Ξ	A6AE	83AC	416E	262E	GX020080
O	A6AF	83AD	416F	262F	GO020080
Π	A6B0	83AE	4170	2630	GP020080
P	A6B1	83AF	4171	2631	GR020080
Σ	A6B2	83B0	4172	2632	GS020080
T	A6B3	83B1	4173	2633	GT020080
Υ	A6B4	83B2	4174	2634	GU020080
Φ	A6B5	83B3	4175	2635	GF020080
X	A6B6	83B4	4176	2636	GH020080
Ψ	A6B7	83B5	4177	2637	GP620080

Table 5 JIS Non-Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
Ω	A6B8	83B6	4178	2638	GO320080
α	A6C1	83BF	4141	2641	GA010080
β	A6C2	83C0	4142	2642	GB010080
γ	A6C3	83C1	4143	2643	GG010080
δ	A6C4	83C2	4144	2644	GD010080
ε	A6C5	83C3	4145	2645	GE010080
ζ	A6C6	83C4	4146	2646	GZ010080
η	A6C7	83C5	4147	2647	GE310080
θ	A6C8	83C6	4148	2648	GT610082
ι	A6C9	83C7	4149	2649	GI010080
κ	A6CA	83C8	414A	264A	GK010080
λ	A6CB	83C9	414B	264B	GL010080
μ	A6CC	83CA	414C	264C	GM010080
ν	A6CD	83CB	414D	264D	GN010080
ξ	A6CE	83CC	414E	264E	GX010080
ο	A6CF	83CD	414F	264F	GO010080
π	A6D0	83CE	4150	2650	GP010080
ρ	A6D1	83CF	4151	2651	GR010080
σ	A6D2	83D0	4152	2652	GS010080
τ	A6D3	83D1	4153	2653	GT010080
υ	A6D4	83D2	4154	2654	GU010080
φ	A6D5	83D3	4155	2655	GF010081
χ	A6D6	83D4	4156	2656	GH010080
ψ	A6D7	83D5	4157	2657	GP610080
ω	A6D8	83D6	4158	2658	GO310080
A	A7A1	8440	41C0	2721	KA020080
Б	A7A2	8441	41C1	2722	KB020080


IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Table 5 JIS Non-Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
В	A7A3	8442	41C2	2723	KV020080
Г	A7A4	8443	41C3	2724	KG020080
Д	A7A5	8444	41C4	2725	KD020080
Е	A7A6	8445	41C5	2726	KE020080
Ё	A7A7	8446	41C6	2727	KE180080
Ж	A7A8	8447	41C7	2728	KZ220080
З	A7A9	8448	41C8	2729	KZ020080
И	A7AA	8449	41C9	272A	KI020080
Й	A7AB	844A	41CA	272B	KJ120080
К	A7AC	844B	41CB	272C	KK020080
Л	A7AD	844C	41CC	272D	KL020080
М	A7AE	844D	41CD	272E	KM020080
Н	A7AF	844E	41CE	272F	KN020080
О	A7B0	844F	41CF	2730	KO020080
П	A7B1	8450	41D0	2731	KP020080
Р	A7B2	8451	41D1	2732	KR020080
С	A7B3	8452	41D2	2733	KS020080
Т	A7B4	8453	41D3	2734	KT020080
У	A7B5	8454	41D4	2735	KU020080
Ф	A7B6	8455	41D5	2736	KF020080
Х	A7B7	8456	41D6	2737	KH020080
Ц	A7B8	8457	41D7	2738	KC020080
Ч	A7B9	8458	41D8	2739	KC220080
Ш	A7BA	8459	41D9	273A	KS220080
Щ	A7BB	845A	41DA	273B	KS160080
Ъ	A7BC	845B	41DB	273C	KU220080
Ы	A7BD	845C	41DC	273D	KY020080

Table 5 JIS Non-Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
Ь	A7BE	845D	41DD	273E	KX120080
Э	A7BF	845E	41DE	273F	KE140080
Ю	A7C0	845F	41DF	2740	KU160080
Я	A7C1	8460	41E0	2741	KA160080
а	A7D1	8470	4180	2751	KA010080
б	A7D2	8471	4181	2752	KB010080
в	A7D3	8472	4182	2753	KV010080
г	A7D4	8473	4183	2754	KG010080
д	A7D5	8474	4184	2755	KD010080
е	A7D6	8475	4185	2756	KE010080
ё	A7D7	8476	4186	2757	KE170080
ж	A7D8	8477	4187	2758	KZ210080
з	A7D9	8478	4188	2759	KZ010080
и	A7DA	8479	4189	275A	KI010080
й	A7DB	847A	418A	275B	KJ110080
к	A7DC	847B	418B	275C	KK010080
л	A7DD	847C	418C	275D	KL010080
м	A7DE	847D	418D	275E	KM010080
н	A7DF	847E	418E	275F	KN010080
о	A7E0	8480	418F	2760	KO010080
п	A7E1	8481	4190	2761	KP010080
р	A7E2	8482	4191	2762	KR010080
с	A7E3	8483	4192	2763	KS010080
т	A7E4	8484	4193	2764	KT010080
у	A7E5	8485	4194	2765	KU010080
ф	A7E6	8486	4195	2766	KF010080
х	A7E7	8487	4196	2767	KH010080


IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Graphic	EUC code	PC code	Host code	JIS code	GCGID
Ц	A7E8	8488	4197	2768	KC010080
ч	A7E9	8489	4198	2769	KC210080
Ш	A7EA	848A	4199	276A	KS210080
ш	A7EB	848B	419A	276B	KS150080
Ъ	A7EC	848C	419B	276C	KU210080
ь	A7ED	848D	419C	276D	KY010080
Ь	A7EE	848E	419D	276E	KX110080
Э	A7EF	848F	419E	276F	KE130080
Ю	A7F0	8490	419F	2770	KU150080
я	A7F1	8491	41A0	2771	KA150080
—	A8A1	849F	437C	2821	SF100080
	A8A2	84A0	437D	2822	SF110080
┌	A8A3	84A1	437E	2823	SF010080
┐	A8A4	84A2	437F	2824	SF030080
└	A8A5	84A3	43B0	2825	SF040080
┘	A8A6	84A4	43B1	2826	SF020080
┌	A8A7	84A5	43B2	2827	SF080080
┐	A8A8	84A6	43B3	2828	SF060080
└	A8A9	84A7	43B4	2829	SF090080
┘	A8AA	84A8	43B5	282A	SF070080
┌	A8AB	84A9	43B6	282B	SF050080
—	A8AC	84AA	43B7	282C	SF100082
	A8AD	84AB	43B8	282D	SF110082
┌	A8AE	84AC	43B9	282E	SF010082
┐	A8AF	84AD	43E1	282F	SF030082
└	A8B0	84AE	43E2	2830	SF040082
┘	A8B1	84AF	43E3	2831	SF020082

Graphic	EUC code	PC code	Host code	JIS code	GCGID
┌	A8B2	84B0	43E4	2832	SF080082
┐	A8B3	84B1	43E5	2833	SF060082
└	A8B4	84B2	43E6	2834	SF090082
┘	A8B5	84B3	43E7	2835	SF070082
┌	A8B6	84B4	43E8	2836	SF050082
┐	A8B7	84B5	43E9	2837	SF080083
└	A8B8	84B6	43EA	2838	SF060083
┘	A8B9	84B7	43EB	2839	SF090083
┌	A8BA	84B8	43EC	283A	SF070083
┐	A8BB	84B9	43ED	283B	SF050083
└	A8BC	84BA	43EE	283C	SF080084
┘	A8BD	84BB	43EF	283D	SF060084
┌	A8BE	84BC	43F0	283E	SF090084
┐	A8BF	84BD	43F1	283F	SF070084
└	A8C0	84BE	43F2	2840	SF050084



IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

9.2 JIS First Level Kanji Set

Table 6 JIS First Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
亜	B0A1	889F	4867	3021	I17R0080
唾	B0A2	88A0	54D4	3022	I32S0080
娃	B0A3	88A1	557A	3023	I35M0080
阿	B0A4	88A2	46AE	3024	I0Z20080
哀	B0A5	88A3	4EF9	3025	I27T0080
愛	B0A6	88A4	45C6	3026	I0UE0080
挨	B0A7	88A5	4F81	3027	I29T0080
始	B0A8	88A6	5179	3028	I2K90080
逢	B0A9	88A7	4DCE	3029	I21A0080
葵	B0AA	88A8	50D9	302A	I2HL0080
茜	B0AB	88A9	50E2	302B	I2HU0080
穉	B0AC	88AA	509B	302C	I2FV0080
悪	B0AD	88AB	4965	302D	I1D10080
握	B0AE	88AC	4D60	302E	I1Y80080
渥	B0AF	88AD	4E43	302F	I22R0080
旭	B0B0	88AE	47EC	3030	I1640080
葦	B0B1	88AF	4E72	3031	I2420080
芦	B0B2	88B0	4ADD	3032	I1LP0080
鯨	B0B3	88B1	67AA	3033	I5UY0080
梓	B0B4	88B2	50DA	3034	I2HM0080
圧	B0B5	88B3	4782	3035	I1360080
幹	B0B6	88B4	5581	3036	I35T0080
扱	B0B7	88B5	4C69	3037	I1T50080
宛	B0B8	88B6	50AB	3038	I2GB0080
姐	B0B9	88B7	549C	3039	I3180080

Table 6 JIS First Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
虻	B0BA	88B8	5144	303A	I2IS0080
飴	B0BB	88B9	5245	303B	I2O50080
絢	B0BC	88BA	4EF7	303C	I27R0080
綾	B0BD	88BB	49DC	303D	I1GC0080
鮎	B0BE	88BC	4F8E	303E	I2A60080
或	B0BF	88BD	4D7F	303F	I1Z30080
粟	B0C0	88BE	4BFB	3040	I1RV0080
裕	B0C1	88BF	5448	3041	I2YW0080
安	B0C2	88C0	45A8	3042	I0TK0080
庵	B0C3	88C1	4EEB	3043	I27F0080
按	B0C4	88C2	5489	3044	I30P0080
暗	B0C5	88C3	4BE2	3045	I1R60080
案	B0C6	88C4	48F1	3046	I1BL0080
闇	B0C7	88C5	5364	3047	I2UC0080
鞍	B0C8	88C6	504C	3048	I2DO0080
杏	B0C9	88C7	50D0	3049	I2HC0080
以	B0CA	88C8	46F6	304A	I1120080
伊	B0CB	88C9	45B2	304B	I0TU0080
位	B0CC	88CA	47C8	304C	I1540080
依	B0CD	88CB	4A9E	304D	I1JY0080
偉	B0CE	88CC	4DFB	304E	I22J0080
囿	B0CF	88CD	4AFA	304F	I1MI0080
夷	B0D0	88CE	5147	3050	I2IV0080
委	B0D1	88CF	484F	3051	I1730080
威	B0D2	88D0	4C65	3052	I1T10080


IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Table 6 JIS First Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
尉	B0D3	88D1	5189	3053	I2KP0080
惟	B0D4	88D2	4FE0	3054	I2CG0080
意	B0D5	88D3	4763	3055	I12B0080
慰	B0D6	88D4	4FAD	3056	I2B10080
易	B0D7	88D5	47E9	3057	I1610080
椅	B0D8	88D6	4FF7	3058	I2D30080
為	B0D9	88D7	49D7	3059	I1G70080
畏	B0DA	88D8	558F	305A	I3670080
異	B0DB	88D9	4AA9	305B	I1K90080
移	B0DC	88DA	4975	305C	I1DH0080
維	B0DD	88DB	4880	305D	I18G0080
緯	B0DE	88DC	4E9A	305E	I2560080
胃	B0DF	88DD	4DF6	305F	I22E0080
萎	B0E0	88DE	5482	3060	I30I0080
衣	B0E1	88DF	4AEA	3061	I1M20080
謂	B0E2	88E0	5573	3062	I35F0080
違	B0E3	88E1	49BC	3063	I1FG0080
遺	B0E4	88E2	4CDA	3064	I1WA0080
医	B0E5	88E3	4A87	3065	I1JB0080
井	B0E6	88E4	456D	3066	I0RX0080
亥	B0E7	88E5	4F7F	3067	I29R0080
域	B0E8	88E6	48E9	3068	I1BD0080
育	B0E9	88E7	48AC	3069	I19O0080
郁	B0EA	88E8	49B3	306A	I1F70080
磯	B0EB	88E9	48AA	306B	I19M0080
一	B0EC	88EA	4541	306C	I0QP0080
壹	B0ED	88EB	4EB0	306D	I25S0080

Table 6 JIS First Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
溢	B0EE	88EC	5271	306E	I2PD0080
逸	B0EF	88ED	4AD6	306F	I1LI0080
稻	B0F0	88EE	476A	3070	I12I0080
茨	B0F1	88EF	474C	3071	I11O0080
芋	B0F2	88F0	519A	3072	I2L60080
鱒	B0F3	88F1	55C8	3073	I37S0080
允	B0F4	88F2	4C91	3074	I1U90080
印	B0F5	88F3	4799	3075	I13T0080
咽	B0F6	88F4	52B1	3076	I2R50080
員	B0F7	88F5	46CB	3077	I0ZV0080
因	B0F8	88F6	4A49	3078	I1HL0080
姻	B0F9	88F7	52B9	3079	I2RD0080
引	B0FA	88F8	46DA	307A	I10A0080
飲	B0FB	88F9	4BA3	307B	I1PF0080
淫	B0FC	88FA	554E	307C	I34E0080
胤	B0FD	88FB	4EE9	307D	I27D0080
蔭	B0FE	88FC	4E8B	307E	I24R0080
院	B1A1	8940	49D8	3121	I1G80080
陰	B1A2	8941	4CD2	3122	I1W20080
隱	B1A3	8942	4EAE	3123	I25Q0080
韻	B1A4	8943	5577	3124	I35J0080
吋	B1A5	8944	55BC	3125	I37G0080
右	B1A6	8945	485A	3126	I17E0080
宇	B1A7	8946	46D5	3127	I1050080
烏	B1A8	8947	5099	3128	I2FT0080
羽	B1A9	8948	478F	3129	I13J0080
迂	B1AA	8949	55DF	312A	I38F0080


IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Table 6 JIS First Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
雨	B1AB	894A	49DD	312B	I1GD0080
卯	B1AC	894B	4C82	312C	I1TU0080
鶉	B1AD	894C	4BE7	312D	I1RB0080
窺	B1AE	894D	559E	312E	I36M0080
丑	B1AF	894E	4DEC	312F	I2240080
碓	B1B0	894F	4FB1	3130	I2B50080
臼	B1B1	8950	4A89	3131	I1JD0080
渦	B1B2	8951	51A0	3132	I2LC0080
嘘	B1B3	8952	50F3	3133	I2IB0080
唄	B1B4	8953	4CDB	3134	I1WB0080
鬱	B1B5	8954	55F7	3135	I3930080
蔚	B1B6	8955	549A	3136	I3160080
鰻	B1B7	8956	54AB	3137	I31N0080
姥	B1B8	8957	5255	3138	I2OL0080
厩	B1B9	8958	5367	3139	I2UF0080
浦	B1BA	8959	466B	313A	I0X70080
瓜	B1BB	895A	4E64	313B	I23O0080
閏	B1BC	895B	545F	313C	I2ZJ0080
噂	B1BD	895C	529B	313D	I2QJ0080
云	B1BE	895D	499D	313E	I1EL0080
運	B1BF	895E	46AB	313F	I0YZ0080
雲	B1C0	895F	4ABC	3140	I1KS0080
荏	B1C1	8960	515F	3141	I2JJ0080
餌	B1C2	8961	50A7	3142	I2G70080
叡	B1C3	8962	5194	3143	I2L00080
營	B1C4	8963	48D3	3144	I1AR0080
嬰	B1C5	8964	55E8	3145	I38O0080

Table 6 JIS First Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
影	B1C6	8965	495E	3146	I1CU0080
映	B1C7	8966	47AC	3147	I14C0080
曳	B1C8	8967	4EBC	3148	I2640080
栄	B1C9	8968	45FA	3149	I0VU0080
永	B1CA	8969	45FB	314A	I0VV0080
泳	B1CB	896A	4F57	314B	I28N0080
洩	B1CC	896B	50B7	314C	I2GN0080
瑛	B1CD	896C	4F52	314D	I28I0080
盈	B1CE	896D	51B5	314E	I2LX0080
穎	B1CF	896E	5254	314F	I2OK0080
穎	B1D0	896F	5576	3150	I35I0080
英	B1D1	8970	45EE	3151	I0VI0080
衛	B1D2	8971	4780	3152	I1340080
詠	B1D3	8972	51C1	3153	I2M90080
銳	B1D4	8973	4D6F	3154	I1YN0080
液	B1D5	8974	4A45	3155	I1HH0080
疫	B1D6	8975	50CE	3156	I2HA0080
益	B1D7	8976	4774	3157	I12S0080
馱	B1D8	8977	49AC	3158	I1F00080
悅	B1D9	8978	4873	3159	I1830080
謁	B1DA	8979	54E5	315A	I3390080
越	B1DB	897A	46DF	315B	I10F0080
閱	B1DC	897B	5177	315C	I2K70080
榎	B1DD	897C	49EB	315D	I1GR0080
厭	B1DE	897D	53B7	315E	I2WN0080
円	B1DF	897E	4645	315F	I0W50080
園	B1E0	8980	47E1	3160	I15T0080


IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Table 6 JIS First Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
堰	B1E1	8981	50A4	3161	I2G40080
奄	B1E2	8982	52F2	3162	I2SY0080
宴	B1E3	8983	5078	3163	I2EW0080
延	B1E4	8984	47D0	3164	I15C0080
怨	B1E5	8985	54DE	3165	I3320080
掩	B1E6	8986	55D0	3166	I3800080
援	B1E7	8987	4AD5	3167	I1LH0080
沿	B1E8	8988	4E6F	3168	I23Z0080
演	B1E9	8989	49ED	3169	I1GT0080
炎	B1EA	898A	4DAD	316A	I20D0080
焰	B1EB	898B	53EE	316B	I2Y60080
煙	B1EC	898C	4BDD	316C	I1R10080
燕	B1ED	898D	5047	316D	I2DJ0080
猿	B1EE	898E	4C5A	316E	I1SQ0080
縁	B1EF	898F	4BAA	316F	I1PM0080
艶	B1F0	8990	4D54	3170	I1XW0080
苑	B1F1	8991	504B	3171	I2DN0080
菌	B1F2	8992	4CEC	3172	I1WS0080
遠	B1F3	8993	46E3	3173	I10J0080
鉛	B1F4	8994	49D4	3174	I1G40080
鴛	B1F5	8995	52C3	3175	I2RN0080
塩	B1F6	8996	4743	3176	I11F0080
於	B1F7	8997	4DA4	3177	I2040080
汚	B1F8	8998	4E82	3178	I24I0080
甥	B1F9	8999	55D7	3179	I3870080
凹	B1FA	899A	50E6	317A	I2HY0080
央	B1FB	899B	4792	317B	I13M0080

Table 6 JIS First Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
奥	B1FC	899C	46E5	317C	I10L0080
往	B1FD	899D	4CEA	317D	I1WQ0080
応	B1FE	899E	4895	317E	I1910080
押	B2A1	899F	49E1	3221	I1GH0080
旺	B2A2	89A0	4FA3	3222	I2AR0080
横	B2A3	89A1	45F2	3223	I0VM0080
欧	B2A4	89A2	4AA0	3224	I1K00080
殴	B2A5	89A3	5459	3225	I2ZD0080
王	B2A6	89A4	49B1	3226	I1F50080
翁	B2A7	89A5	4FFB	3227	I2D70080
襖	B2A8	89A6	546C	3228	I2ZW0080
鶯	B2A9	89A7	67D0	3229	I5W00080
鷗	B2AA	89A8	5464	322A	I2ZO0080
黄	B2AB	89A9	4AC6	322B	I1L20080
岡	B2AC	89AA	4572	322C	I0S20080
冲	B2AD	89AB	47FD	322D	I16L0080
荻	B2AE	89AC	49E0	322E	I1GG0080
億	B2AF	89AD	454E	322F	I0R20080
屋	B2B0	89AE	45E9	3230	I0VD0080
憶	B2B1	89AF	4E6C	3231	I23W0080
臆	B2B2	89B0	5474	3232	I3040080
桶	B2B3	89B1	4E77	3233	I2470080
牡	B2B4	89B2	509A	3234	I2FU0080
乙	B2B5	89B3	4BBD	3235	I1Q50080
俺	B2B6	89B4	4E67	3236	I23R0080
卸	B2B7	89B5	4E79	3237	I2490080
恩	B2B8	89B6	4C81	3238	I1TT0080


IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Table 6 JIS First Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
温	B2B9	89B7	4950	3239	I1CG0080
穩	B2BA	89B8	50B8	323A	I2GO0080
音	B2BB	89B9	484D	323B	I1710080
下	B2BC	89BA	455F	323C	I0RJ0080
化	B2BD	89BB	4590	323D	I0SW0080
仮	B2BE	89BC	4D71	323E	I1YP0080
何	B2BF	89BD	4770	323F	I12O0080
伽	B2C0	89BE	5461	3240	I2ZL0080
価	B2C1	89BF	475A	3241	I1220080
佳	B2C2	89C0	4876	3242	I1860080
加	B2C3	89C1	459F	3243	I0TB0080
可	B2C4	89C2	47C6	3244	I1520080
嘉	B2C5	89C3	477E	3245	I1320080
夏	B2C6	89C4	497E	3246	I1DQ0080
嫁	B2C7	89C5	4E89	3247	I24P0080
家	B2C8	89C6	4686	3248	I0XY0080
寡	B2C9	89C7	52B8	3249	I2RC0080
科	B2CA	89C8	48ED	324A	I1BH0080
暇	B2CB	89C9	4F46	324B	I2860080
果	B2CC	89CA	47B9	324C	I14P0080
架	B2CD	89CB	4EE8	324D	I27C0080
歌	B2CE	89CC	46F7	324E	I1130080
河	B2CF	89CD	465A	324F	I0WQ0080
火	B2D0	89CE	4785	3250	I1390080
珂	B2D1	89CF	4C9A	3251	I1UI0080
禍	B2D2	89D0	5286	3252	I2PY0080
禾	B2D3	89D1	5463	3253	I2ZN0080

Table 6 JIS First Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
稼	B2D4	89D2	4DBE	3254	I20U0080
箇	B2D5	89D3	4F51	3255	I28H0080
花	B2D6	89D4	46D9	3256	I1090080
苛	B2D7	89D5	5377	3257	I2UV0080
茄	B2D8	89D6	547A	3258	I30A0080
荷	B2D9	89D7	4BA1	3259	I1PD0080
華	B2DA	89D8	4B6C	325A	I1NW0080
菓	B2DB	89D9	4C51	325B	I1SH0080
蝦	B2DC	89DA	51C3	325C	I2MB0080
課	B2DD	89DB	49D6	325D	I1G60080
嘩	B2DE	89DC	52CA	325E	I2RU0080
貨	B2DF	89DD	4AEB	325F	I1M30080
迦	B2E0	89DE	535D	3260	I2U50080
過	B2E1	89DF	488D	3261	I18T0080
霞	B2E2	89E0	4EE4	3262	I2780080
蚊	B2E3	89E1	4FAA	3263	I2AY0080
俄	B2E4	89E2	54C7	3264	I32F0080
峨	B2E5	89E3	4F9D	3265	I2AL0080
我	B2E6	89E4	49DE	3266	I1GE0080
牙	B2E7	89E5	53FC	3267	I2YK0080
画	B2E8	89E6	4677	3268	I0XJ0080
臥	B2E9	89E7	538A	3269	I2VE0080
芽	B2EA	89E8	4EBA	326A	I2620080
蛾	B2EB	89E9	5599	326B	I36H0080
賀	B2EC	89EA	4641	326C	I0W10080
雅	B2ED	89EB	4745	326D	I11H0080
餓	B2EE	89EC	554B	326E	I34B0080


IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Table 6 JIS First Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
駕	B2EF	89ED	53BE	326F	I2WU0080
介	B2F0	89EE	484B	3270	I16Z0080
会	B2F1	89EF	45BD	3271	I0U50080
解	B2F2	89F0	47B7	3272	I14N0080
回	B2F3	89F1	46A9	3273	I0YX0080
塊	B2F4	89F2	5053	3274	I2DV0080
壞	B2F5	89F3	4EC8	3275	I26G0080
廻	B2F6	89F4	4BAF	3276	I1PR0080
快	B2F7	89F5	4C60	3277	I1SW0080
怪	B2F8	89F6	4E71	3278	I2410080
悔	B2F9	89F7	5091	3279	I2FL0080
恢	B2FA	89F8	5594	327A	I36C0080
懷	B2FB	89F9	4EF2	327B	I27M0080
戒	B2FC	89FA	4DA0	327C	I2000080
拐	B2FD	89FB	53A2	327D	I2W20080
改	B2FE	89FC	488F	327E	I18V0080
魁	B3A1	8A40	52CB	3321	I2RV0080
晦	B3A2	8A41	556D	3322	I3590080
械	B3A3	8A42	4682	3323	I0XU0080
海	B3A4	8A43	45A7	3324	I0TJ0080
灰	B3A5	8A44	4AF5	3325	I1MD0080
界	B3A6	8A45	47AE	3326	I14E0080
皆	B3A7	8A46	4AB0	3327	I1KG0080
繪	B3A8	8A47	4AE4	3328	I1LW0080
芥	B3A9	8A48	4F7B	3329	I29N0080
蟹	B3AA	8A49	5090	332A	I2FK0080
開	B3AB	8A4A	46CD	332B	I0ZX0080

Table 6 JIS First Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
階	B3AC	8A4B	49A9	332C	I1EX0080
貝	B3AD	8A4C	49EA	332D	I1GQ0080
凱	B3AE	8A4D	51AC	332E	I2LO0080
効	B3AF	8A4E	556A	332F	I3560080
外	B3B0	8A4F	4694	3330	I0YC0080
咳	B3B1	8A50	53E9	3331	I2Y10080
害	B3B2	8A51	4968	3332	I1D40080
崖	B3B3	8A52	5074	3333	I2ES0080
慨	B3B4	8A53	528A	3334	I2Q20080
概	B3B5	8A54	4C42	3335	I1S20080
涯	B3B6	8A55	4F91	3336	I2A90080
碍	B3B7	8A56	5356	3337	I2TY0080
蓋	B3B8	8A57	4F6D	3338	I2990080
街	B3B9	8A58	4BA5	3339	I1PH0080
該	B3BA	8A59	4D8D	333A	I1ZH0080
鎧	B3BB	8A5A	546D	333B	I2ZX0080
骸	B3BC	8A5B	559C	333C	I36K0080
湮	B3BD	8A5C	55CC	333D	I37W0080
馨	B3BE	8A5D	4B85	333E	I1OL0080
蛙	B3BF	8A5E	55BB	333F	I37F0080
垣	B3C0	8A5F	47CE	3340	I15A0080
柿	B3C1	8A60	4AC1	3341	I1KX0080
蛎	B3C2	8A61	62E1	3342	I55T0080
鈎	B3C3	8A62	538F	3343	I2VJ0080
劃	B3C4	8A63	55D6	3344	I3860080
嚇	B3C5	8A64	55D8	3345	I3880080
各	B3C6	8A65	47BA	3346	I14Q0080


IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Table 6 JIS First Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
廓	B3C7	8A66	54AD	3347	I31P0080
拈	B3C8	8A67	48E5	3348	I1B90080
攪	B3C9	8A68	5B52	3349	I40I0080
格	B3CA	8A69	47DE	334A	I15Q0080
核	B3CB	8A6A	4B9E	334B	I1PA0080
殼	B3CC	8A6B	50C0	334C	I2GW0080
獲	B3CD	8A6C	4D61	334D	I1Y90080
確	B3CE	8A6D	487A	334E	I18A0080
穫	B3CF	8A6E	4F5C	334F	I28S0080
覺	B3D0	8A6F	4A4C	3350	I1HO0080
角	B3D1	8A70	477D	3351	I1310080
赫	B3D2	8A71	53CC	3352	I2X80080
較	B3D3	8A72	4A5A	3353	I1I20080
郭	B3D4	8A73	5162	3354	I2JM0080
閣	B3D5	8A74	4AE9	3355	I1M10080
隔	B3D6	8A75	505A	3356	I2E20080
革	B3D7	8A76	4AA3	3357	I1K30080
学	B3D8	8A77	45BE	3358	I0U60080
岳	B3D9	8A78	4D46	3359	I1XI0080
樂	B3DA	8A79	4761	335A	I1290080
額	B3DB	8A7A	47F1	335B	I1690080
顎	B3DC	8A7B	548E	335C	I30U0080
掛	B3DD	8A7C	4AE3	335D	I1LV0080
笠	B3DE	8A7D	47E0	335E	I15S0080
櫛	B3DF	8A7E	4B6F	335F	I1NZ0080
櫃	B3E0	8A80	4FB2	3360	I2B60080
梶	B3E1	8A81	49AD	3361	I1F10080

Table 6 JIS First Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
鰓	B3E2	8A82	5571	3362	I35D0080
瀉	B3E3	8A83	46C2	3363	I0ZM0080
割	B3E4	8A84	47D6	3364	I15I0080
喝	B3E5	8A85	5475	3365	I3050080
恰	B3E6	8A86	5384	3366	I2V80080
括	B3E7	8A87	4FC5	3367	I2BP0080
活	B3E8	8A88	47B4	3368	I14K0080
渴	B3E9	8A89	5441	3369	I2YP0080
滑	B3EA	8A8A	4BA2	336A	I1PE0080
葛	B3EB	8A8B	48DF	336B	I1B30080
褐	B3EC	8A8C	545E	336C	I2ZI0080
轄	B3ED	8A8D	50FE	336D	I2IM0080
且	B3EE	8A8E	4F97	336E	I2AF0080
鯉	B3EF	8A8F	53D5	336F	I2XH0080
叶	B3F0	8A90	4F59	3370	I28P0080
椀	B3F1	8A91	5163	3371	I2JN0080
樺	B3F2	8A92	4E69	3372	I23T0080
鞆	B3F3	8A93	5445	3373	I2YT0080
株	B3F4	8A94	4856	3374	I17A0080
兜	B3F5	8A95	51BE	3375	I2M60080
竈	B3F6	8A96	6046	3376	I4QU0080
蒲	B3F7	8A97	49B2	3377	I1F60080
釜	B3F8	8A98	4ACC	3378	I1L80080
鎌	B3F9	8A99	4962	3379	I1CY0080
嚙	B3FA	8A9A	547D	337A	I30D0080
鴨	B3FB	8A9B	4C54	337B	I1SK0080
栢	B3FC	8A9C	5242	337C	I2O20080


IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Table 6 JIS First Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
茅	B3FD	8A9D	4BD3	337D	I1QR0080
萱	B3FE	8A9E	4F7C	337E	I29O0080
粥	B4A1	8A9F	52AB	3421	I2QZ0080
刈	B4A2	8AA0	4B9B	3422	I1P70080
蒯	B4A3	8AA1	4E5D	3423	I23H0080
瓦	B4A4	8AA2	49C2	3424	I1FM0080
乾	B4A5	8AA3	4970	3425	I1DC0080
侃	B4A6	8AA4	4F98	3426	I2AG0080
冠	B4A7	8AA5	4E7B	3427	I24B0080
寒	B4A8	8AA6	4B81	3428	I1OH0080
刊	B4A9	8AA7	4CD7	3429	I1W70080
勘	B4AA	8AA8	4B9A	342A	I1P60080
勸	B4AB	8AA9	4C7E	342B	I1TQ0080
卷	B4AC	8AAA	4893	342C	I18Z0080
喚	B4AD	8AAB	52B5	342D	I2R90080
堪	B4AE	8AAC	4FAC	342E	I2B00080
姦	B4AF	8AAD	55DE	342F	I38E0080
完	B4B0	8AAE	48C5	3430	I1AD0080
官	B4B1	8AAF	49A2	3431	I1EQ0080
寬	B4B2	8AB0	47F8	3432	I16G0080
干	B4B3	8AB1	4A6F	3433	I1IN0080
幹	B4B4	8AB2	48DA	3434	I1AY0080
患	B4B5	8AB3	4DEB	3435	I2230080
感	B4B6	8AB4	47F7	3436	I16F0080
慣	B4B7	8AB5	4DD3	3437	I21F0080
憾	B4B8	8AB6	51A5	3438	I2LH0080
換	B4B9	8AB7	49AA	3439	I1EY0080

Table 6 JIS First Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
敢	B4BA	8AB8	4FCF	343A	I2BZ0080
柑	B4BB	8AB9	4EC1	343B	I2690080
桓	B4BC	8ABA	536D	343C	I2UL0080
棺	B4BD	8ABB	55B6	343D	I37A0080
款	B4BE	8ABC	4EFB	343E	I27V0080
歡	B4BF	8ABD	4D4E	343F	I1XQ0080
汗	B4C0	8ABE	4EC4	3440	I26C0080
漢	B4C1	8ABF	4F58	3441	I28O0080
澗	B4C2	8AC0	54BA	3442	I3220080
灌	B4C3	8AC1	5DAA	3443	I4DM0080
環	B4C4	8AC2	4AB9	3444	I1KP0080
甘	B4C5	8AC3	4B55	3445	I1N90080
監	B4C6	8AC4	49E3	3446	I1GJ0080
看	B4C7	8AC5	4DA2	3447	I2020080
竿	B4C8	8AC6	5287	3448	I2PZ0080
管	B4C9	8AC7	46F2	3449	I10Y0080
簡	B4CA	8AC8	4BEC	344A	I1RG0080
緩	B4CB	8AC9	4CFC	344B	I1X80080
缶	B4CC	8ACA	5084	344C	I2F80080
翰	B4CD	8ACB	54B6	344D	I31Y0080
肝	B4CE	8ACC	4C8C	344E	I1U40080
艦	B4CF	8ACD	4C4A	344F	I1SA0080
莞	B4D0	8ACE	51EE	3450	I2NI0080
觀	B4D1	8ACF	487E	3451	I18E0080
諫	B4D2	8AD0	63E0	3452	I5B40080
貫	B4D3	8AD1	49A1	3453	I1EP0080
還	B4D4	8AD2	4DA9	3454	I2090080


IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Table 6 JIS First Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
鑑	B4D5	8AD3	4E4E	3455	I2320080
間	B4D6	8AD4	45C1	3456	I0U90080
閑	B4D7	8AD5	4DD9	3457	I21L0080
閑	B4D8	8AD6	45C5	3458	I0UD0080
陷	B4D9	8AD7	4FFE	3459	I2DA0080
韓	B4DA	8AD8	4E75	345A	I2450080
館	B4DB	8AD9	4862	345B	I17M0080
館	B4DC	8ADA	4CAA	345C	I1UY0080
丸	B4DD	8ADB	467A	345D	I0XM0080
含	B4DE	8ADC	49CB	345E	I1FV0080
岸	B4DF	8ADD	4748	345F	I11K0080
巖	B4E0	8ADE	49CF	3460	I1FZ0080
玩	B4E1	8ADF	4E4C	3461	I2300080
癌	B4E2	8AE0	5447	3462	I2YV0080
眼	B4E3	8AE1	49A5	3463	I1ET0080
岩	B4E4	8AE2	45BF	3464	I0U70080
翫	B4E5	8AE3	558B	3465	I3630080
贗	B4E6	8AE4	5584	3466	I35W0080
雁	B4E7	8AE5	51A4	3467	I2LG0080
頑	B4E8	8AE6	539D	3468	I2VX0080
顏	B4E9	8AE7	48B8	3469	I1A00080
願	B4EA	8AE8	4C57	346A	I1SN0080
企	B4EB	8AE9	47D2	346B	I15E0080
伎	B4EC	8AEA	4E9F	346C	I25B0080
危	B4ED	8AEB	4B91	346D	I1OX0080
喜	B4EE	8AEC	45D1	346E	I0UP0080
器	B4EF	8AED	45FC	346F	I0VW0080

Table 6 JIS First Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
基	B4F0	8AEE	46F1	3470	I10X0080
奇	B4F1	8AEF	4D69	3471	I1YH0080
嬉	B4F2	8AF0	4F8B	3472	I2A30080
寄	B4F3	8AF1	49DF	3473	I1GF0080
岐	B4F4	8AF2	474A	3474	I11M0080
希	B4F5	8AF3	4AB5	3475	I1KL0080
幾	B4F6	8AF4	4B57	3476	I1NB0080
忌	B4F7	8AF5	5097	3477	I2FR0080
揮	B4F8	8AF6	4BF2	3478	I1RM0080
机	B4F9	8AF7	4D96	3479	I1ZQ0080
旗	B4FA	8AF8	4DAB	347A	I20B0080
既	B4FB	8AF9	4B77	347B	I1O70080
期	B4FC	8AFA	468B	347C	I0Y30080
棋	B4FD	8AFB	4EF1	347D	I27L0080
棄	B4FE	8AFC	4EB1	347E	I25T0080
機	B5A1	8B40	4579	3521	I0S90080
埽	B5A2	8B41	4982	3522	I1DU0080
毅	B5A3	8B42	4A5B	3523	I1I30080
氣	B5A4	8B43	45B9	3524	I0U10080
汽	B5A5	8B44	494C	3525	I1CC0080
畿	B5A6	8B45	50D4	3526	I2HG0080
祈	B5A7	8B46	4ED8	3527	I26W0080
季	B5A8	8B47	4AEC	3528	I1M40080
稀	B5A9	8B48	5264	3529	I2P00080
紀	B5AA	8B49	46DB	352A	I10B0080
徽	B5AB	8B4A	55E0	352B	I38G0080
規	B5AC	8B4B	46FB	352C	I1170080


IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Table 6 JIS First Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
記	B5AD	8B4C	4794	352D	I13O0080
貴	B5AE	8B4D	487F	352E	I18F0080
起	B5AF	8B4E	48D0	352F	I1AO0080
軌	B5B0	8B4F	4DAA	3530	I20A0080
輝	B5B1	8B50	4787	3531	I13B0080
飢	B5B2	8B51	53CE	3532	I2XA0080
騎	B5B3	8B52	5058	3533	I2E00080
鬼	B5B4	8B53	4AC8	3534	I1L40080
亀	B5B5	8B54	47C0	3535	I14W0080
偽	B5B6	8B55	5059	3536	I2E10080
儀	B5B7	8B56	49CA	3537	I1FU0080
妓	B5B8	8B57	5395	3538	I2VP0080
宜	B5B9	8B58	4D8B	3539	I1ZF0080
戲	B5BA	8B59	4F92	353A	I2AA0080
技	B5BB	8B5A	48F7	353B	I1BR0080
擬	B5BC	8B5B	4FCD	353C	I2BX0080
欺	B5BD	8B5C	517D	353D	I2KD0080
儀	B5BE	8B5D	4FDC	353E	I2CC0080
疑	B5BF	8B5E	4CB4	353F	I1V80080
祇	B5C0	8B5F	5192	3540	I2KY0080
義	B5C1	8B60	4598	3541	I0T40080
蟻	B5C2	8B61	51C6	3542	I2ME0080
誼	B5C3	8B62	5265	3543	I2P10080
議	B5C4	8B63	4781	3544	I1350080
掬	B5C5	8B64	5541	3545	I3410080
菊	B5C6	8B65	46D7	3546	I1070080
鞠	B5C7	8B66	51ED	3547	I2NH0080

Table 6 JIS First Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
吉	B5C8	8B67	457E	3548	I0SE0080
吃	B5C9	8B68	55EA	3549	I38Q0080
喫	B5CA	8B69	4D6D	354A	I1YL0080
桔	B5CB	8B6A	534B	354B	I2TN0080
橘	B5CC	8B6B	4BC2	354C	I1QA0080
詰	B5CD	8B6C	4B5F	354D	I1NJ0080
砧	B5CE	8B6D	5248	354E	I2O80080
杵	B5CF	8B6E	4AA6	354F	I1K60080
黍	B5D0	8B6F	55AE	3550	I3720080
却	B5D1	8B70	4AA4	3551	I1K40080
客	B5D2	8B71	4ADE	3552	I1LQ0080
脚	B5D3	8B72	4D5C	3553	I1Y40080
虐	B5D4	8B73	5260	3554	I2OW0080
逆	B5D5	8B74	4BFC	3555	I1RW0080
丘	B5D6	8B75	4D56	3556	I1XY0080
久	B5D7	8B76	458A	3557	I0SQ0080
仇	B5D8	8B77	5085	3558	I2F90080
休	B5D9	8B78	4A81	3559	I1J50080
及	B5DA	8B79	485C	355A	I17G0080
吸	B5DB	8B7A	4B98	355B	I1P40080
宮	B5DC	8B7B	4592	355C	I0SY0080
弓	B5DD	8B7C	4B63	355D	I1NN0080
急	B5DE	8B7D	47CC	355E	I1580080
救	B5DF	8B7E	4C5C	355F	I1SS0080
朽	B5E0	8B80	50F0	3560	I2I80080
求	B5E1	8B81	49A0	3561	I1EO0080
汲	B5E2	8B82	50C8	3562	I2H40080


IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Table 6 JIS First Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
泣	B5E3	8B83	4D4B	3563	I1XN0080
灸	B5E4	8B84	5473	3564	I3030080
球	B5E5	8B85	48DB	3565	I1AZ0080
究	B5E6	8B86	4986	3566	I1DY0080
窮	B5E7	8B87	50AA	3567	I2GA0080
笈	B5E8	8B88	51CF	3568	I2MN0080
級	B5E9	8B89	49F3	3569	I1GZ0080
糾	B5EA	8B8A	51FE	356A	I2NY0080
給	B5EB	8B8B	4757	356B	I11Z0080
旧	B5EC	8B8C	4C7B	356C	I1TN0080
牛	B5ED	8B8D	4973	356D	I1DF0080
去	B5EE	8B8E	4ACA	356E	I1L60080
居	B5EF	8B8F	485E	356F	I17I0080
巨	B5F0	8B90	4A52	3570	I1HU0080
拒	B5F1	8B91	4F61	3571	I28X0080
扱	B5F2	8B92	4D77	3572	I1YV0080
挙	B5F3	8B93	4B82	3573	I1OI0080
渠	B5F4	8B94	527A	3574	I2PM0080
虚	B5F5	8B95	4F72	3575	I29E0080
許	B5F6	8B96	4A9A	3576	I1JU0080
距	B5F7	8B97	4DC2	3577	I20Y0080
鋸	B5F8	8B98	51E7	3578	I2NB0080
漁	B5F9	8B99	4B78	3579	I1O80080
禦	B5FA	8B9A	55AA	357A	I36Y0080
魚	B5FB	8B9B	48EE	357B	I1BI0080
亨	B5FC	8B9C	4BAC	357C	I1PO0080
享	B5FD	8B9D	4B73	357D	I1O30080

Table 6 JIS First Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
京	B5FE	8B9E	4575	357E	I0S50080
供	B6A1	8B9F	48BC	3621	I1A40080
狭	B6A2	8BA0	52EC	3622	I2SS0080
僑	B6A3	8BA1	55AD	3623	I3710080
兇	B6A4	8BA2	555A	3624	I34Q0080
競	B6A5	8BA3	4971	3625	I1DD0080
共	B6A6	8BA4	47B3	3626	I14J0080
凶	B6A7	8BA5	51EC	3627	I2NG0080
協	B6A8	8BA6	47D7	3628	I15J0080
匡	B6A9	8BA7	4D4D	3629	I1XP0080
卿	B6AA	8BA8	53E2	362A	I2XU0080
叫	B6AB	8BA9	4DD5	362B	I21H0080
喬	B6AC	8BAA	4C5F	362C	I1SV0080
境	B6AD	8BAB	4A95	362D	I1JP0080
峽	B6AE	8BAC	51B3	362E	I2LV0080
強	B6AF	8BAD	46D2	362F	I1020080
疆	B6B0	8BAE	5385	3630	I2V90080
怯	B6B1	8BAF	5542	3631	I3420080
恐	B6B2	8BB0	4BD5	3632	I1QT0080
恭	B6B3	8BB1	494E	3633	I1CE0080
挟	B6B4	8BB2	55B1	3634	I3750080
教	B6B5	8BB3	47A5	3635	I1450080
橋	B6B6	8BB4	4589	3636	I0SP0080
況	B6B7	8BB5	4A58	3637	I1I00080
狂	B6B8	8BB6	4E5A	3638	I23E0080
狹	B6B9	8BB7	4C9E	3639	I1UM0080
矯	B6BA	8BB8	51BB	363A	I2M30080


IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Table 6 JIS First Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
胸	B6BB	8BB9	4BE3	363B	I1R70080
脅	B6BC	8BBA	5051	363C	I2DT0080
興	B6BD	8BBB	466A	363D	I0X60080
蕎	B6BE	8BBC	5565	363E	I3510080
郷	B6BF	8BBD	4995	363F	I1ED0080
鏡	B6C0	8BBE	4A8D	3640	I1JH0080
響	B6C1	8BBF	4A5C	3641	I1I40080
饗	B6C2	8BC0	51D5	3642	I2MT0080
驚	B6C3	8BC1	4CD5	3643	I1W50080
仰	B6C4	8BC2	4DED	3644	I2250080
凝	B6C5	8BC3	4ED9	3645	I26X0080
堯	B6C6	8BC4	6880	3646	I5Z40080
曉	B6C7	8BC5	4C83	3647	I1TV0080
業	B6C8	8BC6	456B	3648	I0RV0080
局	B6C9	8BC7	488B	3649	I18R0080
曲	B6CA	8BC8	49B6	364A	I1FA0080
極	B6CB	8BC9	49B7	364B	I1FB0080
玉	B6CC	8BCA	45FD	364C	I0VX0080
桐	B6CD	8BCB	49C0	364D	I1FK0080
秆	B6CE	8BCC	55E7	364E	I38N0080
僅	B6CF	8BCD	4FC9	364F	I2BT0080
勤	B6D0	8BCE	499F	3650	I1EN0080
均	B6D1	8BCF	49AE	3651	I1F20080
巾	B6D2	8BD0	4A7D	3652	I1J10080
錦	B6D3	8BD1	4B8E	3653	I1OU0080
斤	B6D4	8BD2	54CF	3654	I32N0080
欣	B6D5	8BD3	4B9D	3655	I1P90080

Table 6 JIS First Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
欽	B6D6	8BD4	4CF8	3656	I1X40080
琴	B6D7	8BD5	4CD8	3657	I1W80080
禁	B6D8	8BD6	4D75	3658	I1YT0080
禽	B6D9	8BD7	555D	3659	I34T0080
筋	B6DA	8BD8	4B8F	365A	I1OV0080
緊	B6DB	8BD9	4B97	365B	I1P30080
芹	B6DC	8BDA	4DD0	365C	I21C0080
菌	B6DD	8BDB	4C73	365D	I1TF0080
衿	B6DE	8BDC	4AA7	365E	I1K70080
襟	B6DF	8BDD	54AF	365F	I31R0080
謹	B6E0	8BDE	4D87	3660	I1ZB0080
近	B6E1	8BDF	4673	3661	I0XF0080
金	B6E2	8BE0	4586	3662	I0SM0080
吟	B6E3	8BE1	507A	3663	I2EY0080
銀	B6E4	8BE2	478C	3664	I13G0080
九	B6E5	8BE3	4549	3665	I0QX0080
俱	B6E6	8BE4	4F63	3666	I28Z0080
句	B6E7	8BE5	4C8B	3667	I1U30080
区	B6E8	8BE6	4554	3668	I0R80080
狗	B6E9	8BE7	5274	3669	I2PG0080
玖	B6EA	8BE8	4DE9	366A	I2210080
矩	B6EB	8BE9	4E4D	366B	I2310080
苦	B6EC	8BEA	4A5F	366C	I1I70080
軀	B6ED	8BEB	5353	366D	I2TV0080
駟	B6EE	8BEC	4CFE	366E	I1XA0080
駟	B6EF	8BED	4F85	366F	I29X0080
駒	B6F0	8BEE	49FC	3670	I1H80080


IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Table 6 JIS First Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
具	B6F1	8BEF	47AF	3671	I14F0080
愚	B6F2	8BF0	52B2	3672	I2R60080
虞	B6F3	8BF1	5588	3673	I3600080
喰	B6F4	8BF2	4EB9	3674	I2610080
空	B6F5	8BF3	478D	3675	I13H0080
偶	B6F6	8BF4	50C3	3676	I2GZ0080
寓	B6F7	8BF5	55F4	3677	I3900080
遇	B6F8	8BF6	49EC	3678	I1GS0080
隅	B6F9	8BF7	4BB9	3679	I1Q10080
串	B6FA	8BF8	4CB8	367A	I1VC0080
櫛	B6FB	8BF9	4DA6	367B	I2060080
釧	B6FC	8BFA	4BF0	367C	I1RK0080
屑	B6FD	8BFB	54B2	367D	I31U0080
屈	B6FE	8BFC	4D94	367E	I1ZO0080
掘	B7A1	8C40	4D44	3721	I1XG0080
窟	B7A2	8C41	50A6	3722	I2G60080
沓	B7A3	8C42	4FF8	3723	I2D40080
靴	B7A4	8C43	4DF1	3724	I2290080
轡	B7A5	8C44	52E1	3725	I2SH0080
窪	B7A6	8C45	4A65	3726	I1ID0080
熊	B7A7	8C46	467F	3727	I0XR0080
隈	B7A8	8C47	4CE5	3728	I1WL0080
条	B7A9	8C48	4E85	3729	I24L0080
栗	B7AA	8C49	479B	372A	I13V0080
繰	B7AB	8C4A	4B69	372B	I1NT0080
桑	B7AC	8C4B	4879	372C	I1890080
鍬	B7AD	8C4C	4F70	372D	I29C0080

Table 6 JIS First Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
勲	B7AE	8C4D	497A	372E	I1DM0080
君	B7AF	8C4E	47CF	372F	I15B0080
薫	B7B0	8C4F	4998	3730	I1EG0080
訓	B7B1	8C50	4BC8	3731	I1QG0080
群	B7B2	8C51	47B1	3732	I14H0080
軍	B7B3	8C52	4897	3733	I1930080
郡	B7B4	8C53	499E	3734	I1EM0080
卦	B7B5	8C54	53DB	3735	I2XN0080
袈	B7B6	8C55	4F6A	3736	I2960080
祁	B7B7	8C56	53D2	3737	I2XE0080
係	B7B8	8C57	4851	3738	I1750080
傾	B7B9	8C58	4A43	3739	I1HF0080
刑	B7BA	8C59	4C52	373A	I1SI0080
兄	B7BB	8C5A	4BE8	373B	I1RC0080
啓	B7BC	8C5B	47E4	373C	I15W0080
圭	B7BD	8C5C	49E6	373D	I1GM0080
珪	B7BE	8C5D	4CB9	373E	I1VD0080
型	B7BF	8C5E	46E6	373F	I10M0080
契	B7C0	8C5F	4C64	3740	I1T00080
形	B7C1	8C60	4690	3741	I0Y80080
徑	B7C2	8C61	4E60	3742	I23K0080
恵	B7C3	8C62	4643	3743	I0W30080
慶	B7C4	8C63	48A8	3744	I19K0080
慧	B7C5	8C64	4EB6	3745	I25Y0080
憩	B7C6	8C65	5175	3746	I2K50080
掲	B7C7	8C66	4DC1	3747	I20X0080
携	B7C8	8C67	4E49	3748	I22X0080



IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Table 6 JIS First Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
敬	B7C9	8C68	47B0	3749	I14G0080
景	B7CA	8C69	4993	374A	I1EB0080
桂	B7CB	8C6A	49AB	374B	I1EZ0080
溪	B7CC	8C6B	5198	374C	I2L40080
畦	B7CD	8C6C	51B4	374D	I2LW0080
稽	B7CE	8C6D	4FC7	374E	I2BR0080
系	B7CF	8C6E	48FA	374F	I1BU0080
経	B7D0	8C6F	4688	3750	I0Y00080
継	B7D1	8C70	4A4A	3751	I1HM0080
繫	B7D2	8C71	5373	3752	I2UR0080
罨	B7D3	8C72	55EF	3753	I38V0080
荃	B7D4	8C73	4EC9	3754	I26H0080
荊	B7D5	8C74	53B3	3755	I2WJ0080
蚩	B7D6	8C75	4DF9	3756	I22H0080
計	B7D7	8C76	45C9	3757	I0UH0080
詣	B7D8	8C77	54FB	3758	I33V0080
警	B7D9	8C78	4AD7	3759	I1LJ0080
軽	B7DA	8C79	48A6	375A	I19I0080
頰	B7DB	8C7A	66C4	375B	I5QC0080
鷄	B7DC	8C7B	4D8E	375C	I1ZI0080
芸	B7DD	8C7C	4953	375D	I1CJ0080
迎	B7DE	8C7D	4BA9	375E	I1PL0080
鯨	B7DF	8C7E	4D78	375F	I1YW0080
劇	B7E0	8C80	49F0	3760	I1GW0080
戟	B7E1	8C81	54D9	3761	I32X0080
擊	B7E2	8C82	4A74	3762	I1IS0080
激	B7E3	8C83	4BD0	3763	I1QO0080

Table 6 JIS First Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
隙	B7E4	8C84	53C3	3764	I2WZ0080
桁	B7E5	8C85	50D6	3765	I2HI0080
傑	B7E6	8C86	4FC3	3766	I2BN0080
欠	B7E7	8C87	4CB5	3767	I1V90080
決	B7E8	8C88	47A4	3768	I1440080
潔	B7E9	8C89	4AC2	3769	I1KY0080
穴	B7EA	8C8A	4B86	376A	I1OM0080
結	B7EB	8C8B	46BF	376B	I0ZJ0080
血	B7EC	8C8C	4B43	376C	I1MR0080
訣	B7ED	8C8D	54CC	376D	I32K0080
月	B7EE	8C8E	4561	376E	I0RL0080
件	B7EF	8C8F	48B2	376F	I19U0080
儉	B7F0	8C90	52FA	3770	I2T60080
倦	B7F1	8C91	52F1	3771	I2SX0080
健	B7F2	8C92	4681	3772	I0XT0080
兼	B7F3	8C93	48F4	3773	I1BO0080
券	B7F4	8C94	4B6B	3774	I1NV0080
劍	B7F5	8C95	4CD3	3775	I1W30080
喧	B7F6	8C96	4FD3	3776	I2C30080
圈	B7F7	8C97	4F49	3777	I2890080
堅	B7F8	8C98	4AE7	3778	I1LZ0080
嫌	B7F9	8C99	4EC3	3779	I26B0080
建	B7FA	8C9A	4666	377A	I0X20080
憲	B7FB	8C9B	47BE	377B	I14U0080
懸	B7FC	8C9C	4DC6	377C	I2120080
拳	B7FD	8C9D	508D	377D	I2FH0080
捲	B7FE	8C9E	5493	377E	I30Z0080


IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Table 6 JIS First Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
検	B8A1	8C9F	486D	3821	I17X0080
権	B8A2	8CA0	48DC	3822	I1B00080
牽	B8A3	8CA1	548A	3823	I30Q0080
犬	B8A4	8CA2	4AC5	3824	I1L10080
猷	B8A5	8CA3	4F45	3825	I2850080
研	B8A6	8CA4	46D3	3826	I1030080
硯	B8A7	8CA5	5369	3827	I2UH0080
絹	B8A8	8CA6	49F6	3828	I1H20080
梶	B8A9	8CA7	4552	3829	I0R60080
肩	B8AA	8CA8	4B79	382A	I1090080
見	B8AB	8CA9	45BB	382B	I0U30080
謙	B8AC	8CAA	497C	382C	I1DO0080
賢	B8AD	8CAB	47E5	382D	I15X0080
軒	B8AE	8CAC	4E55	382E	I2390080
遣	B8AF	8CAD	4EC2	382F	I26A0080
鍵	B8B0	8CAE	4E45	3830	I22T0080
険	B8B1	8CAF	4A6C	3831	I1IK0080
顕	B8B2	8CB0	4AE5	3832	I1LX0080
験	B8B3	8CB1	48B4	3833	I19W0080
巖	B8B4	8CB2	4C7D	3834	I1TP0080
元	B8B5	8CB3	4695	3835	I0YD0080
原	B8B6	8CB4	4574	3836	I0S40080
巖	B8B7	8CB5	4C8E	3837	I1U60080
幻	B8B8	8CB6	50A2	3838	I2G20080
弦	B8B9	8CB7	4E42	3839	I22Q0080
減	B8BA	8CB8	478A	383A	I13E0080
源	B8BB	8CB9	47FC	383B	I16K0080

Table 6 JIS First Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
玄	B8BC	8CBA	4C6E	383C	I1TA0080
現	B8BD	8CBB	46B7	383D	I0ZB0080
絃	B8BE	8CBC	5563	383E	I34Z0080
舷	B8BF	8CBD	53AC	383F	I2WC0080
言	B8C0	8CBE	479A	3840	I13U0080
諺	B8C1	8CBF	55AB	3841	I36Z0080
限	B8C2	8CC0	48AD	3842	I19P0080
乎	B8C3	8CC1	54A5	3843	I31H0080
個	B8C4	8CC2	49FA	3844	I1H60080
古	B8C5	8CC3	45D4	3845	I0US0080
呼	B8C6	8CC4	4AF6	3846	I1ME0080
固	B8C7	8CC5	4A94	3847	I1JO0080
姑	B8C8	8CC6	53F2	3848	I2YA0080
孤	B8C9	8CC7	4EAF	3849	I25R0080
己	B8CA	8CC8	47AD	384A	I14D0080
庫	B8CB	8CC9	45F8	384B	I0VS0080
弧	B8CC	8CCA	536B	384C	I2UJ0080
戸	B8CD	8CCB	45CF	384D	I0UN0080
故	B8CE	8CCC	4AF7	384E	I1MF0080
枯	B8CF	8CCD	5061	384F	I2E90080
湖	B8D0	8CCE	4D52	3850	I1XU0080
狐	B8D1	8CCF	51DB	3851	I2MZ0080
糊	B8D2	8CD0	5471	3852	I30I0080
袴	B8D3	8CD1	4F5A	3853	I28Q0080
股	B8D4	8CD2	4CC5	3854	I1VP0080
胡	B8D5	8CD3	4D63	3855	I1YB0080
菰	B8D6	8CD4	516D	3856	I2JX0080


IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Table 6 JIS First Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
虎	B8D7	8CD5	4AAB	3857	I1KB0080
誇	B8D8	8CD6	4EB4	3858	I25W0080
跨	B8D9	8CD7	55CB	3859	I37V0080
鈷	B8DA	8CD8	55BF	385A	I37J0080
雇	B8DB	8CD9	4C4D	385B	I1SD0080
顧	B8DC	8CDA	4EEE	385C	I27I0080
鼓	B8DD	8CDB	4FAF	385D	I2B30080
五	B8DE	8CDC	4545	385E	I0QT0080
互	B8DF	8CDD	4B74	385F	I1O40080
伍	B8E0	8CDE	4D99	3860	I1ZT0080
午	B8E1	8CDF	45DF	3861	I0V30080
吳	B8E2	8CE0	4AEE	3862	I1M60080
吾	B8E3	8CE1	47F6	3863	I16E0080
娛	B8E4	8CE2	50B5	3864	I2GL0080
後	B8E5	8CE3	45E5	3865	I0V90080
御	B8E6	8CE4	4698	3866	I0YG0080
悟	B8E7	8CE5	4AB1	3867	I1KH0080
梧	B8E8	8CE6	52D3	3868	I2S30080
檜	B8E9	8CE7	55EE	3869	I38U0080
瑚	B8EA	8CE8	53F1	386A	I2Y90080
碁	B8EB	8CE9	4F4E	386B	I28E0080
語	B8EC	8CEA	48E7	386C	I1BB0080
誤	B8ED	8CEB	4D91	386D	I1ZL0080
護	B8EE	8CEC	49DB	386E	I1GB0080
醐	B8EF	8CED	5170	386F	I2K00080
乞	B8F0	8CEE	4EB5	3870	I25X0080
鯉	B8F1	8CEF	4FC6	3871	I2BQ0080

Table 6 JIS First Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
交	B8F2	8CF0	478E	3872	I13I0080
佼	B8F3	8CF1	5462	3873	I2ZM0080
候	B8F4	8CF2	53E3	3874	I2XV0080
候	B8F5	8CF3	4CAE	3875	I1V20080
倖	B8F6	8CF4	5343	3876	I2TF0080
光	B8F7	8CF5	459E	3877	I0TA0080
公	B8F8	8CF6	46BB	3878	I0ZF0080
功	B8F9	8CF7	4870	3879	I1800080
効	B8FA	8CF8	4978	387A	I1DK0080
勾	B8FB	8CF9	51E9	387B	I2ND0080
厚	B8FC	8CFA	4942	387C	I1C20080
口	B8FD	8CFB	4588	387D	I0SO0080
向	B8FE	8CFC	46A5	387E	I0YT0080
后	B9A1	8D40	51AF	3921	I2LR0080
喉	B9A2	8D41	5253	3922	I2OJ0080
坑	B9A3	8D42	4EF3	3923	I27N0080
垢	B9A4	8D43	5466	3924	I2ZQ0080
好	B9A5	8D44	469E	3925	I0YM0080
孔	B9A6	8D45	4BD9	3926	I1QX0080
孝	B9A7	8D46	45F4	3927	I0VO0080
宏	B9A8	8D47	46C8	3928	I0ZS0080
工	B9A9	8D48	456A	3929	I0RU0080
巧	B9AA	8D49	4CA3	392A	I1UR0080
巷	B9AB	8D4A	53CB	392B	I2X70080
幸	B9AC	8D4B	45A9	392C	I0TL0080
広	B9AD	8D4C	45B7	392D	I0TZ0080
庚	B9AE	8D4D	515A	392E	I2JE0080


IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Table 6 JIS First Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
康	B9AF	8D4E	469A	392F	I0YI0080
弘	B9B0	8D4F	45D3	3930	I0UR0080
恒	B9B1	8D50	47C7	3931	I1530080
慌	B9B2	8D51	538E	3932	I2VI0080
抗	B9B3	8D52	4A67	3933	I1IF0080
拘	B9B4	8D53	5045	3934	I2DH0080
控	B9B5	8D54	4CAC	3935	I1V00080
攻	B9B6	8D55	4BC5	3936	I1QD0080
昂	B9B7	8D56	5B99	3937	I42H0080
晃	B9B8	8D57	48B0	3938	I19S0080
更	B9B9	8D58	4A6D	3939	I1IL0080
杭	B9BA	8D59	508B	393A	I2FF0080
校	B9BB	8D5A	48BF	393B	I1A70080
梗	B9BC	8D5B	52CC	393C	I2RW0080
構	B9BD	8D5C	4796	393D	I13Q0080
江	B9BE	8D5D	45AD	393E	I0TP0080
洪	B9BF	8D5E	4FD4	393F	I2C40080
浩	B9C0	8D5F	46EB	3940	I10R0080
港	B9C1	8D60	48C6	3941	I1AE0080
溝	B9C2	8D61	4A4D	3942	I1HP0080
甲	B9C3	8D62	48A0	3943	I19C0080
皇	B9C4	8D63	4CBB	3944	I1VF0080
硬	B9C5	8D64	4AEF	3945	I1M70080
稿	B9C6	8D65	4FD5	3946	I2C50080
糠	B9C7	8D66	514B	3947	I2IZ0080
紅	B9C8	8D67	4B67	3948	I1NR0080
紘	B9C9	8D68	4C78	3949	I1TK0080

Table 6 JIS First Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
絞	B9CA	8D69	506D	394A	I2EL0080
綱	B9CB	8D6A	48CB	394B	I1AJ0080
耕	B9CC	8D6B	499A	394C	I1EI0080
考	B9CD	8D6C	4760	394D	I1280080
肯	B9CE	8D6D	50EB	394E	I2I30080
肱	B9CF	8D6E	52D5	394F	I2S50080
腔	B9D0	8D6F	5247	3950	I2O70080
膏	B9D1	8D70	51D8	3951	I2MW0080
航	B9D2	8D71	489F	3952	I19B0080
荒	B9D3	8D72	46DC	3953	I10C0080
行	B9D4	8D73	45A4	3954	I0TG0080
衡	B9D5	8D74	4BED	3955	I1RH0080
講	B9D6	8D75	4A6E	3956	I1IM0080
貢	B9D7	8D76	4AF1	3957	I1M90080
購	B9D8	8D77	4E8F	3958	I24V0080
郊	B9D9	8D78	5052	3959	I2DU0080
醇	B9DA	8D79	4D86	395A	I1ZA0080
鉦	B9DB	8D7A	4863	395B	I17N0080
砧	B9DC	8D7B	5FAF	395C	I4OF0080
鋼	B9DD	8D7C	46A1	395D	I0YP0080
閣	B9DE	8D7D	549B	395E	I3I70080
降	B9DF	8D7E	49E5	395F	I1GL0080
項	B9E0	8D80	4A97	3960	I1JR0080
香	B9E1	8D81	46BD	3961	I0ZH0080
高	B9E2	8D82	4571	3962	I0S10080
鴻	B9E3	8D83	4DD6	3963	I2I10080
剛	B9E4	8D84	49C7	3964	I1FR0080


IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Table 6 JIS First Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
劫	B9E5	8D85	54C6	3965	I32E0080
号	B9E6	8D86	48E2	3966	I1B60080
合	B9E7	8D87	45A0	3967	I0TC0080
壕	B9E8	8D88	55B9	3968	I37D0080
拷	B9E9	8D89	55B5	3969	I3790080
濠	B9EA	8D8A	5380	396A	I2V40080
豪	B9EB	8D8B	4C68	396B	I1T40080
轟	B9EC	8D8C	50A9	396C	I2G90080
翹	B9ED	8D8D	5261	396D	I2OX0080
克	B9EE	8D8E	479E	396E	I13Y0080
刻	B9EF	8D8F	4BF5	396F	I1RP0080
告	B9F0	8D90	4954	3970	I1CK0080
国	B9F1	8D91	458F	3971	I0SV0080
穀	B9F2	8D92	4E94	3972	I2500080
酷	B9F3	8D93	51EB	3973	I2NF0080
鵠	B9F4	8D94	50FD	3974	I2IL0080
黒	B9F5	8D95	4679	3975	I0XL0080
獄	B9F6	8D96	4E95	3976	I2510080
漉	B9F7	8D97	54D0	3977	I32O0080
腰	B9F8	8D98	4BA4	3978	I1PG0080
甌	B9F9	8D99	5495	3979	I3110080
忽	B9FA	8D9A	5056	397A	I2DY0080
惚	B9FB	8D9B	549D	397B	I3190080
骨	B9FC	8D9C	4AA5	397C	I1K50080
狛	B9FD	8D9D	50DC	397D	I2HO0080
込	B9FE	8D9E	4841	397E	I16P0080
此	BAA1	8D9F	4D4C	3A21	I1XO0080

Table 6 JIS First Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
頃	BAA2	8DA0	4946	3A22	I1C60080
今	BAA3	8DA1	45E0	3A23	I0V40080
困	BAA4	8DA2	4B44	3A24	I1MS0080
坤	BAA5	8DA3	53A6	3A25	I2W60080
墾	BAA6	8DA4	5488	3A26	I30O0080
婚	BAA7	8DA5	4A77	3A27	I1IV0080
恨	BAA8	8DA6	53B8	3A28	I2WO0080
懇	BAA9	8DA7	4EA4	3A29	I25G0080
昏	BAAA	8DA8	54E8	3A2A	I33C0080
昆	BAAB	8DA9	4FE7	3A2B	I2CN0080
根	BAAC	8DAA	4667	3A2C	I0X30080
梱	BAAD	8DAB	5359	3A2D	I2U10080
混	BAAE	8DAC	4B46	3A2E	I1MU0080
痕	BAAF	8DAD	53FD	3A2F	I2YL0080
紺	BAB0	8DAE	4CBD	3A30	I1VH0080
艮	BAB1	8DAF	55B4	3A31	I3780080
魂	BAB2	8DB0	50A8	3A32	I2G80080
些	BAB3	8DB1	55DC	3A33	I38C0080
佐	BAB4	8DB2	4576	3A34	I0S60080
又	BAB5	8DB3	50A5	3A35	I2G50080
唆	BAB6	8DB4	51B8	3A36	I2M00080
嗟	BAB7	8DB5	4ED3	3A37	I26R0080
左	BAB8	8DB6	485B	3A38	I17F0080
差	BAB9	8DB7	498B	3A39	I1E30080
查	BABA	8DB8	4773	3A3A	I12R0080
沙	BABB	8DB9	4EAD	3A3B	I25P0080
嗟	BABC	8DBA	5188	3A3C	I2KO0080


IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Table 6 JIS First Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
砂	BABD	8DBB	495B	3A3D	I1CR0080
詐	BABE	8DBC	5176	3A3E	I2K60080
鎖	BABF	8DBD	4D70	3A3F	I1YO0080
裘	BAC0	8DBE	4F8A	3A40	I2A20080
坐	BAC1	8DBF	4E8D	3A41	I24T0080
座	BAC2	8DC0	48B1	3A42	I19T0080
挫	BAC3	8DC1	548F	3A43	I30V0080
債	BAC4	8DC2	4B58	3A44	I1NC0080
催	BAC5	8DC3	4C43	3A45	I1S30080
再	BAC6	8DC4	48EB	3A46	I1BF0080
最	BAC7	8DC5	46F5	3A47	I1110080
哉	BAC8	8DC6	4A6B	3A48	I11J0080
塞	BAC9	8DC7	53C1	3A49	I2WX0080
妻	BACA	8DC8	49A3	3A4A	I1ER0080
宰	BACB	8DC9	4ED4	3A4B	I26S0080
彩	BACC	8DCA	4DCD	3A4C	I2190080
才	BACD	8DCB	49F1	3A4D	I1GX0080
採	BACE	8DCC	4B4F	3A4E	I1N30080
栽	BACF	8DCD	4DE0	3A4F	I21S0080
歳	BAD0	8DCE	48E4	3A50	I1B80080
濟	BAD1	8DCF	4769	3A51	I12H0080
災	BAD2	8DD0	4CBC	3A52	I1VG0080
采	BAD3	8DD1	53BF	3A53	I2WV0080
犀	BAD4	8DD2	5354	3A54	I2TW0080
碎	BAD5	8DD3	4CC3	3A55	I1VN0080
砦	BAD6	8DD4	54B4	3A56	I31W0080
祭	BAD7	8DD5	4C71	3A57	I1TD0080

Table 6 JIS First Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
齋	BAD8	8DD6	47DB	3A58	I15N0080
細	BAD9	8DD7	4768	3A59	I12G0080
菜	BADA	8DD8	4BA8	3A5A	I1PK0080
裁	BADB	8DD9	49BD	3A5B	I1FH0080
載	BADC	8DDA	4D6E	3A5C	I1YM0080
際	BADD	8ddb	4797	3A5D	I13R0080
劑	BADE	8DDC	4766	3A5E	I12E0080
在	BADF	8DDD	47CD	3A5F	I1590080
材	BAE0	8DDE	46BC	3A60	I0ZG0080
罪	BAE1	8DDF	4C4E	3A61	I1SE0080
財	BAE2	8DE0	49AF	3A62	I1F30080
冴	BAE3	8DE1	50C9	3A63	I2H50080
坂	BAE4	8DE2	45EC	3A64	I0VG0080
阪	BAE5	8DE3	4591	3A65	I0SX0080
堺	BAE6	8DE4	4A7C	3A66	I1J00080
榊	BAE7	8DE5	4B52	3A67	I1N60080
肴	BAE8	8DE6	5451	3A68	I2Z50080
咲	BAE9	8DE7	4CDE	3A69	I1WE0080
崎	BAEA	8DE8	457F	3A6A	I0SF0080
埼	BAEB	8DE9	46A3	3A6B	I0YR0080
碕	BAEC	8DEA	52D2	3A6C	I2S20080
鷺	BAED	8DEB	50AF	3A6D	I2GF0080
作	BAEE	8DEC	4594	3A6E	I0T00080
削	BAEF	8DED	4A90	3A6F	I1JK0080
咋	BAF0	8DEE	4F50	3A70	I28G0080
搾	BAF1	8DEF	50A3	3A71	I2G30080
昨	BAF2	8DF0	48E8	3A72	I1BC0080


IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Table 6 JIS First Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
朔	BAF3	8DF1	4FA4	3A73	I2AS0080
柵	BAF4	8DF2	51F1	3A74	I2NL0080
窄	BAF5	8DF3	5499	3A75	I3150080
策	BAF6	8DF4	46C9	3A76	I0ZT0080
索	BAF7	8DF5	4CF4	3A77	I1X00080
錯	BAF8	8DF6	50B1	3A78	I2GH0080
桜	BAF9	8DF7	4771	3A79	I12P0080
鮭	BAFA	8DF8	5391	3A7A	I2VL0080
筐	BAFB	8DF9	496E	3A7B	I1DA0080
匙	BAFC	8DFA	5457	3A7C	I2ZB0080
冊	BAFD	8DFB	4EA1	3A7D	I25D0080
刷	BAFE	8DFC	48CF	3A7E	I1AN0080
察	BBA1	8E40	4B93	3B21	I1OZ0080
拶	BBA2	8E41	4F9E	3B22	I2AM0080
撮	BBA3	8E42	4C77	3B23	I1TJ0080
擦	BBA4	8E43	4FD6	3B24	I2C60080
札	BBA5	8E44	48F9	3B25	I1BT0080
殺	BBA6	8E45	49E9	3B26	I1GP0080
薩	BBA7	8E46	4CF1	3B27	I1WX0080
雜	BBA8	8E47	4A8A	3B28	I1JE0080
皐	BBA9	8E48	52A4	3B29	I2QS0080
鯖	BBAA	8E49	4FE4	3B2A	I2CK0080
捌	BBAB	8E4A	557D	3B2B	I35P0080
鑄	BBAC	8E4B	55D2	3B2C	I3820080
鮫	BBAD	8E4C	4EB7	3B2D	I25Z0080
皿	BBAE	8E4D	4DC7	3B2E	I2130080
晒	BBAF	8E4E	54C3	3B2F	I32B0080

Table 6 JIS First Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
三	BBB0	8E4F	4543	3B30	I0QR0080
傘	BBB1	8E50	509C	3B31	I2FW0080
参	BBB2	8E51	48D2	3B32	I1AQ0080
山	BBB3	8E52	4565	3B33	I0RP0080
惨	BBB4	8E53	506E	3B34	I2EM0080
撒	BBB5	8E54	53DE	3B35	I2XQ0080
散	BBB6	8E55	4AC9	3B36	I1L50080
栈	BBB7	8E56	51F3	3B37	I2NN0080
燦	BBB8	8E57	54CE	3B38	I32M0080
珊	BBB9	8E58	5399	3B39	I2VT0080
産	BBBA	8E59	45C0	3B3A	I0U80080
算	BBBB	8E5A	4843	3B3B	I16R0080
纂	BBBC	8E5B	55EB	3B3C	I38R0080
蚕	BBBD	8E5C	4F5D	3B3D	I28T0080
讚	BBBE	8E5D	516B	3B3E	I2JV0080
贊	BBBF	8E5E	4DEE	3B3F	I2260080
酸	BBC0	8E5F	4899	3B40	I1950080
餐	BBC1	8E60	55B3	3B41	I3770080
斬	BBC2	8E61	4EFC	3B42	I27W0080
暫	BBC3	8E62	5093	3B43	I2FN0080
残	BBC4	8E63	4992	3B44	I1EA0080
仕	BBC5	8E64	48B5	3B45	I19X0080
仔	BBC6	8E65	5465	3B46	I2ZP0080
伺	BBC7	8E66	508A	3B47	I2FE0080
使	BBC8	8E67	48B6	3B48	I19Y0080
刺	BBC9	8E68	4BC0	3B49	I1Q80080
司	BBCA	8E69	45F0	3B4A	I0VK0080


IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Table 6 JIS First Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
史	BBCB	8E6A	47D9	3B4B	I15L0080
嗣	BBCC	8E6B	4B5E	3B4C	I1NI0080
四	BBCD	8E6C	4544	3B4D	I0QS0080
士	BBCE	8E6D	467D	3B4E	I0XP0080
始	BBCF	8E6E	4990	3B4F	I1E80080
姉	BBD0	8E6F	4CC1	3B50	I1VL0080
姿	BBD1	8E70	4B42	3B51	I1MQ0080
子	BBD2	8E71	4564	3B52	I0RO0080
屍	BBD3	8E72	55BA	3B53	I37E0080
市	BBD4	8E73	4553	3B54	I0R70080
師	BBD5	8E74	4A44	3B55	I1HG0080
志	BBD6	8E75	4661	3B56	I0WX0080
思	BBD7	8E76	46AD	3B57	I0Z10080
指	BBD8	8E77	47B6	3B58	I14M0080
支	BBD9	8E78	477B	3B59	I12Z0080
孜	BBDA	8E79	4FF2	3B5A	I2CY0080
斯	BBDB	8E7A	4EA5	3B5B	I25H0080
施	BBDC	8E7B	4888	3B5C	I18O0080
旨	BBDD	8E7C	4D6A	3B5D	I1YI0080
枝	BBDE	8E7D	4672	3B5E	I0XE0080
止	BBDF	8E7E	48D8	3B5F	I1AW0080
死	BBE0	8E80	4999	3B60	I1EH0080
氏	BBE1	8E81	488E	3B61	I18U0080
獅	BBE2	8E82	519F	3B62	I2LB0080
祉	BBE3	8E83	4FEB	3B63	I2CR0080
私	BBE4	8E84	46C3	3B64	I0ZN0080
糸	BBE5	8E85	46C7	3B65	I0ZR0080

Table 6 JIS First Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
紙	BBE6	8E86	4680	3B66	I0XS0080
紫	BBE7	8E87	4AF0	3B67	I1M80080
肢	BBE8	8E88	5382	3B68	I2V60080
脂	BBE9	8E89	4874	3B69	I1840080
至	BBEA	8E8A	4A48	3B6A	I1HK0080
視	BBEB	8E8B	4A50	3B6B	I1HS0080
詞	BBEC	8E8C	4E90	3B6C	I24W0080
詩	BBED	8E8D	4CB0	3B6D	I1V40080
試	BBEE	8E8E	4948	3B6E	I1C80080
誌	BBEF	8E8F	4B76	3B6F	I1O60080
諮	BBF0	8E90	4F9C	3B70	I2AK0080
資	BBF1	8E91	4650	3B71	I0WG0080
賜	BBF2	8E92	4F94	3B72	I2AC0080
雌	BBF3	8E93	52B7	3B73	I2RB0080
飼	BBF4	8E94	4A8F	3B74	I1JJ0080
齒	BBF5	8E95	4A9F	3B75	I1JZ0080
事	BBF6	8E96	45CE	3B76	I0UM0080
似	BBF7	8E97	4BBC	3B77	I1Q40080
侍	BBF8	8E98	4FC2	3B78	I2BM0080
児	BBF9	8E99	469F	3B79	I0YN0080
字	BBFA	8E9A	48F2	3B7A	I1BM0080
寺	BBFB	8E9B	46A0	3B7B	I0YO0080
慈	BBFC	8E9C	4CBE	3B7C	I1VI0080
持	BBFD	8E9D	46D8	3B7D	I1080080
時	BBFE	8E9E	4651	3B7E	I0WH0080
次	BCA1	8E9F	4597	3C21	I0T30080
滋	BCA2	8EA0	4857	3C22	I17B0080


IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Table 6 JIS First Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
治	BCA3	8EA1	4584	3C23	I0SK0080
爾	BCA4	8EA2	4C79	3C24	I1TL0080
璽	BCA5	8EA3	5249	3C25	I2O90080
痔	BCA6	8EA4	5182	3C26	I2KI0080
磁	BCA7	8EA5	4A62	3C27	I1IA0080
示	BCA8	8EA6	4853	3C28	I1770080
而	BCA9	8EA7	51E6	3C29	I2NA0080
耳	BCAA	8EA8	4CAB	3C2A	I1UZ0080
自	BCAB	8EA9	45C3	3C2B	I0UB0080
蒔	BCAC	8EAA	4FE3	3C2C	I2CJ0080
辞	BCAD	8EAB	4D74	3C2D	I1YS0080
汐	BCAE	8EAC	506A	3C2E	I2EI0080
鹿	BCAF	8EAD	4697	3C2F	I0YF0080
式	BCB0	8EAE	468F	3C30	I0Y70080
識	BCB1	8EAF	4A75	3C31	I1IT0080
鳴	BCB2	8EB0	50BA	3C32	I2GQ0080
竺	BCB3	8EB1	545C	3C33	I2ZG0080
軸	BCB4	8EB2	4BA6	3C34	I1PI0080
宍	BCB5	8EB3	4C75	3C35	I1TH0080
雫	BCB6	8EB4	52A5	3C36	I2QT0080
七	BCB7	8EB5	4547	3C37	I0QV0080
叱	BCB8	8EB6	5042	3C38	I2DE0080
執	BCB9	8EB7	4D57	3C39	I1XZ0080
失	BCBA	8EB8	4941	3C3A	I1C10080
嫉	BCBB	8EB9	53E0	3C3B	I2XS0080
室	BCBC	8EBA	47B8	3C3C	I14O0080
悉	BCBD	8EBB	5469	3C3D	I2ZT0080

Table 6 JIS First Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
湿	BCBE	8EBC	4C90	3C3E	I1U80080
漆	BCBF	8EBD	4DAE	3C3F	I20E0080
疾	BCC0	8EBE	5142	3C40	I2IQ0080
質	BCC1	8EBF	46EC	3C41	I10S0080
実	BCC2	8EC0	45ED	3C42	I0VH0080
蓓	BCC3	8EC1	52BD	3C43	I2RH0080
篠	BCC4	8EC2	4875	3C44	I1850080
偲	BCC5	8EC3	54D2	3C45	I32Q0080
柴	BCC6	8EC4	47A7	3C46	I1470080
芝	BCC7	8EC5	4972	3C47	I1DE0080
屢	BCC8	8EC6	55C0	3C48	I37K0080
蕊	BCC9	8EC7	62A6	3C49	I5460080
縞	BCCA	8EC8	4F6B	3C4A	I2970080
舎	BCCB	8EC9	4C58	3C4B	I1SO0080
写	BCCC	8ECA	48C4	3C4C	I1AC0080
射	BCCD	8ECB	498A	3C4D	I1E20080
捨	BCCE	8ECC	4BB3	3C4E	I1PV0080
赦	BCCF	8ECD	5151	3C4F	I2J50080
斜	BCD0	8ECE	4BD1	3C50	I1QP0080
煮	BCD1	8ECF	4C4C	3C51	I1SC0080
社	BCD2	8ED0	4663	3C52	I0WZ0080
紗	BCD3	8ED1	4F47	3C53	I2870080
者	BCD4	8ED2	4670	3C54	I0XC0080
謝	BCD5	8ED3	4DBB	3C55	I20R0080
車	BCD6	8ED4	4653	3C56	I0WJ0080
遮	BCD7	8ED5	5458	3C57	I2ZC0080
蛇	BCD8	8ED6	4FEA	3C58	I2CQ0080


IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Table 6 JIS First Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
邪	BCD9	8ED7	4EB8	3C59	I2600080
借	BCDA	8ED8	4AD0	3C5A	I1LC0080
勺	BCDB	8ED9	5470	3C5B	I3000080
尺	BCDC	8EDA	4C6B	3C5C	I1T70080
杓	BCDD	8EDB	54C1	3C5D	I3290080
灼	BCDE	8EDC	546A	3C5E	I2ZU0080
爵	BCDF	8EDD	53A9	3C5F	I2W90080
酌	BCE0	8EDE	52BB	3C60	I2RF0080
积	BCE1	8EDF	4D79	3C61	I1YX0080
錫	BCE2	8EE0	5257	3C62	I2ON0080
若	BCE3	8EE1	46D6	3C63	I1060080
寂	BCE4	8EE2	4FE9	3C64	I2CP0080
弱	BCE5	8EE3	4B6E	3C65	I1NY0080
惹	BCE6	8EE4	5472	3C66	I3020080
主	BCE7	8EE5	4762	3C67	I12A0080
取	BCE8	8EE6	46A6	3C68	I0YU0080
守	BCE9	8EE7	46F0	3C69	I10W0080
手	BCEA	8EE8	45CB	3C6A	I0UJ0080
朱	BCEB	8EE9	4D42	3C6B	I1XE0080
殊	BCEC	8EEA	4865	3C6C	I17P0080
狩	BCED	8EEB	4A7B	3C6D	I1IZ0080
珠	BCEE	8EEC	4B99	3C6E	I1P50080
種	BCEF	8EED	4692	3C6F	I0YA0080
腫	BCF0	8EEE	51CE	3C70	I2MM0080
趣	BCF1	8EEF	4CED	3C71	I1WT0080
酒	BCF2	8EF0	4758	3C72	I1200080
首	BCF3	8EF1	49BE	3C73	I1FI0080

Table 6 JIS First Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
儒	BCF4	8EF2	546F	3C74	I2ZZ0080
受	BCF5	8EF3	484C	3C75	I1700080
呪	BCF6	8EF4	548D	3C76	I30T0080
寿	BCF7	8EF5	46B2	3C77	I0Z60080
授	BCF8	8EF6	4C61	3C78	I1SX0080
樹	BCF9	8EF7	46CF	3C79	I0ZZ0080
綬	BCFA	8EF8	51A3	3C7A	I2LF0080
需	BCFB	8EF9	47FB	3C7B	I16J0080
囚	BCFC	8EFA	5065	3C7C	I2ED0080
収	BCFD	8EFB	4791	3C7D	I13L0080
周	BCFE	8EFC	48A1	3C7E	I19D0080
宗	BDA1	8F40	47DD	3D21	I15P0080
就	BDA2	8F41	4BEE	3D22	I1RI0080
州	BDA3	8F42	4741	3D23	I11D0080
修	BDA4	8F43	46DE	3D24	I10E0080
愁	BDA5	8F44	5282	3D25	I2PU0080
拾	BDA6	8F45	4DD7	3D26	I21J0080
洲	BDA7	8F46	4B72	3D27	I1020080
秀	BDA8	8F47	45F1	3D28	I0VL0080
秋	BDA9	8F48	4658	3D29	I0WO0080
終	BDAA	8F49	49F4	3D2A	I1H00080
繡	BDAB	8F4A	52DA	3D2B	I2SA0080
習	BDAC	8F4B	4A69	3D2C	I1IH0080
臭	BDAD	8F4C	4DB3	3D2D	I20J0080
舟	BDAE	8F4D	4BB8	3D2E	I1Q00080
菟	BDAF	8F4E	4F93	3D2F	I2AB0080
衆	BDB0	8F4F	4B88	3D30	I10O0080


IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Table 6 JIS First Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
襲	BDB1	8F50	4DDF	3D31	I21R0080
讐	BDB2	8F51	53FE	3D32	I2YM0080
蹴	BDB3	8F52	52F6	3D33	I2T20080
輯	BDB4	8F53	55A6	3D34	I36U0080
週	BDB5	8F54	4AD3	3D35	I1LF0080
曾	BDB6	8F55	5548	3D36	I3480080
酬	BDB7	8F56	5149	3D37	I2IX0080
集	BDB8	8F57	47A0	3D38	I1400080
醜	BDB9	8F58	536F	3D39	I2UN0080
什	BDBA	8F59	53D9	3D3A	I2XL0080
住	BDBB	8F5A	46E0	3D3B	I10G0080
充	BDBC	8F5B	48C9	3D3C	I1AH0080
十	BDBD	8F5C	454A	3D3D	I0QY0080
従	BDBE	8F5D	48FB	3D3E	I1BV0080
戎	BDBF	8F5E	517F	3D3F	I2KF0080
柔	BDC0	8F5F	4DEA	3D40	I2220080
汁	BDC1	8F60	4D84	3D41	I1Z80080
渋	BDC2	8F61	4892	3D42	I18Y0080
獣	BDC3	8F62	4F65	3D43	I2910080
縦	BDC4	8F63	4E93	3D44	I24Z0080
重	BDC5	8F64	45A3	3D45	I0TF0080
銃	BDC6	8F65	4CE2	3D46	I1WI0080
叔	BDC7	8F66	4FA5	3D47	I2AT0080
夙	BDC8	8F67	54DD	3D48	I3310080
宿	BDC9	8F68	4882	3D49	I18I0080
淑	BDCA	8F69	4ABF	3D4A	I1KV0080
祝	BDCB	8F6A	4CEB	3D4B	I1WR0080

Table 6 JIS First Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
縮	BDDC	8F6B	49F7	3D4C	I1H30080
肅	BDCD	8F6C	4FC8	3D4D	I2BS0080
塾	BDCE	8F6D	5279	3D4E	I2PL0080
熟	BDCF	8F6E	4EBF	3D4F	I2670080
出	BDD0	8F6F	459B	3D50	I0T70080
術	BDD1	8F70	486C	3D51	I17W0080
述	BDD2	8F71	4A9C	3D52	I1JW0080
俊	BDD3	8F72	4660	3D53	I0WW0080
峻	BDD4	8F73	5072	3D54	I2EQ0080
春	BDD5	8F74	4662	3D55	I0WY0080
瞬	BDD6	8F75	4DB0	3D56	I20G0080
竣	BDD7	8F76	546B	3D57	I2ZV0080
舜	BDD8	8F77	4FB8	3D58	I2BC0080
駿	BDD9	8F78	4CC0	3D59	I1VK0080
准	BDDA	8F79	4F80	3D5A	I29S0080
循	Bddb	8F7A	4EF5	3D5B	I27P0080
旬	BDDC	8F7B	4D67	3D5C	I1YF0080
楯	BDDD	8F7C	4FAE	3D5D	I2B20080
殉	BDDE	8F7D	53A4	3D5E	I2W40080
淳	BDDF	8F7E	4894	3D5F	I1900080
準	BDE0	8F80	46CE	3D60	I0ZY0080
潤	BDE1	8F81	4AD2	3D61	I1LE0080
盾	BDE2	8F82	5082	3D62	I2F60080
純	BDE3	8F83	47A6	3D63	I1460080
巡	BDE4	8F84	4D47	3D64	I1XJ0080
遵	BDE5	8F85	526E	3D65	I2PA0080
醇	BDE6	8F86	51A9	3D66	I2LL0080


IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Table 6 JIS First Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
順	BDE7	8F87	47B2	3D67	I14I0080
処	BDE8	8F88	48E6	3D68	I1BA0080
初	BDE9	8F89	474B	3D69	I11N0080
所	BDEA	8F8A	458C	3D6A	I0SS0080
暑	BDEB	8F8B	4FBE	3D6B	I2BI0080
曙	BDEC	8F8C	5152	3D6C	I2J60080
渚	BDED	8F8D	50E4	3D6D	I2HW0080
庶	BDEE	8F8E	50C1	3D6E	I2GX0080
緒	BDEF	8F8F	4A9B	3D6F	I1JV0080
署	BDF0	8F90	4C99	3D70	I1UH0080
書	BDF1	8F91	479D	3D71	I13X0080
薯	BDF2	8F92	53F9	3D72	I2YH0080
藪	BDF3	8F93	55E2	3D73	I38I0080
諸	BDF4	8F94	47E2	3D74	I15U0080
助	BDF5	8F95	4671	3D75	I0XD0080
叙	BDF6	8F96	50F5	3D76	I2ID0080
女	BDF7	8F97	4699	3D77	I0YH0080
序	BDF8	8F98	4D4F	3D78	I1XR0080
徐	BDF9	8F99	50B3	3D79	I2GJ0080
恕	BDFA	8F9A	5298	3D7A	I2QG0080
鋤	BDFB	8F9B	52C0	3D7B	I2RK0080
除	BDFC	8F9C	496D	3D7C	I1D90080
傷	BDFD	8F9D	4C5B	3D7D	I1SR0080
償	BDFE	8F9E	4AA2	3D7E	I1K20080
勝	BEA1	8F9F	45B5	3E21	I0TX0080
匠	BEA2	8FA0	4E6B	3E22	I23V0080
升	BEA3	8FA1	4E47	3E23	I22V0080

Table 6 JIS First Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
召	BEA4	8FA2	4F86	3E24	I29Y0080
哨	BEA5	8FA3	5568	3E25	I3540080
商	BEA6	8FA4	46BE	3E26	I0ZI0080
唱	BEA7	8FA5	4D43	3E27	I1XF0080
嘗	BEA8	8FA6	54EC	3E28	I33G0080
獎	BEA9	8FA7	4ECA	3E29	I26I0080
妾	BEAA	8FA8	53AF	3E2A	I2WF0080
娼	BEAB	8FA9	5498	3E2B	I3140080
宵	BEAC	8FAA	52EF	3E2C	I2SV0080
將	BEAD	8FAB	4959	3E2D	I1CP0080
小	BEAE	8FAC	455D	3E2E	I0RH0080
少	BEAF	8FAD	484A	3E2F	I16Y0080
尚	BEB0	8FAE	4871	3E30	I1810080
庄	BEB1	8FAF	4850	3E31	I1740080
床	BEB2	8FB0	4AED	3E32	I1M50080
廠	BEB3	8FB1	5562	3E33	I34Y0080
彰	BEB4	8FB2	4964	3E34	I1D00080
承	BEB5	8FB3	4C48	3E35	I1S80080
抄	BEB6	8FB4	4EC0	3E36	I2680080
招	BEB7	8FB5	4BFD	3E37	I1RX0080
掌	BEB8	8FB6	4EEC	3E38	I27G0080
捷	BEB9	8FB7	4D8F	3E39	I1ZJ0080
昇	BEBA	8FB8	46FE	3E3A	I11A0080
昌	BEBB	8FB9	46D1	3E3B	I1010080
昭	BEBC	8FBA	45B3	3E3C	I0TV0080
晶	BEBD	8FBB	4AF8	3E3D	I1MG0080
松	BEBE	8FBC	4578	3E3E	I0S80080


IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Table 6 JIS First Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
梢	BEBF	8FBD	50AC	3E3F	I2GC0080
樟	BEC0	8FBE	539B	3E40	I2VV0080
樵	BEC1	8FBF	5585	3E41	I35X0080
沼	BEC2	8FC0	46C6	3E42	I0ZQ0080
消	BEC3	8FC1	486B	3E43	I17V0080
涉	BEC4	8FC2	4AC0	3E44	I1KW0080
湘	BEC5	8FC3	5155	3E45	I2J90080
燒	BEC6	8FC4	4983	3E46	I1DV0080
焦	BEC7	8FC5	4DE6	3E47	I21Y0080
照	BEC8	8FC6	4742	3E48	I11E0080
症	BEC9	8FC7	4E4A	3E49	I22Y0080
省	BECA	8FC8	4847	3E4A	I16V0080
硝	BECB	8FC9	4976	3E4B	I1DI0080
礁	BECC	8FCA	51B0	3E4C	I2LS0080
祥	BECD	8FCB	49F9	3E4D	I1H50080
称	BECE	8FCC	4BDF	3E4E	I1R30080
章	BECF	8FCD	476E	3E4F	I12M0080
笑	BED0	8FCE	49B5	3E50	I1F90080
粧	BED1	8FCF	4BD4	3E51	I1QS0080
紹	BED2	8FD0	4CE4	3E52	I1WK0080
肖	BED3	8FD1	5267	3E53	I2P30080
菖	BED4	8FD2	5180	3E54	I2KG0080
蔣	BED5	8FD3	53F8	3E55	I2YG0080
蕉	BED6	8FD4	53A8	3E56	I2W80080
衝	BED7	8FD5	4DA5	3E57	I2050080
裳	BED8	8FD6	4FA8	3E58	I2AW0080
訟	BED9	8FD7	50EF	3E59	I2I70080

Table 6 JIS First Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
証	BEDA	8FD8	49BA	3E5A	I1FE0080
詔	BEDB	8FD9	4F88	3E5B	I2A00080
詳	BEDC	8FDA	4DE7	3E5C	I21Z0080
象	BEDD	8FDB	4994	3E5D	I1EC0080
賞	BEDE	8FDC	4AAD	3E5E	I1KD0080
醬	BEDF	8FDD	507F	3E5F	I2F30080
鉦	BEE0	8FDE	4FB4	3E60	I2B80080
鍾	BEE1	8FDF	53BD	3E61	I2WT0080
鐘	BEE2	8FE0	4CC8	3E62	I1VS0080
障	BEE3	8FE1	4BF9	3E63	I1RT0080
鞞	BEE4	8FE2	52E7	3E64	I2SN0080
上	BEE5	8FE3	455E	3E65	I0RI0080
丈	BEE6	8FE4	49D3	3E66	I1G30080
丞	BEE7	8FE5	4F62	3E67	I28Y0080
乘	BEE8	8FE6	4947	3E68	I1C70080
冗	BEE9	8FE7	527E	3E69	I2PQ0080
剩	BEEA	8FE8	4D85	3E6A	I1Z90080
城	BEEB	8FE9	45DB	3E6B	I0UZ0080
場	BEEC	8FEA	45D9	3E6C	I0UX0080
壤	BEED	8FEB	5196	3E6D	I2L20080
嬢	BEEE	8FEC	4DE4	3E6E	I21W0080
常	BEEF	8FED	46EF	3E6F	I10V0080
情	BEF0	8FEE	485F	3E70	I17J0080
擾	BEF1	8FEF	55F6	3E71	I3920080
条	BEF2	8FF0	475E	3E72	I1260080
杖	BEF3	8FF1	50F4	3E73	I2IC0080
淨	BEF4	8FF2	4CC9	3E74	I1VT0080


IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Table 6 JIS First Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
状	BEF5	8FF3	4852	3E75	I1760080
暈	BEF6	8FF4	4E54	3E76	I2380080
穰	BEF7	8FF5	4E98	3E77	I2540080
蒸	BEF8	8FF6	4ABA	3E78	I1KQ0080
讓	BEF9	8FF7	4B7B	3E79	I1OB0080
釀	BEFA	8FF8	50C2	3E7A	I2GY0080
錠	BEFB	8FF9	4E57	3E7B	I23B0080
囑	BEFC	8FFA	50CA	3E7C	I2H60080
埴	BEFD	8FFB	4F48	3E7D	I2880080
飾	BEFE	8FFC	4957	3E7E	I1CN0080
拭	BFA1	9040	4EE5	3F21	I2790080
植	BFA2	9041	47C5	3F22	I1510080
殖	BFA3	9042	4E73	3F23	I2430080
燭	BFA4	9043	54E6	3F24	I33A0080
織	BFA5	9044	489A	3F25	I1960080
職	BFA6	9045	48D7	3F26	I1AV0080
色	BFA7	9046	47C3	3F27	I14Z0080
触	BFA8	9047	4CD1	3F28	I1W10080
食	BFA9	9048	46B8	3F29	I0ZC0080
蝕	BFAA	9049	5347	3F2A	I2TJ0080
辱	BFAB	904A	52E5	3F2B	I2SL0080
尻	BFAC	904B	49CE	3F2C	I1FY0080
伸	BFAD	904C	46F4	3F2D	I1100080
信	BFAE	904D	45A5	3F2E	I0TH0080
侵	BFAF	904E	4F8C	3F2F	I2A40080
唇	BFB0	904F	4F76	3F30	I29I0080
娠	BFB1	9050	524C	3F31	I2OC0080

Table 6 JIS First Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
寢	BFB2	9051	4B59	3F32	I1ND0080
審	BFB3	9052	4987	3F33	I1DZ0080
心	BFB4	9053	46E7	3F34	I10N0080
慎	BFB5	9054	4A76	3F35	I1IU0080
振	BFB6	9055	48F6	3F36	I1BQ0080
新	BFB7	9056	4587	3F37	I0SN0080
晋	BFB8	9057	4BB2	3F38	I1PU0080
森	BFB9	9058	459D	3F39	I0T90080
榛	BFBA	9059	4D7E	3F3A	I1Z20080
浸	BFBB	905A	4D41	3F3B	I1XD0080
深	BFBC	905B	4777	3F3C	I12V0080
申	BFBD	905C	4967	3F3D	I1D30080
疹	BFBE	905D	54E1	3F3E	I3350080
真	BFBF	905E	4642	3F3F	I0W20080
神	BFC0	905F	45A1	3F40	I0TD0080
秦	BFC1	9060	4C8A	3F41	I1U20080
紳	BFC2	9061	4E59	3F42	I23D0080
臣	BFC3	9062	4A47	3F43	I1HJ0080
芯	BFC4	9063	4FE5	3F44	I2CL0080
薪	BFC5	9064	545A	3F45	I2ZE0080
親	BFC6	9065	4885	3F46	I18L0080
診	BFC7	9066	4D68	3F47	I1YG0080
身	BFC8	9067	479C	3F48	I13W0080
辛	BFC9	9068	4D5E	3F49	I1Y60080
進	BFCA	9069	4669	3F4A	I0X50080
針	BFCB	906A	4988	3F4B	I1E00080
震	BFCC	906B	4DDE	3F4C	I21Q0080


IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Table 6 JIS First Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
人	BFGD	906C	4593	3F4D	I0SZ0080
仁	BGCE	906D	4776	3F4E	I12U0080
刃	BGCF	906E	4F44	3F4F	I2840080
塵	BFD0	906F	4D89	3F50	I1ZD0080
壬	BFD1	9070	514F	3F51	I2J30080
尋	BFD2	9071	4D5F	3F52	I1Y70080
甚	BFD3	9072	4B66	3F53	I1NQ0080
尽	BFD4	9073	4FB9	3F54	I2BD0080
腎	BFD5	9074	52C4	3F55	I2RO0080
訊	BFD6	9075	50F2	3F56	I2IA0080
迅	BFD7	9076	5068	3F57	I2EG0080
陣	BFD8	9077	4C84	3F58	I1TW0080
鞞	BFD9	9078	66AB	3F59	I5PN0080
筥	BFDA	9079	52F4	3F5A	I2T00080
諏	BGDB	907A	4BC1	3F5B	I1Q90080
須	BGDC	907B	46B0	3F5C	I0Z40080
酢	BGDD	907C	4BAE	3F5D	I1PQ0080
囟	BGDE	907D	47C1	3F5E	I14X0080
厨	BGDF	907E	5178	3F5F	I2K80080
逗	BFE0	9080	4FB3	3F60	I2B70080
吹	BFE1	9081	49C4	3F61	I1FO0080
垂	BFE2	9082	4BC9	3F62	I1QH0080
帥	BFE3	9083	52AF	3F63	I2R30080
推	BFE4	9084	48D5	3F64	I1AT0080
水	BFE5	9085	459C	3F65	I0T80080
炊	BFE6	9086	4FCB	3F66	I2BV0080
睡	BFE7	9087	526C	3F67	I2P80080

Table 6 JIS First Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
粹	BFE8	9088	4FCC	3F68	I2BW0080
翠	BFE9	9089	4F69	3F69	I2950080
衰	BFEA	908A	4F54	3F6A	I28K0080
遂	BFEB	908B	4CF7	3F6B	I1X30080
醉	BFEC	908C	4E7C	3F6C	I24C0080
錐	BFED	908D	5390	3F6D	I2VK0080
錘	BFEE	908E	54EF	3F6E	I33J0080
随	BFEF	908F	4E76	3F6F	I2460080
瑞	BFF0	9090	4B5B	3F70	I1NF0080
髓	BFF1	9091	52C5	3F71	I2RP0080
崇	BFF2	9092	4C7F	3F72	I1TR0080
嵩	BFF3	9093	509E	3F73	I2FY0080
数	BFF4	9094	46CC	3F74	I0ZW0080
枢	BFF5	9095	52D0	3F75	I2S00080
趨	BFF6	9096	5561	3F76	I34X0080
雛	BFF7	9097	51FB	3F77	I2NV0080
据	BFF8	9098	4ED6	3F78	I26U0080
杉	BFF9	9099	4668	3F79	I0X40080
梶	BFFA	909A	4FED	3F7A	I2CT0080
菅	BFFB	909B	4753	3F7B	I11V0080
頗	BFFC	909C	55E4	3F7C	I38K0080
雀	BFFD	909D	4F64	3F7D	I2900080
裾	BFFE	909E	4C8D	3F7E	I1U50080
澄	C0A1	909F	4887	4021	I18N0080
摺	C0A2	90A0	51EF	4022	I2NJ0080
寸	C0A3	90A1	4B60	4023	I1NK0080
世	C0A4	90A2	469B	4024	I0YJ0080


IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Table 6 JIS First Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
瀬	C0A5	90A3	465B	4025	I0WR0080
畝	C0A6	90A4	5086	4026	I2FA0080
是	C0A7	90A5	4BBB	4027	I1Q30080
凄	C0A8	90A6	52DC	4028	I2SC0080
制	C0A9	90A7	46C4	4029	I0ZO0080
勢	C0AA	90A8	47EE	402A	I1660080
姓	C0AB	90A9	4FF1	402B	I2CX0080
征	C0AC	90AA	4A61	402C	I1I90080
性	C0AD	90AB	466E	402D	I0XA0080
成	C0AE	90AC	45BA	402E	I0U20080
政	C0AF	90AD	45C7	402F	I0UF0080
整	C0B0	90AE	477C	4030	I1300080
星	C0B1	90AF	47A9	4031	I1490080
晴	C0B2	90B0	4795	4032	I13P0080
棲	C0B3	90B1	5375	4033	I2UT0080
栖	C0B4	90B2	4DCC	4034	I2180080
正	C0B5	90B3	4577	4035	I0S70080
清	C0B6	90B4	4596	4036	I0T20080
牲	C0B7	90B5	5158	4037	I2JC0080
生	C0B8	90B6	4599	4038	I0T50080
盛	C0B9	90B7	4844	4039	I16S0080
精	C0BA	90B8	466C	403A	I0X80080
聖	C0BB	90B9	4BB5	403B	I1PX0080
声	C0BC	90BA	496C	403C	I1D80080
製	C0BD	90BB	457B	403D	I0SB0080
西	C0BE	90BC	4558	403E	I0RC0080
誠	C0BF	90BD	46FD	403F	I1I90080

Table 6 JIS First Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
誓	C0C0	90BE	4FA0	4040	I2AO0080
請	C0C1	90BF	4AE8	4041	I1M00080
逝	C0C2	90C0	53B1	4042	I2WH0080
醒	C0C3	90C1	5378	4043	I2UW0080
青	C0C4	90C2	464C	4044	I0WC0080
静	C0C5	90C3	4644	4045	I0W40080
斉	C0C6	90C4	468E	4046	I0Y60080
税	C0C7	90C5	47C4	4047	I1500080
脆	C0C8	90C6	55EC	4048	I38S0080
隻	C0C9	90C7	4FDA	4049	I2CA0080
席	C0CA	90C8	4B53	404A	I1N70080
惜	C0CB	90C9	4ED7	404B	I26V0080
戚	C0CC	90CA	5595	404C	I36D0080
斥	C0CD	90CB	5141	404D	I2IP0080
昔	C0CE	90CC	4C59	404E	I1SP0080
析	C0CF	90CD	4AE2	404F	I1LU0080
石	C0D0	90CE	4580	4050	I0SG0080
積	C0D1	90CF	4891	4051	I18X0080
籍	C0D2	90D0	4DFE	4052	I22M0080
績	C0D3	90D1	4866	4053	I17Q0080
脊	C0D4	90D2	535E	4054	I2U60080
責	C0D5	90D3	4BD2	4055	I1QQ0080
赤	C0D6	90D4	46F9	4056	I1150080
跡	C0D7	90D5	4CCD	4057	I1VX0080
蹟	C0D8	90D6	5368	4058	I2UG0080
碩	C0D9	90D7	507D	4059	I2F10080
切	C0DA	90D8	4765	405A	I12D0080


IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Table 6 JIS First Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
拙	C0DB	90D9	525C	405B	I2OS0080
接	C0DC	90DA	47A8	405C	I1480080
撰	C0DD	90DB	4E8C	405D	I24S0080
折	C0DE	90DC	498D	405E	I1E50080
設	C0DF	90DD	45E2	405F	I0V60080
窃	C0E0	90DE	5169	4060	I2JT0080
節	C0E1	90DF	47A1	4061	I1410080
説	C0E2	90E0	4952	4062	I1CI0080
雪	C0E3	90E1	49BB	4063	I1FF0080
絶	C0E4	90E2	4AF3	4064	I1MB0080
舌	C0E5	90E3	5094	4065	I2FO0080
蟬	C0E6	90E4	53E8	4066	I2Y00080
仙	C0E7	90E5	48A2	4067	I19E0080
先	C0E8	90E6	47A2	4068	I1420080
千	C0E9	90E7	454C	4069	I0R00080
占	C0EA	90E8	49EE	406A	I1GU0080
宣	C0EB	90E9	498F	406B	I1E70080
専	C0EC	90EA	49FB	406C	I1H70080
尖	C0ED	90EB	53C0	406D	I2WW0080
川	C0EE	90EC	4567	406E	I0RR0080
戦	C0EF	90ED	4764	406F	I12C0080
扇	C0F0	90EE	4DCA	4070	I2160080
撰	C0F1	90EF	5372	4071	I2UQ0080
栓	C0F2	90F0	50E3	4072	I2HV0080
梅	C0F3	90F1	55DA	4073	I38A0080
泉	C0F4	90F2	46EE	4074	I10U0080
浅	C0F5	90F3	468D	4075	I0Y50080

Table 6 JIS First Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
洗	C0F6	90F4	4A4E	4076	I1HQ0080
染	C0F7	90F5	489B	4077	I1970080
潜	C0F8	90F6	4DC0	4078	I20W0080
煎	C0F9	90F7	5490	4079	I30W0080
煽	C0FA	90F8	5590	407A	I3680080
旋	C0FB	90F9	4D7B	407B	I1YZ0080
穿	C0FC	90FA	4E91	407C	I24X0080
箭	C0FD	90FB	518D	407D	I2KT0080
線	C0FE	90FC	4687	407E	I0XZ0080
織	C1A1	9140	4868	4121	I17S0080
羨	C1A2	9141	5596	4122	I36E0080
腺	C1A3	9142	526F	4123	I2PB0080
舛	C1A4	9143	4FC1	4124	I2BL0080
船	C1A5	9144	467B	4125	I0XN0080
薦	C1A6	9145	4FBF	4126	I2BJ0080
詮	C1A7	9146	518E	4127	I2KU0080
賤	C1A8	9147	6478	4128	I5DK0080
踐	C1A9	9148	50D1	4129	I2HD0080
選	C1AA	9149	485D	412A	I17H0080
遷	C1AB	914A	535B	412B	I2U30080
錢	C1AC	914B	4D48	412C	I1XK0080
銑	C1AD	914C	4CAD	412D	I1V10080
閃	C1AE	914D	519C	412E	I2L80080
鮮	C1AF	914E	4CE9	412F	I1WP0080
前	C1B0	914F	45AF	4130	I0TR0080
善	C1B1	9150	46B3	4131	I0Z70080
漸	C1B2	9151	4D73	4132	I1YR0080


IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Table 6 JIS First Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
然	C1B3	9152	47EF	4133	I1670080
全	C1B4	9153	46B1	4134	I0Z50080
禪	C1B5	9154	4F87	4135	I29Z0080
繕	C1B6	9155	51D4	4136	I2MS0080
膳	C1B7	9156	5076	4137	I2EU0080
糰	C1B8	9157	5160	4138	I2JK0080
噌	C1B9	9158	5062	4139	I2EA0080
塑	C1BA	9159	4EC6	413A	I26E0080
岨	C1BB	915A	54B9	413B	I3210080
措	C1BC	915B	4A60	413C	I1I80080
曾	C1BD	915C	5166	413D	I2JQ0080
曾	C1BE	915D	495F	413E	I1CV0080
楚	C1BF	915E	534C	413F	I2TO0080
狙	C1C0	915F	4ECF	4140	I26N0080
疏	C1C1	9160	55B0	4141	I3740080
疎	C1C2	9161	5171	4142	I2K10080
礎	C1C3	9162	4C9C	4143	I1UK0080
祖	C1C4	9163	4CDC	4144	I1WC0080
租	C1C5	9164	4D83	4145	I1Z70080
粗	C1C6	9165	4D59	4146	I1Y10080
素	C1C7	9166	479F	4147	I13Z0080
組	C1C8	9167	46B9	4148	I0ZD0080
蘇	C1C9	9168	4CBF	4149	I1VJ0080
訴	C1CA	9169	4CDF	414A	I1WF0080
阻	C1CB	916A	4FEF	414B	I2CV0080
遡	C1CC	916B	544C	414C	I2Z00080
鼠	C1CD	916C	50CB	414D	I2H70080

Table 6 JIS First Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
僧	C1CE	916D	4E84	414E	I24K0080
創	C1CF	916E	4BE1	414F	I1R50080
双	C1D0	916F	4B71	4150	I1O10080
叢	C1D1	9170	53F5	4151	I2YD0080
倉	C1D2	9171	45D6	4152	I0UU0080
喪	C1D3	9172	5168	4153	I2JS0080
壯	C1D4	9173	4C9F	4154	I1UN0080
奏	C1D5	9174	4C53	4155	I1SJ0080
爽	C1D6	9175	52DD	4156	I2SD0080
宋	C1D7	9176	524D	4157	I2OD0080
層	C1D8	9177	4A8E	4158	I1JI0080
匠	C1D9	9178	51B7	4159	I2LZ0080
惣	C1DA	9179	4B68	415A	I1NS0080
想	C1DB	917A	48B3	415B	I19V0080
搜	C1DC	917B	4DDD	415C	I21P0080
掃	C1DD	917C	4DC3	415D	I20Z0080
挿	C1DE	917D	5555	415E	I34L0080
搔	C1DF	917E	54A3	415F	I31F0080
操	C1E0	9180	499B	4160	I1EJ0080
早	C1E1	9181	46E9	4161	I10P0080
曹	C1E2	9182	4ED2	4162	I26Q0080
巢	C1E3	9183	4C67	4163	I1T30080
槍	C1E4	9184	52DB	4164	I2SB0080
槽	C1E5	9185	4DB7	4165	I20N0080
漕	C1E6	9186	54A1	4166	I31D0080
燥	C1E7	9187	4C66	4167	I1T20080
争	C1E8	9188	4896	4168	I1920080


IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Table 6 JIS First Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
瘦	C1E9	9189	54A4	4169	I31G0080
相	C1EA	918A	4678	416A	I0XK0080
窓	C1EB	918B	4BE9	416B	I1RD0080
糟	C1EC	918C	518C	416C	I2KS0080
総	C1ED	918D	4793	416D	I13N0080
綜	C1EE	918E	5070	416E	I2EO0080
聡	C1EF	918F	4B89	416F	I1OP0080
草	C1F0	9190	4842	4170	I16Q0080
荘	C1F1	9191	4B62	4171	I1NM0080
葬	C1F2	9192	4F79	4172	I29L0080
蒼	C1F3	9193	50B9	4173	I2GP0080
藻	C1F4	9194	505F	4174	I2E70080
装	C1F5	9195	4898	4175	I1940080
走	C1F6	9196	4AAA	4176	I1KA0080
送	C1F7	9197	4744	4177	I11G0080
遭	C1F8	9198	5143	4178	I2IR0080
鎗	C1F9	9199	5197	4179	I2L30080
霜	C1FA	919A	4DE8	417A	I2200080
騷	C1FB	919B	4DD2	417B	I21E0080
像	C1FC	919C	4BBA	417C	I1Q20080
増	C1FD	919D	464D	417D	I0WD0080
憎	C1FE	919E	4F4A	417E	I28A0080
臈	C2A1	919F	4DBD	4221	I20T0080
歳	C2A2	91A0	465E	4222	I0WU0080
贈	C2A3	91A1	4C7C	4223	I1TO0080
造	C2A4	91A2	45B8	4224	I0U00080
促	C2A5	91A3	4A6A	4225	I1II0080

Table 6 JIS First Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
側	C2A6	91A4	4943	4226	I1C30080
則	C2A7	91A5	474D	4227	I11P0080
即	C2A8	91A6	4B6D	4228	I1NX0080
息	C2A9	91A7	4BB0	4229	I1PS0080
捉	C2AA	91A8	53A0	422A	I2W00080
束	C2AB	91A9	4B4B	422B	I1MZ0080
測	C2AC	91AA	4945	422C	I1C50080
足	C2AD	91AB	46FA	422D	I1160080
速	C2AE	91AC	48CD	422E	I1AL0080
俗	C2AF	91AD	4E97	422F	I2530080
属	C2B0	91AE	476D	4230	I12L0080
賊	C2B1	91AF	4FFD	4231	I2D90080
族	C2B2	91B0	4ADC	4232	I1LO0080
続	C2B3	91B1	47CB	4233	I1570080
卒	C2B4	91B2	4AF2	4234	I1MA0080
袖	C2B5	91B3	4A57	4235	I1HZ0080
其	C2B6	91B4	4F67	4236	I2930080
揃	C2B7	91B5	4EFD	4237	I27X0080
存	C2B8	91B6	4A41	4238	I1HD0080
孫	C2B9	91B7	4C5E	4239	I1SU0080
尊	C2BA	91B8	4CEF	423A	I1WV0080
損	C2BB	91B9	4BD8	423B	I1QW0080
村	C2BC	91BA	4556	423C	I0RA0080
遜	C2BD	91BB	5455	423D	I2Z90080
他	C2BE	91BC	4755	423E	I11X0080
多	C2BF	91BD	45FE	423F	I0VY0080
太	C2C0	91BE	45AB	4240	I0TN0080


IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Table 6 JIS First Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
汰	C2C1	91BF	50D2	4241	I2HE0080
訖	C2C2	91C0	55E3	4242	I38J0080
唾	C2C3	91C1	5478	4243	I3080080
墮	C2C4	91C2	53B0	4244	I2WG0080
妥	C2C5	91C3	4D9E	4245	I1ZY0080
惰	C2C6	91C4	54B8	4246	I3200080
打	C2C7	91C5	47EA	4247	I1620080
柁	C2C8	91C6	55CD	4248	I37X0080
舵	C2C9	91C7	54DB	4249	I32Z0080
橈	C2CA	91C8	55C5	424A	I37P0080
陀	C2CB	91C9	4FE8	424B	I2CO0080
馱	C2CC	91CA	4DE5	424C	I21X0080
驢	C2CD	91CB	53DA	424D	I2XM0080
体	C2CE	91CC	4696	424E	I0YE0080
堆	C2CF	91CD	5371	424F	I2UP0080
対	C2D0	91CE	4656	4250	I0WM0080
耐	C2D1	91CF	498E	4251	I1E60080
岱	C2D2	91D0	5262	4252	I2OY0080
带	C2D3	91D1	4960	4253	I1CW0080
待	C2D4	91D2	48A3	4254	I19F0080
怠	C2D5	91D3	5081	4255	I2F50080
態	C2D6	91D4	48FD	4256	I1BX0080
戴	C2D7	91D5	5092	4257	I2FM0080
替	C2D8	91D6	4BC3	4258	I1QB0080
泰	C2D9	91D7	46F3	4259	I10Z0080
滞	C2DA	91D8	4DA1	425A	I2010080
胎	C2DB	91D9	5263	425B	I2OZ0080

Table 6 JIS First Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
腿	C2DC	91DA	529A	425C	I2QI0080
苔	C2DD	91DB	52D7	425D	I2S70080
袋	C2DE	91DC	4A54	425E	I1HW0080
貸	C2DF	91DD	4AF4	425F	I1MC0080
退	C2E0	91DE	4B49	4260	I1MX0080
逮	C2E1	91DF	4F77	4261	I29J0080
隊	C2E2	91E0	4A93	4262	I1JN0080
黛	C2E3	91E1	51DD	4263	I2N10080
鯛	C2E4	91E2	50D8	4264	I2HK0080
代	C2E5	91E3	459A	4265	I0T60080
台	C2E6	91E4	4778	4266	I12W0080
大	C2E7	91E5	455B	4267	I0RF0080
第	C2E8	91E6	467E	4268	I0XQ0080
醜	C2E9	91E7	516F	4269	I2JZ0080
題	C2EA	91E8	47FE	426A	I16M0080
鷹	C2EB	91E9	4B7A	426B	I10A0080
滝	C2EC	91EA	47A3	426C	I1430080
瀧	C2ED	91EB	52AE	426D	I2R20080
卓	C2EE	91EC	4996	426E	I1EE0080
啄	C2EF	91ED	5383	426F	I2V70080
宅	C2F0	91EE	486F	4270	I17Z0080
托	C2F1	91EF	55D5	4271	I3850080
扞	C2F2	91F0	4E7E	4272	I24E0080
拓	C2F3	91F1	4BDB	4273	I1QZ0080
沢	C2F4	91F2	4585	4274	I0SL0080
濯	C2F5	91F3	4DD4	4275	I21G0080
琢	C2F6	91F4	4E5C	4276	I23G0080


IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Table 6 JIS First Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
託	C2F7	91F5	4AB6	4277	I1KM0080
鐸	C2F8	91F6	5388	4278	I2VC0080
濁	C2F9	91F7	50BE	4279	I2GU0080
諾	C2FA	91F8	4FE1	427A	I2CH0080
茸	C2FB	91F9	4DF7	427B	I22F0080
夙	C2FC	91FA	558A	427C	I3620080
蝟	C2FD	91FB	524E	427D	I2OE0080
只	C2FE	91FC	4E41	427E	I22P0080
叩	C3A1	9240	4F71	4321	I29D0080
但	C3A2	9241	4EFE	4322	I27Y0080
達	C3A3	9242	46A4	4323	I0YS0080
辰	C3A4	9243	47DF	4324	I15R0080
奪	C3A5	9244	4EBB	4325	I2630080
脱	C3A6	9245	4AB4	4326	I1KK0080
異	C3A7	9246	4E46	4327	I22U0080
豎	C3A8	9247	51C8	4328	I2MG0080
迪	C3A9	9248	547E	4329	I30E0080
棚	C3AA	9249	4BEF	432A	I1RJ0080
谷	C3AB	924A	4581	432B	I0SH0080
狸	C3AC	924B	52FE	432C	I2TA0080
鱒	C3AD	924C	5560	432D	I34W0080
樽	C3AE	924D	4BBE	432E	I1Q60080
誰	C3AF	924E	4B83	432F	I10J0080
丹	C3B0	924F	48AB	4330	I19N0080
單	C3B1	9250	48E3	4331	I1B70080
嘆	C3B2	9251	5063	4332	I2EB0080
坦	C3B3	9252	51C4	4333	I2MC0080

Table 6 JIS First Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
担	C3B4	9253	4AA1	4334	I1K10080
探	C3B5	9254	4B7F	4335	I10F0080
旦	C3B6	9255	4D9D	4336	I1ZX0080
歎	C3B7	9256	5487	4337	I30N0080
淡	C3B8	9257	4CA5	4338	I1UT0080
湛	C3B9	9258	53F3	4339	I2YB0080
炭	C3BA	9259	4861	433A	I17L0080
短	C3BB	925A	4A82	433B	I1J60080
端	C3BC	925B	48EF	433C	I1BJ0080
箆	C3BD	925C	54CA	433D	I32I0080
綻	C3BE	925D	54A6	433E	I31I0080
耽	C3BF	925E	55B8	433F	I37C0080
胆	C3C0	925F	4E9B	4340	I2570080
蛋	C3C1	9260	53D8	4341	I2XK0080
誕	C3C2	9261	4FA2	4342	I2AQ0080
鍛	C3C3	9262	48C7	4343	I1AF0080
団	C3C4	9263	47F0	4344	I1680080
壇	C3C5	9264	4E8E	4345	I24U0080
彈	C3C6	9265	4AD4	4346	I1LG0080
斷	C3C7	9266	4989	4347	I1E10080
暖	C3C8	9267	4D6C	4348	I1YK0080
檀	C3C9	9268	4FF5	4349	I2D10080
段	C3CA	9269	47ED	434A	I1650080
男	C3CB	926A	457C	434B	I0SC0080
談	C3CC	926B	4963	434C	I1CZ0080
值	C3CD	926C	487D	434D	I18D0080
知	C3CE	926D	45B0	434E	I0TS0080


IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Table 6 JIS First Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
地	C3CF	926E	45C2	434F	I0UA0080
弛	C3D0	926F	5597	4350	I36F0080
恥	C3D1	9270	4ECE	4351	I26M0080
智	C3D2	9271	46A8	4352	I0YW0080
池	C3D3	9272	45E8	4353	I0VC0080
痴	C3D4	9273	5089	4354	I2FD0080
稚	C3D5	9274	4DCF	4355	I21B0080
置	C3D6	9275	468C	4356	I0Y40080
致	C3D7	9276	4C6A	4357	I1T60080
蜘蛛	C3D8	9277	54DC	4358	I3300080
遅	C3D9	9278	4C6D	4359	I1T90080
馳	C3DA	9279	52DF	435A	I2SF0080
築	C3DB	927A	49A8	435B	I1EW0080
畜	C3DC	927B	4D72	435C	I1YQ0080
竹	C3DD	927C	45F5	435D	I0VP0080
筑	C3DE	927D	4B45	435E	I1MT0080
蓄	C3DF	927E	4C94	435F	I1UC0080
逐	C3E0	9280	50BB	4360	I2GR0080
秩	C3E1	9281	4D9F	4361	I1ZZ0080
室	C3E2	9282	4FB0	4362	I2B40080
茶	C3E3	9283	4977	4363	I1DJ0080
嫡	C3E4	9284	5567	4364	I3530080
着	C3E5	9285	47AA	4365	I14A0080
中	C3E6	9286	455C	4366	I0RG0080
仲	C3E7	9287	4869	4367	I17T0080
宙	C3E8	9288	4D64	4368	I1YC0080
忠	C3E9	9289	464F	4369	I0WF0080

Table 6 JIS First Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
抽	C3EA	928A	4D53	436A	I1XV0080
昼	C3EB	928B	4C98	436B	I1UG0080
柱	C3EC	928C	4BEA	436C	I1RE0080
注	C3ED	928D	4944	436D	I1C40080
虫	C3EE	928E	4BCB	436E	I1QJ0080
衷	C3EF	928F	52E9	436F	I2SP0080
註	C3F0	9290	4F66	4370	I2920080
酎	C3F1	9291	5591	4371	I3690080
鑄	C3F2	9292	48C1	4372	I1A90080
駐	C3F3	9293	4DF5	4373	I22D0080
樗	C3F4	9294	538B	4374	I2VF0080
瀦	C3F5	9295	4FDE	4375	I2CE0080
猪	C3F6	9296	49C5	4376	I1FP0080
苧	C3F7	9297	54B0	4377	I31S0080
著	C3F8	9298	4A59	4378	I1I10080
貯	C3F9	9299	4C62	4379	I1SY0080
丁	C3FA	929A	4BCE	437A	I1QM0080
兆	C3FB	929B	4DF3	437B	I22B0080
濁	C3FC	929C	55F9	437C	I3950080
喋	C3FD	929D	5558	437D	I34O0080
寵	C3FE	929E	5556	437E	I34M0080
帖	C4A1	929F	51C7	4421	I2MF0080
帳	C4A2	92A0	4DC5	4422	I2110080
庁	C4A3	92A1	4B92	4423	I1OY0080
弔	C4A4	92A2	51E5	4424	I2N90080
張	C4A5	92A3	48BA	4425	I1A20080
彫	C4A6	92A4	4E86	4426	I24M0080


IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Table 6 JIS First Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
徴	C4A7	92A5	4C74	4427	I1TG0080
懲	C4A8	92A6	5153	4428	I2J70080
挑	C4A9	92A7	4FDB	4429	I2CB0080
暢	C4AA	92A8	4CC7	442A	I1VR0080
朝	C4AB	92A9	475C	442B	I1240080
潮	C4AC	92AA	4C93	442C	I1UB0080
牒	C4AD	92AB	55DD	442D	I38D0080
町	C4AE	92AC	4555	442E	I0R90080
眺	C4AF	92AD	4E5F	442F	I23J0080
聴	C4B0	92AE	4DA8	4430	I2080080
脹	C4B1	92AF	55E9	4431	I38P0080
腸	C4B2	92B0	4DB6	4432	I20M0080
蝶	C4B3	92B1	4E6E	4433	I23Y0080
調	C4B4	92B2	4689	4434	I0Y10080
諜	C4B5	92B3	5570	4435	I35C0080
超	C4B6	92B4	4A78	4436	I1IW0080
跳	C4B7	92B5	50B4	4437	I2GK0080
銚	C4B8	92B6	4E80	4438	I24G0080
長	C4B9	92B7	4583	4439	I0SJ0080
頂	C4BA	92B8	4D5B	443A	I1Y30080
鳥	C4BB	92B9	4779	443B	I12X0080
勅	C4BC	92BA	4EEF	443C	I27J0080
抄	C4BD	92BB	5546	443D	I3460080
直	C4BE	92BC	4674	443E	I0XG0080
朕	C4BF	92BD	55F3	443F	I38Z0080
沈	C4C0	92BE	4C8F	4440	I1U70080
珍	C4C1	92BF	4D5D	4441	I1Y50080

Table 6 JIS First Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
賃	C4C2	92C0	4B4D	4442	I1N10080
鎮	C4C3	92C1	4C89	4443	I1U10080
陳	C4C4	92C2	4E61	4444	I23L0080
津	C4C5	92C3	45DC	4445	I0V00080
墜	C4C6	92C4	5150	4446	I2J40080
椎	C4C7	92C5	4BA0	4447	I1PC0080
槌	C4C8	92C6	4EFA	4448	I27U0080
追	C4C9	92C7	49D1	4449	I1G10080
鎚	C4CA	92C8	54FE	444A	I33Y0080
痛	C4CB	92C9	4C47	444B	I1S70080
通	C4CC	92CA	45E3	444C	I0V70080
塚	C4CD	92CB	4657	444D	I0WN0080
柁	C4CE	92CC	52D1	444E	I2S10080
搦	C4CF	92CD	54CD	444F	I32L0080
槻	C4D0	92CE	4B5C	4450	I1NG0080
佃	C4D1	92CF	4EDF	4451	I2730080
漬	C4D2	92D0	4E8A	4452	I24Q0080
柘	C4D3	92D1	4FD8	4453	I2C80080
辻	C4D4	92D2	47F5	4454	I16D0080
蔦	C4D5	92D3	4FA1	4455	I2AP0080
綴	C4D6	92D4	4DC9	4456	I2150080
鏢	C4D7	92D5	54AA	4457	I31M0080
椿	C4D8	92D6	4CBA	4458	I1VE0080
漬	C4D9	92D7	5446	4459	I2YU0080
坪	C4DA	92D8	4949	445A	I1C90080
壺	C4DB	92D9	589B	445B	I3MJ0080
孀	C4DC	92DA	52EA	445C	I2SQ0080


IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Table 6 JIS First Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
紬	C4DD	92DB	5592	445D	I36A0080
爪	C4DE	92DC	4C87	445E	I1TZ0080
吊	C4DF	92DD	53D3	445F	I2XF0080
釣	C4E0	92DE	4CE3	4460	I1WJ0080
鶴	C4E1	92DF	477A	4461	I12Y0080
亭	C4E2	92E0	4E52	4462	I2360080
低	C4E3	92E1	48A4	4463	I19G0080
停	C4E4	92E2	4E70	4464	I2400080
偵	C4E5	92E3	4F95	4465	I2AD0080
剃	C4E6	92E4	5379	4466	I2UX0080
貞	C4E7	92E5	46B6	4467	I0ZA0080
呈	C4E8	92E6	4F56	4468	I28M0080
堤	C4E9	92E7	4B61	4469	I1NL0080
定	C4EA	92E8	45E7	446A	I0VB0080
帝	C4EB	92E9	489C	446B	I1980080
底	C4EC	92EA	4B64	446C	I1NO0080
庭	C4ED	92EB	48E0	446D	I1B40080
廷	C4EE	92EC	505B	446E	I2E30080
弟	C4EF	92ED	4C9B	446F	I1UJ0080
悌	C4F0	92EE	4DE3	4470	I21V0080
抵	C4F1	92EF	4B90	4471	I1OW0080
挺	C4F2	92F0	5387	4472	I2VB0080
提	C4F3	92F1	49B9	4473	I1FD0080
梯	C4F4	92F2	51E4	4474	I2N80080
汀	C4F5	92F3	534D	4475	I2TP0080
碇	C4F6	92F4	5195	4476	I2L10080
禎	C4F7	92F5	4BA7	4477	I1PJ0080

Table 6 JIS First Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
程	C4F8	92F6	47F4	4478	I16C0080
締	C4F9	92F7	4A80	4479	I1J40080
艇	C4FA	92F8	4DFC	447A	I22K0080
訂	C4FB	92F9	4FC4	447B	I2BO0080
諦	C4FC	92FA	5246	447C	I2O60080
蹄	C4FD	92FB	55A7	447D	I36V0080
遁	C4FE	92FC	515E	447E	I2JI0080
邸	C5A1	9340	4D81	4521	I1Z50080
鄭	C5A2	9341	5154	4522	I2J80080
釘	C5A3	9342	4FF4	4523	I2D00080
鼎	C5A4	9343	51AA	4524	I2LM0080
泥	C5A5	9344	4E56	4525	I23A0080
摘	C5A6	9345	4DCB	4526	I2170080
擢	C5A7	9346	5543	4527	I3430080
敵	C5A8	9347	4BF3	4528	I1RN0080
滴	C5A9	9348	4FB7	4529	I2BB0080
的	C5AA	9349	45EF	452A	I0VJ0080
笛	C5AB	934A	4F41	452B	I2810080
適	C5AC	934B	49CC	452C	I1FW0080
鐘	C5AD	934C	5041	452D	I2DD0080
溺	C5AE	934D	5497	452E	I3130080
哲	C5AF	934E	4747	452F	I11J0080
徹	C5B0	934F	48F8	4530	I1BS0080
撤	C5B1	9350	4E7A	4531	I24A0080
轍	C5B2	9351	54EE	4532	I33I0080
迭	C5B3	9352	53DF	4533	I2XR0080
鉄	C5B4	9353	45D7	4534	I0UV0080


IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Table 6 JIS First Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
典	C5B5	9354	47C9	4535	I1550080
填	C5B6	9355	4F5E	4536	I28U0080
天	C5B7	9356	468A	4537	I0Y20080
展	C5B8	9357	48DD	4538	I1B10080
店	C5B9	9358	4854	4539	I1780080
添	C5BA	9359	4A91	453A	I1JL0080
纏	C5BB	935A	55FA	453B	I3960080
甜	C5BC	935B	52A7	453C	I2QV0080
貼	C5BD	935C	507B	453D	I2EZ0080
転	C5BE	935D	4752	453E	I11U0080
顛	C5BF	935E	55C1	453F	I37L0080
点	C5C0	935F	4788	4540	I13C0080
伝	C5C1	9360	48D9	4541	I1AX0080
殿	C5C2	9361	4849	4542	I16X0080
澱	C5C3	9362	5589	4543	I3610080
田	C5C4	9363	4563	4544	I0RN0080
電	C5C5	9364	4582	4545	I0SI0080
兔	C5C6	9365	5050	4546	I2DS0080
吐	C5C7	9366	4EB2	4547	I25U0080
堵	C5C8	9367	54F6	4548	I33Q0080
塗	C5C9	9368	486A	4549	I17U0080
妬	C5CA	9369	537F	454A	I2V30080
屠	C5CB	936A	53FB	454B	I2YJ0080
徒	C5CC	936B	4C6C	454C	I1T80080
斗	C5CD	936C	4E83	454D	I24J0080
杜	C5CE	936D	525D	454E	I2OT0080
渡	C5CF	936E	45D2	454F	I0UQ0080

Table 6 JIS First Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
登	C5D0	936F	46E8	4550	I10O0080
菟	C5D1	9370	53D4	4551	I2XG0080
賭	C5D2	9371	52C1	4552	I2RL0080
途	C5D3	9372	48F0	4553	I1BK0080
都	C5D4	9373	454F	4554	I0R30080
鍍	C5D5	9374	55D3	4555	I3830080
砥	C5D6	9375	4D45	4556	I1XH0080
砺	C5D7	9376	50DF	4557	I2HR0080
努	C5D8	9377	4A64	4558	I1IC0080
度	C5D9	9378	45DE	4559	I0V20080
土	C5DA	9379	4684	455A	I0XW0080
奴	C5DB	937A	4D90	455B	I1ZK0080
怒	C5DC	937B	4CD6	455C	I1W60080
倒	C5DD	937C	4B6A	455D	I1NU0080
党	C5DE	937D	494B	455E	I1CB0080
冬	C5DF	937E	4BDE	455F	I1R20080
凍	C5E0	9380	4BE6	4560	I1RA0080
刀	C5E1	9381	4C50	4561	I1SG0080
唐	C5E2	9382	4BAB	4562	I1PN0080
塔	C5E3	9383	4CCB	4563	I1VV0080
塘	C5E4	9384	52F8	4564	I2T40080
套	C5E5	9385	5583	4565	I35V0080
宕	C5E6	9386	515C	4566	I2JG0080
島	C5E7	9387	456F	4567	I0RZ0080
嶋	C5E8	9388	47D1	4568	I15D0080
悼	C5E9	9389	5145	4569	I2IT0080
投	C5EA	938A	4751	456A	I11T0080


IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Table 6 JIS First Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
搭	C5EB	938B	528F	456B	I2Q70080
東	C5EC	938C	4557	456C	I0RB0080
桃	C5ED	938D	4ADA	456D	I1LM0080
梲	C5EE	938E	5C49	456E	I45L0080
棟	C5EF	938F	4EA9	456F	I25L0080
盜	C5F0	9390	4D65	4570	I1YD0080
淘	C5F1	9391	55E1	4571	I38H0080
湯	C5F2	9392	48BD	4572	I1A50080
涛	C5F3	9393	5D69	4573	I4BT0080
灯	C5F4	9394	4B65	4574	I1NP0080
燈	C5F5	9395	4EF8	4575	I27S0080
当	C5F6	9396	465F	4576	I0WV0080
痘	C5F7	9397	5549	4577	I3490080
禱	C5F8	9398	5553	4578	I34J0080
等	C5F9	9399	46A7	4579	I0YV0080
答	C5FA	939A	49D0	457A	I1G00080
筒	C5FB	939B	4B7C	457B	I1OC0080
糖	C5FC	939C	4884	457C	I18K0080
統	C5FD	939D	4881	457D	I18H0080
到	C5FE	939E	4CDD	457E	I1WD0080
董	C6A1	939F	5071	4621	I2EP0080
蕩	C6A2	93A0	54F0	4622	I33K0080
藤	C6A3	93A1	4568	4623	I0RS0080
討	C6A4	93A2	49D2	4624	I1G20080
膳	C6A5	93A3	4FE2	4625	I2CI0080
豆	C6A6	93A4	4A99	4626	I1JT0080
踏	C6A7	93A5	4D7C	4627	I1Z00080

Table 6 JIS First Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
逃	C6A8	93A6	4C72	4628	I1TE0080
透	C6A9	93A7	4BDA	4629	I1QY0080
燈	C6AA	93A8	52CF	462A	I2RZ0080
陶	C6AB	93A9	4AB7	462B	I1KN0080
頭	C6AC	93AA	47EB	462C	I1630080
騰	C6AD	93AB	4E5E	462D	I23I0080
鬪	C6AE	93AC	4BCC	462E	I1QK0080
働	C6AF	93AD	48EC	462F	I1BG0080
動	C6B0	93AE	45E4	4630	I0V80080
同	C6B1	93AF	466D	4631	I0X90080
堂	C6B2	93B0	497F	4632	I1DR0080
導	C6B3	93B1	48AE	4633	I19Q0080
懂	C6B4	93B2	53C2	4634	I2WY0080
撞	C6B5	93B3	55DB	4635	I38B0080
洞	C6B6	93B4	4D98	4636	I1ZS0080
瞳	C6B7	93B5	4F9B	4637	I2AJ0080
童	C6B8	93B6	4D50	4638	I1XS0080
胴	C6B9	93B7	4EAB	4639	I25N0080
萄	C6BA	93B8	54F7	463A	I33R0080
道	C6BB	93B9	4550	463B	I0R40080
銅	C6BC	93BA	48C0	463C	I1A80080
峠	C6BD	93BB	4F96	463D	I2AE0080
鴿	C6BE	93BC	51A1	463E	I2LD0080
匿	C6BF	93BD	50F1	463F	I2I90080
得	C6C0	93BE	47E8	4640	I1600080
徳	C6C1	93BF	4654	4641	I0WK0080
澆	C6C2	93C0	5550	4642	I34G0080


IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Table 6 JIS First Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
特	C6C3	93C1	46A2	4643	I0YQ0080
督	C6C4	93C2	4A73	4644	I1IR0080
禿	C6C5	93C3	53D0	4645	I2XC0080
篤	C6C6	93C4	4AD8	4646	I1LK0080
毒	C6C7	93C5	4C97	4647	I1UF0080
独	C6C8	93C6	4ADB	4648	I1LN0080
読	C6C9	93C7	4A4F	4649	I1HR0080
栃	C6CA	93C8	47D3	464A	I15F0080
橡	C6CB	93C9	55D4	464B	I3840080
凸	C6CC	93CA	50CF	464C	I2HB0080
突	C6CD	93CB	4AFD	464D	I1ML0080
楯	C6CE	93CC	54A7	464E	I31J0080
届	C6CF	93CD	4DA7	464F	I2070080
鳶	C6D0	93CE	54C4	4650	I32C0080
苦	C6D1	93CF	4D5A	4651	I1Y20080
寅	C6D2	93D0	4A84	4652	I1J80080
酉	C6D3	93D1	4F73	4653	I29F0080
瀨	C6D4	93D2	535C	4654	I2U40080
噸	C6D5	93D3	55F1	4655	I38X0080
屯	C6D6	93D4	4FDD	4656	I2CD0080
惇	C6D7	93D5	4E65	4657	I23P0080
敦	C6D8	93D6	49F2	4658	I1GY0080
沌	C6D9	93D7	5598	4659	I36G0080
豚	C6DA	93D8	4CCF	465A	I1VZ0080
遁	C6DB	93D9	54F8	465B	I33S0080
頓	C6DC	93DA	517A	465C	I2KA0080
吞	C6DD	93DB	50B0	465D	I2GG0080

Table 6 JIS First Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
曇	C6DE	93DC	4C56	465E	I1SM0080
鈍	C6DF	93DD	4E63	465F	I23N0080
奈	C6E0	93DE	45E6	4660	I0VA0080
那	C6E1	93DF	4846	4661	I16U0080
内	C6E2	93E0	458E	4662	I0SU0080
乍	C6E3	93E1	55A9	4663	I36X0080
凧	C6E4	93E2	549E	4664	I31A0080
薙	C6E5	93E3	51AD	4665	I2LP0080
謎	C6E6	93E4	52F9	4666	I2T50080
灘	C6E7	93E5	4B96	4667	I1P20080
捺	C6E8	93E6	4FC0	4668	I2BK0080
鍋	C6E9	93E7	4B48	4669	I1MW0080
檜	C6EA	93E8	4D93	466A	I1ZN0080
馴	C6EB	93E9	50A1	466B	I2G10080
縄	C6EC	93EA	4859	466C	I17D0080
睨	C6ED	93EB	50DD	466D	I2HP0080
南	C6EE	93EC	4559	466E	I0RD0080
楠	C6EF	93ED	4ADF	466F	I1LR0080
軟	C6F0	93EE	4CB1	4670	I1V50080
難	C6F1	93EF	495A	4671	I1CQ0080
汝	C6F2	93F0	555E	4672	I34U0080
二	C6F3	93F1	4542	4673	I0QQ0080
尼	C6F4	93F2	4A86	4674	I1JA0080
弍	C6F5	93F3	50E1	4675	I2HT0080
迹	C6F6	93F4	64F6	4676	I5H20080
匂	C6F7	93F5	4ECB	4677	I26J0080
賑	C6F8	93F6	539E	4678	I2VY0080


IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Table 6 JIS First Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
肉	C6F9	93F7	4A42	4679	I1HE0080
虹	C6FA	93F8	51B6	467A	I2LY0080
甘	C6FB	93F9	51D9	467B	I2MX0080
日	C6FC	93FA	4562	467C	I0RM0080
乳	C6FD	93FB	4A98	467D	I1JS0080
入	C6FE	93FC	4665	467E	I0X10080
如	C7A1	9440	4BF8	4721	I1RS0080
尿	C7A2	9441	4CC6	4722	I1VQ0080
菲	C7A3	9442	4FDF	4723	I2CF0080
任	C7A4	9443	4A55	4724	I1HX0080
妊	C7A5	9444	5043	4725	I2DF0080
忍	C7A6	9445	4BD7	4726	I1QV0080
認	C7A7	9446	4A7E	4727	I1J20080
濡	C7A8	9447	507E	4728	I2F20080
禰	C7A9	9448	50FA	4729	I2II0080
祢	C7AA	9449	4F89	472A	I2A10080
寧	C7AB	944A	4FA9	472B	I2AX0080
葱	C7AC	944B	544E	472C	I2Z20080
猫	C7AD	944C	4FD0	472D	I2C00080
熱	C7AE	944D	47D5	472E	I15H0080
年	C7AF	944E	4560	472F	I0RK0080
念	C7B0	944F	4AAE	4730	I1KE0080
捻	C7B1	9450	54C0	4731	I3280080
撚	C7B2	9451	5348	4732	I2TK0080
燃	C7B3	9452	49D5	4733	I1G50080
粘	C7B4	9453	4BF7	4734	I1RR0080
乃	C7B5	9454	4B9F	4735	I1PB0080

Table 6 JIS First Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
廼	C7B6	9455	5564	4736	I3500080
之	C7B7	9456	45D8	4737	I0UW0080
埜	C7B8	9457	4DF4	4738	I22C0080
囊	C7B9	9458	5190	4739	I2KW0080
惱	C7BA	9459	4BCD	473A	I1QL0080
濃	C7BB	945A	4ACE	473B	I1LA0080
納	C7BC	945B	49E2	473C	I1GI0080
能	C7BD	945C	474F	473D	I11R0080
腦	C7BE	945D	4CB3	473E	I1V70080
膿	C7BF	945E	535F	473F	I2U70080
農	C7C0	945F	4845	4740	I16T0080
覲	C7C1	9460	53EB	4741	I2Y30080
蚤	C7C2	9461	55A2	4742	I36Q0080
巴	C7C3	9462	4E7D	4743	I24D0080
把	C7C4	9463	4EE3	4744	I2770080
播	C7C5	9464	4E62	4745	I23M0080
霸	C7C6	9465	4BFA	4746	I1RU0080
杷	C7C7	9466	5280	4747	I2PS0080
波	C7C8	9467	46CA	4748	I0ZU0080
派	C7C9	9468	4A72	4749	I1IQ0080
琶	C7CA	9469	529F	474A	I2QN0080
破	C7CB	946A	4ABE	474B	I1KU0080
婆	C7CC	946B	4ECC	474C	I26K0080
罵	C7CD	946C	5579	474D	I35L0080
芭	C7CE	946D	5442	474E	I2YQ0080
馬	C7CF	946E	4664	474F	I0X00080
俳	C7D0	946F	4CE1	4750	I1WH0080


IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Table 6 JIS First Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
麿	C7D1	9470	4BC7	4751	I1QF0080
扨	C7D2	9471	4EE2	4752	I2760080
排	C7D3	9472	4CFA	4753	I1X60080
敗	C7D4	9473	4B8A	4754	I1OQ0080
杯	C7D5	9474	4C63	4755	I1SZ0080
盃	C7D6	9475	53BA	4756	I2WQ0080
牌	C7D7	9476	556F	4757	I35B0080
背	C7D8	9477	4AB2	4758	I1KI0080
肺	C7D9	9478	504E	4759	I2DQ0080
輩	C7DA	9479	4EF4	475A	I27O0080
配	C7DB	947A	47F3	475B	I16B0080
倍	C7DC	947B	4AC4	475C	I1L00080
培	C7DD	947C	4DAC	475D	I20C0080
媒	C7DE	947D	4D80	475E	I1Z40080
梅	C7DF	947E	4798	475F	I13S0080
煤	C7E0	9480	52B3	4760	I2R70080
煤	C7E1	9481	54EA	4761	I33E0080
狽	C7E2	9482	54D6	4762	I32U0080
買	C7E3	9483	4974	4763	I1DG0080
壳	C7E4	9484	4775	4764	I12T0080
賠	C7E5	9485	4F4F	4765	I28F0080
陪	C7E6	9486	55C3	4766	I37N0080
這	C7E7	9487	4FCA	4767	I2BU0080
蠅	C7E8	9488	634B	4768	I56Z0080
秤	C7E9	9489	508F	4769	I2FJ0080
矧	C7EA	948A	55C9	476A	I37T0080
菽	C7EB	948B	494A	476B	I1CA0080

Table 6 JIS First Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
伯	C7EC	948C	49A6	476C	I1EU0080
剥	C7ED	948D	5481	476D	I30H0080
博	C7EE	948E	45F6	476E	I0VQ0080
拍	C7EF	948F	4FBA	476F	I2BE0080
柏	C7F0	9490	4980	4770	I1DS0080
泊	C7F1	9491	4DB8	4771	I20O0080
白	C7F2	9492	4659	4772	I0WP0080
箔	C7F3	9493	4EE0	4773	I2740080
粕	C7F4	9494	4C4B	4774	I1SB0080
舶	C7F5	9495	4B87	4775	I1ON0080
薄	C7F6	9496	4A92	4776	I1JM0080
迫	C7F7	9497	49EF	4777	I1GV0080
曝	C7F8	9498	52A6	4778	I2QU0080
漠	C7F9	9499	508E	4779	I2FI0080
爆	C7FA	949A	4AD9	477A	I1LL0080
縛	C7FB	949B	52E6	477B	I2SM0080
莫	C7FC	949C	54B3	477C	I31V0080
駁	C7FD	949D	55E5	477D	I38L0080
麦	C7FE	949E	4AE0	477E	I1LS0080
函	C8A1	949F	4BB6	4821	I1PY0080
箱	C8A2	94A0	4AFB	4822	I1MJ0080
裕	C8A3	94A1	52BF	4823	I2RJ0080
箸	C8A4	94A2	505C	4824	I2E40080
肇	C8A5	94A3	4B41	4825	I1MP0080
筈	C8A6	94A4	4D9B	4826	I1ZV0080
櫨	C8A7	94A5	51C5	4827	I2MD0080
幡	C8A8	94A6	48DE	4828	I1B20080


IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Table 6 JIS First Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
肌	C8A9	94A7	4E50	4829	I2340080
畑	C8AA	94A8	478B	482A	I13F0080
畠	C8AB	94A9	49FE	482B	I1HA0080
八	C8AC	94AA	4548	482C	I0QW0080
鉢	C8AD	94AB	4EA8	482D	I25K0080
澆	C8AE	94AC	54FA	482E	I33U0080
発	C8AF	94AD	464B	482F	I0WB0080
醜	C8B0	94AE	51FA	4830	I2NU0080
髮	C8B1	94AF	4CF6	4831	I1X20080
伐	C8B2	94B0	50F6	4832	I2IE0080
罰	C8B3	94B1	4F82	4833	I29U0080
拔	C8B4	94B2	4A85	4834	I1J90080
筏	C8B5	94B3	52F5	4835	I2T10080
閥	C8B6	94B4	5172	4836	I2K20080
鳩	C8B7	94B5	4D95	4837	I1ZP0080
嘶	C8B8	94B6	5582	4838	I35U0080
塙	C8B9	94B7	4F6F	4839	I29B0080
蛤	C8BA	94B8	55C2	483A	I37M0080
隼	C8BB	94B9	4ED5	483B	I26T0080
伴	C8BC	94BA	49C9	483C	I1FT0080
判	C8BD	94BB	495C	483D	I1CS0080
半	C8BE	94BC	4790	483E	I13K0080
反	C8BF	94BD	47F9	483F	I16H0080
叛	C8C0	94BE	55B2	4840	I3760080
帆	C8C1	94BF	4F75	4841	I29H0080
搬	C8C2	94C0	4DC8	4842	I2140080
斑	C8C3	94C1	52E4	4843	I2SK0080

Table 6 JIS First Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
板	C8C4	94C2	46B4	4844	I0Z80080
汜	C8C5	94C3	556E	4845	I35A0080
汎	C8C6	94C4	505E	4846	I2E60080
版	C8C7	94C5	4ABD	4847	I1KT0080
犯	C8C8	94C6	4CA7	4848	I1UV0080
班	C8C9	94C7	5066	4849	I2EE0080
畔	C8CA	94C8	4EDC	484A	I2700080
繁	C8CB	94C9	4759	484B	I1210080
般	C8CC	94CA	4956	484C	I1CM0080
藩	C8CD	94CB	4FF6	484D	I2D20080
販	C8CE	94CC	4A5D	484E	I1I50080
範	C8CF	94CD	49E8	484F	I1GO0080
采	C8D0	94CE	5346	4850	I2TI0080
煩	C8D1	94CF	54A0	4851	I31C0080
頒	C8D2	94D0	5557	4852	I34N0080
飯	C8D3	94D1	46B5	4853	I0Z90080
挽	C8D4	94D2	52A8	4854	I2QW0080
晩	C8D5	94D3	4CB6	4855	I1VA0080
番	C8D6	94D4	48B9	4856	I1A10080
盤	C8D7	94D5	4890	4857	I18W0080
磐	C8D8	94D6	4B9C	4858	I1P80080
蕃	C8D9	94D7	52F7	4859	I2T30080
蛮	C8DA	94D8	53A5	485A	I2W50080
匪	C8DB	94D9	55ED	485B	I38T0080
阜	C8DC	94DA	53AD	485C	I2WD0080
否	C8DD	94DB	4C4F	485D	I1SF0080
妃	C8DE	94DC	51A2	485E	I2LE0080


IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Table 6 JIS First Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
庇	C8DF	94DD	558D	485F	I3650080
彼	C8E0	94DE	4772	4860	I12Q0080
悲	C8E1	94DF	4C9D	4861	I1UL0080
扉	C8E2	94E0	50AD	4862	I2GD0080
批	C8E3	94E1	4C76	4863	I1TI0080
披	C8E4	94E2	4FA6	4864	I2AU0080
斐	C8E5	94E3	4B80	4865	I1OG0080
比	C8E6	94E4	474E	4866	I11Q0080
泌	C8E7	94E5	51FD	4867	I2NX0080
疲	C8E8	94E6	4D97	4868	I1ZR0080
皮	C8E9	94E7	49DA	4869	I1GA0080
碑	C8EA	94E8	517B	486A	I2KB0080
秘	C8EB	94E9	4C70	486B	I1TC0080
緋	C8EC	94EA	537D	486C	I2V10080
罷	C8ED	94EB	55A5	486D	I36T0080
肥	C8EE	94EC	497B	486E	I1DN0080
被	C8EF	94ED	4B8D	486F	I1OT0080
誹	C8F0	94EE	55F2	4870	I38Y0080
費	C8F1	94EF	46D0	4871	I1000080
避	C8F2	94F0	4CC4	4872	I1VO0080
非	C8F3	94F1	48E1	4873	I1B50080
飛	C8F4	94F2	488A	4874	I18Q0080
樋	C8F5	94F3	494F	4875	I1CF0080
簸	C8F6	94F4	51AB	4876	I2LN0080
備	C8F7	94F5	46AC	4877	I0Z00080
尾	C8F8	94F6	45C8	4878	I0UG0080
微	C8F9	94F7	4B5D	4879	I1NH0080

Table 6 JIS First Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
枇	C8FA	94F8	525E	487A	I2OU0080
毘	C8FB	94F9	53D7	487B	I2XJ0080
琵	C8FC	94FA	52A3	487C	I2QR0080
眉	C8FD	94FB	52BC	487D	I2RG0080
美	C8FE	94FC	457D	487E	I0SD0080
鼻	C9A1	9540	4CFD	4921	I1X90080
柎	C9A2	9541	52D9	4922	I2S90080
稗	C9A3	9542	5087	4923	I2FB0080
匹	C9A4	9543	4FD1	4924	I2C10080
疋	C9A5	9544	4EA0	4925	I25C0080
髭	C9A6	9545	509D	4926	I2FX0080
彦	C9A7	9546	45E1	4927	I0V50080
膝	C9A8	9547	5060	4928	I2E80080
菱	C9A9	9548	48CC	4929	I1AK0080
肘	C9AA	9549	526A	492A	I2P60080
彌	C9AB	954A	52E0	492B	I2SG0080
必	C9AC	954B	47CA	492C	I1560080
畢	C9AD	954C	559A	492D	I36I0080
筆	C9AE	954D	4AC7	492E	I1L30080
逼	C9AF	954E	55AC	492F	I3700080
桧	C9B0	954F	5046	4930	I2DI0080
姫	C9B1	9550	4AB3	4931	I1KJ0080
媛	C9B2	9551	4855	4932	I1790080
紐	C9B3	9552	4FB5	4933	I2B90080
百	C9B4	9553	454B	4934	I0QZ0080
謬	C9B5	9554	55A1	4935	I36P0080
俵	C9B6	9555	4DB1	4936	I20H0080


IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Table 6 JIS First Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
彪	C9B7	9556	5159	4937	I2JD0080
標	C9B8	9557	4966	4938	I1D20080
氷	C9B9	9558	4CA4	4939	I1US0080
漂	C9BA	9559	4FBC	493A	I2BG0080
瓢	C9BB	955A	5452	493B	I2Z60080
票	C9BC	955B	4DBF	493C	I20V0080
表	C9BD	955C	46C0	493D	I0ZK0080
評	C9BE	955D	49FD	493E	I1H90080
豹	C9BF	955E	5593	493F	I36B0080
廟	C9C0	955F	55AF	4940	I3730080
描	C9C1	9560	4BCF	4941	I1QN0080
病	C9C2	9561	49BF	4942	I1FJ0080
秒	C9C3	9562	4DBA	4943	I20Q0080
苗	C9C4	9563	4AB8	4944	I1KO0080
錨	C9C5	9564	53F0	4945	I2Y80080
鋌	C9C6	9565	55BE	4946	I37I0080
蒜	C9C7	9566	5259	4947	I2OP0080
蛭	C9C8	9567	4E66	4948	I23Q0080
鰭	C9C9	9568	546E	4949	I2ZY0080
品	C9CA	9569	45D0	494A	I0UO0080
彬	C9CB	956A	4E88	494B	I24O0080
斌	C9CC	956B	519D	494C	I2L90080
浜	C9CD	956C	45EA	494D	I0VE0080
瀕	C9CE	956D	55D1	494E	I3810080
貧	C9CF	956E	4DA3	494F	I2030080
賓	C9D0	956F	50D7	4950	I2HJ0080
頻	C9D1	9570	53AB	4951	I2WB0080

Table 6 JIS First Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
敏	C9D2	9571	4647	4952	I0W70080
瓶	C9D3	9572	4CD4	4953	I1W40080
不	C9D4	9573	46AF	4954	I0Z30080
付	C9D5	9574	475D	4955	I1250080
埠	C9D6	9575	517E	4956	I2KE0080
夫	C9D7	9576	4573	4957	I0S30080
婦	C9D8	9577	496F	4958	I1DB0080
富	C9D9	9578	45AC	4959	I0TO0080
富	C9DA	9579	4878	495A	I1880080
布	C9DB	957A	476B	495B	I12J0080
府	C9DC	957B	4551	495C	I0R50080
怖	C9DD	957C	4EF0	495D	I27K0080
扶	C9DE	957D	4D7A	495E	I1YY0080
敷	C9DF	957E	4951	495F	I1CH0080
斧	C9E0	9580	51C2	4960	I2MA0080
普	C9E1	9581	49F8	4961	I1H40080
浮	C9E2	9582	4A8C	4962	I1JG0080
父	C9E3	9583	45CC	4963	I0UK0080
符	C9E4	9584	4FD9	4964	I2C90080
腐	C9E5	9585	4D62	4965	I1YA0080
膚	C9E6	9586	5191	4966	I2KX0080
芙	C9E7	9587	4EBD	4967	I2650080
譜	C9E8	9588	4E4F	4968	I2330080
負	C9E9	9589	49C8	4969	I1FS0080
賦	C9EA	958A	4FA7	496A	I2AV0080
赴	C9EB	958B	50EE	496B	I2I60080
阜	C9EC	958C	4786	496C	I13A0080


IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Table 6 JIS First Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
附	C9ED	958D	4B8C	496D	I1OS0080
侮	C9EE	958E	53B9	496E	I2WP0080
撫	C9EF	958F	51E1	496F	I2N50080
武	C9F0	9590	45B1	4970	I0TT0080
舞	C9F1	9591	4A63	4971	I1IB0080
葡	C9F2	9592	5547	4972	I3470080
蕪	C9F3	9593	51D3	4973	I2MR0080
部	C9F4	9594	4595	4974	I0T10080
封	C9F5	9595	4D76	4975	I1YU0080
楓	C9F6	9596	5295	4976	I2QD0080
風	C9F7	9597	47E7	4977	I15Z0080
葺	C9F8	9598	50E0	4978	I2HS0080
落	C9F9	9599	5491	4979	I30X0080
伏	C9FA	959A	4A83	497A	I1J70080
副	C9FB	959B	4B4E	497B	I1N20080
復	C9FC	959C	4A70	497C	I1IO0080
幅	C9FD	959D	4A5E	497D	I1I60080
服	C9FE	959E	47D4	497E	I15G0080
福	CAA1	959F	458B	4A21	I0SR0080
腹	CAA2	95A0	4CA0	4A22	I1UO0080
複	CAA3	95A1	4B51	4A23	I1N50080
覆	CAA4	95A2	4DF2	4A24	I22A0080
淵	CAA5	95A3	48EA	4A25	I1BE0080
弗	CAA6	95A4	54AC	4A26	I31O0080
扌	CAA7	95A5	4981	4A27	I1DT0080
沸	CAA8	95A6	4EAA	4A28	I25M0080
亼	CAA9	95A7	4BE5	4A29	I1R90080

Table 6 JIS First Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
物	CAAA	95A8	4652	4A2A	I0WI0080
鮪	CAAB	95A9	528D	4A2B	I2Q50080
分	CAAC	95AA	45B4	4A2C	I0TW0080
吻	CAAD	95AB	53E5	4A2D	I2XX0080
噴	CAAE	95AC	4E6D	4A2E	I23X0080
墳	CAAF	95AD	5289	4A2F	I2Q10080
憤	CAB0	95AE	4FFC	4A30	I2D80080
扮	CAB1	95AF	54B7	4A31	I31Z0080
焚	CAB2	95B0	544F	4A32	I2Z30080
奮	CAB3	95B1	4EDD	4A33	I2710080
粉	CAB4	95B2	489E	4A34	I19A0080
糞	CAB5	95B3	5492	4A35	I30Y0080
紛	CAB6	95B4	4FF3	4A36	I2CZ0080
雰	CAB7	95B5	4F90	4A37	I2A80080
文	CAB8	95B6	45CA	4A38	I0UI0080
聞	CAB9	95B7	48BB	4A39	I1A30080
丙	CABA	95B8	50C5	4A3A	I2H10080
併	CABB	95B9	4B94	4A3B	I1P00080
兵	CABC	95BA	4649	4A3C	I0W90080
塀	CABD	95BB	539F	4A3D	I2VZ0080
幣	CABE	95BC	4E7F	4A3E	I24F0080
平	CABF	95BD	458D	4A3F	I0ST0080
弊	CAC0	95BE	50CD	4A40	I2H90080
柄	CAC1	95BF	4A7F	4A41	I1J30080
並	CAC2	95C0	487C	4A42	I18C0080
蔽	CAC3	95C1	54D1	4A43	I32P0080
閉	CAC4	95C2	4B7D	4A44	I1OD0080


IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Table 6 JIS First Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
陞	CAC5	95C3	5157	4A45	I2JB0080
米	CAC6	95C4	466F	4A46	I0XB0080
頁	CAC7	95C5	4CD9	4A47	I1W90080
僻	CAC8	95C6	5578	4A48	I35K0080
壁	CAC9	95C7	4B95	4A49	I1P10080
癖	CACA	95C8	537E	4A4A	I2V20080
碧	CACB	95C9	4DF8	4A4B	I22G0080
別	CACC	95CA	46DD	4A4C	I10D0080
瞥	CACD	95CB	5572	4A4D	I35E0080
蔑	CACE	95CC	556C	4A4E	I3580080
篋	CACF	95CD	559B	4A4F	I36J0080
偏	CAD0	95CE	5049	4A50	I2DL0080
變	CAD1	95CF	476F	4A51	I12N0080
片	CAD2	95D0	4767	4A52	I12F0080
篇	CAD3	95D1	4FB6	4A53	I2BA0080
編	CAD4	95D2	484E	4A54	I1720080
辺	CAD5	95D3	45D5	4A55	I0UT0080
返	CAD6	95D4	48D6	4A56	I1AU0080
遍	CAD7	95D5	505D	4A57	I2E50080
便	CAD8	95D6	4B4C	4A58	I1N00080
勉	CAD9	95D7	48CE	4A59	I1AM0080
媿	CADA	95D8	549F	4A5A	I31B0080
弁	CADB	95D9	4B47	4A5B	I1MV0080
鞭	CADC	95DA	548B	4A5C	I30R0080
保	CADD	95DB	45AA	4A5D	I0TM0080
舗	CADE	95DC	4E5B	4A5E	I23F0080
鋪	CADF	95DD	5363	4A5F	I2UB0080

Table 6 JIS First Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
圃	CAE0	95DE	53CF	4A60	I2XB0080
捕	CAE1	95DF	4C41	4A61	I1S10080
歩	CAE2	95E0	47D8	4A62	I15K0080
甫	CAE3	95E1	4D58	4A63	I1Y00080
補	CAE4	95E2	496A	4A64	I1D60080
輔	CAE5	95E3	4A68	4A65	I1IG0080
穗	CAE6	95E4	48D4	4A66	I1AS0080
募	CAE7	95E5	4AE1	4A67	I1LT0080
墓	CAE8	95E6	4EBE	4A68	I2660080
慕	CAE9	95E7	52E3	4A69	I2SJ0080
戊	CAEA	95E8	5161	4A6A	I2JL0080
暮	CAEB	95E9	4AFE	4A6B	I1MM0080
母	CAEC	95EA	4969	4A6C	I1D50080
簿	CAED	95EB	4F4C	4A6D	I28C0080
菩	CAEE	95EC	516A	4A6E	I2JU0080
倣	CAEF	95ED	5569	4A6F	I3550080
俸	CAF0	95EE	50F9	4A70	I2IH0080
包	CAF1	95EF	4AA8	4A71	I1K80080
呆	CAF2	95F0	5073	4A72	I2ER0080
報	CAF3	95F1	49B8	4A73	I1FC0080
奉	CAF4	95F2	4DB2	4A74	I20I0080
宝	CAF5	95F3	494D	4A75	I1CD0080
峰	CAF6	95F4	48FE	4A76	I1BY0080
峯	CAF7	95F5	4AAC	4A77	I1KC0080
崩	CAF8	95F6	4F5F	4A78	I28V0080
庖	CAF9	95F7	554F	4A79	I34F0080
抱	CAFA	95F8	4C86	4A7A	I1TY0080


IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Table 6 JIS First Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
捧	CAFB	95F9	5285	4A7B	I2PX0080
放	CAFC	95FA	48AF	4A7C	I19R0080
方	CAFD	95FB	45CD	4A7D	I0UL0080
朋	CAFE	95FC	4BC4	4A7E	I1QC0080
法	CBA1	9640	464A	4B21	I0WA0080
泡	CBA2	9641	4E87	4B22	I24N0080
烹	CBA3	9642	5587	4B23	I35Z0080
砲	CBA4	9643	4CC2	4B24	I1VM0080
縫	CBA5	9644	49E4	4B25	I1GK0080
胞	CBA6	9645	50B6	4B26	I2GM0080
芳	CBA7	9646	4683	4B27	I0XV0080
萌	CBA8	9647	50DB	4B28	I2HN0080
蓬	CBA9	9648	5088	4B29	I2FC0080
蜂	CBA A	9649	4ECD	4B2A	I26L0080
褒	CBAB	964A	51BA	4B2B	I2M20080
訪	CBAC	964B	4A71	4B2C	I1IP0080
豊	CBAD	964C	4648	4B2D	I0W80080
邦	CBAE	964D	46C5	4B2E	I0ZP0080
鋒	CBAF	964E	5449	4B2F	I2YX0080
飽	CBB0	964F	4D49	4B30	I1XL0080
鳳	CBB1	9650	4EA6	4B31	I25I0080
鵬	CBB2	9651	518A	4B32	I2KQ0080
乏	CBB3	9652	4F6C	4B33	I2980080
亡	CBB4	9653	4CCE	4B34	I1VY0080
傍	CBB5	9654	4EE7	4B35	I27B0080
剖	CBB6	9655	5199	4B36	I2L50080
坊	CBB7	9656	4C55	4B37	I1SL0080

Table 6 JIS First Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
妨	CBB8	9657	50EC	4B38	I2I40080
帽	CBB9	9658	4C85	4B39	I1TX0080
忘	CBBA	9659	4C45	4B3A	I1S50080
忙	CBBB	965A	4EA3	4B3B	I25F0080
房	CBBC	965B	47DC	4B3C	I15O0080
暴	CBBD	965C	4CB2	4B3D	I1V60080
望	CBBE	965D	47BB	4B3E	I14R0080
某	CBBF	965E	504A	4B3F	I2DM0080
棒	CBC0	965F	4B5A	4B40	I1NE0080
冒	CBC1	9660	4F8F	4B41	I2A70080
紡	CBC2	9661	4877	4B42	I1870080
肪	CBC3	9662	4CFB	4B43	I1X70080
膨	CBC4	9663	4EF6	4B44	I27Q0080
謀	CBC5	9664	4F4D	4B45	I28D0080
貌	CBC6	9665	5064	4B46	I2EC0080
貿	CBC7	9666	4872	4B47	I1820080
銻	CBC8	9667	5183	4B48	I2KJ0080
防	CBC9	9668	47BC	4B49	I14S0080
吠	CBCA	9669	53E1	4B4A	I2XT0080
頰	CBCB	966A	4EB3	4B4B	I25V0080
北	CBCC	966B	455A	4B4C	I0RE0080
僕	CBCD	966C	4ABB	4B4D	I1KR0080
卜	CBCE	966D	51C0	4B4E	I2M80080
墨	CBCF	966E	4AFC	4B4F	I1MK0080
撲	CBD0	966F	4EC7	4B50	I26F0080
朴	CBD1	9670	4EA2	4B51	I25E0080
牧	CBD2	9671	487B	4B52	I18B0080


IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Table 6 JIS First Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
睦	CBD3	9672	4A96	4B53	I1JQ0080
穆	CBD4	9673	52BE	4B54	I2RI0080
鈞	CBD5	9674	534A	4B55	I2TM0080
勃	CBD6	9675	54B1	4B56	I31T0080
没	CBD7	9676	5075	4B57	I2ET0080
殆	CBD8	9677	4F42	4B58	I2820080
堀	CBD9	9678	469D	4B59	I0YL0080
幌	CBDA	9679	496B	4B5A	I1D70080
奔	CBDB	967A	5284	4B5B	I2PW0080
本	CBDC	967B	4566	4B5C	I0RQ0080
翻	CBDD	967C	51F6	4B5D	I2NQ0080
凡	CBDE	967D	4DE1	4B5E	I21T0080
盆	CBDF	967E	5057	4B5F	I2DZ0080
摩	CBE0	9680	48D1	4B60	I1AP0080
磨	CBE1	9681	49B4	4B61	I1F80080
魔	CBE2	9682	4DE2	4B62	I21U0080
麻	CBE3	9683	48A7	4B63	I19J0080
埋	CBE4	9684	4EAC	4B64	I25O0080
妹	CBE5	9685	4BDC	4B65	I1R00080
昧	CBE6	9686	559D	4B66	I36L0080
枚	CBE7	9687	49D9	4B67	I1G90080
每	CBE8	9688	49F5	4B68	I1H10080
哩	CBE9	9689	55F0	4B69	I38W0080
槓	CBEA	968A	6881	4B6A	I5Z50080
幕	CBEB	968B	4CCA	4B6B	I1VU0080
膜	CBEC	968C	4D8A	4B6C	I1ZE0080
枕	CBED	968D	4F78	4B6D	I29K0080

Table 6 JIS First Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
鮪	CBEE	968E	55CE	4B6E	I37Y0080
枉	CBEF	968F	5054	4B6F	I2DW0080
鱒	CBF0	9690	53C6	4B70	I2X20080
柺	CBF1	9691	4D88	4B71	I1ZC0080
亦	CBF2	9692	4FFA	4B72	I2D60080
俣	CBF3	9693	4B4A	4B73	I1MY0080
又	CBF4	9694	48F5	4B74	I1BP0080
抹	CBF5	9695	51E0	4B75	I2N40080
末	CBF6	9696	4746	4B76	I11I0080
沫	CBF7	9697	53EC	4B77	I2Y40080
迄	CBF8	9698	49CD	4B78	I1FX0080
俣	CBF9	9699	5675	4B79	I3AT0080
繭	CBFA	969A	4D9A	4B7A	I1ZU0080
磨	CBFB	969B	4EEA	4B7B	I27E0080
万	CBFC	969C	454D	4B7C	I0R10080
慢	CBFD	969D	4DDB	4B7D	I21N0080
満	CBFE	969E	475B	4B7E	I1230080
漫	CCA1	969F	4F6E	4C21	I29A0080
蔓	CCA2	96A0	557B	4C22	I35N0080
味	CCA3	96A1	477F	4C23	I1330080
未	CCA4	96A2	49C6	4C24	I1FQ0080
魅	CCA5	96A3	4DB4	4C25	I20K0080
巳	CCA6	96A4	4AE6	4C26	I1LY0080
箕	CCA7	96A5	4CCC	4C27	I1VW0080
岬	CCA8	96A6	50D5	4C28	I2HH0080
密	CCA9	96A7	4A56	4C29	I1HY0080
蜜	CCAA	96A8	53A1	4C2A	I2W10080


IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Table 6 JIS First Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
湊	CCAB	96A9	4C88	4C2B	I1U00080
蓑	CCAC	96AA	4F9A	4C2C	I2AI0080
稔	CCAD	96AB	47FA	4C2D	I16I0080
脈	CCAE	96AC	5079	4C2E	I2EX0080
妙	CCAF	96AD	4A66	4C2F	I1IE0080
耗	CCB0	96AE	53C9	4C30	I2X50080
民	CCB1	96AF	4756	4C31	I11Y0080
眠	CCB2	96B0	4E6A	4C32	I23U0080
務	CCB3	96B1	46ED	4C33	I10T0080
夢	CCB4	96B2	4B8B	4C34	I10R0080
無	CCB5	96B3	475F	4C35	I1270080
牟	CCB6	96B4	4AAF	4C36	I1KF0080
矛	CCB7	96B5	50ED	4C37	I2I50080
霧	CCB8	96B6	4E48	4C38	I22W0080
鷓	CCB9	96B7	557E	4C39	I35Q0080
棕	CCBA	96B8	4DFD	4C3A	I22L0080
婿	CCBB	96B9	5454	4C3B	I2Z80080
娘	CCBC	96BA	4B54	4C3C	I1N80080
冥	CCBD	96BB	5467	4C3D	I2ZR0080
名	CCBE	96BC	45F3	4C3E	I0VN0080
命	CCBF	96BD	49B0	4C3F	I1F40080
明	CCC0	96BE	45A6	4C40	I0TI0080
盟	CCC1	96BF	4B84	4C41	I10K0080
迷	CCC2	96C0	4E58	4C42	I23C0080
銘	CCC3	96C1	4DDC	4C43	I21O0080
鳴	CCC4	96C2	4B70	4C44	I1O00080
姪	CCC5	96C3	558C	4C45	I3640080

Table 6 JIS First Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
牝	CCC6	96C4	55B7	4C46	I37B0080
滅	CCC7	96C5	4EE6	4C47	I27A0080
免	CCC8	96C6	4B56	4C48	I1NA0080
棉	CCC9	96C7	55CA	4C49	I37U0080
綿	CCCA	96C8	489D	4C4A	I1990080
緬	CCCB	96C9	556B	4C4B	I3570080
面	CCCC	96CA	4691	4C4C	I0Y90080
麵	CCCD	96CB	555F	4C4D	I34V0080
摸	CCCE	96CC	55F5	4C4E	I3910080
模	CCCF	96CD	4864	4C4F	I1700080
茂	CCD0	96CE	4646	4C50	I0W60080
妄	CCD1	96CF	554D	4C51	I34D0080
孟	CCD2	96D0	4F83	4C52	I29V0080
毛	CCD3	96D1	46E2	4C53	I10I0080
猛	CCD4	96D2	4A51	4C54	I1HT0080
盲	CCD5	96D3	5080	4C55	I2F40080
網	CCD6	96D4	4A53	4C56	I1HV0080
耗	CCD7	96D5	4FEC	4C57	I2CS0080
蒙	CCD8	96D6	5095	4C58	I2FP0080
儲	CCD9	96D7	54BD	4C59	I3250080
木	CCDA	96D8	456C	4C5A	I0RW0080
默	CCDB	96D9	4DBC	4C5B	I20S0080
目	CCDC	96DA	4675	4C5C	I0XH0080
杳	CCDD	96DB	51A6	4C5D	I2LI0080
勿	CCDE	96DC	5297	4C5E	I2QF0080
餅	CCDF	96DD	50BF	4C5F	I2GV0080
尢	CCE0	96DE	53AE	4C60	I2WE0080


IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Table 6 JIS First Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
戾	CCE1	96DF	4C44	4C61	I1S40080
粨	CCE2	96E0	4FF0	4C62	I2CW0080
貫	CCE3	96E1	4DEF	4C63	I2270080
問	CCE4	96E2	46E4	4C64	I10K0080
悶	CCE5	96E3	5554	4C65	I34K0080
紋	CCE6	96E4	4CF9	4C66	I1X50080
門	CCE7	96E5	46AA	4C67	I0YY0080
匆	CCE8	96E6	4F5B	4C68	I28R0080
也	CCE9	96E7	4749	4C69	I11L0080
冶	CCEA	96E8	5146	4C6A	I2IU0080
夜	CCEB	96E9	48C8	4C6B	I1AG0080
爺	CCEC	96EA	5096	4C6C	I2FQ0080
耶	CCED	96EB	4E99	4C6D	I2550080
野	CCEE	96EC	4569	4C6E	I0RT0080
弥	CCEF	96ED	47E6	4C6F	I15Y0080
矢	CCF0	96EE	46C1	4C70	I0ZL0080
厄	CCF1	96EF	5352	4C71	I2TU0080
役	CCF2	96F0	495D	4C72	I1CT0080
約	CCF3	96F1	47BD	4C73	I14T0080
葉	CCF4	96F2	46E1	4C74	I10H0080
訳	CCF5	96F3	4BAD	4C75	I1PP0080
躍	CCF6	96F4	4CA1	4C76	I1UP0080
靖	CCF7	96F5	48C3	4C77	I1AB0080
柳	CCF8	96F6	46EA	4C78	I10Q0080
藪	CCF9	96F7	62B3	4C79	I54J0080
鐘	CCFA	96F8	5241	4C7A	I2O10080
愉	CCFB	96F9	5098	4C7B	I2FS0080

Table 6 JIS First Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
愈	CCFC	96FA	53C8	4C7C	I2X40080
油	CCFD	96FB	465C	4C7D	I0WS0080
癒	CCFE	96FC	53AA	4C7E	I2WA0080
諭	CDA1	9740	4E9C	4D21	I2580080
輸	CDA2	9741	4693	4D22	I0YB0080
唯	CDA3	9742	4BE0	4D23	I1R40080
佑	CDA4	9743	4CE6	4D24	I1WM0080
優	CDA5	9744	47DA	4D25	I15M0080
勇	CDA6	9745	469C	4D26	I0YK0080
友	CDA7	9746	46D4	4D27	I1040080
宥	CDA8	9747	4F7A	4D28	I29M0080
幽	CDA9	9748	525F	4D29	I2OV0080
悠	CDAA	9749	4DD8	4D2A	I21K0080
憂	CDAB	974A	507C	4D2B	I2F00080
揖	CDAC	974B	4CF2	4D2C	I1WY0080
有	CDAD	974C	4685	4D2D	I0XX0080
柚	CDAE	974D	4EE1	4D2E	I2750080
湧	CDAF	974E	4FBD	4D2F	I2BH0080
涌	CDB0	974F	4F7D	4D30	I29P0080
猶	CDB1	9750	504F	4D31	I2DR0080
猷	CDB2	9751	53DD	4D32	I2XP0080
由	CDB3	9752	467C	4D33	I0XO0080
祐	CDB4	9753	488C	4D34	I18S0080
裕	CDB5	9754	46F8	4D35	I1140080
誘	CDB6	9755	4ACB	4D36	I1L70080
遊	CDB7	9756	4A8B	4D37	I1JF0080
邑	CDB8	9757	4C92	4D38	I1UA0080


IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Table 6 JIS First Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
郵	CDB9	9758	4CB7	4D39	I1VB0080
雄	CDBA	9759	4570	4D3A	I0S00080
融	CDBB	975A	48C2	4D3B	I1AA0080
夕	CDBC	975B	4AC3	4D3C	I1KZ0080
予	CDBD	975C	47C2	4D3D	I14Y0080
余	CDBE	975D	49C1	4D3E	I1FL0080
与	CDBF	975E	4789	4D3F	I13D0080
誉	CDC0	975F	4D8C	4D40	I1ZG0080
興	CDC1	9760	506C	4D41	I2EK0080
預	CDC2	9761	4D4A	4D42	I1XM0080
傭	CDC3	9762	54DA	4D43	I32Y0080
幼	CDC4	9763	4DAF	4D44	I20F0080
妖	CDC5	9764	53D1	4D45	I2XD0080
容	CDC6	9765	4889	4D46	I18P0080
庸	CDC7	9766	4C5D	4D47	I1ST0080
揚	CDC8	9767	4C46	4D48	I1S60080
揺	CDC9	9768	4F7E	4D49	I29Q0080
擁	CDCA	9769	514E	4D4A	I2J20080
曜	CDCB	976A	4BFE	4D4B	I1RY0080
楊	CDCC	976B	51D7	4D4C	I2MV0080
様	CDCD	976C	4848	4D4D	I16W0080
洋	CDCE	976D	45DA	4D4E	I0UY0080
溶	CDCF	976E	48BE	4D4F	I1A60080
熔	CDD0	976F	529D	4D50	I2QL0080
用	CDD1	9770	45B6	4D51	I0TY0080
窯	CDD2	9771	49A7	4D52	I1EV0080
羊	CDD3	9772	4AD1	4D53	I1LD0080

Table 6 JIS First Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
耀	CDD4	9773	52A0	4D54	I2QO0080
葉	CDD5	9774	45F9	4D55	I0VT0080
蓉	CDD6	9775	5083	4D56	I2F70080
要	CDD7	9776	4655	4D57	I0WL0080
謡	CDD8	9777	4D7D	4D58	I1Z10080
踊	CDD9	9778	4CA8	4D59	I1UW0080
遙	CDDA	9779	6882	4D5A	I5Z60080
陽	CDDB	977A	47BF	4D5B	I14V0080
養	CDDC	977B	4979	4D5C	I1DL0080
慾	CDDD	977C	53F4	4D5D	I2YC0080
抑	CDDE	977D	4D66	4D5E	I1YE0080
欲	CDDF	977E	4BF6	4D5F	I1RQ0080
沃	CDE0	9780	55D9	4D60	I3890080
浴	CDE1	9781	4B7E	4D61	I1OE0080
翌	CDE2	9782	4D9C	4D62	I1ZW0080
翼	CDE3	9783	4DB5	4D63	I20L0080
淀	CDE4	9784	4A88	4D64	I1JC0080
羅	CDE5	9785	4DFA	4D65	I22I0080
螺	CDE6	9786	51D6	4D66	I2MU0080
裸	CDE7	9787	4F43	4D67	I2830080
来	CDE8	9788	4676	4D68	I0XI0080
莱	CDE9	9789	52C9	4D69	I2RT0080
頼	CDEA	978A	4A7A	4D6A	I1IY0080
雷	CDEB	978B	4BD6	4D6B	I1QU0080
洛	CDEC	978C	5450	4D6C	I2Z40080
絡	CDED	978D	4CE7	4D6D	I1WN0080
落	CDEE	978E	47F2	4D6E	I16A0080


IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Table 6 JIS First Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
酪	CDEF	978F	50BD	4D6F	I2GT0080
乱	CDF0	9790	4BBF	4D70	I1Q70080
卵	CDF1	9791	4CF5	4D71	I1X10080
嵐	CDF2	9792	498C	4D72	I1E40080
欄	CDF3	9793	4EDE	4D73	I2720080
濫	CDF4	9794	55A3	4D74	I36R0080
藍	CDF5	9795	4EED	4D75	I27H0080
蘭	CDF6	9796	4CA6	4D76	I1UU0080
覧	CDF7	9797	4ED0	4D77	I26O0080
利	CDF8	9798	45BC	4D78	I0U40080
吏	CDF9	9799	50C6	4D79	I2H20080
履	CDF A	979A	4CA2	4D7A	I1UQ0080
李	CDFB	979B	4E51	4D7B	I2350080
梨	CDFC	979C	4858	4D7C	I17C0080
理	CDFD	979D	45EB	4D7D	I0VF0080
璃	CDFE	979E	528C	4D7E	I2Q40080
痢	CEA1	979F	5174	4E21	I2K40080
裏	CEA2	97A0	49A4	4E22	I1ES0080
裡	CEA3	97A1	544D	4E23	I2Z10080
里	CEA4	97A2	476C	4E24	I12K0080
離	CEA5	97A3	4997	4E25	I1EF0080
陸	CEA6	97A4	4961	4E26	I1CX0080
律	CEA7	97A5	4991	4E27	I1E90080
率	CEA8	97A6	4783	4E28	I1370080
立	CEA9	97A7	45DD	4E29	I0V10080
葎	CEAA	97A8	559F	4E2A	I36N0080
掠	CEAB	97A9	55E6	4E2B	I38M0080

Table 6 JIS First Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
略	CEAC	97AA	4CF0	4E2C	I1WW0080
劉	CEAD	97AB	5185	4E2D	I2KL0080
流	CEAE	97AC	46FC	4E2E	I1180080
溜	CEAF	97AD	4DC4	4E2F	I2100080
琉	CEB0	97AE	50F7	4E30	I2IF0080
留	CEB1	97AF	47AB	4E31	I14B0080
硫	CEB2	97B0	4984	4E32	I1DW0080
粒	CEB3	97B1	4CA9	4E33	I1UX0080
隆	CEB4	97B2	465D	4E34	I0WT0080
竜	CEB5	97B3	49E7	4E35	I1GN0080
龍	CEB6	97B4	48CA	4E36	I1AI0080
侶	CEB7	97B5	557C	4E37	I35O0080
慮	CEB8	97B6	4C49	4E38	I1S90080
旅	CEB9	97B7	4ACF	4E39	I1LB0080
虜	CEBA	97B8	5250	4E3A	I2OG0080
了	CEBB	97B9	4BB1	4E3B	I1PT0080
亮	CEBC	97BA	499C	4E3C	I1EK0080
僚	CEBD	97BB	4D82	4E3D	I1Z60080
兩	CEBE	97BC	4883	4E3E	I18J0080
凌	CEBF	97BD	5344	4E3F	I2TG0080
寮	CEC0	97BE	4C7A	4E40	I1TM0080
料	CEC1	97BF	464E	4E41	I0WE0080
梁	CEC2	97C0	4E44	4E42	I22S0080
涼	CEC3	97C1	4E74	4E43	I2440080
獵	CEC4	97C2	4E9D	4E44	I2590080
療	CEC5	97C3	4BB7	4E45	I1PZ0080
瞭	CEC6	97C4	527D	4E46	I2PP0080


IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Table 6 JIS First Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
稜	CEC7	97C5	5296	4E47	I2QE0080
糧	CEC8	97C6	4EC5	4E48	I26D0080
良	CEC9	97C7	45C4	4E49	I0UC0080
諒	CECA	97C8	5181	4E4A	I2KH0080
遼	CECB	97C9	526B	4E4B	I2P70080
量	CECC	97CA	47B5	4E4C	I14L0080
陵	CECD	97CB	50C7	4E4D	I2H30080
領	CECE	97CC	4ACD	4E4E	I1L90080
力	CECF	97CD	45F7	4E4F	I0VR0080
緑	CED0	97CE	48A5	4E50	I19H0080
倫	CED1	97CF	4D51	4E51	I1XT0080
厘	CED2	97D0	4F55	4E52	I28L0080
林	CED3	97D1	45A2	4E53	I0TE0080
淋	CED4	97D2	52C7	4E54	I2RR0080
隣	CED5	97D3	4A79	4E55	I1IX0080
琳	CED6	97D4	5453	4E56	I2Z70080
臨	CED7	97D5	4CD0	4E57	I1W00080
輪	CED8	97D6	48B7	4E58	I19Z0080
隣	CED9	97D7	4CE0	4E59	I1WG0080
鱗	CEDA	97D8	554C	4E5A	I34C0080
麟	CEDB	97D9	519B	4E5B	I2L70080
瑠	CEDC	97DA	508C	4E5C	I2FG0080
罌	CEDD	97DB	4BEB	4E5D	I1RF0080
淚	CEDE	97DC	4DDA	4E5E	I21M0080
累	CEDF	97DD	5148	4E5F	I2IW0080
類	CEE0	97DE	46BA	4E60	I0ZE0080
令	CEE1	97DF	49C3	4E61	I1FN0080

Table 6 JIS First Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
伶	CEE2	97E0	544A	4E62	I2YY0080
例	CEE3	97E1	4A46	4E63	I1HI0080
冷	CEE4	97E2	48FC	4E64	I1BW0080
励	CEE5	97E3	4D92	4E65	I1ZM0080
嶺	CEE6	97E4	4CE8	4E66	I1W00080
怜	CEE7	97E5	509F	4E67	I2FZ0080
玲	CEE8	97E6	4AF9	4E68	I1MH0080
礼	CEE9	97E7	4958	4E69	I1CO0080
苓	CEEA	97E8	5559	4E6A	I34P0080
鈴	CEEB	97E9	45AE	4E6B	I0TQ0080
隸	CEEC	97EA	5545	4E6C	I3450080
零	CEED	97EB	5069	4E6D	I2EH0080
靈	CEEE	97EC	4F4B	4E6E	I28B0080
麗	CEEF	97ED	4CF3	4E6F	I1WZ0080
齡	CEF0	97EE	4C80	4E70	I1TS0080
曆	CEF1	97EF	50CC	4E71	I2H80080
歷	CEF2	97F0	4955	4E72	I1CL0080
列	CEF3	97F1	4BB4	4E73	I1PW0080
劣	CEF4	97F2	4E68	4E74	I23S0080
烈	CEF5	97F3	4DD1	4E75	I21D0080
裂	CEF6	97F4	4F60	4E76	I28W0080
廉	CEF7	97F5	4EDB	4E77	I26Z0080
恋	CEF8	97F6	4BCA	4E78	I1QI0080
憐	CEF9	97F7	555B	4E79	I34R0080
漣	CEFA	97F8	54E0	4E7A	I3340080
煉	CEFB	97F9	4C6F	4E7B	I1TB0080
簾	CEFC	97FA	5270	4E7C	I2PC0080


IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Table 6 JIS First Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
練	CEFD	97FB	4860	4E7D	I17K0080
聯	CEFE	97FC	53CA	4E7E	I2X60080
蓮	CFA1	9840	4BF4	4F21	I1RO0080
連	CFA2	9841	4754	4F22	I11W0080
鍊	CFA3	9842	4FE6	4F23	I2CM0080
呂	CFA4	9843	4B50	4F24	I1N40080
魯	CFA5	9844	51F4	4F25	I2NO0080
櫓	CFA6	9845	5586	4F26	I35Y0080
炉	CFA7	9846	497D	4F27	I1DP0080
賂	CFA8	9847	55F8	4F28	I3940080
路	CFA9	9848	4784	4F29	I1380080
露	CFAA	9849	4BC6	4F2A	I1QE0080
勞	CFAB	984A	48A9	4F2B	I19L0080
婁	CFAC	984B	50F8	4F2C	I2IG0080
廊	CFAD	984C	4EA7	4F2D	I25J0080
弄	CFAE	984D	54BF	4F2E	I3270080
朗	CFAF	984E	486E	4F2F	I17Y0080
楼	CFB0	984F	52BA	4F30	I2RE0080
榔	CFB1	9850	55C7	4F31	I37R0080
浪	CFB2	9851	4A9D	4F32	I1JX0080
漏	CFB3	9852	50C4	4F33	I2H00080
牢	CFB4	9853	55C4	4F34	I37O0080
狼	CFB5	9854	506F	4F35	I2EN0080
籠	CFB6	9855	5444	4F36	I2YS0080
老	CFB7	9856	4985	4F37	I1DX0080
龔	CFB8	9857	53E4	4F38	I2XW0080
蠟	CFB9	9858	52A1	4F39	I2QP0080

Table 6 JIS First Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
郎	CFBA	9859	456E	4F3A	I0RY0080
六	CFBB	985A	4546	4F3B	I0QU0080
麓	CFBC	985B	519E	4F3C	I2LA0080
禄	CFBD	985C	50AE	4F3D	I2GE0080
肋	CFBE	985D	557F	4F3E	I35R0080
録	CFBF	985E	4886	4F3F	I18M0080
論	CFC0	985F	48F3	4F40	I1BN0080
倭	CFC1	9860	4FF9	4F41	I2D50080
和	CFC2	9861	457A	4F42	I0SA0080
話	CFC3	9862	4750	4F43	I11S0080
歪	CFC4	9863	558E	4F44	I3660080
賄	CFC5	9864	5067	4F45	I2EF0080
脇	CFC6	9865	47E3	4F46	I15V0080
惑	CFC7	9866	4E78	4F47	I2480080
柁	CFC8	9867	4FD2	4F48	I2C20080
鷺	CFC9	9868	4BF1	4F49	I1RL0080
互	CFCA	9869	50E8	4F4A	I2I00080
亘	CFCB	986A	4BE4	4F4B	I1R80080
鰐	CFCC	986B	5293	4F4C	I2QB0080
詫	CFCD	986C	50D3	4F4D	I2HF0080
藁	CFCE	986D	4FBB	4F4E	I2BF0080
蕨	CFCF	986E	50DE	4F4F	I2HQ0080
椀	CFD0	986F	5468	4F50	I2ZS0080
湾	CFD1	9870	4D6B	4F51	I1YJ0080
碗	CFD2	9871	545B	4F52	I2ZF0080
腕	CFD3	9872	4CAF	4F53	I1V30080



IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

9.3 JIS Second Level Kanji Set

Graphic	EUC code	PC code	Host code	JIS code	GCGID
弌	D0A1	989F	5641	5021	I39D0080
𠂇	D0A2	98A0	5642	5022	I39E0080
𠂈	D0A3	98A1	5643	5023	I39F0080
个	D0A4	98A2	5645	5024	I39H0080
𠂊	D0A5	98A3	5646	5025	I39I0080
丩	D0A6	98A4	5647	5026	I39J0080
井	D0A7	98A5	54C8	5027	I32G0080
丿	D0A8	98A6	5648	5028	I39K0080
乂	D0A9	98A7	5649	5029	I39L0080
乖	D0AA	98A8	564A	502A	I39M0080
乘	D0AB	98A9	564B	502B	I39N0080
亂	D0AC	98AA	564D	502C	I39P0080
丿	D0AD	98AB	564E	502D	I39Q0080
豫	D0AE	98AC	5355	502E	I2TX0080
𠂔	D0AF	98AD	564F	502F	I39R0080
舒	D0B0	98AE	61DB	5030	I50B0080
弌	D0B1	98AF	5651	5031	I39T0080
于	D0B2	98B0	5650	5032	I39S0080
亞	D0B3	98B1	5652	5033	I39U0080
𠂖	D0B4	98B2	5167	5034	I2JR0080
𠂗	D0B5	98B3	5653	5035	I39V0080
亢	D0B6	98B4	5654	5036	I39W0080
京	D0B7	98B5	5655	5037	I39X0080
毫	D0B8	98B6	5656	5038	I39Y0080
亶	D0B9	98B7	5657	5039	I39Z0080

Graphic	EUC code	PC code	Host code	JIS code	GCGID
从	D0BA	98B8	5658	503A	I3A00080
仍	D0BB	98B9	5659	503B	I3A10080
仄	D0BC	98BA	565A	503C	I3A20080
仆	D0BD	98BB	565B	503D	I3A30080
𠂚	D0BE	98BC	565C	503E	I3A40080
仗	D0BF	98BD	565E	503F	I3A60080
𠂛	D0C0	98BE	565F	5040	I3A70080
𠂜	D0C1	98BF	5660	5041	I3A80080
仟	D0C2	98C0	5661	5042	I3A90080
价	D0C3	98C1	5341	5043	I2TD0080
伉	D0C4	98C2	5663	5044	I3AB0080
佚	D0C5	98C3	5667	5045	I3AF0080
估	D0C6	98C4	5668	5046	I3AG0080
佛	D0C7	98C5	566F	5047	I3AN0080
佝	D0C8	98C6	5669	5048	I3AH0080
佗	D0C9	98C7	566B	5049	I3AJ0080
佇	D0CA	98C8	566C	504A	I3AK0080
佻	D0CB	98C9	51E2	504B	I2N60080
侈	D0CC	98CA	5672	504C	I3AQ0080
侏	D0CD	98CB	5673	504D	I3AR0080
侘	D0CE	98CC	5676	504E	I3AU0080
佻	D0CF	98CD	5677	504F	I3AV0080
佩	D0D0	98CE	5679	5050	I3AX0080
佰	D0D1	98CF	567A	5051	I3AY0080
侑	D0D2	98D0	4F8D	5052	I2A50080


IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Table 7 JIS Second Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
佯	D0D3	98D1	567C	5053	I3B00080
來	D0D4	98D2	567D	5054	I3B10080
侖	D0D5	98D3	567E	5055	I3B20080
儘	D0D6	98D4	5290	5056	I2Q80080
俚	D0D7	98D5	567F	5057	I3B30080
俟	D0D8	98D6	53C4	5058	I2X00080
俎	D0D9	98D7	5680	5059	I3B40080
俘	D0DA	98D8	5681	505A	I3B50080
俛	D0DB	98D9	5682	505B	I3B60080
俑	D0DC	98DA	5683	505C	I3B70080
俚	D0DD	98DB	5684	505D	I3B80080
俐	D0DE	98DC	5685	505E	I3B90080
倂	D0DF	98DD	5687	505F	I3BB0080
倅	D0E0	98DE	5688	5060	I3BC0080
倚	D0E1	98DF	5689	5061	I3BD0080
倂	D0E2	98E0	568B	5062	I3BF0080
倂	D0E3	98E1	568C	5063	I3BG0080
俚	D0E4	98E2	568D	5064	I3BH0080
倂	D0E5	98E3	568E	5065	I3BI0080
倂	D0E6	98E4	568F	5066	I3BJ0080
倂	D0E7	98E5	5664	5067	I3AC0080
俚	D0E8	98E6	51F8	5068	I2NS0080
倡	D0E9	98E7	5690	5069	I3BK0080
倩	D0EA	98E8	5692	506A	I3BM0080
倂	D0EB	98E9	5693	506B	I3BN0080
係	D0EC	98EA	5695	506C	I3BP0080
俯	D0ED	98EB	5696	506D	I3BQ0080

Table 7 JIS Second Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
們	D0EE	98EC	5697	506E	I3BR0080
倆	D0EF	98ED	5699	506F	I3BT0080
偃	D0F0	98EE	569A	5070	I3BU0080
假	D0F1	98EF	569B	5071	I3BV0080
會	D0F2	98F0	56AC	5072	I3CC0080
偌	D0F3	98F1	569C	5073	I3BW0080
倂	D0F4	98F2	569D	5074	I3BX0080
偌	D0F5	98F3	569E	5075	I3BY0080
倂	D0F6	98F4	569F	5076	I3BZ0080
倂	D0F7	98F5	56A0	5077	I3C00080
倂	D0F8	98F6	56A5	5078	I3C50080
倂	D0F9	98F7	56A6	5079	I3C60080
倂	D0FA	98F8	56A7	507A	I3C70080
倂	D0FB	98F9	56A9	507B	I3C90080
倂	D0FC	98FA	56AA	507C	I3CA0080
倂	D0FD	98FB	56AB	507D	I3CB0080
倂	D0FE	98FC	56AD	507E	I3CD0080
僉	D1A1	9940	56AE	5121	I3CE0080
僉	D1A2	9941	56AF	5122	I3CF0080
倂	D1A3	9942	56B0	5123	I3CG0080
倂	D1A4	9943	56B1	5124	I3CH0080
倂	D1A5	9944	52D4	5125	I2S40080
僉	D1A6	9945	56B3	5126	I3CJ0080
倂	D1A7	9946	56B4	5127	I3CK0080
倂	D1A8	9947	56B6	5128	I3CM0080
倂	D1A9	9948	56B7	5129	I3CN0080
僉	D1AA	9949	56B8	512A	I3CO0080


IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Table 7 JIS Second Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
價	D1AB	994A	56B9	512B	I3CP0080
僵	D1AC	994B	56BA	512C	I3CQ0080
儉	D1AD	994C	56BB	512D	I3CR0080
儔	D1AE	994D	56BC	512E	I3CS0080
儖	D1AF	994E	56BD	512F	I3CT0080
儘	D1B0	994F	56C1	5130	I3CX0080
儕	D1B1	9950	56BF	5131	I3CV0080
儖	D1B2	9951	56C0	5132	I3CW0080
儖	D1B3	9952	56BE	5133	I3CU0080
儖	D1B4	9953	56C2	5134	I3CY0080
儖	D1B5	9954	56C3	5135	I3CZ0080
儖	D1B6	9955	56C4	5136	I3D00080
儖	D1B7	9956	56C5	5137	I3D10080
儖	D1B8	9957	56C6	5138	I3D20080
儿	D1B9	9958	56C7	5139	I3D30080
兀	D1BA	9959	56C8	513A	I3D40080
兒	D1BB	995A	56CB	513B	I3D70080
兌	D1BC	995B	56CA	513C	I3D60080
兔	D1BD	995C	56CC	513D	I3D80080
兢	D1BE	995D	56CD	513E	I3D90080
競	D1BF	995E	605D	513F	I4RH0080
兩	D1C0	995F	56CF	5140	I3DB0080
兪	D1C1	9960	56D0	5141	I3DC0080
兮	D1C2	9961	56D1	5142	I3DD0080
冀	D1C3	9962	56D2	5143	I3DE0080
冂	D1C4	9963	56D3	5144	I3DF0080
回	D1C5	9964	56D4	5145	I3DG0080

Table 7 JIS Second Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
册	D1C6	9965	56D5	5146	I3DH0080
冉	D1C7	9966	56D6	5147	I3DI0080
冏	D1C8	9967	56D7	5148	I3DJ0080
冑	D1C9	9968	56D8	5149	I3DK0080
菁	D1CA	9969	56D9	514A	I3DL0080
冕	D1CB	996A	56DA	514B	I3DM0080
冎	D1CC	996B	56DB	514C	I3DN0080
冕	D1CD	996C	56DD	514D	I3DP0080
冑	D1CE	996D	56DE	514E	I3DQ0080
冑	D1CF	996E	56DF	514F	I3DR0080
冑	D1D0	996F	56E0	5150	I3DS0080
冑	D1D1	9970	56E1	5151	I3DT0080
冑	D1D2	9971	56E2	5152	I3DU0080
决	D1D3	9972	56E3	5153	I3DV0080
冑	D1D4	9973	56E4	5154	I3DW0080
冲	D1D5	9974	56E5	5155	I3DX0080
冰	D1D6	9975	56E6	5156	I3DY0080
冑	D1D7	9976	56E7	5157	I3DZ0080
冽	D1D8	9977	56E9	5158	I3E10080
冑	D1D9	9978	56EA	5159	I3E20080
凉	D1DA	9979	56EB	515A	I3E30080
凜	D1DB	997A	56EC	515B	I3E40080
几	D1DC	997B	56ED	515C	I3E50080
處	D1DD	997C	62D1	515D	I55D0080
凧	D1DE	997D	56EE	515E	I3E60080
凭	D1DF	997E	56F0	515F	I3E80080
凰	D1E0	9980	56F1	5160	I3E90080


IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Table 7 JIS Second Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
𠄎	D1E1	9981	56F2	5161	I3EA0080
函	D1E2	9982	56F3	5162	I3EB0080
刃	D1E3	9983	56F4	5163	I3EC0080
刊	D1E4	9984	56F5	5164	I3ED0080
剗	D1E5	9985	56F6	5165	I3EE0080
刎	D1E6	9986	54E3	5166	I3370080
刎	D1E7	9987	56F8	5167	I3EG0080
刪	D1E8	9988	56F9	5168	I3EH0080
刮	D1E9	9989	56FA	5169	I3EI0080
剗	D1EA	998A	56FB	516A	I3EJ0080
剗	D1EB	998B	56FC	516B	I3EK0080
剗	D1EC	998C	5741	516C	I3EP0080
剗	D1ED	998D	56FD	516D	I3EL0080
剗	D1EE	998E	56FE	516E	I3EM0080
剗	D1EF	998F	51AE	516F	I2LQ0080
剗	D1F0	9990	5742	5170	I3EQ0080
剔	D1F1	9991	5743	5171	I3ER0080
剪	D1F2	9992	5745	5172	I3ET0080
剗	D1F3	9993	5747	5173	I3EV0080
剩	D1F4	9994	5748	5174	I3EW0080
剗	D1F5	9995	5746	5175	I3EU0080
剗	D1F6	9996	5749	5176	I3EX0080
剗	D1F7	9997	574A	5177	I3EY0080
劍	D1F8	9998	574B	5178	I3EZ0080
劍	D1F9	9999	5580	5179	I35S0080
劍	D1FA	999A	574D	517A	I3F10080
劍	D1FB	999B	5744	517B	I3ES0080

Table 7 JIS Second Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
劈	D1FC	999C	574C	517C	I3F00080
劑	D1FD	999D	574E	517D	I3F20080
辨	D1FE	999E	64EC	517E	I5GS0080
辨	D2A1	999F	64ED	5221	I5GT0080
劬	D2A2	99A0	5751	5222	I3F50080
劬	D2A3	99A1	5752	5223	I3F60080
劬	D2A4	99A2	5753	5224	I3F70080
劬	D2A5	99A3	5754	5225	I3F80080
勁	D2A6	99A4	5755	5226	I3F90080
劬	D2A7	99A5	5757	5227	I3FB0080
勗	D2A8	99A6	5392	5228	I2VM0080
勞	D2A9	99A7	5759	5229	I3FD0080
勗	D2AA	99A8	575A	522A	I3FE0080
勗	D2AB	99A9	575B	522B	I3FF0080
飭	D2AC	99AA	66DB	522C	I5QZ0080
勗	D2AD	99AB	575C	522D	I3FG0080
勗	D2AE	99AC	575D	522E	I3FH0080
勵	D2AF	99AD	575E	522F	I3FI0080
勸	D2B0	99AE	575F	5230	I3FJ0080
勺	D2B1	99AF	5760	5231	I3FK0080
匆	D2B2	99B0	5762	5232	I3FM0080
匄	D2B3	99B1	5764	5233	I3FO0080
匄	D2B4	99B2	5765	5234	I3FP0080
匄	D2B5	99B3	5766	5235	I3FQ0080
匄	D2B6	99B4	5767	5236	I3FR0080
匄	D2B7	99B5	5768	5237	I3FS0080
匕	D2B8	99B6	5769	5238	I3FT0080


IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Table 7 JIS Second Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
匸	D2B9	99B7	576A	5239	I3FU0080
匣	D2BA	99B8	576C	523A	I3FW0080
匯	D2BB	99B9	576D	523B	I3FX0080
匱	D2BC	99BA	576E	523C	I3FY0080
匳	D2BD	99BB	576F	523D	I3FZ0080
匸	D2BE	99BC	5770	523E	I3G00080
區	D2BF	99BD	5771	523F	I3G10080
𠂇	D2C0	99BE	5773	5240	I3G30080
卅	D2C1	99BF	5772	5241	I3G20080
卅	D2C2	99C0	5775	5242	I3G50080
卉	D2C3	99C1	5774	5243	I3G40080
卍	D2C4	99C2	5776	5244	I3G60080
準	D2C5	99C3	5777	5245	I3G70080
卞	D2C6	99C4	5779	5246	I3G90080
卍	D2C7	99C5	577A	5247	I3GA0080
卍	D2C8	99C6	577B	5248	I3GB0080
𠂇	D2C9	99C7	52C8	5249	I2RS0080
卻	D2CA	99C8	577E	524A	I3GE0080
卷	D2CB	99C9	577D	524B	I3GD0080
厂	D2CC	99CA	577F	524C	I3GF0080
厖	D2CD	99CB	5781	524D	I3GH0080
厠	D2CE	99CC	5782	524E	I3GI0080
厦	D2CF	99CD	5783	524F	I3GJ0080
厥	D2D0	99CE	5784	5250	I3GK0080
廝	D2D1	99CF	5785	5251	I3GL0080
廠	D2D2	99D0	5786	5252	I3GM0080
厶	D2D3	99D1	5788	5253	I3GO0080

Table 7 JIS Second Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
參	D2D4	99D2	5789	5254	I3GP0080
纂	D2D5	99D3	578A	5255	I3GQ0080
雙	D2D6	99D4	6688	5256	I5OO0080
叟	D2D7	99D5	578C	5257	I3GS0080
曼	D2D8	99D6	578D	5258	I3GT0080
燮	D2D9	99D7	578F	5259	I3GV0080
叮	D2DA	99D8	5790	525A	I3GW0080
叨	D2DB	99D9	5791	525B	I3GX0080
叭	D2DC	99DA	5792	525C	I3GY0080
叭	D2DD	99DB	5793	525D	I3GZ0080
吁	D2DE	99DC	5794	525E	I3H00080
吡	D2DF	99DD	5795	525F	I3H10080
呀	D2E0	99DE	5796	5260	I3H20080
听	D2E1	99DF	5797	5261	I3H30080
吭	D2E2	99E0	5798	5262	I3H40080
吼	D2E3	99E1	5799	5263	I3H50080
吮	D2E4	99E2	579A	5264	I3H60080
呐	D2E5	99E3	579B	5265	I3H70080
盼	D2E6	99E4	579C	5266	I3H80080
吝	D2E7	99E5	579D	5267	I3H90080
呖	D2E8	99E6	579E	5268	I3HA0080
咏	D2E9	99E7	579F	5269	I3HB0080
呵	D2EA	99E8	57A0	526A	I3HC0080
咎	D2EB	99E9	57A1	526B	I3HD0080
咳	D2EC	99EA	57A2	526C	I3HE0080
呱	D2ED	99EB	57A3	526D	I3HF0080
呷	D2EE	99EC	57A4	526E	I3HG0080


IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Table 7 JIS Second Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
皆	D2EF	99ED	57A5	526F	I3HH0080
咒	D2F0	99EE	57A6	5270	I3HI0080
呻	D2F1	99EF	57A7	5271	I3HJ0080
咀	D2F2	99F0	57A8	5272	I3HK0080
呶	D2F3	99F1	57AA	5273	I3HM0080
咄	D2F4	99F2	57AB	5274	I3HN0080
咐	D2F5	99F3	57AC	5275	I3HO0080
咆	D2F6	99F4	57AD	5276	I3HP0080
哇	D2F7	99F5	57AF	5277	I3HR0080
罅	D2F8	99F6	57B2	5278	I3HU0080
咸	D2F9	99F7	57B3	5279	I3HV0080
啞	D2FA	99F8	57B4	527A	I3HW0080
咬	D2FB	99F9	57B5	527B	I3HX0080
哄	D2FC	99FA	57B6	527C	I3HY0080
哈	D2FD	99FB	57B8	527D	I3I00080
咨	D2FE	99FC	57B9	527E	I3I10080
咫	D3A1	9A40	57BA	5321	I3I20080
晒	D3A2	9A41	57BB	5322	I3I30080
咤	D3A3	9A42	57BC	5323	I3I40080
啉	D3A4	9A43	57BE	5324	I3I60080
哧	D3A5	9A44	57B0	5325	I3HS0080
哧	D3A6	9A45	57B7	5326	I3HZ0080
哥	D3A7	9A46	57BF	5327	I3I70080
哦	D3A8	9A47	57C1	5328	I3I90080
唏	D3A9	9A48	57C2	5329	I3IA0080
唔	D3AA	9A49	57C3	532A	I3IB0080
哽	D3AB	9A4A	57C4	532B	I3IC0080

Table 7 JIS Second Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
哮	D3AC	9A4B	57C5	532C	I3ID0080
哭	D3AD	9A4C	57C6	532D	I3IE0080
哺	D3AE	9A4D	547C	532E	I30C0080
哧	D3AF	9A4E	57C7	532F	I3IF0080
啞	D3B0	9A4F	57C8	5330	I3IG0080
啞	D3B1	9A50	57C9	5331	I3IH0080
啞	D3B2	9A51	57CA	5332	I3II0080
啞	D3B3	9A52	57CB	5333	I3IJ0080
售	D3B4	9A53	57CC	5334	I3IK0080
啞	D3B5	9A54	57CD	5335	I3IL0080
啞	D3B6	9A55	57CE	5336	I3IM0080
啞	D3B7	9A56	57CF	5337	I3IN0080
啞	D3B8	9A57	57D0	5338	I3IO0080
啞	D3B9	9A58	57D1	5339	I3IP0080
啞	D3BA	9A59	57D2	533A	I3IQ0080
啞	D3BB	9A5A	57D3	533B	I3IR0080
啞	D3BC	9A5B	57D4	533C	I3IS0080
啞	D3BD	9A5C	57D5	533D	I3IT0080
咯	D3BE	9A5D	57B1	533E	I3HT0080
喊	D3BF	9A5E	57D6	533F	I3IU0080
喟	D3C0	9A5F	57D7	5340	I3IV0080
啞	D3C1	9A60	57D8	5341	I3IW0080
啞	D3C2	9A61	57D9	5342	I3IX0080
喘	D3C3	9A62	57DA	5343	I3IY0080
啞	D3C4	9A63	57DB	5344	I3IZ0080
單	D3C5	9A64	57DC	5345	I3J00080
啼	D3C6	9A65	57DD	5346	I3J10080


IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Table 7 JIS Second Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
喃	D3C7	9A66	57DF	5347	I3J30080
喩	D3C8	9A67	57E0	5348	I3J40080
喇	D3C9	9A68	57E1	5349	I3J50080
唳	D3CA	9A69	57E2	534A	I3J60080
嗚	D3CB	9A6A	52A2	534B	I2QQ0080
嗅	D3CC	9A6B	57E3	534C	I3J70080
嗟	D3CD	9A6C	57E4	534D	I3J80080
嗶	D3CE	9A6D	57E5	534E	I3J90080
嗜	D3CF	9A6E	57E6	534F	I3JA0080
嗤	D3D0	9A6F	57E7	5350	I3JB0080
嗔	D3D1	9A70	57E8	5351	I3JC0080
嘔	D3D2	9A71	57EA	5352	I3JE0080
嗽	D3D3	9A72	57EB	5353	I3JF0080
嘖	D3D4	9A73	57EC	5354	I3JG0080
嗑	D3D5	9A74	57ED	5355	I3JH0080
嗽	D3D6	9A75	57EE	5356	I3JI0080
嘛	D3D7	9A76	57EF	5357	I3JJ0080
噍	D3D8	9A77	57E9	5358	I3JD0080
噎	D3D9	9A78	57F0	5359	I3JK0080
噤	D3DA	9A79	57F1	535A	I3JL0080
噤	D3DB	9A7A	57FB	535B	I3JV0080
嘴	D3DC	9A7B	547F	535C	I30F0080
嘶	D3DD	9A7C	57F2	535D	I3JM0080
嘲	D3DE	9A7D	57F3	535E	I3JN0080
噤	D3DF	9A7E	57F4	535F	I3JO0080
噤	D3E0	9A80	57F5	5360	I3JP0080
噤	D3E1	9A81	57F6	5361	I3JQ0080

Table 7 JIS Second Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
嘯	D3E2	9A82	57F8	5362	I3JS0080
噬	D3E3	9A83	57F9	5363	I3JT0080
噪	D3E4	9A84	57FA	5364	I3JU0080
噤	D3E5	9A85	57F7	5365	I3JR0080
噤	D3E6	9A86	57FE	5366	I3JY0080
噤	D3E7	9A87	5841	5367	I3K10080
嚙	D3E8	9A88	5842	5368	I3K20080
噤	D3E9	9A89	57FC	5369	I3JW0080
噤	D3EA	9A8A	57FD	536A	I3JX0080
嚙	D3EB	9A8B	5843	536B	I3K30080
嚙	D3EC	9A8C	5844	536C	I3K40080
嚙	D3ED	9A8D	5845	536D	I3K50080
嚴	D3EE	9A8E	5846	536E	I3K60080
嚙	D3EF	9A8F	5848	536F	I3K80080
嚙	D3F0	9A90	5849	5370	I3K90080
嚙	D3F1	9A91	584A	5371	I3KA0080
嚙	D3F2	9A92	584B	5372	I3KB0080
嚙	D3F3	9A93	584C	5373	I3KC0080
嚙	D3F4	9A94	5847	5374	I3K70080
嚙	D3F5	9A95	584D	5375	I3KD0080
嚙	D3F6	9A96	584F	5376	I3KF0080
嚙	D3F7	9A97	584E	5377	I3KE0080
囗	D3F8	9A98	5850	5378	I3KG0080
囗	D3F9	9A99	5851	5379	I3KH0080
囗	D3FA	9A9A	5852	537A	I3KI0080
囗	D3FB	9A9B	5266	537B	I2P20080
囗	D3FC	9A9C	5853	537C	I3KJ0080


IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Table 7 JIS Second Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
圀	D3FD	9A9D	5854	537D	I3KK0080
圁	D3FE	9A9E	5855	537E	I3KL0080
圂	D4A1	9A9F	5856	5421	I3KM0080
國	D4A2	9AA0	51BD	5422	I2M50080
圄	D4A3	9AA1	5857	5423	I3KN0080
圓	D4A4	9AA2	54E7	5424	I33B0080
團	D4A5	9AA3	5859	5425	I3KP0080
圖	D4A6	9AA4	585A	5426	I3KQ0080
喬	D4A7	9AA5	5858	5427	I3KO0080
園	D4A8	9AA6	585B	5428	I3KR0080
圉	D4A9	9AA7	585C	5429	I3KS0080
圊	D4AA	9AA8	51D1	542A	I2MP0080
國	D4AB	9AA9	585D	542B	I3KT0080
坎	D4AC	9AAA	585E	542C	I3KU0080
圌	D4AD	9AAB	585F	542D	I3KV0080
址	D4AE	9AAC	5861	542E	I3KX0080
坏	D4AF	9AAD	5862	542F	I3KY0080
圎	D4B0	9AAE	5398	5430	I2VS0080
垂	D4B1	9AAF	5871	5431	I3LD0080
垝	D4B2	9AB0	5864	5432	I3L00080
坡	D4B3	9AB1	5865	5433	I3L10080
坳	D4B4	9AB2	5866	5434	I3L20080
坳	D4B5	9AB3	5867	5435	I3L30080
垓	D4B6	9AB4	5868	5436	I3L40080
垓	D4B7	9AB5	5869	5437	I3L50080
坵	D4B8	9AB6	586B	5438	I3L70080
垓	D4B9	9AB7	586A	5439	I3L60080

Table 7 JIS Second Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
垓	D4BA	9AB8	586D	543A	I3L90080
垓	D4BB	9AB9	53CD	543B	I2X90080
埃	D4BC	9ABA	586E	543C	I3LA0080
垓	D4BD	9ABB	586F	543D	I3LB0080
埔	D4BE	9ABC	5872	543E	I3LE0080
垓	D4BF	9ABD	5874	543F	I3LG0080
垓	D4C0	9ABE	5875	5440	I3LH0080
聖	D4C1	9ABF	5878	5441	I3LK0080
垓	D4C2	9AC0	5876	5442	I3LI0080
垓	D4C3	9AC1	5879	5443	I3LL0080
垓	D4C4	9AC2	587A	5444	I3LM0080
垓	D4C5	9AC3	587B	5445	I3LN0080
垓	D4C6	9AC4	53A7	5446	I2W70080
場	D4C7	9AC5	5886	5447	I3LY0080
堡	D4C8	9AC6	587C	5448	I3LO0080
塢	D4C9	9AC7	587E	5449	I3LQ0080
塢	D4CA	9AC8	587D	544A	I3LP0080
塢	D4CB	9AC9	5883	544B	I3LV0080
毀	D4CC	9ACA	587F	544C	I3LR0080
塢	D4CD	9ACB	5881	544D	I3LT0080
塢	D4CE	9ACC	5880	544E	I3LS0080
塢	D4CF	9ACD	5884	544F	I3LW0080
墅	D4D0	9ACE	5885	5450	I3LX0080
塢	D4D1	9ACF	588D	5451	I3M50080
墟	D4D2	9AD0	5887	5452	I3LZ0080
塢	D4D3	9AD1	5888	5453	I3M00080
塢	D4D4	9AD2	588E	5454	I3M60080


IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Table 7 JIS Second Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
壤	D4D5	9AD3	5895	5455	I3MD0080
墻	D4D6	9AD4	5552	5456	I34I0080
墻	D4D7	9AD5	5889	5457	I3M10080
墮	D4D8	9AD6	588B	5458	I3M30080
壅	D4D9	9AD7	588F	5459	I3M70080
壓	D4DA	9AD8	5890	545A	I3M80080
壑	D4DB	9AD9	5891	545B	I3M90080
墟	D4DC	9ADA	5892	545C	I3MA0080
壙	D4DD	9ADB	5893	545D	I3MB0080
壘	D4DE	9ADC	5894	545E	I3MC0080
壘	D4DF	9ADD	5899	545F	I3MH0080
壘	D4E0	9ADE	5896	5460	I3ME0080
壤	D4E1	9ADF	5898	5461	I3MG0080
壘	D4E2	9AE0	5897	5462	I3MF0080
壯	D4E3	9AE1	589A	5463	I3MI0080
壺	D4E4	9AE2	5077	5464	I2EV0080
壹	D4E5	9AE3	589C	5465	I3MK0080
壻	D4E6	9AE4	589D	5466	I3ML0080
壺	D4E7	9AE5	589E	5467	I3MM0080
壽	D4E8	9AE6	5275	5468	I2PH0080
久	D4E9	9AE7	589F	5469	I3MN0080
久	D4EA	9AE8	58A0	546A	I3MO0080
復	D4EB	9AE9	58A2	546B	I3MQ0080
彳	D4EC	9AEA	58A3	546C	I3MR0080
夢	D4ED	9AEB	58A4	546D	I3MS0080
夥	D4EE	9AEC	58A5	546E	I3MT0080
夬	D4EF	9AED	58A6	546F	I3MU0080

Table 7 JIS Second Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
夭	D4F0	9AEE	58A7	5470	I3MV0080
本	D4F1	9AEF	58A8	5471	I3MW0080
夸	D4F2	9AF0	58A9	5472	I3MX0080
夾	D4F3	9AF1	58AA	5473	I3MY0080
竒	D4F4	9AF2	604E	5474	I4R20080
奕	D4F5	9AF3	58AB	5475	I3MZ0080
奂	D4F6	9AF4	58AC	5476	I3N00080
奎	D4F7	9AF5	518F	5477	I2KV0080
奚	D4F8	9AF6	58AE	5478	I3N20080
奘	D4F9	9AF7	58AF	5479	I3N30080
奢	D4FA	9AF8	58B3	547A	I3N70080
奠	D4FB	9AF9	58B4	547B	I3N80080
奧	D4FC	9AFA	58B5	547C	I3N90080
獎	D4FD	9AFB	58B6	547D	I3NA0080
奩	D4FE	9AFC	58B7	547E	I3NB0080
奸	D5A1	9B40	58B8	5521	I3NC0080
妁	D5A2	9B41	58B9	5522	I3ND0080
妝	D5A3	9B42	58BC	5523	I3NG0080
佞	D5A4	9B43	566D	5524	I3AL0080
佞	D5A5	9B44	5678	5525	I3AW0080
妣	D5A6	9B45	58BD	5526	I3NH0080
妯	D5A7	9B46	58BF	5527	I3NJ0080
姆	D5A8	9B47	58C1	5528	I3NL0080
姨	D5A9	9B48	58C2	5529	I3NM0080
姜	D5AA	9B49	5184	552A	I2KK0080
妍	D5AB	9B4A	58BA	552B	I3NE0080
妊	D5AC	9B4B	58C3	552C	I3NN0080


IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Table 7 JIS Second Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
姚	D5AD	9B4C	58C4	552D	I3NO0080
娥	D5AE	9B4D	58C5	552E	I3NP0080
娟	D5AF	9B4E	58C6	552F	I3NQ0080
娑	D5B0	9B4F	58C7	5530	I3NR0080
娜	D5B1	9B50	58C8	5531	I3NS0080
娉	D5B2	9B51	58CA	5532	I3NU0080
甥	D5B3	9B52	58C9	5533	I3NT0080
婀	D5B4	9B53	58CB	5534	I3NV0080
姪	D5B5	9B54	58CC	5535	I3NW0080
婉	D5B6	9B55	58CD	5536	I3NX0080
娠	D5B7	9B56	58CE	5537	I3NY0080
娶	D5B8	9B57	58CF	5538	I3NZ0080
婢	D5B9	9B58	58D0	5539	I3O00080
婪	D5BA	9B59	58D1	553A	I3O10080
媚	D5BB	9B5A	58D2	553B	I3O20080
媪	D5BC	9B5B	58D3	553C	I3O30080
媾	D5BD	9B5C	58D4	553D	I3O40080
媯	D5BE	9B5D	58D6	553E	I3O60080
嫂	D5BF	9B5E	58D7	553F	I3O70080
媽	D5C0	9B5F	58D8	5540	I3O80080
媽	D5C1	9B60	58D9	5541	I3O90080
嫗	D5C2	9B61	58DA	5542	I3OA0080
嫦	D5C3	9B62	58DB	5543	I3OB0080
嫩	D5C4	9B63	58DC	5544	I3OC0080
嫖	D5C5	9B64	58DD	5545	I3OD0080
嫖	D5C6	9B65	58DE	5546	I3OE0080
嫖	D5C7	9B66	58DF	5547	I3OF0080

Table 7 JIS Second Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
嬌	D5C8	9B67	58E0	5548	I3OG0080
嬋	D5C9	9B68	58E1	5549	I3OH0080
嬖	D5CA	9B69	58E2	554A	I3OI0080
嬖	D5CB	9B6A	58E3	554B	I3OJ0080
嬖	D5CC	9B6B	58D5	554C	I3O50080
嬖	D5CD	9B6C	58E4	554D	I3OK0080
嬖	D5CE	9B6D	58E5	554E	I3OL0080
嬖	D5CF	9B6E	58E6	554F	I3OM0080
嬖	D5D0	9B6F	58E7	5550	I3ON0080
嬖	D5D1	9B70	58E8	5551	I3OO0080
嬖	D5D2	9B71	58E9	5552	I3OP0080
子	D5D3	9B72	58EA	5553	I3OQ0080
孕	D5D4	9B73	58EB	5554	I3OR0080
孚	D5D5	9B74	5258	5555	I2OO0080
孛	D5D6	9B75	58EE	5556	I3OU0080
孛	D5D7	9B76	58EF	5557	I3OV0080
孩	D5D8	9B77	58F0	5558	I3OW0080
孰	D5D9	9B78	58F1	5559	I3OX0080
孳	D5DA	9B79	58F2	555A	I3OY0080
孳	D5DB	9B7A	58F3	555B	I3OZ0080
學	D5DC	9B7B	58F4	555C	I3P00080
孳	D5DD	9B7C	58ED	555D	I3OT0080
孳	D5DE	9B7D	58F5	555E	I3P10080
宀	D5DF	9B7E	58F6	555F	I3P20080
它	D5E0	9B80	58F7	5560	I3P30080
宦	D5E1	9B81	58F8	5561	I3P40080
宸	D5E2	9B82	58F9	5562	I3P50080


IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Table 7 JIS Second Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
寃	D5E3	9B83	58FA	5563	I3P60080
寇	D5E4	9B84	58FB	5564	I3P70080
霍	D5E5	9B85	58FD	5565	I3P90080
寔	D5E6	9B86	5244	5566	I2O40080
寐	D5E7	9B87	5941	5567	I3PD0080
寤	D5E8	9B88	5945	5568	I3PH0080
實	D5E9	9B89	51FC	5569	I2NW0080
寢	D5EA	9B8A	5946	556A	I3PI0080
寘	D5EB	9B8B	5943	556B	I3PF0080
寥	D5EC	9B8C	5947	556C	I3PJ0080
寫	D5ED	9B8D	5948	556D	I3PK0080
寰	D5EE	9B8E	5949	556E	I3PL0080
寶	D5EF	9B8F	594B	556F	I3PN0080
寶	D5F0	9B90	594A	5570	I3PM0080
尅	D5F1	9B91	594C	5571	I3PO0080
將	D5F2	9B92	594D	5572	I3PP0080
專	D5F3	9B93	594E	5573	I3PQ0080
對	D5F4	9B94	594F	5574	I3PR0080
尔	D5F5	9B95	5950	5575	I3PS0080
尠	D5F6	9B96	5952	5576	I3PU0080
尢	D5F7	9B97	5953	5577	I3PV0080
尨	D5F8	9B98	5954	5578	I3PW0080
尸	D5F9	9B99	5955	5579	I3PX0080
尹	D5FA	9B9A	515D	557A	I2JH0080
屁	D5FB	9B9B	5956	557B	I3PY0080
屮	D5FC	9B9C	5957	557C	I3PZ0080
屎	D5FD	9B9D	5958	557D	I3Q00080

Table 7 JIS Second Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
肩	D5FE	9B9E	5959	557E	I3Q10080
屣	D6A1	9B9F	595A	5621	I3Q20080
屮	D6A2	9BA0	5443	5622	I2YR0080
屮	D6A3	9BA1	595B	5623	I3Q30080
屬	D6A4	9BA2	595C	5624	I3Q40080
屮	D6A5	9BA3	595D	5625	I3Q50080
屮	D6A6	9BA4	564C	5626	I39O0080
另	D6A7	9BA5	595E	5627	I3Q60080
屹	D6A8	9BA6	595F	5628	I3Q70080
岌	D6A9	9BA7	5960	5629	I3Q80080
岑	D6AA	9BA8	525A	562A	I2OQ0080
岔	D6AB	9BA9	5961	562B	I3Q90080
岌	D6AC	9BAA	58BB	562C	I3NF0080
岫	D6AD	9BAB	5963	562D	I3QB0080
岷	D6AE	9BAC	5964	562E	I3QC0080
岫	D6AF	9BAD	5965	562F	I3QD0080
岷	D6B0	9BAE	596A	5630	I3QI0080
岷	D6B1	9BAF	5966	5631	I3QE0080
岷	D6B2	9BB0	5969	5632	I3QH0080
岫	D6B3	9BB1	5962	5633	I3QA0080
岫	D6B4	9BB2	596B	5634	I3QJ0080
岫	D6B5	9BB3	596C	5635	I3QK0080
岫	D6B6	9BB4	596D	5636	I3QL0080
岫	D6B7	9BB5	596E	5637	I3QM0080
岫	D6B8	9BB6	596F	5638	I3QN0080
岫	D6B9	9BB7	5971	5639	I3QP0080
寫	D6BA	9BB8	598C	563A	I3RG0080


IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
 DBCS - EUC

Table 7 JIS Second Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
峪	D6BB	9BB9	5972	563B	I3QQ0080
崑	D6BC	9BBA	5973	563C	I3QR0080
崑	D6BD	9BBB	5974	563D	I3QS0080
崑	D6BE	9BBC	54F1	563E	I33L0080
崑	D6BF	9BBD	5981	563F	I3R50080
崑	D6C0	9BBE	5975	5640	I3QT0080
崑	D6C1	9BBF	5976	5641	I3QU0080
崑	D6C2	9BC0	5977	5642	I3QV0080
崑	D6C3	9BC1	514D	5643	I2J10080
崑	D6C4	9BC2	5979	5644	I3QX0080
崑	D6C5	9BC3	597A	5645	I3QY0080
崑	D6C6	9BC4	597B	5646	I3QZ0080
崑	D6C7	9BC5	597C	5647	I3R00080
崑	D6C8	9BC6	597D	5648	I3R10080
崑	D6C9	9BC7	597E	5649	I3R20080
崑	D6CA	9BC8	5982	564A	I3R60080
崑	D6CB	9BC9	5983	564B	I3R70080
崑	D6CC	9BCA	5985	564C	I3R90080
崑	D6CD	9BCB	5986	564D	I3RA0080
崑	D6CE	9BCC	5988	564E	I3RC0080
崑	D6CF	9BCD	5989	564F	I3RD0080
崑	D6D0	9BCE	598A	5650	I3RE0080
崑	D6D1	9BCF	598B	5651	I3RF0080
崑	D6D2	9BD0	598D	5652	I3RH0080
崑	D6D3	9BD1	598E	5653	I3RI0080
崑	D6D4	9BD2	5990	5654	I3RK0080
崑	D6D5	9BD3	5991	5655	I3RL0080

Table 7 JIS Second Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
嶽	D6D6	9BD4	4F84	5656	I29W0080
嶽	D6D7	9BD5	598F	5657	I3RJ0080
嶽	D6D8	9BD6	5992	5658	I3RM0080
嶽	D6D9	9BD7	5994	5659	I3RO0080
嶽	D6DA	9BD8	5996	565A	I3RQ0080
嶽	D6DB	9BD9	5281	565B	I2PT0080
嶽	D6DC	9BDA	5998	565C	I3RS0080
嶽	D6DD	9BDB	5999	565D	I3RT0080
嶽	D6DE	9BDC	51DF	565E	I2N30080
嶽	D6DF	9BDD	599A	565F	I3RU0080
嶽	D6E0	9BDE	599B	5660	I3RV0080
嶽	D6E1	9BDF	4A4B	5661	I1HN0080
嶽	D6E2	9BE0	599C	5662	I3RW0080
嶽	D6E3	9BE1	599D	5663	I3RX0080
嶽	D6E4	9BE2	599E	5664	I3RY0080
嶽	D6E5	9BE3	599F	5665	I3RZ0080
嶽	D6E6	9BE4	59A0	5666	I3S00080
嶽	D6E7	9BE5	59A1	5667	I3S10080
嶽	D6E8	9BE6	59A2	5668	I3S20080
嶽	D6E9	9BE7	54BE	5669	I3260080
嶽	D6EA	9BE8	59A3	566A	I3S30080
嶽	D6EB	9BE9	59A4	566B	I3S40080
嶽	D6EC	9BEA	59A5	566C	I3S50080
嶽	D6ED	9BEB	59A7	566D	I3S70080
嶽	D6EE	9BEC	59A8	566E	I3S80080
嶽	D6EF	9BED	59A9	566F	I3S90080
嶽	D6F0	9BEE	5483	5670	I30J0080


IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Table 7 JIS Second Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
幢	D6F1	9BEF	59AA	5671	I3SA0080
幣	D6F2	9BF0	59AB	5672	I3SB0080
幫	D6F3	9BF1	59A6	5673	I3S60080
𠂇	D6F4	9BF2	59AC	5674	I3SC0080
并	D6F5	9BF3	59AD	5675	I3SD0080
幺	D6F6	9BF4	59AE	5676	I3SE0080
麼	D6F7	9BF5	6850	5677	I5XS0080
广	D6F8	9BF6	59AF	5678	I3SF0080
庠	D6F9	9BF7	59B0	5679	I3SG0080
廁	D6FA	9BF8	59B1	567A	I3SH0080
廂	D6FB	9BF9	59B2	567B	I3SI0080
廈	D6FC	9BFA	59B3	567C	I3SJ0080
廐	D6FD	9BFB	59B4	567D	I3SK0080
廑	D6FE	9BFC	59B5	567E	I3SL0080
廖	D7A1	9C40	536C	5721	I2UK0080
廣	D7A2	9C41	50E9	5722	I2I10080
廝	D7A3	9C42	59B6	5723	I3SM0080
廚	D7A4	9C43	59B7	5724	I3SN0080
廛	D7A5	9C44	59B8	5725	I3SO0080
廢	D7A6	9C45	59B9	5726	I3SP0080
廡	D7A7	9C46	59BA	5727	I3SQ0080
廛	D7A8	9C47	59BB	5728	I3SR0080
廛	D7A9	9C48	59BC	5729	I3SS0080
廛	D7AA	9C49	59BD	572A	I3ST0080
廛	D7AB	9C4A	59BF	572B	I3SV0080
廳	D7AC	9C4B	59C0	572C	I3SW0080
廳	D7AD	9C4C	59BE	572D	I3SU0080

Table 7 JIS Second Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
廛	D7AE	9C4D	59C1	572E	I3SX0080
廛	D7AF	9C4E	52D6	572F	I2S60080
井	D7B0	9C4F	544B	5730	I2YZ0080
弃	D7B1	9C50	59C2	5731	I3SY0080
𠂇	D7B2	9C51	59C3	5732	I3SZ0080
彝	D7B3	9C52	59D6	5733	I3TI0080
彝	D7B4	9C53	59D5	5734	I3TH0080
弋	D7B5	9C54	59C4	5735	I3T00080
弑	D7B6	9C55	59C5	5736	I3T10080
弓	D7B7	9C56	59C6	5737	I3T20080
弩	D7B8	9C57	59C8	5738	I3T40080
弭	D7B9	9C58	59C9	5739	I3T50080
弮	D7BA	9C59	59CC	573A	I3T80080
弮	D7BB	9C5A	59CD	573B	I3T90080
彈	D7BC	9C5B	59CE	573C	I3TA0080
彌	D7BD	9C5C	59CF	573D	I3TB0080
彎	D7BE	9C5D	59D0	573E	I3TC0080
弯	D7BF	9C5E	59CA	573F	I3T60080
互	D7C0	9C5F	59D1	5740	I3TD0080
彖	D7C1	9C60	59D2	5741	I3TE0080
彗	D7C2	9C61	59D3	5742	I3TF0080
彙	D7C3	9C62	59D4	5743	I3TG0080
彘	D7C4	9C63	59D7	5744	I3TJ0080
彭	D7C5	9C64	529C	5745	I2QK0080
彘	D7C6	9C65	59D9	5746	I3TL0080
衍	D7C7	9C66	59DA	5747	I3TM0080
徃	D7C8	9C67	59DB	5748	I3TN0080


IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Table 7 JIS Second Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
徂	D7C9	9C68	59DC	5749	I3TO0080
彿	D7CA	9C69	59DD	574A	I3TP0080
徊	D7CB	9C6A	59DE	574B	I3TQ0080
很	D7CC	9C6B	59DF	574C	I3TR0080
徑	D7CD	9C6C	59E1	574D	I3TT0080
徇	D7CE	9C6D	59E0	574E	I3TS0080
從	D7CF	9C6E	59E3	574F	I3TV0080
徙	D7D0	9C6F	59E2	5750	I3TU0080
徘	D7D1	9C70	59E4	5751	I3TW0080
徠	D7D2	9C71	59E5	5752	I3TX0080
徨	D7D3	9C72	59E6	5753	I3TY0080
徻	D7D4	9C73	59E7	5754	I3TZ0080
徼	D7D5	9C74	59E9	5755	I3U10080
忖	D7D6	9C75	59EA	5756	I3U20080
忤	D7D7	9C76	59EB	5757	I3U30080
忞	D7D8	9C77	59EC	5758	I3U40080
忞	D7D9	9C78	59ED	5759	I3U50080
忞	D7DA	9C79	59EE	575A	I3U60080
忞	D7DB	9C7A	59F0	575B	I3U80080
惠	D7DC	9C7B	5276	575C	I2PI0080
忞	D7DD	9C7C	59F2	575D	I3UA0080
怡	D7DE	9C7D	59F3	575E	I3UB0080
恠	D7DF	9C7E	5A43	575F	I3UR0080
怙	D7E0	9C80	59F4	5760	I3UC0080
恠	D7E1	9C81	59F5	5761	I3UD0080
恠	D7E2	9C82	59F6	5762	I3UE0080
恠	D7E3	9C83	59F7	5763	I3UF0080

Table 7 JIS Second Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
怱	D7E4	9C84	59F8	5764	I3UG0080
怱	D7E5	9C85	59F9	5765	I3UH0080
怱	D7E6	9C86	59FA	5766	I3UI0080
怱	D7E7	9C87	59FB	5767	I3UJ0080
怱	D7E8	9C88	59FC	5768	I3UK0080
怱	D7E9	9C89	59FD	5769	I3UL0080
怱	D7EA	9C8A	59FE	576A	I3UM0080
恠	D7EB	9C8B	5A41	576B	I3UP0080
恠	D7EC	9C8C	5A42	576C	I3UQ0080
恠	D7ED	9C8D	5A45	576D	I3UT0080
恠	D7EE	9C8E	5A46	576E	I3UU0080
恠	D7EF	9C8F	5A47	576F	I3UV0080
恠	D7F0	9C90	5A48	5770	I3UW0080
恠	D7F1	9C91	5A49	5771	I3UX0080
恠	D7F2	9C92	5A4A	5772	I3UY0080
恠	D7F3	9C93	5A4B	5773	I3UZ0080
恠	D7F4	9C94	5A4C	5774	I3V00080
恠	D7F5	9C95	5A4D	5775	I3V10080
恠	D7F6	9C96	5256	5776	I2OM0080
恠	D7F7	9C97	5A4E	5777	I3V20080
恠	D7F8	9C98	5A4F	5778	I3V30080
恠	D7F9	9C99	5A50	5779	I3V40080
恠	D7FA	9C9A	5A52	577A	I3V60080
恠	D7FB	9C9B	5544	577B	I3440080
恠	D7FC	9C9C	554A	577C	I34A0080
恠	D7FD	9C9D	5A53	577D	I3V70080
恠	D7FE	9C9E	5A54	577E	I3V80080


IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Table 7 JIS Second Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
悄	D8A1	9C9F	5A55	5821	I3V90080
悛	D8A2	9CA0	5A56	5822	I3VA0080
悝	D8A3	9CA1	5A58	5823	I3VC0080
悞	D8A4	9CA2	5A59	5824	I3VD0080
悝	D8A5	9CA3	5A5A	5825	I3VE0080
悞	D8A6	9CA4	5A5B	5826	I3VF0080
悞	D8A7	9CA5	5A5C	5827	I3VG0080
悞	D8A8	9CA6	5A5D	5828	I3VH0080
悞	D8A9	9CA7	5A5E	5829	I3VI0080
悞	D8AA	9CA8	5A60	582A	I3VK0080
悞	D8AB	9CA9	5A61	582B	I3VL0080
悞	D8AC	9CAA	53A3	582C	I2W30080
悞	D8AD	9CAB	59EF	582D	I3U70080
悞	D8AE	9CAC	5A62	582E	I3VM0080
悞	D8AF	9CAD	5A63	582F	I3VN0080
悞	D8B0	9CAE	5A64	5830	I3VO0080
悞	D8B1	9CAF	5A66	5831	I3VQ0080
悞	D8B2	9CB0	5A78	5832	I3W80080
悞	D8B3	9CB1	5A69	5833	I3VT0080
悞	D8B4	9CB2	5A6A	5834	I3VU0080
悞	D8B5	9CB3	5A6B	5835	I3VV0080
悞	D8B6	9CB4	5A6C	5836	I3VW0080
悞	D8B7	9CB5	5A6D	5837	I3VX0080
悞	D8B8	9CB6	5A6E	5838	I3VY0080
悞	D8B9	9CB7	5A6F	5839	I3VZ0080
悞	D8BA	9CB8	5A70	583A	I3W00080
悞	D8BB	9CB9	5A71	583B	I3W10080

Table 7 JIS Second Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
悞	D8BC	9CBA	5A72	583C	I3W20080
悞	D8BD	9CBB	5A73	583D	I3W30080
悞	D8BE	9CBC	5A74	583E	I3W40080
悞	D8BF	9CBD	5A75	583F	I3W50080
悞	D8C0	9CBE	5A77	5840	I3W70080
悞	D8C1	9CBF	5A7C	5841	I3WC0080
悞	D8C2	9CC0	5A7A	5842	I3WA0080
悞	D8C3	9CC1	5A7B	5843	I3WB0080
悞	D8C4	9CC2	5A7D	5844	I3WD0080
悞	D8C5	9CC3	51E3	5845	I2N70080
悞	D8C6	9CC4	5A7F	5846	I3WF0080
悞	D8C7	9CC5	5A80	5847	I3WG0080
悞	D8C8	9CC6	5A81	5848	I3WH0080
悞	D8C9	9CC7	5A84	5849	I3WK0080
悞	D8CA	9CC8	5A85	584A	I3WL0080
悞	D8CB	9CC9	5A86	584B	I3WM0080
悞	D8CC	9CCA	5A87	584C	I3WN0080
悞	D8CD	9CCB	5A89	584D	I3WP0080
悞	D8CE	9CCC	5A8A	584E	I3WQ0080
悞	D8CF	9CCD	5A8B	584F	I3WR0080
悞	D8D0	9CCE	5A8C	5850	I3WS0080
悞	D8D1	9CCF	5A8D	5851	I3WT0080
悞	D8D2	9CD0	5A8E	5852	I3WU0080
悞	D8D3	9CD1	5A8F	5853	I3WV0080
悞	D8D4	9CD2	5A82	5854	I3WI0080
悞	D8D5	9CD3	5A90	5855	I3WW0080
悞	D8D6	9CD4	5A91	5856	I3WX0080


IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Table 7 JIS Second Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
慥	D8D7	9CD5	5A83	5857	I3WJ0080
慥	D8D8	9CD6	5A92	5858	I3WY0080
慵	D8D9	9CD7	5A93	5859	I3WZ0080
憇	D8DA	9CD8	5A95	585A	I3X10080
憇	D8DB	9CD9	5A96	585B	I3X20080
憇	D8DC	9CDA	5A88	585C	I3WO0080
憬	D8DD	9CDB	5A97	585D	I3X30080
憇	D8DE	9CDC	5A98	585E	I3X40080
憇	D8DF	9CDD	55CF	585F	I37Z0080
憇	D8E0	9CDE	5A99	5860	I3X50080
憑	D8E1	9CDF	5A9A	5861	I3X60080
憇	D8E2	9CE0	5A9B	5862	I3X70080
憇	D8E3	9CE1	5A9C	5863	I3X80080
憇	D8E4	9CE2	5A9D	5864	I3X90080
憇	D8E5	9CE3	5A9E	5865	I3XA0080
應	D8E6	9CE4	5A9F	5866	I3XB0080
懷	D8E7	9CE5	5AAA	5867	I3XM0080
懈	D8E8	9CE6	5AA0	5868	I3XC0080
勲	D8E9	9CE7	5AA1	5869	I3XD0080
燥	D8EA	9CE8	5AA2	586A	I3XE0080
憇	D8EB	9CE9	5AA3	586B	I3XF0080
憇	D8EC	9CEA	5AA4	586C	I3XG0080
穉	D8ED	9CEB	5AA5	586D	I3XH0080
憇	D8EE	9CEC	5AA6	586E	I3XI0080
儒	D8EF	9CED	5AA7	586F	I3XJ0080
憇	D8F0	9CEE	5AA8	5870	I3XK0080
懶	D8F1	9CEF	5AAB	5871	I3XN0080

Table 7 JIS Second Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
懺	D8F2	9CF0	5AAD	5872	I3XP0080
懺	D8F3	9CF1	5AA9	5873	I3XL0080
懺	D8F4	9CF2	5AAE	5874	I3XQ0080
懺	D8F5	9CF3	5AAC	5875	I3XO0080
懺	D8F6	9CF4	5AAF	5876	I3XR0080
懺	D8F7	9CF5	5AB0	5877	I3XS0080
懺	D8F8	9CF6	5AB1	5878	I3XT0080
戔	D8F9	9CF7	5AB2	5879	I3XU0080
戔	D8FA	9CF8	5AB3	587A	I3XV0080
戔	D8FB	9CF9	5AB4	587B	I3XW0080
戔	D8FC	9CFA	5460	587C	I2ZK0080
戔	D8FD	9CFB	5AB6	587D	I3XY0080
戔	D8FE	9CFC	5AB7	587E	I3XZ0080
戔	D9A1	9D40	5AB8	5921	I3Y00080
戔	D9A2	9D41	5AB9	5922	I3Y10080
戔	D9A3	9D42	5ABA	5923	I3Y20080
戔	D9A4	9D43	5ABB	5924	I3Y30080
戔	D9A5	9D44	5ABC	5925	I3Y40080
戔	D9A6	9D45	5ABD	5926	I3Y50080
戔	D9A7	9D46	5ABE	5927	I3Y60080
戔	D9A8	9D47	5ABF	5928	I3Y70080
扌	D9A9	9D48	5AC0	5929	I3Y80080
扌	D9AA	9D49	5AC1	592A	I3Y90080
扌	D9AB	9D4A	5AC2	592B	I3YA0080
扌	D9AC	9D4B	5AC3	592C	I3YB0080
扌	D9AD	9D4C	5AC4	592D	I3YC0080
扌	D9AE	9D4D	5AC5	592E	I3YD0080


IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Table 7 JIS Second Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
扼	D9AF	9D4E	5AC6	592F	I3YE0080
枉	D9B0	9D4F	5AC7	5930	I3YF0080
抉	D9B1	9D50	5AC8	5931	I3YG0080
找	D9B2	9D51	5ACA	5932	I3YI0080
抒	D9B3	9D52	5AC9	5933	I3YH0080
抓	D9B4	9D53	5ACB	5934	I3YJ0080
抖	D9B5	9D54	5ACC	5935	I3YK0080
拔	D9B6	9D55	5AD7	5936	I3YV0080
扑	D9B7	9D56	5ACD	5937	I3YL0080
杯	D9B8	9D57	5ACE	5938	I3YM0080
拗	D9B9	9D58	5ACF	5939	I3YN0080
拮	D9BA	9D59	5AD0	593A	I3YO0080
伸	D9BB	9D5A	5AD1	593B	I3YP0080
拏	D9BC	9D5B	5AD2	593C	I3YQ0080
拿	D9BD	9D5C	5AE6	593D	I3ZA0080
拆	D9BE	9D5D	5AD4	593E	I3YS0080
擔	D9BF	9D5E	5B60	593F	I40W0080
拈	D9C0	9D5F	5AD5	5940	I3YT0080
拜	D9C1	9D60	5AD6	5941	I3YU0080
拌	D9C2	9D61	5345	5942	I2TH0080
拊	D9C3	9D62	5AD8	5943	I3YW0080
拂	D9C4	9D63	5AD9	5944	I3YX0080
拇	D9C5	9D64	5ADB	5945	I3YZ0080
抛	D9C6	9D65	5ADC	5946	I3Z00080
拉	D9C7	9D66	5ADD	5947	I3Z10080
格	D9C8	9D67	5ADE	5948	I3Z20080
拮	D9C9	9D68	5ADF	5949	I3Z30080

Table 7 JIS Second Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
拱	D9CA	9D69	5AE0	594A	I3Z40080
栩	D9CB	9D6A	5AE1	594B	I3Z50080
挂	D9CC	9D6B	5AE2	594C	I3Z60080
挈	D9CD	9D6C	5AE3	594D	I3Z70080
拯	D9CE	9D6D	5AE4	594E	I3Z80080
拵	D9CF	9D6E	5AE5	594F	I3Z90080
捐	D9D0	9D6F	5AE7	5950	I3ZB0080
挾	D9D1	9D70	5AE9	5951	I3ZD0080
捍	D9D2	9D71	5AE8	5952	I3ZC0080
搜	D9D3	9D72	5B48	5953	I4080080
捏	D9D4	9D73	5AEA	5954	I3ZE0080
掖	D9D5	9D74	5AEB	5955	I3ZF0080
捺	D9D6	9D75	5AEC	5956	I3ZG0080
掀	D9D7	9D76	5AED	5957	I3ZH0080
擻	D9D8	9D77	5AEE	5958	I3ZI0080
捶	D9D9	9D78	5AEF	5959	I3ZJ0080
掣	D9DA	9D79	5AF0	595A	I3ZK0080
搦	D9DB	9D7A	5AF1	595B	I3ZL0080
掉	D9DC	9D7B	5AF2	595C	I3ZM0080
掟	D9DD	9D7C	5AF3	595D	I3ZN0080
掬	D9DE	9D7D	5AF6	595E	I3ZQ0080
捫	D9DF	9D7E	5AF4	595F	I3ZO0080
捩	D9E0	9D80	5AF5	5960	I3ZP0080
掾	D9E1	9D81	5AF7	5961	I3ZR0080
揩	D9E2	9D82	5AF8	5962	I3ZS0080
揀	D9E3	9D83	5AF9	5963	I3ZT0080
揆	D9E4	9D84	5AFA	5964	I3ZU0080


IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Table 7 JIS Second Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
揣	D9E5	9D85	5AFC	5965	I3ZW0080
揉	D9E6	9D86	5AFD	5966	I3ZX0080
插	D9E7	9D87	5AFE	5967	I3ZY0080
挪	D9E8	9D88	5B41	5968	I4010080
揄	D9E9	9D89	5B42	5969	I4020080
搖	D9EA	9D8A	5B4C	596A	I40C0080
牽	D9EB	9D8B	5B43	596B	I4030080
構	D9EC	9D8C	5B44	596C	I4040080
搓	D9ED	9D8D	5B45	596D	I4050080
搦	D9EE	9D8E	5B46	596E	I4060080
搶	D9EF	9D8F	5B47	596F	I4070080
攝	D9F0	9D90	5B71	5970	I41D0080
搗	D9F1	9D91	5B49	5971	I4090080
搨	D9F2	9D92	5B4A	5972	I40A0080
搏	D9F3	9D93	5B4B	5973	I40B0080
摧	D9F4	9D94	5B4E	5974	I40E0080
摯	D9F5	9D95	5B4F	5975	I40F0080
搏	D9F6	9D96	5B51	5976	I40H0080
摻	D9F7	9D97	5B4D	5977	I40D0080
攪	D9F8	9D98	527F	5978	I2PR0080
撕	D9F9	9D99	5B55	5979	I40L0080
撓	D9FA	9D9A	5B57	597A	I40N0080
撥	D9FB	9D9B	5B58	597B	I40O0080
撩	D9FC	9D9C	5B59	597C	I40P0080
撈	D9FD	9D9D	5B5A	597D	I40Q0080
撼	D9FE	9D9E	5B5B	597E	I40R0080
據	DAA1	9D9F	5B5C	5A21	I40S0080

Table 7 JIS Second Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
擒	DAA2	9DA0	5B5D	5A22	I40T0080
擅	DAA3	9DA1	5B5E	5A23	I40U0080
擇	DAA4	9DA2	5B5F	5A24	I40V0080
撻	DAA5	9DA3	5B56	5A25	I40M0080
擘	DAA6	9DA4	5B61	5A26	I40X0080
播	DAA7	9DA5	5B62	5A27	I40Y0080
擱	DAA8	9DA6	5B63	5A28	I40Z0080
舉	DAA9	9DA7	5B64	5A29	I4100080
舉	DAAA	9DA8	5778	5A2A	I3G80080
擠	DAAB	9DA9	5B65	5A2B	I4110080
擡	DAAC	9DAA	5B66	5A2C	I4120080
抬	DAAD	9DAB	5AD3	5A2D	I3YR0080
擣	DAAE	9DAC	5B67	5A2E	I4130080
擻	DAAF	9DAD	5B68	5A2F	I4140080
攪	DAB0	9DAE	5B76	5A30	I41I0080
搨	DAB1	9DAF	5B6A	5A31	I4160080
擴	DAB2	9DB0	5B69	5A32	I4150080
擲	DAB3	9DB1	5B6B	5A33	I4170080
擺	DAB4	9DB2	5B6C	5A34	I4180080
攀	DAB5	9DB3	5B6D	5A35	I4190080
攪	DAB6	9DB4	5B6E	5A36	I41A0080
攘	DAB7	9DB5	5B6F	5A37	I41B0080
攜	DAB8	9DB6	5B70	5A38	I41C0080
攢	DAB9	9DB7	5B72	5A39	I41E0080
攤	DABA	9DB8	5B73	5A3A	I41F0080
攣	DABB	9DB9	5B74	5A3B	I41G0080
攬	DABC	9DBA	5B75	5A3C	I41H0080


IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Table 7 JIS Second Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
支	DABD	9DBB	5B77	5A3D	I41J0080
攵	DABE	9DBC	5B78	5A3E	I41K0080
攷	DABF	9DBD	5B79	5A3F	I41L0080
收	DAC0	9DBE	5B7A	5A40	I41M0080
攸	DAC1	9DBF	5B7B	5A41	I41N0080
攷	DAC2	9DC0	5B7C	5A42	I41O0080
效	DAC3	9DC1	5B7D	5A43	I41P0080
敖	DAC4	9DC2	5B7F	5A44	I41R0080
敕	DAC5	9DC3	5B82	5A45	I41U0080
敍	DAC6	9DC4	5B80	5A46	I41S0080
敍	DAC7	9DC5	5B81	5A47	I41T0080
敝	DAC8	9DC6	51B1	5A48	I2LT0080
敝	DAC9	9DC7	5B83	5A49	I41V0080
敝	DACA	9DC8	5B84	5A4A	I41W0080
數	DACB	9DC9	5B85	5A4B	I41X0080
斂	DACC	9DCA	5B86	5A4C	I41Y0080
斂	DACD	9DCB	5B87	5A4D	I41Z0080
變	DACE	9DCC	5B88	5A4E	I4200080
斛	DACF	9DCD	5B89	5A4F	I4210080
斟	DAD0	9DCE	5B8A	5A50	I4220080
斫	DAD1	9DCF	5B8B	5A51	I4230080
斫	DAD2	9DD0	5B8C	5A52	I4240080
旃	DAD3	9DD1	5B8D	5A53	I4250080
旃	DAD4	9DD2	5B8E	5A54	I4260080
旁	DAD5	9DD3	5B8F	5A55	I4270080
旌	DAD6	9DD4	5B90	5A56	I4280080
旌	DAD7	9DD5	5B91	5A57	I4290080

Table 7 JIS Second Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
旒	DAD8	9DD6	5B92	5A58	I42A0080
旒	DAD9	9DD7	5165	5A59	I2JP0080
旒	DADA	9DD8	5B93	5A5A	I42B0080
无	DADB	9DD9	5B95	5A5B	I42D0080
无	DADC	9DDA	5B94	5A5C	I42C0080
旱	DADD	9ddb	5B96	5A5D	I42E0080
昊	DADE	9DDC	5B9A	5A5E	I42I0080
昊	DADF	9DDD	528E	5A5F	I2Q60080
昊	DAE0	9DDE	5B9B	5A60	I42J0080
旻	DAE1	9DDF	5B9C	5A61	I42K0080
杳	DAE2	9DE0	5BE0	5A62	I44G0080
昵	DAE3	9DE1	5B9F	5A63	I42N0080
昶	DAE4	9DE2	5193	5A64	I2KZ0080
昴	DAE5	9DE3	5BA2	5A65	I42Q0080
昴	DAE6	9DE4	5BA3	5A66	I42R0080
旻	DAE7	9DE5	51EA	5A67	I2NE0080
晁	DAE8	9DE6	5BA5	5A68	I42T0080
晉	DAE9	9DE7	5BA6	5A69	I42U0080
晁	DAEA	9DE8	5251	5A6A	I2OH0080
晞	DAEB	9DE9	5BA9	5A6B	I42X0080
晝	DAEC	9DEA	5BAD	5A6C	I4310080
晡	DAED	9DEB	5BAA	5A6D	I42Y0080
皓	DAEE	9DEC	50A0	5A6E	I2G00080
晨	DAEF	9DED	51B2	5A6F	I2LU0080
晟	DAF0	9DEE	4FCE	5A70	I2BY0080
哲	DAF1	9DEF	5BAC	5A71	I4300080
晰	DAF2	9DF0	5BB0	5A72	I4340080


IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Table 7 JIS Second Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
鼻	DAF3	9DF1	5BB1	5A73	I4350080
暈	DAF4	9DF2	5BB2	5A74	I4360080
暎	DAF5	9DF3	4FAB	5A75	I2AZ0080
暉	DAF6	9DF4	4ED1	5A76	I26P0080
暄	DAF7	9DF5	5BB3	5A77	I4370080
暘	DAF8	9DF6	5BB5	5A78	I4390080
暝	DAF9	9DF7	5BB7	5A79	I43B0080
暨	DAFA	9DF8	5BBA	5A7A	I43E0080
暹	DAFB	9DF9	5243	5A7B	I2O30080
曉	DAFC	9DFA	5BBC	5A7C	I43G0080
暎	DAFD	9DFB	5BBD	5A7D	I43H0080
晷	DAFE	9DFC	5BBE	5A7E	I43I0080
曄	DBA1	9E40	5BB9	5B21	I43D0080
瞭	DBA2	9E41	5BBF	5B22	I43J0080
曖	DBA3	9E42	5BC0	5B23	I43K0080
矇	DBA4	9E43	5BC1	5B24	I43L0080
曠	DBA5	9E44	51CC	5B25	I2MK0080
曠	DBA6	9E45	5B9E	5B26	I42M0080
矇	DBA7	9E46	5BC2	5B27	I43M0080
曩	DBA8	9E47	5BC3	5B28	I43N0080
日	DBA9	9E48	5BC4	5B29	I43O0080
曳	DBAA	9E49	5BC5	5B2A	I43P0080
曷	DBAB	9E4A	5BC6	5B2B	I43Q0080
肫	DBAC	9E4B	54FD	5B2C	I33X0080
臙	DBAD	9E4C	5BCA	5B2D	I43U0080
朞	DBAE	9E4D	5BCB	5B2E	I43V0080
矇	DBAF	9E4E	5BCD	5B2F	I43X0080

Table 7 JIS Second Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
隴	DBB0	9E4F	5BCE	5B30	I43Y0080
霸	DBB1	9E50	5BCF	5B31	I43Z0080
朞	DBB2	9E51	5BD0	5B32	I4400080
束	DBB3	9E52	5BD1	5B33	I4410080
朶	DBB4	9E53	5BD2	5B34	I4420080
杓	DBB5	9E54	534F	5B35	I2TR0080
杓	DBB6	9E55	5BD4	5B36	I4440080
杓	DBB7	9E56	5BD3	5B37	I4430080
杓	DBB8	9E57	5BD5	5B38	I4450080
杞	DBB9	9E58	5BD6	5B39	I4460080
杠	DBBA	9E59	5480	5B3A	I30G0080
杓	DBBB	9E5A	5BD7	5B3B	I4470080
杓	DBBC	9E5B	5291	5B3C	I2Q90080
枋	DBBD	9E5C	5BD9	5B3D	I4490080
杓	DBBE	9E5D	5BDA	5B3E	I44A0080
杰	DBBF	9E5E	5BDC	5B3F	I44C0080
杓	DBC0	9E5F	5BDD	5B40	I44D0080
杼	DBC1	9E60	54DF	5B41	I3330080
杓	DBC2	9E61	5BDE	5B42	I44E0080
枋	DBC3	9E62	54F2	5B43	I33M0080
枋	DBC4	9E63	5BDF	5B44	I44F0080
枋	DBC5	9E64	5BE1	5B45	I44H0080
枋	DBC6	9E65	5BE2	5B46	I44I0080
枋	DBC7	9E66	5BDB	5B47	I44B0080
枋	DBC8	9E67	5BE4	5B48	I44K0080
柯	DBC9	9E68	5BE5	5B49	I44L0080
枋	DBCA	9E69	5BE6	5B4A	I44M0080


IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Table 7 JIS Second Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
束	DBC B	9E6A	5BE7	5B4B	I44N0080
枳	DBC C	9E6B	54C9	5B4C	I32H0080
柁	DBC D	9E6C	5BE8	5B4D	I44O0080
枸	DBC E	9E6D	5BE9	5B4E	I44P0080
粗	DBC F	9E6E	5BEB	5B4F	I44R0080
柞	DBD 0	9E6F	54F3	5B50	I33N0080
柝	DBD 1	9E70	5BED	5B51	I44T0080
柢	DBD 2	9E71	5BEE	5B52	I44U0080
柣	DBD 3	9E72	5BEF	5B53	I44V0080
枹	DBD 4	9E73	5BF2	5B54	I44Y0080
柤	DBD 5	9E74	5BF1	5B55	I44X0080
粒	DBD 6	9E75	5BF4	5B56	I4500080
瓜	DBD 7	9E76	5BEA	5B57	I44Q0080
檜	DBD 8	9E77	4D55	5B58	I1XX0080
栞	DBD 9	9E78	5BF5	5B59	I4510080
框	DBD A	9E79	5BF6	5B5A	I4520080
栩	DBD B	9E7A	52DE	5B5B	I2SE0080
桀	DBD C	9E7B	5BF8	5B5C	I4540080
栲	DBD D	9E7C	5BF7	5B5D	I4530080
栳	DBD E	9E7D	5BFA	5B5E	I4560080
桧	DBD F	9E7E	5BFB	5B5F	I4570080
梳	DBE 0	9E80	5361	5B60	I2U90080
栴	DBE 1	9E81	52E2	5B61	I2SI0080
栳	DBE 2	9E82	5BFD	5B62	I4590080
档	DBE 3	9E83	5BFC	5B63	I4580080
桷	DBE 4	9E84	5C41	5B64	I45D0080
桧	DBE 5	9E85	5C42	5B65	I45E0080

Table 7 JIS Second Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
梟	DBE 6	9E86	5C43	5B66	I45F0080
梛	DBE 7	9E87	5C45	5B67	I45H0080
梭	DBE 8	9E88	5C46	5B68	I45I0080
梛	DBE 9	9E89	5C47	5B69	I45J0080
條	DBE A	9E8A	4E92	5B6A	I24Y0080
椰	DBE B	9E8B	53BC	5B6B	I2WS0080
梛	DBE C	9E8C	5C48	5B6C	I45K0080
梛	DBE D	9E8D	545D	5B6D	I2ZH0080
栳	DBE E	9E8E	5C4A	5B6E	I45M0080
桴	DBE F	9E8F	5C4B	5B6F	I45N0080
梵	DBF 0	9E90	5C4C	5B70	I45O0080
栳	DBF 1	9E91	52C6	5B71	I2RQ0080
栳	DBF 2	9E92	5C4D	5B72	I45P0080
榼	DBF 3	9E93	5C4E	5B73	I45Q0080
梛	DBF 4	9E94	5BFE	5B74	I45A0080
栳	DBF 5	9E95	5C44	5B75	I45G0080
桴	DBF 6	9E96	5C4F	5B76	I45R0080
棊	DBF 7	9E97	5C50	5B77	I45S0080
栳	DBF 8	9E98	5C51	5B78	I45T0080
棘	DBF 9	9E99	5C52	5B79	I45U0080
栳	DBF A	9E9A	5C61	5B7A	I4690080
栳	DBF B	9E9B	5C53	5B7B	I45V0080
栳	DBF C	9E9C	5C54	5B7C	I45W0080
栳	DBF D	9E9D	5C55	5B7D	I45X0080
棍	DBF E	9E9E	5C56	5B7E	I45Y0080
榼	DCA 1	9E9F	5C57	5C21	I45Z0080
棊	DCA 2	9EA0	5C58	5C22	I4600080


IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Table 7 JIS Second Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
棕	DCA3	9EA1	5C59	5C23	I4610080
櫻	DCA4	9EA2	5C69	5C24	I46H0080
椒	DCA5	9EA3	5C5A	5C25	I4620080
接	DCA6	9EA4	5C5C	5C26	I4640080
棗	DCA7	9EA5	54C2	5C27	I32A0080
棣	DCA8	9EA6	5C5D	5C28	I4650080
枷	DCA9	9EA7	53FA	5C29	I2YI0080
棹	DCAA	9EA8	5494	5C2A	I3100080
棠	DCAB	9EA9	5C5E	5C2B	I4660080
檢	DCAC	9EAA	5C5B	5C2C	I4630080
楸	DCAD	9EAB	5C65	5C2D	I46D0080
椏	DCAE	9EAC	5C62	5C2E	I46A0080
櫚	DCAF	9EAD	5370	5C2F	I2UO0080
楓	DCB0	9EAE	5C64	5C30	I46C0080
樹	DCB1	9EAF	5C63	5C31	I46B0080
榲	DCB2	9EB0	5C60	5C32	I4680080
榎	DCB3	9EB1	5C67	5C33	I46F0080
楷	DCB4	9EB2	5C68	5C34	I46G0080
榭	DCB5	9EB3	54E2	5C35	I3360080
楸	DCB6	9EB4	5C6A	5C36	I46I0080
楫	DCB7	9EB5	54A2	5C37	I31E0080
楔	DCB8	9EB6	5C6B	5C38	I46J0080
椋	DCB9	9EB7	5C74	5C39	I46S0080
楮	DCBA	9EB8	53EF	5C3A	I2Y70080
榭	DCBB	9EB9	52ED	5C3B	I2ST0080
楸	DCBC	9EBA	5C6D	5C3C	I46L0080
椽	DCBD	9EBB	5C6F	5C3D	I46N0080

Table 7 JIS Second Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
楸	DCBE	9EBC	5C70	5C3E	I46O0080
椰	DCBF	9EBD	5C71	5C3F	I46P0080
楡	DCC0	9EBE	527C	5C40	I2PO0080
楞	DCC1	9EBF	5C72	5C41	I46Q0080
棟	DCC2	9EC0	5C73	5C42	I46R0080
榷	DCC3	9EC1	5C75	5C43	I46T0080
櫟	DCC4	9EC2	5C6C	5C44	I46K0080
榎	DCC5	9EC3	5C76	5C45	I46U0080
榮	DCC6	9EC4	514A	5C46	I2IY0080
槐	DCC7	9EC5	548C	5C47	I30S0080
楡	DCC8	9EC6	5C77	5C48	I46V0080
槁	DCC9	9EC7	5C7A	5C49	I46Y0080
楨	DCCA	9EC8	5C7B	5C4A	I46Z0080
榑	DCCB	9EC9	5C7C	5C4B	I4700080
槎	DCCC	9ECA	5C7D	5C4C	I4710080
寨	DCCD	9ECB	5C7E	5C4D	I4720080
槩	DCCE	9ECC	5C7F	5C4E	I4730080
槁	DCCF	9ECD	5C81	5C4F	I4750080
榻	DCD0	9ECE	5C82	5C50	I4760080
槃	DCD1	9ECF	5C83	5C51	I4770080
榧	DCD2	9ED0	538D	5C52	I2VH0080
榧	DCD3	9ED1	5C88	5C53	I47C0080
榑	DCD4	9ED2	5476	5C54	I3060080
榧	DCD5	9ED3	5C84	5C55	I4780080
榜	DCD6	9ED4	5C85	5C56	I4790080
榕	DCD7	9ED5	5C86	5C57	I47A0080
榴	DCD8	9ED6	53B2	5C58	I2WI0080


IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Table 7 JIS Second Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
橿	DCD9	9ED7	5C87	5C59	I47B0080
榔	DCDA	9ED8	5C89	5C5A	I47D0080
樂	DCDB	9ED9	5C8A	5C5B	I47E0080
櫛	DCDC	9EDA	5C8B	5C5C	I47F0080
槿	DCDD	9EDB	5C8C	5C5D	I47G0080
權	DCDE	9EDC	5CC1	5C5E	I48X0080
棹	DCDF	9EDD	5C8D	5C5F	I47H0080
榭	DCE0	9EDE	5C8E	5C60	I47I0080
槩	DCE1	9EDF	5C8F	5C61	I47J0080
椋	DCE2	9EE0	53BB	5C62	I2WR0080
榎	DCE3	9EE1	5C80	5C63	I4740080
樞	DCE4	9EE2	5C91	5C64	I47L0080
槭	DCE5	9EE3	5C92	5C65	I47M0080
櫟	DCE6	9EE4	5C93	5C66	I47N0080
榑	DCE7	9EE5	5C94	5C67	I47O0080
樊	DCE8	9EE6	5C95	5C68	I47P0080
柁	DCE9	9EE7	5C97	5C69	I47R0080
櫨	DCEA	9EE8	5CB7	5C6A	I48N0080
樣	DCEB	9EE9	5C98	5C6B	I47S0080
樓	DCEC	9EEA	5C99	5C6C	I47T0080
橄	DCED	9EEB	5C9C	5C6D	I47W0080
檟	DCEE	9EEC	5C9D	5C6E	I47X0080
檣	DCEF	9EED	5CA8	5C6F	I4880080
椴	DCF0	9EEE	5C9F	5C70	I47Z0080
槲	DCF1	9EEF	5CA0	5C71	I4800080
欒	DCF2	9EF0	5CA1	5C72	I4810080
櫟	DCF3	9EF1	5CA2	5C73	I4820080

Table 7 JIS Second Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
橙	DCF4	9EF2	5CA3	5C74	I4830080
檉	DCF5	9EF3	5CA4	5C75	I4840080
檊	DCF6	9EF4	5CA5	5C76	I4850080
檌	DCF7	9EF5	5CA7	5C77	I4870080
檍	DCF8	9EF6	5C96	5C78	I47Q0080
檎	DCF9	9EF7	5CAA	5C79	I48A0080
檏	DCFA	9EF8	5CAB	5C7A	I48B0080
檐	DCFB	9EF9	5C9E	5C7B	I47Y0080
檑	DCFC	9EFA	5CAC	5C7C	I48C0080
檢	DCFD	9EFB	5CAD	5C7D	I48D0080
檒	DCFE	9EFC	5CAE	5C7E	I48E0080
檓	DDA1	9F40	5CB0	5D21	I48G0080
檔	DDA2	9F41	5CBE	5D22	I48U0080
檕	DDA3	9F42	5CB3	5D23	I48J0080
檖	DDA4	9F43	528B	5D24	I2Q30080
檗	DDA5	9F44	5CB4	5D25	I48K0080
檘	DDA6	9F45	5CB5	5D26	I48L0080
檙	DDA7	9F46	5CB6	5D27	I48M0080
檚	DDA8	9F47	5CB1	5D28	I48H0080
檛	DDA9	9F48	5CB8	5D29	I48O0080
檜	DDAA	9F49	5CBA	5D2A	I48Q0080
檕	DDAB	9F4A	5362	5D2B	I2UA0080
檖	DDAC	9F4B	5CB2	5D2C	I48I0080
檗	DDAD	9F4C	5CBB	5D2D	I48R0080
檘	DDAE	9F4D	5CBF	5D2E	I48V0080
檙	DDAF	9F4E	52EE	5D2F	I2SU0080
檚	DDB0	9F4F	5CC0	5D30	I48W0080


IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Table 7 JIS Second Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
藁	DDB1	9F50	5CBD	5D31	I48T0080
櫛	DDB2	9F51	5CC2	5D32	I48Y0080
櫛	DDB3	9F52	5CC3	5D33	I48Z0080
櫛	DDB4	9F53	5CC4	5D34	I4900080
鬱	DDB5	9F54	6786	5D35	I5TY0080
櫛	DDB6	9F55	5CC5	5D36	I4910080
欸	DDB7	9F56	5CC6	5D37	I4920080
欸	DDB8	9F57	5CC7	5D38	I4930080
盜	DDB9	9F58	5CC9	5D39	I4950080
欸	DDBA	9F59	5CC8	5D3A	I4940080
飲	DDBB	9F5A	5CCA	5D3B	I4960080
歇	DDBC	9F5B	5CCB	5D3C	I4970080
敵	DDBD	9F5C	5CCC	5D3D	I4980080
欸	DDBE	9F5D	5CCD	5D3E	I4990080
歐	DDBF	9F5E	5CCE	5D3F	I49A0080
欸	DDC0	9F5F	5CCF	5D40	I49B0080
歐	DDC1	9F60	5CD0	5D41	I49C0080
欸	DDC2	9F61	5CD1	5D42	I49D0080
歐	DDC3	9F62	5CD2	5D43	I49E0080
歡	DDC4	9F63	5CD3	5D44	I49F0080
歸	DDC5	9F64	5CD4	5D45	I49G0080
歹	DDC6	9F65	5CD5	5D46	I49H0080
歿	DDC7	9F66	5CD6	5D47	I49I0080
歿	DDC8	9F67	5CD7	5D48	I49J0080
殄	DDC9	9F68	5CD8	5D49	I49K0080
殄	DDCA	9F69	5CD9	5D4A	I49L0080
殄	DDCB	9F6A	5CDA	5D4B	I49M0080

Table 7 JIS Second Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
殘	DDCC	9F6B	5CDB	5D4C	I49N0080
殄	DDCD	9F6C	5CDC	5D4D	I49O0080
殄	DDCE	9F6D	5CDD	5D4E	I49P0080
殄	DDCF	9F6E	5CDE	5D4F	I49Q0080
殄	DDD0	9F6F	5CDF	5D50	I49R0080
殄	DDD1	9F70	5CE0	5D51	I49S0080
殄	DDD2	9F71	5CE1	5D52	I49T0080
殄	DDD3	9F72	5CE3	5D53	I49V0080
殄	DDD4	9F73	5CE2	5D54	I49U0080
殄	DDD5	9F74	5CE4	5D55	I49W0080
殄	DDD6	9F75	5CE5	5D56	I49X0080
殄	DDD7	9F76	5CE6	5D57	I49Y0080
殄	DDD8	9F77	5CE7	5D58	I49Z0080
殄	DDD9	9F78	5CE8	5D59	I4A00080
殄	DDDA	9F79	5CE9	5D5A	I4A10080
殄	DDDB	9F7A	5CEB	5D5B	I4A30080
殄	DDDC	9F7B	5CEC	5D5C	I4A40080
殄	DDDD	9F7C	5CED	5D5D	I4A50080
殄	DDDE	9F7D	5CEE	5D5E	I4A60080
殄	DDDF	9F7E	5CEF	5D5F	I4A70080
殄	DDE0	9F80	6851	5D60	I5XT0080
殄	DDE1	9F81	5CF0	5D61	I4A80080
殄	DDE2	9F82	5CF1	5D62	I4A90080
殄	DDE3	9F83	5CF2	5D63	I4AA0080
殄	DDE4	9F84	5CF3	5D64	I4AB0080
殄	DDE5	9F85	5CF4	5D65	I4AC0080
氣	DDE6	9F86	5CF5	5D66	I4AD0080


IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Table 7 JIS Second Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
汞	DDE7	9F87	5CF7	5D67	I4AF0080
汕	DDE8	9F88	5CF8	5D68	I4AG0080
沓	DDE9	9F89	5CFA	5D69	I4AI0080
汪	DDEA	9F8A	52B4	5D6A	I2R80080
沂	DDEB	9F8B	5CFB	5D6B	I4AJ0080
沔	DDEC	9F8C	5CFC	5D6C	I4AK0080
沚	DDED	9F8D	5D41	5D6D	I4AP0080
沁	DDEE	9F8E	5D42	5D6E	I4AQ0080
沛	DDEF	9F8F	5D43	5D6F	I4AR0080
汾	DDF0	9F90	5D44	5D70	I4AS0080
汨	DDF1	9F91	5D45	5D71	I4AT0080
汭	DDF2	9F92	5D46	5D72	I4AU0080
沒	DDF3	9F93	5D47	5D73	I4AV0080
沐	DDF4	9F94	5D48	5D74	I4AW0080
泄	DDF5	9F95	5D49	5D75	I4AX0080
洑	DDF6	9F96	5D4A	5D76	I4AY0080
泓	DDF7	9F97	54D7	5D77	I32V0080
沽	DDF8	9F98	5D4B	5D78	I4AZ0080
泗	DDF9	9F99	55C6	5D79	I37Q0080
泗	DDFA	9F9A	5D4C	5D7A	I4B00080
泝	DDFB	9F9B	5D4F	5D7B	I4B30080
沮	DDFC	9F9C	5D4D	5D7C	I4B10080
沱	DDFD	9F9D	5D50	5D7D	I4B40080
沾	DDFE	9F9E	5D51	5D7E	I4B50080
泔	DEA1	9F9F	5D52	5E21	I4B60080
泛	DEA2	9FA0	5D53	5E22	I4B70080
泯	DEA3	9FA1	5D54	5E23	I4B80080

Table 7 JIS Second Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
泮	DEA4	9FA2	5D55	5E24	I4B90080
汨	DEA5	9FA3	5D56	5E25	I4BA0080
洑	DEA6	9FA4	5D57	5E26	I4BB0080
衍	DEA7	9FA5	6370	5E27	I5800080
洵	DEA8	9FA6	5D59	5E28	I4BD0080
洫	DEA9	9FA7	5D5A	5E29	I4BE0080
洽	DEAA	9FA8	5D5B	5E2A	I4BF0080
洸	DEAB	9FA9	50BC	5E2B	I2GS0080
洹	DEAC	9FAA	52B6	5E2C	I2RA0080
洺	DEAD	9FAB	52AC	5E2D	I2R00080
活	DEAE	9FAC	5D5C	5E2E	I4BG0080
泗	DEAF	9FAD	5D5D	5E2F	I4BH0080
洴	DEB0	9FAE	5D5E	5E30	I4BI0080
洵	DEB1	9FAF	5D5F	5E31	I4BJ0080
洶	DEB2	9FB0	5D61	5E32	I4BL0080
洷	DEB3	9FB1	5D63	5E33	I4BN0080
洸	DEB4	9FB2	5D64	5E34	I4BO0080
洹	DEB5	9FB3	5D65	5E35	I4BP0080
洺	DEB6	9FB4	5D66	5E36	I4BQ0080
活	DEB7	9FB5	5D67	5E37	I4BR0080
洼	DEB8	9FB6	5D68	5E38	I4BS0080
洽	DEB9	9FB7	51D2	5E39	I2MQ0080
派	DEBA	9FB8	5D6A	5E3A	I4BU0080
洿	DEBB	9FB9	5D6C	5E3B	I4BW0080
洺	DEBC	9FBA	5164	5E3C	I2JO0080
活	DEBD	9FBB	5D6D	5E3D	I4BX0080
洼	DEBE	9FBC	5D6F	5E3E	I4BZ0080


IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Table 7 JIS Second Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
淇	DEBF	9FBD	5D71	5E3F	I4C10080
淦	DEC0	9FBE	5D70	5E40	I4C00080
涸	DEC1	9FBF	5D73	5E41	I4C30080
涪	DEC2	9FC0	5D75	5E42	I4C50080
淬	DEC3	9FC1	5D76	5E43	I4C60080
淞	DEC4	9FC2	5D77	5E44	I4C70080
淌	DEC5	9FC3	5D78	5E45	I4C80080
淨	DEC6	9FC4	5D79	5E46	I4C90080
淒	DEC7	9FC5	5D7B	5E47	I4CB0080
淅	DEC8	9FC6	5D7C	5E48	I4CC0080
淺	DEC9	9FC7	5D7D	5E49	I4CD0080
淙	DECA	9FC8	5D7E	5E4A	I4CE0080
淤	DECB	9FC9	5D81	5E4B	I4CH0080
澇	DECC	9FCA	5D82	5E4C	I4CI0080
淪	DECD	9FCB	5D83	5E4D	I4CJ0080
淮	DECE	9FCC	5D84	5E4E	I4CK0080
渭	DECF	9FCD	5D85	5E4F	I4CL0080
湮	DED0	9FCE	5D86	5E50	I4CM0080
滸	DED1	9FCF	5D6E	5E51	I4BY0080
渙	DED2	9FD0	5D87	5E52	I4CN0080
浚	DED3	9FD1	5D88	5E53	I4CO0080
滹	DED4	9FD2	5D89	5E54	I4CP0080
渾	DED5	9FD3	5D8B	5E55	I4CR0080
渣	DED6	9FD4	5D8C	5E56	I4CS0080
湫	DED7	9FD5	5D8D	5E57	I4CT0080
渫	DED8	9FD6	5D8F	5E58	I4CV0080
淥	DED9	9FD7	5D90	5E59	I4CW0080

Table 7 JIS Second Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
湍	DEDA	9FD8	5D91	5E5A	I4CX0080
湔	DEDB	9FD9	5D92	5E5B	I4CY0080
湃	DEDC	9FDA	5D94	5E5C	I4D00080
渺	DEDD	9FDB	5D96	5E5D	I4D20080
湏	DEDE	9FDC	5D97	5E5E	I4D30080
渤	DEDF	9FDD	5D98	5E5F	I4D40080
滿	DEE0	9FDE	5DB4	5E60	I4DW0080
滃	DEE1	9FDF	5D99	5E61	I4D50080
游	DEE2	9FE0	5D9A	5E62	I4D60080
澗	DEE3	9FE1	5D9B	5E63	I4D70080
溪	DEE4	9FE2	5D9C	5E64	I4D80080
溘	DEE5	9FE3	5D9D	5E65	I4D90080
滉	DEE6	9FE4	52A9	5E66	I2QX0080
溎	DEE7	9FE5	5D9E	5E67	I4DA0080
滀	DEE8	9FE6	524A	5E68	I2OA0080
滸	DEE9	9FE7	5D9F	5E69	I4DB0080
湖	DEEA	9FE8	5DA0	5E6A	I4DC0080
滄	DEEB	9FE9	5DA1	5E6B	I4DD0080
澗	DEEC	9FEA	5DA2	5E6C	I4DE0080
滄	DEED	9FEB	5DA3	5E6D	I4DF0080
滕	DEEE	9FEC	5DA4	5E6E	I4DG0080
澹	DEEF	9FED	5DA5	5E6F	I4DH0080
溥	DEF0	9FEE	5376	5E70	I2UU0080
滂	DEF1	9FEF	5DA7	5E71	I4DJ0080
溟	DEF2	9FF0	5DA8	5E72	I4DK0080
潁	DEF3	9FF1	5DA9	5E73	I4DL0080
漑	DEF4	9FF2	5575	5E74	I35H0080


IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Table 7 JIS Second Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
灌	DEF5	9FF3	53EA	5E75	I2Y20080
滬	DEF6	9FF4	5DAB	5E76	I4DN0080
澆	DEF7	9FF5	5DAC	5E77	I4DO0080
滾	DEF8	9FF6	5DAD	5E78	I4DP0080
漿	DEF9	9FF7	5DAE	5E79	I4DQ0080
滲	DEFA	9FF8	5DAF	5E7A	I4DR0080
漱	DEFB	9FF9	5DB0	5E7B	I4DS0080
滯	DEFC	9FFA	5DB1	5E7C	I4DT0080
漲	DEFD	9FFB	5DB2	5E7D	I4DU0080
滌	DEFE	9FFC	5DB3	5E7E	I4DV0080
漾	DFA1	E040	5DB5	5F21	I4DX0080
漓	DFA2	E041	5DB6	5F22	I4DY0080
滷	DFA3	E042	5DB7	5F23	I4DZ0080
澆	DFA4	E043	5DB8	5F24	I4E00080
澆	DFA5	E044	5DB9	5F25	I4E10080
潛	DFA6	E045	5DBA	5F26	I4E20080
澁	DFA7	E046	55A0	5F27	I36O0080
澀	DFA8	E047	5DBB	5F28	I4E30080
澆	DFA9	E048	5DBC	5F29	I4E40080
潛	DFAA	E049	5DBD	5F2A	I4E50080
潛	DFAB	E04A	5DE2	5F2B	I4F60080
潭	DFAC	E04B	5DBE	5F2C	I4E60080
澗	DFAD	E04C	5DC0	5F2D	I4E80080
潼	DFAE	E04D	5DC2	5F2E	I4EA0080
潘	DFAF	E04E	5DC3	5F2F	I4EB0080
澎	DFB0	E04F	5DC5	5F30	I4ED0080
漚	DFB1	E050	5DC6	5F31	I4EE0080

Table 7 JIS Second Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
濂	DFB2	E051	5DCF	5F32	I4EN0080
潦	DFB3	E052	5DC7	5F33	I4EF0080
澳	DFB4	E053	5DC8	5F34	I4EG0080
澣	DFB5	E054	5DC9	5F35	I4EH0080
澡	DFB6	E055	5DCB	5F36	I4EJ0080
澤	DFB7	E056	4E4B	5F37	I22Z0080
澹	DFB8	E057	5DCC	5F38	I4EK0080
澆	DFB9	E058	5DC4	5F39	I4EC0080
澆	DFBA	E059	5DCE	5F3A	I4EM0080
濟	DFBB	E05A	5DD0	5F3B	I4EO0080
濕	DFBC	E05B	5DD1	5F3C	I4EP0080
濬	DFBD	E05C	5DD2	5F3D	I4EQ0080
灑	DFBE	E05D	5DD4	5F3E	I4ES0080
澆	DFBF	E05E	5DD3	5F3F	I4ER0080
濱	DFC0	E05F	5055	5F40	I2DX0080
濮	DFC1	E060	5DD6	5F41	I4EU0080
濛	DFC2	E061	5DCD	5F42	I4EL0080
瀉	DFC3	E062	5DD9	5F43	I4EX0080
潘	DFC4	E063	5DDA	5F44	I4EY0080
澗	DFC5	E064	5DDB	5F45	I4EZ0080
瀑	DFC6	E065	5DDC	5F46	I4F00080
澆	DFC7	E066	5DDD	5F47	I4F10080
瀏	DFC8	E067	5DDE	5F48	I4F20080
濾	DFC9	E068	5187	5F49	I2KN0080
瀛	DFCA	E069	5DDF	5F4A	I4F30080
瀚	DFCB	E06A	5DE0	5F4B	I4F40080
漚	DFCC	E06B	5DBF	5F4C	I4E70080

IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Table 7 JIS Second Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
瀝	DFCD	E06C	52B0	5F4D	I2R40080
瀘	DFCE	E06D	5DE4	5F4E	I4F80080
瀟	DFCF	E06E	5DE1	5F4F	I4F50080
瀰	DFD0	E06F	5DE5	5F50	I4F90080
瀾	DFD1	E070	5DE6	5F51	I4FA0080
激	DFD2	E071	5DE7	5F52	I4FB0080
灑	DFD3	E072	5DE8	5F53	I4FC0080
灣	DFD4	E073	5DE9	5F54	I4FD0080
炙	DFD5	E074	5DEB	5F55	I4FF0080
炒	DFD6	E075	4FEE	5F56	I2CU0080
炯	DFD7	E076	5DEC	5F57	I4FG0080
烱	DFD8	E077	5DF7	5F58	I4FR0080
炬	DFD9	E078	5DEE	5F59	I4FI0080
炸	DFDA	E079	5DEF	5F5A	I4FJ0080
炳	DFDB	E07A	52CD	5F5B	I2RX0080
炮	DFDC	E07B	5DF0	5F5C	I4FK0080
烟	DFDD	E07C	5DF1	5F5D	I4FL0080
炆	DFDE	E07D	5DF2	5F5E	I4FM0080
烝	DFDF	E07E	538C	5F5F	I2VG0080
烙	DFE0	E080	5DF3	5F60	I4FN0080
焉	DFE1	E081	5DF4	5F61	I4FO0080
烽	DFE2	E082	5DF8	5F62	I4FS0080
焜	DFE3	E083	5DF9	5F63	I4FT0080
焙	DFE4	E084	5DFA	5F64	I4FU0080
煥	DFE5	E085	5357	5F65	I2TZ0080
熙	DFE6	E086	6885	5F66	I5Z90080
熙	DFE7	E087	5E45	5F67	I4G50080

Table 7 JIS Second Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
煦	DFE8	E088	5DFE	5F68	I4FY0080
煢	DFE9	E089	5E41	5F69	I4G10080
煌	DFEA	E08A	5E42	5F6A	I4G20080
煖	DFEB	E08B	5E43	5F6B	I4G30080
煖	DFEC	E08C	5E44	5F6C	I4G40080
熏	DFED	E08D	5E46	5F6D	I4G60080
燠	DFEE	E08E	5E57	5F6E	I4GN0080
熄	DFEF	E08F	5E47	5F6F	I4G70080
煨	DFF0	E090	5E48	5F70	I4G80080
熨	DFF1	E091	54BB	5F71	I3230080
熬	DFF2	E092	5E4A	5F72	I4GA0080
爛	DFF3	E093	5E52	5F73	I4GI0080
烹	DFF4	E094	5E4C	5F74	I4GC0080
熾	DFF5	E095	5E4D	5F75	I4GD0080
燒	DFF6	E096	5E4E	5F76	I4GE0080
燉	DFF7	E097	5E50	5F77	I4GG0080
燔	DFF8	E098	5E51	5F78	I4GH0080
燎	DFF9	E099	5E53	5F79	I4GJ0080
燠	DFFA	E09A	5E55	5F7A	I4GL0080
燂	DFFB	E09B	5E56	5F7B	I4GM0080
燃	DFFC	E09C	5E4F	5F7C	I4GF0080
燄	DFFD	E09D	5E54	5F7D	I4GK0080
燅	DFFE	E09E	5E58	5F7E	I4GO0080
燆	E0A1	E09F	5E59	6021	I4GP0080
燇	E0A2	E0A0	5E5B	6022	I4GR0080
燈	E0A3	E0A1	5E5C	6023	I4GS0080
燉	E0A4	E0A2	5E5D	6024	I4GT0080


IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Table 7 JIS Second Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
爛	E0A5	E0A3	537C	6025	I2V00080
爨	E0A6	E0A4	5E5E	6026	I4GU0080
爭	E0A7	E0A5	5E5F	6027	I4GV0080
爬	E0A8	E0A6	5E60	6028	I4GW0080
爰	E0A9	E0A7	5E61	6029	I4GX0080
爲	E0AA	E0A8	5E62	602A	I4GY0080
爻	E0AB	E0A9	5E63	602B	I4GZ0080
俎	E0AC	E0AA	5E64	602C	I4H00080
冂	E0AD	E0AB	5E65	602D	I4H10080
牀	E0AE	E0AC	5E66	602E	I4H20080
牆	E0AF	E0AD	5E67	602F	I4H30080
牋	E0B0	E0AE	5E68	6030	I4H40080
牘	E0B1	E0AF	5E69	6031	I4H50080
牝	E0B2	E0B0	5E6A	6032	I4H60080
牪	E0B3	E0B1	5E6B	6033	I4H70080
犁	E0B4	E0B2	5E6E	6034	I4HA0080
犁	E0B5	E0B3	5E6C	6035	I4H80080
犇	E0B6	E0B4	5E6D	6036	I4H90080
犒	E0B7	E0B5	5E6F	6037	I4HB0080
犖	E0B8	E0B6	5E70	6038	I4HC0080
犢	E0B9	E0B7	5E71	6039	I4HD0080
犢	E0BA	E0B8	5E72	603A	I4HE0080
犣	E0BB	E0B9	5E79	603B	I4HL0080
犤	E0BC	E0BA	5E74	603C	I4HG0080
犥	E0BD	E0BB	5E76	603D	I4HI0080
犦	E0BE	E0BC	5E77	603E	I4HJ0080
犧	E0BF	E0BD	5E78	603F	I4HK0080

Table 7 JIS Second Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
狎	E0C0	E0BE	5E7A	6040	I4HM0080
狎	E0C1	E0BF	5E7B	6041	I4HN0080
狎	E0C2	E0C0	5E7C	6042	I4HO0080
狎	E0C3	E0C1	5E7D	6043	I4HP0080
狎	E0C4	E0C2	5E7E	6044	I4HQ0080
狎	E0C5	E0C3	5E7F	6045	I4HR0080
狎	E0C6	E0C4	5E80	6046	I4HS0080
狎	E0C7	E0C5	5E81	6047	I3C10080
狎	E0C8	E0C6	5E81	6048	I4HT0080
狎	E0C9	E0C7	5E82	6049	I4HU0080
狎	E0CA	E0C8	5E83	604A	I4HV0080
狎	E0CB	E0C9	5E84	604B	I4HW0080
狎	E0CC	E0CA	5E85	604C	I4HX0080
狎	E0CD	E0CB	5E87	604D	I4HZ0080
狎	E0CE	E0CC	5E89	604E	I4I10080
狎	E0CF	E0CD	5E88	604F	I4I00080
狎	E0D0	E0CE	5E8B	6050	I4I30080
狎	E0D1	E0CF	5E8C	6051	I4I40080
狎	E0D2	E0D0	5E8E	6052	I4I60080
狎	E0D3	E0D1	5E8D	6053	I4I50080
狎	E0D4	E0D2	5E90	6054	I4I80080
狎	E0D5	E0D3	5E8F	6055	I4I70080
狎	E0D6	E0D4	5E91	6056	I4I90080
狎	E0D7	E0D5	5E92	6057	I4IA0080
狎	E0D8	E0D6	5E93	6058	I4IB0080
狎	E0D9	E0D7	5E95	6059	I4ID0080
狎	E0DA	E0D8	5E96	605A	I4IE0080


IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Table 7 JIS Second Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
獻	E0DB	E0D9	5E97	605B	I4IF0080
獺	E0DC	E0DA	51CB	605C	I2MJ0080
珈	E0DD	E0DB	5E98	605D	I4IG0080
玳	E0DE	E0DC	5E9A	605E	I4II0080
玳	E0DF	E0DD	5E9B	605F	I4IJ0080
玻	E0E0	E0DE	5E9C	6060	I4IK0080
珀	E0E1	E0DF	5E9D	6061	I4IL0080
珥	E0E2	E0E0	5EA0	6062	I4IO0080
珮	E0E3	E0E1	5EA3	6063	I4IR0080
珞	E0E4	E0E2	5EA5	6064	I4IT0080
璠	E0E5	E0E3	5EC2	6065	I4JM0080
琅	E0E6	E0E4	5EA9	6066	I4IX0080
瑯	E0E7	E0E5	5EBE	6067	I4JI0080
琥	E0E8	E0E6	5EAC	6068	I4J00080
瑀	E0E9	E0E7	5EA6	6069	I4IU0080
琲	E0EA	E0E8	5EAF	606A	I4J30080
珙	E0EB	E0E9	5EB0	606B	I4J40080
瑕	E0EC	E0EA	5EB1	606C	I4J50080
璿	E0ED	E0EB	5EB2	606D	I4J60080
瑟	E0EE	E0EC	5EB3	606E	I4J70080
璫	E0EF	E0ED	5EB4	606F	I4J80080
璿	E0F0	E0EE	5EB5	6070	I4J90080
瑜	E0F1	E0EF	5EB6	6071	I4JA0080
瑩	E0F2	E0F0	5EB7	6072	I4JB0080
瑰	E0F3	E0F1	5EB8	6073	I4JC0080
瓊	E0F4	E0F2	5EB9	6074	I4JD0080
瑪	E0F5	E0F3	5EBA	6075	I4JE0080

Table 7 JIS Second Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
瑤	E0F6	E0F4	6883	6076	I5Z70080
瑾	E0F7	E0F5	5EBF	6077	I4JJ0080
璋	E0F8	E0F6	504D	6078	I2DP0080
璞	E0F9	E0F7	5EC1	6079	I4JL0080
璧	E0FA	E0F8	5EC3	607A	I4JN0080
瓊	E0FB	E0F9	5EC4	607B	I4JO0080
瓏	E0FC	E0FA	5EC5	607C	I4JP0080
瓔	E0FD	E0FB	5EC6	607D	I4JQ0080
琤	E0FE	E0FC	5EA4	607E	I4IS0080
瓠	E1A1	E140	5EC7	6121	I4JR0080
瓣	E1A2	E141	5EC8	6122	I4JS0080
卮	E1A3	E142	5EC9	6123	I4JT0080
甌	E1A4	E143	5ECA	6124	I4JU0080
瓮	E1A5	E144	5ECB	6125	I4JV0080
甌	E1A6	E145	5ECD	6126	I4JX0080
甌	E1A7	E146	5ECC	6127	I4JW0080
甌	E1A8	E147	5ECE	6128	I4JY0080
甌	E1A9	E148	5ED0	6129	I4K00080
瓷	E1AA	E149	5ECF	612A	I4JZ0080
甄	E1AB	E14A	5ED2	612B	I4K20080
甌	E1AC	E14B	5ED3	612C	I4K30080
甌	E1AD	E14C	5ED4	612D	I4K40080
甌	E1AE	E14D	5ED6	612E	I4K60080
甌	E1AF	E14E	5ED7	612F	I4K70080
甌	E1B0	E14F	5ED5	6130	I4K50080
甌	E1B1	E150	53E6	6131	I2XY0080
甌	E1B2	E151	5ED8	6132	I4K80080


IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Table 7 JIS Second Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
嘗	E1B3	E152	5ED9	6133	I4K90080
甦	E1B4	E153	5EDA	6134	I4KA0080
甬	E1B5	E154	5EDB	6135	I4KB0080
學	E1B6	E155	5EDC	6136	I4KC0080
甬	E1B7	E156	5EDD	6137	I4KD0080
𪛗	E1B8	E157	5EDE	6138	I4KE0080
𪛘	E1B9	E158	5EDF	6139	I4KF0080
𪛙	E1BA	E159	5EE0	613A	I4KG0080
𪛚	E1BB	E15A	5EE2	613B	I4KI0080
𪛛	E1BC	E15B	5EE1	613C	I4KH0080
𪛜	E1BD	E15C	5EE3	613D	I4KJ0080
𪛝	E1BE	E15D	52FD	613E	I2T90080
𪛞	E1BF	E15E	5EE4	613F	I4KK0080
𪛟	E1C0	E15F	5EE5	6140	I4KL0080
𪛠	E1C1	E160	5EE6	6141	I4KM0080
𪛡	E1C2	E161	5EE9	6142	I4KP0080
𪛢	E1C3	E162	5EEA	6143	I4KQ0080
當	E1C4	E163	5EEB	6144	I4KR0080
疆	E1C5	E164	5EED	6145	I4KT0080
疇	E1C6	E165	5EEE	6146	I4KU0080
疇	E1C7	E166	5EE8	6147	I4KO0080
疊	E1C8	E167	5EEF	6148	I4KV0080
疊	E1C9	E168	5EF0	6149	I4KW0080
疊	E1CA	E169	5EEC	614A	I4KS0080
疔	E1CB	E16A	5EF1	614B	I4KX0080
疔	E1CC	E16B	5EF2	614C	I4KY0080
疔	E1CD	E16C	5EF3	614D	I4KZ0080

Table 7 JIS Second Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
疥	E1CE	E16D	5EF4	614E	I4L00080
疥	E1CF	E16E	5EF5	614F	I4L10080
痂	E1D0	E16F	5EF6	6150	I4L20080
痂	E1D1	E170	5EF7	6151	I4L30080
痂	E1D2	E171	5EF8	6152	I4L40080
痂	E1D3	E172	5EF9	6153	I4L50080
痂	E1D4	E173	5EFA	6154	I4L60080
痂	E1D5	E174	5EFB	6155	I4L70080
痂	E1D6	E175	5EFC	6156	I4L80080
痂	E1D7	E176	5EFD	6157	I4L90080
痂	E1D8	E177	5EFE	6158	I4LA0080
痂	E1D9	E178	5F41	6159	I4LD0080
痂	E1DA	E179	5F42	615A	I4LE0080
痂	E1DB	E17A	5F43	615B	I4LF0080
痂	E1DC	E17B	5F44	615C	I4LG0080
痂	E1DD	E17C	5F45	615D	I4LH0080
痂	E1DE	E17D	5F46	615E	I4LI0080
痂	E1DF	E17E	5F47	615F	I4LJ0080
痂	E1E0	E180	5F48	6160	I4LK0080
痂	E1E1	E181	5F49	6161	I4LL0080
痂	E1E2	E182	5F4A	6162	I4LM0080
痂	E1E3	E183	5F4B	6163	I4LN0080
痂	E1E4	E184	5F4C	6164	I4LO0080
痂	E1E5	E185	5F4D	6165	I4LP0080
痂	E1E6	E186	5F4E	6166	I4LQ0080
痂	E1E7	E187	524F	6167	I2OF0080
痂	E1E8	E188	5F4F	6168	I4LR0080


IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Table 7 JIS Second Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
瘟	E1E9	E189	5F50	6169	I4LS0080
瘡	E1EA	E18A	5F51	616A	I4LT0080
瘡	E1EB	E18B	5F52	616B	I4LU0080
瘡	E1EC	E18C	5F53	616C	I4LV0080
癩	E1ED	E18D	5F54	616D	I4LW0080
瘤	E1EE	E18E	5F55	616E	I4LX0080
瘡	E1EF	E18F	5F56	616F	I4LY0080
瘰	E1F0	E190	5F57	6170	I4LZ0080
瘰	E1F1	E191	5F58	6171	I4M00080
癩	E1F2	E192	5F59	6172	I4M10080
癩	E1F3	E193	5F5A	6173	I4M20080
癩	E1F4	E194	5F5C	6174	I4M40080
癩	E1F5	E195	5F5D	6175	I4M50080
癩	E1F6	E196	5F5B	6176	I4M30080
癩	E1F7	E197	5F5E	6177	I4M60080
癩	E1F8	E198	5F5F	6178	I4M70080
癩	E1F9	E199	5F60	6179	I4M80080
癩	E1FA	E19A	5F61	617A	I4M90080
癩	E1FB	E19B	5F63	617B	I4MB0080
癩	E1FC	E19C	5F62	617C	I4MA0080
癩	E1FD	E19D	5F64	617D	I4MC0080
癩	E1FE	E19E	5F65	617E	I4MD0080
癩	E2A1	E19F	5F66	6221	I4ME0080
癩	E2A2	E1A0	5F67	6222	I4MF0080
癩	E2A3	E1A1	539A	6223	I2VU0080
癩	E2A4	E1A2	5F68	6224	I4MG0080
癩	E2A5	E1A3	5F6A	6225	I4MI0080

Table 7 JIS Second Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
皀	E2A6	E1A4	5F6B	6226	I4MJ0080
皀	E2A7	E1A5	5F6C	6227	I4MK0080
皀	E2A8	E1A6	5F6D	6228	I4ML0080
皀	E2A9	E1A7	5299	6229	I2QH0080
皀	E2AA	E1A8	5396	622A	I2VQ0080
皀	E2AB	E1A9	4E81	622B	I24H0080
皀	E2AC	E1AA	5F6E	622C	I4MM0080
皀	E2AD	E1AB	5F6F	622D	I4MN0080
皀	E2AE	E1AC	5F74	622E	I4MS0080
皀	E2AF	E1AD	5F75	622F	I4MT0080
皀	E2B0	E1AE	5F76	6230	I4MU0080
皀	E2B1	E1AF	5F77	6231	I4MV0080
皀	E2B2	E1B0	5F78	6232	I4MW0080
皀	E2B3	E1B1	5F79	6233	I4MX0080
皀	E2B4	E1B2	5F7B	6234	I4MZ0080
皀	E2B5	E1B3	5F7C	6235	I4N00080
皀	E2B6	E1B4	5F7D	6236	I4N10080
皀	E2B7	E1B5	5F7E	6237	I4N20080
皀	E2B8	E1B6	5F7F	6238	I4N30080
皀	E2B9	E1B7	5F80	6239	I4N40080
皀	E2BA	E1B8	53F7	623A	I2YF0080
皀	E2BB	E1B9	5F81	623B	I4N50080
皀	E2BC	E1BA	5F82	623C	I4N60080
皀	E2BD	E1BB	5F83	623D	I4N70080
皀	E2BE	E1BC	5F84	623E	I4N80080
皀	E2BF	E1BD	5F85	623F	I4N90080
皀	E2C0	E1BE	5F86	6240	I4NA0080


IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Table 7 JIS Second Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
眩	E2C1	E1BF	5F88	6241	I4NC0080
昵	E2C2	E1C0	5F87	6242	I4NB0080
眞	E2C3	E1C1	51CA	6243	I2MI0080
皆	E2C4	E1C2	5F89	6244	I4ND0080
毗	E2C5	E1C3	5F8A	6245	I4NE0080
昧	E2C6	E1C4	5F8B	6246	I4NF0080
眷	E2C7	E1C5	5F8C	6247	I4NG0080
眸	E2C8	E1C6	5F8D	6248	I4NH0080
睇	E2C9	E1C7	5F8F	6249	I4NJ0080
睚	E2CA	E1C8	5F90	624A	I4NK0080
睨	E2CB	E1C9	5F91	624B	I4NL0080
睫	E2CC	E1CA	5F92	624C	I4NM0080
睛	E2CD	E1CB	5F93	624D	I4NN0080
睥	E2CE	E1CC	5F94	624E	I4NO0080
睿	E2CF	E1CD	5F95	624F	I4NP0080
宰	E2D0	E1CE	5F96	6250	I4NQ0080
睹	E2D1	E1CF	5F97	6251	I4NR0080
睛	E2D2	E1D0	5F98	6252	I4NS0080
瞋	E2D3	E1D1	5F99	6253	I4NT0080
瞋	E2D4	E1D2	5F9A	6254	I4NU0080
瞠	E2D5	E1D3	5F9B	6255	I4NV0080
瞞	E2D6	E1D4	5F9C	6256	I4NW0080
瞰	E2D7	E1D5	5F9D	6257	I4NX0080
瞶	E2D8	E1D6	5F9E	6258	I4NY0080
瞷	E2D9	E1D7	5F9F	6259	I4NZ0080
瞸	E2DA	E1D8	5FA0	625A	I4O00080
險	E2DB	E1D9	5FA1	625B	I4O10080

Table 7 JIS Second Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
瞹	E2DC	E1DA	5FA2	625C	I4O20080
瞻	E2DD	E1DB	5FA3	625D	I4O30080
矇	E2DE	E1DC	5FA4	625E	I4O40080
矍	E2DF	E1DD	5FA5	625F	I4O50080
轟	E2E0	E1DE	5350	6260	I2TS0080
矚	E2E1	E1DF	5FA6	6261	I4O60080
矜	E2E2	E1E0	5FA7	6262	I4O70080
矣	E2E3	E1E1	5FA8	6263	I4O80080
矮	E2E4	E1E2	5FA9	6264	I4O90080
砅	E2E5	E1E3	5FAB	6265	I4OB0080
砆	E2E6	E1E4	5FAC	6266	I4OC0080
砇	E2E7	E1E5	5FAD	6267	I4OD0080
礪	E2E8	E1E6	51B9	6268	I2M10080
礪	E2E9	E1E7	5FB0	6269	I4OG0080
礪	E2EA	E1E8	514C	626A	I2J00080
砹	E2EB	E1E9	5FB1	626B	I4OH0080
碎	E2EC	E1EA	5FB5	626C	I4OL0080
砿	E2ED	E1EB	5FB4	626D	I4OK0080
礳	E2EE	E1EC	5FB7	626E	I4ON0080
礴	E2EF	E1ED	5FB9	626F	I4OP0080
砵	E2F0	E1EE	5FB8	6270	I4OO0080
礵	E2F1	E1EF	5FBA	6271	I4OQ0080
礶	E2F2	E1F0	5FBB	6272	I4OR0080
礷	E2F3	E1F1	5FBC	6273	I4OS0080
礸	E2F4	E1F2	5FBD	6274	I4OT0080
礹	E2F5	E1F3	5FBE	6275	I4OU0080
示	E2F6	E1F4	5FBF	6276	I4OV0080


IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Table 7 JIS Second Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
碯	E2F7	E1F5	5FC0	6277	I4OW0080
磋	E2F8	E1F6	5FC1	6278	I4OX0080
磔	E2F9	E1F7	5FC2	6279	I4OY0080
碾	E2FA	E1F8	5FC3	627A	I4OZ0080
碼	E2FB	E1F9	5FC4	627B	I4P00080
磅	E2FC	E1FA	5FC5	627C	I4P10080
磊	E2FD	E1FB	5FC6	627D	I4P20080
磬	E2FE	E1FC	5FC7	627E	I4P30080
磧	E3A1	E240	5FC8	6321	I4P40080
磚	E3A2	E241	5FC9	6322	I4P50080
磽	E3A3	E242	5FCA	6323	I4P60080
磴	E3A4	E243	5FCB	6324	I4P70080
磵	E3A5	E244	5FCC	6325	I4P80080
礪	E3A6	E245	4DF0	6326	I2280080
礪	E3A7	E246	5FCD	6327	I4P90080
礪	E3A8	E247	5FCE	6328	I4PA0080
礪	E3A9	E248	5FCF	6329	I4PB0080
礪	E3AA	E249	5FD0	632A	I4PC0080
祀	E3AB	E24A	5FD3	632B	I4PF0080
祠	E3AC	E24B	5FD4	632C	I4PG0080
祇	E3AD	E24C	5365	632D	I2UD0080
崇	E3AE	E24D	5FD6	632E	I4PI0080
祚	E3AF	E24E	5FD7	632F	I4PJ0080
祕	E3B0	E24F	5FD8	6330	I4PK0080
祓	E3B1	E250	555C	6331	I34S0080
祺	E3B2	E251	52D8	6332	I2S80080
祿	E3B3	E252	5FDA	6333	I4PM0080

Table 7 JIS Second Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
禊	E3B4	E253	5FDB	6334	I4PN0080
禊	E3B5	E254	5FDE	6335	I4PQ0080
禊	E3B6	E255	4FD7	6336	I2C70080
齋	E3B7	E256	51F5	6337	I2NP0080
禪	E3B8	E257	5FE0	6338	I4PS0080
禮	E3B9	E258	54F5	6339	I33P0080
禳	E3BA	E259	5FE1	633A	I4PT0080
禹	E3BB	E25A	536A	633B	I2UI0080
禺	E3BC	E25B	5FE2	633C	I4PU0080
秉	E3BD	E25C	5FE3	633D	I4PV0080
秣	E3BE	E25D	5FE4	633E	I4PW0080
秣	E3BF	E25E	5FE5	633F	I4PX0080
秣	E3C0	E25F	5FE6	6340	I4PY0080
秣	E3C1	E260	54B5	6341	I31X0080
秣	E3C2	E261	5FE7	6342	I4PZ0080
稈	E3C3	E262	5FE8	6343	I4Q00080
稍	E3C4	E263	5FE9	6344	I4Q10080
稊	E3C5	E264	5FEA	6345	I4Q20080
稊	E3C6	E265	5FEB	6346	I4Q30080
稊	E3C7	E266	5366	6347	I2UE0080
稊	E3C8	E267	5FEC	6348	I4Q40080
稊	E3C9	E268	50E7	6349	I2HZ0080
稱	E3CA	E269	5FED	634A	I4Q50080
稻	E3CB	E26A	5FF0	634B	I4Q80080
稊	E3CC	E26B	5FEE	634C	I4Q60080
稊	E3CD	E26C	5FEF	634D	I4Q70080
稊	E3CE	E26D	5FF1	634E	I4Q90080



IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Table 7 JIS Second Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
穂	E3CF	E26E	5FF2	634F	I4QA0080
稈	E3D0	E26F	5FF3	6350	I4QB0080
穡	E3D1	E270	5FF5	6351	I4QD0080
穢	E3D2	E271	5FF4	6352	I4QC0080
穩	E3D3	E272	5FF6	6353	I4QE0080
穰	E3D4	E273	5FF7	6354	I4QF0080
穠	E3D5	E274	5FF8	6355	I4QG0080
穹	E3D6	E275	5FF9	6356	I4QH0080
竄	E3D7	E276	5FFA	6357	I4QI0080
竊	E3D8	E277	5FFB	6358	I4QJ0080
窗	E3D9	E278	6041	6359	I4QP0080
窈	E3DA	E279	5FFC	635A	I4QK0080
窘	E3DB	E27A	5FFD	635B	I4QL0080
窘	E3DC	E27B	5FFE	635C	I4QM0080
窩	E3DD	E27C	6042	635D	I4QQ0080
竈	E3DE	E27D	52F0	635E	I2SW0080
窰	E3DF	E27E	6043	635F	I4QR0080
窶	E3E0	E280	6044	6360	I4QS0080
竅	E3E1	E281	6048	6361	I4QW0080
竄	E3E2	E282	6049	6362	I4QX0080
窿	E3E3	E283	6047	6363	I4QV0080
邃	E3E4	E284	6045	6364	I4QT0080
竇	E3E5	E285	604A	6365	I4QY0080
竊	E3E6	E286	604B	6366	I4QZ0080
竝	E3E7	E287	604C	6367	I4R00080
竝	E3E8	E288	604D	6368	I4R10080
竝	E3E9	E289	6050	6369	I4R40080

Table 7 JIS Second Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
竝	E3EA	E28A	6051	636A	I4R50080
竝	E3EB	E28B	6052	636B	I4R60080
竝	E3EC	E28C	6053	636C	I4R70080
竝	E3ED	E28D	6054	636D	I4R80080
竝	E3EE	E28E	6055	636E	I4R90080
竝	E3EF	E28F	6056	636F	I4RA0080
竝	E3F0	E290	6057	6370	I4RB0080
竝	E3F1	E291	605B	6371	I4RF0080
竝	E3F2	E292	605C	6372	I4RG0080
竝	E3F3	E293	605E	6373	I4RI0080
竝	E3F4	E294	605F	6374	I4RJ0080
竝	E3F5	E295	6061	6375	I4RL0080
竝	E3F6	E296	6062	6376	I4RM0080
竝	E3F7	E297	6063	6377	I4RN0080
竝	E3F8	E298	53E7	6378	I2XZ0080
竝	E3F9	E299	6065	6379	I4RP0080
竝	E3FA	E29A	6066	637A	I4RQ0080
竝	E3FB	E29B	6067	637B	I4RR0080
竝	E3FC	E29C	6068	637C	I4RS0080
竝	E3FD	E29D	6064	637D	I4RO0080
竝	E3FE	E29E	6069	637E	I4RT0080
竝	E4A1	E29F	606F	6421	I4RZ0080
竝	E4A2	E2A0	54D5	6422	I32T0080
竝	E4A3	E2A1	606A	6423	I4RU0080
竝	E4A4	E2A2	6060	6424	I4RK0080
竝	E4A5	E2A3	606B	6425	I4RV0080
竝	E4A6	E2A4	606C	6426	I4RW0080


IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Table 7 JIS Second Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
筵	E4A7	E2A5	606E	6427	I4RY0080
筥	E4A8	E2A6	5484	6428	I30K0080
筭	E4A9	E2A7	6070	6429	I4S00080
筭	E4AA	E2A8	5048	642A	I2DK0080
筭	E4AB	E2A9	6071	642B	I4S10080
筭	E4AC	E2AA	6072	642C	I4S20080
筭	E4AD	E2AB	534E	642D	I2TQ0080
筭	E4AE	E2AC	6073	642E	I4S30080
筭	E4AF	E2AD	6074	642F	I4S40080
籩	E4B0	E2AE	6075	6430	I4S50080
籩	E4B1	E2AF	6076	6431	I4S60080
籩	E4B2	E2B0	6077	6432	I4S70080
籩	E4B3	E2B1	6078	6433	I4S80080
籩	E4B4	E2B2	6079	6434	I4S90080
籩	E4B5	E2B3	55A4	6435	I36S0080
籩	E4B6	E2B4	607A	6436	I4SA0080
籩	E4B7	E2B5	607B	6437	I4SB0080
籩	E4B8	E2B6	606D	6438	I4RX0080
籩	E4B9	E2B7	607C	6439	I4SC0080
籩	E4BA	E2B8	607E	643A	I4SE0080
籩	E4BB	E2B9	51E8	643B	I2NC0080
籩	E4BC	E2BA	607F	643C	I4SF0080
籩	E4BD	E2BB	607D	643D	I4SD0080
籩	E4BE	E2BC	6080	643E	I4SG0080
籩	E4BF	E2BD	6081	643F	I4SH0080
籩	E4C0	E2BE	6083	6440	I4SJ0080
籩	E4C1	E2BF	6084	6441	I4SK0080

Table 7 JIS Second Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
籩	E4C2	E2C0	4F53	6442	I28J0080
籩	E4C3	E2C1	6088	6443	I4SO0080
籩	E4C4	E2C2	6085	6444	I4SL0080
籩	E4C5	E2C3	6087	6445	I4SN0080
籩	E4C6	E2C4	4CEE	6446	I1WU0080
籩	E4C7	E2C5	6089	6447	I4SP0080
籩	E4C8	E2C6	608B	6448	I4SR0080
籩	E4C9	E2C7	608A	6449	I4SQ0080
籩	E4CA	E2C8	608C	644A	I4SS0080
籩	E4CB	E2C9	6086	644B	I4SM0080
籩	E4CC	E2CA	517C	644C	I2KC0080
籩	E4CD	E2CB	608D	644D	I4ST0080
籩	E4CE	E2CC	608E	644E	I4SU0080
籩	E4CF	E2CD	608F	644F	I4SV0080
籩	E4D0	E2CE	6090	6450	I4SW0080
籩	E4D1	E2CF	6091	6451	I4SX0080
籩	E4D2	E2D0	6092	6452	I4SY0080
籩	E4D3	E2D1	6093	6453	I4SZ0080
籩	E4D4	E2D2	6094	6454	I4T00080
籩	E4D5	E2D3	6095	6455	I4T10080
籩	E4D6	E2D4	6097	6456	I4T30080
籩	E4D7	E2D5	6098	6457	I4T40080
籩	E4D8	E2D6	4F99	6458	I2AH0080
籩	E4D9	E2D7	51F2	6459	I2NM0080
籩	E4DA	E2D8	6096	645A	I4T20080
籩	E4DB	E2D9	609A	645B	I4T60080
籩	E4DC	E2DA	609B	645C	I4T70080


IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Table 7 JIS Second Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
籟	E4DD	E2DB	609C	645D	I4T80080
籴	E4DE	E2DC	52AA	645E	I2QY0080
籵	E4DF	E2DD	6099	645F	I4T50080
籶	E4E0	E2DE	609D	6460	I4T90080
籷	E4E1	E2DF	609E	6461	I4TA0080
料	E4E2	E2E0	609F	6462	I4TB0080
枇	E4E3	E2E1	60A0	6463	I4TC0080
𪎠	E4E4	E2E2	60A1	6464	I4TD0080
粵	E4E5	E2E3	60A2	6465	I4TE0080
粦	E4E6	E2E4	60A6	6466	I4TI0080
粦	E4E7	E2E5	60A3	6467	I4TF0080
糲	E4E8	E2E6	60A4	6468	I4TG0080
糴	E4E9	E2E7	60A5	6469	I4TH0080
糵	E4EA	E2E8	60A7	646A	I4TJ0080
粳	E4EB	E2E9	60A8	646B	I4TK0080
粲	E4EC	E2EA	60A9	646C	I4TL0080
梁	E4ED	E2EB	60AA	646D	I4TM0080
粮	E4EE	E2EC	60AB	646E	I4TN0080
粹	E4EF	E2ED	60AC	646F	I4TO0080
粽	E4F0	E2EE	60AE	6470	I4TQ0080
糝	E4F1	E2EF	51BC	6471	I2M40080
糞	E4F2	E2F0	60AF	6472	I4TR0080
糞	E4F3	E2F1	60B0	6473	I4TS0080
糞	E4F4	E2F2	60B3	6474	I4TV0080
糞	E4F5	E2F3	60B1	6475	I4TT0080
麩	E4F6	E2F4	60B4	6476	I4TW0080
糞	E4F7	E2F5	60B2	6477	I4TU0080

Table 7 JIS Second Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
糞	E4F8	E2F6	6788	6478	I5U00080
糞	E4F9	E2F7	60B5	6479	I4TX0080
糞	E4FA	E2F8	60B6	647A	I4TY0080
糞	E4FB	E2F9	60B7	647B	I4TZ0080
糞	E4FC	E2FA	60B8	647C	I4U00080
糞	E4FD	E2FB	52C2	647D	I2RM0080
糞	E4FE	E2FC	60B9	647E	I4U10080
糞	E5A1	E340	60BA	6521	I4U20080
糞	E5A2	E341	60BB	6522	I4U30080
糞	E5A3	E342	60BC	6523	I4U40080
糞	E5A4	E343	60BD	6524	I4U50080
糞	E5A5	E344	60BE	6525	I4U60080
糞	E5A6	E345	60BF	6526	I4U70080
糞	E5A7	E346	60C0	6527	I4U80080
糞	E5A8	E347	60C1	6528	I4U90080
糞	E5A9	E348	60C2	6529	I4UA0080
糞	E5AA	E349	60C3	652A	I4UB0080
糞	E5AB	E34A	60C5	652B	I4UD0080
糞	E5AC	E34B	60C7	652C	I4UF0080
糞	E5AD	E34C	60C8	652D	I4UG0080
糞	E5AE	E34D	60C9	652E	I4UH0080
糞	E5AF	E34E	5268	652F	I2P40080
糞	E5B0	E34F	60CA	6530	I4UI0080
糞	E5B1	E350	60CB	6531	I4UJ0080
糞	E5B2	E351	60CC	6532	I4UK0080
糞	E5B3	E352	60CD	6533	I4UL0080
糞	E5B4	E353	60CE	6534	I4UM0080


IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Table 7 JIS Second Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
綉	E5B5	E354	60CF	6535	I4UN0080
條	E5B6	E355	60D0	6536	I4UO0080
綏	E5B7	E356	5374	6537	I2US0080
紹	E5B8	E357	54ED	6538	I33H0080
認	E5B9	E358	54EB	6539	I33F0080
綺	E5BA	E359	54D3	653A	I32R0080
繫	E5BB	E35A	60D1	653B	I4UP0080
縵	E5BC	E35B	60D2	653C	I4UQ0080
綵	E5BD	E35C	60D3	653D	I4UR0080
緇	E5BE	E35D	60D5	653E	I4UT0080
綽	E5BF	E35E	60D6	653F	I4UU0080
綫	E5C0	E35F	60D7	6540	I4UV0080
總	E5C1	E360	60F3	6541	I4VN0080
綱	E5C2	E361	60D8	6542	I4UW0080
絢	E5C3	E362	60D9	6543	I4UX0080
縣	E5C4	E363	60E8	6544	I4VC0080
綸	E5C5	E364	60DB	6545	I4UZ0080
緝	E5C6	E365	60DC	6546	I4V00080
綰	E5C7	E366	60DD	6547	I4V10080
緘	E5C8	E367	60DF	6548	I4V30080
緝	E5C9	E368	60E0	6549	I4V40080
縲	E5CA	E369	60E2	654A	I4V60080
緞	E5CB	E36A	60E3	654B	I4V70080
緞	E5CC	E36B	60E4	654C	I4V80080
緞	E5CD	E36C	60E6	654D	I4VA0080
緞	E5CE	E36D	60E7	654E	I4VB0080
緞	E5CF	E36E	60E9	654F	I4VD0080

Table 7 JIS Second Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
縵	E5D0	E36F	60EA	6550	I4VE0080
縣	E5D1	E370	55A8	6551	I36W0080
緯	E5D2	E371	60EB	6552	I4VF0080
縵	E5D3	E372	60EC	6553	I4VG0080
縱	E5D4	E373	60F2	6554	I4VM0080
縵	E5D5	E374	60ED	6555	I4VH0080
縵	E5D6	E375	60EE	6556	I4VI0080
縵	E5D7	E376	60E5	6557	I4V90080
縵	E5D8	E377	5BCC	6558	I43W0080
縵	E5D9	E378	60F0	6559	I4VK0080
縵	E5DA	E379	60F1	655A	I4VL0080
縵	E5DB	E37A	60F5	655B	I4VP0080
縵	E5DC	E37B	60F4	655C	I4VO0080
縵	E5DD	E37C	60F6	655D	I4VQ0080
縵	E5DE	E37D	60F7	655E	I4VR0080
縵	E5DF	E37E	60F8	655F	I4VS0080
縵	E5E0	E380	60F9	6560	I4VT0080
縵	E5E1	E381	60EF	6561	I4VJ0080
縵	E5E2	E382	6142	6562	I4W20080
縵	E5E3	E383	60FA	6563	I4VU0080
縵	E5E4	E384	60FB	6564	I4VV0080
縵	E5E5	E385	60FC	6565	I4VW0080
縵	E5E6	E386	60FE	6566	I4VY0080
縵	E5E7	E387	6141	6567	I4W10080
縵	E5E8	E388	6143	6568	I4W30080
縵	E5E9	E389	6144	6569	I4W40080
縵	E5EA	E38A	6145	656A	I4W50080


IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Table 7 JIS Second Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
繼	E5EB	E38B	6146	656B	I4W60080
繻	E5EC	E38C	6147	656C	I4W70080
濟	E5ED	E38D	614B	656D	I4WB0080
濟	E5EE	E38E	60DE	656E	I4V20080
績	E5EF	E38F	6148	656F	I4W80080
辯	E5F0	E390	6149	6570	I4W90080
縊	E5F1	E391	614A	6571	I4WA0080
纈	E5F2	E392	5278	6572	I2PK0080
績	E5F3	E393	614C	6573	I4WC0080
績	E5F4	E394	614E	6574	I4WE0080
纏	E5F5	E395	614F	6575	I4WF0080
纈	E5F6	E396	5273	6576	I2PF0080
纓	E5F7	E397	6150	6577	I4WG0080
纒	E5F8	E398	6151	6578	I4WH0080
織	E5F9	E399	6152	6579	I4WI0080
織	E5FA	E39A	614D	657A	I4WD0080
纛	E5FB	E39B	6153	657B	I4WJ0080
纜	E5FC	E39C	539C	657C	I2VW0080
缸	E5FD	E39D	6154	657D	I4WK0080
缺	E5FE	E39E	6155	657E	I4WL0080
罇	E6A1	E39F	6156	6621	I4WM0080
罍	E6A2	E3A0	6158	6622	I4WO0080
罍	E6A3	E3A1	54CB	6623	I32J0080
罍	E6A4	E3A2	6159	6624	I4WP0080
罍	E6A5	E3A3	516E	6625	I2JY0080
罍	E6A6	E3A4	615A	6626	I4WQ0080
罍	E6A7	E3A5	615B	6627	I4WR0080

Table 7 JIS Second Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
罍	E6A8	E3A6	615C	6628	I4WS0080
罍	E6A9	E3A7	615D	6629	I4WT0080
罍	E6AA	E3A8	615E	662A	I4WU0080
罍	E6AB	E3A9	615F	662B	I4WV0080
罍	E6AC	E3AA	6160	662C	I4WW0080
罍	E6AD	E3AB	6162	662D	I4WY0080
罍	E6AE	E3AC	6161	662E	I4WX0080
罍	E6AF	E3AD	6163	662F	I4WZ0080
罍	E6B0	E3AE	6164	6630	I4X00080
罍	E6B1	E3AF	6165	6631	I4X10080
罍	E6B2	E3B0	6166	6632	I4X20080
罍	E6B3	E3B1	6168	6633	I4X40080
罍	E6B4	E3B2	6167	6634	I4X30080
罍	E6B5	E3B3	6169	6635	I4X50080
罍	E6B6	E3B4	616A	6636	I4X60080
罍	E6B7	E3B5	616B	6637	I4X70080
罍	E6B8	E3B6	616C	6638	I4X80080
罍	E6B9	E3B7	616D	6639	I4X90080
罍	E6BA	E3B8	616F	663A	I4XB0080
罍	E6BB	E3B9	6170	663B	I4XC0080
罍	E6BC	E3BA	6172	663C	I4XE0080
罍	E6BD	E3BB	6173	663D	I4XF0080
罍	E6BE	E3BC	6171	663E	I4XD0080
罍	E6BF	E3BD	6174	663F	I4XG0080
罍	E6C0	E3BE	6175	6640	I4XH0080
罍	E6C1	E3BF	6176	6641	I4XI0080
罍	E6C2	E3C0	6178	6642	I4XK0080


IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Table 7 JIS Second Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
翠	E6C3	E3C1	6179	6643	I4XL0080
翊	E6C4	E3C2	617A	6644	I4XM0080
翕	E6C5	E3C3	617B	6645	I4XN0080
翔	E6C6	E3C4	54F9	6646	I33T0080
翫	E6C7	E3C5	617C	6647	I4XO0080
翦	E6C8	E3C6	617D	6648	I4XP0080
翮	E6C9	E3C7	617E	6649	I4XQ0080
翯	E6CA	E3C8	617F	664A	I4XR0080
翯	E6CB	E3C9	6180	664B	I4XS0080
翯	E6CC	E3CA	66DA	664C	I5QY0080
耆	E6CD	E3CB	53DC	664D	I2XO0080
耄	E6CE	E3CC	6181	664E	I4XT0080
耋	E6CF	E3CD	6182	664F	I4XU0080
耋	E6D0	E3CE	6183	6650	I4XV0080
耘	E6D1	E3CF	54E4	6651	I3380080
耙	E6D2	E3D0	6184	6652	I4XW0080
耜	E6D3	E3D1	6185	6653	I4XX0080
耒	E6D4	E3D2	6186	6654	I4XY0080
耨	E6D5	E3D3	6187	6655	I4XZ0080
耿	E6D6	E3D4	6188	6656	I4Y00080
耻	E6D7	E3D5	6189	6657	I4Y10080
聊	E6D8	E3D6	618A	6658	I4Y20080
聆	E6D9	E3D7	618B	6659	I4Y30080
聒	E6DA	E3D8	618C	665A	I4Y40080
聒	E6DB	E3D9	618D	665B	I4Y50080
聚	E6DC	E3DA	5479	665C	I3090080
聒	E6DD	E3DB	618E	665D	I4Y60080

Table 7 JIS Second Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
聒	E6DE	E3DC	618F	665E	I4Y70080
聒	E6DF	E3DD	6190	665F	I4Y80080
聒	E6E0	E3DE	6191	6660	I4Y90080
聒	E6E1	E3DF	6192	6661	I4YA0080
聒	E6E2	E3E0	6193	6662	I4YB0080
聒	E6E3	E3E1	6194	6663	I4YC0080
聒	E6E4	E3E2	6195	6664	I4YD0080
聒	E6E5	E3E3	6196	6665	I4YE0080
聒	E6E6	E3E4	6197	6666	I4YF0080
聒	E6E7	E3E5	6198	6667	I4YG0080
聒	E6E8	E3E6	53B6	6668	I2WM0080
聒	E6E9	E3E7	6199	6669	I4YH0080
聒	E6EA	E3E8	5292	666A	I2QA0080
聒	E6EB	E3E9	619A	666B	I4YI0080
聒	E6EC	E3EA	619B	666C	I4YJ0080
聒	E6ED	E3EB	619C	666D	I4YK0080
聒	E6EE	E3EC	619D	666E	I4YL0080
聒	E6EF	E3ED	619E	666F	I4YM0080
聒	E6F0	E3EE	619F	6670	I4YN0080
聒	E6F1	E3EF	61A0	6671	I4YO0080
聒	E6F2	E3F0	61A1	6672	I4YP0080
聒	E6F3	E3F1	61A2	6673	I4YQ0080
聒	E6F4	E3F2	61A3	6674	I4YR0080
聒	E6F5	E3F3	61A4	6675	I4YS0080
聒	E6F6	E3F4	5288	6676	I2Q00080
聒	E6F7	E3F5	61A5	6677	I4YT0080
聒	E6F8	E3F6	61A6	6678	I4YU0080


IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Table 7 JIS Second Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
肱	E6F9	E3F7	61A7	6679	I4YV0080
脛	E6FA	E3F8	61A8	667A	I4YW0080
脩	E6FB	E3F9	4C96	667B	I1UE0080
脣	E6FC	E3FA	61A9	667C	I4YX0080
脯	E6FD	E3FB	61AA	667D	I4YY0080
腋	E6FE	E3FC	61AB	667E	I4YZ0080
隋	E7A1	E440	6673	6721	I5O30080
腴	E7A2	E441	61AC	6722	I4Z00080
脾	E7A3	E442	61AD	6723	I4Z10080
腓	E7A4	E443	61AE	6724	I4Z20080
腑	E7A5	E444	61AF	6725	I4Z30080
胼	E7A6	E445	61B0	6726	I4Z40080
腓	E7A7	E446	61B1	6727	I4Z50080
腮	E7A8	E447	61B2	6728	I4Z60080
腥	E7A9	E448	61B3	6729	I4Z70080
腦	E7AA	E449	61B5	672A	I4Z90080
腴	E7AB	E44A	61B6	672B	I4ZA0080
膾	E7AC	E44B	61B7	672C	I4ZB0080
膈	E7AD	E44C	61B8	672D	I4ZC0080
膊	E7AE	E44D	61B9	672E	I4ZD0080
膀	E7AF	E44E	61BA	672F	I4ZE0080
臂	E7B0	E44F	61BB	6730	I4ZF0080
膠	E7B1	E450	61BC	6731	I4ZG0080
臍	E7B2	E451	61BD	6732	I4ZH0080
臍	E7B3	E452	61C1	6733	I4ZL0080
腔	E7B4	E453	61BE	6734	I4ZI0080
腔	E7B5	E454	61B4	6735	I4Z80080

Table 7 JIS Second Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
臍	E7B6	E455	61BF	6736	I4ZJ0080
臍	E7B7	E456	61C2	6737	I4ZM0080
臍	E7B8	E457	61C4	6738	I4ZO0080
臍	E7B9	E458	61C0	6739	I4ZK0080
臍	E7BA	E459	61C6	673A	I4ZQ0080
臍	E7BB	E45A	61C3	673B	I4ZN0080
臍	E7BC	E45B	61C7	673C	I4ZR0080
臍	E7BD	E45C	61C8	673D	I4ZS0080
臍	E7BE	E45D	61C9	673E	I4ZT0080
臍	E7BF	E45E	61CA	673F	I4ZU0080
臍	E7C0	E45F	61CB	6740	I4ZV0080
臍	E7C1	E460	61CC	6741	I4ZW0080
臍	E7C2	E461	61CD	6742	I4ZX0080
臍	E7C3	E462	61CF	6743	I4ZZ0080
臍	E7C4	E463	61CE	6744	I4ZY0080
臍	E7C5	E464	61C5	6745	I4ZP0080
臍	E7C6	E465	61D0	6746	I5000080
臍	E7C7	E466	61D1	6747	I5010080
臍	E7C8	E467	61D2	6748	I5020080
臍	E7C9	E468	5173	6749	I2K30080
臍	E7CA	E469	61D3	674A	I5030080
臍	E7CB	E46A	61D4	674B	I5040080
臍	E7CC	E46B	61D5	674C	I5050080
臍	E7CD	E46C	61D6	674D	I5060080
臍	E7CE	E46D	61D7	674E	I5070080
臍	E7CF	E46E	61D8	674F	I5080080
臍	E7D0	E46F	5358	6750	I2U00080


IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Table 7 JIS Second Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
舊	E7D1	E470	62BA	6751	I54Q0080
舍	E7D2	E471	61D9	6752	I5090080
舐	E7D3	E472	61DA	6753	I50A0080
舖	E7D4	E473	61DC	6754	I50C0080
舩	E7D5	E474	61DD	6755	I50D0080
舫	E7D6	E475	61DE	6756	I50E0080
舸	E7D7	E476	61E0	6757	I50G0080
舨	E7D8	E477	61E1	6758	I50H0080
舩	E7D9	E478	61E2	6759	I50I0080
航	E7DA	E479	61E3	675A	I50J0080
舫	E7DB	E47A	54AE	675B	I31Q0080
舮	E7DC	E47B	61E5	675C	I50L0080
舯	E7DD	E47C	61E4	675D	I50K0080
舰	E7DE	E47D	61E6	675E	I50M0080
舱	E7DF	E47E	61E7	675F	I50N0080
舲	E7E0	E480	61E8	6760	I50O0080
舳	E7E1	E481	61E9	6761	I50P0080
舴	E7E2	E482	61EA	6762	I50Q0080
舵	E7E3	E483	61EB	6763	I50R0080
舶	E7E4	E484	61DF	6764	I50F0080
艱	E7E5	E485	61EC	6765	I50S0080
艷	E7E6	E486	61ED	6766	I50T0080
艸	E7E7	E487	53C5	6767	I2X10080
艾	E7E8	E488	61EE	6768	I50U0080
芍	E7E9	E489	61EF	6769	I50V0080
芒	E7EA	E48A	61F0	676A	I50W0080
芫	E7EB	E48B	61F1	676B	I50X0080

Table 7 JIS Second Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
芨	E7EC	E48C	61F2	676C	I50Y0080
芨	E7ED	E48D	61F3	676D	I50Z0080
芬	E7EE	E48E	61F4	676E	I5100080
苈	E7EF	E48F	61F5	676F	I5110080
苈	E7F0	E490	61F6	6770	I5120080
苟	E7F1	E491	61F7	6771	I5130080
苒	E7F2	E492	61F9	6772	I5150080
苒	E7F3	E493	61FA	6773	I5160080
苕	E7F4	E494	61FB	6774	I5170080
苕	E7F5	E495	6244	6775	I51G0080
莓	E7F6	E496	6260	6776	I5280080
范	E7F7	E497	61FC	6777	I5180080
苻	E7F8	E498	61FD	6778	I5190080
萃	E7F9	E499	61FE	6779	I51A0080
苞	E7FA	E49A	6241	677A	I51D0080
茆	E7FB	E49B	6242	677B	I51E0080
苜	E7FC	E49C	6243	677C	I51F0080
茱	E7FD	E49D	6245	677D	I51H0080
苙	E7FE	E49E	6246	677E	I51I0080
茵	E8A1	E49F	6247	6821	I51J0080
茵	E8A2	E4A0	6249	6822	I51L0080
茗	E8A3	E4A1	624A	6823	I51M0080
茲	E8A4	E4A2	547B	6824	I30B0080
茱	E8A5	E4A3	624B	6825	I51N0080
荀	E8A6	E4A4	624C	6826	I51O0080
茹	E8A7	E4A5	624D	6827	I51P0080
荐	E8A8	E4A6	624E	6828	I51Q0080



IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Table 7 JIS Second Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
苔	E8A9	E4A7	624F	6829	I51R0080
茯	E8AA	E4A8	6250	682A	I51S0080
茫	E8AB	E4A9	6251	682B	I51T0080
茗	E8AC	E4AA	53F6	682C	I2YE0080
荔	E8AD	E4AB	6252	682D	I51U0080
莅	E8AE	E4AC	6262	682E	I52A0080
蒔	E8AF	E4AD	6253	682F	I51V0080
莪	E8B0	E4AE	6254	6830	I51W0080
苔	E8B1	E4AF	6255	6831	I51X0080
莢	E8B2	E4B0	6256	6832	I51Y0080
莖	E8B3	E4B1	6257	6833	I51Z0080
莫	E8B4	E4B2	6258	6834	I5200080
莎	E8B5	E4B3	6259	6835	I5210080
蒻	E8B6	E4B4	5486	6836	I30M0080
莊	E8B7	E4B5	625C	6837	I5240080
茶	E8B8	E4B6	625D	6838	I5250080
菟	E8B9	E4B7	625E	6839	I5260080
荳	E8BA	E4B8	625F	683A	I5270080
葱	E8BB	E4B9	625A	683B	I5220080
莠	E8BC	E4BA	6261	683C	I5290080
莉	E8BD	E4BB	6263	683D	I52B0080
菘	E8BE	E4BC	6264	683E	I52C0080
菴	E8BF	E4BD	6265	683F	I52D0080
萱	E8C0	E4BE	6266	6840	I52E0080
莖	E8C1	E4BF	54E9	6841	I33D0080
崑	E8C2	E4C0	6268	6842	I52G0080
菽	E8C3	E4C1	626A	6843	I52I0080

Table 7 JIS Second Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
萃	E8C4	E4C2	626B	6844	I52J0080
菘	E8C5	E4C3	626C	6845	I52K0080
萋	E8C6	E4C4	626D	6846	I52L0080
菁	E8C7	E4C5	626E	6847	I52M0080
蒔	E8C8	E4C6	6269	6848	I52H0080
菘	E8C9	E4C7	626F	6849	I52N0080
菠	E8CA	E4C8	6270	684A	I52O0080
菲	E8CB	E4C9	6271	684B	I52P0080
萍	E8CC	E4CA	6272	684C	I52Q0080
菹	E8CD	E4CB	54D8	684D	I32W0080
蒻	E8CE	E4CC	6273	684E	I52R0080
莽	E8CF	E4CD	6275	684F	I52T0080
黃	E8D0	E4CE	6284	6850	I5380080
菱	E8D1	E4CF	629D	6851	I53X0080
菰	E8D2	E4D0	6276	6852	I52U0080
葭	E8D3	E4D1	516C	6853	I2JW0080
菰	E8D4	E4D2	6277	6854	I52V0080
萼	E8D5	E4D3	6279	6855	I52X0080
萼	E8D6	E4D4	629F	6856	I53Z0080
葎	E8D7	E4D5	627A	6857	I52Y0080
葎	E8D8	E4D6	627B	6858	I52Z0080
葫	E8D9	E4D7	627C	6859	I5300080
藟	E8DA	E4D8	6290	685A	I53K0080
葭	E8DB	E4D9	627F	685B	I5330080
蒂	E8DC	E4DA	6280	685C	I5340080
葩	E8DD	E4DB	6281	685D	I5350080
葆	E8DE	E4DC	6282	685E	I5360080


 IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
 DBCS - EUC

Table 7 JIS Second Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
萬	E8DF	E4DD	4B75	685F	I1O50080
葯	E8E0	E4DE	6283	6860	I5370080
施	E8E1	E4DF	627D	6861	I5310080
高	E8E2	E4E0	6285	6862	I5390080
蒨	E8E3	E4E1	6286	6863	I53A0080
蓋	E8E4	E4E2	6278	6864	I52W0080
兼	E8E5	E4E3	6287	6865	I53B0080
蒿	E8E6	E4E4	6288	6866	I53C0080
蒟	E8E7	E4E5	6289	6867	I53D0080
蒞	E8E8	E4E6	6294	6868	I53O0080
著	E8E9	E4E7	628B	6869	I53F0080
蒨	E8EA	E4E8	628C	686A	I53G0080
蔭	E8EB	E4E9	628D	686B	I53H0080
蓐	E8EC	E4EA	628E	686C	I53I0080
藜	E8ED	E4EB	628F	686D	I53J0080
蓆	E8EE	E4EC	6291	686E	I53L0080
莧	E8EF	E4ED	6292	686F	I53M0080
芴	E8F0	E4EE	6293	6870	I53N0080
蔡	E8F1	E4EF	54A8	6871	I31K0080
菴	E8F2	E4F0	6295	6872	I53P0080
蓴	E8F3	E4F1	6296	6873	I53Q0080
蔗	E8F4	E4F2	6297	6874	I53R0080
蔘	E8F5	E4F3	6298	6875	I53S0080
蔬	E8F6	E4F4	6299	6876	I53T0080
族	E8F7	E4F5	629A	6877	I53U0080
蓳	E8F8	E4F6	629B	6878	I53V0080
蔔	E8F9	E4F7	629C	6879	I53W0080

Table 7 JIS Second Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
蔘	E8FA	E4F8	518B	687A	I2KR0080
蔴	E8FB	E4F9	62A0	687B	I5400080
蔴	E8FC	E4FA	62A2	687C	I5420080
蔴	E8FD	E4FB	62A3	687D	I5430080
蔴	E8FE	E4FC	62A4	687E	I5440080
蔴	E9A1	E540	62A5	6921	I5450080
蔴	E9A2	E541	5496	6922	I3120080
蔴	E9A3	E542	62A7	6923	I5470080
蔴	E9A4	E543	62A9	6924	I5490080
蔴	E9A5	E544	62AA	6925	I54A0080
蔴	E9A6	E545	62AB	6926	I54B0080
蔴	E9A7	E546	62AC	6927	I54C0080
蔴	E9A8	E547	62AD	6928	I54D0080
蔴	E9A9	E548	62AE	6929	I54E0080
蔴	E9AA	E549	62AF	692A	I54F0080
蔴	E9AB	E54A	62B0	692B	I54G0080
蔴	E9AC	E54B	62B1	692C	I54H0080
蔴	E9AD	E54C	62B2	692D	I54I0080
蔴	E9AE	E54D	4C95	692E	I1UD0080
蔴	E9AF	E54E	62B4	692F	I54K0080
蔴	E9B0	E54F	62B5	6930	I54L0080
蔴	E9B1	E550	62B6	6931	I54M0080
蔴	E9B2	E551	62B7	6932	I54N0080
蔴	E9B3	E552	62B8	6933	I54O0080
蔴	E9B4	E553	62BC	6934	I54S0080
蔴	E9B5	E554	62BD	6935	I54T0080
蔴	E9B6	E555	62BE	6936	I54U0080


IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Table 7 JIS Second Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
臺	E9B7	E556	62BF	6937	I54V0080
藐	E9B8	E557	62C0	6938	I54W0080
藕	E9B9	E558	62C1	6939	I54X0080
藝	E9BA	E559	62C2	693A	I54Y0080
藥	E9BB	E55A	62C3	693B	I54Z0080
藜	E9BC	E55B	62C4	693C	I5500080
藹	E9BD	E55C	62C5	693D	I5510080
蘊	E9BE	E55D	62C6	693E	I5520080
蘓	E9BF	E55E	62C7	693F	I5530080
蘋	E9C0	E55F	62C8	6940	I5540080
賴	E9C1	E560	62C9	6941	I5550080
藺	E9C2	E561	53ED	6942	I2Y50080
蘆	E9C3	E562	4EDA	6943	I26Y0080
龍	E9C4	E563	62CA	6944	I5560080
蕨	E9C5	E564	62CB	6945	I5570080
藎	E9C6	E565	62CC	6946	I5580080
蘿	E9C7	E566	62CD	6947	I5590080
虍	E9C8	E567	62CF	6948	I55B0080
帀	E9C9	E568	62D0	6949	I55C0080
虔	E9CA	E569	52FB	694A	I2T70080
號	E9CB	E56A	62D2	694B	I55E0080
虧	E9CC	E56B	62D3	694C	I55F0080
虱	E9CD	E56C	62D4	694D	I55G0080
蚓	E9CE	E56D	62D5	694E	I55H0080
蚣	E9CF	E56E	62D6	694F	I55I0080
蚩	E9D0	E56F	62D7	6950	I55J0080
蚪	E9D1	E570	62D9	6951	I55L0080

Table 7 JIS Second Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
蚎	E9D2	E571	62D8	6952	I55K0080
蚌	E9D3	E572	62DA	6953	I55M0080
蚶	E9D4	E573	62DB	6954	I55N0080
蚯	E9D5	E574	62DC	6955	I55O0080
蛄	E9D6	E575	62DD	6956	I55P0080
蛆	E9D7	E576	62DE	6957	I55Q0080
蚰	E9D8	E577	62DF	6958	I55R0080
蛉	E9D9	E578	62E0	6959	I55S0080
蠓	E9DA	E579	5351	695A	I2TT0080
蛸	E9DB	E57A	62E3	695B	I55V0080
蛔	E9DC	E57B	62E4	695C	I55W0080
蛞	E9DD	E57C	62E5	695D	I55X0080
蝮	E9DE	E57D	62E6	695E	I55Y0080
蝛	E9DF	E57E	62E7	695F	I55Z0080
蛟	E9E0	E580	62E8	6960	I5600080
蛛	E9E1	E581	62E9	6961	I5610080
蛭	E9E2	E582	4F74	6962	I29G0080
蛭	E9E3	E583	62EA	6963	I5620080
蜆	E9E4	E584	62EB	6964	I5630080
蜈	E9E5	E585	62EC	6965	I5640080
蜀	E9E6	E586	62ED	6966	I5650080
蜃	E9E7	E587	62EE	6967	I5660080
蛻	E9E8	E588	62EF	6968	I5670080
蚤	E9E9	E589	62F0	6969	I5680080
蜉	E9EA	E58A	62F1	696A	I5690080
蝻	E9EB	E58B	62F2	696B	I56A0080
蛹	E9EC	E58C	62F3	696C	I56B0080


IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Table 7 JIS Second Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
蚧	E9ED	E58D	62F4	696D	I56C0080
蜎	E9EE	E58E	62F5	696E	I56D0080
蜿	E9EF	E58F	62F6	696F	I56E0080
蜷	E9F0	E590	526D	6970	I2P90080
蜻	E9F1	E591	62F7	6971	I56F0080
蜥	E9F2	E592	62F8	6972	I56G0080
蝟	E9F3	E593	62F9	6973	I56H0080
蜚	E9F4	E594	62FA	6974	I56I0080
蝠	E9F5	E595	6346	6975	I56U0080
蝟	E9F6	E596	62FB	6976	I56J0080
蝟	E9F7	E597	62FC	6977	I56K0080
蝟	E9F8	E598	62FD	6978	I56L0080
蝟	E9F9	E599	62FE	6979	I56M0080
蝟	E9FA	E59A	6341	697A	I56P0080
蝗	E9FB	E59B	6342	697B	I56Q0080
蝟	E9FC	E59C	6343	697C	I56R0080
蝟	E9FD	E59D	6347	697D	I56V0080
蝠	E9FE	E59E	6348	697E	I56W0080
蝟	EAA1	E59F	6349	6A21	I56X0080
蝟	EAA2	E5A0	634A	6A22	I56Y0080
蝟	EAA3	E5A1	6345	6A23	I56T0080
蝟	EAA4	E5A2	55BD	6A24	I37H0080
蝟	EAA5	E5A3	634C	6A25	I5700080
蝟	EAA6	E5A4	634E	6A26	I5720080
蝟	EAA7	E5A5	6344	6A27	I56S0080
蝟	EAA8	E5A6	634F	6A28	I5730080
蝟	EAA9	E5A7	6350	6A29	I5740080

Table 7 JIS Second Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
蝟	EAAA	E5A8	6351	6A2A	I5750080
蝟	EAAB	E5A9	6352	6A2B	I5760080
蝟	EAAC	E5AA	6353	6A2C	I5770080
蝟	EAAD	E5AB	6354	6A2D	I5780080
蝟	EAAE	E5AC	6355	6A2E	I5790080
蝟	EAAF	E5AD	6356	6A2F	I57A0080
蝟	EAB0	E5AE	6357	6A30	I57B0080
蝟	EAB1	E5AF	54F4	6A31	I33O0080
蝟	EAB2	E5B0	634D	6A32	I5710080
蝟	EAB3	E5B1	6359	6A33	I57D0080
蝟	EAB4	E5B2	635A	6A34	I57E0080
蝟	EAB5	E5B3	635B	6A35	I57F0080
蝟	EAB6	E5B4	635C	6A36	I57G0080
蝟	EAB7	E5B5	635F	6A37	I57J0080
蝟	EAB8	E5B6	6361	6A38	I57L0080
蝟	EAB9	E5B7	6362	6A39	I57M0080
蝟	EABA	E5B8	6363	6A3A	I57N0080
蝟	EABB	E5B9	6364	6A3B	I57O0080
蝟	EABC	E5BA	635D	6A3C	I57H0080
蝟	EABD	E5BB	6358	6A3D	I57C0080
蝟	EABE	E5BC	6365	6A3E	I57P0080
蝟	EABF	E5BD	6360	6A3F	I57K0080
蝟	EAC0	E5BE	6366	6A40	I57Q0080
蝟	EAC1	E5BF	6367	6A41	I57R0080
蝟	EAC2	E5C0	6368	6A42	I57S0080
蝟	EAC3	E5C1	636A	6A43	I57U0080
蝟	EAC4	E5C2	636B	6A44	I57V0080



IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Table 7 JIS Second Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
蠹	EAC5	E5C3	636C	6A45	I57W0080
蠹	EAC6	E5C4	6369	6A46	I57T0080
蠹	EAC7	E5C5	636D	6A47	I57X0080
衤	EAC8	E5C6	636F	6A48	I57Z0080
衤	EAC9	E5C7	636E	6A49	I57Y0080
衤	EACA	E5C8	6371	6A4A	I5810080
衤	EACB	E5C9	6372	6A4B	I5820080
衤	EACC	E5CA	6373	6A4C	I5830080
衤	EACD	E5CB	6374	6A4D	I5840080
衫	EACE	E5CC	6375	6A4E	I5850080
袁	EACF	E5CD	6376	6A4F	I5860080
衾	EAD0	E5CE	6377	6A50	I5870080
衾	EAD1	E5CF	637C	6A51	I58C0080
衾	EAD2	E5D0	6378	6A52	I5880080
衾	EAD3	E5D1	6379	6A53	I5890080
衾	EAD4	E5D2	6385	6A54	I58L0080
衾	EAD5	E5D3	637A	6A55	I58A0080
袂	EAD6	E5D4	637B	6A56	I58B0080
袂	EAD7	E5D5	637D	6A57	I58D0080
袒	EAD8	E5D6	637E	6A58	I58E0080
衽	EAD9	E5D7	637F	6A59	I58F0080
衽	EADA	E5D8	6380	6A5A	I58G0080
衽	EADB	E5D9	6381	6A5B	I58H0080
袍	EADC	E5DA	6382	6A5C	I58I0080
表	EADD	E5DB	6383	6A5D	I58J0080
表	EADE	E5DC	54C5	6A5E	I32D0080
袿	EADF	E5DD	6384	6A5F	I58K0080

Table 7 JIS Second Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
袽	EAE0	E5DE	6386	6A60	I58M0080
袽	EAE1	E5DF	6387	6A61	I58N0080
衿	EAE2	E5E0	6388	6A62	I58O0080
裔	EAE3	E5E1	6389	6A63	I58P0080
裘	EAE4	E5E2	638A	6A64	I58Q0080
裙	EAE5	E5E3	638B	6A65	I58R0080
裝	EAE6	E5E4	638C	6A66	I58S0080
裏	EAE7	E5E5	638D	6A67	I58T0080
褂	EAE8	E5E6	638E	6A68	I58U0080
裊	EAE9	E5E7	638F	6A69	I58V0080
裴	EAEA	E5E8	5349	6A6A	I2TL0080
裊	EAEB	E5E9	6391	6A6B	I58X0080
襦	EAEC	E5EA	6392	6A6C	I58Y0080
褌	EAED	E5EB	6393	6A6D	I58Z0080
褌	EAEE	E5EC	6394	6A6E	I5900080
褌	EAEF	E5ED	6397	6A6F	I5930080
褌	EAF0	E5EE	6398	6A70	I5940080
褌	EAF1	E5EF	639F	6A71	I59B0080
褌	EAF2	E5F0	6399	6A72	I5950080
褌	EAF3	E5F1	639A	6A73	I5960080
褌	EAF4	E5F2	6395	6A74	I5910080
褌	EAF5	E5F3	639B	6A75	I5970080
褌	EAF6	E5F4	639C	6A76	I5980080
裏	EAF7	E5F5	506B	6A77	I2EJ0080
褌	EAF8	E5F6	639D	6A78	I5990080
褶	EAF9	E5F7	639E	6A79	I59A0080
褌	EAF A	E5F8	63A0	6A7A	I59C0080


IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Table 7 JIS Second Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
禪	EAFB	E5F9	63A2	6A7B	I59E0080
禪	E AFC	E5FA	6396	6A7C	I5920080
禡	EAFD	E5FB	63A3	6A7D	I59F0080
襞	EAFE	E5FC	63A4	6A7E	I59G0080
襦	EBA1	E640	63A5	6B21	I59H0080
襤	EBA2	E641	63A7	6B22	I59J0080
襪	EBA3	E642	63A8	6B23	I59K0080
襪	EBA4	E643	63A6	6B24	I59I0080
襪	EBA5	E644	63A9	6B25	I59L0080
襪	EBA6	E645	63AA	6B26	I59M0080
襪	EBA7	E646	63AB	6B27	I59N0080
𦉳	EBA8	E647	63AC	6B28	I59O0080
覃	EBA9	E648	63AD	6B29	I59P0080
覈	EBA A	E649	63AE	6B2A	I59Q0080
羈	EBAB	E64A	63AF	6B2B	I59R0080
覓	EBAC	E64B	63B0	6B2C	I59S0080
覘	EBAD	E64C	63B1	6B2D	I59T0080
覘	EBAE	E64D	63B2	6B2E	I59U0080
覘	EBAF	E64E	63B3	6B2F	I59V0080
覘	EBB0	E64F	63B4	6B30	I59W0080
覘	EBB1	E650	63B5	6B31	I59X0080
覘	EBB2	E651	63B6	6B32	I59Y0080
覘	EBB3	E652	63B7	6B33	I59Z0080
覺	EBB4	E653	63B8	6B34	I5A00080
覺	EBB5	E654	63BA	6B35	I5A20080
覘	EBB6	E655	63B9	6B36	I5A10080
覘	EBB7	E656	63BB	6B37	I5A30080

Table 7 JIS Second Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
觚	EBB8	E657	63BC	6B38	I5A40080
觚	EBB9	E658	5360	6B39	I2U80080
觚	EBBA	E659	63BD	6B3A	I5A50080
觚	EBBB	E65A	63BE	6B3B	I5A60080
觚	EBBC	E65B	63BF	6B3C	I5A70080
觚	EBBD	E65C	63C0	6B3D	I5A80080
訃	EBBE	E65D	63C1	6B3E	I5A90080
訃	EBBF	E65E	63C2	6B3F	I5AA0080
訃	EBC0	E65F	63C3	6B40	I5AB0080
訃	EBC1	E660	63C4	6B41	I5AC0080
訃	EBC2	E661	63C6	6B42	I5AE0080
訃	EBC3	E662	63C7	6B43	I5AF0080
訃	EBC4	E663	63C8	6B44	I5AG0080
訃	EBC5	E664	63C9	6B45	I5AH0080
訃	EBC6	E665	63CA	6B46	I5AI0080
訃	EBC7	E666	63CC	6B47	I5AK0080
訃	EBC8	E667	63CD	6B48	I5AL0080
訃	EBC9	E668	63CE	6B49	I5AM0080
訃	EBCA	E669	63CF	6B4A	I5AN0080
訃	EBCB	E66A	63D0	6B4B	I5AO0080
訃	EBCC	E66B	63D1	6B4C	I5AP0080
訃	EBCD	E66C	63D2	6B4D	I5AQ0080
訃	EBCE	E66D	63D3	6B4E	I5AR0080
誅	EBCF	E66E	63D5	6B4F	I5AT0080
誅	EBD0	E66F	63D6	6B50	I5AU0080
誅	EBD1	E670	63D7	6B51	I5AV0080
誅	EBD2	E671	63D8	6B52	I5AW0080


IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Table 7 JIS Second Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
誠	EBD3	E672	63D9	6B53	I5AX0080
誑	EBD4	E673	63DA	6B54	I5AY0080
誥	EBD5	E674	63DB	6B55	I5AZ0080
誦	EBD6	E675	63DC	6B56	I5B00080
誦	EBD7	E676	63DD	6B57	I5B10080
誣	EBD8	E677	63DE	6B58	I5B20080
諄	EBD9	E678	50B2	6B59	I2GI0080
諍	EBDA	E679	63E2	6B5A	I5B60080
諂	EBDB	E67A	63E3	6B5B	I5B70080
諛	EBDC	E67B	63E4	6B5C	I5B80080
諫	EBDD	E67C	4E96	6B5D	I2520080
諳	EBDE	E67D	63E5	6B5E	I5B90080
諧	EBDF	E67E	63E6	6B5F	I5BA0080
諤	EBE0	E680	63E7	6B60	I5BB0080
諱	EBE1	E681	63E8	6B61	I5BC0080
諱	EBE2	E682	63E9	6B62	I5BD0080
誼	EBE3	E683	63EA	6B63	I5BE0080
譚	EBE4	E684	63EB	6B64	I5BF0080
諷	EBE5	E685	63F0	6B65	I5BK0080
編	EBE6	E686	63F1	6B66	I5BL0080
諛	EBE7	E687	63F2	6B67	I5BM0080
諤	EBE8	E688	63F3	6B68	I5BN0080
審	EBE9	E689	63F4	6B69	I5BO0080
諡	EBEA	E68A	63F5	6B6A	I5BP0080
諡	EBEB	E68B	63EC	6B6B	I5BG0080
諛	EBEC	E68C	63F6	6B6C	I5BQ0080
諡	EBED	E68D	63F7	6B6D	I5BR0080

Table 7 JIS Second Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
謗	EBEE	E68E	63F8	6B6E	I5BS0080
謠	EBEF	E68F	63F9	6B6F	I5BT0080
謳	EBF0	E690	63FA	6B70	I5BU0080
鞫	EBF1	E691	63FC	6B71	I5BW0080
譽	EBF2	E692	63FD	6B72	I5BX0080
謫	EBF3	E693	63FE	6B73	I5BY0080
謾	EBF4	E694	6441	6B74	I5C10080
謨	EBF5	E695	5381	6B75	I2V50080
誨	EBF6	E696	63FB	6B76	I5BV0080
譌	EBF7	E697	6442	6B77	I5C20080
譏	EBF8	E698	6443	6B78	I5C30080
譎	EBF9	E699	6444	6B79	I5C40080
證	EBFA	E69A	6446	6B7A	I5C60080
譖	EBFB	E69B	6447	6B7B	I5C70080
譖	EBFC	E69C	6448	6B7C	I5C80080
譚	EBFD	E69D	6449	6B7D	I5C90080
譚	EBFE	E69E	644B	6B7E	I5CB0080
譟	ECA1	E69F	644C	6C21	I5CC0080
譬	ECA2	E6A0	644D	6C22	I5CD0080
譯	ECA3	E6A1	644E	6C23	I5CE0080
譴	ECA4	E6A2	644A	6C24	I5CA0080
譽	ECA5	E6A3	644F	6C25	I5CF0080
讀	ECA6	E6A4	6451	6C26	I5CH0080
譙	ECA7	E6A5	6452	6C27	I5CI0080
讎	ECA8	E6A6	6453	6C28	I5CJ0080
讒	ECA9	E6A7	6455	6C29	I5CL0080
讓	ECAA	E6A8	6456	6C2A	I5CM0080


IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Table 7 JIS Second Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
識	ECAB	E6A9	6457	6C2B	I5CN0080
謹	ECAC	E6AA	6454	6C2C	I5CK0080
讚	ECAD	E6AB	6458	6C2D	I5CO0080
訝	ECAE	E6AC	6459	6C2E	I5CP0080
豁	ECAF	E6AD	645A	6C2F	I5CQ0080
谿	ECB0	E6AE	645B	6C30	I5CR0080
豈	ECB1	E6AF	645C	6C31	I5CS0080
腕	ECB2	E6B0	645D	6C32	I5CT0080
豎	ECB3	E6B1	645E	6C33	I5CU0080
豐	ECB4	E6B2	645F	6C34	I5CV0080
豕	ECB5	E6B3	6460	6C35	I5CW0080
豢	ECB6	E6B4	6461	6C36	I5CX0080
豬	ECB7	E6B5	6462	6C37	I5CY0080
豸	ECB8	E6B6	6463	6C38	I5CZ0080
豸	ECB9	E6B7	6464	6C39	I5D00080
貂	ECBA	E6B8	6466	6C3A	I5D20080
貉	ECBB	E6B9	6467	6C3B	I5D30080
貅	ECBC	E6BA	6468	6C3C	I5D40080
貉	ECBD	E6BB	6469	6C3D	I5D50080
狸	ECBE	E6BC	646A	6C3E	I5D60080
貌	ECBF	E6BD	646B	6C3F	I5D70080
貌	ECC0	E6BE	646D	6C40	I5D90080
玃	ECC1	E6BF	6465	6C41	I5D10080
玃	ECC2	E6C0	646C	6C42	I5D80080
賤	ECC3	E6C1	646E	6C43	I5DA0080
賈	ECC4	E6C2	646F	6C44	I5DB0080
貪	ECC5	E6C3	6470	6C45	I5DC0080

Table 7 JIS Second Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
賒	ECC6	E6C4	6472	6C46	I5DE0080
賚	ECC7	E6C5	6473	6C47	I5DF0080
貳	ECC8	E6C6	6474	6C48	I5DG0080
貳	ECC9	E6C7	6471	6C49	I5DD0080
貶	ECCA	E6C8	6476	6C4A	I5DI0080
賈	ECCB	E6C9	6477	6C4B	I5DJ0080
賁	ECCC	E6CA	6475	6C4C	I5DH0080
賤	ECCD	E6CB	5566	6C4D	I3520080
賣	ECCE	E6CC	647A	6C4E	I5DM0080
賚	ECCF	E6CD	647B	6C4F	I5DN0080
賽	ECD0	E6CE	647E	6C50	I5DQ0080
賺	ECD1	E6CF	647F	6C51	I5DR0080
賻	ECD2	E6D0	6480	6C52	I5DS0080
贄	ECD3	E6D1	535A	6C53	I2U20080
贄	ECD4	E6D2	5574	6C54	I35G0080
贄	ECD5	E6D3	6482	6C55	I5DU0080
贄	ECD6	E6D4	6481	6C56	I5DT0080
羸	ECD7	E6D5	6483	6C57	I5DV0080
贍	ECD8	E6D6	6484	6C58	I5DW0080
贍	ECD9	E6D7	6486	6C59	I5DY0080
齎	ECDA	E6D8	686E	6C5A	I5YM0080
贓	ECDB	E6D9	6487	6C5B	I5DZ0080
贓	ECDC	E6DA	6479	6C5C	I5DL0080
鼻	ECDD	E6DB	6488	6C5D	I5E00080
贖	ECDE	E6DC	6489	6C5E	I5E10080
赧	ECDF	E6DD	648A	6C5F	I5E20080
赧	ECE0	E6DE	648B	6C60	I5E30080


IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Table 7 JIS Second Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
志	ECE1	E6DF	648C	6C61	I5E40080
赳	ECE2	E6E0	51C9	6C62	I2MH0080
趁	ECE3	E6E1	648F	6C63	I5E70080
趙	ECE4	E6E2	51DE	6C64	I2N20080
跂	ECE5	E6E3	6490	6C65	I5E80080
趾	ECE6	E6E4	6491	6C66	I5E90080
跣	ECE7	E6E5	6492	6C67	I5EA0080
跣	ECE8	E6E6	6493	6C68	I5EB0080
跣	ECE9	E6E7	6494	6C69	I5EC0080
跣	ECEA	E6E8	6495	6C6A	I5ED0080
跣	ECEB	E6E9	6496	6C6B	I5EE0080
跛	ECEC	E6EA	6497	6C6C	I5EF0080
跛	ECED	E6EB	6498	6C6D	I5EG0080
跛	ECEE	E6EC	6499	6C6E	I5EH0080
蹙	ECEF	E6ED	649A	6C6F	I5EI0080
跟	ECF0	E6EE	649B	6C70	I5EJ0080
跣	ECF1	E6EF	649C	6C71	I5EK0080
跣	ECF2	E6F0	649D	6C72	I5EL0080
蹊	ECF3	E6F1	649E	6C73	I5EM0080
踉	ECF4	E6F2	64A0	6C74	I5EO0080
跣	ECF5	E6F3	649F	6C75	I5EN0080
蹊	ECF6	E6F4	64A1	6C76	I5EP0080
踉	ECF7	E6F5	64A2	6C77	I5EQ0080
蹊	ECF8	E6F6	64A3	6C78	I5ER0080
踉	ECF9	E6F7	64A4	6C79	I5ES0080
蹊	ECFA	E6F8	64A5	6C7A	I5ET0080
踵	ECFB	E6F9	64A6	6C7B	I5EU0080

Table 7 JIS Second Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
踰	ECFC	E6FA	64A7	6C7C	I5EV0080
踰	ECFD	E6FB	64A8	6C7D	I5EW0080
蹊	ECFE	E6FC	64A9	6C7E	I5EX0080
蹊	EDA1	E740	64AA	6D21	I5EY0080
蹊	EDA2	E741	64AB	6D22	I5EZ0080
蹊	EDA3	E742	64AC	6D23	I5F00080
蹊	EDA4	E743	64AD	6D24	I5F10080
蹊	EDA5	E744	64AE	6D25	I5F20080
蹊	EDA6	E745	64AF	6D26	I5F30080
蹊	EDA7	E746	64B0	6D27	I5F40080
蹊	EDA8	E747	64B1	6D28	I5F50080
踪	EDA9	E748	50FC	6D29	I2IK0080
蹊	EDAA	E749	64B3	6D2A	I5F70080
蹊	EDAB	E74A	64B2	6D2B	I5F60080
蹊	EDAC	E74B	64B4	6D2C	I5F80080
蹊	EDAD	E74C	64B5	6D2D	I5F90080
蹊	EDAE	E74D	64B7	6D2E	I5FB0080
蹊	EDAF	E74E	64B8	6D2F	I5FC0080
蹊	EDB0	E74F	64B6	6D30	I5FA0080
蹊	EDB1	E750	64B9	6D31	I5FD0080
蹊	EDB2	E751	64BA	6D32	I5FE0080
蹊	EDB3	E752	64BB	6D33	I5FF0080
蹊	EDB4	E753	64BC	6D34	I5FG0080
蹊	EDB5	E754	64BD	6D35	I5FH0080
蹊	EDB6	E755	64BE	6D36	I5FI0080
蹊	EDB7	E756	64BF	6D37	I5FJ0080
蹊	EDB8	E757	64C0	6D38	I5FK0080


IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Table 7 JIS Second Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
躡	EDB9	E758	64C2	6D39	I5FM0080
躡	EDBA	E759	64C1	6D3A	I5FL0080
躬	EDBB	E75A	5044	6D3B	I2DG0080
躡	EDBC	E75B	537A	6D3C	I2UY0080
躡	EDBD	E75C	64C5	6D3D	I5FP0080
躡	EDBE	E75D	64C3	6D3E	I5FN0080
躡	EDBF	E75E	64C4	6D3F	I5FO0080
躡	EDC0	E75F	64C6	6D40	I5FQ0080
躡	EDC1	E760	64C7	6D41	I5FR0080
軋	EDC2	E761	64C8	6D42	I5FS0080
軋	EDC3	E762	64CA	6D43	I5FU0080
軋	EDC4	E763	64CB	6D44	I5FV0080
軋	EDC5	E764	64CC	6D45	I5FW0080
軋	EDC6	E765	64CD	6D46	I5FX0080
軋	EDC7	E766	64CE	6D47	I5FY0080
軋	EDC8	E767	64CF	6D48	I5FZ0080
軋	EDC9	E768	64D0	6D49	I5G00080
軋	EDCA	E769	64D2	6D4A	I5G20080
軋	EDCB	E76A	64D3	6D4B	I5G30080
軋	EDCC	E76B	64D4	6D4C	I5G40080
軋	EDCD	E76C	64D7	6D4D	I5G70080
軋	EDCE	E76D	64D5	6D4E	I5G50080
軋	EDCF	E76E	64D6	6D4F	I5G60080
軋	EDD0	E76F	64D8	6D50	I5G80080
軋	EDD1	E770	515B	6D51	I2JF0080
軋	EDD2	E771	64D1	6D52	I5G10080
軋	EDD3	E772	64D9	6D53	I5G90080

Table 7 JIS Second Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
輾	EDD4	E773	64DA	6D54	I5GA0080
輾	EDD5	E774	64DB	6D55	I5GB0080
輾	EDD6	E775	64DC	6D56	I5GC0080
輾	EDD7	E776	64DD	6D57	I5GD0080
輾	EDD8	E777	64DE	6D58	I5GE0080
輾	EDD9	E778	64DF	6D59	I5GF0080
輾	EDDA	E779	64E2	6D5A	I5GI0080
輾	EDDB	E77A	64E0	6D5B	I5GG0080
輾	EDDC	E77B	64E1	6D5C	I5GH0080
輾	EDDD	E77C	64E3	6D5D	I5GJ0080
輾	EDDE	E77D	64E4	6D5E	I5GK0080
輾	EDDF	E77E	64E5	6D5F	I5GL0080
輾	EDE0	E780	64E6	6D60	I5GM0080
輾	EDE1	E781	64E7	6D61	I5GN0080
輾	EDE2	E782	64E8	6D62	I5GO0080
輾	EDE3	E783	64E9	6D63	I5GP0080
輾	EDE4	E784	64EA	6D64	I5GQ0080
輾	EDE5	E785	64EB	6D65	I5GR0080
輾	EDE6	E786	64EE	6D66	I5GU0080
輾	EDE7	E787	64EF	6D67	I5GV0080
輾	EDE8	E788	64F0	6D68	I5GW0080
輾	EDE9	E789	64F2	6D69	I5GY0080
輾	EDEA	E78A	64F3	6D6A	I5GZ0080
輾	EDEB	E78B	64F4	6D6B	I5H00080
輾	EDEC	E78C	4E9E	6D6C	I25A0080
輾	EDED	E78D	64F5	6D6D	I5H10080
輾	EDEE	E78E	5186	6D6E	I2KM0080


IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Table 7 JIS Second Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
廻	EDEF	E78F	64F7	6D6F	I5H30080
逅	EDF0	E790	64F8	6D70	I5H40080
迹	EDF1	E791	64F9	6D71	I5H50080
迺	EDF2	E792	54A9	6D72	I31L0080
逖	EDF3	E793	64FB	6D73	I5H70080
逕	EDF4	E794	64FC	6D74	I5H80080
逖	EDF5	E795	64FE	6D75	I5HA0080
逖	EDF6	E796	6541	6D76	I5HD0080
逖	EDF7	E797	6542	6D77	I5HE0080
逖	EDF8	E798	6543	6D78	I5HF0080
逖	EDF9	E799	6544	6D79	I5HG0080
逖	EDFA	E79A	6545	6D7A	I5HH0080
逖	EDFB	E79B	6546	6D7B	I5HI0080
逖	EDFC	E79C	5485	6D7C	I30L0080
逖	EDFD	E79D	6547	6D7D	I5HJ0080
逖	EDFE	E79E	64FA	6D7E	I5H60080
遏	EEA1	E79F	6548	6E21	I5HK0080
遏	EEA2	E7A0	654A	6E22	I5HM0080
遏	EEA3	E7A1	654B	6E23	I5HN0080
遏	EEA4	E7A2	654C	6E24	I5HO0080
迺	EEA5	E7A3	64FD	6E25	I5H90080
迺	EEA6	E7A4	654D	6E26	I5HP0080
迺	EEA7	E7A5	654E	6E27	I5HQ0080
迺	EEA8	E7A6	654F	6E28	I5HR0080
逖	EEA9	E7A7	6550	6E29	I5HS0080
逖	EEAA	E7A8	6551	6E2A	I5HT0080
逖	EEAB	E7A9	6552	6E2B	I5HU0080

Table 7 JIS Second Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
遯	EEAC	E7AA	6554	6E2C	I5HW0080
遯	EEAD	E7AB	6555	6E2D	I5HX0080
遯	EEAE	E7AC	6556	6E2E	I5HY0080
遯	EEAF	E7AD	6557	6E2F	I5HZ0080
遯	EEB0	E7AE	6558	6E30	I5I00080
遯	EEB1	E7AF	6559	6E31	I5I10080
遯	EEB2	E7B0	537B	6E32	I2UZ0080
遯	EEB3	E7B1	655B	6E33	I5I30080
遯	EEB4	E7B2	50EA	6E34	I2I20080
遯	EEB5	E7B3	655A	6E35	I5I20080
遯	EEB6	E7B4	655C	6E36	I5I40080
邨	EEB7	E7B5	51A8	6E37	I2LK0080
邨	EEB8	E7B6	655E	6E38	I5I60080
邨	EEB9	E7B7	655F	6E39	I5I70080
邨	EEBA	E7B8	6560	6E3A	I5I80080
邨	EEBB	E7B9	6561	6E3B	I5I90080
邨	EEBC	E7BA	6562	6E3C	I5IA0080
邨	EEBD	E7BB	655D	6E3D	I5I50080
邨	EEBE	E7BC	6563	6E3E	I5IB0080
邨	EEBF	E7BD	6565	6E3F	I5ID0080
邨	EEC0	E7BE	6568	6E40	I5IG0080
邨	EEC1	E7BF	6569	6E41	I5IH0080
邨	EEC2	E7C0	656A	6E42	I5II0080
邨	EEC3	E7C1	656C	6E43	I5IK0080
邨	EEC4	E7C2	656D	6E44	I5IL0080
邨	EEC5	E7C3	656E	6E45	I5IM0080
邨	EEC6	E7C4	656F	6E46	I5IN0080


IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Table 7 JIS Second Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
酣	EEC7	E7C5	6570	6E47	I5IO0080
酥	EEC8	E7C6	6571	6E48	I5IP0080
酪	EEC9	E7C7	6572	6E49	I5IQ0080
醕	EECA	E7C8	6573	6E4A	I5IR0080
醒	EECB	E7C9	6574	6E4B	I5IS0080
醋	EECC	E7CA	6575	6E4C	I5IT0080
醉	EECD	E7CB	6576	6E4D	I5IU0080
醢	EECE	E7CC	6577	6E4E	I5IV0080
醢	EECF	E7CD	6578	6E4F	I5IW0080
醫	EED0	E7CE	6579	6E50	I5IX0080
醢	EED1	E7CF	657A	6E51	I5IY0080
醢	EED2	E7D0	657B	6E52	I5IZ0080
醢	EED3	E7D1	657C	6E53	I5J00080
醢	EED4	E7D2	657D	6E54	I5J10080
醢	EED5	E7D3	657E	6E55	I5J20080
醢	EED6	E7D4	657F	6E56	I5J30080
鼻	EED7	E7D5	6580	6E57	I5J40080
釉	EED8	E7D6	5252	6E58	I2OI0080
釋	EED9	E7D7	6581	6E59	I5J50080
釐	EEDA	E7D8	6582	6E5A	I5J60080
釐	EEDB	E7D9	6587	6E5B	I5JB0080
釐	EEDC	E7DA	6588	6E5C	I5JC0080
釐	EEDD	E7DB	6589	6E5D	I5JD0080
釐	EEDE	E7DC	6584	6E5E	I5J80080
釐	EEDF	E7DD	51D0	6E5F	I2MO0080
釐	EEE0	E7DE	658B	6E60	I5JF0080
釐	EEE1	E7DF	658E	6E61	I5JI0080

Table 7 JIS Second Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
鈞	EEE2	E7E0	6591	6E62	I5JL0080
鈞	EEE3	E7E1	6592	6E63	I5JM0080
鈞	EEE4	E7E2	6594	6E64	I5JO0080
鈞	EEE5	E7E3	6596	6E65	I5JQ0080
鈞	EEE6	E7E4	6597	6E66	I5JR0080
鈞	EEE7	E7E5	5269	6E67	I2P50080
鈞	EEE8	E7E6	5393	6E68	I2VN0080
鈞	EEE9	E7E7	6599	6E69	I5JT0080
鉅	EEEE	E7E8	659A	6E6A	I5JU0080
鉅	EEEE	E7E9	659C	6E6B	I5JW0080
鉤	EEEC	E7EA	659D	6E6C	I5JX0080
鉞	EEED	E7EB	65A0	6E6D	I5K00080
銈	EEEE	E7EC	65B1	6E6E	I5KH0080
鈿	EEEF	E7ED	65A4	6E6F	I5K40080
鈿	EEF0	E7EE	65A7	6E70	I5K70080
鈿	EEF1	E7EF	65A2	6E71	I5K20080
銜	EEF2	E7F0	65AA	6E72	I5KA0080
銈	EEF3	E7F1	65AE	6E73	I5KE0080
銈	EEF4	E7F2	65AF	6E74	I5KF0080
銈	EEF5	E7F3	65B0	6E75	I5KG0080
銈	EEF6	E7F4	65A9	6E76	I5K90080
銈	EEF7	E7F5	65B3	6E77	I5KJ0080
銈	EEF8	E7F6	65BA	6E78	I5KQ0080
銈	EEF9	E7F7	65BB	6E79	I5KR0080
銈	EEFA	E7F8	65B2	6E7A	I5KI0080
銈	EEFB	E7F9	65C0	6E7B	I5KW0080
銈	EEFC	E7FA	65C2	6E7C	I5KY0080


IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Table 7 JIS Second Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
鋇	EEFD	E7FB	65C4	6E7D	I5L00080
鋼	EEFE	E7FC	5283	6E7E	I2PV0080
錙	EFA1	E840	65C7	6F21	I5L30080
錢	EFA2	E841	65CA	6F22	I5L60080
錚	EFA3	E842	65CB	6F23	I5L70080
鋳	EFA4	E843	65CD	6F24	I5L90080
鋈	EFA5	E844	65BE	6F25	I5KU0080
鉞	EFA6	E845	65BF	6F26	I5KV0080
鉞	EFA7	E846	65CF	6F27	I5LB0080
鍛	EFA8	E847	52AD	6F28	I2R10080
鎗	EFA9	E848	65D1	6F29	I5LD0080
鉞	EFAA	E849	65D2	6F2A	I5LE0080
鋤	EFAB	E84A	65D3	6F2B	I5LF0080
鋤	EFAC	E84B	65D4	6F2C	I5LG0080
鋤	EFAD	E84C	65D7	6F2D	I5LJ0080
鎬	EFAE	E84D	536E	6F2E	I2UM0080
鎚	EFAF	E84E	65D9	6F2F	I5LL0080
鎚	EFB0	E84F	65DA	6F30	I5LM0080
鎚	EFB1	E850	65D6	6F31	I5LI0080
鎚	EFB2	E851	65DC	6F32	I5LO0080
鎚	EFB3	E852	65DE	6F33	I5LQ0080
鎚	EFB4	E853	65DF	6F34	I5LR0080
鎚	EFB5	E854	65E0	6F35	I5LS0080
鎚	EFB6	E855	65E1	6F36	I5LT0080
鎚	EFB7	E856	65E2	6F37	I5LU0080
鎚	EFB8	E857	65E3	6F38	I5LV0080
鎚	EFB9	E858	65E5	6F39	I5LX0080

Table 7 JIS Second Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
鋇	EFBA	E859	65DB	6F3A	I5LN0080
鋇	EFBB	E85A	65E6	6F3B	I5LY0080
鋇	EFBC	E85B	65E7	6F3C	I5LZ0080
鋇	EFBD	E85C	65E9	6F3D	I5M10080
鋇	EFBE	E85D	65EA	6F3E	I5M20080
鋇	EFBF	E85E	65EC	6F3F	I5M40080
鋇	EFC0	E85F	65ED	6F40	I5M50080
鋇	EFC1	E860	51CD	6F41	I2ML0080
鋇	EFC2	E861	65EE	6F42	I5M60080
鋇	EFC3	E862	65EF	6F43	I5M70080
鋇	EFC4	E863	5156	6F44	I2JA0080
鋇	EFC5	E864	65EB	6F45	I5M30080
鋇	EFC6	E865	65F1	6F46	I5M90080
鋇	EFC7	E866	65F2	6F47	I5MA0080
鋇	EFC8	E867	65F3	6F48	I5MB0080
鋇	EFC9	E868	65F5	6F49	I5MD0080
鋇	EFCA	E869	65F7	6F4A	I5MF0080
鋇	EFCB	E86A	65F9	6F4B	I5MH0080
鋇	EFCC	E86B	65FA	6F4C	I5MI0080
鋇	EFCD	E86C	65FB	6F4D	I5MJ0080
鋇	EFCE	E86D	65FC	6F4E	I5MK0080
鋇	EFCF	E86E	6598	6F4F	I5JS0080
鋇	EFD0	E86F	65FE	6F50	I5MM0080
鋇	EFD1	E870	65FD	6F51	I5ML0080
鋇	EFD2	E871	6641	6F52	I5MP0080
鋇	EFD3	E872	6643	6F53	I5MR0080
鋇	EFD4	E873	65F8	6F54	I5MG0080


IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Table 7 JIS Second Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
鑼	EFD5	E874	6644	6F55	I5MS0080
鑾	EFD6	E875	6645	6F56	I5MT0080
鑷	EFD7	E876	6646	6F57	I5MU0080
鑿	EFD8	E877	6642	6F58	I5MQ0080
門	EFD9	E878	6647	6F59	I5MV0080
閉	EFDA	E879	6648	6F5A	I5MW0080
問	EFDB	E87A	6649	6F5B	I5MX0080
閔	EFDC	E87B	664B	6F5C	I5MZ0080
閑	EFDD	E87C	664C	6F5D	I5N00080
聞	EFDE	E87D	664D	6F5E	I5N10080
聞	EFDF	E87E	664E	6F5F	I5N20080
閏	EFE0	E880	664F	6F60	I5N30080
閏	EFE1	E881	6650	6F61	I5N40080
閏	EFE2	E882	6651	6F62	I5N50080
閏	EFE3	E883	6652	6F63	I5N60080
閏	EFE4	E884	6653	6F64	I5N70080
閏	EFE5	E885	6654	6F65	I5N80080
閏	EFE6	E886	6655	6F66	I5N90080
閏	EFE7	E887	6656	6F67	I5NA0080
閏	EFE8	E888	6657	6F68	I5NB0080
潤	EFE9	E889	6658	6F69	I5NC0080
潤	EFEA	E88A	6659	6F6A	I5ND0080
閏	EFEB	E88B	665A	6F6B	I5NE0080
潤	EFEC	E88C	665B	6F6C	I5NF0080
潤	EFED	E88D	665C	6F6D	I5NG0080
潤	EFEE	E88E	665D	6F6E	I5NH0080
潤	EFEF	E88F	665E	6F6F	I5NI0080

Table 7 JIS Second Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
關	EFF0	E890	665F	6F70	I5NJ0080
關	EFF1	E891	6660	6F71	I5NK0080
關	EFF2	E892	6661	6F72	I5NL0080
關	EFF3	E893	6662	6F73	I5NM0080
阡	EFF4	E894	6663	6F74	I5NN0080
阨	EFF5	E895	6664	6F75	I5NO0080
阮	EFF6	E896	6665	6F76	I5NP0080
阨	EFF7	E897	6666	6F77	I5NQ0080
陂	EFF8	E898	6667	6F78	I5NR0080
陌	EFF9	E899	6669	6F79	I5NT0080
隋	EFFA	E89A	6668	6F7A	I5NS0080
陋	EFFB	E89B	666A	6F7B	I5NU0080
陷	EFFC	E89C	666F	6F7C	I5NZ0080
陝	EFFD	E89D	666B	6F7D	I5NV0080
陞	EFFE	E89E	5272	6F7E	I2PE0080
陝	F0A1	E89F	666C	7021	I5NW0080
陟	F0A2	E8A0	666D	7022	I5NX0080
陟	F0A3	E8A1	666E	7023	I5NY0080
陞	F0A4	E8A2	6670	7024	I5O00080
陞	F0A5	E8A3	6671	7025	I5O10080
陞	F0A6	E8A4	6672	7026	I5O20080
陞	F0A7	E8A5	6675	7027	I5O50080
隕	F0A8	E8A6	6676	7028	I5O60080
隗	F0A9	E8A7	6677	7029	I5O70080
險	F0AA	E8A8	667B	702A	I5OB0080
隴	F0AB	E8A9	667A	702B	I5OA0080
隱	F0AC	E8AA	667C	702C	I5OC0080


IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
 DBCS - EUC

Table 7 JIS Second Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
隼	F0AD	E8AB	667D	702D	I5OD0080
隰	F0AE	E8AC	667E	702E	I5OE0080
隴	F0AF	E8AD	6680	702F	I5OG0080
隸	F0B0	E8AE	6681	7030	I5OH0080
隸	F0B1	E8AF	6682	7031	I5OI0080
隹	F0B2	E8B0	6683	7032	I5OJ0080
隹	F0B3	E8B1	6684	7033	I5OK0080
雋	F0B4	E8B2	6685	7034	I5OL0080
雉	F0B5	E8B3	5477	7035	I3070080
雍	F0B6	E8B4	525B	7036	I2OR0080
襍	F0B7	E8B5	63A1	7037	I59D0080
雜	F0B8	E8B6	6687	7038	I5ON0080
霍	F0B9	E8B7	668E	7039	I5OU0080
雕	F0BA	E8B8	6686	703A	I5OM0080
鸞	F0BB	E8B9	6689	703B	I5OP0080
霄	F0BC	E8BA	668A	703C	I5OQ0080
霆	F0BD	E8BB	668B	703D	I5OR0080
霈	F0BE	E8BC	668C	703E	I5OS0080
霓	F0BF	E8BD	668F	703F	I5OV0080
霎	F0C0	E8BE	6690	7040	I5OW0080
霑	F0C1	E8BF	6691	7041	I5OX0080
霏	F0C2	E8C0	6692	7042	I5OY0080
霖	F0C3	E8C1	6693	7043	I5OZ0080
霰	F0C4	E8C2	668D	7044	I5OT0080
霽	F0C5	E8C3	6694	7045	I5P00080
霽	F0C6	E8C4	6695	7046	I5P10080
霰	F0C7	E8C5	6696	7047	I5P20080

Table 7 JIS Second Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
霽	F0C8	E8C6	6698	7048	I5P40080
霽	F0C9	E8C7	669A	7049	I5P60080
霽	F0CA	E8C8	669B	704A	I5P70080
霽	F0CB	E8C9	669D	704B	I5P90080
霽	F0CC	E8CA	669C	704C	I5P80080
靈	F0CD	E8CB	669F	704D	I5PB0080
霽	F0CE	E8CC	66A0	704E	I5PC0080
霽	F0CF	E8CD	66A1	704F	I5PD0080
靜	F0D0	E8CE	66A6	7050	I5PI0080
靠	F0D1	E8CF	66A7	7051	I5PJ0080
匏	F0D2	E8D0	66A8	7052	I5PK0080
靦	F0D3	E8D1	66A9	7053	I5PL0080
靨	F0D4	E8D2	66AA	7054	I5PM0080
靛	F0D5	E8D3	53D6	7055	I2XI0080
靛	F0D6	E8D4	53B5	7056	I2WL0080
靛	F0D7	E8D5	52CE	7057	I2RY0080
靛	F0D8	E8D6	66AC	7058	I5PO0080
靛	F0D9	E8D7	66AD	7059	I5PP0080
靛	F0DA	E8D8	66AE	705A	I5PQ0080
靛	F0DB	E8D9	66AF	705B	I5PR0080
靛	F0DC	E8DA	66B0	705C	I5PS0080
靛	F0DD	E8DB	5277	705D	I2PJ0080
鞋	F0DE	E8DC	66B1	705E	I5PT0080
鞏	F0DF	E8DD	66B2	705F	I5PU0080
鞏	F0E0	E8DE	66B3	7060	I5PV0080
鞏	F0E1	E8DF	66B4	7061	I5PW0080
鞏	F0E2	E8E0	66B5	7062	I5PX0080


IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Table 7 JIS Second Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
鞞	F0E3	E8E1	66B6	7063	I5PY0080
鞞	F0E4	E8E2	66B7	7064	I5PZ0080
鞞	F0E5	E8E3	66B8	7065	I5Q00080
鞞	F0E6	E8E4	66B9	7066	I5Q10080
鞞	F0E7	E8E5	66BA	7067	I5Q20080
鞞	F0E8	E8E6	66BB	7068	I5Q30080
鞞	F0E9	E8E7	66BC	7069	I5Q40080
韋	F0EA	E8E8	66BD	706A	I5Q50080
韋	F0EB	E8E9	66BE	706B	I5Q60080
韋	F0EC	E8EA	66BF	706C	I5Q70080
齋	F0ED	E8EB	686F	706D	I5YN0080
齋	F0EE	E8EC	66C0	706E	I5Q80080
竟	F0EF	E8ED	66C1	706F	I5Q90080
韶	F0F0	E8EE	52FC	7070	I2T80080
韵	F0F1	E8EF	66C2	7071	I5QA0080
頤	F0F2	E8F0	66C3	7072	I5QB0080
頤	F0F3	E8F1	5456	7073	I2ZA0080
頤	F0F4	E8F2	50FB	7074	I2IJ0080
頤	F0F5	E8F3	66C5	7075	I5QD0080
頤	F0F6	E8F4	66C6	7076	I5QE0080
頤	F0F7	E8F5	66C7	7077	I5QF0080
頤	F0F8	E8F6	66C8	7078	I5QG0080
頤	F0F9	E8F7	51DC	7079	I2N00080
顏	F0FA	E8F8	66C9	707A	I5QH0080
頤	F0FB	E8F9	66CA	707B	I5QI0080
顛	F0FC	E8FA	66CD	707C	I5QL0080
顯	F0FD	E8FB	66CE	707D	I5QM0080

Table 7 JIS Second Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
颯	F0FE	E8FC	66CF	707E	I5QN0080
顛	F1A1	E940	66D0	7121	I5QO0080
顛	F1A2	E941	66D1	7122	I5QP0080
顛	F1A3	E942	66D2	7123	I5QQ0080
嵐	F1A4	E943	66D3	7124	I5QR0080
颯	F1A5	E944	66D4	7125	I5QS0080
颯	F1A6	E945	66D5	7126	I5QT0080
颯	F1A7	E946	66D6	7127	I5QU0080
颯	F1A8	E947	66D7	7128	I5QV0080
颯	F1A9	E948	66D8	7129	I5QW0080
颯	F1AA	E949	66D9	712A	I5QX0080
飩	F1AB	E94A	66DC	712B	I5R00080
飩	F1AC	E94B	66DE	712C	I5R20080
餃	F1AD	E94C	66E0	712D	I5R40080
餉	F1AE	E94D	54BC	712E	I3240080
餛	F1AF	E94E	66E2	712F	I5R60080
舖	F1B0	E94F	66E3	7130	I5R70080
餘	F1B1	E950	66E4	7131	I5R80080
餡	F1B2	E951	66E7	7132	I5RB0080
饒	F1B3	E952	66E1	7133	I5R50080
餞	F1B4	E953	66E8	7134	I5RC0080
餞	F1B5	E954	66E9	7135	I5RD0080
餅	F1B6	E955	66EA	7136	I5RE0080
餽	F1B7	E956	66EB	7137	I5RF0080
饗	F1B8	E957	66EC	7138	I5RG0080
餽	F1B9	E958	66ED	7139	I5RH0080
餽	F1BA	E959	66EE	713A	I5RI0080



IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Table 7 JIS Second Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
饅	F1BB	E95A	66EF	713B	I5RJ0080
饅	F1BC	E95B	66F0	713C	I5RK0080
饅	F1BD	E95C	66F1	713D	I5RL0080
饅	F1BE	E95D	66F2	713E	I5RM0080
饅	F1BF	E95E	66F3	713F	I5RN0080
饑	F1C0	E95F	66F4	7140	I5RO0080
饒	F1C1	E960	52E8	7141	I2SO0080
饒	F1C2	E961	66F5	7142	I5RP0080
饒	F1C3	E962	66F6	7143	I5RQ0080
馗	F1C4	E963	66F7	7144	I5RR0080
馘	F1C5	E964	66F8	7145	I5RS0080
馥	F1C6	E965	66FA	7146	I5RU0080
馭	F1C7	E966	66FB	7147	I5RV0080
馮	F1C8	E967	66FC	7148	I5RW0080
馭	F1C9	E968	66FD	7149	I5RX0080
馱	F1CA	E969	66FE	714A	I5RY0080
馱	F1CB	E96A	6741	714B	I5S10080
駝	F1CC	E96B	6742	714C	I5S20080
駝	F1CD	E96C	6743	714D	I5S30080
駑	F1CE	E96D	6744	714E	I5S40080
駑	F1CF	E96E	6745	714F	I5S50080
駑	F1D0	E96F	6746	7150	I5S60080
駑	F1D1	E970	6748	7151	I5S80080
駑	F1D2	E971	6749	7152	I5S90080
駑	F1D3	E972	674A	7153	I5SA0080
駑	F1D4	E973	674B	7154	I5SB0080
駑	F1D5	E974	674C	7155	I5SC0080

Table 7 JIS Second Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
騏	F1D6	E975	674D	7156	I5SD0080
騏	F1D7	E976	674E	7157	I5SE0080
騏	F1D8	E977	6747	7158	I5S70080
騏	F1D9	E978	674F	7159	I5SF0080
騏	F1DA	E979	6750	715A	I5SG0080
騏	F1DB	E97A	6751	715B	I5SH0080
騏	F1DC	E97B	6753	715C	I5SJ0080
騏	F1DD	E97C	6754	715D	I5SK0080
騏	F1DE	E97D	6752	715E	I5SI0080
騏	F1DF	E97E	6755	715F	I5SL0080
騏	F1E0	E980	6756	7160	I5SM0080
騏	F1E1	E981	6757	7161	I5SN0080
騏	F1E2	E982	6758	7162	I5SO0080
騏	F1E3	E983	675A	7163	I5SQ0080
騏	F1E4	E984	675B	7164	I5SR0080
騏	F1E5	E985	675C	7165	I5SS0080
騏	F1E6	E986	675D	7166	I5ST0080
騏	F1E7	E987	675F	7167	I5SV0080
騏	F1E8	E988	6760	7168	I5SW0080
騏	F1E9	E989	675E	7169	I5SU0080
騏	F1EA	E98A	6762	716A	I5SY0080
騏	F1EB	E98B	6761	716B	I5SX0080
骀	F1EC	E98C	6763	716C	I5SZ0080
骀	F1ED	E98D	6764	716D	I5T00080
骀	F1EE	E98E	6765	716E	I5T10080
骀	F1EF	E98F	6766	716F	I5T20080
骀	F1F0	E990	6767	7170	I5T30080


IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Table 7 JIS Second Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
髑	F1F1	E991	676A	7171	I5T60080
髓	F1F2	E992	6768	7172	I5T40080
體	F1F3	E993	6769	7173	I5T50080
髑	F1F4	E994	676D	7174	I5T90080
髑	F1F5	E995	676E	7175	I5TA0080
髑	F1F6	E996	676F	7176	I5TB0080
髑	F1F7	E997	6770	7177	I5TC0080
髑	F1F8	E998	6771	7178	I5TD0080
髑	F1F9	E999	6772	7179	I5TE0080
髑	F1FA	E99A	6773	717A	I5TF0080
髑	F1FB	E99B	6774	717B	I5TG0080
髑	F1FC	E99C	6775	717C	I5TH0080
髑	F1FD	E99D	6776	717D	I5TI0080
髑	F1FE	E99E	6777	717E	I5TJ0080
髑	F2A1	E99F	6778	7221	I5TK0080
髑	F2A2	E9A0	6779	7222	I5TL0080
髑	F2A3	E9A1	677A	7223	I5TM0080
髑	F2A4	E9A2	677B	7224	I5TN0080
髑	F2A5	E9A3	677C	7225	I5TO0080
髑	F2A6	E9A4	677D	7226	I5TP0080
髑	F2A7	E9A5	677E	7227	I5TQ0080
鬮	F2A8	E9A6	677F	7228	I5TR0080
鬮	F2A9	E9A7	6780	7229	I5TS0080
鬮	F2AA	E9A8	6781	722A	I5TT0080
鬮	F2AB	E9A9	6782	722B	I5TU0080
鬮	F2AC	E9AA	6783	722C	I5TV0080
鬮	F2AD	E9AB	6784	722D	I5TW0080

Table 7 JIS Second Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
鬮	F2AE	E9AC	6785	722E	I5TX0080
鬮	F2AF	E9AD	6787	722F	I5TZ0080
鬮	F2B0	E9AE	6789	7230	I5U10080
鬮	F2B1	E9AF	678A	7231	I5U20080
鬮	F2B2	E9B0	5389	7232	I2VD0080
鬮	F2B3	E9B1	678B	7233	I5U30080
鬮	F2B4	E9B2	678C	7234	I5U40080
鬮	F2B5	E9B3	678D	7235	I5U50080
鬮	F2B6	E9B4	678E	7236	I5U60080
鬮	F2B7	E9B5	6790	7237	I5U80080
鬮	F2B8	E9B6	6792	7238	I5UA0080
鬮	F2B9	E9B7	6794	7239	I5UC0080
鬮	F2BA	E9B8	6795	723A	I5UD0080
鬮	F2BB	E9B9	6796	723B	I5UE0080
鬮	F2BC	E9BA	6797	723C	I5UF0080
鬮	F2BD	E9BB	6798	723D	I5UG0080
鬮	F2BE	E9BC	6799	723E	I5UH0080
鬮	F2BF	E9BD	679A	723F	I5UI0080
鬮	F2C0	E9BE	679C	7240	I5UK0080
鬮	F2C1	E9BF	679D	7241	I5UL0080
鬮	F2C2	E9C0	679E	7242	I5UM0080
鬮	F2C3	E9C1	67A0	7243	I5UO0080
鬮	F2C4	E9C2	67A1	7244	I5UP0080
鬮	F2C5	E9C3	67A2	7245	I5UQ0080
鬮	F2C6	E9C4	67A3	7246	I5UR0080
鬮	F2C7	E9C5	67A4	7247	I5US0080
鬮	F2C8	E9C6	67A5	7248	I5UT0080



IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Table 7 JIS Second Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
鯢	F2C9	E9C7	67A6	7249	I5UU0080
鯤	F2CA	E9C8	67A7	724A	I5UV0080
鯪	F2CB	E9C9	67A8	724B	I5UW0080
鯱	F2CC	E9CA	67A9	724C	I5UX0080
鯲	F2CD	E9CB	51F0	724D	I2NK0080
鯳	F2CE	E9CC	67AC	724E	I5V00080
鯴	F2CF	E9CD	67AB	724F	I5UZ0080
鯵	F2D0	E9CE	5551	7250	I34H0080
鯶	F2D1	E9CF	67AF	7251	I5V30080
鯷	F2D2	E9D0	67B0	7252	I5V40080
鯸	F2D3	E9D1	67B2	7253	I5V60080
鯹	F2D4	E9D2	67B3	7254	I5V70080
鯺	F2D5	E9D3	67B4	7255	I5V80080
鯻	F2D6	E9D4	67B5	7256	I5V90080
鯼	F2D7	E9D5	67B6	7257	I5VA0080
鯽	F2D8	E9D6	67B7	7258	I5VB0080
鯾	F2D9	E9D7	67B8	7259	I5VC0080
鯿	F2DA	E9D8	67AD	725A	I5V10080
鰀	F2DB	E9D9	67B9	725B	I5VD0080
鰁	F2DC	E9DA	67AE	725C	I5V20080
鰂	F2DD	E9DB	67BA	725D	I5VE0080
鰃	F2DE	E9DC	67BB	725E	I5VF0080
鰄	F2DF	E9DD	67BC	725F	I5VG0080
鰅	F2E0	E9DE	67BD	7260	I5VH0080
鰆	F2E1	E9DF	67BE	7261	I5VI0080
鰇	F2E2	E9E0	67BF	7262	I5VJ0080
鰈	F2E3	E9E1	67C0	7263	I5VK0080

Table 7 JIS Second Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
鰉	F2E4	E9E2	67C1	7264	I5VL0080
鰊	F2E5	E9E3	67C2	7265	I5VM0080
鰋	F2E6	E9E4	67C3	7266	I5VN0080
鰌	F2E7	E9E5	67C4	7267	I5VO0080
鰍	F2E8	E9E6	67C5	7268	I5VP0080
鰎	F2E9	E9E7	67C6	7269	I5VQ0080
鰏	F2EA	E9E8	67C8	726A	I5VS0080
鰐	F2EB	E9E9	67C9	726B	I5VT0080
鰑	F2EC	E9EA	67CA	726C	I5VU0080
鰒	F2ED	E9EB	67CB	726D	I5VV0080
鰓	F2EE	E9EC	54FC	726E	I33W0080
鰔	F2EF	E9ED	67C7	726F	I5VR0080
鰕	F2F0	E9EE	67CC	7270	I5VW0080
鰖	F2F1	E9EF	67CD	7271	I5VX0080
鰗	F2F2	E9F0	67CE	7272	I5VY0080
鰘	F2F3	E9F1	67CF	7273	I5VZ0080
鰙	F2F4	E9F2	50E5	7274	I2HX0080
鰚	F2F5	E9F3	67D1	7275	I5W10080
鰛	F2F6	E9F4	67D2	7276	I5W20080
鰜	F2F7	E9F5	67D7	7277	I5W70080
鰝	F2F8	E9F6	67D3	7278	I5W30080
鰞	F2F9	E9F7	67D4	7279	I5W40080
鰟	F2FA	E9F8	67D5	727A	I5W50080
鰠	F2FB	E9F9	67D6	727B	I5W60080
鰡	F2FC	E9FA	67D8	727C	I5W80080
鰢	F2FD	E9FB	67D9	727D	I5W90080
鰣	F2FE	E9FC	67DA	727E	I5WA0080



IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Table 7 JIS Second Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
鵠	F3A1	EA40	67DB	7321	I5WB0080
鶯	F3A2	EA41	67DC	7322	I5WC0080
鶯	F3A3	EA42	67E0	7323	I5WG0080
鶯	F3A4	EA43	67DE	7324	I5WE0080
鶯	F3A5	EA44	67DF	7325	I5WF0080
鶯	F3A6	EA45	67DD	7326	I5WD0080
鶯	F3A7	EA46	67E1	7327	I5WH0080
鶯	F3A8	EA47	5342	7328	I2TE0080
鶯	F3A9	EA48	67E3	7329	I5WJ0080
鶯	F3AA	EA49	67EA	732A	I5WQ0080
鶯	F3AB	EA4A	67E5	732B	I5WL0080
鶯	F3AC	EA4B	67E6	732C	I5WM0080
鶯	F3AD	EA4C	67E7	732D	I5WN0080
鶯	F3AE	EA4D	67E8	732E	I5WO0080
鶯	F3AF	EA4E	67E9	732F	I5WP0080
鶯	F3B0	EA4F	67EB	7330	I5WR0080
鶯	F3B1	EA50	67EC	7331	I5WS0080
鶯	F3B2	EA51	67ED	7332	I5WT0080
鶯	F3B3	EA52	67EE	7333	I5WU0080
鶯	F3B4	EA53	67EF	7334	I5WV0080
鶯	F3B5	EA54	67F0	7335	I5WW0080
鶯	F3B6	EA55	67F1	7336	I5WX0080
鶯	F3B7	EA56	67F2	7337	I5WY0080
鶯	F3B8	EA57	67F3	7338	I5WZ0080
鶯	F3B9	EA58	67F5	7339	I5X10080
鶯	F3BA	EA59	67F6	733A	I5X20080
鶯	F3BB	EA5A	67F7	733B	I5X30080

Table 7 JIS Second Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
鶯	F3BC	EA5B	67F8	733C	I5X40080
鶯	F3BD	EA5C	67F9	733D	I5X50080
鶯	F3BE	EA5D	67FA	733E	I5X60080
鶯	F3BF	EA5E	67FB	733F	I5X70080
鶯	F3C0	EA5F	67FC	7340	I5X80080
鶯	F3C1	EA60	67FD	7341	I5X90080
鶯	F3C2	EA61	6841	7342	I5XD0080
鹵	F3C3	EA62	6842	7343	I5XE0080
鹵	F3C4	EA63	6843	7344	I5XF0080
鹽	F3C5	EA64	6844	7345	I5XG0080
麩	F3C6	EA65	6845	7346	I5XH0080
麩	F3C7	EA66	6846	7347	I5XI0080
麩	F3C8	EA67	6847	7348	I5XJ0080
麩	F3C9	EA68	6848	7349	I5XK0080
麩	F3CA	EA69	51F9	734A	I2NT0080
麩	F3CB	EA6A	6849	734B	I5XL0080
麩	F3CC	EA6B	684A	734C	I5XM0080
麩	F3CD	EA6C	684B	734D	I5XN0080
麥	F3CE	EA6D	684C	734E	I5XO0080
麩	F3CF	EA6E	53B4	734F	I2WK0080
麩	F3D0	EA6F	684D	7350	I5XP0080
麩	F3D1	EA70	684E	7351	I5XQ0080
麩	F3D2	EA71	684F	7352	I5XR0080
麩	F3D3	EA72	6852	7353	I5XU0080
麩	F3D4	EA73	6853	7354	I5XV0080
黎	F3D5	EA74	51A7	7355	I2LJ0080
黏	F3D6	EA75	6854	7356	I5XW0080


IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Table 7 JIS Second Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
藪	F3D7	EA76	6855	7357	I5XX0080
黔	F3D8	EA77	6857	7358	I5XZ0080
黜	F3D9	EA78	6858	7359	I5Y00080
黠	F3DA	EA79	6859	735A	I5Y10080
黝	F3DB	EA7A	685A	735B	I5Y20080
黟	F3DC	EA7B	685B	735C	I5Y30080
黠	F3DD	EA7C	685C	735D	I5Y40080
黠	F3DE	EA7D	685D	735E	I5Y50080
黠	F3DF	EA7E	685E	735F	I5Y60080
黠	F3E0	EA80	685F	7360	I5Y70080
黠	F3E1	EA81	6860	7361	I5Y80080
黠	F3E2	EA82	6861	7362	I5Y90080
黠	F3E3	EA83	6862	7363	I5YA0080
黠	F3E4	EA84	6863	7364	I5YB0080
黠	F3E5	EA85	6864	7365	I5YC0080
黠	F3E6	EA86	6865	7366	I5YD0080
黠	F3E7	EA87	6866	7367	I5YE0080
黠	F3E8	EA88	6867	7368	I5YF0080
黠	F3E9	EA89	6868	7369	I5YG0080
黠	F3EA	EA8A	6869	736A	I5YH0080
黠	F3EB	EA8B	686A	736B	I5YI0080
黠	F3EC	EA8C	686B	736C	I5YJ0080
黠	F3ED	EA8D	686C	736D	I5YK0080
黠	F3EE	EA8E	686D	736E	I5YL0080
黠	F3EF	EA8F	6870	736F	I5YO0080
黠	F3F0	EA90	6871	7370	I5YP0080
黠	F3F1	EA91	6872	7371	I5YQ0080

Table 7 JIS Second Level Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
齧	F3F2	EA92	6873	7372	I5YR0080
齧	F3F3	EA93	6874	7373	I5YS0080
齧	F3F4	EA94	6875	7374	I5YT0080
齧	F3F5	EA95	6876	7375	I5YU0080
齧	F3F6	EA96	6877	7376	I5YV0080
齧	F3F7	EA97	6878	7377	I5YW0080
齧	F3F8	EA98	6879	7378	I5YX0080
齧	F3F9	EA99	687A	7379	I5YY0080
齧	F3FA	EA9A	687B	737A	I5YZ0080
齧	F3FB	EA9B	687C	737B	I5Z00080
齧	F3FC	EA9C	687D	737C	I5Z10080
齧	F3FD	EA9D	687E	737D	I5Z20080
齧	F3FE	EA9E	687F	737E	I5Z30080
堯	F4A1	EA9F	4E53	7421	I2370080
楨	F4A2	EAA0	4DB9	7422	I20P0080
遙	F4A3	EAA1	52F3	7423	I2SZ0080
瑤	F4A4	EAA2	5EBB	7424	I4JF0080
凜	F4A5	EAA3	6884	7425	I5Z80080
熙	F4A6	EAA4	4F68	7426	I2940080



IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

9.4 NEC selected characters

Table 8 NEC Selected Characters					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
①	ADA1	8740	E270	-----	NO010080
②	ADA2	8741	E271	-----	NO020080
③	ADA3	8742	E272	-----	NO030080
④	ADA4	8743	E273	-----	NO040080
⑤	ADA5	8744	E274	-----	NO050080
⑥	ADA6	8745	E275	-----	NO060080
⑦	ADA7	8746	E276	-----	NO070080
⑧	ADA8	8747	E277	-----	NO080080
⑨	ADA9	8748	E278	-----	NO090080
⑩	ADAA	8749	E279	-----	NO100080
⑪	ADAB	874A	E27A	-----	NO110080
⑫	ADAC	874B	E27B	-----	NO120080
⑬	ADAD	874C	E27C	-----	NO130080
⑭	ADAE	874D	E27D	-----	NO140080
⑮	ADAF	874E	E27E	-----	NO150080
⑯	ADB0	874F	E27F	-----	NO160080
⑰	ADB1	8750	E280	-----	NO170080
⑱	ADB2	8751	E281	-----	NO180080
⑲	ADB3	8752	E282	-----	NO190080
⑳	ADB4	8753	E283	-----	NO200080
I	ADB5	8754	41F1	-----	NR110080
II	ADB6	8755	41F2	-----	NR120080
III	ADB7	8756	41F3	-----	NR130080
IV	ADB8	8757	41F4	-----	NR140080
V	ADB9	8758	41F5	-----	NR150080

Table 8 NEC Selected Characters					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
VI	ADBA	8759	41F6	-----	NR160080
VII	ADBB	875A	41F7	-----	NR170080
VIII	ADBC	875B	41F8	-----	NR180080
IX	ADBD	875C	41F9	-----	NR190080
X	ADBE	875D	41FA	-----	NR200080
ミリ	ADC0	875F	E8AA	-----	U0003349
キロ	ADC1	8760	E875	-----	U0003314
センチ	ADC2	8761	E883	-----	U0003322
メートル	ADC3	8762	E8AE	-----	U000334D
グラム	ADC4	8763	E879	-----	U0003318
トン	ADC5	8764	E888	-----	U0003327
アール	ADC6	8765	E864	-----	U0003303
ヘクタール	ADC7	8766	E897	-----	U0003336
リットル	ADC8	8767	E8B2	-----	U0003351
ワット	ADC9	8768	E8B8	-----	U0003357
カロリ	ADCA	8769	E86E	-----	U000330D
ドル	ADCB	876A	E887	-----	U0003326
セント	ADCC	876B	E884	-----	U0003323
パーセント	ADCD	876C	E88C	-----	U000332B
ミリパル	ADCE	876D	E8AB	-----	U000334A
ページ	ADCF	876E	E89C	-----	U000333B
mm	ADD0	876F	E8F9	-----	SS810080
cm	ADD1	8770	E8FA	-----	SS820080
km	ADD2	8771	E8FB	-----	SS830080
mg	ADD3	8772	E8EB	-----	SS850080



IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Table 8 NEC Selected Characters					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
kg	ADD4	8773	E8EC	-----	SS860080
cc	ADD5	8774	E963	-----	SS870080
m ²	ADD6	8775	E8FE	-----	SS840080
平成	ADDF	877E	E8D8	-----	U000337B
ㄨ	ADE0	8780	E6AC	-----	SP210082
ㄨ	ADE1	8781	E6AE	-----	SP230081
No.	ADE2	8782	446E	-----	SM000080
KK	ADE3	8783	E96C	-----	U00033CD
TEL	ADE4	8784	446F	-----	SS710080
⊕	ADE5	8785	E767	-----	U00032A4
⊕	ADE6	8786	E768	-----	U00032A5
⊕	ADE7	8787	E769	-----	U00032A6
⊕	ADE8	8788	E76A	-----	U00032A7
⊕	ADE9	8789	E76B	-----	U00032A8
(株)	ADEA	878A	446D	-----	SS740080
(有)	ADEB	878B	E6EF	-----	U0003232
(代)	ADEC	878C	E6F6	-----	U0003239
明治	ADED	878D	E8DB	-----	U000337E
大正	ADEE	878E	E8DA	-----	U000337D
昭和	ADEF	878F	E8D9	-----	U000337C
≡	ADF0	8790	435C	2262	SA700081
≡	ADF1	8791	435B	2261	SA480080
∫	ADF2	8792	4362	2269	SA510080
∫	ADF3	8793	DFE8	-----	SA720080
∑	ADF4	8794	DFD6	-----	SS400080
√	ADF5	8795	435F	2265	SA800080
⊥	ADF6	8796	434C	225D	SA780080

Table 8 NEC Selected Characters					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
∠	ADF7	8797	434B	225C	SA350088
└	ADF8	8798	DFE0	-----	SA420080
∠	ADF9	8799	E0AC	-----	SA850080
∴	ADFA	879A	4478	2268	SS540080
∩	ADFB	879B	436B	2241	SA380080
∪	ADFC	879C	436A	2240	SA390080



IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

9.5 User Definable Characters

Table 9 User Definable Characters					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
	F5A1	F040	6941	-----	X62P0080
	F5A2	F041	6942	-----	X62Q0080
	F5A3	F042	6943	-----	X62R0080
	F5A4	F043	6944	-----	X62S0080
	F5A5	F044	6945	-----	X62T0080
	F5A6	F045	6946	-----	X62U0080
	F5A7	F046	6947	-----	X62V0080
	F5A8	F047	6948	-----	X62W0080
	F5A9	F048	6949	-----	X62X0080
	F5AA	F049	694A	-----	X62Y0080
	F5AB	F04A	694B	-----	X62Z0080
	F5AC	F04B	694C	-----	X6300080
	F5AD	F04C	694D	-----	X6310080
	F5AE	F04D	694E	-----	X6320080
	F5AF	F04E	694F	-----	X6330080
	F5B0	F04F	6950	-----	X6340080
	F5B1	F050	6951	-----	X6350080
	F5B2	F051	6952	-----	X6360080
	F5B3	F052	6953	-----	X6370080
	F5B4	F053	6954	-----	X6380080
	F5B5	F054	6955	-----	X6390080
	F5B6	F055	6956	-----	X63A0080
	F5B7	F056	6957	-----	X63B0080
	F5B8	F057	6958	-----	X63C0080
	F5B9	F058	6959	-----	X63D0080

Table 9 User Definable Characters					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
	F5BA	F059	695A	-----	X63E0080
	F5BB	F05A	695B	-----	X63F0080
	F5BC	F05B	695C	-----	X63G0080
	F5BD	F05C	695D	-----	X63H0080
	F5BE	F05D	695E	-----	X63I0080
	F5BF	F05E	695F	-----	X63J0080
	F5C0	F05F	6960	-----	X63K0080
	F5C1	F060	6961	-----	X63L0080
	F5C2	F061	6962	-----	X63M0080
	F5C3	F062	6963	-----	X63N0080
	F5C4	F063	6964	-----	X63O0080
	F5C5	F064	6965	-----	X63P0080
	F5C6	F065	6966	-----	X63Q0080
	F5C7	F066	6967	-----	X63R0080
	F5C8	F067	6968	-----	X63S0080
	F5C9	F068	6969	-----	X63T0080
	F5CA	F069	696A	-----	X63U0080
	F5CB	F06A	696B	-----	X63V0080
	F5CC	F06B	696C	-----	X63W0080
	F5CD	F06C	696D	-----	X63X0080
	F5CE	F06D	696E	-----	X63Y0080
	F5CF	F06E	696F	-----	X63Z0080
	F5D0	F06F	6970	-----	X6400080
	F5D1	F070	6971	-----	X6410080
	F5D2	F071	6972	-----	X6420080



IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Table 9 User Definable Characters					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
	F5D3	F072	6973	-----	X6430080
	F5D4	F073	6974	-----	X6440080
	F5D5	F074	6975	-----	X6450080
	F5D6	F075	6976	-----	X6460080
	F5D7	F076	6977	-----	X6470080
	F5D8	F077	6978	-----	X6480080
	F5D9	F078	6979	-----	X6490080
	F5DA	F079	697A	-----	X64A0080
	F5DB	F07A	697B	-----	X64B0080
	F5DC	F07B	697C	-----	X64C0080
	F5DD	F07C	697D	-----	X64D0080
	F5DE	F07D	697E	-----	X64E0080
	F5DF	F07E	697F	-----	X64F0080
	F5E0	F080	6980	-----	X64G0080
	F5E1	F081	6981	-----	X64H0080
	F5E2	F082	6982	-----	X64I0080
	F5E3	F083	6983	-----	X64J0080
	F5E4	F084	6984	-----	X64K0080
	F5E5	F085	6985	-----	X64L0080
	F5E6	F086	6986	-----	X64M0080
	F5E7	F087	6987	-----	X64N0080
	F5E8	F088	6988	-----	X64O0080
	F5E9	F089	6989	-----	X64P0080
	F5EA	F08A	698A	-----	X64Q0080
	F5EB	F08B	698B	-----	X64R0080
	F5EC	F08C	698C	-----	X64S0080
	F5ED	F08D	698D	-----	X64T0080

Table 9 User Definable Characters					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
	F5EE	F08E	698E	-----	X64U0080
	F5EF	F08F	698F	-----	X64V0080
	F5F0	F090	6990	-----	X64W0080
	F5F1	F091	6991	-----	X64X0080
	F5F2	F092	6992	-----	X64Y0080
	F5F3	F093	6993	-----	X64Z0080
	F5F4	F094	6994	-----	X6500080
	F5F5	F095	6995	-----	X6510080
	F5F6	F096	6996	-----	X6520080
	F5F7	F097	6997	-----	X6530080
	F5F8	F098	6998	-----	X6540080
	F5F9	F099	6999	-----	X6550080
	F5FA	F09A	699A	-----	X6560080
	F5FB	F09B	699B	-----	X6570080
	F5FC	F09C	699C	-----	X6580080
	F5FD	F09D	699D	-----	X6590080
	F5FE	F09E	699E	-----	X65A0080
	F6A1	F09F	699F	-----	X65B0080
	F6A2	F0A0	69A0	-----	X65C0080
	F6A3	F0A1	69A1	-----	X65D0080
	F6A4	F0A2	69A2	-----	X65E0080
	F6A5	F0A3	69A3	-----	X65F0080
	F6A6	F0A4	69A4	-----	X65G0080
	F6A7	F0A5	69A5	-----	X65H0080
	F6A8	F0A6	69A6	-----	X65I0080
	F6A9	F0A7	69A7	-----	X65J0080
	F6AA	F0A8	69A8	-----	X65K0080



IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Table 9 User Definable Characters					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
	F6AB	F0A9	69A9	-----	X65L0080
	F6AC	F0AA	69AA	-----	X65M0080
	F6AD	F0AB	69AB	-----	X65N0080
	F6AE	F0AC	69AC	-----	X65O0080
	F6AF	F0AD	69AD	-----	X65P0080
	F6B0	F0AE	69AE	-----	X65Q0080
	F6B1	F0AF	69AF	-----	X65R0080
	F6B2	F0B0	69B0	-----	X65S0080
	F6B3	F0B1	69B1	-----	X65T0080
	F6B4	F0B2	69B2	-----	X65U0080
	F6B5	F0B3	69B3	-----	X65V0080
	F6B6	F0B4	69B4	-----	X65W0080
	F6B7	F0B5	69B5	-----	X65X0080
	F6B8	F0B6	69B6	-----	X65Y0080
	F6B9	F0B7	69B7	-----	X65Z0080
	F6BA	F0B8	69B8	-----	X6600080
	F6BB	F0B9	69B9	-----	X6610080
	F6BC	F0BA	69BA	-----	X6620080
	F6BD	F0BB	69BB	-----	X6630080
	F6BE	F0BC	69BC	-----	X6640080
	F6BF	F0BD	69BD	-----	X6650080
	F6C0	F0BE	69BE	-----	X6660080
	F6C1	F0BF	69BF	-----	X6670080
	F6C2	F0C0	69C0	-----	X6680080
	F6C3	F0C1	69C1	-----	X6690080
	F6C4	F0C2	69C2	-----	X66A0080
	F6C5	F0C3	69C3	-----	X66B0080

Table 9 User Definable Characters					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
	F6C6	F0C4	69C4	-----	X66C0080
	F6C7	F0C5	69C5	-----	X66D0080
	F6C8	F0C6	69C6	-----	X66E0080
	F6C9	F0C7	69C7	-----	X66F0080
	F6CA	F0C8	69C8	-----	X66G0080
	F6CB	F0C9	69C9	-----	X66H0080
	F6CC	F0CA	69CA	-----	X66I0080
	F6CD	F0CB	69CB	-----	X66J0080
	F6CE	F0CC	69CC	-----	X66K0080
	F6CF	F0CD	69CD	-----	X66L0080
	F6D0	F0CE	69CE	-----	X66M0080
	F6D1	F0CF	69CF	-----	X66N0080
	F6D2	F0D0	69D0	-----	X66O0080
	F6D3	F0D1	69D1	-----	X66P0080
	F6D4	F0D2	69D2	-----	X66Q0080
	F6D5	F0D3	69D3	-----	X66R0080
	F6D6	F0D4	69D4	-----	X66S0080
	F6D7	F0D5	69D5	-----	X66T0080
	F6D8	F0D6	69D6	-----	X66U0080
	F6D9	F0D7	69D7	-----	X66V0080
	F6DA	F0D8	69D8	-----	X66W0080
	F6DB	F0D9	69D9	-----	X66X0080
	F6DC	F0DA	69DA	-----	X66Y0080
	F6DD	F0DB	69DB	-----	X66Z0080
	F6DE	F0DC	69DC	-----	X6700080
	F6DF	F0DD	69DD	-----	X6710080
	F6E0	F0DE	69DE	-----	X6720080


IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
 DBCS - EUC

Table 9 User Definable Characters					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
	F6E1	F0DF	69DF	-----	X6730080
	F6E2	F0E0	69E0	-----	X6740080
	F6E3	F0E1	69E1	-----	X6750080
	F6E4	F0E2	69E2	-----	X6760080
	F6E5	F0E3	69E3	-----	X6770080
	F6E6	F0E4	69E4	-----	X6780080
	F6E7	F0E5	69E5	-----	X6790080
	F6E8	F0E6	69E6	-----	X67A0080
	F6E9	F0E7	69E7	-----	X67B0080
	F6EA	F0E8	69E8	-----	X67C0080
	F6EB	F0E9	69E9	-----	X67D0080
	F6EC	F0EA	69EA	-----	X67E0080
	F6ED	F0EB	69EB	-----	X67F0080
	F6EE	F0EC	69EC	-----	X67G0080
	F6EF	F0ED	69ED	-----	X67H0080
	F6F0	F0EE	69EE	-----	X67I0080
	F6F1	F0EF	69EF	-----	X67J0080
	F6F2	F0F0	69F0	-----	X67K0080
	F6F3	F0F1	69F1	-----	X67L0080
	F6F4	F0F2	69F2	-----	X67M0080
	F6F5	F0F3	69F3	-----	X67N0080
	F6F6	F0F4	69F4	-----	X67O0080
	F6F7	F0F5	69F5	-----	X67P0080
	F6F8	F0F6	69F6	-----	X67Q0080
	F6F9	F0F7	69F7	-----	X67R0080
	F6FA	F0F8	69F8	-----	X67S0080
	F6FB	F0F9	69F9	-----	X67T0080

Table 9 User Definable Characters					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
	F6FC	F0FA	69FA	-----	X67U0080
	F6FD	F0FB	69FB	-----	X67V0080
	F6FE	F0FC	69FC	-----	X67W0080
	F7A1	F140	69FD	-----	X67X0080
	F7A2	F141	69FE	-----	X67Y0080
	F7A3	F142	6A41	-----	X6810080
	F7A4	F143	6A42	-----	X6820080
	F7A5	F144	6A43	-----	X6830080
	F7A6	F145	6A44	-----	X6840080
	F7A7	F146	6A45	-----	X6850080
	F7A8	F147	6A46	-----	X6860080
	F7A9	F148	6A47	-----	X6870080
	F7AA	F149	6A48	-----	X6880080
	F7AB	F14A	6A49	-----	X6890080
	F7AC	F14B	6A4A	-----	X68A0080
	F7AD	F14C	6A4B	-----	X68B0080
	F7AE	F14D	6A4C	-----	X68C0080
	F7AF	F14E	6A4D	-----	X68D0080
	F7B0	F14F	6A4E	-----	X68E0080
	F7B1	F150	6A4F	-----	X68F0080
	F7B2	F151	6A50	-----	X68G0080
	F7B3	F152	6A51	-----	X68H0080
	F7B4	F153	6A52	-----	X68I0080
	F7B5	F154	6A53	-----	X68J0080
	F7B6	F155	6A54	-----	X68K0080
	F7B7	F156	6A55	-----	X68L0080
	F7B8	F157	6A56	-----	X68M0080


IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Table 9 User Definable Characters					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
	F7B9	F158	6A57	-----	X68N0080
	F7BA	F159	6A58	-----	X68O0080
	F7BB	F15A	6A59	-----	X68P0080
	F7BC	F15B	6A5A	-----	X68Q0080
	F7BD	F15C	6A5B	-----	X68R0080
	F7BE	F15D	6A5C	-----	X68S0080
	F7BF	F15E	6A5D	-----	X68T0080
	F7C0	F15F	6A5E	-----	X68U0080
	F7C1	F160	6A5F	-----	X68V0080
	F7C2	F161	6A60	-----	X68W0080
	F7C3	F162	6A61	-----	X68X0080
	F7C4	F163	6A62	-----	X68Y0080
	F7C5	F164	6A63	-----	X68Z0080
	F7C6	F165	6A64	-----	X6900080
	F7C7	F166	6A65	-----	X6910080
	F7C8	F167	6A66	-----	X6920080
	F7C9	F168	6A67	-----	X6930080
	F7CA	F169	6A68	-----	X6940080
	F7CB	F16A	6A69	-----	X6950080
	F7CC	F16B	6A6A	-----	X6960080
	F7CD	F16C	6A6B	-----	X6970080
	F7CE	F16D	6A6C	-----	X6980080
	F7CF	F16E	6A6D	-----	X6990080
	F7D0	F16F	6A6E	-----	X69A0080
	F7D1	F170	6A6F	-----	X69B0080
	F7D2	F171	6A70	-----	X69C0080
	F7D3	F172	6A71	-----	X69D0080

Table 9 User Definable Characters					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
	F7D4	F173	6A72	-----	X69E0080
	F7D5	F174	6A73	-----	X69F0080
	F7D6	F175	6A74	-----	X69G0080
	F7D7	F176	6A75	-----	X69H0080
	F7D8	F177	6A76	-----	X69I0080
	F7D9	F178	6A77	-----	X69J0080
	F7DA	F179	6A78	-----	X69K0080
	F7DB	F17A	6A79	-----	X69L0080
	F7DC	F17B	6A7A	-----	X69M0080
	F7DD	F17C	6A7B	-----	X69N0080
	F7DE	F17D	6A7C	-----	X69O0080
	F7DF	F17E	6A7D	-----	X69P0080
	F7E0	F180	6A7E	-----	X69Q0080
	F7E1	F181	6A7F	-----	X69R0080
	F7E2	F182	6A80	-----	X69S0080
	F7E3	F183	6A81	-----	X69T0080
	F7E4	F184	6A82	-----	X69U0080
	F7E5	F185	6A83	-----	X69V0080
	F7E6	F186	6A84	-----	X69W0080
	F7E7	F187	6A85	-----	X69X0080
	F7E8	F188	6A86	-----	X69Y0080
	F7E9	F189	6A87	-----	X69Z0080
	F7EA	F18A	6A88	-----	X6A00080
	F7EB	F18B	6A89	-----	X6A10080
	F7EC	F18C	6A8A	-----	X6A20080
	F7ED	F18D	6A8B	-----	X6A30080
	F7EE	F18E	6A8C	-----	X6A40080


IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
 DBCS - EUC

Table 9 User Definable Characters					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
	F7EF	F18F	6A8D	-----	X6A50080
	F7F0	F190	6A8E	-----	X6A60080
	F7F1	F191	6A8F	-----	X6A70080
	F7F2	F192	6A90	-----	X6A80080
	F7F3	F193	6A91	-----	X6A90080
	F7F4	F194	6A92	-----	X6AA0080
	F7F5	F195	6A93	-----	X6AB0080
	F7F6	F196	6A94	-----	X6AC0080
	F7F7	F197	6A95	-----	X6AD0080
	F7F8	F198	6A96	-----	X6AE0080
	F7F9	F199	6A97	-----	X6AF0080
	F7FA	F19A	6A98	-----	X6AG0080
	F7FB	F19B	6A99	-----	X6AH0080
	F7FC	F19C	6A9A	-----	X6AI0080
	F7FD	F19D	6A9B	-----	X6AJ0080
	F7FE	F19E	6A9C	-----	X6AK0080
	F8A1	F19F	6A9D	-----	X6AL0080
	F8A2	F1A0	6A9E	-----	X6AM0080
	F8A3	F1A1	6A9F	-----	X6AN0080
	F8A4	F1A2	6AA0	-----	X6AO0080
	F8A5	F1A3	6AA1	-----	X6AP0080
	F8A6	F1A4	6AA2	-----	X6AQ0080
	F8A7	F1A5	6AA3	-----	X6AR0080
	F8A8	F1A6	6AA4	-----	X6AS0080
	F8A9	F1A7	6AA5	-----	X6AT0080
	F8AA	F1A8	6AA6	-----	X6AU0080
	F8AB	F1A9	6AA7	-----	X6AV0080

Table 9 User Definable Characters					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
	F8AC	F1AA	6AA8	-----	X6AW0080
	F8AD	F1AB	6AA9	-----	X6AX0080
	F8AE	F1AC	6AAA	-----	X6AY0080
	F8AF	F1AD	6AAB	-----	X6AZ0080
	F8B0	F1AE	6AAC	-----	X6B00080
	F8B1	F1AF	6AAD	-----	X6B10080
	F8B2	F1B0	6AAE	-----	X6B20080
	F8B3	F1B1	6AAF	-----	X6B30080
	F8B4	F1B2	6AB0	-----	X6B40080
	F8B5	F1B3	6AB1	-----	X6B50080
	F8B6	F1B4	6AB2	-----	X6B60080
	F8B7	F1B5	6AB3	-----	X6B70080
	F8B8	F1B6	6AB4	-----	X6B80080
	F8B9	F1B7	6AB5	-----	X6B90080
	F8BA	F1B8	6AB6	-----	X6BA0080
	F8BB	F1B9	6AB7	-----	X6BB0080
	F8BC	F1BA	6AB8	-----	X6BC0080
	F8BD	F1BB	6AB9	-----	X6BD0080
	F8BE	F1BC	6ABA	-----	X6BE0080
	F8BF	F1BD	6ABB	-----	X6BF0080
	F8C0	F1BE	6ABC	-----	X6BG0080
	F8C1	F1BF	6ABD	-----	X6BH0080
	F8C2	F1C0	6ABE	-----	X6BI0080
	F8C3	F1C1	6ABF	-----	X6BJ0080
	F8C4	F1C2	6AC0	-----	X6BK0080
	F8C5	F1C3	6AC1	-----	X6BL0080
	F8C6	F1C4	6AC2	-----	X6BM0080


IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Table 9 User Definable Characters					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
	F8C7	F1C5	6AC3	-----	X6BN0080
	F8C8	F1C6	6AC4	-----	X6BO0080
	F8C9	F1C7	6AC5	-----	X6BP0080
	F8CA	F1C8	6AC6	-----	X6BQ0080
	F8CB	F1C9	6AC7	-----	X6BR0080
	F8CC	F1CA	6AC8	-----	X6BS0080
	F8CD	F1CB	6AC9	-----	X6BT0080
	F8CE	F1CC	6ACA	-----	X6BU0080
	F8CF	F1CD	6ACB	-----	X6BV0080
	F8D0	F1CE	6ACC	-----	X6BW0080
	F8D1	F1CF	6ACD	-----	X6BX0080
	F8D2	F1D0	6ACE	-----	X6BY0080
	F8D3	F1D1	6ACF	-----	X6BZ0080
	F8D4	F1D2	6AD0	-----	X6C00080
	F8D5	F1D3	6AD1	-----	X6C10080
	F8D6	F1D4	6AD2	-----	X6C20080
	F8D7	F1D5	6AD3	-----	X6C30080
	F8D8	F1D6	6AD4	-----	X6C40080
	F8D9	F1D7	6AD5	-----	X6C50080
	F8DA	F1D8	6AD6	-----	X6C60080
	F8DB	F1D9	6AD7	-----	X6C70080
	F8DC	F1DA	6AD8	-----	X6C80080
	F8DD	F1DB	6AD9	-----	X6C90080
	F8DE	F1DC	6ADA	-----	X6CA0080
	F8DF	F1DD	6ADB	-----	X6CB0080
	F8E0	F1DE	6ADC	-----	X6CC0080
	F8E1	F1DF	6ADD	-----	X6CD0080

Table 9 User Definable Characters					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
	F8E2	F1E0	6ADE	-----	X6CE0080
	F8E3	F1E1	6ADF	-----	X6CF0080
	F8E4	F1E2	6AE0	-----	X6CG0080
	F8E5	F1E3	6AE1	-----	X6CH0080
	F8E6	F1E4	6AE2	-----	X6CI0080
	F8E7	F1E5	6AE3	-----	X6CJ0080
	F8E8	F1E6	6AE4	-----	X6CK0080
	F8E9	F1E7	6AE5	-----	X6CL0080
	F8EA	F1E8	6AE6	-----	X6CM0080
	F8EB	F1E9	6AE7	-----	X6CN0080
	F8EC	F1EA	6AE8	-----	X6CO0080
	F8ED	F1EB	6AE9	-----	X6CP0080
	F8EE	F1EC	6AEA	-----	X6CQ0080
	F8EF	F1ED	6AEB	-----	X6CR0080
	F8F0	F1EE	6AEC	-----	X6CS0080
	F8F1	F1EF	6AED	-----	X6CT0080
	F8F2	F1F0	6AEE	-----	X6CU0080
	F8F3	F1F1	6AEF	-----	X6CV0080
	F8F4	F1F2	6AF0	-----	X6CW0080
	F8F5	F1F3	6AF1	-----	X6CX0080
	F8F6	F1F4	6AF2	-----	X6CY0080
	F8F7	F1F5	6AF3	-----	X6CZ0080
	F8F8	F1F6	6AF4	-----	X6D00080
	F8F9	F1F7	6AF5	-----	X6D10080
	F8FA	F1F8	6AF6	-----	X6D20080
	F8FB	F1F9	6AF7	-----	X6D30080
	F8FC	F1FA	6AF8	-----	X6D40080



IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Table 9 User Definable Characters					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
	F8FD	F1FB	6AF9	-----	X6D50080
	F8FE	F1FC	6AFA	-----	X6D60080
	F9A1	F240	6AFB	-----	X6D70080
	F9A2	F241	6AFC	-----	X6D80080
	F9A3	F242	6AFD	-----	X6D90080
	F9A4	F243	6AFE	-----	X6DA0080
	F9A5	F244	6B41	-----	X6DD0080
	F9A6	F245	6B42	-----	X6DE0080
	F9A7	F246	6B43	-----	X6DF0080
	F9A8	F247	6B44	-----	X6DG0080
	F9A9	F248	6B45	-----	X6DH0080
	F9AA	F249	6B46	-----	X6DI0080
	F9AB	F24A	6B47	-----	X6DJ0080
	F9AC	F24B	6B48	-----	X6DK0080
	F9AD	F24C	6B49	-----	X6DL0080
	F9AE	F24D	6B4A	-----	X6DM0080
	F9AF	F24E	6B4B	-----	X6DN0080
	F9B0	F24F	6B4C	-----	X6DO0080
	F9B1	F250	6B4D	-----	X6DP0080
	F9B2	F251	6B4E	-----	X6DQ0080
	F9B3	F252	6B4F	-----	X6DR0080
	F9B4	F253	6B50	-----	X6DS0080
	F9B5	F254	6B51	-----	X6DT0080
	F9B6	F255	6B52	-----	X6DU0080
	F9B7	F256	6B53	-----	X6DV0080
	F9B8	F257	6B54	-----	X6DW0080
	F9B9	F258	6B55	-----	X6DX0080

Table 9 User Definable Characters					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
	F9BA	F259	6B56	-----	X6DY0080
	F9BB	F25A	6B57	-----	X6DZ0080
	F9BC	F25B	6B58	-----	X6E00080
	F9BD	F25C	6B59	-----	X6E10080
	F9BE	F25D	6B5A	-----	X6E20080
	F9BF	F25E	6B5B	-----	X6E30080
	F9C0	F25F	6B5C	-----	X6E40080
	F9C1	F260	6B5D	-----	X6E50080
	F9C2	F261	6B5E	-----	X6E60080
	F9C3	F262	6B5F	-----	X6E70080
	F9C4	F263	6B60	-----	X6E80080
	F9C5	F264	6B61	-----	X6E90080
	F9C6	F265	6B62	-----	X6EA0080
	F9C7	F266	6B63	-----	X6EB0080
	F9C8	F267	6B64	-----	X6EC0080
	F9C9	F268	6B65	-----	X6ED0080
	F9CA	F269	6B66	-----	X6EE0080
	F9CB	F26A	6B67	-----	X6EF0080
	F9CC	F26B	6B68	-----	X6EG0080
	F9CD	F26C	6B69	-----	X6EH0080
	F9CE	F26D	6B6A	-----	X6EI0080
	F9CF	F26E	6B6B	-----	X6EJ0080
	F9D0	F26F	6B6C	-----	X6EK0080
	F9D1	F270	6B6D	-----	X6EL0080
	F9D2	F271	6B6E	-----	X6EM0080
	F9D3	F272	6B6F	-----	X6EN0080
	F9D4	F273	6B70	-----	X6EO0080


IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
 DBCS - EUC

Table 9 User Definable Characters					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
	F9D5	F274	6B71	-----	X6EP0080
	F9D6	F275	6B72	-----	X6EQ0080
	F9D7	F276	6B73	-----	X6ER0080
	F9D8	F277	6B74	-----	X6ES0080
	F9D9	F278	6B75	-----	X6ET0080
	F9DA	F279	6B76	-----	X6EU0080
	F9DB	F27A	6B77	-----	X6EV0080
	F9DC	F27B	6B78	-----	X6EW0080
	F9DD	F27C	6B79	-----	X6EX0080
	F9DE	F27D	6B7A	-----	X6EY0080
	F9DF	F27E	6B7B	-----	X6EZ0080
	F9E0	F280	6B7C	-----	X6F00080
	F9E1	F281	6B7D	-----	X6F10080
	F9E2	F282	6B7E	-----	X6F20080
	F9E3	F283	6B7F	-----	X6F30080
	F9E4	F284	6B80	-----	X6F40080
	F9E5	F285	6B81	-----	X6F50080
	F9E6	F286	6B82	-----	X6F60080
	F9E7	F287	6B83	-----	X6F70080
	F9E8	F288	6B84	-----	X6F80080
	F9E9	F289	6B85	-----	X6F90080
	F9EA	F28A	6B86	-----	X6FA0080
	F9EB	F28B	6B87	-----	X6FB0080
	F9EC	F28C	6B88	-----	X6FC0080
	F9ED	F28D	6B89	-----	X6FD0080
	F9EE	F28E	6B8A	-----	X6FE0080
	F9EF	F28F	6B8B	-----	X6FF0080

Table 9 User Definable Characters					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
	F9F0	F290	6B8C	-----	X6FG0080
	F9F1	F291	6B8D	-----	X6FH0080
	F9F2	F292	6B8E	-----	X6FI0080
	F9F3	F293	6B8F	-----	X6FJ0080
	F9F4	F294	6B90	-----	X6FK0080
	F9F5	F295	6B91	-----	X6FL0080
	F9F6	F296	6B92	-----	X6FM0080
	F9F7	F297	6B93	-----	X6FN0080
	F9F8	F298	6B94	-----	X6FO0080
	F9F9	F299	6B95	-----	X6FP0080
	F9FA	F29A	6B96	-----	X6FQ0080
	F9FB	F29B	6B97	-----	X6FR0080
	F9FC	F29C	6B98	-----	X6FS0080
	F9FD	F29D	6B99	-----	X6FT0080
	F9FE	F29E	6B9A	-----	X6FU0080
	FAA1	F29F	6B9B	-----	X6FV0080
	FAA2	F2A0	6B9C	-----	X6FW0080
	FAA3	F2A1	6B9D	-----	X6FX0080
	FAA4	F2A2	6B9E	-----	X6FY0080
	FAA5	F2A3	6B9F	-----	X6FZ0080
	FAA6	F2A4	6BA0	-----	X6G00080
	FAA7	F2A5	6BA1	-----	X6G10080
	FAA8	F2A6	6BA2	-----	X6G20080
	FAA9	F2A7	6BA3	-----	X6G30080
	FAAA	F2A8	6BA4	-----	X6G40080
	FAAB	F2A9	6BA5	-----	X6G50080
	FAAC	F2AA	6BA6	-----	X6G60080


IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
 DBCS - EUC

Table 9 User Definable Characters					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
	FAAD	F2AB	6BA7	-----	X6G70080
	FAAE	F2AC	6BA8	-----	X6G80080
	FAAF	F2AD	6BA9	-----	X6G90080
	FAB0	F2AE	6BAA	-----	X6GA0080
	FAB1	F2AF	6BAB	-----	X6GB0080
	FAB2	F2B0	6BAC	-----	X6GC0080
	FAB3	F2B1	6BAD	-----	X6GD0080
	FAB4	F2B2	6BAE	-----	X6GE0080
	FAB5	F2B3	6BAF	-----	X6GF0080
	FAB6	F2B4	6BB0	-----	X6GG0080
	FAB7	F2B5	6BB1	-----	X6GH0080
	FAB8	F2B6	6BB2	-----	X6GI0080
	FAB9	F2B7	6BB3	-----	X6GJ0080
	FABA	F2B8	6BB4	-----	X6GK0080
	FABB	F2B9	6BB5	-----	X6GL0080
	FABC	F2BA	6BB6	-----	X6GM0080
	FABD	F2BB	6BB7	-----	X6GN0080
	FABE	F2BC	6BB8	-----	X6GO0080
	FABF	F2BD	6BB9	-----	X6GP0080
	FAC0	F2BE	6BBA	-----	X6GQ0080
	FAC1	F2BF	6BBB	-----	X6GR0080
	FAC2	F2C0	6BBC	-----	X6GS0080
	FAC3	F2C1	6BBD	-----	X6GT0080
	FAC4	F2C2	6BBE	-----	X6GU0080
	FAC5	F2C3	6BBF	-----	X6GV0080
	FAC6	F2C4	6BC0	-----	X6GW0080
	FAC7	F2C5	6BC1	-----	X6GX0080

Table 9 User Definable Characters					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
	FAC8	F2C6	6BC2	-----	X6GY0080
	FAC9	F2C7	6BC3	-----	X6GZ0080
	FACA	F2C8	6BC4	-----	X6H00080
	FACB	F2C9	6BC5	-----	X6H10080
	FACC	F2CA	6BC6	-----	X6H20080
	FACD	F2CB	6BC7	-----	X6H30080
	FACE	F2CC	6BC8	-----	X6H40080
	FACF	F2CD	6BC9	-----	X6H50080
	FAD0	F2CE	6BCA	-----	X6H60080
	FAD1	F2CF	6BCB	-----	X6H70080
	FAD2	F2D0	6BCC	-----	X6H80080
	FAD3	F2D1	6BCD	-----	X6H90080
	FAD4	F2D2	6BCE	-----	X6HA0080
	FAD5	F2D3	6BCF	-----	X6HB0080
	FAD6	F2D4	6BD0	-----	X6HC0080
	FAD7	F2D5	6BD1	-----	X6HD0080
	FAD8	F2D6	6BD2	-----	X6HE0080
	FAD9	F2D7	6BD3	-----	X6HF0080
	FADA	F2D8	6BD4	-----	X6HG0080
	FADB	F2D9	6BD5	-----	X6HH0080
	FADC	F2DA	6BD6	-----	X6HI0080
	FADD	F2DB	6BD7	-----	X6HJ0080
	FADE	F2DC	6BD8	-----	X6HK0080
	FADF	F2DD	6BD9	-----	X6HL0080
	FAE0	F2DE	6BDA	-----	X6HM0080
	FAE1	F2DF	6BDB	-----	X6HN0080
	FAE2	F2E0	6BDC	-----	X6HO0080


IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
 DBCS - EUC

Table 9 User Definable Characters					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
	FAE3	F2E1	6BDD	-----	X6HP0080
	FAE4	F2E2	6BDE	-----	X6HQ0080
	FAE5	F2E3	6BDF	-----	X6HR0080
	FAE6	F2E4	6BE0	-----	X6HS0080
	FAE7	F2E5	6BE1	-----	X6HT0080
	FAE8	F2E6	6BE2	-----	X6HU0080
	FAE9	F2E7	6BE3	-----	X6HV0080
	FAEA	F2E8	6BE4	-----	X6HW0080
	FAEB	F2E9	6BE5	-----	X6HX0080
	FAEC	F2EA	6BE6	-----	X6HY0080
	FAED	F2EB	6BE7	-----	X6HZ0080
	FAEE	F2EC	6BE8	-----	X6I00080
	FAEF	F2ED	6BE9	-----	X6I10080
	FAF0	F2EE	6BEA	-----	X6I20080
	FAF1	F2EF	6BEB	-----	X6I30080
	FAF2	F2F0	6BEC	-----	X6I40080
	FAF3	F2F1	6BED	-----	X6I50080
	FAF4	F2F2	6BEE	-----	X6I60080
	FAF5	F2F3	6BEF	-----	X6I70080
	FAF6	F2F4	6BF0	-----	X6I80080
	FAF7	F2F5	6BF1	-----	X6I90080
	FAF8	F2F6	6BF2	-----	X6IA0080
	FAF9	F2F7	6BF3	-----	X6IB0080
	FAFA	F2F8	6BF4	-----	X6IC0080
	FAFB	F2F9	6BF5	-----	X6ID0080
	FAFC	F2FA	6BF6	-----	X6IE0080
	FAFD	F2FB	6BF7	-----	X6IF0080

Table 9 User Definable Characters					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
	FAFE	F2FC	6BF8	-----	X6IG0080
	FBA1	F340	6BF9	-----	X6IH0080
	FBA2	F341	6BFA	-----	X6II0080
	FBA3	F342	6BFB	-----	X6IJ0080
	FBA4	F343	6BFC	-----	X6IK0080
	FBA5	F344	6BFD	-----	X6IL0080
	FBA6	F345	6BFE	-----	X6IM0080
	FBA7	F346	6C41	-----	X6IP0080
	FBA8	F347	6C42	-----	X6IQ0080
	FBA9	F348	6C43	-----	X6IR0080
	FBAA	F349	6C44	-----	X6IS0080
	FBAB	F34A	6C45	-----	X6IT0080
	FBAC	F34B	6C46	-----	X6IU0080
	FBAD	F34C	6C47	-----	X6IV0080
	FBAE	F34D	6C48	-----	X6IW0080
	FBAF	F34E	6C49	-----	X6IX0080
	FBB0	F34F	6C4A	-----	X6IY0080
	FBB1	F350	6C4B	-----	X6IZ0080
	FBB2	F351	6C4C	-----	X6J00080
	FBB3	F352	6C4D	-----	X6J10080
	FBB4	F353	6C4E	-----	X6J20080
	FBB5	F354	6C4F	-----	X6J30080
	FBB6	F355	6C50	-----	X6J40080
	FBB7	F356	6C51	-----	X6J50080
	FBB8	F357	6C52	-----	X6J60080
	FBB9	F358	6C53	-----	X6J70080
	FBBA	F359	6C54	-----	X6J80080


IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
 DBCS - EUC

Table 9 User Definable Characters					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
	FBBB	F35A	6C55	-----	X6J90080
	FBBC	F35B	6C56	-----	X6JA0080
	FBBD	F35C	6C57	-----	X6JB0080
	FBBE	F35D	6C58	-----	X6JC0080
	FBBF	F35E	6C59	-----	X6JD0080
	FBC0	F35F	6C5A	-----	X6JE0080
	FBC1	F360	6C5B	-----	X6JF0080
	FBC2	F361	6C5C	-----	X6JG0080
	FBC3	F362	6C5D	-----	X6JH0080
	FBC4	F363	6C5E	-----	X6JI0080
	FBC5	F364	6C5F	-----	X6JJ0080
	FBC6	F365	6C60	-----	X6JK0080
	FBC7	F366	6C61	-----	X6JL0080
	FBC8	F367	6C62	-----	X6JM0080
	FBC9	F368	6C63	-----	X6JN0080
	FBCA	F369	6C64	-----	X6JO0080
	FBCB	F36A	6C65	-----	X6JP0080
	FBC C	F36B	6C66	-----	X6JQ0080
	FBCD	F36C	6C67	-----	X6JR0080
	FBCE	F36D	6C68	-----	X6JS0080
	FBCF	F36E	6C69	-----	X6JT0080
	FBD0	F36F	6C6A	-----	X6JU0080
	FBD1	F370	6C6B	-----	X6JV0080
	FBD2	F371	6C6C	-----	X6JW0080
	FBD3	F372	6C6D	-----	X6JX0080
	FBD4	F373	6C6E	-----	X6JY0080
	FBD5	F374	6C6F	-----	X6JZ0080

Table 9 User Definable Characters					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
	FBD6	F375	6C70	-----	X6K00080
	FBD7	F376	6C71	-----	X6K10080
	FBD8	F377	6C72	-----	X6K20080
	FBD9	F378	6C73	-----	X6K30080
	FBDA	F379	6C74	-----	X6K40080
	FBDB	F37A	6C75	-----	X6K50080
	FDBC	F37B	6C76	-----	X6K60080
	FBDD	F37C	6C77	-----	X6K70080
	FBDE	F37D	6C78	-----	X6K80080
	FBD F	F37E	6C79	-----	X6K90080
	FBE0	F380	6C7A	-----	X6KA0080
	FBE1	F381	6C7B	-----	X6KB0080
	FBE2	F382	6C7C	-----	X6KC0080
	FBE3	F383	6C7D	-----	X6KD0080
	FBE4	F384	6C7E	-----	X6KE0080
	FBE5	F385	6C7F	-----	X6KF0080
	FBE6	F386	6C80	-----	X6KG0080
	FBE7	F387	6C81	-----	X6KH0080
	FBE8	F388	6C82	-----	X6KI0080
	FBE9	F389	6C83	-----	X6KJ0080
	FBEA	F38A	6C84	-----	X6KK0080
	FBEB	F38B	6C85	-----	X6KL0080
	FBEC	F38C	6C86	-----	X6KM0080
	FBED	F38D	6C87	-----	X6KN0080
	FBEE	F38E	6C88	-----	X6KO0080
	FBEF	F38F	6C89	-----	X6KP0080
	FBF0	F390	6C8A	-----	X6KQ0080


 IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
 DBCS - EUC

Table 9 User Definable Characters					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
	FBF1	F391	6C8B	-----	X6KR0080
	FBF2	F392	6C8C	-----	X6KS0080
	FBF3	F393	6C8D	-----	X6KT0080
	FBF4	F394	6C8E	-----	X6KU0080
	FBF5	F395	6C8F	-----	X6KV0080
	FBF6	F396	6C90	-----	X6KW0080
	FBF7	F397	6C91	-----	X6KX0080
	FBF8	F398	6C92	-----	X6KY0080
	FBF9	F399	6C93	-----	X6KZ0080
	FBFA	F39A	6C94	-----	X6L00080
	FBFB	F39B	6C95	-----	X6L10080
	FBFC	F39C	6C96	-----	X6L20080
	FBFD	F39D	6C97	-----	X6L30080
	FBFE	F39E	6C98	-----	X6L40080
	FCA1	F39F	6C99	-----	X6L50080
	FCA2	F3A0	6C9A	-----	X6L60080
	FCA3	F3A1	6C9B	-----	X6L70080
	FCA4	F3A2	6C9C	-----	X6L80080
	FCA5	F3A3	6C9D	-----	X6L90080
	FCA6	F3A4	6C9E	-----	X6LA0080
	FCA7	F3A5	6C9F	-----	X6LB0080
	FCA8	F3A6	6CA0	-----	X6LC0080
	FCA9	F3A7	6CA1	-----	X6LD0080
	FCAA	F3A8	6CA2	-----	X6LE0080
	FCAB	F3A9	6CA3	-----	X6LF0080
	FCAC	F3AA	6CA4	-----	X6LG0080
	FCAD	F3AB	6CA5	-----	X6LH0080

Table 9 User Definable Characters					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
	FCAE	F3AC	6CA6	-----	X6LI0080
	FCAF	F3AD	6CA7	-----	X6LJ0080
	FCB0	F3AE	6CA8	-----	X6LK0080
	FCB1	F3AF	6CA9	-----	X6LL0080
	FCB2	F3B0	6CAA	-----	X6LM0080
	FCB3	F3B1	6CAB	-----	X6LN0080
	FCB4	F3B2	6CAC	-----	X6LO0080
	FCB5	F3B3	6CAD	-----	X6LP0080
	FCB6	F3B4	6CAE	-----	X6LQ0080
	FCB7	F3B5	6CAF	-----	X6LR0080
	FCB8	F3B6	6CB0	-----	X6LS0080
	FCB9	F3B7	6CB1	-----	X6LT0080
	FCBA	F3B8	6CB2	-----	X6LU0080
	FCBB	F3B9	6CB3	-----	X6LV0080
	FCBC	F3BA	6CB4	-----	X6LW0080
	FCBD	F3BB	6CB5	-----	X6LX0080
	FCBE	F3BC	6CB6	-----	X6LY0080
	FCBF	F3BD	6CB7	-----	X6LZ0080
	FCC0	F3BE	6CB8	-----	X6M00080
	FCC1	F3BF	6CB9	-----	X6M10080
	FCC2	F3C0	6CBA	-----	X6M20080
	FCC3	F3C1	6CBB	-----	X6M30080
	FCC4	F3C2	6CBC	-----	X6M40080
	FCC5	F3C3	6CBD	-----	X6M50080
	FCC6	F3C4	6CBE	-----	X6M60080
	FCC7	F3C5	6CBF	-----	X6M70080
	FCC8	F3C6	6CC0	-----	X6M80080


IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
 DBCS - EUC

Table 9 User Definable Characters					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
	FCC9	F3C7	6CC1	-----	X6M90080
	FCCA	F3C8	6CC2	-----	X6MA0080
	FCCB	F3C9	6CC3	-----	X6MB0080
	FCCC	F3CA	6CC4	-----	X6MC0080
	FCCD	F3CB	6CC5	-----	X6MD0080
	FCCE	F3CC	6CC6	-----	X6ME0080
	FCCF	F3CD	6CC7	-----	X6MF0080
	FCD0	F3CE	6CC8	-----	X6MG0080
	FCD1	F3CF	6CC9	-----	X6MH0080
	FCD2	F3D0	6CCA	-----	X6MI0080
	FCD3	F3D1	6CCB	-----	X6MJ0080
	FCD4	F3D2	6CCC	-----	X6MK0080
	FCD5	F3D3	6CCD	-----	X6ML0080
	FCD6	F3D4	6CCE	-----	X6MM0080
	FCD7	F3D5	6CCF	-----	X6MN0080
	FCD8	F3D6	6CD0	-----	X6MO0080
	FCD9	F3D7	6CD1	-----	X6MP0080
	FCDA	F3D8	6CD2	-----	X6MQ0080
	FCDB	F3D9	6CD3	-----	X6MR0080
	FCDC	F3DA	6CD4	-----	X6MS0080
	FCDD	F3DB	6CD5	-----	X6MT0080
	FCDE	F3DC	6CD6	-----	X6MU0080
	FCDF	F3DD	6CD7	-----	X6MV0080
	FCE0	F3DE	6CD8	-----	X6MW0080
	FCE1	F3DF	6CD9	-----	X6MX0080
	FCE2	F3E0	6CDA	-----	X6MY0080
	FCE3	F3E1	6CDB	-----	X6MZ0080

Table 9 User Definable Characters					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
	FCE4	F3E2	6CDC	-----	X6N00080
	FCE5	F3E3	6CDD	-----	X6N10080
	FCE6	F3E4	6CDE	-----	X6N20080
	FCE7	F3E5	6CDF	-----	X6N30080
	FCE8	F3E6	6CE0	-----	X6N40080
	FCE9	F3E7	6CE1	-----	X6N50080
	FCEA	F3E8	6CE2	-----	X6N60080
	FCEB	F3E9	6CE3	-----	X6N70080
	FCEC	F3EA	6CE4	-----	X6N80080
	FCED	F3EB	6CE5	-----	X6N90080
	FCEE	F3EC	6CE6	-----	X6NA0080
	FCEF	F3ED	6CE7	-----	X6NB0080
	FCF0	F3EE	6CE8	-----	X6NC0080
	FCF1	F3EF	6CE9	-----	X6ND0080
	FCF2	F3F0	6CEA	-----	X6NE0080
	FCF3	F3F1	6CEB	-----	X6NF0080
	FCF4	F3F2	6CEC	-----	X6NG0080
	FCF5	F3F3	6CED	-----	X6NH0080
	FCF6	F3F4	6CEE	-----	X6NI0080
	FCF7	F3F5	6CEF	-----	X6NJ0080
	FCF8	F3F6	6CF0	-----	X6NK0080
	FCF9	F3F7	6CF1	-----	X6NL0080
	FCFA	F3F8	6CF2	-----	X6NM0080
	FCFB	F3F9	6CF3	-----	X6NN0080
	FCFC	F3FA	6CF4	-----	X6NO0080
	FCFD	F3FB	6CF5	-----	X6NP0080
	FCFE	F3FC	6CF6	-----	X6NQ0080


IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
 DBCS - EUC

Table 9 User Definable Characters					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
	FDA1	F440	6CF7	-----	X6NR0080
	FDA2	F441	6CF8	-----	X6NS0080
	FDA3	F442	6CF9	-----	X6NT0080
	FDA4	F443	6CFA	-----	X6NU0080
	FDA5	F444	6CFB	-----	X6NV0080
	FDA6	F445	6CFC	-----	X6NW0080
	FDA7	F446	6CFD	-----	X6NX0080
	FDA8	F447	6CFE	-----	X6NY0080
	FDA9	F448	6D41	-----	X6O10080
	FDA A	F449	6D42	-----	X6O20080
	FDA B	F44A	6D43	-----	X6O30080
	FDA C	F44B	6D44	-----	X6O40080
	FDA D	F44C	6D45	-----	X6O50080
	FDA E	F44D	6D46	-----	X6O60080
	FDA F	F44E	6D47	-----	X6O70080
	FDB0	F44F	6D48	-----	X6O80080
	FDB1	F450	6D49	-----	X6O90080
	FDB2	F451	6D4A	-----	X6OA0080
	FDB3	F452	6D4B	-----	X6OB0080
	FDB4	F453	6D4C	-----	X6OC0080
	FDB5	F454	6D4D	-----	X6OD0080
	FDB6	F455	6D4E	-----	X6OE0080
	FDB7	F456	6D4F	-----	X6OF0080
	FDB8	F457	6D50	-----	X6OG0080
	FDB9	F458	6D51	-----	X6OH0080
	FDBA	F459	6D52	-----	X6OI0080
	FDBB	F45A	6D53	-----	X6OJ0080

Table 9 User Definable Characters					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
	FDBC	F45B	6D54	-----	X6OK0080
	FDBD	F45C	6D55	-----	X6OL0080
	FDBE	F45D	6D56	-----	X6OM0080
	FDBF	F45E	6D57	-----	X6ON0080
	FDC0	F45F	6D58	-----	X6OO0080
	FDC1	F460	6D59	-----	X6OP0080
	FDC2	F461	6D5A	-----	X6OQ0080
	FDC3	F462	6D5B	-----	X6OR0080
	FDC4	F463	6D5C	-----	X6OS0080
	FDC5	F464	6D5D	-----	X6OT0080
	FDC6	F465	6D5E	-----	X6OU0080
	FDC7	F466	6D5F	-----	X6OV0080
	FDC8	F467	6D60	-----	X6OW0080
	FDC9	F468	6D61	-----	X6OX0080
	FDC A	F469	6D62	-----	X6OY0080
	FDC B	F46A	6D63	-----	X6OZ0080
	FDC C	F46B	6D64	-----	X6P00080
	FDC D	F46C	6D65	-----	X6P10080
	FDC E	F46D	6D66	-----	X6P20080
	FDC F	F46E	6D67	-----	X6P30080
	FDD0	F46F	6D68	-----	X6P40080
	FDD1	F470	6D69	-----	X6P50080
	FDD2	F471	6D6A	-----	X6P60080
	FDD3	F472	6D6B	-----	X6P70080
	FDD4	F473	6D6C	-----	X6P80080
	FDD5	F474	6D6D	-----	X6P90080
	FDD6	F475	6D6E	-----	X6PA0080



IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Table 9 User Definable Characters					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
	FDD7	F476	6D6F	-----	X6PB0080
	FDD8	F477	6D70	-----	X6PC0080
	FDD9	F478	6D71	-----	X6PD0080
	FDDA	F479	6D72	-----	X6PE0080
	Fddb	F47A	6D73	-----	X6PF0080
	FDDC	F47B	6D74	-----	X6PG0080
	FDDd	F47C	6D75	-----	X6PH0080
	FDDE	F47D	6D76	-----	X6PI0080
	FDDF	F47E	6D77	-----	X6PJ0080
	FDE0	F480	6D78	-----	X6PK0080
	FDE1	F481	6D79	-----	X6PL0080
	FDE2	F482	6D7A	-----	X6PM0080
	FDE3	F483	6D7B	-----	X6PN0080
	FDE4	F484	6D7C	-----	X6PO0080
	FDE5	F485	6D7D	-----	X6PP0080
	FDE6	F486	6D7E	-----	X6PQ0080
	FDE7	F487	6D7F	-----	X6PR0080
	FDE8	F488	6D80	-----	X6PS0080
	FDE9	F489	6D81	-----	X6PT0080
	FDEA	F48A	6D82	-----	X6PU0080
	FDEB	F48B	6D83	-----	X6PV0080
	FDEC	F48C	6D84	-----	X6PW0080
	FDED	F48D	6D85	-----	X6PX0080
	FDEE	F48E	6D86	-----	X6PY0080
	FDEF	F48F	6D87	-----	X6PZ0080
	FDF0	F490	6D88	-----	X6Q00080
	FDF1	F491	6D89	-----	X6Q10080

Table 9 User Definable Characters					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
	FDF2	F492	6D8A	-----	X6Q20080
	FDF3	F493	6D8B	-----	X6Q30080
	FDF4	F494	6D8C	-----	X6Q40080
	FDF5	F495	6D8D	-----	X6Q50080
	FDF6	F496	6D8E	-----	X6Q60080
	FDF7	F497	6D8F	-----	X6Q70080
	FDF8	F498	6D90	-----	X6Q80080
	FDF9	F499	6D91	-----	X6Q90080
	FdFA	F49A	6D92	-----	X6QA0080
	FDFB	F49B	6D93	-----	X6QB0080
	FDFC	F49C	6D94	-----	X6QC0080
	FDFD	F49D	6D95	-----	X6QD0080
	FDFE	F49E	6D96	-----	X6QE0080
	FEA1	F49F	6D97	-----	X6QF0080
	FEA2	F4A0	6D98	-----	X6QG0080
	FEA3	F4A1	6D99	-----	X6QH0080
	FEA4	F4A2	6D9A	-----	X6QI0080
	FEA5	F4A3	6D9B	-----	X6QJ0080
	FEA6	F4A4	6D9C	-----	X6QK0080
	FEA7	F4A5	6D9D	-----	X6QL0080
	FEA8	F4A6	6D9E	-----	X6QM0080
	FEA9	F4A7	6D9F	-----	X6QN0080
	FEAA	F4A8	6DA0	-----	X6QO0080
	FEAB	F4A9	6DA1	-----	X6QP0080
	FEAC	F4AA	6DA2	-----	X6QQ0080
	FEAD	F4AB	6DA3	-----	X6QR0080
	FEAE	F4AC	6DA4	-----	X6QS0080



IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Table 9 User Definable Characters					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
	FEAF	F4AD	6DA5	-----	X6QT0080
	FEB0	F4AE	6DA6	-----	X6QU0080
	FEB1	F4AF	6DA7	-----	X6QV0080
	FEB2	F4B0	6DA8	-----	X6QW0080
	FEB3	F4B1	6DA9	-----	X6QX0080
	FEB4	F4B2	6DAA	-----	X6QY0080
	FEB5	F4B3	6DAB	-----	X6QZ0080
	FEB6	F4B4	6DAC	-----	X6R00080
	FEB7	F4B5	6DAD	-----	X6R10080
	FEB8	F4B6	6DAE	-----	X6R20080
	FEB9	F4B7	6DAF	-----	X6R30080
	FEBA	F4B8	6DB0	-----	X6R40080
	FEBB	F4B9	6DB1	-----	X6R50080
	FEBC	F4BA	6DB2	-----	X6R60080
	FEBD	F4BB	6DB3	-----	X6R70080
	FEBE	F4BC	6DB4	-----	X6R80080
	FEBF	F4BD	6DB5	-----	X6R90080
	FEC0	F4BE	6DB6	-----	X6RA0080
	FEC1	F4BF	6DB7	-----	X6RB0080
	FEC2	F4C0	6DB8	-----	X6RC0080
	FEC3	F4C1	6DB9	-----	X6RD0080
	FEC4	F4C2	6DBA	-----	X6RE0080
	FEC5	F4C3	6DBB	-----	X6RF0080
	FEC6	F4C4	6DBC	-----	X6RG0080
	FEC7	F4C5	6DBD	-----	X6RH0080
	FEC8	F4C6	6DBE	-----	X6RI0080
	FEC9	F4C7	6DBF	-----	X6RJ0080

Table 9 User Definable Characters					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
	FECA	F4C8	6DC0	-----	X6RK0080
	FECB	F4C9	6DC1	-----	X6RL0080
	FEC C	F4CA	6DC2	-----	X6RM0080
	FECD	F4CB	6DC3	-----	X6RN0080
	FECE	F4CC	6DC4	-----	X6RO0080
	FECF	F4CD	6DC5	-----	X6RP0080
	FED0	F4CE	6DC6	-----	X6RQ0080
	FED1	F4CF	6DC7	-----	X6RR0080
	FED2	F4D0	6DC8	-----	X6RS0080
	FED3	F4D1	6DC9	-----	X6RT0080
	FED4	F4D2	6DCA	-----	X6RU0080
	FED5	F4D3	6DCB	-----	X6RV0080
	FED6	F4D4	6DCC	-----	X6RW0080
	FED7	F4D5	6DCD	-----	X6RX0080
	FED8	F4D6	6DCE	-----	X6RY0080
	FED9	F4D7	6DCF	-----	X6RZ0080
	FEDA	F4D8	6DD0	-----	X6S00080
	FEDB	F4D9	6DD1	-----	X6S10080
	FEDC	F4DA	6DD2	-----	X6S20080
	FEDD	F4DB	6DD3	-----	X6S30080
	FEDE	F4DC	6DD4	-----	X6S40080
	FEDF	F4DD	6DD5	-----	X6S50080
	FEE0	F4DE	6DD6	-----	X6S60080
	FEE1	F4DF	6DD7	-----	X6S70080
	FEE2	F4E0	6DD8	-----	X6S80080
	FEE3	F4E1	6DD9	-----	X6S90080
	FEE4	F4E2	6DDA	-----	X6SA0080



IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Table 9 User Definable Characters

Graphic	EUC code	PC code	Host code	JIS code	GCGID
	FEE5	F4E3	6DDB	-----	X6SB0080
	FEE6	F4E4	6DDC	-----	X6SC0080
	FEE7	F4E5	6DDD	-----	X6SD0080
	FEE8	F4E6	6DDE	-----	X6SE0080
	FEE9	F4E7	6DDF	-----	X6SF0080
	FEEA	F4E8	6DE0	-----	X6SG0080
	FEEB	F4E9	6DE1	-----	X6SH0080
	FEEC	F4EA	6DE2	-----	X6SI0080
	FEED	F4EB	6DE3	-----	X6SJ0080
	FEEE	F4EC	6DE4	-----	X6SK0080
	FEEF	F4ED	6DE5	-----	X6SL0080
	FEF0	F4EE	6DE6	-----	X6SM0080
	FEF1	F4EF	6DE7	-----	X6SN0080
	FEF2	F4F0	6DE8	-----	X6SO0080
	FEF3	F4F1	6DE9	-----	X6SP0080
	FEF4	F4F2	6DEA	-----	X6SQ0080
	FEF5	F4F3	6DEB	-----	X6SR0080
	FEF6	F4F4	6DEC	-----	X6SS0080
	FEF7	F4F5	6DED	-----	X6ST0080
	FEF8	F4F6	6DEE	-----	X6SU0080
	FEF9	F4F7	6DEF	-----	X6SV0080
	FEFA	F4F8	6DF0	-----	X6SW0080
	FEFB	F4F9	6DF1	-----	X6SX0080
	FEFC	F4FA	6DF2	-----	X6SY0080
	FEFD	F4FB	6DF3	-----	X6SZ0080
	FEFE	F4FC	6DF4	-----	X6T0080



IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

10. JIS X 0212 Set (G3 of Japanese EUC)

10.1 JIS X 0212 Non-Kanji Set

Table 10 JIS X 0212 Non-Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
	A2C3	FA55	426A	2243	SM650080



IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

10.2 JIS X0212 Kanji Set

Graphic	EUC code	PC code	Host code	JIS code	GCGID
丨	B0A9	FA68	5644	3029	I39G0080
仂	B0C8	FA69	565D	3048	I3A50080
佂	B0D2	FA6B	5665	3052	I3AD0080
仔	B0D4	FA6C	5666	3054	I3AE0080
但	B0E3	FA6D	566A	3063	I3AI0080
佖	B0EE	FA6E	566E	306E	I3AM0080
佗	B1A3	FA70	5671	3123	I3AP0080
佘	B1A7	FA6F	5670	3127	I3AO0080
侏	B1A9	FA72	567B	3129	I3AZ0080
侏	B1AC	FA71	5674	312C	I3AS0080
侑	B1BB	FA61	5294	313B	I2QC0080
侗	B1BE	FA73	5686	313E	I3BA0080
侘	B1C8	FA76	5694	3148	I3BO0080
侘	B1D7	FA77	5698	3157	I3BS0080
侚	B1D8	FA75	5691	3158	I3BL0080
供	B1DF	FA74	568A	315F	I3BE0080
侜	B1E1	FA7A	56A4	3161	I3C40080
依	B1E3	FA78	56A2	3163	I3C20080
侞	B1F4	FA79	56A3	3174	I3C30080
侟	B2A3	FA7B	56A8	3223	I3C80080
侠	B2BB	FA7D	56B5	323B	I3CL0080
価	B2E6	FA7E	56C9	3266	I3D50080
侢	B2ED	FA80	56CE	326D	I3DA0080
侣	B2F5	FA81	56DC	3275	I3DO0080
侤	B2FC	FA82	56E8	327C	I3E00080

Graphic	EUC code	PC code	Host code	JIS code	GCGID
侥	B3B5	FA84	56F7	3335	I3EF0080
侦	B3D8	FA85	574F	3358	I3F30080
侧	B3DB	FA86	5750	335B	I3F40080
侩	B3DD	FB77	5FAA	335D	I4OA0080
侪	B3E5	FA87	5756	3365	I3FA0080
侫	B3EE	FA88	5758	336E	I3FC0080
侬	B3FB	FA89	5761	337B	I3FL0080
侭	B4C0	FA8C	577C	3440	I3GC0080
侩	B4C7	FA8D	5780	3447	I3GG0080
侬	B4D0	FA8E	5787	3450	I3GN0080
侭	B4DE	FA8F	578B	345E	I3GR0080
侭	B5AA	FA91	57A9	352A	I3HL0080
侭	B5AF	FA93	57BD	352F	I3I50080
侭	B5C4	FA94	57C0	3544	I3I80080
侭	B5E8	FA95	57DE	3568	I3J20080
侭	B7C2	FA97	5863	3742	I3KZ0080
侭	B7E4	FA98	586C	3764	I3L80080
侭	B7E7	FA9A	5873	3767	I3LF0080
侭	B7E8	FA99	5870	3768	I3LC0080
侭	B8CE	FA9E	588C	384E	I3M40080
侭	B8E1	FA9F	58A1	3861	I3MP0080
侭	B8F5	FAA0	58AD	3875	I3N10080
侭	B8F7	FAA1	58B0	3877	I3N40080
侭	B8F8	FAA2	58B1	3878	I3N50080
侭	B8FC	FAA3	58B2	387C	I3N60080


IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Table 11 JIS X0212 Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
好	B9AF	FAA4	58BE	392F	I3NI0080
妹	B9B7	FAA5	58C0	3937	I3NK0080
仔	BABE	FAA6	58EC	3A3E	I3OS0080
案	BADB	FAA7	58FC	3A5B	I3P80080
寘	BAE1	FAA9	5942	3A61	I3PE0080
奈	BAEB	FAAB	5951	3A6B	I3PT0080
豈	BBB3	FAAC	5967	3B33	I3QF0080
峇	BBB8	FAAD	5968	3B38	I3QG0080
崧	BBCA	FAAF	5978	3B4A	I3QW0080
律	BBD0	FAB2	5984	3B50	I3R80080
磅	BBDE	FAB3	5987	3B5E	I3RB0080
嶸	BBF4	FAB4	5993	3B74	I3RN0080
嶸	BBF5	FAB5	5995	3B75	I3RP0080
嶸	BBF9	FAB6	5997	3B79	I3RR0080
鉅	BCE4	FAB7	59C7	3C64	I3T30080
葶	BCED	FAB8	59CB	3C6D	I3T70080
薊	BCF4	FA67	53C7	3C74	I2X30080
彘	BCFE	FAB9	59D8	3C7E	I3TK0080
恣	BDC2	FABB	59F1	3D42	I3U90080
愬	BDE7	FABC	5A44	3D67	I3US0080
愬	BDF0	FABE	5A57	3D70	I3VB0080
惕	BEAC	FAC0	5A65	3E2C	I3VP0080
愬	BEB0	FABF	5A5F	3E30	I3VJ0080
惴	BEB3	FAC2	5A68	3E33	I3VS0080
惴	BEBD	FAC3	5A76	3E3D	I3W60080
愬	BEC9	FAC5	5A7E	3E49	I3WE0080
愬	BECD	FAC4	5A79	3E4D	I3W90080

Table 11 JIS X0212 Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
憊	BEE4	FAC6	5A94	3E64	I3X00080
或	BFA8	FAC7	5AB5	3F28	I3XX0080
柄	BFC9	FAC8	5ADA	3F49	I3YY0080
捷	C0C4	FAC9	5AFB	4044	I3ZV0080
摠	C0E4	FACA	5B50	4064	I40G0080
擣	C0F4	FACB	5B53	4074	I40J0080
擎	C1A6	FACC	5B54	4126	I40K0080
昀	C1F5	FACE	5B97	4175	I42F0080
昉	C1F8	FAD1	5B9D	4178	I42L0080
昕	C1FC	FACF	5B98	417C	I42G0080
晒	C2A1	FAD3	5BA1	4221	I42P0080
聆	C2A5	FAD4	5BA4	4225	I42S0080
昷	C2AB	FAD2	5BA0	422B	I42O0080
昱	C2AD	FA63	52EB	422D	I2SR0080
晗	C2B8	FAD6	5BA8	4238	I42W0080
睽	C2BA	FAD7	5BAB	423A	I42Z0080
晷	C2BF	FA66	5397	423F	I2VR0080
晷	C2C4	FAD9	5BAF	4244	I4330080
晷	C2D2	FADA	5BB4	4252	I4380080
晷	C2D7	FADB	5BB6	4257	I43A0080
晷	C2DB	FADC	5BB8	425B	I43C0080
晷	C2DE	FADD	5BBB	425E	I43F0080
曹	C2ED	FADE	5BC7	426D	I43R0080
脛	C2F0	FADF	5BC8	4270	I43S0080
杓	C3A1	FAE1	5BD8	4321	I4480080
柁	C3B5	FAE2	5BE3	4335	I44J0080
柁	C3B9	FAE4	5BF0	4339	I44W0080


IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Table 11 JIS X0212 Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
栞	C3C9	FAE3	5BEC	4349	I44S0080
桃	C3D8	FAE6	5BF9	4358	I4550080
精	C3FC	FA64	5386	437C	I2VA0080
梲	C3FE	FAE7	5C5F	437E	I4670080
楨	C4CC	FAE9	5C6E	444C	I46M0080
桀	C4D9	FAEB	5C79	4459	I46X0080
櫛	C4EA	FAEC	5C90	446A	I47K0080
櫛	C4FD	FAED	5C9A	447D	I47U0080
櫛	C5A7	FAEF	5CA6	4527	I4860080
櫛	C5B5	FAF0	5CA9	4535	I4890080
櫛	C5B6	FAF1	5CAF	4536	I48F0080
櫛	C5D5	FAF3	5CBC	4555	I48S0080
炆	C6B8	FAF4	5CEA	4638	I4A20080
汩	C6D7	FAF5	5CF6	4657	I4AE0080
汩	C6E0	FAF6	5CF9	4660	I4AH0080
汩	C6E3	FAF8	5CFE	4663	I4AM0080
沆	C6EA	FAF7	5CFD	466A	I4AL0080
泚	C7A1	FAF9	5D4E	4721	I4B20080
洄	C7AB	FAFA	5D58	472B	I4BC0080
浯	C7C3	FAFC	5D62	4743	I4BM0080
涇	C7C7	FAFB	5D60	4747	I4BK0080
涖	C7CB	FB40	5D6B	474B	I4BV0080
涿	C7CF	FB41	5D72	474F	I4C20080
溟	C7D9	FB42	5D74	4759	I4C40080
淼	C7E6	FB45	5D80	4766	I4CG0080
滌	C7EB	FB48	5D93	476B	I4CZ0080
洵	C7EE	FB46	5D8A	476E	I4CQ0080

Table 11 JIS X0212 Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
渼	C7F0	FB49	5D95	4770	I4D10080
渼	C7FC	FB47	5D8E	477C	I4CU0080
澗	C8B1	FB4A	5DA6	4831	I4DI0080
澈	C8E5	FB4B	5DC1	4865	I4E90080
漸	C8F8	FB4C	5DCA	4878	I4EI0080
瀆	C9A6	FB4D	5DD5	4926	I4ET0080
瀆	C9AB	FB4E	5DD7	492B	I4EV0080
瀆	C9AD	FB4F	5DD8	492D	I4EW0080
炅	C9CA	FB51	5DEA	494A	I4FE0080
炫	C9D3	FB52	5DED	4953	I4FH0080
焄	C9E3	FB54	5DF6	4963	I4FQ0080
炆	C9E9	FB53	5DF5	4969	I4FP0080
焄	C9F4	FB56	5DFC	4974	I4FW0080
輝	C9F5	FB57	5DFD	4975	I4FX0080
焄	C9FC	FB55	5DFB	497C	I4FV0080
燁	CAB3	FB59	5E4B	4A33	I4GB0080
燾	CABD	FB5A	5E5A	4A3D	I4GQ0080
狻	CAEF	FB5B	5E73	4A6F	I4HF0080
狻	CAF1	FB5C	5E75	4A71	I4HH0080
狻	CBAE	FB5D	5E86	4B2E	I4HY0080
獠	CBCA	FB5F	5E94	4B4A	I4IC0080
珣	CBE6	FB60	5E99	4B66	I4IH0080
珣	CBEA	FB61	5E9E	4B6A	I4IM0080
肆	CBEE	FB64	5EA2	4B6E	I4IQ0080
珣	CBF0	FB62	5E9F	4B70	I4IN0080
珣	CBF4	FB63	5EA1	4B74	I4IP0080
珣	CBF9	FB66	5EA8	4B79	I4IW0080


IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Table 11 JIS X0212 Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
琇	CCA5	FB65	5EA7	4C25	I4IV0080
琦	CCAB	FB67	5EAA	4C2B	I4IY0080
琚	CCAD	FB69	5EAD	4C2D	I4J10080
琪	CCA E	FB68	5EAB	4C2E	I4IZ0080
琮	CCB2	FB6A	5EAE	4C32	I4J20080
琤	CCC2	FB6B	5EBC	4C42	I4JG0080
璉	CCD0	FB6C	5EBD	4C50	I4JH0080
璟	CCD9	FB6D	5EC0	4C59	I4JK0080
甯	CDA A	FAA8	58FE	4D2A	I3PA0080
峻	CDBB	FB6F	5EE7	4D3B	I4KN0080
晶	CEBA	FB73	5F72	4E3A	I4MQ0080
皜	CEBB	FB71	5F70	4E3B	I4MO0080
皦	CEC3	FB74	5F73	4E43	I4MR0080
皖	CEF2	FB76	5F8E	4E72	I4NI0080
砒	CFD5	FB78	5FAE	4F55	I4OE0080
砑	CFE2	FB79	5FB2	4F62	I4OI0080
硃	CFE9	FB7A	5FB3	4F69	I4OJ0080
硃	CFED	FB7B	5FB6	4F6D	I4OM0080
禔	D0E5	FB81	5FDC	5065	I4PO0080
禛	D0E9	FB83	5FDF	5069	I4PR0080
竝	D1E8	FB84	604F	5168	I4R30080
諍	D1EC	FB87	605A	516C	I4RE0080
簪	D2BB	FB88	6082	523B	I4SI0080
紉	D3E1	FB8A	60C4	5361	I4UC0080
紉	D3E8	FB8B	60C6	5368	I4UE0080
絳	D4A7	FB8C	60D4	5427	I4US0080
繪	D4D4	FB8F	60FD	5454	I4VX0080

Table 11 JIS X0212 Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
續	D4E3	FA5C	51BF	5463	I2M70080
罇	D4F2	FB90	6157	5472	I4WN0080
羨	D5AE	FB91	616E	552E	I4XA0080
茁	D7DE	FB93	61F8	575E	I5140080
茂	D8A2	FB95	625B	5822	I5230080
菇	D8B7	FB96	6267	5837	I52F0080
萃	D8C1	FB97	6274	5841	I52S0080
藁	D8D1	FB98	627E	5851	I5320080
蒨	D8F4	FB99	628A	5874	I53E0080
葩	D9A1	FA60	527B	5921	I2PN0080
藁	D9C6	FB9A	629E	5946	I53Y0080
蕙	D9C8	FB9B	62A1	5948	I5410080
董	D9D1	FB9C	62A8	5951	I5480080
裊	DCD3	FBA2	6390	5C53	I58W0080
襖	DCDF	FA5D	51DA	5C5F	I2MY0080
訃	DDC8	FBA3	63C5	5D48	I5AD0080
諄	DDD4	FBA4	63CB	5D54	I5AJ0080
詹	DDEA	FBA5	63D4	5D6A	I5AS0080
誦	DDFA	FBA6	63DF	5D7A	I5B30080
閻	DEA4	FBA7	63E1	5E24	I5B50080
諛	DEB0	FBA8	63ED	5E30	I5BH0080
諛	DEB5	FBA A	63EF	5E35	I5BJ0080
諛	DECB	FBAB	6445	5E4B	I5C50080
賄	DFB9	FBAD	647C	5F39	I5DO0080
贖	DFC3	FBAF	6485	5F43	I5DX0080
軛	E0D9	FBB2	64C9	6059	I5FT0080
遑	E1E2	FBB5	6553	6162	I5HV0080


IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Table 11 JIS X0212 Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
鄧	E2C7	FBB9	656B	6247	I5IJ0080
釧	E3A6	FBBB	6585	6326	I5J90080
釧	E3A8	FBBA	6583	6328	I5J70080
釧	E3A9	FBBC	6586	6329	I5JA0080
釧	E3AA	FBBF	658D	632A	I5JH0080
釧	E3AB	FBC0	658F	632B	I5JJ0080
釧	E3AF	FBBD	658A	632F	I5JE0080
釧	E3B0	FBBE	658C	6330	I5JG0080
釧	E3BC	FBC1	6590	633C	I5JK0080
釧	E3BF	FBC3	6595	633F	I5JP0080
釧	E3C1	FBC2	6593	6341	I5JN0080
釧	E3D4	FBCA	65A6	6354	I5K60080
釧	E3D5	FBC4	659B	6355	I5JV0080
釧	E3D6	FBC6	659F	6356	I5JZ0080
釧	E3D8	FBC5	659E	6358	I5JY0080
釧	E3DF	FBC7	65A1	635F	I5K10080
釧	E3E1	FBC9	65A5	6361	I5K50080
釧	E3E3	FBC8	65A3	6363	I5K30080
釧	E3E9	FBCB	65A8	6369	I5K80080
釧	E3F1	FBCD	65AC	6371	I5KC0080
釧	E3F2	FBCE	65AD	6372	I5KD0080
釧	E3F8	FA5F	524B	6378	I2OB0080
釧	E4A6	FBCC	65AB	6426	I5KB0080
釧	E4BE	FBD2	65B7	643E	I5KN0080
釧	E4BF	FBD6	65BD	643F	I5KT0080
釧	E4C0	FBD4	65B9	6440	I5KP0080
釧	E4C1	FBD0	65B5	6441	I5KL0080

Table 11 JIS X0212 Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
鋳	E4C3	FBD1	65B6	6443	I5KM0080
鋳	E4C7	FBD5	65BC	6447	I5KS0080
鋳	E4CB	FBCF	65B4	644B	I5KK0080
鋳	E4D0	FA65	5394	6450	I2VO0080
鋳	E4D1	FBD9	65C5	6451	I5L10080
鋳	E4D2	FBDC	65C9	6452	I5L50080
鋳	E4D4	FBDE	65CE	6454	I5LA0080
鋳	E4DB	FBDD	65CC	645B	I5L80080
鋳	E4DC	FBDB	65C8	645C	I5L40080
鋳	E4DE	FBD8	65C3	645E	I5KZ0080
鋳	E4E0	FBD7	65C1	6460	I5KX0080
鋳	E4E9	FA5E	51F7	6469	I2NR0080
鋳	E4EF	FBE0	65D5	646F	I5LH0080
鋳	E4FA	FBDF	65D0	647A	I5LC0080
鋳	E5B3	FBE1	65D8	6533	I5LK0080
鋳	E5BF	FBE2	65DD	653F	I5LP0080
鋳	E5C9	FBE3	65E4	6549	I5LW0080
鋳	E5D0	FBE4	65E8	6550	I5M00080
鋳	E5E2	FBE5	65F0	6562	I5M80080
鋳	E5EA	FBE6	65F4	656A	I5MC0080
鋳	E5EB	FBE7	65F6	656B	I5ME0080
鋳	E6E8	FBEB	6679	6668	I5O90080
鋳	E6EF	FBEC	667F	666F	I5OF0080
鋳	E7AC	FBED	6697	672C	I5P30080
鋳	E7AE	FBED	669E	672E	I5PA0080
鋳	E7B1	FBF1	66A3	6731	I5PF0080
鋳	E7B2	FBF3	66A5	6732	I5PH0080



IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Table 11 JIS X0212 Kanji Set

Graphic	EUC code	PC code	Host code	JIS code	GCGID
顛	E8B1	FBF4	66CB	6831	I5QJ0080
顛	E8B6	FBF5	66CC	6836	I5QK0080
餒	E8DD	FBF8	66E5	685D	I5R90080
隣	E9D1	FBFB	6759	6951	I5SP0080
隣	E9ED	FC40	676C	696D	I5T80080
鯨	EACD	FC41	678F	6A4D	I5U70080
鯨	EADB	FC43	6793	6A5B	I5UB0080
鯨	EAE6	FC44	679B	6A66	I5UJ0080
鯨	EAEA	FC45	679F	6A6A	I5UN0080
鯨	EBA5	FC46	67B1	6B25	I5V50080
鵠	EBFA	FC48	67E4	6B7A	I5WK0080
鵠	EBFB	FC47	67E2	6B7B	I5WI0080
鵠	ECD6	FC4A	67FE	6C56	I5XA0080



IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

10.3 IBM-Selected Non-Kanji Set

Table 12 IBM Selected Non-Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
i	F3A1	FA40	41B1	-----	NR010080
ii	F3A2	FA41	41B2	-----	NR020080
iii	F3A3	FA42	41B3	-----	NR030080
iv	F3A4	FA43	41B4	-----	NR040080
v	F3A5	FA44	41B5	-----	NR050080
vi	F3A6	FA45	41B6	-----	NR060080
vii	F3A7	FA46	41B7	-----	NR070080
viii	F3A8	FA47	41B8	-----	NR080080
ix	F3A9	FA48	41B9	-----	NR090080
x	F3AA	FA49	41BA	-----	NR100080
I	F3AB	FA4A	41F1	-----	NR110080
II	F3AC	FA4B	41F2	-----	NR120080
III	F3AD	FA4C	41F3	-----	NR130080
IV	F3AE	FA4D	41F4	-----	NR140080
V	F3AF	FA4E	41F5	-----	NR150080
VI	F3B0	FA4F	41F6	-----	NR160080
VII	F3B1	FA50	41F7	-----	NR170080
VIII	F3B2	FA51	41F8	-----	NR180080
IX	F3B3	FA52	41F9	-----	NR190080
X	F3B4	FA53	41FA	-----	NR200080
'	F3B5	FA56	427D	-----	SP050080
"	F3B6	FA57	427F	-----	SP040080
(株)	F3B7	FA58	446D	-----	SS740080
No.	F3B8	FA59	446E	-----	SM000080
TEL	F3B9	FA5A	446F	-----	SS710080



IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

10.4 IBM-Selected Kanji Set

Graphic	EUC code	PC code	Host code	JIS code	GCGID
焔	F4A1	FA62	529E	-----	I2QM0080
任	F4A2	FA6A	5662	-----	I3AA0080
僣	F4A3	FA7C	56B2	-----	I3CI0080
夙	F4A4	FA83	56EF	-----	I3E70080
匆	F4A5	FA8A	5763	-----	I3FN0080
匡	F4A6	FA8B	576B	-----	I3FV0080
雙	F4A7	FA90	578E	-----	I3GU0080
咏	F4A8	FA92	57AE	-----	I3HQ0080
埜	F4A9	FA96	5860	-----	I3KW0080
塔	F4AA	FA9B	5877	-----	I3LJ0080
塚	F4AB	FA9C	5882	-----	I3LU0080
增	F4AC	FA9D	588A	-----	I3M20080
寬	F4AE	FAAA	5944	-----	I3PG0080
峻	F4AF	FAAE	5970	-----	I3QO0080
崑	F4B0	FAB0	597F	-----	I3R30080
崎	F4B1	FAB1	5980	-----	I3R40080
德	F4B2	FABA	59E8	-----	I3U00080
悅	F4B3	FABD	5A51	-----	I3V50080
愠	F4B4	FAC1	5A67	-----	I3VR0080
教	F4B5	FACD	5B7E	-----	I41Q0080
昂	F4B6	FAD0	4F9F	-----	I2AN0080
皖	F4B7	FAD5	5BA7	-----	I42V0080
晴	F4B8	FAD8	5BAE	-----	I4320080
朗	F4B9	FAE0	5BC9	-----	I43T0080
柳	F4BA	FAE5	5BF3	-----	I44Z0080
楸	F4BB	FAE8	5C66	-----	I46E0080

Graphic	EUC code	PC code	Host code	JIS code	GCGID
榉	F4BC	FAEA	5C78	-----	I46W0080
橫	F4BD	FAEE	5C9B	-----	I47V0080
檄	F4BE	FAF2	5CB9	-----	I48P0080
清	F4BF	FB43	5D7A	-----	I4CA0080
澆	F4C0	FB44	5D7F	-----	I4CF0080
瀨	F4C2	FB50	5DE3	-----	I4F70080
瀝	F4C4	FB58	5E49	-----	I4G90080
猪	F4C5	FB5E	5E8A	-----	I4I20080
瓶	F4C6	FB6E	5ED1	-----	I4K10080
皂	F4C7	FB70	5F69	-----	I4MH0080
皦	F4C8	FB72	5F71	-----	I4MP0080
益	F4C9	FB75	5F7A	-----	I4MY0080
礪	F4CB	FB7C	5FD1	-----	I4PD0080
礼	F4CC	FB7D	5FD2	-----	I4PE0080
神	F4CD	FB7E	5FD5	-----	I4PH0080
祥	F4CE	FB80	5FD9	-----	I4PL0080
福	F4CF	FB82	5FDD	-----	I4PP0080
靖	F4D0	FB85	6058	-----	I4RC0080
靖	F4D1	FB86	6059	-----	I4RD0080
精	F4D3	FB89	60AD	-----	I4TP0080
綠	F4D4	FB8D	60DA	-----	I4UY0080
緒	F4D5	FB8E	60E1	-----	I4V50080
羽	F4D6	FB92	6177	-----	I4XJ0080
苧	F4D7	FB94	6248	-----	I51K0080
藹	F4D8	FB9D	62B9	-----	I54P0080
薰	F4D9	FB9E	62BB	-----	I54R0080



IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Table 13 IBM Selected Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
蘊	F4DA	FB9F	62CE	-----	I55A0080
蛀	F4DB	FBA0	62E2	-----	I55U0080
蠓	F4DC	FBA1	635E	-----	I57I0080
諸	F4DE	FBA9	63EE	-----	I5BI0080
譚	F4DF	FBAC	6450	-----	I5CG0080
賴	F4E0	FBAE	647D	-----	I5DP0080
赶	F4E1	FBB0	648D	-----	I5E50080
尅	F4E2	FBB1	648E	-----	I5E60080
返	F4E3	FBB3	64F1	-----	I5GX0080
逸	F4E4	FBB4	6549	-----	I5HL0080
郎	F4E5	FBB6	6564	-----	I5IC0080
都	F4E6	FBB7	6566	-----	I5IE0080
鄉	F4E7	FBB8	6567	-----	I5IF0080
銖	F4E8	FBD3	65B8	-----	I5KO0080
銖	F4E9	FBDA	65C6	-----	I5L20080
閒	F4EA	FBE8	664A	-----	I5MY0080
隆	F4EB	FBE9	6674	-----	I5O40080
隄	F4EC	FBEA	6678	-----	I5O80080
靈	F4ED	FBEE	6699	-----	I5P50080
靄	F4EE	FBF0	66A2	-----	I5PE0080
青	F4EF	FBF2	66A4	-----	I5PG0080
飯	F4F1	FBF6	66DD	-----	I5R10080
飼	F4F2	FBF7	66DF	-----	I5R30080
館	F4F3	FBF9	66E6	-----	I5RA0080
替	F4F4	FBFA	66F9	-----	I5RT0080
高	F4F5	FBFC	676B	-----	I5T70080
鮪	F4F6	FC42	6791	-----	I5U90080

Table 13 IBM Selected Kanji Set					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
鶴	F4F7	FC49	67F4	-----	I5X00080
黑	F4F8	FC4B	6856	-----	I5XY0080



IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

10.5 User Definable Characters

Table 14 User Definable Characters					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
	F5A1	F540	6DF5	-----	X6T10080
	F5A2	F541	6DF6	-----	X6T20080
	F5A3	F542	6DF7	-----	X6T30080
	F5A4	F543	6DF8	-----	X6T40080
	F5A5	F544	6DF9	-----	X6T50080
	F5A6	F545	6DFA	-----	X6T60080
	F5A7	F546	6DFB	-----	X6T70080
	F5A8	F547	6DFC	-----	X6T80080
	F5A9	F548	6DFD	-----	X6T90080
	F5AA	F549	6DFE	-----	X6TA0080
	F5AB	F54A	6E41	-----	X6TD0080
	F5AC	F54B	6E42	-----	X6TE0080
	F5AD	F54C	6E43	-----	X6TF0080
	F5AE	F54D	6E44	-----	X6TG0080
	F5AF	F54E	6E45	-----	X6TH0080
	F5B0	F54F	6E46	-----	X6TI0080
	F5B1	F550	6E47	-----	X6TJ0080
	F5B2	F551	6E48	-----	X6TK0080
	F5B3	F552	6E49	-----	X6TL0080
	F5B4	F553	6E4A	-----	X6TM0080
	F5B5	F554	6E4B	-----	X6TN0080
	F5B6	F555	6E4C	-----	X6TO0080
	F5B7	F556	6E4D	-----	X6TP0080
	F5B8	F557	6E4E	-----	X6TQ0080
	F5B9	F558	6E4F	-----	X6TR0080

Table 14 User Definable Characters					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
	F5BA	F559	6E50	-----	X6TS0080
	F5BB	F55A	6E51	-----	X6TT0080
	F5BC	F55B	6E52	-----	X6TU0080
	F5BD	F55C	6E53	-----	X6TV0080
	F5BE	F55D	6E54	-----	X6TW0080
	F5BF	F55E	6E55	-----	X6TX0080
	F5C0	F55F	6E56	-----	X6TY0080
	F5C1	F560	6E57	-----	X6TZ0080
	F5C2	F561	6E58	-----	X6U00080
	F5C3	F562	6E59	-----	X6U10080
	F5C4	F563	6E5A	-----	X6U20080
	F5C5	F564	6E5B	-----	X6U30080
	F5C6	F565	6E5C	-----	X6U40080
	F5C7	F566	6E5D	-----	X6U50080
	F5C8	F567	6E5E	-----	X6U60080
	F5C9	F568	6E5F	-----	X6U70080
	F5CA	F569	6E60	-----	X6U80080
	F5CB	F56A	6E61	-----	X6U90080
	F5CC	F56B	6E62	-----	X6UA0080
	F5CD	F56C	6E63	-----	X6UB0080
	F5CE	F56D	6E64	-----	X6UC0080
	F5CF	F56E	6E65	-----	X6UD0080
	F5D0	F56F	6E66	-----	X6UE0080
	F5D1	F570	6E67	-----	X6UF0080
	F5D2	F571	6E68	-----	X6UG0080



IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Table 14 User Definable Characters					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
	F5D3	F572	6E69	-----	X6UH0080
	F5D4	F573	6E6A	-----	X6UI0080
	F5D5	F574	6E6B	-----	X6UJ0080
	F5D6	F575	6E6C	-----	X6UK0080
	F5D7	F576	6E6D	-----	X6UL0080
	F5D8	F577	6E6E	-----	X6UM0080
	F5D9	F578	6E6F	-----	X6UN0080
	F5DA	F579	6E70	-----	X6UO0080
	F5DB	F57A	6E71	-----	X6UP0080
	F5DC	F57B	6E72	-----	X6UQ0080
	F5DD	F57C	6E73	-----	X6UR0080
	F5DE	F57D	6E74	-----	X6US0080
	F5DF	F57E	6E75	-----	X6UT0080
	F5E0	F580	6E76	-----	X6UU0080
	F5E1	F581	6E77	-----	X6UV0080
	F5E2	F582	6E78	-----	X6UW0080
	F5E3	F583	6E79	-----	X6UX0080
	F5E4	F584	6E7A	-----	X6UY0080
	F5E5	F585	6E7B	-----	X6UZ0080
	F5E6	F586	6E7C	-----	X6V00080
	F5E7	F587	6E7D	-----	X6V10080
	F5E8	F588	6E7E	-----	X6V20080
	F5E9	F589	6E7F	-----	X6V30080
	F5EA	F58A	6E80	-----	X6V40080
	F5EB	F58B	6E81	-----	X6V50080
	F5EC	F58C	6E82	-----	X6V60080
	F5ED	F58D	6E83	-----	X6V70080

Table 14 User Definable Characters					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
	F5EE	F58E	6E84	-----	X6V80080
	F5EF	F58F	6E85	-----	X6V90080
	F5F0	F590	6E86	-----	X6VA0080
	F5F1	F591	6E87	-----	X6VB0080
	F5F2	F592	6E88	-----	X6VC0080
	F5F3	F593	6E89	-----	X6VD0080
	F5F4	F594	6E8A	-----	X6VE0080
	F5F5	F595	6E8B	-----	X6VF0080
	F5F6	F596	6E8C	-----	X6VG0080
	F5F7	F597	6E8D	-----	X6VH0080
	F5F8	F598	6E8E	-----	X6VI0080
	F5F9	F599	6E8F	-----	X6VJ0080
	F5FA	F59A	6E90	-----	X6VK0080
	F5FB	F59B	6E91	-----	X6VL0080
	F5FC	F59C	6E92	-----	X6VM0080
	F5FD	F59D	6E93	-----	X6VN0080
	F5FE	F59E	6E94	-----	X6VO0080
	F6A1	F59F	6E95	-----	X6VP0080
	F6A2	F5A0	6E96	-----	X6VQ0080
	F6A3	F5A1	6E97	-----	X6VR0080
	F6A4	F5A2	6E98	-----	X6VS0080
	F6A5	F5A3	6E99	-----	X6VT0080
	F6A6	F5A4	6E9A	-----	X6VU0080
	F6A7	F5A5	6E9B	-----	X6VV0080
	F6A8	F5A6	6E9C	-----	X6VW0080
	F6A9	F5A7	6E9D	-----	X6VX0080
	F6AA	F5A8	6E9E	-----	X6VY0080



IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Table 14 User Definable Characters					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
	F6AB	F5A9	6E9F	-----	X6VZ0080
	F6AC	F5AA	6EA0	-----	X6W00080
	F6AD	F5AB	6EA1	-----	X6W10080
	F6AE	F5AC	6EA2	-----	X6W20080
	F6AF	F5AD	6EA3	-----	X6W30080
	F6B0	F5AE	6EA4	-----	X6W40080
	F6B1	F5AF	6EA5	-----	X6W50080
	F6B2	F5B0	6EA6	-----	X6W60080
	F6B3	F5B1	6EA7	-----	X6W70080
	F6B4	F5B2	6EA8	-----	X6W80080
	F6B5	F5B3	6EA9	-----	X6W90080
	F6B6	F5B4	6EAA	-----	X6WA0080
	F6B7	F5B5	6EAB	-----	X6WB0080
	F6B8	F5B6	6EAC	-----	X6WC0080
	F6B9	F5B7	6EAD	-----	X6WD0080
	F6BA	F5B8	6EAE	-----	X6WE0080
	F6BB	F5B9	6EAF	-----	X6WF0080
	F6BC	F5BA	6EB0	-----	X6WG0080
	F6BD	F5BB	6EB1	-----	X6WH0080
	F6BE	F5BC	6EB2	-----	X6WI0080
	F6BF	F5BD	6EB3	-----	X6WJ0080
	F6C0	F5BE	6EB4	-----	X6WK0080
	F6C1	F5BF	6EB5	-----	X6WL0080
	F6C2	F5C0	6EB6	-----	X6WM0080
	F6C3	F5C1	6EB7	-----	X6WN0080
	F6C4	F5C2	6EB8	-----	X6WO0080
	F6C5	F5C3	6EB9	-----	X6WP0080

Table 14 User Definable Characters					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
	F6C6	F5C4	6EBA	-----	X6WQ0080
	F6C7	F5C5	6EBB	-----	X6WR0080
	F6C8	F5C6	6EBC	-----	X6WS0080
	F6C9	F5C7	6EBD	-----	X6WT0080
	F6CA	F5C8	6EBE	-----	X6WU0080
	F6CB	F5C9	6EBF	-----	X6WV0080
	F6CC	F5CA	6EC0	-----	X6WW0080
	F6CD	F5CB	6EC1	-----	X6WX0080
	F6CE	F5CC	6EC2	-----	X6WY0080
	F6CF	F5CD	6EC3	-----	X6WZ0080
	F6D0	F5CE	6EC4	-----	X6X00080
	F6D1	F5CF	6EC5	-----	X6X10080
	F6D2	F5D0	6EC6	-----	X6X20080
	F6D3	F5D1	6EC7	-----	X6X30080
	F6D4	F5D2	6EC8	-----	X6X40080
	F6D5	F5D3	6EC9	-----	X6X50080
	F6D6	F5D4	6ECA	-----	X6X60080
	F6D7	F5D5	6ECB	-----	X6X70080
	F6D8	F5D6	6ECC	-----	X6X80080
	F6D9	F5D7	6ECD	-----	X6X90080
	F6DA	F5D8	6ECE	-----	X6XA0080
	F6DB	F5D9	6ECF	-----	X6XB0080
	F6DC	F5DA	6ED0	-----	X6XC0080
	F6DD	F5DB	6ED1	-----	X6XD0080
	F6DE	F5DC	6ED2	-----	X6XE0080
	F6DF	F5DD	6ED3	-----	X6XF0080
	F6E0	F5DE	6ED4	-----	X6XG0080



IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Table 14 User Definable Characters					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
	F6E1	F5DF	6ED5	-----	X6XH0080
	F6E2	F5E0	6ED6	-----	X6XI0080
	F6E3	F5E1	6ED7	-----	X6XJ0080
	F6E4	F5E2	6ED8	-----	X6XK0080
	F6E5	F5E3	6ED9	-----	X6XL0080
	F6E6	F5E4	6EDA	-----	X6XM0080
	F6E7	F5E5	6EDB	-----	X6XN0080
	F6E8	F5E6	6EDC	-----	X6XO0080
	F6E9	F5E7	6EDD	-----	X6XP0080
	F6EA	F5E8	6EDE	-----	X6XQ0080
	F6EB	F5E9	6EDF	-----	X6XR0080
	F6EC	F5EA	6EE0	-----	X6XS0080
	F6ED	F5EB	6EE1	-----	X6XT0080
	F6EE	F5EC	6EE2	-----	X6XU0080
	F6EF	F5ED	6EE3	-----	X6XV0080
	F6F0	F5EE	6EE4	-----	X6XW0080
	F6F1	F5EF	6EE5	-----	X6XX0080
	F6F2	F5F0	6EE6	-----	X6XY0080
	F6F3	F5F1	6EE7	-----	X6XZ0080
	F6F4	F5F2	6EE8	-----	X6Y00080
	F6F5	F5F3	6EE9	-----	X6Y10080
	F6F6	F5F4	6EEA	-----	X6Y20080
	F6F7	F5F5	6EEB	-----	X6Y30080
	F6F8	F5F6	6EEC	-----	X6Y40080
	F6F9	F5F7	6EED	-----	X6Y50080
	F6FA	F5F8	6EEE	-----	X6Y60080
	F6FB	F5F9	6EEF	-----	X6Y70080

Table 14 User Definable Characters					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
	F6FC	F5FA	6EF0	-----	X6Y80080
	F6FD	F5FB	6EF1	-----	X6Y90080
	F6FE	F5FC	6EF2	-----	X6YA0080
	F7A1	F640	6EF3	-----	X6YB0080
	F7A2	F641	6EF4	-----	X6YC0080
	F7A3	F642	6EF5	-----	X6YD0080
	F7A4	F643	6EF6	-----	X6YE0080
	F7A5	F644	6EF7	-----	X6YF0080
	F7A6	F645	6EF8	-----	X6YG0080
	F7A7	F646	6EF9	-----	X6YH0080
	F7A8	F647	6EFA	-----	X6YI0080
	F7A9	F648	6EFB	-----	X6YJ0080
	F7AA	F649	6EFC	-----	X6YK0080
	F7AB	F64A	6EFD	-----	X6YL0080
	F7AC	F64B	6EFE	-----	X6YM0080
	F7AD	F64C	6F41	-----	X6YP0080
	F7AE	F64D	6F42	-----	X6YQ0080
	F7AF	F64E	6F43	-----	X6YR0080
	F7B0	F64F	6F44	-----	X6YS0080
	F7B1	F650	6F45	-----	X6YT0080
	F7B2	F651	6F46	-----	X6YU0080
	F7B3	F652	6F47	-----	X6YV0080
	F7B4	F653	6F48	-----	X6YW0080
	F7B5	F654	6F49	-----	X6YX0080
	F7B6	F655	6F4A	-----	X6YY0080
	F7B7	F656	6F4B	-----	X6YZ0080
	F7B8	F657	6F4C	-----	X6Z00080



IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Table 14 User Definable Characters					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
	F7B9	F658	6F4D	-----	X6Z10080
	F7BA	F659	6F4E	-----	X6Z20080
	F7BB	F65A	6F4F	-----	X6Z30080
	F7BC	F65B	6F50	-----	X6Z40080
	F7BD	F65C	6F51	-----	X6Z50080
	F7BE	F65D	6F52	-----	X6Z60080
	F7BF	F65E	6F53	-----	X6Z70080
	F7C0	F65F	6F54	-----	X6Z80080
	F7C1	F660	6F55	-----	X6Z90080
	F7C2	F661	6F56	-----	X6ZA0080
	F7C3	F662	6F57	-----	X6ZB0080
	F7C4	F663	6F58	-----	X6ZC0080
	F7C5	F664	6F59	-----	X6ZD0080
	F7C6	F665	6F5A	-----	X6ZE0080
	F7C7	F666	6F5B	-----	X6ZF0080
	F7C8	F667	6F5C	-----	X6ZG0080
	F7C9	F668	6F5D	-----	X6ZH0080
	F7CA	F669	6F5E	-----	X6ZI0080
	F7CB	F66A	6F5F	-----	X6ZJ0080
	F7CC	F66B	6F60	-----	X6ZK0080
	F7CD	F66C	6F61	-----	X6ZL0080
	F7CE	F66D	6F62	-----	X6ZM0080
	F7CF	F66E	6F63	-----	X6ZN0080
	F7D0	F66F	6F64	-----	X6ZO0080
	F7D1	F670	6F65	-----	X6ZP0080
	F7D2	F671	6F66	-----	X6ZQ0080
	F7D3	F672	6F67	-----	X6ZR0080

Table 14 User Definable Characters					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
	F7D4	F673	6F68	-----	X6ZS0080
	F7D5	F674	6F69	-----	X6ZT0080
	F7D6	F675	6F6A	-----	X6ZU0080
	F7D7	F676	6F6B	-----	X6ZV0080
	F7D8	F677	6F6C	-----	X6ZW0080
	F7D9	F678	6F6D	-----	X6ZX0080
	F7DA	F679	6F6E	-----	X6ZY0080
	F7DB	F67A	6F6F	-----	X6ZZ0080
	F7DC	F67B	6F70	-----	X7000080
	F7DD	F67C	6F71	-----	X7010080
	F7DE	F67D	6F72	-----	X7020080
	F7DF	F67E	6F73	-----	X7030080
	F7E0	F680	6F74	-----	X7040080
	F7E1	F681	6F75	-----	X7050080
	F7E2	F682	6F76	-----	X7060080
	F7E3	F683	6F77	-----	X7070080
	F7E4	F684	6F78	-----	X7080080
	F7E5	F685	6F79	-----	X7090080
	F7E6	F686	6F7A	-----	X70A0080
	F7E7	F687	6F7B	-----	X70B0080
	F7E8	F688	6F7C	-----	X70C0080
	F7E9	F689	6F7D	-----	X70D0080
	F7EA	F68A	6F7E	-----	X70E0080
	F7EB	F68B	6F7F	-----	X70F0080
	F7EC	F68C	6F80	-----	X70G0080
	F7ED	F68D	6F81	-----	X70H0080
	F7EE	F68E	6F82	-----	X70I0080



IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Table 14 User Definable Characters					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
	F7EF	F68F	6F83	-----	X70J0080
	F7F0	F690	6F84	-----	X70K0080
	F7F1	F691	6F85	-----	X70L0080
	F7F2	F692	6F86	-----	X70M0080
	F7F3	F693	6F87	-----	X70N0080
	F7F4	F694	6F88	-----	X70O0080
	F7F5	F695	6F89	-----	X70P0080
	F7F6	F696	6F8A	-----	X70Q0080
	F7F7	F697	6F8B	-----	X70R0080
	F7F8	F698	6F8C	-----	X70S0080
	F7F9	F699	6F8D	-----	X70T0080
	F7FA	F69A	6F8E	-----	X70U0080
	F7FB	F69B	6F8F	-----	X70V0080
	F7FC	F69C	6F90	-----	X70W0080
	F7FD	F69D	6F91	-----	X70X0080
	F7FE	F69E	6F92	-----	X70Y0080
	F8A1	F69F	6F93	-----	X70Z0080
	F8A2	F6A0	6F94	-----	X7100080
	F8A3	F6A1	6F95	-----	X7110080
	F8A4	F6A2	6F96	-----	X7120080
	F8A5	F6A3	6F97	-----	X7130080
	F8A6	F6A4	6F98	-----	X7140080
	F8A7	F6A5	6F99	-----	X7150080
	F8A8	F6A6	6F9A	-----	X7160080
	F8A9	F6A7	6F9B	-----	X7170080
	F8AA	F6A8	6F9C	-----	X7180080
	F8AB	F6A9	6F9D	-----	X7190080

Table 14 User Definable Characters					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
	F8AC	F6AA	6F9E	-----	X71A0080
	F8AD	F6AB	6F9F	-----	X71B0080
	F8AE	F6AC	6FA0	-----	X71C0080
	F8AF	F6AD	6FA1	-----	X71D0080
	F8B0	F6AE	6FA2	-----	X71E0080
	F8B1	F6AF	6FA3	-----	X71F0080
	F8B2	F6B0	6FA4	-----	X71G0080
	F8B3	F6B1	6FA5	-----	X71H0080
	F8B4	F6B2	6FA6	-----	X71I0080
	F8B5	F6B3	6FA7	-----	X71J0080
	F8B6	F6B4	6FA8	-----	X71K0080
	F8B7	F6B5	6FA9	-----	X71L0080
	F8B8	F6B6	6FAA	-----	X71M0080
	F8B9	F6B7	6FAB	-----	X71N0080
	F8BA	F6B8	6FAC	-----	X71O0080
	F8BB	F6B9	6FAD	-----	X71P0080
	F8BC	F6BA	6FAE	-----	X71Q0080
	F8BD	F6BB	6FAF	-----	X71R0080
	F8BE	F6BC	6FB0	-----	X71S0080
	F8BF	F6BD	6FB1	-----	X71T0080
	F8C0	F6BE	6FB2	-----	X71U0080
	F8C1	F6BF	6FB3	-----	X71V0080
	F8C2	F6C0	6FB4	-----	X71W0080
	F8C3	F6C1	6FB5	-----	X71X0080
	F8C4	F6C2	6FB6	-----	X71Y0080
	F8C5	F6C3	6FB7	-----	X71Z0080
	F8C6	F6C4	6FB8	-----	X7200080



IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Table 14 User Definable Characters					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
	F8C7	F6C5	6FB9	-----	X7210080
	F8C8	F6C6	6FBA	-----	X7220080
	F8C9	F6C7	6FBB	-----	X7230080
	F8CA	F6C8	6FBC	-----	X7240080
	F8CB	F6C9	6FBD	-----	X7250080
	F8CC	F6CA	6FBE	-----	X7260080
	F8CD	F6CB	6FBF	-----	X7270080
	F8CE	F6CC	6FC0	-----	X7280080
	F8CF	F6CD	6FC1	-----	X7290080
	F8D0	F6CE	6FC2	-----	X72A0080
	F8D1	F6CF	6FC3	-----	X72B0080
	F8D2	F6D0	6FC4	-----	X72C0080
	F8D3	F6D1	6FC5	-----	X72D0080
	F8D4	F6D2	6FC6	-----	X72E0080
	F8D5	F6D3	6FC7	-----	X72F0080
	F8D6	F6D4	6FC8	-----	X72G0080
	F8D7	F6D5	6FC9	-----	X72H0080
	F8D8	F6D6	6FCA	-----	X72I0080
	F8D9	F6D7	6FCB	-----	X72J0080
	F8DA	F6D8	6FCC	-----	X72K0080
	F8DB	F6D9	6FCD	-----	X72L0080
	F8DC	F6DA	6FCE	-----	X72M0080
	F8DD	F6DB	6FCF	-----	X72N0080
	F8DE	F6DC	6FD0	-----	X72O0080
	F8DF	F6DD	6FD1	-----	X72P0080
	F8E0	F6DE	6FD2	-----	X72Q0080
	F8E1	F6DF	6FD3	-----	X72R0080

Table 14 User Definable Characters					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
	F8E2	F6E0	6FD4	-----	X72S0080
	F8E3	F6E1	6FD5	-----	X72T0080
	F8E4	F6E2	6FD6	-----	X72U0080
	F8E5	F6E3	6FD7	-----	X72V0080
	F8E6	F6E4	6FD8	-----	X72W0080
	F8E7	F6E5	6FD9	-----	X72X0080
	F8E8	F6E6	6FDA	-----	X72Y0080
	F8E9	F6E7	6FDB	-----	X72Z0080
	F8EA	F6E8	6FDC	-----	X7300080
	F8EB	F6E9	6FDD	-----	X7310080
	F8EC	F6EA	6FDE	-----	X7320080
	F8ED	F6EB	6FDF	-----	X7330080
	F8EE	F6EC	6FE0	-----	X7340080
	F8EF	F6ED	6FE1	-----	X7350080
	F8F0	F6EE	6FE2	-----	X7360080
	F8F1	F6EF	6FE3	-----	X7370080
	F8F2	F6F0	6FE4	-----	X7380080
	F8F3	F6F1	6FE5	-----	X7390080
	F8F4	F6F2	6FE6	-----	X73A0080
	F8F5	F6F3	6FE7	-----	X73B0080
	F8F6	F6F4	6FE8	-----	X73C0080
	F8F7	F6F5	6FE9	-----	X73D0080
	F8F8	F6F6	6FEA	-----	X73E0080
	F8F9	F6F7	6FEB	-----	X73F0080
	F8FA	F6F8	6FEC	-----	X73G0080
	F8FB	F6F9	6FED	-----	X73H0080
	F8FC	F6FA	6FEE	-----	X73I0080



IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Graphic	EUC code	PC code	Host code	JIS code	GCGID
	F8FD	F6FB	6FEF	-----	X73J0080
	F8FE	F6FC	6FF0	-----	X73K0080
	F9A1	F740	6FF1	-----	X73L0080
	F9A2	F741	6FF2	-----	X73M0080
	F9A3	F742	6FF3	-----	X73N0080
	F9A4	F743	6FF4	-----	X73O0080
	F9A5	F744	6FF5	-----	X73P0080
	F9A6	F745	6FF6	-----	X73Q0080
	F9A7	F746	6FF7	-----	X73R0080
	F9A8	F747	6FF8	-----	X73S0080
	F9A9	F748	6FF9	-----	X73T0080
	F9AA	F749	6FFA	-----	X73U0080
	F9AB	F74A	6FFB	-----	X73V0080
	F9AC	F74B	6FFC	-----	X73W0080
	F9AD	F74C	6FFD	-----	X73X0080
	F9AE	F74D	6FFE	-----	X73Y0080
	F9AF	F74E	7041	-----	X7410080
	F9B0	F74F	7042	-----	X7420080
	F9B1	F750	7043	-----	X7430080
	F9B2	F751	7044	-----	X7440080
	F9B3	F752	7045	-----	X7450080
	F9B4	F753	7046	-----	X7460080
	F9B5	F754	7047	-----	X7470080
	F9B6	F755	7048	-----	X7480080
	F9B7	F756	7049	-----	X7490080
	F9B8	F757	704A	-----	X74A0080
	F9B9	F758	704B	-----	X74B0080

Graphic	EUC code	PC code	Host code	JIS code	GCGID
	F9BA	F759	704C	-----	X74C0080
	F9BB	F75A	704D	-----	X74D0080
	F9BC	F75B	704E	-----	X74E0080
	F9BD	F75C	704F	-----	X74F0080
	F9BE	F75D	7050	-----	X74G0080
	F9BF	F75E	7051	-----	X74H0080
	F9C0	F75F	7052	-----	X74I0080
	F9C1	F760	7053	-----	X74J0080
	F9C2	F761	7054	-----	X74K0080
	F9C3	F762	7055	-----	X74L0080
	F9C4	F763	7056	-----	X74M0080
	F9C5	F764	7057	-----	X74N0080
	F9C6	F765	7058	-----	X74O0080
	F9C7	F766	7059	-----	X74P0080
	F9C8	F767	705A	-----	X74Q0080
	F9C9	F768	705B	-----	X74R0080
	F9CA	F769	705C	-----	X74S0080
	F9CB	F76A	705D	-----	X74T0080
	F9CC	F76B	705E	-----	X74U0080
	F9CD	F76C	705F	-----	X74V0080
	F9CE	F76D	7060	-----	X74W0080
	F9CF	F76E	7061	-----	X74X0080
	F9D0	F76F	7062	-----	X74Y0080
	F9D1	F770	7063	-----	X74Z0080
	F9D2	F771	7064	-----	X7500080
	F9D3	F772	7065	-----	X7510080
	F9D4	F773	7066	-----	X7520080



IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Table 14 User Definable Characters					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
	F9D5	F774	7067	-----	X7530080
	F9D6	F775	7068	-----	X7540080
	F9D7	F776	7069	-----	X7550080
	F9D8	F777	706A	-----	X7560080
	F9D9	F778	706B	-----	X7570080
	F9DA	F779	706C	-----	X7580080
	F9DB	F77A	706D	-----	X7590080
	F9DC	F77B	706E	-----	X75A0080
	F9DD	F77C	706F	-----	X75B0080
	F9DE	F77D	7070	-----	X75C0080
	F9DF	F77E	7071	-----	X75D0080
	F9E0	F780	7072	-----	X75E0080
	F9E1	F781	7073	-----	X75F0080
	F9E2	F782	7074	-----	X75G0080
	F9E3	F783	7075	-----	X75H0080
	F9E4	F784	7076	-----	X75I0080
	F9E5	F785	7077	-----	X75J0080
	F9E6	F786	7078	-----	X75K0080
	F9E7	F787	7079	-----	X75L0080
	F9E8	F788	707A	-----	X75M0080
	F9E9	F789	707B	-----	X75N0080
	F9EA	F78A	707C	-----	X75O0080
	F9EB	F78B	707D	-----	X75P0080
	F9EC	F78C	707E	-----	X75Q0080
	F9ED	F78D	707F	-----	X75R0080
	F9EE	F78E	7080	-----	X75S0080
	F9EF	F78F	7081	-----	X75T0080

Table 14 User Definable Characters					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
	F9F0	F790	7082	-----	X75U0080
	F9F1	F791	7083	-----	X75V0080
	F9F2	F792	7084	-----	X75W0080
	F9F3	F793	7085	-----	X75X0080
	F9F4	F794	7086	-----	X75Y0080
	F9F5	F795	7087	-----	X75Z0080
	F9F6	F796	7088	-----	X7600080
	F9F7	F797	7089	-----	X7610080
	F9F8	F798	708A	-----	X7620080
	F9F9	F799	708B	-----	X7630080
	F9FA	F79A	708C	-----	X7640080
	F9FB	F79B	708D	-----	X7650080
	F9FC	F79C	708E	-----	X7660080
	F9FD	F79D	708F	-----	X7670080
	F9FE	F79E	7090	-----	X7680080
	FAA1	F79F	7091	-----	X7690080
	FAA2	F7A0	7092	-----	X76A0080
	FAA3	F7A1	7093	-----	X76B0080
	FAA4	F7A2	7094	-----	X76C0080
	FAA5	F7A3	7095	-----	X76D0080
	FAA6	F7A4	7096	-----	X76E0080
	FAA7	F7A5	7097	-----	X76F0080
	FAA8	F7A6	7098	-----	X76G0080
	FAA9	F7A7	7099	-----	X76H0080
	FAAA	F7A8	709A	-----	X76I0080
	FAAB	F7A9	709B	-----	X76J0080
	FAAC	F7AA	709C	-----	X76K0080



IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Table 14 User Definable Characters					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
	FAAD	F7AB	709D	-----	X76L0080
	FAAE	F7AC	709E	-----	X76M0080
	FAAF	F7AD	709F	-----	X76N0080
	FAB0	F7AE	70A0	-----	X76O0080
	FAB1	F7AF	70A1	-----	X76P0080
	FAB2	F7B0	70A2	-----	X76Q0080
	FAB3	F7B1	70A3	-----	X76R0080
	FAB4	F7B2	70A4	-----	X76S0080
	FAB5	F7B3	70A5	-----	X76T0080
	FAB6	F7B4	70A6	-----	X76U0080
	FAB7	F7B5	70A7	-----	X76V0080
	FAB8	F7B6	70A8	-----	X76W0080
	FAB9	F7B7	70A9	-----	X76X0080
	FABA	F7B8	70AA	-----	X76Y0080
	FABB	F7B9	70AB	-----	X76Z0080
	FABC	F7BA	70AC	-----	X7700080
	FABD	F7BB	70AD	-----	X7710080
	FABE	F7BC	70AE	-----	X7720080
	FABF	F7BD	70AF	-----	X7730080
	FAC0	F7BE	70B0	-----	X7740080
	FAC1	F7BF	70B1	-----	X7750080
	FAC2	F7C0	70B2	-----	X7760080
	FAC3	F7C1	70B3	-----	X7770080
	FAC4	F7C2	70B4	-----	X7780080
	FAC5	F7C3	70B5	-----	X7790080
	FAC6	F7C4	70B6	-----	X77A0080
	FAC7	F7C5	70B7	-----	X77B0080

Table 14 User Definable Characters					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
	FAC8	F7C6	70B8	-----	X77C0080
	FAC9	F7C7	70B9	-----	X77D0080
	FACA	F7C8	70BA	-----	X77E0080
	FACB	F7C9	70BB	-----	X77F0080
	FACC	F7CA	70BC	-----	X77G0080
	FACD	F7CB	70BD	-----	X77H0080
	FACE	F7CC	70BE	-----	X77I0080
	FACF	F7CD	70BF	-----	X77J0080
	FAD0	F7CE	70C0	-----	X77K0080
	FAD1	F7CF	70C1	-----	X77L0080
	FAD2	F7D0	70C2	-----	X77M0080
	FAD3	F7D1	70C3	-----	X77N0080
	FAD4	F7D2	70C4	-----	X77O0080
	FAD5	F7D3	70C5	-----	X77P0080
	FAD6	F7D4	70C6	-----	X77Q0080
	FAD7	F7D5	70C7	-----	X77R0080
	FAD8	F7D6	70C8	-----	X77S0080
	FAD9	F7D7	70C9	-----	X77T0080
	FADA	F7D8	70CA	-----	X77U0080
	FADB	F7D9	70CB	-----	X77V0080
	FADC	F7DA	70CC	-----	X77W0080
	FADD	F7DB	70CD	-----	X77X0080
	FADE	F7DC	70CE	-----	X77Y0080
	FADF	F7DD	70CF	-----	X77Z0080
	FAE0	F7DE	70D0	-----	X7800080
	FAE1	F7DF	70D1	-----	X7810080
	FAE2	F7E0	70D2	-----	X7820080



IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Table 14 User Definable Characters					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
	FAE3	F7E1	70D3	-----	X7830080
	FAE4	F7E2	70D4	-----	X7840080
	FAE5	F7E3	70D5	-----	X7850080
	FAE6	F7E4	70D6	-----	X7860080
	FAE7	F7E5	70D7	-----	X7870080
	FAE8	F7E6	70D8	-----	X7880080
	FAE9	F7E7	70D9	-----	X7890080
	FAEA	F7E8	70DA	-----	X78A0080
	FAEB	F7E9	70DB	-----	X78B0080
	FAEC	F7EA	70DC	-----	X78C0080
	FAED	F7EB	70DD	-----	X78D0080
	FAEE	F7EC	70DE	-----	X78E0080
	FAEF	F7ED	70DF	-----	X78F0080
	FAF0	F7EE	70E0	-----	X78G0080
	FAF1	F7EF	70E1	-----	X78H0080
	FAF2	F7F0	70E2	-----	X78I0080
	FAF3	F7F1	70E3	-----	X78J0080
	FAF4	F7F2	70E4	-----	X78K0080
	FAF5	F7F3	70E5	-----	X78L0080
	FAF6	F7F4	70E6	-----	X78M0080
	FAF7	F7F5	70E7	-----	X78N0080
	FAF8	F7F6	70E8	-----	X78O0080
	FAF9	F7F7	70E9	-----	X78P0080
	FAFA	F7F8	70EA	-----	X78Q0080
	FAFB	F7F9	70EB	-----	X78R0080
	FAFC	F7FA	70EC	-----	X78S0080
	FAFD	F7FB	70ED	-----	X78T0080

Table 14 User Definable Characters					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
	FAFE	F7FC	70EE	-----	X78U0080
	FBA1	F840	70EF	-----	X78V0080
	FBA2	F841	70F0	-----	X78W0080
	FBA3	F842	70F1	-----	X78X0080
	FBA4	F843	70F2	-----	X78Y0080
	FBA5	F844	70F3	-----	X78Z0080
	FBA6	F845	70F4	-----	X7900080
	FBA7	F846	70F5	-----	X7910080
	FBA8	F847	70F6	-----	X7920080
	FBA9	F848	70F7	-----	X7930080
	FBAA	F849	70F8	-----	X7940080
	FBAB	F84A	70F9	-----	X7950080
	FBAC	F84B	70FA	-----	X7960080
	FBAD	F84C	70FB	-----	X7970080
	FBAE	F84D	70FC	-----	X7980080
	FBAF	F84E	70FD	-----	X7990080
	FBB0	F84F	70FE	-----	X79A0080
	FBB1	F850	7141	-----	X79D0080
	FBB2	F851	7142	-----	X79E0080
	FBB3	F852	7143	-----	X79F0080
	FBB4	F853	7144	-----	X79G0080
	FBB5	F854	7145	-----	X79H0080
	FBB6	F855	7146	-----	X79I0080
	FBB7	F856	7147	-----	X79J0080
	FBB8	F857	7148	-----	X79K0080
	FBB9	F858	7149	-----	X79L0080
	FBBA	F859	714A	-----	X79M0080



IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Graphic	EUC code	PC code	Host code	JIS code	GCGID
	FBBB	F85A	714B	-----	X79N0080
	FBBC	F85B	714C	-----	X79O0080
	FBBD	F85C	714D	-----	X79P0080
	FBBE	F85D	714E	-----	X79Q0080
	FBBF	F85E	714F	-----	X79R0080
	FBC0	F85F	7150	-----	X79S0080
	FBC1	F860	7151	-----	X79T0080
	FBC2	F861	7152	-----	X79U0080
	FBC3	F862	7153	-----	X79V0080
	FBC4	F863	7154	-----	X79W0080
	FBC5	F864	7155	-----	X79X0080
	FBC6	F865	7156	-----	X79Y0080
	FBC7	F866	7157	-----	X79Z0080
	FBC8	F867	7158	-----	X7A00080
	FBC9	F868	7159	-----	X7A10080
	FBCA	F869	715A	-----	X7A20080
	FBCB	F86A	715B	-----	X7A30080
	FBCD	F86B	715C	-----	X7A40080
	FBCD	F86C	715D	-----	X7A50080
	FBCE	F86D	715E	-----	X7A60080
	FBCF	F86E	715F	-----	X7A70080
	FBD0	F86F	7160	-----	X7A80080
	FBD1	F870	7161	-----	X7A90080
	FBD2	F871	7162	-----	X7AA0080
	FBD3	F872	7163	-----	X7AB0080
	FBD4	F873	7164	-----	X7AC0080
	FBD5	F874	7165	-----	X7AD0080

Graphic	EUC code	PC code	Host code	JIS code	GCGID
	FBD6	F875	7166	-----	X7AE0080
	FBD7	F876	7167	-----	X7AF0080
	FBD8	F877	7168	-----	X7AG0080
	FBD9	F878	7169	-----	X7AH0080
	FBDA	F879	716A	-----	X7AI0080
	FBDB	F87A	716B	-----	X7AJ0080
	FBDC	F87B	716C	-----	X7AK0080
	FBDD	F87C	716D	-----	X7AL0080
	FBDE	F87D	716E	-----	X7AM0080
	FBD F	F87E	716F	-----	X7AN0080
	FBE0	F880	7170	-----	X7AO0080
	FBE1	F881	7171	-----	X7AP0080
	FBE2	F882	7172	-----	X7AQ0080
	FBE3	F883	7173	-----	X7AR0080
	FBE4	F884	7174	-----	X7AS0080
	FBE5	F885	7175	-----	X7AT0080
	FBE6	F886	7176	-----	X7AU0080
	FBE7	F887	7177	-----	X7AV0080
	FBE8	F888	7178	-----	X7AW0080
	FBE9	F889	7179	-----	X7AX0080
	FBEA	F88A	717A	-----	X7AY0080
	FBEB	F88B	717B	-----	X7AZ0080
	FBEC	F88C	717C	-----	X7B00080
	FBED	F88D	717D	-----	X7B10080
	FBEE	F88E	717E	-----	X7B20080
	FBEF	F88F	717F	-----	X7B30080
	FBF0	F890	7180	-----	X7B40080


IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
 DBCS - EUC

Table 14 User Definable Characters					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
	FBF1	F891	7181	-----	X7B50080
	FBF2	F892	7182	-----	X7B60080
	FBF3	F893	7183	-----	X7B70080
	FBF4	F894	7184	-----	X7B80080
	FBF5	F895	7185	-----	X7B90080
	FBF6	F896	7186	-----	X7BA0080
	FBF7	F897	7187	-----	X7BB0080
	FBF8	F898	7188	-----	X7BC0080
	FBF9	F899	7189	-----	X7BD0080
	FBFA	F89A	718A	-----	X7BE0080
	FBFB	F89B	718B	-----	X7BF0080
	FBFC	F89C	718C	-----	X7BG0080
	FBFD	F89D	718D	-----	X7BH0080
	FBFE	F89E	718E	-----	X7BI0080
	FCA1	F89F	718F	-----	X7BJ0080
	FCA2	F8A0	7190	-----	X7BK0080
	FCA3	F8A1	7191	-----	X7BL0080
	FCA4	F8A2	7192	-----	X7BM0080
	FCA5	F8A3	7193	-----	X7BN0080
	FCA6	F8A4	7194	-----	X7BO0080
	FCA7	F8A5	7195	-----	X7BP0080
	FCA8	F8A6	7196	-----	X7BQ0080
	FCA9	F8A7	7197	-----	X7BR0080
	FCAA	F8A8	7198	-----	X7BS0080
	FCAB	F8A9	7199	-----	X7BT0080
	FCAC	F8AA	719A	-----	X7BU0080
	FCAD	F8AB	719B	-----	X7BV0080

Table 14 User Definable Characters					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
	FCAE	F8AC	719C	-----	X7BW0080
	FCAF	F8AD	719D	-----	X7BX0080
	FCB0	F8AE	719E	-----	X7BY0080
	FCB1	F8AF	719F	-----	X7BZ0080
	FCB2	F8B0	71A0	-----	X7C00080
	FCB3	F8B1	71A1	-----	X7C10080
	FCB4	F8B2	71A2	-----	X7C20080
	FCB5	F8B3	71A3	-----	X7C30080
	FCB6	F8B4	71A4	-----	X7C40080
	FCB7	F8B5	71A5	-----	X7C50080
	FCB8	F8B6	71A6	-----	X7C60080
	FCB9	F8B7	71A7	-----	X7C70080
	FCBA	F8B8	71A8	-----	X7C80080
	FCBB	F8B9	71A9	-----	X7C90080
	FCBC	F8BA	71AA	-----	X7CA0080
	FCBD	F8BB	71AB	-----	X7CB0080
	FCBE	F8BC	71AC	-----	X7CC0080
	FCBF	F8BD	71AD	-----	X7CD0080
	FCC0	F8BE	71AE	-----	X7CE0080
	FCC1	F8BF	71AF	-----	X7CF0080
	FCC2	F8C0	71B0	-----	X7CG0080
	FCC3	F8C1	71B1	-----	X7CH0080
	FCC4	F8C2	71B2	-----	X7CI0080
	FCC5	F8C3	71B3	-----	X7CJ0080
	FCC6	F8C4	71B4	-----	X7CK0080
	FCC7	F8C5	71B5	-----	X7CL0080
	FCC8	F8C6	71B6	-----	X7CM0080


IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
 DBCS - EUC

Table 14 User Definable Characters					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
	FCC9	F8C7	71B7	-----	X7CN0080
	FCCA	F8C8	71B8	-----	X7CO0080
	FCCB	F8C9	71B9	-----	X7CP0080
	FCCC	F8CA	71BA	-----	X7CQ0080
	FCCD	F8CB	71BB	-----	X7CR0080
	FCCE	F8CC	71BC	-----	X7CS0080
	FCCF	F8CD	71BD	-----	X7CT0080
	FCD0	F8CE	71BE	-----	X7CU0080
	FCD1	F8CF	71BF	-----	X7CV0080
	FCD2	F8D0	71C0	-----	X7CW0080
	FCD3	F8D1	71C1	-----	X7CX0080
	FCD4	F8D2	71C2	-----	X7CY0080
	FCD5	F8D3	71C3	-----	X7CZ0080
	FCD6	F8D4	71C4	-----	X7D00080
	FCD7	F8D5	71C5	-----	X7D10080
	FCD8	F8D6	71C6	-----	X7D20080
	FCD9	F8D7	71C7	-----	X7D30080
	FCDA	F8D8	71C8	-----	X7D40080
	FCDB	F8D9	71C9	-----	X7D50080
	FCDC	F8DA	71CA	-----	X7D60080
	FCDD	F8DB	71CB	-----	X7D70080
	FCDE	F8DC	71CC	-----	X7D80080
	FCDF	F8DD	71CD	-----	X7D90080
	FCE0	F8DE	71CE	-----	X7DA0080
	FCE1	F8DF	71CF	-----	X7DB0080
	FCE2	F8E0	71D0	-----	X7DC0080
	FCE3	F8E1	71D1	-----	X7DD0080

Table 14 User Definable Characters					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
	FCE4	F8E2	71D2	-----	X7DE0080
	FCE5	F8E3	71D3	-----	X7DF0080
	FCE6	F8E4	71D4	-----	X7DG0080
	FCE7	F8E5	71D5	-----	X7DH0080
	FCE8	F8E6	71D6	-----	X7DI0080
	FCE9	F8E7	71D7	-----	X7DJ0080
	FCEA	F8E8	71D8	-----	X7DK0080
	FCEB	F8E9	71D9	-----	X7DL0080
	FCEC	F8EA	71DA	-----	X7DM0080
	FCED	F8EB	71DB	-----	X7DN0080
	FCEE	F8EC	71DC	-----	X7DO0080
	FCEF	F8ED	71DD	-----	X7DP0080
	FCF0	F8EE	71DE	-----	X7DQ0080
	FCF1	F8EF	71DF	-----	X7DR0080
	FCF2	F8F0	71E0	-----	X7DS0080
	FCF3	F8F1	71E1	-----	X7DT0080
	FCF4	F8F2	71E2	-----	X7DU0080
	FCF5	F8F3	71E3	-----	X7DV0080
	FCF6	F8F4	71E4	-----	X7DW0080
	FCF7	F8F5	71E5	-----	X7DX0080
	FCF8	F8F6	71E6	-----	X7DY0080
	FCF9	F8F7	71E7	-----	X7DZ0080
	FCFA	F8F8	71E8	-----	X7E00080
	FCFB	F8F9	71E9	-----	X7E10080
	FCFC	F8FA	71EA	-----	X7E20080
	FCFD	F8FB	71EB	-----	X7E30080
	FCFE	F8FC	71EC	-----	X7E40080



IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Table 14 User Definable Characters					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
	FDA1	F940	71ED	-----	X7E50080
	FDA2	F941	71EE	-----	X7E60080
	FDA3	F942	71EF	-----	X7E70080
	FDA4	F943	71F0	-----	X7E80080
	FDA5	F944	71F1	-----	X7E90080
	FDA6	F945	71F2	-----	X7EA0080
	FDA7	F946	71F3	-----	X7EB0080
	FDA8	F947	71F4	-----	X7EC0080
	FDA9	F948	71F5	-----	X7ED0080
	FDAA	F949	71F6	-----	X7EE0080
	FDAB	F94A	71F7	-----	X7EF0080
	FDAC	F94B	71F8	-----	X7EG0080
	FDAD	F94C	71F9	-----	X7EH0080
	FDAE	F94D	71FA	-----	X7EI0080
	FDAF	F94E	71FB	-----	X7EJ0080
	FDB0	F94F	71FC	-----	X7EK0080
	FDB1	F950	71FD	-----	X7EL0080
	FDB2	F951	71FE	-----	X7EM0080
	FDB3	F952	7241	-----	X7EP0080
	FDB4	F953	7242	-----	X7EQ0080
	FDB5	F954	7243	-----	X7ER0080
	FDB6	F955	7244	-----	X7ES0080
	FDB7	F956	7245	-----	X7ET0080
	FDB8	F957	7246	-----	X7EU0080
	FDB9	F958	7247	-----	X7EV0080
	FDBA	F959	7248	-----	X7EW0080
	FDBB	F95A	7249	-----	X7EX0080

Table 14 User Definable Characters					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
	FDBC	F95B	724A	-----	X7EY0080
	FDBD	F95C	724B	-----	X7EZ0080
	FDBE	F95D	724C	-----	X7F00080
	FDBF	F95E	724D	-----	X7F10080
	FDC0	F95F	724E	-----	X7F20080
	FDC1	F960	724F	-----	X7F30080
	FDC2	F961	7250	-----	X7F40080
	FDC3	F962	7251	-----	X7F50080
	FDC4	F963	7252	-----	X7F60080
	FDC5	F964	7253	-----	X7F70080
	FDC6	F965	7254	-----	X7F80080
	FDC7	F966	7255	-----	X7F90080
	FDC8	F967	7256	-----	X7FA0080
	FDC9	F968	7257	-----	X7FB0080
	FDCA	F969	7258	-----	X7FC0080
	FDCB	F96A	7259	-----	X7FD0080
	FDCC	F96B	725A	-----	X7FE0080
	FDCD	F96C	725B	-----	X7FF0080
	FDCE	F96D	725C	-----	X7FG0080
	FDCF	F96E	725D	-----	X7FH0080
	FDD0	F96F	725E	-----	X7FI0080
	FDD1	F970	725F	-----	X7FJ0080
	FDD2	F971	7260	-----	X7FK0080
	FDD3	F972	7261	-----	X7FL0080
	FDD4	F973	7262	-----	X7FM0080
	FDD5	F974	7263	-----	X7FN0080
	FDD6	F975	7264	-----	X7FO0080



IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Table 14 User Definable Characters					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
	FDD7	F976	7265	-----	X7FP0080
	FDD8	F977	7266	-----	X7FQ0080
	FDD9	F978	7267	-----	X7FR0080
	FDDA	F979	7268	-----	X7FS0080
	Fddb	F97A	7269	-----	X7FT0080
	FDDC	F97B	726A	-----	X7FU0080
	FDDD	F97C	726B	-----	X7FV0080
	FDDE	F97D	726C	-----	X7FW0080
	FDDF	F97E	726D	-----	X7FX0080
	FDE0	F980	726E	-----	X7FY0080
	FDE1	F981	726F	-----	X7FZ0080
	FDE2	F982	7270	-----	X7G00080
	FDE3	F983	7271	-----	X7G10080
	FDE4	F984	7272	-----	X7G20080
	FDE5	F985	7273	-----	X7G30080
	FDE6	F986	7274	-----	X7G40080
	FDE7	F987	7275	-----	X7G50080
	FDE8	F988	7276	-----	X7G60080
	FDE9	F989	7277	-----	X7G70080
	FDEA	F98A	7278	-----	X7G80080
	FDEB	F98B	7279	-----	X7G90080
	FDEC	F98C	727A	-----	X7GA0080
	FDED	F98D	727B	-----	X7GB0080
	FDEE	F98E	727C	-----	X7GC0080
	FDEF	F98F	727D	-----	X7GD0080
	FDF0	F990	727E	-----	X7GE0080
	FDF1	F991	727F	-----	X7GF0080

Table 14 User Definable Characters					
Graphic	EUC code	PC code	Host code	JIS code	GCGID
	FDF2	F992	7280	-----	X7GG0080
	FDF3	F993	7281	-----	X7GH0080
	FDF4	F994	7282	-----	X7GI0080
	FDF5	F995	7283	-----	X7GJ0080
	FDF6	F996	7284	-----	X7GK0080
	FDF7	F997	7285	-----	X7GL0080
	FDF8	F998	7286	-----	X7GM0080
	FDF9	F999	7287	-----	X7GN0080
	FDFA	F99A	7288	-----	X7GO0080
	FDFB	F99B	7289	-----	X7GP0080
	FDFC	F99C	728A	-----	X7GQ0080
	FDFD	F99D	728B	-----	X7GR0080
	FDFE	F99E	728C	-----	X7GS0080
	FEA1	F99F	728D	-----	X7GT0080
	FEA2	F9A0	728E	-----	X7GU0080
	FEA3	F9A1	728F	-----	X7GV0080
	FEA4	F9A2	7290	-----	X7GW0080
	FEA5	F9A3	7291	-----	X7GX0080
	FEA6	F9A4	7292	-----	X7GY0080
	FEA7	F9A5	7293	-----	X7GZ0080
	FEA8	F9A6	7294	-----	X7H00080
	FEA9	F9A7	7295	-----	X7H10080
	FEAA	F9A8	7296	-----	X7H20080
	FEAB	F9A9	7297	-----	X7H30080
	FEAC	F9AA	7298	-----	X7H40080
	FEAD	F9AB	7299	-----	X7H50080
	FEAE	F9AC	729A	-----	X7H60080



IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Graphic	EUC code	PC code	Host code	JIS code	GCGID
	FEAF	F9AD	729B	-----	X7H70080
	FEB0	F9AE	729C	-----	X7H80080
	FEB1	F9AF	729D	-----	X7H90080
	FEB2	F9B0	729E	-----	X7HA0080
	FEB3	F9B1	729F	-----	X7HB0080
	FEB4	F9B2	72A0	-----	X7HC0080
	FEB5	F9B3	72A1	-----	X7HD0080
	FEB6	F9B4	72A2	-----	X7HE0080
	FEB7	F9B5	72A3	-----	X7HF0080
	FEB8	F9B6	72A4	-----	X7HG0080
	FEB9	F9B7	72A5	-----	X7HH0080
	FEBA	F9B8	72A6	-----	X7HI0080
	FEBB	F9B9	72A7	-----	X7HJ0080
	FEBC	F9BA	72A8	-----	X7HK0080
	FEBD	F9BB	72A9	-----	X7HL0080
	FEBE	F9BC	72AA	-----	X7HM0080
	FEBF	F9BD	72AB	-----	X7HN0080
	FEC0	F9BE	72AC	-----	X7HO0080
	FEC1	F9BF	72AD	-----	X7HP0080
	FEC2	F9C0	72AE	-----	X7HQ0080
	FEC3	F9C1	72AF	-----	X7HR0080
	FEC4	F9C2	72B0	-----	X7HS0080
	FEC5	F9C3	72B1	-----	X7HT0080
	FEC6	F9C4	72B2	-----	X7HU0080
	FEC7	F9C5	72B3	-----	X7HV0080
	FEC8	F9C6	72B4	-----	X7HW0080
	FEC9	F9C7	72B5	-----	X7HX0080

Graphic	EUC code	PC code	Host code	JIS code	GCGID
	FECA	F9C8	72B6	-----	X7HY0080
	FECB	F9C9	72B7	-----	X7HZ0080
	FECC	F9CA	72B8	-----	X7I00080
	FECD	F9CB	72B9	-----	X7I10080
	FECE	F9CC	72BA	-----	X7I20080
	FECF	F9CD	72BB	-----	X7I30080
	FED0	F9CE	72BC	-----	X7I40080
	FED1	F9CF	72BD	-----	X7I50080
	FED2	F9D0	72BE	-----	X7I60080
	FED3	F9D1	72BF	-----	X7I70080
	FED4	F9D2	72C0	-----	X7I80080
	FED5	F9D3	72C1	-----	X7I90080
	FED6	F9D4	72C2	-----	X7IA0080
	FED7	F9D5	72C3	-----	X7IB0080
	FED8	F9D6	72C4	-----	X7IC0080
	FED9	F9D7	72C5	-----	X7ID0080
	FEDA	F9D8	72C6	-----	X7IE0080
	FEDB	F9D9	72C7	-----	X7IF0080
	FEDC	F9DA	72C8	-----	X7IG0080
	FEDD	F9DB	72C9	-----	X7IH0080
	FEDE	F9DC	72CA	-----	X7II0080
	FEDF	F9DD	72CB	-----	X7IJ0080
	FEE0	F9DE	72CC	-----	X7IK0080
	FEE1	F9DF	72CD	-----	X7IL0080
	FEE2	F9E0	72CE	-----	X7IM0080
	FEE3	F9E1	72CF	-----	X7IN0080
	FEE4	F9E2	72D0	-----	X7IO0080



IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC

Table 14 User Definable Characters

Graphic	EUC code	PC code	Host code	JIS code	GCGID
	FEE5	F9E3	72D1	-----	X7IP0080
	FEE6	F9E4	72D2	-----	X7IQ0080
	FEE7	F9E5	72D3	-----	X7IR0080
	FEE8	F9E6	72D4	-----	X7IS0080
	FEE9	F9E7	72D5	-----	X7IT0080
	FEEA	F9E8	72D6	-----	X7IU0080
	FEEB	F9E9	72D7	-----	X7IV0080
	FEEC	F9EA	72D8	-----	X7IW0080
	FEED	F9EB	72D9	-----	X7IX0080
	FEEE	F9EC	72DA	-----	X7IY0080
	FEEF	F9ED	72DB	-----	X7IZ0080
	FEF0	F9EE	72DC	-----	X7J00080
	FEF1	F9EF	72DD	-----	X7J10080
	FEF2	F9F0	72DE	-----	X7J20080
	FEF3	F9F1	72DF	-----	X7J30080
	FEF4	F9F2	72E0	-----	X7J40080
	FEF5	F9F3	72E1	-----	X7J50080
	FEF6	F9F4	72E2	-----	X7J60080
	FEF7	F9F5	72E3	-----	X7J70080
	FEF8	F9F6	72E4	-----	X7J80080
	FEF9	F9F7	72E5	-----	X7J90080
	FEFA	F9F8	72E6	-----	X7JA0080
	FEFB	F9F9	72E7	-----	X7JB0080
	FEFC	F9FA	72E8	-----	X7JC0080
	FEFD	F9FB	72E9	-----	X7JD0080
	FEFE	F9FC	72EA	-----	X7JE0080



**IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC**

Supplementary Information**11. Definition of Terms**

The following terms are defined for the purposes of this document.

11.1 Product

A hardware or software unit that is individually packaged, that is marketable, and to which a type number/program number or equivalence has been assigned.

11.2 Graphic Character

A graphic symbol character, such as a numeric, alphabetic, special, Katakana or Kanji.

11.3 User Definable Character

A *graphic character* whose graphic shape is definable by users.

11.4 Graphic Character Global Identifier (GCGID)

An up to eight-character identifier assigned to each *graphic character*. See C-H 3-3220-055.

11.5 Graphic Character Set

A set of *graphic characters*, treated as an entity.

11.6 Byte

A unit of string consisting of 8 bits.

11.7 Graphic Character Set Global Identifier (GCSGID)

A 5-digit decimal identifier assigned to a *graphic character set*. See C-H 3-3220-050.

11.8 Code

A system of bit-patterns to which specific graphic or control meanings have been assigned.

11.9 Code Point

One of the bit-patterns specified by a *code*.

11.10 Code Page

A specification of *code points* for each *graphic character* in a set, or in a collection of *graphic character sets*. Within a given *code page*, a *code point* can have only one specific meaning.

11.11 Registered Code Page

A *code page* that has been registered and assigned a *CPGID*.

11.12 Unrestricted Code Page

A *registered code page* that has been approved by all affected operating units, and has been placed in the category of “*unrestricted*”.

11.13 Code Page Global Identifier (CPGID)

A 5-digit decimal identifier assigned to a *code page*. See C-H 3-3220-050.

11.14 Coded Graphic Character

A *graphic character* with its assigned *code point*.

11.15 Coded Graphic Character Set

A set of *graphic characters* with their assigned *code points*.

11.16 Registered Coded Graphic Character Set

A *coded graphic character set*, whose *graphic character set* and *code page* have both been registered.

11.17 Coded Graphic Character Set Global Identifier (CGCSGID)

A 10-digit decimal identifier consisting of the concatenation of a *graphic character set global identifier (GCSGID)* and a *code page global identifier (CPGID)*. The *CGCSGID* is also represented as the concatenation of the hexadecimal representations of the *GCSGID* and *CPGID*. See C-H 3-3220-050.

11.18 SBCS

Abbreviation of *Single-Byte Character Set*. *Single-Byte Character Set* is a *graphic character set* in which each character is represented by one *byte*.

11.18.1 EBCDIC

Abbreviation of Extended BCD Interchange Code which is defined in C-S 3-3220-002, *EBCDIC*.

11.18.2 PC Code

A *single-byte code page* which is primarily used in the personal computer environment. *PC Code* is based on ISO 646.

11.19 DBCS

Abbreviation of a *Double-Byte Character Set*. It is a *graphic character set* in which each character is represented by two *bytes*. See C-S 3-3220-102 for detail.

11.19.1 DBCS-Host

A *DBCS code page* which is mainly used in conjunction with *EBCDIC*.



IBM Japanese Graphic Character Set for Extended UNIX Code (EUC) DBCS - EUC

11.19.2 DBCS-PC

A *DBCS code page* which is mainly used in conjunction with *PC code*.

11.19.3 DBCS-EUC

A *DBCS code page* which is mainly used with *EUC* encoding scheme.

11.20 Ward

A section of a *Double-Byte Character Set* where the first bytes of all of the *code points* belonging to it are the same. A *ward* has a unique numerical value which represents the first *byte* of the *code point* belonging to that *ward*.

11.21 UNIX

An operating system developed at AT&T Bell Laboratories, and is being licensed by UNIX System Laboratories. UNIX is a trademark of UNIX System Laboratories.

12. EUC Encoding Scheme

12.1 Definition

EUC (Extended UNIX Code) is an encoding framework which was based on Japanese UNIX internal code intro-

Table 15 Structure of EUC encoding framework

Code set (*1)	Code representation				associated standards
	1 byte	2 byte	3 byte	4 byte	
C0 Set (*2)	000XXXXX	N/A	N/A	N/A	ISO 646
C1 Set (*3)	100XXXXX	N/A	N/A	N/A	ISO 6429
Space character	00100000	N/A	N/A	N/A	
Delete character	01111111	N/A	N/A	N/A	
G0 Set (*4)	0xxxxxxx	N/A	N/A	N/A	ISO 646 variant
G1 Set (*5)	1xxxxxxx	N/A	N/A	N/A	country/region specific
	1xxxxxxx	1xxxxxxx	N/A	N/A	
	1xxxxxxx	1xxxxxxx	1xxxxxxx	N/A	
G2 Set (*5)	10001110	1xxxxxxx	N/A	N/A	country/region specific
	10001110	1xxxxxxx	1xxxxxxx	N/A	
	10001110	1xxxxxxx	1xxxxxxx	1xxxxxxx	
G3 Set (*5)	10001111	1xxxxxxx	N/A	N/A	country/region specific
	10001111	1xxxxxxx	1xxxxxxx	N/A	
	10001111	1xxxxxxx	1xxxxxxx	1xxxxxxx	

Note:

- *1 The name of each code set is base on ISO 2022
- *2 000xxxxx can have values in 00000000 - 00011111 inclusive.
- *3 100xxxxx can have values in 10000000 - 10011111 inclusive.
- *4 0xxxxxxx can have values in 00100001 - 01111110 inclusive.
- *5 1xxxxxxx can have values in 10100000 - 11111111 inclusive.

duced by the Japanese UNIX System Advisory Committee in the proposal entitled "Proposal to AT&T for Japanese Capability on UNIX System V" in 1985, and enhanced by AT&T Bell Laboratories for worldwide usage.

The code extension scheme is defined in compliance with the ISO 2022 code extension techniques which can handle both single- and multi-byte characters concurrently. The scheme is designed to be applicable to every coded character set in each country or region in the world, as long as it is defined based on ISO 2022.

As allowed in ISO 2022, *EUC* can deal with a maximum of four character sets and corresponding code pages at the same time, without using locking shift. It permanently assigns ISO 646 (including valiants) character set to the "primary code set" (G0) and allows the assignment of country, region or user specific character set(s) to three "supplementary code sets" (G1 - G3). The encoding scheme is shown in Table 15.

12.2 Japanese environment

12.2.1 Common Japanese EUC

Although UNIX System Laboratories does not define any *character set/code page* assignment to G1, G2, or G3 set, a de-fact standard exists for each language. As for Japanese

environment, an agreement has been made among Open Software Foundation, UNIX International and UNIX System Laboratories Pacific on Japanese *EUC* so called AJEC. Table 16 shows the character set assignment of the Japanese *EUC*.



IBM Japanese Graphic Character Set for Extended UNIX Code (EUC) DBCS - EUC

Table 16 Common Japanese EUC (AJEC)

G set	Character Set	Bytes	Columns
G0	ISO 646 Set	1	1
G1	JIS X 0208-1990 Set User Definable Characters	2	2
G2	JIS X 0201-1976 Katakana Set	1	1
G3	JIS X 0212 Set User Definable Characters	2	2

12.2.2 IBM Japanese EUC

IBM basically follows the Common Japanese EUC (AJEC) specification. However, IBM assigns IBM Extended SBCS and DBCS set into G2 and G3 of IBM Japanese EUC, to keep consistency with existing IBM Japanese *graphic character sets*. Table 17 shows the character sets assignment of the IBM Japanese *EUC*.

Table 17 IBM Japanese EUC

G set	Character Set	Bytes	Columns
G0	JIS X 0201 Roman Set	1	1
G1	JIS X 0208-1990 Set User Definable Characters	2	2
G2	JIS X 0201-1976 Katakana Set IBM Extended SBCS Set	1	1
G3	JIS X 0212 Non-Kanji Set JIS X 0212 Kanji Set IBM Selected Non-Kanji Set IBM Selected Kanji Set User Definable Characters	2	2

13. History of JIS X 0208

13.1 JIS C 6226-1978

JIS X 0208, *Code of the Japanese graphic character set for information interchange*, was originally defined in 1978 as JIS C 6226-1978, in which a total of 6,802 coded graphic characters: namely 2,965 First Level Kanji characters, 3,384 Second Level Kanji characters, and 453 non-Kanji characters, were defined based on the JIS 7-bit code scheme.

13.2 JIS X 0208-1983

In 1983, JIS C 6226-1978 was amended. Items of JIS C 6226 amendment in 1983 are the following:

- Code point exchange between First level and Second level Kanji characters, 22 pairs (44 characters)
- Graphic pattern changes, 244 characters
- Addition of characters, 75 characters

As a result, JIS C 6226-1983 defined total 6,877 characters: 2,965 First Level Kanji characters, 3,388 Second Level Kanji characters, and 524 non-Kanji characters.

This standard was later re-numbered from JIS C 6226-1983 to JIS X 0208-1983.

13.3 JIS X 0208-1990

In 1990, JIS X 0208-1983 was amended, and 2 characters were added to the Second Level Kanji Set. It was corresponding to the expansion of "Kanji Characters for Personal Names" (Jinmeiyō Kanji) in 1990, which had been controlled by the Legal Ministry.

As a result, JIS X 0208-1990 defines total 6,879 characters: 2,965 First Level Kanji characters, 3,390 Second Level Kanji characters, and 524 non-Kanji characters.

14. History of JIS X 0201

14.1 JIS X 0201-1976

JIS X 0201, *Code for Information Interchange*, was originally defined in 1976, in which a total of 157 coded graphic characters: namely 94 Roman characters and 63 Katakana characters, were defined based on the JIS 7-bit and JIS 8-bit code scheme.

15. History of JIS X 0212

15.1 JIS X 0212-1990

JIS X 0212, *Code of the supplementary Japanese graphic character set for information interchange*, was originally defined in 1990, in which a total of 6,067 coded graphic characters: namely 5,801 Kanji characters and 266 non-Kanji Katakana characters, were defined based on the JIS 7-bit and JIS 8-bit code scheme.

16. Difference from the revision 93-03 to this revision

16.1 Addition of 83 characters

83 characters have been added in this specification. They are NEC selected characters which had been originally registered in C-H 3-3220-133 for the compatibility with Japanese multi-vendor code.

16.2 "DBCS-PC"

In this revision, "DBCS-PC" represents DBCS-PC code (New JIS sequence) specified in C-H 3-3220-133, while it represented DBCS-PC code (Old JIS sequence) in the previous specification. In addition to that, code points on "PC

**IBM Japanese Graphic Character Set for Extended UNIX Code (EUC)
DBCS - EUC**

Code” column in Table 5 to Table 14 represents the code points on DBCS-PC code (New JIS sequence).

17. Graphic Character Representation

Although character graphics are inserted as sample graphics of the *coded graphic characters* in Table 5 to Table 8 and Table 10 to Table 13, a *graphic character* is independent of actual size or shape in which it may appear.

This specification does not restrict the style of font design. However, it is recommended that the font design of *graphic characters* for *products* follow the graphic representation in this document as close as possible to avoid confusion in identification of *graphic characters*. On questions about the font design to be implemented, the Standards Project Authority for DBCS (SIRS 029) may be consulted.