



IBM Software Group

IBM WebSphere® Monitor V6.0.2

Advanced installation scenarios




@business on demand.

© 2007 IBM Corporation
Updated March 28, 2007

This presentation will introduce four scenarios for installing WebSphere Monitor

Advanced scenario 1

- Two machines, coexisting Monitor and Dashboard with Remote Databases




This chart depicts an installation scenario with two machines, one for the Monitor Server and Dashboard Server, and another machine with the Database server.

The databases MONWPS and MONCEI are Process Server databases that are created in Cloudscape when the Launchpad installs Process Server. If you would like to use DB2 for the Process Server databases, then install Process Server outside of the Monitor Launchpad. In that case, if you use the default names, this chart shows databases WPRCSDB and EVENT on the remote DB2 Database server.

Advanced scenario 2

- Two machines, Monitor Server and Databases on one machine with Dashboard on the second



3


Advanced installation scenarios

© 2007 IBM Corporation

This chart depicts an installation scenario with two machines, one for the Monitor Server and Database Server, and another machine with the Dashboard server. For performance reasons, this might be preferable to scenario 1.

Advanced scenario 3


- Three machines with Monitor Server and Databases on one machine each with Dashboard on the third



This chart depicts an installation scenario with three machines, one for the Monitor Server, one for the Dashboard Server, and a third machine with the Database server. This might be the preferred topology if you require a separate database server.

High availability

- Clustering capability



5

Advanced installation scenarios

© 2007 IBM Corporation

This chart depicts an installation scenario for clustering. In this specific case one machine is the cell manager with two separate machines in the cell containing Monitor Servers. There is another machine for the Dashboard Server, and another machine containing the Database server. You can install as many Monitor Servers into the Cell as you have licenses.

Summary

- These scenarios represent four possible topologies



In summary, this presentation has illustrated four possible ways to install WebSphere Monitor V6.0.2.

Trademarks, copyrights, and disclaimers

The following terms are trademarks or registered trademarks of International Business Machines Corporation in the United States, other countries, or both:

IBM WebSphere

Product data has been reviewed for accuracy as of the date of initial publication. Product data is subject to change without notice. This document could include technical inaccuracies or typographical errors. IBM may make improvements or changes in the products or programs described herein at any time without notice. Any statements regarding IBM's future direction and intent are subject to change or withdrawal without notice, and represent goals and objectives only. References in this document to IBM products, programs, or services does not imply that IBM intends to make such products, programs or services available in all countries in which IBM operates or does business. Any reference to an IBM Program Product in this document is not intended to state or imply that only that program product may be used. Any functionally equivalent program, that does not infringe IBM's intellectual property rights, may be used instead.

Information is provided "AS IS" without warranty of any kind. THE INFORMATION PROVIDED IN THIS DOCUMENT IS DISTRIBUTED "AS IS" WITHOUT ANY WARRANTY, EITHER EXPRESS OR IMPLIED. IBM EXPRESSLY DISCLAIMS ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. IBM shall have no responsibility to update this information. IBM products are warranted, if at all, according to the terms and conditions of the agreements (for example, IBM Customer Agreement, Statement of Limited Warranty, International Program License Agreement, etc.) under which they are provided. Information concerning non-IBM products was obtained from the suppliers of those products, their published announcements or other publicly available sources. IBM has not tested those products in connection with this publication and cannot confirm the accuracy of performance, compatibility or any other claims related to non-IBM products.

IBM makes no representations or warranties, express or implied, regarding non-IBM products and services.

The provision of the information contained herein is not intended to, and does not, grant any right or license under any IBM patents or copyrights. Inquiries regarding patent or copyright licenses should be made, in writing, to:

IBM Director of Licensing
IBM Corporation
North Castle Drive
Armonk, NY 10504-1785
U.S.A.

Performance is based on measurements and projections using standard IBM benchmarks in a controlled environment. All customer examples described are presented as illustrations of how those customers have used IBM products and the results they may have achieved. The actual throughput or performance that any user will experience will vary depending upon considerations such as the amount of multiprogramming in the user's job stream, the I/O configuration, the storage configuration, and the workload processed. Therefore, no assurance can be given that an individual user will achieve throughput or performance improvements equivalent to the ratios stated here.

© Copyright International Business Machines Corporation 2007. All rights reserved.

Note to U.S. Government Users - Documentation related to restricted rights-Use, duplication or disclosure is subject to restrictions set forth in GSA ADP Schedule Contract and IBM Corp.

