



IBM Global Data Synchronization for WebSphere Product Center
Version 1.1.0

User Guide – Demand Side

Version 1.0

Note: Before using this information and the product it supports, read the information in “Notices” on page 151.

19 November, 2004

This edition of this document applies to IBM Global Data Synchronization for WebSphere Product Center, version 1.1, and to all subsequent releases and modifications until otherwise indicated in new editions.

© Copyright International Business Machines Corporations 2004. All rights reserved.

US Government Users Restricted Rights – Use, duplication or disclosure restricted by GSA ADP Schedule Contract with IBM Corp.

Table of Contents

ABOUT THIS DOCUMENT.....	1
AUDIENCE.....	1
RELATED DOCUMENTATION.....	1
TYPOGRAPHIC CONVENTIONS.....	1
TERMS AND ACRONYMS.....	1
CH 1 OVERVIEW	3
<i>IBM Global Data Synchronization for WebSphere Product Center Business Processes</i>	<i>3</i>
<i>Messaging process in IBM Global Data Synchronization for WebSphere Product Center.....</i>	<i>3</i>
CH 2 GETTING STARTED	5
LOG ON TO GDS.....	5
NAVIGATION.....	6
<i>Icon Definitions.....</i>	<i>7</i>
CH 3 ABOUT HOME PAGE.....	9
CH 4 MANAGING PUBLICATIONS	11
VIEW NOTIFICATIONS.....	11
REQUEST FOR PUBLICATION.....	12
STOP SYNCHRONIZATION.....	14
EXPLORE PUBLICATION.....	18
PROCESSING PUBLICATION MESSAGES.....	18
<i>Initial Load Publication.....</i>	<i>18</i>
<i>New Item Publication.....</i>	<i>24</i>
<i>Processing an Item Change Publication notification.....</i>	<i>30</i>
<i>Processing an Item Delist Publication.....</i>	<i>34</i>
<i>Processing an Item Withdraw Publication.....</i>	<i>37</i>
CH 5 MANAGE SUBSCRIPTIONS AND FILTERS	41
VIEW NOTIFICATIONS.....	41
CREATE FILTER	42
<i>Approve Filter</i>	<i>44</i>
<i>Add a filter to the data pool</i>	<i>45</i>
EDIT FILTER.....	47
<i>Approve Edited Filter.....</i>	<i>48</i>
DELETE FILTER.....	49
<i>Delete Filter - Draft status.....</i>	<i>49</i>
<i>Delete filter - Approved status.....</i>	<i>50</i>
<i>Delete filter - Added status.....</i>	<i>51</i>
<i>Approve Deleted Filter.....</i>	<i>54</i>
CREATE SUBSCRIPTION	54
<i>Approve a new subscription.....</i>	<i>56</i>
<i>Add a subscription to the Data Pool.....</i>	<i>57</i>
EDIT SUBSCRIPTION.....	59
<i>Approve Edited Subscription.....</i>	<i>61</i>
DELETE SUBSCRIPTION.....	61
<i>Delete Subscription – Subscription in Draft status.....</i>	<i>61</i>
<i>Delete Subscription – Subscription in Approved status.....</i>	<i>62</i>
<i>Delete Subscription – Subscription in Approved status.....</i>	<i>63</i>
<i>Approve a Deleted Subscription.....</i>	<i>65</i>
QUERY SUBSCRIPTION.....	66

EXPLORE SUBSCRIPTIONS AND FILTERS.....	66
CH 6 MANAGE ITEMS	67
VIEW NOTIFICATIONS.....	67
CREATE ITEMS.....	68
<i>Create GTIN</i>	68
<i>Enrich Global Attributes for an Item:</i>	71
<i>Create Item Links</i>	72
<i>Create Variant</i>	73
<i>Enrich Variant Attributes</i>	82
<i>Submit for Compliance Check</i>	83
<i>Approve New Item</i>	85
EDIT ITEMS.....	86
DELETE ITEM.....	89
<i>Approve Deleted Item</i>	90
CREATE HIERARCHY.....	91
<i>Approve New Hierarchy</i>	96
EDIT HIERARCHY.....	97
<i>Approve Edited Hierarchy</i>	100
DELETE ITEM LINKS.....	101
<i>Approve Deleted Item Links</i>	103
QUERY ITEM.....	103
EXPLORE ITEMS.....	104
CH 7 MANAGE PARTNERS	105
VIEW NOTIFICATIONS.....	105
CREATE TRADING PARTNER.....	106
<i>Approve New Trading Partner</i>	110
MODIFY TRADING PARTNER.....	111
<i>Approve Modified Trading Partner</i>	114
DELETE TRADING PARTNER.....	115
<i>Delete Trading Partner - Draft Status</i>	115
<i>Delete Trading Partner – Approved Status</i>	116
<i>Approve Deleted Trading Partner</i>	118
EXPLORE TRADING PARTNERS.....	119
CH 8 SEARCH.....	121
SEARCH FOR PUBLICATIONS.....	121
SEARCH FOR SUBSCRIPTIONS/FILTERS	123
<i>Search Subscriptions</i>	123
<i>Search Filters</i>	124
SEARCH FOR ITEMS/HIERARCHIES.....	125
<i>Search Items</i>	125
<i>Browse Items</i>	128
<i>Search Item Transactions</i>	130
<i>Search Hierarchy Transactions</i>	132
SEARCH FOR TRADING PARTNERS.....	133
<i>Search Trading Partners</i>	133
<i>Search Transactions</i>	135
APPENDIX A – ADMINISTRATION AND USER MANAGEMENT.....	139
APPENDIX B – LIST OF FUNCTIONS	141
FOR TRADE ITEMS.....	141
FOR TRADING PARTNERS.....	141
FOR TRADE ITEM LINKS.....	141

FOR SUBSCRIPTIONS AND FILTERS	142
FOR TRANSACTIONS	142
FOR NOTIFICATIONS	142
APPENDIX C - ERROR AND CONFIRMATION MESSAGES	145
ERROR AND CONFIRMATION MESSAGES GENERATED BY IBM GLOBAL DATA SYNCHRONIZATION FOR WEBSHERE PRODUCT CENTER.....	145
ERROR AND CONFIRMATION MESSAGES GENERATED BY UCCNET DATA POOL SERVICES.....	150
NOTICES	151

About this Document

Audience

The objective of this guide is to facilitate the users to navigate through the IBM Global Data Synchronization for WebSphere Product Center and identify and operate the main application functionalities. The document guides you through the application features using a step-by-step approach.

The intended audiences for this guide are retailers in the supply chain industry.

Related Documentation

The following related IBM Global Data Synchronization for WebSphere Product Center documentation is also available:

- Installation and Configuration Guide
- Release Notes

Typographic Conventions

This document uses the following conventions:

- `Courier New font` – Indicates commands, directory names, user names, path names, and file names.
- **Note** – Indicates important or clarifying information including exceptions, interdependencies, and special situations.
- **Tip** – Indicates a helpful action that will simplify or streamline the current procedure.
- **Bold font** – Indicates buttons, tabs, menus, and keyboard key names. For example, the **Save** button.
- *Italics font* – Indicates page names. For example, the *Login* page.

Terms and Acronyms

Term/Acronym	Description
Trade Item	A Trade Item is any product or service for which there is a need to retrieve pre-defined information and that may be priced, ordered or invoiced at any point in any supply chain.
Global Trade Item Number (GTIN)	This is a unique 14-digit number used to identify trade items. The first 13 digits represent the item reference number and the last digit is the check digit.
Global Location Number (GLN)	This is a unique 13-digit number used identify a trade location. The first seven digits represent the Company prefix, the next five digits represent the trade location, and the last digit is the check digit.

Term/Acronym	Description
Target Market (TM)	Geographic areas in which a trade item is available for sale.
Information Provider (IP)	Information provider indicates the information owner. For example, Distributor, broker, Manufacturer, or Franchisee. The retailer could receive information from both sellers and this field indicates the information owner.
Global Attributes	A global attribute indicates that the attribute is relevant for business cases around the world, and can only have a single value throughout the world. (For example, GTIN)
Global-Local Attributes	A global/local attribute indicates that the field is relevant for business cases around the world. Its definition is the same but may have a different value depending on the geography. (For example, VAT tax values, 1.00 in France, 1.05 in Belgium)
Local Attributes	A local attribute is only relevant in certain geographical areas, and the values may change based on where the product is offered for sale. (For example, green dot – only relevant in certain European countries.)
Data Pool	A repository of data where trading partners can obtain, maintain, and exchange information on items and parties in a standard format. In this guide the term data pool implies the UCCnet data pool services.

Ch 1 Overview

Global Data Synchronization is the process by which trading partners exchange basic information about products on an ongoing basis. The information can be on price, party, and other relationship-specific details. This process ensures that all stakeholders for a product are kept in “sync” about the latest information on the product.

Global Data Synchronization enables you to:

- Reduce costs and increase competitiveness through the efficient and accurate transfer and on-going synchronization of information.
- Lay the foundation for future supply chain collaboration initiatives which require that trading partners are in “sync” on the basic product, price, party, and relationship specific information.

IBM Global Data Synchronization for WebSphere Product Center Business Processes


The IBM Global Data Synchronization for WebSphere Product Center enables the demand side trading partner (retailer) to perform key business functions. These include:

- Managing information on trade items and trading partners.
- Creating new items and trading partners
- Managing subscriptions
- Processing published item information

The IBM Global Data Synchronization for WebSphere Product Center connects to the UCCnet data pool services to enable a trading partner to perform demand side data synchronization via the UCCnet data pool services.

Messaging process in IBM Global Data Synchronization for WebSphere Product Center

This section explains the messaging process between the IBM Global Data Synchronization for WebSphere Product Center and UCCnet Data Pool Services.



Messaging Process

1. Using the IBM Global Data Synchronization for Websphere Product Center, a trading partner (retailer) first sends a Catalog Item Subscription (CIS) or a Catalog Item Filter (CIF) message to the UCCnet data pool services requesting for information about an item.
2. After receiving a CIS or a CIF message, the UCCnet data pool services processes the CIS and CIF requests and sends responses as Catalog Item Notifications (CIN) to the retailer who has subscribed for the item details. The types of Catalog Item Notifications are:
 - Initial Load publication
 - New Item Publication
 - Item Change Publication
 - Item DeList Publication
 - Item Withdraw Publication
3. The CIN messages are processed by the IBM Global Data Synchronization for Websphere Product Center application and a Catalog Item Confirmation (CIC) message is sent back to the UCCnet data pool services. The types of CIC messages that are sent by the application are:
 - Review
 - Accept or Reject
 - Synchronized

Ch 2 Getting Started

This chapter describes the initial steps to start working with the application, and provides basic navigational information.

Topics include:

- [Log on to GDS](#)
- [Navigation](#)

Log on to GDS

To log on to the application:


Access the IBM Global Data Synchronization for WebSphere Product Center application. The *Login* page is displayed.



The screenshot shows the login page for the WebSphere Product Center. The page has a dark header with the 'WebSphere' logo and 'Product Center' text. Below the header, the word 'Login' is displayed in a large font. Underneath, there is a prompt: 'Please enter your username and password, and click Login.' This is followed by two input fields: 'Username' and 'Password'. A 'Login' button is positioned below the password field. At the bottom of the page, there is a small copyright notice: '©Copyright information for International Business Machine Corp., 2001-2004. All rights reserved. Licensed materials - property of IBM.'

Login

Enter your user ID and your password in the **User ID** and **Password** fields respectively. Click **Login**. The *Home page* is displayed.



Home Page

Each of the modules is aligned with a user's role and responsibility. Access to the various areas depends on the level of access assigned to your position and user ID.

Navigation

This section describes the product layout and the methods you can use to navigate through the IBM Global Data Synchronization for WebSphere Product Center application.

The page comprises three segments:

- Top Navigation Bar
- Left Navigation Pane
- Task Area


Each segment provides you with several methods that allow you to access various pages and views.

Top Navigation Bar: This segment provides tabs that allow you to navigate between various tasks, such as Manage Items, Manage Publications, and so on.

Left Navigation Pane: This segment is located on the left side of each page. It displays the quick links and quick search. It can also be customized to suit your preference.

Task Area: This is the largest segment on the page. When you select a tab or a link on any of the other segments, the related page where you can perform tasks is displayed here.









The segments are as shown.



Segments

Icon Definitions

This section provides information about the icons used in the application.

Icon	Name	Description
	Delete icon	Use this icon to delete a trade item.
	Delete icon	Use this icon to delete a contact for the trading partner.
	Calendar Icon	Use this icon to open a calendar and select a date.
	Edit Icon	Use this icon to edit item or trading partner information.
	Look Up icon	Use this icon to select target markets and information providers.
	Log Out icon	Use this icon to log out of the application.
	Temporary GTIN icon	This icon represents a temporary GTIN. While creating an item, if the user does not specify a GTIN, then a temporary GTIN is created automatically by the application
	View Details icon	Use this icon to view the details of a trade item or trading partner.

Ch 3 About Home Page

This chapter describes the home page of the IBM Global Data Synchronization for WebSphere Product Center application. This page acts as a dashboard that provides an overview of the number of notifications related to publications, subscriptions, trade items, and trading partners.

When you log on to the application, the home page displays the number of notifications related to items, subscriptions, publications, and trading partners by default.

The home page displays the following tables:

- **Publications** – This table displays the number of notifications that you have received or sent. This includes of notifications related to:

- Initial Load Publications
- New Item Publications
- Item Change Publications
- Item De-List Publications
- Item Withdrawal Publications
- Stop Synchronization

For more information on viewing details of publications, refer the [Managing Publications](#) chapter.

- **Subscriptions** – This table displays the number of notifications received or sent for subscriptions. This includes notifications related to:

- Subscription Requests
- Query Subscription requests
- Filter Requests

For more information on viewing details of subscriptions, refer the [Managing Subscriptions](#) chapter.

- **Items** – This table displays the number of notifications received or sent for trade items/hierarchies. This includes notifications related to:

- New Item Request
- Item Change Request
- Item Hierarchy Request
- Query Item Request

For more information on viewing details of items, refer the [Managing Items](#) chapter.

- **Trading Partner Requests** - This table displays the number of notifications received or sent for trading partners. This includes:

- New Trading Partner Requests

- Trading Partner Change Request

For more information on viewing details of Trading Partners, refer the [Managing Partners](#) chapter.

The *Home* page appears as shown.

The screenshot shows the 'WebSphere Product Center' interface. The main content area is titled 'Notification Summary' and displays a table of notification counts for various categories. The categories include Publication Requests, Item Requests, Subscriptions, and Trading Partner Requests. The counts are as follows:

Category	Item	Count
Publication Requests	Initial Load Publication	7
	New Item Publication	1
	Item Change Publication	0
	Item Delist Publication	0
	Item Withdrawal Publication	0
	Stop Synchronization	0
Item Requests	New Item Request	13
	Query Item Request	0
	Item Change Request	2
Subscriptions	Subscription Request	15
	Query Subscription Request	0
	Filter Request	15
Trading Partner Requests	New Trading Partner Request	4
	Trading Partner Change Request	4

Home Page

You can click on each of the displayed links to view the related list of notifications. For example, if you click on the **Initial Load Publication** link, the page which shows you the list of notifications for Initial Load is displayed.

The screenshot shows the 'WebSphere Product Center' interface with the 'Notifications' page selected. The page displays a list of notifications for 'Initial Load Publication'. The table has the following columns: Type, Id, Transaction Id, and Status. The data rows are as follows:

Type	Id	Transaction Id	Status
Publication	6987161_0	UCCNet_0000000762	Initial Load Approval Pending
Publication	6987149_0	UCCNet_0000000761	Initial Load Approval Pending
Publication	6987117_0	UCCNet_0000000760	Initial Load Approval Pending
Publication	6987113_0	UCCNet_0000000759	Initial Load Approval Pending
Publication	687473502_0	UCCNet_0000000758	Initial Load Approval Pending
Publication	6986993_0	UCCNet_0000000757	Initial Load Approval Pending

Initial Load Publication Notifications

Ch 4 Managing Publications

This chapter describes the various tasks related to managing publications within the IBM Global Data Synchronization for WebSphere Product Center application.

You can view information on all published items and request (publication) information on an item from your trading partner.

The application receives publications for new items and item hierarchies. You can receive publications as a New Item or as an Initial Load. The items are published when the demand-side trading partner(s) sends a request for publication to the supply-side. Only those items that have been added to the data pool by a supply side user will be published on the demand side.

Topics:

- [View Notifications](#)
- [Request for Publication](#)
- [Stop synchronization](#)
- [Explore Publication](#)
- [Processing Publication Messages](#)

You can request for publications from the *Home* page also. The tasks are displayed under **Quick Links** on the left navigation pane.

View Notifications

You can view all notifications related to publications in the *Notifications* page. This page contains the following tabs:

- Initial Load Publication
- New Item Publication
- Item Change Publications
- Item De-List Publications
- Item Withdrawal Publications
- Stop Synchronization

To view the list of notifications for each, click on the corresponding tab. The *Initial Load Publication* tab view is displayed by default.

Type	Id	Transaction Id	Status
Publication	6905777_0	UCCNet_0000000728	Initial Load Approval Pending
Publication	6913344_0	UCCNet_0000000650	Review Incorrect Initial Load
Publication	6913288_0	UCCNet_0000000646	Review Incorrect Initial Load
Publication	6913237_0	UCCNet_0000000644	Review Incorrect Initial Load
Publication	6913172_0	UCCNet_0000000641	Review Incorrect Initial Load
Publication	6913012_0	UCCNet_0000000638	Review Incorrect Initial Load

Initial load Page

To view the details of a notification, click on the notification message. The details of that notification are displayed.

Notifications that are for information only can be viewed and deleted. To remove the notification from the list, click on the **Delete**  icon.

Request for Publication

When you need information about an item, you have to request for a publication for that item from a trading partner. You have two options for requesting a publication. You can request publications as a new item publication or as an initial load publication.

To request for publications:

1. In the *Home* page, click on the **Manage Publication** tab. The *Manage Publication* tab view is displayed.


Type	Id	Transaction Id	Status
Publication	6985777_0	UCCNet_0000000728	Initial Load Approval Pending
Publication	6913344_0	UCCNet_0000000650	Review Incorrect Initial Load
Publication	6913288_0	UCCNet_0000000646	Review Incorrect Initial Load
Publication	6913257_0	UCCNet_0000000644	Review Incorrect Initial Load
Publication	6913172_0	UCCNet_0000000641	Review Incorrect Initial Load
Publication	6913012_0	UCCNet_0000000638	Review Incorrect Initial Load


Manage Publication Tab View



2. Click on the **request for publication** link. The *Request for Publication* page is displayed.



Request for Publication

Manage Publication > Request for Publication

GTIN: 




GLN: 



Target Market:  

Category:  

Type: New Item Initial Load


Request for Publication

3. You can type values in any or all the following fields.
 - a. In the **GTIN** field, type the global trade item number of the item for which you want to receive publications. You can also select the GTIN using the **Lookup**  icon.
 - b. In the **GLN** field, type the global location number. You can also select the global location number using the **Lookup**  icon.
 - c. In the **Target Market** field, type the name of the target market. You can also select the target market using the **Lookup**  icon.

- d. In the **Category** field, using the **Lookup**  icon, select the category to which the item belongs.
- e. If you want to clear the data in the **Target Market** and **Category** fields, click on the **Undo**  icon.
- f. Select **New Item** or **Initial Load** for the type of publication that you want to receive for the item.

Note: An item that has not yet been published to any trading partner is called a new item.

4. A screen showing the details you have entered is displayed.



Request for Publication – GTIN details

5. Click **Submit**. A message “Request for notification submitted” is displayed on the same page.

Stop Synchronization

You can stop synchronization for items for which you do not want to receive any more publications.

To stop synchronization:

1. Click on the **Manage Publication** tab in the *Home Page*. The *Manage Publication* tab view is displayed.

WebSphere Product Center
Demand Side Global Data Synchronization

Home Manage Publication Manage Subscription Manage Item Manage Partner

notifications | request for publication | stop synchronization | explore

Monday, October 23, 2004

Quick Search
select search attribute
enter search value
Go

Notifications

Type	Id	Transaction Id	Status
Publication	6985777_0	UCCNet_0000000728	Initial Load Approval Pending
Publication	6913344_0	UCCNet_0000000650	Review Incorrect Initial Load
Publication	6913288_0	UCCNet_0000000646	Review Incorrect Initial Load
Publication	6913257_0	UCCNet_0000000644	Review Incorrect Initial Load
Publication	6913172_0	UCCNet_0000000641	Review Incorrect Initial Load
Publication	6913012_0	UCCNet_0000000638	Review Incorrect Initial Load

refresh

Manage Publication Tab View

2. Click on the **stop synchronization** link. The *Stop Synchronization* page is displayed.

WebSphere Product Center
Demand Side Global Data Synchronization

Home Manage Publication Manage Subscription Manage Item Manage Partner

notifications | request for publication | stop synchronization | explore

Wednesday, November 3, 2004

Stop Synchronization

Search Item

GTIN *

Information Provider (GUN) *

Target Market *

Submit


Stop Synchronization

3. Click on the **Search Item** button. A window where you can search for the item is displayed.

The screenshot shows a web application window titled "Find Items". It contains three input fields: "GTIN:", "Information Provider [GLN]:", and "Target Market:" with a dropdown menu showing "-----Select Target Market-----". A "Search" button with a green arrow is located to the right of the input fields. Below the input fields is a dark blue header for "search results" and a large grey area containing the text "no search results..."


Stop Synchronization - Search

4. In the Search page:
 - a. In the GTIN field, type the global trade item number of the item for which you want to stop synchronization
 - b. In the GLN field, type the GLN that you want to stop synchronizing items with.
 - c. Select the Target Market of the GLN that you want to stop synchronizing items from.
 - d. Click on the Search button. The search results are displayed in the Search Results area.




Stop Synchronization – Search Results

- From the search results click on the GTIN that you want to stop synchronization for. The details of the GTIN will be displayed.



Stop Synchronization – Selected GTIN details

- To stop the synchronization for that particular Item, click **Submit**. A confirmation page is displayed.



Confirm Stop Synchronization

7. If you are sure of stopping the synchronization for that particular Item, click **Submit**. A message is sent to UCCnet data pool services to reject the item. A notification that a reject message has been sent to the UCCnet data pool services will be sent to the appropriate user(s). The status of the item is changed “Stop Synchronized”

Explore Publication

For information about performing a search for publications, refer the section Search Publications in *Chapter 8 – Search*.

Processing Publication messages


Initial Load Publication

Initial Load is a synchronization message that is received for a trade item that has already been published to you by the supplier.

When an Initial Load publication is received by the application, it goes through an internal validation process. If the item fails validation, then a notification “Review Incorrect Initial Load publication” is sent to the appropriate user(s).

To review an incorrect initial load:

1. Click on the **Notifications** link under **Manage Publication** tab. The **Initial Load** tab view is displayed by default. Click on the notification “Review Incorrect Initial Load publication” for the trade item that you want to validate. The details of the failure are displayed.




Review Incorrect Initial Load

2. If the supplier has agreed to make the changes to the item, then click **Change Pending**. The status of the item is changed to “Awaiting Changes”. If the supplier resends the item as an initial load, the initial load goes through an approval process again. The status gets changed accordingly.
3. If the supplier has disagreed to make the changes click **Reject**. A reject message is sent to the UCCnet data pool services.
4. Click **Ignore** to ignore the validation. No message will be sent to UCCnet data pool services and the notification will be deleted.
5. If the initial load has failed only the user level validations then, you can turn off the user level validation process and revalidate the initial load. Click **Revalidate** to revalidate the initial load.
6. Click **Cancel** to exit the page.

Note: The validation process can be turned off in the IBM Global Data Synchronization for WebSphere Product Center configuration. The initial load will not go through any validation.

To approve an initial load item:

1. Click on the **Notifications** link under manage publication tab. The initial load tab is displayed by default. Click on “Initial Load Approval Pending” message for the trade item that you want to approve. Both the old and new details of the item are displayed.



Approve Initial Load

2. You can approve either selected attributes or you can approve all the attributes. If you do not want to approve all the attributes, select the attributes you want to approve and Click **Approve Selected**. If you want to approve the entire set of attributes click **Approve all**. A notification “Initial Load Enrichment pending” is sent to the appropriate user(s).
3. Click **Reject all Items** if you want to reject all the attributes of the item.

Enriching an InitialLoad

To enrich an item that passes Initial Load validation:

1. Click on the **Notifications** link under manage publication tab. The initial load tab is displayed by default. Click on the initial load validation failed message for the trade item that you want to validate. The details of the item are displayed.

WebSphere Product Center
Demand Side Global Data Synchronization

Home | Manage Publications | Manage Subscriptions | Manage Items | Manage Partners

Notification Message | create item | edit item | create hierarchy | edit hierarchy | query item | actions

Friday, October 29, 2004

Notification Message
Real-time Load Enrichment pending for the Item
Date Sent: Oct 29 06:45:54 GMT 2004
SKU:5176

EAN UCC Code: 00000000197
Global Trade Item Number: 0000000000197
Language: English (United Kingdom) [v]
Item Status: Synchronized

EAN UCC Code Type: []
Product Type: SA
GTIN Name: Retail Unit [all values]

Global Attributes | Item Info | Variant Attributes

Global Attributes for All Variants

Global

Brand Name: Text [all values]	In size Name: [all values]
Product Range: []	Sub Brand: []
Trade Item Group Identification Code: []	Trade Item Group Identification Description: [all values]
Trade Item Form Description: []	Variant Description: [all values]
Pack: 1 []	Inner Pack: []

Classification Information

Internal Category [Code]: 1000250	Internal Category [Description]: CHAIRPAGE [select]
DataPool Category [Code]: 0000000100000164000	DataPool Category [Description]: [select]

Payment Terms


Payment Terms Trade: []	Payment Terms Over: []
Time Period: []	Time Period Over: []
Day of Month Due: []	Day: [] [v]
Percentage Of Payment Due: []	Time Period: []
Time Period Due: []	Day of Month Due: []

[Save] [Done] [Cancel]

Initial Load Enrichment

2. Enter the values for various fields under the **Global attributes** tab.
3. Under the variant attributes tab, enter the values for fields under the **Logistics, General, Hazardous Materials** and **Partner Specific Local Attributes** tab.

Note: For a detailed description of all the Trade Item attributes refer to the UCCnet attribute starter Kit -- *Attribute Starter Kit (UCCnet Mandatory XSD Attributes) 012904.pdf*




Variant Attributes

4. When you have finished the enrichment click **Done**. A notification “Initial Load Approval Pending” is sent to appropriate user(s).
5. If the enrichment is not complete and you want to save the item, click **Save**.

Synchronizing an Initial Load publication


To synchronize an Initial Load Publication:

1. Under the *Manage Item* tab view, click on **Item Change Request** tab. The *Item Change Request* tab view is displayed.



Manage Item – Item change Request

2. Click on the notification “Initial Load Publication Synchronization Pending”. The details of the item are displayed.



Initial Load Publication – Internal Synchronization

3. You can view the details of item under the **Global Attributes, Item Link, and Variant Attributes** tab.

To internally synchronize the item, click **Internal Synchronization Done**. The item will be internally synchronized. A notification “Internal Synchronization Completed” is sent to the appropriate user(s).

New Item Publication


When a new item is published by the supplier, a notification “New Item Published” is displayed under the new item publication tab. The item has to go through the following steps.

- Mapping new item to an internal classification
- New item approval
- Item enrichment
- Item synchronization

Mapping new item to an internal classification

To map a new item to an internal classification:


1. Click on the **Manage Publications** link. The *Notifications* page is displayed.



Type	Id	Transaction Id	Status
Publication	6985777_0	UCCNet_000000728	Initial Load Approval Pending
Publication	6913344_0	UCCNet_000000650	Review Incorrect Initial Load
Publication	6913288_0	UCCNet_000000646	Review Incorrect Initial Load
Publication	6913237_0	UCCNet_000000644	Review Incorrect Initial Load
Publication	6913172_0	UCCNet_000000641	Review Incorrect Initial Load
Publication	6913012_0	UCCNet_000000638	Review Incorrect Initial Load


Manage Publications

2. In the *Item change publication* tab view, click on a notification that has “New Item Publication” status. The details of the notification are displayed.




New Item Publication - Details

3. Click **Edit**. A screen where you can browse the internal classification is displayed. The internal classification list view is displayed by default.



Internal Classification List View

4. Select the category to which you want to map the item. The item will be classified as per the selected internal category. The selected category will be mapped and the item and will be displayed on the screen.




Map Item Classification- Category Selected

5. Click **Done**. A notification “New item Publication Approval Pending” is sent to the appropriate user(s). The notification is displayed under the *Manage Item->Notifications->Item change Publication* tab.

Approving a New Item Publication

1. Click on the **Notifications** link under the **Manage Publication** tab view. In the *Item Change Publications* tab view, click on the “New item Publication Approval Pending” notification. The details of the item are displayed.




Approve New Item Publication

2. To approve the item, click **Approve**. A notification “New Item Enrichment pending” is sent to the appropriate user(s). The notifications will appear in the *Manage items -> Notifications -> Item Change Request* tab view.

Enriching a new Item.

To enrich a new item:

1. Click on the **Notifications** link under the **Manage Item** tab view. Click on the **Item Change Request** tab. The *Item Change Request* tab view is displayed.




The screenshot shows the 'Notifications' page in the WebSphere Product Center. The page title is 'Product Center' with the subtitle 'Demand Side Global Data Synchronization'. The navigation bar includes 'Home', 'Manage Publication', 'Manage Subscription', 'Manage Item', and 'Manage Partner'. The 'Notifications' section is active, showing a list of requests. The 'Item Change Request' tab is selected. The table below lists several requests, all with a status of 'New Item Publication Enrichment Pending'.

Type	Id	Transaction Id	Status
GTIN	00798452000005_US_0000609623334	UCCHet_0000000344	New Item Publication Enrichment Pending
GTIN	00798452333332_US_0000609623334	UCCHet_0000000344	New Item Publication Enrichment Pending
GTIN	00798452666669_US_0000609623334	UCCHet_0000000344	New Item Publication Enrichment Pending
GTIN	00798452111114_US_0000609623334	UCCHet_0000000344	New Item Publication Enrichment Pending
GTIN	00798452555550_US_0000609623334	UCCHet_0000000344	New Item Publication Enrichment Pending
GTIN	00798452999996_US_0000609623334	UCCHet_0000000344	New Item Publication Enrichment Pending
GTIN	00798452444441_US_0000609623334	UCCHet_0000000344	New Item Publication Enrichment Pending
GTIN	00798452888887_US_0000609623334	UCCHet_0000000344	New Item Publication Enrichment Pending
GTIN	00798452012343_US_0000609623334	UCCHet_0000000344	New Item Publication Enrichment Pending
GTIN	00798452222223_US_0000609623334	UCCHet_0000000344	New Item Publication Enrichment Pending

Item Change Request

2. Click on the item with the status as “New Item Publication Enrichment Pending”. The details of the item are displayed.



The screenshot shows the 'Enrich New Item' form in the WebSphere Product Center. The page title is 'Product Center' with the subtitle 'Demand Side Global Data Synchronization'. The navigation bar includes 'Home', 'Manage Publication', 'Manage Subscription', 'Manage Item', and 'Manage Partner'. The 'Enrich New Item' section is active, showing a task titled 'Task: Enrich item attributes from New Item Publication'. The task details include 'Date: Sat Nov 06 11:17:42 157 2004' and 'Status: New'. The form contains several fields for item attributes, including EAN.UCC Code, Global Trade Item Number, Language, Item Status, EAN.UCC Code Type, Product Type, and GTIN Name. Below the main form, there is a section for 'Global Attributes for All Variants' with fields for Brand Name, Sub Brand, Trade Item Group Identification Code, GLN [Brand Owner], Additional Party Identification [Brand], Trade Item Group Identification Description, Alternate Party Identification [Brand Owner], and Alternate Party Identification [Manufacturer of Trade Item].

Enrich New Item

3. Enter the values for various fields under the **Global attributes** tab.

- Under the **Item links** tab you can view the hierarchy existing for that particular item. You cannot edit the item links.

WebSphere Product Center
Demand Side Global Data Synchronization

Home | Manage Publications | Manage Subscriptions | Manage Items | Manage Partners

Notifications | create item | edit item | create hierarchy | edit hierarchy | query item | explore

Enrichment/Notifications → Enrich New Item Thursday, November 4, 2004

Task: Enrich item attributes from New Item Publication
Date: Sat Nov 05 11:17:42 IST 2004
Status: New

EAN.UCC Code: 0079845200005 EAN.UCC Code Type: EAN.UCC-14 (1-2-5-5-1)
Global Trade Item Number: 0079845200005 Product Type: EACH
Language: English (United Kingdom) GTIN Name: QA_Each_01
Item Status: Synchronized

Global Attributes | **Item Links** | Variant Attributes

Product Hierarchy Information

Parent [GTIN/s]:

GTIN	Name	Type	View Item
00798452333332	QA_Case_01	CA	

Children [GTIN/s]:

GTIN	Name	Type	Quantity	View Item
------	------	------	----------	-----------

Enrich New Item – Item Links

- Under the **variant attributes** tab, enter the values for fields under the **Logistics, General, Hazardous Materials** and **Partner Specific Local Attributes** tab.

Note: For a detailed description of all the Trade Item attributes refer to the UCCnet attribute starter Kit -- *Attribute Starter Kit (UCCnet Mandatory XSD Attributes) 012904.pdf*

WebSphere Product Center
Demand Side Global Data Synchronization

Home | Manage Publications | Manage Subscriptions | Manage Items | Manage Partners

Notifications | create item | edit item | create hierarchy | edit hierarchy | query item | explore

Enrichment/Notifications → Enrich New Item Thursday, November 4, 2004

Task: Enrich item attributes from New Item Publication
Date: Sat Nov 05 11:17:42 IST 2004
Status: New

EAN.UCC Code: 0079845200005 EAN.UCC Code Type: EAN.UCC-14 (1-2-5-5-1)
Global Trade Item Number: 0079845200005 Product Type: EACH
Language: English (United Kingdom) GTIN Name: QA_Each_01
Item Status: Synchronized

Global Attributes | Item Links | **Variant Attributes**

1. Select Target Market: United States 2. Select Information Provider: TRIGO SUPPLY

ITEM VARIANT STATUS:

Hazardous | Allowance | Partner Information | Measures | General | Payment Terms | Partner Specific Local Attributes

Dangerous Goods A Margin Number: Class Of Dangerous Goods:
Dangerous Goods Hazardous Code: Dangerous Goods Packing Group:
Dangerous Goods Regulation Code: Dangerous Goods Shipping Name:
Flash Point Temperature:

Enrich New Item – Variant attributes


- To complete the enrichment for the item, click **Complete Enrichment**. When all the users to whom an enrichment notification is sent, complete the enrichment process, a notification “New Item synchronization pending” is sent to the appropriate user(s).
- If you have not completed the enrichment and you want to save the item, click **Save**.

8. Click **Cancel** to exit without making any changes.

Synchronizing an New Item Publication


To synchronize a New Item Publication:

1. Under the *Manage Item* tab view, click on **Item Change Request** tab. The *Item Change Request* tab view is displayed.



Manage Item – Item change Request

2. Click on the notification “New Item Publication Synchronization Pending”. The details of the item are displayed.



New Item Publication – Internal Synchronization

3. You can view the details of item under the **Global Attributes, Item Link, TM/IP Attributes** tab.
4. To internally synchronize the item, click **Done**. The item will be internally synchronized. A notification “Internal Synchronization Completed” is sent to the appropriate user(s).


Processing an Item Change Publication notification

When a changed item is published by the supplier, a notification “Item change approval pending” is displayed under the **New Item Publication** tab. The item has to go through the following steps.

- Item Change Approval
- Item enrichment
- Item synchronization

To approve a changed item:

1. Click on the **Notifications** link under **Manage Publication** tab. Then click on the **Item change Publication** tab. The *Item change Publication* tab view is displayed.




The screenshot shows the WebSphere Product Center interface. The 'Notifications' section is active, and the 'Item Change Publication' tab is selected. The table below shows the details of the notification.

Type	Id	Transaction Id	Status
Publication	6331969_2	UCCNet_0000000296	Item Change Publication Approval Pending

Item Change Publication

2. Click on the notification “Item change approval pending”. The details of the item are displayed.




Approve Item Change

3. You can approve either selected attributes or you can approve all the attributes. If you do not want to approve all the attributes, select the attributes you want to approve and Click **Approve Selected**. If you want to approve the entire set of attributes click **Approve all**. A notification “Item Change Publication Enrichment pending” is sent to the appropriate user(s). The notification can be viewed under *Manage Item->Item Change Request* tab view.
4. Click **Reject all** if you want to reject all the attributes.

To enrich a changed Item:

1. Under the *Manage Item* tab view, click on **Item Change Request** tab. The *Item Change Request* tab view is displayed.



Manage Item – Item change Request

2. Click on the notification “Item Change Publication Enrichment Pending”. The details of the item are displayed.

WebSphere Product Center
Demand Side Global Data Synchronizer

Home | Manage Publication | Manage Subscription | Manage Item | Manage Partner

Publications | create item | edit item | create hierarchy | edit hierarchy | query item | explore

Publication Notifications → Approve Item Change Friday, October 29, 2004

Task: Enrich item attributes from Item Change Publication
Date: Sun Oct 31 09:31:49 IST 2004
Status: New

EAN/UCC Code: 0000080000026 EAN/UCC Code Type: U.P.C Shipping Co
GTIN: 0000080000026 Product Type: DISPLAY/SHIPPER
GTIN Name: Some product 2 Item Status: Synchronized

Global Attributes | Item Links | TR/JP Attributes

Global Attributes for All Variants

Global

Brand Name: Some brand Invoice Name:

Product Range: Sub Brand:

Trade Item Group Identification Code: Trade Item Group Identification Description:

Trade Item Form Description: Variant Description:

Pack: 10 Inner Pack:

Item change Enrichment

3. Enter the values for various fields under the **Global attributes** tab.

WebSphere Product Center
Demand Side Global Data Synchronizer

Home | Manage Publication | Manage Subscription | Manage Item | Manage Partner

Publications | create item | edit item | create hierarchy | edit hierarchy | query item | explore

Publication Notifications → Approve Item Change Friday, October 29, 2004

Task: Enrich item attributes from Item Change Publication
Date: Sun Oct 31 09:31:49 IST 2004
Status: New

EAN/UCC Code: 0000080000026 EAN/UCC Code Type: U.P.C Shipping Contar
GTIN: 0000080000026 Product Type: DISPLAY/SHIPPER
GTIN Name: Some product 2 Item Status: Synchronized

Global Attributes | Item Links | TR/JP Attributes

Product Hierarchy Information

Parent [GTIN/s]:


GTIN	Name	Type	View Item

Children [GTIN/s]:

GTIN	Name	Type	Quantity	View Item

Item change Enrichment - Enrich Item Links

4. Under the *Item Links* tab view the hierarchy existing for that particular Item is displayed.



Item Change Publication – Enrich Variant Attributes

- Under the variant attributes tab, enter the values for fields under the **Logistics, General, Hazardous Materials** and **Partner Specific Local Attributes** tab.


Note: For a detailed description of all the Trade Item attributes refer to UCCnet attribute starter Kit--*Attribute Starter Kit (UCCnet Mandatory XSD Attributes) 012904.pdf*

- To complete the enrichment process, click **Complete Enrichment**. A notification “Internal Synchronization Pending for Item Change Publication” is sent to the appropriate user(s). The notification can be viewed under the *Manage Publications->Item Change Publications* tab view.

Synchronizing an Item Change publication


To synchronize an Item Change Publication:

- Under the *Manage Item* tab view, click on **Item Change Request** tab. The *Item Change Request* tab view is displayed.



Manage Item – Item change Request

2. Click on the notification “Internal Synchronization Pending for Item Change Publication”. The details of the item are displayed.



Item Change Publication – Internal Synchronization


3. You can view the details of item under the **Global Attributes, Item Link, TM/IP (Variant Attributes)** tab.
4. To internally synchronize the item, click **Done**. The item will be internally synchronized. A notification “Internal Synchronization Completed” is sent to the appropriate user(s).

Processing an Item Delist Publication

To review an Item Delist Publication:


When you receive an item delist publication it goes through a validation process. If the item passes the validation process, then a notification “Item Delist review Pending” is sent to the appropriate user(s).

1. Click on the **Notifications** link under the **Manage Publication** tab. Click on the **Item DeList Publication** tab. The *Item DeList Publication* tab view is displayed.



Manage Items - >Item DeList Publication

2. Click on the “Item DeList review Publication Pending” notification. The details of the publication are displayed.




Approve Item Delist

- When an item is delisted, all the child links and the parent links for that particular item will be delisted.
- Click **Acknowledge** to accept the delist publication. A message is sent to UCCnet data pool services rejecting any more publications for that particular item.
- Click **Ignore** to ignore the delist notification. The notification will be deleted and no message will be sent to UCCnet data pool services.
- Click **Cancel** to go back to the notification screen.

If the delist publication fails validation, a notification “Review Incorrect delist publication” is sent to the appropriate user(s).

To review a failed delist publication

- Click on the **Notifications** link under the **Manage Publication** tab. Click on the **Item DeList Publication** tab. The *Item DeList Publication* tab view is displayed.




The screenshot shows a web application interface for 'Product Center'. The main content area is titled 'Notifications' and contains a table with the following data:

Type	ID	Transaction ID	STATUS
Publication	28031975- delist- Item_8	UCCnet_608600678	Warning: Incorrect Item Delist Publication

Manage Items - >Item Delist Publication

- Click on the “Review Incorrect Item Delist Publication” notification. The details of the publication are displayed.



Delist Validation Failed

3. Click **Review Done** to complete the review. A validation failed message is sent to UCCnet data pool services with the failure details.
4. Click **Ignore** to ignore the delist notification. The notification will be deleted and no message will be sent to UCCnet data pool services.
5. Click **Cancel** to go back to the notifications screen.

Note: The user validation process can be turned off in the IBM Global Data Synchronization for WebSphere Product Center configuration. The item delist publication will not go through any validation process.


Processing an Item Withdraw Publication

When a supplier temporarily withdraws the item from the registry, then an Item withdraw publication is sent to all users who have subscribed for that particular item.

To review an Item withdrawal Publication:


When you receive an item is withdraw publication, it goes through a validation process. If it passes the validation process, then a notification “Item Withdraw Publication Review Pending” is sent to the user.

1. Click on the **Notifications** link under the **Manage Publication** tab. Click on the **Item DeList Publication** tab. The *Item DeList Publication* tab view is displayed.



Manage Items - >Item Withdrawal Publication

2. Click on the “Item Withdrawal Publication Review Pending” notification. The details of the publication are displayed.



Approve Item Withdrawal


3. When an item is withdrawn, all the child links and the parent links for that particular item will be withdrawn.

4. Click **Acknowledge** to accept the withdrawn publication. A message is sent to UCCnet data pool services rejecting any more publications for that particular item.
5. Click **Ignore** to ignore the withdrawn notification. The notification will be deleted and no message will be sent to UCCnet data pool services.
6. Click **Cancel** to go back to the notifications screen.

If the item withdraw publication fails validation, a notification “Review Incorrect withdraw publication” is sent to the appropriate user(s).


To review a failed withdraw publication:

1. Click on the **Notifications** link under the **Manage Publication** tab. Click on the **Item Withdraw Publication** tab. The *Item Withdrawal Publication* tab view is displayed.



Manage Items - >Item Withdrawal Publication

2. Click on the “Review Incorrect Item Withdraw Publication” notification. The details of the publication are displayed.



Withdraw Validation Failed

3. Click **Review Done** to complete the review. A validation failed message is sent to UCCnet data pool services with the failure details.
4. Click **Ignore** to ignore the withdraw notification. The notification will be deleted and no message will be sent to UCCnet data pool services.
5. Click **Revalidate** to revalidate the publication.
6. Click **Cancel** to go back to the notifications screen.

Note: The user validation process can be turned off in the IBM Global Data Synchronization for WebSphere Product Center configuration. The item withdraw publication will not go through any validation process.

Ch 5 Manage Subscriptions and Filters

This chapter describes the various tasks related to managing subscriptions and filters within the IBM Global Data Synchronization for WebSphere Product Center application.

Subscriptions

Subscription is a message used to establish a request for the update of trade item information for a data recipient on a continuous basis within Global Data Synchronization Network.

Subscriptions can be made based on any one of the following criteria-- GTIN, Category of the item, GLN of Information Provider and Category of the item, Target Market. Subscriptions remain valid until they are deleted.

In the IBM Global Data Synchronization for WebSphere Product Center application, you can subscribe to receive item information related to a particular GTIN from the manufacturer. You can view the GTINs that you have subscribed to.

You can add, delete subscriptions. You can edit a subscription that has not yet been added to the data pool.

Filters

Filters are also used as a criterion for subscription. However if a subscription is made based on a filter, the filter criterion overrides the other subscription criteria.

You can create a filter based on any one of the following criteria -- GTIN, Category of the item, GLN of Information Provider and Category of the item, Target Market.

As in the case of subscriptions, filters are created in IBM Global Data Synchronization for WebSphere Product Center and added to the UCCnet data pool.

You can add, edit and delete filters.

. Topics:

- [View Notifications](#)
- [Create Filter](#)
- [Edit Filter](#)
- [Delete Filter](#)
- [Create Subscription](#)
- [Edit Subscription](#)
- [Delete subscription](#)
- [Query Subscription](#)
- [Explore Subscriptions and Filters](#)

View Notifications

You can view all notifications related to subscriptions in the *Notifications* page. This page contains the following tabs:


- Subscription Requests
- Filter Requests
- Query Subscription Requests

To view the list of notifications for each, click on the corresponding tab. The *Subscription Request* tab view is displayed by default.

Type	Id	Transaction Id	Status
Subscriptions	SUS_000000073	UCCNet_000000688	Subscription Approved
Subscriptions	SUS_000000074	UCCNet_000000682	Subscription Deletion Approval Pending
Subscriptions	SUS_000000064	UCCNet_000000628	Subscription Approved
Subscriptions	SUS_000000063	UCCNet_000000624	Subscription Deletion Approved
Subscriptions	SUS_000000062	UCCNet_000000614	Subscription Add Message Successful
Subscriptions	SUS_000000061	UCCNet_000000605	Subscription Approved
Subscriptions	SUS_000000060	UCCNet_000000603	Subscription Approved
Subscriptions	SUS_000000059	UCCNet_000000601	Subscription Approved

Manage Subscription – Subscription Request

To view the details of a notification, click on the notification message. The details of that notification are displayed.

Notifications that are for information only can be viewed and dismissed. To remove the notification from the list, click on the **Delete**  icon.

Create Filter

To create a filter:




1. In the *Manage Subscription* tab view, click on the **create filter** link. The *Create Filter* page is displayed.

The screenshot shows the 'Create Filter' form in the WebSphere Product Center. The form has a header with 'WebSphere Product Center' and 'Demand Side Global Data Synchronization'. Below the header is a navigation bar with links: 'Home', 'Manage Publication', 'Manage Subscription', 'Manage Item', and 'Manage Partner'. The main content area is titled 'Create Filter' and includes a 'Filter name' field, radio buttons for 'Public' and 'Private', and three 'Select one' options: 'GTIN', 'Category', and 'GLN'. Each option has a text input field and a 'Lookup' icon. The 'GTIN' option is selected. At the bottom are 'Create Filter' and 'Cancel' buttons.

Manage Subscriptions – Create Filter

2. In the Filter name field, type a name for the filter.
3. Select the option **Public** or **Private**.

Note: When you choose Public, users of other companies will also be able to access the filter. If you choose Private, the filter will be accessible only by users of your company.

4. Specify one of the following options:
 - a. Select **GTIN**. Using the **Lookup**  icon select a GTIN. The selected GTIN is displayed in the text box.
 - b. In the **Category** field, specify the category for the GTIN using the **Lookup**  icon.
 - c. You can also choose to create a filter based on a particular category for a particular target market. You will have to specify both **Category** and **GLN**. Specify the GLN using the **Lookup**  icon.
5. Click **Create Filter**. A page displaying the details of the filter is displayed.

The screenshot shows the 'View Filter' interface in the WebSphere Product Center. The page title is 'View Filter' and the date is 'Friday, November 5, 2004'. The filter name is 'Filter223344'. The filter is currently set to 'Public'. Under 'Select one', the 'GTIN' option is selected with a value of '00798452564538'. There are also input fields for 'Category' and 'GLN' with their respective 'Category' dropdowns. At the bottom, there are buttons for 'Save', 'Submit For Approval', 'Delete', and 'Cancel'.


Create Filter – View Filter

6. To submit the filter for approval, click **Submit For approval**. The notification message “Filter Approval Pending” is sent to the appropriate user. This notification is displayed in the *Filter Requests* tab view.
7. If you want to save the filter as a draft click **Save**.
8. To delete the filter click **Delete**. For more information on deleting filters refer to the [Delete Filters](#) Section
9. Click **Cancel** to exit the page.

Approve Filter

To approve a new filter:

1. Click on **Manage Subscriptions** tab. Click on the **notifications** link. In the *Filter Requests* tab view, click on the notification message “Filter Approval Pending”. The details of the filter are displayed.




Approve Filter


2. Click **Approve**. The filter is approved and the notification message “Filter Approved” is sent to the appropriate user.
3. To reject a filter, click **Reject**. The notification message “Filter Rejected” is sent to the appropriate user. This notification is displayed in the *Filter Requests* tab view.
4. Click **Cancel** to exit without making any changes.

Add a filter to the data pool

1. In the *Manage Subscription* tab view, click on the **edit filter** link. The *Edit Filter* page is displayed.




2. Search for the Filter that you want to add to the data pool. The search results are displayed in the **search results** area. For more information on performing search, refer the Search for items section in *Chapter 8- Search*



Search Filter – Search Results

3. Click on the filter you want to add to the data pool. The details of the filter are displayed.




View Filter Details

4. Click **Add To Data Pool**. The filter will be added to the UCCnet data pool. The status of the item will be changed to “Submitted to Add”.

Edit Filter

To edit a filter:

1. In the *Manage Subscription* tab view, click on the **edit filter** link. The *Edit Filter* page is displayed.



Manage Subscription – Edit filter

2. Search for the Filter that you want to edit. The search results are displayed in the **search results** area. For more information on performing search, refer the Search for filters section in *Chapter 8- Search*.
3. In the search results area, click on the displayed filter. The details of that filter are displayed.

WebSphere Product Center
Demand Side Global Data Synchronization

Welcome master master

Home Manage Publication Manage Subscriptions Manage Items Manage Partners

notifications | create filters | edit filters | create subscriptions | edit subscriptions | query subscription | explore

View Filter Friday, November 5, 2004

Filter name: test

Public Private

Select one

GTIN

OR

Category: 00000001.00000148.000000762

OR

GUN

Category

Start Modification Delete and Submit For Approval Cancel

Edit filter – Filter Details

- Click **Start Modification** to make the changes. The filter modification screen is displayed

WebSphere Product Center
Demand Side Global Data Synchronization

Welcome master master

Home Manage Publication Manage Subscriptions Manage Items Manage Partners

notifications | create filters | edit filters | create subscriptions | edit subscriptions | query subscription | explore

View Filter Friday, November 5, 2004

Filter name: test

Public Private

Select one

GTIN

OR

Category: 00000001.00000148.000000762

OR

GUN

Category

Submit For Modification Approval Save Modification Cancel


- Type in the values for the fields that you want to make changes. Click **Submit Modification For Approval**. A notification “Filter Modification approval Pending” is sent to the appropriate user(s).

Note: You cannot modify then name and the type (public/private) of the filter.

Approve Edited Filter

To approve an edited filter:

- In the *Filter Request* tab view, click on the notification “Modify filter Approval Pending”. The details of the filter are displayed.



Filter Modification Approval

2. To approve the filter, click **Approve**. The notification message “Modify Filter approved” is sent to the appropriate user(s).
3. To reject the item, click **Reject**. The notification message “Modify filter Rejected” is sent to the appropriate users(s).
4. The notifications are displayed in the *Filter Request* tab view.
5. Click **Cancel** to exit without making any changes.


Delete Filter

A Filter can be deleted when it is any one of the following status:

- Draft
- Approved
- Added

Delete Filter - Draft status:

1. Click on the **Edit Filter** link, the **Search Filter** page is displayed.
2. Search for the filter that you want to delete. For more information on search refer to the Search for Filters section in *Chapter 8 Search*.
3. From the search results select the filter you want to delete. If the Filter is in the “Draft” status, the details of the filter are displayed as shown in the following example.




Delete filter – Filter in Draft Status

4. Click on **Delete** button. The filter is deleted.

Delete filter - Approved status

1. Click on the Edit Filter link, the **Search Filter** page is displayed.
2. Search for the filter you want to delete. For more information on search refer to the Search for Filters section in *Chapter 8 Search*.
3. From the search results select the filter you want to delete. If the Filter is in the “Approved” status, the details of the filter are displayed as shown in the following example.




Delete Filter – Filter in Approved Status

4. Click on **Submit for Deletion Approval** button. A notification “Deletion approval pending” is sent to the appropriate users


Delete filter - Added status

1. Click on the Edit Filter link, the **Search Filter** page is displayed.
2. Search for the filter you want to delete. For more information on search refer to the Search for Filters section in *Chapter 8 Search*.




Search Filters – Search Results

3. From the search results select the filter you want to delete. From the search results select the filter you want to delete. If the Filter is in the “Added” status, the details of the filter are displayed as shown in the following example.




Delete filter – Filter in Added Status

4. Click **Delete and Submit for Approval**. A notification “Filter Deletion Approval Pending” is sent to the appropriate user(s). The notification appears under **Filter Requests** tab.




Filter Requests Tab

5. Click on the “Filter deletion approval Pending notification”. The details of the filter are displayed.



6. Click **Approve** to approve the filter.
7. Click **Reject** to reject the filter. A notification “Filter Deletion Rejected” is sent to the appropriate user(s).
8. Click **Cancel** to exit without making any changes.
9. If you click Approve, then the filter a screen to send deletion message to UCCnet data pool services is displayed.



View Filter – Send Deletion Message

10. Click **Send Deletion Message**. A filter deletion message is sent to UCCnet data pool services.
11. Click **Cancel** to exit without making any changes.

Approve Deleted Filter

To approve a deleted filter:

1. In the *Filter Request* tab view, click on the notification “Filter Deletion Approval Pending”. The details of the filter are displayed.

The screenshot shows a web application interface for 'WebSphere Product Center'. At the top, there are navigation tabs: Home, Manage Publications, Manage Subscriptions, Manage Items, and Manage Partners. Below the navigation is a breadcrumb trail: notifications | create filters | edit filters | create subscription | edit subscription | query subscription | explore. The main content area is titled 'Notification Message' and displays the following information:

- Task:** Approve Filter Deletion
- Date:** Fri Nov 05 14:23:49 IST 2004
- Status:** New

The filter details are as follows:

- Filter name:** Filter_GTIN1
- Public/Private:** Radio buttons for Public (selected) and Private.
- Select one:** Radio buttons for GTIN, Category, and GLN. The GTIN option is selected.
- GTIN value:** 0079845222124 (entered in a text field)
- Category:** (empty text field)
- GLN:** (empty text field)
- Category:** (empty text field)

At the bottom of the notification, there are three buttons: Approve (with a green checkmark icon), Reject (with a red X icon), and Cancel (with a red X icon).

Approve Filter Deletion

2. To approve the deletion of the filter, click **Approve**. The notification message “Filter Deletion Approved” is sent to the appropriate user(s).
3. To reject the deletion of the filter, click **Reject**. The notification message “Filter Deletion Rejected” is sent to the appropriate users(s).
4. The notifications are displayed in the *Filter Request* tab view.

Note: When you delete a filter, it is locally deleted in the application. It will be permanently removed from the system only after the system administrator runs the purge scripts. The filter will no longer appear in the search results. If you delete a filter that is already added to the UCCnet data pool, it appears in the search results with status “Deleted”.

Create Subscription

You can create a subscription to be added the data pool, to receive publications for an item. The subscriptions can be based on any one of the following:

- GTIN – This should be a valid trade item number.

- GLN of Information Provider + Item Category – These should be a list of values that are already in the application.
- Target Market – This should be a valid target market number.
- Category – This should be a valid item category.





The IBM Global Data Synchronization for WebSphere Product Center application stores all the subscriptions that you have previously added to UCCnet data pool.

Note: If there is an existing record of the subscription in the UCCnet data pool, you get an error message saying that there is a duplication of subscription.

To create a subscription:

1. In the *Manage Subscription* tab view, click on the **create subscription** link. The *Create Subscription* page is displayed.

Manage Subscriptions – Add Subscription

2. Specify one of the following options:
 - d. Select **GTIN**. Using the **Lookup**  icon select a GTIN. The selected GTIN is displayed in the text box.
 - e. Select **Target Market**. Using the **Lookup**  icon select a target market. The selected target market is displayed in the text box.
 - f. You can also subscribe based on a particular GLN and Category combination. Using the **Lookup**  icon select a GLN. The selected GLN is displayed in the text box. In the **Category** field, specify the category for the GTIN using the **Lookup**  icon.
3. From the **Filters** drop-down menu, select a filter. Only those filter names that have been added to the data pool will be displayed in the drop down menu.

Note: The filter criterion overrides the other subscription criterion

4. In the **Recipient's GLN** field, specify the recipient's GLN.
5. Click **Create Subscription**. A subscription is created. No notifications are sent for the creation of a new subscription. The screen to submit the subscription for approval is displayed.

The screenshot shows the 'View Subscription' form in the WebSphere Product Center. The form is titled 'View Subscription' and includes a navigation bar with links for 'Home', 'Manage Publication', 'Manage Subscriptions', 'Manage Items', and 'Manage Partners'. The main content area contains several input fields and a dropdown menu. The 'GTIN' field is selected and contains the value '00798452345472'. Below it are 'OR' separators and empty input fields for 'Target market', 'Category', 'GLN', and 'Category'. A 'Filter' dropdown menu is set to '-- Select Filter --'. The 'Recipient's GLN' field contains the value 'abc'. At the bottom of the form, there are four buttons: 'Save', 'Submit For Approval', 'Delete', and 'Cancel'.

Edit Subscription – Subscription Details

6. Click **Submit For Approval**. A notification “Subscription Approval Pending” is sent to the appropriate user(s). The notification is displayed in the *Subscription Requests* tab view

Approve a new subscription

To approve a new subscription:

1. In the *Subscription Request* tab view, click on the notification “Modify Subscription Approval Pending”. The details of the subscription are displayed.

Approve Subscription – Subscription Details


2. To approve the subscription click **Approve**. The notification message “Subscription approved” is sent to the appropriate user(s).
3. To reject the item, click **Reject**. The notification message “Modify Subscription Rejected” is sent to the appropriate users(s).
4. The notifications are displayed in the *Subscription Requests* tab view.

Add a subscription to the Data Pool

You can add approved subscriptions into the data pool.


To add a subscription to the data pool:

1. Under the **Manage Subscriptions** tab, click on the **Edit Subscription** link, the *Search Subscription* page is displayed.



Manage subscriptions – Edit Subscriptions

2. Search for the subscription that you want to add to the data pool. For more information on search refer to the Search for Subscriptions section- *Chapter 8 Search*. From the search results select the subscription you want to add to the data pool. The details of the subscription are displayed.



Subscription Details

3. Click **Submit For Add**. The subscription will be submitted to the data pool.


Note: Only subscriptions that have been approved status can be submitted to the data pool.

Edit Subscription

Note: You can edit only those subscriptions that have not been added to the data pool.

To edit a subscription:

1. In the *Manage Subscription* tab view, click on the **edit subscription** link. The *Edit Subscription* page is displayed.



Manage subscriptions – Edit Subscriptions

2. Search for the subscription you want to delete. For more information on search refer to the Search for Subscriptions section in *Chapter 8 Search*.

WebSphere Product Center
Demand Side Global Data Synchronization

Home | Manage Publication | Manage Subscriptions | Manage Item | Manage Partner

subscriptions | create filters | edit filters | create subscription | edit subscription | query subscription | explore

Search Subscription Wednesday, November 10, 2004

Filter:

Search

search results [click item to select] ↓

ID	GTIN	Target Market	Category	DataSource GLN	Recipient's GLN	Status	View
SUB_000000001	22221111111111				0000000023334	Added	
SUB_000000002		US			1111111111110	Added	
SUB_000000003			00000001.00000002.00000001	00000952223	2222222222222	Added	
SUB_000000002			00000001.00000002.00000001		1111111111110	Deleted	
SUB_000000005			00000001.0000010.00000005	00000952334	2222222222222	Added	
SUB_000000007			00000001.0000010.00000017	00000952334	1111111111110	Approved	

Search Subscriptions – Search Results

- From the list of subscriptions choose the subscription that you want to edit. The details of the subscription are displayed.

WebSphere Product Center
Demand Side Global Data Synchronization

Home | Manage Publication | Manage Subscriptions | Manage Item | Manage Partner

subscriptions | create filters | edit filters | create subscription | edit subscription | query subscription | explore

View Subscription Friday, November 5, 2004

Select one

GTIN

OR

Target market

OR

Category

OR

GLN

Category

Filter

Recipient's GLN*

Save | Submit For Approval | Delete | Cancel


Edit Subscription – Subscription Details

- Make the appropriate changes and click **Submit For Approval**. A notification “Subscription Approval Pending” is sent to the appropriate user(s). The notification is displayed in the *Subscription Requests* tab view.

Approve Edited Subscription

To approve an edited subscription:

1. In the *Subscription Request* tab view, click on the notification “Subscription Approval Pending” for a particular subscription that you want to approve. The details of the subscription are displayed.



Approve Subscription – Subscription Details

4. To approve the subscription click **Approve**. The notification message “Modify Subscription approved” is sent to the appropriate user(s).
5. To reject the item, click **Reject**. The notification message “Subscription Rejected” is sent to the appropriate users(s).
6. The notifications are displayed in the *Subscription Requests* tab view.

Delete Subscription

A Filter can be deleted when it is any one of the following status:

- Draft
- Approved
- Added

Delete Subscription – Subscription in Draft status:

1. Click on the Edit Subscription link, the Search Subscription page is displayed.

2. Search for the subscription you want to delete. For more information on search refer to the Search for subscription section in *Chapter 8 Search*.
3. From the search results select the subscription you want to delete. If the subscription is in “Draft” status then, the details of the subscription are displayed as shown in the following example.

The screenshot shows the 'View Subscription' page in the WebSphere Product Center. The page title is 'View Subscription' and the date is 'Friday, November 5, 2004'. The page contains several search filters: 'Select one' with a radio button for 'GTIN', 'Target market' with a dropdown menu set to 'United States', 'Category' with a dropdown menu, 'GLN' with a dropdown menu, and 'Filter' with a dropdown menu set to '-- Select Filter --'. The 'Recipient's GLN*' field is set to 'tp2'. At the bottom of the page, there are four buttons: 'Save', 'Submit For Approval', 'Delete', and 'Cancel'.

Subscription Details

4. Click **Delete**. The subscription is deleted from the local database.

Delete Subscription – Subscription in Approved status

1. Click on the Edit subscription link, the Search Subscription page is displayed.
2. Search for the subscription that you want to delete. For more information on search refer to the Search for Subscriptions section in *Chapter 8 Search*. From the search results select the subscription you want to delete. If the subscription is in “Approved” status then, the details of the subscription are displayed as shown in the following example.

Subscription Details

3. Click **Delete and Submit For Approval**. A notification “Subscription Deletion Approval Pending” is sent to the appropriate user(s)

Delete Subscription – Subscription in Approved status

1. Click on the Edit subscription link, the *Search Subscription* page is displayed.
2. Search for the subscription you want to delete. For more information on search refer to the Search for Subscriptions section in *Chapter 8 Search*. From the search results select the subscription you want to delete. If the subscription is in “Added” status then, the details of the subscription are displayed as shown in the following example.

WebSphere Product Center
Demand Side Global Data Synchronization

Home Manage Publications Manage Subscriptions Manage Items Manage Partners

subscriptions | create filters | edit filters | create subscription | edit subscription | query subscription | explore

View Subscription Wednesday, November 10, 2004

Select one

GTIN

OR

Target market

OR

Category

OR

GLN

Category

Filter

Recipient's GLN*

Subscription Details

- Click **Delete and Submit For Approval**. A notification “Subscription Deletion Approval Pending” is sent to the appropriate user(s). The notification will appear under the **Subscription Request** tab.

WebSphere Product Center
Demand Side Global Data Synchronization

Home Manage Publications Manage Subscriptions Manage Items Manage Partners

subscriptions | create filters | edit filters | create subscription | edit subscription | query subscription | explore

Quick Search Wednesday, November 10, 2004

select search attributs
enter search value
Go

Notifications


Subscription Request | Filter Request | Query Subscription Request

Type	Id	Transaction Id	Status
Subscriptions	SUB_000000006	UCCNet_000000035	Subscription Deletion Approval Pending
Subscriptions	SUB_000000007	UCCNet_000000044	Subscription Approved
Subscriptions	SUB_000000005	UCCNet_000000032	Subscription Deletion Approved
Subscriptions	SUB_000000003	UCCNet_000000014	Subscription Deletion Message Successful
Subscriptions	SUB_000000004	UCCNet_000000016	Subscription Add Message Successful
Subscriptions	SUB_000000002	UCCNet_000000012	Subscription Add Message Successful
Subscriptions	SUB_000000001	UCCNet_000000004	Subscription Add Message Successful

refresh

Subscription Request Notifications

- Click on the “Subscription Deletion Approval Pending” notification. The details of the subscription will be displayed.




View Subscription

5. Click **Send Deletion Message**. A deletion message for that particular subscription is sent to UCCnet data pool services.
6. Click **Cancel** to exit without making any changes.

Approve a Deleted Subscription

To approve a deleted subscription:

1. In the *Subscription Requests* tab view, click on the notification “Subscription Deletion Approval Pending”. The details of the subscription are displayed.



Subscription Details

2. To approve the deletion, click **Approve**. A notification “Subscription Deletion Approved” is sent to the appropriate users(s).


Note: When you delete a subscription, it is locally deleted in the application but will be permanently removed from the system only after the system administrator runs the purge scripts. The subscription will no longer appear in the search results.

If you delete a subscription that is already added to the UCCnet data pool, it appears in the search results with status “Deleted”.

Query Subscription

You can query for a subscription to view all the subscriptions made by your company.

To query a subscription, click on the **Query Subscription** link under that **Manage Items** link. The *Query Subscription* page is displayed.



Query Subscription

In the *Query Subscription* page, click on the **Submit** button and the results will be sent to you as a notification. You can view this notification in the *Query Subscription Requests* tab view.

Explore Subscriptions and Filters

For information about performing a search for Subscriptions and Filter, refer the section Search Publications in *Chapter 8 – Search*.

Ch 6 Manage Items

This chapter describes the various tasks related to managing trade items within the IBM Global Data Synchronization for WebSphere Product Center application.

You can view and process information on trade items and item hierarchies. You can create, edit, modify, or delete items and item hierarchies as required.

Topics include:

- [View Notifications](#)
- [Create Items](#)
- [Edit Items](#)
- [Create Hierarchy](#)
- [Edit Hierarchy](#)

Note: During application setup, you can create a list of approvers for various item category+ target market+ information provider combinations. You can also choose to turn the approval process on or off. For more information, refer the *IBM Global Data Synchronization for WebSphere Product Center Installation and Configuration Guide*.

You can create an item and edit an item from the *Home* page also. The tasks are displayed in **Quick Tasks** on the left navigation pane.

View Notifications

You can view all notifications related to item requests in the *Notifications* page. This page contains the following tabs:

- New Item Request
- Item Change Request
- Item Hierarchy Request
- Query Item Request

To view the list of notifications for each, click on the corresponding tab. The *New Item Request* tab view is displayed by default.

The screenshot shows the 'Notifications' section of the WebSphere Product Center. The interface includes a search bar on the left and a table of notifications on the right. The table has the following data:

Type	Id	Transaction Id	Status
GTIN	76857635353536_US_7981315112271	UCCNet_0600000136	New Item Approval Pending
GTIN	54532342342346	UCCNet_0600000138	Item Global Attribute Enrichment Pending
GTIN	_111111111111_US_7981315112271	UCCNet_0600000135	New Item Approved

Manage Item - Notifications

Each notification is represented by a GTIN. To view the details of a notification, click on the notification. The details of that notification are displayed.

Create Items

You can create an item by providing basic information about the item. This creates a record of that item in the item repository of the IBM Global Data Synchronization for WebSphere Product Center application. You can then submit the item for enrichment. Users from different departments can then add to the working record by providing additional information about that item.

The item is validated and a working record of the item is stored in the item repository of the IBM Global Data Synchronization for WebSphere Product Center application.

Procedure


To create an item:

- Create GTIN
- Enrich Global Attributes
- Create Item Links (Optional)
- Create Variant
- Enrich Local Attributes
- Submit for Compliance Check
- Submit for Approval
- Approve Item

Create GTIN


To create the GTIN code:

1. In the *Home* page, click on the **Manage Item** tab. The *Manage Item* tab view is displayed.



Manage Item Tab View


- Click on the **create item** link. The *Create Item* page is displayed.



Manage Item – Create New Item

2. From the **EAN.UCC Code Type** drop-down menu, select the EAN.UCC code type.
3. In the **EAN.UCC Code** field, type the EAN.UCC code.
4. In the **GTIN** field, type the Global Trade Item Number of the item.
5. In the **GTIN Name** field, type the name of the trade item.
6. From the **Core Extensions** drop-down menu, select the Core Extension of the Trade Item
7. From the **Product Type** drop-down menu, select the indicator for the trade item. Options available are Case, Pallet, Each, Pack, Display/Shipper, Setpack, Prepack, Prepack/Assortment and Mod Pallet (Mixed).


8. Under **Classification Information**:
- Specify the code and the description for the internal category. To do this, click **edit**. The *Internal Classification List View* is displayed.



Internal Code	Description
10000056	Cocktails
10000066	Seed

Internal Classification List View

- Click on the category code. The *Internal Classification List View* is closed. The category code and the description for that category are automatically displayed in the **Internal Category [Code]** and **Internal Category [Description]** fields.
- You can also select the category code from the tree view. Click on the **UDEX Tree View** tab. The *UDEX Tree View* is displayed
- Specify the code and the description for data pool category. To do this, click **edit**. The *UDEX List View* is displayed.




UDEX Code	UDEX Description
000000001.000000811.000005262	ALCOHOL BREWING/MAKING KITS


UDEX List view

Click on the category code. The UDEX List view is closed. The category code and the description for that category are automatically displayed in the **Data Pool Category[Code]** and **DataPool Category [Description]**

9. Click **Create GTIN**. The GTIN is created and the message “Item created successfully.” is displayed along with additional fields.



Manage Item – Item Created Successfully

Note: If a GTIN is not specified by the user then a temporary GTIN is created based on the EAN.UCC.Code prefixed with an “_” (underscore). This GTIN is represented by the  icon.

10. You can enrich the global attributes or send the item for global enrichment. For information about enriching global attributes, refer the section “Enrich Global Attributes”.
11. To send the item for global enrichment, click **Submit Global Item Attributes For Enrichment**. The notification message “Item Global Attribute Enrichment Pending” is sent to the appropriate user(s) for global enrichment.

Enrich Global Attributes for an Item:

When an item is submitted for global enrichment, the appropriate user(s) are notified to enrich the item.

To enrich the global attributes:

1. In the *New Item Request* tab view, click on the notification “Item Global Attribute Enrichment Pending”. The details of the notification are displayed.

The screenshot shows the 'Edit Items' interface in WebSphere Product Center. The main section is titled 'Task: Enrich Item Global Attribute' and includes fields for EAN/UCC Code (1234543456765), Global Trade Item Number (12345443445557), Language (English (United Kingdom)), and Item Status (Draft). Below this is the 'Global Attributes for All Variants' section, which is expanded to show fields for Brand Name (Kellogg), Trade Item Group Identification Code, GLN (Brand Owner), and GLN (Manufacturer of Trade Item). The interface also includes navigation tabs like 'Home', 'Manage Publication', and 'Manage Subscription', and a 'Save Global Attributes' button at the bottom.

Create Item – Global Enrichment

2. Enter the values in the various fields.

Note: For a detailed description of all the Trade Item attributes refer to the UCCnet attribute starter Kit -- *Attribute Starter Kit (UCCnet Mandatory XSD Attributes) 012904.pdf*

3. If you want to create trade item links, click on the **Item Links** tab. This is optional. For more information, refer *Create Item Links* section.
4. Click **Done**. The notification “Item Global Attribute Enrichment Completed” is sent to the appropriate user(s). The notification is displayed in the *New Item Request* tab view.

Note: If the notification for enriching the global attributes is sent to more than one user, then only after all the users responsible for enrichment click **Done**, the notification “Item Global Attribute Enrichment Completed” is sent.

If only one person is responsible for enriching the global attributes, then once the enrichment is complete, the notification is sent.

5. If you want to create item links, click on the **Item Links** tab. For more information, refer *Create Item Links* section. This is optional.
6. Click **Done**. The notification “Item Global Attribute Enrichment Completed” is sent to the appropriate user (s). The notification is displayed in the *New Item Request* tab view.

Create Item Links

You can create item links when enriching global attributes or while enriching TM/IP variants. These links can be created when creating a new item or creating a hierarchy. For information about creating a hierarchy, refer *the Create Hierarchy* section.

To create item links while creating a new item:

1. Click on the **Item Links** tab. The *Item Links* tab view is displayed.

The screenshot shows the 'Edit Item' page in the WebSphere Product Center. The page title is 'Edit Item' and the date is 'Thursday, November 4, 2004'. The page displays various fields for item creation, including EAN.UCC Code, Global Trade Item Number, Language, and Item Status. Below these fields is a section for 'Product Hierarchy Information' with tables for 'Parent (GTIN/s)' and 'Children (GTIN/s)'. The 'Item Links' tab is selected, and the 'Draft' status is visible.

Create new item - Item Links Tab View

2. To add a parent GTIN, click **add**. The *Search* page is displayed. Search for the GTIN that you want to add as a parent and click **Next**.

Note: For more information on creating links, refer to the [Create Hierarchy](#) section under the same chapter.


3. To add children to the parent GTIN, click **add** and repeat the procedure in step 2.
For more information on Search, refer *Chapter 8 – Search*.
4. Click **Save GTIN**. The links are saved.

Note: If you are creating the links when enriching the global attributes, the notification “Item Global Attribute Enrichment Completed” is sent to the appropriate user. If you are creating the links when enriching the TM/IP variants, the notification “Item Variant Attribute Enrichment Completed” is sent to the appropriate user(s). These notifications are displayed in the *New Item Request* tab view.


Create Variant

To create a Variant:

1. In the *Manage Item* tab view, click on the **edit item** link. The *Edit Item* page is displayed.



2. Search for the notification for which you want to create a variant. The search results are displayed in the *search results* area.



3. Click on the GTIN. The details of the GTIN are displayed.

WebSphere Product Center
Demand Side Global Data Synchronization

Welcome master master

Home Manage Publication Manage Subscription Manage Item Manage Partner

notifications | create item | edit item | create hierarchy | edit hierarchy | query item | explore

Friday, November 5, 2004

Edit Item

Item Status: **Global Enrichment Completed**

Global Attributes: **Item Links**

Global Attributes for All Variants

Global

Brand Name: all values Sub Brand:

Trade Item Group Identification Code: Trade Item Group Identification Description:

GLN [Brand Owner]: Alternate Party Identification [Brand Owner]:

Additional Party Identification [Brand Owner]: Alternate Party Identification [Manufacturer of Trademark]:

Additional Party Identification [Manufacturer of]: Country Of Origin:

Save GTIN Delete GTIN Submit for Variant Creation

Submit For Variant Creation

4. Click **Submit for Variant Creation**. The notification message “Item Variant Creation Pending” is sent to the appropriate user to create the variant and the notification is displayed in the *New Item Request* tab view.

Note: You can submit only those items for variant creation for which the global enrichment is completed.

5. If you receive “Item Variant Creation Pending” notification, click on the notification message. The *Variant Attributes* tab view is displayed.

WebSphere Product Center
Demand Side Global Data Synchronization

Welcome master master

Home Manage Publication Manage Subscription Manage Item Manage Partner

notifications | create item | edit item | create hierarchy | edit hierarchy | query item | explore

Friday, November 5, 2004

Quick Search
select search attribute |
enter search value
Go advanced search

Notifications

New Item Request Item Change Request Item Hierarchy Request Query Item Request

Type	Id	Transaction Id	Status
GTIN	12323434343532_XX_XX	UCCNet_0000000098	Item Variant Creation Pending
GTIN	12345678912343_LT_7981315112271	UCCNet_0000000112	Item Variant Attribute Enrichment Pending
GTIN	0079845287213B_AE_008749315483B	UCCNet_0000000127	New Item Approved
GTIN	41334687984764_LT_0000078945647	UCCNet_0000000095	Item Variant Attribute Enrichment Pending
GTIN	22211111999998	UCCNet_0000000104	Item Global Attribute Enrichment Completed
GTIN	22211111888889	UCCNet_0000000096	Item Global Attribute Enrichment Pending
GTIN	222111117777774	UCCNet_0000000087	Item Global Attribute Enrichment Completed
GTIN	34234211111110	UCCNet_0000000083	Item Global Attribute Enrichment Pending

refresh

Item Variant Creation Notification

WebSphere Product Center
Demand Side Global Data Synchronization

Welcome master master

Home Manage Publication Manage Subscription Manage Item Manage Partner

notifications | create item | edit item | create hierarchy | edit hierarchy | query item | explore

Edit Item Friday, November 5, 2004

Task: Create Item Variant
Date: Fri Nov 05 15:35:38 IST 2004
Status: Pending Variant Creation

EAN.UCC Code: 1223423334343 EAN.UCC Code Type: EAN.UCC-13 (7-9-1)
Global Trade Item Number: 1223434343532 Product Type: CASE
Language: English (United Kingdom) GTIN Name: test_h1 all values

Item Status: Pending Variant Creation

Global Attributes New Links Variant Attributes

1. Select Target Market 2. Select Information Provider go add variant

ITEM VARIANT STATUS:

	FMCG	Payment Terms	Partner Information	Measures	General	Allowance	Hazardous	Partner Specific Local Attributes
TradeItem Genetically Modified:	No						Ingredient Irradiated: No	
TradeItem Irradiated:	No						Raw Material Irradiated: No	
Degree of original wort:							Fat Percentage In Dry Matter:	
Percentage Of Alcohol By Volume:								

Save Variant

Create Item Variant

6. Click **add variant**. The *Add Variant* dialog box is displayed.

title

Target Market: 


IP GLN: 

Next 

Add Variant


7. To add a target market:

- a. Click on the **Look Up** icon . The *Target Market Search* page is displayed.





Target Market Search

- b. You have two options:
- i. In the **Search String** field, type the name or first letter of the target market along with the asterisk (*) and click **Search**. The search results are displayed in the **search results** area.
 - ii. Click on the alphabet from which the name of the target market starts. For example, if the Target Market is Venezuela, click **V**. All target markets that start with the letter V is displayed in the **search results** area.




Target Market Search Results

- c. Select the target market. The selected target market is displayed in the **Target Market** field.
8. To add the IP GLN:
 - a. Click on the **Look Up** icon . The *Information Provider Search* page is displayed.



- b. Perform the search to display the search results. For more information about search, refer *Chapter 8 – Search*.




Information Provider Search Results

- c. Select the GLN. The selected GLN is displayed in the **IP GLN** field.



- 9. Click **Next**. The *Add Variant* dialog box closes and the variant is displayed in the **Select Target Market** and **Select Information Provider** drop-down menus in the *Variant Attributes* tab view.



Create Variant – Variant Selected

- 10. Click **Go**. The attributes for the selected target market and information provider is displayed.

Create Variant – Save Variant

11. Click **Save Variant**. The screen that allows you to submit this variant for enrichment is displayed.

Create Variant – Submit Variant for enrichment

12. Click **Submit This Variant for Enrichment**. The notification message “Item Variant Attribute Enrichment Pending “ is sent to the appropriate user(s) to enrich the variant attributes.

Note: If you have access to enrich the local attributes, you can fill in values in the various fields and then click on **Submit This Variant for Enrichment** for other users to enrich the same.

Enrich Variant Attributes

The IBM Global Data Synchronization for WebSphere Product Center enables users from different functional departments to add to the working record of an item. For example, the Logistics attributes of the item can be entered by a user from the Logistics department.

When an item is submitted for enrichment, the appropriate user(s) are notified by email or online notification to enrich the item. You can enrich the variant attributes (TM+IP) for an item. These attributes are configurable and they have to be configured by the person who submits the GTIN for enrichment. For information about configuring these attributes, refer the *IBM Global Data Synchronization for WebSphere Product Center Installation and Configuration Guide*.

The enriched item is validated to ensure that it complies with the data validation rules. Once validated, it is approved by the appropriate users before it is internally synchronized.

To enrich local attributes:

1. Click on the **Manage Items** tab. Click on the notifications link. Under the *New Item Request* tab view, click on the notification “Item Variant Attribute Enrichment Pending”. The *Variant Attributes* tab view is displayed. This tab view contains the tabs that are specific to your role.

The screenshot shows the 'Edit Item' page in the WebSphere Product Center. The page is titled 'Edit Item' and includes a navigation bar with 'Home', 'Manage Publication', 'Manage Subscription', 'Manage Item', and 'Manage Partner'. The main content area displays the 'Variant Attributes' tab view. It features several input fields for item identification: EAN/UCC Code (1223423334343), Global Trade Item Number (1223434343532), Language (English (United Kingdom)), and Product Type (CASE). The Item Status is 'Pending Variant Creation'. Below these fields, there are two drop-down menus for 'Select Target Market' (United States) and 'Select Information Provider' (Trigo GUN), with a 'go' button. At the bottom, there are several tabs for attribute categories: 'FMCG', 'Payment Terms', 'Partner Information', 'Measure', 'General', 'Allowance', 'Hazardous', and 'Partner Specific Local Attributes'. The 'FMCG' tab is active, showing fields for 'TradeItem Genetically Modified', 'TradeItem Irradiated', 'Degree of original wort', and 'Percentage Of Alcohol By Volume', each with a 'No' dropdown or an input field. Other fields include 'Ingredient Irradiated', 'Raw Material Irradiated', and 'Fat Percentage In Dry Matter'.

Variant Attributes Tab View

2. From the **Select Target Market** and **Select Information Provider** drop-down menus, select the target market and information provider for which you want to enrich the attributes.

Variant Attributes Tab View

3. Type in the values for the fields in the various tabs and click **Done**. The notification “Item Variant Attribute Enrichment Completed” is sent to the appropriate user.

Note: If you are not ready to commit the enrichment, click **Save Variant**. This saves a draft copy of the item.

Submit for Compliance Check

Once the enrichment of both the global and variant attributes is complete, the item details have to be checked for compliance. This is an internal validation that is performed to check if the values that have been entered meet the data validation rules.

To submit an item for compliance check:

1. In the *Manage Item* tab view, click on the **edit items** link. The *Search* page is displayed.

Edit Item – Search

2. Search for the item that you have to send for compliance check. For more information about performing the search, refer *Chapter 8 – Search*. The search results are displayed in the **search results** area.

The screenshot shows the 'Search Item' page in the WebSphere Product Center. The search criteria are: GTIN: (empty), EAN.UCC Code: (empty), GTIN Name: (empty), Brand Name: (empty), Product Type: -- Select Product Type --, and Status: --- select status ---. The search results table is as follows:

EAN.UCC Code	GTIN	GTIN Name	Product Type	Internal Category	Status
00798452124300	00798452124300	QA_Test_E1_Pallet	PALLET	10000056	Synchronized
708452222124	00798452222124	QA_Test_E1_Each	EACH	10000056	Synchronized
708452222346	00798452222346	QA_Test_E1_Case	CASE	10000056	Synchronized
708452345242	00798452345242	QA_Test_E1_Pallet	PALLET	10000056	Synchronized
00798452345472	00798452345472	QA_Test_E1_Case	CASE	10000056	Synchronized

Edit Item – Search Results

3. Click on the item that you want to submit for compliance check and click **Next**. The *Edit Item* page is displayed.
4. From the **Select Target Market** and **Select Information Provider** drop-down menus, select the target market and the information provider that you want to submit for compliance check. Click **Go**. The screen that allows you to submit for compliance check is displayed.

The screenshot shows the 'Edit Item' page in the WebSphere Product Center. The item details are: EAN.UCC Code: 1223423334343, Global Trade Item Number: 12223434343532, Language: English (United Kingdom), Product Type: CASE, and GTIN Name: test_h1. The item status is Draft With Variant. The page shows the '1. Select Target Market' and '2. Select Information Provider' steps. The target market is United States and the information provider is Trigo GLN. The table of attributes is as follows:

Attribute	Value	Attribute	Value
TradeItem Genetically Modified	No	Ingredient Irradiated	No
TradeItem Irradiated	No	Raw Material Irradiated	No
Degree of original wort		Fat Percentage In Dry Matter	
Percentage Of Alcohol By Volume			

Create Item – Submit for Compliance Check

- Click **Submit for Compliance Check**. An internal validation is performed on the values that have been entered for the various fields. Once the item passes the compliance check, it has to be approved internally by the appropriate user.

Create Item - Submit for Approval

- Click **Submit for Approval**. The notification “New Item Approval Pending” is sent to the appropriate user to approve the newly created item.

Approve New Item

To approve an item:

- In the *New Item Request* tab view, click on the notification “New Item Approval Pending”. The details of the item are displayed.
- From the **Select Target Market** and **Select Information Provider** drop-down menus, select the target market and the information provider that you want to approve. Click **Go**. The screen that allows you to approve is displayed.

Create Item – Approve an Item

- To approve the item, click **Approve**. The notification message “New Item Approved’ is sent to the appropriate user(s).

To reject the item, click **Reject**. The notification message “New Item Creation Rejected” is sent to the appropriate user(s).


The notifications are displayed in the *New Item Request* tab view.

Edit Items

An item that is not yet synchronized can be edited. You can search for the GTIN, then edit the global attributes and the TM+IP combination of that GTIN. Once edited, the changes have to be approved by the appropriate users before they are committed.


To edit an item:

- In the *Home* page, click on the **Manage Item** tab. The *Manage Item* tab view is displayed.



Manage Item Tab View

2. Click on the **edit items** link. The *Edit Item* page is displayed.



Manage Item – Edit Item

3. Search for the item that you want to edit. For more information on performing a search, refer the Search for Items section in *Chapter 8 - Search*. The results of the search are displayed in the **search results** area.
4. In the **search results** area, click on the item that you want to delete. The details of that item are displayed.

Edit Item

5. Edit the values for the various fields as explained in the *Create Items* section depending on the status of the item.

Note: If the item is in draft status then the Variant attributes tab will not be displayed.

6. After completing the changes click **Save GTIN**. A notification “Modify Item Approval Pending” is sent to the appropriate users.

Approve an Edited Item

To approve an edited item:

1. In the *Item Change Request* tab view,
2. Click on the notification “Modify Item Approval Pending” for the item that you want to approve. The details of the notification are displayed.

Edit Item Approval

- To approve the item, click **Approve**. The notification message “Edit Item Approved’ is sent to the appropriate user(s).

To reject the item, click **Reject**. The notification message “Edit Item Rejected” is sent to the appropriate user(s).

The notifications are displayed in the *Item Change Request* tab view.

Delete Item

A GTIN or a TM+IP combination can be deleted from the application, but it will be removed from the application only after a purge program is run by the system administrator. If the GTIN is linked to other GTINs, those links need to be deleted first.

Deletions should be approved by the appropriate users before they are committed.

You can delete a GTIN only when you have created the GTIN and the message Item created successfully is displayed.

The screenshot shows the 'Edit Item' page in the WebSphere Product Center. The page is titled 'Edit Item' and includes a navigation bar with options like 'Home', 'Manage Publication', 'Manage Subscription', 'Manage Item', and 'Manage Partner'. The main content area contains several input fields for item identification, such as 'EAN.UCC Code', 'Global Trade Item Number', 'Language', 'Product Type', and 'GTIN Name'. At the bottom of the page, there are three buttons: 'Save GTIN', 'Delete GTIN', and 'Submit Global Attributes for Enrichment'.

Delete Item

Click **Delete GTIN**. The notification message “Item Deletion Approval Pending” is sent to the appropriate user(s) to approve the deletion of the item.

Approve Deleted Item

To approve the deleted item:

1. In the *Item Change Request* tab view, click on the notification message “Item Deletion Approval Pending”. The details of the notification are displayed.

This screenshot is identical to the first one, showing the 'Edit Item' page. However, at the bottom of the page, the 'Delete GTIN' button has been replaced by two buttons: 'Approve' and 'Reject'.

Approve Deleted Item

2. To approve the deletion, click **Approve**. The notification message “Item Deletion Approved” is sent to the appropriate user(s).

To reject the deletion of the item, click **Reject**. The notification message “Item Deletion Rejected” is sent to the appropriate user(s).

Create Hierarchy


You can create item hierarchies in the IBM Global Data Synchronization for WebSphere Product Center application.

Once items have been created in the system, you can link items to create item hierarchies. This link is a unique relationship where the highest level GTIN in the link will have no parent and the lowest level GTIN will have no children.

Ensure that the created items in the hierarchy are in the right order. Only the items of the lower product type can be the children of Items of higher product type (that is, a pallet is the parent of a case and not vice versa). If they are not in the right order, an error message is displayed. After item links are created, it has to be approved by the appropriate user.

To create an item hierarchy:


1. In the *Home* page, click on the **Manage Item** tab. The *Manage Item* tab view is displayed.



Type	Id	Transaction Id	Status
GTIN	76857635353536_US_7981315112271	UCCNet_000000136	New Item Approval Pending
GTIN	54532342342346	UCCNet_000000138	Item Global Attribute Enrichment Pending
GTIN	_111111111111_US_7981315112271	UCCNet_000000135	New Item Approved


Manage Item Tab View

2. Click on the **create hierarchy** link. The *Search* page is displayed.




Create Hierarchy - Search

3. Search for the GTIN for which you want to create links. For information about performing a search, refer the Search for Items section in *Chapter 8 - Search*. The search results are displayed in the **search results** area.
4. Click on the GTIN. The *Items Links For* page is displayed.




Search Results

5. Click on the displayed GTIN. The following page is displayed.



Create Hierarchy

6. Click on the GTIN, the details of the hierarchy are displayed along with the icon that gives the product type of that particular item.



Create Hierarchy

7. Select the GTIN and click **Add Child** to add a child to the selected GTIN. The *Search* page is displayed. Type in the search parameters and click **Search**. The search results display only those GTIN(s) that can be children of the selected GTIN are displayed in the **search results** area.

Advanced Search

GTIN: Product Name:
 GTIN Name: Description:
 Brand Name: Product Type: -- Select Product Type --

[Search](#)

advanced ▾

search results [click item to select] →


GTIN	Name	Type
<input type="checkbox"/>	00798452000005 QA_Each_01	EACH
<input type="checkbox"/>	00798452012343 QA_Each_01	EACH
<input type="checkbox"/>	00798452444441 QA_Each_01	EACH
<input type="checkbox"/>	00798452456475 QA_Test_B1_Each	EACH
<input type="checkbox"/>	00798452555550 Qa_Each_01	EACH
<input type="checkbox"/>	00798452666669 QA_Each_01	EACH
<input type="checkbox"/>	00798452679690 QA_Test_B1_Each	EACH
<input type="checkbox"/>	00798452897896 QA_Test_B1_Each	EACH
<input type="checkbox"/>	12136542313553 Exit1	EACH
<input type="checkbox"/>	24313654321651 HI2	EACH
<input type="checkbox"/>	54654657465463 Exit	EACH
<input type="checkbox"/>	Ⓜ_11111111111111111111 rahul2	EACH
<input type="checkbox"/>	Ⓜ_22211111144444 s14	EACH
<input type="checkbox"/>	Ⓜ_44444444444444	EACH
<input type="checkbox"/>	Ⓜ_99999999999999 th2	EACH

[Next](#) →

Search Results


- Select the GTIN(s) that you want to add as the child, and click **Next**. The *Add Links* page displays the selected GTIN(s).

ADD LINKS			
GTIN	Name	Type	Quantity
12136542313553	Exit1	EACH	<input type="text"/>
24313654321651	Hi2	EACH	<input type="text"/>

[Next](#) 

Create Hierarchy – Enter Quantity

9. Type the quantity for the GTIN(s) in the text box and click **Next**. The selected GTIN(s) and the quantity are displayed in the *Items Links For* page.



Create Hierarchy – With Links

If you want to add more GTIN as links, repeat the steps 6, 7, and 8.

To delete any link, select the GTIN and click **Delete Child Link**. For more information about deleting item links, refer the section Delete Item Links.

10. Click **Submit For Approval**. The notification message “New Item Link approval Pending” is sent to the appropriate user (s) to approve the hierarchy. The notification is displayed in the *Item Hierarchy Request* tab view in the *Manage Item* page.

Note: Approval can be turned on or off through the configuration of the IBM Global Data Synchronization for WebSphere Product Center application.

Approve New Hierarchy

To approve the created hierarchy:

1. In the *Item Hierarchy Request* tab view, click on the notification “Modify Item Link Approval Pending”. The details of the notification are displayed.
2. In the notification details screen, Click **Approve** to approve the hierarchy. The notification message “Modify Item Link Approved” is sent to the appropriate user(s). To reject the hierarchy, click **Reject**. The notification message “New Item Link Rejected” is sent to the appropriate user (s).

These notifications are displayed in the *Item Hierarchy Request* tab view.


Edit Hierarchy

An item link that is not yet added to the data pool can be edited. You can edit the parent GTIN's link. Once edited, the changes have to be approved by the appropriate users before they are committed.

Procedure


To edit an item hierarchy:

1. In the *Home* page, click on the **Manage Item** tab. The *Manage Item* tab view is displayed.




Manage Item Tab View

2. Click on the **edit hierarchy** link. The *Search* page is displayed.




Edit Hierarchy - Search

3. Type the search parameters in the fields and click **Search**. For more information on performing a search, refer the Search for Items section in *Chapter 8 - Search*. The search results are displayed in the **search results** area.



Edit hierarchy - Search results

4. Select the GTIN for which you want to edit the hierarchy and click **Next**. The *Edit Hierarchy* page is displayed.
5. Click on the displayed GTIN. The links for the selected GTIN is displayed.



Edit Hierarchy – Item Links







6. Select the GTIN and click **Add Child** to add a child to the selected GTIN. The *Search* page is displayed. Type in the search parameters and click **Search**. The search results are displayed in the **search results** area. Only those GTINs that can be children of the parent GTIN are displayed.


Advanced Search

GTIN: Product Name:
 GTIN Name: Description:
 Brand Name: Product Type: -- Select Product Type --

[Search](#) advanced ▾


search results [click item to select] →

GTIN	Name	Type
<input checked="" type="checkbox"/> 0079845222124		EACH 
<input type="checkbox"/> 00798452456475		EACH 
<input type="checkbox"/> 23678454906608		EACH 
<input type="checkbox"/> 45645645645648		EACH 
<input type="checkbox"/> 56756764534525		EACH 
<input type="checkbox"/> 67676767676762		EACH 

[Next](#) 

Add Child – Search Results

7. Select the GTIN(s) that you want to add as the child, and click **Next**. The *Add Links* page displays the selected GTIN(s).



Edit Hierarchy - Add Links

8. Type the quantity for the GTIN(s) in the text box and click **Save**. The selected GTIN(s) and the quantity are displayed in the *Items Links For* page.
9. To delete any link, select the GTIN and click **Delete Child Link**. For more information about deleting item links, refer the section Delete Item Links.
10. Click **Submit For Approval**. The notification message “Edit Item Link Approval Pending” is sent to the appropriate user to approve the hierarchy. The notification is displayed in the *Item Hierarchy Change Request* tab view in the *Manage Item* page.

Note: Approval can be turned on or off through the configuration of the IBM Global Data Synchronization for WebSphere Product Center application.

Approve Edited Hierarchy

To approve the created hierarchy:

1. In the *Item Hierarchy Change Request* tab view, click on the notification “Edit Item Link Approval Pending”. The details of the notification are displayed.
2. In the screen where notifications details are displayed, Click **Approve** to approve the hierarchy. The notification message “Edit Item Link Approved” is sent to the appropriate user(s).

To reject the hierarchy, click **Reject**. The notification message “Edit Item Link Rejected” is sent to the appropriate user (s).

These notifications are displayed in the *Item Hierarchy Change Request* tab view.


Delete Item Links

An item link that is added to the data pool, but not yet published to any supply side trading partners, can be deleted. Deletions should be approved by the appropriate user before they are committed. You cannot delete item links that have already been published to supply side trading partners.

Note: When you delete a parent item link, all the child item links also get deleted.

To delete item links:


1. Under **Manage Item** tab, click on the **edit hierarchy** link.



The screenshot displays the 'Edit Hierarchy' page in the WebSphere Product Center. The page title is 'Edit Hierarchy' and the date is 'Wednesday, November 10, 2004'. The page contains a search form with the following fields: GTIN, GTIN Name, EAN/UCB Code, Brand Name, Product Type (dropdown menu), and Status (dropdown menu). A 'Search' button is located to the right of the search form. Below the search form is a 'search results' area with a link to 'click item to select'.


Edit hierarchy- Search

2. Search for the GTIN for which you want to create links. For information about performing a search, refer the Search for Items section in *Chapter 8 - Search*. The search results are displayed in the **search results** area.




Search Results

3. Select the GTIN that you want to delete links for. The details of the hierarchy are displayed.



Hierarchy Details

4. In the *Items Links For* page, select the link that you want to delete and click **Delete Child Link**. The *Delete Child Links* window displays the links that you have selected.



Delete child Link

5. Select the child links that you want to delete and Click **Delete**. The notification message “Item Link Deletion Approval Pending” is sent to the appropriate user. This notification is displayed in the *Item Hierarchy Change Request* tab view.

Approve Deleted Item Links

To approve the created hierarchy:

1. In the *Item Hierarchy Change Request* tab view, click on the notification “Item Link Deletion Approval Pending”. The details of the notification are displayed.
2. In the page where notification details are displayed, Click **Approve**, to approve the deletion. The notification message “Item Link Deletion Approved” is sent to the appropriate user(s).


To reject, click **Reject**. The notification message “Item Link Deletion Rejected” is sent to the appropriate user (s).

These notifications are displayed in the *Item Hierarchy Change Request* tab view.

Query Item

You can query for an Item in the UCCnet data pool to check whether the item exists or not in the data pool. If the Item exists in the Data Pool, then a notification is sent to the user who has queried for the item. You can query for an item based on the GTIN, GLN and Target Market.




To query an Item, click on the Query Items link under that Manage Items link. The Query Items page is displayed



The screenshot shows a web browser window with the title 'WebSphere Product Center'. The page is titled 'Query Item' and shows the date 'Friday, November 5, 2004'. There are three input fields: 'GTIN', 'Information Provider [GLN]', and 'Target Market'. Each field has a 'Lookup' icon to its right. Below the fields is a 'Submit' button with a green arrow icon.

Query Item

In the Query items page:

1. In the **GTIN** field, type the global trade item number of the item for which you want to receive publications. You can also select the GTIN using the **Lookup**  icon.
2. In the **GLN** field, type the global location number. You can also select the global location number using the **Lookup**  icon.
3. In the **Target Market** field, type the name of the target market. You can also select the target market using the **Lookup**  icon.
4. Click on the **Submit** button. The results will be sent as a notification. You can view this notification under the **Query Item requests** tab.

Explore Items

For more information on searching for items refer to the section *Search for trade items* in *Chapter – 8 Search*

Ch 7 Manage Partners

This chapter describes the various tasks related to managing trading partners within the IBM Global Data Synchronization for WebSphere Product Center application.

A trading partner is an organization or an individual with whom information or data is accessed or exchanged in the supplier chain, such as a manufacturer (seller), retailer (buyer), or distributor.

You can view and process trading partner requests. You can also create new partners or modify information on existing partners.

Topics include:

- [View Notifications](#)
- [Create Trading Partner](#)
- [Modify Trading Partner](#)
- [Delete Trading Partner](#)


You can create and modify a trading partner from the *Home* page. The tasks are displayed in **Quick Tasks** on the left navigation pane.

View Notifications

You can view all notifications related to trading partner requests in the *Notifications* page. This page contains the following tabs:


- New Trading Partner Request
- Trading Partner Change Request

To view the list of notifications for each, click on the corresponding tab. The *New Trading Partner Request* tab view is displayed by default.




Manage Partner - Notifications

Each notification is represented by a GTIN. To view the details of a notification, click on the notification. The *Notification Details* page is displayed.



Manage Partner - Notification Details

Notifications that are for information only can be viewed and dismissed. To remove the notification from the list, click on the **Delete**  icon.

Create Trading Partner


You can create a record of a trading partner in the system where the data synchronization is performed. You can specify the following information in the record:

- Trading Partner Identification (GLN) - The trade location of the trading partner.
- Trading Partner Role - A role can be that of a exchange, retailer, supplier, or manufacturer.

- Trading Partner Contact – The contact details of the trading partner, such as telephone numbers and e-mail addresses.
- Trading Partner Name and Address – The name and address of the trading partner.
- Last Changed Date – The date when the record was last updated.

To create a trading partner:

1. In the *Home* page, click on the **Manage Partner** tab. The *Manage Partner* tab view is displayed.



Manage Partner Tab View

2. Click on **create trading partners** link. The *Create New Trading Partner* page is displayed.

GLN: Role:

Name:

Address1:

Address2:

Address3:

City:

State/Province:

Country:

Postal Code:

Effective Start Date:



Effective End Date:


Is Active: Yes

Time Zone: Language:

Create New Trading Partner

3. Type the trading partner information in the listed fields:

- a. In the **GLN** field, type the global location number. This is the unique 13-digit number used to identify a trade location.
 - b. From the **Role** drop-down menu, select the role of the trading partner. Options available are Exchange, Manufacturer, Retailer, and Supplier.
 - c. In the **Trading Partner Name** field, type the name of the trading partner.
 - d. Fill in the location details of the trading partner in the listed fields.
 - e. In the **Effective Start Date** field, click on the **Calendar** icon  to select the start date.
 - f. In the **Effective End Date** field, click on the **Calendar** icon  to select the end date.
 - g. From the **Status** drop-down menu, select the status of the trading partner. Options available are Active and Inactive.
 - h. From the **Time Zone** drop-down menu, select the time zone relevant to the trading partner. Options available are Eastern, IST, GMT, and Pacific.
 - i. From the **Language** drop-down menu, select the language of the trading partner.
4. Click **Create**. The trading partner is created and the **Contacts** table is displayed on the same page.




The screenshot shows a web application interface for creating a new trading partner. The form is titled 'Create New Trading Partner' and includes the following fields and options:

- GLN:** 1112245678987
- Role:** Exchange
- Name:** Mohammed Mustafa
- Address:** Address1, Address2, Address3
- City:**
- State/Province:**
- Country:** United States
- Postal Code:**
- Effective Start Date:**
- Effective End Date:**
- Is Active:** Yes

Below the form, there is a table titled 'Contacts' with the following columns: Name, Telephone, E-mail, and Role. A 'Manage Contacts' button is located to the right of the table. At the bottom of the page, there are three buttons: 'Submit for Approval', 'Save', and 'Delete Partner'.


Create New Trading Partner - Contacts

5. To add contact details, click **Manage Contacts**. Text entry fields where you can add contact information are displayed.



Create New Trading Partner – Manage Contacts

6. Type the contact details in the listed fields:
 - a. In the **Name** field, type the name.
 - b. In the **Telephone** field, type the telephone number.
 - c. In the **Email** field, type the email address.
 - d. From the **Role** drop-down menu, select the role of the contact person for that trading partner.
7. Click **Save**. The contact details are displayed in the **Contacts** area.




Manage Contacts – New Contacts

To add details of another contact, repeat steps 6 and 7.

To edit a contact, click on the **Edit** icon

To delete the contact information, click on the **Delete** icon . The contact information for that contact is removed from the **Contacts** area.

- When you finish adding contacts, click **Partner Details**. The *Create New Trading Partner* page is displayed again. The contacts that you have added are displayed in the **Contacts** area.



Name	Telephone	E-mail	Role
Samuel	507-856-9987		S&L To
Dorothy	507-856-9982		Shp To

Create New Trading Partner with Contacts


- After filling in the details for the trading partner, click **Submit for Approval**. The notification “New Trading Partner Pending Approval” is sent to the appropriate user for approval. The notification is displayed in the *New Trading Partner Request* tab view in the *Manage Trading Partner* page.
- If you have not finished adding the information, and you want to save a draft version, click **Save**.
- To delete the trading partner, click **Delete Partner**.

Approve New Trading Partner

When a new trading partner is sent for approval, the notification for approving the new trading partner is displayed in the *New Trading Partner Request* tab view.

To approve a new trading partner:

- In the *New Trading Partner Request* tab view, click on the notification “New Trading Partner Pending Approval”. The details of the notification are displayed.



Trading Partner - Approval

2. To approve the item, click **Approve**. The notification message “New Trading Partner Approved’ is sent to the appropriate user(s).

To reject the item, click **Reject**. The notification message “New Trading Partner Rejected” is sent to the appropriate user(s).


The notifications are displayed in the *New Trading Partner Request* tab view.

Modify Trading Partner

You can modify those trading partners that are approved.

To modify the information of a trading partner:

1. In the *Home* page, click on the **Manage Partner** tab. The *Manage Partner* tab view is displayed.



Manage Partner Tab View

2. Click on the **modify trading partner** link. The *Modify Trading Partner* page is displayed.

The screenshot shows the 'Modify Trading Partner' page in WebSphere Product Center. The page title is 'Modify Trading Partner' and the date is 'Monday, November 1, 2004'. The search criteria are: GLN: (empty), Partner Name: (empty), and Status: -- Select Status --. The search results are as follows:

GLN	Name	Role	View
670115112292	uCCnet Retailer	Exchange	
80000000000000	razaly GLN	Supplier	
111022654148	Tiffany's	Exchange	
120002654148	Wal-Mart	Exchange	
1200002654148	Amazon	Exchange	
1200502654148	Blommedaba	Exchange	

Modify Trading Partner - Search

3. Search for the GLN that you want to modify. For more information on performing a search, refer the Search for Trading Partners section in *Chapter 8 - Search*.
4. In the **search results** area, click on the GLN that you want to modify. The details of that GLN (trading partner) are displayed.

The screenshot shows the 'Modify Trading Partner' details page in WebSphere Product Center. The page title is 'Modify Trading Partner' and the date is 'Friday, October 29, 2004'. The details are as follows:

GLN: 670115112292 Role: Exchange

Name: uCCnet Retailer

Address1: (empty)

Address2: (empty)

Address3: (empty)

City: (empty)

State/Province: (empty)

Country: United States

Postal Code: (empty)

Effective Start Date: (empty)

Effective End Date: (empty)

Is Active: Yes



Contacts:


Name	Telephone	E-mail	Role
(empty)	(empty)	(empty)	(empty)

Buttons: Submit for Approval, Save, Delete Partner


Modify Trading Partner - Details

5. Edit the trading partner information in the listed fields:
 - a. In the **GLN** field, edit the global location number. This is the unique 13-digit number used to identify a trade location.
 - b. From the **Role** drop-down menu, select the role of the trading partner. Options available are Exchange, Manufacturer, Retailer, and Supplier.
 - c. In the **Trading Partner Name** field, edit the name of the trading partner.

- d. Fill in the location details of the trading partner in the listed fields.
 - e. In the **Effective Start Date** field, click on the **Calendar** icon  to select the start date.
 - f. In the **Effective End Date** field, click on the **Calendar** icon  to select the end date.
 - g. From the **Status** drop-down menu, select the status of the trading partner. Options available are Active and Inactive.
 - h. From the **Time Zone** drop-down menu, select the time zone relevant to the trading partner. Options available are Eastern, IST, GMT, and Pacific.
 - i. From the **Language** drop-down menu, select the language of the trading partner.
6. To add or modify existing contacts, click **Manage Contacts**. The following page is displayed.



Modify Trading Partner – Manage Contacts

7. To add a new contact:
 - a. In the **Name** field, type the name.
 - b. In the **Telephone** field, type the telephone number.
 - c. In the **Email** field, type the email address.
 - d. From the **Role** drop-down menu, select the role of the contact person for that trading partner.
8. Click **Save**. The contact details are displayed in the **Contacts** area.
9. To modify the existing contact details, click on the **Edit** icon  for that contact. The contact details are displayed in the text fields. Update the information, and click **Save**. The updated information for that contact is displayed in the **Contacts** area.

10. When you finish adding contacts, click **Partner Details**. The *Modify Trading Partner* page is displayed again. The contacts that you have added or updated are displayed in the **Contacts** area.
11. After filling in the details for the trading partner, click **Submit For Approval**. The notification message “Modified Trading Partner Pending Approval” is sent to the appropriate user for approval. The notification is displayed in the *Trading Partner Change Requests* tab view in the *Manage Trading Partners* page.
12. If you have not finished adding the information, and you want to save a draft version, click **Save**.
13. To delete the trading partner, click **Delete Partner**.

Approve Modified Trading Partner

When a modified trading partner is sent for approval, the notification for approving the trading partner is displayed in the *Trading Partner Change Request* tab view.

To approve a new trading partner:

1. In the *Trading Partner Change Request* tab view, click on the notification “Modified Trading Partner Pending Approval”. The details of the notification are displayed.

The screenshot shows a web browser window with the title 'WebSphere Product Center'. The main content area is titled 'Modify Trading Partner' and contains a form with the following fields:

- GLN: 6701115112292
- Role: exchange
- Name: UCCnet Retailer
- Address1, Address2, Address3: (empty)
- City: (empty)
- State/Province: (empty)
- Country: United States
- Postal Code: (empty)
- Effective Start Date: (empty)
- Effective End Date: (empty)
- Is Active: Yes

 Below the form is a table with the following structure:

Name	Telephone	E-mail	Role

 At the bottom of the form are two buttons: 'Approve' and 'Reject'.

Modified Trading Partner - Approval

2. To approve the item, click **Approve**. The notification message “Modified Trading Partner Approved’ is sent to the appropriate user(s).

To reject the item, click **Reject**. The notification message “Modified Trading Partner Rejected” is sent to the appropriate user(s).

The notifications are displayed in the *Trading Partner Change Request* tab view.


Delete Trading Partner

You can delete trading partners that are in the draft status or that has been approved. If a trading partner that is in approved status is deleted, the deletion has to be approved by the appropriate user(s).

Delete Trading Partner - Draft Status


To delete a trading partner that is in draft status:

1. In the *Home* page, click on the **Manage Partner** tab. The *Manage Partner* tab view is displayed.



Manage Partner Tab View

2. Click on the **modify trading partner** link. The *Modify Trading Partner* page is displayed.



Trading Partner - Search

3. Search for the GLN that you want to modify. For more information on performing a search, refer the Search for Trading Partners section in *Chapter 8 - Search*.
4. In the **search results** area, click on the GLN that you want to modify. If the Trading Partner details are in the draft status, the details of that GLN (trading partner) are displayed as shown in the following screen.

The screenshot shows a web application interface for modifying trading partner details. The page title is 'Modify Trading Partner' and the date is 'Monday, November 1, 2004'. The form contains the following fields:

- GLN: 1220923454346
- Role: Exchange
- Name: Walmart
- Address1: [Empty]
- Address2: [Empty]
- Address3: [Empty]
- City: [Empty]
- State/Province: [Empty]
- Country: United States
- Postal Code: [Empty]
- Effective Start Date: [Empty]
- Effective End Date: [Empty]
- Is Active: Yes

Below the form is a 'Contacts' table with the following structure:

Name	Telephone	E-mail	Role

At the bottom of the page are two buttons: 'Approve' and 'Reject'.


Modify trading Partner – Details

5. To delete the Trading Partner details click **Reject**. The trading partner record is deleted from the system. No notification is sent for approval.

Delete Trading Partner – Approved Status


To delete a trading partner that is in Approved status:

1. In the *Home* page, click on the **Manage Partner** tab. The *Manage Partner* tab view is displayed.



Manage Partner Tab View

2. Click on the **modify trading partner** link. The *Modify Trading Partner* page is displayed.



Modify Trading Partner - Search

3. Search for the GLN that you want to modify. For more information on performing a search, refer the Search for Trading Partners section in *Chapter 8 - Search*.
4. In the **search results** area, click on the GLN that you want to modify. If the Trading Partner details are in the approved status, the details of that GLN (trading partner) are displayed as shown in the following screen.

Modify trading Partner – Details

- To delete a trading partner that is in approved status, click **Delete Partner**. The notification “Trading Partner Deletion Pending Approval” is sent to the appropriate user. The notification is displayed in the *Trading Partner Change Request* tab view.

Approve Deleted Trading Partner

To approve a deleted trading partner:

- In the *Trading Partner Change Request* tab view, click on the notification “Trading Partner Deletion Pending Approval”. The details of the notification are displayed.

Deleted Trading Partner - Approval

- To approve the trading partner, click **Approve**. The notification message “Trading Partner Deletion Approved” is sent to the appropriate user(s).

To reject the trading partner deletion, click **Reject**. The notification message “Trading Partner Deletion Rejected” is sent to the appropriate user(s).

The notifications are displayed in the *Trading Partner Change Request* tab view.

Explore Trading Partners

For information about performing a search for trading partners, refer the section Search Trading Partners in *Chapter 8 – Search*.

Ch 8 Search

The IBM Global Data Synchronization for WebSphere Product Center application offers three search options:

- Quick Search - The Quick Search option is displayed in the left navigation pane on all the main pages. You can search by object or by attributes.
- Basic Search – The Basic Search option is displayed by default when you access a search page. This allows you to search for information related to the section you are currently working on. For example, Manage Items section.
- Advanced Search – The Advanced Search option allows you to perform a more detailed search.

The Search facility enables you to:

- [Search for Publications](#)
- [Search for Subscriptions](#)
- [Search for Items/Hierarchies](#)
- [Search for Trading Partners](#)

You can enter search parameters and values in the Search fields, to narrow your search.


Tip!

If you do not know the search values, you can type the partial search criteria with the wildcard character (*) and click **Search**. For example, if you do not know the GTIN, type 1*. A list of GTINs that start with 1 is displayed in the **search results** area.


Search for Publications






To search for publications:

1. In the *Manage Publication* tab view, click on the **explore** link. The *Explore Transactions* page is displayed.



Explore Transactions

2. You can type search parameters in any or all the following fields:
 - a. In the **Transaction ID** field, type the ID of the publication that you want to search for.
 - b. From the **Transaction Process** drop-down menu, select the type of transaction. Options available are: Initial Load Publication, Item Change Publication, New Item Publication, Item Delist publication, Request for Publication, Item Withdraw Publication, Stop Synchronization.
 - c. In the **Date range from** and **to** fields, select the dates using the **Calendar** icon .
 - d. From the **Status** drop-down menu, select the status of the transaction. Options available are Accepted, Pending, Rejected, Review, and Synchronized.
3. Click **Search**. The search results are displayed in the **search results** area.

Transaction ID	Transaction Process	GTIN_TH_IP	GTIN Name	IP Name	Transaction Date	Status	View Details
UCCNet_000000233	Initial Load Publication	00796452234639_US_0000609623334	QA_Test_B1_Pallet	TRIGO SUPPLY	11/10/2004	Initial Load Publication Internal Sync Message Sent	
UCCNet_000000251	Initial Load Publication	22222222222226_US_7981315112271	Package	TRIGO SUPPLY	11/10/2004	Initial Load Publication Approval Pending	
UCCNet_000000256	Initial Load Publication	22222222222226_US_7981315112271	Package	TRIGO SUPPLY	11/10/2004	Initial Load Publication Internal Sync Message Sent	
UCCNet_000000249	Initial Load Publication	3060600000197_US_7981315112271	NA	NA	11/10/2004	Initial Load Publication Enrichment Completed	
UCCNet_000000247	Initial Load Publication	22222222222226_US_7981315112271	Package	TRIGO SUPPLY	11/10/2004	Initial Load Publication Internal Sync Message Sent	
UCCNet_000000238	Initial Load Publication	00796452777778_US_0000609623334	QA_Pallet_01	TRIGO SUPPLY	11/10/2004	Initial Load Publication Internal Sync Message	

Search for Subscriptions/Filters


You can perform the following:

- [Search Subscriptions](#)
- [Search Filters](#)


Search Subscriptions


To search for subscriptions:

1. In the *Manage Subscriptions* tab view, click on the **explore** link. The *Explore Transactions* page is displayed.



Explore Transactions – Search Subscriptions


2. You can type search parameters in any or all the following fields:
 - a. In the **Transaction ID** field, type the ID of the transaction that you want to search for.
 - b. From the **Transaction Process** drop-down menu, select the type of transaction. The available transaction processes are Query Subscription, Subscription Add, Subscription approval, Subscription Deletion.
 - c. In the **Subscription Date range from** and **to** fields, select the dates using the **Calendar** icon . The search results displayed will be within this date range
 - d. In the **Subscription ID** field, type the ID of the subscription that you want to search for.
3. Click **Search**. The search results are displayed in the **search results** area.



Search Filters


To search for filters:

1. In the *Manage Subscriptions* tab view, click on the **explore** link. The *Explore Transactions* page is displayed.




Explore Transactions – Search Filters

2. Click on the **Search Filters** tab. The *Search Filters* tab view is displayed.
3. You can type search parameters in any or all the following fields:
 - a. In the **Transaction ID** field, type the ID of the transaction that you want to search for.
 - b. From the **Transaction Process** drop-down menu, select the type of transaction. Options available are Filter Add, Filter Approval, Filter Deletion, and Filter Modification.

c. In the **Date range from** and **to** fields, select the dates using the **Calendar** icon .

d. In the **FilterName** field, type the name of the filter.

4. Click **Search**. The search results are displayed in the **search results** area.



Explore Filter – Search Results

Search for Items/Hierarchies

You can perform the following:

- [Search Items](#)
- [Browse Item](#)
- [Search Item Transactions](#)
- [Search Hierarchy Transactions](#)


Search Items

To search for items:

1. In the *Manage Item* tab view, click on the **explore** link. The *Explore Items* page is displayed, with *Search Item* tab view being displayed by default.


Search Item – Basic Search

2. You can type search parameters in any or all the following fields:
 - a. In the **GTIN** field, type the Global Trade Item Number for the trade item.
 - b. In the **EAN.UCC Code** field, type the EAN/UCC code or number required based on the product type.
 - c. In the **GTIN Name** field, type the name of the GTIN.
 - d. In the **Description** field, type the description for the GTIN.
 - e. In the **Brand Name** field, type the name of the brand.
 - f. From the **Product Type** drop-down menu, select the type of the product. Options available are Case, Display/ Shipper, Each, Mod Pallet (Mixed), Package, and Pallet.
3. For a more detailed search, click **advanced**. Additional fields where you can type in search parameters are displayed.



Search Items - Advanced


- a. In the **Information Provider [GLN]** field, type the global location number of the information provider.
- b. In the **Target Market** field, click on **add TM**. The Target Market selection screen is displayed.



Target Market - Search

- c. From the *Target Market search* screen, select a target market.

- d. In the **Information Provider [Name]** field, type the name of the information provider.
 - e. In the **Language Code** field, type the language code.
 - f. In the **Brand Owner [Name]** field, type the name of the brand owner.
 - g. In the **UDEX Category Code** field, type the UDEX Category code.
 - h. In the **Manufacturer [GLN]** field, type the global location number of the manufacturer.
 - i. In the **UDEX Category Description** field, type the description of UDEX Category.
 - j. In the **Manufacturer [Name]** field, type the name of the manufacturer.
 - k. From the drop down for **Ordering Unit Indicator**, select **Yes, No**
4. Click **Search**. The search results are displayed in the **search results** area.




Search Items – Search Results

Browse Items

You can browse for an item according to the internal classification.


To browse for an item through internal classification:

1. In the *Manage Item* tab view, click on the **explore** link. The *Explore Items* page is displayed.




Manage Item - Explore

2. Click on the **Browse Items** tab. The *Browse Items* tab view is displayed



The Internal classification tree view is displayed on the left of the screen. When you click on the EAN.UCC code, the details of the item are displayed on the right of the screen




Browse Items by Internal Classification

Search Item Transactions


To search for item transactions:

1. In the *Manage Item* tab view, click on the **explore** link. The *Explore Item* page is displayed.





Search Item

2. Click on the **Item Transaction** tab. The *Item Transaction* tab view is displayed.



Search Item Transaction

3. You can type search parameters in any or all the following fields:
 - a. In the **Transaction ID** field, type the ID of the transaction that you want to search for.
 - b. From the **Transaction Process** drop-down menu, select the type of transaction process.
 - c. In the **Date range from** and **to** fields, select the dates using the **Calendar** icon .
4. Click **Search**. The search results are displayed in the **search results** area.




Item Transactions – Search Results

Search Hierarchy Transactions

To search for hierarchy transactions:


1. In the *Manage Item* tab view, click on the **explore** link. The *Explore Item* page is displayed.



The screenshot shows the 'Basic Search' interface in the WebSphere Product Center. The page title is 'WebSphere Product Center' with the subtitle 'Demand Side Global Data Synchronizatio'. The user is logged in as 'Welcome master master'. The navigation bar includes 'Home', 'Manage Publication', 'Manage Subscription', 'Manage Item', and 'Manage Partner'. Below the navigation bar, there are tabs for 'Search Item', 'Browse Item', 'Class Transaction', and 'Hierarchy Transaction'. The 'Basic Search' section contains several input fields: 'GTIN', 'GTIN Name', 'Brand Name', 'EAN/UC Code', 'Description', and 'Product Type' (a dropdown menu). A 'Search' button is located to the right of the input fields. Below the search fields, there is a section for 'search results [click item to select]' which currently displays 'no search results...'. A 'cancel' button is also visible at the bottom right of the search results area.

Search Items


2. Click on the **Hierarchy Transaction** tab. The *Hierarchy Transaction* tab view is displayed.




The screenshot shows the 'Hierarchy Transaction' search interface in the WebSphere Product Center. The page title is 'WebSphere Product Center' with the subtitle 'Demand Side Global Data Synchronizatio'. The user is logged in as 'Welcome master master'. The navigation bar includes 'Home', 'Manage Publication', 'Manage Subscription', 'Manage Item', and 'Manage Partner'. Below the navigation bar, there are tabs for 'Search Item', 'Browse Item', 'Class Transaction', and 'Hierarchy Transaction'. The 'Hierarchy Transaction' section contains several input fields: 'Transaction ID', 'Transaction Process' (a dropdown menu), and 'Date range from' (with 'to' and 'X' buttons). A 'Search' button is located to the right of the input fields. Below the search fields, there is a section for 'Search Results' which currently displays 'no search results...'. The date is shown as 'Monday, October 25, 2004'.

Search Hierarchy Transaction

3. You can type search parameters in any or all the following fields:
 - a. In the **Transaction ID** field, type the ID of the transaction that you want to search for.
 - b. From the **Transaction Type** drop-down menu, select the type of transaction.

c. In the **Date range from** and **to** fields, select the dates using the **Calendar** icon .

4. Click **Search**. The search results are displayed in the **search results** area.



Hierarchy Transaction – Search Results

Search for Trading Partners


You can perform the following:

- [Search Trading Partners](#)
- [Search Transactions](#)

Search Trading Partners


To search for trading partners:

1. In the *Manage Partner* tab view, click on the **explore** link. The *Explore Trading Partner* tab view is displayed.




Explore Trading Partner- Basic Search


2. You can type search parameters in any or all the following fields:
 - a. In the **GLN** field, type the GLN of the trading partner.
 - b. In the **Partner Name** field, type the name of the trading partner.
 - c. For a more detailed search, click **advanced**. Additional fields where you can type in search parameters are displayed.



Explore Trading Partner – Advanced Search

- d. In the **Contact** field, type the contact number of the trading partner.

- e. From the **Party Role** drop-down menu, select the role of the trading partner. Options available are Exchange, Manufacturer, Retailer, and Supplier.
 - f. In the **City [Name]** field, type the name of the city to which the trading partner belongs to.
 - g. In the **Country Code** field, type the code of the country to which the trading partner belongs to or select the country code using the **Look Up**  icon.
 - h. From the **Language** drop-down menu, select the language of the trading partner.
3. Click **Search**. The search results are displayed in the **search results** area.




Trading Partners – Search Results

Search Transactions


To search for transactions related to trading partners:

1. In the *Manage Partner* tab view, click on the **explore** link. The *Search Trading Partner* tab view is displayed.




Search Trading Partner

2. Click on the **Search Transactions** tab. The *Search Transactions* tab view is displayed.



Explore Trading Partner - Search Transactions

3. You can type search parameters in any or all the following fields:
 - a. In the **Transaction ID** field, type the ID of the publication that you want to search for.
 - b. From the **Transaction Type** drop-down menu, select the type of transaction.
 - c. In the **Date range from** and **to** fields, select the dates using the **Calendar** icon .
 - d. Click **Search**. The search results are displayed in the **Details** area.

WebSphere Product Center
 Demand Side Global Data Synchronization

Home Manage Publications Manage Subscriptions Manage Items Manage Partner
 notifications | create trading partners | modify trading partners | explore

Explore Trading Partner Monday, October 25, 2004

Search Trading Partner Search Transactions

Transaction ID:

Transaction Process: Modify Trading Partner Approval

Date range from: to: Search

Details

Transaction ID	Type	GLN	Date	Status	View Details
UCCNet_000000678	Modified Trading Partner Approved	2333333333339	10/24/2004	Approved	
UCCNet_000000678	Modified Trading Partner Approved	2333333333339	10/24/2004	Approved	
UCCNet_000000655	Modified Trading Partner Approved	4666666666668	10/21/2004	Approved	
UCCNet_000000613	Modified Trading Partner Approved	7888888888889	10/21/2004	Approved	
UCCNet_000000613	Modified Trading Partner Approved	7888888888889	10/21/2004	Approved	
UCCNet_000000606	Modified Trading Partner Approved	4545454545456	10/21/2004	Approved	
UCCNet_000000613	Modified Trading Partner Pending Approval	7888888888889	10/25/2004	Draft	
UCCNet_000000678	Modified Trading Partner Pending Approval	2333333333339	10/24/2004	Draft	

Transactions – Search Results

Appendix A – Administration and User Management

There are various roles that are precluded in the application. For more information, refer to Appendix B – Roles in the *IBM Global Data Synchronization for WebSphere Product Center Installation, Configuration, and Administration Guide*. This appendix also provides the list of accessible features and operations that can be performed by the respective roles.

Appendix B – List of Functions

This appendix provides a list of functions available for trade items, trading partners, in the IBM Global Data Synchronization for WebSphere Product Center solution.

For Trade Items

The list of functions that is available to you for trade items are:

- Create
- Edit
- View
- Delete
- Explore
- Create Variant
- Enrich Global Attributes
- Enrich Variant
- Approve/Reject
- Publish New Item
- Send Initial Load
- Add Item
- Synchronize Changes

For Trading Partners

The list of functions that is available for trading partner is:

- Create
- View
- Modify
- Delete
- Explore
- Approve/Reject

For Trade Item Links

The list of functions that is available for trade item links are:

- Create
- Edit

- View
- Delete
- Explore
- Approve/Reject
- Add Item Link

For Subscriptions and Filters

The various functions available for subscriptions and filter are:

- Add Subscription
- Approve Subscription
- Delete subscription
- View Subscription Details
- Add Filter
- Modify Filter
- View Filter
- Delete Filter

For Transactions

The list of functions that is available for transactions are:

- Publish Transactions
- View Generated Xml
- Item Transactions
- Hierarchy Transactions
- Trading Partner Transactions

For Notifications

The list of functions that is available for transactions are:

- Publications
- Initial Load
- Item Add
- Item Link Add
- New Item Request
- Item Change Request
- New Item Hierarchy Request

- Item Hierarchy Change Request
- New Trading Partner Request
- Trading Partner Change Request

Appendix C - Error and Confirmation Messages

This appendix provides a list for all errors potentially encountered when sending Global Data Synchronization Messages.

Topics

- Error and Confirmation Messages Generated by IBM Global Data Synchronization for WebSphere Product Center
- Error and Confirmation Messages Generated by UCCnet data pool services

Error and Confirmation Messages Generated by IBM Global Data Synchronization for WebSphere Product Center

This section lists the error and confirmation messages generated by IBM Global Data Synchronization for WebSphere Product Center solution. Errors can include missing fields required by the application, incorrect values, and so on.

Error Message	Description
This notification is no longer valid.	This message is generated when the solution looks for the particular notification that is not present in the system.
Notification is not found for the given parameters	This message is generated when the solution does not find the notification for the given parameters (for example, if the notification is already deleted due to some reason).
Error processing this page. Please try again.	This message is generated when the user clicks on any action and the system is not able to execute the same.
Another Trading Partner exists with same GLN.	This message is generated when the GLN trying to create which already exists in the system.
Invalid GLN.	This message is generated when the GLN checksum fails.
Invalid Target Market.	This message is generated for an invalid country code.
Another Trade Item exists with same Global Trade Item Number.	This message is generated when the new GTIN that is being created matches a GTIN that already exists in the solution.
Invalid Product Type.	This message is generated when the Product Type specified is not valid.
Invalid Classification.	This message is generated when the classification specified is not valid.

Error Message	Description
Invalid Category.{0}	This message is generated for an invalid category entry.
Global Trade Item Number is invalid.	This message is generated if the GTIN checksum is invalid.
Invalid unit of measure for the specified value.	This message is generated if the units are not specified for the UOM.
This is a Required field if the Base Unit Indicator is true.	Some fields are mandatory if the base unit indicator value in the global local catalog is true. This message is generated when those fields have not been filled in.
This is a Required field if the Ordering Indicator is true.	Some fields are mandatory if the ordering unit indicator value in the global local catalog is true. This message is generated when those fields have not been filled in.
The Owning Organization has invalid Global Location Number.	This message is generated if the given GLN is invalid. For example, it should at least be 13 characters.
Global Location Number is invalid.	This message is generated if the entered GLN value is incorrect.
It is recommended that you populate this attribute if "Product Type" is PL (Pallet).	This message is generated when the product type is pallet and there is no value specified for this field.
Do not populate if Product Type is PL (Pallet).	This message is generated when the product type is pallet and one or all of the following fields have been populated. <ul style="list-style-type: none"> • Num of Items per Pallet • Non GTIN Pallet Height • Non GTIN Pallet Gross Weight
This is required when Product Group ID Maintenance Agency attribute is populated.	This message is generated when the Product Group ID Maintenance Agency attribute is populated and no value is specified for Product Group ID field.
This is required when Alternate Item Number is populated.	This message is generated when the Alternate Item Number attribute is populated and no value is specified for Alternate Item Identification Maintenance Agency field.
This is required when Alternate Item Identification Maintenance Agency is populated.	This message is generated when the Alternate Item Identification Maintenance Agency attribute is populated and no value is specified for Alternate Item Number field.

Error Message	Description
The Unit of Measure for depth, height, width and diameter must be consistent for each Trade Item.	This message is generated when the unit of measure for depth, height, width, and diameter is not consistent.
The Unit of Measure for gross weight, packaging weight, net weight and drained weight must be consistent for each Trade Item.	This message is generated when the unit of measure for gross weight, packaging weight, net weight, and drained weight is not consistent.
The Unit of Measure for Peg Horizontal and Peg Vertical should be consistent for each Trade Item.	This message is generated when the unit of measure for Peg Horizontal and Peg Vertical is not consistent.
This is required if Tax Rate attribute is populated.	This message is generated when the Tax Rate attribute is populated and no value is specified for Tax Type field.
This is required if Tax Type attribute is populated.	This message is generated when the Tax Type attribute is populated and no value is specified for Tax Rate field.
The Unit of Measure for must be consistent with order quantity for each trade item.	This message is generated when the unit of measure is not consistent with the order quantity for each trade item.
This is required if Associated Item is populated.	This message is generated when the Associated Item attribute is populated and no value is specified for Associated Qualifier field.
This is required if Associated Qualifier is populated.	This message is generated when the Associated Qualifier attribute is populated and no value is specified for Associated Item field.
This is required if Approval/Certification attribute is populated.	This message is generated when the Approval/Certification attribute is populated and no value is specified for Approval/Certification Maintenance Organization field.
This is required if Approval/Certification Maintenance Organization attribute is populated.	This message is generated when the Approval/Certification Maintenance Organization attribute is populated and no value is specified for Approval/Certification field.
This is required if Hazard mat class Code attribute is populated.	This message is generated when the Hazard mat class Code attribute is populated and no value is specified for Hazard Code field.

Error Message	Description
This is required if Hazard Code attribute is populated.	This message is generated when the Hazard Code attribute is populated and no value is specified for Hazard mat class Code field.
This is required if Product Size Code Maintenance Agency attribute is populated.	This message is generated when the Product Size Code Maintenance Agency attribute is populated and no value is specified for Product Size Code field.
This is required if Product Size Code attribute is populated.	This message is generated when the Product Size Code attribute is populated and no value is specified for Product Size Code Maintenance Agency field.
This is required if Material Code Agency attribute is populated.	This message is generated when the Material Code Agency attribute is populated and no value is specified for Packaging Material Code field.
This is required if the Packaging Material Code attribute is populated.	This message is generated when the Packaging Material Code attribute is populated and no value is specified for Material Code Agency field.
This is required if List Price is populated.	This message is generated when the List Price attribute is populated and no value is specified for List Price Basis Per Unit field.
This is required if Color Code Maintenance Agency attribute is populated.	This message is generated when the Color Code Maintenance Agency attribute is populated and no value is specified for Color field.
This is required when the Color attribute is populated.	This message is generated when the Color attribute is populated and no value is specified for Color Code Maintenance Agency field.
This is a mandatory field.	This message is generated if there is no value specified for a mandatory field.
Invalid Packaging Type.	This message is generated if the packaging type specified is invalid.
EAN UCC Code and Type is Required if the Product Type is Case or Each.	This message is generated if the EAN UCC Code and Type is not specified when the product type is case or each.
Action not allowed for Trade Item	This message is generated when the user does not have access to perform certain actions for the trade item.

Error Message	Description
Trade Item {0} does not exist or user does not have enough privileges.	This message is generated when the user tries to access a trade item and it either does not exist in the system or does not have access to that trade item.
This is required if the Product Strength attribute is populated.	This message is generated when the Product Strength attribute is populated and no value is specified for Product Strength Basis field.
This is required if the Product Strength Basis attribute is populated.	This message is generated when the Product Strength Basis attribute is populated and no value is specified for Product Strength field.
This is required if the Product is Base or Concentrate.	This message is generated when product is base or concentrate and no value is specified for Ready to Use Volume.
This is required if the Fat Content attribute is populated.	This message is generated when Fat Content attribute is populated and no value is specified for Fat Content Basis UOM.
EAN UCC Code is invalid for the specified EAN UCC Type	This message is generated when the user has specified an invalid EAN UCC Code for the EAN UCC Type.
This is required if EAN UCC Type is populated.	This message is generated when the EAN UCC Type is specified and no value is specified for EAN UCC Code.
This is required if EAN UCC Code is populated.	This message is generated when the EAN UCC Code is specified and no value is specified for EAN UCC Type.
Start and End availability dates does not match	This message is generated when the start and end dates that is specified do not match.
First and Last ship dates does not match	This message is generated when the first and last ship dates that are specified do not match.
First and Last arrival dates does not match	This message is generated when the first and last arrival dates that are specified do not match.
This is required if Recommended Sales Price is populated	This message is generated when Recommended Sales Price is populated and no value is specified for Recommended Sales Price Basis per Unit and Recommended Sales Price Currency attributes.
This is required if Recommended Sales Price Currency is populated	This message is generated when Recommended Sales Price Currency is populated and no value is specified for

Error Message	Description
	Recommended Sales Price.
This is required if Trade Item is Orderable	This message is generated when the user specifies that the trade item is orderable and no value is specified for Ordering Sizing Factor attribute.
This is required if any retailer distributor specific attributes are populated	This message is generated if any retailer distributor specific attributes are populated and no value is specified for Retailer/Distributor GLN attribute.
This is required if the Retailer Distributor Item Description attribute is populated	This message is generated when Retailer Distributor Item Description attribute is populated and no value is specified for Retailer/Distributor Item Number.
This is required if the Retailer Distributor Property attribute is populated	This message is generated when Retailer Distributor Property attribute is populated and no value is specified for Retailer/Distributor Property Value.
This is required if Maximum Order Quantity, Minimum Order Quantity, Minimum Ship Quantity or Maximum Ship Quantity is populated.	This message is generated when any of the attributes mentioned have been populated and no value is specified for Order Quantity Multiple UOM.
This is required if any of the following attribute is populated. <ul style="list-style-type: none"> • Hazard Code • Hazardous Type Classification System • Dangerous Goods A Margin Number • Dangerous Group Packing Group • Dangerous Goods Shipping Name • Dangerous Goods Technical Name 	All the attributes that are mentioned need to be specified. Even if one attribute is not specified then this message is generated.
Please enter a valid value.	This message is generated when the user enters an invalid value.

Error and Confirmation Messages Generated by UCCnet data pool services

This section lists the error and confirmation messages generated by UCCnet data pool services. For more information, refer the document *Global Data Synchronization Error Messages* document for UCCnet data pool services, **UCCnet(DTD) Error Messages.pdf**

Notices

IBM may not offer the products, services, or features discussed in this document in all countries. Consult your local IBM representative for information on the products and services currently available in your area. Any reference to an IBM product, program, or service is not intended to state or imply that only that IBM product, program, or service may be used. Any functionally equivalent product, program, or service that does not infringe any IBM intellectual property right may be used instead. However, it is the user's responsibility to evaluate and verify the operation of any non-IBM product, program, or service.

IBM may have patents or pending patent applications covering subject matter described in this document. The furnishing of this document does not give you any license to these patents. You can send license inquiries, in writing, to:

IBM Director of Licensing
IBM Corporation
North Castle Drive
Armonk, NY 10504-1785
U.S.A.

The following paragraph does not apply to the United Kingdom or any other country where such provisions are inconsistent with local law:

INTERNATIONAL BUSINESS MACHINES CORPORATION PROVIDES THIS PUBLICATION "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Some states do not allow disclaimer of express or implied warranties in certain transactions, therefore, this statement may not apply to you.

This information could include technical inaccuracies or typographical errors. Changes are periodically made to the information herein; these changes will be incorporated in new editions of the publication. IBM may make improvements and/or changes in the product(s) and/or program(s) described in this publication at any time without notice.

Any references in this information to non-IBM Web sites are provided for convenience only and do not in any manner serve as an endorsement of those Web sites. The materials at those Web sites are not part of the materials for this IBM product and use of those Web sites is at your own risk.

IBM may use or distribute any of the information you supply in any way it believes appropriate without incurring any obligation to you.

Licenseses of this program who wish to have information about it for the purpose of enabling: (i) the exchange of information between independently created programs and other programs (including this one) and (ii) the mutual use of the information which has been exchanged, should contact:

IBM Burlingame Laboratory
Director IBM Burlingame Laboratory
577 Airport Blvd., Suite 800
Burlingame, CA 94010
U.S.A

Such information may be available, subject to appropriate terms and conditions, including in some cases, payment of a fee.

The licensed program described in this document and all licensed material available for it are provided by IBM under terms of the IBM Customer Agreement, IBM International Program License Agreement, or any equivalent agreement between us.

Any performance data contained herein was determined in a controlled environment. Therefore, the results obtained in other operating environments may vary significantly. Some measurements may have been made on development-level systems and there is no guarantee that these measurements will be the same on generally available systems. Furthermore, some measurement may have been estimated through extrapolation. Actual results may vary. Users of this document should verify the applicable data for their specific environment.

Information concerning non-IBM products was obtained from the suppliers of those products, their published announcements or other publicly available sources. IBM has not necessarily tested those products and cannot confirm the accuracy of performance, compatibility or any other claims related to non-IBM products. Questions on the capabilities of non-IBM products should be addressed to the suppliers of those products.

This information may contain examples of data and reports used in daily business operations. To illustrate them as completely as possible, the examples may include the names of individuals, companies, brands, and products. All of these names are fictitious and any similarity to the names and addresses used by an actual business enterprise is entirely coincidental.

All statements regarding IBM's future direction or intent are subject to change or withdrawal without notice, and represent goals and objectives only.

Programming interface information

Programming interface information, if provided, is intended to help you create application software using this program.

General-use programming interfaces allow you to write application software that obtain the services of this program's tools.

However, this information may also contain diagnosis, modification, and tuning information. Diagnosis, modification and tuning information is provided to help you debug your application software.

Warning: Do not use this diagnosis, modification, and tuning information as a programming interface because it is subject to change.

Trademarks and service marks

The following terms are trademarks or registered trademarks of International Business Machines Corporation in the United States or other countries, or both:

IBM
the IBM logo
AIX
CrossWorlds
DB2
DB2 Universal Database
Domino
Lotus
Lotus Notes
MQIntegrator
MQSeries
Tivoli

WebSphere

Microsoft, Windows, Windows NT, and the Windows logo are trademarks of Microsoft Corporation in the United States, other countries, or both.

MMX, Pentium, and ProShare are trademarks or registered trademarks of Intel Corporation in the United States, other countries, or both.

Java and all Java-based trademarks are trademarks of Sun Microsystems, Inc. in the United States, other countries, or both.

Other company, product or service names may be trademarks or service marks of others.

This product includes software (Axis, Jakarta Commons Collection, Jakarta Commons DBCP, Jakarta Commons Pool, Jakarta Commons Regular Expression, Log4J, Regexp, Xalan, Xerces, XML4J) developed by the Apache Software Foundation (<http://www.apache.org/>).

Apache Software License

IBM Global Data Synchronization for WebSphere Product Center includes the following software that was licensed by IBM from the Apache Software Foundation under the terms and conditions of the Apache 2.0 license:

- Apache Struts v1.1
- Apache Commons-beanutils v1.6
- Apache Commons-digester v1.4
- Apache Xerces-j v2.4.0

This software is licensed to you under the terms and conditions of the International Program License Agreement, subject to its Excluded Components provisions. IBM is required to provide the following notice to you in connection with this software:

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or

(ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- a. You must give any other recipients of the Work or Derivative Works a copy of this License; and
- b. You must cause any modified files to carry prominent notices stating that You changed the files; and
- c. You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- d. If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

END OF TERMS AND CONDITIONS

CUP Parser Generator Copyright Notice, License, and Disclaimer

Copyright 1996-1999 by Scott Hudson, Frank Flannery, C. Scott Ananian

Permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appear in all copies and that both the copyright notice and this permission notice and warranty disclaimer appear in supporting documentation, and that the names of the authors or their employers not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission.

The authors and their employers disclaim all warranties with regard to this software, including all implied warranties of merchantability and fitness. In no event shall the authors or their employers be liable for any special, indirect or consequential damages or any damages whatsoever resulting from loss of use, data or

profits, whether in an action of contract, negligence or other tortious action, arising out of or in connection with the use or performance of this software.

JLEX COPYRIGHT NOTICE, LICENSE AND DISCLAIMER.

Copyright 1996-2003 by Elliot Joel Berk and C. Scott Ananian

Permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appear in all copies and that both the copyright notice and this permission notice and warranty disclaimer appear in supporting documentation, and that the name of the authors or their employers not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission.

The authors and their employers disclaim all warranties with regard to this software, including all implied warranties of merchantability and fitness. In no event shall the authors or their employers be liable for any special, indirect or consequential damages or any damages whatsoever resulting from loss of use, data or profits, whether in an action of contract, negligence or other tortious action, arising out of or in connection with the use or performance of this software.

Java is a trademark of Sun Microsystems, Inc. References to the Java programming language in relation to JLex are not meant to imply that Sun endorses this product.