

IBM Software Group

z/OS Problem Determination Tools

"Green to GUI": The perfect mix of ISPF and Eclipse





PJ Baron, Business Exec, AD Tools Americas
Tim Magee, PD Tools Technical Specialist Americas
Dan Brown, AD Tools Americas




Agenda:



- Session Introduction
- IBM ISPF Productivity Tool (IPT) Overview
- IBM IPT Functional "Walkthrough"
- WDz Overview
- WDz Functional "Walkthrough"
- Questions/Roundtable Discussion

GREEN TO GUI





ISPF TO ECLIPSE

- ISPF
 - ▶ 20 30 Years experience
 - Less staff more workload how to get faster
 - New staff how to get 20 yrs experience in 2 months
 - Solution ISPF Productivity Tool

- Eclipse
 - Cross platform developers
 - New COBOL staff quickly productive
 - Java staff can program COBOL
 - Cross develop Java, COBOL, PL1 with continuous format
 - Solution WDz



Agenda:

Session Introduction



- IBM ISPF Productivity Tool (IPT) Overview IBM IPT Functional "Walkthrough"
- WebSphere Developer for System z (WDz) Overview
- WDz Functional "Walkthrough"
- Questions/Roundtable Discussion



IBM ISPF Productivity Tool Functional Overview

Enhances ISPF Productivity

- Consolidates commands within a single panel
- Presents a comprehensive, object-oriented project-related list of data sets
- Reduces Keystrokes and EXCP counts
- Provides Extensive Point & Shoot capabilities
- Extended TSO command execution
- Automatic PDS compression and Directory Expansion
- Enhanced Print and Clipboard Capabilities
- Improves ISPF navigation
- SCLM, Librarian, Panvalet Library support
- Enhanced patterns for finding data
- Powerful Command Shortcuts NEW V5.9 !!





Agenda:

- Session Introduction
- IBM ISPF Productivity Tool (IPT) Overview



- IBM IPT Functional "Walkthrough"
- WDz Overview
- WDz Functional "Walkthrough"
- Questions/Roundtable Discussion



DSLIST ISPF 3.4

Menu Utilities Compilers Options Status Help

z/OS Primary Option Menu

Option ===> 3.4

Settings

View

2 Edit

Utilities

Foreground

Batch

Command

7 Dialog Test

10 SCLM

11 Workplace

12 z/OS System

Enter X

13 z/OS User

Terminal and user parameters

Display source data or listings

Create or change source data

Perform utility functions

Interactive language processing

Submit job for language processing

Enter TSO or Workstation commands

Perform dialog testing

IBM Products IBM program products

SW Configuration Library Manager

ISPF Object/Action Workplace

z/OS system programmer applications

z/OS user

IPT fits seamlessly into ISPF

Customization of functions can be controlled at the Global or User level.

User ID . : DNET187

Time. . . : 13:53 Terminal: : 3278

Screen. . : 1

Language. : ENGLISH

Appl ID . : ISP

TSO logon: SPIFFY

TSO prefix: DNET187

System ID : DEMOMVS

MVS acct. : 12345678

Release . : ISPF 5.8





IPT - DS List Panel

IPT Adds New Options
And Functions in V5.9

```
-IPT-
                                Data Set List Utility
    Command ===> -
       DS - Display dataset list
                                                  - Print data set list
    blank - Temporary Object List
                                                PV - Print VTOC information
       PL - Permanent Object List
                                                V - Display VTOC information
      GDG - Display Generation Datasets
                                                XV - Extended VTOC & space summary
      SET - Set DSLIST defaults
                                                SP - Special data set lists
    Enter an option or select it by placing cursor on the option code
    Specify parameters below:
       Object List ===>
                                             (* for selection list. = for PROJECT1)
       Dsname Level ===> DNET187.*
                                                               More? ===> N
       Volume serial ===>
                                             (Leave BLANK for catalog scan,
                                              volser or pattern for VTOC scan)
    Data set list options:
       Initial View ===> 3 : 1. Volume 2. Space 3. Attrib 4. Total
       Enter "/" to select option:
                                   / Confirm Data Set Delete
                                    ∠ Additional Dataset Qualifiers ENTER
                                    / Display Catalog Name
   List Multiple Qualifiers
  List all saved Object List
                          is displayed, enter the "/" line command for a list of,
List Linklist and TSO Allocations
```

mmands. TSO commands, CLISTs, or REXX execs are suported.



DSLIST in OLIST (Object List) Format

```
-IPT- OLIST (E) ------ LEVEL DNET187.* ------ "A" will display assist


Command ===> SCROLL ===> PAGE

*TEMPORARY LIST*
```

| | | * TEMPURHRY LIST* |
|---------------------------|---|-------------------|
| Command Member | Numbr Data Set Names / Objects | Volume |
| | 1 'DNET187.ABX.DB2UTDST' | DMPU24 |
| | 2 'DNET187.ABX.DB2UTSRC' | DMPU29 |
| Perform Utility Functions | 3 'DNET187.ABX.ISPFILE' | DMPU11 |
| Compress Datasets | 4 'DNET187.ABX.JCL' | DMPU26 |
| Add Directory Blocks | 5 'DNET187.ABX.REQLIB' | DMPU26 |
| Find Text | 6 'DNET187.ABX.TEMP.D070504.T152738. | CMD' DMPU26 |
| Find Members | 7 'DNET187.ABX.TEMP.D070504.T152738. | CORR' DMPU24 |
| | 8 'DNET187.ABX.TEMP.D070504.T152738. | LOG' DMPU18 |
| | 9 'DNET187.ABX.TEMP.D070504.T152738. | LOG2' DMPU19 |
| | 7 10 'DNET187.ABX.TEMP.D070504.T152738. | ORG' DMPU18 |
| , | 11 'DNET187.ABX.TEMP.D070504.T152738. | XML' DMPU26 |
| / | 12 'DNET187.ABX.TEMP.D070524.T123650. | CMD' DMPU04 |
| | 13 'DNET187.ABX.TEMP.D070524.T123650. | CORR' DMPU18 |
| | 14 'DNET187.ABX.TEMP.D070524.T123650. | LOG' DMPU01 |
| | 15 'DNET187.ABX.TEMP.D070524.T123650. | LOG2' DMPU24 |
| | 16 'DNET187.ABX.TEMP.D070524.T123650. | ORG' DMPU29 |
| Numbered List | 17 'DNET187.ABX.TEMP.D070524.T123650. | XML' DMPU08 |
| For quick acess | 18 'DNET187.ABX.TMPFB' | DMPU26 |



Select Dataset using Reference Number





Edit of PDS selected

| -IPTEDIT | L1 | DNE | Γ187. AC | CLAB.JCL - | | | "A" w | ill disp | lay | assist |
|------------|--------|-----|----------|------------|----------|-------|--------|----------|------|---------|
| COMMAND == | ==> | | | | | | | SCROLL | ===> | PAGE |
| | | | | | | ON | VOLUME | DMPU07 | | |
| NAME | RENAME | LIB | VV,MM | CREATED | CHANGE | ED | SIZE | INIT | MOD | USERID |
| \$JOBCARD | | 1 | | | | | | | | |
| APAXX | | 1 | 01.01 | 07/06/27 | 07/06/27 | 13:08 | 67 | 67 | 0 | DNET187 |
| BADSTAT | | 1 | 01.00 | 07/05/24 | 07/05/24 | 08:52 | 36 | 36 | 0 | DNET187 |
| BAPAAPI | | 1 | | | | | | | | |
| BASAM1 | | 1 | | | | | | | | |
| BASAM1DR | | 1 | 01.00 | 07/05/31 | 07/05/31 | 13:34 | 37 | 37 | 0 | DNET187 |
| BATCDEMO | | 1 | | | | | | | | |
| BATM01 | | 1 | | | | | | | | |
| BCOBTIMS | | 1 | | | | | | | | |
| BCOBVSAM | | 1 | | | | | | | | |
| BCPROG | | 1 | | | | | | | | |
| BC01 | | 1 | | | | | | | | |
| BDTDEMO | | 1 | | | | | | | | |
| BLABONE | | 1 | | | | | | | | |
| BLABTWO | | 1 | | | | | | | | |
| BPLILAN | | 1 | | | | | | | | |
| BPLIMVS | | 1 | | | | | | | | |
| BPTM01 | | 1 | | | | | | | | |
| BSAM1 | | 1 | | | | | | | | |
| BSAM2 | | 1 | | | | | | | | |



FindText Command (FT)

```
-IPT- OLIST (E) ------ LEVEL DNET187.* ----- "A" will display assist
   Command ===> ft adlab.load
                                                                    SCROLL ===> PAGE
   Open list ===> DNET187 (or BLANK for reference list)
   Command Member Numbr Data Set Names / Objects
                                                                               Volume
                           1 'DNET187, ABX, DB2UTDST'
                           2 'DNET187. ABX. DB2UTSRC'
                           3 'DNET187.ABX.ISPFILE'
                           4 'DNET187. ABX. JCL'
     Search
Concatenated libraries
                           5 'DNET187. ABX. REOLIB'
                           6 'DNET187.ABX.TEMP.D070504.T152738.CMD'
                           7 'DNET187.ABX.TEMP.D070504.T152738.CORR'
                             'DNET187.ABX.TEMP.D070504.T152738.LOG'
                              'DNET187. ABX. TEMP. D070504. T152738. L0G2'
                             'DNET187.ABX.TEMP.D070504.T152738.ORG'
                          11 'DNET187.ABX.TEMP.D070504.T152738.XML'
                          12 'DNET187.ABX.TEMP.D070524.T123650.CMD'
                          13 'DNET187, ABX, TEMP, D070524, T123650, CORR'
                          14 'DNET187. ABX. TEMP. D070524. T123650. LOG'
                             'DNET187. ABX. TEMP. D070524. T123650. L0G2'
                             'DNET187.ABX.TEMP.D070524.T123650.ORG'
                              'DNET187. ABX. TEMP. D070524. T123650. XML'
```

'DNET187, ABX, TMPFB'



Searched 41 datasets to Find Selected Text

```
-IPT- OLIST (E) ------ LEVEL DNET187.* ------ Row 41 to 58 of 593
Command ===>
                                                                SCROLL ===> PAGE
Open list ===> DNET187 (or BLANK for reference list)
Command Member Numbr Data Set Names / Objects
                                                                           Volume
 -TXT FND- SYSTSIN 41 'DNET187.ADLAB.FILES'
                                                                           DMPU12
                       42 'DNET187, ADLAB, INSTALL'
                       43 'DNET187. ADLAB. JCL'
                       44 'DNET187. ADLAB. LISTING'
                       45 'DNET187, ADLAB, LOAD'
                       46 'DNET187, ADLAB, LOAD2'
Positioned at Member
                       47 'DNET187, ADLAB, SOURCE'
                          'DNET187. ADLAB. SYSDEBUG'
                       49 'DNET187, ADLAB, TEMPLATE'
                          'DNET187.ADLAB.VIEW'
                       51 'DNET187, AHARE, PDS'
                       52 'DNET187.AM.DEMOMVS.DNET187X.D2005061.T092855'
                       53 'DNET187.AM.DEMOMVS.DNET187X.JF96BMVE'
                       54 'DNET187, APA, COBOLST'
            Found in SYSTSIN --> LIB('YOUR-TSO-ID, ADLAB, LOAD') -
                       58 'DNET187, APA, REPORT'
Preview
```



Member Find Command (MEMF)

```
-IPT- OLIST (E) ----- LEVEL DNET187.* ----- "A" will display assist
Command ===> memf atcdem5
                                                                 SCROLL ===> PAGE
Open list ===> DNET187 (or BLANK for reference list)
Command Member Numbr Data Set Names / Objects
                                                                            Volume
                        1 'DNET187, ABX, DB2UTDST'
                        2 'DNET187. ABX. DB2UTSRC'
                        3 'DNET187.ABX.ISPFILE'
                        4 'DNET187, ABX, JCL'
                        5 'DNET187.ABX.REOLIB'
                        6 'DNET187. ABX. TEMP. D070504. T152738. CMD'
                        7 'DNET187. ABX. TEMP. D070504. T152738. CORR'
                          'DNET187.ABX.TEMP.D070504.T152738.LOG'
                          'DNET187.ABX.TEMP.D070504.T152738.L0G2'
                       10 'DNET187. ABX. TEMP. D070504. T152738. ORG'
                       11 'DNET187. ABX. TEMP. D070504. T152738. XML'
                       12 'DNET187. ABX. TEMP. D070524. T123650. CMD'
                       13 'DNET187. ABX. TEMP. D070524, T123650, CORR'
                       14 'DNET187. ABX. TEMP. D070524. T123650. LOG'
                          'DNET187. ABX. TEMP. D070524. T123650. L0G2'
                          'DNET187.ABX.TEMP.D070524.T123650.ORG'
                           'DNET187. ABX. TEMP. D070524. T123650. XML'
                       18 'DNET187. ABX. TMPFB'
```



Results of MEMF Command

```
44 Datasets searched !!!
                                                          Use # to reference
                                                              Member
                                                             Row 44 to 61 of 593
-IPT- OLIST (E) ----- LEVEL DNET187.*
Command ===> 44
                                                                 SCROLL ===> PAGE
Open list ===> DNET187 (or BLANK for reference list)
Command Member Numbr Data Set Names / Objects
                                                                           Volume
--FOUND-- ATCDEM5 44 'DNET187.ADLAB.LISTING'
                                                                           DMPU08
                       45 'DNET187, ADLAB, LOAD'
                       46 'DNET187, ADLAB, LOAD2'
                       47 'DNET187, ADLAB, SOURCE'
                       48 'DNET187, ADLAB, SYSDEBUG'
                       49 'DNET187, ADLAB, TEMPLATE'
                       50 'DNET187. ADLAB. VIEW'
                       51 'DNET187, AHARE, PDS'
                          'DNET187.AM.DEMOMVS.DNET187X.D2005061.T092855'
                          'DNET187.AM.DEMOMVS.DNET187X.JF96BMVE'
                       54 'DNET187, APA, COBOLST'
                       55 'DNET187. APA. COPY'
                       56 'DNET187, APA, DATA'
                       57 'DNET187, APA, JCL'
          IOIP1030 Member ATCDEM5 found in 'DNET187.ADLAB.LISTING'
```

61 'DNET187.BOM.CHANGED.OLD'



Browse Result of Member Find

```
Columns 00001 00072
-IPT- EDIT DNET187.ADLAB.LISTING(ATCDEM5) - 01.00
Command ===>
                                                          Scroll ===> PAGE
==MSG> -Warning- The UNDO command is not available until you change
               your edit profile using the command RECOVERY ON.
==MSG>
000001 1PP 5655-G53 IBM Enterprise COBOL for z/OS 3.4.1
000002 OInvocation parameters:
000003 TEST (ALL, SYM, SEPARATE), LIST, MAP, SOURCE, XREF, LIB, DYNAM, NORENT, NOOPT, NOSS
000004 00ptions in effect:
           NOADATA
000005
000006
             ADV
000007
             OUOTE
800000
             ARITH (COMPAT)
000009
           NOAWO
000010
             BUFSIZE (4096)
000011
           NOCICS
             CODEPAGE (1140)
000012
000013
           NOCOMPILE(S)
000014
           NOCURRENCY
             DATA (31)
000015
000016
           NODATEPROC
000017
             DBCS
000018
           NODECK
           NODIAGTRUNC
000019
```



Member Selection List (MSL)

- Additional commands available reducing panel navigation
- Powerful Global Find/Change and Find Text Commands
 - Supports Concatenations
- Dynamic PDS Compression and PDS Directory Expansion
- Supports SCLM, Librarian, Panvalet




MSL Member Select List with (A) Assist are Available in PDS or PDSE

```
-----ROW 00001 OF 00078
-IPT--EDIT L1----- DNET187.ADLAB.JCL ------
COMMAND ===>
                                                            SCROLL ===> PAGE
                                                  ON VOLUME DMPU07
                   LIB VV.MM CREATED CHANGED
                                                      SIZE INIT
                                                                   MOD USERID
  NAME
          RENAME
 $JOBCARD
                                                            ------Assist --+
 APAXX
                               ---- -IPT- MSL MAIN COMMANDS ----
                     Assist
                              COMPress CONFIRM
                                                DEFault
                                                          DSName
                                                                   EXCLude
  BADSTAT
 BAPAAPI
                     EXIT
                              EXPDIR
                                       FILter
                                                Find
                                                          FindText FLIP
                     Global
                                       LIB
                                                LMAP
  BASAM1
                              INFO
                                                          Locate
                                                                   PROject
 BASAM1DR
                     OUIT
                              REFresh RELease RESet
                                                          RFind
                                                                   SAVE
                     SC1m
                                                          SSI
 BATCDEMO
                              SCLMPARM SET
                                                SORT
                                                                   STATS
                     SUBmit
                                                TOTALS
 BATM01
                              TAG
                                       TAILOR
                                                          TYPE
                                                                   UNFilter
 BCOBTIMS
                     USAGE
                              VLF
                                       WHERE
                                                XFER
 BCOBVSAM
                                ---- -IPT- MSL LINE COMMANDS ----
 BCPROG
                     B (browse)
                                 C (copy) D (Delete) E (edit) H (where)
                       (ISPEXEC) J (submit) K (SCLM) L (lmap) M (move)
 BC01
 BDTDEMO
                        (print)
                                 R (rename)
                                             S (select) T (TSO)
                                                                 V (view)
                        (preview) X (exclude) Z(stats)
 BLABONE
                       (repeat)
                                 % (CLIST/REXX call)
 BLABTWO
 BPLILAN
 BPLIMVS
                                              ntrol the assist window.
                      Main and Line Commands Available
 BPTM01
                          Reduces Navigation
 BSAM1
 BSAM2
```



Results of MSL LMAP Command



Obtain Module information With a command from Member list.

```
-IPT--Module analysis: DNET187. ADLAB. LOAD ----- LINE 00000020 COL 001 080
 COMMAND ===>
                                                                 SCROLL ===> PAGE
Commands: Down, End, Find, Up
 Member ===> ADSTAT
                                           Display mode ===> H (M=Map, H=History)
                          ----- Press END to exit -----
                   *****LOAD MODULE PROCESSED EITHER BY VS LINKAGE EDITOR OR BIN
                                            LISTIDR FOR LOAD MODULE ADSTAT
ADSTAT MODULE ANALYSIS
                         THIS LOAD MODULE CONTAINS NO INFORMATION SUPPLIED BY SP
         THIS LOAD MODULE WAS PRODUCED BY LINKAGE EDITOR 5695PMB01 AT LEVEL 01.
          CSECT
                       TRANSLATOR
                                                 VR. MD
          ADSTAT
                       5655G5300
                                                 34.01
          ADSORT
                       5655G5300
                                                 34.01
          IGZCBSO
                       569623400
                                                 01.05
                                                 02.03
                       PL/X-390
          CEESTART
                       569623400
                                                 01.05
          CEEBETBL
                       569623400
                                                 01.05
          CEEBLLST
                       569623400
                                                 01.05
          CEEBTRM
                       569623400
                                                 01.05
          CEEBPUBT
                                                 01.05
                       569623400
                                                 01.05
          CEESG005
                       569623400
                       PL/X-390
                                                 02.03
```



Clipboard Enhancements

- Cut And Paste
 - Supports up to 200 clipboards
 - Named and Numbered clipboards for easy access
 - Clipboards can be saved between sessions



Cut to named clipboard

```
-IPT- EDIT DNET187.APA.JCL(BATCREMO) - 01.28
                                                          Columns 00001 00072
Command ===> CUT TO JOBCARD
                                                             Scroll ===> PAGE
//DNET187C JOB (ACCTG), 'DNET187', CLASS=A, MSGCLASS=H MSGLEVEL=(1,1),
CC
CC
                     REGION=5000K, NOTIFY=DNE
                                                Cut to named or numbered
000003 //********************
                                                  Permanent Clipboards
000004 //*
000005 //* BUILD JCL FOR TEST CASE ATCDEMO
000006 //*
000008 //COMP1
                EXEC PGM=IGYCRCTL.
000009 // PARM=('OFFSET.LIB.APOST.XREF.MAP.DYNAM.TEST(ALL.SYM.SEP)')
000010 //STEPLIB DD DSN=COBOL.V3R3.SIGYCOMP,DISP=SHR
000011 //SYSLIB
                 DD DSN=DNET187.APA.SOURCE, DISP=SHR
000012 //SYSPRINT DD DISP=SHR.DSN=DNET187.CODE.COBOLST(ATCDEMO)
000013 //SYSDEBUG DD DISP=SHR, DSN=DNET187, CODE, SYSDEBUG (ATCDEMO)
                 DD DSN=&&TEMOBJ1 (ATCDEMO), DISP=(, PASS), UNIT=SYSDA,
000014 //SYSLIN
000015 // SPACE=(TRK, (20, 20, 20)), DCB=(BLKSIZE=3120, LRECL=80, DSORG=P0)
000016 //SYSTERM DD DUMMY
                 DD UNIT=SYSDA, SPACE=(CYL, (1,1))
000017 //SYSUT1
                 DD UNIT=SYSDA, SPACE=(CYL, (1,1))
000018 //SYSUT2
000019 //SYSUT3
                 DD UNIT=SYSDA, SPACE=(CYL, (1,1))
                 DD UNIT=SYSDA, SPACE=(CYL, (1, 1))
000020 //SYSUT4
                 DD UNIT=SYSDA, SPACE=(CYL, (1,1))
000021 //SYSUT5
```



Clipboard Status Command

```
-IPT- EDIT DNET187.APA.JCL(BATCDEMO) - 01.28
                                                                2 to JOBCARD
Command ===> cut sta
                                                            Scroll ===> PAGE
000001 //DNET187C JOB (ACCTG), 'DNET187', CLASS=A, MSGC
                                                                ≒ (1.1).
                                                    View all available
                     REGION=5000K, NOTIFY=DNET18
000002 //
                                                    saved Clipboards
000003 //********************
000004 //*
000005 //* BUILD JCL FOR TEST CASE ATCDEMO
000006 //*
000008 //COMP1
                EXEC PGM=IGYCRCTL.
000009 // PARM=('OFFSET.LIB.APOST.XREF.MAP.DYNAM.TEST(ALL.SYM.SEP)')
000010 //STEPLIB DD DSN=COBOL.V3R3.SIGYCOMP,DISP=SHR
000011 //SYSLIB DD DSN=DNET187.APA.SOURCE.DISP=SHR
000012 //SYSPRINT DD DISP=SHR.DSN=DNET187.CODE.COBOLST(ATCDEMO)
000013 //SYSDEBUG DD DISP=SHR, DSN=DNET187, CODE, SYSDEBUG (ATCDEMO)
                 DD DSN=&&TEMOBJ1 (ATCDEMO), DISP=(, PASS), UNIT=SYSDA,
000014 //SYSLIN
000015 // SPACE=(TRK, (20, 20, 20)), DCB=(BLKSIZE=3120, LRECL=80, DSORG=P0)
000016 //SYSTERM DD DUMMY
                 DD UNIT=SYSDA, SPACE=(CYL, (1,1))
000017 //SYSUT1
                 DD UNIT=SYSDA, SPACE=(CYL, (1,1))
000018 //SYSUT2
000019 //SYSUT3
                 DD UNIT=SYSDA, SPACE=(CYL, (1,1))
                 DD UNIT=SYSDA, SPACE=(CYL, (1, 1))
000020 //SYSUT4
                 DD UNIT=SYSDA, SPACE=(CYL, (1,1))
000021 //SYSUT5
```



Clipboard Status Results

```
----- ACTIVE CLIPBOARDS ------
Command ===>
                                                          Scroll ===> CSR
Command line clipboard selection: 0 to 99 or name
Line commands: B browse C copy E edit P print S select V view
              DEL delete REN rename RES restore SAV save
Press ENTER to process or F3 to cancel.
 5 active clipboards out of 200
Persistent clipboard repository DNET187. ISPF. IPITBLIB
Persistent clipboards marked by *
   Clip-
Cmd board Records Size First line of text in clipboard
*.. DEBUG 1 80 // PARM='/TEST(,,,TCPIP&192.168.1.1%8001:)',
                7 80 //FILEMGR EXEC PGM=FMNMAIN
*.. FM
*.. IEBCOPY 13 80 //IEBCOPY EXEC PGM=IEBCOPY, REGION=8M, PARM='CMWA=50
... JOBCARD 2 133 //DNET187C JOB (ACCTG), 'DNET187', CLASS=A, MSGCLASS=H
                2 80 // SET COBOLLIB='COBOL.V3R4.SIGYCOMP'
*.. SET
                                                                     COBOL
       Save Frequently used JCL and DD statements and
                   Source code
```



Paste From Named Clipboard

```
-IPT- EDIT DNET187.APA.JCL(NEWJOB) - 01.01
                                                             Columns 00001 00072
Command ===> paste from jobcard
                                                                Scroll ===> PAGE
***** ************************** Top of Data ***********************
000002 //*
000003 //* BUILD JCL FOR TEST CASE ATCDEMO
000004 //*
000006 //COMP1
                 EXEC PGM=IGYCRCTL.
000007 // PARM=('OFFSET.LIB.APOST.XREF.MAP.DYNAM.TEST(ALL.SYM.SEP)')
000008 //STEPLIB DD DSN=COBOL.V3R3.SIGYCOMP.DISP=SHR
000009 //SYSLIB
                  DD DSN=DNET187.APA.SOURCE, DISP=SHR
000010 //SYSPRINT DD DISP=SHR, DSN=DNET187. CODE. COBOLST (ATCDEMO)
000011 //SYSDEBUG DD DISP=SHR, DSN=DNET187, CODE, SYSDEBUG (ATCDEMO)
                  DD DSN=&&TEMOBJ1 (ATCDEMO), DISP= (, PASS), UNIT=SYSDA,
000012 //SYSLIN
000013 // SPACE=(TRK, (20, 20, 20)), DCB=(BLKSIZE=3120, LRECL=80, DSORG=P0)
000014 //SYSTERM
                  DD DUMMY
                  DD UNIT=SYSDA, SPACE=(CYL, (1,1))
000015 //SYSUT1
                  DD UNIT=SYSDA.SPACE=(CYL.(1.1))
000016 //SYSUT2
                  DD UNIT=SYSDA, SPACE=(CYL, (1,1))
000017 //SYSUT3
000018 //SYSUT4
                  DD UNIT=SYSDA, SPACE=(CYL, (1,1))
000019 //SYSUT5
                  DD UNIT=SYSDA, SPACE=(CYL, (1,1))
                  DD UNIT=SYSDA, SPACE=(CYL, (1,1))
000020 //SYSUT6
                  DD UNIT=SYSDA, SPACE=(CYL, (1,1))
000021 //SYSUT7
```



Jobcard added

```
-IPT- EDIT DNET187.APA.JCL(NEWJOB) - 01.02
                                                               2 from JOBCARD
Command ===>
                                                             Scroll ===> PAGE
***** ************************** Top of Data ***********************
000001 //DNET187C JOB (ACCTG), 'DNET187', CLASS=A, MSGCLASS=H, MSGLEVEL=(1,1),
                     REGION=5000K, NOTIFY=DNET187
000002 //
000003 //*********************
000004 //*
000005 //* BUILD JCL FOR TEST CASE ATCDEMO
000006 //*
                EXEC PGM=IGYCRCTL,
000008 //COMP1
000009 // PARM=('OFFSET.LIB, APOST, XREF, MAP, DYNAM, TEST (ALL, SYM, SEP)')
000010 //STEPLIB DD DSN=COBOL.V3R3.SIGYCOMP,DISP=SHR
000011 //SYSLIB DD DSN=DNET187.APA.SOURCE.DISP=SHR
000012 //SYSPRINT DD DISP=SHR.DSN=DNET187.CODE.COBOLST(ATCDEMO)
000013 //SYSDEBUG DD DISP=SHR, DSN=DNET187, CODE, SYSDEBUG (ATCDEMO)
000014 //SYSLIN
                 DD DSN=&&TEMOBJ1(ATCDEMO), DISP=(,PASS), UNIT=SYSDA,
000015 // SPACE=(TRK, (20, 20, 20)), DCB=(BLKSIZE=3120, LRECL=80, DSORG=P0)
000016 //SYSTERM DD DUMMY
000017 //SYSUT1 DD UNIT=SYSDA, SPACE=(CYL, (1,1))
000018 //SYSUT2 DD UNIT=SYSDA, SPACE=(CYL, (1,1))
000019 //SYSUT3 DD UNIT=SYSDA, SPACE=(CYL, (1,1))
                 DD UNIT=SYSDA, SPACE=(CYL, (1,1))
000020 //SYSUT4
                 DD UNIT=SYSDA, SPACE=(CYL, (1,1))
000021 //SYSUT5
```



Point and Shoot

- Active from Member Selection List, Object List
 - Sort on column headings (MSL)
 - Sort Titles in Object List
- Edit, Browse or View Datasets from SDSF, File Manager,
 Fault Analyzer (Any ISPF application)
 - Point and Shoot Dataset in JCL or Output Listings
 - Point and Shoot Member names in source or JCL

Edit

Copy

=1

Edit

Paste

Enter

6)



Point and Shoot Dataset Name

Enter Browse ,Edit or View or Set a PF Kev

```
Display Filter View Print Options Help
            SDSF OUTPUT DISPLAY FM0095B
                                           J0B01703 DSID
                                                                 3 LINE 39
                                                                                 COLUMNS 02- 81
            COMMAND INPUT ===> br
                                                                                SCROLL ===> PAGE
                      XX* For more information refer to the File Manager Customization
                      XXX
                           Guide.
                      XX*
                      XXxxxxxxx
Keystrokes to perform this function in Proc Prof =
                                 EXEC PGM=IKJEFT01_DYNAMNBR=100
In ISPF without IPT.
                                  DD DISP=SHR, DSN=FILEMGR_V7R1.SFMNEXEC
                                  DD SYSOUT=*
                                  DD SYSOUT=*
   Highlight the Dataset
                                 SYSTSIN DD *
                                  DD DUMMY
                                 EC PGM=IKJEFT01,DYNAMNBR=100
                                 DD
                                       DISP=SHR, DSN=FILEMGR. V7R1. SFMNMOD1
                                 DD
                                       DISP=SHR, DSN=FILEMGR. V7R1. SIPVMOD1
   Position Cursor
                                 DΒ
                                       DISP=SHR, DSN=FILEMGR. V7R1. SFMNPENU
                                       DISP=SHR, DSN=FILEMGR. V7R1. SIPVPENU
                                 DD
                                 DD
                                       DISP=SHR, DSN=FILEMGR. V7R1. SFMNMENU
                                 DD
                                       DISP=SHR, DSN=FILEMGR. V7R1. SIPVMENU
   * Add quotes if required
                                 DD
                                       DISP=SHR, DSN=FILEMGR, V7R1, SFMNSLIB
                                 מכ
                                       DISP=SHR, DSN=&PROF
```



Browse Of Dataset Selected

```
-IPT--BROWSE L1--- FILEMGR. V7R1. SFMNEXEC ------
                                                         "A" will display assist
        ===>
COMMAND
                                                               SCROLL ===> PAGE
           RENAME
                    LIB VV.MM CREATED
                                                               INIT
                                                                      MOD USERID
   NAME
                                           CHANGED
                                                         SIZE
  FMNDSI
                      1
  FMNINV
                      1
  FMN2BRWS
  FMN2CDI
  FMN2CPYB
  FMN2CUST
  FMN2DB2I
  FMN2DDLD
  FMN2DDLS
  FMN2DDLT
  FMN2DDLX
  FMN2DDLY
  FMN2DSN
  FMN2EDF
  FMN2ESOL
  FMN2GEN
  FMN2JS0
  FMN2KSQ
  FMN2LCAT
                      1
  FMN2MED1
                      1
```



Enhanced TSO Commands

- Supports 999 entries
- Maintains a History and Permanent Command List
- Save permanent list of most frequently used commands for repeat operations
 - Execute TSO commands from any panel by a reference number



Enhanced TSO Commands

```
SPF/E
                           TSO COMMAND SHELL
                                                           Row 1 to 5 of 5
Command ===>
                                                              Scroll => CSR
Enter: TSO command, CLIST, REXX EXEC, or ISPEXEC statement.
      /IS standard ISPF/TSO, /P permanent
      /EH edit history, /EP edit permanent, /SAV save, /RES restore
      <c><entry number> where <c> is ? or / or omitted.
                          HISTORY COMMAND LIST
                                                                                   999 Temporary
    IND$FILE GET 'SPFE.V5R8M1.V58PLIB(IOI@PRIM)' ASCII CRLF
    IND$FILE GET 'USER.CLIST(SPFE581)' ASCII CRLF
                                                                                       Entries
    IND$FILE GET 'USER.PROCLIB(SPFE581)' ASCII CRLF
     *** The above commands copied from your initial PROFILE ***
                    ---- END OF COMMAND LIST ----
                  ----- PERMANENT COMMAND LIST ------
    IND$FILE GET 'USER.PROCLIB(SPFE581)' ASCII CRLF
    IND$FILE GET 'USER.CLIST(SPFE581)' ASCII CRLF
    IND$FILE GET 'SPFE.V5R8M1.V58PLIB(IOI@PRIM)' ASCII CRLF
                                                                                  999 Permanent
    IND$FILE GET 'SPFE.V5R8M9.V58PLIB(IOI@PRIM)' ASCII CRLF
    IND$FILE GET 'SPFE.V5R8M11.V58PLIB(IOI@PRIM)' ASCII CRLF
                                                                                      Entries
    IND$FILE GET 'SPFE.V5R8M12.V58PLIB(IOI@PRIM)' ASCII CRLF
    LISTDS /
                                          Execute commands from any panel
    SUB 'TSS01.JCL.LIB(FORECAST)
                                                   Example - TSO 7
    FREE FI (INFILE, OUTFILE)
```



Add Directory Blocks to PDS

| -IPTEDIT | L1 | DNET | T187. AD | DLAB.JCL - | | | | - | | |
|------------|-----------|------|----------|------------|-----------|--------------|----------|--------|------|---------|
| COMMAND == | => expdir | ٠ 📗 | | | | | | SCROLL | ===> | PAGE |
| | | | | | | | VOLUME | | | |
| NAME | RENAME | LIB | VV.MM | CREATED | CHANGE | ED | SIZE | INIT | MOD | USERID |
| \$JOBCARD | | 1 | | | | | | | | |
| APAXX | | 1 | 01.01 | 07/06/27 | 07/06/27 | 13:08 | 67 | 67 | 0 | DNET187 |
| BADSTAT | | 1 | 01.00 | 07/05/24 | 07/05/24 | 08:52 | 36 | 36 | 0 | DNET187 |
| BAPAAPI | | 1 | | | | | | | | |
| BASAM1 | | 1 | | | | | | | | |
| BASAM1DR | | 1 | 01.00 | 07/05/31 | 07/05/31 | 13:34 | 37 | 37 | 0 | DNET187 |
| BATCDEMO | | 1 | | | | | | | | |
| BATM01 | | 1 | | | | | | | | |
| BCOBTIMS | | 1 | | | | | | | | |
| BCOBVSAM | | 1 | | | EXPDIR | Command | will add | | | |
| BCPROG | | 1 | | | Directory | Blocks wh | nen PDS | | | |
| BC01 | | 1 | | | Dire | ectory is fu | 11 | | | |
| BDTDEMO | | 1 | | | | | | | | |
| BLABONE | | 1 | | | | | | | | |
| BLABTWO | | 1 | | | | | | | | |
| BPLILAN | | 1 | | | | | | | | |
| BPLIMVS | | 1 | | | | | | | | |
| BPTM01 | | 1 | | | | | | | | |
| BSAM1 | | 1 | | | | | | | | |
| BSAM2 | | 1 | | | | | | | | |



Library Expanded

| -IPTEDIT COMMAND == | L1 | DNE | Γ187. Α[| DLAB.JCL - | | | | - Libra SCROLL | _ | cpanded PAGE |
|---------------------|--------|-----|----------|------------|----------|------------|-----------|-------------------|-----|-----------------|
| | • | | | | | ON | VOLUME | DMPU07 | | |
| NAME | RENAME | LIB | VV,MM | CREATED | CHANGE | ED | SIZE | INIT | MOD | USERID |
| \$JOBCARD | | 1 | | | | | | | | |
| APAXX | | 1 | 01.01 | 07/06/27 | 07/06/27 | 13:08 | 67 | 67 | 0 | DNET187 |
| BADSTAT | | 1 | 01.00 | 07/05/24 | 07/05/24 | 08:52 | 36 | 36 | 0 | DNET187 |
| BAPAAPI | | 1 | | | | | | | | |
| BASAM1 | | 1 | | | | | | | | |
| BASAM1DR | | 1 | 01.00 | 07/05/31 | 07/05/31 | 13:34 | 37 | 37 | 0 | DNET187 |
| BATCDEMO | | 1 | | | | | | | | |
| BATM01 | | 1 | | | | | | | | |
| BCOBTIMS | | 1 | | | | | | | | |
| BCOBVSAM | | 1 | | | | | | | | |
| BCPROG | | 1 | | | | | | | | |
| BC01 | | 1 | | | Added | 1 block as | default | | | |
| BDTDEMO | | 1 | | | Addition | al parms | available | | | |
| BLABONE | | 1 | | | | | | | | |
| BLABTWO | | 1 | | | | | | | | |
| BPLILAN | | 1 | | | | | | | | |
| BPLIMVS | | 1 | | | | | | | | |
| BPTM01 | | 1 | | | | | | | | |
| BSAM1 | | 1 | | | | | | | | |
| BSAM2 | | 1 | | | | | | | | |



Library Compression

IECO31I D37-04, IFGO554P, DNET187, SPIFFY, ISPO4284, 072D, DMPU13, DNET187. JCL. CNTL1

We have all seen this message when editing a PDS. You would have to cancel your Edit session and go to a utility panel to compress your PDS!!

IPT will position the Compress command on Command and Compress the dataset from your EDIT sssion



Compress Command added by IPT

```
-IPT- EDIT DNET187.JCL.CNTL1(TEST) - 01.01
                                                           Columns 00001 00072
Command ===> COMPRESS
                                                              Scroll ===> PAGE
***** ************************* Top of Data ***********************
==MSG> -Warning- The UNDO command is not available until you change
                your edit profile using the command RECOVERY ON.
==MSG>
C99999 //DNET187X JOB (ZACK, 81038), 'JOB INFORMATION',
                 CLASS=A, MSGCLASS=H, MSGLEVEL=(1,1),
000002 //
000003 //
                 NOTIFY=&SYSUID
000004 //**********
000005 //STEP1 EXEC PGM=TRADERB, PARM='/TEST(, INSPIN,,)'
000006 //SYSPRINT DD DISP=OLD.
000007 //STEPLIB DD DISP=SHR.
000008 //
                DSNAME=DNET047.DEMOS.PDPAK.LOAD
000009 //SYSPRINT DD SYSOUT=*
000010 //SYSPRINT DD SYSOUT=*
000011 //COMPFILE DD DISP=SHR, DSN=DNET047. DEMOS. PDPAK. COMPFILE
000012 //CUSTFILE DD DISP=SHR, DSN=DNET047. DEMOS. PDPAK. COMPFILE
000013 //TRANSACT DD DISP=SHR, DSN=DNET047. DEMOS. PDPAK. COMPFILE
000014 //***************************
000015 //REPOUT DD SYSOUT=*
00001
        ABEND OD37: Press ENTER to compress (Jump function disabled).
00001
00001
000019 //TRANREP DD SYSOUT=*
```



Library Compress

```
-IPT- EDIT DNET187. JCL. CNTL1 (TEST) - 01.01
                                                       Libraru compressed
Command ===>
                                                         Scroll ===> PAGE
==MSG> -Warning- The UNDO command is not available until you &hange
               your edit profile using the command RECOVERY
==MSG>
                                                         ON.
000001 //DNET187X JOB (ZACK, 81038), 'JOB INFORMATION',
                CLASS=A, MSGCLASS=H, MSGLEVEL=(1,1),
000002 //
000003 //
                NOTIFY=&SYSUID
000004 //**********
                                                                   ****
000005 //STEP1 EXEC PGM=TRADERB.PARM='
                                            Library Compressed
000006 //SYSPRINT DD
                    DISP=OLD.
                                         Continue your Edit Session !!!
000007 //STEPLIB DD
                    DISP=SHR.
000008 //
              DSNAME=DNET047.DEMOS.PDPAK.LOAD
000009 //SYSPRINT DD SYSOUT=*
000010 //SYSPRINT DD SYSOUT=*
000011 //COMPFILE DD DISP=SHR, DSN=DNET047. DEMOS. PDPAK. COMPFILE
000012 //CUSTFILE DD DISP=SHR, DSN=DNET047. DEMOS. PDPAK. COMPFILE
000013 //TRANSACT DD DISP=SHR, DSN=DNET047. DEMOS. PDPAK. COMPFILE
000015 //REPOUT DD SYSOUT=*
000016 //TRANREP DD SYSOUT=*
000017 //TRANREP DD SYSOUT=*
000018 //TRANREP DD SYSOUT=*
000019 //TRANREP DD SYSOUT=*
```



Shortcuts for IPT Commands

 $\underline{\mathsf{M}}\mathtt{enu}$ $\underline{\mathsf{U}}\mathtt{tilities}$ $\underline{\mathsf{C}}\mathtt{ompilers}$ $\underline{\mathsf{O}}\mathtt{ptions}$ $\underline{\mathsf{S}}\mathtt{tatus}$ $\underline{\mathsf{H}}\mathtt{elp}$

z/OS Primary Option Menu

Option ===> ipt?

13 z/OS User

```
Settings
                 Terminal and user parameters
                                                         User ID . : DNET187
                 Display source data or listings
   View
                                                         Time. . . : 15:09
2 Edit
                 Create or change source data
                                                         Terminal: : 3278
  Utilities
                 Perform utility functions
                                                         Screen. . : 1
                 Interactive language processing
  Foreground
                                                         Language. : ENGLISH
                 Submit job for language processing
5 Batch
                                                         Appl ID . : ISP
6 Command
                 Enter TSO or Workstation commands
                                                         TSO logon: SPIFFY
7 Dialog Test
                 Perform dialog testing
                                                         TSO prefix: DNET187
  IBM Products IBM program products
                                                         System ID : DEMOMVS
                 SW Configuration Library Manager
                                                         MVS acct. : 12345678
10 SCLM
11 Workplace
                 ISPF Object/Action Workplace
                                                         Release . : ISPF 5.8
12 z/OS System
                 z/OS system programmer applications
```

Enter X to Terminate using log/list defaults

z/OS user applications



Shortcut Commands New in V5.9

| -IPT- | | COMMAND SHORTCUTS | Row 1 to 17 of 47 | -IPT- | | COMMAND SHORTCUTS | Row 18 to 34 of 47 |
|--|---------|---|-------------------|--|---|---|--------------------|
| COMMAND : | - | | SCROLL ===> PAGE | COMMAND Commands | | | SCROLL ===> PAGE |
| SHORTCUT | COMMAND | DESCRIPTION | | SHORTCUT | COMMAND | DESCRIPTION | |
| IPT ISET IMAINT IVER BR ED VI BF EF VF O* O/ OH OLIS | | IPT HELP IPT SET OPTIONS IPT MAINTENANCE REPORT IPT VERSION REPORT '(DSNpat) ((MEMpat))' - BROWSE '(DSNpat) ((MEMpat))' - VIEW '(DSNpat) ((MEMpat))' - BROWSE VSAM '(DSNpat) ((MEMpat))' - EDIT VSAM '(DSNpat) ((MEMpat))' - VIEW VSAM SHOW ALL OBJECT-LISTS POPULATE NEW OBJECT-LIST HISTORY LIST OF ACCESSED DATASETS (parm1) (parm2) - OBJECT-LIST | | OLDD OLB OLC OLE OLPDSE OLG OLH OLI OLM OLP OLS OLT OLV OLVS EX? | OLBASE OLCAT OLGDG OLHIST OLINFO OLMIG OLPAGE OLSYS OLTAPE OLVTOC OLVSAM | (DDname) - LIST ALLOCATED (DSNpat) - LISTCAT BASE OF GENERATION (DSNpat) - LISTCAT MULTIPLE PATTERNS (DSNpat) - LISTCAT PDSE LIBRARIES (DSNpat) - LISTCAT PDSE LIBRARIES (DSNpat) - LISTCAT GDG DATASETS HISTORY LIST OF ACCESSED DATASETS (DSNpat) - LISTCAT MIGRATED (DSNpat) - LISTCAT MIGRATED (DSNpat) - LISTCAT PAGE-SPACE DATASETS (SYStype) - LIST SYSTEM DATASETS (SYStype) - LISTCAT TAPE DATASETS (VOLpat), (DSNpat) - LISTVTOC DATASETS (DSNpat) - LISTCAT VSAM CLUSTERS DISDLAY TSO DEPMANENT COMMANDS | |
| OL OL* OL/ | | <pre><pre><pre><pre><pre><pre><pre><pre></pre></pre></pre></pre></pre></pre></pre></pre> | | EX? EX= EX1 | EXTTTTT | DISPLAY TSO PERMANENT COMMANDS DISPLAY TSO MOST RECENT COMMAND EXECUTE TSO PERMANENT COMMAND #1 | |



Shortcut Example (OLH) History List

| <u>D</u> isplay <u>F</u> ilter <u>V</u> iew <u>P</u> rint <u>O</u> ptions <u>H</u> elp | | | | | | | | |
|--|-------------------------|--------------------------------------|-----------------------------|--|--|--|--|--|
| HQX7730 SDSF PRIMARY OPTION MENU SCROLL ===> PAGE | | | | | | | | |
| DA | Active users | INIT | Initiators | | | | | |
| I | Input queue | PR | Printers | | | | | |
| 0 | Output queue | PUN | Punches | | | | | |
| Н | Held output queue | RDR | Readers | | | | | |
| ST | Status of jobs | LINE | Lines | | | | | |
| | | NODE | Nodes | | | | | |
| LOG | System log | SO | Spool offload | | | | | |
| SR | System requests | SP | Spool volumes | | | | | |
| MAS | Members in the MAS | | | | | | | |
| JC | Job classes | | | | | | | |
| SE | Scheduling environments | | | | | | | |
| RES | WLM resources | From any ISPF Panel obtain a list of | | | | | | |
| Licen | nsed Materials - Pro | • | Last 100 datasets accessed. | | | | | |
| Save Keystrokes and Time on repeat functions !!!!! Save Keystrokes and Time on repeat functions !!!!! | | | | | | | | |
| US Government Users Restricted | | | | | | | | |
| disclosure restricted by GSA ADP Scheue | | | | | | | | |




History List

```
-IPT- OLIST (E) ------ DATA SET HISTORY ----- "A" will display assist
            ===>
                                                                   SCROLL ===> PAGE
Command
                                                                     *TEMPORARY LIST*
         Member Numbr Data Set Names / Objects
Command
                                                                               Volume
                         1 'DNET187, ADLAB, JCL'
          $INDEX
                         2 'DNET187, ADLAB, INSTALL'
                         3 'DNET603.ADLAB.SYSDEBUG'
                           'DNET187, ADLAB, SYSDEBUG'
                          'DNET187.ADLAB.LISTING'
           FMCTLCD
                         6 'DNET187. ADLAB. FILES'
                         7 'DNET187, ADLAB, COPYLIB'
                          'DNET187. ADLAB. COPYLIB'
           C*
                           'DNET187, ADLAB, COPYLIB1'
                                                        Last 100 Datasets in Olist Format
                           'DNET187. ADLAB. COPYLIB
                                                               positioned
                        11 'DNET187. ISPF. ISPPRO
          EQ*
                                                          At the Referenced Member
                        12 'DB2. V7R1M0. SDSNLOAD
          DNET*
                           'DB2. V7R1M0. SDSNLOAD
                                                              Select # to Edit
          FMCOPY
                        14 'DNET187. ADLAB. FILES'
                           'DNET187, ADLAB, DTCMD'
          CUST1
                           'DNET187. ADLAB. COPYLIB'
                           'DNET047, CODE, DTSF'
                           'DNET187.OSVS.LISTING'
```



Summary ISPF Productivity !!!!!

- Enhanced action bar, pop-up windows, new functions, and point-and-shoot.
- Integrates seamlessly with ISPF
- Shortcuts and additional commands reduce the need to navigate to utility panels and invoke them separately
- Enhances TSO/ISPF Functions
- Access frequently used datasets using OLIST to reduce panel navigation and keystrokes
- Improves overall performance of ISPF: reduces CPU usage, EXCP counts, and improves response time. Browsing, editing, copying, displaying lists, and finding Data is significantly faster





Agenda:

- Session Introduction
- IBM ISPF Productivity Tool (IPT) Overview
- IBM IPT Functional "Walkthrough"



- WDz Overview
- WDz Functional "Walkthrough"
- Questions/Roundtable Discussion



What is Websphere Developer for System z:

- "WebSphere® Developer for System z (WDz) speeds efficiency of traditional mainframe, Web development and integrated mixed workload"
- WDz is an integrated collection of workstation tools that support both desktop and z/OS application development and maintenance
 - Perform workstation and z/OS application development and maintenance
 - For the z/OS platform, edit, submit, debug, and maintain test and production data and applications



IBM WebSphere Developer for System z

Enterprise Service Tools Web Services and XML

- SOA access to CICS V3.1 and IMS V9 COBOL applications
- Bottom-up/Top-down or meet-in-themiddle COBOL to XML mapping support
- Integrated COBOL XML converters, XML schemas, and WSDL generation

DB2 Stored Procedure for COBOL and PL/I

- Create DB2 stored procedures on z/OS in either COBOL or PL/I
- Build and catalog support for the DB2 stored procedure
- Debug z/OS based stored procedures from workstation

Web/J2ee Development

- Create Web Pages / JSF / Struts
- J2ee/Java Development
- JCA Connectors
- Distributed debugger
- · Web Services and Test environment

IBM WebSphere Developer for System z

z/OS Application Development

Enterprise Service Tools - Web Services and XML

CICS BMS/ IMS MFS Map Support

DB2 Stored Proc - COBOL / PL/I

Rapid Appl Development Tool

Enterprise Service Tools – Service Flow Support

IBM Rational Application Developer

z/OS Application Development

- Connect to z/OS systems
- Work with z/OS resources like COBOL, PL/1, C, C++, JCL, etc.
- Interact with the Job Entry Subsystem (JES) to submit jobs, monitor jobs, and review job output
- Perform dataset management actions like allocating datasets and migrating datasets
- Perform typical edit, compile, and debug tasks on remote z/OS resources from the workstation

CICS BMS/ IMS MFS Map Support

- Visually create and modify BMS Map sets or IMS/MFS
- Generates JCL
- Work with local or remote maps

Rapid Application Development

- Ability to generate WSDL and CICS Cobol program to access DB2
- CRUD from UML and Database operations
- Can be added to SFM flow

CICS 3 Service Flow Support

- Implements SOA and Web Services
- Service Flow Modeler is a tool to build service flows out of your existing Commarea and Terminal based CICS applications.



z/OS Development/Support Model:

z/OS System #1



z/OS System #2






z/OS System #3



- Data Management
- Job Control/Monitor
- Application Code Debug







Agenda:

- Session Introduction
- IBM ISPF Productivity Tool (IPT) Overview
- IBM IPT Functional "Walkthrough"
- WDz Overview




- WDz Functional "Walkthrough"
- Questions/Roundtable Discussion




Connecting WDz to the z/OS LPAR


















WDz z/OS File and JES Queue Management









































































WDz CICS Interactive 3270 Transaction Debug













WDz IBM File Manger Integration and Access

































WDz IBM Fault Analyzer Integration and Access















IBM Software Group







Polling Questions

- Q1. Please evaluate your level of satisfaction with today's teleconference
- If it was High, press STAR ONE
- If it was Medium, press STAR TWO
- If it was low, press STAR THREE
- Q2. Was the level of technical information presented in this teleconference
- If it was At the right level, press STAR ONE
- If it was Not technical enough press STAR TWO
- If it was More technical than I needed to hear, press STAR THREE
- Q3. Do you have a requirement to make your current System z Application Development area more productive?
- If yes press STAR ONE
- If no press STAR TWO
- Q4. From what you heard today, would you like more information on ISPF Productivity Tool?
- If yes press STAR ONE
- If no press STAR TWO
- Q5. From what you heard today, would you like more information on Wdz?
- If yes press STAR ONE
- If no press STAR TWO



Questions



Thank You for Joining Us today!

Go to www.ibm.com/software/systemz to:

- Replay this teleconference
- Replay previously broadcast teleconferences
- Register for upcoming events