

Enhancements / Updates to CIMS Mainframe V12.0 (March 2005 - November 2005) (2005/12/09 Genlevel)

Programs:

CIMSACCT

- Added support for processing 799 records.
- Corrected a possible situation where the SMF 30 subtype 5 records are not written to the CIMSACT2 DD (792 records) when the control statement WRITE JOB TOTAL RECORD and CIMS COMPLETE TYPE 30 are both specified.
- During the conversion of the DB2 994 record to the 791 record, the DB2 transaction resource field is now being correctly set from the 994 record. The field was being set to 1 regardless of the value in the 994 record.

CIMSBILL

- Corrected the missing client address on the invoice.
- Added processing to show rate codes in the RATE CODE NOT FOUND message when the rate is not defined in the Rate table and the rate values add up to 0 (the rate has negative and positive entries).

CIMSCMFP

- Added CICS TS 2.3 support. CIMSCMFP was updated to support the additional length of the detail CICS records. This update addresses a storage overlay that can occur while writing the detail records to the CICSRECS DD (control statement CICS TRANSACTION).

CIMSCMF2

- Added support for the EXCEPTION FILE PROCESSING * OFF control statement.

CIMSDB2

- Corrected the matching logic used for the ZERO CPU FOR CICS CONNECTION control statement. The requested connections and plans were not being set to zero.
- Corrected triplet errors when processing DB2 Version 8 data. DB2 Version 8 introduces self-defining sections that contain variable-length data items. The triplet length value is set to zero to indicate that variable length data is present. This new version of CIMSDB2 can navigate the new variable length data.

CIMSEXTR

- When using Interval Accounting, the Z033 rate code was missing the initiator TCB and SRB values. The Z033 rate code is the CPU (all) resource and the value is in the CIMRC792-CPU-ALL field of the 792 record.
- When using Interval Accounting, the Z032 rate code was not being reported in the CSR records. The Z032 rate code is the initiator CPU and the value is in the CIMRC792-CPU-INIT field of the 792 subtype '04' record.
- When using Interval Accounting, the CSR records may overstate resource values. This problem can occur when the dictionary has been changed to process fields in the identification section of the 792 records as resources.
- Corrected S0C4 in CIMSEXTR at offset X'E3C' in CSECT CIMSEX00.
- Added a new control statement to allow processing of records with non-blank delete codes.
PROCESS VALIDATION CODES Y X
The above control statement will let CIMSEXTR process any records that have a delete code of 'Y' or 'X'.

CIMSIMS1

- Added support for IMS release 9.1.

CIMSMONY

- Added wildcard support to exclude/include.

CIMSPRAT

- Made minor updates for compatibility with other platforms.

CIMSUNIV

- Changed the source of the start time when processing Roscoe data. The Roscoe sign-on time will be used instead of the record buffer time.

Report Library (Replib):

CICSRC16

- Added detail record description for CICS TS 2.3 (CICS R6.3).

CIMRC791

- Corrected offsets for the DASD Resources: DASDBKSP-BACKUP-SPACE, DASDBKTP-BACKUP-TAPES, DASDLEV1-MIGRATED-LEVEL1 and DASDLEV2-MIGRATED-LEVEL2.

CIMRC791 and CIMRC997

- The IMS Response time is in tenths of a second. Changed the resource definition to have one decimal place.

CIMRC792

- Changed the field name of CIMRC792-VIRTUAL-IO in the Identification section to CIMRC792-VIRTUAL-IO.

DB2RECS2

- Corrected the starting offset of the DB2RECS2-QWHSLOCN field from COL(177) to COL(167).

LINKRWDB

- Changed the target load module for the Zap to SPECTWTR instead of SWMVS280.

SMFRC030

- A comment line was being processed as a field definition because the line did not start with an '**'. Changed the position of '**' in comment line 585 to the first column.

SPWRP110, SPWRP111, SPWRP112 and SPWRP113

- Reports contained reference to wrong field name. The prefix of 'CIMSMF06-' was being used instead of the correct value 'CIMRC006-'.

SPWRP145

- Changed report to use CIMRC791-IMS-RESPONSE-TIME.

SPWTR807

- Report was removed from distribution, but has been re-added for use with the CIMS Desktop product.

Control Library (Datafile):

CICSINPT

- Activated the PRINT SUMMARY TRANSACTIONS control statement.

CMFPTABD

- Added entries for CICS TS 2.3 (CICS R6.3) to the default dictionary identification and offset table.

DCTNIMS

- The IMS response time is in tenths of a second and was defined with the wrong radix. The IMSDUR resource was changed to have a radix of 1.

**Enhancements / Updates to
CIMS Mainframe V12.0
(November 2004 - February 2005)
(2005/03/08 Genlevel)**

Programs:

CIMSACCT

- An abnormal termination (0C7) has been corrected when processing records with a dictionary definition that contains User Defined Field (abend occurred in CSECT CIMSDCTN).
- Added the IMS-ID to the 791 records as the Subsystem ID when processing IMS 996/997 records.
- Added support for the ON EMPTY OUTPUT FILE control statement when executing in a mode other than PROCESS CIMS MAINTENANCE.

CIMSCMF2

- Corrected error when using GMT offset. An invalid date could be generated for data processed at the end of year.

CIMSDB2

- Only the first NON-PRIME DAY control statement was being processed.

CIMSEXTR

- Error message 'EXTR007E CIMSEX09-Bad length' and RC=16 is issued when the start or end date is suppressed using the dictionary Process Flag. The dictionary process flag can be set to 'Y' for identifiers that are not needed in the output file. This update allows fields specified in the AGGREGATE DATE control statement to be suppressed. Example: The process flag for CIMSSDT and CIMSEDT in the CIMSHDR dictionary definition can be set to 'Y'. The CSR+ output will still be aggregated using these fields but the Start_Date and Stop_Date identifiers will not be included in the CSR+ output.
- The end date and time in the header of the CSR+ record can be written as spaces or as a null value. This update will use the start date or time whenever the end date or time is not available.

CIMSIMS1

- Added support for IMS 8.1.

CIMSIMS2

- Added the IMS-ID to the 791 records as the Subsystem ID.

CIMSmony

- An abnormal termination (0C4) has been corrected when using the CLIENT SEARCH ON control statement.
- Corrected processing of negative resources.

CIMSUNIV

- Corrected invalid date generated for ROSCOE data processed at the end of the year.
- Corrected missing User Define Fields in the last record processed.

CIMSDISK, CIMSUNIV, CIMSTAPE, CIMSUN02

- Return code was not set properly when using the ON EMPTY INPUT FILE SET RC TO nnnn control statement.

CIMSACCT, CIMSCMF2, CIMSDB2, CIMSDISK, CIMSIMS2, CIMSTAPE, CIMSUNIV, CIMSUN02

- Provided more validation to the DEFINE control statements to prevent bad results and to make determining errors easier.

Report Library (Replib):**CIMRC996, CIMRC997**

- Added IMS-ID to record definition.

SMFRC101

- Updated DB2 SMF 101 record description to include new segments and fields.

Control Library (Datafile):**CALENDAR**

- Corrected the date range in the third (03) accounting period for the year 2005.

CIMSDB2

- Removed duplicate CIMSMSG DD statement in JSTEP010.

CIMSRT02, CIMSRT01, CIMSRATE

- Changed the default tape subsystem to TMS instead of ZARA.
- Changed the description for the following subtotal definitions:

Rate Code	Old Description	New Description
SUBT-120	IMS Online charges	Mainframe IMS Online Charges
SUBT-180	Oracle charges	Unix Oracle Charges

CIMSJOB2

- Corrected GDG reference for the SORTIN DD to +1 instead of 0.

CMFPTABD

- Added entries for CICS TS 2.3 to the default dictionary identification and offset table.

DATAINPT

- Changed a comment that referenced the wrong chapter in the CIMS Mainframe User Guide.

**Enhancements / Updates to
CIMS Mainframe V12.0
(May 2004 - October 2004)
(2004/10/22 Genlevel)**

Programs:

CIMSACCT

- SORT messages are now written to the SYSOUT dataset (instead of the CIMSPRNT dataset).
- When converting 991 records to 791 records, the end date and time values are set to the start date and time values.
- When writing 79x records, an error message was displayed when processing CIMS type 26 records because there is no equivalent 79x record. This message is now suppressed.

CIMSBDE, CIMSBILL, CIMSBMIS, CIMSCMS, CIMSDTLD, CIMSEXTR, CIMSIMS, CIMSIMS2, CIMSMULT, CIMSUN01

- The output written to CIMSMMSG uses a LRECL of 121. This has been changed to a LRECL of 129.

CIMSACCT, CIMSCMF2, CIMSDDB2, CIMSDISK, CIMSIMS2, CIMSTAPE, CIMSUNIV, CIMSUN02

- When using SORTED tables and all entries could not fit into memory, the table paging process was not working correctly.

CIMSCMFP

- The CICS Local Time of Day adjustment was added to the output for use in CIMSCMF2. The Local Time of Day Adjustment is found in the product section of the CICS SMF record.
- A new control statement has been added to override the default return code of 16 when no input records are processed:
ON EMPTY INPUT FILE SET RC TO nnnn
Where nnnn = a numeric value

CIMSCMF2

- The CICS Attach Date and Time along with the Local Time of Day Adjustment from the SMF record is used to determine the shift code.
- A new control statement was added to override the Local Time of Day Adjustment in the SMF record. If this control card is not present, the CIMSCMF2 default is to use the Local Time of Day Adjustment.
SET GMT OFFSET TO {nnn | SYSTEM}
Where nnn = a numeric value between -23 and +23
SYSTEM = CIMS will query the operating system to obtain the Local Time of Day Adjustment

CIMSDISK, CIMSTAPE, CIMSUNIV, CIMSUN02

- The SHIFT control statements were not parsed correctly, which caused the default shifts to always be in effect.

CIMSEXTR

- An abnormal termination (0C4) no longer occurs when processing 792 or 793 records with the WRITE 79X ON control statement.
- A U0016 abend no longer occurs in Syncsort when processing an empty input file.
- When processing a multi record type input file (CICS 791, DB2 791, 792, etc...), CIMSEXTR could incorrectly report the input file as empty. Changes have been made so that if a particular record type does not have any eligible input, a message will be issued to indicate that no input was processed for that specific record type. Processing will continue with the remaining input.
- Added support for duplicate resources. The dictionary can be used to define a specific resource more than once. This may be done to allow billing of a resource using more than one rate code. When a duplicate resource was encountered by CIMSEXTR the resource would appear twice in the sort SUM FIELDS statement and sort would terminate processing. The new support prevents the duplicate resource from appearing in the sort statement and allows the resource to be written to the CSR Plus output more than once with the appropriate rate code.
- The dictionary and control commands can be used to suppress resources. The processing of 793 records uses the Page count resources to determine the value to associate with the FormID. Suppressing the Page count resources prevented the proper calculation of the FormID resource. Changes have been made to ensure that all Page count resources will be available for the FormID calculation regardless of resource suppression.

CIMSLEVC

- Updated to handle the new output from the IBM system call to determine the LE release level.

CIMSMONY

- Processing will continue if the STANDARD rate table does not contain all of the rates defined in other rate tables. (The STANDARD rate table should contain all the rates). Previously, if the STANDARD rate table did not contain all the rates in other rate tables, CIMSMONY would end processing with a return code of 16.
- CPU normalization was not working when the normalization table contained only one entry with a blank work_id. Normalization now works in this situation.

CIMSRTLD

- The return code is now set to 16 if any errors were encountered during processing.

CIMSUNIV

- The input to CIMSUNIV may include old style 001 records that do not include end date or time. When these records are encountered, CIMSUNIV will set the end date and time to the start date and time.

Report Library (Replib):

CICSRC02

- The Time of Day Offset Adjustment field was added to the record.

CIMRCSPC

- Added record layout to support the SPWTR093, SPWRP093, and SPWTR094 reports.

CIMSZADA

- Several field definitions were updated.

SPWTR730, SPWTR731

- Minor changes were made to the Adabas reports.

SPWTR094

- This is a new report that lists the top 10 CPU usage jobs.

SPWRP093, SPWTR093

- Updated to create the input for the SPWTR094 report.

SPWRP945

- Minor updates were made to the WebSphere processing report.

Control Library (Datafile):

CIMSJOB1, CIMSSTC

- Added VOL(???????) in the CIMSSTAT VSAM file allocation step.

CIMSEXTR

- Changed allocation for the CIMSCSRP DD to cylinders instead of tracks.

CIMSRATE, CIMSRT01, CIMSRT02

- Updated several subtotal definitions that caused an RTLD003E error message (Tried to Write Duplicate Record) when running program CIMSRTLTD.

FTPACCT, FTPCICS, FTPDB2, FTPDISK, FPTAPE, FTPUNIV

- Changed the CIMSMONY summary file download name to BillSummary_<DATE>.txt.
- Changed the default directory to Processes

ZROSCNTL

- Data Field 02 was updated to be in Timer Unit (26 microseconds).

**Enhancements / Updates to
CIMS Mainframe V12.0
(March 2004 - April 2004)
(2004/04/23 Genlevel)**

Programs:

CIMSACCT

- Allow a maximum of 40 characters in a MOVEFLD literal.

CIMSBILL

- An invalid 'Missing Rate Code' message can be issued when processing a 999 record that contains a rate code that is also contained in another 99x record.

CIMSCMF2, CIMSDISK, CIMSTAPE, CIMSUNIV, CIMSUN02

- Allow a maximum of 40 characters in a MOVEFLD literal.

CIMSDB2

- Allow a maximum of 40 characters in a MOVEFLD literal.
- The Alternate Account code table can be formatted into the standard CIMS account code table format. This support was added so that the Alternate Account code table can be used in CIMSACCT.
- Invalid elapsed times calculated when processing 'roll up' records. This situation may also appear as DB2 791 or CSR records containing stop dates for the year 1900. The detach time for these 'roll up' records does not contain a STCKTIME value but an accumulated Elapsed time.
- Corrected possible resource truncation when dealing with very large DB2 resources.

CIMSEXTR

- Possible S002 abend when writing to SORTOUT.
- For 999 records, CIMSRATE is used as the rate code instead of R999RATE.
- Reset the RDW when writing 79x records (CIMS79X DD).
- The CIMSCNTL DD input commands are used as the global commands for the entire input file. Previously, any input commands read from the CIMSPDS would override default values. Now the input from CIMSCNTL will become the default settings and the CIMSPDS input will override these settings. This change allows the CIMSCNTL DD to be used to input a set of control statements that can be used by all record types.

CIMSMONY

- The sequential load identifier for the Detail, Ident and Summary files were starting at 1, they should start at 1000000001.
- When specifying a dataset for the CIMSPRNT output, no data was being written.

CIMSUN01

- The input file was truncated because it was using the shorter V11.5 record length. Changed to use the new V11.6 version of the 001 record.

Report Library (Replib):

AALEGEND

- Added descriptions for new reports SPWRP144 and SPWRP820.

CIMRC030, CIMRC792, SPWRP001, SPWTR001

- Updated the code to determine the number of batch jobs based on the subsystem id.

SPWRP144

- A new report that builds the Unit of Work table for CICS processing from 791 CICS records.

SPWRP820

- A new report that creates 791 records from CIMSCMF2 exceptions.

Control Library (Datafile):

ALIAS

- CIMSEXTR uses the CIMSCNTL DD to input control statements that are used for all record types processed. The CIMSPDS DD is used to override the CIMSCNTL input and provide record type specific control statements. The ALIAS member was updated to map record types to a members in CIMS.DATAFILE. The members that start with 'ET' are the new members in CIMS.DATAFILE that can be used to provide record type specific control statements.

ETCICS, ETDASD, ETDB2, ETGLOBAL, ETR791, ETR792, ETR793, ETR799, ETR999, ETTAPE

- The new Etnnnn members contain sample AGGREGATION statements that are comments. When different aggregation points are needed for specific record types, the comments in the Etnnnn members can easily be modified to produce commands that generated the required aggregation points.
- ETGLOBAL contains sample control statements for those control statements that are not record type specific. This member can be customized as needed and should be used as input to the CIMSCNTL DD for CIMSEXTR.

CIMSCICS, CIMSDDB2, CIMSDISK, CIMSEXTR, CIMSJOB2, CIMSJOB3, CIMSRMM, CIMSTAPE, CIMSTL50, CIMSTL54, CIMSTMS, CIMSUNIV, CIMSZARA, IDMSJCL1, IDMSJCL2, IDMSJCL3, M204JCL1, SORTDB2, SORTDISK, SORTTAPE, SORTUNIV, SUBAS401, SUBAS402, SUBCICS2, SUBDATC1, SUBDATC2, SUBDB21

- All JCL that executes program CIMSEXTR has been changed to use ETGLOBAL for input to CIMSCNTL.

CIMSMERG

- Corrected first SORT FIELD and MERGE FIELD. The field was 5,3 it should be 5,2.

CIMSGDG2

- Changed comments.

CIMSRATE, CIMSRT01, CIMSRT02

- Updated rate descriptions and rate values to be the same as the CIMS Server rate codes.

FILELIST

- Added FTPACCT, FTPBASE, FTPBASEG, FTPCICS, FTPDISK, and FTPTAPE to list of CIMS.DATATILE members that are processed by CIMSINIT for HLQ replacement.

FTPACCT, FTPCICS, FTPDB2, FTPDISK, FTPTAPE, FTPUNIV

- Changed the CIMSMONY detail file download name to billdetail_<DATE>.txt.
- Changed PUT command to a two line command.
- Turned off numbers in columns 73 thru 80.

FTPBASE, FTPBASEG

- Changed PUT command to a two line command.
- Turned off numbers in columns 73 thru 80.

MONYCTL3

- Correct control statement examples for RESET CLIENT and SET LOADID statements.