



Gateway Framework Distribution Note

TIVOLI® NETCOOL® GATEWAY FRAMEWORK
GATEWAY FRAMEWORK DISTRIBUTION NOTE

Note: Before using this information and the product it supports, read the information in Notices on page 16.

This edition applies to Version 3.5 of IBM® Tivoli® Netcool® Gateway Framework and to all subsequent releases and modifications until otherwise indicated in new editions.

© **Copyright International Business Machines Corporation, 2010. All rights reserved.**

US Government Users Restricted Rights - Use, duplication or disclosure restricted by GSA ADP Schedule Contract with IBM Corp.

Table of Contents

1	About this Documentation	2
1.1	Audience.....	2
1.2	Required Skills and Knowledge	2
2	Associated Documents	3
2.1	Referenced Documents.....	3
2.2	Other Related Documents	3
3	Introduction	4
3.1	Platform Support and Perl Version.....	4
4	Release History.....	5
4.1	Release 3.5.1.....	5
4.2	Release 3.5.0.....	7
4.3	Release 3.4.1.....	8
4.4	Release 3.4.0.....	8
4.5	Release 3.3.1.....	8
4.6	Release 3.3.0.....	9
4.7	Release 3.2.0.....	9
4.8	Release 3.1.1.....	11
4.9	Release 3.1.0.....	12
4.10	Release 3.0.1.....	13
4.11	Release 3.0.0.....	14
4.12	Release 2.4.0.....	15
4.13	Release 2.3.0.....	15
Appendix A	Notices and Trademarks.....	16

1 About this Documentation

1.1 Audience

The target audience of this document is IBM Performance Manager for Wireless customers. They should be familiar with telecommunication and IT principles and should also have a good understanding of Solaris.

IMPORTANT: Before attempting an installation of Gateway Framework you are strongly advised to read the release notes and any readme files distributed with your Gateway Framework software. Readme files and release notes may contain information specific to your installation not contained in this guide. Failure to consult readme files and release notes may result in a corrupt, incomplete or failed installation.

Note: Performance Manager for Wireless Administrators should not, without prior consultation and agreement from IBM, make any changes to the Index Organized tables or database schema. Changes to the Index Organized tables or database schema may result in corruption of data and failure of the Performance Manager for Wireless System. This applies to all releases of Performance Manager for Wireless using all versions of interfaces.

1.2 Required Skills and Knowledge

This guide assumes you are familiar with the following:

- General IT Principles
- Sun Solaris Operating System
- Oracle Database
- Windows operating systems
- Graphical User Interfaces
- Network Operator's OSS and BSS systems architecture

This guide also assumes that you are familiar with your company's network and with procedures for configuring, monitoring, and solving problems on your network.

2 Associated Documents

The following documentation accompanies this release:

2.1 Referenced Documents

Document Name	Document Description
[Gateways Installation Note]	This document describes the steps required to install and run a Gateway.

2.2 Other Related Documents

Document Name	Document Description
[Gateway Framework User Guide]	Gateway Framework User Guide describing the management and configuration of the Gateway Framework.

3 Introduction

You should read this Distribution Note before proceeding to install the Gateway Framework

For information on the Gateway Framework, its configuration and use refer to the [Gateway Framework User Guide].

The Gateway Framework, Vendor Gateways and Gateway Configurations are supplied as separate packages. Refer to the [Gateway Installation Note] for instructions on Gateway Framework, Vendor Gateway and Gateway Configuration installations on a single server.

This Distribution Note provides an overview of the release history of the Gateway Configuration.

3.1 Platform Support and Perl Version

Gateway Framework release 3.5 is built on Perl version 5.6.1. The Gateway Framework is currently supported on the following platforms:

Operatin System Version(s)	Chipset	Perl Build Architecture
HP-UX 10.2 & 11.0	PA-RISC2.0	PA-RISC2.0
Solaris 9 & 10	SPARC	sun4-solaris
Tru64 UNIX 5.0	DEC-ALPHA	alpha-dec_osf
Red Hat Enterprise Linux Server 4 & 5	x86-32, and x86-64	i686-linux
	PPC64	ppc64-linux
AIX 5.3	PPC64	aix

Note: x86-64 includes EM64T (Xeon) and AMD64 (Opteron, Athlon 64); x86-32 is Intel 32-bit and AMD Athlon

Use of other versions of Perl has led to unexpected run time errors.

4 Release History

4.1 Release 3.5.1

Release date 31 May 2010.

IF release: 3.5.1.10

Listed below are the bugs fixed in this release.

APAR # / BUG ID #	Description
valnt00083881	FILE_SPLIT_BY_COUNTERS rule, WRITE_DATA_LINE does not react accordingly
valnt00089019	JOIN rule generates empty lif buckets
valnt00043470	Updation needed for Gateway Installation document
valnt00047497	Gateway Framework Documentation Issues
valnt00085237	Gateway Installation Note: handling of properties file
valnt00104202	Request to enable a wildcard feature in the REMOTE_DIR variable within the Transfer Engine (MR0924086719)
valnt00112504	GWFW v3.5.1.8 check_disk_space function failed
valnt00117025	Gateway Framework v3.5.1.10 FP0001 - 3gpp-xml - missing 2 block when run in gways framework .10

Note : valnt00104202 is an enhancement to FTP Transfer.

Release date 30 April 2010.

IF release: 3.5.1.9

Listed below are the bugs fixed in this release.

APAR # / BUG ID #	Description
valnt00082452	PostParser.pm inappropriate LOG_LEVEL for REDUNDANT_DATA_COUNTERS
valnt00100138	loader is only able to accept a single type of lif block (APAR=IZ67190)
valnt00100435	Ftp.pm timestamp not correctly created for dec 31 (APAR=IZ67562 / PMR=71374)
valnt00102644	UNNECESSARY LOGGING INFO DUE TO MISSING LOG LEVEL ENTRY IN SOME PERL MODULES (APAR=IZ69175)
valnt00103493	GATEWAY DIES WHEN CERTAIN FILE IS NOT FOUND. (APAR=IZ69872)
valnt00104684	GATEWAY FRAMEWORK SCP MECHANISM DOESN'T LIST FILES BASED ON FILE CREATION TIME. (APAR=IZ71942)
valnt00094814	Alcatel BSS B11 to support additional 2 bytes in the Performance Generic Header Record (PGHR)

Release date 5 October 2009.

IF release: 3.5.1.8

Listed below are the bugs fixed in this release.

APAR # / BUG ID #	Description
valnt00089812	ZERO-SIZED SAVED PIFS PREVENT UNPEGGER FROM GENERATING LIFSWHICH IN

TIVOLI® NETCOOL® GATEWAY FRAMEWORK
GATEWAY FRAMEWORK DISTRIBUTION NOTE

	TURN CAUSES MISSING DATA. (APAR=IZ53394)
valnt00083943	MULTIPLE ARGUMENT SWITCHES TO CPIO DO NOT WORK ON AIX. (APAR=IZ48589)
valnt00083940	REGULAR EXPRESSION RANGES LIKE A-ZA-Z-0-9 USED IN GATEWAYFRAMEWORK DOESN'T WORK IN AIX. (APAR=IZ48588)
valnt00088871	THERE IS AN EXTREME SLOWNESS ON THE FTP PROTOCOL IN THE 3.4.2.1AND 3.4.2.2 GATEWAY FRAMEWORK RELEASE. (APAR=IZ52199)
IZ26504	Unable FTP to AIX due to different Date Format (BugDB = 59293)
valnt00093533	Backward incompatibility issue of the Gateway Framework 3.5.1 (APAR=IZ60249)
IZ60541	Gateway Framework 3.5.1.7 does not appear to be a complete release - missing 'install' dir

Release date 12 June 2009.

IF Release: 3.5.1.7

Listed below are the enhancements for this release.

CR #	Description
valnt00071687	Support for PPC64 Linux.

Release date 4 June 2009.

IF release: 3.5.1.6

Listed below are the bugs fixed in this release.

CR #	Description
valnt00087403	LIF BUCKET FOR GATEWAY FRAMEWORK PRODUCING MULTIPLECLOSING CURLY BRACKET ()) IN LIFS
valnt00087405	PROBABILITY OF LIF OVER-WRITING FROM THE LIF_BUCKET DUE TOMULTIPLE GATEWAYS RUNNING SIMULTANEOUSLY
valnt00087506	LIF_BUCKET CALLED VIA UNPEGGER GENERATE LIFS THAT CONTAIN MISSING HEADER INFORMATION CAUSING LOADERS TO FAIL.

Listed below is known issue for this release.

CR #	Description
valnt00088588	Parallel Process and Lif Bucket should not be enabled within the same gateway instance.

Release date 8 April 2009.

Listed below are the enhancements for this release.

CR #	Description
valnt00062122	Enhance the LIF output to automatically batch for each Post Parser rule. Added new OUTPUT_FORMAT for all Post Parser rules, LIF_Bucket.
valnt00073356	ITM Gateway Agent Enhancements for TNPMW Admin Dashboard.
valnt00083214	CSV_Writer outputs CSV with commented text at the top and end of file. This is to support TNSQM loader. (BugsDB = 59308)
59309	Allow output filename to be specified for output to CSV. Added new Post Parser rule PIF_2_CSV.

TIVOLI® NETCOOL® GATEWAY FRAMEWORK
GATEWAY FRAMEWORK DISTRIBUTION NOTE

Listed below are the bugs fixed in this release.

APAR # / CR #	Description
IZ28674	Missing "TAR TVF" in Gateway Framework Install Notes on Section 5.1
IZ28675	Perl Compilation Notes Typo
IZ29648	Perl Compilation On AIX Showing Missing Libraries
IZ33714	Documentation Typo in Gateway Framework User Guide
IZ33715	DATA_COUNTERS_ORDER not functioning due to hash reference instead of array reference.
IZ32959	Unpegging files of the same timestamp can cause gateway to exit
IZ35362	Data Spikes (very large incorrect values) are observed in the database.
IZ36196	Transfer Engine exits prematurely when encountering a restricted subfolder.
IZ34662	Parser processing increased when data that are coming in as appended data.
IZ34667	Timestamp file grows over time due to parser traversing over time
IZ45415	Relative Path support for SCP
IZ41816	Removed empty PID file.
IZ46661	Document update for Gateway Installation Note.
valnt00082132	Fixed AIX platform bulk transfer issue on FTP & SCP (BugsDB = 59326)

Note:

The **properties** file for each Gateway Configuration needs to include the following variables in order to enable the LIF_Bucket across all the Post Parser rules where OUTPUT_FORMAT =>

'LIF_Writer':

```
ENABLE_LIF_BUCKET=true
LIF_BUCKET_LIMIT=10000
```

4.2 Release 3.5.0

Release date 22 September 2008.

Listed below are the enhancements for this release.

FITS #	Description
MR0309093040	Support for new machine architecture, AIX, RHEL on PPC, RHEL on x86-64.

Listed below are the bugs fixed in this release.

Bug#	Description
valnt00042886	Gateway Framework: Transfer OUT is not transferring all the files. (APAR= IZ26250)
BugsDB55251	r3.2.0 enhancement: Add wildcard to REDUNDANT_DATA_COUNTERS
BugsDB55257	CPIO number of blocks written is always displayed in log file.
BugsDB55263	Transfer 'OUT' fails to execute command
BugsDB55309	Support for Windows FTP
BugsDB55423	FTP.pm incorrectly calculates the wrong year timestamp for a file on a Windows server
BugsDB56041	PIF file list isn't refreshed after PIF_REMOVE
BugsDB56365	FTP Mechanism
BugsDB56493	Files are lost during Gateway File Transfers
BugsDB56751	Data section skipped if header section is empty.
BugsDB56801	JOIN.pm: TIME_JOINFILE_PRODUCED not working properly
BugsDB56876	Gateway Framework does not support timezone EETDST
BugsDB56878	Transfer Mechanism misses files if clocks move forward
BugsDB57831	SCP Connection failed when "Last Login" is not the first line return
BugsDB57924	Ping Failed when ICMP to host is enabled
BugsDB58193	ScpRcp.pm causes certain file not to be transferred

TIVOLI® NETCOOL® GATEWAY FRAMEWORK
GATEWAY FRAMEWORK DISTRIBUTION NOTE

BugsDB58223	Transfer OUT does not find the .timestamp file if exists
BugsDB58224	Transfer OUT does not transfer files that have a # in its name
BugsDB59312	SCP: Enable Remote Compress is not working for Transfer In

Note:

- All Gateways Configuration built for Gateways 3.3 and earlier must be migrated to the new Gateway installation structure. Please refer to Section 7 of the [Gateways Install Note] for upgrade procedure.

4.3 Release 3.4.1

Release date 30 July 2008.

Listed below are the bugs fixed in this release.

Bug#	Description
59217	FTP transfer engine transfer duplicate file.
58224	Transfer Out does not transfer files that have a # in its name.
58223	Transfer Out does not find the .timestamp file if it exists.
58193	ScpRcp.pm causes certain file not to be transferred.
56766	FTP exits early without checking all sub directories.

4.4 Release 3.4.0

Release date 30 January 2008.

Listed below are the enhancements for this release.

#	Description
1	Support for new machine architecture, Sun Solaris on Intel.
2	Specific platform Gateway extensions installation.

4.5 Release 3.3.1

Release date 1 November 2007.

Listed below are the enhancements for this release.

#	Description
1	Include modules directory for Vendor Gateways

Listed below are the bugs fixed in this release.

Bug#	Description
58193	ScpRcp.pm causes certain file not to be transferred
57841	The Expat.sl shared library links in to a file not included with the GWF with a hardcoded path
57613	ERROR: Some required CPAN modules were not found!
57503	UNPEGGER rule does not work for STARTDATE, STARTTIME, DURATION combination
56907	Bugs in PostParser.pm
56450	TIME KEY sorted in wrong order by UNPEGGER post parser rule when year changed to 2007

Note:

The `VENDOR_GATEWAY` environment variable must be set to include the modules directory in the path before running Gateway, e.g.:

```
VENDOR_GATEWAY=${GATEWAY_ROOT}/modules/<vendor-gateway>
```

4.6 Release 3.3.0

Release date 17 July 2007.

Listed below are the enhancements to this release.

#	Description
1	Blue wash exercise.
2	Average function added to <code>ACCUMULATE</code> post parser rule

Listed below are the bugs fixed in this release.

Bug#	Description
56450	<code>TIME KEY</code> sorted in wrong order by <code>UNPEGGER</code> post parser rule when year changed to 2007
57503	<code>UNPEGGER</code> rule did not make use of <code>FORMAT</code> in <code>DATETIME_COUNTERS</code>

4.7 Release 3.2.0

Release date April 2007.

Listed below are the updates to the user documentation for this release.

DocDefect#	Description
54786	Gateway framework 3.1 user guide (doc release 2.1) has error in <code>PERLIZE</code> example
55372	Gateway Framework - update FW User Guide to explain better <code>MIN_FILES_PER_PROCESS</code>

Listed below are the enhancements to this release.

#	Description
1	<code>Date::Calc</code> has been included into the Gateway Framework. Migrate the use of <code>Date::Manip</code> to <code>Date::Calc</code> module for performance enhancements in <code>UNPEGGER</code> and any processing within the <code>EngineConfig.pm</code> which requires date and time manipulation.
2	New standard Post Parser rule, <code>FILE_SPLIT_BY_COUNTERS</code> . Allows a single PIF files to split across multiple PIF based on different counter sets.

Listed below are the bugs fixed in this release.

Bug#	Description
55245	<code>TransferConfig.pm</code> does not transfer all the files
55464	<code>UNPEGGER</code> handling <code>DEFAULT_NULL_VALUE</code> incorrectly
55805	<code>Transfer OUT</code> can't read or delete files
55887	<code>Transfer Config</code> - If " <code>Remote_dir</code> " is invalid, no PID/Timestamp in log file
56070	Siemens BSS Gateway Out of Memory errors with 3.1.1 framework
56072	Gateway Framework deletes intermediate hierarchy files during parsing.
56112	Siemens BR8 - TieCache Warning Message
56114	Siemens BR8 BULK TRASNFER does not remove original file
56116	Siemens BR8: .bad files processes 2nd time round

TIVOLI® NETCOOL® GATEWAY FRAMEWORK
GATEWAY FRAMEWORK DISTRIBUTION NOTE

56117	Siemens BR8: Parser Performance
56123	Siemens BR8: BULK TRANSFER cpio output in log file
56124	Siemens BR8: PRE-TRANSFER Message in LOG File
56125	Siemens BR8: Bulk Transfer doesn't list files copied in Audit File
56126	Siemens BR8 BULK TRASNFER does not remove original file
56127	Siemens BR8: BULK TRANSFER output in LOG file
56235	FTP File transfer process can miss files with directory depth set

Listed below are reverted bug fixes in this release.

Bug#	Description
40272	Parser auditing updated

Important Notes:

Below are changes to the configuration entries for the **Transfer Engine**.

Ftp module specific configuration:

LIST_SLEEP

Sets the number seconds to sleep after getting the list of files to be transferred. This is to allow the partially generated files during the directory listing to be completely produced. Default is 0. Accepts float numbers.

Timestamp file format

The timestamp file format for Ftp module now records the modification time of every file transferred. To maintain the continuity of the timestamp for the Transfer Engine, the old timestamp format must be migrated over.

The new timestamp file format:

```
$mod_time = {  
  '/<remote_dir_1>' => {  
    'LAST_TIME' => <last_file_mod_time>,  
  },  
  '/<remote_dir_2>' => {  
    'LAST_TIME' => <last_file_mod_time>,  
  },  
};
```

Where <remote_dir_#> is the full path of the directories on the remote server, and <last_file_mod_time> is the modification time of the last file transferred in POSIX time. The time should be consistent with the time from the previous timestamp file format.

For every directory level in the remote server directory, a similar hash structure must be defined respectively.

ScpRcp module specific changes and configuration:

ENABLE_REMOTE_COMPRESSION

When set to 'True', compresses the remote files copied in or out after they have been transferred. Set to '0' to disable.

NOTE: ENABLE_LOCAL_COMPRESSION and ENABLE_REMOTE_COMPRESSION will work exclusively, where ENABLE_REMOTE_COMPRESSION will take precedence when DIRECTION 'IN', and ENABLE_LOCAL_COMPRESSION will take precedence when DIRECTION 'OUT'.

4.8 Release 3.1.1

Release date May 2006.

Listed below are the enhancements to this release.

#	Description
54551	Transfer should continue other rules in Transferconfig even if the first rule fails
54537	Gateway Transfers - all remote transactions should have retries if failures occur

Listed below are the bugs fixed in this release.

Bug#	Description
44647	Gateway Framework - rcp/scp tsfr - need to escape '#' in name for remote copy
53811	Bug in file list retrieval code when depth>0
54282	TransferEngine/FTP error : keep getting files that had been copied before
54452	Problems with timestamps and FTP Transfer causes re-transfer of old data
54878	Transfer problems: byte size differs to the original file
54525	Drip Feed for TransferEngine IN Direction infinite loop
54595	Bulk Transfer failed for a large number of files
54713	Unpegger rename saved pegged file incorrectly
54736	GWF is failing to find a file in the parser input dir

Important Notes:

Below are changes to the configuration entries for the Transfer Engine.

BULK_TRANSFER

Bulk transfer only applies to Scp Protocol. When BULK_TRANSFER is set to 'True', DELETE_ORIGINAL and NUMBER_OF_FILES_TO_PROCESS are ignored. Therefore drip feeding no longer applies for bulk transfer. And all files in destination directory will be overwritten.

OVERWRITE_FILES

This is a new entry for Ftp and Scp protocol (except bulk transfer). Target files will be overwritten when OVERWRITE_FILES is set to 'True'. It is set to '0' by default, no overwrite.

TRANSFER_MODE

This is an optional entry that only applies to Ftp protocol. TRANSFER_MODE is configured with either 'ASCII' or 'BINARY' only. The transfer mode is set to binary by default.

4.9 Release 3.1.0

Release date October 2005.

Listed below are the enhancements to this release.

#	Description
1	Integration with MPM and NPR Event and Alarm API's
2	Redhat Linux ES is now an officially supported platform for the Gateway Framework.
3	Support has been included to support the Prospect loading process
43790	Support bulk file transfer for ftp, rcp and scp.
43893	Counter sort order in LIFs should work for all rules producing LIF files. See requirement 4 for details on enhancements, which address this.
45050	Process required to cleanly stop a Gateway during the parsing run. Should execute between each key stage. (transfer, engine, post parser).
40272	Parser auditing updated
45996	PIF Handler should abandon write if duplication occurs.
47511	UNPEGGER: Support for arrays values for INPUT_FILE_DESCRIPTION. Note: this needs careful evaluation for impact it will have generally.
47143	All Post Parser rules should support an OUTPUT_DIR standard entry. The actual processing for this should be in the framework post parser rule processing code.
48620	rcp/scp should use an optional username and password if configured.
48716	Include timeout for ftp transfer. Investigate timeouts for other protocols.
48986	Ability to load files by filename date time order. Resolved in 45051.

Listed below are the bugs fixed in this release.

Bug#	Description
42717	FTP Transfer – modification time check now works correctly
43809	Colon in filename now works correctly with rcp.
44099	rcp or scp transfer now works on local nodes.
44101	Transfer on local nodes – space now removed from “find” return.
44647	rcp/scp – '#' now escaped in name for remote copy
48621	Timestamp now found using rcp and scp
48773	Drip feed now works using ftp Transfer
45181	Generic test commands now used.
36035	JOIN: Now working correctly
43479	PERLIZE: now keeps track of new PIF files.
43802	INFOINSERT: ONLY_INSERT field name was appended with multiple APPEND_STR. Now works correctly.
44279	JOIN: Correct log level now used.
44723	Batcher process in Gateway framework now creates unique filenames.
44877	UNPEGGER: First data slot missing as no PEG files available. Now fixed.
45038	UNPEGGER – UNPEG PIF files being retained by Post Parser. Now fixed.
45115	PIF_REMOVE: - Doesn't remove PIF files cleanly. Fixed
45680	UNPEGGER: Writes random value for first period. Fixed.
46767	PIF_2_OUTPUT: Now implements the OUTPUT_DIR option.
48785	JOIN: Rule description in docs updated.
48871	BATCHFILES: Batched files overwritten – same as bug 44723. Fixed.
44196	INFOINSERT: Rule isn't working with APPEND_STRING. See 43802. Fixed.
44282	Block statistics error. Fixed.
45049	Drip feed inefficiencies fixed.

TIVOLI® NETCOOL® GATEWAY FRAMEWORK
GATEWAY FRAMEWORK DISTRIBUTION NOTE

45051	Engine's DIRECTORY_ORDER doesn't match ls
45081	PIF_Cache problem could not be reproduced.
43898	Process already running message should go to the audit file not the log file.
47695	HOURS_TO_WAIT_FOR_PARTNER_FILES and PIF_CACHING now work.
50262	Individual failing rules will now not affect other successful rule execution in TransferConfig.
51502	FTP Transfer Engine crashes if too many files are transferred. Memory problem fixed.
51748	Setting HOURS_TO_WAIT_FOR_PARTNER_FILES does not always work. Fixed.
51749	Transfer process is executed too often when parser is configured to drip feed. Fixed.
53328	Unpegger time problem now fixed.

Upgrade notes:

Upgrading from Gateway Framework r3.0.x requires updates and changes to the Vendor Gateway Engine and configuration files in the start directory.

Notification Engine

A new configuration file, **NotificationConfig.pm** must be copied into the vendor gateway start directory. A sample copy is available from the Gateway Framework r3.1.0 kit in the “**example**” sub-directory. By default the Notification Engine is disabled, without any configuration rules defined. However, the file contains sample configurations for both MPM and NPR.

Vendor Gateway Engine

Due to the new Notification Engine enhancement, all Vendor Gateway Engine modules are required to return an array containing the fail code and fail reason. The return array is from the function `process_file()`. The fail reason is a short text message of the failure, e.g:

```
my $fail_reason = "Could not open file $filenm";  
return (-2, $fail_reason);
```

Post Parser

The entry name REDUNDANT_COUNTERS is replaced by REDUNDANT_DATA_COUNTERS for all Post Parser rules. All instances of the entry name must be updated for redundant data counters to work.

4.10 Release 3.0.1

Release date is August 2004.

Listed below are the bugs fixed in this release:

Bug#	Description
40695	INFOINSERT: configured APPEND_STR now changes secondary counter names properly.
40714	Updated the MY_VENDOR_INTERFACE.pm engine template.
40811	Engine: Storage of processed data now works if "/" is placed at end of IN_DIR
41172	Properties file now supports environment variables in the property value.
41554	INFOINSERT - Storage of information files logic now works.
41814	Gateway Framework: Misc Transfer failures now log at correct levels.

TIVOLI® NETCOOL® GATEWAY FRAMEWORK
GATEWAY FRAMEWORK DISTRIBUTION NOTE

41841	Gateway Framework User Guide: Transfer process – missing config entries included.
42199	Transfer using rcp or scp. Return for system command now processed correctly.
42200	Gateway Framework: Transfer find operation now uses generic arguments which work on all platforms.
42201	Gateway Framework Transfer - Remote copying now works correctly.
42672	Gateway Framework – Unpegger - now sorts files in a backlog properly.
42717	Gateway Framework FTP Transfer - modification time check now checks for identical modification times as well as older files.
42718	Gateway Framework - FTP transfer – can now handle > 1 subdirectory level.
42853	Gateway Framework – Subdirectory storage of input files now works for two or more dirs
42999	JOIN : Now produces output filenames with same number of file tokens.

4.11 Release 3.0.0

Release date is May 2004.

Listed below are the bugs fixed in this release:

Bug#	Description
37409	Gateway Framework: PIF_Handler only attempts to close the output filehandle if it has been initialised.
36628	INFOINSERT: rule handles main and information header key of 0 correctly.
36512	INFOINSERT: rule attempts to close PIF file even when it has not necessarily created one.
35896	UNPEGGER: rule does not save previous pegged files

Listed below are the enhancements in this release. A number of fundamental architectural and functional enhancements have been made to improve the Gateway Framework, in particular its speed and usability. These are listed in the table as enhancements 1 to 8 below. The [Gateway User Guide] contains further details on configuration and usage of the Gateway Framework.

#	Description
39398	BATCHFILES: Supports the output of PIF files as well as LIF.
37352	Gateway Framework: Add counter calculation rule to Gateway Framework
35896	Gateway Framework: Add the input PIF names as comments in the output LIF file
35818	Gateway Framework: produces empty files if filesystem is full
35795	FILE_SPLIT: Support for ordering of PIF/LIF filename components
35517	INFOINSERT: post-parsing rule should support PIF files as info files
33911	INFOINSERT: Make the storage of info files optional.
1	UNPEGGER: Support the multiple time periods per PIF file.
2	Gateway Framework now supports caching of PIF objects either on disk or in memory. A Gateway caching PIF data in memory is approximately 40% faster than disk based caching.
3	Gateway Framework now supports parallel processing within engine and post parser rules, for multi processor servers.
4	A new stage has been added to the Gateway Framework. It can now be configured to transfer data both onto the local server before the engine stage, and off the local server after the post parser stage. The protocols supported are ftp/scp/rcp/cp.
5	Gateway Framework can now check for sufficient disk free space at startup.
6	Gateway Framework supports ordering of PIF/LIF counter names in output for ease of debugging.
7	Gateway Framework now supports the output of data in XML and CSV format, aswell as the standard LIF.
8	A number of new Post Parser rules have been added: PIF_REMOVE: remove PIFs between Post Parser rules.

TIVOLI® NETCOOL® GATEWAY FRAMEWORK
GATEWAY FRAMEWORK DISTRIBUTION NOTE

	AGGREGATE_LINE: aggregates a number of counters per row matching an RE. PERLIZE: allows complete flexibility in header and data counter manipulation and creation, by passing PIF data to user defined functions for processing.
--	---

4.12 Release 2.4.0

Release date is August 2003.

Listed below are the bugs to be fixed in this release.

Bug#	Description
32462	Engine now properly removes files in a sub-directory, where storage directory variable not set.
33409	Typos in documentation fixed
33549	INFOINSERT rule now has option to remove/store INFO files.
33840	UNPEGGER rule now supports the ':' date time separator.
33947	UNPEGGER rule now supports start date/time and end date/time; start date/time and duration; and end date/time and duration;
33978	UNPEGGER now facilitates the sorting by date/time and optionally an element ID extracted from the peg filenames.
34247	PIF handler now writes completed records to disk immediately, rather than buffering unnecessarily.
35045	UNPEGGER Rule - Time difference calculation now includes date as well as time.

4.13 Release 2.3.0

Release date is April 2003.

Listed below are the bugs to be fixed in this release.

Bug#	Description
16255	The INFO_INSERT rule needs modification
28187	It would be useful to enhance the output format options in the framework.
28326	Productised parser framework should compress files after processing
28484	Data in multiple PIF blocks overruns when using BATCHFILES
31686	ACCUMULATE rule outputs 0 for NULL counters
31759	Accumulate rule does not handle MAX/MIN values
32209	DATALINE_WHERE post parsing rule needs optimisation
32287	Cannot produce LIF files from FILE_SPLIT rule
32974	Add recovery checking for parser crash during post parser rule.

Listed below are the enhancements in this release

#	Description
1	Add support for Counter based statistics. These statistics will log in LIF format the names of RAW and LIF counter processed. A single LIF file will be produced for each Gateway run. See online documents for more information.
2	Add new post parser rule UNPEGGER, which will unpeg data values between related PIF files. Unpegged values are calculated as the difference between two pegged counter values. See online documents for more information.

Appendix A Notices and Trademarks

This appendix contains the following:

- Notices
- Trademarks

Notices

This information was developed for products and services offered in the U.S.A.

IBM may not offer the products, services, or features discussed in this document in other countries. Consult your local IBM representative for information on the products and services currently available in your area. Any reference to an IBM product, program, or service is not intended to state or imply that only that IBM product, program, or service may be used. Any functionally equivalent product, program, or service that does not infringe any IBM intellectual property right may be used instead. However, it is the user's responsibility to evaluate and verify the operation of any non-IBM product, program, or service.

IBM may have patents or pending patent applications covering subject matter described in this document. The furnishing of this document does not grant you any license to these patents. You can send license inquiries, in writing, to:

IBM Director of Licensing
IBM Corporation
North Castle Drive
Armonk NY 10504-1785
U.S.A.

For license inquiries regarding double-byte (DBCS) information, contact the IBM Intellectual Property Department in your country or send inquiries, in writing, to:

IBM World Trade Asia Corporation
Licensing
2-31 Roppongi 3-chome
Minato-ku
Tokyo 106-0032
Japan.

The following paragraph does not apply to the United Kingdom or any other country where such provisions are inconsistent with local law: INTERNATIONAL BUSINESS MACHINES CORPORATION PROVIDES THIS PUBLICATION “AS IS” WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Some states do not allow disclaimer of express or implied warranties in certain transactions, therefore, this statement may not apply to you.

This information could include technical inaccuracies or typographical errors. Changes are periodically made to the information herein; these changes will be incorporated in new editions of the publication. IBM may make improvements and/or changes in the product(s) and/or the program(s) described in this publication at any time without notice.

Any references in this information to non-IBM Web sites are provided for convenience only and do not in any manner serve as an endorsement of those Web sites. The materials at those Web sites are not part of the materials for this IBM product and use of those Web sites is at your own risk.

IBM may use or distribute any of the information you supply in any way it believes appropriate without incurring any obligation to you.

Licensees of this program who wish to have information about it for the purpose of enabling: (i) the exchange of information between independently created programs and other programs (including this one) and (ii) the mutual use of the information which has been exchanged, should contact:

IBM Corporation
5300 Cork Airport Business Park
Kinsale Road
Cork
Ireland.

Such information may be available, subject to appropriate terms and conditions, including in some cases, payment of a fee.

The licensed program described in this document and all licensed material available for it are provided by IBM under terms of the IBM Customer Agreement, IBM International Program License Agreement or any equivalent agreement between us.

Information concerning non-IBM products was obtained from the suppliers of those products, their published announcements or other publicly available sources. IBM has not tested those products and cannot confirm the accuracy of performance, compatibility or any other claims related to non-IBM products. Questions on the capabilities of non-IBM products should be addressed to the suppliers of those products.

All statements regarding IBM's future direction or intent are subject to change or withdrawal without notice, and represent goals and objectives only.

This information contains examples of data and reports used in daily business operations. To illustrate them as completely as possible, the examples include the names of individuals, companies, brands, and products. All of these names are fictitious and any similarity to the names and addresses used by an actual business enterprise is entirely coincidental.

If you are viewing this information softcopy, the photographs and color illustrations may not appear.

Trademarks

IBM, IBM logo, Tivoli, and Netcool are trademarks of International Business Machines Corporation in the United States, other countries or both.

UNIX is a registered trademark of The Open Group in the United States and other countries.

Intel and Pentium are trademarks or registered trademarks of Intel Corporation or its subsidiaries in the United States and other countries.

Other company, product or service names may be trademarks or service marks of others.



© Copyright IBM Corporation 2010

International Business Machines Corporation
5300 Cork Airport
Business Park
Kinsale Road
Cork
Ireland

Printed in the Republic of Ireland
All Rights Reserved
IBM, IBM logo, Tivoli, and Netcool are trademarks of
International Business Machines Corporation in the
United States, other countries or both.

Other company, product and service names may be
trademarks or service marks of others.