




OMEGAMON XE for Storage on z/OS Interim Fix: Tivoli Enterprise Console Integration



OMEGAMON XE for Storage on z/OS Interim Fix: Tivoli Enterprise Console Integration

Note: Before using this information and the product it supports, read the information in “Notices” on page 15.

This edition applies to version 4.2.0 of OMEGAMON XE for Storage on z/OS (program number 5698-A46) and to all subsequent releases and modifications until otherwise indicated in new editions. Make sure you are using the correct edition for the level of the product.

When you send information to IBM, you grant IBM a nonexclusive right to use or distribute the information in any way it believes appropriate without incurring any obligation to you.

© **Copyright International Business Machines Corporation 2008.**

US Government Users Restricted Rights – Use, duplication or disclosure restricted by GSA ADP Schedule Contract with IBM Corp.

Contents

Figures	v
Chapter 1. Enhancements in this Interim Fix	1
Chapter 2. Steps for integrating the Tivoli Enterprise Portal and the Tivoli Enterprise Console	3
Step 1: Installing the ks3.baroc file on the Tivoli Enterprise Console server and loading the updated rule base	3
Step 2: Reconfigure the Tivoli Enterprise Monitoring Server to include the Tivoli Enterprise Console Event Integration Facility	5
Step 3: Integrating the Tivoli Enterprise Console graphical user interface into the Tivoli Enterprise Portal	7
Installing the Tivoli Enterprise Console GUI Integration into the Tivoli Enterprise Portal Server	7

Figures

Figure 1. Tivoli Enterprise Monitoring Server Configuration dialog.....	5
Figure 2. TEC Server Location and Port Number dialog	6
Figure 3. Installing the TEC GUI Integration.....	7
Figure 4. Adding the Tivoli Enterprise Console to a workstation view	8
Figure 5. Supplying the Tivoli Enterprise Console filter type and name	8
Figure 6. Tivoli Enterprise Portal workspace showing a Tivoli Enterprise Console view.....	9

Chapter 1. Enhancements in this Interim Fix

If you are using IBM® Tivoli Enterprise Console® (TEC), in addition to IBM Tivoli® Monitoring, to manage events in your enterprise, you can now forward events reported by IBM Tivoli OMEGAMON® XE for Storage on z/OS®, v4.2.0 to this event management product. Before events can be forwarded, event forwarding must be enabled on the hub monitoring server, and a default destination server must be defined. In addition, you must configure the Tivoli Enterprise Console (the event server) to receive the events, a situation update forwarding process must be installed on the event server, and, for events forwarded to Tivoli Enterprise Console, the baroc file for the agent must be installed and imported on the event server.

Support for OMEGAMON XE for STORAGE on z/OS events on Tivoli Enterprise Console is provided by the ks3.baroc file, which is provided with the application support for the monitoring agent.

This document describes the installation and use of the ks3.baroc and ks3.map files that are supplied with this OMEGAMON XE for STORAGE on z/OS interim fix to enable event notification from the Tivoli Enterprise Portal to the Tivoli Enterprise Console, for sites that use both products. By integrating these products, you can manage events occurring in your monitored environment from a single console.

To accomplish this product integration, you must complete the following steps:

1. Install the ks3.baroc file into the Tivoli Enterprise Console server and update its rule base.
2. Reconfigure your Tivoli Enterprise Monitoring Server to include the Tivoli Enterprise Console Event Integration Facility.
3. Integrate the Tivoli Enterprise Console GUI with the Tivoli Enterprise Portal Server and the Tivoli Enterprise Portal desktop client.

Chapter 2, “Steps for integrating the Tivoli Enterprise Portal and the Tivoli Enterprise Console,” on page 3 describes this procedure in detail.

Notes:

1. If you are using IBM Tivoli Monitoring v6.2.1, and are using IBM Tivoli Netcool®/OMNIBUS™ as an event management product to manage events in your environment, see the *Integrating event management systems* section of the *IBM Tivoli Monitoring: Installation and Setup Guide* for a discussion on the benefits of this product and the details on how it can be integrated with IBM Tivoli Monitoring.
2. These instructions assume your site has already installed and is running Tivoli Enterprise Console on a server in your network. They also assume your site has installed the Situation Update Forwarder, the background process that communicates between Tivoli Enterprise Console and a particular Tivoli Enterprise Monitoring Server, as outlined in the *IBM Tivoli Enterprise Console Installation Guide*. ©

Chapter 2. Steps for integrating the Tivoli Enterprise Portal and the Tivoli Enterprise Console

Integrating the Tivoli Enterprise Portal and the Tivoli Enterprise Console requires the following steps:

1. Installing the ks3.baroc file into the Tivoli Enterprise Console server and updating its rule base.
 2. Reconfiguring your Tivoli Enterprise Monitoring Server to include the Tivoli Enterprise Console Event Integration Facility.
 3. Integrating the Tivoli Enterprise Console GUI into the Tivoli Enterprise Portal Server and the Tivoli Enterprise Portal desktop client.
-

Step 1: Installing the ks3.baroc file on the Tivoli Enterprise Console server and loading the updated rule base

Before initiating the following procedure, ensure the ks3.map file (the OMEGAMON XE for STORAGE on z/OS map file for Tivoli Enterprise Console integration) exists in this directory for the distributed hub Tivoli Enterprise Monitoring Server you plan to use for communicating events to the Tivoli Enterprise Console server.

On Windows®: itm_home\cms\TECLIB, where *itm_home* is the directory where you installed IBM Tivoli Monitoring.

On UNIX-based systems: itm_home/tables/ms_name/TECLIB directory, where *itm_home* is the directory where you installed IBM Tivoli Monitoring and *ms_name* is the name of the monitoring server.

For example:

C:\IBM\ITM\CMS\TECLIB

Note: The ks3.baroc file that is located on this monitoring server is merely stored. The copy of the file is not run or referenced by any software application.

To install the ks3.baroc file on the Tivoli Enterprise Console server and load the updated rule base, complete these steps:

1. To set up the required environment variables, issue the following command from a command prompt at the Tivoli Enterprise Console server:
c:\windows\system32\drivers\etc\tivoli\setup_env.cmd
2. Open a UNIX® Bourne-again shell: bash
3. To update the Tivoli Enterprise Console rule base with the OMEGAMON XE for STORAGE on z/OS ks3.baroc file, issue the following command:

```
wrb -imprbclass <baroc_directory> <rule_base>
```

where *<rule_base>* is either your site's Tivoli Enterprise Console rule base or a new one you created specifically for the zSeries® OMEGAMON monitors (recommended).

Note: You must change the usual Windows backslash (\) to the UNIX forward slash (/). For example:

```
wrb -imprbclass C:/IBM/ITM/CMS/TECLIB/ks3.baroc OmTEC
```

4. To compile the updated rule base, issue the following command:

```
wrb -comprules <rule_base>
```

Example:

```
wrb -comprules OmTEC
```

5. To load the compiled rule base, issue the following command:

```
wrb -loadwrb <rule_base>
```

Example:

```
wrb -loadrb OmTEC
```

6. Recycle the Tivoli Enterprise Console server:

```
wstopesvr
```

```
wstartesvr
```

Note: You obtain the omegamon.baroc file, which is required for event synchronization, during the installation of event synchronization on the Tivoli Enterprise Console event server. You do not obtain this file from the IBM Tivoli Monitoring environment.

Step 2: Reconfigure the Tivoli Enterprise Monitoring Server to include the Tivoli Enterprise Console Event Integration Facility

In Manage Tivoli Enterprise Monitoring Services, right-click your Tivoli Enterprise Monitoring Server, and select **Reconfigure**. Figure 1 shows the Tivoli Enterprise Monitoring Server Configuration dialog




Figure 1. Tivoli Enterprise Monitoring Server Configuration dialog

Select the **TEC Event Integration Facility** check box as shown. Click **OK** and then, click **OK** again.

The Tivoli Enterprise Console Event Integration Facility (EIF) is an application programming interface (API) that external applications can use to create, send, or receive Tivoli Enterprise Console events. These events are in the same format as Tivoli Enterprise Console events and are referred to as either EIF events or TEC/EIF events. For complete information about EIF, see the *IBM Tivoli Enterprise Console Event Integration Facility Reference*.

This is the severity of OMEGAMON XE for Storage on z/OS EIF events:

1. If the situation name's suffix is either `_Warn` or `_Warning`, the EIF event severity is set to `WARNING`. If the suffix is either `_Crit` or `_Critical`, the severity is set to `CRITICAL`.
2. If the severity cannot be determined from the situation name's suffix, a severity of `UNKNOWN` is assumed. To avoid this, copy the situation, and rename it, adding a suffix of either `_Warn` or `_Crit`, as appropriate.

You are prompted for the Tivoli Enterprise Console event server's location (hostname or IP address) and port number; see Figure 2.




Figure 2. TEC Server Location and Port Number dialog

Enter the appropriate information and click OK.

Step 3: Integrating the Tivoli Enterprise Console graphical user interface into the Tivoli Enterprise Portal

To make the Tivoli Enterprise Console accessible from the Tivoli Enterprise Portal client, you must complete the following steps:

1. Install the TEC GUI Integration into the Tivoli Enterprise Portal Server.
2. Add a terminal view in a workspace for your Tivoli Enterprise Console from the Tivoli Enterprise Portal desktop and browser client.

Installing the Tivoli Enterprise Console GUI Integration into the Tivoli Enterprise Portal Server

Start the IBM Tivoli Monitoring installer, and install the TEC GUI Integration into the Tivoli Enterprise Portal Server. Figure 3 shows the installer's Tivoli Enterprise Portal Server section, with several features, including the TEC GUI Integration and the server itself, that was selected for installation.




Figure 3. Installing the TEC GUI Integration

Click **Next** to complete the installation.

Adding a terminal view in a workspace for your Tivoli Enterprise Console from the Tivoli Enterprise Portal client

Once you have installed the TEC GUI Integration in your Tivoli Enterprise Portal Server, you can make the Tivoli Enterprise Console event viewer call accessible

by your Tivoli Enterprise Portal by assigning it to a console view in one or more workspaces.

1. Open either your browser or the desktop Tivoli Enterprise Portal client, and move to a workspace to access the Tivoli Enterprise Console GUI; see Figure 4.




Figure 4. Adding the Tivoli Enterprise Console to a workstation view

2. Select the TEC GUI icon, drag it to the appropriate workspace view, and drop it.

You are prompted for the appropriate Tivoli Enterprise Console login information, and then the filter type and name, as shown in Figure 5.




Figure 5. Supplying the Tivoli Enterprise Console filter type and name

Figure 6 shows the resulting modified workspace. Note the My Acknowledged Events view has been replaced with a terminal view of Tivoli Enterprise Console server, *x86ondemand04*.




Figure 6. Tivoli Enterprise Portal workspace showing a Tivoli Enterprise Console view

3. Save this modified workspace

Notices

This information was developed for products and services offered in the U.S.A. IBM may not offer the products, services, or features discussed in this document in other countries. Consult your local IBM representative for information on the products and services currently available in your area. Any reference to an IBM product, program, or service is not intended to state or imply that only that IBM product, program, or service may be used. Any functionally equivalent product, program, or service that does not infringe any IBM intellectual property right may be used instead. However, it is the user's responsibility to evaluate and verify the operation of any non-IBM product, program, or service.

IBM may have patents or pending patent applications covering subject matter described in this document. The furnishing of this document does not give you any license to these patents. You can send license inquiries, in writing, to:

IBM Director of Licensing
IBM Corporation
North Castle Drive
Armonk, NY 10504-1785 U.S.A.

For license inquiries regarding double-byte (DBCS) information, contact the IBM Intellectual Property Department in your country or send inquiries, in writing, to:

IBM World Trade Asia Corporation
Licensing
2-31 Roppongi 3-chome, Minato-ku
Tokyo 106, Japan

The following paragraph does not apply to the United Kingdom or any other country where such provisions are inconsistent with local law:

INTERNATIONAL BUSINESS MACHINES CORPORATION PROVIDES THIS PUBLICATION "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

Some states do not allow disclaimer of express or implied warranties in certain transactions, therefore, this statement might not apply to you.

This information could include technical inaccuracies or typographical errors. Changes are periodically made to the information herein; these changes will be incorporated in new editions of the publication. IBM may make improvements and/or changes in the product(s) and/or the program(s) described in this publication at any time without notice.

Any references in this information to non-IBM Web sites are provided for convenience only and do not in any manner serve as an endorsement of those Web sites. The materials at those Web sites are not part of the materials for this IBM product and use of those Web sites is at your own risk.

IBM may use or distribute any of the information you supply in any way it believes appropriate without incurring any obligation to you.

Licensees of this program who wish to have information about it for the purpose of enabling: (i) the exchange of information between independently created programs and other programs (including this one) and (ii) the mutual use of the information which has been exchanged, should contact:

IBM Corporation
2Z4A/101
11400 Burnet Road
Austin, TX 78758 U.S.A.

Such information may be available, subject to appropriate terms and conditions, including in some cases payment of a fee.

The licensed program described in this document and all licensed material available for it are provided by IBM under terms of the IBM Customer Agreement, IBM International Program License Agreement or any equivalent agreement between us.

Any performance data contained herein was determined in a controlled environment. Therefore, the results obtained in other operating environments may vary significantly. Some measurements may have been made on development-level systems and there is no guarantee that these measurements will be the same on generally available systems. Furthermore, some measurement may have been estimated through extrapolation. Actual results may vary. Users of this document should verify the applicable data for their specific environment.

Information concerning non-IBM products was obtained from the suppliers of those products, their published announcements or other publicly available sources. IBM has not tested those products and cannot confirm the accuracy of performance, compatibility or any other claims related to non-IBM products. Questions on the capabilities of non-IBM products should be addressed to the suppliers of those products.

All statements regarding IBM's future direction or intent are subject to change or withdrawal without notice, and represent goals and objectives only.

All IBM prices shown are IBM's suggested retail prices, are current and are subject to change without notice. Dealer prices may vary.

This information is for planning purposes only. The information herein is subject to change before the products described become available.

This information contains examples of data and reports used in daily business operations. To illustrate them as completely as possible, the examples include the names of individuals, companies, brands, and products. All of these names are fictitious and any similarity to the names and addresses used by an actual business enterprise is entirely coincidental.

COPYRIGHT LICENSE:

This information contains sample application programs in source language, which illustrate programming techniques on various operating platforms. You may copy, modify, and distribute these sample programs in any form without payment to IBM, for the purposes of developing, using, marketing or distributing application programs

conforming to the application programming interface for the operating platform for which the sample programs are written. These examples have not been thoroughly tested under all conditions. IBM, therefore, cannot guarantee or imply reliability, serviceability, or function of these programs. You may copy, modify, and distribute these sample programs in any form without payment to IBM for the purposes of developing, using, marketing, or distributing application programs conforming to IBM's application programming interfaces.

Each copy or any portion of these sample programs or any derivative work, must include a copyright notice as follows:

© (your company name) (year). Portions of this code are derived from IBM Corp. Sample Programs. © Copyright IBM Corp. _enter the year or years_. All rights reserved.

If you are viewing this information in softcopy form, the photographs and color illustrations might not be displayed.

Trademarks

IBM, the IBM logo, Netcool/OMNIbus and ibm.com® are trademarks or registered trademarks of International Business Machines Corporation in the United States, other countries, or both. If these and other IBM trademarked terms are marked on their first occurrence in this information with a trademark symbol (® or ™), these symbols indicate U.S. registered or common law trademarks owned by IBM at the time this information was published. Such trademarks may also be registered or common law trademarks in other countries. A current list of IBM trademarks is available on the Web at "Copyright and trademark information" at <http://www.ibm.com/legal/copytrade.shtml>.

Adobe®, Acrobat, PostScript® and all Adobe-based trademarks are either registered trademarks or trademarks of Adobe Systems Incorporated in the United States, other countries, or both.

IT Infrastructure Library® is a registered trademark of the Central Computer and Telecommunications Agency which is now part of the Office of Government Commerce.

Intel®, Intel logo, Intel Inside®, Intel Inside logo, Intel Centrino™, Intel Centrino logo, Celeron®, Intel Xeon™, Intel SpeedStep®, Itanium®, and Pentium® are trademarks or registered trademarks of Intel Corporation or its subsidiaries in the United States and other countries.

Linux® is a trademark of Linus Torvalds in the United States, other countries, or both.

Microsoft®, Windows, Windows NT®, and the Windows logo are trademarks of Microsoft Corporation in the United States, other countries, or both.

ITIL® is a registered trademark, and a registered community trademark of the Office of Government Commerce, and is registered in the U.S. Patent and Trademark Office.

UNIX is a registered trademark of The Open Group in the United States and other countries.

Cell Broadband Engine™ and Cell/B.E. are trademarks of Sony Computer Entertainment, Inc., in the United States, other countries, or both and is used under license therefrom.



Java
COMPATIBLE Java™ and all Java-based trademarks and logos are trademarks or registered trademarks of Sun Microsystems, Inc. in the United States, other countries, or both.

Other company, product, and service names may be trademarks or service marks of others.

Glossary

B

Baroc files. Basic Recorder of Objects in C files define event classes for a particular Tivoli Enterprise Console server. Baroc files also validate events' formats based on these event class definitions.

E

Event Integration Facility. EIF is an application programming interface (API) that external applications can use to create, send, or receive Tivoli Enterprise Console events. These events are referred to as either **EIF events** or **TEC/EIF events**.

O

OMEGAMON Tivoli Event Adapter. OTEA invokes the Event Integration Facility API to synchronize IBM Tivoli Monitoring and Tivoli Enterprise Console events. OTEA is a component of the Tivoli Enterprise Monitoring Server; it forward IBM Tivoli Monitoring events to Tivoli Enterprise Console and maps them to their corresponding Tivoli Enterprise Console event classes based on the situation name's suffix, either `_Warning` or `_Critical`.

Integrating these products requires two parts: a Tivoli Enterprise Monitoring Server piece (provided with IBM Tivoli Monitoring version 6.1) called the OMEGAMON Tivoli Event Adapter, and a Tivoli Enterprise Console piece installed on the Tivoli Enterprise Console server called the Situation Update Forwarder, or SUF.

S

Situation Update Forwarder. SUF is a Java- and CORBA-based background process for communication between Tivoli Enterprise Console and a particular Tivoli Enterprise Monitoring Server running under IBM Tivoli Monitoring version 6.1. Your site must install this component on the Tivoli Enterprise Console server; for instructions, see the *IBM Tivoli Enterprise Console Installation Guide*.

Index

- A**
adding a terminal view in a workspace for the Tivoli Enterprise Console from Tivoli Enterprise Portal..... 12
- C**
configuration steps 8
- E**
EIF.... *See* TEC Event Integration Facility, Tivoli Enterprise Console
EIF, Event Integration Facility 10
enhancements in this interim fix 6
event monitoring
 using Tivoli Enterprise Console..... 6
 using Tivoli Enterprise Portal 6
- I**
installation steps..... 8
integrating Tivoli Enterprise Portal and Tivoli Enterprise Console 8
- K**
ks3.baroc file, installing..... 6, 8
ks3.map file..... 6, 8
- R**
rule base, updating the Tivoli Enterprise Console 8
- T**
TEC Event Integration Facility, Tivoli Enterprise Console *See* TEC Event Integration Facility, Tivoli Enterprise Console



Program Number 5698-A46