



Compagnie IBM France

*1, place J.B. Clément
93881 Noisy Le Grand Cedex*

VisualAge Pacbase Monthly Letter

December 2001

*Société anonyme au capital de 552 175 789 euros
Siège social : Tour Descartes - La Défense
2, avenue gambetta - 94200 Courbevoie
552 118 465 R.C.S. Nanterre - Code NAF 300C
Informations sur le site :
Siret : 552 118 465 02885*

Table of contents

New Availabilities	4
Softwares	4
VISUALAGE PACBASE BULL GCOS7, TDS 2.5 V15	5
CORRECTED BUGS	5
Batch System Development	5
Client/Server system develop.....	5
Pacbase Access Facility	5
Batch Procedures.....	5
Sub-network Comparison Utility.....	6
Miscellaneous : Online	6
Miscellaneous	6
VISUALAGE PACBASE OS390, CICS 3.0 V03	7
NEW FUNCTIONALITIES	7
Batch Procedures.....	7
Miscellaneous : Online	7
CORRECTED BUGS	9
Installation and procedures	9
Client/Server system develop.....	9
On line help	9
Batch Procedures.....	9
Pacbase Update Facility	10
Miscellaneous : Online	10
Miscellaneous	10

New Availabilities

Softwares

REFERENCE	LABEL
PB 250 DP7 V15 E	VISUALAGE PACBASE BULL GCOS7, TDS 2.5 V15
PB 300 COS V03 E	VISUALAGE PACBASE OS390, CICS 3.0 V03

VISUALAGE PACBASE BULL GCOS7, TDS 2.5 V15

CORRECTED BUGS

Batch System Development

Generation anomaly.(C:021788)

If 2 programs from 2 different libraries (without any hierarchical link) call the same Segment code in the -CD and if these 2 programs are generated in the same stream, the Segment description is not generated in the second program. This is now corrected.

Service Name in Oracle Connection String(C:021799)

The SCC operator did not generate the SQL order correctly. ':' was missing in front of the name used behind the USING. This is now corrected.

Client/Server system develop.

MQ Series Communication Monitor: the length of the message could not exceed 99999.(C:021805)

This is now corrected.

Pacbase Access Facility

Binary zeros in the generated values for PAF.(C:021684)

The presence of binary zeros in the generated values for PAF is problematic in some environments. This is now corrected.

INSTALLATION : PBTPST and PBTPWS PAF programs are no more installed in standard.(C:021996)

The PBINMGEN VA Pac procedure downloaded, in a temporary Library, the PBTPST and PBTPWS modules before calling the TP7GEN utility for the generation of the remote processing monitor. However the source of the STDSP transactional program does not include calls to these sub-programs. The other STDSPF source contains the elements required to use PAF. The installation of these two programs is documented in the comments of the PBINMGEN TDS generation JCL.

Batch Procedures

Procedures which include the PACA15 program: the PAC7EI report is not mentioned in the documentation.(C:021270)

Procedures which include the PACA15 program: the

PAC7EI report is not mentioned in the documentation.

Sub-network Comparison Utility

CPSN with an empty input file : abort in ILLEGAL DECIMAL DATA.(C:021171)

Corrected.

CPSN with an empty input file : abort in
ILLEGAL DECIMAL DATA.

Miscellaneous : Online

-SIM: Screen branching simulations no longer work.(C:021073)

-SIM: Screen branching simulations no longer work.

Deletion of continuation lines on the GP screen: the '&' character did not operate correctly.(C:022245)

Deletion of continuation lines on the GP screen:
the '&' character did not operate correctly.
This is now corrected.

Miscellaneous

The EURO character is now taken into account in input.(C:021997)

VISUALAGE PACBASE OS390, CICS 3.0 V03

NEW FUNCTIONALITIES

Batch Procedures

Re-initialization of CICS work files : new JCL (JCLPURGE).(C:022097)

Re-initialization of CICS work files : new JCL (JCLPURGE).

Miscellaneous : Online

GP: By default, generation-print commands are displayed with the U1 view.(C:021976)

GP: By default, generation-print commands are displayed with the U1 view.

WARNING : to display them in the C1 view, the choice field must be empty.

CORRECTED BUGS

Installation and procedures

PC25: addition of a long data counter.(C:022299)

On the retrieval final report, it is recommended to display the number of continuation records (line code 97) in order to assign the corresponding file (NX in the REOR procedure) an appropriate size.

PC25: The deletion of the report labels parts 2, 3, 4 triggered the deletion of the label as a whole.(C:022688)

Part 1 concerns the labels of columns 1 to 66.
Part 2 concerns the labels of columns 67 to 132.
Part 3 concerns the labels of columns 132 to 198.
Part 4 concerns the labels of columns 199 to 264.
With the 2.0 or 2.5 release, the deletion of one part of the label triggers the deletion of the label as a whole. To keep part 1 of the label in a database when the parts 2, 3 and 4 have been deleted, you must:

- create a label whose size is longer than 66 characters.
 - delete this label.
 - then recreate this label without exceeding 66 characters.
- In this case, the part 1 still exists even though parts 2, 3 and 4 have been deleted.

The retrieval did not take this case into account and the whole label was assigned the transaction code of the last part of the label. The label as a whole was then deleted.

The 3.0 label is now assigned the transaction code of part 1 of the label and the labels of the deleted next parts are blanked out.

Client/Server system develop.

Elementary Component: server call and number of errors equal to 1. K50L is not incremented.(C:022111)

Elementary Component: call to a secondary-level server and ACCESERR option set to 1.

The error loading index, K50L, is not incremented as it should be.

This has been corrected.

On line help

No online help on -Gx screens and unknown error messages(C:021821)

No online help on -Gx screens and unknown error messages

Batch Procedures

Evolutions of the JCLs for V03 procedures and utilities.(C:021709)

Evolutions of the JCLs for V03 procedures and utilities.

JCL problem on DELPC, if the files have not been opened.(C:021822)

During the backup time, the files will be systematically opened, which will avoid deletion problems in the last step.

REOR: PMS calls are not correctly managed if PMS are called more than 4000 times.(C:022672)

REOR: PMS calls are not correctly managed if PMS are called more than 4000 times, in all sessions.

```
***** IN THIS CASE, YOU MUST RUN THE REOR PROCEDURE
          AGAIN AFTER THE RETRIEVAL PROCEDURE          *****
```

Pacbase Update Facility

PUF-TP and VAP : problems on the use of Input Aids and on '-G' screen, 'C2' option.(C:021914)

PUF-TP and VAP : problems on the use of Input Aids and on '-G' screen, 'C2' option. The 'I SYNCO XD SD' choice cannot be accessed.

Furthermore, the 'C2' option on Comments creates a '000' line. The REOR procedure must be executed to recreate correct indexes.

Miscellaneous : Online

GP screen : 'Database to be restored' after creation of a command line and branching to the Help screen.(C:021985)

GP screen : 'Database to be restored' after creating a command line and branching to the Help screen. This has been corrected.

If you display the 'GP' screen and then a -P screen, you could not do any update on this -P screen.(C:021999)

If you display the 'GP' screen and then a -P screen, you could not do any update on this -P screen. This has been corrected.

The 'CR','MO','M4', 'M5' and 'M6' labels were missing on the definition of the Segment.(C:022285)

The 'CR','MO','M4', 'M5' and 'M6' labels were missing on the definition of the Segment. The error has been corrected.

Miscellaneous

ISO standard now applied to Language Codes used in "error messages" and "paragraph codes" tables.(C:021774)

The corresponding service call must use ISO Language Codes instead of the former internal codes.
This is now corrected.

User Entity: Update now available at client sites.(C:021904)

User Entity: Update now available at client sites.

PUF-TP and VAP : problems on the use of Input Aids and on '-G' screen, 'C2' option.(C:021914)

PUF-TP and VAP : problems on the use of Input Aids and on '-G' screen, 'C2' option. The 'I SYNCO XD SD' choice cannot be accessed.
Furthermore, the 'C2' option on Comments creates a '000' line. The REOR procedure must be executed to recreate correct indexes.

U.E.: the C2 option on a description screen did not display the session code properly.(C:021923)

The error has been corrected.

Management of Pacdesign/Pacbench lock at the host level(C:021981)

It is possible to lock descriptions of entities rather than entities.
View the entities downloaded by Pacbench/Pacdesign.

