



VisualAge Pacbase 2.5

**DAF TABLES
REFERENCE MANUAL**

DDSMT000251A

Note

Before using this document, read the general information under "Notices" on the next page.

According to your license agreement, you may consult or download the complete up-to-date collection of the VisualAge Pacbase documentation from the VisualAge Pacbase Support Center at:

<http://www.software.ibm.com/ad/vapacbase/support.htm>

Consult the Catalog section in the Documentation home page to make sure you have the most recent edition of this document.

First Edition (January 1999)

This edition applies to the following licensed program:

- VisualAge Pacbase Version 2.5

Comments on publications (including document reference number) should be sent electronically through the Support Center Web site at:

<http://www.software.ibm.com/ad/vapacbase/support.htm>

or to the following postal address:

IBM Paris Laboratory
VisualAge Pacbase Support
30, rue du Château des Rentiers
75640 PARIS Cedex 13
FRANCE

When you send information to IBM, you grant IBM a nonexclusive right to use or distribute the information in any way it believes appropriate without incurring any obligation to you.

© Copyright International Business Machines Corporation 1983, 1999. All rights reserved.

Note to U.S. Government Users – Documentation related to restricted rights – Use, duplication or disclosure is subject to restrictions set forth in GSA ADP Schedule Contract with IBM Corp.

NOTICES

References in this publication to IBM products, programs, or services do not imply that IBM intends to make these available in all countries in which IBM operates. Any reference to an IBM product, program, or service is not intended to state or imply that only that IBM product, program, or service may be used. Subject to IBM's valid intellectual property or other legally protectable rights, any functionally equivalent product, program, or service may be used instead of the IBM product, program, or service. The evaluation and verification of operation in conjunction with other products, except those expressly designated by IBM, are the responsibility of the user.

IBM may have patents or pending patent applications covering subject matter in this document. The furnishing of this document does not give you any license to these patents. You can send license inquiries, in writing, to:

Intellectual Property and Licensing
International Business Machines Corporation
North Castle Drive, Armonk, New-York 10504-1785
USA

Licensees of this program who wish to have information about it for the purpose of enabling: (i) the exchange of information between independently created programs and other programs (including this one) and (ii) the mutual use of information which has been exchanged, should contact:

IBM Paris Laboratory
SMC Department
30, rue du Château des Rentiers
75640 PARIS Cedex 13
FRANCE

Such information may be available, subject to appropriate terms and conditions, including in some cases, payment of a fee.

IBM may change this publication, the product described herein, or both.

TRADEMARKS

IBM is a trademark of International Business Machines Corporation, Inc. AIX, AS/400, CICS, CICS/MVS, CICS/VSE, COBOL/2, DB2, IMS, MQSeries, OS/2, PACBASE, RACF, RS/6000, SQL/DS, TeamConnection, and VisualAge are trademarks of International Business Machines Corporation, Inc. in the United States and/or other countries.

Java and all Java-based trademarks and logos are trademarks of Sun Microsystems, Inc. in the United States and/or other countries.

Microsoft, Windows, Windows NT, and the Windows logo are trademarks of Microsoft Corporation in the United States and/or other countries.

UNIX is a registered trademark in the United States and/or other countries licensed exclusively through X/Open Company Limited.

All other company, product, and service names may be trademarks of their respective owners.

TABLE OF CONTENTS

1. DAF ENTITIES: CODING RULES	7
1.1. INTRODUCTION	8
1.2. TABLES	9
1.3. TABLES COLUMNS.....	11
1.4. DATA STRUCTURES.....	13
1.5. SEGMENTS	14
2. DESCRIPTION OF DAF TABLES	15
2.1. INTRODUCTION	16
2.2. CHANGES	17
2.3. EVENTS.....	39
2.4. SITES	64
2.5. QUERIES	74
2.6. QUERY REPORTS	78
2.7. CONTROL CARDS	82
2.8. TABLES	84
2.9. DATABASE LOCK.....	101
2.10. KEYWORDS THESAURUS	103

VisualAge Pacbase - Reference Manual	PAGE	7
DSMS ACCESS FACILITY TABLES		
DAF ENTITIES: CODING RULES		1

1. DAF ENTITIES: CODING RULES

1.1. INTRODUCTION

INTRODUCTION

The purpose of this chapter is to present all of the entities in the DAF tabular model. Tables are defined via VisualAge Pacbase Segments, and Columns, via VisualAge Pacbase Data Elements.

Each entity is assigned a mnemonic code (length = 6-10 characters).

This mnemonic code (and not the code of the corresponding VisualAge Pacbase Segment) must be specified in a cursor declaration:

```
SELECT * FROM <table-code>
```

All of the entities which make up the DAF tabular model are provided in the form of batch transactions which can be used to update a VisualAge Pacbase Library:

- . Data Element Definition, which represents the Columns in the DAF Tables,
- . Data Structure Definition, with one Data Structure per DSMS entity type,
- . Segment Definition, which represents the DAF Tables,
- . Description of these Segments, i.e., the Call of Data Elements.

All of these entities include the keyword 'DAF'.

1.2. TABLES

TABLE CODING RULES

The first three characters identify the entity type:

Change	CHG
Event	EVT
Report	REP
Query	QRY
Site	SIT
Txx (On-line table choice)	Txx (on-line choice)
Lock	LCK
Keyword	KWD

The next three characters identify the entity screen:

Definition	DEF
Description keywords line	DSK
Description text	DST
Concerned element	CEL
Modified element	MEL
Story	STY
Keywords	KWD
Quality contr. versions	QCL
Follow-up	FLU
Change user	CUS
Date	DAT
VisualAge Pacbase entity	ENT
Gravity	GRV
Option	OPT
Phase	PHA
External reference	ERF
Status	STA
Type	TYP
User	USR
Card	CRD
Relative number	REL

EXAMPLES

CHGDEF Change definitions
EVTSTY Event history

SPECIAL TABLES

KEYWORD... Keywords
LCKDTB Lock of VisualAge Pacbase database

VIRTUAL TABLES

Virtual tables represent part of an entity's cross-references. They are coded with an 'X' inserted between two Entity Table codes for VisualAge Pacbase. Virtual tables have been created for cross-references which cannot be defined by a simple SQL elementary condition.

A virtual table contains at least the identifying columns of each entity.

1.3. TABLES COLUMNS

TABLE COLUMNS (DATA ELEMENTS)

The Table Columns are Data Elements and with a 6-character code.

TABLE COLUMN CODING RULES

- . the first character identifies the NATURE of the data: a Code, a Label, a Type, an Option, etc.
- . the next three characters indicate the OBJECT or FOCUS of the data: a Record, Structure, Function, etc.
- . the last two characters indicate a QUALIFIER: a precision for a type, an option...

The first four characters have fixed values, which are listed below. The last two characters are determined by the column they describe.

EXAMPLE: The 'CR' suffix may mean 'CREATION' (VDADCR: creation date)

DATA NATURE CODING RULES

C: Identifying code or number
L: Label, clear name
E: External name
T: Type
O: Option
N: Number (meaning rank or level)
F: Format, length
A: Address, position
D: Documentation, description, comments
V: Value, contents

OBJECT/FOCUS CODING RULES

LIN: Line
CHG: Change
TRA: Transaction
EVT: Event
SIT: Site
LBL: Label
QRY: Query
REC: Record
KWD: Keyword
STA: Status
TYP: Type
GRA: Gravity
DAD: Date
HAR: Hardware
TPK: Technical package
RLE: Release
PHA: Phase
OPT: Option
USR: User
DOC: Document
PRO: Product
ENT: Entity
SUB: Subsidiary
TIM: Time
LAN: Language
TXT: Assigned text
STY: Story
QCL: Quality controlled version

Each DSMS entity type is considered to be an Object and, therefore, is coded in the same way as the first three characters of DAF Table Codes (DEL, SEG, etc.).

1.4. DATA STRUCTURES

DATA STRUCTURES

For each DSMS entity type, there is a corresponding Data Structure to which a specific group of Segments is attached.

Data Structures have a two-character code which is an abbreviated form of the three-character Entity Type Table code:

Change	CG
Event	EV
Query	QR
Record	RE
Site	SI
Table	TA
Control card	CT
Keyword thesaurus	TH
Database lock	DL

1.5. SEGMENTS

SEGMENTS

A Segment describes a DAF Table.

Segments have a four-character code. The first two characters identify the Data Structure, i.e., the entity type.

The last two characters, the record number, identify the DSMS screen. They are coded as follows:

```
01:      Definition                               entDEF

02:      Depending screen (variable depending on the entities)

           with:

               10 X-Reference on ... entX... (entXSEG)
               for Event, Site
               and Change entities.
```

Each Segment's Clear Name contains the code and name of the Table it describes.

VisualAge Pacbase - Reference Manual	PAGE	15
DSMS ACCESS FACILITY TABLES		
DESCRIPTION OF DAF TABLES		2

2. DESCRIPTION OF DAF TABLES

2.1. INTRODUCTION

INTRODUCTION

This chapter presents all of the DAF Tables.

Each Entity type is described in a specific subchapter. Each subchapter begins with an introduction to the different Tables which represent the screens used to describe the Entity type.

The introduction to each Entity Table includes the following information:

- . The list of tables describing the entity type,
- . The list of tables describing the entity's cross-references:
 - Virtual tables,
 - Tables allowing for direct cross-references.

PAF tables include the following information for each column:

- . Its position within the table (not counting the nine-character Table Header); the order of appearance for the columns does not always match with the tabulations in the screen,
- . Its length,
- . Its code,
- . Its clear name (same as that of the corresponding Data Element in DSMS Reference Manuals),
- . The notation "NUMERIC", when the column has a numeric format,
- . The list of elementary columns, when the column is a group.

2.2. CHANGES

CHANGES

Definition

CHGDEF Change definition

Descriptions

CHGDSK Description keywords lines (-DI choice)

CHGDST Description text (-DI choice). Short description lines are described with a
"*01" or "*02" line number and a language code.

CHGCEL Concerned elements -only for entity unlock

lines (-C choice)

CHGMEL Modified elements (-M choice)

CHGSTY Story changes (-S choice)

CHGKWD Keywords

CHGQCL Quality controlled versions (-Q choice)

CHGFLU Technical follow-up (-F choice)

CHGCUS Users for VisualAge Pacbase (-C choice)

Cross-references

CHGXDAT Changes by Date (LDE choice)

CHGXENT Changes by VisualAge Pacbase entities (XS choice)

AMEXGRA Changes by Gravity (WS choice)

CHGXKWD Changes by keywords (WS choice)

CHGXOPT Changes by Options (WS choice)

CHGXPHA Changes by Phases (WS choice)

CHGXERF Changes by External Reference (LRC choice)

CHGXSTA Changes by Status code (WS choice)

CHGXTYP Changes by Type (WS choice)

CHGXUSR Changes by User (WS choice)

CHGXVER Changes by Versions (WS choice)

DESCRIPTION OF DAF TABLES
CHANGES

2
2

SEGMENT DEFINITION CG01

NAME.....: CHGDEF: CHANGE DEFINITION

OCCUR. OF SEGMENT IN TABLE:
EST. NUMBER OF INSTANCES..:

VALUE OF RECORD TYPE ELEM.:
CODE OF ACTION CODE ELEM.:
PRESENCE.....: CR: MO: DE:
M4: M5: M6:

SESSION NUMBER.....: 4576

POS	LEN	CLASS VALUE	DESCRIPTION OF FIELDS AND FILLING MODE
1	3	CPRO	PRODUCT CODE
4	6	CCHG	CHANGE NUMBER
10	2	CTYP	TYPE CODE
12	2	CSTA	STATUS
14	1	CGRA	GRAVITY
15	8	VDADE	DATE ENTERED
23	2	CTPK	TECHNICAL PACKAGE
25	3	CRLE	RELEASE
28	3	CHD1	FIRST HARDWARE
31	3	CHD2	SECOND HARDWARE
34	3	CHD3	THIRD HARDWARE
37	3	CHD4	FOURTH HARDWARE
40	3	CHD5	FIFTH HARDWARE
43	8	CUSR	USER CODE
51	8	VDADCL	DATE CLOSED
59	8	CPH1	FIRST PHASE
67	8	CPH2	SECOND PHASE
75	8	CPH3	THIRD PHASE
83	8	CPH4	FOURTH PHASE
91	8	CPH5	FIFTH PHASE
99	8	COP1	FIRST OPTION
107	8	COP2	SECOND OPTION
115	8	COP3	THIRD OPTION
123	8	COP4	FOURTH OPTION
131	8	COP5	FIFTH OPTION
139	2	NLIS	NUMER OF LISTINGS
141	2	VWLA1	FIRST WORKLOAD AMOUNT
143	1	VWLU1	FIRST WORKLOAD UNIT
144	2	VWLA2	SECOND WORKLOAD AMOUNT
146	1	VWLU2	SECOND WORKLOAD UNIT
147	2	VWLA3	THIRD WORKLOAD AMOUNT
149	1	VWLU3	THIRD WORKLOAD UNIT
150	4	CDTBX	DATABASE OF EXTERNAL REFERENCE
154	3	CPROX	PRODUCT OF EXTERNAL REFERENCE
157	6	CNUMX	NUMBER OF EXTERNAL REFERENCE
163	8	VDADCR	CREATION DATE
171	6	VTIMCR	CREATION TIME
177	8	VDADL	LAST UPDATE DATE
185	6	VTIML	LAST UPDATE TIME
191	15	VIRF	INTERNAL REFERENCE

DESCRIPTION OF DAF TABLES
CHANGES

SEGMENT DEFINITION CG02

NAME.....: CHGDSK: DESCRIPTION KEYWORDS LINES

OCCUR. OF SEGMENT IN TABLE:
EST. NUMBER OF INSTANCES..:

VALUE OF RECORD TYPE ELEM.:
CODE OF ACTION CODE ELEM.:

PRESENCE.....: CR: MO: DE:
M4: M5: M6:

SESSION NUMBER.....: 4698

EXPLICIT KEYWORDS : DAF AM02

POS	LEN	CLASS VALUE	DESCRIPTION OF FIELDS AND FILLING MODE
1	3	CPRO	PRODUCT CODE
4	6	CCHG	CHANGE NUMBER
10	1	CLAN	LANGUAGE CODE
11	55	VKWL1	FIRST KEYWORDS LINE
66	55	VKWL2	SECOND KEYWORDS LINE
121	55	VKWL3	THIRD KEYWORDS LINE
176	55	VKWL4	FOURTH KEYWORDS LINE

DESCRIPTION OF DAF TABLES
CHANGES

PAGE

20

2
2

SEGMENT DEFINITION CG03

NAME.....: CHGDST: DESCRIPTION TEXT

OCCUR. OF SEGMENT IN TABLE:
EST. NUMBER OF INSTANCES..:

VALUE OF RECORD TYPE ELEM.:
CODE OF ACTION CODE ELEM..:

PRESENCE.....: CR: MO: DE:
M4: M5: M6:

SESSION NUMBER.....: 4698

EXPLICIT KEYWORDS : DAF AM03

POS	LEN	CLASS VALUE	DESCRIPTION OF FIELDS AND FILLING MODE
1	3	CPRO	PRODUCT CODE
4	6	CCHG	CHANGE NUMBER
10	1	CLAN	LANGUAGE CODE
11	3	CLIX	ALPHANUMERIC LINE NUMBER
14	60	DTXT	TEXT

DESCRIPTION OF DAF TABLES
CHANGES

SEGMENT DEFINITION CG04

NAME.....: CHGCEL: CONCERNED ELEMENTS

OCCUR. OF SEGMENT IN TABLE:
EST. NUMBER OF INSTANCES..:

VALUE OF RECORD TYPE ELEM.:
CODE OF ACTION CODE ELEM.:

PRESENCE.....: CR: MO: DE:
M4: M5: M6:

SESSION NUMBER.....: 4576

POS	LEN	CLASS VALUE	DESCRIPTION OF FIELDS AND FILLING MODE
1	3	CPRO	PRODUCT CODE
4	6	CCHG	CHANGE NUMBER
10	4	CDTB	DATABASE CODE
14	3	CLIB	LIBRARY CODE
17	5	CCSE	SESSION CODE
22	3	TENT	ENTITY TYPE (3 CHARACTERS) The authorized values are the Entity type values given in Chapter "DAF ENTITIES: CODING RULES", Subchapter "TABLES". (STT for U.E.O.s)
25	6	CENT	VA PAC ENTITY CODE
31	1	TACT	LINE STATUS
32	8	VDAD	DATE
40	6	VTIM	TIME
46	8	CUSR	USER CODE

DESCRIPTION OF DAF TABLES
CHANGES2
2

SEGMENT DEFINITION CG05

NAME.....: CHGMEL: MODIFIED ELEMENTS

OCCUR. OF SEGMENT IN TABLE:
EST. NUMBER OF INSTANCES..:

VALUE OF RECORD TYPE ELEM.:
CODE OF ACTION CODE ELEM..:

PRESENCE.....: CR: MO: DE:
 M4: M5: M6:

SESSION NUMBER.....: 4576

EXPLICIT KEYWORDS : DAF AM05

POS	LEN	CLASS VALUE	DESCRIPTION OF FIELDS AND FILLING MODE
1	3	CPRO	PRODUCT CODE
4	6	CCHG	CHANGE NUMBER
10	4	CDTB	DATABASE CODE
14	3	CLIB	LIBRARY CODE
17	5	CCSE	SESSION CODE
22	3	TENT	ENTITY TYPE (3 CHARACTERS) The authorized values are the Entity type values given in Chapter "DAF ENTITIES: CODING RULES", Subchapter "TABLES". (\$TT for U.E.O.s)
25	6	CENT	VA PAC ENTITY CODE
31	8	CUSR	USER CODE
39	8	VDAD	DATE
47	1	TSRC	UPDATE SOURCE
48	4	CTSES	THRU SESSION NUMBER
52	1	TUPD	UPDATE TYPE

DESCRIPTION OF DAF TABLES
CHANGES

2
2

SEGMENT DEFINITION CG06

NAME.....: CHGSTY : STORY CHANGE

OCCUR. OF SEGMENT IN TABLE:
EST. NUMBER OF INSTANCES..:

VALUE OF RECORD TYPE ELEM.:
CODE OF ACTION CODE ELEM.:

PRESENCE.....: CR: MO: DE:
M4: M5: M6:

SESSION NUMBER.....: 4576

POS	LEN	CLASS VALUE	DESCRIPTION OF FIELDS AND FILLING MODE
1	3	CPRO	PRODUCT CODE
4	6	CCHG	CHANGE NUMBER
10	8	VDAD	DATE
18	6	VTIM	TIME
24	2	CTYP	TYPE CODE
26	2	CSTA	STATUS
28	1	CGRA	GRAVITY
29	8	VDADCL	DATE CLOSED
37	8	CUSRA	USER CODE
45	8	VDADE	DATE ENTERED
53	2	CTPK	TECHNICAL PACKAGE
55	3	CRLE	RELEASE
58	3	CHD1	FIRST HARDWARE
61	3	CHD2	SECOND HARDWARE
64	3	CHD3	THIRD HARDWARE
67	3	CHD4	FOURTH HARDWARE
70	3	CHD5	FIFTH HARDWARE
73	8	CUSR	USER CODE
81	8	CPH1	FIRST PHASE
89	8	CPH2	SECOND PHASE
97	8	CPH3	THIRD PHASE
105	8	CPH4	FOURTH PHASE
113	8	CPH5	FIFTH PHASE
121	8	COP1	FIRST OPTION
129	8	COP2	SECOND OPTION
137	8	COP3	THIRD OPTION
145	8	COP4	FOURTH OPTION
153	8	COP5	FIFTH OPTION
161	2	NLIS	NUMER OF LISTINGS
163	2	VWLA1	FIRST WORKLOAD AMOUNT
165	1	VWLU1	FIRST WORKLOAD UNIT
166	2	VWLA2	SECOND WORKLOAD AMOUNT
168	1	VWLU2	SECOND WORKLOAD UNIT
169	2	VWLA3	THIRD WORKLOAD AMOUNT
171	1	VWLU3	THIRD WORKLOAD UNIT
172	4	CDTBX	DATABASE OF EXTERNAL REFERENCE
176	3	CPROX	PRODUCT OF EXTERNAL REFERENCE
179	6	CNUMX	NUMBER OF EXTERNAL REFERENCE
185	15	VIRF	INTERNAL REFERENCE

DESCRIPTION OF DAF TABLES
CHANGES

SEGMENT DEFINITION CG07

NAME.....: CHGKWD: KEYWORDS

OCCUR. OF SEGMENT IN TABLE:
EST. NUMBER OF INSTANCES..:

VALUE OF RECORD TYPE ELEM.:
CODE OF ACTION CODE ELEM..:

PRESENCE.....: CR: MO: DE:
 M4: M5: M6:

SESSION NUMBER.....: 4576

EXPLICIT KEYWORDS : DAF AM07

POS	LEN	CLASS VALUE	DESCRIPTION OF FIELDS AND FILLING MODE
1	3	CPRO	PRODUCT CODE
4	6	CCHG	CHANGE NUMBER
10	1	CLAN	LANGUAGE CODE
11	13	VKWDP	PRINCIPAL KEYWORD
24	13	VKWDS	SYNONYM KEYWORD

DESCRIPTION OF DAF TABLES
CHANGES

PAGE

25

2
2

SEGMENT DEFINITION CG08

NAME.....: CHGQCL : QUALITY CONTROLLED VERSIONS

OCCUR. OF SEGMENT IN TABLE:
EST. NUMBER OF INSTANCES..:

VALUE OF RECORD TYPE ELEM.:
CODE OF ACTION CODE ELEM.:

PRESENCE.....: CR: MO: DE:
M4: M5: M6:

SESSION NUMBER.....: 4576

EXPLICIT KEYWORDS : DAF AM08

POS	LEN	CLASS VALUE	DESCRIPTION OF FIELDS AND FILLING MODE
1	3	CPRO	PRODUCT CODE
4	6	CCHG	CHANGE NUMBER
10	3	CLIN	LINE NUMBER Numeric
13	2	CTPK	TECHNICAL PACKAGE
15	3	CRLE	RELEASE
18	3	CHDW	HARDWARE
21	3	NVER	VERSION NUMBER
24	8	CUSR	USER CODE
32	8	VDAD	DATE
40	20	DREM	REMARKS
60	1	CLANV	VERSION LANGUAGE

DESCRIPTION OF DAF TABLES
CHANGES

2
2

SEGMENT DEFINITION CG09

NAME.....: CHGFLU : FOLLOW-UP

OCCUR. OF SEGMENT IN TABLE:
EST. NUMBER OF INSTANCES..:

VALUE OF RECORD TYPE ELEM.:
CODE OF ACTION CODE ELEM.:

PRESENCE.....: CR: MO: DE:
M4: M5: M6:

SESSION NUMBER.....: 4576

EXPLICIT KEYWORDS : DAF AM09

POS	LEN	CLASS VALUE	DESCRIPTION OF FIELDS AND FILLING MODE
1	3	CPRO	PRODUCT CODE
4	6	CCHG	CHANGE NUMBER
10	3	CLIN	LINE NUMBER Numeric
13	60	DTXT	TEXT

DESCRIPTION OF DAF TABLES
CHANGES

2
2

SEGMENT DEFINITION CG1U

NAME.....: CHGCUS : USERS FOR VISUALAGE PACBASE

OCCUR. OF SEGMENT IN TABLE:
EST. NUMBER OF INSTANCES..:

VALUE OF RECORD TYPE ELEM.:
CODE OF ACTION CODE ELEM..:

PRESENCE.....: CR: MO: DE:
M4: M5: M6:

SESSION NUMBER.....: 4698

EXPLICIT KEYWORDS : DAF AM1U

POS	LEN	CLASS VALUE	DESCRIPTION OF FIELDS AND FILLING MODE
1	3	CPRO	PRODUCT CODE
4	6	CCHG	CHANGE NUMBER
10	8	CUSR01	FIRST USER
18	8	CUSR02	SECOND USER
26	8	CUSR03	THIRD USER
34	8	CUSR04	FOURTH USER
42	8	CUSR05	FIFTH USER
50	8	CUSR06	SIXTH USER
58	8	CUSR07	SEVENTH USER
66	8	CUSR08	EIGHTH USER
74	8	CUSR09	NINTH USER
82	8	CUSR10	TENTH USER
90	8	CUSR11	ELEVENTH USER
98	8	CUSR12	TWELFTH USER
106	8	CUSR13	THIRTEENTH USER
114	8	CUSR14	FORTEENTH USER
122	8	CUSR15	FIFTEENTH USER
130	8	CUSR16	SIXTEENTH USER

DESCRIPTION OF DAF TABLES
CHANGES

SEGMENT DEFINITION CG20

NAME.....: CHGXDAT : CHANGES BY DATE

OCCUR. OF SEGMENT IN TABLE:
EST. NUMBER OF INSTANCES..:

VALUE OF RECORD TYPE ELEM.:
CODE OF ACTION CODE ELEM..:

PRESENCE.....: CR: MO: DE:
 M4: M5: M6:

SESSION NUMBER.....: 4576

EXPLICIT KEYWORDS : DAF AM20

POS	LEN	CLASS VALUE	DESCRIPTION OF FIELDS AND FILLING MODE
1	3	CPRO	PRODUCT CODE
4	6	CCHG	CHANGE NUMBER
10	8	VDADCR	CREATION DATE
18	1	OCLO	FLAG FOR CLOSED CHANGE/EVENT

DESCRIPTION OF DAF TABLES
CHANGES

2
2

SEGMENT DEFINITION CG21

NAME.....: CHGXENT : CHANGES BY ENTITY

OCCUR. OF SEGMENT IN TABLE:
EST. NUMBER OF INSTANCES..:

VALUE OF RECORD TYPE ELEM.:
CODE OF ACTION CODE ELEM..:

PRESENCE.....: CR: MO: DE:
M4: M5: M6:

SESSION NUMBER.....: 4698

EXPLICIT KEYWORDS : DAF AM21

POS	LEN	CLASS VALUE	DESCRIPTION OF FIELDS AND FILLING MODE
1	3	CPRO	PRODUCT CODE
4	6	CCHG	CHANGE NUMBER
10	1	TLIN	TYPE OF LINE
11	3	TENT	ENTITY TYPE (3 CHARACTERS) The authorized values are the Entity type values given in Chapter "DAF ENTITIES: CODING RULES", Subchapter "TABLES". (\$TT for U.E.O.s)
14	6	CENT	VA PAC ENTITY CODE
20	1	TACTSR	LINE SOURCE / STATUS
21	4	CDTB	DATABASE CODE
25	3	CLIB	LIBRARY CODE
28	5	CCSE	SESSION CODE

DESCRIPTION OF DAF TABLES
CHANGES

SEGMENT DEFINITION CG22

NAME.....: CHGXGRV : CHANGES BY GRAVITY

OCCUR. OF SEGMENT IN TABLE:
EST. NUMBER OF INSTANCES..:

VALUE OF RECORD TYPE ELEM.:
CODE OF ACTION CODE ELEM..:

PRESENCE.....: CR: MO: DE:
 M4: M5: M6:

SESSION NUMBER.....: 4576

EXPLICIT KEYWORDS : DAF AM22

POS	LEN	CLASS VALUE	DESCRIPTION OF FIELDS AND FILLING MODE
1	3	CPRO	PRODUCT CODE
4	6	CCHG	CHANGE NUMBER
10	1	CGRA	GRAVITY
11	1	OCLO	FLAG FOR CLOSED CHANGE/EVENT

DESCRIPTION OF DAF TABLES
CHANGES

2
2

SEGMENT DEFINITION CG23

NAME.....: CHGXKWD : CHANGES BY KEYWORD

OCCUR. OF SEGMENT IN TABLE:
EST. NUMBER OF INSTANCES..:

VALUE OF RECORD TYPE ELEM.:
CODE OF ACTION CODE ELEM.:

PRESENCE.....: CR: MO: DE:
M4: M5: M6:

SESSION NUMBER.....: 4576

EXPLICIT KEYWORDS : DAF AM23

POS	LEN	CLASS VALUE	DESCRIPTION OF FIELDS AND FILLING MODE
1	3	CPRO	PRODUCT CODE
4	6	CCHG	CHANGE NUMBER
10	1	CLAN	LANGUAGE CODE
11	13	VKWDP	PRINCIPAL KEYWORD
24	13	VKWDS	SYNONYM KEYWORD

DESCRIPTION OF DAF TABLES
CHANGES

PAGE

32

2
2

SEGMENT DEFINITION CG24

NAME.....: CHGXOPT : CHANGES BY OPTION

OCCUR. OF SEGMENT IN TABLE:
EST. NUMBER OF INSTANCES..:

VALUE OF RECORD TYPE ELEM.:
CODE OF ACTION CODE ELEM..:

PRESENCE.....: CR: MO: DE:
M4: M5: M6:

SESSION NUMBER.....: 4576

EXPLICIT KEYWORDS : DAF AM24

POS	LEN	CLASS VALUE	DESCRIPTION OF FIELDS AND FILLING MODE
1	3	CPRO	PRODUCT CODE
4	6	CCHG	CHANGE NUMBER
10	8	COPT	OPTION
18	1	OCLO	FLAG FOR CLOSED CHANGE/EVENT

DESCRIPTION OF DAF TABLES
CHANGES

2
2

SEGMENT DEFINITION CG25

NAME.....: CHGXPHA : CHANGES BY PHASE

OCCUR. OF SEGMENT IN TABLE:
EST. NUMBER OF INSTANCES..:

VALUE OF RECORD TYPE ELEM.:
CODE OF ACTION CODE ELEM..:
PRESENCE.....: CR: MO: DE:
 M4: M5: M6:

SESSION NUMBER.....: 4576

EXPLICIT KEYWORDS : DAF AM25

POS	LEN	CLASS VALUE	DESCRIPTION OF FIELDS AND FILLING MODE
1	3	CPRO	PRODUCT CODE
4	6	CCHG	CHANGE NUMBER
10	8	CPHA	PHASE
18	1	OCLO	FLAG FOR CLOSED CHANGE/EVENT

DESCRIPTION OF DAF TABLES
CHANGES

SEGMENT DEFINITION CG26

NAME.....: CHGXERF : CHANGES BY EXTERNAL REF.

OCCUR. OF SEGMENT IN TABLE:
EST. NUMBER OF INSTANCES..:

VALUE OF RECORD TYPE ELEM.:
CODE OF ACTION CODE ELEM..:

PRESENCE.....: CR: MO: DE:
M4: M5: M6:

SESSION NUMBER.....: 4576

EXPLICIT KEYWORDS : DAF AM26

POS	LEN	CLASS VALUE	DESCRIPTION OF FIELDS AND FILLING MODE
1	3	CPRO	PRODUCT CODE
4	6	CCHG	CHANGE NUMBER
10	4	CDTBX	DATABASE OF EXTERNAL REFERENCE
14	3	CPROX	PRODUCT OF EXTERNAL REFERENCE
17	6	CNUMX	NUMBER OF EXTERNAL REFERENCE
23	2	CTPK	TECHNICAL PACKAGE
25	3	CRLE	RELEASE
28	3	CHDW	HARDWARE
31	1	OCLO	FLAG FOR CLOSED CHANGE/EVENT

DESCRIPTION OF DAF TABLES
CHANGES

PAGE

35

2
2

SEGMENT DEFINITION CG27

NAME.....: CHGXSTA : CHANGES BY STATUS

OCCUR. OF SEGMENT IN TABLE:
EST. NUMBER OF INSTANCES..:

VALUE OF RECORD TYPE ELEM.:
CODE OF ACTION CODE ELEM..:

PRESENCE.....: CR: MO: DE:
M4: M5: M6:

SESSION NUMBER.....: 4576

EXPLICIT KEYWORDS : AM27

POS	LEN	CLASS VALUE	DESCRIPTION OF FIELDS AND FILLING MODE
1	3	CPRO	PRODUCT CODE
4	6	CCHG	CHANGE NUMBER
10	2	CSTA	STATUS
12	1	OCLO	FLAG FOR CLOSED CHANGE/EVENT

DESCRIPTION OF DAF TABLES
CHANGES

SEGMENT DEFINITION CG28

NAME.....: CHGXTYP : CHANGES BY TYPE

OCCUR. OF SEGMENT IN TABLE:
EST. NUMBER OF INSTANCES..:

VALUE OF RECORD TYPE ELEM.:
CODE OF ACTION CODE ELEM..:
PRESENCE.....: CR: MO: DE:
 M4: M5: M6:

SESSION NUMBER.....: 4576

EXPLICIT KEYWORDS : AM28

POS	LEN	CLASS VALUE	DESCRIPTION OF FIELDS AND FILLING MODE
1	3	CPRO	PRODUCT CODE
4	6	CCHG	CHANGE NUMBER
10	2	CTYP	TYPE CODE
12	1	OCLO	FLAG FOR CLOSED CHANGE/EVENT

DESCRIPTION OF DAF TABLES
CHANGES

SEGMENT DEFINITION CG29

NAME.....: CHGXUSR : CHANGES BY USER

OCCUR. OF SEGMENT IN TABLE:
EST. NUMBER OF INSTANCES..:

VALUE OF RECORD TYPE ELEM.:
CODE OF ACTION CODE ELEM..:

PRESENCE.....: CR: MO: DE:
M4: M5: M6:

SESSION NUMBER.....: 4576

EXPLICIT KEYWORDS : DAF AM29

POS	LEN	CLASS VALUE	DESCRIPTION OF FIELDS AND FILLING MODE
1	3	CPRO	PRODUCT CODE
4	6	CCHG	CHANGE NUMBER
10	8	CUSR	USER CODE
18	1	OCLO	FLAG FOR CLOSED CHANGE/EVENT

DESCRIPTION OF DAF TABLES
CHANGES

2
2

SEGMENT DEFINITION CG30

NAME.....: CHGXVER : CHANGES BY VERSION

OCCUR. OF SEGMENT IN TABLE:
EST. NUMBER OF INSTANCES..:

VALUE OF RECORD TYPE ELEM.:
CODE OF ACTION CODE ELEM..:

PRESENCE.....: CR: MO: DE:
 M4: M5: M6:

SESSION NUMBER.....: 4576

EXPLICIT KEYWORDS : DAF AM30

POS	LEN	CLASS VALUE	DESCRIPTION OF FIELDS AND FILLING MODE
1	3	CPRO	PRODUCT CODE
4	6	CCHG	CHANGE NUMBER
10	2	CTPK	TECHNICAL PACKAGE
12	3	CRLE	RELEASE
15	1	OCLO	FLAG FOR CLOSED CHANGE/EVENT

2.3. EVENTS

EVENTS

Definition

EVTDEF Event Definition

Descriptions

EVTDSK Description keywords line (-DN/T choice)

EVTDST Description text (-DN/T choice). Short description lines are described with a
"*01" or "*02" line number and a 'N' (Native) description type.

EVTSTY Event story (-S choice)

EVTKWD Keywords

Cross-references

EVTRELXDAT Relative numbers by Creation Date (LDE choice for users attached to a Site)

EVTRELXSIT Relative numbers by Sites (LSE choice for users attached to a Site)

EVTXCHG Events by Changes (LCE choice)

EVTXEVTREL Events by relative number to Sites

EVTXGRA Events by Gravity (WS choice)

EVTXKWDN Events by Native keywords (WS choice)

EVTXKWDT Events by Technical keywords (WS choice)

EVTXOPT Events by Options (WS choice)

EVTXPHA Events by Phases (WS choice)

EVTXERF Events by External Reference (LRE choice)

EVTXSIT Events by Site (LSE or WS choice)

EVTXSITIRF Events by Site and Internal Reference (LIE choice)

DESCRIPTION OF DAF TABLES
EVENTS

PAGE

40

2
3

EVTXSTA Events by Status (WS choice)

EVTXTYP Events by Type (WS choice)

EVTXUSR Events by User (WS choice)

EVTXVER Events by Version (WS choice)

DESCRIPTION OF DAF TABLES
EVENTS

2
3

SEGMENT DEFINITION EV01

NAME.....: EVTDEF : EVENT DEFINITON

OCCUR. OF SEGMENT IN TABLE:
EST. NUMBER OF INSTANCES..:

VALUE OF RECORD TYPE ELEM.:
CODE OF ACTION CODE ELEM..:

PRESENCE.....: CR: MO: DE:
 M4: M5: M6:

SESSION NUMBER.....: 4576

EXPLICIT KEYWORDS : DAF

POS	LEN	CLASS VALUE	DESCRIPTION OF FIELDS AND FILLING MODE
1	3	CPRO	PRODUCT CODE
4	2	CSUB	SUBSIDIARY
6	6	CEVT	EVENT NUMBER
12	2	CTYP	TYPE CODE
14	2	CSTA	STATUS
16	1	CGRA	GRAVITY
17	8	VDADE	DATE ENTERED
25	8	CUSR	USER CODE
33	9	CSIB	BEGINNING OF SITE CODE
42	3	CSIE	end of site code
45	8	VDADCO	COMMUNICATION DATE
53	15	VIRF	INTERNAL REFERENCE
68	8	VDADCL	DATE CLOSED
76	8	CPH1	FIRST PHASE
84	8	CPH2	SECOND PHASE
92	8	CPH3	THIRD PHASE
100	8	CPH4	FOURTH PHASE
108	8	CPH5	FIFTH PHASE
116	8	COP1	FIRST OPTION
124	8	COP2	SECOND OPTION
132	8	COP3	THIRD OPTION
140	8	COP4	FOURTH OPTION
148	8	COP5	FIFTH OPTION
156	2	NLIS	NUMER OF LISTINGS
158	2	CTPK	TECHNICAL PACKAGE
160	3	CRLE	RELEASE
163	3	CHDW	HARDWARE
166	3	NVER	VERSION NUMBER
169	1	CLANV	VERSION LANGUAGE
170	6	CCHG	CHANGE NUMBER
176	4	CDTBX	DATABASE OF EXTERNAL REFERENCE
180	3	CPROX	PRODUCT OF EXTERNAL REFERENCE
183	2	CSUBX	EXTERNAL REFERENCE SUBSIDIARY
185	6	CNUMX	NUMBER OF EXTERNAL REFERENCE
191	8	VDADCR	CREATION DATE
199	6	VTIMCR	CREATION TIME
205	8	VDADL	LAST UPDATE DATE
213	6	VTIML	LAST UPDATE TIME

DESCRIPTION OF DAF TABLES
EVENTS

PAGE

42

2
3

POS	LEN	CLASS VALUE	DESCRIPTION OF FIELDS AND FILLING MODE
219	6	CRELEV	RELATIVE EVENT NUMBER
225	1	ODEL	FLAG INHIBITION

DESCRIPTION OF DAF TABLES
EVENTS

SEGMENT DEFINITION EV02

NAME.....: EVTDSK : DESCRIPTION KEYWORDS LINE

OCCUR. OF SEGMENT IN TABLE:
EST. NUMBER OF INSTANCES..:

VALUE OF RECORD TYPE ELEM.:
CODE OF ACTION CODE ELEM.:

PRESENCE.....: CR: MO: DE:
M4: M5: M6:

SESSION NUMBER.....: 4576

EXPLICIT KEYWORDS : DAF

POS	LEN	CLASS VALUE	DESCRIPTION OF FIELDS AND FILLING MODE
1	3	CPRO	PRODUCT CODE
4	2	CSUB	SUBSIDIARY
6	6	CEVT	EVENT NUMBER
12	1	TDSC	DESCRIPTION TYPE
13	55	VKWL1	FIRST KEYWORDS LINE
68	55	VKWL2	SECOND KEYWORDS LINE
123	55	VKWL3	THIRD KEYWORDS LINE
178	55	VKWL4	FOURTH KEYWORDS LINE

DESCRIPTION OF DAF TABLES
EVENTS

2
3

SEGMENT DEFINITION EV03

NAME.....: EVT DST : DESCRIPTION TEXT

OCCUR. OF SEGMENT IN TABLE:
EST. NUMBER OF INSTANCES..:

VALUE OF RECORD TYPE ELEM.:
CODE OF ACTION CODE ELEM.:

PRESENCE.....: CR: MO: DE:
M4: M5: M6:

SESSION NUMBER.....: 4576

EXPLICIT KEYWORDS : ADF

POS	LEN	CLASS VALUE	DESCRIPTION OF FIELDS AND FILLING MODE
1	3	CPRO	PRODUCT CODE
4	2	CSUB	SUBSIDIARY
6	6	CEVT	EVENT NUMBER
12	1	TDSC	DESCRIPTION TYPE
13	3	CLIX	ALPHANUMERIC LINE NUMBER
16	60	DTXT	TEXT

DESCRIPTION OF DAF TABLES
EVENTS2
3

SEGMENT DEFINITION EV04

NAME.....: EVTSTY : EVENT STORY

OCCUR. OF SEGMENT IN TABLE:
EST. NUMBER OF INSTANCES..:VALUE OF RECORD TYPE ELEM.:
CODE OF ACTION CODE ELEM.:PRESENCE.....: CR: MO: DE:
M4: M5: M6:

SESSION NUMBER.....: 4576

EXPLICIT KEYWORDS : DAF

POS	LEN	CLASS VALUE	DESCRIPTION OF FIELDS AND FILLING MODE
1	3	CPRO	PRODUCT CODE
4	2	CSUB	SUBSIDIARY
6	6	CEVT	EVENT NUMBER
12	8	VDAD	DATE
20	6	VTIM	TIME
26	2	CTYP	TYPE CODE
28	2	CSTA	STATUS
30	1	CGRA	GRAVITY
31	8	VDADCL	DATE CLOSED
39	8	CUSRA	USER CODE
47	8	VDADE	DATE ENTERED
55	8	CUSR	USER CODE
63	9	CSIB	BEGINNING OF SITE CODE
72	3	CSIE	end of site code
75	8	VDADCO	COMMUNICATION DATE
83	15	VIRF	INTERNAL REFERENCE
98	8	CPH1	FIRST PHASE
106	8	CPH2	SECOND PHASE
114	8	CPH3	THIRD PHASE
122	8	CPH4	FOURTH PHASE
130	8	CPH5	FIFTH PHASE
138	8	COP1	FIRST OPTION
146	8	COP2	SECOND OPTION
154	8	COP3	THIRD OPTION
162	8	COP4	FOURTH OPTION
170	8	COP5	FIFTH OPTION
178	2	NLIS	NUMER OF LISTINGS
180	2	CTPK	TECHNICAL PACKAGE
182	3	CRLE	RELEASE
185	3	CHDW	HARDWARE
188	3	NVER	VERSION NUMBER
191	1	CLANV	VERSION LANGUAGE
192	6	CCHG	CHANGE NUMBER
198	4	CDTBX	DATABASE OF EXTERNAL REFERENCE
202	3	CPROX	PRODUCT OF EXTERNAL REFERENCE
205	2	CSUBX	EXTERNAL REFERENCE SUBSIDIARY
207	6	CNUMX	NUMBER OF EXTERNAL REFERENCE

DESCRIPTION OF DAF TABLES
EVENTS

2
3

SEGMENT DEFINITION EV05

NAME.....: EVTKWD : KEYWORDS

OCCUR. OF SEGMENT IN TABLE:
EST. NUMBER OF INSTANCES..:

VALUE OF RECORD TYPE ELEM.:
CODE OF ACTION CODE ELEM..:

PRESENCE.....: CR: MO: DE:
 M4: M5: M6:

SESSION NUMBER.....: 4576

EXPLICIT KEYWORDS : DAF

POS	LEN	CLASS VALUE	DESCRIPTION OF FIELDS AND FILLING MODE
1	3	CPRO	PRODUCT CODE
4	2	CSUB	SUBSIDIARY
6	6	CEVT	EVENT NUMBER
12	1	TDSC	DESCRIPTION TYPE
13	13	VKWDP	PRINCIPAL KEYWORD
26	13	VKWDS	SYNONYM KEYWORD

DESCRIPTION OF DAF TABLES
EVENTS

2
3

SEGMENT DEFINITION EV10

NAME.....: EVTRELXDAT : SITE EVENTS NUMBER/DATE

OCCUR. OF SEGMENT IN TABLE:
EST. NUMBER OF INSTANCES..:

VALUE OF RECORD TYPE ELEM.:

CODE OF ACTION CODE ELEM.:

PRESENCE.....: CR: MO: DE:
M4: M5: M6:

SESSION NUMBER.....: 4576

POS	LEN	CLASS VALUE	DESCRIPTION OF FIELDS AND FILLING MODE
1	3	CPRO	PRODUCT CODE
4	2	CSUB	SUBSIDIARY
6	6	CEVT	EVENT NUMBER
12	6	CRELEV	RELATIVE EVENT NUMBER
18	8	VDADCR	CREATION DATE
26	9	CSIB	BEGINNING OF SITE CODE
35	3	CSIE	end of site code

DESCRIPTION OF DAF TABLES
EVENTS

2
3

SEGMENT DEFINITION EV11

NAME.....: EVTRELXSIT : EVENTS BY SITE

OCCUR. OF SEGMENT IN TABLE:
EST. NUMBER OF INSTANCES..:

VALUE OF RECORD TYPE ELEM.:
CODE OF ACTION CODE ELEM.:

PRESENCE.....: CR: MO: DE:
M4: M5: M6:

SESSION NUMBER.....: 4576

POS	LEN	CLASS VALUE	DESCRIPTION OF FIELDS AND FILLING MODE
1	2	CSUB	SUBSIDIARY
3	6	CEVT	EVENT NUMBER
9	9	CSIB	BEGINNING OF SITE CODE
18	3	CSIE	end of site code
21	3	CPRO	PRODUCT CODE
24	6	CRELEV	RELATIVE EVENT NUMBER

DESCRIPTION OF DAF TABLES
EVENTS

2
3

SEGMENT DEFINITION EV19

NAME.....: EVTXCHG : EVENTS BY CHANGE

OCCUR. OF SEGMENT IN TABLE:
EST. NUMBER OF INSTANCES..:

VALUE OF RECORD TYPE ELEM.:
CODE OF ACTION CODE ELEM.:

PRESENCE.....: CR: MO: DE:
 M4: M5: M6:

SESSION NUMBER.....: 4576

POS	LEN	CLASS VALUE	DESCRIPTION OF FIELDS AND FILLING MODE
1	3	CPRO	PRODUCT CODE
4	2	CSUB	SUBSIDIARY
6	6	CEVT	EVENT NUMBER
12	6	CCHG	CHANGE NUMBER
18	1	OCLO	FLAG FOR CLOSED CHANGE/EVENT

DESCRIPTION OF DAF TABLES
EVENTS

2
3

SEGMENT DEFINITION EV20

NAME.....: EVTXDAT : EVENTS BY DATE

OCCUR. OF SEGMENT IN TABLE:
EST. NUMBER OF INSTANCES..:

VALUE OF RECORD TYPE ELEM.:
CODE OF ACTION CODE ELEM.:

PRESENCE.....: CR: MO: DE:
M4: M5: M6:

SESSION NUMBER.....: 4621

POS	LEN	CLASS VALUE	DESCRIPTION OF FIELDS AND FILLING MODE
1	3	CPRO	PRODUCT CODE
4	2	CSUB	SUBSIDIARY
6	6	CEVT	EVENT NUMBER
12	8	VDADCR	CREATION DATE
20	1	OCLO	FLAG FOR CLOSED CHANGE/EVENT

DESCRIPTION OF DAF TABLES
EVENTS

2
3

SEGMENT DEFINITION EV21

NAME.....: EVTXEVTREL : EVENTS BY RELATIVE NUMB

OCCUR. OF SEGMENT IN TABLE:
EST. NUMBER OF INSTANCES..:

VALUE OF RECORD TYPE ELEM.:
CODE OF ACTION CODE ELEM..:

PRESENCE.....: CR: MO: DE:
M4: M5: M6:

SESSION NUMBER.....: 4621

POS	LEN	CLASS VALUE	DESCRIPTION OF FIELDS AND FILLING MODE
1	3	CPRO	PRODUCT CODE
4	2	CSUB	SUBSIDIARY
6	6	CEVT	EVENT NUMBER
12	6	CRELEV	RELATIVE EVENT NUMBER
18	9	CSIB	BEGINNING OF SITE CODE
27	3	CSIE	end of site code

DESCRIPTION OF DAF TABLES
EVENTS

2
3

SEGMENT DEFINITION EV22

NAME.....: EVTXGRA : EVENTS BY GRAVITY

OCCUR. OF SEGMENT IN TABLE:
EST. NUMBER OF INSTANCES..:

VALUE OF RECORD TYPE ELEM.:
CODE OF ACTION CODE ELEM..:

PRESENCE.....: CR: MO: DE:
 M4: M5: M6:

SESSION NUMBER.....: 4576

POS	LEN	CLASS VALUE	DESCRIPTION OF FIELDS AND FILLING MODE
1	3	CPRO	PRODUCT CODE
4	2	CSUB	SUBSIDIARY
6	6	CEVT	EVENT NUMBER
12	1	CGRA	GRAVITY
13	1	OCLO	FLAG FOR CLOSED CHANGE/EVENT

DESCRIPTION OF DAF TABLES
EVENTS

SEGMENT DEFINITION EV23

NAME.....: EVTXKWDN : EVENTS BY NATIVE KEYWORDS

OCCUR. OF SEGMENT IN TABLE:
EST. NUMBER OF INSTANCES..:

VALUE OF RECORD TYPE ELEM.:
CODE OF ACTION CODE ELEM.:

PRESENCE.....: CR: MO: DE:
M4: M5: M6:

SESSION NUMBER.....: 4576

POS	LEN	CLASS VALUE	DESCRIPTION OF FIELDS AND FILLING MODE
1	3	CPRO	PRODUCT CODE
4	2	CSUB	SUBSIDIARY
6	6	CEVT	EVENT NUMBER
12	13	VKWDP	PRINCIPAL KEYWORD
25	13	VKWDS	SYNONYM KEYWORD

DESCRIPTION OF DAF TABLES
EVENTS

2
3

SEGMENT DEFINITION EV24

NAME.....: EVTXXKWDT : EVENTS BY TECHN. KEYWORDS

OCCUR. OF SEGMENT IN TABLE:
EST. NUMBER OF INSTANCES..:

VALUE OF RECORD TYPE ELEM.:
CODE OF ACTION CODE ELEM.:

PRESENCE.....: CR: MO: DE:
M4: M5: M6:

SESSION NUMBER.....: 4576

POS	LEN	CLASS VALUE	DESCRIPTION OF FIELDS AND FILLING MODE
1	3	CPRO	PRODUCT CODE
4	6	CEVT	EVENT NUMBER
10	13	VKWDP	PRINCIPAL KEYWORD
23	13	VKWDS	SYNONYM KEYWORD
36	2	CSUB	SUBSIDIARY

DESCRIPTION OF DAF TABLES
EVENTS

2
3

SEGMENT DEFINITION EV25

NAME.....: EVTXOPT : EVENTS BY OPTION

OCCUR. OF SEGMENT IN TABLE:
EST. NUMBER OF INSTANCES..:

VALUE OF RECORD TYPE ELEM.:
CODE OF ACTION CODE ELEM.:

PRESENCE.....: CR: MO: DE:
 M4: M5: M6:

SESSION NUMBER.....: 4576

POS	LEN	CLASS VALUE	DESCRIPTION OF FIELDS AND FILLING MODE
1	3	CPRO	PRODUCT CODE
4	2	CSUB	SUBSIDIARY
6	6	CEVT	EVENT NUMBER
12	8	COPT	OPTION
20	1	OCLO	FLAG FOR CLOSED CHANGE/EVENT

DESCRIPTION OF DAF TABLES
EVENTS

2
3

SEGMENT DEFINITION EV26

NAME.....: EVTXPHA : EVENTS BY PHASE

OCCUR. OF SEGMENT IN TABLE:
EST. NUMBER OF INSTANCES..:

VALUE OF RECORD TYPE ELEM.:
CODE OF ACTION CODE ELEM.:

PRESENCE.....: CR: MO: DE:
M4: M5: M6:

SESSION NUMBER.....: 4576

POS	LEN	CLASS VALUE	DESCRIPTION OF FIELDS AND FILLING MODE
1	3	CPRO	PRODUCT CODE
4	2	CSUB	SUBSIDIARY
6	6	CEVT	EVENT NUMBER
12	8	CPHA	PHASE
20	1	OCLO	FLAG FOR CLOSED CHANGE/EVENT

DESCRIPTION OF DAF TABLES
EVENTS

SEGMENT DEFINITION EV27

NAME.....: EVTXERF : EVENTS BY EXTERNAL REF.

OCCUR. OF SEGMENT IN TABLE:
EST. NUMBER OF INSTANCES..:

VALUE OF RECORD TYPE ELEM.:
CODE OF ACTION CODE ELEM..:

PRESENCE.....: CR: MO: DE:
M4: M5: M6:

SESSION NUMBER.....: 4576

POS	LEN	CLASS VALUE	DESCRIPTION OF FIELDS AND FILLING MODE
1	3	CPRO	PRODUCT CODE
4	2	CSUB	SUBSIDIARY
6	6	CEVT	EVENT NUMBER
12	4	CDTBX	DATABASE OF EXTERNAL REFERENCE
16	3	CPROX	PRODUCT OF EXTERNAL REFERENCE
19	2	CSUBX	EXTERNAL REFERENCE SUBSIDIARY
21	6	CNUMX	NUMBER OF EXTERNAL REFERENCE
27	2	CTPK	TECHNICAL PACKAGE
29	3	CRLE	RELEASE
32	3	CHDW	HARDWARE
35	1	OCLO	FLAG FOR CLOSED CHANGE/EVENT

DESCRIPTION OF DAF TABLES
EVENTS

SEGMENT DEFINITION EV28

NAME.....: EVTXSIT : EVENTS BY SITE

OCCUR. OF SEGMENT IN TABLE:
EST. NUMBER OF INSTANCES..:

VALUE OF RECORD TYPE ELEM.:
CODE OF ACTION CODE ELEM..:
PRESENCE.....: CR: MO: DE:
 M4: M5: M6:

SESSION NUMBER.....: 4576

POS	LEN	CLASS VALUE	DESCRIPTION OF FIELDS AND FILLING MODE
1	2	CSUB	SUBSIDIARY
3	9	CSIB	BEGINNING OF SITE CODE
12	3	CSIE	end of site code
15	3	CPRO	PRODUCT CODE
18	6	CEVT	EVENT NUMBER

DESCRIPTION OF DAF TABLES
EVENTS

SEGMENT DEFINITION EV29

NAME.....: EVTXSITIRF : EVENTS/SITE & INT. REF.

OCCUR. OF SEGMENT IN TABLE:
EST. NUMBER OF INSTANCES..:

VALUE OF RECORD TYPE ELEM.:
CODE OF ACTION CODE ELEM..:

PRESENCE.....: CR: MO: DE:
M4: M5: M6:

SESSION NUMBER.....: 4576

POS	LEN	CLASS VALUE	DESCRIPTION OF FIELDS AND FILLING MODE
1	2	CSUB	SUBSIDIARY
3	6	CEVT	EVENT NUMBER
9	9	CSIB	BEGINNING OF SITE CODE
18	3	CSIE	end of site code
21	15	VIRF	INTERNAL REFERENCE
36	3	CPRO	PRODUCT CODE

DESCRIPTION OF DAF TABLES
EVENTS

2
3

SEGMENT DEFINITION EV30

NAME.....: EVTXSTA : EVENTS BY STATUS

OCCUR. OF SEGMENT IN TABLE:
EST. NUMBER OF INSTANCES..:

VALUE OF RECORD TYPE ELEM.:
CODE OF ACTION CODE ELEM.:

PRESENCE.....: CR: MO: DE:
M4: M5: M6:

SESSION NUMBER.....: 4576

POS	LEN	CLASS VALUE	DESCRIPTION OF FIELDS AND FILLING MODE
1	3	CPRO	PRODUCT CODE
4	2	CSUB	SUBSIDIARY
6	6	CEVT	EVENT NUMBER
12	2	CSTA	STATUS
14	1	OCLO	FLAG FOR CLOSED CHANGE/EVENT

DESCRIPTION OF DAF TABLES
EVENTS

2
3

SEGMENT DEFINITION EV31

NAME.....: EVTXTYP : EVENTS BY TYPE

OCCUR. OF SEGMENT IN TABLE:
EST. NUMBER OF INSTANCES..:

VALUE OF RECORD TYPE ELEM.:
CODE OF ACTION CODE ELEM..:

PRESENCE.....: CR: MO: DE:
 M4: M5: M6:

SESSION NUMBER.....: 4576

POS	LEN	CLASS VALUE	DESCRIPTION OF FIELDS AND FILLING MODE
1	3	CPRO	PRODUCT CODE
4	2	CSUB	SUBSIDIARY
6	6	CEVT	EVENT NUMBER
12	2	CTYP	TYPE CODE
14	1	OCLO	FLAG FOR CLOSED CHANGE/EVENT

DESCRIPTION OF DAF TABLES
EVENTS

2
3

SEGMENT DEFINITION EV32

NAME.....: EVTXUSR : EVENTS BY USER

OCCUR. OF SEGMENT IN TABLE:
EST. NUMBER OF INSTANCES..:

VALUE OF RECORD TYPE ELEM.:
CODE OF ACTION CODE ELEM..:
PRESENCE.....: CR: MO: DE:
 M4: M5: M6:

SESSION NUMBER.....: 4576

POS	LEN	CLASS VALUE	DESCRIPTION OF FIELDS AND FILLING MODE
1	3	CPRO	PRODUCT CODE
4	2	CSUB	SUBSIDIARY
6	6	CEVT	EVENT NUMBER
12	8	CUSR	USER CODE
20	1	OCLO	FLAG FOR CLOSED CHANGE/EVENT

DESCRIPTION OF DAF TABLES
EVENTS

2
3

SEGMENT DEFINITION EV33

NAME.....: EVTXVER : EVENTS BY VERSION

OCCUR. OF SEGMENT IN TABLE:
EST. NUMBER OF INSTANCES..:

VALUE OF RECORD TYPE ELEM.:
CODE OF ACTION CODE ELEM..:

PRESENCE.....: CR: MO: DE:
M4: M5: M6:

SESSION NUMBER.....: 4576

POS	LEN	CLASS VALUE	DESCRIPTION OF FIELDS AND FILLING MODE
1	3	CPRO	PRODUCT CODE
4	2	CSUB	SUBSIDIARY
6	6	CEVT	EVENT NUMBER
12	2	CTPK	TECHNICAL PACKAGE
14	3	CRLE	RELEASE
17	1	OCLO	FLAG FOR CLOSED CHANGE/EVENT

2.4. SITES

SITES

Definition

SITDEF Sites Definitions

Descriptions

SITCLC Users Contacts (-C choice)

SITSCP Supplier contacts (-U choice)

SITVER Delivered Versions (-V choice)

Last site events (for each product)

SITNUM Last site number

Cross-references

SITXSHR Sites by short code

SITXCOD Sites by code - 9 + 3 characters (LCS choice)

SITXRSC Sites by Corporate name (LNS choice)

DESCRIPTION OF DAF TABLES
SITES

2
4

SEGMENT DEFINITION SI01

NAME.....: SITDEF : SITE DEFINITION

OCCUR. OF SEGMENT IN TABLE:
EST. NUMBER OF INSTANCES..:

VALUE OF RECORD TYPE ELEM.:
CODE OF ACTION CODE ELEM..:

PRESENCE.....: CR: MO: DE:
 M4: M5: M6:

SESSION NUMBER.....: 4576

EXPLICIT KEYWORDS : DAF

POS	LEN	CLASS VALUE	DESCRIPTION OF FIELDS AND FILLING MODE
1	2	CSUB	SUBSIDIARY
3	9	CSIB	BEGINNING OF SITE CODE
12	3	CSIE	end of site code
15	3	CREG	REGION
18	1	CLAN	LANGUAGE CODE
19	3	CSHR	SHORT SITE CODE
22	2	CSTA	STATUS
24	40	CCPN	CORPORATE NAME
64	20	CPHN	PHONE NUMBER
84	20	CFAX	FAX NUMBER
104	20	CTLX	TELEX NUMBER
124	40	VADD1	ADDRESS : FIRST LINE
164	40	VADD2	ADDRESS : SECOND LINE
204	40	VADD3	ADDRESS : THIRD LINE
244	40	VADD4	ADDRESS : FOURTH LINE

DESCRIPTION OF DAF TABLES
SITES

2
4

SEGMENT DEFINITION SI02

NAME.....: SITCLC : CLIENT CONTACTS

OCCUR. OF SEGMENT IN TABLE:
EST. NUMBER OF INSTANCES..:

VALUE OF RECORD TYPE ELEM.:
CODE OF ACTION CODE ELEM..:

PRESENCE.....: CR: MO: DE:
 M4: M5: M6:

SESSION NUMBER.....: 4576

EXPLICIT KEYWORDS : DAF

POS	LEN	CLASS VALUE	DESCRIPTION OF FIELDS AND FILLING MODE
1	2	CSUB	SUBSIDIARY
3	9	CSIB	BEGINNING OF SITE CODE
12	3	CSIE	end of site code
15	3	CLIX	ALPHANUMERIC LINE NUMBER
18	2	VTIT	TITLE
20	30	LLNA	LAST NAME
50	15	LFNA	FIRST NAME
65	15	LMNA	MIDDLE NAME
80	15	LNNA	NICKNAME
95	3	CFCN	FUNCTION
98	50	LFCN	FUNCTION LABEL
148	3	CPRO	PRODUCT CODE
151	2	CTPK	TECHNICAL PACKAGE
153	3	CSPE	SPECIAL RESPONSABILITY
156	50	DREM50	50 CHARACTERS REMARK

DESCRIPTION OF DAF TABLES
SITES

2
4

SEGMENT DEFINITION SI03

NAME.....: SITSPC : SUPPLIER CONTACTS

OCCUR. OF SEGMENT IN TABLE:
EST. NUMBER OF INSTANCES..:

VALUE OF RECORD TYPE ELEM.:
CODE OF ACTION CODE ELEM..:

PRESENCE.....: CR: MO: DE:
 M4: M5: M6:

SESSION NUMBER.....: 4576

EXPLICIT KEYWORDS : DAF

POS	LEN	CLASS VALUE	DESCRIPTION OF FIELDS AND FILLING MODE
1	2	CSUB	SUBSIDIARY
3	9	CSIB	BEGINNING OF SITE CODE
12	3	CSIE	end of site code
15	3	CLIX	ALPHANUMERIC LINE NUMBER
18	8	CUSR	USER CODE
26	3	CFCN	FUNCTION

DESCRIPTION OF DAF TABLES
SITES

2
4

SEGMENT DEFINITION SI04

NAME.....: SITNUM : LAST SITE NUMBER

OCCUR. OF SEGMENT IN TABLE:
EST. NUMBER OF INSTANCES..:

VALUE OF RECORD TYPE ELEM.:
CODE OF ACTION CODE ELEM..:

PRESENCE.....: CR: MO: DE:
 M4: M5: M6:

SESSION NUMBER.....: 4576

EXPLICIT KEYWORDS : DAF

POS	LEN	CLASS VALUE	DESCRIPTION OF FIELDS AND FILLING MODE
1	2	CSUB	SUBSIDIARY
3	9	CSIB	BEGINNING OF SITE CODE
12	3	CSIE	end of site code
15	3	CPRO	PRODUCT CODE
18	6	CEVT	EVENT NUMBER

DESCRIPTION OF DAF TABLES
SITES

2
4

SEGMENT DEFINITION SI05

NAME.....: SITVER : DELIVERED VERSIONS

OCCUR. OF SEGMENT IN TABLE:
EST. NUMBER OF INSTANCES..:

VALUE OF RECORD TYPE ELEM.:
CODE OF ACTION CODE ELEM..:

PRESENCE.....: CR: MO: DE:
 M4: M5: M6:

SESSION NUMBER.....: 4576

EXPLICIT KEYWORDS : DAF

POS	LEN	CLASS VALUE	DESCRIPTION OF FIELDS AND FILLING MODE
1	2	CSUB	SUBSIDIARY
3	9	CSIB	BEGINNING OF SITE CODE
12	3	CSIE	end of site code
15	3	CPRO	PRODUCT CODE
18	2	CTPK	TECHNICAL PACKAGE
20	3	CRLE	RELEASE
23	3	CLIX	ALPHANUMERIC LINE NUMBER
26	3	CHDW	HARDWARE
29	3	NVER	VERSION NUMBER
32	1	CLANV	VERSION LANGUAGE
33	11	VVOL	VOLUME
44	8	VDAD	DATE
52	20	DREM	REMARKS

DESCRIPTION OF DAF TABLES
SITES

SEGMENT DEFINITION SI06

NAME.....: SITCOM: COMMENTS

OCCUR. OF SEGMENT IN TABLE:
EST. NUMBER OF INSTANCES..:

VALUE OF RECORD TYPE ELEM.:
CODE OF ACTION CODE ELEM.:

PRESENCE.....: CR: MO: DE:
 M4: M5: M6:

SESSION NUMBER.....: 4721

POS	LEN	CLASS VALUE	DESCRIPTION OF FIELDS AND FILLING MODE
1	2	CSUB	SUBSIDIARY
3	9	CSIB	BEGINNING OF SITE CODE
12	3	CSIE	end of site code
15	3	CLIX	ALPHANUMERIC LINE NUMBER
18	60	DTXT	TEXT

DESCRIPTION OF DAF TABLES
SITES

SEGMENT DEFINITION SI10

NAME.....: SITXSHR : SITES BY SHORT CODE

OCCUR. OF SEGMENT IN TABLE:
EST. NUMBER OF INSTANCES..:

VALUE OF RECORD TYPE ELEM.:
CODE OF ACTION CODE ELEM..:

PRESENCE.....: CR: MO: DE:
 M4: M5: M6:

SESSION NUMBER.....: 4576

EXPLICIT KEYWORDS : DAF

POS	LEN	CLASS VALUE	DESCRIPTION OF FIELDS AND FILLING MODE
1	2	CSUB	SUBSIDIARY
3	9	CSIB	BEGINNING OF SITE CODE
12	3	CSIE	end of site code
15	3	CSHR	SHORT SITE CODE

DESCRIPTION OF DAF TABLES
SITES

SEGMENT DEFINITION SI11

NAME.....: SITXCOD : SITES BY CODE

OCCUR. OF SEGMENT IN TABLE:
EST. NUMBER OF INSTANCES..:

VALUE OF RECORD TYPE ELEM.:
CODE OF ACTION CODE ELEM..:
PRESENCE.....: CR: MO: DE:
 M4: M5: M6:

SESSION NUMBER.....: 4576

EXPLICIT KEYWORDS : DAF

POS	LEN	CLASS VALUE	DESCRIPTION OF FIELDS AND FILLING MODE
1	9	CSIB	BEGINNING OF SITE CODE
10	3	CSIE	end of site code
13	2	CSUB	SUBSIDIARY

DESCRIPTION OF DAF TABLES
SITES

SEGMENT DEFINITION SI12

NAME.....: SITXCPN : SITES BY CORPORATE NAME

OCCUR. OF SEGMENT IN TABLE:
EST. NUMBER OF INSTANCES..:

VALUE OF RECORD TYPE ELEM.:
CODE OF ACTION CODE ELEM.:

PRESENCE.....: CR: MO: DE:
 M4: M5: M6:

SESSION NUMBER.....: 4576

POS	LEN	CLASS VALUE	DESCRIPTION OF FIELDS AND FILLING MODE
1	2	CSUB	SUBSIDIARY
3	9	CSIB	BEGINNING OF SITE CODE
12	3	CSIE	end of site code
15	21	CTRCPN	TRUNCATED CORPORATE NAME

2.5. *QUERIES*

QUERIES

DEfinition

QRYDEF Query Definition

Descriptions

QRYDES Query Description (-D choice)

Submitted Query

QRYSUB (LVQ choice)

DESCRIPTION OF DAF TABLES
 QUERIES

SEGMENT DEFINITION QR01

NAME.....: QRYDEF : QUERY DEFINITION

OCCUR. OF SEGMENT IN TABLE:
 EST. NUMBER OF INSTANCES..:

VALUE OF RECORD TYPE ELEM.:
 CODE OF ACTION CODE ELEM..:
 PRESENCE.....: CR: MO: DE:
 M4: M5: M6:

SESSION NUMBER.....: 4576

POS	LEN	CLASS VALUE	DESCRIPTION OF FIELDS AND FILLING MODE
1	8	CUSR	USER CODE
9	1	TQRY	QUERY TYPE
10	6	CQRY	QUERY CODE
16	1	OVAL	VALIDATION FLAG
17	40	LQRY	QUERY NAME
57	6	CRPQ	QUERY REPORT CODE
63	1	VDLM	DELIMITER
64	1	VSYM	SYMBOL
65	1	VSEP	SEPARATOR
66	60	VPAR	PARAMETERS
126	1	OLCK	QUERY OR REPORT LOCK
127	49	DCOM1	FIRST COMMENTS LINE
176	49	DCOM2	SECOND COMMENTS LINE
225	49	DCOM3	THIRD COMMENTS LINE
274	49	DCOM4	FOURTH COMMENTS LINE
323	49	DCOM5	FIFTH COMMENTS LINE

DESCRIPTION OF DAF TABLES
 QUERIES

2
 5

SEGMENT DEFINITION QR02

NAME.....: QRYDES : QUERY DESCRIPTION

OCCUR. OF SEGMENT IN TABLE:
 EST. NUMBER OF INSTANCES..:

VALUE OF RECORD TYPE ELEM.:
 CODE OF ACTION CODE ELEM..:

PRESENCE.....: CR: MO: DE:
 M4: M5: M6:

SESSION NUMBER.....: 4576

EXPLICIT KEYWORDS : DAF RQ02

POS	LEN	CLASS VALUE	DESCRIPTION OF FIELDS AND FILLING MODE
1	8	CUSR	USER CODE
9	1	TQRY	QUERY TYPE
10	6	CQRY	QUERY CODE
16	2	CPAG	PAGE NUMBER
18	2	CLIT	TWO CHARACTERS LINE NUMBER
20	1	CLAN	LANGUAGE CODE
21	55	VSEL	SELECTION CRITERIA

DESCRIPTION OF DAF TABLES
 QUERIES

2
 5

SEGMENT DEFINITION QR03

NAME.....: QRYSUB : SUBMITTED QUERY

OCCUR. OF SEGMENT IN TABLE:
 EST. NUMBER OF INSTANCES..:

VALUE OF RECORD TYPE ELEM.:
 CODE OF ACTION CODE ELEM..:

PRESENCE.....: CR: MO: DE:
 M4: M5: M6:

SESSION NUMBER.....: 4576

EXPLICIT KEYWORDS : DAF RQ03

POS	LEN	CLASS VALUE	DESCRIPTION OF FIELDS AND FILLING MODE
1	8	CUSR	USER CODE
9	1	TQRY	QUERY TYPE
10	6	CQRY	QUERY CODE
16	40	LQRY	QUERY NAME
56	6	CRPQ	QUERY REPORT CODE
62	1	VDLM	DELIMITER
63	1	VSYM	SYMBOL
64	1	VSEP	SEPARATOR
65	60	VPAR	PARAMETERS
125	1	OLCK	QUERY OR REPORT LOCK

2.6. *QUERY REPORTS*

QUERY REPORTS

Definition

RPQDEF Query report definition

Descriptions

RPQLAY Layout query report (-L choice)

RPQCNT Query report contents (-C choice)

DESCRIPTION OF DAF TABLES
 QUERY REPORTS

SEGMENT DEFINITION RQ01

NAME.....: RPQDEF : QUERY REPORT DEFINITION

OCCUR. OF SEGMENT IN TABLE:
 EST. NUMBER OF INSTANCES..:

VALUE OF RECORD TYPE ELEM.:
 CODE OF ACTION CODE ELEM.:

PRESENCE.....: CR: MO: DE:
 M4: M5: M6:

SESSION NUMBER.....: 4576

POS	LEN	CLASS VALUE	DESCRIPTION OF FIELDS AND FILLING MODE
1	8	CUSR	USER CODE
9	1	TRPQ	QUERY REPORT TYPE
10	6	CRPQ	QUERY REPORT CODE
16	40	LRPQ	QUERY REPORT NAME
56	1	CLAN	LANGUAGE CODE
57	1	NLIP	LINES PER PAGE NUMBER
58	1	OLCK	QUERY OR REPORT LOCK
59	49	DCOM1	FIRST COMMENTS LINE
108	49	DCOM2	SECOND COMMENTS LINE
157	49	DCOM3	THIRD COMMENTS LINE
206	49	DCOM4	FOURTH COMMENTS LINE
255	49	DCOM5	FIFTH COMMENTS LINE

DESCRIPTION OF DAF TABLES
 QUERY REPORTS

PAGE

80

2
 6

SEGMENT DEFINITION RQ02
 NAME.....: RPQLAY: LAYOUTS QUERY REPORT
 OCCUR. OF SEGMENT IN TABLE:
 EST. NUMBER OF INSTANCES..
 VALUE OF RECORD TYPE ELEM.:
 CODE OF ACTION CODE ELEM..
 PRESENCE.....: CR: MO: DE:
 M4: M5: M6:
 SESSION NUMBER.....: 4576

POS	LEN	CLASS VALUE	DESCRIPTION OF FIELDS AND FILLING MODE
1	8	CUSR	USER CODE
9	1	TRPQ	QUERY REPORT TYPE
10	6	CRPQ	QUERY REPORT CODE
16	1	TLIN	TYPE OF LINE
17	2	CLIT	TWO CHARACTERS LINE NUMBER
19	132	VRPQ	LABEL REPORT VALUE

DESCRIPTION OF DAF TABLES
 QUERY REPORTS

PAGE

81

2
 6

SEGMENT DEFINITION RQ03

NAME.....: RPQCNT : QUERY REPORT CONTENTS

OCCUR. OF SEGMENT IN TABLE:
 EST. NUMBER OF INSTANCES..:

VALUE OF RECORD TYPE ELEM.:
 CODE OF ACTION CODE ELEM.:

PRESENCE.....: CR: MO: DE:
 M4: M5: M6:

SESSION NUMBER.....: 4576

EXPLICIT KEYWORDS : DAF

POS	LEN	CLASS VALUE	DESCRIPTION OF FIELDS AND FILLING MODE
1	8	CUSR	USER CODE
9	1	TRPQ	QUERY REPORT TYPE
10	6	CRPQ	QUERY REPORT CODE
16	3	CLIX	ALPHANUMERIC LINE NUMBER
19	1	CLAN	LANGUAGE CODE
20	1	NSRT	SORT NUMERO
21	1	TSRT	SORT DIRECTION
22	1	TLIN1	FIRST LINE TYPE
23	2	NLIT1	FIRST LINE NUMBER POSITIONING
25	3	NCOL1	FIRST POSITIONING COLUMN
28	1	TLIN2	SECOND LINE TYPE
29	2	NLIT2	SECOND LINE NUMBER POSITIONING
31	3	NCOL2	SECOND POSITIONING COLUMN
34	1	TLIN3	THIRD LINE TYPE
35	2	NLIT3	THIRD LINE NUMBER POSITIONING
37	3	NCOL3	THIRD POSITIONING COLUMN

DESCRIPTION OF DAF TABLES
CONTROL CARDS

PAGE

82

2
7

2.7. CONTROL CARDS

CONTROL CARDS

CTLCDR Control cards (LJQ choice)

DESCRIPTION OF DAF TABLES
CONTROL CARDS

2
7

SEGMENT DEFINITION CT01

NAME.....: CTLCRD : CONTROL CARDS

OCCUR. OF SEGMENT IN TABLE:
EST. NUMBER OF INSTANCES..:

VALUE OF RECORD TYPE ELEM.:
CODE OF ACTION CODE ELEM..:
PRESENCE.....: CR: MO: DE:
 M4: M5: M6:

SESSION NUMBER.....: 4576

EXPLICIT KEYWORDS : DAF CT01

POS	LEN	CLASS VALUE	DESCRIPTION OF FIELDS AND FILLING MODE
1	8	CUSR	USER CODE
9	1	TLIN	TYPE OF LINE
10	3	CLIX	ALPHANUMERIC LINE NUMBER
13	1	OVAL	VALIDATION FLAG
14	66	VJCL	JCL LINE

2.8. TABLES

TABLES

TATDEF Attributes	
TGRDEF Gravities	
TLADEF Languages	
TOPDEF Options	
TPHDEF Phases	
TPRDEF Products	
TRANUM Number ranges	
TREDEF Regions	
TSTDEF Status	
TSUDEF Subsidiaries	
TTYDEF Types	
TUDDEF Users	
TUGDEF General authorizations	
TUPDEF Products authorizations	
TUSDEF Subsidiaries authorizations	
TVEDEF Versions	

DESCRIPTION OF DAF TABLES
TABLES

2
8

SEGMENT DEFINITION TA01

NAME.....: TATDEF : ATTRIBUTES

OCCUR. OF SEGMENT IN TABLE:
EST. NUMBER OF INSTANCES..:

VALUE OF RECORD TYPE ELEM.:
CODE OF ACTION CODE ELEM..:

PRESENCE.....: CR: MO: DE:
 M4: M5: M6:

SESSION NUMBER.....: 4576

EXPLICIT KEYWORDS : DAF

POS	LEN	CLASS VALUE	DESCRIPTION OF FIELDS AND FILLING MODE
1	1	TCAT	CONTACT ATTRIBUTE TYPE
2	3	CCAT	CONTACT ATTRIBUTE CODE
5	1	CLAN	LANGUAGE CODE
6	50	LCAT	CONTACT ATTRIBUTE LABEL
56	1	ODEL	FLAG INHIBITION

DESCRIPTION OF DAF TABLES
TABLES

2
8

SEGMENT DEFINITION TA03

NAME.....: TGRDEF : GRAVITIES

OCCUR. OF SEGMENT IN TABLE:
EST. NUMBER OF INSTANCES..:

VALUE OF RECORD TYPE ELEM.:
CODE OF ACTION CODE ELEM..:

PRESENCE.....: CR: MO: DE:
 M4: M5: M6:

SESSION NUMBER.....: 4621

EXPLICIT KEYWORDS : DAF

POS	LEN	CLASS VALUE	DESCRIPTION OF FIELDS AND FILLING MODE
1	1	TGRA	GRAVITY TYPE (C/E)
2	1	CGRA	GRAVITY
3	1	CLAN	LANGUAGE CODE
4	30	LGRA	GRAVITY LABEL
34	1	ODEL	FLAG INHIBITION

DESCRIPTION OF DAF TABLES
TABLES

SEGMENT DEFINITION TA05

NAME.....: TLADEF : LANGUAGES

OCCUR. OF SEGMENT IN TABLE:
EST. NUMBER OF INSTANCES..:

VALUE OF RECORD TYPE ELEM.:
CODE OF ACTION CODE ELEM..:

PRESENCE.....: CR: MO: DE:
 M4: M5: M6:

SESSION NUMBER.....: 4621

EXPLICIT KEYWORDS : DAF

POS	LEN	CLASS VALUE	DESCRIPTION OF FIELDS AND FILLING MODE
1	1	CLAN	LANGUAGE CODE
2	1	CLANL	LABEL LANGUAGE CODE
3	8	LLANS	LANGUAGE SHORT LABEL
11	15	LLANL	LANGUAGE LONG LABEL
26	1	ODEL	FLAG INHIBITION

DESCRIPTION OF DAF TABLES
TABLES

2
8

SEGMENT DEFINITION TA07

NAME.....: TOPDEF : OPTIONS

OCCUR. OF SEGMENT IN TABLE:
EST. NUMBER OF INSTANCES..:

VALUE OF RECORD TYPE ELEM.:
CODE OF ACTION CODE ELEM..:

PRESENCE.....: CR: MO: DE:
 M4: M5: M6:

SESSION NUMBER.....: 4621

EXPLICIT KEYWORDS : DAF

POS	LEN	CLASS VALUE	DESCRIPTION OF FIELDS AND FILLING MODE
1	3	CPRO	PRODUCT CODE
4	8	COPT	OPTION
12	1	CLAN	LANGUAGE CODE
13	8	LOPTS	OPTION SHORT LABEL
21	30	LOPTL	OPTION LONG LABEL
51	1	ODEL	FLAG INHIBITION

DESCRIPTION OF DAF TABLES
TABLES

2
8

SEGMENT DEFINITION TA09

NAME.....: TPHDEF : PHASES

OCCUR. OF SEGMENT IN TABLE:
EST. NUMBER OF INSTANCES..:

VALUE OF RECORD TYPE ELEM.:
CODE OF ACTION CODE ELEM..:

PRESENCE.....: CR: MO: DE:
 M4: M5: M6:

SESSION NUMBER.....: 4621

EXPLICIT KEYWORDS : DAF

POS	LEN	CLASS VALUE	DESCRIPTION OF FIELDS AND FILLING MODE
1	3	CPRO	PRODUCT CODE
4	8	CPHA	PHASE
12	1	CLAN	LANGUAGE CODE
13	8	LPHAS	PHASE SHORT LABEL
21	25	LPHAL	PHASE LONG LABEL
46	1	ODEL	FLAG INHIBITION

DESCRIPTION OF DAF TABLES
TABLES

2
8

SEGMENT DEFINITION TA11

NAME.....: TPRDEF : PRODUCTS

OCCUR. OF SEGMENT IN TABLE:
EST. NUMBER OF INSTANCES..:

VALUE OF RECORD TYPE ELEM.:
CODE OF ACTION CODE ELEM..:

PRESENCE.....: CR: MO: DE:
 M4: M5: M6:

SESSION NUMBER.....: 4621

EXPLICIT KEYWORDS : DAF

POS	LEN	CLASS VALUE	DESCRIPTION OF FIELDS AND FILLING MODE
1	3	CPRO	PRODUCT CODE
4	1	CLAN	LANGUAGE CODE
5	8	LPROS	PRODUCT SHORT LABEL
13	20	LPROL	PRODUCT LONG LABEL
33	1	ODEL	FLAG INHIBITION

DESCRIPTION OF DAF TABLES
TABLES

2
8

SEGMENT DEFINITION TA13

NAME.....: TRANUM : NUMBER RANGES

OCCUR. OF SEGMENT IN TABLE:
EST. NUMBER OF INSTANCES..:

VALUE OF RECORD TYPE ELEM.:
CODE OF ACTION CODE ELEM..:

PRESENCE.....: CR: MO: DE:
 M4: M5: M6:

SESSION NUMBER.....: 4621

EXPLICIT KEYWORDS : DAF

POS	LEN	CLASS VALUE	DESCRIPTION OF FIELDS AND FILLING MODE
1	3	CPRO	PRODUCT CODE
4	2	CSUB	SUBSIDIARY
6	6	NNXT	NEXT NUMBER
12	6	NTOP	TOP OF RANGE
18	6	NBOT	BOTTOM OF RANGE
24	6	NALM	ALARM NUMBER

DESCRIPTION OF DAF TABLES
TABLES

SEGMENT DEFINITION TA15

NAME.....: TREDEF : REGIONS

OCCUR. OF SEGMENT IN TABLE:
EST. NUMBER OF INSTANCES..:

VALUE OF RECORD TYPE ELEM.:
CODE OF ACTION CODE ELEM..:
PRESENCE.....: CR: MO: DE:
 M4: M5: M6:

SESSION NUMBER.....: 4621

EXPLICIT KEYWORDS : DAF

POS	LEN	CLASS VALUE	DESCRIPTION OF FIELDS AND FILLING MODE
1	3	CREG	REGION
4	1	CLAN	LANGUAGE CODE
5	30	LREG	REGION LABEL
35	1	ODEL	FLAG INHIBITION

DESCRIPTION OF DAF TABLES
TABLES

2
8

SEGMENT DEFINITION TA17

NAME.....: TSTDEF : STATUS

OCCUR. OF SEGMENT IN TABLE:
EST. NUMBER OF INSTANCES..:

VALUE OF RECORD TYPE ELEM.:
CODE OF ACTION CODE ELEM.:

PRESENCE.....: CR: MO: DE:
M4: M5: M6:

SESSION NUMBER.....: 4621

POS	LEN	CLASS VALUE	DESCRIPTION OF FIELDS AND FILLING MODE
1	1	TSTA	STATUS TYPE (C/E/S)
2	2	CSTA	STATUS
4	1	CLAN	LANGUAGE CODE
5	30	LSTA	STATUS LABEL
35	1	ODEL	FLAG INHIBITION

DESCRIPTION OF DAF TABLES
TABLES

2
8

SEGMENT DEFINITION TA19

NAME.....: TSUDEF : SUBSIDIARIES

OCCUR. OF SEGMENT IN TABLE:
EST. NUMBER OF INSTANCES..:

VALUE OF RECORD TYPE ELEM.:
CODE OF ACTION CODE ELEM..:

PRESENCE.....: CR: MO: DE:
 M4: M5: M6:

SESSION NUMBER.....: 4621

EXPLICIT KEYWORDS : DAF

POS	LEN	CLASS VALUE	DESCRIPTION OF FIELDS AND FILLING MODE
1	2	CSUB	SUBSIDIARY
3	1	CLAN	LANGUAGE CODE
4	11	LSUBS	SUBSIDIARY SHORT LABEL
15	25	LSUBL	SUBSIDIARY LONG LABEL
40	1	CLANS	DEFAULT SUBSIDIARY LANGUAGE
41	1	ODEL	FLAG INHIBITION

DESCRIPTION OF DAF TABLES
TABLES

SEGMENT DEFINITION TA21

NAME.....: TTYDEF : TYPES

OCCUR. OF SEGMENT IN TABLE:
EST. NUMBER OF INSTANCES..:

VALUE OF RECORD TYPE ELEM.:
CODE OF ACTION CODE ELEM..:

PRESENCE.....: CR: MO: DE:
 M4: M5: M6:

SESSION NUMBER.....: 4621

EXPLICIT KEYWORDS : DAF

POS	LEN	CLASS VALUE	DESCRIPTION OF FIELDS AND FILLING MODE
1	1	TTYP	TYPE (C/E)
2	2	CTYP	TYPE CODE
4	1	CLAN	LANGUAGE CODE
5	30	LTYP	TYPE LANGUAGE
35	1	ODEL	FLAG INHIBITION

DESCRIPTION OF DAF TABLES
TABLES

2
8

SEGMENT DEFINITION TA23

NAME.....: TUDDEF : USERS

OCCUR. OF SEGMENT IN TABLE:
EST. NUMBER OF INSTANCES..:

VALUE OF RECORD TYPE ELEM.:
CODE OF ACTION CODE ELEM..:

PRESENCE.....: CR: MO: DE:
M4: M5: M6:

SESSION NUMBER.....: 4621

EXPLICIT KEYWORDS : DAF

POS	LEN	CLASS VALUE	DESCRIPTION OF FIELDS AND FILLING MODE
1	8	CUSR	USER CODE
9	8	CPSW	PASSWORD
17	2	VTIT	TITLE
19	30	LLNA	LAST NAME
49	1	LINL	INITIAL
50	3	CFCN	FUNCTION
53	1	CLAN	LANGUAGE CODE
54	1	TUSR	USER TYPE
55	1	ODEL	FLAG INHIBITION

DESCRIPTION OF DAF TABLES
TABLES

2
8

SEGMENT DEFINITION TA24

NAME.....: TUGDEF : GENERAL AUTHORIZATIONS

OCCUR. OF SEGMENT IN TABLE:
EST. NUMBER OF INSTANCES..:

VALUE OF RECORD TYPE ELEM.:
CODE OF ACTION CODE ELEM.:

PRESENCE.....: CR: MO: DE:
M4: M5: M6:

SESSION NUMBER.....: 4621

EXPLICIT KEYWORDS : DAF

POS	LEN	CLASS VALUE	DESCRIPTION OF FIELDS AND FILLING MODE
1	8	CUSR	USER CODE
9	1	VAUTG	GENERAL AUTHORIZATION
10	1	VAUTT	AUTHORIZATION FOR TABLES
11	3	CPRO	PRODUCT CODE
14	1	VAUTP	PRODUCT AUTHORIZATION
15	2	CSUB	SUBSIDIARY
17	1	VAUTE	EVENT AUTHORIZATION
18	1	VAUTS	SITE AUTHORIZATION
19	9	CSIB	BEGINNING OF SITE CODE
28	3	CSIE	end of site code

DESCRIPTION OF DAF TABLES
TABLES

2
8

SEGMENT DEFINITION TA25

NAME.....: TUPDEF : PRODUCTS AUTHORIZATION

OCCUR. OF SEGMENT IN TABLE:
EST. NUMBER OF INSTANCES..:

VALUE OF RECORD TYPE ELEM.:
CODE OF ACTION CODE ELEM.:

PRESENCE.....: CR: MO: DE:
M4: M5: M6:

SESSION NUMBER.....: 4621

EXPLICIT KEYWORDS : DAF

POS	LEN	CLASS VALUE	DESCRIPTION OF FIELDS AND FILLING MODE
1	8	CUSR	USER CODE
9	2	CLIT	TWO CHARACTERS LINE NUMBER
11	3	CPR1	PRODUCT CODE
14	1	VAUTP1	PRODUCT AUTHORIZATION
15	3	CPR2	PRODUCT CODE
18	1	VAUTP2	PRODUCT AUTHORIZATION
19	3	CPR3	PRODUCT CODE
22	1	VAUTP3	PRODUCT AUTHORIZATION
23	3	CPR4	PRODUCT CODE
26	1	VAUTP4	PRODUCT AUTHORIZATION
27	3	CPR5	PRODUCT CODE
30	1	VAUTP5	PRODUCT AUTHORIZATION
31	3	CPR6	PRODUCT CODE
34	1	VAUTP6	PRODUCT AUTHORIZATION
35	3	CPR7	PRODUCT CODE
38	1	VAUTP7	PRODUCT AUTHORIZATION
39	3	CPR8	PRODUCT CODE
42	1	VAUTP8	PRODUCT AUTHORIZATION

DESCRIPTION OF DAF TABLES
TABLES2
8

SEGMENT DEFINITION TA26

NAME.....: TUSDEF : SUBSIDIARIES AUTHORIZATIONS

OCCUR. OF SEGMENT IN TABLE:
EST. NUMBER OF INSTANCES..:VALUE OF RECORD TYPE ELEM.:
CODE OF ACTION CODE ELEM..:PRESENCE.....: CR: MO: DE:
M4: M5: M6:

SESSION NUMBER.....: 4698

EXPLICIT KEYWORDS : DAF

POS	LEN	CLASS VALUE	DESCRIPTION OF FIELDS AND FILLING MODE
1	8	CUSR	USER CODE
9	2	CLIT	TWO CHARACTERS LINE NUMBER
11	2	CSU1	SUBSIDIARY
13	1	VAUTE1	EVENT AUTHORIZATION
14	1	VAUTS1	SITE AUTHORIZATION
15	2	CSU2	SUBSIDIARY
17	1	VAUTE2	EVENT AUTHORIZATION
18	1	VAUTS2	SITE AUTHORIZATION
19	2	CSU3	SUBSIDIARY
21	1	VAUTE3	EVENT AUTHORIZATION
22	1	VAUTS3	SITE AUTHORIZATION
23	2	CSU4	SUBSIDIARY
25	1	VAUTE4	EVENT AUTHORIZATION
26	1	VAUTS4	SITE AUTHORIZATION
27	2	CSU5	SUBSIDIARY
29	1	VAUTE5	EVENT AUTHORIZATION
30	1	VAUTS5	SITE AUTHORIZATION
31	2	CSU6	SUBSIDIARY
33	1	VAUTE6	EVENT AUTHORIZATION
34	1	VAUTS6	SITE AUTHORIZATION
35	2	CSU7	SUBSIDIARY
37	1	VAUTE7	EVENT AUTHORIZATION
38	1	VAUTS7	SITE AUTHORIZATION

DESCRIPTION OF DAF TABLES
TABLES

2
8

SEGMENT DEFINITION TA29

NAME.....: TVEDEF: VERSIONS

OCCUR. OF SEGMENT IN TABLE:
EST. NUMBER OF INSTANCES..:

VALUE OF RECORD TYPE ELEM.:
CODE OF ACTION CODE ELEM.:

PRESENCE.....: CR: MO: DE:
M4: M5: M6:

SESSION NUMBER.....: 4621

POS	LEN	CLASS VALUE	DESCRIPTION OF FIELDS AND FILLING MODE
1	3	CPRO	PRODUCT CODE
4	2	CTPK	TECHNICAL PACKAGE
6	3	CRLE	RELEASE
9	3	CHDW	HARDWARE
12	3	NVER	VERSION NUMBER
15	1	CLANV	VERSION LANGUAGE
16	1	CLANL	LABEL LANGUAGE CODE
17	8	VDAD	DATE
25	18	LVER	VERSION LABEL
43	1	ODEL	FLAG INHIBITION

DESCRIPTION OF DAF TABLES
DATABASE LOCK

PAGE

101

2
9

2.9. DATABASE LOCK

DATABASE LOCK

LCKDTB

DESCRIPTION OF DAF TABLES
DATABASE LOCK

2
9

SEGMENT DEFINITION DL01

NAME.....: LCKDTB : DATABASE LOCK

OCCUR. OF SEGMENT IN TABLE:
EST. NUMBER OF INSTANCES..:

VALUE OF RECORD TYPE ELEM.:
CODE OF ACTION CODE ELEM..:

PRESENCE.....: CR: MO: DE:
M4: M5: M6:

SESSION NUMBER.....: 4576

EXPLICIT KEYWORDS : DAF

POS	LEN	CLASS VALUE	DESCRIPTION OF FIELDS AND FILLING MODE
1	4	CDTB	DATABASE CODE
5	3	CLIB	LIBRARY CODE
8	1	TSES	VERSION OF THE SESSION
9	1	ODBD	BLOCK DATABASE FLAG
10	1	ODST	DATA STRUCTURE FLAG
11	1	OELM	ELEMENT FLAG
12	1	OUEM	USER ENTITY FLAG
13	1	OPIA	PARAMETERIZED INPUT AID FLAG
14	1	OKWD	KEYWORD FLAG
15	1	OMOD	MODEL ENTITY FLAG
16	1	OSCR	SCREEN FLAG
17	1	OPGM	PROGRAM FLAG
18	1	OURE	USER RELATIONSHIP FLAG
19	1	ORPT	REPORT FLAG
20	1	OSEG	SEGMENT FLAG
21	1	OTXT	TEXT FLAG
22	1	OMAN	USER MANUAL FLAG
23	1	OVOL	VOLUME FLAG
24	1	OLIB	LIBRARY FLAG
25	3	VUEN01	USER ENTITY TYPE
28	3	VUEN02	USER ENTITY TYPE
31	3	VUEN03	USER ENTITY TYPE
34	3	VUEN04	USER ENTITY TYPE
37	3	VUEN05	USER ENTITY TYPE
40	3	VUEN06	USER ENTITY TYPE
43	3	VUEN07	USER ENTITY TYPE
46	3	VUEN08	USER ENTITY TYPE
49	3	VUEN09	USER ENTITY TYPE
52	3	VUEN10	USER ENTITY TYPE

DESCRIPTION OF DAF TABLES
KEYWORDS THESAURUS

PAGE

103

2
10

2.10. KEYWORDS THESAURUS

KEYWORDS THESAURUS

KEYWORDCHG Keywords for Changes

KEYWORDNAT Native keywords for Events

KEYWORDTEC Technical keywords for Events

DESCRIPTION OF DAF TABLES
KEYWORDS THESAURUS

PAGE

104

2
10

SEGMENT DEFINITION TH01

NAME.....: KEYWORDCHG : CHANGE KEYWORDS

OCCUR. OF SEGMENT IN TABLE:
EST. NUMBER OF INSTANCES..:

VALUE OF RECORD TYPE ELEM.:
CODE OF ACTION CODE ELEM..:

PRESENCE.....: CR: MO: DE:
M4: M5: M6:

SESSION NUMBER.....: 4576

EXPLICIT KEYWORDS : DAF

POS	LEN	CLASS VALUE	DESCRIPTION OF FIELDS AND FILLING MODE
1	3	CPRO	PRODUCT CODE
4	1	CLAN	LANGUAGE CODE
5	13	VKWDP	PRINCIPAL KEYWORD
18	13	VKWDS	SYNONYM KEYWORD

DESCRIPTION OF DAF TABLES
KEYWORDS THESAURUS

PAGE

105

2
10

SEGMENT DEFINITION TH02

NAME.....: KEYWORDNAT : NATIVE EVENT KEYWORDS

OCCUR. OF SEGMENT IN TABLE:
EST. NUMBER OF INSTANCES..:

VALUE OF RECORD TYPE ELEM.:
CODE OF ACTION CODE ELEM..:

PRESENCE.....: CR: MO: DE:
M4: M5: M6:

SESSION NUMBER.....: 4576

POS	LEN	CLASS VALUE	DESCRIPTION OF FIELDS AND FILLING MODE
1	3	CPRO	PRODUCT CODE
4	2	CSUB	SUBSIDIARY
6	13	VKWDP	PRINCIPAL KEYWORD
19	13	VKWDS	SYNONYM KEYWORD

DESCRIPTION OF DAF TABLES
KEYWORDS THESAURUS

PAGE

106

2
10

SEGMENT DEFINITION TH03

NAME.....: KEYWORDTEC: TECHNICAL KEYWORDS EVENT

OCCUR. OF SEGMENT IN TABLE:
EST. NUMBER OF INSTANCES..:

VALUE OF RECORD TYPE ELEM.:
CODE OF ACTION CODE ELEM.:

PRESENCE.....: CR: MO: DE:
M4: M5: M6:

SESSION NUMBER.....: 4576

POS	LEN	CLASS VALUE	DESCRIPTION OF FIELDS AND FILLING MODE
1	3	CPRO	PRODUCT CODE
4	13	VKWDP	PRINCIPAL KEYWORD
17	13	VKWDS	SYNONYM KEYWORD