

Technical report:
**SAP Development and Test
Environments with IBM System
Storage N series Solutions**

Solution performance impact

• • • • • • • • •

Document NS3631-0

June 22, 2008




Table of contents

Abstract	3
Introduction	3
Business challenges facing the SAP customer	3
Technology challenges of an expanding SAP landscape.....	3
Creating SAP system copies with IBM N series	5
Homogenous SAP system copies	5
SAP system copy capacity requirements	5
SAP system copy time requirements.....	7
Accelerating test and training cycles	9
Infrastructure options for test and development systems on IBM N series	10
IBM N series storage infrastructure solutions	10
System copy on the local storage system.....	10
System copies on a remote storage system	12
Solutions for heterogeneous storage infrastructure.....	13
Data migration with ReplicatorX.....	13
SAP system copies with a standby database	15
N series storage in an SAP test-data migration-server environment	16
N series storage and SAP TDMS	16
Conclusion	18
Trademarks and special notices	19



Abstract

This document describes the best practices for deploying IBM System Storage N series solutions in support of non-production SAP instances and in situations where the production SAP instances might reside on either IBM N series or another vendor's storage.

Introduction

This document addresses the challenges of designing storage solutions based on the SAP® NetWeaver® technology platform. It describes the scenario in which a customer utilizes another vendor's storage platform to support production SAP instances while the non-production landscapes are supported on IBM® System Storage® N series™ storage systems, as well as the scenario in which IBM N series is the only storage solution. It is assumed that the competing vendor's storage platform is either based on a Fibre Channel (FC) storage area network (SAN) or is directly attached to the production SAP server or servers. The N series solutions presented here take advantage of network-attached storage (NAS) systems utilizing the Network File System (NFS) protocol as well as solutions for pure FC SAN environments.

The recommended solutions that follow are generic with respect to most SAP applications as well as to the size and scope of the implementation. This technical report assumes a basic understanding of the technology and operation of N series, SAP, and databases.

Business challenges facing the SAP customer

Corporations deploying SAP software today are under pressure to reduce cost, minimize risk, and control change by accelerating deployments and increasing the availability of their SAP landscapes. Changing market conditions, restructuring activities, and mergers and acquisitions often result in the creation of new SAP landscapes based on the SAP NetWeaver platform. Deployment of these business solutions goes well beyond a single production instance of SAP. Business leaders and project managers must coordinate with corporate IT management to optimize the scheduling and availability of systems to support rapid prototyping and development, frequent parallel testing or troubleshooting, and appropriate levels of end-user training. The ability to access these systems as project schedules dictate, with current data sets, and without affecting production operations is often the difference between SAP projects being delivered on time and within budget or not.

Technology challenges of an expanding SAP landscape

A typical SAP production landscape today consists of several different SAP systems. Just as important to the successful operation and management of these production instances are the many non-production instances used to support them. The ability to maintain non-production SAP instances is particularly important when the business initiates a new SAP project. In many cases, project development begins through the creation of a new SAP instance from a copy of the current production system.

After such a SAP instance is created, either from a copy of an existing SAP system or through a SAP installation, additional instances are established based on the needs of the customer and its development and integration teams. SAP has long encouraged customers to maintain separate development and test instances for each production instance. In practice, SAP standard three-system (development, test, and production) landscapes often include separate instances for technical sandbox, business/development

sandbox, development consolidation, and user training. Multiple test systems are also common. Sometimes referred to as quality assurance or staging instances, they are typically the last instance where changes or modifications to the SAP system reside before being moved into production. Another characteristic of these systems is that they can be exact replicas of the IT infrastructure that supports the production instance. It is possible that for every production instance of SAP, up to 10 copies of that instance are used to create and support it. Compound this with the many different SAP applications, such as ERP, CRM, BI, SCM, SRM, and Portal, and the number of supported systems can become very large.



Figure 1) Example of a SAP landscape with many systems.

Adding to the challenge of maintaining these SAP systems is the fact that each of these instances has different performance, scalability, availability, and uptime profiles. These profiles vary depending on the phase of project implementation and whether the project is focused on an existing SAP implementation or a brand new one. Finally, and depending on a number of different factors, is the dependency of the non-production instances on the source system. In the case of a SAP upgrade project, a copy of the production system is used as the basis to execute the upgrade with actual business data. As production continues to run, the upgrade is performed on the instance copy. At various stages of the upgrade, the instance copy is resynchronized with production to make sure that tests are performed on the most current data. The speed and efficiency of this process affects both instances and the upgrade project as a whole. The demand on IT to produce and manage non-production instances varies from customer to customer and from project to project.

The fact that more test and training systems are needed to accelerate test cycles by allowing parallel independent operation, and that test and training systems need to be refreshed more often to increase the quality of testing and training, increases the demands on the IT infrastructure. If the infrastructure that is supporting SAP systems and related applications is inflexible and difficult to operate or manage, or if high cost of ownership barriers develop within IT, that can negatively affect the ability of business owners to deploy new and improved business processes.



Creating SAP system copies with IBM N series

With an SAP recommended system landscape consisting of at least a development, test, and production system, the need to have current data available for configuration and testing is a common issue. Most SAP customers solve the test data issue by periodically copying their production system back to their various test instances. This process can be time consuming and expensive because of the size of SAP databases. As described in this section, IBM N series has a unique method for addressing the issues of time and storage required for SAP system copies.

Homogenous SAP system copies

SAP has published recommended procedures for making copies of existing SAP systems. In SAP terms, if a system copy takes place between systems with same operating system and database platform, it is called a *homogeneous system copy*. If the system copy takes place between systems with either a different operating system or a different database platform, it is called a *heterogeneous system copy*. In this discussion, it is assumed that the homogeneous system copy will be used for making copies of SAP systems. SAP has developed documentation and procedures for creating system copies based on online or offline backups of the SAP system as well as import and export tools delivered with the SAP system underlying RDBMS.

The issues that most customers face when using these tools are that they are manually intensive, in most cases require downtime, and can take several hours or even days to create, depending on the size of the source instance and the available resources in the customer's SAP IT landscape. The dependencies are magnified based on the frequency that system copies are needed as well as by the amount of downtime available to complete the copy.

SAP system copy capacity requirements

When SAP system copies are created with most storage architectures, space must be allocated to accommodate the entire size of the source database. This can drastically increase the amount of storage required to support a single production SAP instance.

For example, suppose that a 1TB SAP production system is copied during a project to a quality assurance system, a test system, and a training system. With traditional storage architectures, this requires an additional 3TB of storage. Furthermore, it requires a significant amount of time to first back up the source system and then restore the data to the three target systems.




Figure 2) Capacity requirements for SAP system copies on non IBM N series storage.

In contrast, when IBM System Storage N series with FlexClone® technology is used to create SAP system copies, only a fraction of the storage is required. N series FlexClone technology uses IBM System Storage N series with Snapshot™ copies to create copies of SAP systems. Because the data is not copied, but is referenced in place, the amount of storage required is limited to only data that is changed at the source and the target system. As a result, the storage requirements for a system copy in an IBM N series storage environment can be kept to around 10% of the size of the source database.




Figure 3) Capacity requirements for system copies on IBM N series storage.

In environments where the source system resides on non IBM N series storage, there is an additional storage requirement. A full copy of the source data must be copied to the IBM N series storage before N series FlexClone technology can be used to create the SAP system copies. For customers that are creating only one or two system copies from a source database, the storage savings are not as great as for customers that create three or more copies.




Figure 4) Capacity requirements for SAP system copies in a heterogeneous storage environment.

SAP system copy time requirements


The time required to create a copy of an SAP system can be broken into four parts.

- Time to create a backup of the source system
- Time to restore the backup to the target system
- Time to recover the database and make it consistent
- Time to perform SAP application post-processing.

In a traditional system copy process, the data is backed up to tape and then restored, which takes a great deal of time. If an online backup is used, there is no downtime for the source system; however, the time required to recover the database and make it consistent is greatly increased due to the large number of logs that need to be applied. This can add hours to the system copy process. If an offline backup is used, then the source system is shut down, resulting in loss of productivity.

In contrast, a backup on IBM N series storage takes just a few seconds. The database is in hot backup mode very briefly while a snapshot copy is taken. As a result, only a minimum number of logs need to be applied to recover the database. Usually only the active database logs are required.

For both processes, the SAP post-processing time is the same.



Because the backup and restore time is reduced to minutes instead of hours with IBM N series storage, additional test cycles can be run in the same amount of time. Figure 5 shows the difference between the amount of time that is spent testing with N series storage versus the time spent testing by using a traditional approach. The N series approach yields more than twice the amount of testing in the same period of time. The ability to run more test cycles enables customers to correct more issues before going live, reducing risk and increasing end-user satisfaction and productivity.




Figure 5) Comparison of test times using traditional and IBM N series approaches for SAP system copies.

Accelerating test and training cycles

When the amount of time required to perform system copies and database restores is reduced, the amount of time left to test is increased. As a result, more test cycles can be performed. By using the IBM N series system copy process, it's also possible to create multiple test systems with the same data and to run parallel test processes in the same test system at the same time. Because the N series system copy requires a fraction of the time and storage of a traditional method, there is minor impact to the infrastructure. Any problems encountered can be corrected quickly in the source system. Because the snapshot copy process takes only a few seconds and does not affect the source system, a new source image for the test systems can be created quickly and easily. The parallel tests can then be rerun against the adjusted system. This process can be repeated until all tests are successful or the testing period ends. The result is that more and higher quality test cycles can be performed in the same time.

The same concepts apply to training systems. Because of the ability to rapidly restore system backups from a snapshot copy by using IBM System Storage N series with SnapRestore® or to create system copies by using FlexClone volumes, training system refreshes take only minutes. This allows more training courses to run in a shorter time because days are not required to restore the training system to its original state. Also, changes to the training system can be made and the training systems refreshed quickly. FlexClone volumes make it possible to eliminate the process of making time-consuming and storage-intensive client copies for training. Multiple training systems can be created from a single source system. Individuals can perform training on their own systems, using the same data for every user. This reduces the time required to generate client-specific data for every user. It also requires less work to create training materials. Finally, the training systems can be refreshed in minutes from the master source system, and IT staff is not required to work long nights to support training schedules.




Figure 6) Accelerated test and training with IBM N series SnapRestore and FlexClone.



Infrastructure options for test and development systems on IBM N series

The key value to having test and development systems running on IBM N series storage is the ability to create fast, efficient copies. In an environment where the source system is also on N series storage, this is not a problem. FlexClone copies can be created quickly and easily from a snapshot backup of the data. However, when the source system resides on a storage platform other than N series, the challenge is getting the data to the N series storage system to be able to create those fast and efficient copies. This section reviews the N series storage infrastructure as well as several options that address the challenge of moving data from a different vendor to N series storage.

IBM N series storage infrastructure solutions

The IBM N series solution for SAP system cloning addresses these issues by providing a fully automated process to create a SAP system copy on demand, in a few minutes and without any impact to the source system. In addition, N series cloning functionality enables storage to be managed very efficiently by storing only data changes between the parent and the clone.

System copy on the local storage system

SAP system copies are accomplished by using the IBM N series FlexClone feature. A FlexClone volume is a writeable point-in-time image of an IBM System Storage N series with FlexVol® volume. A FlexClone volume is based on a snapshot copy of the source FlexVol volume. It is created in a few seconds, without interrupting the operation on the source system. FlexClone volumes store only changed blocks between the source FlexVol volume and the FlexClone volume, significantly decreasing the amount of disk space needed for SAP system copies.

On the source system, a database-consistent snapshot copy of the data files is taken. This is done during online operation and has no performance impact on the source system. This step can therefore be carried out at any time.

On the target system, this snapshot copy is the base for the FlexClone volume. The creation of the FlexClone volume takes only a few seconds. This volume is then connected at the target system. The subsequent steps at the target system are necessary to change the database and the SAP system ID (SID). In addition, SAP specific post-processing tasks must be accomplished.

All of these steps are fully automated and do not need any manual interaction. An SAP system copy can be accomplished in a few minutes by using the IBM N series solution. Figure 7 is a high-level representation of this infrastructure.




Figure 7) SAP System copies with IBM N series infrastructure.

System copies on a remote storage system

System copies can also be created at a remote location by using N series storage. The source system data can be replicated to a secondary location by using IBM System Storage N series with SnapMirror® or IBM System Storage N series with SnapVault® software.

The source database is copied over a WAN or LAN connection to the N series storage system at the remote location. SnapVault and SnapMirror replicate the snapshot copies of the database taken at the source location. These snapshot copies become the basis for FlexClone copies of the SAP systems. The target systems become full read and write copies of the source system and can be used for test and development purposes. Figure 8 is a high-level representation of this infrastructure.




Figure 8) SAP System copy with IBM N series infrastructure at a remote location.



Solutions for heterogeneous storage infrastructure

If the source system runs on storage other than IBM N series, the system data required for testing and development must be migrated before advantage can be taken of the unique system copy capabilities of N series. There are several ways to do this.

Data migration with ReplicatorX

ReplicatorX™ is enterprise-class replication software that works across platforms and over global distances. ReplicatorX is designed to work in heterogeneous storage and server infrastructures. The software ensures enterprise-wide data consistency and supports non-disruptive replication of production data to cost-efficient secondary storage. It offers the possibility to migrate seamlessly from any block-based storage to N series iSCSI or FC protocol storage and therefore overcomes the limitations of other storage-system-level migration tools. This enables block data migration for test and development environments. In addition, as mentioned earlier, N series FlexClone technology accelerates the deployment of test and development systems.

With ReplicatorX, it is possible to continuously copy and protect SAP data, over any distance and across heterogeneous infrastructures, from multiple data centers to a target site over an IP network. ReplicatorX systems use lightweight host-based or SAN-resident client-side software that does not affect the SAP production system. At the target site, ReplicatorX software maintains an up-to-the-second replica of the source data. ReplicatorX systems ensure data consistency among several SAP applications distributed across server and storage systems. Unlike conventional replication solutions, this unique capability eliminates complex and time-consuming data reconciliation and enables SAP landscape deployment in minutes.

If ReplicatorX is used to create a copy of a production database, a copy of this database can be used to create test and development systems. First, the replication must be “frozen” to allow the target volumes to become consistent and all updates to be applied. Then a snapshot copy can be taken of the N series storage that contains the replicated volumes. After the snapshot copy is created, the replication processes can be “thawed” and the replication continues. A FlexClone copy based on the snapshot copy of the replicated volumes can then be created and mounted to a server. This entire process can be scripted for a consistent and repeatable process to create test and development systems in a matter of minutes, including changing the target database system identifier and performing post-processing. Figure 9 is a high-level representation of this process.




Figure 9) SAP System copy with data migration using ReplicatorX.

SAP system copies with a standby database

Another option for moving data between different vendor's storage systems is to create a standby copy of the source database on the N series storage. This can be done by using traditional tape backup and restore methods. Once the database is restored onto the N series storage, it can be started in standby mode and logs applied to keep it current.

The standby database is used as a source for system copies. This database must be shut down for a short time to create a snapshot copy. These snapshot copies are used as the basis for the FlexClone copies. System copies of any development system can be accomplished directly by using the N series system copy solution.

The method for moving logs between the source system and the target system can be database vendor specific or even scripts used to copy the logs from one location to another. In this case, the database on the target system is continuously kept up to date with current data from the source system. Figure 10 is a high-level representation of this solution.





Figure 10) SAP System copy with data migration using log shipping.



N series storage in an SAP test-data migration-server environment

SAP customers are constantly looking for ways to simplify and streamline their IT operations. As databases supporting SAP applications grow in size, there is a desire to reduce the amount of data that is replicated in test and development environments. However, for proper testing to occur, a representative group of data must be present in the test and development systems. With the highly integrated nature of SAP modules, it's not possible to simply eliminate some tables and keep others. As a result, SAP has developed a solution called Test Data Migration Server (TDMS), which extracts data from a source system based on criteria set by the customer and imports it into a test or development system. TDMS can significantly reduce the amount of data that is duplicated in SAP test and development systems.

N series storage and SAP TDMS

SAP TDMS is a solution for migrating data from production environments to test environments. SAP has found that 10% to 20% of tables in an SAP system contain 80% to 90% of the data. Thus, the amount of data in a test system can be greatly reduced by setting parameters to migrate only a subset of the production system data. Customizing data and customer "Z" tables are migrated entirely. A limitation of the TDMS solution is the need for the source system to be inactive while the TDMS processes read the data. If the system is active, data corruption at the target system is possible. N series storage works in conjunction with TDMS to ensure data integrity with no production-server downtime. A clone can be created on the N series storage by using FlexClone, and can then be used as the source for TDMS processing. Because the FlexClone copy is created based on a snapshot of the source production system, little storage is used. The clone can be deleted after the TDMS process is complete, removing the need to maintain a complete copy of the production database. Regular FlexClone copies can be created to ensure that the latest data from the production system is migrated to the test system by using the TDMS process.




Figure 11) IBM N series storage in an SAP TDMS environment.

Figure 11 illustrates the process of using IBM N series storage in an SAP TDMS environment. Several steps are performed to allow the migration of data between the source production system and the target test systems. The steps in the figure correspond to the following activities:

1. A copy of the data in the production system is requested.
2. A clone of production data is created by creating a FlexClone copy based on a snapshot copy. There is no impact on the production system.
3. TDMS reads data from the FlexClone copy of the source system and writes to the target system.
4. The clone of the source system is no longer required and can be deleted.
5. Additional target systems can be created as FlexClone copies so that the data in the target system is not changed and can be reused for multiple test cycles.



Conclusion

A key requirement for successfully managing a SAP environment is the ability to create copies of production data for use as test, development, training, and sandbox systems. IBM N series Snapshot and FlexClone technologies allow the fast and efficient creation of SAP systems. The IBM N series system copy solution significantly improves the process of creating SAP system copies by reducing the impact on the production system during the backup process. It also allows a complete system copy to be created in a few minutes, with very little storage required.

However, the IBM N series system copy process can be used only when a copy of the source system resides on N series storage. When the source production system resides on non N series storage, it is necessary to migrate a copy of that data to N series. There are several solutions for performing this migration, including ReplicatorX and also standby databases with log shipping.

If a customer wants to use TDMS to reduce the amount of data being copied, N series plays an important role in that architecture. IBM N series FlexClone copies allow the production system to remain active while the TDMS server extracts data. After the target system is loaded with the desired data, FlexClone copies can be made of that system, allowing multiple parallel testing processes to be run.

IBM N series storage is the perfect solution for SAP test and development environments. IBM N series storage enables customers to reduce their infrastructure costs by using less storage. It also simplifies administration and reduces risk by allowing more testing with high-quality data in a short period of time.



Trademarks and special notices

© International Business Machines 1994-2008. IBM, the IBM logo, Lotus, Notes, System Storage, and other referenced IBM products and services are trademarks or registered trademarks of International Business Machines Corporation in the United States, other countries, or both. All rights reserved.

FlexClone, FlexVol, Network Appliance, the Network Appliance logo, ReplicatorX, SnapMirror, SnapRestore, Snapshot and SnapVault are trademarks or registered trademarks of Network Appliance, Inc., in the U.S. and other countries.

Other company, product, or service names may be trademarks or service marks of others.

References in this document to IBM products or services do not imply that IBM intends to make them available in every country.

Information is provided "AS IS" without warranty of any kind.

Information concerning non-IBM products was obtained from a supplier of these products, published announcement material, or other publicly available sources and does not constitute an endorsement of such products by IBM. Sources for non-IBM list prices and performance numbers are taken from publicly available information, including vendor announcements and vendor worldwide homepages. IBM has not tested these products and cannot confirm the accuracy of performance, capability, or any other claims related to non-IBM products. Questions on the capability of non-IBM products should be addressed to the supplier of those products.