

Hermitian Inner Product Space (3B)

•

Copyright (c) 2009, 2010 Young W. Lim.

Permission is granted to copy, distribute and/or modify this document under the terms of the GNU Free Documentation License, Version 1.2 or any later version published by the Free Software Foundation; with no Invariant Sections, no Front-Cover Texts, and no Back-Cover Texts. A copy of the license is included in the section entitled "GNU Free Documentation License".

Please send corrections (or suggestions) to youngwlim@hotmail.com.

This document was produced by using OpenOffice and Octave.

Complex Vector Inner Product

Hermitian inner product

$$\langle \mathbf{x}, \mathbf{y} \rangle = \mathbf{x}^H \cdot \mathbf{y} = \sum x_i^* y_i \quad \mathbf{x}^H : \text{conjugate transpose}$$

Norm of Hermitian inner products

$$\|\mathbf{x}\| = \sqrt{\langle \mathbf{x}, \mathbf{x} \rangle} = \sqrt{\mathbf{x}^H \cdot \mathbf{x}} = \sqrt{\sum x_i^* x_i} \quad \text{the length of a vector}$$

$$\mathbf{x} = \begin{pmatrix} a_1 + j b_1 \\ a_2 + j b_2 \\ \vdots \\ a_n + j b_n \end{pmatrix} \quad \langle \mathbf{x}, \mathbf{x} \rangle = \mathbf{x}^H \cdot \mathbf{x} = \sum x_i^* x_i$$

$$\begin{pmatrix} a_1 - j b_1 & a_2 - j b_2 & \cdots & a_n - j b_n \end{pmatrix} \begin{pmatrix} a_1 + j b_1 \\ a_2 + j b_2 \\ \vdots \\ a_n + j b_n \end{pmatrix} = \sum_{i=1}^n a_i^2 + b_i^2$$

Cauchy-Schwartz Inequality

For all vectors \mathbf{x} and \mathbf{y} of an inner product space

$$|\langle \mathbf{x}, \mathbf{y} \rangle|^2 \leq \langle \mathbf{x}, \mathbf{x} \rangle \cdot \langle \mathbf{y}, \mathbf{y} \rangle$$

$$|\langle \mathbf{x}, \mathbf{y} \rangle| \leq \|\mathbf{x}\| \cdot \|\mathbf{y}\|$$

The equality holds if and only if \mathbf{x} and \mathbf{y} are linearly dependent  maximum

$$\langle \mathbf{x}, \mathbf{y} \rangle = \mathbf{x}^H \cdot \mathbf{y} \leq \|\mathbf{x}\| \cdot \|\mathbf{y}\| \quad \mathbf{x} = \begin{pmatrix} a_1 + jb_1 \\ a_2 + jb_2 \\ \vdots \\ a_n + jb_n \end{pmatrix} \quad \mathbf{y} = k \begin{pmatrix} a_1 + jb_1 \\ a_2 + jb_2 \\ \vdots \\ a_n + jb_n \end{pmatrix}$$

Inner product is maximum
when $\mathbf{y} = k\mathbf{x}$


$$\langle \mathbf{x}, \mathbf{y} \rangle \leq k \left(\sum_{i=1}^n a_i^2 + b_i^2 \right)$$

Orthogonality

$$X[k] = \sum_{n=0}^7 W_8^{kn} x[n]$$

$$W_8^{kn} = e^{-j(\frac{2\pi}{8})kn}$$


$$\begin{cases} A^H = B \\ B^H = A \end{cases} \quad \begin{cases} AB = N I \\ BA = N I \end{cases} \quad \rightarrow \quad \begin{cases} A^H A = A \\ A^H = N I \\ B^H B = B \\ B^H = N I \end{cases}$$



$$\langle \mathbf{r}_i^H, \mathbf{r}_i^H \rangle = \mathbf{r}_i \cdot \mathbf{r}_i^* = N$$

$$\langle \mathbf{r}_i^H, \mathbf{r}_j^H \rangle = \mathbf{r}_i \cdot \mathbf{r}_j^* = 0 \quad (i \neq j)$$



Inner Product Examples (1)





$$f_0 = 1/T$$

$$\omega_0 = 2\pi/T$$



$$\leftarrow e^{j \mathbf{1} \omega_0 t}$$





$$\leftarrow e^{j \mathbf{1} \omega_0 t}$$



$$\leftarrow e^{j (-1) \omega_0 t}$$




$$\leftarrow e^{j \mathbf{2} \omega_0 t}$$



$$\leftarrow e^{j (-2) \omega_0 t}$$

Inner Product Examples (2)



$$f_0 = 1/T$$


$$\omega_0 = 2\pi/T$$

$$\leftarrow e^{j \mathbf{1} \omega_0 t}$$


$$\langle e^{j \mathbf{1} \omega_0 t}, e^{j \mathbf{1} \omega_0 t} \rangle = \int_0^T e^{+j(\mathbf{1}-\mathbf{1})\omega_0 t} dt = T \quad \leftarrow$$



$$\langle e^{j \mathbf{1} \omega_0 t}, e^{j -\mathbf{1} \omega_0 t} \rangle = \int_0^T e^{+j(\mathbf{1}+\mathbf{-1})\omega_0 t} dt = 0 \quad \leftarrow$$



$$\langle e^{j \mathbf{1} \omega_0 t}, e^{j \mathbf{2} \omega_0 t} \rangle = \int_0^T e^{+j(\mathbf{1}-\mathbf{2})\omega_0 t} dt = 0 \quad \leftarrow$$



$$\langle e^{j \mathbf{1} \omega_0 t}, e^{j -\mathbf{2} \omega_0 t} \rangle = \int_0^T e^{+j(\mathbf{1}+\mathbf{-2})\omega_0 t} dt = 0 \quad \leftarrow$$



N=8 DFT Matrix in Cosine and Sine Terms

$$W_8^{kn} = e^{-j(\frac{2\pi}{8})kn} = \cos\left(\frac{\pi}{4} \cdot k \cdot n\right) - j \sin\left(\frac{\pi}{4} \cdot k \cdot n\right)$$


$\cos(\pi/4) \cdot 0$								
$-j \sin(\pi/4) \cdot 0$								
$\cos(\pi/4) \cdot 0$	$\cos(\pi/4) \cdot 1$	$\cos(\pi/4) \cdot 2$	$\cos(\pi/4) \cdot 3$	$\cos(\pi/4) \cdot 4$	$\cos(\pi/4) \cdot 5$	$\cos(\pi/4) \cdot 6$	$\cos(\pi/4) \cdot 7$	$\cos(\pi/4) \cdot 7$
$-j \sin(\pi/4) \cdot 0$	$-j \sin(\pi/4) \cdot 1$	$-j \sin(\pi/4) \cdot 2$	$-j \sin(\pi/4) \cdot 3$	$-j \sin(\pi/4) \cdot 4$	$-j \sin(\pi/4) \cdot 5$	$-j \sin(\pi/4) \cdot 6$	$-j \sin(\pi/4) \cdot 7$	$-j \sin(\pi/4) \cdot 7$
$\cos(\pi/4) \cdot 0$	$\cos(\pi/4) \cdot 2$	$\cos(\pi/4) \cdot 4$	$\cos(\pi/4) \cdot 6$	$\cos(\pi/4) \cdot 0$	$\cos(\pi/4) \cdot 2$	$\cos(\pi/4) \cdot 4$	$\cos(\pi/4) \cdot 6$	$\cos(\pi/4) \cdot 6$
$-j \sin(\pi/4) \cdot 0$	$-j \sin(\pi/4) \cdot 2$	$-j \sin(\pi/4) \cdot 4$	$-j \sin(\pi/4) \cdot 6$	$-j \sin(\pi/4) \cdot 0$	$-j \sin(\pi/4) \cdot 2$	$-j \sin(\pi/4) \cdot 4$	$-j \sin(\pi/4) \cdot 6$	$-j \sin(\pi/4) \cdot 6$
$\cos(\pi/4) \cdot 0$	$\cos(\pi/4) \cdot 3$	$\cos(\pi/4) \cdot 6$	$\cos(\pi/4) \cdot 1$	$\cos(\pi/4) \cdot 4$	$\cos(\pi/4) \cdot 7$	$\cos(\pi/4) \cdot 2$	$\cos(\pi/4) \cdot 5$	$\cos(\pi/4) \cdot 5$
$-j \sin(\pi/4) \cdot 0$	$-j \sin(\pi/4) \cdot 3$	$-j \sin(\pi/4) \cdot 6$	$-j \sin(\pi/4) \cdot 1$	$-j \sin(\pi/4) \cdot 4$	$-j \sin(\pi/4) \cdot 7$	$-j \sin(\pi/4) \cdot 2$	$-j \sin(\pi/4) \cdot 5$	$-j \sin(\pi/4) \cdot 5$
$\cos(\pi/4) \cdot 0$	$\cos(\pi/4) \cdot 4$	$\cos(\pi/4) \cdot 4$						
$-j \sin(\pi/4) \cdot 0$	$-j \sin(\pi/4) \cdot 4$	$-j \sin(\pi/4) \cdot 0$	$-j \sin(\pi/4) \cdot 4$	$-j \sin(\pi/4) \cdot 0$	$-j \sin(\pi/4) \cdot 4$	$-j \sin(\pi/4) \cdot 0$	$-j \sin(\pi/4) \cdot 4$	$-j \sin(\pi/4) \cdot 4$
$\cos(\pi/4) \cdot 0$	$\cos(\pi/4) \cdot 5$	$\cos(\pi/4) \cdot 2$	$\cos(\pi/4) \cdot 7$	$\cos(\pi/4) \cdot 4$	$\cos(\pi/4) \cdot 1$	$\cos(\pi/4) \cdot 6$	$\cos(\pi/4) \cdot 3$	$\cos(\pi/4) \cdot 3$
$-j \sin(\pi/4) \cdot 0$	$-j \sin(\pi/4) \cdot 5$	$-j \sin(\pi/4) \cdot 2$	$-j \sin(\pi/4) \cdot 7$	$-j \sin(\pi/4) \cdot 4$	$-j \sin(\pi/4) \cdot 1$	$-j \sin(\pi/4) \cdot 6$	$-j \sin(\pi/4) \cdot 3$	$-j \sin(\pi/4) \cdot 3$
$\cos(\pi/4) \cdot 0$	$\cos(\pi/4) \cdot 6$	$\cos(\pi/4) \cdot 4$	$\cos(\pi/4) \cdot 2$	$\cos(\pi/4) \cdot 0$	$\cos(\pi/4) \cdot 6$	$\cos(\pi/4) \cdot 4$	$\cos(\pi/4) \cdot 2$	$\cos(\pi/4) \cdot 2$
$-j \sin(\pi/4) \cdot 0$	$-j \sin(\pi/4) \cdot 6$	$-j \sin(\pi/4) \cdot 4$	$-j \sin(\pi/4) \cdot 2$	$-j \sin(\pi/4) \cdot 0$	$-j \sin(\pi/4) \cdot 6$	$-j \sin(\pi/4) \cdot 4$	$-j \sin(\pi/4) \cdot 2$	$-j \sin(\pi/4) \cdot 2$
$\cos(\pi/4) \cdot 0$	$\cos(\pi/4) \cdot 7$	$\cos(\pi/4) \cdot 6$	$\cos(\pi/4) \cdot 5$	$\cos(\pi/4) \cdot 4$	$\cos(\pi/4) \cdot 3$	$\cos(\pi/4) \cdot 2$	$\cos(\pi/4) \cdot 1$	$\cos(\pi/4) \cdot 1$
$-j \sin(\pi/4) \cdot 0$	$-j \sin(\pi/4) \cdot 7$	$-j \sin(\pi/4) \cdot 6$	$-j \sin(\pi/4) \cdot 5$	$-j \sin(\pi/4) \cdot 4$	$-j \sin(\pi/4) \cdot 3$	$-j \sin(\pi/4) \cdot 2$	$-j \sin(\pi/4) \cdot 1$	$-j \sin(\pi/4) \cdot 1$

N=8 DFT Matrix Real and Imaginary Terms

$$W_8^{kn} = e^{-j(\frac{2\pi}{8})kn} = \cos\left(\frac{\pi}{4} \cdot k \cdot n\right) - j \sin\left(\frac{\pi}{4} \cdot k \cdot n\right)$$

$$\begin{bmatrix} 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & +\frac{1}{\sqrt{2}} - j\frac{1}{\sqrt{2}} & -j & -\frac{1}{\sqrt{2}} - j\frac{1}{\sqrt{2}} & -1 & -\frac{1}{\sqrt{2}} + j\frac{1}{\sqrt{2}} & +j & +\frac{1}{\sqrt{2}} + j\frac{1}{\sqrt{2}} \\ 0 & -j & -1 & +j & 0 & -j & -1 & +j \\ 0 & -\frac{1}{\sqrt{2}} - j\frac{1}{\sqrt{2}} & +j & +\frac{1}{\sqrt{2}} - j\frac{1}{\sqrt{2}} & -1 & +\frac{1}{\sqrt{2}} + j\frac{1}{\sqrt{2}} & -j & -\frac{1}{\sqrt{2}} + j\frac{1}{\sqrt{2}} \\ 0 & -1 & 0 & -1 & 0 & -1 & 0 & -1 \\ 0 & -\frac{1}{\sqrt{2}} + j\frac{1}{\sqrt{2}} & -j & +\frac{1}{\sqrt{2}} + j\frac{1}{\sqrt{2}} & -1 & +\frac{1}{\sqrt{2}} - j\frac{1}{\sqrt{2}} & +j & -\frac{1}{\sqrt{2}} - j\frac{1}{\sqrt{2}} \\ 0 & +j & -1 & -j & 0 & +j & -1 & -j \\ 0 & +\frac{1}{\sqrt{2}} + j\frac{1}{\sqrt{2}} & +j & -\frac{1}{\sqrt{2}} + j\frac{1}{\sqrt{2}} & -1 & -\frac{1}{\sqrt{2}} - j\frac{1}{\sqrt{2}} & -j & +\frac{1}{\sqrt{2}} - j\frac{1}{\sqrt{2}} \end{bmatrix}$$

N=8 DFT : Inner Product X[0]




X[0] measures “0 cycle” component in **x**


$$\langle r_0^H, x \rangle = r_0 \cdot x \leq \|r_0^H\| \cdot \|x\|$$

maximum when $x = k r_0^H$

When x looks like this, $X[0]$ is max.



N=8 DFT : Inner Product X[1]




X[1] measures “+1 cycle” component in x

$$\langle \mathbf{r}_1^H, \mathbf{x} \rangle = \mathbf{r}_1 \cdot \mathbf{x} \leq \|\mathbf{r}_1^H\| \cdot \|\mathbf{x}\|$$

maximum when $\mathbf{x} = k \mathbf{r}_1^H$


When x looks like this, $X[1]$ is max.



————— $Re \left\{ e^{-j \frac{2\pi}{8} k n} \right\} = \cos \left(-\frac{2\pi}{8} k n \right)$

————— $Im \left\{ e^{-j \frac{2\pi}{8} k n} \right\} = \sin \left(-\frac{2\pi}{8} k n \right)$

N=8 DFT : Inner Product X[2]




X[2] measures “+2 cycle” component in x

$$\langle \mathbf{r}_2^H, \mathbf{x} \rangle = \mathbf{r}_2 \cdot \mathbf{x} \leq \|\mathbf{r}_2^H\| \cdot \|\mathbf{x}\|$$

maximum when $\mathbf{x} = k \mathbf{r}_2^H$


When x looks like this, X[2] is max.



————— $Re \left\{ e^{-j \frac{2\pi}{8} k n} \right\} = \cos \left(-\frac{2\pi}{8} k n \right)$

————— $Im \left\{ e^{-j \frac{2\pi}{8} k n} \right\} = \sin \left(-\frac{2\pi}{8} k n \right)$

N=8 DFT : Inner Product X[3]




X[3] measures “+3 cycle” component in x

$$\langle \mathbf{r}_3^H, \mathbf{x} \rangle = \mathbf{r}_3 \cdot \mathbf{x} \leq \|\mathbf{r}_3^H\| \cdot \|\mathbf{x}\|$$

maximum when $\mathbf{x} = k \mathbf{r}_3^H$


When \mathbf{x} looks like this, $X[3]$ is max.



— $Re \left\{ e^{-j \frac{2\pi}{8} k n} \right\} = \cos \left(-\frac{2\pi}{8} k n \right)$

..... $Im \left\{ e^{-j \frac{2\pi}{8} k n} \right\} = \sin \left(-\frac{2\pi}{8} k n \right)$

N=8 DFT : Inner Product X[4]




X[4] measures “+4 cycle” component in x

$$\langle r_4^H, x \rangle = r_4 \cdot x \leq \|r_4^H\| \cdot \|x\|$$

maximum when $x = k r_4^H$


When x looks like this, $X[4]$ is max.



————— $R e \left\{ e^{-j \frac{2\pi}{8} k n} \right\} = \cos \left(-\frac{2\pi}{8} k n \right)$

————— $I m \left\{ e^{-j \frac{2\pi}{8} k n} \right\} = \sin \left(-\frac{2\pi}{8} k n \right)$

N=8 DFT : Inner Product X[5]




X[5] measures “-3 cycle” component in \mathbf{x}

$$\langle \mathbf{r}_5^H, \mathbf{x} \rangle = \mathbf{r}_5 \cdot \mathbf{x} \leq \|\mathbf{r}_5^H\| \cdot \|\mathbf{x}\|$$

maximum when $\mathbf{x} = k \mathbf{r}_5^H$


When \mathbf{x} looks like this, X[5] is max.



————— $Re \left\{ e^{-j \frac{2\pi}{8} k n} \right\} = \cos \left(-\frac{2\pi}{8} k n \right)$

————— $Im \left\{ e^{-j \frac{2\pi}{8} k n} \right\} = \sin \left(-\frac{2\pi}{8} k n \right)$

N=8 DFT : Inner Product X[6]




X[6] measures “-2 cycle” component in **x**

$$\langle \mathbf{r}_6^H, \mathbf{x} \rangle = \mathbf{r}_6 \cdot \mathbf{x} \leq \|\mathbf{r}_6^H\| \cdot \|\mathbf{x}\|$$

maximum when $\mathbf{x} = k \mathbf{r}_6^H$


When \mathbf{x} looks like this, $X[6]$ is max.



————— $R e \left\{ e^{-j \frac{2\pi}{8} k n} \right\} = \cos \left(-\frac{2\pi}{8} k n \right)$

————— $I m \left\{ e^{-j \frac{2\pi}{8} k n} \right\} = \sin \left(-\frac{2\pi}{8} k n \right)$

N=8 DFT : Inner Product X[7]




X[7] measures “-1 cycle” component in x

$$\langle \mathbf{r}_7^H, \mathbf{x} \rangle = \mathbf{r}_7 \cdot \mathbf{x} \leq \|\mathbf{r}_7^H\| \cdot \|\mathbf{x}\|$$

maximum when $\mathbf{x} = k \mathbf{r}_7^H$

When x looks like this, X[7] is max.





————— $Re \left\{ e^{-j \frac{2\pi}{8} k n} \right\} = \cos \left(-\frac{2\pi}{8} k n \right)$

————— $Im \left\{ e^{-j \frac{2\pi}{8} k n} \right\} = \sin \left(-\frac{2\pi}{8} k n \right)$

N=8 DFT : X[0] in A·B

$$X[k] = \sum_{n=0}^7 W_8^{kn} x[n]$$

$$W_8^{kn} = e^{-j(\frac{2\pi}{8})kn}$$



$$A \cdot B = A \cdot A^H = N I$$

$$U \cdot U^H = I$$

Unitary Matrix



When x looks like this, $X[0]$ is max. (=N)
 $X[k] = 0$ for $k \neq 0$

$$X[0] = \begin{pmatrix} e^{-j\frac{\pi}{4} \cdot 0} & e^{-j\frac{\pi}{4} \cdot 0} \\ x[0] & x[1] & x[2] & x[3] & x[4] & x[5] & x[6] & x[7] \end{pmatrix}^T \bullet$$

N=8 DFT : X[1] in A·B

$$X[k] = \sum_{n=0}^7 W_8^{kn} x[n]$$

$$W_8^{kn} = e^{-j(\frac{2\pi}{8})kn}$$



$$A \cdot B = A \cdot A^H = N I$$

$$U \cdot U^H = I$$

Unitary Matrix

x



When x looks like this, $X[1]$ is max. (=N)
 $X[k] = 0$ for $k \neq 1$

$$X[1] = \begin{pmatrix} e^{-j\frac{\pi}{4} \cdot 0} & e^{-j\frac{\pi}{4} \cdot 1} & e^{-j\frac{\pi}{4} \cdot 2} & e^{-j\frac{\pi}{4} \cdot 3} & e^{-j\frac{\pi}{4} \cdot 4} & e^{-j\frac{\pi}{4} \cdot 5} & e^{-j\frac{\pi}{4} \cdot 6} & e^{-j\frac{\pi}{4} \cdot 7} \\ x[0] & x[1] & x[2] & x[3] & x[4] & x[5] & x[6] & x[7] \end{pmatrix}^T \bullet$$

N=8 DFT : X[2] in A·B

$$X[k] = \sum_{n=0}^7 W_8^{kn} x[n]$$

$$W_8^{kn} = e^{-j(\frac{2\pi}{8})kn}$$



$$A \cdot B = A \cdot A^H = N I$$

$$U \cdot U^H = I$$

Unitary Matrix

x



When x looks like this, $X[2]$ is max. (=N)
 $X[k] = 0$ for $k \neq 2$

$$X[2] = \begin{pmatrix} e^{-j\frac{\pi}{4} \cdot 0} & e^{-j\frac{\pi}{4} \cdot 2} & e^{-j\frac{\pi}{4} \cdot 4} & e^{-j\frac{\pi}{4} \cdot 6} & e^{-j\frac{\pi}{4} \cdot 0} & e^{-j\frac{\pi}{4} \cdot 2} & e^{-j\frac{\pi}{4} \cdot 4} & e^{-j\frac{\pi}{4} \cdot 6} \\ x[0] & x[1] & x[2] & x[3] & x[4] & x[5] & x[6] & x[7] \end{pmatrix}^T \bullet$$

N=8 DFT : X[3] in A·B

$$X[k] = \sum_{n=0}^7 W_8^{kn} x[n]$$

$$W_8^{kn} = e^{-j(\frac{2\pi}{8})kn}$$



$$A \cdot B = A \cdot A^H = N I$$

$$U \cdot U^H = I$$

Unitary Matrix


When x looks like this, $X[3]$ is max. (=N)
 $X[k] = 0$ for $k \neq 3$

$$X[3] = \begin{pmatrix} e^{-j\frac{\pi}{4} \cdot 0} & e^{-j\frac{\pi}{4} \cdot 3} & e^{-j\frac{\pi}{4} \cdot 6} & e^{-j\frac{\pi}{4} \cdot 1} & e^{-j\frac{\pi}{4} \cdot 4} & e^{-j\frac{\pi}{4} \cdot 7} & e^{-j\frac{\pi}{4} \cdot 2} & e^{-j\frac{\pi}{4} \cdot 5} \\ x[0] & x[1] & x[2] & x[3] & x[4] & x[5] & x[6] & x[7] \end{pmatrix}^T \bullet$$

N=8 DFT : X[4] in A·B

$$X[k] = \sum_{n=0}^7 W_8^{kn} x[n]$$

$$W_8^{kn} = e^{-j(\frac{2\pi}{8})kn}$$



When x looks like this, $X[4]$ is max. ($= N$)
 $X[k] = 0$ for $k \neq 4$

$$A \cdot B = A \cdot A^H = N I$$

$$U \cdot U^H = I$$



Unitary Matrix

$$X[4] = \left(\begin{array}{ccccccc} e^{-j\frac{\pi}{4} \cdot 0} & e^{-j\frac{\pi}{4} \cdot 4} & e^{-j\frac{\pi}{4} \cdot 0} & e^{-j\frac{\pi}{4} \cdot 4} & e^{-j\frac{\pi}{4} \cdot 0} & e^{-j\frac{\pi}{4} \cdot 4} & e^{-j\frac{\pi}{4} \cdot 0} & e^{-j\frac{\pi}{4} \cdot 4} \\ x[0] & x[1] & x[2] & x[3] & x[4] & x[5] & x[6] & x[7] \end{array} \right)^T \bullet$$

N=8 DFT : X[5] in A·B

$$X[k] = \sum_{n=0}^7 W_8^{kn} x[n]$$

$$W_8^{kn} = e^{-j(\frac{2\pi}{8})kn}$$



When x looks like this, $X[5]$ is max. (=N)

$$X[k] = 0 \text{ for } k \neq 5$$



x

$$A \cdot B = A \cdot A^H = N I$$

$$U \cdot U^H = I$$



Unitary Matrix

$$X[5] = \begin{pmatrix} e^{-j\frac{\pi}{4} \cdot 0} & e^{-j\frac{\pi}{4} \cdot 5} & e^{-j\frac{\pi}{4} \cdot 2} & e^{-j\frac{\pi}{4} \cdot 7} & e^{-j\frac{\pi}{4} \cdot 4} & e^{-j\frac{\pi}{4} \cdot 1} & e^{-j\frac{\pi}{4} \cdot 6} & e^{-j\frac{\pi}{4} \cdot 3} \\ x[0] & x[1] & x[2] & x[3] & x[4] & x[5] & x[6] & x[7] \end{pmatrix}^T \bullet$$

N=8 DFT : X[6] in A·B

$$X[k] = \sum_{n=0}^7 W_8^{kn} x[n]$$

$$W_8^{kn} = e^{-j(\frac{2\pi}{8})kn}$$



When x looks like this, $X[6]$ is max. (=N)
 $X[k] = 0$ for $k \neq 6$

\uparrow
 x

$$A \cdot B = A \cdot A^H = N I$$

$$U \cdot U^H = I$$


Unitary Matrix

$$X[6] = \begin{pmatrix} e^{-j\frac{\pi}{4} \cdot 0} & e^{-j\frac{\pi}{4} \cdot 6} & e^{-j\frac{\pi}{4} \cdot 4} & e^{-j\frac{\pi}{4} \cdot 2} & e^{-j\frac{\pi}{4} \cdot 0} & e^{-j\frac{\pi}{4} \cdot 6} & e^{-j\frac{\pi}{4} \cdot 4} & e^{-j\frac{\pi}{4} \cdot 2} \\ x[0] & x[1] & x[2] & x[3] & x[4] & x[5] & x[6] & x[7] \end{pmatrix}^T \bullet$$

N=8 DFT : X[7] in A·B

$$X[k] = \sum_{n=0}^7 W_8^{kn} x[n]$$

$$W_8^{kn} = e^{-j(\frac{2\pi}{8})kn}$$



When x looks like this, $X[7]$ is max. ($= N$)
 $X[k] = 0$ for $k \neq 7$

\uparrow
 x

$$A \cdot B = A \cdot A^H = N I$$

$$U \cdot U^H = I$$

Unitary Matrix

$$X[7] = \left(\begin{array}{ccccccc} e^{-j\frac{\pi}{4} \cdot 0} & e^{-j\frac{\pi}{4} \cdot 7} & e^{-j\frac{\pi}{4} \cdot 6} & e^{-j\frac{\pi}{4} \cdot 5} & e^{-j\frac{\pi}{4} \cdot 4} & e^{-j\frac{\pi}{4} \cdot 3} & e^{-j\frac{\pi}{4} \cdot 2} & e^{-j\frac{\pi}{4} \cdot 1} \\ x[0] & x[1] & x[2] & x[3] & x[4] & x[5] & x[6] & x[7] \end{array} \right)^T \bullet$$

References

- [1] <http://en.wikipedia.org/>
- [2] J.H. McClellan, et al., Signal Processing First, Pearson Prentice Hall, 2003
- [3] A “graphical interpretation” of the DFT and FFT, by Steve Mann