

Process (1A)

- Process Command

Copyright (c) 2012 Young W. Lim.

Permission is granted to copy, distribute and/or modify this document under the terms of the GNU Free Documentation License, Version 1.2 or any later version published by the Free Software Foundation; with no Invariant Sections, no Front-Cover Texts, and no Back-Cover Texts. A copy of the license is included in the section entitled "GNU Free Documentation License".

Please send corrections (or suggestions) to youngwlim@hotmail.com.

This document was produced by using OpenOffice and Octave.

Child Process

```
young@young-530U3C-530U4C:~$  
young@young-530U3C-530U4C:~$  
young@young-530U3C-530U4C:~$ ps  
  PID TTY          TIME CMD  
 2208 pts/1        00:00:00 bash  
 2362 pts/1        00:00:00 ps  
young@young-530U3C-530U4C:~$ xterm &  
[1] 2398  
young@young-530U3C-530U4C:~$  
young@young-530U3C-530U4C:~$  
young@young-530U3C-530U4C:~$ ps  
  PID TTY          TIME CMD  
 2208 pts/1        00:00:00 bash  
 2398 pts/1        00:00:00 xterm  
 2454 pts/1        00:00:00 ps  
young@young-530U3C-530U4C:~$ ps  
  PID TTY          TIME CMD  
 2208 pts/1        00:00:00 bash  
 2398 pts/1        00:00:00 xterm  
 2500 pts/1        00:00:00 ps  
young@young-530U3C-530U4C:~$ pstree
```

Annotations:

- background**: points to the `xterm &` command.
- Job #**: points to the `[1] 2398` output.
- child process**: points to the `2398 pts/1 00:00:00 xterm` entry in the second `ps` output.

pstree

```
gnome-terminal—bash—pstree
                |
                |—xterm—bash—octave
                |
                |—gnome-pty-help
                |
                |—3*[{gnome-terminal}]
```

chmod

chown

chgrp

ps -ef

ps -ef

UID	PID	PPID	C	STIME	TTY	TIME	CMD
root	1	0	0	08:22	?	00:00:00	/sbin/init
root	2	0	0	08:22	?	00:00:00	[kthreadd]
root	3	2	0	08:22	?	00:00:00	[ksoftirqd/0]
root	6	2	0	08:22	?	00:00:00	[migration/0]
root	7	2	0	08:22	?	00:00:00	[watchdog/0]
root	8	2	0	08:22	?	00:00:00	[migration/1]
young	2199	1	0	08:28	?	00:00:07	gnome-terminal
young	2207	2199	0	08:28	?	00:00:00	gnome-pty-helper
young	2208	2199	0	08:28	pts/1	00:00:00	bash
lp	2361	870	0	08:28	?	00:00:00	/usr/lib/cups/notifier/dbus dbus
young	2398	2208	0	08:29	pts/1	00:00:00	xterm
young	2400	2398	0	08:29	pts/2	00:00:00	bash
young	2497	2400	0	08:29	pts/2	00:00:00	octave

Process Related Command

```
pstree -h -p -n -l
```

```
pstree -u
```

```
ps -ef
```

```
bg
```

```
fg
```

```
jobs
```

```
kill -9
```

```
kill -l
```

```
killall
```

```
fuser
```


```
pidof
```

```
top
```

```
ntsysv
```

```
chkconfig
```

fork()



fork() example (1)

```
#include <stdio.h>
#include <unistd.h>
#include <sys/types.h>

int main(void)
{
    int x, n;
    int retPID = 9999;
    char *message;

    x = 0;
    printf("x = %d pid=%d returned PID = %d\n", x, getpid(), retPID);

    retPID = fork();

    x = 1;
    printf("x = %d pid=%d returned PID = %d\n", x, getpid(), retPID);
```


fork() example (2)

```
if (retPID == 0) { // child process
    printf("I am a child process %d ParentPID = %d \n", getpid(), getppid());
    n = 5;
    message = "I am a child process";
}
else {
    printf("I am a parent process %d ChildPID = %d \n", getpid(), retPID);
    n = 3;
    message = "I am a parent process";

    execl("/usr/bin/firefox", "firefox" , (char *) 0);
}

for ( ; n > 0; n--) {
    puts(message);
    sleep(3);
}

return 0;
}
```

argc, argv example

```
#include <stdio.h>
#include <unistd.h>
#include <sys/types.h>

int main(int argc, char * argv[])
{
    int n=0;

    for (n =0; n < argc; n++) {
        printf("n=%d argv[%d] = %s \n", n, n, argv[n]);
    }

    return 0;
}
```

SetUID Example

```
young/SysP$ vi fprn.c
young/SysP$ gcc fprn.c -o fprn
young/SysP$ chmod 4755 fprn
young/SysP$ ls -l fprn
```

```
mat$ /home/young/SysP/fprn
```

```
young/SysP$ chmod 755 fprn
young/SysP$ ls -l fprn
```

```
mat$ /home/young/SysP/fprn
```

```
#include <stdio.h>

void main()
{
    FILE *fp;

    // fp = fopen("/home/young/SysP/fprn.out", "w");
    fp = fopen("fprn.out", "w");

    if (fp != NULL) {
        printf("Hello, world!\n");
        fprintf(fp, "Hello, world!\n");
        fclose(fp);
    }
    else {
        error("Cannot open /home/young/SysP/fprn.out \n");
    }
}
```

Exit Code

```
#include <stdio.h>
#include <stdlib.h>

#include <unistd.h>

int main(int argc, char* argv[])
{
    int rpid, code, exitno;

    if (fork() == 0) { // child process
        execl("/home/young/SysP/ret34", "ret34", (char *) 0);
    }
    else { // parent process
        wait(&code);
        exitno = WEXITSTATUS(code);
        printf("exitno = %d %x \n", exitno, exitno);
        printf("return code = %d WEXITSTATUS(%x)=%x\n",
            code, code, WEXITSTATUS(code));
    }
}
```

ret34

```
#include <stdio.h>
#include <stdlib.h>
#include <unistd.h>

int main(int argc, char * argv[])
{
    return(34); // should be one byte (0~255)
    // exit(34);
}
```

In bash

```
young:~/SysP$ ./ret34
young:~/SysP$ echo $?
34
young:~/SysP$
```

Sticky Bit

```
bob$ cd /home/mat/SharedDir
bob$ vi bob.file
bob$ ls -al .

bob$ rm mat.file
```

```
mat$ cd SharedDir
mat$ vi mat.file
mat$ ls -al .

mat$ rm bob.file
```

Bad Wait Example (1)

```
#include <stdio.h>
#include <stdlib.h>
#include <unistd.h>
#include <sys/types.h>
#include <sys/wait.h>

int main(int argc, char* argv[])
{
    int i, rpid, code, exitno;

    for (i = 0; i < 3; ++i) rpid = fork();

    for (i = 0; i < 3; ++i) {
        if (rpid == 0) { // child process
            printf("PID : %d --> [%d] \n", getppid(), getpid());
            exit(10 + i);
        } else {
            printf("PID : [%d] --> %d \n", getpid(), rpid);
        }
    }

    for (i = 0; i < 3; ++i) {
        wait(&code);
        exitno = WEXITSTATUS(code);
        printf("Paraent PID = %d code = %d exitno = %d \n",
            getpid(), code, exitno);
    }
}
```

```
PID : [2331] --> 2334
PID : [2331] --> 2334
PID : [2331] --> 2334
PID : [2333] --> 2336
PID : [2333] --> 2336
PID : [2333] --> 2336
PID : [2332] --> 2337
PID : [2332] --> 2337
PID : [2332] --> 2337
PID : [2335] --> 2338
PID : [2335] --> 2338
PID : [2335] --> 2338
PID : 2332 --> [2337]
PID : 2331 --> [2334]
PID : 2333 --> [2336]
Paraent PID = 2332 code = 2560 exitno = 10
Paraent PID = 2331 code = 2560 exitno = 10
PID : 2335 --> [2338]
Paraent PID = 2333 code = 2560 exitno = 10
Paraent PID = 2333 code = 2560 exitno = 10
Paraent PID = 2333 code = 2560 exitno = 10
Paraent PID = 2335 code = 2560 exitno = 10
Paraent PID = 2335 code = 2560 exitno = 10
Paraent PID = 2335 code = 2560 exitno = 10
Paraent PID = 2331 code = 11264 exitno = 44
Paraent PID = 2332 code = 11264 exitno = 44
Paraent PID = 2332 code = 11264 exitno = 44
Paraent PID = 2331 code = 11520 exitno = 45
```

Bad Wait Example (2)

```
#include <stdio.h>
#include <stdlib.h>
#include <unistd.h>
#include <sys/types.h>
#include <sys/wait.h>

int main(int argc, char* argv[])
{
    int i, rpid, code, exitno;

    for (i = 0; i < 3; ++i) rpid = fork();

    for (i = 0; i < 3; ++i) {
        if (rpid == 0) { // child process
            printf("PID : %d --> [%d] \n", getpid(), getpid());
            exit(10 + i);
        } else {
            printf("PID : [%d] --> %d \n", getpid(), rpid);
        }
    }

    for (i = 0; i < 3; ++i) {
        wait(&code);
        exitno = WEXITSTATUS(code);
        printf("Parent PID = %d code = %d exitno = %d \n",
            getpid(), code, exitno);
    }
}
```

PID : [2331] --> 2334

PID : 2331 --> [2334]

PID : [2332] --> 2337

PID : 2332 --> [2337]

PID : [2333] --> 2336

PID : 2333 --> [2336]

PID : [2335] --> 2338

PID : 2335 --> [2338]

Parent PID = 2331 code = 2560 exitno = 10

Parent PID = 2332 code = 2560 exitno = 10

Parent PID = 2333 code = 2560 exitno = 10

Parent PID = 2335 code = 2560 exitno = 10

Parent PID = 2331 code = 11264 exitno = 44

Parent PID = 2332 code = 11264 exitno = 44

Parent PID = 2331 code = 11520 exitno = 45

Reference

References

- [1] <http://en.wikipedia.org/>
- [2] S.S. Park, Linux Practical Command Bible (in Korean)
- [3] S.S. Park, Linux Server Practical Administration Bible (in Korean)