## Force Sensor (7A)

- Force Sensor
- Torque Sensor
- Tactile Sensor

opyright (c) 2009 Young W. Lim.	
ermission is granted to copy, distribute and/or modify this document under the terms of the GNU Free Documentation License, ersion 1.2 or any later version published by the Free Software Foundation; with no Invariant Sections, no Front-Cover Texts, and notick-Cover Texts. A copy of the license is included in the section entitled "GNU Free Documentation License".	
and corrections (or suggestions) to vouns whim Obetmail com	
ease send corrections (or suggestions) to youngwlim@hotmail.com.	
is document was produced by using OpenOffice and Octave.	

### **Measuring Force**

#### **Acceleration**

$$a = \frac{F}{m}$$

#### **Pressure**

$$P = \frac{F}{A} \qquad (A: area)$$

#### **Acceleration**

$$\tau = FL$$
 (L: Lever arm)

### Stress and Strain

#### **Normal Stress**

- tensile stress
- compressive stress

### **Normal (Longitudinal) Strain**

- tensile strain
- compressive strain

**Lateral Strain** 

Shearing Strain
Tangential Strain

### Strain Gage

$$R = \rho \frac{L}{A}$$

### **Metal Strain Gauge**

- wire type
- foil type
- thin film

**Semiconductor Strain Gauge Piezo-resistive effect** 

### Load Cell

### **Beam: spring element**

- Bending beam
- Shear beam
- Canister beam
- Ring-type beam
- Helical beam

### **Torque Sensor**

# Moment Torque

- rigid body
- shear strain
- twist angle

Strain gauge type
Optical type

### **Tactile Sensor**

Touch Sensor
Tactile Sensor
Slip

- resistive
- piezo-electric
- optical

### References

- [1] http://en.wikipedia.org/[2] Nam Ki Min, Sensor Electronics, Dong-il Press