

# DFT Matrix Examples (DFT.2.A)

---

- N=8 DFT Matrix
  - DFT Matrix
  - DFT Matrix in Exponential Terms
  - DFT Matrix in Cosine and Sine Terms
  - DFT Matrix in Real and Imaginary Terms
  - DFT Real and Imaginary Phase Factors
  - DFT Real and Imaginary Phase Factors Symmetry
- N=8 IDFT Matrix
  - IDFT Matrix
  - IDFT Matrix in Exponential Terms
  - IDFT Matrix in Cosine and Sine Terms
  - IDFT Matrix in Real and Imaginary Terms
  - IDFT Real and Imaginary Phase Factors
  - IDFT Real and Imaginary Phase Factors Symmetry

Copyright (c) 2009, 2010 Young W. Lim.

Permission is granted to copy, distribute and/or modify this document under the terms of the GNU Free Documentation License, Version 1.2 or any later version published by the Free Software Foundation; with no Invariant Sections, no Front-Cover Texts, and no Back-Cover Texts. A copy of the license is included in the section entitled "GNU Free Documentation License".

Please send corrections (or suggestions) to [youngwlim@hotmail.com](mailto:youngwlim@hotmail.com).

This document was produced by using OpenOffice and Octave.

# DFT

## Discrete Fourier Transform

$$X[k] = \sum_{n=0}^{N-1} x[n] e^{-j(2\pi/N)kn} \quad \longleftrightarrow \quad x[n] = \frac{1}{N} \sum_{k=0}^{N-1} X[k] e^{+j(2\pi/N)kn}$$

$$W_N \triangleq e^{-j(2\pi/N)}$$

$$W_N^{nk} \triangleq e^{-j(2\pi/N)nk}$$

$$X[k] = \sum_{n=0}^{N-1} x[n] W_N^{kn} \quad \longleftrightarrow \quad x[n] = \frac{1}{N} \sum_{k=0}^{N-1} X[k] W_N^{-kn}$$

- **N=8 DFT Matrix**

- DFT Matrix
- DFT Matrix in Exponential Terms
- DFT Matrix in Cosine and Sine Terms
- DFT Matrix in Real and Imaginary Terms
- DFT Real and Imaginary Phase Factors
- DFT Real and Imaginary Phase Factors Symmetry

- **N=8 IDFT Matrix**

- IDFT Matrix
- IDFT Matrix in Exponential Terms
- IDFT Matrix in Cosine and Sine Terms
- IDFT Matrix in Real and Imaginary Terms
- IDFT Real and Imaginary Phase Factors
- IDFT Real and Imaginary Phase Factors Symmetry

# N=8 DFT

$$X[k] = \sum_{n=0}^7 W_8^{kn} x[n] \quad W_8^{kn} = e^{-j\left(\frac{2\pi}{8}\right)kn}$$

$$\begin{bmatrix} X[0] \\ X[1] \\ X[2] \\ X[3] \\ X[4] \\ X[5] \\ X[6] \\ X[7] \end{bmatrix} = \begin{bmatrix} W_8^0 & W_8^0 & W_8^0 & W_8^0 & W_8^0 & W_8^0 & W_8^0 & W_8^0 \\ W_8^0 & W_8^1 & W_8^2 & W_8^3 & W_8^4 & W_8^5 & W_8^6 & W_8^7 \\ W_8^0 & W_8^2 & W_8^4 & W_8^6 & W_8^8 & W_8^{10} & W_8^{12} & W_8^{14} \\ W_8^0 & W_8^3 & W_8^6 & W_8^9 & W_8^{12} & W_8^{15} & W_8^{18} & W_8^{21} \\ W_8^0 & W_8^4 & W_8^8 & W_8^{12} & W_8^{16} & W_8^{20} & W_8^{24} & W_8^{28} \\ W_8^0 & W_8^5 & W_8^{10} & W_8^{15} & W_8^{20} & W_8^{25} & W_8^{30} & W_8^{35} \\ W_8^0 & W_8^6 & W_8^{12} & W_8^{18} & W_8^{24} & W_8^{30} & W_8^{36} & W_8^{42} \\ W_8^0 & W_8^7 & W_8^{14} & W_8^{21} & W_8^{28} & W_8^{35} & W_8^{42} & W_8^{49} \end{bmatrix} \begin{bmatrix} x[0] \\ x[1] \\ x[2] \\ x[3] \\ x[4] \\ x[5] \\ x[6] \\ x[7] \end{bmatrix}$$

# N=8 DFT Matrix in Exponential Terms

$$X[k] = \sum_{n=0}^7 W_8^{kn} x[n] \quad W_8^{kn} = e^{-j\left(\frac{2\pi}{8}\right)kn}$$

$$\begin{bmatrix} X[0] \\ X[1] \\ X[2] \\ X[3] \\ X[4] \\ X[5] \\ X[6] \\ X[7] \end{bmatrix} = \begin{bmatrix} e^{-j\frac{\pi}{4}\cdot 0} & e^{-j\frac{\pi}{4}\cdot 0} & e^{-j\frac{\pi}{4}\cdot 0} & e^{-j\frac{\pi}{4}\cdot 0} & e^{-j\frac{\pi}{4}\cdot 0} & e^{-j\frac{\pi}{4}\cdot 0} & e^{-j\frac{\pi}{4}\cdot 0} & e^{-j\frac{\pi}{4}\cdot 0} \\ e^{-j\frac{\pi}{4}\cdot 0} & e^{-j\frac{\pi}{4}\cdot 1} & e^{-j\frac{\pi}{4}\cdot 2} & e^{-j\frac{\pi}{4}\cdot 3} & e^{-j\frac{\pi}{4}\cdot 4} & e^{-j\frac{\pi}{4}\cdot 5} & e^{-j\frac{\pi}{4}\cdot 6} & e^{-j\frac{\pi}{4}\cdot 7} \\ e^{-j\frac{\pi}{4}\cdot 0} & e^{-j\frac{\pi}{4}\cdot 2} & e^{-j\frac{\pi}{4}\cdot 4} & e^{-j\frac{\pi}{4}\cdot 6} & e^{-j\frac{\pi}{4}\cdot 0} & e^{-j\frac{\pi}{4}\cdot 2} & e^{-j\frac{\pi}{4}\cdot 4} & e^{-j\frac{\pi}{4}\cdot 6} \\ e^{-j\frac{\pi}{4}\cdot 0} & e^{-j\frac{\pi}{4}\cdot 3} & e^{-j\frac{\pi}{4}\cdot 6} & e^{-j\frac{\pi}{4}\cdot 1} & e^{-j\frac{\pi}{4}\cdot 4} & e^{-j\frac{\pi}{4}\cdot 7} & e^{-j\frac{\pi}{4}\cdot 2} & e^{-j\frac{\pi}{4}\cdot 5} \\ e^{-j\frac{\pi}{4}\cdot 0} & e^{-j\frac{\pi}{4}\cdot 4} & e^{-j\frac{\pi}{4}\cdot 0} & e^{-j\frac{\pi}{4}\cdot 4} & e^{-j\frac{\pi}{4}\cdot 0} & e^{-j\frac{\pi}{4}\cdot 4} & e^{-j\frac{\pi}{4}\cdot 0} & e^{-j\frac{\pi}{4}\cdot 4} \\ e^{-j\frac{\pi}{4}\cdot 0} & e^{-j\frac{\pi}{4}\cdot 5} & e^{-j\frac{\pi}{4}\cdot 2} & e^{-j\frac{\pi}{4}\cdot 7} & e^{-j\frac{\pi}{4}\cdot 4} & e^{-j\frac{\pi}{4}\cdot 1} & e^{-j\frac{\pi}{4}\cdot 6} & e^{-j\frac{\pi}{4}\cdot 3} \\ e^{-j\frac{\pi}{4}\cdot 0} & e^{-j\frac{\pi}{4}\cdot 6} & e^{-j\frac{\pi}{4}\cdot 4} & e^{-j\frac{\pi}{4}\cdot 2} & e^{-j\frac{\pi}{4}\cdot 0} & e^{-j\frac{\pi}{4}\cdot 6} & e^{-j\frac{\pi}{4}\cdot 4} & e^{-j\frac{\pi}{4}\cdot 2} \\ e^{-j\frac{\pi}{4}\cdot 0} & e^{-j\frac{\pi}{4}\cdot 7} & e^{-j\frac{\pi}{4}\cdot 6} & e^{-j\frac{\pi}{4}\cdot 5} & e^{-j\frac{\pi}{4}\cdot 4} & e^{-j\frac{\pi}{4}\cdot 3} & e^{-j\frac{\pi}{4}\cdot 2} & e^{-j\frac{\pi}{4}\cdot 1} \end{bmatrix} \begin{bmatrix} x[0] \\ x[1] \\ x[2] \\ x[3] \\ x[4] \\ x[5] \\ x[6] \\ x[7] \end{bmatrix}$$

# N=8 DFT Matrix in Cosine and Sine Terms

$$W_8^{kn} = e^{-j\left(\frac{2\pi}{8}\right)kn} = \cos\left(\frac{\pi}{4}\cdot k\cdot n\right) - j \sin\left(\frac{\pi}{4}\cdot k\cdot n\right)$$

$\cos(\pi/4)\cdot 0$	$\cos(\pi/4)\cdot 0$	$\cos(\pi/4)\cdot 0$	$\cos(\pi/4)\cdot 0$	$\cos(\pi/4)\cdot 0$	$\cos(\pi/4)\cdot 0$	$\cos(\pi/4)\cdot 0$	$\cos(\pi/4)\cdot 0$
$-j \sin(\pi/4)\cdot 0$	$-j \sin(\pi/4)\cdot 0$	$-j \sin(\pi/4)\cdot 0$	$-j \sin(\pi/4)\cdot 0$	$-j \sin(\pi/4)\cdot 0$	$-j \sin(\pi/4)\cdot 0$	$-j \sin(\pi/4)\cdot 0$	$-j \sin(\pi/4)\cdot 0$
$\cos(\pi/4)\cdot 0$	$\cos(\pi/4)\cdot 1$	$\cos(\pi/4)\cdot 2$	$\cos(\pi/4)\cdot 3$	$\cos(\pi/4)\cdot 4$	$\cos(\pi/4)\cdot 5$	$\cos(\pi/4)\cdot 6$	$\cos(\pi/4)\cdot 7$
$-j \sin(\pi/4)\cdot 0$	$-j \sin(\pi/4)\cdot 1$	$-j \sin(\pi/4)\cdot 2$	$-j \sin(\pi/4)\cdot 3$	$-j \sin(\pi/4)\cdot 4$	$-j \sin(\pi/4)\cdot 5$	$-j \sin(\pi/4)\cdot 6$	$-j \sin(\pi/4)\cdot 7$
$\cos(\pi/4)\cdot 0$	$\cos(\pi/4)\cdot 2$	$\cos(\pi/4)\cdot 4$	$\cos(\pi/4)\cdot 6$	$\cos(\pi/4)\cdot 0$	$\cos(\pi/4)\cdot 2$	$\cos(\pi/4)\cdot 4$	$\cos(\pi/4)\cdot 6$
$-j \sin(\pi/4)\cdot 0$	$-j \sin(\pi/4)\cdot 2$	$-j \sin(\pi/4)\cdot 4$	$-j \sin(\pi/4)\cdot 6$	$-j \sin(\pi/4)\cdot 0$	$-j \sin(\pi/4)\cdot 2$	$-j \sin(\pi/4)\cdot 4$	$-j \sin(\pi/4)\cdot 6$
$\cos(\pi/4)\cdot 0$	$\cos(\pi/4)\cdot 3$	$\cos(\pi/4)\cdot 6$	$\cos(\pi/4)\cdot 1$	$\cos(\pi/4)\cdot 4$	$\cos(\pi/4)\cdot 7$	$\cos(\pi/4)\cdot 2$	$\cos(\pi/4)\cdot 5$
$-j \sin(\pi/4)\cdot 0$	$-j \sin(\pi/4)\cdot 3$	$-j \sin(\pi/4)\cdot 6$	$-j \sin(\pi/4)\cdot 1$	$-j \sin(\pi/4)\cdot 4$	$-j \sin(\pi/4)\cdot 7$	$-j \sin(\pi/4)\cdot 2$	$-j \sin(\pi/4)\cdot 5$
$\cos(\pi/4)\cdot 0$	$\cos(\pi/4)\cdot 4$	$\cos(\pi/4)\cdot 0$	$\cos(\pi/4)\cdot 4$	$\cos(\pi/4)\cdot 0$	$\cos(\pi/4)\cdot 4$	$\cos(\pi/4)\cdot 0$	$\cos(\pi/4)\cdot 4$
$-j \sin(\pi/4)\cdot 0$	$-j \sin(\pi/4)\cdot 4$	$-j \sin(\pi/4)\cdot 0$	$-j \sin(\pi/4)\cdot 4$	$-j \sin(\pi/4)\cdot 0$	$-j \sin(\pi/4)\cdot 4$	$-j \sin(\pi/4)\cdot 0$	$-j \sin(\pi/4)\cdot 4$
$\cos(\pi/4)\cdot 0$	$\cos(\pi/4)\cdot 5$	$\cos(\pi/4)\cdot 2$	$\cos(\pi/4)\cdot 7$	$\cos(\pi/4)\cdot 4$	$\cos(\pi/4)\cdot 1$	$\cos(\pi/4)\cdot 6$	$\cos(\pi/4)\cdot 3$
$-j \sin(\pi/4)\cdot 0$	$-j \sin(\pi/4)\cdot 5$	$-j \sin(\pi/4)\cdot 2$	$-j \sin(\pi/4)\cdot 7$	$-j \sin(\pi/4)\cdot 4$	$-j \sin(\pi/4)\cdot 1$	$-j \sin(\pi/4)\cdot 6$	$-j \sin(\pi/4)\cdot 3$
$\cos(\pi/4)\cdot 0$	$\cos(\pi/4)\cdot 6$	$\cos(\pi/4)\cdot 4$	$\cos(\pi/4)\cdot 2$	$\cos(\pi/4)\cdot 0$	$\cos(\pi/4)\cdot 6$	$\cos(\pi/4)\cdot 4$	$\cos(\pi/4)\cdot 2$
$-j \sin(\pi/4)\cdot 0$	$-j \sin(\pi/4)\cdot 6$	$-j \sin(\pi/4)\cdot 4$	$-j \sin(\pi/4)\cdot 2$	$-j \sin(\pi/4)\cdot 0$	$-j \sin(\pi/4)\cdot 6$	$-j \sin(\pi/4)\cdot 4$	$-j \sin(\pi/4)\cdot 2$
$\cos(\pi/4)\cdot 0$	$\cos(\pi/4)\cdot 7$	$\cos(\pi/4)\cdot 6$	$\cos(\pi/4)\cdot 5$	$\cos(\pi/4)\cdot 4$	$\cos(\pi/4)\cdot 3$	$\cos(\pi/4)\cdot 2$	$\cos(\pi/4)\cdot 1$
$-j \sin(\pi/4)\cdot 0$	$-j \sin(\pi/4)\cdot 7$	$-j \sin(\pi/4)\cdot 6$	$-j \sin(\pi/4)\cdot 5$	$-j \sin(\pi/4)\cdot 4$	$-j \sin(\pi/4)\cdot 3$	$-j \sin(\pi/4)\cdot 2$	$-j \sin(\pi/4)\cdot 1$


# N=8 DFT Matrix Real and Imaginary Terms

$$W_8^{kn} = e^{-j\left(\frac{2\pi}{8}\right)kn} = \cos\left(\frac{\pi}{4} \cdot k \cdot n\right) - j \sin\left(\frac{\pi}{4} \cdot k \cdot n\right)$$


0	0	0	0	0	0	0	0
0	$+\frac{1}{\sqrt{2}} - j\frac{1}{\sqrt{2}}$	$-j$	$-\frac{1}{\sqrt{2}} - j\frac{1}{\sqrt{2}}$	$-1$	$-\frac{1}{\sqrt{2}} + j\frac{1}{\sqrt{2}}$	$+j$	$+\frac{1}{\sqrt{2}} + j\frac{1}{\sqrt{2}}$
0	$-j$	$-1$	$+j$	0	$-j$	$-1$	$+j$
0	$-\frac{1}{\sqrt{2}} - j\frac{1}{\sqrt{2}}$	$+j$	$+\frac{1}{\sqrt{2}} - j\frac{1}{\sqrt{2}}$	$-1$	$+\frac{1}{\sqrt{2}} + j\frac{1}{\sqrt{2}}$	$-j$	$-\frac{1}{\sqrt{2}} + j\frac{1}{\sqrt{2}}$
0	$-1$	0	$-1$	0	$-1$	0	$-1$
0	$-\frac{1}{\sqrt{2}} + j\frac{1}{\sqrt{2}}$	$-j$	$+\frac{1}{\sqrt{2}} + j\frac{1}{\sqrt{2}}$	$-1$	$+\frac{1}{\sqrt{2}} - j\frac{1}{\sqrt{2}}$	$+j$	$-\frac{1}{\sqrt{2}} - j\frac{1}{\sqrt{2}}$
0	$+j$	$-1$	$-j$	0	$+j$	$-1$	$-j$
0	$+\frac{1}{\sqrt{2}} + j\frac{1}{\sqrt{2}}$	$+j$	$-\frac{1}{\sqrt{2}} + j\frac{1}{\sqrt{2}}$	$-1$	$-\frac{1}{\sqrt{2}} - j\frac{1}{\sqrt{2}}$	$-j$	$+\frac{1}{\sqrt{2}} - j\frac{1}{\sqrt{2}}$




# N=8 DFT Real Phase Factors




# N=8 DFT Imaginary Phase Factors



# N=8 DFT Real Phase Factor Symmetry



# N=8 DFT Imaginary Phase Factor Symmetry



- **N=8 DFT Matrix**
  - DFT Matrix
  - DFT Matrix in Exponential Terms
  - DFT Matrix in Cosine and Sine Terms
  - DFT Matrix in Real and Imaginary Terms
  - DFT Real and Imaginary Phase Factors
  - DFT Real and Imaginary Phase Factors Symmetry
- **N=8 IDFT Matrix**
  - IDFT Matrix
  - IDFT Matrix in Exponential Terms
  - IDFT Matrix in Cosine and Sine Terms
  - IDFT Matrix in Real and Imaginary Terms
  - IDFT Real and Imaginary Phase Factors
  - IDFT Real and Imaginary Phase Factors Symmetry

# N=8 IDFT Matrix

$$x[n] = \frac{1}{N} \sum_{k=0}^7 W_8^{-kn} X[k] \quad W_8^{-kn} = e^{+j\left(\frac{2\pi}{8}\right)kn}$$

$$\begin{bmatrix} x[0] \\ x[1] \\ x[2] \\ x[3] \\ x[4] \\ x[5] \\ x[6] \\ x[7] \end{bmatrix} = \frac{1}{N} \begin{bmatrix} W_8^0 & W_8^0 & W_8^0 & W_8^0 & W_8^0 & W_8^0 & W_8^0 & W_8^0 \\ W_8^0 & W_8^{-1} & W_8^{-2} & W_8^{-3} & W_8^{-4} & W_8^{-5} & W_8^{-6} & W_8^{-7} \\ W_8^0 & W_8^{-2} & W_8^{-4} & W_8^{-6} & W_8^{-8} & W_8^{-10} & W_8^{-12} & W_8^{-14} \\ W_8^0 & W_8^{-3} & W_8^{-6} & W_8^{-9} & W_8^{-12} & W_8^{-15} & W_8^{-18} & W_8^{-21} \\ W_8^0 & W_8^{-4} & W_8^{-8} & W_8^{-12} & W_8^{-16} & W_8^{-20} & W_8^{-24} & W_8^{-28} \\ W_8^0 & W_8^{-5} & W_8^{-10} & W_8^{-15} & W_8^{-20} & W_8^{-25} & W_8^{-30} & W_8^{-35} \\ W_8^0 & W_8^{-6} & W_8^{-12} & W_8^{-18} & W_8^{-24} & W_8^{-30} & W_8^{-36} & W_8^{-42} \\ W_8^0 & W_8^{-7} & W_8^{-14} & W_8^{-21} & W_8^{-28} & W_8^{-35} & W_8^{-42} & W_8^{-49} \end{bmatrix} \begin{bmatrix} X[0] \\ X[1] \\ X[2] \\ X[3] \\ X[4] \\ X[5] \\ X[6] \\ X[7] \end{bmatrix}$$

# N=8 IDFT Matrix in Exponential Terms

$$x[n] = \frac{1}{N} \sum_{k=0}^7 W_8^{-kn} X[k] \quad W_8^{-kn} = e^{+j\left(\frac{2\pi}{8}\right)kn}$$

$$\begin{bmatrix} x[0] \\ x[1] \\ x[2] \\ x[3] \\ x[4] \\ x[5] \\ x[6] \\ x[7] \end{bmatrix} = \begin{bmatrix} e^{+j\frac{\pi}{4}\cdot 0} & e^{+j\frac{\pi}{4}\cdot 0} & e^{+j\frac{\pi}{4}\cdot 0} & e^{+j\frac{\pi}{4}\cdot 0} & e^{+j\frac{\pi}{4}\cdot 0} & e^{+j\frac{\pi}{4}\cdot 0} & e^{+j\frac{\pi}{4}\cdot 0} & e^{+j\frac{\pi}{4}\cdot 0} \\ e^{+j\frac{\pi}{4}\cdot 0} & e^{+j\frac{\pi}{4}\cdot 1} & e^{+j\frac{\pi}{4}\cdot 2} & e^{+j\frac{\pi}{4}\cdot 3} & e^{+j\frac{\pi}{4}\cdot 4} & e^{+j\frac{\pi}{4}\cdot 5} & e^{+j\frac{\pi}{4}\cdot 6} & e^{+j\frac{\pi}{4}\cdot 7} \\ e^{+j\frac{\pi}{4}\cdot 0} & e^{+j\frac{\pi}{4}\cdot 2} & e^{+j\frac{\pi}{4}\cdot 4} & e^{+j\frac{\pi}{4}\cdot 6} & e^{+j\frac{\pi}{4}\cdot 0} & e^{+j\frac{\pi}{4}\cdot 2} & e^{+j\frac{\pi}{4}\cdot 4} & e^{+j\frac{\pi}{4}\cdot 6} \\ e^{+j\frac{\pi}{4}\cdot 0} & e^{+j\frac{\pi}{4}\cdot 3} & e^{+j\frac{\pi}{4}\cdot 6} & e^{+j\frac{\pi}{4}\cdot 1} & e^{+j\frac{\pi}{4}\cdot 4} & e^{+j\frac{\pi}{4}\cdot 7} & e^{+j\frac{\pi}{4}\cdot 2} & e^{+j\frac{\pi}{4}\cdot 5} \\ e^{+j\frac{\pi}{4}\cdot 0} & e^{+j\frac{\pi}{4}\cdot 4} & e^{+j\frac{\pi}{4}\cdot 0} & e^{+j\frac{\pi}{4}\cdot 4} & e^{+j\frac{\pi}{4}\cdot 0} & e^{+j\frac{\pi}{4}\cdot 4} & e^{+j\frac{\pi}{4}\cdot 0} & e^{+j\frac{\pi}{4}\cdot 4} \\ e^{+j\frac{\pi}{4}\cdot 0} & e^{+j\frac{\pi}{4}\cdot 5} & e^{+j\frac{\pi}{4}\cdot 2} & e^{+j\frac{\pi}{4}\cdot 7} & e^{+j\frac{\pi}{4}\cdot 4} & e^{+j\frac{\pi}{4}\cdot 1} & e^{+j\frac{\pi}{4}\cdot 6} & e^{+j\frac{\pi}{4}\cdot 3} \\ e^{+j\frac{\pi}{4}\cdot 0} & e^{+j\frac{\pi}{4}\cdot 6} & e^{+j\frac{\pi}{4}\cdot 4} & e^{+j\frac{\pi}{4}\cdot 2} & e^{+j\frac{\pi}{4}\cdot 0} & e^{+j\frac{\pi}{4}\cdot 6} & e^{+j\frac{\pi}{4}\cdot 4} & e^{+j\frac{\pi}{4}\cdot 2} \\ e^{+j\frac{\pi}{4}\cdot 0} & e^{+j\frac{\pi}{4}\cdot 7} & e^{+j\frac{\pi}{4}\cdot 6} & e^{+j\frac{\pi}{4}\cdot 5} & e^{+j\frac{\pi}{4}\cdot 4} & e^{+j\frac{\pi}{4}\cdot 3} & e^{+j\frac{\pi}{4}\cdot 2} & e^{+j\frac{\pi}{4}\cdot 1} \end{bmatrix} \begin{bmatrix} \frac{X[0]}{N} \\ \frac{X[1]}{N} \\ \frac{X[2]}{N} \\ \frac{X[3]}{N} \\ \frac{X[4]}{N} \\ \frac{X[5]}{N} \\ \frac{X[6]}{N} \\ \frac{X[7]}{N} \end{bmatrix}$$

# N=8 IDFT Matrix in Cosine and Sine Terms

$$W_8^{-kn} = e^{+j\left(\frac{2\pi}{8}\right)kn} = \cos\left(\frac{\pi}{4} \cdot k \cdot n\right) + j \sin\left(\frac{\pi}{4} \cdot k \cdot n\right)$$

$\cos(\pi/4) \cdot 0$ $+j \sin(\pi/4) \cdot 0$	$\cos(\pi/4) \cdot 0$ $+j \sin(\pi/4) \cdot 0$	$\cos(\pi/4) \cdot 0$ $+j \sin(\pi/4) \cdot 0$	$\cos(\pi/4) \cdot 0$ $+j \sin(\pi/4) \cdot 0$	$\cos(\pi/4) \cdot 0$ $+j \sin(\pi/4) \cdot 0$	$\cos(\pi/4) \cdot 0$ $+j \sin(\pi/4) \cdot 0$	$\cos(\pi/4) \cdot 0$ $+j \sin(\pi/4) \cdot 0$	$\cos(\pi/4) \cdot 0$ $+j \sin(\pi/4) \cdot 0$
$\cos(\pi/4) \cdot 0$ $+j \sin(\pi/4) \cdot 0$	$\cos(\pi/4) \cdot 1$ $+j \sin(\pi/4) \cdot 1$	$\cos(\pi/4) \cdot 2$ $+j \sin(\pi/4) \cdot 2$	$\cos(\pi/4) \cdot 3$ $+j \sin(\pi/4) \cdot 3$	$\cos(\pi/4) \cdot 4$ $+j \sin(\pi/4) \cdot 4$	$\cos(\pi/4) \cdot 5$ $+j \sin(\pi/4) \cdot 5$	$\cos(\pi/4) \cdot 6$ $+j \sin(\pi/4) \cdot 6$	$\cos(\pi/4) \cdot 7$ $+j \sin(\pi/4) \cdot 7$
$\cos(\pi/4) \cdot 0$ $+j \sin(\pi/4) \cdot 0$	$\cos(\pi/4) \cdot 2$ $+j \sin(\pi/4) \cdot 2$	$\cos(\pi/4) \cdot 4$ $+j \sin(\pi/4) \cdot 4$	$\cos(\pi/4) \cdot 6$ $+j \sin(\pi/4) \cdot 6$	$\cos(\pi/4) \cdot 0$ $+j \sin(\pi/4) \cdot 0$	$\cos(\pi/4) \cdot 2$ $+j \sin(\pi/4) \cdot 2$	$\cos(\pi/4) \cdot 4$ $+j \sin(\pi/4) \cdot 4$	$\cos(\pi/4) \cdot 6$ $+j \sin(\pi/4) \cdot 6$
$\cos(\pi/4) \cdot 0$ $+j \sin(\pi/4) \cdot 0$	$\cos(\pi/4) \cdot 3$ $+j \sin(\pi/4) \cdot 3$	$\cos(\pi/4) \cdot 6$ $+j \sin(\pi/4) \cdot 6$	$\cos(\pi/4) \cdot 1$ $+j \sin(\pi/4) \cdot 1$	$\cos(\pi/4) \cdot 4$ $+j \sin(\pi/4) \cdot 4$	$\cos(\pi/4) \cdot 7$ $+j \sin(\pi/4) \cdot 7$	$\cos(\pi/4) \cdot 2$ $+j \sin(\pi/4) \cdot 2$	$\cos(\pi/4) \cdot 5$ $+j \sin(\pi/4) \cdot 5$
$\cos(\pi/4) \cdot 0$ $+j \sin(\pi/4) \cdot 0$	$\cos(\pi/4) \cdot 4$ $+j \sin(\pi/4) \cdot 4$	$\cos(\pi/4) \cdot 0$ $+j \sin(\pi/4) \cdot 0$	$\cos(\pi/4) \cdot 4$ $+j \sin(\pi/4) \cdot 4$	$\cos(\pi/4) \cdot 0$ $+j \sin(\pi/4) \cdot 0$	$\cos(\pi/4) \cdot 4$ $+j \sin(\pi/4) \cdot 4$	$\cos(\pi/4) \cdot 0$ $+j \sin(\pi/4) \cdot 0$	$\cos(\pi/4) \cdot 4$ $+j \sin(\pi/4) \cdot 4$
$\cos(\pi/4) \cdot 0$ $+j \sin(\pi/4) \cdot 0$	$\cos(\pi/4) \cdot 5$ $+j \sin(\pi/4) \cdot 5$	$\cos(\pi/4) \cdot 2$ $+j \sin(\pi/4) \cdot 2$	$\cos(\pi/4) \cdot 7$ $+j \sin(\pi/4) \cdot 7$	$\cos(\pi/4) \cdot 4$ $+j \sin(\pi/4) \cdot 4$	$\cos(\pi/4) \cdot 1$ $+j \sin(\pi/4) \cdot 1$	$\cos(\pi/4) \cdot 6$ $+j \sin(\pi/4) \cdot 6$	$\cos(\pi/4) \cdot 3$ $+j \sin(\pi/4) \cdot 3$
$\cos(\pi/4) \cdot 0$ $+j \sin(\pi/4) \cdot 0$	$\cos(\pi/4) \cdot 6$ $+j \sin(\pi/4) \cdot 6$	$\cos(\pi/4) \cdot 4$ $+j \sin(\pi/4) \cdot 4$	$\cos(\pi/4) \cdot 2$ $+j \sin(\pi/4) \cdot 2$	$\cos(\pi/4) \cdot 0$ $+j \sin(\pi/4) \cdot 0$	$\cos(\pi/4) \cdot 6$ $+j \sin(\pi/4) \cdot 6$	$\cos(\pi/4) \cdot 4$ $+j \sin(\pi/4) \cdot 4$	$\cos(\pi/4) \cdot 2$ $+j \sin(\pi/4) \cdot 2$
$\cos(\pi/4) \cdot 0$ $+j \sin(\pi/4) \cdot 0$	$\cos(\pi/4) \cdot 7$ $+j \sin(\pi/4) \cdot 7$	$\cos(\pi/4) \cdot 6$ $+j \sin(\pi/4) \cdot 6$	$\cos(\pi/4) \cdot 5$ $+j \sin(\pi/4) \cdot 5$	$\cos(\pi/4) \cdot 4$ $+j \sin(\pi/4) \cdot 4$	$\cos(\pi/4) \cdot 3$ $+j \sin(\pi/4) \cdot 3$	$\cos(\pi/4) \cdot 2$ $+j \sin(\pi/4) \cdot 2$	$\cos(\pi/4) \cdot 1$ $+j \sin(\pi/4) \cdot 1$




# N=8 IDFT Matrix in Real and Imaginary Terms


$$W_8^{-kn} = e^{+j\left(\frac{2\pi}{8}\right)kn} = \cos\left(\frac{\pi}{4} \cdot k \cdot n\right) + j \sin\left(\frac{\pi}{4} \cdot k \cdot n\right)$$

0	0	0	0	0	0	0	0
0	$+\frac{1}{\sqrt{2}} + j\frac{1}{\sqrt{2}}$	$+j$	$-\frac{1}{\sqrt{2}} + j\frac{1}{\sqrt{2}}$	-1	$-\frac{1}{\sqrt{2}} - j\frac{1}{\sqrt{2}}$	$-j$	$+\frac{1}{\sqrt{2}} - j\frac{1}{\sqrt{2}}$
0	$+j$	-1	$-j$	0	$+j$	-1	$-j$
0	$-\frac{1}{\sqrt{2}} + j\frac{1}{\sqrt{2}}$	$-j$	$+\frac{1}{\sqrt{2}} + j\frac{1}{\sqrt{2}}$	-1	$+\frac{1}{\sqrt{2}} - j\frac{1}{\sqrt{2}}$	$+j$	$-\frac{1}{\sqrt{2}} - j\frac{1}{\sqrt{2}}$
0	-1	0	-1	0	-1	0	-1
0	$-\frac{1}{\sqrt{2}} - j\frac{1}{\sqrt{2}}$	$+j$	$+\frac{1}{\sqrt{2}} - j\frac{1}{\sqrt{2}}$	-1	$+\frac{1}{\sqrt{2}} + j\frac{1}{\sqrt{2}}$	$-j$	$-\frac{1}{\sqrt{2}} + j\frac{1}{\sqrt{2}}$
0	$-j$	-1	$+j$	0	$-j$	-1	$+j$
0	$+\frac{1}{\sqrt{2}} - j\frac{1}{\sqrt{2}}$	$-j$	$-\frac{1}{\sqrt{2}} - j\frac{1}{\sqrt{2}}$	-1	$-\frac{1}{\sqrt{2}} + j\frac{1}{\sqrt{2}}$	$+j$	$+\frac{1}{\sqrt{2}} + j\frac{1}{\sqrt{2}}$


# N=8 IDFT Real Phase Factors




# N=8 IDFT Imaginary Phase Factors



# N=8 IDFT Real Phase Factor Symmetry



# N=8 IDFT Imaginary Phase Factor Symmetry



## References

[1] <http://en.wikipedia.org/>

[2] J.H. McClellan, et al., Signal Processing First, Pearson Prentice Hall, 2003