

# DFT Matrix Properties (3B)

---

- $X[1]$
- $X[2]$
- $X[3]$
- $X[4]$
- $X[5]$
- $X[6]$
- $X[7]$

Copyright (c) 2009, 2010 Young W. Lim.

Permission is granted to copy, distribute and/or modify this document under the terms of the GNU Free Documentation License, Version 1.2 or any later version published by the Free Software Foundation; with no Invariant Sections, no Front-Cover Texts, and no Back-Cover Texts. A copy of the license is included in the section entitled "GNU Free Documentation License".

Please send corrections (or suggestions) to [youngwlim@hotmail.com](mailto:youngwlim@hotmail.com).

This document was produced by using OpenOffice and Octave.

# N=8 DFT

$$X[k] = \sum_{n=0}^7 W_8^{kn} x[n] \quad W_8^{kn} = e^{-j\left(\frac{2\pi}{8}\right)kn}$$

$$\begin{bmatrix} X[0] \\ X[1] \\ X[2] \\ X[3] \\ X[4] \\ X[5] \\ X[6] \\ X[7] \end{bmatrix} = \begin{bmatrix} W_8^0 & W_8^0 & W_8^0 & W_8^0 & W_8^0 & W_8^0 & W_8^0 & W_8^0 \\ W_8^0 & W_8^1 & W_8^2 & W_8^3 & W_8^4 & W_8^5 & W_8^6 & W_8^7 \\ W_8^0 & W_8^2 & W_8^4 & W_8^6 & W_8^8 & W_8^{10} & W_8^{12} & W_8^{14} \\ W_8^0 & W_8^3 & W_8^6 & W_8^9 & W_8^{12} & W_8^{15} & W_8^{18} & W_8^{21} \\ W_8^0 & W_8^4 & W_8^8 & W_8^{12} & W_8^{16} & W_8^{20} & W_8^{24} & W_8^{28} \\ W_8^0 & W_8^5 & W_8^{10} & W_8^{15} & W_8^{20} & W_8^{25} & W_8^{30} & W_8^{35} \\ W_8^0 & W_8^6 & W_8^{12} & W_8^{18} & W_8^{24} & W_8^{30} & W_8^{36} & W_8^{42} \\ W_8^0 & W_8^7 & W_8^{14} & W_8^{21} & W_8^{28} & W_8^{35} & W_8^{42} & W_8^{49} \end{bmatrix} \begin{bmatrix} x[0] \\ x[1] \\ x[2] \\ x[3] \\ x[4] \\ x[5] \\ x[6] \\ x[7] \end{bmatrix}$$

# N=8 IDFT

$$x[n] = \frac{1}{N} \sum_{k=0}^7 W_8^{-kn} X[k] \quad W_8^{-kn} = e^{+j\left(\frac{2\pi}{8}\right)kn}$$

$$\begin{bmatrix} x[0] \\ x[1] \\ x[2] \\ x[3] \\ x[4] \\ x[5] \\ x[6] \\ x[7] \end{bmatrix} = \frac{1}{N} \begin{bmatrix} W_8^0 & W_8^0 & W_8^0 & W_8^0 & W_8^0 & W_8^0 & W_8^0 & W_8^0 \\ W_8^0 & W_8^{-1} & W_8^{-2} & W_8^{-3} & W_8^{-4} & W_8^{-5} & W_8^{-6} & W_8^{-7} \\ W_8^0 & W_8^{-2} & W_8^{-4} & W_8^{-6} & W_8^{-8} & W_8^{-10} & W_8^{-12} & W_8^{-14} \\ W_8^0 & W_8^{-3} & W_8^{-6} & W_8^{-9} & W_8^{-12} & W_8^{-15} & W_8^{-18} & W_8^{-21} \\ W_8^0 & W_8^{-4} & W_8^{-8} & W_8^{-12} & W_8^{-16} & W_8^{-20} & W_8^{-24} & W_8^{-28} \\ W_8^0 & W_8^{-5} & W_8^{-10} & W_8^{-15} & W_8^{-20} & W_8^{-25} & W_8^{-30} & W_8^{-35} \\ W_8^0 & W_8^{-6} & W_8^{-12} & W_8^{-18} & W_8^{-24} & W_8^{-30} & W_8^{-36} & W_8^{-42} \\ W_8^0 & W_8^{-7} & W_8^{-14} & W_8^{-21} & W_8^{-28} & W_8^{-35} & W_8^{-42} & W_8^{-49} \end{bmatrix} \begin{bmatrix} X[0] \\ X[1] \\ X[2] \\ X[3] \\ X[4] \\ X[5] \\ X[6] \\ X[7] \end{bmatrix}$$

# N=8 DFT Matrix (1)

$$X[k] = \sum_{n=0}^7 W_8^{kn} x[n] \quad W_8^{kn} = e^{-j\left(\frac{2\pi}{8}\right)kn}$$

$$\begin{bmatrix} X[0] \\ X[1] \\ X[2] \\ X[3] \\ X[4] \\ X[5] \\ X[6] \\ X[7] \end{bmatrix} = \begin{bmatrix} e^{-j\frac{\pi}{4}\cdot 0} & e^{-j\frac{\pi}{4}\cdot 0} & e^{-j\frac{\pi}{4}\cdot 0} & e^{-j\frac{\pi}{4}\cdot 0} & e^{-j\frac{\pi}{4}\cdot 0} & e^{-j\frac{\pi}{4}\cdot 0} & e^{-j\frac{\pi}{4}\cdot 0} & e^{-j\frac{\pi}{4}\cdot 0} \\ e^{-j\frac{\pi}{4}\cdot 0} & e^{-j\frac{\pi}{4}\cdot 1} & e^{-j\frac{\pi}{4}\cdot 2} & e^{-j\frac{\pi}{4}\cdot 3} & e^{-j\frac{\pi}{4}\cdot 4} & e^{-j\frac{\pi}{4}\cdot 5} & e^{-j\frac{\pi}{4}\cdot 6} & e^{-j\frac{\pi}{4}\cdot 7} \\ e^{-j\frac{\pi}{4}\cdot 0} & e^{-j\frac{\pi}{4}\cdot 2} & e^{-j\frac{\pi}{4}\cdot 4} & e^{-j\frac{\pi}{4}\cdot 6} & e^{-j\frac{\pi}{4}\cdot 0} & e^{-j\frac{\pi}{4}\cdot 2} & e^{-j\frac{\pi}{4}\cdot 4} & e^{-j\frac{\pi}{4}\cdot 6} \\ e^{-j\frac{\pi}{4}\cdot 0} & e^{-j\frac{\pi}{4}\cdot 3} & e^{-j\frac{\pi}{4}\cdot 6} & e^{-j\frac{\pi}{4}\cdot 1} & e^{-j\frac{\pi}{4}\cdot 4} & e^{-j\frac{\pi}{4}\cdot 7} & e^{-j\frac{\pi}{4}\cdot 2} & e^{-j\frac{\pi}{4}\cdot 5} \\ e^{-j\frac{\pi}{4}\cdot 0} & e^{-j\frac{\pi}{4}\cdot 4} & e^{-j\frac{\pi}{4}\cdot 0} & e^{-j\frac{\pi}{4}\cdot 4} & e^{-j\frac{\pi}{4}\cdot 0} & e^{-j\frac{\pi}{4}\cdot 4} & e^{-j\frac{\pi}{4}\cdot 0} & e^{-j\frac{\pi}{4}\cdot 4} \\ e^{-j\frac{\pi}{4}\cdot 0} & e^{-j\frac{\pi}{4}\cdot 5} & e^{-j\frac{\pi}{4}\cdot 2} & e^{-j\frac{\pi}{4}\cdot 7} & e^{-j\frac{\pi}{4}\cdot 4} & e^{-j\frac{\pi}{4}\cdot 1} & e^{-j\frac{\pi}{4}\cdot 6} & e^{-j\frac{\pi}{4}\cdot 3} \\ e^{-j\frac{\pi}{4}\cdot 0} & e^{-j\frac{\pi}{4}\cdot 6} & e^{-j\frac{\pi}{4}\cdot 4} & e^{-j\frac{\pi}{4}\cdot 2} & e^{-j\frac{\pi}{4}\cdot 0} & e^{-j\frac{\pi}{4}\cdot 6} & e^{-j\frac{\pi}{4}\cdot 4} & e^{-j\frac{\pi}{4}\cdot 2} \\ e^{-j\frac{\pi}{4}\cdot 0} & e^{-j\frac{\pi}{4}\cdot 7} & e^{-j\frac{\pi}{4}\cdot 6} & e^{-j\frac{\pi}{4}\cdot 5} & e^{-j\frac{\pi}{4}\cdot 4} & e^{-j\frac{\pi}{4}\cdot 3} & e^{-j\frac{\pi}{4}\cdot 2} & e^{-j\frac{\pi}{4}\cdot 1} \end{bmatrix} \begin{bmatrix} x[0] \\ x[1] \\ x[2] \\ x[3] \\ x[4] \\ x[5] \\ x[6] \\ x[7] \end{bmatrix}$$

# N=8 IDFT Matrix (1)

$$x[n] = \frac{1}{N} \sum_{k=0}^7 W_8^{-kn} X[k] \quad W_8^{-kn} = e^{+j\left(\frac{2\pi}{8}\right)kn}$$

$$\begin{bmatrix} x[0] \\ x[1] \\ x[2] \\ x[3] \\ x[4] \\ x[5] \\ x[6] \\ x[7] \end{bmatrix} = \begin{bmatrix} e^{+j\frac{\pi}{4}\cdot 0} & e^{+j\frac{\pi}{4}\cdot 0} & e^{+j\frac{\pi}{4}\cdot 0} & e^{+j\frac{\pi}{4}\cdot 0} & e^{+j\frac{\pi}{4}\cdot 0} & e^{+j\frac{\pi}{4}\cdot 0} & e^{+j\frac{\pi}{4}\cdot 0} & e^{+j\frac{\pi}{4}\cdot 0} \\ e^{+j\frac{\pi}{4}\cdot 0} & e^{+j\frac{\pi}{4}\cdot 1} & e^{+j\frac{\pi}{4}\cdot 2} & e^{+j\frac{\pi}{4}\cdot 3} & e^{+j\frac{\pi}{4}\cdot 4} & e^{+j\frac{\pi}{4}\cdot 5} & e^{+j\frac{\pi}{4}\cdot 6} & e^{+j\frac{\pi}{4}\cdot 7} \\ e^{+j\frac{\pi}{4}\cdot 0} & e^{+j\frac{\pi}{4}\cdot 2} & e^{+j\frac{\pi}{4}\cdot 4} & e^{+j\frac{\pi}{4}\cdot 6} & e^{+j\frac{\pi}{4}\cdot 0} & e^{+j\frac{\pi}{4}\cdot 2} & e^{+j\frac{\pi}{4}\cdot 4} & e^{+j\frac{\pi}{4}\cdot 6} \\ e^{+j\frac{\pi}{4}\cdot 0} & e^{+j\frac{\pi}{4}\cdot 3} & e^{+j\frac{\pi}{4}\cdot 6} & e^{+j\frac{\pi}{4}\cdot 1} & e^{+j\frac{\pi}{4}\cdot 4} & e^{+j\frac{\pi}{4}\cdot 7} & e^{+j\frac{\pi}{4}\cdot 2} & e^{+j\frac{\pi}{4}\cdot 5} \\ e^{+j\frac{\pi}{4}\cdot 0} & e^{+j\frac{\pi}{4}\cdot 4} & e^{+j\frac{\pi}{4}\cdot 0} & e^{+j\frac{\pi}{4}\cdot 4} & e^{+j\frac{\pi}{4}\cdot 0} & e^{+j\frac{\pi}{4}\cdot 4} & e^{+j\frac{\pi}{4}\cdot 0} & e^{+j\frac{\pi}{4}\cdot 4} \\ e^{+j\frac{\pi}{4}\cdot 0} & e^{+j\frac{\pi}{4}\cdot 5} & e^{+j\frac{\pi}{4}\cdot 2} & e^{+j\frac{\pi}{4}\cdot 7} & e^{+j\frac{\pi}{4}\cdot 4} & e^{+j\frac{\pi}{4}\cdot 1} & e^{+j\frac{\pi}{4}\cdot 6} & e^{+j\frac{\pi}{4}\cdot 3} \\ e^{+j\frac{\pi}{4}\cdot 0} & e^{+j\frac{\pi}{4}\cdot 6} & e^{+j\frac{\pi}{4}\cdot 4} & e^{+j\frac{\pi}{4}\cdot 2} & e^{+j\frac{\pi}{4}\cdot 0} & e^{+j\frac{\pi}{4}\cdot 6} & e^{+j\frac{\pi}{4}\cdot 4} & e^{+j\frac{\pi}{4}\cdot 2} \\ e^{+j\frac{\pi}{4}\cdot 0} & e^{+j\frac{\pi}{4}\cdot 7} & e^{+j\frac{\pi}{4}\cdot 6} & e^{+j\frac{\pi}{4}\cdot 5} & e^{+j\frac{\pi}{4}\cdot 4} & e^{+j\frac{\pi}{4}\cdot 3} & e^{+j\frac{\pi}{4}\cdot 2} & e^{+j\frac{\pi}{4}\cdot 1} \end{bmatrix} \begin{bmatrix} \frac{X[0]}{N} \\ \frac{X[1]}{N} \\ \frac{X[2]}{N} \\ \frac{X[3]}{N} \\ \frac{X[4]}{N} \\ \frac{X[5]}{N} \\ \frac{X[6]}{N} \\ \frac{X[7]}{N} \end{bmatrix}$$

# Symmetric DFT Matrix – Index (1)

$$X[k] = \sum_{n=0}^{N-1} x[n] e^{-j(2\pi/N)kn}$$

$$X[k] = \sum_{n=0}^{N-1} x[n] W_N^{kn}$$

	n=0	n=1	n=2	...	...	...	n=N-1
k=0	0·0	0·1	0·2	...	...	...	0·(N-1)
k=1	1·0	1·1	1·2	...	...	...	1·(N-1)
k=2	2·0	2·1	2·2	...	...	...	2·(N-1)
•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•
k=N-1	(N-1)·0	(N-1)·1	(N-1)·2	...	...	...	(N-1)·(N-1)

Exponents in  
DFT matrix **A** and  
IDFT matrix **B**

$$A = A^T$$

$$B = B^T$$

# Symmetric DFT Matrix – Index (2)

$$X[k] = \sum_{n=0}^{N-1} x[n] e^{-j(2\pi/N)kn}$$

$$X[k] = \sum_{n=0}^{N-1} x[n] W_N^{kn}$$

	n=0	n=1	n=2	...	n=N-1	
<b>k=0</b>	0·0 → +0	0·1 → +0	0·2 → +0	...	0·(N-1) → +0	+ 0 (mod N)
<b>k=1</b>	1·0 → +1	1·1 → +1	1·2 → +1	...	1·(N-1) → +1	+ 1 (mod N)
<b>k=2</b>	2·0 → +2	2·1 → +2	2·2 → +2	...	2·(N-1) → +2	+ 2 (mod N)
•	•	•	•	•	•	
•	•	•	•	•	•	
•	•	•	•	•	•	
<b>k=N-1</b>	(N-1)·0 → +(N-1)	(N-1)·1 → +(N-1)	(N-1)·2 → +(N-1)	...	(N-1)·(N-1) → +(N-1)	+ N-1 (mod N)

$$A = A^T$$

$$B = B^T$$


Exponents in  
DFT matrix **A** and  
IDFT matrix **B**



# Symmetric DFT Matrix – Index (3)

$$X[k] = \sum_{n=0}^{N-1} x[n] e^{-j(2\pi/N)kn}$$

$$X[k] = \sum_{n=0}^{N-1} x[n] W_N^{kn}$$



$$A = A^T$$

$$B = B^T$$

Exponents in DFT matrix A and IDFT matrix B

# Conjugate Transpose DFT Matrix

$$X[k] = \sum_{n=0}^{N-1} x[n] e^{-j(2\pi/N)kn} \iff x[n] = \frac{1}{N} \sum_{k=0}^{N-1} X[k] e^{+j(2\pi/N)kn}$$

$$\begin{bmatrix} X[0] \\ X[1] \\ X[2] \\ \vdots \\ X[N-1] \end{bmatrix} = \begin{bmatrix} \vdots & & & & & & \\ & \ddots & & & & & \\ & & \boxed{n} & & & & \\ & & & \boxed{k} & & & \\ & & & & \ddots & & \\ & & & & & \ddots & \\ & & & & & & \vdots \end{bmatrix} \begin{bmatrix} x[0] \\ x[1] \\ x[2] \\ \vdots \\ x[N-1] \end{bmatrix} e^{-j\left(\frac{2\pi}{N}\right)kn}$$


$$\iff \begin{bmatrix} x[0] \\ x[1] \\ x[2] \\ \vdots \\ x[N-1] \end{bmatrix} = \frac{1}{N} \begin{bmatrix} \vdots & & & & & & \\ & \ddots & & & & & \\ & & \boxed{k} & & & & \\ & & & \boxed{n} & & & \\ & & & & \ddots & & \\ & & & & & \ddots & \\ & & & & & & \vdots \end{bmatrix} \begin{bmatrix} X[0] \\ X[1] \\ X[2] \\ \vdots \\ X[N-1] \end{bmatrix} e^{+j\left(\frac{2\pi}{N}\right)kn}$$

$$\begin{cases} \mathbf{A} = \mathbf{A}^T \\ \mathbf{B} = \mathbf{B}^T \end{cases} \quad \begin{cases} \mathbf{A}^* = \mathbf{B} \\ \mathbf{B}^* = \mathbf{A} \end{cases} \quad \Rightarrow \quad \begin{cases} \mathbf{A}^H = \mathbf{B} \\ \mathbf{B}^H = \mathbf{A} \end{cases}$$


# Product of DFT & IDFT Matrix

$$X[k] = \sum_{n=0}^{N-1} x[n] e^{-j(2\pi/N)kn}$$

$$X[k] = \sum_{n=0}^{N-1} x[n] W_N^{kn}$$



$$\left\{ \begin{array}{l} e^{+j(\frac{2n}{N})0 \cdot n} \\ e^{+j(\frac{2n}{N})1 \cdot n} \\ \vdots \\ e^{+j(\frac{2n}{N})(N-1) \cdot n} \end{array} \right\}$$



$$\{ e^{-j(\frac{2n}{N})k \cdot 0}, e^{-j(\frac{2n}{N})k \cdot 1}, \dots, e^{-j(\frac{2n}{N})k \cdot (N-1)} \}$$

## Inner product

$$e^{-j(\frac{2n}{N})(n-k) \cdot 0} + e^{-j(\frac{2n}{N})(n-k) \cdot 1} + \dots + e^{-j(\frac{2n}{N})(n-k) \cdot (N-1)} = \begin{cases} 0 & (n \neq k) \\ N & (n = k) \end{cases}$$

# N=8 DFT & IDFT Matrix (1)

	0	1	2	3	4	5	6	7	
<b>Row 0</b>	$e^{-j\frac{\pi}{4}\cdot 0}$	$e^{-j\frac{\pi}{4}\cdot 0}$	$e^{-j\frac{\pi}{4}\cdot 0}$	$e^{-j\frac{\pi}{4}\cdot 0}$	$e^{-j\frac{\pi}{4}\cdot 0}$	$e^{-j\frac{\pi}{4}\cdot 0}$	$e^{-j\frac{\pi}{4}\cdot 0}$	$e^{-j\frac{\pi}{4}\cdot 0}$	DFT
	$e^{+j\frac{\pi}{4}\cdot 0}$	$e^{+j\frac{\pi}{4}\cdot 0}$	$e^{+j\frac{\pi}{4}\cdot 0}$	$e^{+j\frac{\pi}{4}\cdot 0}$	$e^{+j\frac{\pi}{4}\cdot 0}$	$e^{+j\frac{\pi}{4}\cdot 0}$	$e^{+j\frac{\pi}{4}\cdot 0}$	$e^{+j\frac{\pi}{4}\cdot 0}$	IDFT
<b>Row 1</b>	$e^{-j\frac{\pi}{4}\cdot 0}$	$e^{-j\frac{\pi}{4}\cdot 1}$	$e^{-j\frac{\pi}{4}\cdot 2}$	$e^{-j\frac{\pi}{4}\cdot 3}$	$e^{-j\frac{\pi}{4}\cdot 4}$	$e^{-j\frac{\pi}{4}\cdot 5}$	$e^{-j\frac{\pi}{4}\cdot 6}$	$e^{-j\frac{\pi}{4}\cdot 7}$	DFT
	$e^{+j\frac{\pi}{4}\cdot 0}$	$e^{+j\frac{\pi}{4}\cdot 1}$	$e^{+j\frac{\pi}{4}\cdot 2}$	$e^{+j\frac{\pi}{4}\cdot 3}$	$e^{+j\frac{\pi}{4}\cdot 4}$	$e^{+j\frac{\pi}{4}\cdot 5}$	$e^{+j\frac{\pi}{4}\cdot 6}$	$e^{+j\frac{\pi}{4}\cdot 7}$	IDFT
<b>Row 2</b>	$e^{-j\frac{\pi}{4}\cdot 0}$	$e^{-j\frac{\pi}{4}\cdot 2}$	$e^{-j\frac{\pi}{4}\cdot 4}$	$e^{-j\frac{\pi}{4}\cdot 6}$	$e^{-j\frac{\pi}{4}\cdot 0}$	$e^{-j\frac{\pi}{4}\cdot 2}$	$e^{-j\frac{\pi}{4}\cdot 4}$	$e^{-j\frac{\pi}{4}\cdot 6}$	DFT
	$e^{+j\frac{\pi}{4}\cdot 0}$	$e^{+j\frac{\pi}{4}\cdot 2}$	$e^{+j\frac{\pi}{4}\cdot 4}$	$e^{+j\frac{\pi}{4}\cdot 6}$	$e^{+j\frac{\pi}{4}\cdot 0}$	$e^{+j\frac{\pi}{4}\cdot 2}$	$e^{+j\frac{\pi}{4}\cdot 4}$	$e^{+j\frac{\pi}{4}\cdot 6}$	IDFT
<b>Row 3</b>	$e^{-j\frac{\pi}{4}\cdot 0}$	$e^{-j\frac{\pi}{4}\cdot 3}$	$e^{-j\frac{\pi}{4}\cdot 6}$	$e^{-j\frac{\pi}{4}\cdot 1}$	$e^{-j\frac{\pi}{4}\cdot 4}$	$e^{-j\frac{\pi}{4}\cdot 7}$	$e^{-j\frac{\pi}{4}\cdot 2}$	$e^{-j\frac{\pi}{4}\cdot 5}$	DFT
	$e^{+j\frac{\pi}{4}\cdot 0}$	$e^{+j\frac{\pi}{4}\cdot 3}$	$e^{+j\frac{\pi}{4}\cdot 6}$	$e^{+j\frac{\pi}{4}\cdot 1}$	$e^{+j\frac{\pi}{4}\cdot 4}$	$e^{+j\frac{\pi}{4}\cdot 7}$	$e^{+j\frac{\pi}{4}\cdot 2}$	$e^{+j\frac{\pi}{4}\cdot 5}$	IDFT

# N=8 DFT & IDFT Matrix (2)

	0	1	2	3	4	5	6	7	
<b>Row 4</b>	$e^{-j\frac{\pi}{4}\cdot 0}$	$e^{-j\frac{\pi}{4}\cdot 4}$	$e^{-j\frac{\pi}{4}\cdot 0}$	$e^{-j\frac{\pi}{4}\cdot 4}$	$e^{-j\frac{\pi}{4}\cdot 0}$	$e^{-j\frac{\pi}{4}\cdot 4}$	$e^{-j\frac{\pi}{4}\cdot 0}$	$e^{-j\frac{\pi}{4}\cdot 4}$	DFT
	$e^{+j\frac{\pi}{4}\cdot 0}$	$e^{+j\frac{\pi}{4}\cdot 4}$	$e^{+j\frac{\pi}{4}\cdot 0}$	$e^{+j\frac{\pi}{4}\cdot 4}$	$e^{+j\frac{\pi}{4}\cdot 0}$	$e^{+j\frac{\pi}{4}\cdot 4}$	$e^{+j\frac{\pi}{4}\cdot 0}$	$e^{+j\frac{\pi}{4}\cdot 4}$	IDFT
<b>Row 5</b>	$e^{-j\frac{\pi}{4}\cdot 0}$	$e^{-j\frac{\pi}{4}\cdot 5}$	$e^{-j\frac{\pi}{4}\cdot 2}$	$e^{-j\frac{\pi}{4}\cdot 7}$	$e^{-j\frac{\pi}{4}\cdot 4}$	$e^{-j\frac{\pi}{4}\cdot 1}$	$e^{-j\frac{\pi}{4}\cdot 6}$	$e^{-j\frac{\pi}{4}\cdot 3}$	DFT
	$e^{+j\frac{\pi}{4}\cdot 0}$	$e^{+j\frac{\pi}{4}\cdot 5}$	$e^{+j\frac{\pi}{4}\cdot 2}$	$e^{+j\frac{\pi}{4}\cdot 7}$	$e^{+j\frac{\pi}{4}\cdot 4}$	$e^{+j\frac{\pi}{4}\cdot 1}$	$e^{+j\frac{\pi}{4}\cdot 6}$	$e^{+j\frac{\pi}{4}\cdot 3}$	IDFT
<b>Row 6</b>	$e^{-j\frac{\pi}{4}\cdot 0}$	$e^{-j\frac{\pi}{4}\cdot 6}$	$e^{-j\frac{\pi}{4}\cdot 4}$	$e^{-j\frac{\pi}{4}\cdot 2}$	$e^{-j\frac{\pi}{4}\cdot 0}$	$e^{-j\frac{\pi}{4}\cdot 6}$	$e^{-j\frac{\pi}{4}\cdot 4}$	$e^{-j\frac{\pi}{4}\cdot 2}$	DFT
	$e^{+j\frac{\pi}{4}\cdot 0}$	$e^{+j\frac{\pi}{4}\cdot 6}$	$e^{+j\frac{\pi}{4}\cdot 4}$	$e^{+j\frac{\pi}{4}\cdot 2}$	$e^{+j\frac{\pi}{4}\cdot 0}$	$e^{+j\frac{\pi}{4}\cdot 6}$	$e^{+j\frac{\pi}{4}\cdot 4}$	$e^{+j\frac{\pi}{4}\cdot 2}$	IDFT
<b>Row 7</b>	$e^{-j\frac{\pi}{4}\cdot 0}$	$e^{-j\frac{\pi}{4}\cdot 7}$	$e^{-j\frac{\pi}{4}\cdot 6}$	$e^{-j\frac{\pi}{4}\cdot 5}$	$e^{-j\frac{\pi}{4}\cdot 4}$	$e^{-j\frac{\pi}{4}\cdot 3}$	$e^{-j\frac{\pi}{4}\cdot 2}$	$e^{-j\frac{\pi}{4}\cdot 1}$	DFT
	$e^{+j\frac{\pi}{4}\cdot 0}$	$e^{+j\frac{\pi}{4}\cdot 7}$	$e^{+j\frac{\pi}{4}\cdot 6}$	$e^{+j\frac{\pi}{4}\cdot 5}$	$e^{+j\frac{\pi}{4}\cdot 4}$	$e^{+j\frac{\pi}{4}\cdot 3}$	$e^{+j\frac{\pi}{4}\cdot 2}$	$e^{+j\frac{\pi}{4}\cdot 1}$	IDFT

# Product AB – Diagonal Elements

$$C = A \cdot B$$

$$[C]_{(i,j)} = [A]_{(row\ i)} \cdot [B]_{(col\ j)}$$

$$C_{(i,i)} = N$$

$$C_{(1,1)} \begin{pmatrix} e^{-j \cdot \frac{\pi}{4} \cdot 0} & e^{-j \cdot \frac{\pi}{4} \cdot 1} & e^{-j \cdot \frac{\pi}{4} \cdot 2} & e^{-j \cdot \frac{\pi}{4} \cdot 3} & e^{-j \cdot \frac{\pi}{4} \cdot 4} & e^{-j \cdot \frac{\pi}{4} \cdot 5} & e^{-j \cdot \frac{\pi}{4} \cdot 6} & e^{-j \cdot \frac{\pi}{4} \cdot 7} \\ e^{+j \cdot \frac{\pi}{4} \cdot 0} & e^{+j \cdot \frac{\pi}{4} \cdot 1} & e^{+j \cdot \frac{\pi}{4} \cdot 2} & e^{+j \cdot \frac{\pi}{4} \cdot 3} & e^{+j \cdot \frac{\pi}{4} \cdot 4} & e^{+j \cdot \frac{\pi}{4} \cdot 5} & e^{+j \cdot \frac{\pi}{4} \cdot 6} & e^{+j \cdot \frac{\pi}{4} \cdot 7} \end{pmatrix}^T \cdot \begin{matrix} +1 & +1 & +1 & +1 & +1 & +1 & +1 & +1 \end{matrix} = N$$

# Product AB – Off-Diagonal Elements

$$C = A \cdot B$$

$$[C]_{(i,j)} = [A]_{(row\ i)} \cdot [B]_{(col\ j)}$$

$$C_{(i,j)} = 0$$

$$C_{(1,2)}$$

$$\begin{pmatrix} e^{-j \cdot \frac{\pi}{4} \cdot 0} & e^{-j \cdot \frac{\pi}{4} \cdot 1} & e^{-j \cdot \frac{\pi}{4} \cdot 2} & e^{-j \cdot \frac{\pi}{4} \cdot 3} & e^{-j \cdot \frac{\pi}{4} \cdot 4} & e^{-j \cdot \frac{\pi}{4} \cdot 5} & e^{-j \cdot \frac{\pi}{4} \cdot 6} & e^{-j \cdot \frac{\pi}{4} \cdot 7} \end{pmatrix} \cdot \begin{pmatrix} e^{+j \cdot \frac{\pi}{4} \cdot 0} & e^{+j \cdot \frac{\pi}{4} \cdot 2} & e^{+j \cdot \frac{\pi}{4} \cdot 4} & e^{+j \cdot \frac{\pi}{4} \cdot 6} & e^{+j \cdot \frac{\pi}{4} \cdot 0} & e^{+j \cdot \frac{\pi}{4} \cdot 2} & e^{+j \cdot \frac{\pi}{4} \cdot 4} & e^{+j \cdot \frac{\pi}{4} \cdot 6} \end{pmatrix}^T$$

$$e^{+j \cdot \frac{\pi}{4} \cdot 0} + e^{+j \cdot \frac{\pi}{4} \cdot 1} + e^{+j \cdot \frac{\pi}{4} \cdot 2} + e^{+j \cdot \frac{\pi}{4} \cdot 3} + e^{+j \cdot \frac{\pi}{4} \cdot 4} + e^{+j \cdot \frac{\pi}{4} \cdot 5} + e^{+j \cdot \frac{\pi}{4} \cdot 6} + e^{+j \cdot \frac{\pi}{4} \cdot 7} = 0$$


# Root of Unity

$$\sum_{k=0}^{N-1} W_N^k = \sum_{k=0}^{N-1} e^{-j\left(\frac{2\pi}{N}\right)k} = 0$$

$$z \equiv e^{-j\left(\frac{2\pi}{N}\right)}$$

$$z^N = e^{-j\left(\frac{2\pi}{N}\right)N} = 1$$


$$\sum_{k=0}^{N-1} e^{-j\left(\frac{2\pi}{N}\right)k} = \frac{z^N - 1}{z - 1} = 0$$



$$W_8^0 + W_8^1 + W_8^2 + W_8^3 + W_8^4 + W_8^5 + W_8^6 + W_8^7 = 0$$




# N=8 DFT : Inner Product X[0]



$X[0]$  measures "0 cycle" component in  $x$

When  $x$  looks like this,  $X[0]$  is max.




$$\text{---} \quad \text{Re} \left\{ e^{-j \frac{2\pi}{8} k n} \right\} = \cos \left( -\frac{2\pi}{8} k n \right)$$

$$\text{---} \quad \text{Im} \left\{ e^{-j \frac{2\pi}{8} k n} \right\} = \sin \left( -\frac{2\pi}{8} k n \right)$$

# N=8 DFT : Inner Product X[0]

$$X[k] = \sum_{n=0}^7 W_8^{kn} x[n] \quad W_8^{kn} = e^{-j\left(\frac{2\pi}{8}\right)kn}$$




*When  $\mathbf{x}$  looks like this,  $X[0]$  is max.*

$$X[0] = \begin{pmatrix} e^{-j\frac{\pi}{4}\cdot 0} & e^{-j\frac{\pi}{4}\cdot 0} & e^{-j\frac{\pi}{4}\cdot 0} & e^{-j\frac{\pi}{4}\cdot 0} & e^{-j\frac{\pi}{4}\cdot 0} & e^{-j\frac{\pi}{4}\cdot 0} & e^{-j\frac{\pi}{4}\cdot 0} & e^{-j\frac{\pi}{4}\cdot 0} \end{pmatrix} \bullet \begin{pmatrix} x[0] & x[1] & x[2] & x[3] & x[4] & x[5] & x[6] & x[7] \end{pmatrix}^T$$

# N=8 DFT : Inner Product X[1]

$$X[k] = \sum_{n=0}^7 W_8^{kn} x[n] \quad W_8^{kn} = e^{-j\left(\frac{2\pi}{8}\right)kn}$$




When  $x$  looks like this,  $X[1]$  is max.

$$X[1] = \begin{pmatrix} e^{-j\frac{\pi}{4}\cdot 0} & e^{-j\frac{\pi}{4}\cdot 1} & e^{-j\frac{\pi}{4}\cdot 2} & e^{-j\frac{\pi}{4}\cdot 3} & e^{-j\frac{\pi}{4}\cdot 4} & e^{-j\frac{\pi}{4}\cdot 5} & e^{-j\frac{\pi}{4}\cdot 6} & e^{-j\frac{\pi}{4}\cdot 7} \end{pmatrix} \bullet \begin{pmatrix} x[0] & x[1] & x[2] & x[3] & x[4] & x[5] & x[6] & x[7] \end{pmatrix}^T$$

# N=8 DFT : Inner Product X[2]

$$X[k] = \sum_{n=0}^7 W_8^{kn} x[n] \quad W_8^{kn} = e^{-j\left(\frac{2\pi}{8}\right)kn}$$




*When  $\mathbf{x}$  looks like this,  $X[2]$  is max.*

$$X[2] = \begin{pmatrix} e^{-j\frac{\pi}{4}\cdot 0} & e^{-j\frac{\pi}{4}\cdot 2} & e^{-j\frac{\pi}{4}\cdot 4} & e^{-j\frac{\pi}{4}\cdot 6} & e^{-j\frac{\pi}{4}\cdot 0} & e^{-j\frac{\pi}{4}\cdot 2} & e^{-j\frac{\pi}{4}\cdot 4} & e^{-j\frac{\pi}{4}\cdot 6} \end{pmatrix} \bullet \begin{pmatrix} x[0] \\ x[1] \\ x[2] \\ x[3] \\ x[4] \\ x[5] \\ x[6] \\ x[7] \end{pmatrix}^T$$

# N=8 DFT : Inner Product X[3]


$$X[k] = \sum_{n=0}^7 W_8^{kn} x[n] \quad W_8^{kn} = e^{-j\left(\frac{2\pi}{8}\right)kn}$$



$$X[3] = \begin{pmatrix} e^{-j\frac{\pi}{4}\cdot 0} & e^{-j\frac{\pi}{4}\cdot 3} & e^{-j\frac{\pi}{4}\cdot 6} & e^{-j\frac{\pi}{4}\cdot 1} & e^{-j\frac{\pi}{4}\cdot 4} & e^{-j\frac{\pi}{4}\cdot 7} & e^{-j\frac{\pi}{4}\cdot 2} & e^{-j\frac{\pi}{4}\cdot 5} \end{pmatrix} \bullet \begin{pmatrix} x[0] \\ x[1] \\ x[2] \\ x[3] \\ x[4] \\ x[5] \\ x[6] \\ x[7] \end{pmatrix}^T$$

# N=8 DFT : Inner Product X[4]


$$X[k] = \sum_{n=0}^7 W_8^{kn} x[n] \quad W_8^{kn} = e^{-j\left(\frac{2\pi}{8}\right)kn}$$



$$X[4] = \begin{pmatrix} e^{-j\frac{\pi}{4}\cdot 0} & e^{-j\frac{\pi}{4}\cdot 4} & e^{-j\frac{\pi}{4}\cdot 0} & e^{-j\frac{\pi}{4}\cdot 4} & e^{-j\frac{\pi}{4}\cdot 0} & e^{-j\frac{\pi}{4}\cdot 4} & e^{-j\frac{\pi}{4}\cdot 0} & e^{-j\frac{\pi}{4}\cdot 4} \end{pmatrix} \bullet \begin{pmatrix} x[0] \\ x[1] \\ x[2] \\ x[3] \\ x[4] \\ x[5] \\ x[6] \\ x[7] \end{pmatrix}^T$$

# N=8 DFT : Inner Product X[5]


$$X[k] = \sum_{n=0}^7 W_8^{kn} x[n] \quad W_8^{kn} = e^{-j\left(\frac{2\pi}{8}\right)kn}$$



$$X[5] = \begin{pmatrix} e^{-j\frac{\pi}{4}\cdot 0} & e^{-j\frac{\pi}{4}\cdot 5} & e^{-j\frac{\pi}{4}\cdot 2} & e^{-j\frac{\pi}{4}\cdot 7} & e^{-j\frac{\pi}{4}\cdot 4} & e^{-j\frac{\pi}{4}\cdot 1} & e^{-j\frac{\pi}{4}\cdot 6} & e^{-j\frac{\pi}{4}\cdot 3} \end{pmatrix} \bullet \begin{pmatrix} x[0] \\ x[1] \\ x[2] \\ x[3] \\ x[4] \\ x[5] \\ x[6] \\ x[7] \end{pmatrix}^T$$

# N=8 DFT : Inner Product X[6]

$$X[k] = \sum_{n=0}^7 W_8^{kn} x[n] \quad W_8^{kn} = e^{-j\left(\frac{2\pi}{8}\right)kn}$$




$$X[6] = \begin{pmatrix} e^{-j\frac{\pi}{4}\cdot 0} & e^{-j\frac{\pi}{4}\cdot 6} & e^{-j\frac{\pi}{4}\cdot 4} & e^{-j\frac{\pi}{4}\cdot 2} & e^{-j\frac{\pi}{4}\cdot 0} & e^{-j\frac{\pi}{4}\cdot 6} & e^{-j\frac{\pi}{4}\cdot 4} & e^{-j\frac{\pi}{4}\cdot 2} \end{pmatrix} \bullet \begin{pmatrix} x[0] \\ x[1] \\ x[2] \\ x[3] \\ x[4] \\ x[5] \\ x[6] \\ x[7] \end{pmatrix}^T$$



# N=8 DFT : Inner Product X[7]

$$X[k] = \sum_{n=0}^7 W_8^{kn} x[n] \quad W_8^{kn} = e^{-j\left(\frac{2\pi}{8}\right)kn}$$



$$X[7] = \begin{pmatrix} e^{-j\frac{\pi}{4}\cdot 0} & e^{-j\frac{\pi}{4}\cdot 7} & e^{-j\frac{\pi}{4}\cdot 6} & e^{-j\frac{\pi}{4}\cdot 5} & e^{-j\frac{\pi}{4}\cdot 4} & e^{-j\frac{\pi}{4}\cdot 3} & e^{-j\frac{\pi}{4}\cdot 2} & e^{-j\frac{\pi}{4}\cdot 1} \end{pmatrix} \bullet \begin{pmatrix} x[0] \\ x[1] \\ x[2] \\ x[3] \\ x[4] \\ x[5] \\ x[6] \\ x[7] \end{pmatrix}^T$$







## References

- [1] <http://en.wikipedia.org/>
- [2] J.H. McClellan, et al., Signal Processing First, Pearson Prentice Hall, 2003
- [3] A “graphical interpretation” of the DFT and FFT, by Steve Mann