README for *IBM Debug Tool Plug-in for Eclipse V10.1.0.0*

Copyright statement

Contents

System requirements and prerequisites

The following minimum hardware levels are required to run the CICS Explorer and are therefore applicable to Debug Tool Plug-in for Eclipse V10.1.0.0:

- CPU - Intel® Pentium® 4 or equivalent.
- RAM - 768 MB in addition to the operating system requirements.
- Hard disk - 500 MB available space.

One of the following levels of Windows operating system software is required to install the CICS Explorer and is therefore applicable to Debug Tool Plug-in for Eclipse V10.1.0.0:

- Microsoft® Windows® XP 32-bit
- Microsoft Windows Vista 32-bit
- Microsoft Windows Server 2003 32-bit
- Microsoft Windows Server 2008 32-bit

The following levels of software required to install the Debug Tool Plug-in for Eclipse V10.1.0.0:

- CICS Explorer (for Windows) V1.0.0.5, or later
- Debug Tool for z/OS Version 9.1 or later

The Debug Tool Plug-in for Eclipse V10.1.0.0 is available in the following national languages:

- English
- Japanese
- Korean

Downloading Debug Tool Plug-in for Eclipse V10.1.0.0

The Debug Tool Plug-in for Eclipse V10.1.0.0 can be downloaded from the [Problem Determination Tools Plug-in website](). The download file is called DT_plugin_v10100.zip.

Installing Debug Tool Plug-in for Eclipse V10.1.0.0 into CICS Explorer

The following steps are required in order to install the Debug Tool Plug-in for Eclipse V10.1.0.0 into CICS explorer.

1. Extract all the contents of DT_plugin_V10100.zip to any writable directory of your choice, for example, C:/DebugTool.
2. Start CICS Explorer.
3. In the action bar click "Help" -> "Software Updates".
4. Click "Available Software".
5. Click "Add Site".
6. Click "Local".
7. Navigate to the directory storing the extracted files.
8. Click "OK".
9. Click "OK".
10. CICS Explorer displays a list of features you can install. Select the "Debug Tool Plugin" check box.
11. Click "Install".
12. Click "Next".
13. Accept the feature license agreement and click "Finish".
14. CICS Explorer installs the Debug Tool Plug-in for Eclipse V10.1.0.0. You will be asked if you want to restart CICS Explorer. Click "Yes".

After CICS Explorer restarts, read "Getting Started Using Debug Tool Plug-in for Eclipse V10.1.0.0" for instructions on how to display the "Getting Started" help topic, which has instructions on how to start debugging your applications.

Getting Started Using Debug Tool Plug-in for Eclipse V10.1.0.0

The topic "Getting started" describes the steps you must do to start debugging your applications with the Debug Tool Plug-in for Eclipse V10.1.0.0. To open that topic:

1. In CICS Explorer, click "Help" -> "Help Contents".
2. Expand "Debug Tool Plug-in for Eclipse".
3. Click "Getting started".

You can find more information on how to use Debug Tool Plug-in for Eclipse V10.1.0.0 in the help of CICS Explorer. Click "Help" -> "Help Contents".
Expand the topic "Debug Tool for z/OS client for Eclipse".

[Back to Contents](#)

Restrictions and limitations

CICS Explorer displays, by default, the Outline View, but you cannot use this view. You can close the view.

[Back to Contents](#)

Technical Support

This plug-in is available at no charge to all licensed users of IBM Debug Tool for z/OS V9, or later. It is supplied under the standard terms and conditions of the IBM International Program License Agreement (IPLA) and of the associated License Information and other documentation, and provides a defect correction entitlement for those licensed users entitled to service for IBM Debug Tool for z/OS V9, or later. Service is available for this plug-in for as long as the IBM Debug Tool for z/OS product with which the plug-in is to be used is generally supported by IBM. In addition, IBM reserves the right to discontinue service on this plug-in when it is withdrawn from marketing by IBM. Please reference "IBM Debug Tool for z/OS" as the entitled product when contacting IBM and requesting support for this plug-in.