

CTFT (2B)

- Continuous Time Fourier Transform




Copyright (c) 2009 Young W. Lim.

Permission is granted to copy, distribute and/or modify this document under the terms of the GNU Free Documentation License, Version 1.2 or any later version published by the Free Software Foundation; with no Invariant Sections, no Front-Cover Texts, and no Back-Cover Texts. A copy of the license is included in the section entitled "GNU Free Documentation License".


Please send corrections (or suggestions) to youngwlim@hotmail.com.

This document was produced by using OpenOffice and Octave.

Impulse Response



Frequency Response



$$H(j\omega) = \int_{-\infty}^{+\infty} h(\tau) e^{-j\omega\tau} d\tau$$

$$= \int_{-\infty}^{+\infty} h(\tau) A e^{j\Phi} e^{j\omega t} e^{-j\omega\tau} d\tau$$

$$= \int_{-\infty}^{+\infty} h(\tau) \underline{A e^{j\Phi} e^{j\omega t}} e^{-j\omega\tau} d\tau$$

$$= \underline{A e^{j\Phi} e^{j\omega t}} \int_{-\infty}^{+\infty} h(\tau) e^{-j\omega\tau} d\tau$$

$$x(t) = A e^{j\Phi} e^{j\omega t}$$

$$y(t) = H(j\omega) \underline{A e^{j\Phi} e^{j\omega t}}$$

CTFT and CTFS (1)


Continuous Time Fourier Transform

$$X(j\omega) = \int_{-\infty}^{+\infty} x(t) e^{-j\omega t} dt$$



Aperiodic Continuous Time Signal

$$x(t) = \frac{1}{2\pi} \int_{-\infty}^{+\infty} X(j\omega) e^{+j\omega t} d\omega$$




Continuous Time Fourier Series

$$C_k = \frac{1}{T} \int_0^T x(t) e^{-jk\omega_0 t} dt$$



Periodic Continuous Time Signal


$$x(t) = \sum_{n=0}^{\infty} C_k e^{+jk\omega_0 t}$$



CTFT and CTFS (2)

Aperiodic Continuous Time Signal

Continuous Time Fourier Transform



$x(t)$


As $T_0 \rightarrow \infty$,

$$x_{T_0}(t) \rightarrow x(t)$$

$$\omega_0 = \frac{2\pi}{T_0} \rightarrow 0$$

Periodic Continuous Time Signal

Continuous Time Fourier Series




$$x_{T_0}(t) = \sum_{n=-\infty}^{+\infty} x(t - nT_0)$$

CTFT and CTFS (3)



Continuous Time Fourier Series

$$C_k = \frac{1}{T} \int_0^T x(t) e^{-jk\omega_0 t} dt \quad \leftrightarrow \quad x(t) = \sum_{n=0}^{\infty} C_k e^{+jk\omega_0 t}$$







$$\begin{aligned} C_k &= \frac{1}{T_0} \int_{-T_0/2}^{+T_0/2} x_{T_0}(t) e^{-jk\omega_0 t} dt \\ C_k T_0 &= \int_{-T_0/2}^{+T_0/2} x_{T_0}(t) e^{-jk\omega_0 t} dt \\ &= \int_{-T_0/2}^{+T_0/2} e^{-jk\omega_0 t} dt = \left[\frac{-1}{jk\omega_0} e^{-jk\omega_0 t} \right]_{-T_0/2}^{+T_0/2} \\ &= -\frac{e^{-jk\omega_0 T/2} - e^{+jk\omega_0 T/2}}{jk\omega_0} = \frac{\sin(k\omega_0 T/2)}{k\omega_0/2} \end{aligned}$$



$$\omega_0 = \frac{2\pi}{T_0} \quad \text{Fundamental Frequency}$$



CTFT and CTFS (4)



From CTFS to CTFT

Continuous Time Fourier Series

$$C_k = \frac{1}{T} \int_0^T x(t) e^{-jk\omega_0 t} dt \quad \leftrightarrow \quad x(t) = \sum_{n=0}^{\infty} C_k e^{+jk\omega_0 t}$$

$$C_k = \frac{1}{T_0} \int_{-T_0/2}^{+T_0/2} x_{T_0}(t) e^{-jk\omega_0 t} dt$$

$$C_k T_0 = \int_{-T_0/2}^{+T_0/2} x_{T_0}(t) e^{-jk\omega_0 t} dt$$

$$x_{T_0}(t) = \sum_{n=0}^{\infty} C_k e^{+jk\omega_0 t} \cdot \frac{2\pi}{2\pi} \cdot \frac{T_0}{T_0}$$

$$x_{T_0}(t) = \frac{1}{2\pi} \sum_{k=0}^{\infty} C_k T_0 e^{+jk\omega_0 t} \cdot \frac{2\pi}{T_0}$$

$$T_0 \rightarrow \infty \quad \Rightarrow \quad C_k T_0 \rightarrow X(j\omega) \quad x_{T_0} \rightarrow x(t) \quad \omega_0 = \frac{2\pi}{T_0} \rightarrow d\omega$$

Continuous Time Fourier Transform

$$X(j\omega) = \int_{-\infty}^{+\infty} x(t) e^{-j\omega t} dt \quad \leftrightarrow \quad x(t) = \frac{1}{2\pi} \int_{-\infty}^{+\infty} X(j\omega) e^{+j\omega t} d\omega$$

CTFT of Time Domain Impulse

Continuous Time Fourier Transform

$$x(t) = A \delta(t) \quad \leftrightarrow \quad X(j\omega) = A$$

$$X(j\omega) = \int_{-\infty}^{+\infty} x(t) e^{-j\omega t} dt$$

$$\begin{aligned} X(j\omega) &= \int_{-\infty}^{+\infty} A \delta(t) e^{-j\omega t} dt \\ &= \int_{-\infty}^{+\infty} A \delta(t) e^0 dt \\ &= A \int_{-\infty}^{+\infty} \delta(t) dt = A \end{aligned}$$

$$x(t) = \frac{1}{2\pi} \int_{-\infty}^{+\infty} X(j\omega) e^{+j\omega t} d\omega$$

$$\begin{aligned} x(t) &= \frac{1}{2\pi} \int_{-\infty}^{+\infty} A e^{+j\omega t} d\omega \\ &= \frac{A}{2\pi} \int_{-\infty}^{+\infty} e^{+j\omega t} d\omega = A \delta(t) \end{aligned}$$

CTFT of Frequency Domain Impulse

Continuous Time Fourier Transform

$$X(j\omega) = 2\pi \delta(\omega) \iff x(t) = 1$$

$$x(t) = \frac{1}{2\pi} \int_{-\infty}^{+\infty} X(j\omega) e^{+j\omega t} d\omega$$

$$\begin{aligned} x(t) &= \frac{1}{2\pi} \int_{-\infty}^{+\infty} 2\pi \delta(\omega) e^{+j\omega t} d\omega \\ &= \int_{-\infty}^{+\infty} \delta(\omega) e^{0} d\omega = 1 \end{aligned}$$

$$X(j\omega) = \int_{-\infty}^{+\infty} x(t) e^{-j\omega t} dt$$

$$X(j\omega) = \int_{-\infty}^{+\infty} e^{-j\omega t} dt = 2\pi \delta(\omega)$$

CTFS of Impulse Train

Continuous Time Fourier Series

$$C_n = \frac{1}{T} \int_0^T x(t) e^{-jn\omega_0 t} dt$$

$$x(t) = \sum_{n=0}^{\infty} C_n e^{+jn\omega_0 t}$$

$$p(t) = \sum_{n=-\infty}^{+\infty} \delta(t - nT_s)$$

$$\begin{aligned} C_n &= \frac{1}{T_s} \int_{-T_s/2}^{+T_s/2} \delta(t) e^{-jn\omega_s t} dt \\ &= \frac{1}{T_s} \int_{-T_s/2}^{+T_s/2} \delta(t) dt = \frac{1}{T_s} \end{aligned}$$

$$\begin{aligned} p(t) &= \sum_{n=-\infty}^{+\infty} C_n e^{jn\omega_s t} \\ &= \sum_{n=-\infty}^{+\infty} \frac{1}{T_s} e^{jn\omega_s t} \end{aligned}$$

$$p(t) = \sum_{n=-\infty}^{+\infty} \delta(t - nT_s) = \sum_{n=-\infty}^{+\infty} \frac{1}{T_s} e^{jn\omega_s t}$$

CTFT of Impulse Train

Continuous Time Fourier Transform

$$p(t) = \sum_{n=-\infty}^{+\infty} \delta(t - nT_s)$$

$$P(j\omega) = \int_{-\infty}^{+\infty} \sum_{n=-\infty}^{+\infty} \delta(t - nT_s) e^{-jn\omega t} dt = \int_{-\infty}^{+\infty} \sum_{n=-\infty}^{+\infty} \frac{1}{T_s} e^{jn\omega_s t} e^{-jn\omega t} dt$$

$$= \sum_{n=-\infty}^{+\infty} \frac{1}{T_s} \int_{-\infty}^{+\infty} e^{-j(\omega - n\omega_s)t} dt$$

$$= \sum_{n=-\infty}^{+\infty} \left(\frac{2\pi}{T_s} \right) \delta(\omega - n\omega_s)$$

$$X(j\omega) = \int_{-\infty}^{+\infty} x(t) e^{-j\omega t} dt$$

$$p(t) = \frac{1}{2\pi} \int_{-\infty}^{+\infty} \sum_{n=-\infty}^{+\infty} \left(\frac{2\pi}{T_s} \right) \delta(\omega - n\omega_s) e^{+j\omega t} d\omega = \sum_{n=-\infty}^{+\infty} \frac{1}{T_s} \int_{-\infty}^{+\infty} \delta(\omega - n\omega_s) e^{+j\omega t} d\omega$$

$$= \sum_{n=-\infty}^{+\infty} \frac{1}{T_s} e^{jn\omega_s t} = \sum_{n=-\infty}^{+\infty} \delta(t - nT_s)$$

$$x(t) = \frac{1}{2\pi} \int_{-\infty}^{+\infty} X(j\omega) e^{+j\omega t} d\omega$$

Other Convention

Continuous Time Fourier Transform unitary, angular frequency}

$$X(j\omega) = \frac{1}{\sqrt{2\pi}} \int_{-\infty}^{+\infty} x(t) e^{-j\omega t} dt \iff$$

$$x(t) = \frac{1}{\sqrt{2\pi}} \int_{-\infty}^{+\infty} X(j\omega) e^{+j\omega t} d\omega$$

Continuous Time Fourier Transform non-unitary, angular frequency}


$$X(j\omega) = 1 \cdot \int_{-\infty}^{+\infty} x(t) e^{-j\omega t} dt \iff$$

$$x(t) = \frac{1}{2\pi} \int_{-\infty}^{+\infty} X(j\omega) e^{+j\omega t} d\omega$$

CTFT of Impulse

$$X(j\omega) = \int_{-\infty}^{+\infty} x(t) e^{-j\omega t} dt \quad \leftrightarrow \quad x(t) = \frac{1}{2\pi} \int_{-\infty}^{+\infty} X(j\omega) e^{+j\omega t} d\omega$$

$$x(t) = A\delta(t)$$




$$X(j\omega) = \int_{-\infty}^{+\infty} \delta(t) e^{-j\omega t} dt$$

$$= \int_{-\infty}^{+\infty} \delta(t) e^{-j\omega_0 t} dt$$

$$X(j\omega) = 1$$

$$= \int_{-\infty}^{+\infty} \delta(t) dt = 1$$




$$x(t) = \frac{1}{2\pi} \int_{-\infty}^{+\infty} 2\pi\delta(\omega) e^{+j\omega t} d\omega$$




$$X(j\omega) = 2\pi\delta(\omega)$$

$$= \int_{-\infty}^{+\infty} \delta(\omega) e^{+j0t} d\omega$$



$$= \int_{-\infty}^{+\infty} \delta(\omega) d\omega = 1$$





CTFT of Sinusoid

$$X(j\omega) = \int_{-\infty}^{+\infty} x(t) e^{-j\omega t} dt \quad \leftrightarrow \quad x(t) = \frac{1}{2\pi} \int_{-\infty}^{+\infty} X(j\omega) e^{+j\omega t} d\omega$$

$$\begin{aligned} x(t) &= \frac{1}{2\pi} \int_{-\infty}^{+\infty} 2\pi \delta(\omega - \omega_0) e^{+j\omega t} d\omega && \xleftarrow{\hspace{10em}} && X(j\omega) = 2\pi \delta(\omega - \omega_0) \\ &= \int_{-\infty}^{+\infty} \delta(\omega - \omega_0) e^{+j\omega_0 t} d\omega \\ &= e^{+j\omega_0 t} \int_{-\infty}^{+\infty} \delta(\omega) d\omega \\ &= e^{+j\omega_0 t} \\ &= \cos \omega_0 t + j \sin \omega_0 t \end{aligned}$$

$$\omega_0 = \frac{2\pi}{T_0}$$



CTFT of Periodic Signals

A general formula for the CTFT
of any periodic function
for which a CTFS exists

Period

$$T_s \rightarrow \omega_s = \frac{2\pi}{T_s}$$


Fourier Series Expansion

$$x(t) = \sum_{k=-\infty}^{+\infty} a_k e^{+jk\omega_s t}$$



Fourier Series Coefficients

$$a_k = \frac{1}{T_s} \int_{-T_s/2}^{+T_s/2} x(t) e^{-jk\omega_s t} dt$$



Fourier Transform

$$\begin{aligned} X(j\omega) &= \sum_{k=-\infty}^{\infty} a_k \int_{-\infty}^{+\infty} e^{jk\omega_s t} e^{-j\omega t} dt \\ &= \sum_{k=-\infty}^{\infty} a_k \int_{-\infty}^{+\infty} e^{-j(\omega - k\omega_s)t} dt \\ &= \sum_{k=-\infty}^{\infty} 2\pi a_k \delta(\omega - k\omega_s) \end{aligned}$$

Period Time Signal



Sampling in Frequency

CTFT of Impulse Train

A general formula for the CTFT
of any periodic function
for which a CTFS exists

Period

$$T_s \rightarrow \omega_s = \frac{2\pi}{T_s}$$

Fourier Series Expansion


$$p(t) = \sum_{k=-\infty}^{+\infty} a_k e^{+jk\omega_s t}$$



Fourier Series Coefficients

$$a_k = \frac{1}{T_s} \int_{-T_s/2}^{+T_s/2} x(t) e^{-jk\omega_s t} dt$$


$$= \frac{1}{T_s} \int_{-T_s/2}^{+T_s/2} \delta(t) dt = \frac{1}{T_s}$$



Fourier Transform

$$X(j\omega) = \sum_{k=-\infty}^{\infty} 2\pi a_k \delta(\omega - k\omega_s)$$

$$= \sum_{k=-\infty}^{\infty} \left(\frac{2\pi}{T_s} \right) \delta(\omega - k\omega_s)$$



References

- [1] <http://en.wikipedia.org/>
- [2] J.H. McClellan, et al., *Signal Processing First*, Pearson Prentice Hall, 2003